BELLSOUTH® / CLEC Agreement

Customer Name: Network PTS, Inc.

Network PTS (2004)	2
Table of Contents	3
General Terms and Conditions	5
Signature Page	24
Att 1 - Resale	25
Att 1 - Resale Discounts and Rates	51
Att 2 - UNEs	60
Att 2 - UNE Rates	124
Att 3 - Network Interconnection	473
Att 3 - Local Interconnection Rates	504
Att4-Collocation - Central Office	513
Att 4 - Collocation - Remote Site	557
Att 4 - Collocation Rates	593
Att 5 - Access to Numbers and Number Portability	640
Att 6 - Ordering	644
Att 7 - Billing	651
Att 7 - ODUF ADUF CMDS Rates	669
Att 8 - Rights of Way	678
Att 9 - Perf Meas Intro	680
Att 9 - Performance Measurements	682
Att 10 - Disaster Recovery Plan	894
Att 11 - BFR and NBR Process	903

Note: This page is not part of the actual signed contract/amendment, but is present for record keeping purposes only.

Interconnection Agreement

Between

BellSouth Telecommunications, Inc.

and

Network PTS, Inc.

TABLE OF CONTENTS

General Terms and Conditions

ini	initions

- 1. CLEC Certification
- 2. Term of the Agreement
- 3. Operational Support Systems
- 4. Parity
- 5. White Pages Listings
- 6. Court Ordered Requests for Call Detail Records and Other Subscriber Information
- 7. Liability and Indemnification
- 8. Intellectual Property Rights and Indemnification
- 9. Proprietary and Confidential Information
- 10. Resolution of Disputes
- 11. Taxes
- 12. Force Majeure
- 13. Adoption of Agreements
- 14. Modification of Agreement
- 15. Non-waiver of Legal Rights
- 16. Indivisibility
- 17. Waivers
- 18. Governing Law
- 19. Assignments
- 20. Notices
- 21. Rule of Construction
- 22. Headings of No Force or Effect
- 23. Multiple Counterparts
- 24. Filing of Agreement
- 25. Compliance with Applicable Law
- 26. Necessary Approvals
- 27. Good Faith Performance
- 28. Nonexclusive Dealings
- 29. Rate True-Up
- 30. Survival
- 31. Entire Agreement

TABLE OF CONTENTS (cont'd)

- **Attachment 1 Resale**
- **Attachment 2 Network Elements and Other Services**
- **Attachment 3 Network Interconnection**
- **Attachment 4 Physical Collocation Central Office**
- **Attachment 4 Physical Collocation Remote Site**
- **Attachment 5 Access to Numbers and Number Portability**
- Attachment 6 Pre-Ordering, Ordering, Provisioning, Maintenance and Repair
- **Attachment 7 Billing**
- Attachment 8 Rights-of-Way, Conduits and Pole Attachments
- **Attachment 9 Performance Measurements**
- **Attachment 10- BellSouth Disaster Recovery Plan**
- Attachment 11-Bona Fide Request and New Business Request Process

AGREEMENT GENERAL TERMS AND CONDITIONS

THIS AGREEMENT is made by and between BellSouth Telecommunications, Inc., (BellSouth), a Georgia corporation, and Network PTS, Inc. (Network PTS), a California corporation, and shall be effective on the Effective Date, as defined herein. This Agreement may refer to either BellSouth or Network PTS or both as a "Party" or "Parties."

WITNESSETH

WHEREAS, BellSouth is a local exchange telecommunications company authorized to provide telecommunications services in the states of Alabama, Florida, Georgia, Kentucky, Louisiana, Mississippi, North Carolina, South Carolina and Tennessee; and

WHEREAS, Network PTS is or seeks to become a CLEC authorized to provide telecommunications services in the states of Alabama, Florida, Georgia, Kentucky, Louisiana, Mississippi, North Carolina, South Carolina, and Tennessee; and

WHEREAS, Network PTS wishes to resell BellSouth's telecommunications services and purchase network elements and other services, and, solely in connection therewith, may wish to utilize collocation space as set forth in Attachment 4 of this Agreement; and

WHEREAS, the Parties wish to interconnect their facilities and exchange traffic pursuant to Sections 251 and 252 of the Act.

NOW THEREFORE, in consideration of the mutual agreements contained herein, BellSouth and Network PTS agree as follows:

Definitions

Affiliate is defined as a person that (directly or indirectly) owns or controls, is owned or controlled by, or is under common ownership or control with, another person. For purposes of this paragraph, the term "own" means to own an equity interest (or equivalent thereof) of more than 10 percent.

Commission is defined as the appropriate regulatory agency in each state of BellSouth's nine-state region (Alabama, Florida, Georgia, Kentucky, Louisiana, Mississippi, North Carolina, South Carolina, and Tennessee).

Competitive Local Exchange Carrier (CLEC) means a telephone company certificated by the Commission to provide local exchange service within BellSouth's franchised area.

Effective Date is defined as the date that the Agreement is effective for purposes of rates, terms and conditions and shall be thirty (30) days after the date of the last signature executing the Agreement. Future amendments for rate changes will also be effective thirty (30) days after the date of the last signature executing the amendment.

End User means the ultimate user of the Telecommunications Service.

FCC means the Federal Communications Commission.

General Terms and Conditions means this document including all of the terms, provisions and conditions set forth herein.

Telecommunications means the transmission, between or among points specified by the user, of information of the user's choosing, without change in the form or content of the information as sent and received.

Telecommunications Service means the offering of telecommunications for a fee directly to the public, or to such classes of users as to be effectively available directly to the public, regardless of the facilities used.

Telecommunications Act of 1996 (Act) means Public Law 104-104 of the United States Congress effective February 8, 1996. The Act amended the Communications Act of 1934 (47 U.S.C. Section 1 et. seq.).

1. CLEC Certification

- Prior to execution of this Agreement, Network PTS agrees to provide BellSouth in writing Network PTS's CLEC certification for all states covered by this Agreement except Kentucky prior to BellSouth filing this Agreement with the appropriate Commission for approval.
- 1.2 To the extent Network PTS is not certified as a CLEC in each state covered by this Agreement as of the execution hereof, Network PTS will notify BellSouth in writing and provide CLEC certification when it becomes certified to operate in any other state covered by this Agreement. Upon notification, BellSouth will file this Agreement with the appropriate Commission for approval.

2. Term of the Agreement

2.1 The term of this Agreement shall be three years, beginning on the Effective Date and shall apply to the BellSouth territory in the state(s) of Alabama, Florida, Georgia, Kentucky, Louisiana, Mississippi, North Carolina, South Carolina and Tennessee. Notwithstanding any prior agreement of the Parties, the rates, terms and conditions of this Agreement shall not be applied retroactively prior to the Effective Date.

- 2.2 The Parties agree that by no earlier than two hundred seventy (270) days and no later than one hundred and eighty (180) days prior to the expiration of this Agreement, they shall commence negotiations for a new agreement to be effective beginning on the expiration date of this Agreement (Subsequent Agreement).
- If, within one hundred and thirty-five (135) days of commencing the negotiation referred to in Section 2.2 above, the Parties are unable to negotiate new terms, conditions and prices for a Subsequent Agreement, either Party may petition the Commission to establish appropriate terms, conditions and prices for the Subsequent Agreement pursuant to 47 U.S.C. 252.
- If, as of the expiration of this Agreement, a Subsequent Agreement has not been executed by the Parties, this Agreement shall terminate. Upon termination of this Agreement, BellSouth shall continue to offer services to Network PTS pursuant to the terms, conditions and rates set forth in BellSouth's then current standard interconnection agreement. In the event that BellSouth's standard interconnection agreement becomes effective as between the Parties, the Parties may continue to negotiate a Subsequent Agreement or arbitrate disputed issues to reach a Subsequent Agreement as set forth in Section 2.3 above, and the terms of such Subsequent Agreement shall be effective as of the effective date as stated in the Subsequent Agreement.

3. Operational Support Systems

Network PTS shall pay charges for Operational Support Systems (OSS) as set forth in this Agreement.

4. Parity

When Network PTS purchases Telecommunications Services from BellSouth pursuant to Attachment 1 of this Agreement for the purposes of resale to End Users, such services shall be equal in quality, subject to the same conditions, and provided within the same provisioning time intervals that BellSouth provides to its Affiliates, subsidiaries and End Users. To the extent technically feasible, the quality of a Network Element, as well as the quality of the access to such Network Element provided by BellSouth to Network PTS shall be at least equal in quality to that which BellSouth provides to itself, its Affiliates or any other Telecommunications carrier. The quality of the interconnection between the network of BellSouth and the network of Network PTS shall be at a level that is equal to that which BellSouth provides itself, a subsidiary, an Affiliate, or any other party. The interconnection facilities shall be designed to meet the same technical criteria and service standards that are used within BellSouth's network and shall extend to a consideration of service quality as perceived by BellSouth's End Users and service quality as perceived by Network PTS.

5. White Pages Listings

BellSouth shall provide Network PTS and its customers access to white pages directory listings under the following terms:

- 5.1.1 <u>Listings</u>. Network PTS shall provide all new, changed and deleted listings on a timely basis and BellSouth or its agent will include Network PTS residential and business customer listings in the appropriate White Pages (residential and business) or alphabetical directories in the geographic areas covered by this Interconnection Agreement. Directory listings will make no distinction between Network PTS and BellSouth subscribers.
- 5.1.2 <u>Rates.</u> So long as Network PTS provides subscriber listing information (SLI) to BellSouth in accordance with Section 5.2 below, BellSouth shall provide to Network PTS one (1) primary White Pages listing per Network PTS subscriber at no charge other than applicable service order charges as set forth in BellSouth's tariffs.
- 5.2 Procedures for Submitting Network PTS SLI are found in The BellSouth Business Rules for Local Ordering.
- 5.2.1 Network PTS authorizes BellSouth to release all Network PTS SLI provided to BellSouth by Network PTS to qualifying third parties via either license agreement or BellSouth's Directory Publishers Database Service (DPDS), General Subscriber Services Tariff (GSST), Section A38.2, as the same may be amended from time to time. Such Network PTS SLI shall be intermingled with BellSouth's own customer listings and listings of any other CLEC that has authorized a similar release of SLI.
- No compensation shall be paid to Network PTS for BellSouth's receipt of Network PTS SLI, or for the subsequent release to third parties of such SLI. In addition, to the extent BellSouth incurs costs to modify its systems to enable the release of Network PTS's SLI, or costs on an ongoing basis to administer the release of Network PTS SLI, Network PTS shall pay to BellSouth its proportionate share of the reasonable costs associated therewith. At any time that costs may be incurred to administer the release of Network PTS's SLI, Network PTS will be notified. If Network PTS does not wish to pay its proportionate share of these reasonable costs, Network PTS may instruct BellSouth that it does not wish to release its SLI to independent publishers, and Network PTS shall amend this Agreement accordingly. Network PTS will be liable for all costs incurred until the effective date of the amendment.
- 5.2.3 Neither BellSouth nor any agent shall be liable for the content or accuracy of any SLI provided by Network PTS under this Agreement. Network PTS shall indemnify, hold harmless and defend BellSouth and its agents from and against any damages, losses, liabilities, demands, claims, suits, judgments, costs and expenses (including but not limited to reasonable attorneys' fees and expenses) arising from BellSouth's tariff obligations or otherwise and resulting from or arising out of any third party's claim of inaccurate Network PTS listings or use of the SLI provided pursuant to this Agreement. BellSouth may forward to Network PTS any complaints received by BellSouth relating to the accuracy or quality of Network PTS listings.

- 5.2.4 Listings and subsequent updates will be released consistent with BellSouth system changes and/or update scheduling requirements.
- 5.3 <u>Unlisted/Non-Published Subscribers</u>. Network PTS will be required to provide to BellSouth the names, addresses and telephone numbers of all Network PTS customers who wish to be omitted from directories. Unlisted/Non-Published SLI will be subject to the rates as set forth in BellSouth's GSST.
- 5.4 <u>Inclusion of Network PTS End Users in Directory Assistance Database</u>. BellSouth will include and maintain Network PTS subscriber listings in BellSouth's Directory Assistance databases at no recurring charge and Network PTS shall provide such Directory Assistance listings to BellSouth at no recurring charge.
- 5.5 <u>Listing Information Confidentiality</u>. BellSouth will afford Network PTS's directory listing information the same level of confidentiality that BellSouth affords its own directory listing information.
- 5.6 <u>Additional and Designer Listings</u>. Additional and designer listings will be offered by BellSouth at tariffed rates as set forth in the General Subscriber Services Tariff.
- 5.7 <u>Directories</u>. BellSouth or its agent shall make available White Pages directories to Network PTS subscribers at no charge or as specified in a separate agreement with BellSouth's agent.

6. Court Ordered Requests for Call Detail Records and Other Subscriber Information

- 6.1 Subpoenas Directed to BellSouth. Where BellSouth provides resold services or local switching for Network PTS, BellSouth shall respond to subpoenas and court ordered requests delivered directly to BellSouth for the purpose of providing call detail records when the targeted telephone numbers belong to Network PTS End Users. Billing for such requests will be generated by BellSouth and directed to the law enforcement agency initiating the request. BellSouth shall maintain such information for Network PTS End Users for the same length of time it maintains such information for its own End Users.
- 6.2 <u>Subpoenas Directed to Network PTS</u>. Where BellSouth is providing to Network PTS Telecommunications Services for resale or providing to Network PTS the local switching function, then Network PTS agrees that in those cases where Network PTS receives subpoenas or court ordered requests regarding targeted telephone numbers belonging to Network PTS End Users, and where Network PTS does not have the requested information, Network PTS will advise the law enforcement agency initiating the request to redirect the subpoena or court ordered request to BellSouth for handling in accordance with 6.1 above.
- In all other instances, where either Party receives a request for information involving the other Party's End User, the Party receiving the request will advise

the law enforcement agency initiating the request to redirect such request to the other Party.

7. Liability and Indemnification

- 7.1 Network PTS Liability. In the event that Network PTS consists of two (2) or more separate entities as set forth in this Agreement and/or any Amendments hereto, all such entities shall be jointly and severally liable for the obligations of Network PTS under this Agreement.
- 7.2 <u>Liability for Acts or Omissions of Third Parties</u>. BellSouth shall not be liable to Network PTS for any act or omission of another Telecommunications company providing services to Network PTS.

7.3 <u>Limitation of Liability</u>

- 7.3.1 Except for any indemnification obligations of the Parties hereunder, each Party's liability to the other for any loss, cost, claim, injury, liability or expense, including reasonable attorneys' fees relating to or arising out of any negligent act or omission in its performance of this Agreement, whether in contract or in tort, shall be limited to a credit for the actual cost of the services or functions not performed or improperly performed.
- 7.3.2 <u>Limitations in Tariffs</u>. A Party may, in its sole discretion, provide in its tariffs and contracts with its End Users and third parties that relate to any service, product or function provided or contemplated under this Agreement, that to the maximum extent permitted by Applicable Law, such Party shall not be liable to the End User or third party for (i) any loss relating to or arising out of this Agreement, whether in contract, tort or otherwise, that exceeds the amount such Party would have charged that applicable person for the service, product or function that gave rise to such loss and (ii) consequential damages. To the extent that a Party elects not to place in its tariffs or contracts such limitations of liability, and the other Party incurs a loss as a result thereof, such Party shall indemnify and reimburse the other Party for that portion of the loss that would have been limited had the first Party included in its tariffs and contracts the limitations of liability that such other Party included in its own tariffs at the time of such loss.
- 7.3.3 Neither BellSouth nor Network PTS shall be liable for damages to the other Party's terminal location, equipment or End User premises resulting from the furnishing of a service, including, but not limited to, the installation and removal of equipment or associated wiring, except to the extent caused by a Party's negligence or willful misconduct or by a Party's failure to ground properly a local loop after disconnection.
- 7.3.4 Under no circumstance shall a Party be responsible or liable for indirect, incidental, or consequential damages, including, but not limited to, economic loss or lost business or profits, damages arising from the use or performance of equipment or software, or the loss of use of software or equipment, or accessories attached

thereto, delay, error, or loss of data. In connection with this limitation of liability, each Party recognizes that the other Party may, from time to time, provide advice, make recommendations, or supply other analyses related to the services or facilities described in this Agreement, and, while each Party shall use diligent efforts in this regard, the Parties acknowledge and agree that this limitation of liability shall apply to provision of such advice, recommendations, and analyses.

- 7.3.5 To the extent any specific provision of this Agreement purports to impose liability, or limitation of liability, on either Party different from or in conflict with the liability or limitation of liability set forth in this Section, then with respect to any facts or circumstances covered by such specific provisions, the liability or limitation of liability contained in such specific provision shall apply.
- Indemnification for Certain Claims. The Party providing services hereunder, its Affiliates and its parent company, shall be indemnified, defended and held harmless by the Party receiving services hereunder against any claim, loss or damage arising from the receiving Party's use of the services provided under this Agreement pertaining to (1) claims for libel, slander or invasion of privacy arising from the content of the receiving Party's own communications, or (2) any claim, loss or damage claimed by the End User of the Party receiving services arising from such company's use or reliance on the providing Party's services, actions, duties, or obligations arising out of this Agreement.
- 7.5 <u>Disclaimer</u>. EXCEPT AS SPECIFICALLY PROVIDED TO THE CONTRARY IN THIS AGREEMENT, NEITHER PARTY MAKES ANY REPRESENTATIONS OR WARRANTIES TO THE OTHER PARTY CONCERNING THE SPECIFIC QUALITY OF ANY SERVICES, OR FACILITIES PROVIDED UNDER THIS AGREEMENT. THE PARTIES DISCLAIM, WITHOUT LIMITATION, ANY WARRANTY OR GUARANTEE OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, ARISING FROM COURSE OF PERFORMANCE, COURSE OF DEALING, OR FROM USAGES OF TRADE.

8. Intellectual Property Rights and Indemnification

8.1 No License. No patent, copyright, trademark or other proprietary right is licensed, granted or otherwise transferred by this Agreement. The Parties are strictly prohibited from any use, including but not limited to, in the selling, marketing, promoting or advertising of telecommunications services, of any name, service mark, logo or trademark (collectively, the "Marks") of the Other Party. The Marks include those Marks owned directly by a Party or its Affiliate(s) and those Marks that a Party has a legal and valid license to use. The Parties acknowledge that they are separate and distinct and that each provides a separate and distinct service and agree that neither Party may, expressly or impliedly, state, advertise or market that it is or offers the same service as the Other Party or engage in any other activity that may result in a likelihood of confusion between its own service and the service of the Other Party.

- 8.2 Ownership of Intellectual Property. Any intellectual property that originates from or is developed by a Party shall remain the exclusive property of that Party. Except for a limited, non-assignable, non-exclusive, non-transferable license to use patents or copyrights to the extent necessary for the Parties to use any facilities or equipment (including software) or to receive any service solely as provided under this Agreement, no license in patent, copyright, trademark or trade secret, or other proprietary or intellectual property right, now or hereafter owned, controlled or licensable by a Party, is granted to the other Party. Neither shall it be implied nor arise by estoppel. Any trademark, copyright or other proprietary notices appearing in association with the use of any facilities or equipment (including software) shall remain on the documentation, material, product, service, equipment or software. It is the responsibility of each Party to ensure at no additional cost to the other Party that it has obtained any necessary licenses in relation to intellectual property of third Parties used in its network that may be required to enable the other Party to use any facilities or equipment (including software), to receive any service, or to perform its respective obligations under this Agreement.
- 8.3 Intellectual Property Remedies
- 8.3.1 <u>Indemnification</u>. The Party providing a service pursuant to this Agreement will defend the Party receiving such service or data provided as a result of such service against claims of infringement arising solely from the use by the receiving Party of such service in the manner contemplated under this Agreement and will indemnify the receiving Party for any damages awarded based solely on such claims in accordance with Section 7 preceding.
- 8.3.2 <u>Claim of Infringement</u>. In the event that use of any facilities or equipment (including software), becomes, or in the reasonable judgment of the Party who owns the affected network is likely to become, the subject of a claim, action, suit, or proceeding based on intellectual property infringement, then said Party shall promptly and at its sole expense and sole option, but subject to the limitations of liability set forth below:
- 8.3.2.1 modify or replace the applicable facilities or equipment (including software) while maintaining form and function, or
- 8.3.2.2 obtain a license sufficient to allow such use to continue.
- 8.3.2.3 In the event Section 8.3.2.1 or 8.3.2.2 are commercially unreasonable, then said Party may terminate, upon reasonable notice, this contract with respect to use of, or services provided through use of, the affected facilities or equipment (including software), but solely to the extent required to avoid the infringement claim.
- 8.3.3 <u>Exception to Obligations</u>. Neither Party's obligations under this Section shall apply to the extent the infringement is caused by: (i) modification of the facilities or equipment (including software) by the indemnitee; (ii) use by the indemnitee of the facilities or equipment (including software) in combination with equipment or

facilities (including software) not provided or authorized by the indemnitor, provided the facilities or equipment (including software) would not be infringing if used alone; (iii) conformance to specifications of the indemnitee which would necessarily result in infringement; or (iv) continued use by the indemnitee of the affected facilities or equipment (including software) after being placed on notice to discontinue use as set forth herein.

- 8.3.4 <u>Exclusive Remedy</u>. The foregoing shall constitute the Parties' sole and exclusive remedies and obligations with respect to a third party claim of intellectual property infringement arising out of the conduct of business under this Agreement.
- 8.4 <u>Dispute Resolution.</u> Any claim arising under this Section 8 shall be excluded from the dispute resolution procedures set forth in Section 10 and shall be brought in a court of competent jurisdiction.

9. Proprietary and Confidential Information

- 9.1 Proprietary and Confidential Information. It may be necessary for BellSouth and Network PTS, each as the "Discloser," to provide to the other Party, as "Recipient," certain proprietary and confidential information (including trade secret information) including but not limited to technical, financial, marketing, staffing and business plans and information, strategic information, proposals, request for proposals, specifications, drawings, maps, prices, costs, costing methodologies, procedures, processes, business systems, software programs, techniques, customer account data, call detail records and like information (collectively the "Information"). All such Information conveyed in writing or other tangible form shall be clearly marked with a confidential or proprietary legend. Information conveyed orally by the Discloser to Recipient shall be designated as proprietary and confidential at the time of such oral conveyance, shall be reduced to writing by the Discloser within forty-five (45) days thereafter, and shall be clearly marked with a confidential or proprietary legend.
- 9.2 <u>Use and Protection of Information.</u> Recipient agrees to protect such Information of the Discloser provided to Recipient from whatever source from distribution, disclosure or dissemination to anyone except employees of Recipient with a need to know such Information solely in conjunction with Recipient's analysis of the Information and for no other purpose except as authorized herein or as otherwise authorized in writing by the Discloser. Recipient will not make any copies of the Information inspected by it.
- 9.3 <u>Exceptions</u>. Recipient will not have an obligation to protect any portion of the Information which:
- 9.3.1 (a) is made publicly available by the Discloser or lawfully by a nonparty to this Agreement; (b) is lawfully obtained by Recipient from any source other than Discloser; (c) is previously known to Recipient without an obligation to keep it

confidential; or (d) is released from the terms of this Agreement by Discloser upon written notice to Recipient.

- 9.4 Recipient agrees to use the Information solely for the purposes of negotiations pursuant to 47 U.S.C. 251 or in performing its obligations under this Agreement and for no other entity or purpose, except as may be otherwise agreed to in writing by the Parties. Nothing herein shall prohibit Recipient from providing information requested by the FCC or a state regulatory agency with jurisdiction over this matter, or to support a request for arbitration or an allegation of failure to negotiate in good faith.
- 9.5 Recipient agrees not to publish or use the Information for any advertising, sales or marketing promotions, press releases, or publicity matters that refer either directly or indirectly to the Information or to the Discloser or any of its affiliated companies.
- 9.6 The disclosure of Information neither grants nor implies any license to the Recipient under any trademark, patent, copyright, application or other intellectual property right that is now or may hereafter be owned by the Discloser.
- 9.7 <u>Survival of Confidentiality Obligations.</u> The Parties' rights and obligations under this Section 9 shall survive and continue in effect until two (2) years after the expiration or termination date of this Agreement with regard to all Information exchanged during the term of this Agreement. Thereafter, the Parties' rights and obligations hereunder survive and continue in effect with respect to any Information that is a trade secret under applicable law.

10. Resolution of Disputes

Except as otherwise stated in this Agreement, if any dispute arises as to the interpretation of any provision of this Agreement or as to the proper implementation of this Agreement, the aggrieved Party shall petition the Commission for a resolution of the dispute. However, each Party reserves any rights it may have to seek judicial review of any ruling made by the Commission concerning this Agreement.

11. Taxes

11.1 <u>Definition</u>. For purposes of this Section, the terms "taxes" and "fees" shall include but not be limited to federal, state or local sales, use, excise, gross receipts or other taxes or tax-like fees of whatever nature and however designated (including tariff surcharges and any fees, charges or other payments, contractual or otherwise, for the use of public streets or rights of way, whether designated as franchise fees or otherwise) imposed, or sought to be imposed, on or with respect to the services furnished hereunder or measured by the charges or payments therefore, excluding any taxes levied on income.

- 11.2 Taxes and Fees Imposed Directly On Either Providing Party or Purchasing Party.
- Taxes and fees imposed on the providing Party, which are not permitted or required to be passed on by the providing Party to its customer, shall be borne and paid by the providing Party.
- Taxes and fees imposed on the purchasing Party, which are not required to be collected and/or remitted by the providing Party, shall be borne and paid by the purchasing Party.
- 11.3 <u>Taxes and Fees Imposed on Purchasing Party But Collected And Remitted By Providing Party.</u>
- Taxes and fees imposed on the purchasing Party shall be borne by the purchasing Party, even if the obligation to collect and/or remit such taxes or fees is placed on the providing Party.
- To the extent permitted by applicable law, any such taxes and/or fees shall be shown as separate items on applicable billing documents between the Parties. Notwithstanding the foregoing, the purchasing Party shall remain liable for any such taxes and fees regardless of whether they are actually billed by the providing Party at the time that the respective service is billed.
- 11.3.3 If the purchasing Party determines that in its opinion any such taxes or fees are not payable, the providing Party shall not bill such taxes or fees to the purchasing Party if the purchasing Party provides written certification, reasonably satisfactory to the providing Party, stating that it is exempt or otherwise not subject to the tax or fee, setting forth the basis therefor, and satisfying any other requirements under applicable law. If any authority seeks to collect any such tax or fee that the purchasing Party has determined and certified not to be payable, or any such tax or fee that was not billed by the providing Party, the purchasing Party may contest the same in good faith, at its own expense. In any such contest, the purchasing Party shall promptly furnish the providing Party with copies of all filings in any proceeding, protest, or legal challenge, all rulings issued in connection therewith, and all correspondence between the purchasing Party and the taxing authority.
- In the event that all or any portion of an amount sought to be collected must be paid in order to contest the imposition of any such tax or fee, or to avoid the existence of a lien on the assets of the providing Party during the pendency of such contest, the purchasing Party shall be responsible for such payment and shall be entitled to the benefit of any refund or recovery.
- 11.3.5 If it is ultimately determined that any additional amount of such a tax or fee is due to the imposing authority, the purchasing Party shall pay such additional amount, including any interest and penalties thereon.
- 11.3.6 Notwithstanding any provision to the contrary, the purchasing Party shall protect, indemnify and hold harmless (and defend at the purchasing Party's expense) the

providing Party from and against any such tax or fee, interest or penalties thereon, or other charges or payable expenses (including reasonable attorney fees) with respect thereto, which are incurred by the providing Party in connection with any claim for or contest of any such tax or fee.

- 11.3.7 Each Party shall notify the other Party in writing of any assessment, proposed assessment or other claim for any additional amount of such a tax or fee by a taxing authority; such notice to be provided, if possible, at least ten (10) days prior to the date by which a response, protest or other appeal must be filed, but in no event later than thirty (30) days after receipt of such assessment, proposed assessment or claim.
- 11.4 <u>Taxes and Fees Imposed on Providing Party But Passed On To Purchasing Party.</u>
- 11.4.1 Taxes and fees imposed on the providing Party, which are permitted or required to be passed on by the providing Party to its customer, shall be borne by the purchasing Party.
- To the extent permitted by applicable law, any such taxes and/or fees shall be shown as separate items on applicable billing documents between the Parties. Notwithstanding the foregoing, the purchasing Party shall remain liable for any such taxes and fees regardless of whether they are actually billed by the providing Party at the time that the respective service is billed.
- 11.4.3 If the purchasing Party disagrees with the providing Party's determination as to the application or basis for any such tax or fee, the Parties shall consult with respect to the imposition and billing of such tax or fee. Notwithstanding the foregoing, the providing Party shall retain ultimate responsibility for determining whether and to what extent any such taxes or fees are applicable, and the purchasing Party shall abide by such determination and pay such taxes or fees to the providing Party. The providing Party shall further retain ultimate responsibility for determining whether and how to contest the imposition of such taxes and fees; provided, however, that any such contest undertaken at the request of the purchasing Party shall be at the purchasing Party's expense.
- In the event that all or any portion of an amount sought to be collected must be paid in order to contest the imposition of any such tax or fee, or to avoid the existence of a lien on the assets of the providing Party during the pendency of such contest, the purchasing Party shall be responsible for such payment and shall be entitled to the benefit of any refund or recovery.
- 11.4.5 If it is ultimately determined that any additional amount of such a tax or fee is due to the imposing authority, the purchasing Party shall pay such additional amount, including any interest and penalties thereon.
- 11.4.6 Notwithstanding any provision to the contrary, the purchasing Party shall protect, indemnify and hold harmless (and defend at the purchasing Party's expense) the providing Party from and against any such tax or fee, interest or penalties thereon,

or other reasonable charges or payable expenses (including reasonable attorneys' fees) with respect thereto, which are incurred by the providing Party in connection with any claim for or contest of any such tax or fee.

- 11.4.7 Each Party shall notify the other Party in writing of any assessment, proposed assessment or other claim for any additional amount of such a tax or fee by a taxing authority; such notice to be provided, if possible, at least ten (10) days prior to the date by which a response, protest or other appeal must be filed, but in no event later than thirty (30) days after receipt of such assessment, proposed assessment or claim.
- Mutual Cooperation. In any contest of a tax or fee by one Party, the other Party shall cooperate fully by providing records, testimony and such additional information or assistance as may reasonably be necessary to pursue the contest. Further, the other Party shall be reimbursed for any reasonable and necessary out-of-pocket copying and travel expenses incurred in assisting in such contest.

12. Force Majeure

In the event performance of this Agreement, or any obligation hereunder, is either directly or indirectly prevented, restricted, or interfered with by reason of fire, flood, earthquake or like acts of God, wars, revolution, civil commotion, explosion, acts of public enemy, embargo, acts of the government in its sovereign capacity, labor difficulties, including without limitation, strikes, slowdowns, picketing, or boycotts, unavailability of equipment from vendor, changes requested by Network PTS, or any other circumstances beyond the reasonable control and without the fault or negligence of the Party affected, the Party affected, upon giving prompt notice to the other Party, shall be excused from such performance on a day-to-day basis to the extent of such prevention, restriction, or interference (and the other Party shall likewise be excused from performance of its obligations on a day-to-day basis until the delay, restriction or interference has ceased); provided, however, that the Party so affected shall use diligent efforts to avoid or remove such causes of non-performance and both Parties shall proceed whenever such causes are removed or cease.

13. Adoption of Agreements

BellSouth shall make available, pursuant to 47 USC § 252 and the FCC rules and regulations regarding such availability, to Network PTS any interconnection, service, or network element provided under any other agreement filed and approved pursuant to 47 USC § 252, provided a minimum of six months remains on the term of such agreement. The Parties shall adopt all rates, terms and conditions concerning such other interconnection, service or network element and any other rates, terms and conditions that are legitimately related to or were negotiated in exchange for or in conjunction with the interconnection, service or network element being adopted. The adopted interconnection, service, or network element and agreement shall apply to the same states as such other agreement.

The term of the adopted agreement or provisions shall expire on the same date as set forth in the agreement that was adopted.

14. Modification of Agreement

- 14.1 If Network PTS changes its name or makes changes to its company structure or identity due to a merger, acquisition, transfer or any other reason, it is the responsibility of Network PTS to notify BellSouth of said change and request that an amendment to this Agreement, if necessary, be executed to reflect said change.
- 14.2 No modification, amendment, supplement to, or waiver of the Agreement or any of its provisions shall be effective and binding upon the Parties unless it is made in writing and duly signed by the Parties.
- In the event that any effective legislative, regulatory, judicial or other legal action materially affects any material terms of this Agreement, or the ability of Network PTS or BellSouth to perform any material terms of this Agreement, Network PTS or BellSouth may, on thirty (30) days' written notice, require that such terms be renegotiated, and the Parties shall renegotiate in good faith such mutually acceptable new terms as may be required. In the event that such new terms are not renegotiated within ninety (90) days after such notice, the Dispute shall be referred to the Dispute Resolution procedure set forth in this Agreement.

15. Non-waiver of Legal Rights

Execution of this Agreement by either Party does not confirm or imply that the executing Party agrees with any decision(s) issued pursuant to the Telecommunications Act of 1996 and the consequences of those decisions on specific language in this Agreement. Neither Party waives its rights to appeal or otherwise challenge any such decision(s) and each Party reserves all of its rights to pursue any and all legal and/or equitable remedies, including appeals of any such decision(s).

16. Indivisibility

The Parties intend that this Agreement be indivisible and nonseverable, and each of the Parties acknowledges that it has assented to all of the covenants and promises in this Agreement as a single whole and that all of such covenants and promises, taken as a whole, constitute the essence of the contract. Without limiting the generality of the foregoing, each of the Parties acknowledges that any provision by BellSouth of collocation space under this Agreement is solely for the purpose of facilitating the provision of other services under this Agreement and that neither Party would have contracted with respect to the provisioning of collocation space under this Agreement if the covenants and promises of the other Party with respect to the other services provided under this Agreement had not been made. The Parties further acknowledge that this Agreement is intended to constitute a single transaction, that the obligations of the Parties under this Agreement are

interdependent, and that payment obligations under this Agreement are intended to be recouped against other payment obligations under this Agreement.

17. Waivers

A failure or delay of either Party to enforce any of the provisions hereof, to exercise any option which is herein provided, or to require performance of any of the provisions hereof shall in no way be construed to be a waiver of such provisions or options, and each Party, notwithstanding such failure, shall have the right thereafter to insist upon the performance of any and all of the provisions of this Agreement.

18. Governing Law

Where applicable, this Agreement shall be governed by and construed in accordance with federal and state substantive telecommunications law, including rules and regulations of the FCC and appropriate Commission. In all other respects, this Agreement shall be governed by and construed and enforced in accordance with the laws of the State of Georgia without regard to its conflict of laws principles.

19. Assignments

Any assignment by either Party to any non-affiliated entity of any right, obligation or duty, or of any other interest hereunder, in whole or in part, without the prior written consent of the other Party shall be void. A Party may assign this Agreement in its entirety to an Affiliate of the Party without the consent of the other Party; provided, however, that the assigning Party shall notify the other Party in writing of such assignment thirty (30) days prior to the Effective Date thereof and, provided further, if the assignee is an assignee of Network PTS, the assignee must provide evidence of Commission CLEC certification. The Parties shall amend this Agreement to reflect such assignments and shall work cooperatively to implement any changes required due to such assignment. All obligations and duties of any Party under this Agreement shall be binding on all successors in interest and assigns of such Party. No assignment or delegation hereof shall relieve the assignor of its obligations under this Agreement in the event that the assignee fails to perform such obligations. Notwithstanding anything to the contrary in this Section, Network PTS shall not assign this Agreement to any Affiliate or nonaffiliated entity unless either (1) Network PTS pays all bills, past due and current, under this Agreement, or (2) Network PTS's assignee expressly assumes liability for payment of such bills.

20. Notices

20.1 Every notice, consent, approval, or other communications required or contemplated by this Agreement shall be in writing and shall be delivered by hand, by overnight courier or by US mail postage prepaid, address to:

BellSouth Telecommunications, Inc.

BellSouth Local Contract Manager 600 North 19th Street, 8th floor Birmingham, AL 35203

and

ICS Attorney Suite 4300 675 West Peachtree Street Atlanta, GA 30375

Network PTS, Inc.

John King

14472 Wicks Boulevard San Leandro, CA 94577 510-347-3630 Johnk@jaroth-pts.com

or at such other address as the intended recipient previously shall have designated by written notice to the other Party.

- Unless otherwise provided in this Agreement, notice by mail shall be effective on the date it is officially recorded as delivered by return receipt or equivalent, and in the absence of such record of delivery, it shall be presumed to have been delivered the fifth day, or next business day after the fifth day, after it was deposited in the mails.
- 20.3 BellSouth will post changes to business processes and policies, not requiring an amendment to this Agreement, notices required to be posted to BellSouth's website, and any other information of general applicability to CLECs.

21. Rule of Construction

No rule of construction requiring interpretation against the drafting Party hereof shall apply in the interpretation of this Agreement.

22. Headings of No Force or Effect

The headings of Articles and Sections of this Agreement are for convenience of reference only, and shall in no way define, modify or restrict the meaning or interpretation of the terms or provisions of this Agreement.

23. Multiple Counterparts

This Agreement may be executed in multiple counterparts, each of which shall be deemed an original, but all of which shall together constitute but one and the same document.

24. Filing of Agreement

Upon execution of this Agreement it shall be filed with the appropriate state regulatory agency pursuant to the requirements of Section 252 of the Act, and the Parties shall share equally any filing fees therefor. If the regulatory agency imposes any filing or public interest notice fees regarding the filing or approval of the Agreement, Network PTS shall be responsible for publishing the required notice and the publication and/or notice costs shall be borne by Network PTS. Notwithstanding the foregoing, this Agreement shall not be submitted for approval by the appropriate state regulatory agency unless and until such time as Network PTS is duly certified as a local exchange carrier in such state, except as otherwise required by a Commission.

25. Compliance with Applicable Law

Each Party shall comply at its own expense with Applicable Law.

26. Necessary Approvals

Each Party shall be responsible for obtaining and keeping in effect all approvals from, and rights granted by, governmental authorities, building and property owners, other carriers, and any other persons that may be required in connection with the performance of its obligations under this Agreement. Each Party shall reasonably cooperate with the other Party in obtaining and maintaining any required approvals and rights for which such Party is responsible.

27. Good Faith Performance

Each Party shall act in good faith in its performance under this Agreement and, in each case in which a Party's consent or agreement is required or requested hereunder, such Party shall not unreasonably withhold or delay such consent or agreement.

28. Nonexclusive Dealings

This Agreement does not prevent either Party from providing or purchasing services to or from any other person nor, except as provided in Section 252(i) of the Act, does it obligate either Party to provide or purchase any services (except insofar as the Parties are obligated to provide access to Interconnection, services and Network Elements to Network PTS as a requesting carrier under the Act).

29. Rate True-Up

- 29.1 This section applies to Network Interconnection and/or Unbundled Network Elements and Other Services rates that are expressly subject to true-up under this Agreement.
- 29.2 The designated true-up rates shall be trued-up, either up or down, based on final prices determined either by further agreement between the Parties, or by a final order (including any appeals) of the Commission. The Parties shall implement the true-up by comparing the actual volumes and demand for each item, together with the designated true-up rates for each item, with the final prices determined for each item. Each Party shall keep its own records upon which the true-up can be based, and any final payment from one Party to the other shall be in an amount agreed upon by the Parties based on such records. In the event of any disagreement as between the records or the Parties regarding the amount of such true-up, the Parties shall submit the matter to the Dispute Resolution process in accordance with the provisions of this Agreement.
- An effective order of the Commission that forms the basis of a true-up shall be based upon cost studies submitted by either or both Parties to the Commission and shall be binding upon BellSouth and Network PTS specifically or upon all carriers generally, such as a generic cost proceeding.

30. Survival

The Parties' obligations under this Agreement which by their nature are intended to continue beyond the termination or expiration of this Agreement shall survive the termination or expiration of this Agreement.

31. Entire Agreement

31.1 This Agreement means the General Terms and Conditions, the Attachments identified in Section 31.2 below, and all documents identified therein, as such may be amended from time to time and which are incorporated herein by reference, all of which, when taken together, are intended to constitute one indivisible agreement. This Agreement sets forth the entire understanding and supersedes prior agreements between the Parties relating to the subject matter contained in this Agreement and merges all prior discussions between them. Any orders placed under prior agreements between the Parties shall be governed by the terms of this Agreement and Network PTS acknowledges and agrees that any and all amounts and obligations owed for services provisioned or orders placed under prior agreements between the Parties, related to the subject matter hereof, shall be due and owing under this Agreement and be governed by the terms and conditions of this Agreement as if such services or orders were provisioned or placed under this Agreement. Neither Party shall be bound by any definition, condition, provision, representation, warranty, covenant or promise other than as expressly stated in this Agreement or as is contemporaneously or subsequently set forth in writing and

executed by a duly authorized officer or representative of the Party to be bound thereby.

This Agreement includes Attachments with provisions for the following:

Resale

Network Elements and Other Services

Network Interconnection

Collocation

Access to Numbers and Number Portability

Pre-Ordering, Ordering, Provisioning, Maintenance and Repair

Billing

Rights-of-Way, Conduits and Pole Attachments

Performance Measurements

BellSouth Disaster Recovery Plan

Bona Fide Request/New Business Request Process

The following services are included as options for purchase by Network PTS pursuant to the terms and conditions set forth in this Agreement. Network PTS may elect to purchase said services by written request to its Local Contract Manager if applicable:

Optional Daily Usage File (ODUF)
Enhanced Optional Daily Usage File (EODUF)
Access Daily Usage File (ADUF)
Line Information Database (LIDB) Storage
Centralized Message Distribution Service (CMDS)
Calling Name (CNAM)
LNP Data Base Query Service

3 9

General Terms and Conditions Signature Page

IN WITNESS WHEREOF, the Parties have executed this Agreement the day and year written below.

BellSouth Telecommunications, Inc.

Network PTS, Inc.

Name: Kristen E. Rowe

Name: M has

Title: Director

Date:

Title:

Date: 6/15/0"

Attachment 1

Page 1

Attachment 1

Resale

Table of Contents

1.	Discount Rates	3
2.	Definition of Terms	3
3.	General Provisions	3
4.	BellSouth's Provision of Services to Network PTS	8
5.	Maintenance of Services	9
6.	Establishment of Service	10
7.	Discontinuance of Service	10
8.	Operator Services (Operator Call Processing and Directory Assistance)	11
9.	Line Information Database (LIDB)	13
10.	RAO Hosting	13
11.	Optional Daily Usage File (ODUF)	14
12.	Enhanced Optional Daily Usage File (EODUF)	14
Res	sale Restrictions	Exhibit A
Lin	ne Information Database (LIDB) Storage Agreemt	Exhibit B
Op	tional Daily Usage File (ODUF)	Exhibit C
Enl	hanced Option Daily Usage File (EODUF)	Exhibit D
Res	sale Discounts and Rates	Exhibit E

RESALE

1. Discount Rates

- 1.1 The discount rates applied to Network PTS purchases of BellSouth
 Telecommunications Services for the purpose of resale shall be as set forth in
 Exhibit E. Such discounts have been determined by the applicable Commission to
 reflect the costs avoided by BellSouth when selling a service for wholesale
 purposes.
- 1.2 The telecommunications services available for purchase by Network PTS for the purposes of resale to Network PTS's End Users shall be available at BellSouth's tariffed rates less the discount set forth in Exhibit E to this Agreement and subject to the exclusions and limitations set forth in Exhibit A to this Agreement.

2. Definition of Terms

- 2.1 COMPETITIVE LOCAL EXCHANGE COMPANY (CLEC) means a telephone company certificated by the Commission to provide local exchange service within BellSouth's franchised area.
- 2.2 CUSTOMER OF RECORD means the entity responsible for placing application for service; requesting additions, rearrangements, maintenance or discontinuance of service; payment in full of charges incurred such as non-recurring, monthly recurring, toll, directory assistance, etc.
- 2.3 DEPOSIT means assurance provided by a customer in the form of cash, surety bond or bank letter of credit to be held by BellSouth.
- 2.4 END USER means the ultimate user of the Telecommunications Service.
- 2.5 END USER CUSTOMER LOCATION means the physical location of the premises where an End User makes use of the telecommunications services.
- 2.6 NEW SERVICES means functions, features or capabilities that are not currently offered by BellSouth. This includes packaging of existing services or combining a new function, feature or capability with an existing service.
- 2.7 RESALE means an activity wherein a certificated CLEC, such as Network PTS, subscribes to the telecommunications services of BellSouth and then offers those telecommunications services to the public.

3. General Provisions

3.1 All of the negotiated rates, terms and conditions set forth in this Attachment pertain to the resale of BellSouth's retail telecommunications services and other

services specified in this Attachment. Subject to effective and applicable FCC and Commission rules and orders, BellSouth shall make available to Network PTS for resale those telecommunications services BellSouth makes available, pursuant to its General Subscriber Services Tariff and Private Line Services Tariff, to customers who are not telecommunications carriers.

- 3.1.1 When Network PTS provides Resale service in a cross boundary area (areas that are part of the local serving area of another state's exchange) the rates, regulations and discounts for the tariffing state will apply. Billing will be from the serving state.
- 3.1.2 In Tennessee, if Network PTS does not resell Lifeline service to any end users, and if Network PTS agrees to order an appropriate Operator Services/Directory Assistance block as set forth in BellSouth's General Subscriber Services Tariff, the discount shall be 21.56%.
- 3.1.2.1 In the event Network PTS resells Lifeline service to any end user in Tennessee, BellSouth will begin applying the 16% discount rate to all services. Upon Network PTS and BellSouth's implementation of a billing arrangement whereby a separate Master Account (Q-account) associated with a separate Operating Customer Number (OCN) is established for billing of Lifeline service end users, the discount shall be applied as set forth in 3.1.2 preceding for the non-Lifeline affected Master Account (Q-account).
- 3.1.2.2 Network PTS must provide written notification to BellSouth within 30 days prior to either providing its own operator services/ directory services or orders the appropriate operator services/directory assistance blocking, to qualify for the higher discount rate of 21.56%.
- 3.2 Network PTS may purchase resale services from BellSouth for its own use in operating its business. The resale discount will apply to those services under the following conditions:
- 3.2.1 Network PTS must resell services to other End Users.
- 3.2.2 Network PTS cannot be a competitive local exchange telecommunications company for the single purpose of selling to itself.
- 3.3 Network PTS will be the customer of record for all services purchased from BellSouth. Except as specified herein, BellSouth will take orders from, bill and receive payment from Network PTS for said services.
- Network PTS will be BellSouth's single point of contact for all services purchased pursuant to this Agreement. BellSouth shall have no contact with the End User except to the extent provided for herein. Each Party shall provide to the other a nation wide (50 states) toll-free contact number for purposes of repair and maintenance.

- 3.5 BellSouth will continue to bill the End User for any services that the End User specifies it wishes to receive directly from BellSouth. BellSouth maintains the right to serve directly any End User within the service area of Network PTS. BellSouth will continue to market directly its own telecommunications products and services and in doing so may establish independent relationships with End Users of Network PTS. Neither Party shall interfere with the right of any person or entity to obtain service directly from the other Party.
- 3.5.1 When an End User of Network PTS or BellSouth elects to change his/her carrier to the other Party, both Parties agree to release the End User's service to the other Party concurrent with the due date of the service order, which shall be established based on the standard interval for the End User's requested service as set forth in the BellSouth Product and Services Interval Guide.
- 3.5.2 BellSouth and Network PTS will refrain from contacting an End User who has placed or whose selected carrier has placed on the End User's behalf an order to change the End User's service provider from BellSouth or Network PTS to the other Party until such time that the order for service has been completed.
- 3.6 Current telephone numbers may normally be retained by the End User and are assigned to the service furnished. However, neither Party nor the End User has a property right to the telephone number or any other call number designation associated with services furnished by BellSouth, and no right to the continuance of service through any particular central office. BellSouth reserves the right to change such numbers, or the central office designation associated with such numbers, or both, whenever BellSouth deems it necessary to do so in the conduct of its business and in accordance with BellSouth practices and procedures on a nondiscriminatory basis.
- 3.7 Where BellSouth provides resold services to Network PTS, BellSouth will provide Network PTS with on-line access to intermediate telephone numbers as defined by applicable FCC rules and regulations on a first come first served basis. Network PTS acknowledges that such access to numbers shall be in accordance with the appropriate FCC rules and regulations. Network PTS acknowledges that there may be instances where there is a shortage of telephone numbers in a particular Common Language Location Identifier Code (CLLIC); and in such instances, Network PTS shall return unused intermediate telephone numbers to BellSouth upon BellSouth's request. BellSouth shall make all such requests on a nondiscriminatory basis.
- 3.8 BellSouth will allow Network PTS to designate up to 100 intermediate telephone numbers per CLLIC, for Network PTS's sole use. Assignment, reservation and use of telephone numbers shall be governed by applicable FCC rules and regulations. Network PTS acknowledges that there may be instances where there is a shortage of telephone numbers in a particular CLLIC and BellSouth has the right to limit access to blocks of intermediate telephone numbers. These instances

include: 1) where jeopardy status has been declared by the North American Numbering Plan (NANP) for a particular Numbering Plan Area (NPA); or 2) where a rate center has less than six months supply of numbering resources.

- 3.9 Service is furnished subject to the condition that it will not be used for any unlawful purpose.
- 3.10 Service will be discontinued if any law enforcement agency advises that the service being used is in violation of the law.
- 3.11 BellSouth can refuse service when it has grounds to believe that service will be used in violation of the law.
- 3.12 BellSouth will cooperate with law enforcement agencies with subpoenas and court orders relating to Network PTS's End Users, pursuant to Section 6 of the General Terms and Conditions.
- 3.13 If Network PTS or its End Users utilize a BellSouth resold telecommunications service in a manner other than that for which the service was originally intended as described in BellSouth's retail tariffs, Network PTS has the responsibility to notify BellSouth. BellSouth will only provision and maintain said service consistent with the terms and conditions of the tariff describing said service.
- Facilities and/or equipment utilized by BellSouth to provide service to Network PTS remain the property of BellSouth.
- White page directory listings for Network PTS End Users will be provided in accordance with Section 5 of the General Terms and Conditions.
- 3.16 Service Ordering and Operational Support Systems (OSS)
- 3.16.1 Network PTS must order services through resale interfaces, i.e., the Local Carrier Service Center (LCSC) and/or appropriate Complex Resale Support Group (CRSG) pursuant to this Agreement. BellSouth has developed and made available the interactive interfaces by which Network PTS may submit a Local Service Request (LSR) electronically as set forth in Attachment 2 of this Agreement. Service orders will be in a standard format designated by BellSouth.
- 3.16.2 LSRs submitted by means of one of these interactive interfaces will incur an OSS electronic charge as set forth in Exhibit E to this Agreement. An individual LSR will be identified for billing purposes by its Purchase Order Number (PON). LSRs submitted by means other than one of these interactive interfaces (Mail, fax, courier, etc.) will incur a manual order charge as set forth in Exhibit E to this Agreement. Supplements or clarifications to a previously billed LSR will not incur another OSS charge.

- 3.16.3 <u>Denial/Restoral OSS Charge.</u> In the event Network PTS provides a list of customers to be denied and restored, rather than an LSR, each location on the list will require a separate PON and therefore will be billed as one LSR per location.
- 3.16.4 <u>Cancellation OSS Charge.</u> Network PTS will incur an OSS charge for an accepted LSR that is later canceled.
- 3.17 Where available to BellSouth's End Users, BellSouth shall provide the following telecommunications services at a discount to allow for voice mail services:
 - Message Waiting Indicator ("MWI"), stutter dialtone and message waiting light feature capabilities
 - Call Forward Busy Line ("CF/B")
 - Call Forward Don't Answer ("CF/DA")

Further, BellSouth messaging services set forth in BellSouth's Messaging Service Information Package shall be made available for resale without the wholesale discount.

- 3.18 BellSouth shall provide branding for, or shall unbrand, voice mail services for Network PTS per the Bona Fide Request/New Business Request process as set forth in Attachment 6 of this Agreement.
- 3.19 BellSouth's Inside Wire Maintenance Service Plan is available for resale at rates, terms and conditions as set forth by BellSouth and without the wholesale discount.
- 3.20 In the event Network PTS acquires an end user whose service is provided pursuant to a BellSouth Special Assembly, BellSouth shall make available to Network PTS that Special Assembly at the wholesale discount at Network PTS's option. Network PTS shall be responsible for all terms and conditions of such Special Assembly including but not limited to termination liability if applicable.
- 3.21 BellSouth shall provide 911/E911 for Network PTS customers in the same manner that it is provided to BellSouth customers. BellSouth shall provide and validate Network PTS customer information to the PSAP. BellSouth shall use its service order process to update and maintain, on the same schedule that it uses for its customers, the Network PTS customer service information in the ALI/DMS (Automatic Location Identification/Location Information) databases used to support 911/E911 services.
- 3.22 BellSouth shall bill, and Network PTS shall pay, the End User line charge associated with implementing Number Portability as set forth in BellSouth's FCC No. 1 tariff. This charge is not subject to the wholesale discount.

3.23 Pursuant to 47 CFR Section 51.617, BellSouth shall bill to Network PTS, and Network PTS shall pay, the End User common line charges identical to the End User common line charges BellSouth bills its End Users.

4. BellSouth's Provision of Services to Network PTS

- 4.1 Resale of BellSouth services shall be as follows:
- 4.1.1 The resale of telecommunications services shall be limited to users and uses conforming to the class of service restrictions.
- 4.1.2 Hotel and Hospital PBX services are the only telecommunications services available for resale to Hotel/Motel and Hospital End Users, respectively. Similarly, Access Line Service for Customer Provided Coin Telephones is the only local service available for resale to Payphone Service Provider (PSP) customers. Shared Tenant Service customers can only be sold those local exchange access services available in BellSouth's A23 Shared Tenant Service Tariff in the states of Florida, Georgia, North Carolina and South Carolina, and in A27 in the states of Alabama, Kentucky, Louisiana, Mississippi and Tennessee.
- 4.1.3 BellSouth reserves the right to periodically audit services purchased by Network PTS to establish authenticity of use. Such audit shall not occur more than once in a calendar year. Network PTS shall make any and all records and data available to BellSouth or BellSouth's auditors on a reasonable basis. BellSouth shall bear the cost of said audit. Any information provided by Network PTS for purposes of such audit shall be deemed Confidential Information pursuant to the General Terms and Conditions of this Agreement.
- 4.2 Subject to Exhibit A hereto, resold services can only be used in the same manner as specified in BellSouth's Tariffs. Resold services are subject to the same terms and conditions as are specified for such services when furnished to an individual End User of BellSouth in the appropriate section of BellSouth's Tariffs. Specific tariff features (e.g. a usage allowance per month) shall not be aggregated across multiple resold services.
- 4.3 Network PTS may resell services only within the specific service area as defined in its certificate of operation approved by the Commission.
- 4.4 If Network PTS cancels an order for resold services, any costs incurred by BellSouth in conjunction with provisioning of such order will be recovered in accordance with BellSouth's General Subscriber Services Tariffs and Private Line Services Tariffs.
- 4.5 <u>Service Jointly Provisioned with an Independent Company or Competitive Local Exchange Company Areas</u>

- 4.5.1 BellSouth will in some instances provision resold services in accordance with the General Subscriber Services Tariff and Private Line Tariffs jointly with an Independent Company or other Competitive Local Exchange Carrier.
- 4.5.2 When Network PTS assumes responsibility for such service, all terms and conditions defined in the Tariff will apply for services provided within the BellSouth service area only.
- 4.5.3 Service terminating in an Independent Company or other Competitive Local Exchange Carrier area will be provisioned and billed by the Independent Company or other Competitive Local Exchange Carrier directly to Network PTS.
- 4.5.4 Network PTS must establish a billing arrangement with the Independent Company or other Competitive Local Exchange Carrier prior to assuming an end user account where such circumstances apply.
- 4.5.5 Specific guidelines regarding such services are available on BellSouth's website @ www.interconnection.bellsouth.com.

5. Maintenance of Services

- 5.1 Services resold pursuant to this Attachment and BellSouth's General Subscriber Service Tariff and Private Line Service Tariff and facilities and equipment provided by BellSouth shall be maintained by BellSouth.
- Network PTS or its End Users may not rearrange, move, disconnect, remove or attempt to repair any facilities owned by BellSouth except with the written consent of BellSouth.
- Network PTS accepts responsibility to notify BellSouth of situations that arise that may result in a service problem.
- Network PTS will contact the appropriate repair centers in accordance with procedures established by BellSouth.
- For all repair requests, Network PTS shall adhere to BellSouth's prescreening guidelines prior to referring the trouble to BellSouth.
- BellSouth will bill Network PTS for handling troubles that are found not to be in BellSouth's network pursuant to its standard time and material charges. The standard time and material charges will be no more than what BellSouth charges to its retail customers for the same services.
- 5.7 BellSouth reserves the right to contact Network PTS's End Users, if deemed necessary, for maintenance purposes.

6. Establishment of Service

- After receiving certification as a local exchange carrier from the applicable regulatory agency, Network PTS will provide the appropriate BellSouth Advisory team manager the necessary documentation to enable BellSouth to establish accounts for resold services ("master account"). Network PTS is required to provide the following before a master account is established: blanket letter of authorization, misdirected number form, proof of PSC/PUC certification, the Application for Master Account, an Operating Company Number ("OCN") assigned by the National Exchange Carriers Association ("NECA") and a deposit and tax exemption certificate, if applicable.
- 6.1.1 If Network PTS needs to change its OCN(s) under which it operates when Network PTS has already bee conducting business utilizing those OCN(s), Network PTS shall bear all costs incurred by BellSouth to convert Network PTS Network PTS to the new OCN(s). OCN conversion charges include all time required to make system updates to all of Network PTS's end user customer records. Appropriate charges will appear in the OC&C section of Network PTS's bill.
- Network PTS shall provide to BellSouth a blanket letter of authorization ("LOA") certifying that Network PTS will have End User authorization prior to viewing the End User's customer service record or switching the End User's service. BellSouth will not require End User confirmation prior to establishing service for Network PTS's End User customer.
- BellSouth will accept a request directly from the End User for conversion of the End User's service from Network PTS to BellSouth or will accept a request from another CLEC for conversion of the End User's service from Network PTS to such other CLEC. Upon completion of the conversion BellSouth will notify Network PTS that such conversion has been completed.

7. Discontinuance of Service

- 7.1 The procedures for discontinuing service to an End User are as follows:
- 7.1.1 BellSouth will deny service to Network PTS's End User on behalf of, and at the request of, Network PTS. Upon restoration of the End User's service, restoral charges will apply and will be the responsibility of Network PTS.
- 7.1.2 At the request of Network PTS, BellSouth will disconnect a Network PTS End User customer.
- 7.1.3 All requests by Network PTS for denial or disconnection of an End User for nonpayment must be in writing.

- 7.1.4 Network PTS will be made solely responsible for notifying the End User of the proposed disconnection of the service.
- 7.1.5 BellSouth will continue to process calls made to the Annoyance Call Center and will advise Network PTS when it is determined that annoyance calls are originated from one of its End User's locations. BellSouth shall be indemnified, defended and held harmless by Network PTS and/or the End User against any claim, loss or damage arising from providing this information to Network PTS. It is the responsibility of Network PTS to take the corrective action necessary with its End Users who make annoying calls. (Failure to do so will result in BellSouth's disconnecting the End User's service.)

8. Operator Services (Operator Call Processing and Directory Assistance)

- 8.1 Operator Call Processing provides: (1) operator handling for call completion (for example, collect, third number billing, and manual calling-card calls). (2) operator or automated assistance for billing after the end user has dialed the called number (for example, calling card calls); and (3) special services including but not limited to Busy Line Verification and Emergency Line Interrupt (ELI), Emergency Agency Call and Operator-assisted Directory Assistance.
- 8.1 Upon request for BellSouth Operator Call Processing, BellSouth shall:
- 8.1.1. Process 0+ and 0- dialed local calls
- 8.1.3.2 Process 0+ and 0- intraLATA toll calls.
- Process calls that are billed to Network PTS end user's calling card that can be validated by BellSouth.
- 8.1.5 Process person-to-person calls.
- 8.1.6 Process collect calls.
- 8.1.7 Provide the capability for callers to bill a third party and shall also process such calls.
- 8.1.8 Process station-to-station calls.
- 8.1.9 Process Busy Line Verify and Emergency Line Interrupt requests.
- 8.1.10 Process emergency call trace originated by Public Safety Answering Points.
- 8.1.11 Process operator-assisted directory assistance calls.
- 8.1.12 Adhere to equal access requirements, providing Network PTS local end users the same IXC access that BellSouth provides its own operator service.

8.1.13 Exercise at least the same level of fraud control in providing Operator Service to Network PTS that BellSouth provides for its own operator service. 8.1.14 Perform Billed Number Screening when handling Collect, Person-to-Person, and Billed-To-Third-Party calls. 8.1.15 Direct customer account and other similar inquiries to the customer service center designated by Network PTS. 8.1.16 Provide call records to Network PTS in accordance with ODUF standards. 8.1.17 The interface requirements shall conform to the interface specifications for the platform used to provide Operator Services as long as the interface conforms to industry standards. 8.2 **Directory Assistance Service** 8.2.1 Directory Assistance Service provides local and non-local end user telephone number listings with the option to complete the call at the caller's direction separate and distinct from local switching. 8.2.2 Directory Assistance Service shall provide up to two listing requests per call, if available and if requested by Network PTS's end user. BellSouth shall provide caller-optional directory assistance call completion service at rates set forth in BellSouth's General Subscriber Services Tariff to one of the provided listings. 8.3.1 **Directory Assistance Service Updates** 8.3.1 BellSouth shall update end user listings changes daily. These changes include: 8.3.2 New end user connections 8.3.3 End user disconnections 8.3.4 End user address changes 8.3.5 These updates shall also be provided for non-listed and non-published numbers for use in emergencies. 8.4. Selective Call Routing using Line Class Codes (SCR-LCC) 8.4.1 Where Network PTS resells BellSouth's services and utilizes an operator services provider other than BellSouth, BellSouth will route Network PTS's end user calls to that provider through Selective Call Routing. 8.4.2 Selective Call Routing using Line Class Codes (SCR-LCC) provides the capability

for Network PTS to have its Operator Call Processing and Directory Assistance (OCP/DA) calls routed to BellSouth's OCP/DA platform for BellSouth provided

Custom Branded or Unbranded OCP/DA or to its own or an alternate OCP/DA platform for Self-Branded OCP/DA. SCR-LCC is only available if line class code capacity is available in the requested BellSouth end office switches.

- 8.4.3 Custom Branding for DA is not available for certain classes of service, including but not limited to Hotel/Motel services, WATS service and certain PBX services.
- Where available, Network PTS specific and unique LLCs are programmed in each BellSouth end office switch where Network PTS intends to service end users with customized OCP/DA branding. The LCCs specifically identify Network PTS's end users so OCP/DA calls can be routed over the appropriate trunk group to the requested OCP/DA platform. Additional line class codes are required in each end office if the end office serves multiple NPAs (i.e., a unique LCC is required per NPA), and/or if the end office switch serves multiple rate areas and Network PTS intends to provide Network PTS-branded OCP/DA to its end users in these multiple rate areas.
- 8.4.5 SCR-LCC supporting Custom Branding and Self Branding require Network PTS to order dedicated transport and trunking from each BellSouth end office identified by Network PTS, either to the BellSouth Traffic Operator Position System (TOPS) for Custom Branding or to the Network PTS Operator Service Provider for Self Branding. Separate trunk groups are required for OCP/DA. Rates for transport and trunks are set forth in applicable BellSouth Tariffs.
- 8.4.6 The rates for SCR-LCC are as set forth in Exhibit E of this Attachment. There is a nonrecurring charge for the establishment of each LCC in each BellSouth central office.
- 8.4.7 Unbranded DA and/or OCP calls ride common trunk groups provisioned by BellSouth from those end offices identified by Network PTS to the BellSouth Tops. The calls are routed to "No Announcement."

9. Line Information Database (LIDB)

- 9.1 BellSouth will store in its Line Information Database (LIDB) records relating to service only in the BellSouth region. The LIDB Storage Agreement is included in this Attachment as Exhibit B.
- 9.2 BellSouth will provide LIDB Storage upon written request to Network PTS's Account Manager stating a requested activation date.

10. RAO Hosting

10.1 RAO Hosting is not required for resale in the BellSouth region.

11. Optional Daily Usage File (ODUF)

- 11.1 The Optional Daily Usage File (ODUF) Agreement with terms and conditions is included in this Attachment as Exhibit C. Rates for ODUF are as set forth in Exhibit E of this Attachment.
- 11.2. BellSouth will provide ODUF service upon written request to its Account Manager stating a requested activation date.

12. Enhanced Optional Daily Usage File (EODUF)

- 12.1 The Enhanced Optional Daily Usage File (EODUF) service Agreement with terms and conditions is included in this Attachment as Exhibit D. Rates for EODUF are as set forth in Exhibit E of this Attachment.
- BellSouth will provide EODUF service upon written request to its Account Manager stating a requested activation date.

EXCLUSIONS AND LIMITATIONS ON SERVICES AVAILABLE FOR RESALE (Note 3)

Type of Service	1	AL		FL	(GA]	KY]	LA	I	MS]	NC	1	SC	r	ΓN
Type of Service	Resale	Discount	Resale	Discount	Resale	Discount	Resale	Discount	Resale	Discount	Resale	Discount	Resale	Discount	Resale	Discount	Resale	Discount
1 Grandfathered Services (Note 1)	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
2 Promotions - > 90 Days(Note 2)	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
3 Promotions - ≤ 90 Days (Note 2)	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No
4 Lifeline/Link Up Services	Yes	Yes	Yes	Yes	Yes	Yes	No	No	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
5 911/E911 Services	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	No	No	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
6 N11 Services	Yes	Yes	Yes	Yes	Yes	Yes	No	No	No	No	Yes	Yes	Yes	Yes	No	No	Yes	Yes
7 MemoryCall [®] Service	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No
8 Mobile Services	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No
9 Federal Subscriber Line Charges	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No
10 Nonrecuring Charges	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	No
11 End User Line Chg- Number Portability	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No
12 Public Telephone Access Svc(PTAS)	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	No	Yes	Yes
13 Inside Wire Maint Service Plan	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No
Applicable No	tes:																	
 Grandfathere Where available 				•							fied for	the promo	tion had	d it been p	rovided	by BellSo	uth dire	ctly.
3. Some of BellSo	outh's lo	cal exchar	ge and	toll teleco	mmunic	cations ser	vices ar	e not avail	lable in	certain cei	ntral off	ices and a	reas.					-

LINE INFORMATION DATA BASE (LIDB)

RESALE STORAGE AGREEMENT

I. Definitions (from Addendum)

- A. Billing number a number used by BellSouth for the purpose of identifying an account liable for charges. This number may be a line or a special billing number.
- B. Line number a ten-digit number assigned by BellSouth that identifies a telephone line associated with a resold local exchange service.
- C. Special billing number a ten-digit number that identifies a billing account established by BellSouth in connection with a resold local exchange service.
- D. Calling Card number a billing number plus PIN number assigned by BellSouth.
- E. PIN number a four-digit security code assigned by BellSouth that is added to a billing number to compose a fourteen-digit calling card number.
- F. Toll billing exception indicator associated with a billing number to indicate that it is considered invalid for billing of collect calls or third number calls or both, by Network PTS.
- G. Billed Number Screening refers to the query service used to determine whether a toll billing exception indicator is present for a particular billing number.
- H. Calling Card Validation refers to the query service used to determine whether a particular calling card number exists as stated or otherwise provided by a caller.
- I. Billing number information information about billing number or Calling Card number as assigned by BellSouth and toll billing exception indicator provided to BellSouth by Network PTS.
- J. Get-Data refers to the query service used to determine, at a minimum, the Account Owner and/or Regional Accounting Office for a line number. This query service may be modified to provide additional information in the future.
- K. Originating Line Number Screening ("OLNS") refers to the query service used to determine the billing, screening and call handling indicators, station type and Account Owner provided to BellSouth by Network PTS for originating line numbers.
- L. Account Owner name of the local exchange telecommunications company that is providing dialtone on a subscriber line.

II. General

- A. This Agreement sets forth the terms and conditions pursuant to which BellSouth agrees to store in its LIDB certain information at the request of Network PTS and pursuant to which BellSouth, its LIDB customers and Network PTS shall have access to such information. In addition, this Agreement sets forth the terms and conditions for Network PTS's provision of billing number information to BellSouth for inclusion in BellSouth's LIDB. Network PTS understands that BellSouth provides access to information in its LIDB to various telecommunications service providers pursuant to applicable tariffs and agrees that information stored at the request of Network PTS, pursuant to this Agreement, shall be available to those telecommunications service providers. The terms and conditions contained herein shall hereby be made a part of this Resale Agreement upon notice to Network PTS's account team and/or Local Contract Manager activate this LIDB Storage Agreement. The General Terms and Conditions of the Resale Agreement shall govern this LIDB Storage Agreement. The terms and conditions contained in the attached Addendum are hereby made a part of this LIDB Storage Agreement as if fully incorporated herein.
- B. BellSouth will provide responses to on-line, call-by-call queries to billing number information for the following purposes:
 - 1. Billed Number Screening

BellSouth is authorized to use the billing number information to determine whether Network PTS has identified the billing number as one that should not be billed for collect or third number calls.

2. Calling Card Validation

BellSouth is authorized to validate a 14-digit Calling Card number where the first 10 digits are a line number or special billing number assigned by BellSouth, and where the last four digits (PIN) are a security code assigned by BellSouth.

3. OLNS

BellSouth is authorized to provide originating line screening information for billing services restrictions, station type, call handling indicators, presubscribed interLATA and local carrier and account owner on the lines of Network PTS from which a call originates.

4. GetData

BellSouth is authorized to provide, at a minimum, the account owner and/or Regional Accounting Office information on the lines of Network PTS indicating the local service provider and where billing records are to be sent for settlement purposes. This query service may be modified to provide additional information in the future.

5. Fraud Control

BellSouth will provide seven days per week, 24-hours per day, fraud monitoring on Calling Cards, bill-to-third and collect calls made to numbers in BellSouth's LIDB, provided that such information is included in the LIDB query. BellSouth will establish fraud alert thresholds and will notify Network PTS of fraud alerts so that Network PTS may take action it deems appropriate.

III. Responsibilities of the Parties

A. BellSouth will administer all data stored in the LIDB, including the data provided by Network PTS pursuant to this Agreement, in the same manner as BellSouth's data for BellSouth's End User customers. BellSouth shall not be responsible to Network PTS for any lost revenue which may result from BellSouth's administration of the LIDB pursuant to its established practices and procedures as they exist and as they may be changed by BellSouth in its sole discretion from time to time.

B. Billing and Collection Customers

BellSouth currently has in effect numerous billing and collection agreements with various interexchange carriers and billing clearing houses and as such these billing and collection customers ("B&C Customers") query BellSouth's LIDB to determine whether to accept various billing options from End Users. Until such time as BellSouth implements in its LIDB and its supporting systems the means to differentiate Network PTS's data from BellSouth's data, the following shall apply:

- (1) BellSouth will identify Network PTS end user originated long distance charges and will return those charges to the interexchange carrer as not covered by the existing B&C agreement. Network PTS is responsible for entering into the appropriate agreement with interexchange carriers for handling of long distance charges by their end users.
- (2) BellSouth shall have no obligation to become involved in any disputes between Network PTS and B&C Customers. BellSouth will not issue adjustments for charges billed on behalf of any B&C Customer to Network PTS. It shall be the responsibility of Network PTS and the B&C Customers to negotiate and arrange for any appropriate adjustments.

IV. Fees for Service and Taxes

- A. Network PTS will not be charged a fee for storage services provided by BellSouth to Network PTS, as described in this LIDB Resale Storage Agreement.
- B. Sales, use and all other taxes (excluding taxes on BellSouth's income) determined by BellSouth or any taxing authority to be due to any federal, state or local taxing jurisdiction with respect to the provision of the service set forth herein will be paid by Network PTS in accordance with the tax provisions set forth in the General Terms and Conditions of this Agreement.

Optional Daily Usage File

- 1. Upon written request from Network PTS, BellSouth will provide the Optional Daily Usage File (ODUF) service to Network PTS pursuant to the terms and conditions set forth in this section.
- 2. Network PTS shall furnish all relevant information required by BellSouth for the provision of the ODUF.
- 3. The ODUF feed will contain billable messages that were carried over the BellSouth Network and processed in the BellSouth Billing System, but billed to a Network PTS customer.
- 4. Charges for ODUF will appear on Network PTS's monthly bills. The charges are as set forth in Exhibit E to this Attachment. ODUF charges are billed once a month for the previous month's usage. Network PTS will be billed at the ODUF rates that are in effect at the end of the previous month.
- 5. The ODUF feed will contain both rated and unrated messages. All messages will be in the standard Alliance for Telecommunications Industry Solutions (ATIS) EMI record format.
- Messages that error in Network PTS's billing system will be the responsibility of Network PTS. If, however, Network PTS should encounter significant volumes of errored messages that prevent processing by Network PTS within its systems, BellSouth will work with Network PTS to determine the source of the errors and the appropriate resolution.
- 6. The following specifications shall apply to the ODUF feed.
- 6.1 ODUF Message to be Transmitted
- 6.1.1 The following messages recorded by BellSouth will be transmitted to Network PTS:
 - Message recording for per use/per activation type services (examples: Three Way Calling, Verify, Interrupt, Call Return, etc.)
 - Measured billable Local
 - Directory Assistance messages
 - IntraLATA Toll

- WATS and 800 Service
- N11
- Information Service Provider Messages
- Operator Services Messages
- Credit/Cancel Records
- Usage for Voice Mail Message Service
- 6.1.2 Rated Incollects (originated in BellSouth and from other companies) can also be on ODUF. Rated Incollects will be intermingled with BellSouth recorded rated and unrated usage. Rated Incollects will not be packed separately.
- 6.1.3 BellSouth will perform duplicate record checks on records processed to ODUF. Any duplicate messages detected will be deleted and not sent to Network PTS.
- 6.1.4 In the event that Network PTS detects a duplicate on ODUF they receive from BellSouth, Network PTS will drop the duplicate message and will not return the duplicate to BellSouth).
- 6.2 ODUF Physical File Characteristics
- 6.2.1 The ODUF will be distributed to Network PTS via CONNECT:Direct or Secure File Transfer Protocol (FTP) or another mutually agreed medium. The ODUF feed will be a variable block format. The data on the ODUF feed will be in a non-compacted EMI format (175 byte format plus modules). It will be created on a daily basis Monday through Friday except holidays. Details such as dataset name and delivery schedule will be addressed during negotiations of the distribution medium. There will be a maximum of one dataset per workday per OCN.
- Data circuits (private line or dial-up) will be required between BellSouth and Network PTS for the purpose of data transmission when utilizing CONNECT:Direct. Where a dedicated line is required, Network PTS will be responsible for ordering the circuit, overseeing its installation and coordinating the installation with BellSouth. Network PTS will also be responsible for any charges associated with this line. Equipment required on the BellSouth end to attach the line to the mainframe computer and to transmit data will be negotiated on an individual case basis. Where a dial-up facility is required, dial circuits will be installed in the BellSouth data center by BellSouth and the associated charges assessed to Network PTS. Additionally, all message toll charges associated with the use of the dial circuit by Network PTS will be the responsibility of Network PTS. Associated equipment on the BellSouth end, including a modem, will be negotiated on an individual case basis between the Parties. All

equipment, including modems and software, that is required on Network PTS end for the purpose of data transmission will be the responsibility of Network PTS.

6.2.3 If Network PTS utilizes Secure File Transfer Protocol (FTP) for data file transmission, purchase of the Secure File Transfer Protocol (FTP) software will be the responsibility of Network PTS.

6.3 <u>ODUF Packing Specifications</u>

- 6.3.1 A pack will contain a minimum of one message record or a maximum of 99,999 message records plus a pack header record and a pack trailer record. One transmission can contain a maximum of 99 packs and a minimum of one pack.
- 6.3.2 The OCN, From RAO, and Invoice Number will control the invoice sequencing. The From RAO will be used to identify to Network PTS which BellSouth RAO is sending the message. BellSouth and Network PTS will use the invoice sequencing to control data exchange. BellSouth will be notified of sequence failures identified by Network PTS and resend the data as appropriate.

The data will be packed using ATIS EMI records.

6.4 <u>ODUF Pack Rejection</u>

Network PTS will notify BellSouth within one business day of rejected packs (via the mutually agreed medium). Packs could be rejected because of pack sequencing discrepancies or a critical edit failure on the Pack Header or Pack Trailer records (i.e. out-of-balance condition on grand totals, invalid data populated). Standard ATIS EMI Error Codes will be used. Network PTS will not be required to return the actual rejected data to BellSouth. Rejected packs will be corrected and retransmitted to Network PTS by BellSouth.

6.5 ODUF Control Data

Network PTS will send one confirmation record per pack that is received from BellSouth. This confirmation record will indicate Network PTS received the pack and the acceptance or rejection of the pack. Pack Status Code(s) will be populated using standard ATIS EMI error codes for packs that were rejected by Network PTS for reasons stated in the above section.

6.6 ODUF Testing

Upon request from Network PTS, BellSouth shall send test files to Network PTS for the ODUF. The Parties agree to review and discuss the file's content and/or format. For testing of usage results, BellSouth shall request that Network PTS set up a production (live) file. The live test may consist of Network PTS's employees making test calls for the types of services Network PTS requests on the ODUF. These test

Attachment 1 Page 23 Exhibit C

calls are logged by Network PTS, and the logs are provided to BellSouth. These logs will be used to verify the files. Testing will be completed within 30 calendar days from the date on which the initial test file was sent.

Enhanced Optional Daily Usage File

- 1. Upon written request from Network PTS, BellSouth will provide the Enhanced Optional Daily Usage File (EODUF) service to Network PTS pursuant to the terms and conditions set forth in this section. EODUF will only be sent to existing ODUF subscribers who request the EODUF option.
- 2. Network PTS shall furnish all relevant information required by BellSouth for the provision of the EODUF.
- 3. The EODUF will provide usage data for local calls originating from resold Flat Rate Business and Residential Lines.
- 4. Charges for delivery of the EODUF will appear on Network PTS's monthly bills. EODUF charges are billed at the EODUF rates that are in effect at the end of the previous month. The charges are as set forth in Exhibit E to this Attachment.
- 5. All messages will be in the standard Alliance for Telecommunications Industry Solutions (ATIS) EMI record format.
- 6. Messages that error in the billing system of Network PTS will be the responsibility of Network PTS. If, however, Network PTS should encounter significant volumes of errored messages that prevent processing by Network PTS within its systems, BellSouth will work with Network PTS to determine the source of the errors and the appropriate resolution.
- 7. The following specifications shall apply to the EODUF feed.
- 7.1 <u>Usage To Be Transmitted</u>
- 7.1.1 The following messages recorded by BellSouth will be transmitted to Network PTS:

Customer usage data for flat rated local call originating from Network PTS's End User lines (1FB or 1FR). The EODUF record for flat rate messages will include:

Date of Call

From Number

To Number

Connect Time

Conversation Time

Method of Recording

From RAO

Rate Class

Message Type

Billing Indicators

Bill to Number

- 7.1.2 BellSouth will perform duplicate record checks on EODUF records processed to O DUF. Any duplicate messages detected will be deleted and not sent to Network PTS.
- 7.1.3 In the event that Network PTS detects a duplicate on EODUF they receive from BellSouth, Network PTS will drop the duplicate message (Network PTS will not return the duplicate to BellSouth).
- 7.2 Physical File Characteristics
- 7.2.1 The EODUF feed will be distributed to Network PTS via Connect: Direct, Secure File Transfer Protocol (FTP)or another mutually agreed medium. The EODUF messages will be intermingled among Network PTS's Optional Daily Usage File (ODUF) messages. The EODUF will be a variable block format. The data on the EODUF will be in a non-compacted EMI format (175 byte format plus modules). It will be created on a daily basis Monday through Friday except holiday.
- 7.2.2 Data circuits (private line or dial-up) may be required between BellSouth and Network PTS for the purpose of data transmission as set forth in Section 6.2.2 above.
- 7.2.3 If Network PTS utilizes Secure File Transfer Protocol (FTP) for data file transmission, purchase of the Secure File Transfer Protocol (FTP) software will be the responsibility of Network PTS.
- 7.3 <u>Packing Specifications</u>
- 7.3.1 A pack will contain a minimum of one message record or a maximum of 99,999 message records plus a pack header record and a pack trailer record. One transmission can contain a maximum of 99 packs and a minimum of one pack.

7.3.2 The OCN, From (RAO), and Invoice Number will control the invoice sequencing. The From RAO will be used to identify to Network PTS which BellSouth RAO is sending the message. BellSouth and Network PTS will use the invoice sequencing to control data exchange. BellSouth will be notified of sequence failures identified by Network PTS and resend the data as appropriate.

The data will be packed using ATIS EMI Records.

RESALE DIS	SCOUNTS AND RATES - Alabama												Attach	ment: 1	Exhi	bit: E
											Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
<u> </u>							News		. N	D'			000	D-1 (A)		L
\vdash						Rec	Nonrec		Nonrecurring					Rates (\$)		
—							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
APPLICABLE	DISCOUNTS															
	Residence %					16.30										
	Business %					16.30										
	CSAs %					16.30										
OPERATIONA	L SUPPORT SYSTEMS (OSS) - "REGIONAL RATES"															
NOTE:	(1) CLEC should contact its contract negotiator if it prefers the	e "state	specif	ic" OSS charges as	ordered by t	he State Comm	issions. The C	OSS charges c	urrently contain	ned in this rat	e exhibit are	the BellSo	uth "regional'	service orde	ring charges.	CLEC may
elect e	either the state specific Commission ordered rates for the service	ce orde	ring ch	arges, or CLEC may	elect the reg	gional service of	ordering charge	e, however, CL	EC can not ob	tain a mixture	of the two	regardless it	f CLEC has a	interconnect	on contract e	stablished in
	OSS - Electronic Service Order Charge, Per Local Service															
	Request (LSR) - Resale Only				SOMEC		3.50	0.00	3.50	0.00						<u> </u>
	OSS - Manual Service Order Charge, Per Local Service Request															
	(LSR) - Resale Only				SOMAN		19.99	0.00	19.99	0.00						1
SELECTIVE C	ALL ROUTING USING LINE CLASS CODES (SCR-LCC)															1
	Selective Routing Per Unique Line Class Code Per Request Per															
	Switch						84.70	84.70	14.11	14.11						
ODUF/EODUF																i .
OPTIO	NAL DAILY USAGE FILE (ODUF)															
	ODUF: Recording, per message					0.000011										i .
	ODUF: Message Processing, per message					0.004101										
	ODUF: Message Processing, per Magnetic Tape provisioned					42.67										
	ODUF: Data Transmission (CONNECT:DIRECT), per message					0.000094										
ENHA	NCED OPTIONAL DAILY USAGE FILE (EODUF)															
	EODUF: Message Processing, per message					0.22										1

CATEGORY RATE ELEMENTS Intering Manual Svalue BCS USOC RATES (\$) Manual Svalue Manual Svalue Manual Svalue Manual Svalue Order vs. Electronic-Later Disc 1st Disc Add Disc Add Disc 2st Di	RESAL	E DIS	COUNTS AND RATES - Florida												Attach	ment: 1	Exhi	bit: E
CATEGORY RATE ELEMENTS REC RATES(\$) RATES(\$) REC RATES(\$) RATES(\$) ROTH VS. Electronic- 1st Order vs. Electronic- 1st Add'l Some Conder vs. Electro													Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
CATEGORY RATE ELEMENTS RATE ELEMEN													Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
CATEGORY RATE ELEMENTS RATE SEMENTS RATE S				Intent									Elec	Manually				
Electronic	CATEGO	RY	RATE ELEMENTS		Zone	BCS	USOC			RATES (\$)								Order vs.
APPLICABLE DISCOUNTS Residence % Business % CSAs % OPERATIONAL SUPPORT SYSTEMS (OSS) - "REGIONAL RATES" NOTE: (1) CLEC should contact its contract negotiator if it prefers the "state specific" OSS charges as ordered by the State Commissions. The OSS charges currently contained in this rate exhibit are the BellSouth "regional" service ordering charges, or CLEC may elect the regional service ordering charges, however, CLEC can not obtain a mixture of the two regardless if CLEC has a interconnection contract established				m									po. 2011	po. zo.				Electronic-
APPLICABLE DISCOUNTS Residence % Business %																		
APPLICABLE DISCOUNTS Residence % Business % CSAs % OPERATIONAL SUPPORT SYSTEMS (OSS) - "REGIONAL RATES" NOTE: (1) CLEC should contact its contract negotiator if it prefers the "state specific" OSS charges as ordered by the State Commissions. The OSS charges currently contained in this rate exhibit are the BellSouth "regional" service ordering charges, or CLEC may elect the regional service ordering charge, however, CLEC can not obtain a mixture of the two regardless if CLEC has a interconnection contract established															130	Auu	Diac iat	Disc Add I
APPLICABLE DISCOUNTS Residence % DEFATIONAL SUPPORT SYSTEMS (OSS) - "REGIONAL RATES" OPERATIONAL SUPPORT SYSTEMS (OSS) - "REGIONAL RATES" NOTE: (1) CLEC should contact its contract negotiator if it prefers the "state specific" OSS charges as ordered by the State Commissions. The OSS charges currently contained in this rate exhibit are the BellSouth "regional" service ordering charges. CLEC may elect either the state specific Commission ordered rates for the service ordering charges, or CLEC may elect the regional service ordering charge, however, CLEC can not obtain a mixture of the two regardless if CLEC has a interconnection contract established								Poc	Nonred	curring	Nonrecurring	Disconnect			oss	Rates (\$)		
Residence % Business % CSAs % OPERATIONAL SUPPORT SYSTEMS (OSS) - "REGIONAL RATES" NOTE: (1) CLEC should contact its contract negotiator if it prefers the "state specific" OSS charges as ordered by the State Commissions. The OSS charges currently contained in this rate exhibit are the BellSouth "regional" service ordering charges. CLEC me elect either the state specific Commission ordered rates for the service ordering charges, or CLEC may elect the regional service ordering charge, however, CLEC can not obtain a mixture of the two regardless if CLEC has a interconnection contract established								Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
Residence % Business % CSAs % OPERATIONAL SUPPORT SYSTEMS (OSS) - "REGIONAL RATES" NOTE: (1) CLEC should contact its contract negotiator if it prefers the "state specific" OSS charges as ordered by the State Commissions. The OSS charges currently contained in this rate exhibit are the BellSouth "regional" service ordering charges. CLEC me elect either the state specific Commission ordered rates for the service ordering charges, or CLEC may elect the regional service ordering charge, however, CLEC can not obtain a mixture of the two regardless if CLEC has a interconnection contract established	A DDI 101	DI E 1	NOOUNITO															-
Business % CSAs % 16.81 OPERATIONAL SUPPORT SYSTEMS (OSS) - "REGIONAL RATES" NOTE: (1) CLEC should contact its contract negotiator if it prefers the "state specific" OSS charges as ordered by the State Commissions. The OSS charges currently contained in this rate exhibit are the BellSouth "regional" service ordering charges. CLEC me elect either the state specific Commission ordered rates for the service ordering charges, or CLEC may elect the regional service ordering charge, however, CLEC can not obtain a mixture of the two regardless if CLEC has a interconnection contract established	APPLICA	ABLE			-			04.00										
OPERATIONAL SUPPORT SYSTEMS (OSS) - "REGIONAL RATES" NOTE: (1) CLEC should contact its contract negotiator if it prefers the "state specific" OSS charges as ordered by the State Commissions. The OSS charges currently contained in this rate exhibit are the BellSouth "regional" service ordering charges. CLEC may elect either the state specific Commission ordered rates for the service ordering charges, or CLEC may elect the regional service ordering charge, however, CLEC can not obtain a mixture of the two regardless if CLEC has a interconnection contract established	\vdash				-													-
OPERATIONAL SUPPORT SYSTEMS (OSS) - "REGIONAL RATES" NOTE: (1) CLEC should contact its contract negotiator if it prefers the "state specific" OSS charges as ordered by the State Commissions. The OSS charges currently contained in this rate exhibit are the BellSouth "regional" service ordering charges. CLEC may elect either the state specific Commission ordered rates for the service ordering charges, or CLEC may elect the regional service ordering charge, however, CLEC can not obtain a mixture of the two regardless if CLEC has a interconnection contract established	\vdash				-													-
NOTE: (1) CLEC should contact its contract negotiator if it prefers the "state specific" OSS charges as ordered by the State Commissions. The OSS charges currently contained in this rate exhibit are the BellSouth "regional" service ordering charges. CLEC may elect either the state specific Commission ordered rates for the service ordering charges, or CLEC may elect the regional service ordering charge, however, CLEC can not obtain a mixture of the two regardless if CLEC has a interconnection contract established	005047	10111			-			16.81										
elect either the state specific Commission ordered rates for the service ordering charges, or CLEC may elect the regional service ordering charge, however, CLEC can not obtain a mixture of the two regardless if CLEC has a interconnection contract established				- 11-4-4-		:- OCC -b		- Ctata Camun	inniana Tha (200 -1				the Delice				CI FC man
	е	iect e		ce orae	ring cr	larges, or CLEC may	elect the reg	gional service o	ordering charg	e, nowever, CL	EC can not on	tain a mixture	of the two	egardiess i	CLEC has a	Interconnect	ion contract e	stablished in
Request (LSR) - Resale Only SOMEC 3.50 0.00 3.50 0.00							001150		0.50	0.00	0.50	0.00						1
	+-+				-		SOMEC		3.50	0.00	3.50	0.00	-					\vdash
OSS - Manual Service Order Charge, Per Local Service Request SOMAN 19.99 0.00 19.99 0.00							COMMANI		40.00	0.00	40.00	0.00						1
(LSR) - Resale Only SOMAN 19.99 0.00 19.99 0.00 SELECTIVE CALL ROUTING USING LINE CLASS CODES (SCR-LCC) SOMAN 19.99 0.00 19.99 0.00 SOMAN 19.99 SOMAN 19.9	CEL FOT	N/E 0			-		SOWAN		19.99	0.00	19.99	0.00	-					\vdash
SELECTIVE CALL ROUTING USING LINE CLASS CODES (SCR-LCC) Selective Routing Per Unique Line Class Code Per Request Per	SELECTI				-													
Selective Aduling Fel Unique Line Class Code Fel Request Fel 93.55 93.55 12.71 12.71									00.55	00.55	40.74	40.74						1
	ODUE/E/								93.55	93.55	12.71	12.71	-					
ODDIFICUALD AILLY USAGE FILE (ODUF)					-		-						-	-				\vdash
OFFICIAL DAILY USAGE FILE (UDUP) OFFICIAL Recording, per message 0.0000071	H-				-		-	0.0000071					-	-				\vdash
ODUF: Message O.000071 ODUF: Message 0.000071	-												-					
ODUF: Message Processing, per Magnetic Tape provisioned ODUF: Message Processing, per Magnetic Tape provisioned 35,91	\vdash				 		-						 			-	 	\vdash
ODUF: Data Transmission (CONNECT:DIRECT), per message 0.00010375	\vdash				 								1				1	\vdash
ENHANCED OPTIONAL DAILY USAGE FILE (EDDUF)					 			0.00010375					1				1	\vdash
ENNANCED OFTIONAL DAILT USAGE FILE (EUDOF) [EODUF: Message Processing, per message 0.080698					 			0.090609					1				1	\vdash

RESALE D	ISCOUNTS AND RATES - Georgia												Attach	ment: 1	Exhi	bit: E
											Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m									po. zo.t	po. zo.t	Electronic-	Electronic-		Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
															D130 13t	Disc Add I
						Rec	Nonred		Nonrecurring	Disconnect				Rates (\$)		
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
APPLICABLE	DISCOUNTS		-													
AFFLICABLE	Residence %		-		-	20.30					-	-				
	Business %					17.30										
—	CSAs %		-		-	17.30					-	-				
OPERATION	AL SUPPORT SYSTEMS (OSS) - "REGIONAL RATES"				1	17.30									1	
	: (1) CLEC should contact its contract negotiator if it prefers the	o "state	enecif	ic" OSS charges as	ordered by t	ne State Comm	issions The	age charges	irrently contai	ned in this rate	a evhibit are	the BellSo	uth "regional"	" service orda	aring charges	CLEC may
	either the state specific Commission ordered rates for the service															
	OSS - Electronic Service Order Charge, Per Local Service			g ,	1	,		.,,								
	Request (LSR) - Resale Only				SOMEC		3.50	0.00	3.50	0.00						
	OSS - Manual Service Order Charge, Per Local Service Request															
	(LSR) - Resale Only				SOMAN		19.99	0.00	19.99	0.00						
SELECTIVE (CALL ROUTING USING LINE CLASS CODES (SCR-LCC)															
	Selective Routing Per Unique Line Class Code Per Request Per															
	Switch						102.19	61.15	12.68	6.34						
ODUF/EODU	FSERVICES															
OPTI	ONAL DAILY USAGE FILE (ODUF)															
	ODUF: Recording, per message					0.0000068										
	ODUF: Message Processing, per message					0.002167										
	ODUF: Message Processing, per Magnetic Tape provisioned					36.06										
	ODUF: Data Transmission (CONNECT:DIRECT), per message					0.00010856										
ENHA	NCED OPTIONAL DAILY USAGE FILE (EODUF)															
	EODUF: Message Processing, per message					0.227409										

RESALE DI	SCOUNTS AND RATES - Kentucky												Attach	ment: 1	Exhi	bit: E
											Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
											· .	·	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
						_	Nonrec	curring	Nonrecurring	Disconnect			OSS	Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
APPLICABLE																
	Residence %					16.79										
	Business %					15.54										
	CSAs %					15.54										
	L SUPPORT SYSTEMS (OSS) - "REGIONAL RATES"															
	: (1) CLEC should contact its contract negotiator if it prefers th															
elect	either the state specific Commission ordered rates for the servi	ce orde	ering ch	arges, or CLEC may	elect the re	gional service o	ordering charge	e, however, CL	EC can not ob	tain a mixture	of the two	regardless i	f CLEC has a	interconnecti	on contract e	stablished in
	OSS - Electronic Service Order Charge, Per Local Service															
	Request (LSR) - Resale Only				SOMEC		3.50	0.00	3.50	0.00						
	OSS - Manual Service Order Charge, Per Local Service Request															
	(LSR) - Resale Only				SOMAN		19.99	0.00	19.99	0.00						
SELECTIVE (CALL ROUTING USING LINE CLASS CODES (SCR-LCC)															
	Selective Routing Per Unique Line Class Code Per Request Per															
	Switch						93.53	93.53	15.58	15.58						
ODUF/EODUF																
OPTIO	ONAL DAILY USAGE FILE (ODUF)															
	ODUF: Recording, per message					0.0000136										
	ODUF: Message Processing, per message					0.002506										
	ODUF: Message Processing, per Magnetic Tape provisioned					35.90	·									
					1						1	1				
	ODUF: Data Transmission (CONNECT:DIRECT), per message					0.00010372										
ENHA	ODUF: Data Transmission (CONNECT:DIRECT), per message NCED OPTIONAL DAILY USAGE FILE (EODUF)					0.00010372										

RESALE D	ISCOUNTS AND RATES - Louisiana												Attach	ment: 1	Exhi	bit: E
											Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		""									p	p	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
															D130 13t	DISC Add I
						Rec	Nonrec		Nonrecurring					Rates (\$)		
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
ADDITIONEL	DISCOUNTS		<u> </u>													
AFFLICABLE	Residence %		<u> </u>		-	20.72					-					
—	Business %		-			20.72					-					
\vdash	CSAs %		<u> </u>		-	9.05					-					
OPERATION	AL SUPPORT SYSTEMS (OSS) - "REGIONAL RATES"		<u> </u>		-	9.05					1					
	:: (1) CLEC should contact its contract negotiator if it prefers th	o "etate	enecif	ic" OSS charges as	ordered by t	he State Comm	issions The	288 charges c	urrently contai	ned in this rat	a avhihit ar	the BellSo	uth "regional	' service orde	ring charges	CLEC may
	either the state specific Commission ordered rates for the servi															
-	OSS - Electronic Service Order Charge, Per Local Service			g ,				,,								
	Request (LSR) - Resale Only				SOMEC		3.50	0.00	3.50	0.00						
	OSS - Manual Service Order Charge, Per Local Service Request		t				0.00									
	(LSR) - Resale Only				SOMAN		19.99	0.00	19.99	0.00						
SELECTIVE (CALL ROUTING USING LINE CLASS CODES (SCR-LCC)															
	Selective Routing Per Unique Line Class Code Per Request Per		i													
	Switch						82.25	82.25								
ODUF/EODU	SERVICES															
OPTI	ONAL DAILY USAGE FILE (ODUF)															
	ODUF: Recording, per message					0.0000117										
	ODUF: Message Processing, per message					0.004641										
	ODUF: Message Processing, per Magnetic Tape provisioned					48.45										
	ODUF: Data Transmission (CONNECT:DIRECT), per message					0.00010568										
ENHA	ANCED OPTIONAL DAILY USAGE FILE (EODUF)															
	EODUF: Message Processing, per message					0.250015										

RESALE DIS	SCOUNTS AND RATES - Mississippi												Attach	ment: 1	Exhi	bit: E
											Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
											· .		Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
\vdash	-						Nonred	curring	Nonrecurring	Disconnect			oss	Rates (\$)	l	-
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
APPLICABLE	DISCOUNTS															
	Residence %					15.75										
	Business %					15.75										
	CSAs %					15.75										
	L SUPPORT SYSTEMS (OSS) - "REGIONAL RATES"															
	: (1) CLEC should contact its contract negotiator if it prefers the															
elect e	either the state specific Commission ordered rates for the service	ce orde	ring ch	arges, or CLEC may	elect the reg	gional service o	ordering charg	e, however, CL	EC can not ob	tain a mixture	of the two	regardless i	f CLEC has a	interconnect	on contract e	stablished in
	OSS - Electronic Service Order Charge, Per Local Service															i I
	Request (LSR) - Resale Only				SOMEC		3.50	0.00	3.50	0.00						
	OSS - Manual Service Order Charge, Per Local Service Request															i l
	(LSR) - Resale Only				SOMAN		19.99	0.00	19.99	0.00						
SELECTIVE C	ALL ROUTING USING LINE CLASS CODES (SCR-LCC)															
	Selective Routing Per Unique Line Class Code Per Request Per															i l
	Switch						85.19	85.19	14.19	14.19						
ODUF/EODUF																
OPTIO	NAL DAILY USAGE FILE (ODUF)															
	ODUF: Recording, per message					0.0000063										
	ODUF: Message Processing, per message					0.004707										
	ODUF: Message Processing, per Magnetic Tape provisioned					49.04										
	ODUF: Data Transmission (CONNECT:DIRECT), per message					0.00010669										
ENHA	NCED OPTIONAL DAILY USAGE FILE (EODUF)															
	EODUF: Message Processing, per message					0.250424										

RESALE	DISCOUNTS AND RATES - North Carolina												Attach	ment: 1	Exhi	bit: E
											Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		Intent									Elec				Manual Svc	
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m									per Lore	per Lore	Electronic-	Electronic-		Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
													151	Auu	DISC 1St	DISC Add I
						Rec	Nonre	curring	Nonrecurring	Disconnect			oss	Rates (\$)		
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
APPLICABI	LE DISCOUNTS					04.50										
	Residence %					21.50										
	Business %					17.60										
	CSAs %					17.60										
	NAL SUPPORT SYSTEMS (OSS) - "REGIONAL RATES"		L.,		L	0: : 0					L			<u></u>	l	00
	TE: (1) CLEC should contact its contract negotiator if it prefers th															
elec	et either the state specific Commission ordered rates for the servi	ce orde	ring ch	arges, or CLEC may	elect the reg	gional service of	ordering charg	e, however, CL	EC can not ob	tain a mixture	of the two	egardless i	CLEC has a	interconnect	on contract e	stablished in
	OSS - Electronic Service Order Charge, Per Local Service															
	Request (LSR) - Resale Only				SOMEC		3.50	0.00	3.50	0.00						
	OSS - Manual Service Order Charge, Per Local Service Request															
	(LSR) - Resale Only				SOMAN		19.99	0.00	19.99	0.00						
SELECTIVE	CALL ROUTING USING LINE CLASS CODES (SCR-LCC)															
	Selective Routing Per Unique Line Class Code Per Request Per															
	Switch						188.59									
	UF SERVICES															
OP	FIONAL DAILY USAGE FILE (ODUF)															
	ODUF: Recording, per message					0.0003										
	ODUF: Message Processing, per message					0.0032										
	ODUF: Message Processing, per Magnetic Tape provisioned					54.61										
	ODUF: Data Transmission (CONNECT:DIRECT), per message					0.00004										
ENI	HANCED OPTIONAL DAILY USAGE FILE (EODUF)															
	EODUF: Message Processing, per message					0.2285406										

RESALE DIS	COUNTS AND RATES - South Carolina												Attach	ment: 1	Exhi	bit: E
											Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		'''									i .	· .	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
							Nonre	curring	Nonrecurring	Disconnect			OSS	Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
									1 01							
APPLICABLE I	DISCOUNTS															
	Residence %		i i			14.80										
	Business %		i i			14.80										
	CSAs %					8.98										
	SUPPORT SYSTEMS (OSS) - "REGIONAL RATES"															
	(1) CLEC should contact its contract negotiator if it prefers th															
elect ei	ther the state specific Commission ordered rates for the servi	ce orde	ring ch	arges, or CLEC may	elect the re	gional service of	ordering charg	e, however, Cl	EC can not ob	tain a mixture	of the two	regardless i	f CLEC has a	interconnecti	on contract e	stablished in
	OSS - Electronic Service Order Charge, Per Local Service															
	Request (LSR) - Resale Only				SOMEC		3.50	0.00	3.50	0.00						
	OSS - Manual Service Order Charge, Per Local Service Request															
	(LSR) - Resale Only				SOMAN		19.99	0.00	19.99	0.00						
SELECTIVE CA	LL ROUTING USING LINE CLASS CODES (SCR-LCC)															
	Selective Routing Per Unique Line Class Code Per Request Per															
	Switch						84.89	84.89	14.14	14.14						
ODUF/EODUF																
	NAL DAILY USAGE FILE (ODUF)															
	ODUF: Recording, per message					0.0000216										
	ODUF: Message Processing, per message					0.004704										
	ODUF: Message Processing, per Magnetic Tape provisioned					48.87										
	ODUF: Data Transmission (CONNECT:DIRECT), per message					0.00010863										
ENHAN	CED OPTIONAL DAILY USAGE FILE (EODUF)															
	EODUF: Message Processing, per message					0.258301										

RESALE	DISCOUNTS AND RATES - Tennessee												Attach	ment: 1	Exhi	bit: E
											Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		Interi									Elec	Manually	Manual Svc		Manual Svc	Manual Svc
CATEGOR	Y RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
											p	p = = = = = = = = = = = = = = = = = = =	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
															D130 13t	DISC Add I
						Rec	Nonrecurring		Nonrecurring					Rates (\$)		
		ļ	ļ			1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
ADDLICAD	LE DISCOUNTS	<u> </u>	+													
AFFLICAB	Residence %	<u> </u>	+		-	16.00					-	-				
\vdash	Business %	1	1			16.00										
\vdash	CSAs %	1	1			16.00										
OBERATIO	NAL SUPPORT SYSTEMS (OSS) - "REGIONAL RATES"	<u> </u>	+		-	16.00					-	-				
	TE: (1) CLEC should contact its contract negotiator if it prefers the	o "ctate	o cnocii	io" OSS chargos as	ordered by t	ha Stata Camr	iccione The	SS charace o	urrontly contai	nod in this rat	o ovhibit ar	the Bellee	uth "rogional	' corvice orde	ring charges	CLEC may
	ct either the state specific Commission ordered rates for the serv															
	OSS - Electronic Service Order Charge, Per Local Service	1		larges, or 0220 may	1	1	l I	o,		Tann a mixtano	1		0220 1140 4		1	
	Request (LSR) - Resale Only				SOMEC		3.50	0.00	3.50	0.00						
	OSS - Manual Service Order Charge, Per Local Service Request				0020		0.00	0.00	0.00	0.00						
	(LSR) - Resale Only				SOMAN		19.99	0.00	19.99	0.00						
SELECTIVI	E CALL ROUTING USING LINE CLASS CODES (SCR-LCC)	i e														
	Selective Routing Per Unique Line Class Code Per Request Per	i –	i													
	Switch						179.60	179.60								
ODUF/EOD	UF SERVICES				ĺ											
OP.	TIONAL DAILY USAGE FILE (ODUF)															
	ODUF: Recording, per message					0.0000044										
	ODUF: Message Processing, per message					0.0027366										
	ODUF: Message Processing, per Magnetic Tape provisioned					52.75										
	ODUF: Data Transmission (CONNECT:DIRECT), per message					0.0000339										
EN	HANCED OPTIONAL DAILY USAGE FILE (EODUF)															
	EODUF: Message Processing, per message					0.004										

Attachment 2

Network Elements and Other Services

TABLE OF CONTENTS

1	INTRODUCTION	3
2	UNBUNDLED LOOPS	7
3	LINE SHARING	28
4	LOCAL SWITCHING	35
5	UNBUNDLED NETWORK ELEMENT COMBINATIONS	43
6	TRANSPORT, CHANNELIZATION AND DARK FIBER	46
7	DATABASES	51
8 SEF	BELLSOUTH SWITCHED ACCESS (SWA) 8XX TOLL FREE DIALING TEN DIGIT SCREENI RVICE	
9	LINE INFORMATION DATABASE (LIDB)	52
10	SIGNALING	55
11	AUTOMATIC LOCATION IDENTIFICATION/DATA MANAGEMENT SYSTEM (ALI/DMS)	61
12	CALLING NAME (CNAM) DATABASE SERVICE	61
13 AD	SERVICE CREATION ENVIRONMENT AND SERVICE MANAGEMENT SYSTEM (SCE/SMS) VANCED INTELLIGENT NETWORK (AIN) ACCESS	
14	OPERATIONAL SUPPORT SYSTEMS (OSS)	63
Ra	ates Exhibi	t A

ACCESS TO NETWORK ELEMENTS AND OTHER SERVICES

1 <u>Introduction</u>

- This Attachment sets forth rates, terms and conditions for Network Elements and combinations of Network Elements that BellSouth agrees to offer to Network PTS in accordance with its obligations under Section 251(c)(3) of the Act. Additionally, this Attachment sets forth the rates, terms and conditions for other facilities and services BellSouth makes available to Network PTS (Other Services). The rates for each Network Element and combination of Network Elements and Other Services are set forth in Exhibit A of this Attachment. Additionally, the provision of a particular Network Element or Other Service may require Network PTS to purchase other Network Elements or services. In the event of a conflict between this Attachment and any other section or provision of this Agreement, the provisions of this Attachment shall control.
- 1.2 For purposes of this Agreement, "Network Element" is defined to mean a facility or equipment Network PTS used in the provision of a qualifying service, as defined by the FCC. Network PTS may not access a Network Element for the sole purpose of providing non-qualifying services as defined by the FCC. For purposes of this Agreement, combinations of Network Elements shall be referred to as "Combinations."
- 1.3 BellSouth shall, upon request of Network PTS, and to the extent technically feasible, provide to Network PTS access to its Network Elements for the provision of Network PTS's qualifying services. If no rate is identified in this Agreement, the rate will be as set forth in the applicable BellSouth tariff or as negotiated by the Parties upon request by either Party.
- 1.4 Network PTS may purchase and use Network Elements and Other Services from BellSouth in accordance with 47 C.F.R 51.309.
- 1.5 BellSouth shall comply with the requirements as set forth in the technical references within this Attachment 2.
- 1.6 To the extent any Network Elements, combinations of Network Elements, services or terms and conditions contained herein are based upon FCC rules and orders that are vacated by the DC Circuit Court of Appeals in an effective order, such Network Elements, combinations of Network Elements and services shall no longer be available pursuant to this Attachment. Upon the effective date of such order, Network PTS will not attempt to order any such Network Elements, combinations of Network Elements or services that are subject to the vacatur. BellSouth and Network PTS will work cooperatively to transition the embedded base of such Network Elements, combinations of Network Elements and services to tariffed services or to services offered pursuant to a separate commercial

agreement, provided that the appropriate tariff rate or rate set forth in such commercial agreement shall apply from the effective date of the vacatur. In the event Network PTS has not entered into a separate commercial agreement, or transitioned such services to a tariffed service, or if the parties are unable to agree on a transition schedule for the embedded base Network Elements, combinations of Network Elements or services within thirty (30) calendar days of the effective date of the vacatur, BellSouth may disconnect those Network Elements, combinations of Network Elements or services upon thirty (30) calendar days notice. If Network PTS has not entered into a commercial agreement necessary for certain Network Elements, combinations of Network Elements or services, and BellSouth disconnects such Network Elements, combinations of Network Elements or services pursuant to the preceding sentence, BellSouth's then current market rates shall apply to such Network Elements, combinations of Network Elements or services from the effective date of the vacatur until disconnection.

- 1.7 Upon request, BellSouth shall convert a wholesale service, or group of wholesale services, to the equivalent unbundled Network Element, or combination of elements that is available to Network PTS under Section 251(c)(3) of the Telecommunications Act of 1996. Nonrecurring switch-as-is rates for conversion of Network Elements are contained in Exhibit A of this Attachment. Conversion of a wholesale service or group of wholesale services shall be considered termination for purposes of any volume and/or term commitments and/or grandfathered status between Network PTS and BellSouth. Any change from a wholesale service to a Network Element that requires a physical rearrangement of the Network Element will not be considered a conversion for purposes of this Agreement.
- 1.8 Except to the extent expressly provided otherwise in this Attachment, for Network Elements or combinations of Network Elements (collectively "Arrangements") that are no longer offered pursuant to, or are not in compliance with, the terms set forth in this Agreement (for example, but not limited to, local channels or noncompliant EELs), Network PTS will submit orders to rearrange, disconnect or convert those arrangements or services within thirty (30) calendar days of the last signature date of this Agreement. If orders to rearrange, disconnect or convert those Arrangements are not received by the thirty-first (31st) calendar day after the last signature date of this Agreement, BellSouth shall provide Network PTS notice of those Arrangements that are no longer offered pursuant to, or are not in compliance with, the terms set forth in this Agreement, and Network PTS shall submit orders to rearrange, disconnect or convert those Arrangements within sixteen (16) calendar days of the date of such notice from BellSouth. If Network PTS fails to submit orders to rearrange, disconnect or convert such Arrangements within sixteen (16) calendar days of BellSouth's notice, BellSouth may disconnect those Arrangements without further notice.

- 1.8.1 In the event all orders to rearrange, disconnect or convert Arrangements are not received by the thirty-first (31st) calendar day after the last signature date of this Agreement, then 1) in the event no orders to rearrange, disconnect or convert an Arrangement are submitted prior to the thirtieth (30th) calendar day after BellSouth's notice, Network PTS shall pay BellSouth the rate BellSouth could have charged had Network PTS transitioned those Arrangements to another tariffed or contract service arrangement beginning on the Effective Date of this Agreement to the date orders to rearrange, disconnect or convert such Arrangements or services are actually completed; or 2) in the event orders to rearrange, disconnect or convert an Arrangement are submitted prior to the thirtieth (30th) calendar day after BellSouth's notice, Network PTS shall pay BellSouth the rate charged for such Arrangements under this Agreement until the date orders to rearrange, disconnect or convert such Arrangements or services are actually completed and the new rate applicable to such services as specified in BellSouth's tariffs or in a separate contract once the orders are actually completed. If Network PTS has failed to identify at least 98% of the Arrangements that are no longer offered pursuant to, or are not in compliance with, the terms set forth in this Agreement prior to the thirty-first (31st) calendar day after the last signature date of this Agreement, then Network PTS shall reimburse BellSouth for labor incurred in identifying such Network Elements or combinations of Network Elements pursuant to the rates set forth in the Access Tariff.
- 1.8.2 Where no re-termination or physical rearrangement of the Arrangement is required, Network PTS will be charged a non-recurring switch-as-is-charge established for the individual Network Elements(s) as set forth in Exhibit A. For arrangements that require a re-termination or other physical rearrangement of the Arrangement to comply with the terms of this Agreement, full non-recurring charges for the applicable Network Element from Exhibit A of this Attachment will apply. To the extent an Arrangement requires re-termination or other physical rearrangement in order to comply with a tariff or separate agreement, the applicable rates, terms and conditions of such tariff or separate agreement shall apply. Network PTS shall be responsible for all applicable disconnection charges pursuant to this Agreement for Arrangements that are disconnected or rearranged pursuant to these Sections 1.8 1.8.1.
- 1.8.3 Network PTS may utilize Network Elements and Other Services to provide services as long as such services are consistent with industry standards and applicable BellSouth Technical References.
- 1.8.4 Except to the extent expressly provided otherwise in this Attachment, if a Network Element is not readily available but can be made available through routine network modifications, as defined by the FCC, Network PTS may request BellSouth to perform such routine network modifications. Each request will be handled as a project on an individual case basis. BellSouth will provide a price quote for the

request, and upon receipt of payment by Network PTS, BellSouth shall perform the routine network modifications.

1.8.5 Notwithstanding any other provision of this Agreement, BellSouth will not commingle or combine Network Elements or combinations of Network Elements with any service, network element or other offering that it is obligated to make available only pursuant to Section 271 of the Act.

1.9 Commingling of Services

- 1.9.1 Commingling means the connecting, attaching, or otherwise linking of a Network Element, or a Network Element combination, to one or more telecommunications services or facilities that Network PTS has obtained at wholesale from BellSouth, or the combining of a Network Element or Network Element combination with one or more such wholesale telecommunications services or facilities.
- 1.9.2 Subject to the limitations set forth elsewhere in this Attachment, BellSouth shall not deny access to a Network Element or a combination of Network Elements on the grounds that one or more of the elements: 1) is connected to, attached to, linked to, or combined with such a facility or service obtained from BellSouth; or 2) shares part of BellSouth's network with access services or inputs for non-qualifying services.
- 1.9.3 BellSouth will not "ratchet" a commingled circuit. Unless otherwise agreed to by the Parties, the Network Element portion of such circuit will be billed at the rates set forth in this Agreement and the remainder of the circuit or service will be billed in accordance with BellSouth's tariffed rates.
- 1.9.4 When multiplexing equipment is attached to a commingled circuit, the multiplexing equipment will be billed from the same jurisdictional authorization (agreement or tariff) as the higher level of service and the Central Office Channel Interfaces will be billed from the same jurisdictional authorization (agreement or tariff) as the lower level of service.
- 1.10 If Network PTS reports a trouble on a Network Element or Other Service and no trouble actually exists on the BellSouth portion, BellSouth will charge Network PTS for any dispatching and testing (both inside and outside the Central Office (CO)) required by BellSouth in order to confirm the working status.

1.11 Rates

1.11.1 The prices that Network PTS shall pay to BellSouth for Network Elements and Other Services are set forth in Exhibit A to this Attachment. If Network PTS purchases a service(s) from a tariff, all terms and conditions and rates as set forth in such tariff shall apply.

- 1.11.2 Rates, terms and conditions for order cancellation charges and Service Date Advancement Charges will apply in accordance with Attachment 6 and are incorporated herein by this reference.
- 1.11.3 If Network PTS modifies an order (Order Modification Charge (OMC)) after being sent a Firm Order Confirmation (FOC) from BellSouth, any costs incurred by BellSouth to accommodate the modification will be paid by Network PTS in accordance with FCC No. 1 Tariff, Section 5.
- 1.11.4 A one-month minimum billing period shall apply to all Network Elements and Other Services.

2 Unbundled Loops

2.1 <u>General</u>

- 2.1.1 The local loop Network Element (Loop) is defined as a transmission facility between a distribution frame (or its equivalent) in BellSouth's central office and the Loop demarcation point at an End User's customer premises, including inside wire owned by BellSouth. Facilities that do not terminate at a demarcation point at an End User customer premises, including, by way of example, but not limited to, facilities that terminate to another carrier's switch or premises, a cell site, Mobile Switching Center or base station, do not constitute Loops. The Loop Network Element includes all features, functions, and capabilities of the transmission facilities, including the network interface device, and attached electronics (except those used for the provision of advanced services, such as Digital Subscriber Line Access Multiplexers), optronics and intermediate devices (including repeaters and load coils) used to establish the transmission path to the End User's customer premises. Network PTS shall purchase the entire bandwidth of the Loop and, except as required herein or as otherwise agreed to by the Parties, BellSouth shall not subdivide the frequency of the Loop.
- 2.1.1.1 The Loop does not include any packet switched features, functions or capabilities.
- 2.1.1.2 In new build (Greenfield) areas, where BellSouth has only deployed Fiber To The Home (FTTH) facilities, BellSouth is under no obligation to provide Loops.
- 2.1.1.3 In FTTH overbuild situations where BellSouth also has copper Loops, BellSouth will make those copper Loops available to Network PTS on an unbundled basis, until such time as BellSouth chooses to retire those copper Loops using the FCC's network disclosure requirements. In these cases, BellSouth will offer a 64kbps second voice grade channel over its FTTH facilities.
- 2.1.1.4 Furthermore, in FTTH overbuild areas, BellSouth is not obligated to ensure that copper Loops in that area are capable of transmitting signals prior to receiving a request for access to such Loops by Network PTS. If a request is received by

BellSouth for a copper Loop, BellSouth will restore the copper Loop to serviceable condition if technically feasible. In these instances of Loop orders in an FTTH overbuild area, BellSouth's standard Loop provisioning interval will not apply, and the order will be handled on a project basis by which the Parties will negotiate the applicable provisioning interval.

- 2.1.1.5 For hybrid loops, where Network PTS seeks access to a hybrid loop for the provision of broadband services, BellSouth shall provide Network PTS with nondiscriminatory access to the time division multiplexing features, functions and capabilities of that hybrid loop, including DS1 or DS3, on an unbundled basis to establish a complete transmission path between BellSouth's central office and an End User's customer premises.
- 2.1.1.6 Network PTS may not purchase Loops or convert Special Access circuits to Loops if such Loops will be used to provide wireless telecommunications services.
- 2.1.2 The provisioning of a Loop to Network PTS's collocation space will require cross office cabling and cross connections within the central office to connect the Loop to a local switch or to other transmission equipment. These cross connects are separate components that are not considered a part of the Loop, and thus, have a separate charge.
- 2.1.3 Where facilities are available, BellSouth will install Loops in compliance with BellSouth's Products and Services Interval Guide available at the website at http://www.interconnection.bellsouth.com. For orders of fifteen (15) or more Loops, the installation and any applicable Order Coordination as described below will be handled on a project basis, and the intervals will be set by the BellSouth project manager for that order. When Loops require a Service Inquiry (SI) prior to issuing the order to determine if facilities are available, the interval for the SI process is separate from the installation interval.
- 2.1.4 The Loop shall be provided to Network PTS in accordance with BellSouth's TR73600 Unbundled Local Loop Technical Specification and applicable industry standard technical references.
- 2.1.5 BellSouth will only provision, maintain and repair the Loops to the standards that are consistent with the type of Loop ordered.
- 2.1.5.1 When a BellSouth technician is required to be dispatched to provision the Loop, BellSouth will tag the Loop with the Circuit ID number and the name of the ordering CLEC. When a dispatch is not required to provision the Loop, BellSouth will tag the Loop on the next required visit to the End User's location. If Network PTS wants to ensure the Loop is tagged during the provisioning process for Loops that may not require a dispatch (e.g. UVL-SL1, UVL-SL2, and UCL-ND), Network PTS may order Loop Tagging. Rates for Loop Tagging are as set forth in Exhibit A of this Attachment.

2.1.5.2 In the event BellSouth must dispatch to the end-user's location more than once due to incorrect or incomplete information provided by Network PTS (e.g., incomplete address, incorrect contact name/number, etc.), BellSouth will bill Network PTS for each additional dispatch required to provision the circuit due to the incorrect/incomplete information provided. BellSouth will assess the applicable Trouble Determination rates from BellSouth's FCC or state tariffs.

2.1.6 **Loop Testing/Trouble Reporting**

- 2.1.6.1 Network PTS will be responsible for testing and isolating troubles on the Loops. Network PTS must test and isolate trouble to the BellSouth portion of a designed/non-designed unbundled Loop (e.g., UVL-SL2, UCL-D, UVL-SL1, UCL-ND, etc.) before reporting repair to the UNE Customer Wholesale Interconnection Network Services (CWINS) Center. Upon request from BellSouth at the time of the trouble report, Network PTS will be required to provide the results of the Network PTS test which indicate a problem on the BellSouth provided Loop.
- 2.1.6.2 Once Network PTS has isolated a trouble to the BellSouth provided Loop, and had issued a trouble report to BellSouth on the Loop, BellSouth will take the actions necessary to repair the Loop if a trouble actually exists. BellSouth will repair these Loops in the same time frames that BellSouth repairs similarly situated Loops to its End Users.
- 2.1.6.3 If Network PTS reports a trouble on a non-designed or designed Loop and no trouble actually exists, BellSouth will charge Network PTS for any dispatching and testing (both inside and outside the CO) required by BellSouth in order to confirm the Loop's working status.
- 2.1.6.4 In the event BellSouth must dispatch to the end-user's location more than once due to incorrect or incomplete information provided by Network PTS (e.g., incomplete address, incorrect contact name/number, etc.), BellSouth will bill Network PTS for each additional dispatch required to repair the circuit due to the incorrect/incomplete information provided. BellSouth will assess the applicable Trouble Determination rates from BellSouth's FCC or state tariffs.

2.1.7 Order Coordination and Order Coordination-Time Specific

2.1.7.1 "Order Coordination" (OC) allows BellSouth and Network PTS to coordinate the installation of the SL2 Loops, Unbundled Digital Loops (UDL) and other Loops where OC may be purchased as an option, to Network PTS's facilities to limit End User service outage. OC is available when the Loop is provisioned over an existing circuit that is currently providing service to the End User. OC for physical conversions will be scheduled at BellSouth's discretion during normal working hours on the committed due date. OC shall be provided in accordance with the chart set forth below.

2.1.7.2 "Order Coordination – Time Specific" (OC-TS) allows Network PTS to order a specific time for OC to take place. BellSouth will make every effort to accommodate Network PTS's specific conversion time request. However, BellSouth reserves the right to negotiate with Network PTS a conversion time based on load and appointment control when necessary. This OC-TS is a chargeable option for all Loops except Unbundled Copper Loops (UCL) and is billed in addition to the OC charge. Network PTS may specify a time between 9:00 a.m. and 4:00 p.m. (location time) Monday through Friday (excluding holidays). If Network PTS specifies a time outside this window, or selects a time or quantity of Loops that requires BellSouth technicians to work outside normal work hours, overtime charges will apply in addition to the OC and OC-TS charges. Overtime charges will be applied based on the amount of overtime worked and in accordance with the rates established in the Access Services Tariff, Section E13.2, for each state. The OC-TS charges for an order due on the same day at the same location will be applied on a per Local Service Request (LSR) basis.

2.1.8 <u>CLEC to CLEC Conversions for Unbundled Loops</u>

- 2.1.8.1 The CLEC to CLEC conversion process for unbundled Loops may be used by Network PTS when converting an existing unbundled Loop from another CLEC for the same End User. The Loop type being converted must be included in Network PTS's Interconnection Agreement before requesting a conversion.
- 2.1.8.2 To utilize the CLEC to CLEC conversion process, the Loop being converted must be the same Loop type with no requested changes to the Loop, must serve the same End User location from the same serving wire center, and must not require an outside dispatch to provision.
- 2.1.8.3 The Loops converted to Network PTS pursuant to the CLEC to CLEC conversion process shall be provisioned in the same manner and with the same functionality and options as described in this Attachment for the specific Loop type.

	Order Coordination (OC)	Order Coordination - Time Specific (OC-TS)	Test Points	DLR	Charge for Dispatch and Testing if No Trouble Found
SL-1 (Non- Designed)	Chargeable Option	Chargeable Option	Not available	Chargeable Option – ordered as Engineering Information Document	Charged for Dispatch inside and outside Central Office
UCL-ND (Non- Designed)	Chargeable Option	Not Available	Not Available	Chargeable Option – ordered as Engineering Information Document	Charged for Dispatch inside and outside Central Office
Unbundled Voice Loops - SL-2 (including 2- and 4-wire UVL) (Designed)	Included	Chargeable Option	Included	Included	Charged for Dispatch outside Central Office
Unbundled Digital Loop (Designed)	Included	Chargeable Option (except on Universal Digital Channel)	Included (where appropriate)	Included	Charged for Dispatch outside Central Office
Unbundled Copper Loop (Designed)	Chargeable in accordance with Section 2	Not available	Included	Included	Charged for Dispatch outside Central Office

For UVL-SL1 and UCLs, Network PTS must order and will be billed for both OC and OC-TS if requesting OC-TS.

2.1.9 **Bulk Migration**

2.1.9.1 If Network PTS requests to migrate twenty-five (25) or more UNE-Port/Loop Combination (UNE-P) customers to UNE-Loop (UNE-L) in the same Central Office on the same due date, Network PTS must use the Bulk Migration process, which is described in the BellSouth CLEC Information Package, "UNE-Port/Loop Combination (UNE-P) to UNE-Loop (UNE-L) Bulk Migration." This CLEC Information package, incorporated herein by reference as it may be amended from time to time, is located at

www.interconnection.bellsouth.com/guides/html/unes.html. The rates for the Bulk Migration process shall be the nonrecurring rates associated with the Loop type being requested on the Bulk Migration, as set forth in Exhibit A of this Attachment. Additionally, OSS charges will also apply per LSR generated per customer account as provided for in the Bulk Migration Request. The migration of loops from Integrated Digital Loop Carrier (IDLC) will be done pursuant to Section 2.6 of this Attachment.

2.1.10 Ordering Guidelines and Processes

- 2.1.10.1 For information regarding Ordering Guidelines and Processes for various UNEs, Network PTS should refer to the "Guides" section of the BellSouth Interconnection website, which is incorporated herein by reference, as amended from time to time. The website address is:

 http://www.interconnection.bellsouth.com/
- 2.1.10.2 Additional information may also be found in the individual CLEC Information Packages, as amended from time to time and which are incorporated herein by reference, located at the "CLEC UNE Products" website at the following address: http://www.interconnection.bellsouth.com/guides/html/unes.html
- 2.2 Unbundled Voice Loops (UVLs)
- 2.2.1 BellSouth shall make available the following UVLs:
- 2.2.1.1 2-wire Analog Voice Grade Loop SL1 (Non-Designed)
- 2.2.1.2 2-wire Analog Voice Grade Loop SL2 (Designed)
- 2.2.1.3 4-wire Analog Voice Grade Loop (Designed)
- Unbundled Voice Loops (UVL) may be provisioned using any type of facility that will support voice grade services. This may include loaded copper, non-loaded copper, digital loop carrier systems, fiber/copper combination (hybrid loop) or a combination of any of these facilities. BellSouth, in the normal course of maintaining, repairing, and configuring its network, may also change the facilities that are used to provide any given voice grade circuit. This change may occur at any time. In these situations, BellSouth will only ensure that the newly provided facility will support voice grade services. BellSouth will not guarantee that Network PTS will be able to continue to provide any advanced services over the new facility. BellSouth will offer UVL in two different service levels Service Level One (SL1) and Service Level Two (SL2).
- 2.2.3 Unbundled Voice Loop SL1 (UVL-SL1) Loops are 2-wire Loop start circuits, will be non-designed, and will not have remote access test points. OC will be offered as a chargeable option on SL1 Loops when reuse of existing facilities has

been requested by Network PTS. Network PTS may also order OC-TS when a specified conversion time is requested. OC-TS is a chargeable option for any coordinated order and is billed in addition to the OC charge. An Engineering Information (EI) document can be ordered as a chargeable option. The EI document provides Loop Make-Up information which is similar to the information normally provided in a Design Layout Record (DLR). Upon issuance of a non-coordinated order in the service order system, SL1 Loops will be activated on the due date in the same manner and time frames that BellSouth normally activates POTS-type Loops for its End Users.

- 2.2.4 For an additional charge BellSouth will make available Loop Testing so that Network PTS may request further testing on new UVL-SL1 Loops. Rates for Loop Testing are as set forth in Exhibit A of this Attachment.
- 2.2.5 Unbundled Voice Loop SL2 (UVL-SL2) Loops may be 2-wire or 4-wire circuits, shall have remote access test points, and will be designed with a DLR provided to Network PTS. SL2 circuits can be provisioned with loop start, ground start or reverse battery signaling. OC is provided as a standard feature on SL2 Loops. The OC feature will allow Network PTS to coordinate the installation of the Loop with the disconnect of an existing customer's service and/or number portability service. In these cases, BellSouth will perform the order conversion with standard order coordination at its discretion during normal work hours.

2.3 <u>Unbundled Digital Loops</u>

- 2.3.1 BellSouth will offer Unbundled Digital Loops (UDL). UDLs are service specific, will be designed, will be provisioned with test points (where appropriate), and will come standard with OC and a DLR. The various UDLs are intended to support a specific digital transmission scheme or service.
- 2.3.2 BellSouth shall make available the following UDLs, subject to restrictions set forth herein:
- 2.3.2.1 2-wire Unbundled ISDN Digital Loop
- 2.3.2.2 2-wire Unbundled ADSL Compatible Loop
- 2.3.2.3 2-wire Unbundled HDSL Compatible Loop
- 2.3.2.4 4-wire Unbundled HDSL Compatible Loop
- 2.3.2.5 4-wire Unbundled DS1 Digital Loop
- 2.3.2.6 4-wire Unbundled Digital Loop/DS0 64 kbps, 56 kbps and below
- 2.3.2.7 DS3 Loop

2.3.2.8 STS-1 Loop

- 2.3.3 2-Wire Unbundled ISDN Digital Loops will be provisioned according to industry standards for 2-Wire Basic Rate ISDN services and will come standard with a test point, OC, and a DLR. Network PTS will be responsible for providing BellSouth with a Service Profile Identifier (SPID) associated with a particular ISDN-capable Loop and End User. With the SPID, BellSouth will be able to adequately test the circuit and ensure that it properly supports ISDN service.
- 2.3.3.1 Upon the Effective Date of this Agreement, Universal Digital Channel (UDC) elements will no longer be offered by BellSouth and no new orders for UDC will be accepted. Any existing UDCs that were provisioned prior to the Effective Date of this Agreement will be grandfathered at the rates set forth in the Parties' interconnection agreement that was in effect immediately prior to the Effective Date of this Agreement. Existing UDCs that were provisioned prior to the Effective Date of this Agreement may remain connected, maintained and repaired according to BellSouth's TR73600 until such time as they are disconnected by Network PTS or BellSouth provides ninety (90) calendar days notice that such UDC must be terminated. Network PTS may order an ISDN loop, if available, to provide the same functionality as the previously offered UDC product.
- 2.3.4 2-Wire ADSL-Compatible Loop. This is a designed Loop that is provisioned according to Revised Resistance Design (RRD) criteria and may be up to 18,000 feet long and may have up to 6,000 feet of bridged tap (inclusive of Loop length). The Loop is a 2-wire circuit and will come standard with a test point, OC, and a DLR.
- 2.3.5 2-Wire or 4-Wire HDSL-Compatible Loop. This is a designed Loop that meets Carrier Serving Area (CSA) specifications, may be up to 12,000 feet long and may have up to 2,500 feet of bridged tap (inclusive of Loop length). It may be a 2-wire or 4-wire circuit and will come standard with a test point, OC, and a DLR.
- 4-Wire Unbundled DS1 Digital Loop. This is a designed 4-wire Loop that is provisioned according to industry standards for DS1 or Primary Rate ISDN services and will come standard with a test point, OC, and a DLR. A DS1 Loop may be provisioned over a variety of loop transmission technologies including copper, HDSL-based technology or fiber optic transport systems. It will include a 4-Wire DS1 Network Interface at the End User's location.
- 2.3.7 4-Wire Unbundled Digital/DS0 Loop. These are designed 4-wire Loops that may be configured as 64kbps, 56kbps, 19kbps, and other sub-rate speeds associated with digital data services and will come standard with a test point, OC, and a DLR.
- 2.3.8 DS3 Loop. DS3 Loop is a two-point digital transmission path which provides for simultaneous two-way transmission of serial, bipolar, return-to-zero isochronous digital electrical signals at a transmission rate of 44.736 megabits per second

(Mbps) that is dedicated to the use of the ordering CLEC in its provisioning of local exchange and associated exchange access services. It may provide transport for twenty-eight (28) DS1 channels, each of which provides the digital equivalent of twenty-four (24) analog voice grade channels. The interface to unbundled dedicated DS3 transport is a metallic-based electrical interface.

- 2.3.9 STS-1 Loop. STS-1 Loop is a high-capacity digital transmission path with SONET VT1.5 mapping that is dedicated for the use of the ordering customer for the purpose of provisioning local exchange and associated exchange access services. It is a two-point digital transmission path which provides for simultaneous two-way transmission of serial bipolar return-to-zero synchronous digital electrical signals at a transmission rate of 51.84 megabits per second (Mbps). It may provide transport for twenty-eight (28) DS1 channels, each of which provides the digital equivalent of twenty-four (24) analog voice grade channels. The interface to unbundled dedicated STS-1 transport is a metallic-based electrical interface.
- 2.3.10 Both DS3 Loop and STS-1 Loop require a Service Inquiry (SI) in order to ascertain availability.
- 2.3.11 If DS3/STS-1 Loops are not readily available but can be made available through routine network modifications, as defined by the FCC, Network PTS may request BellSouth to perform such routine network modifications. The request may not be used to place fiber. Each request will be handled as a project on an individual case basis. BellSouth will provide a price quote for the request, and upon receipt of payment by Network PTS, BellSouth shall perform the routine network modifications.
- 2.3.12 DS3 services come with a test point and a DLR. Mileage is airline miles, rounded up and a minimum of one mile applies. BellSouth TR 73501 LightGate[®] Service Interface and Performance Specifications, Issue D, June 1995 applies to DS3 services.
- 2.3.13 Network PTS may access a total capacity of two (2) DS3s per End User location at the Network Element rates set forth in Exhibit A.

2.4 Unbundled Copper Loops (UCL)

2.4.1 BellSouth shall make available Unbundled Copper Loops (UCLs). The UCL is a copper twisted pair Loop that is unencumbered by any intervening equipment (e.g., filters, load coils, range extenders, digital loop carrier, or repeaters) and is not intended to support any particular telecommunications service. The UCL will be offered in two types – Designed and Non-Designed.

2.4.2 <u>Unbundled Copper Loop – Designed (UCL-D)</u>

- 2.4.2.1 The UCL-D will be provisioned as a dry copper twisted pair (2- or 4-wire) Loop that is unencumbered by any intervening equipment (e.g., filters, load coils, range extenders, digital loop carrier, or repeaters).
- 2.4.2.2 A UCL-D will be 18,000 feet or less in length and is provisioned according to Resistance Design parameters, may have up to 6,000 feet of bridged tap and will have up to 1300 Ohms of resistance.
- 2.4.2.3 The UCL-D is a designed circuit, is provisioned with a test point, and comes standard with a DLR. OC is a chargeable option for a UCL-D; however, OC is always required on UCLs where a reuse of existing facilities has been requested by Network PTS.
- 2.4.2.4 These Loops are not intended to support any particular services and may be utilized by Network PTS to provide a wide-range of telecommunications services as long as those services do not adversely affect BellSouth's network. This facility will include a Network Interface Device (NID) at the customer's location for the purpose of connecting the Loop to the customer's inside wire.
- 2.4.2.5 Upon the Effective Date of this Agreement, Unbundled Copper Loop Long (UCL-L) elements will no longer be offered by BellSouth and no new orders for UCL-L will be accepted. Any existing UCL-Ls that were provisioned prior to the Effective Date of this Agreement will be grandfathered at the rates set forth in the Parties' interconnection agreement that was in effect immediately prior to the Effective Date of this Agreement. Existing UCL-Ls that were provisioned prior to the Effective Date of this Agreement may remain connected, maintained and repaired according to BellSouth's TR73600 and may remain connected until such time as they are disconnected by Network PTS or BellSouth provides ninety (90) calendar days notice that such UCL-L must be terminated.

2.4.3 <u>Unbundled Copper Loop – Non-Designed (UCL-ND)</u>

2.4.3.1 The UCL–ND is provisioned as a dedicated 2-wire metallic transmission facility from BellSouth's Main Distribution Frame (MDF) to a customer's premises (including the NID). The UCL-ND will be a "dry copper" facility in that it will not have any intervening equipment such as load coils, repeaters, or digital access main lines (DAMLs), and may have up to 6,000 feet of bridged tap between the End User's premises and the serving wire center. The UCL-ND typically will be 1300 Ohms resistance and in most cases will not exceed 18,000 feet in length, although the UCL-ND will not have a specific length limitation. For Loops less than 18,000 feet and with less than 1300 Ohms resistance, the Loop will provide a voice grade transmission channel suitable for Loop start signaling and the transport of analog voice grade signals. The UCL-ND will not be designed and will not be provisioned with either a DLR or a test point.

- 2.4.3.2 The UCL-ND facilities may be mechanically assigned using BellSouth's assignment systems. Therefore, the Loop Makeup (LMU) process is not required to order and provision the UCL-ND. However, Network PTS can request LMU for which additional charges would apply.
- 2.4.3.3 For an additional charge, BellSouth also will make available Loop Testing so that Network PTS may request further testing on the UCL-ND. Rates for Loop Testing are as set forth in Exhibit A of this Attachment.
- 2.4.3.4 UCL-ND Loops are not intended to support any particular service and may be utilized by Network PTS to provide a wide-range of telecommunications services as long as those services do not adversely affect BellSouth's network. The UCL-ND will include a NID at the customer's location for the purpose of connecting the Loop to the customer's inside wire.
- 2.4.3.5 OC will be provided as a chargeable option and may be utilized when the UCL-ND provisioning is associated with the reuse of BellSouth facilities. OC-TS does not apply to this product.
- 2.4.3.6 Network PTS may use BellSouth's Unbundled Loop Modification (ULM) offering to remove excessive bridged taps and/or load coils from any copper Loop within the BellSouth network. Therefore, some Loops that would not qualify as UCLND could be transformed into Loops that do qualify, using the ULM process.

2.5 Unbundled Loop Modifications (Line Conditioning)

- 2.5.1 Line Conditioning is defined as routine network modification that BellSouth regularly undertakes to provide xDSL services to its own customers. This may include the removal of any device, from a copper Loop or copper Sub-loop that may diminish the capability of the Loop or Sub-loop to deliver high-speed switched wireline telecommunications capability, including xDSL service. Such devices include, but are not limited to, load coils, excessive bridged taps, low pass filters, and range extenders. Excessive bridged taps are bridged taps that serves no network design purpose and that are beyond the limits set according to industry standards and/or the BellSouth TR 73600.
- 2.5.2 BellSouth will remove load coils only on copper loops and sub-loops that are less than 18,000 feet in length.
- 2.5.3 For any copper loop being ordered by Network PTS which has over 6,000 feet of combined bridged tap will be modified, upon request from Network PTS, so that the loop will have a maximum of 6,000 feet of bridged tap. This modification will be performed at no additional charge to Network PTS. Loop conditioning orders that require the removal of bridged tap that serves no network design purpose on a copper loop that will result in a combined total of bridged tap between 2,500 and 6,000 feet will be performed at the rates set forth in Exhibit A of this Attachment.

- 2.5.4 Network PTS may request removal of any unnecessary and non-excessive bridged tap (bridged tap between 0 and 2,500 feet which serves no network design purpose), at rates pursuant to BellSouth's Special Construction Process as mutually agreed to by the Parties.
- 2.5.5 Rates for ULM are as set forth in Exhibit A of this Attachment.
- 2.5.6 BellSouth will not modify a Loop in such a way that it no longer meets the technical parameters of the original Loop type (e.g., voice grade, ADSL, etc.) being ordered.
- 2.5.7 If Network PTS requests ULM on a reserved facility for a new loop order, BellSouth may perform a pair change and provision a different loop facility in lieu of the reserved facility with ULM if feasible. The loop provisioned will meet or exceed specifications of the requested loop facility as modified. Network PTS will not be charged for ULM if a different loop is provisioned. For loops that require a DLR or its equivalent, BellSouth will provide LMU detail of the loop provisioned.
- 2.5.8 Network PTS shall request Loop make up information pursuant to this Attachment prior to submitting a service inquiry and/or a LSR for the Loop type that Network PTS desires BellSouth to condition.
- 2.5.9 When requesting ULM for a Loop that BellSouth has previously provisioned for Network PTS, Network PTS will submit a service inquiry to BellSouth. If a spare Loop facility that meets the loop modification specifications requested by Network PTS is available at the location for which the ULM was requested, Network PTS will have the option to change the Loop facility to the qualifying spare facility rather than to provide ULM. In the event that BellSouth changes the Loop facility in lieu of providing ULM, Network PTS will not be charged for ULM but will only be charged the service order charges for submitting an order.

2.6 <u>Loop Provisioning Involving Integrated Digital Loop Carriers</u>

- 2.6.1 Where Network PTS has requested an Unbundled Loop and BellSouth uses IDLC systems to provide the local service to the End User and BellSouth has a suitable alternate facility available, BellSouth will make such alternative facilities available to Network PTS. If a suitable alternative facility is not available, then to the extent it is technically feasible, BellSouth will implement one of the following alternative arrangements for Network PTS (e.g. hairpinning):
 - 1. Roll the circuit(s) from the IDLC to any spare copper that exists to the customer premises.
 - 2. Roll the circuit(s) from the IDLC to an existing DLC that is not integrated.
 - 3. If capacity exists, provide "side-door" porting through the switch.

- 4. If capacity exists, provide "Digital Access Cross Connect System (DACS)-door" porting (if the IDLC routes through a DACS prior to integration into the switch).
- 2.6.2 Arrangements 3 and 4 above require the use of a designed circuit. Therefore, nondesigned Loops such as the SL1 voice grade and UCL-ND may not be ordered in these cases.
- 2.6.3 If no alternate facility is available, and upon request from Network PTS, and if agreed to by both Parties, BellSouth may utilize its Special Construction (SC) process to determine the additional costs required to provision facilities. Network PTS will then have the option of paying the one-time SC rates to place the Loop.

2.7 **Network Interface Device**

- 2.7.1 The NID is defined as any means of interconnection of the End User's customer premises wiring to BellSouth's distribution plant, such as a cross connect device used for that purpose. The NID is a single-line termination device or that portion of a multiple line termination device required to terminate a single line or circuit at the premises. The NID features two independent chambers or divisions that separate the service provider's network from the End User's customer premises wiring. Each chamber or division contains the appropriate connection points or posts to which the service provider and the End User each make their connections. The NID provides a protective ground connection and is capable of terminating cables such as twisted pair cable.
- 2.7.2 BellSouth shall permit Network PTS to connect Network PTS's Loop facilities to the End User's customer premises wiring through the BellSouth NID or at any other technically feasible point.

2.7.3 Access to NID

- 2.7.3.1 Network PTS may access the End User's customer premises wiring by any of the following means and Network PTS shall not disturb the existing form of electrical protection and shall maintain the physical integrity of the NID:
- 2.7.3.1.1 BellSouth shall allow Network PTS to connect its Loops directly to BellSouth's multi-line residential NID enclosures that have additional space and are not used by BellSouth or any other telecommunications carriers to provide service to the premises.
- 2.7.3.1.2 Where an adequate length of the End User's customer premises wiring is present and environmental conditions permit, either Party may remove the customer premises wiring from the other Party's NID and connect such wiring to that Party's own NID;

- 2.7.3.1.3 Either Party may enter the subscriber access chamber or dual chamber NID enclosures for the purpose of extending a connect divisioned or spliced jumper wire from the customer premises wiring through a suitable "punch-out" hole of such NID enclosures; or
- 2.7.3.1.4 Network PTS may request BellSouth to make other rearrangements to the End User customer premises wiring terminations or terminal enclosure on a time and materials cost basis.
- 2.7.3.2 In no case shall either Party remove or disconnect the other Party's Loop facilities from either Party's NIDs, enclosures, or protectors unless the applicable Commission has expressly permitted the same and the disconnecting Party provides prior notice to the other Party. In such cases, it shall be the responsibility of the Party disconnecting Loop facilities to leave undisturbed the existing form of electrical protection and to maintain the physical integrity of the NID. It will be Network PTS's responsibility to ensure there is no safety hazard, and Network PTS will hold BellSouth harmless for any liability associated with the removal of the BellSouth Loop from the BellSouth NID. Furthermore, it shall be the responsibility of the disconnecting Party, once the other Party's Loop has been disconnected from the NID, to reconnect the disconnected Loop to a nationally recognized testing laboratory listed station protector, which has been grounded as per Article 800 of the National Electrical Code. If no spare station protector exists in the NID, the disconnected Loop must be appropriately cleared, capped and stored.
- 2.7.3.3 Network PTS shall not remove or disconnect ground wires from BellSouth's NIDs, enclosures, or protectors.
- 2.7.3.4 Network PTS shall not remove or disconnect NID modules, protectors, or terminals from BellSouth's NID enclosures.
- 2.7.3.5 Due to the wide variety of NID enclosures and outside plant environments, BellSouth will work with Network PTS to develop specific procedures to establish the most effective means of implementing this section if the procedures set forth herein do not apply to the NID in question.
- 2.7.4 <u>Technical Requirements</u>
- 2.7.4.1 The NID shall provide an accessible point of interconnection and shall maintain a connection to ground.
- 2.7.4.2 If an existing NID is accessed, it shall be capable of transferring electrical analog or digital signals between the End User's customer premises and the distribution media and/or cross connect to Network PTS's NID.

2.7.4.3 Existing BellSouth NIDs will be provided in "as is" condition. Network PTS may request BellSouth to do additional work to the NID on a time and material basis. When Network PTS deploys its own local Loops in a multiple-line termination device, Network PTS shall specify the quantity of NID connections that it requires within such device.

2.8 **Sub-loop Elements**

2.8.1 Where facilities permit, BellSouth shall offer access to its Unbundled Sub-Loop (USL) elements as specified herein.

2.8.2 **Unbundled Sub-Loop Distribution**

2.8.2.1 The Unbundled Sub-Loop Distribution facility is a dedicated transmission facility that BellSouth provides from an End User's point of demarcation to a BellSouth cross-connect device. The BellSouth cross-connect device may be located within a remote terminal (RT) or a stand-alone cross-box in the field or in the equipment room of a building. The unbundled sub-loop distribution media is a copper twisted pair that can be provisioned as a 2-Wire or 4-Wire facility. BellSouth will make available the following sub-loop distribution offerings where facilities exist:

Unbundled Sub-Loop Distribution – Voice Grade
Unbundled Copper Sub-Loop
Unbundled Sub-Loop Distribution – Intrabuilding Network Cable (aka riser cable)

- 2.8.2.2 Unbundled Sub-Loop Distribution Voice Grade (USLD-VG) is a copper sub-loop facility from the cross-box in the field up to and including the point of demarcation at the End User's premises and may have load coils.
- 2.8.2.3 Unbundled Copper Sub-Loop (UCSL) is a copper facility of any length provided from the cross-box in the field up to and including the End User's point of demarcation. If available, this facility will not have any intervening equipment such as load coils between the End User and the cross-box.
- 2.8.2.3.1 If Network PTS requests a UCSL and it is not available, Network PTS may request the copper Sub-Loop facility be modified pursuant to the ULM process to remove load coils and/or excessive bridged taps. If load coils and/or excessive bridged taps are removed, the facility will be classified as a UCSL.
- 2.8.2.4 Unbundled Sub-Loop Distribution Intrabuilding Network Cable (USLD-INC) is the distribution facility owned or controlled by BellSouth inside a building or between buildings on the same property that is not separated by a public street or road. USLD-INC includes the facility from the cross connect device in the building equipment room up to and including the point of demarcation at the End User's premises.

- 2.8.2.4.1 Upon request for USLD-INC from Network PTS, BellSouth will install a cross connect panel in the building equipment room for the purpose of accessing USLD-INC pairs from a building equipment room. The cross-connect panel will function as a single point of interconnection (SPOI) for USLD-INC and will be accessible by multiple carriers as space permits. BellSouth will place cross-connect blocks in 25-pair increments for Network PTS's use on this cross-connect panel. Network PTS will be responsible for connecting its facilities to the 25-pair cross-connect block(s).
- 2.8.2.5 For access to Voice Grade USLD and UCSL, Network PTS shall install a cable to the BellSouth cross-box pursuant to the terms and conditions for physical collocation for remote sites set forth in this Agreement. This cable would be connected by a BellSouth technician within the BellSouth cross-box during the set-up process. Network PTS's cable pairs can then be connected to BellSouth's USL within the BellSouth cross-box by the BellSouth technician.
- 2.8.2.6 Through the SI process, BellSouth will determine whether access to Unbundled Sub-Loops at the location requested by Network PTS is technically feasible and whether sufficient capacity exists in the cross-box. If existing capacity is sufficient to meet Network PTS's request, then BellSouth will perform the site set-up as described in the CLEC Information Package, located at the website address: http://www.interconnection.bellsouth.com/products/html/unes.html.
- 2.8.2.7 The site set-up must be completed before Network PTS can order sub-loop pairs. For the site set-up in a BellSouth cross-connect box in the field, BellSouth will perform the necessary work to splice Network PTS's cable into the cross-connect box. For the site set-up inside a building equipment room, BellSouth will perform the necessary work to install the cross-connect panel and the connecting block(s) that will be used to provide access to the requested USLs.
- 2.8.2.8 Once the site set-up is complete, Network PTS will request sub-loop pairs through submission of a LSR form to the Local Carrier Service Center (LCSC). OC is required with USL pair provisioning when Network PTS requests reuse of an existing facility, and the Order Coordination charge shall be billed in addition to the USL pair rate. For expedite requests by Network PTS for sub-loop pairs, expedite charges will apply for intervals less than five (5) calendar days.
- 2.8.2.9 Unbundled Sub-Loops will be provided in accordance with technical reference TR73600.

2.8.3 Unbundled Network Terminating Wire (UNTW)

2.8.3.1 UNTW is unshielded twisted copper wiring that is used to extend circuits from an intra-building network cable terminal or from a building entrance terminal to an individual End User's point of demarcation. It is the final portion of the Loop that

in multi-subscriber configurations represents the point at which the network branches out to serve individual subscribers.

2.8.3.2 This element will be provided in Multi-Dwelling Units (MDUs) and/or Multi-Tenants Units (MTUs) where either Party owns wiring all the way to the End User's premises. Neither Party will provide this element in locations where the property owner provides its own wiring to the End User's premises, where a third party owns the wiring to the End User's premises.

2.8.3.3 Requirements

- 2.8.3.3.1 On a multi-unit premises, upon request of the other Party (Requesting Party), the Party owning the network terminating wire (Provisioning Party) will provide access to UNTW pairs on an Access Terminal that is suitable for use by multiple carriers at each Garden Terminal or Wiring Closet.
- 2.8.3.3.2 The Provisioning Party shall not be required to install new or additional NTW beyond existing NTW to provision the services of the Requesting Party.
- 2.8.3.3.3 In existing MDUs and/or MTUs in which BellSouth does not own or control wiring (INC/NTW) to the End Users premises, Network PTS will install UNTW Access Terminals for BellSouth at no additional charge.
- 2.8.3.3.4 In situations in which BellSouth activates a UNTW pair, BellSouth will compensate Network PTS for each pair activated commensurate to the price specified in Network PTS's Agreement.
- 2.8.3.3.5 Upon receipt of the UNTW SI requesting access to the Provisioning Party's UNTW pairs at a multi-unit premises, representatives of both Parties will participate in a meeting at the site of the requested access. The purpose of the site visit will include discussion of the procedures for installation and location of the Access Terminals. By request of the Requesting Party, an Access Terminal will be installed either adjacent to each of the Provisioning Party's Garden Terminal or inside each Wiring Closet. The Requesting Party will deliver and connect its central office facilities to the UNTW pairs within the Access Terminal. The Requesting Party may access any available pair on an Access Terminal. A pair is available when a pair is not being utilized to provide service or where the End User has requested a change in its local service provider to the Requesting Party. Prior to connecting the Requesting Party's service on a pair previously used by the Provisioning Party, the Requesting Party is responsible for ensuring the End User is no longer using the Provisioning Party's service or another CLEC's service before accessing UNTW pairs.
- 2.8.3.3.6 Access Terminal installation intervals will be established on an individual case basis.

- 2.8.3.3.7 The Requesting Party is responsible for obtaining the property owner's permission for the Provisioning Party to install an Access Terminal(s) on behalf of the Requesting Party. The submission of the SI by the Requesting Party will serve as certification by the Requesting Party that such permission has been obtained. If the property owner objects to Access Terminal installations that are in progress or subsequent to completion and demands removal of Access Terminals, the Requesting Party will be responsible for costs associated with removing Access Terminals and restoring the property to its original state prior to Access Terminals being installed.
- 2.8.3.3.8 The Requesting Party shall indemnify and hold harmless the Provisioning Party against any claims of any kind that may arise out of the Requesting Party's failure to obtain the property owner's permission. The Requesting Party will be billed for nonrecurring and recurring charges for accessing UNTW pairs at the time the Requesting Party activates the pair(s). The Requesting Party will notify the Provisioning Party within five (5) business days of activating UNTW pairs using the LSR form.
- 2.8.3.3.9 If a trouble exists on a UNTW pair, the Requesting Party may use an alternate spare pair that serves that End User if a spare pair is available. In such cases, the Requesting Party will re-terminate its existing jumper from the defective pair to the spare pair. Alternatively, the Requesting Party will isolate and report troubles in the manner specified by the Provisioning Party. The Requesting Party must tag the UNTW pair that requires repair. If the Provisioning Party dispatches a technician on a reported trouble call and no UNTW trouble is found, the Provisioning Party will charge Requesting Party for time spent on the dispatch and testing the UNTW pair(s).
- 2.8.3.3.10 If the Requesting Party initiates the Access Terminal installation and the Requesting Party has not activated at least ten (10) percent of the capacity of the Access Terminal installed pursuant to the Requesting Party's request for an Access Terminal within six (6) months of installation of the Access Terminal, the Provisioning Party will bill the Requesting Party a nonrecurring charge equal to the actual cost of provisioning the Access Terminal.
- 2.8.3.3.11 If the Provisioning Party determines that the Requesting Party is using the UNTW pairs without reporting the activation of the pairs, the Requesting Party will be billed for the use of that pair back to the date the End User began receiving service from the Requesting Party at that location. Upon request, the Requesting Party will provide copies of its billing record to substantiate such date. If the Requesting Party fails to provide such records, then the Provisioning Party will bill the Requesting Party back to the date of the Access Terminal installation.

2.8.4 <u>Unbundled Sub-Loop Feeder</u>

2.8.4.1 Upon the Effective Date of this Agreement, Unbundled Sub-Loop Feeder (USLF) elements will no longer be offered by BellSouth at TELRIC prices. Within ninety (90) calendar days of the Effective Date of this Agreement, Network PTS will either negotiate market-based rates for these elements or will issue orders to have these elements disconnected. If, after this ninety (90)-day period, market-based rates have not been negotiated and Network PTS has not issued the appropriate disconnect orders, BellSouth may immediately disconnect any remaining USLF elements and will bill Network PTS any applicable disconnect charges.

2.8.5 <u>Unbundled Loop Concentration</u>

2.8.5.1 Upon the Effective Date of this Agreement, the Unbundled Loop Concentration (ULC) element will no longer be offered by BellSouth and no new orders for ULC will be accepted. Any existing ULCs that were provisioned prior to the Effective Date of this Agreement will be grandfathered at the rates set forth in the Parties' interconnection agreement that was in effect immediately prior to this Agreement and may remain connected, maintained and repaired according to BellSouth's TR73600 until such time as they are disconnected by Network PTS, or BellSouth provides ninety (90) calendar days notice that such ULC must be terminated.

2.8.6 **Dark Fiber Loop**

- 2.8.6.1 Dark Fiber Loop is an unused optical transmission facility, without attached signal regeneration, multiplexing, aggregation or other electronics, from the demarcation point at an End User's premises to the End User's serving wire center. Dark Fiber Loops may be strands of optical fiber existing in aerial or underground structure. BellSouth will not provide line terminating elements, regeneration or other electronics necessary for Network PTS to utilize Dark Fiber Loops.
- 2.8.6.2 If Dark Fiber Loop is not readily available but can be made available through routine network modifications, as defined by the FCC, Network PTS may request BellSouth to perform such routine network modifications. The request may not be used to place fiber. Each request will be handled as a project on an individual case basis. BellSouth will provide a price quote for the request, and upon receipt of payment by Network PTS, BellSouth shall perform the routine network modifications.

2.8.6.3 Requirements

2.8.6.3.1 BellSouth shall make available Dark Fiber Loop where it exists in BellSouth's network and where, as a result of future building or deployment, it becomes available. Dark Fiber Loop will not be deemed available if: (1) it is used by BellSouth for maintenance and repair purposes; (2) it is designated for use pursuant to a firm order placed by another customer; (3) it is restricted for use by all carriers, including BellSouth, because of transmission problems or because it is scheduled for removal due to documented changes to roads and infrastructure; or

- (4) BellSouth has plans to use the fiber within a two-year planning period. BellSouth is not required to place the fiber for Dark Fiber Loop if none is available.
- 2.8.6.3.2 Network PTS is solely responsible for testing the quality of the Dark Fiber to determine its usability and performance specifications.
- 2.8.6.3.3 BellSouth shall use its commercially reasonable efforts to provide to Network PTS information regarding the location, availability and performance of Dark Fiber Loop within ten (10) business days after receiving a SI from Network PTS.
- 2.8.6.3.4 If the requested Dark Fiber Loop is available, BellSouth shall use commercially reasonable efforts to provision the Dark Fiber Loop to Network PTS within twenty (20) business days after Network PTS submits a valid, error free LSR. Provisioning includes identification of appropriate connection points (e.g., Light Guide Interconnection (LGX)) to enable Network PTS to connect Network PTS provided transmission media (e.g., optical fiber) or equipment to the Dark Fiber Loop.

2.9 **Loop Makeup**

2.9.1 <u>Description of Service</u>

- 2.9.1.1 BellSouth shall make available to Network PTS LMU information so that Network PTS can make an independent judgment about whether the Loop is capable of supporting the advanced services equipment Network PTS intends to install and the services Network PTS wishes to provide. This section addresses LMU as a preordering transaction, distinct from Network PTS ordering any other service(s). Loop Makeup Service Inquiries (LMUSI) and mechanized LMU queries for preordering LMU are likewise unique from other preordering functions with associated SIs as described in this Agreement.
- 2.9.1.2 BellSouth will provide Network PTS LMU information consisting of the composition of the Loop material (copper/fiber); the existence, location and type of equipment on the Loop, including but not limited to digital loop carrier or other remote concentration devices, feeder/distribution interfaces, bridged taps, load coils, pair-gain devices; the Loop length; the wire gauge and electrical parameters.
- 2.9.1.3 BellSouth's LMU information is provided to Network PTS as it exists either in BellSouth's databases or in its hard copy facility records. BellSouth does not guarantee accuracy or reliability of the LMU information provided.
- 2.9.1.4 BellSouth's provisioning of LMU information to the requesting CLEC for facilities is contingent upon either BellSouth or the requesting CLEC controlling the Loop(s) that serve the service location for which LMU information has been requested by the CLEC. The requesting CLEC is not authorized to receive LMU

information on a facility used or controlled by another CLEC unless BellSouth receives a Letter of Authorization (LOA) from the voice CLEC (owner) or its authorized agent on the LMUSI submitted by the requesting CLEC.

2.9.1.5 Network PTS may choose to use equipment that it deems will enable it to provide a certain type and level of service over a particular BellSouth Loop as long as that equipment does not disrupt other services on the BellSouth network. The determination shall be made solely by Network PTS and BellSouth shall not be liable in any way for the performance of the advanced data services provisioned over said Loop. The specific Loop type (ADSL, HDSL, or otherwise) ordered on the LSR must match the LMU of the Loop reserved taking into consideration any requisite line conditioning. The LMU data is provided for informational purposes only and does not guarantee Network PTS's ability to provide advanced data services over the ordered Loop type. Further, if Network PTS orders Loops that do not require a specific facility medium (i.e. copper only) or Loops that are not intended to support advanced services (such as UV-SL1, UV-SL2, or ISDN compatible Loops) and that are not inventoried as advanced services Loops, the LMU information for such Loops is subject to change at any time due to modifications and/or upgrades to BellSouth's network. Network PTS is fully responsible for any of its service configurations that may differ from BellSouth's technical standard for the Loop type ordered.

2.9.2 <u>Submitting Loop Makeup Service Inquiries</u>

- 2.9.2.1 Network PTS may obtain LMU information by submitting a mechanized LMU query or a Manual LMUSI. Mechanized LMUs should be submitted through BellSouth's OSS interfaces. After obtaining the Loop information from the mechanized LMU process, if Network PTS needs further Loop information in order to determine Loop service capability, Network PTS may initiate a separate Manual Service Inquiry for a separate nonrecurring charge as set forth in Exhibit A of this Attachment.
- 2.9.2.2 Manual LMUSIs shall be submitted according to the guidelines in the LMU CLEC Information Package, incorporated herein by reference, as it may be amended from time to time, which can be found at the following BellSouth website:

 http://interconnection.bellsouth.com/guides/html/unes.html. The service interval for the return of a Manual LMUSI is three (3) business days. Manual LMUSIs are not subject to expedite requests. This service interval is distinct from the interval applied to the subsequent service order.

2.9.3 **Loop Reservations**

2.9.3.1 For a Mechanized LMUSI, Network PTS may reserve up to ten (10) Loop facilities. For a Manual LMUSI, Network PTS may reserve up to three (3) Loop facilities.

- 2.9.3.2 Network PTS may reserve facilities for up to four (4) business days for each facility requested through LMU from the time the LMU information is returned to Network PTS. During and prior to Network PTS placing an LSR, the reserved facilities are rendered unavailable to other customers, including BellSouth. If Network PTS does not submit an LSR for a UNE service on a reserved facility within the four (4)-day reservation timeframe, the reservation of that spare facility will become invalid and the facility will be released.
- 2.9.3.3 Charges for preordering Manual LMUSI or Mechanized LMU are separate from any charges associated with ordering other services from BellSouth.
- 2.9.3.4 All LSRs issued for reserved facilities shall reference the facility reservation number as provided by BellSouth. Network PTS will not be billed any additional LMU charges for the Loop ordered on such LSR. If, however, Network PTS does not reserve facilities upon an initial LMUSI, Network PTS's placement of an order for an advanced data service type facility will incur the appropriate billing charges to include SI and reservation per Exhibit A of this Attachment.
- 2.9.3.5 Where Network PTS has reserved multiple Loop facilities on a single reservation, Network PTS may not specify which facility shall be provisioned when submitting the LSR. For those occasions, BellSouth will assign to Network PTS, subject to availability, a facility that meets the BellSouth technical standards of the BellSouth type Loop as ordered by Network PTS.

3 Line Sharing

- 3.1 General
- 3.1.1 Line Sharing is defined as the process by which Network PTS provides digital subscriber line service over the same copper loop that BellSouth uses to provide voice service, with BellSouth using the low frequency portion of the loop and Network PTS using the high frequency spectrum (as defined below) of the loop.
- 3.1.2 Line Sharing arrangements in service as of October 1, 2003, will be grandfathered until the earlier of the date the End User discontinues or moves service with Network PTS. Grandfathered arrangements pursuant to this Section will be billed at the rates set forth in Exhibit A.
- 3.1.3 For the period from October 2, 2003, through October 1, 2004, Network PTS may request new Line Sharing arrangements. For Line Sharing arrangements placed in service between October 2, 2003, and October 1, 2004, the rates will be as set forth in Exhibit A. After October 1, 2004, Network PTS may not request new Line Sharing arrangements under the terms of this Agreement.
- 3.1.4 The rates set forth herein will be applied retroactively back to the date set forth in the Triennial Review Order.

- 3.1.5 As of the earlier of October 2, 2006, or the date that the End User discontinues or moves service with Network PTS, all Line Sharing arrangements pursuant to Section 3.1.3 of this Attachment shall be terminated.
- 3.1.6 The High Frequency Spectrum is defined as the frequency range above the voiceband on a copper Loop facility carrying analog circuit-switched voiceband transmissions. Access to the High Frequency Spectrum is intended to allow Network PTS the ability to provide Digital Subscriber Line (xDSL) data services to the End User for which BellSouth provides voice services. The High Frequency Spectrum shall be available for any version of xDSL complying with Spectrum Management Class 5 of ANSI T1.417, American National Standard for Telecommunications, Spectrum Management for Loop Transmission Systems. BellSouth will continue to have access to the low frequency portion of the Loop spectrum (from 300 Hertz to at least 3000 Hertz, and potentially up to 3400 Hertz, depending on equipment and facilities) for the purposes of providing voice service. Network PTS shall only use xDSL technology that is within the PSD mask for Spectrum Management Class 5 as found in the above-mentioned document.
- 3.1.7 Access to the High Frequency Spectrum requires an unloaded, 2-wire copper Loop. An unloaded Loop is a copper Loop with no load coils, low-pass filters, range extenders, DAMLs, or similar devices and minimal bridged taps consistent with ANSI T1.413 and T1.601.
- 3.1.8 BellSouth will provide Loop Modification to Network PTS on an existing Loop in accordance with procedures as specified in Section 2 of this Attachment. BellSouth is not required to modify a Loop for access to the High Frequency spectrum if modification of that Loop significantly degrades BellSouth's voice service. If Network PTS requests that BellSouth modify a Loop and such modification significantly degrades the voice services on the Loop, Network PTS shall pay for the Loop to be restored to its original state.
- Line Sharing shall only be available on Loops on which BellSouth is also providing, and continues to provide, analog voice service directly to the End User. In the event the End User terminates its BellSouth provided voice service for any reason, or in the event BellSouth disconnects the End User's voice service pursuant to its tariffs or applicable law, and Network PTS desires to continue providing xDSL service on such Loop, Network PTS shall be required to purchase a full stand-alone Loop UNE. To the extent commercially practicable, BellSouth shall give Network PTS notice in a reasonable time prior to disconnect, which notice shall give Network PTS an adequate opportunity to notify BellSouth of its intent to purchase such Loop. In those cases in which BellSouth no longer provides voice service to the End User and Network PTS purchases the full standalone Loop, Network PTS may elect the type of Loop it will purchase. Network PTS will pay the appropriate recurring and nonrecurring rates for such Loop as set

forth in Exhibit A to this Attachment. In the event Network PTS purchases a voice grade Loop, Network PTS acknowledges that such Loop may not remain xDSL compatible.

- 3.1.10 If Network PTS reports a trouble on the High Frequency Spectrum of a Loop and no trouble actually exists on the BellSouth portion, BellSouth will charge Network PTS for any dispatching and testing (both inside and outside the CO) required by BellSouth in order to confirm the working status. The rates charged for no trouble found (NTF) shall be as set forth in Exhibit A of this Attachment.
- 3.1.11 Only one CLEC shall be permitted access to the High Frequency Spectrum of any particular Loop.

3.2 **Provisioning of Line Sharing and Splitter Space**

- 3.2.1 BellSouth will provide Network PTS with access to the High Frequency Spectrum as follows:
- 3.2.1.1 To order High Frequency Spectrum on a particular Loop, Network PTS must have a Digital Subscriber Line Access Multiplexer (DSLAM) collocated in the central office that serves the End User of such Loop.
- 3.2.1.2 Network PTS may provide its own splitters or may order splitters in a central office once it has installed its DSLAM in that central office. BellSouth will install splitters within thirty-six (36) calendar days of Network PTS's submission of an error free Line Splitter Ordering Document (LSOD) to the BellSouth Complex Resale Support Group.
- 3.2.1.3 Once a splitter is installed on behalf of Network PTS in a central office in which Network PTS is located, Network PTS shall be entitled to order the High Frequency Spectrum on lines served out of that central office. BellSouth will bill and Network PTS shall pay the electronic or manual ordering charges as applicable when Network PTS orders High Frequency Spectrum for End User service.
- 3.2.1.4 BellSouth shall test the data portion of the Loop to ensure the continuity of the wiring for Network PTS's data.

3.3 **BellSouth Provided Splitter – Line Sharing**

3.3.1 BellSouth will select, purchase, install, and maintain a central office POTS splitter and provide Network PTS access to data ports on the splitter. The splitter will route the High Frequency Spectrum on the circuit to Network PTS's xDSL equipment in Network PTS's collocation space. At least thirty (30) calendar days before making a change in splitter suppliers, BellSouth will provide Network PTS with a carrier notification letter, informing Network PTS of change. Network PTS shall purchase ports on the splitter in increments of eight (8), twenty-four (24), or

ninety-six (96) ports in Alabama, Florida, Georgia, Kentucky, Louisiana, Mississippi, North Carolina and South Carolina. Network PTS shall purchase ports on the splitter in increments of twenty-four (24) or ninety-six (96) ports in Tennessee.

3.3.2 BellSouth will install the splitter in (i) a common area close to Network PTS's collocation area, if possible; or (ii) in a BellSouth relay rack as close to Network PTS's DS0 termination point as possible. Network PTS shall have access to the splitter for test purposes, regardless of where the splitter is placed in the BellSouth premises. For purposes of this section, a common area is defined as an area in the central office in which both Parties have access to a common test access point. A Termination Point is defined as the point of termination for Network PTS on the main distributing frame in the central office and is not the demarcation point set forth in Attachment 4 of this Agreement. BellSouth will cross-connect the splitter data ports to a specified Network PTS DS0 at such time that a Network PTS End User's service is established.

3.4 <u>CLEC Provided Splitter – Line Sharing</u>

- 3.4.1 Network PTS may at its option purchase, install and maintain central office POTS splitters in its collocation arrangements. Network PTS may use such splitters for access to its customers and to provide digital line subscriber services to its customers using the High Frequency Spectrum. Existing Collocation rules and procedures and the terms and conditions relating to Collocation set forth in Attachment 4-Central Office shall apply.
- 3.4.2 Any splitters installed by Network PTS in its collocation arrangement shall comply with ANSI T1.413, Annex E, or any future ANSI splitter Standards. Network PTS may install any splitters that BellSouth deploys or permits to be deployed for itself or any BellSouth affiliate.

3.5 <u>Ordering – Line Sharing</u>

- 3.5.1 Network PTS shall use BellSouth's LSOD to order splitters from BellSouth and to activate and deactivate DS0 Collocation Connecting Facility Assignments (CFA) for use with High Frequency Spectrum.
- 3.5.2 BellSouth will provide Network PTS the LSR format to be used when ordering the High Frequency Spectrum.
- 3.5.3 BellSouth will provision High Frequency Spectrum in compliance with BellSouth's Products and Services Interval Guide available at the website at http://www.interconnection.bellsouth.com.

3.5.4 BellSouth will provide Network PTS access to Preordering LMU in accordance with the terms of this Agreement. BellSouth shall bill and Network PTS shall pay the rates for such services, as described in Exhibit A.

3.6 <u>Maintenance and Repair – Line Sharing</u>

- 3.6.1 Network PTS shall have access for repair and maintenance purposes to any Loop for which it has access to the High Frequency Spectrum. If Network PTS is using a BellSouth owned splitter, Network PTS may access the Loop at the point where the combined voice and data signal exits the central office splitter via a bantam test jack. If Network PTS provides its own splitter, it may test from the collocation space or the Termination Point.
- 3.6.2 BellSouth will be responsible for repairing voice services and the physical line between the NID at the customer's premises and the Termination Point. Network PTS will be responsible for repairing data services. Each Party will be responsible for maintaining its own equipment.
- 3.6.3 Network PTS shall inform its End Users to direct data problems to Network PTS, unless both voice and data services are impaired, in which event the End Users should call BellSouth.
- 3.6.4 Once a Party has isolated a trouble to the other Party's portion of the Loop, the Party isolating the trouble shall notify the End User that the trouble is on the other Party's portion of the Loop.
- 3.6.5 Notwithstanding anything else to the contrary in this Agreement, when BellSouth receives a voice trouble and isolates the trouble to the physical collocation arrangement belonging to Network PTS, BellSouth will notify Network PTS. Network PTS will provide at least one but no more than two (2) verbal CFA pair changes to BellSouth in an attempt to resolve the voice trouble. In the event a CFA pair change resolves the voice trouble, Network PTS will provide BellSouth an LSR with the new CFA pair information within twenty-four (24) hours. If the owner of the collocation space fails to resolve the trouble by providing BellSouth with the verbal CFA pair changes, BellSouth may discontinue Network PTS's access to the High Frequency Spectrum on such Loop. BellSouth will not be responsible for any loss of data as a result of this action.

3.7 <u>Line Splitting</u>

3.7.1 Line splitting allows a provider of data services (a Data LEC) and a provider of voice services (a Voice CLEC) to deliver voice and data service to End Users over the same Loop. The Voice CLEC and Data LEC may be the same or different carriers.

- 3.7.2 In the event Network PTS provides its own switching or obtains switching from a third party, Network PTS may engage in line splitting arrangements with another CLEC using a splitter, provided by Network PTS, in a Collocation Arrangement at the central office where the loop terminates into a distribution frame or its equivalent.
- 3.7.3 Where Network PTS is purchasing a UNE-port and a UNE-loop, BellSouth shall offer line splitting pursuant to the following sections in this Attachment.
- 3.7.4 Network PTS shall provide BellSouth with a signed LOA between it and the Data LEC or Voice CLEC with which it desires to provision Line Splitting services, if Network PTS will not provide voice and data services.
- 3.7.5 End Users currently receiving voice service from a Voice CLEC through a UNE-P may be converted to Line Splitting arrangements by Network PTS or its authorized agent ordering Line Splitting Service. If the CLEC wishes to provide the splitter, the UNE-P arrangement will be converted to a stand-alone UNE Loop, a UNE port, two collocation cross connects and the high frequency spectrum line activation. If BellSouth owns the splitter, the UNE-P arrangement will be converted to a stand-alone UNE Loop, port, and one collocation cross connection.
- 3.7.6 When End Users on Loops using High Frequency Spectrum CO Based line sharing service are converted to Line Splitting, BellSouth will discontinue billing Network PTS for the High Frequency Spectrum. BellSouth will continue to bill the Data LEC for all associated splitter charges if the Data LEC continues to use a BellSouth splitter. It is the responsibility of Network PTS or its authorized agent to determine if the Loop is compatible for Line Splitting Service. Network PTS or its authorized agent may use the existing Loop unless it is not compatible with the Data LEC's data service and Network PTS or its authorized agent submits an LSR to BellSouth to change the Loop.

3.8 **Provisioning Line Splitting and Splitter Space**

3.8.1 The Data LEC, Voice CLEC or BellSouth may provide the splitter. When Network PTS or its authorized agent owns the splitter, Line Splitting requires the following: a non-designed analog Loop from the serving wire center to the NID at the End User's location; a collocation cross connection connecting the Loop to the collocation space; a second collocation cross connection from the collocation space connected to a voice port; the high frequency spectrum line activation, and a splitter. The Loop and port cannot be a Loop and port combination (i.e. UNE-P), but must be individual stand-alone Network Elements. When BellSouth owns the splitter, Line Splitting requires the following: a non designed analog Loop from the serving wire center to the NID at the End User's location with CFA and splitter port assignments, and a collocation cross connection from the collocation space connected to a voice port.

- 3.8.2 An unloaded 2-wire copper Loop must serve the End User. The meet point for the Voice CLEC and the Data LEC is the point of termination on the MDF for the Data LEC's cable and pairs.
- 3.8.3 The foregoing procedures are applicable to migration to Line Splitting Service from a UNE-P arrangement, BellSouth Retail Voice Service, BellSouth High Frequency Spectrum (CO Based) Line Sharing.
- 3.8.4 For other migration scenarios to line splitting, BellSouth will work cooperatively with CLECs to develop methods and procedures to develop a process whereby a Voice CLEC and a Data LEC may provide services over the same Loop.

3.9 <u>Ordering – Line Splitting</u>

- 3.9.1 Network PTS shall use BellSouth's LSOD to order splitters from BellSouth and to activate and deactivate DS0 Collocation CFA for use with Line Splitting.
- 3.9.2 BellSouth shall provide Network PTS the LSR format to be used when ordering Line Splitting service.
- 3.9.3 BellSouth will provision Line Splitting service in compliance with BellSouth's Products and Services Interval Guide available at the website at http://www.interconnection.bellsouth.com.
- 3.9.4 BellSouth will provide Network PTS access to Preordering LMU in accordance with the terms of this Agreement. BellSouth shall bill and Network PTS shall pay the rates for such services as described in Exhibit A.
- 3.9.5 BellSouth will provide Loop modification to Network PTS on an existing Loop in accordance with procedures developed in the Line Sharing Collaborative. High Frequency Spectrum (CO Based) Unbundled Loop Modification is a separate distinct service from Unbundled Loop Modification set forth in Section 2.5 of this Attachment. Procedures for High Frequency Spectrum (CO Based) Unbundled Loop Modification may be found on the web at:

 http://www.interconnection.bellsouth.com/html/unes.html. Nonrecurring rates for this offering are as set forth in Exhibit A of this Attachment.

3.10 <u>Maintenance – Line Splitting</u>

- 3.10.1 BellSouth will be responsible for repairing voice services and the physical loop between the NID at the customer's premises and the termination point. Network PTS will be responsible for maintaining the voice and data services. Each Party will be responsible for maintaining its own equipment.
- 3.10.2 Network PTS shall inform its End Users to direct all problems to Network PTS or its authorized agent.

3.10.3 If Network PTS is not the data provider, Network PTS shall indemnify, defend and hold harmless BellSouth from and against any claims, losses, actions, causes of action, suits, demands, damages, injury, and costs including reasonable attorney fees, which arise out of actions related to the data provider.

4 Local Switching

4.1 BellSouth shall provide non-discriminatory access to local circuit switching capability and local tandem switching capability on an unbundled basis, except as set forth in the Sections below to Network PTS for the provision of a telecommunications service.

4.2 Local Circuit Switching Capability, including Tandem Switching Capability

- 4.2.1 Local circuit switching capability is defined as all line-side and trunk-side facilities, plus the features, functions, and capabilities of the switch. The features, functions, and capabilities of the switch shall include the basic switching function of connecting lines to lines, lines to trunks, trunks to lines, and trunks to trunks. Local circuit switching includes all vertical features that the switch is capable of providing, including custom calling, custom local area signalling service features, and Centrex, as well as any technically feasible customized routing functions.
- 4.2.2 Notwithstanding BellSouth's general duty to unbundle local circuit switching, BellSouth shall not be required to unbundle local circuit switching for Network PTS for a particular End User when Network PTS: (1) serves an End User with four (4) or more voice-grade (DS0) equivalents or lines served by BellSouth in Zone 1 of one of the following MSAs: Atlanta, GA; Miami, FL; Orlando, FL; Ft. Lauderdale, FL; Charlotte-Gastonia-Rock Hill, NC; Greensboro-Winston Salem-High Point, NC; Nashville, TN; and New Orleans, LA; or (2) serves an End User with a DS1 or higher capacity Loop in any service area covered by this Agreement. To the extent that Network PTS is serving any End User as described in (2) above as of the Effective Date of this Agreement, such End User's arrangement may not remain in place and such Arrangement must be terminated by Network PTS or transitioned by Network PTS, pursuant to Section 1.8 of this Attachment or BellSouth shall disconnect such Arrangements pursuant to Section 1.8.
- 4.2.3 Rates for unbundled switching at the DS1 level and above or for combinations with unbundled switching at the DS1 level and above provisioned prior to the Effective Date of this Agreement shall be those rates set forth in Exhibit A of this Attachment until April 1, 2004.
- 4.2.4 Local Switching that is not required to be provided as a UNE will be provided pursuant to a separate agreement or a tariff, at BellSouth's discretion.

- 4.2.5 Unbundled Local Switching consists of three separate unbundled elements:
 Unbundled Ports, End Office Switching Functionality, and End Office Interoffice
 Trunk Ports.
- 4.2.6 Unbundled Local Switching combined with Common Transport and, if necessary, Tandem Switching provides to Network PTS's End User local calling and the ability to presubscribe to a primary carrier for intraLATA and/or to presubscribe to a primary carrier for interLATA toll service.
- 4.2.7 Provided that Network PTS purchases unbundled local switching from BellSouth and uses the BellSouth Carrier Identification Code (CIC) for its End Users' Local Preferred Interexchange Carrier (LPIC) or if a BellSouth local End User selects BellSouth as its LPIC, then the Parties will consider as local any calls originated by a Network PTS local End User, or originated by a BellSouth local End User and terminated to a Network PTS local End User, where such calls originate and terminate in the same LATA, except for those calls originated and terminated through switched access arrangements (i.e., calls that are transported by a Party other than BellSouth). For such calls, BellSouth will charge Network PTS the UNE elements for the BellSouth facilities utilized. Neither Party shall bill the other originating or terminating switched access charges for such calls. Intercarrier compensation for local calls between BellSouth and Network PTS shall be as described in BellSouth's UNE Local Call Flows set forth on BellSouth's website.
- Where Network PTS purchases unbundled local switching from BellSouth but does not use the BellSouth CIC for its End Users' LPIC, BellSouth will consider as local those direct dialed telephone calls that originate from a Network PTS End User and terminate within the basic local calling area or within the extended local calling areas and that are dialed using seven (7) or ten (10) digits as defined and specified in Section A3 of BellSouth's General Subscriber Services Tariffs (GSST). For such local calls, BellSouth will charge Network PTS the UNE elements for the BellSouth facilities utilized. Intercarrier compensation for local calls between BellSouth and Network PTS shall be as described in BellSouth's UNE Local Call Flows set forth on BellSouth's website.
- 4.2.9 For any calls that originate and terminate through switched access arrangements (i.e., calls that are transported by a party other than BellSouth), BellSouth shall bill Network PTS the UNE elements for the BellSouth facilities utilized. Each Party may bill the toll provider originating or terminating switched access charges as appropriate.

4.2.10 **Unbundled Port Features**

4.2.10.1 Charges for Unbundled Port are as set forth in Exhibit A, and as specified in such exhibit, may or may not include individual features.

- 4.2.10.2 Where applicable and available, non-switch-based services may be ordered with the Unbundled Port at BellSouth's retail rates.
- 4.2.10.3 Any features that are not currently available but are technically feasible through the switch can be requested through the BFR/NBR process.
- 4.2.10.4 BellSouth will provide to Network PTS selective routing of calls to a requested Operator System platform pursuant to this Attachment. Any other routing requests by Network PTS will be made pursuant to the BFR/NBR Process as set forth in Attachment 11.

4.2.11 **Remote Call Forwarding**

- 4.2.11.1 As an option, BellSouth shall make available to Network PTS an unbundled port with Remote Call Forwarding capability (URCF service). URCF service combines the functionality of unbundled local switching, tandem switching and common transport to forward calls from the URCF service telephone number (the number dialed by the calling party) to another telephone number selected by the URCF service subscriber. When ordering URCF service, Network PTS will ensure that the following conditions are satisfied:
- 4.2.11.1.1 That the End User of the forward-to number (service) agrees to receive calls forwarded using the URCF service (if such End User is different from the URCF service End User);
- 4.2.11.1.2 That the forward-to number (service) is equipped with sufficient capacity to receive the volume of calls that will be generated from the URCF service;
- 4.2.11.1.3 That the URCF service will not be utilized to forward calls to another URCF or similar service; and
- 4.2.11.1.4 That the forward-to number (service) is not a public safety number (e.g. 911, fire or police number).
- 4.2.11.2 In addition to the charge for the URCF service port, BellSouth shall charge Network PTS the rates set forth in Exhibit A for unbundled local switching, tandem switching, and common transport, including all associated usage incurred for calls from the URCF service telephone number (the number dialed by the calling party) to the forward-to number (service).

4.2.12 **Provision for Local Switching**

4.2.12.1 BellSouth shall perform routine testing (e.g., Mechanized Loop Tests (MLT) and test calls such as 105, 107 and 108 type calls) and fault isolation on a mutually agreed upon schedule.

- 4.2.12.2 BellSouth shall control congestion points such as those caused by radio station call-ins and network routing abnormalities. All traffic shall be restricted in a non-discriminatory manner.
- 4.2.12.3 BellSouth shall perform manual call trace and permit customer originated call trace. BellSouth shall provide Switching Service Point (SSP) capabilities and signaling software to interconnect the signaling links destined to the Signaling Transfer Point Switch (STPS). These capabilities shall adhere to the technical specifications set forth in the applicable industry standard technical references.
- 4.2.12.4 BellSouth shall provide interfaces to adjuncts through Telcordia standard interfaces. These adjuncts can include, but are not limited to, the Service Circuit Node and Automatic Call Distributors. BellSouth shall offer to Network PTS all Advanced Intelligent Network (AIN) triggers in connection with its SMS/SCE offering.
- 4.2.12.5 BellSouth shall provide access to SS7 Signaling Network or Multi-Frequency trunking if requested by Network PTS.
- 4.2.13 <u>Local Switching Interfaces.</u>
- 4.2.13.1 Network PTS shall order ports and associated interfaces compatible with the services it wishes to provide as listed in Exhibit A. BellSouth shall provide the following local switching interfaces:
- 4.2.13.1.1 Standard Tip/Ring interface including loopstart or groundstart, on-hook signaling (e.g., for calling number, calling name and message waiting lamp);
- 4.2.13.1.2 Coin phone signaling;
- 4.2.13.1.3 Basic Rate Interface ISDN adhering to appropriate Telcordia Technical Requirements;
- 4.2.13.1.4 Two-wire analog interface to PBX;
- 4.2.13.1.5 Four-wire analog interface to PBX;
- 4.2.13.1.6 Four-wire DS1 interface to PBX or customer provided equipment (e.g. computers and voice response systems);
- 4.2.13.1.7 Primary Rate ISDN to PBX adhering to ANSI standards Q.931, Q.932 and appropriate Telcordia Technical Requirements;
- 4.2.13.1.8 Switched Fractional DS1 with capabilities to configure Nx64 channels (where N = 1 to 24); and

- 4.2.13.1.9 Loops adhering to Telcordia TR-NWT-08 and TR-NWT-303 specifications to interconnect Digital Loop Carriers.
- 4.2.14 All End Users of Network PTS who have service provisioned via 4-Wire ISDN DS1 Port with E911 Locator Capability shall physically be located in the E911 Tandem Switch service area.
- 4.2.15 Network PTS shall pass its End User's telephone number to BellSouth over the Primary Interface (PRI) trunk group via ANI or via direct Centralized Automated Message Accounting (CAMA) trunks to the appropriate E911 tandem switch.
- 4.2.16 Network PTS shall maintain the individual telephone number and the correct corresponding address/location data, including maintaining the End User listed address as the actual physical End User location in the E911 Automatic Location Identification (ALI) Database.
- 4.2.17 Network PTS will be responsible and liable for any errors resulting from the submission of invalid telephone number and address/location data for the CLEC's End Users.

4.3 **Tandem Switching**

- 4.3.1 The Tandem Switching capability Network Element is defined as: (i) trunk-connect facilities, which include, but are not limited to, the connection between trunk termination at a cross connect panel and switch trunk card; (ii) the basic switch trunk function of connecting trunks to trunks; and (iii) the functions that are centralized in the Tandem Switches (as distinguished from separate end office switches), including but not limited to call recording, the routing of calls to operator services and signaling conversion features.
- 4.3.1.1 Where Network PTS utilizes portions of the BellSouth network in originating or terminating traffic, the Tandem Switching rates are applied in call scenarios where the Tandem Switching Network Element has been utilized. Because switch recordings cannot accurately indicate on a per call basis when the Tandem Switching Network Element has been utilized for an interoffice call originating from a UNE port and terminating to a BellSouth, Independent Company or Facility-Based CLEC office, BellSouth has developed, based upon call studies, a melded rate that takes into account the average percentage of calls that utilize Tandem Switching in these scenarios. BellSouth shall apply the melded Tandem Switching rate for every call in these scenarios. BellSouth shall utilize the melded Tandem Switching Rate until BellSouth has the capability to measure actual Tandem Switch usage in each call scenario specifically mentioned above, at which point the rate for the actual Tandem Switch usage shall apply. The UNE Call Flows set forth on BellSouth's website, as amended from time to time and incorporated herein by this reference, illustrate when the full or melded Tandem Switching rates apply for specific scenarios.

	Page 40
4.3.2	<u>Technical Requirements</u>
4.3.2.1	Tandem Switching shall have the same capabilities or equivalent capabilities as those described in Telcordia TR-TSY-000540 Issue 2R2, Tandem Supplement, June 1, 1990. The requirements for Tandem Switching include but are not limited to the following:
4.3.2.1.1	Tandem Switching shall provide signaling to establish a tandem connection;
4.3.2.1.2	Tandem Switching will provide screening as jointly agreed to by Network PTS and BellSouth;
4.3.2.1.3	Where applicable, Tandem Switching shall provide AIN triggers supporting AIN features where such routing is not available from the originating end office switch, to the extent such Tandem switch has such capability;
4.3.2.1.4	Where applicable, Tandem Switching shall provide access to Toll Free number database;
4.3.2.1.5	Tandem Switching shall provide connectivity to Public Safety Answering Point (PSAP)s where 911 solutions are deployed and the tandem is used for 911; and
4.3.2.1.6	Where appropriate, Tandem Switching shall provide connectivity for the purpose of routing transit traffic to and from other carriers.
4.3.2.2	BellSouth may perform testing and fault isolation on the underlying switch that is

4.3.2.3 BellSouth shall control congestion points and network abnormalities. All traffic will be restricted in a non-discriminatory manner.

providing Tandem Switching. Such testing shall be testing routinely performed by

BellSouth. The results and reports of the testing shall be made available to

- 4.3.2.4 Tandem Switching shall process originating toll free traffic received from Network PTS's local switch.
- 4.3.2.5 In support of AIN triggers and features, Tandem Switching shall provide SSP capabilities when these capabilities are not available from the Local Switching Network Element to the extent such Tandem Switch has such capability.
- 4.3.3 Upon Network PTS's purchase of overflow trunk groups, Tandem Switching shall provide an alternate routing pattern for Network PTS's traffic overflowing from direct end office high usage trunk groups.
- 4.4 AIN Selective Carrier Routing for Operator Services, Directory Assistance and Repair Centers

Network PTS.

- 4.4.1 Where BellSouth provides local switching to Network PTS, BellSouth will provide AIN Selective Carrier Routing (AIN SCR) at the request of Network PTS. AIN SCR will provide Network PTS with the capability of routing operator calls, 0+ and 0- and 0+ NPA Local Numbering Plan Area (LNPA), 555-1212 directory assistance, 1+411 directory assistance and 611 repair center calls to preselected destinations.
- 4.4.2 Network PTS shall order AIN SCR through its Account Team and/or Local Contract Manager. AIN SCR must first be established regionally and then on a per central office per state basis.
- 4.4.3 AIN SCR is not available in DMS 10 switches.
- 4.4.4 Where AIN SCR is utilized by Network PTS, the routing of Network PTS's End User calls shall be pursuant to information provided by Network PTS and stored in BellSouth's AIN SCR Service Control Point database. AIN SCR shall utilize a set of Line Class Codes (LCCs) unique to a basic class of service assigned on an "as needed" basis. The same LCCs will be assigned in each central office where AIN SCR is established.
- 4.4.5 Upon ordering AIN SCR Regional Service, Network PTS shall remit to BellSouth the Regional Service Order nonrecurring charges set forth in Exhibit A of this Attachment. There shall be a nonrecurring End Office Establishment Charge per office due at the addition of each central office where AIN SCR will be utilized. Said nonrecurring charge shall be as set forth in Exhibit A of this Attachment. For each Network PTS End User activated, there shall be a nonrecurring End User Establishment charge as set forth in Exhibit A of this Attachment. Network PTS shall pay the AIN SCR Per Query Charge set forth in Exhibit A of this Attachment.
- 4.4.6 This Regional Service Order nonrecurring charge will be non-refundable and will be paid with one half due up-front with the submission of all fully completed required forms including: Regional Selective Carrier Routing (SCR) Order Request-Form A, Central Office AIN SCRSCR Order Request Form B, AIN SCR Central Office Identification Form Form C, AIN SCR Routing Options Selection Form Form D, and Routing Combinations Table Form E. BellSouth has thirty (30) calendar days to respond to Network PTS's fully completed firm order as a Regional Service Order. With the delivery of this firm order response to Network PTS, BellSouth considers that the delivery schedule of this service commences. The remaining half of the Regional Service Order payment must be paid when at least ninety (90) percent of the Central Offices listed on the original order have been turned up for the service.
- 4.4.7 The nonrecurring End Office Establishment Charge will be billed to Network PTS following BellSouth's normal monthly billing cycle for this type of order.

- 4.4.8 End-User Establishment Orders will not be turned-up until the second payment is received for the Regional Service Order. The nonrecurring End-User Establishment Charges will be billed to Network PTS following BellSouth's normal monthly billing cycle for this type of order.
- 4.4.9 Additionally, the AIN SCR Per Query Charge will be billed to Network PTS following the normal billing cycle for per query charges.
- 4.4.10 All other network components needed, for example, unbundled switching, unbundled local transport, etc., will be billed per contracted rates.

4.5 <u>Selective Call Routing Using Line Class Codes (SCR-LCC)</u>

- 4.5.1 Where Network PTS purchases unbundled local switching from BellSouth and utilizes an operator services provider other than BellSouth, BellSouth will route Network PTS's End User calls to that provider through Selective Call Routing.
- 4.5.2 Selective Call Routing using Line Class Codes (SCR-LCC) provides the capability for Network PTS to have its Operator Call Processing/Directory Assistance (OCP/DA) calls routed to BellSouth's OCP/DA platform for BellSouth provided Custom Branded or Unbranded OCP/DA or to its own or an alternate OCP/DA platform for Self-Branded OCP/DA. SCR-LCC is only available if line class code capacity is available in the requested BellSouth end office switches.
- 4.5.3 Custom Branding for Directory Assistance (DA) is not available for certain classes of service, including but not limited to Hotel/Motel services, WATS service, and certain PBX services.
- Where available, Network PTS specific and unique LCCs are programmed in each BellSouth end office switch where Network PTS intends to serve End Users with customized OCP/DA branding. The LCCs specifically identify Network PTS's End Users so OCP/DA calls can be routed over the appropriate trunk group to the requested OCP/DA platform. Additional LCCs are required in each end office if the end office serves multiple NPAs (i.e., a unique LCC is required per NPA), and/or if the end office switch serves multiple rate areas and Network PTS intends to provide Network PTS -branded OCP/DA to its End Users in these multiple rate areas.
- 4.5.5 SCR-LCC supporting Custom Branding and Self Branding require Network PTS to order dedicated trunking from each BellSouth end office identified by Network PTS, either to the BellSouth Traffic Operator Position System (TOPS) for Custom Branding or to the Network PTS Operator Service Provider for Self Branding. Separate trunk groups are required for Operator Services and for DA. Rates for trunks are set forth in applicable BellSouth tariffs.

- 4.5.6 Unbranding Unbranded DA and/or OCP calls ride common trunk groups provisioned by BellSouth from those end offices identified by Network PTS to the BellSouth TOPS.
- 4.5.7 The Rates for SCR-LCC are as set forth in this Attachment. There is a nonrecurring charge for the establishment of each LCC in each BellSouth central office. Furthermore, for Unbranded and Custom Branded OCP/DA provided by BellSouth Operator Services with unbundled ports and unbundled port/loop switch combinations, monthly recurring usage charges shall apply for the UNEs necessary to provide the service, such as end office and tandem switching and common transport. A flat rated end office switching charge shall apply to Self-Branded OCP/DA when used in conjunction with unbundled ports and unbundled port/loop switch combinations.

5 <u>Unbundled Network Element Combinations</u>

- 5.1 For purposes of this Section, references to "Currently Combined" Network Elements shall mean that the particular Network Elements requested by Network PTS are in fact already combined by BellSouth in the BellSouth network. References to "Ordinarily Combined" Network Elements shall mean that the particular Network Elements requested by Network PTS are not already combined by BellSouth in the location requested by Network PTS but are elements that are typically combined in BellSouth's network. References to "Not Typically Combined" Network Elements shall mean that the particular Network Elements requested by Network PTS are not elements that BellSouth combines for its use in its network.
- 5.1.1 Upon request, BellSouth shall perform the functions necessary to combine unbundled Network Elements in any manner, even if those elements are not ordinarily combined in BellSouth's network, provided that such combination is technically feasible and will not undermine the ability of other carriers to obtain access to unbundled Network Elements or to interconnect with BellSouth's network.

5.2 Enhanced Extended Links (EELs)

- 5.2.1 EELs are combinations of unbundled Loops and unbundled dedicated transport as defined in this Attachment, together with any facilities, equipment, or functions necessary to combine those Network Elements. BellSouth shall provide Network PTS with EELs where the underlying UNEs are available and in all instances where the requesting carrier meets the eligibility requirements, if applicable.
- High-capacity EELs are combinations of loop and transport UNEs or commingled loop and transport facilities at the DS1 and/or DS3 level as described in 47 CFR 51.318(b). High-capacity EELs must comply with the service eligibility requirements set forth in 5.2.4 below.

- 5.2.3 By placing an order for a high-capacity EEL, Network PTS thereby certifies that the service eligibility criteria set forth herein are met for access to a converted high-capacity EEL, a new high-capacity EEL, or part of a high-capacity commingled EEL as a UNE. BellSouth shall have the right to audit Network PTS's high-capacity EELs as specified below.
- 5.2.4 If a high-capacity EEL or Ordinarily Combined Network Element is not readily available but can be made available through routine network modifications, as defined by the FCC, Network PTS may request BellSouth to perform such routine network modifications. The request may not be used to place fiber. Each request will be handled as a project on an individual case basis. BellSouth will provide a price quote for the request, and upon receipt of payment by Network PTS, BellSouth shall perform the routine network modifications.

5.2.5 <u>Service Eligibility Criteria</u>

- 5.2.5.1 Network PTS must certify for each high-capacity EEL that all of the following service eligibility criteria are met:
- 5.2.5.1.1 Network PTS has received state certification to provide local voice service in the area being served;
- 5.2.5.2 For each combined circuit, including each DS1 circuit, each DS1 EEL, and each DS1-equivalent circuit on a DS3 EEL:
- 5.2.5.2.1 1) Each circuit to be provided to each End User will be assigned a local number prior to the provision of service over that circuit;
- 5.2.5.2.2 2) Each DS1-equivalent circuit on a DS3 EEL must have its own local number assignment so that each DS3 must have at least twenty-eight (28) local voice numbers assigned to it;
- 5.2.5.2.3 3) Each circuit to be provided to each End User will have 911 or E911 capability prior to provision of service over that circuit;
- 5.2.5.2.4 4) Each circuit to be provided to each End User will terminate in a collocation arrangement that meets the requirements of 47 CFR 51.318(c);
- 5.2.5.2.5 5) Each circuit to be provided to each End User will be served by an interconnection trunk over which Network PTS will transmit the calling party's number in connection with calls exchanged over the trunk;
- 5.2.5.2.6 6) For each twenty-four (24) DS1 EELs or other facilities having equivalent capacity, Network PTS will have at least one (1) active DS1 local service interconnection trunk over which Network PTS will transmit the calling party's number in connection with calls exchanged over the trunk;

- 5.2.5.2.7 7) Each circuit to be provided to each End User will be served by a switch capable of switching local voice traffic.
- 5.2.6 BellSouth may, on an annual basis, audit Network PTS's records in order to verify compliance with the qualifying service eligibility criteria. The audit shall be conducted by a third party independent auditor, and the audit must be performed in accordance with the standards established by the American Institute for Certified Public Accountants (AICPA). To the extent the independent auditor's report concludes that Network PTS failed to comply with the service eligibility criteria, Network PTS must true-up any difference in payments, convert all noncompliant circuits to the appropriate service, and make the correct payments on a goingforward basis. In the event the auditor's report concludes that, Network PTS did not comply in any material respect with the service eligibility criteria, Network PTS shall reimburse BellSouth for the cost of the independent auditor. To the extent the auditor's report concludes that Network PTS did comply in all material respects with the service eligibility criteria, BellSouth will reimburse Network PTS for its reasonable and demonstrable costs associated with the audit. Network PTS will maintain appropriate documentation to support its certifications.
- 5.2.7 In the event Network PTS converts special access services to UNEs, Network PTS shall be subject to the termination liability provisions in the applicable special access tariffs, if any.

5.3 <u>UNE Port/Loop Combinations</u>

- 5.3.1 Combinations of port and loop unbundled Network Elements along with switching and transport unbundled Network Elements provide local exchange service for the origination or termination of calls. Port/loop combinations support the same local calling and feature requirements as described in the Unbundled Local Switching or Port section of this Attachment and the ability to presubscribe to a primary carrier for intraLATA toll service and/or to presubscribe to a primary carrier for interLATA toll service.
- BellSouth is not required to provide combinations of port and loop Network Elements on an unbundled basis in locations where, pursuant to FCC and Commission rules, BellSouth is not required to provide local circuit switching as an unbundled Network Element.
- BellSouth shall not be required to provide local circuit switching as a UNE in density Zone 1, as defined in 47 CFR 69.123 as of January 1, 1999 of the Atlanta, GA; Miami, FL; Orlando, FL; Ft. Lauderdale, FL; Charlotte-Gastonia-Rock Hill, NC; Greensboro-Winston Salem-High Point, NC; Nashville, TN; and New Orleans, LA, MSAs to Network PTS if Network PTS's customer has four (4) or more DS0 equivalent lines.

- BellSouth shall not be required to provide local circuit switching as a UNE or combination of UNEs if the End User is being served by a BellSouth DS1 or higher capacity Loop in any service area covered by this Agreement. To the extent that Network PTS is serving any End User as described above as of October 2, 2003, such arrangement may not remain in place any longer than April 1, 2004, after which such arrangement must be terminated by Network PTS or BellSouth shall convert such arrangement to tariff pricing. The filing of this Agreement with the applicable Commission shall constitute the filing of the joint transition plan specified by the FCC.
- BellSouth shall make 911 updates in the BellSouth 911 database for Network PTS's UNE port/Loop combinations. BellSouth will not bill Network PTS for 911 surcharges. Network PTS is responsible for paying all 911 surcharges to the applicable governmental agency.

5.4 Rates

- 5.4.1 The rates for the Currently Combined Network Elements specifically set forth in Exhibit A of this Attachment shall be the rates associated with such combinations. Where a Currently Combined combination is not specifically set forth in Exhibit A, the rate for such Currently Combined combination of Network Elements shall be the sum of the recurring rates for those individual Network Elements in addition to the applicable non-recurring switch-as-is charge set forth in Exhibit A.
- 5.4.2 The rates for the Ordinarily Combined Network Elements specifically set forth in Exhibit A of this Attachment shall be the non-recurring and recurring charges for those combinations. Where an Ordinarily Combined combination is not specifically set forth in Exhibit A, the rate for such Ordinarily Combined combination of Network Elements shall be the sum of the recurring and non-recurring rates for those individual Network Elements as set forth in Exhibit A.
- 5.4.3 Except as set forth in this Section 5, BellSouth shall provide UNE port/loop combinations specifically set forth in Exhibit A that are Currently Combined or Ordinarily Combined in BellSouth's network at the cost-based rates in Exhibit A.
- 5.4.4 BellSouth shall provide other Currently Combined and Ordinarily Combined and Not Typically Combined UNE Combinations to Network PTS in addition to those specifically referenced in this Section 5 above, where available. To the extent Network PTS requests a combination for which BellSouth does not have rates and methods and procedures in place to provide such combination, rates and/or methods and procedures for such combination will be developed pursuant to the BFR/NBR process.

6 Transport, Channelization and Dark Fiber

6.1 **Transport**

Version 3O03: 04/19/2004

- 6.1.1 BellSouth shall provide nondiscriminatory access, in accordance with FCC Rules 51.311, 51.319, and Section 251(c)(3) of the Act to interoffice transmission facilities described in this Section 6 on an unbundled basis to Network PTS for the provision of a qualifying service, as set forth herein.
- 6.1.1.1 Dedicated Transport is defined as BellSouth's interoffice transmission facilities, dedicated to a particular customer or carrier that Network PTS uses for transmission between wire centers or switches owned by BellSouth and within the same LATA.
- Dark Fiber Transport, defined as BellSouth's optical transmission facilities without attached signal regeneration, multiplexing, aggregation or other electronics, between wire centers or switches owned by BellSouth and within the same LATA;
- 6.1.1.3 Common (Shared) Transport, defined as transmission facilities shared by more than one carrier, including BellSouth, between end office switches, between end office switches and tandem switches, and between tandem switches, in BellSouth's network. Where BellSouth Network Elements are connected by intraoffice wiring, such wiring is provided as part of the Network Element and is not Common (Shared) Transport.
- 6.1.1.3.1 Notwithstanding any other provision of this Agreement, BellSouth will only provide unbundled access to Common (Shared) Transport to the extent BellSouth is required to provide and is providing unbundled Local Circuit Switching to Network PTS.
- 6.1.2 BellSouth shall:
- 6.1.2.1 Provide Network PTS exclusive use of Dedicated Transport to a particular customer or carrier, or shared use of the features, functions, and capabilities of interoffice transmission facilities shared by more than one customer or carrier;
- 6.1.2.2 Provide all technically feasible features, functions, and capabilities of the transport facility;
- 6.1.2.3 Permit, to the extent technically feasible, Network PTS to connect such interoffice facilities to equipment designated by Network PTS, including but not limited to, Network PTS's collocated facilities; and
- Permit, to the extent technically feasible, Network PTS to obtain the functionality provided by BellSouth's digital cross-connect systems.
- 6.1.3 Technical Requirements of Common (Shared) Transport
- 6.1.3.1 Common (Shared) Transport provided on DS1, DS3, and STS-1 circuits shall at a minimum meet the performance, availability, jitter, and delay requirements

- specified for Central Office to Central Office (CO to CO) connections in the applicable industry standards.
- 6.1.3.2 BellSouth shall be responsible for the engineering, provisioning, and maintenance of the underlying equipment and facilities that are used to provide Common (Shared) Transport.
- 6.1.3.3 At a minimum, Common (Shared) Transport shall meet all of the requirements set forth in the applicable industry standards.

6.2 **Dedicated Transport**

- 6.2.1 BellSouth shall offer Dedicated Transport in each of the following ways:
- 6.2.1.1 As capacity on a shared UNE facility.
- 6.2.1.2 As a circuit (e.g., DS0, DS1, DS3) dedicated to Network PTS.
- 6.2.2 Dedicated Transport may be provided over facilities such as optical fiber, copper twisted pair, and coaxial cable, and shall include transmission equipment such as line terminating equipment, amplifiers, and regenerators.
- 6.2.3 Network PTS may obtain a maximum of twelve (12) unbundled dedicated DS3 circuits, or their equivalent, for any single route at the UNE rates set forth in Exhibit A for which dedicated DS3 transport is available as unbundled transport. Additional capacity may be purchased pursuant to the rates, terms and conditions as set forth in the applicable tariff. A route is defined as a transmission path between one of BellSouth's wire centers or switches and another of BellSouth's wire centers or switches. A route between two (2) points may pass through one or more intermediate wire centers or switches. Transmission paths between identical end points are the same "route", irrespective of whether they pass through the same intermediate wire centers or switches, if any.
- Any request to re-terminate one end of a circuit will require the issuance of new service and disconnection of the existing service and the applicable charges in Exhibit A shall apply, and the re-terminated circuit shall be considered a new circuit as of the installation date.
- 6.2.5 If Dedicated Transport is not readily available but can be made available through routine network modifications, as defined by the FCC, Network PTS may request BellSouth to perform such routine network modifications. The request may not be used to place fiber. Each request will be handled as a project on an individual case basis. BellSouth will provide a price quote for the request, and upon receipt of payment by Network PTS, BellSouth shall perform the routine network modifications.

6.2.6 **Technical Requirements** 6.2.6.1 The entire designated transmission service (e.g., DS0, DS1, DS3) shall be dedicated to Network PTS designated traffic. 6.2.6.2 For DS1 or DS3 circuits, Dedicated Transport shall at a minimum meet the performance, availability, jitter, and delay requirements specified for Customer Interface to Central Office (CI to CO) connections in the applicable industry standards. 6.2.6.3 BellSouth shall offer the following interface transmission rates for Dedicated Transport: 6.2.6.3.1 DS0 Equivalent; 6.2.6.3.2 DS1; 6.2.6.3.3 DS3: and 6.2.6.3.4 SDH (Synchronous Digital Hierarchy) Standard interface rates are in accordance with International Telecommunications Union (ITU) Recommendation G.707 and Plesiochronous Digital Hierarchy (PDH) rates per ITU Recommendation G.704. 6.2.6.4 BellSouth shall design Dedicated Transport according to its network infrastructure. Network PTS shall specify the termination points for Dedicated Transport. 6.2.6.5 At a minimum, Dedicated Transport shall meet each of the requirements set forth in the applicable industry technical references. 6.2.6.6 BellSouth Technical References: 6.2.6.6.1 TR-TSY-000191 Alarm Indication Signals Requirements and Objectives, Issue 1, May 1986. 6.2.6.6.2 TR 73501 LightGate®Service Interface and Performance Specifications, Issue D, June 1995. 6.2.6.6.3 TR 73525 MegaLink®Service, MegaLink Channel Service and MegaLink Plus Service Interface and Performance Specifications, Issue C, May 1996. 6.3 **Unbundled Channelization (Multiplexing)**

Unbundled Channelization (UC) provides the optional multiplexing capability that will allow a DS1 (1.544 Mbps) or DS3 (44.736 Mbps) or STS-1 (51.84 Mbps) UNE or collocation cross connect to be multiplexed or channelized at a BellSouth central office. Channelization can be accomplished through the use of a multiplexer or a digital cross connect system at the discretion of BellSouth. Once

UC has been installed, Network PTS may request channel activation on an as needed basis and BellSouth shall connect the requested facilities via Central Office Channel Interfaces (COCIs). The COCI must be compatible with the lower capacity facility and ordered with the lower capacity facility. This service is available as defined in NECA 4.

- 6.3.2 BellSouth shall make available the following channelization systems and interfaces:
- 6.3.2.1 DS1 Channelization System: channelizes a DS1 signal into a maximum of twenty-four (24) DS0s. The following Central Office Channel Interfaces (COCI) are available: Voice Grade, Digital Data and ISDN.
- DS3 Channelization System: channelizes a DS3 signal into a maximum of twenty-eight (28) DS1s. A DS1 COCI is available with this system.
- 6.3.2.3 STS-1 Channelization System: channelizes a STS-1 signal into a maximum of twenty-eight (28) DS1s. A DS1 COCI is available with this system.
- 6.3.2.4 AMI and B8ZS line coding with either Super Frame (SF) and Extended Super Frame (ESF) framing formats will be supported as an optional feature on DS1 facilities.
- 6.3.3 <u>Technical Requirements</u>
- 6.3.3.1 In order to assure proper operation with BellSouth provided central office multiplexing functionality, Network PTS's channelization equipment must adhere strictly to form and protocol standards. Network PTS must also adhere to such applicable industry standards for the multiplex channel bank, for voice frequency encoding, for various signaling schemes, and for sub rate digital access.
- 6.3.3.2 TR 73501 LightGate[®] Service Interface and Performance Specifications, Issue D, June 1995

6.4 **Dark Fiber Transport**

- 6.4.1 Dark Fiber Transport is strands of optical fiber existing in aerial or underground structure. BellSouth will not provide line terminating elements, regeneration or other electronics necessary for Network PTS to utilize Dark Fiber Transport.
- 6.4.2 If Dark Fiber Transport is not readily available but can be made available through routine network modifications, as defined by the FCC, Network PTS may request BellSouth to perform such routine network modifications. The request may not be used to place fiber. Each request will be handled as a project on an individual case basis. BellSouth will provide a price quote for the request, and upon receipt of payment by Network PTS, BellSouth shall perform the routine network modifications.

6.4.3 Requirements

- BellSouth shall make available Dark Fiber Transport where it exists in BellSouth's network and where, as a result of future building or deployment, it becomes available. Dark Fiber Transport will not be deemed available if (1) it is used by BellSouth for maintenance and repair purposes, (2) it is designated for use pursuant to a firm order placed by another customer, (3) it is restricted for use by all carriers, including BellSouth, because of transmission problems or because it is scheduled for removal due to documented changes to roads and infrastructure, or (4) BellSouth has plans to use the fiber within a two-year planning period. BellSouth is not required to place fibers for Dark Fiber Transport if there are none available.
- Network PTS is solely responsible for testing the quality of the Dark Fiber Transport to determine its usability and performance specifications.
- 6.4.3.3 BellSouth shall use its best efforts to provide to Network PTS information regarding the location, availability and performance of Dark Fiber Transport within ten (10) business days after receiving a request from Network PTS. Within such time period, BellSouth shall send written confirmation of availability of the Dark Fiber Transport.
- 6.4.3.4 If the requested Dark Fiber Transport is available, BellSouth shall use its commercially reasonable efforts to provision the Dark Fiber Transport to Network PTS within twenty (20) business days after Network PTS submits a valid, error free LSR. Provisioning includes identification of appropriate connection points (e.g., LGX) to enable Network PTS to connect Network PTS provided transmission media (e.g., optical fiber) or equipment to the Dark Fiber Transport.

7 Databases

- Call Related Databases are the databases set forth in this Attachment, other than OSS, that are used in signaling networks for billing and collection, or the transmission, routing or other provision of a telecommunications service. Notwithstanding anything to the contrary herein, BellSouth shall only provide unbundled access to BellSouth Switched Access (SWA) 8XX Toll Free Dialing Ten Digit Screening Service, Line Information Database (LIDB), Signaling, Signaling Link Transport, Signaling Transfer Points, SS7 AIN Access, Service Control Point\Databases, Local Number Portability Databases, SS7 Network Interconnection, and Calling Name (CNAM) Database Service at the prices set forth herein where BellSouth is required to provide and is providing unbundled access to local circuit switching to Network PTS.
- 7.2 To the extent unbundled local circuit switching is converted to market based switching pursuant to Section 4.2.2 of this Attachment, BellSouth may, at its discretion, provide access to BellSouth Switched Access (SWA) 8XX Toll Free

Dialing Ten Digit Screening Service, LIDB, Signaling, Signaling Link Transport, Signaling Transfer Points, SS7 AIN Access, Service Control Point\Databases, Local Number Portability Databases, SS7 Network Interconnection, Calling Name (CNAM) at market based rates pursuant to a separate agreement or tariff.

8 <u>BellSouth Switched Access (SWA) 8XX Toll Free Dialing Ten Digit</u> <u>Screening Service</u>

- 8.1 The BellSouth SWA 8XX Toll Free Dialing Ten Digit Screening Service database (8XX SCP Database) is a SCP that contains customer record information and the functionality to provide call-handling instructions for 8XX calls. The 8XX SCP IN software stores data downloaded from the national SMS/8XX database and provides the routing instructions in response to queries from the SSP or tandem. The BellSouth SWA 8XX Toll Free Dialing Ten Digit Screening Service (8XX TFD Service) utilizes the 8XX SCP Database to provide identification and routing of the 8XX calls, based on the ten digits dialed. At Network PTS's option, 8XX TFD Service is provided with or without POTS number delivery, dialing number delivery, and other optional complex features as selected by Network PTS.
- 8.2 The 8XX SCP Database is designated to receive and respond to queries using the ANSI Specification of Signaling System Seven (SS7) protocol.

9 Line Information Database

- 9.1 LIDB is a transaction-oriented database accessible through Common Channel Signaling (CCS) networks. For access to LIDB, Network PTS must purchase appropriate signaling links pursuant to Section 10 of this Attachment. LIDB contains records associated with End User Line Numbers and Special Billing Numbers. LIDB accepts queries from other Network Elements and provides appropriate responses. The query originator need not be the owner of LIDB data. LIDB queries include functions such as screening billed numbers that provides the ability to accept Collect or Third Number Billing calls and validation of Telephone Line Number based non-proprietary calling cards. The interface for the LIDB functionality is the interface between BellSouth's CCS network and other CCS networks. LIDB also interfaces to administrative systems.
- 9.2 <u>Technical Requirements</u>
- 9.2.1 BellSouth will offer to Network PTS any additional capabilities that are developed for LIDB during the life of this Agreement.
- 9.2.2 BellSouth shall process Network PTS's customer records in LIDB at least at parity with BellSouth customer records, with respect to other LIDB functions. BellSouth shall indicate to Network PTS what additional functions (if any) are performed by LIDB in the BellSouth network.

- 9.2.3 Within two (2) weeks after a request by Network PTS, BellSouth shall provide Network PTS with a list of the customer data items, which Network PTS would have to provide in order to support each required LIDB function. The list shall indicate which data items are essential to LIDB function and which are required only to support certain services. For each data item, the list shall show the data formats, the acceptable values of the data item and the meaning of those values.
- 9.2.4 BellSouth shall provide LIDB systems for which operating deficiencies that would result in calls being blocked shall not exceed thirty (30) minutes per year.
- 9.2.5 BellSouth shall provide LIDB systems for which operating deficiencies that would not result in calls being blocked shall not exceed twelve (12) hours per year.
- 9.2.6 BellSouth shall provide LIDB systems for which the LIDB function shall be in overload no more than twelve (12) hours per year.
- 9.2.7 All additions, updates and deletions of Network PTS data to the LIDB shall be solely at the direction of Network PTS. Such direction from Network PTS will not be required where the addition, update or deletion is necessary to perform standard fraud control measures (e.g., calling card auto-deactivation).
- 9.2.8 BellSouth shall provide priority updates to LIDB for Network PTS data upon Network PTS's request (e.g., to support fraud detection), via password-protected telephone card, facsimile, or electronic mail within one hour of notice from the established BellSouth contact.
- 9.2.9 BellSouth shall provide LIDB systems such that no more than 0.01% of Network PTS customer records will be missing from LIDB, as measured by Network PTS audits. BellSouth will audit Network PTS records in LIDB against Data Base Administration System (DBAS) to identify record mismatches and provide this data to a designated Network PTS contact person to resolve the status of the records and BellSouth will update system appropriately. BellSouth will refer record of mismatches to Network PTS within one (1) business day of audit. Once reconciled records are received back from Network PTS, BellSouth will update LIDB the same business day if less than 500 records are received before 1:00PM Central Time. If more than 500 records are received, BellSouth will contact Network PTS to negotiate a time frame for the updates, not to exceed three business days.
- 9.2.10 BellSouth shall perform backup and recovery of all of Network PTS's data in LIDB including sending to LIDB all changes made since the date of the most recent backup copy, in at least the same time frame BellSouth performs backup and recovery of BellSouth data in LIDB for itself. Currently, BellSouth performs backups of the LIDB for itself on a weekly basis; and when a new software release is scheduled, a backup is performed prior to loading the new release.

- 9.2.11 BellSouth shall provide Network PTS with LIDB reports of data which are missing or contain errors, as well as any misrouted errors, within a reasonable time period as negotiated between Network PTS and BellSouth.
- 9.2.12 BellSouth shall prevent any access to or use of Network PTS data in LIDB by BellSouth personnel that are outside of established administrative and fraud control personnel, or by any other Party that is not authorized by Network PTS in writing.
- 9.2.13 BellSouth shall provide Network PTS performance of the LIDB Data Screening function, which allows a LIDB to completely or partially deny specific query originators access to LIDB data owned by specific data owners, for Customer Data that is part of an NPA-NXX or RAO-0/1XX wholly or partially owned by Network PTS at least at parity with BellSouth Customer Data. BellSouth shall obtain from Network PTS the screening information associated with LIDB Data Screening of Network PTS data in accordance with this requirement. BellSouth currently does not have LIDB Data Screening capabilities. When such capability is available, BellSouth shall offer it to Network PTS under the BFR/NBR process as set forth in Attachment 11.
- 9.2.14 BellSouth shall accept queries to LIDB associated with Network PTS customer records and shall return responses in accordance with industry standards.
- 9.2.15 BellSouth shall provide mean processing time at the LIDB within 0.50 seconds under normal conditions as defined in industry standards.
- 9.2.16 BellSouth shall provide processing time at the LIDB within 1 second for 99% of all messages under normal conditions as defined in industry standards.
- 9.3 <u>Interface Requirements</u>
- 9.3.1 BellSouth shall offer LIDB in accordance with the requirements of this subsection.
- 9.3.2 The interface to LIDB shall be in accordance with the technical references contained within.
- 9.3.3 The CCS interface to LIDB shall be the standard interface described herein.
- 9.3.4 The LIDB Data Base interpretation of the ANSI-TCAP messages shall comply with the technical reference herein. Global Title Translation (GTT) shall be maintained in the signaling network in order to support signaling network routing to the LIDB.
- 9.3.5 The application of the LIDB rates contained in Exhibit A to this Attachment will be based on a Percent CLEC LIDB Usage (PCLU) factor. Network PTS shall provide BellSouth a PCLU. The PCLU will be applied to determine the

percentage of total LIDB usage to be billed to the other Party at local rates. Network PTS shall update its PCLU on the first of January, April, July and October and shall send it to BellSouth to be received no later than thirty (30) calendar days after the first of each such month based on local usage for the past three months ending the last day of December, March, June and September, respectively. Requirements associated with PCLU calculation and reporting shall be as set forth in BellSouth's Jurisdictional Factors Reporting Guide, as it is amended from time to time.

10 <u>Signaling</u>

10.1 BellSouth shall offer access to signaling and access to BellSouth's signaling databases subject to compatibility testing and at the rates set forth in this Attachment. BellSouth may provide mediated access to BellSouth signaling systems and databases. Available signaling elements include signaling links, signal transfer points and service control points. Signaling functionality will be available with both A-link and B-link connectivity.

10.2 <u>Signaling Link Transport</u>

- 10.2.1 Signaling Link Transport is a set of two (2) or four (4) dedicated 56 kbps transmission paths between Network PTS designated Signaling Points of Interconnection that provide appropriate physical diversity.
- 10.2.2 Technical Requirements
- 10.2.3 Signaling Link Transport shall consist of full duplex mode 56 kbps transmission paths and shall perform in the following two ways:
- 10.2.3.1 As an "A-link" Signaling Link Transport is a connection between a switch or SCP and a home Signaling Transfer Point switch pair; and
- 10.2.3.2 As a "B-link" Signaling Link Transport is a connection between two Signaling Transfer Point switch pairs in different company networks (e.g., between two Signaling Transfer Point switch pairs for two CLECs).
- 10.2.4 Signaling Link Transport shall consist of two (2) or more signaling link layers as follows:
- 10.2.4.1 An A-link layer shall consist of two (2) links.
- 10.2.4.2 A B-link layer shall consist of four (4) links.
- 10.2.4.3 A signaling link layer shall satisfy interoffice and intraoffice diversity of facilities and equipment, such that:

- 10.2.4.4 No single failure of facilities or equipment causes the failure of both links in an Alink layer (i.e., the links should be provided on a minimum of two (2) separate physical paths end-to-end); and
- 10.2.4.5 No two (2) concurrent failures of facilities or equipment shall cause the failure of all four (4) links in a B-link layer (i.e., the links should be provided on a minimum of three separate physical paths end-to-end).

10.2.5 <u>Interface Requirements</u>

10.2.5.1 There shall be a DS1 (1.544 Mbps) interface at Network PTS's designated SPOIs. Each 56 kbps transmission path shall appear as a DS0 channel within the DS1 interface.

10.3 **Signaling Transfer Points**

A STP is a signaling network function that includes all of the capabilities provided by the signaling transfer point switches (STPS) and their associated signaling links that enables the exchange of SS7 messages among and between switching elements, database elements and signaling transfer point switches.

10.3.2 Technical Requirements

- 10.3.2.1 STPs shall provide access to BellSouth Local Switching or Tandem Switching and to BellSouth Service Control Points/Databases connected to BellSouth SS7 network. STPs also provide access to third-party local or tandem switching and third-party-provided STPs.
- The connectivity provided by STPs shall fully support the functions of all other Network Elements connected to the BellSouth SS7 network. This includes the use of the BellSouth SS7 network to convey messages that neither originate nor terminate at a signaling end point directly connected to the BellSouth SS7 network (i.e., transit messages). When the BellSouth SS7 network is used to convey transit messages, there shall be no alteration of the Integrated Services Digital Network User Part or Transaction Capabilities Application Part (TCAP) user data that constitutes the content of the message.
- If a BellSouth tandem switch routes traffic, based on dialed or translated digits, on SS7 trunks between a Network PTS local switch and third party local switch, the BellSouth SS7 network shall convey the TCAP messages that are necessary to provide Call Management features (Automatic Callback, Automatic Recall, and Screening List Editing) between Network PTS local STPs and the STPs that provide connectivity with the third party local switch, even if the third party local switch is not directly connected to BellSouth STPs.

- 10.3.2.4 STPs shall provide all functions of the SCCP necessary for Class 0 (basic connectionless) service as defined in Telcordia ANSI Interconnection Requirements. This includes GTT and SCCP Management procedures, as specified in ANSI T1.112.4. Where the destination signaling point is a Network PTS or third party local or tandem switching system directly connected to BellSouth SS7 network, BellSouth shall perform final GTT of messages to the destination and SCCP Subsystem Management of the destination. In all other cases, BellSouth shall perform intermediate GTT of messages to a gateway pair of STPs in an SS7 network connected with BellSouth SS7 network and shall not perform SCCP Subsystem Management of the destination. If BellSouth performs final GTT to a Network PTS database, then Network PTS agrees to provide BellSouth with the Destination Point Code for Network PTS database.
- 10.3.2.5 STPs shall provide all functions of the Operations, Maintenance and Administration Part (OMAP) as specified in applicable industry standard technical references, which may include, where available in BellSouth's network, MTP Routing Verification Test (MRVT) and SCCP Routing Verification Test (SRVT).
- 10.3.2.6 Where the destination signaling point is a BellSouth local or tandem switching system or database, or is a Network PTS or third party local or tandem switching system directly connected to the BellSouth SS7 network, STPs shall perform MRVT and SRVT to the destination signaling point. In all other cases, STPs shall perform MRVT and SRVT to a gateway pair of STPs in an SS7 network connected with the BellSouth SS7 network. This requirement may be superseded by the specifications for Internetwork MRVT and SRVT when these become approved ANSI standards and available capabilities of BellSouth STPs.

10.4 <u>SS7</u>

- 10.4.1 When technically feasible and upon request by Network PTS, SS7 AIN Access shall be made available in association with switching. SS7 AIN Access is the provisioning of AIN 0.1 triggers in an equipped BellSouth local switch and interconnection of the BellSouth SS7 network with Network PTS's SS7 network to exchange TCAP queries and responses with a Network PTS SCP.
- 10.4.2 SS7 AIN Access shall provide Network PTS SCP access to an equipped BellSouth local switch via interconnection of BellSouth's SS7 and Network PTS SS7 Networks. BellSouth shall offer SS7 AIN Access through its STPs. If BellSouth requires a mediation device on any part of its network specific to this form of access, BellSouth must route its messages in the same manner. The interconnection arrangement shall result in the BellSouth local switch recognizing the Network PTS SCP as at least at parity with BellSouth's SCPs in terms of interfaces, performance and capabilities.

10.4.3 Interface Requirements

- 10.4.3.1 BellSouth shall provide the following STP options to connect Network PTS or Network PTS-designated local switching systems to the BellSouth SS7 network:
- 10.4.3.1.1 An A-link interface from Network PTS local switching systems; and,
- 10.4.3.1.2 A B-link interface from Network PTS local STPs.
- Each type of interface shall be provided by one or more layers of signaling links.
- 10.4.3.3 The Signaling Point of Interconnection for each link shall be located at a cross-connect element in the CO where the BellSouth STP is located. There shall be a DS1 or higher rate transport interface at each of the SPOIs. Each signaling link shall appear as a DS0 channel within the DS1 or higher rate interface.
- 10.4.3.4 BellSouth shall provide intraoffice diversity between the SPOI and BellSouth STPs so that no single failure of intraoffice facilities or equipment shall cause the failure of both B-links in a layer connecting to a BellSouth STP.
- 10.4.3.5 STPs shall provide all functions of the MTP as defined in the applicable industry standard technical references.
- 10.4.4 <u>Message Screening</u>
- 10.4.4.1 BellSouth shall set message screening parameters so as to accept valid messages from Network PTS local or tandem switching systems destined to any signaling point within BellSouth's SS7 network where the Network PTS switching system has a valid signaling relationship.
- 10.4.4.2 BellSouth shall set message screening parameters so as to pass valid messages from Network PTS local or tandem switching systems destined to any signaling point or network accessed through BellSouth's SS7 network where the Network PTS switching system has a valid signaling relationship.
- 10.4.4.3 BellSouth shall set message screening parameters so as to accept and pass/send valid messages destined to and from Network PTS from any signaling point or network interconnected through BellSouth's SS7 network where the Network PTS SCP has a valid signaling relationship.

10.5 Service Control Points (SCP)/Databases

10.5.1 Call Related Databases provide the storage of, access to, and manipulation of information required to offer a particular service and/or capability. BellSouth shall provide access to the following Databases: Local Number Portability, LIDB, Toll Free Number Database, Automatic Location Identification/Data Management System, and Calling Name Database. BellSouth also provides access to Service Creation Environment and Service Management System (SCE/SMS) application databases and Directory Assistance.

- 10.5.2 A SCP is deployed in a SS7 network that executes service application logic in response to SS7 queries sent to it by a switching system also connected to the SS7 network. Service Management Systems provide operational interfaces to allow for provisioning, administration and maintenance of subscriber data and service application data stored in SCPs.
- 10.5.3 Technical Requirements for SCPs/Databases
- 10.5.3.1 BellSouth shall provide physical access to SCPs through the SS7 network and protocols with TCAP as the application layer protocol.
- BellSouth shall provide physical interconnection to databases via industry standard interfaces and protocols (e.g. SS7, ISDN and X.25).
- 10.5.3.3 The reliability of interconnection options shall be consistent with requirements for diversity and survivability.

10.6 **Local Number Portability Database**

10.6.1 The Permanent Number Portability (PNP) database supplies routing numbers for calls involving numbers that have been ported from one local service provider to another. BellSouth agrees to provide access to the PNP database at rates, terms and conditions as set forth by BellSouth and in accordance with an effective FCC or Commission directive.

10.7 **SS7 Network Interconnection**

- 10.7.1 SS7 Network Interconnection is the interconnection of Network PTS local signaling transfer point switches or Network PTS local or tandem switching systems with BellSouth signaling transfer point switches. This interconnection provides connectivity that enables the exchange of SS7 messages among BellSouth switching systems and databases, Network PTS local or tandem switching systems, and other third-party switching systems directly connected to the BellSouth SS7 network.
- The connectivity provided by SS7 Network Interconnection shall fully support the functions of BellSouth switching systems and databases and Network PTS or other third-party switching systems with A-link access to the BellSouth SS7 network.
- 10.7.3 If traffic is routed based on dialed or translated digits between a Network PTS local switching system and a BellSouth or other third-party local switching system, either directly or via a BellSouth tandem switching system, then it is a requirement that the BellSouth SS7 network convey via SS7 Network Interconnection the TCAP messages that are necessary to provide Call Management services (Automatic Callback, Automatic Recall, and Screening List Editing) between the

Network PTS local signaling transfer point switches and BellSouth or other third-party local switch.

- 10.7.4 SS7 Network Interconnection shall provide:
- 10.7.4.1 Signaling Data Link functions, as specified in ANSI T1.111.2;
- 10.7.4.2 Signaling Link functions, as specified in ANSI T1.111.3; and
- 10.7.4.3 Signaling Network Management functions, as specified in ANSI T1.111.4.
- 10.7.5 SS7 Network Interconnection shall provide all functions of the SCCP necessary for Class 0 (basic connectionless) service as specified in ANSI T1.112. This includes GTT and SCCP Management procedures as specified in ANSI T1.112.4. Where the destination signaling point is a BellSouth switching system or DB, or is another third-party local or tandem switching system directly connected to the BellSouth SS7 network, SS7 Network Interconnection shall include final GTT of messages to the destination and SCCP Subsystem Management of the destination. Where the destination signaling point is a Network PTS local or tandem switching system, SS7 Network Interconnection shall include intermediate GTT of messages to a gateway pair of Network PTS local STPs and shall not include SCCP Subsystem Management of the destination.
- 10.7.6 SS7 Network Interconnection shall provide all functions of the Integrated Services Digital Network User Part as specified in ANSI T1.113.
- 10.7.7 SS7 Network Interconnection shall provide all functions of the TCAP as specified in ANSI T1.114.
- 10.7.8 If Internetwork MRVT and SRVT become approved ANSI standards and available capabilities of BellSouth STPs, SS7 Network Interconnection may provide these functions of the OMAP.
- 10.7.9 <u>Interface Requirements</u>
- 10.7.9.1 The following SS7 Network Interconnection interface options are available to connect Network PTS or Network PTS-designated local or tandem switching systems or signaling transfer point switches to the BellSouth SS7 network:
- 10.7.9.1.1 A-link interface from Network PTS local or tandem switching systems; and
- 10.7.9.1.2 B-link interface from Network PTS STPs.
- 10.7.9.2 The Signaling Point of Interconnection for each link shall be located at a cross-connect element in the central office where the BellSouth STP is located. There shall be a DS1 or higher rate transport interface at each of the Signaling Points of

interconnection. Each signaling link shall appear as a DS0 channel within the DS1 or higher rate interface.

- 10.7.9.3 BellSouth shall provide intraoffice diversity between the Signaling Points of Interconnection and the BellSouth STP, so that no single failure of intraoffice facilities or equipment shall cause the failure of both B-links in a layer connecting to a BellSouth STP.
- 10.7.9.4 The protocol interface requirements for SS7 Network Interconnection include the MTP, ISDNUP, SCCP, and TCAP. These protocol interfaces shall conform to the applicable industry standard technical references.
- 10.7.9.5 BellSouth shall set message screening parameters to accept messages from Network PTS local or tandem switching systems destined to any signaling point in the BellSouth SS7 network with which the Network PTS switching system has a valid signaling relationship.

11 <u>Automatic Location Identification/Data Management System (ALI/DMS)</u>

The ALI/DMS Database contains End User information (including name, address, telephone information, and sometimes special information from the local service provider or End User) used to determine to which PSAP to route the call. The ALI/DMS database is used to provide enhanced routing flexibility for E911. Network PTS will be required to provide BellSouth daily updates to E911 database. Network PTS shall also be responsible for providing BellSouth with complete and accurate data for submission to the 911/E911 database for the purpose of providing 911/E911 service to its End Users.

11.2 <u>Technical Requirements</u>

- BellSouth shall provide Network PTS the capability of providing updates to the ALI/DMS database. BellSouth shall provide error reports from the ALI/DMS database to Network PTS after Network PTS provides End User information for input into the ALI/DMS database.
- 11.2.2 Network PTS shall conform to the National Emergency Number Association (NENA) recommended standards for LNP and updating the ALI/DMS database.

12 <u>Calling Name Database Service</u>

12.1 CNAM is the ability to associate a name with the calling party number, allowing the End User (to which a call is being terminated) to view the calling party's name before the call is answered. The calling party's information is accessed by queries launched to the CNAM database. This service also provides Network PTS the opportunity to load and store its subscriber names in the BellSouth CNAM SCPs.

- 12.2 Network PTS shall submit to BellSouth a notice of its intent to access and utilize BellSouth CNAM Database Services. Said notice shall be in writing no less than sixty (60) calendar days prior to Network PTS's access to BellSouth's CNAM Database Services and shall be addressed to Network PTS's Local Contract Manager.
- 12.3 BellSouth's provision of CNAM Database Services to Network PTS requires interconnection from Network PTS to BellSouth CNAM SCPs. Such interconnections shall be established pursuant to Attachment 3 of this Agreement.
- In order to formulate a CNAM query to be sent to the BellSouth CNAM SCP, Network PTS shall provide its own CNAM SSP. Network PTS's CNAM SSPs must be compliant with TR-NWT-001188, "CLASS Calling Name Delivery Generic Requirements".
- 12.5 If Network PTS elects to access the BellSouth CNAM SCP via a third party CCS7 transport provider, the third party CCS7 provider shall interconnect with the BellSouth CCS7 network according to BellSouth's Common Channel Signaling Interconnection Guidelines and Telcordia's CCS Network Interface Specification document, TR-TSV-000905. In addition, the third party provider shall establish CCS7 interconnection at the BellSouth Local Signal Transfer Points (LSTPs) serving the BellSouth CNAM SCPs that Network PTS desires to query.
- 12.6 If Network PTS queries the BellSouth CNAM SCP via a third party national SS7 transport provider, the third party SS7 provider shall interconnect with the BellSouth CCS7 network according to BellSouth's Common Channel Signaling Interconnection Guidelines and Telcordia's CCS Network Interface Specification document, TR-TSV-000905. In addition, the third party provider shall establish SS7 interconnection at one or more of the BellSouth Gateway STPs. The payment of all costs associated with the transport of SS7 signals via a third party will be established by mutual agreement of the Parties and this Agreement shall be amended in accordance with modification of the General Terms and Conditions incorporated herein by this reference.
- The mechanism to be used by Network PTS for initial CNAM record load and/or updates shall be determined by mutual agreement. The initial load and all updates shall be provided by Network PTS in the BellSouth specified format and shall contain records for every working telephone number that can originate phone calls. It is the responsibility of Network PTS to provide accurate information to BellSouth on a current basis.
- 12.8 Updates to the SMS shall occur no less than once a week, reflect service order activity affecting either name or telephone number, and involve only record additions, deletions or changes.

Network PTS CNAM records provided for storage in the BellSouth CNAM SCP shall be available, on a SCP query basis only, to all Parties querying the BellSouth CNAM SCP. Further, CNAM service shall be provided by each Party consistent with state and/or federal regulation.

13 <u>Service Creation Environment and Service Management System (SCE/SMS)</u> Advanced Intelligent Network Access

- 13.1 BellSouth's SCE/SMS AIN Access shall provide Network PTS the capability to create service applications in a BellSouth SCE and deploy those applications in a BellSouth SMS to a BellSouth SCP.
- BellSouth's SCE/SMS AIN Access shall provide access to SCE hardware, software, testing and technical support (e.g., help desk, system administrator) resources available to Network PTS. Training, documentation, and technical support will address use of SCE and SMS access and administrative functions but will not include support for the creation of a specific service application.
- 13.3 BellSouth SCP shall partition and protect Network PTS service logic and data from unauthorized access.
- When Network PTS selects SCE/SMS AIN Access, BellSouth shall provide training, documentation, and technical support to enable Network PTS to use BellSouth's SCE/SMS AIN Access to create and administer applications.
- Network PTS access will be provided via remote data connection (e.g., dial-in, ISDN).
- BellSouth shall allow Network PTS to download data forms and/or tables to BellSouth SCP via BellSouth SMS without intervention from BellSouth.

14 Operational Support Systems

- 14.1 BellSouth has developed and made available electronic interfaces by which Network PTS may submit LSRs electronically.
- LSRs submitted by means of one of these electronic interfaces will incur an OSS electronic ordering charge. An individual LSR will be identified for billing purposes by its Purchase Order Number (PON). LSRs submitted by means other than one of these interactive interfaces (mail, fax, courier, etc.) will incur a manual order charge. All OSS charges are specified in Exhibit A of this Attachment.

14.3 Denial/Restoral OSS Charge

14.3.1 In the event Network PTS provides a list of customers to be denied and restored, rather than an LSR, each location on the list will require a separate PON and therefore will be billed as one LSR per location.

- 14.4 <u>Cancellation OSS Charge</u>
- 14.4.1 Network PTS will incur an OSS charge for an accepted LSR that is later canceled.
- Supplements or clarifications to a previously billed LSR will not incur another OSS charge.
- 14.6 Network Elements and Other Services Manual Additive
- 14.6.1 The Commissions in some states have ordered per element manual additive nonrecurring charges (NRC) for Network Elements and Other Services ordered by means other than one of the interactive interfaces. These ordered Network Elements and Other Services manual additive NRCs will apply in these states, rather than the charge per LSR. The per element charges are listed in Exhibit A.

UNBUNDLI	ED NETWORK ELEMENTS - Alabama													ment: 2		bit: A
													Incremental		Incremental	Incremental
											Submitted			Charge -	Charge -	Charge -
CATEGORY	DATE ELEMENTS	Interi	7	BCS	USOC			RATES (\$)			Elec	_	Manual Svc	Manual Svc		Manual Svc
CATEGORT	RATE ELEMENTS	m	Zone	ьсэ	0300			KATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
						Rec		curring		g Disconnect		•		Rates (\$)		
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
Tho "	 Zone" shown in the sections for stand-alone loops or loops as	part of	2 comb	sination refers to Go	ographically	Dogworgand II	NE Zonos To	viow Goograp	higally Doayer	aged LINE Zone	Docianatio	one by Cont	ral Office refe	r to internet	Nobeito:	l
	/www.interconnection.bellsouth.com/become a clec/html/inter				ograpinicany	Deaveraged O	NE Zones. 10	view Geograp	incarry Deaver	aged ONE ZOIN	Designation	ons by cent	iai Oilice, reie	si to internet	reporte.	
	AL SUPPORT SYSTEMS (OSS) - "REGIONAL RATES"															
	:: (1) CLEC should contact its contract negotiator if it prefers th															
	either the state specific Commission ordered rates for the servi	ice orde	ring ch	arges, or CLEC may	elect the re	gional service o	ordering charg	e, however, Cl	EC can not ol	otain a mixture	of the two	regardless i	f CLEC has a	interconnecti	on contract e	stablished in
	of the 9 states. E: (2) Any element that can be ordered electronically will be bill			a tha COMEC nata li	-4	antamam. Diaga	a sefes to Dell	Caushia I anal	O-do-i Ho			.f =			U. Fanthaa	
	annot be ordered electronically at present per the LOH, the list		•						•	` '		•			•	
	AN, will be applied to a CLECs bill when it submits an LSR to B			s in this category rei	iects the chi	arge triat would	i be billed to a	OLLO Olice el	schollic orderi	ng capabilities	Come on-n	ine ioi tilat t	siement. Othe	erwise, the me	indai Ordenni	g charge,
	OSS - Electronic Service Order Charge, Per Local Service		1													
	Request (LSR) - UNE Only				SOMEC		3.50	0.00	3.50	0.00						
	OSS - Manual Service Order Charge, Per Local Service Request															
UNE CERVIC	(LSR) - UNE Only E DATE ADVANCEMENT CHARGE				SOMAN		15.66	0.00	1.97	0.00						
	: The Expedite charge will be maintained commensurate with	RallSau	ith's FC	C No 1 Tariff Section	n 5 ac annli	cable										
NOTE	The Expedite charge will be maintained commensurate with	Delloot	111310	o No.1 Tallii, George	ni 5 as appii	Cable.										
				UAL, UEANL, UCL,												
				UEF, UDF, UEQ,												
				UDL, UENTW, UDN,												
				UEA, UHL, ULC,												
				USL, U1T12, U1T48, U1TD1, U1TD3,												
				U1TDX, U1TO3,												
				U1TS1, U1TVX,												
				UC1BC, UC1BL,												
				UC1CC, UC1CL,												
				UC1DC, UC1DL,												
				UC1EC, UC1EL, UC1FC, UC1FL,												
				UC1GC, UC1GL,												
				UC1HC, UC1HL,												
				UDL12, UDL48,												
				UDLO3, UDLSX,												
				UE3, ULD12,												
				ULD48, ULDD1,												
				ULDD3, ULDDX, ULDO3, ULDS1,												
				ULDVX, UNC1X,												
				UNC3X, UNCDX,												
				UNCNX, UNCSX,												
				UNCVX, UNLD1,												
				UNLD3, UXTD1,												
	LINE Francisco Character Circuit and inc. Assistant LICOC and			UXTD3, UXTS1, U1TUC, U1TUD,												
	UNE Expedite Charge per Circuit or Line Assignable USOC, per			U1TUB, U1TUA	SDASP		200.00									
UNBUNDLED	EXCHANGE ACCESS LOOP			OTTOD, OTTOA	SDAGE		200.00					†				
	RE ANALOG VOICE GRADE LOOP															
	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1		1	UEANL	UEAL2	12.58	37.81	17.56	23.49	5.30						
	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2		2	UEANL	UEAL2	21.05	37.81	17.56	23.49	5.30						
\vdash	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1	-	3	UEANL UEANL	UEAL2 UEASL	34.34 12.58	37.81 37.81	17.56 17.56	23.49 23.49	5.30 5.30		-				
	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2		2	UEANL	UEASL	12.58	37.81	17.56	23.49	5.30		—				
	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3			UEANL	UEASL	34.34	37.81	17.56	23.49	5.30						
	Unbundled Miscellaneous Rate Element, Tag Loop at End User															
	Premise			UEANL	URETL		8.33	0.83								
	Loop Testing - Basic 1st Half Hour		—	UEANL	URET1		34.16	34.16								
	Loop Testing - Basic Additional Half Hour		1	UEANL	URETA		19.85	19.85	<u> </u>	<u> </u>	<u> </u>	L		<u> </u>		l l

Version 3Q03: 11/12/2003 Page 1 of 349

UNBUNDLE	D NETWORK ELEMENTS - Alabama													ment: 2		bit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			II .	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'
						Rec	Nonred		Nonrecurring					Rates (\$)		
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	CLEC to CLEC Conversion Charge Without Outside Dispatch															1
	(UVL-SL1)			UEANL	UREWO		15.78	8.94								1
	Unbundled Voice Loop, Non-Design Voice Loop, billing for BST															1
	providing make-up (Engineering Information - E.I.)			UEANL	UEANM		13.44									1
	Manual Order Coordination for UVL-SL1s (per loop)			UEANL	UEAMC		8.15	8.15								
	Order Coordination for Specified Conversion Time for UVL-SL1															1
	(per LSR)			UEANL	OCOSL		18.09									——
2-WIRE	Unbundled COPPER LOOP															
	2-Wire Unbundled Copper Loop - Non-Designed Zone 1			UEQ	UEQ2X	11.20	34.14	15.10		4.15						1
	2 Wire Unbundled Copper Loop - Non-Designed - Zone 2			UEQ	UEQ2X	13.27	34.14	15.10		4.15						——
	2 Wire Unbundled Copper Loop - Non-Designed - Zone 3		3	UEQ	UEQ2X	15.07	34.14	15.10	21.25	4.15						—
	Unbundled Miscellaneous Rate Element, Tag Loop at End User		1													1
	Premise			UEQ	URETL		8.33	0.83	ļ		ļ			ļ	ļ	
1 1	Manual Order Coordination 2 Wire Unbundled Copper Loop -		1	l	[<u>.</u>]	J						1				1
	Non-Designed (per loop)			UEQ	USBMC		8.15		ļ		ļ			ļ	ļ	
1 1	Unbundled Copper Loop, Non-Design Copper Loop, billing for		1			J						1				1
	BST providing make-up (Engineering Information - E.I.)			UEQ	UEQMU		13.44									——
	Loop Testing - Basic 1st Half Hour			UEQ	URET1		34.16	34.16								——
	Loop Testing - Basic Additional Half Hour			UEQ	URETA		19.85	19.85								
	CLEC to CLEC Conversion Charge Without Outside Dispatch															l .
	(UCL-ND)			UEQ	UREWO		14.27	7.43								
	EXCHANGE ACCESS LOOP															
2-WIRE	ANALOG VOICE GRADE LOOP															——
	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-			LIEDOD LIEDOD		40.50	07.04	47.50	00.40	5.00						ĺ
	Zone 1	-	1	UEPSR UEPSB	UEALS	12.58	37.81	17.56	23.49	5.30	1					
	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-			LIEDOD LIEDOD	LIEADO	40.50	07.04	47.50	00.40	5.00						1
	Zone 1		- 1	UEPSR UEPSB	UEABS	12.58	37.81	17.56	23.49	5.30	-	-				
	2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting-		2	UEPSR UEPSB	UEALS	21.05	27.04	17.56	23.49	5.30						i .
	Zone 2	-		UEPSK UEPSB	UEALS	21.05	37.81	17.56	23.49	5.30						
	2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting-		2	LIEDOD LIEDOD	UEABS	21.05	27.04	47.50	22.40	5.00						l .
	Zone 2		2	UEPSR UEPSB	UEABS	21.05	37.81	17.56	23.49	5.30	-	-				
	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- Zone 3		3	UEPSR UEPSB	UEALS	34.34	37.81	17.56	23.49	5.30						1
	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-		3	UEPSK UEPSB	UEALS	34.34	37.01	17.30	23.49	5.30	-					
	Zone 3		3	UEPSR UEPSB	UEABS	34.34	37.81	17.56	23.49	5.30						l .
	EXCHANGE ACCESS LOOP		3	UEPSK UEPSB	UEABS	34.34	37.81	17.56	23.49	5.30	 					——
	ANALOG VOICE GRADE LOOP	-	-		+						1					—
Z-WINL	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or				+ -						1			1	1	
1 1	Ground Start Signaling - Zone 1		1	UEA	UEAL2	14.38	88.00	55.00	47.24	7.44						1
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or	 	-		J = 1 1 1 1 1	14.00	00.00	55.50	77.27	7.44	1	-				
	Ground Start Signaling - Zone 2		2	UEA	UEAL2	22.85	88.00	55.00	47.24	7.44						1
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or			OLIT	OLITICAL	22.00	00.00	00.00	77.27	7						
	Ground Start Signaling - Zone 3		3	UEA	UEAL2	36.14	88.00	55.00	47.24	7.44						i .
	Order Coordination for Specified Conversion Time (per LSR)		Ť	UEA	OCOSL		18.09									
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse			0271	00002		10.00									
	Battery Signaling - Zone 1		1	UEA	UEAR2	14.38	88.00	55.00	47.24	7.44						1
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse				1						i e					
	Battery Signaling - Zone 2		2	UEA	UEAR2	22.85	88.00	55.00	47.24	7.44		1				1
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse				1									İ	İ	
1 1	Battery Signaling - Zone 3		3	UEA	UEAR2	36.14	88.00	55.00	47.24	7.44		1				1
	Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL		18.09				1			ĺ	ĺ	
	CLEC to CLEC Conversion Charge without outside dispatch			UEA	UREWO		87.72	36.36								
	Loop Tagging - Service Level 2 (SL2)			UEA	URETL		11.21	1.10								
4-WIRE	ANALOG VOICE GRADE LOOP															
	4-Wire Analog Voice Grade Loop - Zone 1		1	UEA	UEAL4	25.34	131.97	94.51		14.50						
	4-Wire Analog Voice Grade Loop - Zone 2			UEA	UEAL4	38.58	131.97	94.51		14.50						
	4-Wire Analog Voice Grade Loop - Zone 3		3	UEA	UEAL4	60.02	131.97	94.51	59.14	14.50						
	Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL		18.09									
	CLEC to CLEC Conversion Charge without outside dispatch			UEA	UREWO		87.72	36.36								1

UNBUN	DLE	NETWORK ELEMENTS - Alabama												Attach	ment: 2	Exhil	bit: A
0.1.2011		7.00000										Svc Order	Svc Order	Incremental		Incremental	Incremental
												Submitted	Submitted		Charge -	Charge -	Charge -
			l									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGO	RY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m									per LSK	per LSK	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							_	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates (\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
2-	-WIRE	ISDN DIGITAL GRADE LOOP															
		2-Wire ISDN Digital Grade Loop - Zone 1		1	UDN	U1L2X	21.88	117.24	79.77	52.88	10.54						
		2-Wire ISDN Digital Grade Loop - Zone 2		2	UDN	U1L2X	32.85	117.24	79.77	52.88	10.54						
		2-Wire ISDN Digital Grade Loop - Zone 3		3	UDN	U1L2X	48.55	117.24	79.77	52.88	10.54						
		Order Coordination For Specified Conversion Time (per LSR)			UDN	OCOSL		18.09									
		CLEC to CLEC Conversion Charge without outside dispatch			UDN	UREWO		91.63	44.16								
2-	-WIRE	ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMP	ATIBLE	LOOP													
		2 Wire Unbundled ADSL Loop including manual service inquiry															
		& facility reservation - Zone 1		1	UAL	UAL2X	11.01	110.00	68.00	47.24	7.44						
		2 Wire Unbundled ADSL Loop including manual service inquiry															
		& facility reservation - Zone 2		2	UAL	UAL2X	12.73	110.00	68.00	47.24	7.44	1	1				
		2 Wire Unbundled ADSL Loop including manual service inquiry															
		& facility reservation - Zone 3		3	UAL	UAL2X	14.30	110.00	68.00	47.24	7.44	1	1				
		Order Coordination for Specified Conversion Time (per LSR)			UAL	OCOSL		18.09									
		2 Wire Unbundled ADSL Loop without manual service inquiry &															
		facility reservaton - Zone 1		1	UAL	UAL2W	11.01	90.00	57.00	47.24	7.44						
		2 Wire Unbundled ADSL Loop without manual service inquiry &															
		facility reservaton - Zone 2		2	UAL	UAL2W	12.73	90.00	57.00	47.24	7.44						
		2 Wire Unbundled ADSL Loop without manual service inquiry &															
		facility reservaton - Zone 3		3	UAL	UAL2W	14.30	90.00	57.00	47.24	7.44						
		Order Coordination for Specified Conversion Time (per LSR)			UAL	OCOSL		18.09									
		CLEC to CLEC Conversion Charge without outside dispatch			UAL	UREWO		86.20	40.40								
2-	-WIRE	HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIBLE	LOOP													
		2 Wire Unbundled HDSL Loop including manual service inquiry															
		& facility reservation - Zone 1		1	UHL	UHL2X	8.74	110.00	68.00	47.24	7.44						
		2 Wire Unbundled HDSL Loop including manual service inquiry															
		& facility reservation - Zone 2		2	UHL	UHL2X	10.17	110.00	68.00	47.24	7.44						
		2 Wire Unbundled HDSL Loop including manual service inquiry															
		& facility reservation - Zone 3		3	UHL	UHL2X	11.44	110.00	68.00	47.24	7.44						
		Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		18.09									
		2 Wire Unbundled HDSL Loop without manual service inquiry															
		and facility reservation - Zone 1		1	UHL	UHL2W	8.74	90.00	57.00	47.24	7.44						
		2 Wire Unbundled HDSL Loop without manual service inquiry															
		and facility reservation - Zone 2		2	UHL	UHL2W	10.17	90.00	57.00	47.24	7.44						
		2 Wire Unbundled HDSL Loop without manual service inquiry															
		and facility reservation - Zone 3		3	UHL	UHL2W	11.44	90.00	57.00	47.24	7.44						
		Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		18.09									
		CLEC to CLEC Conversion Charge without outside dispatch			UHL	UREWO		86.14	40.40								
4-	-WIRE	HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIBLE	LOOP													
		4 Wire Unbundled HDSL Loop including manual service inquiry															
\vdash		and facility reservation - Zone 1		1	UHL	UHL4X	13.95	148.36	68.00	51.70	9.73						
		4-Wire Unbundled HDSL Loop including manual service inquiry		_	l												
\vdash		and facility reservation - Zone 2		2	UHL	UHL4X	15.56	148.36	68.00	51.70	9.73				ļ		
		4-Wire Unbundled HDSL Loop including manual service inquiry		_	l					1	_	1	1				
\vdash		and facility reservation - Zone 3		3	UHL	UHL4X	15.25	148.36	68.00	51.70	9.73						
\vdash		Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		18.09									
		4-Wire Unbundled HDSL Loop without manual service inquiry										1	1				
$\vdash \vdash$		and facility reservation - Zone 1	—	1	UHL	UHL4W	13.95	94.00	57.00	51.70	9.73			 	-		
		4-Wire Unbundled HDSL Loop without manual service inquiry		_			4.5.50										
\vdash		and facility reservation - Zone 2		2	UHL	UHL4W	15.56	94.00	57.00	51.70	9.73	-	-		-		
		4-Wire Unbundled HDSL Loop without manual service inquiry		_	l	11111 4147	45.0-	04.00	F7 C0	F4 =0	0 =0	1	1				
\vdash		and facility reservation - Zone 3		3	UHL	UHL4W	15.25	94.00	57.00	51.70	9.73	-	-		-		
$\vdash \vdash$		Order Coordination for Specified Conversion Time (per LSR)	—		UHL UHL	OCOSL		18.09	10.10	ļ				 	-		
H-	WIDE	CLEC to CLEC Conversion Charge without outside dispatch	—	-	UTL	UREWO		86.14	40.40	1		-	-	-	 		
4-	-wike	DS1 DIGITAL LOOP	-	4	1161	USLXX	82.55	252.47	157.54	44.70	11.71			-	 		
\vdash		4-Wire DS1 Digital Loop - Zone 1			USL	USLXX					11.71						
\vdash		4-Wire DS1 Digital Loop - Zone 2	-		USL	USLXX	154.18 314.52	252.47 252.47	157.54 157.54	44.70	11.71						
\vdash	\dashv	4-Wire DS1 Digital Loop - Zone 3 Order Coordination for Specified Conversion Time (per LSR)	-	3		OCOSL	314.52	18.09	157.54	44.70	11./1	 	 		 		
\bot		Order Coordination for Specified Conversion Time (per LSR)			USL	OCOSE		18.09		l .		L	<u> </u>	L	<u> </u>		

UNBUN	DLED	NETWORK ELEMENTS - Alabama												Attach	ment: 2	Exhi	ibit: A
												Svc Order	Svc Order	Incremental	Incremental	Incremental	
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
			Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svo
CATEGOR	RY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
												· ·	'	Electronic-	Electronic-	Electronic-	Electronic-
													1	1st	Add'l	Disc 1st	Disc Add'l
\vdash				-			1	Nonrec	urrina	Nonrecurring	Disconnect		<u></u>	220	Rates (\$)		
\vdash				<u> </u>		-	Rec	First	Add'l	First	Add'l	COMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
\vdash		CLEC to CLEC Conversion Charge without outside dispatch			USL	UREWO		101.09	43.05	FIISL	Auu i	SOWIEC	SUMAN	SOWAN	SOWAN	SOWAN	SOMAN
4-		19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP			UGL	UKLVVO		101.09	43.03			+					
		4 Wire Unbundled Digital 19.2 Kbps		1	UDL	UDL19	26.09	126.27	88.80	59.14	14.50	1					
\vdash		4 Wire Unbundled Digital 19.2 Kbps			UDL	UDL19	35.95	126.27	88.80	59.14	14.50	1					
		4 Wire Unbundled Digital 19.2 Kbps			UDL	UDL19	37.88	126.27	88.80	59.14	14.50	İ	†				
		4 Wire Unbundled Digital Loop 56 Kbps - Zone 1		1	UDL	UDL56	26.09	126.27	88.80	59.14	14.50						
		4 Wire Unbundled Digital Loop 56 Kbps - Zone 2			UDL	UDL56	35.95	126.27	88.80	59.14	14.50						
	4	4 Wire Unbundled Digital Loop 56 Kbps - Zone 3		3	UDL	UDL56	37.88	126.27	88.80	59.14	14.50						
		Order Coordination for Specified Conversion Time (per LSR)			UDL	OCOSL		18.09									
\perp		4 Wire Unbundled Digital Loop 64 Kbps - Zone 1			UDL	UDL64	26.09	126.27	88.80	59.14	14.50						
\Box		4 Wire Unbundled Digital Loop 64 Kbps - Zone 2			UDL	UDL64	35.95	126.27	88.80	59.14	14.50						
\vdash		4 Wire Unbundled Digital Loop 64 Kbps - Zone 3		3	UDL	UDL64	37.88	126.27	88.80	59.14	14.50	ļ	<u> </u>				ļ
\vdash		Order Coordination for Specified Conversion Time (per LSR)		<u> </u>	UDL	OCOSL		18.09	10 =-			ļ	<u> </u>				ļ
		CLEC to CLEC Conversion Charge without outside dispatch			UDL	UREWO		102.13	49.75								
2-		Unbundled COPPER LOOP											ļ				
		2-Wire Unbundled Copper Loop-Designed including manual		1	1101	LIOL DD	44.04	440.40	05.00	47.04	7.44						
\vdash		service inquiry & facility reservation - Zone 1		1	UCL	UCLPB	11.01	112.46	65.30	47.24	7.44	-	 '				
		2-Wire Unbundled Copper Loop-Designed including manual service inquiry & facility reservation - Zone 2		2	UCL	UCLPB	12.73	112.46	65.30	47.24	7.44						
\vdash		2 Wire Unbundled Copper Loop-Designed including manual			UCL	UCLPB	12.73	112.46	65.30	47.24	7.44	.					
		service inquiry & facility reservation - Zone 3		3	UCL	UCLPB	14.30	112.46	65.30	47.24	7.44						
\vdash		Order Coordination for Unbundled Copper Loops (per loop)		3	UCL	UCLMC	14.30	8.15	8.15	47.24	7.44	1					
\vdash		2-Wire Unbundled Copper Loop-Designed without manual			OCL	UCLIVIC		0.15	0.13			+	 				
		service inquiry and facility reservation - Zone 1		1	UCL	UCLPW	11.01	91.46	54.30	47.24	7.44						
\vdash		2-Wire Unbundled Copper Loop-Designed without manual	·	<u> </u>	002	002		01110	0 1.00			1					
		service inquiry and facility reservation - Zone 2	1	2	UCL	UCLPW	12.73	91.46	54.30	47.24	7.44						
		2-Wire Unbundled Copper Loop-Designed without manual															
		service inquiry and facility reservation - Zone 3	I	3	UCL	UCLPW	14.30	91.46	54.30	47.24	7.44						
	(Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		8.15	8.15								
		CLEC to CLEC Conversion Charge without outside dispatch															
		(UCL-Des)			UCL	UREWO		97.23	42.48								
4-		COPPER LOOP															
		4-Wire Copper Loop-Designed including manual service inquiry															
\vdash		and facility reservation - Zone 1		1	UCL	UCL4S	17.36	135.21	88.05	51.70	9.73						
		4-Wire Copper Loop-Designed including manual service inquiry						,									
\vdash		and facility reservation - Zone 2		2	UCL	UCL4S	20.76	135.21	88.05	51.70	9.73	1	 				
		4-Wire Copper Loop-Designed including manual service inquiry				1101.40	00.61	405.61	00.0=	54	0 =0		1				
\vdash		and facility reservation - Zone 3		3	UCL	UCL4S	28.21	135.21	88.05	51.70	9.73		 	ļ	 		ļ
\vdash		Order Coordination for Unbundled Copper Loops (per loop)		-	UCL	UCLMC		8.15	8.15	 		 	 	 	-		1
		4-Wire Copper Loop-Designed without manual service inquiry and facility reservation - Zone 1		1	UCL	UCL4W	17.36	114.21	67.05	51.70	9.73						
\vdash		and facility reservation - Zone 1 4-Wire Copper Loop-Designed without manual service inquiry		1	UUL	UCL4VV	17.30	114.21	67.05	51.70	9.73	}	 	1	 		1
		and facility reservation - Zone 2		2	UCL	UCL4W	20.76	114.21	67.05	51.70	9.73						
+		4-Wire Copper Loop-Designed without manual service inquiry	- '-			JOLYVV	20.70	117.21	07.00	31.70	5.73	 	 	 			+
		and facility reservation - Zone 3	1	3	UCL	UCL4W	28.21	114.21	67.05	51.70	9.73		1				
\vdash		Order Coordination for Unbundled Copper Loops (per loop)	<u> </u>	Ť	UCL	UCLMC	20.21	8.15	8.15	31.70	5.75			1			
		CLEC to CLEC conversion Charge without outside dispatch			UCL	UREWO		97.23	42.48			İ	†				
LOOP MO	DIFIC	ATION															
					UAL, UHL, UCL,												
					UEQ, ULS, UEA,												
		Unbundled Loop Modification, Removal of Load Coils - 2 Wire			UEANL, UEPSR,												
$\sqcup \sqcup$		pair less than or equal to 18k ft. per Unbundled Loop	- 1		UEPSB	ULM2L		0.00	0.00				<u> </u>				
		Unbundled Loop Modification Removal of Load Coils - 4 Wire								I T							
$\perp \perp \perp$		ess than or equal to 18K ft, per Unbundled Loop	I		UHL, UCL, UEA	ULM4L		0.00	0.00				<u> </u>	ļ			
					UAL, UHL, UCL,												
1 1				1	UEQ,ULS,UEA,												
1 1				1	UEANL, UEPSR,	1				1 1		1	1	1	1	l	1
		Unbundled Loop Modification Removal of Bridged Tap Removal, per unbundled loop	١.,		UEPSB	ULMBT	l	32.41	32.41				1				

UNBUNDLI	ED NETWORK ELEMENTS - Alabama			T							T -		Attach			bit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrec		Nonrecurring					Rates (\$)		
	The state of the s						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
Sub-L	oop Distribution															
	Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set-			UEANL	LICDOA		044.40									
	Up	- 1	1	UEANL	USBSA		244.42				-					
	Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up			UEANL	USBSB		22.64									
	Sub-Loop - Per Building Equipment Room - CLEC Feeder		1	ULANL	USBSB		22.04									
	Facility Set-Up	1		UEANL	USBSC		177.45									
	Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel															
	Set-Up	- 1		UEANL	USBSD		55.15									
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -															
	Zone 1		1	UEANL	USBN2	11.21	65.80	30.96	45.25	6.70						
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -															
	Zone 2		2	UEANL	USBN2	11.94	65.80	30.96	45.25	6.70						
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -		_													
	Zone 3		3	UEANL	USBN2	16.86	65.80	30.96	45.25	6.70						
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		8.15	8.15								
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -		+	UEANL	USBIVIC		8.15	8.15								-
	Zone 1		1	UEANL	USBN4	8.46	79.03	44.19	49.71	9.07						
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -		- '	OLANE	OODIV	0.40	7 3.03	44.13	43.71	3.01						
	Zone 2		2	UEANL	USBN4	16.67	79.03	44.19	49.71	9.07						
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -		<u> </u>	027412	002.11	10.07	7 0.00		10.11	0.01						
	Zone 3		3	UEANL	USBN4	32.57	79.03	44.19	49.71	9.07						
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		8.15	8.15								
	Sub-Loop 2-Wire Intrabuilding Network Cable (INC)	ı		UEANL	USBR2	2.27	53.01	18.17	45.25	6.70						
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair		ļ	UEANL	USBMC		8.15	8.15	10 =1							
	Sub-Loop 4-Wire Intrabuilding Network Cable (INC)	-		UEANL	USBR4	5.16	59.25	24.41	49.71	9.07						
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		8.15	8.15								
	Loop Testing - Basic 1st Half Hour		1	UEANL	URET1		34.16	34.16								1
	Loop Testing - Basic Additional Half Hour		1	UEANL	URETA		19.85	19.85								
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1		1	UEF	UCS2X	6.22	65.80	30.96	45.25	6.70						
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 2		2	UEF	UCS2X	8.76	65.80	30.96	45.25	6.70						
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 3		3	UEF	UCS2X	11.27	65.80	30.96	45.25	6.70						
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEF	USBMC		8.15	8.15								
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1		1	UEF	UCS4X	6.11	79.03	44.19	49.71	9.07						
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 2			UEF	UCS4X	12.61	79.03	44.19	49.71	9.07						——
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 3		3	UEF	UCS4X	15.36	79.03	44.19	49.71	9.07					-	
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEF	USBMC		8.15	8.15								1
 	Loop Testing - Basic 1st Half Hour		 	UEF	URET1		34.16	34.16			1				 	
	Loop Testing - Basic Additional Half Hour		t	UEF	URETA		19.85	19.85							 	
Unbu	ndled Network Terminating Wire (UNTW)				J.KETA		10.00	10.00								†
151124	Unbundled Network Terminating Wire (UNTW) per Pair			UENTW	UENPP	0.40	30.01				İ					
Netwo	ork Interface Device (NID)															
	Network Interface Device (NID) - 1-2 lines			UENTW	UND12		43.23	28.38								
	Network Interface Device (NID) - 1-6 lines			UENTW	UND16		63.97	49.11								
	Network Interface Device Cross Connect - 2 W			UENTW	UNDC2		5.87	5.87								1
LINE OTHER	Network Interface Device Cross Connect - 4W		1	UENTW	UNDC4		5.87	5.87								-
UNE OTHER,	PROVISIONING ONLY - NO RATE NID - Dispatch and Service Order for NID installation		1	UENTW	UNDBX	0.00	0.00									
	UNTW Circuit Id Establishment, Provisioning Only - No Rate	-	1	UENTW	UENCE	0.00	0.00				-					
-	ONTIVE OF CUIT OF ESTADISHITION, PROVISIONING ONLY - NO Rate		1	UEANL,UEF,UEQ,U	OLINGE	0.00	0.00								 	t
			1	10-7111-,0-11,0-0,0	1						1	i			1	1
	Unbundled Contract Name, Provisioning Only - No Rate			ENTW	UNECN	0.00	0.00									

UNBUNDLI	ED NETWORK ELEMENTS - Alabama												Attach	ment: 2	Exhi	bit: A
												Svc Order Submitted Manually	Incremental Charge - Manual Svc		Incremental Charge - Manual Svc	
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs. Electronic-	Order vs. Electronic- Add'l	Order vs. Electronic- Disc 1st	Order vs. Electronic- Disc Add'l
															Disc 1st	Disc Add I
						Rec	Nonrec		Nonrecurring			·		Rates (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Unbundled Contact Name, Provisioning Only - no rate			UAL,UCL,UDC,UDL, UDN,UEA,UHL,ULC	LINEON	0.00	0.00									
	Unbundled Sub-Loop Feeder-2 Wire Cross Box Jumper - no			ODIN,OLA,OITL,OLO	UNLCIN	0.00	0.00				1					<u> </u>
	rate			UEA,UDN,UCL,UDC	USBFQ	0.00	0.00									ĺ
	Unbundled Sub-Loop Feeder-4 Wire Cross Box Jumper - no			, , , , , , , , , , , , , , , , , , , ,												
	rate				USBFR	0.00	0.00									1
	Unbundled DS1 Loop - Superframe Format Option - no rate			USL	CCOSF	0.00	0.00									
	Unbundled DS1 Loop - Expanded Superframe Format option -															l .
	no rate			USL	CCOEF	0.00	0.00									
HIGH CAPAC	THICK Consolts Unburnelled Local Local DS2 Per Mile per	-	-		-						1			-		
	High Capacity Unbundled Local Loop - DS3 - Per Mile per month	1		UE3	1L5ND	8.38										i
 	High Capacity Unbundled Local Loop - DS3 - Facility	1	-	OLO	ILUND	0.38					 			 		<u> </u>
	Termination per month High Capacity Unbundled Local Loop - STS-1 - Per Mile per			UE3	UE3PX	308.98	451.52	263.94	119.49	83.58						
	month			UDLSX	1L5ND	8.38										l .
	High Capacity Unbundled Local Loop - STS-1 - Facility					5.00										
	Termination per month			UDLSX	UDLS1	319.83	451.52	263.94	119.49	83.58						1
LOOP MAKE																
	Loop Makeup - Preordering Without Reservation, per working or															1
	spare facility queried (Manual).			UMK	UMKLW		20.00	20.00								
	Loop Makeup - Preordering With Reservation, per spare facility queried (Manual).			UMK	UMKLP		21.00	21.00								
	Loop MakeupWith or Without Reservation, per working or spare facility queried (Mechanized)			UMK	UMKMQ		0.59	0.59								ĺ
LINE SHARIN	IG AND LINE SPLITTING															
NOTE	1: The Line Sharing monthly recurring rates for all installation	ns com	oleted f	rom October 02, 200	3 through m	idnight Octobe	r 01, 2004 shal	l be billed as f	ollows:							
	E 1: 10/02/2003 – 10/01/2004: 25% of the rate for an unbundled co	pper lo	op nor	n-designed ("UCLND	")											
	1: 10/02/2004 – 10/01/2005: 50% of the rate for UCLND															
	1: 10/02/2005 – 10/01/2006: 75% of the rate for UCLND															
	1: Above will apply to USOCS: ULSDT and ULSCT				L	L			<u> </u>							
	FE 2: The Line Sharing monthly recurring rates with USOCs ULS SHARING	SDC and	ULSC	C applies only to cit	cuits install	ed and inservic	e on or before	October 1, 200	03							
	TTERS-CENTRAL OFFICE BASED		1								-					——
JPLII	Line Sharing Splitter, per System 96 Line Capacity		 	ULS	ULSDA	155.97	188.79	0.00	177.98	0.00						
	Line Sharing Splitter, per System 24 Line Capacity			ULS	ULSDB	38.99	188.79	0.00	177.98	0.00						
	Line Sharing Splitter, Per System, 8 Line Capacity	i e		ULS	ULSD8	12.73	377.58	0.00	355.96	0.00						
	Line Sharing-DLEC Owned Splitter in CO-CFA activaton- deactivation (per LSOD)			ULS	ULSDG		86.47	0.00	49.84	0.00						
END	USER ORDERING-CENTRAL OFFICE BASED LINE SHARING	l		-				2.30		2.30				l		ſ
	Line Sharing - per Line Activation (BST Owned splitter) - OBSOLETE see **NOTE 2			ULS	ULSDC	0.61	18.51	10.60	10.01	4.92						
	Line Share Service, TRO per line activation, BST owned splitter- Central Office Located (25% of UCLND) - please see NOTE 1 (E:10/2/2003)			ULS	ULSDT	2.80	18.51	10.60	10.01	4.92						
	Line Share Service, TRO per line activation, BST owned splitter - Central Office Located (50% of UCLND) - please see NOTE 1 (E:10/2/2004)			ULS	ULSDT	5.60	18.51	10.60	10.01	4.92						
	Line Share Service, TRO per line activation, BST owned splitter - Central Office Located (75% of UCLND) - please see NOTE 1 (E:10/2/2005)			ULS	ULSDT	8.40	18.51	10.60	10.01	4.92						
	Line Sharing - per Subsequent Activity per Line						10									1
	Rearrangement(BST Owned Splitter Line Sharing - per Subsequent Activity per Line			ULS	ULSDS		16.39	8.19								
	Rearrangement(DLEC Owned Splitter Line Sharing - per Line Activation (DLEC owned Splitter) -	<u> </u>	 	ULS	ULSCS		16.39	8.19			-					
	OBSOLETE see **NOTE 2			ULS	ULSCC	0.61	47.44	19.31	20.02	9.83						

UNBU	NDLE	D NETWORK ELEMENTS - Alabama													ment: 2		ibit: A
CATEG	ORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			1	Svc Order Submitted Manually per LSR		Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l
				ļ				Names		I Managarania	Dianamant						
				<u> </u>		+	Rec	Nonrec First	urring Add'l	Nonrecurring First	Disconnect Add'l	SOMEC	SOMAN	SOMAN	Rates (\$) SOMAN	SOMAN	SOMAN
		Line Share Service, TRO per line activation, CLEC owned				-		FIRST	Addi	FIRST	Addi	SOWIEC	SUMAN	SOMAN	SUMAN	SUMAN	SUMAN
		splitter - Central Office Located (25% of UCLND) - please see															
		NOTE 1 (E:10/2/2003)			ULS	ULSCT	2.80	47.44	19.31	20.02	9.83						
		Line Share Service, TRO per line activation, CLEC owned		1	OLO	02001	2.00	77.77	10.01	20.02	0.00		-				1
		splitter - Central Office Located (50% of UCLND) - please see															
		NOTE 1 (E:10/2/2004)			ULS	ULSCT	5.60	47.44	19.31	20.02	9.83						
		Line Share Service, TRO per line activation, CLEC owned										1					
		splitter - Central Office Located (75% of UCLND) - please see															
		NOTE 1 (E:10/2/2005)			ULS	ULSCT	8.40	47.44	19.31	20.02	9.83						
		PLITTING															
	END U	SER ORDERING-CENTRAL OFFICE BASED															
		Line Splitting - per line activation DLEC owned splitter			UEPSR UEPSB	UREOS	0.61										
		Line Splitting - per line activation BST owned - physical		<u> </u>	UEPSR UEPSB	UREBP	0.61	37.01	21.19		9.83	ļ					
		Line Splitting - per line activation BST owned - virtual			UEPSR UEPSB	UREBV	0.61	37.01	21.19	20.02	9.83						
<u> </u>	MAINT	ENANCE		 		1		20.00	FF 00	1				 	 	 	
-		No Trouble Found - per 1/2 hour increments - Basic No Trouble Found - per 1/2 hour increments - Overtime		 		+		80.00 120.00	55.00 82.50					 			+
-		No Trouble Found - per 1/2 hour increments - Overtime No Trouble Found - per 1/2 hour increments - Premium				-		160.00	110.00			1	-	-			
LINBLIN	DI ED I	DEDICATED TRANSPORT				-		160.00	110.00	-		1	-	-			
ONBON		OFFICE CHANNEL - DEDICATED TRANSPORT		<u> </u>		1						1	1	-			
	INTER	Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade -															
		Per Mile per month			U1TVX	1L5XX	0.008838										
		Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade -			011 177	120701	0.000000					1	1				1
		Facility Termination			U1TVX	U1TV2	21.13	40.54	27.41	16.74	6.90						
		Interoffice Channel - Dedicated Transpor t- 2-Wire Voice Grade															
		Rev Bat Per Mile per month			U1TVX	1L5XX	0.008838										
		Interoffice Channel - Dedicated Transport- 2- Wire VG Rev Bat															
		Facility Termination			U1TVX	U1TR2	21.13	40.54	27.41	16.74	6.90						
		Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade -															
		Per Mile per month			U1TVX	1L5XX	0.008838										
		Interoffice Channel - Dedicated Transport - 4- Wire Voice Grade															
		- Facility Termination			U1TVX	U1TV4	18.73	40.54	27.41	16.74	6.90						ļ
		Interoffice Channel - Dedicated Transport - 56 kbps - per mile															
		per month			U1TDX	1L5XX	0.008838										
		Interoffice Channel - Dedicated Transport - 56 kbps - Facility				l											
<u> </u>		Termination		<u> </u>	U1TDX	U1TD5	15.12	40.54	27.41	16.74	6.90	1	-	-	ļ	 	
		Interoffice Channel - Dedicated Transport - 64 kbps - per mile			LIATOV	41.577	0.000000							I			
		per month Interoffice Channel - Dedicated Transport - 64 kbps - Facility		 	U1TDX	1L5XX	0.008838			 		<u> </u>	-	 	-		
		Termination			U1TDX	U1TD6	15.12	40.54	27.41	16.74	6.90			I			
		Interoffice Channel - Dedicated Channel - DS1 - Per Mile per		 	OTIDA	סטווט	15.12	40.54	21.41	10.74	6.90	1	 	 	 	 	+
		month			U1TD1	1L5XX	0.18							I			
		Interoffice Channel - Dedicated Tranport - DS1 - Facility		 	0.101	ILUAA	0.10						-	t			
		Termination			U1TD1	U1TF1	60.16	89.27	81.81	16.35	14.44			I			
		Interoffice Channel - Dedicated Transport - DS3 - Per Mile per		t		1	556	55.27	001	.0.50				<u> </u>	1		1
		month			U1TD3	1L5XX	4.09							I			
		Interoffice Channel - Dedicated Transport - DS3 - Facility		i –													1
<u> </u>		Termination per month		L	U1TD3	U1TF3	703.52	278.75	162.76	60.20	28.46	<u></u>	<u> </u>	<u> </u>			<u> </u>
		Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per															
		month		<u> </u>	U1TS1	1L5XX	4.09										
l		Interoffice Channel - Dedicated Transport - STS-1 - Facility														I	
		Termination		<u> </u>	U1TS1	U1TFS	701.37	278.75	162.76	60.20	28.46			L	ļ	ļ	<u> </u>
DARK	IBER			<u> </u>		ļ								L	ļ	ļ	<u> </u>
1		Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction			l	1								I			
<u> </u>		Thereof per month - Interoffice Channel		<u> </u>	UDF, UDFCX	1L5DF	23.29			0.15		ļ		ļ			↓
<u> </u>		NRC Dark Fiber - Interoffice Channel		<u> </u>	UDF, UDFCX	UDF14		639.09	137.87	317.06	197.66	1	-	-	ļ	 	
		Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction			LIDE LIDECY	1L5DL	00.00							I			
		Thereof per month - Local Loop		<u> </u>	UDF, UDFCX		60.32	600.00	407.07	047.00	407.00	ļ	-	 	-		-
		NRC Dark Fiber - Local Loop		1	UDF, UDFCX	UDFL4		639.09	137.87	317.06	197.66	1	1	1	1	l	<u> </u>

UNBUNDL	ED NETWORK ELEMENTS - Alabama												Attach	ment: 2	Exhi	bit: A
CATEGORY		Interi m	Zone	BCS	usoc			RATES (\$)			1	Svc Order Submitted Manually per LSR			Incremental Charge -	Incremental Charge - Manual Svc Order vs. Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
					1	Rec	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates (\$)	<u> </u>	<u> </u>
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
8XX ACCES	S TEN DIGIT SCREENING	1	-	OUD		0.00056			-		-				1	-
	8XX Access Ten Digit Screening, Per Call 8XX Access Ten Digit Screening, Reservation Charge Per 8XX	1	+	OHD	-	0.00056			-		-				-	-
	Number Reserved			OHD	N8R1X		2.58	0.44								
	8XX Access Ten Digit Screening, Per 8XX No. Established W/O POTS Translations			OHD			5.94	0.81	4.57	0.54						
	8XX Access Ten Digit Screening, Per 8XX No. Established With								1							
	POTS Translations			OHD	N8FTX		5.94	0.81	4.57	0.54						
	8XX Access Ten Digit Screening, Customized Area of Service															
	Per 8XX Number	1	1	OHD	N8FCX		2.58	1.29	ļ						ļ	ļ
	8XX Access Ten Digit Screening, Multiple InterLATA CXR Routing Per CXR Requested Per 8XX No.			OHD	N8FMX		3.02	1.73								
	8XX Access Ten Digit Screening, Change Charge Per Request			OHD	N8FAX		3.02	0.44	1							
	8XX Access Ten Digit Screening, Call Handling and Destination															
	Features			OHD	N8FDX		2.58									
	8XX Access Ten Digit Screening, w/ 8FL No. Delivery			OHD		0.000565										
LINE INFOR	8XX Access Ten Digit Screening, w/ POTS No. Delivery	ļ	1	OHD		0.000565										
LINE INFOR	MATION DATA BASE ACCESS (LIDB) LIDB Common Transport Per Query	1	1	OQT		0.00002			-						1	-
	LIDB Validation Per Query	1	1	OQU	-	0.00002					-				-	-
	LIDB Originating Point Code Establishment or Change	1	1	OQT, OQU	NRBPX	0.012002	34.32		42.08						-	
SIGNALING			1	041, 040	TITELY		04.02		42.00		1					
I	CCS7 Signaling Connection, Per 56Kbps Facility		1			15.46	35.53	35.53	16.44	16.44						
	CCS7 Signaling Termination, Per STP Port			UDB	PT8SX	130.83										
	CCS7 Signaling Usage, Per Call Setup Message					0.0000142										
	CCS7 Signaling Usage, Per TCAP Message			UDB		0.0000569										
	CCS7 Signaling Connection, Per link (A link)			UDB	TPP++	15.46	35.53	35.53	16.44	16.44						
	CCS7 Signaling Connection, Per link (B link) (also known as D															
-	link)	ļ	1	UDB	TPP++	15.46	35.53	35.53	16.44	16.44						
	CCS7 Signaling Usage, Per ISUP Message CCS7 Signaling Usage Surrogate, per link per LATA	1	+	UDB UDB	STU56	0.0000142 650.33			-		-				-	-
	CCS7 Signaling Usage Surrogate, per link per LATA CCS7 Signaling Point Code, per Originating Point Code	1	1	UDB	31036	650.55			+						 	1
	Establishment or Change, per STP affected			UDB	CCAPO		29.01	29.01	35.57	35.57						
E911 SERVI	CE		1	000	00/11/0		20.01	20.01	00.07	00.01	1					
	Local Channel - Dedicated - 2-wr Voice Grade					13.97	193.10	33.17	36.64	3.20						
	Interoffice Transport - Dedicated - 2-wr Voice Grade Per Mile		L			0.008838										
	Interoffice Transport - Dedicated - 2-wr Voice Grade Per Facility															
	Termination					21.13	40.54	27.41	16.74	6.90						
	Local Channel - Dedicated - DS1 - Zone 1		ļ			35.76	177.47	153.72	22.19	15.26						
	Local Channel - Dedicated - DS1 - Zone 2	1	1		-	49.98	177.47	153.72	22.19	15.26						
	Local Channel - Dedicated - DS1 - Zone 3 Interoffice Transport - Dedicated - DS1 Per Mile	1	1		-	107.63 0.18	177.47	153.72	22.19	15.26					-	-
\vdash	interonice transport - Dedicated - DST Per Mile	1	+	 	+	0.18	-		 		 				 	
	Interoffice Transport - Dedicated - DS1 Per Facility Termination	1				60.16	89.27	81.81	16.35	14.44						
CALLING N	AME (CNAM) SERVICE	1	†	†		55.10	00.21	01.01	10.00	1-7-4-4	<u> </u>				†	†
	CNAM For DB Owners - Service Establishment	1	1	OQV			22.95		21.11						1	1
	CNAM For Non DB Owners - Service Establishment		L	OQV			22.95		21.11							
	CNAM For DB Owners - Service Provisioning With Point Code															
igwdown	Establishment			OQV			990.88	732.84	268.93	197.74					1	1
	CNAM For Non DB Owners - Service Provisioning With Point	1	1												I	I
\vdash	Code Establishment	1	-	OQV		0.000000	342.33	245.14	275.25	197.74	1				1	1
\vdash	CNAM for DB Owners, Per Query CNAM for Non DB Owners, Per Query	1	1	OQV OQV	+	0.000902 0.000902			 		1				 	
LNP Query S		+	+	UUV	-	0.000902			 		-					
Liti Query s	LNP Charge Per query	+	+	 		0.000757					 				 	
	LNP Service Establishment Manual	1	†	1		5.5007.07	12.52		11.51		1				1	1
\vdash	LNP Service Provisioning with Point Code Establishment	1	1	1			593.49	303.20	268.93	197.74						t
1 1																

UNBUNDLE	D NETWORK ELEMENTS - Alabama			1		ı						1-		ment: 2		bit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrec		Nonrecurring					Rates (\$)		
	Coloctive Pouting Per Unique Line Class Code Per Request Per		-		-		First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Selective Routing Per Unique Line Class Code Per Request Per Switch						84.70	84.70	14.11	14.11						
VIRTUAL COL							04.70	04.70	14.11	14.11					1	
	Virtual Collocation-2 Wire Cross Connects (Loop) for Line															
	Splitting			UEPSR UEPSB	VE1LS	0.03	12.30	11.80	6.03	5.44						
PHYSICAL CO					-										-	-
	Physical Collocation-2 Wire Cross Connects (Loop) for Line Splitting			UEPSR UEPSB	PE1LS	0.03	12.30	11.80	6.03	5.44						
AIN SELECTIV	/E CARRIER ROUTING			OLI OK OLI OB	I L ILO	0.03	12.30	11.00	0.03	5.44						
	Regional Service Establishment			SRC	SRCEC		101,098.91		8,590.70							
	End Office Establishment			SRC	SRCEO		169.88	169.88	1.70	1.70						
	Query NRC, per query		ļ	SRC		0.002749										
AIN - BELLSO	UTH AIN SMS ACCESS SERVICE AIN SMS Access Service - Service Establishment, Per State,		1		1						-					-
	Initial Setup			A1N	CAMSE		39.44	39.44	40.69	40.69						
 					J/ WYIOL		55.44	55.44	40.09	70.03	<u> </u>				<u> </u>	
	AIN SMS Access Service - Port Connection - Dial/Shared Access			A1N	CAMDP		7.83	7.83	9.09	9.09						
	AIN SMS Access Service - Port Connection - ISDN Access			A1N	CAM1P		7.83	7.83	9.09	9.09						
	AIN SMS Access Service - User Identification Codes - Per User															
	ID Code AIN SMS Access Service - Security Card, Per User ID Code,		-	A1N	CAMAU		35.00	35.00	27.06	27.06					-	-
	Initial or Replacement			A1N	CAMRC		41.88	41.88	11.71	11.71						
	AIN SMS Access Service - Storage, Per Unit (100 Kilobytes)			,,,,,	0, 11 10	0.002188	11.00	11.00							t	t
	AIN SMS Access Service - Session, Per Minute					0.59										
	AIN SMS Access Service - Company Performed Session, Per															
	Minute					0.73										
AIN - BELLSO	UTH AIN TOOLKIT SERVICE AIN Toolkit Service - Service Establishment Charge, Per State,		-		-										1	-
	Initial Setup			CAM	BAPSC		39.44	39.44	40.69	40.69						
	AIN Toolkit Service - Training Session, Per Customer			O/ uvi	BAPVX		4,202.17	4,202.17	40.00	40.00						
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per						1,-0-111	.,								
	DN, Term. Attempt				BAPTT		7.83	7.83	9.09	9.09						
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per															
	DN, Off-Hook Delay		1		BAPTD		7.83	7.83	9.09	9.09					1	1
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, Off-Hook Immediate				BAPTM		7.83	7.83	9.09	9.09						
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per		t -		- I IIVI		7.00	7.00	5.09	5.09						†
	DN, 10-Digit PODP			<u> </u>	BAPTO		34.47	34.47	14.36	14.36	<u> </u>					<u> </u>
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per															
	DN, CDP	<u> </u>	1		BAPTC		34.47	34.47	14.36	14.36	-					
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN. Feature Code				BAPTF		34.47	34.47	14.36	14.36						
	AIN Toolkit Service - Query Charge, Per Query				DAI II	0.05	54.47	34.47	14.30	14.50						
	AIN Toolkit Service - Type 1 Node Charge, Per AIN Toolkit															
	Subscription, Per Node, Per Query					0.00582										
	AIN Toolkit Service - SCP Storage Charge, Per SMS Access															
	Account, Per 100 Kilobytes AIN Toolkit Service - Monthly report - Per AIN Toolkit Service		-		-	0.05									1	-
	Subscription			CAM	BAPMS	10.17	7.83	7.83	5.50	5.50						
	AIN Toolkit Service - Special Study - Per AIN Toolkit Service			O/ uvi	D/ ti Nic	10.17	7.00	7.00	0.00	0.00						
	Subscription	<u> </u>		CAM	BAPLS	2.87	8.66	8.66								
	AIN Toolkit Service - Call Event Report - Per AIN Toolkit Service															
	Subscription	ļ	1	CAM	BAPDS	7.39	7.83	7.83	5.50	5.50	<u> </u>					
. 1	AIN Toolkit Service - Call Event Special Study - Per AIN Toolkit Service Subscription			CAM	BAPES	0.10	8.66	8.66								1
ENHANCED E	Service Subscription XTENDED LINK (EELs)	 	1	CAIVI	DAPES	0.10	8.00	8.00	1		 					
	The monthly recurring and non-recurring charges below will	apply a	nd the	Switch-As-Is Charg	e will not app	ly for UNE con	nbinations pro	visioned as ' C	Ordinarily Comb	ined' Network	Elements.					1
	The monthly recurring and the Switch-As-Is Charge and not t															
	NTED 2-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICAT							•		•						

UNBUNDLE	O NETWORK ELEMENTS - Alabama													ment: 2	Exhi	ibit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)				Svc Order Submitted Manually per LSR	Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Charge -	Charge -
						Rec	Nonrec		Nonrecurring					Rates (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	First 2-Wire VG Loop (SL2) in Combination - Zone 1			UNCVX	UEAL2	14.38	88.00	55.00	47.24	7.44 7.44						ļ
	First 2-Wire VG Loop (SL2) in Combination - Zone 2 First 2-Wire VG Loop (SL2) in Combination - Zone 3		3	UNCVX	UEAL2 UEAL2	22.85 36.14	88.00 88.00	55.00 55.00	47.24 47.24	7.44	-	-			-	-
—	Interoffice Transport - Dedicated - DS1 combination - Per Mile		3	UNCVA	UEALZ	30.14	00.00	55.00	41.24	7.44	-	-			-	
	per month			UNC1X	1L5XX	0.18										
	Interoffice Transport - Dedicated - DS1 combination - Facility			ONOTA	TESAX	0.10	-									
	Termination per month			UNC1X	U1TF1	60.16	89.27	81.81	16.35	14.44						
	1/0 Channelization System in combination Per Month			UNC1X	MQ1	101.06	91.04	62.57	10.54	9.79						
	Voice Grade COCI - Per Month			UNCVX	1D1VG	0.53	6.58	4.72								
	Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 1		1	UNCVX	UEAL2	14.38	88.00	55.00	47.24	7.44						
													l	I		
	Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 2		2	UNCVX	UEAL2	22.85	88.00	55.00	47.24	7.44						
			_							_					I	
	Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 3		3	UNCVX	UEAL2	36.14	88.00	55.00	47.24	7.44						ļ
	Voice Grade COCI - Per Month			UNCVX	1D1VG	0.53	6.58	4.72							1	
	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge			UNC1X	UNCCC		5.59	5.59	6.98	6.98						
FYTEN	DED 4-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICAT	FD DS	1 INTER				3.39	3.39	0.90	0.90	1	1			1	
LATEN	DED T-WIRE VOICE GRADE EXTERDED EGG! WITH DEDICAT	LD DO	1	COTTIOL TRANSFE	J. (1										-	
	First 4-Wire Analog Voice Grade Loop in Combination - Zone 1		1	UNCVX	UEAL4	25.34	131.97	94.51	59.14	14.50						
	3															
	First 4-Wire Analog Voice Grade Loop in Combination - Zone 2		2	UNCVX	UEAL4	38.58	131.97	94.51	59.14	14.50						
	First 4-Wire Analog Voice Grade Loop in Combination - Zone 3		3	UNCVX	UEAL4	60.02	131.97	94.51	59.14	14.50						
	Interoffice Transport - Dedicated - DS1 combination - Per Mile															
	Per Month			UNC1X	1L5XX	0.18										
	Interoffice Transport - Dedicated - DS1 - Facility Termination Per			11041/	U1TF1	00.40	00.07	04.04	40.05	4444						
	Month		-	UNC1X		60.16 101.06	89.27 91.04	81.81	16.35	14.44						
—	1/0 Channel System in combination Per Month Voice Grade COCI in combination - per month		1	UNC1X UNCVX	MQ1 1D1VG	0.53	6.58	62.57 4.72	10.54	9.79	-	-			-	
	Additional 4-Wire Analog Voice Grade Loop in same DS1			UNCVA	IDIVG	0.55	0.56	4.72			1	1			1	1
	Interoffice Transport Combination - Zone 1		1	UNCVX	UEAL4	25.34	131.97	94.51	59.14	14.50						
	Additional 4-Wire Analog Voice Grade Loop in same DS1		<u> </u>	0.10171	02,121	20.01	101.01	0	00.11		1	1			1	†
	Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL4	38.58	131.97	94.51	59.14	14.50						
	Additional 4-Wire Analog Voice Grade Loop in same DS1															
	Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL4	60.02	131.97	94.51	59.14	14.50						
	Additional Voice Grade COCI in combination - per month			UNCVX	1D1VG	0.53	6.58	4.72								
	Nonrecurring Currently Combined Network Elements Switch -As-	_			Ι		⊣		I T						_	
	Is Charge		DO4 ""	UNC1X	UNCCC		5.59	5.59	6.98	6.98	1	1	ļ			
EXTEN	DED 4-WIRE 56 KBPS EXTENDED DIGITAL LOOP WITH DEDIC	ATED	DS1 IN	LEKOFFICE TRANS	SPORT										 	
	First 4 Wire 56Khas Digital Grade Lean in Combination 74		1	UNCDX	UDL56	26.00	106 07	00 00	E0 14	14.50					I	
\vdash	First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 1			OINCDV	ODLOB	26.09	126.27	88.80	59.14	14.50	-	-		-	 	├
	First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2		2	UNCDX	UDL56	35.95	126.27	88.80	59.14	14.50					I	
	THIS THE SUITUPE DIGITAL CHARGE COOP III COMBINITATION - ZONE Z			011007	SDESO	55.95	120.21	00.00	55.14	17.50					-	
	First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 3		3	UNCDX	UDL56	37.88	126.27	88.80	59.14	14.50					I	
	Interoffice Transport - Dedicated - DS1 combination - Per Mile															
	Per Month			UNC1X	1L5XX	0.18									I	
	Interoffice Transport - Dedicated - DS1 - combination Facility				ĺ		İ		l i							
	Termination Per Month			UNC1X	U1TF1	60.16	89.27	81.81	16.35	14.44						<u> </u>
	1/0 Channel System in combination Per Month			UNC1X	MQ1	101.06	91.04	62.57	10.54	9.79						L
	OCU-DP COCI (data) per month (2.4-64kbs)			UNCDX	1D1DD	1.12	6.58	4.72	ļ						1	<u> </u>
	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1			LINIODY	LIDLES		400.00								1	
	Interoffice Transport Combination - Zone 1		1	UNCDX	UDL56	26.09	126.27	88.80	59.14	14.50					 	├
	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1		2	UNCDX	UDL56	35.95	126.27	00.00	50 44	14.50					I	
	Interoffice Transport Combination - Zone 2			UNCDY	UDLOB	აე.ყე	120.27	88.80	59.14	14.50	 	1			 	₩
	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1															

UNBUNDI	LED NETWORK ELEMENTS - Alabama													ment: 2	1	ibit: A
CATEGORY	Y RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			l l	Svc Order Submitted Manually per LSR		Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge - Manual Sv Order vs.
			i –			Dee	Nonrec	urring	Nonrecurring	Disconnect		•	oss	Rates (\$)	•	*
			i –			Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Additional OCU-DP COCI (data) - in combination per month (2.4-		i –													1
	64kbs)			UNCDX	1D1DD	1.12	6.58	4.72								
	Nonrecurring Currently Combined Network Elements Switch -As-		i –													1
	Is Charge			UNC1X	UNCCC		5.59	5.59	6.98	6.98						
EXT	FENDED 4-WIRE 64 KBPS EXTENDED DIGITAL LOOP WITH DEDI	CATED	DS1 IN	TEROFFICE TRANS	PORT											
	First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 1		1	UNCDX	UDL64	26.09	126.27	88.80	59.14	14.50						
	First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 2		2	UNCDX	UDL64	35.95	126.27	88.80	59.14	14.50						
								-								
	First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 3		3	UNCDX	UDL64	37.88	126.27	88.80	59.14	14.50						
	Interoffice Transport - Dedicated - DS1 combination - Per Mile															
	Per Month		ļ	UNC1X	1L5XX	0.18										1
	interoffice Transport - Dedicated - DS1 combination - Facility															
	Termination Per Month			UNC1X	U1TF1	60.16	89.27	81.81	16.35	14.44						
	1/0 Channel System in combination Per Month			UNC1X	MQ1	101.06	91.04	62.57	10.54	9.79						
	OCU-DP COCI (data) - in combination - per month (2.4-64kbs)			UNCDX	1D1DD	1.12	6.58	4.72								
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1															
	Interoffice Transport Combination - Zone 1		1	UNCDX	UDL64	26.09	126.27	88.80	59.14	14.50						
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1															
	Interoffice Transport Combination - Zone 2		2	UNCDX	UDL64	35.95	126.27	88.80	59.14	14.50						
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1															
	Interoffice Transport Combination - Zone 3		3	UNCDX	UDL64	37.88	126.27	88.80	59.14	14.50						
	Additional OCU-DP COCI (data) - in combination - per month															
	(2.4-64kbs)			UNCDX	1D1DD	1.12	6.58	4.72								
	Nonrecurring Currently Combined Network Elements Switch -As-															
	Is Charge			UNC1X	UNCCC		5.59	5.59	6.98	6.98						ļ
EXT	FENDED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICAT	ED DS1														ļ
	4-Wire DS1 Digital Loop in Combination - Zone 1			UNC1X	USLXX	82.55	252.47	157.54	44.70	11.71						4
	4-Wire DS1 Digital Loop in Combination - Zone 2			UNC1X	USLXX	154.18	252.47	157.54	44.70	11.71						_
	4-Wire DS1 Digital Loop in Combination - Zone 3		3	UNC1X	USLXX	314.52	252.47	157.54	44.70	11.71	1					+
	Interoffice Transport - Dedicated - DS1 combination - Per Mile			11041	41.5007	0.40										
	Per Month			UNC1X	1L5XX	0.18					1					+
	Interoffice Transport - Dedicated - DS1 combination - Facility			UNC1X	U1TF1	60.16	89.27	81.81	40.05	14.44						
	Termination Per Month Nonrecurring Currently Combined Network Elements Switch -As-		1	UNCIX	UTIFT	60.16	89.27	81.81	16.35	14.44	-					+
	Is Charge	1		UNC1X	UNCCC		5.59	5.59	6.98	6.98						
EVT	FENDED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICAT	ED D63	INTED				5.59	5.59	0.90	0.90	1			-	-	+
LAI	First DS1Loop in Combination - Zone 1	LD D33		UNC1X	USLXX	82.55	252.47	157.54	44.70	11.71	1			-	-	+
	First DS1Loop in Combination - Zone 2	<u> </u>		UNC1X	USLXX	154.18	252.47	157.54	44.70	11.71				 	 	+
	First DS1Loop in Combination - Zone 2 First DS1Loop in Combination - Zone 3	 		UNC1X	USLXX	314.52	252.47	157.54	44.70	11.71	 			t	t	+
	Interoffice Transport - Dedicated - DS3 combination - Per Mile	 	-	014017	JOLAA	314.02	202.41	137.34	44.70	11.71	 			t	t	+
	Per Month	1		UNC3X	1L5XX	4.09								1	1	
	Interoffice Transport - Dedicated - DS3 - Facility Termination per	 	 	200	. =0, 51	4.00					†		 	t	t	+
	month	1		UNC3X	U1TF3	703.52	278.75	162.76	60.20	58.46				I	I	
	3/1 Channel System in combination per month	1	1	UNC3X	MQ3	166.13	178.14	93.97	33.26	31.83	1		 	†	†	1
	DS1 COCI in combination per month	†	1	UNC1X	UC1D1	12.70	6.58	4.72	55.20	000			i	1	1	1
	Additional DS1Loop in DS3 Interoffice Transport Combination -	1	1	-		0	2.20						l	1	1	1
	Zone 1	1	1	UNC1X	USLXX	82.55	252.47	157.54	44.70	11.71				1	1	
	Additional DS1Loop in DS3 Interoffice Transport Combination -	İ														1
	Zone 2	1	2	UNC1X	USLXX	154.18	252.47	157.54	44.70	11.71				I	I	
	Additional DS1Loop in DS3 Interoffice Transport Combination -															
	Zone 3	1	3	UNC1X	USLXX	314.52	252.47	157.54	44.70	11.71				1	1	
	Additoinal DS1 COCI in combination per month	Ì		UNC1X	UC1D1	12.70	6.58	4.72								1
	Nonrecurring Currently Combined Network Elements Switch -As-					j										
	Is Charge	<u> </u>	<u></u>	UNC3X	UNCCC		5.59	5.59	6.98	6.98			<u></u>		<u> </u>	
EXT	FENDED 2-WIRE VOICE GRADE EXTENDED LOOP/ 2 WIRE VOICE	GRAD														
	2-WireVG Loop in combination - Zone 1		1	UNCVX	UEAL2	14.38	88.00	55.00	47.24	7.44						
	2-WireVG Loop in combination - Zone 1			UNCVX	UEAL2	22.85	88.00	55.00	47.24	7.44						

NROND	ED NETWORK ELEMENTS - Alabama													ment: 2	1	ibit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)				Svc Order Submitted Manually per LSR		Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
-							Nonrec	urring	Nonrecurring	Disconnect			OSS	Rates (\$)	1	
-+						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-WireVG Loop in combination - Zone 3		3	UNCVX	UEAL2	36.14	88.00	55.00	47.24	7.44	COME	COMPAR	COMPAR	COMPAR	COMPAR	COMPAR
	Interoffice Transport - 2-wire VG - Dedicated- Per Mile Per		Ť													
	Month			UNCVX	1L5XX	0.008838										
	Interoffice Transport - 2-wire VG - Dedicated - Facility															
	Termination per month			UNCVX	U1TV2	21.13	40.54	27.41	16.74	6.90						
	Nonrecurring Currently Combined Network Elements Switch -As-	1														
EV	Is Charge	0040	 = 131==	UNCVX	UNCCC		5.59	5.59	6.98	6.98						ļ
EXI	ENDED 4-WIRE VOICE GRADE EXTENDED LOOP/ 4 WIRE VOICE	GRAD			UEAL4	25.34	131.97	94.51	59.14	14.50					-	
$\!\!\!\!+\!\!\!\!-$	4-WireVG Loop in combination - Zone 1 4-WireVG Loop in combination - Zone 2	-	2	UNCVX UNCVX	UEAL4	38.58	131.97	94.51	59.14	14.50	-				-	
-+	4-WireVG Loop in combination - Zone 3			UNCVX	UEAL4	60.02	131.97	94.51	59.14	14.50	†					1
-+	Interoffice Transport - 4-wire VG - Dedicated - Per Mile Per	l –	Ť		J	00.02	101.01	54.51	00.14	14.50	1			1	1	
	Month	1		UNCVX	1L5XX	0.008838									I	
	Interoffice Transport - 4-wire VG - Dedicated - Facility					ĺ										
	Termination per month			UNCVX	U1TV4	18.73	40.54	27.41	16.74	6.90						
	Nonrecurring Currently Combined Network Elements Switch -As-	1														
EV	Is Charge	INITED	<u> </u>	UNCVX	UNCCC		5.59	5.59	6.98	6.98						1
EXI	ENDED DS3 DIGITAL EXTENDED LOOP WITH DEDICATED DS3	INTERC	PFFICE		1L5ND	0.00										1
	DS3 Local Loop in combination - per mile per month	-	<u> </u>	UNC3X	ILDIND	8.38					-				-	-
	DS3 Local Loop in combination - Facility Termination per month			UNC3X	UE3PX	308.98	451.52	263.94	119.49	83.58						
	Interoffice Transport - Dedicated - DS3 - Per Mile per month			UNC3X	1L5XX	4.09	431.32	203.34	113.43	05.50	†					1
	Interoffice Transport - Dedicated - DS3 combination - Facility			0110071	120701										t	†
	Termination per per month			UNC3X	U1TF3	703.52	278.75	162.76	60.20	58.46						
	Nonrecurring Currently Combined Network Elements Switch -As-															
	Is Charge			UNC3X	UNCCC		5.59	5.59	6.98	6.98						
EXT	ENDED STS-1 DIGITAL EXTENDED LOOP WITH DEDICATED ST	S-1 INT	EROFF		<u> </u>											
	STS-1 Local Lolp in combination - per mile per month			UNCSX	1L5ND	8.38										
	STS-1 Local Loop in combination - Facility Termination per month			LINICOV	LIDI C4	319.83	454.50	202.04	119.49	00.50						
	Interoffice Transport - Dedicated - STS-1 combination - per mile			UNCSX	UDLS1	319.83	451.52	263.94	119.49	83.58					-	
	per month			UNCSX	1L5XX	4.09										
	Interoffice Transport - Dedicated - STS-1 combination - Facility			0.10071	120701										t	†
	Termination per month			UNCSX	U1TFS	701.37	278.75	162.76	60.20	58.46						
	Nonrecurring Currently Combined Network Elements Switch -As-															
	Is Charge			UNCSX	UNCCC		5.59	5.59	6.98	6.98						
EXT	ENDED 2-WIRE ISDN EXTENDED LOOP WITH DS1 INTEROFFICE	TRAN	SPORT		<u> </u>									ļ	ļ	
	First 2-Wire ISDN Loop in Combination - Zone 1	<u> </u>	1	UNCNX	U1L2X	21.88	117.24	79.77	52.88	10.54						
$-\!+\!$	First 2-Wire ISDN Loop in Combination - Zone 2	-		UNCNX	U1L2X	32.85 48.55	117.24 117.24	79.77 79.77	52.88	10.54 10.54	1		-	 	1	ļ
-+	First 2-Wire ISDN Loop in Combination - Zone 3 Interoffice Transport - Dedicated - DS1 combination - per mile	1	3	UNCNX	U1L2X	48.55	117.24	79.77	52.88	10.54	 		 	 	 	1
	per month	1		UNC1X	1L5XX	0.18									I	
<u> </u>	Interoffice Transport - Dedicated - DS1 combination - Facility	1	†		.20,01	5.10								İ	1	
	Termination per month	1		UNC1X	U1TF1	60.16	89.27	81.81	16.35	14.44					I	
	1/0 Channel System in combination - per month		L	UNC1X	MQ1	101.06	91.04	62.57	10.54	9.79						
	2-wire ISDN COCI (BRITE) - in combination - per month			UNCNX	UC1CA	2.41	6.58	4.72								
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport	1	l . ¯		I		🗆		ı T					1	_	
	Combination - Zone 1	<u> </u>	1	UNCNX	U1L2X	21.88	117.24	79.77	52.88	10.54						
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport		2	UNCNX	U1L2X	32.85	117.04	70.77	52.88	10.54					1	
-+	Combination - Zone 2 Additional 2-wire ISDN Loop in same DS1Interoffice Transport	1	2	UNUNA	UTLZX	32.85	117.24	79.77	52.88	10.54	-		-	-	 	1
	Combination - Zone 3	1	3	UNCNX	U1L2X	48.55	117.24	79.77	52.88	10.54					I	
-+	Additional 2-wire ISDN COCI (BRITE) - in combination- per	l –	Ť		J	40.00	117.24	10.11	02.00	10.04	1			1	1	
	month	1		UNCNX	UC1CA	2.41	6.58	4.72							I	
ı	Nonrecurring Currently Combined Network Elements Switch -As	-				ĺ										
-+			1	LINIOAN	LUNIOGO		5.50	5.59	6.98	6.98	1	Ì	I	1	1	1
	Is Charge			UNC1X	UNCCC		5.59	5.59	0.90	6.98						
EXT	Is Charge ENDED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICAT First DS1 Loop Combination - Zone 1	ED STS				82.55	252.47	157.54	44.70	11.71						

UNBUNDLE	D NETWORK ELEMENTS - Alabama													ment: 2	. 	bit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'l
							Nonrec	urring	Nonrecurring	Disconnect			OSS	Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	First DS1 Loop Combination - Zone 3		3	UNC1X	USLXX	314.52	252.47	157.54	44.70	11.71						
	Interoffice Transport - Dedicated - STS-1 combination - Per Mile Per Month			UNCSX	1L5XX	4.09										
	Interoffice Transport - Dedicated - STS-1 combination - Facility Termination per month			UNCSX	U1TFS	701.37	278.75	162.76	60.20	58.46						
	3/1 Channel System in combination per month			UNCSX	MQ3	166.13	178.14	93.97	33.26	31.83	1					
	DS1 COCI in combination per month			UNC1X	UC1D1	12.70	6.58	4.72	33.20	31.03						
	Additional DS1Loop in the same STS-1 Interoffice Transport Combination - Zone 1		_	UNC1X	USLXX	82.55	252.47	157.54	44.70	11.71						
	Additional DS1Loop in the same STS-1 Interoffice Transport		'	UNCIX	USLAA	82.55	252.47	157.54	44.70	11.71						
	Combination - Zone 2		2	UNC1X	USLXX	154.18	252.47	157.54	44.70	11.71						
	Additional DS1Loop in the same STS-1 Interoffice Transport															
	Combination - Zone 3		3	UNC1X	USLXX	314.52	252.47	157.54	44.70	11.71					ļ	ļ
	DS1 COCI in combination per month	-	-	UNC1X	UC1D1	12.70	6.58	4.72	 		1				1	1
1	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge	1		UNCSX	UNCCC		5.59	5.59	6.98	6.98						
FXTEN	IDED 4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH 56 KB	PS INT	FROFE		UNCCC		5.55	3.39	0.90	0.90						
	4-wire 56 kbps Local Loop in combination - Zone 1			UNCDX	UDL56	26.09	126.27	88.80	59.14	14.50						
	4-wire 56 kbps Local Loop in combination - Zone 2		2	UNCDX	UDL56	35.95	126.27	88.80	59.14	14.50						
	4-wire 56 kbps Local Loop in combination - Zone 3		3	UNCDX	UDL56	37.88	126.27	88.80	59.14	14.50						
	Interoffice Transport - Dedicated - 4-wire 56 kbps combination -															
	Per Mile per month			UNCDX	1L5XX	0.008838										
	Interoffice Transport - Dedicated - 4-wire 56 kbps combination -			LINODY	LIATOR	45.40	40.54	07.44	40.74	0.00						
	Facility Termination per month			UNCDX	U1TD5	15.12	40.54	27.41	16.74	6.90						
	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge			UNCDX	UNCCC		5.59	5.59	6.98	6.98						
FXTEN	IDED 4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH 64 KB	RPS INT	FROFE		UNCCC		5.55	5.55	0.90	0.90						
	4-wire 64 kbps Lcoal Loop in Combination - Zone 1		1	UNCDX	UDL64	26.09	126.27	88.80	59.14	14.50						
	4-wire 64 kbps Lcoal Loop in Combination - Zone 2		2	UNCDX	UDL64	35.95	126.27	88.80	59.14	14.50						
	4-wire 64 kbps Lcoal Loop in Combination - Zone 3		3	UNCDX	UDL64	37.88	126.27	88.80	59.14	14.50						
	Interoffice Transport - Dedicated - 4-wire 64 kbps combination - Per Mile per month			UNCDX	1L5XX	0.008838										
1	Interoffice Transport - Dedicated - 4-wire 64 kbps combination -			0110271	120701	0.000000			† †							
	Facility Termination per month			UNCDX	U1TD6	15.12	40.54	27.41	16.74	6.90						
	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge			UNCDX	UNCCC		5.59	5.59	6.98	6.98						
EXTEN	IDED 2-WIRE VOICE GRADE LOOP WITH DS1 INTEROFFICE T	RANSP														
	First 2-wire VG Loop (SL2) in Combination - Zone 1			UNCVX	UEAL2	14.38	88.00	55.00	47.24	7.44						
	First 2-wire VG Loop (SL2) in Combination - Zone 2		2	UNCVX	UEAL2	22.85	88.00	55.00	47.24	7.44						
	First 2-wire VG Loop (SL2) in Combination - Zone 3 First Interoffice Transport - Dedicated - DS1 combination - Per		3	UNCVX	UEAL2	36.14	88.00	55.00	47.24	7.44						
	Mile			UNC1X	1L5XX	0.18										
	First Interoffice Transport - Dedicated - DS1 combination -			LINIOAY												
	Facility Termination per month	!	1	UNC1X UNC1X	U1TF1 MQ1	60.16 101.06	89.27 91.04	81.81 62.57	16.35 10.54	14.44 9.79				ļ	1	1
	Per each DS1 Channelization System Per Month Per each Voice Grade COCI - Per Month per month			UNCVX	1D1VG	0.53	6.58	4.72	10.54	9.79						
	3/1 Channel System in combination per month	-	 	UNC3X	MQ3	166.13	178.14	93.97	33.26	31.83						
	Per each DS1 COCI in combination per month			UNC1X	UC1D1	12.70	6.58	4.72	55.20	000						
	Each Additional 2-Wire VG Loop(SL 2) in the same DS1	1							†							
	Interoffice Transport Combination - Zone 1		1	UNCVX	UEAL2	14.38	88.00	55.00	47.24	7.44						
	Each Additional 2-Wire VG Loop(SL2) in the same DS1 Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL2	22.85	88.00	55.00	47.24	7.44			<u>-</u>			
	Each Additional 2-Wire VG Loop(SL2) in the same DS1										<u> </u>					
	Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL2	36.14	88.00	55.00	47.24	7.44	-					
	Each Additional Voice Grade COCI - in combination - per month		ļ	UNCVX	1D1VG	0.53	6.58	4.72								
	Each Additional DS1 Interoffice Channel per mile in same 3/1 Channel System per month			UNC1X	1L5XX	0.18										

UNBUNDLE	D NETWORK ELEMENTS - Alabama			ı										ment: 2		bit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			1	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Charge -	Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'l
						Rec	Nonrec		Nonrecurring					Rates (\$)		
	Fort All 199 and BOA between Control of the Control						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Each Additional DS1 Interoffice Channel Facility Termination in same 3/1 Channel System per month			UNC1X	U1TF1	60.16	89.27	81.81	16.35	14.44						
	Each Additional DS1 COCI combination per month			UNC1X	UC1D1	12.70	6.58	4.72	10.33	14.44					 	
+	Nonrecurring Currently Combined Network Elements Switch -As-			ONOTA	OCIDI	12.70	0.50	7.72								
	Is Charge			UNC1X	UNCCC		5.59	5.59	6.98	6.98						
EXTE	NDED 4-WIRE VOICE GRADE LOOP WITH DEDICATED DS1 INT	EROFF	ICE TR													
	First 4-Wire Analog Voice Grade Local Loop in Combination -															
	Zone 1		1	UNCVX	UEAL4	25.34	131.97	94.51	59.14	14.50						
	First 4-Wire Analog Voice Grade Local Loop in Combination -		_		l											
	Zone 2		2	UNCVX	UEAL4	38.58	131.97	94.51	59.14	14.50	-				1	1
1	First 4-Wire Analog Voice Grade Local Loop in Combination - Zone 3		3	UNCVX	UEAL4	60.02	131.97	94.51	59.14	14.50					1	
- 	First Interoffice Transport - Dedicated - DS1 combination - Per		-	0.40 V /	OLAL#	00.02	131.81	54.31	35.14	14.30	 			 	 	
	Mile Per Month		1	UNC1X	1L5XX	0.18									I	
	First Interoffice Transport - Dedicated - DS1 - Facility		1				İ									İ
	Termination Per Month			UNC1X	U1TF1	60.16	89.27	81.81	16.35	14.44						
	Per each 1/0 Channel System in combination Per Month			UNC1X	MQ1	101.06	91.04	62.57	10.54	9.79						
	Per each Voice Grade COCI in combination - per month			UNCVX	1D1VG	0.53	6.58	4.72	20.00							
	3/1 Channel System in combination per month			UNC3X	MQ3	166.13	178.14	93.97	33.26	31.83						
	Per each DS1 COCI in combination per month Additional 4-Wire Analog Voice Grade Loop in same DS1		1	UNC1X	UC1D1	12.70	6.58	4.72							-	
	Interoffice Transport Combination - Zone 1		1	UNCVX	UEAL4	25.34	131.97	94.51	59.14	14.50						
	Additional 4-Wire Analog Voice Grade Loop in same DS1		<u> </u>	ONOVA	OLAL	25.54	151.97	34.31	33.14	14.50					-	
	Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL4	38.58	131.97	94.51	59.14	14.50						
	Additional 4-Wire Analog Voice Grade Loop in same DS1															
	Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL4	60.02	131.97	94.51	59.14	14.50						
	Each Additional DS1 Interoffice Channel per mile in same 3/1															
	Channel System per month			UNC1X	1L5XX	0.18										
	Each Additional DS1 Interoffice Channel Facility Termination in same 3/1 Channel System per month			UNC1X	U1TF1	60.16	89.27	81.81	16.35	14.44						
-	Additional Voice Grade COCI - in combination - per month		<u> </u>	UNCVX	1D1VG	0.53	6.58	4.72	16.35	14.44						-
	Nonrecurring Currently Combined Network Elements Switch -As-			ONOVA	IDIVO	0.55	0.50	7.72							-	
	Is Charge			UNC1X	UNCCC		5.59	5.59	6.98	6.98						
EXTE	NDED 4-WIRE 56 KBPS DIGITAL LOOP WITH DEDICATED DS1	INTERC	FFICE	TRANSPORT w/ 3/	1 MUX											
	First 4-Wire 56Kbps Digital Grade Local Loop in Combination -															
	Zone 1		1	UNCDX	UDL56	26.09	126.27	88.80	59.14	14.50						
	First 4-Wire 56Kbps Digital Grade Local Loop in Combination -		2	UNCDX	UDL56	25.05	400.07	00.00	50.44	14.50						
	Zone 2 First 4-Wire 56Kbps Digital Grade Local Loop in Combination -			UNCDX	UDLS6	35.95	126.27	88.80	59.14	14.50	-				-	-
	Zone 3		3	UNCDX	UDL56	37.88	126.27	88.80	59.14	14.50						
	First Interoffice Transport - Dedicated - DS1 combination - Per		Ť	011027	02200	01.00	120.21	00.00	00	1 1100					t	
	Mile Per Month			UNC1X	1L5XX	0.18										
	First Interoffice Transport - Dedicated - DS1 - combination															
	Facility Termination Per Month			UNC1X	U1TF1	60.16	89.27	81.81	16.35	14.44						
	Per each 1/0 Channel System in combination Per Month			UNC1X	MQ1	101.06	91.04	62.57	10.54	9.79						
	Per each OCU-DP COCI (data) COCI per month (2.4-64kbs) 3/1 Channel System in combination per month		!	UNCDX UNC3X	1D1DD MQ3	1.12 166.13	6.58 178.14	4.72 93.97	33.26	31.83	1				 	
+	Per each DS1 COCI in combination per month		 	UNC1X	UC1D1	12.70	6.58	4.72	33.20	31.83					 	
	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1		 	5.1017	55.51	12.70	0.56	7.12			 			 	 	
	Interoffice Transport Combination - Zone 1		1	UNCDX	UDL56	26.09	126.27	88.80	59.14	14.50					I	
ı	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1															
	Interoffice Transport Combination - Zone 2		2	UNCDX	UDL56	35.95	126.27	88.80	59.14	14.50						
	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1		_				400								I	
	Interoffice Transport Combination - Zone 3		3	UNCDX	UDL56	37.88	126.27	88.80	59.14	14.50					 	
	OCU-DP COCI (data) COCI in combination per month (2.4-64kbs)			UNCDX	1D1DD	1.12	6.58	4.72								
	Each Additional DS1 Interoffice Channel per mile in same 3/1		 	ONODA	טטוטו	1.12	0.38	4.72	 		 				-	
I				•							1		ì	i	i	1

UNBUNDLE	D NETWORK ELEMENTS - Alabama												Attach	ment: 2	Exhi	bit: A
3311522			I								Svc Order	Svc Order	Incremental		Incremental	Incremental
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
			1			_	Nonred	curring	Nonrecurring	Disconnect			oss	Rates (\$)		
			1			Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Each Additional DS1 Interoffice Channel Facility Termination in															
	same 3/1 Channel System per month			UNC1X	U1TF1	60.16	89.27	81.81	16.35	14.44						
	Each Additional DS1 COCI in the same 3/1 channel system			LINIOAN	110454	40.70	0.50	4.70								1
	combination per month Nonrecurring Currently Combined Network Elements Switch -As-		1	UNC1X	UC1D1	12.70	6.58	4.72								—
	Is Charge	1		UNC1X	UNCCC		5.59	5.59	6.98	6.98						1
EXTEN	IDED 4-WIRE 64 KBPS DIGITAL LOOP WITH DEDICATED DS1	INTERC	OFFICE				0.00	0.00	0.50	0.00						
	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice															
	Transport Combination - Zone 1		1	UNCDX	UDL64	26.09	126.27	88.80	59.14	14.50						İ
	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice															1
	Transport Combination - Zone 2	-	2	UNCDX	UDL64	35.95	126.27	88.80	59.14	14.50	-					
	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 3		3	UNCDX	UDL64	37.88	126.27	88.80	59.14	14.50						1
	First Interoffice Transport - Dedicated - DS1 combination - Per	†	+ -	5.10DX	JULUT	57.00	120.27	00.00	33.14	14.50	 					
	Mile Per Month			UNC1X	1L5XX	0.18										1
	First Interoffice Transport - Dedicated - DS1 combination -		1													
	Facility Termination Per Month			UNC1X	U1TF1	60.16	89.27	81.81	16.35	14.44						
	Per each Channel System 1/0 in combination Per Month		ļ	UNC1X	MQ1	101.06	91.04	62.57	10.54	9.79						
	Per each OCU-DP COCI (data) in combination - per month (2.4-64kbs)			UNCDX	1D1DD	1.12	6.58	4.72								1
 	3/1 Channel System in combination per month		1	UNC3X	MQ3	166.13	178.14	93.97	33.26	31.83						
	Per each DS1 COCI in combination per month			UNC1X	UC1D1	12.70	6.58	4.72	00.20	01.00						
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1															
	Interoffice Transport Combination - Zone 1		1	UNCDX	UDL64	26.09	126.27	88.80	59.14	14.50						
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1															1
	Interoffice Transport Combination - Zone 2	ļ	2	UNCDX	UDL64	35.95	126.27	88.80	59.14	14.50						
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination - Zone 3		3	UNCDX	UDL64	37.88	126.27	88.80	59.14	14.50						1
	Additional OCU-DP COCI (data) - DS1 to DS0 Channel System	1	-	ONODA	ODLO4	37.00	120.21	00.00	33.14	14.50						
	combination - per month (2.4-64kbs)			UNCDX	1D1DD	1.12	6.58	4.72								1
	Each Additional DS1 Interoffice Channel per mile in same 3/1		1													
	Channel System per month			UNC1X	1L5XX	0.18										ullet
	Each Additional DS1 Interoffice Channel Facility Termination in			LINIOAN		00.40	00.07	04.04	40.05	4444						1
	same 3/1 Channel System per month Each Additional DS1 COCI in the same 3/1 channel system		1	UNC1X	U1TF1	60.16	89.27	81.81	16.35	14.44						—
	combination per month			UNC1X	UC1D1	12.70	6.58	4.72								1
	Nonrecurring Currently Combined Network Elements Switch -As-		1	0.1017	00.5.	12.10	0.00	2								
	Is Charge			UNC1X	UNCCC		5.59	5.59	6.98	6.98						1
EXTEN	IDED 2-WIRE ISDN LOOP WITH DS1 INTEROFFICE TRANSPO	RT w/ 3/	1 MUX													
	First 2-Wire ISDN Loop in a DS1 Interoffice Combination		١.,	LINIONIV	1141.00/	04.00	447.04	70 77	50.00	40.54						1
	Transport - Zone 1 First 2-Wire ISDN Loop in a DS1 Interoffice Combination	-	1	UNCNX	U1L2X	21.88	117.24	79.77	52.88	10.54						—
	Transport - Zone 2		2	UNCNX	U1L2X	32.85	117.24	79.77	52.88	10.54						1
	First 2-Wire ISDN Loop in a DS1 Interoffice Combination		ΙĪ	0.10.01	O I LLEX	02.00			02.00	10.01						
	Transport - Zone 3		3	UNCNX	U1L2X	48.55	117.24	79.77	52.88	10.54						
	First Interoffice Transport - Dedicated - DS1 combination - Per															
\vdash	Mile per month	ļ	<u> </u>	UNC1X	1L5XX	0.18			-		1					——
1 1	First Interoffice Transport - Dedicated - DS1 combination - Facility Termination per month			UNC1X	U1TF1	60.16	89.27	81.81	16.35	14.44						1
 	Per each Channel System 1/0 in combination - per month		 	UNC1X	MQ1	101.06	91.04	62.57	10.54	9.79	 					
		†	†			101.00	01.04	02.07	10.54	0.79	l					
	Per each 2-wire ISDN COCI (BRITE) in combination - per month	L_	<u>L</u>	UNCNX	UC1CA	2.41	6.58	4.72			<u></u>					<u> </u>
	3/1 Channel System in combination per month			UNC3X	MQ3	166.13	178.14	93.97	33.26	31.83						
\vdash	Per each DS1 COCI in combination per month	ļ	<u> </u>	UNC1X	UC1D1	12.70	6.58	4.72	ļ		1					
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport Combination - Zone 1		1	UNCNX	U1L2X	21.88	117.24	79.77	52.88	10.54						1
 	Additional 2-wire ISDN Loop in same DS1Interoffice Transport		+-	OIVOIVA	UILZA	∠1.08	111.24	19.77	32.68	10.54	 					
1 1	Combination - Zone 2		2	UNCNX	U1L2X	32.85	117.24	79.77	52.88	10.54						1
	•				•						•		•	•		

	D NETWORK ELEMENTS - Alabama													nent: 2		bit: A
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)				Submitted	Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add
						Rec	Nonrec		Nonrecurring					Rates (\$)		
						1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport		_													
	Combination - Zone 3		3	UNCNX	U1L2X	48.55	117.24	79.77	52.88	10.54						
	Additional 2-wire ISDN COCI (BRITE) in same 1/0 channel system combination- per month			UNCNX	UC1CA	2.41	6.58	4.72								
	Each Additional DS1 Interoffice Channel per mile in same 3/1 Channel System per month			UNC1X	1L5XX	0.18										
	Each Additional DS1 Interoffice Channel Facility Termination in			LINIOAY		00.40	00.07	04.04	40.05	44.44						
	same 3/1 Channel System per month			UNC1X	U1TF1	60.16	89.27	81.81	16.35	14.44						
	Each Additional DS1 COCI in the same 3/1 channel system combination per month			UNC1X	UC1D1	12.70	6.58	4.72								
	Nonrecurring Currently Combined Network Elements Switch -As-	1		LINICAV	LINICOC		5.50	5.50	0.00	0.00						
FYTEN	Is Charge DED 4-WIRE DS1 LOOP WITH DEDICATED DS1 INTEROFFICE	TRANG	SPORT	UNC1X w/ 3/1 MHX	UNCCC	-	5.59	5.59	6.98	6.98						
	First 4-wire DS1 Digital Looal Loop in Combination - Zone 1	INAN		UNC1X	USLXX	82.55	252.47	157.54	44.70	11.71						
	First 4-wire DS1 Digital Lcoal Loop in Combination - Zone 2			UNC1X	USLXX	154.18	252.47	157.54	44.70	11.71	-					-
	First 4-wire DS1 Digital Lcoal Loop in Combination - Zone 3			UNC1X	USLXX	314.52	252.47	157.54	44.70	11.71						
	First Interoffice Transport - Dedicated - DS1 combination - Per	1	۲		002.00	317.02	202.77	107.04	77.70	11.71						
	Mile Per Month First Interoffice Transport - Dedicated - DS1 combination -			UNC1X	1L5XX	0.18										
	Facility Termination Per Month			UNC1X	U1TF1	60.16	89.27	81.81	16.35	14.44						
	3/1 Channel System in combination per month			UNC3X	MQ3	166.13	178.14	93.97	33.26	31.83						
	Per each DS1 COCI combination per month			UNC1X	UC1D1	12.70	6.58	4.72	22.22							
	Each Additional DS1 Interoffice Channel per mile in same 3/1															
	Channel System per month Each Additional DS1 Interoffice Channel Facility Termination in			UNC1X	1L5XX	0.18										
	same 3/1 Channel System per month Each Additional DS1 COCI in the same 3/1 channel system			UNC1X	U1TF1	60.16	89.27	81.81	16.35	14.44						
	combination per month			UNC1X	UC1D1	12.70	6.58	4.72								
	Additional 4-Wire DS1 Digital Local Loop in Combination - Zone		1	UNC1X	USLXX	82.55	252.47	157.54	44.70	11.71						
	Additional 4-Wire DS1 Digital Local Loop in Combination - Zone		2	UNC1X	USLXX	154.18	252.47	157.54	44.70	11.71						
	Additional 4-Wire DS1 Digital Local Loop in Combination - Zone			ONOTA	OOLAX	134.10	252.47	107.04	44.70	11.71						
	3 Nonrecurring Currently Combined Network Elements Switch -As-		3	UNC1X	USLXX	314.52	252.47	157.54	44.70	11.71						
	Is Charge			UNC1X	UNCCC		5.59	5.59	6.98	6.98						
EXTEN	DED 4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH DS0 I	NTERO	FFICE		5550		0.00	0.00	0.00	0.00						
	First 4-wire 56 kbps Local Loop in combination - Zone 1			UNCDX	UDL56	26.09	126.27	88.80	59.14	14.50						
	First 4-wire 56 kbps Local Loop in combination - Zone 2	l	2	UNCDX	UDL56	35.95	126.27	88.80	59.14	14.50						
	First 4-wire 56 kbps Local Loop in combination - Zone 3			UNCDX	UDL56	37.88	126.27	88.80	59.14	14.50						
	First 4-wiree 56 kbps Interoffice Transport - Dedicated - Per Mile				41.500	0.008838	_									
	per month			UNCDX	1L5XX	0.0000										
				UNCDX	U1TD5	15.12	40.54	27.41	16.74	6.90						
	per month First 4-wire 56 kbps Interoffice Transport - Dedicated - Facility						40.54	27.41	16.74	6.90						
	per month First 4-wire 56 kbps Interoffice Transport - Dedicated - Facility Termination per month Nonrecurring Currently Combined Network Elements Switch -As- Is Charge			UNCDX			40.54 5.59	27.41 5.59	16.74 6.98	6.90 6.98						
EXTEN	per month First 4-wire 56 kbps Interoffice Transport - Dedicated - Facility Termination per month Nonrecurring Currently Combined Network Elements Switch -As- Is Charge DED 4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH DS0 I	NTERO		UNCDX UNCDX TRANSPORT	U1TD5 UNCCC	15.12	5.59	5.59	6.98	6.98						
EXTEN	per month First 4-wire 56 kbps Interoffice Transport - Dedicated - Facility Termination per month Nonrecurring Currently Combined Network Elements Switch -As- Is Charge DED 4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH DS0 I	NTERO	1	UNCDX UNCDX TRANSPORT UNCDX	U1TD5 UNCCC UDL64	15.12 26.09	5.59 126.27	5.59 88.80	6.98 59.14	6.98 14.50						
EXTEN	per month First 4-wire 56 kbps Interoffice Transport - Dedicated - Facility Termination per month Nonrecurring Currently Combined Network Elements Switch -As- Is Charge DED 4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH DS0 I First 4-wire 64 kbps Local Loop in combination - Zone 1 First 4-wire 64 kbps Local Loop in combination - Zone 2	NTERO	1 2	UNCDX UNCDX TRANSPORT UNCDX UNCDX UNCDX	U1TD5 UNCCC UDL64 UDL64	15.12 26.09 35.95	5.59 126.27 126.27	5.59 88.80 88.80	6.98 59.14 59.14	6.98 14.50 14.50						
EXTEN	per month First 4-wire 64 kbps Interoffice Transport - Dedicated - Facility Termination per month Nonrecurring Currently Combined Network Elements Switch -As- Is Charge DED 4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH DSO I First 4-wire 64 kbps Local Loop in combination - Zone 1 First 4-wire 64 kbps Local Loop in combination - Zone 2 First 4-wire 64 kbps Local Loop in combination - Zone 3	NTERO	1 2	UNCDX UNCDX TRANSPORT UNCDX	U1TD5 UNCCC UDL64	15.12 26.09	5.59 126.27	5.59 88.80	6.98 59.14	6.98 14.50						
EXTEN	per month First 4-wire 64 kbps Interoffice Transport - Dedicated - Facility Termination per month Nonrecurring Currently Combined Network Elements Switch -As- Is Charge DED 4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH DS0 I First 4-wire 64 kbps Local Loop in combination - Zone 1 First 4-wire 64 kbps Local Loop in combination - Zone 2 First 4-wire 64 kbps Local Loop in combination - Zone 3 First 14-wire 65 kbps Interoffice Transport - Dedicated - Per Mile per month	NTERO	1 2	UNCDX UNCDX TRANSPORT UNCDX UNCDX UNCDX	U1TD5 UNCCC UDL64 UDL64	15.12 26.09 35.95	5.59 126.27 126.27	5.59 88.80 88.80	6.98 59.14 59.14	6.98 14.50 14.50						
EXTEN	per month First 4-wire 64 kbps Interoffice Transport - Dedicated - Facility Termination per month Nonrecurring Currently Combined Network Elements Switch -As- Is Charge DED 4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH DSO I First 4-wire 64 kbps Local Loop in combination - Zone 1 First 4-wire 64 kbps Local Loop in combination - Zone 2 First 4-wire 64 kbps Local Loop in combination - Zone 3 First I4-wire 65 kbps Interoffice Transport - Dedicated - Per Mile per month First 4-wire 64 kbps Interoffice Transport - Dedicated - Facility Termination per month	NTERO	1 2	UNCDX UNCDX TRANSPORT UNCDX UNCDX UNCDX UNCDX UNCDX	U1TD5 UNCCC UDL64 UDL64 UDL64 UDL64	26.09 35.95 37.88	5.59 126.27 126.27	5.59 88.80 88.80	6.98 59.14 59.14	6.98 14.50 14.50						
EXTEN	per month First 4-wire 65 kbps Interoffice Transport - Dedicated - Facility Termination per month Nonrecurring Currently Combined Network Elements Switch -As- Is Charge DED 4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH DS0 I First 4-wire 64 kbps Local Loop in combination - Zone 1 First 4-wire 64 kbps Local Loop in combination - Zone 2 First 4-wire 64 kbps Local Loop in combination - Zone 3 First 14-wire 65 kbps Interoffice Transport - Dedicated - Per Mile per month First 4-wire 64 kbps Interoffice Transport - Dedicated - Facility	NTERO	1 2	UNCDX UNCDX TRANSPORT UNCDX UNCDX UNCDX UNCDX UNCDX	U1TD5 UNCCC UDL64 UDL64 UDL64 UDL64 1L5XX	26.09 35.95 37.88 0.008838	5.59 126.27 126.27 126.27	5.59 88.80 88.80 88.80	59.14 59.14 59.14	6.98 14.50 14.50 14.50						
EXTEN	per month First 4-wire 54 kbps Interoffice Transport - Dedicated - Facility Termination per month Nonrecurring Currently Combined Network Elements Switch -As- Is Charge DED 4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH DS0 I First 4-wire 64 kbps Local Loop in combination - Zone 1 First 4-wire 64 kbps Local Loop in combination - Zone 2 First 4-wire 64 kbps Local Loop in combination - Zone 3 First 14-wire 65 kbps Interoffice Transport - Dedicated - Per Mile per month First 4-wire 64 kbps Interoffice Transport - Dedicated - Facility Termination per month Nonrecurring Currently Combined Network Elements Switch -As-	NTERO	1 2	UNCDX UNCDX TRANSPORT UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX	U1TD5 UNCCC UDL64 UDL64 UDL64 UDL64 UDL65 UDL64 UDL65	26.09 35.95 37.88 0.008838	5.59 126.27 126.27 126.27 40.54	5.59 88.80 88.80 88.80	59.14 59.14 59.14 59.14	6.98 14.50 14.50 14.50						

UNBUNDL	ED NETWORK ELEMENTS - Alabama													ment: 2		ibit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			I .	Submitted Manually	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
					1	Rec	Nonred		Nonrecurring					Rates (\$)		
L			<u> </u>	L			First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
Nonre	ecurring Currently Combined Network Elements "Switch As Is" Nonrecurring Currently Combined Network Elements Switch -As-	Charge	(One a	ipplies to each comi	bination)						1				1	<u> </u>
	Is Charge - 2 wire/4-Wire VG			UNCVX	UNCCC		5.59	5.59	6.98	6.98						
	Nonrecurring Currently Combined Network Elements Switch -As-			UNCVX	UNCCC		3.39	5.59	0.90	0.50					<u> </u>	
	Is Charge - 56/64 kbps			UNCDX	UNCCC		5.59	5.59	6.98	6.98						
	Nonrecurring Currently Combined Network Elements Switch -As-															
	Is Charge - DS1			UNC1X	UNCCC		5.59	5.59	6.98	6.98						
	Nonrecurring Currently Combined Network Elements Switch -As-															
	Is Charge - DS3			UNC3X	UNCCC		5.59	5.59	6.98	6.98						
	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge - STS1			UNCSX	UNCCC		5.59	5.59	6.98	6.98						
Ontio	nal Features & Functions:			UNCSA	UNCCC		5.59	5.59	0.90	0.90					 	
Optio	Tall Foliation & Fation on S.			U1TD1.	1											
	Clear Channel Capability Extended Frame Option - per DS1	- 1		ULDD1,UNC1X	CCOEF		01	OI	01	OI						
				U1TD1,												
	Clear Channel Capability Super FrameOption - per DS1	- 1		ULDD1,UNC1X	CCOSF		01	OI	01	OI						
	Clear Channel Capability (SF/ESF) Option - Subsequent			ULDD1, U1TD1,						. ==						
	Activity - per DS1			UNC1X, USL U1TD3, ULDD3,	NRCCC		184.85S	23.81S	1.99S	0.7741S	ļ					
	C-bit Parity Option - Subsequent Activity - per DS3			UE3, UNC3X	NRCC3		219.13S	7.67S	0.7355S	0S						
MIII	IPLEXERS			UES, UNUSA	INRCCS		219.133	7.073	0.73555	03					 	
	DS1 to DS0 Channel System per month			UNC1X	MQ1	101.06	91.04	62.57	10.54	9.79	1					
	OCU-DP COCI (data) - DS1 to DS0 Channel System - per							0								
	month (2.4-64kbs) used for a Local Loop			UDL	1D1DD	1.12	6.58	4.72	0.00	0.00						
	OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for connection to a channelized DS1 Local Channel in the same SWC as collocation			U1TUD	1D1DD	1.12	6.58	4.72	0.00	0.00						
	2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per			01100	10100	1.12	0.30	4.72	0.00	0.00					-	
	month for a Local Loop			UDN	UC1CA	2.41	6.58	4.72	0.00	0.00						
	2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per															
	month used for connection to a channelized DS1 Local Channel															
	in the same SWC as collocation			U1TUB	UC1CA	2.41	6.58	4.72	0.00	0.00						
	Voice Grade COCI - DS1 to DS0 Channel System - per month			1154	1D1VG	0.53	0.50	4.72	0.00	0.00						
	used for a Local Loop Voice Grade COCI - DS1 to DS0 Channel System - per month			UEA	IDIVG	0.53	6.58	4.72	0.00	0.00					-	<u> </u>
	used for connection to a channelized DS1 Local Channel in the															
	same SWC as collocation			U1TUC	1D1VG	0.53	6.58	4.72	0.00	0.00						
	DS3 to DS1 Channel System per month			UNC3X	MQ3	166.13	178.14	93.97	33.26	31.83						
	STS-1 to DS1 Channel System per month			UNCSX	MQ3	166.13	178.14	93.97	33.26	31.83						
	DS1 COCI used with Loop per month			USL	UC1D1	12.70	6.58	4.72	0.00	0.00						
	DS1 COCI (used for connection to a channelized DS1 Local														I	
	Channel in the same SWC as collocation) per month DS1 COCI used with Interoffice Channel per month		-	U1TUA U1TD1	UC1D1 UC1D1	12.70 12.70	6.58 6.58	4.72 4.72	0.00	0.00	1				1	
	DS3 Interface Unit (DS1 COCI) used with Local Channel per		+	וטווטו	ועוטט	12.70	6.58	4.72	0.00	0.00	-				 	
	month			ULDD1	UC1D1	12.70	6.58	4.72	0.00	0.00					1	
UNBUNDLED	LOCAL EXCHANGE SWITCHING(PORTS)			02001	30.01	12.70	0.38	7.72	0.00	0.00	1				†	†
	ange Ports										Ì			ĺ	1	
	: Although the Port Rate includes all available features in GA, I	Y, LA	& TN, t	he desired features	will need to l	oe ordered usir	ng retail USOC	s								
2-WIF	RE VOICE GRADE LINE PORT RATES (RES)															
\vdash	Exchange Ports - 2-Wire Analog Line Port- Res.		_	UEPSR	UEPRL	1.38	2.38	2.27	1.42	1.33						_
	Exchange Ports - 2-Wire Analog Line Port with Caller ID - Res.			UEPSR	UEPRC	1.38	2.38	2.27	1.42	1.33						
	Exercises 5 5.65 2 Villo / Vilding Ento Fort With Odiller ID - 1065.			02. 010	021110	1.50	2.30	2.21	1.42	1.55						
	Exchange Ports - 2-Wire Analog Line Port outgoing only - Res.			UEPSR	UEPRO	1.38	2.38	2.27	1.42	1.33					1	
	Exchange Ports - 2-Wire VG unbundled AL extended local													ĺ		
$oxed{\Box}$	dialing parity Port with Caller ID - Res.			UEPSR	UEPAR	1.38	2.38	2.27	1.42	1.33						<u> </u>
	Exchange Ports - 2-Wire VG unbundled res, low usage line port			LIEDOD	UEPAP	1.38	0.00	2.27	1.42	1.33						
	with Caller ID (LUM)		<u> </u>	UEPSR	UEPAP	1.38	2.38	2.27	1.42	1.33	1	i		l	I .	

ONDUNDE	ED NETWORK ELEMENTS - Alabama	1	1		1						Sun Order	Cva Ord		ment: 2	+	ibit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)				Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l
						Rec	Nonrec		Nonrecurring			_		Rates (\$)		
						1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Exchange Ports - 2-Wire VG Alabama Residence Dialing Plan			LIEDOD	LIEDIALA	4.00	0.00	0.07	4 40	4.00						
	without Caller Id 2-Wire voice unbundled Low Usage Line Port without Caller ID		<u> </u>	UEPSR	UEPWA	1.38	2.38	2.27	1.42	1.33						
	Capability			UEPSR	UEPRT	1.38	2.38	2.27	1.42	1.33						
	Subsequent Activity			UEPSR	USASC	0.00	0.00	0.00	1.72	1.00						
FEAT	URES			OLI OIL	00/100	0.00	0.00	0.00								1
	All Available Vertical Features			UEPSR	UEPVF	1.98	0.00	0.00								
2-WIR	RE VOICE GRADE LINE PORT RATES (BUS)															
	Exchange Ports - 2-Wire Analog Line Port without Caller ID -															
	Bus			UEPSB	UEPBL	1.38	2.38	2.27	1.42	1.33						
	Exchange Ports - 2-Wire VG unbundled Line Port with															
	unbundled port with Caller+E484 ID - Bus.			UEPSB	UEPBC	1.38	2.38	2.27	1.42	1.33						
	Evahanga Porta 2 Wire Analog Line Port outgoing only Pug			UEPSB	UEPBO	1.38	2.38	2.27	1.42	1.33						
	Exchange Ports - 2-Wire Analog Line Port outgoing only - Bus. Exchange Ports - 2-Wire VG unbundled AL extended local		1	UEPSB	UEPBU	1.30	2.30	2.21	1.42	1.33						
	dialing parity Port with Caller ID - Bus.			UEPSB	UEPAW	1.38	2.38	2.27	1.42	1.33						
	Exhange Ports - 2-Wire VG unbundled incoming only port with			OLI OD	OLI 7W	1.00	2.00	2.27	1.42	1.00						1
	Caller ID - Bus			UEPSB	UEPB1	1.38	2.38	2.27	1.42	1.33						
	Exchange Ports - 2-Wire Voice Alabama Business Dialing Plan															
	without Caller ID			UEPSB	UEPWB	1.38	2.38	2.27	1.42	1.33						
	2-Wire voice unbundled Incoming Only Port without Caller ID															1
	Capability			UEPSB	UEPBE	1.38	2.38	2.27	1.42	1.33						
	Subsequent Activity			UEPSB	USASC	0.00	0.00	0.00								
FEAT	URES															
EVOL	All Available Vertical Features			UEPSB	UEPVF	1.98	0.00	0.00								
EXCH	IANGE PORT RATES (DID & PBX)			UEPSE	UEPRD	1.38	31.27	14.85	13.94	0.90						
	2-Wire VG Unbundled 2-Way PBX Trunk - Res 2-Wire VG Line Side Unbundled 2-Way PBX Trunk - Bus		1	UEPSE	UEPRD	1.38	31.27	14.85	13.94	0.90						
	2-Wire VG Line Side Unbundled Outward PBX Trunk - Bus			UEPSP	UEPPO	1.38	31.27	14.85	13.94	0.90						
	2-Wire VG Line Side Unbundled Incoming PBX Trunk - Bus			UEPSP	UEPP1	1.38	31.27	14.85	13.94	0.90						-
	2-Wire Analog Long Distance Terminal PBX Trunk - Bus			UEPSP	UEPLD	1.38	31.27	14.85	13.94	0.90						1
	2-Wire Voice Unbundled 2-Way PBX Alabama Calling Port			UEPSP	UEPA2	1.38	31.27	14.85	13.94	0.90						
	2-Wire Voice Unbundled PBX LD Terminal Ports			UEPSP	UEPLD	1.38	31.27	14.85	13.94	0.90						1
	2-Wire Vice Unbundled 2-Way PBX Usage Port			UEPSP	UEPXA	1.38	31.27	14.85	13.94	0.90						
	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports			UEPSP	UEPXB	1.38	31.27	14.85	13.94	0.90						
	2-Wire Voice Unbundled PBX LD DDD Terminals Port			UEPSP	UEPXC	1.38	31.27	14.85	13.94	0.90						
	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port			UEPSP	UEPXD	1.38	31.27	14.85	13.94	0.90						
	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD Capable Port			UEPSP	UEPXE	1.38	31.27	14.85	13.94	0.90						
+	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy	-	-	ULFOF	UEFAE	1.38	31.27	14.85	13.94	0.90	-					
1	Administrative Calling Port			UEPSP	UEPXL	1.38	31.27	14.85	13.94	0.90						
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy			02. 01	CLI AL	1.50	01.21	14.00	10.54	0.90						
1	Room Calling Port			UEPSP	UEPXM	1.38	31.27	14.85	13.94	0.90						
<u> </u>	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital	1									İ					1
	Discount Room Calling Port			UEPSP	UEPXO	1.38	31.27	14.85	13.94	0.90			<u></u>			
	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPSP	UEPXS	1.38	31.27	14.85	13.94	0.90						
	Subsequent Activity			UEPSP	USASC	0.00	0.00	0.00								
FEAT	URES		<u> </u>	LIEDOD LIEDOE	LUED) (E	1.00										<u> </u>
EVO	All Available Vertical Features		-	UEPSP UEPSE	UEPVF	1.98	0.00	0.00							1	
EXCH	IANGE PORT RATES (COIN) Exchange Ports - Coin Port	1	-		+	1.38	2.38	2.27	1.42	1.33	-				1	
NOTE	:: Transmission/usage charges associated with POTS circuit s	witched	liesano	will also annly to a	ircuit ewitcho						ated with 2	wire ISDN =	orts		1	
	: Access to B Channel or D Channel Packet capabilities will be													Request Pro	ocess.	
	LOCAL EXCHANGE SWITCHING(PORTS)	_ a.una		, oug Di 10,100				- series oupubl					40111636			—
	IANGE PORT RATES				1											1
The D	S1 Port rates below for 4-Wire DDITS Trunk Port and 4-Wire IS											riff rates or a	a separate ag	reement.		
	ests for 4-Wire DDITS Trunk Ports with 4-Wire ISDN DS1 Ports		effect	ve date of this ame	ndment shall			parate agreem	ent or tariff at							
	Exchange Ports - 2-Wire DID Port		I	UEPEX	UEPP2	8.05	119.31	18.74	59.90	3.76						

UNBUNDL	ED NETWORK ELEMENTS - Alabama												Attach	ment: 2	Exhi	bit: A
											Svc Order	Svc Order	Incremental	Incremental	Incremental	Incrementa
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		to to a									Elec	Manually	Manual Svc	Manual Svc		Manual Sv
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m									per LSK	per LSK				
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
					1		Nonrec	urring	Nonrecurring	Disconnect			220	Rates (\$)	1	
			-		-	Rec	First	Add'l	First	Add'l	COMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Endough Botto Botto Botto Botto Botto Botto St. DID				+		FIRST	Addi	FIRST	Addi	SOMEC	SUMAN	SOWAN	SOMAN	SUMAN	SUMAN
	Exchange Ports - DDITS Port - 4-Wire DS1 Port with DID								=====							
	capability (E:4/1/2004)			UEPDD	UEPDD	60.09	202.02	95.69	72.59	2.46						
	Exchange Ports - 2-Wire ISDN Port (See Notes below.)			UEPTX, UEPSX	U1PMA	9.79	72.77	52.99	47.79	10.74						
	All Features Offered			UEPTX, UEPSX	UEPVF	1.98	0.00	0.00								
	Exchange Ports - 2-Wire ISDN Port Channel Profiles			UEPTX, UEPSX	U1UMA	0.00	0.00	0.00								
	E: Transmission/usage charges associated with POTS circuit sv															
NOT	E: Access to B Channel or D Channel Packet capabilities will be	availal	ole onl	y through BFR/New	Business Re	quest Process.	Rates for the	packet capabi	lities will be de	termined via t	he Bona Fid	de Request/	New Business	Request Pro	ocess.	
EXC	HANGE PORT RATES (continued)															
	Exchange Ports - 4-Wire ISDN DS1 Port with Detailed E911										İ					
	Locator Capability (E:4/1/2004)			UEPEX	UEPEX	84.32	203.81	101.56	79.18	20.06	I			1		
	Exchange Ports - 4-Wire ISDN DS1 Port (E:4/1/2004)		t	UEPDX	UEPDX	84.32	203.81	101.56	79.18	20.06	1	1		l	1	1
- 	Physical Collocation - DS1 Cross-Connects			UEPEX UEPDX	PE1P1	1.11	22.03	15.93	6.40	5.79	1	1		 	1	1
-			 	OLILA OLFDA	I LIFT	1.11	22.03	10.93	0.40	5.79	 	1			1	
	Virtual collocation - Special Access & UNE, cross-connect per		l	HEDEY HEDEY	CNC4V		20.00	45.00	0.40	F 70	1			1		
	DS1			UEPEX UEPDX	CNC1X	1.11	22.03	15.93	6.40	5.79	 	.			ļ	.
Deta	iled E911 with Locator Capability (required with UEPEX port)				_						ļ					
	Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - E911		1		1						1					
	Locator Capability - Initial Profile Establishment per CLEC per															
	State			UEPEX	UEP1A	0.00	1,804.00		156.08							
	Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - E911															
	Locator Capability - Subsequent Profile Changes, Additions,															
	Deletions			UEPEX	UEP1B	0.00	175.14									
New	or Additional PRI Telephone Numbers										i e					
NOW	Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - E911										1	1				
	Locator Capability 2-way Telephone Numbers, per number in															
	E911 profile [New or Additional]			UEPEX	UEP1C	0.0697	0.49									
			-	UEPEA	UEFIC	0.0697	0.49				1	-				
	Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - E911															
	Locator Capability - Outdial Telephone Numbers, per number in															
	E911 profile [New or Additional]			UEPEX	UEP1D	0.0697	11.51									
	Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - Inward															
	Telephone Numbers - Inward Data Only Option [New or															
	Additional]			UEPDX	UEP1E	0.00	0.049									
	Exchange Ports - 4-Wire ISDN DS1 Port - Subsequent [New]															
	Inward Tel Numbers [Customer Testing Purposes]			UEPEX	PR7ZT	0.00	23.02									
LOC	AL NUMBER PORTABILITY				1						i e					
	Local Number Portability (1 per port)			UEPEX UEPDX	LNPCN	1.75					1	1				1
INTE	RFACE (Provsioning Only)			OLI EX OLI DX	LIVI OIV	1.70					1	1				
11412	Voice/Data			UEPEX	PR71V	0.00	0.00	0.00			1	1				1
- 			-	UEPEX	PR71D	0.00	0.00	0.00			1	 		 	1	
	Digital Data		-								 	 		l	 	
	Inward Data			UEPDX	PR71E	0.00	0.00	0.00			 	.			ļ	.
New	or Additional Channel			LIEBEY							 	ļ		ļ	!	!
	New or Additional - Voice/Data "B" Channel			UEPEX	PR7BV	0.00	14.53				ļ	ļ			ļ	ļ
	New or Additional - Digital Data "B" Channel			UEPEX	PR7BF	0.00	14.53				ļ	1			ļ	
	New or Additional Inward Data "B" Channel		\bot	UEPDX	PR7BD	0.00	14.53									
	New or Additional Useage Sensitive Voice Data "B" Channel			UEPEX	PR7BS	0.00	14.53									
	New or Additional Useage Sensitive Digital Data "B" Channel			UEPEX	PR7BU	0.00	14.53									
	New or Additional PRI "D" Channel			UEPEX	PR7EX	0.00	14.53		i i		i .			İ	i e	
CALI	L TYPES				1	2.00					İ				i e	
JAL.	Inward		1	UEPEX UEPDX	PR7C1	0.00	0.00	0.00			1	1			1	1
- 	Outward		 	UEPEX	PR7CO	0.00	0.00	0.00			 	1		 	 	1
	Two-way		 	UEPEX	PR7CC	0.00	0.00	0.00			1	1		l	1	
LINE			-	ULPEA	PR/UU	0.00	0.00	0.00			!	1		-	 	1
	UNDLED PORT with REMOTE CALL FORWARDING CAPABILITY		-	1	+						 	 			1	
UNB	UNDLED REMOTE CALL FORWARDING SERVICE - RESIDENCE			LIEDI D							 	.			ļ	.
	Unbundled Remote Call Forwarding Service, Area Calling, Res			UEPVR	UERAC	1.38	2.38	2.27	1.42	1.33	ļ	1			ļ	1
			1		1						1					
	Unbundled Remote Call Forwarding Service, Local Calling - Res		<u> </u>	UEPVR	UERLC	1.38	2.38	2.27	1.42	1.33				<u> </u>	<u> </u>	
	Unbundled Remote Call Forwarding Service, InterLATA - Res			UEPVR	UERTE	1.38	2.38	2.27	1.42	1.33						
	Unbundled Remote Call Forwarding Service, IntraLATA - Res			UEPVR	UERTR	1.38	2.38	2.27	1.42	1.33						
				1			00	_,_,								

UNBUNDLE	D NETWORK ELEMENTS - Alabama												Attach	ment: 2	Exhi	ibit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			1	Submitted	Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
						Rec	Nonred		Nonrecurring					Rates (\$)		
						1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Unbundled Remote Call Forwarding Service - Conversion -			l												
	Switch-as-is			UEPVR	USAC2		0.10	0.10								
	Unbundled Remote Call Forwarding Service - Conversion with			LIED) /D	110400		0.40	0.40								
LINIBLIA	allowed change (PIC and LPIC) IDLED REMOTE CALL FORWARDING - Bus	-	-	UEPVR	USACC		0.10	0.10								-
UNBUN	I LED REMOTE CALL FORWARDING - BUS		+		+						-				-	
	Unbundled Remote Call Forwarding Service, Area Calling - Bus			UEPVB	UERAC	1.38	2.38	2.27	1.42	1.33						
 	Oribundied Remote Call Forwarding Service, Area Calling - Bus		1	OLF VB	ULKAC	1.30	2.30	2.21	1.42	1.00					-	
	Unbundled Remote Call Forwarding Service, Local Calling - Bus			UEPVB	UERLC	1.38	2.38	2.27	1.42	1.33						
	Unbundled Remote Call Forwarding Service, InterLATA - Bus			UEPVB	UERTE	1.38	2.38	2.27		1.33						
	Unbundled Remote Call Forwarding Service, IntraLATA - Bus			UEPVB	UERTR	1.38	2.38	2.27		1.33						
	Unbundled Remote Call Forwarding Service Expanded and															
	Exception Local Calling			UEPVB	UERVJ	1.38	2.38	2.27	1.42	1.33					I	
Non-Re	ecurring															
	Unbundled Remote Call Forwarding Service - Conversion -															
	Switch-as-is			UEPVB	USAC2		0.10	0.10								
	Unbundled Remote Call Forwarding Service - Conversion with														_	
	allowed change (PIC and LPIC)			UEPVB	USACC		0.10	0.10								
	OCAL SWITCHING, PORT USAGE															
End Of	fice Switching (Port Usage)		ļ													
	End Office Switching Function, Per MOU					0.0007025										
	End Office Trunk Port - Shared, Per MOU		-		1	0.0001638										
Tander	n Switching (Port Usage) (Local or Access Tandem)		-		1	0.000005										
	Tandem Switching Function Per MOU Tandem Trunk Port - Shared, Per MOU		1		-	0.000095 0.0002015						-		-		
H	Tandem Trunk Port - Snared, Per MOU (Melded)		 		+	0.0002015					-				-	-
	Tandem Switching Function Per MOU (Melded) Tandem Trunk Port - Shared, Per MOU (Melded)		+		+	0.000040993					-				-	
 	Melded Factor: 43.15% of the Tandem Rate		 		<u> </u>	0.000000947								1		-
	on Transport		1													
	Common Transport - Per Mile, Per MOU				1	0.0000023					1				1	†
	Common Transport - Facilities Termination Per MOU				1	0.0003224										
UNBUNDLED F	PORT/LOOP COMBINATIONS - COST BASED RATES															
	ased Rates are applied where BellSouth is required by FCC ar	nd/or St	tate Co	mmission rule to pr	ovide Unbun	dled Local Swi	ching or Swite	ch Ports.								
	es shall apply to the Unbundled Port/Loop Combination - Cos								ed Port section	of this Rate E	xhibit.					
End Of	fice and Tandem Switching Usage and Common Transport Us	sage rat	tes in th	ne Port section of th	nis rate exhib	it shall apply to	all combination	ons of loop/po	ort network elei	ments except	for UNE Coi	n Port/Loop	Combination	ns.		
The first	st and additional Port nonrecurring charges apply to Not Curr															
	VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)															
UNE Po	ort/Loop Combination Rates				1				Į				ļ	ļ	L	ļ
\vdash	2-Wire VG Loop/Port Combo - Zone 1		1		1	12.70							ļ	ļ	1	ļ
\vdash	2-Wire VG Loop/Port Combo - Zone 2		2		1	21.19									-	
	2-Wire VG Loop/Port Combo - Zone 3		3		+	34.80			1					-	 	├
	pop Rates 2-Wire Voice Grade Loop (SL1) - Zone 1	1	1	UEPRX	UEPLX	11.55			1		1	-			 	
\vdash	2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2	1	2	UEPRX	UEPLX	11.55 20.04			1		1	-			 	
	2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPRX	UEPLX	33.65			1				-	-		
	Voice Grade Line Port Rates (Res)	-	- 3	ULFRA	UEPLA	აა.00			1		 	-		-	+	
2-44116	2-Wire voice unbundled port - residence	-	 	UEPRX	UEPRL	1.15	40.19	19.83	24.91	6.63	-		 	 	t	
	2-Wire voice unbundled port vitesidence 2-Wire voice unbundled port with Caller ID - res	†	1	UEPRX	UEPRC	1.15	40.19	19.83	24.91	6.63	 	-			I	†
	2-Wire voice unbundled port with earlier is 75			UEPRX	UEPRO	1.15	40.19	19.83	24.91	6.63			1	1	<u> </u>	
	2-Wire voice Grade unbundled Alabama extended local dialing				1					2.30			İ	İ	1	
	parity port with Caller ID - res			UEPRX	UEPAR	1.15	40.19	19.83	24.91	6.63					I	
	2-Wire voice unbundles res, low usage line port with Caller ID			1	1					1			1	1		
	(LUM)			UEPRX	UEPAP	1.15	40.19	19.83	24.91	6.63					I	
	2-Wire Voice Unbundled Alabama Residence Dialing Plan			1	1		-						1	1		
	without Caller ID	<u> </u>		UEPRX	UEPWA	1.15	40.19	19.83	24.91	6.63	L				<u> </u>	
	2-Wire voice unbundled Low Usage Line Port without Caller ID															
	Capability			UEPRX	UEPRT	1.15	40.19	19.83	24.91	6.63						<u> </u>
FEATU	RES All Features Offered															<u> </u>
				UEPRX	UEPVF	1.98	0.00	0.00								

UNBUNDL	ED NETWORK ELEMENTS - Alabama												Attach	ment: 2	Exhi	bit: A
													Incremental	Incremental		
												Submitted	_	Charge -	Charge -	Charge -
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			Elec	Manually		Manual Svc		Manual Svo
CATEGORI	RATE ELEMENTS	m	Zone	ВСЗ	0300			KATES (\$)			per LSR	per LSR		Order vs.	Order vs.	Order vs.
													Electronic- 1st	Electronic- Add'l	Electronic- Disc 1st	Electronic- Disc Add'l
															DISC 1St	DISC Add I
						Rec	Nonred		Nonrecurring					Rates (\$)		
1.00	ALLIMPED BODTARILITY						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
LOCA	AL NUMBER PORTABILITY Local Number Portability (1 per port)			UEPRX	LNPCX	0.35										
NON	RECURRING CHARGES (NRCs) - CURRENTLY COMBINED			UEPKA	LINFUX	0.35										
I I I I I I I I I I I I I I I I I I I	2-Wire Voice Grade Loop / Line Port Combination - Conversion -				+											
	Switch-as-is			UEPRX	USAC2		0.10	0.10								
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -															
<u> </u>	Switch with change			UEPRX	USACC		0.10	0.10								
ADDI	TIONAL NRCs															
	2-Wire Voice Grade Loop/Line Port Combination - Subsequent Activity			UEPRX	USAS2	0.00	0.00	0.00								
\vdash	Unbundled Miscellaneous Rate Element, Tag Loop at End User	-		OLI IX	USASZ	0.00	0.00	0.00								
	Premise			UEPRX	URETL		8.33	0.83								
OFF/	ON PREMISES EXTENSION CHANNELS															
	2 Wire Analog Voice Grade Extension Loop – Non-Design			UEPRX	UEAEN	12.58	37.81	17.56	23.49	5.30						
\vdash	2 Wire Analog Voice Grade Extension Loop – Non-Design			UEPRX	UEAEN	21.05	37.81	17.56	23.49	5.30						
$\vdash \vdash \vdash$	2 Wire Analog Voice Grade Extension Loop – Non-Design		3	UEPRX	UEAEN	34.34	37.81	17.56	23.49	5.30						
	2 Wire Analog Voice Grade Extension Loop – Design 2 Wire Analog Voice Grade Extension Loop – Design			UEPRX UEPRX	UEAED UEAED	14.38 22.85	88.00 88.00	55.00 55.00	47.24 47.24	7.44 7.44						
\vdash	2 Wire Analog Voice Grade Extension Loop – Design			UEPRX	UEAED	36.14	88.00	55.00	47.24	7.44						
INTE	ROFFICE TRANSPORT			OLITOX	OLALD	00.14	00.00	00.00	77.27	7.44						
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility															
	Termination			UEPRX	U1TV2	21.13	40.54	27.41	16.74	6.90						
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile															
	or Fraction Mile			UEPRX	U1TVM	0.008838	0.00	0.00								
	RE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS) Port/Loop Combination Rates				+	-										
ONE	2-Wire VG Loop/Port Combo - Zone 1		1		+	12.70										
	2-Wire VG Loop/Port Combo - Zone 2		2		1	21.19										
	2-Wire VG Loop/Port Combo - Zone 3		3			34.80										
UNE	Loop Rates															
	2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPBX	UEPLX	11.55										
\vdash	2-Wire Voice Grade Loop (SL1) - Zone 2		3	UEPBX UEPBX	UEPLX	20.04 33.65										
2-Wir	2-Wire Voice Grade Loop (SL1) - Zone 3 e Voice Grade Line Port (Bus)		3	UEPBA	UEPLA	33.03										
2 *****	2-Wire voice unbundled port without Caller ID - bus			UEPBX	UEPBL	1.15	40.19	19.83	24.91	6.63						
	2-Wire voice unbundled port with Caller + E484 ID - bus			UEPBX	UEPBC	1.15	40.19	19.83	24.91	6.63						
	2-Wire voice unbundled port outgoing only - bus			UEPBX	UEPBO	1.15	40.19	19.83	24.91	6.63						
	2-Wire voice Grade unbundled Alabama extended local dialing				I	IT										
	parity port with Caller ID - bus			UEPBX	UEPAW	1.15 1.15	40.19	19.83	24.91	6.63	ļ					
	2-Wire voice unbundled incoming only port with Caller ID - Bus 2-Wire Voice Unbundled Alabama Business Dialing Plan without	-	<u> </u>	UEPBX	UEPB1	1.15	40.19	19.83	24.91	6.63	 	-				
	Caller ID			UEPBX	UEPWB	1.15	40.19	19.83	24.91	6.63						
	2-Wire voice unbundled Incoming Only Port without Caller ID															
	Capability			UEPBX	UEPBE	1.15	40.19	19.83	24.91	6.63						
LOC/	AL NUMBER PORTABILITY				1											
	Local Number Portability (1 per port)			UEPBX	LNPCX	0.35					ļ					
FEAT	All Features Offered	-	<u> </u>	UEPBX	UEPVF	1.98	0.00	0.00			 	-				
NON	RECURRING CHARGES (NRCs) - CURRENTLY COMBINED			OLI DA	OLI VI	1.90	0.00	0.00			 					
1.2	2-Wire Voice Grade Loop / Line Port Combination - Conversion -				1						1					
	Switch-as-is			UEPBX	USAC2		0.10	0.10								
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -															
 	Switch with change			UEPBX	USACC		0.10	0.10			ļ					
ADDI	TIONAL NRCs	-			+						 	-				
	2-Wire Voice Grade Loop/Line Port Combination - Subsequent Activity			UEPBX	USAS2		0.00	0.00								
	Unbundled Miscellaneous Rate Element, Tag Loop at End User			OLI DA	00A0Z		0.00	0.00								
	Premise			UEPBX	URETL		8.33	0.83								
OFF/	ON PREMISES EXTENSION CHANNELS															

JNBUNDL	.ED NETWORK ELEMENTS - Alabama													ment: 2		bit: A
										<u> </u>	Svc Order	Svc Order	Incremental	Incremental	Incremental	Incrementa
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Sv
CATEGORY	RATE ELEMENTS		Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m						.,,			per Lor	per Loix	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
							Nonrec	urring	Nonrecurring	Disconnect			oss	Rates (\$)		
1						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2 Wire Analog Voice Grade Extension Loop – Non-Design		1	UEPBX	UEAEN	12.58	37.81	17.56		5.30	COMILO	COMPAN	COMPAR	COMPAN	COMPAR	COMPAR
-	2 Wire Analog Voice Grade Extension Loop – Non-Design		2	UEPBX	UEAEN	21.05	37.81	17.56	23.49	5.30						
				UEPBX	UEAEN		37.81		23.49		-					
	2 Wire Analog Voice Grade Extension Loop – Non-Design		3			34.34		17.56		5.30	ļ		ļ			
	2 Wire Analog Voice Grade Extension Loop – Design		1	UEPBX	UEAED	14.38	88.00	55.00	47.24	7.44						
	2 Wire Analog Voice Grade Extension Loop – Design		2	UEPBX	UEAED	22.85	88.00	55.00	47.24	7.44						
	2 Wire Analog Voice Grade Extension Loop – Design		3	UEPBX	UEAED	36.14	88.00	55.00	47.24	7.44						
INTE	ROFFICE TRANSPORT															
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility															
	Termination			UEPBX	U1TV2	21.13	40.54	27.41	16.74	6.90						
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile						i						1			
1	or Fraction Mile			UEPBX	U1TVM	0.008838	0.00	0.00				l				1
2-W	RE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES - PBX)		t —		C 71VI	3.300000	0.00	0.00			1		t			
	Port/Loop Combination Rates	 	 	 	+		+				1		t	 	 	
UNE		-	1	 	+	10.70			1		1	 	 	-	-	
	2-Wire VG Loop/Port Combo - Zone 1	-	1	 		12.70					 	-	 			.
	2-Wire VG Loop/Port Combo - Zone 2		2			21.19					.	ļ				
	2-Wire VG Loop/Port Combo - Zone 3		3	L		34.80					.					ļ
UNE	Loop Rates															
	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEPRG	UEPLX	11.55										
	2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEPRG	UEPLX	20.04										
	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEPRG	UEPLX	33.65										
2-W	re Voice Grade Line Port Rates (RES - PBX)						i						1			
	2-Wire VG Unbundled Combination 2-Way PBX Trunk Port -															
	Res			UEPRG	UEPRD	1.15	69.08	32.41	37.43	6.20						
1.00	AL NUMBER PORTABILITY		 	CELLICO	OLITO	1.10	00.00	02.71	07.40	0.20						
	Local Number Portability (1 per port)		1	UEPRG	LNPCP	3.15	0.00	0.00			1		 			
	TURES		<u> </u>	UEFRG	LINPUP	3.13	0.00	0.00								
FEA		-	ļ	LIEBBO		4.00					ļ					
	All Features Offered			UEPRG	UEPVF	1.98	0.00	0.00								
NON	RECURRING CHARGES (NRCs) - CURRENTLY COMBINED										ļ					
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -															
	Conversion - Switch-As-Is			UEPRG	USAC2		7.91	1.90								
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -															
	Conversion - Switch with Change			UEPRG	USACC		7.81	1.90								
ADD	ITIONAL NRCs						i						1			
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -										1		1			
	Subsequent Activity			UEPRG	USAS2	0.00	0.00	0.00								
-	PBX Subsequent Activity - Change/Rearrange Multiline Hunt		 	OLI KO	00/102	0.00	0.00	0.00								
	Group		1	İ			7.32	7.32				1	1	1	1	I
		-	+	_	+		1.32	1.32	-		 	-	 			-
	Unbundled Miscellaneous Rate Element, Tag Loop at End User		1	LIEDDO	LIDET		2.00	0.00				1	1	1	1	I
	Premise		!	UEPRG	URETL		8.33	0.83								
OFF	ON PREMISES EXTENSION CHANNELS										ļ					
	Local Channel Voice grade, per termination		1	UEPRG	P2JHX	14.38	88.00	55.00		7.44						
	Local Channel Voice grade, per termination		2	UEPRG	P2JHX	22.85	88.00	55.00	47.24	7.44						
	Local Channel Voice grade, per termination		3	UEPRG	P2JHX	36.14	88.00	55.00	47.24	7.44						
	Non-Wire Direct Serve Channel Voice Grade		1	UEPRG	SDD2X	22.41	131.60	61.92	90.50	13.40						
	Non-Wire Direct Serve Channel Voice Grade		2	UEPRG	SDD2X	23.88	131.60	61.92	90.50	13.40		i		l	l	i
1	Non-Wire Direct Serve Channel Voice Grade		3	UEPRG	SDD2X	33.72	131.60	61.92		13.40	Ì	i	1	i	i	i
INTE	ROFFICE TRANSPORT		Ť	1		002	.000	052	55.50	.5.10	1	1	1	l	l	t
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility		t	†	+	1	- t				1	1	1	1	1	i
	Termination		1	UEPRG	U1TV2	21.13	40.54	27.41	16.74	6.90		1	1	1	1	I
			-	OLFRO	UIIVZ	21.13	40.04	21.41	10.74	6.90	1	-	 			-
1	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile			LIEDDO		0.00000						l				1
	or Fraction Mile		 	UEPRG	U1TVM	0.008838	0.00	0.00			.	ļ				
	RE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)		<u> </u>	ļ							ļ	ļ				
UNE	Port/Loop Combination Rates															
	2-Wire VG Loop/Port Combo - Zone 1		1			12.70										
	2-Wire VG Loop/Port Combo - Zone 2		2			21.19										
	2-Wire VG Loop/Port Combo - Zone 3		3			34.80								1	1	ĺ
													1			
LINE						ĺ	Î									
UNE	Loop Rates [2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEPPX	UEPLX	11.55										

UNBUNDLE	D NETWORK ELEMENTS - Alabama												Attach	ment: 2	Exhi	bit: A
											Svc Order	Svc Order	Incremental		Incremental	Incremental
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
	_	Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
							Nonrec	urring	Nonrecurring	Disconnect		<u> </u>	220	Rates (\$)		L
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEPPX	UEPLX	33.65	11130	Auu	11130	Auu	CONIEC	COMPAR	COMPAR	COMPAR	COMPAR	COMPAR
2-Wire	Voice Grade Line Port Rates (BUS - PBX)					20.00										
	, , ,															
	Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus			UEPPX	UEPPC	1.15	69.08	32.41	37.43	6.20						
	Line Side Unbundled Outward PBX Trunk Port - Bus			UEPPX	UEPPO	1.15	69.08	32.41	37.43	6.20						
	Line Side Unbundled Incoming PBX Trunk Port - Bus			UEPPX	UEPP1	1.15	69.08	32.41	37.43	6.20						
	2-Wire Voice Unbundled 2-Way Combination PBX Alabama				l											
	Calling Port			UEPPX	UEPA2	1.15	69.08	32.41	37.43	6.20						
	2-Wire Voice Unbundled PBX LD Terminal Ports			UEPPX	UEPLD	1.15	69.08	32.41	37.43	6.20						
\vdash	2-Wire Voice Unbundled 2-Way Combination PBX Usage Port 2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports	!		UEPPX UEPPX	UEPXA UEPXB	1.15 1.15	69.08 69.08	32.41 32.41	37.43 37.43	6.20 6.20	-	-			-	
	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports 2-Wire Voice Unbundled PBX LD DDD Terminals Port	 		UEPPX	UEPXB	1.15	69.08	32.41	37.43	6.20			 	 		
	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port	1		UEPPX	UEPXD	1.15	69.08	32.41	37.43	6.20		†	1	1		1
	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD	l			1	0	55.55	02.71	50	0.20			1	1		
	Capable Port	1		UEPPX	UEPXE	1.15	69.08	32.41	37.43	6.20	1					
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy															
	Administrative Calling Port			UEPPX	UEPXL	1.15	69.08	32.41	37.43	6.20						
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy															
	Room Calling Port			UEPPX	UEPXM	1.15	69.08	32.41	37.43	6.20						
	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital															
	Discount Room Calling Port			UEPPX	UEPXO	1.15	69.08	32.41	37.43	6.20						
LOCAL	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port NUMBER PORTABILITY			UEPPX	UEPXS	1.15	69.08	32.41	37.43	6.20						
LOCAL	Local Number Portability (1 per port)			UEPPX	LNPCP	3.15	0.00	0.00								
FEATL				OLITA	LIVI OI	3.13	0.00	0.00								
ILAIC	All Features Offered			UEPPX	UEPVF	1.98	0.00	0.00								
NONRI	ECURRING CHARGES (NRCs) - CURRENTLY COMBINED						0.00									
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -															
	Conversion - Switch-As-Is			UEPPX	USAC2		7.91	1.90								
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -															
	Conversion - Switch with Change			UEPPX	USACC		7.91	1.90								
ADDIT	IONAL NRCs															
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -			UEPPX	USAS2	0.00	0.00	0.00								
	Subsequent Activity PBX Subsequent Activity - Change/Rearrange Multiline Hunt			UEFFA	USASZ	0.00	0.00	0.00								
	Group						7.32	7.32								
	Unbundled Miscellaneous Rate Element, Tag Loop at End User						7.02	7.02								
	Premise			UEPPX	URETL		8.33	0.83								
OFF/O	N PREMISES EXTENSION CHANNELS															
	Local Channel Voice grade, per termination		1	UEPPX	P2JHX	14.38	88.00	55.00	47.24	7.44						
	Local Channel Voice grade, per termination		2	UEPPX	P2JHX	22.85	88.00	55.00	47.24	7.44						
	Local Channel Voice grade, per termination		3	UEPPX	P2JHX	36.14	88.00	55.00	47.24	7.44						
	Non-Wire Direct Serve Channel Voice Grade	!	1	UEPPX	SDD2X	22.41	131.60	61.92	90.50	13.40						
\vdash	Non-Wire Direct Serve Channel Voice Grade	!	2	UEPPX	SDD2X	23.88	131.60	61.92	90.50	13.40	 		!	!		
INTER	Non-Wire Direct Serve Channel Voice Grade OFFICE TRANSPORT	-	3	UEPPX	SDD2X	33.72	131.60	61.92	90.50	13.40	-				-	
INTER	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility	1			+							1	 	 		
	Termination	1		UEPPX	U1TV2	21.13	40.54	27.41	16.74	6.90						
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile				7	210	10.04	2,,41	.5.74	0.00						
	or Fraction Mile	1		UEPPX	U1TVM	0.008838	0.00	0.00			1					
	VOICE GRADE LOOP WITH 2-WIRE ANALOG LINE COIN POR	RT														
UNE P	ort/Loop Combination Rates							•		•						
	2-Wire VG Coin Port/Loop Combo – Zone 1		1		1	12.70										
\vdash	2-Wire VG Coin Port/Loop Combo – Zone 2		2			21.19										
	2-Wire VG Coin Port/Loop Combo – Zone 3		3			34.80										
UNE L	oop Rates 12 Wire Voice Grade Leep (SL1) - Zone 1	 	1	UEPCO	UEPLX	11.55						-				-
\vdash	2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2	-	2	UEPCO	UEPLX	20.04					 	-				
 	2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3	1	3	UEPCO	UEPLX	33.65						1	 	 		
	Z TYTIC TOICE CIAGE LOOP (OLI) - ZOILE S		J	OL: 00	OLI LA	55.05			i		L	1	i	i		L

NBUNDI	LED	NETWORK ELEMENTS - Alabama													ment: 2		ibit: A
ATEGORY	′	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			l l	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
								Nonrec	urring	Nonrecurring	Disconnect	İ		oss	Rates (\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
2-W	ire V	oice Grade Line Ports (COIN)														ĺ	Ī
	2	2-Wire Coin 2-Way without Operator Screening and without															Ĭ .
		Blocking (AL, KY, LA, MS)			UEPCO	UEPRF	1.15	40.19	19.83	24.91	6.63						
		2-Wire Coin 2-Way with Operator Screening (AL, KY)			UEPCO	UEPRE	1.15	40.19	19.83	24.91	6.63						
		2-Wire Coin 2-Way with Operator Screening and Blocking: 011,						40.40									
		200/976, 1+DDD (AL, KY, LA, MS) 2-Wire Coin 2-Way with Operator Screening and 011 Blocking		-	UEPCO	UEPRA	1.15	40.19	19.83	24.91	6.63						
		AL, LA, MS)			UEPCO	UEPRB	1.15	40.19	19.83	24.91	6.63						
-		2-Wire Coin 2-Way with Operator Screening & Blocking:			OLFCO	OLFRD	1.13	40.19	19.03	24.51	0.03	1					
		900/976, 1+DDD, 011+, & Local (AL, KY, LA, MS)			UEPCO	UEPCD	1.15	40.19	19.83	24.91	6.63						
		2-Wire Coin Outward with Operator Screening and 011 Blocking			02. 00	02. 02	0	10.10	10.00	2	0.00						
	(AL, FL)			UEPCO	UEPRK	1.15	40.19	19.83	24.91	6.63	<u> </u>				<u></u>	<u></u>
		2-Wire Coin Outward with Operator Screening and Blocking:															
		011, 900/976, 1+DDD (AL, KY, LA, MS)			UEPCO	UEPRH	1.15	40.19	19.83	24.91	6.63						
		2-Wire Coin Outward Operator Screening & Blocking: 900/976,															
_		1+DDD, 011+, and Local (AL, KY, LA, MS)			UEPCO	UEPCN	1.15	40.19	19.83	24.91	6.63	ļ					
_		2-Wire 2-Way Smartline with 900/976 (all states except LA) 2-Wire Coin Outward Smartline with 900/976 (all states except		-	UEPCO	UEPCK	1.15	40.19	19.83	24.91	6.63	.					
		LA)			UEPCO	UEPCR	1.15	40.19	19.83	24.91	6.63						
ADE		DNAL UNE COIN PORT/LOOP (RC)			OLI CO	OLI OIX	1.10	40.13	19.05	24.51	0.03						
7.5-		JNE Coin Port/Loop Combo Usage (Flat Rate)			UEPCO	URECU	1.56	0.00	0.00	0.00	0.00	†					<u> </u>
LOC	CALI	NUMBER PORTABILITY															
		Local Number Portability (1 per port)			UEPCO	LNPCX	0.35										
NON		CURRING CHARGES - CURRENTLY COMBINED															
		2-Wire Voice Grade Loop / Line Port Combination - Conversion -															
_		Switch-as-is			UEPCO	USAC2		0.10	0.10			ļ					
		2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch with change			UEPCO	USACC		0.10	0.10								
ADE		NAL NRCs			OLFCO	USACC		0.10	0.10	1		1					
7,51		2-Wire Voice Grade Loop/Line Port Combination - Subsequent				+ +											
		Activity			UEPCO	USAS2		0.00	0.00								
	ι	Jnbundled Miscellaneous Rate Element, Tag Loop at End User															1
		Premise			UEPCO	URETL		8.33	0.83								
		VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE	LINE F	PORT (I	RES)												
UNE		rt/Loop Combination Rates		_		+	45.70										
-		2-Wire VG Loop/IO Tranport/Port Combo - Zone 1 2-Wire VG Loop/IO Tranport/Port Combo - Zone 2		1 2		+	15.76 24.23			-							
-		2-Wire VG Loop/IO Tranport/Port Combo - Zone 3		3		+ -	37.52										
UNE		pp Rates		Ť			01.02					1					
	2	2-Wire Voice Grade Loop (SL2) - Zone 1		1	UEPFR	UECF2	14.38										
	2	2-Wire Voice Grade Loop (SL2) - Zone 2		2	UEPFR	UECF2	22.85										
		2-Wire Voice Grade Loop (SL2) - Zone 3		3	UEPFR	UECF2	36.14										
2-W		oice Grade Line Port Rates (Res)			LIEBER	LUEBBI	1.00			10.00							ļ
		2-Wire voice unbundled port - residence			UEPFR	UEPRL	1.38	90.38	57.27	48.66	8.77	ļ					
-		2-Wire voice unbundled port with Caller ID - res 2-Wire voice unbundled port outgoing only - res		-	UEPFR UEPFR	UEPRC UEPRO	1.38 1.38	90.38 90.38	57.27 57.27	48.66 48.66	8.77 8.77	.					
+		2-Wire voice dribundled port outgoing only - res			UEPFR	UEPRO	1.30	90.36	51.21	40.00	0.77						
		parity port with Caller ID - res			UEPFR	UEPAR	1.38	90.38	57.27	48.66	8.77						
		2-Wire voice unbundles res, low usage line port with Caller ID						22.00		.5.00	2					İ	
		LUM)			UEPFR	UEPAP	1.38	90.38	57.27	48.66	8.77	<u> </u>				<u> </u>	<u></u>
		2-Wire Voice Unbundled Alabama Residence Dialing Plan															
		without Caller ID			UEPFR	UEPWA	1.38	90.38	57.27	48.66	8.77					L	<u> </u>
INT		FFICE TRANSPORT															
		nteroffice Transport - Dedicated - 2 Wire Voice Grade - Facility			LIEDED	11471/0	04.40	40.54	07.44	40.74	0.00						
-		Fermination nteroffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile			UEPFR	U1TV2	21.13	40.54	27.41	16.74	6.90						
		or Fraction Mile			UEPFR	1L5XX	0.008838										
FEA	ATUR				SE. 110	.20/01	0.000000			<u> </u>							
		All Features Offered		-	UEPFR	UEPVF	1.98	0.00	0.00	 		 				—	+

NROND	LED	NETWORK ELEMENTS - Alabama													ment: 2	1	ibit: A
ATEGOR	Υ	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Charge -	Increments Charge - Manual Sv Order vs. Electronic Disc Add
								Names		l Names a comina	Diagramat						
				-			Rec	Nonrec		Nonrecurring		001150	001441		Rates (\$)	001441	001111
10	CAL	NUMBER PORTABILITY				+		First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
LO		Local Number Portability (1 per port)		-	UEPFR	LNPCX	0.35			-							1
NO		CURRING CHARGES (NRCs) - CURRENTLY COMBINED		-	UEPFK	LINPUX	0.33			+ + + + + + + + + + + + + + + + + + +					-		
NO		2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port		-		+				+ + + + + + + + + + + + + + + + + + +					-		1
		Combination - Conversion - Switch-as-is			UEPFR	USAC2		8.48	1.87								
		2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port			OLITIK	00/102		0.40	1.07								†
		Combination - Conversion - Switch-With-Change			UEPFR	USACC		8.48	1.87								
		Unbundled Miscellaneous Rate Element, Tag Designed Loop at			OLITIK	00/100		0.40	1.07						1		1
		End User Premise			UEPFR	URETN		11.21	1.10								
2-V		VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE	I INF F	ORT (U.V.Z.I.V									1		1
		rt/Loop Combination Rates		1	1												i e
- I		2-Wire VG Loop/IO Tranport/Port Combo - Zone 1		1	İ	1	15.76								1		†
		2-Wire VG Loop/IO Tranport/Port Combo - Zone 2		2			24.23										i e
		2-Wire VG Loop/IO Tranport/Port Combo - Zone 3		3		1	37.52			† †					t		
UN		op Rates															i e
1-7		2-Wire Voice Grade Loop (SL2) - Zone 1		1	UEPFB	UECF2	14.38					1			1		1
		2-Wire Voice Grade Loop (SL2) - Zone 2		2	UEPFB	UECF2	22.85										
		2-Wire Voice Grade Loop (SL2) - Zone 3		3	UEPFB	UECF2	36.14										
2-V		/oice Grade Line Port (Bus)															İ
		2-Wire voice unbundled port without Caller ID - bus			UEPFB	UEPBL	1.38	90.38	57.27	48.66	8.77						
		2-Wire voice unbundled port with Caller + E484 ID - bus			UEPFB	UEPBC	1.38	90.38	57.27	48.66	8.77						
		2-Wire voice unbundled port outgoing only - bus			UEPFB	UEPBO	1.38	90.38	57.27	48.66	8.77						1
		2-Wire voice Grade unbundled Alabama extended local dialing															1
	lı	parity port with Caller ID - bus			UEPFB	UEPAW	1.38	90.38	57.27	48.66	8.77						
		2-Wire voice unbundled incoming only port with Caller ID - Bus			UEPFB	UEPB1	1.38	90.38	57.27	48.66	8.77						
		2-Wire Voice Unbundled Alabama Business Dialing Plan without															
		Caller ID			UEPFB	UEPWB	1.38	90.38	57.27	48.66	8.77						
LO	CAL	NUMBER PORTABILITY															
		Local Number Portability (1 per port)			UEPFB	LNPCX	0.35										
INT		FFICE TRANSPORT															
		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility															
		Termination			UEPFB	U1TV2	21.13	40.54	27.41	16.74	6.90						
		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile															
		or Fraction Mile			UEPFB	1L5XX	0.008838										
FE	ATUF																
		All Features Offered		<u> </u>	UEPFB	UEPVF	1.98	0.00	0.00	 						ļ	
NO		CURRING CHARGES (NRCs) - CURRENTLY COMBINED															
		2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port															
		Combination - Conversion - Switch-as-is		-	UEPFB	USAC2		8.48	1.87						 	1	
		2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port			LIEDED				4 ==						1		
$-\!\!\!+\!\!\!\!-$		Combination - Conversion - Switch with change		-	UEPFB	USACC		8.48	1.87						 	1	
		Unbundled Miscellaneous Rate Element, Tag Designed Loop at			HEDED	LIDETN		44.04	4.40								
2 14		End User Premise VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE	LINE	OPT /	UEPFB	URETN		11.21	1.10	 					 	1	├──
			LINE	-UKI (rda)	+				 					 	1	├──
UN		rt/Loop Combination Rates 2-Wire VG Loop/IO Tranport/Port Combo - Zone 1		1	-	+	15.76			 					 	-	-
+		2-Wire VG Loop/IO Tranport/Port Combo - Zone 1 2-Wire VG Loop/IO Tranport/Port Combo - Zone 2		2	 	+	24.23	-		 		-			+	1	1
+		2-Wire VG Loop/IO Tranport/Port Combo - Zone 2 2-Wire VG Loop/IO Tranport/Port Combo - Zone 3		3	 	+	37.52			 		-			+	1	
LIN		op Rates		J	 	+	31.32			 		-			+	1	1
0.14		2-Wire Voice Grade Loop (SL2) - Zone 1		1	UEPFP	UECF2	14.38			 					t	1	
-		2-Wire Voice Grade Loop (SL2) - Zone 2		2	UEPFP	UECF2	22.85								t	1	1
		2-Wire Voice Grade Loop (SL2) - Zone 2		3	UEPFP	UECF2	36.14								t		t
2-V		/oice Grade Line Port Rates (BUS - PBX)		٦		02012	55.14								t		
	T														<u> </u>		
	l,	Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus			UEPFP	UEPPC	1.38	119.27	69.85	61.18	8.34				1		
\neg	T i	Line Side Unbundled Outward PBX Trunk Port - Bus			UEPFP	UEPPO	1.38	119.27	69.85	61.18	8.34				t		
\neg	T i	Line Side Unbundled Incoming PBX Trunk Port - Bus			UEPFP	UEPP1	1.38	119.27	69.85	61.18	8.34	1			1		1
\neg		2-Wire Voice Unbundled 2-Way Combination PBX Alabama			İ											1	1
- 1		Calling Port		1	UEPFP	UEPA2	1.38	119.27	69.85	61.18	8.34	I	1		1	1	1

UNBUND	DLE	NETWORK ELEMENTS - Alabama													ment: 2		bit: A
	П											Svc Order	II .			Incremental	Incremental
												Submitted	II .	Charge -	Charge -	Charge -	Charge -
CATEGGE	.,	DATE EL EMENTO	Interi	7	F00	11000			DATES (A)			Elec	Manually	Manual Svc	Manual Svc		Manual Svc
CATEGOR	K Y	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			1	1	1									Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							_	Nonrec	urring	Nonrecurring	Disconnect		I	oss	Rates (\$)		1
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		2-Wire Voice Unbundled PBX LD Terminal Ports			UEPFP	UEPLD	1.38	119.27	69.85	61.18	8.34						
		2-Wire Voice Unbundled 2-Way Combination PBX Usage Port			UEPFP	UEPXA	1.38	119.27	69.85	61.18	8.34						
		2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports			UEPFP	UEPXB	1.38	119.27	69.85	61.18	8.34						
\vdash		2-Wire Voice Unbundled PBX LD DDD Terminals Port			UEPFP UEPFP	UEPXC	1.38	119.27	69.85	61.18	8.34		1				
\vdash		2-Wire Voice Unbundled PBX LD Terminal Switchboard Port 2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD			UEPFP	UEPXD	1.38	119.27	69.85	61.18	8.34		 				
		Capable Port			UEPFP	UEPXE	1.38	119.27	69.85	61.18	8.34						
		2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy			CEITT	OLI AL	1.00	110.27	00.00	01.10	0.04						
		Administrative Calling Port			UEPFP	UEPXL	1.38	119.27	69.85	61.18	8.34						
		2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy															
		Room Calling Port			UEPFP	UEPXM	1.38	119.27	69.85	61.18	8.34						
	П	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital	l														
\vdash		Discount Room Calling Port		<u> </u>	UEPFP	UEPXO	1.38	119.27	69.85	61.18	8.34		ļ				
- -		2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port		<u> </u>	UEPFP	UEPXS	1.38	119.27	69.85	61.18	8.34						1
LO		NUMBER PORTABILITY		1	UEPFP	LNPCP	2.15	0.00	0.00								
IN.		Local Number Portability (1 per port) PFICE TRANSPORT	-	 	ULPFF	LINFUF	3.15	0.00	0.00							 	
		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility	1	 	†							t	1			1	
		Termination			UEPFP	U1TV2	21.13	40.54	27.41	16.74	6.90						
		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile															
		or Fraction Mile			UEPFP	1L5XX	0.008838										
FE	ATU																
<u> </u>		All Features Offered			UEPFP	UEPVF	1.98	0.00	0.00								
NO		CURRING CHARGES (NRCs) - CURRENTLY COMBINED															
		2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port Combination - Conversion - Switch-as-is			UEPFP	USAC2		8.48	4.07								
		2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port		<u> </u>	UEPFP	USACZ		8.48	1.87								
		Combination - Conversion - Switch with change			UEPFP	USACC		8.48	1.87								
		Unbundled Miscellaneous Rate Element, Tag Designed Loop at			02	00/100		0.10	1.07								
		End User Premise			UEPFP	URETN		11.21	1.10								
		ORT/LOOP COMBINATIONS - COST BASED RATES															
		VOICE GRADE LOOP- BUS ONLY - WITH 2-WIRE DID TRUNK	PORT														
UN		rt/Loop Combination Rates															
		2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 1		1			22.40										
\vdash		2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 2 2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 3		2		-	30.88 44.17										
LIN		op Rates	1	3	 	+	44.17					 	1			 	1
UN		2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 1	-	1	UEPPX	UECD1	14.38			 		 	1				-
\vdash		2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 2	l	2	UEPPX	UECD1	22.85									1	1
		2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 3		3	UEPPX	UECD1	36.14										İ
UN	NE Po	rt Rate							-								
\vdash		Exchange Ports - 2-Wire DID Port			UEPPX	UEPD1	8.02	207.31	73.74	107.14	11.20						
NO		CURRING CHARGES - CURRENTLY COMBINED	ļ	<u> </u>		_						1					
		2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Combination -		1	LIEDDY	110404		701	4.6=								
\vdash		Switch-as-is 2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Conversion	-	 	UEPPX	USAC1		7.31	1.87	-			-	-	-		1
		with BellSouth Allowable Changes			UEPPX	USA1C		7.31	1.87								
ΔГ		DNAL NRCs	1	 	OLI I A	00/110		7.51	1.07			t	1			1	
		2-Wire DID Subsequent Activity - Add Trunks, Per Trunk	l	t	UEPPX	USAS1		26.78	26.78							1	1
		Unbundled Miscellaneous Rate Element, Tag Designed Loop at	i	i i	İ					i i			Ì				
		End User Premise		<u> </u>	UEPPX	URETN		11.21	1.10								
Te	lepho	one Number/Trunk Group Establisment Charges							· · · · ·		· · · · ·						
\vdash		DID Trunk Termination (One Per Port)		<u> </u>	UEPPX	NDT	0.00	0.00	0.00								
\vdash		Additional DID Numbers for each Group of 20 DID Numbers		<u> </u>	UEPPX	ND4	0.00	0.00	0.00								
\vdash		DID Numbers, Non- consecutive DID Numbers , Per Number	-	 	UEPPX UEPPX	ND5	0.00	0.00	0.00			1	1			 	1
		Reserve Non-Consecutive DID numbers	 	 	UEPPX	ND6 NDV	0.00	0.00	0.00	+		-	1			-	1
\vdash																	
10		Reserve DID Numbers NUMBER PORTABILITY			OLITA	INDV	0.00	0.00	0.00								İ

UNBUND	DLED NETWORK ELEMENTS - Alabama													Attach	ment: 2	Exhi	bit: A
												Svc Order	Svc Order	Incremental		Incremental	Incremental
												Submitted	Submitted	_	Charge -	Charge -	Charge -
CATEGORY	DATE EL EMENTO	Interi		١ ـ		11000			DATEO (6)			Elec		Manual Svc			Manual Svc
CATEGORY	RY RATE ELEMENTS	m	Zone	"	CS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
			1				B	Nonrec	urring	Nonrecurring	Disconnect		l .	oss	Rates (\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	WIRE ISDN DIGITAL GRADE LOOP WITH 2-WIRE ISDN DIGI	TAL LINE SID	E PORT	Γ													
UNE	NE Port/Loop Combination Rates		-														\vdash
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side P UNE Zone 1		1	UEPPB	UEPPR		27.28										
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side P UNE Zone 2		2	UEPPB	UEPPR		37.86										
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side P	ort -															i I
<u> </u>	UNE Zone 3		3	UEPPB	UEPPR		53.84										\vdash
UNE	NE Loop Rates		<u> </u>		LIEBBB		10.00										
	2-Wire ISDN Digital Grade Loop - UNE Zone 1		1	UEPPB	UEPPR	USL2X	19.03					-			-		
	2-Wire ISDN Digital Grade Loop - UNE Zone 2		2	UEPPB	UEPPR	USL2X	29.62								1		į l
	2-Wire ISDN Digital Grade Loop - UNE Zone 3		3	UEPPB	UEPPR	USL2X	45.60					t			†	1	
UNE	NE Port Rate	İ	Ť	1			12.00								1		
	Exchange Port - 2-Wire ISDN Line Side Port			UEPPB	UEPPR	UEPPB	8.24	190.01	132.76	100.67	21.28						
NO	ONRECURRING CHARGES - CURRENTLY COMBINED																
	2-Wire ISDN Digital Grade Loop / 2-Wire ISDN Line Side F	Port															
	Combination - Conversion			UEPPB	UEPPR	USACB	0.00	38.51	27.02								
ADI	DDITIONAL NRCs		1														
	Unbundled Miscellaneous Rate Element, Tag Designed L End User Premise	•		UEPPB	UEPPR	URETN		11.21	1.10								
1 1	Unbundled Miscellaneous Rate Element, Tag Loop at Eng	d User		LIEDDD	LIEDDD	LIDETI		0.00	0.00								i l
100	Premise OCAL NUMBER PORTABILITY		1	UEPPB	UEPPR	URETL		8.33	0.83						-		
100	Local Number Portability (1 per port)	1	+	UEPPB	UEPPR	LNPCX	0.35	0.00	0.00			1			1		
B-C	-CHANNEL USER PROFILE ACCESS:		1	OLITB	OLITIK	LIVIOX	0.55	0.00	0.00						-		
	CVS/CSD (DMS/5ESS)		1	UEPPB	UEPPR	U1UCA	0.00	0.00	0.00						t		
	CVS (EWSD)			UEPPB	UEPPR	U1UCB	0.00	0.00	0.00								$\overline{}$
	CSD			UEPPB	UEPPR	U1UCC	0.00	0.00	0.00								
B-C	-CHANNEL AREA PLUS USER PROFILE ACCESS: (AL,KY,LA	,MS SC,MS, 8	k TN)														
	CVS/CSD (DMS/5ESS)			UEPPB	UEPPR	U1UCD	0.00	0.00	0.00								ullet
	CVS (EWSD)		1	UEPPB	UEPPR	U1UCE	0.00	0.00	0.00			-			1		
lie	CSD SER TERMINAL PROFILE		1	UEPPB	UEPPR	U1UCF	0.00	0.00	0.00			-			-		
031	User Terminal Profile (EWSD only)	1	+	UEPPB	UEPPR	U1UMA	0.00	0.00	0.00			1			1		
VER	ERTICAL FEATURES		1	OLITE	OLITIK	O TOWN C	0.00	0.00	0.00								
	All Vertical Features - One per Channel B User Profile		1	UEPPB	UEPPR	UEPVF	1.98	0.00	0.00								
INT	ITEROFFICE CHANNEL MILEAGE																
	Interoffice Channel mileage each, including first mile and																
	facilities termination				UEPPR	M1GNC	21.13	40.54	27.41	16.74	6.90		ļ		1		
<u> </u>	Interoffice Channel mileage each, additional mile	TRUMUK BEST	1	UEPPB	UEPPR	M1GNM	0.008838	0.00	0.00			1				ļ	\vdash
	WIRE DS1 DIGITAL LOOP WITH 4-WIRE ISDN DS1 DIGITAL he UNE-P DS1 combination rates below for 4-Wire DS1 Digit			SDN DS1	Digital Tru	k Port in thi	is rate exhibit a	nnly to the om	haddad haca i	n nlace as of 1	0/2/03 until 4/	I/O/ After /	/1/0/ these	rates shall ro	Vert to tariff r	toe or a cona	rate
l l	ne ONE-P DS1 combination rates below for 4-Wire DS1 Digiti greement.	ai Loop with 2	WITE I	ופט אוטט	Pigital ITU	IK FUIL III (NI	is rate exilibit a	ppry to trie em	bedued base I	ii piace as of 1	5,2,03 unu 4/	704. AILEF 4	, ,/04 tile50	iares siigii L6,	vert to tarrif fa	пез от а зера	ale
	greement. equests for 4-Wire DS1 Digital Loop with 4-Wire ISDN DS1 D	igital Trunk P	ort afte	r the effec	tive date o	f this amend	ment shall he n	rovided nursi	ant to a senar	ate agreement	or tariff at Rel	South's di	scretion	1	1	I	
	NE Port/Loop Combination Rates	-gui iiuiiki	J. t uite	110 01100		io amena	o.it onan be p		to a sepai	are agreement	C. Janni at Bei	- Country un			—		\vdash
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - L	JNE	1	1												İ	
	Zone 1		1	UEPPP			166.87				<u></u>					<u></u>	<u> </u>
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - U Zone 2	JNE	2	UEPPP			238.50										
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - L Zone 3	JNE	3	UEPPP			398.85										
UNE	NE Loop Rates		-	OLI'FF			390.03					-	 		t		
	4-Wire DS1 Digital Loop - UNE Zone 1	1	1	UEPPP		USL4P	82.55					1			1		
	4-Wire DS1 Digital Loop - UNE Zone 2		2	UEPPP		USL4P	154.18								1		
	4-Wire DS1 Digital Loop - UNE Zone 3		3	UEPPP		USL4P	314.52										
UNE	NE Port Rate								-								
\vdash	Exchange Ports - 4-Wire ISDN DS1 Port (E:4/1/2004)			UEPPP		UEPPP	84.32	456.28	259.10	123.88	31.77						-
INO	ONRECURRING CHARGES - CURRENTLY COMBINED		<u> </u>	1		l				l			l		L	l	

UNBL	JNDLED	NETWORK ELEMENTS - Alabama												Attach	ment: 2	Exhib	bit: A
												Svc Order	Svc Order	Incremental		Incremental	Incremental
												Submitted	Submitted		Charge -	Charge -	Charge -
			Intori									Elec		Manual Svc	Manual Svc		Manual Svc
CATEG	SORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
												p	F	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
	1						Rec	Nonrec		Nonrecurring					Rates (\$)		
		1 M						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		4-Wire DS1 Digital Loop / 4-Wire ISDN DS1 Digital Trunk Port			UEPPP	LIGAGE	0.00	440.07	70.50								
		Combination - Conversion -Switch-as-is (E:4/1/2004) DNAL NRCs	ļ		UEPPP	USACP	0.00	119.07	78.56							\longrightarrow	
		4-Wire DS1 Loop/4-W ISDN Digtl Trk Port - Subsqt Actvy-	1													\vdash	
		Inward/two way Tel Nos. (except NC)			UEPPP	PR7TF		0.49									
		4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trunk Port -	1		UEPPP	PK/IF		0.49								\vdash	
		Outward Tel Numbers (All States except NC)			UEPPP	PR7TO		11.51									
		4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trk Port -	1		OLITI	110710		11.51								 	
		Subsequent Inward Tel Numbers			UEPPP	PR7ZT		23.02									
—		NUMBER PORTABILITY			02			20.02									
		Local Number Portability (1 per port)			UEPPP	LNPCN	1.75										
		ACE (Provsioning Only)	l			1	0										
		Voice/Data	1		UEPPP	PR71V	0.00	0.00	0.00								
		Digital Data	1		UEPPP	PR71D	0.00	0.00	0.00								
		Inward Data			UEPPP	PR71E	0.00	0.00	0.00								
		Additional "B" Channel															
		New or Additional - Voice/Data B Channel			UEPPP	PR7BV	0.00	14.53									
		New or Additional - Digital Data B Channel			UEPPP	PR7BF	0.00	14.53									
		New or Additional Inward Data B Channel			UEPPP	PR7BD	0.00	14.53									
	CALL T																
L		Inward			UEPPP	PR7C1	0.00	0.00	0.00								
		Outward			UEPPP	PR7CO	0.00	0.00	0.00								
		Two-way			UEPPP	PR7CC	0.00	0.00	0.00								
		ce Channel Mileage															
		Fixed Each Including First Mile	ļ		UEPPP UEPPP	1LN1A	60.34	89.27	81.81	16.35	14.44						
		Each Airline-Fractional Additional Mile	ļ		UEPPP	1LN1B	0.18									\longrightarrow	
-		DS1 DIGITAL LOOP WITH 4-WIRE DDITS TRUNK PORT E-P DS1 combination rates below for 4-Wire DS1 Digital Loop	n with 4	Miro F	DITC Trunk Dort in	thic rote ovhi	hit annly to the	omboddod bo	oo in nloos oo	of 10/2/02	1 4/4/04 After	4/4/04 those	rotoo oboli	rovert to torif	f roton or a co	noroto ograci	nont
-		ts for 4-Wire DS1 Digital Loop with 4-Wire DDITS after the eff										4/ 1/04 these	rates stiali	revert to tarii	i rates or a se	parate agreen	nent.
\vdash		rt/Loop Combination Rates	I	late of	ins amenament sin	I be provide	u pursuant to a	i separate agre	ement or tarn	at Bellooutil s	uiscretion.						
		4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 1	1	1	UEPDC		142.64									 	
		4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 2		2	UEPDC		214.26										
		4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 3		3	UEPDC		374.61										
		op Rates	1	Ť		1	01.1101										
		4-Wire DS1 Digital Loop - UNE Zone 1		1	UEPDC	USLDC	82.55										
		4-Wire DS1 Digital Loop - UNE Zone 2		2	UEPDC			ı									
		4-Wire DS1 Digital Loop - UNE Zone 3				USLDC	154.18										
	1			3	UEPDC	USLDC											
		rt Rate		3	UEPDC	USLDC	154.18 314.52										
		4-Wire DDITS Digital Trunk Port (E:4/1/2004)		3			154.18	454.49	253.23	117.29	14.17						
L	NONRE	4-Wire DDITS Digital Trunk Port (E:4/1/2004) CURRING CHARGES - CURRENTLY COMBINED		3	UEPDC	USLDC	154.18 314.52	454.49	253.23	117.29	14.17						
	NONRE	4-Wire DDITS Digital Trunk Port (E:4/1/2004) CURRING CHARGES - CURRENTLY COMBINED 4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination		3	UEPDC UEPDC	USLDC UDD1T	154.18 314.52			117.29	14.17						
	NONRE	4-Wire DDITS Digital Trunk Port (E:4/1/2004) CURRING CHARGES - CURRENTLY COMBINED 4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination - Switch-as-is (E:4/1/2004)		3	UEPDC	USLDC	154.18 314.52	454.49 129.49	253.23 67.02	117.29	14.17						
	NONRE	4-Wire DDITS Digital Trunk Port (E:4/1/2004) CURRING CHARGES - CURRENTLY COMBINED 4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination - Switch-as-is (E:4/1/2004) 4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination		3	UEPDC UEPDC	USLDC UDD1T USAC4	154.18 314.52	129.49	67.02	117.29	14.17						
	NONRE	4-Wire DDITS Digital Trunk Port (E:4/1/2004) CURRING CHARGES - CURRENTLY COMBINED 4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination - Switch-as-is (E:4/1/2004) 4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination - Conversion with DS1 Changes (E:4/1/2004)		3	UEPDC UEPDC	USLDC UDD1T	154.18 314.52			117.29	14.17						
	NONRE	4-Wire DDITS Digital Trunk Port (E:4/1/2004) CURRING CHARGES - CURRENTLY COMBINED 4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination - Switch-as-is (E:4/1/2004) 4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination - Conversion with DS1 Changes (E:4/1/2004) 4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination		3	UEPDC UEPDC UEPDC UEPDC	USAC4 USAWA	154.18 314.52	129.49 129.49	67.02 67.02	117.29	14.17						
	NONRE	4-Wire DDITS Digital Trunk Port (E:4/1/2004) CURRING CHARGES - CURRENTLY COMBINED 4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination - Switch-as-is (E:4/1/2004) 4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination - Conversion with DS1 Changes (E:4/1/2004) 4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination - Conversion with Change - Trunk (E:4/1/2004)		3	UEPDC UEPDC	USLDC UDD1T USAC4	154.18 314.52	129.49	67.02	117.29	14.17						
	NONRE	4-Wire DDITS Digital Trunk Port (E:4/1/2004) CURRING CHARGES - CURRENTLY COMBINED 4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination - Switch-as-is (E:4/1/2004) 4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination - Conversion with DS1 Changes (E:4/1/2004) 4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination - Conversion with Change - Trunk (E:4/1/2004) DNAL NRCs		3	UEPDC UEPDC UEPDC UEPDC	USAC4 USAWA	154.18 314.52	129.49 129.49	67.02 67.02	117.29	14.17						
	NONRE	4-Wire DDITS Digital Trunk Port (E:4/1/2004) CURRING CHARGES - CURRENTLY COMBINED 4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination - Switch-as-is (E:4/1/2004) 4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination - Conversion with DS1 Changes (E:4/1/2004) 4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination - Conversion with Change - Trunk (E:4/1/2004) DNAL NRCs 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - NRC -		3	UEPDC UEPDC UEPDC UEPDC UEPDC	USAC4 USAWA USAWB	154.18 314.52	129.49 129.49 129.49	67.02 67.02	117.29	14.17						
	ADDITIO	4-Wire DDITS Digital Trunk Port (E:4/1/2004) CURRING CHARGES - CURRENTLY COMBINED 4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination - Switch-as-is (E:4/1/2004) 4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination - Conversion with DS1 Changes (E:4/1/2004) 4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination - Conversion with Change - Trunk (E:4/1/2004) DNAL NRCs - Wire DS1 Loop / 4-Wire DDITS Trunk Port - NRC - Subsequent Channel Activation/Chan - 2-Way Trunk		3	UEPDC UEPDC UEPDC UEPDC	USAC4 USAWA	154.18 314.52	129.49 129.49	67.02 67.02	117.29	14.17						
	ADDITIO	4-Wire DDITS Digital Trunk Port (E:4/1/2004) CURRING CHARGES - CURRENTLY COMBINED 4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination - Switch-as-is (E:4/1/2004) 4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination - Conversion with DS1 Changes (E:4/1/2004) 4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination - Conversion with Change - Trunk (E:4/1/2004) DNAL NRCs 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - NRC - Subsequent Channel Activation/Chan - 2-Way Trunk 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent		3	UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC	USAC4 USAWA USAWB	154.18 314.52	129.49 129.49 129.49	67.02 67.02 67.02	117.29	14.17						
	ADDITIO	4-Wire DDITS Digital Trunk Port (E:4/1/2004) CURRING CHARGES - CURRENTLY COMBINED 4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination - Switch-as-is (E:4/1/2004) 4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination - Conversion with DS1 Changes (E:4/1/2004) 4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination - Conversion with Change - Trunk (E:4/1/2004) DNAL NRCs 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - NRC - Subsequent Channel Activation/Chan - 2-Way Trunk 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent Channel Activation/Chan - 1-Way Outward Trunk		3	UEPDC UEPDC UEPDC UEPDC UEPDC	USAC4 USAWA USAWB	154.18 314.52	129.49 129.49 129.49	67.02 67.02	117.29	14.17						
	NONRE	4-Wire DDITS Digital Trunk Port (E:4/1/2004) CURRING CHARGES - CURRENTLY COMBINED 4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination - Switch-as-is (E:4/1/2004) 4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination - Conversion with DS1 Changes (E:4/1/2004) 4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination - Conversion with Change - Trunk (E:4/1/2004) DNAL NRCs 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - NRC - Subsequent Channel Activation/Chan - 2-Way Trunk 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent Channel Activation/Chan - 1-Way Outward Trunk 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent Channel Activation/Chan - 1-Way Outward Trunk 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsquent Channel Activation/Chan - 1-Way Outward Trunk		3	UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC	USAC4 USAWA USAWB UDTTA	154.18 314.52	129.49 129.49 129.49 14.48	67.02 67.02 67.02 14.48	117.29	14.17						
	NONRE	4-Wire DDITS Digital Trunk Port (E:4/1/2004) CURRING CHARGES - CURRENTLY COMBINED 4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination - Switch-as-is (E:4/1/2004) 4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination - Conversion with DS1 Changes (E:4/1/2004) 4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination - Conversion with Change - Trunk (E:4/1/2004) DNAL NRCS 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - NRC - Subsequent Channel Activation/Chan - 2-Way Trunk 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent Channel Activation/Chan - 1-Way Outward Trunk 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent Channel Activation/Chan - 1-Way Outward Trunk 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsquent Channel Netivation/Chan - 1-Way Outward Trunk Activation/Chan Inward Trunk Wout DID		3	UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC	USAC4 USAWA USAWB	154.18 314.52	129.49 129.49 129.49	67.02 67.02 67.02	117.29	14.17						
	ADDITIC	4-Wire DDITS Digital Trunk Port (E:4/1/2004) CURRING CHARGES - CURRENTLY COMBINED 4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination - Switch-as-is (E:4/1/2004) 4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination - Conversion with DS1 Changes (E:4/1/2004) 4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination - Conversion with Change - Trunk (E:4/1/2004) DNAL NRCS 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - NRC - Subsequent Channel Activation/Chan - 2-Way Trunk 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent Channel Activation/Chan - 1-Way Outward Trunk 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Channel Activation/Chan Inward Trunk Wout DID 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Channel Activation/Chan Inward Trunk Wout DID 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Channel Activation/Chan Inward Trunk Wout DID 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan		3	UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC	USAC4 USAWA USAWB UDTTA UDTTC	154.18 314.52	129.49 129.49 129.49 14.48 14.48	67.02 67.02 67.02 14.48 14.48	117.29	14.17						
	NONRE	4-Wire DDITS Digital Trunk Port (E:4/1/2004) CURRING CHARGES - CURRENTLY COMBINED - Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination - Switch-as-is (E:4/1/2004) - Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination - Conversion with DS1 Changes (E:4/1/2004) - Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination - Conversion with Change - Trunk (E:4/1/2004) - Conversion with Change - Trunk (E:4/1/2004) - Wire DS1 Loop / 4-Wire DDITS Trunk Port - NRC - Subsequent Channel Activation/Chan - 2-Way Trunk - Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent Channel Activation/Chan - 1-Way Outward Trunk - Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Channel - Activation/Chan Inward Trunk wiout DID - Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Channel - Activation Per Chan - Inward Trunk with DID		3	UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC	USAC4 USAWA USAWB UDTTA	154.18 314.52	129.49 129.49 129.49 14.48	67.02 67.02 67.02 14.48	117.29	14.17						
	ADDITIC	4-Wire DDITS Digital Trunk Port (E:4/1/2004) CURRING CHARGES - CURRENTLY COMBINED 4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination - Switch-as-is (E:4/1/2004) 4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination - Conversion with DS1 Changes (E:4/1/2004) 4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination - Conversion with Change - Trunk (E:4/1/2004) - Conversion with Change - Trunk (E:4/1/2004) - Wire DS1 Loop / 4-Wire DDITS Trunk Port - NRC - Subsequent Channel Activation/Chan - 2-Way Trunk - Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent Channel Activation/Chan - 1-Way Outward Trunk - Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Channel Activation/Chan Inward Trunk wout DID - Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan Activation Per Chan - Inward Trunk With DID - 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan - Activation Per Chan - Inward Trunk with DID - 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan - Activation Per Chan - Inward Trunk with DID - 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan		3	UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC	USAC4 USAWA USAWB UDTTA UDTTC	154.18 314.52	129.49 129.49 129.49 14.48 14.48	67.02 67.02 67.02 14.48 14.48	117.29	14.17						
	NONRE	4-Wire DDITS Digital Trunk Port (E:4/1/2004) CURRING CHARGES - CURRENTLY COMBINED - Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination - Switch-as-is (E:4/1/2004) - Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination - Conversion with DS1 Changes (E:4/1/2004) - Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination - Conversion with Change - Trunk (E:4/1/2004) - Conversion with Change - Trunk (E:4/1/2004) - Wire DS1 Loop / 4-Wire DDITS Trunk Port - NRC - Subsequent Channel Activation/Chan - 2-Way Trunk - Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent Channel Activation/Chan - 1-Way Outward Trunk - Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Channel - Activation/Chan Inward Trunk wiout DID - Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Channel - Activation Per Chan - Inward Trunk with DID		3	UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC	USAC4 USAWA USAWB UDTTA UDTTB UDTTC	154.18 314.52	129.49 129.49 129.49 14.48 14.48 14.48	67.02 67.02 67.02 14.48 14.48 14.48	117.29	14.17						

	D NETWORK ELEMENTS - Alabama												Attachi	ment: 2	Exhil	bit: A
regory	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			1	Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st		Incremental Charge -	Incremer Charge
					+	 	Nonre	curring	Nonrecurring	Disconnect			OSS	Rates (\$)		
					+	Rec	First	Add'l	First	Add'I	SOMEC	SOMAN		SOMAN	SOMAN	SOMA
	B8ZS - Extended Superframe Format			UEPDC	CCOEF		0.00i	600.00s	11130	Auui	JOINEC	JONAN	JOINAIN	JOINAIN	JOHAN	JOHIA
Alterna	ate Mark Inversion			OLI DO	OCOLI		0.001	000.000			†			 		
Alterna	AMI -Superframe Format			UEPDC	MCOSF		0.00	0.00			1					
	AMI - Extended SuperFrame Format		1	UEPDC	MCOPO		0.00	0.00							 	
Teleph	none Number/Trunk Group Establisment Charges			02. 20			0.00	0.00			1					
10.00.	Telephone Number for 2-Way Trunk Group			UEPDC	UDTGX	0.00										
	Telephone Number for 1-Way Outward Trunk Group			UEPDC	UDTGY	0.00										
	Telephone Number for 1-Way Inward Trunk Group Without DID			UEPDC	UDTGZ	0.00										
	DID Numbers for each Group of 20 DID Numbers			UEPDC	ND4	0.00	0.00									
	DID Numbers, Non- consecutive DID Numbers, Per Number			UEPDC	ND5	0.00										
	Reserve Non-Consecutive DID Nos.			UEPDC	ND6	0.00	0.00	0.00		i	İ					
	Reserve DID Numbers			UEPDC	NDV	0.00	0.00	0.00		i						
Dedica	ated DS1 (Interoffice Channel Mileage) - FX/FCO for 4-Wire DS	1 Digita	Loop	with 4-Wire DDITS	Trunk Port											
	Interoffice Channel Mileage - Fixed rate 0-8 miles (Facilities															
	Termination)			UEPDC	1LNO1	60.16	89.27	81.81	16.35	14.44					<u> </u>	
	Interoffice Channel Mileage - Additional rate per mile - 0-8 miles			UEPDC	1LNOA	0.18	0.00	0.00								
	Interoffice Channel Mileage - Fixed rate 9-25 miles (Facilities									i						
	Termination)			UEPDC	1LNO2	0.00	0.00	0.00		<u> </u>						
	Interoffice Channel Mileage - Additional rate per mile - 9-25 miles			UEPDC	1LNOB	0.18	0.00	0.00		l						
	Interoffice Channel Mileage - Fixed rate 25+ miles (Facilities		1													
_	Termination)			UEPDC	1LNO3	0.00	0.00	0.00	0.00						<u> </u>	
	Interoffice Channel Mileage - Additional rate per mile - 25+ miles			UEPDC	1LNOC	0.18	0.00	0.00		i						
	Local Number Portability, per DS0 Activated			UEPDC	LNPCP	3.15	0.00	0.00	0.00		†			 		
	Central Office Termininating Point			UEPDC	CTG	0.00	0.00	0.00	0.00							
4-WIRE	E DS1 LOOP WITH CHANNELIZATION WITH PORT				1											
	n is 1 DS1 Loop, 1 D4 Channel Bank, and up to 24 Feature Act	ivations														
	System can have up to 24 combinations of rates depending on			ber of ports used												
	NE-P DS1 combination rates below for 4-Wire DS1 Loop with 0				te exhibit app	ly to the embe	dded base in i	lace as of 10/2	/03 until 4/1/04	. After 4/1/04	these rates	shall revert	to tariff rates	or a separate	agreement.	
	sts for 4-Wire DS1 Loop with Channelization with Port after th													,		
	S1 Loop					· ·		r T						·	†	
	4-Wire DS1 Loop - UNE Zone 1		1	LIEDMO												
			1	UEPMG	USLDC	82.55	0.00	0.00							 	
	4-Wire DS1 Loop - UNE Zone 2			UEPMG	USLDC	82.55 154.18	0.00	0.00								
	4-Wire DS1 Loop - UNE Zone 2 4-Wire DS1 Loop - UNE Zone 3		2													
UNE D		ns)	2	UEPMG	USLDC	154.18	0.00	0.00								
UNE D	4-Wire DS1 Loop - UNE Zone 3	ns)	2	UEPMG	USLDC USLDC VUM24	154.18	0.00	0.00								
UNE D	4-Wire DS1 Loop - UNE Zone 3 SO Channelization Capacities (D4 Channel Bank Configuration	ns)	2	UEPMG UEPMG	USLDC USLDC	154.18 314.52	0.00	0.00								
UNE D	4-Wire DS1 Loop - UNE Zone 3 SO Channelization Capacities (D4 Channel Bank Configuration 24 DSO Channel Capacity - 1 per DS1	ns)	2	UEPMG UEPMG UEPMG	USLDC USLDC VUM24	154.18 314.52 101.40	0.00 0.00	0.00 0.00 0.00								
UNE D	4-Wire DS1 Loop - UNE Zone 3 SO Channelization Capacities (D4 Channel Bank Configuration 24 DSO Channel Capacity - 1 per DS1 48 DSO Channel Capacity - 1 per 2 DS1s	ns)	2	UEPMG UEPMG UEPMG UEPMG	USLDC USLDC VUM24 VUM48	154.18 314.52 101.40 202.80	0.00 0.00 0.00 0.00	0.00 0.00 0.00 0.00								
UNE D	4-Wire DS1 Loop - UNE Zone 3 SO Channelization Capacities (D4 Channel Bank Configuration) 24 DS0 Channel Capacity - 1 per DS1 48 DS0 Channel Capacity - 1 per 2 DS1s 96 DS0 Channel Capacity - 1 per 4 DS1s	ns)	2	UEPMG UEPMG UEPMG UEPMG UEPMG UEPMG	USLDC USLDC VUM24 VUM48 VUM96	154.18 314.52 101.40 202.80 405.60	0.00 0.00 0.00 0.00 0.00	0.00 0.00 0.00 0.00 0.00								
UNE D	4-Wire DS1 Loop - UNE Zone 3 SO Channelization Capacities (D4 Channel Bank Configuration) 24 DS0 Channel Capacity - 1 per DS1 48 DS0 Channel Capacity - 1 per 2 DS1s 96 DS0 Channel Capacity - 1per 4 DS1s 144 DS0 Channel Capacity - 1 per 6 DS1s	ns)	2	UEPMG UEPMG UEPMG UEPMG UEPMG UEPMG	USLDC USLDC VUM24 VUM48 VUM96 VUM14	154.18 314.52 101.40 202.80 405.60 608.40	0.00 0.00 0.00 0.00 0.00 0.00	0.00 0.00 0.00 0.00 0.00 0.00								
UNE D	4-Wire DS1 Loop - UNE Zone 3 SO Channelization Capacities (D4 Channel Bank Configuration 24 DS0 Channel Capacity - 1 per DS1 48 DS0 Channel Capacity - 1 per 2 DS1s 96 DS0 Channel Capacity - 1 per 4 DS1s 144 DS0 Channel Capacity - 1 per 6 DS1s 192 DS0 Channel Capacity - 1 per 8 DS1s	ns)	2	UEPMG UEPMG UEPMG UEPMG UEPMG UEPMG UEPMG UEPMG	VUM24 VUM48 VUM96 VUM14 VUM19	154.18 314.52 101.40 202.80 405.60 608.40 811.20	0.00 0.00 0.00 0.00 0.00 0.00 0.00	0.00 0.00 0.00 0.00 0.00 0.00 0.00								
UNE D	4-Wire DS1 Loop - UNE Zone 3 SO Channelization Capacities (D4 Channel Bank Configuration 24 DS0 Channel Capacity - 1 per DS1 48 DS0 Channel Capacity - 1 per 2 DS1s 96 DS0 Channel Capacity - 1 per 4 DS1s 144 DS0 Channel Capacity - 1 per 6 DS1s 192 DS0 Channel Capacity - 1 per 8 DS1s 240 DS0 Channel Capacity - 1 per 8 DS1s	ns)	2	UEPMG UEPMG UEPMG UEPMG UEPMG UEPMG UEPMG UEPMG UEPMG UEPMG UEPMG	VUM24 VUM48 VUM96 VUM14 VUM19 VUM2O	154.18 314.52 101.40 202.80 405.60 608.40 811.20 1,014.00	0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.0	0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.0								
UNE D	4-Wire DS1 Loop - UNE Zone 3 SO Channelization Capacities (D4 Channel Bank Configuration 24 DSO Channel Capacity - 1 per DS1 48 DSO Channel Capacity - 1 per 2 DS1s 96 DSO Channel Capacity - 1 per 4 DS1s 144 DSO Channel Capacity - 1 per 6 DS1s 144 DSO Channel Capacity - 1 per 8 DS1s 240 DSO Channel Capacity - 1 per 10 DS1s 288 DSO Channel Capacity - 1 per 10 DS1s 288 DSO Channel Capacity - 1 per 12 DS1s 384 DSO Channel Capacity - 1 per 16 DS1s 480 DSO Channel Capacity - 1 per 16 DS1s	ns)	2	UEPMG UEPMG UEPMG UEPMG UEPMG UEPMG UEPMG UEPMG UEPMG UEPMG UEPMG UEPMG UEPMG UEPMG	USLDC USLDC VUM24 VUM48 VUM96 VUM14 VUM19 VUM20 VUM28 VUM38 VUM40	154.18 314.52 101.40 202.80 405.60 608.40 811.20 1,014.00 1,216.80 1,622.40 2,028.00	0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.0	0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.0								
UNE D	4-Wire DS1 Loop - UNE Zone 3 SO Channelization Capacities (D4 Channel Bank Configuratio) 24 DS0 Channel Capacity - 1 per DS1 48 DS0 Channel Capacity - 1 per 2 DS1s 96 DS0 Channel Capacity - 1 per 4 DS1s 144 DS0 Channel Capacity - 1 per 6 DS1s 192 DS0 Channel Capacity - 1 per 8 DS1s 240 DS0 Channel Capacity - 1 per 10 DS1s 288 DS0 Channel Capacity - 1 per 10 DS1s 384 DS0 Channel Capacity - 1 per 12 DS1s 384 DS0 Channel Capacity - 1 per 16 DS1s	ns)	2	UEPMG UEPMG UEPMG UEPMG UEPMG UEPMG UEPMG UEPMG UEPMG UEPMG UEPMG UEPMG UEPMG	USLDC USLDC VUM24 VUM48 VUM96 VUM14 VUM19 VUM20 VUM20 VUM28 VUM38	154.18 314.52 101.40 202.80 405.60 608.40 811.20 1,014.00 1,216.80 1,622.40	0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.0	0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.0								
	4-Wire DS1 Loop - UNE Zone 3 SO Channelization Capacities (D4 Channel Bank Configuratio) 24 DS0 Channel Capacity - 1 per DS1 48 DS0 Channel Capacity - 1 per DS1s 48 DS0 Channel Capacity - 1 per 2 DS1s 96 DS0 Channel Capacity - 1 per 4 DS1s 144 DS0 Channel Capacity - 1 per 8 DS1s 192 DS0 Channel Capacity - 1 per 8 DS1s 240 DS0 Channel Capacity - 1 per 10 DS1s 288 DS0 Channel Capacity - 1 per 10 DS1s 384 DS0 Channel Capacity - 1 per 16 DS1s 480 DS0 Channel Capacity - 1 per 20 DS1s 576 DS0 Channel Capacity - 1 per 20 DS1s 672 DS0 Channel Capacity - 1 per 20 DS1s		2 3	UEPMG UEPMG UEPMG UEPMG UEPMG UEPMG UEPMG UEPMG UEPMG UEPMG UEPMG UEPMG UEPMG UEPMG UEPMG UEPMG UEPMG	USLDC USLDC VUM24 VUM48 VUM96 VUM14 VUM19 VUM20 VUM28 VUM38 VUM40 VUM67	154.18 314.52 101.40 202.80 405.60 608.40 811.20 1,014.00 1,2216.80 2,028.00 2,433.60 2,433.92	0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.0	0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.0								
Non-Re	4-Wire DS1 Loop - UNE Zone 3 SO Channelization Capacities (D4 Channel Bank Configuration 24 DS0 Channel Capacity - 1 per DS1 48 DS0 Channel Capacity - 1 per DS1s 96 DS0 Channel Capacity - 1 per 4 DS1s 144 DS0 Channel Capacity - 1 per 6 DS1s 192 DS0 Channel Capacity - 1 per 8 DS1s 192 DS0 Channel Capacity - 1 per 8 DS1s 240 DS0 Channel Capacity - 1 per 10 DS1s 288 DS0 Channel Capacity - 1 per 10 DS1s 288 DS0 Channel Capacity - 1 per 10 DS1s 480 DS0 Channel Capacity - 1 per 16 DS1s 480 DS0 Channel Capacity - 1 per 20 DS1s 576 DS0 Channel Capacity - 1 per 24 DS1s 672 DS0 Channel Capacity - 1 per 28 DS1s ecurring Charges (NRC) Associated with 4-Wire DS1 Loop with	h Chani	2 3	UEPMG UEPMG	USLDC USLDC VUM24 VUM48 VUM96 VUM14 VUM19 VUM20 VUM20 VUM28 VUM40 VUM67 rsion Charge	154.18 314.52 101.40 202.80 405.60 608.40 811.20 1,014.00 1,216.80 2,028.00 2,433.60 2,839.20 Based on a Sy	0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.0	0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00								
Non-Re	4-Wire DS1 Loop - UNE Zone 3 SO Channelization Capacities (D4 Channel Bank Configuration 24 DSO Channel Capacity - 1 per DS1 48 DSO Channel Capacity - 1 per 2 DS1s 96 DSO Channel Capacity - 1 per 4 DS1s 144 DSO Channel Capacity - 1 per 6 DS1s 144 DSO Channel Capacity - 1 per 8 DS1s 240 DSO Channel Capacity - 1 per 8 DS1s 240 DSO Channel Capacity - 1 per 10 DS1s 288 DSO Channel Capacity - 1 per 10 DS1s 288 DSO Channel Capacity - 1 per 12 DS1s 384 DSO Channel Capacity - 1 per 16 DS1s 480 DSO Channel Capacity - 1 per 20 DS1s 576 DSO Channel Capacity - 1 per 24 DS1s 672 DSO Channel Capacity - 1 per 28 DS1s ecurring Charges (NRC) Associated with 4-Wire DS1 Loop with mum System configuration is One (1) DS1, One (1) D4 Channel capacity - 1 one (1) DS1, One (1) D4 Channel capacity - 1 one (1) DS1, One (1) D4 Channel capacity - 1 one (1) DS1, One (1) D4 Channel capacity - 1 one (1) DS1, One (1) D4 Channel capacity - 1 one (1) DS1, One (1) D4 Channel capacity - 1 one (1) DS1, One (1) D4 Channel capacity - 1 one (1) DS1, One (1) D4 Channel capacity - 1 one (1) DS1, One (1) D4 Channel capacity - 1 one (1) DS1, One (1) D4 Channel capacity - 1 one (1) DS1, One (1) D4 Channel capacity - 1 one (1) DS1, One (1) D4 Channel capacity - 1 one (1) DS1, One (1) D4 Channel capacity - 1 one (1) DS1, One (1) D4 Channel capacity - 1 one (1) DS1, One (1) D4 Channel capacity - 1 one (1) D81, One (1) D4 Channel capacity - 1 one (1) D81, One (1) D81, One (1) D4 Channel capacity - 1 one (1) D81, One (1) D8	h Chaniel Bank,	2 3	UEPMG OF 024 DSO Ports v	USLDC USLDC VUM24 VUM48 VUM96 VUM14 VUM19 VUM20 VUM20 VUM38 VUM40 VUM67 vum67 vrision Charge with Feature A	154.18 314.52 101.40 202.80 405.60 608.40 1,216.80 1,216.80 1,226.20 2,239.20 2,433.60 2,239.20 Based on a Sy Activations.	0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.0	0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00								
Non-Re	4-Wire DS1 Loop - UNE Zone 3 SO Channelization Capacities (D4 Channel Bank Configuration 24 DSO Channel Capacity - 1 per DS1 48 DSO Channel Capacity - 1 per 2 DS1s 96 DSO Channel Capacity - 1 per 4 DS1s 144 DSO Channel Capacity - 1 per 6 DS1s 144 DSO Channel Capacity - 1 per 6 DS1s 192 DSO Channel Capacity - 1 per 8 DS1s 240 DSO Channel Capacity - 1 per 10 DS1s 288 DSO Channel Capacity - 1 per 12 DS1s 384 DSO Channel Capacity - 1 per 12 DS1s 384 DSO Channel Capacity - 1 per 12 DS1s 576 DSO Channel Capacity - 1 per 20 DS1s 576 DSO Channel Capacity - 1 per 28 DS1s 672 DSO Channel Capacity - 1 per 28 DS1s ecurring Charges (NRC) Associated with 4-Wire DS1 Loop with mum System configuration is One (1) DS1, One (1) D4 Channel Les of this configuration functioning as one are considered Active DS1 Control of the Considered Active Control of the Considered Active Control of the Considered Active Control of the Considered Active Control of the Considered Active Control of the Considered Active Control of the Considered Active Control of the Considered Active Control of the Control	h Chaniel Bank,	2 3	UEPMG OF 024 DSO Ports v	USLDC USLDC VUM24 VUM48 VUM96 VUM14 VUM19 VUM20 VUM20 VUM38 VUM40 VUM67 vum67 vrision Charge with Feature A	154.18 314.52 101.40 202.80 405.60 608.40 1,216.80 1,216.80 1,226.20 2,239.20 2,433.60 2,239.20 Based on a Sy Activations.	0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.0	0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00								
Non-Re	4-Wire DS1 Loop - UNE Zone 3 SO Channelization Capacities (D4 Channel Bank Configuration 24 DS0 Channel Capacity - 1 per DS1 48 DS0 Channel Capacity - 1 per DS1s 48 DS0 Channel Capacity - 1 per 2 DS1s 96 DS0 Channel Capacity - 1 per 4 DS1s 144 DS0 Channel Capacity - 1 per 6 DS1s 192 DS0 Channel Capacity - 1 per 8 DS1s 240 DS0 Channel Capacity - 1 per 10 DS1s 288 DS0 Channel Capacity - 1 per 10 DS1s 288 DS0 Channel Capacity - 1 per 10 DS1s 384 DS0 Channel Capacity - 1 per 12 DS1s 480 DS0 Channel Capacity - 1 per 20 DS1s 576 DS0 Channel Capacity - 1 per 24 DS1s 672 DS0 Channel Capacity - 1 per 28 DS1s ecurring Charges (NRC) Associated with 4-Wire DS1 Loop with mum System configuration is One (1) DS1, One (1) D4 Channel less of this configuration functioning as one are considered Act NRC - Conversion (Currently Combined) with or without	h Chaniel Bank,	2 3	UEPMG OF OF OF OF OF OF OF OF OF OF OF OF OF O	USLDC USLDC VUM24 VUM48 VUM96 VUM14 VUM19 VUM20 VUM20 VUM38 VUM40 VUM67 resion Charge with Feature A	154.18 314.52 101.40 202.80 405.60 608.40 811.20 1,014.00 2,238.00 2,433.60 2,433.60 2,839.20 Based on a Sy Activations.	0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.0	0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00								
Non-Re A Mini Multip	4-Wire DS1 Loop - UNE Zone 3 SO Channelization Capacities (D4 Channel Bank Configuration 24 DSO Channel Capacity - 1 per DS1 48 DSO Channel Capacity - 1 per 2 DS1s 96 DSO Channel Capacity - 1 per 4 DS1s 144 DSO Channel Capacity - 1 per 8 DS1s 144 DSO Channel Capacity - 1 per 8 DS1s 144 DSO Channel Capacity - 1 per 8 DS1s 240 DSO Channel Capacity - 1 per 10 DS1s 288 DSO Channel Capacity - 1 per 10 DS1s 288 DSO Channel Capacity - 1 per 12 DS1s 384 DSO Channel Capacity - 1 per 12 DS1s 480 DSO Channel Capacity - 1 per 20 DS1s 576 DSO Channel Capacity - 1 per 24 DS1s 672 DSO Channel Capacity - 1 per 28 DS1s ecurring Charges (NRC) Associated with 4-Wire DS1 Loop with the configuration functioning as one are considered Act DRC - Conversion (Currently Combined) with or without BellSouth Allowed Changes	h Chani	2 3 neliztio and Up	UEPMG UEPMG	USLDC USLDC VUM24 VUM48 VUM96 VUM14 VUM19 VUM20 VUM28 VUM38 VUM40 VUM57 VUM67 resion Charge with Feature A rfiguration is	154.18 314.52 101.40 202.80 405.60 608.40 811.20 1,014.00 1,216.80 2,028.00 2,433.60 2,433.60 2,839.20 Based on a Sy Activations. counted.	0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.0	0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00								
Non-R A Mini Multip	4-Wire DS1 Loop - UNE Zone 3 SO Channelization Capacities (D4 Channel Bank Configuration 24 DSO Channel Capacity - 1 per DS1 48 DSO Channel Capacity - 1 per DS1 48 DSO Channel Capacity - 1 per 2 DS1s 96 DSO Channel Capacity - 1 per 6 DS1s 144 DSO Channel Capacity - 1 per 6 DS1s 144 DSO Channel Capacity - 1 per 8 DS1s 240 DSO Channel Capacity - 1 per 10 DS1s 288 DSO Channel Capacity - 1 per 10 DS1s 288 DSO Channel Capacity - 1 per 12 DS1s 384 DSO Channel Capacity - 1 per 16 DS1s 480 DSO Channel Capacity - 1 per 20 DS1s 576 DSO Channel Capacity - 1 per 20 DS1s 672 DSO Channel Capacity - 1 per 28 DS1s ecurring Charges (NRC) Associated with 4-Wire DS1 Loop with the configuration is One (1) DS1, One (1) D4 Channel Capacity one of this configuration functioning as one are considered Act NRC - Conversion (Currently Combined) with or without BellSouth Allowed Changes n Additions at End User Locations Where 4-Wire DS1 Loop without Selections and the selections where 4-Wire DS1 Loop with Additions at End User Locations Where 4-Wire DS1 Loop without Selections and Selections Where 4-Wire DS1 Loop without Selections are End User Locations Where 4-Wire DS1 Loop without Selections where 4-Wire DS1 Loop wit	h Chaniel Bank, dd'l afte	2 3 3 meliztio and Up	UEPMG ID ID ID ID ID ID ID ID ID ID ID ID ID	USLDC USLDC VUM24 VUM48 VUM96 VUM14 VUM19 VUM20 VUM28 VUM38 VUM40 VUM57 VUM67 resion Charge with Feature A rfiguration is	154.18 314.52 101.40 202.80 405.60 608.40 811.20 1,014.00 1,216.80 2,028.00 2,433.60 2,433.60 2,839.20 Based on a Sy Activations. counted.	0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.0	0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00								
Non-R A Mini Multip	4-Wire DS1 Loop - UNE Zone 3 SO Channelization Capacities (D4 Channel Bank Configuration 24 DS0 Channel Capacity - 1 per DS1 48 DS0 Channel Capacity - 1 per DS1 48 DS0 Channel Capacity - 1 per 2 DS1s 96 DS0 Channel Capacity - 1 per 4 DS1s 144 DS0 Channel Capacity - 1 per 6 DS1s 192 DS0 Channel Capacity - 1 per 8 DS1s 240 DS0 Channel Capacity - 1 per 10 DS1s 288 DS0 Channel Capacity - 1 per 10 DS1s 384 DS0 Channel Capacity - 1 per 10 DS1s 480 DS0 Channel Capacity - 1 per 12 DS1s 384 DS0 Channel Capacity - 1 per 20 DS1s 576 DS0 Channel Capacity - 1 per 20 DS1s 672 DS0 Channel Capacity - 1 per 28 DS1s ecurring Charges (NRC) Associated with 4-Wire DS1 Loop with mum System configuration is One (1) DS1, One (1) D4 Channel es of this configuration functioning as one are considered Act NRC - Conversion (Currently Combined) with or without BellSouth Allowed Changes n Additions at End User Locations Where 4-Wire DS1 Loop without Currently Combined) in all states, except in Density Zone 1	h Chaniel Bank, dd'l afte	2 3 3 meliztio and Up	UEPMG ID ID ID ID ID ID ID ID ID ID ID ID ID	USLDC USLDC VUM24 VUM48 VUM96 VUM14 VUM19 VUM20 VUM28 VUM38 VUM40 VUM57 VUM67 resion Charge with Feature A rfiguration is	154.18 314.52 101.40 202.80 405.60 608.40 811.20 1,014.00 1,216.80 2,028.00 2,433.60 2,433.60 2,839.20 Based on a Sy Activations. counted.	0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.0	0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00								
Non-R A Mini Multip	4-Wire DS1 Loop - UNE Zone 3 SO Channelization Capacities (D4 Channel Bank Configuration 24 DSO Channel Capacity - 1 per DS1 48 DSO Channel Capacity - 1 per DS1 48 DSO Channel Capacity - 1 per 2 DS1s 96 DSO Channel Capacity - 1 per 6 DS1s 144 DSO Channel Capacity - 1 per 6 DS1s 144 DSO Channel Capacity - 1 per 8 DS1s 240 DSO Channel Capacity - 1 per 10 DS1s 288 DSO Channel Capacity - 1 per 10 DS1s 288 DSO Channel Capacity - 1 per 12 DS1s 384 DSO Channel Capacity - 1 per 16 DS1s 480 DSO Channel Capacity - 1 per 20 DS1s 576 DSO Channel Capacity - 1 per 20 DS1s 672 DSO Channel Capacity - 1 per 28 DS1s ecurring Charges (NRC) Associated with 4-Wire DS1 Loop with the configuration is One (1) DS1, One (1) D4 Channel Capacity one of this configuration functioning as one are considered Act NRC - Conversion (Currently Combined) with or without BellSouth Allowed Changes n Additions at End User Locations Where 4-Wire DS1 Loop without Selections and the selections where 4-Wire DS1 Loop with Additions at End User Locations Where 4-Wire DS1 Loop without Selections and Selections Where 4-Wire DS1 Loop without Selections are End User Locations Where 4-Wire DS1 Loop without Selections where 4-Wire DS1 Loop wit	h Chaniel Bank, dd'l afte	2 3 3 meliztio and Up	UEPMG ID ID ID ID ID ID ID ID ID ID ID ID ID	USLDC USLDC VUM24 VUM48 VUM96 VUM14 VUM19 VUM20 VUM28 VUM38 VUM40 VUM57 VUM67 resion Charge with Feature A rfiguration is	154.18 314.52 101.40 202.80 405.60 608.40 811.20 1,014.00 1,216.80 2,028.00 2,433.60 2,433.60 2,839.20 Based on a Sy Activations. counted.	0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.0	0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00	148.75	17.65						

UNBUNDLE	D NETWORK ELEMENTS - Alabama									-				ment: 2		bit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)				Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'I
						Rec		curring	Nonrecurring					Rates (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Clear Channel Capability Format, superframe - Subsequent			LIEDMO	00005	0.00	0.00:	000 00-								
	Activity Only Clear Channel Capability Format - Extended Superframe -			UEPMG	CCOSF	0.00	0.00i	600.00s			-	-				-
	Subsequent Activity Only			UEPMG	CCOEF	0.00	0.00i	600.00s								
Altern	ate Mark Inversion (AMI)		1	OLFIVIG	CCOLI	0.00	0.001	000.005			1	1				1
Aiteini	Superframe Format		1	UEPMG	MCOSF	0.00	0.00	0.00			†					
	Extended Superframe Format			UEPMG	MCOPO	0.00	0.00	0.00								
Excha	nge Ports Associated with 4-Wire DS1 Loop with Channelization	on with	Port													
Excha	nge Ports															
	Line Side Combination Channelized PBX Trunk Port - Business															
	(E:4/1/2004)			UEPPX	UEPCX	1.15	0.00	0.00	0.00	0.00			<u> </u>			<u> </u>
	Line Side Outward Channelized PBX Trunk Port - Business															
	(E:4/1/2004)		<u> </u>	UEPPX	UEPOX	1.15	0.00	0.00	0.00	0.00						
	Line Side Inward Only Channelized PBX Trunk Port without DID															
	(E:4/1/2004)	!	<u> </u>	UEPPX	UEP1X	1.15	0.00	0.00	0.00	0.00						
	2-Wire Trunk Side Unbundled Channelized DID Trunk Port	l		LIEDDY	LIEDDIA				0.00	0.00						I
	(E:4/1/2004)			UEPPX	UEPDM	8.05	0.00	0.00	0.00	0.00						
	Unbundled Exchange Ports, 2-Wire Channelized – Outdial –															
	(AL, KY, LA, MS, & TN)(Conversion from Network Access			LIEDDY	LIEDOV	4.45										
	Service) (E:4/1/2004) Unbundled Exchange Ports, 2-Wire Channelized – Combination			UEPPX	UEPCY	1.15					-	-				-
	(AL, KY, LA, MS, & TN) (Conversion from Network Access															
	Service) (E:4/1/2004)			UEPPX	UEPCT	1.15										
	2-Wire Channelized PBX Area Calling Service Combination Port			OLITA	OLI CI	1.13								1		
	(AL Only) (E:4/1/2004)			UEPPX	UEPA4	1.15	0.00	0.00								
 	2 Wire Channelized PBX Area Calling Service Outgoing Only		1	OLITA	OLI A4	1.13	0.00	0.00			†					
	Port (AL Only) (E:4/1/2004)			UEPPX	UEPA3	1.15	0.00	0.00								
Featur	e Activations - Unbundled Loop Concentration															
	Feature (Service) Activation for each Line Port Terminated in D4															
	Bank			UEPPX	1PQWM	0.56	54.55									
	Feature (Service) Activation for each Trunk Port Terminated in															
	D4 Bank			UEPPX	1PQWU	0.56	77.03									
Teleph	none Number/ Group Establishment Charges for DID Service															
	DID Trunk Termination (1 per Port)			UEPPX	NDT	0.00	0.00	0.00								
	DID Numbers - groups of 20 - Valid all States		<u> </u>	UEPPX	ND4	0.00	0.00	0.00								-
	Non-Consecutive DID Numbers - per number	 	 	UEPPX	ND5	0.00	0.00	0.00		-			 	.	 	
\vdash	Reserve Non-Consecutive DID Numbers Reserve DID Numbers		!	UEPPX UEPPX	ND6 NDV	0.00	0.00	0.00			1	1	-			
Local	Number Portability	!	 	ULFFA	INDA	0.00	0.00	0.00	1		-	-				
Local	Local Number Portability - 1 per port	 	 	UEPPX	LNPCP	3.15	0.00	0.00					-	 	 	
FFATI	JRES - Vertical and Optional		†	OLI FA	LINFOF	3.15	0.00	0.00						 	 	
	Switching Features Offered with Line Side Ports Only		 		1						†	t	1		1	†
	All Features Available	i e	t —	UEPPX	UEPVF	1.98	0.00	0.00		İ			İ	İ	İ	1
UNBUNDLED	CENTREX PORT/LOOP COMBINATIONS - COST BASED RATES	Ś	t —		i i	50	5.30	5.30		İ			İ	İ	İ	1
	t Based Rates are applied where BellSouth is required by FCC		State 0	Commission rule to	provide Unbi	undled Local S	witching or Sv	vitch Ports.		l			l	İ	İ	1
	tures shall apply to the Unbundled Port/Loop Combination - C								dled Port secti	on of this Rate	Exhibit.					
	Office and Tandem Switching Usage and Common Transport															
	first and additional Port nonrecurring charges apply to Not Cu	urrently	Comb	ined Combos. For	Currently Co	mbined Comb	os, the nonrec	urring charges	shall be those	identified in t	he Nonrecu	rring - Curre	ently Combine	ed sections.	Additional NR	RCs may
	also and are categorized accordingly.												1			
	rket Rates for Unbundled Centrex Port/Loop Combination will		otiated	on an Individual Ca	se Basis, un	til further notic	e.									
	CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only)	├		1									-		
	VG Loop/2-Wire Voice Grade Port (Centrex) Combo	-	 		<u> </u>						-	-		-	-	
UNE P	ort/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -	-	 		1				1							
	Non-Design	1	1	UEP91		12.70										1
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -	 	+	OL1 31	1	12.70	 	 	1	 	H	H	l	 	 	t
				i e	1				1	i	1	1			1	1
			2	UFP91		21 10										
	Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		2	UEP91		21.19										

NBUNDL	ED NETWORK ELEMENTS - Alabama													ment: 2		bit: A
TEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			II .	Svc Order Submitted Manually per LSR		Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
-			-			1	Monro	curring	Nonrecurring	Dissennest			220	Rates (\$)		
					+	Rec	First	Add'l	First	Add'l	COMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
LIME	Port/Loop Combination Rates (Design)		-				FIISL	Addi	FIISL	Addi	SOMEC	SOWAN	SOWAN	SOWAN	SOWAN	SOWAN
UNL	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -										1					1
	Design		1	UEP91		15.53										
_	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		<u> </u>	OLI 01	+	10.00					1					
	Design		2	UEP91		24.00										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
	Design		3	UEP91		37.29										
UNE	Loop Rate															
	2-Wire Voice Grade Loop (SL 1) - Zone 1			UEP91	UECS1	11.55										
	2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEP91	UECS1	20.04										
	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP91	UECS1	33.65										
	2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP91	UECS2	14.38										
_	2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP91 UEP91	UECS2 UECS2	22.85 36.14			1		ļ	ļ	 	 	 	-
LINE	2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP91	UECS2	36.14										ļ
	Ports tates (Except North Carolina and Sout Carolina)		-		+							 	+			-
All Si	2-Wire Voice Grade Port (Centrex) Basic Local Area			UEP91	UEPYA	1.15	40.19	19.83	24.91	6.63	1					
-	2-Wire Voice Grade Fort (Centrex 800 termination)Basic Local		-	OLI 31	OLI IA	1.13	40.13	13.03	24.31	0.03	1					
	Area			UEP91	UEPYB	1.15	40.19	19.83	24.91	6.63						
_	2-Wire Voice Grade Port (Centrex with Caller ID)Note1 Basic			02. 0.	025	0	.0.10	10.00	2	0.00						
	Local Area			UEP91	UEPYH	1.15	40.19	19.83	24.91	6.63						
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)									0.00	İ					
	Note 2, 3 Basic Local Area			UEP91	UEPYM	1.15	90.38	57.27	48.66	8.77						
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service															
	Term - Basic Local Area			UEP91	UEPYZ	1.15	90.38	57.27	48.66	8.77						
	2-Wire Voice Grade Port terminated in on Megalink or equivalent															
	- Basic Local Area			UEP91	UEPY9	1.15	40.19	19.83	24.91	6.63						
	2-Wire Voice Grade Port Terminated on 800 Service Term -															
	Basic Local Area			UEP91	UEPY2	1.15	40.19	19.83	24.91	6.63						
AL, K	(Y, LA, MS, & TN Only															
_	2-Wire Voice Grade Port (Centrex)			UEP91	UEPQA	1.15	40.19	19.83	24.91	6.63						ļ
_	2-Wire Voice Grade Port (Centrex 800 termination)			UEP91	UEPQB	1.15	40.19	19.83	24.91	6.63						
_	2-Wire Voice Grade Port (Centrex with Caller ID)1			UEP91	UEPQH	1.15	40.19	19.83	24.91	6.63	ļ					
	2-Wire Voice Grade Port (Centrex from diff Serving Wire			LIEDO4	LIEDOM	4.45	90.38	57.07	40.00	8.77						
+	Center)2,3 2-Wire Voice Grade Port, Diff Serving Wire Center - 2,3 - 800			UEP91	UEPQM	1.15	90.38	57.27	48.66	8.77	 					
	Service Term			UEP91	UEPQZ	1.15	90.38	57.27	48.66	8.77			1			
+	OUTUGE TEITH		 	OLI 01	ULI QL	1.13	30.30	51.21	40.00	0.77	1	 	t			-
	2-Wire Voice Grade Port terminated in on Megalink or equivalent		1	UEP91	UEPQ9	1.15	40.19	19.83	24.91	6.63		1	I			
	2-Wire Voice Grade Port Terminated on 800 Service Term			UEP91	UEPQ2	1.15	40.19	19.83	24.91	6.63			1			
Loca	Switching					5				2.50	Ì		1	1	l	1
	Centrex Intercom Funtionality, per port			UEP91	URECS	0.5488										
Loca	Number Portability															
	Local Number Portability (1 per port)			UEP91	LNPCC	0.35										
Featu							•									
	All Standard Features Offered, per port			UEP91	UEPVF	1.98										
\perp	All Select Features Offered, per port		<u> </u>	UEP91	UEPVS	0.00	405.52		ļ				ļ			ļ
1105	All Centrex Control Features Offered, per port		<u> </u>	UEP91	UEPVC	1.98							ļ			ļ
NARS			ļ	LIEDOA	LIADOV	0.00	0.00	0.00	0.00	0.00			-	 	 	-
-	Unbundled Network Access Register - Combination		<u> </u>	UEP91	UARCX	0.00	0.00	0.00	0.00	0.00	ļ		 	-	-	1
-	Unbundled Network Access Register - Indial Unbundled Network Access Register - Outdial	-	<u> </u>	UEP91 UEP91	UAR1X UAROX	0.00	0.00	0.00	0.00	0.00	 	-	 		-	
Mico	Unbundled Network Access Register - Outdial	-	 	OEF91	UARUX	0.00	0.00	0.00	0.00	0.00	}	 	 	 	 	1
	e Trunk Side		-		+							 	+			1
2-4411	Trunk Side Terminations, each		-	UEP91	CENA6	8.05	119.31	18.74	59.90	3.76	1		t	l	l	1
Interd	office Channel Mileage - 2-Wire	-	-	OE1 01	OLIVAU	0.03	113.31	10.74	39.90	3.76	 	-	 			
IIICOIC	Interoffice Channel Facilities Termination - Voice Grade			UEP91	M1GBC	21.13	40.54	27.41	16.74	6.90			<u> </u>			
\neg	Interoffice Channel mileage, per mile or fraction of mile			UEP91	M1GBM	0.008838	.0.04	27.77		3.30			1	i	i	
	re Activations (DS0) Centrex Loops on Channelized DS1 Service								1							

UNBUNDL	ED NETWORK ELEMENTS - Alabama												Attach	ment: 2	Exhi	bit: A
											Svc Order	Svc Order	Incremental		Incremental	Incremental
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		Interi									Elec	Manually		Manual Svc		Manual Svc
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		"											Electronic-	Electronic-	Electronic-	Electronic-
1													1st	Add'l	Disc 1st	Disc Add'l
						1										
\vdash		ļ			_	Rec	Nonred		Nonrecurring		201150	001141		Rates (\$)	001141	001441
P4.6	Land Bart Frates Advations		-		-		First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
D4 C	hannel Bank Feature Activations Feature Activation on D-4 Channel Bank Centrex Loop Slot	<u> </u>	-	UEP91	1PQWS	0.56			1		-			-	-	
	Feature Activation on D-4 Channel Bank Centrex Loop Slot	-	-	UEP91	IPQWS	0.56					1			-	-	
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP91	1PQW6	0.56										
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop		-	OLI 31	II QWO	0.50					 		1			
	Slot			UEP91	1PQW7	0.56										
	Feature Activation on D-4 Channel Bank Centrex Loop Slot -	1		OLI 01	11 QW7	0.00					1					
	Different Wire Center			UEP91	1PQWP	0.56										
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP91	1PQWV	0.56										
	Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop	i														
$\sqcup \bot \bot$	Slot	<u> </u>		UEP91	1PQWQ	0.56			<u> </u>	<u> </u>	L			<u> </u>	<u> </u>	
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP91	1PQWA	0.56										
Non-	Recurring Charges (NRC) Associated with UNE-P Centrex															
	Conversion - Currently Combined Switch-As-Is with allowed															
	changes, per port			UEP91	USAC2		0.10	0.10								
	Conversion of Existing Centrex Common Block			UEP91	USACN		37.75	16.58								
	New Centrex Standard Common Block			UEP91	M1ACS	0.00	667.21									
\Box	New Centrex Customized Common Block			UEP91	M1ACC	0.00	667.21									
	Secondary Block, per Block			UEP91	M2CC1	0.00	78.02									
	NAR Establishment Charge, Per Occasion			UEP91	URECA	0.00	72.73									
Addi	tional Non-Recurring Charges (NRC)	ļ			_											
	Unbundled Miscellaneous Rate Element, Tag Loop at End Use			LIEDO4	LIDETI		0.00	0.00								
\vdash	Premise	<u> </u>		UEP91	URETL		8.33	0.83			-	-				
	Unbundled Miscellaneous Rate Element, Tag Design Loop at End Use Premise			UEP91	URETN		11.21	1.10								
LINE	-P CENTREX - 5ESS (Valid in All States)		-	OLF91	UKLTN		11.21	1.10			 		1			
	re VG Loop/2-Wire Voice Grade Port (Centrex) Combo	1														
	Port/Loop Combination Rates (Non-Design)	1														
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo	1									1					
	Non-Design		1	UEP95		12.70										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
	Non-Design		2	UEP95		21.19										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -	i														
	Non-Design		3	UEP95		34.80										
UNE	Port/Loop Combination Rates (Design)															
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo	1						-								
\sqsubseteq	Design	ļ	1	UEP95		15.53					ļ					
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -	1												_	_	
\vdash	Design	!	2	UEP95		24.00					ļ			ļ	ļ	
1 1	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -	1	_	LIEBOE										I	I	
<u> </u>	Design	!	3	UEP95	+	37.29			1	 			 	 	 	
UNE	Loop Rate 2-Wire Voice Grade Loop (SL 1) - Zone 1	!	1	UEP95	UECS1	11.55			1	 			 	 	 	
\vdash		 	2						 	-	 		 	 	 	
\vdash	2-Wire Voice Grade Loop (SL 1) - Zone 2 2-Wire Voice Grade Loop (SL 1) - Zone 3	 		UEP95 UEP95	UECS1 UECS1	20.04 33.65			1		1	-		 	 	-
\vdash	2-Wire Voice Grade Loop (SL 1) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 1	 	1	UEP95 UEP95	UECS1	14.38			1	1	 	-	 	 	+	
 	2-Wire Voice Grade Loop (SL 2) - Zone 1 2-Wire Voice Grade Loop (SL 2) - Zone 2	 	2	UEP95	UECS2	22.85			1	 	 		 	t	t	
 	2-Wire Voice Grade Loop (SL 2) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 3	 	3	UEP95	UECS2	36.14			1	 	 		 	t	t	
UNF	Port Rate	1	Ť	00	32332	00.14			1		 	-		I	I	
All S		†			1					1			1	<u> </u>	<u> </u>	
1 1 1	2-Wire Voice Grade Port (Centrex) Basic Local Area	l		UEP95	UEPYA	1.15	40.19	19.83	24.91	6.63			İ	t	t	
	2-Wire Voice Grade Port (Centrex 800 termination)	1		UEP95	UEPYB	1.15	40.19	19.83	24.91	6.63		1	İ	1	1	
	2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local	1						. , , ,	1			1	İ	1	1	
1 1	Area	1		UEP95	UEPYH	1.15	40.19	19.83	24.91	6.63				I	I	
	2-Wire Voice Grade Port (Centrex from diff Serving Wire															
	Center)2,3 Basic Local Area			UEP95	UEPYM	1.15	90.38	57.27	48.66	8.77						
	2-Wire Voice Grade Port, Diff Serving Wire Center 2,3 - 800	1		-												
	Service Term - Basic Local Area	<u> </u>		UEP95	UEPYZ	1.15	90.38	57.27	48.66	8.77			<u> </u>			

INDUNDLE	D NETWORK ELEMENTS - Alabama			1		1					0 0 :	0		ment: 2		bit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)				Submitted Manually	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'l
						Rec	Nonrec		Nonrecurring					Rates (\$)		
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Grade Port terminated in on Megalink or equivalent															
	- Basic Local Area			UEP95	UEPY9	1.15	40.19	19.83	24.91	6.63	ļ					
	2-Wire Voice Grade Port Terminated on 800 Service Term -			LIEDOS	LIEDVO	4.45	40.40	40.00	04.04	0.00						
A1 10	Basic Local Area (, LA, MS, SC, & TN Only		-	UEP95	UEPY2	1.15	40.19	19.83	24.91	6.63	1				1	
AL, K	2-Wire Voice Grade Port (Centrex)		-	UEP95	UEPQA	1.15	40.19	19.83	24.91	6.63	-				-	-
	2-Wire Voice Grade Port (Centrex) 2-Wire Voice Grade Port (Centrex 800 termination)			UEP95	UEPQB	1.15	40.19	19.83	24.91	6.63	†				-	
_	2-Wire Voice Grade Port (Centrex vith Caller ID)1			UEP95	UEPQH	1.15	40.19	19.83	24.91	6.63	1					
_	2-Wire Voice Grade Port (Centrex from diff Serving Wire			02.00	02. Q	0	10.10	10.00	2	0.00	1				1	1
	Center)2,3			UEP95	UEPQM	1.15	90.38	57.27	48.66	8.77						
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service					0	22.20	4	1 .5.50					İ	1	
	Term 2,3			UEP95	UEPQZ	1.15	90.38	57.27	48.66	8.77					I	1
	2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP95	UEPQ9	1.15	40.19	19.83	24.91	6.63						<u></u>
	2-Wire Voice Grade Port Terminated on 800 Service Term			UEP95	UEPQ2	1.15	40.19	19.83	24.91	6.63						
Local	Switching															
	Centrex Intercom Funtionality, per port			UEP95	URECS	0.5488										
Local	Number Portability															
	Local Number Portability (1 per port)			UEP95	LNPCC	0.35										
Featur																
	All Standard Features Offered, per port			UEP95	UEPVF	1.98	105.50									
_	All Select Features Offered, per port		-	UEP95	UEPVS	0.00	405.52				1					
NARS	All Centrex Control Features Offered, per port		-	UEP95	UEPVC	1.98					1					
NAKS	Habita diad Nationals Assess Desistes Combination			UEP95	UARCX	0.00	0.00	0.00	0.00	0.00	-			-		
	Unbundled Network Access Register - Combination			UEP95 UEP95	UAR1X	0.00	0.00	0.00	0.00	0.00						-
	Unbundled Network Access Register - Indial Unbundled Network Access Register - Outdial		-	UEP95	UAROX	0.00	0.00	0.00	0.00	0.00					-	1
Misco	laneous Terminations		-	OLF 93	UAROX	0.00	0.00	0.00	0.00	0.00	<u> </u>			1		
	Trunk Side		-						 		<u> </u>			1		
	Trunk Side Terminations, each			UEP95	CEND6	8.05	119.31	18.74	59.90	3.76	1				1	1
4-Wire	Digital (1.544 Megabits)			02. 00	02.120	0.00	110.01		00.00	0.70	İ					
	DS1 Circuit Terminations, each			UEP95	M1HD1	60.09	202.02	95.69	72.59	2.46	İ					
	DS0 Channels Activated, each			UEP95	M1HDO	0.00	14.48									
Intero	fice Channel Mileage - 2-Wire															
	Interoffice Channel Facilities Termination			UEP95	M1GBC	21.13	40.54	27.41	16.74	6.90						
	Interoffice Channel mileage, per mile or fraction of mile			UEP95	M1GBM	0.008838										
	e Activations (DS0) Centrex Loops on Channelized DS1 Servic	е														
D4 Ch	annel Bank Feature Activations															
	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP95	1PQWS	0.56										
	5			LIEBAE												
_	Feature Activation on D-4 Channel Bank FX line Side Loop Slot		-	UEP95	1PQW6	0.56			-		1					
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot			LIEDOE	1PQW7	0.50									I	1
_	Feature Activation on D-4 Channel Bank Centrex Loop Slot -			UEP95	1PQW/	0.56			 		-			-	 	-
	Different Wire Center			UEP95	1PQWP	0.56									I	1
-	Dilletetif Afric Octifet			OFL.82	IFUVVF	0.00			 		 				+	
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP95	1PQWV	0.56									I	1
_	Feature Activation on D-4 Channel Bank Tile Line/Trunk Loop			021 00	11 34 7 7 7	0.50					1				I	
	Slot			UEP95	1PQWQ	0.56									1	
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP95	1PQWA	0.56			1					İ	1	
Non-R	ecurring Charges (NRC) Associated with UNE-P Centrex															
	NRC Conversion Currently Combined Switch-As-Is with allowed										İ			1		
	changes, per port			UEP95	USAC2		0.10	0.10							1	
	Conversion of Existing Centrex Common Block, each			UEP95	USACN		37.75	16.58								
	New Centrex Standard Common Block			UEP95	M1ACS	0.00	667.21									
	New Centrex Customized Common Block			UEP95	M1ACC	0.00	667.21									
-	NAR Establishment Charge, Per Occasion			UEP95	URECA	0.00	72.73							ļ	ļ	
IΔdditi	onal Non-Recurring Charges (NRC)		l								1	1		I	1	1

ONBONDLE	D NETWORK ELEMENTS - Alabama			Т							la a :			ment: 2		ibit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			1	Submitted Manually	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrec		Nonrecurring					Rates (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Unbundled Miscellaneous Rate Element, Tag Loop at End Use Premise			UEP95	URETL		8.33	0.83								
	Unbundled Miscellaneous Rate Element, Tag Design Loop at															
UNIE B	End Use Premise			UEP95	URETN		11.21	1.10								
	CENTREX - DMS100 (Valid in All States) VG Loop/2-Wire Voice Grade Port (Centrex) Combo										-				-	+
	ort/Loop Combination Rates (Non-Design)				_						-					+
UNE PO	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -				_						-				-	+
	Non-Design		1	UEP9D		12.70										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Non-Design		2	UEP9D		21.19										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		3	UEP9D		34.80										
LINE D	Non-Design		3	UEP9D		34.80									1	+
UNE PO	ort/Loop Combination Rates (Design)		1													+
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Design		1	UEP9D		15.53										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															1
	Design		2	UEP9D		24.00										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design		3	UEP9D		37.29										
UNE L	oop Rate															
	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP9D	UECS1	11.55										
	2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEP9D	UECS1	20.04										
	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP9D	UECS1	33.65										
	2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP9D	UECS2	14.38										
	2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP9D	UECS2	22.85										<u> </u>
	2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP9D	UECS2	36.14										
ALL ST	ort Rate				_											
ALL 3	2-Wire Voice Grade Port (Centrex) Basic Local Area			UEP9D	UEPYA	1.15	40.19	19.83	24.91	6.63	-					+
	2-Wire Voice Grade Port (Centrex) Basic Local Area 2-Wire Voice Grade Port (Centrex 800 termination)Basic Local		1	UEP9D	UEPTA	1.15	40.19	19.03	24.91	0.03	1				1	+
	Area			UEP9D	UEPYB	1.15	40.19	19.83	24.91	6.63						
	2-Wire Voice Grade Port (Centrex / EBS-PSET)3Basic Local Area			UEP9D	UEPYC	1.15	40.19	19.83	24.91	6.63						
	2-Wire Voice Grade Port (Centrex / EBS-M5009)3Basic Local															
	Area 2-Wire Voice Grade Port (Centrex / EBS-M5209))3 Basic Local			UEP9D	UEPYD	1.15	40.19	19.83	24.91	6.63	-					
	Area			UEP9D	UEPYE	1.15	40.19	19.83	24.91	6.63						
	2-Wire Voice Grade Port (Centrex / EBS-M5112))3 Basic Local Area			UEP9D	UEPYF	1.15	40.19	19.83	24.91	6.63						
	2-Wire Voice Grade Port (Centrex / EBS-M5312))3Basic Local				UEPYG											
	Area 2-Wire Voice Grade Port (Centrex / EBS-M5008))3 Basic Local			UEP9D		1.15	40.19	19.83	24.91	6.63						
	Area			UEP9D	UEPYT	1.15	40.19	19.83	24.91	6.63	-					<u> </u>
	2-Wire Voice Grade Port (Centrex / EBS-M5208))3 Basic Local Area			UEP9D	UEPYU	1.15	40.19	19.83	24.91	6.63						
	2-Wire Voice Grade Port (Centrex / EBS-M5216))3 Basic Local Area			UEP9D	UEPYV	1.15	40.19	19.83	24.91	6.63						
	2-Wire Voice Grade Port (Centrex / EBS-M5316))3 Basic Local		t													
	Area 2-Wire Voice Grade Port (Centrex with Caller ID) Basic Local		-	UEP9D	UEPY3	1.15	40.19	19.83	24.91	6.63	-				-	
	Area 2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp		-	UEP9D	UEPYH	1.15	40.19	19.83	24.91	6.63					-	
	Indication))4 Basic Local Area			UEP9D	UEPYW	1.15	40.19	19.83	24.91	6.63						
	2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication))4 Basic Local Area			UEP9D	UEPYJ	1.15	40.19	19.83	24.91	6.63						
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)	l			12-11-11	0	0			2.00	1				t	†

UNBUNDL	ED NETWORK ELEMENTS - Alabama												Attach	ment: 2	Exhi	bit: A
											Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
											Submitted	Submitted		Charge -	Charge -	Charge -
		l									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m						- (1)			per Lor	per LSK	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
													151	Addi	DISC 1St	DISC Add I
						Rec	Nonred	curring	Nonrecurring	Disconnect			oss	Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2,3,4															i
	Basic Local Area			UEP9D	UEPYO	1.15	90.38	57.27	48.66	8.77						<u> </u>
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2,3,4															ł
	Basic Local Area			UEP9D	UEPYP	1.15	90.38	57.27	48.66	8.77						<u> </u>
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2,3,4															í
	Basic Local Area			UEP9D	UEPYQ	1.15	90.38	57.27	48.66	8.77						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2,3,4															í
	Basic Local Area			UEP9D	UEPYR	1.15	90.38	57.27	48.66	8.77						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2,3,4															í
	Basic Local Area			UEP9D	UEPYS	1.15	90.38	57.27	48.66	8.77						——
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2,3,4			LIEDOD	LIEDV4	4.45	00.00	F7.07	40.00	0.77						í
	Basic Local Area			UEP9D	UEPY4	1.15	90.38	57.27	48.66	8.77						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3	1		LIEDOD	UEPY5	4.45	00.30	E7 07	40.60	0 77		1				l .
\vdash	Basic Local Area 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2,3,4	 	+	UEP9D	UEF 15	1.15	90.38	57.27	48.66	8.77	-					
				UEP9D	UEPY6	1.15	90.38	57.27	48.66	8.77						í
	Basic Local Area 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2,3,4			UEP9D	UEPTO	1.15	90.36	31.21	40.00	0.11	1					
	Basic Local Area			UEP9D	UEPY7	1.15	90.38	57.27	48.66	8.77						í
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service			OLI 3D	OLI 17	1.13	30.30	31.21	40.00	0.77	1					
	Term 2,3			UEP9D	UEPYZ	1.15	90.38	57.27	48.66	8.77						í
	2-Wire Voice Grade Port terminated in on Megalink or equivalent			OLI 3D	OLI 12	1.10	30.30	31.21	40.00	0.77						
	Basic Local Area			UEP9D	UEPY9	1.15	40.19	19.83	24.91	6.63						í
	2-Wire Voice Grade Port Terminated on 800 Service Term Basic			OLI OD	OLI 10	1.10	40.10	10.00	24.01	0.00	1					
	Local Area			UEP9D	UEPY2	1.15	40.19	19.83	24.91	6.63						í
AL. I	KY, LA, MS, SC, & TN Only															
	2-Wire Voice Grade Port (Centrex)			UEP9D	UEPQA	1.15	40.19	19.83	24.91	6.63						·
	2-Wire Voice Grade Port (Centrex 800 termination)			UEP9D	UEPQB	1.15	40.19	19.83	24.91	6.63						·
	2-Wire Voice Grade Port (Centrex / EBS-PSET)4			UEP9D	UEPQC	1.15	40.19	19.83	24.91	6.63						
	2-Wire Voice Grade Port (Centrex / EBS-M5009)4			UEP9D	UEPQD	1.15	40.19	19.83	24.91	6.63						
	2-Wire Voice Grade Port (Centrex / EBS-M5209)4			UEP9D	UEPQE	1.15	40.19	19.83	24.91	6.63						i Total
	2-Wire Voice Grade Port (Centrex / EBS-M5112)4			UEP9D	UEPQF	1.15	40.19	19.83	24.91	6.63						ĺ
	2-Wire Voice Grade Port (Centrex / EBS-M5312)4			UEP9D	UEPQG	1.15	40.19	19.83	24.91	6.63						í .
	2-Wire Voice Grade Port (Centrex / EBS-M5008)4			UEP9D	UEPQT	1.15	40.19	19.83	24.91	6.63						ı
	2-Wire Voice Grade Port (Centrex / EBS-M5208)4			UEP9D	UEPQU	1.15	40.19	19.83	24.91	6.63						
	2-Wire Voice Grade Port (Centrex / EBS-M5216)4			UEP9D	UEPQV	1.15	40.19	19.83	24.91	6.63						
	2-Wire Voice Grade Port (Centrex / EBS-M5316)4			UEP9D	UEPQ3	1.15	40.19	19.83	24.91	6.63						
	2-Wire Voice Grade Port (Centrex with Caller ID)			UEP9D	UEPQH	1.15	40.19	19.83	24.91	6.63						
	2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp	1		LIEDOD	LIEDOM		10.10	10.00	04.61	0.00		1				ł .
———	Indication)4	-	-	UEP9D	UEPQW	1.15	40.19	19.83	24.91	6.63	-					
	2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication)4	!	+	UEP9D	UEPQJ	1.15	40.19	19.83	24.91	6.63	-	-				
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center) 2.3	l		UEP9D	UEPQM	1.15	90.38	57.27	48.66	8.77						l .
 	L, V	 		OLFBD	OLF QIVI	1.15	90.38	51.21	40.00	0.77	H		l			
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2,3,4			UEP9D	UEPQO	1.15	90.38	57.27	48.66	8.77						í
 	2 TVIIC VOICE Glade I GIT (Gentlewallier GVVC /LBG-FGL I)2,3,4	-	 	OL: 3D	OLI QU	1.13	30.30	51.21	70.00	0.77						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2,3,4	1		UEP9D	UEPQP	1.15	90.38	57.27	48.66	8.77		1				1
	2 70100 Olddo i o'r (Ooldfewdiilei Offo /EDO-1910003)2,3,4	1	†	021 00	JL1 W1	1.13	30.30	51.21	40.00	0.77	 	 				(
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2,3,4	l		UEP9D	UEPQQ	1.15	90.38	57.27	48.66	8.77						l .
		l -		02		0	33.00	321	.0.00	0.11						(
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2,3,4	1		UEP9D	UEPQR	1.15	90.38	57.27	48.66	8.77		1				l .
		l		-			22.30		15.50				l			í
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2,3,4	1		UEP9D	UEPQS	1.15	90.38	57.27	48.66	8.77		1				ł .
																i
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2,3,4	l		UEP9D	UEPQ4	1.15	90.38	57.27	48.66	8.77						ł .
																(
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2,3,4			UEP9D	UEPQ5	1.15	90.38	57.27	48.66	8.77						<u> </u>
		l							l				l			ı ———
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2,3,4	L	Ш.	UEP9D	UEPQ6	1.15	90.38	57.27	48.66	8.77			<u></u>	L		<u> </u>

UNBUNDL	ED NETWORK ELEMENTS - Alabama			1							T -	Γ-		ment: 2	1	bit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			1	Svc Order Submitted Manually per LSR	Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
						Rec	Nonrec		Nonrecurring					Rates (\$)		
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2,3,4			UEP9D	UEPQ7	1.15	90.38	57.27	48.66	8.77						
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service															
	Term 2,3			UEP9D	UEPQZ	1.15	90.38	57.27	48.66	8.77						
	2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP9D	UEPQ9	1.15	40.19	19.83	24.91	6.63						
	2-Wire Voice Grade Port Terminated on 800 Service Term			UEP9D	UEPQ2	1.15	40.19	19.83	24.91	6.63						
Loca	I Switching			LIEDAD		0.5100										
	Centrex Intercom Funtionality, per port			UEP9D	URECS	0.5488										
Loca	Number Portability			LIEDOD	LNDOO	0.05										
Fact	Local Number Portability (1 per port)	-	 	UEP9D	LNPCC	0.35			-		 		 	 	 	
Featu	All Standard Features Offered, per port	-	 	UEP9D	UEPVF	1.98			-		1	-			 	
	All Select Features Offered, per port	-	 	UEP9D UEP9D	UEPVF	0.00	405.52		-		1	-			 	
	All Centrex Control Features Offered, per port	-	 	UEP9D	UEPVS	1.98	405.52		1		 	-	 	 	+	
NARS		 	 	OLFSD	OLF VC	1.98			1		1	-	1	1	 	+
INAK	Unbundled Network Access Register - Combination	 	 	UEP9D	UARCX	0.00	0.00	0.00	0.00	0.00	1	-	1	1	 	+
+	Unbundled Network Access Register - Combination Unbundled Network Access Register - Inward			UEP9D	UAR1X	0.00	0.00	0.00	0.00	0.00	1		1	1		-
	Unbundled Network Access Register - Outdial			UEP9D	UAROX	0.00	0.00	0.00		0.00						
Misc	ellaneous Terminations			OLI 3D	UARUX	0.00	0.00	0.00	0.00	0.00	1		1	1		-
	re Trunk Side				_											
2-1111	Trunk Side Terminations, each			UEP9D	CEND6	8.05	119.31	18.74	59.90	3.76						+
4-Wir	re Digital (1.544 Megabits)		1	OLI 3D	CLINDO	0.00	119.51	10.74	33.30	5.70						
7 ***	DS1 Circuit Terminations, each		1	UEP9D	M1HD1	60.09	202.02	95.69	72.59	2.46						
	DS0 Channels Activiated per Channel		1	UEP9D	M1HDO	0.00	14.48	50.05	72.00	2.40						
Interd	office Channel Mileage - 2-Wire			OLI OD	WITTE	0.00	14.40				1					
	Interoffice Channel Facilities Termination			UEP9D	M1GBC	21.13	40.54	27.41	16.74	6.90						
	Interoffice Channel mileage, per mile or fraction of mile			UEP9D	M1GBM	0.008838	10.01	2	10	0.00						
Featu	ure Activations (DS0) Centrex Loops on Channelized DS1 Service	e		02. 02	05	0.000000					1					†
	hannel Bank Feature Activations	Ī														
	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP9D	1PQWS	0.56										i e
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP9D	1PQW6	0.56										
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop															
	Slot			UEP9D	1PQW7	0.56										
	Feature Activation on D-4 Channel Bank Centrex Loop Slot -		i –													
	Different Wire Center			UEP9D	1PQWP	0.56										
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP9D	1PQWV	0.56										
	Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop															
	Slot			UEP9D	1PQWQ	0.56										
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP9D	1PQWA	0.56										
Non-	Recurring Charges (NRC) Associated with UNE-P Centrex															
	NRC Conversion Currently Combined Switch-As-Is with allowed															
	changes, per port			UEP9D	USAC2		0.10	0.10								ļ
	Conversion of existing Centrex Common Block, each			UEP9D	USACN		37.75	16.58								
	New Centrex Standard Common Block		<u> </u>	UEP9D	M1ACS	0.00	667.21		ļ		ļ				ļ	ļ
	New Centrex Customized Common Block		<u> </u>	UEP9D	M1ACC	0.00	667.21				<u> </u>					_
	NAR Establishment Charge, Per Occasion		<u> </u>	UEP9D	URECA	0.00	72.73								-	
Addit	tional Non-Recurring Charges (NRC)	-	<u> </u>		+ +						ļ	-	-	-	 	
	Unbundled Miscellaneous Rate Element, Tag Loop at End Use			LIEDOD	LIDETI		0.00	0.00				1			I	
	Premise	-	 	UEP9D	URETL		8.33	0.83	-		 		 	 	 	
	Unbundled Miscellaneous Rate Element, Tag Design Loop at			UEP9D	URETN		44.04	1.10							I	
1111-	End Use Premise		1	UEP9D	UKETN		11.21	1.10	-		-				 	
	P CENTREX - EWSD (Valid in AL, FL, KY, LA, MS & TN)	-	 		+				-		 		 	 	 	
	re VG Loop/2-Wire Voice Grade Port (Centrex) Combo		1		+				-		-				 	
	Port/Loop Combination Rates (Non-Design)	1	1												ļ	
UNE	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -		ı													

BUNDLE	D NETWORK ELEMENTS - Alabama													ment: 2		bit: A
regory	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			l l	Svc Order Submitted Manually per LSR	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
							Nonrec	urring	Nonrecurring	n Disconnoct				Rates (\$)		
+-					1	Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
+-	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -				+	-	11131	Addi	11130	Addi	JOINEC	JONAN	JOHIAN	JONAN	JOHAN	JONAN
	Non-Design		2	UEP9E		21.19										
\neg	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -			02.02	1	20					†			t		
	Non-Design		3	UEP9E		34.80										
UNE P	ort/Loop Combination Rates (Design)				1	Ì										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -															
	Design		1	UEP9E		15.53										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
	Design		2	UEP9E		24.00										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		_													
	Design		3	UEP9E		37.29					ļ					
UNE L	oop Rate		4	LIEDOE	LIECC4	44.55					-					
+-	2-Wire Voice Grade Loop (SL 1) - Zone 1 2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEP9E UEP9E	UECS1 UECS1	11.55 20.04					-		 	 		
$+\!-\!-$	2-Wire Voice Grade Loop (SL 1) - Zone 2 2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP9E	UECS1	33.65					 					
+-	2-Wire Voice Grade Loop (SL 1) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP9E UEP9E	UECS1	14.38			1	 	1		t	t	 	
+-	2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP9E	UECS2	22.85					1					
+-	2-Wire Voice Grade Loop (SL 2) - Zone 3			UEP9E	UECS2	36.14								1		
UNE P	ort Rate		Ť	02. 02	02002	00								1		
	, KY, LA, MS, & TN only				1						†			t		
	2-Wire Voice Grade Port (Centrex) Basic Local Area			UEP9E	UEPYA	1.15	40.19	19.83	24.91	6.63						
	2-Wire Voice Grade Port (Centrex 800 termination)Basic Local															
	Area			UEP9E	UEPYB	1.15	40.19	19.83	24.91	6.63						
	2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local															
	Area			UEP9E	UEPYH	1.15	40.19	19.83	24.91	6.63						
	2-Wire Voice Grade Port (Centrex from diff Serving Wire															
	Center)2,3 Basic Local Area			UEP9E	UEPYM	1.15	90.38	57.27	48.66	8.77						
	2-Wire Voice Grade Port, Diff Serving Wire Center 2,3 - 800				l l											
$-\!$	Service Term - Basic Local Area			UEP9E	UEPYZ	1.15	90.38	57.27	48.66	8.77	ļ					
	2-Wire Voice Grade Port terminated in on Megalink or equivalent			LIEDOE	LIEDVO	4.45	40.40	40.00	04.04	0.00						
$-\!$	- Basic Local Area 2-Wire Voice Grade Port Terminated on 800 Service Term -			UEP9E	UEPY9	1.15	40.19	19.83	24.91	6.63	-					
	Basic Local Area			UEP9E	UEPY2	1.15	40.19	19.83	24.91	6.63						
AI K	/, LA, MS, & TN Only			OLF9L	OLF 12	1.13	40.19	19.03	24.51	0.03	1		1	1		
	2-Wire Voice Grade Port (Centrex)			UEP9E	UEPQA	1.15	40.19	19.83	24.91	6.63	1					
\neg	2-Wire Voice Grade Port (Centrex 800 termination)			UEP9E	UEPQB	1.15	40.19	19.83		6.63	İ					
\neg	2-Wire Voice Grade Port (Centrex with Caller ID)1			UEP9E	UEPQH	1.15	40.19	19.83		6.63	İ					
	2-Wire Voice Grade Port (Centrex from diff Serving Wire															
	Center)2,3			UEP9E	UEPQM	1.15	90.38	57.27	48.66	8.77			<u> </u>	<u> </u>	<u> </u>	<u></u>
	2-Wire Voice Grade Port, Diff Serving Wire Center 2,3 - 800															
	Service Term			UEP9E	UEPQZ	1.15	90.38	57.27	48.66	8.77						
						\neg							_	_		
	2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP9E	UEPQ9	1.15	40.19	19.83		6.63			1	1	ļ	
	2-Wire Voice Grade Port Terminated on 800 Service Term			UEP9E	UEPQ2	1.15	40.19	19.83	24.91	6.63						
Local	Switching		-	LIEDOE	LIDECO	0.5400			1	-	ļ	 	 	 	!	-
l age!	Centrex Intercom Funtionality, per port		-	UEP9E	URECS	0.5488			1	-	ļ		 	 	 	
Local	Number Portability Local Number Portability (1 per port)			UEP9E	LNPCC	0.35	-		1	 	1		 	 	 	
Featur				OLI JL	LIVI OC	0.55			1	 	1		t	t	 	
- Julius	All Standard Features Offered, per port			UEP9E	UEPVF	1.98					1	 	I	I		t
\neg	All Select Features Offered, per port			UEP9E	UEPVS	0.00	405.52						1	1	İ	
\neg	All Centrex Control Features Offered, per port			UEP9E	UEPVC	1.98			1	l			1	1	İ	1
NARS					1	Ì										
	Unbundled Network Access Register - Combination			UEP9E	UARCX	0.00	0.00	0.00		0.00						
	Transport to the state of the s			UEP9E	UAR1X	0.00	0.00	0.00	0.00	0.00						
\perp	Unbundled Network Access Register - Indial															
	Unbundled Network Access Register - Outdial			UEP9E	UAROX	0.00	0.00	0.00	0.00	0.00						
					UAROX	0.00	0.00	0.00	0.00	0.00						

UNBUNDLE	D NETWORK ELEMENTS - Alabama												Attach	ment: 2	Exhil	oit: A
											Svc Order	Svc Order	Incremental	Incremental		Incremental
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
0.4750.001/	DATE ELEMENTO	Interi		200				DATEO (6)			Elec		Manual Svc	Manual Svc		Manual Svc
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
		1	1			Rec	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
4-Wire	Digital (1.544 Megabits)		ļ	LIEBAE		22.22			=0.50							
	DS1 Circuit Terminations, each DS0 Channel Activated Per Channel	<u> </u>	1	UEP9E UEP9E	M1HD1 M1HDO	60.09 0.00	202.02 14.48	95.69	72.59	2.46						
Interof	fice Channel Mileage - 2-Wire	1	1	UEF9E	WINDO	0.00	14.40		 							
interon.	Interoffice Channel Facilities Termination			UEP9E	M1GBC	21.13	40.54	27.41	16.74	6.90						
	Interoffice Channel mileage, per mile or fraction of mile			UEP9E	M1GBM	0.008838				0.00						
	e Activations (DS0) Centrex Loops on Channelized DS1 Service	ce														
D4 Cha	annel Bank Feature Activations	ļ	1	LIEDOE	1PQWS	0.50										
	Feature Activation on D-4 Channel Bank Centrex Loop Slot	<u> </u>	-	UEP9E	TPQW5	0.56			-							
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP9E	1PQW6	0.56										ı l
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop	İ							1							
	Slot	<u> </u>		UEP9E	1PQW7	0.56										
	Feature Activation on D-4 Channel Bank Centrex Loop Slot -			LIEBAE	450145											ı
	Different Wire Center	-	 	UEP9E	1PQWP	0.56			-							
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP9E	1PQWV	0.56										1
	Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop	İ														
	Slot			UEP9E	1PQWQ	0.56										
<u> </u>	Feature Activation on D-4 Channel Bank WATS Loop Slot		ļ	UEP9E	1PQWA	0.56										
Non-Re	ecurring Charges (NRC) Associated with UNE-P Centrex NRC Conversion Currently Combined Switch-As-Is with allowed	<u> </u>	1		-				-							
	changes, per port			UEP9E	USAC2		0.10	0.10								
	Conversion of Existing Centrex Common Block, each	<u> </u>		UEP9E	USACN		37.75	16.58	1							
	New Centrex Standard Common Block			UEP9E	M1ACS	0.00	667.21									
	New Centrex Customized Common Block	ļ		UEP9E	M1ACC	0.00	667.21									
A delitio	NAR Establishment Charge, Per Occasion onal Non-Recurring Charges (NRC)	<u> </u>	1	UEP9E	URECA	0.00	72.73		1							
Additio	Unbundled Miscellaneous Rate Element, Tag Loop at End Use	1	1		1				 							
	Premise			UEP9E	URETL		8.33	0.83								ı
	Unbundled Miscellaneous Rate Element, Tag Design Loop at		1													
	End Use Premise	ļ		UEP9E	URETN		11.21	1.10								
	CENTREX - DCO - Valid in AL, KY, LA, MS, & TN) VG Loop/2-Wire Voice Grade Port (Centrex) Combo	ļ	<u> </u>		-				ļ							
	ort/Loop Combination Rates (Non-Design)	1	1		1				 							
ORET	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -	-							1							
	Non-Design		1	UEP93		12.70										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															ı
	Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -	<u> </u>	2	UEP93	1	21.19			1							
	Non-Design		3	UEP93		34.80										ı
UNE Po	ort/Loop Combination Rates (Design)	1	Ť	02.00		0 1.00										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -	-														
	Design	ļ	1	UEP93		15.53										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design		2	UEP93		24.00										ı
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -	1		OLF 93		24.00										
	Design		3	UEP93		37.29										ı
UNE Lo	oop Rate							_								
	2-Wire Voice Grade Loop (SL 1) - Zone 1	 	1	UEP93	UECS1	11.55										I
\vdash	2-Wire Voice Grade Loop (SL 1) - Zone 2 2-Wire Voice Grade Loop (SL 1) - Zone 3	 	2	UEP93 UEP93	UECS1 UECS1	20.04 33.65			 			-				
	2-Wire Voice Grade Loop (SL 1) - Zone 3	t	1	UEP93	UECS2	14.38			+			 				
	2-Wire Voice Grade Loop (SL 2) - Zone 2	1	2	UEP93	UECS2	22.85			1							
	2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP93	UECS2	36.14		_								
	ort Rate	 	<u> </u>		1											I
AL, KY	7, LA, MS, & TN only 2-Wire Voice Grade Port (Centrex) Basic Local Area	 	1	UEP93	UEPYA	1.15	40.19	19.83	24.91	6.63						
$\overline{}$	12 This Tales Glade For (Contract) Dadio Local Alea		1	021 00	JLI IA	1.13	70.13	10.00	27.31	0.03	1					

	NETWORK ELEMENTS - Alabama	1												ment: 2		bit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			Svc Order Submitted Elec per LSR	Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st			Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrec		Nonrecurring					Rates (\$)		
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	-Wire Voice Grade Port (Centrex 800 termination)Basic Local			LIEDOO	LIEDVO	4.45	40.40	40.00	04.04	0.00						
	rea -Wire Voice Grade Port (Centrex with Caller ID)1Basic Local			UEP93	UEPYB	1.15	40.19	19.83	24.91	6.63						
	rea			UEP93	UEPYH	1.15	40.19	19.83	24.91	6.63						
	-Wire Voice Grade Port (Centrex from diff Serving Wire tenter)2,3 Basic Local Area			UEP93	UEPYM	1.15	90.38	57.27	48.66	8.77						
	-Wire Voice Grade Port, Diff Serving Wire Center - 2,3 - 800															
	ervice Term - Basic Local Area			UEP93	UEPYZ	1.15	90.38	57.27	48.66	8.77						
- E	-Wire Voice Grade Port terminated in on Megalink or equivalent Basic Local Area			UEP93	UEPY9	1.15	40.19	19.83	24.91	6.63						
	-Wire Voice Grade Port Terminated on 800 Service Term -			UEP93	UEPY2	1.15	40.19	19.83	24.91	6.63						
	-Wire Voice Grade Port (Centrex)			UEP93	UEPYZ	1.15	40.19	19.83	24.91	6.63						
	-Wire Voice Grade Port (Centrex 800 termination)			UEP93	UEPQB	1.15	40.19	19.83	24.91	6.63						
	-Wire Voice Grade Port (Centrex with Caller ID)1			UEP93	UEPQH	1.15	40.19	19.83	24.91	6.63						
	-Wire Voice Grade Port (Centrex from diff Serving Wire tenter)2,3			UEP93	UEPQM	1.15	90.38	57.27	48.66	8.77						
	-Wire Voice Grade Port, Diff Serving Wire Center - 2,3 -800															
Se	ervice Term			UEP93	UEPQZ	1.15	90.38	57.27	48.66	8.77						
2-	-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP93	UEPQ9	1.15	40.19	19.83	24.91	6.63						
	-Wire Voice Grade Port Terminated on 800 Service Term			UEP93	UEPQ2	1.15	40.19	19.83	24.91	6.63						
Local Swi				LIEBAA		0.5100										
	entrex Intercom Funtionality, per port mber Portability			UEP93	URECS	0.5488										
	ocal Number Portability (1 per port)			UEP93	LNPCC	0.35										
Features				02. 00	2.1. 00	0.00										
	Il Standard Features Offered, per port			UEP93	UEPVF	1.98										
	Il Centrex Control Features Offered, per port			UEP93	UEPVC	1.98										
NARS	Inbundled Network Access Register - Combination			UEP93	UARCX	0.00	0.00	0.00	0.00	0.00						
	Inbundled Network Access Register - Combination			UEP93	UAR1X	0.00	0.00	0.00	0.00	0.00						
	Inbundled Network Access Register - Outdial			UEP93	UAROX	0.00	0.00	0.00	0.00	0.00						
	neous Terminations															
2-Wire Tru																
	runk Side Terminations, each			UEP93	CEND6	8.05	119.31	18.74	59.90	3.76						
	igital (1.544 Megabits) S1 Circuit Terminations, each			UEP93	M1HD1	60.09	202.02	95.69	72.59	2.46						
	S0 Channels Activated, Per Channel			UEP93	M1HDO	0.00	14.48	30.00	72.00	2.40						
	e Channel Mileage - 2-Wire															
	nteroffice Channel Facilities Termination			UEP93	M1GBC	21.13	40.54	27.41	16.74	6.90						
	nteroffice Channel mileage, per mile or fraction of mile Activations (DS0) Centrex Loops on Channelized DS1 Service	<u> </u>		UEP93	M1GBM	0.008838										
	nel Bank Feature Activations	;e														
	eature Activation on D-4 Channel Bank Centrex Loop Slot			UEP93	1PQWS	0.56										
	eature Activation on D-4 Channel Bank FX Line Side Loop Slot			UEP93	1PQW6	0.56										
	eature Activation on D-4 Channel Bank FX Trunk Side Loop															
1	lot		$\vdash \vdash$	UEP93	1PQW7	0.56										
	eature Activation on D-4 Channel Bank Centrex Loop Slot - ifferent Wire Center			UEP93	1PQWP	0.56										
	eature Activation on D-4 Channel Bank Private Line Loop Slot			UEP93	1PQWV	0.56										
	eature Activation on D-4 Channel Bank Tie Line/Trunk Loop			LIEDOO	450000	0.50										,
	eature Activation on D-4 Channel Bank WATS Loop Slot		\vdash	UEP93 UEP93	1PQWQ 1PQWA	0.56 0.56										
	urring Charges (NRC) Associated with UNE-P Centrex			OLI 30	11 411/1	0.50										
N	IRC Conversion Currently Combined Switch-As-Is with allowed hanges, per port			UEP93	USAC2		0.10	0.10								

UNBUN	DLE	D NETWORK ELEMENTS - Alabama												Attach	ment: 2	Exhi	bit: A
CATEGO	RY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			I .	Submitted Manually	Charge -	Charge - Manual Svc Order vs.	Charge - Manual Svc	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
							В	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates (\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Conversion of Existing Centrex Common Block, each			UEP93	USACN		37.75	16.58								
		New Centrex Standard Common Block			UEP93	M1ACS	0.00	667.21									
		New Centrex Customized Common Block			UEP93	M1ACC	0.00	667.21									
		NAR Establishment Charge, Per Occasion			UEP93	URECA	0.00	72.73									
Α	dditio	onal Non-Recurring Charges (NRC)															
		Unbundled Miscellaneous Rate Element, Tag Loop at End Use Premise			UEP93	URETL		8.33	0.83								
		Unbundled Miscellaneous Rate Element, Tag Design Loop at End Use Premise			UEP93	URETN		11.21	1.10								
N	lote 1	- Required Port for Centrex Control in 1AESS, 5ESS & EWSD															
		- Requres Interoffice Channel Mileage						·	•								
N	lote 3	- Installation is combination of Installation charge for SL2 Loc	op and	Port													
		- Requires Specific Customer Premises Equipment															
N	lote:	Rates displaying an "R" in Interim column are interim and sub	ject to	rate tru	e-up as set forth in	General Tern	ns and Condition	ons.									

	ND: F	NETWORK ELEMENTO. T												1			
UNBU	NDLE	D NETWORK ELEMENTS - Florida										Ι			ment: 2		bit: A
												I .	1	Incremental			
													Submitted	Charge -	Charge -	Charge -	Charge -
CATEG	OPV	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			Elec		Manual Svc	Manual Svc	Manual Svc	
OAILO	0	NATE ELEMENTO	m	20110	200	0000			τιλί Ευ (ψ)			per LSR	per LSR	Order vs. Electronic-	Order vs. Electronic-	Order vs. Electronic-	Order vs. Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
																Diac iat	Disc Add I
							Rec		curring		Disconnect				Rates (\$)		
-								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	The "Z	one" shown in the sections for stand-alone loops or loops as	part of	a com	bination refers to Ge	ographically	Deaveraged U	NE Zones. To	view Geograp	l hically Deavera	aged UNE Zon	e Designation	ons by Cent	ral Office, refe	er to internet \	Nebsite:	L
		ww.interconnection.bellsouth.com/become_a_clec/html/inter	rconnec	tion.ht	tm	. ,											
		SUPPORT SYSTEMS (OSS) - "REGIONAL RATES"							L								L
		(1) CLEC should contact its contract negotiator if it prefers the															
		ther the state specific Commission ordered rates for the servi the 9 states.	ice orae	ring ci	narges, or CLEC may	elect the re	gional service o	ordering charg	je, nowever, Ci	LEC can not or	otain a mixture	of the two	regardiess i	f CLEC nas a	Interconnecti	on contract e	stabiisned in
		(2) Any element that can be ordered electronically will be bill	ed acco	rdina	to the SOMEC rate lis	sted in this o	category. Pleas	se refer to Bell	South's Local	Ordering Hand	book (LOH) to	determine i	if a product	can be order	ed electronica	IIv. For thos	e elements
		nnot be ordered electronically at present per the LOH, the list		•						•	` '		•			•	
	SOMA	N, will be applied to a CLECs bill when it submits an LSR to B	ellSout	h.													
		OSS - Electronic Service Order Charge, Per Local Service				00115-											
⊢—		Request (LSR) - UNE Only OSS - Manual Service Order Charge, Per Local Service Request		-	 	SOMEC		3.50	0.00	3.50	0.00	1	1				-
		(LSR) - UNE Only				SOMAN		11.90	0.00	1.83	0.00						
UNE S	RVICE	DATE ADVANCEMENT CHARGE				001111111		11.00	0.00		0.00						1
	NOTE:	The Expedite charge will be maintained commensurate with	BellSou	th's F	CC No.1 Tariff, Section	n 5 as appli	cable.										
					UAL, UEANL, UCL, UEF, UDF, UEQ.												
					UDL, UENTW, UDN,												
					UEA, UHL, ULC,												
					USL, U1T12, U1T48,												
					U1TD1, U1TD3,												
					U1TDX, U1TO3, U1TS1, U1TVX,												
					UC1BC, UC1BL,												
					UC1CC, UC1CL,												
					UC1DC, UC1DL,												
					UC1EC, UC1EL,												
					UC1FC, UC1FL, UC1GC, UC1GL,												
					UC1HC, UC1HL,												
					UDL12, UDL48,												
					UDLO3, UDLSX,												
					UE3, ULD12,												
					ULD48, ULDD1,												
					ULDD3, ULDDX, ULDO3, ULDS1,												
					ULDVX, UNC1X,												
					UNC3X, UNCDX,												
					UNCNX, UNCSX,												
					UNCVX, UNLD1,												
					UNLD3, UXTD1, UXTD3, UXTS1,												
		UNE Expedite Charge per Circuit or Line Assignable USOC, per			U1TUC, U1TUD,												
		Day			U1TUB, U1TUA	SDASP		200.00									
UNBUN		XCHANGE ACCESS LOOP							L								
<u> </u>	2-WIRE	ANALOG VOICE GRADE LOOP		4	UEANL	UEAL2	10.69	40.57	00.00	05.00	0.57	ļ	-				
<u> </u>		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2	-		UEANL	UEAL2	15.20	49.57 49.57	22.83 22.83	25.62 25.62	6.57 6.57		-				
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2			UEANL	UEAL2	26.97	49.57	22.83	25.62	6.57		<u> </u>				
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1		1	UEANL	UEASL	10.69	49.57	22.83	25.62	6.57						
$ldsymbol{ldsymbol{eta}}$		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2			UEANL	UEASL	15.20	49.57	22.83	25.62	6.57						
<u> </u>		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3		3	UEANL	UEASL	26.97	49.57	22.83	25.62	6.57	ļ	-				
		Unbundled Miscellaneous Rate Element, Tag Loop at End User Premise			UEANL	URETL		8.33	0.83								
—		Loop Testing - Basic 1st Half Hour			UEANL	URET1		48.65	48.65		i		l				
		Loop Testing - Basic Additional Half Hour			UEANL	URETA		23.95	23.95								

Version 3Q03: 11/12/2003 Page 41 of 349

UNBUNDLE	D NETWORK ELEMENTS - Florida													ment: 2	1	bit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			II .	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'l
						Rec	Nonred		Nonrecurring					Rates (\$)		
						1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	CLEC to CLEC Conversion Charge Without Outside Dispatch															l
	(UVL-SL1)			UEANL	UREWO		15.78	8.94								
	Unbundled Voice Loop, Non-Design Voice Loop, billing for BST						40.40									
	providing make-up (Engineering Information - E.I.) Manual Order Coordination for UVL-SL1s (per loop)		-	UEANL UEANL	UEANM UEAMC		13.49	9.00			1					
	Order Coordination for OVL-SL1s (per loop) Order Coordination for Specified Conversion Time for UVL-SL1		-	UEANL	UEAIVIC		9.00	9.00			 				-	
	(per LSR)			UEANL	OCOSL		23.02									l
2-WIRE	Unbundled COPPER LOOP		-	OLANE	OCCOL		25.02				1					
2 *****	2-Wire Unbundled Copper Loop - Non-Designed Zone 1		1	UEQ	UEQ2X	7.69	44.98	20.90	24.88	6.45	1					
	2 Wire Unbundled Copper Loop - Non-Designed - Zone 2			UEQ	UEQ2X	10.92	44.98	20.90	24.88	6.45	†				t	
	2 Wire Unbundled Copper Loop - Non-Designed - Zone 3			UEQ	UEQ2X	19.38	44.98	20.90	24.88	6.45		İ	l	İ	1	
	Unbundled Miscellaneous Rate Element, Tag Loop at End User															
	Premise	L		UEQ	URETL		8.33	0.83	<u> </u>		<u> </u>		<u> </u>		<u> </u>	<u> </u>
	Manual Order Coordination 2 Wire Unbundled Copper Loop -															
	Non-Designed (per loop)			UEQ	USBMC		9.00									
	Unbundled Copper Loop, Non-Design Cooper Loop, billing for				Ι				ı 7						_	1
	BST providing make-up (Engineering Information - E.I.)			UEQ	UEQMU		13.49									
	Loop Testing - Basic 1st Half Hour			UEQ	URET1		48.65	48.65								
	Loop Testing - Basic Additional Half Hour			UEQ	URETA		23.95	23.95								
	CLEC to CLEC Conversion Charge Without Outside Dispatch			UEQ	LIDEWO		44.07	7.40								
LINDUNDI ED I	(UCL-ND) EXCHANGE ACCESS LOOP			UEQ	UREWO		14.27	7.43	-		-	-		-		
	E ANALOG VOICE GRADE LOOP				+						 					-
Z-WINI	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-		-		+						1				-	
	Zone 1		1	UEPSR UEPSB	UEALS	10.69	49.57	22.83	25.62	6.57						ĺ
	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-		<u> </u>	OLI OK OLI OD	OLALO	10.03	49.51	22.00	25.02	0.57	1					
	Zone 1		1	UEPSR UEPSB	UEABS	10.69	49.57	22.83	25.62	6.57						ĺ
	2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting-				1	10.00										
	Zone 2		2	UEPSR UEPSB	UEALS	15.20	49.57	22.83	25.62	6.57						ĺ
	2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting-															
	Zone 2		2	UEPSR UEPSB	UEABS	15.20	49.57	22.83	25.62	6.57						
	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-															l
	Zone 3		3	UEPSR UEPSB	UEALS	26.97	49.57	22.83	25.62	6.57						
	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-		_													l
	Zone 3		3	UEPSR UEPSB	UEABS	26.97	49.57	22.83	25.62	6.57						
	EXCHANGE ACCESS LOOP E ANALOG VOICE GRADE LOOP		-		+				 		ļ		-	 	 	
Z-WIRE	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or		 		1				 		1	1	 	1	 	
	Ground Start Signaling - Zone 1		1	UEA	UEAL2	12.24	135.75	82.47	63.53	12.01					I	1
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or		- -	02.1	J 27 112	12.27	100.70	UZ.47	00.00	12.01		<u> </u>			-	<u> </u>
	Ground Start Signaling - Zone 2		2	UEA	UEAL2	17.40	135.75	82.47	63.53	12.01					I	1
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or				1 - 1				33.20			İ	l	İ	1	
	Ground Start Signaling - Zone 3		3	UEA	UEAL2	30.87	135.75	82.47	63.53	12.01					1	1
j	Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL		23.02									
İ	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse								l i							
	Battery Signaling - Zone 1		1	UEA	UEAR2	12.24	135.75	82.47	63.53	12.01						1
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse		l .	l	1										1	1
	Battery Signaling - Zone 2		2	UEA	UEAR2	17.40	135.75	82.47	63.53	12.01					ļ	
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse				LIEAGO	22.25									I	1
	Battery Signaling - Zone 3		3	UEA	UEAR2	30.87	135.75	82.47	63.53	12.01	ļ		 	.	 	
	Order Coordination for Specified Conversion Time (per LSR) CLEC to CLEC Conversion Charge without outside dispatch		-	UEA UEA	OCOSL UREWO		23.02 87.71	36.35			-				 	
	Loop Tagging - Service Level 2 (SL2)		-	UEA	URETL		11.21	1.10				-			+	
4-WIDE	E ANALOG VOICE GRADE LOOP	-	 	OLA	UNLIL		11.21	1.10	 		}	-	 	 	 	
-4-441KE	4-Wire Analog Voice Grade Loop - Zone 1		1	UEA	UEAL4	18.89	167.86	115.15	67.08	15.56	<u> </u>		-	 	 	
+	4-Wire Analog Voice Grade Loop - Zone 1	-		UEA	UEAL4	26.84	167.86	115.15	67.08	15.56	 			 	t	—
	4-Wire Analog Voice Grade Loop - Zone 3		3	UEA	UEAL4	47.62	167.86	115.15	67.08	15.56					<u> </u>	
İ	Order Coordination for Specified Conversion Time (per LSR)		Ť	UEA	OCOSL	52	23.02	10	300	.0.00				İ	1	
	CLEC to CLEC Conversion Charge without outside dispatch			UEA	UREWO		87.71	36.35	1		 		-			

UNBUNDI	LED	NETWORK ELEMENTS - Florida												Attach	ment: 2	Exhi	bit: A
												Svc Order	Svc Order	Incremental		Incremental	
												Submitted	Submitted		Charge -	Charge -	Charge -
			to to a									Elec		Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	r	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m						- (1)			per Lor	per LSK	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
								Nonrec	urring	Nonrecurring	Disconnect			oss	Rates (\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
2-W	/IRE IS	SDN DIGITAL GRADE LOOP															
		-Wire ISDN Digital Grade Loop - Zone 1		1	UDN	U1L2X	19.28	147.69	94.41	62.23	10.71	İ					
	2-	-Wire ISDN Digital Grade Loop - Zone 2		2	UDN	U1L2X	27.40	147.69	94.41	62.23	10.71						
		-Wire ISDN Digital Grade Loop - Zone 3		3	UDN	U1L2X	48.62	147.69	94.41	62.23	10.71						
		Order Coordination For Specified Conversion Time (per LSR)			UDN	OCOSL		23.02									
		CLEC to CLEC Conversion Charge without outside dispatch			UDN	UREWO		91.61	44.15			İ					
2-W		ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMP	ATIBLE	LOOP								İ					
		Wire Unbundled ADSL Loop including manual service inquiry															
		a facility reservation - Zone 1		1	UAL	UAL2X	8.30	149.53	103.85	75.05	15.63						
		Wire Unbundled ADSL Loop including manual service inquiry															
		facility reservation - Zone 2		2	UAL	UAL2X	11.80	149.53	103.85	75.05	15.63						
		Wire Unbundled ADSL Loop including manual service inquiry					5			1 2.30					İ		1
		facility reservation - Zone 3		3	UAL	UAL2X	20.94	149.53	103.85	75.05	15.63						
		Order Coordination for Specified Conversion Time (per LSR)			UAL	OCOSL		23.02							İ		İ
		Wire Unbundled ADSL Loop without manual service inquiry &															
		acility reservaton - Zone 1		1	UAL	UAL2W	8.30	124.83	71.12	60.64	9.12						
		Wire Unbundled ADSL Loop without manual service inquiry &									****						
		acility reservaton - Zone 2		2	UAL	UAL2W	11.80	124.83	71.12	60.64	9.12						
		Wire Unbundled ADSL Loop without manual service inquiry &		-							****						
		acility reservaton - Zone 3		3	UAL	UAL2W	20.94	124.83	71.12	60.64	9.12						
		Order Coordination for Specified Conversion Time (per LSR)		Ť	UAL	OCOSL		23.02			***						
	C	CLEC to CLEC Conversion Charge without outside dispatch			UAL	UREWO		86.19	40.39								
2-W		HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIBLE	LOOP													
		Wire Unbundled HDSL Loop including manual service inquiry	Ī	1													
		facility reservation - Zone 1		1	UHL	UHL2X	7.22	159.09	113.41	75.05	15.63						
		Wire Unbundled HDSL Loop including manual service inquiry															
		a facility reservation - Zone 2		2	UHL	UHL2X	10.26	159.09	113.41	75.05	15.63						
		Wire Unbundled HDSL Loop including manual service inquiry										İ					
		facility reservation - Zone 3		3	UHL	UHL2X	18.21	159.09	113.41	75.05	15.63						
	0	Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL	_	23.02									
		Wire Unbundled HDSL Loop without manual service inquiry										İ					
		nd facility reservation - Zone 1		1	UHL	UHL2W	7.22	134.40	80.69	60.64	9.12						
		Wire Unbundled HDSL Loop without manual service inquiry															
		nd facility reservation - Zone 2		2	UHL	UHL2W	10.26	134.40	80.69	60.64	9.12						
		Wire Unbundled HDSL Loop without manual service inquiry															
		and facility reservation - Zone 3		3	UHL	UHL2W	18.21	134.40	80.69	60.64	9.12						
	0	Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		23.02				İ					
		CLEC to CLEC Conversion Charge without outside dispatch			UHL	UREWO		86.12	40.39						ĺ		
4-W		HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIBLE	LOOP						İ					İ		1
		Wire Unbundled HDSL Loop including manual service inquiry													ĺ		
		nd facility reservation - Zone 1		1	UHL	UHL4X	10.86	193.31	138.98	77.15	12.61						1
		-Wire Unbundled HDSL Loop including manual service inquiry															
1 1		nd facility reservation - Zone 2		2	UHL	UHL4X	15.44	193.31	138.98	77.15	12.61		1				I
	4-	-Wire Unbundled HDSL Loop including manual service inquiry															
1 1	aı	nd facility reservation - Zone 3		3	UHL	UHL4X	27.39	193.31	138.98	77.15	12.61		1				I
		Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		23.02									
		-Wire Unbundled HDSL Loop without manual service inquiry					j	j									
		nd facility reservation - Zone 1		1	UHL	UHL4W	10.86	168.62	115.47	62.74	11.22		1				I
	4-	-Wire Unbundled HDSL Loop without manual service inquiry															
L I		nd facility reservation - Zone 2		2	UHL	UHL4W	15.44	168.62	115.47	62.74	11.22	<u> </u>			<u> </u>	<u> </u>	<u> </u>
	4-	-Wire Unbundled HDSL Loop without manual service inquiry															
L l		nd facility reservation - Zone 3	<u></u>	3	UHL	UHL4W	27.39	168.62	115.47	62.74	11.22	<u></u>	<u></u>			<u> </u>	<u> </u>
	0	Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL	İ	23.02									
		CLEC to CLEC Conversion Charge without outside dispatch			UHL	UREWO		86.12	40.39								
4-W		DS1 DIGITAL LOOP															
		-Wire DS1 Digital Loop - Zone 1		1	USL	USLXX	70.74	313.75	181.48	61.22	13.53						
		-Wire DS1 Digital Loop - Zone 2		2	USL	USLXX	100.54	313.75	181.48		13.53						
	- 4	-Wire DS1 Digital Loop - Zone 3		3	USL	USLXX	178.39	313.75	181.48	61.22	13.53						
	14-	- Wile Do i Digital Loop - Zone 3															

UNBUND	DLED	NETWORK ELEMENTS - Florida													ment: 2	1	ibit: A
CATEGOR	tΥ	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Svo Order vs. Electronic Disc Add'l
								Nonrec		Nonrecurring	n Diagonnagt				Rates (\$)	2.00 .01	
						+	Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		CLEC to CLEC Conversion Charge without outside dispatch		-	USL	UREWO		101.07	43.04		Addi	SOWIEC	SOWAN	SOWAN	SOWAN	SOWAN	SOWAN
4-1		9.2. 56 OR 64 KBPS DIGITAL GRADE LOOP		-	OOL	OKEWO		101.07	45.04				-				+
		Wire Unbundled Digital 19.2 Kbps		1	UDL	UDL19	22.20	161.56	108.85	67.08	15.56						+
		Wire Unbundled Digital 19.2 Kbps			UDL	UDL19	31.56	161.56	108.85		15.56	 					+
		Wire Unbundled Digital 19.2 Kbps			UDL	UDL19	55.99	161.56	108.85		15.56		-				+
		Wire Unbundled Digital Loop 56 Kbps - Zone 1			UDL	UDL56	22.20	161.56	108.85		15.56	1	1		1	1	
		Wire Unbundled Digital Loop 56 Kbps - Zone 2			UDL	UDL56	31.56	161.56	108.85		15.56		1		1	1	
		Wire Unbundled Digital Loop 56 Kbps - Zone 3			UDL	UDL56	55.99	161.56	108.85		15.56						1
		Order Coordination for Specified Conversion Time (per LSR)		_ <u> </u>	UDL	OCOSL	00.00	23.02	100.00	07.00	10.00		-				+
		Wire Unbundled Digital Loop 64 Kbps - Zone 1		1	UDL	UDL64	22.20	161.56	108.85	67.08	15.56		-				+
		Wire Unbundled Digital Loop 64 Kbps - Zone 2			UDL	UDL64	31.56	161.56	108.85		15.56	1	†				+
		Wire Unbundled Digital Loop 64 Kbps - Zone 3			UDL	UDL64	55.99	161.56	108.85		15.56			i	t	t	
		Order Coordination for Specified Conversion Time (per LSR)		Ť	UDL	OCOSL	55.53	23.02	100.00	07.30	10.00			i	t	t	
		CLEC to CLEC Conversion Charge without outside dispatch	-	\vdash	UDL	UREWO		102.11	49.74			 	<u> </u>		t	t	+
2-1		Jnbundled COPPER LOOP	-	\vdash		5.12.10		102.11	70.77			 	<u> </u>		t	t	+
		-Wire Unbundled Copper Loop-Designed including manual				+ +						1	†				+
		ervice inquiry & facility reservation - Zone 1		1	UCL	UCLPB	8.30	148.50	102.82	75.05	15.63						
		-Wire Unbundled Copper Loop-Designed including manual		<u> </u>	OOL	OOLI D	0.30	140.50	102.02	73.03	13.03		-				+
		ervice inquiry & facility reservation - Zone 2		2	UCL	UCLPB	11.80	148.50	102.82	75.05	15.63						
		Wire Unbundled Copper Loop-Designed including manual			OOL	OOLI D	11.00	140.50	102.02	73.03	13.03		1				
		ervice inquiry & facility reservation - Zone 3		3	UCL	UCLPB	20.94	148.50	102.82	75.05	15.63						
		Order Coordination for Unbundled Copper Loops (per loop)		3	UCL	UCLMC	20.94	9.00	9.00		13.03	-	-		-	-	
		-Wire Unbundled Copper Loop-Designed without manual		-	UCL	UCLIVIC		9.00	9.00	_		-	-		-	-	
		ervice inquiry and facility reservation - Zone 1		1	UCL	UCLPW	8.30	123.81	70.09	60.64	9.12						
		-Wire Unbundled Copper Loop-Designed without manual		-	UCL	UCLF VV	0.30	123.01	70.09	00.04	9.12	-	-		-	-	
				2	UCL	UCLPW	11.80	123.81	70.09	60.64	9.12						
		ervice inquiry and facility reservation - Zone 2 -Wire Unbundled Copper Loop-Designed without manual			UCL	UCLFVV	11.00	123.01	70.09	60.64	9.12	-	-		-	-	
		ervice inquiry and facility reservation - Zone 3		3	UCL	UCLPW	20.94	123.81	70.09	60.64	9.12						
		Order Coordination for Unbundled Copper Loops (per loop)		3	UCL	UCLMC	20.94	9.00	9.00		9.12		-				+
		CLEC to CLEC Conversion Charge without outside dispatch			UCL	UCLIVIC		9.00	9.00				-				+
		UCL -Des)			UCL	UREWO		97.21	42.47								
4.1		COPPER LOOP		-	UCL	UKEWO		97.21	42.47	_		-	-		-	-	+
4-v		-Wire Copper Loop-Designed including manual service inquiry		-		+ +				_		-	-		-	-	+
		nd facility reservation - Zone 1		1	UCL	UCL4S	11.83	177.87	132.76	77.15	17.73						
				1	UCL	UCL45	11.83	177.87	132.76	77.15	17.73	1					
		-Wire Copper Loop-Designed including manual service inquiry		_		1101.40	40.04	477.07	100 70	77.45	47.70						
		nd facility reservation - Zone 2		2	UCL	UCL4S	16.81	177.87	132.76	77.15	17.73	 	 	 	 	 	+
		-Wire Copper Loop-Designed including manual service inquiry		١,	LICI	1101.40	20.22	477.07	400.70	77.15	47.70				I	I	1
		nd facility reservation - Zone 3		3	UCL	UCL4S	29.82	177.87	132.76		17.73	ļ	-	-	1	1	+
		Order Coordination for Unbundled Copper Loops (per loop)		-	UCL	UCLMC		9.00	9.00								-
		-Wire Copper Loop-Designed without manual service inquiry		١,	LICI	LICL AW	44.00	450.40	400.00	00.74	44.00				I	I	1
		nd facility reservation - Zone 1		1	UCL	UCL4W	11.83	153.18	100.03	62.74	11.22	 	 	 	 	 	+
		-Wire Copper Loop-Designed without manual service inquiry		_				4=0.40									
		nd facility reservation - Zone 2		2	UCL	UCL4W	16.81	153.18	100.03	62.74	11.22						
		-Wire Copper Loop-Designed without manual service inquiry		_													
		nd facility reservation - Zone 3			UCL	UCL4W	29.82	153.18	100.03		11.22						
		Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		9.00	9.00								
000 110		CLEC to CLEC Conversion Charge without outside dispatch		<u> </u>	UCL	UREWO		97.21	42.47			ļ	-	-	1	1	+
LOOP MOI	DIFICA	ATION															
					UAL, UHL, UCL,												
	I, .	laboradied Loop Medification Demonstration 10-75 00-75			UEQ, ULS, UEA,										1	1	1
		Inbundled Loop Modification, Removal of Load Coils - 2 Wire			UEANL, UEPSR,			0.00	0.00						1	1	1
		air less than or equal to 18k ft, per Unbundled Loop			UEPSB	ULM2L		0.00	0.00	1		_	-	-	-	-	+
		Inbundled Loop Modification Removal of Load Coils - 4 Wire		1											I	I	1
	le	ess than or equal to 18K ft, per Unbundled Loop			UHL, UCL, UEA	ULM4L		0.00	0.00						-	-	+
				1	UAL, UHL, UCL,										I	I	1
	I, .	Inhondred Lees Medification Developed (District Towns		1	UEQ, ULS, UEA,										I	I	
	ĮŪ	Inbundled Loop Modification Removal of Bridged Tap Removal,	l	l	UEANL, UEPSR, UEPSB	ULMBT		10.52	10.52		1	1	1	l	1	I	1
		er unbundled loop															

CATEGORY RATE LEMENTS Many Come BCS USOC RATES (8) Sec Corder Sec	LINBLINDI E	ED NETWORK ELEMENTS - Florida												Attach	ment: 2	Exhi	hit: A
## CATEGORY ## RATE ELEMENTS Disart Manual Section	ONDONDEL	- I WORK ELLWENTS - Horida										Svc Order	Svc Order				Incremental
ATECHORY ANTECLEMENTS BOS USOC BATE (B) BOS USOC BATE (B) BOS USOC BATE (B) BOS USOC BATE (B) BOS USOC BATE (B) BOS USOC BATE (B) BOS USOC BATE (B) BOS USOC BATE (B) BOS USOC BO																	Charge -
CATEGORY RATE ELEMENTS Mark Zone DCS USOC RATES (3) Per LSR Per LSR Color vo. Co												1					Manual Svc
Selb-Loop Bustinesteen	CATEGORY	RATE ELEMENTS		Zone	BCS	USOC			RATES (\$)				-				Order vs.
Sub-Loop Distribution			m						.,			per Lor	per Lor				Electronic-
Sub-Loop Destriction																	Disc Add'l
SSA-Log Distribution																D130 131	DISC Add I
Sub-Loop Destroy Percent Sect Learners CLEC Feeder Facing Set 1 U.S.ANL U.S.SSA 487.20							Rec										
Sub-Loco - Per Cross Bost Location - CELC Freeder Facility 20th U.SANL								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
Up	Sub-L																
Sub-Loop The Cross Bost Losselon - The 25 Pair Parel SerUp 1		the state of the s	١.,		LIFANI	LICDOA		407.00									
Sub-Loop - Per Building Equipment Roam - CLEC Freeder		ОР	'		UEANL	USBSA		487.23					-				
Sub-Loop - Per Building Equipment Roam - CLEC Feeder		Sub Loop Par Cross Roy Location Par 25 Pair Panal Sat Lin			LIEANI	LICDOD		6.25									
Facility Set Up Selb-Long - Per Building Enginemen Room - Per 25 Pair Panel UEANL USBISC 169.25			-		OLANE	OODOD		0.23				-					
Sub-Loop - Fire Building Equipment Roon - Fer 25 Fear Finals 1			1		UEANL	USBSC		169.25									
Sub-Loop Destribution Per 2-Wire Analog Voice Grade Loop - 2 UEANL USBNZ 0.46 60.19 21.78 47.50 5.26																	
Cone USANL USBN2 0.46 0.010 21.78 47.50 5.26		Set-Up	- 1		UEANL	USBSD		38.65									
Sub-Loop Distribution Per 2-Wire Analog Vice Grade Loop - 2		Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -															
Zone 2				1	UEANL	USBN2	6.46	60.19	21.78	47.50	5.26			ļ	ļ	ļ	
Sub-Loop Destribution Per 4-Wire Analog Vioce Grade Loop - 2 UEANL USBNC 16.29 60.19 21.76 47.50 5.26	1 1			_	LIEANII	LIODNIC											
Zone 3	\vdash		.	2	UEANL	USBN2	9.18	60.19	21.78	47.50	5.26			.	.	!	
Order Coordination for Unbundled Sub-Loops, per sub-loop pair UEANL USBMC 9.00	1 1			2	LIEANII	LICENIO	16.00	60.40	04.70	47.50	E 00						
Sub-Loop Distribution Per 4-Wire Analog Vioce Grade Loop - 1 UEANL USBN4 7.37 68.83 30.42 40.71 6.60	 	ZOHE 3	 	3	OLAINL	UODINZ	16.29	60.19	21.78	47.50	5.26	 	1	 	 	 	
Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - 1 UEANL USBN4		Order Coordination for Unbundled Sub-Loops, per sub-loop pair			LIFANI	USBMC		9.00	9.00								
Zone 1					02/11/2	0050		0.00	0.00								
Zone 2 Quantity				1	UEANL	USBN4	7.37	68.83	30.42	49.71	6.60						
Sub-Loop Destribution Per 4-Wire Analog Voice Grade Loop - 3 UEANL USBNC 9.00 9.0		Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -															
Zone 3				2	UEANL	USBN4	10.47	68.83	30.42	49.71	6.60						
Order Coordination for Unbundled Sub-Loops, per sub-loop pair UEANL USBMC 9.00																	
Sub-Loop 2-Wire Intrabuilding Network Cable (INC)		Zone 3		3	UEANL	USBN4	18.58	68.83	30.42	49.71	6.60						
Sub-Loop 2-Wire Intrabuilding Network Cable (INC)																	
Order Coordination for Unbundled Sub-Loops, per sub-loop pair UEANL USBMC 9.00				-			2.00			47.50	5.00						
Sub-Loop 4-Wire Intrabuliding Network Cable (INC)	-	Sub-Loop 2-Wire intrabuliding Network Cable (INC)		-	UEANL	USBRZ	3.96	51.84	13.44	47.50	5.26	-					
Sub-Loop 4-Wire Intrabuliding Network Cable (INC)		Order Coordination for Unbundled Sub-Loops, per sub-loop pair			ΙΙΕΔΝΙ	LISBMC		9.00	9.00								
Order Coordination for Unbundled Sub-Loops, per sub-loop pair UEANL USBMC 9.00							9.37			49.71	6.60						
Loop Testing - Basic 1st Half Hour		g,							-								
Loop Testing - Basic Additional Half Hour UEANL URETA 23.95		Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		9.00	9.00								
2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1		Loop Testing - Basic 1st Half Hour															
2 Wire Copper Unbundled Sub-Loop Distribution - Zone 2																	
2 Wire Copper Unbundled Sub-Loop Distribution - Zone 3			I														
Order Coordination for Unbundled Sub-Loops, per sub-loop pair UEF USBMC 9.00			!														
4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1		z wire Copper Unbundled Sub-Loop Distribution - Zone 3	-	3	UEF	UCS2X	12.98	60.19	21.78	47.50	5.26	1	-	 	 	 	
4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1		Order Coordination for Unbundled Sub-Loops, per sub-loop pair			LIEE	LISBMC		9.00	9.00								
4 Wire Copper Unbundled Sub-Loop Distribution - Zone 2			<u> </u>	1			5.36			49 71	6.60	 		 	 	 	
A Wire Copper Unbundled Sub-Loop Distribution - Zone 3												t	†	1	1	1	
Order Coordination for Unbundled Sub-Loops, per sub-loop pair UEF USBMC 9.00 9.00 9.00													İ				
Loop Testing - Basic 1st Half Hour																	
Loop Testing - Basic Additional Half Hour			<u></u>				<u> </u>				<u></u>			<u> </u>	<u> </u>		L
Unbundled Network Terminating Wire (UNTW)																	
Unbundled Network Terminating Wire (UNTW) per Pair	<u> </u>				UEF	URETA		23.95	23.95								
Network Interface Device (NID) Network Interface Device (NID) - 1-2 lines	Unbur				LIENTA/	LIENDO	0.4570	10.00		-							
Network Interface Device (NID) - 1-2 lines	Notres		1		UENIW	UENPP	0.4572	18.02		-		1	-				-
Network Interface Device (NID) - 1-6 lines	Netwo			-	I IENTW	LIND12		71 40	/18 97	+							
Network Interface Device Cross Connect - 2 W	 		1							1		 		 	 	 	
Network Interface Device Cross Connect - 4W			t							†		t	†	1	1	1	
UNE OTHER, PROVISIONING ONLY - NO RATE NID - Dispatch and Service Order for NID installation UENTW UNDBX 0.00 0.00 UNTW Circuit Id Establishment, Provisioning Only - No Rate UENTW UENCE 0.00 0.00														İ	İ	İ	
UNTW Circuit Id Establishment, Provisioning Only - No Rate UENTW UENCE 0.00 0.00	UNE OTHER,		1						, ,					1	1	1	
						-											
		UNTW Circuit Id Establishment, Provisioning Only - No Rate				UENCE	0.00	0.00									
					UEANL,UEF,UEQ,U	l											
Unbundled Contract Name, Provisioning Only - No Rate ENTW UNECN 0.00 0.00	LINE OTHER				ENTW	UNECN	0.00	0.00		-							
UNE OTHER, PROVISIONING ONLY - NO RATE	UNE OTHER,	PROVISIONING ONLY - NO RATE	1							l	l	1		l	l	l	l

UNBUNDLE	D NETWORK ELEMENTS - Florida												Attach	ment: 2	Exhi	ibit: A
		Interi										Svc Order Submitted Manually	Incremental Charge -	Incremental Charge - Manual Svc	Incremental Charge - Manual Svc	Incremental Charge - Manual Svc
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs. Electronic- 1st	Order vs. Electronic- Add'l	Order vs. Electronic- Disc 1st	Order vs. Electronic- Disc Add'l
						Rec	Nonred		Nonrecurring					Rates (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Unbundled Contact Name, Provisioning Only - no rate			UAL,UCL,UDC,UDL, UDN,UEA,UHL,ULC	LINECN	0.00	0.00									
	Unbundled Sub-Loop Feeder-2 Wire Cross Box Jumper - no			03:1,02:1,0:12,020	0.120.1	0.00	0.00									<u> </u>
	rate			UEA,UDN,UCL,UDC	USBFQ	0.00	0.00									
	Unbundled Sub-Loop Feeder-4 Wire Cross Box Jumper - no															
	rate Unbundled DS1 Loop - Superframe Format Option - no rate		-	UEA,USL,UCL,UDL USL	USBFR CCOSF	0.00	0.00									
	Unbundled DS1 Loop - Superframe Format Option - no rate Unbundled DS1 Loop - Expanded Superframe Format option -			USL	CCOSF	0.00	0.00									
	no rate			USL	CCOEF	0.00	0.00									
HIGH CAPACI	TY UNBUNDLED LOCAL LOOP															
	High Capacity Unbundled Local Loop - DS3 - Per Mile per															
	month			UE3	1L5ND	10.92										<u> </u>
	High Capacity Unbundled Local Loop - DS3 - Facility Termination per month			UE3	UE3PX	386.88	556.37	343.01	139.13	96.84						<u> </u>
	High Capacity Unbundled Local Loop - STS-1 - Per Mile per month			UDLSX	1L5ND	10.92										
	High Capacity Unbundled Local Loop - STS-1 - Facility Termination per month			UDLSX	UDLS1	426.60	556.37	343.01	139.13	96.84						
LOOP MAKE-					1											<u> </u>
	Loop Makeup - Preordering Without Reservation, per working or spare facility queried (Manual).			UMK	UMKLW		52.17	52.17								
	Loop Makeup - Preordering With Reservation, per spare facility queried (Manual).			UMK	UMKLP		55.07	55.07								
	Loop MakeupWith or Without Reservation, per working or spare facility queried (Mechanized)			UMK	UMKMQ		0.6784	0.6784								
	G AND LINE SPLITTING 1: The Line Sharing monthly recurring rates for all installation	as comi	alotod f	from October 02, 200	12 through m	idnight Octobo	r 01 2004 shal	l ha hillad as f	ollowe:							-
	1: 10/02/2003 – 10/01/2004: 25% of the rate for an unbundled co					lunight Octobe	1 01, 2004 Silai	i be billed as i	ollows.							+
	1: 10/02/2004 - 10/01/2005: 50% of the rate for UCLND		ľ	1	ľ											
	1: 10/02/2005 - 10/01/2006: 75% of the rate for UCLND															
	1: Above will apply to USOCS: ULSDT and ULSCT			<u> </u>	l											ļ
	E 2: The Line Sharing monthly recurring rates with USOCs ULS	SDC and	ULSC	C applies only to ci	rcuits install	ed and inservice	e on or before	October 1, 20	03		-					
	TERS-CENTRAL OFFICE BASED			1	1											
0. 2	Line Sharing Splitter, per System 96 Line Capacity			ULS	ULSDA	119.72	379.13	0.00	347.90	0.00						
	Line Sharing Splitter, per System 24 Line Capacity			ULS	ULSDB	29.93	379.13	0.00	347.90	0.00						
	Line Sharing Splitter, Per System, 8 Line Capacity			ULS	ULSD8	8.33	379.13	0.00	347.90	0.00						
	Line Sharing-DLEC Owned Splitter in CO-CFA activaton- deactivation (per LSOD)			ULS	ULSDG		173.66	0.00	97.42	0.00						
END U	ISER ORDERING-CENTRAL OFFICE BASED LINE SHARING															<u> </u>
	Line Sharing - per Line Activation (BST Owned splitter) - OBSOLETE see **NOTE 2			ULS	ULSDC	0.61	29.68	21.28	19.57	9.61						
	Line Share Service, TRO per line activation, BST owned splitter - Central Office Located (25% of UCLND) - please see NOTE 1 (E:10/2/2003)			ULS	ULSDT	1.99	29.68	21.28	19.57	9.61						
	Line Share Service, TRO per line activation, BST owned splitter - Central Office Located (50% of UCLND) - please see NOTE 1 (E:10/2/2004)			ULS	ULSDT	3.98	29.68	21.28	19.57	9.61						
	Line Share Service, TRO per line activation, BST owned splitter - Central Office Located (75% of UCLND) - please see NOTE 1 (E:10/2/2005)			ULS	ULSDT	5.97	29.68	21.28	19.57	9.61						
	Line Sharing - per Subsequent Activity per Line Rearrangement - (BST Owned Splitter)			ULS	ULSDS		21.68	16.44								
	Line Sharing - per Subsequent Activity per Line Rearrangement - (DLEC Owned Splitter)			ULS	ULSCS		21.68	16.44								
	Line Sharing - per Line Activation (DLEC owned Splitter) - OBSOLETE see **NOTE 2			ULS	ULSCC	0.61	47.44	19.31	20.67	12.74						

UNBUNDLE	D NETWORK ELEMENTS - Florida													ment: 2		bit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			II .	Svc Order Submitted Manually per LSR	Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Charge -	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'I
						Rec	Nonrec		Nonrecurring					Rates (\$)		
	11. 01. 0 1. 700 11. 11. 11. 11.		<u> </u>		1		First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Line Share Service, TRO per line activation, CLEC owned															l
	splitter - Central Office Located (25% of UCLND) - please see				LUCCT	4.00	47.44	40.04	20.67	10.74						l
	NOTE 1 (E:10/2/2003) Line Share Service, TRO per line activation, CLEC owned		ļ	ULS	ULSCT	1.99	47.44	19.31	20.67	12.74			1			
	splitter - Central Office Located (50% of UCLND) - please see															l
	NOTE 1 (E:10/2/2004)			ULS	ULSCT	3.98	47.44	19.31	20.67	12.74						l
	Line Share Service, TRO per line activation, CLEC owned			020	OLOG1	0.00	77.77	10.01	20.07	12.77	1					
	splitter - Central Office Located (75% of UCLND) - please see															l
	NOTE 1 (E:10/2/2005)			ULS	ULSCT	5.97	47.44	19.31	20.67	12.74						
	SPLITTING															
END U	SER ORDERING-CENTRAL OFFICE BASED							·		_						
	Line Splitting - per line activation DLEC owned splitter			UEPSR UEPSB	UREOS	0.61										
	Line Splitting - per line activation BST owned - physical		<u> </u>	UEPSR UEPSB	UREBP	0.61	29.68	21.28		9.61			L	ļ	ļ	↓
<u> </u>	Line Splitting - per line activation BST owned - virtual		<u> </u>	UEPSR UEPSB	UREBV	1.134	29.68	21.28	19.57	9.61			1	ļ	ļ	1
MAINT	ENANCE															
	No Trouble Found - per 1/2 hour increments - Basic		├		1		80.00 120.00	55.00					 	-		
-	No Trouble Found - per 1/2 hour increments - Overtime No Trouble Found - per 1/2 hour increments - Premium				+		120.00	82.50 110.00			.		-			
LINDLINDI ED	DEDICATED TRANSPORT				+		160.00	110.00	-		 					-
	OFFICE CHANNEL - DEDICATED TRANSPORT		<u> </u>		+						1		-			
INTER	Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade -										+		-			
	Per Mile per month			U1TVX	1L5XX	0.0091										ĺ
	Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade -			011111	120701	0.0001					†		t			
	Facility Termination			U1TVX	U1TV2	25.32	47.35	31.78	18.31	7.03						ĺ
	Interoffice Channel - Dedicated Transpor t- 2-Wire Voice Grade		i –													
	Rev Bat Per Mile per month			U1TVX	1L5XX	0.0091										l
	Interoffice Channel - Dedicated Transport- 2- Wire VG Rev Bat															
	Facility Termination			U1TVX	U1TR2	25.32	47.35	31.78	18.31	7.03						
	Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade -	-														
	Per Mile per month			U1TVX	1L5XX	0.0091										
	Interoffice Channel - Dedicated Transport - 4- Wire Voice Grade			11477.07		00.50	47.05	04.70	40.04	7.00						l
—	- Facility Termination		ļ	U1TVX	U1TV4	22.58	47.35	31.78	18.31	7.03	-					
	Interoffice Channel - Dedicated Transport - 56 kbps - per mile per month			U1TDX	1L5XX	0.0091										
	Interoffice Channel - Dedicated Transport - 56 kbps - Facility			UTIDA	ILSAA	0.0091			-		 					-
	Termination			U1TDX	U1TD5	18.44	47.35	31.78	18.31	7.03						
	Interoffice Channel - Dedicated Transport - 64 kbps - per mile		 	01100	51100	10.44	77.33	31.70	10.31	7.03		 	-			<u> </u>
	per month			U1TDX	1L5XX	0.0091							I			1
	Interoffice Channel - Dedicated Transport - 64 kbps - Facility		i –						1			İ	1			
	Termination	<u></u>	<u> </u>	U1TDX	U1TD6	18.44	47.35	31.78	18.31	7.03	<u> </u>	<u> </u>	<u> </u>			1
	Interoffice Channel - Dedicated Channel - DS1 - Per Mile per															
	month		<u> </u>	U1TD1	1L5XX	0.1856										
	Interoffice Channel - Dedicated Tranport - DS1 - Facility															1
	Termination		ļ	U1TD1	U1TF1	88.44	105.54	98.47	21.47	19.05			1	ļ	ļ	
	Interoffice Channel - Dedicated Transport - DS3 - Per Mile per			LIATEDO	41.5307								1			1
	month	-	 	U1TD3	1L5XX	3.87			1		ļ	-	1	 	 	
	Interoffice Channel - Dedicated Transport - DS3 - Facility Termination per month			U1TD3	U1TF3	1,071.00	335.46	219.28	72.03	70.56		1	I			1
\vdash	Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per	-	 	פטווט	UIIF3	1,071.00	ააა.46	219.28	12.03	70.56		-	 			
	month			U1TS1	1L5XX	3.87							I			1
	Interoffice Channel - Dedicated Transport - STS-1 - Facility	t	 	0.101	120/01	5.07			1		1	†	I			—
	Termination			U1TS1	U1TFS	1,056.00	335.46	219.28	72.03	70.56			1			1
DARK FIBER		1	i i		1 -	,,,,,,,,,,,	,,,,,,		1		Ì	İ	1		ĺ	
	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction	1	i i		1				ĺ		Ì	İ	1		ĺ	
	Thereof per month - Interoffice Channel	<u></u>	<u> </u>	UDF, UDFCX	1L5DF	26.85			<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>			1
	NRC Dark Fiber - Interoffice Channel			UDF, UDFCX	UDF14		751.34	193.88	356.21	230.11						
	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction															1
	Thereof per month - Local Loop		<u> </u>	UDF, UDFCX	1L5DL	55.04										
1 1	NRC Dark Fiber - Local Loop			UDF, UDFCX	UDFL4		751.34	193.88	356.21	230.11	1					1

UNBI	NDLF	NETWORK ELEMENTS - Florida												Attach	ment: 2	Exhil	bit: A
3.150	. 10	Tionida										Svc Order	Svc Order	Incremental		Incremental	Incremental
												Submitted	Submitted		Charge -	Charge -	Charge -
												Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEG	ORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		·····-	m									per LSK	per LSK	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							Rec	Nonrec	urring	Nonrecurring	Disconnect		•	oss	Rates (\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
8XX AC	CESS T	EN DIGIT SCREENING															
		8XX Access Ten Digit Screening, Per Call			OHD		0.0006252										
		8XX Access Ten Digit Screening, Reservation Charge Per 8XX															
		Number Reserved			OHD	N8R1X		4.15	0.70								
		8XX Access Ten Digit Screening, Per 8XX No. Established W/O															
		POTS Translations			OHD			8.78	1.18	5.77	0.70						
		8XX Access Ten Digit Screening, Per 8XX No. Established With			0.15			. =-									
		POTS Translations			OHD	N8FTX		8.78	1.18	5.77	0.70						
		8XX Access Ten Digit Screening, Customized Area of Service			OLID	NOFOY		4.45	0.07								
		Per 8XX Number			OHD	N8FCX		4.15	2.07				-				
		8XX Access Ten Digit Screening, Multiple InterLATA CXR Routing Per CXR Requested Per 8XX No.			OHD	N8FMX		4.85	2.78								
		8XX Access Ten Digit Screening, Change Charge Per Request			OHD	N8FAX		4.85	0.70	1		1					
		8XX Access Ten Digit Screening, Change Charge Per Request 8XX Access Ten Digit Screening, Call Handling and Destination	-	-	טו וט	NOI AA		4.00	0.70	1			-	 	 		
		Features			OHD	N8FDX		4.15	4.15								
-		1 eatures			OLID	NOI DX		4.13	4.13								
		8XX Access Ten Digit Screening, w/ 8FL No. Delivery, per query			OHD		0.0006252										
		8XX Access Ten Digit Screening, w/ POTS No. Delivery, per			OTID		0.0000202					1					
		query			OHD		0.0006252										
LINEIN	IFORMA	TION DATA BASE ACCESS (LIDB)			01.15		0.0000202					1					
		LIDB Common Transport Per Query			OQT		0.0000203										
		LIDB Validation Per Query			OQU		0.0136959										
		LIDB Originating Point Code Establishment or Change			OQT, OQU	NRBPX		55.13	55.13	55.13	55.13						
SIGNA	LING (C	CS7)															
		CCS7 Signaling Termination, Per STP Port			UDB	PT8SX	135.05										
		CCS7 Signaling Usage, Per TCAP Message			UDB		0.0000607										
		CCS7 Signaling Connection, Per link (A link)			UDB	TPP++	17.93	43.57	43.57	18.31	18.31						
		CCS7 Signaling Connection, Per link (B link) (also known as D					4= 00										
		link)			UDB	TPP++	17.93	43.57	43.57	18.31	18.31						
		CCS7 Signaling Usage, Per ISUP Message			UDB UDB	STU56	0.0000152 694.32						-				
		CCS7 Signaling Usage Surrogate, per link per LATA CCS7 Signaling Point Code, per Originating Point Code			UDB	31036	094.32			1		1					
		Establishment or Change, per STP affected			UDB	CCAPO		46.03	46.03	46.03	46.03						
F911 S	ERVICE	Establishment of Change, per 31F affected			ODB	CCAFO		40.03	40.03	40.03	40.03	1					
	LICTIOL	Local Channel - Dedicated - 2-wr Voice Grade - Zone 1				+	21.94	265.84	46.97	37.63	4.00	-					
		Local Channel - Dedicated - 2-wr Voice Grade - Zone 2					29.62	265.84	46.97	37.63	4.00						
		Local Channel - Dedicated - 2-wr Voice Grade - Zone 3					57.22	265.84	46.97	37.63	4.00						
		Interoffice Transport - Dedicated - 2-wr Voice Grade Per Mile					0.0091										
		Interoffice Transport - Dedicated - 2-wr Voice Grade Per Facility													1		
<u></u>	L	Termination					25.32	47.35	31.78	18.31	7.03			<u> </u>	L		
		Local Channel - Dedicated - DS1 - Zone 1					35.28	216.65	183.54	21.47	19.05						
		Local Channel - Dedicated - DS1 - Zone 2					47.63	216.65	183.54	21.47	19.05						
		Local Channel - Dedicated - DS1 - Zone 3					92.01	216.65	183.54	21.47	19.05						
		Interoffice Transport - Dedicated - DS1 Per Mile				1	0.1856										
]
	<u> </u>	Interoffice Transport - Dedicated - DS1 Per Facility Termination				1	88.44	105.54	98.47	21.47	19.05						
CALLIN	NG NAM	E (CNAM) SERVICE		-	001/	+		05.05	05.65	10.01	10.01			 	 		
—		CNAM For DB Owners - Service Establishment CNAM For Non DB Owners - Service Establishment		-	OQV OQV	+		25.35 25.35	25.35	19.01 19.01	19.01 19.01	1		-	 		
—		CNAM For DB Owners - Service Establishment CNAM For DB Owners - Service Provisioning With Point Code	-	+	UQV	+		∠5.35	25.35	19.01	19.01	-	-			-	<u> </u>
		Establishment			oqv			1,592.00	1,177.00	352.36	259.09]
-		CNAM For Non DB Owners - Service Provisioning With Point	-		O 4 V	+		1,032.00	1,177.00	332.36	233.09	-			 		
		Code Establishment			oqv			546.51	393.82	358.06	259.09						
—		CNAM for DB Owners, Per Query			OQV	1	0.001024	3.0.01	300.02	555.50	200.00				1		
		CNAM for Non DB Owners, Per Query			OQV		0.001024						İ	İ			
LNP Qu	iery Ser														1		
		LNP Charge Per query			OQV		0.000852										
		LNP Service Establishment Manual						13.83	13.83	12.71	12.71						
		LNP Service Provisioning with Point Code Establishment						655.50	334.88	297.03	218.40						

UNBU	NDLE	NETWORK ELEMENTS - Florida												Attach	ment: 2	Exhi	bit: A
												Svc Order	Svc Order	Incremental	Incremental		Incremental
												Submitted			Charge -	Charge -	Charge -
0.4750		DATE EL EMENTO	Interi	-	200				DATEO (6)			Elec		Manual Svc	Manual Svc		Manual Svc
CATEG	ORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							Rec	Nonrec	urring	Nonrecurring	g Disconnect		1	oss	Rates (\$)		
							Kec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
SELEC	TIVE RC		-	-		1											
		Selective Routing Per Unique Line Class Code Per Request Per Switch						93.55	93.55	12.71	12.71						
VIRTU	AL COLL	OCATION				1		93.33	53.33	12.71	12.71						
		Virtual Collocation-2 Wire Cross Connects (Loop) for Line															
		Splitting			UEPSR UEPSB	VE1LS	0.0502	11.57	11.57	0.00	0.00						
PHYSIC	CAL COL	LOCATION															
		Physical Collocation-2 Wire Cross Connects (Loop) for Line			HEDOD HEDOD	DE41.0	0.0070	0.00	7.00	5.74	4.50						
AINI CE	LECTIV	Splitting E CARRIER ROUTING			UEPSR UEPSB	PE1LS	0.0276	8.22	7.22	5.74	4.58						
AIN SE	LECTIV	Regional Service Establishment			SRC	SRCEC		193,444.00		7,737.00							
		End Office Establishment			SRC	SRCEO		187.36	187.36	0.69	0.69						
		Query NRC, per query			SRC		0.0031868										
AIN - B	ELLSOL	TH AIN SMS ACCESS SERVICE															
		AIN SMS Access Service - Service Establishment, Per State,															
-		Initial Setup	-	-	A1N	CAMSE		43.56	43.56	44.93	44.93						
		AIN SMS Access Service - Port Connection - Dial/Shared Access			A1N	CAMDP		8.64	8.64	10.03	10.03						
-		AIN SMS Access Service - Port Connection - ISDN Access			A1N	CAM1P		8.64	8.64	10.03	10.03						
		AIN SMS Access Service - User Identification Codes - Per User															
		ID Code			A1N	CAMAU		38.66	38.66	29.88	29.88						
		AIN SMS Access Service - Security Card, Per User ID Code,															
		Initial or Replacement			A1N	CAMRC	0.0000	75.10	75.10	12.93	12.93						
-		AIN SMS Access Service - Storage, Per Unit (100 Kilobytes) AIN SMS Access Service - Session, Per Minute				<u> </u>	0.0028 0.7809										
-		AIN SMS Access Service - Gession, Fer Militate AIN SMS Access Service - Company Performed Session, Per					0.7809										
		Minute					0.4609										
AIN - B	ELLSOL	TH AIN TOOLKIT SERVICE															
		AIN Toolkit Service - Service Establishment Charge, Per State,															
		Initial Setup			CAM	BAPSC		43.56	43.56	44.93	44.93						
-		AIN Toolkit Service - Training Session, Per Customer AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per		-		BAPVX		8,439.00	8,439.00								
		DN, Term. Attempt				BAPTT		8.64	8.64	10.03	10.03						
		AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per															
		DN, Off-Hook Delay				BAPTD		8.64	8.64	10.03	10.03						
		AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per															
-		DN, Off-Hook Immediate AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per				BAPTM		8.64	8.64	10.03	10.03						
		DN, 10-Digit PODP				BAPTO		38.06	38.06	15.86	15.86						
		AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per															
		DN, CDP				BAPTC		38.06	38.06	15.86	15.86						
		AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per															
		DN, Feature Code AIN Toolkit Service - Query Charge, Per Query				BAPTF	0.0535927	38.06	38.06	15.86	15.86						
-		AIN Toolkit Service - Query Charge, Per Query AIN Toolkit Service - Type 1 Node Charge, Per AIN Toolkit				1	0.0535927										
		Subscription, Per Node, Per Query					0.0063698										
		AIN Toolkit Service - SCP Storage Charge, Per SMS Access															
		Account, Per 100 Kilobytes					0.06										
	1 7	AIN Toolkit Service - Monthly report - Per AIN Toolkit Service															1
-		Subscription AIN Toolkit Service - Special Study - Per AIN Toolkit Service	-		CAM	BAPMS	8.34	8.64	8.64	6.08	6.08						
		AIN TOOIKIT Service - Special Study - Per AIN TOOIKIT Service Subscription			CAM	BAPLS	3.73	9.56	9.56								
		AIN Toolkit Service - Call Event Report - Per AIN Toolkit Service					0.75	5.50	3.30								
	<u> </u>	Subscription			CAM	BAPDS	4.73	8.64	8.64	6.08	6.08						<u> </u>
		AIN Toolkit Service - Call Event Special Study - Per AIN Toolkit							<u> </u>								
ENULA	IOED EX	Service Subscription			CAM	BAPES	0.12	9.56	9.56								
		TENDED LINK (EELs) The monthly recurring and non-recurring charges below will	annly a	nd the	Switch-As-Is Charge	will not ann	ly for LINE com	hinations prov	visioned as ' C	ordinarily Comb	hined' Network	Flements	-				
-		The monthly recurring and non-recurring charges below will The monthly recurring and the Switch-As-Is Charge and not t															
L		, , , ,		,	3 3					,							

UNBUNDL	ED NETWORK ELEMENTS - Florida												Attach	ment: 2	Exhi	bit: A
						1					Svc Order	Svc Order	Incremental	Incremental		Incremental
											Submitted	1		Charge -	Charge -	Charge -
		Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m									po. zo.t	po. 2011	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
															D130 131	DISC Add I
						Rec	Nonrec		Nonrecurring					Rates (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
EXT	ENTED 2-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICA	TED DS														
———	First 2-Wire VG Loop (SL2) in Combination - Zone 1	1		UNCVX	UEAL2	12.24	127.59	60.54	42.79	2.81						\vdash
	First 2-Wire VG Loop (SL2) in Combination - Zone 2		2	UNCVX	UEAL2	17.40	127.59	60.54	42.79	2.81						
\vdash	First 2-Wire VG Loop (SL2) in Combination - Zone 3	ļ	3	UNCVX	UEAL2	30.87	127.59	60.54	42.79	2.81						
	Interoffice Transport - Dedicated - DS1 combination - Per Mile				41 =>07											1
\vdash	per month	ļ	-	UNC1X	1L5XX	0.1856					1					
	Interoffice Transport - Dedicated - DS1 combination - Facility			UNC1X	U1TF1	88.44	174.46	122.46	45.61	47.05						1
	Termination per month	 	-						45.61	17.95	-					
\vdash	1/0 Channelization System in combination Per Month Voice Grade COCI - Per Month	 	-	UNC1X	MQ1	146.77	101.42	71.62	0.00	0.00	1	-				
\vdash	voice Grade COCI - Per Month	 	-	UNCVX	1D1VG	1.38	10.07	7.08	0.00	0.00		-	-	-	-	
	Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 1		4	UNCVX	UEAL2	12.24	127.59	60.54	42.79	2.81						1
\vdash	Lacit Additional 2-vviile vo Loop (of 2) iii Combination - Zone 1	 	- '-	ONOVA	ULALZ	12.24	127.59	60.34	42.79	2.01	1	 	 	1	 	
	Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 2		2	UNCVX	UEAL2	17.40	127.59	60.54	42.79	2.81	1					1
\vdash	Lacit Additional 2-vviile vo Loop (of 2) iii Combination - Zone 2	 		ONOVA	ULALZ	17.40	127.59	60.34	42.79	2.01	1	-	-	-	-	
	Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 3		3	UNCVX	UEAL2	30.87	127.59	60.54	42.79	2.81	1					1
 	Voice Grade COCI - Per Month	1	J	UNCVX	1D1VG	1.38	10.07	7.08	0.00	0.00	+			 		
 	Nonrecurring Currently Combined Network Elements Switch -As-			UNCVA	IDIVG	1.30	10.07	7.00	0.00	0.00	<u> </u>					
	Is Charge			UNC1X	UNCCC		8.98	8.98	8.98	8.98						1
FXT	ENDED 4-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICA	TED DS	1 INTE				0.00	0.00	0.00	0.00	†					
- LXII	ENDED 4 WINE VOICE ONABE EXTENDED EGO! WITH BEDIOA	1	T	TOTTIOL TRAINER O	T						1	1				
	First 4-Wire Analog Voice Grade Loop in Combination - Zone 1		1	UNCVX	UEAL4	18.89	127.59	60.54	42.79	2.81						1
	That I Who Allandy voice Clade 2000 in Combination 2010 I			0.1017	02/12	10.00	127.00	00.01	12.70	2.01	İ					
	First 4-Wire Analog Voice Grade Loop in Combination - Zone 2		2	UNCVX	UEAL4	26.84	127.59	60.54	42.79	2.81						1
		1									İ					
	First 4-Wire Analog Voice Grade Loop in Combination - Zone 3		3	UNCVX	UEAL4	47.62	127.59	60.54	42.79	2.81						1 1
	Interoffice Transport - Dedicated - DS1 combination - Per Mile															
	Per Month			UNC1X	1L5XX	0.1856										1
	Interoffice Transport - Dedicated - DS1 - Facility Termination Per	1														
	Month			UNC1X	U1TF1	88.44	174.46	122.46	45.61	17.95						1 1
	1/0 Channel System in combination Per Month			UNC1X	MQ1	146.77	101.42	71.62								
	Voice Grade COCI in combination - per month			UNCVX	1D1VG	1.38	10.07	7.08	0.00	0.00						
	Additional 4-Wire Analog Voice Grade Loop in same DS1															
	Interoffice Transport Combination - Zone 1		1	UNCVX	UEAL4	18.89	127.59	60.54	42.79	2.81						ı
	Additional 4-Wire Analog Voice Grade Loop in same DS1												I		I	1
	Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL4	26.84	127.59	60.54	42.79	2.81						
	Additional 4-Wire Analog Voice Grade Loop in same DS1		1						I		1					1
\vdash	Interoffice Transport Combination - Zone 3	L	3	UNCVX	UEAL4	47.62	127.59	60.54	42.79	2.81	ļ			ļ		
\vdash	Additional Voice Grade COCI in combination - per month	L	 	UNCVX	1D1VG	1.38	10.07	7.08	0.00	0.00	ļ			ļ		
	Nonrecurring Currently Combined Network Elements Switch -As-	1														1
	Is Charge	CATE	DC4 12:	UNC1X	UNCCC	 	8.98	8.98	8.98	8.98	-					\vdash
EXT	ENDED 4-WIRE 56 KBPS EXTENDED DIGITAL LOOP WITH DEDI	CATED	או 15ט IN	TERUFFICE TRANS	T	 			 		 	1	-	 	-	
	First 4 Wire 56Kbps Digital Grade Lean in Combination 7 4		1	UNCDX	UDL56	22.20	127.59	60.54	42.79	2.81						1
\vdash	First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 1	1	1	OINCDV	UDLOB	22.20	127.59	00.54	42.79	∠.81	 	-				
	First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2		2	UNCDX	UDL56	31.56	127.59	60.54	42.79	2.81						1
\vdash	I Hat WHE JONDPS Digital Grade Loop III Combination - Zone Z	+	-	ONODA	JULJO	31.00	127.59	60.34	42.19	2.01	1	 	 	1	 	
	First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 3	1	3	UNCDX	UDL56	55.99	127.59	60.54	42.79	2.81						1
 	Interoffice Transport - Dedicated - DS1 combination - Per Mile	1		5.10DA	32230	55.55	121.03	00.54	72.13	2.01	 	H	 	 	 	
	Per Month			UNC1X	1L5XX	0.1856			1							1
	Interoffice Transport - Dedicated - DS1 - combination Facility	 	 	011017	ILOXX	0.1030			+							
	Termination Per Month			UNC1X	U1TF1	88.44	174.46	122.46	45.61	17.95						1
	1/0 Channel System in combination Per Month	l –	t	UNC1X	MQ1	146.77	101.42	71.62	.0.01	00				i		
	OCU-DP COCI (data) per month (2.4-64kbs)	l –	t	UNCDX	1D1DD	2.10	10.07	7.08	0.00	0.00				i		
	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1			-	1			50	2.30	2.30	†		İ	İ	İ	
	Interoffice Transport Combination - Zone 1		1	UNCDX	UDL56	22.20	127.59	60.54	42.79	2.81						1
	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1															
	Interoffice Transport Combination - Zone 2		2	UNCDX	UDL56	31.56	127.59	60.54	42.79	2.81	1					ı
					•							•	•	•	•	

Svc Order Svc Order Svc Order Incremental Incremen	UNBUND	LED	NETWORK ELEMENTS - Florida												Attach	ment: 2	Exhi	bit: A
RATE CLEMENTS INTO THE PROPERTY INTO THE PROPERT		ī	, —————————————————————————————————		1								Svc Order	Svc Order				Incremental
RATE CLEMENTS INTO THE PROPERTY INTO THE PROPERT													Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
March Marc				Intori									Elec					Manual Svc
Bectonic Bectonic Section Se	CATEGOR	Υ	RATE ELEMENTS		Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
No. No.				m									po. 2011	po. 20.1				
Part Part																		
March Marc																	Disc 1st	DISC Add I
Additional Annex (above the plant Gross Lager In stand DST 3 MICCIX 10.56 65.99 177.09 661.64 42.79 2.21 1								Poc	Nonrec	urring		g Disconnect						
Interesting Transport Cerebration - Zero 2 2 NCDX VOLUME 1000								Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
Additional OCUP BP COOL (state) - in combination part moth (1.4 Additional Country Combined Memorit Elements Switch - Additional Country Combined Memorit Elements Switch - Additional Country Combined Memorit Elements Switch - Additional Country Count																		
Selection					3	UNCDX	UDL56	55.99	127.59	60.54	42.79	2.81						
No. No.				ł														
Is. Charge Is.						UNCDX	1D1DD	2.10	10.07	7.08	0.00	0.00						
EXERCISED A-WINDE OF MAPPE EXTENSION DIGITAL LOOP WITH DEDICATED DIST INTERCEPTOR TRANSPORT				1														
First 4-Wre (46ktgs) Digital Grade Loop in Combination - Zone 2 2, UNCOX UDL64 22:20 177:20 00.54 42.79 2.81				L	<u> </u>				8.98	8.98	8.98	8.98						
First 4-Wire EMDiss Digital Grade Loop in Combination - Zone 2 2 UNCDX	EX	TENI	DED 4-WIRE 64 KBPS EXTENDED DIGITAL LOOP WITH DEDI	CATED	DS1 IN	TEROFFICE TRANS	PORT											
First 4-Wire EMDiss Digital Grade Loop in Combination - Zone 2 2 UNCDX			First A Mire Odlike a Division Combined to Combined to A		١.,	LINODY	LIBLOA	00.00	407.50	00.54	40.70	0.04						
First 4-Wire 64(Ops Digital Grade Loop in Combination - Zevie 3 3 UNCOX UDL64 55:09 127:59 66:54 42.70 2.81	—	_	First 4-vvire 64Kbps Digital Grade Loop in Combination - Zone 1		1	UNCDX	UDL64	22.20	127.59	60.54	42.79	2.81						
First 4-Wire 64(Ops Digital Grade Loop in Combination - Zevie 3 3 UNCOX UDL64 55:09 127:59 66:54 42.70 2.81			First 4 Wire 64Khan Digital Crade Lean in Combination 7 2	1		LINICDY	LIDI 64	24.50	127.50	60.54	40.70	2.04				1		
Intercifics Transport - Decidaded - DSI combination - Per Mile Per Morn	\vdash	\dashv	riist 4-vviile 64NDPS Digital Grade Loop in Combination - Zone 2	!	2	UNCDX	UDL04	31.56	127.59	60.54	42.79	2.81	-	-		 		-
Intercifics Transport - Decidaded - DSI combination - Per Mile Per Morn			First 4-Wire 64Khas Digital Grade Loop in Combination 7000 3	1	2	LINCDY	LIDL64	55.00	127 50	60 F4	42.70	2.04				I		
Per Worth	\vdash			 	-	OINODA	JDL04	55.89	121.39	00.34	42.79	2.81	-	-	 	+	 	
Interoffice Transport Conditionation - Fe Month Termination Per Month Te						LINC1Y	11 5YY	0.1856										
Termination Per Mourish UNICYX UTIF1 68.44 174.46 122.46 45.61 17.96						ONOTA	TLOAK	0.1030										
10 Channel System in combination Per Month OCULVE POCI (data) = nombination Per Month Addiscord 4-Wire 640-bp Digital Grade Loop in same DS1 1 UNCDX UDL64 22.20 127.59 60.54 42.79 2.81 1						LINC1X	LI1TE1	88 44	174 46	122 46	45.61	17 95						
OCULPP COCI (data) - in combination - per month (24-648ba)											40.01	17.50						
Additional 4-Wire 64Opp Digital Control Loop in same DS1					1						0.00	0.00						
Interoffice Transport Combination - Zone 1						0.1027		20	10.01	7.00	0.00	0.00						
Additional 4-Wire 64Rops Digital Grade Loop in same DST 2 UNCDX UDL64 31.56 127.59 60.54 4.279 2.81					1	UNCDX	UDL64	22.20	127.59	60.54	42.79	2.81						
Interdifice Transport Combination - Zone 2					i –													
Interoffice Transport Combination - Zone 3 3 UNCDX UDL64 55.99 127.59 60.54 42.79 2.81					2	UNCDX	UDL64	31.56	127.59	60.54	42.79	2.81						
Additional OCU-DP COCI (data) - in combination - per month UNCDX IDIDD 2.10 10.07 7.08 0.00			Additional 4-Wire 64Kbps Digital Grade Loop in same DS1		i													
C2.4-64-bbs C2.4-64-bbs C2.4-64-bbs C3.5 C3.5 C3.5 C3.5 C4.5 C4.5 C3.5 C4.5			Interoffice Transport Combination - Zone 3		3	UNCDX	UDL64	55.99	127.59	60.54	42.79	2.81						
Nonrecurring Currently Combined Network Elements Switch - As- Is Charge UNC1X UNCCC 8.88 8.8			Additional OCU-DP COCI (data) - in combination - per month															
INCIDITAL EXTENDED LOOP WITH DEDICATED DSI INTEROFFICE TRANSPORT 1						UNCDX	1D1DD	2.10	10.07	7.08	0.00	0.00						
EXTENDED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT 4-Wire DS1 Digital Loop in Combination - Zone 1 UNCIX USLXX 70,74 217,75 121,62 51,44 14,45				ł														
A-Wire DSI Digital Loop in Combination - Zone 1									8.98	8.98	8.98	8.98						
A-Wire DS1 Digital Loop in Combination - Zone 2	EX			ED DS1				=0 =1	0.17.77									
A-Wire DSI Digital Loop in Combination - Zone 3 3 UNC1X USLXX 178.39 217.75 121.62 51.44 14.45																		
Interoffice Transport - Dedicated - DS1 combination - Per Mile					_													
Per Month	—				3	UNC1X	USLXX	178.39	217.75	121.62	51.44	14.45						
Interoffice Transport - Dedicated - DS1 combination - Facility UNC1X						LINICAV	41 EVV	0.4050										
Termination Per Month					<u> </u>	UNCIX	ILSAA	0.1000								-		
Nonrecurring Currently Combined Network Elements Switch -As- UNC1X						LINC1Y	LI1TE1	88 44	174.46	122.46	45.61	17 05						
Is Charge		_			<u> </u>	ONCIA	01111	00.44	174.40	122.40	40.01	17.55						
EXTENDED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICATED DS3 INTEROFFICE TRANSPORT				1		UNC1X	UNCCC		8.98	8.98	8.98	8.98				I		
First DS1Loop in Combination - Zone 1	EX	TENI		ED DS3	INTER				0.00	5.50	3.30	5.50			1	<u> </u>		
First DS1Loop in Combination - Zone 2								70.74	217.75	121.62	51.44	14.45	1	1	İ	1	l	
First DS1Loop in Combination - Zone 3 3 UNC1X					2										1			
Per Month UNC3X 1L5XX 3.87			First DS1Loop in Combination - Zone 3		3	UNC1X	USLXX	178.39	217.75	121.62	51.44	14.45						
Interoffice Transport - Dedicated - DS3 - Facility Termination per month			Interoffice Transport - Dedicated - DS3 combination - Per Mile															
Month						UNC3X	1L5XX	3.87										
3/1Channel System in combination per month																		
DS1 COCI in combination per month															ļ	L		
Additional DS1Loop in DS3 Interoffice Transport Combination -	$oxed{oxed}$														ļ	L		
Zone 1	\vdash			!	<u> </u>	UNC1X	UC1D1	13.76	10.07	7.08	0.00	0.00				ļ		
Additional DS1Loop in DS3 Interoffice Transport Combination - 2 UNC1X USLXX 100.54 217.75 121.62 51.44 14.45				1	Ι,	LINIOAV	1101.307	70 - 1	047	101 00	F4	44				1		
Zone 2	\vdash			-	1	UNC1X	USLXX	/0.74	217.75	121.62	51.44	14.45	-	-	-	 		
Additional DS1Loop in DS3 Interoffice Transport Combination - 3 UNC1X USLXX 178.39 217.75 121.62 51.44 14.45				1		LINICAV	LIELVY	100.54	247 75	101.00	E1 44	14.45				1		
Zone 3 3 UNC1X USLXX 178.39 217.75 121.62 51.44 14.45	\vdash			 	2	UNUTA	USLAX	100.54	217.75	121.62	51.44	14.45			 	 	-	
Additional DS1 COCI in combination per month UNC1X UC1D1 13.76 10.07 7.08 0.00 0.00 Nonrecurring Currently Combined Network Elements Switch -As-ls Charge UNC3X UNCCC 8.98 8.98 8.98 8.98				1	2	LINC1Y	LIELVY	170 20	047.75	101.00	E4 44	14.45				I		
Nonrecurring Currently Combined Network Elements Switch -As- Is Charge UNC3X UNCCC 8.98 8.98 8.98	+			!	3								-	-		 		-
Is Charge UNC3X UNCCC 8.98	\vdash	\dashv		!	 	UNCIA	OCIDI	13.76	10.07	7.08	0.00	0.00	-	-	 	+	 	
				1		UNC3X	UNCCC		8 08	8 08	8 08	8 08				I		
	FY	TENI		GRAD	F INTE				0.30	0.30	0.30	0.90	 	 	 	1		

ONRONDI	LED	NETWORK ELEMENTS - Florida													ment: 2		ibit: A
CATEGORY	,	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			l l	Svc Order Submitted Manually per LSR		Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
	-			-				Nonrec	urring	Nonrecurring	Disconnect]	OSS	Rates (\$)	l	
-	\dashv					+	Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2	2-WireVG Loop in combination - Zone 1		1	UNCVX	UEAL2	12.24	127.59	60.54	42.79	2.81	0020	00		00	00	
		2-WireVG Loop in combination - Zone 2			UNCVX	UEAL2	17.40	127.59	60.54	42.79	2.81						
		2-WireVG Loop in combination - Zone 3		3	UNCVX	UEAL2	30.87	127.59	60.54	42.79	2.81						
		nteroffice Transport - 2-wire VG - Dedicated- Per Mile Per															
		Month			UNCVX	1L5XX	0.0091										
		Interoffice Transport - 2-wire VG - Dedicated - Facility			UNCVX	U1TV2	25.32	94.70	52.59	50.49	21.53						
		Termination per month Nonrecurring Currently Combined Network Elements Switch -As-		-	UNCVX	UTIVZ	25.32	94.70	52.59	50.49	21.53						
		s Charge			UNCVX	UNCCC		8.98	8.98	8.98	8.98						
EXT		DED 4-WIRE VOICE GRADE EXTENDED LOOP/ 4 WIRE VOICE	GRADI	E INTE						0.00		†					
		4-WireVG Loop in combination - Zone 1			UNCVX	UEAL4	18.89	127.59	60.54	42.79	2.81						
		4-WireVG Loop in combination - Zone 2		2	UNCVX	UEAL4	26.84	127.59	60.54	42.79	2.81						
		4-WireVG Loop in combination - Zone 3		3	UNCVX	UEAL4	47.62	127.59	60.54	42.79	2.81						
		nteroffice Transport - 4-wire VG - Dedicated - Per Mile Per					Ι Τ										
		Month			UNCVX	1L5XX	0.0091			1							
		Interoffice Transport - 4-wire VG - Dedicated - Facility Termination per month			UNCVX	U1TV4	22.58	94.70	52.59	50.49	21.53		1	I			
		Nonrecurring Currently Combined Network Elements Switch -As-			UNCVA	01174	22.50	94.70	52.59	50.49	21.55			 			
		s Charge			UNCVX	UNCCC		8.98	8.98	8.98	8.98						
EXT		DED DS3 DIGITAL EXTENDED LOOP WITH DEDICATED DS3	INTERC	FFICE		0.1000		0.00	0.00	0.00	0.00						1
		DS3 Local Loop in combination - per mile per month			UNC3X	1L5ND	10.92										
		DS3 Local Loop in combination - Facility Termination per month			UNC3X	UE3PX	386.88	249.97	162.05	67.10	26.82						
		nteroffice Transport - Dedicated - DS3 - Per Mile per month			UNC3X	1L5XX	3.87										
		nteroffice Transport - Dedicated - DS3 combination - Facility			111001/	LIATEO	4 074 00	044.45	100.00	00.00	10.00						
		Termination per month Nonrecurring Currently Combined Network Elements Switch -As-			UNC3X	U1TF3	1,071.00	314.45	130.88	38.60	18.23			-			
		s Charge			UNC3X	UNCCC		8.98	8.98	8.98	8.98						
EXT		DED STS-1 DIGITAL EXTENDED LOOP WITH DEDICATED ST	S-1 INT	EROFF		DIVOCO	-	0.90	0.30	0.30	0.90						
=/(.		STS-1 Local Lolp in combination - per mile per month			UNCSX	1L5ND	10.92										1
		STS-1 Local Loop in combination - Facility Termination per															
		month			UNCSX	UDLS1	426.60	249.97	162.05	67.10	26.82						
		nteroffice Transport - Dedicated - STS-1 combination - per mile															
		per month			UNCSX	1L5XX	3.87										
		nteroffice Transport - Dedicated - STS-1 combination - Facility			LINGOV	LIATEO	4 050 00	044.45	100.00	00.00	10.00						
		Termination per month Nonrecurring Currently Combined Network Elements Switch -As-			UNCSX	U1TFS	1,056.00	314.45	130.88	38.60	18.23	1		 	-	-	
		Nonrecurring Currently Combined Network Elements Switch -As-			UNCSX	UNCCC		8.98	8.98	8.98	8.98						
EXT		DED 2-WIRE ISDN EXTENDED LOOP WITH DS1 INTEROFFICE	TRANS	SPORT		0.1000	+	0.30	0.30	0.36	0.30	1	 	†			
		First 2-Wire ISDN Loop in Combination - Zone 1			UNCNX	U1L2X	19.28	127.59	60.60	42.79	2.81				İ		
	F	First 2-Wire ISDN Loop in Combination - Zone 2		2	UNCNX	U1L2X	27.40	127.59	60.60	42.79	2.81						
		First 2-Wire ISDN Loop in Combination - Zone 3		3	UNCNX	U1L2X	48.62	127.59	60.60	42.79	2.81						
		nteroffice Transport - Dedicated - DS1 combination - per mile															
		per month			UNC1X	1L5XX	0.1856										
		Interoffice Transport - Dedicated - DS1 combination - Facility Termination per month			UNC1X	U1TF1	88.44	174.46	122.46	45.61	17.95		1	I			
		1/0 Channel System in combination - per month			UNC1X UNC1X	MQ1	146.77	174.46	71.62	45.61	17.95			+		-	
		2-wire ISDN COCI (BRITE) - in combination - per month			UNCNX	UC1CA	3.66	101.42	7.08	0.00	0.00	 	 	t			
		Additional 2-wire ISDN Loop in same DS1Interoffice Transport				33.37	0.00	10.01	7.30	5.50	0.00	1					
		Combination - Zone 1		1	UNCNX	U1L2X	19.28	127.59	60.60	42.79	2.81		<u> </u>		<u> </u>		<u></u>
	F	Additional 2-wire ISDN Loop in same DS1Interoffice Transport															
_		Combination - Zone 2		2	UNCNX	U1L2X	27.40	127.59	60.60	42.79	2.81			1			
		Additional 2-wire ISDN Loop in same DS1Interoffice Transport			LINIONIN	1141.07	40.00	407.50	00.00	40.70	0.01		1	I			
		Combination - Zone 3		3	UNCNX	U1L2X	48.62	127.59	60.60	42.79	2.81	ļ					
		Additional 2-wire ISDN COCI (BRITE) - in combination- per month			UNCNX	UC1CA	3.66	10.07	7.08	0.00	0.00			1			
-+		Nonrecurring Currently Combined Network Elements Switch -As-			OINCINA	UCTOA	3.00	10.07	7.08	0.00	0.00	1	 	 	 	 	
		s Charge			UNC1X	UNCCC		8.98	8.98	8.98	8.98			1			
EVE		DED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICATI	FD STS	-1 INTF			 	0.00	3.30	5.50	0.00	1		t	 	l	t

UNBUNDL	ED NETWORK ELEMENTS - Florida													ment: 2	1	bit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			1	Svc Order Submitted Manually per LSR	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'l
						Rec	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates (\$)	•	•
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	First DS1 Loop Combination - Zone 1		1	UNC1X	USLXX	70.74	217.75	121.62		14.45						
	First DS1 Loop Combination - Zone 2		2	UNC1X	USLXX	100.54	217.75	121.62	51.44	14.45						
	First DS1 Loop Combination - Zone 3		3	UNC1X	USLXX	178.39	217.75	121.62	51.44	14.45						
	Interoffice Transport - Dedicated - STS-1 combination - Per Mile				1											
	Per Month			UNCSX	1L5XX	3.87										
	Interoffice Transport - Dedicated - STS-1 combination - Facility			UNCSX	U1TFS	1.056.00	314.45	130.88	38.60	18.23						
	Termination per month 3/1 Channel System in combination per month		-	UNCSX	MQ3	211.19	199.28	130.88	40.34	39.07	-		-	-	-	-
	DS1 COCI in combination per month		-	UNC1X	UC1D1	13.76	10.07	7.08	0.00	0.00	-		-	-	-	-
-+	Additional DS1Loop in the same STS-1 Interoffice Transport			ONOTA	OCIDI	13.70	10.07	7.00	0.00	0.00				-		
	Combination - Zone 1		1	UNC1X	USLXX	70.74	217.75	121.62	51.44	14.45						
	Additional DS1Loop in the same STS-1 Interoffice Transport		Ė		1			.232	574	10			1	1	1	
	Combination - Zone 2		2	UNC1X	USLXX	100.54	217.75	121.62	51.44	14.45		1	I	I	I	
	Additional DS1Loop in the same STS-1 Interoffice Transport				1 1			·								
	Combination - Zone 3		3	UNC1X	USLXX	178.39	217.75	121.62	51.44	14.45						
	DS1 COCI in combination per month			UNC1X	UC1D1	13.76	10.07	7.08	0.00	0.00						
	Nonrecurring Currently Combined Network Elements Switch -As-															
	Is Charge		<u> </u>	UNCSX	UNCCC		8.98	8.98	8.98	8.98						
EXTE	NDED 4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH 56 KB	PS INT					107.50		40.00							
	4-wire 56 kbps Local Loop in combination - Zone 1			UNCDX UNCDX	UDL56 UDL56	22.20	127.59	60.54		2.81				1	-	
-+	4-wire 56 kbps Local Loop in combination - Zone 2 4-wire 56 kbps Local Loop in combination - Zone 3			UNCDX	UDL56	31.56 55.99	127.59 127.59	60.54 60.54	42.79 42.79	2.81 2.81	-		-	-	-	-
	Interoffice Transport - Dedicated - 4-wire 56 kbps combination -		3	UNCDX	UDLOO	55.99	127.59	60.54	42.79	2.81	-		-	-	-	-
	Per Mile per month			UNCDX	1L5XX	0.0091										
-+	Interoffice Transport - Dedicated - 4-wire 56 kbps combination -			ONODA	120/01	0.0001										
	Facility Termination per month			UNCDX	U1TD5	18.44	94.70	52.59	50.49	21.53						
	Nonrecurring Currently Combined Network Elements Switch -As-				1											
	Is Charge			UNCDX	UNCCC		8.98	8.98	8.98	8.98						
EXTE	NDED 4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH 64 KB	PS INT	EROFF	ICE TRANSPORT												
	4-wire 64 kbps Lcoal Loop in Combination - Zone 1			UNCDX	UDL64	22.20	127.59	60.54	42.79	2.81						
	4-wire 64 kbps Lcoal Loop in Combination - Zone 2			UNCDX	UDL64	31.56	127.59	60.54	42.79	2.81						
	4-wire 64 kbps Lcoal Loop in Combination - Zone 3		3	UNCDX	UDL64	55.99	127.59	60.54	42.79	2.81						
	Interoffice Transport - Dedicated - 4-wire 64 kbps combination -			LINODY	41.5007	0.0004										
	Per Mile per month		-	UNCDX	1L5XX	0.0091										
	Interoffice Transport - Dedicated - 4-wire 64 kbps combination - Facility Termination per month			UNCDX	U1TD6	18.44	94.70	52.59	50.49	21.53						
	Nonrecurring Currently Combined Network Elements Switch -As-			UNCDX	01100	10.44	34.70	32.35	30.49	21.55						
	Is Charge			UNCDX	UNCCC		8.98	8.98	8.98	8.98						
EXT	ENDED 2-WIRE VOICE GRADE LOOP WITH DS1 INTEROFFICE T	RANSP	ORT w		1		5.55	0.00	3.30	0.00	1		1	1	1	t
	First 2-wire VG Loop (SL2) in Combination - Zone 1			UNCVX	UEAL2	12.24	127.59	60.54	42.79	2.81			1	1	1	
	First 2-wire VG Loop (SL2) in Combination - Zone 2		2	UNCVX	UEAL2	17.40	127.59	60.54	42.79	2.81						
	First 2-wire VG Loop (SL2) in Combination - Zone 3		3	UNCVX	UEAL2	30.87	127.59	60.54	42.79	2.81						
	First Interoffice Transport - Dedicated - DS1 combination - Per														_	
	Mile			UNC1X	1L5XX	0.1856						ļ	1	1	1	
1	First Interoffice Transport - Dedicated - DS1 combination -				l=.					.=		1	I	I	I	1
+-	Facility Termination per month		-	UNC1X	U1TF1	88.44	174.46	122.46	45.61	17.95			 	 	 	1
+-	Per each DS1 Channelization System Per Month Per each Voice Grade COCI - Per Month per month		-	UNC1X UNCVX	MQ1 1D1VG	146.77 1.38	101.42 10.07	71.62 7.08	0.00	0.00	-	-	 	 	 	
-+	3/1 Channel System in combination per month			UNC3X	MQ3	211.19	199.28	118.64	40.34	39.07	 		 	 	 	
+-	Per each DS1 COCI in combination per month			UNC1X	UC1D1	13.76	10.07	7.08	0.00	0.00			-	-	†	†
	Each Additional 2-Wire VG Loop(SL 2) in the same DS1				1	.5 5			5.50	0.30			1	1	1	1
	Interoffice Transport Combination - Zone 1		1	UNCVX	UEAL2	12.24	127.59	60.54	42.79	2.81	<u></u>	<u></u>	L	<u> </u>	L	<u></u>
	Each Additional 2-Wire VG Loop(SL2) in the same DS1															
	Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL2	17.40	127.59	60.54	42.79	2.81						
	Each Additional 2-Wire VG Loop(SL2) in the same DS1				1								_	_	_	_
	Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL2	30.87	127.59	60.54	42.79	2.81	1					<u> </u>
			1	UNCVX	1D1VG	1.38	10.07	7.08	0.00	0.00	1	ı	I	I	1	1
	Each Additional Voice Grade COCI in combination - per month Each Additional DS1 Interoffice Channel per mile in same 3/1															

UNBUNDLE	D NETWORK ELEMENTS - Florida												Attach	ment: 2	Exhi	bit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental	Incremental Charge - Manual Svc Order vs. Electronic- Add'l		Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
															DISC 1St	DISC Add I
						Rec	Nonrec		Nonrecurring					Rates (\$)		
	Each Additional DS1 Interoffice Channel Facility Termination in						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	same 3/1 Channel System per month			UNC1X	U1TF1	88.44	174.46	122.46	45.61	17.95						ı l
	Each Additional DS1 COCI combination per month			UNC1X	UC1D1	13.76	10.07	7.08	0.00	0.00						
	Nonrecurring Currently Combined Network Elements Switch -As-															
	Is Charge			UNC1X	UNCCC		8.98	8.98	8.98	8.98						
EXTE	NDED 4-WIRE VOICE GRADE LOOP WITH DEDICATED DS1 INT	EROFF	ICE TR	ANSPORT w/ 3/1 M	UX				1							
	First 4-Wire Analog Voice Grade Local Loop in Combination - Zone 1		1	UNCVX	UEAL4	18.89	127.59	60.54	42.79	2.81						ı l
	First 4-Wire Analog Voice Grade Local Loop in Combination -			one m	02/121	10.00	.200	00.01	12.70	2.01						
	Zone 2		2	UNCVX	UEAL4	26.84	127.59	60.54	42.79	2.81						i
	First 4-Wire Analog Voice Grade Local Loop in Combination - Zone 3		3	UNCVX	UEAL4	47.62	127.59	60.54	42.79	2.81						, T
	First Interoffice Transport - Dedicated - DS1 combination - Per		3	UNCVA	UEAL4	47.02	127.59	60.54	42.79	2.01						
1 1	Mile Per Month			UNC1X	1L5XX	0.1856			1							
	First Interoffice Transport - Dedicated - DS1 - Facility															
	Termination Per Month			UNC1X	U1TF1	88.44	174.46	122.46	45.61	17.95						
	Per each 1/0 Channel System in combination Per Month Per each Voice Grade COCI in combination - per month			UNC1X UNCVX	MQ1 1D1VG	146.77 1.38	101.42 10.07	71.62 7.08	0.00	0.00						
-	3/1 Channel System in combination per month			UNC3X	MQ3	211.19	199.28	118.64	40.34	39.07						
	Per each DS1 COCI in combination per month			UNC1X	UC1D1	13.76	10.07	7.08	0.00	0.00						
	Additional 4-Wire Analog Voice Grade Loop in same DS1															
	Interoffice Transport Combination - Zone 1		1	UNCVX	UEAL4	18.89	127.59	60.54	42.79	2.81						
	Additional 4-Wire Analog Voice Grade Loop in same DS1 Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL4	26.84	127.59	60.54	42.79	2.81						i l
	Additional 4-Wire Analog Voice Grade Loop in same DS1			UNCVA	UEAL4	20.04	127.59	60.54	42.79	2.01						
	Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL4	47.62	127.59	60.54	42.79	2.81						i l
	Each Additional DS1 Interoffice Channel per mile in same 3/1															
	Channel System per month			UNC1X	1L5XX	0.1856										
	Each Additional DS1 Interoffice Channel Facility Termination in			UNC1X	U1TF1	88.44	474.40	400.40	45.61	47.05						ı l
	same 3/1 Channel System per month Additional Voice Grade COCI - in combination - per month			UNCVX	1D1VG	1.38	174.46 10.07	122.46 7.08	0.00	17.95 0.00						
	Nonrecurring Currently Combined Network Elements Switch -As-			ONOVA	IDIVO	1.00	10.07	7.00	0.00	0.00						
	Is Charge			UNC1X	UNCCC		8.98	8.98	8.98	8.98						ı
EXTE	NDED 4-WIRE 56 KBPS DIGITAL LOOP WITH DEDICATED DS1	INTERC	FFICE	TRANSPORT w/ 3/1	MUX											
	First 4-Wire 56Kbps Digital Grade Local Loop in Combination -		4	UNCDX	UDL56	22.20	127.59	60.54	42.79	2.81						
	Zone 1 First 4-Wire 56Kbps Digital Grade Local Loop in Combination -		I	ONCDA	UDLOB	22.20	127.59	00.54	42.79	∠.81	 					
	Zone 2		2	UNCDX	UDL56	31.56	127.59	60.54	42.79	2.81						
	First 4-Wire 56Kbps Digital Grade Local Loop in Combination -															
	Zone 3		3	UNCDX	UDL56	55.99	127.59	60.54	42.79	2.81	1					
	First Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month			UNC1X	1L5XX	0.1856			1							
	First Interoffice Transport - Dedicated - DS1 - combination			011017	1LUAA	0.1000			-		 					
	Facility Termination Per Month			UNC1X	U1TF1	88.44	174.46	122.46	45.61	17.95	<u> </u>	<u> </u>				
	Per each 1/0 Channel System in combination Per Month			UNC1X	MQ1	146.77	101.42	71.62								
	Per each OCU-DP COCI (data) COCI per month (2.4-64kbs)			UNCDX	1D1DD	2.10	10.07	7.08	0.00	0.00						
	3/1 Channel System in combination per month Per each DS1 COCI in combination per month			UNC3X UNC1X	MQ3 UC1D1	211.19 13.76	199.28 10.07	118.64 7.08	40.34 0.00	39.07 0.00						
	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1			J	30.01	13.70	10.07	1.00	0.00	0.00	 					
	Interoffice Transport Combination - Zone 1		1	UNCDX	UDL56	22.20	127.59	60.54	42.79	2.81						
	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1															
\vdash	Interoffice Transport Combination - Zone 2		2	UNCDX	UDL56	31.56	127.59	60.54	42.79	2.81	-	ļ				
	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination - Zone 3		3	UNCDX	UDL56	55.99	127.59	60.54	42.79	2.81						
	OCU-DP COCI (data) COCI in combination per month (2.4-		5	J. 105/1	35200	33.33	127.55	00.04	72.13	2.01	 					
	64kbs)			UNCDX	1D1DD	2.10	10.07	7.08	0.00	0.00						<u>. </u>
	Each Additional DS1 Interoffice Channel per mile in same 3/1				41 => 0 :			·								
	Channel System per month			UNC1X	1L5XX	0.1856			<u> </u>							

UNBUNDL	ED NETWORK ELEMENTS - Florida												Attach	ment: 2	Exhi	bit: A
CATEGORY		Interi m	Zone	BCS	usoc			RATES (\$)			Svc Order Submitted Elec per LSR	Submitted	Incremental			
						Rec	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Each Additional DS1 Interoffice Channel Facility Termination in															
\vdash	same 3/1 Channel System per month			UNC1X	U1TF1	88.44	174.46	122.46	45.61	17.95						\vdash
	Each Additional DS1 COCI in the same 3/1 channel system combination per month			UNC1X	UC1D1	13.76	10.07	7.08	0.00	0.00						
	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge	1		UNC1X	UNCCC		8.98	8.98	8.98	8.98						[
EXT	ENDED 4-WIRE 64 KBPS DIGITAL LOOP WITH DEDICATED DS1	INTERC	FFICE				0.90	0.30	0.30	0.30						
	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice															
	Transport Combination - Zone 1		1	UNCDX	UDL64	22.20	127.59	60.54	42.79	2.81						
	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice								40.70							[
	Transport Combination - Zone 2 First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice		2	UNCDX	UDL64	31.56	127.59	60.54	42.79	2.81						
	Transport Combination - Zone 3		3	UNCDX	UDL64	55.99	127.59	60.54	42.79	2.81						ĺ
	First Interoffice Transport - Dedicated - DS1 combination - Per	†	Ť			55.55	.200	33.04	.2.70	2.01						
	Mile Per Month			UNC1X	1L5XX	0.1856										[
	First Interoffice Transport - Dedicated - DS1 combination -															
	Facility Termination Per Month			UNC1X	U1TF1	88.44	174.46	122.46	45.61	17.95						
	Per each Channel System 1/0 in combination Per Month Per each OCU-DP COCI (data) in combination - per month (2.4-	-		UNC1X	MQ1	146.77	101.42	71.62								
	64kbs)			UNCDX	1D1DD	2.10	10.07	7.08	0.00	0.00						[
	3/1 Channel System in combination per month			UNC3X	MQ3	211.19	199.28	118.64	40.34	39.07						
	Per each DS1 COCI in combination per month			UNC1X	UC1D1	13.76	10.07	7.08	0.00	0.00						
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1															
	Interoffice Transport Combination - Zone 1		1	UNCDX	UDL64	22.20	127.59	60.54	42.79	2.81						
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination - Zone 2		2	UNCDX	UDL64	31.56	127.59	60.54	42.79	2.81						
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1					== 00			40.70							ĺ
	Interoffice Transport Combination - Zone 3 Additional OCU-DP COCI (data) - DS1 to DS0 Channel System	-	3	UNCDX	UDL64	55.99	127.59	60.54	42.79	2.81						
	combination - per month (2.4-64kbs)			UNCDX	1D1DD	2.10	10.07	7.08	0.00	0.00						
	Each Additional DS1 Interoffice Channel per mile in same 3/1 Channel System per month			UNC1X	1L5XX	0.1856										
	Each Additional DS1 Interoffice Channel Facility Termination in same 3/1 Channel System per month			UNC1X	U1TF1	88.44	174.46	122.46	45.61	17.95						ĺ
	Each Additional DS1 COCI in the same 3/1 channel system			ONOTA	01111	00.44	174.40	122.40	40.01	17.95						<u> </u>
	combination per month			UNC1X	UC1D1	13.76	10.07	7.08	0.00	0.00						
	Nonrecurring Currently Combined Network Elements Switch -As-	1														ĺ
EVT	Is Charge ENDED 2-WIRE ISDN LOOP WITH DS1 INTEROFFICE TRANSPORT	DT 11/12/	4 MILLY	UNC1X	UNCCC		8.98	8.98	8.98	8.98						
EAT	First 2-Wire ISDN Loop in a DS1 Interoffice Combination	K I W/ 3/	I WIUX		+											
	Transport - Zone 1		1	UNCNX	U1L2X	19.28	127.59	60.60	42.79	2.81						ĺ
	First 2-Wire ISDN Loop in a DS1 Interoffice Combination															
	Transport - Zone 2		2	UNCNX	U1L2X	27.40	127.59	60.60	42.79	2.81						L
	First 2-Wire ISDN Loop in a DS1 Interoffice Combination Transport - Zone 3		3	UNCNX	U1L2X	48.62	127.59	60.60	42.79	2.81						
	First Interoffice Transport - Dedicated - DS1 combination - Per	†			J	40.02	127.00	00.00	72.13	2.01						
	Mile per month	ļ		UNC1X	1L5XX	0.1856										
	First Interoffice Transport - Dedicated - DS1 combination -			LINGAV	LIATEA	00.44	474 40	400.40	45.04	47.05						1
	Facility Termination per month Per each Channel System 1/0 in combination - per month	-	—	UNC1X UNC1X	U1TF1 MQ1	88.44 146.77	174.46 101.42	122.46 71.62	45.61	17.95						
	i ei each Chainei System i/o in combination - per month	 		ONCIA	IVIQI	140.77	101.42	11.02	+							
	Per each 2-wire ISDN COCI (BRITE) in combination - per month	<u></u>		UNCNX	UC1CA	3.66	10.07	7.08	0.00	0.00		<u></u>				<u> </u>
	3/1 Channel System in combination per month			UNC3X	MQ3	211.19	199.28	118.64	40.34	39.07						
	Per each DS1 COCI in combination per month			UNC1X	UC1D1	13.76	10.07	7.08	0.00	0.00						
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport Combination - Zone 1		1	UNCNX	U1L2X	19.28	127.59	60.60	42.79	2.81						
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport Combination - Zone 2		2	UNCNX	U1L2X	27.40	127.59	60.60	42.79	2.81						

OIADOIA	DLE	NETWORK ELEMENTS - Florida													ment: 2		ibit: A
CATEGO	RY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			l l	Svc Order Submitted Manually per LSR	Charge - Manual Svc	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
				1		+ -		Nonred	curring	Nonrecurring	Disconnect		l	OSS	Rates (\$)	1	<u>.</u>
-						+	Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Additional 2-wire ISDN Loop in same DS1Interoffice Transport							7144	1 01	71441	0020	00				
		Combination - Zone 3		3	UNCNX	U1L2X	48.62	127.59	60.60	42.79	2.81						
		Additional 2-wire ISDN COCI (BRITE) in same 1/0 channel															
		system combination- per month			UNCNX	UC1CA	3.66	10.07	7.08	0.00	0.00						
		Each Additional DS1 Interoffice Channel per mile in same 3/1															
		Channel System per month			UNC1X	1L5XX	0.1856										
		Each Additional DS1 Interoffice Channel Facility Termination in															
		same 3/1 Channel System per month			UNC1X	U1TF1	88.44	174.46	122.46	45.61	17.95						ļ
		Each Additional DS1 COCI in the same 3/1 channel system															
		combination per month			UNC1X	UC1D1	13.76	10.07	7.08	0.00	0.00						
		Nonrecurring Currently Combined Network Elements Switch -As-			LINGAY	LINGOO		0.00	0.00		0.00		1	I			
		Is Charge	TDARK	I COORT	UNC1X	UNCCC		8.98	8.98	8.98	8.98	ļ	ļ	 	 	 	
ĮE.		DED 4-WIRE DS1 LOOP WITH DEDICATED DS1 INTEROFFICE First 4-wire DS1 Digital Local Loop in Combination - Zone 1	IKANS		W/ 3/1 MUX UNC1X	USLXX	70.74	217.75	121.62	51.44	14.45	ļ	-	1	 	 	-
_		First 4-wire DS1 Digital Lcoal Loop in Combination - Zone 2			UNC1X	USLXX	100.54	217.75	121.62	51.44	14.45	 					
		First 4-wire DS1 Digital Lcoal Loop in Combination - Zone 3			UNC1X	USLXX	178.39	217.75	121.62	51.44	14.45	1		-			
-		First Interoffice Transport - Dedicated - DS1 combination - Per		3	UNCIA	USLAA	170.39	217.73	121.02	31.44	14.43	+					
		Mile Per Month			UNC1X	1L5XX	0.1856										
		First Interoffice Transport - Dedicated - DS1 combination -			0.10.77	120701	0.1000										1
		Facility Termination Per Month			UNC1X	U1TF1	88.44	174.46	122.46	45.61	17.95						
		3/1 Channel System in combination per month			UNC3X	MQ3	211.19	199.28	118.64	40.34	39.07						
		Per each DS1 COCI combination per month			UNC1X	UC1D1	13.76	10.07	7.08	0.00	0.00						
		Each Additional DS1 Interoffice Channel per mile in same 3/1															
		Channel System per month			UNC1X	1L5XX	0.1856										
		Each Additional DS1 Interoffice Channel Facility Termination in															
		same 3/1 Channel System per month			UNC1X	U1TF1	88.44	174.46	122.46	45.61	17.95						
		Each Additional DS1 COCI in the same 3/1 channel system															
		combination per month			UNC1X	UC1D1	13.76	10.07	7.08	0.00	0.00						ļ
		Additional 4-Wire DS1 Digital Local Loop in Combination - Zone															
		1		1	UNC1X	USLXX	70.74	217.75	121.62	51.44	14.45						
		Additional 4-Wire DS1 Digital Local Loop in Combination - Zone			LINIOAV	1101.707	100 54	047.75	404.00	54.44	44.45						
		2 Additional 4-Wire DS1 Digital Local Loop in Combination - Zone		2	UNC1X	USLXX	100.54	217.75	121.62	51.44	14.45	.		-			
		Additional 4-Wife DST Digital Local Loop in Combination - Zone		3	UNC1X	USLXX	178.39	217.75	121.62	51.44	14.45						
		Nonrecurring Currently Combined Network Elements Switch -As-		3	UNCIX	USLAA	170.39	217.73	121.02	31.44	14.43	1		-			
		Is Charge			UNC1X	UNCCC		8.98	8.98	8.98	8.98						
E		DED 4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH DS0 II	NTERO	FFICE		011000		0.50	0.00	0.50	0.00	1					
		First 4-wire 56 kbps Local Loop in combination - Zone 1			UNCDX	UDL56	22.20	127.59	60.54	42.79	2.81						
		First 4-wire 56 kbps Local Loop in combination - Zone 2			UNCDX	UDL56	31.56	127.59	60.54	42.79	2.81	İ			1	1	1
		First 4-wire 56 kbps Local Loop in combination - Zone 3		3	UNCDX	UDL56	55.99	127.59	60.54	42.79	2.81						
		First 4-wiree 56 kbps Interoffice Transport - Dedicated - Per Mile															
		per month			UNCDX	1L5XX	0.0091								ļ	L	<u> </u>
		First 4-wire 56 kbps Interoffice Transport - Dedicated - Facility			l	I I							1	I			
		Termination per month			UNCDX	U1TD5	18.44	94.70	52.59	50.49	21.53		ļ	1	ļ	ļ	
		Nonrecurring Currently Combined Network Elements Switch -As-											1	I			
	VTCI	Is Charge	UTESS	 	UNCDX	UNCCC		8.98	8.98	8.98	8.98			 		-	
ĮE.		DED 4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH DS0 II First 4-wire 64 kbps Local Loop in combination - Zone 1	NIEKO		UNCDX	UDL64	22.20	127.59	60.54	42.79	2.81	1		 			
-+		First 4-wire 64 kbps Local Loop in combination - Zone 1 First 4-wire 64 kbps Local Loop in combination - Zone 2		1 2	UNCDX	UDL64 UDL64	31.56	127.59	60.54	42.79	2.81	 	-	 			
-		First 4-wire 64 kbps Local Loop in combination - Zone 3			UNCDX	UDL64	55.99	127.59	60.54	42.79	2.81	1		t	 	 	
-+		First I4-wire 65 kbps Interoffice Transport - Dedicated - Per Mile		3	OITODA	JDL04	55.55	127.55	00.54	72.75	2.01			-			†
		per month			UNCDX	1L5XX	0.0091						1	I			
		First 4-wire 64 kbps Interoffice Transport - Dedicated - Facility				1.2.31	3.0001							1	İ	İ	1
		Termination per month			UNCDX	U1TD6	18.44	94.70	52.59	50.49	21.53		1	I			
		Nonrecurring Currently Combined Network Elements Switch -As-				1		-				İ			1	1	1
		Is Charge		<u> </u>	UNCDX	UNCCC		8.98	8.98	8.98	8.98						
														1 -	1		1
	NAL N	ETWORK ELEMENTS sed as a part of a currently combined facility, the non-recurr															

UNBU	NDLE	NETWORK ELEMENTS - Florida												Attach	ment: 2	Exhil	oit: A
0.1.20												Svc Order	Svc Order	Incremental	Incremental		Incremental
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
			Interi	_								Elec		Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEG	ORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							Rec	Nonre	curring	Nonrecurring	Disconnect			oss	Rates (\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Nonrec	urring Currently Combined Network Elements "Switch As Is"	Charge	(One a	pplies to each comb	bination)											
		Nonrecurring Currently Combined Network Elements Switch -As- ls Charge - 2 wire/4-Wire VG	1		UNCVX	UNCCC		8.98	8.98	8.98	8.98						
\vdash		Nonrecurring Currently Combined Network Elements Switch -As-			UNCVA	UNCCC	 	0.90	0.90	0.90	0.90						
		Is Charge - 56/64 kbps			UNCDX	UNCCC		8.98	8.98	8.98	8.98						
		Nonrecurring Currently Combined Network Elements Switch -As-															
		ls Charge - DS1			UNC1X	UNCCC		8.98	8.98	8.98	8.98						
		Nonrecurring Currently Combined Network Elements Switch -As-	ł														
\vdash		Is Charge - DS3 Nonrecurring Currently Combined Network Elements Switch -As-		-	UNC3X	UNCCC	1	8.98	8.98	8.98	8.98						
		Is Charge - STS1	1		UNCSX	UNCCC		8.98	8.98	8.98	8.98						
	Option	al Features & Functions:			0.100%	0.1000		0.00	0.00	0.00	0.00						
					U1TD1,												
		Clear Channel Capability Extended Frame Option - per DS1	- 1		ULDD1,UNC1X	CCOEF		OI	OI	01	OI						
		Olean Obernal Carability Consultation College			U1TD1,	00005		o.	OI.		OI						
-		Clear Channel Capability Super FrameOption - per DS1 Clear Channel Capability (SF/ESF) Option - Subsequent		-	ULDD1,UNC1X ULDD1, U1TD1,	CCOSF	-	01	01	01	OI						
		Activity - per DS1	1 1		UNC1X, USL	NRCCC		184.92S	23.82S	2.07S	0.8S						
		round, por 201			U1TD3, ULDD3,		1	1011020	20.020	2.0.0	0.00						
		C-bit Parity Option - Subsequent Activity - per DS3	i		UE3, UNC3X	NRCC3		219.09S	7.67S	0.773S	0S						
	MULTI	PLEXERS															
		DS1 to DS0 Channel System per month			UNC1X	MQ1	146.77	101.42	71.62								
		OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for a Local Loop			UDL	1D1DD	2.10	10.07	7.08								
-		OCU-DP COCI (data) - DS1 to DS0 Channel System - per			ODL	10100	2.10	10.07	7.00								
		month (2.4-64kbs) used for connection to a channelized DS1															
		Local Channel in the same SWC as collocation			U1TUD	1D1DD	2.10	10.07	7.08	0.00	0.00						
		2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per															
		month for a Local Loop 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per		-	UDN	UC1CA	3.66	10.07	7.08	1							
		month used for connection to a channelized DS1 Local Channel															
		in the same SWC as collocation			U1TUB	UC1CA	3.66	10.07	7.08	0.00	0.00						
		Voice Grade COCI - DS1 to DS0 Channel System - per month															
		used for a Local Loop			UEA	1D1VG	1.38	10.07	7.08								
		Voice Grade COCI - DS1 to DS0 Channel System - per month															
		used for connection to a channelized DS1 Local Channel in the same SWC as collocation			U1TUC	1D1VG	1.38	10.07	7.08	0.00	0.00						
\vdash		DS3 to DS1 Channel System per month			UNC3X	MQ3	211.19	199.28	118.64	40.34	39.07						
		STS-1 to DS1 Channel System per month			UNXCS	MQ3	211.19	199.28	118.64	40.34	39.07						
		DS1 COCI used with Loop per month			USL	UC1D1	13.76	10.07	7.08								
		DS1 COCI (used for connection to a channelized DS1 Local															
\vdash		Channel in the same SWC as collocation) per month DS1 COCI used with Interoffice Channel per month	-	-	U1TUA U1TD1	UC1D1 UC1D1	13.76 13.76	10.07 10.07	7.08 7.08	0.00	0.00						
\vdash		DS3 Interface Unit (DS1 COCI) used with Local Channel per		-	ועווט	OCIDI	13.76	10.07	7.08	0.00	0.00						
		month			ULDD1	UC1D1	13.76	10.07	7.08	0.00	0.00						
		OCAL EXCHANGE SWITCHING(PORTS)															
		ge Ports															
		Although the Port Rate includes all available features in GA, I	KY, LA	& TN, ti	ne desired features	will need to I	be ordered usin	ng retail USOC	S								
\vdash	2-WIKE	VOICE GRADE LINE PORT RATES (RES) Exchange Ports - 2-Wire Analog Line Port- Res.	<u> </u>	-	UEPSR	UEPRL	1.40	3.74	3.63	1.88	1.80						
		Exchange Fulls - 2-vville Arialog Lille Full- Res.	-	 	OLFOR	OLFIL	1.40	3.74	3.03	1.08	1.60						
		Exchange Ports - 2-Wire Analog Line Port with Caller ID - Res.			UEPSR	UEPRC	1.40	3.74	3.63	1.88	1.80						
		-															
		Exchange Ports - 2-Wire Analog Line Port outgoing only - Res.		ļ	UEPSR	UEPRO	1.40	3.74	3.63	1.88	1.80						
		Exchange Ports - 2-Wire VG unbundled Florida area calling with Caller ID - Res.			UEPSR	UEPAF	1.40	274	3.63	1.88	1.80						
\vdash		Exchange Ports - 2-Wire VG unbundled Florida Residence Area	-		ULFOR	UEFAF	1.40	3.74	3.03	1.88	1.80						
		Calling Plan, without Caller ID capability			UEPSR	UEPA9	1.40	3.74	3.63	1.88	1.80						
						12		0.77	0.00								i

UNBUND	LEC	NETWORK ELEMENTS - Florida												Attach			bit: A
CATEGOR	Υ	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l
	_						_	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates (\$)	1	1
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Exchange Ports - 2-Wire VG unbundled Florida extended															
		dialing port for use with CREX7 and Caller ID			UEPSR	UEPA1	1.40	3.74	3.63	1.88	1.80						
		Exchange Ports - 2-Wire VG unbundled Florida extended dialing port for use with CREX7, without Caller ID capability			UEPSR	UEPA8	1.40	3.74	3.63	1.88	1.80						
		Exchange Ports - 2-Wire VG unbundled res, low usage line port with Caller ID (LUM)			UEPSR	UEPAP	1.40	3.74	3.63	1.88	1.80						
		2-Wire voice unbundled Low Usage Line Port without Caller ID Capability			UEPSR	UEPRT	1.40	3.74	3.63	1.88	1.80						
		Subsequent Activity			UEPSR	USASC	0.00	0.00	0.00								
FE	ATUF	RES															
		All Available Vertical Features			UEPSR	UEPVF	2.26	0.00	0.00								
2-V		VOICE GRADE LINE PORT RATES (BUS)				1											
		Exchange Ports - 2-Wire Analog Line Port without Caller ID - Bus			UEPSB	UEPBL	1.40	3.74	3.63	1.88	1.80						
		Exchange Ports - 2-Wire VG unbundled Line Port with unbundled port with Caller+E484 ID - Bus.			UEPSB	UEPBC	1.40	3.74	3.63	1.88	1.80						
		Exchange Ports - 2-Wire Analog Line Port outgoing only - Bus.			UEPSB	UEPBO	1.40	3.74	3.63	1.88	1.80						
		Exhange Ports - 2-Wire VG unbundled incoming only port with Caller ID - Bus			UEPSB	UEPB1	1.40	3.74	3.63	1.88	1.80						
		2-Wire voice unbundled Incoming Only Port without Caller ID Capability			UEPSB	UEPBE	1.40	3.74	3.63	1.88	1.80						
		Subsequent Activity			UEPSB	USASC	0.00	0.00	0.00								
FE	ATUF																
		All Available Vertical Features			UEPSB	UEPVF	2.26	0.00	0.00								
EX		NGE PORT RATES (DID & PBX)				ļ											
		2-Wire VG Unbundled 2-Way PBX Trunk - Res			UEPSE	UEPRD	1.40	39.06	18.18	12.35	0.7187						
		2-Wire VG Line Side Unbundled 2-Way PBX Trunk - Bus 2-Wire VG Line Side Unbundled Outward PBX Trunk - Bus		1	UEPSP UEPSP	UEPPC UEPPO	1.40 1.40	39.06 39.06	18.18 18.18	12.35 12.35	0.7187 0.7187						
		2-Wire VG Line Side Unbundled Dutward PBX Trunk - Bus 2-Wire VG Line Side Unbundled Incoming PBX Trunk - Bus		1	UEPSP	UEPP1	1.40	39.06	18.18	12.35	0.7187						
		2-Wire Analog Long Distance Terminal PBX Trunk - Bus			UEPSP	UEPLD	1.40	39.06	18.18	12.35	0.7187						
		2-Wire Voice Unbundled PBX LD Terminal Ports			UEPSP	UEPLD	1.40	39.06	18.18	12.35	0.7187						
		2-Wire Vice Unbundled 2-Way PBX Usage Port			UEPSP	UEPXA	1.40	39.06	18.18	12.35	0.7187						
		2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports			UEPSP	UEPXB	1.40	39.06	18.18	12.35	0.7187						
		2-Wire Voice Unbundled PBX LD DDD Terminals Port			UEPSP	UEPXC	1.40	39.06	18.18	12.35	0.7187						
		2-Wire Voice Unbundled PBX LD Terminal Switchboard Port			UEPSP	UEPXD	1.40	39.06	18.18	12.35	0.7187						
		2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD Capable Port			UEPSP	UEPXE	1.40	39.06	18.18	12.35	0.7187						
		2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy							40								
+		Administrative Calling Port 2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy			UEPSP	UEPXL	1.40	39.06	18.18	12.35	0.7187						
		Room Calling Port 2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital			UEPSP	UEPXM	1.40	39.06	18.18	12.35	0.7187						
		Discount Room Calling Port		<u> </u>	UEPSP	UEPXO	1.40	39.06	18.18	12.35	0.7187						
		2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port		-	UEPSP	UEPXS	1.40	39.06	18.18	12.35	0.7187					 	.
EE	ATUF	Subsequent Activity		 	UEPSP	USASC	0.00	0.00	0.00	 						-	
ILE.		All Available Vertical Features			UEPSP UEPSE	UEPVF	2.26	0.00	0.00	 						 	
EX		NGE PORT RATES (COIN)		 		7 71	2.20	0.00	0.00			-				 	H
- 1		Exchange Ports - Coin Port				1	1.40	3.74	3.63	1.88	1.80					İ	İ
	TE:	Transmission/usage charges associated with POTS circuit sv					d voice and/or	circuit switche	ed data transm	nission by B-Ch	annels associ						
NO	TE:	Access to B Channel or D Channel Packet capabilities will be													Request Pro	cess.	
		OCAL EXCHANGE SWITCHING(PORTS)							· · · · · · · · · · · · · · · · · · ·								
		NGE PORT RATES							· · · · ·		•						
		1 Port rates below for 4-Wire DDITS Trunk Port and 4-Wire ISD											riff rates or a	a separate ag	reement.	ļ	
Red		ts for 4-Wire DDITS Trunk Ports with 4-Wire ISDN DS1 Ports a	fter the	effect													
-+	-	Exchange Ports - 2-Wire DID Port Exchange Ports - DDITS Port - 4-Wire DS1 Port with DID		├	UEPEX	UEPP2	8.73	78.41	15.82	41.94	4.26					-	
		capability (E:4/1/2004)			UEPDD	UEPDD	54.95	151.11	77.75	48.81	3.10						

JNBUNDLI	ED NETWORK ELEMENTS - Florida												Attach	ment: 2	Exhi	bit: A
											Svc Order	Svc Order	Incremental	Incremental	Incremental	Incrementa
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		Intent									Elec	Manually	Manual Svc	Manual Svc		Manual Sv
ATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m						***			per Lor	per Lor	Electronic-	Electronic-	Electronic-	Electronic
														Add'l	Disc 1st	Disc Add'
													1st	Addi	DISC 1St	DISC Add I
						ъ.,	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Exchange Ports - 2-Wire ISDN Port (See Notes below.)			UEPTX, UEPSX	U1PMA	8.83	46.83	50.68	27.64	11.93						
	All Features Offered			UEPTX, UEPSX	UEPVF	2.26	0.00	0.00								
	Exchange Ports - 2-Wire ISDN Port Channel Profiles			UEPTX, UEPSX	U1UMA	0.00	0.00	0.00								
NOTE	: Access to B Channel or D Channel Packet capabilities will be	availal	ole onl	y through BFR/New	Business Re	quest Process.	Rates for the	packet capabi	lities will be de	termined via t	he Bona Fid	le Request/	New Business	s Request Pro	ocess.	
	: Access to B Channel or D Channel Packet capabilities will be															
	IANGE PORT RATES (continued)			ĺ		ľ										
	Exchange Ports - 4-Wire ISDN DS1 Port with Detailed E911															
	Locator Capability (E:4/1/2004)			UEPEX	UEPEX	82.74	174.61	95.17	49.80	18.23						
	Exchange Ports - 4-Wire ISDN DS1 Port (E:4/1/2004)			UEPDX	UEPDX	82.74	174.61	95.17	49.80	18.23	İ					
	Physical Collocation - DS1 Cross-Connects			UEPEX UEPDX	PE1P1	1.32	27.77	15.52	5.93	4.77	İ					
	Virtual collocation - Special Access & UNE, cross-connect per			1	1				2.20		1			İ	1	
	DS1			UEPEX UEPDX	CNC1X	7.50	155.00	14.00				1				1
Detail	led E911 with Locator Capability (required with UEPEX port)			1	1			50	i		1			İ	1	
	Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - E911		t	1	1						1	1		1		
	Locator Capability - Initial Profile Establishment per CLEC per															
	State			UEPEX	UEP1A	0.00	1,809.00		151.12							
	Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - E911				J=. //\	0.00	.,500.00		101.12		1		 	i		
	Locator Capability - Subsequent Profile Changes, Additions,															
	Deletions			UEPEX	UEP1B	0.00	175.66									
New o	or Additional PRI Telephone Numbers			02. 2X	025	0.00	17 0.00				1					
IVOW C	Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - E911				-						†					
	Locator Capability 2-way Telephone Numbers, per number in															
	E911 profile [New or Additional]			UEPEX	UEP1C	0.0699	0.5412									
	Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - E911			OLI LX	OLI IO	0.0033	0.5412								1	
	Locator Capability - Outdial Telephone Numbers, per number in															
	E911 profile [New or Additional]			UEPEX	UEP1D	0.0699	12.71	12.71								
_	Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - Inward			OLI LX	OLI ID	0.0033	12.71	12.71			†					
	Telephone Numbers - Inward Data Only Option [New or															
	Additional			UEPDX	UEP1E	0.00	0.5412									
	Exchange Ports - 4-Wire ISDN DS1 Port - Subsequent [New]			OLI DX	OLI IL	0.00	0.5412								1	
	Inward Tel Numbers [Customer Testing Purposes]			UEPEX	PR7ZT	0.00	25.42	25.42								
1.004	L NUMBER PORTABILITY			OLFLX	FRIZI	0.00	25.42	23.42							1	
LOGA	Local Number Portability (1 per port)			UEPEX UEPDX	LNPCN	1.75					†					
INTE	RFACE (Provsioning Only)			OLI LX OLI DX	LIVI CIV	1.75									1	
114121	Voice/Data			UEPEX	PR71V	0.00	0.00	0.00							1	
	Digital Data			UEPEX	PR71D	0.00	0.00	0.00			+					
	Inward Data			UEPDX	PR71E	0.00	0.00	0.00			+					
New c	or Additional Channel		 	OLI DA	1. IX/ IL	0.00	0.00	0.00			 		 	 	1	
146W (New or Additional - Voice/Data "B" Channel		 	UEPEX	PR7BV	0.00	15.48				 	 		 	t	
	New or Additional - Voice/Data 'B" Channel		 	UEPEX	PR7BF	0.00	15.48				 	 		 	t	
	New or Additional Inward Data "B" Channel		 	UEPDX	PR7BD	0.00	15.48				 		 	 	1	
	New or Additional Useage Sensitive Voice Data "B" Channel		 	UEPEX	PR7BS	0.00	13.40				 		 	 	1	
	New or Additional Useage Sensitive Voice Data B Channel		 	UEPEX	PR7BU	0.00					 	 		 	t	
	New or Additional PRI "D" Channel	-	 	UEPEX	PR7EX	0.00	15.48				1			-	 	
CALL	TYPES	-	1	OL1 LA		0.00	13.40				1	 	 	 	}	-
CALL	Inward	 	 	UEPEX UEPDX	PR7C1	0.00	0.00	0.00			1	1	 	1	1	
-	Outward	 	 	UEPEX UEPDX	PR7CO	0.00	0.00	0.00			1	1	 	1	1	
-	Two-way	 	 	UEPEX	PR7CC	0.00	0.00	0.00			1	1	 	1	1	
LIMPI	INDLED PORT with REMOTE CALL FORWARDING CAPABILITY	,	 	OLFLA	I KIOU	0.00	0.00	0.00			1		-	-	1	
	INDLED REMOTE CALL FORWARDING SERVICE - RESIDENCE		 	 	+	-					1			-	 	
UNBU	Unbundled Remote Call Forwarding Service, Area Calling, Res	-	 	UEPVR	UERAC	1.40	3.74	3.63	1.88	1.80	1			-	 	
	Oribunuled Remote Call Forwarding Service, Area Calling, Res	-	 	ULFVR	UERAU	1.40	3.74	3.03	1.88	1.80	1		-	-	1	
	Linkundled Remote Cell Ferwarding Control Level Celling Re-			UEPVR	UERLC	1.40	3.74	3.63	1.88	1.80	1					
	Unbundled Remote Call Forwarding Service, Local Calling - Res	—	-								}	-	-	 	1	
	Unbundled Remote Call Forwarding Service, InterLATA - Res		-	UEPVR	UERTE	1.40	3.74	3.63	1.88	1.80	1	.			1	
	Unbundled Remote Call Forwarding Service, IntraLATA - Res	—	<u> </u>	UEPVR	UERTR	1.40	3.74	3.63	1.88	1.80	<u> </u>		-	.	ļ	_
Non-F	Recurring										 				ļ	
	Unbundled Remote Call Forwarding Service - Conversion -			l	1						1	1				l
1	Switch-as-is	1	<u> </u>	UEPVR	USAC2		0.102	0.102			<u> </u>	L	<u> </u>		<u> </u>	<u> </u>

UNBU	NDLE	NETWORK ELEMENTS - Florida												Attach	ment: 2	Exhi	bit: A
CATEG	ORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			1	Svc Order Submitted Manually per LSR	Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'I
							Rec	Nonre	urring	Nonrecurring					Rates (\$)		
							Kec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Unbundled Remote Call Forwarding Service - Conversion with															
		allowed change (PIC and LPIC)			UEPVR	USACC		0.102	0.102								
	UNBUN	DLED REMOTE CALL FORWARDING - Bus															
		Unbundled Remote Call Forwarding Service, Area Calling - Bus			UEPVB	UERAC	1.40	3.74	3.63	1.88	1.80						
		Unbundled Remote Call Forwarding Service, Local Calling - Bus			UEPVB	UERLC	1.40	3.74	3.63	1.88	1.80						
		Unbundled Remote Call Forwarding Service, InterLATA - Bus			UEPVB	UERTE	1.40	3.74	3.63	1.88	1.80						
		Unbundled Remote Call Forwarding Service, IntraLATA - Bus			UEPVB	UERTR	1.40	3.74	3.63	1.88	1.80						
		Unbundled Remote Call Forwarding Service Expanded and															
\vdash		Exception Local Calling	 	-	UEPVB	UERVJ	1.40	3.74	3.63	1.88	1.80	1		 	-	-	
\vdash		curring	 	-		+				-		-		 			-
		Unbundled Remote Call Forwarding Service - Conversion - Switch-as-is	l		UEPVB	USAC2		0.102	0.102				1	I			
-					UEPVB	USACZ		0.102	0.102								
		Unbundled Remote Call Forwarding Service - Conversion with allowed change (PIC and LPIC)	l		UEPVB	USACC		0.102	0.102				1	I			
LINDIIN		OCAL SWITCHING, PORT USAGE	-	1	UEPVB	USACC		0.102	0.102	1		1		-			
		fice Switching (Port Usage)				+	1										
-		End Office Switching Function, Per MOU	-	1		1	0.0007662			1		1		-			
		End Office Trunk Port - Shared, Per MOU				+	0.0007662										
		n Switching (Port Usage) (Local or Access Tandem)		1		+	0.000104					-					
		Tandem Switching Function Per MOU				1	0.0001319					1					
		Tandem Trunk Port - Shared, Per MOU					0.000235										
		Tandem Switching Function Per MOU (Melded)				1	0.000027185					1					
		Tandem Trunk Port - Shared, Per MOU (Melded)					0.000048434										
		Melded Factor: 20.61% of the Tandem Rate					0.0000 10 10 1										
		on Transport															
		Common Transport - Per Mile, Per MOU					0.0000035										
		Common Transport - Facilities Termination Per MOU					0.0004372										
UNBUN	DLED P	ORT/LOOP COMBINATIONS - COST BASED RATES															
	Cost Ba	ased Rates are applied where BellSouth is required by FCC ar	nd/or St	ate Co	mmission rule to pr	ovide Unbun	dled Local Swi	tching or Swite	h Ports.								
	Feature	es shall apply to the Unbundled Port/Loop Combination - Cos	t Basec	Rate s	section in the same	manner as th	ney are applied	to the Stand-A	lone Unbundle	ed Port section	of this Rate E	xhibit.					
		fice and Tandem Switching Usage and Common Transport Us															
		st and additional Port nonrecurring charges apply to Not Curr	ently C	ombine	ed Combos. For Cur	rently Comb	ined Combos th	ne nonrecurrin	g charges sha	II be those ider	ntified in the N	onrecurring	- Currently	/ Combined so	ections.		
	2-WIRE	VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)															
\vdash		ort/Loop Combination Rates	ļ	.						ļ		-		-	 	 	
\vdash		2-Wire VG Loop/Port Combo - Zone 1	 	1		+	10.94			1			ļ	 	 	 	ļ
\vdash		2-Wire VG Loop/Port Combo - Zone 2	 	2		+	15.05			1			ļ	 	 	 	ļ
\vdash		2-Wire VG Loop/Port Combo - Zone 3	 	3		+	25.80					1		 	-	-	
\vdash		oop Rates	!	1	UEPRX	UEPLX	9.77			1		-	-	 			-
\vdash		2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2	 	2	UEPRX	UEPLX	13.88			1		 	 	+	 	 	
\vdash		2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3	 	3	UEPRX	UEPLX	24.63			1		H		t	l	l	
 		Voice Grade Line Port Rates (Res)	-	J	OLI IXX	OLFLA	24.03					 		+			
\vdash		2-Wire voice unbundled port - residence	 	†	UEPRX	UEPRL	1.17	53.31	26.46	27.50	8.37	H		t	l	l	
		2-Wire voice unbundled port with Caller ID - res	-		UEPRX	UEPRC	1.17	53.31	26.46	27.50	8.37	-	-	 			
		2-Wire voice unbundled port with Caller 15 - res 2-Wire voice unbundled port outgoing only - res	1	†	UEPRX	UEPRO	1.17	53.31	26.46	27.50	8.37	 	 	I			
		E THE TOO WINDOWN PORT OUT OUT OUT OUT OUT OUT OUT OUT OUT OU		-	J_1 100	321 10	1.17	55.51	20.40	27.30	0.37	 	 	I			
		, ,						i e		1	0.07	1	l	1	l	I	1
		2-Wire voice unbundled Florida Area Calling with Caller ID - res			UEPRX	UEPAF	1.17	53.31	26.46	27.50	8.37						
					UEPRX	UEPAF	1.17	53.31	26.46	27.50	8.37						
		2-Wire voice unbundled Florida Area Calling with Caller ID - res 2-Wire voice unbundles res, low usage line port with Caller ID (LUM)			UEPRX UEPRX	UEPAF	1.17	53.31	26.46	27.50	8.37						
		2-Wire voice unbundles res, low usage line port with Caller ID															
		2-Wire voice unbundles res, low usage line port with Caller ID (LUM)			UEPRX	UEPAP	1.17	53.31	26.46	27.50	8.37						
		Wire voice unbundles res, low usage line port with Caller ID (LUM) Wire voice unbundled Florida extended dialing with Caller ID			UEPRX	UEPAP	1.17	53.31	26.46	27.50	8.37						
		2-Wire voice unbundles res, low usage line port with Caller ID (LUM) 2-Wire voice unbundled Florida extended dialing with Caller ID 2-Wire voice unbundled Florida extended dialing port without			UEPRX UEPRX	UEPAP UEPA1 UEPA8	1.17 1.17	53.31 53.31	26.46 26.46	27.50 27.50	8.37 8.37						
		2-Wire voice unbundles res, low usage line port with Caller ID (LUM) 2-Wire voice unbundled Florida extended dialing with Caller ID 2-Wire voice unbundled Florida extended dialing port without Caller ID capability 2-Wire voice unbundled Florida Area Calling Port without Caller ID Capability			UEPRX UEPRX	UEPAP UEPA1	1.17 1.17	53.31 53.31	26.46 26.46	27.50 27.50	8.37 8.37						
		2-Wire voice unbundles res, low usage line port with Caller ID (LUM) 2-Wire voice unbundled Florida extended dialing with Caller ID 2-Wire voice unbundled Florida extended dialing port without Caller ID capability 2-Wire voice unbundled Florida Area Calling Port without Caller ID Capability 2-Wire voice unbundled Low Usage Line Port without Caller ID			UEPRX UEPRX UEPRX UEPRX	UEPAP UEPA1 UEPA8 UEPA9	1.17 1.17 1.17 1.17	53.31 53.31 53.31 53.31	26.46 26.46 26.46	27.50 27.50 27.50 27.50	8.37 8.37 8.37 8.37						
		2-Wire voice unbundles res, low usage line port with Caller ID (LUM) 2-Wire voice unbundled Florida extended dialing with Caller ID 2-Wire voice unbundled Florida extended dialing port without Caller ID capability 2-Wire voice unbundled Florida Area Calling Port without Caller ID Capability 2-Wire voice unbundled Low Usage Line Port without Caller ID Capability			UEPRX UEPRX UEPRX	UEPAP UEPA1 UEPA8	1.17 1.17 1.17	53.31 53.31 53.31	26.46 26.46 26.46	27.50 27.50 27.50	8.37 8.37 8.37						

UNBU	NDLEI	D NETWORK ELEMENTS - Florida												Attach	ment: 2	Exhi	bit: A
												Svc Order	Svc Order	Incremental		Incremental	Incremental
												Submitted	Submitted		Charge -	Charge -	Charge -
												Elec	Manually	Manual Svc	Manual Svc		Manual Svc
CATEG	ORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m									per LSK	per LSK	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							_ 1	Nonrec	urring	Nonrecurring	Disconnect	t		oss	Rates (\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN		SOMAN	SOMAN	SOMAN
		All Features Offered			UEPRX	UEPVF	2.26	0.00	0.00								
	LOCAL	NUMBER PORTABILITY															
		Local Number Portability (1 per port)			UEPRX	LNPCX	0.35										
	NONRE	CURRING CHARGES (NRCs) - CURRENTLY COMBINED															
		2-Wire Voice Grade Loop / Line Port Combination - Conversion -												Î		Î	
		Switch-as-is			UEPRX	USAC2		0.102	0.102								
		2-Wire Voice Grade Loop / Line Port Combination - Conversion -												ĺ			
		Switch with change			UEPRX	USACC		0.102	0.102								
	ADDITI	ONAL NRCs															
		2-Wire Voice Grade Loop/Line Port Combination - Subsequent															
		Activity			UEPRX	USAS2	0.00	0.00	0.00								<u> </u>
		Unbundled Miscellaneous Rate Element, Tag Loop at End User															
		Premise	<u></u>		UEPRX	URETL		8.33	0.83								
	OFF/ON	PREMISES EXTENSION CHANNELS															
		2 Wire Analog Voice Grade Extension Loop – Non-Design		1	UEPRX	UEAEN	10.69	49.57	22.83		6.57						
		2 Wire Analog Voice Grade Extension Loop – Non-Design		2	UEPRX	UEAEN	15.20	49.57	22.83		6.57						
		2 Wire Analog Voice Grade Extension Loop – Non-Design		3	UEPRX	UEAEN	26.97	49.57	22.83		6.57						
		2 Wire Analog Voice Grade Extension Loop – Design		1	UEPRX	UEAED	12.24	135.75	82.47		12.01						
		2 Wire Analog Voice Grade Extension Loop – Design		2	UEPRX	UEAED	17.40	135.75	82.47	63.53	12.01						
		2 Wire Analog Voice Grade Extension Loop – Design		3	UEPRX	UEAED	30.87	135.75	82.47	63.53	12.01						
	INTERC	DEFICE TRANSPORT															
		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility															
		Termination			UEPRX	U1TV2	25.32	47.35	31.78								
		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile															
		or Fraction Mile			UEPRX	U1TVM	0.0091	0.00	0.00								
		VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS)															
	UNE Po	ort/Loop Combination Rates		.			10.01										
		2-Wire VG Loop/Port Combo - Zone 1		1			10.94										
		2-Wire VG Loop/Port Combo - Zone 2		2			15.05										
		2-Wire VG Loop/Port Combo - Zone 3		3			25.80										
	UNE LO	pop Rates	-	1	UEPBX	UEPLX	9.77					-					
		2-Wire Voice Grade Loop (SL1) - Zone 1	-	2	UEPBX	UEPLX	13.88					-					
		2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3	-	3	UEPBX	UEPLX	24.63					-					
	2 Wire	Voice Grade Line Port (Bus)		3	UEPBA	UEPLA	24.03					 					
	z-wire	2-Wire voice unbundled port without Caller ID - bus	1	-	UEPBX	UEPBL	1.17	53.31	26.46	27.50	8.37	1			-		
\vdash		2-Wire voice unbundled port without Caller ID - bus 2-Wire voice unbundled port with Caller + E484 ID - bus	 		UEPBX	UEPBC	1.17	53.31	26.46		8.37	1	-	1	 	1	
		2-Wire voice unbundled port with Callet + £464 ID - bus 2-Wire voice unbundled port outgoing only - bus	 		UEPBX	UEPBO	1.17	53.31	26.46		8.37	 		 	 	 	
		2-Wire voice unburidled port outgoing only - bus 2-Wire voice unbundled incoming only port with Caller ID - Bus	 		UEPBX	UEPB1	1.17	53.31	26.46		8.37	 		 	 	 	
		2-Wire voice unburidled incoming Only Port with Caller ID	 			52. 51	1.17	00.01	20.40	27.50	0.07	†			†		1
		Capability	1		UEPBX	UEPBE	1.17	53.31	26.46	27.50	8.37				I		
	LOCAL	NUMBER PORTABILITY			02. 5%	02. 02		00.01	20.10	27.00	0.07	i e					
		Local Number Portability (1 per port)			UEPBX	LNPCX	0.35				İ			i	1	i	i
	FEATU					1	2.25				İ			i	1	i	i
		All Features Offered	1		UEPBX	UEPVF	2.26	0.00	0.00	i i		1	1	İ	İ	İ	İ
		CURRING CHARGES (NRCs) - CURRENTLY COMBINED	1											ĺ		ĺ	
		2-Wire Voice Grade Loop / Line Port Combination - Conversion -															
		Switch-as-is	1		UEPBX	USAC2		0.102	0.102			1	1		I		1
		2-Wire Voice Grade Loop / Line Port Combination - Conversion -	-														
L		Switch with change	<u> </u>		UEPBX	USACC		0.102	0.102		<u> </u>	<u> </u>			<u> </u>		<u> </u>
	ADDITI	ONAL NRCs															
		2-Wire Voice Grade Loop/Line Port Combination - Subsequent															
		Activity	<u> </u>		UEPBX	USAS2		0.00	0.00		<u></u>			<u> </u>			<u></u>
		Unbundled Miscellaneous Rate Element, Tag Loop at End User															
		Premise			UEPBX	URETL		8.33	0.83								<u> </u>
	OFF/ON	N PREMISES EXTENSION CHANNELS															
		2 Wire Analog Voice Grade Extension Loop – Non-Design		1	UEPBX	UEAEN	10.69	49.57	22.83		6.57						
		2 Wire Analog Voice Grade Extension Loop – Non-Design		2	UEPBX	UEAEN	15.20	49.57	22.83	25.62	6.57						
		2 Wire Analog Voice Grade Extension Loop – Non-Design		3	UEPBX	UEAEN	26.97	49.57	22.83	25.62	6.57						

ONRONDLE	D NETWORK ELEMENTS - Florida			1							Ia - ·			ment: 2		bit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrec		Nonrecurring					Rates (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2 Wire Analog Voice Grade Extension Loop – Design		1	UEPBX	UEAED	12.24	135.75	82.47	63.53	12.01						
	2 Wire Analog Voice Grade Extension Loop – Design		2	UEPBX	UEAED UEAED	17.40	135.75	82.47	63.53	12.01						
INTER	2 Wire Analog Voice Grade Extension Loop – Design OFFICE TRANSPORT		3	UEPBX	UEAED	30.87	135.75	82.47	63.53	12.01	-					
INTER	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility		-		+						1				-	
	Termination			UEPBX	U1TV2	25.32	47.35	31.78								
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile			OLI DX	011172	20.02	47.00	01.70			1				1	
	or Fraction Mile			UEPBX	U1TVM	0.0091	0.00	0.00								
2-WIR	E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES - PBX)															İ
	ort/Loop Combination Rates															
	2-Wire VG Loop/Port Combo - Zone 1		1			10.94										
	2-Wire VG Loop/Port Combo - Zone 2		2			15.05										
	2-Wire VG Loop/Port Combo - Zone 3		3			25.80		· · · · · · · · · · · · · · · · · · ·		· · · · · · · · · · · · · · · · · · ·						
UNE L	oop Rates															
	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEPRG	UEPLX	9.77										
	2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEPRG	UEPLX	13.88										
	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEPRG	UEPLX	24.63										
2-Wire	Voice Grade Line Port Rates (RES - PBX)															
	2-Wire VG Unbundled Combination 2-Way PBX Trunk Port -			LIEDDO	LIEDDD	4.47	474.04	400.05	75.00	10.70						
1.004	Res NUMBER PORTABILITY		1	UEPRG	UEPRD	1.17	174.81	100.65	75.88	12.73	-					
LUCA	Local Number Portability (1 per port)		-	UEPRG	LNPCP	3.15	0.00	0.00			1				-	
FEAT			1	UEPRG	LINPUP	3.15	0.00	0.00			1				1	
I LAIN	All Features Offered			UEPRG	UEPVF	2.26	0.00	0.00			 					
NONR	ECURRING CHARGES (NRCs) - CURRENTLY COMBINED		1	OLI IKO	OLI VI	2.20	0.00	0.00			1					
1101111	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -			İ	1						1				t	
	Conversion - Switch-As-Is			UEPRG	USAC2		8.45	1.91								
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -		1													
	Conversion - Switch with Change			UEPRG	USACC		8.45	1.91								
ADDIT	IONAL NRCs															
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -															
	Subsequent Activity			UEPRG	USAS2	0.00	0.00	0.00								
	PBX Subsequent Activity - Change/Rearrange Multiline Hunt															
	Group						7.86	7.86								
	Unbundled Miscellaneous Rate Element, Tag Loop at End User															
055/0	Premise			UEPRG	URETL		8.33	0.83								
OFF/C	N PREMISES EXTENSION CHANNELS		1	UEPRG	P2JHX	40.04	135.75	82.47	00.50	12.01	-					
	Local Channel Voice grade, per termination Local Channel Voice grade, per termination		2	UEPRG	P2JHX P2JHX	12.24 17.40	135.75	82.47	63.53 63.53	12.01	 				+	
+	Local Channel Voice grade, per termination	-	3	UEPRG	P2JHX	30.87	135.75	82.47	63.53	12.01					 	+
	Non-Wire Direct Serve Channel Voice Grade		1	UEPRG	SDD2X	12.92	120.38	43.56	95.00	10.54	1					
	Non-Wire Direct Serve Channel Voice Grade		2	UEPRG	SDD2X	18.36	120.38	43.56	95.00	10.54						İ
	Non-Wire Direct Serve Channel Voice Grade		3	UEPRG	SDD2X	32.58	120.38	43.56	95.00	10.54						
INTER	OFFICE TRANSPORT		T -		1									ĺ	1	
ĺ	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility								i							
	Termination		<u>L</u>	UEPRG	U1TV2	25.32	47.35	31.78						<u> </u>		
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile									-						
	or Fraction Mile		<u> </u>	UEPRG	U1TVM	0.0091	0.00	0.00								
	E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)		<u> </u>	ļ							ļ				1	
UNE P	ort/Loop Combination Rates		ļ.,		+										-	ļ
	2-Wire VG Loop/Port Combo - Zone 1		1	 	+	10.94								 	 	1
	2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3		2	-	+	15.05 25.80							-		 	1
	oop Rates	-	3	-	+	∠5.80					1		-	-	 	1
	oop nates			L							 				ļ	
UNE L	2-Wire Voice Grade Loop (SL 1) Zono 1		- 1	LIEDDY	I IEDI V	0.77										
UNE L	2-Wire Voice Grade Loop (SL 1) - Zone 1		1 2	UEPPX	UEPLX LIEPLX	9.77										
UNE L	2-Wire Voice Grade Loop (SL 1) - Zone 1 2-Wire Voice Grade Loop (SL 1) - Zone 2 2-Wire Voice Grade Loop (SL 1) - Zone 3		2 3	UEPPX UEPPX UEPPX	UEPLX UEPLX UEPLX	9.77 13.88 24.63										

JNDUNDLE	D NETWORK ELEMENTS - Florida			1							I	I		ment: 2		bit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			Svc Order Submitted Elec per LSR	Submitted Manually	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'l
						B	Nonrec	curring	Nonrecurring	Disconnect			oss	Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
									İ							
	Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus			UEPPX	UEPPC	1.17	174.81	100.65	75.88	12.73						
	Line Side Unbundled Outward PBX Trunk Port - Bus			UEPPX	UEPPO	1.17	174.81	100.65	75.88	12.73						
	Line Side Unbundled Incoming PBX Trunk Port - Bus			UEPPX	UEPP1	1.17	174.81	100.65	75.88	12.73						
	2-Wire Voice Unbundled PBX LD Terminal Ports			UEPPX	UEPLD	1.17	174.81	100.65	75.88	12.73						
	2-Wire Voice Unbundled 2-Way Combination PBX Usage Port			UEPPX	UEPXA	1.17	174.81	100.65	75.88	12.73						
	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports			UEPPX	UEPXB	1.17	174.81	100.65	75.88	12.73						
	2-Wire Voice Unbundled PBX LD DDD Terminals Port			UEPPX	UEPXC	1.17	174.81	100.65	75.88	12.73						
	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port			UEPPX	UEPXD	1.17	174.81	100.65	75.88	12.73						
	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD			LIEDDY	LIEDVE	4 47	474.04	400.05	75.00	40.70						
\longrightarrow	Capable Port 2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy	!	+	UEPPX	UEPXE	1.17	174.81	100.65	75.88	12.73	-	-		-	1	
1	Administrative Calling Port	1		UEPPX	UEPXL	1.17	174.81	100.65	75.88	12.73						I
-+	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy	 	1	OLI FA	JLFAL	1.17	174.01	100.05	13.00	12.73				-	1	
	Room Calling Port	1		UEPPX	UEPXM	1.17	174.81	100.65	75.88	12.73						I
-+	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital	1	†	OLI I A	OLI AIVI	1.17	174.01	100.00	75.00	12.73	 	 		1	1	t
1	Discount Room Calling Port	1		UEPPX	UEPXO	1.17	174.81	100.65	75.88	12.73						I
	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPPX	UEPXS	1.17	174.81	100.65	75.88	12.73						
LOCAI	NUMBER PORTABILITY															
	Local Number Portability (1 per port)			UEPPX	LNPCP	3.15	0.00	0.00								
FEATU																
	All Features Offered			UEPPX	UEPVF	2.26	0.00	0.00								
NONR	CURRING CHARGES (NRCs) - CURRENTLY COMBINED								İ							
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -								İ							
	Conversion - Switch-As-Is			UEPPX	USAC2		8.45	1.91								
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -															
	Conversion - Switch with Change			UEPPX	USACC		8.45	1.91								
ADDIT	ONAL NRCs															
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -															
	Subsequent Activity			UEPPX	USAS2	0.00	0.00	0.00								
	PBX Subsequent Activity - Change/Rearrange Multiline Hunt						=									
	Group						7.86	7.86								
	Unbundled Miscellaneous Rate Element, Tag Loop at End User			HEDDY	LIDETI		0.00	0.00								
055/0	Premise N PREMISES EXTENSION CHANNELS			UEPPX	URETL		8.33	0.83	 							
OFF/O	Local Channel Voice grade, per termination		1	UEPPX	P2JHX	12.24	135.75	82.47	63.53	12.01	1	-				-
	Local Channel Voice grade, per termination Local Channel Voice grade, per termination		2	UEPPX	P2JHX P2JHX	17.40	135.75	82.47	63.53	12.01		-				-
	Local Channel Voice grade, per termination		3	UEPPX	P2JHX	30.87	135.75	82.47	63.53	12.01	1	1				1
-+-	Non-Wire Direct Serve Channel Voice Grade		1	UEPPX	SDD2X	12.92	120.38	43.56	95.00	10.54		1				1
	Non-Wire Direct Serve Channel Voice Grade		2	UEPPX	SDD2X	18.36	120.38	43.56	95.00	10.54	1					
	Non-Wire Direct Serve Channel Voice Grade		3	UEPPX	SDD2X	32.58	120.38	43.56	95.00	10.54						
INTER	OFFICE TRANSPORT		Ť	02.17	UDD Z.X	02.00	120.00	10.00	00.00	10.01						
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility															
	Termination			UEPPX	U1TV2	25.32	47.35	31.78								
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile			1			-									
	or Fraction Mile	L	<u></u>	UEPPX	U1TVM	0.0091	0.00	0.00	<u> </u>			L				<u> </u>
	VOICE GRADE LOOP WITH 2-WIRE ANALOG LINE COIN POR	RT														
UNE P	ort/Loop Combination Rates															
	2-Wire VG Coin Port/Loop Combo – Zone 1		1			10.94										
	2-Wire VG Coin Port/Loop Combo – Zone 2	ļ	2			15.05								ļ		1
	2-Wire VG Coin Port/Loop Combo – Zone 3	ļ	3			25.80										1
UNE L	oop Rates	<u> </u>	<u> </u>	LIEBOO	UEDI :											
	2-Wire Voice Grade Loop (SL1) - Zone 1	!	1	UEPCO	UEPLX	9.77			ļ							
1	2-Wire Voice Grade Loop (SL1) - Zone 2	ļ	2	UEPCO	UEPLX	13.88										-
			3	UEPCO	UEPLX	24.63			1 1		1	1	ı	1	1	1
0.140	2-Wire Voice Grade Loop (SL1) - Zone 3		Ť						1 1						<u> </u>	1
2-Wire	Voice Grade Loop (SE1) - 2016 S Voice Grade Line Ports (COIN) 2-Wire Coin 2-Way with Operator Screening and Blocking: 011,		Ľ													

ONBOND	LED NETWORK ELEMENTS - Florida													ment: 2		ibit: A
											Svc Order	Svc Order	Incremental	Incremental	Incremental	Incrementa
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		Intori									Elec	Manually	Manual Svc	Manual Svc		Manual Svo
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m						,			per Lor	per Lor	Electronic-	Electronic-	Electronic-	Electronic-
																l l
													1st	Add'l	Disc 1st	Disc Add'l
		 	-		+		Nonred	urring	Nonrecurring	Disconnoct	1		088	Rates (\$)	1	
		1	1			Rec					001450	001141			001111	001111
	10.145	-			_		First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Coin 2-Way with Operator Screening and 011 Blocking															
	(FL)	ļ		UEPCO	UEPFA	1.17	53.31	26.46	27.50	8.37						
	2-Wire Coin 2-Way with Operator Screening and Blocking:															
	900/976, 1+DDD, 011+, and Local (FL)			UEPCO	UEPCG	1.17	53.31	26.46	27.50	8.37						
	2-Wire Coin Outward with Operator Screening and 011 Blocking															
	(AL, FL)			UEPCO	UEPRK	1.17	53.31	26.46	27.50	8.37						
	2-Wire Coin Outward with Operator Screening and Blocking:										1				1	
	900/976, 1+DDD, 011+ (FL)			UEPCO	UEPOF	1.17	53.31	26.46	27.50	8.37						
	2-Wire Coin Outward with Operator Screening and Blocking:	 	1	02. 00	02. 0.		00.01	20.10	27.00	0.01	1					
	900/976, 1+DDD, 011+, and Local (FL, GA)			UEPCO	UEPCQ	1.17	53.31	26.46	27.50	8.37						
		1	1								-			.		
	2-Wire 2-Way Smartline with 900/976 (all states except LA)	1	<u> </u>	UEPCO	UEPCK	1.17	53.31	26.46	27.50	8.37	 			 	1	├
- 1	2-Wire Coin Outward Smartline with 900/976 (all states except	1	1								I]	1			
	LA)	1		UEPCO	UEPCR	1.17	53.31	26.46	27.50	8.37	ļ				ļ	ļ
ADD	DITIONAL UNE COIN PORT/LOOP (RC)															
	UNE Coin Port/Loop Combo Usage (Flat Rate)			UEPCO	URECU	1.86	0.00	0.00	0.00	0.00						
LOC	CAL NUMBER PORTABILITY															
	Local Number Portability (1 per port)			UEPCO	LNPCX	0.35					1				1	
NON	NRECURRING CHARGES - CURRENTLY COMBINED										İ			İ		İ
	2-Wire Voice Grade Loop / Line Port Combination - Conversion	_	1								1					
	Switch-as-is			UEPCO	USAC2		0.102	0.102								
		1	1	UEPCO	USACZ		0.102	0.102			-			.		
	2-Wire Voice Grade Loop / Line Port Combination - Conversion															
	Switch with change			UEPCO	USACC		0.102	0.102								<u> </u>
ADE	DITIONAL NRCs															
	2-Wire Voice Grade Loop/Line Port Combination - Subsequent															
	Activity			UEPCO	USAS2		0.00	0.00								
	Unbundled Miscellaneous Rate Element, Tag Loop at End User															
	Premise			UEPCO	URETL		8.33	0.83								
2-W	IRE VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIR	E LINE I	PORT (İ					
	Port/Loop Combination Rates	T	1	1							1					
0.1.2	2-Wire VG Loop/IO Tranport/Port Combo - Zone 1	1	1			13.64								+		
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 1	1	2		+	18.80					1					
		-	3		+	32.27					1					
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 3	1	3			32.21					<u> </u>				-	
UNE	Loop Rates	ļ	<u> </u>													<u> </u>
	2-Wire Voice Grade Loop (SL2) - Zone 1		1	UEPFR	UECF2	12.24					ļ			ļ	ļ	ļ
	2-Wire Voice Grade Loop (SL2) - Zone 2	1	2	UEPFR	UECF2	17.40					ļ				ļ	ļ
	2-Wire Voice Grade Loop (SL2) - Zone 3		3	UEPFR	UECF2	30.87										
2-W	ire Voice Grade Line Port Rates (Res)															
	2-Wire voice unbundled port - residence			UEPFR	UEPRL	1.40	174.81	100.65	75.88	12.73						
	2-Wire voice unbundled port with Caller ID - res		1	UEPFR	UEPRC	1.40	174.81	100.65	75.88	12.73	1	1	1	1	1	
	2-Wire voice unbundled port outgoing only - res	t	t –	UEPFR	UEPRO	1.40	174.81	100.65	75.88	12.73	İ			İ	1	
	voice and and a port outgoing only 100	1	1		02. 70	1.70	174.01	100.00	70.00	12.70	1		 	1	1	†
	2-Wire voice unbundled Florida Area Calling with Caller ID - res	1		UEPFR	UEPAF	1.40	174.81	100.65	75.88	12.73	1]	1			
		+	!	OLFIN	ULFAF	1.40	174.01	100.05	70.08	12.73	1	-	 	1	1	
	2-Wire voice unbundles res, low usage line port with Caller ID	1		LIEDED	LIEBAR		474.04	400.0=	75.00	40 =0	1]	1			
	(LUM)	1		UEPFR	UEPAP	1.40	174.81	100.65	75.88	12.73	ļ			ļ	ļ	
INTI	EROFFICE TRANSPORT	1									ļ			ļ	ļ	ļ
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility										1					
	Termination			UEPFR	U1TV2	25.32	47.35	31.78			<u> </u>			<u> </u>	<u> </u>	<u> </u>
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile										1					
	or Fraction Mile	1		UEPFR	1L5XX	0.0091					1]	1			
FFA	TURES	1	1								İ		İ	İ	i e	
1 - 7	All Features Offered	1	1	UEPFR	UEPVF	2.26	0.00	0.00			İ			1	i e	
1.00	CAL NUMBER PORTABILITY	† 	 	J. 110	JEI VI	2.20	3.00	0.00			1			1	1	t
LOC	Local Number Portability (1 per port)	 	 	UEPFR	LNPCX	0.35					1		 	1	1	
NO		1	1	OLFIN	LINEON	0.35					!	—	-	+	 	
NON	NRECURRING CHARGES (NRCs) - CURRENTLY COMBINED		!		+						1		-	1	!	├
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port										1					
	Combination - Conversion - Switch-as-is			UEPFR	USAC2		16.97	3.73			ļ			ļ	ļ	
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port	1									1	1	1	1		1
ı	Combination - Conversion - Switch-With-Change	1	1	UEPFR	USACC		16.97	3.73			1		l	I		I

UNBUNDLI	ED NETWORK ELEMENTS - Florida													ment: 2		bit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			1	Svc Order Submitted Manually per LSR	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
						B	Nonrec	curring	Nonrecurring	Disconnect		1	oss	Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Unbundled Miscellaneous Rate Element, Tag Designed Loop at															
	End User Premise			UEPFR	URETN		11.21	1.10								
	RE VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE	LINE	PORT (BUS)												
UNE	Port/Loop Combination Rates															
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 1		1			13.64										ļ
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 2		2			18.80										
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 3		3			32.27										.
UNE	Loop Rates		4	LIEDED	LIECEO	40.04										-
	2-Wire Voice Grade Loop (SL2) - Zone 1		1	UEPFB	UECF2	12.24 17.40					1			1		
	2-Wire Voice Grade Loop (SL2) - Zone 2 2-Wire Voice Grade Loop (SL2) - Zone 3		3	UEPFB UEPFB	UECF2	30.87					-	 				
2-Wir	e Voice Grade Line Port (Bus)		3	OLFID	ULUFZ	30.07			1		 	1	1	t	 	
2-4411	2-Wire voice unbundled port without Caller ID - bus			UEPFB	UEPBL	1.40	174.81	100.65	75.88	12.73		1	1	t		
	2-Wire voice unbundled port with Caller + E484 ID - bus		†	UEPFB	UEPBC	1.40	174.81	100.65	75.88	12.73	 		1	-		
	2-Wire voice unbundled port outgoing only - bus			UEPFB	UEPBO	1.40	174.81	100.65	75.88	12.73			1	1	1	
	2-Wire voice unbundled incoming only port with Caller ID - Bus			UEPFB	UEPB1	1.40	174.81	100.65	75.88	12.73		1		1	İ	
LOCA	AL NUMBER PORTABILITY															
	Local Number Portability (1 per port)			UEPFB	LNPCX	0.35										
INTE	ROFFICE TRANSPORT															
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility Termination			UEPFB	U1TV2	25.32	47.35	31.78								
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile or Fraction Mile			UEPFB	1L5XX	0.0091										
FEAT	URES				<u> </u>											
	All Features Offered			UEPFB	UEPVF	2.26	0.00	0.00								.
NONE	RECURRING CHARGES (NRCs) - CURRENTLY COMBINED										1			1		
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port Combination - Conversion - Switch-as-is			UEPFB	USAC2		16.97	3.73								
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port Combination - Conversion - Switch with change			UEPFB	USACC		16.97	3.73								
	Unbundled Miscellaneous Rate Element, Tag Designed Loop at End User Premise			UEPFB	URETN		11.21	1.10								
	RE VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE	LINE	PORT (PBX)												
UNE	Port/Loop Combination Rates					10.01										ļ
_	2-Wire VG Loop/IO Tranport/Port Combo - Zone 1		1		_	13.64					-	 				
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 2 2-Wire VG Loop/IO Tranport/Port Combo - Zone 3		3		+	18.80 32.27			+		 			+		
line	Loop Rates	-	- 3		+	32.21						 	+	 	 	
0.12	2-Wire Voice Grade Loop (SL2) - Zone 1		1	UEPFP	UECF2	12.24					 	1	1	I		
	2-Wire Voice Grade Loop (SL2) - Zone 2		2	UEPFP	UECF2	17.40					1	1		1	İ	
	2-Wire Voice Grade Loop (SL2) - Zone 3			UEPFP	UECF2	30.87						İ			1	
2-Wir	e Voice Grade Line Port Rates (BUS - PBX)															
	Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus			UEPFP	UEPPC	1.40	174.81	100.65	75.88	12.73						
-	Line Side Unbundled Outward PBX Trunk Port - Bus	-		UEPFP	UEPPO	1.40	174.81	100.65		12.73		 	1	t	 	
	Line Side Unbundled Incoming PBX Trunk Port - Bus			UEPFP	UEPP1	1.40	174.81	100.65		12.73				<u> </u>		
	2-Wire Voice Unbundled PBX LD Terminal Ports			UEPFP	UEPLD	1.40	174.81	100.65		12.73	1	1		1	İ	†
	2-Wire Voice Unbundled 2-Way Combination PBX Usage Port			UEPFP	UEPXA	1.40	174.81	100.65		12.73		İ			1	
	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports			UEPFP	UEPXB	1.40	174.81	100.65	75.88	12.73						
	2-Wire Voice Unbundled PBX LD DDD Terminals Port			UEPFP	UEPXC	1.40	174.81	100.65	75.88	12.73						
	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port			UEPFP	UEPXD	1.40	174.81	100.65	75.88	12.73						
	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD Capable Port			UEPFP	UEPXE	1.40	174.81	100.65	75.88	12.73						
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy															
	Administrative Calling Port 2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy			UEPFP	UEPXL	1.40	174.81	100.65	75.88	12.73						
	Room Calling Port 2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital			UEPFP	UEPXM	1.40	174.81	100.65	75.88	12.73			-			-
	Discount Room Calling Port			UEPFP	UEPXO	1.40	174.81	100.65	75.88	12.73						

UNBUNDLE	D NETWORK ELEMENTS - Florida												Attach	ment: 2	Exhi	bit: A
													Incremental		Incremental	Incremental
											Submitted Elec	Submitted	Charge - Manual Svc	Charge - Manual Svc	Charge - Manual Svc	Charge - Manual Svc
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR		Order vs.	Order vs.	Order vs.	Order vs.
		m						.,,			per Lor	per Lor	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
															2.00 .01	2.007.444.
						Rec	Nonrec		Nonrecurring		001450	0011411		Rates (\$)	001111	001141
	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPFP	UEPXS	1.40	First 174.81	Add'I 100.65	First 75.88	Add'I 12.73	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
LOCAL	NUMBER PORTABILITY			OLFIF	ULFAG	1.40	174.01	100.03	73.00	12.73						
LOGAL	Local Number Portability (1 per port)			UEPFP	LNPCP	3.15	0.00	0.00								
INTER	OFFICE TRANSPORT															
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility															
	Termination			UEPFP	U1TV2	25.32	47.35	31.78								
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile															
<u> </u>	or Fraction Mile			UEPFP	1L5XX	0.0091										
FEATU				LIEDED	LIEDVE	0.00	0.00	0.00								
	All Features Offered			UEPFP	UEPVF	2.26	0.00	0.00								
NONRI	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port								 		-				 	
	Combination - Conversion - Switch-as-is			UEPFP	USAC2		16.97	3.73								
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port			02.11	55/102		10.01	0.70			 					
	Combination - Conversion - Switch with change			UEPFP	USACC		16.97	3.73								
	Unbundled Miscellaneous Rate Element, Tag Designed Loop at															
	End User Premise			UEPFP	URETN		11.21	1.10								
	PORT/LOOP COMBINATIONS - COST BASED RATES															
	VOICE GRADE LOOP- BUS ONLY - WITH 2-WIRE DID TRUNK	PORT														
UNE P	ort/Loop Combination Rates															
$\vdash \vdash \vdash$	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 1		1			20.95										
\vdash	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 2 2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 3		3			26.11 39.58										
UNFI	oop Rates		3			39.30										
OITE E	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 1		1	UEPPX	UECD1	12.24										
	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 2		2	UEPPX	UECD1	17.40										
	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 3		3	UEPPX	UECD1	30.87										
UNE P	ort Rate															
	Exchange Ports - 2-Wire DID Port			UEPPX	UEPD1	8.71	214.16	98.29								
NONR	ECURRING CHARGES - CURRENTLY COMBINED															
	2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Combination -			LIEDDY	110404		7.05	4.07								
\vdash	Switch-as-is 2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Conversion		-	UEPPX	USAC1		7.85	1.87								
	with BellSouth Allowable Changes			UEPPX	USA1C		7.85	1.87								
ADDIT	IONAL NRCs			OLITA	OOATO		7.00	1.07								
ADDIT	2-Wire DID Subsequent Activity - Add Trunks, Per Trunk			UEPPX	USAS1		32.26	32.26								
	Unbundled Miscellaneous Rate Element, Tag Designed Loop at															
	End User Premise			UEPPX	URETN		11.21	1.10								
Teleph	one Number/Trunk Group Establisment Charges							_		•						
	DID Trunk Termination (One Per Port)			UEPPX	NDT	0.00	0.00	0.00								
	DID Numbers, Establish Trunk Group and Provide First Group															
\vdash	of 20 DID Numbers		-	UEPPX	NDZ	0.00	0.00	0.00	 						!	
\vdash	Additional DID Numbers for each Group of 20 DID Numbers		<u> </u>	UEPPX UEPPX	ND4 ND5	0.00	0.00	0.00	 		-				 	
\longrightarrow	DID Numbers, Non- consecutive DID Numbers , Per Number Reserve Non-Consecutive DID numbers		-	UEPPX	ND6	0.00	0.00	0.00	-							
\vdash	Reserve DID Numbers			UEPPX	NDV	0.00	0.00	0.00							 	
LOCAL	NUMBER PORTABILITY					0.00	0.00	0.00							1	
	Local Number Portability (1 per port)			UEPPX	LNPCP	3.15	0.00	0.00			İ					
	ISDN DIGITAL GRADÉ LOOP WITH 2-WIRE ISDN DIGITAL LII	NE SIDE	PORT													
UNE P	ort/Loop Combination Rates							_		•						
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -								I T							
\vdash	UNE Zone 1		1	UEPPB UEPPR		22.63			ļ							
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -		2	HEDDD HEDDS		20.0-										
	UNE Zone 2 2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -			UEPPB UEPPR		29.05			 		-					
			1								1	1			1	1
			2	HEPPR HEPPP		15 91										
UNF	UNE Zone 3 oop Rates		3	UEPPB UEPPR		45.84										

JNBUNDLE	D NETWORK ELEMENTS - Florida													Attach	ment: 2	Exhi	bit: A
ATEGORY	RATE ELEMENTS	Interi m	Zone	В	cs	usoc			RATES (\$)			1	Svc Order Submitted Manually per LSR		Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
								Nonred	rrin a	Nonrecurring	Disconnect			220	Rates (\$)		
							Rec	First	arring Add'l	First	Add'l	COMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
								FIISL	Auu i	Filat	Addi	JOINIEC	JOWAN	JOWAN	JOWAN	JOWAN	JOWAN
	2-Wire ISDN Digital Grade Loop - UNE Zone 2		2	UEPPB	UEPPR	USL2X	21.67										
	2-Wire ISDN Digital Grade Loop - UNE Zone 3			UEPPB	UEPPR		38.46										
UNE P	ort Rate																
	Exchange Port - 2-Wire ISDN Line Side Port			UEPPB	UEPPR	UEPPB	7.38	194.52	145.09								
NONR	ECURRING CHARGES - CURRENTLY COMBINED																
	2-Wire ISDN Digital Grade Loop / 2-Wire ISDN Line Side Port																
	Combination - Conversion			UEPPB	UEPPR	USACB	0.00	25.22	17.00								
ADDIT	IONAL NRCs																
	Unbundled Miscellaneous Rate Element, Tag Designed Loop at			LIEDDD	UEPPR	URETN		11.21	1.10								
	End User Premise Unbundled Miscellaneous Rate Element, Tag Loop at End User		-	UEPPB	UEPPK	OKETIN		11.27	1.10	+		 		 	 	 	1
	Premise			UEPPB	UEPPR	URETL		8.33	0.83								
LOCAL	L NUMBER PORTABILITY		 	CLIID	JLIIK	OINLIL		0.33	0.03	1			 	 			
LOOK	Local Number Portability (1 per port)			UEPPB	UEPPR	LNPCX	0.35	0.00	0.00	 		<u> </u>		1	1	1	1
B-CHA	NNEL USER PROFILE ACCESS:			T			0.00	0.00	5.50	1				İ			
	CVS/CSD (DMS/5ESS)			UEPPB	UEPPR	U1UCA	0.00	0.00	0.00								
	CVS (EWSD)			UEPPB	UEPPR	U1UCB	0.00	0.00	0.00								
	CSD			UEPPB	UEPPR	U1UCC	0.00	0.00	0.00								
	NNEL AREA PLUS USER PROFILE ACCESS: (AL,KY,LA,MS SC	C,MS, &	: TN)														
USER	TERMINAL PROFILE																
	User Terminal Profile (EWSD only)			UEPPB	UEPPR	U1UMA	0.00	0.00	0.00								
VERTI	CAL FEATURES																
INITED	All Vertical Features - One per Channel B User Profile			UEPPB	UEPPR	UEPVF	2.26	0.00	0.00								
INTER	OFFICE CHANNEL MILEAGE																-
	Interoffice Channel mileage each, including first mile and facilities termination			LIEDDD	UEPPR	M1GNC	25.3291	47.35	31.78	18.31	7.03						
	Interoffice Channel mileage each, additional mile					M1GNM	0.0091	0.00	0.00	10.31	7.03						
4-WIR	E DS1 DIGITAL LOOP WITH 4-WIRE ISDN DS1 DIGITAL TRUNK	PORT		OLITB	OLITIK	IVITOIVIVI	0.0031	0.00	0.00								
	NE-P DS1 combination rates below for in this rate exhibit apply			lded base	in place a	s of 10/2/03	ıntil 4/1/04. Aft	er 4/1/04 these	rates shall rev	vert to tariff rate	es or a separa	te commerc	ial agreeme	nt.			
	ests for 4-Wire DS1 Digital Loop with 4-Wire ISDN DS1 Digital T													1			
UNE P	ort/Loop Combination Rates																
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE																
	Zone 1		1	UEPPP			153.48										
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE																
	Zone 2		2	UEPPP			183.28			1		-		ļ	 	 	
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE		2	HEDDD			004.40										
TIME	Zone 3 oop Rates		3	UEPPP			261.12			 		1			-	-	-
UNEL	4-Wire DS1 Digital Loop - UNE Zone 1		1	UEPPP		USL4P	70.74			+		 		 	 	 	1
	4-Wire DS1 Digital Loop - UNE Zone 2			UEPPP		USL4P	100.54			 		-	 				
	4-Wire DS1 Digital Loop - UNE Zone 3			UEPPP		USL4P	178.38							1			
UNE P	Port Rate		Ť			1									İ	İ	İ
	Exchange Ports - 4-Wire ISDN DS1 Port (E:4/1/2004)			UEPPP		UEPPP	82.74	488.36	276.65					ĺ	1	1	İ
NONR	ECURRING CHARGES - CURRENTLY COMBINED																
	4-Wire DS1 Digital Loop / 4-Wire ISDN DS1 Digital Trunk Port																
	Combination - Conversion -Switch-as-is (E:4/1/2004)			UEPPP		USACP	0.00	84.17	61.38					ļ			
ADDIT	IONAL NRCs																
	4-Wire DS1 Loop/4-W ISDN Digtl Trk Port - Subsqt Actvy-			LIEBSS		DDZTT							1				
	Inward/two way Tel Nos. (except NC)		├	UEPPP		PR7TF		0.5412				-		-			
	4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trunk Port - Outward Tel Numbers (All States except NC)			UEPPP		PR7TO		12.71	12.71								
		l		UEPPP		FK/IU		12./1	12./1				 				-
										1		1	l	1	ı	ı	1
	4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trk Port -			LIEDDD		PR77T		25.42	25 12	1							
LOCAL	4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trk Port - Subsequent Inward Tel Numbers			UEPPP		PR7ZT		25.42	25.42			-					
LOCAI	4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trk Port - Subsequent Inward Tel Numbers L NUMBER PORTABILITY						1.75	25.42	25.42								
	4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trk Port - Subsequent Inward Tel Numbers L NUMBER PORTABILITY Local Number Portability (1 per port)			UEPPP UEPPP		PR7ZT LNPCN	1.75	25.42	25.42								
	4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trk Port - Subsequent Inward Tel Numbers L NUMBER PORTABILITY						1.75	0.00	0.00								

UNR	UNDI F	D NETWORK ELEMENTS - Florida												Attach	ment: 2	Exhi	bit: A
OIND	ONDEL		1	1		1	1					Svc Order	Svc Order	Incremental		Incremental	Incremental
												Submitted					
													Submitted		Charge -	Charge -	Charge -
CATE	GORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CAIL	GOKI	KATE ELEMENTS	m	20116	603	0300			KATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
-	_			-				Nonre		Nonrecurring	n Dissennest	-		000	Rates (\$)		
-	+		-	-		+	Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	+	Inward Data		<u> </u>	UEPPP	PR71E	0.00	0.00	0.00	FIISL	Add I	SOWIEC	SOWAN	SOWAN	SOWAN	SOWAN	SOWAN
	Now or	Additional "B" Channel			ULFFF	FRIIL	0.00	0.00	0.00								
	IVEW O	New or Additional - Voice/Data B Channel			UEPPP	PR7BV	0.00	15.48									
-	+	New or Additional - Voice/Data B Channel		-	UEPPP	PR7BF	0.00	15.48				-					
-	+	New or Additional Inward Data B Channel	-	-	UEPPP	PR7BD	0.00	15.48				-	-		-		
-	CALL		-	-	UEFFF	PRIBU	0.00	13.46				-	-		-		
	CALL	Inward			UEPPP	PR7C1	0.00	0.00	0.00								
-		Outward			UEPPP	PR7CO	0.00	0.00	0.00								
-	+	Two-way	-	-	UEPPP	PR7CC	0.00	0.00	0.00			-	-		-		
-	Interes		-	-	ULFFF	FRICO	0.00	0.00	0.00			-	-		-		
-	mileron	fice Channel Mileage Fixed Each Including First Mile	-	 	UEPPP	1LN1A	88.6256	105.54	98.47	21.47	19.05	+	-	-			
\vdash	+	Each Airline-Fractional Additional Mile	-	 	UEPPP	1LN1B	0.1856	105.54	90.47	21.47	19.05	+	-	-			
-	4 WIDE	E DS1 DIGITAL LOOP WITH 4-WIRE DDITS TRUNK PORT	-	-	UEFFF	ILINID	0.1636					-	-		-		
-		IE-P DS1 combination rates below for in this rate exhibit apply				40/2/02		14/0/4 th a a a	natas aballus			4					
-												te commerc	iai agreeme	nt.			
-		sts for 4-Wire DS1 Digital Loop with 4-Wire DDITS after the eff	ective c	ate of	tnis amendment sna	ali be provide	a pursuant to	a separate agre	ement or tarif	at BellSouth's	s discretion.	1					
-	UNE P	ort/Loop Combination Rates		4	UEPDC	-	125.69					-	-				
-	+	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 1	-	1		1						1					
-		4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 2		2	UEPDC	ļ	155.49										
-		4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 3		3	UEPDC	ļ	233.33										
	UNE L	pop Rates		_	LIEDDO	1101.00	70.74										
		4-Wire DS1 Digital Loop - UNE Zone 1		1	UEPDC	USLDC	70.74										
	+	4-Wire DS1 Digital Loop - UNE Zone 2	-	2	UEPDC	USLDC	100.54					1					
	LINE D	4-Wire DS1 Digital Loop - UNE Zone 3		3	UEPDC	USLDC	178.38										
	UNE P	ort Rate					= 1 0=	10100	000.00								
		4-Wire DDITS Digital Trunk Port (E:4/1/2004)			UEPDC	UDD1T	54.95	464.86	259.23								
	NONRE	CURRING CHARGES - CURRENTLY COMBINED				ļ											
		4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination			LIEDDO	110004		05.04	40.74								i I
		- Switch-as-is (E:4/1/2004)			UEPDC	USAC4		95.31	46.71								
		4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination															1
		- Conversion with DS1 Changes (E:4/1/2004)			UEPDC	USAWA		95.31	46.71								
		4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination			LIEDDO	LIGAVAD		05.04	40.74								í
	ADDIT	- Conversion with Change - Trunk (E:4/1/2004)	-		UEPDC	USAWB		95.31	46.71			1					
	ADDITI	ONAL NRCs															
		4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - NRC -							4= 00								ł
-	-	Subsequent Channel Activation/Chan - 2-Way Trunk			UEPDC	UDTTA		15.69	15.69								
		4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent			LIEDDO	LIDTTD		45.00	45.00								ł
-	+	Channel Activation/Chan - 1-Way Outward Trunk	-		UEPDC	UDTTB		15.69	15.69			1					
		4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Channel	l		LIEDDC	LIDTTO		45.00	45.00						1		l .
-	+	Activation/Chan Inward Trunk w/out DID	 	 	UEPDC	UDTTC	 	15.69	15.69	-	 	 	-	-	 		
1	1	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan	1		LIEDDO	LIDTTO		45.00	15.00				1		I		1
-		Activation Per Chan - Inward Trunk with DID			UEPDC	UDTTD		15.69	15.69								
		4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan			LIEDDO	LIDTTE		45.00	45.00								ł
-	DIROI	Activation / Chan - 2-Way DID w User Trans			UEPDC	UDTTE		15.69	15.69								
	BIPOL	AR 8 ZERO SUBSTITUTION															
-		B8ZS -Superframe Format			UEPDC	CCOSF			655.00s								
-		B8ZS - Extended Superframe Format			UEPDC	CCOEF		0.00i	655.00s								
<u> </u>	Alterna	ate Mark Inversion	ļ	<u> </u>	LIEDDO	140005		0.00	0.00			.	-		-		——
<u> </u>	1	AMI -Superframe Format	ļ	1	UEPDC	MCOSF	-	0.00	0.00	-	-	_		 	-		
⊢		AMI - Extended SuperFrame Format	ļ	1	UEPDC	МСОРО	-	0.00	0.00	-	-			 	-		
⊢	I eleph	one Number/Trunk Group Establisment Charges	ļ	1	LIEBBO	LIDTOY	0.00	-		-	-			 	-		
⊢	1	Telephone Number for 2-Way Trunk Group	ļ	1	UEPDC	UDTGX	0.00	-		-	-			 	-		
<u> </u>		Telephone Number for 1-Way Outward Trunk Group		1	UEPDC	UDTGY	0.00										-
<u> </u>	1	Telephone Number for 1-Way Inward Trunk Group Without DID	.	<u> </u>	UEPDC	UDTGZ	0.00					<u> </u>			_		.
1	1	DID Numbers, Establish Trunk Group and Provide First Group	1										1		I		1
L	4	of 20 DID Numbers	ļ	Ļ	UEPDC	NDZ	0.00	0.00	0.00			ļ	ļ				
<u> </u>	1	DID Numbers for each Group of 20 DID Numbers	.	<u> </u>	UEPDC	ND4	0.00					<u> </u>			_		.
<u> </u>	1	DID Numbers, Non- consecutive DID Numbers , Per Number	.	<u> </u>	UEPDC	ND5	0.00					<u> </u>			_		.
L	1	Reserve Non-Consecutive DID Nos.	ļ		UEPDC	ND6	0.00	0.00	0.00			ļ			ļ		
1	1	Reserve DID Numbers	l	1	UEPDC	NDV	0.00	0.00	0.00	l	I			l			, ,

UNBUND	LED NETWORK ELEMENTS - Florida													ment: 2	1	ibit: A
											Svc Order	Svc Order	Incremental			Incrementa
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		Interi									Elec	Manually	Manual Svc	Manual Svc		Manual Sv
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m						.,,			per Lor	per Lor	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
						В	Nonre	curring	Nonrecurring	Disconnect		•	oss	Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
Dec	licated DS1 (Interoffice Channel Mileage) - FX/FCO for 4-Wire DS	1 Digita	l Loop	with 4-Wire DDITS	Frunk Port											
	Interoffice Channel Mileage - Fixed rate 0-8 miles (Facilities													Î		
	Termination)			UEPDC	1LNO1	88.44	105.54	98.47	21.47	19.05						
														Î		
	Interoffice Channel Mileage - Additional rate per mile - 0-8 miles			UEPDC	1LNOA	0.1856	0.00	0.00								
	Interoffice Channel Mileage - Fixed rate 9-25 miles (Facilities															
	Termination)			UEPDC	1LNO2	0.00	0.00	0.00								
	Interoffice Channel Mileage - Additional rate per mile - 9-25															
	miles			UEPDC	1LNOB	0.1856	0.00	0.00								
	Interoffice Channel Mileage - Fixed rate 25+ miles (Facilities															
	Termination)			UEPDC	1LNO3	0.00	0.00	0.00	0.00							
	,													ĺ		1
	Interoffice Channel Mileage - Additional rate per mile - 25+ miles		1	UEPDC	1LNOC	0.1856	0.00	0.00			1	1			I	
	Local Number Portability, per DS0 Activated		1	UEPDC	LNPCP	3.15	0.00	0.00	0.00			İ		İ		İ
	Central Office Termininating Point		1	UEPDC	CTG	0.00	2.30	2.30	2.20				i	i	1	İ
4-W	VIRE DS1 LOOP WITH CHANNELIZATION WITH PORT		1	1	1	3.50	i						i	i	1	İ
	tem is 1 DS1 Loop, 1 D4 Channel Bank, and up to 24 Feature Act	ivations														
Fac	h System can have up to 24 combinations of rates depending on	type a	nd nun	nher of ports used												
The	UNE-P DS1 combination rates below for 4-Wire DS1 Loop with 0	hanne	lization	with Port in this ra	te exhibit ann	ly to the embe	dded hase in r	lace as of 10/2	2/03 until 4/1/04	Δfter 4/1/04	hese rates	shall revert	to tariff rates	or a senarate	agreement	1
	juests for 4-Wire DS1 Loop with Channelization with Port after th											I	lo turni rutos	Г	ugreement.	+
	E DS1 Loop	le eneci	I ve da	le or this amendmen	It shall be pic	Videa parsuar	l to a separate	agreement or	tariii at belloo	atir a discretit	,,,, 					+
ON	4-Wire DS1 Loop - UNE Zone 1		1	UEPMG	USLDC	70.74	0.00	0.00								
_	4-Wire DS1 Loop - UNE Zone 2		2	UEPMG	USLDC	100.54	0.00	0.00								
	4-Wire DS1 Loop - UNE Zone 3	-	3	UEPMG	USLDC	178.38	0.00	0.00			-	-			-	ł
LINI	E DSO Channelization Capacities (D4 Channel Bank Configuratio	ne)	J	OLI WO	OOLDO	170.50	0.00	0.00								
UNI	24 DSO Channel Capacity - 1 per DS1	115)	+	UEPMG	VUM24	118.06	0.00	0.00			-	-			-	ł
	48 DSO Channel Capacity - 1 per DS1	-	+	UEPMG	VUM48	236.12	0.00	0.00			-	-			-	ł
	96 DSO Channel Capacity - 1 per 2 DS1s	-	+	UEPMG	VUM96	472.24	0.00	0.00			-	-			-	ł
	144 DS0 Channel Capacity - 1 per 6 DS1s	-	+	UEPMG	VUM14	708.36	0.00									
		-	+					0.00								
	192 DS0 Channel Capacity -1 per 8 DS1s	-	+	UEPMG	VUM19	944.48	0.00	0.00								
	240 DS0 Channel Capacity - 1 per 10 DS1s		_	UEPMG	VUM2O	1,180.60	0.00	0.00							ļ	
	288 DS0 Channel Capacity - 1 per 12 DS1s		_	UEPMG	VUM28	1,416.72	0.00	0.00								
	384 DS0 Channel Capacity - 1 per 16 DS1s		_	UEPMG	VUM38	1,888.96	0.00	0.00								
	480 DS0 Channel Capacity - 1 per 20 DS1s			UEPMG	VUM4O	2,361.20	0.00	0.00								
	576 DS0 Channel Capacity -1 per 24 DS1s			UEPMG	VUM57	2,833.44	0.00	0.00								<u> </u>
	672 DS0 Channel Capacity - 1 per 28 DS1s		<u> </u>	UEPMG	VUM67	3,305.68	0.00	0.00								<u> </u>
	n-Recurring Charges (NRC) Associated with 4-Wire DS1 Loop wit						stem									
	linimum System configuration is One (1) DS1, One (1) D4 Channe															
Mu	tiples of this configuration functioning as one are considered A	dd'l afte	r the n	ninimum system con	figuration is	counted.										
	NRC - Conversion (Currently Combined) with or without		1			_					1		I		_	
	BellSouth Allowed Changes		1	UEPMG	USAC4	0.00	96.77	4.24								
	tem Additions at End User Locations Where 4-Wire DS1 Loop wi				ination Curre	ently Exists and	t									
Nev	v (Not Currently Combined) in all states, except in Density Zone 1	of Top	8 MS/	A's												
	1 DS1/D4 Channel Bank - Additionally Add NRC for each Port															
	and Assoc Fea Activation (E:4/1/2004)	1	1	UEPMG	VUMD4	0.00	726.11	468.21	145.32	17.24	1	I		l	1	
Bip	olar 8 Zero Substitution															
	Clear Channel Capability Format, superframe - Subsequent															
	Activity Only			UEPMG	CCOSF	0.00	0.00i	655.00s								
	Clear Channel Capability Format - Extended Superframe -	1	1		1							ĺ				
	Subsequent Activity Only	1	1	UEPMG	CCOEF	0.00	0.00i	655.00s			1	I		l	1	
			1	i i								ĺ				
Alte							0.00	0.00				İ		1		İ
Alte	ernate Mark Inversion (AMI)			UEPMG	MCOSF	0.00										+
Alte				UEPMG UEPMG	MCOSF MCOPO	0.00	0.00	0.00								
	ernate Mark Inversion (AMI) Superframe Format Extended Superframe Format	on with	Port													
Exc	ernate Mark Inversion (AMI) Superframe Format Extended Superframe Format hange Ports Associated with 4-Wire DS1 Loop with Channelizati	on with	Port													
Exc	ernate Mark Inversion (AMI) Superframe Format Extended Superframe Format thange Ports Associated with 4-Wire DS1 Loop with Channelizati	on with	Port													
Exc	ernate Mark Inversion (AMI) Superframe Format Extended Superframe Format Change Ports Line Side Combination Channelized PBX Trunk Port - Business	on with	Port	UEPMG	MCOPO	0.00	0.00	0.00	0.00	0.00						
Exc	ernate Mark Inversion (AMI) Superframe Format Extended Superframe Format thange Ports Associated with 4-Wire DS1 Loop with Channelizati	on with	Port						0.00	0.00						

UNBUNDLI	ED NETWORK ELEMENTS - Florida												Attachi	ment: 2	Exhil	bit: A
											Svc Order	Svc Order	Incremental	Incremental	Incremental	Incrementa
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		Interi									Elec	Manually	Manual Svc	Manual Svc		Manual Svo
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
												"	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
															2.00 .01	2.007.444.
						Rec	Nonred		Nonrecurring					Rates (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Line Side Inward Only Channelized PBX Trunk Port without DID															
	(E:4/1/2004)		ļ	UEPPX	UEP1X	1.40	0.00	0.00	0.00	0.00						
	2-Wire Trunk Side Unbundled Channelized DID Trunk Port			l	1											
	(E:4/1/2004)			UEPPX	UEPDM	8.71	0.00	0.00	0.00	0.00						
Featu	re Activations - Unbundled Loop Concentration		-		-						1					
	Feature (Service) Activation for each Line Port Terminated in D4			HEDDY	4000444	0.0400	05.40	40.44	0.00	0.00						
	Bank		1	UEPPX	1PQWM	0.6402	25.40	13.41	3.96	3.93	-					
	Feature (Service) Activation for each Trunk Port Terminated in			LIEDDY	1PQWU	0.0400	70.40	40.40	50.00	40.05						
Talan	D4 Bank		1	UEPPX	TPQWU	0.6402	78.16	18.42	56.03	10.95	-					
reiep	hone Number/ Group Establishment Charges for DID Service DID Trunk Termination (1 per Port)		1	UEPPX	NDT	0.00	0.00	0.00			-					
	Estab Trk Grp and Provide 1st 20 DID Nos. (FL,GA, NC,& SC)	-	1	UEPPX	NDZ	0.00	0.00	0.00			}	 				
	DID Numbers - groups of 20 - Valid all States	-	+	UEPPX	ND4	0.00	0.00	0.00			-	 				
	Non-Consecutive DID Numbers - per number	-	+	UEPPX	ND5	0.00	0.00	0.00			1					
	Reserve Non-Consecutive DID Numbers		1	UEPPX	ND6	0.00	0.00	0.00								
	Reserve Non-Consecutive DID Numbers Reserve DID Numbers	-	+	UEPPX	NDV	0.00	0.00	0.00			-	 				
Local	Number Portability	-	+	UEFFA	INDV	0.00	0.00	0.00			ł	-				
Local	Local Number Portability - 1 per port	-	+	UEPPX	LNPCP	3.15	0.00	0.00			ł	-				
EEAT	URES - Vertical and Optional		1	UEPPA	LINECE	3.15	0.00	0.00			 					
	Switching Features Offered with Line Side Ports Only		1		+						 					
Local	All Features Available	-	+	UEPPX	UEPVF	2.26	0.00	0.00			ł	-				
		l		OLFFA	OLF VI	2.20	0.00	0.00			-					
LINDUNDI ED		c														
	CENTREX PORT/LOOP COMBINATIONS - COST BASED RATES		State	Commission rule to	provide Unb	undled Local St	witching or Su	itch Ports								
1. Co	CENTREX PORT/LOOP COMBINATIONS - COST BASED RATES st Based Rates are applied where BellSouth is required by FCC	and/or							dled Port section	on of this Rate	Exhibit.					
1. Co 2. Fea	CENTREX PORT/LOOP COMBINATIONS - COST BASED RATES st Based Rates are applied where BellSouth is required by FCC atures shall apply to the Unbundled Port/Loop Combination - C	and/or	sed Rat	e section in the sar	ne manner as	they are applie	d to the Stand	-Alone Unbune	dled Port section	on of this Rate	Exhibit.	oin Port/Lo	on Combinati	ions		
1. Co 2. Fea	CENTREX PORT/LOOP COMBINATIONS - COST BASED RATES st Based Rates are applied where BellSouth is required by FCC atures shall apply to the Unbundled Port/Loop Combination - C	and/or	sed Rat	e section in the sar	ne manner as	they are applie	d to the Stand	-Alone Unbune	dled Port section	on of this Rate ements excep identified in t	Exhibit.	coin Port/Lo	op Combinati	ions.	Additional NR	Cs may
1. Co 2. Fea 3. End 4. The	CENTREX PORT/LOOP COMBINATIONS - COST BASED RATES St Based Rates are applied where BellSouth is required by FCC atures shall apply to the Unbundled Port/Loop Combination - Code d Office and Tandem Switching Usage and Common Transport effirst and additional Port nonrecurring charges apply to Not Co	and/or	sed Rat	e section in the sar	ne manner as	they are applie	d to the Stand	-Alone Unbune	dled Port section port network el shall be those	on of this Rate ements excep identified in t	Exhibit. of for UNE C	coin Port/Lo	op Combinati	ions. ed sections.	Additional NR	Cs may
1. Co 2. Fea 3. End 4. Tho apply	CENTREX PORT/LOOP COMBINATIONS - COST BASED RATES st Based Rates are applied where BellSouth is required by FCC atures shall apply to the Unbundled Port/Loop Combination - C d Office and Tandem Switching Usage and Common Transport e first and additional Port nonrecurring charges apply to Not Co also and are categorized accordingly.	and/or cost Bas Usage urrently	sed Rat rates ir Comb	e section in the san the Port section of ined Combos. For	ne manner as f this rate exh Currently Co	they are applie ibit shall apply mbined Combo	to the Stand to all combina s, the nonrecu	-Alone Unbune	dled Port section port network el shall be those	on of this Rate ements excep identified in t	Exhibit. of for UNE C he Nonrecu	coin Port/Lo	op Combinati	ions. ed sections.	Additional NR	Cs may
1. Co 2. Fea 3. En 4. Tho apply 5. Ma	CENTREX PORT/LOOP COMBINATIONS - COST BASED RATES St Based Rates are applied where BellSouth is required by FCC atures shall apply to the Unbundled Port/Loop Combination - Code d Office and Tandem Switching Usage and Common Transport effirst and additional Port nonrecurring charges apply to Not Co	and/or cost Bas Usage urrently be neg	sed Rat rates ir Comb	e section in the san the Port section of ined Combos. For	ne manner as f this rate exh Currently Co	they are applie ibit shall apply mbined Combo	to the Stand to all combina s, the nonrecu	-Alone Unbune	dled Port section port network el shall be those	on of this Rate ements excep identified in t	Exhibit. of for UNE Che Nonrecu	coin Port/Lo	op Combinati	ions. ed sections. A	Additional NR	Cs may
1. Co 2. Fea 3. End 4. The apply 5. Ma UNE-	CENTREX PORT/LOOP COMBINATIONS - COST BASED RATES St Based Rates are applied where BellSouth is required by FCC atures shall apply to the Unbundled Port/Loop Combination - C d Office and Tandem Switching Usage and Common Transport e first and additional Port nonrecurring charges apply to Not Ci also and are categorized accordingly. arket Rates for Unbundled Centrex Port/Loop Combination will P CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only	and/or cost Bas Usage urrently be neg	sed Rat rates ir Comb	e section in the san the Port section of ined Combos. For	ne manner as f this rate exh Currently Co	they are applie ibit shall apply mbined Combo	to the Stand to all combina s, the nonrecu	-Alone Unbune	dled Port section port network el shall be those	on of this Rate ements excep identified in t	Exhibit. of for UNE Che Nonrecu	coin Port/Lorring - Curre	op Combinati ently Combine	ions. ed sections.	Additional NR	Cs may
1. Co 2. Fea 3. En 4. The apply 5. Ma UNE- 2-Wir	CENTREX PORT/LOOP COMBINATIONS - COST BASED RATES SE Based Rates are applied where BellSouth is required by FCC atures shall apply to the Unbundled Port/Loop Combination - Cot of Office and Tandem Switching Usage and Common Transport ef irst and additional Port nonrecurring charges apply to Not Cot also and are categorized accordingly. arket Rates for Unbundled Centrex Port/Loop Combination will P CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only e VG Loop/2-Wire Voice Grade Port (Centrex) Combo	and/or cost Bas Usage urrently be neg	sed Rat rates ir Comb	e section in the san the Port section of ined Combos. For	ne manner as f this rate exh Currently Co	they are applie ibit shall apply mbined Combo	to the Stand to all combina s, the nonrecu	-Alone Unbune	dled Port section port network el shall be those	on of this Rate ements excep identified in t	e Exhibit. et for UNE C he Nonrecu	coin Port/Lo	op Combinati ently Combine	ions. ed sections.	Additional NR	Cs may
1. Co 2. Fea 3. En 4. The apply 5. Ma UNE- 2-Wir	CENTREX PORT/LOOP COMBINATIONS - COST BASED RATE: st Based Rates are applied where BellSouth is required by FCC duries shall apply to the Unbundled Port/Loop Combination - C d Office and Tandem Switching Usage and Common Transport e first and additional Port nonrecurring charges apply to Not Ci also and are categorized accordingly. arket Rates for Unbundled Centrex Port/Loop Combination will P CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only e VG Loop/2-Wire Voice Grade Port (Centrex) Combo Port/Loop Combination Rates (Non-Design)	and/or cost Bas Usage urrently be neg	sed Rat rates ir Comb	e section in the san the Port section of ined Combos. For	ne manner as f this rate exh Currently Co	they are applie ibit shall apply mbined Combo	to the Stand to all combina s, the nonrecu	-Alone Unbune	dled Port section port network el shall be those	on of this Rate ements excep identified in t	e Exhibit. of for UNE C he Nonrecu	Coin Port/Lo	op Combinati	ions. ed sections.	Additional NR	Cs may
1. Co 2. Fea 3. En 4. The apply 5. Ma UNE- 2-Wir	CENTREX PORT/LOOP COMBINATIONS - COST BASED RATES SE Based Rates are applied where BellSouth is required by FCC atures shall apply to the Unbundled Port/Loop Combination - Cot of Office and Tandem Switching Usage and Common Transport ef irst and additional Port nonrecurring charges apply to Not Cot also and are categorized accordingly. arket Rates for Unbundled Centrex Port/Loop Combination will P CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only e VG Loop/2-Wire Voice Grade Port (Centrex) Combo	and/or cost Bas Usage urrently be neg	sed Rat rates ir Comb	e section in the san the Port section of ined Combos. For	ne manner as f this rate exh Currently Co	they are applie ibit shall apply mbined Combo	to the Stand to all combina s, the nonrecu	-Alone Unbune	dled Port section ort network el shall be those	on of this Rate ements excep identified in t	e Exhibit. to for UNE Che Nonrecu	oin Port/Lc rring - Curre	op Combinati	ions.	Additional NR	Cs may
1. Co 2. Fea 3. En 4. The apply 5. Ma UNE- 2-Wir	CENTREX PORT/LOOP COMBINATIONS - COST BASED RATES SE Based Rates are applied where BellSouth is required by FCC druges shall apply to the Unbundled Port/Loop Combination - C d Office and Tandem Switching Usage and Common Transport e first and additional Port nonrecurring charges apply to Not Ci also and are categorized accordingly. PCENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only e VG Loop/2-Wire Voice Grade Port (Centrex) Combo Port/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Non-Design	and/or cost Bas Usage urrently be neg	sed Rat rates in Comb otiated	e section in the sai the Port section o ined Combos. Foi on an Individual C	ne manner as f this rate exh Currently Co	they are applie ibit shall apply mbined Combo til further notice	to the Stand to all combina s, the nonrecu	-Alone Unbune	dled Port section	on of this Rate ements excep identified in t	e Exhibit. of for UNE C he Nonrecu	coin Port/Lc rring - Curre	op Combinati	ions. ad sections.	Additional NR	Cs may
1. Co 2. Fea 3. En 4. The apply 5. Ma UNE- 2-Wir	ENTREX PORT/LOOP COMBINATIONS - COST BASED RATES IS Based Rates are applied where BellSouth is required by FCC durings shall apply to the Unbundled Port/Loop Combination - C d Office and Tandem Switching Usage and Common Transport of first and additional Port nonrecurring charges apply to Not C also and are categorized accordingly. arket Rates for Unbundled Centrex Port/Loop Combination will P CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only e VG Loop/2-Wire Voice Grade Port (Centrex) Combo Port/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-	and/or cost Bas Usage urrently be neg	sed Rates in Comb	e section in the sai the Port section o ined Combos. For on an Individual C	ne manner as f this rate exh Currently Co	they are applie ibit shall apply mbined Combo til further notic	to the Stand to all combina s, the nonrecu	-Alone Unbune	dled Port section of the three shall be those	on of this Rate ements excep identified in t	e Exhibit. et for UNE C he Nonrecu	Coin Port/Lo	op Combinati	ions. ed sections.	Additional NR	Cs may
1. Co 2. Fea 3. En 4. The apply 5. Ma UNE- 2-Wir	CENTREX PORT/LOOP COMBINATIONS - COST BASED RATES ST Based Rates are applied where BellSouth is required by FCC duries shall apply to the Unbundled Port/Loop Combination - C d Office and Tandem Switching Usage and Common Transport e first and additional Port nonrecurring charges apply to Not Cr also and are categorized accordingly. arket Rates for Unbundled Centrex Port/Loop Combination will P CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only e VG Loop/2-Wire Voice Grade Port (Centrex) Combo Port/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Non-Design	and/or cost Bas Usage urrently be neg	sed Rat rates in Comb otiated	e section in the sai the Port section o ined Combos. Foi on an Individual C	ne manner as f this rate exh Currently Co	they are applie ibit shall apply mbined Combo til further notice	to the Stand to all combina s, the nonrecu	-Alone Unbune	dled Port section	on of this Rate ements excep identified in t	e Exhibit. It for UNE C he Nonrecu	oin Port/Lo	op Combinati	ions. d sections.	Additional NR	Cs may
1. Co 2. Fea 3. En 4. The apply 5. Ma UNE- 2-Wir	EENTREX PORT/LOOP COMBINATIONS - COST BASED RATES IS Based Rates are applied where BellSouth is required by FCC attures shall apply to the Unbundled Port/Loop Combination - C of Office and Tandem Switching Usage and Common Transport is first and additional Port nonrecurring charges apply to Not C of also and are categorized accordingly. The standard of the standar	and/or cost Bas Usage urrently be neg	sed Rates in Comb	e section in the sain the Port section o ined Combos. For on an Individual C UEP91	ne manner as f this rate exh Currently Co	they are applie ibit shall apply mbined Combo til further notice	to the Stand to all combina s, the nonrecu	-Alone Unbune	dled Port section	on of this Rate ements excep identified in t	e Exhibit. It for UNE Che Nonrecu	Coin Port/Lo	op Combination	ions. ad sections.	Additional NR	Cs may
1. Co 2. Fee 3. En: 4. Th apply 5. Ma UNE: 2-Wir UNE I	CENTREX PORT/LOOP COMBINATIONS - COST BASED RATES SE Based Rates are applied where BellSouth is required by FCC atures shall apply to the Unbundled Port/Loop Combination - C d Office and Tandem Switching Usage and Common Transport e first and additional Port nonrecurring charges apply to Not Ci also and are categorized accordingly. raket Rates for Unbundled Centrex Port/Loop Combination will P CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only e VG Loop/2-Wire Voice Grade Port (Centrex) Combo Port/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design	and/or cost Bas Usage urrently be neg	sed Rat rates in Comb	e section in the sai the Port section o ined Combos. For on an Individual C	ne manner as f this rate exh Currently Co	they are applie ibit shall apply mbined Combo til further notic	to the Stand to all combina s, the nonrecu	-Alone Unbune	dled Port section	on of this Rate ements excep identified in t	Exhibit.	oin Port/Lc rring - Curre	op Combinati	ions. ed sections.	Additional NR	Cs may
1. Co 2. Fee 3. En: 4. Th apply 5. Ma UNE: 2-Wir UNE:	CENTREX PORT/LOOP COMBINATIONS - COST BASED RATES st Based Rates are applied where BellSouth is required by FCC atures shall apply to the Unbundled Port/Loop Combination - C d Office and Tandem Switching Usage and Common Transport e first and additional Port nonrecurring charges apply to Not Ci also and are categorized accordingly. Tarket Rates for Unbundled Centrex Port/Loop Combination will P CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only e VG Loop/2-Wire Voice Grade Port (Centrex) Combo Port/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design Port/Loop Combination Rates (Design)	and/or cost Bas Usage urrently be neg	sed Rat rates in Comb	e section in the sain the Port section o ined Combos. For on an Individual C UEP91	ne manner as f this rate exh Currently Co	they are applie ibit shall apply mbined Combo til further notice	to the Stand to all combina s, the nonrecu	-Alone Unbune	dled Port section	on of this Rate ements excep identified in t	Exhibit.	coin Port/Lc	op Combinati ently Combine	ions. ad sections.	Additional NR	Cs may
1. Co 2. Fee 3. En: 4. Th apply 5. Ma UNE: 2-Wir UNE:	CENTREX PORT/LOOP COMBINATIONS - COST BASED RATES IS Based Rates are applied where BellSouth is required by FCC atures shall apply to the Unbundled Port/Loop Combination - C d Office and Tandem Switching Usage and Common Transport or first and additional Port nonrecurring charges apply to Not Cr also and are categorized accordingly. Arket Rates for Unbundled Centrex Port/Loop Combination will P CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only or VG Loop/2-Wire Voice Grade Port (Centrex) Combo Port/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 1-Vire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 1-Vire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 1-Vire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design	and/or cost Bas Usage urrently be neg	sed Rat rates in Comb	e section in the sain the Port section o ined Combos. For on an Individual C UEP91	ne manner as f this rate exh Currently Co	they are applie ibit shall apply mbined Combo til further notice	to the Stand to all combina s, the nonrecu	-Alone Unbune	dled Port section	on of this Rate ements excep identified in t	Exhibit.	coin Port/Lc	op Combinat	ions. d sections. /	Additional NR	Cs may
1. Co 2. Fee 3. En: 4. Th apply 5. Ma UNE: 2-Wir UNE I	CENTREX PORT/LOOP COMBINATIONS - COST BASED RATES st Based Rates are applied where BellSouth is required by FCC atures shall apply to the Unbundled Port/Loop Combination - C d Office and Tandem Switching Usage and Common Transport e first and additional Port nonrecurring charges apply to Not Ci also and are categorized accordingly. Tarket Rates for Unbundled Centrex Port/Loop Combination will P CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only e VG Loop/2-Wire Voice Grade Port (Centrex) Combo Port/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design Port/Loop Combination Rates (Design)	and/or cost Bas Usage urrently be neg	sed Raterates in Combo	e section in the sai the Port section o ined Combos. For on an Individual C UEP91 UEP91	ne manner as f this rate exh Currently Co	they are applie ibit shall apply mbined Combo til further notice 10.94 15.05 25.80	to the Stand to all combina s, the nonrecu	-Alone Unbune	dled Port section	on of this Rate ements excep identified in t	Exhibit.	coin Port/Lc	op Combination	ions. ad sections.	Additional NR	Cs may
1. Co 2. Fee 3. En: 4. Th apply 5. Ma UNE: 2-Wir UNE I	CENTREX PORT/LOOP COMBINATIONS - COST BASED RATES BEASED	and/or cost Bas Usage urrently be neg	sed Raterates in Combo	e section in the sai the Port section o ined Combos. For on an Individual C UEP91 UEP91	ne manner as f this rate exh Currently Co	they are applie ibit shall apply mbined Combo til further notice 10.94 15.05 25.80	to the Stand to all combina s, the nonrecu	-Alone Unbune	dled Port section	on of this Rate ements excep identified in t	Exhibit.	coin Port/Lc	op Combinati	ions. ad sections.	Additional NR	Cs may
1. Co 2. Fee 3. En: 4. Th apply 5. Ma UNE: 2-Wir UNE:	EENTREX PORT/LOOP COMBINATIONS - COST BASED RATE: st Based Rates are applied where BellSouth is required by FCC duries shall apply to the Unbundled Port/Loop Combination - C d Office and Tandem Switching Usage and Common Transport e first and additional Port nonrecurring charges apply to Not Ci also and are categorized accordingly. arket Rates for Unbundled Centrex Port/Loop Combination will P CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only e VG Loop/2-Wire Voice Grade Port (Centrex) Combo Port/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design Port/Loop Combination Rates (Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Dosign 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Dosign 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Design	and/or cost Bas Usage urrently be neg	sed Raterates in Combo	e section in the sai the Port section o ined Combos. For on an Individual C UEP91 UEP91 UEP91	ne manner as f this rate exh Currently Co	they are applie ibit shall apply mbined Combo til further notice 10.94 15.05 25.80	to the Stand to all combina s, the nonrecu	-Alone Unbune	dled Port section	on of this Rate ements excep identified in t	Exhibit.	coin Port/Lc	op Combinati	ions. d sections.	Additional NR	Cs may
1. Co 2. Fee 3. En: 4. Th apply 5. Ma UNE: 2-Wir UNE I	SEASED RATES SEASED SEASED RATES SEASED SEAS	and/or cost Bas Usage urrently be neg	sed Raterates in Combo	e section in the sai the Port section o ined Combos. For on an Individual C UEP91 UEP91 UEP91	ne manner as f this rate exh Currently Co	they are applie ibit shall apply mbined Combo til further notice 10.94 15.05 25.80	to the Stand to all combina s, the nonrecu	-Alone Unbune	dled Port section	on of this Rate ements excep identified in t	Exhibit. Exhibit. For UNE Che Nonrecu	coin Port/Lc	op Combinat	ions. ad sections.	Additional NR	Cs may
1. Co 2. Fee 3. Enr 4. Th apply 5. Ma UNE: 2-Wir UNE I	SE Based Rates are applied where BellSouth is required by FCC atures shall apply to the Unbundled Port/Loop Combination - C d Office and Tandem Switching Usage and Common Transport or first and additional Port nonrecurring charges apply to Not C a also and are categorized accordingly. Arket Rates for Unbundled Centrex Port/Loop Combination will P CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only e VG Loop/2-Wire Voice Grade Port (Centrex) Combo Port/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design	and/or cost Bas Usage urrently be neg	sed Ratrates ir Comb otiated 1 2 3	e section in the sai the Port section o ined Combos. For on an Individual C UEP91 UEP91 UEP91	ne manner as f this rate exh Currently Co ase Basis, un	they are applie ibit shall apply mbined Combo til further notice 10.94 15.05 25.80 13.41 18.57	to the Stand to all combina s, the nonrecu	-Alone Unbune	dled Port section	on of this Rate ements excep identified in t	Exhibit.	coin Port/Lc	op Combination	ions. ad sections.	Additional NR	Cs may
1. Co 2. Fee 3. Enr 4. Th apply 5. Ma UNE: 2-Wir UNE I	EENTREX PORT/LOOP COMBINATIONS - COST BASED RATE: st Based Rates are applied where BellSouth is required by FCC duries shall apply to the Unbundled Port/Loop Combination - C d Office and Tandem Switching Usage and Common Transport e first and additional Port nonrecurring charges apply to Not Ci also and are categorized accordingly. arket Rates for Unbundled Centrex Port/Loop Combination will P CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only e VG Loop/2-Wire Voice Grade Port (Centrex) Combo Port/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design Port/Loop Combination Rates (Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design	and/or cost Bas Usage urrently be neg	sed Ratrates ir Comb otiated 1 2 3	e section in the sai the Port section o ined Combos. For on an Individual C UEP91 UEP91 UEP91	me manner as f this rate exit Currently Co ase Basis, un	they are applie ibit shall apply mbined Combo til further notice 10.94 15.05 25.80 13.41 18.57 32.04 9.77	to the Stand to all combina s, the nonrecu	-Alone Unbune	dled Port section	on of this Rate ements excep identified in t	Exhibit.	coin Port/Lc	op Combinati	ions. d sections.	Additional NR	Cs may
1. Co 2. Fee 3. Enr 4. Th apply 5. Ma UNE: 2-Wir UNE I	SEASED RATES SE Based Rates are applied where BellSouth is required by FCC atures shall apply to the Unbundled Port/Loop Combination - C d Office and Tandem Switching Usage and Common Transport of irst and additional Port nonrecurring charges apply to Not Ci also and are categorized accordingly. Tarket Rates for Unbundled Centrex Port/Loop Combination will P CENTREX - 1AESS - (Valid in AL, FL, GA, KY, LA, MS, &TN only e VG Loop/2-Wire Voice Grade Port (Centrex) Combo Port/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design	and/or cost Bas Usage urrently be neg	sed Ratrates ir Combo	e section in the sai the Port section o ined Combos. For on an Individual C UEP91 UEP91 UEP91 UEP91	ne manner as f this rate exh Currently Co ase Basis, un	they are applie ibit shall apply mbined Combo till further notice 10.94 15.05 25.80 13.41 18.57 32.04	to the Stand to all combina s, the nonrecu	-Alone Unbune	dled Port section	on of this Rate	Exhibit. Exhibit. For UNE Che Nonrecu	coin Port/Lc	op Combinat	ions. d sections. /	Additional NR	Cs may
1. Co 2. Fee 3. Eni 4. Thi apply 5. Ma UNE: 2-Wir UNE I	EENTREX PORT/LOOP COMBINATIONS - COST BASED RATES st Based Rates are applied where BellSouth is required by FCC dures shall apply to the Unbundled Port/Loop Combination - C d Office and Tandem Switching Usage and Common Transport e first and additional Port nonrecurring charges apply to Not Ci also and are categorized accordingly. arket Rates for Unbundled Centrex Port/Loop Combination will P CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only e VG Loop/2-Wire Voice Grade Port (Centrex) Combo Port/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Loop (SL 1) - Zone 1 2-Wire Voice Grade Loop (SL 1) - Zone 2 2-Wire Voice Grade Loop (SL 1) - Zone 3	and/or cost Bas Usage urrently be neg	sed Ratrates ir romb	e section in the sai the Port section o ined Combos. For on an Individual C UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91	me manner as f this rate exh Currently Co ase Basis, un UECS1 UECS1 UECS1 UECS1	they are applie ibit shall apply mbined Combo til further notice 10.94 15.05 25.80 13.41 18.57 32.04 9.77 13.88 24.63	to the Stand to all combina s, the nonrecu	-Alone Unbune	dled Port section	on of this Rate ements excep identified in t	Exhibit. Exhibit. For UNE Che Nonrecu	coin Port/Lc	op Combinationally Combine	ions. ad sections. /	Additional NR	Cs may
1. Co 2. Fee 3. Eni 4. Thi apply 5. Ma UNE: 2-Wir UNE I	SE Based Rates are applied where BellSouth is required by FCC attrees shall apply to the Unbundled Port/Loop Combination - C d Office and Tandem Switching Usage and Common Transport of first and additional Port nonrecurring charges apply to Not Cralso and are categorized accordingly. 1 arket Rates for Unbundled Centrex Port/Loop Combination will P CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only e VG Loop/2-Wire Voice Grade Port (Centrex) Combo Port/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Loop (SL 1) - Zone 1 2-Wire VG Loop/2-Wire Voice Grade Loop (SL 1) - Zone 3 2-Wire Voice Grade Loop (SL 1) - Zone 3	and/or cost Bas Usage urrently be neg	sed Rate rates in Combo	e section in the sai the Port section o ined Combos. For on an Individual C UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91	ue manner as f this rate exit Currently Co ase Basis, un UECS1 UECS1 UECS2	they are applie ibit shall apply mbined Combo til further notice 10.94 15.05 25.80 13.41 18.57 32.04 9.77 13.88 24.63 12.24	to the Stand to all combina s, the nonrecu	-Alone Unbune	dled Port section of the section of	on of this Rate ements excep identified in t	Exhibit.	coin Port/Lc	op Combinati	ions. d sections.	Additional NR	Cs may
1. Co 2. Fee 3. Eni 4. Thi apply 5. Ma UNE: 2-Wir UNE I	EENTREX PORT/LOOP COMBINATIONS - COST BASED RATE: st Based Rates are applied where BellSouth is required by FCC duries shall apply to the Unbundled Port/Loop Combination - C d Office and Tandem Switching Usage and Common Transport e first and additional Port nonrecurring charges apply to Not Ci also and are categorized accordingly. arket Rates for Unbundled Centrex Port/Loop Combination will P CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only e VG Loop/2-Wire Voice Grade Port (Centrex) Combo Port/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design Loop Rate 2-Wire Voice Grade Loop (SL 1) - Zone 1 2-Wire Voice Grade Loop (SL 1) - Zone 2 2-Wire Voice Grade Loop (SL 1) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 1 2-Wire Voice Grade Loop (SL 2) - Zone 1	and/or cost Bas Usage urrently be neg	otiated 1 2 3 1 1 2 3 1 1 2 3	e section in the sai the Port section o ined Combos. For on an Individual C UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91	ue manner as f this rate exit Currently Co ase Basis, un UECS1 UECS1 UECS1 UECS2 UECS2	10.94 15.05 25.80 13.41 18.57 32.04 9.77 13.88 24.63 12.24 17.40	to the Stand to all combina s, the nonrecu	-Alone Unbune	dled Port section	on of this Rate	Exhibit. Exhibit. Exhibit. Exhibit. Exhibit.	coin Port/Lc	op Combinati	ions. d sections.	Additional NR	Cs may
1. Co 2. Fee 3. Eni 4. Thi apply 5. Ma UNE: 2-Wir UNE I	SE Based Rates are applied where BellSouth is required by FCC attrees shall apply to the Unbundled Port/Loop Combination - C d Office and Tandem Switching Usage and Common Transport of first and additional Port nonrecurring charges apply to Not Cralso and are categorized accordingly. 1 arket Rates for Unbundled Centrex Port/Loop Combination will P CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only e VG Loop/2-Wire Voice Grade Port (Centrex) Combo Port/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Loop (SL 1) - Zone 1 2-Wire VG Loop/2-Wire Voice Grade Loop (SL 1) - Zone 3 2-Wire Voice Grade Loop (SL 1) - Zone 3	and/or cost Bas Usage urrently be neg	otiated 1 2 3 1 1 2 3 1 1 2 3 1 1 2 3 1 1 1 2 1 1 1 1 1 1 1 1 1	e section in the sai the Port section o ined Combos. For on an Individual C UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91	ue manner as f this rate exit Currently Co ase Basis, un UECS1 UECS1 UECS2	they are applie ibit shall apply mbined Combo til further notice 10.94 15.05 25.80 13.41 18.57 32.04 9.77 13.88 24.63 12.24	to the Stand to all combina s, the nonrecu	-Alone Unbune	dled Port section of the those	on of this Rate ements excep identified in t	Exhibit. Exhibit. Exhibit. Exhibit.	coin Port/Lc	op Combinat	ions. d sections. /	Additional NR	Cs may
1. Co 2. Fee 3. End 4. The apply 5. Ma UNE- 2-Wir UNE I	CENTREX PORT/LOOP COMBINATIONS - COST BASED RATES st Based Rates are applied where BellSouth is required by FCC dures shall apply to the Unbundled Port/Loop Combination - C d Office and Tandem Switching Usage and Common Transport e first and additional Port nonrecurring charges apply to Not Ci also and are categorized accordingly. arket Rates for Unbundled Centrex Port/Loop Combination will P CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only e VG Loop/2-Wire Voice Grade Port (Centrex) Combo Port/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design Port/Loop Combination Rates (Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design Port/Loop Combination Rates (Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Loop (SL 1) - Zone 1 2-Wire Voice Grade Loop (SL 2) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 3	and/or cost Bas Usage urrently be neg	sed Raterates in Comb	e section in the sai the Port section o ined Combos. For on an Individual C UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91	ue manner as f this rate exit Currently Co ase Basis, un UECS1 UECS1 UECS1 UECS2 UECS2	10.94 15.05 25.80 13.41 18.57 32.04 9.77 13.88 24.63 12.24 17.40	to the Stand to all combina s, the nonrecu	-Alone Unbune	dled Port section of the section of	on of this Rate ements excep identified in t	Exhibit.	coin Port/Lc	op Combinationally Combine	ions. d sections.	Additional NR	Cs may
1. Co 2. Fee 3. En 4. The apply 5. Ma UNE- 2-Wir UNE I	CENTREX PORT/LOOP COMBINATIONS - COST BASED RATES st Based Rates are applied where BellSouth is required by FCC dures shall apply to the Unbundled Port/Loop Combination - C d Office and Tandem Switching Usage and Common Transport e first and additional Port nonrecurring charges apply to Not Ci also and are categorized accordingly. arket Rates for Unbundled Centrex Port/Loop Combination will P CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only e VG Loop/2-Wire Voice Grade Port (Centrex) Combo Port/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design Port/Loop Combination Rates (Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design Port/Loop Combination Rates (Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Loop (SL 1) - Zone 1 2-Wire Voice Grade Loop (SL 2) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 3	and/or cost Bas Usage urrently be neg	sed Raterates in Comb	e section in the sai the Port section o ined Combos. For on an Individual C UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91	ue manner as f this rate exit Currently Co ase Basis, un UECS1 UECS1 UECS1 UECS1 UECS2 UECS2 UECS2	they are applie ibit shall apply mbined Combo til further notice 10.94 15.05 25.80 13.41 18.57 32.04 9.77 13.88 24.63 12.24 17.40 30.87	d to the Stand to all combins s, the nonrect e.	-Alone Unbundations of loop/ urring charges	port network el	ements exception to	Exhibit. Exhibit. Exhibit. Exhibit. Exhibit.	coin Port/Le	op Combinatiently Combine	ions. d sections.	Additional NR	Cs may
1. Co 2. Fee 3. En 4. The apply 5. Ma UNE- 2-Wir UNE I	EENTREX PORT/LOOP COMBINATIONS - COST BASED RATES st Based Rates are applied where BellSouth is required by FCC dures shall apply to the Unbundled Port/Loop Combination - C d Office and Tandem Switching Usage and Common Transport e first and additional Port nonrecurring charges apply to Not Ci also and are categorized accordingly. arket Rates for Unbundled Centrex Port/Loop Combination will P CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only e VG Loop/2-Wire Voice Grade Port (Centrex) Combo Port/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire Voice Grade Loop (SL 1) - Zone 1 2-Wire Voice Grade Loop (SL 1) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 1 2-Wire Voice Grade Loop (SL 2) - Zone 1 2-Wire Voice Grade Loop (SL 2) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 3 Ports	and/or cost Bas Usage urrently be neg	sed Raterates in Comb	e section in the sai the Port section o ined Combos. For on an Individual C UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91	ue manner as f this rate exit Currently Co ase Basis, un UECS1 UECS1 UECS1 UECS2 UECS2	10.94 15.05 25.80 13.41 18.57 32.04 9.77 13.88 24.63 12.24 17.40	to the Stand to all combina s, the nonrecu	-Alone Unbune	dled Port section of the those shall be those shall	on of this Rate ements excep identified in t	Exhibit. Exhibit. Exhibit. Exhibit. Exhibit.	coin Port/Lc	op Combinationally Combine	ions. d sections. /	Additional NR	Cs may
1. Co 2. Fee 3. En 4. The apply 5. Ma UNE- 2-Wir UNE I	SE Based Rates are applied where BellSouth is required by FCC atures shall apply to the Unbundled Port/Loop Combination - C d Office and Tandem Switching Usage and Common Transport of first and additional Port nonrecurring charges apply to Not Crasso and are categorized accordingly. Arket Rates for Unbundled Centrex Port/Loop Combination will P CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only only the VG Loop/2-Wire Voice Grade Port (Centrex) Combo Port/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire Voice Grade Loop (SL 1) - Zone 1 2-Wire Voice Grade Loop (SL 1) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 3	and/or cost Bas Usage urrently be neg	sed Raterates in Comb	e section in the sai the Port section o ined Combos. For on an Individual C UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91	ue manner as f this rate exit Currently Co ase Basis, un UECS1 UECS1 UECS1 UECS1 UECS2 UECS2 UECS2	they are applie ibit shall apply mbined Combo til further notice 10.94 15.05 25.80 13.41 18.57 32.04 9.77 13.88 24.63 12.24 17.40 30.87	d to the Stand to all combins s, the nonrect e.	-Alone Unbundations of loop/ urring charges	port network el	ements exception to	Exhibit. Exhibit. Exhibit. Exhibit. Exhibit.	coin Port/Le	op Combinatiently Combine	ions. d sections.	Additional NR	Cs may
1. Co 2. Fee 3. En 4. The apply 5. Ma UNE- 2-Wir UNE I	SET BASED RATES SET BASED SET BASED SET BASED RATES SET BASED RATES SET BASED SET BASED SET BASED RATES SET BASED RATES SET BASED RATES SET BASED RATES SET BASED SET BASED RATES SET BASED RATE	and/or cost Bas Usage urrently be neg	sed Raterates in Comb	e section in the sair the Port section or ined Combos. For on an Individual C UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91	ue manner as f this rate ext Currently Co ase Basis, un UECS1 UECS1 UECS1 UECS2 UECS2 UECS2 UECS2	they are applie ibit shall apply mbined Combo til further notice 10.94 15.05 25.80 13.41 18.57 32.04 9.77 13.88 24.63 12.24 17.40 30.87 1.17	d to the Stand to all combine ss, the nonrect e.	Alone Unbunations of loop/ irring charges	port network el shall be those	ements exception to the state of the state o	Exhibit. Exhibit. Exhibit. Exhibit. Exhibit.	coin Port/Lc	op Combinationally Combine	ions. d sections. /	Additional NR	Cs may

UNBUNDLE	D NETWORK ELEMENTS - Florida													ment: 2		bit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			1	Submitted	Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'
						Rec	Nonrec		Nonrecurring					Rates (\$)		
						1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)															
	Note 2, 3 Basic Local Area			UEP91	UEPYM	1.17	139.49	86.10	65.41	13.81						
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term - Basic Local Area			UEP91	UEPYZ	1.17	139.49	86.10	65.41	13.81						
	Wire Voice Grade Port terminated in on Megalink or equivalent Basic Local Area			UEP91	UEPY9	1.17	53.31	26.46	27.50	8.37						
	2-Wire Voice Grade Port Terminated on 800 Service Term - Basic Local Area			UEP91	UEPY2	1.17	53.31	26.46	27.50	8.37						
Georg	gia and Florida Only															
	2-Wire Voice Grade Port (Centrex)	ļ	<u> </u>	UEP91	UEPHA	1.17	53.31	26.46	27.50	8.37				 	ļ	
	2-Wire Voice Grade Port (Centrex 800 termination)	 	<u> </u>	UEP91	UEPHB	1.17	53.31	26.46	27.50	8.37		 		 	 	\vdash
	2-Wire Voice Grade Port (Centrex with Caller ID)1	 	!	UEP91	UEPHH	1.17	53.31	26.46	27.50	8.37	1					
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)2,3			UEP91	UEPHM	1.17	139.49	86.10	65.41	13.81						
	2-Wire Voice Grade Port, Diff Serving Wire Center 2,3 - 800 Service Term			UEP91	UEPHZ	1.17	139.49	86.10	65.41	13.81						
	O.W. W. Co. In Production of the Manufacture of the Co.			LIEBOA	LIEDLIO	4.47	50.04	00.40	07.50	0.07						
	2-Wire Voice Grade Port terminated in on Megalink or equivalent 2-Wire Voice Grade Port Terminated on 800 Service Term			UEP91 UEP91	UEPH9 UEPH2	1.17 1.17	53.31 53.31	26.46 26.46	27.50 27.50	8.37 8.37						
Local	Switching			UEP91	UEPH2	1.17	53.31	26.46	27.50	8.37	-					
Local	Centrex Intercom Funtionality, per port		1	UEP91	URECS	0.7384			1		1					
Local	Number Portability			OLF91	UKLUS	0.7364										
Looui	Local Number Portability (1 per port)			UEP91	LNPCC	0.35					1					
Featu																
	All Standard Features Offered, per port			UEP91	UEPVF	2.26										
	All Select Features Offered, per port			UEP91	UEPVS	0.00	370.70									
	All Centrex Control Features Offered, per port			UEP91	UEPVC	2.26										
NARS																
	Unbundled Network Access Register - Combination			UEP91	UARCX	0.00	0.00	0.00	0.00	0.00						
	Unbundled Network Access Register - Indial			UEP91	UAR1X	0.00	0.00	0.00	0.00	0.00						
Missa	Unbundled Network Access Register - Outdial			UEP91	UAROX	0.00	0.00	0.00	0.00	0.00						-
	e Trunk Side		-		 				-		1					
2-99116	Trunk Side Terminations, each		1	UEP91	CENA6	8.73			1		1					
Intero	ffice Channel Mileage - 2-Wire		1	OLI SI	OLIVIO .	0.70					1					
	Interoffice Channel Facilities Termination - Voice Grade			UEP91	M1GBC	25.32			t							
İ	Interoffice Channel mileage, per mile or fraction of mile		i –	UEP91	M1GBM	0.0091										
Featu	re Activations (DS0) Centrex Loops on Channelized DS1 Service	e														
D4 Ch	annel Bank Feature Activations												_			
	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP91	1PQWS	0.66										
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP91	1PQW6	0.66										
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot			UEP91	1PQW7	0.66										
	Feature Activation on D-4 Channel Bank Centrex Loop Slot -			LIED04	1PQWP	0.66										
	Different Wire Center			UEP91												
	Feature Activation on D-4 Channel Bank Private Line Loop Slot Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop			UEP91	1PQWV	0.66										
	Slot	ļ	<u> </u>	UEP91	1PQWQ	0.66										
	Feature Activation on D-4 Channel Bank WATS Loop Slot	ļ	├	UEP91	1PQWA	0.66			.							
Non-R	Recurring Charges (NRC) Associated with UNE-P Centrex Conversion - Currently Combined Switch-As-Is with allowed	 	!		 				-		1					
	changes, per port			UEP91	USAC2		21.50	8.42								
	Conversion of Existing Centrex Common Block	ļ	<u> </u>	UEP91	USACN		5.17	8.32	<u> </u>					 	ļ	
	New Centrex Standard Common Block	.	1	UEP91	M1ACS	0.00	618.82		 	 		ļ		ļ	ļ	
- t																
	New Centrex Customized Common Block Secondary Block, per Block		<u> </u>	UEP91 UEP91	M1ACC M2CC1	0.00	618.82 71.31									

UNBUNDLE	D NETWORK ELEMENTS - Florida												Attach	ment: 2	Exhi	ibit: A
											Svc Order	Svc Order	Incremental	Incremental		
												Submitted		Charge -	Charge -	Charge -
		Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svo
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR		Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
<u> </u>							N.		I	B'				D-1 (A)		
\vdash					_	Rec	Nonrec		Nonrecurring		201150	001111		Rates (\$)	001111	001111
LINE	CENTREY FECC (Volid in All Ctoton)		<u> </u>		+		First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	CENTREX - 5ESS (Valid in All States) VG Loop/2-Wire Voice Grade Port (Centrex) Combo				+						1					-
	ort/Loop Combination Rates (Non-Design)				+	-										
ONE !	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -				+	-										
	Non-Design		1	UEP95		10.94										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
	Non-Design		2	UEP95		15.05										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
	Non-Design		3	UEP95		25.80										
UNE P	ort/Loop Combination Rates (Design)															
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -		l .									1				
\vdash	Design Color (Color Colo		1	UEP95		13.41										ļ
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		_	LIEDOS		10.5-										
$\vdash \vdash \vdash$	Design		2	UEP95	+	18.57						ļ	ļ		 	
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		3	LIEDOE		20.04						1				
LIME	Design oop Rate		3	UEP95	+	32.04						-		-		-
UNE L	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP95	UECS1	9.77					-					
	2-Wire Voice Grade Loop (SL 1) - Zone 2			UEP95	UECS1	13.88					1					1
 	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP95	UECS1	24.63										-
	2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP95	UECS2	12.24										
	2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP95	UECS2	17.40			i i							
	2-Wire Voice Grade Loop (SL 2) - Zone 3			UEP95	UECS2	30.87										
UNE P	ort Rate															
All Sta	ites														ĺ	
	2-Wire Voice Grade Port (Centrex) Basic Local Area			UEP95	UEPYA	1.17	53.31	26.46	27.50	8.37						
	2-Wire Voice Grade Port (Centrex 800 termination)			UEP95	UEPYB	1.17	53.31	26.46	27.50	8.37						
	2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local															
	Area			UEP95	UEPYH	1.17	53.31	26.46	27.50	8.37						
	2-Wire Voice Grade Port (Centrex from diff Serving Wire								0= 44							
	Center)2,3 Basic Local Area			UEP95	UEPYM	1.17	139.49	86.10	65.41	13.81						
	2-Wire Voice Grade Port, Diff Serving Wire Center 2,3 - 800 Service Term - Basic Local Area			UEP95	UEPYZ	1.17	139.49	86.10	65.41	13.81						
+-	2-Wire Voice Grade Port terminated in on Megalink or equivalent		1	UEP93	UEPTZ	1.17	139.49	00.10	05.41	13.01	-					
	- Basic Local Area			UEP95	UEPY9	1.17	53.31	26.46	27.50	8.37						
	2-Wire Voice Grade Port Terminated on 800 Service Term -			OLI 95	OLI 13	1.17	33.31	20.40	21.50	0.57						
	Basic Local Area			UEP95	UEPY2	1.17	53.31	26.46	27.50	8.37						
AL, K	Y, LA, MS, SC, & TN Only															
	GA Only															
	2-Wire Voice Grade Port (Centrex)			UEP95	UEPHA	1.17	53.31	26.46	27.50	8.37						
	2-Wire Voice Grade Port (Centrex 800 termination)			UEP95	UEPHB	1.17	53.31	26.46	27.50	8.37						
	2-Wire Voice Grade Port (Centrex with Caller ID)1			UEP95	UEPHH	1.17	53.31	26.46	27.50	8.37						
	2-Wire Voice Grade Port (Centrex from diff Serving Wire				I ¬	Ι Τ			Ι Τ						1	
\square	Center)2,3			UEP95	UEPHM	1.17	139.49	86.10	65.41	13.81					ļ	ļ
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service											1				
$\vdash \vdash \vdash$	Term 2,3		-	UEP95	UEPHZ	1.17	139.49	86.10	65.41	13.81		 	 		.	
	2 Wire Voice Crade Bort terminated in an Magaliatras accomplant			UEP95	UEPH9	1.17	E2 24	26.40	27.50	0.07		1				
\vdash	2-Wire Voice Grade Port terminated in on Megalink or equivalent 2-Wire Voice Grade Port Terminated on 800 Service Term		-	UEP95 UEP95	UEPH9 UEPH2	1.17	53.31 53.31	26.46 26.46	27.50 27.50	8.37 8.37		-		-		
Local	Switching		!	OL1 30	JLI IIZ	1.17	اد.دا	20.40	21.50	0.37	H		 		 	
Local	Centrex Intercom Funtionality, per port		†	UEP95	URECS	0.7384					 	 				†
Local	Number Portability		†			5 554									İ	
	Local Number Portability (1 per port)			UEP95	LNPCC	0.35										
Featur									†				l		İ	
	All Standard Features Offered, per port			UEP95	UEPVF	2.26										
	All Select Features Offered, per port			UEP95	UEPVS	0.00	370.70	•		·						
	All Centrex Control Features Offered, per port			UEP95	UEPVC	2.26										
NARS					1										ļ	
	Unbundled Network Access Register - Combination		<u> </u>	UEP95	UARCX	0.00	0.00	0.00	0.00	0.00	L					l

JNBUNDL	ED NETWORK ELEMENTS - Florida													ment: 2		ibit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			II .	Svc Order Submitted Manually per LSR		Incremental Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic-	Charge -
													1st	Add'l	Disc 1st	Disc Add'
						Rec	Nonrec	urring	Nonrecurring			1		Rates (\$)	•	
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Unbundled Network Access Register - Indial			UEP95	UAR1X	0.00	0.00	0.00	0.00	0.00						1
	Unbundled Network Access Register - Outdial			UEP95	UAROX	0.00	0.00	0.00	0.00	0.00						
	cellaneous Terminations															
2-Wi	ire Trunk Side	1		LIEDOE	OFNIDO	8.73					ļ					
4-10/6	Trunk Side Terminations, each ire Digital (1.544 Megabits)	1		UEP95	CEND6	8.73					 		-			
4-441	DS1 Circuit Terminations, each	+		UEP95	M1HD1	54.95					<u> </u>				1	+
	DS0 Channels Activated, each	1	1	UEP95	M1HDO	0.00	15.69				1					+
Inter	roffice Channel Mileage - 2-Wire	1	1	OLI SO	MITIBO	0.00	10.00				1					+
	Interoffice Channel Facilities Termination			UEP95	M1GBC	25.32					1					
	Interoffice Channel mileage, per mile or fraction of mile	1	i –	UEP95	M1GBM	0.0091							1	İ		
Feat	ure Activations (DS0) Centrex Loops on Channelized DS1 Servi	ce	i –								İ				1	
	Channel Bank Feature Activations															
	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP95	1PQWS	0.66										
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP95	1PQW6	0.66										
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot			UEP95	1PQW7	0.66										
	Feature Activation on D-4 Channel Bank Centrex Loop Slot - Different Wire Center			UEP95	1PQWP	0.66										
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP95	1PQWV	0.66										
	Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop Slot			UEP95	1PQWQ	0.66										
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP95	1PQWA	0.66										
Non-	-Recurring Charges (NRC) Associated with UNE-P Centrex	1	ļ						-							+
	NRC Conversion Currently Combined Switch-As-Is with allowed changes, per port			UEP95	USAC2	0.00	21.50	8.42								
-	Conversion of Existing Centrex Common Block, each	+	1	UEP95	USACN	0.00	5.17	8.32			1		1			+
-	New Centrex Standard Common Block	1	1	UEP95	M1ACS	0.00	618.82	0.02			1					+
	New Centrex Customized Common Block	1		UEP95	M1ACC	0.00	618.82				İ					
	NAR Establishment Charge, Per Occasion	1		UEP95	URECA	0.00	66.48				İ					
Addi	itional Non-Recurring Charges (NRC)															1
	Unbundled Miscellaneous Rate Element, Tag Loop at End Use Premise			UEP95	URETL		8.33	0.83								
	Unbundled Miscellaneous Rate Element, Tag Design Loop at End Use Premise			UEP95	URETN		11.21	1.10								
	-P CENTREX - DMS100 (Valid in All States)															
	ire VG Loop/2-Wire Voice Grade Port (Centrex) Combo															
UNE	Port/Loop Combination Rates (Non-Design)	1	<u> </u>										ļ			1
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Non-Design		1	UEP9D		10.94										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Non-Design		2	UEP9D		15.05										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Non-Design		3	UEP9D		25.80										
UNE	Port/Loop Combination Rates (Design)	 	├		1								 		-	
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Design	1	1	UEP9D		13.41										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design		2	UEP9D		18.57										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design	_	3	UEP9D		32.04										
UNE	Loop Rate	1	—	LIEDOD	115004								-	 	ļ	
	2-Wire Voice Grade Loop (SL 1) - Zone 1	+		UEP9D	UECS1 UECS1	9.77 13.88			 		ļ		 		-	+
	2-Wire Voice Grade Loop (SL 1) - Zone 2 2-Wire Voice Grade Loop (SL 1) - Zone 3	+	3	UEP9D UEP9D	UECS1	13.88 24.63					-		 			+
	2-Wire Voice Grade Loop (SL 1) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 1	 	1	UEP9D UEP9D	UECS1	12.24					}	 	+	 	 	+
				10-1 30												

UNBUNDLE	D NETWORK ELEMENTS - Florida												Attach	ment: 2	Exhil	bit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrec		Nonrecurring					Rates (\$)		
	2-Wire Voice Grade Loop (SL 2) - Zone 3	ļ	2	UEP9D	LIECCO	30.87	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
UNF F	Port Rate		3	UEP9D	UECS2	30.87										
	TATES															i
	2-Wire Voice Grade Port (Centrex) Basic Local Area			UEP9D	UEPYA	1.17										
	2-Wire Voice Grade Port (Centrex 800 termination)Basic Local Area			UEP9D	UEPYB	1.17	53.31	26.46	27.50	8.37						
	2-Wire Voice Grade Port (Centrex / EBS-PSET)3Basic Local Area			UEP9D	UEPYC	1.17	53.31	26.46	27.50	8.37						
	2-Wire Voice Grade Port (Centrex / EBS-M5009)3Basic Local Area			UEP9D	UEPYD	1.17	53.31	26.46	27.50	8.37						
	2-Wire Voice Grade Port (Centrex / EBS-M5209))3 Basic Local Area			UEP9D	UEPYE	1.17	53.31	26.46	27.50	8.37						
	2-Wire Voice Grade Port (Centrex / EBS-M5112))3 Basic Local Area			UEP9D	UEPYF	1.17	53.31	26.46	27.50	8.37						
	2-Wire Voice Grade Port (Centrex / EBS-M5312))3Basic Local Area			UEP9D	UEPYG	1.17	53.31	26.46	27.50	8.37						
	2-Wire Voice Grade Port (Centrex / EBS-M5008))3 Basic Local Area			UEP9D	UEPYT	1.17	53.31	26.46	27.50	8.37						
	2-Wire Voice Grade Port (Centrex / EBS-M5208))3 Basic Local Area			UEP9D	UEPYU	1.17	53.31	26.46	27.50	8.37						
	2-Wire Voice Grade Port (Centrex / EBS-M5216))3 Basic Local Area			UEP9D	UEPYV	1.17	53.31	26.46	27.50	8.37						
	2-Wire Voice Grade Port (Centrex / EBS-M5316))3 Basic Local Area			UEP9D	UEPY3	1.17	53.31	26.46	27.50	8.37						
	2-Wire Voice Grade Port (Centrex with Caller ID) Basic Local Area			UEP9D	UEPYH	1.17	53.31	26.46	27.50	8.37						
	2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp Indication))4 Basic Local Area			UEP9D	UEPYW	1.17	53.31	26.46	27.50	8.37						
	2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication))4 Basic Local Area			UEP9D	UEPYJ	1.17	53.31	26.46	27.50	8.37						
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center) 2,3-Basic Local Area			UEP9D	UEPYM	1.17	53.31	26.46	27.50	8.37						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2,3,4 Basic Local Area			UEP9D	UEPYO	1.17	53.31	26.46	27.50	8.37						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2,3,4 Basic Local Area			UEP9D	UEPYP	1.17	53.31	26.46	27.50	8.37						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2,3,4 Basic Local Area			UEP9D	UEPYQ	1.17	139.49	86.10	65.41	13.81						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2,3,4 Basic Local Area			UEP9D	UEPYR	1.17	139.49	86.10	65.41	13.81						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2,3,4 Basic Local Area			UEP9D	UEPYS	1.17	139.49	86.10	65.41	13.81						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2,3,4 Basic Local Area			UEP9D	UEPY4	1.17	139.49	86.10	65.41	13.81						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3 Basic Local Area			UEP9D	UEPY5	1.17	139.49	86.10	65.41	13.81						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2,3,4 Basic Local Area			UEP9D	UEPY6	1.17	139.49	86.10	65.41	13.81						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2,3,4 Basic Local Area			UEP9D	UEPY7	1.17	139.49	86.10	65.41	13.81						
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term 2,3			UEP9D	UEPYZ	1.17	139.49	86.10	65.41	13.81						
	2-Wire Voice Grade Port terminated in on Megalink or equivalent Basic Local Area			UEP9D	UEPY9	1.17	53.31	26.46	27.50	8.37						
	2-Wire Voice Grade Port Terminated on 800 Service Term Basic															
FL & 0	Local Area GA Only		 	UEP9D	UEPY2	1.17	53.31	26.46	27.50	8.37	 	 				
	2-Wire Voice Grade Port (Centrex)			UEP9D	UEPHA	1.17	53.31	26.46	27.50	8.37						
	2-Wire Voice Grade Port (Centrex 800 termination)			UEP9D	UEPHB	1.17	53.31	26.46	27.50	8.37						

IBUNDLE	D NETWORK ELEMENTS - Florida													ment: 2		bit: A
TEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			II .	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic-	Charge -
													1st	Add'I	Disc 1st	Disc Add
						Rec	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates (\$)	l .	
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Grade Port (Centrex / EBS-PSET)4			UEP9D	UEPHC	1.17	53.31	26.46	27.50	8.37						
	2-Wire Voice Grade Port (Centrex / EBS-M5009)4			UEP9D	UEPHD	1.17	53.31	26.46	27.50	8.37						
	2-Wire Voice Grade Port (Centrex / EBS-M5209)4			UEP9D	UEPHE	1.17	53.31	26.46	27.50	8.37						
	2-Wire Voice Grade Port (Centrex / EBS-M5112)4			UEP9D	UEPHF	1.17	53.31	26.46	27.50	8.37						
	2-Wire Voice Grade Port (Centrex / EBS-M5312)4			UEP9D	UEPHG	1.17	53.31	26.46	27.50	8.37						
	2-Wire Voice Grade Port (Centrex / EBS-M5008)4			UEP9D	UEPHT	1.17	53.31	26.46	27.50	8.37						
	2-Wire Voice Grade Port (Centrex / EBS-M5208)4			UEP9D	UEPHU	1.17	53.31	26.46	27.50	8.37						
	2-Wire Voice Grade Port (Centrex / EBS-M5216)4			UEP9D	UEPHV	1.17	53.31	26.46	27.50	8.37						
	2-Wire Voice Grade Port (Centrex / EBS-M5316)4			UEP9D	UEPH3	1.17	53.31	26.46	27.50	8.37						
	2-Wire Voice Grade Port (Centrex with Caller ID)			UEP9D	UEPHH	1.17	53.31	26.46	27.50	8.37						
	2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp					J										
	Indication)4		<u> </u>	UEP9D	UEPHW	1.17	53.31	26.46	27.50	8.37			ļ	ļ	ļ	
	2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication)4			UEP9D	UEPHJ	1.17	53.31	26.46	27.50	8.37						
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)															
	2,3			UEP9D	UEPHM	1.17	139.49	86.10	65.41	13.81						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2,3,4			UEP9D	UEPHO	1.17	139.49	86.10	65.41	13.81						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2,3,4			UEP9D	UEPHP	1.17	139.49	86.10	65.41	13.81						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2,3,4			UEP9D	UEPHQ	1.17	139.49	86.10	65.41	13.81						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2,3,4			UEP9D	UEPHR	1.17	139.49	86.10	65.41	13.81						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2, 3,4			UEP9D	UEPHS	1.17	139.49	86.10	65.41	13.81						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2,3,4			UEP9D	UEPH4	1.17	139.49	86.10	65.41	13.81						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2,3,4			UEP9D	UEPH5	1.17	139.49	86.10	65.41	13.81						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2,3,4			UEP9D	UEPH6	1.17	139.49	86.10	65.41	13.81						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2,3,4			UEP9D	UEPH7	1.17	139.49	86.10	65.41	13.81						
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service			OLF 9D	OLFIII	1.17	135.45	00.10	05.41	13.01						
-	Term 2,3		-	UEP9D	UEPHZ	1.17	139.49	86.10	65.41	13.81	1					
	2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP9D	UEPH9	1.17	53.31	26.46	27.50	8.37						
	2-Wire Voice Grade Port Terminated in 61 Weganink of equivalent			UEP9D	UEPH2	1.17	53.31	26.46	27.50	8.37						
Local	Switching			02.00	022		00.01	20.10	27.00	0.01						
	Centrex Intercom Funtionality, per port			UEP9D	URECS	0.7384					İ					
Local	Number Portability										i e					
	Local Number Portability (1 per port)			UEP9D	LNPCC	0.35										
Featur																
	All Standard Features Offered, per port			UEP9D	UEPVF	2.26										
	All Select Features Offered, per port			UEP9D	UEPVS	0.00	370.70		†		İ			1		
	All Centrex Control Features Offered, per port			UEP9D	UEPVC	2.26										
NARS																
	Unbundled Network Access Register - Combination			UEP9D	UARCX	0.00	0.00	0.00	0.00	0.00						
	Unbundled Network Access Register - Inward			UEP9D	UAR1X	0.00	0.00	0.00	0.00	0.00						
	Unbundled Network Access Register - Outdial			UEP9D	UAROX	0.00	0.00	0.00	0.00	0.00						
	laneous Terminations				\bot											
2-Wire	Trunk Side		 		1				ļ		ļ			ļ		
	Trunk Side Terminations, each			UEP9D	CEND6	8.73			ļ					ļ		
4-Wire	Digital (1.544 Megabits)		<u> </u>	LIEDAD	1,,,,,,,,				ļ							
1	DS1 Circuit Terminations, each			UEP9D	M1HD1	54.95					ļ					
	DS0 Channels Activiated per Channel		1	UEP9D	M1HDO	0.00	15.69		1		1	l	l	1	I	l
10.00			-		+				1		1					
Interof	Interoffice Channel Mileage - 2-Wire Interoffice Channel Facilities Termination			UEP9D	M1GBC	25.32										

UNBUNDLE	D NETWORK ELEMENTS - Florida													ment: 2		bit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)				Submitted Manually	Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'l
						Rec	Nonrec		Nonrecurring					Rates (\$)		
 -							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	e Activations (DS0) Centrex Loops on Channelized DS1 Service	e	1								1	-				
D4 Cha	Annel Bank Feature Activations Feature Activation on D-4 Channel Bank Centrex Loop Slot		 	UEP9D	1PQWS	0.66					.					
	realure Activation on D-4 Channel Bank Centrex Loop Stot		+	UEP9D	IFQWS	0.66					-					
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot Feature Activation on D-4 Channel Bank FX Trunk Side Loop			UEP9D	1PQW6	0.66					1					ļ
	Slot			UEP9D	1PQW7	0.66										ĺ
	Feature Activation on D-4 Channel Bank Centrex Loop Slot -			OLI OD	11 9,007	0.00					i e					
	Different Wire Center			UEP9D	1PQWP	0.66										
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP9D	1PQWV	0.66										
	Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop										Ì					
	Slot	L		UEP9D	1PQWQ	0.66					<u></u>				<u> </u>	<u></u>
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP9D	1PQWA	0.66										
Non-R	ecurring Charges (NRC) Associated with UNE-P Centrex															
	NRC Conversion Currently Combined Switch-As-Is with allowed				I											1
	changes, per port		ļ	UEP9D	USAC2		21.50	8.42								
	Conversion of existing Centrex Common Block, each			UEP9D	USACN	0.00	5.17	8.32			ļ					
	New Centrex Standard Common Block			UEP9D	M1ACS	0.00	618.82				ļ					——
	New Centrex Customized Common Block		 	UEP9D UEP9D	M1ACC URECA	0.00	618.82 66.48				.					
A dditi	NAR Establishment Charge, Per Occasion onal Non-Recurring Charges (NRC)		+	UEP9D	URECA	0.00	00.48				-					
Addition	Unbundled Miscellaneous Rate Element, Tag Loop at End Use		 		+						<u> </u>	 			1	
	Premise Unbundled Miscellaneous Rate Element, Tag Design Loop at			UEP9D	URETL		8.33	0.83								
	End Use Premise			UEP9D	URETN		11.21	1.10								
UNE-P	CENTREX - EWSD (Valid in AL, FL, KY, LA, MS & TN)										İ					
	VG Loop/2-Wire Voice Grade Port (Centrex) Combo															
UNE P	ort/Loop Combination Rates (Non-Design)															
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -															
	Non-Design		1	UEP9E		10.94										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design		2	UEP9E		15.05										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design		3	UEP9E		25.80										
UNE P	ort/Loop Combination Rates (Design)															
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Design		1	UEP9E		13.41										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
	Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		2	UEP9E		18.57										
	Design		3	UEP9E		32.04										ĺ
UNE L	oop Rate															
	2-Wire Voice Grade Loop (SL 1) - Zone 1			UEP9E	UECS1	9.77										
	2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEP9E	UECS1	13.88										
	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP9E	UECS1	24.63										
	2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP9E	UECS2	12.24									ļ	
	2-Wire Voice Grade Loop (SL 2) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP9E UEP9E	UECS2 UECS2	17.40 30.87										
LINE B	ort Rate	-	3	OLIPSE	UEUSZ	30.87					 			-		
	ort Rate , KY, LA, MS, & TN only		1		+						1				 	
AL, FL	2-Wire Voice Grade Port (Centrex) Basic Local Area		 	UEP9E	UEPYA	1.17	53.31	26.46	27.50	8.37	†					<u> </u>
	2-Wire Voice Grade Port (Centrex 800 termination)Basic Local Area			UEP9E	UEPYB	1.17	53.31	26.46	27.50	8.37						
	2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local															
	Area 2-Wire Voice Grade Port (Centrex from diff Serving Wire			UEP9E	UEPYH	1.17	53.31	26.46	27.50	8.37						
	Center)2,3 Basic Local Area			UEP9E	UEPYM	1.17	139.49	86.10	65.41	13.81						<u> </u>

UNBUNDLE	D NETWORK ELEMENTS - Florida													ment: 2		bit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			1	Submitted	Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'
						Rec	Nonrec		Nonrecurring					Rates (\$)		
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Grade Port, Diff Serving Wire Center 2,3 - 800															
	Service Term - Basic Local Area			UEP9E	UEPYZ	1.17	139.49	86.10	65.41	13.81						
	2-Wire Voice Grade Port terminated in on Megalink or equivalent - Basic Local Area			UEP9E	UEPY9	1.17	53.31	26.46	27.50	8.37						
	2-Wire Voice Grade Port Terminated on 800 Service Term -															
	Basic Local Area			UEP9E	UEPY2	1.17	53.31	26.46	27.50	8.37						
Florid	a Only															
	2-Wire Voice Grade Port (Centrex)			UEP9E	UEPHA	1.17	53.31	26.46	27.50	8.37						
	2-Wire Voice Grade Port (Centrex 800 termination)			UEP9E	UEPHB	1.17	53.31	26.46	27.50	8.37						
	2-Wire Voice Grade Port (Centrex with Caller ID)1			UEP9E	UEPHH	1.17	53.31	26.46	27.50	8.37						
	2-Wire Voice Grade Port (Centrex from diff Serving Wire															
	Center)2,3 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service			UEP9E	UEPHM	1.17	139.49	86.10	65.41	13.81						
	Term 2,3			UEP9E	UEPHZ	1.17	139.49	86.10	65.41	13.81						
	L															
	2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP9E	UEPH9	1.17	53.31	26.46	27.50	8.37						
	2-Wire Voice Grade Port Terminated on 800 Service Term			UEP9E	UEPH2	1.17	53.31	26.46	27.50	8.37						
Local	Switching															
	Centrex Intercom Funtionality, per port			UEP9E	URECS	0.7384										
Local	Number Portability															
	Local Number Portability (1 per port)			UEP9E	LNPCC	0.35										
Featur	res														Î	
	All Standard Features Offered, per port			UEP9E	UEPVF	2.26										
	All Select Features Offered, per port			UEP9E	UEPVS	0.00	370.70									
	All Centrex Control Features Offered, per port			UEP9E	UEPVC	2.26										
NARS			1		1000											
10 1110	Unbundled Network Access Register - Combination			UEP9E	UARCX	0.00	0.00	0.00	0.00	0.00						
	Unbundled Network Access Register - Indial		1	UEP9E	UAR1X	0.00	0.00	0.00	0.00	0.00						
	Unbundled Network Access Register - Outdial	†	† 	UEP9E	UAROX	0.00	0.00	0.00	0.00	0.00						
Misco	Illaneous Terminations		1	OLI OL	O/ II CO/C	0.00	0.00	0.00	0.00	0.00						
	e Trunk Side	 	+		+						1					
2-11110	Trunk Side Terminations, each	 	+	UEP9E	CEND6	8.73					1					
4 Wire	e Digital (1.544 Megabits)	1	+	OLFBL	CLINDO	0.73			-		+	-				
4-1116	DS1 Circuit Terminations, each	-	 	UEP9E	M1HD1	54.95										
-			-	UEP9E	M1HD0	0.00	15.69		-		1					
	DS0 Channel Activated Per Channel		-	UEP9E	MIHDO	0.00	15.69		-		1					
intero	ffice Channel Mileage - 2-Wire Interoffice Channel Facilities Termination	 	1	LIEDOE	M1GBC	25.32			 	-	 	 	-	-	 	
		-	1	UEP9E					 		 					-
Factor	Interoffice Channel mileage, per mile or fraction of mile		-	UEP9E	M1GBM	0.0091			.	-	!	.	-	-	-	.
	re Activations (DS0) Centrex Loops on Channelized DS1 Service	e	+		+ +				 	-	 	-	-	-	 	
D4 Ch	annel Bank Feature Activations	-	1	LIEDOE	4DOW'S	0.00			 		 	 			 	
	Feature Activation on D-4 Channel Bank Centrex Loop Slot	-	1	UEP9E	1PQWS	0.66			-		.	-				-
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP9E	1PQW6	0.66										
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot			UEP9E	1PQW7	0.66										
	Feature Activation on D-4 Channel Bank Centrex Loop Slot - Different Wire Center			UEP9E	1PQWP	0.66										
			1													
	Feature Activation on D-4 Channel Bank Private Line Loop Slot Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop		 	UEP9E	1PQWV	0.66										
	Slot	Ш.	<u></u>	UEP9E	1PQWQ	0.66			<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>		<u> </u>
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP9E	1PQWA	0.66										
Non-R	Recurring Charges (NRC) Associated with UNE-P Centrex															
	NRC Conversion Currently Combined Switch-As-Is with allowed				T i											
	changes, per port	1	1	UEP9E	USAC2		21.50	8.42	I	1	1	I	1	1	l	l
	Conversion of Existing Centrex Common Block, each	1	1	UEP9E	USACN		5.17	8.32							ĺ	1
	New Centrex Standard Common Block			UEP9E	M1ACS	0.00	618.82		1		1	ĺ	1	1	ĺ	ĺ
	New Centrex Customized Common Block	T T	1	UEP9E	M1ACC	0.00	618.82		1		İ	İ			İ	İ
	New Centrex Customized Common Block															

UNBUNDLE	D NETWORK ELEMENTS - Florida												Attachi	nent: 2	Exhi	bit: A
											Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
											Submitted	Submitted		Charge -	Charge -	Charge -
		Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
						Rec	Nonrec	urring	Nonrecurring	Disconnect		•	oss	Rates (\$)	•	
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
Additi	onal Non-Recurring Charges (NRC)															
	Unbundled Miscellaneous Rate Element, Tag Loop at End Use															
	Premise			UEP9E	URETL		8.33	0.83								
	Unbundled Miscellaneous Rate Element, Tag Design Loop at															
	End Use Premise			UEP9E	URETN		11.21	1.10								
Note 1	- Required Port for Centrex Control in 1AESS, 5ESS & EWSD															
Note 2	2 - Requres Interoffice Channel Mileage															
Note 3	- Installation is combination of Installation charge for SL2 Loc	op and l	Port													
	- Requires Specific Customer Premises Equipment						_			•						
Note:	Rates displaying an "R" in Interim column are interim and sub	ject to r	ate tru	e-up as set forth in (General Term	ns and Condition	ons.									

HINDI	INDI E	D NETWORK ELEMENTS - Georgia												Attach	monti 2	Exhit	oid. A
ONBL	NULE	DINET WORK ELEMIENTS - Georgia		1		I	I					Svc Order	Svc Order	Attach Incremental	ment: 2 Incremental	L .	Incremental
1												Submitted	Submitted		Charge -	Charge -	Charge -
												Elec	Manually	Manual Svc	Manual Svc		Manual Svc
CATE	GORY	RATE ELEMENTS	Interi	Zone	BCS	usoc			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m						== (+)			per LSK	per LSK	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
														151	Add I	DISC ISL	DISC Add I
							Rec	Nonred	curring	Nonrecurring	g Disconnect			oss	Rates (\$)		
							Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		one" shown in the sections for stand-alone loops or loops as				ographically	Deaveraged U	NE Zones. To	view Geograp	hically Deavera	aged UNE Zon	e Designation	ons by Cent	ral Office, refe	er to internet	Nebsite:	
	http://v	www.interconnection.bellsouth.com/become_a_clec/html/inter	connec	tion.ht	m		1	1		1	1	1	1	1	1	,	
OPERA		SUPPORT SYSTEMS (OSS) - "REGIONAL RATES"		L		L				L	L			L	<u>. </u>	لــــبـــــا	0: =0
		(1) CLEC should contact its contract negotiator if it prefers th															
		ther the state specific Commission ordered rates for the servi	ce orde	ring ch	arges, or CLEC may	elect the re	gional service (ordering charg	e, however, Cl	LEC can not of	tain a mixture	of the two	regardless i	f CLEC has a	interconnecti	on contract es	stablished in
		the 9 states. (2) Any element that can be ordered electronically will be bill			a tha COMEC mata li	-4	atamam. Diag	a sefes to Delli	Sauthla Lasal	Ondering Hend	h a a la /I OII) 4 a	-1-4	.f =			III. Faathaa	
		nnot be ordered electronically at present per the LOH, the list			e in this category ref	lects the cha	arge that would	be billed to a	CLEC once el	ectronic oraeri	ng capabilities	come on-II	ne for that e	element. Otno	erwise, the ma	inuai ordering	g cnarge,
-	SOMAI	N, will be applied to a CLECs bill when it submits an LSR to B	eliSout	n.								1	1		1		
		OSS - Electronic Service Order Charge, Per Local Service Request (LSR) - UNE Only				SOMEC		3.50	0.00	3.50	0.00						
-	+	OSS - Manual Service Order Charge, Per Local Service Request		-		SUIVIEU		3.50	0.00	3.50	0.00			-	-	\vdash	
		(LSR) - UNE Only				SOMAN		11.73	0.00	6.13	0.00						
LINES	ERVICE	DATE ADVANCEMENT CHARGE		-		SOMAN		11.73	0.00	0.13	0.00					\vdash	
ONE		The Expedite charge will be maintained commensurate with I	BallSou	th's FC	C No 1 Tariff Section	n 5 ac annli	l cable								1		
	NOTE.	The Expedite charge will be maintained commensurate with	Jenoou	111310	o No.1 Tallii, George	п з аз аррп	Cable.										
					UAL, UEANL, UCL,												
					UEF, UDC, UDF,												
					UEQ, UDL, UENTW,												
					UDN, UEA, UHL,												
					ULC, USL, U1T12,												
					U1T48, U1TD1,												
					U1TD3, U1TDX,												
					U1TO3, U1TS1,												
					U1TVX, UC1BC.												
					UC1BL, UC1CC,												
					UC1CL, UC1DC,												
					UC1DL, UC1EC,												
					UC1EL, UC1FC,												
					UC1FL, UC1GC,												
					UC1GL, UC1HC, UC1HL, UDL12,												
					UDL48, UDLO3,												
					UDL48, UDLO3, UDLSX, UE3,												
					ULD12, ULD48,												
					ULDD1, ULDD3,												
					ULDDX, ULDO3,												
					ULDS1, ULDVX,												
					UNC1X, UNC3X,												
					UNCDX, UNCNX,												
					UNCSX, UNCVX,												
					UNLD1, UNLD3,												
					UXTD1, UXTD3,												
		LINE E E. Olivera Com Production Advisorable 11000			UXTS1, U1TUC,												
		UNE Expedite Charge per Circuit or Line Assignable USOC, per			U1TUD, U1TUB, U1TUA	SDASP		200.00									
IINDIII	NDI ED E	Day EXCHANGE ACCESS LOOP		1	UTTUA	SUASE		200.00				-	-			\vdash	
ONDU		ANALOG VOICE GRADE LOOP		1		 	 			 		-	-	 	1	\vdash	
-	Z-VVIKE	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1		1	UEANL	UEAL2	10.51	40.02	9.99	5.61	1.72	-	-	 	 	\vdash	
\vdash	+	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1		2	UEANL	UEAL2	15.85	40.02	9.99	5.61	1.72			l	 		
-	+	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2		3	UEANL	UEAL2	31.97	40.02	9.99	5.61	1.72						
 	1	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1			UEANL	UEASL	10.51	40.02	9.99	5.61	1.72			 			
 	 	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1		2	UEANL	UEASL	15.85	40.02	9.99	5.61	1.72	-	-				
-	+	2-Wire Analog Voice Grade Loop - Service Level 1-Zone 3			UEANL	UEASL	31.97	40.02	9.99	5.61	1.72						
—	 	Unbundled Miscellaneous Rate Element, Tag Loop at End User					01.57	-10.0Z	5.55	0.01	1.72	-	-				
1	1	Premise			UEANL	URETL		8.33	0.83							1	J
	1	Loop Testing - Basic 1st Half Hour			UEANL	URET1		25.12	25.12						İ		
	1	Loop Testing - Basic Additional Half Hour		1	UEANL	URETA		13.62	13.62			1	1		İ	$\overline{}$	
		, , , , , , , , , , , , , , , , , , , ,															

UNBUNDLE	D NETWORK ELEMENTS - Georgia													ment: 2		bit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			1	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'I
						Rec	Nonrec		Nonrecurring					Rates (\$)		
						1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	CLEC to CLEC Conversion Charge Without Outside Dispatch															
	(UVL-SL1)			UEANL	UREWO		15.75	8.92								
	Unbundled Voice Loop, Non-Design Voice Loop, billing for BST															
	providing make-up (Engineering Information - E.I.)			UEANL UEANL	UEANM UEAMC		7.30 18.92	7.30 18.92								
	Manual Order Coordiantion for UVL-SL1s (per loop) Order Coordination for Specified Conversion Time for UVL-SL1			UEANL	UEAIVIC		18.92	18.92			-			-		
	(per LSR)			UEANL	OCOSL		57.79									
2-WIRI	E UNBUNDLED COPPER LOOP - NON-DESIGNED			OLANE	OCCOL		51.15									
2 *****	2 Wire Unbundled Copper Loop Non-Designed- Zone 1		1	UEQ	UEQ2X	11.02	44.69	22.40	0.00	0.00	1					
	2 Wire Unbundled Copper Loop Non-Designed- Zone 2			UEQ	UEQ2X	12.72	44.69	22.40	0.00	0.00						
<u> </u>	2 Wire Unbundled Copper Loop Non-Designed-Zone 3			UEQ	UEQ2X	20.22	44.69	22.40		0.00		İ	İ	1	İ	
	Unbundled Miscellaneous Rate Element, Tag Loop at End User				1											
	Premise		L	UEQ	URETL		8.33	0.83	<u> </u>			<u> </u>	<u> </u>	<u> </u>		<u> </u>
	Manual Order Coordination 2 Wire Unbundled Copper Loop -															
	Non-Designed (per loop)		<u> </u>	UEQ	USBMC		18.92	18.92								
	Unbundled Copper Loop, Non-Design Copper Loop, billing for												I		l	
	BST providing make-up (Engineering Information - E.I.)			UEQ	UEQMU		7.30	7.30								
	Loop Testing - Basic 1st Half Hour			UEQ	URET1		25.12	25.12								
	Loop Testing - Basic Additional Half Hour			UEQ	URETA		13.62	13.62								
	CLEC to CLEC Conversion Charge Without Outside Dispatch															
	(UCL-ND)			UEQ	UREWO		14.25	7.42								
	EXCHANGE ACCESS LOOP															
	E ANALOG VOICE GRADE LOOP	44!	!!С	On match the laws		b - note - 1151	DI V\									
UNE L	oop Rates for Line Splitting (In Ga. PSC ordered the line spli 2-Wire Voice Grade Loop (SL1) for Line Splitting - Zone 1	tting io		UEPSR UEPSB	UEALS	9.56	10.05	7.36	1.37	1.28		-				
	2-Wire Voice Grade Loop (SL1) for Line Splitting - Zone 1 2-Wire Voice Grade Loop (SL1) for Line Splitting - Zone 1	-	1	UEPSR UEPSB	UEABS	9.56	10.05	7.36	1.37	1.28	1			-		
	2-Wire Voice Grade Loop (SL1) for Line Splitting - Zone 1	i i	2	UEPSR UEPSB	UEALS	14.86	10.05	7.36	1.37	1.28						
	2-Wire Voice Grade Loop (SL1) for Line Splitting - Zone 2	i i		UEPSR UEPSB	UEABS	14.86	10.05	7.36	1.37	1.28	1					
	2-Wire Voice Grade Loop (SL1)for Line Splitting - Zone 3	i i	3	UEPSR UEPSB	UEALS	31.66	10.05	7.36	1.37	1.28	1			1		
	2-Wire Voice Grade Loop (SL1)for Line Splitting - Zone 3	i		UEPSR UEPSB	UEABS	31.66	10.05	7.36	1.37	1.28						
UNBUNDLED	EXCHANGE ACCESS LOOP															
	E ANALOG VOICE GRADE LOOP				1											
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or															
	Ground Start Signaling - Zone 1		1	UEA	UEAL2	11.57	79.85	24.65	18.92	7.87						
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or															
	Ground Start Signaling - Zone 2		2	UEA	UEAL2	16.95	79.85	24.65	18.92	7.87						
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or		l .		[]				I I	_				I		
	Ground Start Signaling - Zone 3		3	UEA	UEAL2	33.08	79.85	24.65	18.92	7.87				ļ		
	Order Coordination for Specified Conversion Time (per LSR)		<u> </u>	UEA	OCOSL		57.79				-		 	-	 	ļ
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse			UEA	UEAR2	11.57	70.05	04.05	18.92	7.87				1		
	Battery Signaling - Zone 1 2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse		1	UEA	UEAR2	11.5/	79.85	24.65	18.92	7.87				 		
	Battery Signaling - Zone 2		2	UEA	UEAR2	16.95	79.85	24.65	18.92	7.87						
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse			ULA	ULANZ	10.93	79.00	24.03	10.92	7.07	1			-		
	Battery Signaling - Zone 3		3	UEA	UEAR2	33.08	79.85	24.65	18.92	7.87						
	Order Coordination for Specified Conversion Time (per LSR)		Ŭ	UEA	OCOSL	00.00	57.79	24.00	10.02	7.07	1			1		
	CLEC to CLEC Conversion Charge without outside dispatch			UEA	UREWO		87.72	36.36								
<u> </u>	Loop Tagging - Service Level 2 (SL2)		t	UEA	URETL		11.19	1.10	1				İ	1	İ	İ
4-WIRI	E ANALOG VOICE GRADE LOOP		t		 				1				İ	1	İ	İ
1	4-Wire Analog Voice Grade Loop - Zone 1		1	UEA	UEAL4	17.80	93.01	28.17	19.52	8.12						1
	4-Wire Analog Voice Grade Loop - Zone 2		2	UEA	UEAL4	21.68	93.01	28.17	19.52	8.12						
	4-Wire Analog Voice Grade Loop - Zone 3		3	UEA	UEAL4	30.25	93.01	28.17	19.52	8.12						
	Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL		57.79									
	CLEC to CLEC Conversion Charge without outside dispatch			UEA	UREWO		87.72	36.36								
		. –	1	ı	1						1		I	1	_	l
2-WIRI	E ISDN DIGITAL GRADE LOOP		_								 					
2-WIRI	2-Wire ISDN Digital Grade Loop - Zone 1			UDN	U1L2X	21.89	180.06	35.25	18.23	6.97						
2-WIRI			1 2 3	UDN UDN UDN	U1L2X U1L2X U1L2X	21.89 25.27 40.17	180.06 180.06	35.25 35.25 35.25	18.23 18.23 18.23	6.97 6.97 6.97						

	D NETWORK ELEMENTS - Georgia												Attach	ment: 2	Exhil	bit: A
											Svc Order	Svc Order	Incremental		Incremental	Incremental
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
1		Interi									Elec		Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m									por Lore	per Lore	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
															D130 131	DISC Add I
						Rec	Nonrec		Nonrecurring					Rates (\$)		
						1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	CLEC to CLEC Conversion Charge without outside dispatch			UDN	UREWO		120.98	33.04								
2-WIR	E ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMP	ATIBLE	LOOP													
	2 Wire Unbundled ADSL Loop including manual service inquiry	١.	١.													
\vdash	& facility reservation - Zone 1		1	UAL	UAL2X	11.23	44.69	31.55	0.00	0.00						
	2 Wire Unbundled ADSL Loop including manual service inquiry		2	UAL	1141.07	40.07	44.00	04.55	0.00	0.00						
\vdash	& facility reservation - Zone 2 2 Wire Unbundled ADSL Loop including manual service inquiry	ı	2	UAL	UAL2X	12.97	44.69	31.55	0.00	0.00						
	& facility reservation - Zone 3		3	UAL	UAL2X	20.62	44.69	31.55	0.00	0.00						
	Order Coordination for Specified Conversion Time (per LSR)		3	UAL	OCOSL	20.02	57.79	31.33	0.00	0.00						
	2 Wire Unbundled ADSL Loop without manual service inquiry &		-	OAL	OCCOL		51.13		 					1		
	facility reservation - Zone 1	1	1	UAL	UAL2W	11.23	44.69	31.55	0.00	0.00						
	2 Wire Unbundled ADSL Loop without manual service inquiry &	<u> </u>	<u> </u>		J	11.20	44.00	01.00	0.00	0.00				1		
	facility reservaton - Zone 2	1	2	UAL	UAL2W	12.97	44.69	31.55	0.00	0.00						
	2 Wire Unbundled ADSL Loop without manual service inquiry &	<u> </u>	Ť		1 1			230	2.30	2.30				İ		
	facility reservaton - Zone 3	- 1	3	UAL	UAL2W	20.62	44.69	31.55	0.00	0.00						
	Order Coordination for Specified Conversion Time (per LSR)			UAL	OCOSL		57.79							1		
	CLEC to CLEC Conversion Charge without outside dispatch	I		UAL	UREWO		44.69	29.29								
2-WIRI	E HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIBLE I	LOOP													
	2 Wire Unbundled HDSL Loop including manual service inquiry															
	& facility reservation - Zone 1	I	1	UHL	UHL2X	7.88	44.69	31.55	0.00	0.00						
	2 Wire Unbundled HDSL Loop including manual service inquiry															
	& facility reservation - Zone 2	- 1	2	UHL	UHL2X	9.09	44.69	31.55	0.00	0.00						
	2 Wire Unbundled HDSL Loop including manual service inquiry															
	& facility reservation - Zone 3	- 1	3	UHL	UHL2X	14.48	44.69	31.55	0.00	0.00						
	Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		57.79									
	2 Wire Unbundled HDSL Loop without manual service inquiry	١.	1			= 00										
\vdash	and facility reservation - Zone 1 2 Wire Unbundled HDSL Loop without manual service inquiry	ı	1	UHL	UHL2W	7.88	44.69	31.55	0.00	0.00						
	and facility reservation - Zone 2		2	UHL	UHL2W	9.09	44.69	31.55	0.00	0.00						
\vdash	2 Wire Unbundled HDSL Loop without manual service inquiry	-		UNL	UNLZVV	9.09	44.09	31.33	0.00	0.00						
	and facility reservation - Zone 3		3	UHL	UHL2W	14.48	44.69	31.55	0.00	0.00						
\vdash	Order Coordination for Specified Conversion Time (per LSR)	- '	3	UHL	OCOSL	14.40	57.79	31.33	0.00	0.00						
	CLEC to CLEC Conversion Charge without outside dispatch	-		UHL	UREWO		44.69	31.55								
4-WIR	E HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIBLE I	OOP	OTIL	OKEWO		44.00	01.00								
1 11111	4 Wire Unbundled HDSL Loop including manual service inquiry		1													
	and facility reservation - Zone 1	1	1	UHL	UHL4X	10.39	44.69	31.55	0.00	0.00						
	4-Wire Unbundled HDSL Loop including manual service inquiry	<u> </u>	Ė		1			350	5.50	5.50				İ		
	and facility reservation - Zone 2	- 1	2	UHL	UHL4X	12.00	44.69	31.55	0.00	0.00						
	4-Wire Unbundled HDSL Loop including manual service inquiry				1									1		
	and facility reservation - Zone 3	I	3	UHL	UHL4X	19.07	44.69	31.55	0.00	0.00						
	Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		57.79									
	4-Wire Unbundled HDSL Loop without manual service inquiry															
	and facility reservation - Zone 1	I	1	UHL	UHL4W	10.39	44.69	31.55	0.00	0.00						
	4-Wire Unbundled HDSL Loop without manual service inquiry															
\vdash	and facility reservation - Zone 2		2	UHL	UHL4W	12.00	44.69	31.55	0.00	0.00				ļ		
	4-Wire Unbundled HDSL Loop without manual service inquiry	١.			[J											
\vdash	and facility reservation - Zone 3		3	UHL	UHL4W	19.07	44.69	31.55	0.00	0.00				ļ		
\vdash	Order Coordination for Specified Conversion Time (per LSR)		-	UHL	OCOSL		57.79	04.55	 							
4 14/15	CLEC to CLEC Conversion Charge without outside dispatch E DS1 DIGITAL LOOP	ı		UHL	UREWO		44.69	31.55	 					-		
4-WIRI	4-Wire DS1 Digital Loop - Zone 1	-	1	USL	USLXX	41.02	211.93	72.49	38.24	7.20					-	
\vdash	4-Wire DS1 Digital Loop - Zone 1 4-Wire DS1 Digital Loop - Zone 2	-	2	USL	USLXX	41.02 46.41	211.93	72.49	38.24	7.20				 		
 	4-Wire DS1 Digital Loop - Zone 2 4-Wire DS1 Digital Loop - Zone 3			USL	USLXX	62.03	211.93	72.49	38.24	7.20				 		
	Order Coordination for Specified Conversion Time (per LSR)		3	USL	OCOSL	02.03	57.79	12.49	30.24	1.20				 		
	CLEC to CLEC Conversion Charge without outside dispatch	-		USL	UREWO		100.91	42.97	t					 		
4-WIR	E 19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP				SILLAND		100.01	72.31	I							
4 *************************************	4 Wire Unbundled Digital 19.2 Kbps		1	UDL	UDL19	21.86	196.66	37.00	18.82	7.20				1		
	4 Wire Unbundled Digital 19.2 Kbps			UDL	UDL19	28.36	196.66	37.00	18.82	7.20				İ		
1 1				UDL	UDL19	38.22	196.66	37.00	18.82	7.20						

UNBUND	DLED NETWORK ELEMENTS - Georgia												Attach	ment: 2	Exhi	bit: A
CATEGOR		Interi m	Zone	BCS	USOC			RATES (\$)				Svc Order Submitted Manually per LSR	Incremental Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
						_ 1	Nonrec	urrina	Nonrecurring	Disconnect		1	OSS	Rates (\$)		<u> </u>
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 1		1	UDL	UDL56	21.86	196.66	37.00	18.82	7.20						
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 2			UDL	UDL56	28.36	196.66	37.00		7.20						
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 3		3	UDL	UDL56	38.22	196.66	37.00	18.82	7.20						
	Order Coordination for Specified Conversion Time (per LSR)			UDL	OCOSL		57.79									
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 1			UDL	UDL64	21.86	196.66	37.00	18.82	7.20						
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 2			UDL	UDL64	28.36	196.66	37.00	18.82	7.20						
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 3		3	UDL	UDL64	38.22	196.66	37.00	18.82	7.20						
	Order Coordination for Specified Conversion Time (per LSR)			UDL	OCOSL		57.79									
L	CLEC to CLEC Conversion Charge without outside dispatc h			UDL	UREWO		101.95	49.66								
2-V	WIRE Unbundled COPPER LOOP															-
	2-Wire Unbundled Copper Loop-Designed including manual service inquiry & facility reservation - Zone 1		1	UCL	UCLPB	12.02	44.69	31.55	0.00	0.00			I			1
\vdash	2-Wire Unbundled Copper Loop-Designed including manual		-	UOL	UCLPB	12.02	44.09	31.05	0.00	0.00	 	-	+	 		
	service inquiry & facility reservation - Zone 2	- 1	2	UCL	UCLPB	13.88	44.69	31.55	0.00	0.00			1			1
\vdash	2 Wire Unbundled Copper Loop-Designed including manual			OOL	OCLFB	13.00	44.09	31.33	0.00	0.00	1	-	+			
	service inquiry & facility reservation - Zone 3	- 1	3	UCL	UCLPB	22.07	44.69	31.55	0.00	0.00						
	Order Coordination for Unbundled Copper Loops (per loop)		Ŭ	UCL	UCLMC	22.07	18.92	18.92	0.00	0.00	1					
	2-Wire Unbundled Copper Loop-Designed without manual			001	COLINIC		10.02	10.02			1					
	service inquiry and facility reservation - Zone 1	- 1	1	UCL	UCLPW	12.02	44.69	31.55	0.00	0.00						
	2-Wire Unbundled Copper Loop-Designed without manual		Ė	002	002. 11	12.02	11.00	01.00	0.00	0.00						
	service inquiry and facility reservation - Zone 2	- 1	2	UCL	UCLPW	13.88	44.69	31.55	0.00	0.00						
	2-Wire Unbundled Copper Loop-Designed without manual								0.00							
	service inquiry and facility reservation - Zone 3	- 1	3	UCL	UCLPW	22.07	44.69	31.55	0.00	0.00						
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		18.92	18.92								
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		18.92	18.92								
	CLEC to CLEC Conversion Charge without outside dispatch															
	(UCL-Des)	- 1		UCL	UREWO		44.69	31.55								
4-V	WIRE COPPER LOOP															
	4-Wire Copper Loop-Designed including manual service inquiry															
	and facility reservation - Zone 1		1	UCL	UCL4S	16.65	44.69	31.55	0.00	0.00						
	4-Wire Copper Loop-Designed including manual service inquiry															ĺ
	and facility reservation - Zone 2	ı	2	UCL	UCL4S	19.22	44.69	31.55	0.00	0.00						
	4-Wire Copper Loop-Designed including manual service inquiry															ĺ
	and facility reservation - Zone 3	ı	3	UCL	UCL4S	30.55	44.69	31.55	0.00	0.00						
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		18.92	18.92								
	4-Wire Copper Loop-Designed without manual service inquiry		1	1101	1101 414	40.05	44.00	04.55	0.00	0.00						ĺ
	and facility reservation - Zone 1	- 1	- 1	UCL	UCL4W	16.65	44.69	31.55	0.00	0.00		-				
	4-Wire Copper Loop-Designed without manual service inquiry and facility reservation - Zone 2		2	UCL	UCL4W	19.22	44.69	31.55	0.00	0.00			1			1
\vdash	4-Wire Copper Loop-Designed without manual service inquiry			OOL	JOL4VV	19.22	44.09	31.35	0.00	0.00	 	-	+	 		
	and facility reservation - Zone 3	- 1	3	UCL	UCL4W	30.55	44.69	31.55	0.00	0.00			I			1
\vdash	Order Coordination for Unbundled Copper Loops (per loop)		-	UCL	UCLMC	30.33	18.92	18.92	0.00	0.00	 		-			—
\vdash	CLEC to CLEC conversion Charge without outside dispatch			UCL	UREWO		44.69	31.55					<u> </u>			
LOOP MOD	DIFICATION						55	350					<u> </u>			
				UAL, UHL, UCL,	i						1		1	İ		
				UEQ, ULS, UEA,									1			1
	Unbundled Loop Modification, Removal of Load Coils - 2 Wire			UEANL, UEPSR,									I			1
	pair less than or equal to 18k ft, per Unbundled Loop	- 1		UEPSB	ULM2L		0.00	0.00					1			1
	Unbundled Loop Modification Removal of Load Coils - 4 Wire															
	less than or equal to 18K ft, per Unbundled Loop	- 1		UHL, UCL, UEA	ULM4L		0.00	0.00								
				UAL, UHL, UCL,										l		1
				UEQ, ULS, UEA,									I			1
	Unbundled Loop Modification Removal of Bridged Tap Removal,			UEANL, UEPSR,	l								I			1
0.12	per Unbundled Loop			UEPSB	ULMBT		17.91		ļ		ļ		ļ			↓
SUB-LOOP					1				1		1		-	 		
Sul	b-Loop Distribution Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set-				+						<u> </u>		 			
	Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set- Up			UEANL	USBSA		255.76						I			1
	loh			OLAINL	USDSA	I l	∠55.76		1		L	L	1	I		<u> </u>

UNBUNDLE	ED NETWORK ELEMENTS - Georgia												Attach	ment: 2	Exhi	ibit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Charge -	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l
						Rec	Nonrec		Nonrecurring					Rates (\$)		T
			<u> </u>				First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up			UEANL	USBSB		7.29									
-	Sub-Loop - Per Building Equipment Room - CLEC Feeder			OLANL	USBSB		1.25								-	+
	Facility Set-Up			UEANL	USBSC		175.09									
	Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel															1
	Set-Up			UEANL	USBSD		51.61									
	Unbundled Sub-Loops, Riser Cable, 2-Wire per Loop, Working															1
	and Spare Loop Activation			UEANL	USBRC	3.61	28.46	3.85	2.20	0.01						1
	Unbundled Sub-Loops, Riser Cable, 4-Wire per Loop, Working							. =0								
-	and Spare Loop Activation Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -		-	UEANL	USBRD	7.67	31.07	4.79	2.27	0.01					1	+
	Zone 1		1	UEANL	USBN2	6.52	28.46	3.85	2.20	0.01						
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -		<u> </u>	OL/ II VL	CODINE	0.02	20.40	0.00	2.20	0.01						—
	Zone 2		2	UEANL	USBN2	10.18	28.46	3.85	2.20	0.01						
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -															1
	Zone 3		3	UEANL	USBN2	19.51	28.46	3.85	2.20	0.01						
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -															
	Zone 1		1	UEANL	USBN4	5.93	31.07	4.79	2.27	0.01						
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -		2	LIFANII	USBN4	9.71	31.07	4.79	0.07	0.01						
	Zone 2 Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -			UEANL	USBN4	9.71	31.07	4.79	2.27	0.01	 				-	
	Zone 3		3	UEANL	USBN4	18.85	31.07	4.79	2.27	0.01						
	2010 0		Ŭ	02/11/2	002.11	10.00	01.01		2.2.	0.01	†				t	+
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		18.92	18.92								
	Sub-Loop 2-Wire Intrabuilding Network Cable (INC)			UEANL	USBR2	3.61	28.46	3.85	2.20	0.01						
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC	7.07	18.92	18.92	0.07	0.01						
	Sub-Loop 4-Wire Intrabuilding Network Cable (INC)	-		UEANL	USBR4	7.67	31.07	4.79	2.27	0.01					1	+
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		18.92	18.92								
	Loop Testing - Basic 1st Half Hour			UEANL	URET1		25.12	25.12							-	
	Loop Testing - Basic Additional Half Hour			UEANL	URETA		13.62	13.62							t	†
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1	- 1	1	UEF	UCS2X	5.94	28.46	3.85	2.20	0.01						1
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 2		2	UEF	UCS2X	7.51	28.46	3.85	2.20	0.01						
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	- 1	3	UEF	UCS2X	9.22	28.46	3.85	2.20	0.01						1
				uee	1100140		40.00	10.00								
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair 4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1		1	UEF UEF	USBMC UCS4X	6.37	18.92 31.07	18.92 4.79	2.27	0.01					-	+
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1	i i	2	UEF	UCS4X	6.32	31.07	4.79	2.27	0.01					<u> </u>	+
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 2	i i	3	UEF	UCS4X	9.10	31.07	4.79	2.27	0.01	1					
	20100		Ť			20	2	0		2.01						†
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEF	USBMC		18.92	18.92								
	Loop Testing - Basic 1st Half Hour			UEF	URET1		25.12	25.12								
	Loop Testing - Basic Additional Half Hour			UEF	URETA		13.62	13.62								
Unbui	ndled Network Terminating Wire (UNTW)		-	LIENITAL	LIENDO	0.500	05.40	10.00			1					
Netwo	Unbundled Network Terminating Wire (UNTW) per Pair ork Interface Device (NID)		 	UENTW	UENPP	0.533	25.12	12.28			1	-			 	+
INGLWC	Network Interface Device (NID) - 1-2 lines		 	UENTW	UND12		32.86	20.69				 			t	
+	Network Interface Device (NID) - 1-6 lines	i		UENTW	UND16		56.03	43.86							1	1
	Network Interface Device Cross Connect - 2 W	İ		UENTW	UNDC2		2.45	2.45			Ì				1	1
	Network Interface Device Cross Connect - 4W			UENTW	UNDC4		2.45	2.45								
UNE OTHER,	PROVISIONING ONLY - NO RATE															
	NID - Dispatch and Service Order for NID installation		<u> </u>	UENTW	UNDBX	0.00	0.00				ļ				ļ	ļ
-	UNTW Circuit Id Establishment, Provisioning Only - No Rate		1	UENTW	UENCE	0.00	0.00				ļ	 			 	+
	Unbundled Contract Name, Provisioning Only - No Rate	1		UEANL,UEF,UEQ,U ENTW	UNECN	0.00	0.00								I	1
l l																

UNBUNDLI	ED NETWORK ELEMENTS - Georgia												Attach	ment: 2	Exhi	bit: A
												Svc Order Submitted Manually	Incremental Charge - Manual Svc		Incremental Charge - Manual Svc	
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs. Electronic-	Order vs. Electronic- Add'l	Order vs. Electronic- Disc 1st	Order vs. Electronic- Disc Add'l
															Disc 1st	DISC Add I
						Rec		curring	Nonrecurring			·		Rates (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
				UAL,UCL,UDC,UDL,												
	Unbundled Contact Name, Provisioning Only - no rate Unbundled Sub-Loop Feeder-2 Wire Cross Box Jumper - no			UDN,UEA,UHL,ULC	UNECN	0.00	0.00									-
	rate			UEA,UDN,UCL,UDC	LISBEO	0.00	0.00									l
	Unbundled Sub-Loop Feeder-4 Wire Cross Box Jumper - no		1	OLA,ODIN,OOL,ODO	OODI Q	0.00	0.00									
	rate			UEA,USL,UCL,UDL	USBFR	0.00	0.00									ĺ
	Unbundled DS1 Loop - Superframe Format Option - no rate			USL	CCOSF	0.00	0.00									
	Unbundled DS1 Loop - Expanded Superframe Format option -															
	no rate			USL	CCOEF	0.00	0.00									
HIGH CAPAC	ITY UNBUNDLED LOCAL LOOP	<u> </u>	<u> </u>								ļ					1
	High Capacity Unbundled Local Loop - DS3 - Per Mile per			LIES	11 END	40.07										1
	month High Capacity Unbundled Local Loop - DS3 - Facility	-	 	UE3	1L5ND	10.97					 			-		
	Termination per month			UE3	UE3PX	253.38	1,753.23	131.90	112.91	75.88						
	High Capacity Unbundled Local Loop - STS-1 - Per Mile per month			UDLSX	1L5ND	10.97										
	High Capacity Unbundled Local Loop - STS-1 - Facility															İ
	Termination per month			UDLSX	UDLS1	305.42	1,753.23	131.90	112.91	75.88						
LOOP MAKE																——
	Loop Makeup - Preordering Without Reservation, per working or spare facility queried (Manual).			UMK	UMKLW		15.19	15.19								ĺ
	Loop Makeup - Preordering With Reservation, per spare facility		<u> </u>	UIVIK	UIVIKLVV		15.19	15.19								
	queried (Manual).			UMK	UMKLP		19.85	19.85								
	Loop MakeupWith or Without Reservation, per working or spare facility gueried (Mechanized)			UMK	UMKMQ		0.82	0.82								İ
	IG AND LINE SPLITTING															
	1: The Line Sharing monthly recurring rates for all installation					idnight Octobe	r 01, 2004 shal	I be billed as f	ollows:							
	1: 10/02/2003 – 10/01/2004: 25% of the rate for an unbundled co	pper lo	op nor	n-designed ("UCLND	")											
	1: 10/02/2004 – 10/01/2005: 50% of the rate for UCLND															
	: 1: 10/02/2005 – 10/01/2006: 75% of the rate for UCLND : 1: Above will apply to USOCS: ULSDT and ULSCT		ļ								1					
	E 2: The Line Sharing monthly recurring rates with USOCs ULS	EDC an	1111 60	C applies only to si	cuite inetall	od and inconvic	o on or hoforo	Octobor 1 20	N2		1					
	SHARING	I an	T	C applies only to cit	Cuits instair	l and inservic	e on or before	October 1, 20	l I							
	TTERS-CENTRAL OFFICE BASED		 													
J	Line Sharing Splitter, per System 96 Line Capacity		i –	ULS	ULSDA	131.00	0.00	0.00	0.00	0.00						
	Line Sharing Splitter, per System 24 Line Capacity			ULS	ULSDB	32.00	0.00	0.00	0.00	0.00						
	Line Sharing Splitter, Per System, 8 Line Capacity			ULS	ULSD8	11.00	0.00	0.00	0.00	0.00						
	Line Sharing-DLEC Owned Splitter in CO-CFA activation- deactivation (per LSOD)			ULS	ULSDG		66.34	0.00	51.20	0.00						1
END	USER ORDERING-CENTRAL OFFICE BASED LINE SHARING															
	Line Sharing - per Line Activation (BST Owned splitter) - OBSOLETE see **NOTE 2			ULS	ULSDC	0.61	10.51	7.70	7.00	4.20						
	Line Share Service, TRO per line activation, BST owned splitter - Central Office Located (25% of UCLND) - please see NOTE 1 (E:10/2/2003)			ULS	ULSDT	2.76	10.51	7.70	7.00	4.20						
	Line Share Service, TRO per line activation, BST owned splitter - Central Office Located (50% of UCLND) - please see NOTE 1 (E:10/2/2004)			ULS	ULSDT	5.51	10.51	7.70	7.00	4.20						
	Line Share Service, TRO per line activation, BST owned splitter - Central Office Located (75% of UCLND) - please see NOTE 1 (E:10/2/2005)			ULS	ULSDT	8.27	10.51	7.70	7.00	4.20						
	Line Sharing - per Subsequent Activity per Line			111.6	ULSDS		00.00	40.00	40.04	4.00						1
	Rearrangement(BST Owned Splitter Line Sharing - per Subsequent Activity per Line			ULS			36.23	13.23	16.94	1.69						
	Rearrangement(DLEC Owned Splitter Line Sharing - per Line Activation (DLEC owned Splitter) -	-	<u> </u>	ULS	ULSCS		36.23	13.23	16.94	1.69	-					
	OBSOLETE see **NOTE 2			ULS	ULSCC	0.61	17.82	9.36	8.53	4.30						1

UNBUNDLE	D NETWORK ELEMENTS - Georgia													ment: 2		bit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			1	Submitted	Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'I
						Rec	Nonrec		Nonrecurring					Rates (\$)		
					1	1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Line Share Service, TRO per line activation, CLEC owned															
	splitter - Central Office Located (25% of UCLND) - please see						47.00									
	NOTE 1 (E:10/2/2003)			ULS	ULSCT	2.76	17.82	9.36	8.53	4.30						
	Line Share Service, TRO per line activation, CLEC owned															
	splitter - Central Office Located (50% of UCLND) - please see NOTE 1 (E:10/2/2004)			ULS	ULSCT	5.51	17.82	9.36	8.53	4.30						
	Line Share Service, TRO per line activation, CLEC owned			ULS	ULSCI	5.51	17.02	9.30	0.55	4.30						
	splitter - Central Office Located (75% of UCLND) - please see															
	NOTE 1 (E:10/2/2005)			ULS	ULSCT	8.27	17.82	9.36	8.53	4.30						
LINE S	SPLITTING															
	ISER ORDERING-CENTRAL OFFICE BASED				1 1											
	Line Splitting - per line activation DLEC owned splitter			UEPSR UEPSB	UREOS	0.61										
	Line Splitting - per line activation BST owned - physical			UEPSR UEPSB	UREBP	0.6297	20.10	12.40	7.68	4.30						
	Line Splitting - per line activation BST owned - virtual			UEPSR UEPSB	UREBV	0.6288	20.10	12.40	7.68	4.30						
MAIN	TENANCE															
	No Trouble Found - per 1/2 hour increments - Basic	ļ			1		80.00	55.00								
	No Trouble Found - per 1/2 hour increments - Overtime						120.00	82.50								
	No Trouble Found - per 1/2 hour increments - Premium						160.00	110.00								
	DEDICATED TRANSPORT															
INTER	OFFICE CHANNEL - DEDICATED TRANSPORT	-			+ +											
	Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade - Per Mile per month			U1TVX	1L5XX	0.0057										
	Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade -			UTIVX	ILSAA	0.0057					-					
	Facility Termination			U1TVX	U1TV2	12.87	48.46	19.48	16.58	5.00						
	Interoffice Channel - Dedicated Transpor t- 2-Wire Voice Grade			OTTVX	OTTVZ	12.07	40.40	13.40	10.50	3.00						
	Rev Bat Per Mile per month			U1TVX	1L5XX	0.0057										
	Interoffice Channel - Dedicated Transport- 2- Wire VG Rev Bat.			011177	120/01	0.0007					1					
	Facility Termination			U1TVX	U1TR2	12.87	48.46	19.48	16.58	5.00						
	Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade					_										
	Per Mile per month			U1TVX	1L5XX	0.0057										
	Interoffice Channel - Dedicated Transport - 4- Wire Voice Grade															
	- Facility Termination			U1TVX	U1TV4	10.78	48.46	19.48	16.58	5.00						
	Interoffice Channel - Dedicated Transport - 56 kbps - per mile															
	per month			U1TDX	1L5XX	0.0057										
	Interoffice Channel - Dedicated Transport - 56 kbps - Facility															
	Termination	ļ	<u> </u>	U1TDX	U1TD5	7.83	48.46	19.48	16.58	5.00			ļ	ļ	ļ	ļ
	Interoffice Channel - Dedicated Transport - 64 kbps - per mile			LIATOV	41.5307											
	per month	 	<u> </u>	U1TDX	1L5XX	0.0057							!	-	!	
	Interoffice Channel - Dedicated Transport - 64 kbps - Facility	1		U1TDX	U1TD6	7.83	48.46	19.48	16.58	5.00						1
 	Termination Interoffice Channel - Dedicated Channel - DS1 - Per Mile per	 	 	UTIDA	סטווט	7.83	48.46	19.48	10.58	5.00		-				-
	month	1	1	U1TD1	1L5XX	0.1154										
 	Interoffice Channel - Dedicated Tranport - DS1 - Facility	 	 	0.101	ILUAA	0.1154					-					
	Termination	1	1	U1TD1	U1TF1	34.19	111.03	80.28	31.36	21.73						
 	Interoffice Channel - Dedicated Transport - DS3 - Per Mile per	t	 			04.10	111.00	55.20	31.50	21.75	†	†	1		1	
	month	1		U1TD3	1L5XX	2.53										1
	Interoffice Channel - Dedicated Transport - DS3 - Facility	İ	i –	-												
I	Termination per month	<u> </u>	L	U1TD3	U1TF3	342.02	320.47	86.32	66.77	52.81	<u></u>	<u> </u>	<u> </u>	<u></u>	<u> </u>	<u></u>
	Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per															
	month		<u> </u>	U1TS1	1L5XX	2.53										
	Interoffice Channel - Dedicated Transport - STS-1 - Facility	1			1 _ 7	\neg			[
	Termination		<u> </u>	U1TS1	U1TFS	358.67	320.47	86.32	66.77	52.81						
DARK FIBER			<u> </u>		1											
1	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction	1		LIDE LIBEOV	41.505	00.00										1
	Thereof per month - Interoffice Channel		<u> </u>	UDF, UDFCX	1L5DF	23.29	. ==== ===	89.75	73.64	18.70	-	-	 	-	 	
	NDC Dork Eibor Intereffice Channel															
	NRC Dark Fiber - Interoffice Channel		ļ	UDF, UDFCX	UDF14		1,776.53	89.75	73.64	18.70	-					
	NRC Dark Fiber - Interoffice Channel Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction Thereof per month - Local Loop			UDF, UDFCX	1L5DL	46.84	1,776.53	89.75	73.64	18.70						

UNRI	JNDLF	D NETWORK ELEMENTS - Georgia												Attach	ment: 2	Exhil	nit: A
5.450		Sitt EEEmento Goorgia										Svc Order	Svc Order	Incremental		Incremental	Incremental
												Submitted	Submitted		Charge -	Charge -	Charge -
			Intor:									Elec		Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATE	ORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m									per Lore	per Lore	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
																D130 131	DISC Add I
							Rec	Nonrec		Nonrecurring					Rates (\$)		
								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
8XX A	CCESS	EN DIGIT SCREENING 8XX Access Ten Digit Screening, Per Call		-	OLID	-	0.0008543					1					
	1	8XX Access Ten Digit Screening, Per Call 8XX Access Ten Digit Screening, Reservation Charge Per 8XX			OHD	+	0.0008543			-		-					
		Number Reserved			OHD	N8R1X		2.50	0.43								
-	†	8XX Access Ten Digit Screening, Per 8XX No. Established W/O		1	OHD	INORIA		2.50	0.43	-		-	-		-		
		POTS Translations			OHD			5.65	0.76	4.24	0.51						
	1	8XX Access Ten Digit Screening, Per 8XX No. Established With			OTID	1		0.00	0.70	7.27	0.01	1	1				
		POTS Translations			OHD	N8FTX		5.65	0.76	4.24	0.51						
		8XX Access Ten Digit Screening, Customized Area of Service										†					
		Per 8XX Number			OHD	N8FCX		2.50	1.25								
	1	8XX Access Ten Digit Screening, Multiple InterLATA CXR															
		Routing Per CXR Requested Per 8XX No.			OHD	N8FMX		2.93	1.68								
		8XX Access Ten Digit Screening, Change Charge Per Request			OHD	N8FAX		2.93	0.43								
		8XX Access Ten Digit Screening, Call Handling and Destination															
		Features			OHD	N8FDX		2.50									
		8XX Access Ten Digit Screening, w/8FL No. Delivery			OHD		0.0008543					ļ					
	UEODIA	8XX Access Ten Digit Screening, w/POTS No. Delivery		-	OHD	-	0.0008543					1					
LINE	NFORMA	ITION DATA BASE ACCESS (LIDB) LIDB Common Transport Per Query			OQT	-	0.0000682			1		1					
	-	LIDB Validation Per Query			OQU	+	0.0266962					 	-				
	1	LIDB Originating Point Code Establishment or Change			OQU OQT, OQU	NRBPX	0.0266962	33.24	33.24	39.35	39.35	1	1		1		
SIGNA	LING (C				001,000	INICOLX		33.24	33.24	33.33	33.33	†					
Ololy	1	CCS7 Signaling Connection, Per 56Kbps Facility			UDB	TPP++	8.73	34.77	34.77	16.91	16.91	i e					
		CCS7 Signaling Termination, Per STP Port			UDB	PT8SX	108.80	•	•			İ					
		CCS7 Signaling Usage, Per Call Setup Message			UDB		0.0000132										
	1	CCS7 Signaling Usage, Per TCAP Message			UDB		0.0000527										
		CCS7 Signaling Connection, Per link (A link) (same as E.3.1)			UDB	TPP++	8.73	34.77	34.77	16.91	16.91						
		CCS7 Signaling Connection, Per link (B link) (also known as D															
		link) (same as E.3.1)			UDB	TPP++	8.73	34.77	34.77	16.91	16.91						
		CCS7 Signaling Usage, Per ISUP Message (same as E.3.3)			UDB	07110	0.0000132					ļ					
-	<u> </u>	CCS7 Signaling Usage Surrogate, per link CCS7 Signaling Point Code, Establishment or Change, per STP		-	UDB	STU56	907.44					1					
		affected			UDB	CCAPO		28.15	28.15	33.32	33.32						
F011 S	ERVICE			1	UDB	CCAPO		20.15	20.15	33.32	33.32	-	-		-		
Latte	LIVIOL	Local Channel - Dedicated - 2-wr Voice Grade				+	7.74	121.07	53.30	46.40	13.37	<u> </u>					
	1	Interoffice Transport - Dedicated - 2-wr Voice Grade Per Mile					0.0057	121.07	33.30	40.40	13.57	1	1				
		Interoffice Transport - Dedicated - 2-wr Voice Grade Per Facility		†		İ	5.5567			1					1		
		Termination					12.87	48.46	19.48	16.58	5.00				I]
	1	Local Channel - Dedicated - DS1 - Zone 1					18.47	149.46	111.20	40.36	26.12	İ					
		Local Channel - Dedicated - DS1 - Zone 2					56.30	149.46	111.20	40.36	26.12						
		Local Channel - Dedicated - DS1 - Zone 3					164.70	149.46	111.20	40.36	26.12						
		Interoffice Transport - Dedicated - DS1 Per Mile				1	0.1154										
1										I					I		
	1	Interoffice Transport - Dedicated - DS1 Per Facility Termination		<u> </u>		1	34.19	111.03	80.28	31.36	21.73	ļ			ļ		
CALLI	NG NAM	E (CNAM) SERVICE	.	-	001/	1		20.00		00.00		ļ		-	 		
-	+	CNAM For DB Owners - Service Establishment CNAM For Non DB Owners - Service Establishment	-	-	OQV OOV	1		22.90		20.32		ļ	1	-	1		
—	1	CNAM For DB Owners - Service Establishment CNAM For DB Owners - Service Provisioning With Point Code	-	+	OQV	+	-	22.90		20.32		 	-		 	-	
1		Establishment			OQV			959.77	709.83	251.47	184.91				I]
—	 	CNAM For Non DB Owners - Service Provisioning With Point		 		+		333.11	103.03	201.47	10-7.51	†			 		
1		Code Establishment			OQV			331.89	237.45	257.65	184.91				I		
	1	CNAM for DB Owners, Per Query			OQV	1	0.0009924	301.00	207.40	207.00	104.01				<u> </u>		
		CNAM for Non DB Owners, Per Query			OQV	İ	0.0009924			1				İ	1		
	1	CNAM (Non-Databs Owner), NRC, applies when using the	1			1				1		1		l	1		
	<u>L</u>	Character Based User Interface (CHUI)		L	OQV	CDDCH	<u> </u>	595.00	595.00	<u> </u>			<u> </u>	<u> </u>	<u> </u>		
LNP Q	uery Ser																
		LNP Charge Per query					0.00082										
		LNP Service Establishment Manual				1		12.49		11.09							
	1	LNP Service Provisioning with Point Code Establishment		<u> </u>				574.87	293.68	251.47	184.91	<u> </u>		l	I		

UNBUNDLED	NETWORK ELEMENTS - Georgia													ment: 2	1	bit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			l l	Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'I
						Rec	Nonrec		Nonrecurring					Rates (\$)		
						IXEC	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
SELECTIVE RO			ļ													
	Selective Routing Per Unique Line Class Code Per Request Per															
VIRTUAL COLL	Switch		-				102.19	61.15	12.68	6.34	ļ					
	Virtual Collocation-2 Wire Cross Connects (Loop) for Line		 		+				-		.				-	
	Splitting			UEPSR UEPSB	VE1LS	0.0188	0.00	0.00	0.00	0.00						
PHYSICAL COL			1	OLI OK OLI OD	VETEO	0.0100	0.00	0.00	0.00	0.00	1					
	Physical Collocation-2 Wire Cross Connects (Loop) for Line								1							
	Splitting			UEPSR UEPSB	PE1LS	0.0197	0.00	0.00								
	CARRIER ROUTING				1											
	Regional Service Establishment			SRC	SRCEC		101,311.67	101,311.67	7,833.25	7,833.25						
	End Office Establishment			SRC	SRCEO		158.92	158.92	1.64	1.64						
	Line/Port NRC, per end user			SRC	SRCLP		2.06	2.06								
	Query NRC, per query			SRC		0.0020368										
	TH AIN SMS ACCESS SERVICE				1				1					ļ	1	ļ
	AIN SMS Access Service - Service Establishment, Per State,				044405				44.00	44.00					I	
	Initial Setup		1	A1N	CAMSE		41.41	41.41	41.63	41.63					1	
	AIN SMS Access Service - Port Connection - Dial/Shared Access			A1N	CAMDP		8.15	8.15	9.16	9.16						
	AIN SMS Access Service - Port Connection - Dial/Shared Access AIN SMS Access Service - Port Connection - ISDN Access		-	A1N	CAM1P		8.15	8.15	9.16	9.16	 					
	AIN SMS Access Service - Port Confrection - ISDN Access AIN SMS Access Service - User Identification Codes - Per User		1	AIN	CAIVITE		0.10	0.10	9.16	9.10	1				1	
	ID Code			A1N	CAMAU		35.29	35.29	26.50	26.50						
	AIN SMS Access Service - Security Card, Per User ID Code,			, ,	07 1172 10		00.20	00.20	20.00	20.00	İ					
	Initial or Replacement			A1N	CAMRC		40.24	40.24	11.72	11.72						
	AIN SMS Access Service - Storage, Per Unit (100 Kilobytes)					0.0038										
	AIN SMS Access Service - Session, Per Minute					1.81										
	AIN SMS Access Service - Company Performed Session, Per															
	Minute					0.8323										
	TH AIN TOOLKIT SERVICE		ļ													
	AIN Toolkit Service - Service Establishment Charge, Per State,															
	Initial Setup		1	CAM	BAPSC		41.41	41.41	41.63	41.63					1	
	AIN Toolkit Service - Training Session, Per Customer AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per		+		BAPVX		4,236.62	4,236.62	-		 				-	
	DN, Term. Attempt				BAPTT		8.15	8.15	9.16	9.16						
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per		1		DALLI		0.15	0.13	3.10	3.10	+				-	
	DN, Off-Hook Delay				BAPTD		8.15	8.15	9.16	9.16					1	
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per				1		50	5.10	50	5.10				İ	1	
	DN, Off-Hook Immediate				BAPTM		8.15	8.15	9.16	9.16					I	
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per															
	DN, 10-Digit PODP				BAPTO		33.98	33.98	14.09	14.09						
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per								_					1	_	
	DN, CDP				BAPTC		33.98	33.98	14.09	14.09						
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per				DADTE		00.00	00.00	11.00	44.00					1	
	DN, Feature Code	-	₩		BAPTF	0.0074.400	33.98	33.98	14.09	14.09	ļ	-	-	 	1	
	AIN Toolkit Service - Query Charge, Per Query AIN Toolkit Service - Type 1 Node Charge, Per AIN Toolkit	-	1		+	0.0271438			 		 	-	-		 	-
	Subscription, Per Node, Per Query					0.0059195			1						1	
	AIN Toolkit Service - SCP Storage Charge, Per SMS Access	†	†		1	0.0000100			I		1	-			I	
	Account, Per 100 Kilobytes					0.04			1						1	
	AIN Toolkit Service - Monthly report - Per AIN Toolkit Service				İ				1					İ	1	
	Subscription			CAM	BAPMS	14.78	8.15	8.15	5.71	5.71					I	
	AIN Toolkit Service - Special Study - Per AIN Toolkit Service															
	Subscription	<u></u>		CAM	BAPLS	6.46	8.98	8.98	<u></u>	<u></u>			<u> </u>	<u> </u>		
	AIN Toolkit Service - Call Event Report - Per AIN Toolkit Service												I			
	Subscription			CAM	BAPDS	8.54	8.15	8.15	5.71	5.71					1	
	AIN Toolkit Service - Call Event Special Study - Per AIN Toolkit			CAM	DADEO	0.00	0.00	0.00	1						I	
	Service Subscription TENDED LINK (EELs)		1	CAM	BAPES	0.22	8.98	8.98	 	-	ļ		 	 	 	.
- CHEAN(FI) FX	I ENDED LINK (EELS)	1	1	l .	1				1	1	i .	1	1	1	1	1

UNBUNDLI	ED NETWORK ELEMENTS - Georgia													ment: 2		ibit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			II .	Svc Order Submitted Manually per LSR		Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l
1					+		Nonred	urring	Nonrecurring	n Disconnect			OSS	Rates (\$)		<u> </u>
					+	Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
NOTE	: The monthly recurring and the Switch-As-Is Charge and not t	he non-	recurri	ng charges below w	vill apply for	UNE combinati										
EXTE	NTED 2-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICAT	ED DS	1 INTER	ROFFICE TRANSPO	RT											
	First 2-Wire VG Loop (SL2) in Combination - Zone 1			UNCVX	UEAL2	11.57	195.94	36.38	18.42	6.86						
	First 2-Wire VG Loop (SL2) in Combination - Zone 2			UNCVX	UEAL2	16.95	195.94	36.38	18.42	6.86						
	First 2-Wire VG Loop (SL2) in Combination - Zone 3 Interoffice Transport - Dedicated - DS1 combination - Per Mile per month		3	UNCVX UNC1X	UEAL2 1L5XX	33.08 0.1154	195.94	36.38	18.42	6.86						
	Interoffice Transport - Dedicated - DS1 combination - Facility															
	Termination per month			UNC1X	U1TF1	34.19	87.76	45.73	43.80	27.97						
	1/0 Channelization System in combination Per Month			UNC1X	MQ1	69.75	86.10									
	Voice Grade COCI - Per Month			UNCVX	1D1VG	0.4689	27.33	2.90	16.86	1.04						
	Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 1		1	UNCVX	UEAL2	11.57	195.94	36.38	18.42	6.86						
	Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 2		2	UNCVX	UEAL2	16.95	195.94	36.38	18.42	6.86						
	Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 3		3	UNCVX	UEAL2	33.08	195.94	36.38	18.42	6.86						
	Voice Grade COCI - Per Month			UNCVX	1D1VG	0.4689	27.33	2.90	16.86	1.04	1					1
	Nonrecurring Currently Combined Network Elements Switch -As-										†					
	Is Charge			UNC1X	UNCCC		5.70	5.70	6.61	6.61						
EXTE	NDED 4-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICAT	ED DS	1 INTER	ROFFICE TRANSPO	RT											
	First 4-Wire Analog Voice Grade Loop in Combination - Zone 1		1	UNCVX	UEAL4	17.80	195.94	36.38	18.42	6.86						
	First 4-Wire Analog Voice Grade Loop in Combination - Zone 2		2	UNCVX	UEAL4	21.68	195.94	36.38	18.42	6.86						
	First 4-Wire Analog Voice Grade Loop in Combination - Zone 3		3	UNCVX	UEAL4	30.25	195.94	36.38	18.42	6.86						
	Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month			UNC1X	1L5XX	0.1154										
	Interoffice Transport - Dedicated - DS1 - Facility Termination Per															
	Month			UNC1X	U1TF1	34.19	87.76	45.73	43.80	27.97						
	1/0 Channel System in combination Per Month			UNC1X	MQ1	69.75	86.10		10.00		ļ					
	Voice Grade COCI in combination - per month			UNCVX	1D1VG	0.4689	27.33	2.90	16.86	1.04						
	Additional 4-Wire Analog Voice Grade Loop in same DS1 Interoffice Transport Combination - Zone 1		1	UNCVX	UEAL4	17.80	195.94	36.38	18.42	6.86						
	Additional 4-Wire Analog Voice Grade Loop in same DS1		_		l											
	Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL4	21.68	195.94	36.38	18.42	6.86	ļ					
	Additional 4-Wire Analog Voice Grade Loop in same DS1 Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL4	30.25	195.94	36.38	18.42	6.86						
	Additional Voice Grade COCI in combination - per month		3	UNCVX	1D1VG	0.4689	27.33	2.90	16.86	1.04	 					
	Nonrecurring Currently Combined Network Elements Switch -As-			01101/	טיוטו	0.4009	21.33	2.90	10.00	1.04	1					
	Is Charge			UNC1X	UNCCC		5.70	5.70	6.61	6.61						
EXTE	NDED 4-WIRE 56 KBPS EXTENDED DIGITAL LOOP WITH DEDIC	CATED	DS1 IN				50		1	2.31	Ì		ĺ	ĺ		1
	First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 1		1	UNCDX	UDL56	21.86	195.94	36.38	18.42	6.86						
	First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2		2	UNCDX	UDL56	28.36	195.94	36.38	18.42	6.86						
	First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 3		3	UNCDX	UDL56	38.22	195.94	36.38	18.42	6.86						
	Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month			UNC1X	1L5XX	0.1154	133.34	50.50	10.42	0.00						
	Interoffice Transport - Dedicated - DS1 - combination Facility Termination Per Month			UNC1X	U1TF1	34.19	87.76	45.73	43.80	27.97						
1	1/0 Channel System in combination Per Month			UNC1X	MQ1	69.75	86.10		13.30				İ	İ		†
	OCU-DP COCI (data) per month (2.4-64kbs)			UNCDX	1D1DD	0.9963	27.33	2.90	16.86	1.04						
	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination - Zone 1	_	1	UNCDX	UDL56	21.86	195.94	36.38	18.42	6.86						
	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination - Zone 2		2	UNCDX	UDL56	28.36	195.94	36.38	18.42	6.86						

UNBL	JNDLE	D NETWORK ELEMENTS - Georgia												Attach	ment: 2	Exhi	bit: A
												Svc Order	Svc Order	Incremental		Incremental	Incremental
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
			Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATE	ORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							Rec	Nonrec		Nonrecurring					Rates (\$)		
		ALIES LANG BOX BUILD IN BOX						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Additional 4-Wire 56Kbps Digital Grade Loop in same DS1		3	LINODY	LIDI 50	00.00	405.04	00.00	18.42	0.00						
-	<u> </u>	Interoffice Transport Combination - Zone 3		3	UNCDX	UDL56	38.22	195.94	36.38	18.42	6.86	-	-				
		Additional OCU-DP COCI (data) - in combination per month (2.4-64kbs)	1		UNCDX	1D1DD	0.9963	27.33	2.90	16.86	1.04						
-	-	Nonrecurring Currently Combined Network Elements Switch -As-			UNCDA	טטוטו	0.9903	21.33	2.90	10.00	1.04						
		Is Charge			UNC1X	UNCCC		5.70	5.70	6.61	6.61						
	FXTEN	DED 4-WIRE 64 KBPS EXTENDED DIGITAL LOOP WITH DEDIG	CATED	DS1 IN				3.70	3.70	0.01	0.01						
	LXTEN	DED 4 WIRE OF REI O EXTERDED BIGITAL LOGI WITH BEEN	I	1	TEROTTIOE TRAINS	T											
		First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 1		1	UNCDX	UDL64	21.86	195.94	36.38	18.42	6.86						
		3															
1	1	First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 2		2	UNCDX	UDL64	28.36	195.94	36.38	18.42	6.86				I		
L	<u> </u>	First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 3	<u></u>	3	UNCDX	UDL64	38.22	195.94	36.38	18.42	6.86	<u> </u>	<u> </u>	<u></u>	L	<u> </u>	<u></u>
		Interoffice Transport - Dedicated - DS1 combination - Per Mile															
		Per Month			UNC1X	1L5XX	0.1154										
		interoffice Transport - Dedicated - DS1 combination - Facility															
		Termination Per Month			UNC1X	U1TF1	34.19	87.76	45.73	43.80	27.97						
		1/0 Channel System in combination Per Month			UNC1X	MQ1	69.75	86.10									
		OCU-DP COCI (data) - in combination - per month (2.4-64kbs)			UNCDX	1D1DD	0.9963	27.33	2.90	16.86	1.04						
		Additional 4-Wire 64Kbps Digital Grade Loop in same DS1															
		Interoffice Transport Combination - Zone 1		1	UNCDX	UDL64	21.86	195.94	36.38	18.42	6.86						
		Additional 4-Wire 64Kbps Digital Grade Loop in same DS1			LINODY	LIDLOA	00.00	405.04	00.00	40.40	0.00						
-	ļ	Interoffice Transport Combination - Zone 2		2	UNCDX	UDL64	28.36	195.94	36.38	18.42	6.86						
		Additional 4-Wire 64Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination - Zone 3		3	UNCDX	UDL64	38.22	195.94	36.38	18.42	6.86						
	-	Additional OCU-DP COCI (data) - in combination - per month		3	UNCDX	UDL64	38.22	195.94	30.38	18.42	0.86						
		(2.4-64kbs)			UNCDX	1D1DD	0.9963	27.33	2.90	16.86	1.04						
	1	Nonrecurring Currently Combined Network Elements Switch -As-			ONODA	10100	0.3303	21.55	2.30	10.00	1.04						
		Is Charge			UNC1X	UNCCC		5.70	5.70	6.61	6.61						
	EXTEN	DED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICAT	ED DS1	INTER				0.10	0.70	0.01	0.01						
		4-Wire DS1 Digital Loop in Combination - Zone 1		1	UNC1X	USLXX	41.02	209.45	70.44	37.91	6.86						
		4-Wire DS1 Digital Loop in Combination - Zone 2		2	UNC1X	USLXX	46.41	209.45	70.44	37.91	6.86						
	i	4-Wire DS1 Digital Loop in Combination - Zone 3		3	UNC1X	USLXX	62.03	209.45	70.44	37.91	6.86						
	i	Interoffice Transport - Dedicated - DS1 combination - Per Mile															
		Per Month			UNC1X	1L5XX	0.1154										
		Interoffice Transport - Dedicated - DS1 combination - Facility															
	ļ	Termination Per Month			UNC1X	U1TF1	34.19	87.76	45.73	43.80	27.97						
		Nonrecurring Currently Combined Network Elements Switch -As-													1		
	<u> </u>	Is Charge	<u> </u>	<u> </u>	UNC1X	UNCCC		5.70	5.70	6.61	6.61			ļ	1		
	EXTEN	DED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICAT	ED DS3					600.1-	== ::		2.5				-		
	!	First DS1Loop in Combination - Zone 1		1	UNC1X	USLXX	41.02	209.45	70.44		6.86			-	 		
-	 	First DS1Loop in Combination - Zone 2 First DS1Loop in Combination - Zone 3	1	3	UNC1X UNC1X	USLXX	46.41 62.03	209.45 209.45	70.44 70.44		6.86 6.86	-	-		 	-	-
	 	Interoffice Transport - Dedicated - DS3 combination - Per Mile		3	UNCIA	USLAA	6∠.03	209.45	70.44	37.91	0.86				 		
		Per Month			UNC3X	1L5XX	2.53								1		
-	 	Interoffice Transport - Dedicated - DS3 - Facility Termination per	-	1	OINOOA	ILOAA	2.53			1		-	-		+		
		month			UNC3X	U1TF3	342.02	325.91	77.07	49.56	32.88				1		
—	 	3/1Channel System in combination per month		 	UNC3X	MQ3	121.90	323.91	77.07	43.30	32.00				+		
—	 	DS1 COCI in combination per month		 	UNC1X	UC1D1	7.35	27.33	2.90	16.86	1.04				+		
	†	Additional DS1Loop in DS3 Interoffice Transport Combination -				12.2.		200	2.30	.5.50				1	<u> </u>		
1	1	Zone 1		1	UNC1X	USLXX	41.02	209.45	70.44	37.91	6.86				I		
		Additional DS1Loop in DS3 Interoffice Transport Combination -				1					1			1			
1	1	Zone 2		2	UNC1X	USLXX	46.41	209.45	70.44	37.91	6.86				I		
		Additional DS1Loop in DS3 Interoffice Transport Combination -				1								1			
	<u> </u>	Zone 3	<u></u>	3	UNC1X	USLXX	62.03	209.45	70.44	37.91	6.86			<u> </u>		<u></u>	<u> </u>
		Additoinal DS1 COCI in combination per month			UNC1X	UC1D1	7.35	27.33	2.90	16.86	1.04						
1		Nonrecurring Currently Combined Network Elements Switch -As-														l	l
	ļ	Is Charge			UNC3X	UNCCC		5.70	5.70	6.61	6.61						
	EXTEN	DED 2-WIRE VOICE GRADE EXTENDED LOOP/ 2 WIRE VOICE	GRAD	E INTE	ROFFICE TRANSPO	DRT											

ONBONDL	ED NETWORK ELEMENTS - Georgia													ment: 2		ibit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			II .	Svc Order Submitted Manually per LSR		Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
					+		Nonrec	urring	Nonrecurring	Disconnect]	OSS	Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-WireVG Loop in combination - Zone 1		1	UNCVX	UEAL2	11.57	195.94	36.38		6.86	COMILO	COMPAR	COMPAR	COMPAR	COMPAR	COMPAN
	2-WireVG Loop in combination - Zone 2			UNCVX	UEAL2	16.95	195.94	36.38	18.42	6.86	İ					
	2-WireVG Loop in combination - Zone 3			UNCVX	UEAL2	33.08	195.94	36.38	18.42	6.86						
	Interoffice Transport - 2-wire VG - Dedicated- Per Mile Per															
	Month			UNCVX	1L5XX	0.0057										
	Interoffice Transport - 2-wire VG - Dedicated - Facility Termination per month			UNCVX	U1TV2	12.87	66.53	33.61	43.42	27.60						
	Nonrecurring Currently Combined Network Elements Switch -As-															1
	Is Charge			UNCVX	UNCCC		5.70	5.70	6.61	6.61						
EXTE	NDED 4-WIRE VOICE GRADE EXTENDED LOOP/ 4 WIRE VOICE	GRADI														
	4-WireVG Loop in combination - Zone 1			UNCVX	UEAL4	17.80	195.94	36.38	18.42	6.86						
	4-WireVG Loop in combination - Zone 2			UNCVX	UEAL4	21.68	195.94	36.38	18.42	6.86		ļ	1		ļ	
	4-WireVG Loop in combination - Zone 3		3	UNCVX	UEAL4	30.25	195.94	36.38	18.42	6.86			ļ			
	Interoffice Transport - 4-wire VG - Dedicated - Per Mile Per Month			UNCVX	1L5XX	0.0057										
	Interoffice Transport - 4-wire VG - Dedicated - Facility Termination per month			UNCVX	U1TV4	10.78	66.53	33.61	43.42	27.60						
	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge			UNCVX	UNCCC		5.70	5.70	6.61	6.61						
EXTE	NDED DS3 DIGITAL EXTENDED LOOP WITH DEDICATED DS3	INTERC	FFICE	TRANSPORT												
	DS3 Local Loop in combination - per mile per month			UNC3X	1L5ND	10.97										
	DS3 Local Loop in combination - Facility Termination per month			UNC3X	UE3PX	253.38	1,260.47	628.84	41.53	20.76						
<u> </u>	Interoffice Transport - Dedicated - DS3 - Per Mile per month		-	UNC3X	1L5XX	2.53	1,200.47	020.04	41.55	20.70	1		1			
-	Interoffice Transport - Dedicated - DS3 combination - Facility			ONOOX	TESTON	2.00					+					
	Termination per month Nonrecurring Currently Combined Network Elements Switch -As-			UNC3X	U1TF3	342.02	325.91	77.07	49.56	32.88	1					
	Is Charge			UNC3X	UNCCC		5.70	5.70	6.61	6.61						
EXTE	NDED STS-1 DIGITAL EXTENDED LOOP WITH DEDICATED ST	S-1 INT	EROFF			40.07					ļ					
	STS-1 Local Lolp in combination - per mile per month STS-1 Local Loop in combination - Facility Termination per			UNCSX	1L5ND	10.97					-					
	month			UNCSX	UDLS1	305.42	1,260.47	628.84	41.53	20.76						
	Interoffice Transport - Dedicated - STS-1 combination - per mile per month			UNCSX	1L5XX	2.53										
	Interoffice Transport - Dedicated - STS-1 combination - Facility Termination per month			UNCSX	U1TFS	358.67	325.91	77.07	49.56	32.88						
-	Nonrecurring Currently Combined Network Elements Switch -As-					330.07										
	Is Charge	TD • • • •	L	UNCSX	UNCCC		5.70	5.70	6.61	6.61			ļ			ļ
EXTE	NDED 2-WIRE ISDN EXTENDED LOOP WITH DS1 INTEROFFICE	IKANS		LINIONIN	1141.07/	40.00	105.01	00.00	40.10	0.00			-	 	 	
	First 2-Wire ISDN Loop in Combination - Zone 1 First 2-Wire ISDN Loop in Combination - Zone 2			UNCNX	U1L2X U1L2X	19.82 26.26	195.94 195.94	36.38 36.38	18.42 18.42	6.86 6.86	1		 	-		
	First 2-Wire ISDN Loop in Combination - Zone 2 First 2-Wire ISDN Loop in Combination - Zone 3			UNCNX	U1L2X	42.17	195.94	36.38		6.86	<u> </u>		 	-	-	
	Interoffice Transport - Dedicated - DS1 combination - per mile per month		3	UNC1X	1L5XX	0.1154	133.34	30.30	10.42	0.00						
-+	Interoffice Transport - Dedicated - DS1 combination - Facility		 	OINOIA	ILUAA	0.1154	+		+		1		 	 	 	
	Termination per month			UNC1X	U1TF1	34.19	87.76	45.73	43.80	27.97			1			
1	1/0 Channel System in combination - per month			UNC1X	MQ1	69.75	86.10	.0.70	.5.00	207			1			†
	2-wire ISDN COCI (BRITE) - in combination - per month		İ	UNCNX	UC1CA	1.66	27.33	2.90	16.86	1.04	İ					
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport Combination - Zone 1		1	UNCNX	U1L2X	19.82	195.94	36.38	18.42	6.86						
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport															
	Combination - Zone 2 Additional 2-wire ISDN Loop in same DS1Interoffice Transport		2	UNCNX	U1L2X	26.26	195.94	36.38	18.42	6.86						
	Combination - Zone 3 Additional 2-wire ISDN COCI (BRITE) - in combination- per		3	UNCNX	U1L2X	42.17	195.94	36.38	18.42	6.86	1					-
	month Nonrecurring Currently Combined Network Elements Switch -As-			UNCNX	UC1CA	1.66	27.33	2.90	16.86	1.04						
	Is Charge NDED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICAT		4 11	UNC1X	UNCCC		5.70	5.70	6.61	6.61						

155115E	ED NETWORK ELEMENTS - Georgia													ment: 2	1	ibit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			1	1		Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l
					+ -		Nonrec		Nonrecurring	Dissennest				Rates (\$)		
-+					+	Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
-+	First DS1 Loop Combination - Zone 1		1	UNC1X	USLXX	41.02	209.45	70.44		6.86	JOHILO	JONAN	JONIAN	JOINAIN	JOINAIN	JOMAN
	First DS1 Loop Combination - Zone 2		2	UNC1X	USLXX	46.41	209.45	70.44		6.86	i e	İ			t	
	First DS1 Loop Combination - Zone 3			UNC1X	USLXX	62.03	209.45	70.44	37.91	6.86						
	Interoffice Transport - Dedicated - STS-1 combination - Per Mile															
	Per Month			UNCSX	1L5XX	2.53										
	Interoffice Transport - Dedicated - STS-1 combination - Facility															
-+	Termination per month			UNCSX	U1TFS	358.67	325.91	77.07	49.56	32.88						
	3/1 Channel System in combination per month DS1 COCI in combination per month			UNCSX UNC1X	MQ3 UC1D1	121.90 7.35	27.33	2.90	16.86	1.04	1				-	
-+	Additional DS1Loop in the same STS-1 Interoffice Transport			UNCIA	OCIDI	7.35	21.33	2.90	10.00	1.04					-	
	Combination - Zone 1		1	UNC1X	USLXX	41.02	209.45	70.44	37.91	6.86						
	Additional DS1Loop in the same STS-1 Interoffice Transport		Ė			52	200.40		501	2.00					1	
	Combination - Zone 2		2	UNC1X	USLXX	46.41	209.45	70.44	37.91	6.86					I	
	Additional DS1Loop in the same STS-1 Interoffice Transport				T	İ										
	Combination - Zone 3		3	UNC1X	USLXX	62.03	209.45	70.44		6.86						
	DS1 COCI in combination per month			UNC1X	UC1D1	7.35	27.33	2.90	16.86	1.04						
	Nonrecurring Currently Combined Network Elements Switch -As-			LINIOOV	1111000		F 70	F 70	0.04	0.04						
EVTE	Is Charge NDED 4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH 56 KB	DC INT	EBOEE	UNCSX	UNCCC		5.70	5.70	6.61	6.61	1				-	
EVIE	4-wire 56 kbps Local Loop in combination - Zone 1	F3 INT		UNCDX	UDL56	21.86	195.94	36.38	18.42	6.86	1				-	
	4-wire 56 kbps Local Loop in combination - Zone 2			UNCDX	UDL56	28.36	195.94	36.38		6.86	1					
	4-wire 56 kbps Local Loop in combination - Zone 3			UNCDX	UDL56	38.22	195.94	36.38		6.86	i e	İ			t	
	Interoffice Transport - Dedicated - 4-wire 56 kbps combination -															
	Per Mile per month			UNCDX	1L5XX	0.0057										
	Interoffice Transport - Dedicated - 4-wire 56 kbps combination -															
	Facility Termination per month			UNCDX	U1TD5	7.83	66.53	33.61	43.42	27.60						
	Nonrecurring Currently Combined Network Elements Switch -As-			LINODY	1111000		F 70	F 70	0.04	0.04						
EVTE	Is Charge NDED 4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH 64 KB	DC INIT	EDOEE	UNCDX	UNCCC		5.70	5.70	6.61	6.61					-	
EVIE	4-wire 64 kbps Lcoal Loop in Combination - Zone 1	F3 INT		UNCDX	UDL64	21.86	195.94	36.38	18.42	6.86					-	
	4-wire 64 kbps Lcoal Loop in Combination - Zone 2			UNCDX	UDL64	28.36	195.94	36.38		6.86	1					
	4-wire 64 kbps Lcoal Loop in Combination - Zone 3			UNCDX	UDL64	38.22	195.94	36.38		6.86					t	†
	Interoffice Transport - Dedicated - 4-wire 64 kbps combination -															
	Per Mile per month			UNCDX	1L5XX	0.0057										
	Interoffice Transport - Dedicated - 4-wire 64 kbps combination -															
	Facility Termination per month			UNCDX	U1TD6	7.83	66.53	33.61	43.42	27.60						
	Nonrecurring Currently Combined Network Elements Switch -As-			LINODY	1111000		F 70	F 70	0.04	0.04						
EVTE	Is Charge NDED 2-WIRE VOICE GRADE LOOP WITH DS1 INTEROFFICE T	DANICD	OPT w	UNCDX	UNCCC		5.70	5.70	6.61	6.61					-	
EVIE	First 2-wire VG Loop (SL2) in Combination - Zone 1	KANSP		UNCVX	UEAL2	11.57	195.94	36.38	18.42	6.86					-	
-+	First 2-wire VG Loop (SL2) in Combination - Zone 2			UNCVX	UEAL2	16.95	195.94	36.38		6.86		†			<u> </u>	
-	First 2-wire VG Loop (SL2) in Combination - Zone 3			UNCVX	UEAL2	33.08	195.94	36.38		6.86	1	1			1	
	First Interoffice Transport - Dedicated - DS1 combination - Per					Ì										
L_	Mile			UNC1X	1L5XX	0.1154										
	First Interoffice Transport - Dedicated - DS1 combination -															
	Facility Termination per month		<u> </u>	UNC1X	U1TF1	34.19	87.76	45.73	43.80	27.97	ļ	ļ			ļ	
	Per each DS1 Channelization System Per Month		-	UNC1X	MQ1	69.75	86.10	0.00	10.00	10:	<u> </u>	ļ	1	1	 	
	Per each Voice Grade COCI - Per Month per month 3/1 Channel System in combination per month			UNCVX UNC3X	1D1VG MQ3	0.4689 121.90	27.33	2.90	16.86	1.04	 	1	1	1	 	
-+	Per each DS1 COCI in combination per month		-	UNC1X	UC1D1	7.35	27.33	2.90	16.86	1.04	1	1	1	1	 	
-+	Each Additional 2-Wire VG Loop(SL 2) in the same DS1			014017	COIDI	7.55	21.33	2.90	10.00	1.04		†			<u> </u>	
	Interoffice Transport Combination - Zone 1		1	UNCVX	UEAL2	11.57	195.94	36.38	18.42	6.86					I	
	Each Additional 2-Wire VG Loop(SL2) in the same DS1															
	Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL2	16.95	195.94	36.38	18.42	6.86	L				<u> </u>	
	Each Additional 2-Wire VG Loop(SL2) in the same DS1															
ı	Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL2	33.08	195.94	36.38		6.86	ļ				1	
+			1	UNCVX	1D1VG	0.4689	27.33	2.90	16.86	1.04	1	1	1	1	1	<u> </u>
	Each Additional Voice Grade COCI in combination - per month Each Additional DS1 Interoffice Channel per mile in same 3/1		-	ONOVA	1.2	0.1000			1	-	†		•	†		

UNBUNDLE	D NETWORK ELEMENTS - Georgia												Attach	ment: 2	Exhil	bit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			Svc Order Submitted Elec per LSR	Submitted	Incremental	Incremental Charge - Manual Svc Order vs. Electronic- Add'I		Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
							Nonrec	urring	Nonrecurring	Disconnect			oss	Rates (\$)		-
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Each Additional DS1 Interoffice Channel Facility Termination in															
	same 3/1 Channel System per month		ļ	UNC1X	U1TF1	34.19	87.76	45.73	43.80	27.97						
	Each Additional DS1 COCI combination per month		1	UNC1X	UC1D1	7.35	27.33	2.90	16.86	1.04						
	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge	1		UNC1X	UNCCC		5.70	5.70	6.61	6.61						
EXTEN	IDED 4-WIRE VOICE GRADE LOOP WITH DEDICATED DS1 INT	EROFF	ICE TR				3.70	3.70	0.01	0.01						
	First 4-Wire Analog Voice Grade Local Loop in Combination -															
	Zone 1		1	UNCVX	UEAL4	17.80	195.94	36.38	18.42	6.86						
1 1	First 4-Wire Analog Voice Grade Local Loop in Combination -															
	Zone 2	-	2	UNCVX	UEAL4	21.68	195.94	36.38	18.42	6.86	-					
	First 4-Wire Analog Voice Grade Local Loop in Combination - Zone 3		3	UNCVX	UEAL4	30.25	195.94	36.38	18.42	6.86						, l
	First Interoffice Transport - Dedicated - DS1 combination - Per	†	۲		J T	00.20	100.04	33.30	10.72	0.30						
	Mile Per Month	<u> </u>	<u>L</u>	UNC1X	1L5XX	0.1154										l
	First Interoffice Transport - Dedicated - DS1 - Facility							<u> </u>								
	Termination Per Month		<u> </u>	UNC1X UNC1X	U1TF1 MQ1	34.19 69.75	87.76	45.73	43.80	27.97						
	Per each 1/0 Channel System in combination Per Month Per each Voice Grade COCI in combination - per month	-	 	UNCVX	1D1VG	0.4689	86.10 27.33	2.90	16.86	1.04						
	3/1 Channel System in combination per month		†	UNC3X	MQ3	121.90	21.00	2.30	10.00	1.04						
	Per each DS1 COCI in combination per month		1	UNC1X	UC1D1	7.35	27.33	2.90	16.86	1.04						
	Additional 4-Wire Analog Voice Grade Loop in same DS1															
	Interoffice Transport Combination - Zone 1		1	UNCVX	UEAL4	17.80	195.94	36.38	18.42	6.86						
1 1	Additional 4-Wire Analog Voice Grade Loop in same DS1 Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL4	21.68	195.94	36.38	18.42	6.86						
 	Additional 4-Wire Analog Voice Grade Loop in same DS1			UNCVA	UEAL4	21.00	195.94	30.30	10.42	0.00						
	Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL4	30.25	195.94	36.38	18.42	6.86						
	Each Additional DS1 Interoffice Channel per mile in same 3/1															
	Channel System per month			UNC1X	1L5XX	0.1154										
	Each Additional DS1 Interoffice Channel Facility Termination in				=.				40.00							
—	same 3/1 Channel System per month Additional Voice Grade COCI - in combination - per month	-	1	UNC1X UNCVX	U1TF1 1D1VG	34.19 0.4689	87.76 27.33	45.73 2.90	43.80 16.86	27.97 1.04						
	Nonrecurring Currently Combined Network Elements Switch -As-		1	UNCVX	IDIVG	0.4009	21.33	2.90	10.00	1.04						
	Is Charge			UNC1X	UNCCC		5.70	5.70	6.61	6.61						
EXTE	IDED 4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH 56 KE	BPS INT	EROFF	ICE TRANSPORT w	/ 3/1 MUX											
1 1	First 4-Wire 56Kbps Digital Grade Local Loop in Combination -								40.40							
\vdash	Zone 1 First 4-Wire 56Kbps Digital Grade Local Loop in Combination -	-	1	UNCDX	UDL56	21.86	195.94	36.38	18.42	6.86						
1 1	Zone 2		2	UNCDX	UDL56	28.36	195.94	36.38	18.42	6.86						
	First 4-Wire 56Kbps Digital Grade Local Loop in Combination -		† -	0.1027	02200	20.00	100.01	00.00	10.12	0.00						
	Zone 3		3	UNCDX	UDL56	38.22	195.94	36.38	18.42	6.86						1
1 1 -	First Interoffice Transport - Dedicated - DS1 combination - Per				41 =>04											, 7
	Mile Per Month First Interoffice Transport - Dedicated - DS1 - combination	-	1	UNC1X	1L5XX	0.1154										
1 1	Facility Termination Per Month			UNC1X	U1TF1	34.19	87.76	45.73	43.80	27.97						
	Per each 1/0 Channel System in combination Per Month			UNC1X	MQ1	69.75	86.10	10.10	.0.00	27.07						
	Per each OCU-DP COCI (data) COCI per month (2.4-64kbs)			UNCDX	1D1DD	0.9963	27.33	2.90	16.86	1.04						
	3/1 Channel System in combination per month			UNC3X	MQ3	121.90										
	Per each DS1 COCI in combination per month	ļ	<u> </u>	UNC1X	UC1D1	7.35	27.33	2.90	16.86	1.04	1					
	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination - Zone 1		1	UNCDX	UDL56	21.86	195.94	36.38	18.42	6.86						
	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1	 	+-	ONODA	UDLUG	∠1.00	190.94	30.38	10.42	0.00	 					
	Interoffice Transport Combination - Zone 2		2	UNCDX	UDL56	28.36	195.94	36.38	18.42	6.86						,
İ	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1															
	Interoffice Transport Combination - Zone 3	ļ	3	UNCDX	UDL56	38.22	195.94	36.38	18.42	6.86						,
	OCU-DP COCI (data) COCI in combination per month (2.4-64kbs)			UNCDX	1D1DD	0.9963	27.22	2.90	16.86	1.04						.
	Each Additional DS1 Interoffice Channel per mile in same 3/1		 	OINCDA	טטוטו	0.9963	27.33	2.90	10.86	1.04	—					
1 1	Channel System per month			UNC1X	1L5XX	0.1154										
	• •												•	•		

UNBUNDLE	D NETWORK ELEMENTS - Georgia												Attach	ment: 2	Exhi	bit: A
											Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
											Submitted			Charge -	Charge -	Charge -
		Interi	_								Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
						_	Nonrec	urring	Nonrecurring	Disconnect		1	oss	Rates (\$)	1	
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Each Additional DS1 Interoffice Channel Facility Termination in															
	same 3/1 Channel System per month			UNC1X	U1TF1	34.19	87.76	45.73	43.80	27.97						
	Each Additional DS1 COCI in the same 3/1 channel system combination per month			UNC1X	UC1D1	7.35	27.33	2.90	16.86	1.04						
	Nonrecurring Currently Combined Network Elements Switch -As-			UNCIA	OCIDI	7.35	21.33	2.90	10.00	1.04						
	Is Charge			UNC1X	UNCCC		5.70	5.70	6.61	6.61						
EXTE	NDED 4-WIRE 64 KBPS DIGITAL LOOP WITH DEDICATED DS1	INTERC	FFICE	TRANSPORT w/ 3/1	MUX											
	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice															
	Transport Combination - Zone 1		1	UNCDX	UDL64	21.86	195.94	36.38	18.42	6.86						
	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice		2	LINODY	LIDI 04	00.00	405.04	00.00	40.40	0.00						
\vdash	Transport Combination - Zone 2 First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice	 		UNCDX	UDL64	28.36	195.94	36.38	18.42	6.86						
	Transport Combination - Zone 3		3	UNCDX	UDL64	38.22	195.94	36.38	18.42	6.86						
	First Interoffice Transport - Dedicated - DS1 combination - Per			-				22.30	1	2.30						
	Mile Per Month			UNC1X	1L5XX	0.1154										
	First Interoffice Transport - Dedicated - DS1 combination -															
-	Facility Termination Per Month Per each Channel System 1/0 in combination Per Month	-		UNC1X UNC1X	U1TF1 MQ1	34.19 69.75	87.76 86.10	45.73	43.80	27.97						
 	Per each OCU-DP COCI (data) in combination - per month (2.4-	-		UNC1X	MQ1	69.75	86.10		-							
	64kbs)			UNCDX	1D1DD	0.9963	27.33	2.90	16.86	1.04						
	3/1 Channel System in combination per month			UNC3X	MQ3	121.90	27.00	2.00	10.00							
	Per each DS1 COCI in combination per month			UNC1X	UC1D1	7.35	27.33	2.90	16.86	1.04						
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1															
	Interoffice Transport Combination - Zone 1		1	UNCDX	UDL64	21.86	195.94	36.38	18.42	6.86						
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination - Zone 2		2	UNCDX	UDL64	28.36	195.94	36.38	18.42	6.86						
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1	-		UNCDX	ODL04	20.30	133.34	30.36	10.42	0.00						
	Interoffice Transport Combination - Zone 3		3	UNCDX	UDL64	38.22	195.94	36.38	18.42	6.86						
	Additional OCU-DP COCI (data) - DS1 to DS0 Channel System															
	combination - per month (2.4-64kbs)			UNCDX	1D1DD	0.9963	27.33	2.90	16.86	1.04						
	Each Additional DS1 Interoffice Channel per mile in same 3/1			UNC1X	1L5XX	0.1154										
	Channel System per month Each Additional DS1 Interoffice Channel Facility Termination in			UNCIX	ILSXX	0.1154										
	same 3/1 Channel System per month			UNC1X	U1TF1	34.19	87.76	45.73	43.80	27.97						
	Each Additional DS1 COCI in the same 3/1 channel system															
	combination per month			UNC1X	UC1D1	7.35	27.33	2.90	16.86	1.04						
	Nonrecurring Currently Combined Network Elements Switch -As-	1		LINGAV	LINICOO		£ 70		0.00	0.01						
EYTE	Is Charge NDED 2-WIRE ISDN LOOP WITH DS1 INTEROFFICE TRANSPOR	RT w/ 2/	1 MIIY	UNC1X	UNCCC		5.70	5.70	6.61	6.61						
EATE	First 2-Wire ISDN Loop in a DS1 Interoffice Combination	VI 44/ 3/							†							
	Transport - Zone 1		1	UNCNX	U1L2X	19.82	195.94	36.38	18.42	6.86						
	First 2-Wire ISDN Loop in a DS1 Interoffice Combination															
	Transport - Zone 2	ļ	2	UNCNX	U1L2X	26.26	195.94	36.38	18.42	6.86						
	First 2-Wire ISDN Loop in a DS1 Interoffice Combination Transport - Zone 3		3	UNCNX	U1L2X	42.17	195.94	36.38	18.42	6.86						
	First Interoffice Transport - Dedicated - DS1 combination - Per		3	UNCINA	UILZX	42.17	195.94	30.38	18.42	0.86						
	Mile per month			UNC1X	1L5XX	0.1154			1							
	First Interoffice Transport - Dedicated - DS1 combination -															
	Facility Termination per month	ļ		UNC1X	U1TF1	34.19	87.76	45.73	43.80	27.97						
	Per each Channel System 1/0 in combination - per month	 		UNC1X	MQ1	69.75	86.10		 							
	Per each 2-wire ISDN COCI (BRITE) in combination - per month			UNCNX	UC1CA	1.66	27.33	2.90	16.86	1.04						
	3/1 Channel System in combination per month			UNC3X	MQ3	121.90		2.00	. 5.00	0-1						
	Per each DS1 COCI in combination per month			UNC1X	UC1D1	7.35	27.33	2.90	16.86	1.04						
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport															
	Combination - Zone 1	<u> </u>	1	UNCNX	U1L2X	19.82	195.94	36.38	18.42	6.86	-	-				
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport Combination - Zone 2		2	UNCNX	U1L2X	26.26	195.94	36.38	18.42	6.86						
					J	20.20	100.04	00.00	10.72	0.00					L	

UNBUNDLE	NETWORK ELEMENTS - Georgia			ı								T -		ment: 2	1	bit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			1	Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'
						Rec	Nonrec		Nonrecurring					Rates (\$)		
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport															i .
	Combination - Zone 3		3	UNCNX	U1L2X	42.17	195.94	36.38	18.42	6.86						
	Additional 2-wire ISDN COCI (BRITE) in same 1/0 channel															i .
	system combination- per month			UNCNX	UC1CA	1.66	27.33	2.90	16.86	1.04						——
	Each Additional DS1 Interoffice Channel per mile in same 3/1				41 =204											i .
	Channel System per month			UNC1X	1L5XX	0.1154										
	Each Additional DS1 Interoffice Channel Facility Termination in			LINICAV	U1TF1	24.40	07.70	45.70	40.00	07.07						i .
	same 3/1 Channel System per month Each Additional DS1 COCI in the same 3/1 channel system		ļ	UNC1X	UTIFT	34.19	87.76	45.73	43.80	27.97						
	combination per month			UNC1X	UC1D1	7.35	27.33	2.90	16.86	1.04						i .
	Nonrecurring Currently Combined Network Elements Switch -As-		<u> </u>	UNCIA	UCIDI	7.33	21.33	2.90	10.00	1.04	1				-	—
	Is Charge			UNC1X	UNCCC		5.70	5.70	6.61	6.61					1	1
FXTEN	DED 4-WIRE DS1 LOOP WITH DEDICATED DS1 INTEROFFICE	TRANS	SPORT		DINOCO		5.10	5.70	0.01	0.01	-	-		 	t	
	First 4-wire DS1 Digital Lcoal Loop in Combination - Zone 1			UNC1X	USLXX	41.02	209.45	70.44	37.91	6.86		 			+	
	First 4-wire DS1 Digital Leoal Loop in Combination - Zone 2		2	UNC1X	USLXX	46.41	209.45	70.44	37.91	6.86					<u> </u>	
	First 4-wire DS1 Digital Lcoal Loop in Combination - Zone 3			UNC1X	USLXX	62.03	209.45	70.44		6.86						
	First Interoffice Transport - Dedicated - DS1 combination - Per					000										
	Mile Per Month			UNC1X	1L5XX	0.1154										i .
	First Interoffice Transport - Dedicated - DS1 combination -		i –													
	Facility Termination Per Month			UNC1X	U1TF1	34.19	87.76	45.73	43.80	27.97						i .
	3/1 Channel System in combination per month			UNC3X	MQ3	121.90										(
	Per each DS1 COCI combination per month			UNC1X	UC1D1	7.35	27.33	2.90	16.86	1.04						1
	Each Additional DS1 Interoffice Channel per mile in same 3/1															i .
	Channel System per month			UNC1X	1L5XX	0.1154										1
	Each Additional DS1 Interoffice Channel Facility Termination in															i .
	same 3/1 Channel System per month			UNC1X	U1TF1	34.19	87.76	45.73	43.80	27.97						
	Each Additional DS1 COCI in the same 3/1 channel system			LINIOAV	110454	7.05	07.00	0.00	40.00	4.04						i .
	combination per month Additional 4-Wire DS1 Digital Local Loop in Combination - Zone			UNC1X	UC1D1	7.35	27.33	2.90	16.86	1.04						+
	Additional 4-Wire DS1 Digital Local Loop in Combination - Zone			LINICAV	LICLYY	41.02	200 45	70.44	27.04	0.00						i .
	Additional 4-Wire DS1 Digital Local Loop in Combination - Zone		1	UNC1X	USLXX	41.02	209.45	70.44	37.91	6.86	-				-	
	Additional 4-Wire DST Digital Local Loop in Combination - Zone		2	UNC1X	USLXX	46.41	209.45	70.44	37.91	6.86						i .
	Additional 4-Wire DS1 Digital Local Loop in Combination - Zone			UNCIA	USLAA	40.41	209.45	70.44	37.91	0.00	1				1	—
	3		3	UNC1X	USLXX	62.03	209.45	70.44	37.91	6.86						1
	Nonrecurring Currently Combined Network Elements Switch -As-		-	ONOTA	OOLAX	02.03	203.43	70.44	37.31	0.00					-	
	Is Charge			UNC1X	UNCCC		5.70	5.70	6.61	6.61						1
EXTFN	DED 4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH DS0 I	NTERO	FFICE		5550		0.70	5.70	3.51	0.01					<u> </u>	
	First 4-wire 56 kbps Local Loop in combination - Zone 1			UNCDX	UDL56	21.86	195.94	36.38	18.42	6.86				İ	1	
	First 4-wire 56 kbps Local Loop in combination - Zone 2	1		UNCDX	UDL56	28.36	195.94	36.38	18.42	6.86				l	1	
	First 4-wire 56 kbps Local Loop in combination - Zone 3			UNCDX	UDL56	38.22	195.94	36.38	18.42	6.86						
	First 4-wiree 56 kbps Interoffice Transport - Dedicated - Per Mile															
	per month		<u> </u>	UNCDX	1L5XX	0.0057										
	First 4-wire 56 kbps Interoffice Transport - Dedicated - Facility															1
	Termination per month		<u> </u>	UNCDX	U1TD5	7.83	66.53	33.61	43.42	27.60						
	Nonrecurring Currently Combined Network Elements Switch -As-	1			1							1			I	1
<u> </u>	Is Charge	<u> </u>		UNCDX	UNCCC		5.70	5.70	6.61	6.61					ļ	—
EXTEN	DED 4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH DS0 I	NTERO			LIDLO:	21.0-									-	—
\vdash	First 4-wire 64 kbps Local Loop in combination - Zone 1			UNCDX	UDL64	21.86	195.94	36.38	18.42	6.86					 	—
 	First 4-wire 64 kbps Local Loop in combination - Zone 2	-	2	UNCDX	UDL64 UDL64	28.36	195.94	36.38	18.42	6.86	-			-	 	
\vdash	First 4-wire 64 kbps Local Loop in combination - Zone 3 First I4-wire 65 kbps Interoffice Transport - Dedicated - Per Mile	-	3	UNCDX	υυιο4	38.22	195.94	36.38	18.42	6.86	-	-		-	 	
	per month			UNCDX	1L5XX	0.0057						1			I	1
	First 4-wire 64 kbps Interoffice Transport - Dedicated - Facility	H	 	ONODA	ILUAA	0.0057			1	 	H			l	t	
	Termination per month			UNCDX	U1TD6	7.83	66.53	33.61	43.42	27.60		1			I	1
	Nonrecurring Currently Combined Network Elements Switch -As-		†	5.10DA	51150	1.00	00.03	35.01	75.42	27.00	-	-			t	—
	Is Charge			UNCDX	UNCCC		5.70	5.70	6.61	6.61		1			I	1
ADDITIONAL N	ETWORK ELEMENTS		t	2.102/1	5550		0.70	5.70	3.51	0.01					<u> </u>	
	ised as a part of a currently combined facility, the non-recurr	rng cha	raes de	not apply, but a s	Switch As Is ch	arge does ann	olv.		İ	İ				i	1	
	ised as ordinarily combined network elements in All States, the								+	 		-		-	 	

ONBONDE	ED NETWORK ELEMENTS - Georgia													ment: 2		ibit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)				Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic-	Charge - Manual Svc Order vs. Electronic-	Order vs. Electronic-	Charge - Manual Svo Order vs. Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
						B	Nonre	curring	Nonrecurring	Disconnect			oss	Rates (\$)		L
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
Noni	recurring Currently Combined Network Elements "Switch As Is"		(One a	applies to each com	oination)											
	Nonrecurring Currently Combined Network Elements Switch -As-															
	Is Charge - 2 wire/4-Wire VG			UNCVX	UNCCC		5.70	5.70	6.61	6.61						
	Nonrecurring Currently Combined Network Elements Switch -As-	ł														
	Is Charge - 56/64 kbps		ļ	UNCDX	UNCCC		5.70	5.70	6.61	6.61						
	Nonrecurring Currently Combined Network Elements Switch -As-	1		LINIOAY	1111000		5.70	5.70	0.04	0.04						
	Is Charge - DS1 Nonrecurring Currently Combined Network Elements Switch -As-		 	UNC1X	UNCCC		5.70	5.70	6.61	6.61	-				-	
	Is Charge - DS3	1		UNC3X	UNCCC		5.70	5.70	6.61	6.61						
	Nonrecurring Currently Combined Network Elements Switch -As-		1	UNCOX	DINCCC		3.70	5.70	0.01	0.01	1				1	
	Is Charge - STS1			UNCSX	UNCCC		5.70	5.70	6.61	6.61						
Optio	onal Features & Functions:			0.1007	0.1000		0.10	0.70	0.01	0.01					t	
		İ	1	U1TD1,	1											
	Clear Channel Capability Extended Frame Option - per DS1	L		ULDD1,UNC1X	CCOEF		OI	OI	OI	OI	L				<u> </u>	
				U1TD1,												
	Clear Channel Capability Super FrameOption - per DS1	- 1		ULDD1,UNC1X	CCOSF		01	01	OI	OI						
	Clear Channel Capability (SF/ESF) Option - Subsequent			ULDD1, U1TD1,				_	_	_						
	Activity - per DS1	ı		UNC1X, USL	NRCCC		184.62S	23.78S	2.03S	0.79S						
		١.		U1TD3, ULDD3,					. ==0.10							
	C-bit Parity Option - Subsequent Activity - per DS3	- 1	-	UE3, UNC3X	NRCC3		218.74S	7.66S	0.7591S	0S						1
MUL	TIPLEXERS DS1 to DS0 Channel System per month		_	UNC1X	MQ1	69.75	86.10				-				-	
	OCU-DP COCI (data) - DS1 to DS0 Channel System - per		+	UNCIX	IVIQ1	69.75	86.10				-				-	
	month (2.4-64kbs) used for a Local Loop			UDL	1D1DD	0.9963	11.98	11.39	6.61	6.61						
	OCU-DP COCI (data) - DS1 to DS0 Channel System - per		1	ODL	10100	0.0000	11.50	11.00	0.01	0.01	1					
	month (2.4-64kbs) used for connection to a channelized DS1 Local Channel in the same SWC as collocation			U1TUD	1D1DD	0.9963	11.98	11.39	6.61	6.61						
	2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per															
	month for a Local Loop		ļ	UDN	UC1CA	1.66	15.81	11.39	6.61	6.61						
	2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per															
	month used for connection to a channelized DS1 Local Channel in the same SWC as collocation			U1TUB	UC1CA	1.66	15.81	11.39	6.61	6.61						
	Voice Grade COCI - DS1 to DS0 Channel System - per month		+	UTTUB	UCTCA	1.00	15.81	11.39	0.01	0.01	-				-	
	used for a Local Loop			UEA	1D1VG	0.4689	11.98	11.39	6.61	6.61						
	Voice Grade COCI - DS1 to DS0 Channel System - per month		1	OLIT	15170	0.4000	11.50	11.00	0.01	0.01	1					
	used for connection to a channelized DS1 Local Channel in the															
	same SWC as collocation			U1TUC	1D1VG	0.4689	11.98	11.39	6.61	6.61						
	DS3 to DS1 Channel System per month			UNC3X	MQ3	121.90										
	STS-1 to DS1 Channel System per month			UNCSX	MQ3	121.90										
	DS1 COCI used with Loop per month	ļ		USL	UC1D1	7.35	15.81	11.39	6.61	6.61					ļ	ļ
	DS1 COCI (used for connection to a channelized DS1 Local	l		U1TUA	LICADA	7.05	45.04	44.00	0.04	6.61					1	
	Channel in the same SWC as collocation) per month DS1 COCI used with Interoffice Channel per month	-	1	U1TD1	UC1D1 UC1D1	7.35 7.35	15.81 15.81	11.39 11.39	6.61 6.61	6.61					 	1
	DS3 Interface Unit (DS1 COCI) used with Local Channel per		+	וטווטו	OCIDI	7.35	15.01	11.39	0.01	0.01	-				-	
	month			ULDD1	UC1D1	7.35	15.81	11.39	6.61	6.61						
UNBUNDLEI	D LOCAL EXCHANGE SWITCHING(PORTS)	1			30.51	7.55	10.01	11.55	0.01	0.01				1	<u> </u>	
	nange Ports	l		ĺ	İ		İ	İ						İ	1	
NOT	E: Although the Port Rate includes all available features in GA, I	KY, LA	& TN, t	he desired features	will need to b	oe ordered usi	ng retail USOC	s								
2-WI	RE VOICE GRADE LINE PORT RATES (RES)															
	Exchange Ports - 2-Wire Analog Line Port- Res.			UEPSR	UEPRL	1.09	2.42	2.31	1.37	1.28						
	Evahanga Parta 2 Wire Analog Line Part with C-II ID D			LIEDOD	UEPRC	1.00	2.42	2.31	1.37	1.00						
	Exchange Ports - 2-Wire Analog Line Port with Caller ID - Res.	-	1	UEPSR	UEPKC	1.09	2.42	2.31	1.37	1.28	-				 	
	Exchange Ports - 2-Wire Analog Line Port outgoing only - Res.	l		UEPSR	UEPRO	1.09	2.42	2.31	1.37	1.28					1	
	Exchange Ports - 2-Wire VG unbundled res, low usage line port		1	021 010	52110	1.09	2.42	2.31	1.37	1.20	-			 	t	+
		l	1	UEPSR	UEPAP	1.09	2.42	2.31	1.37	1.28					I	
	with Caller ID (LUM) Exchange Ports - 2-Wire Voice Georgia basic dialing port			OLI OIX	OLI 74	1.00				1120						

Ce 2-1	All Available Vertical Features VOICE GRADE LINE PORT RATES (BUS) Exchange Ports - 2-Wire Analog Line Port without Caller ID - Bus Exchange Ports - 2-Wire VG unbundled Line Port with Inbundled port with Caller+E484 ID - Bus.	Interi	Zone	BCS UEPSR UEPSR UEPSR UEPSR	USOC UEPWQ UEPWR UEPRT	Rec 1.09	Nonrec First 2.42	RATES (\$) urring Add'I 2.31	Nonrecurring First	Add'l		Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I Rates (\$)	Charge -	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'I
Ce 2-1	Caller ID - res			UEPSR UEPSR UEPSR	UEPWR	1.09	First	Add'l	First	Add'l	SOMEC	SOMAN			SOMAN	SOMAN
Ce 2-1	Caller ID - res			UEPSR UEPSR UEPSR	UEPWR	1.09					SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
Ce 2-1	Caller ID - res			UEPSR UEPSR UEPSR	UEPWR		2.42	2.31	4.07				1 1	1 1		1
2-1 0n	2-Wire voice unbundled Georgia basic dialing port - outgoing only 2-Wire voice unbundled Low Usage Line Port without Caller ID Capability 2-Wire Voice Grade Unbundled Port without Caller ID capability, 2-Wire Voice Grade Unbundled Port with Caller ID capability, 2-Wire Voice Grade Unbundled Port with Caller ID capability, 2-Wire Voice Grade Unbundled Port with Caller ID capability, 2-Wire Voice Grade Unbundled Port with Caller ID capability, 2-Wire Voice Grade Unbundled End Subsequent Activity ES 3-WI Available Vertical Features 4-WICE GRADE LINE PORT RATES (BUS) 5-Exchange Ports - 2-Wire Analog Line Port without Caller ID - 8-Wise Sexchange Ports - 2-Wire VG unbundled Line Port with Inbundled port with Caller+E484 ID - 8-Wise Subsequent Ports - 8-Wire VG unbundled Line Port with			UEPSR UEPSR UEPSR	UEPWR		2.42	2.31					1	1	. '	(
On 2-1	InlyWire voice unbundled Low Usage Line Port without Caller IDApabilityWire Voice Grade Unbundled Port without Caller ID capability,Wire Voice Grade Unbundled Port with Caller ID capability,BeorgiaWire Voice Grade Unbundled Port with Caller ID capability,Beorgia			UEPSR UEPSR		1.09			1.3/	1.28					 '	
Ca 2-1 Ga Ga Ga Ga Ga Ga Ga G	Capability Wire Voice Grade Unbundled Port without Caller ID capability, Georgia Wire Voice Grade Unbundled Port with Caller ID capability, Georgia Subsequent Activity ES All Available Vertical Features VOICE GRADE LINE PORT RATES (BUS)			UEPSR	UEPRT		2.42	2.31	1.37	1.28						1
2-1 Ge Ge Su FEATURE VI Ex Bu Ex Pc	2-Wire Voice Grade Unbundled Port without Caller ID capability, 3eorgia 2-Wire Voice Grade Unbundled Port with Caller ID capability, 3eorgia 3-Wire Voice Grade Unbundled Port with Caller ID capability, 3eorgia 3-Wise Caller ID capability, 3eorgia			UEPSR	UEPKI	4.00	0.40	0.04	4.07	1.00						
Ge 2-1 Ge Su Su FEATURE Su FEATURE Yu Su Su Su Su Su Su Su	Georgia 2-Wire Voice Grade Unbundled Port with Caller ID capability, Georgia Subsequent Activity ES III Available Vertical Features VOICE GRADE LINE PORT RATES (BUS) Exchange Ports - 2-Wire Analog Line Port without Caller ID - Bus Exchange Ports - 2-Wire VG unbundled Line Port with inbundled port with Caller+E484 ID - Bus.					1.09	2.42	2.31	1.37	1.28				\vdash		
FEATURE All 2-WIRE VG Ex Bu un Ex Pc	Georgia Subsequent Activity ES All Available Vertical Features VOICE GRADE LINE PORT RATES (BUS) Exchange Ports - 2-Wire Analog Line Port without Caller ID - Bus Suschange Ports - 2-Wire VG unbundled Line Port with Inbundled port with Caller+E484 ID - Bus.				UEPRV	1.09	2.42	2.31	1.37	1.28						1
FEATURE VI 2-WIRE VI Ex Bu Ex un Ex Pc	Subsequent Activity ES WI Available Vertical Features VOICE GRADE LINE PORT RATES (BUS) Exchange Ports - 2-Wire Analog Line Port without Caller ID - Bus Exchange Ports - 2-Wire VG unbundled Line Port with Inbundled port with Caller+E484 ID - Bus.														1	1
FEATURE All 2-WIRE VO Ex Bu Ex un Ex Pc	ES II Available Vertical Features VOICE GRADE LINE PORT RATES (BUS) Exchange Ports - 2-Wire Analog Line Port without Caller ID - Bus Exchange Ports - 2-Wire VG unbundled Line Port with Inbundled port with Caller+E484 ID - Bus.			UEPSR	UEPRU	1.09	2.42	2.31	1.37	1.28					 '	
Ex Bu Ex Ex Un Ex Ex Ex	All Available Vertical Features VOICE GRADE LINE PORT RATES (BUS) Exchange Ports - 2-Wire Analog Line Port without Caller ID - Bus Exchange Ports - 2-Wire VG unbundled Line Port with Inbundled port with Caller+E484 ID - Bus.			UEPSR	USASC	0.00	0.00	0.00					igwdown	\vdash	└─ ──	
2-WIRE VC	VOICE GRADE LINE PORT RATES (BUS) Exchange Ports - 2-Wire Analog Line Port without Caller ID - 3 Exchange Ports - 2-Wire VG unbundled Line Port with Inbundled port with Caller+E484 ID - Bus.			UEPSR	UEPVF	0.775	0.00	0.00						\vdash	\vdash	
Ex Bu Ex un Ex Po	exchange Ports - 2-Wire Analog Line Port without Caller ID - bus - 2-Wire VG unbundled Line Port with inbundled port with Caller+E484 ID - Bus.			UEPSR	UEPVF	0.775	0.00	0.00					\vdash			
Bu Ex un Ex Po	Bus Exchange Ports - 2-Wire VG unbundled Line Port with Inbundled port with Caller+E484 ID - Bus.				+									\vdash		
un Ex Po	inbundled port with Caller+E484 ID - Bus.			UEPSB	UEPBL	1.09	2.42	2.31	1.37	1.28						l
Ex Po				UEPSB	UEPBC	1.09	2.42	2.31	1.37	1.28						1
Pc Ex	Exchange Ports - 2-Wire Voice Georgia Business Basic Dialing			OLFSB	OLFBC	1.09	2.42	2.31	1.37	1.20			 		 	
	Port, with Caller ID capability			UEPSB	UEPWP	1.09	2.42	2.31	1.37	1.28						
	Exchange Ports - 2-Wire Analog Line Port outgoing only - Bus.			UEPSB	UEPBO	1.09	2.42	2.31	1.37	1.28						l
	Exhange Ports - 2-Wire VG unbundled incoming only port with															
	Caller ID - Bus			UEPSB	UEPB1	1.09	2.42	2.31	1.37	1.28					<u> </u>	
	Exchange Ports - 2-Wire Voice Georgia Business Dialing Plan													1 1	, '	ł
	vithout Caller ID			UEPSB	UEPWD	1.09	2.42	2.31	1.37	1.28			├ ───		├──	—
	P-Wire voice unbundled Incoming Only Port without Caller ID Capability			UEPSB	UEPBE	1.09	2.42	2.31	1.37	1.28				1 1	, '	ł
	Subsequent Activity			UEPSB	USASC	0.00	0.00	0.00	1.37	1.20				\vdash		
FEATURE				OLI OD	UUAUU	0.00	0.00	0.00						$\overline{}$		
	All Available Vertical Features		-	UEPSB	UEPVF	0.775	0.00	0.00					 			ſ
	IGE PORT RATES (DID & PBX)			02. 03	02. 11	00	0.00	0.00								
	2-Wire VG Unbundled 2-Way PBX Trunk - Res			UEPSE	UEPRD	1.09	28.88	13.63	11.48	0.83						·
	P-Wire VG Line Side Unbundled 2-Way PBX Trunk - Bus			UEPSP	UEPPC	1.09	28.88	13.63	11.48	0.83						·
2-1	P-Wire VG Line Side Unbundled Outward PBX Trunk - Bus			UEPSP	UEPPO	1.09	28.88	13.63	11.48	0.83			j			
	-Wire VG Line Side Unbundled Incoming PBX Trunk - Bus			UEPSP	UEPP1	1.09	28.88	13.63	11.48	0.83						
	2-Wire Analog Long Distance Terminal PBX Trunk - Bus			UEPSP	UEPLD	1.09	28.88	13.63	11.48	0.83					'	
	2-Wire Voice Unbundled PBX LD Terminal Ports			UEPSP	UEPLD	1.09	28.88	13.63	11.48	0.83					 '	
	2-Wire Vice Unbundled 2-Way PBX Usage Port			UEPSP	UEPXA	1.09	28.88	13.63	11.48	0.83					 '	
	P-Wire Voice Unbundled PBX Toll Terminal Hotel Ports		-	UEPSP	UEPXB UEPXC	1.09	28.88	13.63	11.48	0.83			\longrightarrow			
	2-Wire Voice Unbundled PBX LD DDD Terminals Port 2-Wire Voice Unbundled PBX LD Terminal Switchboard Port		-	UEPSP UEPSP	UEPXC	1.09 1.09	28.88 28.88	13.63 13.63	11.48 11.48	0.83			├ ──	\vdash		
	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD			UEFSF	UEPAD	1.09	20.00	13.03	11.40	0.63						
	Capable Port			UEPSP	UEPXE	1.09	28.88	13.63	11.48	0.83			ļ		<u> </u>	
	P-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy			UEPSP	UEPXL	1.09	28.88	13.63	11.48	0.83				i	1	l
2-1	P-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy															i
	Room Calling Port P-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital			UEPSP	UEPXM	1.09	28.88	13.63	11.48	0.83			\vdash			
Dis	Discount Room Calling Port			UEPSP	UEPXO	1.09	28.88	13.63	11.48	0.83			igsquare	igsquare	<u> </u>	-
	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port		<u> </u>	UEPSP	UEPXS	1.09	28.88	13.63	11.48	0.83			ļ	\vdash	 '	——
	P-Wire voice unbundled Georgia basic dialing port - 1-Way Dudial Trunk			UEPSP	UEPWS	1.09	28.88	13.63	11.48	0.83					'	l
	2-Wire voice unbundled Georgia basic dialing port - 2-Way														[
Tro	runk			UEPSP	UEPWT	1.09	28.88	13.63	11.48	0.83			├ ──	\vdash	<u> </u>	-
Tro	P-Wire voice unbundled Georgia basic dialing port - 2-way PBX Trunk			UEPSP	UEPPQ	1.09	28.88	13.63	11.48	0.83			1 1	1	i '	l
FEATURE	Subsequent Activity			UEPSP	USASC	0.00	0.00	0.00		0.00			L 1	<u> </u>		

IINR	IINDI E	D NETWORK ELEMENTS - Georgia												Attach	ment: 2	Exhil	hit: A
CIAD	CHDLE			1	I	1	I					Svc Order	Svc Order	Incremental	Incremental		Incremental
												1					
												Submitted	Submitted		Charge -	Charge -	Charge -
CATE	GORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			Elec	Manually	Manual Svc	Manual Svc		Manual Svc
CATE	GURT	RATE ELEMENTS	m	Zone	BCS	USUC			KATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
				_				NI		L 61	- B'		l		D-((A)		
				_			Rec	Nonrec			g Disconnect				Rates (\$)		
				ļ		l		First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		All Available Vertical Features		ļ	UEPSP UEPSE	UEPVF	0.775	0.00	0.00							<u>'</u>	
	EXCH	ANGE PORT RATES (COIN)		ļ												<u>'</u>	
		Exchange Ports - Coin Port	L		L		1.09	2.42	2.31				L			<u></u> '	
		Transmission/usage charges associated with POTS circuit sy															
		Access to B Channel or D Channel Packet capabilities will be	availal	ble only	y through BFR/New	Business Re	quest Process.	Rates for the	packet capabi	lities will be d	etermined via t	he Bona Fi	le Request/	New Busines	s Request Pro	cess.	
UNBU		LOCAL EXCHANGE SWITCHING(PORTS)														<u> </u>	
		ANGE PORT RATES														<u> </u>	
		61 Port rates below for 4-Wire DDITS Trunk Port and 4-Wire IS											riff rates or	a separate ag	reement.	<u> </u>	1
	Reque	sts for 4-Wire DDITS Trunk Ports with 4-Wire ISDN DS1 Ports	after the	effect												<u> </u>	1
		Exchange Ports - 2-Wire DID Port			UEPEX	UEPP2	5.50	122.26	18.65	54.82	3.45					<u> </u>	1
		Exchange Ports - DDITS Port - 4-Wire DS1 Port with DID														, '	1
		capability (E:4/1/2004)			UEPDD	UEPDD	41.20	200.96	93.00	65.81	2.33					<u> </u>	l .
		Exchange Ports - 2-Wire ISDN Port (See Notes below.)			UEPTX, UEPSX	U1PMA	6.09	76.39	51.50	45.67	10.36			<u> </u>			
		All Features Offered			UEPTX, UEPSX	UEPVF	0.775	0.00	0.00								1
		Exchange Ports - 2-Wire ISDN Port Channel Profiles			UEPTX, UEPSX	U1UMA	0.00	0.00	0.00								1
	NOTE:	Transmission/usage charges associated with POTS circuit sy	vitched	usage	will also apply to ci	ircuit switche	ed voice and/or	circuit switche	ed data transn	ission by B-C	hannels assoc	iated with 2	wire ISDN p	orts.		,	1
	NOTE:	Access to B Channel or D Channel Packet capabilities will be	availal	ble only	y through BFR/New	Business Re	quest Process.	Rates for the	packet capabi	lities will be de	etermined via t	he Bona Fi	de Request/	New Busines:	s Request Pro	cess.	
	EXCH/	ANGE PORT RATES (continued)														,	
		Exchange Ports - 4-Wire ISDN DS1 Port with Detailed E911								Î							
		Locator Capability (E:4/1/2004)			UEPEX	UEPEX	65.13	198.74	97.29	72.95	17.69					, '	1
		Exchange Ports - 4-Wire ISDN DS1 Port (E:4/1/2004)			UEPDX	UEPDX	65.13	198.74	97.29	72.95	17.69						
		Physical Collocation - DS1 Cross-Connects			UEPEX UEPDX	PE1P1	0.3726										
		Virtual collocation - Special Access & UNE, cross-connect per															
		DS1			UEPEX UEPDX	CNC1X	0.3726									, '	1
	Detaile	d E911 with Locator Capability (required with UEPEX port)															
		Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - E911															
		Locator Capability - Initial Profile Establishment per CLEC per														, '	1
		State			UEPEX	UEP1A	0.00	1,818.00								, '	1
		Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - E911						,				İ					
		Locator Capability - Subsequent Profile Changes, Additions,														, '	1
		Deletions			UEPEX	UEP1B	0.00	176.57								, '	1
	New o	Additional PRI Telephone Numbers		1								i e					
	11111111111	Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - E911		1								i e					
		Locator Capability 2-way Telephone Numbers, per number in														, '	1
		E911 profile [New or Additional]			UEPEX	UEP1C	0.0703	0.50								, '	1
	+	Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - E911			02. 27.	020	0.07.00	0.00				i e					
		Locator Capability - Outdial Telephone Numbers, per number in														, '	1
		E911 profile [New or Additional]			UEPEX	UEP1D	0.0703	10.72	10.72							, '	1
	+	Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - Inward		1	02. 27.	025	0.07.00		10.72			†				$\overline{}$	——
		Telephone Numbers - Inward Data Only Option [New or														, '	1
		Additional			UEPDX	UEP1E	0.00	0.50								, '	1
	+	Exchange Ports - 4-Wire ISDN DS1 Port - Subsequent [New]		1	OLI DX	OLI IL	0.00	0.00				1				$\overline{}$	——
		Inward Tel Numbers [Customer Testing Purposes]			UEPEX	PR7ZT	0.00	21.43	21.43							, '	1
-	LOCAL	NUMBER PORTABILITY		+	OLI LX	110721	0.00	21.40	21.40			<u> </u>					
	LOOAL	Local Number Portability (1 per port)		1	UEPEX UEPDX	LNPCN	1.75					†					—
-	INTED	FACE (Provsioning Only)		1	OLFLX OLFDX	LINECIN	1.73										<u> </u>
	INTER	Voice/Data		1	UEPEX	PR71V	0.00	0.00	0.00	 	 	†	 		 		
-	+	Digital Data		1	UEPEX	PR71D	0.00	0.00	0.00	1	+	1	-	 	1		
—	+	Inward Data	—	+	UEPDX	PR71E	0.00	0.00	0.00		 	1	-				
—	Now -	r Additional Channel	—	+	OLFDA	I.I.V. IE	0.00	0.00	0.00		 	1	-				
-	Mem 0		-	+	LIEDEV	DD7D\/	0.00	20.74		-	 	1		-	-		
-	+	New or Additional - Voice/Data "B" Channel	_	1	UEPEX	PR7BV	0.00	28.71			 	1					
-	+	New or Additional - Digital Data "B" Channel		1	UEPEX UEPDX	PR7BF	0.00	28.71		 	 	1	 	-	 		
—	+	New or Additional Inward Data "B" Channel		-		PR7BD	0.00	28.71		-	-	1	.	-	.		
-	+	New or Additional Useage Sensitive Voice Data "B" Channel		1	UEPEX	PR7BS	0.00				-	1	-				
<u> </u>	+	New or Additional Useage Sensitive Digital Data "B" Channel		1	UEPEX	PR7BU	0.00			ļ	-	<u> </u>		 	.		
<u> </u>		New or Additional PRI "D" Channel		1	UEPEX	PR7EX	0.00	28.71				ļ					
<u> </u>	CALL	TYPES		1	HEDEN HEDE:							ļ					
<u> </u>		Inward		1	UEPEX UEPDX	PR7C1	0.00	0.00	0.00			1				<u></u> '	
		Outward			UEPEX	PR7CO	0.00	0.00	0.00				1	l	I	, ,	1 '

HINRIN	DI F	O NETWORK ELEMENTS - Georgia												Attach	ment: 2	Evhi	ibit: A
SIADOIA		JALI WORK ELLINEWTO - Georgia		1			I					Svc Order	Svc Order		Incremental		Incremental
													Submitted	Charge -	Charge -	Charge -	Charge -
047506	-DV	DATE EL EMENTO	Interi	-	500				DATEO (6)			Elec	Manually	Manual Svc	Manual Svc		Manual Svo
CATEGO	KY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
												-		Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							Rec	Nonrec		Nonrecurring					Rates (\$)		
							1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Two-way			UEPEX	PR7CC	0.00	0.00	0.00								
U	INBUN	DLED PORT with REMOTE CALL FORWARDING CAPABILITY	,														
t	NBUN	DLED REMOTE CALL FORWARDING SERVICE - RESIDENCE					ĺ										
		Unbundled Remote Call Forwarding Service, Area Calling, Res			UEPVR	UERAC	1.09	2.42	2.31	1.37	1.28						1
		<u> </u>															
		Unbundled Remote Call Forwarding Service, Local Calling - Res			UEPVR	UERLC	1.09	2.42	2.31	1.37	1.28						
		Unbundled Remote Call Forwarding Service, InterLATA - Res		t -	UEPVR	UERTE	1.09	2.42	2.31	1.37	1.28						
H	-	Unbundled Remote Call Forwarding Service, IntraLATA - Res		 	UEPVR	UERTR	1.09	2.42	2.31	1.37	1.28						
- I		ecurring		1	OLI VIX	OLIVIN	1.03	2.72	2.51	1.57	1.20	-	-			-	
	IOII-Ke			-		+											
		Unbundled Remote Call Forwarding Service - Conversion -	1	1	LIEDVB	LIGACO		0.04	0.01			1	I		l	I	
\vdash		Switch-as-is		1	UEPVR	USAC2		2.01	0.31			-	 		 	 	
		Unbundled Remote Call Forwarding Service - Conversion with		1									1				
\vdash		allowed change (PIC and LPIC)		!	UEPVR	USACC		2.01	0.31				ļ			L	ļ
L	INBUN	DLED REMOTE CALL FORWARDING - Bus				1											ļ
	7		1	1									i			_	
		Unbundled Remote Call Forwarding Service, Area Calling - Bus		<u> </u>	UEPVB	UERAC	1.09	2.42	2.31	1.37	1.28		<u> </u>				<u> </u>
	\Box																
		Unbundled Remote Call Forwarding Service, Local Calling - Bus			UEPVB	UERLC	1.09	2.42	2.31	1.37	1.28						
		Unbundled Remote Call Forwarding Service, InterLATA - Bus			UEPVB	UERTE	1.09	2.42	2.31	1.37	1.28						
		Unbundled Remote Call Forwarding Service, IntraLATA - Bus			UEPVB	UERTR	1.09	2.42	2.31	1.37	1.28						
		Unbundled Remote Call Forwarding Service Expanded and		t -	02. 15	OZ.T.T.	1.00	22	2.01	1.07	1120						
		Exception Local Calling			UEPVB	UERVJ	1.09	2.42	2.31	1.37	1.28						
- I		curring		 	OLI VD	OLIVO	1.03	2.72	2.51	1.07	1.20						
	IOII-Ke	Unbundled Remote Call Forwarding Service - Conversion -		-		+						-	-			-	
		Switch-as-is			UEPVB	USAC2		2.01	0.31								
\vdash				-	UEPVB	USACZ		2.01	0.31								
		Unbundled Remote Call Forwarding Service - Conversion with															
		allowed change (PIC and LPIC)			UEPVB	USACC		2.01	0.31								
		OCAL SWITCHING, PORT USAGE															
E		fice Switching (Port Usage)															
		End Office Switching Function, Per MOU					0.0006153										
		End Office Trunk Port - Shared, Per MOU					0.0001226										
Т	anden	n Switching (Port Usage) (Local or Access Tandem)															
		Tandem Switching Function Per MOU					0.0000972										
		Tandem Trunk Port - Shared, Per MOU					0.0001557										
		Tandem Switching Function Per MOU (Melded)				1	0.000017904										1
		Tandem Trunk Port - Shared, Per MOU (Melded)				1	0.00002868										1
		Melded Factor: 18.42% of the Tandem Rate															
C		on Transport		i		1	i i			i i		ĺ	ĺ		İ		ĺ
\vdash		Common Transport - Per Mile, Per MOU		t —	†	1	0.0000027					†	 		l	†	1
+	_	Common Transport - Facilities Termination Per MOU		t	<u> </u>	1	0.0001914					<u> </u>	-		 	 	1
LINBLING	I ED B	PORT/LOOP COMBINATIONS - COST BASED RATES	-	 	 	+	0.0001314					 	 		 	 	
		ased Rates are applied where BellSouth is required by FCC an	d/or S	ato Co	mmission rulo to n	ovido Unbur	dlad Lacal Swit	tching or Swite	sh Dorte			 	 		 	 	1
										d Bort costini	of this Date C	Vhihit	-			 	1
<u> </u>	eature	es shall apply to the Unbundled Port/Loop Combination - Cos	L Dasec	rate s	section in the same	manner as th	ey are applied t	to the Stand-A	ione unbundle	u POR SECTION	or this Rate E	AIIIDIT.	Dow''	Combiner:		-	1
		fice and Tandem Switching Usage and Common Transport Us														-	_
		st and additional Port nonrecurring charges apply to Not Curr	ently C	ombin	ed Combos. For Cu	rrently Comb	ned Combos th	ne nonrecurrin	g cnarges sha	II be those iden	ntified in the N	onrecurring	- Currently	Combined s	ections.		
		VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)		!	1	1							ļ				ļ
U		ort/Loop Combination Rates		<u> </u>	ļ												ļ
oxdot		2-Wire VG Loop/Port Combo - Zone 1		1		1	10.46										ļ
		2-Wire VG Loop/Port Combo - Zone 2		2			15.76										
		2-Wire VG Loop/Port Combo - Zone 3		3			32.56										
	NE Lo	pop Rates															
		2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPRX	UEPLX	9.56										
L		2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPRX	UEPLX	14.86										
l																1	+
				3	UEPRX	UEPLX	31,66										
		2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPRX	UEPLX	31.66										
		2-Wire Voice Grade Loop (SL1) - Zone 3 Voice Grade Line Port Rates (Res)		3				10.05	7 26	1 27	1 20						
		2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPRX UEPRX UEPRX	UEPLX UEPRL UEPRC	31.66 0.9019 0.9019	10.05 10.05	7.36 7.36	1.37 1.37	1.28						

UNBUNDLE	D NETWORK ELEMENTS - Georgia													ment: 2		bit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)				Submitted	Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l
					\perp	Rec	Nonrec		Nonrecurring					Rates (\$)		
	O.M.C. and the state of the control				+ +		First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire voice unbundles res, low usage line port with Caller ID			LIEDDY	LIEDAD	0.0040	40.05	7.00	4.07	4.00						l .
	(LUM)			UEPRX	UEPAP	0.9019	10.05	7.36	1.37	1.28	-					
	2-Wire voice unbundled Georgia basic dialing port without Caller ID capability - res			UEPRX	UEPWC	0.9019	10.05	7.36	1.37	1.28						
	2-Wire voice unbundled Georgia basic dialing port for use with Caller ID - res			UEPRX	UEPWQ	0.9019	10.05	7.36	1.37	1.28						
	2-Wire voice unbundled Georgia basic dialing port - outgoing only			UEPRX	UEPWR	0.9019	10.05	7.36	1.37	1.28						ĺ
	2-Wire voice unbundled Low Usage Line Port without Caller ID Capability			UEPRX	UEPRT	0.9019	10.05	7.36	1.37	1.28						
	2-Wire Voice Grade Unbundled Port without Caller ID, Georgia			UEPRX	UEPRV	0.9019	10.05	7.36	1.37	1.28						
	2-Wire Voice Grade Unbundled Port with Caller ID, Georgia			UEPRX	UEPRU	0.9019	10.05	7.36	1.37	1.28						
FEATU																
	All Features Offered			UEPRX	UEPVF	0.775	0.00	0.00								
	NUMBER PORTABILITY															
	Local Number Portability (1 per port)	ļ		UEPRX	LNPCX	0.35						1				
NONRE	CURRING CHARGES (NRCs) - CURRENTLY COMBINED				+ +											
	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch-as-is			UEPRX	USAC2		0.10	0.10								
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -			HEDDY	110400		0.40	0.40								l .
ADDITI	Switch with change		-	UEPRX	USACC		0.10	0.10	1							
ADDITI	ONAL NRCs 2-Wire Voice Grade Loop/Line Port Combination - Subsequent		-		+				-			-				——
	Activity			UEPRX	USAS2	0.00	0.00	0.00								
	Unbundled Miscellaneous Rate Element, Tag Loop at End User Premise			UEPRX	URETL		8.33	0.83								1
	N PREMISES EXTENSION CHANNELS			021101	U.V.E.I.E		0.00	0.00	t							
	2 Wire Analog Voice Grade Extension Loop - Non-Design		1	UEPRX	UEAEN	10.51	40.02	9.99	5.61	1.72						
	2 Wire Analog Voice Grade Extension Loop – Non-Design		2	UEPRX	UEAEN	15.85	40.02	9.99	5.61	1.72						
	2 Wire Analog Voice Grade Extension Loop - Non-Design		3	UEPRX	UEAEN	31.97	40.02	9.99	5.61	1.72						
	2 Wire Analog Voice Grade Extension Loop – Design		1	UEPRX	UEAED	11.57	79.85	24.65	18.92	7.87						1
	2 Wire Analog Voice Grade Extension Loop – Design		2	UEPRX	UEAED	16.95	79.85	24.65	18.92	7.87						
	2 Wire Analog Voice Grade Extension Loop – Design		3	UEPRX	UEAED	33.08	79.85	24.65	18.92	7.87						1
INTER	OFFICE TRANSPORT															
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility Termination			UEPRX	U1TV2	12.87	48.46	19.48	16.58	5.00						
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile or Fraction Mile			UEPRX	U1TVM	0.0057	0.00	0.00								1
2-WIRE	VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS)															
UNE Po	ort/Loop Combination Rates															
	2-Wire VG Loop/Port Combo - Zone 1		1			10.46										
	2-Wire VG Loop/Port Combo - Zone 2		2			15.76		·								
	2-Wire VG Loop/Port Combo - Zone 3		3			32.56										
UNE Lo	pop Rates															
	2-Wire Voice Grade Loop (SL1) - Zone 1	ļ	1	UEPBX	UEPLX	9.56			ļ	ļ			ļ			
	2-Wire Voice Grade Loop (SL1) - Zone 2	ļ	2	UEPBX	UEPLX	14.86			<u> </u>				ļ			
0.14/:	2-Wire Voice Grade Loop (SL1) - Zone 3	-	3	UEPBX	UEPLX	31.66			 	-	-	1	 			
∠-wire	Voice Grade Line Port (Bus) 2-Wire voice unbundled port without Caller ID - bus	-	-	UEPBX	UEPBL	0.9019	10.05	7.36	1.37	1.28				-	-	—
	2-Wire voice unburidled port with Caller ID - bus 2-Wire voice unbundled port with Caller + E484 ID - bus	 		UEPBX	UEPBC	0.9019	10.05	7.36	1.37	1.28		H	 			
	2-Wire voice unburidled port with Callet + L464 ID - bus 2-Wire voice unbundled port outgoing only - bus	l		UEPBX	UEPBO	0.9019	10.05	7.36	1.37	1.28	-	 				
	2-Wire voice unbundled incoming only port with Caller ID - Bus	i e		UEPBX	UEPB1	0.9019	10.05	7.36	1.37	1.28			İ			
	2-Wire voice unbundled Georgia basic dialing port, without Caller ID capability - bus			UEPBX	UEPWD	0.9019	10.05	7.36	1.37	1.28						
	2-Wire voice unbundled Georgia basic dialing port for use with Caller ID - bus			UEPBX	UEPWP	0.9019	10.05	7.36	1.37	1.28						
	2-Wire voice unbundled Incoming Only Port without Caller ID Capability			UEPBX	UEPBE	0.9019	10.05	7.36	1.37	1.28						
LOCAL	NUMBER PORTABILITY	İ			1				1	i	İ	1	İ			

ONBONDE	ED NETWORK ELEMENTS - Georgia			1							T -	T -		ment: 2		ibit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)				Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l
						Rec	Nonrec		Nonrecurring					Rates (\$)		
				LIEBBY .	LUBOY		First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Local Number Portability (1 per port)		-	UEPBX	LNPCX	0.35										
FEAT				UEPBX	UEPVF	0.775	0.00	0.00				-				
NONE	All Features Offered ECURRING CHARGES (NRCs) - CURRENTLY COMBINED			UEPBX	UEPVF	0.775	0.00	0.00				-				
NONK	2-Wire Voice Grade Loop / Line Port Combination - Conversion -				-	-										<u> </u>
	Switch-as-is			UEPBX	USAC2		0.10	0.10								
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -			OLI DX	00/102		0.10	0.10								
	Switch with change			UEPBX	USACC		0.10	0.10								
ADDI	TIONAL NRCs								1						İ	
	2-Wire Voice Grade Loop/Line Port Combination - Subsequent															1
	Activity			UEPBX	USAS2		0.00	0.00			1					
İ	Unbundled Miscellaneous Rate Element, Tag Loop at End User					İ										
	Premise		<u> </u>	UEPBX	URETL		8.33	0.83								<u> </u>
OFF/C	ON PREMISES EXTENSION CHANNELS															
	2 Wire Analog Voice Grade Extension Loop – Non-Design		1	UEPBX	UEAEN	10.51	40.02	9.99	5.61	1.72						
	2 Wire Analog Voice Grade Extension Loop – Non-Design		2	UEPBX	UEAEN	15.85	40.02	9.99	5.61	1.72						
	2 Wire Analog Voice Grade Extension Loop – Non-Design		3	UEPBX	UEAEN	31.97	40.02	9.99	5.61	1.72						ļ
	2 Wire Analog Voice Grade Extension Loop – Design		1	UEPBX	UEAED	11.57	79.85	24.65	18.92	7.87						
	2 Wire Analog Voice Grade Extension Loop – Design			UEPBX	UEAED	16.95	79.85	24.65	18.92	7.87						
	2 Wire Analog Voice Grade Extension Loop – Design		3	UEPBX	UEAED	33.08	79.85	24.65	18.92	7.87						
INTER	ROFFICE TRANSPORT															
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility			HEDDY	11477.00	40.07	40.40	40.40	40.50	5.00						
	Termination Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile		-	UEPBX	U1TV2	12.87	48.46	19.48	16.58	5.00						
	or Fraction Mile			UEPBX	U1TVM	0.0057	0.00	0.00								
2-WID	E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES - PBX)		1	UEPBA	UTTVIVI	0.0057	0.00	0.00								
	Port/Loop Combination Rates			1					 							
ONE	2-Wire VG Loop/Port Combo - Zone 1		1		+	10.46										1
	2-Wire VG Loop/Port Combo - Zone 2		2		+	15.76										1
	2-Wire VG Loop/Port Combo - Zone 3		3			32.56										1
UNE I	Loop Rates		Ť			02.00										
	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEPRG	UEPLX	9.56										
	2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEPRG	UEPLX	14.86										
	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEPRG	UEPLX	31.66										
2-Wire	Voice Grade Line Port Rates (RES - PBX)															
T	2-Wire VG Unbundled Combination 2-Way PBX Trunk Port -			1												
	Res			UEPRG	UEPRD	0.9019	10.05	7.36	1.37	1.28						ļ
LOCA	L NUMBER PORTABILITY															ļ
	Local Number Portability (1 per port)			UEPRG	LNPCP	3.15	0.00	0.00						ļ		
FEAT	URES		.	LIEBBO	LIED) (E		2.00								ļ	_
luc:-	All Features Offered		ļ	UEPRG	UEPVF	0.775	0.00	0.00			ļ			 	ļ	
NONR	ECURRING CHARGES (NRCs) - CURRENTLY COMBINED		-	 	+									 	1	
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -			LIEBBO	USAC2		0.40	0.40			1					
	Conversion - Switch-As-Is		-	UEPRG	USAC2		0.10	0.10						-	1	
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Conversion - Switch with Change			UEPRG	USACC		0.10	0.10			1					
ADDI	FIONAL NRCs		 	ULPRU	USACC		0.10	0.10			-	-			1	
ADDI	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -		\vdash	 	+				 						1	
	Subsequent Activity			UEPRG	USAS2	0.00	0.00	0.00			1					
- 	PBX Subsequent Activity - Change/Rearrange Multiline Hunt		†		00.02	0.00	0.00	0.00			†	-		1	1	t
	Group			1			6.70	6.70			1					
	Unbundled Miscellaneous Rate Element, Tag Loop at End User			İ	1		30	30	1					İ		1
	Premise			UEPRG	URETL		8.33	0.83								
OFF/0	ON PREMISES EXTENSION CHANNELS			1												1
	Local Channel Voice grade, per termination		1	UEPRG	P2JHX	11.57	79.85	24.65	18.92	7.87						
	Local Channel Voice grade, per termination		2	UEPRG	P2JHX	16.95	79.85	24.65	18.92	7.87						
	Local Channel Voice grade, per termination		3	UEPRG	P2JHX	33.08	79.85	24.65	18.92	7.87						
	Non-Wire Direct Serve Channel Voice Grade		1	UEPRG	SDD2X	12.74	56.92	7.70	4.40	0.02						
	Non-Wire Direct Serve Channel Voice Grade		2	UEPRG	SDD2X	19.76	56.92	7.70	4.40	0.02						

UNBUNDLE	D NETWORK ELEMENTS - Georgia					•					Г-	Γ-		ment: 2	1	bit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			II .	Svc Order Submitted Manually per LSR	Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'
						Rec	Nonrec		Nonrecurring					Rates (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Non-Wire Direct Serve Channel Voice Grade		3	UEPRG	SDD2X	37.18	56.92	7.70	4.40	0.02						
INTER	OFFICE TRANSPORT															
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility Termination			UEPRG	U1TV2	12.87	48.46	19.48	16.58	5.00						
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile or Fraction Mile			UEPRG	U1TVM	0.0057	0.00	0.00								
	VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)															
UNE P	ort/Loop Combination Rates															
	2-Wire VG Loop/Port Combo - Zone 1		1			10.46										
	2-Wire VG Loop/Port Combo - Zone 2		2			15.76										
	2-Wire VG Loop/Port Combo - Zone 3	 	3		+	32.56			1	-	ļ		 	 	 	
UNE L	pop Rates	 	1	LIEDDY	LIEDLY	0.50			1	-	ļ		 	 	 	
	2-Wire Voice Grade Loop (SL 1) - Zone 1	ļ	1	UEPPX	UEPLX	9.56			1	-			ļ	 	-	
	2-Wire Voice Grade Loop (SL 1) - Zone 2	.	2	UEPPX	UEPLX	14.86					ļ					
	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEPPX	UEPLX	31.66										
2-Wire	Voice Grade Line Port Rates (BUS - PBX)	<u> </u>	<u> </u>		+						ļ					
	l															ĺ
	Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus			UEPPX	UEPPC	0.9019	10.05	7.36	1.37	1.28						<u> </u>
	Line Side Unbundled Outward PBX Trunk Port - Bus			UEPPX	UEPPO	0.9019	10.05	7.36		1.28						<u> </u>
	Line Side Unbundled Incoming PBX Trunk Port - Bus			UEPPX	UEPP1	0.9019	10.05	7.36	1.37	1.28						<u> </u>
	2-Wire Voice Unbundled PBX LD Terminal Ports			UEPPX	UEPLD	0.9019	10.05	7.36		1.28						1
	2-Wire Voice Unbundled 2-Way Combination PBX Usage Port			UEPPX	UEPXA	0.9019	10.05	7.36		1.28						1
	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports			UEPPX	UEPXB	0.9019	10.05	7.36	1.37	1.28						
	2-Wire Voice Unbundled PBX LD DDD Terminals Port			UEPPX	UEPXC	0.9019	10.05	7.36		1.28						
	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port			UEPPX	UEPXD	0.9019	10.05	7.36	1.37	1.28						
	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD Capable Port			UEPPX	UEPXE	0.9019	10.05	7.36	1.37	1.28						
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Administrative Calling Port			UEPPX	UEPXL	0.9019	10.05	7.36	1.37	1.28						
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Room Calling Port			UEPPX	UEPXM	0.9019	10.05	7.36	1.37	1.28						
	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital Discount Room Calling Port			UEPPX	UEPXO	0.9019	10.05	7.36	1.37	1.28						
	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPPX	UEPXS	0.9019	10.05	7.36	1.37	1.28						
	2-Wire voice unbundled Georgia basic dialing port - 1-Way Oudial Trunk			UEPPX	UEPWS	0.9019	10.05	7.36	1.37	1.28						
	2-Wire voice unbundled Georgia basic dialing port - 2-Way Trunk			UEPPX	UEPWT	0.9019	10.05	7.36	1.37	1.28						
	2-Wire voice unbundled Georgia basic dialing port - 2-way PBX Trunk			UEPPX	UEPPQ	0.9019	10.05	7.36	1.37	1.28						
	2-Wire voice unbundled Georgia basic dialing port - PBX LD Terminal Ports			UEPPX	UEPPS	0.9019	10.05	7.36	1.37	1.28						
	2-Wire voice unbundled Georgia basic dialing port - PBX Toll Terminal Ports			UEPPX	UEPPT	0.9019	10.05	7.36	1.37	1.28						
	2-Wire voice unbundled Georgia basic dialing port - PBX LD DDD Terminal Port			UEPPX	UEPPU	0.9019	10.05	7.36	1.37	1.28						
	2-Wire voice unbundled Georgia basic dialing port - PBX LD Terminal Switchboard Port			UEPPX	UEPPV	0.9019	10.05	7.36	1.37	1.28						
	2-Wire voice unbundled Georgia basic dialing port - PBX LD Terminal Switchboard DDD Capable Port			UEPPX	UEPPW	0.9019	10.05	7.36	1.37	1.28						
1.001	2-Wire voice unbundled Georgia basic dialing port - PBX 2-Way Trunk			UEPPX	UEPPC	0.9019	10.05	7.36	1.37	1.28						
LOCAL	NUMBER PORTABILITY	-	-	LIEDDY	LNPCP	2 15	0.00	0.00	 		ļ		-		 	
FEATU	Local Number Portability (1 per port)		-	UEPPX	LINPUP	3.15	0.00	0.00	-						 	
FEATU		 	-	LIEDDY	UEPVF	0.775	0.00	0.00	-	-	}	-	 	 	 	
NOND	All Features Offered CURRING CHARGES (NRCs) - CURRENTLY COMBINED	-	-	UEPPX	UEPVF	0.775	0.00	0.00							-	-
INCIAKI	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -	-			+						 		 		t	—
	Conversion - Switch-As-Is			UEPPX	USAC2		0.10	0.10								

UNBUNDL	ED NETWORK ELEMENTS - Georgia			1										ment: 2		bit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			Svc Order Submitted Elec per LSR		Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'l
						Rec	Nonrec		Nonrecurring					Rates (\$)		
						1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
1 1	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -			LIEDDY	LICACO		0.40	0.40								
ADDI	Conversion - Switch with Change TIONAL NRCs		1	UEPPX	USACC		0.10	0.10								-
ADDI	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -				+											
1 1	Subsequent Activity			UEPPX	USAS2	0.00	0.00	0.00								
	PBX Subsequent Activity - Change/Rearrange Multiline Hunt Group						6.70	6.70								
	Unbundled Miscellaneous Rate Element, Tag Loop at End User															
	Premise			UEPPX	URETL		8.33	0.83								
OFF/	ON PREMISES EXTENSION CHANNELS															
\vdash	Local Channel Voice grade, per termination		1	UEPPX	P2JHX	11.57	79.85	24.65	18.92	7.87	1		ļ		ļ	
\vdash	Local Channel Voice grade, per termination		2	UEPPX	P2JHX	16.95	79.85	24.65	18.92	7.87	-					├──
\vdash	Local Channel Voice grade, per termination Non-Wire Direct Serve Channel Voice Grade		3	UEPPX UEPPX	P2JHX SDD2X	33.08 12.74	79.85 56.92	24.65 7.70	18.92 4.40	7.87 0.02	1		-		1	
—	Non-Wire Direct Serve Channel Voice Grade		2	UEPPX	SDD2X	19.76	56.92	7.70	4.40	0.02						1
	Non-Wire Direct Serve Channel Voice Grade		3	UEPPX	SDD2X SDD2X	37.18	56.92	7.70	4.40	0.02	-				1	
INTE	ROFFICE TRANSPORT		Ť		35557	510	55.52	0	40	0.02				İ		
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility Termination			UEPPX	U1TV2	12.87	48.46	19.48	16.58	5.00						
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile or Fraction Mile			UEPPX	U1TVM	0.0057	0.00	0.00								
2-WII	RE VOICE GRADE LOOP WITH 2-WIRE ANALOG LINE COIN POR	RT														
	Port/Loop Combination Rates															
	2-Wire VG Coin Port/Loop Combo – Zone 1		1			10.46										
	2-Wire VG Coin Port/Loop Combo – Zone 2		2			15.76										
	2-Wire VG Coin Port/Loop Combo – Zone 3		3			32.56										
UNE	Loop Rates 2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPCO	UEPLX	9.56										-
—	2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPCO	UEPLX	14.86										1
	2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPCO	UEPLX	31.66										-
2-Wii	e Voice Grade Line Ports (COIN)		Ŭ	02. 00	02.21	01.00			†							
	2-Wire Coin 2-Way with Operator Screening (GA)			UEPCO	UEPGC	0.9019	10.05	7.36	1.37	1.28						
	2-Wire Coin 2-Way with Operator Screening and Blocking: 011, 900/976, 1+DDD (GA)			UEPCO	UEP2G	0.9019	10.05	7.36	1.37	1.28						
	2-Wire Coin 2-Way with Operator Screening and 011 Blocking (GA)			UEPCO	UEPGA	0.9019	10.05	7.36	1.37	1.28						
	2-Wire Coin 2-Way with Operator Screening and 900/976 Blocking (GA)			UEPCO	UEPGB	0.9019	10.05	7.36	1.37	1.28						
	2-Wire Coin 2-Way with Operator Screening and Blocking:															
	900/976, 1+DDD, 011+, and Local (GA) 2-Wire Coin Outward with Operator Screening and 011 Blocking			UEPCO	UEPCH	0.9019	10.05	7.36	1.37	1.28						
	(GA, KY, MS) 2-Wire Coin Outward with Operator Screening and Blocking:			UEPCO	UEPRJ	0.9019	10.05	7.36	1.37	1.28	-					-
	900/976, 1+DDD, 011+, and Local (FL, GA)		<u> </u>	UEPCO	UEPCQ	0.9019	10.05	7.36	1.37	1.28					1	
\vdash	2-Wire 2-Way Smartline with 900/976 (all states except LA) 2-Wire Coin Outward Smartline with 900/976 (all states except		 	UEPCO	UEPCK	0.9019	10.05	7.36	1.37	1.28	-		-		 	-
ADD	LA)			UEPCO	UEPCR	0.9019	10.05	7.36	1.37	1.28						
ADDI	TIONAL UNE COIN PORT/LOOP (RC) UNE Coin Port/Loop Combo Usage (Flat Rate)		-	UEPCO	URECU	3.59	0.00	0.00	0.00	0.00	1		-		1	
LOC	L NUMBER PORTABILITY		1	OLI OU	UNLOU	3.59	0.00	0.00	0.00	0.00				 	1	—
1200	Local Number Portability (1 per port)			UEPCO	LNPCX	0.35										
NON	RECURRING CHARGES - CURRENTLY COMBINED				1				1				1	ĺ		
	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch-as-is			UEPCO	USAC2		0.10	0.10								
	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch with change			UEPCO	USACC		0.10	0.10								
ADDI	TIONAL NRCs															
	2-Wire Voice Grade Loop/Line Port Combination - Subsequent															
	Activity		<u></u>	UEPCO	USAS2		0.00	0.00	<u> </u>				<u></u>			<u></u>

UNBUNDLE	D NETWORK ELEMENTS - Georgia				<u>.</u>									ment: 2		bit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)				Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Charge -	Increment Charge - Manual St Order vs Electronic Disc Add
						Rec	Nonrec		Nonrecurring					Rates (\$)		
			ļ			1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Unbundled Miscellaneous Rate Element, Tag Loop at End User			UEPCO	URETL		8.33	0.83								
2-WIDE	Premise E VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE	FINE	PORT (UKEIL		8.33	0.83								
	ort/Loop Combination Rates		1 110	(LO)	+											
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 1		1		1	25.53										
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 2		2			30.92										
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 3		3			47.04										
UNE L	pop Rates		<u> </u>													
	2-Wire Voice Grade Loop (SL2) - Zone 1		1	UEPFR	UECF2	11.57										
	2-Wire Voice Grade Loop (SL2) - Zone 2 2-Wire Voice Grade Loop (SL2) - Zone 3		3	UEPFR UEPFR	UECF2 UECF2	16.95 33.08										—
2-Wire	Voice Grade Line Port Rates (Res)		3	UEPFR	UECF2	33.08										
2-44116	2-Wire voice unbundled port - residence		†	UEPFR	UEPRL	1.09	166.05	43.66	41.89	15.44	 	 				—
	2-Wire voice unbundled port vith Caller ID - res	t		UEPFR	UEPRC	1.09	166.05	43.66	41.89	15.44	†				1	
	2-Wire voice unbundled port outgoing only - res			UEPFR	UEPRO	1.09	166.05	43.66	41.89	15.44						
	2-Wire voice unbundles res, low usage line port with Caller ID					İ										
	(LUM)			UEPFR	UEPAP	1.09	166.05	43.66	41.89	15.44						
	2-Wire voice unbundled Georgia basic dialing port, without															
	Caller ID capability - res			UEPFR	UEPWC	1.09	166.05	43.66	41.89	15.44						
	2-Wire voice unbundled Georgia basic dialing port for use with Caller ID - res			UEPFR	UEPWQ	1.09	166.05	43.66	41.89	15.44						ĺ
<u> </u>	2-Wire voice unbundled Georgia basic dialing port - outgoing			UEPFR	UEPVVQ	1.09	100.03	43.00	41.09	15.44	1					
	only			UEPFR	UEPWR	1.09	166.05	43.66	41.89	15.44						ĺ
INTER	OFFICE TRANSPORT			02	OZ. WK		100.00	10.00		.0						
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility															
	Termination			UEPFR	U1TV2	12.87	48.46	19.48	16.58	5.00						
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile															ĺ
	or Fraction Mile			UEPFR	1L5XX	0.0057	0.00	0.00								<u> </u>
FEATU				UEPFR	UEPVF	0.775	0.00	0.00								—
LOCAL	All Features Offered NUMBER PORTABILITY			UEPFR	UEPVF	0.775	0.00	0.00								
	Local Number Portability (1 per port)			UEPFR	LNPCX	0.35					1					—
	CURRING CHARGES (NRCs) - CURRENTLY COMBINED				1											
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port															
	Combination - Conversion - Switch-as-is			UEPFR	USAC2		7.85	1.86								
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port															İ
	Combination - Conversion - Switch-With-Change			UEPFR	USACC		7.85	1.86								
	Unbundled Miscellaneous Rate Element, Tag Designed Loop at			UEPFR	LIDETN		44.40	4.40								ĺ
2 WIDE	END USER PREMISE VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE	ELINE	OPT (URETN		11.19	1.10								-
	ort/Loop Combination Rates	LINE	I	303)												-
ONET	2-Wire VG Loop/IO Tranport/Port Combo - Zone 1		1		1	25.53										
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 2		2			30.92										
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 3		3			47.04										
UNE L	oop Rates															
	2-Wire Voice Grade Loop (SL2) - Zone 1		1	UEPFB	UECF2	11.57										—
-	2-Wire Voice Grade Loop (SL2) - Zone 2	.	2	UEPFB	UECF2	16.95						 			!	
2-Wiro	2-Wire Voice Grade Loop (SL2) - Zone 3 Voice Grade Line Port (Bus)	1	3	UEPFB	UECF2	33.08					1					
2-44116	2-Wire voice unbundled port without Caller ID - bus	1	 	UEPFB	UEPBL	1.09	166.05	43.66	41.89	15.44	 				 	—
	2-Wire voice unbundled port with Caller + E484 ID - bus	t		UEPFB	UEPBC	1.09	166.05	43.66	41.89	15.44	†				1	
	2-Wire voice unbundled port outgoing only - bus	1		UEPFB	UEPBO	1.09	166.05	43.66	41.89	15.44						
	2-Wire voice unbundled incoming only port with Caller ID - Bus			UEPFB	UEPB1	1.09	166.05	43.66	41.89	15.44						
	2-Wire voice unbundled Georgia basic dialing port, without															
	Caller ID capability - bus		<u> </u>	UEPFB	UEPWD	1.09	166.05	43.66	41.89	15.44						<u> </u>
	2-Wire voice unbundled Georgia basic dialing port for use with			LIEDED	LIEDWS	4.00	400.0-	40.00	44.00	45.77						1
LOCAL	Caller ID - bus NUMBER PORTABILITY	1	-	UEPFB	UEPWP	1.09	166.05	43.66	41.89	15.44	1					\vdash
LUCAL	Local Number Portability (1 per port)	-	-	UEPFB	LNPCX	0.35					-				-	⊢

UNBUNDL	ED NETWORK ELEMENTS - Georgia													ment: 2		ibit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			1	Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrec		Nonrecurring					Rates (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
INTE	ROFFICE TRANSPORT															ļ
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility Termination			UEPFB	U1TV2	12.87	48.46	19.48	16.58	5.00						
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile															
	or Fraction Mile		-	UEPFB	1L5XX	0.0057	0.00	0.00								
FEA	All Features Offered		<u> </u>	UEPFB	UEPVF	0.775	0.00	0.00	-		-				-	.
NON	RECURRING CHARGES (NRCs) - CURRENTLY COMBINED		1	UEPFB	UEPVF	0.775	0.00	0.00			-				-	
NON	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port				-						-					
	Combination - Conversion - Switch-as-is			UEPFB	USAC2		7.85	1.86								
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port			LIEDED	LICACO		7.05	4.00								
	Combination - Conversion - Switch with change Unbundled Miscellaneous Rate Element, Tag Designed Loop at	-	+	UEPFB	USACC		7.85	1.86	 		-			-	 	+
	End User Premise			UEPFB	URETN		11.19	1.10							1	
2-14/1	RE VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE	LINE	ORT (OINLIIN		11.19	1.10	1						 	
	Port/Loop Combination Rates	LINE	OKT (טאן	+				1		H				t	
ONL	2-Wire VG Loop/IO Tranport/Port Combo - Zone 1		1			25.53										1
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 1		2		+	30.92										1
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 2		3			47.04										1
UNF	Loop Rates		ٽ ا		+	47.04					†					†
0.42	2-Wire Voice Grade Loop (SL2) - Zone 1		1	UEPFP	UECF2	11.57					1				1	1
	2-Wire Voice Grade Loop (SL2) - Zone 2		2	UEPFP	UECF2	16.95										
	2-Wire Voice Grade Loop (SL2) - Zone 3			UEPFP	UECF2	33.08										
2-Wi	re Voice Grade Line Port Rates (BUS - PBX)		Ť													
	Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus			UEPFP	UEPPC	1.09	166.05	43.66	41.89	15.44						
İ	Line Side Unbundled Outward PBX Trunk Port - Bus			UEPFP	UEPPO	1.09	166.05	43.66	41.89	15.44						
	Line Side Unbundled Incoming PBX Trunk Port - Bus			UEPFP	UEPP1	1.09	166.05	43.66	41.89	15.44						ĺ
	2-Wire Voice Unbundled PBX LD Terminal Ports			UEPFP	UEPLD	1.09	166.05	43.66	41.89	15.44						ĺ
	2-Wire Voice Unbundled 2-Way Combination PBX Usage Port			UEPFP	UEPXA	1.09	166.05	43.66	41.89	15.44						
	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports			UEPFP	UEPXB	1.09	166.05	43.66	41.89	15.44						
	2-Wire Voice Unbundled PBX LD DDD Terminals Port			UEPFP	UEPXC	1.09	166.05	43.66	41.89	15.44						
	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port			UEPFP	UEPXD	1.09	166.05	43.66	41.89	15.44						
	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD Capable Port			UEPFP	UEPXE	1.09	166.05	43.66	41.89	15.44						
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy															
	Administrative Calling Port 2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy			UEPFP	UEPXL	1.09	166.05	43.66	41.89	15.44						-
	Room Calling Port			UEPFP	UEPXM	1.09	166.05	43.66	41.89	15.44						
	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital			LIEDED	LIEDYO	4.00	400.0-	40.00	44.00	45.77					1	
	Discount Room Calling Port 2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port	-	+	UEPFP UEPFP	UEPXO UEPXS	1.09 1.09	166.05 166.05	43.66 43.66	41.89 41.89	15.44 15.44	-			-	 	
-	2-Wire voice unbundled Georgia basic dialing port - 1-Way		1	ULFFF	UEFAS	1.09	100.05	43.00	41.89	15.44					 	
	Oudial Trunk			UEPFP	UEPWS	1.09	166.05	43.66	41.89	15.44						
	2-Wire voice unbundled Georgia basic dialing port - 2-Way Trunk			UEPFP	UEPWT	1.09	166.05	43.66	41.89	15.44						
LOC	AL NUMBER PORTABILITY				1				ļ						1	
	Local Number Portability (1 per port)			UEPFP	LNPCP	3.15	0.00	0.00	ļ						1	
INTE	ROFFICE TRANSPORT		<u> </u>						ļ						ļ	<u> </u>
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility Termination			UEPFP	U1TV2	12.87	48.46	19.48	16.58	5.00						
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile or Fraction Mile			UEPFP	1L5XX	0.0057	0.00	0.00								
FEA	TURES															
	All Features Offered			UEPFP	UEPVF	0.775	0.00	0.00								
NON	RECURRING CHARGES (NRCs) - CURRENTLY COMBINED															
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port Combination - Conversion - Switch-as-is			UEPFP	USAC2		7.85	1.86								

UNBUNDLE	ED NETWORK ELEMENTS - Georgia													Attach	ment: 2	Exhi	ibit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	В	cs	usoc			RATES (\$)			I .	Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Order vs.
							Rec	Nonrec	urring	Nonrecurring	Disconnect			OSS	Rates (\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port																
	Combination - Conversion - Switch with change Unbundled Miscellaneous Rate Element, Tag Designed Loop at		-	UEPFP		USACC		7.85	1.86							1	
	End User Premise			UEPFP		URETN		11.19	1.10								
UNBUNDLED	PORT/LOOP COMBINATIONS - COST BASED RATES			02		0.12			0							1	<u> </u>
2-WIR	E VOICE GRADE LOOP- BUS ONLY - WITH 2-WIRE DID TRUNK	PORT															
UNE P	Port/Loop Combination Rates																
\vdash	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 1		1				17.05 22.44										↓
\vdash	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 2 2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 3		3	-			38.56									-	
UNE I	Loop Rates		-				30.30										
	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 1		1	UEPPX		UECD1	11.57										
	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 2		2	UEPPX		UECD1	16.95										
<u> </u>	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 3		3	UEPPX		UECD1	33.08										<u> </u>
UNE P	Port Rate Exchange Ports - 2-Wire DID Port			UEPPX		UEPD1	5.48	174.55	13.64	59.31	4.27					-	-
NONR	ECURRING CHARGES - CURRENTLY COMBINED			OLFFA		OLFDI	3.40	174.55	13.04	39.31	4.21						+
1101111	2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Combination -																
	Switch-as-is			UEPPX		USAC1		6.66	1.86								
	2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Conversion																
ADDU	with BellSouth Allowable Changes			UEPPX		USA1C		6.66	1.86								ļ
ADDIT	FIONAL NRCs Unbundled Miscellaneous Rate Element, Tag Designed Loop at			<u> </u>													
	End User Premise			UEPPX		URETN		11.19	1.10								
Telepi	hone Number/Trunk Group Establisment Charges																1
	DID Trunk Termination (One Per Port)			UEPPX		NDT	0.00	0.00	0.00								
	DID Numbers, Establish Trunk Group and Provide First Group																
\vdash	of 20 DID Numbers Additional DID Numbers for each Group of 20 DID Numbers			UEPPX		NDZ ND4	0.00	0.00	0.00								<u> </u>
\vdash	DID Numbers, Non- consecutive DID Numbers, Per Number			UEPPX		ND5	0.00	0.00	0.00							-	
	Reserve Non-Consecutive DID numbers			UEPPX		ND6	0.00	0.00	0.00								
	Reserve DID Numbers			UEPPX		NDV	0.00	0.00	0.00								
LOCA	L NUMBER PORTABILITY																
	Local Number Portability (1 per port)			UEPPX		LNPCP	3.15	0.00	0.00								
	E ISDN DIGITAL GRADE LOOP WITH 2-WIRE ISDN DIGITAL LII	NE SIDE	PORT	1													ļ
UNE P	Port/Loop Combination Rates 2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -			-												-	
	UNE Zone 1		1	UEPPB	UEPPR		19.44										
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -																
	UNE Zone 2		2	UEPPB	UEPPR		24.45										ļ
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -		_	LIEDSS	UEPPR		00.00										
LINE	UNE Zone 3 Loop Rates		3	UEPPB	UEPPR		38.09									-	
ONLL	2-Wire ISDN Digital Grade Loop - UNE Zone 1		1	UEPPB	UEPPR	USL2X	14.25									<u> </u>	+
																	1
	2-Wire ISDN Digital Grade Loop - UNE Zone 2		2	UEPPB	UEPPR	USL2X	19.26										L
	2-Wire ISDN Digital Grade Loop - UNE Zone 3		3	UEPPB	UEPPR	USL2X	32.90					ļ					 _
UNE P	Port Rate	-	-	UEPPB	HEDDD	LIEDDD	E 10	161.20	141.68	43.68	0.07	ļ					
NONE	Exchange Port - 2-Wire ISDN Line Side Port	-	-	DELLR	UEPPK	UEPPB	5.19	161.36	141.68	43.68	8.37					-	
HOWK	2-Wire ISDN Digital Grade Loop / 2-Wire ISDN Line Side Port																†
<u> </u>	Combination - Conversion	L	L	UEPPB	UEPPR	USACB	0.00	42.52	26.99							<u> </u>	
ADDIT	FIONAL NRCs										_						
	2-Wire ISDN Loop / 2-Wire ISDN Port Combination - Sub Actvy																
\vdash	Non Feature/Add Trunk Unbundled Miscellaneous Rate Element, Tag Designed Loop at	-	 	UEPPB	UEPPR	USASB		0.00				1				-	
	End User Premise		1	UEPPB	UEPPR	URETN		11.19	1.10								
	Unbundled Miscellaneous Rate Element, Tag Loop at End User			52.10	J 1 10	J. 1		11.19	1.10								
	Premise	l	L	UEPPB	UEPPR	URETL		8.33	0.83							<u> </u>	

UNBUNDLE	D NETWORK ELEMENTS - Georgia														ment: 2	Exhil	
CATEGORY	RATE ELEMENTS	Interi m	Zone	В	scs	USOC			RATES (\$)			II .	Submitted	Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'l
							Rec	Nonrec		Nonrecurring					Rates (\$)		
							1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
LOCA	L NUMBER PORTABILITY																
	Local Number Portability (1 per port)			UEPPB	UEPPR	LNPCX	0.35	0.00	0.00								
B-CH/	ANNEL USER PROFILE ACCESS:																
	CVS/CSD (DMS/5ESS)			UEPPB		U1UCA	0.00	0.00	0.00								
	CVS (EWSD)			UEPPB	UEPPR	U1UCB	0.00	0.00	0.00								
	CSD	<u> </u>		UEPPB	UEPPR	U1UCC	0.00	0.00	0.00								
	ANNEL AREA PLUS USER PROFILE ACCESS: (AL,KY,LA,MS S	C,MS, 8	(TN)														
USER	TERMINAL PROFILE				HERRE			2.22									
	User Terminal Profile (EWSD only)			UEPPB	UEPPR	U1UMA	0.00	0.00	0.00								
VERT	CAL FEATURES	!	<u> </u>	LIEDOS	LIEBBE	LIEDVE	^ 77-	2.00	2.00	 	 	ļ		 	 		ļ
1517	All Vertical Features - One per Channel B User Profile	!	 	UEPPB	UEPPR	UEPVF	0.775	0.00	0.00	 	-	}	-	 	 		
INTER	OFFICE CHANNEL MILEAGE	 	├	-		 				 	-	ļ		 	 		
. 1	Interoffice Channel mileage each, including first mile and facilities termination	1		LIEDDD	UEPPR	M1GNC	12.8757	40.40	40.40	16.58	5.00		1		I		1
	Interoffice Channel mileage each, additional mile	 	1			M1GNC M1GNM	0.0057	48.46 0.00	19.48	10.58	5.00				 		
4 14/15	E DS1 DIGITAL LOOP WITH 4-WIRE ISDN DS1 DIGITAL TRUNI	/ DODT	1	UEPPB	UEPPR	IVITGINIVI	0.0057	0.00	0.00			-					
	NE-P DS1 combination rates below for in this rate exhibit appl			lded been		f 40/0/00 ·	4:1 4/4/04 84	an 4/4/04 th and	natae ab all na			<u> </u>	:-!				
	ests for 4-Wire DS1 Digital Loop with 4-Wire ISDN DS1 Digital													111.	-		
	Port/Loop Combination Rates	Tunk F	ort arte	T the enec	live date o	i tilis alliellu	ment shan be p	provided pursu	iani io a sepai	ate agreement	or tariii at bei	i South Sais	I				
UNE F	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE											 					
	Zone 1		1	UEPPP			106.15										
-+-	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE	-	-	UEFFF		-	100.13					-	-		-		
	Zone 2		2	UEPPP			111.54										
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE	1		OLFFF		-	111.54			-		1			-		
	Zone 3		3	UEPPP			127.15										
LINE	oop Rates		3	OLFFF			127.13										
ONE E	4-Wire DS1 Digital Loop - UNE Zone 1		1	UEPPP		USL4P	41.02					+					
	4-Wire DS1 Digital Loop - UNE Zone 2		2	UEPPP		USL4P	46.41					1					
	4-Wire DS1 Digital Loop - UNE Zone 3	1	3	UEPPP		USL4P	62.03					1					
LINE F	Port Rate	1		OLITI		OOL-11	02.00					1					
- ONE I	Exchange Ports - 4-Wire ISDN DS1 Port (E:4/1/2004)			UEPPP		UEPPP	65.13	365.73	187.42	73.41	21.80	1					
NONR	ECURRING CHARGES - CURRENTLY COMBINED			02		02	00.10	000.70	.07.12		21.00						
	4-Wire DS1 Digital Loop / 4-Wire ISDN DS1 Digital Trunk Port											İ					
	Combination - Conversion -Switch-as-is (E:4/1/2004)			UEPPP		USACP	0.00	122.56	77.97								
ADDIT	IONAL NRCs											i e					
	4-Wire DS1 Loop/4-W ISDN Digtl Trk Port - Subsqt Actvy-											İ					
. 1	Inward/two way Tel Nos. (except NC)	1		UEPPP		PR7TF		0.50		I					I		1
	4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trunk Port -		i –									İ		1			
1	Outward Tel Numbers (All States except NC)	1		UEPPP		PR7TO		10.72		I					I		1
	4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trk Port -																
	Subsequent Inward Tel Numbers	<u></u>	<u></u>	UEPPP		PR7ZT	<u> </u>	21.43		<u></u>						L	
LOCA	L NUMBER PORTABILITY																
	Local Number Portability (1 per port)			UEPPP		LNPCN	1.75										
INTER	FACE (Provsioning Only)																
	Voice/Data			UEPPP		PR71V	0.00	0.00	0.00								
	Digital Data			UEPPP		PR71D	0.00	0.00	0.00								
	Inward Data			UEPPP		PR71E	0.00	0.00	0.00								
New o	r Additional "B" Channel																
	New or Additional - Voice/Data B Channel			UEPPP		PR7BV	0.00	13.59									
	New or Additional - Digital Data B Channel	ļ		UEPPP		PR7BF	0.00	13.59		ļ					L		
	New or Additional Inward Data B Channel	ļ	ļ	UEPPP		PR7BD	0.00	13.59							.		
CALL	TYPES	<u> </u>	ļ			DD=0:						ļ					
	Inward	ļ	<u> </u>	UEPPP		PR7C1	0.00	0.00	0.00			ļ		ļ	.		ļ
	Outward	1	1	UEPPP		PR7CO	0.00	0.00	0.00	ļ					ļ		
		+	1														1
	Two-way			UEPPP		PR7CC	0.00	0.00	0.00								
Intero	Two-way ffice Channel Mileage									21.5-	215						
Intero	Two-way			UEPPP UEPPP UEPPP		PR7CC 1LN1A 1LN1B	0.00 34.31 0.1154	111.03	80.28	31.36	21.73						

UNBUNDLE	D NETWORK ELEMENTS - Georgia												Attach	ment: 2	Exhi	oit: A
											Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
											Submitted	Submitted		Charge -	Charge -	Charge -
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	usoc			RATES (\$)			Elec		Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	m	Zone	всъ	0500			KATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
						Rec		curring	Nonrecurring					Rates (\$)		
		L	<u> </u>		1		First	Add'l	First	Add'l		SOMAN		SOMAN	SOMAN	SOMAN
	NE-P DS1 combination rates below for in this rate exhibit appl sts for 4-Wire DS1 Digital Loop with 4-Wire DDITS after the eff										e commerc	ial agreeme	nt.			
	ort/Loop Combination Rates	ective d	late of	nis amendment sna	l be provid	ed pursuant to	a separate agre	ement or tarif	Tat BellSouth's	discretion.						
ONLI	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 1	1	1	UEPDC	+	82.22										
	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 2		2	UEPDC		87.61										
	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 3		3	UEPDC		103.22										
UNE Lo	oop Rates				1	1										
	4-Wire DS1 Digital Loop - UNE Zone 1		1	UEPDC	USLDC	41.02										
 	4-Wire DS1 Digital Loop - UNE Zone 2 4-Wire DS1 Digital Loop - UNE Zone 3	-	3	UEPDC UEPDC	USLDC	46.41 62.03			 			-				
UNE P	ort Rate	†	3	OLI DO	JOLDO	02.03			-			 				
5	4-Wire DDITS Digital Trunk Port (E:4/1/2004)	1		UEPDC	UDD1T	41.20	392.25	185.06	80.17	7.86						
NONRE	ECURRING CHARGES - CURRENTLY COMBINED															
	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination															
\vdash	- Switch-as-is (E:4/1/2004)	-	-	UEPDC	USAC4	+	132.19	66.79	-							
	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination - Conversion with DS1 Changes (E:4/1/2004)			UEPDC	USAWA	1	132.19	66.79	1							
	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination	1	1	OLFDC	USAWA	+	132.19	00.79								
	- Conversion with Change - Trunk (E:4/1/2004)			UEPDC	USAWB		132.19	66.79								
ADDIT	IONAL NRCs															
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent															
	Service Activity Per Service Order	ļ	ļ	UEPDC	USAS4	<u> </u>	0.00	0.00								
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - NRC - Subsequent Channel Activation/Chan - 2-Way Trunk			UEPDC	UDTTA		13.95	13.95								
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent	-		UEPDC	UDITA	+	13.95	13.95	-							
	Channel Activation/Chan - 1-Way Outward Trunk			UEPDC	UDTTB		13.95	13.95								
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Channel															
	Activation/Chan Inward Trunk w/out DID			UEPDC	UDTTC		13.95	13.95								
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan															
	Activation Per Chan - Inward Trunk with DID	ļ		UEPDC	UDTTD	1	13.95	13.95	ļ							
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan Activation / Chan - 2-Way DID w User Trans			UEPDC	UDTTE		13.95	13.95								
BIPOL	AR 8 ZERO SUBSTITUTION			OLI DO	ODITE		13.33	10.00								
	B8ZS -Superframe Format			UEPDC	CCOSF		0.00i	392.25s								
	B8ZS - Extended Superframe Format			UEPDC	CCOEF		0.00i	392.25s								
Alterna	ate Mark Inversion	ļ	ļ			<u> </u>										
	AMI - Superframe Format			UEPDC UEPDC	MCOSF MCOPO	+	0.00	0.00	-							
Telenh	AMI - Extended SuperFrame Format one Number/Trunk Group Establisment Charges	1		OLFDO	WICCFU	+	0.00	0.00	 							
Голорії	Telephone Number for 2-Way Trunk Group			UEPDC	UDTGX	0.00			<u> </u>							
	Telephone Number for 1-Way Outward Trunk Group			UEPDC	UDTGY	0.00										
	Telephone Number for 1-Way Inward Trunk Group Without DID			UEPDC	UDTGZ	0.00										
	DID Numbers, Establish Trunk Group and Provide First Group			LIEDDO	ND7	0.00	2.22	0.00	1							
	of 20 DID Numbers DID Numbers for each Group of 20 DID Numbers	 	-	UEPDC UEPDC	NDZ ND4	0.00	0.00	0.00	 							
 	DID Numbers for each Group of 20 DID Numbers DID Numbers . Non- consecutive DID Numbers . Per Number	1		UEPDC	ND5	0.00			 							
	Reserve Non-Consecutive DID Nos.			UEPDC	ND6	0.00	0.00	0.00	<u> </u>							
	Reserve DID Numbers			UEPDC	NDV	0.00	0.00	0.00								
Dedica	ted DS1 (Interoffice Channel Mileage) - FX/FCO for 4-Wire DS	1 Digital	Loop	with 4-Wire DDITS T	runk Port											
	Interoffice Channel Mileage - Fixed rate 0-8 miles (Facilities Termination)			UEPDC	1LNO1	34.19	111.03	80.28	31.36	21.73						
	Interoffice Channel Mileage - Additional rate per mile - 0-8 miles			UEPDC	1LNOA	0.1154	0.00	0.00								
	Interoffice Channel Mileage - Fixed rate 9-25 miles (Facilities Termination)			UEPDC	1LNO2	0.00	0.00	0.00								
	Interroffice Channel Mileage - Additional rate per mile - 9-25 miles			UEPDC	1LNOB	0.1154	0.00	0.00								
	Interoffice Channel Mileage - Fixed rate 25+ miles (Facilities	†	†			Ì										
	Termination)			UEPDC	1LNO3	0.00	0.00	0.00								

CATEGORY RATE ELEMENTS Interi m Zone BCS USOC RATES (\$) Svc Order Submitted Submitted Elec Manually per LSR PER LSR P	UNBUN	DLE	NETWORK ELEMENTS - Georgia												Attach	ment: 2	Exhi	bit: A
ATTECHNISTS Marriage Bob			U										Svc Order	Svc Order				Incremental
APTECLICATY RATE ELEMENTS Rate Zone BCS USC RATE Section S													Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
March Marc				Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
Recording Reco	CATEGO	RY	RATE ELEMENTS		Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
Received processing Received Received processing Received processing Received processing Received processing Received processing Received processing Received													-		Electronic-	Electronic-	Electronic-	Electronic-
No. First Add SOME S															1st	Add'l	Disc 1st	Disc Add'l
No. First Add SOME S	<u> </u>								N.		L 61	B'		l		D-1 (A)		l .
Interesting Content Managers Additional rate pair withs - 5% writes ICPPC T.Y.CC C.115 0.00 0.00	-						+	Rec					COMEC	COMAN			COMAN	COMAN
Local Months Protectibility (set 1950 Activated Light 1950 Light	\vdash						1		FIRST	Addi	FIRST	Addi	SOWIEC	SUMAN	SOWAN	SOWAN	SOWAN	SUMAN
Local Number Processing Conference Local Number Conference Local			Intereffice Channel Mileage Additional rate per mile 25 miles			LIEDDC	11 NOC	0.1154	0.00	0.00								
Central Office Terminating Parts	 								0.00	0.00			 			1		
Express Color WTT CHANNELIZATION WTT FORT	 								 				 			1		
System is 1 DST Loop, 10 Channel Bank, and up to 2 Feeture Activations	4	-WIRE				OLI DO	010	0.00										
East System can have up to 24 combinations or frame depending on type and number of ports used.				ivations			1						1					
The UNEP DS1 combination rates below for Affire DS1 Loop with Channel Lardon With Post 1 with a rate cubbility apply to the embedded base in place and 10 1058 of 10 miles. The Post 1 september of with a Bell South's discretion.						ber of ports used							İ					
Requests for 4-Wire DST Loop with Channel carbon for Port after the effective date of this amendment shall be provided purusant to a separate agreement of that Bill South's discretion.							e exhibit apr	olv to the embe	dded base in i	lace as of 10/2	2/03 until 4/1/04	. After 4/1/04	these rates	shall revert	to tariff rates	or a separate	agreement.	
DNR 691 Loop																1	l	
							1			ľ								
A-Weet DS1 Logs - LNE Zone 3					1	UEPMG	USLDC	41.02	0.00	0.00								
DNB D80 Channel Capacity - I per 151 U.EPMG V.A.M.24 45.04 0.00 0.0					2	UEPMG	USLDC	46.41	0.00	0.00								
B2 ISSC Channel Capacity - 1 per ISST					3	UEPMG	USLDC	62.03	0.00	0.00								
48 DSC Charantel Capacity - Tipe / 2 DSTs	u	NE DS		ns)														
See SSO Channel Capacity - Type 4 DS15s																		
144 DSD Channel Capacity - 1 per 6 DS1s																		
1920 PSS Channel Capacity - 1 per 10 PS1s																		
240 DSI Channel Capacity - 1 per 12 DS1s																		
288 BSD Channel Capacity - 1 per 12 DS1s																		
Sale Disc Channel Capacity - 1 per 20 DS1s																		
480 DSD Channel Capacity - 1 pr 20 DS16																		
S76 DS9C Dhannel Capacity - 1 per 24 DS1s UEPMG VUM67 1,032.96 0,00 0,00	-																	
September Sept	-																	
Non-Recurring Charges (NRC) Associated with 4-Wire DS1 Loop with Channelization with Port - Conversion Charge Based on a System	-				-								1					
A Minimum System configuration is One (1) DST, One (1) D4 Channel Bank, and Up To 24 DSO Ports with Feature Activations.		lan Da		- Chan	!! !					0.00			 	-				
Multiples of this configuration functioning as one are considered Add'l after the minimum system configuration is counted. New Conversion (Currently Combined) with or whout UEPMG USAC4 0.00 153.24 8.37									Stelli				1					
NRC - Conversion (Currently Combined) with or without UEPMG USAC4 0.00 153.24 8.37									 				<u> </u>			1		
BellSouth Allowed Changes		iuitipi		I alte	l tile ili	illilliulli system con	I	Counted.	 				<u> </u>			1		
System Additions at End User Locations Where 4-Wire DS1 Loop with Channelization with Port Combination Currently Exists and						LIEPMG	LISAC4	0.00	153 24	8 37								
New (Not Currently Combined) in all states, except in Density Zone 1 of Top 8 MSA's	S	vstem		th Chan	nelizat					0.01			İ					
IDSI/ID4 Channel Bank - Additionally Add NRC for each Port and Assoc Fea Activation (E.4/1/2004) UEPMG							1						İ					
Bipolar 8 Zero Substitution		,																
Clear Channel Capability Format, superframe - Subsequent			and Assoc Fea Activation (E:4/1/2004)			UEPMG	VUMD4	0.00	379.04	253.97	69.43	8.35						
Activity Only	В	ipolar	8 Zero Substitution				Ī											
Clear Channel Capability Format - Extended Superframe - UEPMG CCOEF 0.00 0.00i 392.25s			Clear Channel Capability Format, superframe - Subsequent															
Subsequent Activity Only						UEPMG	CCOSF	0.00	0.00i	392.25s								
Alternate Mark Inversion (AMI)															I		I	I
Superframe Format						UEPMG	CCOEF	0.00	0.00i	392.25s								
Extended Superframe Format	Α	lterna			L		1	ļ	ļ									
Exchange Ports Associated with 4-Wire DS1 Loop with Channelization with Port	\vdash				<u> </u>								ļ					
Exchange Ports					<u> </u>	UEPMG	MCOPO	0.00	0.00	0.00								
Line Side Combination Channelized PBX Trunk Port - Business (E:4/1/2004)				on with	Port		+	<u> </u>	<u> </u>			-			 	ļ	 	
CE:4/1/2004 UEPPX UEPCX 1.09 0.00 0.00 0.00 0.00 0.00		xchan			-		+	 	 				-					
Line Side Outward Channelized PBX Trunk Port - Business (E:4/1/2004)						LIEDDY	LIEBOY	4.00	0.00	0.00	0.00	0.00						
CE:4/1/2004 UEPPX UEPOX 1.09 0.00 0.00 0.00 0.00 0.00 0.00 0.00	+-+			-	+	UEPPA	UEPCX	1.09	0.00	0.00	0.00	0.00	 	-	-		-	
Line Side Inward Only Channelized PBX Trunk Port without DID (E:4/1/2004)						LIEPPX	LIEPOY	1.00	0.00	0.00	0.00	0.00						
CE:4/1/2004 UEPPX UEP1X 1.09 0.00 0.00 0.00 0.00 0.00 0.00 0.00	 			 	 	OLITA	JLI JA	1.09	0.00	0.00	0.00	0.00	1	-	 	1	 	
2-Wire Trunk Side Unbundled Channelized DID Trunk Port (E:4/1/2004)						LIEPPX	LIEP1X	1.00	0.00	0.00	0.00	0.00						
(E:4/1/2004)	 				 	OLI I A	OLI IX	1.09	0.00	0.00	0.00	0.00						
Feature Activations - Unbundled Loop Concentration Feature (Service) Activation for each Line Port Terminated in D4 Bank UEPPX 1PQWM 0.4689 12.90 6.80 1.96 1.95 Feature (Service) Activation for each Trunk Port Terminated in D4 Bank UEPPX 1PQWU 0.4689 38.09 9.18 26.77 5.34 Telephone Number/ Group Establishment Charges for DID Service						UEPPX	UEPDM	5 50	0.00	0.00	0.00	0.00						
Feature (Service) Activation for each Line Port Terminated in D4 UEPPX	F	eature					32. 311	0.30	0.30	0.00	0.00	0.00				1		
Bank	<u> </u>						1	<u> </u>	<u> </u>		1					1		
Feature (Service) Activation for each Trunk Port Terminated in D4 Bank UEPPX 1PQWU 0.4689 38.09 9.18 26.77 5.34 Telephone Number/ Group Establishment Charges for DID Service						UEPPX	1PQWM	0.4689	12.90	6.80	1.96	1.95						
D4 Bank				1			1	1	1	2.30		50	1	1	l	İ	l	l
Telephone Number/ Group Establishment Charges for DID Service						UEPPX	1PQWU	0.4689	38.09	9.18	26.77	5.34						
DID Trunk Termination (1 per Port) UEPPX NDT 0.00 0.00	T	eleph																
			DID Trunk Termination (1 per Port)			UEPPX	NDT	0.00	0.00	0.00								

UNBUN	IDLE	D NETWORK ELEMENTS - Georgia												Attach	ment: 2	Exhi	bit: A
												Svc Order	Svc Order	Incremental	Incremental	Incremental	Increment
												II .	Submitted		Charge -	Charge -	Charge
												II .					
CATEGO	DV	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			Elec	Manually		Manual Svc	Manual Svc	
CATEGO	JK I	KATE ELEMENTS	m	Zone	BCS	0300			KATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic
														1st	Add'l	Disc 1st	Disc Add'
							ļ										
							Rec	Nonrec		Nonrecurring					Rates (\$)		
								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Estab Trk Grp and Provide 1st 20 DID Nos. (FL,GA, NC,& SC)			UEPPX	NDZ	0.00	0.00	0.00								
		DID Numbers - groups of 20 - Valid all States			UEPPX	ND4	0.00	0.00	0.00								
		Non-Consecutive DID Numbers - per number		1	UEPPX	ND5	0.00	0.00	0.00								
		Reserve Non-Consecutive DID Numbers			UEPPX	ND6	0.00	0.00	0.00			i e					
		Reserve DID Numbers		1	UEPPX	NDV	0.00	0.00	0.00			1					
-	anal N	Number Portability		1	OLITA	INDV	0.00	0.00	0.00								
		Local Number Portability - 1 per port			UEPPX	LNPCP	3.15	0.00	0.00			1					
				!	UEPPX	LINPUP	3.15	0.00	0.00								
		IRES - Vertical and Optional															
L		Switching Features Offered with Line Side Ports Only															
		All Features Available			UEPPX	UEPVF	0.775	0.00	0.00								
		CENTREX PORT/LOOP COMBINATIONS - COST BASED RATES															
1	. Cost	Based Rates are applied where BellSouth is required by FCC	and/or	State (Commission rule to	provide Unb	undled Local S	witching or Sw	itch Ports.								
		ures shall apply to the Unbundled Port/Loop Combination - C								dled Port section	on of this Rate	Exhibit.		l			
		Office and Tandem Switching Usage and Common Transport											oin Port/Lo	on Combinat	ions		
		first and additional Port nonrecurring charges apply to Not Co														Additional NR	Ce may
		also and are categorized accordingly.	arrentry	COIIID	illea collibos. Tol	Currently Co	ilibilied Collibo	s, the nomect	arring changes	Silali De tilose	identified in t	ne Nomecu	ining - Curre	sintly Combine	a sections. 7	-authorial Niv	O3 may
										1	1		1				1
		ket Rates for Unbundled Centrex Port/Loop Combination will		otiated	on an Individual Ca	ase Basis, un	til further notice	э.									
		CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only)														
2	2-Wire	VG Loop/2-Wire Voice Grade Port (Centrex) Combo															
L	JNE P	ort/Loop Combination Rates (Non-Design)															
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -				1						ĺ					
		Non-Design		1	UEP91		10.46										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		<u> </u>	OLI 01	+	10.40										
		Non-Design		2	UEP91		15.76										
					UEP91	+	15.76										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
		Non-Design		3	UEP91		32.56										
ι	JNE Po	ort/Loop Combination Rates (Design)															
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -															
		Design		1	UEP91		12.47										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -										İ					
		Design		2	UEP91		17.85										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		- -	02.0.	+	11.00										
		Design		3	UEP91		33.98										
				3	UEF91	+	33.90					-					
L	JNE LO	oop Rate			UEDA.		0.50										
		2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP91	UECS1	9.56										
		2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEP91	UECS1	14.86					ļ					
		2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP91	UECS1	31.66										
		2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP91	UECS2	11.57										
		2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP91	UECS2	16.95										
-		2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP91	UECS2	33.08					İ		İ			
- 1	JNE Po			Ť		1	22.00					1					
		tes (Except North Carolina and Sout Carolina)	—	t	 	+	1			 		 		 			
	AII Sta	2-Wire Voice Grade Port (Centrex) Basic Local Area			LIEDO4	LIEDVA	0.0040	40.05	7.00	4.07	4.00	1					
		iz-vviie voice Grade Port (Centrex) Basic Local Area		1	UEP91	UEPYA	0.9019	10.05	7.36	1.37	1.28	 					
				1						[]		1		l			
		2-Wire Voice Grade Port (Centrex 800 termination)Basic Local															
		2-Wire Voice Grade Port (Centrex 800 termination)Basic Local Area			UEP91	UEPYB	0.9019	10.05	7.36	1.37	1.28						
		2-Wire Voice Grade Port (Centrex 800 termination)Basic Local															
		2-Wire Voice Grade Port (Centrex 800 termination)Basic Local Area			UEP91 UEP91	UEPYB UEPYH	0.9019 0.9019	10.05 10.05	7.36 7.36	1.37	1.28						
		2-Wire Voice Grade Port (Centrex 800 termination)Basic Local Area 2-Wire Voice Grade Port (Centrex with Caller ID)Note1 Basic															
		2-Wire Voice Grade Port (Centrex 800 termination)Basic Local Area 2-Wire Voice Grade Port (Centrex with Caller ID)Note1 Basic Local Area 2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)			UEP91	UEPYH	0.9019	10.05	7.36	1.37	1.28						
		2-Wire Voice Grade Port (Centrex 800 termination)Basic Local Area 2-Wire Voice Grade Port (Centrex with Caller ID)Note1 Basic Local Area 2-Wire Voice Grade Port (Centrex from diff Serving Wire Center) Note 2, 3 Basic Local Area															
		2-Wire Voice Grade Port (Centrex 800 termination)Basic Local Area 2-Wire Voice Grade Port (Centrex with Caller ID)Note1 Basic Local Area 2-Wire Voice Grade Port (Centrex from diff Serving Wire Center) Note 2, 3 Basic Local Area 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service			UEP91 UEP91	UEPYH	0.9019	10.05 82.27	7.36 26.96	1.37	1.28 9.15						
		2-Wire Voice Grade Port (Centrex 800 termination)Basic Local Area 2-Wire Voice Grade Port (Centrex with Caller ID)Note1 Basic Local Area 2-Wire Voice Grade Port (Centrex from diff Serving Wire Center) Note 2, 3 Basic Local Area 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term - Basic Local Area			UEP91	UEPYH	0.9019	10.05	7.36	1.37	1.28						
		2-Wire Voice Grade Port (Centrex 800 termination)Basic Local Area 2-Wire Voice Grade Port (Centrex with Caller ID)Note1 Basic Local Area 2-Wire Voice Grade Port (Centrex from diff Serving Wire Center) Note 2, 3 Basic Local Area 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term - Basic Local Area 2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP91 UEP91 UEP91	UEPYH UEPYM UEPYZ	0.9019 0.9019 0.9019	10.05 82.27 82.27	7.36 26.96 26.96	1.37 20.29 20.29	9.15 9.15						
		2-Wire Voice Grade Port (Centrex 800 termination)Basic Local Area 2-Wire Voice Grade Port (Centrex with Caller ID)Note1 Basic Local Area 2-Wire Voice Grade Port (Centrex from diff Serving Wire Center) Note 2, 3 Basic Local Area 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term - Basic Local Area 2-Wire Voice Grade Port terminated in on Megalink or equivalent - Basic Local Area			UEP91 UEP91	UEPYH	0.9019	10.05 82.27	7.36 26.96	1.37	1.28 9.15						
		2-Wire Voice Grade Port (Centrex 800 termination)Basic Local Area 2-Wire Voice Grade Port (Centrex with Caller ID)Note1 Basic Local Area 2-Wire Voice Grade Port (Centrex from diff Serving Wire Center) Note 2, 3 Basic Local Area 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term - Basic Local Area 2-Wire Voice Grade Port terminated in on Megalink or equivalent - Basic Local Area 2-Wire Voice Grade Port Terminated on 800 Service Term -			UEP91 UEP91 UEP91 UEP91	UEPYH UEPYM UEPYZ UEPY9	0.9019 0.9019 0.9019 0.9019	10.05 82.27 82.27 10.05	7.36 26.96 26.96 7.36	1.37 20.29 20.29 1.37	9.15 9.15 1.28						
		2-Wire Voice Grade Port (Centrex 800 termination)Basic Local Area 2-Wire Voice Grade Port (Centrex with Caller ID)Note1 Basic Local Area 2-Wire Voice Grade Port (Centrex from diff Serving Wire Center) Note 2, 3 Basic Local Area 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term - Basic Local Area 2-Wire Voice Grade Port terminated in on Megalink or equivalent - Basic Local Area			UEP91 UEP91 UEP91	UEPYH UEPYM UEPYZ	0.9019 0.9019 0.9019	10.05 82.27 82.27	7.36 26.96 26.96	1.37 20.29 20.29	9.15 9.15						
lo	Georgi	2-Wire Voice Grade Port (Centrex 800 termination)Basic Local Area 2-Wire Voice Grade Port (Centrex with Caller ID)Note1 Basic Local Area 2-Wire Voice Grade Port (Centrex from diff Serving Wire Center) Note 2, 3 Basic Local Area 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term - Basic Local Area 2-Wire Voice Grade Port terminated in on Megalink or equivalent - Basic Local Area 2-Wire Voice Grade Port Terminated on 800 Service Term -			UEP91 UEP91 UEP91 UEP91	UEPYH UEPYM UEPYZ UEPY9	0.9019 0.9019 0.9019 0.9019	10.05 82.27 82.27 10.05	7.36 26.96 26.96 7.36	1.37 20.29 20.29 1.37	9.15 9.15 1.28						
C	Georgi	2-Wire Voice Grade Port (Centrex 800 termination)Basic Local Area 2-Wire Voice Grade Port (Centrex with Caller ID)Note1 Basic Local Area 2-Wire Voice Grade Port (Centrex from diff Serving Wire Center) Note 2, 3 Basic Local Area 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term - Basic Local Area 2-Wire Voice Grade Port terminated in on Megalink or equivalent - Basic Local Area 2-Wire Voice Grade Port Terminated on 800 Service Term - Basic Local Area 3 and Florida Only			UEP91 UEP91 UEP91 UEP91 UEP91	UEPYH UEPYZ UEPY9 UEPY2	0.9019 0.9019 0.9019 0.9019 0.9019	10.05 82.27 82.27 10.05	7.36 26.96 26.96 7.36	1.37 20.29 20.29 1.37 1.37	1.28 9.15 9.15 1.28 1.28						
G	Georgi	2-Wire Voice Grade Port (Centrex 800 termination)Basic Local Area 2-Wire Voice Grade Port (Centrex with Caller ID)Note1 Basic Local Area 2-Wire Voice Grade Port (Centrex from diff Serving Wire Center) Note 2, 3 Basic Local Area 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term - Basic Local Area 2-Wire Voice Grade Port terminated in on Megalink or equivalent - Basic Local Area 2-Wire Voice Grade Port Terminated on 800 Service Term - Basic Local Area			UEP91 UEP91 UEP91 UEP91	UEPYH UEPYM UEPYZ UEPY9	0.9019 0.9019 0.9019 0.9019	10.05 82.27 82.27 10.05	7.36 26.96 26.96 7.36	1.37 20.29 20.29 1.37	9.15 9.15 1.28						

NRONDLE	D NETWORK ELEMENTS - Georgia			ı							10	06		ment: 2	+	ibit: A
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Charge -	Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'l
						Rec	Nonrec		Nonrecurring					Rates (\$)		
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Grade Port (Centrex from diff Serving Wire															
	Center)2,3			UEP91	UEPHM	0.9019	82.27	26.96	20.29	9.15						
	2-Wire Voice Grade Port, Diff Serving Wire Center 2,3 - 800 Service Term			UEP91	UEPHZ	0.9019	82.27	26.96	20.29	9.15						
	Service Territ			OLF91	OLFTIZ	0.5015	02.21	20.90	20.29	9.13	1					-
	2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP91	UEPH9	0.9019	10.05	7.36	1.37	1.28						
	2-Wire Voice Grade Port Terminated on 800 Service Term			UEP91	UEPH2	0.9019	10.05	7.36	1.37	1.28	İ					
Local	Switching															
	Centrex Intercom Funtionality, per port			UEP91	URECS	0.4237										
Local	Number Portability															ļ
	Local Number Portability (1 per port)			UEP91	LNPCC	0.35										
Featur			-	LIEDO4	LIEDVE	0.775									1	
	All Scloot Features Offered, per port		-	UEP91 UEP91	UEPVF UEPVS	0.775 0.00	0.00				ļ		-			-
	All Select Features Offered, per port All Centrex Control Features Offered, per port		-	UEP91	UEPVS	0.00	0.00		+							
NARS				OE1 31	OLI VO	0.00			1		†				1	
	Unbundled Network Access Register - Combination			UEP91	UARCX	0.00	0.00	0.00	0.00	0.00	†					<u> </u>
	Unbundled Network Access Register - Indial			UEP91	UAR1X	0.00	0.00	0.00	0.00	0.00						
	Unbundled Network Access Register - Outdial			UEP91	UAROX	0.00	0.00	0.00	0.00	0.00						
	laneous Terminations															
2-Wire	Trunk Side															ļ
	Trunk Side Terminations, each			UEP91	CENA6	5.50	122.26	18.65	54.82	3.45	ļ					
Intero	fice Channel Mileage - 2-Wire			UEP91	M1GBC	12.87	40.40	40.40	40.50	5.00	ļ					
	Interoffice Channel Facilities Termination - Voice Grade Interoffice Channel mileage, per mile or fraction of mile		<u> </u>	UEP91	M1GBC M1GBM	0.0057	48.46	19.48	16.58	5.00	.					
Featur	e Activations (DS0) Centrex Loops on Channelized DS1 Service	•		UEF91	IVITGDIVI	0.0057					1					
	annel Bank Feature Activations				_						1					†
2.0	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP91	1PQWS	0.4689					†					
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP91	1PQW6	0.4689										
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot			UEP91	1PQW7	0.4689										
	Feature Activation on D-4 Channel Bank Centrex Loop Slot -															
	Different Wire Center			UEP91	1PQWP	0.4689										
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP91	1PQWV	0.4689										ļ
	Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop				1											
	Slot		_	UEP91	1PQWQ	0.4689									ļ	<u> </u>
Nor D	Feature Activation on D-4 Channel Bank WATS Loop Slot ecurring Charges (NRC) Associated with UNE-P Centrex		-	UEP91	1PQWA	0.4689					ļ		-			-
NON-K	Conversion - Currently Combined Switch-As-Is with allowed		 						+ -		1		 		1	+
	changes, per port			UEP91	USAC2		0.10	0.10								
	New Centrex Standard Common Block			UEP91	M1ACS	0.00	317.90	37.59	48.99	5.92	1		1		1	†
	New Centrex Customized Common Block			UEP91	M1ACC	0.00	317.90	37.59	48.99	5.92						†
	Secondary Block, per Block			UEP91	M2CC1	0.00	77.10									
	NAR Establishment Charge, Per Occasion			UEP91	URECA	0.00	0.00			_						
Additi	onal Non-Recurring Charges (NRC)															ļ
	Unbundled Miscellaneous Rate Element, Tag Loop at End Use Premise			UEP91	URETL		8.33	0.83								
	Unbundled Miscellaneous Rate Element, Tag Design Loop at End Use Premise			UEP91	URETN		11.19	1.10								
	CENTREX - 5ESS (Valid in All States)															
	VG Loop/2-Wire Voice Grade Port (Centrex) Combo		<u> </u>								ļ					
UNE P	ort/Loop Combination Rates (Non-Design)		1								ļ		 	ļ	1	
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Non-Design		1	UEP95		10.46										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design		2	UEP95		15.76										

UNBUNDI	ED NETWORK ELEMENTS - Georgia												Attach	ment: 2	Exhi	bit: A
											Svc Order	Svc Order	Incremental		Incremental	Incremental
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		Interi									Elec	Manually	Manual Svc	Manual Svc		Manual Svc
CATEGORY	RATE ELEMENTS		Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m									po. zo.t	po. 20.1	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
															Disc 1st	DISC Add I
						Rec	Nonrec		Nonrecurring					Rates (\$)		
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
	Non-Design		3	UEP95		32.56										
UNE	Port/Loop Combination Rates (Design)															
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -	1														
	Design		1	UEP95		12.47										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -					4= 0=										
	Design		2	UEP95		17.85					1					
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		3	LIEDOE		22.00										
	Design	-	3	UEP95	-	33.98					-					
UNE	Loop Rate 2-Wire Voice Grade Loop (SL 1) - Zone 1		4	UEP95	UECS1	9.56					 	-				
	2-Wire Voice Grade Loop (SL 1) - Zone 1 2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEP95 UEP95	UECS1	14.86					 					
\vdash	2-Wire Voice Grade Loop (SL 1) - Zone 2 2-Wire Voice Grade Loop (SL 1) - Zone 3	-	3	UEP95 UEP95	UECS1	31.66			<u> </u>		}	-	 	 	 	
\vdash	2-Wire Voice Grade Loop (SL 1) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 1	-	1	UEP95 UEP95	UECS1	11.57					 	-		 	 	-
\vdash	2-Wire Voice Grade Loop (SL 2) - Zone 1 2-Wire Voice Grade Loop (SL 2) - Zone 2	-	2	UEP95 UEP95	UECS2	16.95			<u> </u>		}	-	 	 	 	
	2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP95	UECS2	33.08										
LINE	Port Rate		3	OLI 33	00002	55.00					†					
	States				1						†					
	2-Wire Voice Grade Port (Centrex) Basic Local Area			UEP95	UEPYA	0.9019	10.05	7.36	1.37	1.28	†					
	2-Wire Voice Grade Port (Centrex 800 termination)			UEP95	UEPYB	0.9019	10.05	7.36	1.37	1.28	1					
	2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local			02.00	02	0.00.0	10.00	7.00	1.01	1.20	İ					
	Area			UEP95	UEPYH	0.9019	10.05	7.36	1.37	1.28						
	2-Wire Voice Grade Port (Centrex from diff Serving Wire				1	0.00.0					İ					
	Center)2,3 Basic Local Area			UEP95	UEPYM	0.9019	82.27	26.96	20.29	9.15						
	2-Wire Voice Grade Port, Diff Serving Wire Center 2,3 - 800															
	Service Term - Basic Local Area			UEP95	UEPYZ	0.9019	82.27	26.96	20.29	9.15						
	2-Wire Voice Grade Port terminated in on Megalink or equivalent															
	- Basic Local Area			UEP95	UEPY9	0.9019	10.05	7.36	1.37	1.28						
	2-Wire Voice Grade Port Terminated on 800 Service Term -															
	Basic Local Area			UEP95	UEPY2	0.9019	10.05	7.36	1.37	1.28						
FL 8	GA Only															
	2-Wire Voice Grade Port (Centrex)			UEP95	UEPHA	0.9019	10.05	7.36	1.37	1.28						
	2-Wire Voice Grade Port (Centrex 800 termination)			UEP95	UEPHB	0.9019	10.05	7.36	1.37	1.28						
	2-Wire Voice Grade Port (Centrex with Caller ID)1			UEP95	UEPHH	0.9019	10.05	7.36	1.37	1.28						
	2-Wire Voice Grade Port (Centrex from diff Serving Wire			LIEDOS	LIEDI									I	I	
	Center)2,3	-	 	UEP95	UEPHM	0.9019	82.27	26.96	20.29	9.15	 	-	-	 	 	
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service			LIEDOE	LIEDUZ	0.0040	00.07	26.00	20.20	0.45				1	1	
	Term 2,3	-	-	UEP95	UEPHZ	0.9019	82.27	26.96	20.29	9.15	 		 	 	 	
	2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP95	UEPH9	0.9019	10.05	7.36	1.37	1.28				1	1	
\vdash	2-Wire Voice Grade Port terminated in on Megalink or equivalent 2-Wire Voice Grade Port Terminated on 800 Service Term	-	 	UEP95 UEP95	UEPH9 UEPH2	0.9019	10.05	7.36	1.37	1.28	}	-	 	 	 	
Loc	al Switching		 	OL1 30	ULFIIZ	0.5019	10.05	1.30	1.37	1.20	+		 	 	 	
100	Centrex Intercom Funtionality, per port		 	UEP95	URECS	0.4237								+	+	
Loc	al Number Portability	-		021 00	311200	5.4257			 		 		 	t	t	
	Local Number Portability (1 per port)	†	†	UEP95	LNPCC	0.35					1	-		I	I	
Feat	ures		t			0.00							i	1	1	
1 50	All Standard Features Offered, per port			UEP95	UEPVF	0.775							İ	t	t	
	All Select Features Offered, per port	1		UEP95	UEPVS	0.00	0.00				1	İ	İ	1	1	
	All Centrex Control Features Offered, per port	1		UEP95	UEPVC	0.00					1	İ	İ	1	1	
NAF											İ		1			
	Unbundled Network Access Register - Combination			UEP95	UARCX	0.00	0.00	0.00	0.00	0.00						
	Unbundled Network Access Register - Indial			UEP95	UAR1X	0.00	0.00	0.00	0.00	0.00						
	Unbundled Network Access Register - Outdial			UEP95	UAROX	0.00	0.00	0.00	0.00	0.00						
	cellaneous Terminations															
2-W	re Trunk Side															
\vdash	Trunk Side Terminations, each			UEP95	CEND6	5.50	122.26	18.65	54.82	3.45				1	1	
4-W	re Digital (1.544 Megabits)		<u> </u>	LIEDAE	Laure:						ļ			ļ	ļ	
\vdash	DS1 Circuit Terminations, each		ļ	UEP95	M1HD1	41.20	200.96	93.00	65.81	2.33			ļ	-	-	
	DS0 Channels Activated, each	1	<u> </u>	UEP95	M1HDO	0.00	13.95							1	1	

JNBUNDLE	D NETWORK ELEMENTS - Georgia					•								ment: 2		bit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrec		Nonrecurring					Rates (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
Intero	ffice Channel Mileage - 2-Wire			LIEBOE	144000	40.07	40.40	19.48	40.50	5.00	ļ					
	Interoffice Channel Facilities Termination			UEP95 UEP95	M1GBC M1GBM	12.87 0.0057	48.46	19.48	16.58	5.00	-					-
Foatu	Interoffice Channel mileage, per mile or fraction of mile re Activations (DS0) Centrex Loops on Channelized DS1 Service	^	<u> </u>	UEP95	IVITGBIVI	0.0057					.				-	
	nannel Bank Feature Activations	-			+						1				1	
D4 011	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP95	1PQWS	0.4689					1					
	1 Saturd / total and 1 S / Shammon Barne Sonties 2005 Side			02.00	4.1.0	0.1000									t	
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP95	1PQW6	0.4689										
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop															
	Slot			UEP95	1PQW7	0.4689										
	Feature Activation on D-4 Channel Bank Centrex Loop Slot -															
	Different Wire Center			UEP95	1PQWP	0.4689										
	End and Arthur and Bud Bud Branch and Bud Branch			LIEDOE	4501407	0.4000									I	
	Feature Activation on D-4 Channel Bank Private Line Loop Slot		-	UEP95	1PQWV	0.4689					ļ				1	
	Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop Slot			UEP95	1PQWQ	0.4689									1	
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP95	1PQWQ	0.4689					1				1	
Non-F	Recurring Charges (NRC) Associated with UNE-P Centrex			OLI 33	II QWA	0.4003					1					
	NRC Conversion Currently Combined Switch-As-Is with allowed										i e					
	changes, per port			UEP95	USAC2		0.10	0.10								
	New Centrex Standard Common Block			UEP95	M1ACS	0.00	317.90	37.59	48.99	5.92						
	New Centrex Customized Common Block			UEP95	M1ACC	0.00	317.90	37.59	48.99	5.92						
	NAR Establishment Charge, Per Occasion			UEP95	URECA	0.00	0.00									
Additi	ional Non-Recurring Charges (NRC)															
	Unbundled Miscellaneous Rate Element, Tag Loop at End Use															
	Premise			UEP95	URETL		8.33	0.83								
	Unbundled Miscellaneous Rate Element, Tag Design Loop at			LIEBOE	LIDETNI		44.40	4.40								
LINE	End Use Premise CENTREX - DMS100 (Valid in All States)			UEP95	URETN		11.19	1.10			-					-
	e VG Loop/2-Wire Voice Grade Port (Centrex) Combo				+						1				1	
	Port/Loop Combination Rates (Non-Design)				+						1					
0.12.	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -										†				t	
	Non-Design		1	UEP9D		10.46										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
	Non-Design		2	UEP9D		15.76										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
	Non-Design		3	UEP9D		32.56										
UNE F	Port/Loop Combination Rates (Design)		-		+ +						ļ			ļ	 	
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Design		1	UEP9D		12.47									1	
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		<u> </u>	OLFBD	+ +	12.4/					1			 	t	
	Design		2	UEP9D		17.85									I	
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		<u> </u>	- "	1										1	
	Design		3	UEP9D		33.98									I	
UNE L	oop Rate															
	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP9D	UECS1	9.56										
	2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEP9D	UECS1	14.86										
	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP9D	UECS1	31.66										
	2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP9D	UECS2	11.57					ļ				ļ	
	2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP9D	UECS2	16.95					ļ			 	 	.
LINE	2-Wire Voice Grade Loop (SL 2) - Zone 3 Port Rate		3	UEP9D	UECS2	33.08					 			-	 	-
	STATES		 		+ +						1				 	
ALL	2-Wire Voice Grade Port (Centrex) Basic Local Area		t	UEP9D	UEPYA	0.9019	10.05	7.36	1.37	1.28	†				t	
	2-Wire Voice Grade Port (Centrex 900 termination)Basic Local				1	3.00.0		50		20					1	
	Area		L	UEP9D	UEPYB	0.9019	10.05	7.36	1.37	1.28				<u> </u>	<u> </u>	<u></u>
	0.14% 1/ : 0 1 D :/0 : /FD0 D0FT0D : 1		Ι΄								T	T .	_			
	2-Wire Voice Grade Port (Centrex / EBS-PSET)3Basic Local				UEPYC		I		1.37	1.28						

UNBUNDLE	D NETWORK ELEMENTS - Georgia													ment: 2	1	ibit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Charge -	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'I
						Rec	Nonrec		Nonrecurring					Rates (\$)		
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Grade Port (Centrex / EBS-M5009)3Basic Local			LIEDOD	LIEDVD	0.0040	40.05	7.00	4.07	4.00						
	Area 2-Wire Voice Grade Port (Centrex / EBS-M5209))3 Basic Local			UEP9D	UEPYD	0.9019	10.05	7.36	1.37	1.28					-	
	Area			UEP9D	UEPYE	0.9019	10.05	7.36	1.37	1.28						
	2-Wire Voice Grade Port (Centrex / EBS-M5112))3 Basic Local				1	0.00.0										
	Area			UEP9D	UEPYF	0.9019	10.05	7.36	1.37	1.28						
	2-Wire Voice Grade Port (Centrex / EBS-M5312))3Basic Local															
	Area			UEP9D	UEPYG	0.9019	10.05	7.36	1.37	1.28					-	
	2-Wire Voice Grade Port (Centrex / EBS-M5008))3 Basic Local Area			UEP9D	UEPYT	0.9019	10.05	7.36	1.37	1.28						
	2-Wire Voice Grade Port (Centrex / EBS-M5208))3 Basic Local			OLI OD	OLI II	0.0010	10.00	7.00	1.07	1.20						
	Area			UEP9D	UEPYU	0.9019	10.05	7.36	1.37	1.28						
	2-Wire Voice Grade Port (Centrex / EBS-M5216))3 Basic Local															
	Area			UEP9D	UEPYV	0.9019	10.05	7.36	1.37	1.28						
	2-Wire Voice Grade Port (Centrex / EBS-M5316))3 Basic Local Area			UEP9D	UEPY3	0.9019	10.05	7.36	1.37	1.28						
	2-Wire Voice Grade Port (Centrex with Caller ID) Basic Local			OLF 9D	OLF 13	0.5015	10.03	7.30	1.37	1.20						
	Area			UEP9D	UEPYH	0.9019	10.05	7.36	1.37	1.28						
	2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp															
	Indication))4 Basic Local Area			UEP9D	UEPYW	0.9019	10.05	7.36	1.37	1.28						
	2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication))4			LIEDOD	UEPYJ	0.0040	40.05	7.00	4.07	4.00						
	Basic Local Area 2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)			UEP9D	UEPTJ	0.9019	10.05	7.36	1.37	1.28					 	
	2,3-Basic Local Area			UEP9D	UEPYM	0.9019	82.27	26.96	20.29	9.15						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2,3,4															
	Basic Local Area			UEP9D	UEPYO	0.9019	82.27	26.96	20.29	9.15						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2,3,4			LIEDOD	UEPYP	0.0040	82.27	26.96	20.29	9.15						
	Basic Local Area 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2,3,4			UEP9D	UEPTP	0.9019	82.21	26.96	20.29	9.15					-	
	Basic Local Area			UEP9D	UEPYQ	0.9019	82.27	26.96	20.29	9.15						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2,3,4					0.00.0										
	Basic Local Area			UEP9D	UEPYR	0.9019	82.27	26.96	20.29	9.15						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2,3,4			LIEDOD	LIEDVO	0.0040	00.07	00.00	00.00	0.45						
-	Basic Local Area 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2,3,4			UEP9D	UEPYS	0.9019	82.27	26.96	20.29	9.15					-	
	Basic Local Area			UEP9D	UEPY4	0.9019	82.27	26.96	20.29	9.15						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3					0.00.0										
	Basic Local Area			UEP9D	UEPY5	0.9019	82.27	26.96	20.29	9.15						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2,3,4									0.45						
-	Basic Local Area 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2,3,4			UEP9D	UEPY6	0.9019	82.27	26.96	20.29	9.15					-	
	Basic Local Area			UEP9D	UEPY7	0.9019	82.27	26.96	20.29	9.15						
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service															
	Term 2,3			UEP9D	UEPYZ	0.9019	82.27	26.96	20.29	9.15						
	2-Wire Voice Grade Port terminated in on Megalink or equivalent			LIEDOD	LIEDVO	0.0040	40.05	7.00	4 07	4.00						
 	Basic Local Area 2-Wire Voice Grade Port Terminated on 800 Service Term Basic		-	UEP9D	UEPY9	0.9019	10.05	7.36	1.37	1.28					 	1
	Local Area			UEP9D	UEPY2	0.9019	10.05	7.36	1.37	1.28						
FL & 0	GA Only															
	2-Wire Voice Grade Port (Centrex)			UEP9D	UEPHA	0.9019	10.05	7.36	1.37	1.28						
	2-Wire Voice Grade Port (Centrex 800 termination)			UEP9D	UEPHB	0.9019	10.05	7.36	1.37	1.28				ļ		
	2-Wire Voice Grade Port (Centrex / EBS-PSET)4			UEP9D	UEPHC	0.9019	10.05	7.36	1.37	1.28					-	ļ
	2-Wire Voice Grade Port (Centrex / EBS-M5009)4			UEP9D	UEPHD	0.9019	10.05	7.36	1.37	1.28				ļ	-	ļ
 	2-Wire Voice Grade Port (Centrex / EBS-M5209)4		-	UEP9D	UEPHE	0.9019	10.05	7.36	1.37	1.28				-	 	-
 	2-Wire Voice Grade Port (Centrex / EBS-M5112)4 2-Wire Voice Grade Port (Centrex / EBS-M5312)4		-	UEP9D UEP9D	UEPHF	0.9019 0.9019	10.05 10.05	7.36 7.36	1.37 1.37	1.28 1.28	-				 	-
	2-Wire Voice Grade Port (Centrex / EBS-M5312)4 2-Wire Voice Grade Port (Centrex / EBS-M5008)4			UEP9D	UEPHG	0.9019	10.05	7.36	1.37	1.28				 	t	1
	2-Wire Voice Grade Port (Centrex / EBS-M5006)4 2-Wire Voice Grade Port (Centrex / EBS-M5208)4			UEP9D	UEPHU	0.9019	10.05	7.36	1.37	1.28					†	
	2-Wire Voice Grade Port (Centrex / EBS-M5216)4		-	UEP9D	UEPHV	0.9019	10.05	7.36	1.37	1.28	1			i	1	t

NRONDLE	D NETWORK ELEMENTS - Georgia											1		ment: 2		bit: A
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			Svc Order Submitted Elec per LSR	Submitted Manually	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'l
						Rec	Nonrec	urring	Nonrecurring	Disconnect		•	oss	Rates (\$)	•	
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Grade Port (Centrex / EBS-M5316)4			UEP9D	UEPH3	0.9019	10.05	7.36	1.37	1.28						
	2-Wire Voice Grade Port (Centrex with Caller ID)			UEP9D	UEPHH	0.9019	10.05	7.36	1.37	1.28						
	2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp															
	Indication)4			UEP9D	UEPHW	0.9019	10.05	7.36	1.37	1.28						
	2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication)4			UEP9D	UEPHJ	0.9019	10.05	7.36	1.37	1.28						
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center) 2,3			UEP9D	UEPHM	0.9019	82.27	26.96	20.29	9.15						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2,3,4			UEP9D	UEPHO	0.9019	82.27	26.96	20.29	9.15						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2,3,4			UEP9D	UEPHP	0.9019	82.27	26.96	20.29	9.15						
	, , , ,															
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2,3,4			UEP9D	UEPHQ	0.9019	82.27	26.96	20.29	9.15						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2,3,4			UEP9D	UEPHR	0.9019	82.27	26.96	20.29	9.15	 	1				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2, 3,4			UEP9D	UEPHS	0.9019	82.27	26.96	20.29	9.15						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2,3,4			UEP9D	UEPH4	0.9019	82.27	26.96	20.29	9.15						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2,3,4			UEP9D	UEPH5	0.9019	82.27	26.96	20.29	9.15						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2,3,4			UEP9D	UEPH6	0.9019	82.27	26.96	20.29	9.15						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2,3,4			UEP9D	UEPH7	0.9019	82.27	26.96	20.29	9.15						
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service															
	Term 2,3			UEP9D	UEPHZ	0.9019	82.27	26.96	20.29	9.15						
	2-Wire Voice Grade Port terminated in on Megalink or equivalent 2-Wire Voice Grade Port Terminated on 800 Service Term			UEP9D UEP9D	UEPH9 UEPH2	0.9019 0.9019	10.05 10.05	7.36 7.36	1.37 1.37	1.28 1.28	-					
Local S	Switching			OLI OD	OLITIZ	0.0010	10.00	7.00	1.07	1.20						
	Centrex Intercom Funtionality, per port			UEP9D	URECS	0.4237										
Local I	Number Portability															
	Local Number Portability (1 per port)			UEP9D	LNPCC	0.35										
Feature																
	All Standard Features Offered, per port			UEP9D	UEPVF	0.775										
_	All Select Features Offered, per port		-	UEP9D	UEPVS	0.00	0.00		 							
NARS	All Centrex Control Features Offered, per port			UEP9D	UEPVC	0.00			+							
HAIVO	Unbundled Network Access Register - Combination			UEP9D	UARCX	0.00	0.00	0.00	0.00	0.00	 	1		 	 	
	Unbundled Network Access Register - Inward			UEP9D	UAR1X	0.00	0.00	0.00	0.00	0.00				1	1	
	Unbundled Network Access Register - Outdial			UEP9D	UAROX	0.00	0.00	0.00	0.00	0.00		Ì		ĺ		
	laneous Terminations															
	Trunk Side															
	Trunk Side Terminations, each			UEP9D	CEND6	5.50	122.26	18.65	54.82	3.45						
4-Wire	Digital (1.544 Megabits)															
	DS1 Circuit Terminations, each			UEP9D	M1HD1	41.20	200.96	93.00	65.81	2.33						
	DS0 Channels Activiated per Channel			UEP9D	M1HDO	0.00	13.95		ļ							
Interof	fice Channel Mileage - 2-Wire		.	LIEDOD	144000	40.07	40.10	10.10	10 =0	F						
_	Interoffice Channel Facilities Termination		-	UEP9D	M1GBC	12.87	48.46	19.48	16.58	5.00	1	ļ		 	 	
Esst	Interoffice Channel mileage, per mile or fraction of mile		-	UEP9D	M1GBM	0.0057			 			-	-			
	e Activations (DS0) Centrex Loops on Channelized DS1 Servic annel Bank Feature Activations	e	-						 		-	 	-			-
D4 Cha	Feature Activation on D-4 Channel Bank Centrex Loop Slot		-	UEP9D	1PQWS	0.4689			 		-	 	-			-
	·															
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot Feature Activation on D-4 Channel Bank FX Trunk Side Loop			UEP9D	1PQW6	0.4689										
	Slot			UEP9D	1PQW7	0.4689										

IBUNDLE	D NETWORK ELEMENTS - Georgia				-								Attach	ment: 2	Exhi	ibit: A
											Svc Order	Svc Order	Incremental	Incremental	Incremental	Increment
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Sy
TEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)	per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.		
											p = = = = = = = = = = = = = = = = = = =	p	Electronic-	Electronic-	Electronic-	Electronic
											1st	Add'l	Disc 1st	Disc Add		
														Disc 1st	DISC Aud	
						Rec	Nonrec		Nonrecurring					Rates (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Feature Activation on D-4 Channel Bank Centrex Loop Slot -															
	Different Wire Center			UEP9D	1PQWP	0.4689										
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP9D	1PQWV	0.4689										
_	Feature Activation on D-4 Channel Bank Tije Line/Trunk Loop		-	UEF9D	IFQVVV	0.4009					-					-
	Slot			UEP9D	1PQWQ	0.4689										
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP9D	1PQWQ	0.4689					 					
Non D	ecurring Charges (NRC) Associated with UNE-P Centrex			UEP9D	IPQWA	0.4009					1				1	
Non-R	NRC Conversion Currently Combined Switch-As-Is with allowed	-			-											
				LIEDOD	110400		0.10	0.40								
_	changes, per port New Centrex Standard Common Block		-	UEP9D UEP9D	USAC2 M1ACS	0.00	317.90	0.10 37.59	48.99	5.92	-					-
_	New Centrex Standard Common Block New Centrex Customized Common Block		-	UEP9D	M1ACC	0.00	317.90	37.59	48.99	5.92						-
_			-	UEP9D	URECA	0.00	0.00	37.59	48.99	5.92	-					-
A -1 -1:4:	NAR Establishment Charge, Per Occasion onal Non-Recurring Charges (NRC)	-		UEP9D	URECA	0.00	0.00									-
Additio		-			-											-
	Unbundled Miscellaneous Rate Element, Tag Loop at End Use Premise			UEP9D	LIDETI		0.00	0.83								
_		-		UEP9D	URETL		8.33	0.83								-
	Unbundled Miscellaneous Rate Element, Tag Design Loop at End Use Premise			UEP9D	URETN		44.40	4.40								
A -1 -1:4:				UEP9D	UREIN		11.19	1.10			1					-
Additio	onal Non-Recurring Charges (NRC)	-			-											-
	Unbundled Miscellaneous Rate Element, Tag Loop at End Use Premise			UEP9E	URETL											
	Unbundled Miscellaneous Rate Element, Tag Design Loop at			02. 02	0.12.2						İ					
	End Use Premise			UEP9E	URETN											
Note 1	- Required Port for Centrex Control in 1AESS, 5ESS & EWSD										İ					
	2 - Regures Interoffice Channel Mileage		i -				i				†				İ	†
	- Installation is combination of Installation charge for SL2 Lo	op and	Port				i				İ				İ	†
	- Requires Specific Customer Premises Equipment	1	1								İ				1	†
	Rates displaying an "R" in Interim column are interim and sub				Cananal Tana						 			 	t	-

													ı		ı	
UNBUNDLE	D NETWORK ELEMENTS - Kentucky													ment: 2		oit: A
													Incremental		Incremental	Incremental
											Submitted			Charge -	Charge -	Charge -
CATEGORY	DATE ELEMENTO	Interi	7	BCS	USOC			RATES (\$)			Elec	-		Manual Svc		Manual Svc
CATEGORT	RATE ELEMENTS	m	Zone	ьсэ	0300			KATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
						Rec		curring		g Disconnect		•		Rates (\$)		
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
The "		part of	2 comb	sination refers to Go	ographically	Dogworgand III	NE Zonos To	viow Goograp	hically Doayor	aged LINE Zone	Docianatio	ne by Cont	ral Office refe	r to internet	Moheito:	
	www.interconnection.bellsouth.com/become a clec/html/inter				ograpinicany	Deaveraged O	NE Zones. 10	view Geograp	ilically beaver	aged ONE ZOIN	Designation	ons by cent	rai Oilice, reie	si to internet	rreporte.	
	L SUPPORT SYSTEMS (OSS) - "REGIONAL RATES"															
	: (1) CLEC should contact its contract negotiator if it prefers th															
	either the state specific Commission ordered rates for the servi	ce orde	ring ch	arges, or CLEC may	elect the re	gional service o	ordering charg	e, however, Cl	LEC can not ol	otain a mixture	of the two	regardless i	f CLEC has a	interconnecti	on contract e	stablished in
	of the 9 states. : (2) Any element that can be ordered electronically will be bill			a tha COMEC nata li	-4	antamam. Diaga	a sefes to Dell	Caushia I anal	Ondonina Hono			f			Iller Fanishaa	
	annot be ordered electronically at present per the LOH, the list		•						•	` '		•			•	
	N, will be applied to a CLECs bill when it submits an LSR to B			s in this category rei	iects the chi	arge triat would	i be billed to a	OLLO Olice el	ectionic orden	ng capabilities	Come on-n	ne ioi tilat t	siement. Othe	erwise, the me	andar Ordenni	g charge,
	OSS - Electronic Service Order Charge, Per Local Service		1						1							
	Request (LSR) - UNE Only				SOMEC		3.50	0.00	3.50	0.00						
	OSS - Manual Service Order Charge, Per Local Service Request															
UNE CERVICE	(LSR) - UNE Only E DATE ADVANCEMENT CHARGE				SOMAN		7.86	0.00	0.99	0.00						
	: The Expedite charge will be maintained commensurate with	RallSau	ith's FC	C No 1 Tariff Section	n 5 ac annli	cable										
INOTE	The Expedite charge will be maintained commensurate with	L	1111310	o No.1 Tallii, George	ni 5 as appii	Cable.										
				UAL, UEANL, UCL,												
				UEF, UDF, UEQ,												
				UDL, UENTW, UDN,												
				UEA, UHL, ULC,												
				USL, U1T12, U1T48, U1TD1, U1TD3,												
				U1TDX, U1TO3,												
				U1TS1, U1TVX,												
				UC1BC, UC1BL,												
				UC1CC, UC1CL,												
				UC1DC, UC1DL,												
				UC1EC, UC1EL,												
				UC1FC, UC1FL, UC1GC, UC1GL,												
				UC1HC, UC1HL,												
				UDL12, UDL48,												
				UDLO3, UDLSX,												
				UE3, ULD12,												
				ULD48, ULDD1,												
				ULDD3, ULDDX,												
				ULDO3, ULDS1, ULDVX, UNC1X,												
				UNC3X, UNCDX,					1							
				UNCNX, UNCSX,												
				UNCVX, UNLD1,												
				UNLD3, UXTD1,												
	LINE For a lite Of control of the Line Accions to 11000			UXTD3, UXTS1,												
	UNE Expedite Charge per Circuit or Line Assignable USOC, per			U1TUC, U1TUD, U1TUB, U1TUA	SDASP		200.00									
UNBUNDLED	EXCHANGE ACCESS LOOP			OTTOB, OTTOA	UDAGE		200.00		+							
	E ANALOG VOICE GRADE LOOP								1	İ						
	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1		1	UEANL	UEAL2	10.56	46.66	22.57	26.65	7.65						
	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2		2	UEANL	UEAL2	15.34	46.66	22.57	26.65	7.65						
\vdash	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3		3	UEANL	UEAL2 UEASL	31.11 10.56	46.66	22.57 22.57	26.65 26.65	7.65 7.65						
\vdash	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2	-	1 2	UEANL UEANL	UEASL	10.56	46.66 46.66	22.57	26.65	7.65						
	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3			UEANL	UEASL	31.11	46.66	22.57	26.65	7.65						
	Unbundled Miscellaneous Rate Element, Tag Loop at End User				T		.5.50			1.30						
	Premise			UEANL	URETL		8.33	0.83								
	Loop Testing - Basic 1st Half Hour			UEANL	URET1		46.88	46.88								
	Loop Testing - Basic Additional Half Hour	l	l	UEANL	URETA		24.16	24.16					l		l	

Version 3Q03: 11/12/2003 Page 116 of 349

UNBUNDL	ED NETWORK ELEMENTS - Kentucky													ment: 2	1	ibit: A
		Intor'									Svc Order Submitted Elec	Svc Order Submitted Manually	Incremental Charge - Manual Svc	Incremental Charge - Manual Svc	Charge -	Charge -
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs. Electronic- 1st	Order vs. Electronic- Add'l	Order vs. Electronic- Disc 1st	Order vs. Electronic- Disc Add'l
							Nonrec	urring	Nonrecurring	Disconnect	1		oss	Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	CLEC to CLEC Conversion Charge Without Outside Dispatch				1			7144	1 01	7144	0020	00	00			
	(UVL-SL1)			UEANL	UREWO		15.78	8.94								
	Unbundled Voice Loop, Non-Design Voice Loop, billing for BST															1
	providing make-up (Engineering Information - E.I.)			UEANL	UEANM		13.49	13.49								1
	Manual Order Coordination for UVL-SL1s (per loop)			UEANL	UEAMC		9.00	9.00								
	Order Coordination for Specified Conversion Time for UVL-SL1 (per LSR)			UEANL	OCOSL		23.01	23.01								
2-WII	RE Unbundled COPPER LOOP			UEAINL	UCUSL		23.01	23.01	1					1		+
Z-VVII	2-Wire Unbundled Copper Loop - Non-Designed Zone 1		1	UEQ	UEQ2X	10.58	44.97	20.89	25.64	6.65						+
	2 Wire Unbundled Copper Loop - Non-Designed - Zone 2			UEQ	UEQ2X	11.51	44.97	20.89	25.64	6.65				1		+
	2 Wire Unbundled Copper Loop - Non-Designed - Zone 3		3	UEQ	UEQ2X	13.19	44.97	20.89	25.64	6.65						1
	Unbundled Miscellaneous Rate Element, Tag Loop at End User															
	Premise			UEQ	URETL		8.33	0.83								
	Manual Order Coordination 2 Wire Unbundled Copper Loop -			l	I			_	1 7							
	Non-Designed (per loop)			UEQ	USBMC		9.00	9.00								
	Unbundled Copper Loop, Non-Design Copper Loop, billing for			UEQ	UEQMU		40.40	13.49								
	BST providing make-up (Engineering Information - E.I.) Loop Testing - Basic 1st Half Hour			UEQ	URET1		13.49 46.88	46.88			-			-		
	Loop Testing - Basic 1st Hall Hour			UEQ	URETA		24.16	24.16						-		+
	CLEC to CLEC Conversion Charge Without Outside Dispatch			OLQ	OKLIA		24.10	24.10								+
	(UCL-ND)			UEQ	UREWO		14.27	7.43								
	EXCHANGE ACCESS LOOP															1
2-WII	RE ANALOG VOICE GRADE LOOP															
	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- Zone 1		1	UEPSR UEPSB	UEALS	10.56	46.66	22.57	26.65	7.65						
	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-Zone 1		1	UEPSR UEPSB	UEABS	10.56	46.66	22.57	26.65	7.65						
	2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting- Zone 2		2	UEPSR UEPSB	UEALS	15.34	46.66	22.57	26.65	7.65						
	Wire Analog Voice Grade Loop- Service Level 1-Line Splitting- Zone 2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-		2	UEPSR UEPSB	UEABS	15.34	46.66	22.57	26.65	7.65						
	Zone 3 2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- 2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-		3	UEPSR UEPSB	UEALS	31.11	46.66	22.57	26.65	7.65						
NEUNEL EE	Zone 3		3	UEPSR UEPSB	UEABS	31.11	46.66	22.57	26.65	7.65						
	EXCHANGE ACCESS LOOP RE ANALOG VOICE GRADE LOOP				+				-					-	 	+
2-9911	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or													+	1	+
	Ground Start Signaling - Zone 1 2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or		1	UEA	UEAL2	12.67	134.89	81.87	73.65	14.88						
	Ground Start Signaling - Zone 2 2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or		2	UEA	UEAL2	17.45	134.89	81.87	73.65	14.88						
	Ground Start Signaling - Zone 3		3	UEA	UEAL2	33.22	134.89	81.87	73.65	14.88				1		
	Order Coordination for Specified Conversion Time (per LSR)		Ť	UEA	OCOSL	55.22	23.01	357		50	1			1	1	
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse			1												
\perp	Battery Signaling - Zone 1		1	UEA	UEAR2	12.67	134.89	81.87	73.65	14.88	1					ļ
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 2		2	UEA	UEAR2	17.45	134.89	81.87	73.65	14.88						
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 3		3	UEA	UEAR2	33.22	134.89	81.87	73.65	14.88						
	Order Coordination for Specified Conversion Time (per LSR)		-	UEA	OCOSL		23.01	20.00	 					 	1	
	CLEC to CLEC Conversion Charge without outside dispatch		<u> </u>	UEA UEA	UREWO		87.72 11.21	36.36 1.10	 		1			 		+
A_\A/11	Loop Tagging - Service Level 2 (SL2) RE ANALOG VOICE GRADE LOOP			UEA	UKEIL		11.21	1.10	-					-	 	+
4-4411	4-Wire Analog Voice Grade Loop - Zone 1		1	UEA	UEAL4	29.26	164.11	112.36	78.91	18.66	 			 	1	+
	4-Wire Analog Voice Grade Loop - Zone 2			UEA	UEAL4	34.25	164.11	112.36	78.91	18.66	1			1	1	
	4-Wire Analog Voice Grade Loop - Zone 3			UEA	UEAL4	85.06	164.11	112.36	78.91	18.66						
	Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL		23.01									
	CLEC to CLEC Conversion Charge without outside dispatch			UEA	UREWO		87.72	36.36								

UNBUNDLE	ED NETWORK ELEMENTS - Kentucky												Attach	ment: 2	Exhi	bit: A
CHECHEL	NETWORK ELEMENTO ROMAGNY			1							Svc Order	Svc Order	Incremental		Incremental	Incremental
											Submitted	Submitted		Charge -	Charge -	Charge -
		to to a									Elec	Manually		Manual Svc		Manual Svc
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m						.,,			per Lor	per Lor	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
													151	Addi	DISC ISL	DISC Add I
						_	Nonrec	curring	Nonrecurring	Disconnect	İ		oss	Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
2-WIR	E ISDN DIGITAL GRADE LOOP															
	2-Wire ISDN Digital Grade Loop - Zone 1		1	UDN	U1L2X	18.44	146.77	95.02	71.38	13.83			Î	Î		
	2-Wire ISDN Digital Grade Loop - Zone 2		2	UDN	U1L2X	25.08	146.77	95.02	71.38	13.83			Î	Î		
	2-Wire ISDN Digital Grade Loop - Zone 3		3	UDN	U1L2X	42.87	146.77	95.02	71.38	13.83			Î	Î		
	Order Coordination For Specified Conversion Time (per LSR)			UDN	OCOSL		23.01			Î			Î	Î		
	CLEC to CLEC Conversion Charge without outside dispatch			UDN	UREWO		91.63	44.16		Î			Î	Î		
2-WIR	E ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMP	ATIBLE	LOOP)												
	2 Wire Unbundled ADSL Loop including manual service inquiry															
	& facility reservation - Zone 1		1	UAL	UAL2X	10.82	141.98	79.73	69.02	11.47						
	2 Wire Unbundled ADSL Loop including manual service inquiry															
	& facility reservation - Zone 2		2	UAL	UAL2X	11.79	141.98	79.73	69.02	11.47						
	2 Wire Unbundled ADSL Loop including manual service inquiry															
	& facility reservation - Zone 3		3	UAL	UAL2X	12.87	141.98	79.73	69.02	11.47						
	Order Coordination for Specified Conversion Time (per LSR)			UAL	OCOSL		23.01									
	2 Wire Unbundled ADSL Loop without manual service inquiry &															
	facility reservaton - Zone 1		1	UAL	UAL2W	10.82	121.18	69.00	69.09	11.54						
	2 Wire Unbundled ADSL Loop without manual service inquiry &															
	facility reservaton - Zone 2		2	UAL	UAL2W	11.79	121.18	69.00	69.09	11.54						
	2 Wire Unbundled ADSL Loop without manual service inquiry &															
	facility reservaton - Zone 3		3	UAL	UAL2W	12.87	121.18	69.00	69.09	11.54						
	Order Coordination for Specified Conversion Time (per LSR)			UAL	OCOSL		23.01									
	CLEC to CLEC Conversion Charge without outside dispatch			UAL	UREWO		86.20	40.40								
2-WIR	E HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIBLE	LOOP													
	2 Wire Unbundled HDSL Loop including manual service inquiry															
	& facility reservation - Zone 1		1	UHL	UHL2X	8.75	151.54	89.29	69.09	11.54						
	2 Wire Unbundled HDSL Loop including manual service inquiry															
	& facility reservation - Zone 2		2	UHL	UHL2X	9.56	151.54	89.29	69.09	11.54						
	2 Wire Unbundled HDSL Loop including manual service inquiry															
	& facility reservation - Zone 3		3	UHL	UHL2X	10.61	151.54	89.29	69.09	11.54						
	Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		23.01									
	2 Wire Unbundled HDSL Loop without manual service inquiry															
	and facility reservation - Zone 1		1	UHL	UHL2W	8.75	130.74	78.56	69.09	11.54						
	2 Wire Unbundled HDSL Loop without manual service inquiry															
	and facility reservation - Zone 2		2	UHL	UHL2W	9.56	130.74	78.56	69.09	11.54						
	2 Wire Unbundled HDSL Loop without manual service inquiry															
	and facility reservation - Zone 3		3	UHL	UHL2W	10.61	130.74	78.56	69.09	11.54						
	Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		23.01	10.10								
4 14	CLEC to CLEC Conversion Charge without outside dispatch	TID: - :	000	UHL	UREWO		86.14	40.40	-							
4-WIR	E HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	IIBLE	LOOP	-					-	-	-		.	ļ	.	
	4 Wire Unbundled HDSL Loop including manual service inquiry			L	11111 457	10.0-	405 7-	100 50	74.0-	1100						
\vdash	and facility reservation - Zone 1	—	1	UHL	UHL4X	13.95	185.75	123.50	74.95	14.69	 	-	 	 	 	
	4-Wire Unbundled HDSL Loop including manual service inquiry	Ι.		L	11111 47	45.00	405.75	400.50	74.05	44.00		1				
\vdash	and facility reservation - Zone 2		2	UHL	UHL4X	15.68	185.75	123.50	74.95	14.69	-	-	-	-	-	
	4-Wire Unbundled HDSL Loop including manual service inquiry		3	UHL	11111 457	10.00	405 7-	100 50	74.0-	1100		1				
\vdash	and facility reservation - Zone 3 Order Coordination for Specified Conversion Time (per LSR)	-	3	UHL	UHL4X OCOSL	16.98	185.75 23.01	123.50	74.95	14.69	-		-			
\vdash	4-Wire Unbundled HDSL Loop without manual service inquiry	-	 	UITL	OCOSL		∠3.01		1	-	-		-	-	-	
	and facility reservation - Zone 1		1	UHL	UHL4W	13.95	164.95	114.04	77.32	15.80		1				
\vdash	4-Wire Unbundled HDSL Loop without manual service inquiry	-	+ -	OI IL	OI IL4VV	13.95	104.95	114.04	11.32	15.60	-		-	-	-	
	and facility reservation - Zone 2		2	UHL	UHL4W	15.68	164.95	114.04	77.32	15.80						
 	4-Wire Unbundled HDSL Loop without manual service inquiry		-	OI IL	UI IL+VV	13.00	104.95	114.04	11.32	13.00			 	 	 	
	and facility reservation - Zone 3		3	UHL	UHL4W	16.98	164.95	114.04	77.32	15.80		1				
 	Order Coordination for Specified Conversion Time (per LSR)		-	UHL	OCOSL	10.50	23.01	114.04	11.32	15.60	H		 	 	 	
 	CLEC to CLEC Conversion Charge without outside dispatch		\vdash	UHL	UREWO		86.14	40.40	 	 			 	 	 	
4-W/ID	E DS1 DIGITAL LOOP	-	 	J	OI LEVIO		00.14	40.40	†							
4-4411	4-Wire DS1 Digital Loop - Zone 1	-	1	USL	USLXX	86.47	306.69	174.44	65.83	14.55	-		 	 	 	
 	4-Wire DS1 Digital Loop - Zone 2	-		USL	USLXX	114.10	306.69	174.44		14.55						
	4-Wire DS1 Digital Loop - Zone 3	—	3	USL	USLXX	297.76	306.69	174.44	65.83	14.55	<u> </u>	-				
	Order Coordination for Specified Conversion Time (per LSR)		۲	USL	OCOSL	201.10	23.01	17-3-4-4	00.00	14.00	1	 	 	 	 	
	1		-	1	0000L		20.01			1	<u> </u>	1	L	L	L	

UNBUNDLE	NETWORK ELEMENTS - Kentucky													ment: 2		bit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Charge -	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'l
					ļ	Rec	Nonrec		Nonrecurring					Rates (\$)		
	CLEC to CLEC Conversion Channel without sustaids disposed	-		USL	UREWO		First 101.09	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
4-WIDE	CLEC to CLEC Conversion Charge without outside dispatch 19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP		-	USL	UKEWU		101.09	43.04			-				-	——
4-11111	4 Wire Unbundled Digital 19.2 Kbps		1	UDL	UDL19	27.59	157.81	106.06	78.91	18.66	1				1	<u> </u>
	4 Wire Unbundled Digital 19.2 Kbps			UDL	UDL19	32.48	157.81	106.06	78.91	18.66	1				1	<u> </u>
	4 Wire Unbundled Digital 19.2 Kbps			UDL	UDL19	36.37	157.81	106.06	78.91	18.66	-					—
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 1			UDL	UDL56	27.59	157.81	106.06	78.91	18.66						
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 2			UDL	UDL56	32.48	157.81	106.06	78.91	18.66					t	
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 3			UDL	UDL56	36.37	157.81	106.06	78.91	18.66						
	Order Coordination for Specified Conversion Time (per LSR)			UDL	OCOSL		23.01									
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 1		1	UDL	UDL64	27.59	157.81	106.06	78.91	18.66						
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 2		2	UDL	UDL64	32.48	157.81	106.06	78.91	18.66						
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 3		3	UDL	UDL64	36.37	157.81	106.06	78.91	18.66						
	Order Coordination for Specified Conversion Time (per LSR)			UDL	OCOSL		23.01									
	CLEC to CLEC Conversion Charge without outside dispatch			UDL	UREWO		102.13	49.75								
2-WIRE	Unbundled COPPER LOOP															1
	2-Wire Unbundled Copper Loop-Designed including manual															i .
	service inquiry & facility reservation - Zone 1		1	UCL	UCLPB	10.82	140.95	78.70	69.09	11.54						
	2-Wire Unbundled Copper Loop-Designed including manual															i .
	service inquiry & facility reservation - Zone 2		2	UCL	UCLPB	11.79	140.95	78.70	69.09	11.54						
	2 Wire Unbundled Copper Loop-Designed including manual		_													l .
	service inquiry & facility reservation - Zone 3		3	UCL	UCLPB	12.87	140.95	78.70	69.09	11.54						
	Order Coordination for Unbundled Copper Loops (per loop)	-	-	UCL	UCLMC		9.00	9.00								
	2-Wire Unbundled Copper Loop-Designed without manual		1	UCL	UCLPW	10.82	120.15	67.07	60.00	11.54						1
	service inquiry and facility reservation - Zone 1 2-Wire Unbundled Copper Loop-Designed without manual		- 1	UCL	UCLPVV	10.82	120.15	67.97	69.09	11.54		-				
			2	UCL	UCLPW	11.79	120.15	67.97	69.09	11.54						i .
	service inquiry and facility reservation - Zone 2 2-Wire Unbundled Copper Loop-Designed without manual	-		UCL	UCLPVV	11.79	120.15	67.97	69.09	11.54	1				-	—
	service inquiry and facility reservation - Zone 3		3	UCL	UCLPW	12.87	120.15	67.97	69.09	11.54						l .
	Order Coordination for Unbundled Copper Loops (per loop)		3	UCL	UCLMC	12.07	9.00	9.00	03.03	11.54	1					
	CLEC to CLEC Conversion Charge without outside dispatch			OOL	OCLIVIC		3.00	3.00							-	
	(UCL-Des)			UCL	UREWO		97.23	42.48								l .
4-WIRE	COPPER LOOP			002	ORLWO		07.20	72.70			1				1	
	4-Wire Copper Loop-Designed including manual service inquiry															
	and facility reservation - Zone 1		1	UCL	UCL4S	16.92	170.31	108.06	74.95	14.69						1
	4-Wire Copper Loop-Designed including manual service inquiry															
	and facility reservation - Zone 2		2	UCL	UCL4S	17.36	170.31	108.06	74.95	14.69						l .
	4-Wire Copper Loop-Designed including manual service inquiry															
	and facility reservation - Zone 3		3	UCL	UCL4S	28.10	170.31	108.06	74.95	14.69					I	1
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		9.00	9.00								
	4-Wire Copper Loop-Designed without manual service inquiry							-								1
	and facility reservation - Zone 1		1	UCL	UCL4W	16.92	149.52	97.33	74.95	14.69						
	4-Wire Copper Loop-Designed without manual service inquiry				1				ı 7						_	1
	and facility reservation - Zone 2		2	UCL	UCL4W	17.36	149.52	97.33	74.95	14.69				ļ	L	
	4-Wire Copper Loop-Designed without manual service inquiry			l <u>.</u> .	1										I	1
ļ	and facility reservation - Zone 3		3	UCL	UCL4W	28.10	149.52	97.33	74.95	14.69					ļ	
 	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		9.00	9.00	ļ		-		 	 	-	
	CLEC to CLEC Conversion Charge without outside dispatch			LICI	LIDEWA		07.00	40.70							I	1
LOOP MODIFIC	(UCL-Des)	-	-	UCL	UREWO		97.23	42.48								
LOOP WODIFIC	ATION	-	-	UAL, UHL, UCL,	+				 		-	-		-	 	
				UEQ, ULS, UEA,											1	1
	Unbundled Loop Modification, Removal of Load Coils - 2 Wire			UEANL, UEPSR,											1	1
	pair less than or equal to 18k ft, per Unbundled Loop			UEPSB	ULM2L	J	9.24	9.24							1	1
	Unbundled Loop Modification Removal of Load Coils - 4 Wire	-		02,00	JEIVIEL		3.24	5.24	 		-				t	
	less than or equal to 18K ft, per Unbundled Loop			UHL, UCL, UEA	ULM4L		9.24	9.24							I	1
	and the second second second			UAL, UHL, UCL,			5.24	J.24	† †						1	
.				UEQ, ULS, UEA,											1	1
ı [Unbundled Loop Modification Removal of Bridged Tap Removal,			UEANL, UEPSR,											1	1
	per unbundled loop		1	UEPSB	ULMBT		10.47	10.47			1	I		1	I	1

ONBONDLE	D NETWORK ELEMENTS - Kentucky	,	,	1								T -		ment: 2		ibit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)				Submitted	Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Charge -	Charge -
						Rec	Nonrec		Nonrecurring					Rates (\$)		
OLID I GODO							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
SUB-LOOPS	oop Distribution															
Sub-Li	Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set-		1													1
	Up	I		UEANL	USBSA		207.91	207.91								
	Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up Sub-Loop - Per Building Equipment Room - CLEC Feeder	I		UEANL	USBSB		12.50	12.50								
	Facility Set-Up	1		UEANL	USBSC		80.87	80.87								
	Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel Set-Up	ı		UEANL	USBSD		45.04	45.04								
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 1	ı	1	UEANL	USBN2	6.34	85.03	39.05	59.81	7.90						
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 2	ı	2	UEANL	USBN2	9.06	85.03	39.05	59.81	7.90						
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 3	ı	3	UEANL	USBN2	14.82	85.03	39.05	59.81	7.90						
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		9.00	9.00								
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 1 Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -		1	UEANL	USBN4	8.14	102.31	56.32	65.24	10.88						
	Zone 2 Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 2 Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -		2	UEANL	USBN4	8.63	102.31	56.32	65.24	10.88						
	Zone 3		3	UEANL	USBN4	25.60	102.31	56.32	65.24	10.88						
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		9.00	9.00								
	Sub-Loop 2-Wire Intrabuilding Network Cable (INC)	ı		UEANL	USBR2	2.57	68.35	22.36	59.81	7.90						ļ
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		9.00	9.00								
	Sub-Loop 4-Wire Intrabuilding Network Cable (INC)	ı		UEANL	USBR4	4.98	76.49	30.51	65.24	10.88						
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		9.00	9.00								
	Loop Testing - Basic 1st Half Hour			UEANL	URET1		46.88	46.88								†
	Loop Testing - Basic Additional Half Hour			UEANL	URETA		24.16	24.16								†
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1	ı	1	UEF	UCS2X	5.45	85.03	39.05	59.81	7.90						
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 2	ı		UEF	UCS2X	7.06	85.03	39.05	59.81	7.90						
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	I	3	UEF	UCS2X	9.67	85.03	39.05	59.81	7.90						
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEF	USBMC		9.00	9.00								
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1	I	1	UEF	UCS4X	7.09	102.31	56.32	65.24	10.88						
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 2			UEF	UCS4X	8.66	102.31	56.32	65.24	10.88						
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	I	3	UEF	UCS4X	19.40	102.31	56.32	65.24	10.88						<u> </u>
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair		<u> </u>	UEF	USBMC		9.00	9.00			1					
$\!\!\!+\!\!\!-$	Loop Testing - Basic 1st Half Hour	ļ	├	UEF	URET1		46.88	46.88								
Unber	Loop Testing - Basic Additional Half Hour Indled Network Terminating Wire (UNTW)	-	 	UEF	URETA	+	24.16	24.16					-			
- Olibur	Unbundled Network Terminating Wire (UNTW) per Pair	<u> </u>	<u> </u>	UENTW	UENPP	0.53	23.51	23.51			 					
Netwo	ork Interface Device (NID)		1			2.30									İ	
	Network Interface Device (NID) - 1-2 lines			UENTW	UND12		73.53	49.47								
	Network Interface Device (NID) - 1-6 lines			UENTW	UND16		115.96	91.91								
	Network Interface Device Cross Connect - 2 W			UENTW	UNDC2		8.56	8.56								
	Network Interface Device Cross Connect - 4W		<u> </u>	UENTW	UNDC4		8.56	8.56								
TIME OTHER	PROVISIONING ONLY - NO RATE NID - Dispatch and Service Order for NID installation	!	<u> </u>		LINIDAY											
ONE OTHER,		1	1	UENTW	UNDBX	0.00	0.00		1		1	I	I	l	1	1
ONE OTHER,		-												i e		
ONE OTHER,	UNTW Circuit Id Establishment, Provisioning Only - No Rate Unbundled Contract Name, Provisioning Only - No Rate			UENTW UEANL,UEF,UEQ,U ENTW	UENCE	0.00	0.00									

LIMBI	INDLE	D NETWORK ELEMENTS - Kentucky												Attack	ment: 2	Exhi	-: A
OND	MULE	D NETWORK ELEMENTS - Remucky	1	1	I	1	I					Svo Order	Suc Orde-	Incremental	Incremental	Incremental	Incremental
1			1			1											
												Submitted	Submitted		Charge -	Charge -	Charge -
CATE	SORV	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			Elec	,	Manual Svc	Manual Svc	Manual Svc	Manual Svc
OAIL.	JOILI	NATE ELEMENTS	m	20116	500	0000			KATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
	1							Nonred	curring	Nonrecurring	Disconnect		l	oss	Rates (\$)		
	1						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	1																
					UAL,UCL,UDC,UDL,												
		Unbundled Contact Name, Provisioning Only - no rate			UDN,UEA,UHL,ULC	UNECN	0.00	0.00									
		Unbundled Sub-Loop Feeder-2 Wire Cross Box Jumper - no															
		rate			UEA,UDN,UCL,UDC	USBFQ	0.00	0.00									
		Unbundled Sub-Loop Feeder-4 Wire Cross Box Jumper - no															
		rate			UEA,USL,UCL,UDL	USBFR	0.00	0.00									
		Unbundled DS1 Loop - Superframe Format Option - no rate			USL	CCOSF	0.00	0.00									
		Unbundled DS1 Loop - Expanded Superframe Format option -															
	1	no rate TY UNBUNDLED LOCAL LOOP	-	-	USL	CCOEF	0.00	0.00									
HIGH	CAPACI											-					
		High Capacity Unbundled Local Loop - DS3 - Per Mile per month			UE3	1L5ND	9.25										
-		High Capacity Unbundled Local Loop - DS3 - Facility			UES	ILSIND	9.25										
		Termination per month			UE3	UE3PX	308.31	551.38	338.08	173.00	120.42						
-	1	High Capacity Unbundled Local Loop - STS-1 - Per Mile per			UL3	ULSFX	300.31	331.30	330.00	173.00	120.42				1		
		month			UDLSX	1L5ND	9.25										
	1	High Capacity Unbundled Local Loop - STS-1 - Facility			ODLOX	TEGINE	0.20										
		Termination per month			UDLSX	UDLS1	320.51	551.38	338.08	173.00	120.42						
LOOP	MAKE-U																
	T	Loop Makeup - Preordering Without Reservation, per working or															
		spare facility queried (Manual).			UMK	UMKLW		23.40	23.40								
	1	Loop Makeup - Preordering With Reservation, per spare facility															
		queried (Manual).			UMK	UMKLP		24.85	24.85								
		Loop MakeupWith or Without Reservation, per working or															
		spare facility queried (Mechanized)			UMK	UMKMQ		0.67	0.67								
LINE S		G AND LINE SPLITTING															
		 The Line Sharing monthly recurring rates for all installation 					idnight Octobe	r 01, 2004 shal	I be billed as f	ollows:							
		1: 10/02/2003 – 10/01/2004: 25% of the rate for an unbundled co	opper lo	op nor	n-designed ("UCLND	")											
<u> </u>		1: 10/02/2004 – 10/01/2005: 50% of the rate for UCLND															
-		1: 10/02/2005 – 10/01/2006: 75% of the rate for UCLND	-	-													
-		1: Above will apply to USOCS: ULSDT and ULSCT E 2: The Line Sharing monthly recurring rates with USOCs ULS	CDC	1 111 66	C amplian ambuta si				0-4-14 20	00		-					
-		E 2: The Line Sharing monthly recurring rates with USOCS OLS	SDC an	ULSC	c applies only to cil	Cuits instail	ed and inservic	e on or before	October 1, 20	U3 I		-					
-		TERS-CENTRAL OFFICE BASED	-	1													
-	SELII	Line Sharing Splitter, per System 96 Line Capacity			ULS	ULSDA	198.83	379.05	0.00	358.55	0.00						
	1	Line Sharing Splitter, per System 24 Line Capacity		1	ULS	ULSDB	49.71	379.05	0.00	358.55	0.00						
	1	Line Sharing Splitter, Per System, 8 Line Capacity			ULS	ULSD8	16.94	377.71	0.00	357.29	0.00				1		
	1	Line Sharing-DLEC Owned Splitter in CO-CFA activaton-		†			12.01		2.00	22.720	2.00				İ		
		deactivation (per LSOD)	1		ULS	ULSDG		173.62	0.00	100.40	0.00		1				
	END U	SER ORDERING-CENTRAL OFFICE BASED LINE SHARING				İ											
		Line Sharing - per Line Activation (BST Owned splitter) -															
		OBSOLETE see **NOTE 2	<u> </u>	<u></u>	ULS	ULSDC	0.61	37.16	21.28	20.17	9.90			<u> </u>		<u> </u>	
		Line Share Service, TRO per line activation, BST owned splitter -	1														
	1	Central Office Located (25% of UCLND) - please see NOTE 1	1	1		l						1	1				
		(E:10/2/2003)			ULS	ULSDT	2.65	37.16	21.28	20.17	9.90						
		Line Share Service, TRO per line activation, BST owned splitter -	1														J
		Central Office Located (50% of UCLND) - please see NOTE 1	1			0							1				
	1	(E:10/2/2004)	.	<u> </u>	ULS	ULSDT	5.29	37.16	21.28	20.17	9.90						
		Line Share Service, TRO per line activation, BST owned splitter -	1														
		Central Office Located (75% of UCLND) - please see NOTE 1				LUODT		07.10	04.00	00.1-							
-	├	(E:10/2/2005)	!	-	ULS	ULSDT	7.94	37.16	21.28	20.17	9.90		 		 		
		Line Sharing - per Subsequent Activity per Line Rearrangement(BST Owned Splitter)			ULS	ULSDS		32.90	16.43								
\vdash	+	Line Sharing - per Subsequent Activity per Line	+	+	ULO	ULODO		32.90	10.43				-				
		Rearrangement(DLEC Owned Splitter)	1		ULS	ULSCS		32.90	16.43				1				
-	+	Line Sharing - per Line Activation (DLEC owned Splitter) -	 	 	OLO	ULUUU		32.90	10.43				 		 		
		OBSOLETE see **NOTE 2			ULS	ULSCC	0.61	47.44	19.31	20.67	12.74						
	1	3333111 000 HOTE 2			10-0	22000	0.01	71.74	10.01	20.07	14.74	1			1		

UNBUNDLE	D NETWORK ELEMENTS - Kentucky		_											ment: 2	1	ibit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			II .	Submitted	Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
						Rec	Nonrec		Nonrecurring					Rates (\$)		
						1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Line Share Service, TRO per line activation, CLEC owned															
	splitter - Central Office Located (25% of UCLND) - please see															
	NOTE 1 (E:10/2/2003)			ULS	ULSCT	2.65	47.44	19.31	20.67	12.74	ļ					
	Line Share Service, TRO per line activation, CLEC owned															
	splitter - Central Office Located (50% of UCLND) - please see NOTE 1 (E:10/2/2004)			ULS	ULSCT	5.29	47.44	19.31	20.67	12.74						
<u> </u>	Line Share Service, TRO per line activation, CLEC owned			ULS	ULSCI	5.29	47.44	19.31	20.67	12.74					 	-
	splitter - Central Office Located (75% of UCLND) - please see															
	NOTE 1 (E:10/2/2005)			ULS	ULSCT	7.94	47.44	19.31	20.67	12.74						
LINE S	PLITTING										†				t	
	SER ORDERING-CENTRAL OFFICE BASED				1											
	Line Splitting - per line activation DLEC owned splitter			UEPSR UEPSB	UREOS	0.61										
	Line Splitting - per line activation BST owned - physical			UEPSR UEPSB	UREBP	0.61	37.02	21.20		9.87						
	Line Splitting - per line activation BST owned - virtual			UEPSR UEPSB	UREBV	0.61	37.02	21.20	21.10	9.87						
MAINT	ENANCE						_									
	No Trouble Found - per 1/2 hour increments - Basic						80.00	55.00								
	No Trouble Found - per 1/2 hour increments - Overtime						120.00	82.50								
	No Trouble Found - per 1/2 hour increments - Premium						160.00	110.00								
	DEDICATED TRANSPORT															
INTER	OFFICE CHANNEL - DEDICATED TRANSPORT															ļ
	Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade -			11477.07	41.5007	0.04										
	Per Mile per month Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade -		ļ	U1TVX	1L5XX	0.01			-		-	-				
	Facility Termination			U1TVX	U1TV2	29.11	47.34	31.78	22.77	8.75						
-	Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade			UTIVA	UTIVZ	29.11	47.34	31.70	22.11	0.75	 					+
	Rev Bat Per Mile per month			U1TVX	1L5XX	0.01										
 	Interoffice Channel - Dedicated Transport- 2- Wire VG Rev Bat.			UTTVA	ILSAA	0.01			1		1					-
	Facility Termination			U1TVX	U1TR2	29.11	47.34	31.78	22.77	8.75						
	Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade -			0	011112	20		00		0.70	1					
	Per Mile per month			U1TVX	1L5XX	0.01										
	Interoffice Channel - Dedicated Transport - 4- Wire Voice Grade				1						İ					
	- Facility Termination			U1TVX	U1TV4	25.86	47.34	31.78	22.77	8.75						
	Interoffice Channel - Dedicated Transport - 56 kbps - per mile		i –													
	per month			U1TDX	1L5XX	0.0115										
	Interoffice Channel - Dedicated Transport - 56 kbps - Facility															
	Termination		<u> </u>	U1TDX	U1TD5	20.97	47.35	31.78	22.77	8.75						
	Interoffice Channel - Dedicated Transport - 64 kbps - per mile												I	I		
	per month		<u> </u>	U1TDX	1L5XX	0.0115			ļ					ļ	L	<u> </u>
	Interoffice Channel - Dedicated Transport - 64 kbps - Facility				[<u> </u>				1	_					I	
\vdash	Termination		<u> </u>	U1TDX	U1TD6	20.97	47.35	31.78	22.77	8.75					-	
	Interoffice Channel - Dedicated Channel - DS1 - Per Mile per			LIATDA	41.577	0.00									1	
\vdash	month Interoffice Channel - Dedicated Tranport - DS1 - Facility	1	!	U1TD1	1L5XX	0.23			1		1	-	-		 	
	Interoffice Channel - Dedicated Tranport - DS1 - Facility Termination			U1TD1	U1TF1	96.04	105.52	98.46	23.09	20.49					I	
\vdash	Interoffice Channel - Dedicated Transport - DS3 - Per Mile per	-	 	וטווט	UIIFI	96.04	105.52	90.40	23.09	20.49		-			+	
	month			U1TD3	1L5XX	4.97									1	
	Interoffice Channel - Dedicated Transport - DS3 - Facility	1	 	סווט	ILUAA	4.97			1		1		 		 	
	Termination per month			U1TD3	U1TF3	1,175.15	335.40	219.24	89.57	87.75					I	
	Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per	†	 		30	., // 0.10	300.40	210.24	00.07	01.10	1	-			I	†
	month			U1TS1	1L5XX	4.97									I	
	Interoffice Channel - Dedicated Transport - STS-1 - Facility	1	i –	-					İ			1	l	l	1	
	Termination		L	U1TS1	U1TFS	1,149.51	335.40	219.24	89.57	87.75		<u> </u>	<u> </u>		<u> </u>	
DARK FIBER																
	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction															
	Thereof per month - Interoffice Channel		<u> </u>	UDF, UDFCX	1L5DF	30.74										ļ
\vdash	NRC Dark Fiber - Interoffice Channel		<u> </u>	UDF, UDFCX	UDF14		732.53	192.67	377.27	241.67					1	ļ
	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction														1	
	Thereof per month - Local Loop		<u> </u>	UDF, UDFCX	1L5DL	47.01	======	100			ļ					<u> </u>
	NRC Dark Fiber - Local Loop			UDF, UDFCX	UDFL4		732.53	192.67	377.27	241.67	1	<u>l</u>			1	<u></u>

CATEGORY MATE ELEMENTS Mark Care Mark Care Mark Care Mark Care Mark Care C	UNBUNDLE	D NETWORK ELEMENTS - Kentucky												Attach	ment: 2	Exhi	bit: A
ACT Control												Svc Order	Svc Order				Incremental
## APTS (9) ## PATS (9) ## Law Pool Pool												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
MATERIAL Material			Interi	_								Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
152 AAST Otice 14 Otice Are Otic	CATEGORY	RATE ELEMENTS		Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
SEA ACCESS TEN DIGIT SCREENING STATE SEA SEA SOME SOM														Electronic-	Electronic-	Electronic-	Electronic-
Marchest March South S														1st	Add'l	Disc 1st	Disc Add'l
Marchest March South S								Nonrec	urring	Nonrecurring	Disconnect			oss	Rates (\$)	!	
Section Sect							Rec					SOMEC	SOMAN			SOMAN	SOMAN
BOX_Access Tem Dig Screening, Place statistics of the Statistics	8XX ACCESS																
Number Responded STATE S	ļ				OHD		0.0006478										!
POTS Translations		Number Reserved			OHD	N8R1X		4.14	0.70								
POTS Translations		POTS Translations			OHD			8.78	1.18	7.08	0.86						
Description					0.15			. =-									1
Per DXX Number Display					OHD	N8FTX		8.78	1.18	7.08	0.86						
Routing Fed CNR Requested Fed SIX No. OHD N8FMX 4.85 0.70		Per 8XX Number			OHD	N8FCX		4.14	2.07								
BOX. Access Tan Digit Screening. Call Heading and Destination OHD NBFDX 4.14					OUD	NIOENAY		4.05	0.70								ĺ
BXX Access Ten Digit Screening of PT, No Delivery, OHD NBFDX A 14 A 1	\vdash		 	 			 			 		-	-				
Features OHD NSFOX 0.11 0.0000478 1.14 4.14 4.16 NSFOX 0.0000478 1.15 NSFOX 0.00000478 1.15 NSFOX 0.0000478 1.15 NSFOX	 	8XX Access Ten Digit Screening, Change Charge Fel Request	 	 	טווט	INOI AAA		4.00	0.70			-				 	
BOX_Access Ten Digit Screening at PET No. Delitery,					OHD	N8FDX		4.14	4.14								İ
BOX Access Tan Digit Screening, WFOTS No. Delivery, DHD			1			12. 2/1	0.0006478					1				İ	
LIDB Common Transport Per Cluvery		8XX Access Ten Digit Screening, w/ POTS No. Delivery,															
LIDB Validation Per Query	LINE INFORMA																
LIDB Originating Point Code Establishment of Change OOT, OQU NRBPX S5.12 67.50 SIGNALING (CCST)																	
SIGNALING (CCS7) CCS7 Signaling Connection, Per 156 Rtips Facility UDB TPP+# 20.71 43.56 43.56 22.45 22.45	ļ					N D D D V	0.0137322	== 10		07.50							
CGSF Signaling Connection, Per 68 Ktpps Facility UDB TPP++ 2071 43.56 43.56 22.45 22.45	CICNIAL INC. (C		-	ļ	OQ1, OQU	NRBPX	-	55.12		67.59							
CGSF Signaling Termination. Per STP Port UDB PTBSX 151.39	SIGNALING (C			<u> </u>	LIDB	TDD	20.71	13.56	13.56	22.45	22.45						
CGSF Signaring Usage, Per TGAP Message								+5.50	40.00	22.40	22.43						
CCS7 Signaling Connection, Per link (B Ink) (also known as D link)						1.00%											
CCS7 Signaling Connection, Per link (8) Ink) (allow known as D UDB TPP++						TPP++		43.56	43.56	22.45	22.45						
CCSF Signaling Usage, Per ISUP Message				1													
CCS7 Signaling Usage Surrogate, per link per LATA						TPP++		43.56	43.56	22.45	22.45						1
CCSF Signaling Point Code																	
Establishment or Change, per STP affected	ļ				UDB	STU56	751.08										!
Establishment or Change, Per Stp Affected		Establishment or Change, per STP affected			UDB	CCAPO		46.02	46.02	56.43	56.43						
E911 SERVICE																	1
Local Channel - Dedicated - 2-wr Voice Grade Per Mile		Establishment or Change, Per Stp Affected			UDB	CCAPD		46.02	46.02	56.43	56.43						!
Interoffice Transport - Dedicated - 2-wr Voice Grade Per Mile	E911 SERVICE	Local Channel Dedicated 2 ur Voice Crade		1		+	10.57	265.70	46.06	46.70	4.00						
Interoffice Transport - Dedicated - 2-wr Voice Grade Per Facility Termination 29.11 47.34 31.78 22.77 8.75				<u> </u>		+		200.78	46.96	46.79	4.98						—
Termination 29.11 47.34 31.78 22.77 8.75				1		+	0.0113										
Local Channel - Dedicated - DS1 - Zone 2 43.39 209.60 176.51 30.21 21.07							29.11	47.34	31.78	22.77	8.75						l .
Local Channel - Dedicated - DS1 - Zone 2 43.39 209.60 176.51 30.21 21.07		Local Channel - Dedicated - DS1 - Zone 1					40.46	209.60	176.51	30.21	21.07						
Interoffice Transport - Dedicated - DS1 Per Mile 0.23 105.52 98.46 23.09 20.49		Local Channel - Dedicated - DS1 - Zone 2															
Interoffice Transport - Dedicated - DS1 Per Facility Termination 96.04 105.52 98.46 23.09 20.49								209.60	176.51	30.21	21.07						
CALLING NAME (CNAM) SERVICE OQV 25.34 23.30 23.30 23.30 CNAM For DB Owners - Service Establishment OQV 25.34 25.34 23.30 23.30 CNAM For Non DB Owners - Service Provisioning With Point Code CNAM For DB Owners - Service Provisioning With Point Code CNAM For Non DB Owners - Service Provisioning With Point Code CNAM For Non DB Owners - Service Provisioning With Point Code CNAM For Non DB Owners - Service Provisioning With Point Code CNAM For Non DB Owners - Service Provisioning With Point Code CNAM For Non DB Owners - Service Provisioning With Point Code CNAM For Non DB Owners - Service Provisioning With Point Code CNAM For Non DB Owners - Service Provisioning With Point Code CNAM For Non DB Owners - Service Provisioning With Point Code CNAM For Non DB Owners - Service Provisioning With Point Code CNAM For Non DB Owners - Service Provisioning With Point Code CNAM For Non DB Owners - Service Provisioning With Point Code CNAM For Non DB Owners - Service Provisioning With Point Code CNAM For Non DB Owners - Service Provisioning With Point Code CNAM For Non DB Owners - Service Provisioning With Point Code CNAM For Non DB Owners - Service Provisioning With Point Code CNAM For Non DB Owners - Service Provisioning With Point Code CNAM For Non DB Owners - Service Provisioning With Point Code CNAM For Non DB Owners - Service Provisioning With Point Code CNAM For Non DB Owners - Service Provisioning With Point Code CNAM For Non DB Owners - Service Prov		Interoffice Transport - Dedicated - DS1 Per Mile	ļ	<u> </u>			0.23					ļ					—
CNAM For DB Owners - Service Establishment							96.04	105.52	98.46	23.09	20.49						
CNAM For Non DB Owners - Service Establishment	CALLING NAM		 	<u> </u>	001	+	 	05.01	05.01	00.00	20.00	ļ		 	-	.	-
CNAM For DB Owners - Service Provisioning With Point Code Establishment	 		1	 		+	 					1	-	-	-	-	
Establishment	\vdash		 	 	UUV	+	 	25.34	25.34	23.30	∠3.30	-	-				
Code Establishment		Establishment			OQV			1,591.54	1,177.08	431.95	317.61						<u> </u>
CNAM for DB Owners, Per Query			1		001/	1		E46 40	202 74	420.02	217 61						i
CNAM for Non DB Owners, Per Query	 		 	 		+	0.0010348	546.40	383.74	430.93	317.01	-				 	
CNAM (Non-Databs Owner), NRC, applies when using the Character Based User Interface (CHUI) LNP Query Service LNP Charge Per query 0.0008695			 	 		+						1	-				
Character Based User Interface (CHUI)			1	1		1										İ	
LNP Charge Per query 0.0008695	I NP Ouery Ser	Character Based User Interface (CHUI)		-	OQV	CDDCH		595.00	595.00			1					
	LIVE QUELY SEI		 	 		+	0.0008695			 		-					
		LNP Service Establishment Manual	t	†		+	0.0000000	13.82	13.82	12.71	12.71	 	-			 	

UNBUNDLE	NETWORK ELEMENTS - Kentucky													ment: 2	1	bit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			1	Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l
						Rec	Nonrec		Nonrecurring					Rates (\$)		
	IND One in Decision with Drive On to Establish and		1				First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
SELECTIVE RO	LNP Service Provisioning with Point Code Establishment		<u> </u>		+		953.27	487.00	431.95	317.61					-	
SELECTIVE RC	Selective Routing Per Unique Line Class Code Per Request Per		1		1										1	
	Switch						93.53	93.53	15.58	15.58						ĺ
VIRTUAL COLL			1		†										t	
	Virtual Collocation-2 Wire Cross Connects (Loop) for Line															
BUNGIONI GOI	Splitting		1	UEPSR UEPSB	VE1LS	0.0309	24.68	23.68	12.14	10.95						——
PHYSICAL COL			 		1										1	
	Physical Collocation-2 Wire Cross Connects (Loop) for Line Splitting			UEPSR UEPSB	PE1LS	0.0333	24.68	23.68	12.14	10.95						1
AIN SELECTIVE	E CARRIER ROUTING	-	<u> </u>	OLI OK OLFOD	1 L 1L0	0.0555	24.00	23.00	12.14	10.95	1				†	
	Regional Service Establishment			SRC	SRCEC		193,401.00	193,401.00	9,483.34	9,483.34			İ		1	
	End Office Establishment	İ		SRC	SRCEO		194.09	194.09	0.85	0.85			1			
	Line/Port NRC, per end user			SRC	SRCLP		2.06	2.06								
	Query NRC, per query			SRC		0.0037502										
	JTH AIN SMS ACCESS SERVICE	ļ			1				ļ		ļ				ļ	
	AIN SMS Access Service - Service Establishment, Per State,			AANI	CAMOE		40.55	40.55	44.00	44.00						İ
	Initial Setup		1	A1N	CAMSE		43.55	43.55	44.93	44.93					-	
	AIN SMS Access Service - Port Connection - Dial/Shared Access			A1N	CAMDP		8.64	8.64	10.03	10.03						İ
	AIN SMS Access Service - Port Connection - ISDN Access		1	A1N	CAM1P		8.64	8.64		10.03						
	AIN SMS Access Service - User Identification Codes - Per User		1	, , , , ,	0, 1,,,,,		0.01	0.01	10.00	10.00					t	
	ID Code			A1N	CAMAU		38.65	38.65	29.88	29.88						ĺ
	AIN SMS Access Service - Security Card, Per User ID Code,															
	Initial or Replacement			A1N	CAMRC		75.08	75.08	12.93	12.93						
	AIN SMS Access Service - Storage, Per Unit (100 Kilobytes)		1			0.0025										
	AIN SMS Access Service - Session, Per Minute AIN SMS Access Service - Company Performed Session, Per		1			0.666									-	
	Minute					0.4608										İ
AIN - BELLSOL	JTH AIN TOOLKIT SERVICE		†		+	0.4000										
1	AIN Toolkit Service - Service Establishment Charge, Per State,		1		†										t	
	Initial Setup			CAM	BAPSC		43.55	43.55	44.93	44.93						ĺ
	AIN Toolkit Service - Training Session, Per Customer				BAPVX		8,436.93	8,436.93								
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per															
	DN, Term. Attempt		1		BAPTT		8.64	8.64	10.03	10.03						
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, Off-Hook Delay	1			BAPTD		8.64	8.64	10.03	10.03					I	1
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per	-	 		DAPID		8.64	8.04	10.03	10.03	 					
	DN, Off-Hook Immediate				BAPTM		8.64	8.64	10.03	10.03						1
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per															
	DN, 10-Digit PODP				BAPTO		51.01	51.01	18.50	18.50	ļ					
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per															
	DN, CDP		1		BAPTC		51.01	51.01	18.50	18.50	ļ				ļ	
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per				D V DTC		F4.04	E4.04	40.50	40.50						1
	DN, Feature Code AIN Toolkit Service - Query Charge, Per Query	-	 		BAPTF	0.0549207	51.01	51.01	18.50	18.50					-	
	AIN Toolkit Service - Query Charge, Per Query AIN Toolkit Service - Type 1 Node Charge, Per AIN Toolkit	 	 		+	0.0349207			1		 		 		 	
	Subscription, Per Node, Per Query	1				0.0066492									I	1
	AIN Toolkit Service - SCP Storage Charge, Per SMS Access				İ								İ		1	
	Account, Per 100 Kilobytes		<u></u>			0.07										<u> </u>
	AIN Toolkit Service - Monthly report - Per AIN Toolkit Service															1
	Subscription	ļ		CAM	BAPMS	7.87	8.64	8.64	6.08	6.08	ļ				ļ	
	AIN Toolkit Service - Special Study - Per AIN Toolkit Service			CAM	DADI C	2.22	0.50	0.50								1
	Subscription AIN Toolkit Service - Call Event Report - Per AIN Toolkit Service		1	CAM	BAPLS	3.26	9.56	9.56	 		1				 	-
	Subscription			CAM	BAPDS	4.72	8.64	8.64	6.08	6.08					1	1
	AIN Toolkit Service - Call Event Special Study - Per AIN Toolkit		t		2.11 20	7.12	0.04	0.04	0.00	0.00			1		1	
	Service Subscription	1		CAM	BAPES	0.11	9.56	9.56							1	1
ENHANCED EX	TENDED LINK (EELs)	i	1								ĺ	İ				

	UNB	UNDLE	NETWORK ELEMENTS - Kentucky												Attach	ment: 2	Exhi	bit: A
ATTEMPS PART ELEMENTS PART Sole DEC DE	0												Submitted	Submitted	Incremental Charge -	Incremental Charge -	Incremental Charge -	Incremental Charge -
MOTE The monthly recurring and non-scorring charges below will apply and the Switch-Ask Charge will not apply of URC contributions provided by Contribution and Contribution a	CATE	GORY	RATE ELEMENTS	1	Zone	BCS	usoc			RATES (\$)			1		Order vs.	Order vs.	Order vs.	Order vs.
MOTE The monthly recurring and non-recurring changes below will apply and the Sack-Ass, Clause will not papely for DMS content on the Sack															1st	Add'l	Disc 1st	Disc Add'l
Month Proceedings Month								Pec			Nonrecurring			ı			ı	
ADDITION Processing and the Switch-Ask Clarge and not the non-scurrent charges below will apply for JME, Combinations provided as Coursell Combination (Combination Combin				L										SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
EXTENSION DATE OF MARKED COLOR WITH DEBLICATED DIS INFERENCIPACE TRANSPORT 1,000																		
First 2-Wile Volume (2012) in Continuation - Zone 1	-							ONE COMBINATION	ons provisione	d as Current	ly Combined N	vetwork Eleme	1115.					\vdash
Piezz VVIV VIV Long (SL) jis Combination - Zona 1 3 SECVX USA12 3.22 192.72 09.48 9.68 7.84								12.67	125.22	60.48	59.69	7.84						
Internation Transport - Decidated - DST combination - Per Mile																		
Description Description					3	UNCVX	UEAL2	33.22	125.22	60.48	59.69	7.84						
Terrorusian per month						UNC1X	1L5XX	0.19										
10 Charmeficiation System in combination Par Morth Note Office COCI - Per Morth Note Office COCI - Per Morth Seath Additional System (Vot Long (St. 2) in Combination - Zero 1 1 UNCVX UEAL2 12.67 19.522 00.46 59.69 7.84			,															
Votoc Grade COCC - Per Morth Cash Additional 2-View Vol Long (SL 2) in Combination - Zone 1 1 NOV.X UEAL2 12.67 125.22 60.46 59.86 7.84	-	-		-	-													\vdash
Each Additional Z-Wire VG Loop (SL 2) in Combination - Zone 1	—	+									1.86	1.07	—					
Each Additional 2-Wire VGL Loop (St. 2) in Combination - Zone 2 2 UNCVX		1	100 0.000 0001 1 01 Month		†	0.10 7/	.5140	0.02	5.71	7.04								
Each Additional 2-Wire VG Loop (St. 2) in Combination - Zone 3 3 UNCVX UEAL 33.22 125.22 60.48 59.69 7.84 Visios Grade COCCI - Per Month Norrecurring Currently Combined Network Elements Switch - As UNCVX UEAL 35.25 6.71 4.86 EXTENDED 4-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT First 4-Wire Analogy Voice Grade Loop in Combination - Zone 1 1 UNCVX UEAL 32.26 125.22 60.48 59.69 7.84 First 4-Wire Analogy Voice Grade Loop in Combination - Zone 2 2 - UNCVX UEAL 34.25 125.22 60.48 59.69 7.84 First 4-Wire Analogy Voice Grade Loop in Combination - Zone 2 3 3 UNCVX UEAL 35.20 125.22 60.48 59.69 7.84 First 4-Wire Analogy Voice Grade Loop in Combination - Zone 2 1 UNCVX UEAL 35.20 125.22 60.48 59.69 7.84 First 4-Wire Analogy Voice Grade Loop in Combination - Zone 2 1 UNCVX UEAL 35.20 125.22 60.48 59.69 7.84 First 4-Wire Analogy Voice Grade Loop in Combination - Zone 3 3 UNCVX UEAL 35.20 125.22 60.48 59.69 7.84 First 4-Wire Analogy Voice Grade Loop in Combination - Zone 2 1 UNCVX UEAL 35.20 125.20 60.48 59.69 7.84 First 4-Wire Analogy Voice Grade Loop in Combination - Zone 3 3 UNCVX UEAL 35.20 125.20 60.48 59.69 7.84 First 4-Wire Analogy Voice Grade Loop in Combination - Zone 3 3 UNCVX UEAL 35.20 125.20 60.48 59.69 7.84 First 4-Wire Analogy Voice Grade Loop in Combination - Zone 3 3 UNCVX UEAL 35.20 125.20 60.48 59.69 7.84 First 4-Wire Analogy Voice Grade Loop in Combination - Zone 1 1 UNCVX UEAL 35.20 125.20 60.48 59.69 7.84 First 4-Wire Solope Digital Grade Loop in Combination - Zone 1 1 UNCVX UEAL 35.20 125.20 60.48 59.69 7.84 First 4-Wire Solope Digital Grade Loop in Combination - Zone 1 1 UNCVX UEAL 35.20 125.20 60.48 59.69 7.84 First 4-Wire Solope Digital Grade Loop in Combination - Zone 1 1 UNCVX UEAL 35.20 125.20 60.48 59.69 7.84 First 4-Wire Solope Digital Grade Loop in Combination - Zone 2 2 UNCVX UEAL 35.20 125.20 60.48 59.69 7.84 First 4-Wire Solope Digital Grade Loop in Combination - Zone 2 2 UNCVX UEAL 35.20 125.20 60.48 59.69 7.84 First 4-W		1	Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 1		1	UNCVX	UEAL2	12.67	125.22	60.48	59.69	7.84						
Vicio Ediade COCI - Per Mooth			Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 2		2	UNCVX	UEAL2	17.45	125.22	60.48	59.69	7.84						
Vicio Ediade COCI - Per Mooth			Fach Additional 2-Wire VG Loop (SL 2) in Combination Topo 2		2	LINCVX	LIEAL 2	33 33	125 22	60.49	50 60	7.94						[
Nonecurring Currently Corribated Network Elements Switch -As- Is Change EXTENDED AWIRE VOICE GRADE EXTENDED LOOP WITH DEDICATED DSI INTEROFFICE TRANSPORT		+			3						33.03	7.04						
EXTENDED 4-WIRE YOUGE GRADE EXTENDED LOOP WITH DEDICATED DSI INTEROFFICE TRANSPORT First 4-Wire Analog Voice Grade Loop in Combination - Zone 2 2 UNCVX UEAL4 29.26 125.22 60.48 59.69 7.84			Nonrecurring Currently Combined Network Elements Switch -As-								11 17	11 17						
First 4-Wire Analog Voice Grade Loop in Combination - Zone 1		EXTEN		TED DS	1 INTE				0.90	0.90	11.17	11.17						
First 4-Wire Analog Voice Grade Loop in Combination - Zone 2				1	T		T											
First 4-Wire Analog Voice Grade Loop in Combination - Zone 3		+	First 4-Wire Analog Voice Grade Loop in Combination - Zone 1		1	UNCVX	UEAL4	29.26	125.22	60.48	59.69	7.84						
Interoffice Transport - Dedicated - DSt - combination - Per Mile Per Month UNCIX 1L5XX 0.19		1	First 4-Wire Analog Voice Grade Loop in Combination - Zone 2		2	UNCVX	UEAL4	34.25	125.22	60.48	59.69	7.84						
Per Month					3	UNCVX	UEAL4	85.06	125.22	60.48	59.69	7.84						
Month Month MOCIX UTF1 79.02 181.24 123.53 56.72 22.32			Per Month			UNC1X	1L5XX	0.19										
1/10 Channel System in combination Per Month UNCTX MO1 113.33 57.26 14.74 1.86 1.67							1											1
Voice Grade COC in combination - per month	-				-													\vdash
Additional 4-Wire Analog Voice Grade Loop in same DS1 1 UNCVX UEAL4	-	+									1.86	1.67						
Interoffice Transport Combination - Zone 1						ONOVA	15170	0.02	0.71	4.04								
Interoffice Transport Combination - Zone 2		1	Interoffice Transport Combination - Zone 1		1	UNCVX	UEAL4	29.26	125.22	60.48	59.69	7.84						
Interoffice Transport Combination - Zone 3 3 UNCVX UEAL4 85.06 125.22 60.48 59.69 7.84			Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL4	34.25	125.22	60.48	59.69	7.84						ļ
Additional Voice Grade COCI in combination - per month UNCVX ID1VG 0.62 6.71 4.84					3	LINCVX	LIEALA	85.06	125.22	60.49	50 60	7 0 /						1
Nonrecurring Currently Combined Network Elements Switch -As- Is Charge UNC1X UNCCC 8.98 8.98 11.17 11.17	—	1									33.09	7.04						
EXTENDED 4-Wire 56 KBPS EXTENDED DIGITAL LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT			Nonrecurring Currently Combined Network Elements Switch -As-															
First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 1 1 UNCDX UDL56 27.59 125.22 60.48 59.69 7.84				L	<u> </u>				8.98	8.98	11.17	11.17						
First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2 2 UNCDX UDL56 32.48 125.22 60.48 59.69 7.84	<u> </u>	EXTEN	DED 4-WIRE 56 KBPS EXTENDED DIGITAL LOOP WITH DEDI	CATED	שS1 IN	LEROFFICE TRANS	PORT	 					-	ļ				
First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 3 3 UNCDX UDL56 36.37 125.22 60.48 59.69 7.84			First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 1		1	UNCDX	UDL56	27.59	125.22	60.48	59.69	7.84						
First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 3 3 UNCDX UDL56 36.37 125.22 60.48 59.69 7.84			First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2		2	UNCDX	UDL56	32.48	125.22	60.48	59.69	7.84						
Interoffice Transport - Dedicated - DS1 combination - Per Mile UNC1X 1L5XX 0.19 UNC1X 1L5XX 0.19 UNC1X 1L5XX 0.19 UNC1X 1L5XX 0.19 UNC1X 1L5XX 0.19 UNC1X U1TF1 79.02 181.24 123.53 56.72 22.32 UNC1X U1TF1 79.02 181.24 123.53 56.72 22.32 UNC1X UNC1X UNC1X UNC1X UNC1X UNC1X UNC1X UNC1X UNC1X UNC1X UNC1X UNC1X UNC1X UNC1X UNC1X UNC1X U1TF1 U1TF1 U1TF					3	UNCDX	UDL56	36.37	125.22	60.48	59.69	7.84						
Interoffice Transport - Dedicated - DS1 - combination Facility UNC1X			Interoffice Transport - Dedicated - DS1 combination - Per Mile							53.10	22.00							
1/0 Channel System in combination Per Month			Interoffice Transport - Dedicated - DS1 - combination Facility						,,,,,,	100 5-		20.5-						
OCU-DP COCI (data) per month (2.4-64kbs)	-	-		-	-								-					
Additional 4-Wire 56Kbps Digital Grade Loop in same DS1	-	+		-	-						1.86	1.6/	 					
		+				5ODA	10.00	1.02	0.71	7.04			<u> </u>					
					1	UNCDX	UDL56	27.59	125.22	60.48	59.69	7.84						

	UNBUNDI E	D NETWORK ELEMENTS - Kentucky												Attach	ment: 2	Exhi	nit· Δ
RATE BLEMENTS More BCB BCB BCB BCB BCB BCB BCC B	ONDONDEL						I					Svc Order	Svc Order				Incremental
RATE BLEMENTS March																	
CATEGORY MATERIAL MEMORY Mark			lesten!									1					•
Decremon Decremon	CATEGORY	RATE ELEMENTS	I	Zone	BCS	USOC			RATES (\$)				,				
Note			m									per Lore	per Lore				
Recommend November State Log Insure State																	
Mode Mode																2.00	2.007.444.
Additional 4-Wine Softigon Egyptian Grade Laces in same DS1 2 MACDIX UD.56 30.44 50.06 7.66 1.00							Rec										
Immercine Transport Cerebration - Zeros 2		A L I'' 1 A M' FOIG B' - '- 1 O - 1 - 1 ' BO4						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
Additional Avvise Editions Deptile Closed Loops in cerebration - Zero S				2	LINCDV	LIDI EG	22.40	105.00	60.49	50.60	7.04						
Insection Transport Contribution - Zone 3 3 (MICCX DUES 38.57 125.22 0.0.86 7.64					UNCDA	UDLS6	32.40	125.22	00.40	59.69	7.04	1					
Moderna Coult De COCC (state) - in combination per month (2.4 bit Mode.)				3	LINCDX	LIDL 56	36 37	125 22	60 48	59 69	7 84						
MARCO Newscauring Currently Combined Network Elements Switch As Next New Service New Servi				Ť	0.1027	02200	00.01	120.22	00.10	00.00	7.01						
Note control Note of the protein Note					UNCDX	1D1DD	1.32	6.71	4.84								
ExtraCode Wilke Earl Rays ExtraDed Digits Grade Loop in Combination - Zone 1 1 MPCDX U.S.64 27.59 125.22 50.49 59.69 7.84		Nonrecurring Currently Combined Network Elements Switch -As-															
First 4-Wire 64Rbps Digital Grade Loop in Combination - Zone 1 1 UNCIDX UDL64 27:00 175:22 60:48 59:69 7:84								8.98	8.98	11.17	11.17						
First 4-Wire 6640ps Digital Grade Loop in Combination - Zone 2	EXTEN	IDED 4-WIRE 64 KBPS EXTENDED DIGITAL LOOP WITH DEDIG	CATED	DS1 IN	TEROFFICE TRANS	PORT											
First 4-Wire 6640ps Digital Grade Loop in Combination - Zone 2																	
First 4-Wire 64Rigs Digital Grade Leop in Combination - Zorus 3 3 UNCDX UD.64 36.77 125.22 60.48 59.69 7.64		First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 1	ļ	1	UNCDX	UDL64	27.59	125.22	60.48	59.69	7.84				ļ		
First 4-Wire 64Rigs Digital Grade Leop in Combination - Zorus 3 3 UNCDX UD.64 36.77 125.22 60.48 59.69 7.64		First A Miles Oddies - Picital Ossels Leave to Ossels - Fig 7			LINODY	LIBLOA	00.10	105.00	00.10	50.00	3						
Interdifice Transport - Dedicated - DST combination - Per Mills UNCIX	\vdash	First 4-vvire 64Kbps Digital Grade Loop in Combination - Zone 2	 	2	UNCDX	UDL64	32.48	125.22	60.48	59.69	7.84		 	-	.	 	
Interdifice Transport - Dedicated - DST combination - Per Mills UNCIX		First 4 Wire 64Khas Digital Grade Lean in Combination 7 2	1	2	LINCDY	LIDL64	26.27	105.00	60.40	E0 60	704		1				
Per Month			-	3	UNCDX	UDL64	30.37	125.22	60.48	59.69	7.84	-					
Interestica Transport - Dedicated - OSS combination - Facility UNCIX					LINC1Y	11 5YY	0.10										
Termination Per Month					ONOTA	TLOXX	0.19										
10 Channel System in combination Per Month					UNC1X	U1TF1	79.02	181.24	123.53	56.72	22.32						
CCLU-PP COCI (data) - in combination - per month (2.4-64bbs)		1/0 Channel System in combination Per Month			UNC1X	MQ1	113.33	57.26	14.74	1.86	1.67						
Interdifice Transport Combination - Zone 1					UNCDX	1D1DD	1.32	6.71	4.84								
Additional A-Wire 64Ktpp Digital Corde Loop in same DS1 InterOffice Transport Combination - Zone 2 2 UNCDX UDL64 32.48 125.52 60.48 59.69 7.84		Additional 4-Wire 64Kbps Digital Grade Loop in same DS1															
Interoffice Transport Combination - Zone 2				1	UNCDX	UDL64	27.59	125.22	60.48	59.69	7.84						
Additional 4-Wire 64Khps Digital Grade Loop in same DS1 Interoffice Transport Combination - Zone 3 3 UNCDX UDL64 36.37 125.22 60.48 59.69 7.84																	
Interoffice Transport Combination - Zone 3 3 UNCDX UDL64 36.37 125.22 60.48 59.99 7.84				2	UNCDX	UDL64	32.48	125.22	60.48	59.69	7.84						
Additional OCU-DP COCI (data) - in combination - per month UNCDX								40=00		==	= 0.4						
Nonceuring Currently Combined Network Elements Switch -As- UNCIX UNCCC 8.898 8.98 11.17 11.17	—			3	UNCDX	UDL64	36.37	125.22	60.48	59.69	7.84						
Nonrecurring Currently Combined Network Elements Switch -As UNCIX UNCCC 8.98 8.98 11.17 11.17					LINCDY	10100	1 22	6 71	1 91								
S Charge STRENDED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT STRENDED 4-WIRE DS1 DIGITAL EXTENDED 1.00 Combination - Zone 1 1 UNC1X USLXX 86.47 210.70 114.60 63.96 17.97					UNCDX	10100	1.32	0.71	4.04			1					
EXTENDED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT					UNC1X	UNCCC		8 98	8 98	11 17	11 17						
4-Wire DS1 Digital Loop in Combination - Zone 1	EXTEN		ED DS1	INTER				0.00	0.00								
A-Wire DSt Digital Loop in Combination - Zone 3 3 UNC1X USLXX 297.76 210.70 114.60 63.96 17.97							86.47	210.70	114.60	63.96	17.97						
Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month UNC1X		4-Wire DS1 Digital Loop in Combination - Zone 2		2	UNC1X	USLXX	114.10	210.70	114.60		17.97						
Per Month				3	UNC1X	USLXX	297.76	210.70	114.60	63.96	17.97						
Interoffice Transport - Dedicated - DS1 combination - Facility Termination Per Month UNC1X																	
Termination Per Month	-				UNC1X	1L5XX	0.19										
Nonrecurring Currently Combined Network Elements Switch -As- UNC1X UNCCC 8.98 8.98 11.17 11.17					LINICAV	LIATEA	70.00	101.04	100 50	FG 70	22.22						
Is Charge	\vdash		╂	-	UNUTA	UTIFT	79.02	181.24	123.53	56.72	22.32						
EXTENDED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICATED DS3 INTEROFFICE TRANSPORT					UNC1X	UNCCC		8 08	8 08	11 17	11 17		1				
First DS1Loop in Combination - Zone 1	EXTEN		ED DS3	INTER				0.30	0.36	11.17	11.17	t		1	1	1	
First DS1Loop in Combination - Zone 2			- 200				86.47	210.70	114.60	63.96	17.97				İ		
First DS1Loop in Combination - Zone 3 3 UNC1X USLXX 297.76 210.70 114.60 63.96 17.97					UNC1X	USLXX	114.10		114.60	63.96				1		1	
Per Month				3	UNC1X	USLXX	297.76	210.70	114.60	63.96	17.97						
Interoffice Transport - Dedicated - DS3 - Facility Termination per month																	
month					UNC3X	1L5XX	4.09										
3/1Channel System in combination per month			1		LINIONY		000 00	050 50	444 ===	40.00	00.00		1				
DS1 COCI in combination per month			-	<u> </u>								1	-	-	 	-	
Additional DS1Loop in DS3 Interoffice Transport Combination - 1 UNC1X USLXX 86.47 210.70 114.60 63.96 17.97 Additional DS1Loop in DS3 Interoffice Transport Combination - 2 UNC1X USLXX 114.10 210.70 114.60 63.96 17.97 Additional DS1Loop in DS3 Interoffice Transport Combination - 2 UNC1X USLXX 297.76 210.70 114.60 63.96 17.97 Additional DS1Loop in DS3 Interoffice Transport Combination - 3 UNC1X USLXX 297.76 210.70 114.60 63.96 17.97 Additional DS1Loop in DS3 Interoffice Transport Combination - 3 UNC1X USLXX 297.76 210.70 114.60 63.96 17.97 Additional DS1Loop in DS3 Interoffice Transport Combination - 3 UNC1X USLXX 297.76 210.70 114.60 63.96 17.97 Additional DS1Loop in DS3 Interoffice Transport Combination - 3 UNC1X USLXX 297.76 210.70 114.60 63.96 17.97 Additional DS1Loop in DS3 Interoffice Transport Combination -	\vdash		 	-						15.12	5.30		 				
Zone 1			 		OIVO IA	JUIDI	11.00	0.71	4.64	 		 		 	 	 	
Additional DS1Loop in DS3 Interoffice Transport Combination - 2 UNC1X USLXX 114.10 210.70 114.60 63.96 17.97 Additional DS1Loop in DS3 Interoffice Transport Combination - 2 UNC1X USLXX 297.76 210.70 114.60 63.96 17.97 Additional DS1Loop in DS3 Interoffice Transport Combination - 2 UNC1X USLXX 297.76 210.70 114.60 63.96 17.97 Additional DS1Loop in DS3 Interoffice Transport Combination - 2 UNC1X USLXX 297.76 210.70 114.60 63.96 17.97 Additional DS1Loop in DS3 Interoffice Transport Combination - 2 UNC1X USLXX 297.76 210.70 114.60 63.96 17.97 Additional DS1Loop in DS3 Interoffice Transport Combination - 2 UNC1X USLXX 297.76 210.70 114.60 63.96 17.97 Additional DS1Loop in DS3 Interoffice Transport Combination - 2 UNC1X USLXX 297.76 210.70 114.60 63.96 17.97 Additional DS1Loop in DS3 Interoffice Transport Combination - 2 UNC1X USLXX 297.76 210.70 114.60 63.96 17.97 Additional DS1Loop in DS3 Interoffice Transport Combination - 2 UNC1X USLXX 297.76 210.70 114.60 63.96 17.97 Additional DS1Loop in DS3 Interoffice Transport Combination - 2 UNC1X USLXX 297.76 210.70 114.60 63.96 17.97 Additional DS1Loop in DS3 Interoffice Transport Combination - 2 UNC1X USLXX 297.76 210.70 114.60 63.96 17.97 Additional DS1Loop in DS3 Interoffice Transport Combination - 2 UNC1X USLXX 297.76 210.70 114.60 63.96 17.97 Additional DS1Loop in DS3 Interoffice Transport Combination - 2 UNC1X USLXX 297.76 210.70 114.60 63.96 17.97 Additional DS1Loop in DS3 Interoffice Transport Combination - 2 UNC1X USLXX 297.76 210.70 114.60 63.96 17.97 Additional DS1Loop in DS3 Interoffice Transport Combination - 2 UNC1X USLXX 297.76 210.70 114.60 63.96 17.97 Additional DS1Loop in DS3 Interoffice Transport Combination - Additional DS1Loop in DS3 Interoffice Transport Combination - Additional DS1Loop in DS3 Interoffice Transport Combination - Additional DS1Loop in DS3 Interoffice Transport Combination - Additional DS1Loop in DS3 Interoffice Transport Combina			1	1	UNC1X	USLXX	86.47	210.70	114.60	63.96	17.97		1				
Zone 2 2 UNC1X				Ė		1				22700					İ		
Additional DS1Loop in DS3 Interoffice Transport Combination -			1	2	UNC1X	USLXX	114.10	210.70	114.60	63.96	17.97		1				
		Additional DS1Loop in DS3 Interoffice Transport Combination -															
Additional DS1 COCI in combination per month UNC1X UC1D1 11.80 6.71 4.84				3						63.96	17.97						
		Additoinal DS1 COCI in combination per month			UNC1X	UC1D1	11.80	6.71	4.84								

UNBUNDL	ED NETWORK ELEMENTS - Kentucky			1							r -	Г-		ment: 2		bit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)				Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Charge -	Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'l
						Rec	Nonrec		Nonrecurring					Rates (\$)		
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Nonrecurring Currently Combined Network Elements Switch -As-			LINIOOV	1111000		0.00	0.00	44.47	44.47						
EYTE	Is Charge NDED 2-WIRE VOICE GRADE EXTENDED LOOP/ 2 WIRE VOICE	GRAD	I E INTE	UNC3X	UNCCC		8.98	8.98	11.17	11.17						-
LAIL	2-WireVG Loop in combination - Zone 1	UKAD		UNCVX	UEAL2	12.67	125.22	60.48	59.69	7.84						
	2-WireVG Loop in combination - Zone 2		2	UNCVX	UEAL2	17.45	125.22	60.48	59.69	7.84						t
	2-WireVG Loop in combination - Zone 3			UNCVX	UEAL2	33.22	125.22	60.48	59.69	7.84						
	Interoffice Transport - 2-wire VG - Dedicated- Per Mile Per															
	Month			UNCVX	1L5XX	0.01										
	Interoffice Transport - 2-wire VG - Dedicated - Facility			1110101	11477/0	00.05	00.00	50.07	50.04	00.40						
—	Termination per month Nonrecurring Currently Combined Network Elements Switch -As-		1	UNCVX	U1TV2	23.95	98.09	53.67	56.31	22.42						-
	Is Charge		1	UNCVX	UNCCC		8.98	8.98	11.17	11.17						
EXTE	NDED 4-WIRE VOICE GRADE EXTENDED LOOP/ 4 WIRE VOICE	GRAD	E INTE				0.90	0.30	11.17	11.17						
	4-WireVG Loop in combination - Zone 1		1	UNCVX	UEAL4	29.26	125.22	60.48	59.69	7.84	İ	İ				
	4-WireVG Loop in combination - Zone 2		2	UNCVX	UEAL4	34.25	125.22	60.48	59.69	7.84						
	4-WireVG Loop in combination - Zone 3		3	UNCVX	UEAL4	85.06	125.22	60.48	59.69	7.84						
	Interoffice Transport - 4-wire VG - Dedicated - Per Mile Per															
	Month			UNCVX	1L5XX	0.01										
	Interoffice Transport - 4-wire VG - Dedicated - Facility Termination per month			UNCVX	U1TV4	21.28	98.09	53.67	56.31	22.42						
 	Nonrecurring Currently Combined Network Elements Switch -As-			UNCVA	01174	21.20	96.09	55.67	30.31	22.42						1
	Is Charge			UNCVX	UNCCC		8.98	8.98	11.17	11.17						
EXTE	NDED DS3 DIGITAL EXTENDED LOOP WITH DEDICATED DS3	INTERC	FFICE		0.1000											
	DS3 Local Loop in combination - per mile per month			UNC3X	1L5ND	9.25										
	DS3 Local Loop in combination - Facility Termination per month			UNC3X	UE3PX	308.31	237.36	147.69	83.43	32.67						
	Interoffice Transport - Dedicated - DS3 - Per Mile per month			UNC3X	1L5XX	4.09										
	Interoffice Transport - Dedicated - DS3 combination - Facility Termination per month			UNC3X	U1TF3	966.89	350.56	141.58	48.00	23.39						
	Nonrecurring Currently Combined Network Elements Switch -As-		<u> </u>	UNCSA	UTIFS	900.09	350.56	141.50	46.00	23.39						-
	Is Charge			UNC3X	UNCCC		8.98	8.98	11.17	11.17						
EXTE	NDED STS-1 DIGITAL EXTENDED LOOP WITH DEDICATED ST	S-1 INT	EROFF		0.1000		0.00	0.00								1
	STS-1 Local Lolp in combination - per mile per month			UNCSX	1L5ND	9.25										
	STS-1 Local Loop in combination - Facility Termination per								i i							
	month			UNCSX	UDLS1	320.51	237.36	147.69	83.43	32.67						
	Interoffice Transport - Dedicated - STS-1 combination - per mile				1											
-	per month			UNCSX	1L5XX	4.09										1
	Interoffice Transport - Dedicated - STS-1 combination - Facility Termination per month		1	UNCSX	U1TFS	945.79	350.56	141.58	48.00	23.39						
 	Nonrecurring Currently Combined Network Elements Switch -As-		 	5.100/	01113	343.19	330.36	141.30	40.00	23.39					-	
	Is Charge			UNCSX	UNCCC		8.98	8.98	11.17	11.17						
EXTE	NDED 2-WIRE ISDN EXTENDED LOOP WITH DS1 INTEROFFICE	TRAN	SPORT					2.30								
	First 2-Wire ISDN Loop in Combination - Zone 1		1	UNCNX	U1L2X	18.44	125.22	60.48	59.69	7.84						
	First 2-Wire ISDN Loop in Combination - Zone 2			UNCNX	U1L2X	25.08	125.22	60.48	59.69	7.84						
	First 2-Wire ISDN Loop in Combination - Zone 3		3	UNCNX	U1L2X	42.87	125.22	60.48	59.69	7.84						
	Interoffice Transport - Dedicated - DS1 combination - per mile			LINCAY	11.5	0.40										
\vdash	per month Interoffice Transport - Dedicated - DS1 combination - Facility		-	UNC1X	1L5XX	0.19									 	-
	Termination per month			UNC1X	U1TF1	79.02	181.24	123.53	56.72	22.32						
	1/0 Channel System in combination - per month		t	UNC1X	MQ1	113.33	57.26	14.74	1.86	1.67					1	
	2-wire ISDN COCI (BRITE) - in combination - per month		t	UNCNX	UC1CA	2.84	6.71	4.84			İ					
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport								İ							
	Combination - Zone 1		1	UNCNX	U1L2X	18.44	125.22	60.48	59.69	7.84						
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport			l	[]											
\vdash	Combination - Zone 2		2	UNCNX	U1L2X	25.08	125.22	60.48	59.69	7.84					ļ	
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport Combination - Zone 3		3	UNCNX	U1L2X	42.87	125.22	60.48	59.69	7.84						
	ICOHOHAUOH - ZUHE 3	1	J	OINCINA	UTLZA	42.87	125.22	00.48	59.69	1.84	L			ļ	<u> </u>	
	Additional 2-wire ISDN COCI (BRITE) - in combination- per						l									

UNBUNDL	ED NETWORK ELEMENTS - Kentucky												Attach	ment: 2	Exhi	bit: A
											Svc Order	Svc Order	Incremental		Incremental	Incremental
											Submitted	Submitted		Charge -	Charge -	Charge -
		Interi									Elec	Manually	Manual Svc	Manual Svc		Manual Svc
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m									per Lore	per Lore	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
													151	Addi	DISC 1St	DISC Add I
						Das	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates (\$)	•	
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Nonrecurring Currently Combined Network Elements Switch -As-															
	Is Charge			UNC1X	UNCCC		8.98	8.98	11.17	11.17						
EXT	ENDED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICAT	ED STS	-1 INTE	ROFFICE TRANSPO	ORT											
	First DS1 Loop Combination - Zone 1		1	UNC1X	USLXX	86.47	210.70	114.60	63.96	17.97						
	First DS1 Loop Combination - Zone 2		2	UNC1X	USLXX	114.10	210.70	114.60	63.96	17.97						
	First DS1 Loop Combination - Zone 3		3	UNC1X	USLXX	297.76	210.70	114.60	63.96	17.97						
	Interoffice Transport - Dedicated - STS-1 combination - Per Mile															
	Per Month			UNCSX	1L5XX	4.09										
	Interoffice Transport - Dedicated - STS-1 combination - Facility															
	Termination per month			UNCSX	U1TFS	945.79	350.56	141.58	48.00	23.39						
	3/1 Channel System in combination per month			UNCSX	MQ3	158.20	115.48	56.53	15.12	5.30						
	DS1 COCI in combination per month			UNC1X	UC1D1	11.80	6.71	4.84								
	Additional DS1Loop in the same STS-1 Interoffice Transport					İ										
	Combination - Zone 1		1	UNC1X	USLXX	86.47	210.70	114.60	63.96	17.97				1	1	
	Additional DS1Loop in the same STS-1 Interoffice Transport															
	Combination - Zone 2		2	UNC1X	USLXX	114.10	210.70	114.60	63.96	17.97				1	1	
	Additional DS1Loop in the same STS-1 Interoffice Transport															
	Combination - Zone 3		3	UNC1X	USLXX	297.76	210.70	114.60	63.96	17.97						
	DS1 COCI in combination per month			UNC1X	UC1D1	11.80	6.71	4.84								
	Nonrecurring Currently Combined Network Elements Switch -As-															
	Is Charge			UNCSX	UNCCC		8.98	8.98	11.17	11.17						
EXTI	ENDED 4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH 56 KE	PS INT	EROFF	ICE TRANSPORT												
	4-wire 56 kbps Local Loop in combination - Zone 1		1	UNCDX	UDL56	27.59	125.22	60.48	59.69	7.84						
	4-wire 56 kbps Local Loop in combination - Zone 2		2	UNCDX	UDL56	32.48	125.22	60.48	59.69	7.84						
	4-wire 56 kbps Local Loop in combination - Zone 3		3	UNCDX	UDL56	36.37	125.22	60.48	59.69	7.84						
	Interoffice Transport - Dedicated - 4-wire 56 kbps combination -															
	Per Mile per month			UNCDX	1L5XX	0.01										
	Interoffice Transport - Dedicated - 4-wire 56 kbps combination -															
	Facility Termination per month			UNCDX	U1TD5	17.25	98.09	53.67	56.31	22.42						
	Nonrecurring Currently Combined Network Elements Switch -As-															
	Is Charge			UNCDX	UNCCC		8.98	8.98	11.17	11.17						
EXT	ENDED 4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH 64 KE	BPS INT	EROFF	ICE TRANSPORT												
	4-wire 64 kbps Lcoal Loop in Combination - Zone 1		1	UNCDX	UDL64	27.59	125.22	60.48	59.69	7.84						
	4-wire 64 kbps Lcoal Loop in Combination - Zone 2		2	UNCDX	UDL64	32.48	125.22	60.48	59.69	7.84						
	4-wire 64 kbps Lcoal Loop in Combination - Zone 3		3	UNCDX	UDL64	36.37	125.22	60.48	59.69	7.84						
	Interoffice Transport - Dedicated - 4-wire 64 kbps combination -															
	Per Mile per month			UNCDX	1L5XX	0.01						1		I	I	
	Interoffice Transport - Dedicated - 4-wire 64 kbps combination -															
	Facility Termination per month			UNCDX	U1TD6	17.25	98.09	53.67	56.31	22.42		1		I	I	
	Nonrecurring Currently Combined Network Elements Switch -As-															
	Is Charge			UNCDX	UNCCC		8.98	8.98	11.17	11.17		1		I	I	
EXT	ENDED 2-WIRE VOICE GRADE LOOP WITH DS1 INTEROFFICE T	RANSP	ORT w	/ 3/1 MUX												
	First 2-wire VG Loop (SL2) in Combination - Zone 1		1	UNCVX	UEAL2	12.67	125.22	60.48	59.69	7.84						
	First 2-wire VG Loop (SL2) in Combination - Zone 2		2	UNCVX	UEAL2	17.45	125.22	60.48	59.69	7.84						
	First 2-wire VG Loop (SL2) in Combination - Zone 3		3	UNCVX	UEAL2	33.22	125.22	60.48	59.69	7.84						
	First Interoffice Transport - Dedicated - DS1 combination - Per															
L	Mile			UNC1X	1L5XX	0.19			<u> </u>		<u> </u>			<u> </u>	<u> </u>	
	First Interoffice Transport - Dedicated - DS1 combination -															
	Facility Termination per month			UNC1X	U1TF1	79.02	181.24	123.53	56.72	22.32		1		I	I	
	Per each DS1 Channelization System Per Month			UNC1X	MQ1	113.33	57.26	14.74	1.86	1.67						
	Per each Voice Grade COCI - Per Month per month			UNCVX	1D1VG	0.62	6.71	4.84								
	3/1 Channel System in combination per month			UNC3X	MQ3	158.20	115.48	56.53	15.12	5.30						
	Per each DS1 COCI in combination per month			UNC1X	UC1D1	11.80	6.71	4.84								
	Each Additional 2-Wire VG Loop(SL 2) in the same DS1															
	Interoffice Transport Combination - Zone 1		1	UNCVX	UEAL2	12.67	125.22	60.48	59.69	7.84		1		I	I	
	Each Additional 2-Wire VG Loop(SL2) in the same DS1															
1 1	Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL2	17.45	125.22	60.48	59.69	7.84		1		I	I	
	Each Additional 2-Wire VG Loop(SL2) in the same DS1															
1	Interoffice Transport Combination - Zone 3	1	3	UNCVX	UEAL2	33.22	125.22	60.48	59.69	7.84	1	l		1	1	

UNBUNDLED NETWORK ELEMENTS - Kentucky	1									Attach		EXIII	bit: A
										Incremental		Incremental	Incremental
								Submitted		•	Charge -	Charge -	Charge -
CATEGORY RATE ELEMENTS Interi Zon	BCS	USOC			RATES (\$)			Elec per LSR	Manually per LSR	Manual Svc Order vs.	Manual Svc Order vs.	Manual Svc Order vs.	Manual Svc Order vs.
m 2511					.,			per Lor	per Lor	Electronic-	Electronic-	Electronic-	Electronic-
										1st	Add'l	Disc 1st	Disc Add'l
		+		Nonrec	urring	Nonrecurring	Disconnect			OSS	Rates (\$)		
			Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
Each Additional Voice Grade COCI in combination - per month	UNCVX	1D1VG	0.62	6.71	4.84								
Each Additional DS1 Interoffice Channel per mile in same 3/1 Channel System per month	UNC1X	1L5XX	0.19										
Each Additional DS1 Interoffice Channel Facility Termination in	0.10.17	120701	0.10										
same 3/1 Channel System per month	UNC1X	U1TF1	79.02	181.24	123.53	56.72	22.32						
Each Additional DS1 COCI combination per month Nonrecurring Currently Combined Network Elements Switch -As-	UNC1X	UC1D1	11.80	6.71	4.84								
Is Charge	UNC1X	UNCCC		8.98	8.98	11.17	11.17						
EXTENDED 4-WIRE VOICE GRADE LOOP WITH DEDICATED DS1 INTEROFFICE T	RANSPORT w/ 3/1 N	/UX											
First 4-Wire Analog Voice Grade Local Loop in Combination -	LINICVO	115014	20.20	405.00	CO 40	50.00	7.04						
Zone 1	UNCVX	UEAL4	29.26	125.22	60.48	59.69	7.84						
Zone 2	UNCVX	UEAL4	34.25	125.22	60.48	59.69	7.84						
First 4-Wire Analog Voice Grade Local Loop in Combination -						i							
Zone 3 3	UNCVX	UEAL4	85.06	125.22	60.48	59.69	7.84						
First Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month	UNC1X	1L5XX	0.19										
First Interoffice Transport - Dedicated - DS1 - Facility													
Termination Per Month	UNC1X	U1TF1	79.02	181.24	123.53	56.72	22.32						
Per each 1/0 Channel System in combination Per Month Per each Voice Grade COCI in combination - per month	UNC1X UNCVX	MQ1 1D1VG	113.33 0.62	57.26 6.71	14.74 4.84	1.86	1.67						
3/1 Channel System in combination per month	UNC3X	MQ3	158.20	115.48	56.53	15.12	5.30						
Per each DS1 COCI in combination per month	UNC1X	UC1D1	11.80	6.71	4.84								
Additional 4-Wire Analog Voice Grade Loop in same DS1													
Interoffice Transport Combination - Zone 1 1 Additional 4-Wire Analog Voice Grade Loop in same DS1	UNCVX	UEAL4	29.26	125.22	60.48	59.69	7.84						
Interoffice Transport Combination - Zone 2	UNCVX	UEAL4	34.25	125.22	60.48	59.69	7.84						
Additional 4-Wire Analog Voice Grade Loop in same DS1													
Interoffice Transport Combination - Zone 3 3	UNCVX	UEAL4	85.06	125.22	60.48	59.69	7.84						
Each Additional DS1 Interoffice Channel per mile in same 3/1 Channel System per month	UNC1X	1L5XX	0.19										
Each Additional DS1 Interoffice Channel Facility Termination in	- CHOIX	120701	0.10										
same 3/1 Channel System per month	UNC1X	U1TF1	79.02	181.24	123.53	56.72	22.32						
Additional Voice Grade COCI - in combination - per month Nonrecurring Currently Combined Network Elements Switch -As-	UNCVX	1D1VG	0.62	6.71	4.84								
Is Charge	UNC1X	UNCCC		8.98	8.98	11.17	11.17						
EXTENDED 4-WIRE 56 KBPS DIGITAL LOOP WITH DEDICATED DS1 INTEROFFIC													
First 4-Wire 56Kbps Digital Grade Local Loop in Combination -	LINCDY	LIDLES	07.50	405.00	00.40	50.00	7.04						
Zone 1 1 1	UNCDX	UDL56	27.59	125.22	60.48	59.69	7.84						
Zone 2	UNCDX	UDL56	32.48	125.22	60.48	59.69	7.84						
First 4-Wire 56Kbps Digital Grade Local Loop in Combination -	LINODY	LIDLES	22.25	/0= 0-									
Zone 3 3 First Interoffice Transport - Dedicated - DS1 combination - Per	UNCDX	UDL56	36.37	125.22	60.48	59.69	7.84						
Mile Per Month	UNC1X	1L5XX	0.19										
First Interoffice Transport - Dedicated - DS1 - combination													
Facility Termination Per Month Per each 1/0 Channel System in combination Per Month	UNC1X UNC1X	U1TF1 MQ1	79.02 113.33	181.24 57.26	123.53 14.74	56.72 1.86	22.32 1.67						
Per each OCU-DP COCI (data) COCI per month (2.4-64kbs)	UNCDX	1D1DD	113.33	6.71	4.84	1.86	1.0/	 					
3/1 Channel System in combination per month	UNC3X	MQ3	158.20	115.48	56.53	15.12	5.30						
Per each DS1 COCI in combination per month	UNC1X	UC1D1	11.80	6.71	4.84								
Additional 4-Wire 56Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination - Zone 1 1	UNCDX	UDL56	27.59	125.22	60.48	59.69	7.84						
Additional 4-Wire 56Kbps Digital Grade Loop in same DS1	SHODA	00200	21.55	120.22	00.40	33.09	1.04						
Interoffice Transport Combination - Zone 2 2	UNCDX	UDL56	32.48	125.22	60.48	59.69	7.84						
Additional 4-Wire 56Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination - Zone 3	LINCDY	UDL56	36.37	125.22	60.48	59.69	7.84						
Interoffice Transport Combination - Zone 3 3 OCU-DP COCI (data) COCI in combination per month (2.4-	UNCDX	UDLOB	30.37	125.22	00.48	59.69	7.84						
64kbs)	UNCDX	1D1DD	1.32	6.71	4.84								

UNBUNDLE	D NETWORK ELEMENTS - Kentucky													ment: 2		bit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			I .	Submitted	Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'I
						Rec	Nonrec		Nonrecurring		001150	0011411		Rates (\$)	0014411	0011411
	Each Additional DS1 Interoffice Channel per mile in same 3/1		-				First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Channel System per month			UNC1X	1L5XX	0.19										ĺ
	Each Additional DS1 Interoffice Channel Facility Termination in same 3/1 Channel System per month			UNC1X	U1TF1	79.02	181.24	123.53	56.72	22.32						
	Each Additional DS1 COCI in the same 3/1 channel system combination per month			UNC1X	UC1D1	11.80	6.71	4.84								
	Nonrecurring Currently Combined Network Elements Switch -As-															1
EVTEN	Is Charge DED 4-WIRE 64 KBPS DIGITAL LOOP WITH DEDICATED DS1	INTERC	FFICE	UNC1X	UNCCC		8.98	8.98	11.17	11.17						—
EXIEN	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice	INTERC	FFICE	TRANSPORT W/ 3/1	MUX											
	Transport Combination - Zone 1 First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice		1	UNCDX	UDL64	27.59	125.22	60.48	59.69	7.84						
	Transport Combination - Zone 2		2	UNCDX	UDL64	32.48	125.22	60.48	59.69	7.84						
	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 3		3	UNCDX	UDL64	36.37	125.22	60.48	59.69	7.84						
	First Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month			UNC1X	1L5XX	0.19										
	First Interoffice Transport - Dedicated - DS1 combination - Facility Termination Per Month			UNC1X	U1TF1	79.02	181.24	123.53	56.72	22.32						
	Per each Channel System 1/0 in combination Per Month			UNC1X	MQ1	113.33	57.26	14.74	1.86	1.67						
	Per each OCU-DP COCI (data) in combination - per month (2.4-64kbs)			UNCDX	1D1DD	1.32	6.71	4.84								
	3/1 Channel System in combination per month			UNC3X	MQ3	158.20	115.48	56.53	15.12	5.30						
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination - Zone 1		1	UNCDX	UDL64	27.59	125.22	60.48	59.69	7.84						
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination - Zone 2		2	UNCDX	UDL64	32.48	125.22	60.48	59.69	7.84						1
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination - Zone 3		3	UNCDX	UDL64	36.37	125.22	60.48	59.69	7.84						
	Additional OCU-DP COCI (data) - DS1 to DS0 Channel System combination - per month (2.4-64kbs)			UNCDX	1D1DD	1.32	6.71	4.84								
	Each Additional DS1 Interoffice Channel per mile in same 3/1 Channel System per month			UNC1X	1L5XX	0.19	-									
	Each Additional DS1 Interoffice Channel Facility Termination in same 3/1 Channel System per month			UNC1X	U1TF1	79.02	181.24	123.53	56.72	22.32						
	Each Additional DS1 COCI in the same 3/1 channel system			ONOTA	01111	73.02	101.24	123.33	30.72	22.02						
	combination per month Nonrecurring Currently Combined Network Elements Switch -As-			UNC1X	UC1D1	11.80	6.71	4.84								
	Is Charge			UNC1X	UNCCC		8.98	8.98	11.17	11.17						1
EXTEN	DED 2-WIRE ISDN LOOP WITH DS1 INTEROFFICE TRANSPOR	RT w/ 3/	1 MUX													
	First 2-Wire ISDN Loop in a DS1 Interoffice Combination Transport - Zone 1		1	UNCNX	U1L2X	18.44	125.22	60.48	59.69	7.84						
	First 2-Wire ISDN Loop in a DS1 Interoffice Combination Transport - Zone 2		2	UNCNX	U1L2X	25.08	125.22	60.48	59.69	7.84						
	First 2-Wire ISDN Loop in a DS1 Interoffice Combination Transport - Zone 3			UNCNX	U1L2X	42.87	125.22	60.48	59.69	7.84						
	First Interoffice Transport - Dedicated - DS1 combination - Per		3		1L5XX	0.19	125.22	00.48	59.69	7.64						
	Mile per month First Interoffice Transport - Dedicated - DS1 combination -			UNC1X			404.01	100 5-		20.5						
	Facility Termination per month Per each Channel System 1/0 in combination - per month			UNC1X UNC1X	U1TF1 MQ1	79.02 113.33	181.24 57.26	123.53 14.74	56.72 1.86	22.32 1.67						
	Per each 2-wire ISDN COCI (BRITE) in combination - per month			UNCNX	UC1CA	2.84	6.71	4.84								
	3/1 Channel System in combination per month			UNC3X	MQ3	158.20	115.48	56.53	15.12	5.30						
	Per each DS1 COCI in combination per month Additional 2-wire ISDN Loop in same DS1Interoffice Transport			UNC1X	UC1D1	11.80	6.71	4.84								
	Combination - Zone 1 Additional 2-wire ISDN Loop in same DS1Interoffice Transport		1	UNCNX	U1L2X	18.44	125.22	60.48	59.69	7.84						
	Combination - Zone 2		2	UNCNX	U1L2X	25.08	125.22	60.48	59.69	7.84						<u> </u>

UNBUNDLI	ED NETWORK ELEMENTS - Kentucky													ment: 2		bit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Charge -	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l
1															DISC ISL	DISC Add I
						Rec	Nonrec First	urring Add'l	Nonrecurring First	Disconnect Add'l	COMEC	SOMAN	SOMAN	Rates (\$) SOMAN	SOMAN	SOMAN
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport				+		FIRST	Addi	FIRST	Addi	SOMEC	SUMAN	SOWAN	SUMAN	SUMAN	SOWAN
	Combination - Zone 3		3	UNCNX	U1L2X	42.87	125.22	60.48	59.69	7.84						
	Additional 2-wire ISDN COCI (BRITE) in same 1/0 channel		Ŭ	0.10.07	U I LLIX	12.01	120.22	00.10	00.00	7.01					t	
	system combination- per month			UNCNX	UC1CA	2.84	6.71	4.84								
	Each Additional DS1 Interoffice Channel per mile in same 3/1															
	Channel System per month			UNC1X	1L5XX	0.19										
	Each Additional DS1 Interoffice Channel Facility Termination in															
	same 3/1 Channel System per month			UNC1X	U1TF1	79.02	181.24	123.53	56.72	22.32						
	Each Additional DS1 COCI in the same 3/1 channel system combination per month			UNC1X	UC1D1	11.80	6.71	4.84								
	Nonrecurring Currently Combined Network Elements Switch -As-			UNCIX	UCIDI	11.80	6.71	4.84								-
	Is Charge	1		UNC1X	UNCCC		8.98	8.98	11.17	11.17					I	
EXTE	NDED 4-WIRE DS1 LOOP WITH DEDICATED DS1 INTEROFFICE	TRANS	PORT		5555		0.00	0.30	11		1			1	1	t
	First 4-wire DS1 Digital Lcoal Loop in Combination - Zone 1	1		UNC1X	USLXX	86.47	210.70	114.60	63.96	17.97				İ	1	
	First 4-wire DS1 Digital Lcoal Loop in Combination - Zone 2		2	UNC1X	USLXX	114.10	210.70	114.60	63.96	17.97						
	First 4-wire DS1 Digital Lcoal Loop in Combination - Zone 3		3	UNC1X	USLXX	297.76	210.70	114.60	63.96	17.97						
	First Interoffice Transport - Dedicated - DS1 combination - Per															
	Mile Per Month			UNC1X	1L5XX	0.19										
	First Interoffice Transport - Dedicated - DS1 combination -															
	Facility Termination Per Month			UNC1X	U1TF1	79.02	181.24	123.53	56.72	22.32						
	3/1 Channel System in combination per month			UNC3X	MQ3	158.20 11.80	115.48 6.71	56.53 4.84	15.12	5.30					1	
	Per each DS1 COCI combination per month Each Additional DS1 Interoffice Channel per mile in same 3/1			UNC1X	UC1D1	11.80	6.71	4.84			-				-	-
	Channel System per month			UNC1X	1L5XX	0.19										
-	Each Additional DS1 Interoffice Channel Facility Termination in			ONOTA	120701	0.10					†					
	same 3/1 Channel System per month			UNC1X	U1TF1	79.02	181.24	123.53	56.72	22.32						
	Each Additional DS1 COCI in the same 3/1 channel system															
	combination per month			UNC1X	UC1D1	11.80	6.71	4.84								
	Additional 4-Wire DS1 Digital Local Loop in Combination - Zone															
	1		1	UNC1X	USLXX	86.47	210.70	114.60	63.96	17.97						
	Additional 4-Wire DS1 Digital Local Loop in Combination - Zone						040 =0									
	2		2	UNC1X	USLXX	114.10	210.70	114.60	63.96	17.97						
	Additional 4-Wire DS1 Digital Local Loop in Combination - Zone		3	UNC1X	USLXX	297.76	210.70	114.60	63.96	17.97						
	Nonrecurring Currently Combined Network Elements Switch -As-		3	UNCIA	USLAA	291.10	210.70	114.00	63.96	17.97	-				-	-
	Is Charge			UNC1X	UNCCC		8.98	8.98	11.17	11.17						
EXTE	NDED 4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH DS0 I	NTERO	FFICE		5555		0.00	0.30	11/		1			1	1	t
	First 4-wire 56 kbps Local Loop in combination - Zone 1	<u> </u>		UNCDX	UDL56	27.59	125.22	60.48	59.69	7.84		Ì				İ
	First 4-wire 56 kbps Local Loop in combination - Zone 2		2	UNCDX	UDL56	32.48	125.22	60.48	59.69	7.84						
	First 4-wire 56 kbps Local Loop in combination - Zone 3		3	UNCDX	UDL56	36.37	125.22	60.48	59.69	7.84						
	First 4-wiree 56 kbps Interoffice Transport - Dedicated - Per Mile	1													I	
	per month	-	-	UNCDX	1L5XX	0.01					-				1	-
	First 4-wire 56 kbps Interoffice Transport - Dedicated - Facility Termination per month	1		UNCDX	U1TD5	17.25	98.09	53.67	56.31	22.42					I	
 	Nonrecurring Currently Combined Network Elements Switch -As-	-		UNCDA	פטווט	17.25	90.09	55.67	50.31	22.42	 				+	
	Is Charge	1		UNCDX	UNCCC		8.98	8.98	11.17	11.17					I	
EXTE	NDED 4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH DS0 I	NTERO	FFICE		5555		0.00	0.30	11/		1			1	1	t
	First 4-wire 64 kbps Local Loop in combination - Zone 1	<u> </u>	1	UNCDX	UDL64	27.59	125.22	60.48	59.69	7.84						İ
	First 4-wire 64 kbps Local Loop in combination - Zone 2		2	UNCDX	UDL64	32.48	125.22	60.48	59.69	7.84						
	First 4-wire 64 kbps Local Loop in combination - Zone 3		3	UNCDX	UDL64	36.37	125.22	60.48	59.69	7.84						
	First I4-wire 65 kbps Interoffice Transport - Dedicated - Per Mile	1													I	
	per month			UNCDX	1L5XX	0.01									-	-
	First 4-wire 64 kbps Interoffice Transport - Dedicated - Facility	1		LINCDY	LIATES	47.05	00.00	50.07	50.01	20.40					I	
	Termination per month Nonrecurring Currently Combined Network Elements Switch -As-	-	-	UNCDX	U1TD6	17.25	98.09	53.67	56.31	22.42					 	
	Is Charge	1		UNCDX	UNCCC		8.98	8.98	11.17	11.17					I	
ADDITIONAL	NETWORK ELEMENTS	1		5.10D/	0.1000		0.30	0.36	11.17	11.17	<u> </u>	1	1		†	t
	used as a part of a currently combined facility, the non-recurr	ng cha	rges de	not apply, but a	Switch As Is ch	narge does and	oly.							İ	t	1
	used as ordinarily combined network elements in All States, the	J	J		1.1 6 1.1	2 xpi	.*					+	-	-		+

UNBUNDL	ED NETWORK ELEMENTS - Kentucky													ment: 2		bit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)				Submitted Manually	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
\vdash			ļ			Rec	Nonred		Nonrecurring					Rates (\$)		
Name	As late	Chann	(0===		himatiam)		First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
Nonre	ecurring Currently Combined Network Elements "Switch As Is" Nonrecurring Currently Combined Network Elements Switch -As-	Cnarge	One a	applies to each com	bination)											
1	Is Charge - 2 wire/4-Wire VG			UNCVX	UNCCC		8.98	8.98	11.17	11.17						
	Nonrecurring Currently Combined Network Elements Switch -As-			0.10171	0.1000		0.00	0.00								
	Is Charge - 56/64 kbps			UNCDX	UNCCC		8.98	8.98	11.17	11.17						
	Nonrecurring Currently Combined Network Elements Switch -As-															
\vdash	Is Charge - DS1			UNC1X	UNCCC		8.98	8.98	11.17	11.17						
1	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge - DS3			UNC3X	UNCCC		8.98	8.98	11.17	11.17						
\vdash	Nonrecurring Currently Combined Network Elements Switch -As-		1	UNCSA	UNCCC		0.90	0.90	11.17	11.17						
1	Is Charge - STS1			UNCSX	UNCCC		8.98	8.98	11.17	11.17						
Optio	nal Features & Functions:						0.00	0.00								
				U1TD1,												
\sqsubseteq	Clear Channel Capability Extended Frame Option - per DS1	- 1		ULDD1,UNC1X	CCOEF		01	OI	01	OI						
1				U1TD1,						l						
$\vdash \vdash$	Clear Channel Capability Super FrameOption - per DS1		1	ULDD1,UNC1X ULDD1, U1TD1.	CCOSF		Ol	OI	Ol	OI						
1	Clear Channel Capability (SF/ESF) Option - Subsequent Activity - per DS1			UNC1X, USL	NRCCC		184.91S	23.82S	1.99S	0.78S						
\vdash	Activity - per DOT	<u> </u>	1	U1TD3, ULDD3,	MICOCO		104.310	25.020	1.990	0.700						
1	C-bit Parity Option - Subsequent Activity - per DS3	i		UE3, UNC3X	NRCC3		205.70S	7.20S	.6924S	08						
MUL	TIPLEXERS															
	DS1 to DS0 Channel System per month			UNC1X	MQ1	113.33	57.26	14.74	1.86	1.67						
1	OCU-DP COCI (data) - DS1 to DS0 Channel System - per															
\vdash	month (2.4-64kbs) used for a Local Loop			UDL	1D1DD	1.32	10.07	7.08								
	OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for connection to a channelized DS1 Local Channel in the same SWC as collocation			U1TUD	1D1DD	1.32	10.07	7.08								
	2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per															
	month for a Local Loop			UDN	UC1CA	2.84	10.07	7.08								
1	2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per															
1	month used for connection to a channelized DS1 Local Channel			LUTUR	110404	0.04	40.07	7.08								
\vdash	in the same SWC as collocation Voice Grade COCI - DS1 to DS0 Channel System - per month		1	U1TUB	UC1CA	2.84	10.07	7.08								
1	used for a Local Loop			UEA	1D1VG	0.6228	10.07	7.08								
	Voice Grade COCI - DS1 to DS0 Channel System - per month			0271	1.5.110	0.0220		7.00								
1	used for connection to a channelized DS1 Local Channel in the															
	same SWC as collocation			U1TUC	1D1VG	0.6228	10.07	7.08								
\vdash	DS3 to DS1 Channel System per month			UNC3X	MQ3	158.20		56.53	15.12	5.30						
$\vdash \vdash \vdash$	STS-1 to DS1 Channel System per month		1	UNCSX	MQ3	158.20	115.48	56.53	15.12	5.30						
\vdash	DS1 COCI used with Loop per month DS1 COCI (used for connection to a channelized DS1 Local		-	USL	UC1D1	11.80	10.07	7.08								
1 I	Channel in the same SWC as collocation) per month			U1TUA	UC1D1	11.80	10.07	7.08								
	DS1 COCI used with Interoffice Channel per month			U1TD1	UC1D1	11.80	10.07	7.08	1		1				1	
	DS3 Interface Unit (DS1 COCI) used with Local Channel per			-												
	month			ULDD1	UC1D1	11.80	10.07	7.08								
	LOCAL EXCHANGE SWITCHING(PORTS)															
	ange Ports	~	0 Thi -	ha daalaad footoo		a andared or f			-	-						
	: Although the Port Rate includes all available features in GA, I	۸۲, LA	o⊾ IN,t	ne desired features	will need to b	e oraered usir	ng retail USOC:	5		-	1				 	
Z-VVIR	Exchange Ports - 2-Wire Analog Line Port- Res.		1	UEPSR	UEPRL	1.49	3.74	3.63	2.23	2.13	1					
	Exchange Folio 2 Willo Fulding Lille Folic 100		 	021 010	JLI ILL	1.49	5.74	3.03	2.23	2.13	<u> </u>				1	
1 1	Exchange Ports - 2-Wire Analog Line Port with Caller ID - Res.			UEPSR	UEPRC	1.49	3.74	3.63	2.23	2.13						
		ľ	1	UEPSR	UEPRO	1.49	3.74	3.63	2.23	2.13						
	Exchange Ports - 2-Wire Analog Line Port outgoing only - Res.		-	OLI OIX	02.10	11.10										
	Exchange Ports - 2-Wire VG unbundled KY extended local							0.00	0.00	0.40						
				UEPSR	UEPRM	1.49	3.74	3.63	2.23	2.13						

HOUNDLE	ED NETWORK ELEMENTS - Kentucky	1	1		1						Svc Order	Svc Order		ment: 2 Incremental		ibit: A
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			Submitted Elec per LSR	Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Charge -	Charge
						Rec	Nonrec	urring	Nonrecurring					Rates (\$)	•	
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Exchange Ports - 2-Wire Voice Kentucky Residence Dialing Plan	1		LIEBOD	LIEDWE	4 40	0.74	0.00	0.00	0.40						
	without Caller ID 2-Wire voice unbundled Low Usage Line Port without Caller ID			UEPSR	UEPWE	1.49	3.74	3.63	2.23	2.13						+
	Capability			UEPSR	UEPRT	1.49	3.74	3.63	2.23	2.13						
	Subsequent Activity			UEPSR	USASC	0.00	0.00	0.00	2.20	20						†
FEAT																
	All Available Vertical Features			UEPSR	UEPVF	0.00	0.00	0.00								
2-WIR	E VOICE GRADE LINE PORT RATES (BUS)															
	Exchange Ports - 2-Wire Analog Line Port without Caller ID -															
	Bus Evolution Reports 2 Wire VC upbundled Line Port with	1	1	UEPSB	UEPBL	1.49	3.74	3.63	2.23	2.13						
	Exchange Ports - 2-Wire VG unbundled Line Port with unbundled port with Caller+E484 ID - Bus.			UEPSB	UEPBC	1.49	3.74	3.63	2.23	2.13						
-	anounded port with Callet TE 404 ID - Dus.	1	 	021 00	OLI DO	1.49	3.74	3.03	2.23	2.13		 			1	
	Exchange Ports - 2-Wire Analog Line Port outgoing only - Bus.			UEPSB	UEPBO	1.49	3.74	3.63	2.23	2.13						
	Exchange Ports - 2-Wire VG unbundled KY extended local															
	dialing parity Port with Caller ID - Bus.			UEPSB	UEPBM	1.49	3.74	3.63	2.23	2.13						
	Exhange Ports - 2-Wire VG unbundled incoming only port with															
	Caller ID - Bus			UEPSB	UEPB1	1.49	3.74	3.63	2.23	2.13						
	Exchange Ports - 2-Wire Voice Kentucky Business Dialing Plan															
	without Caller ID	ļ		UEPSB	UEPWF	1.49	3.74	3.63	2.23	2.13						
	2-Wire voice unbundled Incoming Only Port without Caller ID Capability			UEPSB	UEPBE	1.49	3.74	3.63	2.23	2.13						
_	Subsequent Activity	1	1	UEPSB	USASC	0.00	0.00	0.00	2.23	2.13						
FEAT		1	1	OLI OD	00/100	0.00	0.00	0.00								
1	All Available Vertical Features	<u> </u>		UEPSB	UEPVF	0.00	0.00	0.00								
EXCH	ANGE PORT RATES (DID & PBX)															
	2-Wire VG Unbundled 2-Way PBX Trunk - Res			UEPSE	UEPRD	1.49	39.05	18.17	15.38	0.89						
	2-Wire VG Line Side Unbundled 2-Way PBX Trunk - Bus			UEPSP	UEPPC	1.49	39.05	18.17	15.38	0.89						
	2-Wire VG Line Side Unbundled Outward PBX Trunk - Bus			UEPSP	UEPPO	1.49	39.05	18.17	15.38	0.89						
	2-Wire VG Line Side Unbundled Incoming PBX Trunk - Bus			UEPSP	UEPP1	1.49	39.05	18.17	15.38	0.89						
	2-Wire Analog Long Distance Terminal PBX Trunk - Bus 2-Wire Voice Unbundled PBX LD Terminal Ports	1	1	UEPSP UEPSP	UEPLD UEPLD	1.49 1.49	39.05 39.05	18.17 18.17	15.38 15.38	0.89						
	2-Wire Vice Unbundled 2-Way PBX Usage Port	1	1	UEPSP	UEPXA	1.49	39.05	18.17	15.38	0.89						+
_	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports			UEPSP	UEPXB	1.49	39.05	18.17	15.38	0.89						+
	2-Wire Voice Unbundled PBX LD DDD Terminals Port			UEPSP	UEPXC	1.49	39.05	18.17	15.38	0.89						
	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port			UEPSP	UEPXD	1.49	39.05	18.17	15.38	0.89						1
	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD															
	Capable Port			UEPSP	UEPXE	1.49	39.05	18.17	15.38	0.89						
	2-Wire Voice Unbundled 2-Way PBX Kentucky Room Area															
	Calling Port Without LUD	ļ		UEPSP	UEPXF	1.49	39.05	18.17	15.38	0.89						
	2-Wire Voice Unbundled PBX Kentucky LUD Area Calling Port 2-Wire Voice Unbundled PBX Kentucky Premium Callling Port	ļ		UEPSP UEPSP	UEPXG	1.49 1.49	39.05 39.05	18.17 18.17	15.38	0.89						
	2-Wire Voice Unbundled 2-Way PBX Kentucky Area Callling	<u> </u>		UEPSP	UEPAH	1.49	39.05	18.17	15.38	0.89						+
	Port Without LUD			UEPSP	UEPXJ	1.49	39.05	18.17	15.38	0.89						
-	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy	1		OLI GI	OLI 70	1.43	33.03	10.17	13.30	0.03						+
	Administrative Calling Port			UEPSP	UEPXL	1.49	39.05	18.17	15.38	0.89						
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy	İ	1								Ì					
	Room Calling Port		<u> </u>	UEPSP	UEPXM	1.49	39.05	18.17	15.38	0.89						
	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital															
	Discount Room Calling Port	ļ	ļ	UEPSP	UEPXO	1.49	39.05	18.17	15.38	0.89		ļ				
	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port	.	<u> </u>	UEPSP	UEPXS	1.49	39.05	18.17	15.38	0.89		 			1	+
FEATU	Subsequent Activity	1	 	UEPSP	USASC	0.00	0.00	0.00							-	+
PEAIL	All Available Vertical Features	1	 	UEPSP UEPSE	UEPVF	0.00	0.00	0.00				-			 	+
EXCH	ANGE PORT RATES (COIN)	<u> </u>	 	52. 01 0L1 0L	OLI VI	0.00	0.00	0.00								
2,,311	Exchange Ports - Coin Port	1	1		1	1.49	3.74	3.63	2.23	2.13						†
Local	Switching Features offered with Port															
1,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	: Transmission/usage charges associated with POTS circuit s	witched	110000	will also apply to d	ircuit cwitcho	d	oirouit ouitobe	d data tranen	iccion by R-Ch	annala acces	atod with 2	wire ICDM r	orto		Ι ΄	Т

UNBUNDL	ED NETWORK ELEMENTS - Kentucky												Attach	ment: 2	Exhi	ibit: A
											Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
											Submitted			Charge -	Charge -	Charge -
											Elec			Manual Svc		Manual Svo
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m									per Lore	per Lore	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
															2.00 .00	2.007144
						Rec	Nonred			Disconnect				Rates (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Exchange port - 4-wire ISDN trunk port -all available features															
	included				UEPEX	101.60	188.36	95.15	61.92	22.67						.
	D LOCAL EXCHANGE SWITCHING(PORTS)															ļ
	HANGE PORT RATES DS1 Port rates below for 4-Wire DDITS Trunk Port and 4-Wire IS	DN Daw	in Abia		. 46		40/0/0	2	After 4/4/04 th			-: ##				<u> </u>
	uests for 4-Wire DDITS Trunk Ports with 4-Wire ISDN DS1 Ports											rin rates or	a separate ag	reement.		+
Requ	Exchange Ports - 2-Wire DID Port	arter trie	enecu	UEPEX	UEPP2	10.51	92.18	15.82		5.30	iscretion.			1		1
	Exchange Ports - 2-Wire DID Fort Exchange Ports - DDITS Port - 4-Wire DS1 Port with DID			OLFLX	ULFFZ	10.51	52.10	13.02	32.10	5.50					1	-
	capability (E:4/1/2004)			UEPDD	UEPDD	74.77	164.86	77.74	60.69	3.86						
	Exchange Ports - 2-Wire ISDN Port (See Notes below.)			UEPTX, UEPSX	U1PMA	13.46	60.60	50.67	32.83	14.17	-					
	All Features Offered			UEPTX, UEPSX	UEPVF	0.00	0.00	0.00	02.00	14.17	1					<u> </u>
	Exchange Ports - 2-Wire ISDN Port Channel Profiles				U1UMA	0.00	0.00	0.00								
NOT	E: Transmission/usage charges associated with POTS circuit s	witched	usage							nannels assoc	iated with 2	wire ISDN r	orts.	1	İ	
	E: Access to B Channel or D Channel Packet capabilities will be													s Request Pro	cess.	
	HANGE PORT RATES (continued)			•										T .		
	Exchange Ports - 4-Wire ISDN DS1 Port with Detailed E911	l													1	
	Locator Capability (E:4/1/2004)			UEPEX	UEPEX	101.60	188.36	95.15	61.92	22.67						
	Exchange Ports - 4-Wire ISDN DS1 Port (E:4/1/2004)			UEPDX	UEPDX	101.60	188.36	95.15	61.92	22.67						
	Physical Collocation - DS1 Cross-Connects			UEPEX UEPDX	PE1P1	1.48	44.23	31.98	12.81	11.57						
	Virtual collocation - Special Access & UNE, cross-connect per															
	DS1			UEPEX UEPDX	CNC1X	1.48	44.23	31.98	12.81	11.57						
Deta	iled E911 with Locator Capability (required with UEPEX port)															
	Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - E911															
	Locator Capability - Initial Profile Establishment per CLEC per															
	State			UEPEX	UEP1A	0.00	1,811.00		156.69							ļ
	Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - E911															
	Locator Capability - Subsequent Profile Changes, Additions,						.==									
L	Deletions			UEPEX	UEP1B	0.00	175.82									
New	or Additional PRI Telephone Numbers	-	-													
	Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - E911															
	Locator Capability 2-way Telephone Numbers, per number in E911 profile [New or Additional]			UEPEX	UEP1C	0.07	0.54									
	Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - E911	-		UEPEX	UEPIC	0.07	0.54				-					+
	Locator Capability - Outdial Telephone Numbers, per number in															
	E911 profile [New or Additional]			UEPEX	UEP1D	0.07	12.71	12.71								
-	Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - Inward			OLFLX	OLFID	0.07	12.71	12.71								-
	Telephone Numbers - Inward Data Only Option [New or															
	Additional1			UEPDX	UEP1E	0.00	0.54									
	Exchange Ports - 4-Wire ISDN DS1 Port - Subsequent [New]															
	Inward Tel Numbers [Customer Testing Purposes]			UEPEX	PR7ZT	0.00	25.41	25.41						1		
LOC	AL NUMBER PORTABILITY	l													1	
	Local Number Portability (1 per port)			UEPEX UEPDX	LNPCN	1.75										
INTE	RFACE (Provsioning Only)															
	Voice/Data			UEPEX	PR71V	0.00	0.00	0.00								
	Digital Data			UEPEX	PR71D	0.00	0.00	0.00								
	Inward Data			UEPDX	PR71E	0.00	0.00	0.00								
New	or Additional Channel															ļ
	New or Additional - Voice/Data "B" Channel	ļ		UEPEX	PR7BV	0.00	15.48		ļ					1	ļ	<u> </u>
\vdash	New or Additional - Digital Data "B" Channel	ļ		UEPEX	PR7BF	0.00	15.48		ļ					1	ļ	ļ
	New or Additional Inward Data "B" Channel	ļ		UEPDX	PR7BD	0.00	15.48							ļ		
\vdash	New or Additional Useage Sensitive Voice Data "B" Channel	-		UEPEX	PR7BS	0.00	15.48			-	-		 	-	ļ	
\vdash	New or Additional Useage Sensitive Digital Data "B" Channel	!	.	UEPEX	PR7BU	0.00	15.48							-		
	New or Additional PRI "D" Channel	-		UEPEX	PR7EX	0.00	15.48			-	-		 	-	ļ	
CAL	L TYPES	├	-	HEDEY HEDEY	DD7C4	0.00	0.00	0.00	-		-	-		 	-	
 	Inward	1	-	UEPEX UEPDX	PR7C1 PR7CO	0.00	0.00	0.00	-	-	1		-	 	 	
\vdash	Outward	1	-	UEPEX UEPEX	PR7CO PR7CC	0.00	0.00	0.00	-	-	1		-	 	 	
LIND	Two-way UNDLED PORT with REMOTE CALL FORWARDING CAPABILITY	,	-	UEPEA	FR/CC	0.00	0.00	0.00			-			 		
	UNDLED PORT WITH REMOTE CALL FORWARDING CAPABILITY UNDLED REMOTE CALL FORWARDING SERVICE - RESIDENCE		-		 				-	-	1		-	 	 	
UNB	DIADLED VENIOLE CALL LOKMAKDING SEKAICE - KESIDENCE	1	1		1				l	l	L	l	l	1	1	1

UNBUNDLE	D NETWORK ELEMENTS - Kentucky												Attach	ment: 2	Exhi	bit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			II .	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'l
					i e	D	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates (\$)	1	
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Unbundled Remote Call Forwarding Service, Area Calling, Res			UEPVR	UERAC	1.49	3.74	3.63								
	Unbundled Remote Call Forwarding Service, Local Calling - Res			UEPVR	UERLC	1.49	3.74	3.63								
	Unbundled Remote Call Forwarding Service, InterLATA - Res			UEPVR	UERTE	1.49	3.74	3.63								
N B	Unbundled Remote Call Forwarding Service, IntraLATA - Res			UEPVR	UERTR	1.49	3.74	3.63			ļ					——
Non-R	ecurring Unbundled Remote Call Forwarding Service - Conversion -		-								.			-		
	Switch-as-is			UEPVR	USAC2		0.10	0.10								İ
	Unbundled Remote Call Forwarding Service - Conversion with			OLF VK	USACZ		0.10	0.10			1			1		
	allowed change (PIC and LPIC)			UEPVR	USACC		0.10	0.10								l
UNBU	NDLED REMOTE CALL FORWARDING - Bus			02. VI	00/100		0.10	0.10			†			t		
	Unbundled Remote Call Forwarding Service, Area Calling - Bus			UEPVB	UERAC	1.49	3.74	3.63						<u> </u>		<u> </u>
	Unbundled Remote Call Forwarding Service, Local Calling - Bus			UEPVB	UERLC	1.49	3.74	3.63								
\vdash	Unbundled Remote Call Forwarding Service, InterLATA - Bus			UEPVB	UERTE	1.49	3.74	3.63						ļ		1
	Unbundled Remote Call Forwarding Service, IntraLATA - Bus			UEPVB	UERTR	1.49	3.74	3.63			ļ					-
	Unbundled Remote Call Forwarding Service Expanded and Exception Local Calling			UEPVB	UERVJ	1.49	3.74	3.63								l
Non B	ecurring		-	UEPVB	UERVJ	1.49	3.74	3.03			.			-		
NOII-R	Unbundled Remote Call Forwarding Service - Conversion -										1			1		—
	Switch-as-is			UEPVB	USAC2		0.10	0.10								l
	Unbundled Remote Call Forwarding Service - Conversion with			OLI VD	00/102		0.10	0.10			1					
	allowed change (PIC and LPIC)			UEPVB	USACC		0.10	0.10								l
UNBUNDLED	LOCAL SWITCHING, PORT USAGE															
End O	ffice Switching (Port Usage)															
	End Office Switching Function, Per MOU					0.0011971										
	End Office Trunk Port - Shared, Per MOU					0.0002112										
Tande	m Switching (Port Usage) (Local or Access Tandem)					0.000101										
	Tandem Switching Function Per MOU Tandem Trunk Port - Shared, Per MOU		-			0.000194 0.0002416								1		—
	Tandem Frunction Per MOU (Melded)					0.0002416					1			1		
	Tandem Trunk Port - Shared, Per MOU (Melded)					0.000094381					+			-		
	Melded Factor: 48.65% of the Tandem Rate					0.000117000					1					
Comm	on Transport										†			t		
	Common Transport - Per Mile, Per MOU					0.000003										
	Common Transport - Facilities Termination Per MOU			-		0.0007466										
	PORT/LOOP COMBINATIONS - COST BASED RATES	L			L				ļ							
	Based Rates are applied where BellSouth is required by FCC ar								<u> </u>	L	L			ļ		1
Featur	es shall apply to the Unbundled Port/Loop Combination - Cos	t Based	Rate s	ection in the same	manner as th	ey are applied	to the Stand-A	ione Unbundl	ea Port section	of this Rate E	xnibit.	n Dort/Loon	Combination	1	 	⊢—
	ffice and Tandem Switching Usage and Common Transport Us ast and additional Port nonrecurring charges apply to Not Curr															
	E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)	Citing Ci	- III	a Johnson For Cur	Carry Combi	nou combos ti	io nomecunilli	y onarycs slid	be those idel	inition in the N	ioniecuming	Junenity	Compilied St			<u> </u>
	ort/Loop Combination Rates				<u> </u>				1					—		
J	2-Wire VG Loop/Port Combo - Zone 1		1		1	10.79								1	1	
	2-Wire VG Loop/Port Combo - Zone 2		2		1	15.52			ĺ	l	Ì		1	1		
	2-Wire VG Loop/Port Combo - Zone 3		3			31.74										
UNE L	oop Rates															
	2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPRX	UEPLX	9.64										
\vdash	2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPRX	UEPLX	14.37								ļ		
0.140	2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPRX	UEPLX	30.59			1					 		
2-Wire	Voice Grade Line Port Rates (Res) 2-Wire voice unbundled port - residence			UEPRX	UEPRL	1.15	21,29	15.49	2.85	2.67	1		-	 		
\vdash	2-Wire voice unbundled port - residence 2-Wire voice unbundled port with Caller ID - res	-		UEPRX	UEPRC	1.15	21.29	15.49		2.67	1	-	1	 	-	-
	2-Wire voice unbundled port with Caller ID - res 2-Wire voice unbundled port outgoing only - res			UEPRX	UEPRO	1.15	21.29	15.49		2.67	<u> </u>			 	 	
	2-Wire voice Grade unbundled Kentucky extended local dialing			OLI IVA	JLI IVO	1.15	21.29	13.49	2.05	2.07	1	 		t		<u> </u>
	parity port with Caller ID - res			UEPRX	UEPRM	1.15	21.29	15.49	2.85	2.67		<u> </u>		<u></u>		<u></u>
	2-Wire voice unbundles res, low usage line port with Caller ID															
	(LUM)			UEPRX	UEPAP	1.15	21.29	15.49	2.85	2.67		l	<u> </u>	L	l	1

UNBUNDLE	D NETWORK ELEMENTS - Kentucky											Γ-		ment: 2	1	bit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			1	Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add
						Rec	Nonrec		Nonrecurring					Rates (\$)		
						1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Unbundled Kentucky Residence Dialing Plan															
	without Caller ID			UEPRX	UEPWE	1.15	21.29	15.49	2.85	2.67						
	2-Wire voice unbundled Low Usage Line Port without Caller ID			HEDDY	LIEDDT	4.45	04.00	45.40	0.05	0.07						
FEAT	Capability			UEPRX	UEPRT	1.15	21.29	15.49	2.85	2.67		-				
FEAT	All Features Offered			UEPRX	UEPVF	0.00	0.00	0.00	1		1				1	
LOCA	L NUMBER PORTABILITY			OLI IXX	OLI VI	0.00	0.00	0.00			1					
LOGA	Local Number Portability (1 per port)			UEPRX	LNPCX	0.35										
NONR	ECURRING CHARGES (NRCs) - CURRENTLY COMBINED								t						t	
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -															
	Switch-as-is	<u> </u>		UEPRX	USAC2		0.10	0.10	<u> </u>		L		<u> </u>	<u> </u>	<u> </u>	L
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -															
	Switch with change			UEPRX	USACC		0.10	0.10								
ADDIT	TONAL NRCs															
1	2-Wire Voice Grade Loop/Line Port Combination - Subsequent				[]	_	_		I						I	1
	Activity		ļ	UEPRX	USAS2	0.00	0.00	0.00	-	-			 	 	-	
1	Unbundled Miscellaneous Rate Element, Tag Loop at End User			LIEDDY	LIDET!		0.00	0.00	1						1	1
OFF/C	Premise N PREMISES EXTENSION CHANNELS			UEPRX	URETL		8.33	0.83	1						1	—
UFF/C	2 Wire Analog Voice Grade Extension Loop – Non-Design		1	UEPRX	UEAEN	10.56	46.66	22.57	26.65	7.65	-				-	-
	2 Wire Analog Voice Grade Extension Loop – Non-Design		2	UEPRX	UEAEN	15.34	46.66	22.57	26.65	7.65	1				1	
	2 Wire Analog Voice Grade Extension Loop – Non-Design		3	UEPRX	UEAEN	31.11	46.66	22.57	26.65	7.65					-	
	2 Wire Analog Voice Grade Extension Loop – Design		1	UEPRX	UEAED	12.67	134.89	81.87	73.65	14.88	1				1	1
	2 Wire Analog Voice Grade Extension Loop – Design		2	UEPRX	UEAED	17.45	134.89	81.87	73.65	14.88						
	2 Wire Analog Voice Grade Extension Loop – Design		3	UEPRX	UEAED	33.22	134.89	81.87	73.65	14.88						
INTER	OFFICE TRANSPORT															
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility															
	Termination			UEPRX	U1TV2	23.95	98.09	53.67	56.31	22.42						
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile															
	or Fraction Mile			UEPRX	U1TVM	0.0095	0.00	0.00								<u> </u>
	E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS)															
UNE F	Port/Loop Combination Rates		_			10.70										
	2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2		1 2		1	10.79 15.52			1						1	
	2-Wire VG Loop/Port Combo - Zone 2		3		1	31.74					-					
LINE	oop Rates		3		1	31.74			1		1				1	
OITE	2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPBX	UEPLX	9.64			 			-			-	
	2-Wire Voice Grade Loop (SL1) - Zone 1	l		UEPBX	UEPLX	14.37			1		†				1	
	2-Wire Voice Grade Loop (SL1) - Zone 3			UEPBX	UEPLX	30.59			1			İ	İ	İ	1	
2-Wire	Voice Grade Line Port (Bus)															
	2-Wire voice unbundled port without Caller ID - bus			UEPBX	UEPBL	1.15	21.29	15.49	2.85	2.67						
	2-Wire voice unbundled port with Caller + E484 ID - bus			UEPBX	UEPBC	1.15	21.29	15.49	2.85	2.67						
	2-Wire voice unbundled port outgoing only - bus			UEPBX	UEPBO	1.15	21.29	15.49	2.85	2.67				ļ	L	
	2-Wire voice Grade unbundled Kentucky extended local dialing				[I .	_					I	1
	parity port with Caller ID - bus		<u> </u>	UEPBX	UEPBM	1.15	21.29	15.49	2.85	2.67					-	
-	2-Wire voice unbundled incoming only port with Caller ID - Bus	-	-	UEPBX	UEPB1	1.15	21.29	15.49	2.85	2.67	1	-	-	-	1	
	2-Wire Voice Unbundled Kentucky Business Dialing Plan without Caller ID			UEPBX	UEPWF	1.15	21.29	15.49	2.85	2.67					I	1
	2-Wire voice unbundled Incoming Only Port without Caller ID	 	 	OLFDA	JLF WF	1.15	21.29	15.49	2.65	2.07	 	1	 	 	 	
	Capability			UEPBX	UEPBE	1.15	21.29	15.49	2.85	2.67					I	1
LOCA	L NUMBER PORTABILITY			52. DX	521 DE	1.10	21.20	10.49	2.00	2.07					<u> </u>	
	Local Number Portability (1 per port)			UEPBX	LNPCX	0.35			1						1	
FEAT					1											
	All Features Offered			UEPBX	UEPVF	0.00	0.00	0.00								
NONR	ECURRING CHARGES (NRCs) - CURRENTLY COMBINED															
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -			LIEDDY	LICACO		0.40	0.10								1
_	Switch-as-is 2-Wire Voice Grade Loop / Line Port Combination - Conversion -	-	-	UEPBX	USAC2		0.10	0.10	 		-				-	
	2-vvire voice Grade Loop / Line Port Combination - Conversion - Switch with change	1	1	UEPBX	USACC		0.10	0.10	I	1		l	1	1	I	1

NROND	DLED NETWORK ELEMENTS - Kentucky													ment: 2	1	ibit: A
CATEGORY	RY RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic-	Charge -
													1st	Add'l	Disc 1st	Disc Add'
			1			_	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates (\$)	1	
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
ADI	DDITIONAL NRCs															
	2-Wire Voice Grade Loop/Line Port Combination - Subser Activity	quent		UEPBX	USAS2		0.00	0.00								
	Unbundled Miscellaneous Rate Element, Tag Loop at En	id User														
	Premise			UEPBX	URETL		8.33	0.83								
OFF	FF/ON PREMISES EXTENSION CHANNELS															
	2 Wire Analog Voice Grade Extension Loop – Non-Design		1	UEPBX	UEAEN	10.56	46.66	22.57	26.65	7.65						
	2 Wire Analog Voice Grade Extension Loop – Non-Design		2	UEPBX	UEAEN	15.34	46.66	22.57	26.65	7.65						
	2 Wire Analog Voice Grade Extension Loop – Non-Design	า	3	UEPBX	UEAEN	31.11	46.66	22.57	26.65	7.65						
	2 Wire Analog Voice Grade Extension Loop – Design		1	UEPBX	UEAED	12.67	134.89	81.87	73.65	14.88						
	2 Wire Analog Voice Grade Extension Loop – Design		2	UEPBX	UEAED	17.45	134.89	81.87	73.65	14.88						
	2 Wire Analog Voice Grade Extension Loop - Design		3	UEPBX	UEAED	33.22	134.89	81.87	73.65	14.88						
INT	TEROFFICE TRANSPORT															
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - F Termination	acility		UEPBX	U1TV2	23.95	98.09	53.67	56.31	22.42						
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - F or Fraction Mile	Per Mile		UEPBX	U1TVM	0.0095	0.00	0.00								
2-W	WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES	- PBX)														1
	NE Port/Loop Combination Rates															1
	2-Wire VG Loop/Port Combo - Zone 1		1			10.79										1
	2-Wire VG Loop/Port Combo - Zone 2		2			15.52										1
	2-Wire VG Loop/Port Combo - Zone 3		3			31.74										1
UNE	NE Loop Rates															
	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEPRG	UEPLX	9.64										
	2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEPRG	UEPLX	14.37										
	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEPRG	UEPLX	30.59										1
2-W	Wire Voice Grade Line Port Rates (RES - PBX)															
	2-Wire VG Unbundled Combination 2-Way PBX Trunk Po	ort -		UEPRG	UEPRD	1.15	21.29	15.49	2.85	2.67						
1.00	DCAL NUMBER PORTABILITY		+	UEFRG	UEPKD	1.15	21.29	15.49	2.00	2.07					-	+
	Local Number Portability (1 per port)		+	UEPRG	LNPCP	3.15	0.00	0.00								+
EEA	EATURES		+	OLFRG	LINEGE	3.13	0.00	0.00								+
1 27	All Features Offered			UEPRG	UEPVF	0.00	0.00	0.00								+
NO	ONRECURRING CHARGES (NRCs) - CURRENTLY COMBINE	D.	+	OLI KO	OLI VI	0.00	0.00	0.00								+
INO	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -			UEPRG	USAC2		8.45	1.91								
	Conversion - Switch-As-Is 2-Wire Voice Grade Loop/ Line Port Combination (PBX) -															1
	Conversion - Switch with Change			UEPRG	USACC		8.45	1.91								
ADI	DDITIONAL NRCs															
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Subsequent Activity			UEPRG	USAS2	0.00	0.00	0.00								
	PBX Subsequent Activity - Change/Rearrange Multiline H Group	lunt					7.86	7.86								
	Unbundled Miscellaneous Rate Element, Tag Loop at En Premise	id User		UEPRG	URETL		8.33	0.83								
OFF	FF/ON PREMISES EXTENSION CHANNELS	<u> </u>			1		2.20	2.30	† †					İ	İ	
	Local Channel Voice grade, per termination		1	UEPRG	P2JHX	12.67	134.89	81.87	73.65	14.88						1
	Local Channel Voice grade, per termination	İ	2	UEPRG	P2JHX	17.45	134.89	81.87	73.65	14.88				ĺ		
	Local Channel Voice grade, per termination	<u> </u>	3	UEPRG	P2JHX	33.22	134.89	81.87	73.65	14.88				İ	t	
	Non-Wire Direct Serve Channel Voice Grade	<u> </u>	1	UEPRG	SDD2X	12.68	170.06	78.10	119.62	15.80				İ	İ	
	Non-Wire Direct Serve Channel Voice Grade		2	UEPRG	SDD2X	18.12	170.06	78.10	119.62	15.80	ĺ					1
	Non-Wire Direct Serve Channel Voice Grade	İ	3	UEPRG	SDD2X	29.64	170.06	78.10	119.62	15.00				ĺ		
INT	TEROFFICE TRANSPORT	İ												ĺ		
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - F	acility			1				† †					İ	t	T
	Termination Interoffice Transport - Dedicated - 2 Wire Voice Grade - F			UEPRG	U1TV2	23.95	98.09	53.67	56.31	22.42						
	or Fraction Mile WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS			UEPRG	U1TVM	0.0095	0.00	0.00								<u> </u>
				1	1 1								ì		1	1

NRONDL	ED NETWORK ELEMENTS - Kentucky													ment: 2	1	bit: A
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Charge -	Increments Charge - Manual Sv Order vs. Electronic Disc Add'
															Diac rat	Disc Add
		ļ				Rec	Nonrec		Nonrecurring					Rates (\$)		
		1	.			10 70	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire VG Loop/Port Combo - Zone 1	-	1		_	10.79										
	2-Wire VG Loop/Port Combo - Zone 2	-	2		_	15.52										
	2-Wire VG Loop/Port Combo - Zone 3	-	3			31.74										
UNE	Loop Rates	-		LIEDDY												
_	2-Wire Voice Grade Loop (SL 1) - Zone 1	-	1	UEPPX	UEPLX	9.64										
_	2-Wire Voice Grade Loop (SL 1) - Zone 2	-	2	UEPPX	UEPLX	14.37										
0.14/:-	2-Wire Voice Grade Loop (SL 1) - Zone 3	+	3	UEPPX	UEPLX	30.59					-					-
2-771	re Voice Grade Line Port Rates (BUS - PBX)	-	-		_											-
	Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus			UEPPX	UEPPC	1.15	21.29	15.49	2.85	2.67						
_	Line Side Unbundled Combination 2-way PBX Trunk Port - Bus	+	-	UEPPX	UEPPC	1.15	21.29	15.49	2.85	2.67	-					1
-		+									-				 	1
-	Line Side Unbundled Incoming PBX Trunk Port - Bus 2-Wire Voice Unbundled OutDial Alabama NAR Area Calling	+		UEPPX	UEPP1	1.15	21.29	15.49	2.85	2.67	-				 	1
				UEPPX	UEPOA											
_	Port Port Port Port Port Port Port Port	-	-			4.45	04.00	45.40	0.05	0.07						-
_	2-Wire Voice Unbundled PBX LD Terminal Ports	-	-	UEPPX	UEPLD	1.15	21.29	15.49	2.85	2.67						<u> </u>
_	2-Wire Voice Unbundled 2-Way Combination PBX Usage Port	-	_	UEPPX	UEPXA	1.15	21.29	15.49	2.85	2.67						ļ
	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports	-	_	UEPPX	UEPXB	1.15	21.29	15.49	2.85	2.67						ļ
	2-Wire Voice Unbundled PBX LD DDD Terminals Port			UEPPX	UEPXC	1.15	21.29	15.49	2.85	2.67						
	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port			UEPPX	UEPXD	1.15	21.29	15.49	2.85	2.67						<u> </u>
	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD Capable Port			UEPPX	UEPXE	1.15	21.29	15.49	2.85	2.67						
	2-Wire Voice Unbundled 2-Way PBX Kentucky Room Area															
	Calling Port without LUD			UEPPX	UEPXF	1.15	21.29	15.49	2.85	2.67						
	2-Wire Voice Unbundled PBX Kentucky LUD Area Calling Port			UEPPX	UEPXG	1.15	21.29	15.49	2.85	2.67						
	2-Wire Voice Unbundled PBX Kentucky Premium Calling Port			UEPPX	UEPXH	1.15	21.29	15.49	2.85	2.67						
	2-Wire Voice Unbundled 2-Way Kentucky Area Calling Port without LUD			UEPPX	UEPXJ	1.15	21.29	15.49	2.85	2.67						
	2-Wire Voice Unbundled OutDial Kentucky NAR Area Calling Port			UEPPX	UEPOK	1.15	21.29	15.49	2.85	2.67						
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Administrative Calling Port			UEPPX	UEPXL	1.15	21.29	15.49	2.85	2.67						
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Room Calling Port			UEPPX	UEPXM	1.15	21.29	15.49	2.85	2.67						
	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital	1		02.17	02.74	0	21.20	10.10	2.00	2.01	†					
	Discount Room Calling Port			UEPPX	UEPXO	1.15	21.29	15.49	2.85	2.67						
	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port	1		UEPPX	UEPXS	1.15	21.29	15.49	2.85	2.67						
LOC	AL NUMBER PORTABILITY	<u> </u>		02.17	02.70	0	21.20	10.10	2.00	2.01						
	Local Number Portability (1 per port)	1		UEPPX	LNPCP	3.15	0.00	0.00								
FEAT	TURES	1														
	All Features Offered			UEPPX	UEPVF	0.00	0.00	0.00								
NON	RECURRING CHARGES (NRCs) - CURRENTLY COMBINED															1
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -															
	Conversion - Switch-As-Is			UEPPX	USAC2		8.45	1.91								
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -	<u> </u>														
	Conversion - Switch with Change			UEPPX	USACC		8.45	1.91								
ADD	TIONAL NRCs	<u> </u>		02.17	00,100		0.10									
71.2.2.	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -	<u> </u>														
	Subsequent Activity PBX Subsequent Activity - Change/Rearrange Multiline Hunt			UEPPX	USAS2	0.00	0.00	0.00								
	Group						7.86	7.86								
	Unbundled Miscellaneous Rate Element, Tag Loop at End User Premise			UEPPX	URETL		8.33	0.83								
OFF/	ON PREMISES EXTENSION CHANNELS															
	Local Channel Voice grade, per termination		1	UEPPX	P2JHX	12.67	134.89	81.87	73.65	14.88						
	Local Channel Voice grade, per termination		2	UEPPX	P2JHX	17.45	134.89	81.87	73.65	14.88						
	Local Channel Voice grade, per termination		3	UEPPX	P2JHX	33.22	134.89	81.87	73.65	14.88						
	Non-Wire Direct Serve Channel Voice Grade		_1	UEPPX	SDD2X	12.68	170.06	78.10	119.62	15.80						
	Non-Wire Direct Serve Channel Voice Grade		2	UEPPX	SDD2X	18.12	170.06	78.10	119.62	15.80						
-	Non-Wire Direct Serve Channel Voice Grade	1	3	UEPPX	SDD2X	29.64	170.06	78.10	119.62	15.00						ì

UNBUNDLE	ED NETWORK ELEMENTS - Kentucky			1										ment: 2		ibit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			Svc Order Submitted Elec per LSR	Submitted Manually	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrec		Nonrecurring					Rates (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
INTER	ROFFICE TRANSPORT Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility											-				
ı l	Termination			UEPPX	U1TV2	23.95	98.09	53.67	56.31	22.42						
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile		1	ULFFX	01172	23.93	90.09	33.07	30.31	22.42		1				
ı l	or Fraction Mile			UEPPX	U1TVM	0.0095	0.00	0.00								
2-WIR	RE VOICE GRADE LOOP WITH 2-WIRE ANALOG LINE COIN POR	RT		02.17	01111111	0.0000	0.00	0.00								
	Port/Loop Combination Rates															
	2-Wire VG Coin Port/Loop Combo – Zone 1		1			10.79									1	
	2-Wire VG Coin Port/Loop Combo – Zone 2		2			15.52										
	2-Wire VG Coin Port/Loop Combo – Zone 3		3			31.74										
UNE I	Loop Rates	1	 	LIEBOO	LIEDY						1	1				
+-	2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPCO	UEPLX	9.64								-	—	├
	2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPCO UEPCO	UEPLX UEPLX	14.37 30.59					-	-		<u> </u>	 	
2-Mir.	e Voice Grade Line Ports (COIN)	1	_ 3	OLFOO	ULFLA	30.39	-				 	 			+	+
Z-VVIIE	2-Wire Coin 2-Way without Operator Screening and without		 		+	-					-	-			 	
ı l	Blocking (AL, KY, LA, MS)		1	UEPCO	UEPRF	1.15	21.29	15.49	2.85	2.67						
i i	2-Wire Coin 2-Way with Operator Screening (AL, KY)			UEPCO	UEPRE	1.15	21.29	15.49	2.85	2.67					1	
	2-Wire Coin 2-Way with Operator Screening and Blocking: 011,															
	900/976, 1+DDD (AL, KY, LA, MS)			UEPCO	UEPRA	1.15	21.29	15.49	2.85	2.67					<u> </u>	
1	2-Wire Coin 2-Way with Operator Screening and 011 Blocking															
	(KY)			UEPCO	UEPKA	1.15	21.29	15.49	2.85	2.67						
ı l	2-Wire Coin 2-Way with Operator Screening & Blocking:							.= .0								
	900/976, 1+DDD, 011+, & Local (AL, KY, LA, MS)			UEPCO	UEPCD	1.15	21.29	15.49	2.85	2.67						
ı l	2-Wire Coin Outward without Blocking and without Operator Screening (KY, LA, MS)			UEPCO	UEPRN	1.15	21.29	15.49	2.85	2.67						
	2-Wire Coin Outward with Operator Screening and 011 Blocking			ULFCO	OLFRIN	1.13	21.29	13.43	2.00	2.07					 	
ı l	(GA, KY, MS)			UEPCO	UEPRJ	1.15	21.29	15.49	2.85	2.67						
	2-Wire Coin Outward with Operator Screening and Blocking:			02. 00	02.710	0	220	10.10	2.00	2.0.					<u> </u>	
ı l	011, 900/976, 1+DDD (AL, KY, LA, MS)			UEPCO	UEPRH	1.15	21.29	15.49	2.85	2.67						
1	2-Wire Coin Outward Operator Screening & Blocking: 900/976,															
	1+DDD, 011+, and Local (AL, KY, LA, MS)			UEPCO	UEPCN	1.15	21.29	15.49	2.85	2.67						
	2-Wire 2-Way Smartline with 900/976 (all states except LA)			UEPCO	UEPCK	1.15	21.29	15.49	2.85	2.67					ļ	
ı l	2-Wire Coin Outward Smartline with 900/976 (all states except															
ADDI	LA) TIONAL UNE COIN PORT/LOOP (RC)			UEPCO	UEPCR	1.15	21.29	15.49	2.85	2.67					 	
ADDII	UNE Coin Port/Loop Combo Usage (Flat Rate)			UEPCO	URECU	2.57	0.00	0.00	0.00	0.00		-			 	
LOCA	L NUMBER PORTABILITY			ULFCO	UNLCO	2.51	0.00	0.00	0.00	0.00					 	-
1200%	Local Number Portability (1 per port)			UEPCO	LNPCX	0.35										
NONR	RECURRING CHARGES - CURRENTLY COMBINED														1	
i i	2-Wire Voice Grade Loop / Line Port Combination - Conversion -					İ										
igsquare	Switch-as-is		<u> </u>	UEPCO	USAC2		0.10	0.10							<u> </u>	<u> </u>
, l =	2-Wire Voice Grade Loop / Line Port Combination - Conversion -	1				⊣										
	Switch with change		<u> </u>	UEPCO	USACC		0.10	0.10								
ADDIT	TIONAL NRCs		├		+									-	—	├
ı l	2-Wire Voice Grade Loop/Line Port Combination - Subsequent Activity			UEPCO	USAS2		0.00	0.00								
$\overline{}$	Unbundled Miscellaneous Rate Element, Tag Loop at End User	1	 	OLFOO	USASZ	+	0.00	0.00			 	 			 	
ı l	Premise		1	UEPCO	URETL		8.33	0.83								
2-WIR	RE VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE	E LINE I	PORT (İ	2.20	2.30								
	Port/Loop Combination Rates		Ш,													
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 1		1			13.90		•					_			
\Box	2-Wire VG Loop/IO Tranport/Port Combo - Zone 2		2			18.68										
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 3		3			34.45									<u> </u>	<u> </u>
UNE I	Loop Rates 2-Wire Voice Grade Loop (SL2) - Zone 1		L .	LIEDED	LIEGEO	10.67									 	
—	LZ-VVIEW VOICE GERAGE LOOD (SLZ) - ZODE 1	1	1	UEPFR	UECF2	12.67			i		1	1		1	1	1
<u> </u>			2	LIEDED	LIECES	47 45					1					l .
	2-Wire Voice Grade Loop (SL2) - Zone 2 2-Wire Voice Grade Loop (SL2) - Zone 3		2	UEPFR UEPFR	UECF2 UECF2	17.45 33.22										

UNBUNDLE	D NETWORK ELEMENTS - Kentucky			•										ment: 2		bit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			Svc Order Submitted Elec per LSR	Submitted Manually	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
							Nonrec	urring	Nonrecurring	Disconnect		L	oss	Rates (\$)	1	
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire voice unbundled port - residence			UEPFR	UEPRL	1.23	128.96	64.11	61.92	9.97						
	2-Wire voice unbundled port with Caller ID - res			UEPFR	UEPRC	1.23	128.96	64.11	61.92	9.97						
	2-Wire voice unbundled port outgoing only - res			UEPFR	UEPRO	1.23	128.96	64.11	61.92	9.97						
	2-Wire voice Grade unbundled Kentucky extended local dialing															
	parity port with Caller ID - res			UEPFR	UEPRM	1.23	128.96	64.11	61.92	9.97						
	2-Wire voice unbundles res, low usage line port with Caller ID (LUM)			UEPFR	UEPAP	1.23	128.96	64.11	61.92	9.97						
	2-Wire Voice Unbundled Kentucky Residence Dialing Plan				1											
	without Caller ID			UEPFR	UEPWE	1.23	128.96	64.11	61.92	9.97						
INTER	OFFICE TRANSPORT															
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility Termination			UEPFR	U1TV2	23.95	98.09	53.67	56.31	22.42						
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile				41 =204											
	or Fraction Mile			UEPFR	1L5XX	0.0095										
FEATU	All Features Offered		-	UEPFR	UEPVF	0.00	0.00	0.00				-			-	-
LOCAL	NUMBER PORTABILITY		-	UEPFR	UEPVF	0.00	0.00	0.00				-			-	
LOCAI	Local Number Portability (1 per port)			UEPFR	LNPCX	0.35									-	
NONR	ECURRING CHARGES (NRCs) - CURRENTLY COMBINED			OLITIK	LIVI OX	0.55									-	
1101111	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port															
	Combination - Conversion - Switch-as-is			UEPFR	USAC2		9.03	1.87								
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port						İ									
	Combination - Conversion - Switch-With-Change			UEPFR	USACC		9.03	1.87								
	Unbundled Miscellaneous Rate Element, Tag Designed Loop at															
	End User Premise	<u> </u>		UEPFR	URETN		11.21	1.10								
	E VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE ort/Loop Combination Rates	LINE	ORT (808)	-										1	<u> </u>
UNEP	2-Wire VG Loop/IO Tranport/Port Combo - Zone 1		1			13.90						1			1	1
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 2		2			18.68									-	
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 3		3			34.45										
UNE L	oop Rates		Ť													
	2-Wire Voice Grade Loop (SL2) - Zone 1		1	UEPFB	UECF2	12.67										
	2-Wire Voice Grade Loop (SL2) - Zone 2		2	UEPFB	UECF2	17.45										
	2-Wire Voice Grade Loop (SL2) - Zone 3		3	UEPFB	UECF2	33.22										
2-Wire	Voice Grade Line Port (Bus)															
	2-Wire voice unbundled port without Caller ID - bus 2-Wire voice unbundled port with Caller + E484 ID - bus			UEPFB UEPFB	UEPBL UEPBC	1.23 1.23	128.96 128.96	64.11 64.11	61.92 61.92	9.97 9.97	-	-			 	-
+	2-Wire voice unbundled port with Caller + E484 ID - bus 2-Wire voice unbundled port outgoing only - bus			UEPFB UEPFB	UEPBC	1.23	128.96	64.11	61.92	9.97	 	 			 	
+	2-Wire voice Grade unbundled Kentucky extended local dialing			CLIID	02.130	1.23	120.30	04.11	01.92	5.31	 	 			 	
	parity port with Caller ID - bus			UEPFB	UEPBM	1.23	128.96	64.11	61.92	9.97					I	
	2-Wire voice unbundled incoming only port with Caller ID - Bus			UEPFB	UEPB1	1.23	128.96	64.11	61.92	9.97					1	
	2-Wire Voice Unbundled Kentucky Business Dialing Plan					İ	İ									
	without Caller ID			UEPFB	UEPWF	1.23	128.96	64.11	61.92	9.97						
LOCAI	NUMBER PORTABILITY															ļ
	Local Number Portability (1 per port)			UEPFB	LNPCX	0.35					1	1				_
INTER	OFFICE TRANSPORT Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility				+				 		-	-			 	-
	Termination			UEPFB	U1TV2	23.95	98.09	53.67	56.31	22.42						
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile or Fraction Mile			UEPFB	1L5XX	0.0095										
FEATU					<u> </u>										ļ	ļ
	All Features Offered			UEPFB	UEPVF	0.00	0.00	0.00			1	1				_
NONR	ECURRING CHARGES (NRCs) - CURRENTLY COMBINED		-		-										 	
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port Combination - Conversion - Switch-as-is			UEPFB	USAC2		9.03	1.87							1	
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port			OLFID	USAUZ		9.03	1.07	 		 	-			-	
	Combination - Conversion - Switch with change Unbundled Miscellaneous Rate Element, Tag Designed Loop at			UEPFB	USACC		9.03	1.87								
	End User Premise			UEPFB	URETN		11.21	1.10								

ONBONDLE	D NETWORK ELEMENTS - Kentucky													ment: 2	1	ibit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			1	Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge - Manual S Order vs
						Rec	Nonrec	urring	Nonrecurring	Disconnect				Rates (\$)		
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
2-WIR	E VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE	LINE F	PORT (PBX)												
UNE F	Port/Loop Combination Rates															
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 1		1			13.90										
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 2		2			18.68										
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 3		3			34.45										1
UNE L	oop Rates										İ					1
	2-Wire Voice Grade Loop (SL2) - Zone 1		1	UEPFP	UECF2	12.67										1
	2-Wire Voice Grade Loop (SL2) - Zone 2		2	UEPFP	UECF2	17.45										1
	2-Wire Voice Grade Loop (SL2) - Zone 3		3	UEPFP	UECF2	33.22										
2-Wire	e Voice Grade Line Port Rates (BUS - PBX)		Ŭ	OLITI	OLOI Z	00.22										+
2-99116	Voice Grade Line Fort Rates (BOS - FBX)				+ +											
	Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus		1	UEPFP	UEPPC	1.23	164.27	78.65	75.05	8.73						1
	Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus Line Side Unbundled Outward PBX Trunk Port - Bus	-	 	UEPFP	UEPPO	1.23	164.27	78.65	75.05	8.73	 	 	 	 	 	
	Line Side Unbundled Outward PBX Trunk Port - Bus Line Side Unbundled Incoming PBX Trunk Port - Bus		-	UEPFP	UEPPO UEPP1	1.23	164.27	78.65	75.05 75.05	8.73	1	 	 	 	1	
											ļ				ļ	.
	2-Wire Voice Unbundled PBX LD Terminal Ports			UEPFP	UEPLD	1.23	164.27	78.65	75.05	8.73	1	-			1	├
	2-Wire Voice Unbundled 2-Way Combination PBX Usage Port			UEPFP	UEPXA	1.23	164.27	78.65	75.05	8.73	ļ					
	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports			UEPFP	UEPXB	1.23	164.27	78.65	75.05	8.73						1
	2-Wire Voice Unbundled PBX LD DDD Terminals Port			UEPFP	UEPXC	1.23	164.27	78.65	75.05	8.73						
	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port			UEPFP	UEPXD	1.23	164.27	78.65	75.05	8.73						
	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD															
	Capable Port			UEPFP	UEPXE	1.23	164.27	78.65	75.05	8.73						
	2-Wire Voice Unbundled 2-Way PBX Kentucky Room Area															1
	Calling Port without LUD			UEPFP	UEPXF	1.23	164.27	78.65	75.05	8.73						
	2-Wire Voice Unbundled PBX Kentucky LUD Area Calling Port			UEPFP	UEPXG	1.23	164.27	78.65	75.05	8.73						1
	2-Wire Voice Unbundled PBX Kentucky Premium Calling Port			UEPFP	UEPXH	1.23	164.27	78.65	75.05	8.73	1				1	t
	2-Wire Voice Unbundled 2-Way Kentucky Area Calling Port			OLITI	OLI XIII	1.20	104.27	70.00	70.00	0.70						
	without LUD			UEPFP	UEPXJ	1.23	164.27	78.65	75.05	8.73						
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy			ULFIF	ULFAJ	1.23	104.21	70.03	75.05	0.73	†	-			 	
				UEPFP	UEPXL	1.23	404.07	78.65	75.05	8.73						
	Administrative Calling Port			UEPFP	UEPXL	1.23	164.27	78.65	75.05	8.73						
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy															
	Room Calling Port			UEPFP	UEPXM	1.23	164.27	78.65	75.05	8.73						↓
	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital															
	Discount Room Calling Port			UEPFP	UEPXO	1.23	164.27	78.65	75.05	8.73						
	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPFP	UEPXS	1.23	164.27	78.65	75.05	8.73						Ī
LOCA	L NUMBER PORTABILITY															Ī
	Local Number Portability (1 per port)			UEPFP	LNPCP	3.15	0.00	0.00								
INTER	OFFICE TRANSPORT															1
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility		İ		1							İ				
	Termination			UEPFP	U1TV2	23.95	98.09	53.67	56.31	22.42						
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile		 		1	20.00	55.00	55.01	33.01	22.72	t	†	 	 	<u> </u>	
1	or Fraction Mile			UEPFP	1L5XX	0.0095						1			I	
FEAT		-	 	OL: 11	ILUMA	0.0093					 	 	 	 	 	
FEAT	All Features Offered			UEPFP	UEPVF	0.00	0.00	0.00			 	-	1	1	+	
NOND	ECURRING CHARGES (NRCs) - CURRENTLY COMBINED		-	ULFFF	UEFVF	0.00	0.00	0.00			 	.	-	-	 	
NONK			-		+						 	.	-	ļ	 	+
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port	1	1	LIEDED	110465							I	l		1	1
	Combination - Conversion - Switch-as-is		-	UEPFP	USAC2		9.03	1.87			1	.	-	-	-	├
1	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port	1	1									I	l		1	
	Combination - Conversion - Switch with change			UEPFP	USACC		9.03	1.87			ļ					
	Unbundled Miscellaneous Rate Element, Tag Designed Loop at		1													1
	End User Premise			UEPFP	URETN		11.21	1.10								
	PORT/LOOP COMBINATIONS - COST BASED RATES															
	E VOICE GRADE LOOP- BUS ONLY - WITH 2-WIRE DID TRUNK	PORT														
UNE F	Port/Loop Combination Rates							_								
	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 1		1			21.30						İ		İ		
i	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 2		2		1	26.08						İ				
	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 3		3		1	41.85					1	İ	İ	İ		<u> </u>
1			Ŭ		1	00					1	1	1	1	1	
UNFI															1	·
UNE L	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 1		1	UEPPX	UECD1	12.67										

## ATTE ELEMENTS ## DOCS ## DOCS ## ATTE ELEMENTS ## DOCS ## D	UNBUNDLE	ED NETWORK ELEMENTS - Kentucky													Attach	ment: 2	Exhi	bit: A
ARTE CLEMENTS RATE C													Svc Order	Svc Order			1	Incremental
## RATE ELEMENTS Intelligence Part Par																	Charge -	Charge -
## Zone BCS USO BCS USO BCS USO BCS USO BCS USO Color			to to all															Manual Svc
Biotechnology Biotechnolog	CATEGORY	RATE ELEMENTS		Zone	В	cs	USOC			RATES (\$)				-				
Section Sect			m							- (1)			per Lor	per Lon				Electronic-
Description Description																		
Section Sect															151	Addi	DISC ISL	DISC Add I
Description Description								B	Nonrec	urring	Nonrecurring	g Disconnect		•	oss	Rates (\$)		
UNP OF INTERIOR CHARGES - CURRENTY COMBINED UNPY UNP								Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
UNP OF INTERIOR CHARGES - CURRENTY COMBINED UNPY UNP		2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 3		3	UEPPX		UECD1	33.22				Î			Î			
NONECORRING CHARGE 5. CURRENTY COMMIND 20	UNE F											Î			Î			
NONECORRING CHARGES - CURRENTY CONSIDER 2		Exchange Ports - 2-Wire DID Port			UEPPX		UEPD1	8.63	336.11	27.75	132.37	9.31			Î			
Main Busiliscum Abusiliscum (Charles)	NONR	ECURRING CHARGES - CURRENTLY COMBINED										Î			Î			
ADDTOMAL NICE ADDTOMAL NIC		2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Conversion																
2-Wine Dis Satissequent Assisty - Asid Tranks. Fer Trank UEPPX UEPS UEP		with BellSouth Allowable Changes			UEPPX		USA1C		7.85	1.87								
Disburdied Macellaneous Rate Element, Tag Designed Loop at Period Development Period De	ADDI	TIONAL NRCs																
End User Permiss		2-Wire DID Subsequent Activity - Add Trunks, Per Trunk			UEPPX		USAS1		32.25	32.25								
Telephone Number Frontail County Co		Unbundled Miscellaneous Rate Element, Tag Designed Loop at																
OID Trust Termination Cline Per Port					UEPPX		URETN		11.21	1.10								
Additional DID Numbers New consocioned DID Numbers UEPPK NDS 0.00 0.0	Telep																	
DID Numbers Num-Connectation DID Numbers DEPPK NDS 0.00																		
Researe Non-Consecutive Did numbers																		
COCAL NUMBER FORTABLETY																		
COCAL NUMBER PORT ABILITY																		
Local Number Portability (1 per port) URPPX					UEPPX		NDV	0.00	0.00	0.00								
2.9 WIRE ISON DIGITAL GRADE LOOP WITH 2-WIRE ISON DIGITAL LINE SIDE PORT	LOCA																	
New Port/Loop Combination Rates							LNPCP	3.15	0.00	0.00								
22 15 N Digital Grade Loop/2W ISON Digital Line Side Port 1 UEPPB UEPPR 25.66			NE SIDE	PORT	•													
UNE Zone 1	UNE F																	
2 WI RSDN Digital Crade Loop-2W ISDN Digital Line Side Port - 2 UEPPB UEPPR 31.92																		
UNE Zone 2		UNE Zone 1		1	UEPPB	UEPPR		25.69										
2W ISDN Digital Grade Loop: UNE Zone 1 3 UEPPB UEPPR 50.21																		
UNE Zone 3 3 UEPPB UEPPR 50.21				2	UEPPB	UEPPR		31.92										
UNE Loop Rates 1																		
2-Wire ISDN Digital Grade Loop - UNE Zone 2				3	UEPPB	UEPPR		50.21										
2-Wire ISDN Digital Grade Loop - UNE Zone 2 2 UEPPB UEPPR USL2X 22.33	UNE I																	
2-Wire ISDN Digital Grade Loop - UNE Zone 3 3 LEPPR USELX 40.63		2-Wire ISDN Digital Grade Loop - UNE Zone 1		1	UEPPB	UEPPR	USL2X	16.10										
2-Wire ISDN Digital Grade Loop - UNE Zone 3 3 LEPPR USELX 40.63				_														
UNE PORT Rate																		
Exchange Port - 2-Wire ISDN Line Side Port UEPPB UEPPR UEPPB 9.59 32.05.3 289.13 92.19 17.56				3	UEPPB	UEPPR	USL2X	40.63										
NONRÉCURRING CHARGES - CURRENTLY COMBINED	UNE		-	-	LIEDDD	LIEDDD	LIEDDD	0.50	202.50	200 10	00.40	47.50						
2-Wire ISDN Digital Grade Loop / 2-Wire ISDN Line Side Port UEPPB UEPPR USACB 0.00 22.77 17.00	NONE		-	-	UEPPB	UEPPR	UEPPB	9.59	320.53	289.13	92.19	17.56						
Combination - Conversion	NONR		-	-			1											
ADDITIONAL NRCS					LIEDDD	HEDDO	LICACD	0.00	00.77	47.00						1	1	
Unbundled Miscellaneous Rate Element, Tag Designed Loop at End User Premise UEPPB UEPPR URETN 11.21 1.10	ADDI		-	-	UEPPB	UEPPR	USACB	0.00	22.11	17.00	-	-	-		-			-
End User Premise	ADDI		-	1			+	+ -			1		 	-		+	+	
Unbundled Miscellaneous Rate Element, Tag Loop at End User Premise UEPPB UEPPR URETL 8.33 0.83				1	LIEDDR	HEDDD	LIRETN		11 21	1 10				1		I	I	
Premise			 	 	OLI FD	OLFFR	OIXL IIV	1	11.21	1.10	1	1	 	-	1	+	+	
LOCAL NUMBER PORTABILITY					LIEDDE	HEDDD	LIRETI		8 33	U 83						1	1	
Local Number Portability (1 per port)	LOCA		-	 	CLID	JLIIK	OINE IL	 	0.33	0.03						+	+	
B-CHANNEL USER PROFILE ACCESS: UEPPB UEPPR U1UCA					UEPPR	UEPPR	LNPCX	0.35	0.00	0.00						<u> </u>	<u> </u>	
CVS/CSD (DMS/5ESS)	B-CH		—	1	22.10	02/11/		0.00	0.00	0.00	1		<u> </u>			t	t	
CVS (EWSD)	2 311		—	1	LIFPPR	LIFPPR	U1UCA	0.00	0.00	0.00	1		<u> </u>			t	t	
CSD UEPPB UEPPR U1UCC 0.00 0.												i			i	t	†	
B-CHANNEL AREA PLUS USER PROFILE ACCESS: (AL,KY,LA,MS SC,MS, & TN)				t								i			i	1	t e	i
CVS/CSD (DMS/5ESS)	B-CH/		C,MS, &	TN)			1			2.30	1	İ		1	İ	İ	İ	
CVS (EWSD)			,		UEPPB	UEPPR	U1UCD	0.00	0.00	0.00		İ			İ	t	t	
CSD				1		_					1	İ		1	İ	İ	İ	
USER TERMINAL PROFILE												ĺ			ĺ			
User Terminal Profile (EWSD only)	USER						1					ĺ			ĺ			
VERTICAL FEATURES					UEPPB	UEPPR	U1UMA	0.00	0.00	0.00								
InterOFFICE CHANNEL MILEAGE InterOffice Channel mileage each, including first mile and facilities termination UEPPB UEPPR M1GNC 29.12 47.34 31.78 22.77 8.75	VERT						1					ĺ			ĺ			
InterOFFICE CHANNEL MILEAGE InterOffice Channel mileage each, including first mile and facilities termination UEPPB UEPPR M1GNC 29.12 47.34 31.78 22.77 8.75					UEPPB	UEPPR	UEPVF	0.00	0.00	0.00					1			
Interoffice Channel mileage each, including first mile and facilities termination UEPPB UEPPR M1GNC 29.12 47.34 31.78 22.77 8.75	INTER																	
Interoffice Channel mileage each, additional mile UEPPB UEPPR M1GNM 0.01 0.00 0.00					UEPPB	UEPPR	M1GNC	29.12	47.34	31.78	22.77	8.75				1		
		Interoffice Channel mileage each, additional mile			UEPPB	UEPPR	M1GNM	0.01	0.00	0.00					ĺ			

CATEGORY RATE ELEMENTS Main Zone BCS USOC RATES (5) BCS USOC RATES (5) BCS Color Receivable Color	UNBLIND	LFF	NETWORK ELEMENTS - Kentucky												Attach	ment: 2	Fyhi	bit: A
ACTEONY RATE ELEMENTS RATE SUBSCIENCE	CHECHE		THE TOTAL ELEMENTO HORMONY					1					Svc Order	Svc Order				Incremental
### DATE FLEMENTS ### BCS USOC ### RATE 6() ### PC USOC ### PC USO								1					1					Charge -
CATEGORY				Inter				I										Manual Svc
No. Note N	CATEGORY	Υ	RATE ELEMENTS		Zone	BCS	USOC	1		RATES (\$)				-				Order vs.
Second S				m						.,			per Lor	per Lor				Electronic-
Applied Digit Logor With 4-Wiles (Bish DS) Gight Trusk Pert in Media Trusk Per																		Disc Add'l
Mile Part March																	Diac 1at	Diac Add I
Wide District Control Contro								Pac										
Test Wile P DS1 combinations make below for in this rate enhalted apply to the embedded base in place as of (1970) and (1974). After 47(49) these rates shall rever to surfraint as a separate commercial agreement.								Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
Request for AVINE DST Digital Loop with AVINE SDM DST Digital Trunk Port after the effective date of this amendment shall be provided pursuant to a separate agreement or suff at BellScon's. discretion.																		
Web Provided Complementaries Research An Extended Com															nt.			
AVEN DEST TOPINS LOGAR SENT DEST DIQUIT Trans Port - LINE 2 UEPPP 197.70 197				runk Po	ort afte	the effective date o	f this amend	lment shall be p	provided pursu	uant to a separ	rate agreement	or tariff at Bel	South's dis	scretion.				
200.01 1 1 1 1 1 1 1 1 1	UN																	
AVX DST Operat Loop-AVX SERVIN DST Operat Trunk Port - UNE						LIEDDD		470.00										
2	\vdash				1	UEPPP		170.06						-				
Wide Comparison Compariso					2	LIEDDD		107.70										
Dec Loop Father 1	\vdash			-		OLFFF		197.70			1		1			-		
Well-Cop Rates					3	LIEDDD		381 35										
E-Wise DST Digital Loop - UNE Zone 1	UN				Ŭ	OLITI		001.00					1			1		
H-Wire OST Opidal Logo - LIM Zone 2 2 UEPPP USLAP 114-10					1	UEPPP	USL4P	86.47							1	<u> </u>	1	
Wilson W											1	İ			İ	1	İ	İ
URPPP URPP											1	İ			İ	1	İ	
Exchange Ports - 4/Wei ISDN DST Port (=4/1/2004) USPPP USACP U	UN										1			İ		1		
NONRECURRING CHARGES - CURRENTLY COMBINED			Exchange Ports - 4-Wire ISDN DS1 Port (E:4/1/2004)			UEPPP	UEPPP	83.59	736.16	382.74	159.48	48.82						
Combination - Convenion - Switch-mark (E-4/1/2004) UEPPP USACP 0.00 81.70 61.37	NO		CURRING CHARGES - CURRENTLY COMBINED															
ADDITIONAL NRCs																		
4-Wire DST Loop4-WI ISDN Digit Tix Port - Subgit Actory Invariation way Tix Nos. (except NC)			Combination - Conversion -Switch-as-is (E:4/1/2004)			UEPPP	USACP	0.00	81.70	61.37								
Inwardhow way Tel Nos. (except NC)	ADI																	
4-Wire DST Loop /4-Wire ISDN DST Digital Trunk Port - UEPPP PR7TO 12.71																		
Outward Tel Numbers (All States except NC)			Inward/two way Tel Nos. (except NC)			UEPPP	PR7TF		0.54									
A-Wire DST Loop / 4-Wire ISDN DST Loop (4-Wire ISDN DST Loop / 4-Wire ISD Loop (4-Wire ISD N DST Loop / 4-Wire ISD ID Ignal Tirk Port - Subsequent Inward Tell Numbers UEPPP PR7ZT 25.41 25.41																		
Subsequent Inward Tel Numbers UEPPP PR7ZT 25.41 25.41 25.41						UEPPP	PR7TO		12.71	12.71								
LOCAL NUMBER PORTABILITY LOCAL NUMBER PORTABILITY LOCAL NUMBER PORTABILITY LOCAL NUMBER PORTABILITY LOCAL NUMBER PORTABILITY LOCAL NUMBER PORTABILITY LOCAL NUMBER PORTABILITY LOCAL NUMBER PORTABILITY LOCAL NUMBER PORTABILITY LOCAL NUMBER PORTABILITY LOCAL NUMBER PORTABILITY LOCAL NUMBER PORTABILITY LOCAL NUMBER NUMBER LOCAL NUMBER NUMBER LOCAL NUMBER NUMB																		
InterAct (Provisioning Only)						UEPPP	PR7ZT		25.41	25.41								
INTERFACE (Provisioning Only)	LO					HEDDD	LNIDON	4.75						-				
Voice/Data UEPPP PR71/1	INIT					UEPPP	LNPCN	1./5						-				
Digital Data	IINI					LIEDDD	DD74\/	0.00	0.00	0.00			-					
Inward Data													1			1		
New or Additional **Si Channel																		
New or Additional - Voice/Data B Channel UEPPP PR7BV 0.00 15.48	Nev					OLITI	110712	0.00	0.00	0.00			1			1		
New or Additional - Digital Data B Channel						UEPPP	PR7BV	0.00	15.48				1			1		
New or Additional Inward Data B Channel																		
CALL TYPES				1							1	l		İ	İ	1	İ	l
Inward	CA														1		1	
Two-way UEPPP PR7CC 0.00 0.			Inward			UEPPP	PR7C1	0.00	0.00	0.00								
Interoffice Channel Mileage Fixed Each Including First Mile Each Airline-Fractional Additional Mile UEPPP 1LN1A 96.27 105.52 98.46 23.09 20.49 LEPPP 1LN1B 0.23 4-WIRE DS1 DIGITAL LOOP WITH 4-WIRE DDITS TRUNK PORT The UNE-P DS1 combination rates below for in this rate exhibit apply to the embedded base in place as of 10/2/03 until 4/1/04. After 4/1/04 these rates shall revert to tariff rates or a separate commercial agreement. Requests for 4-Wire DS1 Digital Loop with 4-Wire DDITS after the effective date of this amendment shall be provided pursuant to a separate agreement or tariff at BellSouth's discretion. UNE Port/Loop Combination Rates 4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 1 1 UEPDC 147.99 4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 2 2 UEPDC 175.62 WNE Loop Rates UNE Loop Rates 4-Wire DS1 Digital Loop - UNE Zone 1 1 UEPDC USLDC 86.47 4-Wire DS1 Digital Loop - UNE Zone 2 2 UEPDC USLDC 97.76 4-Wire DS1 Digital Loop - UNE Zone 3 3 UEPDC USLDC 297.76 UNE Port Rate 4-Wire DS1 Digital Loop - UNE Zone 3 3 UEPDC USLDC 297.76 4-Wire DS1 Digital Loop - UNE Zone 3 3 UEPDC USLDC 297.76 4-Wire DS1 Digital Loop - UNE Zone 3 3 UEPDC USLDC 297.76 4-Wire DS1 Digital Loop - UNE Zone 3 3 UEPDC USLDC 297.76 4-Wire DS1 Digital Loop - UNE Zone 3 3 UEPDC USLDC 297.76 4-Wire DS1 Digital Loop - UNE Zone 3 3 UEPDC USLDC 297.76 4-Wire DS1 Digital Loop - UNE Zone 3 3 UEPDC USLDC 297.76 4-Wire DS1 Digital Loop - UNE Zone 3 3 UEPDC USLDC 297.76 4-Wire DS1 Digital Loop - UNE Zone 3 3 UEPDC USLDC 297.76 4-Wire DS1 Digital Loop - UNE Zone 3 3 UEPDC USLDC 297.76 4-Wire DS1 Digital Loop - UNE Zone 3 3 UEPDC USLDC 297.76 4-Wire DS1 Digital Loop - UNE Zone 3 3 UEPDC USLDC 297.76 4-Wire DS1 Digital Loop - UNE Zone 3 3 UEPDC USLDC 297.76 4-Wire DS1 Digital Loop - UNE Zone 3 3 UEPDC USLDC 297.76 4-Wire DS1 Digital Loop - UNE Zone 3 3 UEPDC USLDC 297.76 4-Wire DS1 Digital Loop - UNE Zone 3 3 UEPDC USLDC 297.76 4-Wire DS1 Digital Loop - UNE Zone 3 3 UEPDC USLDC 297.76 4-Wire DS1 Digital Loop - UNE			Outward															
Fixed Each Including First Mile						UEPPP	PR7CC	0.00	0.00	0.00								
Each Airline-Fractional Additional Mile	Inte																	
4-WIRE DS1 DIGITAL LOOP WITH 4-WIRE DDITS TRUNK PORT The UNE-P DS1 combination rates below for in this rate exhibit apply to the embedded base in place as of 10/2/03 until 4/1/04. After 4/1/04 these rates shall revert to tariff rates or a separate commercial agreement. Requests for 4-Wire DS1 Digital Loop with 4-Wire DDITS after the effective date of this amendment shall be provided pursuant to a separate agreement or tariff at BellSouth's discretion. UNE Port/Loop Combination Rates W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 1									105.52	98.46	23.09	20.49						
The UNE-P DS1 combination rates below for in this rate exhibit apply to the embedded base in place as of 10/2/03 until 4/1/04. After 4/1/04 these rates shall revert to tariff rates or a separate commercial agreement. Requests for 4-Wire DS1 Digital Loop with 4-Wire DDITS after the effective date of this amendment shall be provided pursuant to a separate agreement or tariff at BellSouth's discretion. UNE Port/Loop Combination Rates 4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 1 1 UEPDC 147.99 1						UEPPP	1LN1B	0.23							ļ	L	ļ	
Requests for 4-Wire DS1 Digital Loop with 4-Wire DDITS after the effective date of this amendment shall be provided pursuant to a separate agreement or tariff at BellSouth's discretion. UNE Port/Loop Combination Rates				L			L				L	<u> </u>		<u> </u>	L	1	ļ	
UNE Port/Loop Combination Rates													te commerc	ial agreeme	nt.	ļ		
AW DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 1				ective d	ate of	this amendment sha	III be provide	ed pursuant to a	a separate agre	ement or tarif	t at BellSouth's	discretion.	-		ļ	-		
AW DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 2	UN			-	-	HEDDO	ļ	1.17.00			1	-			 	 	 	
AW DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 3 UEPDC 359.28	\vdash			-	7		ļ				 	-	1		 	 	 	
UNE Loop Rates	\vdash			-			-				1		-	-		 		
4-Wire DS1 Digital Loop - UNE Zone 1	LINI			-	3	ULFDU	1	ააყ.28			+		 	-		+		
4-Wire DS1 Digital Loop - UNE Zone 2 2 UEPDC	ON				1	LIEPDC	LISLDC	86 47			 				 	 	 	
4-Wire DS1 Digital Loop - UNE Zone 3	 			-	2						 		-		 	t	 	
UNE Port Rate	 			-							 		-		 	t	 	
4-Wire DDITS Digital Trunk Port (E:4/1/2004) UEPDC UDD1T 61.52 780.61 375.52 176.19 16.98	UNI				Ť		- 3200	200								<u> </u>		
NONRECURRING CHARGES - CURRENTLY COMBINED 4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination						UEPDC	UDD1T	61.52	780.61	375.52	176.19	16.98			İ	1	İ	
4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination	NO	NRE						552		2.2.02	11.51.10	13.00			İ	t	İ	
Switch-as-is (E:4/1/2004)		Į.	- Switch-as-is (E:4/1/2004)			UEPDC	USAC4		92.84	46.70						I		

UNBUNDLE	D NETWORK ELEMENTS - Kentucky													ment: 2	1	bit: A
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic-	Charge - Manual Svc Order vs. Electronic-	Order vs. Electronic-	Charge - Manual Sv Order vs. Electronic
													1st	Add'l	Disc 1st	Disc Add'l
						Rec	Nonre		Nonrecurring					Rates (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination							40.00								
_	- Conversion with DS1 Changes (E:4/1/2004)		-	UEPDC	USAWA		92.84	46.70								
	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination - Conversion with Change - Trunk (E:4/1/2004)			UEPDC	USAWB		92.84	46.70								
ADDIT	TONAL NRCs		1	UEPDC	USAWD		92.04	40.70			-				-	
ADDIT	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - NRC -															
	Subsequent Channel Activation/Chan - 2-Way Trunk			UEPDC	UDTTA		15.09	15.09								
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent															
	Channel Activation/Chan - 1-Way Outward Trunk			UEPDC	UDTTB		15.09	15.09								
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Channel															
	Activation/Chan Inward Trunk w/out DID			UEPDC	UDTTC		15.09	15.09								
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan		1						ı 7						_	
	Activation Per Chan - Inward Trunk with DID			UEPDC	UDTTD		15.09	15.09						ļ	L	
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan															
	Activation / Chan - 2-Way DID w User Trans			UEPDC	UDTTE		15.09	15.09								
BIPOL	AR 8 ZERO SUBSTITUTION			LIEDDO	00005		0.00:	700.00								
_	B8ZS -Superframe Format B8ZS - Extended Superframe Format			UEPDC UEPDC	CCOSF		0.00i 0.00i	730.00s 730.00s	-					-		-
Altorn	ate Mark Inversion			UEPDC	CCOEF		0.001	730.00S	-					-		
Aitem	AMI -Superframe Format			UEPDC	MCOSF		0.00	0.00			-					
-	AMI - Extended SuperFrame Format		1	UEPDC	MCOPO		0.00	0.00	1		1				1	
Telenh	none Number/Trunk Group Establisment Charges		1	OLI DO	WOOT O		0.00	0.00								
ГСІСРІ	Telephone Number for 2-Way Trunk Group			UEPDC	UDTGX	0.00	0.00	0.00			1					
	Telephone Number for 1-Way Outward Trunk Group			UEPDC	UDTGY	0.00		0.00								
	Telephone Number for 1-Way Inward Trunk Group Without DID			UEPDC	UDTGZ	0.00	0.00	0.00								
	DID Numbers for each Group of 20 DID Numbers			UEPDC	ND4	0.00	0.00	0.00								
	DID Numbers, Non- consecutive DID Numbers , Per Number			UEPDC	ND5	0.00	0.00	0.00								
	Reserve Non-Consecutive DID Nos.			UEPDC	ND6	0.00	0.00	0.00								
	Reserve DID Numbers			UEPDC	NDV	0.00	0.00	0.00								
Dedica	ated DS1 (Interoffice Channel Mileage) - FX/FCO for 4-Wire DS1	Digita	Loop	with 4-Wire DDITS	Trunk Port											
	Interoffice Channel Mileage - Fixed rate 0-8 miles (Facilities															
	Termination)		-	UEPDC	1LNO1	96.04	105.52	98.46	23.09	20.49						
	Interoffice Channel Mileage - Additional rate per mile - 0-8 miles			UEPDC	1LNOA	0.23	0.00	0.00								
_	Interoffice Channel Mileage - Additional rate per fille - 0-6 filles Interoffice Channel Mileage - Fixed rate 9-25 miles (Facilities			UEPDC	ILNOA	0.23	0.00	0.00			-					
	Termination)			UEPDC	1LNO2	0.00	0.00	0.00								
+	Interoffice Channel Mileage - Additional rate per mile - 9-25		 	OLFDO	ILINUZ	0.00	0.00	0.00			 			 	 	
	miles			UEPDC	1LNOB	0.45	0.00	0.00								
	Interoffice Channel Mileage - Fixed rate 25+ miles (Facilities		 			0.40	0.00	0.00			 				I	
	Termination)			UEPDC	1LNO3	0.00	0.00	0.00							I	
	i '								1					1		
	Interoffice Channel Mileage - Additional rate per mile - 25+ miles		<u> </u>	UEPDC	1LNOC	0.45	0.00	0.00	<u> </u>							<u></u>
	Local Number Portability, per DS0 Activated			UEPDC	LNPCP	3.15	0.00	0.00		· · · · · · · · · · · · · · · · · · ·						
	Central Office Termininating Point			UEPDC	CTG	0.00		•		· · · · ·						
	E DS1 LOOP WITH CHANNELIZATION WITH PORT															
	m is 1 DS1 Loop, 1 D4 Channel Bank, and up to 24 Feature Acti										1					
	System can have up to 24 combinations of rates depending on NE-P DS1 combination rates below for 4-Wire DS1 Loop with C					lu to the emi	ddad bass ic c	lane on -f 40'	2/02	After 414104	haaa	shall revert	to toriff	0.0000000000000000000000000000000000000		
	NE-P DS1 combination rates below for 4-Wire DS1 Loop With C ests for 4-Wire DS1 Loop with Channelization with Port after th											onan revert	to tarrif rates	or a separate	agreement.	!
	St Loop	e enect	ive ual	e or anne annenialme	iit siiaii be pro	videu puisuali	it to a separate	agreement of	tariii at beil30t	unis discretif	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,			 	 	
ONE D	4-Wire DS1 Loop - UNE Zone 1	-	1	UEPMG	USLDC	86.47	0.00	0.00	 		-			 	 	
1	4-Wire DS1 Loop - UNE Zone 2		2	UEPMG	USLDC	114.10	0.00	0.00			<u> </u>				†	†
	4-Wire DS1 Loop - UNE Zone 3		3	UEPMG	USLDC	297.76	0.00	0.00	1					İ	1	
UNE D	SO Channelization Capacities (D4 Channel Bank Configuration	ns)		ĺ										İ	1	İ
	24 DSO Channel Capacity - 1 per DS1	Ė		UEPMG	VUM24	111.16	0.00	0.00						<u> </u>		
	48 DSO Channel Capacity - 1 per 2 DS1s			UEPMG	VUM48	222.32	0.00	0.00								
	96 DSO Channel Capacity -1per 4 DS1s			UEPMG	VUM96	444.64	0.00	0.00								
	144 DS0 Channel Capacity - 1 per 6 DS1s			UEPMG	VUM14	666.96	0.00	0.00								
	192 DS0 Channel Capacity -1 per 8 DS1s			UEPMG	VUM19	889.28	0.00	0.00	1 -							

INBUNDLI	ED NETWORK ELEMENTS - Kentucky													ment: 2		ibit: A
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			1	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic-	Charge - Manual Sv Order vs. Electronic
													1st	Add'l	Disc 1st	Disc Add'
						Rec	Nonre	curring	Nonrecurring	Disconnect			oss	Rates (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	240 DS0 Channel Capacity - 1 per 10 DS1s			UEPMG	VUM2O	1,111.60	0.00	0.00								
	288 DS0 Channel Capacity - 1 per 12 DS1s			UEPMG	VUM28	1,333.92	0.00	0.00								
	384 DS0 Channel Capacity - 1 per 16 DS1s			UEPMG	VUM38	1,778.56	0.00	0.00								
	480 DS0 Channel Capacity - 1 per 20 DS1s			UEPMG	VUM4O	2,223.20	0.00	0.00								
	576 DS0 Channel Capacity -1 per 24 DS1s			UEPMG	VUM57	2,667.84	0.00	0.00								
Non F	672 DS0 Channel Capacity - 1 per 28 DS1s Recurring Charges (NRC) Associated with 4-Wire DS1 Loop with	. Chann	-1:-4:-	UEPMG	VUM67	3,112.48	0.00	0.00								
	nimum System configuration is One (1) DS1, One (1) D4 Channe						stem				-					
	ples of this configuration functioning as one are considered Ac										-					
with	NRC - Conversion (Currently Combined) with or without	iu i aite	l tile ili	Illiniani system con	I	Counted.					1					ł
1	BellSouth Allowed Changes		1	UEPMG	USAC4	0.00	94.30	4.24								
Syste	em Additions at End User Locations Where 4-Wire DS1 Loop wit	th Chan	nelizat					7.24								
	(Not Currently Combined) in all states, except in Density Zone 1					,			1							1
1	1 DS1/D4 Channel Bank - Additionally Add NRC for each Port		l		1		l	l						1	1	İ
	and Assoc Fea Activation (E:4/1/2004)			UEPMG	VUMD4	0.00	718.89	469.86	149.83	17.77						
Bipol	ar 8 Zero Substitution															
	Clear Channel Capability Format, superframe - Subsequent Activity Only			UEPMG	CCOSF	0.00	0.00i	730.00s								
	Clear Channel Capability Format - Extended Superframe - Subsequent Activity Only			UEPMG	CCOEF			730.00s								
Altern	nate Mark Inversion (AMI)		-	OLI WO	CCCLI	0.00	0.001	730.003			†					
Alteri	Superframe Format			UEPMG	MCOSF	0.00	0.00	0.00			1					1
	Extended Superframe Format			UEPMG	MCOPO	0.00	0.00	0.00								İ
Excha	ange Ports Associated with 4-Wire DS1 Loop with Channelization	on with	Port													İ
Excha	ange Ports															
	Line Side Combination Channelized PBX Trunk Port - Business (E:4/1/2004)			UEPPX	UEPCX	1.15	0.00	0.00	0.00	0.00						
	Line Side Outward Channelized PBX Trunk Port - Business (E:4/1/2004)			UEPPX	UEPOX	1.15	0.00	0.00	0.00	0.00						
	Line Side Inward Only Channelized PBX Trunk Port without DID (E:4/1/2004)			UEPPX	UEP1X	1.15	0.00	0.00	0.00	0.00						
	2-Wire Trunk Side Unbundled Channelized DID Trunk Port															
	(E:4/1/2004) Unbundled Exchange Ports, 2-Wire Channelized – Outdial –			UEPPX	UEPDM	8.65	0.00	0.00	0.00	0.00						
	(AL, KY, LA, MS, & TN)(Conversion from Network Access Service) (E:4/1/2004)			UEPPX	UEPCY	1.15	0.00	0.00	0.00	0.00						
	Unbundled Exchange Ports, 2-Wire Channelized – Combination (AL, KY, LA, MS, & TN) (Conversion from Network Access															
	Service) (E:4/1/2004)			UEPPX	UEPCT	1.15	0.00	0.00	0.00	0.00						ļ
	Unbundled Exchange Ports, 2-Wire Channelized – Outdial – Kentucky Only – Calling Plan (E:4/1/2004)			UEPPX	UEPCV	1.15	0.00	0.00	0.00	0.00						
	Unbundled Exchange Ports, 2-Wire Channelized – Two Way - Kentucky Only – Calling Plan (E:4/1/2004)			UEPPX	UEPCW	1.15	0.00	0.00	0.00	0.00						
Featu	re Activations - Unbundled Loop Concentration		Ì		i i		1							l	l	1
	Feature (Service) Activation for each Line Port Terminated in D4				1											
	Bank Feature (Service) Activation for each Trunk Port Terminated in			UEPPX	1PQWM	0.62	25.40	13.41	4.17	4.15	-					
	D4 Bank		1	UEPPX	1PQWU	0.62	78.15	19.68	59.05	11.54						
Telep	hone Number/ Group Establishment Charges for DID Service													İ	İ	
	DID Trunk Termination (1 per Port)			UEPPX	NDT	0.00	0.00	0.00								
	DID Numbers - groups of 20 - Valid all States			UEPPX	ND4	0.00	0.00	0.00								
	Non-Consecutive DID Numbers - per number			UEPPX	ND5	0.00	0.00	0.00								
	Reserve Non-Consecutive DID Numbers			UEPPX	ND6	0.00	0.00	0.00								
	Reserve DID Numbers			UEPPX	NDV	0.00	0.00	0.00								ļ
Local	Number Portability		<u> </u>	LIEBBY	LUBGE				ļ							ļ
	Local Number Portability - 1 per port			UEPPX	LNPCP	3.15	0.00	0.00						 	 	ļ
	URES - Vertical and Optional	1	ı	I	1	l	l]					ļ
	Switching Features Offered with Line Side Ports Only			1			l									

LIMD	IINDI E	D NETWORK ELEMENTS - Kentucky												A44b		Fulcil	L:4. A
UND	UNDLE	D NETWORK ELEMENTS - Remucky		1			1					Sua Ordar	Cvo Ordor	Incremental	ment: 2 Incremental	Exhil Incremental	Incremental
												Submitted	Submitted		Charge -	Charge -	Charge -
CATE	GORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			Elec	,	Manual Svc	Manual Svc	Manual Svc	Manual Svc
OAIL		NATE ELEMENTO	m	20110	200	0000			τιλτί ΕΘ (ψ)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							_	Nonre	curring	Nonrecurring	Disconnect			oss	Rates (\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
UNBL	JNDLED	CENTREX PORT/LOOP COMBINATIONS - COST BASED RATES	3														
	1. Cos	t Based Rates are applied where BellSouth is required by FCC	and/or	State 0	commission rule to	provide Unb	undled Local S	witching or Sv	vitch Ports.								
	2. Feat	ures shall apply to the Unbundled Port/Loop Combination - C	ost Bas	ed Rat	e section in the sam	e manner as	they are applie	ed to the Stand	I-Alone Unbun	dled Port secti	on of this Rate	Exhibit.					
		Office and Tandem Switching Usage and Common Transport															
		first and additional Port nonrecurring charges apply to Not Cu	ırrently	Comb	ned Combos. For (Currently Co	mbined Combo	s, the nonrect	urring charges	shall be those	identified in t	he Nonrecu	rring - Curre	ently Combine	ed sections.	Additional NR	Cs may
		also and are categorized accordingly.															
		ket Rates for Unbundled Centrex Port/Loop Combination will		otiated	on an Individual Ca	se Basis, un	til further notic	e.									
		CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only)														
		VG Loop/2-Wire Voice Grade Port (Centrex) Combo															
	UNE P	ort/Loop Combination Rates (Non-Design)															
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo		١.													ı l
-	-	Non-Design		1	UEP91		10.79										
1		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		2	UEP91	1	15.52			I			1				, l
-		Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		2	UEP91		15.52			-		-					
		Non-Design		3	UEP91		31.74										ı l
	LINE D	ort/Loop Combination Rates (Design)		3	OLF91	-	31.74			-							
-	UNL	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -					1			 							
		Design		1	UEP91		13.82										ı l
	+	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		<u> </u>	OLI 31		13.02										
		Design		2	UEP91		18.60										ı l
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
		Design		3	UEP91		34.37										ı l
	UNE L	oop Rate															
		2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP91	UECS1	9.64										
		2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEP91	UECS1	14.37										
		2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP91	UECS1	30.59										
		2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP91	UECS2	12.67										
		2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP91	UECS2	17.45										
		2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP91	UECS2	33.22										
	UNE P																
<u> </u>	All Sta	tes (Except North Carolina and Sout Carolina)			LIEBO			04.00	1= 10								
-	-	2-Wire Voice Grade Port (Centrex) Basic Local Area		-	UEP91	UEPYA	1.15	21.29	15.49	2.85	2.67						
		2-Wire Voice Grade Port (Centrex 800 termination)Basic Local			UEP91	UEPYB	4.45	21.29	15.49	2.85	2.67						ı l
	_	2-Wire Voice Grade Port (Centrex with Caller ID)Note1 Basic			UEF91	UEFTB	1.15	21.29	15.49	2.00	2.07						
		Local Area			UEP91	UEPYH	1.15	21.29	15.49	2.85	2.67						ı l
-		2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)			OLF91	OLFIII	1.13	21.29	13.49	2.00	2.07						
		Note 2, 3 Basic Local Area			UEP91	UEPYM	1.15	21.29	15.49	2.85	2.67						ı l
	+	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service			0.	J = 1 1 1 1	1.13	21.23	10.40	2.00	2.57				1		$\overline{}$
1		Term - Basic Local Area			UEP91	UEPYZ	1.15	21.29	15.49	2.85	2.67		1				, l
		2-Wire Voice Grade Port terminated in on Megalink or equivalent															
1		- Basic Local Area			UEP91	UEPY9	1.15	21.29	15.49	2.85	2.67		1				, l
		2-Wire Voice Grade Port Terminated on 800 Service Term -															
		Basic Local Area		<u> </u>	UEP91	UEPY2	1.15	21.29	15.49	2.85	2.67			<u> </u>			<u>. </u>
	AL, K۱	, LA, MS, & TN Only															
		2-Wire Voice Grade Port (Centrex)			UEP91	UEPQA	1.15	21.29	15.49	2.85	2.67						i
		2-Wire Voice Grade Port (Centrex 800 termination)			UEP91	UEPQB	1.15	21.29	15.49	2.85	2.67						
		2-Wire Voice Grade Port (Centrex with Caller ID)1			UEP91	UEPQH	1.15	21.29	15.49	2.85	2.67				ļ		
		2-Wire Voice Grade Port (Centrex from diff Serving Wire															ı l
		Center)2,3			UEP91	UEPQM	1.15	21.29	15.49	2.85	2.67						
1		2-Wire Voice Grade Port, Diff Serving Wire Center - 2,3 - 800		1			l					1	1				, l
<u> </u>	+	Service Term		-	UEP91	UEPQZ	1.15	21.29	15.49	2.85	2.67		ļ	 	 		
1		2 Wire Voice Crade Port terminated in an Manalist and in the			UEP91	UEPQ9		04.00	45.40	0.05	0.07		1				, l
<u> </u>	+	2-Wire Voice Grade Port terminated in on Megalink or equivalent 2-Wire Voice Grade Port Terminated on 800 Service Term		-	UEP91 UEP91	UEPQ9 UEPQ2	1.15 1.15	21.29 21.29	15.49 15.49	2.85 2.85	2.67 2.67			-	 		\vdash
-	Local	Switching		-	OLF31	UEFQZ	1.15	21.29	15.49	2.85	2.07			-			
—	LUCAI	Centrex Intercom Funtionality, per port		!	UEP91	URECS	0.8873		 	t	 			l	 		$\overline{}$
—	l ocal	Number Portability			OL1 31	JINLOO	0.0073			t			-		 		
	Local	tumbor i ortability		1		1	1		l .	1	ı	1	l	ı	ı		

UNBUNDLE	D NETWORK ELEMENTS - Kentucky												Attachr	ment: 2	Exhi	ibit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge -	
							Nonrec	urring	Nonrecurring	Disconnect	1			Rates (\$)		
					1	Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Local Number Portability (1 per port)			UEP91	LNPCC	0.35										
Featur													 '			
	All Standard Features Offered, per port			UEP91	UEPVF	0.00	405.00						ļ!			
	All Select Features Offered, per port All Centrex Control Features Offered, per port		<u> </u>	UEP91 UEP91	UEPVS	0.00	405.66				-					
NARS				UEF91	UEFVC	0.00							$\vdash \vdash \vdash$			
ItARO	Unbundled Network Access Register - Combination			UEP91	UARCX	0.00	0.00	0.00	0.00	0.00						
	Unbundled Network Access Register - Indial			UEP91	UAR1X	0.00	0.00	0.00	0.00	0.00						
	Unbundled Network Access Register - Outdial			UEP91	UAROX	0.00	0.00	0.00	0.00	0.00						
	Ilaneous Terminations												Ļ'			
2-Wire	Trunk Side	ļ	_	LIEDOA	OFNIAO	40.51	00.10	45.00	50.10	F 00	1		Ļ—— []]			
Intere	Trunk Side Terminations, each ffice Channel Mileage - 2-Wire		-	UEP91	CENA6	10.51	92.18	15.82	52.16	5.30	 					-
intero	Interoffice Channel Facilities Termination - Voice Grade	-	 	UEP91	M1GBC	29.11					-		\vdash			1
-	Interoffice Channel mileage, per mile or fraction of mile	 	t	UEP91	M1GBC	0.01					-		\vdash			
Featu	re Activations (DS0) Centrex Loops on Channelized DS1 Service	e		- "		5.51										
	annel Bank Feature Activations															
	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP91	1PQWS	0.62										
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP91	1PQW6	0.62										
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop								ĺ							
	Slot			UEP91	1PQW7	0.62							<u> </u>			
	Feature Activation on D-4 Channel Bank Centrex Loop Slot - Different Wire Center			UEP91	1PQWP	0.62										
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP91	1PQWV	0.62										
	Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop															
	Slot			UEP91	1PQWQ	0.62							1 '			
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP91	1PQWA	0.62										
Non-R	Recurring Charges (NRC) Associated with UNE-P Centrex															
	Conversion - Currently Combined Switch-As-Is with allowed			LIEDO4	110400		0.400	0.400					1 '			
	changes, per port Conversion of Existing Centrex Common Block			UEP91 UEP91	USAC2 USACN		0.102 18.95	0.102 8.32								
	New Centrex Standard Common Block			UEP91	M1ACS	0.00	669.80	78.32	111.05	13.27			$\vdash \vdash \vdash$			
	New Centrex Customized Common Block			UEP91	M1ACC	0.00	669.80	78.32	111.05	13.27			\vdash			
	Secondary Block, per Block			UEP91	M2CC1	0.00	78.32	78.32	13.27	13.27						
	NAR Establishment Charge, Per Occasion			UEP91	URECA	0.00	72.75									
Additi	onal Non-Recurring Charges (NRC)															
	Unbundled Miscellaneous Rate Element, Tag Loop at End Use			LIEDOA	LIDET:								1 '			
+-	Premise Unbundled Miscellaneous Rate Element, Tag Design Loop at	 	-	UEP91	URETL		8.33	0.83			1		├ ──			
1	End Use Premise	1		UEP91	URETN		11.21	1.10					1 '			
UNE-F	P CENTREX - 5ESS (Valid in All States)			02.01	SILLIN		11.21	1.10								
	e VG Loop/2-Wire Voice Grade Port (Centrex) Combo	1			1											
	Port/Loop Combination Rates (Non-Design)															
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Non-Design		1	UEP95		10.79										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
$\overline{}$	Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		2	UEP95	+	15.52					 		 			+
$-\!$	Non-Design		3	UEP95		31.74							 '			
UNE P	Port/Loop Combination Rates (Design)	ļ	_		+						1		Ļ—— []]			
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Design		1	UEP95		13.82										
1 -	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		2	UEP95		18.60										
	Design															
+	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design		3	UEP95		34.37										

UNBUNDLE	D NETWORK ELEMENTS - Kentucky			•							1			ment: 2	1	bit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			II .	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increment Charge - Manual Sv Order vs. Electronic Disc Add
						Rec	Nonrec		Nonrecurring					Rates (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Grade Loop (SL 1) - Zone 1			UEP95	UECS1	9.64										
	2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEP95	UECS1	14.37										
	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP95	UECS1	30.59										
	2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP95	UECS2	12.67										İ
	2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP95	UECS2	17.45										
	2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP95	UECS2	33.22										
UNE P	ort Rate															
All Sta	tes															
	2-Wire Voice Grade Port (Centrex) Basic Local Area			UEP95	UEPYA	1.15	21.29	15.49	2.85	2.67						
	2-Wire Voice Grade Port (Centrex 800 termination)			UEP95	UEPYB	1.15	21.29	15.49	2.85	2.67						
	2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local Area			UEP95	UEPYH	1.15	21.29	15.49	2.85	2.67						
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)2,3 Basic Local Area			UEP95	UEPYM	1.15	21.29	15.49	2.85	2.67						
	2-Wire Voice Grade Port, Diff Serving Wire Center 2,3 - 800 Service Term - Basic Local Area			UEP95	UEPYZ	1.15	21.29	15.49	2.85	2.67						
	2-Wire Voice Grade Port terminated in on Megalink or equivalent - Basic Local Area			UEP95	UEPY9	1.15	21.29	15.49	2.85	2.67						
	2-Wire Voice Grade Port Terminated on 800 Service Term -															
	Basic Local Area			UEP95	UEPY2	1.15	21.29	15.49	2.85	2.67						
AL, KY	Y, LA, MS, SC, & TN Only						24.00									
	2-Wire Voice Grade Port (Centrex)			UEP95	UEPQA	1.15	21.29	15.49		2.67						
	2-Wire Voice Grade Port (Centrex 800 termination)			UEP95	UEPQB	1.15	21.29	15.49		2.67						!
	2-Wire Voice Grade Port (Centrex with Caller ID)1			UEP95	UEPQH	1.15	21.29	15.49	2.85	2.67						!
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)2,3			UEP95	UEPQM	1.15	21.29	15.49	2.85	2.67						
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term 2,3			UEP95	UEPQZ	1.15	21.29	15.49	2.85	2.67						
	2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP95	UEPQ9	1.15	21.29	15.49	2.85	2.67						
	2-Wire Voice Grade Port Terminated on 800 Service Term			UEP95	UEPQ2	1.15	21.29	15.49	2.85	2.67						
Local S	Switching															
	Centrex Intercom Funtionality, per port			UEP95	URECS	0.8873										
Local I	Number Portability															
Feature	Local Number Portability (1 per port)			UEP95	LNPCC	0.35										
	All Standard Features Offered, per port	i	İ	UEP95	UEPVF	0.00			İ		İ	İ				
	All Select Features Offered, per port			UEP95	UEPVS	0.00	405.66		1		1					
1	All Centrex Control Features Offered, per port	i	İ	UEP95	UEPVC	0.00			İ		İ	İ				
NARS		Ì			1						Ì	İ				
	Unbundled Network Access Register - Combination			UEP95	UARCX	0.00	0.00	0.00	0.00	0.00						
	Unbundled Network Access Register - Indial			UEP95	UAR1X	0.00	0.00	0.00	0.00	0.00						
	Unbundled Network Access Register - Outdial	Ì		UEP95	UAROX	0.00	0.00	0.00		0.00						
Miscel	laneous Terminations				1 1				1		1					
2-Wire	Trunk Side	İ			1 1											
	Trunk Side Terminations, each			UEP95	CEND6	10.51	92.18	15.82	52.16	5.30	1					
	Digital (1.544 Megabits)	Ì			1						Ì	İ				
	DS1 Circuit Terminations, each			UEP95	M1HD1	74.77	164.86	77.74	60.69	3.86						
	DS0 Channels Activated, each			UEP95	M1HDO	0.00	15.09		1		1					
Interof	fice Channel Mileage - 2-Wire				1 1				1		1					
	Interoffice Channel Facilities Termination			UEP95	M1GBC	29.11			1		1					
	Interoffice Channel mileage, per mile or fraction of mile			UEP95	M1GBM	0.01			1		1					
Feature	e Activations (DS0) Centrex Loops on Channelized DS1 Service	e			1 1				1		1					
	annel Bank Feature Activations				1 1				†						t	
	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP95	1PQWS	0.62			<u> </u>		İ	İ			1	
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP95	1PQW6	0.62										
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot			UEP95	1PQW7	0.62										

ONBONDLE	D NETWORK ELEMENTS - Kentucky		,	1							1-	1-		ment: 2		bit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)				Svc Order Submitted Manually per LSR		Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Charge -	Increment Charge - Manual St Order vs Electronic Disc Add
						Rec	Nonrec		Nonrecurring					Rates (\$)		
						1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Feature Activation on D-4 Channel Bank Centrex Loop Slot -			LIEDOE	400140	0.00										
	Different Wire Center		1	UEP95	1PQWP	0.62									-	
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP95	1PQWV	0.62										
	Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop															
	Slot			UEP95	1PQWQ	0.62										
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP95	1PQWA	0.62										
Non-Re	ecurring Charges (NRC) Associated with UNE-P Centrex															
	NRC Conversion Currently Combined Switch-As-Is with allowed															
	changes, per port			UEP95	USAC2		0.102	0.102								
	Conversion of Existing Centrex Common Block, each			UEP95	USACN		18.95	8.32								
	New Centrex Standard Common Block			UEP95	M1ACS	0.00	669.80	78.32	111.05	13.27						
	New Centrex Customized Common Block		<u> </u>	UEP95	M1ACC	0.00	669.80	78.32	111.05	13.27	1	1	ļ	 	-	
A 1 1741	NAR Establishment Charge, Per Occasion			UEP95	URECA	0.00	72.75									
Additio	onal Non-Recurring Charges (NRC)		 		+						<u> </u>	<u> </u>	-		 	
	Unbundled Miscellaneous Rate Element, Tag Loop at End Use Premise			UEP95	URETL		8.33	0.83								
-	Unbundled Miscellaneous Rate Element, Tag Design Loop at			OLF 93	UNLIL		0.33	0.03								
	End Use Premise			UEP95	URETN		11.21	1.10								
UNE-P	CENTREX - DMS100 (Valid in All States)			02. 00	0112111						1					
	VG Loop/2-Wire Voice Grade Port (Centrex) Combo															
	ort/Loop Combination Rates (Non-Design)		1													
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -										ĺ					
	Non-Design		1	UEP9D		10.79										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
	Non-Design		2	UEP9D		15.52										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
	Non-Design		3	UEP9D		31.74										
UNE P	ort/Loop Combination Rates (Design)															
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -		١.,	LIEDOD		40.00										
	Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		1	UEP9D	+	13.82					-	-				
			2	UEP9D		18.60										
	Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -			UEP9D	+	10.00					-	-				
	Design		3	UEP9D		34.37										
LINE L	poop Rate		3	OLF 9D	+	34.37					 	 	1			
OIAL L	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP9D	UECS1	9.64					1	1			1	
	2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEP9D	UECS1	14.37					1	i e			t	
	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP9D	UECS1	30.59								İ	1	
İ	2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP9D	UECS2	12.67							1			
	2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP9D	UECS2	17.45										
	2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP9D	UECS2	33.22		•								
	ort Rate							-								
ALL S																
	2-Wire Voice Grade Port (Centrex) Basic Local Area		<u> </u>	UEP9D	UEPYA	1.15	21.29	15.49	2.85	2.67	ļ	ļ	ļ	ļ	1	
	2-Wire Voice Grade Port (Centrex 800 termination)Basic Local			LIEBOD	LIEDY'S			.=							I	1
	Area	-	 	UEP9D	UEPYB	1.15	21.29	15.49	2.85	2.67	<u> </u>	 	 	-	1	
	2-Wire Voice Grade Port (Centrex / EBS-PSET)3Basic Local			UEP9D	UEPYC	1.15	24.20	15.49	2.85	2.67					I	1
	Area 2-Wire Voice Grade Port (Centrex / EBS-M5009)3Basic Local	-	 	OFLAD	UEFIC	1.15	21.29	15.49	2.85	2.07	 	 			+	
	Area			UEP9D	UEPYD	1.15	21.29	15.49	2.85	2.67					1	1
	2-Wire Voice Grade Port (Centrex / EBS-M5209))3 Basic Local	†	 	021 00	02.10	1.13	21.23	13.43	2.00	2.07	 	 			I	
	Area			UEP9D	UEPYE	1.15	21.29	15.49	2.85	2.67					I	1
	2-Wire Voice Grade Port (Centrex / EBS-M5112))3 Basic Local		t				220	.5.70	2.50	2.57			1		<u> </u>	
	Area			UEP9D	UEPYF	1.15	21.29	15.49	2.85	2.67					1	1
	2-Wire Voice Grade Port (Centrex / EBS-M5312))3Basic Local															
	Area		<u> </u>	UEP9D	UEPYG	1.15	21.29	15.49	2.85	2.67						
	2-Wire Voice Grade Port (Centrex / EBS-M5008))3 Basic Local													I		1
	Area		<u> </u>	UEP9D	UEPYT	1.15	21.29	15.49	2.85	2.67						<u> </u>

ONBONDLE	D NETWORK ELEMENTS - Kentucky		1	ı							lo o .	06		ment: 2		ibit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)				Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrec		Nonrecurring					Rates (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Grade Port (Centrex / EBS-M5208))3 Basic Local Area			UEP9D	UEPYU	1.15	21.29	15.49	2.85	2.67						
-	2-Wire Voice Grade Port (Centrex / EBS-M5216))3 Basic Local			OLF3D	OLFTO	1.13	21.29	13.49	2.00	2.07						
	Area			UEP9D	UEPYV	1.15	21.29	15.49	2.85	2.67						
	2-Wire Voice Grade Port (Centrex / EBS-M5316))3 Basic Local															
	Area			UEP9D	UEPY3	1.15	21.29	15.49	2.85	2.67						.
	2-Wire Voice Grade Port (Centrex with Caller ID) Basic Local Area			UEP9D	UEPYH	1.15	21.29	15.49	2.85	2.67						
	2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp			OLI OD	021 111	1.10	21.20	10.40	2.00	2.07						
	Indication))4 Basic Local Area			UEP9D	UEPYW	1.15	21.29	15.49	2.85	2.67						
	2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication))4															
	Basic Local Area 2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)			UEP9D	UEPYJ	1.15	21.29	15.49	2.85	2.67					-	-
	2,3-Basic Local Area			UEP9D	UEPYM	1.15	21.29	15.49	2.85	2.67						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2,3,4															
	Basic Local Area			UEP9D	UEPYO	1.15	21.29	15.49	2.85	2.67						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2,3,4			LIEDOD	LIEDVD	4.45	04.00	45.40	0.05	0.07						
	Basic Local Area 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2,3,4			UEP9D	UEPYP	1.15	21.29	15.49	2.85	2.67					-	.
	Basic Local Area			UEP9D	UEPYQ	1.15	21.29	15.49	2.85	2.67						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2,3,4															
	Basic Local Area			UEP9D	UEPYR	1.15	21.29	15.49	2.85	2.67						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2,3,4			LIEBOD	LIEDVO	4.45	04.00	45.40	0.05	0.07						
	Basic Local Area 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2,3,4			UEP9D	UEPYS	1.15	21.29	15.49	2.85	2.67					-	-
	Basic Local Area			UEP9D	UEPY4	1.15	21.29	15.49	2.85	2.67						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3															
	Basic Local Area			UEP9D	UEPY5	1.15	21.29	15.49	2.85	2.67						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2,3,4			LIEDOD	UEPY6	1.15	24.20	45.40	2.05	2.67						
-	Basic Local Area 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2,3,4			UEP9D	UEPY6	1.15	21.29	15.49	2.85	2.67					-	1
	Basic Local Area			UEP9D	UEPY7	1.15	21.29	15.49	2.85	2.67						
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service								1							
	Term 2,3			UEP9D	UEPYZ	1.15	21.29	15.49	2.85	2.67						ļ
	2-Wire Voice Grade Port terminated in on Megalink or equivalent Basic Local Area			UEP9D	UEPY9	1.15	21.29	15.49	2.85	2.67						
-	2-Wire Voice Grade Port Terminated on 800 Service Term Basic			OLF3D	OLF19	1.13	21.29	13.49	2.00	2.07						
	Local Area			UEP9D	UEPY2	1.15	21.29	15.49	2.85	2.67						
AL, KY	, LA, MS, SC, & TN Only															
	2-Wire Voice Grade Port (Centrex)			UEP9D	UEPQA	1.15	21.29	15.49	2.85	2.67						ļ
	2-Wire Voice Grade Port (Centrex 800 termination) 2-Wire Voice Grade Port (Centrex / EBS-PSET)4			UEP9D UEP9D	UEPQB UEPQC	1.15 1.15	21.29 21.29	15.49 15.49	2.85 2.85	2.67 2.67					-	-
+	2-Wire Voice Grade Port (Centrex / EBS-PSL1)4 2-Wire Voice Grade Port (Centrex / EBS-M5009)4			UEP9D	UEPQD	1.15	21.29	15.49	2.85	2.67				1		
	2-Wire Voice Grade Port (Centrex / EBS-M5209)4			UEP9D	UEPQE	1.15	21.29	15.49	2.85	2.67				1		
 	2-Wire Voice Grade Port (Centrex / EBS-M5112)4			UEP9D	UEPQF	1.15	21.29	15.49	2.85	2.67						
	2-Wire Voice Grade Port (Centrex / EBS-M5312)4			UEP9D	UEPQG	1.15	21.29	15.49	2.85	2.67						
	2-Wire Voice Grade Port (Centrex / EBS-M5008)4			UEP9D	UEPQT	1.15	21.29	15.49	2.85	2.67						
	2-Wire Voice Grade Port (Centrex / EBS-M5208)4			UEP9D	UEPQU	1.15	21.29	15.49	2.85	2.67						
	2-Wire Voice Grade Port (Centrex / EBS-M5216)4			UEP9D	UEPQV	1.15	21.29	15.49	2.85	2.67						
	2-Wire Voice Grade Port (Centrex / EBS-M5316)4			UEP9D	UEPQ3	1.15	21.29	15.49	2.85	2.67						
	2-Wire Voice Grade Port (Centrex with Caller ID)		<u> </u>	UEP9D	UEPQH	1.15	21.29	15.49	2.85	2.67					ļ	↓
1	2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp			LIEBOD	LIEBOW		04.00	45.10		0.00					I	
	Indication)4		-	UEP9D	UEPQW	1.15	21.29	15.49	2.85	2.67				-	 	
	2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication)4 2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)		-	UEP9D	UEPQJ	1.15	21.29	15.49	2.85	2.67						
	2,3			UEP9D	UEPQM	1.15	21.29	15.49	2.85	2.67						
									1					ĺ		
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2,3,4			UEP9D	UEPQO	1.15	21.29	15.49	2.85	2.67						

UNBI	JNDLF	D NETWORK ELEMENTS - Kentucky												Attach	ment: 2	Exhil	bit: A
		Tomasiy										Svc Order	Svc Order	Incremental		Incremental	Incremental
												Submitted	Submitted		Charge -	Charge -	Charge -
			Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATE	SORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							Rec	Nonrec		Nonrecurring					Rates (\$)		
	1							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2.3.4			UEP9D	UEPQP	1.15	21.29	15.49	2.85	2.67						
	1	2-vvire voice Grade Port (Centrex/diller SWC /EBS-ivi5009)2,3,4			UEP9D	UEPQP	1.15	21.29	15.49	2.85	2.07	-					
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2,3,4			UEP9D	UEPQQ	1.15	21.29	15.49	2.85	2.67						
-	 	2-ville voice Grade Fort (Gentlewaliter GVVG/EBG-5203/2,5,4			OLI 3D	OLI QQ	1.10	21.23	10.40	2.00	2.07	1					
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2,3,4			UEP9D	UEPQR	1.15	21.29	15.49	2.85	2.67						
		2 1110 1010 0100 1 11 (00110 01 01 01 0 1 0			02. 03	02. Q.X		21120	10.10	2.00	2.01						
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2,3,4			UEP9D	UEPQS	1.15	21.29	15.49	2.85	2.67						
		, , , ,															
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2,3,4			UEP9D	UEPQ4	1.15	21.29	15.49	2.85	2.67						
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2,3,4			UEP9D	UEPQ5	1.15	21.29	15.49	2.85	2.67						
1	1					1											
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2,3,4			UEP9D	UEPQ6	1.15	21.29	15.49	2.85	2.67						
1						1											
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2,3,4			UEP9D	UEPQ7	1.15	21.29	15.49	2.85	2.67						
		2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service							.= .0								
	ļ	Term 2,3			UEP9D	UEPQZ	1.15	21.29	15.49	2.85	2.67						
-	1	2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP9D	UEPQ9	1.15	21.29	15.49	2.85	2.67						
-	Local	2-Wire Voice Grade Port Terminated on 800 Service Term Switching			UEP9D	UEPQ2	1.15	21.29	15.49	2.85	2.67	-					
-	Local	Centrex Intercom Funtionality, per port			UEP9D	URECS	0.8873					-					
-	Local	Number Portability			OLF 9D	UNLUG	0.0073					1					
-	Locari	Local Number Portability (1 per port)			UEP9D	LNPCC	0.35					1					
-	Feature				OLI 3D	LIVI CC	0.55										
	Cutur	All Standard Features Offered, per port			UEP9D	UEPVF	0.00										
	1	All Select Features Offered, per port			UEP9D	UEPVS	0.00	405.66									
		All Centrex Control Features Offered, per port			UEP9D	UEPVC	0.00										
	NARS	·															
		Unbundled Network Access Register - Combination			UEP9D	UARCX	0.00	0.00	0.00	0.00	0.00						
		Unbundled Network Access Register - Inward			UEP9D	UAR1X	0.00	0.00	0.00	0.00	0.00						
		Unbundled Network Access Register - Outdial			UEP9D	UAROX	0.00	0.00	0.00	0.00	0.00						
		aneous Terminations															
	2-Wire	Trunk Side															
<u> </u>	4 15"	Trunk Side Terminations, each			UEP9D	CEND6	10.51	92.18	15.82	52.16	5.30	-					
<u> </u>	4-Wire	Digital (1.544 Megabits)			LIEDOD	MALIDA	7.17-	404.00		20.00	0.00						
—	1	DS1 Circuit Terminations, each DS0 Channels Activiated per Channel			UEP9D UEP9D	M1HD1 M1HDO	74.77 0.00	164.86 15.09	77.74	60.69	3.86	-					
-	Interes	Fice Channel Mileage - 2-Wire	-		OLFSD	INITIDO	0.00	15.09		1	-	-					
-	meror	Interoffice Channel Facilities Termination			UEP9D	M1GBC	29.11			1	 	H					
-	 	Interoffice Channel mileage, per mile or fraction of mile	-		UEP9D	M1GBC	0.01			1		-					
	Feature	e Activations (DS0) Centrex Loops on Channelized DS1 Service	e		02		0.01			1		1					
		nnel Bank Feature Activations				1					İ						
		Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP9D	1PQWS	0.62						1				
	1																
	<u> </u>	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP9D	1PQW6	0.62				<u></u>				L		
		Feature Activation on D-4 Channel Bank FX Trunk Side Loop															
		Slot			UEP9D	1PQW7	0.62										
		Feature Activation on D-4 Channel Bank Centrex Loop Slot -															
		Different Wire Center			UEP9D	1PQWP	0.62										
						1	_										
		Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP9D	1PQWV	0.62										
		Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop			LIEBOD	400000											
<u> </u>	1	Slot			UEP9D	1PQWQ	0.62			1							
-	No- C	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP9D	1PQWA	0.62			1							
-	Non-Re	NRC Conversion Currently Combined Switch-As-Is with allowed	-			+				-				-			
1					UEP9D	USAC2		0.102	0.102				1				
<u> </u>		changes, per port			OLFAD	USAUZ		0.102	0.102	l .	L	1	L		L		

UNBUNDLE	D NETWORK ELEMENTS - Kentucky												Attach	ment: 2	Exhi	ibit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Charge -	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'I
						Rec	Nonrec		Nonrecurring					Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Conversion of existing Centrex Common Block, each			UEP9D	USACN		18.95	8.32								
	New Centrex Standard Common Block			UEP9D	M1ACS	0.00	669.80	78.32	111.05	13.27						
	New Centrex Customized Common Block			UEP9D	M1ACC	0.00	669.80	78.32	111.05	13.27						
	NAR Establishment Charge, Per Occasion			UEP9D	URECA	0.00	72.75									
Additi	onal Non-Recurring Charges (NRC)		-		+				 							+
	Unbundled Miscellaneous Rate Element, Tag Loop at End Use Premise			UEP9D	URETL		8.33	0.83								
	Unbundled Miscellaneous Rate Element, Tag Design Loop at End Use Premise			UEP9D	URETN		11.21	1.10								
	P CENTREX - EWSD (Valid in AL, FL, KY, LA, MS & TN)															
	e VG Loop/2-Wire Voice Grade Port (Centrex) Combo				1 1											
UNE P	Port/Loop Combination Rates (Non-Design)		-		+ +						ļ	 			.	
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Non-Design		1	UEP9E		10.79										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design		2	UEP9E		15.52										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design		3	UEP9E		31.74										
UNE F	Port/Loop Combination Rates (Design)															1
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Design		1	UEP9E		13.82										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design		2	UEP9E		18.60										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design		3	UEP9E		34.37										
UNE I	oop Rate		Ŭ	02. 02	1 1	0			† †		†					+
	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP9E	UECS1	9.64										1
	2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEP9E	UECS1	14.37										1
	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP9E	UECS1	30.59									ĺ	
	2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP9E	UECS2	12.67										
	2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP9E	UECS2	17.45										1
	2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP9E	UECS2	33.22			L							_
	Port Rate															4
AL, FI	, KY, LA, MS, & TN only			LIEBOE	LIEDYA	4.45	04.00	45.40	0.05	0.07	ļ					-
	2-Wire Voice Grade Port (Centrex) Basic Local Area 2-Wire Voice Grade Port (Centrex 800 termination)Basic Local		-	UEP9E	UEPYA	1.15	21.29	15.49	2.85	2.67	.					+
	Area			UEP9E	UEPYB	1.15	21.29	15.49	2.85	2.67						
	2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local Area			UEP9E	UEPYH	1.15	21.29	15.49	2.85	2.67						
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)2,3 Basic Local Area			UEP9E	UEPYM	1.15	21.29	15.49	2.85	2.67						
	2-Wire Voice Grade Port, Diff Serving Wire Center 2,3 - 800 Service Term - Basic Local Area			UEP9E	UEPYZ	1.15	21.29	15.49	2.85	2.67						
	2-Wire Voice Grade Port terminated in on Megalink or equivalent - Basic Local Area			UEP9E	UEPY9	1.15	21.29	15.49	2.85	2.67						
	2-Wire Voice Grade Port Terminated on 800 Service Term - Basic Local Area			UEP9E	UEPY2	1.15	21.29	15.49	2.85	2.67						
AL. K	Y, LA, MS, & TN Only				12	0	220	.0.40	2.00	2.07					İ	<u> </u>
	2-Wire Voice Grade Port (Centrex)			UEP9E	UEPQA	1.15	21.29	15.49	2.85	2.67					İ	1
	2-Wire Voice Grade Port (Centrex 800 termination)			UEP9E	UEPQB	1.15	21.29	15.49	2.85	2.67						
	2-Wire Voice Grade Port (Centrex with Caller ID)1			UEP9E	UEPQH	1.15	21.29	15.49	2.85	2.67						
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)2,3			UEP9E	UEPQM	1.15	21.29	15.49	2.85	2.67						
	2-Wire Voice Grade Port, Diff Serving Wire Center 2,3 - 800															
	Service Term			UEP9E	UEPQZ	1.15	21.29	15.49	2.85	2.67	-					
ı	2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP9E	UEPQ9	1.15	21.29	15.49	2.85	2.67						<u> </u>
	2-Wire Voice Grade Port Terminated on 800 Service Term			UEP9E	UEPQ2	1.15	21.29	15.49	2.85	2.67						

ONRONDLE	ED NETWORK ELEMENTS - Kentucky			T.	· · · · · ·						_	-	Attach			bit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Charge -	Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'l
						Rec	Nonrec		Nonrecurring					Rates (\$)		
		ļ					First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Centrex Intercom Funtionality, per port	ļ		UEP9E	URECS	0.8873										
Local	Number Portability Local Number Portability (1 per port)	ļ		UEP9E	LNPCC	0.35									1	
Featur		1	1	UEP9E	LINPCC	0.35										
reatur	All Standard Features Offered, per port	<u> </u>		UEP9E	UEPVF	0.00					-				-	
	All Select Features Offered, per port			UEP9E	UEPVS	0.00	405.66								-	
	All Centrex Control Features Offered, per port			UEP9E	UEPVC	0.00	400.00				1					
NARS		1		02. 02	02. 10	0.00			i i						t	
	Unbundled Network Access Register - Combination	1		UEP9E	UARCX	0.00	0.00	0.00	0.00	0.00					t	
	Unbundled Network Access Register - Indial			UEP9E	UAR1X	0.00	0.00	0.00	0.00	0.00						
	Unbundled Network Access Register - Outdial			UEP9E	UAROX	0.00	0.00	0.00	0.00	0.00						
	Ilaneous Terminations							•								
2-Wire	Trunk Side									·						
	Trunk Side Terminations, each			UEP9E	CEND6	10.51	92.18	15.82	52.16	5.30						
4-Wire	Digital (1.544 Megabits)	ļ	<u> </u>	LIEBAE	1,441,15										ļ	
	DS1 Circuit Terminations, each	ļ	<u> </u>	UEP9E	M1HD1	74.77	164.86	77.74	60.69	3.86					-	ļ
	DS0 Channel Activated Per Channel			UEP9E	M1HDO	0.00	15.09									
Intero	ffice Channel Mileage - 2-Wire	ļ		LIEDOE	MACRO	20.44										
	Interoffice Channel Facilities Termination	ļ		UEP9E UEP9E	M1GBC M1GBM	29.11 0.01									1	
Footus	Interoffice Channel mileage, per mile or fraction of mile re Activations (DS0) Centrex Loops on Channelized DS1 Service			UEP9E	MIGBM	0.01					-					
	annel Bank Feature Activations	I	1		+						1				1	
D4 CII	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP9E	1PQWS	0.62									-	
	1 catalo / lotivation on B 4 chairner Barit Control Ecop clot	1	1	OLI OL	II QWO	0.02					†					
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP9E	1PQW6	0.62										
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop				1. 4											
	Slot			UEP9E	1PQW7	0.62										
	Feature Activation on D-4 Channel Bank Centrex Loop Slot -															
	Different Wire Center			UEP9E	1PQWP	0.62										
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP9E	1PQWV	0.62										
	Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop															
	Slot			UEP9E	1PQWQ	0.62										
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP9E	1PQWA	0.62										
Non-R	Recurring Charges (NRC) Associated with UNE-P Centrex															
	NRC Conversion Currently Combined Switch-As-Is with allowed			UEP9E	USAC2		0.400	0.400								
	changes, per port Conversion of Existing Centrex Common Block, each			UEP9E UEP9E	USACZ		0.102 18.95	0.102 8.32			-					
+	New Centrex Standard Common Block	 	 	UEP9E	M1ACS	0.00	669.80	78.32	111.05	13.27					 	
+	New Centrex Standard Common Block	†	†	UEP9E	M1ACC	0.00	669.80	78.32	111.05	13.27					 	+
	NAR Establishment Charge, Per Occasion	1	 	UEP9E	URECA	0.00	72.75	70.32	111.03	10.27	 				I	1
Additi	onal Non-Recurring Charges (NRC)	t	t		5.125/1	0.00	72.73				1				1	1
1	Unbundled Miscellaneous Rate Element, Tag Loop at End Use	1	i –		1										1	
	Premise	1		UEP9E	URETL		8.33	0.83							I	
İ	Unbundled Miscellaneous Rate Element, Tag Design Loop at	ĺ														Ì
	End Use Premise	<u></u>	<u></u>	UEP9E	URETN		11.21	1.10								
	P CENTREX - DCO - Valid in AL, KY, LA, MS, & TN)															
	e VG Loop/2-Wire Voice Grade Port (Centrex) Combo				1											ļ
UNE P	Port/Loop Combination Rates (Non-Design)	ļ	<u> </u>		 				ļ						1	
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo	1	Ι.												I	
	Non-Design	<u> </u>	1	UEP93	+	10.79									 	1
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -	1	_	LIEDOS		45 50									I	
	Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -	 	2	UEP93	+	15.52			 		-				 	+
	Non-Design	1	3	UEP93		31.74									I	
LINE D	Port/Loop Combination Rates (Design)	1	3	OFLAS	+	31.74									 	1
ONE P	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -	 	†		+ -				 						 	+
I																

UNBUNDLE	D NETWORK ELEMENTS - Kentucky										T -	Γ-		ment: 2	Exhil	
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			1	Submitted	Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add
						Rec	Nonrec	urring	Nonrecurring	Disconnect				Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
	Design		2	UEP93		18.60										
'	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
	Design		3	UEP93		34.37										
	pop Rate		<u> </u>													
	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP93	UECS1	9.64										
	2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEP93	UECS1	14.37										
	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP93	UECS1	30.59										
	2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP93	UECS2	12.67										
	2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP93	UECS2	17.45										
	2-Wire Voice Grade Loop (SL 2) - Zone 3	ļ	3	UEP93	UECS2	33.22					ļ		ļ	ļ		
	ort Rate	ļ	1								ļ		ļ	ļ		
	, LA, MS, & TN only															
	2-Wire Voice Grade Port (Centrex) Basic Local Area			UEP93	UEPYA	1.15	21.29	15.49	2.85	2.67						
	2-Wire Voice Grade Port (Centrex 800 termination)Basic Local															
	Area			UEP93	UEPYB	1.15	21.29	15.49	2.85	2.67	ļ					
	2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local															
	Area			UEP93	UEPYH	1.15	21.29	15.49	2.85	2.67						
	2-Wire Voice Grade Port (Centrex from diff Serving Wire															
	Center)2,3 Basic Local Area			UEP93	UEPYM	1.15	21.29	15.49	2.85	2.67						
	2-Wire Voice Grade Port, Diff Serving Wire Center - 2,3 - 800															
	Service Term - Basic Local Area			UEP93	UEPYZ	1.15	21.29	15.49	2.85	2.67						
	2-Wire Voice Grade Port terminated in on Megalink or equivalent															
'	- Basic Local Area			UEP93	UEPY9	1.15	21.29	15.49	2.85	2.67						
	2-Wire Voice Grade Port Terminated on 800 Service Term -															
'	Basic Local Area			UEP93	UEPY2	1.15	21.29	15.49	2.85	2.67						
	2-Wire Voice Grade Port (Centrex)			UEP93	UEPQA	1.15	21.29	15.49	2.85	2.67						
	2-Wire Voice Grade Port (Centrex 800 termination)			UEP93	UEPQB	1.15	21.29	15.49		2.67						
	2-Wire Voice Grade Port (Centrex with Caller ID)1		1	UEP93	UEPQH	1.15	21.29	15.49	2.85	2.67						
	2-Wire Voice Grade Port (Centrex from diff Serving Wire		1													
	Center)2,3			UEP93	UEPQM	1.15	21.29	15.49	2.85	2.67						
	2-Wire Voice Grade Port, Diff Serving Wire Center - 2,3 -800			02. 00	02. Q.II.	0	21.20	10.10	2.00	2.01						
	Service Term			UEP93	UEPQZ	1.15	21.29	15.49	2.85	2.67						
-+	CONTROL TOTAL			OLI SO	OLI QL	1.10	21.20	10.40	2.00	2.07						
'	2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP93	UEPQ9	1.15	21.29	15.49	2.85	2.67						
	2-Wire Voice Grade Port Terminated in 60 Megalink of equivalent			UEP93	UEPQ2	1.15	21.29	15.49		2.67						
	Switching			OLI 33	OLI QZ	1.10	21.23	10.40	2.00	2.07						
Local C	Centrex Intercom Funtionality, per port		1	UEP93	URECS	0.8873										
I leno I	Number Portability	 	 	021 00	011200	3.0073			1		†		 	 		
	Local Number Portability (1 per port)	 	1	UEP93	LNPCC	0.35					 					
Feature		 	 	OE1 30	LIVIOU	0.55			1		†		 	 		
	All Standard Features Offered, per port	 	 	UEP93	UEPVF	0.00			1		†		 	 		
	All Centrex Control Features Offered, per port	 	 	UEP93	UEPVC	0.00			1		†		 	 		
NARS	I Some Some Some Some Some Some Some Some	 	1	OL1 30	OL: VO	0.00			1		1	-	1	1		
INANO	Unbundled Network Access Register - Combination	 	1	UEP93	UARCX	0.00	0.00	0.00	0.00	0.00	1	-	1	1		
	Unbundled Network Access Register - Combination Unbundled Network Access Register - Indial	 	1	UEP93	UARCX UAR1X	0.00	0.00	0.00		0.00		-	1	1		
	Unbundled Network Access Register - Indiai Unbundled Network Access Register - Outdial	 	1	UEP93	UAROX	0.00	0.00	0.00		0.00		-	1	1		
Miscol	Ianeous Terminations	 	1	OLF 30	UANUA	0.00	0.00	0.00	0.00	0.00	1	-	1	1		
	Trunk Side	 	+		+ +						+	-		-		l
	Trunk Side Trunk Side Terminations, each	 	+	UEP93	CEND6	10.51	92.18	15.82	52.16	5.30	 		-	-		-
	Digital (1.544 Megabits)	 	+	OFLAS	CEINDO	10.51	92.18	15.82	52.16	5.30	 		-	-		-
		 	+	UEP93	M1HD1	74.77	164.86	77.74	60.69	3.86	 		-	-		-
4-Wire	IDS1 Circuit Terminations, each		1			0.00	15.09	11.14	60.09	3.86	 		-	-		-
4-Wire	DS1 Circuit Terminations, each	 	1	I IEDO2			15.09		1	1	1	1	1	1		l
4-Wire	DS0 Channels Activated, Per Channel			UEP93	M1HDO	0.00										
4-Wire	DS0 Channels Activated, Per Channel fice Channel Mileage - 2-Wire															
4-Wire	DS0 Channels Activated, Per Channel fice Channel Mileage - 2-Wire Interoffice Channel Facilities Termination			UEP93	M1GBC	29.11										
4-Wire	DS0 Channels Activated, Per Channel fice Channel Mileage - 2-Wire Interoffice Channel Facilities Termination Interoffice Channel mileage, per mile or fraction of mile															
4-Wire	DS0 Channels Activated, Per Channel fice Channel Mileage - 2-Wire Interoffice Channel Facilities Termination	ce		UEP93	M1GBC	29.11										

UNBUNDLE	D NETWORK ELEMENTS - Kentucky												Attach	ment: 2	Exhi	bit: A
I											Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
ı					1							Submitted		Charge -	Charge -	Charge -
1		And and									Elec				Manual Svc	
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	,	Order vs.	Order vs.	Order vs.	Order vs.
1		m						***			per Lor	per Lor	Electronic-	Electronic-	Electronic-	Electronic-
1													1st	Add'l	Disc 1st	Disc Add'l
1															DISCISE	DISC Add I
						Rec	Nonrec		Nonrecurring					Rates (\$)		
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Feature Activation on D-4 Channel Bank FX Line Side Loop Slot			UEP93	1PQW6	0.62										
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop															
	Slot			UEP93	1PQW7	0.62										
	Feature Activation on D-4 Channel Bank Centrex Loop Slot -															
	Different Wire Center			UEP93	1PQWP	0.62										
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP93	1PQWV	0.62										
	Feature Activation on D-4 Channel Bank Tie Line/Trunk Loop															
	Slot			UEP93	1PQWQ	0.62										
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP93	1PQWA	0.62										
Non-R	ecurring Charges (NRC) Associated with UNE-P Centrex															
	NRC Conversion Currently Combined Switch-As-Is with allowed															
	changes, per port			UEP93	USAC2		0.102	0.102								
	Conversion of Existing Centrex Common Block, each			UEP93	USACN		18.95	8.32								
	New Centrex Standard Common Block			UEP93	M1ACS	0.00	669.80	78.32	111.05	13.27						
	New Centrex Customized Common Block			UEP93	M1ACC	0.00	669.80	78.32	111.05	13.27						
	NAR Establishment Charge, Per Occasion			UEP93	URECA	0.00	72.75									
Additi	onal Non-Recurring Charges (NRC)															
	Unbundled Miscellaneous Rate Element, Tag Loop at End Use															
	Premise			UEP93	URETL		8.33	0.83								
	Unbundled Miscellaneous Rate Element, Tag Design Loop at															
	End Use Premise			UEP93	URETN		11.21	1.10								
	- Required Port for Centrex Control in 1AESS, 5ESS & EWSD															
	2 - Requres Interoffice Channel Mileage															
	- Installation is combination of Installation charge for SL2 Lo	op and	Port													
	- Requires Specific Customer Premises Equipment															
Note:	Rates displaying an "R" in Interim column are interim and sub	ject to I	rate tru	e-up as set forth in	General Terr	ns and Condition	ons.									

IINDI	INDI E	D NETWORK ELEMENTS - Louisiana												Attach	ment: 2	Evhi	bit: A
OIND	MULE			1	1							Syc Order	Svc Order	Incremental		Incremental	Incremental
												I .	Submitted	Charge -	Charge -	Charge -	Charge -
												Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATE	ORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m									per Lore	per Lore	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
																2.00 .01	2.007.444.
							Rec		curring		g Disconnect				Rates (\$)		
-	<u> </u>			1	-	-		First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	The "Z	I one" shown in the sections for stand-alone loops or loops as	part of	a com	bination refers to Ge	ographically	/ Deaveraged U	NE Zones. To	view Geograp	hically Deaver	aged UNE Zon	e Designation	ons by Cent	ral Office, refe	er to internet	Nebsite:	I.
		vww.interconnection.bellsouth.com/become_a_clec/html/inter				- 9 р ,	,			,	g		,				
OPER/	ATIONAI	L SUPPORT SYSTEMS (OSS) - "REGIONAL RATES"															
		(1) CLEC should contact its contract negotiator if it prefers the															
		ither the state specific Commission ordered rates for the servi	ice orde	ring cl	harges, or CLEC may	elect the re	gional service	ordering charg	e, however, Cl	EC can not ol	otain a mixture	of the two	regardless i	f CLEC has a	interconnecti	on contract e	stablished in
		f the 9 states.															
		(2) Any element that can be ordered electronically will be bill															
		nnot be ordered electronically at present per the LOH, the list			e in this category ref	lects the ch	arge that would	be billed to a	CLEC once el	ectronic orderi	ng capabilities	s come on-li	ne for that	element. Oth	erwise, the ma	anual orderin	g charge,
-	SUNA	N, will be applied to a CLECs bill when it submits an LSR to B OSS - Electronic Service Order Charge, Per Local Service	ensout	n. I	1				ı		1	l		1	1		ı
	1	Request (LSR) - UNE Only				SOMEC		3.50	0.00	3.50	0.00						
	†	OSS - Manual Service Order Charge, Per Local Service Request			1			3.30	0.00	0.30	0.00		l		1		
		(LSR) - UNE Only				SOMAN		15.20	0.00	15.20	0.00						
UNE S		DATE ADVANCEMENT CHARGE															
	NOTE:	The Expedite charge will be maintained commensurate with	BellSou	th's F	CC No.1 Tariff, Section	n 5 as appli	icable.										
					UAL, UEANL, UCL, UEF. UDF. UEQ.												
					UDL, UENTW, UDN,												
					UEA, UHL, ULC,												
					USL, U1T12, U1T48,												
					U1TD1, U1TD3,												
					U1TDX, U1TO3,												
					U1TS1, U1TVX,												
					UC1BC, UC1BL,												
					UC1CC, UC1CL,												
					UC1DC, UC1DL, UC1EC, UC1EL,												
					UC1FC, UC1FL,												
					UC1GC, UC1GL,												
					UC1HC, UC1HL,												
					UDL12, UDL48,												
					UDLO3, UDLSX,												
					UE3, ULD12,												
					ULD48, ULDD1,												
					ULDD3, ULDDX, ULDO3, ULDS1,												
					ULDVX, UNC1X,												
					UNC3X, UNCDX,												
					UNCNX, UNCSX,												
					UNCVX, UNLD1,												
					UNLD3, UXTD1,												
					UXTD3, UXTS1,												
		UNE Expedite Charge per Circuit or Line Assignable USOC, per			U1TUC, U1TUD,												
IINDIII	I IDI ED 1	Day EXCHANGE ACCESS LOOP	-	+	U1TUB, U1TUA	SDASP	 	200.00			 	-	 		1		
OIADOI		E ANALOG VOICE GRADE LOOP	1	 	 	 					 	1	 	 	1		
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1		1	UEANL	UEAL2	12.90	36.54	16.87		<u> </u>			1			
	t	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2			UEANL	UEAL2	23.33	36.54	16.87		1						
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3		3	UEANL	UEAL2	48.43	36.54	16.87								
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1		1	UEANL	UEASL	12.90	36.54	16.87								
	ļ	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2	ļ		UEANL	UEASL	23.33	36.54	16.87			ļ					
<u> </u>	<u> </u>	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3	1	3	UEANL	UEASL	48.43	36.54	16.87				1		ļ		ļ
		Unbundled Miscellaneous Rate Element, Tag Loop at End User Premise			UEANL	URETL		8.33	0.83		1						
-	1	Loop Testing - Basic 1st Half Hour	 	 	UEANL	URET1	+	33.17	33.17		 	1	 	 	1		
	1	Loop Testing - Basic Ist Hall Hour	†		UEANL	URETA		19.28	19.28		†	1	t	1			
	<u> </u>	1 24010 / 144110 / 1441 / 1441		<u> </u>	1		1	.0.20	.0.20								

Version 3Q03: 11/12/2003 Page 156 of 349

ONRONDE	ED NETWORK ELEMENTS - Louisiana			T							I a	la - ·		ment: 2	. 	ibit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Charge -	Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'l
						Rec	Nonrec		Nonrecurring					Rates (\$)		
						1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	CLEC to CLEC Conversion Charge Without Outside Dispatch				LIDEWO		45.75	0.00								
	(UVL-SL1) Unbundled Voice Loop, Non-Design Voice Loop, billing for BST		<u> </u>	UEANL	UREWO		15.75	8.93								1
	providing make-up (Engineering Information - E.I.)			UEANL	UEANM		13.04	13.04								
	Manual Order Coordination for UVL-SL1s (per loop)			UEANL	UEAMC		7.92	7.92								
i i	Order Coordination for Specified Conversion Time for UVL-SL1								İ							
	(per LSR)			UEANL	OCOSL		17.56	17.56								
2-WII	RE Unbundled COPPER LOOP															<u> </u>
	2-Wire Unbundled Copper Loop - Non-Designed Zone 1		1	UEQ	UEQ2X	12.40	35.27	15.60								<u> </u>
	2 Wire Unbundled Copper Loop - Non-Designed - Zone 2		2	UEQ	UEQ2X UEQ2X	14.32 16.87	35.27 35.27	15.60 15.60								-
	2 Wire Unbundled Copper Loop - Non-Designed - Zone 3 Unbundled Miscellaneous Rate Element, Tag Loop at End User		3	UEQ	UEQZX	16.87	35.27	15.00								1
	Premise		1	UEQ	URETL		8.33	0.83								
	Manual Order Coordination 2 Wire Unbundled Copper Loop -		t		5.1272		0.00	0.00			1					
	Non-Designed (per loop)			UEQ	USBMC		7.92	7.92								
	Unbundled Copper Loop, Non-Design Copper Loop, billing for					i										
	BST providing make-up (Engineering Information - E.I.)		<u> </u>	UEQ	UEQMU		13.04	13.04								
	Loop Testing - Basic 1st Half Hour			UEQ	URET1		33.17	33.17								
	Loop Testing - Basic Additional Half Hour			UEQ	URETA		19.28	19.28								ļ
	CLEC to CLEC Conversion Charge Without Outside Dispatch (UCL-ND)			UEQ	UREWO		14.25	7.42								
LINBUNDI EL	D EXCHANGE ACCESS LOOP		1	UEQ	UKEWO		14.25	7.42			1					-
	RE ANALOG VOICE GRADE LOOP		1		+						1					†
	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-										†					
	Zone 1		1	UEPSR UEPSB	UEALS	12.90	36.54	16.87	0.00	0.00						
	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-															
	Zone 1		1	UEPSR UEPSB	UEABS	12.90	36.54	16.87	0.00	0.00						
	2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting-															
	Zone 2		2	UEPSR UEPSB	UEALS	23.33	36.54	16.87	0.00	0.00						ļ
	2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting- Zone 2		2	UEPSR UEPSB	UEABS	23.33	36.54	16.87	0.00	0.00						
	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-			OLF SK OLF SB	ULABS	23.33	30.34	10.07	0.00	0.00	†					
	Zone 3		3	UEPSR UEPSB	UEALS	48.43	36.54	16.87	0.00	0.00						
	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-										İ					
	Zone 3		3	UEPSR UEPSB	UEABS	48.43	36.54	16.87	0.00	0.00						
	EXCHANGE ACCESS LOOP															
2-WII	RE ANALOG VOICE GRADE LOOP															
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or		1	LIEA	LIEALO	44.00	400.40	05.70								
\vdash	Ground Start Signaling - Zone 1 2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or		1	UEA	UEAL2	14.93	102.10	65.72							 	
	Ground Start Signaling - Zone 2		2	UEA	UEAL2	25.35	102.10	65.72								
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or				J L / 1 L L	20.00	102.10	00.72							1	<u> </u>
	Ground Start Signaling - Zone 3		3	UEA	UEAL2	50.46	102.10	65.72								
	Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL		17.56									
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse															
	Battery Signaling - Zone 1		1	UEA	UEAR2	14.93	102.10	65.72								
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse		2		LIEADO	05.05	100.10	05.70								
	Battery Signaling - Zone 2 2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse		2	UEA	UEAR2	25.35	102.10	65.72								
	Battery Signaling - Zone 3		3	UEA	UEAR2	50.46	102.10	65.72								
	Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL	50.70	17.56	00.72			1	†			1	†
	CLEC to CLEC Conversion Charge without outside dispatch		l	UEA	UREWO		87.59	36.30	1		Ì	İ				1
	Loop Tagging - Service Level 2 (SL2)			UEA	URETL		11.20	1.10								
4-WII	RE ANALOG VOICE GRADE LOOP							· · · · ·		· · · · ·						
	4-Wire Analog Voice Grade Loop - Zone 1		1	UEA	UEAL4	30.81	127.40	91.02			ļ					ļ
\vdash	4-Wire Analog Voice Grade Loop - Zone 2		2	UEA	UEAL4	38.32	127.40	91.02							1	
\vdash	4-Wire Analog Voice Grade Loop - Zone 3 Order Coordination for Specified Conversion Time (per LSR)		3	UEA UEA	UEAL4 OCOSL	60.39	127.40	91.02			1	-			1	+
	CLEC to CLEC Conversion Charge without outside dispatch		<u> </u>	UEA	UREWO		17.56 87.59	36.30						-	-	

UNBUNDLE	D NETWORK ELEMENTS - Louisiana											Attach	ment: 2	Exhi	ibit: A
										Svc Order	Svc Order	Incremental	Incremental		
										Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		Interi								Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svo
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)		per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
										1	1.	Electronic-	Electronic-	Electronic-	Electronic-
												1st	Add'l	Disc 1st	Disc Add'l
							Names		Names and Discourse	. —		220	Detec (\$)		
\vdash						Rec	Nonrec First		Nonrecurring Disconnec		SOMAN	SOMAN	Rates (\$) SOMAN	SOMAN	SOMAN
2 WID	E ISDN DIGITAL GRADE LOOP				+		FIISt	Add'l	FIRST Add I	SOWIEC	SUMAN	SOWAN	SOWAN	SOWAN	SUMAN
Z-WIK	2-Wire ISDN Digital Grade Loop - Zone 1		1	UDN	U1L2X	22.09	113.34	76.96	 	-	1	-			-
	2-Wire ISDN Digital Grade Loop - Zone 2			UDN	U1L2X	35.28	113.34	76.96			 	1			-
-	2-Wire ISDN Digital Grade Loop - Zone 2			UDN	U1L2X	65.18	113.34	76.96	 	-	1	-			-
\vdash	Order Coordination For Specified Conversion Time (per LSR)			UDN	OCOSL	00.10	17.56	70.00	†	-					
	CLEC to CLEC Conversion Charge without outside dispatch			UDN	UREWO		91.49	44.09			1				
2-WIR	E ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMP	ATIBLE			OKEWO		01.40	44.00		-	1				†
	2 Wire Unbundled ADSL Loop including manual service inquiry														
	& facility reservation - Zone 1		1	UAL	UAL2X	12.29	117.08	68.36							
	2 Wire Unbundled ADSL Loop including manual service inquiry														
	& facility reservation - Zone 2		2	UAL	UAL2X	14.09	117.08	68.36				I			
	2 Wire Unbundled ADSL Loop including manual service inquiry						- 1								
	& facility reservation - Zone 3		3	UAL	UAL2X	15.75	117.08	68.36				I			
	Order Coordination for Specified Conversion Time (per LSR)			UAL	OCOSL		17.56								
	2 Wire Unbundled ADSL Loop without manual service inquiry &														
	facility reservaton - Zone 1		1	UAL	UAL2W	12.29	92.83	56.02				1			
	2 Wire Unbundled ADSL Loop without manual service inquiry &						İ								
	facility reservaton - Zone 2		2	UAL	UAL2W	14.09	92.83	56.02							
	2 Wire Unbundled ADSL Loop without manual service inquiry &														
	facility reservaton - Zone 3		3	UAL	UAL2W	15.75	92.83	56.02							
	Order Coordination for Specified Conversion Time (per LSR)			UAL	OCOSL		17.56								
	CLEC to CLEC Conversion Charge without outside dispatch			UAL	UREWO		86.07	40.34							
2-WIR	E HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIBLE L	OOP												
	2 Wire Unbundled HDSL Loop including manual service inquiry														
\longrightarrow	& facility reservation - Zone 1		1	UHL	UHL2X	9.79	125.50	76.77							
	2 Wire Unbundled HDSL Loop including manual service inquiry														
\vdash	& facility reservation - Zone 2		2	UHL	UHL2X	11.52	125.50	76.77		_					.
	2 Wire Unbundled HDSL Loop including manual service inquiry														
\vdash	& facility reservation - Zone 3		3	UHL	UHL2X	12.74	125.50	76.77		_					.
	Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		17.56			_					
	2 Wire Unbundled HDSL Loop without manual service inquiry			UHL		0.70	101.01	04.40							
\vdash	and facility reservation - Zone 1 2 Wire Unbundled HDSL Loop without manual service inquiry		1	UHL	UHL2W	9.79	101.24	64.43	+	_	-				
	and facility reservation - Zone 2		2	UHL	UHL2W	11.52	101.24	64.43							
	2 Wire Unbundled HDSL Loop without manual service inquiry			UNL	UHLZVV	11.52	101.24	04.43		-	-				+
	and facility reservation - Zone 3		3	UHL	UHL2W	12.74	101.24	64.43							
-	Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL	12.74	17.56	04.43	 	-	1	-			-
-	CLEC to CLEC Conversion Charge without outside dispatch			UHL	UREWO		86.00	40.34		+	1	 	 	 	
4-WIR	E HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIBLE		J. /L	OI LEVO		00.00	40.34	 	+		 			
7 ****	4 Wire Unbundled HDSL Loop including manual service inquiry				1	1				+	 	I			†
	and facility reservation - Zone 1		1	UHL	UHL4X	16.24	153.26	104.54				I			
	4-Wire Unbundled HDSL Loop including manual service inquiry		Ė			.0.21	.00.20	.0		1	1	1	İ	İ	1
	and facility reservation - Zone 2		2	UHL	UHL4X	16.65	153.26	104.54				I			
	4-Wire Unbundled HDSL Loop including manual service inquiry											1	l	l	
	and facility reservation - Zone 3		3	UHL	UHL4X	17.34	153.26	104.54				I			
	Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		17.56								
	4-Wire Unbundled HDSL Loop without manual service inquiry						İ								
	and facility reservation - Zone 1		1	UHL	UHL4W	16.24	129.00	92.20					<u></u>	<u> </u>	
	4-Wire Unbundled HDSL Loop without manual service inquiry														
	and facility reservation - Zone 2		2	UHL	UHL4W	16.65	129.00	92.20			ļ				ļ
	4-Wire Unbundled HDSL Loop without manual service inquiry												l	I	
	and facility reservation - Zone 3			UHL	UHL4W	17.34	129.00	92.20				L	ļ		ļ
	Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		17.56					L	ļ		ļ
\vdash	CLEC to CLEC Conversion Charge without outside dispatch			UHL	UREWO		86.00	40.34			ļ	1			ļ
4-WIR	E DS1 DIGITAL LOOP				1						ļ				
	4-Wire DS1 Digital Loop - Zone 1		1		USLXX	85.70	245.16	152.98			ļ	ļ			
\vdash	4-Wire DS1 Digital Loop - Zone 2		2		USLXX	194.96	245.16	152.98			<u> </u>				_
\vdash	4-Wire DS1 Digital Loop - Zone 3		3		USLXX	491.94	245.16	152.98			<u> </u>				_
	Order Coordination for Specified Conversion Time (per LSR)			USL	OCOSL		17.56		1		1	1	<u> </u>	l	L

UNBUND	LED NE	TWORK ELEMENTS - Louisiana												ment: 2		bit: A
CATEGORY	4	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)		Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Charge -	Incremental Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic-	Charge -
													1st	Add'I	Disc 1st	Disc Add'
							Rec	Nonrec	urring	Nonrecurring Disconnec	:t		oss	Rates (\$)	l .	
							Rec	First	Add'l	First Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		C to CLEC Conversion Charge without outside dispatch			USL	UREWO		100.93	42.98							ļ
4-W		, 56 OR 64 KBPS DIGITAL GRADE LOOP														
		re Unbundled Digital 19.2 Kbps			UDL	UDL19	30.99	121.86	85.48							ļ
		re Unbundled Digital 19.2 Kbps			UDL	UDL19	36.78	121.86	85.48							ļ
		re Unbundled Digital 19.2 Kbps			UDL	UDL19	38.92	121.86	85.48							ļ
		re Unbundled Digital Loop 56 Kbps - Zone 1			UDL	UDL56	30.99	121.86	85.48							ļ
		re Unbundled Digital Loop 56 Kbps - Zone 2			UDL	UDL56	36.78	121.86	85.48							ļ
		re Unbundled Digital Loop 56 Kbps - Zone 3		3	UDL	UDL56	38.92	121.86	85.48							ļ
		r Coordination for Specified Conversion Time (per LSR)			UDL	OCOSL		17.56								ļ
		re Unbundled Digital Loop 64 Kbps - Zone 1		1	UDL	UDL64	30.99	121.86	85.48							ļ
		re Unbundled Digital Loop 64 Kbps - Zone 2			UDL	UDL64	36.78	121.86	85.48			ļ	.	ļ		ļ
		re Unbundled Digital Loop 64 Kbps - Zone 3		3	UDL	UDL64	38.92	121.86	85.48			ļ	.	ļ		ļ
		er Coordination for Specified Conversion Time (per LSR)			UDL	OCOSL		17.56				ļ	.	ļ		ļ
		C to CLEC Conversion Charge without outside dispatch			UDL	UREWO		101.97	49.67							ļ
2-W		undled COPPER LOOP				1						ļ				ļ
		re Unbundled Copper Loop-Designed including manual														
		ce inquiry & facility reservation - Zone 1		1	UCL	UCLPB	12.29	116.18	67.46							
		re Unbundled Copper Loop-Designed including manual														
		ce inquiry & facility reservation - Zone 2		2	UCL	UCLPB	14.09	116.18	67.46							
		re Unbundled Copper Loop-Designed including manual														
		ce inquiry & facility reservation - Zone 3		3	UCL	UCLPB	15.75	116.18	67.46							
	Orde	r Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		7.92	7.92							
	2-Wir	re Unbundled Copper Loop-Designed without manual														
	servic	ce inquiry and facility reservation - Zone 1		1	UCL	UCLPW	12.29	91.92	55.12							
	2-Wir	re Unbundled Copper Loop-Designed without manual														
	servic	ce inquiry and facility reservation - Zone 2		2	UCL	UCLPW	14.09	91.92	55.12							
	2-Wir	re Unbundled Copper Loop-Designed without manual														
	servic	ce inquiry and facility reservation - Zone 3		3	UCL	UCLPW	15.75	91.92	55.12							
	Orde	r Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		7.92	7.92			ĺ		Î		
	CLEC	C to CLEC Conversion Charge without outside dispatch										ĺ		Î		
	(UCL	Des)			UCL	UREWO		91.92	42.47							
4-W	IRE COP	PER LOOP														
	4-Wir	re Copper Loop-Designed including manual service inquiry														
	and f	facility reservation - Zone 1		1	UCL	UCL4S	22.27	139.69	90.96							
	4-Wir	re Copper Loop-Designed including manual service inquiry										ĺ		Î		
		facility reservation - Zone 2		2	UCL	UCL4S	18.95	139.69	90.96							
	4-Wir	re Copper Loop-Designed including manual service inquiry										ĺ		Î		
	and f	facility reservation - Zone 3		3	UCL	UCL4S	10.99	139.69	90.96							
	Orde	r Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		7.92	7.92			ĺ		Î		
i	4-Wir	re Copper Loop-Designed without manual service inquiry					j	İ								
	and f	facility reservation - Zone 1		1	UCL	UCL4W	22.27	115.43	78.63							
	4-Wir	re Copper Loop-Designed without manual service inquiry														
	and f	facility reservation - Zone 2		2	UCL	UCL4W	18.95	115.43	78.63							
	4-Wir	re Copper Loop-Designed without manual service inquiry										ĺ		Î		
	and f	facility reservation - Zone 3		3	UCL	UCL4W	10.99	115.43	78.63							
	Orde	r Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		7.92	7.92			ĺ		Î		
	CLEC	C to CLEC Conversion Charge without outside dispatch										ĺ		Î		
		-Des)		1	UCL	UREWO		91.92	42.47				I			
OOP MOD	IFICATIO	DN										ĺ		Î		
					UAL, UHL, UCL,		j	İ								
					UEQ, ULS, UEA,											
	Unbu	undled Loop Modification, Removal of Load Coils - 2 Wire			UEANL, UEPSR,											
		ess than or equal to 18k ft, per Unbundled Loop	<u></u>	L	UEPSB	ULM2L		0.00	0.00	<u> </u>		<u></u>	L		<u> </u>	<u> </u>
	Unbu	undled Loop Modification Removal of Load Coils - 4 Wire					İ	İ								
		than or equal to 18K ft, per Unbundled Loop		1	UHL, UCL, UEA	ULM4L		0.00	0.00				I			
					UAL, UHL, UCL,											
					UEQ, ULS, UEA,								1			
	Unbu	undled Loop Modification Removal of Bridged Tap Removal,		1	UEANL, UEPSR,								I			
1		inbundled loop	l	l	UEPSB	ULMBT		12.15	12.15	1		1	1	1	1	1

ONBONDLE	D NETWORK ELEMENTS - Louisiana			1							1-	1-		ment: 2		bit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)				Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
						Rec	Nonrec		Nonrecurring Dis					Rates (\$)		
SUB-LOOPS			ļ		-		First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Dop Distribution															+
000 20	Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set-				† †											
	Up	I		UEANL	USBSA		144.09	144.09								-
	Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up Sub-Loop - Per Building Equipment Room - CLEC Feeder	ı		UEANL	USBSB		10.99	10.99								
	Facility Set-Up	1		UEANL	USBSC		86.16	86.16								
	Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel Set-Up			UEANL	USBSD		27.13	27.13								
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 1	1	1	UEANL	USBN2	7.57	63.89	30.06								
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -		T -		İ											
	Zone 2	ı	2	UEANL	USBN2	12.75	63.89	30.06								<u> </u>
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 3	1	3	UEANL	USBN2	21.45	63.89	30.06								
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		7.92	7.92								
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 1		1	UEANL	USBN4	11.76	76.75	42.92								
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 2		2	UEANL	USBN4	16.84	76.75	42.92								
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 3		3	UEANL	USBN4	19.27	76.75	42.92								
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		7.92	7.92								
	Sub-Loop 2-Wire Intrabuilding Network Cable (INC)	1		UEANL	USBR2	2.91	51.48	17.65								
					i i											
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		7.92	7.92								
	Sub-Loop 4-Wire Intrabuilding Network Cable (INC)			UEANL	USBR4	6.58	57.54	23.71								
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		7.92	7.92								
	Loop Testing - Basic 1st Half Hour			UEANL	URET1		33.17	33.17								†
	Loop Testing - Basic Additional Half Hour			UEANL	URETA		19.28	19.28								
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1	I	1	UEF	UCS2X	6.26	63.89	30.06								
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 2	- 1		UEF	UCS2X	10.07	63.89	30.06								ļ
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	I	3	UEF	UCS2X	12.70	63.89	30.06								
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEF	USBMC		7.92	7.92								
 	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1	-	1	UEF	UCS4X	8.03	76.75	42.92	 							
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 2	l i		UEF	UCS4X	10.71	76.75	42.92								
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	i		UEF	UCS4X	6.08	76.75	42.92								
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEF	USBMC		7.92	7.92								
 	Loop Testing - Basic 1st Half Hour	-	 	UEF	URET1		33.17	33.17								
	Loop Testing - Basic Additional Half Hour	l	i –	UEF	URETA		19.28	19.28			İ	İ				
	dled Network Terminating Wire (UNTW)									_						
	Unbundled Network Terminating Wire (UNTW) per Pair			UENTW	UENPP	0.3454	14.72	14.72								
	rk Interface Device (NID)		<u> </u>		10004											
 	Network Interface Device (NID) - 1-2 lines	 	<u> </u>	UENTW	UND12		42.26	27.83								
 	Network Interface Device (NID) - 1-6 lines Network Interface Device Cross Connect - 2 W	-	 	UENTW UENTW	UND16 UNDC2		62.86 5.73	48.43 5.73					-	-	-	-
 	Network Interface Device Cross Connect - 2 W Network Interface Device Cross Connect - 4W	1	 	UENTW	UNDC2 UNDC4	-	5.73	5.73	 		-	1				1
UNF OTHER P	PROVISIONING ONLY - NO RATE	1	 	OFINIAN	UNDU4		5.13	5.73	 		-	1				1
	NID - Dispatch and Service Order for NID installation		t	UENTW	UNDBX	0.00	0.00									
	UNTW Circuit Id Establishment, Provisioning Only - No Rate			UENTW	UENCE	0.00	0.00									
	Unbundled Contract Name, Provisioning Only - No Rate			UEANL,UEF,UEQ,U ENTW	UNECN	0.00	0.00									
				I	CITLOIN	0.00	0.00									1

UNBUNDLE	ED NETWORK ELEMENTS - Louisiana												Attach	ment: 2	Exhi	ibit: A
											Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
											Elec	Manually	Manual Svc	Manual Svc		Manual Svc
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m						- (1)			per Lor	per LSK	Electronic-	Electronic-	Electronic-	Electronic-
																l l
													1st	Add'l	Disc 1st	Disc Add'l
							Nonrec	urring	Nonrecurring	g Disconnect			oss	Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
				UAL,UCL,UDC,UDL,												
	Unbundled Contact Name, Provisioning Only - no rate			UDN,UEA,UHL,ULC	UNECN	0.00	0.00									
	Unbundled Sub-Loop Feeder-2 Wire Cross Box Jumper - no															
	rate			UEA,UDN,UCL,UDC	USBFQ	0.00	0.00									
	Unbundled Sub-Loop Feeder-4 Wire Cross Box Jumper - no															
	rate			UEA,USL,UCL,UDL	USBFR	0.00	0.00									
	Unbundled DS1 Loop - Superframe Format Option - no rate			USL	CCOSF	0.00	0.00									
	Unbundled DS1 Loop - Expanded Superframe Format option -															
	no rate			USL	CCOEF	0.00	0.00									
HIGH CAPAC	ITY UNBUNDLED LOCAL LOOP			002	0002.	0.00	0.00									
1	High Capacity Unbundled Local Loop - DS3 - Per Mile per															
	month			UE3	1L5ND	10.04									I	
\vdash	High Capacity Unbundled Local Loop - DS3 - Facility		 	0_0	. 20110	10.04				†					+	
	Termination per month		1	UE3	UE3PX	362.34	438.46	256.30								
\vdash	High Capacity Unbundled Local Loop - STS-1 - Per Mile per		-	020	OLGI A	302.34	430.40	250.50		 	1			 	1	
	month			UDLSX	1L5ND	10.04									I	
	High Capacity Unbundled Local Loop - STS-1 - Facility			UDLOX	TESIND	10.04				1						-
	Termination per month			UDLSX	UDLS1	374.56	438.46	256.30								
LOOP MAKE-			-	UDLOX	ODEST	374.30	430.40	230.30			-				-	-
LOOP WAKE-	Loop Makeup - Preordering Without Reservation, per working or		-								-				-	-
1 1	spare facility queried (Manual).			UMK	UMKLW		23.29	23.29								
-	Loop Makeup - Preordering With Reservation, per spare facility		-	UIVIK	UIVIKLVV		23.29	23.29			-					
	queried (Manual).			UMK	UMKLP		24.70	24.70								
			-	UIVIK	UIVIKLP		24.70	24.70								
	Loop MakeupWith or Without Reservation, per working or			UMK	UMKMQ		0.40	0.19								
LINE OLLABOA	spare facility queried (Mechanized) G AND LINE SPLITTING		-	UMK	UMKINQ		0.19	0.19								
	1: The Line Sharing monthly recurring rates for all installation		latad d	Oatabar 00, 200	2 46	iduiant Ostaba	- 04 0004 ahal	l ba billad aa f	allaa.		-					
	1: 10/02/2003 – 10/01/2004: 25% of the rate for an unbundled co					lanight Octobe	1 01, 2004 Silai	i be billed as i	oliows.		-					
	1: 10/02/2004 – 10/01/2004: 25% of the rate for UCLND	pper io	ор пог	I-designed (OCLND	,						-					+
	1: 10/02/2004 – 10/01/2005: 35% of the rate for UCLND		-								-				-	
	1: Above will apply to USOCS: ULSDT and ULSCT		-								-				-	-
**NOTE	E 2: The Line Sharing monthly recurring rates with USOCs ULS	DC one	1111 60	C annline anly to air	ouito inotall	od and incomic	a an ar hafara	Ootobor 1 20	12		-				-	-
I INE	E 2: The Line Sharing monthly recurring rates with 050cs of a	SDC and	IULSC	To applies only to cit	Cuits mstan	eu anu mservic	e on or before	October 1, 20	13		-					+
	TERS-CENTRAL OFFICE BASED		-								-					+
SPLII	Line Sharing Splitter, per System 96 Line Capacity			ULS	ULSDA	187.17	183.33	0.00		1	 			-	+	
	Line Sharing Splitter, per System 96 Line Capacity Line Sharing Splitter, per System 24 Line Capacity		-	ULS	ULSDB	46.79	183.33	0.00			-				-	-
 	Line Sharing Splitter, per System 24 Line Capacity Line Sharing Splitter, Per System, 8 Line Capacity			ULS	ULSDB ULSD8	15.59	183.33	0.00		1	 			1	 	1
 	Line Sharing Splitter, Per System, 8 Line Capacity Line Sharing-DLEC Owned Splitter in CO-CFA activaton-		_	ULU	OLOD0	15.59	103.33	0.00		1	-			-		
	deactivation (per LSOD)			ULS	ULSDG		92.00	0.00							I	
END !	JSER ORDERING-CENTRAL OFFICE BASED LINE SHARING			ULO	OLODG		83.98	0.00		-	<u> </u>			-	 	
END	Line Sharing - per Line Activation (BST Owned splitter) -		 	-	-					-	 				 	
	OBSOLETE see **NOTE 2		1	ULS	ULSDC	0.61	17.97	10.29								
\longrightarrow			_	ULS	ULSDC	0.61	17.97	10.29								
	Line Share Service, TRO per line activation, BST owned splitter -															
	Central Office Located (25% of UCLND) - please see NOTE 1				LUODT	0.40	47.07	40.00								
	(E:10/2/2003)		-	ULS	ULSDT	3.10	17.97	10.29								
	Line Share Service, TRO per line activation, BST owned splitter -															
	Central Office Located (50% of UCLND) - please see NOTE 1				LUODT	0.00	47.07	40.00								
	(E:10/2/2004)			ULS	ULSDT	6.20	17.97	10.29		1	1				1	├
	Line Share Service, TRO per line activation, BST owned splitter -		1	1												
	Central Office Located (75% of UCLND) - please see NOTE 1			L o	0.0-		.=								I	
	(E:10/2/2005)			ULS	ULSDT	9.30	17.97	10.29								
	Line Sharing - per Subsequent Activity per Line		1	l												
	Rearrangement(BST Owned Splitter)			ULS	ULSDS		15.91	7.95								
	Line Sharing - per Subsequent Activity per Line		1	l	l			_								
	Rearrangement(DLEC Owned Splitter)			ULS	ULSCS		15.91	7.95								
	Line Sharing - per Line Activation (DLEC owned Splitter) -		1	l	l									l	1	
	OBSOLETE see **NOTE 2		1	ULS	ULSCC	0.61	47.44	19.31		1	1				1	1

UNBUNDLE	D NETWORK ELEMENTS - Louisiana												Attach	ment: 2	Exhi	bit: A
											1	1	Incremental		Incremental	
											Submitted	Submitted		Charge -	Charge -	Charge -
		Interi	_								Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svo
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
			ļ				Nonrec	urrina	Nonrecurring	Disconnect	-		220	Rates (\$)		
					+	Rec	First	Add'l	First	Add'l	COMEC	SOMAN		SOMAN	SOMAN	SOMAN
	Line Share Service, TRO per line activation, CLEC owned		1		+		FIISL	Add I	FIISL	Add I	SOWIEC	SOWAN	SOWAN	SOWAN	SOWAN	SOWAN
	splitter - Central Office Located (25% of UCLND) - please see															
	NOTE 1 (E:10/2/2003)			ULS	ULSCT	3.10	47.44	19.31								l
	Line Share Service, TRO per line activation, CLEC owned			020	02001	0.10		10.01				1			1	
	splitter - Central Office Located (50% of UCLND) - please see															l
	NOTE 1 (E:10/2/2004)			ULS	ULSCT	6.20	47.44	19.31								l
	Line Share Service, TRO per line activation, CLEC owned															
	splitter - Central Office Located (75% of UCLND) - please see															l
	NOTE 1 (E:10/2/2005)			ULS	ULSCT	9.30	47.44	19.31								
	PLITTING															
END U	SER ORDERING-CENTRAL OFFICE BASED				\bot											
	Line Splitting - per line activation DLEC owned splitter		<u> </u>	UEPSR UEPSB	UREOS	0.61					1				ļ	
	Line Splitting - per line activation BST owned - physical		<u> </u>	UEPSR UEPSB	UREBP	0.61	17.97	10.29			1				ļ	├
	Line Splitting - per line activation BST owned - virtual		<u> </u>	UEPSR UEPSB	UREBV	0.61	17.97	10.29			1				ļ	
MAINT	ENANCE		<u> </u>	-	+		00.00	55.00	<u> </u>		1	-	ļ	 	-	
\vdash	No Trouble Found - per 1/2 hour increments - Basic		 	-	+ +		80.00 120.00	55.00 82.50	-		1		 	 	 	
	No Trouble Found - per 1/2 hour increments - Overtime No Trouble Found - per 1/2 hour increments - Premium		ļ								-					
LINDUNDI ED	DEDICATED TRANSPORT				+		160.00	110.00			+	-				-
	OFFICE CHANNEL - DEDICATED TRANSPORT				+						-	-			-	
INTER	Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade -				+						+	1				
	Per Mile per month			U1TVX	1L5XX	0.013										ĺ
	Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade -			011177	120701	0.010						1			1	
	Facility Termination			U1TVX	U1TV2	22.60	39.36	26.62								ĺ
	Interoffice Channel - Dedicated Transpor t- 2-Wire Voice Grade						-				1					
	Rev Bat Per Mile per month			U1TVX	1L5XX	0.013										
	Interoffice Channel - Dedicated Transport- 2- Wire VG Rev Bat.															
	Facility Termination			U1TVX	U1TR2	22.60	39.36	26.62								l
	Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade															
	Per Mile per month			U1TVX	1L5XX	0.013										
	Interoffice Channel - Dedicated Transport - 4- Wire Voice Grade															
	- Facility Termination			U1TVX	U1TV4	19.81	39.36	26.62								
	Interoffice Channel - Dedicated Transport - 56 kbps - per mile															l
	per month			U1TDX	1L5XX	0.013										
	Interoffice Channel - Dedicated Transport - 56 kbps - Facility															l
	Termination			U1TDX	U1TD5	15.61	39.37	26.62								
	Interoffice Channel - Dedicated Transport - 64 kbps - per mile															l
\vdash	per month			U1TDX	1L5XX	0.013										-
	Interoffice Channel - Dedicated Transport - 64 kbps - Facility			U1TDX	U1TD6	15.61	39.37	26.62]						I	1
\vdash	Termination Interoffice Channel - Dedicated Channel - DS1 - Per Mile per	-	 	UTIDX	פעווט	15.61	39.37	26.62		-	+	-		-	 	
1 1	Interoffice Channel - Dedicated Channel - DS1 - Per Mile per Imonth			U1TD1	1L5XX	0.2652									I	1
 	Interoffice Channel - Dedicated Tranport - DS1 - Facility	-	†	0.101	ILUAA	0.2002			 		+	-	 		t	<u> </u>
1 1	Termination			U1TD1	U1TF1	70.47	86.69	79.44							1	1
	Interoffice Channel - Dedicated Transport - DS3 - Per Mile per	t	 		15	10.71	55.53	70.44			†	 			I	—
1 1	month			U1TD3	1L5XX	6.04									I	1
	Interoffice Channel - Dedicated Transport - DS3 - Facility		t —		1	0.0 +							İ	İ	1	
	Termination per month			U1TD3	U1TF3	850.45	270.69	158.05	[I	1
	Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per		i –										1			
	month	<u></u>	<u> </u>	U1TS1	1L5XX	6.04					1	<u></u>		<u> </u>	<u> </u>	1
	Interoffice Channel - Dedicated Transport - STS-1 - Facility															1
	Termination		<u> </u>	U1TS1	U1TFS	830.19	270.69	158.05								
DARK FIBER																
	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction			Ī	1										_	1
\vdash	Thereof per month - Interoffice Channel		<u> </u>	UDF, UDFCX	1L5DF	25.28							ļ		1	
	NRC Dark Fiber - Interoffice Channel		<u> </u>	UDF, UDFCX	UDF14		620.60	133.88			1				ļ	
	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction			LIDE LIDESY	41.50:										I	1
	Thereof per month - Local Loop		<u> </u>	UDF, UDFCX	1L5DL	52.23	000.00	400.00			1					
	NRC Dark Fiber - Local Loop			UDF, UDFCX	UDFL4		620.60	133.88			1	1		l	l	

UNBUNDLE	ED NETWORK ELEMENTS - Louisiana											Attachi	ment: 2	Exhi	bit: A
												Incremental	Incremental	Incremental	Incremental
											Submitted		Charge -	Charge -	Charge -
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)		Elec		Manual Svc	Manual Svc		Manual Svc
CATEGORT	RATE ELEMENTS	m	20116	603	0300			MILO (\$)		per LSR	per LSR		Order vs.	Order vs.	Order vs.
												Electronic- 1st	Electronic- Add'l	Electronic- Disc 1st	Electronic- Disc Add'l
							NI.		I Manager Bra					וסו טפוע	DISC AUG I
			-		1	Rec	Nonrec First	urring Add'l	Nonrecurring Disconne First Add'l		SOMAN	SOMAN	Rates (\$) SOMAN	SOMAN	SOMAN
8XX ACCESS	TEN DIGIT SCREENING						FIISL	Auu i	THSC Add I	JOINIEC	JOINAIN	SOWAN	SOMAN	SOWAN	JUNIAN
T	8XX Access Ten Digit Screening, Per Call			OHD		0.0006387									
	8XX Access Ten Digit Screening, Reservation Charge Per 8XX Number Reserved			OHD	N8R1X		2.51	0.43							
	8XX Access Ten Digit Screening, Per 8XX No. Established W/O POTS Translations			OHD			5.77	0.78							
	8XX Access Ten Digit Screening, Per 8XX No. Established With			0.15											
	POTS Translations			OHD	N8FTX		5.77	0.78		_	-				
	8XX Access Ten Digit Screening, Customized Area of Service Per 8XX Number			OHD	N8FCX		2.51	1.26							
	8XX Access Ten Digit Screening, Multiple InterLATA CXR Routing Per CXR Requested Per 8XX No.			OHD	N8FMX		2.93	1.68							
	8XX Access Ten Digit Screening, Change Charge Per Request			OHD	N8FAX		2.93	0.43		+	1				
	8XX Access Ten Digit Screening, Call Handling and Destination							5.70			1				
	Features			OHD	N8FDX		2.51								
	8XX Access Ten Digit Screening, w/ 8XX No. Delivery, per query 8XX Access Ten Digit Screening, w/ POTS No. Delivery, per			OHD		0.0006387									
	query			OHD		0.0006387									
LINE INFORM	ATION DATA BASE ACCESS (LIDB)														
\vdash	LIDB Common Transport Per Query LIDB Validation Per Query			OQT OQU	1	0.0000221 0.0135077				_	 				
 	LIDB Validation Per Query LIDB Originating Point Code Establishment or Change			OQU OQT, OQU	NRBPX	0.0135077	33.33			+	-				
SIGNALING (00.00								
	CCS7 Signaling Termination, Per STP Port			UDB	PT8SX	147.60									
	CCS7 Signaling Usage, Per TCAP Message			UDB		0.000064									
\vdash	CCS7 Signaling Connection, Per link (A link)			UDB	TPP++	15.77	34.50	34.50			-				
	CCS7 Signaling Connection, Per link (B link) (also known as D link)			UDB	TPP++	15.77	34.50	34.50							
	CCS7 Signaling Usage, Per ISUP Message			UDB		0.000016	04.00	0-1.00							
	CCS7 Signaling Usage Surrogate, per link per LATA			UDB	STU56	732.10									
	CCS7 Signaling Point Code, per Originating Point Code														
	Establishment or Change, per STP affected		-	UDB	CCAPO		28.17	28.17		_	 				
	CCS7 Signaling Point Code, per Destination Point Code Establishment or Change, Per Stp Affected			UDB	CCAPD		28.17	28.17							
E911 SERVIC					30/ 11 D		20.17	20.17							
	Local Channel - Dedicated - 2-wr Voice Grade - Zone 1					18.32	187.51	32.21							
	Local Channel - Dedicated - 2-wr Voice Grade - Zone 2					18.32	187.51	32.21							
	Local Channel - Dedicated - 2-wr Voice Grade - Zone 3		-			18.32 0.013	187.51	32.21		_	 				
	Interoffice Transport - Dedicated - 2-wr Voice Grade Per Mile Interoffice Transport - Dedicated - 2-wr Voice Grade Per Facility					0.013				+	1				
	Termination					22.60	39.36	26.62							
	Local Channel - Dedicated - DS1 - Zone 1					39.18	172.34	149.27							
	Local Channel - Dedicated - DS1 - Zone 2					121.58	172.34	149.27							
	Local Channel - Dedicated - DS1 - Zone 3					70.02	172.34	149.27			ļ				
\vdash	Interoffice Transport - Dedicated - DS1 Per Mile		-		-	0.2652			 	+	-				
	Interoffice Transport - Dedicated - DS1 Per Facility Termination					70.47	86.69	79.44							
CALLING NA	ME (CNAM) SERVICE			0011											
\vdash	CNAM For DB Owners - Service Establishment CNAM For Non DB Owners - Service Establishment			OQV OQV			22.29 22.29			_	-				
	CNAM For DB Owners - Service Establishment CNAM For DB Owners - Service Provisioning With Point Code			OQ V			22.29			+					
	Establishment			OQV	1		962.22	711.64							
1 1	CNAM For Non DB Owners - Service Provisioning With Point Code Establishment			oqv			332.43	238.05							
 	CNAM for DB Owners, Per Query			OQV		0.0010217	33 <u>2.4</u> 3	230.05		+					
	CNAM for Non DB Owners, Per Query			OQV		0.0010217					<u> </u>				
LNP Query Se	ervice														
	LNP Charge Per query			OQV		0.0008559									

UNBUNDLE	NETWORK ELEMENTS - Louisiana													ment: 2	1	bit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			II .	Submitted	Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l
						Rec	Nonred			g Disconnect				Rates (\$)		
						1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	LNP Service Establishment Manual						12.16									
	LNP Service Provisioning with Point Code Establishment						576.33	294.43			ļ					
SELECTIVE RO																
	Selective Routing Per Unique Line Class Code Per Request Per						00.05	00.05								
VIRTUAL COLI	Switch				+		82.25	82.25	-		 				-	
VIRTUAL COLI	Virtual Collocation-2 Wire Cross Connects (Loop) for Line		1						1		1				1	
	Splitting			UEPSR UEPSB	VE1LS	0.0296	11.94	11.46	0.00	0.00						
PHYSICAL COI			1	OLI OIL OLI OB	VETEO	0.0200	11.04	11.40	0.00	0.00	1					
1	Physical Collocation-2 Wire Cross Connects (Loop) for Line				1				t		†					
	Splitting			UEPSR UEPSB	PE1LS	0.0318	11.94	11.46	0.00	0.00						
AIN SELECTIV	E CARRIER ROUTING		i –			1					İ		1			
	Regional Service Establishment			UEBIB	SRCEC		100,209.33									
	End Office Establishment			UEBIB	SRCEO		164.29	164.29								
	Query NRC, per query			UEBIB		0.0030293										
AIN - BELLSO	JTH AIN SMS ACCESS SERVICE			ļ												
	AIN SMS Access Service - Service Establishment, Per State,	1		l					1						1	1
	Initial Setup	!	<u> </u>	A1N	CAMSE		38.30	38.30							ļ	
							=									
	AIN SMS Access Service - Port Connection - Dial/Shared Access			A1N A1N	CAMDP CAM1P		7.60	7.60	1							—
	AIN SMS Access Service - Port Connection - ISDN Access AIN SMS Access Service - User Identification Codes - Per User			AIN	CAMTP		7.60	7.60	-		.				-	-
	ID Code			A1N	CAMAU		33.99	33.99								
	AIN SMS Access Service - Security Card, Per User ID Code,		-	AIN	CAMAO		33.33	33.33	-		1				-	
	Initial or Replacement			A1N	CAMRC		41.39	41.39								
	AIN SMS Access Service - Storage, Per Unit (100 Kilobytes)		1	Ally	CAWING	0.0022	41.55	41.55			1					
	AIN SMS Access Service - Session, Per Minute				1	0.5795					1					
	AIN SMS Access Service - Company Performed Session, Per										İ					
	Minute					0.8104										
AIN - BELLSOU	JTH AIN TOOLKIT SERVICE															
	AIN Toolkit Service - Service Establishment Charge, Per State,															
	Initial Setup			CAM	BAPSC		38.30	38.30								
	AIN Toolkit Service - Training Session, Per Customer				BAPVX		4,175.10	4,175.10								
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per															
	DN, Term. Attempt				BAPTT		7.60	7.60			ļ					
1 1	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per	1	1	1	BAPTD		7.00	7.00	1						I	1
\vdash	DN, Off-Hook Delay AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per	!	 	+	BAPID		7.60	7.60	 		 	-		-	 	
	DN, Off-Hook Immediate	1			BAPTM		7.60	7.60	1						1	1
 	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per	 	 	 	DUI 1101		7.00	7.00	 	 	1		 		 	
	DN, 10-Digit PODP	1		1	BAPTO		33.47	33.47	I						I	1
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per		t		12		55.⊣7	55.47	<u> </u>	1			1		<u> </u>	<u> </u>
	DN, CDP	1			BAPTC		33.47	33.47	1						1	1
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per	i	i i	İ					1	ĺ	Ì	İ		l	1	
	DN, Feature Code	<u> </u>	L	<u> </u>	BAPTF		33.47	33.47	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u></u>	L	<u></u>
	AIN Toolkit Service - Query Charge, Per Query					0.0536446										
	AIN Toolkit Service - Type 1 Node Charge, Per AIN Toolkit															1
	Subscription, Per Node, Per Query		<u> </u>		1	0.006569										
	AIN Toolkit Service - SCP Storage Charge, Per SMS Access	1		1	1				I						I	1
	Account, Per 100 Kilobytes	!	<u> </u>		ļ	0.06									ļ	
	AIN Toolkit Service - Monthly report - Per AIN Toolkit Service	1			D 4 D 40	40.00	7.00	7.00	I						I	1
 	Subscription	 	<u> </u>	CAM	BAPMS	10.90	7.60	7.60	 	 	ļ		 	 	 	
	AIN Toolkit Service - Special Study - Per AIN Toolkit Service	1		CAM	BAPLS	2.00	0 44	8.41	I						I	1
\vdash	Subscription AIN Toolkit Service - Call Event Report - Per AIN Toolkit Service	!	 	CAIVI	DAFLO	2.80	8.41	8.41	 		 	-		-	 	
	Subscription	1		CAM	BAPDS	8.20	7.60	7.60	1						1	1
 	AIN Toolkit Service - Call Event Special Study - Per AIN Toolkit		†	OCIVI	DAFDO	0.20	1.00	7.00	 		 		 		 	
	Service Subscription	l		CAM	BAPES	0.09	8.41	8.41	1						1	1
ENHANCED EX	TENDED LINK (EELs)	 	t		120	0.00	5.→1	011	t	 	 	 	 		t	

UNB	UNDLE	D NETWORK ELEMENTS - Louisiana											Attach	ment: 2	Exhil	bit: A
	GORY	RATE ELEMENTS	Interi	7000	BCS	USOC			RATES (\$)		Submitted Elec	Submitted Manually	Incremental Charge - Manual Svc	Incremental Charge - Manual Svc	Incremental Charge - Manual Svc	Incremental Charge - Manual Svc
CATE	GORT	RAIE ELEMENIS	m	Zone	всз	USUC			KATES (\$)		per LSR	per LSR	Order vs. Electronic- 1st	Order vs. Electronic- Add'l	Order vs. Electronic- Disc 1st	Order vs. Electronic- Disc Add'l
							B	Nonrec	urring	Nonrecurring Disconnec	:		OSS	Rates (\$)		
							Rec	First	Add'l	First Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
-	NOTE:	The monthly recurring and non-recurring charges below will	apply a	nd the	Switch-As-Is Charg	e will not app	oly for UNE com	binations pro	visioned as ' C	Ordinarily Combined' Netwo	rk Elements.					
-		The monthly recurring and the Switch-As-Is Charge and not t TED 2-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICAT					UNE combination	ons provisione	ed as Current	ly Combined Network Elen	nents.					
-	LATEN	First 2-Wire VG Loop (SL2) in Combination - Zone 1	1 2 0 0 0	1 1	UNCVX	UEAL2	14.93	94.21	45.09							
		First 2-Wire VG Loop (SL2) in Combination - Zone 2		2	UNCVX	UEAL2	25.35	94.21	45.09							
		First 2-Wire VG Loop (SL2) in Combination - Zone 3		3	UNCVX	UEAL2	50.46	94.21	45.09							
		Interoffice Transport - Dedicated - DS1 combination - Per Mile per month			UNC1X	1L5XX	0.2652									1
		Interoffice Transport - Dedicated - DS1 combination - Facility														
		Termination per month			UNC1X	U1TF1	70.47	143.58	103.88							
<u> </u>	_	1/0 Channelization System in combination Per Month	-	-	UNC1X	MQ1	105.09	59.97	12.96							
	+	Voice Grade COCI - Per Month	1	-	UNCVX	1D1VG	0.6497	5.91	4.26			-				$\overline{}$
		Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 1		1	UNCVX	UEAL2	14.93	94.21	45.09							
		Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 2		2	UNCVX	UEAL2	25.35	94.21	45.09							
		Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 3		3	UNCVX	UEAL2	50.46	94.21	45.09							i
		Voice Grade COCI - Per Month		3	UNCVX	1D1VG	0.6497	5.91	4.26							
		Nonrecurring Currently Combined Network Elements Switch -As-														
	EVTEN	Is Charge DED 4-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICA	TED DE	1 INITEI	UNC1X	UNCCC	-	5.43	5.43		-					
-	EXIEN		I ED DS	INIE	COFFICE TRANSPO	T										
	-	First 4-Wire Analog Voice Grade Loop in Combination - Zone 1		1	UNCVX	UEAL4	30.81	94.21	45.09							
	1	First 4-Wire Analog Voice Grade Loop in Combination - Zone 2		2	UNCVX	UEAL4	38.32	94.21	45.09							
		First 4-Wire Analog Voice Grade Loop in Combination - Zone 3		3	UNCVX	UEAL4	60.39	94.21	45.09							
		Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month			UNC1X	1L5XX	0.2652									
		Interoffice Transport - Dedicated - DS1 - Facility Termination Per														1
	-	Month	ļ		UNC1X	U1TF1	70.47	143.58	103.88		-					
-	+	1/0 Channel System in combination Per Month Voice Grade COCI in combination - per month	-		UNC1X UNCVX	MQ1 1D1VG	105.09 0.6497	59.97 5.91	12.96 4.26		-					
		Additional 4-Wire Analog Voice Grade Loop in same DS1			ONOVA	15170	0.0-107	0.01	4.20							
		Interoffice Transport Combination - Zone 1		1	UNCVX	UEAL4	30.81	94.21	45.09							
		Additional 4-Wire Analog Voice Grade Loop in same DS1 Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL4	38.32	94.21	45.09							
		Additional 4-Wire Analog Voice Grade Loop in same DS1														
<u> </u>	-	Interoffice Transport Combination - Zone 3	<u> </u>	3	UNCVX	UEAL4	60.39	94.21	45.09			-				
-	+	Additional Voice Grade COCI in combination - per month Nonrecurring Currently Combined Network Elements Switch -As-		-	UNCVX	1D1VG	0.6497	5.91	4.26			 				
		Is Charge			UNC1X	UNCCC		5.43	5.43							
	EXTEN	DED 4-WIRE 56 KBPS EXTENDED DIGITAL LOOP WITH DEDI	CATED	DS1 IN												
		First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 1		1	UNCDX	UDL56	30.99	94.21	45.09							
		First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2		2	UNCDX	UDL56	36.78	94.21	45.09							
		First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 3		3	UNCDX	UDL56	38.92	94.21	45.09							
		Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month		Ť	UNC1X	1L5XX	0.2652	021	.5.00							
		Interoffice Transport - Dedicated - DS1 - combination Facility														
	_	Termination Per Month		-	UNC1X	U1TF1	70.47	143.58	103.88							
-	+	1/0 Channel System in combination Per Month OCU-DP COCI (data) per month (2.4-64kbs)	 	-	UNC1X UNCDX	MQ1 1D1DD	105.09 1.38	59.97 5.91	12.96 4.26		+	 				
	+	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1	 	 	OINODA	טטוטו	1.30	5.91	4.20							
		Interoffice Transport Combination - Zone 1		1	UNCDX	UDL56	30.99	94.21	45.09							

CATIONEY RATE BLEMENTS Infinite Zone BCS USOC RATES (8) Section Section Section Company Comp	UNBUNDI FI	D NETWORK ELEMENTS - Louisiana												Attach	ment: 2	Exhil	nit· Δ
ATE ELEMENTS Marie	ONDONDELL		1			T						Svc Order	Svc Order				Incremental
ACTIONNY RATE ELEMENTS Internal Processing Control Contro																	Charge -
## CAPECOPY RATE LEMENTS ## 2006 ## 20												1					Manual Svc
Besteronic Bes	CATEGORY	RATE ELEMENTS		Zone	BCS	USOC			RATES (\$)				,				Order vs.
Second Proceedings Process P			m						.,			per Lor	per Lor				Electronic-
Additional Survey Billing Programs (Section Logs) Community (Section																	Disc Add'l
Additional F-Vive BiOlogo Option Grade Local Internet COT																D130 131	DISC Add I
Auditored 4-Wise Propose Digital Crasses Login 5 2							Rec										
Insentitic Transport Commission 2 zero 2 2 UNCOX ID-56 38.77 94.27 45.00								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
Additional 4-Wise Settings Digital Clarids Log pn same DS1 3 LNCDX UD.56 38.27 34.71 45.09				_	LINCDY	LIDI EC	20.70	04.04	45.00								
Insectifics Transport Contribution - Zono 1 3 UNCDX					UNCDX	UDL56	30.78	94.21	45.09			-					
Additional Coult of Court (Institute Description of Additional Court of Court (Institute Description of Additional Court of Court (Institute Description of Additional Court of Court (Institute Description of Court of Co				3	LINCDX	LIDI 56	38.02	0/1 21	45.00								
Seable				-	ONODA	ODESO	30.32	34.21	40.00								
Nonexarring Currently Contributed Prince Services (Services Contributed Cont					UNCDX	1D1DD	1.38	5.91	4.26								
INCK UNICC 5.40 5.41 5.42 5.43																	
First 4-Wire 64Ktops Digital Grade Loop in Combination - Zone 1		Is Charge						5.43	5.43								
First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 2 2 UNCDX UD.64 86.78 94.21 45.09 First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 3 3 UNCDX UD.64 38.92 94.21 45.09 First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 3 3 UNCDX UD.64 38.92 94.21 45.09 First 4-Wire 64Kbps Digital Grade Loop in Combination - Part Mile UNCDX UD.64 11.50C 0.2662 9 First 4-Wire 64Kbps Digital Grade Loop in Combination - Part Mile UNCDX UD.64 11.50C 0.2662 9 First 4-Wire 64Kbps Digital Grade Loop in same DS1 10.0CDX UD.64 11.50C 0.2662 11.50	EXTEN	DED 4-WIRE 64 KBPS EXTENDED DIGITAL LOOP WITH DEDIG	CATED	DS1 IN	TEROFFICE TRANS	PORT											
First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 2 2 UNCDX UDL64 36.76 94.21 45.09																	
First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 3 3 UNCDX UDL64 88.92 94.21 45.09		First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 1		1	UNCDX	UDL64	30.99	94.21	45.09	L							
First 4-Wire 64Ktops Digital Grades Loop in Combination - Zone 3 3 UNCDX UDL64 38.92 94.21 45.09		From A Mills Odd Constitution of the Constitut	1	_	LINODY	LIDLG:				1			1				
Interoffice Transport - Dedicated - DST combination - Part Mile Per Much	\vdash	First 4-vvire 64Kbps Digital Grade Loop in Combination - Zone 2	-	2	UNCDX	UDL64	36.78	94.21	45.09	 	-		 		 		
Interoffice Transport - Dedicated - DST combination - Part Mile Per Much		First 4 Wiss CAVI-s Divital Conds I am in Combination 7 2		_	LINCDY	LIDI 64	20.00	04.04	45.00								
Per Month			-	3	UNCDX	UDL04	38.92	94.21	45.09	+			 				
Interestince Transport - Dedicated - OSI combination - Facility Tournament on Per Month UNC1X U1TF1 To 47 143.58 103.88					LINC1Y	11 5YY	0.2652										
Termination Per Month					ONOTA	120701	0.2002										
10 Channel System in combination Per Month					UNC1X	U1TF1	70.47	143.58	103.88								
Additional A-Wire B4Rbps Digital Crade Loop in same DS1					UNC1X	MQ1		59.97	12.96								
Interoffice Transport Combination - Zone 1		OCU-DP COCI (data) - in combination - per month (2.4-64kbs)			UNCDX	1D1DD	1.38	5.91	4.26								
Additional 4-Wire 64Rips Digital Grade Loop in same DS1 Interoffice Transport Combination - Zone 2 2 UNCDX UDL64 36.76 94.21 45.99		Additional 4-Wire 64Kbps Digital Grade Loop in same DS1															
Interoffice Transport Combination - Zone 2				1	UNCDX	UDL64	30.99	94.21	45.09								
Additional 4-Wire EARCyse Digital Crade Loop in same DST																	
Interoffice Transport Combination - Zone 3 3 UNCDX UDL64 38.92 94.21 45.09				2	UNCDX	UDL64	36.78	94.21	45.09								
Additional OCU-DP COCI (data) -in combination - per month UNCDX ID1DD 1.38 5.91 4.26					LINODY	LIDI 04	00.00	04.04	45.00								
C2-4-64kbs UNCDX				3	UNCDX	UDL64	38.92	94.21	45.09	-		-					
Nonrecurring Currently Combined Network Elements Switch As UNC1X					LINCDY	10100	1 38	5.01	4 26								
Is Charge EXTENDED 4-WIRE DSI DIGITAL EXTENDED LOOP WITH DEDICATED DSI INTEROFFICE TRANSPORT 1 UNCIX USLXX 85.70 169.22 100.89		(/			ONODA	10100	1.50	3.31	4.20								
EXTENDED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT					UNC1X	UNCCC		5.43	5.43								
A-Wire DS1 Digital Loop in Combination - Zone 2	EXTEN	DED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICAT	ED DS1	INTER	OFFICE TRANSPOR	RT											
A-tWire DSI Digital Loop in Combination - Zone 3 3 UNC1X		4-Wire DS1 Digital Loop in Combination - Zone 1		1	UNC1X	USLXX	85.70										
Interoffice Transport - Dedicated - DS1 combination - Per Mile				2													
Per Month				3	UNC1X	USLXX	491.94	169.22	100.89								
Interoffice Transport - Decicated - DS1 combination - Facility Termination Per Month																	
Termination Per Month				-	UNC1X	1L5XX	0.2652			1							
Nonrecurring Currently Combined Network Elements Switch -As- Is Charge UNC1X UNCCC 5.43			1		LINC1Y	LI1TE1	70.47	1/3 50	103 99	1							
Scharge UNC1X UNCCC 5.43 5.43			 		DINOIA	UTILI	70.47	140.00	100.00	 					-		
EXTENDED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICATED DS3 INTEROFFICE TRANSPORT			1		UNC1X	UNCCC		5.43	5 43	1			1				
First DS1Loop in Combination - Zone 1	EXTEN		ED DS3	INTER				0.40	0.40	1							
First DS1Loop in Combination - Zone 3 3 UNC1X USLXX 491.94 169.22 100.89				_			85.70	169.22	100.89	1	l				1		
Interoffice Transport - Dedicated - DS3 combination - Per Mile Per Month UNC3X 1L5XX 6.04 Interoffice Transport - Dedicated - DS3 - Facility Termination per month UNC3X U1TF3 850.45 296.68 121.16																	
Per Month				3	UNC1X	USLXX	491.94	169.22	100.89								
Interoffice Transport - Dedicated - DS3 - Facility Termination per month			1		l .					1							
month			ļ		UNC3X	1L5XX	6.04					1			ļ		
3/1Channel System in combination per month			1		LINICOV	LIATES	050.45	200 00	404.40	1			1				
DS1 COCI in combination per month			 							-		1			-		
Additional DS1Loop in DS3 Interoffice Transport Combination - 1 UNC1X USLXX 85.70 169.22 100.89	 		 							 		 			 		
Zone 1			l		014017	55151	11.76	5.51	7.20	 							
Additional DS1Loop in DS3 Interoffice Transport Combination - Zone 2 UNC1X USLXX 194.96 169.22 100.89 Additional DS1Loop in DS3 Interoffice Transport Combination - Zone 3 UNC1X USLXX 491.94 169.22 100.89			1	1	UNC1X	USLXX	85.70	169.22	100.89	1							
Additional DS1Loop in DS3 Interoffice Transport Combination - Zone 3 UNC1X USLXX 491.94 169.22 100.89			1							1					İ		
Zone 3 3 UNC1X USLXX 491.94 169.22 100.89			<u> </u>	2	UNC1X	USLXX	194.96	169.22	100.89	<u></u>	<u></u>				<u> </u>		
																	
			ļ	3						ļ			ļ				
		Additoinal DS1 COCI in combination per month	l		UNC1X	UC1D1	11.78	5.91	4.26	1	<u> </u>				<u> </u>		

CATEGORY RATE ELEMENTS	CATEGORY										Svc Orde	r Svc Order				bit: A
CATEGORY RATE ELEMENTS Interi More BCS USOC RATES (5) Submitted Gluments Charge		RATE ELEMENTS													Incremental	Incremental
CATEGORY RATE ELEMENTS		RATE ELEMENTS									Submitte			Charge -	Charge -	Charge -
Content Cont		RATE ELEMENTS									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
Rec Nonrecurring Nonrecurring Nonrecurring Disconnect Section	EVTE		m	Zone	BCS	USOC			RATES (\$)		per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
Second S	EVTE										'	1.		Electronic-	Electronic-	Electronic-
Note	EVTE														Disc 1st	Disc Add'l
Note	EVTE													- (2)		
Nontencuring Currently Combined Network Elements Switch - As UNCXX	EVTE						Rec									
Interchape	EVTE							First	Add'l	First Add	'I SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
EXTENDED 2-WIRE VOICE GRADE EXTENDED LOOP/2 WIRE VOICE GRADE INTEROFFICE TRANSPORT 1 UNCVX UEA2 14.93 94.21 45.09	EVTE		1		LINIONY	1111000		5.40	5 40							í '
2-WireVG Loop in combination - Zone 1			CDAD	- INTER				5.43	5.43			+				<u>'</u>
2.WireVis Clogin combination - Zone 2 2. UNCVX UEAL2 25.35 94.21 45.09	EVIE		GRAD				14.02	04.21	4F 00			+				<u>'</u>
2-WireVS Loop in combination - Zone 3 3 UNCVX UEAL2 50.46 94.21 45.09			1									+				
Interdifice Transport - 2-wire VG - Dedicated - Facility												+	1			
Month			<u> </u>	J	ONCVX	ULALZ	30.40	34.21	40.00							
Interoffice Transport - 2-wire VG - Dedicated - Facility UNCVX					UNCVX	1I 5XX	0.013									í '
Termination per month UNCVX UTVZ 22.60 72.60 41.75 Nonrecurring Currently Combined Network Elements Switch -As- Is Charge UNCVX UDEAL4 36.32 5.43 S.43 S.43 S.43 S.43 S.43 S.43 S.43 S.43 S.43 S.43 S.43 S.43 S.43 S.43 S.43 S.43 S.44 S.45		Interoffice Transport - 2-wire VG - Dedicated - Facility					0.0.0									
Nonrecurring Currently Combined Network Elements Switch -As-					UNCVX	U1TV2	22.60	72.60	41.75							í '
UNCX			-						_				1			
4-WireVG Loop in combination - Zone 1			<u> </u>	<u> </u>	UNCVX	UNCCC		5.43	5.43			<u> </u>	<u></u>	<u> </u>		<u>. </u>
4-WirreVL Coop in combination - Zone 2 2 UNCVX	EXTE		GRAD													
4-WirreVL Coop in combination - Zone 2 2 UNCVX		4-WireVG Loop in combination - Zone 1														
Interoffice Transport - 4-wire V3 - Dedicated - Per Mile Per		4-WireVG Loop in combination - Zone 2														
Month Interoffice Transport - 4-wire VG - Dedicated - Facility Interoffice Transport - 4-wire VG - Dedicated - Facility Interoffice Transport - Dedicated - Facility Interoffice Transport - Dedicated - Facility Interoffice Transport - Dedicated - Facility Interoffice Transport - Dedicated - Facility Interoffice Transport - Dedicated - De				3	UNCVX	UEAL4	60.39	94.21	45.09							<u> </u>
Interoffice Transport - A-wire VG - Dedicated - Facility UNCVX	1 1 -		1	1 7			Ι Π									1
Termination per month					UNCVX	1L5XX	0.013									
Nonrecurring Currently Combined Network Elements Switch -As- Is Charge UNCVX UNCCC 5,43 5,																ł '
IS Charge					UNCVX	U1TV4	19.81	72.60	41.75							
EXTENDED DS3 DIGITAL EXTENDED LOOP WITH DEDICATED DS3 INTEROFFICE TRANSPORT DS3 Local Loop in combination - Per mile per month UNC3X US3X US3PX 362.34 188.45 125.51 Interoffice Transport - Dedicated - DS3 - Per Mile per month UNC3X			-													í '
DS3 Local Loop in combination - per mile per month DS3 Local Loop in combination - Facility Termination per month UNC3X UE3PX 362.34 188.45 125.51 Interoffice Transport - Dedicated - DS3 - Per Mile per month UNC3X UE3PX 362.34 188.45 125.51 Interoffice Transport - Dedicated - DS3 - Per Mile per month UNC3X UNC3X UTTF3 850.45 EXTENDED STS-1 DiGITAL EXTENDED LOOP WITH DEDICATED STS-1 INTEROFFICE TRANSPORT STS-1 Local Loop in combination - Per mile per month UNCSX UNCSX UNCSX UDCSX UDLS1 Interoffice Transport - Dedicated - STS-1 combination - Per mile per month UNCSX UNCSX UNCSX UDLS1 Interoffice Transport - Dedicated - STS-1 combination - Per mile per month UNCSX UNCSX UNCSX UDLS1 Interoffice Transport - Dedicated - STS-1 combination - Per mile per month UNCSX UNCSX UNCSX UDLS1 Interoffice Transport - Dedicated - STS-1 combination - Per mile per month UNCSX UN						UNCCC		5.43	5.43							
DS3 Local Loop in combination - Facility Termination per month UNC3X UE3PX 362.34 188.45 125.51	EXIE		INTERC	PFFICE		41 END	40.04									
Interoffice Transport - Dedicated - DS3 - Per Mile per month Interoffice Transport - Dedicated - OS3 combination - Facility Termination per month UNC3X U1TF3 Nonrecurring Currently Combined Network Elements Switch - As- Is Charge EXTENDED STS-1 DIGITAL EXTENDED LOOP WITH DEDICATED STS-1 INTEROFFICE TRANSPORT STS-1 Local Lolp in combination - per mile per month UNCSX UNCSX UNCSX UNCSX UNCSX UNCSX UNCSX UNCSX UNCSX UNCSX UNCSX UDLS1 374.56 188.45 125.51 Interoffice Transport - Dedicated - STS-1 combination - per mile per month UNCSX	-	DS3 Local Loop in combination - per mile per month			UNC3X	1L5ND	10.04									
Interoffice Transport - Dedicated - DS3 - Per Mile per month Interoffice Transport - Dedicated - OS3 combination - Facility Termination per month UNC3X U1TF3 Nonrecurring Currently Combined Network Elements Switch - As- Is Charge EXTENDED STS-1 DIGITAL EXTENDED LOOP WITH DEDICATED STS-1 INTEROFFICE TRANSPORT STS-1 Local Lolp in combination - per mile per month UNCSX UNCSX UNCSX UNCSX UNCSX UNCSX UNCSX UNCSX UNCSX UNCSX UNCSX UDLS1 374.56 188.45 125.51 Interoffice Transport - Dedicated - STS-1 combination - per mile per month UNCSX		DC2 and and in combination Facility Tomainsting and month			LINICOV	LIEODY	200.24	400.45	405.54							í '
Interoffice Transport - Dedicated - DS3 combination - Facility Termination per month Nonrecurring Currently Combined Network Elements Switch -As- Is Charge EXTENDED STS-1 DIGITAL EXTENDED LOOP WITH DEDICATED STS-1 INTEROFFICE TRANSPORT STS-1 Local Lolp in combination - Per mile per month UNCSX UNCSX UNCSX UNCSX UNCSX UNCSX UNCSX UNCSX UNCSX UNCSX UNCSX UDLS1 374.56 188.45 125.51 Interoffice Transport - Dedicated - STS-1 combination - Per mile per month UNCSX UNCSX UNCSX UDLS1 374.56 188.45 125.51 UNCSX UNCSX UNCSX UNCSX UNCSX UNCSX UNCSX UNCSX UNCSX UNTFS 830.19 296.68 121.16 UNCSX UNC			-					188.45	125.51			+				
Termination per month UNC3X					UNCOX	ILSAA	0.04					+	1			
Nonrecurring Currently Combined Network Elements Switch -As- Is Charge EXTENDED STS-1 DIGITAL EXTENDED LOOP WITH DEDICATED STS-1 INTEROFFICE TRANSPORT STS-1 Local Loop in combination - per mile per month UNCSX UNCSX UNCSX UNCSX UNCSX UNCSX UNCSX UNCSX UDLS1 374.56 188.45 125.51 Interoffice Transport - Dedicated - STS-1 combination - per mile per month UNCSX UNCSX UDLS1 374.56 188.45 125.51 UNCSX UDLS1 374.56 188.45 125.51 UNCSX UDLS1 Interoffice Transport - Dedicated - STS-1 combination - per mile per month UNCSX					LINC3X	H1TF3	850 45	296 68	121 16							í '
Is Charge			_		01100/1	01110	000.40	200.00	121.10							
EXTENDED STS-1 DIGITAL EXTENDED LOOP WITH DEDICATED STS-1 INTEROFFICE TRANSPORT STS-1 Local Lolp in combination - per mile per month UNCSX 1L5ND 10.04 STS-1 Local Loop in combination - Facility Termination per month UNCSX UDLS1 374.56 188.45 125.51 Interoffice Transport - Dedicated - STS-1 combination - per mile per month UNCSX UL5XX 6.04 Interoffice Transport - Dedicated - STS-1 combination - Facility Termination per month UNCSX U1TFS 830.19 296.68 121.16 Nonrecurring Currently Combined Network Elements Switch - As- Is Charge UNCSX UNCCC 5.43 5.43 EXTENDED 2-WIRE ISDN EXTENDED LOOP WITH DS1 INTEROFFICE TRANSPORT First 2-Wire ISDN Loop in Combination - Zone 1 1 UNCNX U1L2X 22.09 94.21 45.09					UNC3X	UNCCC		5 43	5 43							í '
STS-1 Local Lolp in combination - per mile per month STS-1 Local Lolp in combination - Facility Termination per month UNCSX UDLS1 374.56 188.45 125.51 Interoffice Transport - Dedicated - STS-1 combination - per mile per month UNCSX UDLS1 Interoffice Transport - Dedicated - STS-1 combination - Facility Termination per month UNCSX UDLS1 374.56 188.45 125.51 UNCSX UDLS1 374.56 188.45 125.51 UNCSX UDLS1 374.56 188.45 125.51 UNCSX UDLS1 374.56 188.45 125.51 UNCSX UDLS1 374.56 188.45 125.51 UNCSX UNCSX UTTFS 830.19 296.68 121.16 UNCSX UNCCC S.43 S.43 UNCCC EXTENDED 2-WIRE ISDN EXTENDED LOOP WITH DS1 INTEROFFICE TRANSPORT First 2-Wire ISDN Loop in Combination - Zone 1 I UNCNX UNLEX U	EXTE	NDED STS-1 DIGITAL EXTENDED LOOP WITH DEDICATED ST	S-1 INT	EROFF												·
STS-1 Local Loop in combination - Facility Termination per month UNCSX UDLS1 374.56 188.45 125.51 Interoffice Transport - Dedicated - STS-1 combination - per mile per month UNCSX 1L5XX 6.04 Interoffice Transport - Dedicated - STS-1 combination - Facility Termination per month UNCSX U1TFS 830.19 296.68 121.16 Nonrecurring Currently Combined Network Elements Switch - As- Is Charge UNCSX UNCSX UNCCC 5.43 5.43 EXTENDED 2-WIRE ISDN EXTENDED LOOP WITH DS1 INTEROFFICE TRANSPORT First 2-Wire ISDN Loop in Combination - Zone 1 1 UNCNX U1L2X 22.09 94.21 45.09						1L5ND	10.04					1				·
month																i
Interoffice Transport - Dedicated - STS-1 combination - per mile per month Interoffice Transport - Dedicated - STS-1 combination - Facility Termination per month UNCSX U1TFS 830.19 296.68 121.16 Nonrecurring Currently Combined Network Elements Switch - As- Is Charge EXTENDED 2-WIRE ISDN EXTENDED LOOP WITH DS1 INTEROFFICE TRANSPORT First 2-Wire ISDN Loop in Combination - Zone 1 1 UNCNX UNCCX UNCCC 5.43 5.43 5.43					UNCSX	UDLS1	374.56	188.45	125.51							í
Interoffice Transport - Dedicated - STS-1 combination - Facility Termination per month Nonrecurring Currently Combined Network Elements Switch -As- Is Charge EXTENDED 2-WIRE ISDN EXTENDED LOOP WITH DS1 INTEROFFICE TRANSPORT First 2-Wire ISDN Loop in Combination - Zone 1 1 UNCNX U1L2X 22.09 94.21 45.09		Interoffice Transport - Dedicated - STS-1 combination - per mile											ĺ			í ,
Termination per month		per month			UNCSX	1L5XX	6.04									ı
Nonrecurring Currently Combined Network Elements Switch -As- UNCCC S.43 S.43 S.43 S.43 S.45		Interoffice Transport - Dedicated - STS-1 combination - Facility														ı ————
Is Charge			ļ		UNCSX	U1TFS	830.19	296.68	121.16			1				
EXTENDED 2-WIRE ISDN EXTENDED LOOP WITH DS1 INTEROFFICE TRANSPORT First 2-Wire ISDN Loop in Combination - Zone 1 1 UNCNX U1L2X 22.09 94.21 45.09	1 1 -		1	1 7			Ι Π									1
First 2-Wire ISDN Loop in Combination - Zone 1	<u> </u>		<u> </u>		UNCSX	UNCCC		5.43	5.43			1				
	EXTE		E TRANS	SPORT	LINIONIY	1141.027	22.25	212				1	ļ			 '
	\vdash		<u> </u>	1								1	ļ			 '
	\vdash	First 2-Wire ISDN Loop in Combination - Zone 2	!		UNCNX	U1L2X	35.28	94.21	45.09			-	-			
First 2-Wire ISDN Loop in Combination - Zone 3 3 UNCNX U1L2X 65.18 94.21 45.09	\vdash		 	3	UNCNX	U1L2X	65.18	94.21	45.09			1	-			
Interoffice Transport - Dedicated - DS1 combination - per mile					LINICAV	11.5	0.2652					1				1
per month UNC1X 1L5XX 0.2652 Interoffice Transport - Dedicated - DS1 combination - Facility	\vdash		 	\vdash	UNU IA	ILOAA	0.2052			 		+	 			
Termination per month UNC1X U1TF1 70.47 143.58 103.88	1 1		1		LINC1X	LI1TE1	70.47	1/12 5.9	103 80							1
1/10 Channel System in combination - per month	 		†									1	 			
2-wire ISDN COCI (BRITE) - in combination - per month UNCNX UC1CA 2.96 5.91 4.26		2-wire ISDN COCI (BRITE) - in combination - per month	 									+				(
Additional 2-wire ISDN Loop in same DSTInteroffice Transport		Additional 2-wire ISDN Loop in same DS1Interoffice Transport	l	\vdash	0.1011/1	2010/1	2.30	5.51	4.20			+				(
	1 1		1	l ₁	UNCNX	U1L2X	22,09	94,21	45,09							1
Additional 2-wire ISDN Loop in same DS1Interoffice Transport			†	\vdash			22.00	J21	.0.00				1			í
Combination - Zone 2 2 UNCNX U1L2X 35.28 94.21 45.09			1	2	UNCNX	U1L2X	35.28	94.21	45.09							1
Additional 2-wire ISDN Loop in same DS1Interoffice Transport			1		-			V	0				İ			í
Combination - Zone 3 3 UNCNX U1L2X 65.18 94.21 45.09		Additional 2-wire ISDN Loop in Same DS Interoffice Transport		3	UNCNX	U1L2X	65.18	94.21	45.09							1
Additional 2-wire ISDN COCI (BRITE) - in combination- per																í
month UNCNX UC1CA 2.96 5.91 4.26		Combination - Zone 3					l									•

UNBUNDL	ED NETWORK ELEMENTS - Louisiana			1							1-	1-		ment: 2		bit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrec		Nonrecurring					Rates (\$)		
						1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Nonrecurring Currently Combined Network Elements Switch -As-			UNC1X	LINICOO		5.43	F 40								
EYTE	Is Charge ENDED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICAT	ED STS	_1 INTE		UNCCC		5.43	5.43								-
LATE	First DS1 Loop Combination - Zone 1	LDOIG	1	UNC1X	USLXX	85.70	169.22	100.89			1				-	
	First DS1 Loop Combination - Zone 2		2	UNC1X	USLXX	194.96	169.22	100.89	i		1				t	
	First DS1 Loop Combination - Zone 3			UNC1X	USLXX	491.94	169.22	100.89								
	Interoffice Transport - Dedicated - STS-1 combination - Per Mile															
	Per Month			UNCSX	1L5XX	6.04										
	Interoffice Transport - Dedicated - STS-1 combination - Facility															
	Termination per month			UNCSX	U1TFS	830.19	296.68	121.16								
	3/1 Channel System in combination per month DS1 COCI in combination per month		-	UNCSX UNC1X	MQ3 UC1D1	201.48 11.78	107.05 5.91	91.25 4.26			-				-	-
	Additional DS1Loop in the same STS-1 Interoffice Transport			UNCIA	OCIDI	11.70	5.91	4.20							 	-
	Combination - Zone 1		1	UNC1X	USLXX	85.70	169.22	100.89							I	
	Additional DS1Loop in the same STS-1 Interoffice Transport	l	Ė			55 0		.00.00	1		1			1	1	
	Combination - Zone 2		2	UNC1X	USLXX	194.96	169.22	100.89			<u></u>	<u></u>	<u> </u>		<u> </u>	<u> </u>
	Additional DS1Loop in the same STS-1 Interoffice Transport															
	Combination - Zone 3		3	UNC1X	USLXX	491.94	169.22	100.89								
	DS1 COCI in combination per month			UNC1X	UC1D1	11.78	5.91	4.26								
	Nonrecurring Currently Combined Network Elements Switch -As-						= 10	= 40								
EVTE	Is Charge NDED 4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH 56 KE	DC INT		UNCSX	UNCCC		5.43	5.43	<u> </u>		1				1	
EXIE	4-wire 56 kbps Local Loop in combination - Zone 1	SPS INT	1	UNCDX	UDL56	30.99	94.21	45.09	-		1				-	
	4-wire 56 kbps Local Loop in combination - Zone 2			UNCDX	UDL56	36.78	94.21	45.09			1				-	
	4-wire 56 kbps Local Loop in combination - Zone 3		3	UNCDX	UDL56	38.92	94.21	45.09			1					
	Interoffice Transport - Dedicated - 4-wire 56 kbps combination -						· · · · · · · ·									
	Per Mile per month			UNCDX	1L5XX	0.013										
	Interoffice Transport - Dedicated - 4-wire 56 kbps combination -															
	Facility Termination per month			UNCDX	U1TD5	15.61	72.60	41.75								
	Nonrecurring Currently Combined Network Elements Switch -As-															
EVE	Is Charge NDED 4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH 64 KE	DO INT		UNCDX	UNCCC		5.43	5.43								ļ
EXIE	4-wire 64 kbps Lcoal Loop in Combination - Zone 1	SPS INT		UNCDX	UDL64	30.99	94.21	45.09							-	<u> </u>
	4-wire 64 kbps Lcoal Loop in Combination - Zone 1	-	2	UNCDX	UDL64	36.78	94.21	45.09								1
	4-wire 64 kbps Looal Loop in Combination - Zone 3			UNCDX	UDL64	38.92	94.21	45.09	+		1					
	Interoffice Transport - Dedicated - 4-wire 64 kbps combination -		Ŭ	0.1027	02201	00.02	0 1.21	10.00	i i		1				t	
	Per Mile per month			UNCDX	1L5XX	0.013										
	Interoffice Transport - Dedicated - 4-wire 64 kbps combination -															
	Facility Termination per month			UNCDX	U1TD6	15.61	72.60	41.75			ļ					
	Nonrecurring Currently Combined Network Elements Switch -As-								I T							
	Is Charge	DANCE	007	UNCDX	UNCCC		5.43	5.43							 	
EXTE	NDED 2-WIRE VOICE GRADE LOOP WITH DS1 INTEROFFICE T First 2-wire VG Loop (SL2) in Combination - Zone 1	KANSP	UKIW.	UNCVX	UEAL2	14.93	94.21	45.09	-		 	-	-		 	
\vdash	First 2-wire VG Loop (SL2) in Combination - Zone 1 First 2-wire VG Loop (SL2) in Combination - Zone 2	-	2	UNCVX	UEAL2	14.93 25.35	94.21	45.09			1		-		 	
	First 2-wire VG Loop (SL2) in Combination - Zone 2 First 2-wire VG Loop (SL2) in Combination - Zone 3			UNCVX	UEAL2	50.46	94.21	45.09			1				-	
	First Interoffice Transport - Dedicated - DS1 combination - Per		Ŭ	JJV/	JL/ LL	55.40	54.21	40.00	1					1	1	
	Mile			UNC1X	1L5XX	0.2652									I	
	First Interoffice Transport - Dedicated - DS1 combination -															
	Facility Termination per month			UNC1X	U1TF1	70.47	143.58	103.88								
\vdash	Per each DS1 Channelization System Per Month			UNC1X	MQ1	105.09	59.97	12.96								ļ
$\vdash \vdash \vdash$	Per each Voice Grade COCI - Per Month per month	1		UNCVX	1D1VG	0.6497	5.91	4.26			<u> </u>		ļ			_
 	3/1 Channel System in combination per month	-		UNC3X	MQ3	201.48	107.05	91.25							1	1
\vdash	Per each DS1 COCI in combination per month Each Additional 2-Wire VG Loop(SL 2) in the same DS1			UNC1X	UC1D1	11.78	5.91	4.26			1				 	-
	Interoffice Transport Combination - Zone 1		1	UNCVX	UEAL2	14.93	94.21	45.09							1	
	Each Additional 2-Wire VG Loop(SL2) in the same DS1			O. NO VA	ULALL	14.53	34.∠1	45.09							t	
	Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL2	25.35	94.21	45.09							I	
	Each Additional 2-Wire VG Loop(SL2) in the same DS1	1												1		
1 1	Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL2	50.46	94.21	45.09				1			I	

ONBONDE	ED NETWORK ELEMENTS - Louisiana			1							1.	1 -		ment: 2	. 	ibit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'I
						Rec	Nonrec		Nonrecurring					Rates (\$)		
	For All Provide Control Control Control			UNCVX	404)(0	0.6497	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Each Additional Voice Grade COCI in combination - per month Each Additional DS1 Interoffice Channel per mile in same 3/1			UNCVX	1D1VG	0.6497	5.91	4.26	-		1					
	Channel System per month			UNC1X	1L5XX	0.2652										
	Each Additional DS1 Interoffice Channel Facility Termination in															
	same 3/1 Channel System per month			UNC1X	U1TF1	70.47	143.58	103.88								
	Each Additional DS1 COCI combination per month		-	UNC1X	UC1D1	11.78	5.91	4.26			1					
	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge	1		UNC1X	UNCCC		5.43	5.43								
EXTE	NDED 4-WIRE VOICE GRADE LOOP WITH DEDICATED DS1 INT	EROFF	ICE TR				3.43	3.43	<u> </u>							+
	First 4-Wire Analog Voice Grade Local Loop in Combination -				T											†
	Zone 1		1	UNCVX	UEAL4	30.81	94.21	45.09								
	First 4-Wire Analog Voice Grade Local Loop in Combination -							4= 00								
	Zone 2 First 4-Wire Analog Voice Grade Local Loop in Combination -		2	UNCVX	UEAL4	38.32	94.21	45.09	ļ							
	Zone 3		3	UNCVX	UEAL4	60.39	94.21	45.09								
	First Interoffice Transport - Dedicated - DS1 combination - Per			ONOVA	OL/ IL-T	00.00	04.21	40.00	1							1
	Mile Per Month			UNC1X	1L5XX	0.2652										
	First Interoffice Transport - Dedicated - DS1 - Facility															
	Termination Per Month			UNC1X	U1TF1	70.47	143.58	103.88								<u> </u>
	Per each 1/0 Channel System in combination Per Month Per each Voice Grade COCI in combination - per month			UNC1X UNCVX	MQ1 1D1VG	105.09 0.6497	59.97 5.91	12.96 4.26	-							
 	3/1 Channel System in combination per month			UNC3X	MQ3	201.48	107.05	91.25	<u> </u>							+
	Per each DS1 COCI in combination per month			UNC1X	UC1D1	11.78	5.91	4.26	1							1
	Additional 4-Wire Analog Voice Grade Loop in same DS1															
	Interoffice Transport Combination - Zone 1		1	UNCVX	UEAL4	30.81	94.21	45.09			1					
1	Additional 4-Wire Analog Voice Grade Loop in same DS1			1110101		00.00	04.04	45.00								
\vdash	Interoffice Transport Combination - Zone 2 Additional 4-Wire Analog Voice Grade Loop in same DS1		2	UNCVX	UEAL4	38.32	94.21	45.09	-		1					
1 1	Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL4	60.39	94.21	45.09								
	Each Additional DS1 Interoffice Channel per mile in same 3/1		Ť				****									†
	Channel System per month			UNC1X	1L5XX	0.2652										
	Each Additional DS1 Interoffice Channel Facility Termination in															
	same 3/1 Channel System per month Additional Voice Grade COCI - in combination - per month			UNC1X UNCVX	U1TF1 1D1VG	70.47 0.6497	143.58 5.91	103.88 4.26	ļ							+
	Nonrecurring Currently Combined Network Elements Switch -As-			UNCVX	IDIVG	0.6497	5.91	4.20	-		1					
	Is Charge			UNC1X	UNCCC		5.43	5.43								
EXTE	NDED 4-WIRE 56 KBPS DIGITAL LOOP WITH DEDICATED DS1	INTERC	FFICE													
	First 4-Wire 56Kbps Digital Grade Local Loop in Combination -															
	Zone 1		1	UNCDX	UDL56	30.99	94.21	45.09								
	First 4-Wire 56Kbps Digital Grade Local Loop in Combination - Zone 2		2	UNCDX	UDL56	36.78	94.21	45.09								
	First 4-Wire 56Kbps Digital Grade Local Loop in Combination -			S. NODA	0000	30.70	J≒.∠ I	40.09	—		1				1	
1	Zone 3		3	UNCDX	UDL56	38.92	94.21	45.09								
	First Interoffice Transport - Dedicated - DS1 combination - Per															
\vdash	Mile Per Month		<u> </u>	UNC1X	1L5XX	0.2652					1					
1 1	First Interoffice Transport - Dedicated - DS1 - combination Facility Termination Per Month			UNC1X	U1TF1	70.47	143.58	103.88	1							
\vdash	Per each 1/0 Channel System in combination Per Month	-		UNC1X	MQ1	105.09	59.97	12.96	 		+				-	+
	Per each OCU-DP COCI (data) COCI per month (2.4-64kbs)			UNCDX	1D1DD	1.38	5.91	4.26	<u> </u>							\vdash
	3/1 Channel System in combination per month			UNC3X	MQ3	201.48	107.05	91.25								
	Per each DS1 COCI in combination per month			UNC1X	UC1D1	11.78	5.91	4.26								$\perp = \equiv$
[]	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1		1	UNCDX	UDL56	20.00	04.04	45.09	1							
\vdash	Interoffice Transport Combination - Zone 1 Additional 4-Wire 56Kbps Digital Grade Loop in same DS1		1	UNCDX	UDL56	30.99	94.21	45.09	-		 				-	
	Interoffice Transport Combination - Zone 2		2	UNCDX	UDL56	36.78	94.21	45.09	1							
	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1		T-		1		021	.0.00	1		†	İ				†
1 1	Interoffice Transport Combination - Zone 3	l	3	UNCDX	UDL56	38.92	94.21	45.09								<u> </u>
	OCU-DP COCI (data) COCI in combination per month (2.4-															

ONBONDE	ED NETWORK ELEMENTS - Louisiana			ı							0	06		ment: 2		ibit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)				Submitted Manually	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrec		Nonrecurring D					Rates (\$)		
	5 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Each Additional DS1 Interoffice Channel per mile in same 3/1 Channel System per month			UNC1X	1L5XX	0.2652										
	Each Additional DS1 Interoffice Channel Facility Termination in			UNCIX	ILJAA	0.2032			+							+
	same 3/1 Channel System per month			UNC1X	U1TF1	70.47	143.58	103.88								
	Each Additional DS1 COCI in the same 3/1 channel system															
	combination per month			UNC1X	UC1D1	11.78	5.91	4.26								ļ
	Nonrecurring Currently Combined Network Elements Switch -As-			UNC1X	UNCCC		5.43	5.43								
EYTE	Is Charge NDED 4-WIRE 64 KBPS DIGITAL LOOP WITH DEDICATED DS1	INTERC	FEICE				5.43	5.43	-						-	-
LAIL	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice	INTERC	I	I TRANSI ORT W/ 3	T WIOX				+						-	+
	Transport Combination - Zone 1		1	UNCDX	UDL64	30.99	94.21	45.09								
	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice														1	
	Transport Combination - Zone 2		2	UNCDX	UDL64	36.78	94.21	45.09								
	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice															
	Transport Combination - Zone 3 First Interoffice Transport - Dedicated - DS1 combination - Per		3	UNCDX	UDL64	38.92	94.21	45.09								ļ
	Mile Per Month			UNC1X	1L5XX	0.2652										
	First Interoffice Transport - Dedicated - DS1 combination -			ONOTA	TESTON	0.2002									-	
	Facility Termination Per Month			UNC1X	U1TF1	70.47	143.58	103.88								
	Per each Channel System 1/0 in combination Per Month			UNC1X	MQ1	105.09	59.97	12.96								
	Per each OCU-DP COCI (data) in combination - per month (2.4-															
	64kbs)			UNCDX	1D1DD	1.38	5.91	4.26								
	3/1 Channel System in combination per month			UNC3X	MQ3	201.48	107.05	91.25								
	Per each DS1 COCI in combination per month			UNC1X	UC1D1	11.78	5.91	4.26								ļ
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination - Zone 1		1	UNCDX	UDL64	30.99	94.21	45.09								
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1		<u> </u>	UNCDA	ODL04	30.99	34.21	45.05	+						-	+
	Interoffice Transport Combination - Zone 2		2	UNCDX	UDL64	36.78	94.21	45.09								
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1								†						t	
	Interoffice Transport Combination - Zone 3		3	UNCDX	UDL64	38.92	94.21	45.09								
	Additional OCU-DP COCI (data) - DS1 to DS0 Channel System															
	combination - per month (2.4-64kbs)			UNCDX	1D1DD	1.38	5.91	4.26								ļ
	Each Additional DS1 Interoffice Channel per mile in same 3/1			LINICAY	41.577	0.2652										
	Channel System per month Each Additional DS1 Interoffice Channel Facility Termination in			UNC1X	1L5XX	0.2652			-						-	-
	same 3/1 Channel System per month			UNC1X	U1TF1	70.47	143.58	103.88								
	Each Additional DS1 COCI in the same 3/1 channel system			ONOTA	01111	70.47	140.00	100.00	1							
	combination per month			UNC1X	UC1D1	11.78	5.91	4.26								
	Nonrecurring Currently Combined Network Elements Switch -As-															
	Is Charge			UNC1X	UNCCC		5.43	5.43							1	ļ
EXTE	NDED 2-WIRE ISDN LOOP WITH DS1 INTEROFFICE TRANSPOR	RT w/ 3/	1 MUX		+				 							
1	First 2-Wire ISDN Loop in a DS1 Interoffice Combination Transport - Zone 1		1	UNCNX	U1L2X	22.09	94.21	45.09								
-	First 2-Wire ISDN Loop in a DS1 Interoffice Combination			ONCINA	UILZX	22.09	94.21	45.09	+		-				-	+
	Transport - Zone 2		2	UNCNX	U1L2X	35.28	94.21	45.09								
<u> </u>	First 2-Wire ISDN Loop in a DS1 Interoffice Combination		T-			55.25	01	.0.30								†
	Transport - Zone 3		3	UNCNX	U1L2X	65.18	94.21	45.09								
	First Interoffice Transport - Dedicated - DS1 combination - Per															
	Mile per month		1	UNC1X	1L5XX	0.2652										
1	First Interoffice Transport - Dedicated - DS1 combination -			LINGAY	LIATEA	70.47	440.50	400.00							1	
	Facility Termination per month Per each Channel System 1/0 in combination - per month	-	+	UNC1X UNC1X	U1TF1 MQ1	70.47 105.09	143.58 59.97	103.88 12.96	+		 				 	
	i ei each Chainlei System 1/0 in Combination - pei month			014017	IVICEI	105.09	28.87	12.90	+						-	
1	Per each 2-wire ISDN COCI (BRITE) in combination - per month			UNCNX	UC1CA	2.96	5.91	4.26							1	
	3/1 Channel System in combination per month			UNC3X	MQ3	201.48	107.05	91.25							1	<u> </u>
	Per each DS1 COCI in combination per month			UNC1X	UC1D1	11.78	5.91	4.26								
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport												·			
	Combination - Zone 1		1	UNCNX	U1L2X	22.09	94.21	45.09							l	

UNBUND	DLED NETWORK ELEMENTS - Louisiana												Attach	ment: 2	Exhil	bit: A
0.1.20.1.2											Svc Order	Svc Order	Incremental		Incremental	Incremental
											Submitted	Submitted		Charge -	Charge -	Charge -
		Intori									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGOR	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m									per Lore	per Lore	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
															DISC 1St	DISC Add I
						Dan	Nonrec	urring	Nonrecurring	Disconnect		•	oss	Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport															i
	Combination - Zone 2		2	UNCNX	U1L2X	35.28	94.21	45.09								1
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport															
	Combination - Zone 3		3	UNCNX	U1L2X	65.18	94.21	45.09								1
	Additional 2-wire ISDN COCI (BRITE) in same 1/0 channel															
	system combination- per month			UNCNX	UC1CA	2.96	5.91	4.26								1
	Each Additional DS1 Interoffice Channel per mile in same 3/1															
	Channel System per month			UNC1X	1L5XX	0.2652										1
	Each Additional DS1 Interoffice Channel Facility Termination in															
	same 3/1 Channel System per month			UNC1X	U1TF1	70.47	143.58	103.88								1
	Each Additional DS1 COCI in the same 3/1 channel system															1
	combination per month			UNC1X	UC1D1	11.78	5.91	4.26								1
	Nonrecurring Currently Combined Network Elements Switch -As-															
	Is Charge			UNC1X	UNCCC		5.43	5.43								1
EX	TENDED 4-WIRE DS1 LOOP WITH DEDICATED DS1 INTEROFFICE	TRANS														
	First 4-wire DS1 Digital Lcoal Loop in Combination - Zone 1		1	UNC1X	USLXX	85.70	169.22	100.89								
	First 4-wire DS1 Digital Lcoal Loop in Combination - Zone 2		2	UNC1X	USLXX	194.96	169.22	100.89								
	First 4-wire DS1 Digital Lcoal Loop in Combination - Zone 3		3	UNC1X	USLXX	491.94	169.22	100.89								1
	First Interoffice Transport - Dedicated - DS1 combination - Per															
	Mile Per Month			UNC1X	1L5XX	0.2652										1
	First Interoffice Transport - Dedicated - DS1 combination -															1
	Facility Termination Per Month			UNC1X	U1TF1	70.47	143.58	103.88								1
	3/1 Channel System in combination per month			UNC3X	MQ3	201.48	107.05	91.25								1
	Per each DS1 COCI combination per month			UNC1X	UC1D1	11.78	5.91	4.26								1
	Each Additional DS1 Interoffice Channel per mile in same 3/1															1
	Channel System per month			UNC1X	1L5XX	0.2652										1
	Each Additional DS1 Interoffice Channel Facility Termination in															1
	same 3/1 Channel System per month			UNC1X	U1TF1	70.47	143.58	103.88								1
	Each Additional DS1 COCI in the same 3/1 channel system															1
	combination per month			UNC1X	UC1D1	11.78	5.91	4.26								
	Additional 4-Wire DS1 Digital Local Loop in Combination - Zone															1
	1		1	UNC1X	USLXX	85.70	169.22	100.89								
	Additional 4-Wire DS1 Digital Local Loop in Combination - Zone															1
	2		2	UNC1X	USLXX	194.96	169.22	100.89								
	Additional 4-Wire DS1 Digital Local Loop in Combination - Zone															1
$\sqcup \bot$	3		3	UNC1X	USLXX	491.94	169.22	100.89						ļ		
	Nonrecurring Currently Combined Network Elements Switch -As-	1	1		[i
	Is Charge		<u> </u>	UNC1X	UNCCC		5.43	5.43								
EX	TENDED 4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH DS0 I	NTERO			1											
\vdash	First 4-wire 56 kbps Local Loop in combination - Zone 1			UNCDX	UDL56	30.99	94.21	45.09								
\vdash	First 4-wire 56 kbps Local Loop in combination - Zone 2		2	UNCDX	UDL56	36.78	94.21	45.09								
\vdash	First 4-wire 56 kbps Local Loop in combination - Zone 3		3	UNCDX	UDL56	38.92	94.21	45.09								
	First 4-wiree 56 kbps Interoffice Transport - Dedicated - Per Mile	1	1													ı
\vdash	per month		 	UNCDX	1L5XX	0.013										
	First 4-wire 56 kbps Interoffice Transport - Dedicated - Facility															1
	Termination per month			UNCDX	U1TD5	15.61	72.60	41.75								
	Nonrecurring Currently Combined Network Elements Switch -As-	1	1													ı
<u> </u>	Is Charge	LITES 6		UNCDX	UNCCC		5.43	5.43								1
EX	TENDED 4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH DS0 I	NIERO			LIBLA											
\vdash	First 4-wire 64 kbps Local Loop in combination - Zone 1		1	UNCDX	UDL64	30.99	94.21	45.09								
\vdash	First 4-wire 64 kbps Local Loop in combination - Zone 2		2	UNCDX	UDL64	36.78	94.21	45.09			-	-	 	-		
\vdash	First 4-wire 64 kbps Local Loop in combination - Zone 3		3	UNCDX	UDL64	38.92	94.21	45.09			-	-		-		
	First I4-wire 65 kbps Interoffice Transport - Dedicated - Per Mile	1	1	LINODY	41.5307	0.010										i
\vdash	per month		_	UNCDX	1L5XX	0.013										
	First 4-wire 64 kbps Interoffice Transport - Dedicated - Facility	1	1	LINODY	LIATES		=									i
\vdash	Termination per month		_	UNCDX	U1TD6	15.61	72.60	41.75								
	Nonrecurring Currently Combined Network Elements Switch -As-	1	1	LINODY	LINIOGO											ı
ADDITION	Is Charge			UNCDX	UNCCC		5.43	5.43				ļ				
ADDITION	AL NETWORK ELEMENTS		J								L	1				

HINDIII	UDI EI	O NETWORK ELEMENTS - Louisiana												Attack		Fulci	L:4. A
UNDUI	NDLE	O NETWORK ELEMENTS - Louisiana				1	ı					Cua Ondan	Cur Ouden		ment: 2	Exhi	
												II .		Incremental	Incremental	Incremental	Incremental
												Submitted	Submitted		Charge -	Charge -	Charge -
CATEC	ODV	DATE ELEMENTO	Interi	7	BCS	11000			DATES (6)			Elec	,	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEG	JRY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
L															L		
							Rec		curring		g Disconnect				Rates (\$)		
								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	When เ	ised as a part of a currently combined facility, the non-recurr	ng cha	rges do	not apply, but a Sv	witch As Is c	harge does ap	ply.									
		sed as ordinarily combined network elements in All States, the					As Is Charge	does not.									
	Nonrec	urring Currently Combined Network Elements "Switch As Is"	Charge	(One a	pplies to each comb	oination)											
		Nonrecurring Currently Combined Network Elements Switch -As-															
		Is Charge - 2 wire/4-Wire VG			UNCVX	UNCCC		5.43	5.43								
		Nonrecurring Currently Combined Network Elements Switch -As-															
		Is Charge - 56/64 kbps			UNCDX	UNCCC		5.43	5.43								
		Nonrecurring Currently Combined Network Elements Switch -As-										i e					
		Is Charge - DS1			UNC1X	UNCCC		5.43	5.43								
\vdash		Nonrecurring Currently Combined Network Elements Switch -As-	 			3		0.40	0.40	t	+	 	 		†		
		Is Charge - DS3	l		UNC3X	UNCCC		5.43	5.43	1	1	1	1		l		
\vdash		Nonrecurring Currently Combined Network Elements Switch -As-	1	\vdash	UINUUA	UNCCC	-	5.43	5.43	 	+	1	 		 		
			1		LINICOV	UNCCC		F 40	5.43	1	1	1	1		l		
\vdash	0-4:	Is Charge - STS1	.	\vdash	UNCSX	UNCCC	-	5.43	5.43	-	+	1	 		.		
\perp	Optiona	al Features & Functions:															
			l .		U1TD1,	l		L.	l	L.	1	1	l				
		Clear Channel Capability Extended Frame Option - per DS1			ULDD1,UNC1X	CCOEF		01	01	01	OI						
					U1TD1,												
		Clear Channel Capability Super FrameOption - per DS1	- 1		ULDD1,UNC1X	CCOSF		01	01	01	OI						
		Clear Channel Capability (SF/ESF) Option - Subsequent			ULDD1, U1TD1,												
		Activity - per DS1	- 1		UNC1X, USL	NRCCC		184.65S	23.79S	1.97S	0.77S						
		• •			U1TD3, ULDD3,				Î								
		C-bit Parity Option - Subsequent Activity - per DS3	i		UE3, UNC3X	NRCC3		218.78S	7.66S	.7263S	0S						
	MULTIF	PLEXERS				1						ĺ					
		DS1 to DS0 Channel System per month			UNC1X	MQ1	105.09	59.97	12.96			i e					
\vdash		OCU-DP COCI (data) - DS1 to DS0 Channel System - per										1					
		month (2.4-64kbs) used for a Local Loop			UDL	1D1DD	1.38	6.39	4.58								
	_	OCU-DP COCI (data) - DS1 to DS0 Channel System - per	-		ODL	10100	1.00	0.00	4.00			1					
		month (2.4-64kbs) used for connection to a channelized DS1															
		Local Channel in the same SWC as collocation			U1TUD	1D1DD	1.38	6.39	4.58								
\vdash				-	01100	וטוטט	1.30	0.39	4.30			1					
		2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per			UDN	UC1CA	2.96	6.39	4.58								
-		month for a Local Loop			UDIN	UCTCA	2.96	6.39	4.58			<u> </u>					
		2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per															
		month used for connection to a channelized DS1 Local Channel															
		in the same SWC as collocation			U1TUB	UC1CA	2.96	6.39	4.58								
		Voice Grade COCI - DS1 to DS0 Channel System - per month															
		used for a Local Loop			UEA	1D1VG	0.6497	6.39	4.58								
		Voice Grade COCI - DS1 to DS0 Channel System - per month	l					1		1	1	1					
		used for connection to a channelized DS1 Local Channel in the	l					I		1	1	1	1		l		
LI		same SWC as collocation			U1TUC	1D1VG	0.6497	6.39	4.58								
		DS3 to DS1 Channel System per month			UNC3X	MQ3	201.48	107.05	91.25								
		STS-1 to DS1 Channel System per month			UNCSX	MQ3	201.48	107.05	91.25								
		DS1 COCI used with Loop per month			USL	UC1D1	11.78	6.39	4.58								
		DS1 COCI (used for connection to a channelized DS1 Local															
		Channel in the same SWC as collocation) per month	l		U1TUA	UC1D1	11.78	6.39	4.58	1	1	1					
		DS1 COCI used with Interoffice Channel per month			U1TD1	UC1D1	11.78	6.39	4.58		1	1	1		ĺ		
		DS3 Interface Unit (DS1 COCI) used with Local Channel per	i			1						İ	İ		İ		
		month	l		ULDD1	UC1D1	11.78	6.39	4.58	1	1	1	1		1		
UNBUN	DLEDI	OCAL EXCHANGE SWITCHING(PORTS)	i –			1		3.55	50	1	1	İ	i		i e		
		ge Ports	l -			1		 	 	 	 	1	l		†		
		Although the Port Rate includes all available features in GA, I	KYIA	8 TNI 41	ne desired features	will need to b	ne ordered usir	ng retail IISOC	<u> </u>	t	+	 	 		†		
		VOICE GRADE LINE PORT RATES (RES)	I LA	S 114, U	io acontra realares	I need to t	o Graerea usii	l retail 0300	Ĭ	<u> </u>	+	 			 		
 	- WINE	Exchange Ports - 2-Wire Analog Line Port- Res.	 		UEPSR	UEPRL	1.52	2.31	2.21	t	+	1	 		1		
\vdash		Livinariye Forts - 2-Wile Arialog Lifte Port- Res.	-		ULFOR	UEPKL	1.52	2.31	2.21		+	1	-		-		
		Freshanna Barta O.M. ira Analan I. ira Bart with O. II ID B	l		LIEDOD	UEPRC	4.50	0.04	0.04	1		1	l				
$\vdash \vdash$		Exchange Ports - 2-Wire Analog Line Port with Caller ID - Res.	.	\vdash	UEPSR	UEPKU	1.52	2.31	2.21	-	+	1	 		.		
			l							1	1	1	1		1		
\vdash		Exchange Ports - 2-Wire Analog Line Port outgoing only - Res.			UEPSR	UEPRO	1.52	2.31	2.21		-	 					
		Exchange Ports - 2-Wire VG unbundled LA extended local	l			l		I		1	1	1	1		1		
		dialing parity Port with Caller ID - Res.			UEPSR	UEPAS	1.52	2.31	2.21								

UNBUNDLE	ED NETWORK ELEMENTS - Louisiana												Attach	ment: 2	Exhi	bit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			Svc Order Submitted Elec per LSR	Submitted	Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrec		Nonrecurring Di			_		Rates (\$)		
	Exchange Ports - 2-Wire VG unbundled Louisiana Area Plus						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	with Caller ID - Res (RUL)			UEPSR	UEPAG	1.52	2.31	2.21								
	Exchange Ports - 2-Wire VG unbundled res, low usage line port with Caller ID (LUM)			UEPSR	UEPAP	1.52	2.31	2.21								
	Exchange Ports - 2-Wire VG Louisiana Residence Dialing Plan without Caller ID			UEPSR	UEPWG	1.52	2.31	2.21								
	Exchange Ports - 2-Wire VG Louisiana Residence Area Plus			LIEDOD	LIEDDO	4.50	0.04	0.04								
	without Caller ID 2-Wire voice unbundled Low Usage Line Port without Caller ID			UEPSR	UEPRQ	1.52	2.31	2.21								
	Capability			UEPSR	UEPRT	1.52	2.31	2.21								
	Subsequent Activity			UEPSR	USASC	0.00	0.00	0.00								
FEAT	URES All Available Vertical Features			UEPSR	UEPVF	0.00	0.00	0.00								
2-WIR	E VOICE GRADE LINE PORT RATES (BUS)			UEPSK	UEPVF	0.00	0.00	0.00								
	Exchange Ports - 2-Wire Analog Line Port without Caller ID - Bus			UEPSB	UEPBL	1.52	2.31	2.21								
	Exchange Ports - 2-Wire VG unbundled Line Port with unbundled port with Caller+E484 ID - Bus.			UEPSB	UEPBC	1.52	2.31	2.21								
	Exchange Ports - 2-Wire Analog Line Port outgoing only - Bus.			UEPSB	UEPBO	1.52	2.31	2.21								
	Exchange Ports - 2-Wire VG unbundled LA extended local dialing parity Port with Caller ID - Bus.			UEPSB	UEPAX	1.52	2.31	2.21								
	Exhange Ports - 2-Wire VG unbundled incoming only port with Caller ID - Bus			UEPSB	UEPB1	1.52	2.31	2.21								
	Exchange Ports - 2-Wire VG unbundled Louisiana Bus Area Calling Port with Caller ID - Bus (BUC)			UEPSB	UEPAA	1.52	2.31	2.21								
	Exchange Ports - 2-Wire Voice Louisiana Business Dialing Plan without Caller ID			UEPSB	UEPWH	1.52	2.31	2.21								
	Exchange Ports - 2-Wire Voice Louisiana Business Area Calling Port without Caller ID			UEPSB	UEPBA	1.52	2.31	2.21								
	2-Wire voice unbundled Incoming Only Port without Caller ID Capability			UEPSB	UEPBE	1.52	2.31	2.21								
	Subsequent Activity			UEPSB	USASC	0.00	0.00	0.00								
FEAT					100.100											
	All Available Vertical Features			UEPSB	UEPVF	0.00	0.00	0.00								
EXCH	ANGE PORT RATES (DID & PBX)			UEPSE	UEPRD	1.52	30.37	11.10								
	2-Wire VG Unbundled 2-Way PBX Trunk - Res 2-Wire VG Line Side Unbundled 2-Way PBX Trunk - Bus			UEPSE	UEPPC	1.52	30.37	14.42 14.42								
	2-Wire VG Line Side Unbundled Outward PBX Trunk - Bus			UEPSP	UEPPO	1.52	30.37	14.42								
	2-Wire VG Line Side Unbundled Incoming PBX Trunk - Bus			UEPSP	UEPP1	1.52	30.37	14.42								
	2-Wire Analog Long Distance Terminal PBX Trunk - Bus			UEPSP	UEPLD	1.52	30.37	14.42								
	2-Wire Voice Unbundled 2-Way PBX Louisiana Calling Port			UEPSP	UEPL2	1.52	30.37	14.42								
ļ	2-Wire Voice Unbundled PBX LD Terminal Ports			UEPSP	UEPLD	1.52	30.37	14.42								,
	2-Wire Vice Unbundled 2-Way PBX Usage Port 2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports			UEPSP UEPSP	UEPXA UEPXB	1.52 1.52	30.37 30.37	14.42 14.42								
	2-Wire Voice Unbundled PBX LD DDD Terminals Port			UEPSP	UEPXC	1.52	30.37	14.42								
	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port			UEPSP	UEPXD	1.52	30.37	14.42								
	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD Capable Port			UEPSP	UEPXE	1.52	30.37	14.42								
	2-Wire Voice Unbundled 2-Way PBX Louisiana Local Optional Callling Port			UEPSP	UEPXK	1.52	30.37	14.42								
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Administrative Calling Port			UEPSP	UEPXL	1.52	30.37	14.42								
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Room Calling Port			UEPSP	UEPXM	1.52	30.37	14.42								
	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital Discount Room Calling Port			UEPSP	UEPXO	1.52	30.37	14.42								
	2-Wire Voice Unbundled 1-Way Outgoing PBX Louisiana Local Discount Calling Port			UEPSP	UEPXP	1.52	30.37	14.42		_						

UNB	UNDLE	D NETWORK ELEMENTS - Louisiana												Attach	ment: 2	Exhi	bit: A
		1										Svc Order	Svc Order	Incremental	Incremental		Incremental
												Submitted	Submitted		Charge -	Charge -	Charge -
												Elec	Manually	Manual Svc	Manual Svc		Manual Svc
CATE	GORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m									per Lore	per Lore	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
																DISC 1St	Disc Add I
							Rec	Nonre			g Disconnect				Rates (\$)		
							Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPSP	UEPXS	1.52	30.37	14.42								
		Subsequent Activity			UEPSP	USASC	0.00	0.00	0.00								
	FEAT																
		All Available Vertical Features			UEPSP UEPSE	UEPVF	0.00	0.00	0.00								
	EXCH	ANGE PORT RATES (COIN)															
		Exchange Ports - Coin Port					1.52	2.31	2.21								
		Transmission/usage charges associated with POTS circuit sy															
		Access to B Channel or D Channel Packet capabilities will be	availa	ble only	y through BFR/New	Business Re	equest Process.	Rates for the	packet capab	ilities will be d	etermined via	he Bona Fid	de Request/	New Busines	s Request Pro	cess.	
UNBU		LOCAL EXCHANGE SWITCHING(PORTS)															
		ANGE PORT RATES															
		S1 Port rates below for 4-Wire DDITS Trunk Port and 4-Wire IS											riff rates or	a separate ag	reement.		
	Reque	sts for 4-Wire DDITS Trunk Ports with 4-Wire ISDN DS1 Ports	after the	e effect							BellSouth's d	iscretion.					
		Exchange Ports - 2-Wire DID Port		1	UEPEX	UEPP2	8.29	115.85	18.20								
		Exchange Ports - DDITS Port - 4-Wire DS1 Port with DID	1	1	<u> </u>	1									_		
		capability (E:4/1/2004)		1	UEPDD	UEPDD	68.47	196.18	92.92	ļ	ļ			ļ			
		Exchange Ports - 2-Wire ISDN Port (See Notes below.)			UEPTX, UEPSX	U1PMA	10.07	70.76	51.46								
		All Features Offered			UEPTX, UEPSX	UEPVF	0.00	0.00	0.00								
		Exchange Ports - 2-Wire ISDN Port Channel Profiles			UEPTX, UEPSX	U1UMA	0.00	0.00	0.00								
		Transmission/usage charges associated with POTS circuit sy															
		Access to B Channel or D Channel Packet capabilities will be	availa	ble only	y through BFR/New	Business Re	quest Process.	Rates for the	packet capab	ilities will be d	etermined via	he Bona Fid	de Request/	New Busines	s Request Pro	cess.	
	EXCH	ANGE PORT RATES (continued)															
		Exchange Ports - 4-Wire ISDN DS1 Port with Detailed E911															
		Locator Capability (E:4/1/2004)			UEPEX	UEPEX	94.82	197.92	98.62								
		Exchange Ports - 4-Wire ISDN DS1 Port (E:4/1/2004)			UEPDX	UEPDX	94.82	197.92	98.62								
		Physical Collocation - DS1 Cross-Connects			UEPEX UEPDX	PE1P1	1.04	21.39	15.47								
		Virtual collocation - Special Access & UNE, cross-connect per															
		DS1			UEPEX UEPDX	CNC1X	1.04	21.39	15.47								
	Detaile	ed E911 with Locator Capability (required with UEPEX port)															
		Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - E911															
		Locator Capability - Initial Profile Establishment per CLEC per				1											
		State		ļ	UEPEX	UEP1A	0.00	1,792.00									
		Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - E911															
		Locator Capability - Subsequent Profile Changes, Additions,						.=									
<u> </u>		Deletions		_	UEPEX	UEP1B	0.00	174.03									
-	New o	r Additional PRI Telephone Numbers		-		1						1					
		Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - E911															
		Locator Capability 2-way Telephone Numbers, per number in			LIEDEY	LIED40	0.0000	0.40									
-	-	E911 profile [New or Additional]	-	 	UEPEX	UEP1C	0.0692	0.48		1							
		Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - E911															
		Locator Capability - Outdial Telephone Numbers, per number in E911 profile [New or Additional]	l	1	UEPEX	UEP1D	0.0692	11.18	11.18				1		I		
<u> </u>	+	Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - Inward		 	UEPEX	UEPID	0.0692	11.18	11.18			-					
		Telephone Numbers - Inward Data Only Option [New or															
		Additional			UEPDX	UEP1E	0.00	0.48									
-	+	Exchange Ports - 4-Wire ISDN DS1 Port - Subsequent [New]	-	+	ULFDA	OLF IL	0.00	0.40		1	1	ł	-		-		
					UEPEX	PR7ZT	0.00	22.35	22.35								
-	LOCA	Inward Tel Numbers [Customer Testing Purposes] L NUMBER PORTABILITY	-	1	ULFEA	FR/41	0.00	22.33	22.35	1	1	 	-		+		
-	LUCA	Local Number Portability (1 per port)	1	1	UEPEX UEPDX	LNPCN	1.75			1	1	1	-	1	 		
-	INTER	FACE (Provsioning Only)	-	+	OLFLA UEFDA	LINE OIN	1./5			1	 	1		-	 		
-	INTER	Voice/Data	-	+	UEPEX	PR71V	0.00	0.00	0.00	 	1	1	-	-			
-	+	Digital Data	-	1	UEPEX	PR71D	0.00	0.00	0.00	1	1	 	-		+		
-	+	Inward Data	1	1	UEPDX	PR71E	0.00	0.00	0.00	1	1	1	-	1	 		
-	Now a	r Additional Channel	-	+	ULFUA	FR/IE	0.00	0.00	0.00	 	1	1	-	-			
-	New 0	New or Additional - Voice/Data "B" Channel	-	1	UEPEX	PR7BV	0.00	14.11		1	1			-			
-	+	New or Additional - Digital Data "B" Channel	-	1	UEPEX	PR7BF	0.00	14.11		1	1	 	-		+		
-	+	New or Additional Inward Data "B" Channel	-	+	UEPEX	PR7BD	0.00	14.11		1	 	1		-	 		
-	+	New or Additional Useage Sensitive Voice Data "B" Channel	-	+	UEPEX	PR7BS	0.00	14.11		 	1	1	-	-			
-	+	New or Additional Useage Sensitive Voice Data B Channel New or Additional Useage Sensitive Digital Data "B" Channel	-	1	UEPEX	PR7BU	0.00	14.11		1	1	 	-		+		
-	+	New or Additional PRI "D" Channel	-	+	UEPEX	PR7EX	0.00	14.11		1	 	1		-	 		
<u></u>	1	INOW OF AUGITIONAL FIXED CHAIMEN	ı	1	OLFLA	ILIVIEV	0.00	14.11		1	1	1	1	1	1	l	

UNBUNDLE	D NETWORK ELEMENTS - Louisiana												Attach	ment: 2	Exhi	bit: A
											Svc Order	Svc Order	Incremental	Incremental		
1						1					1	Submitted		Charge -	Charge -	Charge -
ĺ		Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
ĺ													Electronic-	Electronic-	Electronic-	Electronic-
ĺ													1st	Add'l	Disc 1st	Disc Add'l
									I M					D-1 (A)		
						Rec	Nonrec		Nonrecurring D		001150	001111		Rates (\$)	001111	001441
CALL	TYPES						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
CALL	Inward		<u> </u>	UEPEX UEPDX	PR7C1	0.00	0.00	0.00	+		1	1				-
\vdash	Outward		1	UEPEX	PR7CO	0.00	0.00	0.00			-	-				
	Two-way		1	UEPEX	PR7CC	0.00	0.00	0.00								
UNBU	NDLED PORT with REMOTE CALL FORWARDING CAPABILITY	′							1							1
UNBUI	NDLED REMOTE CALL FORWARDING SERVICE - RESIDENCE															
	Unbundled Remote Call Forwarding Service, Area Calling, Res			UEPVR	UERAC	1.52	2.31	2.21								
	Unbundled Remote Call Forwarding Service, Local Calling - Res			UEPVR	UERLC	1.52	2.31	2.21								
\longrightarrow	Unbundled Remote Call Forwarding Service, InterLATA - Res			UEPVR	UERTE	1.52	2.31	2.21								
	Unbundled Remote Call Forwarding Service, IntraLATA - Res			UEPVR	UERTR	1.52	2.31	2.21								
Non-Re	ecurring															
1 1	Unbundled Remote Call Forwarding Service - Conversion -			LIED\/D	LIGACO		0.40	0.40								I
\vdash	Switch-as-is Unbundled Remote Call Forwarding Service - Conversion with	1	!	UEPVR	USAC2	 	0.10	0.10	 		1	1	-			
1 1	allowed change (PIC and LPIC)			UEPVR	USACC		0.10	0.10								I
LINBU	NDLED REMOTE CALL FORWARDING - Bus	H	 	OLF VIV	JUACC	 	0.10	0.10			H	H	l	 	 	t
ONBOI			1													
1	Unbundled Remote Call Forwarding Service, Area Calling - Bus			UEPVB	UERAC	1.52	2.31	2.21								
	gg															
i l	Unbundled Remote Call Forwarding Service, Local Calling - Bus			UEPVB	UERLC	1.52	2.31	2.21								
	Unbundled Remote Call Forwarding Service, InterLATA - Bus			UEPVB	UERTE	1.52	2.31	2.21								
	Unbundled Remote Call Forwarding Service, IntraLATA - Bus			UEPVB	UERTR	1.52	2.31	2.21								
i	Unbundled Remote Call Forwarding Service Expanded and															
\longrightarrow	Exception Local Calling			UEPVB	UERVJ	1.52	2.31	2.21								
Non-Re	ecurring															
i l	Unbundled Remote Call Forwarding Service - Conversion -			LIED/D	110400		0.40	0.40								
\vdash	Switch-as-is Unbundled Remote Call Forwarding Service - Conversion with		ļ	UEPVB	USAC2		0.10	0.10	 					-		
i l	allowed change (PIC and LPIC)			UEPVB	USACC		0.10	0.10								
UNBUNDI ED	LOCAL SWITCHING, PORT USAGE			OLF VB	USACC		0.10	0.10								
	ffice Switching (Port Usage)				İ											
	End Office Switching Function, Per MOU					0.001868										
	End Office Trunk Port - Shared, Per MOU					0.00018										
Tande	m Switching (Port Usage) (Local or Access Tandem)															
	Tandem Switching Function Per MOU					0.0001067										
	Tandem Trunk Port - Shared, Per MOU					0.000222										
\vdash	Tandem Switching Function Per MOU (Melded)		<u> </u>			0.000035296										
\vdash	Tandem Trunk Port - Shared, Per MOU (Melded)	.	<u> </u>			0.000073438			 				 	-	.	-
Co	Melded Factor: 33.08% of the Tandem Rate		 						 							
Comm	Common Transport - Per Mile, Per MOU	-	 		 	0.0000032			 		 	 	 	 	 	
	Common Transport - Per Mille, Per MOU Common Transport - Facilities Termination Per MOU		†		 	0.0003748			+					 	 	
UNBUNDLED	PORT/LOOP COMBINATIONS - COST BASED RATES		 			0.0000140			 		-	-				†
	Based Rates are applied where BellSouth is required by FCC ar	nd/or St	ate Co	mmission rule to pro	ovide Unbun	dled Local Swit	tching or Swite	h Ports.								t
	es shall apply to the Unbundled Port/Loop Combination - Cos								ed Port section of	f this Rate E	xhibit.		1	ĺ	ĺ	1
End Of	ffice and Tandem Switching Usage and Common Transport Us	sage rat	es in th	ne Port section of th	is rate exhib	it shall apply to	all combination	ons of loop/po	rt network eleme	nts except 1	for UNE Coi					
	st and additional Port nonrecurring charges apply to Not Curr	ently C	ombine	ed Combos. For Cur	rently Combi	ined Combos th	ne nonrecurrin	g charges sha	II be those identif	fied in the N	onrecurring	g - Currently	Combined se	ections.		
	E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)															
UNE P	ort/Loop Combination Rates		<u> </u>											ļ		1
$\vdash \vdash \vdash$	2-Wire VG Loop/Port Combo - Zone 1		1			13.13					-	-	 	ļ	ļ	-
$\vdash \vdash \vdash$	2-Wire VG Loop/Port Combo - Zone 2		2	1	ļ	23.75 49.62							 	.	 	
	2-Wire VG Loop/Port Combo - Zone 3		3			49.62			 		1	1	-	-	 	-
	oon Pates										1	1	1	1	1	<u> </u>
	oop Rates		1	HEDDY	LIEDI V	11 77			†							
	2-Wire Voice Grade Loop (SL1) - Zone 1			UEPRX	UEPLX	11.77										
	2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPRX	UEPLX	22.39										
UNE Lo	2-Wire Voice Grade Loop (SL1) - Zone 1		2													

ONRONDEE	D NETWORK ELEMENTS - Louisiana												Attachi			bit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)				Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'I
						Rec	Nonrec		Nonrecurring Dis					Rates (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire voice unbundled port with Caller ID - res			UEPRX	UEPRC	1.36	38.85	19.08								
	2-Wire voice unbundled port outgoing only - res			UEPRX	UEPRO	1.36	38.85	19.08								ļ
	2-Wire voice Grade unbundled Louisiana extended local dialing parity port with Caller ID - res			UEPRX	UEPAS	1.36	38.85	19.08								
	2-Wire voice unbundled Louisiana Area Plus with Caller ID - res (RUL)			UEPRX	UEPAG	1.36	38.85	19.08								
	2-Wire voice unbundles res, low usage line port with Caller ID (LUM)			UEPRX	UEPAP	1.36	38.85	19.08								
	2-Wire Voice Unbundled Louisiana Residence Dialing Plan without Caller ID			UEPRX	UEPWG	1.36	38.85	19.08								
	2-Wire voice unbundled Louisiana Area Plus Port without Caller ID Capability 2-Wire voice unbundled Low Usage Line Port without Caller ID			UEPRX	UEPRQ	1.36	38.85	19.08								
FEAT	Capability			UEPRX	UEPRT	1.36	38.85	19.08								
FEAT	All Features Offered			UEPRX	UEPVF	0.00	0.00	0.00								+
LOCA	L NUMBER PORTABILITY			OLITOR	OLI VI	0.00	0.00	0.00								
	Local Number Portability (1 per port)			UEPRX	LNPCX	0.35										
NONR	ECURRING CHARGES (NRCs) - CURRENTLY COMBINED					0.00										
	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch-as-is			UEPRX	USAC2		0.10	0.10								
	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch with change			UEPRX	USACC		0.10	0.10								
ADDIT	IONAL NRCs															
	2-Wire Voice Grade Loop/Line Port Combination - Subsequent Activity Unbundled Miscellaneous Rate Element, Tag Loop at End User			UEPRX	USAS2	0.00	0.00	0.00								
OFF/O	Premise N PREMISES EXTENSION CHANNELS			UEPRX	URETL		8.33	0.83								
OFF/C	2 Wire Analog Voice Grade Extension Loop – Non-Design		1	UEPRX	UEAEN	12.90	36.54	16.87								
+	2 Wire Analog Voice Grade Extension Loop – Non-Design 2 Wire Analog Voice Grade Extension Loop – Non-Design		2	UEPRX	UEAEN	23.33	36.54	16.87								-
	2 Wire Analog Voice Grade Extension Loop – Non-Design		3	UEPRX	UEAEN	48.43	36.54	16.87								
	2 Wire Analog Voice Grade Extension Loop – Design		1	UEPRX	UEAED	14.93	102.10	65.72								
	2 Wire Analog Voice Grade Extension Loop – Design		2	UEPRX	UEAED	25.35	102.10	65.72								
INTER	2 Wire Analog Voice Grade Extension Loop – Design OFFICE TRANSPORT		3	UEPRX	UEAED	50.46	102.10	65.72								
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility Termination			UEPRX	U1TV2	22.60	39.36	26.62								
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile or Fraction Mile			UEPRX	U1TVM	0.013	0.00	0.00								
	E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS)															
UNE P	ort/Loop Combination Rates		-			10.10									-	├
	2-Wire VG Loop/Port Combo - Zone 1		1			13.13									!	
	2-Wire VG Loop/Port Combo - Zone 2		2		+	23.75									-	-
LIME	2-Wire VG Loop/Port Combo - Zone 3 oop Rates		3		_	49.62			 						-	
UNEL	2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPBX	UEPLX	11.77			 						 	
	2-Wire Voice Grade Loop (SL1) - Zone 1		2	UEPBX	UEPLX	22.39										
	2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPBX	UEPLX	48.26									 	†
2-Wire	Voice Grade Line Port (Bus)		Ť			.0.20									1	
	2-Wire voice unbundled port without Caller ID - bus			UEPBX	UEPBL	1.36	38.85	19.08								
	2-Wire voice unbundled port with Caller + E484 ID - bus			UEPBX	UEPBC	1.36	38.85	19.08								
	2-Wire voice unbundled port outgoing only - bus			UEPBX	UEPBO	1.36	38.85	19.08							ĺ	
	2-Wire voice Grade unbundled Louisiana extended local dialing parity port with Caller ID - bus			UEPBX	UEPAX	1.36	38.85	19.08								
$\overline{}$	2-Wire voice unbundled incoming only port with Caller ID - Bus		<u> </u>	UEPBX	UEPAX UEPB1	1.36	38.85	19.08	 						1	
	2-Wire voice unbundled incoming only port with Caller ID - Bus 2-Wire voice unbundled Louisiana Bus Area Calling Port with			OLFBA	ULFDI	1.30	აი.ინ	19.08	 						 	
	Caller ID (BUC)			UEPBX	UEPAA	1.36	38.85	19.08								

OMBONDLE	D NETWORK ELEMENTS - Louisiana	1		1							Com Cont	Core Contr		ment: 2		bit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)				Submitted Manually	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'I
						Rec	Nonrec		Nonrecurring					Rates (\$)		
						1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Unbundled Louisiana Business Dialing Plan			LIEDDY	LIEDVAGI	4.00	00.05	40.00								
	without Caller ID 2-Wire voice unbundled Louisiana Business Area Calling Port			UEPBX	UEPWH	1.36	38.85	19.08			-				-	-
	without Caller ID Capability			UEPBX	UEPBA	1.36	38.85	19.08								
	2-Wire voice unbundled Incoming Only Port without Caller ID Capability			UEPBX	UEPBE	1.36	38.85	19.08								
LOCAL	L NUMBER PORTABILITY		1	UEPBA	UEFBE	1.30	30.00	19.06			1				1	1
LOCA	Local Number Portability (1 per port)			UEPBX	LNPCX	0.35									-	
FEATU			<u> </u>	02. 57.	2.11 0/1	0.00										1
	All Features Offered			UEPBX	UEPVF	0.00	0.00	0.00								
NONR	ECURRING CHARGES (NRCs) - CURRENTLY COMBINED															
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -									-						
	Switch-as-is		<u> </u>	UEPBX	USAC2		0.10	0.10								
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -			LIEBBY											1	
486:-	Switch with change		<u> </u>	UEPBX	USACC		0.10	0.10							 	
ADDIT	IONAL NRCs 2-Wire Voice Grade Loop/Line Port Combination - Subsequent	 	<u> </u>						 		1				 	
	Activity			UEPBX	USAS2		0.00	0.00								
	Unbundled Miscellaneous Rate Element, Tag Loop at End User			OLI DX	OOAOZ		0.00	0.00							-	-
	Premise			UEPBX	URETL		8.33	0.83								
OFF/O	N PREMISES EXTENSION CHANNELS			02. 57.	OTTE		0.00	0.00	i i						t	
	2 Wire Analog Voice Grade Extension Loop - Non-Design		1	UEPBX	UEAEN	12.90	36.54	16.87								
	2 Wire Analog Voice Grade Extension Loop – Non-Design		2	UEPBX	UEAEN	23.33	36.54	16.87								
	2 Wire Analog Voice Grade Extension Loop – Non-Design		3	UEPBX	UEAEN	48.43	36.54	16.87								
	2 Wire Analog Voice Grade Extension Loop – Design		1	UEPBX	UEAED	14.93	102.10	65.72								
	2 Wire Analog Voice Grade Extension Loop – Design		2	UEPBX	UEAED	25.35	102.10	65.72								
	2 Wire Analog Voice Grade Extension Loop – Design		3	UEPBX	UEAED	50.46	102.10	65.72								
INTER	OFFICE TRANSPORT Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility															-
	Termination			UEPBX	U1TV2	22.60	39.36	26.62								
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile or Fraction Mile			UEPBX	U1TVM	0.013	0.00	0.00								
	E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES - PBX)															
UNE P	Port/Loop Combination Rates		_			10.10										-
	2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2		2		_	13.13 23.75					-				-	-
<u> </u>	2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3		3			49.62					1				1	1
UNFI	oop Rates				_	43.02					†					
	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEPRG	UEPLX	11.77					1					
	2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEPRG	UEPLX	22.39										
	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEPRG	UEPLX	48.26										
2-Wire	Voice Grade Line Port Rates (RES - PBX)															
	2-Wire VG Unbundled Combination 2-Way PBX Trunk Port -	l														
	Res		<u> </u>	UEPRG	UEPRD	1.36	66.91	31.29							L	ļ
LOCAI	L NUMBER PORTABILITY	ļ	<u> </u>	LIEBBO	LNDCS				 		1					
	Local Number Portability (1 per port)	-	<u> </u>	UEPRG	LNPCP	3.15	0.00	0.00	 						 	
FEATU	All Features Offered	-	 	UEPRG	UEPVF	0.00	0.00	0.00	+		-				 	
NOND	ECURRING CHARGES (NRCs) - CURRENTLY COMBINED	-	 	ULFRG	UEFVF	0.00	0.00	0.00	+		-				 	
NONK	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -	 	†		+				+		 				 	
	Conversion - Switch-As-Is	1	1	UEPRG	USAC2		7.68	1.85							I	
<u> </u>	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -		t		30,.02										1	
	Conversion - Switch with Change	1	1	UEPRG	USACC		7.68	1.85							I	
ADDIT	TONAL NRCs															
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -															
	Subsequent Activity			UEPRG	USAS2	0.00	0.00	0.00								
	PBX Subsequent Activity - Change/Rearrange Multiline Hunt	1							I T						_	
	Group						7.11	7.11							I	<u></u>

CATEGORY RATE ELEMENTS Index 200 BGS USGC RATE (1) Category	UNBUNDI	.ED NETWORK ELEMENTS - Louisiana												Attach	ment: 2	Exhi	bit: A
ATE GLEMENTS Intel Zone BCS USOC RATES (3) Decimal Solution Charge - C												Svc Order	Svc Order				Incremental
ATTEMPT Control of the control o																	Charge -
CATEGORY RATE ELEMENTS Management Montenants Mo			Inter'														Manual Svc
Bestoning Best	CATEGORY	RATE ELEMENTS		Zone	BCS	USOC			RATES (\$)			1					Order vs.
The Control of Medicine			m									per Lore	per Lore				Electronic-
Noncentral Non																	Disc Add'l
Post																Disc 1st	DISC Add I
Description Prints April Prints April April Solution							Rec									_	
Premise							1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
DEPTION PRICE INTERPRISE OF																	
Load Charmer Vess guide, per semination 1 \ \text{LEPPG} \ P2.00 \ 1.433 \ 100; 0 \ 65.72					UEPRG	URETL		8.33	0.83								
Usad Charnet Votes grade, part termination 2 UEPRG PABRX 25.35 102.10 65.72	OFF/				LIEBBO	D0 11 11/	1100	100.10									
				1													
NetroPrice TRANSPORT	-		-	_													
Interoffice Transport - Dedicated - 2 View Voice Grade - Facility Termination UEPRG U1TV2 22.60 50.56 26.62	INTE			3	UEPRG	P2JHX	50.46	102.10	65.72				-				
Termination Designation	INIE					+						-					
Interior Transport - Cedecised - 2 Week Voce Grade - Per Met UFPRG					LIEDDC	111T\/2	22.60	20.26	26.62								
EPRICE STAND CONTROL	-		1	-	OLFRG	01172	22.00	39.30	20.02	1		1			-		
2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS -PBX)					LIEDRG	11117\/M	0.013	0.00	0.00								
UNE Logo/Port Cortion - Zone 1	2-WII		†		021 110	OTT VIVI	0.013	0.00	0.00	1		 	-		I		
2-Wire Vol LoopProt Combo - Zone 1 1 13:33 2.275 2.2						1				1					<u> </u>		
2-Wire Vot CompoProt Combo - Zone 3 3 48 2	- JIVE			1		1	13,13			1					<u> </u>		
Will Copp Rates			t							† †				i	1		
UNIVER Loop Rates			l –							† †				İ	1	İ	
EVIVEN Votors Grade Loop (St. 1) - Zone 2	UNE																
2 2 2 2 2 2 2 2 2 2				1	UEPPX	UEPLX	11.77										
Line Side Unbundled Control PBX Trunk Port - Bus UEPPX UEPPC 1.36 66.91 31.29				2													
Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus Line Side Unbundled Contract PBX Trunk Port - Bus UEPPX UEPPC UEPPC UEPPC UEPPC UEPPC 1.36 66.91 31.29 UEPPX UEPPC UEP				3	UEPPX	UEPLX	48.26										
Line Side Librardied Outward PBX Trunk Port - Bus UEPPX UEPPC 1.36 66.91 31.29	2-Wii	re Voice Grade Line Port Rates (BUS - PBX)															
Line Side Librarided Outward FBX Trunk Port - Bus																	
Line Side Unbundled Incoming PBX Trunk Port - Bus UEPPX UEPP1 1,36 66.91 31.29																	
Caling Port Caling Port	\Box																
Calling Port			ļ		UEPPX	UEPP1	1.36	66.91	31.29	1				ļ	1		
2-Wire Vioice Unbundled PRX LO Terminal Ports			1		LIEBBY .		,			1					I		
2-Wire Voice Unbundled 2-Way Combination PBX Usage Port UEPPX UEPX 1.36 66.91 31.29	\vdash		!	-						+ +				.	 	 	
2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports UEPPX UEPX	\vdash		!	-						+ +				.	 	 	
2-Wire Voice Unbundled PBX LD DDD Terminals Port UEPPX UEEX UEPX UEPX UEPX UEPX UEPX UEPX UEPX UEPX UEPX	\vdash		-	-						+ +		1		 	 	-	
2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD 2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD UEPPX	\vdash		 	-						+		 	-	 	+	 	
2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD UEPPX UEPXE 1.36 66.91 31.29	\vdash		 	-						+		 	-	 	+	 	
Capable Port Capa	 		 		OLFFA	OLFAD	1.30	16.00	31.29	+ +		H		 	t	l	
2-Wire Voice Unbundled 2-Way PBX Louisiana Local Optional Calling Port UEPX	1 1		1		LIEPPX	UEPXE	1 36	66 91	31 20						I		
Calling Port Call	 		t		0=11 <i>X</i>	OLI AL	1.50	00.31	51.25	+ +		-		 	 		
2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Administrative Calling Port					LIEPPX	UEPXK	1 36	66 91	31 29	1					1		
Administrative Calling Port		2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy			52. T X	CEI /III	1.50	55.51	01.20	1					<u> </u>		
2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Room Calling Port UEPX U	1 1		1		UEPPX	UEPXL	1.36	66.91	31.29						I		
Room Calling Port			l –			1			220	† †				İ	1	İ	
2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital UEPPX UEP	1 1		1		UEPPX	UEPXM	1.36	66.91	31.29						I		
Discount Room Calling Port			i –											1			
2-Wire Voice Unbundled 1-Way Outgoing PBX Louisiana Local Discount Calling Port UEPPX UEPX U	L l	Discount Room Calling Port	<u></u>		UEPPX	UEPXO	1.36	66.91	31.29	<u> </u>		<u></u>	<u> </u>	<u> </u>	L	<u> </u>	
2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port UEPPX UEPX 1.36 66.91 31.29		2-Wire Voice Unbundled 1-Way Outgoing PBX Louisiana Local															
LOCAL NUMBER PORTABILITY UEPPX LNPCP 3.15 0.00 0			<u> </u>							<u> </u>				<u> </u>		<u></u>	
Local Number Portability (1 per port)					UEPPX	UEPXS	1.36	66.91	31.29								
FEATURES	LOC																
All Features Offered	oxdot				UEPPX	LNPCP	3.15	0.00	0.00	1							
NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED	FEAT				L	1				1				ļ	L		
2-Wire Voice Grade Loop/ Line Port Combination (PBX) - UEPPX	\vdash		ļ		UEPPX	UEPVF	0.00	0.00	0.00	1				ļ	1		
Conversion - Switch-As-Is	NON		ļ							1					ļ		
2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Conversion - Switch with Change ADDITIONAL NRCs 2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Subsequent Activity UEPPX USACC 7.68 1.85										1					1		
Conversion - Switch with Change	\vdash		_		UEPPX	USAC2		7.68	1.85	+ +					-		
ADDITIONAL NRCS 2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Subsequent Activity UEPPX USAS2 0.00 0.00 0.00					LIEDDY	LICACO		7.00	4.05	1					1		
2-Wire Voice Grade Loop/ Line Port Combination (PBX) - UEPPX USAS2 0.00 0.00 0.00	455		-		UEPPX	USACC		7.68	1.85	+ +				-	 		
	ADDI		╂	-		+				1					 		
	1 1		1		LIEDDY	LISASS	0.00	0.00	0.00						I		
The produced and the production of the productio	\vdash		1		ULFFA	USMSZ	0.00	0.00	0.00	+ +		 	-		+		
Group 7.11 7.11			1					7 11	7 11	1			1		I		

UNB	UNDLE	D NETWORK ELEMENTS - Louisiana												Attach	ment: 2	Exhi	bit: A
												I .		Incremental	Incremental	Incremental	Incremental
												Submitted	Submitted	•	Charge -	Charge -	Charge -
CATE	CORV	DATE ELEMENTO	Interi	7	DOC	11000			DATES (6)			Elec		Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATE	GORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
						+		Nonrec	urring	Nonrecurring	Disconnect	1	l	oss	Rates (\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Unbundled Miscellaneous Rate Element, Tag Loop at End User															
		Premise			UEPPX	URETL		8.33	0.83								
	OFF/OI	N PREMISES EXTENSION CHANNELS															
		Local Channel Voice grade, per termination		1	UEPPX	P2JHX	14.93	102.10	65.72								
-	_	Local Channel Voice grade, per termination		2	UEPPX	P2JHX	25.35	102.10	65.72			ļ					
-	INTER	Local Channel Voice grade, per termination OFFICE TRANSPORT		3	UEPPX	P2JHX	50.46	102.10	65.72			.					
	INTER	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility				+						+					
		Termination			UEPPX	U1TV2	22.60	39.36	26.62								
	1	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile										†					
		or Fraction Mile			UEPPX	U1TVM	0.013	0.00	0.00								
		VOICE GRADE LOOP WITH 2-WIRE ANALOG LINE COIN POI	RT														
	UNE Po	ort/Loop Combination Rates															
	1	2-Wire VG Coin Port/Loop Combo – Zone 1		1			13.13					ļ					
<u> </u>	-	2-Wire VG Coin Port/Loop Combo – Zone 2		2		+	23.75										
-	LINE	2-Wire VG Coin Port/Loop Combo – Zone 3		3		-	49.62										
-	UNE LO	2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPCO	UEPLX	11.77										
	1	2-Wire Voice Grade Loop (SL1) - Zone 1		2	UEPCO	UEPLX	22.39					+					
		2-Wire Voice Grade Loop (SL1) - Zone 3			UEPCO	UEPLX	48.26					1					
	2-Wire	Voice Grade Line Ports (COIN)															
		2-Wire Coin 2-Way without Operator Screening and without															
		Blocking (AL, KY, LA, MS)			UEPCO	UEPRF	1.36	38.85	19.08								
		2-Wire Coin 2-Way with Operator Screening and Blocking: 011,															
		900/976, 1+DDD (AL, KY, LA, MS)			UEPCO	UEPRA	1.36	38.85	19.08								
		2-Wire Coin 2-Way with Operator Screening and 011 Blocking (AL, LA, MS)			UEPCO	UEPRB	1.36	38.85	19.08								
-	1	2-Wire Coin 2-Way with Operator Screening & Blocking:			UEPCO	UEPRB	1.30	30.00	19.06			1					
		900/976, 1+DDD, 011+, & Local (AL, KY, LA, MS)			UEPCO	UEPCD	1.36	38.85	19.08								
		2-Wire Coin Outward without Blocking and without Operator			02. 00	02. 02		00.00	10.00								
		Screening (KY, LA, MS)			UEPCO	UEPRN	1.36	38.85	19.08								
		2-Wire Coin Outward with Operator Screening and 011 Blocking															
		(LA)			UEPCO	UEPLA	1.36	38.85	19.08								
		2-Wire Coin Outward with Operator Screening and Blocking:															
	_	011, 900/976, 1+DDD (AL, KY, LA, MS)			UEPCO	UEPRH	1.36	38.85	19.08			ļ					
		2-Wire Coin Outward Operator Screening & Blocking: 900/976, 1+DDD, 011+, and Local (AL, KY, LA, MS)			UEPCO	UEPCN	1.36	38.85	19.08								
	1	2-Wire Coin 2-Way Smartline with 900/976 (Louisiana only)			UEPCO	UEPNA	1.36	38.85	19.08			+					
	1	2-Wire Coin Outward Smartline with 900/976 (Louisiana only)			UEPCO	UEPCB	1.36	38.85	19.08			1					
	ADDITI	ONAL UNE COIN PORT/LOOP (RC)				1									İ		
		UNE Coin Port/Loop Combo Usage (Flat Rate)			UEPCO	URECU	1.81	0.00	0.00	0.00	0.00						
	LOCAL	NUMBER PORTABILITY			-				· · · · ·								
		Local Number Portability (1 per port)			UEPCO	LNPCX	0.35						ļ		ļ		
<u> </u>	NONRE	CURRING CHARGES - CURRENTLY COMBINED	.	-		+						ļ	 		.		
1		2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch-as-is			UEPCO	USAC2		0.10	0.10								
-	+	2-Wire Voice Grade Loop / Line Port Combination - Conversion -		 	OLFCO	USAUZ		0.10	0.10						 		
1		Switch with change			UEPCO	USACC		0.10	0.10								
	ADDITI	ONAL NRCs															
		2-Wire Voice Grade Loop/Line Port Combination - Subsequent															
	1	Activity			UEPCO	USAS2		0.00	0.00						ļ		
		Unbundled Miscellaneous Rate Element, Tag Loop at End User				Luner											
	0.1475	Premise		OPT "	UEPCO	URETL		8.33	0.83								
-		VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE ort/Loop Combination Rates	LINE	-UKI (I	(E3)	+						1					
-	UNE PO	2-Wire VG Loop/IO Tranport/Port Combo - Zone 1	 	1		+	16.45	-				1			 		
-	1	2-Wire VG Loop/IO Tranport/Port Combo - Zone 1		2			26.87					†	 				
	1	2-Wire VG Loop/IO Tranport/Port Combo - Zone 3		3			51.98								İ		
	UNE Lo	pop Rates	1			1						Ì					
			•												•		

NRONDI	ED NETWORK ELEMENTS - Louisiana													ment: 2		bit: A
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic-	Increments Charge - Manual Sv Order vs. Electronic
													1st	Add'l	Disc 1st	Disc Add'
						Rec	Nonred	curring	Nonrecurring	g Disconnect			oss	Rates (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Grade Loop (SL2) - Zone 1		1	UEPFR	UECF2	14.93										
	2-Wire Voice Grade Loop (SL2) - Zone 2		2	UEPFR	UECF2	25.35										
	2-Wire Voice Grade Loop (SL2) - Zone 3		3	UEPFR	UECF2	50.46										
2-Wi	re Voice Grade Line Port Rates (Res)				1											
	2-Wire voice unbundled port - residence			UEPFR	UEPRL	1.52	104.41	67.93								
	2-Wire voice unbundled port with Caller ID - res		<u> </u>	UEPFR	UEPRC	1.52	104.41	67.93								
	2-Wire voice unbundled port outgoing only - res	-	-	UEPFR	UEPRO	1.52	104.41	67.93								
	2-Wire voice Grade unbundled Louisiana extended local dialing parity port with Caller ID - res 2-Wire voice unbundled Louisiana Area Plus with Caller ID - res			UEPFR	UEPAS	1.52	104.41	67.93								
	(RUL)			UEPFR	UEPAG	1.52	104.41	67.93								
	2-Wire voice unbundles res, low usage line port with Caller ID (LUM)	1		UEPFR	UEPAP	1.52	104.41	67.93							I	
	2-Wire Voice Unbundled Louisiana Residence Dialing Plan	+	+	OLPER	UEFAP	1.52	104.41	67.93		1					 	
	without Caller ID			UEPFR	UEPWG	1.52	104.41	67.93								
INITE	EROFFICE TRANSPORT	1	 	OLFIN	ULF WG	1.52	104.41	67.93		1				 	t	
IIVIL	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility				+											
	Termination Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile			UEPFR	U1TV2	22.60	39.36	26.62								
FEA	or Fraction Mile			UEPFR	1L5XX	0.013										
FEA	All Features Offered			UEPFR	UEPVF	0.00	0.00	0.00		 						
1.00	AL NUMBER PORTABILITY			UEPFR	UEPVF	0.00	0.00	0.00		 						-
LUC	Local Number Portability (1 per port)			UEPFR	LNPCX	0.35				 						
NON	RECURRING CHARGES (NRCs) - CURRENTLY COMBINED	1	1	OLFIK	LINFOX	0.33									-	1
NON	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port Combination - Conversion - Switch-as-is			UEPFR	USAC2		8.24	1.81								
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port				USACC											
	Combination - Conversion - Switch-With-Change Unbundled Miscellaneous Rate Element, Tag Designed Loop at			UEPFR			8.24	1.81								
- 110	End User Premise	<u> </u>		UEPFR	URETN		11.20	1.10								ļ
	RE VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRI	LINE	ORI (BUS)	+						-			-		
UNE	2-Wire VG Loop/IO Tranport/Port Combo - Zone 1		1		+	16.45					-			-		
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 2		2		_	26.87				 						
-	2-Wire VG Loop/IO Tranport/Port Combo - Zone 3	1	3		+	51.98									-	1
LINE	Loop Rates		3		+	31.90								1		
OIVE	2-Wire Voice Grade Loop (SL2) - Zone 1		1	UEPFB	UECF2	14.93										
-	2-Wire Voice Grade Loop (SL2) - Zone 2		2	UEPFB	UECF2	25.35										
	2-Wire Voice Grade Loop (SL2) - Zone 3		3	UEPFB	UECF2	50.46										
2-Wi	ire Voice Grade Line Port (Bus)		Ť	02.13	020.2	00.10										
	2-Wire voice unbundled port without Caller ID - bus			UEPFB	UEPBL	1.52	104.41	67.93								
	2-Wire voice unbundled port with Caller + E484 ID - bus			UEPFB	UEPBC	1.52	104.41	67.93								
	2-Wire voice unbundled port outgoing only - bus			UEPFB	UEPBO	1.52	104.41	67.93								
	2-Wire voice Grade unbundled Alabama extended local dialing parity port with Caller ID - bus			UEPFB	UEPAW											
	2-Wire voice Grade unbundled Louisiana extended local dialing parity port with Caller ID - bus			UEPFB	UEPAX	1.52	104.41	67.93								
	2-Wire voice unbundled incoming only port with Caller ID - Bus			UEPFB	UEPB1	1.52	104.41	67.93		1					<u> </u>	1
	2-Wire voice unbundled Louisiana Bus Area Calling Port with Caller ID (BUC)			UEPFB	UEPAA	1.52	104.41	67.93								
	2-Wire Voice Unbundled Louisiana Business Dialing Plan without Caller ID			UEPFB	UEPWH	1.52	104.41	67.93								
1.00	AL NUMBER PORTABILITY	 	\vdash	OLI I D	OLI WIII	1.52	107.41	01.53		 				 	 	
1200	Local Number Portability (1 per port)	t		UEPFB	LNPCX	0.35				 				 	 	
INTE	EROFFICE TRANSPORT			02.10	111 0/	0.00				1					<u> </u>	
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility Termination			UEPFB	U1TV2	22.60	39.36	26.62								

INBUNDL	ED NETWORK ELEMENTS - Louisiana												ment: 2		bit: A
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)		Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
						Rec	Nonred	curring	Nonrecurring Disconnec	t	•	oss	Rates (\$)	•	•
ĺ						Rec	First	Add'l	First Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile														
	or Fraction Mile			UEPFB	1L5XX	0.013									
FEA	TURES														
	All Features Offered			UEPFB	UEPVF	0.00	0.00	0.00							
NON	RECURRING CHARGES (NRCs) - CURRENTLY COMBINED														ļ
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port														
	Combination - Conversion - Switch-as-is			UEPFB	USAC2		8.24	1.81							.
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port														
	Combination - Conversion - Switch with change			UEPFB	USACC		8.24	1.81		_					.
	Unbundled Miscellaneous Rate Element, Tag Designed Loop at			LIEDED	LIDETN		44.00	4.40							
	End User Premise	<u> </u>		UEPFB	URETN		11.20	1.10		_					.
	RE VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRI	LINE	OKI (~BA)	+					+	}	 	 		
UNE	Port/Loop Combination Rates	-	-		+	40.45				+	 	 	-		₩
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 1		1			16.45				_					.
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 2	 	2		+	26.87				+	}	 	 		
11815	2-Wire VG Loop/IO Tranport/Port Combo - Zone 3	 	3		+	51.98				+	}	 	 		
UNE	Loop Rates		4	HEDED	LIECEO	44.00				_	 				
	2-Wire Voice Grade Loop (SL2) - Zone 1			UEPFP	UECF2	14.93				_					.
	2-Wire Voice Grade Loop (SL2) - Zone 2			UEPFP	UECF2	25.35				_					.
	2-Wire Voice Grade Loop (SL2) - Zone 3		3	UEPFP	UECF2	50.46				_					ļ
2-Wi	ire Voice Grade Line Port Rates (BUS - PBX)														.
	Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus			UEPFP	UEPPC	1.52	132.47	82.14							.
	Line Side Unbundled Outward PBX Trunk Port - Bus			UEPFP	UEPPO	1.52	132.47	82.14							.
	Line Side Unbundled Incoming PBX Trunk Port - Bus			UEPFP	UEPP1	1.52	132.47	82.14		_					.
	2-Wire Voice Unbundled 2-Way Combination PBX Louisiana				l										
	Calling Port			UEPFP	UEPL2	1.52	132.47	82.14							.
	2-Wire Voice Unbundled PBX LD Terminal Ports			UEPFP	UEPLD	1.52	132.47	82.14							.
	2-Wire Voice Unbundled 2-Way Combination PBX Usage Port			UEPFP	UEPXA	1.52	132.47	82.14							.
	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports			UEPFP	UEPXB	1.52	132.47	82.14							.
	2-Wire Voice Unbundled PBX LD DDD Terminals Port			UEPFP	UEPXC	1.52	132.47	82.14							.
	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port			UEPFP	UEPXD	1.52	132.47	82.14							.
	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD														
	Capable Port			UEPFP	UEPXE	1.52	132.47	82.14							
	2-Wire Voice Unbundled 2-Way PBX Louisiana Local Optional														
	Calling Port			UEPFP	UEPXK	1.52	132.47	82.14							
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy														
	Administrative Calling Port			UEPFP	UEPXL	1.52	132.47	82.14							
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy	1	1	l	1					-1	1	I			1
	Room Calling Port	<u> </u>		UEPFP	UEPXM	1.52	132.47	82.14			1				
1	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital	1	1							-1	1	I			1
_	Discount Room Calling Port	.	-	UEPFP	UEPXO	1.52	132.47	82.14			1	_			
1	2-Wire Voice Unbundled 1-Way Outgoing PBX Louisiana Local	1	1							-1	1	I			1
_	Discount Calling Port	ļ		UEPFP	UEPXP	1.52	132.47	82.14		\bot					
	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port	<u> </u>		UEPFP	UEPXS	1.52	132.47	82.14			1				
LOC	AL NUMBER PORTABILITY	.	-		Lung-						1	_			
	Local Number Portability (1 per port)	.	-	UEPFP	LNPCP	3.15	0.00	0.00			1	_			↓
INTE	ROFFICE TRANSPORT	<u> </u>			1						1				
1	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility	1	1							-1	1	I			1
	Termination			UEPFP	U1TV2	22.60	39.36	26.62	1		ļ				
1	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile	1	1	UEDED	41.5007					-1	1	I			1
	or Fraction Mile	.	-	UEPFP	1L5XX	0.013					1	_			
FEA	TURES	ļ	 	115050	1					\bot	ļ		ļ		
	All Features Offered	ļ		UEPFP	UEPVF	0.00	0.00	0.00		\bot					
NON	IRECURRING CHARGES (NRCs) - CURRENTLY COMBINED	ļ	 		1 1					\bot	ļ		ļ		
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port	1	1	l	1		_			-1	1	I			1
	Combination - Conversion - Switch-as-is	ļ	 	UEPFP	USAC2		8.24	1.81		\bot	ļ		ļ		
1	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port	1	1		1					-1		1	l		1
1	Combination - Conversion - Switch with change	l	1	UEPFP	USACC		8.24	1.81	1	1	<u> </u>	<u> </u>	<u> </u>		1

UNBL	JNDLE	D NETWORK ELEMENTS - Louisiana													Attach	ment: 2	Exhil	bit: A
															Incremental	Incremental	Incremental	
														Submitted		Charge -	Charge -	Charge -
	2001	DATE EL EMENTO	Interi	.		00	11000			DATEO (6)			Elec	Manually		Manual Svc	Manual Svc	
CATEG	JURY	RATE ELEMENTS	m	Zone	B	cs	USOC			RATES (\$)			per LSR	per LSR		Order vs.	Order vs.	Order vs.
															Electronic-	Electronic-	Electronic-	Electronic-
															1st	Add'l	Disc 1st	Disc Add'l
	Т								Nonrec	curring	Nonrecurring Dis	sconnect			oss	Rates (\$)		
								Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Unbundled Miscellaneous Rate Element, Tag Designed Loop at																
		End User Premise			UEPFP		URETN		11.20	1.10								
UNBU		PORT/LOOP COMBINATIONS - COST BASED RATES															!	
		VOICE GRADE LOOP- BUS ONLY - WITH 2-WIRE DID TRUNK	PORT															
-		ort/Loop Combination Rates 2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 1		- 1				23.20										——
-	+	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 2		1 2				33.62										—
	+	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 3		3				58.73										—
		pop Rates		_ <u> </u>				00.70										—
	1	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 1		1	UEPPX		UECD1	14.93										
		2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 2		2	UEPPX		UECD1	25.35										
		2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 3		3	UEPPX		UECD1	50.46										
		ort Rate																
	$\perp \Box$	Exchange Ports - 2-Wire DID Port			UEPPX		UEPD1	8.27	217.95	83.92								\perp
	NONRE	CURRING CHARGES - CURRENTLY COMBINED																
		2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Combination -			LIEDEN		110401										, ,	1
-	₩	Switch-as-is		-	UEPPX		USAC1		7.10	1.81								
		2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Conversion with BellSouth Allowable Changes			UEPPX		USA1C		7.10	1.81								i .
-	ADDIT	IONAL NRCs			UEPPX		USATC		7.10	1.81								—
	ADDITI	2-Wire DID Subsequent Activity - Add Trunks, Per Trunk		-	UEPPX		USAS1		26.01	26.01								—
	+	Unbundled Miscellaneous Rate Element, Tag Designed Loop at		-	OLITA		OOAOT		20.01	20.01								—
		End User Premise			UEPPX		URETN		11.20	1.10								l .
	Teleph	one Number/Trunk Group Establisment Charges																
		DID Trunk Termination (One Per Port)			UEPPX		NDT	0.00	0.00	0.00								
		Additional DID Numbers for each Group of 20 DID Numbers			UEPPX		ND4	0.00	0.00	0.00								
		DID Numbers, Non- consecutive DID Numbers , Per Number			UEPPX		ND5	0.00	0.00	0.00								
		Reserve Non-Consecutive DID numbers			UEPPX		ND6	0.00	0.00	0.00								1
		Reserve DID Numbers			UEPPX		NDV	0.00	0.00	0.00								
		NUMBER PORTABILITY			LIEDDY		LNDOD	0.45	0.00	0.00								+
-	2 WIDI	Local Number Portability (1 per port) ISDN DIGITAL GRADE LOOP WITH 2-WIRE ISDN DIGITAL LII	IE CIDE	BODT	UEPPX		LNPCP	3.15	0.00	0.00								
-		ort/Loop Combination Rates	NE SIDE	FORI														—
	ONLI	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -																
		UNE Zone 1		1	UEPPB	UEPPR		27.48									, !	i .
		2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -																
		UNE Zone 2		2	UEPPB	UEPPR		40.34									, !	l .
		2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -																[
		UNE Zone 3		3	UEPPB	UEPPR		70.99										
		oop Rates																<u> </u>
	₩	2-Wire ISDN Digital Grade Loop - UNE Zone 1		1	UEPPB	UEPPR	USL2X	19.09							ļ			
		2 Wire ISDN Digital Crede Loop LINE 7 2		2	HEDDD	UEPPR	LICL OV	24.05									, ,	1
-	+	2-Wire ISDN Digital Grade Loop - UNE Zone 2 2-Wire ISDN Digital Grade Loop - UNE Zone 3		3	UEPPB UEPPB		USL2X USL2X	31.95 62.60			 							—
-		private is the Digital Grade Loop - ONE Zone 3		٦	ULFFD	ULPPK	UULZA	02.00	-		 				 			
—		Exchange Port - 2-Wire ISDN Line Side Port		l	UEPPB	UEPPR	UEPPB	8.39	184.10	128.42								
—		ECURRING CHARGES - CURRENTLY COMBINED			, , , , , ,	JE. 1 IX		0.00	104.10	120.42								
		2-Wire ISDN Digital Grade Loop / 2-Wire ISDN Line Side Port			Ì				İ									
L		Combination - Conversion			UEPPB	UEPPR	USACB	0.00	37.40	26.23	<u> </u>						,	L
	ADDIT	ONAL NRCs																
		Unbundled Miscellaneous Rate Element, Tag Designed Loop at													l			1
	₩	End User Premise		<u> </u>	UEPPB	UEPPR	URETN		11.20	1.10							ļ!	—
		Unbundled Miscellaneous Rate Element, Tag Loop at End User			LIEDES	LIEBSS	LIDET:										, ,	1
<u> </u>	1.004	Premise		<u> </u>	UEPPB	UEPPR	URETL		8.33	0.83	 		 		ļ			
<u> </u>		NUMBER PORTABILITY		-	UEPPB	UEPPR	I NIDCV	0.35	0.00	0.00	 				-			
—		Local Number Portability (1 per port) NNEL USER PROFILE ACCESS:		<u> </u>	UEFFB	JEFFR	LINPUA	0.35	0.00	0.00								
—		CVS/CSD (DMS/5ESS)		 	UEPPB	UEPPR	U1UCA	0.00	0.00	0.00			 					
-	 	CVS (EWSD)		l —	UEPPB		U1UCB	0.00	0.00	0.00			 					
		//			1			0.00	0.00	5.00	L							

UNBUNDLE	D NETWORK ELEMENTS - Louisiana													Attach	ment: 2	Exhi	bit: A
												Svc Order	Svc Order	Incremental	Incremental		Incremental
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		Interi										Elec	Manually	Manual Svc	Manual Svc		Manual Svc
CATEGORY	RATE ELEMENTS	m	Zone	E	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													•	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
		ļ					ļ.,										
							Rec	Nonrec			g Disconnect				Rates (\$)		
	loop							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
D CITA	CSD NNEL AREA PLUS USER PROFILE ACCESS: (AL,KY,LA,MS S	C MC O	TNI	UEPPB	UEPPR	U1UCC	0.00	0.00	0.00	1							
Б-СПА	CVS/CSD (DMS/5ESS)	C,IVIO, &	I IN)	UEPPB	UEPPR	U1UCD	0.00	0.00	0.00	-		1					\vdash
—	CVS (EWSD)	1	-	UEPPB	UEPPR	U1UCE	0.00	0.00	0.00	-		1					
	CSD			UEPPB	UEPPR	U1UCF	0.00	0.00	0.00								
USER	TERMINAL PROFILE			02.12	OLI I IX	0.00.	0.00	0.00	0.00								
	User Terminal Profile (EWSD only)			UEPPB	UEPPR	U1UMA	0.00	0.00	0.00								
VERTI	CAL FEATURES																
	All Vertical Features - One per Channel B User Profile			UEPPB	UEPPR	UEPVF	0.00	0.00	0.00								
INTER	OFFICE CHANNEL MILEAGE																
	Interoffice Channel mileage each, including first mile and														l	l	1
	facilities termination	ļ			UEPPR	M1GNC	22.613	39.36	26.62	ļ							1
	Interoffice Channel mileage each, additional mile	(DC ==		UEPPB	UEPPR	M1GNM	0.013	0.00	0.00								
	DS1 DIGITAL LOOP WITH 4-WIRE ISDN DS1 DIGITAL TRUNK		L					444644					<u> </u>				
	IE-P DS1 combination rates below for in this rate exhibit appl sts for 4-Wire DS1 Digital Loop with 4-Wire ISDN DS1 Digital 1													nt.	-	-	
	ort/Loop Combination Rates	runk Po	ort arte	tne erre	ctive date o	of this amend	iment snall be p	roviaea pursi	ant to a separ	ate agreement	or tariff at Bei	South's al	scretion.				
UNEF	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE					1	1			1		1					
	Zone 1		1	UEPPP			180.52										ĺ
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE		-	OLITI		+	100.02										
	Zone 2		2	UEPPP			289.78										ĺ
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE			02			200.10			t							
	Zone 3		3	UEPPP			586.76										
UNE L	pop Rates																
	4-Wire DS1 Digital Loop - UNE Zone 1		1	UEPPP		USL4P	85.70										
	4-Wire DS1 Digital Loop - UNE Zone 2		2	UEPPP		USL4P	194.96										
	4-Wire DS1 Digital Loop - UNE Zone 3		3	UEPPP		USL4P	491.94										
UNE P	ort Rate																
	Exchange Ports - 4-Wire ISDN DS1 Port (E:4/1/2004)	ļ		UEPPP		UEPPP	94.82	443.08	251.60								
NONRI	CURRING CHARGES - CURRENTLY COMBINED																
	4-Wire DS1 Digital Loop / 4-Wire ISDN DS1 Digital Trunk Port			UEPPP		USACP	0.00	115.63	70.00								ĺ
ADDIT	Combination - Conversion -Switch-as-is (E:4/1/2004) ONAL NRCs	-	-	UEPPP		USACP	0.00	115.63	76.29	-		-					
ADDIT	4-Wire DS1 Loop/4-W ISDN Digtl Trk Port - Subsqt Actvy-	1	-			1				-		1					
	Inward/two way Tel Nos. (except NC)			UEPPP		PR7TF		0.48									ĺ
	4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trunk Port -			OLITI		1 10/11		0.40				1					
	Outward Tel Numbers (All States except NC)			UEPPP		PR7TO		11.18	11.18								
	4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trk Port -	l															
	Subsequent Inward Tel Numbers	<u> </u>		UEPPP		PR7ZT	<u> </u>	22.35	22.35	<u> </u>		<u></u>	<u></u>		<u> </u>	<u> </u>	1
LOCAL	NUMBER PORTABILITY																
	Local Number Portability (1 per port)			UEPPP		LNPCN	1.75										
INTER	FACE (Provsioning Only)	ļ				1	ļ			ļ							1
	Voice/Data	ļ		UEPPP		PR71V	0.00	0.00	0.00								
	Digital Data	ļ		UEPPP		PR71D	0.00	0.00	0.00		1						
	Inward Data	 	-	UEPPP		PR71E	0.00	0.00	0.00	 	1		 		 	 	
New or	Additional "B" Channel New or Additional - Voice/Data B Channel	1		UEPPP		PR7BV	0.00	14.11		-	1	1			-	-	
\vdash	New or Additional - Voice/Data B Channel New or Additional - Digital Data B Channel	 	 	UEPPP		PR7BF	0.00	14.11		 			 		 	 	
 	New or Additional Inward Data B Channel	1		UEPPP		PR7BD	0.00	14.11		 	1	H			l	l	
CALL		†		J			0.00	1-7.11		-	1	 	 				
JALL	Inward	†		UEPPP		PR7C1	0.00	0.00	0.00	1	1	1					
	Outward	1		UEPPP		PR7CO	0.00	0.00	0.00	1					l	l	
	Two-way	l		UEPPP		PR7CC	0.00	0.00	0.00								
Interof	fice Channel Mileage																
	Fixed Each Including First Mile			UEPPP		1LN1A	70.7352	86.69	79.44								
	Each Airline-Fractional Additional Mile			UEPPP		1LN1B	0.2652										
	DS1 DIGITAL LOOP WITH 4-WIRE DDITS TRUNK PORT												l				$lue{}$
	IE-P DS1 combination rates below for in this rate exhibit appl											te commerc	ial agreeme	nt.	ļ	ļ	
Reque	sts for 4-Wire DS1 Digital Loop with 4-Wire DDITS after the eff	ective d	ate of t	this amer	ndment sha	all be provide	ed pursuant to a	separate agre	ement or tarif	t at BellSouth's	s discretion.	l	l				

NBUNDL	ED NETWORK ELEMENTS - Louisiana													ment: 2	1	ibit: A
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			II .	Svc Order Submitted Manually per LSR	Manual Svc Order vs. Electronic-	Charge - Manual Svc Order vs. Electronic-	Charge - Manual Svc Order vs. Electronic-	Charge - Manual Sv Order vs. Electronic
													1st	Add'l	Disc 1st	Disc Add'
						Rec		curring		g Disconnect				Rates (\$)		
						1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
UNE	Port/Loop Combination Rates															
	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 1		1	UEPDC		154.17										
	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 2		2	UEPDC		263.43										
	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 3		3	UEPDC		560.41					ļ					
UNE	Loop Rates		1	LIEDDO	LICLEC	05.70			1					1	1	
	4-Wire DS1 Digital Loop - UNE Zone 1 4-Wire DS1 Digital Loop - UNE Zone 2		2	UEPDC UEPDC	USLDC	85.70 194.96			-		 			-	-	
-	4-Wire DS1 Digital Loop - UNE Zone 2		3	UEPDC	USLDC	491.94			1		1			1	1	
LINE	Port Rate		3	OLFDC	USLDC	431.34			-		1			-	-	1
OIL	4-Wire DDITS Digital Trunk Port (E:4/1/2004)			UEPDC	UDD1T	68.47	441.34	245.90			1					1
NON	RECURRING CHARGES - CURRENTLY COMBINED			OLI DO	ODDII	00.41	771.07	2-10.00						1	1	
11011	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination - Switch-as-is (E:4/1/2004)			UEPDC	USAC4		125.75	65.08								
	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination - Conversion with DS1 Changes (E:4/1/2004)			UEPDC	USAWA		125.75	65.08								
	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination - Conversion with Change - Trunk (E:4/1/2004)			UEPDC	USAWB		125.75	65.08								
ADD	ITIONAL NRCs	l	†	021 00	00,440		125.75	00.00	I		1			I	I	1
7.55	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - NRC -													1	1	
	Subsequent Channel Activation/Chan - 2-Way Trunk			UEPDC	UDTTA		14.06	14.06								
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent Channel Activation/Chan - 1-Way Outward Trunk			UEPDC	UDTTB		14.06	14.06								
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Channel															
	Activation/Chan Inward Trunk w/out DID			UEPDC	UDTTC		14.06	14.06								
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan Activation Per Chan - Inward Trunk with DID			UEPDC	UDTTD		14.06	14.06								
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan Activation / Chan - 2-Way DID w User Trans			UEPDC	UDTTE		14.06	14.06								
BIPC	DLAR 8 ZERO SUBSTITUTION			OLI DO	ODITE		14.00	14.00			1					
	B8ZS -Superframe Format			UEPDC	CCOSF		0.00i	605.00s			İ					
	B8ZS - Extended Superframe Format			UEPDC	CCOEF		0.00i	605.00s			İ					
Alter	rnate Mark Inversion															
	AMI -Superframe Format			UEPDC	MCOSF		0.00	0.00								
	AMI - Extended SuperFrame Format			UEPDC	MCOPO		0.00	0.00								
Tele	phone Number/Trunk Group Establisment Charges															
	Telephone Number for 2-Way Trunk Group			UEPDC	UDTGX	0.00										
	Telephone Number for 1-Way Outward Trunk Group			UEPDC	UDTGY	0.00										1
	Telephone Number for 1-Way Inward Trunk Group Without DID			UEPDC	UDTGZ	0.00			L					L	L	1
	DID Numbers for each Group of 20 DID Numbers	ļ		UEPDC	ND4	0.00			1					1	1	ļ
_	DID Numbers, Non- consecutive DID Numbers , Per Number			UEPDC	ND5	0.00			-					-	-	
_	Reserve Non-Consecutive DID Nos.	ļ	-	UEPDC	ND6	0.00	0.00	0.00	 					 	 	1
Dod!	Reserve DID Numbers cated DS1 (Interoffice Channel Mileage) - FX/FCO for 4-Wire DS1	l Dicital	Lloor	UEPDC	NDV Trunk Bort	0.00	0.00	0.00	-		1		-	 	 	1
Dedi	Interoffice Channel Mileage) - FX/FCO for 4-Wire DS1 Interoffice Channel Mileage - Fixed rate 0-8 miles (Facilities	ı Digital	Loop	WILL 4-WILE DOILS	Trunk Port				-		1		-	 	 	1
	Interortice Channel Mileage - Fixed rate 0-8 miles (Facilities Termination)			UEPDC	1LNO1	70.47	86.69	79.44								
\perp	Interoffice Channel Mileage - Additional rate per mile - 0-8 miles			UEPDC	1LNOA	0.2652	0.00	0.00								
	Interoffice Channel Mileage - Fixed rate 9-25 miles (Facilities Termination)			UEPDC	1LNO2	0.00	0.00	0.00	1							
	Interoffice Channel Mileage - Additional rate per mile - 9-25 miles			UEPDC	1LNOB	0.2652	0.00	0.00								
	Interoffice Channel Mileage - Fixed rate 25+ miles (Facilities Termination)			UEPDC	1LNO3	0.00	0.00	0.00	0.00							
\top	Interoffice Channel Mileage - Additional rate per mile - 25+ miles			UEPDC	1LNOC	0.2652	0.00	0.00	5.50							
_	Local Number Portability, per DS0 Activated	 	!	UEPDC	LNPCP	3.15	0.00	0.00	0.00	 	1		l	t	t	1
_	Central Office Termininating Point	 	†	UEPDC	CTG	0.00	0.00	0.00	0.00					-	-	
4-WI	RE DS1 LOOP WITH CHANNELIZATION WITH PORT	l -		02. 00	510	3.00			<u> </u>					<u> </u>	<u> </u>	†
	em is 1 DS1 Loop, 1 D4 Channel Bank, and up to 24 Feature Acti		-		_				 		 			t	 	+

JNBUNDL	LED NETWORK ELEMENTS - Louisiana												Attach	ment: 2	Exhi	ibit: A
											Svc Order	Svc Order	Incremental	Incremental		
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Sv
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		""									l .	'	Electronic-	Electronic-	Electronic-	Electronic
													1st	Add'l	Disc 1st	Disc Add'
		ļ												- (2)		
		1				Rec		curring	Nonrecurring					Rates (\$)		
Fash	h Custom con hous un to 24 combinations of votes demanding on						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	th System can have up to 24 combinations of rates depending on UNE-P DS1 combination rates below for 4-Wire DS1 Loop with 0					alista tha amba	ddad baaa in s	 - f 40/2	1/024:1 4/4/04	After 4/4/04	11		to towiff notes			+
	uests for 4-Wire DS1 Loop with Channelization with Port after th											l levert	to tariii rates	or a separate	agreement.	+
	E DS1 Loop	le enect	Ive uat	l	Silali be più	Videa parsuai	It to a separate	agreement or	lailli at Belloot	util 5 discretit	JII.		1			+
ONE	4-Wire DS1 Loop - UNE Zone 1	1	1	UEPMG	USLDC	85.70	0.00	0.00			1					+
	4-Wire DS1 Loop - UNE Zone 2		2	UEPMG	USLDC	194.96	0.00	0.00			1					1
	4-Wire DS1 Loop - UNE Zone 3	1		UEPMG	USLDC	491.94	0.00	0.00			İ					†
UNE	E DSO Channelization Capacities (D4 Channel Bank Configuratio	ns)														1
	24 DSO Channel Capacity - 1 per DS1	T		UEPMG	VUM24	97.35	0.00	0.00								1
	48 DSO Channel Capacity - 1 per 2 DS1s			UEPMG	VUM48	194.70	0.00	0.00								1
	96 DSO Channel Capacity -1per 4 DS1s			UEPMG	VUM96	389.40	0.00	0.00	<u> </u>							
	144 DS0 Channel Capacity - 1 per 6 DS1s			UEPMG	VUM14	584.10	0.00	0.00								
	192 DS0 Channel Capacity -1 per 8 DS1s			UEPMG	VUM19	778.80	0.00	0.00								
	240 DS0 Channel Capacity - 1 per 10 DS1s			UEPMG	VUM2O	973.50	0.00	0.00								
	288 DS0 Channel Capacity - 1 per 12 DS1s			UEPMG	VUM28	1,168.20	0.00	0.00								
	384 DS0 Channel Capacity - 1 per 16 DS1s			UEPMG	VUM38	1,557.60	0.00	0.00								1
	480 DS0 Channel Capacity - 1 per 20 DS1s		<u> </u>	UEPMG	VUM4O	1,947.00	0.00	0.00								ļ
	576 DS0 Channel Capacity -1 per 24 DS1s			UEPMG	VUM57	2,336.40	0.00	0.00								ļ
	672 DS0 Channel Capacity - 1 per 28 DS1s	<u> </u>	<u> </u>	UEPMG	VUM67	2,725.80	0.00	0.00								_
	n-Recurring Charges (NRC) Associated with 4-Wire DS1 Loop wit						/stem									
	linimum System configuration is One (1) DS1, One (1) D4 Channe															
Mult	Itiples of this configuration functioning as one are considered Ad	dd'i afte	r the m	inimum system con	figuration is	counted.					1					+
	NRC - Conversion (Currently Combined) with or without BellSouth Allowed Changes			UEPMG	USAC4	0.00	146.13	8.12								
Cust	tem Additions at End User Locations Where 4-Wire DS1 Loop wi	th Chan						8.12			-					+
	v (Not Currently Combined) in all states, except in Density Zone 1				nation Curre	entiy Exists an	1				 		-			+
INGW	1 DS1/D4 Channel Bank - Additionally Add NRC for each Port	Тогтор	OWIGE	1			 				1		1		1	+
	and Assoc Fea Activation (E:4/1/2004)			UEPMG	VUMD4	0.00	715.54	467.54								
Bino	olar 8 Zero Substitution	1	1	OLI MO	VOIVID	0.00	7 10.04	407.04			1					+
2.50	Clear Channel Capability Format, superframe - Subsequent										1					+
	Activity Only			UEPMG	CCOSF	0.00	0.00i	605.00s								
	Clear Channel Capability Format - Extended Superframe -															1
	Subsequent Activity Only			UEPMG	CCOEF	0.00	0.00i	605.00s								
Alter	ernate Mark Inversion (AMI)	1														1
	Superframe Format			UEPMG	MCOSF	0.00	0.00	0.00							ĺ	
	Extended Superframe Format			UEPMG	MCOPO	0.00	0.00	0.00								T
	hange Ports Associated with 4-Wire DS1 Loop with Channelizati	ion with	Port													
Exch	hange Ports															
	Line Side Combination Channelized PBX Trunk Port - Business															
_	(E:4/1/2004)	1		UEPPX	UEPCX	1.52	0.00	0.00	0.00	0.00			L		ļ	1
	Line Side Outward Channelized PBX Trunk Port - Business			l	l	1 .	l .	_	_	_		1	I			
	(E:4/1/2004)	1		UEPPX	UEPOX	1.52	0.00	0.00	0.00	0.00			ļ			ļ
	Line Side Inward Only Channelized PBX Trunk Port without DID			LIEDDY	LIEDAY							1	I			
	(E:4/1/2004)	<u> </u>	-	UEPPX	UEP1X	1.52	0.00	0.00	0.00	0.00	ļ	ļ	 		 	
	2-Wire Trunk Side Unbundled Channelized DID Trunk Port (E:4/1/2004)			LIEDDY	LIEDDM	8.29	0.00	0.00	0.00	0.00		1	I			
	Unbundled Exchange Ports, 2-Wire Channelized – Outdial –	1	+	UEPPX	UEPDM	8.29	0.00	0.00	0.00	0.00	 	-	 	-		+
	(AL, KY, LA, MS, & TN)(Conversion from Network Access				1		I					1	I			
	Service) (E:4/1/2004)			UEPPX	UEPCY	1.52	0.00	0.00	0.00	0.00		1	I			
	Unbundled Exchange Ports, 2-Wire Channelized – Combination	1	\vdash	OLI I A	02101	1.52	0.00	0.00	0.00	0.00			 		 	+
	(AL, KY, LA, MS, & TN) (Conversion from Network Access				1		I					1	I			
	Service) (E:4/1/2004)			UEPPX	UEPCT	1.52	0.00	0.00	0.00	0.00		1	I			
	Unbundled Exchange Ports, 2-Wire Channelized – Outdial –	1			1		1	2.30	5.50	2.30	1		İ		İ	1
	Louisiana Only – Calling Plan (E:4/1/2004)			UEPPX	UEPC2	1.52	0.00	0.00	0.00	0.00		1	I			
	Unbundled Exchange Ports, 2-Wire Channelized – Two Way -															1
	Louisiana Only – Calling Plan (E:4/1/2004)			UEPPX	UEPC3	1.52	0.00	0.00	0.00	0.00			1			
	ture Activations - Unbundled Loop Concentration	1														
Feat	ture Activations - officialidaed Loop Concentration															
Feat	Feature (Service) Activation for each Line Port Terminated in D4 Bank			UEPPX	1PQWM	0.6497	25.36	13.40	ĺ							

IINB	IINDI F	D NETWORK ELEMENTS - Louisiana												Attach	ment: 2	Exhil	hit: A
UND	UNDLE	D NETWORK ELEMENTS - Louisiana	1	1	I	1	1					Cua Ordar	Cvo Ordor	Incremental	Incremental		Incremental
												Submitted	Submitted	Charge - Manual Svc	Charge - Manual Svc	Charge - Manual Svc	Charge - Manual Svc
CATE	GORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			Elec	,				
OAIL	00	NATE ELEMENTO	m	20110	500	0000			ιατι ΔΟ (ψ)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
				1			_	Nonre	curring	Nonrecurring	g Disconnect			oss	Rates (\$)		
				1			Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Feature (Service) Activation for each Trunk Port Terminated in															
		D4 Bank			UEPPX	1PQWU	0.6497	78.05	18.40								
	Teleph	none Number/ Group Establishment Charges for DID Service															
		DID Trunk Termination (1 per Port)			UEPPX	NDT	0.00	0.00	0.00								
		DID Numbers - groups of 20 - Valid all States			UEPPX	ND4	0.00	0.00	0.00								
		Non-Consecutive DID Numbers - per number			UEPPX	ND5	0.00	0.00	0.00								
		Reserve Non-Consecutive DID Numbers			UEPPX	ND6	0.00	0.00	0.00								
		Reserve DID Numbers			UEPPX	NDV	0.00	0.00	0.00								
	Local	Number Portability															
		Local Number Portability - 1 per port			UEPPX	LNPCP	3.15	0.00	0.00								
		JRES - Vertical and Optional	<u> </u>	1							ļ				L		
	Local	Switching Features Offered with Line Side Ports Only	<u> </u>	1		1					ļ		ļ		ļ		
L		All Features Available	<u> </u>	1	UEPPX	UEPVF	0.00	0.00	0.00		ļ				L		
UNBU		CENTREX PORT/LOOP COMBINATIONS - COST BASED RATE															
		t Based Rates are applied where BellSouth is required by FCC															
		tures shall apply to the Unbundled Port/Loop Combination - C											l				
		Office and Tandem Switching Usage and Common Transport															_
		first and additional Port nonrecurring charges apply to Not Co	urrently	Comb	ined Combos. For	Currently Co	mbined Combo	s, the nonrect	irring charges	shall be those	identified in t	he Nonrecu	rring - Curre	ently Combine	ed sections.	Additional NR	Cs may
		also and are categorized accordingly.															
		rket Rates for Unbundled Centrex Port/Loop Combination will		otiated	on an Individual Ca	ase Basis, un	til further notic	e.									
		CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only	()														
		VG Loop/2-Wire Voice Grade Port (Centrex) Combo															
	UNE P	ort/Loop Combination Rates (Non-Design)		ļ													
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -	1														
		Non-Design		1	UEP91		13.13										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
-		Non-Design		2	UEP91		23.75										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		3	LIEDO4		40.00										
-		Non-Design	-	3	UEP91	1	49.62										
-	UNE P	ort/Loop Combination Rates (Design)	-	-		1											
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -	1	1	LIEDO4		40.00										
-	+	Design	-	1	UEP91		16.29										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		2	LIEDO4		00.74										
	+	Design		2	UEP91	+	26.71				-						
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design		3	UEP91		48.26										
	LINE	oop Rate		3	UEP91	+	48.26				-						
	UNE L	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP91	UECS1	11.77					-					
-	+	2-Wire Voice Grade Loop (SL 1) - Zone 1	-	2	UEP91	UECS1	22.39				-	-	-		-		
-	+	2-Wire Voice Grade Loop (SL 1) - Zone 2 2-Wire Voice Grade Loop (SL 1) - Zone 3	-	3	UEP91	UECS1	48.26				-	-	-		-		
-	+	2-Wire Voice Grade Loop (SL 1) - Zone 3	1	1	UEP91	UECS2	14.93				+	 			+		
-	+	2-Wire Voice Grade Loop (SL 2) - Zone 1 2-Wire Voice Grade Loop (SL 2) - Zone 2	1	2	UEP91	UECS2	25.35				+	 			+		
-	+	2-Wire Voice Grade Loop (SL 2) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 3	 	3	UEP91	UECS2	50.46			 	+	 		 	 		
-	UNE P		 	-	OLF31	ULUSZ	30.46			 	+	 		 	 		
-		ites (Except North Carolina and Sout Carolina)	 	 		+				l	 	H		 	 		
-	Ail Old	2-Wire Voice Grade Port (Centrex) Basic Local Area	 	1	UEP91	UEPYA	1.36	38.85	19.08	 	+	 		 	 		
-	+	2-Wire Voice Grade Port (Centrex) Basic Local Area 2-Wire Voice Grade Port (Centrex 800 termination)Basic Local	 	 	021 31	JEI IA	1.30	30.03	13.00		 				 		
		Area			UEP91	UEPYB	1.36	38.85	19.08		1				1		
	+	2-Wire Voice Grade Port (Centrex with Caller ID)Note1 Basic	 	1	02101	JEI ID	1.30	30.03	13.00		t	<u> </u>	 	 	†		
		Local Area			UEP91	UEPYH	1.36	38.85	19.08		1				1		
\vdash	+	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)	 	1		J	1.50	55.55	10.00		t	<u> </u>	 	 	t		
		Note 2, 3 Basic Local Area			UEP91	UEPYM	1.36	104.41	67.93		1				1		
	+	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service	 	1	021 31	OLI IIVI	1.30	104.41	01.53		+		 		+		
1		Term - Basic Local Area	1	1	UEP91	UEPYZ	1.36	104.41	67.93		I		1		I		
	+	2-Wire Voice Grade Port terminated in on Megalink or equivalent	 	1	02101	JE1 12	1.30	104.41	01.33		t	<u> </u>	 	 	t		
1		- Basic Local Area	1		UEP91	UEPY9	1.36	38.85	19.08		1				1		
—	+	2-Wire Voice Grade Port Terminated on 800 Service Term -	 	 	02101	JE1 13	1.30	30.03	13.00	 	 	H		 	 		
1		Basic Local Area	1	1	UEP91	UEPY2	1.36	38.85	19.08		I		1		I		
—	AI KY	/, LA, MS, & TN Only	 	1	021 31	OLI 12	1.30	30.03	13.00		t	1			1		
	, r\	, En, mo, & TR Only	1	1	1	1	1			l .	1	1	l	ı	1		

NRONDLE	D NETWORK ELEMENTS - Louisiana													ment: 2		bit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)				Submitted Manually	Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'l
						Rec	Nonrec		Nonrecurring					Rates (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Grade Port (Centrex)			UEP91	UEPQA	1.36	38.85	19.08								
\longrightarrow	2-Wire Voice Grade Port (Centrex 800 termination)			UEP91	UEPQB	1.36	38.85	19.08								
-	2-Wire Voice Grade Port (Centrex with Caller ID)1			UEP91	UEPQH	1.36	38.85	19.08								
	2-Wire Voice Grade Port (Centrex from diff Serving Wire			LIEBOA	LIEDOM	4.00	404.44	07.00								
-+-	Center)2,3 2-Wire Voice Grade Port, Diff Serving Wire Center - 2,3 - 800			UEP91	UEPQM	1.36	104.41	67.93			-					
	Service Term			UEP91	UEPQZ	1.36	104.41	67.93								
-+	Service Term			OLI 91	OLI QZ	1.50	104.41	07.93								
	2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP91	UEPQ9	1.36	38.85	19.08								
	2-Wire Voice Grade Port Terminated on 800 Service Term			UEP91	UEPQ2	1.36	38.85	19.08								
Local	Switching			-												
	Centrex Intercom Funtionality, per port			UEP91	URECS	0.8577										
Local	Number Portability															
	Local Number Portability (1 per port)			UEP91	LNPCC	0.35		· · · · ·		· · · · ·						
Featur																
	All Standard Features Offered, per port			UEP91	UEPVF	0.00										ļ
	All Select Features Offered, per port			UEP91	UEPVS	0.00	412.25									
NABO	All Centrex Control Features Offered, per port			UEP91	UEPVC	0.00										
NARS				LIEDO4	LIADOV	0.00	0.00	0.00	0.00	0.00						
-+	Unbundled Network Access Register - Combination Unbundled Network Access Register - Indial		<u> </u>	UEP91 UEP91	UARCX UAR1X	0.00	0.00	0.00	0.00	0.00	-					-
-+	Unbundled Network Access Register - Indiai			UEP91	UAROX	0.00	0.00	0.00	0.00	0.00	1					-
Misco	laneous Terminations			OLF91	UARUX	0.00	0.00	0.00	0.00	0.00	1					
	Trunk Side										-					
	Trunk Side Terminations, each			UEP91	CENA6	8.29	115.85	18.20								
Intero	fice Channel Mileage - 2-Wire				1	0.00										
	Interoffice Channel Facilities Termination - Voice Grade			UEP91	M1GBC	22.60	39.36	26.62								
	Interoffice Channel mileage, per mile or fraction of mile			UEP91	M1GBM	0.013										
	e Activations (DS0) Centrex Loops on Channelized DS1 Servic	е														
D4 Ch	annel Bank Feature Activations															
	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP91	1PQWS	0.6497										
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP91	1PQW6	0.6497										
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot			UEP91	1PQW7	0.6497										
	Feature Activation on D-4 Channel Bank Centrex Loop Slot - Different Wire Center			UEP91	1PQWP	0.6497										
	Different wife Center			UEF91	IFQVF	0.6497					1					1
	Feature Activation on D-4 Channel Bank Private Line Loop Slot Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop			UEP91	1PQWV	0.6497										
	Slot			UEP91	1PQWQ	0.6497										
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP91	1PQWA	0.6497										
Non-R	ecurring Charges (NRC) Associated with UNE-P Centrex															
	Conversion - Currently Combined Switch-As-Is with allowed															
	changes, per port			UEP91	USAC2		0.10	0.10								
	Conversion of Existing Centrex Common Block			UEP91	USACN	0.00	36.66	16.10		•						
	New Centrex Standard Common Block			UEP91	M1ACS	0.00	680.40									
	New Centrex Customized Common Block			UEP91	M1ACC	0.00	680.40									1
	Secondary Block, per Block		<u> </u>	UEP91	M2CC1	0.00	79.31									
A -1 -11-11	NAR Establishment Charge, Per Occasion		-	UEP91	URECA	0.00	73.93		 					 	1	
Additi	onal Non-Recurring Charges (NRC)		-		+				 		1				1	
	Unbundled Miscellaneous Rate Element, Tag Loop at End Use Premise			UEP91	URETL		8.33	0.83								
	Unbundled Miscellaneous Rate Element, Tag Design Loop at		I		1 1				1		1	1		l	1	1
	End Use Premise			UEP91	URETN		11.20	1.10								
				UEP91	URETN		11.20	1.10								

UNBUNDLE	D NETWORK ELEMENTS - Louisiana													ment: 2		bit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)				Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Charge -	Increment Charge - Manual Sv Order vs. Electronic Disc Add
						D	Nonrec	urring	Nonrecurrin	g Disconnect		1	OSS	Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -	-														
	Non-Design		1	UEP95		13.13										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design		2	UEP95		23.75										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design		3	UEP95		49.62										
UNE Po	ort/Loop Combination Rates (Design)			OLI SO		40.02					1					
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -															
	Design		1	UEP95		16.29										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
	Design		2	UEP95		26.71										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		_	LIEDOE					1							
UNEL	Design		3	UEP95		51.82										
	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP95	UECS1	11.77			-		-	-				
	2-Wire Voice Grade Loop (SL 1) - Zone 1		2	UEP95	UECS1	22.39			-		1	1				
	2-Wire Voice Grade Loop (SL 1) - Zone 2		3	UEP95	UECS1	48.26			 		 					1
	2-Wire Voice Grade Loop (SL 1) - Zone 3		1	UEP95	UECS2	14.93					1					
	2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP95	UECS2	25.35					1					
	2-Wire Voice Grade Loop (SL 2) - Zone 3			UEP95	UECS2	50.46			t		1					
	ort Rate										1					
All Stat																
	2-Wire Voice Grade Port (Centrex) Basic Local Area			UEP95	UEPYA	1.36	38.85	19.08								
	2-Wire Voice Grade Port (Centrex 800 termination)			UEP95	UEPYB	1.36	38.85	19.08								
	2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local							10.00								
	Area			UEP95	UEPYH	1.36	38.85	19.08								
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)2,3 Basic Local Area			UEP95	UEPYM	1.36	104.41	67.93								
	2-Wire Voice Grade Port, Diff Serving Wire Center 2,3 - 800			UEF95	UEPTIVI	1.30	104.41	07.93	-		1	-				
	Service Term - Basic Local Area			UEP95	UEPYZ	1.36	104.41	67.93								
	2-Wire Voice Grade Port terminated in on Megalink or equivalent			OLI SO	OLI 12	1.00	104.41	01.00			1					
	- Basic Local Area			UEP95	UEPY9	1.36	38.85	19.08								
	2-Wire Voice Grade Port Terminated on 800 Service Term -										1					
	Basic Local Area			UEP95	UEPY2	1.36	38.85	19.08								
AL, KY	, LA, MS, SC, & TN Only															
	2-Wire Voice Grade Port (Centrex)			UEP95	UEPQA	1.36	38.85	19.08								
	2-Wire Voice Grade Port (Centrex 800 termination)			UEP95	UEPQB	1.36	38.85	19.08								
	2-Wire Voice Grade Port (Centrex with Caller ID)1			UEP95	UEPQH	1.36	38.85	19.08								
	2-Wire Voice Grade Port (Centrex from diff Serving Wire		1	UEP95	UEPQM	1.36	104.41	67.93	1							
	Center)2,3 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service	1	 	OEF90	UEFQIVI	1.30	104.41	67.93	 	1	1	 	 	 	 	
	Term 2,3			UEP95	UEPQZ	1.36	104.41	67.93	1							
	2-Wire Voice Grade Port terminated in on Megalink or equivalent		<u> </u>	UEP95	UEPQ9	1.36	38.85	19.08								
	2-Wire Voice Grade Port Terminated on 800 Service Term			UEP95	UEPQ2	1.36	38.85	19.08								
	Switching	1	<u> </u>	LIEDOE	LIDECC						<u> </u>	1				
	Centrex Intercom Funtionality, per port	—	 	UEP95	URECS	0.8577			 	ļ	<u> </u>	1	 	-	 	
	Number Bertebility		1	l	1	0.35			-		 	1				
Local N	Number Portability		1	LIED05	II NIPCC						1	ļ			I	
Local N	Local Number Portability (1 per port)			UEP95	LNPCC	0.35	Ì									
Local N Feature	Local Number Portability (1 per port) es															
Local N Feature	Local Number Portability (1 per port)			UEP95 UEP95 UEP95	UEPVF UEPVS	0.00	412.25									
Local N Feature	Local Number Portability (1 per port) es All Standard Features Offered, per port			UEP95	UEPVF	0.00	412.25									
Local N Feature	Local Number Portability (1 per port) es All Standard Features Offered, per port All Select Features Offered, per port All Centrex Control Features Offered, per port			UEP95 UEP95 UEP95	UEPVF UEPVS UEPVC	0.00 0.00 0.00										
Local N Feature	Local Number Portability (1 per port) 88 All Standard Features Offered, per port All Select Features Offered, per port All Centrex Control Features Offered, per port Unbundled Network Access Register - Combination			UEP95 UEP95 UEP95 UEP95	UEPVF UEPVS UEPVC UARCX	0.00 0.00 0.00	0.00	0.00	0.00	0.00						
Feature NARS	Local Number Portability (1 per port) es All Standard Features Offered, per port All Select Features Offered, per port All Centrex Control Features Offered, per port Unbundled Network Access Register - Combination Unbundled Network Access Register - Indial			UEP95 UEP95 UEP95 UEP95 UEP95 UEP95	UEPVF UEPVS UEPVC UARCX UAR1X	0.00 0.00 0.00 0.00	0.00	0.00	0.00	0.00						
Feature NARS	Local Number Portability (1 per port) 88 All Standard Features Offered, per port All Select Features Offered, per port All Centrex Control Features Offered, per port Unbundled Network Access Register - Combination			UEP95 UEP95 UEP95 UEP95	UEPVF UEPVS UEPVC UARCX	0.00 0.00 0.00	0.00									

UNBUNDLE	D NETWORK ELEMENTS - Louisiana													ment: 2		ibit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)				Submitted	Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge - Manual Sy Order vs.
						Rec	Nonrec		Nonrecurring					Rates (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Trunk Side Terminations, each			UEP95	CEND6	8.29	115.85	18.20								
4-Wire	Digital (1.544 Megabits)															
	DS1 Circuit Terminations, each			UEP95	M1HD1	68.47	196.18	92.92								
	DS0 Channels Activated, each fice Channel Mileage - 2-Wire			UEP95	M1HDO	0.00	14.06		 							
Interor	Interoffice Channel Facilities Termination			UEP95	M1GBC	22.60	39.36	26.62	-							
	Interoffice Channel mileage, per mile or fraction of mile			UEP95	M1GBM	0.013	39.30	20.02	+							
Feature	e Activations (DS0) Centrex Loops on Channelized DS1 Service	6		OLI 33	IVITODIVI	0.013										1
	annel Bank Feature Activations				+ +				 							-
	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP95	1PQWS	0.6497			1							
						5.5.51								İ		
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP95	1PQW6	0.6497										
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop															1
	Slot			UEP95	1PQW7	0.6497			<u> </u>					<u> </u>	<u> </u>	<u></u>
	Feature Activation on D-4 Channel Bank Centrex Loop Slot -															ĺ
	Different Wire Center			UEP95	1PQWP	0.6497										
								· ·					l			
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP95	1PQWV	0.6497										
	Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop															
	Slot			UEP95	1PQWQ	0.6497										
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP95	1PQWA	0.6497										
Non-Re	ecurring Charges (NRC) Associated with UNE-P Centrex				1				-							
	NRC Conversion Currently Combined Switch-As-Is with allowed			LIEDOE	110400		0.40	0.40								
	changes, per port Conversion of Existing Centrex Common Block, each			UEP95 UEP95	USAC2 USACN		0.10 36.66	0.10 16.10	 							
	New Centrex Standard Common Block			UEP95 UEP95	M1ACS	0.00	680.40	16.10	-							
	New Centrex Standard Common Block			UEP95	M1ACC	0.00	680.40									
	NAR Establishment Charge, Per Occasion			UEP95	URECA	0.00	73.93		+							1
	onal Non-Recurring Charges (NRC)			OLI 33	OKLOA	0.00	73.33		+							
7144111	Unbundled Miscellaneous Rate Element, Tag Loop at End Use				1				 							1
	Premise			UEP95	URETL		8.33	0.83								
	Unbundled Miscellaneous Rate Element, Tag Design Loop at															
	End Use Premise			UEP95	URETN		11.20	1.10								
UNE-P	CENTREX - DMS100 (Valid in All States)															
2-Wire	VG Loop/2-Wire Voice Grade Port (Centrex) Combo															
	ort/Loop Combination Rates (Non-Design)															
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -									-						
	Non-Design		1	UEP9D	ļ	13.13										ļ
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -				1 7	\neg	П		I T							
	Non-Design		2	UEP9D	 	23.75			.							
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -			LIEBOD	1											
LINE 5	Non-Design ort/Loop Combination Rates (Design)		3	UEP9D	+	49.62			 						-	
UNE P	ort/Loop Combination Rates (Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -				 				 				-	-		
	Design		1	UEP9D	1	16.29										
+	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		-	OLFSD	+ +	16.29			+				 	 	 	
	Design		2	UEP9D	1	26.71										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -			021 00	1	20.71	-		 						 	
	Design		3	UEP9D		51.82										
UNE L	poop Rate			-	† †				1				İ	İ	İ	
	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP9D	UECS1	11.77	İ									
	2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEP9D	UECS1	22.39										
	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP9D	UECS1	48.26										
	2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP9D	UECS2	14.93										
	2-Wire Voice Grade Loop (SL 2) - Zone 2			UEP9D	UECS2	25.35										
	2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP9D	UECS2	50.46										
IUNE P	ort Rate															
ALL S																

2-Wire Votor Grade Port (Centrex (EBS-MSC)(S)Sales Local Area UEP90 UEPY0 1.36 38.85 19.08	UNDLED	NETWORK ELEMENTS - Louisiana				<u>, </u>									ment: 2	Exhi	
2-Wire Vote Grade Port (Centrex / EBS-MS019) Basic Local Ansa Vote Grade Port (Centrex / EBS-MS019) Basic Local Ansa Vote Grade Port (Centrex / EBS-MS019) Basic Local Ansa Vote Grade Port (Centrex / EBS-MS019) Basic Local Ansa Vote Grade Port (Centrex / EBS-MS019) Basic Local Vote Grade Port (Centrex / EBS-MS019) Basic Local Vote Grade Port (Centrex / EBS-MS019) Basic Local Vote Grade Port (Centrex / EBS-MS019) Basic Local Vote Grade Port (Centrex / EBS-MS019) Basic Local Vote Grade Port (Centrex / EBS-MS019) Basic Local Vote Grade Port (Centrex / EBS-MS019) Basic Local Vote Grade Port (Centrex / EBS-MS019) Basic Local Vote Grade Port (Centrex / EBS-MS0112) Basic Local Vote Grade Port (Centrex / EBS-MS0112) Basic Local Vote Grade Port (Centrex / EBS-MS0112) Basic Local Vote Grade Port (Centrex / EBS-MS018) Basic Local Vote Grade Port (Centrex / EBS-MS018) Basic Local Vote Grade Port (Centrex / EBS-MS018) Basic Local Vote Grade Port (Centrex / EBS-MS018) Basic Local Vote Grade Port (Centrex / EBS-MS019) BS-MS019) Basic Local Vote Vote Grade Port (Centrex / EBS-MS019) Basic Local Vote Vote Grade Port (Centrex / EBS-MS019) Basic Local Vote Vote Grade Port (Centrex / EBS-MS019) Basic Local Vote Vote Grade Port (Centrex / EBS-MS019) Basic Local Vote Vote Grade Port (Centrex / EBS-MS019) Basic Local Vote Vote Grade Port (Centrex / EBS-MS019) Basic Local Vote Vote Grade Port (Centrex / EBS-MS019) Basic Local Vote Vote Grade Port (Centrex / EBS-MS019) Basic Local Vote Vote Grade	EGORY	RATE ELEMENTS		Zone	BCS	usoc			RATES (\$)			Submitted Elec	Submitted Manually	Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Charge -	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'
3-Were Votes Grade Port (Centree / EBS-P6ET)88asc Local UEP90 UEPY0 1.36 38.85 19.08							Rec								Rates (\$)		
Mean Liphop Lip							Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
2-Wire Vota Grade Port (Centrex / EBS-MS009)38 Basic Local Area 2-Wire Vota Grade Port (Centrex / EBS-MS009)38 Basic Local UEPPD UEPYC 1.36 38.85 19.08					LIEDOD	LIEDVD	4.00	00.05	40.00								ĺ
Area UEPpD UEPYC 1.36 38.65 19.08					UEP9D	UEPYB	1.36	38.85	19.08								—
2-Wire Voice Grade Port (Centrex / EBS-M509)3 Basic Local Area					UFP9D	UEPYC	1.36	38 85	19.08								ĺ
2-Wire Vote Grade Port (Centrex / EBS-M6209)) Salasic Local Area UEP90 UEPYE 1.36 38.85 19.08																	
Area UEPO UEPY 1.36 38.85 19.08					UEP9D	UEPYD	1.36	38.85	19.08								
2-Vivire Votice Grade Port (Centrex / EBS-M5219);38-saic Local VEP9D VEPYF 1.36 38.85 19.08					LIEDOD	LIEDVE	4.00	00.05	40.00								l .
Area VEPPO VEPPO VEPPY 1.36 38.85 19.08					UEP9D	UEPYE	1.36	38.85	19.08								
2-Wire Voice Grade Port (Centrex / EBS-M5312),38asic Local Area UEP90 UEPY0 1.36 38.85 19.08					UEP9D	UEPYE	1.36	38 85	19.08								İ
2-Wire Voice Grade Port (Centrex / EBS-M5039)3 Basic Local					02.02	02	1.00	00.00	10.00								
Area 2-Wire Voice Grade Port (Centrex / EBS-M5208)3 Basic Local Area UEP9D UEPYU 1.36 38.85 19.08	,	100			UEP9D	UEPYG	1.36	38.85	19.08								
Area Area					LIEDOD	LIED)/T	4.00	00.5=	10.00								ĺ
Area UEPPO UEPYV 1.36 38.85 19.08					UEP9D	UEPYT	1.36	38.85	19.08								
Avea Avea Control Avea Control Avea Control Avea Control Avea Control Avea Control Avea Control Avea Control Avea Control Avea Control Avea Control Avea Control Avea Control Avea Control Control Avea Control Co					UEP9D	UEPYU	1.36	38 85	19.08								l .
Area Centrex/EBS-M5316)3 Basic Local LEP9D L					02.02	020	1.00	00.00	10.00								
Area					UEP9D	UEPYV	1.36	38.85	19.08								1
2-Wire Voice Grade Port (Centrex with Caller ID) Basic Local Area UEP9D UEPYH 1.36 38.85 19.08						l											l .
Area					UEP9D	UEPY3	1.36	38.85	19.08								
2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wig Lamp Indication))4 Basic Local Area UEP9D UEP7W 1.36 38.85 19.08					LIEP9D	LIEPYH	1 36	38.85	19.08								l .
Indication) A Basic Local Area					OLI OB	OLI III	1.00	00.00	10.00								
Basic Local Area	I	Indication))4 Basic Local Area			UEP9D	UEPYW	1.36	38.85	19.08								l .
2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2,3,4 UEP9D UEPYM 1.36 104.41 67.93 UEP9D UEPYM 1.36 104.41 67.93 UEP9D UEPYM 1.36 104.41 67.93 UEP9D UEPYM 1.36 104.41 67.93 UEP9D UEPYM 1.36 104.41 67.93 UEP9D UEPYM 1.36 104.41 67.93 UEP9D UEPYM 1.36 104.41 67.93 UEP9D UEPYM 1.36 104.41 67.93 UEP9D UEPYM 1.36 104.41 67.93 UEP9D UEPYM 1.36 104.41 67.93 UEP9D UEPYM 1.36 104.41 67.93 UEP9D UEPYM 1.36 UEP9D UEPYM 1.36 UEP9D UEPYM 1.36 UEP9D UEPYM 1.36 UEP9D UEPYM 1.36 UEP9D UEPYM 1.36 UEP9D UEPYM 1.36 UEP9D UEPYM 1.36 UEP9D UEPYM UEPPM UEPPM UEPPM UEPPM UEPPM UEPPM UEPPM UEPPM UEPPM UEPPM UEPPM UEPPM UEPPM UEPPM UEPPM UEPPM UEPPM UEPPM																	
2.9-Basic Local Area					UEP9D	UEPYJ	1.36	38.85	19.08								
2-Wire Voice Grade Port (Centrex/differ SWC /EBS-N5ET)2,3,4 Basic Local Area UEP9D UEPY0 1.36 104.41 67.93					LIEP9D	HEPYM	1 36	104 41	67 93								1
2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2,3,4 Basic Local Area UEP9D UEPYP 1.36 104.41 67.93					OLI OD	OLI IIVI	1.00	104.41	07.00								
Basic Local Area UEP9D UEPYP 1.36 104.41 67.93					UEP9D	UEPYO	1.36	104.41	67.93								1
2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2,3,4 UEP9D UEPYQ 1.36 104.41 67.93																	ĺ
Basic Local Area					UEP9D	UEPYP	1.36	104.41	67.93								
2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2,3,4 UEP9D UEPYR 1.36 104.41 67.93					LIEDOD	LIEDVO	1 26	104.41	67.02								1
Basic Local Area					OLF9D	OLFIQ	1.30	104.41	07.53								
Basic Local Area					UEP9D	UEPYR	1.36	104.41	67.93								1
2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2,3,4 UEP9D UEPY4																	ĺ
Basic Local Area					UEP9D	UEPYS	1.36	104.41	67.93								
2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3 Basic Local Area 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2,3,4 Basic Local Area UEP9D UEPY6 1.36 104.41 67.93 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2,3,4 Basic Local Area UEP9D UEPY7 1.36 104.41 67.93 UEP9D UEPY7 1.36 104.41 67.93 UEP9D UEPY7 1.36 104.41 67.93 UEP9D UEPY7 1.36 104.41 67.93 UEP9D UEPY7 1.36 104.41 67.93 UEP9D UEPY7 1.36 104.41 67.93					LIEDOD	HEDV4	1 26	104.41	67.02								1
Basic Local Area					טבו שט	ULF 14	1.30	104.41	01.93	 							
Basic Local Area	E	Basic Local Area	<u> </u>		UEP9D	UEPY5	1.36	104.41	67.93								<u> </u>
2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2,3,4 Basic Local Area UEP9D UEPY7 1.36 104.41 67.93 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term 2,3 2-Wire Voice Grade Port terminated in on Megalink or equivalent Basic Local Area UEP9D UEPYZ 1.36 104.41 67.93 UEPYS 1.36 38.85 19.08	2	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2,3,4															
Basic Local Area					UEP9D	UEPY6	1.36	104.41	67.93								
2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term 2,3 UEP9D UEPYZ 1.36 104.41 67.93 2-Wire Voice Grade Port terminated in on Megalink or equivalent Basic Local Area UEP9D UEPY9 1.36 38.85 19.08					LIEDAD	HEDV7	1 26	104.44	67.02								1
Term 2,3					OLI 3D	OLF 17	1.30	104.41	01.93	 							——
Basic Local Area UEP9D UEPY9 1.36 38.85 19.08					UEP9D	UEPYZ	1.36	104.41	67.93								1
																	ĺ
					UEP9D	UEPY9	1.36	38.85	19.08								——
2-Wire Voice Grade Port Terminated on 800 Service Term Basic UEP9D UEPY2 1.36 38.85 19.08					LIEDAD	HEDV2	1 26	20 05	10.00								1
LOCAL ALIGN LOCAL ALIGN					OLFSD	UEFTZ	1.30	30.85	19.08	+ +		 					—
					UEP9D	UEPQA	1.36	38.85	19.08								
2-Wire Voice Grade Port (Centrex 800 termination) UEP9D UEPQB 1.36 38.85 19.08												İ		1			
2-Wire Voice Grade Port (Centrex / EBS-PSET)4																	
2-Wire Voice Grade Port (Centrex / EBS-M5009)4 UEP9D UEPQD 1.36 38.85 19.08																	
2-Wire Voice Grade Port (Centrex / EBS-M5209)4 UEP9D UEPQE 1.36 38.85 19.08 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9																	

UNBUNDLE	D NETWORK ELEMENTS - Louisiana												Attach	ment: 2	Exhi	bit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)				Submitted		Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l
						Rec	Nonrec		Nonrecurring					Rates (\$)		
	0 W 1 V 1 0 1 D 1 (0 1 V 1 T D 0 M T 0 V 1			LIEBAR			First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Grade Port (Centrex / EBS-M5312)4		-	UEP9D UEP9D	UEPQG	1.36	38.85	19.08	1							
	2-Wire Voice Grade Port (Centrex / EBS-M5008)4		-	UEP9D UEP9D	UEPQT UEPQU	1.36 1.36	38.85 38.85	19.08 19.08	-		+					-
	2-Wire Voice Grade Port (Centrex / EBS-M5208)4 2-Wire Voice Grade Port (Centrex / EBS-M5216)4			UEP9D	UEPQV	1.36	38.85	19.08			-					-
	2-Wire Voice Grade Fort (Centrex / EBS-M5316)4			UEP9D	UEPQ3	1.36	38.85	19.08			+					
	2-Wire Voice Grade Port (Centrex vith Caller ID)			UEP9D	UEPQH	1.36	38.85	19.08			1					
	2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp															
	Indication)4			UEP9D	UEPQW	1.36	38.85	19.08								
	2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication)4			UEP9D	UEPQJ	1.36	38.85	19.08								
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)															
	2,3			UEP9D	UEPQM	1.36	104.41	67.93								
				l	[]				1							
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2,3,4			UEP9D	UEPQO	1.36	104.41	67.93			1					
	0.14" N. 1 O. 1 D. 1 O. 1 D. 1 O. 1 O. 1 O. 1 O															
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2,3,4			UEP9D	UEPQP	1.36	104.41	67.93	 		1		-		-	-
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2,3,4			UEP9D	UEPQQ	1.36	104.41	67.93	1							
	2-Wile Voice Grade Port (Certifex differ SWC /EBS-5209)2,3,4			UEP9D	UEPQQ	1.30	104.41	67.93	1		+					
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2,3,4			UEP9D	UEPQR	1.36	104.41	67.93								
	2 Wile Voice Glade Fort (Gentlewaller GWO / EBG MOTTE)2,0,4			OLI OD	OLI GIV	1.00	104.41	07.00			+					
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2,3,4			UEP9D	UEPQS	1.36	104.41	67.93								
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2,3,4			UEP9D	UEPQ4	1.36	104.41	67.93								
	, , , , ,															
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2,3,4			UEP9D	UEPQ5	1.36	104.41	67.93								
	·															
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2,3,4			UEP9D	UEPQ6	1.36	104.41	67.93								
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2,3,4			UEP9D	UEPQ7	1.36	104.41	67.93			1					
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service															
	Term 2,3			UEP9D	UEPQZ	1.36	104.41	67.93			1					-
	O Mira Valas Canda Bast tarrainatad in an Manalial, as any indeed			UEP9D	UEPQ9	4.00	20.05	10.00								
	2-Wire Voice Grade Port terminated in on Megalink or equivalent 2-Wire Voice Grade Port Terminated on 800 Service Term			UEP9D	UEPQ9	1.36 1.36	38.85 38.85	19.08 19.08	-		+	-				
	Switching		-	UEP9D	UEPQZ	1.30	30.03	19.06	-		+					
	Centrex Intercom Funtionality, per port			UEP9D	URECS	0.8577					+					
	lumber Portability			02.03	0.1200	0.0017										
	Local Number Portability (1 per port)			UEP9D	LNPCC	0.35										
Feature																
	All Standard Features Offered, per port			UEP9D	UEPVF	0.00										
	All Select Features Offered, per port			UEP9D	UEPVS	0.00	412.25									
	All Centrex Control Features Offered, per port			UEP9D	UEPVC	0.00										
NARS																
	Unbundled Network Access Register - Combination			UEP9D	UARCX	0.00	0.00	0.00	0.00	0.00						
	Unbundled Network Access Register - Inward			UEP9D	UAR1X	0.00	0.00	0.00	0.00	0.00						
Minor	Unbundled Network Access Register - Outdial aneous Terminations		-	UEP9D	UAROX	0.00	0.00	0.00	0.00	0.00	-		 	 	 	
	aneous Terminations Trunk Side		-		+				 		1	-		-		
	Trunk Side Trunk Side Terminations, each		-	UEP9D	CEND6	8.29	115.85	18.20	-		+	-				
	Digital (1.544 Megabits)			021 00	OLINDO	0.29	110.00	10.20	 	 	1		 	l	 	
	DS1 Circuit Terminations, each			UEP9D	M1HD1	68.47	196.18	98.62	-		 	<u> </u>				
	DS0 Channels Activiated per Channel			UEP9D	M1HDO	0.00	14.06	00.02	<u> </u>	1			1		1	
	ice Channel Mileage - 2-Wire				1	2.00					†	İ		İ		
	Interoffice Channel Facilities Termination			UEP9D	M1GBC	22.60	39.36	26.62	1	İ	1	İ	İ	l	İ	
	Interoffice Channel mileage, per mile or fraction of mile			UEP9D	M1GBM	0.013				<u> </u>						
Feature	Activations (DS0) Centrex Loops on Channelized DS1 Service	е														
	nnel Bank Feature Activations															
	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP9D	1PQWS	0.6497										

UNBUNDL	ED NETWORK ELEMENTS - Louisiana												Attach	ment: 2	Exhi	ibit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)				Submitted Manually	Incremental Charge - Manual Svc	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Charge -	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l
						D	Nonrec	urring	Nonrecurring	Disconnect			OSS	Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Footure Astination on D.4 Channel Book EV line Cide Land Clat			LIEDOD	40014/6	0.0407										
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot Feature Activation on D-4 Channel Bank FX Trunk Side Loop			UEP9D	1PQW6	0.6497										
	Slot			UEP9D	1PQW7	0.6497										
	Feature Activation on D-4 Channel Bank Centrex Loop Slot -															
-	Different Wire Center			UEP9D	1PQWP	0.6497										
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP9D	1PQWV	0.6497										
	Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop															
	Slot			UEP9D	1PQWQ	0.6497										
Non-F	Feature Activation on D-4 Channel Bank WATS Loop Slot Recurring Charges (NRC) Associated with UNE-P Centrex			UEP9D	1PQWA	0.6497										-
I I I I I I I I I I I I I I I I I I I	NRC Conversion Currently Combined Switch-As-Is with allowed				1											
	changes, per port			UEP9D	USAC2		0.10	0.10								
	Conversion of existing Centrex Common Block, each			UEP9D	USACN		36.66	16.10								
	New Centrex Standard Common Block			UEP9D	M1ACS	0.00	680.40									_
-	New Centrex Customized Common Block NAR Establishment Charge, Per Occasion		<u> </u>	UEP9D UEP9D	M1ACC URECA	0.00	680.40 73.93				.					-
Addit	ional Non-Recurring Charges (NRC)			DEP9D	UKECA	0.00	73.93									1
Addit	Unbundled Miscellaneous Rate Element, Tag Loop at End Use				1											
	Premise			UEP9D	URETL		8.33	0.83								
	Unbundled Miscellaneous Rate Element, Tag Design Loop at						44.00									
LINE	End Use Premise P CENTREX - EWSD (Valid in AL, FL, KY, LA, MS & TN)			UEP9D	URETN		11.20	1.10								
	e VG Loop/2-Wire Voice Grade Port (Centrex) Combo															-
	Port/Loop Combination Rates (Non-Design)															
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -															
	Non-Design		1	UEP9E		13.13										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		2	LIEDOE		00.75										
	Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -			UEP9E	+	23.75										1
	Non-Design		3	UEP9E		49.62										
UNE	Port/Loop Combination Rates (Design)															
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -															
	Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		1	UEP9E		16.29										
	Design		2	UEP9E		26.71										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -			02. 02		20.7 1										
	Design		3	UEP9E		51.82										
UNE	Loop Rate															ļ
	2-Wire Voice Grade Loop (SL 1) - Zone 1 2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEP9E UEP9E	UECS1 UECS1	11.77 22.39										1
	2-Wire Voice Grade Loop (SL 1) - Zone 2 2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP9E	UECS1	48.26					 					
—	2-Wire Voice Grade Loop (SL 1) - Zone 3		1	UEP9E	UECS2	14.93										-
	2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP9E	UECS2	25.35					1					
	2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP9E	UECS2	50.46										
	Port Rate															
AL, F	L, KY, LA, MS, & TN only		_	HEDOE	LIEDYA	1.00	20.05	10.00			1					
\vdash	2-Wire Voice Grade Port (Centrex) Basic Local Area 2-Wire Voice Grade Port (Centrex 800 termination)Basic Local		-	UEP9E	UEPYA	1.36	38.85	19.08			1					-
	Area			UEP9E	UEPYB	1.36	38.85	19.08								
	2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local															
	Area		ļ	UEP9E	UEPYH	1.36	38.85	19.08								
	2-Wire Voice Grade Port (Centrex from diff Serving Wire			LIEDOE	UEPYM	4.00	104.44	07.00								
	Center)2,3 Basic Local Area 2-Wire Voice Grade Port, Diff Serving Wire Center 2,3 - 800		1	UEP9E	UEPTIVI	1.36	104.41	67.93								
	Service Term - Basic Local Area		L	UEP9E	UEPYZ	1.36	104.41	67.93	<u> </u>							
	2-Wire Voice Grade Port terminated in on Megalink or equivalent															
	- Basic Local Area		<u> </u>	UEP9E	UEPY9	1.36	38.85	19.08			<u> </u>	<u> </u>	l		l	

NBUNDL	ED NETWORK ELEMENTS - Louisiana			Т							Ia - :			ment: 2		bit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			Svc Order Submitted Elec per LSR	Submitted Manually	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'l
						B	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Grade Port Terminated on 800 Service Term -	1	1													
	Basic Local Area			UEP9E	UEPY2	1.36	38.85	19.08								
AL, K	(Y, LA, MS, & TN Only															
	2-Wire Voice Grade Port (Centrex)			UEP9E	UEPQA	1.36	38.85	19.08								
	2-Wire Voice Grade Port (Centrex 800 termination)			UEP9E	UEPQB	1.36	38.85	19.08								
	2-Wire Voice Grade Port (Centrex with Caller ID)1			UEP9E	UEPQH	1.36	38.85	19.08								
	2-Wire Voice Grade Port (Centrex from diff Serving Wire															
	Center)2,3	ļ		UEP9E	UEPQM	1.36	104.41	67.93								
	2-Wire Voice Grade Port, Diff Serving Wire Center 2,3 - 800															
	Service Term	1	1	UEP9E	UEPQZ	1.36	104.41	67.93	 					 	 	
	2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP9E	UEPQ9	1.36	38.85	19.08						1	1	1
	2-Wire Voice Grade Port terminated in on Megalink or equivalent 2-Wire Voice Grade Port Terminated on 800 Service Term	+	 	UEP9E UEP9E	UEPQ9	1.36	38.85	19.08			—			t	t	t
Loca	I Switching	 	 	OLI OL	ULI QZ	1.30	30.03	13.00			—			t	t	t
Loca	Centrex Intercom Funtionality, per port	1	1	UEP9E	URECS	0.8577					-					
Loca	Number Portability			02. 02	0.1200	0.0077										
1	Local Number Portability (1 per port)	1		UEP9E	LNPCC	0.35										
Featu																
	All Standard Features Offered, per port			UEP9E	UEPVF	0.00										
	All Select Features Offered, per port			UEP9E	UEPVS	0.00	412.25									
	All Centrex Control Features Offered, per port	1	i –	UEP9E	UEPVC	0.00										
NARS																
	Unbundled Network Access Register - Combination			UEP9E	UARCX	0.00	0.00	0.00	0.00	0.00						
	Unbundled Network Access Register - Indial			UEP9E	UAR1X	0.00	0.00	0.00	0.00	0.00						
	Unbundled Network Access Register - Outdial			UEP9E	UAROX	0.00	0.00	0.00	0.00	0.00						
	ellaneous Terminations															
2-Wir	e Trunk Side															
	Trunk Side Terminations, each			UEP9E	CEND6	8.29	115.85	18.20								
4-Wir	e Digital (1.544 Megabits)	ļ														
	DS1 Circuit Terminations, each	1		UEP9E	M1HD1	68.47	196.18	92.92								
lutan	DS0 Channel Activated Per Channel	1	ļ	UEP9E	M1HDO	0.00	14.06		 					-	1	
interd	office Channel Mileage - 2-Wire Interoffice Channel Facilities Termination	1		UEP9E	M1GBC	22.60	39.36	26.62			1					
	Interoffice Channel mileage, per mile or fraction of mile	1		UEP9E	M1GBC	0.013	39.30	20.02			-					
Feati	ure Activations (DS0) Centrex Loops on Channelized DS1 Service	20		OLI SL	WITODW	0.013			+ +		1					
	hannel Bank Feature Activations	1	1								-					
	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP9E	1PQWS	0.6497										
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP9E	1PQW6	0.6497										
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop	1	1													
	Slot			UEP9E	1PQW7	0.6497										
	Feature Activation on D-4 Channel Bank Centrex Loop Slot -							. <u></u>								
	Different Wire Center		<u> </u>	UEP9E	1PQWP	0.6497										
	Feature Activation on D-4 Channel Bank Private Line Loop Slot	L	<u> </u>	UEP9E	1PQWV	0.6497			ļ					1	1	1
	Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop													I	I	I
	Slot	1	├	UEP9E	1PQWQ	0.6497								 	 	
NI a	Feature Activation on D-4 Channel Bank WATS Loop Slot	!	 	UEP9E	1PQWA	0.6497								 	 	
Non-	Recurring Charges (NRC) Associated with UNE-P Centrex	1	1		+				 					 	 	
	NRC Conversion Currently Combined Switch-As-Is with allowed changes, per port			UEP9E	USAC2		0.10	0.10						I	I	1
-	Conversion of Existing Centrex Common Block, each	 	 	UEP9E UEP9E	USACN		36.66	16.10			—			t	t	
	New Centrex Standard Common Block	 	†	UEP9E	M1ACS	0.00	680.40	10.10	 		-			 	t	t
-	New Centrex Standard Common Block	 	†	UEP9E	M1ACC	0.00	680.40		 		-			 	t	
-+	NAR Establishment Charge, Per Occasion	t	 	UEP9E	URECA	0.00	73.93				 			I	I	
Addit	tional Non-Recurring Charges (NRC)	1	t		5.125/1	0.00	70.00							t	<u> </u>	
7.001	Unbundled Miscellaneous Rate Element, Tag Loop at End Use		t —											1	1	1
1	Premise	1	1	UEP9E	URETL		8.33	0.83	1		1	1		1	1	1

JNBUNDLI	ED NETWORK ELEMENTS - Louisiana													ment: 2		ibit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)				Svc Order Submitted Manually per LSR	Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
						Rec	Nonred	urring	Nonrecurring D	Disconnect			oss	Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Unbundled Miscellaneous Rate Element, Tag Design Loop at															
	End Use Premise			UEP9E	URETN		11.20	1.10								
	P CENTREX - DCO - Valid in AL, KY, LA, MS, & TN)															
	e VG Loop/2-Wire Voice Grade Port (Centrex) Combo															
UNE	Port/Loop Combination Rates (Non-Design)															
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -			LIEBOO		40.40										
	Non-Design		1	UEP93	-	13.13			 							
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		2	UEP93		23.75										
	Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		2	UEF93		23.73			-							
	Non-Design		3	UEP93		49.62										
LINE	Port/Loop Combination Rates (Design)		3	ULF 93	+	49.02			+					1		+
ONE	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -															+
	Design		1	UEP93		16.29										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		<u> </u>	OLI SO		10.20										
	Design		2	UEP93		26.71										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
	Design		3	UEP93		51.82										
UNE	Loop Rate															
	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP93	UECS1	11.77										
	2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEP93	UECS1	22.36										
	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP93	UECS1	48.26										ĺ
	2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP93	UECS2	14.93										Ī
	2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP93	UECS2	25.35										ĺ
	2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP93	UECS2	50.46										
	Port Rate															
AL, K	Y, LA, MS, & TN only															
	2-Wire Voice Grade Port (Centrex) Basic Local Area			UEP93	UEPYA	1.36	38.85	19.08								
	2-Wire Voice Grade Port (Centrex 800 termination)Basic Local															
	Area			UEP93	UEPYB	1.36	38.85	19.08								
	2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local															
	Area		-	UEP93	UEPYH	1.36	38.85	19.08	<u> </u>							
	2-Wire Voice Grade Port (Centrex from diff Serving Wire			LIEDOS	LIEDVA	4.00	404.44	67.00								
	Center)2,3 Basic Local Area			UEP93	UEPYM	1.36	104.41	67.93	 		-					
	2-Wire Voice Grade Port, Diff Serving Wire Center - 2,3 - 800			LIEDOS	LIEDVZ	1 26	104.41	67.02								
	Service Term - Basic Local Area 2-Wire Voice Grade Port terminated in on Megalink or equivalent	-	<u> </u>	UEP93	UEPYZ	1.36	104.41	67.93	+		-	 	1	 	 	
	- Basic Local Area			UEP93	UEPY9	1.36	38.85	19.08				1				
-	2-Wire Voice Grade Port Terminated on 800 Service Term -			OLI 33	05113	1.30	30.03	19.00	 				 	 	l	
	Basic Local Area			UEP93	UEPY2	1.36	38.85	19.08				1				
	2-Wire Voice Grade Port (Centrex)			UEP93	UEPQA	1.36	38.85	19.08	 				i	i		†
	2-Wire Voice Grade Port (Centrex 800 termination)			UEP93	UEPQB	1.36	38.85	19.08					İ	İ	İ	
	2-Wire Voice Grade Port (Centrex with Caller ID)1			UEP93	UEPQH	1.36	38.85	19.08								
	2-Wire Voice Grade Port (Centrex from diff Serving Wire															
	Center)2,3			UEP93	UEPQM	1.36	104.41	67.93								
	2-Wire Voice Grade Port, Diff Serving Wire Center - 2,3 -800					İ										
	Service Term			UEP93	UEPQZ	1.36	104.41	67.93								
	2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP93	UEPQ9	1.36	38.85	19.08								
	2-Wire Voice Grade Port Terminated on 800 Service Term			UEP93	UEPQ2	1.36	38.85	19.08								
Local	Switching															ļ
	Centrex Intercom Funtionality, per port			UEP93	URECS	0.8577						ļ	ļ	ļ		ļ
Local	Number Portability			LUEBAA	LUBGE							ļ	ļ	ļ		ļ
	Local Number Portability (1 per port)			UEP93	LNPCC	0.35			 							
Featu				LIEDOS	LIED) (E	0.00	70.00	07.11								
	All Standard Features Offered, per port All Centrex Control Features Offered, per port		-	UEP93	UEPVF	0.00	73.93	27.14	 		-	ļ	 	 	-	
	LAU CEDUREY CONTROL FESTURES CITTERED DEL DOPT		1	UEP93	UEPVC	0.00	73.93	27.14	1 1		1	l	1	1	l	↓
NARS						i			1 1							

IBUNDLE	D NETWORK ELEMENTS - Louisiana													ment: 2		ibit: A
														Incremental	Incremental	I .
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge
		Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual S
TEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs
		m									po. 2011	po. 2011	Electronic-	Electronic-	Electronic-	Electroni
													1st	Add'l	Disc 1st	Disc Add
													151	Addi	DISC ISL	DISC Add
						Rec	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Unbundled Network Access Register - Indial			UEP93	UAR1X	0.00	0.00	0.00	0.00	0.00						
	Unbundled Network Access Register - Outdial			UEP93	UAROX	0.00	0.00	0.00	0.00	0.00						
Miscel	laneous Terminations															
2-Wire	Trunk Side															
	Trunk Side Terminations, each			UEP93	CEND6	8.27	115.85	18.20								
4-Wire	Digital (1.544 Megabits)															
	DS1 Circuit Terminations, each			UEP93	M1HD1	68.47	196.18	92.92								
	DS0 Channels Activated, Per Channel			UEP93	M1HDO	0.00	14.06									
Interof	fice Channel Mileage - 2-Wire															
	Interoffice Channel Facilities Termination			UEP93	M1GBC	22.60	39.36	26.62								
	Interoffice Channel mileage, per mile or fraction of mile			UEP93	M1GBM	0.013										1
Featur	e Activations (DS0) Centrex Loops on Channelized DS1 Service	e														1
	annel Bank Feature Activations															1
	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP93	1PQWS	0.6497										
	Feature Activation on D-4 Channel Bank FX Line Side Loop Slot			UEP93	1PQW6	0.6497										
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop															
	Slot			UEP93	1PQW7	0.6497										
	Feature Activation on D-4 Channel Bank Centrex Loop Slot -															
	Different Wire Center			UEP93	1PQWP	0.6497										
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP93	1PQWV	0.6497										
	Feature Activation on D-4 Channel Bank Tie Line/Trunk Loop															
	Slot			UEP93	1PQWQ	0.6497										
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP93	1PQWA	0.6497										
Non-R	ecurring Charges (NRC) Associated with UNE-P Centrex															
	NRC Conversion Currently Combined Switch-As-Is with allowed															
	changes, per port			UEP93	USAC2		0.10	0.10								
	Conversion of Existing Centrex Common Block, each			UEP93	USACN		36.66	16.10						Î	Î	
	New Centrex Standard Common Block			UEP93	M1ACS	0.00	680.40							Î	Î	
	New Centrex Customized Common Block			UEP93	M1ACC	0.00	680.40									
	NAR Establishment Charge, Per Occasion			UEP93	URECA	0.00	73.93									
Additio	onal Non-Recurring Charges (NRC)															
	Unbundled Miscellaneous Rate Element, Tag Loop at End Use						İ									
	Premise			UEP93	URETL		8.33	0.83	1							
	Unbundled Miscellaneous Rate Element, Tag Design Loop at															
	End Use Premise	L	<u> </u>	UEP93	URETN		11.20	1.10	<u> </u>							<u></u>
Note 1	- Required Port for Centrex Control in 1AESS, 5ESS & EWSD						İ									
Note 2	2 - Requres Interoffice Channel Mileage						i									
Note 3	- Installation is combination of Installation charge for SL2 Lo	op and	Port				i									
	- Requires Specific Customer Premises Equipment						i				İ			İ	İ	
	Rates displaying an "R" in Interim column are interim and sub		•											 	t	

CATEGORY PATE ELEMENTS Pass P	HINDI	INDI E	D NETWORK ELEMENTS Mississippi												Assach		Ful-ii	L.:4. A
ATE ELEMENTS Married Description Desc	ONDU	MULE	D NET WORK ELEMENTS - MISSISSIPPI										Svc Order	Svc Order				
ACTECONY RATE ELEMENTS More and the sections for stand-allocate loops or loops as part of a commission refers to designability description of the commission. The commission of the commission of the commission of the commission of the commission of the commission of the commission of the commission. The Commission of the commission of the commission of the commission of the commission of the commission of the commission. The Commission of the commission of the commission of the commission. The Commission of the commission of the commission of the commission of the commission of the commission. The Commission of the commission of the																		
CATECORY PATE ELEMENTS PATE AND A CONTROLLA AND A CONTROLL AND A CONTROLLAR																_		_
Bisecretories Electronics Electronics Electronics Electronics Electronics Electronics Electronic Electronics Electronics Electronic Electronics Electr	CATEG	GORY	RATE ELEMENTS		Zone	BCS	USOC			RATES (\$)			1					
The "Cone" shown in the sections for steart-shown loops or loops as part of a combination refers to Group ships the property of the control of the combination of the section for steart-shown loops or loops as part of a combination refers to Group ships the combination of the section better than the combination and the combination of the section better than the combination of the section of t				m						- (1)			per LSK	per LSK				
Proceedings of the process of the pr																		
The "State" shown in the pacification of stand-alloes loops or loops as part of a combination refers to Society by Namerican Uniforms, for the combination of the state specific Commission of the combination of the state specific Commission of the combination of the state specific Commission of the combination of the state specific Commission of the combination of the state specific Commission of the combination of the state specific Commission of the combination of the state specific Commission of the combination of the																	DISC 1St	DISC Aud I
The "Some" shown in the sections for stand-alone loops or loops as part of a combination refers to Groupshically Deveraged URE Zone. To view Geographically Deveraged URE Zone Designations by Central Office, refer to interest Virolates. The "Development in the control control and parties of in prefers the "Asset popularity Development on the prefers and the prefers the "Asset popularity Development on the prefers and the prefers the "Asset popularity Development on the prefers and the prefers the "Asset popularity Development on the prefers and the prefers the "Asset popularity Development on the prefers the prefers the prefers the prefers the prefers the prefers th								Pac										
http://www.interconnection.htts/buth.com/bucombs.ac.ac.ac.ac.ac.ac.ac.ac.ac.ac.ac.ac.ac.								Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
http://www.interconnection.htts/buth.com/bucombs.ac.ac.ac.ac.ac.ac.ac.ac.ac.ac.ac.ac.ac.					L			L	<u> </u>	l	<u> </u>	L	<u>L</u>			L.,,,,,,		
GENERAL SUPPORT SYSTEMS (CASS) - "RECONAL NATES" NOTE: (1) CLE should consist some concerning apparent of it prefers the "state specific" OSS charges as ordered by the State Commissions. The OSS charges committy contained in this rate exhibit set the BallSouth "regional" service ordering charges. CLEC may be a state. NOTE: (1) Any desirent flat can be ordered electronically will be billed according to the State. NOTE: (2) Any desirent flat can be ordered electronically will be billed according to the State. NOTE: (3) Any desirent flat can be ordered electronically will be billed according to the State. NOTE: (3) Any desirent flat can be ordered electronically will be billed according to the State. NOTE: (3) Any desirent flat can be ordered electronically will be billed according to the State. NOTE: (3) Any desired the state. NOTE: (3) Any desired the state. NOTE: (3) Any desired the state. NOTE: (3) Any desired the state. NOTE: (3) Any desired the state. NOTE: (3) Any desired the state. NOTE: (3) Any desired the state. NOTE: (3) Any desired the state. NOTE: (3) Any desired the state. NOTE: (3) Any desired the state. NOTE: (3) Any desired the state. NOTE: (3) Any desired the state. NOTE: (3) Any desired the state. NOTE: (3) Any desired the state. NOTE: (4) Any desired the state. NOTE: (3) Any desired the state. NOTE: (4) Any desired the state. NOTE: (5) Any desired the state. NOTE: (5) Any desired the state. NOTE: (5) Any desired the state. NOTE: (5) Any desired the state. NOTE: (5) Any desired the state. NOTE: (5) Any desired the state. NOTE: (5) Any desired the state. NOTE: (5) Any desired the state. NOTE: (5) Any desired the state. NOTE: (5) A							ographically	Deaveraged U	NE Zones. To	view Geograp	hically Deaver	aged UNE Zon	e Designatio	ons by Cent	ral Office, refe	er to internet	Website:	
NOTE (1) CLCC should consist its contract negotiator if it profess the "state specific OSS charges as ordered by the State Commissions. The OSS charges carried with a state specific Commission ordered retards on the state specific Commission ordered retards on the state specific Commission ordered retards on the state specific Commission ordered retards on the state of the retard of the control order ordering charge. CLC on not obtain an abuse of the torse organized size (I.C. the service ordering charge). NOTE (2) Any seament that can be ordered electronically at present per the LOR, the listed SOEIC in the listed SO	ODED			rconnec	tion.nt	m			ı	ı	ı	1	1	1	1	I		1
select chiner the state specific Commission ordered rates for the service ordering charges, over CLEC has a interconnection contract established bend of the states. In the part of the service ordering charges, over CLEC has a interconnection contract established bend of the states. In the part of the service ordering charges, over contract and the service ordering charges. In the service ordering charges. In the service ordering charges. In the service ordering charges. In the service ordering charges. In the service ordering charges. In the service ordering charges. In the service ordering charges in the service ordering charges in the service ordering charges. In the service ordering charges in the service ordering charges. In the service ordering charges in the service ordering charges in the service ordering charges. In the service ordering charges in the service ordering charges in the service ordering charges. In the service ordering charges in the service ordering charges in the service ordering charges. In the service ordering charges in the service ordering charges in the service ordering charges. In the service ordering charges in the service ordering charges in the service ordering charges. In the service ordering charges in the service ordering charges in the service ordering charges in the service ordering charges in the service ordering charges in the service ordering charges in the service ordering charges. In the service ordering charges in the service ordering charges in the service ordering charges in the service ordering charges in the service ordering charges in the service ordering charges in the service ordering charges in the service ordering charges in the service ordering charges in the service ordering charges in the service ordering charges in the service ordering charges in the service ordering charges in the service ordering charges in the service ordering charges in the service ordering charges in the service ordering charges in the service ordering charges in the	OPERA			o "etate	cnoci	io" OSS charges as a	ardered by t	ho Stato Comm	iccione Tho	DSS charges o	urrontly contai	inad in this rat	o ovhibit ar	the Bellee	uth "rogional	" corvice orde	ring charges	CI EC may
Legical States. NOTE: C) Any deserent than be ordered electronically will be bibled secondary to the SOMEC rate inted in this category. Please refer to BelliSouth's Local Ordering Handbook (LOH) to determine it a product can be ordered electronically. For those elements of the control of t																		
NOTE: (3) Any element that can be ordered electronically will be billed according to the SOMEC rate listed in this category. Phase series to BellSouth's Local Driving phase place the Cut. (bit is 18 to SOMEC rate in this category reflects the charge that would be billed to a CLEC's bill when it submits as it. Set to bellSouth.				ice orac	illig ci	larges, or occomay	elect the reg	gioriai sei vice i	ordering charg	e, nowever, or	LO Call Hot Of	Jiani a mixture	or the two	regardiess i	i ollo ilas a	merconnecti	on contract e	Stabilished III
Third cannot be ordered electronically at present per the LOH, the liteded SOMEC rise in this category reflects the charge that would be billed to a CLEC once electronic ordering capabilities come on-line for that element. Otherwise, the manual ordering charge, SOMAN, will be perfected to ELECTRONIC CHARGE. SOMEC 3.50 0.00 3.50 0.00				ed acco	rdina	to the SOMEC rate lis	ted in this c	ategory. Pleas	se refer to Bell	South's Local	Ordering Hand	lbook (LOH) to	determine	if a product	can be order	ed electronica	IIV. For those	e elements
SOMAN, will be applied to a CLECk bit when it submits an LSR is Berlisouts.																		
OSS - Flestronic Service Order Charge, Per Local Service SOMEC 3.60 0.00 3.50 0.00						o in this outegory for	coto tile olic	inge that would	a be billed to d	OLLO ONOC CI	otronio oracii	ng capabilities	o come on n	no ioi that i	orement. Oth	ciwioc, the mi	andar Ordering	g onange,
Reguest LERF, LIVE Carry					Ė													
OSS - Namual Service Order Change, Per Local Service Requests SOMAN 15.75 0.00 1.97 0.00							SOMEC		3.50	0.00	3.50	0.00						
INCIDENT The Expedite charge will be maintained commensurate with BellSouth's FCC No.1 Tariff, Section 5 as applicable.																		
NOTE: The Expedite charge will be maintained commensurate with BellSouths FCC No. 1 Tariff, Section 3 as applicable.							SOMAN		15.75	0.00	1.97	0.00						
UAL UEANL UCL UEF, UPF, UEC, UEA, UEF, UPF, UEC, UEA, UEA, ULTT2, UTT48, UTT72, UTT48, UTT72, UTT48, UTT74, UTT03, UURED, UFFE, UFFE, UCRC	UNE S																	
UFF, UPF, UPC, UPC, UPC, UPC, UPC, UPC, UPC, UPC		NOTE:	The Expedite charge will be maintained commensurate with	BellSou	th's FO	C No.1 Tariff, Section	n 5 as appli	cable.										
UFF, UPF, UPG, UPG, UPG, UPG, UPG, UPG, UPG, UPG																		
UNBUNCED EXCHANGE ACCESS LOOP UNBUNCED EXCHANGE ACCESS LOOP 2-Wire Analog Voice Grade Loop: Service Level 1-Zone 1 1 UEANL UEAL2 12:03 37:62 17:55 23:48 5.25 1 2 VEANL OF VOICe Access Level 1-Zone 1 1 UEANL UEAL2 12:03 37:62 17:55 23:48 5.25 1 2 VEANL OF VOICe Access Level 1-Zone 1 1 UEANL UEAL2 14:03 37:02 17:55 23:48 5.25 1 2 VEANL UEAL3 14:07 37:02 17:55 23:48 5.25 1 2 VEANL UEAL3 14:07 37:02 17:55 23:48 5.25 1 2 VEANL UEAL3 14:07 37:02 17:55 23:48 5.25 1 2 VEANL UEAL3 14:07 37:02 17:55 23:48 5.25 1 2 VEANL UEAL3 14:07 37:02 17:55 23:48 5.25 1 2 VEANL UEAL3 14:07 37:02 17:55 23:48 5.25 1 2 VEANL UEAL3 14:07 37:02 17:55 23:48 5.25 1 2 VEANL UEAL3 14:07 37:02 17:55 23:48 5.25 1 2 VEANL UEAL3 14:07 37:07 3																		
URE Expedite Charge per Circuit or Line Assignable USOC, per DITUD, UNDIS, UNDI																		
UNE Expedite Charge per Circuit or Line Assignable USOC, per UNBUNCLED EXCHANGE ACCESS LOOP U																		
UTIDI, UTIDIS,																		
UTITX, UTITX, UTITX, UCHE, UCHCL, UDLSX, UDCX, UDCX, UDCX, UDCX, UDCX, UDCX, UDCX, UDCX, UDCX, UDCX, ULDX, ULDX, ULDX, ULDX, ULDX, ULDX, ULDX, ULDX, ULDX, ULDX, ULDX, ULDX, ULDX, ULDX, ULDX, ULDX, ULDX, ULDX, ULXTD, UXXTD, U																		
UTST, UTINX, UCIGC, UCIGE, UCICE, UCI																		
UCICC, UCIDL, UCIDL, UCIDL, UCIDL, UCIDL, UCIDL, UCIDL, UCIDL, UCIPL, UC																		
UCIDC, UCIDL, UCIEL, ULDIX, CX, UNCX																		
UCIFEC, UCIFEL, UCIFIC, UCIFEL, UCIFIC, UCIFIL, ULDO3, ULDO3, ULDO3, ULDO3, ULDO3, ULDO3, ULDO3, ULDO3, ULDO3, UNCNX, UNCSX, UNCXX, UNCXX, UNCXX, UNCXX, UNCXX, UNCIFIC, UNIDAJ, UNCTO3, UNCTO3, UNCNX, UNCSX, UNCXX, UNLD1, UNIDAJ, UXTS1, UTTO3, UXTS1, UTTO3, UXTS1, UTTO3, UXTS1, UTTO3, UXTS1, UTTO3, UXTS1, UTTO3, UXTS1, UTTO3, UXTS1, UTTO3, UXTS1, UTTO3, UXTS1, UTTO3, UXTS1, UTTO3, UTTO3, UTTO3, UTTO4, UTTUC,						UC1CC, UC1CL,												
UCHFC, UCHFL,						UC1DC, UC1DL,												
UC1GC, UC1GL, UC1HL, UC1HC, UC1HL, UC1HC, UC1HL, UC1HC, UC1HL, UC1HC, UC1HL, UC1HC, UC1HL, UC1HC, UC1HL, UC1HC, UC1HL, UC1HC, UC1HL, UC1HC, UC1HL, UC1HC, UC1HL, UC1HC, UC1HL, UC1HC, UC1HL, UC1HC, UC1HL, UC1HC,																		
UNE Expedite Charge per Circuit or Line Assignable USOC, per UNTID, UNDAS, UNDA																		
UDL12, UDL48, UDD1, UDD3, ULD7, UD7, UD7, UD7, UD7, UD7, UD7, UD7, U																		
UNE Expedite Charge per Circuit or Line Assignable USOC, per UNEX, UNC3X, UNC3X, UNC0X																		
UNE Expedite Charge per Circuit or Line Assignable USOC, per Day UNBUNDLED EXCHANGE ACCESS LOOP 2-WIRE ANALOG VOICE GRADE LOOP 2-WIRE ANALOG VOICE GRADE LOOP 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1 1 UEANL UEA12 12.03 37.92 17.55 23.48 5.25 1 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2 4 UEANL UEA12 43.85 37.92 17.55 23.48 5.25 1 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3 3 UEANL UEA12 43.85 37.92 17.55 23.48 5.25 1 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2 4 UEANL UEA12 15.87 37.92 17.55 23.48 5.25 1 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3 3 UEANL UEA12 43.85 37.92 17.55 23.48 5.25 1 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3 3 UEANL UEA12 43.85 37.92 17.55 23.48 5.25 1 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3 3 UEANL UEA12 43.85 37.92 17.55 23.48 5.25 1 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3 3 UEANL UEA12 43.85 37.92 17.55 23.48 5.25 1 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3 3 UEANL UEA12 43.85 37.92 17.55 23.48 5.25 1 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 4 4 UEANL UEAL2 43.85 37.92 17.55 23.48 5.25 1 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 4 4 UEANL UEASL 12.03 37.92 17.55 23.48 5.25 1 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 4 4 UEANL UEASL 12.03 37.92 17.55 23.48 5.25 1 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 4 4 UEANL UEASL 12.03 37.92 17.55 23.48 5.25 1 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 4 4 UEANL UEASL 25.68 37.92 17.55 23.48 5.25 1 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 4 4 UEANL UEASL 25.68 37.92 17.55 23.48 5.25 1 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 4 4 UEANL UEASL 25.68 37.92 17.55 23.48 5.25 1 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 4 4 UEANL UEASL 25.68 37.92 17.55 23.48 5.25 1 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 4 4 UEANL UEASL 25.68 37.92 17.55 23.48 5.25 1 2-Wire Analog Voice Grade Loop - Service Level 1-																		
UNE Expedite Charge per Circuit or Line Assignable USOC, per Day UNEDINAL ULDO, UNCIX,																		
ULDD3, ULDD4, ULDD5, ULDD5, ULDD5, ULDD5, ULDD7, ULDD7, UNDCX, UN																		
ULDO3, UL																		
ULDVX, UNC1X, UNC3X, UNCDX, UNCXX, UNCDX, UNCNX, UND1, UND1, UND3, UXTD1, UXTD1, UXTD3, UXTD1, UXTD3, UXTD1, UXTD1, UXTD3, UXTD1																		
UNC3X, UNCOX, UNCOX, UNCOX, UNCOX, UNCOX, UNCOX, UNCOX, UNCOX, UNCOX, UNCOX, UNCOX, UNCOX, UNCOX, UNLD1, UNLD3, UXTS1, UNTD1, UXTD3, UXTS1, UTTUC, U1TUD, U1TUB, U1TUA SDASP 200.00 UNBUNDLED EXCHANGE ACCESS LOOP 2-WIRE ANALOG VOICE GRADE LOOP 2-WIRE ANALOG VOICE GRADE LOOP 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1 1 UEANL UEAL2 12.03 37.92 17.55 23.48 5.25 1 12.04 17.05 23 10.00 17																		
UNE Expedite Charge per Circuit or Line Assignable USOC, per Day UNBUNDLED EXCHANGE ACCESS LOOP 2-WIRE ANALOG VOICE GRADE LOOP 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1 1 UEANL UEAL2 12.03 37.92 17.55 23.48 5.25 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3 3 UEANL UEAL2 25.68 37.92 17.55 23.48 5.25 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3 1 UEANL UEAL2 25.68 37.92 17.55 23.48 5.25 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3 3 UEANL UEAL2 25.68 37.92 17.55 23.48 5.25 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3 1 UEANL UEAL2 25.68 37.92 17.55 23.48 5.25 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3 1 UEANL UEAL2 38.5 37.92 17.55 23.48 5.25 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1 1 UEANL UEAL2 38.5 37.92 17.55 23.48 5.25 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2 1 UEANL UEASL 12.03 37.92 17.55 23.48 5.25 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2 1 UEANL UEASL 12.03 37.92 17.55 23.48 5.25 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2 2 UEANL UEASL 16.87 37.92 17.55 23.48 5.25 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2 2 UEANL UEASL 16.87 37.92 17.55 23.48 5.25 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2 3 UEANL UEASL 16.87 37.92 17.55 23.48 5.25 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 4 4 UEANL UEASL 25.68 37.92 17.55 23.48 5.25 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 4 4 UEANL UEASL 25.68 37.92 17.55 23.48 5.25 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 4 4 UEANL UEASL 43.85 37.92 17.55 23.48 5.25 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 4 4 UEANL UEASL 43.85 37.92 17.55 23.48 5.25 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 4 4 UEANL UEASL 43.85 37.92 17.55 23.48 5.25 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 4 4 UEANL UEASL 43.85 37.92 17.55 23.48 5.25 3-Wire Analog Voice Grade Loop - Service Level 1- Zone 4 4 UEANL UEASL 43.85 37.92 17.55 23.48 5.25																		
UNBUNDLED EXCHANGE ACCESS LOOP UNBUNDLED EXCHANGE ACCESS LOOP 2-WIRE ANALOG VOICE GRADE LOOP 2-WIRE ANALOG VOICE GRADE Loop - Service Level 1- Zone 2 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2 3 JEANL UEAL2 12.03 37.92 17.55 23.48 5.25 23.48 5.25 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3 3 JEANL UEAL2 25.68 37.92 17.55 23.48 5.25 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 4 4 UEANL UEAL2 43.85 37.92 17.55 23.48 5.25 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1 1 UEANL UEAL2 43.85 37.92 17.55 23.48 5.25 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1 1 UEANL UEASL 12.03 37.92 17.55 23.48 5.25 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1 1 UEANL UEASL 12.03 37.92 17.55 23.48 5.25 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1 1 UEANL UEASL 16.87 37.92 17.55 23.48 5.25 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2 2 UEANL UEASL 16.87 37.92 17.55 23.48 5.25 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3 3 UEANL UEASL 16.87 37.92 17.55 23.48 5.25 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3 3 UEANL UEASL 16.87 37.92 17.55 23.48 5.25 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3 3 UEANL UEASL 16.87 37.92 17.55 23.48 5.25 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3 3 UEANL UEASL 16.87 37.92 17.55 23.48 5.25 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3 3 UEANL UEASL 16.87 37.92 17.55 23.48 5.25 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3 3 UEANL UEASL 25.68 37.92 17.55 23.48 5.25 23.48 5.25 23.48 5.25 23.48 5.25 24.Wire Analog Voice Grade Loop - Service Level 1- Zone 3 3 UEANL UEASL 25.68 37.92 17.55 23.48 5.25 23.48 5.25 23.48 5.25 23.48 5.25 23.48 5.25 23.48 5.25 23.48 23.48 24.Wire Analog Voice Grade Loop - Service Level 1- Zone 3 3 UEANL UEASL 25.68 25.89 26.89 26.89 26.89 26.89 26.89						UNCNX, UNCSX,												
UNE Expedite Charge per Circuit or Line Assignable USOC, per Day U1TUC, U1TUD, U1TUD, U1TUD, U1TUD, U1TUD, U1TUD, U1TUD, U1TUD, U1TUD, U1TUD, U1TUD, U1TUD, U1TUB, U1TUA SDASP 200.00 UNBUNDLED EXCHANGE ACCESS LOOP						UNCVX, UNLD1,												
UNE Expedite Charge per Circuit or Line Assignable USOC, per Day						UNLD3, UXTD1,												
Day																		
UNBUNDLED EXCHANGE ACCESS LOOP 2-WIRE ANALOG VOICE GRADE LOOP 1 UEANL UEAL2 12.03 37.92 17.55 23.48 5.25 1			1															
2-WIRE ANALOG VOICE GRADE LOOP						U1TUB, U1TUA	SDASP		200.00									
2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1 1 UEANL UEAL2 12.03 37.92 17.55 23.48 5.25	UNBUN			-	<u> </u>						-	 	 	-	 			
2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2 2 UEANL UEAL2 16.87 37.92 17.55 23.48 5.25 2	-	Z-WIRE		-	1	LIΕΔΝΙ	ΠΕΔΙΟ	12.02	27.02	17 FF	22 40	E 0E	1		-	1		-
2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3 3 UEANL UEAL2 25.68 37.92 17.55 23.48 5.25 2-Wire Analog Voice Grade Loop - Service Level 1-Zone 4 UEANL UEAL2 43.85 37.92 17.55 23.48 5.25 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1 1 UEANL UEASL 12.03 37.92 17.55 23.48 5.25 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2 2 UEANL UEASL 16.87 37.92 17.55 23.48 5.25 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3 3 UEANL UEASL 16.87 37.92 17.55 23.48 5.25 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3 3 UEANL UEASL 25.68 37.92 17.55 23.48 5.25 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 4 UEANL UEASL 43.85 37.92 17.55 23.48 5.25 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 4 UEANL UEASL 43.85 37.92 17.55 23.48 5.25 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 4 UEANL UEASL 43.85 37.92 17.55 23.48 5.25 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 4 UEANL UEASL 43.85 37.92 17.55 23.48 5.25 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 4 UEANL UEASL 43.85 37.92 17.55 23.48 5.25 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 4 UEANL UEASL 43.85 37.92 17.55 23.48 5.25 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 4 UEANL UEASL 43.85 37.92 17.55 23.48 5.25 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 4 UEANL UEASL 43.85 37.92 17.55 23.48 5.25 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 4 UEANL UEASL 43.85 37.92 17.55 23.48 5.25 23.48 5.25 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 4 UEANL UEASL 43.85 37.92 17.55 23.48 5.25 23.48 5.25 23.48 5.25 23.48 5.25 23.48 23.48 23.48 23.48 23.48 23.48 23.48 23.48 23.48 23.48 23.48 23.48 23.48	-	+		-											-	1		-
2-Wire Analog Voice Grade Loop - Service Level 1-Zone 4 4 UEANL UEAL2 43.85 37.92 17.55 23.48 5.25	\vdash	+		H											 	1		
2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1		1		†										-		1		
2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2 2 UEANL UEASL 16.87 37.92 17.55 23.48 5.25		1													1			1
2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3 3 UEANL UEASL 25.68 37.92 17.55 23.48 5.25 2-Wire Analog Voice Grade Loop - Service Level 1-Zone 4 UEANL UEASL 43.85 37.92 17.55 23.48 5.25		1													İ			İ
2-Wire Analog Voice Grade Loop - Service Level 1-Zone 4		1											1		İ			İ
Unbundled Miscellaneous Rate Element, Tag Loop at End User Premise UEANL URETL 8.33 0.83		1		1										1	İ			İ
Premise UEANL URETL 8.33 0.83																		
Loop Testing - Basic 1st Half Hour	L																	
			Loop Testing - Basic 1st Half Hour			UEANL	URET1		34.36	34.36								

Version 3Q03: 11/12/2003 Page 196 of 349

UNBUNDLE	D NETWORK ELEMENTS - Mississippi												Attach	ment: 2	Exhi	bit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)				Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Charge -	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l
						Rec	Nonrec		Nonrecurring					Rates (\$)		
					LIBETA		First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Loop Testing - Basic Additional Half Hour		ļ	UEANL UEANL	URETA UREWO		19.97 15.75	19.97 8.92							1	
	CLEC to CLEC Conversion Charge Without Outside Dispatch Unbundled Voice Loop, Non-Design Voice Loop, billing for BST			UEANL	UREWU		15.75	8.92			-				-	
	providing make-up (Engineering Information - E.I.)			UEANL	UEANM		13.51 8.20	13.51								
	Manual Order Coordination for UVL-SL1s (per loop) Order Coordination for Specified Conversion Time for UVL-SL1			UEANL	UEAIVIC		8.20	8.20			-					-
	(per LSR)			UEANL	OCOSL		18.19	18.19								İ
2-WIRE	Unbundled COPPER LOOP			OL7 II VL	00002		10.10	10.10								
	2-Wire Unbundled Copper Loop - Non-Designed Zone 1		1	UEQ	UEQ2X	11.01	36.53	16.16	22.66	4.42						
	2 Wire Unbundled Copper Loop - Non-Designed - Zone 2		2	UEQ	UEQ2X	11.51	36.53	16.16	22.66	4.42						
	2 Wire Unbundled Copper Loop - Non-Designed - Zone 3			UEQ	UEQ2X	11.57	36.53	16.16	22.66	4.42						
	2 Wire Unbundled Copper Loop - Non-Designed - Zone 4		4	UEQ	UEQ2X	13.10	36.53	16.16	22.66	4.42						
	Unbundled Miscellaneous Rate Element, Tag Loop at End User															
	Premise		<u> </u>	UEQ	URETL		8.33	0.83								
	Manual Order Coordination 2 Wire Unbundled Copper Loop - Non-Designed (per loop)			UEQ	USBMC		8.20	8.20								
	Unbundled Copper Loop, Non-Design Copper Loop, billing for															
	BST providing make-up (Engineering Information - E.I.)			UEQ	UEQMU		13.51	13.51								
	Loop Testing - Basic 1st Half Hour			UEQ	URET1		34.36	34.36								
	Loop Testing - Basic Additional Half Hour			UEQ	URETA		19.97	19.97								
UNDUNDUED FOR	CLEC to CLEC Conversion Charge Without Outside Dispatch			UEQ	UREWO		14.24	7.42								-
	EXCHANGE ACCESS LOOP		ļ		-										1	
Z-WIRE	ANALOG VOICE GRADE LOOP 2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-		ļ		+							-				
	Zone 1		1	UEPSR UEPSB	UEALS	12.03	37.92	17.55	23.48	5.25						
	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- Zone 1		1	UEPSR UEPSB	UEABS	12.03	37.92	17.55	23.48	5.25						
	2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting- Zone 2		2	UEPSR UEPSB	UEALS	16.87	37.92	17.55	23.48	5.25						
	2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting- Zone 2		2	UEPSR UEPSB	UEABS	16.87	37.92	17.55	23.48	5.25						
	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- Zone 3		3	UEPSR UEPSB	UEALS	25.68	37.92	17.55	23.48	5.25						
	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- Zone 3		3	UEPSR UEPSB	UEABS	25.68	37.92	17.55	23.48	5.25						
	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-		1													
	Zone 4 2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-		4	UEPSR UEPSB	UEALS	43.85	37.92	17.55	23.48	5.25						
	Zone 4		4	UEPSR UEPSB	UEABS	43.85	37.92	17.55	23.48	5.25						l
UNBUNDLED E	XCHANGE ACCESS LOOP															
2-WIRE	ANALOG VOICE GRADE LOOP															
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 1		1	UEA	UEAL2	13.89	105.96	68.28	52.82	10.37						
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 2		2	UEA	UEAL2	18.75	105.96	68.28	52.82	10.37						
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 3		3	UEA	UEAL2	27.55	105.96	68.28	52.82	10.37						
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 4		4	UEA	UEAL2	45.72	105.96	68.28	52.82	10.37						
	Order Coordination for Specified Conversion Time (per LSR)	1		UEA	OCOSL	70.12	18.19	00.20	02.02	10.07	t	†	1		†	
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 1		1	UEA	UEAR2	13.89	105.96	68.28	52.82	10.37						
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse		2	UEA	UEAR2											
	Battery Signaling - Zone 2 2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse		<u> </u>			18.75	105.96	68.28	52.82	10.37						
	Battery Signaling - Zone 3 2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse			UEA	UEAR2	27.55	105.96	68.28	52.82	10.37						<u> </u>
	Battery Signaling - Zone 4 Order Coordination for Specified Conversion Time (per LSR)		4	UEA UEA	UEAR2 OCOSL	45.72	105.96 18.19	68.28	52.82	10.37	-				-	

UNBUNDLE	NETWORK ELEMENTS - Mississippi													ment: 2		bit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			1	Svc Order Submitted Manually per LSR	Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increment Charge - Manual Sv Order vs. Electronic Disc Add
						Rec	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	CLEC to CLEC Conversion Charge without outside dispatch			UEA	UREWO		87.56	36.29								
	Loop Tagging - Service Level 2 (SL2)			UEA	URETL		11.19	1.10								
	ANALOG VOICE GRADE LOOP															
	4-Wire Analog Voice Grade Loop - Zone 1		_	UEA	UEAL4	27.47	132.27	94.59		14.64						
	4-Wire Analog Voice Grade Loop - Zone 2		2	UEA	UEAL4	38.26	132.27	94.59	60.68	14.64						
	4-Wire Analog Voice Grade Loop - Zone 3		3	UEA	UEAL4	50.03	132.27	94.59	60.68	14.64						<u> </u>
	4-Wire Analog Voice Grade Loop - Zone 4		4	UEA	UEAL4	50.03	132.27	94.59	60.68	14.64						<u> </u>
	Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL		18.19									<u> </u>
	CLEC to CLEC Conversion Charge without outside dispatch			UEA	UREWO		87.56	36.29								
2-WIRE	ISDN DIGITAL GRADE LOOP															
	2-Wire ISDN Digital Grade Loop - Zone 1		1	UDN	U1L2X	21.01	117.61	79.92	52.82	10.37			ļ		ļ	<u> </u>
	2-Wire ISDN Digital Grade Loop - Zone 2		2	UDN	U1L2X	27.59	117.61	79.92	52.82	10.37						
	2-Wire ISDN Digital Grade Loop - Zone 3		3	UDN	U1L2X	37.34	117.61	79.92	52.82	10.37			ļ		ļ	<u> </u>
	2-Wire ISDN Digital Grade Loop - Zone 4		4	UDN	U1L2X	59.18	117.61	79.92	52.82	10.37						
	Order Coordination For Specified Conversion Time (per LSR)			UDN	OCOSL		18.19									
	CLEC to CLEC Conversion Charge without outside dispatch			UDN	UREWO		91.46	44.07								!
	ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMP	ATIBLE	LOOP													
	2 Wire Unbundled ADSL Loop including manual service inquiry & facility reservation - Zone 1		1	UAL	UAL2X	11.11	121.27	70.81	50.38	7.93						
	2 Wire Unbundled ADSL Loop including manual service inquiry & facility reservation - Zone 2		2	UAL	UAL2X	11.47	121.27	70.81	50.38	7.93						
	2 Wire Unbundled ADSL Loop including manual service inquiry & facility reservation - Zone 3		3	UAL	UAL2X	11.74	121.27	70.81	50.38	7.93						
	2 Wire Unbundled ADSL Loop including manual service inquiry & facility reservation - Zone 4		4	UAL	UAL2X	12.69	121.27	70.81	50.38	7.93						
	Order Coordination for Specified Conversion Time (per LSR)			UAL	OCOSL		18.19									
	2 Wire Unbundled ADSL Loop without manual service inquiry & facility reservaton - Zone 1		1	UAL	UAL2W	11.11	96.15	58.03	50.38	7.93						
	2 Wire Unbundled ADSL Loop without manual service inquiry & facility reservaton - Zone 2		2	UAL	UAL2W	11.47	96.15	58.03	50.38	7.93						
	2 Wire Unbundled ADSL Loop without manual service inquiry & facility reservaton - Zone 3		3	UAL	UAL2W	11.74	96.15	58.03	50.38	7.93						
	2 Wire Unbundled ADSL Loop without manual service inquiry & facility reservaton - Zone 4		4	UAL	UAL2W	12.69	96.15	58.03	50.38	7.93						
	Order Coordination for Specified Conversion Time (per LSR)			UAL	OCOSL		18.19									
	CLEC to CLEC Conversion Charge without outside dispatch			UAL	UREWO		86.04	40.33								
2-WIRE	HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIBLE I	LOOP													
	2 Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 1		1	UHL	UHL2X	8.75	129.98	79.52	50.38	7.93						
	2 Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 2		2	UHL	UHL2X	9.22	129.98	79.52	50.38	7.93						
	2 Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 3		3	UHL	UHL2X	9.87	129.98	79.52	50.38	7.93						
	2 Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 4		4	UHL	UHL2X	10.46	129.98	79.52	50.38	7.93						
	Order Coordination for Specified Conversion Time (per LSR) 2 Wire Unbundled HDSL Loop without manual service inquiry			UHL	OCOSL		18.19									
	and facility reservation - Zone 1 2 Wire Unbundled HDSL Loop without manual service inquiry		1	UHL	UHL2W	8.75	104.86	66.74	50.38	7.93						<u> </u>
	and facility reservation - Zone 2 2 Wire Unbundled HDSL Loop without manual service inquiry		2	UHL	UHL2W	9.22	104.86	66.74	50.38	7.93						
	and facility reservation - Zone 3 2 Wire Unbundled HDSL Loop without manual service inquiry		3	UHL	UHL2W	9.87	104.86	66.74	50.38	7.93						
	and facility reservation - Zone 4 Order Coordination for Specified Conversion Time (per LSR)		4	UHL UHL	UHL2W OCOSL	10.46	104.86 18.19	66.74	50.38	7.93						
	CLEC to CLEC Conversion Charge without outside dispatch	-		UHL	UREWO		85.98	40.33			-		 		 	—
	HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIBLE I	LOOP	OT IL	JILLANO		05.30	40.33								
	4 Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 1		1	UHL	UHL4X	13.78	158.74	108.28	56.72	10.68						

UNBUNDLE	D NETWORK ELEMENTS - Mississippi													ment: 2		bit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			1	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l
						Rec	Nonrec		Nonrecurring					Rates (\$)		
						1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	4-Wire Unbundled HDSL Loop including manual service inquiry															
	and facility reservation - Zone 2		2	UHL	UHL4X	13.43	158.74	108.28	56.72	10.68						
	4-Wire Unbundled HDSL Loop including manual service inquiry					45.50	450.74	100.00	50.70	40.00						ĺ
	and facility reservation - Zone 3		3	UHL	UHL4X	15.59	158.74	108.28	56.72	10.68						——
	4-Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 4		4	UHL	UHL4X	14.46	158.74	108.28	56.72	10.68						ĺ
	Order Coordination for Specified Conversion Time (per LSR)		4	UHL	OCOSL	14.40	18.19	100.20	56.72	10.00						
	4-Wire Unbundled HDSL Loop without manual service inquiry		1	OFF	OCCOL		10.13				1					
	and facility reservation - Zone 1		1	UHL	UHL4W	13.78	133.62	95.50	56.72	10.68						l
	4-Wire Unbundled HDSL Loop without manual service inquiry															
	and facility reservation - Zone 2		2	UHL	UHL4W	13.43	133.62	95.50	56.72	10.68						ĺ
	4-Wire Unbundled HDSL Loop without manual service inquiry		i –		i i										1	
	and facility reservation - Zone 3		3	UHL	UHL4W	15.59	133.62	95.50	56.72	10.68	<u> </u>	<u> </u>				<u> </u>
	4-Wire Unbundled HDSL Loop without manual service inquiry															
	and facility reservation - Zone 4		4	UHL	UHL4W	14.46	133.62	95.50	56.72	10.68						
	Order Coordination for Specified Conversion Time (per LSR)		<u> </u>	UHL	OCOSL		18.19									
	CLEC to CLEC Conversion Charge without outside dispatch			UHL	UREWO		85.98	40.33								
4-WIRE	DS1 DIGITAL LOOP				1101101	30.00	0.00		10.10	10.00						
	4-Wire DS1 Digital Loop - Zone 1			USL	USLXX	79.08	253.93	158.45		12.07						——
	4-Wire DS1 Digital Loop - Zone 2		2	USL	USLXX	129.38	253.93	158.45	46.10	12.07						
	4-Wire DS1 Digital Loop - Zone 3 4-Wire DS1 Digital Loop - Zone 4			USL USL	USLXX	206.74 458.46	253.93 253.93	158.45 158.45		12.07 12.07	-					
	Order Coordination for Specified Conversion Time (per LSR)		4	USL	OCOSL	458.46	18.19	158.45	46.10	12.07	-					
	CLEC to CLEC Conversion Charge without outside dispatch	-	<u> </u>	USL	UREWO		100.90	42.96			1					
4-WIRE	E 19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP		1	001	OKETTO		100.00	42.00								
7 11111	4 Wire Unbundled Digital 19.2 Kbps		1	UDL	UDL19	27.44	126.53	88.85	60.68	14.64	1					
	4 Wire Unbundled Digital 19.2 Kbps		2	UDL	UDL19	34.55	126.53	88.85		14.64						
	4 Wire Unbundled Digital 19.2 Kbps			UDL	UDL19	40.76	126.53	88.85		14.64						
	4 Wire Unbundled Digital 19.2 Kbps		4	UDL	UDL19	32.25	126.53	88.85	60.68	14.64						
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 1		1	UDL	UDL56	27.44	126.53	88.85	60.68	14.64						
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 2		2	UDL	UDL56	34.55	126.53	88.85	60.68	14.64						
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 3			UDL	UDL56	40.76	126.53	88.85	60.68	14.64						
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 4		4	UDL	UDL56	32.25	126.53	88.85	60.68	14.64						
	Order Coordination for Specified Conversion Time (per LSR)			UDL	OCOSL		18.19									
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 1			UDL	UDL64	27.44	126.53	88.85	60.68	14.64						
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 2	-		UDL UDL	UDL64	34.55 40.76	126.53	88.85		14.64	1	-		-	 	
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 3 4 Wire Unbundled Digital Loop 64 Kbps - Zone 4	-		UDL	UDL64 UDL64	40.76 32.25	126.53 126.53	88.85 88.85		14.64 14.64	-	-	-	-		
 	Order Coordination for Specified Conversion Time (per LSR)	-	4	UDL	OCOSL	32.25	120.53	00.83	80.08	14.04		-				
 	CLEC to CLEC Conversion Charge without outside dispatch	1	 	UDL	UREWO		101.94	49.66	1		 				 	
2-WIRE	E Unbundled COPPER LOOP	<u> </u>	 		SILLIVO		101.54	40.00	1		 	-				—
2 *****	2-Wire Unbundled Copper Loop-Designed including manual		t		1										1	
	service inquiry & facility reservation - Zone 1		1	UCL	UCLPB	11.11	120.34	69.87	50.38	7.93						1
	2-Wire Unbundled Copper Loop-Designed including manual		i –									İ		İ		
	service inquiry & facility reservation - Zone 2		2	UCL	UCLPB	11.47	120.34	69.87	50.38	7.93						1
İ	2 Wire Unbundled Copper Loop-Designed including manual				ĺ											
	service inquiry & facility reservation - Zone 3		3	UCL	UCLPB	11.74	120.34	69.87	50.38	7.93						L
	2 Wire Unbundled Copper Loop-Designed including manual				1											1
	service inquiry & facility reservation - Zone 4		4	UCL	UCLPB	12.69	120.34	69.87	50.38	7.93				ļ	ļ	↓
	Order Coordination for Unbundled Copper Loops (per loop)		<u> </u>	UCL	UCLMC		8.20	8.20								↓
	2-Wire Unbundled Copper Loop-Designed without manual		Ι.		LIGI DW		05.01	F7 00	50.00	7.00						1
	service inquiry and facility reservation - Zone 1	-	1	UCL	UCLPW	11.11	95.21	57.09	50.38	7.93				 	 	├
	2-Wire Unbundled Copper Loop-Designed without manual		2	UCL	UCLPW	11.47	95.21	57.09	50.38	7.93						1
+	service inquiry and facility reservation - Zone 2 2-Wire Unbundled Copper Loop-Designed without manual	-	4	UUL	UCLEVV	11.47	95.21	57.09	50.38	1.93		-				
	service inquiry and facility reservation - Zone 3		3	UCL	UCLPW	11.74	95.21	57.09	50.38	7.93						1
- 	2-Wire Unbundled Copper Loop-Designed without manual	-	-	JUL	JOLI VV	11.74	50.∠1	37.09	30.36	1.33	-			 	 	
ı I	service inquiry and facility reservation - Zone 4		4	UCL	UCLPW	12.69	95.21	57.09	50.38	7.93						1
								01.00								1

UNBUNDLE	ED NETWORK ELEMENTS - Mississippi													ment: 2		bit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)				Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'I
						Rec	Nonrec		Nonrecurring					Rates (\$)		
	01504-0150						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	CLEC to CLEC Conversion Charge without outside dispatch (UCL-Des)			UCL	UREWO		95.21	42.40								ł
4-WIR	RE COPPER LOOP			UCL	UKEWU		95.21	42.40	 							
7 1111	4-Wire Copper Loop-Designed including manual service inquiry										1					
	and facility reservation - Zone 1		1	UCL	UCL4S	17.30	144.68	94.22	56.72	10.68						ł
	4-Wire Copper Loop-Designed including manual service inquiry															
	and facility reservation - Zone 2		2	UCL	UCL4S	18.84	144.68	94.22	56.72	10.68						l .
	4-Wire Copper Loop-Designed including manual service inquiry															ł
	and facility reservation - Zone 3		3	UCL	UCL4S	21.33	144.68	94.22	56.72	10.68						
	4-Wire Copper Loop-Designed including manual service inquiry		١.		1101.40	04.00	444.00	04.00	50.70	40.00						i
	and facility reservation - Zone 4	-	4	UCL UCL	UCL4S UCLMC	21.33	144.68 8.20	94.22 8.20	56.72	10.68	1					
	Order Coordination for Unbundled Copper Loops (per loop) 4-Wire Copper Loop-Designed without manual service inquiry	-	 	UUL	UCLIVIC		8.20	8.20	 		-					
	and facility reservation - Zone 1		1	UCL	UCL4W	17.30	119.56	81.44	56.72	10.68						i
	4-Wire Copper Loop-Designed without manual service inquiry		+ -	001	COLTV	17.30	113.30	01.44	30.72	10.00						(
	and facility reservation - Zone 2		2	UCL	UCL4W	18.84	119.56	81.44	56.72	10.68						ı
	4-Wire Copper Loop-Designed without manual service inquiry															i
	and facility reservation - Zone 3		3	UCL	UCL4W	21.33	119.56	81.44	56.72	10.68						ł
	4-Wire Copper Loop-Designed without manual service inquiry															i
	and facility reservation - Zone 4		4	UCL	UCL4W	21.33	119.56	81.44	56.72	10.68						
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		8.20	8.20								
	CLEC to CLEC Conversion Charge without outside dispatch			UCL	LIDEIMO		05.04	40.40								i
LOOP MODIF	(UCL-Des)			UCL	UREWO		95.21	42.40	1							
	Unbundled Loop Modification, Removal of Load Coils - 2 Wire pair less than or equal to 18k ft, per Unbundled Loop Unbundled Loop Modification Removal of Load Coils - 4 Wire less than or equal to 18K ft, per Unbundled Loop			UAL, UHL, UCL, UEQ, ULS, UEA, UEANL, UEPSR, UEPSB	ULM2L ULM4L		32.57 32.57	32.57 32.57								
SUB-LOOPS	Unbundled Loop Modification Removal of Bridged Tap Removal, per unbundled loop			UAL, UHL, UCL, UEQ, ULS, UEA, UEANL, UEPSR, UEPSB	ULMBT		32.59	32.59								
	Loop Distribution															
	Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set-															i
	Up	- 1		UEANL	USBSA		259.69									ł
	Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up	ı		UEANL	USBSB		22.77									
	Sub-Loop - Per Building Equipment Room - CLEC Feeder															í
	Facility Set-Up	ı		UEANL	USBSC		178.47									
	Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel Set-Up	- 1		UEANL	USBSD		56.39									
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 1	ı	1	UEANL	USBN2	7.15	66.18	31.14	45.36	6.71						
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 2	ı	2	UEANL	USBN2	9.51	66.18	31.14	45.36	6.71						
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 3	I	3	UEANL	USBN2	12.45	66.18	31.14	45.36	6.71						
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 4		4	UEANL	USBN2	18.26	66.18	31.14	45.36	6.71						
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		8.20	8.20								
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 1		1	UEANL	USBN4	7.30	79.49	44.45	51.27	9.35						
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 2		2	UEANL	USBN4	13.92	79.49	44.45	51.27	9.35						

UNBUNDLE	ED NETWORK ELEMENTS - Mississippi												Attach	ment: 2	Exhi	bit: A
											Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		Intent									Elec	Manually	Manual Svc	Manual Svc		Manual Svc
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m									po. 2011	po. 2011	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
															D130 13t	DISO Add I
						Rec	Nonrec		Nonrecurring					Rates (\$)		
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -															
	Zone 3		3	UEANL	USBN4	16.73	79.49	44.45	51.27	9.35						
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -															
	Zone 4		4	UEANL	USBN4	16.73	79.49	44.45	51.27	9.35						
					LIODAGO		0.00	0.00								
—	Order Coordination for Unbundled Sub-Loops, per sub-loop pair Sub-Loop 2-Wire Intrabuilding Network Cable (INC)			UEANL UEANL	USBMC USBR2	2.29	8.20 53.32	8.20 18.28	45.36	6.71						-
	Sub-Loop 2-wire intrabuliding Network Cable (INC)		-	UEAINL	USBRZ	2.29	55.52	10.20	45.36	0.71	1			-		
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		8.20	8.20								
 	Sub-Loop 4-Wire Intrabuilding Network Cable (INC)		-	UEANL	USBR4	4.40	59.60	24.55	51.27	9.35						1
	Sub-Loop 4-vviile intrabuliding (verwork Gable (iivo)	-		OLANE	CODIC	4.40	33.00	24.00	31.27	9.55						
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		8.20	8.20						I		
	Loop Testing - Basic 1st Half Hour			UEANL	URET1		34.36	34.36						t		1
	Loop Testing - Basic Additional Half Hour			UEANL	URETA	1	19.97	19.97			 			I	1	
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1	- 1	1	UEF	UCS2X	6.06	66.18	31.14	45.36	6.71				t		1
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 2	i		UEF	UCS2X	7.09	66.18	31.14	45.36	6.71				1		İ
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	i		UEF	UCS2X	8.16	66.18	31.14	45.36	6.71						
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 4			UEF	UCS2X	9.90	66.18	31.14	45.36	6.71						
	· ·															
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEF	USBMC		8.20	8.20								
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1	I	1	UEF	UCS4X	5.10	79.49	44.45	51.27	9.35						
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 2	- 1	2	UEF	UCS4X	9.11	79.49	44.45	51.27	9.35						
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	-	3	UEF	UCS4X	14.00	79.49	44.45	51.27	9.35						
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 4		4	UEF	UCS4X	14.00	79.49	44.45	51.27	9.35						
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEF	USBMC		8.20	8.20								
	Loop Testing - Basic 1st Half Hour			UEF	URET1		34.36	34.36								
<u> </u>	Loop Testing - Basic Additional Half Hour			UEF	URETA		19.97	19.97								
Unbu	ndled Network Terminating Wire (UNTW)						00.55									
Notes	Unbundled Network Terminating Wire (UNTW) per Pair		-	UENTW	UENPP	0.3366	30.55									
Netwo	ork Interface Device (NID) Network Interface Device (NID) - 1-2 lines			UENTW	UND12		43.84	28.90								
	Network Interface Device (NID) - 1-2 lines		-	UENTW	UND12	1	65.30	50.36			1			-		
	Network Interface Device (NID) - 1-6 lines Network Interface Device Cross Connect - 2 W			UENTW	UNDC2		5.94	50.36			-			-		
 	Network Interface Device Cross Connect - 4W		-	UENTW	UNDC4		5.94	5.94								
LINE OTHER	PROVISIONING ONLY - NO RATE			OLIVIV	ONDO4		3.34	3.34								
ONE OTHER,	NID - Dispatch and Service Order for NID installation			UENTW	UNDBX	0.00	0.00				1			1		
	UNTW Circuit Id Establishment, Provisioning Only - No Rate			UENTW	UENCE	0.00	0.00							1		
	and the state of t			UEANL,UEF,UEQ,U	T -	5.50	2.20							1		İ
	Unbundled Contract Name, Provisioning Only - No Rate			ENTW	UNECN	0.00	0.00							I		
UNE OTHER,	PROVISIONING ONLY - NO RATE															
				UAL,UCL,UDC,UDL,										1		
	Unbundled Contact Name, Provisioning Only - no rate			UDN,UEA,UHL,ULC	UNECN	0.00	0.00									
	Unbundled Sub-Loop Feeder-2 Wire Cross Box Jumper - no															
	rate			UEA,UDN,UCL,UDC	USBFQ	0.00	0.00									
	Unbundled Sub-Loop Feeder-4 Wire Cross Box Jumper - no			l										I		1
	rate			UEA,USL,UCL,UDL	USBFR	0.00	0.00							1		ļ
\vdash	Unbundled DS1 Loop - Superframe Format Option - no rate			USL	CCOSF	0.00	0.00							ļ		
	Unbundled DS1 Loop - Expanded Superframe Format option -				00055									1		
	no rate			USL	CCOEF	0.00	0.00				-			-		ļ
HIGH CAPAC	ITY UNBUNDLED LOCAL LOOP		-	 	ļ	1								 	1	
	High Capacity Unbundled Local Loop - DS3 - Per Mile per			LIES	1L5ND	11 00								1		
\vdash	month		-	UE3	ILDIND	11.20					1			 	1	
	High Capacity Unbundled Local Loop - DS3 - Facility Termination per month			UE3	UE3PX	326.15	454.13	265.47	123.23	86.19				1		
\vdash	High Capacity Unbundled Local Loop - STS-1 - Per Mile per		-	ULJ	UESFA	320.15	404.13	200.47	123.23	00.19	 			+	1	-
	priigir Capacity Officialiated Local LOOP - 313-1 - Fel Wille Per	1	1	UDLSX	1L5ND	11.20				l	1	ı		1	1	I

LIMBI	INDI E	D NETWORK ELEMENTS - Mississippi												A44h		Field	b.id. A
UNDU	INDLE	D NETWORK ELEMENTS - MISSISSIPPI				_						Cus Ouden	Cur Ouden	Incremental	ment: 2		bit: A
												1			Incremental		
												Submitted	Submitted		Charge -	Charge -	Charge -
CATE	OPV	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			Elec	Manually	Manual Svc	Manual Svc		Manual Svc
CAILC	JON	RATE ELEMENTS	m	Zone	BC3	0300			KATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
				1		1		Nonre	curring	Nonrecurring	Disconnect	1	l	oss	Rates (\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	1	High Capacity Unbundled Local Loop - STS-1 - Facility		1													
		Termination per month			UDLSX	UDLS1	338.55	454.13	265.47	123.23	86.19						
LOOP	MAKE-U	iP		1													
		Loop Makeup - Preordering Without Reservation, per working or															
		spare facility queried (Manual).			UMK	UMKLW		24.12	24.12								1
		Loop Makeup - Preordering With Reservation, per spare facility															
		queried (Manual).			UMK	UMKLP		25.58	25.58								
		Loop MakeupWith or Without Reservation, per working or															
		spare facility queried (Mechanized)			UMK	UMKMQ		0.6652	0.6652								
LINE S		S AND LINE SPLITTING															
		 The Line Sharing monthly recurring rates for all installation 					idnight Octobe	r 01, 2004 shal	I be billed as	follows:							
		1: 10/02/2003 – 10/01/2004: 25% of the rate for an unbundled co	opper lo	op nor	n-designed ("UCLNI)")										L	
		1: 10/02/2004 - 10/01/2005: 50% of the rate for UCLND														<u> </u>	
		1: 10/02/2005 – 10/01/2006: 75% of the rate for UCLND															
		1: Above will apply to USOCS: ULSDT and ULSCT															
		2: The Line Sharing monthly recurring rates with USOCs UL	SDC an	d ULSC	C applies only to ci	rcuits install	ed and inservice	e on or before	October 1, 20	03						L	
		HARING															
	SPLIT	TERS-CENTRAL OFFICE BASED														L	
		Line Sharing Splitter, per System 96 Line Capacity			ULS	ULSDA	186.67	189.89	0.00		0.00						
		Line Sharing Splitter, per System 24 Line Capacity			ULS	ULSDB	46.67	189.89	0.00	178.41	0.00						
		Line Sharing Splitter, Per System, 8 Line Capacity			ULS	ULSD8	15.55	189.89	0.00	178.41	0.00					ļ	
		Line Sharing-DLEC Owned Splitter in CO-CFA activaton-															
		deactivation (per LSOD)			ULS	ULSDG		86.98	0.00	49.96	0.00						
	END U	SER ORDERING-CENTRAL OFFICE BASED LINE SHARING		<u> </u>													
		Line Sharing - per Line Activation (BST Owned splitter) -				000	0.04	40.00	40.00	40.04	4.00						
		OBSOLETE see **NOTE 2	-	-	ULS	ULSDC	0.61	18.62	10.66	10.04	4.93						
		Line Share Service, TRO per line activation, BST owned splitter - Central Office Located (25% of UCLND) - please see NOTE 1															
		(E:10/2/2003)			ULS	ULSDT	2.75	18.62	10.66	10.04	4.93						
-		Line Share Service, TRO per line activation, BST owned splitter -	-	+	ULS	ULSDT	2.75	10.02	10.00	10.04	4.93	-					
		Central Office Located (50% of UCLND) - please see NOTE 1															
		(E:10/2/2004)			ULS	ULSDT	5.51	18.62	10.66	10.04	4.93						
		Line Share Service, TRO per line activation, BST owned splitter -		+	ULS	OLSDI	3.31	10.02	10.00	10.04	4.53	1					
		Central Office Located (75% of UCLND) - please see NOTE 1															
		(E:10/2/2005)			ULS	ULSDT	8.26	18.62	10.66	10.04	4.93						
	1	Line Sharing - per Subsequent Activity per Line		1	OLO	OLOD I	0.20	10.02	10.00	10.04	4.00	1					
		Rearrangement(BST Owned Splitter)			ULS	ULSDS		16.48	8.24								
		Line Sharing - per Subsequent Activity per Line			020	02020		10.10	0.21								
		Rearrangement(DLEC Owned Splitter)		1	ULS	ULSCS		16.48	8.24						1		[]
	1	Line Sharing - per Line Activation (DLEC owned Splitter) -	1	1						İ	l				1		
		OBSOLETE see **NOTE 2		1	ULS	ULSCC	0.61	47.44	19.31	20.67	12.74				1		[]
	1	Line Share Service, TRO per line activation, CLEC owned		1													
		splitter - Central Office Located (25% of UCLND) - please see		1		1									1		[]
L	<u></u>	NOTE 1 (E:10/2/2003)	<u> </u>	<u> </u>	ULS	ULSCT	2.75	47.44	19.31	20.67	12.74	<u></u>	<u></u>		L		<u>1 </u>
		Line Share Service, TRO per line activation, CLEC owned															
		splitter - Central Office Located (50% of UCLND) - please see															
	<u> </u>	NOTE 1 (E:10/2/2004)		<u> </u>	ULS	ULSCT	5.51	47.44	19.31	20.67	12.74					L	
	I	Line Share Service, TRO per line activation, CLEC owned	1	1		1									_		1 7
	1	splitter - Central Office Located (75% of UCLND) - please see	1	1		1							1		I		1
	ļ	NOTE 1 (E:10/2/2005)	<u> </u>	1	ULS	ULSCT	8.26	47.44	19.31	20.67	12.74		ļ		ļ	Ļ	
<u> </u>		PLITTING	<u> </u>	1		1				ļ			ļ		ļ	Ļ	1
	END U	SER ORDERING-CENTRAL OFFICE BASED	ļ	<u> </u>						ļ					1		1
<u> </u>	ļ	Line Splitting - per line activation DLEC owned splitter	ļ	<u> </u>	UEPSR UEPSB	UREOS	0.61			ļ					1		1
	!	Line Splitting - per line activation BST owned - physical	 	1	UEPSR UEPSB	UREBP	0.61	18.62	10.66	10.04	4.93				ļ		
<u> </u>		Line Splitting - per line activation BST owned - virtual		1	UEPSR UEPSB	UREBV	0.61	18.62	10.66	10.04	4.93				_		1
	MAINT	ENANCE	!	1		+	ļ	20.22	FF 00	ļ		-	ļ		-	├	—
-	!	No Trouble Found - per 1/2 hour increments - Basic	├	1		+	1	80.00	55.00	 	-	 	ļ		 		1
	!	No Trouble Found - per 1/2 hour increments - Overtime	!	1		+	ļ	120.00	82.50	ļ		-	ļ		-	├	—
	1	No Trouble Found - per 1/2 hour increments - Premium	1	1	l	1		160.00	110.00	1		1	l	l	1	1	1

UNBUND	ED NETWORK ELEMENTS - Mississippi												Attach	ment: 2	Exhi	bit: A
CATEGORY		Interi m	Zone	BCS	USOC			RATES (\$)			Svc Order Submitted Elec per LSR	Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrec		Nonrecurring		001150	0011411		Rates (\$)	0014411	001141
LINDLINDI E	l D DEDICATED TRANSPORT	-			+		First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
INT	EROFFICE CHANNEL - DEDICATED TRANSPORT															
	Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade - Per Mile per month			U1TVX	1L5XX	0.0098										
	Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade - Facility Termination			U1TVX	U1TV2	22.52	40.77	27.57	17.26	7.11						
	Interoffice Channel - Dedicated Transpor t- 2-Wire Voice Grade Rev Bat Per Mile per month			U1TVX	1L5XX	0.0098										
	Interoffice Channel - Dedicated Transport- 2- Wire VG Rev Bat. Facility Termination			U1TVX	U1TR2	22.52	40.77	27.57	17.26	7.11						
	Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade - Per Mile per month			U1TVX	1L5XX	0.0098										
	Interoffice Channel - Dedicated Transport - 4- Wire Voice Grade - Facility Termination			U1TVX	U1TV4	19.79	40.77	27.57	17.26	7.11						
	Interoffice Channel - Dedicated Transport - 56 kbps - per mile per month			U1TDX	1L5XX	0.0098										
	Interoffice Channel - Dedicated Transport - 56 kbps - Facility Termination			U1TDX	U1TD5	15.68	40.78	27.57	17.26	7.11						
	Interoffice Channel - Dedicated Transport - 64 kbps - per mile per month			U1TDX	1L5XX	0.0098										
	Interoffice Channel - Dedicated Transport - 64 kbps - Facility Termination			U1TDX	U1TD6	15.68	40.78	27.57	17.26	7.11						
	Interoffice Channel - Dedicated Channel - DS1 - Per Mile per month			U1TD1	1L5XX	0.201										
	Interoffice Channel - Dedicated Tranport - DS1 - Facility Termination			U1TD1	U1TF1	57.33	89.79	82.28	16.86	14.90						
	Interoffice Channel - Dedicated Transport - DS3 - Per Mile per month			U1TD3	1L5XX	4.76										
	Interoffice Channel - Dedicated Transport - DS3 - Facility Termination per month			U1TD3	U1TF3	641.90	280.37	163.70	62.08	60.29						
	Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per month			U1TS1	1L5XX	4.76										
	Interoffice Channel - Dedicated Transport - STS-1 - Facility Termination			U1TS1	U1TFS	644.21	280.37	163.70	62.08	60.29						
DARK FIBE		1			-											
	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction Thereof per month - Interoffice Channel			UDF, UDFCX	1L5DF	28.27										
	NRC Dark Fiber - Interoffice Channel Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction			UDF, UDFCX	UDF14		642.79	138.67	326.97	203.85						
	Thereof per month - Local Loop			UDF, UDFCX	1L5DL	59.95	6.10 ==	100 (-	222.2=	200.5-		1				
OVY ACCES	NRC Dark Fiber - Local Loop S TEN DIGIT SCREENING	1		UDF, UDFCX	UDFL4		642.79	138.67	326.97	203.85	1	1		-		
OAA ACCES	8XX Access Ten Digit Screening, Per Call	-		OHD	 	0.0006216			 							
	8XX Access Ten Digit Screening, Ter Call 8XX Access Ten Digit Screening, Reservation Charge Per 8XX Number Reserved			OHD	N8R1X	0.0000210	2.60	0.44								
	8XX Access Ten Digit Screening, Per 8XX No. Established W/O POTS Translations			OHD			5.97	0.81	4.60	0.54						
	8XX Access Ten Digit Screening, Per 8XX No. Established With POTS Translations			OHD	N8FTX		5.97	0.81	4.60	0.54						
	8XX Access Ten Digit Screening, Customized Area of Service Per 8XX Number			OHD	N8FCX		2.60	1.30								
	8XX Access Ten Digit Screening, Multiple InterLATA CXR Routing Per CXR Requested Per 8XX No.			OHD	N8FMX		3.04	1.74								
	8XX Access Ten Digit Screening, Change Charge Per Request 8XX Access Ten Digit Screening, Call Handling and Destination			OHD	N8FAX		3.04	0.44								
	Features			OHD	N8FDX		2.60									
	8XX Access Ten Digit Screening, w/ 8FL No. Delivery, per query			OHD		0.0006216						<u> </u>				

UNBUNDLE	D NETWORK ELEMENTS - Mississippi													ment: 2		ibit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic-	Charge - Manual Svc Order vs. Electronic-	Charge - Manual Svc Order vs. Electronic-	Charge - Manual Svc Order vs. Electronic-
							Manage	•	T. M	B'			1st	Add'l	Disc 1st	Disc Add'l
					1	Rec	Nonrec		Nonrecurring		COMEC	SOMAN	SOMAN	Rates (\$)	SOMAN	SOMAN
	8XX Access Ten Digit Screening, w/ POTS No. Delivery, per				+		First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	query			OHD		0.0006216										
LINE INFORMA	ATION DATA BASE ACCESS (LIDB)					0.0000			1							
	LIDB Common Transport Per Query			OQT		0.0000197										
	LIDB Validation Per Query			OQU		0.0137053										
	LIDB Originating Point Code Establishment or Change			OQT, OQU	NRBPX		34.52	34.52	42.33	42.33						
SIGNALING (C					DTOOL	100.01										ļ
	CCS7 Signaling Termination, Per STP Port			UDB	PT8SX	132.21										ļ
	CCS7 Signaling Usage, Per TCAP Message CCS7 Signaling Connection, Per link (A link)			UDB UDB	TPP++	0.0000597 16.55	35.74	35.74	16.53	16.53		-				
	CCS7 Signaling Connection, Per link (A link) CCS7 Signaling Connection, Per link (B link) (also known as D			UDB	IPP++	16.55	33.74	33.74	10.55	10.55	1			1	1	
	link)			UDB	TPP++	16.55	35.74	35.74	16.53	16.53				I	I	
	CCS7 Signaling Usage, Per ISUP Message			UDB	1	0.0000149			12.00	. 2.000						1
	CCS7 Signaling Usage Surrogate, per link per LATA			UDB	STU56	683.55										
	CCS7 Signaling Point Code, per Originating Point Code															
	Establishment or Change, per STP affected			UDB	CCAPO		29.18	29.18	35.78	35.78						ļ
E911 SERVICE																
	Local Channel - Dedicated - 2-wr Voice Grade					14.91	194.22	33.36	37.79	3.30						ļ
	Interoffice Transport - Dedicated - 2-wr Voice Grade Per Mile Interoffice Transport - Dedicated - 2-wr Voice Grade Per Facility					0.0098								-	-	
	Termination					22.52	40.77	27.57	17.26	7.11						
	Local Channel - Dedicated - DS1 - Zone 1				+	36.83	178.50	154.61	22.89	15.74					-	
	Local Channel - Dedicated - DS1 - Zone 2					35.99	178.50	154.61	22.89	15.74				t	t	<u> </u>
	Local Channel - Dedicated - DS1 - Zone 3					221.63	178.50	154.61	22.89	15.74						
	Local Channel - Dedicated - DS1 - Zone 4					221.63	178.50	154.61	22.89	15.74						
	Interoffice Transport - Dedicated - DS1 Per Mile				1	0.2010										
	Later (for Transport Bulliont L DOA Box For The Transport					57.33	89.79	82.28	40.00	44.00						
CALLING NAM	Interoffice Transport - Dedicated - DS1 Per Facility Termination ME (CNAM) SERVICE		-		+	57.33	89.79	82.28	16.86	14.90	-			-	-	
CALLING NAM	CNAM For DB Owners - Service Establishment			OQV	+		23.09	23.09	21.23	21.23				1	 	
	CNAM For Non DB Owners - Service Establishment			OQV			23.09	23.09	21.23	21.23						<u> </u>
	CNAM For DB Owners - Service Provisioning With Point Code															
	Establishment			OQV			996.62	737.08	270.49	198.89						
	CNAM For Non DB Owners - Service Provisioning With Point															
	Code Establishment			OQV	1		344.32	246.56	276.85	198.89						
	CNAM for DB Owners, Per Query			OQV		0.0010231										
LNP Query Se	CNAM for Non DB Owners, Per Query			OQV		0.0010231								-	-	.
LINF QUELY SE	LNP Charge Per query		-	OQV	+	0.0008477			+		-			-	-	
	LNP Service Establishment Manual			v	+	0.0000411	12.59	12.59	11.58	11.58	-			†	t	†
	LNP Service Provisioning with Point Code Establishment				1		596.94	304.96	270.49	198.89				1	t	
SELECTIVE R																
	Selective Routing Per Unique Line Class Code Per Request Per															
	Switch				1		85.19	85.19	14.19	14.19						<u> </u>
VIRTUAL COL					_				ļ					ļ	ļ	↓
	Virtual Collocation-2 Wire Cross Connects (Loop) for Line			LIEDOD LIEDOD	VE41.0	0.0000	40.07	44.07	0.04	5.45						
PHYSICAL CO	Splitting			UEPSR UEPSB	VE1LS	0.0268	12.37	11.87	6.04	5.45	-			 	 	+
I III SICAL CO	Physical Collocation-2 Wire Cross Connects (Loop) for Line			 	+				+ +					 	 	+
	Splitting			UEPSR UEPSB	PE1LS	0.0288	12.37	11.87	6.04	5.45				I	I	
AIN SELECTIV	/E CARRIER ROUTING			02. 03	1	0.0200	.2.07		5.54	3.10				1	1	
	Regional Service Establishment			SRC	SRCEC		101,685.12		8,640.51							
	End Office Establishment			SRC	SRCEO		167.49	167.49	1.71	1.71						
	Query NRC, per query			SRC		0.0030502										
AIN - BELLSO	UTH AIN SMS ACCESS SERVICE								 							
	AIN SMS Access Service - Service Establishment, Per State, Initial Setup			A1N	CAMSE		39.67	39.67	40.92	40.92						
	AIN SMS Access Service - Port Connection - Dial/Shared Access			A1N	CAMDP		7.87	7.87	9.14	9.14						

UNBUNDLE	D NETWORK ELEMENTS - Mississippi		_		_									ment: 2		bit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			1	Submitted	Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge - Manual Svo Order vs.
						Rec	Nonrec		Nonrecurring					Rates (\$)		
	AIN SMS Access Service - Port Connection - ISDN Access			A1N	CAM1P		First 7.87	Add'l 7.87	First 9.14	Add'l 9.14	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	AIN SMS Access Service - User Identification Codes - Per User	1		7.114	C) WITH		7.07	7.07	0.14	0.14						
	ID Code			A1N	CAMAU		35.21	35.21	27.21	27.21						
	AIN SMS Access Service - Security Card, Per User ID Code,			AANI	CAMBO		40.40	40.40	44.70	44.70						
	Initial or Replacement AIN SMS Access Service - Storage, Per Unit (100 Kilobytes)			A1N	CAMRC	0.0021	42.13	42.13	11.78	11.78					-	
	AIN SMS Access Service - Session, Per Minute	1				0.5649										
	AIN SMS Access Service - Company Performed Session, Per															
	Minute					0.8393										
AIN - BELLSOL	JTH AIN TOOLKIT SERVICE AIN Toolkit Service - Service Establishment Charge, Per State,	-	1		+				 		 				 	
	Initial Setup			CAM	BAPSC		39.67	39.67	40.92	40.92						1
	AIN Toolkit Service - Training Session, Per Customer				BAPVX		4,226.54	4,226.54								
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per				DARTT											1
-	DN, Term. Attempt AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per	 	1		BAPTT		7.87	7.87	9.14	9.14	 				-	
	DN, Off-Hook Delay				BAPTD		7.87	7.87	9.14	9.14						1
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per															
	DN, Off-Hook Immediate				BAPTM		7.87	7.87	9.14	9.14						
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, 10-Digit PODP				BAPTO		34.67	34.67	14.44	14.44						
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per	1	1		DAPTO		34.07	34.07	14.44	14.44					+	
	DN, CDP				BAPTC		34.67	34.67	14.44	14.44						
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per															
	DN, Feature Code AIN Toolkit Service - Query Charge, Per Query	-	-		BAPTF	0.0535577	34.67	34.67	14.44	14.44					-	├──
	AIN Toolkit Service - Query Charge, Per Query AIN Toolkit Service - Type 1 Node Charge, Per AIN Toolkit	1	1		+	0.0555577									+	
	Subscription, Per Node, Per Query					0.0063509										
	AIN Toolkit Service - SCP Storage Charge, Per SMS Access															
	Account, Per 100 Kilobytes AIN Toolkit Service - Monthly report - Per AIN Toolkit Service	-	-			0.06									-	
	Subscription			CAM	BAPMS	11.11	7.87	7.87	5.54	5.54						
	AIN Toolkit Service - Special Study - Per AIN Toolkit Service			0, 111	27 11 1110		7.01	7.01	0.01	0.0 .						
	Subscription			CAM	BAPLS	2.71	8.71	8.71								
	AIN Toolkit Service - Call Event Report - Per AIN Toolkit Service			CAM	DADDO	0.40	7.07	7.07	5.54	5.54						
	Subscription AIN Toolkit Service - Call Event Special Study - Per AIN Toolkit	-	1	CAM	BAPDS	8.48	7.87	7.87	5.54	5.54	 				 	
	Service Subscription			CAM	BAPES	0.09	8.71	8.71								1
	(TENDED LINK (EELs)															
	The monthly recurring and non-recurring charges below will															
	The monthly recurring and the Switch-As-Is Charge and not t TED 2-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICAT					UNE combination	ons provisione	a as Current	ly Combined N	letwork Eleme	nts.				-	
LXILN	First 2-Wire VG Loop (SL2) in Combination - Zone 1	1 20 00		UNCVX	UEAL2	13.89	105.96	68.28	52.82	10.37						
	First 2-Wire VG Loop (SL2) in Combination - Zone 2			UNCVX	UEAL2	18.75	105.96	68.28	52.82	10.37						
	First 2-Wire VG Loop (SL2) in Combination - Zone 3			UNCVX	UEAL2	27.55	105.96	68.28	52.82	10.37						
	First 2-Wire VG Loop (SL2) in Combination - Zone 4 Interoffice Transport - Dedicated - DS1 combination - Per Mile		4	UNCVX	UEAL2	45.72	105.96	68.28	52.82	10.37	 				 	
	per month			UNC1X	1L5XX	0.1813										1
	Interoffice Transport - Dedicated - DS1 combination - Facility					İ					1			1		
	Termination per month		1	UNC1X	U1TF1	51.72	89.79	82.28	16.86	14.90						
	1/0 Channelization System in combination Per Month Voice Grade COCI - Per Month		1	UNC1X UNCVX	MQ1 1D1VG	102.85 0.5737	91.57 6.62	62.94 4.74	10.87	10.10	 				 	
	Voice Grade GOOL- Let MOUTH	†	†	DINGVA	טיוטו	0.5/3/	0.02	4.74	 		 				 	—
	Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 1		1	UNCVX	UEAL2	13.89	105.96	68.28	52.82	10.37						<u> </u>
					I											
	Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 2	<u> </u>	2	UNCVX	UEAL2	18.75	105.96	68.28	52.82	10.37	-				-	1
1																

UNBUNDI F	D NETWORK ELEMENTS - Mississippi												Attach	ment: 2	Exhil	oit: A
SINDSINDEE	- HETTOTAL ELEMENTO - MIGGIGGIPPI		1								Svc Order	Svc Order	Incremental		Incremental	Incremental
											Submitted	Submitted		Charge -	Charge -	Charge -
											Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m						.,			per Loix	per Lor	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
															Disc 1st	DISC Add I
						Rec	Nonrec		Nonrecurring					Rates (\$)		
						IXEC	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 4		4	UNCVX	UEAL2	45.72	105.96	68.28	52.82	10.37						
	Voice Grade COCI - Per Month			UNCVX	1D1VG	0.5737	6.62	4.74								
	Nonrecurring Currently Combined Network Elements Switch -As-	1		LINIOAN	1111000		5.00	5.00	7.00	7.00						
EVTEN	Is Charge IDED 4-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICA*	TED DC	 	UNC1X	UNCCC		5.63	5.63	7.20	7.20	-					
EXIEN	T THE POICE GRADE EXTENDED LOOP WITH DEDICAL	IED DS	IINIE	ROFFICE TRANSPOR	Χ Ι				-							
	First 4-Wire Analog Voice Grade Loop in Combination - Zone 1		1	UNCVX	UEAL4	27.47	132.27	94.59	60.68	14.64						
	I list 4-Wile Alialog Voice Glade Loop III Combination - Zone 1		- '	ONOVA	OLAL	21.41	132.21	34.33	00.00	14.04						
	First 4-Wire Analog Voice Grade Loop in Combination - Zone 2		2	UNCVX	UEAL4	38.26	132.27	94.59	60.68	14.64						
	Lord Land Company Company Company		Ť			55.25	.02.27	000	55.50	54				İ		
1 1	First 4-Wire Analog Voice Grade Loop in Combination - Zone 3	1	3	UNCVX	UEAL4	50.03	132.27	94.59	60.68	14.64		1				
	First 4-Wire Analog Voice Grade Loop in Combination - Zone 4		4	UNCVX	UEAL4	50.03	132.27	94.59	60.68	14.64						
	Interoffice Transport - Dedicated - DS1 combination - Per Mile															
	Per Month			UNC1X	1L5XX	0.1813										
	Interoffice Transport - Dedicated - DS1 - Facility Termination Per															
	Month			UNC1X	U1TF1	51.72	89.79	82.28	16.86	14.90						
	1/0 Channel System in combination Per Month			UNC1X	MQ1	102.85	91.57	62.94	10.87	10.10						
	Voice Grade COCI in combination - per month	-		UNCVX	1D1VG	0.5737	6.62	4.74	1							
	Additional 4-Wire Analog Voice Grade Loop in same DS1 Interoffice Transport Combination - Zone 1		1	UNCVX	UEAL4	27.47	132.27	94.59	60.68	14.64						
- +	Additional 4-Wire Analog Voice Grade Loop in same DS1	1	'	UNCVA	UEAL4	21.41	132.21	94.59	00.00	14.04						
	Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL4	38.26	132.27	94.59	60.68	14.64						
	Additional 4-Wire Analog Voice Grade Loop in same DS1		-	ONOVA	OL/ IL-	00.20	102.21	04.00	00.00	14.04						
	Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL4	50.03	132.27	94.59	60.68	14.64						
	Additional 4-Wire Analog Voice Grade Loop in same DS1		Ť													
	Interoffice Transport Combination - Zone 4		4	UNCVX	UEAL4	50.03	132.27	94.59	60.68	14.64						
	Additional Voice Grade COCI in combination - per month			UNCVX	1D1VG	0.5737	6.62	4.74								
	Nonrecurring Currently Combined Network Elements Switch -As-	-														
	Is Charge			UNC1X	UNCCC		5.63	5.63	7.20	7.20						
EXTEN	IDED 4-WIRE 56 KBPS EXTENDED DIGITAL LOOP WITH DEDI	CATED	DS1 IN	TEROFFICE TRANSI	PORT											
	First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 1		1	UNCDX	UDL56	27.44	126.53	88.85	60.68	14.64						
1 1	First 4 Wiss FOWher Digital Conduction in Conduction 7		_	LINCDY	LIDLEC	04.5-	400 50	00.05	00.00	44.61		1				
\vdash	First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2	1	2	UNCDX	UDL56	34.55	126.53	88.85	60.68	14.64				-		
1 1	First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 3		3	UNCDX	UDL56	40.76	126.53	88.85	60.68	14.64						
 	i notvine sorropo Digital Grade Loop III Combination - Zone 3	1	3	סוייט	ODE30	40.76	120.53	00.00	80.08	14.04	1			 		
1 1	First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 4	1	4	UNCDX	UDL56	32.25	126.53	88.85	60.68	14.64		1				
	Interoffice Transport - Dedicated - DS1 combination - Per Mile		-	5.15 <i>D</i> /	0000	02.20	120.00	55.65	00.00	17.04						
1 1	Per Month			UNC1X	1L5XX	0.1813			1							
	Interoffice Transport - Dedicated - DS1 - combination Facility			-					1		İ			1		
1 1	Termination Per Month			UNC1X	U1TF1	51.72	89.79	82.28	16.86	14.90		1				
	1/0 Channel System in combination Per Month			UNC1X	MQ1	102.85	91.57	62.94	10.87	10.10						
	OCU-DP COCI (data) per month (2.4-64kbs)			UNCDX	1D1DD	1.22	6.62	4.74	0.00	0.00						
	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1															
	Interoffice Transport Combination - Zone 1	<u> </u>	1	UNCDX	UDL56	27.44	126.53	88.85	60.68	14.64						
1 1	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1	1			l				l			1				
\vdash	Interoffice Transport Combination - Zone 2	<u> </u>	2	UNCDX	UDL56	34.55	126.53	88.85	60.68	14.64				 		
	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1		2	LINCDY	LIDLEC	40.70	400 50	00.05	00.00	44.04						
\vdash	Interoffice Transport Combination - Zone 3 Additional 4-Wire 56Kbps Digital Grade Loop in same DS1	╂	3	UNCDX	UDL56	40.76	126.53	88.85	60.68	14.64			-			
1 1	Interoffice Transport Combination - Zone 4	1	4	UNCDX	UDL56	32.25	126.53	88.85	60.68	14.64		1				
 	Additional OCU-DP COCI (data) - in combination per month (2.4-	 	-	011007	SDLSO	32.23	120.53	00.00	00.00	14.04				l		
1 1	64kbs)	1		UNCDX	1D1DD	1,22	6.62	4.74	0.00	0.00		1				
	Nonrecurring Currently Combined Network Elements Switch -As-		†	J. 100/	.0.00	1.22	0.02	7.74	0.00	0.00	-	 				
1 1	Is Charge	1		UNC1X	UNCCC		5.63	5.63	7.20	7.20		1				
EXTEN	IDED 4-WIRE 64 KBPS EXTENDED DIGITAL LOOP WITH DEDI	CATED	DS1 IN				5.00	2.00	20	20						
LATE	VI NOI O EXTENDED DIGITAL LOOP WITH DEDI		201 IN	INAINOI	JIV.1	l			1		1					

UNBU	NDLF	D NETWORK ELEMENTS - Mississippi												Attach	ment: 2	Exhil	oit: A
5.455	.,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	Sitt Element o imississippi										Svc Order	Svc Order	Incremental		Incremental	Incremental
												Submitted	Submitted		Charge -	Charge -	Charge -
			Intori									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEG	ORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			""									p	p = = = = = = =	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							Rec	Nonrec		Nonrecurring					Rates (\$)		
								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 1		1	UNCDX	UDL64	27.44	126.53	88.85	60.68	14.64						
		First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 1		1	UNCDX	UDL64	21.44	120.53	88.85	60.08	14.64						
		First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 2		2	UNCDX	UDL64	34.55	126.53	88.85	60.68	14.64						
		That 4 Wile 64Rbps Digital Grade Loop in Germaniation 2016 2			ONODA	ODLOT	04.00	120.00	00.00	00.00	14.04						
		First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 3		3	UNCDX	UDL64	40.76	126.53	88.85	60.68	14.64						
		First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 4		4	UNCDX	UDL64	32.25	126.53	88.85	60.68	14.64						
		Interoffice Transport - Dedicated - DS1 combination - Per Mile															
		Per Month			UNC1X	1L5XX	0.1813										
		interoffice Transport - Dedicated - DS1 combination - Facility															
\sqcup		Termination Per Month			UNC1X	U1TF1	51.72	89.79	82.28	16.86	14.90			ļ	ļ		
\vdash		1/0 Channel System in combination Per Month			UNC1X	MQ1	102.85	91.57	62.94	10.87	10.10						
\vdash	ļ	OCU-DP COCI (data) - in combination - per month (2.4-64kbs)		ļ	UNCDX	1D1DD	1.22	6.62	4.74	0.00	0.00						
		Additional 4-Wire 64Kbps Digital Grade Loop in same DS1		١.				400 =0									
\vdash	 	Interoffice Transport Combination - Zone 1		1	UNCDX	UDL64	27.44	126.53	88.85	60.68	14.64			 	 		
		Additional 4-Wire 64Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination - Zone 2		2	UNCDX	UDL64	34.55	126.53	88.85	60.68	14.64						
		Additional 4-Wire 64Kbps Digital Grade Loop in same DS1			UNCDA	UDL04	34.33	120.55	00.00	60.06	14.04						
		Interoffice Transport Combination - Zone 3		3	UNCDX	UDL64	40.76	126.53	88.85	60.68	14.64						
		Additional 4-Wire 64Kbps Digital Grade Loop in same DS1			ONODA	ODLO4	40.70	120.55	00.00	00.00	14.04						
		Interoffice Transport Combination - Zone 4		4	UNCDX	UDL64	32.25	126.53	88.85	60.68	14.64						
		Additional OCU-DP COCI (data) - in combination - per month															
		(2.4-64kbs)			UNCDX	1D1DD	1.22	6.62	4.74	0.00	0.00						
		Nonrecurring Currently Combined Network Elements Switch -As-															
		Is Charge			UNC1X	UNCCC		5.63	5.63	7.20	7.20						
	EXTEN	DED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICAT	ED DS1														
		4-Wire DS1 Digital Loop in Combination - Zone 1			UNC1X	USLXX	79.08	253.93	158.45	46.10	12.07						
		4-Wire DS1 Digital Loop in Combination - Zone 2		2	UNC1X	USLXX	129.38	253.93	158.45	46.10	12.07						
		4-Wire DS1 Digital Loop in Combination - Zone 3		3	UNC1X	USLXX	206.74	253.93	158.45	46.10	12.07						
\vdash		4-Wire DS1 Digital Loop in Combination - Zone 4		4	UNC1X	USLXX	458.46	253.93	158.45	46.10	12.07						
		Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month			UNC1X	1L5XX	0.1813										
\vdash		Interoffice Transport - Dedicated - DS1 combination - Facility			UNCIX	ILSXX	0.1813										
		Termination Per Month			UNC1X	U1TF1	51.72	89.79	82.28	16.86	14.90						
		Nonrecurring Currently Combined Network Elements Switch -As-		-	ONOTA	011111	31.72	03.73	02.20	10.00	14.50						
		Is Charge			UNC1X	UNCCC		5.63	5.63	7.20	7.20						
	EXTEN	DED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICAT	ED DS3	INTER													
	1	First DS1Loop in Combination - Zone 1			UNC1X	USLXX	79.08	253.93	158.45	46.10	12.07	İ	İ	ĺ	ĺ		
		First DS1Loop in Combination - Zone 2		2	UNC1X	USLXX	129.38	253.93	158.45	46.10	12.07						
		First DS1Loop in Combination - Zone 3		3	UNC1X	USLXX	206.74	253.93	158.45	46.10	12.07						
		First DS1Loop in Combination - Zone 4		4	UNC1X	USLXX	458.46	253.93	158.45	46.10	12.07						
	1	Interoffice Transport - Dedicated - DS3 combination - Per Mile			l .	1											
\vdash	ļ	Per Month			UNC3X	1L5XX	4.29				ļ			ļ	ļ		
	1	Interoffice Transport - Dedicated - DS3 - Facility Termination per			LINIONY												
\vdash	-	month		 	UNC3X	U1TF3	641.90	280.37	163.70	62.08	60.29	-	-	 	 		
\vdash	 	3/1Channel System in combination per month DS1 COCI in combination per month		<u> </u>	UNC3X UNC1X	MQ3 UC1D1	170.63 2.62	179.17 6.62	94.52 4.74	34.30 0.00	32.82 0.00	-	-				
\vdash	!	Additional DS1Loop in DS3 Interoffice Transport Combination -	-	<u> </u>	OIVO IA	OCIDI	2.02	0.02	4.74	0.00	0.00	-	-				
	1	Zone 1		1	UNC1X	USLXX	79.08	253.93	158.45	46.10	12.07						
\vdash	l	Additional DS1Loop in DS3 Interoffice Transport Combination -		<u> </u>	014017	COLAX	13.00	200.93	150.45	40.10	12.07	<u> </u>	<u> </u>				
	1	Zone 2		2	UNC1X	USLXX	129.38	253.93	158.45	46.10	12.07						
	i e	Additional DS1Loop in DS3 Interoffice Transport Combination -				1	.20.00		.55.10	.5.70	.2.57			İ	İ		
	1	Zone 3		3	UNC1X	USLXX	206.74	253.93	158.45	46.10	12.07						
	ĺ	Additional DS1Loop in DS3 Interoffice Transport Combination -															
	<u> </u>	Zone 4		4	UNC1X	USLXX	458.46	253.93	158.45	46.10	12.07				L		
		Additoinal DS1 COCI in combination per month			UNC1X	UC1D1	2.62	6.62	4.74	0.00	0.00						•
	1	Nonrecurring Currently Combined Network Elements Switch -As-			l .	l											
		Is Charge			UNC3X	UNCCC		5.63	5.63	7.20	7.20			İ	İ		

UNBUNDLE	D NETWORK ELEMENTS - Mississippi												Attach	ment: 2	Exhil	oit: A
											Svc Order	Svc Order	Incremental	Incremental		Incremental
											Submitted	Submitted		Charge -	Charge -	Charge -
		Intori									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m									po. 2011	po. zo.t	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
															D130 131	DISC Add I
						Rec	Nonrec		Nonrecurring					Rates (\$)		
						1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
EXTE	NDED 2-WIRE VOICE GRADE EXTENDED LOOP/ 2 WIRE VOICE	GRAD														
	2-WireVG Loop in combination - Zone 1			UNCVX	UEAL2	13.89	105.96	68.28	52.82	10.37						
	2-WireVG Loop in combination - Zone 2		2	UNCVX	UEAL2	18.75	105.96	68.28	52.82	10.37						
	2-WireVG Loop in combination - Zone 3		3	UNCVX	UEAL2	27.55	105.96	68.28	52.82	10.37						
	2-WireVG Loop in combination - Zone 4		4	UNCVX	UEAL2	45.72	105.96	68.28	52.82	10.37						
	Interoffice Transport - 2-wire VG - Dedicated- Per Mile Per															
	Month			UNCVX	1L5XX	0.00088										
	Interoffice Transport - 2-wire VG - Dedicated - Facility															
	Termination per month			UNCVX	U1TV2	20.32	40.77	27.57	17.26	7.11						
	Nonrecurring Currently Combined Network Elements Switch -As-	1									1					1
	Is Charge		<u> </u>	UNCVX	UNCCC		5.63	5.63	7.20	7.20						
EXTE	NDED 4-WIRE VOICE GRADE EXTENDED LOOP/ 4 WIRE VOICE	GRAD	LINTE			07.1-	100.07	04.50	00.00	44.01				-		
\vdash	4-WireVG Loop in combination - Zone 1	!	1	UNCVX	UEAL4	27.47	132.27	94.59	60.68	14.64						
\vdash	4-WireVG Loop in combination - Zone 2	<u> </u>	2	UNCVX	UEAL4	38.26	132.27	94.59	60.68	14.64				-		
	4-WireVG Loop in combination - Zone 3	-		UNCVX	UEAL4	50.03	132.27	94.59	60.68	14.64						
	4-WireVG Loop in combination - Zone 4	-	4	UNCVX	UEAL4	50.03	132.27	94.59	60.68	14.64						
	Interoffice Transport - 4-wire VG - Dedicated - Per Mile Per			LINICVA	AL EVY	0.00000										1
-	Month	-	-	UNCVX	1L5XX	0.00088										
	Interoffice Transport - 4-wire VG - Dedicated - Facility			1110101	1147074	47.00	40.77	07.57	47.00	7.44						
\vdash	Termination per month	-	-	UNCVX	U1TV4	17.86	40.77	27.57	17.26	7.11						
	Nonrecurring Currently Combined Network Elements Switch -As-	1		UNCVX	UNCCC		5.63	5.63	7.20	7.20						
EVTE	Is Charge NDED DS3 DIGITAL EXTENDED LOOP WITH DEDICATED DS3	INITEDO	EEICE		UNCCC	1	5.63	5.03	7.20	7.20						
EVIE	DS3 Local Loop in combination - per mile per month	INTERC	FFICE	UNC3X	1L5ND	11.20										
	D33 Local Loop III combination - per mile per month	-	-	UNUSA	ILSIND	11.20					-	-				
	DS3 Local Loop in combination - Facility Termination per month			UNC3X	UE3PX	252.17	454.13	265.47	123.23	86.19						
	Interoffice Transport - Dedicated - DS3 - Per Mile per month		-	UNC3X	1L5XX	4.29	454.15	205.47	123.23	00.19						
	Interoffice Transport - Dedicated - DS3 combination - Facility			ONOON	TLOXX	4.23										
	Termination per month			UNC3X	U1TF3	641.90	280.37	163.70	62.08	60.29						
	Nonrecurring Currently Combined Network Elements Switch -As-			OTTOOK	01110	041.00	200.07	100.70	02.00	00.20						
	Is Charge			UNC3X	UNCCC		5.63	5.63	7.20	7.20						
FXTF	NDED STS-1 DIGITAL EXTENDED LOOP WITH DEDICATED ST	S-1 INT	FROFE		0.1000		0.00	0.00	7.20	7.20						
	STS-1 Local Lolp in combination - per mile per month	1		UNCSX	1L5ND	11.20										
	STS-1 Local Loop in combination - Facility Termination per															
	month			UNCSX	UDLS1	264.35	454.13	265.47	123.23	86.19						i
	Interoffice Transport - Dedicated - STS-1 combination - per mile															
	per month			UNCSX	1L5XX	4.29										i
	Interoffice Transport - Dedicated - STS-1 combination - Facility															
1 1	Termination per month	1		UNCSX	U1TFS	644.21	280.37	163.70	62.08	60.29						1
	Nonrecurring Currently Combined Network Elements Switch -As-	ŀ			1					-						
	Is Charge	1		UNCSX	UNCCC		5.63	5.63	7.20	7.20	1					
EXTE	NDED 2-WIRE ISDN EXTENDED LOOP WITH DS1 INTEROFFICE	TRANS	SPORT			İ										
	First 2-Wire ISDN Loop in Combination - Zone 1		1	UNCNX	U1L2X	21.01	117.61	79.92	52.82	10.37						
	First 2-Wire ISDN Loop in Combination - Zone 2		2	UNCNX	U1L2X	27.59	117.61	79.92	52.82	10.37						
	First 2-Wire ISDN Loop in Combination - Zone 3		3	UNCNX	U1L2X	37.34	117.61	79.92	52.82	10.37						
	First 2-Wire ISDN Loop in Combination - Zone 4		4	UNCNX	U1L2X	59.18	117.61	79.92	52.82	10.37						
	Interoffice Transport - Dedicated - DS1 combination - per mile													l		
	per month			UNC1X	1L5XX	0.1813										
1 1 -	Interoffice Transport - Dedicated - DS1 combination - Facility				1		\neg							I		. 7
	Termination per month	<u> </u>		UNC1X	U1TF1	51.72	89.79	82.28	16.86	14.90						
\vdash	1/0 Channel System in combination - per month	ļ		UNC1X	MQ1	102.85	91.57	62.94	10.87	10.10						
\vdash	2-wire ISDN COCI (BRITE) - in combination - per month	ļ		UNCNX	UC1CA	2.62	6.62	4.74	0.00	0.00						
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport						,									1
\vdash	Combination - Zone 1	<u> </u>	1	UNCNX	U1L2X	21.01	117.61	79.92	52.82	10.37						
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport	1	_	LINICALY	LIALOY	07.50	447.01	70.00	50.00	10.0=						
	Combination - Zone 2	-	2	UNCNX	U1L2X	27.59	117.61	79.92	52.82	10.37						
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport Combination - Zone 3	1	3	UNCNX	U1L2X	37.34	117.61	79.92	52.82	10.37						
\Box	Combination - Zone o	Ц	J	OLYOTAN	U ILZA	31.34	117.01	13.32	32.02	10.37	<u> </u>			L		

ONBONDL	ED NETWORK ELEMENTS - Mississippi													ment: 2		bit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-	Charge - Manual Svc Order vs. Electronic-	Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svo Order vs. Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
						Rec	Nonred		Nonrecurring					Rates (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport		١.			== 40		=	====							
	Combination - Zone 4		4	UNCNX	U1L2X	59.18	117.61	79.92	52.82	10.37					1	
	Additional 2-wire ISDN COCI (BRITE) - in combination- per month			UNCNX	UC1CA	2.62	6.62	4.74	0.00	0.00						
	Nonrecurring Currently Combined Network Elements Switch -As-		1	UNCINA	UCTCA	2.02	0.02	4.74	0.00	0.00	-				-	-
	Is Charge			UNC1X	UNCCC		5.63	5.63	7.20	7.20						
EXT	NDED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICAT	ED STS	-1 INT				0.00	0.00	7.20	7.20					t	
	First DS1 Loop Combination - Zone 1		1	UNC1X	USLXX	79.08	253.93	158.45	46.10	12.07						
	First DS1 Loop Combination - Zone 2		2	UNC1X	USLXX	129.38	253.93	158.45	46.10	12.07						
ĺ	First DS1 Loop Combination - Zone 3		3	UNC1X	USLXX	206.74	253.93	158.45	46.10	12.07						
	First DS1 Loop Combination - Zone 4		4	UNC1X	USLXX	458.46	253.93	158.45	46.10	12.07						
	Interoffice Transport - Dedicated - STS-1 combination - Per Mile	1		l	I				ı 7						_	
	Per Month	ļ		UNCSX	1L5XX	4.29			ļ						1	
	Interoffice Transport - Dedicated - STS-1 combination - Facility	1		LINGOV	LIATES										I	
	Termination per month	!	1	UNCSX	U1TFS MQ3	644.21 170.63	280.37	163.70 94.52	62.08 34.30	60.29 32.82				-	 	-
	3/1 Channel System in combination per month		1	UNCSX UNC1X	UC1D1	1/0.63	179.17 6.62	94.52	0.00	0.00					1	
	DS1 COCI in combination per month Additional DS1Loop in the same STS-1 Interoffice Transport		1	UNCIX	OCIDI	2.02	0.02	4.74	0.00	0.00	-				-	-
	Combination - Zone 1		1	UNC1X	USLXX	79.08	253.93	158.45	46.10	12.07						
<u> </u>	Additional DS1Loop in the same STS-1 Interoffice Transport		<u>'</u>	UNCIX	USLAA	79.00	233.93	130.43	40.10	12.07	1				1	1
	Combination - Zone 2		2	UNC1X	USLXX	129.38	253.93	158.45	46.10	12.07						
	Additional DS1Loop in the same STS-1 Interoffice Transport		-	ONOTA	OOLYON	120.00	200.00	100.40	40.10	12.07	1				1	1
	Combination - Zone 3		3	UNC1X	USLXX	206.74	253.93	158.45	46.10	12.07						
	Additional DS1Loop in the same STS-1 Interoffice Transport															
	Combination - Zone 4		4	UNC1X	USLXX	458.46	253.93	158.45	46.10	12.07						
	DS1 COCI in combination per month			UNC1X	UC1D1	2.62	6.62	4.74	0.00	0.00						
	Nonrecurring Currently Combined Network Elements Switch -As-															
	Is Charge			UNCSX	UNCCC		5.63	5.63	7.20	7.20						
EXTE	NDED 4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH 56 KE	BPS INT														
	4-wire 56 kbps Local Loop in combination - Zone 1		1	UNCDX	UDL56	27.44	126.53	88.85	60.68	14.64						
	4-wire 56 kbps Local Loop in combination - Zone 2		3	UNCDX UNCDX	UDL56 UDL56	34.55 40.76	126.53 126.53	88.85 88.85	60.68 60.68	14.64 14.64	-				-	-
-	4-wire 56 kbps Local Loop in combination - Zone 3 4-wire 56 kbps Local Loop in combination - Zone 4		4	UNCDX	UDL56	32.25	126.53	88.85	60.68	14.64	1				-	-
<u> </u>	Interoffice Transport - Dedicated - 4-wire 56 kbps combination -		-	UNCDA	ODESO	32.23	120.55	00.00	00.00	14.04	1				1	1
	Per Mile per month			UNCDX	1L5XX	0.0098										
	Interoffice Transport - Dedicated - 4-wire 56 kbps combination -			0110271	120701	0.0000									t	
	Facility Termination per month			UNCDX	U1TD5	22.52	40.78	27.57	17.26	7.11						
	Nonrecurring Currently Combined Network Elements Switch -As-								1							
	Is Charge	<u> </u>		UNCDX	UNCCC		5.63	5.63	7.20	7.20						
EXTE	NDED 4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH 64 KE	BPS INT			1											
	4-wire 64 kbps Lcoal Loop in Combination - Zone 1	ļ		UNCDX	UDL64	27.44	126.53	88.85	60.68	14.64					ļ	
	4-wire 64 kbps Lcoal Loop in Combination - Zone 2	!	2	UNCDX	UDL64	34.55	126.53	88.85	60.68	14.64				-	 	-
	4-wire 64 kbps Lcoal Loop in Combination - Zone 3	 	3	UNCDX UNCDX	UDL64 UDL64	40.76	126.53	88.85	60.68	14.64 14.64				.	 	
+	4-wire 64 kbps Lcoal Loop in Combination - Zone 4 Interoffice Transport - Dedicated - 4-wire 64 kbps combination -	-	4	UNCDA	UDL64	32.25	126.53	88.85	60.68	14.64			-		 	
	Per Mile per month	1		UNCDX	1L5XX	0.0098									I	
	Interoffice Transport - Dedicated - 4-wire 64 kbps combination -	 		0.1007	ILUAA	0.0030			 		-			 	t	
- 1	Facility Termination per month	1		UNCDX	U1TD6	22.52	40.78	27.57	17.26	7.11					1	1
	Nonrecurring Currently Combined Network Elements Switch -As-	1			1			251	20		1			1	1	t
- 1	Is Charge	1		UNCDX	UNCCC		5.63	5.63	7.20	7.20					1	1
EXTE	NDED 2-WIRE VOICE GRADE LOOP WITH DS1 INTEROFFICE T	RANSP	ORT w													
	First 2-wire VG Loop (SL2) in Combination - Zone 1		1	UNCVX	UEAL2	13.89	105.96	68.28	52.82	10.37						
	First 2-wire VG Loop (SL2) in Combination - Zone 2		2	UNCVX	UEAL2	18.75	105.96	68.28	52.82	10.37						
	First 2-wire VG Loop (SL2) in Combination - Zone 3		3	UNCVX	UEAL2	27.55	105.96	68.28	52.82	10.37						
	First 2-wire VG Loop (SL2) in Combination - Zone 4	ļ	4	UNCVX	UEAL2	45.72	105.96	68.28	52.82	10.37					ļ	
	First Interoffice Transport - Dedicated - DS1 combination - Per Mile			UNC1X	1L5XX	0.1813										
- 	First Interoffice Transport - Dedicated - DS1 combination -	 		014017	ILUAA	0.1013			 		-			 	t	
	Facility Termination per month	l	1	UNC1X	U1TF1	51.72	89.79	82.28	16.86	14.90					1	1

UNBUNDL	ED NETWORK ELEMENTS - Mississippi												Attach	ment: 2	Exhil	bit: A
											Svc Order	Svc Order	Incremental		Incremental	Incremental
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svo
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
											1	-	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
		-	-		+	ı	Nonrec		Nonrecurring	Dissennest			000	Rates (\$)		
					+	Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
—	Per each DS1 Channelization System Per Month			UNC1X	MQ1	102.85	91.57	62.94		10.10	SOMEC	SOWAN	SOWAN	SOWAN	SOWAN	SOWAN
	Per each Voice Grade COCI - Per Month per month			UNCVX	1D1VG	0.5737	6.62	4.74	10.07	10.10	-					
	3/1 Channel System in combination per month			UNC3X	MQ3	170.63	179.17	94.52	34.30	32.82						
	Per each DS1 COCI in combination per month			UNC1X	UC1D1	2.62	6.62	4.74		0.00						
	Each Additional 2-Wire VG Loop(SL 2) in the same DS1															
	Interoffice Transport Combination - Zone 1		1	UNCVX	UEAL2	13.89	105.96	68.28	52.82	10.37						
	Each Additional 2-Wire VG Loop(SL2) in the same DS1															
	Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL2	18.75	105.96	68.28	52.82	10.37						
	Each Additional 2-Wire VG Loop(SL2) in the same DS1															
	Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL2	27.55	105.96	68.28	52.82	10.37						
	Each Additional 2-Wire VG Loop(SL2) in the same DS1		١.,			4.5.50	40= 00		== ==							
	Interoffice Transport Combination - Zone 4		4	UNCVX	UEAL2	45.72	105.96	68.28	52.82	10.37						
	Each Additional Voice Grade COCI in combination - per month Each Additional DS1 Interoffice Channel per mile in same 3/1	-	<u> </u>	UNCVX	1D1VG	0.5737	6.62	4.74	1		1	-		-		
	Channel System per month	1		UNC1X	1L5XX	0.1813						1				
\vdash	Each Additional DS1 Interoffice Channel Facility Termination in	1		OINC IA	ILOAA	0.1813	-		+		 			 		
	same 3/1 Channel System per month			UNC1X	U1TF1	51.72	89.79	82.28	16.86	14.90						
	Each Additional DS1 COCI combination per month			UNC1X	UC1D1	2.62	6.62	4.74	0.00	0.00	1					
	Nonrecurring Currently Combined Network Elements Switch -As-			0.10.1%	00.5.	2.02	0.02		0.00	0.00						
	Is Charge			UNC1X	UNCCC		5.63	5.63	7.20	7.20						
EXTE	NDED 4-WIRE VOICE GRADE LOOP WITH DEDICATED DS1 INT	EROFF	ICE TR	ANSPORT w/ 3/1 M	UX											
	First 4-Wire Analog Voice Grade Local Loop in Combination -															
	Zone 1		1	UNCVX	UEAL4	27.47	132.27	94.59	60.68	14.64						
	First 4-Wire Analog Voice Grade Local Loop in Combination -															
	Zone 2		2	UNCVX	UEAL4	38.26	132.27	94.59	60.68	14.64						
	First 4-Wire Analog Voice Grade Local Loop in Combination -					=====										
	Zone 3	-	3	UNCVX	UEAL4	50.03	132.27	94.59	60.68	14.64						
	First 4-Wire Analog Voice Grade Local Loop in Combination - Zone 4		4	UNCVX	UEAL4	50.03	132.27	94.59	60.68	14.64						
	First Interoffice Transport - Dedicated - DS1 combination - Per	-	4	UNCVA	UEAL4	50.03	132.21	94.59	00.00	14.04	-					
	Mile Per Month			UNC1X	1L5XX	0.1813										
	First Interoffice Transport - Dedicated - DS1 - Facility			ONOTA	120701	0.1010					1					
	Termination Per Month			UNC1X	U1TF1	51.72	89.79	82.28	16.86	14.90						
	Per each 1/0 Channel System in combination Per Month			UNC1X	MQ1	102.85	91.57	62.94		10.10						
	Per each Voice Grade COCI in combination - per month			UNCVX	1D1VG	0.5737	6.62	4.74								
	3/1 Channel System in combination per month			UNC3X	MQ3	170.63	179.17	94.52	34.30	34.30						
	Per each DS1 COCI in combination per month			UNC1X	UC1D1	2.62	6.62	4.74	0.00	0.00						
_	Additional 4-Wire Analog Voice Grade Loop in same DS1	1		<u>-</u>	I 7											
\longmapsto	Interoffice Transport Combination - Zone 1	ļ	1	UNCVX	UEAL4	27.47	132.27	94.59	60.68	14.64						
	Additional 4-Wire Analog Voice Grade Loop in same DS1		_	LINIONA			,									
\vdash	Interoffice Transport Combination - Zone 2	-	2	UNCVX	UEAL4	38.26	132.27	94.59	60.68	14.64	1	-		-		
1 1	Additional 4-Wire Analog Voice Grade Loop in same DS1 Interoffice Transport Combination - Zone 3	1	3	UNCVX	UEAL4	50.03	132.27	94.59	60.68	14.64		1				
\vdash	Additional 4-Wire Analog Voice Grade Loop in same DS1	 	3	OINCVA	UEAL4	50.03	132.27	94.59	80.08	14.04						
	Interoffice Transport Combination - Zone 4	1	4	UNCVX	UEAL4	50.03	132.27	94.59	60.68	14.64		1				
 	Each Additional DS1 Interoffice Channel per mile in same 3/1		_	55vA	JE/ IE-	55.05	102.21	54.55	00.00	17.04						
	Channel System per month	1		UNC1X	1L5XX	0.1813						1				
	Each Additional DS1 Interoffice Channel Facility Termination in	i –														
I	same 3/1 Channel System per month	<u> </u>		UNC1X	U1TF1	51.72	89.79	82.28	16.86	14.90	<u> </u>	<u> </u>		<u> </u>		
	Additional Voice Grade COCI - in combination - per month			UNCVX	1D1VG	0.5737	6.62	4.74								
	Nonrecurring Currently Combined Network Elements Switch -As-	1														
	Is Charge	<u> </u>		UNC1X	UNCCC		5.63	5.63	7.20	7.20						
EXTE	NDED 4-WIRE 56 KBPS DIGITAL LOOP WITH DEDICATED DS1	INTERC	FFICE	I KANSPORT w/ 3/1	1 MUX				ļ		1			ļ		
	First 4-Wire 56Kbps Digital Grade Local Loop in Combination -	1	4	UNCDX	UDL56	27.44	126.53	88.85	60.68	14.64		1				
\vdash	Zone 1 First 4-Wire 56Kbps Digital Grade Local Loop in Combination -	+	1	UNCDX	UDLOB	27.44	126.53	88.85	60.68	14.64	-	-		-	-	<u> </u>
1 1	Zone 2		2	UNCDX	UDL56	34.55	126.53	88.85	60.68	14.64						
\vdash	First 4-Wire 56Kbps Digital Grade Local Loop in Combination -	 		O. TODA	CDLOG	54.55	120.33	00.00	00.08	17.04						
	Zone 3	1	3	UNCDX	UDL56	40.76	126.53	88.85	60.68	14.64	1	l		l		l

ONRONDLE	D NETWORK ELEMENTS - Mississippi			1							I a			ment: 2	+	ibit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)				Submitted Manually	Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrec		Nonrecurring					Rates (\$)		
						1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	First 4-Wire 56Kbps Digital Grade Local Loop in Combination -		١,	LINODY	1101.50	00.05	400 50	00.05	00.00	44.04						
	Zone 4 First Interoffice Transport - Dedicated - DS1 combination - Per		4	UNCDX	UDL56	32.25	126.53	88.85	60.68	14.64	.					
	Mile Per Month			UNC1X	1L5XX	0.1813										
	First Interoffice Transport - Dedicated - DS1 - combination			LINIOAV		54.70	00.70	00.00	40.00	11.00						
	Facility Termination Per Month Per each 1/0 Channel System in combination Per Month		1	UNC1X UNC1X	U1TF1 MQ1	51.72 102.85	89.79 91.57	82.28 62.94	16.86 10.87	14.90 10.10	-					
	Per each OCU-DP COCI (data) COCI per month (2.4-64kbs)		-	UNCDX	1D1DD	1.22	6.62	4.74	0.00	0.00						
	3/1 Channel System in combination per month			UNC3X	MQ3	170.63	179.17	94.52	34.30	32.82	 					-
	Per each DS1 COCI in combination per month		-	UNC1X	UC1D1	2.62	6.62	4.74	0.00	0.00	1					
	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1			UNCIX	OCTDT	2.02	0.02	4.74	0.00	0.00	<u> </u>					1
	Interoffice Transport Combination - Zone 1	1	1	UNCDX	UDL56	27.44	126.53	88.85	60.68	14.64						
	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1	l -	 '	5.13DX	35200	21.77	120.00	00.00	55.00	1-7.04						t
	Interoffice Transport Combination - Zone 2	1	2	UNCDX	UDL56	34.55	126.53	88.85	60.68	14.64						
	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1	i e	✝			220	0	22.30	22.23					İ		1
	Interoffice Transport Combination - Zone 3	1	3	UNCDX	UDL56	40.76	126.53	88.85	60.68	14.64						
	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1		1													
	Interoffice Transport Combination - Zone 4		4	UNCDX	UDL56	32.25	126.53	88.85	60.68	14.64						
	OCU-DP COCI (data) COCI in combination per month (2.4-		1													
	64kbs)			UNCDX	1D1DD	1.22	6.62	4.74	0.00	0.00						
	Each Additional DS1 Interoffice Channel per mile in same 3/1															
	Channel System per month			UNC1X	1L5XX	0.1813										
	Each Additional DS1 Interoffice Channel Facility Termination in															
	same 3/1 Channel System per month			UNC1X	U1TF1	51.72	89.79	82.28	16.86	14.90						
	Each Additional DS1 COCI in the same 3/1 channel system															
	combination per month			UNC1X	UC1D1	2.62	6.62	4.74	0.00	0.00						
	Nonrecurring Currently Combined Network Elements Switch -As-	ł														
	Is Charge			UNC1X	UNCCC		5.63	5.63	7.20	7.20						
EXIE	NDED 4-WIRE 64 KBPS DIGITAL LOOP WITH DEDICATED DS1	INTERC	PFFICE	TRANSPORT W/ 3	3/1 MUX											<u> </u>
	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 1		1	UNCDX	UDL64	27.44	126.53	88.85	60.68	14.64						
	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice		1	UNCDX	UDL64	27.44	120.53	88.85	80.08	14.64	 					-
	Transport Combination - Zone 2		2	UNCDX	UDL64	34.55	126.53	88.85	60.68	14.64						
	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice			ONODA	ODLO4	34.33	120.55	00.00	00.00	14.04	<u> </u>					1
	Transport Combination - Zone 3		3	UNCDX	UDL64	40.76	126.53	88.85	60.68	14.64						
	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice			ONODA	ODLOT	40.70	120.00	00.00	00.00	14.04	1					1
	Transport Combination - Zone 4		4	UNCDX	UDL64	32.25	126.53	88.85	60.68	14.64						
	First Interoffice Transport - Dedicated - DS1 combination - Per		i –													1
	Mile Per Month	<u></u>	L	UNC1X	1L5XX	0.1813			<u> </u>					<u> </u>		<u> </u>
	First Interoffice Transport - Dedicated - DS1 combination -															
	Facility Termination Per Month		<u> </u>	UNC1X	U1TF1	51.72	89.79	82.28	16.86	14.90						<u> </u>
	Per each Channel System 1/0 in combination Per Month			UNC1X	MQ1	102.85	91.57	62.94	10.87	10.10						<u> </u>
	Per each OCU-DP COCI (data) in combination - per month (2.4-	1			15155											
 	64kbs)	!	<u> </u>	UNCDX	1D1DD	1.22	6.62	4.74	0.00	0.00	ļ					↓
ļ	3/1 Channel System in combination per month			UNC3X	MQ3	170.63	179.17	94.52	34.30	32.82						<u> </u>
	Per each DS1 COCI in combination per month	 	├	UNC1X	UC1D1	2.62	6.62	4.74	0.00	0.00	 			-	1	
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination - Zone 1	1	1	UNCDX	UDL64	27.44	126.53	88.85	60.68	14.64						
- 	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1	-	<u> </u>	UNODA	UDL04	21.44	120.53	00.83	80.08	14.04						+
	Interoffice Transport Combination - Zone 2	1	2	UNCDX	UDL64	34.55	126.53	88.85	60.68	14.64						
 	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1	-		UI TODA	JULUT	54.55	120.00	00.00	00.00	17.04					†	†
	Interoffice Transport Combination - Zone 3	1	3	UNCDX	UDL64	40.76	126.53	88.85	60.68	14.64						
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1	l	Ť		3220.	.5.70	.20.00	33.00	55.00							
	Interoffice Transport Combination - Zone 4	1	4	UNCDX	UDL64	32.25	126.53	88.85	60.68	14.64						
	Additional OCU-DP COCI (data) - DS1 to DS0 Channel System	1	l –											İ		
	combination - per month (2.4-64kbs)	1		UNCDX	1D1DD	1.22	6.62	4.74	0.00	0.00						
	Each Additional DS1 Interoffice Channel per mile in same 3/1	ĺ														
	Channel System per month	ı	1	UNC1X	1L5XX	0.1813					1	1		l	1	1

UNBUN	DLE	O NETWORK ELEMENTS - Mississippi												Attach	ment: 2	Exhil	oit: A
0112011	1											Svc Order	Svc Order	Incremental		Incremental	Incremental
												Submitted	Submitted		Charge -	Charge -	Charge -
			Intent									Elec		Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGO	RY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m									per Lore	per Lore	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
														151	Add I	DISC ISL	DISC Add I
							_	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates (\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Each Additional DS1 Interoffice Channel Facility Termination in															
		same 3/1 Channel System per month			UNC1X	U1TF1	51.72	89.79	82.28	16.86	14.90						l '
		Each Additional DS1 COCI in the same 3/1 channel system									Î						
		combination per month			UNC1X	UC1D1	2.62	6.62	4.74	0.00	0.00						I
		Nonrecurring Currently Combined Network Elements Switch -As-									Î						
		Is Charge			UNC1X	UNCCC		5.63	5.63	7.20	7.20						I
E	(TENI	DED 2-WIRE ISDN LOOP WITH DS1 INTEROFFICE TRANSPOR	RT w/ 3/	1 MUX													
		First 2-Wire ISDN Loop in a DS1 Interoffice Combination															
		Transport - Zone 1		1	UNCNX	U1L2X	21.01	117.61	79.92	52.82	10.37						I
		First 2-Wire ISDN Loop in a DS1 Interoffice Combination															
		Transport - Zone 2		2	UNCNX	U1L2X	27.59	117.61	79.92	52.82	10.37						I
		First 2-Wire ISDN Loop in a DS1 Interoffice Combination															
		Transport - Zone 3		3	UNCNX	U1L2X	37.34	117.61	79.92	52.82	10.37						I
		First 2-Wire ISDN Loop in a DS1 Interoffice Combination									Î						
		Transport - Zone 4		4	UNCNX	U1L2X	59.18	117.61	79.92	52.82	10.37						I
		First Interoffice Transport - Dedicated - DS1 combination - Per															<u> </u>
		Mile per month			UNC1X	1L5XX	0.1813										I
		First Interoffice Transport - Dedicated - DS1 combination -															
		Facility Termination per month			UNC1X	U1TF1	51.72	89.79	82.28	16.86	14.90						I
		Per each Channel System 1/0 in combination - per month			UNC1X	MQ1	102.85	91.57	62.94	10.87	10.10						
																	<u> </u>
		Per each 2-wire ISDN COCI (BRITE) in combination - per month			UNCNX	UC1CA	2.62	6.62	4.74	0.00	0.00						I
		3/1 Channel System in combination per month			UNC3X	MQ3	170.63	179.17	94.52	34.30	32.82						<u> </u>
		Per each DS1 COCI in combination per month			UNC1X	UC1D1	2.62	6.62	4.74	0.00	0.00						<u> </u>
		Additional 2-wire ISDN Loop in same DS1Interoffice Transport															
		Combination - Zone 1		1	UNCNX	U1L2X	21.01	117.61	79.92	52.82	10.37						<u> </u>
		Additional 2-wire ISDN Loop in same DS1Interoffice Transport															
		Combination - Zone 2		2	UNCNX	U1L2X	27.59	117.61	79.92	52.82	10.37						<u> </u>
		Additional 2-wire ISDN Loop in same DS1Interoffice Transport															
		Combination - Zone 3		3	UNCNX	U1L2X	37.34	117.61	79.92	52.82	10.37						
		Additional 2-wire ISDN Loop in same DS1Interoffice Transport															I
		Combination - Zone 4		4	UNCNX	U1L2X	59.18	117.61	79.92	52.82	10.37						
		Additional 2-wire ISDN COCI (BRITE) in same 1/0 channel															I
		system combination- per month			UNCNX	UC1CA	2.62	6.62	4.74	0.00	0.00						l .
		Each Additional DS1 Interoffice Channel per mile in same 3/1															I
oxdot		Channel System per month			UNC1X	1L5XX	0.1813								ļ		
		Each Additional DS1 Interoffice Channel Facility Termination in															ı
oxdot		same 3/1 Channel System per month			UNC1X	U1TF1	51.72	89.79	82.28	16.86	14.90				ļ		
		Each Additional DS1 COCI in the same 3/1 channel system		1								1	1				ı
\vdash		combination per month		 	UNC1X	UC1D1	2.62	6.62	4.74	0.00	0.00						
		Nonrecurring Currently Combined Network Elements Switch -As-	1	1	l .	I		_	_	_	_	1	1				ı
\vdash		Is Charge		<u> </u>	UNC1X	UNCCC		5.63	5.63	7.20	7.20						
E		DED 4-WIRE DS1 LOOP WITH DEDICATED DS1 INTEROFFICE	TRANS			LIGUNG											
\vdash		First 4-wire DS1 Digital Lcoal Loop in Combination - Zone 1			UNC1X	USLXX	79.08	253.93	158.45	46.10	12.07						
\vdash		First 4-wire DS1 Digital Lcoal Loop in Combination - Zone 2	ļ	2	UNC1X	USLXX	129.38	253.93	158.45	46.10	12.07						
\vdash		First 4-wire DS1 Digital Lcoal Loop in Combination - Zone 3			UNC1X	USLXX	206.74	253.93	158.45	46.10	12.07						
\vdash		First 4-wire DS1 Digital Lcoal Lcop in Combination - Zone 4	—	4	UNC1X	USLXX	458.46	253.93	158.45	46.10	12.07		ļ	 	.		
		First Interoffice Transport - Dedicated - DS1 combination - Per		1	LINICAY	41.500	0.4040					1	1				ı
\vdash		Mile Per Month	—	1	UNC1X	1L5XX	0.1813			ļ	-		ļ	 	.		
		First Interoffice Transport - Dedicated - DS1 combination -			LINICAY	LIATE4	51.70	00.70	00.00	10.00	1100						ı
\vdash		Facility Termination Per Month	-	1	UNC1X	U1TF1	51.72	89.79	82.28	16.86	14.90	-	ļ	-	 		
\vdash	-	3/1 Channel System in combination per month	-	1	UNC3X	MQ3	170.63	179.17	94.52	34.30	32.82	-	ļ	-	 		
\vdash		Per each DS1 COCI combination per month	-		UNC1X	UC1D1	2.62	6.62	4.74	0.00	0.00	-			-		
		Each Additional DS1 Interoffice Channel per mile in same 3/1		1	LINICAY	41.500	0.4040					1	1				ı
\vdash	-	Channel System per month	-	1	UNC1X	1L5XX	0.1813			1	 	-	ļ	-	 		
		Each Additional DS1 Interoffice Channel Facility Termination in			LINCAV	LIATE4	F4 70	89.79	00.00	40.00	44.00						ı
\vdash		same 3/1 Channel System per month Each Additional DS1 COCI in the same 3/1 channel system	-	-	UNC1X	U1TF1	51.72	89.79	82.28	16.86	14.90						
		combination per month			UNC1X	UC1D1	2.62	6.62	4.74	0.00	0.00						ı
		compination per month	L	<u> </u>	UNUIX	OCIDI	2.62	0.62	4.74	0.00	0.00	L	l	l	L		·

UNBUNDLE	D NETWORK ELEMENTS - Mississippi													ment: 2		bit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			1	Submitted	Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'
						Rec		curring		g Disconnect				Rates (\$)		
						1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Additional 4-Wire DS1 Digital Local Loop in Combination - Zone															
	1		1	UNC1X	USLXX	79.08	253.93	158.45	46.10	12.07						
	Additional 4-Wire DS1 Digital Local Loop in Combination - Zone			LINIOAV	1101.207	400.00	050.00	450.45	10.10	12.07						
	Additional 4-Wire DS1 Digital Local Loop in Combination - Zone		2	UNC1X	USLXX	129.38	253.93	158.45	46.10	12.07	-					-
	3		3	UNC1X	USLXX	206.74	253.93	158.45	46.10	12.07						
	Additional 4-Wire DS1 Digital Local Loop in Combination - Zone			ONOTA	OOLXX	200.74	200.00	130.43	40.10	12.07	1					
	4		4	UNC1X	USLXX	458.46	253.93	158.45	46.10	12.07						
	Nonrecurring Currently Combined Network Elements Switch -As-		<u> </u>	0.10.77	002/01	100.10	200.00	100.10	10.10	12.01						
	Is Charge			UNC1X	UNCCC		5.63	5.63	7.20	7.20						
EXTE	NDED 4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH DS0 II	NTERO	FFICE	TRANSPORT												
	First 4-wire 56 kbps Local Loop in combination - Zone 1		1	UNCDX	UDL56	27.44	126.53	88.85	60.68	14.64						
	First 4-wire 56 kbps Local Loop in combination - Zone 2		2	UNCDX	UDL56	34.55	126.53	88.85	60.68	14.64						
	First 4-wire 56 kbps Local Loop in combination - Zone 3			UNCDX	UDL56	40.76	126.53	88.85	60.68	14.64						
	First 4-wire 56 kbps Local Loop in combination - Zone 4		4	UNCDX	UDL56	32.25	126.53	88.85	60.68	14.64						
	First 4-wiree 56 kbps Interoffice Transport - Dedicated - Per Mile															
	per month			UNCDX	1L5XX	0.0098										
	First 4-wire 56 kbps Interoffice Transport - Dedicated - Facility															
	Termination per month			UNCDX	U1TD5	22.52	40.78	27.57	17.26	7.11						
	Nonrecurring Currently Combined Network Elements Switch -As-	1					= 00									
EVE	Is Charge	HTERR		UNCDX	UNCCC		5.63	5.63	7.20	7.20						
EXIE	NDED 4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH DS0 II	NIERO		UNCDX	UDL64	27.44	126.53	88.85	60.68	14.64		-				
	First 4-wire 64 kbps Local Loop in combination - Zone 1 First 4-wire 64 kbps Local Loop in combination - Zone 2		2	UNCDX	UDL64	34.55	126.53	88.85	60.68	14.64	-					-
	First 4-wire 64 kbps Local Loop in combination - Zone 3		3	UNCDX	UDL64	40.76	126.53	88.85	60.68	14.64	1					-
-	First 4-wire 64 kbps Local Loop in combination - Zone 3		4	UNCDX	UDL64	32.25	126.53	88.85	60.68	14.64			1		1	1
	First I4-wire 65 kbps Interoffice Transport - Dedicated - Per Mile		7	ONODA	ODLOT	32.23	120.55	00.03	00.00	14.04						
	per month			UNCDX	1L5XX	0.0098										
	First 4-wire 64 kbps Interoffice Transport - Dedicated - Facility															
	Termination per month			UNCDX	U1TD6	22.52	40.78	27.57	17.26	7.11						
	Nonrecurring Currently Combined Network Elements Switch -As-															
	Is Charge			UNCDX	UNCCC		5.63	5.63	7.20	7.20						
	NETWORK ELEMENTS															
	used as a part of a currently combined facility, the non-recurr															
	used as ordinarily combined network elements in All States, the					As Is Charge	does not.									
Nonre	curring Currently Combined Network Elements "Switch As Is"	Charge	(One a	pplies to each com	oination)											
	Nonrecurring Currently Combined Network Elements Switch -As-	1					=									
	Is Charge - 2 wire/4-Wire VG	 	-	UNCVX	UNCCC		5.63	5.63	7.20	7.20			 	 	 	-
1	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge - 56/64 kbps	1		UNCDX	UNCCC		5.63	5.63	7.20	7.20						
+	Nonrecurring Currently Combined Network Elements Switch -As-	-		OIACDV	UNCCC		5.03	5.03	1.20	7.20	 	1	 	 	 	
1	Is Charge - DS1	1		UNC1X	UNCCC		5.63	5.63	7.20	7.20						1
+	Nonrecurring Currently Combined Network Elements Switch -As-			0.101/	5.1000		0.00	0.00	7.20	7.20						†
1	Is Charge - DS3	1		UNC3X	UNCCC		5.63	5.63	7.20	7.20						1
1	Nonrecurring Currently Combined Network Elements Switch -As-						2.00	5.00	1.20	1.20			İ		İ	1
	Is Charge - STS1	1		UNCSX	UNCCC		5.63	5.63	7.20	7.20						1
Optio	nal Features & Functions:															
				U1TD1,		_										
	Clear Channel Capability Extended Frame Option - per DS1	I		ULDD1,UNC1X	CCOEF		OI	01	01	01						
		l		U1TD1,										l		
	Clear Channel Capability Super FrameOption - per DS1			ULDD1,UNC1X	CCOSF		01	01	01	01			ļ		ļ	1
1	Clear Channel Capability (SF/ESF) Option - Subsequent	Ι.		ULDD1, U1TD1,	NIDOGG		101.00	00 700	4 000	0.700						I
	Activity - per DS1			UNC1X, USL	NRCCC		184.6S	23.78\$	1.96S	0.76S						ļ
	C hit Parity Option Subagguert Astists DC2			U1TD3, ULDD3,	NDCCO		240 720	7 666	72016	0S						
	C-bit Parity Option - Subsequent Activity - per DS3		-	UE3, UNC3X	NRCC3		218.72S	7.66S	.7201S	00	-	-				
		<u> </u>	-	1010414	MQ1	100.05	91.57	62.94	10.87	40.40	 	-	-	 	1	t
MULI	DS1 to DS0 Channel System per month		1	II INIC:1 X												
MULI	DS1 to DS0 Channel System per month OCU-DP COCI (data) - DS1 to DS0 Channel System - per			UNC1X	IVIQ1	102.85	91.57	62.94	10.87	10.10						

UNBUN	IDLE	NETWORK ELEMENTS - Mississippi													ment: 2		bit: A
CATEGO	RY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			II .	Svc Order Submitted Manually per LSR		Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
						1	_ 1	Nonred	urring	Nonrecurring	Disconnect	İ		oss	Rates (\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		OCU-DP COCI (data) - DS1 to DS0 Channel System - per															
		month (2.4-64kbs) used for connection to a channelized DS1															
		Local Channel in the same SWC as collocation			U1TUD	1D1DD	1.22	6.62	4.74								
		2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per															
		month for a Local Loop			UDN	UC1CA	2.62	6.62	4.74								
		2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per															
		month used for connection to a channelized DS1 Local Channel			LIATUR	110404	0.00	0.00									
-		in the same SWC as collocation Voice Grade COCI - DS1 to DS0 Channel System - per month			U1TUB	UC1CA	2.62	6.62	4.74	1							
		used for a Local Loop			UEA	1D1VG	0.5737	6.62	4.74								
		Voice Grade COCI - DS1 to DS0 Channel System - per month			ULA	IDIVG	0.5757	0.02	4.74			+					
		used for connection to a channelized DS1 Local Channel in the															
		same SWC as collocation			U1TUC	1D1VG	0.5737	6.62	4.74								
		DS3 to DS1 Channel System per month			UNC3X	MQ3	170.63	179.17	94.52	34.30	32.82						
		STS-1 to DS1 Channel System per month			UNCSX	MQ3	170.63	179.17	94.52	34.30	32.82						
		DS1 COCI used with Loop per month			USL	UC1D1	12.96	6.62	4.74								
		DS1 COCI (used for connection to a channelized DS1 Local															
		Channel in the same SWC as collocation) per month			U1TUA	UC1D1	12.96	6.62	4.74								
		DS1 COCI used with Interoffice Channel per month			U1TD1	UC1D1	12.96	6.62	4.74			ļ					
		DS3 Interface Unit (DS1 COCI) used with Local Channel per month			ULDD1	UC1D1	12.96	6.62	4.74								
IINDIIND		OCAL EXCHANGE SWITCHING(PORTS)		1	ULDD1	UCIDI	12.96	0.02	4.74	-		 					-
		ge Ports				+						+					
		Although the Port Rate includes all available features in GA, F	Y. LA	& TN. t	he desired features	will need to b	e ordered usin	g retail USOCs	<u> </u>			1					
		VOICE GRADE LINE PORT RATES (RES)	,	1				g		t		†					
		Exchange Ports - 2-Wire Analog Line Port- Res.			UEPSR	UEPRL	1.41	2.39	2.29	1.42	1.33						
		Exchange Ports - 2-Wire Analog Line Port with Caller ID - Res.			UEPSR	UEPRC	1.41	2.39	2.29	1.42	1.33						
		Exchange Ports - 2-Wire Analog Line Port outgoing only - Res.			UEPSR	UEPRO	1.41	2.39	2.29	1.42	1.33	ļ					
		Exchange Ports - 2-Wire VG unbundled MS extended local dialing parity Port with Caller ID - Res.			UEPSR	UEPAT	1.41	2.39	2.29	1.42	1.33						
		Exchange Ports - 2-Wire VG unbundled res, low usage line port			UEFSK	UEPAI	1.41	2.39	2.29	1.42	1.33	1					1
		with Caller ID (LUM)			UEPSR	UEPAP	1.41	2.39	2.29	1.42	1.33						
		Exchange Ports - 2-Wire Voice Mississippi Residence Dialing			02. 0.1	02.74		2.00	2.20		1.00	1					
		Plan without Caller ID			UEPSR	UEPWJ	1.41	2.39	2.29	1.42	1.33						
		2-Wire voice unbundled Low Usage Line Port without Caller ID															
		Capability			UEPSR	UEPRT	1.41	2.39	2.29	1.42	1.33						
		Subsequent Activity			UEPSR	USASC	0.00	0.00	0.00							ļ	
F	EATU			1	LIEDOD	LIED\"	0.50	0.00	0.00	 	-	ļ		-	.	.	-
-		All Available Vertical Features VOICE GRADE LINE PORT RATES (BUS)		-	UEPSR	UEPVF	2.56	0.00	0.00	-							-
12.		Exchange Ports - 2-Wire Analog Line Port without Caller ID -		 		+				 	 	1		 	 	 	
		Bus			UEPSB	UEPBL	1.41	2.39	2.29	1.42	1.33						1
		Exchange Ports - 2-Wire VG unbundled Line Port with						2.00	2.20	2	50				1	1	
		unbundled port with Caller+E484 ID - Bus.			UEPSB	UEPBC	1.41	2.39	2.29	1.42	1.33						
		·															
		Exchange Ports - 2-Wire Analog Line Port outgoing only - Bus.			UEPSB	UEPBO	1.41	2.39	2.29	1.42	1.33						
		Exchange Ports - 2-Wire VG unbundled MS extended local				1				_						1	
		dialing parity Port with Caller ID - Bus.			UEPSB	UEPAY	1.41	2.39	2.29	1.42	1.33						-
		Exhange Ports - 2-Wire VG unbundled incoming only port with Caller ID - Bus			UEPSB	UEPB1	1.41	2.39	2.29	1.42	1.33						
		Exchange Ports - 2-Wire Voice Mississippi Business Dialing Plan		-	UEFOB	UEPBI	1.41	∠.39	2.29	1.42	1.33						
		without Caller ID			UEPSB	UEPWK	1.41	2.39	2.29	1.42	1.33						1
-+		2-Wire voice unbundled Incoming Only Port without Caller ID			021 00	OL: 7710	1.71	2.05	2.25	1.42	1.33	 					
		Capability			UEPSB	UEPBE	1.41	2.39	2.29	1.42	1.33						1
		Subsequent Activity			UEPSB	USASC	0.00	0.00	0.00		50	Ì		1	ĺ		
F	EATU	RES															
		All Available Vertical Features			UEPSB	UEPVF	2.56	0.00	0.00								

UNBUNDLE	D NETWORK ELEMENTS - Mississippi			•										ment: 2	1	ibit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			l l	Svc Order Submitted Manually per LSR	Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge - Manual Sv Order vs.
						Rec	Nonrec		Nonrecurring					Rates (\$)		
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
EXCHA	ANGE PORT RATES (DID & PBX)															
	2-Wire VG Unbundled 2-Way PBX Trunk - Res			UEPSE	UEPRD	1.41	31.45	14.93	14.38	0.92						
	2-Wire VG Line Side Unbundled 2-Way PBX Trunk - Bus			UEPSP	UEPPC	1.41	31.45	14.93	14.38	0.92						
	2-Wire VG Line Side Unbundled Outward PBX Trunk - Bus			UEPSP	UEPPO	1.41	31.45	14.93	14.38	0.92						
	2-Wire VG Line Side Unbundled Incoming PBX Trunk - Bus			UEPSP	UEPP1	1.41	31.45	14.93	14.38	0.92						
	2-Wire Analog Long Distance Terminal PBX Trunk - Bus			UEPSP	UEPLD	1.41	31.45	14.93	14.38	0.92						
	2-Wire Voice Unbundled PBX LD Terminal Ports			UEPSP	UEPLD	1.41	31.45	14.93	14.38	0.92						
	2-Wire Vice Unbundled 2-Way PBX Usage Port			UEPSP	UEPXA	1.41	31.45	14.93	14.38	0.92						
	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports			UEPSP	UEPXB	1.41	31.45	14.93	14.38	0.92						1
	2-Wire Voice Unbundled PBX LD DDD Terminals Port			UEPSP	UEPXC	1.41	31.45	14.93	14.38	0.92						
	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port		 	UEPSP	UEPXD	1.41	31.45	14.93	14.38	0.92	ļ		ļ	ļ	.	
	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD Capable Port			UEPSP	UEPXE	1.41	31.45	14.93	14.38	0.92						
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Administrative Calling Port			UEPSP	UEPXL	1.41	31.45	14.93	14.38	0.92						
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Room Calling Port			UEPSP	UEPXM	1.41	31.45	14.93	14.38	0.92						
	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital Discount Room Calling Port			UEPSP	UEPXO	1.41	31.45	14.93	14.38	0.92						
	2-Wire Voice Unbundled 2-Way PBX Mississippi Local Economy Calling Port			UEPSP	UEPXQ	1.41	31.45	14.93	14.38	0.92						
	2-Wire Voice Unbundled 2-Way PBX Mississippi Local Optional Calling Port			UEPSP	UEPXR	1.41	31.45	14.93	14.38	0.92						
	2-Wire Voice Unbundled PBX Port, Mississippi only			UEPSP	UEPA5	1.41	31.45	14.93	14.38	0.92	 					-
	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port	-	-	UEPSP	UEPXS	1.41	31.45	14.93	14.38	0.92	ł	-			-	
	Subsequent Activity			UEPSP	USASC	0.00	0.00	0.00	14.30	0.92						
FEATU			1	OLI OI	OOAGC	0.00	0.00	0.00			1					1
ILAIG	All Available Vertical Features			UEPSP UEPSE	UEPVF	2.56	0.00	0.00							1	1
EXCH/	ANGE PORT RATES (COIN)			02. 0. 02. 02	UL: 11	2.00	0.00	0.00			1					
2.0.1.	Exchange Ports - Coin Port					1.41	2.39	2.29	1.42	1.33					1	1
NOTE:	Transmission/usage charges associated with POTS circuit st	witched	usage	will also apply to ci	rcuit switche							wire ISDN ı	oorts.			
	Access to B Channel or D Channel Packet capabilities will be													s Request Pro	cess.	
	LOCAL EXCHANGE SWITCHING(PORTS)		<u> </u>	,	1						1					
	ANGE PORT RATES										İ					
The DS	S1 Port rates below for 4-Wire DDITS Trunk Port and 4-Wire IS	DN Port	in this	rate exhibit apply to	o the embed	ded base in pla	ce as of 10/2/0	3 until 4/1/04.	After 4/1/04 the	ese rates shall	revert to tai	riff rates or	a separate ag	reement.		
	sts for 4-Wire DDITS Trunk Ports with 4-Wire ISDN DS1 Ports			ve date of this amer	ndment shall											ĺ
	Exchange Ports - 2-Wire DID Port			UEPEX	UEPP2	8.25	120.00	18.85	61.77	3.88						
	Exchange Ports - DDITS Port - 4-Wire DS1 Port with DID															ĺ
	capability (E:4/1/2004)			UEPDD	UEPDD	58.41	203.19	96.25	74.86	2.54						
	Exchange Ports - 2-Wire ISDN Port (See Notes below.)			UEPTX, UEPSX	U1PMA	13.69	73.19	53.30	47.90	10.76						
	All Features Offered			UEPTX, UEPSX	UEPVF	2.56	0.00	0.00								<u> </u>
	Exchange Ports - 2-Wire ISDN Port Channel Profiles			UEPTX, UEPSX	U1UMA	0.00	0.00	0.00								<u> </u>
	Transmission/usage charges associated with POTS circuit s													L	I	
	Access to B Channel or D Channel Packet capabilities will be	availal	ole only	through BFR/New	Business Re	quest Process.	. Rates for the	packet capabi	lities will be de	etermined via t	he Bona Fig	te Request/	New Busines:	s Request Pro	cess.	
EXCHA	ANGE PORT RATES (continued) Exchange Ports - 4-Wire ISDN DS1 Port with Detailed E911															
	Locator Capability (E:4/1/2004) Exchange Ports - 4-Wire ISDN DS1 Port (E:4/1/2004)			UEPEX UEPDX	UEPEX UEPDX	84.63 84.63	205.00 205.00	102.14 102.14	81.65 81.65	20.69 20.69						
	Physical Collocation - DS1 Cross-Connects			UEPEX UEPDX	PE1P1	1.14	22.16	16.02	6.60	5.97						
	Virtual Collocation - Special Access & UNE, cross-connect per DS1			UEPEX UEPDX	CNC1X	1.14	22.16	16.02	6.60	5.97						
Detaile	ed E911 with Locator Capability (required with UEPEX port)															
	Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - E911 Locator Capability - Initial Profile Establishment per CLEC per															
	State			UEPEX	UEP1A	0.00	1,814.00		156.15			1			I	
	Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - E911 Locator Capability - Subsequent Profile Changes, Additions,					2.30	,5:5		152176							
	Deletions	1	l	UEPEX	UEP1B	0.00	176.15			l	1		l	l		1

UNBUI	NDLE	NETWORK ELEMENTS - Mississippi												Attach	ment: 2	Exhi	ibit: A
												Svc Order	Svc Order	Incremental	Incremental	Incremental	Incrementa
					[Submitted	1		Charge -	Charge -	Charge -
				1	İ							Elec	Manually		Manual Svc	Manual Svc	
CATEG	ORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m			1111			(*)			per LSR	per Lok	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
				1			_	Nonred	urrina	Nonrecurring	Disconnect			oss	Rates (\$)		
				1			Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
1		Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - E911		1													
		Locator Capability 2-way Telephone Numbers, per number in															
		E911 profile [New or Additional]			UEPEX	UEP1C	0.0701	0.49									
		Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - E911															
		Locator Capability - Outdial Telephone Numbers, per number in															
		E911 profile [New or Additional]			UEPEX	UEP1D	0.0701	11.58	11.58								
		Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - Inward											İ				
		Telephone Numbers - Inward Data Only Option [New or															
		Additional]			UEPDX	UEP1E	0.00	0.49									
1		Exchange Ports - 4-Wire ISDN DS1 Port - Subsequent [New]		1													İ
		Inward Tel Numbers [Customer Testing Purposes]	1	1	UEPEX	PR7ZT	0.00	23.15	23.15					I	I	I	
l		NUMBER PORTABILITY		1		1	2.00							t	t	t	1
T f		Local Number Portability (1 per port)		1	UEPEX UEPDX	LNPCN	1.75							t	t	t	1
-		ACE (Provsioning Only)		1	<u></u>	1	0							†	t	t	1
		Voice/Data		1	UEPEX	PR71V	0.00	0.00	0.00					†	t	t	1
- +		Digital Data		1	UEPEX	PR71D	0.00	0.00	0.00					†	t	†	1
- +		Inward Data		1	UEPDX	PR71E	0.00	0.00	0.00					†	†	†	1
		Additional Channel			02. BX		0.00	0.00	0.00								
		New or Additional - Voice/Data "B" Channel		1	UEPEX	PR7BV	0.00	14.61				1	†				1
		New or Additional - Digital Data "B" Channel		1	UEPEX	PR7BF	0.00	14.61				1	†				1
		New or Additional Inward Data "B" Channel		1	UEPDX	PR7BD	0.00	14.61				1	†				1
		New or Additional Useage Sensitive Voice Data "B" Channel		1	UEPEX	PR7BS	0.00	14.61				1	†				1
		New or Additional Useage Sensitive Voice Bata "B" Channel		1	UEPEX	PR7BU	0.00	14.61				1	†				1
		New or Additional PRI "D" Channel		1	UEPEX	PR7EX	0.00	14.61									+
	CALL T			1	OLI LX	TRILA	0.00	14.01									+
		Inward		1	UEPEX UEPDX	PR7C1	0.00	0.00	0.00								+
-		Outward		1	UEPEX	PR7CO	0.00	0.00	0.00			1	†				1
		Two-way		1	UEPEX	PR7CC	0.00	0.00	0.00			1	†				1
		IDLED PORT with REMOTE CALL FORWARDING CAPABILITY	,	1	OLI LX	1100	0.00	0.00	0.00								+
		DLED REMOTE CALL FORWARDING SERVICE - RESIDENCE		1		1						1	†				1
		Unbundled Remote Call Forwarding Service, Area Calling, Res		1	UEPVR	UERAC	1.41	2.39	2.29	1.42	1.33	1	†				1
		Cribanalea Normale Call 1 Grwaraling Corvice, 746a Calling, New			OLI VIC	OLIVIO	1.41	2.00	2.20	1.42	1.00	1	1		1	1	
		Unbundled Remote Call Forwarding Service, Local Calling - Res			UEPVR	UERLC	1.41	2.39	2.29	1.42	1.33						
		Unbundled Remote Call Forwarding Service, InterLATA - Res		1	UEPVR	UERTE	1.41	2.39	2.29	1.42	1.33						+
		Unbundled Remote Call Forwarding Service, IntraLATA - Res		1	UEPVR	UERTR	1.41	2.39	2.29	1.42	1.33	1	†				1
-		curring		1	OLI VIC	OLIVIIV	1.41	2.00	2.20	1.42	1.00	1	†				1
		Unbundled Remote Call Forwarding Service - Conversion -				1						1	1		1	1	
		Switch-as-is	1	1	UEPVR	USAC2		0.0988	0.0988					I	I	I	
- +		Unbundled Remote Call Forwarding Service - Conversion with		1		1		5.0000	0.0000					†	†	†	1
		allowed change (PIC and LPIC)			UEPVR	USACC		0.0988	0.0988					1	1	1	
- 1	UNBUN	DLED REMOTE CALL FORWARDING - Bus		1		1		5.0000	0.0000					1	1	1	İ
- i				1	1	1	i							1	1	1	İ
		Unbundled Remote Call Forwarding Service, Area Calling - Bus			UEPVB	UERAC	1.41	2.39	2.29	1.42	1.33						
		Unbundled Remote Call Forwarding Service, Local Calling - Bus	1	1	UEPVB	UERLC	1.41	2.39	2.29	1.42	1.33			I	I	I	
		Unbundled Remote Call Forwarding Service, InterLATA - Bus		1	UEPVB	UERTE	1.41	2.39	2.29		1.33	1	1	1	1	1	
- 1		Unbundled Remote Call Forwarding Service, IntelEMATA - Bus		1	UEPVB	UERTR	1.41	2.39	2.29	1.42	1.33			1	1	1	İ
		Unbundled Remote Call Forwarding Service Expanded and		1				2.00	2.20	12	00	1	1	1	1	1	
		Exception Local Calling	1	1	UEPVB	UERVJ	1.41	2.39	2.29	1.42	1.33			I	I	I	
-		curring		1	- ·· · · -	1		2.55	2.20	2	50			†	t	t	1
- ľ		Unbundled Remote Call Forwarding Service - Conversion -		1	1	1						1	1	1	1	1	
		Switch-as-is	1	1	UEPVB	USAC2		0.0988	0.0988					I	I	I	
		Unbundled Remote Call Forwarding Service - Conversion with		1		- 57 102		0.0000	3.3300			1	1	1	1	1	
		allowed change (PIC and LPIC)	1	1	UEPVB	USACC		0.0988	0.0988					I	I	I	
UNBLINI		OCAL SWITCHING, PORT USAGE		1	- ·· · · -	1		5.0000	0.0000					†	t	t	1
		fice Switching (Port Usage)		1		1						1		—	<u> </u>	<u> </u>	
		End Office Switching Function, Per MOU		1	 	1	0.0010269							†	t	t	1
					 	+						+		+			
		End Office Trunk Port - Shared, Per MOU					0.000161										

UNBL	JNDLE	D NETWORK ELEMENTS - Mississippi													ment: 2	Exhi	bit: A
												Svc Order	Svc Order	Incremental	Incremental	Incremental	Incrementa
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
			Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Sv
CATE	GORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR		Order vs.	Order vs.	Order vs.
			""									p = = = = = = = = = = = = = = = = = = =	p = = = = = = = = = = = = = = = = = = =	Electronic-	Electronic-	Electronic-	Electronic
														1st	Add'l	Disc 1st	Disc Add'
																D130 131	Disc Add
							Rec		curring	Nonrecurring	Disconnect				Rates (\$)		
							Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Tandem Switching Function Per MOU					0.0001723										
		Tandem Trunk Port - Shared, Per MOU					0.0001828										
		Tandem Switching Function Per MOU (Melded)					0.000063441										
		Tandem Trunk Port - Shared, Per MOU (Melded)					0.000067307										
		Melded Factor: 36.82% of the Tandem Rate															
	Commo	on Transport															
		Common Transport - Per Mile, Per MOU					0.0000026										
		Common Transport - Facilities Termination Per MOU					0.0004541										
UNBU	NDLED F	PORT/LOOP COMBINATIONS - COST BASED RATES										ĺ					
	Cost B	ased Rates are applied where BellSouth is required by FCC ar	nd/or St	ate Co	mmission rule to pr	ovide Unbun	dled Local Swi	tching or Swite	ch Ports.			ĺ					
		es shall apply to the Unbundled Port/Loop Combination - Cos								ed Port section	of this Rate E	xhibit.					
		fice and Tandem Switching Usage and Common Transport Us											n Port/Loop	Combination	is.		
		st and additional Port nonrecurring charges apply to Not Curr															
		VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)				1			Ī			Ι `	1				
		ort/Loop Combination Rates	1	1		1						1					
	1	2-Wire VG Loop/Port Combo - Zone 1	1	1		1	12.22					1					
	1	2-Wire VG Loop/Port Combo - Zone 2	i –	2		İ	17.13					İ	1	İ			1
	†	2-Wire VG Loop/Port Combo - Zone 3		3		i e	26.26										
	1	2-Wire VG Loop/Port Combo - Zone 4		4			44.91					1	†				†
		pop Rates		<u> </u>								1	†				†
	0.42 24	2-Wire Voice Grade Loop (SL1) - Zone 1	-	1	UEPRX	UEPLX	10.98					1					1
	-	2-Wire Voice Grade Loop (SL1) - Zone 1		2	UEPRX	UEPLX	15.91										
	-	2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPRX	UEPLX	25.04										
	+	2-Wire Voice Grade Loop (SL1) - Zone 3	-	4	UEPRX	UEPLX	43.68			1		+	†				1
	2-Wiro	Voice Grade Line Port Rates (Res)		7	OLI IOX	OLILX	43.00						1				
	2-vvire	2-Wire voice unbundled port - residence	-	-	UEPRX	UEPRL	1.23	40.31	19.84	24.90	6.58	-	-				-
	 	2-Wire voice unbundled port - residence 2-Wire voice unbundled port with Caller ID - res	-	-	UEPRX	UEPRC	1.23	40.31	19.84	24.90	6.58	-	-				-
	 		-	-	UEPRX	UEPRO	1.23	40.31	19.84	24.90	6.58	-	-				-
	 	2-Wire voice unbundled port outgoing only - res	-	-	UEPRX	UEPRU	1.23	40.31	19.84	24.90	0.58	1					
		2-Wire voice Grade unbundled Mississippi extended local			LIEDDY	LIEDAT	4.00	40.04	40.04	04.00	0.50						
		dialing parity port with Caller ID - res		-	UEPRX	UEPAT	1.23	40.31	19.84	24.90	6.58						
		2-Wire voice unbundles res, low usage line port with Caller ID															
	1	(LUM)			UEPRX	UEPAP	1.23	40.31	19.84	24.90	6.58						
		2-Wire Voice Unbundled Mississippi Residence Dialing Plan				l											
		without Caller ID			UEPRX	UEPWJ	1.23	40.31	19.84	24.90	6.58						
		2-Wire voice unbundled Low Usage Line Port without Caller ID															
		Capability			UEPRX	UEPRT	1.23	40.31	19.84	24.90	6.58						
	FEATU																
		All Features Offered			UEPRX	UEPVF	2.56	0.00	0.00								
		NUMBER PORTABILITY															
		Local Number Portability (1 per port)			UEPRX	LNPCX	0.35										
	NONRE	ECURRING CHARGES (NRCs) - CURRENTLY COMBINED															
	1	2-Wire Voice Grade Loop / Line Port Combination - Conversion -	l						l					l			
		Switch-as-is	<u> </u>	<u> </u>	UEPRX	USAC2		0.0988	0.0988					<u></u>	<u> </u>		
		2-Wire Voice Grade Loop / Line Port Combination - Conversion -															
	<u> </u>	Switch with change	<u> </u>	<u> </u>	UEPRX	USACC		0.0988	0.0988					<u> </u>	L		
		2-Wire Voice Grade Loop / Line Port Combination - Conversion -															
	<u> </u>	Subsequent Database Update	<u> </u>	L		<u> </u>		0.00	0.00			<u> </u>	<u> </u>	<u> </u>	<u> </u>		<u> </u>
		IONAL NRCs															
	ADDITI	lowr- Will Collins III Bar Collins Collins															
	ADDITI	2-Wire Voice Grade Loop/Line Port Combination - Subsequent		1	UEPRX	USAS2	0.00	0.00	0.00								
	ADDITI	Activity Activity							1								
	ADDITI			-	OEI TOC												1
	ADDITI	Activity			UEPRX	URETL		8.33	0.83								
		Activity Unbundled Miscellaneous Rate Element, Tag Loop at End User				URETL		8.33	0.83								
		Activity Unbundled Miscellaneous Rate Element, Tag Loop at End User Premise PREMISES EXTENSION CHANNELS		1		URETL	12.03	8.33 37.92	0.83	23.48	5.25						
		Activity Unbundled Miscellaneous Rate Element, Tag Loop at End User Premise N PREMISES EXTENSION CHANNELS 2 Wire Analog Voice Grade Extension Loop – Non-Design			UEPRX UEPRX	UEAEN		37.92	17.55								
		Activity Unbundled Miscellaneous Rate Element, Tag Loop at End User Premise N PREMISES EXTENSION CHANNELS 2 Wire Analog Voice Grade Extension Loop – Non-Design 2 Wire Analog Voice Grade Extension Loop – Non-Design		2	UEPRX UEPRX UEPRX	UEAEN UEAEN	16.87	37.92 37.92	17.55 17.55	23.48	5.25						
		Activity Unbundled Miscellaneous Rate Element, Tag Loop at End User Premise N PREMISES EXTENSION CHANNELS 2 Wire Analog Voice Grade Extension Loop – Non-Design 2 Wire Analog Voice Grade Extension Loop – Non-Design 2 Wire Analog Voice Grade Extension Loop – Non-Design		2	UEPRX UEPRX UEPRX UEPRX UEPRX	UEAEN UEAEN UEAEN	16.87 25.68	37.92 37.92 37.92	17.55 17.55 17.55	23.48 23.48	5.25 5.25						
		Activity Unbundled Miscellaneous Rate Element, Tag Loop at End User Premise N PREMISES EXTENSION CHANNELS 2 Wire Analog Voice Grade Extension Loop – Non-Design 2 Wire Analog Voice Grade Extension Loop – Non-Design		2	UEPRX UEPRX UEPRX	UEAEN UEAEN	16.87	37.92 37.92	17.55 17.55	23.48	5.25						

ONRONDLE	D NETWORK ELEMENTS - Mississippi													ment: 2		bit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)				Svc Order Submitted Manually per LSR	Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Charge -	Increment Charge - Manual Sv Order vs. Electronic Disc Add
						Rec	Nonrec		Nonrecurring					Rates (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2 Wire Analog Voice Grade Extension Loop – Design			UEPRX	UEAED	27.55	105.96	68.28	52.82	10.37						
INITED	2 Wire Analog Voice Grade Extension Loop – Design	-	4	UEPRX	UEAED	45.72	105.96	68.28	52.82	10.37						
INTER	OFFICE TRANSPORT Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility				+ +											
	Termination			UEPRX	U1TV2	20.32	40.77	27.57	17.26	7.11						
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile	-		UEPRA	UTIVZ	20.32	40.77	21.51	17.20	7.11	1	1				
	or Fraction Mile			UEPRX	U1TVM	0.0088	0.00	0.00								
2-WIRI	VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS)			OLITON	0111111	0.0000	0.00	0.00			1	1				1
	ort/Loop Combination Rates				1											
	2-Wire VG Loop/Port Combo - Zone 1		1			12.22										
	2-Wire VG Loop/Port Combo - Zone 2		2			17.13										
	2-Wire VG Loop/Port Combo - Zone 3		3			26.26										
UNE L	oop Rates							· · · · · · · · · · · · · · · · · · ·		· · · · · · · · · · · · · · · · · · ·						
	2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPBX	UEPLX	10.98										
	2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPBX	UEPLX	15.91										
	2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPBX	UEPLX	25.04										ļ
	2-Wire Voice Grade Loop (SL1) - Zone 4		4	UEPBX	UEPLX	43.68										ļ
2-Wire	Voice Grade Line Port (Bus)			LIEBBY/	LIEBBI		10.01		0.1.00	0.50						ļ
	2-Wire voice unbundled port without Caller ID - bus			UEPBX	UEPBL	1.23	40.31	19.84	24.90	6.58						
	2-Wire voice unbundled port with Caller + E484 ID - bus	-	-	UEPBX	UEPBC	1.23	40.31	19.84	24.90	6.58						<u> </u>
	2-Wire voice unbundled port outgoing only - bus			UEPBX	UEPBO	1.23	40.31	19.84	24.90	6.58						
	2-Wire voice Grade unbundled Mississippi extended local dialing parity port with Caller ID - bus			UEPBX	UEPAY	1.23	40.31	19.84	24.90	6.58						
	2-Wire voice unbundled incoming only port with Caller ID - Bus			UEPBX	UEPB1	1.23	40.31	19.84	24.90	6.58	-	-				-
	2-Wire Voice Unbundled Mississippi Business Dialing Plan			OLFBA	OLFBI	1.23	40.51	15.04	24.90	0.56		1				
	without Caller ID			UEPBX	UEPWK	1.23	40.31	19.84	24.90	6.58						
	2-Wire voice unbundled Incoming Only Port without Caller ID			OLI DA	OLI WIX	1.20	40.01	10.04	24.00	0.00	1	1				
	Capability			UEPBX	UEPBE	1.23	40.31	19.84	24.90	6.58						
LOCAL	NUMBER PORTABILITY															
	Local Number Portability (1 per port)			UEPBX	LNPCX	0.35										
FEATU	IRES															
	All Features Offered			UEPBX	UEPVF	2.56	0.00	0.00								
NONRI	ECURRING CHARGES (NRCs) - CURRENTLY COMBINED															
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -															
	Switch-as-is			UEPBX	USAC2		0.0988	0.0988								<u> </u>
1	2-Wire Voice Grade Loop / Line Port Combination - Conversion -	1		LIEBBY .												1
\longrightarrow	Switch with change		ļ	UEPBX	USACC		0.0988	0.0988			-	-	 	 	ļ	
1	2-Wire Voice Grade Loop / Line Port Combination - Conversion -	1					0.00	0.00								1
ADDIT	Subsequent Database Update IONAL NRCs	1	-		+		0.00	0.00	<u> </u>		1	1	-			
AUUII	2-Wire Voice Grade Loop/Line Port Combination - Subsequent	 	 		+ +	+	+		_		 	 	 	 	 	
1	Activity			UEPBX	USAS2		0.00	0.00								
	Unbundled Miscellaneous Rate Element, Tag Loop at End User	†	†	0L1 D/	00,102	+	0.00	0.00			 	 				†
	Premise			UEPBX	URETL		8.33	0.83								1
OFF/O	N PREMISES EXTENSION CHANNELS				1 1	İ	2.23	2.30	1				İ	İ	İ	
	2 Wire Analog Voice Grade Extension Loop – Non-Design		1	UEPBX	UEAEN	12.03	37.92	17.55	23.48	5.25					1	
	2 Wire Analog Voice Grade Extension Loop – Non-Design		2	UEPBX	UEAEN	16.87	37.92	17.55	23.48	5.25						
	2 Wire Analog Voice Grade Extension Loop – Non-Design		3	UEPBX	UEAEN	25.68	37.92	17.55	23.48	5.25						
	2 Wire Analog Voice Grade Extension Loop – Non-Design		4	UEPBX	UEAEN	43.85	37.92	17.55	23.48	5.25						
	2 Wire Analog Voice Grade Extension Loop – Design		1	UEPBX	UEAED	13.89	105.96	68.28	52.82	10.37						
	2 Wire Analog Voice Grade Extension Loop – Design		2	UEPBX	UEAED	18.75	105.96	68.28	52.82	10.37						
	2 Wire Analog Voice Grade Extension Loop – Design		3	UEPBX	UEAED	27.55	105.96	68.28	52.82	10.37					ļ	
	2 Wire Analog Voice Grade Extension Loop – Design		4	UEPBX	UEAED	45.72	105.96	68.28	52.82	10.37						
INTER	OFFICE TRANSPORT	.	-		+ +								 	-	!	
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility			LIEDBY	U1TV2	20.32	40.77	27.57	17.00	7 4 4						1
	Termination Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile	-	+	UEPBX	UTIVZ	20.32	40.77	27.57	17.26	7.11	-	-		-		
	or Fraction Mile			UEPBX	U1TVM	0.0088	0.00	0.00								1
	E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES - PBX)	-	+	OLFDA	UTTVIVI	0.0000	0.00	0.00	<u> </u>		 	1		-		

INBUNDL	ED NETWORK ELEMENTS - Mississippi													ment: 2	1	bit: A
											Svc Order	Svc Order	Incremental	Incremental	Incremental	Incrementa
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		Intani									Elec	Manually	Manual Svc	Manual Svc		Manual Sv
ATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR			Order vs.	Order vs.
	10112 =======	m		200	0000			= (4)			perLSK	per LSR	Order vs.	Order vs.		
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
- 1							Nonrec	urring	Nonrecurring	Disconnect			220	Rates (\$)		1
						Rec					001450	001111			001111	001111
	Destillation Compliantian Dates						First	Add'l	First	Add'l	SOWIEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
UNE	Port/Loop Combination Rates					40.00									ļ	
	2-Wire VG Loop/Port Combo - Zone 1		1			12.22										
	2-Wire VG Loop/Port Combo - Zone 2		2			17.13										
	2-Wire VG Loop/Port Combo - Zone 3		3			26.26										
	2-Wire VG Loop/Port Combo - Zone 4		4			44.91										
UNE	Loop Rates															
	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEPRG	UEPLX	10.98										
	2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEPRG	UEPLX	15.91										
	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEPRG	UEPLX	25.04									1	
	2-Wire Voice Grade Loop (SL 1) - Zone 4		4	UEPRG	UEPLX	43.68										
2-Wi	re Voice Grade Line Port Rates (RES - PBX)															
	2-Wire VG Unbundled Combination 2-Way PBX Trunk Port -														1	
	Res		1	UEPRG	UEPRD	1.23	69.37	32.48	37.86	6.17	l					
1.00	AL NUMBER PORTABILITY	-	-	OLI INO	OLI ND	1.23	03.37	32.40	31.00	0.17	 			 	 	}
LOC			-	LIEDDO	LNDCD	2.45	0.00	0.00								1
	Local Number Portability (1 per port) TURES		-	UEPRG	LNPCP	3.15	0.00	0.00	 		-			 	 	1
FEA						0.50	2.22								ļ	
	All Features Offered			UEPRG	UEPVF	2.56	0.00	0.00								
NON	RECURRING CHARGES (NRCs) - CURRENTLY COMBINED															
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -															
	Conversion - Switch-As-Is			UEPRG	USAC2		7.96	1.91								
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -															
	Conversion - Switch with Change			UEPRG	USACC		7.96	1.91								
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -														1	
	Subsequent Database Update						0.00	0.00								
ADD	TIONAL NRCs															
ADD	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -				+						1			-		1
	Subsequent Activity			UEPRG	USAS2	0.00	0.00	0.00								
- 	PBX Subsequent Activity - Change/Rearrange Multiline Hunt			OLFRG	U3A32	0.00	0.00	0.00								
							7.36	7.36								
	Group						7.30	7.30								
	Unbundled Miscellaneous Rate Element, Tag Loop at End User															
	Premise			UEPRG	URETL		8.33	0.83								
OFF/	ON PREMISES EXTENSION CHANNELS															
	Local Channel Voice grade, per termination		1	UEPRG	P2JHX	13.89	105.96	68.28	52.82	10.37						
	Local Channel Voice grade, per termination		2	UEPRG	P2JHX	18.75	105.96	68.28	52.82	10.37						
	Local Channel Voice grade, per termination		3	UEPRG	P2JHX	27.55	105.96	68.28	52.82	10.37						
	Local Channel Voice grade, per termination		4	UEPRG	P2JHX	45.72	105.96	68.28	52.82	10.37						
INTE	ROFFICE TRANSPORT															
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility															
	Termination	1		UEPRG	U1TV2	20.32	40.77	27.57	17.26	7.11	1			I	1	
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile			1	T			,			i			1	1	İ
	or Fraction Mile	1		UEPRG	U1TVM	0.0088	0.00	0.00			1			I	1	
2-///	RE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)	—		021110	O I I VIVI	0.0000	0.00	0.00	 		 			t	t	
	Port/Loop Combination Rates	—		+	+				 		 			t	t	
UNE	2-Wire VG Loop/Port Combo - Zone 1	-	1	+	+	12.22			 		-			 	 	1
				+	+				 		-			 	 	1
	2-Wire VG Loop/Port Combo - Zone 2		2	1	+	17.13					 			-	-	1
	2-Wire VG Loop/Port Combo - Zone 3		3	ļ		26.26					ļ					1
	2-Wire VG Loop/Port Combo - Zone 4		4	1		44.91										
UNE	Loop Rates										<u> </u>					
	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEPPX	UEPLX	10.98										
	2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEPPX	UEPLX	15.91										
	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEPPX	UEPLX	25.04										
	2-Wire Voice Grade Loop (SL 1) - Zone 4		4	UEPPX	UEPLX	43.68										
2-Wi	re Voice Grade Line Port Rates (BUS - PBX)				1						i					
+	,													1		İ
	Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus		1	UEPPX	UEPPC	1.23	69.37	32.48	37.86	6.17	l					
			1								.			<u> </u>	1	+
				LIEPPX	HEPP∩	1 22	60 37	33 10	27 26	£ 17						
	Line Side Unbundled Outward PBX Trunk Port - Bus			UEPPX	UEPPO LIEPP1	1.23	69.37	32.48	37.86 37.86	6.17						
				UEPPX UEPPX UEPPX	UEPPO UEPP1 UEPLD	1.23 1.23 1.23	69.37 69.37 69.37	32.48 32.48 32.48	37.86 37.86 37.86	6.17 6.17 6.17						

NRONDL	ED NETWORK ELEMENTS - Mississippi													ment: 2		bit: A
											Svc Order	Svc Order	Incremental	Incremental	Incremental	Incrementa
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		to to a									Elec	Manually	Manual Svc	Manual Svc		Manual Sv
ATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)								
,,,,_,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	10112 =======	m			0000						per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic
													1st	Add'l	Disc 1st	Disc Add'l
						Rec	Nonrec		Nonrecurring					Rates (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports			UEPPX	UEPXB	1.23	69.37	32.48	37.86	6.17						
	2-Wire Voice Unbundled PBX LD DDD Terminals Port			UEPPX	UEPXC	1.23	69.37	32.48	37.86	6.17						
	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port			UEPPX	UEPXD	1.23	69.37	32.48	37.86	6.17						
	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD			OLI I X	02.7.0	1120	00.07	02.10	01.00	0.11						
				LIEDDY	UEPXE	1.23	69.37	32.48	37.86	6.17						
	Capable Port	-	ļ	UEPPX	UEPAE	1.23	69.37	32.48	37.86	6.17	ļ					
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy															
	Administrative Calling Port			UEPPX	UEPXL	1.23	69.37	32.48	37.86	6.17						
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy															
	Room Calling Port			UEPPX	UEPXM	1.23	69.37	32.48	37.86	6.17						
	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital															
	Discount Room Calling Port			UEPPX	UEPXO	1.23	69.37	32.48	37.86	6.17						
		-	+	OLFFA	ULFAU	1.23	09.37	32.48	31.00	0.17	 		 	-		
	2-Wire Voice Unbundled 2-Way PBX Mississippi Local Economy	1	1	Lucasy							1	I	1	1	1	I
	Calling Port		<u> </u>	UEPPX	UEPXQ	1.23	69.37	32.48	37.86	6.17	ļ		ļ			
	2-Wire Voice Unbundled 2-Way PBX Mississippi Local Optional		1										l			
	Calling Port		1	UEPPX	UEPXR	1.23	69.37	32.48	37.86	6.17		I	1	1	1	I
	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port		t	UEPPX	UEPXS	1.23	69.37	32.48	37.86	6.17	1	i		i		i
	Mississippi PBX 2-Way Combo Local Opt 2 Calling Port			UEPPX	UEPA5	1.23	69.37	32.48	37.86	6.17						
1.00	AL NUMBER PORTABILITY	-	 	OLIFA	ULFAU	1.23	05.57	32.40	31.00	0.17	 		-	-		
LOC				L												
	Local Number Portability (1 per port)			UEPPX	LNPCP	3.15	0.00	0.00								
FEA	TURES															
	All Features Offered			UEPPX	UEPVF	2.56	0.00	0.00								
NON	IRECURRING CHARGES (NRCs) - CURRENTLY COMBINED															
11011	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -															
				LIEDDY	110400		7.00	4.04								
	Conversion - Switch-As-Is			UEPPX	USAC2		7.96	1.91								
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -															
	Conversion - Switch with Change			UEPPX	USACC		7.96	1.91								
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -															
	Subsequent Database Update						0.00	0.00								
ADD	ITIONAL NRCs								†		†	-			†	
ADD	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -		<u> </u>						1		1					
				UEPPX	110400	0.00	0.00	0.00								
	Subsequent Activity		-	UEPPX	USAS2	0.00	0.00	0.00			ļ					
	PBX Subsequent Activity - Change/Rearrange Multiline Hunt															
	Group						7.36	7.36								
	Unbundled Miscellaneous Rate Element, Tag Loop at End User															
	Premise			UEPPX	URETL		8.33	0.83								
OFF	ON PREMISES EXTENSION CHANNELS		t	1			2.00	2.00			1	1		1		1
0.1	Local Channel Voice grade, per termination	—	1	UEPPX	P2JHX	13.89	105.96	68.28	52.82	10.37	1	 	 	 	t	
		-									 		 	-		
	Local Channel Voice grade, per termination		2	UEPPX	P2JHX	18.75	105.96	68.28	52.82	10.37	!					
	Local Channel Voice grade, per termination		3	UEPPX	P2JHX	27.55	105.96	68.28	52.82	10.37	1					
	Local Channel Voice grade, per termination		4	UEPPX	P2JHX	45.72	105.96	68.28	52.82	10.37	<u> </u>	L				
INTE	ROFFICE TRANSPORT															
1	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility								l i							
	Termination		1	UEPPX	U1TV2	20.32	40.77	27.57	17.26	7.11		1		1		1
+	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile	-	 	OLI I A	311172	20.32	+0.77	21.31	17.20	7.11	 		-	-		
			1	LIEBBY								1		1		1
	or Fraction Mile		<u> </u>	UEPPX	U1TVM	0.0088	0.00	0.00	ļ		ļ					
	RE VOICE GRADE LOOP WITH 2-WIRE ANALOG LINE COIN POR	RT														
UNE	Port/Loop Combination Rates		\bot													
	2-Wire VG Coin Port/Loop Combo – Zone 1		1			12.22										
	2-Wire VG Coin Port/Loop Combo – Zone 2		2	1		17.13					1	1		1		1
-	2-Wire VG Coin Port/Loop Combo – Zone 3	1	3	t	_	26.26	-		 		1	-		<u> </u>	 	-
		-		 	+				 		 		-	-		
	2-Wire VG Coin Port/Loop Combo – Zone 4		4			44.91			 		!		ļ		-	
UNE	Loop Rates		<u> </u>						ļ		ļ		ļ			
	2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPCO	UEPLX	10.98							l			
	2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPCO	UEPLX	15.91					Ì	İ	1	İ		
	2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPCO	UEPLX	25.04			1 1		1	t e	l	t	1	t e
-+		—		UEPCO	UEPLX	43.68			+		1	 	 	 	 	\vdash
0.157	2-Wire Voice Grade Loop (SL1) - Zone 4	-	4	ULFCU	UEPLA	43.08			 		1	!	-	 	 	
2-Wi	re Voice Grade Line Ports (COIN)		!								!					
l	2-Wire Coin 2-Way without Operator Screening and without	1	1	I							1	1	1	1	1	1
	Blocking (AL, KY, LA, MS)	1	1	UEPCO	UEPRF	1.23	40.31	19.84	24.90	6.58	1	I	l	I	1	I

NRONDLE	D NETWORK ELEMENTS - Mississippi													ment: 2	1	ibit: A
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic-	Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add
													1st	Add'l	DISC 1St	DISC Add
						Rec	Nonrec		Nonrecurring					Rates (\$)		
	2-Wire Coin 2-Way without Operator Screening and without						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Blocking; with Dialing Parity (Note 3) (MS)			UEPCO	UEPMC	1.23	40.31	19.84	24.90	6.58						
	2-Wire Coin 2-Way with Operator Screening and Blocking: 011,			OLFCO	OLFIVIC	1.25	40.31	15.04	24.90	0.30					-	
	900/976, 1+DDD (AL, KY, LA, MS)			UEPCO	UEPRA	1.23	40.31	19.84	24.90	6.58						
	2-Wire Coin 2-W with Operator Screening and Blocking: 011,								1							
	900/976, 1+DDD; with Dialing Parity (MS)			UEPCO	UEPMA	1.23	40.31	19.84	24.90	6.58						
	2-Wire Coin 2-Way with Operator Screening and 011 Blocking			LIEBOO	LIEDDD	4.00	40.04	10.01	04.00	0.50						
	(AL, LA, MS) 2-Wire Coin 2-Way with Operator Screening and 011 Blocking;			UEPCO	UEPRB	1.23	40.31	19.84	24.90	6.58					-	
	with Dialing Parity (MS)			UEPCO	UEPMB	1.23	40.31	19.84	24.90	6.58						
	2-Wire Coin 2-Way with Operator Screening & Blocking:			021 00	OLI MD	1.20	40.01	10.04	24.00	0.00						
	900/976, 1+DDD, 011+, & Local (AL, KY, LA, MS)			UEPCO	UEPCD	1.23	40.31	19.84	24.90	6.58						
	2-Wire Coin 2-W Operator Screening: 900 Block: 900/976,															
	1+DDD, 011+, Local; with Dialing Parity (MS)		<u> </u>	UEPCO	UEPCJ	1.23	40.31	19.84	24.90	6.58						ļ
	2-Wire Coin Outward without Blocking and without Operator Screening (KY, LA, MS)			UEPCO	UEPRN	1.23	40.31	19.84	24.90	6.58						
	2-Wire Coin Outward without Blocking and without Operator			ULPCU	UEFRIN	1.23	40.31	19.84	24.90	0.58						
	Screening; With Dailing Parity (MS)			UEPCO	UEPME	1.23	40.31	19.84	24.90	6.58						
	2-Wire Coin Outward with Operator Screening and 011 Blocking					-										
	(GA, KY, MS)			UEPCO	UEPRJ	1.23	40.31	19.84	24.90	6.58						
	2-Wire Coin Outward with Operator Screening and 011															
	Blocking; with Dialing Parity (MS) 2-Wire Coin Outward with Operator Screening and Blocking:			UEPCO	UEPMD	1.23	40.31	19.84	24.90	6.58						
	011, 900/976, 1+DDD (AL, KY, LA, MS)			UEPCO	UEPRH	1.23	40.31	19.84	24.90	6.58						
	2-Wire Coin Outward Operator Screening & Blocking: 900/976,			OLI CO	OLITATI	1.25	40.51	13.04	24.30	0.50						
	1+DDD, 011+, and Local (AL, KY, LA, MS)			UEPCO	UEPCN	1.23	40.31	19.84	24.90	6.58						
	2-Wire Coin Out Operator Screen & Block: 900/976, 1+DDD,								1							
	011+, and Local; with Dialing Parity (MS)			UEPCO	UEPCS	1.23	40.31	19.84	24.90	6.58						
	2-Wire 2-Way Smartline with 900/976 (all states except LA)			UEPCO	UEPCK	1.23	40.31	19.84	24.90	6.58						
	2-Wire Coin Outward Smartline with 900/976 (all states except LA)			UEPCO	UEPCR	1.23	40.31	19.84	24.90	6.58						
ADDIT	TONAL UNE COIN PORT/LOOP (RC)			OLI CO	OLI OK	1.25	40.51	13.04	24.30	0.50					-	
	UNE Coin Port/Loop Combo Usage (Flat Rate)			UEPCO	URECU	4.62	0.00	0.00	0.00	0.00						
LOCAI	L NUMBER PORTABILITY															
	Local Number Portability (1 per port)			UEPCO	LNPCX	0.35										
NONR	ECURRING CHARGES - CURRENTLY COMBINED 2-Wire Voice Grade Loop / Line Port Combination - Conversion -		-						-						1	
	Switch-as-is			UEPCO	USAC2		0.0988	0.0988								
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -			02. 00	00/102		0.0000	0.0000	1							
	Switch with change			UEPCO	USACC		0.0988	0.0988								
ADDIT	TONAL NRCs															
	2-Wire Voice Grade Loop/Line Port Combination - Subsequent			LIEBOO	110400		0.00	0.00								
	Activity Unbundled Miscellaneous Rate Element, Tag Loop at End User			UEPCO	USAS2		0.00	0.00	-						-	
	Premise			UEPCO	URETL		8.33	0.83								
2-WIRI	E VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE	LINE F	PORT (ORETE		0.00	0.00	1						1	
UNE P	Port/Loop Combination Rates		<u> </u>													
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 1		1		\bot	15.16										
_	2-Wire VG Loop/IO Tranport/Port Combo - Zone 2 2-Wire VG Loop/IO Tranport/Port Combo - Zone 3		2	 	+	20.02			 							<u> </u>
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 3 2-Wire VG Loop/IO Tranport/Port Combo - Zone 4		3	+	+ -	28.82 46.99			 		-				-	1
UNE L	oop Rates		+-		+ +	70.55										
	2-Wire Voice Grade Loop (SL2) - Zone 1		1	UEPFR	UECF2	13.89										
	2-Wire Voice Grade Loop (SL2) - Zone 2		2	UEPFR	UECF2	18.75										
	2-Wire Voice Grade Loop (SL2) - Zone 3		3	UEPFR	UECF2	27.55										
0.14/***	2-Wire Voice Grade Loop (SL2) - Zone 4		4	UEPFR	UECF2	45.72			 							
2-Wire	Voice Grade Line Port Rates (Res)		!	L			108.35	70.57	54.24			ļ			-	
	2-Wire voice unbundled port - residence			UEPFR	UEPRL	1.27				11.70						

UNBUNDL	ED NETWORK ELEMENTS - Mississippi										1-			ment: 2	. 	bit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			I .	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'l
						Rec	Nonrec		Nonrecurring					Rates (\$)		
	2-Wire voice unbundled port outgoing only - res			UEPFR	UEPRO	1.27	First 108.35	Add'I 70.57	First 54.24	Add'I 11.70	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire voice dribundled port outgoing only - res 2-Wire voice Grade unbundled Mississippi extended local			UEPFR	UEPRO	1.21	106.33	70.57	54.24	11.70	1					1
	dialing parity port with Caller ID - res			UEPFR	UEPAT	1.27	108.35	70.57	54.24	11.70						
	2-Wire voice unbundles res, low usage line port with Caller ID										†					
	(LUM)			UEPFR	UEPAP	1.27	108.35	70.57	54.24	11.70						
	2-Wire Voice Unbundled Mississippi Residence Dialing Plan															
	without Caller ID			UEPFR	UEPWJ	1.27	108.35	70.57	54.24	11.70						
INTE	ROFFICE TRANSPORT															ļ
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility Termination			UEPFR	U1TV2	20.32	40.77	27.57	17.26	7.11						
-	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile			UEPFK	UTIVZ	20.32	40.77	21.51	17.20	7.11						-
	or Fraction Mile			UEPFR	1L5XX	0.0088										
FEA	TURES								1							
	All Features Offered			UEPFR	UEPVF	2.56	0.00	0.00								
LOC	AL NUMBER PORTABILITY															
	Local Number Portability (1 per port)			UEPFR	LNPCX	0.35										
NON	RECURRING CHARGES (NRCs) - CURRENTLY COMBINED										ļ					
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port Combination - Conversion - Switch-as-is			UEPFR	USAC2		16.94	3.72								
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port			UEPFR	USACZ		10.94	3.12								1
	Combination - Conversion - Switch-With-Change			UEPFR	USACC		16.94	3.72								
	Unbundled Miscellaneous Rate Element, Tag Designed Loop at			02	00/100		10.01	0.72			†					
	End User Premise			UEPFR	URETN		11.19	1.10								
2-WI	RE VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE	LINE	ORT (BUS)												
UNE	Port/Loop Combination Rates															
\vdash	2-Wire VG Loop/IO Tranport/Port Combo - Zone 1		1			15.16										ļ
\vdash	2-Wire VG Loop/IO Tranport/Port Combo - Zone 2 2-Wire VG Loop/IO Tranport/Port Combo - Zone 3		3			20.02 28.82										
\vdash	2-Wire VG Loop/IO Tranport/Port Combo - Zone 3		4		+	46.99					 					
UNF	Loop Rates		_		+	40.55										
10.12	2-Wire Voice Grade Loop (SL2) - Zone 1		1	UEPFB	UECF2	13.89					†					
	2-Wire Voice Grade Loop (SL2) - Zone 2		2	UEPFB	UECF2	18.75										
	2-Wire Voice Grade Loop (SL2) - Zone 3		3	UEPFB	UECF2	27.55										
	2-Wire Voice Grade Loop (SL2) - Zone 4		4	UEPFB	UECF2	45.72										
2-Wi	re Voice Grade Line Port (Bus)						400.05		5101	44.00						_
—	2-Wire voice unbundled port without Caller ID - bus 2-Wire voice unbundled port with Caller + E484 ID - bus		-	UEPFB UEPFB	UEPBL UEPBC	1.27 1.27	108.35 108.35	70.57 70.57	54.24 54.24	11.70 11.70						
	2-Wire voice unbundled port with Caller + E484 ID - bus 2-Wire voice unbundled port outgoing only - bus			UEPFB	UEPBO	1.27	108.35	70.57	54.24	11.70						
	2-Wire voice Grade unbundled Mississippi extended local			OLITB	OLI BO	1.21	100.55	10.51	34.24	11.70						+
	dialing parity port with Caller ID - bus			UEPFB	UEPAY	1.27	108.35	70.57	54.24	11.70						
	2-Wire voice unbundled incoming only port with Caller ID - Bus			UEPFB	UEPB1	1.27	108.35	70.57	54.24	11.70						
	2-Wire Voice Unbundled Mississippi Business Dialing Plan															
	without Caller ID			UEPFB	UEPWK	1.27	108.35	70.57	54.24	11.70						ļ
Loc	AL NUMBER PORTABILITY				LLIBOY	0.05										
INITE	Local Number Portability (1 per port) ROFFICE TRANSPORT			UEPFB	LNPCX	0.35										
INTE	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility		-		+						 					
	Termination			UEPFB	U1TV2	20.32	40.77	27.57	17.26	7.11						
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile				J	20.02	40.77	21.01	17.20	7.11	1					
	or Fraction Mile			UEPFB	1L5XX	0.0088										
FEA	TURES															
	All Features Offered			UEPFB	UEPVF	2.56	0.00	0.00								
NON	RECURRING CHARGES (NRCs) - CURRENTLY COMBINED															ļ
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port			LIEDED	110400		40.01	0 =0								
\vdash	Combination - Conversion - Switch-as-is 2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port			UEPFB	USAC2		16.94	3.72	 		1				1	
1 1	Combination - Conversion - Switch with change			UEPFB	USACC		16.94	3.72								
	Unbundled Miscellaneous Rate Element, Tag Designed Loop at			02110	00,100		10.54	5.72			1				1	†
	End User Premise			UEPFB	URETN		11.19	1.10								

CATEGORY RATE ELEMENTS RATE ELEMENTS Svc Order Svc Order Submitted Submitted Submitted Charge - Char	UNBU	INDLE	D NETWORK ELEMENTS - Mississippi												Attach	ment: 2	Exhi	bit: A
ATE CLEMENTS INSIGHT See BCS USO PATES (6) Submitted S	01120												Svc Order	Svc Order				
CATEGORY RATE ELEMENTS May be used to compare the compare of the		I															Charge -	Charge -
CATEGORY RATE ELEMENTS May be used to compare the compare of the				Intori													•	_
Betteroin Bett	CATEG	ORY	RATE ELEMENTS		Zone	BCS	USOC			RATES (\$)			per LSR					Order vs.
No. No.																		Electronic-
Note Control																		Disc Add'l
Note Control																- (4)		<u> </u>
A	-	<u> </u>						Rec					001150	001441			001141	001141
Display Disp	-	2 WIDE	VOICE LOOP/ SWIDE VOICE CRADE IO TRANSPORT/ S WIDE	LINE	OPT /	DDV)	+	-	FIRST	Addi	First	Addi	SOMEC	SOWAN	SOWAN	SOMAN	SOMAN	SOMAN
SAVE NO LOUND TO PROPERTY CONDO- 2009 2 1 1 15.16 1 10.10	-			LINE	OKI (I	-DA)	+											—
SWEW VL LOADY TO TREPORTED COMPS - 2002 2 2 2 2 2 2 2 2		ONLIC			1		+	15.16										—
2 New Vol Loog/Ch Transport Controls - Zone 4		$\vdash \!$					+											—
SWEVE LOUDED TRANSPORT CONTROL - Zoze 4							1											
Use Fig. Use Fig.																		
2-Win voo Grone Loop (SL2 - Zono 2 2 LEPPP UEC72 58.75																		
2-Wev Note Grade Laze (SL): Zenze 3			2-Wire Voice Grade Loop (SL2) - Zone 1		1	UEPFP	UECF2	13.89										
2-Wive Vices Granted Lung (SE, 2) Zone 4			2-Wire Voice Grade Loop (SL2) - Zone 2		2	UEPFP	UECF2	18.75										
Part Pote Grade Line Pot Rates (GUS - PEX) UEPPC 1.27 137.41 60.14 67.20 11.29					3	UEPFP												(
Line Sira Unbundled Containation 2-Way PBX Trank Port - Bus UEPPP UEPPC 1.27 137.41 86.14 67.20 11.29					4	UEPFP	UECF2	45.72									-	
Use Side Unbounded Charter PERK Turk Fort - Bus USEPP USEPD 1.27 137.41 80.14 67.20 11.29	L	2-Wire	Voice Grade Line Port Rates (BUS - PBX)				1											
Use Side Unbounded Charter PERK Turk Fort - Bus USEPP USEPD 1.27 137.41 80.14 67.20 11.29		'	Live Otto Holovalla LOvalla and Service Servic			LIEDED	LIEDES											1
Che Side Unfounded Encourage PEX Frais Part - Blus LEPFP LEPF1 1.27 137.41 80.14 67.20 11.20	<u> </u>	 '				-												
SWINE Visite Unbounded PRIX DI Terminal Ports UEPPP UEPXA 1.27 137.41 80.14 67.20 11.29																		
SWINE Vices Unblumdled 2-Way Combination PRIX Usage Port UEPPP UEPXA 1.27 137.41 80.14 67.20 11.29	-																	
2-Wire Votes Unbundled PBX Toll Terminal Hotel Ports UEPPP UEPXS 1.27 137.41 80.14 67.20 11.29	-																	
2-Wire Voice Unburned PRX LD DDT Terminals Port UEPPP UEPXD 1.27 137.41 80.14 67.20 11.29	-																	
2-Wire Voice Inhurided PRX LD Terminal Switchboard PDT UEPFP UEPX 127 137.41 80.14 67.20 11.29	-																	—
2-Wire Votice Inhurded PEX.LD Terminal Switchboard IDD Capable Port Capable		 																
Capable Port		\vdash				OLITI	OLI AD	1.27	107.41	00.14	07.20	11.20						
2-Wire Voice Unbundled 2-Way PBX Hosel-Hospital Economy UEPFP UEPXL 1.27 137.41 80.14 67.20 11.29		'				UEPFP	UEPXE	1.27	137.41	80.14	67.20	11.29						i .
Administrative Calling Port UEPR UEPK 1.27 137.41 80.14 67.20 11.29		 									0							
Room Calling Port 2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital UEPPP UEPXM 1.27 137.41 80.14 67.20 11.29		'				UEPFP	UEPXL	1.27	137.41	80.14	67.20	11.29						i .
2-Wire Voice Unbundled 1-Way Outgoing PBX Mesissippi Local Economy UEPFP UEPX0 1.27 137.41 80.14 67.20 11.29		1	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy															
Discount Room Calling Port						UEPFP	UEPXM	1.27	137.41	80.14	67.20	11.29						l .
2-Wire Volce Unbundled 2-Way PBX Mississippl Local Economy UEPFP UEPXQ 1.27 137.41 80.14 67.20 11.29																		1
Calling Port		<u> </u>				UEPFP	UEPXO	1.27	137.41	80.14	67.20	11.29						
2-Wire Voice Unbundled 2-Way PBX Mississpip Local Optional Calling Port UEPFP UEPX 1.27 137.41 80.14 67.20 11.29		'																i .
Calling Port		<u> </u>				UEPFP	UEPXQ	1.27	137.41	80.14	67.20	11.29						
2-Wire Voice Unbundled 1-Way Outgoing PEX Measured Port UEPP UEPXS 1.27 137.41 80.14 67.20 11.29						LIEDED	LIEDVD	4.07	407.44	00.44	07.00	44.00						i .
Missispip PBX 2-Way Combo Local Opt 2 Calling Port UEPFP UEPA5 1.27 137.41 80.14 67.20 11.29																		
LOCAL NUMBER PORTABILITY	-																	—
Lucal Number Portability (1 per port)	-					UEPFP	UEPAS	1.27	137.41	00.14	67.20	11.29						—
InterOFFICE TRANSPORT						LIEPEP	LNPCP	3 15	0.00	0.00								
Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility UEPFP						OLITI	LIVI OI	0.10	0.00	0.00								
Termination																		
Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile or Fraction Mile or Fra	1	'				UEPFP	U1TV2	20.32	40.77	27.57	17.26	7.11						i
FEATURES			Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile					ĺ										
All Features Offered						UEPFP	1L5XX	0.0088										
NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED 2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port Combination - Conversion - Switch-as-is UEPFP USAC2 16.94 3.72 2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port Combination - Conversion - Switch with change UEPFP USACC 16.94 3.72 Unbundled Miscellaneous Rate Element, Tag Designed Loop at End User Premise UEPFP URETN 11.19 1.10 UNBUNDLED PORT/LOOP COMBINATIONS - COST BASED RATES 2-WIRE VOICE GRADE LOOP- BUS ONLY - WITH 2-WIRE DID TRUNK PORT UNE POrt/Loop Combination Rates 2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 1 1 21.32 2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 2 2 2 2.4 26.16 2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 3 3 34.98 2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 4 4 53.15																		
2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port UEPFP USAC2 16.94 3.72						UEPFP	UEPVF	2.56	0.00	0.00								<u> </u>
Combination - Conversion - Switch-as-is							1											
2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port Combination - Conversion - Switch with change UEPFP USACC 16.94 3.72 3.72	1	'							40.51									1
Combination - Conversion - Switch with change	-					UEPFP	USAC2		16.94	3.72								
Unbundled Miscellaneous Rate Element, Tag Designed Loop at End User Premise	1					LIEDED	LISACC		16.04	2.70								1
End User Premise	\vdash				-	ULFFF	USACC		16.94	3.72								
UNBUNDLED PORT/LOOP COMBINATIONS - COST BASED RATES						LIEPEP	LIRETN		11 10	1 10								1
2-WIRE VOICE GRADE LOOP- BUS ONLY - WITH 2-WIRE DID TRUNK PORT	UNBUN					OL111	OINLIIN		11.19	1.10								
UNE Port/Loop Combination Rates	5.4551			PORT			1						†		1			
2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 1							1											
2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 2 2 26.16 2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 3 3 34.98 2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 4 4 53.15 53.15 53.15 53.15 53.15 53.15 53.15 53.15 53.15 53.15 53.15 53.15 53.15 53.15 53.15 53.15 53.15 53.15 53.15 53.15 53.15 53.15 53.15 53.15 53.15 53.15 53.15 53.15 53.15 53.15 53.15 53.15 53.15 53.15 53.15 53.15 53.15 53.15 53.15 53.15 53.15 53.15 53.15 53.15 53.15 53.15 53.15 53.15 53.15 53.15 53.15 53.15 53.15 53.15 53.15 53.15 53.15 53.15 53.15 53.15 53.15 53.15 53.15 53.15 53.15 53.15 53.15 53.15 53.15 53.15 53.15 53.15 53.15 53.15 53.15 53.15 53.15					1		1	21.32					İ					
2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 3 3 34.98 2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 4 4 53.15																		
UNE Loop Rates					4			53.15										
		UNE Lo	pop Rates															

UNBUNDLE	D NETWORK ELEMENTS - Mississippi			•											ment: 2		ibit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	В	cs	USOC			RATES (\$)				Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Charge -	Charge -
							Rec	Nonred	urring	Nonrecurring	Disconnect				Rates (\$)	•	
								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 1			UEPPX		UECD1	13.89										
	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 2		2	UEPPX		UECD1	18.75										
	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 3			UEPPX		UECD1	27.55										
	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 4 ort Rate		4	UEPPX		UECD1	45.72					-					-
	Exchange Ports - 2-Wire DID Port			UEPPX		UEPD1	7.43	225.96	87.13	114.59	14.25	1					1
	CURRING CHARGES - CURRENTLY COMBINED			OLITA		OLIDI	7.45	225.50	07.13	114.55	14.23	1					
	2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Combination -											1					
	Switch-as-is			UEPPX		USAC1		7.35	1.88								
	2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Conversion																1
	with BellSouth Allowable Changes			UEPPX		USA1C		7.35	1.88	<u> </u>		<u></u>	<u> </u>				
	ONAL NRCs																
	2-Wire DID Subsequent Activity - Add Trunks, Per Trunk			UEPPX		USAS1		26.94	26.94								
	Unbundled Miscellaneous Rate Element, Tag Designed Loop at					ı											
	End User Premise			UEPPX		URETN		11.19	1.10			ļ					ļ
	one Number/Trunk Group Establisment Charges						2.22										ļ
	DID Trunk Termination (One Per Port)		-	UEPPX		NDT	0.00	0.00	0.00								-
	Additional DID Numbers for each Group of 20 DID Numbers		-	UEPPX UEPPX		ND4 ND5	0.00	0.00	0.00			1					
	DID Numbers, Non- consecutive DID Numbers , Per Number Reserve Non-Consecutive DID numbers			UEPPX		ND6	0.00	0.00	0.00			-					+
	Reserve DID Numbers		-	UEPPX		NDV	0.00	0.00	0.00			 				1	-
LOCAL	NUMBER PORTABILITY			OLITA		INDV	0.00	0.00	0.00								
	Local Number Portability (1 per port)			UEPPX		LNPCP	3.15	0.00	0.00			1					
	ISDN DIGITAL GRADE LOOP WITH 2-WIRE ISDN DIGITAL LIN	NE SIDE	PORT									1					
	ort/Loop Combination Rates											1					
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -																
	UNE Zone 1		1	UEPPB	UEPPR		28.59										
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port - UNE Zone 2		2	UEPPB	UEPPR		35.00										
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -																
	UNE Zone 3		3	UEPPB	UEPPR		45.18										
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -																
	UNE Zone 4		4				67.61										ļ
	pop Rates																
	2-Wire ISDN Digital Grade Loop - UNE Zone 1		1	UEPPB	UEPPR	USL2X	18.26										ļ
	2 Wins ICDN Digital Conda Lang. UNE Zana 2		2	LIEDDD	LIEDDD	LICLOY	04.07										
	2-Wire ISDN Digital Grade Loop - UNE Zone 2 2-Wire ISDN Digital Grade Loop - UNE Zone 3		3	UEPPB UEPPB	UEPPR UEPPR	USL2X	24.67 34.85					1					-
	2-Wire ISDN Digital Grade Loop - UNE Zone 3		4	UEPPB	UEPPR		57.28					1					
UNE Po				OLITB	OLITIK	OOLEX	07.20					1					
	Exchange Port - 2-Wire ISDN Line Side Port			UEPPB	UEPPR	UEPPB	10.33	190.80	133.22	100.72	21.13	1					
	CURRING CHARGES - CURRENTLY COMBINED					ĺ											
	2-Wire ISDN Digital Grade Loop / 2-Wire ISDN Line Side Port											ĺ					
	Combination - Conversion			UEPPB	UEPPR	USACB	0.00	38.73	27.17								
ADDITI	ONAL NRCs																
	Unbundled Miscellaneous Rate Element, Tag Designed Loop at																
	End User Premise			UEPPB	UEPPR	URETN		11.19	1.10			ļ					
	Unbundled Miscellaneous Rate Element, Tag Loop at End User			LIEDDE	LIEDDE	LIDETI		0.00	0.00								
	Premise			UEPPB	UEPPR	URETL		8.33	0.83	 		<u> </u>				-	
	NUMBER PORTABILITY Local Number Portability (1 per port)		-	UEPPB	UEPPR	LNPCX	0.35	0.00	0.00			1	-		-		
	NNEL USER PROFILE ACCESS:			ULFPD	OLFFR	LINEON	0.35	0.00	0.00	 		<u> </u>		1		 	
D-OTIAL	CVS/CSD (DMS/5ESS)			UEPPB	UEPPR	U1UCA	0.00	0.00	0.00			 	-				†
	CVS (EWSD)			UEPPB	UEPPR	U1UCB	0.00	0.00	0.00			l -	†	1		1	†
	CSD			UEPPB	UEPPR	U1UCC	0.00	0.00	0.00				İ	İ	İ		
	NNEL AREA PLUS USER PROFILE ACCESS: (AL,KY,LA,MS SC	C,MS, &	TN)														
	CVS/CSD (DMS/5ESS)			UEPPB	UEPPR	U1UCD	0.00	0.00	0.00								
	CVS (EWSD)			UEPPB	UEPPR		0.00	0.00	0.00								
	CSD			UEPPB	UEPPR	U1UCF	0.00	0.00	0.00								

	D NETWORK ELEMENTS - Mississippi												Attach	ment: 2	Exhi	bit: A
								·		·		Svc Order			Incremental	Incrementa
											Submitted	1	Charge -	Charge -	Charge -	Charge -
		Interi	l_								Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svo
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
		ļ	ļ		1				I	- B'				D-1 (A)		
+-		ļ			1	Rec	Nonrec		Nonrecurring First		COMEC	SOMAN	SOMAN	Rates (\$)	SOMAN	SOMAN
LICED	TERMINAL PROFILE	-			+		First	Add'l	FIRSt	Add'l	SOWIEC	SUMAN	SOWAN	SOMAN	SUMAN	SUMAN
USER	User Terminal Profile (EWSD only)	!	-	UEPPB UEPPR	U1UMA	0.00	0.00	0.00			1	1				
VERT	CAL FEATURES			OLFFB OLFFR	UTOWA	0.00	0.00	0.00			 					1
VERT	All Vertical Features - One per Channel B User Profile			UEPPB UEPPR	UEPVF	2.56	0.00	0.00			 					1
INTER	OFFICE CHANNEL MILEAGE			OLITE OLITE	OLI VI	2.00	0.00	0.00								
- INTER	Interoffice Channel mileage each, including first mile and	<u> </u>	1													
	facilities termination			UEPPB UEPPR	M1GNC	22.5298	40.77	27.57	17.26	7.11						
-+	Interoffice Channel mileage each, additional mile	1		UEPPB UEPPR	M1GNM	0.0098	0.00	0.00	17.20	7.11	1	1				
4-WIR	E DS1 DIGITAL LOOP WITH 4-WIRE ISDN DS1 DIGITAL TRUNK	K PORT		OLITE OLITE		0.0000	0.00	0.00			1	1				
	NE-P DS1 combination rates below for in this rate exhibit appl			ded base in place	as of 10/2/03	until 4/1/04. Aft	er 4/1/04 these	rates shall rev	vert to tariff rate	es or a separa	te commerc	ial agreeme	nt.			
Regue	ests for 4-Wire DS1 Digital Loop with 4-Wire ISDN DS1 Digital 1	Frunk P	ort afte	r the effective date	of this amend	Iment shall be	provided pursu	ant to a separ	ate agreement	or tariff at Bel	lSouth's di	scretion.	T	İ		
	Port/Loop Combination Rates	1	1													İ
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE		1	1										1		1
	Zone 1	1	1	UEPPP		155.43								I		l
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE	i	1	1												İ
	Zone 2	1	2	UEPPP		205.74										
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE	1	ΤĒ	İ	1								l	ĺ		1
	Zone 3		3	UEPPP		283.10										
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE															
	Zone 4		4	UEPPP		534.81										
UNE L	oop Rates	1														
	4-Wire DS1 Digital Loop - UNE Zone 1	1	1	UEPPP	USL4P	79.08										
	4-Wire DS1 Digital Loop - UNE Zone 2		2	UEPPP	USL4P	129.38						İ				
	4-Wire DS1 Digital Loop - UNE Zone 3		3	UEPPP	USL4P	206.74						İ				
	4-Wire DS1 Digital Loop - UNE Zone 4		4	UEPPP	USL4P	458.46						İ				
UNE P	Port Rate	i e														
	Exchange Ports - 4-Wire ISDN DS1 Port (E:4/1/2004)			UEPPP	UEPPP	76.35	458.93	260.59	127.75	32.76	1					
NONR	ECURRING CHARGES - CURRENTLY COMBINED										ĺ					
	4-Wire DS1 Digital Loop / 4-Wire ISDN DS1 Digital Trunk Port										1					
	Combination - Conversion -Switch-as-is (E:4/1/2004)			UEPPP	USACP	0.00	119.76	79.01								
ADDIT	TONAL NRCs															
	4-Wire DS1 Loop/4-W ISDN Digtl Trk Port - Subsqt Actvy-															
	Inward/two way Tel Nos. (except NC)			UEPPP	PR7TF		0.49									
	4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trunk Port -															
	Outward Tel Numbers (All States except NC)			UEPPP	PR7TO		11.58	11.58								
	4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trk Port -															
	Subsequent Inward Tel Numbers			UEPPP	PR7ZT		23.15	23.15								
LOCA	L NUMBER PORTABILITY	ļ	<u> </u>													
	Local Number Portability (1 per port)	ļ	<u> </u>	UEPPP	LNPCN	1.75										
INTER	FACE (Provsioning Only)	ļ	<u> </u>	L	1									ļ		L
	Voice/Data	ļ	<u> </u>	UEPPP	PR71V	0.00	0.00	0.00			ļ					
	Digital Data	ļ	<u> </u>	UEPPP	PR71D	0.00	0.00	0.00			ļ					
	Inward Data	ļ	<u> </u>	UEPPP	PR71E	0.00	0.00	0.00						ļ		L
New o	r Additional "B" Channel	ļ	<u> </u>	L	1	1					ļ					ļ
	New or Additional - Voice/Data B Channel	!	├	UEPPP	PR7BV	0.00	14.61				<u> </u>				ļ	
$-\!\!\!\!-\!\!\!\!\!-$	New or Additional - Digital Data B Channel	!	<u> </u>	UEPPP	PR7BF	0.00	14.61					-	 	 	ļ	.
	New or Additional Inward Data B Channel	!	-	UEPPP	PR7BD	0.00	14.61				 	-	-	 	1	-
CALL	TYPES	!	<u> </u>	LIEDDD	DD7C4	0.00	0.00	0.00				-	 	 	ļ	.
-	Inward	!	-	UEPPP	PR7C1	0.00	0.00	0.00			 	-	-	 	1	
-	Outward	!	-	UEPPP UEPPP	PR7CO	0.00	0.00	0.00			 	-	-	 	1	-
	Two-way	 	 	UEPPP	PR7CC	0.00	0.00	0.00			 	-		-	-	-
Into	ffice Channel Mileage	1	<u> </u>	UEPPP	41 N/4 A	57.53	00.70	00.00	40.00	14.90	<u> </u>				-	
Intero	Fixed Feeb Including First Mile				1LN1A	57.53	89.79	82.28	16.66	14.90		1		l	1	
Intero	Fixed Each Including First Mile	ļ			41 N/4 D	0.20						1			1	
	Each Airline-Fractional Additional Mile			UEPPP	1LN1B	0.20										
4-WIRI	Each Airline-Fractional Additional Mile E DS1 DIGITAL LOOP WITH 4-WIRE DDITS TRUNK PORT			UEPPP			4/4/04 th	untan alah ili ili	ant to toniff			ial ammanis				
4-WIRI	Each Airline-Fractional Additional Mile E DS1 DIGITAL LOOP WITH 4-WIRE DDITS TRUNK PORT NE-P DS1 combination rates below for in this rate exhibit appl			UEPPP dded base in place	as of 10/2/03	until 4/1/04. Aft					te commerc	ial agreeme	nt.			
4-WIRI The UI Reque	Each Airline-Fractional Additional Mile E DS1 DIGITAL LOOP WITH 4-WIRE DDITS TRUNK PORT			UEPPP dded base in place	as of 10/2/03	until 4/1/04. Aft					te commerc	ial agreeme	nt.			

UNBUNI	DLE	NETWORK ELEMENTS - Mississippi												Attach	ment: 2	Exhi	ibit: A
												Svc Order	Svc Order	Incremental		Incremental	
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
			Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGOR	RY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
												p	p	Electronic-		Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
						1										2.00	2.007.444.
							Rec		curring	Nonrecurring					Rates (\$)		
								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	-	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 2			UEPDC		182.07										
\vdash	-	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 3		3	UEPDC		259.44										Ļ
L		4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 4		4	UEPDC		511.15										ļ
Ur	NE LO	op Rates			LIEBBO		======										ļ
-	-	4-Wire DS1 Digital Loop - UNE Zone 1		1	UEPDC	USLDC	79.08										
		4-Wire DS1 Digital Loop - UNE Zone 2		2	UEPDC	USLDC	129.38										
—		4-Wire DS1 Digital Loop - UNE Zone 3	<u> </u>	3	UEPDC	USLDC	206.74										
H-1	<u></u>	4-Wire DS1 Digital Loop - UNE Zone 4		4	UEPDC	USLDC	458.46										
Ur		ort Rate	<u> </u>	-	LIEDDO	LIDDAT	50.70	457.40	054.70	400.00	44.04						
N/		4-Wire DDITS Digital Trunk Port (E:4/1/2004)	<u> </u>		UEPDC	UDD1T	52.70	457.12	254.70	120.96	14.61		-				
INC	JNKE	CURRING CHARGES - CURRENTLY COMBINED 4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination	1									-					
		- Switch-as-is (E:4/1/2004)	1	1	UEPDC	USAC4		130.24	67.41				1	I			
\vdash		- Switch-as-is (E:4/1/2004) 4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination	 	-	OLPDO	USAU4		130.24	67.41	1		-		 	 		
		- Conversion with DS1 Changes (E:4/1/2004)			UEPDC	USAWA		130.24	67.41					1			
\vdash	-	Conversion with DS1 Changes (E:4/1/2004) Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination	 	-	OLPDO	USAVVA		130.24	67.41	1	-	-			1	-	
		- Conversion with Change - Trunk (E:4/1/2004)			UEPDC	USAWB		130.24	67.41								
Λ.	ודוחר	ONAL NRCs	1	-	UEPDC	USAVVB		130.24	67.41			1		-	1		-
AL	וווטכ	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - NRC -	<u> </u>	-		+						-	-	-	1		
		Subsequent Channel Activation/Chan - 2-Way Trunk			UEPDC	UDTTA		14.56	14.56								
	-	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent	1	-	UEPDC	UDITA		14.50	14.56			1		-	1		-
		Channel Activation/Chan - 1-Way Outward Trunk			UEPDC	UDTTB		14.56	14.56								
	-	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Channel	1	-	UEPDC	UDITE		14.50	14.56			1		-	1		-
		Activation/Chan Inward Trunk w/out DID			UEPDC	UDTTC		14.56	14.56								
	-	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan			OLI DO	ODITO		14.50	14.50			1					-
		Activation Per Chan - Inward Trunk with DID			UEPDC	UDTTD		14.56	14.56								
	-	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan			OLI DO	ODITO		14.50	14.50								-
		Activation / Chan - 2-Way DID w User Trans			UEPDC	UDTTE		14.56	14.56								
BI	POL 4	AR 8 ZERO SUBSTITUTION			OLI DO	ODITE		14.50	14.50								-
- P.	. 02/	B8ZS -Superframe Format			UEPDC	CCOSF		0.00i	600.00s								-
	-	B8ZS - Extended Superframe Format			UEPDC	CCOEF		0.00i	600.00s			†		-	1		
ΔI	terna	te Mark Inversion			OLI DO	CCCLI		0.001	000.000			1		1	1		†
	terria	AMI -Superframe Format			UEPDC	MCOSF		0.00	0.00			1		1	1		†
	-	AMI - Extended SuperFrame Format			UEPDC	MCOPO		0.00	0.00			†		-	1		
Te		one Number/Trunk Group Establisment Charges															
		Telephone Number for 2-Way Trunk Group	t -		UEPDC	UDTGX	0.00										
		Telephone Number for 1-Way Outward Trunk Group			UEPDC	UDTGY	0.00										
		Telephone Number for 1-Way Inward Trunk Group Without DID			UEPDC	UDTGZ	0.00										
		DID Numbers for each Group of 20 DID Numbers	1	1	UEPDC	ND4	0.00			1			1	İ	1		
		DID Numbers, Non- consecutive DID Numbers , Per Number		1	UEPDC	ND5	0.00								1		
		Reserve Non-Consecutive DID Nos.	Ì		UEPDC	ND6	0.00	0.00	0.00								
		Reserve DID Numbers			UEPDC	NDV	0.00	0.00	0.00								
De	edicat	ed DS1 (Interoffice Channel Mileage) - FX/FCO for 4-Wire DS	1 Digita	Loop	with 4-Wire DDITS 1	runk Port											
		Interoffice Channel Mileage - Fixed rate 0-8 miles (Facilities	1														
		Termination)	1	1	UEPDC	1LNO1	57.33	89.79	82.28	16.86	14.90		1	I			
		·															
		Interoffice Channel Mileage - Additional rate per mile - 0-8 miles	<u> </u>	L	UEPDC	1LNOA	0.20	0.00	0.00		<u> </u>	<u></u>		<u> </u>	<u> </u>	<u> </u>	
		Interoffice Channel Mileage - Fixed rate 9-25 miles (Facilities															
L		Termination)	<u></u>	<u></u>	UEPDC	1LNO2	0.00	0.00	0.00		<u> </u>	<u></u>	<u> </u>	L	<u> </u>	<u> </u>	<u> </u>
		Interoffice Channel Mileage - Additional rate per mile - 9-25															
		miles	<u> </u>		UEPDC	1LNOB	0.20	0.00	0.00					<u> </u>			
		Interoffice Channel Mileage - Fixed rate 25+ miles (Facilities															
		Termination)	<u></u>	<u></u>	UEPDC	1LNO3	0.00	0.00	0.00	0.00	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	
		Interoffice Channel Mileage - Additional rate per mile - 25+ miles	<u> </u>	L	UEPDC	1LNOC	0.20	0.00	0.00		<u> </u>	<u></u>		<u> </u>	<u> </u>	<u> </u>	
		Local Number Portability, per DS0 Activated			UEPDC	LNPCP	3.15	0.00	0.00	0.00							
		Central Office Termininating Point			UEPDC	CTG	0.00										
		DS1 LOOP WITH CHANNELIZATION WITH PORT															
Sy	/stem	is 1 DS1 Loop, 1 D4 Channel Bank, and up to 24 Feature Act	ivations														

UNBUN	DLED	NETWORK ELEMENTS - Mississippi												Attach	ment: 2	Exhi	bit: A
	Ť			1			1					Svc Order	Svc Order	Incremental	Incremental		Incremental
												Submitted	Submitted		Charge -	Charge -	Charge -
			Intent									Elec		Manual Svc	Manual Svc		Manual Svo
CATEGOR	RY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m									per Lore	per Lore	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
														151	Addi	DISC 1St	DISC Add I
							Rec	Nonre	curring	Nonrecurring	g Disconnect			oss	Rates (\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		stem can have up to 24 combinations of rates depending on															
Th	ne UNE	-P DS1 combination rates below for 4-Wire DS1 Loop with 0	Channel	ization	with Port in this ra	te exhibit app	ly to the embe	dded base in p	place as of 10/2	2/03 until 4/1/04	l. After 4/1/04 t	these rates	shall revert	to tariff rates	or a separate	agreement.	
Re	equest	s for 4-Wire DS1 Loop with Channelization with Port after th	ne effect	ive dat	e of this amendmen	t shall be pro	vided pursuar	t to a separate	agreement or	tariff at BellSo	uth's discretion	on.					
10	NE DS1	I Loop															
	4	-Wire DS1 Loop - UNE Zone 1		1	UEPMG	USLDC	79.08	0.00	0.00								
	4	-Wire DS1 Loop - UNE Zone 2		2	UEPMG	USLDC	129.38	0.00	0.00								
	4	-Wire DS1 Loop - UNE Zone 3		3	UEPMG	USLDC	206.74	0.00	0.00								
	4	-Wire DS1 Loop - UNE Zone 4		4	UEPMG	USLDC	458.46	0.00	0.00								
UI	NE DS	O Channelization Capacities (D4 Channel Bank Configuration	ns)														
	2	24 DSO Channel Capacity - 1 per DS1			UEPMG	VUM24	95.06	0.00	0.00								
	4	8 DSO Channel Capacity - 1 per 2 DS1s			UEPMG	VUM48	190.12	0.00	0.00								
	9	6 DSO Channel Capacity -1per 4 DS1s			UEPMG	VUM96	380.24	0.00	0.00								
		44 DS0 Channel Capacity - 1 per 6 DS1s			UEPMG	VUM14	570.36	0.00	0.00								
		92 DS0 Channel Capacity -1 per 8 DS1s		1	UEPMG	VUM19	760.48	0.00	0.00								
		240 DS0 Channel Capacity - 1 per 10 DS1s		1	UEPMG	VUM2O	950.60	0.00	0.00								
		288 DS0 Channel Capacity - 1 per 12 DS1s		1	UEPMG	VUM28	1,140.72	0.00	0.00								
		84 DS0 Channel Capacity - 1 per 16 DS1s			UEPMG	VUM38	1,520.96	0.00	0.00								
		80 DS0 Channel Capacity - 1 per 20 DS1s			UEPMG	VUM4O	1,901,20	0.00	0.00								
		576 DS0 Channel Capacity -1 per 24 DS1s			UEPMG	VUM57	2,281.44	0.00	0.00								
		72 DS0 Channel Capacity - 1 per 28 DS1s			UEPMG	VUM67	2,661,68	0.00	0.00								
Nr.		urring Charges (NRC) Associated with 4-Wire DS1 Loop with	h Chani	neliztio					****								
		um System configuration is One (1) DS1, One (1) D4 Channe						l									
		s of this configuration functioning as one are considered Ad															
		NRC - Conversion (Currently Combined) with or without	1	1		1											
		BellSouth Allowed Changes			UEPMG	USAC4	0.00	151.35	8.41								
S		Additions at End User Locations Where 4-Wire DS1 Loop wi	th Char	nelizat					0								
		t Currently Combined) in all states, except in Density Zone 1				1		Ī									
		DS1/D4 Channel Bank - Additionally Add NRC for each Port	1	1	1												
		and Assoc Fea Activation (E:4/1/2004)			UEPMG	VUMD4	0.00	715.15	327.39	148.05	17.56						
Bi		3 Zero Substitution															
<u> </u>		Clear Channel Capability Format, superframe - Subsequent															
		Activity Only			UEPMG	CCOSF	0.00	0 00i	600.00s								
		Clear Channel Capability Format - Extended Superframe -			020	0000.	0.00	0.00.	000.000								
		Subsequent Activity Only			UEPMG	CCOEF	0.00	0 00i	600.00s								
Δ1		e Mark Inversion (AMI)			020	0002.	0.00	0.001	000.000								
		Superframe Format			UEPMG	MCOSF	0.00	0.00	0.00								
		Extended Superframe Format			UEPMG	MCOPO	0.00	0.00	0.00								
F:		pe Ports Associated with 4-Wire DS1 Loop with Channelization	on with	Port		1	3.30	3.50	3.30		i				i		
		e Ports	T	1		+											
		ine Side Combination Channelized PBX Trunk Port - Business	1	1		1	i	 	 		 				 		
		E:4/1/2004)	1		UEPPX	UEPCX	1.23	0.00	0.00	0.00	0.00	1					
\vdash		ine Side Outward Channelized PBX Trunk Port - Business	1	1		52. 5%	1.20	3.30	0.00	5.50	0.00				 		
		E:4/1/2004)	1		UEPPX	UEPOX	1.23	0.00	0.00	0.00	0.00	1					
\vdash		ine Side Inward Only Channelized PBX Trunk Port without DID	 	t —		52. 5%	1.20	0.00	0.00	0.00	0.00						
		E:4/1/2004)	1		UEPPX	UEP1X	1.23	0.00	0.00	0.00	0.00						
\vdash		P-Wire Trunk Side Unbundled Channelized DID Trunk Port	l	t	J. 1 /	CEI IX	1.25	0.00	0.00	5.00	0.00	†					1
		E:4/1/2004)	1		UEPPX	UEPDM	7.40	0.00	0.00	0.00	0.00						
$\vdash \vdash$		Jnbundled Exchange Ports, 2-Wire Channelized – Outdial –	l	t	J. 1 /	CEI DIVI	7.40	0.00	0.00	5.00	0.00	†					1
1 1	- 11		1			1						1					
		AL, KY, LA, MS, & TN)(Conversion from Network Access				1	4 00	0.00	0.00	0.00	0.00	1			1		
	(AL, KY, LA, MS, & TN)(Conversion from Network Access Service) (E:4/1/2004)			UEPPX	UEPCY			0.00	0.00	0.00						
	(.	Service) (E:4/1/2004)			UEPPX	UEPCY	1.23	0.00									
	(, S	Service) (E:4/1/2004) Jnbundled Exchange Ports, 2-Wire Channelized – Combination			UEPPX	UEPCY	1.23	0.00									
	(, S (,	Service) (E:4/1/2004) Jnbundled Exchange Ports, 2-Wire Channelized – Combination AL, KY, LA, MS, & TN) (Conversion from Network Access							0.00	0.00	0.00						
	(, S (,	Service) (E:4/1/2004) Inbundled Exchange Ports, 2-Wire Channelized – Combination AL, KY, LA, MS, & TN) (Conversion from Network Access Service) (E:4/1/2004)			UEPPX UEPPX	UEPCT	1.23	0.00	0.00	0.00	0.00						
	(, S L (, S	Service) (E:4/1/2004) Inbundled Exchange Ports, 2-Wire Channelized – Combination AL, KY, LA, MS, & TN) (Conversion from Network Access Service) (E:4/1/2004) Jnbundled Exchange Ports, 2-Wire Channelized – Outdial–			UEPPX	UEPCT	1.23	0.00									
	(, S (, S L	Service) (E:4/1/2004) Inbundled Exchange Ports, 2-Wire Channelized – Combination AL, KY, LA, MS, & TN) (Conversion from Network Access Service) (E:4/1/2004) Inbundled Exchange Ports, 2-Wire Channelized – Outdial– Alississippi Only – Calling Plan (E:4/1/2004)							0.00	0.00	0.00						
	(, S (, S (, N	Service) (E:4/1/2004) Inbundled Exchange Ports, 2-Wire Channelized – Combination AL, KY, LA, MS, & TN) (Conversion from Network Access Service) (E:4/1/2004) Jnbundled Exchange Ports, 2-Wire Channelized – Outdial–			UEPPX	UEPCT	1.23	0.00									

HINDH	NDI E	D NETWORK ELEMENTS - Mississippi												Attach	ment: 2	Evhi	ibit: A
UNBU	NDLE	D NETWORK ELEMENTS - WISSISSIPPI		1		1						Cur Onden	Cur Ouden	Incremental	Incremental		
																	I I
												Submitted	Submitted		Charge -	Charge -	Charge -
CATEG	ORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			Elec	,	Manual Svc	Manual Svc		Manual Svc
OATE	0	KATE EEEMERTO	m	20110	500	0000			ππι Ευ (ψ)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							_ 1	Nonre	urring	Nonrecurring	Disconnect			oss	Rates (\$)		•
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Feature (Service) Activation for each Line Port Terminated in D4															
		Bank			UEPPX	1PQWM	0.61	25.36	13.39	4.29	4.26						
		Feature (Service) Activation for each Trunk Port Terminated in															
		D4 Bank			UEPPX	1PQWU	0.61	78.03	18.39	60.66	11.85						
	Teleph	one Number/ Group Establishment Charges for DID Service															
		DID Trunk Termination (1 per Port)			UEPPX	NDT	0.00	0.00	0.00								
		DID Numbers - groups of 20 - Valid all States			UEPPX	ND4	0.00	0.00	0.00								
		Non-Consecutive DID Numbers - per number			UEPPX	ND5	0.00	0.00	0.00								
		Reserve Non-Consecutive DID Numbers			UEPPX	ND6	0.00	0.00	0.00								
\vdash	Lasali	Reserve DID Numbers			UEPPX	NDV	0.00	0.00	0.00			-					
\vdash	Locai I	Number Portability	-	+	UEPPX	LNPCP	3.15	0.00	0.00			-	-	-		-	
\vdash	FEATU	Local Number Portability - 1 per port RES - Vertical and Optional	 	-	ULFFA	LINECE	3.15	0.00	0.00		-	-	 		 		
		Switching Features Offered with Line Side Ports Only	-	1		+						-					
\vdash	_0001	All Features Available	-		UEPPX	UEPVF	2.56	0.00	0.00				-		 		
UNRUN	DLFD	CENTREX PORT/LOOP COMBINATIONS - COST BASED RATE:	s	†	OLI I A	JE: VI	2.50	0.00	0.00			-	 		 		
		Based Rates are applied where BellSouth is required by FCC		State 0	Commission rule to	provide Unb	undled Local S	witching or Sv	itch Ports.								
		ures shall apply to the Unbundled Port/Loop Combination - C								dled Port secti	on of this Rate	Exhibit.					
		Office and Tandem Switching Usage and Common Transport											oin Port/Lo	op Combinat	ions.		
		first and additional Port nonrecurring charges apply to Not C														Additional NR	≀Cs may
		also and are categorized accordingly.	•			•		•	0 0				Ü	•			-
		ket Rates for Unbundled Centrex Port/Loop Combination will	be nead	otiated	on an Individual Ca	ase Basis, un	til further notic	e.					l				
		CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only															
	2-Wire	VG Loop/2-Wire Voice Grade Port (Centrex) Combo															
	UNE P	ort/Loop Combination Rates (Non-Design)															
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -	-														
		Non-Design		1	UEP91		12.22										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
		Non-Design		2	UEP91		17.13										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
-		Non-Design		3	UEP91		26.26										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -	1	4	LIEDO4		44.04										
\vdash	LINE D	Non-Design ort/Loop Combination Rates (Design)		4	UEP91	-	44.91					-					
-	UNE P	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -	-			1											1
		Design	1	1	UEP91		15.12										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		- '	OLI 31	<u> </u>	10.12										-
		Design		2	UEP91		19.98										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		<u> </u>		1	10.00				1				1		
		Design		3	UEP91		28.78										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -		Ť	-	1					İ				İ		
		Design		4	UEP91		46.95						1				
	UNE L	pop Rate				1									1		
		2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP91	UECS1	10.98										
		2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEP91	UECS1	15.91										
		2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP91	UECS1	25.04										
		2-Wire Voice Grade Loop (SL 1) - Zone 4		4	UEP91	UECS1	43.68										
\Box		2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP91	UECS2	13.89										
		2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP91	UECS2	18.75										
		2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP91	UECS2	27.55										
\vdash		2-Wire Voice Grade Loop (SL 2) - Zone 4		4	UEP91	UECS2	45.72										
	UNE P					1											_
\vdash	All Sta	tes (Except North Carolina and Sout Carolina)	-	-	LIEDO4	LIEDY'A	100	10.01	10.01	04.00	0.50		ļ		 		
\vdash		2-Wire Voice Grade Port (Centrex) Basic Local Area	-	-	UEP91	UEPYA	1.23	40.31	19.84	24.90	6.58	-			-		
		2-Wire Voice Grade Port (Centrex 800 termination)Basic Local Area			UEP91	UEPYB	1.23	40.31	19.84	24.90	6.58						
		2-Wire Voice Grade Port (Centrex with Caller ID)Note1 Basic Local Area			UEP91	UEPYH	1.23	40.31	19.84	24.90	6.58						

UNBUNDLE	D NETWORK ELEMENTS - Mississippi			•	.									ment: 2		bit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			1	Submitted	Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'
						Rec	Nonrec		Nonrecurring					Rates (\$)		
						1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)															
	Note 2, 3 Basic Local Area			UEP91	UEPYM	1.23	108.35	70.57	54.24	11.70						
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term - Basic Local Area			UEP91	UEPYZ	1.23	108.35	70.57	54.24	11.70						
	2-Wire Voice Grade Port terminated in on Megalink or equivalent - Basic Local Area			UEP91	UEPY9	1.23	40.31	19.84	24.90	6.58						
	2-Wire Voice Grade Port Terminated on 800 Service Term - Basic Local Area			UEP91	UEPY2	1.23	40.31	19.84	24.90	6.58						
AL, K	Y, LA, MS, & TN Only															
	2-Wire Voice Grade Port (Centrex)			UEP91	UEPQA	1.23	40.31	19.84		6.58						
	2-Wire Voice Grade Port (Centrex 800 termination)	ļ		UEP91	UEPQB	1.23	40.31	19.84		6.58					ļ	
	2-Wire Voice Grade Port (Centrex with Caller ID)1	!	<u> </u>	UEP91	UEPQH	1.23	40.31	19.84	24.90	6.58						
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)2,3			UEP91	UEPQM	1.23	108.35	70.57	54.24	11.70						
	2-Wire Voice Grade Port, Diff Serving Wire Center - 2,3 - 800 Service Term			UEP91	UEPQZ	1.23	108.35	70.57	54.24	11.70						
	2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP91	UEPQ9	1.23	40.31	19.84	24.90	6.58						
	2-Wire Voice Grade Port Terminated on 800 Service Term			UEP91	UEPQ2	1.23	40.31	19.84	24.90	6.58						
Local	Switching			LIEDO4	LIBEOO	0.7047										
	Centrex Intercom Funtionality, per port		-	UEP91	URECS	0.7947										
Local	Number Portability Local Number Portability (1 per port)			UEP91	LNPCC	0.35										
Featur			<u> </u>	UEP91	LNPCC	0.35			1		-					
Featur	All Standard Features Offered, per port			UEP91	UEPVF	2.56					1					
	All Select Features Offered, per port			UEP91	UEPVS	0.00	404.98								1	
	All Centrex Control Features Offered, per port			UEP91	UEPVC	2.56	404.00		1		1					
NARS				02. 0.	02. 70	2.00										
	Unbundled Network Access Register - Combination			UEP91	UARCX	0.00	0.00	0.00	0.00	0.00						
	Unbundled Network Access Register - Indial			UEP91	UAR1X	0.00	0.00	0.00	0.00	0.00						
	Unbundled Network Access Register - Outdial			UEP91	UAROX	0.00	0.00	0.00	0.00	0.00						
	Ilaneous Terminations															
2-Wire	Trunk Side															
	Trunk Side Terminations, each			UEP91	CENA6	8.25	120.00	18.85	61.77	3.88						
Intero	ffice Channel Mileage - 2-Wire			LIEBO.		00.50	40.00		47.00							
	Interoffice Channel Facilities Termination - Voice Grade Interoffice Channel mileage, per mile or fraction of mile	 	-	UEP91 UEP91	M1GBC M1GBM	22.52 0.0098	40.77	27.57	17.26	7.11		 		 	 	
Footuu	re Activations (DS0) Centrex Loops on Channelized DS1 Service		<u> </u>	UEP91	MIGBM	0.0098			1		-					-
	re Activations (DS0) Centrex Loops on Channelized DS1 Service	, c	 		1		-		+	 	 			 	 	
54011	Feature Activation on D-4 Channel Bank Centrex Loop Slot	 	†	UEP91	1PQWS	0.57			1							<u> </u>
	- Table 1 and an a 1 and an a same a															
_	Feature Activation on D-4 Channel Bank FX line Side Loop Slot Feature Activation on D-4 Channel Bank FX Trunk Side Loop			UEP91	1PQW6	0.57					-					
	Slot Feature Activation on D-4 Channel Bank Centrex Loop Slot -			UEP91	1PQW7	0.57										
	Different Wire Center			UEP91	1PQWP	0.57										
	Feature Activation on D-4 Channel Bank Private Line Loop Slot Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop			UEP91	1PQWV	0.57										
	Slot Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP91 UEP91	1PQWQ 1PQWA	0.57 0.57										
Non B	Recurring Charges (NRC) Associated with UNE-P Centrex		-	UEF91	IPQVVA	0.57	-		+							
Non-R	Conversion - Currently Combined Switch-As-Is with allowed	1	 		1		-		+	 	 			 	 	
	changes, per port			UEP91	USAC2		0.10	0.10								
	Conversion of Existing Centrex Common Block	ļ	-	UEP91	USACN	0.00	37.97	16.68	1							
	New Centrex Standard Common Block New Centrex Customized Common Block	 	-	UEP91 UEP91	M1ACS M1ACC	0.00	666.32 666.32		 	-	-			-	 	
									ļ	 	ļ	 				├
	Secondary Block, per Block			UEP91	M2CC1	0.00	77.91				1					

UNBUNDL	LED NETWORK ELEMENTS - Mississippi													ment: 2		bit: A
CATEGORY	Y RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			II .	Svc Order Submitted Manually per LSR		Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
															DISC ISL	DISC Add
						Rec		curring	Nonrecurring					Rates (\$)		
	I'i' and New Processing Observed (NPO)	-	-				First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
Addi	ditional Non-Recurring Charges (NRC)										-					
	Unbundled Miscellaneous Rate Element, Tag Loop at End Use Premise			UEP91	URETL		8.33	0.83								
	Unbundled Miscellaneous Rate Element, Tag Design Loop at			LIEDOA	LIDETNI		44.40	4.40								
LINE	End Use Premise E-P CENTREX - 5ESS (Valid in All States)			UEP91	URETN		11.19	1.10			-					
											-					
	Vire VG Loop/2-Wire Voice Grade Port (Centrex) Combo	-	-													
UNE	E Port/Loop Combination Rates (Non-Design)															
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Non-Design		1	UEP95		12.22										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design		2	UEP95		17.13										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -			UEP95		17.13					 					-
	Non-Design		3	UEP95		26.26										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Non-Design		4	UEP95		44.91										
LINE	E Port/Loop Combination Rates (Design)		4	UEP95		44.91					-					-
UNE		-	-		+				ļ		-					-
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Design		1	UEP95		15.12										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design		2	UEP95		19.98										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -			UEF95		19.90										
	Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -		3	UEP95		28.78										
	Design		4	UEP95		46.95										
LINE	E Loop Rate	-	4	UEF95		46.95			1		1					1
ONL	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP95	UECS1	10.98										
	2-Wire Voice Grade Loop (SL 1) - Zone 1		2	UEP95	UECS1	15.91										
	2-Wire Voice Grade Loop (SL 1) - Zone 3	-	3	UEP95	UECS1	25.04			ļ		ł					-
	2-Wire Voice Grade Loop (SL 1) - Zone 3		4	UEP95	UECS1	43.68										
	2-Wire Voice Grade Loop (SL 1) - Zone 4		1	UEP95	UECS2	13.89										
	2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP95	UECS2	18.75					1			1	1	
	2-Wire Voice Grade Loop (SL 2) - Zone 2		3	UEP95	UECS2	27.55										1
	2-Wire Voice Grade Loop (SL 2) - Zone 4	-		UEP95	UECS2	45.72			1		1					1
LINE	E Port Rate		7	OLI 33	02002	40.72										
	States															
All 3	2-Wire Voice Grade Port (Centrex) Basic Local Area			UEP95	UEPYA	1.23	40.31	19.84	24.90	6.58	1			1	1	
	2-Wire Voice Grade Port (Centrex 800 termination)			UEP95	UEPYB	1.23	40.31	19.84	24.90	6.58	+					
	2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local			OLI 33	OLITB	1.25	40.51	13.04	24.30	0.50	1			1	1	
	Area			UEP95	UEPYH	1.23	40.31	19.84	24.90	6.58						
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)2,3 Basic Local Area			UEP95	UEPYM	1.23	108.35	70.57	54.24	11.70						
_	2-Wire Voice Grade Port, Diff Serving Wire Center 2,3 - 800										<u> </u>					
	Service Term - Basic Local Area 2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP95	UEPYZ	1.23	108.35	70.57	54.24	11.70	1					
	- Basic Local Area			UEP95	UEPY9	1.23	40.31	19.84	24.90	6.58						
	2-Wire Voice Grade Port Terminated on 800 Service Term - Basic Local Area			UEP95	UEPY2	1.23	40.31	19.84	24.90	6.58						
AL. I	, KY, LA, MS, SC, & TN Only		t	00		20		.0.04	200	0.00						
1 .=, .	2-Wire Voice Grade Port (Centrex)			UEP95	UEPQA	1.23	40.31	19.84	24.90	6.58				i	i	
	2-Wire Voice Grade Port (Centrex 800 termination)			UEP95	UEPQB	1.23	40.31	19.84	24.90	6.58				İ	İ	
	2-Wire Voice Grade Port (Centrex with Caller ID)1		İ	UEP95	UEPQH	1.23	40.31	19.84	24.90	6.58						
	2-Wire Voice Grade Port (Centrex from diff Serving Wire															
	Center)2,3 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service			UEP95	UEPQM	1.23	108.35	70.57	54.24	11.70						<u> </u>
	Term 2,3			UEP95	UEPQZ	1.23	108.35	70.57	54.24	11.70						<u> </u>
	2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP95	UEPQ9	1.23	40.31	19.84	24.90	6.58						
	2-Wire Voice Grade Port Terminated on 800 Service Term			UEP95	UEPQ2	1.23	40.31	19.84	24.90	6.58			-	t	 	

UNBUN	DLED	NETWORK ELEMENTS - Mississippi												Attach	ment: 2	Exhi	bit: A
	Ī					1 1						Svc Order	Svc Order	Incremental		Incremental	
												Submitted	Submitted		Charge -	Charge -	Charge -
			Inter']]						Elec	Manually		Manual Svc		Manual Svo
CATEGO	RY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m						***			per Lor	per Lor	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							_	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates (\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN		SOMAN	SOMAN	SOMAN
F	L & G/	A Only															
		witching															
		Centrex Intercom Funtionality, per port			UEP95	URECS	0.7947										
L		umber Portability															
		Local Number Portability (1 per port)			UEP95	LNPCC	0.35										
F	eature				02.00	2.1.00	0.00										
<u> </u>		All Standard Features Offered, per port			UEP95	UEPVF	2.56										
		All Select Features Offered, per port			UEP95	UEPVS	0.00	404.98									
		All Centrex Control Features Offered, per port			UEP95	UEPVC	2.56	101.00									
N	ARS	The Control Co			02.00	02. 10	2.00										
T		Unbundled Network Access Register - Combination	t	 	UEP95	UARCX	0.00	0.00	0.00	0.00	0.00	-	†	 	 	 	<u> </u>
\vdash	-	Unbundled Network Access Register - Indial	 	 	UEP95	UAR1X	0.00	0.00	0.00	0.00	0.00	<u> </u>			t		t
\vdash		Unbundled Network Access Register - Outdial	 	 	UEP95	UAROX	0.00	0.00	0.00	0.00	0.00	<u> </u>			t		t
M		aneous Terminations	 	 	021 00	5, 11 (5)	0.00	0.00	0.00	0.00	0.00	H		 	 	 	t
		Frunk Side	 	 		1						 	 	 	 	 	
		Trunk Side Trunk Side Terminations, each	 	1	UEP95	CEND6	8.25	120.00	18.85	61.77	3.88	 	-	1	+	1	+
- A		Digital (1.544 Megabits)	 	1	OFL 20	OLINDO	0.20	120.00	10.05	01.77	3.68	 	-	1	+	1	+
4-		DS1 Circuit Terminations, each	-	-	UEP95	M1HD1	58.41	203.19	96.25	74.86	2.54	-	-		-		-
\vdash			-			M1HDO	0.00	14.56	90.23	74.00	2.34	-					
		DS0 Channels Activated, each	-	-	UEP95	MIHDO	0.00	14.56									
In		ice Channel Mileage - 2-Wire	-	-	LIEDOE	14000	00.50	40.77	07.57	47.00	7.11						
\vdash		Interoffice Channel Facilities Termination	-	-	UEP95	M1GBC	22.52	40.77	27.57	17.26	7.11						
├		Interoffice Channel mileage, per mile or fraction of mile	<u> </u>		UEP95	M1GBM	0.0098										
		Activations (DS0) Centrex Loops on Channelized DS1 Service	ce														
D		nnel Bank Feature Activations															
\vdash		Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP95	1PQWS	0.57										
\vdash		Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP95	1PQW6	0.57										
		Feature Activation on D-4 Channel Bank FX Trunk Side Loop															
\perp		Slot			UEP95	1PQW7	0.57										
		Feature Activation on D-4 Channel Bank Centrex Loop Slot -															
		Different Wire Center			UEP95	1PQWP	0.57										
		Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP95	1PQWV	0.57										
		Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop															
		Slot	<u> </u>		UEP95	1PQWQ	0.57								<u> </u>		
		Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP95	1PQWA	0.57										
N		curring Charges (NRC) Associated with UNE-P Centrex															
		NRC Conversion Currently Combined Switch-As-Is with allowed							_								
		changes, per port			UEP95	USAC2		0.10	0.10						1		1
		Conversion of Existing Centrex Common Block, each			UEP95	USACN		37.97	16.68								
		New Centrex Standard Common Block			UEP95	M1ACS	0.00	666.32					İ	İ			
		New Centrex Customized Common Block			UEP95	M1ACC	0.00	666.32					İ	İ			
		NAR Establishment Charge, Per Occasion	1	1	UEP95	URECA	0.00	72.63						ĺ		ĺ	
Α		nal Non-Recurring Charges (NRC)	1							1		1	İ	İ	1	İ	1
		Unbundled Miscellaneous Rate Element, Tag Loop at End Use				1							İ	İ	1	İ	
		Premise	1	1	UEP95	URETL		8.33	0.83				1		I		1
\vdash		Unbundled Miscellaneous Rate Element, Tag Design Loop at				1		0.00	0.00			1	i e	i e	1	i e	1
		End Use Premise			UEP95	URETN		11.19	1.10						1		1
11		CENTREX - DMS100 (Valid in All States)	 	 	00	3	+	11.13	1.70			<u> </u>			t		t
		/G Loop/2-Wire Voice Grade Port (Centrex) Combo	 	 		+	+					<u> </u>			t		t
		rt/Loop Combination Rates (Non-Design)	 	 		+	+					<u> </u>			t		t
$\vdash \vdash \vdash$		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -	1	 		+ +				 		t	 	 	t	 	t
		Non-Design		1	UEP9D		12.22								1		
$\vdash \vdash$		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -	 	<u>'</u>	OLI 3D	+	14.44	-		 		 	-	1	+	1	
		Non-Design		2	UEP9D		17.13								1		
1 1		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -	 		OFLan	+	17.13	-		 		 	-	1	+	1	
\vdash		2-vviie vo Loop/2-vviie voice Grade Foit (Certiex)Foft Combo -	i .	1	i	1				1		1	1	1	1	1	1
		Non Docian		2	LIEDOD	1	26.26	I									
		Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -		3	UEP9D		26.26					-					

UNBUNDI	ED NETWORK ELEMENTS - Mississippi												Attach	ment: 2	Exhi	ibit: A
											Submitted	Submitted	Incremental Charge -	Incremental Charge -	Incremental Charge -	Incremental Charge -
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			Elec per LSR	Manually per LSR	Order vs.	Manual Svc Order vs.	Order vs.	Order vs.
													Electronic- 1st	Electronic- Add'l	Electronic- Disc 1st	Electronic- Disc Add'l
						Rec	Nonrec	curring	Nonrecurring	Disconnect			OSS	Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
UNE	Port/Loop Combination Rates (Design)	<u> </u>	<u> </u>		-											<u> </u>
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Design		1	UEP9D		15.12										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design		2	UEP9D		19.98										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design		3	UEP9D		28.78										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo	1		OLI OD		20.70										
	Design		4	UEP9D		46.95										
UNE	Loop Rate															
\vdash	2-Wire Voice Grade Loop (SL 1) - Zone 1	ļ	1	UEP9D	UECS1	10.98										
\vdash	2-Wire Voice Grade Loop (SL 1) - Zone 2	ļ	2	UEP9D	UECS1	15.91										
\vdash	2-Wire Voice Grade Loop (SL 1) - Zone 3	<u> </u>	3	UEP9D	UECS1	25.04					-		ļ		 	
	2-Wire Voice Grade Loop (SL 1) - Zone 4		4	UEP9D	UECS1	43.68										ļ
	2-Wire Voice Grade Loop (SL 2) - Zone 1	 	1	UEP9D	UECS2	13.89			 		-					-
\vdash	2-Wire Voice Grade Loop (SL 2) - Zone 2	1	3	UEP9D UEP9D	UECS2 UECS2	18.75 27.55								-		
	2-Wire Voice Grade Loop (SL 2) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 4	<u> </u>		UEP9D	UECS2	45.72					-					
LINE	Port Rate		4	UEP9D	UECSZ	45.72					-					
	STATES	1	<u> </u>								1					1
ALL	2-Wire Voice Grade Port (Centrex) Basic Local Area			UEP9D	UEPYA	1.23	40.31	19.84	24.90	6.58						-
	2-Wire Voice Grade Fort (Centrex 800 termination)Basic Local	1	1	OLI 3D	OLI IA	1.20	40.51	13.04	24.30	0.50						
	Area			UEP9D	UEPYB	1.23	40.31	19.84	24.90	6.58						
	2-Wire Voice Grade Port (Centrex / EBS-PSET)3Basic Local			LIEDOD	LIEDVO	4.00	40.04	10.01	04.00	0.50						
	Area	ļ		UEP9D	UEPYC	1.23	40.31	19.84	24.90	6.58						
	2-Wire Voice Grade Port (Centrex / EBS-M5009)3Basic Local Area			UEP9D	UEPYD	1.23	40.31	19.84	24.90	6.58						
	2-Wire Voice Grade Port (Centrex / EBS-M5209))3 Basic Local Area			UEP9D	UEPYE	1.23	40.31	19.84	24.90	6.58						
	2-Wire Voice Grade Port (Centrex / EBS-M5112))3 Basic Local			OEI OB	OLI IL		40.01	10.04	24.50	0.00						
	Area			UEP9D	UEPYF	1.23	40.31	19.84	24.90	6.58	-					
	2-Wire Voice Grade Port (Centrex / EBS-M5312))3Basic Local Area			UEP9D	UEPYG	1.23	40.31	19.84	24.90	6.58						
	2-Wire Voice Grade Port (Centrex / EBS-M5008))3 Basic Local Area			UEP9D	UEPYT	1.23	40.31	19.84	24.90	6.58						
	2-Wire Voice Grade Port (Centrex / EBS-M5208))3 Basic Local															
	Area 2-Wire Voice Grade Port (Centrex / EBS-M5216))3 Basic Local			UEP9D	UEPYU	1.23	40.31	19.84	24.90	6.58	-					
	Area			UEP9D	UEPYV	1.23	40.31	19.84	24.90	6.58						
	2-Wire Voice Grade Port (Centrex / EBS-M5316))3 Basic Local Area			UEP9D	UEPY3	1.23	40.31	19.84	24.90	6.58						
	2-Wire Voice Grade Port (Centrex with Caller ID) Basic Local Area			UEP9D	UEPYH	1.23	40.31	19.84	24.90	6.58						
	2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp		1	OLF 9D	OLFIII	1.23	40.51	19.04	24.50	0.36						
	Indication))4 Basic Local Area			UEP9D	UEPYW	1.23	40.31	19.84	24.90	6.58						
	2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication))4 Basic Local Area			UEP9D	UEPYJ	1.23	40.31	19.84	24.90	6.58						
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)		1								1					
	2,3-Basic Local Area 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2,3,4	-	-	UEP9D	UEPYM	1.23	108.35	70.57	54.24	11.70	-					1
	Basic Local Area			UEP9D	UEPYO	1.23	108.35	70.57	54.24	11.70						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2,3,4 Basic Local Area			UEP9D	UEPYP	1.23	108.35	70.57	54.24	11.70						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2,3,4						,									
	Basic Local Area 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2,3,4		1	UEP9D	UEPYQ	1.23	108.35	70.57	54.24	11.70	 					
	Basic Local Area 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2,3,4		-	UEP9D	UEPYR	1.23	108.35	70.57	54.24	11.70						
	Basic Local Area			UEP9D	UEPYS	1.23	108.35	70.57	54.24	11.70						

UNBL	JNDLE	D NETWORK ELEMENTS - Mississippi													ment: 2		ibit: A
CATE	GORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			l l	Svc Order Submitted Manually per LSR	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
							_	Nonred	urring	Nonrecurring	Disconnect	İ		oss	Rates (\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2,3,4															
		Basic Local Area			UEP9D	UEPY4	1.23	108.35	70.57	54.24	11.70						
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3 Basic Local Area			UEP9D	UEPY5	1.23	108.35	70.57	54.24	11.70						
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2,3,4 Basic Local Area			UEP9D	UEPY6	1.23	108.35	70.57	54.24	11.70						
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2,3,4 Basic Local Area			UEP9D	UEPY7	1.23	108.35	70.57	54.24	11.70						
		2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term 2,3			UEP9D	UEPYZ	1.23	108.35	70.57	54.24	11.70						
		2-Wire Voice Grade Port terminated in on Megalink or equivalent Basic Local Area			UEP9D	UEPY9	1.23	40.31	19.84	24.90	6.58						
		2-Wire Voice Grade Port Terminated on 800 Service Term Basic Local Area			UEP9D	UEPY2	1.23	40.31	19.84	24.90	6.58						
	AL, KY	, LA, MS, SC, & TN Only															1
		2-Wire Voice Grade Port (Centrex)			UEP9D	UEPQA	1.23	40.31	19.84	24.90	6.58						
		2-Wire Voice Grade Port (Centrex 800 termination)			UEP9D	UEPQB	1.23	40.31	19.84	24.90	6.58						
		2-Wire Voice Grade Port (Centrex / EBS-PSET)4			UEP9D	UEPQC	1.23	40.31	19.84	24.90	6.58						
		2-Wire Voice Grade Port (Centrex / EBS-M5009)4			UEP9D	UEPQD	1.23	40.31	19.84	24.90	6.58						1
		2-Wire Voice Grade Port (Centrex / EBS-M5209)4			UEP9D	UEPQE	1.23	40.31	19.84	24.90	6.58						
		2-Wire Voice Grade Port (Centrex / EBS-M5112)4			UEP9D	UEPQF	1.23	40.31	19.84	24.90	6.58						
		2-Wire Voice Grade Port (Centrex / EBS-M5312)4			UEP9D	UEPQG	1.23	40.31	19.84	24.90	6.58						
		2-Wire Voice Grade Port (Centrex / EBS-M5008)4			UEP9D	UEPQT	1.23	40.31	19.84	24.90	6.58						
		2-Wire Voice Grade Port (Centrex / EBS-M5208)4			UEP9D	UEPQU	1.23	40.31	19.84	24.90	6.58						
	-	2-Wire Voice Grade Port (Centrex / EBS-M5216)4		-	UEP9D	UEPQV	1.23	40.31	19.84	24.90	6.58	1					+
	-	2-Wire Voice Grade Port (Centrex / EBS-M5316)4			UEP9D UEP9D	UEPQ3 UEPQH	1.23 1.23	40.31	19.84	24.90 24.90	6.58 6.58	-					+
	-	2-Wire Voice Grade Port (Centrex with Caller ID) 2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp		-	UEP9D	UEPQH	1.23	40.31	19.84	24.90	6.58	 					+
		Indication)4			UEP9D	UEPQW	1.23	40.31	19.84	24.90	6.58						
	+	2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication)4			UEP9D	UEPQJ	1.23	40.31	19.84	24.90	6.58	1		-			+
	+	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)			OLI 3D	OLI QU	1.25	40.51	13.04	24.30	0.50	1					+
		2,3			UEP9D	UEPQM	1.23	108.35	70.57	54.24	11.70						
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2,3,4			UEP9D	UEPQO	1.23	108.35	70.57	54.24	11.70						
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2,3,4			UEP9D	UEPQP	1.23	108.35	70.57	54.24	11.70						
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2,3,4			UEP9D	UEPQQ	1.23	108.35	70.57	54.24	11.70						
	1	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2,3,4			UEP9D	UEPQR	1.23	108.35	70.57	54.24	11.70						
	1	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2,3,4			UEP9D	UEPQS	1.23	108.35	70.57	54.24	11.70						
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2,3,4			UEP9D	UEPQ4	1.23	108.35	70.57	54.24	11.70						
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2,3,4			UEP9D	UEPQ5	1.23	108.35	70.57	54.24	11.70						
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2,3,4			UEP9D	UEPQ6	1.23	108.35	70.57	54.24	11.70						
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2,3,4			UEP9D	UEPQ7	1.23	108.35	70.57	54.24	11.70						
		2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term 2,3			UEP9D	UEPQZ	1.23	108.35	70.57	54.24	11.70						
		2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP9D	UEPQ9	1.23	40.31	19.84	24.90	6.58						
		2-Wire Voice Grade Port Terminated on 800 Service Term			UEP9D	UEPQ2	1.23	40.31	19.84	24.90	6.58	İ					1
	Local S	Switching															
		Centrex Intercom Funtionality, per port			UEP9D	URECS	0.7947		· · · · ·								
	Local I	Number Portability															
	1	Local Number Portability (1 per port)			UEP9D	LNPCC	0.35						<u> </u>		l		

UNBUNDL	ED NETWORK ELEMENTS - Mississippi			•							Т-	Γ-		ment: 2	1	bit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			II .	Submitted	Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'
						Rec	Nonrec		Nonrecurring					Rates (\$)		
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
Feat	ures															
	All Standard Features Offered, per port			UEP9D	UEPVF	2.56										
	All Select Features Offered, per port			UEP9D	UEPVS	0.00	404.98									
	All Centrex Control Features Offered, per port			UEP9D	UEPVC	2.56										
NAR																
	Unbundled Network Access Register - Combination			UEP9D	UARCX	0.00	0.00	0.00		0.00						
	Unbundled Network Access Register - Inward			UEP9D	UAR1X	0.00	0.00	0.00	0.00	0.00						
	Unbundled Network Access Register - Outdial			UEP9D	UAROX	0.00	0.00	0.00	0.00	0.00						
	cellaneous Terminations															
2-W	ire Trunk Side															
	Trunk Side Terminations, each	!	<u> </u>	UEP9D	CEND6	8.25	120.00	18.85	61.77	3.88					-	├
4-W	ire Digital (1.544 Megabits)	!	<u> </u>	LIEDOD	MALID	== 1:	600.1-	20.5-							-	+
	DS1 Circuit Terminations, each	<u> </u>	-	UEP9D	M1HD1	58.41	203.19	96.25	74.86	2.54	ļ				-	
	DS0 Channels Activiated per Channel	<u> </u>	-	UEP9D	M1HDO	0.00	14.56				ļ					
Inte	roffice Channel Mileage - 2-Wire	<u> </u>	-	LIEBAB							ļ					
	Interoffice Channel Facilities Termination	!	<u> </u>	UEP9D	M1GBC	22.52	40.77	27.57	17.26	7.11					-	├
	Interoffice Channel mileage, per mile or fraction of mile			UEP9D	M1GBM	0.0098										
	ure Activations (DS0) Centrex Loops on Channelized DS1 Service	ce														
D4 C	Channel Bank Feature Activations															
	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP9D	1PQWS	0.57										
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP9D	1PQW6	0.57										
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot			UEP9D	1PQW7	0.57										
	Feature Activation on D-4 Channel Bank Centrex Loop Slot - Different Wire Center			UEP9D	1PQWP	0.57										
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP9D	1PQWV	0.57										
	Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop Slot			UEP9D	1PQWQ	0.57										
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP9D	1PQWA	0.57										
Non	-Recurring Charges (NRC) Associated with UNE-P Centrex															
	NRC Conversion Currently Combined Switch-As-Is with allowed			LIEDAD	110400		0.40	0.40								
	changes, per port		-	UEP9D	USAC2		0.10	0.10								
	Conversion of existing Centrex Common Block, each		-	UEP9D	USACN		37.97	16.68								
	New Centrex Standard Common Block New Centrex Customized Common Block	1	-	UEP9D UEP9D	M1ACS M1ACC	0.00	666.32 666.32			-	ļ		 	-	 	
		-	-			0.00					-					
A A A	NAR Establishment Charge, Per Occasion itional Non-Recurring Charges (NRC)	+	+	UEP9D	URECA	0.00	72.63		1		 	-		-	 	
Add	Unbundled Miscellaneous Rate Element, Tag Loop at End Use	 	 		+ +	-	-		1		}	-	 	 	 	
	Premise			UEP9D	URETL		8.33	0.83								<u> </u>
	Unbundled Miscellaneous Rate Element, Tag Design Loop at End Use Premise			UEP9D	URETN		11.19	1.10								
	-P CENTREX - EWSD (Valid in AL, FL, KY, LA, MS & TN)															
	ire VG Loop/2-Wire Voice Grade Port (Centrex) Combo		<u> </u>												L	
UNE	Port/Loop Combination Rates (Non-Design)															
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Non-Design		1	UEP9E		12.22										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design		2	UEP9E		17.13										1
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design		3	UEP9E		26.26										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Non-Design		4	UEP9E		44.91										
UNF	Port/Loop Combination Rates (Design)	†	<u> </u>		1						1		i	 	t	
0.42	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Design		1	UEP9E		15.12										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design		2	UEP9E		19.98										

UNBUNDLE	D NETWORK ELEMENTS - Mississippi													ment: 2		bit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			1	Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'
						Rec	Nonred	urring	Nonrecurring	Disconnect				Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
	Design		3	UEP9E		28.78										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -	1														
	Design		4	UEP9E		46.95										
UNE LO	oop Rate		1	LIEDOE	UECC4	40.00					1					—
	2-Wire Voice Grade Loop (SL 1) - Zone 1 2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEP9E UEP9E	UECS1 UECS1	10.98 15.91										
	2-Wire Voice Grade Loop (SL 1) - Zone 2 2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP9E UEP9E	UECS1	25.04					-					
	2-Wire Voice Grade Loop (SL 1) - Zone 3		4	UEP9E	UECS1	43.68					-					
	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP9E	UECS2	13.89			1							
	2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP9E	UECS2	18.75										-
	2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP9E	UECS2	27.55			1							—
	2-Wire Voice Grade Loop (SL 2) - Zone 4		4	UEP9E	UECS2	45.72			İ						İ	
	ort Rate		† ·		1				İ		1		İ	İ	İ	
	, KY, LA, MS, & TN only	1	i –		† †				1				l	l	İ	
,,,_	2-Wire Voice Grade Port (Centrex) Basic Local Area		i –	UEP9E	UEPYA	1.23	40.31	19.84	24.90	6.58					1	
İ	2-Wire Voice Grade Port (Centrex 800 termination)Basic Local				1											
	Area			UEP9E	UEPYB	1.23	40.31	19.84	24.90	6.58						
	2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local															
	Area			UEP9E	UEPYH	1.23	40.31	19.84	24.90	6.58						
	2-Wire Voice Grade Port (Centrex from diff Serving Wire															
	Center)2,3 Basic Local Area			UEP9E	UEPYM	1.23	108.35	70.57	54.24	11.70						
	2-Wire Voice Grade Port, Diff Serving Wire Center 2,3 - 800															
	Service Term - Basic Local Area			UEP9E	UEPYZ	1.23	108.35	70.57	54.24	11.70						
	2-Wire Voice Grade Port terminated in on Megalink or equivalent															
	- Basic Local Area			UEP9E	UEPY9	1.23	40.31	19.84	24.90	6.58						
	2-Wire Voice Grade Port Terminated on 800 Service Term -			LIEBOE	LIEDVO	4.00	40.04	40.04	04.00	0.50						
AL IOV	Basic Local Area			UEP9E	UEPY2	1.23	40.31	19.84	24.90	6.58						-
AL, KY	7, LA, MS, & TN Only 2-Wire Voice Grade Port (Centrex)			UEP9E	UEPQA	1.23	40.31	19.84	24.90	0.50	1					—
	2-Wire Voice Grade Port (Centrex) 2-Wire Voice Grade Port (Centrex 800 termination)		1	UEP9E UEP9E	UEPQB	1.23	40.31	19.84	24.90	6.58 6.58						
	2-Wire Voice Grade Port (Centrex 800 termination) 2-Wire Voice Grade Port (Centrex with Caller ID)1			UEP9E UEP9E	UEPQB	1.23	40.31	19.84	24.90	6.58	-					
	2-Wire Voice Grade Port (Centrex with Caller ID)1 2-Wire Voice Grade Port (Centrex from diff Serving Wire		1	UEF9E	UEPQH	1.23	40.31	19.04	24.90	0.56						
	Center)2,3			UEP9E	UEPQM	1.23	108.35	70.57	54.24	11.70						
	2-Wire Voice Grade Port, Diff Serving Wire Center 2,3 - 800			OLI SL	OLI QIVI	1.20	100.55	70.57	34.24	11.70						
	Service Term			UEP9E	UEPQZ	1.23	108.35	70.57	54.24	11.70						1
			t	0-	J XL	1.20	100.00	70.07	04.24	11.70					1	
	2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP9E	UEPQ9	1.23	40.31	19.84	24.90	6.58						1
	2-Wire Voice Grade Port Terminated on 800 Service Term		i –	UEP9E	UEPQ2	1.23	40.31	19.84	24.90	6.58			İ	İ		
Local S	Switching		i –					-							1	
	Centrex Intercom Funtionality, per port			UEP9E	URECS	0.7947										
Local I	Number Portability															
	Local Number Portability (1 per port)			UEP9E	LNPCC	0.35										
Feature								·								
	All Standard Features Offered, per port			UEP9E	UEPVF	2.56										
	All Select Features Offered, per port			UEP9E	UEPVS	0.00	404.98									
	All Centrex Control Features Offered, per port		<u> </u>	UEP9E	UEPVC	2.56					ļ					-
NARS	History Health (control Access Books Control C		<u> </u>	LIEDOE	LIABOY	2.0-					ļ					
	Unbundled Network Access Register - Combination		<u> </u>	UEP9E UEP9E	UARCX	0.00	0.00	0.00	0.00	0.00			 	 	 	
 	Unbundled Network Access Register - Indial	-	├		UAR1X	0.00	0.00	0.00		0.00			-	-	 	
Miner	Unbundled Network Access Register - Outdial laneous Terminations	-	 	UEP9E	UAROX	0.00	0.00	0.00	0.00	0.00	1			-		
	Inneous Terminations Trunk Side	-	 		+				1		1			-		
∠-vvire	Trunk Side Trunk Side Terminations, each	-	 	UEP9E	CEND6	8.25	120.00	18.85	61.77	3.88	1			-		
4-Wiro	Digital (1.544 Megabits)	H	 	OLI OL	OLINDO	0.23	120.00	10.00	01.77	3.00	 		l	l	 	
4-1116	DS1 Circuit Terminations, each	H	 	UEP9E	M1HD1	58.41	203.19	96.25	74.86	2.54	 		l	l	 	
	DS0 Channel Activated Per Channel	†	 	UEP9E	M1HDO	0.00	14.56	30.23	74.00	2.04	 				 	
Interof	fice Channel Mileage - 2-Wire		t	0-		0.00	14.00								1	
	Interoffice Channel Facilities Termination		t -	UEP9E	M1GBC	22.52	40.77	27.57	17.26	7.11	1		 	 		

UNBUN	NDLE	D NETWORK ELEMENTS - Mississippi												Attach	ment: 2	Exhil	bit: A
												Svc Order	Svc Order	Incremental		Incremental	Incremental
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
			Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGO	DRY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
—						+		Nonrec	urring	Nonrecurring	g Disconnect	1		OSS	Rates (\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN		SOMAN	SOMAN	SOMAN
		Interoffice Channel mileage, per mile or fraction of mile			UEP9E	M1GBM	0.0098		7144		7144	0020				00	
F	eature	Activations (DS0) Centrex Loops on Channelized DS1 Service	e														
1	D4 Cha	nnel Bank Feature Activations															
		Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP9E	1PQWS	0.57										
		Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP9E	1PQW6	0.57										
		Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot			UEP9E	1PQW7	0.57										
-		Feature Activation on D-4 Channel Bank Centrex Loop Slot -		1	UEF9E	IFQW/	0.57				-	-			-		
		Different Wire Center			UEP9E	1PQWP	0.57										
							0.01				1				1		
		Feature Activation on D-4 Channel Bank Private Line Loop Slot		<u> </u>	UEP9E	1PQWV	0.57				<u></u>			<u> </u>			
		Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop															
$\sqcup \sqcup$		Slot			UEP9E	1PQWQ	0.57			1				ļ			
\vdash		Feature Activation on D-4 Channel Bank WATS Loop Slot	ļ	<u> </u>	UEP9E	1PQWA	0.57			1					ļ		
⊢ ⊢ ′′	von-Re	curring Charges (NRC) Associated with UNE-P Centrex	-	-		+				1	 	1	-	-	1		
		NRC Conversion Currently Combined Switch-As-Is with allowed changes, per port			UEP9E	USAC2		0.10	0.10								
		Conversion of Existing Centrex Common Block, each			UEP9E	USACN		37.97	16.68		1	1			1		
		New Centrex Standard Common Block			UEP9E	M1ACS	0.00	666.32	10.00								
		New Centrex Customized Common Block			UEP9E	M1ACC	0.00	666.32			t				t		
		NAR Establishment Charge, Per Occasion			UEP9E	URECA	0.00	72.63									
-	Additio	nal Non-Recurring Charges (NRC)															
		Unbundled Miscellaneous Rate Element, Tag Loop at End Use															
		Premise			UEP9E	URETL		8.33	0.83								
		Unbundled Miscellaneous Rate Element, Tag Design Loop at End Use Premise			UEP9E	URETN		11.19	1.10								
H-1	INF-P	CENTREX - DCO - Valid in AL, KY, LA, MS, & TN)			UEF9E	UKETIN		11.19	1.10		1	1			1		
		VG Loop/2-Wire Voice Grade Port (Centrex) Combo		1													
		ort/Loop Combination Rates (Non-Design)									t				t		
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -															
		Non-Design		1	UEP93		12.22										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		_													
		Non-Design		2	UEP93		17.13										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design		3	UEP93		26.26										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -		3	UEF93	+	20.20				<u> </u>				 		
1		Non-Design		4	UEP93		44.91				I				I		
	JNE Po	ort/Loop Combination Rates (Design)		Ė		1					1				1		
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -	-														
\sqcup		Design		1	UEP93		15.12			1				ļ			
1		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -			LIEDOO		40.00				I				I		
— +		Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -	-	2	UEP93	+	19.98				 	-			1		
		Design		3	UEP93		28.78				1				1		
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -		5	OL1 90	+	20.76				—				—		
		Design		4	UEP93		46.95				1				I		
	JNE Lo	pop Rate															
		2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP93	UECS1	10.98		· · · · ·								
$\sqcup \bot$		2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEP93	UECS1	15.91			1							
\vdash		2-Wire Voice Grade Loop (SL 1) - Zone 3	.	3	UEP93	UECS1	25.04			1	 			-	 		
\vdash		2-Wire Voice Grade Loop (SL 1) - Zone 4 2-Wire Voice Grade Loop (SL 2) - Zone 1		4	UEP93 UEP93	UECS1 UECS2	43.68 13.89				-			-	-		
 		2-Wire Voice Grade Loop (SL 2) - Zone 1 2-Wire Voice Grade Loop (SL 2) - Zone 2	 	2	UEP93	UECS2	18.75			+	 	 	1	 	 		
 		2-Wire Voice Grade Loop (SL 2) - Zone 3	†		UEP93	UECS2	27.55			1	†	t	†	1	†		
		2-Wire Voice Grade Loop (SL 2) - Zone 4			UEP93	UECS2	45.72				1				1		
		ort Rate		L													
/	AL, KY,	LA, MS, & TN only															
		2-Wire Voice Grade Port (Centrex) Basic Local Area			UEP93	UEPYA	1.23	40.31	19.84	24.90	6.58						

NRONDLE	D NETWORK ELEMENTS - Mississippi											T -		ment: 2		ibit: A
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			1	Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
						Rec	Nonrec		Nonrecurring					Rates (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Grade Port (Centrex 800 termination)Basic Local															
	Area		-	UEP93	UEPYB	1.23	40.31	19.84	24.90	6.58						-
	2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local Area			UEP93	UEPYH	1.23	40.31	19.84	24.90	6.58						
	2-Wire Voice Grade Port (Centrex from diff Serving Wire			OLI 33	OLI III	1.25	40.51	13.04	24.50	0.50						+
	Center)2,3 Basic Local Area			UEP93	UEPYM	1.23	108.35	70.57	54.24	11.70						
	2-Wire Voice Grade Port, Diff Serving Wire Center - 2,3 - 800															
	Service Term - Basic Local Area			UEP93	UEPYZ	1.23	108.35	70.57	54.24	11.70						
	2-Wire Voice Grade Port terminated in on Megalink or equivalent															
	- Basic Local Area			UEP93	UEPY9	1.23	40.31	19.84	24.90	6.58						
	2-Wire Voice Grade Port Terminated on 800 Service Term -	l												l		
	Basic Local Area	ļ	<u> </u>	UEP93	UEPY2	1.23	40.31	19.84	24.90	6.58						<u> </u>
	2-Wire Voice Grade Port (Centrex)	ļ		UEP93	UEPQA	1.23	40.31	19.84	24.90	6.58						
	2-Wire Voice Grade Port (Centrex 800 termination)	ļ	-	UEP93	UEPQB	1.23	40.31	19.84	24.90	6.58						├
	2-Wire Voice Grade Port (Centrex with Caller ID)1 2-Wire Voice Grade Port (Centrex from diff Serving Wire	 	-	UEP93	UEPQH	1.23	40.31	19.84	24.90	6.58	-			-	 	
	Center)2,3	1		UEP93	UEPQM	1.23	108.35	70.57	54.24	11.70						
	2-Wire Voice Grade Port, Diff Serving Wire Center - 2,3 -800			OLF 93	OLF QIVI	1.23	100.33	70.57	34.24	11.70						+
	Service Term			UEP93	UEPQZ	1.23	108.35	70.57	54.24	11.70						
	00.1100 10.111			02.00	02. 42	20	100.00	7 0.01	02.							
	2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP93	UEPQ9	1.23	40.31	19.84	24.90	6.58						
	2-Wire Voice Grade Port Terminated on 800 Service Term			UEP93	UEPQ2	1.23	40.31	19.84	24.90	6.58						
Local	Switching															
	Centrex Intercom Funtionality, per port			UEP93	URECS	0.7947										
Local I	Number Portability															
F	Local Number Portability (1 per port)			UEP93	LNPCC	0.35										ļ
Featur	All Standard Features Offered, per port			UEP93	UEPVF	2.56			1							
	All Centrex Control Features Offered, per port		<u> </u>	UEP93	UEPVF	2.56			-		-					-
NARS				OLF 93	OLF VC	2.30			1		1					-
IVALICO	Unbundled Network Access Register - Combination			UEP93	UARCX	0.00	0.00	0.00	0.00	0.00						
	Unbundled Network Access Register - Indial			UEP93	UAR1X	0.00	0.00	0.00	0.00	0.00						
	Unbundled Network Access Register - Outdial			UEP93	UAROX	0.00	0.00	0.00	0.00	0.00						
	laneous Terminations															
2-Wire	Trunk Side															
	Trunk Side Terminations, each			UEP93	CEND6	8.25	120.00	18.85	61.77	3.88						
4-Wire	Digital (1.544 Megabits)	!	-	LIEDOS	M1HD1	50.41	203.19	20.65	74.00	2.54		 		 	!	₩
-	DS1 Circuit Terminations, each DS0 Channels Activated, Per Channel	-	-	UEP93 UEP93	M1HD1 M1HDO	58.41 0.00	203.19 14.56	96.25	74.86	2.54	1	-		-	 	
Interef	fice Channel Mileage - 2-Wire	-	 	OLFSS	IVITIDO	0.00	14.50		 		1					\vdash
interol	Interoffice Channel Facilities Termination	 	t	UEP93	M1GBC	22.52	40.77	27.57	17.26	7.11	—	 				\vdash
	Interoffice Channel mileage, per mile or fraction of mile	<u> </u>		UEP93	M1GBM	0.0098	40.11	21.01	17.20		†				1	
	e Activations (DS0) Centrex Loops on Channelized DS1 Service	e														
	annel Bank Feature Activations															
	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP93	1PQWS	0.57		_								
		l												l		
	Feature Activation on D-4 Channel Bank FX Line Side Loop Slot			UEP93	1PQW6	0.57			ļ							
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop	1		LIEDOS	400147	0 ==			I			1				1
_	Slot Feature Activation on D-4 Channel Bank Centrex Loop Slot -	-	-	UEP93	1PQW7	0.57			 	-	1	-		-	 	
	Different Wire Center			UEP93	1PQWP	0.57										
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP93	1PQWV	0.57										
	Feature Activation on D-4 Channel Bank Tie Line/Trunk Loop	l												l		
	Slot			UEP93	1PQWQ	0.57			ļ							
A1	Feature Activation on D-4 Channel Bank WATS Loop Slot	-	-	UEP93	1PQWA	0.57			<u> </u>							
	ecurring Charges (NRC) Associated with UNE-P Centrex	I	1						1	l	<u> </u>	l		l		
Non-Re	NRC Conversion Currently Combined Switch-As-Is with allowed				1											l .

UNBU	NDLE	D NETWORK ELEMENTS - Mississippi												Attach	ment: 2	Exhi	bit: A
CATEG	ORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			I .	Submitted Manually	Charge -	Charge - Manual Svc Order vs.	Charge - Manual Svc	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
							В	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates (\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Conversion of Existing Centrex Common Block, each			UEP93	USACN		37.97	16.68								
		New Centrex Standard Common Block			UEP93	M1ACS	0.00	666.32									
		New Centrex Customized Common Block			UEP93	M1ACC	0.00	666.32									
		NAR Establishment Charge, Per Occasion			UEP93	URECA	0.00	72.63									
	Additio	onal Non-Recurring Charges (NRC)															
		Unbundled Miscellaneous Rate Element, Tag Loop at End Use Premise			UEP93	URETL		8.33	0.83								
		Unbundled Miscellaneous Rate Element, Tag Design Loop at End Use Premise			UEP93	URETN		11.19	1.10								
	Note 1	- Required Port for Centrex Control in 1AESS, 5ESS & EWSD															
		- Requres Interoffice Channel Mileage						_									
	Note 3	 Installation is combination of Installation charge for SL2 Loc 	op and	Port													
		- Requires Specific Customer Premises Equipment															
	Note:	Rates displaying an "R" in Interim column are interim and sub	ject to	rate tru	ie-up as set forth in	General Tern	ns and Condition	ons.									

LINIDI	INDI E	D NETWORK ELEMENTS - North Carolina												Assach		F.u.l.	L:4. A
UNDC	MULE		1	1			ı					Svo Ordor	Cua Ordar	Incremental	ment: 2	Incremental	bit: A Incremental
													Submitted	Charge -			
												Elec			Charge -	Charge -	Charge -
CATE	ORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)				Manually	Manual Svc	Manual Svc		Manual Svc
OAIL		INATE ELEMENTO	m	20110	500	0000			τικτι ΔΟ (ψ)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							_	Nonre	curring	Nonrecurrin	g Disconnect			oss	Rates (\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN		SOMAN	SOMAN	SOMAN
	i																
	The "Z	one" shown in the sections for stand-alone loops or loops as	part of	a comi	ination refers to Ge	ographically	Deaveraged U	NE Zones. To	view Geograp	hically Deaver	aged UNE Zon	e Designation	ons by Cent	ral Office, ref	er to internet	Website:	
		www.interconnection.bellsouth.com/become_a_clec/html/inter	rconnec	tion.ht	m												
OPER/		L SUPPORT SYSTEMS (OSS) - "REGIONAL RATES"															
		(1) CLEC should contact its contract negotiator if it prefers the															
	elect e	ither the state specific Commission ordered rates for the servi	ice orde	ring ch	arges, or CLEC may	elect the re	gional service o	ordering charg	e, however, Cl	EC can not o	btain a mixture	of the two	regardless i	f CLEC has a	interconnecti	on contract e	stablished in
		f the 9 states.															
		(2) Any element that can be ordered electronically will be bill		•						•	` '		•			•	
		innot be ordered electronically at present per the LOH, the list			e in this category ref	lects the cha	arge that would	l be billed to a	CLEC once ele	ectronic order	ing capabilities	s come on-l	ne for that	element. Oth	erwise, the ma	anual orderin	g charge,
		N, will be applied to a CLECs bill when it submits an LSR to E															
	NOTE:	(3) OSS - Manual Service Order Charge, Per Element - UNE Or	nly **Ple	ease se	e applicable rate ele	ment for SC	MAN charge**										
	1	OSS - Electronic Service Order Charge, Per Local Service															
	<u> </u>	Request (LSR) - UNE Only	ļ	<u> </u>		SOMEC		3.50	0.00	3.50	0.00	ļ					
UNE S		DATE ADVANCEMENT CHARGE	<u> </u>			L	L					ļ		ļ		ļ	ļ
	NOTE:	The Expedite charge will be maintained commensurate with	BellSou	th's FC	C No.1 Tariff, Section	n 5 as appli	cable.										
					UAL, UEANL, UCL,												
					UEF, UDF, UEQ,												
					UDL, UENTW, UDN,												
					UEA, UHL, ULC,												
					USL, U1T12, U1T48,												
					U1TD1, U1TD3,												
					U1TDX, U1TO3,												
					U1TS1, U1TVX,												
					UC1BC, UC1BL,												
					UC1CC, UC1CL,												
					UC1DC, UC1DL,												
					UC1EC, UC1EL,												
					UC1FC, UC1FL,												
					UC1GC, UC1GL,												
					UC1HC, UC1HL,												
					UDL12, UDL48,												
					UDLO3, UDLSX,												
					UE3, ULD12,												
					ULD48, ULDD1,												
					ULDD3, ULDDX,												
					ULDO3, ULDS1,												
					ULDVX, UNC1X.												
					UNC3X, UNCDX,												
					UNCNX, UNCSX,												
					UNCVX, UNLD1,												
					UNLD3, UXTD1,												
					UXTD3, UXTS1,												
		UNE Expedite Charge per Circuit or Line Assignable USOC, per			U1TUC, U1TUD,												
<u></u>	<u> </u>	Day	<u>L</u> _	<u> </u>	U1TUB, U1TUA	SDASP		200.00	<u></u>							<u> </u>	<u> </u>
UNBU		EXCHANGE ACCESS LOOP															
	2-WIRE	ANALOG VOICE GRADE LOOP															
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1		1	UEANL	UEAL2	12.11	57.99	42.37					26.94	12.76	0.00	0.00
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2		2	UEANL	UEAL2	21.24	57.99	42.37					26.94	12.76	0.00	0.00
	Ì	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3		3	UEANL	UEAL2	33.65	57.99	42.37			1		26.94	12.76	0.00	0.00
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1		1	UEANL	UEASL	12.11	57.99	42.37		1			26.94	12.76	0.00	0.00
	1	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2	1	2	UEANL	UEASL	21.24	57.99	42.37		1			26.94	12.76	0.00	0.00
	1	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3	1	3	UEANL	UEASL	33.65	57.99	42.37		1			26.94	12.76	0.00	0.00
	1	Unbundled Miscellaneous Rate Element, Tag Loop at End User	1	T				21.30	:=:3,		1			1	1	1.50	2.00
	1	Premise	1	1	UEANL	URETL		8.33	0.83					26.94	12.76	0.00	0.00
	1	Loop Testing - Basic 1st Half Hour	†	t	UEANL	URET1		76.24	76.24		1	1		26.94	12.76	0.00	0.00
	l	Loop Testing - Basic Additional Half Hour	t	t	UEANL	URETA		39.51	39.51			1	†	26.94	12.76	0.00	0.00
	1	CLEC to CLEC Conversion Charge Without Outside Dispatch	†	t				00.01	00.01		1	1		20.04	12.70	3.30	0.00
1	I	(UVL-SL1)	1	1	UEANL	UREWO		15.76	8.93				1	26.94	12.76	0.00	0.00
	1	1(0.1 01.)	1	1	O _ / 11 1 L	- I I I I I	1	10.70	0.33		1	1	1	20.34	12.70	0.00	0.00

Version 3Q03: 11/12/2003 Page 239 of 349

UNBU	NDLE	D NETWORK ELEMENTS - North Carolina													ment: 2	1	ibit: A
CATEGO	ORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Charge -	Increment Charge - Manual Sv Order vs. Electronic Disc Add
							Rec	Nonre		Nonrecurring					Rates (\$)		
$\vdash \vdash$				<u> </u>		_		First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Unbundled Voice Loop, Non-Design Voice Loop, billing for BST															
-		providing make-up (Engineering Information - E.I.)		-	UEANL	UEANM UEAMC		28.74	28.74								1
-		Manual Order Coordination for UVL-SL1s (per loop) Order Coordination for Specified Conversion Time for UVL-SL1			UEANL	UEAIVIC		61.38	61.38	+		-					+
		(per LSR)			UEANL	OCOSL		45.34	45.34								
		Unbundled COPPER LOOP			ULANL	OCOSL		40.04	43.34			1					+
l t		2-Wire Unbundled Copper Loop - Non-Designed Zone 1		1	UEQ	UEQ2X	10.16	35.27	15.60			1		26.94	12.76	0.00	0.0
		2 Wire Unbundled Copper Loop - Non-Designed - Zone 2		2	UEQ	UEQ2X	17.55	35.27	15.60			1		26.94	12.76	0.00	0.0
		2 Wire Unbundled Copper Loop - Non-Designed - Zone 3			UEQ	UEQ2X	27.58	35.27	15.60			1		26.94	12.76		
		Unbundled Miscellaneous Rate Element, Tag Loop at End User															
		Premise			UEQ	URETL		8.33	0.83					26.94	12.76	0.00	0.0
		Manual Order Coordination 2 Wire Unbundled Copper Loop -															
		Non-Designed (per loop)			UEQ	USBMC		61.38	61.38					<u> </u>			
		Unbundled Copper Loop, Non-Design Copper Loop, billing for															
$\vdash \vdash$		BST providing make-up (Engineering Information - E.I.)			UEQ	UEQMU		28.74	28.74					26.94	12.76	0.00	0.0
		Loop Testing - Basic 1st Half Hour			UEQ	URET1		76.24	76.24			ļ		26.94	12.76		
		Loop Testing - Basic Additional Half Hour			UEQ	URETA		39.51	39.51	-				26.94	12.76	0.00	0.0
		CLEC to CLEC Conversion Charge Without Outside Dispatch			LIFO	LIDEWO		44.00	7.00					00.01	10 =0	0.00	
LINIBLINI	DI ED E	(UCL-ND)			UEQ	UREWO		14.26	7.42					26.94	12.76	0.00	0.0
		EXCHANGE ACCESS LOOP		-		+						1			-		1
 	2-WIRE	ANALOG VOICE GRADE LOOP				+						-			-		
		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- Zone 1		1	UEPSR UEPSB	UEALS	12.11	57.99	42.37	0.00	0.00			26.94	12.76		
-		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-		'	UEFSK UEFSB	UEALS	12.11	57.99	42.37	0.00	0.00	1		20.94	12.76	1	+
		Zone 1		1	UEPSR UEPSB	UEABS	12.11	57.99	42.37	0.00	0.00			26.94	12.76		
-		2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting-			OLI OK OLI OD	OLADO	12.11	37.99	42.57	0.00	0.00	1		20.54	12.70	1	+
		Zone 2		2	UEPSR UEPSB	UEALS	21.24	57.99	42.37	0.00	0.00			26.94	12.76		
		2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting-															
		Zone 2		2	UEPSR UEPSB	UEABS	21.24	57.99	42.37	0.00	0.00			26.94	12.76		
		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-		İ													
		Zone 3		3	UEPSR UEPSB	UEALS	33.65	57.99	42.37	0.00	0.00			26.94	12.76		
		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-															
		Zone 3		3	UEPSR UEPSB	UEABS	33.65	57.99	42.37	0.00	0.00			26.94	12.76		
		EXCHANGE ACCESS LOOP															
1	2-WIRE	ANALOG VOICE GRADE LOOP															
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or		١.					400 =0								
		Ground Start Signaling - Zone 1		1	UEA	UEAL2	14.97	142.97	106.56			1		26.94	12.76	0.00	0.0
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 2		2	UEA	UEAL2	25.93	142.97	106.56					26.94	12.76	0.00	0.0
\vdash		2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or	-		OLA	ULALZ	20.93	142.97	100.36	+		 	 	20.94	12.76	0.00	0.0
		Ground Start Signaling - Zone 3		3	UEA	UEAL2	40.81	142.97	106.56					26.94	12.76	0.00	0.0
		Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL	70.01	45.34	100.30	1		l	t	20.34	12.70	0.00	0.0
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse				1		.5.54		İ	İ			İ	1	i e	
		Battery Signaling - Zone 1		1	UEA	UEAR2	14.97	142.97	106.56					26.94	12.76	0.00	0.0
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse				1											
		Battery Signaling - Zone 2		2	UEA	UEAR2	25.93	142.97	106.56	<u> </u>		<u></u>		26.94	12.76	0.00	0.0
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse															
		Battery Signaling - Zone 3		3	UEA	UEAR2	40.81	142.97	106.56			ļ		26.94	12.76	0.00	0.0
		Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL		45.34		ļ		ļ		ļ	1	ļ	
\vdash		CLEC to CLEC Conversion Charge without outside dispatch		<u> </u>	UEA	UREWO		87.64	36.33			ļ		26.94	12.76	0.00	
\vdash		Loop Tagging - Service Level 2 (SL2)		ļ	UEA	URETL		11.20	1.10	_	-	1	-	26.94	12.76	0.00	0.0
4		ANALOG VOICE GRADE LOOP		-	LIEA	LIENIA	24.22	200 47	007.45	 	-		-	20.04	10.70	0.00	1
\vdash		4-Wire Analog Voice Grade Loop - Zone 1			UEA	UEAL4 UEAL4	21.32	288.47	237.45		-		-	26.94	12.76	0.00	
		4-Wire Analog Voice Grade Loop - Zone 2	-		UEA UEA	UEAL4	36.27 56.57	288.47 288.47	237.45 237.45			1	-	26.94 26.94	12.76 12.76		
-		4-Wire Analog Voice Grade Loop - Zone 3 Order Coordination for Specified Conversion Time (per LSR)	-	3	UEA	OCOSL	50.57	288.47 45.34	231.45	+		 	 	∠6.94	12.76	0.00	0.0
 		CLEC to CLEC Conversion Charge without outside dispatch	-		UEA	UREWO		87.64	36.33	+				26.94	12.76	0.00	0.0
1	2-WIRE	EISDN DIGITAL GRADE LOOP		\vdash	0=/1	JILL VVO		07.04	50.55	1		 	-	20.34	12.70	0.00	0.0
		2-Wire ISDN Digital Grade Loop - Zone 1	\vdash	1	UDN	U1L2X	19.42	325.91	251.31	†		 	 	26.94	12.76	0.00	0.0

NRONDL	ED NETWORK ELEMENTS - North Carolina												ment: 2		ibit: A
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
						Rec	Nonrec	urring	Nonrecurring Disconnect				Rates (\$)	•	
							First	Add'l	First Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire ISDN Digital Grade Loop - Zone 2			UDN	U1L2X	32.88	325.91	251.31				26.94	12.76	0.00	
	2-Wire ISDN Digital Grade Loop - Zone 3		3	UDN	U1L2X	51.14	325.91	251.31				26.94	12.76	0.00	0.0
	Order Coordination For Specified Conversion Time (per LSR)			UDN	OCOSL		45.34								
	CLEC to CLEC Conversion Charge without outside dispatch			UDN	UREWO		91.55	44.12	<u> </u>			26.94	12.76	0.00	0.0
2-WII	RE ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMP	AIIBLE	LOOP		+				.	-			1		1
	2 Wire Unbundled ADSL Loop including manual service inquiry & facility reservation - Zone 1		1	UAL	UAL2X	11.00	264.71	145.60				26.94	12.76	0.00	0.0
- t	2 Wire Unbundled ADSL Loop including manual service inquiry		-	UAL	UALZA	11.00	204.71	145.60	+ + +	1	1	20.94	12.70	0.00	0.0
	& facility reservation - Zone 2		2	UAL	UAL2X	18.39	264.71	145.60				26.94	12.76	0.00	0.0
	2 Wire Unbundled ADSL Loop including manual service inquiry			O/IL	OTILEX	10.00	204.71	140.00	 	+	-	20.04	12.70	0.00	0.0
	& facility reservation - Zone 3		3	UAL	UAL2X	28.42	264.71	145.60				26.94	12.76	0.00	0.0
	Order Coordination for Specified Conversion Time (per LSR)		É	UAL	OCOSL		45.34			1			1	1 2.30	1 3.0
	2 Wire Unbundled ADSL Loop without manual service inquiry &														
	facility reservaton - Zone 1	<u></u>	1	UAL	UAL2W	11.00	190.25	114.82				26.94	12.76	0.00	0.0
	2 Wire Unbundled ADSL Loop without manual service inquiry &				İ	İ	ĺ								
	facility reservaton - Zone 2		2	UAL	UAL2W	18.39	190.25	114.82				26.94	12.76	0.00	0.0
	2 Wire Unbundled ADSL Loop without manual service inquiry &														
	facility reservaton - Zone 3		3	UAL	UAL2W	28.42	190.25	114.82				26.94	12.76	0.00	0.0
	Order Coordination for Specified Conversion Time (per LSR)			UAL	OCOSL		45.34								
	CLEC to CLEC Conversion Charge without outside dispatch	L		UAL	UREWO		86.12	40.36	<u> </u>			26.94	12.76	0.00	0.0
2-WII	RE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIBLE	OOP							ļ					
	2 Wire Unbundled HDSL Loop including manual service inquiry					0.04	00474	400.54				00.04	40.70	0.00	
	& facility reservation - Zone 1		1	UHL	UHL2X	9.01	284.74	163.54		1		26.94	12.76	0.00	0.0
	2 Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 2		_	UHL	UHL2X	14.87	284.74	163.54				26.94	12.76	0.00	0.0
	2 Wire Unbundled HDSL Loop including manual service inquiry		2	UHL	UHLZX	14.87	284.74	163.54		+	-	26.94	12.76	0.00	0.0
	& facility reservation - Zone 3		3	UHL	UHL2X	22.82	284.74	163.54				26.94	12.76	0.00	0.0
	Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL	22.02	45.34	105.54	 	+	-	20.34	12.70	0.00	0.0
	2 Wire Unbundled HDSL Loop without manual service inquiry			OTIL	00002	-	40.04		 	†					1
	and facility reservation - Zone 1		1	UHL	UHL2W	9.01	207.48	132.05				26.94	12.76	0.00	0.0
	2 Wire Unbundled HDSL Loop without manual service inquiry								1	i i				0.00	1
	and facility reservation - Zone 2		2	UHL	UHL2W	14.87	207.48	132.05				26.94	12.76	0.00	0.0
	2 Wire Unbundled HDSL Loop without manual service inquiry														
	and facility reservation - Zone 3		3	UHL	UHL2W	22.82	207.48	132.05				26.94	12.76	0.00	0.0
	Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		45.34								
	CLEC to CLEC Conversion Charge without outside dispatch			UHL	UREWO		86.06	40.36				26.94	12.76	0.00	0.0
4-WII	RE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIBLE	OOP												
	4 Wire Unbundled HDSL Loop including manual service inquiry				I I										
	and facility reservation - Zone 1		1	UHL	UHL4X	10.62	341.65	220.45	<u> </u>			26.94	12.76	0.00	0.0
	4-Wire Unbundled HDSL Loop including manual service inquiry		_	UHL	UHL4X	17.67	244.05	220 45				20.04	12.76	0.00	0.0
	and facility reservation - Zone 2 4-Wire Unbundled HDSL Loop including manual service inquiry		2	UHL	UHL4X	17.67	341.65	220.45		+	-	26.94	12.76	0.00	0.0
	and facility reservation - Zone 3		3	UHL	UHL4X	27.24	341.65	220.45				26.94	12.76	0.00	0.0
- t	Order Coordination for Specified Conversion Time (per LSR)		3	UHL	OCOSL	21.24	45.34	220.43	+ + +	1	1	20.94	12.70	0.00	0.0
	4-Wire Unbundled HDSL Loop without manual service inquiry			OTIL	OCCOL		40.04		 	+			-		1
	and facility reservation - Zone 1		1	UHL	UHL4W	10.62	264.39	188.96				26.94	12.76	0.00	0.0
	4-Wire Unbundled HDSL Loop without manual service inquiry		Ė		1			.00.00	<u> </u>	1		20.04	.20	5.50	3.0
	and facility reservation - Zone 2		2	UHL	UHL4W	17.67	264.39	188.96				26.94	12.76	0.00	0.0
	4-Wire Unbundled HDSL Loop without manual service inquiry						ĺ								
	and facility reservation - Zone 3	<u></u>	3	UHL	UHL4W	27.24	264.39	188.96				26.94	12.76	0.00	0.0
	Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		45.34								
	CLEC to CLEC Conversion Charge without outside dispatch			UHL	UREWO		86.06	40.36				26.94	12.76	0.00	0.0
4-WII	RE DS1 DIGITAL LOOP				1								L		
	4-Wire DS1 Digital Loop - Zone 1			USL	USLXX	47.60	714.84	421.47		1		42.19		0.00	0.0
	4-Wire DS1 Digital Loop - Zone 2			USL	USLXX	84.36	714.84	421.47		1		42.19	12.76	0.00	
	4-Wire DS1 Digital Loop - Zone 3		3	USL	USLXX	134.29	714.84	421.47		1	-	42.19	12.76	0.00	0.0
	Order Coordination for Specified Conversion Time (per LSR) CLEC to CLEC Conversion Charge without outside dispatch		<u> </u>	USL	OCOSL		48.31	40.00		1		20.04	40.70	0.00	
	ICLEC TO CLEC Conversion Charge without outside dispatch	1		USL	UREWO		100.99	43.00	1	1	1	26.94	12.76	0.00	0.0

UNBUNDLE	D NETWORK ELEMENTS - North Carolina											Attachi	ment: 2	Exhi	bit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			Svc Order Submitted Manually per LSR		Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						B	Nonrec	urring	Nonrecurring Disconnect		1	OSS	Rates (\$)		
						Rec	First	Add'l	First Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	4 Wire Unbundled Digital 19.2 Kbps			UDL	UDL19	25.32	489.04	337.51				26.94	12.76	0.00	0.00
	4 Wire Unbundled Digital 19.2 Kbps 4 Wire Unbundled Digital 19.2 Kbps			UDL UDL	UDL19 UDL19	43.11 67.26	489.04 489.04	337.51 337.51	+			26.94 26.94	12.76 12.76	0.00	0.00
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 1			UDL	UDL19	25.32	489.04	337.51	 	+		26.94	12.76	0.00	0.00
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 2			UDL	UDL56	43.11	489.04	337.51		+		26.94	12.76	0.00	0.00
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 3		3	UDL	UDL56	67.26	489.04	337.51				26.94	12.76	0.00	0.00
	Order Coordination for Specified Conversion Time (per LSR)			UDL	OCOSL		45.34								
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 1			UDL	UDL64	25.32	489.04	337.51				26.94	12.76	0.00	0.00
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 2			UDL	UDL64	43.11	489.04	337.51				26.94	12.76	0.00	0.00
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 3			UDL	UDL64	67.26	489.04	337.51	+			26.94	12.76	0.00	0.00
	Order Coordination for Specified Conversion Time (per LSR) CLEC to CLEC Conversion Charge without outside dispatch			UDL UDL	OCOSL UREWO		45.34 102.03	49.70				26.94	12.76	0.00	0.00
2-WIRI	E Unbundled COPPER LOOP		 	000	SIVEAAO		102.03	43.70		+	1	20.34	12.10	0.00	0.00
	2-Wire Unbundled Copper Loop-Designed including manual									1					
	service inquiry & facility reservation - Zone 1		1	UCL	UCLPB	13.26	262.86	143.75		<u> </u>	<u></u>	26.94	12.76	0.00	0.00
	2-Wire Unbundled Copper Loop-Designed including manual														i
	service inquiry & facility reservation - Zone 2		2	UCL	UCLPB	22.39	262.86	143.75		1	<u> </u>	26.94	12.76	0.00	0.00
	2 Wire Unbundled Copper Loop-Designed including manual		3	UCL	UCLPB	34.80	262.86	143.75				26.94	12.76	0.00	0.00
	service inquiry & facility reservation - Zone 3 Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLPB	34.80	61.38	61.38	 	+		26.94	12.76	0.00	0.00
	2-Wire Unbundled Copper Loop-Designed without manual			OCL	UCLIVIC		01.30	01.30		+					
	service inquiry and facility reservation - Zone 1		1	UCL	UCLPW	13.26	188.39	112.96				26.94	12.76	0.00	0.00
	2-Wire Unbundled Copper Loop-Designed without manual										1				
	service inquiry and facility reservation - Zone 2		2	UCL	UCLPW	22.39	188.39	112.96				26.94	12.76	0.00	0.00
	2-Wire Unbundled Copper Loop-Designed without manual														ł
	service inquiry and facility reservation - Zone 3			UCL	UCLPW	34.80	188.39	112.96				26.94	12.76	0.00	0.00
	Order Coordination for Unbundled Copper Loops (per loop) CLEC to CLEC Conversion Charge without outside dispatch			UCL	UCLMC		61.38	61.38	 	+					
	(UCL-Des)			UCL	UREWO		97.14	42.44				26.94	12.76	0.00	0.00
4-WIRI	COPPER LOOP			002	U.L.I.O		01111			1		20.0 .	12.10	0.00	0.00
	4-Wire Copper Loop including manual service inquiry and facility														i
	reservation - Zone 1		1	UCL	UCL4S	17.36	311.03	191.93				26.94	12.76	0.00	0.00
	4-Wire Copper Loop including manual service inquiry and facility														ł
	reservation - Zone 2		2	UCL	UCL4S	29.61	311.03	191.93				26.94	12.76	0.00	0.00
	4-Wire Copper Loop including manual service inquiry and facility		3	UCL	UCL4S	46.26	311.03	191.93				26.94	12.76	0.00	0.00
	reservation - Zone 3 Order Coordination for Unbundled Copper Loops (per loop)		3	UCL	UCL4S UCLMC	46.26	61.38	61.38	 	+		26.94	12.76	0.00	0.00
	4-Wire Copper Loop without manual service inquiry and facility			OOL	OCLIVIC		01.50	01.50		+					(
	reservation - Zone 1		1	UCL	UCL4W	17.36	236.57	161.14				26.94	12.76	0.00	0.00
	4-Wire Copper Loop without manual service inquiry and facility														1
	reservation - Zone 2		2	UCL	UCL4W	29.61	236.57	161.14				26.94	12.76	0.00	0.00
	4-Wire Copper Loop without manual service inquiry and facility		,	UCL	UCL4W	46.26	220 57	404.44				20.04	10.70	0.00	0.00
	reservation - Zone 3 Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCL4VV UCLMC	46.26	236.57 61.38	161.14 61.38	 	+		26.94	12.76	0.00	0.00
	CLEC to CLEC Conversion Charge without outside dispatch			OOL	OCLIVIC		01.50	01.50		+					
	(UCL-Des)			UCL	UREWO		97.14	42.44							ł
LOOP MODIFI	CATION														
				UAL, UHL, UCL,											1
				UEQ, ULS, UEA,											i
	Unbundled Loop Modification, Removal of Load Coils - 2 Wire pair less than or equal to 18k ft, per Unbundled Loop			UEANL, UEPSR, UEPSB	ULM2L		21.24	21.24				26.94	12.76	0.00	0.00
	Unbundled Loop Modification Removal of Load Coils - 4 Wire		-	ULFOD	ULIVIZL		21.24	21.24		+	1	20.94	12.70	0.00	0.00
	less than or equal to 18K ft, per Unbundled Loop			UHL, UCL, UEA	ULM4L		21.24	21.24				26.94	12.76	0.00	0.00
			i	UAL, UHL, UCL,	T					1	1			5.50	2.50
. [UEQ, ULS, UEA,											l
1	Unbundled Loop Modification Removal of Bridged Tap Removal,			UEANL, UEPSR,											
SUB-LOOPS	per unbundled loop		.	UEPSB	ULMBT		24.84	24.84	 	+	 	26.94	12.76	0.00	0.00
	pop Distribution		-		+					+	 				
Jub-Li	op Diomoution		l	L	1	l			<u> </u>		1				

,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	D NETWORK ELEMENTS - North Carolina													ment: 2		ibit: A
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge
						_	Nonred	curring	Nonrecurrin	g Disconnect	1	1	oss	Rates (\$)	1	
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMA
	Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set-															
	Up	- 1		UEANL	USBSA		373.57						26.94	12.76	0.00	(
		Ι.														
	Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up Sub-Loop - Per Building Equipment Room - CLEC Feeder	- 1		UEANL	USBSB		33.78						26.94	12.76	0.00	1
	Facility Set-Up	١.,		UEANL	USBSC		234.76						26.94	12.76	0.00	
	Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel			OLANL	USBSC		234.70			+	1		20.54	12.70	0.00	+
	Set-Up	1		UEANL	USBSD		81.05						26.94	12.76	0.00	
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -															1
	Zone 1	- 1	1	UEANL	USBN2	7.31	126.03	54.54					26.94	12.76	0.00	
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -		_	l												
-+	Zone 2		2	UEANL	USBN2	11.93	126.03	54.54					26.94	12.76	0.00	
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 3	١.,	3	UEANL	USBN2	18.20	126.03	54.54					26.94	12.76	0.00	
+	2016 3	<u> </u>	3	OLANL	USBINZ	10.20	120.03	34.34			1		20.94	12.70	0.00	+
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		61.38	61.38								
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -															
	Zone 1		1	UEANL	USBN4	8.44	156.52	79.66					26.94	12.76	0.00	
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -															
	Zone 2		2	UEANL	USBN4	13.81	156.52	79.66			1		26.94	12.76	0.00	
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -			LIE ANII	LIODALA	04.40	450.50	70.00					00.04	40.70	0.00	
	Zone 3		3	UEANL	USBN4	21.10	156.52	79.66			-		26.94	12.76	0.00	+
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		61.38	61.38								
	Sub-Loop 2-Wire Intrabuilding Network Cable (INC)		1	UEANL	USBR2	2.79	114.05	37.20			1		26.94	12.76	0.00	1
1	eas 2005 2 Villo Intrasalianing Notwork Sasto (Into)	<u> </u>		027412	COBILE	20	111100	01.20		1	†		20.0 .	12.70	0.00	†
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		61.38	61.38								
	Sub-Loop 4-Wire Intrabuilding Network Cable (INC)			UEANL	USBR4	3.74	127.67	50.82					26.94	12.76	0.00	
				l												
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		61.38	61.38			1					╀
	Loop Testing - Basic 1st Half Hour Loop Testing - Basic Additional Half Hour			UEANL UEANL	URET1 URETA		76.24 39.51	76.24 39.51		-	+					+
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1		1	UEF	UCS2X	6.10	137.10	60.24			+		26.94	12.76	0.00	†
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 2	i		UEF	UCS2X	9.70	137.10	60.24			1		26.94	12.76	0.00	
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	- 1		UEF	UCS2X	14.59	137.10	60.24					26.94	12.76	0.00	†
																T
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEF	USBMC		61.38	61.38			1					
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1		1	UEF	UCS4X	6.58	162.24	85.38					26.94	12.76	0.00	
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 2			UEF UEF	UCS4X	10.51 15.84	162.24	85.38 85.38					26.94 26.94	12.76 12.76	0.00	
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 3		3	UEF	UCS4X	15.84	162.24	85.38			+		26.94	12.76	0.00	+
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEF	USBMC		61.38	61.38								
	Loop Testing - Basic 1st Half Hour			UEF	URET1		76.24	76.24			1					+
	Loop Testing - Basic Additional Half Hour			UEF	URETA		39.51	39.51		1	†					†
Unbun	dled Network Terminating Wire (UNTW)															t
	Unbundled Network Terminating Wire (UNTW) per Pair			UENTW	UENPP	0.4351	64.98						26.94	12.76	0.00	
Networ	k Interface Device (NID)										1					
	Network Interface Device (NID) - 1-2 lines	!		UENTW	UND12		86.37	56.69					26.94	12.76	0.00	
	Network Interface Device (NID) - 1-6 lines Network Interface Device Cross Connect - 2 W		1	UENTW UENTW	UND16 UNDC2		127.93 11.68	98.21 11.68		+	 		26.94 26.94	12.76	0.00	
_	Network Interface Device Cross Connect - 2 W Network Interface Device Cross Connect - 4W	 	 	UENTW	UNDC2 UNDC4	-	11.68	11.68		+	+	1	26.94	12.76 12.76	0.00	
NE OTHER: P	PROVISIONING ONLY - NO RATE		†	OLI11VV	0.1004		11.00	11.00		+	†		20.94	12.70	0.00	
	NID - Dispatch and Service Order for NID installation			UENTW	UNDBX	0.00	0.00			1					İ	1
	UNTW Circuit Id Establishment, Provisioning Only - No Rate			UENTW	UENCE	0.00	0.00								<u> </u>	
				UEANL,UEF,UEQ,U												T
	Unbundled Contract Name, Provisioning Only - No Rate	i .	1	ENTW	UNECN	0.00	0.00	1	ı	1	1	1	1	1	1	1

UNBUNDLED	NETWORK ELEMENTS - North Carolina												Attach	ment: 2	Exhi	bit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)				Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge -	Incrementa Charge -
						Rec		curring		g Disconnect				Rates (\$)		
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
																1
l I.	The second of th			UAL,UCL,UDC,UDL,	LINIEON	0.00	0.00									
	Unbundled Contact Name, Provisioning Only - no rate Unbundled Sub-Loop Feeder-2 Wire Cross Box Jumper - no		ļ	UDN,UEA,UHL,ULC	UNECN	0.00	0.00			+	1					—
	onbundled Sub-Loop Feeder-2 Wire Cross Box Jumper - no			UEA,UDN,UCL,UDC	LIGBEO	0.00	0.00									1
	Unbundled Sub-Loop Feeder-4 Wire Cross Box Jumper - no			OLA,ODIN,OCL,ODC	USBI Q	0.00	0.00			+	+					
1 1	rate			UEA,USL,UCL,UDL	USBFR	0.00	0.00									
i	Unbundled DS1 Loop - Superframe Format Option - no rate			USL	CCOSF	0.00	0.00									
	Unbundled DS1 Loop - Expanded Superframe Format option -															
	no rate			USL	CCOEF	0.00	0.00									
	Y UNBUNDLED LOCAL LOOP															
	High Capacity Unbundled Local Loop - DS3 - Per Mile per															
	month			UE3	1L5ND	13.33										
	High Capacity Unbundled Local Loop - DS3 - Facility			LIEO	UE3PX	450.00	4 074 00	040.40					50.40	50.40		
	Termination per month High Capacity Unbundled Local Loop - STS-1 - Per Mile per			UE3	UE3PX	450.69	1,071.00	646.12	-	-	 	-	53.48	53.48		-
	nigh Capacity Orbundled Local Loop - 515-1 - Per Mile per			UDLSX	1L5ND	13.33										1
	High Capacity Unbundled Local Loop - STS-1 - Facility			ODLOX	TESIND	13.33				+	+					
	Termination per month			UDLSX	UDLS1	464.26	1,071.00	646.12					53.48	53.48		
LOOP MAKE-UP				00207	0520.	101.20	1,071100	0.101.12			1	1	00.10	00.10		
	Loop Makeup - Preordering Without Reservation, per working or															
s	spare facility queried (Manual).			UMK	UMKLW		55.44	55.44					19.99	19.99	19.99	19.99
	Loop Makeup - Preordering With Reservation, per spare facility															
	queried (Manual).			UMK	UMKLP		55.73	55.73					19.99	19.99	19.99	19.99
	Loop MakeupWith or Without Reservation, per working or															
	spare facility queried (Mechanized)			UMK	UMKMQ		0.6960821	0.6960821								
	AND LINE SPLITTING The Line Sharing monthly recurring rates for all installation		-1-414	Ostabar 00, 200	2 46	idaiaht Ostaba	- 04 2004 abal		i all anno	+	1					—
	10/02/2003 – 10/01/2004: 25% of the rate for an unbundled co					lanight Octobe	1 01, 2004 Sha	i be billed as i	lollows.	+	+	-				
	10/02/2004 – 10/01/2005: 50% of the rate for UCLND	pper io	l lion	I-designed (OOLND	1					+	1					
	10/02/2005 – 10/01/2006: 75% of the rate for UCLND									1	1					
NOTE 1:	Above will apply to USOCS: ULSDT and ULSCT															
**NOTE 2	2: The Line Sharing monthly recurring rates with USOCs ULS	SDC and	d ULSC	C applies only to cit	cuits install	ed and inservic	e on or before	October 1, 20	03							
LINE SH																
	ERS-CENTRAL OFFICE BASED									1						
	Line Sharing Splitter, per System 96 Line Capacity			ULS	ULSDA	181.18	631.54	0.00					26.94	12.76		
	Line Sharing Splitter, per System 24 Line Capacity Line Sharing Splitter, Per System, 8 Line Capacity			ULS ULS	ULSDB ULSD8	38.99 12.73	631.54 424.61	0.00	-	1	1	-	26.94 26.94	12.76 12.76		
	Line Sharing Splitter, Per System, 8 Line Capacity Line Sharing-DLEC Owned Splitter in CO-CFA activation-			ULS	ULSD8	12.73	424.61	0.00	-	-	 	-	26.94	12.76		-
	deactivation (per LSOD)			ULS	ULSDG		146.32	31.27					26.94	12.76		
	ER ORDERING-CENTRAL OFFICE BASED LINE SHARING		1	OLO	OLODO		140.32	31.27		+	+	†	20.34	12.70		
	Line Sharing - per Line Activation (BST Owned splitter) -									1	1					
	OBSOLETE see **NOTE 2			ULS	ULSDC	0.61	54.71	28.77					26.94	12.76		
L	Line Share Service, TRO per line activation, BST owned splitter -		1													
	Central Office Located (25% of UCLND) - please see NOTE 1															
	(E:10/2/2003)	ļ	ļ	ULS	ULSDT	3.49	54.71	28.77	1	1				ļ		
	Line Share Service, TRO per line activation, BST owned splitter -	1							I	1						1
	Central Office Located (50% of UCLND) - please see NOTE 1 (E:10/2/2004)	1		ULS	ULSDT	6.99	54.71	28.77	I	1						1
	Line Share Service, TRO per line activation, BST owned splitter -	-	 	ULO	ULOUI	6.99	54.71	28.77	 	+	1	-	-	-	-	-
	Central Office Located (75% of UCLND) - please see NOTE 1								1	1						1
	(E:10/2/2005)	1		ULS	ULSDT	10.48	54.71	28.77	I	1	1					1
	Line Sharing - per Subsequent Activity per Line		 				0 1	20.77	1	1				İ		
	Rearrangement(BST Owned Splitter	1		ULS	ULSDS		35.42	16.57	1	1			26.94	12.76		1
L	Line Sharing - per Subsequent Activity per Line	İ								1	İ					
F	Rearrangement(DLEC Owned Splitter		<u> </u>	ULS	ULSCS		35.14	16.29					26.94	12.76		
	Line Sharing - per Line Activation (DLEC owned Splitter) -	l											I		I	1
	OBSOLETE see **NOTE 2	l	1	ULS	ULSCC	0.61	47.44	19.31			1		26.94	12.76	<u> </u>	<u> </u>

UNBU	NDLE	D NETWORK ELEMENTS - North Carolina												Attach	ment: 2	Exhi	ibit: A
												Svc Order	Svc Order	Incremental	Incremental		
											;	Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
			Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svo
CATEG	ORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
												•		Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
															- (2)		
							Rec	Nonrec		Nonrecurring Disco					Rates (\$)		
								First	Add'l	First Ac	l'bb	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Line Share Service, TRO per line activation, CLEC owned															
		splitter - Central Office Located (25% of UCLND) - please see				ш оот	0.40	47.44	10.01								
-		NOTE 1 (E:10/2/2003)		-	ULS	ULSCT	3.49	47.44	19.31								
		Line Share Service, TRO per line activation, CLEC owned															
		splitter - Central Office Located (50% of UCLND) - please see NOTE 1 (E:10/2/2004)			ULS	ULSCT	6.99	47.44	19.31								
		Line Share Service, TRO per line activation, CLEC owned			ULS	ULSCI	0.99	47.44	19.31								
		splitter - Central Office Located (75% of UCLND) - please see															
		NOTE 1 (E:10/2/2005)			ULS	ULSCT	10.48	47.44	19.31								
-	LINES	PLITTING			OLO	02001	10.40	77.77	10.01								1
		SER ORDERING-CENTRAL OFFICE BASED				1					-						
		Line Splitting - per line activation DLEC owned splitter		t	UEPSR UEPSB	UREOS	0.61			1 1				i		i	1
		Line Splitting - per line activation BST owned - physical			UEPSR UEPSB	UREBP	0.61	56.92	28.59	† †				26.94	12.76		
		Line Splitting - per line activation BST owned - virtual		t	UEPSR UEPSB	UREBV	0.61	56.92	28.59	1				26.94	12.76		
	MAINT	ENANCE									- 1					İ	1
		No Trouble Found - per 1/2 hour increments - Basic						80.00	55.00								
		No Trouble Found - per 1/2 hour increments - Overtime						120.00	82.50		Î						1
		No Trouble Found - per 1/2 hour increments - Premium						160.00	110.00								ĺ
UNBUN	DLED I	DEDICATED TRANSPORT															
	INTER	OFFICE CHANNEL - DEDICATED TRANSPORT															
		Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade -															
		Per Mile per month			U1TVX	1L5XX	0.0125										
		Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade -															
		Facility Termination			U1TVX	U1TV2	18.00	137.48	52.58					38.07	38.07		
		Interoffice Channel - Dedicated Transpor t- 2-Wire Voice Grade															
		Rev Bat Per Mile per month			U1TVX	1L5XX	0.0125										
		Interoffice Channel - Dedicated Transport- 2- Wire VG Rev Bat			11477.07	LIATEDO	40.00	407.40	50.50					00.07	00.07		
-		Facility Termination		-	U1TVX	U1TR2	18.00	137.48	52.58					38.07	38.07		
		Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade - Per Mile per month			U1TVX	1L5XX	0.0125										
-		Interoffice Channel - Dedicated Transport - 4- Wire Voice Grade			UTIVA	ILSAA	0.0125										
		- Facility Termination			U1TVX	U1TV4	22.16	106.11	65.95					22.32	22.32		
		Interoffice Channel - Dedicated Transport - 56 kbps - per mile			OTTVX	01114	22.10	100.11	00.00					22.02	22.02		1
		per month			U1TDX	1L5XX	0.0282										
		Interoffice Channel - Dedicated Transport - 56 kbps - Facility			0115%	120701	0.0202										1
		Termination			U1TDX	U1TD5	17.40	137.48	52.58					38.07	38.07		
		Interoffice Channel - Dedicated Transport - 64 kbps - per mile							5=.50		1					l	Î
1		per month		1	U1TDX	1L5XX	0.0282			1							
		Interoffice Channel - Dedicated Transport - 64 kbps - Facility															
		Termination			U1TDX	U1TD6	17.40	137.48	52.58					38.07	38.07		
		Interoffice Channel - Dedicated Channel - DS1 - Per Mile per												l		I	
		month			U1TD1	1L5XX	0.5753									ļ	<u> </u>
		Interoffice Channel - Dedicated Tranport - DS1 - Facility				1		_] [
		Termination			U1TD1	U1TF1	71.29	217.17	163.75	 				38.07	38.07	ļ	
		Interoffice Channel - Dedicated Transport - DS3 - Per Mile per			LIATEDO	41.5007											
<u> </u>		month		-	U1TD3	1L5XX	12.98			 				ļ		 	
		Interoffice Channel - Dedicated Transport - DS3 - Facility			LIATES	U1TF3	720.38	794.94	579.55] [04.00	91.26		
—		Termination per month Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per		+	U1TD3	UIIF3	120.38	794.94	0/9.05	 				91.26	91.26	-	
		month			U1TS1	1L5XX	6.14] [
		Interoffice Channel - Dedicated Transport - STS-1 - Facility		 	01101	ILOAA	0.14	+									†
		Termination			U1TS1	U1TFS	790.37	642.23	408.89] [53.48	53.48		
DARK	IBER							7.2.20			1			22.10	22.10	İ	1
		Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction					1				1					İ	1
		Thereof per month - Interoffice Channel			UDF, UDFCX	1L5DF	27.71										
		NRC Dark Fiber - Interoffice Channel			UDF, UDFCX	UDF14		1,807.00	562.96		1						
		Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction															
		Thereof per month - Local Loop			UDF, UDFCX	1L5DL	64.04										
		NRC Dark Fiber - Local Loop			UDF, UDFCX	UDFL4		1,347.00	279.87								

UNBUNDLE	D NETWORK ELEMENTS - North Carolina				,								ment: 2		bit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)		Submitted Elec per LSR	Submitted Manually	Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l
						Rec	Nonrec		Nonrecurring Disconn				Rates (\$)		
						1100	First	Add'l	First Add'	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
8XX ACCESS T	TEN DIGIT SCREENING														
	8XX Access Ten Digit Screening, Per Call			OHD		0.0005									
	8XX Access Ten Digit Screening, Reservation Charge Per 8XX Number Reserved			OHD	N8R1X		7.05	0.96				26.94			
	8XX Access Ten Digit Screening, Per 8XX No. Established W/O POTS Translations			OHD			23.82	2.73				41.35			
	8XX Access Ten Digit Screening, Per 8XX No. Established With POTS Translations			OHD	N8FTX		23.82	2.73				41.35			
	8XX Access Ten Digit Screening, Customized Area of Service Per 8XX Number			OHD	N8FCX		5.63	2.82							
	8XX Access Ten Digit Screening, Multiple InterLATA CXR														
	Routing Per CXR Requested Per 8XX No.			OHD	N8FMX		6.59	3.77							L
	8XX Access Ten Digit Screening, Change Charge Per Request			OHD	N8FAX		8.01	0.96				26.94			
	8XX Access Ten Digit Screening, Call Handling and Destination Features			OHD	N8FDX		5.63								
LINE INFORMA	ATION DATA BASE ACCESS (LIDB)														
	LIDB Common Transport Per Query			OQT		0.00003									
	LIDB Validation Per Query			OQU		0.0134									
	LIDB Originating Point Code Establishment or Change			OQT, OQU	NRBPX		62.26					26.94	26.94		
SIGNALING (C															
	CCS7 Signaling Connection, Per link (A link)			UDB	TPP++	18.22	278.02	278.02				41.35	41.35		
	CCS7 Signaling Connection, Per link (B link) (also known as D link)			UDB	TPP++	18.22	278.02	278.02				41.35	41.35		
	CCS7 Signaling Termination, Per STP Port			UDB	PT8SX	132.83									
	CCS7 Signaling Usage, Per ISUP Message			UDB		0.00004									L
	CCS7 Signaling Usage, Per TCAP Message			UDB	071150	0.00009									└
	CCS7 Signaling Usage Surrogate, per link per LATA			UDB	STU56	338.98			 		+				⊢—
	CCS7 Signaling Point Code, per Originating Point Code Establishment or Change, per STP affected			UDB	CCAPO		40.00	40.00				19.99	19.99		
	CCS7 Signaling Point Code, per Destination Point Code Establishment or Change, Per Stp Affected			UDB	CCAPD		8.00	8.00				19.99	19.99		
E911 SERVICE															
	Local Channel - Dedicated - 2-wr Voice Grade - Zone 1		1			11.24	553.80	89.69				42.17	12.76		
	Local Channel - Dedicated - 2-wr Voice Grade - Zone 2		2			19.91	553.80	89.69				42.17	12.76		ـــــــ
	Local Channel - Dedicated - 2-wr Voice Grade - Zone 3		3			31.70	553.80	89.69				42.17	12.76		
	Interoffice Transport - Dedicated - 2-wr Voice Grade Per Mile Interoffice Transport - Dedicated - 2-wr Voice Grade Per Facility					0.0282									
 	Termination Local Channel - Dedicated - DS1 - Zone 1	 	4		1	18.00 27.05	137.48 534.48	52.58 462.69	 		1	38.07 86.15	38.07 1.77	 	
 	Local Channel - Dedicated - DS1 - Zone 1 Local Channel - Dedicated - DS1 - Zone 2	+	2		1	27.05 47.94	534.48	462.69		-	+	86.15	1.77		
 	Local Channel - Dedicated - DS1 - Zone 2 Local Channel - Dedicated - DS1 - Zone 3	1	3			76.32	534.48	462.69			+	86.15	1.77		
 	Interoffice Transport - Dedicated - DS1 - Zone 3	 	3		+	0.5753	JJ4.40	+02.09	 	+	+	00.15	1.77	 	
	Interoffice Transport - Dedicated - DS1 Per Facility Termination					71.29	217.17	163.75				38.07	38.07		
	IE (CNAM) SERVICE	 	 		+	11.25	211.11	103.73		- 	1	30.07	30.07	 	
JALLING HAM	CNAM For DB Owners - Service Establishment	†		OQV	1		75.62		 		†	1			—
	CNAM For Non DB Owners - Service Establishment			OQV	1		75.62					İ	İ	İ	
	CNAM For DB Owners - Service Provisioning With Point Code Establishment (Initial)			OQV			2,354.00	2,354.00							
	CNAM For DB Owners - Service Provisioning With Point Code Establishment (Subsequent)			OQV			1,739.00	1,739.00							
	CNAM For Non DB Owners - Service Provisioning With Point Code Establishment (Initial)			OQV			1,072.00	1,072.00							
	CNAM For Non DB Owners - Service Provisioning With Point Code Establishment (Subsequent)			OQV			768.44	768.44							
 	CNAM for DB & Non DB Owners, Per Query	+	-	OQV OQV	1	0.0009592	768.44	/68.44		-	+	1			
LNP Query Ser		 	-	UQV	+	0.0009592			 		+	1	 	 	
Liti watery Ser	LNP Charge Per query	 		OQV	+	0.00084			 	+	+	 	 	 	
I I	LNP Service Establishment Manual			OQV	+	0.0000	41.25		 	_	 				

UNBUNDLE	D NETWORK ELEMENTS - North Carolina												Attach	ment: 2	Exhi	ibit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)				Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrec		Nonrecurring					Rates (\$)		
\vdash			1				First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
1	LNP Service Provisioning with Point Code Establishment (Initial)			oqv			1,563.00	1,563.00								
	LNP Service Provisioning with Point Code Establishment			OQV	1		1,303.00	1,505.00							<u> </u>	
i l	(Subsequent)			oqv			883.99	883.99								
SELECTIVE RO	OUTING															
	Selective Routing Per Unique Line Class Code Per Request Per															
	Switch						188.59						26.94	12.76		
VIRTUAL COL																
i l	Virtual Collocation-2 Wire Cross Connects (Loop) for Line Splitting			UEPSR UEPSB	VE1LS	0.0287	33.96	32.08	0.00	0.00			19.99	19.99		
PHYSICAL CO		-	 	ULFOR UEFOB	VEILO	0.0287	JJ.96	32.08	0.00	0.00			19.99	19.99	 	1
1	Physical Collocation-2 Wire Cross Connects (Loop) for Line		t		1										1	1
	Splitting		1	UEPSR UEPSB	PE1LS	0.0309	33.53	31.65	0.00	0.00			19.99	19.99		
AIN SELECTIV	E CARRIER ROUTING															
	Regional Service Establishment			SRC	SRCEC		215,597.00									
$\vdash \vdash \vdash$	End Office Establishment	ļ	<u> </u>	SRC	SRCEO	0.00=0==	347.27				1					
AIN BELLEO	Query NRC, per query UTH AIN SMS ACCESS SERVICE			SRC		0.0053758					-				1	
AIN - BELLSO	AIN SMS Access Service - Service Establishment, Per State,		<u> </u>		-										-	
1	Initial Setup			A1N	CAMSE		294.77									
	militar Gotap			,	0741102		20								t	
	AIN SMS Access Service - Port Connection - Dial/Shared Access			A1N	CAMDP		86.94									
	AIN SMS Access Service - Port Connection - ISDN Access			A1N	CAM1P		86.94									
i l	AIN SMS Access Service - User Identification Codes - Per User															
\vdash	ID Code			A1N	CAMAU		200.83									
	AIN SMS Access Service - Security Card, Per User ID Code, Initial or Replacement			A1N	CAMRC		172.05									
	AIN SMS Access Service - Storage, Per Unit (100 Kilobytes)			,	07 47.11 (0	0.0023	112.00								t	
	AIN SMS Access Service - Session, Per Minute					0.0791										
	AIN SMS Access Service - Company Performed Session, Per															
	Minute					2.08										
AIN - BELLSO	UTH AIN TOOLKIT SERVICE				1											
1	AIN Toolkit Service - Service Establishment Charge, Per State, Initial Setup			CAM	BAPSC		290.05									
\vdash	AIN Toolkit Service - Training Session, Per Customer			CAIVI	BAPVX		8.363.00								<u> </u>	
 	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per		t —				3,300.00		İ	İ						
	DN, Term. Attempt				BAPTT		72.76									
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per															
\vdash	DN, Off-Hook Delay	ļ	<u> </u>		BAPTD		72.76				1					
[]	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, Off-Hook Immediate				BAPTM		72.76									
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per		 		DAFTIVI		12.10								 	1
1 1	DN, 10-Digit PODP		1		BAPTO		149.95									
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per														İ	
<u> </u>	DN, CDP		ļ		BAPTC		149.95									
[]	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per				DADTE											
 	DN, Feature Code	-	 		BAPTF	0.02	149.95				1				-	1
 	AIN Toolkit Service - Query Charge, Per Query AIN Toolkit Service - Type 1 Node Charge, Per AIN Toolkit		 			0.02					-					
	Subscription, Per Node, Per Query	1	1			0.005									I	
	AIN Toolkit Service - SCP Storage Charge, Per SMS Access	1	t		İ											
	Account, Per 100 Kilobytes		<u></u>			1.45										
	AIN Toolkit Service - Monthly report - Per AIN Toolkit Service				L											
\vdash	Subscription		<u> </u>	CAM	BAPMS	15.98	71.80								ļ	
1 1	AIN Toolkit Service - Special Study - Per AIN Toolkit Service			CAM	BAPLS	0.08	47.20									
	Subscription	ı	1	CAIVI	DAPLO	U.U8	47.20				L				Į	
	AIN Toolkit Service - Call Event Report - Per AIN Toolkit Service						I									

UNBUND	LED NETWORK ELEMENTS - North Carolina												Attach	ment: 2	Exhil	bit: A
											Svc Order	Svc Order	Incremental		Incremental	Incremental
ĺ											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		Intori									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	Y RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m									per Lore	per Lore	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
													151	Add I	DISC ISL	DISC Add I
						B	Nonre	curring	Nonrecurring	Disconnect		•	oss	Rates (\$)		•
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	AIN Toolkit Service - Call Event Special Study - Per AIN Toolkit															
1 1	Service Subscription			CAM	BAPES	0.003	47.20									1
ENHANCE	D EXTENDED LINK (EELs)													Î		
NO	TE: The monthly recurring and non-recurring charges below will	apply a	nd the	Switch-As-Is Charge	e will not app	ly for UNE con	nbinations pro	visioned as ' C	rdinarily Comb	ined' Network	Elements.					
NO.	TE: The monthly recurring and the Switch-As-Is Charge and not	the non-	-recurri	ng charges below w	vill apply for	UNE combinati	ons provision	ed as ' Current	ly Combined' N	letwork Eleme	nts.					
EX	TENTED 2-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICA	TED DS	1 INTE	ROFFICE TRANSPO	RT											
	First 2-Wire VG Loop (SL2) in Combination - Zone 1		1	UNCVX	UEAL2	14.97	142.97	106.56					38.07	38.07		
	First 2-Wire VG Loop (SL2) in Combination - Zone 2		2	UNCVX	UEAL2	25.93	142.97	106.56					38.07	38.07		
	First 2-Wire VG Loop (SL2) in Combination - Zone 3		3	UNCVX	UEAL2	40.81	142.97	106.56					38.07	38.07		
	Interoffice Transport - Dedicated - DS1 combination - Per Mile															
1 1	per month			UNC1X	1L5XX	0.5753										1
	Interoffice Transport - Dedicated - DS1 combination - Facility	1	1								İ	İ				
í I	Termination per month			UNC1X	U1TF1	71.29	217.17	163.75					38.07	38.07		1
	1/0 Channelization System in combination Per Month			UNC1X	MQ1	146.69	197.78	140.06			İ	İ				
	Voice Grade COCI - Per Month		1	UNCVX	1D1VG	1.27	13.09	9.38					i	i		
			1		1	/	.0.50	5.50					i	i		
(l	Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 1		1	UNCVX	UEAL2	14.97	142.97	106.56			1	1	38.07	38.07		1
		1														
1 1	Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 2		2	UNCVX	UEAL2	25.93	142.97	106.56					38.07	38.07		1
			<u> </u>													
1 1	Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 3		3	UNCVX	UEAL2	40.81	142.97	106.56					38.07	38.07		1
	Voice Grade COCI - Per Month		Ť	UNCVX	1D1VG	1.27	13.09	9.38					00.07	00.07		
	Nonrecurring Currently Combined Network Elements Switch -As-			0.1017			10.00	0.00								
1 1	Is Charge			UNC1X	UNCCC		21.75	21.75	32.28	10.96			38.07	38.07		1
FX	TENDED 4-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICA	TED DS	1 INTE				20	20	02.20	10.00			00.07	00.01		—
	TENDED 4 WINE VOICE GRADE EXTENDED EGG! WITH DEDIGA	1	T	I	T											
1 1	First 4-Wire Analog Voice Grade Loop in Combination - Zone 1		1	UNCVX	UEAL4	21.32	288.47	237.45					38.07	38.07		1
	That I What had greater that the combination is 2010 in		<u> </u>	0.1017	02/121	21.02	200.11	2011.10					00.07	00.07		
1 1	First 4-Wire Analog Voice Grade Loop in Combination - Zone 2		2	UNCVX	UEAL4	36.27	288.47	237.45					38.07	38.07		1
\vdash	That I Who I had g Tolog chade 200p in Combination 2016 2	1	<u> </u>	0.1017	02/121	00.21	200.11	201110					00.07	00.07		—
1 1	First 4-Wire Analog Voice Grade Loop in Combination - Zone 3		3	UNCVX	UEAL4	56.57	288.47	237.45					38.07	38.07		1
	Interoffice Transport - Dedicated - DS1 combination - Per Mile		Ť	0.1017	02/121	00.01	200.11	2011.10					00.07	00.07		
1 1	Per Month			UNC1X	1L5XX	0.5753										1
\vdash	Interoffice Transport - Dedicated - DS1 - Facility Termination Per	1		0.10.17	120701	0.07.00										——
1 1	Month			UNC1X	U1TF1	71.29	217.17	163.75					38.07	38.07		1
\vdash	1/0 Channel System in combination Per Month	1		UNC1X	MQ1	146.69	197.78	140.06					00.07	00.07		——
\vdash	Voice Grade COCI in combination - per month	1	1	UNCVX	1D1VG	1.27	13.09	9.38					 	i		
\vdash	Additional 4-Wire Analog Voice Grade Loop in same DS1	1	1		1.2	1.27	10.00	5.50					 	i		
(I	Interoffice Transport Combination - Zone 1		1	UNCVX	UEAL4	21.32	288.47	237.45					38.07	38.07		1
	Additional 4-Wire Analog Voice Grade Loop in same DS1	1	t i										22.01	22.01		
(l	Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL4	36.27	288.47	237.45			1	1	38.07	38.07		1
	Additional 4-Wire Analog Voice Grade Loop in same DS1	1	T -			33.E7	200.47	201.40					55.07	55.07		
(l	Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL4	56.57	288.47	237.45			1	1	38.07	38.07		1
	Additional Voice Grade COCI in combination - per month	1	۲Ť	UNCVX	1D1VG	1.27	13.09	9.38					55.57	55.57		
\vdash	Nonrecurring Currently Combined Network Elements Switch -As-	1	1		1	/	.0.50	5.50					 	i		
1 1	Is Charge			UNC1X	UNCCC		21.75	21.75	32.28	10.96	1	1	38.07	38.07		1
EX	TENDED 4-WIRE 56 KBPS EXTENDED DIGITAL LOOP WITH DEDI	CATED	DS1 IN				20	20	02.20				55.57	55.57		
1200		1	1		1									İ		
	First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 1		1	UNCDX	UDL56	25.32	489.04	337.51			1	1	38.07	38.07		1
\vdash	2.2. 41. 9.2. 2.2. 2.2. 2.2. 2.2. 2.2. 2.2.	1	t i		1											
	First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2	1	2	UNCDX	UDL56	43.11	489.04	337.51			1	1	38.07	38.07		1
	2010 2							22.701			İ	İ	22.01	22.01		
	First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 3	1	3	UNCDX	UDL56	67.26	489.04	337.51			1	1	38.07	38.07		1
		+	T -			5.720		22.701			1	1	22.01	22.01		
	Interoffice Transport - Dedicated - DS1 combination - Per Mile							i .	ı		1	1	1	1	1	i
	Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month			UNC1X	1L5XX	0.5753										
	Per Month			UNC1X	1L5XX	0.5753										
	Per Month Interoffice Transport - Dedicated - DS1 - combination Facility						217.17	163.75					38.07	38.07		
	Per Month			UNC1X UNC1X UNC1X	1L5XX U1TF1 MQ1	0.5753 71.29 146.69	217.17 197.78	163.75 140.06					38.07	38.07		

UNBUNDLE	D NETWORK ELEMENTS - North Carolina													ment: 2		bit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'l
						Rec	Nonrec	urring	Nonrecurring	Disconnect				Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1															
	Interoffice Transport Combination - Zone 1		1	UNCDX	UDL56	25.32	489.04	337.51					38.07	38.07		
	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination - Zone 2		2	UNCDX	UDL56	43.11	489.04	337.51					38.07	38.07		
	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination - Zone 3		3	UNCDX	UDL56	67.26	489.04	337.51					38.07	38.07		
	Additional OCU-DP COCI (data) - in combination per month (2.4-64kbs)			UNCDX	1D1DD	2.00	15.76	11.28								
	Nonrecurring Currently Combined Network Elements Switch -As- ls Charge			UNC1X	UNCCC		21.75	21.75	32.28	10.96			38.07	38.07		
EXTEN	NDED 4-WIRE 64 KBPS EXTENDED DIGITAL LOOP WITH DEDIC	CATED	DS1 IN	TEROFFICE TRANS	PORT											
	First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 1		1	UNCDX	UDL64	25.32	489.04	337.51					38.07	38.07		
	First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 2		2	UNCDX	UDL64	43.11	489.04	337.51					38.07	38.07		
	First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 3		3	UNCDX	UDL64	67.26	489.04	337.51					38.07	38.07		
	Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month			UNC1X	1L5XX	0.5753										
	interoffice Transport - Dedicated - DS1 combination - Facility			LINIOAN	U1TF1	74.00	047.47	100.75					00.07	00.07		
	Termination Per Month 1/0 Channel System in combination Per Month			UNC1X UNC1X	MQ1	71.29 146.69	217.17 197.78	163.75 140.06					38.07	38.07		
	OCU-DP COCI (data) - in combination - per month (2.4-64kbs)			UNCDX	1D1DD	2.00	15.76	11.28								
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination - Zone 1		1	UNCDX	UDL64	25.32	489.04	337.51					38.07	38.07		
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination - Zone 2		2	UNCDX	UDL64	43.11	489.04	337.51					38.07	38.07		
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination - Zone 3		3	UNCDX	UDL64	67.26	489.04	337.51					38.07	38.07		
	Additional OCU-DP COCI (data) - in combination - per month (2.4-64kbs)			UNCDX	1D1DD	2.00	15.76	11.28								
	Nonrecurring Currently Combined Network Elements Switch -As- ls Charge			UNC1X	UNCCC		21.75	21.75	32.28	10.96			38.07	38.07		
EXTEN	NDED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICAT	ED DS1	INTER		₹Ť											
	4-Wire DS1 Digital Loop in Combination - Zone 1		1	UNC1X	USLXX	47.60	714.84	421.47					38.07	38.07		
	4-Wire DS1 Digital Loop in Combination - Zone 2		2	UNC1X	USLXX	84.36	714.84	421.47					38.07	38.07		
	4-Wire DS1 Digital Loop in Combination - Zone 3 Interoffice Transport - Dedicated - DS1 combination - Per Mile		3	UNC1X	USLXX	134.29	714.84	421.47					38.07	38.07		
	Per Month Interoffice Transport - Dedicated - DS1 combination - Facility			UNC1X	1L5XX	0.5753	047.4	100 ==					22.25	20.5=		
	Termination Per Month Nonrecurring Currently Combined Network Elements Switch -As-			UNC1X	U1TF1	71.29	217.17	163.75	00	40			38.07	38.07		
EVTE:	Is Charge NDED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICATION	ED DOS	INITES	UNC1X	UNCCC		21.75	21.75	32.28	10.96			38.07	38.07	-	
EXIEN	First DS1Loop in Combination - Zone 1	בט ח≥3	INTER	UNC1X	USLXX	47.60	714.84	421.47			-		38.07	38.07	-	
	First DS1Loop in Combination - Zone 1		2	UNC1X	USLXX	84.36	714.84	421.47					38.07	38.07		
	First DS1Loop in Combination - Zone 3		3	UNC1X	USLXX	134.29	714.84	421.47					38.07	38.07		
	Interoffice Transport - Dedicated - DS3 combination - Per Mile Per Month			UNC3X	1L5XX	12.98										
	Interoffice Transport - Dedicated - DS3 - Facility Termination per month			UNC3X	U1TF3	720.38	794.94	579.55					38.07	38.07		
	3/1Channel System in combination per month			UNC3X	MQ3	233.10	403.97	234.40								
	DS1 COCI in combination per month			UNC1X	UC1D1	16.07	13.09	9.38								
	Additional DS1Loop in DS3 Interoffice Transport Combination - Zone 1		1	UNC1X	USLXX	47.60	714.84	421.47					38.07	38.07		
	Additional DS1Loop in DS3 Interoffice Transport Combination - Zone 2		2	UNC1X	USLXX	84.36	714.84	421.47					38.07	38.07		
	Additional DS1Loop in DS3 Interoffice Transport Combination - Zone 3		3	UNC1X	USLXX	134.29	714.84	421.47					38.07	38.07		

UNBUNDL	ED NETWORK ELEMENTS - North Carolina													ment: 2	. 	bit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'
						D.,	Nonrec	urring	Nonrecurring	Disconnect			OSS	Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Additoinal DS1 COCI in combination per month			UNC1X	UC1D1	16.07	13.09	9.38								
	Nonrecurring Currently Combined Network Elements Switch -As-															
	Is Charge			UNC3X	UNCCC		21.75	21.75	32.28	10.96			38.07	38.07		
EXTE	NDED 2-WIRE VOICE GRADE EXTENDED LOOP/ 2 WIRE VOICE	GRADI	EINTE													
	2-WireVG Loop in combination - Zone 1		1	UNCVX	UEAL2	14.97	142.97	106.56								
	2-WireVG Loop in combination - Zone 2		2	UNCVX	UEAL2	25.93	142.97	106.56								
-	2-WireVG Loop in combination - Zone 3		3	UNCVX	UEAL2	40.81	142.97	106.56			1					
	Interoffice Transport - 2-wire VG - Dedicated- Per Mile Per Month			UNCVX	1L5XX	0.0282										
	Interoffice Transport - 2-wire VG - Dedicated - Facility Termination per month			UNCVX	U1TV2	18.00	137.48	52.58					38.07	38.07		
	Nonrecurring Currently Combined Network Elements Switch -As-			0.101/	31172	10.00	107.70	32.30	1		1	 	30.07	30.07	1	1
	Is Charge			UNCVX	UNCCC		21.75	21.75	32.28	10.96		1	38.07	38.07		
EXTE	NDED 4-WIRE VOICE GRADE EXTENDED LOOP/ 4 WIRE VOICE	GRADI	EINTE				20	20	52.20				55.57	55.57		
	4-WireVG Loop in combination - Zone 1		1	UNCVX	UEAL4	21.32	288.47	237.45								İ
	4-WireVG Loop in combination - Zone 2		2	UNCVX	UEAL4	36.27	288.47	237.45			i e					
	4-WireVG Loop in combination - Zone 3		3	UNCVX	UEAL4	56.57	288.47	237.45								
	Interoffice Transport - 4-wire VG - Dedicated - Per Mile Per															
	Month			UNCVX	1L5XX	0.0282										
	Interoffice Transport - 4-wire VG - Dedicated - Facility															
	Termination per month			UNCVX	U1TV4	22.16	106.11	65.95					38.07	38.07		
	Nonrecurring Currently Combined Network Elements Switch -As-															
	Is Charge			UNCVX	UNCCC		21.75	21.75	32.28	10.96			38.07	38.07		
EXTE	NDED DS3 DIGITAL EXTENDED LOOP WITH DEDICATED DS3	INTERC	FFICE													
	DS3 Local Loop in combination - per mile per month			UNC3X	1L5ND	13.33										
	DS3 Local Loop in combination - Facility Termination per month			UNC3X	UE3PX	450.69	1,071.00	646.12								
	Interoffice Transport - Dedicated - DS3 - Per Mile per month			UNC3X	1L5XX	12.98										
	Interoffice Transport - Dedicated - DS3 combination - Facility															
	Termination per month			UNC3X	U1TF3	720.38	794.94	579.55					38.07	38.07		
	Nonrecurring Currently Combined Network Elements Switch -As-															
	Is Charge			UNC3X	UNCCC		21.75	21.75	32.28	10.96			38.07	38.07		
EXTE	NDED STS-1 DIGITAL EXTENDED LOOP WITH DEDICATED ST	S-1 INT	EROFF		AL END	40.00					ļ					
ļ	STS-1 Local Lolp in combination - per mile per month			UNCSX	1L5ND	13.33										
	STS-1 Local Loop in combination - Facility Termination per month			UNCSX	UDLS1	464.26	1,071.00	646.12								
	Interoffice Transport - Dedicated - STS-1 combination - per mile															
	per month			UNCSX	1L5XX	6.14										
	Interoffice Transport - Dedicated - STS-1 combination - Facility															
	Termination per month			UNCSX	U1TFS	790.37	642.23	408.89					38.07	38.07		
	Nonrecurring Currently Combined Network Elements Switch -As-			LINICOV	LINICCO		04.75	04.75	20.00	40.00			20.07	20.07		
EVTE	Is Charge INDED 2-WIRE ISDN EXTENDED LOOP WITH DS1 INTEROFFICE	TDANG	SDODT	UNCSX	UNCCC		21.75	21.75	32.28	10.96	 	-	38.07	38.07	1	
EXIE	First 2-Wire ISDN Loop in Combination - Zone 1	IKAN	1 1	UNCNX	U1L2X	19.42	325.91	251.31					38.07	38.07	 	1
\vdash	First 2-Wire ISDN Loop in Combination - Zone 1 First 2-Wire ISDN Loop in Combination - Zone 2		2	UNCNX	U1L2X	32.88	325.91	251.31			}	 	38.07	38.07	1	}
 	First 2-Wire ISDN Loop in Combination - Zone 2 First 2-Wire ISDN Loop in Combination - Zone 3		3	UNCNX	U1L2X	51.14	325.91	251.31	 		1		38.07	38.07		1
	Interoffice Transport - Dedicated - DS1 combination - per mile		3	CINCINA	JILZA	31.14	323.31	201.01			 	-	30.07	30.07	1	
	per month			UNC1X	1L5XX	0.5753						1				
	Interoffice Transport - Dedicated - DS1 combination - Facility					5.0.00										
	Termination per month			UNC1X	U1TF1	71.29	217.17	163.75				1	38.07	38.07		
	1/0 Channel System in combination - per month			UNC1X	MQ1	146.69	197.78	140.06	i							
l i	2-wire ISDN COCI (BRITE) - in combination - per month			UNCNX	UC1CA	3.59	15.76	11.28	1		İ					İ
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport															
	Combination - Zone 1		1	UNCNX	U1L2X	19.42	325.91	251.31					38.07	38.07		
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport															
	Combination - Zone 2		2	UNCNX	U1L2X	32.88	325.91	251.31					38.07	38.07		
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport															
1 1	Combination - Zone 3		3	UNCNX	U1L2X	51.14	325.91	251.31			I	1	38.07	38.07		1

JNBUNDL	ED NETWORK ELEMENTS - North Carolina			1										ment: 2	1	bit: A
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'
						Dee	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates (\$)	•	•
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Additional 2-wire ISDN COCI (BRITE) - in combination- per															
	month			UNCNX	UC1CA	3.59	15.76	11.28								
	Nonrecurring Currently Combined Network Elements Switch -As-															
	Is Charge		<u> </u>	UNC1X	UNCCC		21.75	21.75	32.28	10.96			38.07	38.07		
EXTE	NDED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICAT	ED STS				47.00	74404	101 17					00.07	00.07		
	First DS1 Loop Combination - Zone 1			UNC1X	USLXX	47.60	714.84	421.47 421.47					38.07	38.07		
	First DS1 Loop Combination - Zone 2		3	UNC1X	USLXX	84.36	714.84						38.07 38.07	38.07		
	First DS1 Loop Combination - Zone 3 Interoffice Transport - Dedicated - STS-1 combination - Per Mile		3	UNC1X	USLXX	134.29	714.84	421.47					38.07	38.07		
	Per Month			UNCSX	1L5XX	6.14										
	Interoffice Transport - Dedicated - STS-1 combination - Facility		1	UNCSA	ILSAA	0.14					1				-	1
	Termination per month			UNCSX	U1TFS	790.37	642.23	408.89					38.07	38.07	1	
_	3/1 Channel System in combination per month	-		UNCSX	MQ3	233.10	403.97	234.40	1		-		30.07	30.07	t	-
_	DS1 COCI in combination per month	-		UNC1X	UC1D1	16.07	13.09	9.38	1		-			 	t	-
_	Additional DS1Loop in the same STS-1 Interoffice Transport	†	 		55.51	10.01	10.03	5.50	†		 				I	
	Combination - Zone 1		1	UNC1X	USLXX	47.60	714.84	421.47					38.07	38.07	I	
	Additional DS1Loop in the same STS-1 Interoffice Transport		Ė					.2					55.57	55.57	1	
	Combination - Zone 2		2	UNC1X	USLXX	84.36	714.84	421.47					38.07	38.07	I	
	Additional DS1Loop in the same STS-1 Interoffice Transport															
	Combination - Zone 3		3	UNC1X	USLXX	134.29	714.84	421.47					38.07	38.07		
	DS1 COCI in combination per month			UNC1X	UC1D1	16.07	13.09	9.38								
	Nonrecurring Currently Combined Network Elements Switch -As-															
	Is Charge			UNCSX	UNCCC		21.75	21.75	32.28	10.96			38.07	38.07		
EXTE	NDED 4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH 56 KE	BPS INT	EROFF													
	4-wire 56 kbps Local Loop in combination - Zone 1		1	UNCDX	UDL56	25.32	489.04	337.51								
	4-wire 56 kbps Local Loop in combination - Zone 2		2	UNCDX	UDL56	43.11	489.04	337.51								
	4-wire 56 kbps Local Loop in combination - Zone 3		3	UNCDX	UDL56	67.26	489.04	337.51								
	Interoffice Transport - Dedicated - 4-wire 56 kbps combination -															
	Per Mile per month		<u> </u>	UNCDX	1L5XX	0.0282										
	Interoffice Transport - Dedicated - 4-wire 56 kbps combination -			LINODY	LIATOS	47.40	407.40	50.50					00.07	00.07		
_	Facility Termination per month			UNCDX	U1TD5	17.40	137.48	52.58					38.07	38.07		
	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge			UNCDX	UNCCC		21.75	21.75	32.28	10.96			38.07	38.07		
EYTE	INDED 4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH 64 KE	DS INT	FROFE		UNCCC		21.75	21.75	32.20	10.96	-		30.07	36.07	-	
LAIL	4-wire 64 kbps Lcoal Loop in Combination - Zone 1	I INT	1	UNCDX	UDL64	25.32	489.04	337.51			1				-	1
_	4-wire 64 kbps Lcoal Loop in Combination - Zone 1		2	UNCDX	UDL64	43.11	489.04	337.51	1					 	 	
_	4-wire 64 kbps Lcoal Loop in Combination - Zone 3			UNCDX	UDL64	67.26	489.04	337.51	1						-	<u> </u>
	Interoffice Transport - Dedicated - 4-wire 64 kbps combination -		Ť	5.135X	SDLOT	57.20	-100.04	337.31							†	
	Per Mile per month			UNCDX	1L5XX	0.0282									1	
\neg	Interoffice Transport - Dedicated - 4-wire 64 kbps combination -													İ	1	
	Facility Termination per month			UNCDX	U1TD6	17.40	137.48	52.58					38.07	38.07	1	
	Nonrecurring Currently Combined Network Elements Switch -As-															
	Is Charge		L	UNCDX	UNCCC		21.75	21.75	32.28	10.96	<u></u>		38.07	38.07	<u> </u>	<u></u>
EXTE	NDED 2-WIRE VOICE GRADE LOOP WITH DS1 INTEROFFICE T	RANSP	ORT w													
	First 2-wire VG Loop (SL2) in Combination - Zone 1		1	UNCVX	UEAL2	14.97	142.97	106.56					38.07	38.07		
	First 2-wire VG Loop (SL2) in Combination - Zone 2		2	UNCVX	UEAL2	25.93	142.97	106.56					38.07	38.07		
	First 2-wire VG Loop (SL2) in Combination - Zone 3		3	UNCVX	UEAL2	40.81	142.97	106.56					38.07	38.07	1	L
	First Interoffice Transport - Dedicated - DS1 combination - Per														1	
_	Mile		<u> </u>	UNC1X	1L5XX	0.5753			ļ						ļ	ļ
	First Interoffice Transport - Dedicated - DS1 combination -			LINIOAV		74.00	047 :-	400 ==					00.00	00.00	1	
_	Facility Termination per month	-	-	UNC1X	U1TF1	71.29 146.69	217.17	163.75			1		38.07	38.07	 	
_	Per each DS1 Channelization System Per Month Per each Voice Grade COCI - Per Month per month	-	+	UNC1X UNCVX	MQ1 1D1VG	146.69	197.78 13.09	140.06 9.38	1		-		-		 	
+	3/1 Channel System in combination per month	-	+	UNC3X	MQ3	233.10	403.97	234.40	 		-		-		 	\vdash
+	Per each DS1 COCI in combination per month	-	 	UNC1X	UC1D1	16.07	13.09	9.38	1					 	 	
+	Each Additional 2-Wire VG Loop(SL 2) in the same DS1	H	 	ONCIA	וטוטט	10.07	13.09	9.38	1		H			 	t	
	Interoffice Transport Combination - Zone 1		1	UNCVX	UEAL2	14.97	142.97	106.56					38.07	38.07	I	
-	Each Additional 2-Wire VG Loop(SL2) in the same DS1		Η.	J.1.5 V/	J L / 1 L L	14.51	172.01	100.00					30.07	55.07	<u> </u>	
	Interoffice Transport Combination - Zone 2	1	2	UNCVX	UEAL2	25.93	142.97	106.56	1		1	ı	38.07	38.07	1	1

UNBUNDL	ED NETWORK ELEMENTS - North Carolina													ment: 2	1	bit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'l
							Nonrec	urring	Nonrecurring	Disconnect			oss	Rates (\$)	L	1
					1	Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Each Additional 2-Wire VG Loop(SL2) in the same DS1								i							
	Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL2	40.81	142.97	106.56					38.07	38.07		
	Each Additional Voice Grade COCI in combination - per month			UNCVX	1D1VG	1.27	13.09	9.38								
	Each Additional DS1 Interoffice Channel per mile in same 3/1				41 =207											
	Channel System per month Each Additional DS1 Interoffice Channel Facility Termination in			UNC1X	1L5XX	0.5753									-	
	same 3/1 Channel System per month			UNC1X	U1TF1	71.29	217.17	163.75					38.07	38.07		
	Each Additional DS1 COCI combination per month			UNC1X	UC1D1	16.07	13.09	9.38					00.07	00.07		
	Nonrecurring Currently Combined Network Elements Switch -As-														t	
	Is Charge			UNC1X	UNCCC		21.75	21.75	32.28	10.96			38.07	38.07		
EXTE	NDED 4-WIRE VOICE GRADE LOOP WITH DEDICATED DS1 INT	EROFF	ICE TR	ANSPORT w/ 3/1 M	UX											
	First 4-Wire Analog Voice Grade Local Loop in Combination -			LINIONA	LIEAL :		caa .=						~~ ~-			
	Zone 1 First 4-Wire Analog Voice Grade Local Loop in Combination -		1	UNCVX	UEAL4	21.32	288.47	237.45			-		38.07	38.07	-	-
	Zone 2		2	UNCVX	UEAL4	36.27	288.47	237.45					38.07	38.07		
	First 4-Wire Analog Voice Grade Local Loop in Combination -			DINOVA	ULAL4	30.27	200.47	231.43					30.07	30.07	 	-
	Zone 3		3	UNCVX	UEAL4	56.57	288.47	237.45					38.07	38.07		
	First Interoffice Transport - Dedicated - DS1 combination - Per															
	Mile Per Month			UNC1X	1L5XX	0.5753										
	First Interoffice Transport - Dedicated - DS1 - Facility															
	Termination Per Month			UNC1X	U1TF1	71.29	217.17	163.75					38.07	38.07		
	Per each 1/0 Channel System in combination Per Month			UNC1X	MQ1 1D1VG	146.69	197.78	140.06								
	Per each Voice Grade COCI in combination - per month 3/1 Channel System in combination per month			UNCVX UNC3X	MQ3	1.27 233.10	13.09 403.97	9.38 234.40							-	
-	Per each DS1 COCI in combination per month			UNC1X	UC1D1	16.07	13.09	9.38			1				1	1
	Additional 4-Wire Analog Voice Grade Loop in same DS1			ONOTA	OCIDI	10.07	15.05	9.50							<u> </u>	
	Interoffice Transport Combination - Zone 1		1	UNCVX	UEAL4	21.32	288.47	237.45					38.07	38.07		
	Additional 4-Wire Analog Voice Grade Loop in same DS1															
	Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL4	36.27	288.47	237.45					38.07	38.07		
	Additional 4-Wire Analog Voice Grade Loop in same DS1		_													
	Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL4	56.57	288.47	237.45			-		38.07	38.07	1	1
	Each Additional DS1 Interoffice Channel per mile in same 3/1 Channel System per month			UNC1X	1L5XX	0.5753										
	Each Additional DS1 Interoffice Channel Facility Termination in			ONCIA	ILJAA	0.5755					1				1	1
	same 3/1 Channel System per month			UNC1X	U1TF1	71.29	217.17	163.75					38.07	38.07		
	Additional Voice Grade COCI - in combination - per month			UNCVX	1D1VG	1.27	13.09	9.38								
	Nonrecurring Currently Combined Network Elements Switch -As-															
	Is Charge			UNC1X	UNCCC		21.75	21.75	32.28	10.96			38.07	38.07		
EXTE	NDED 4-WIRE 56 KBPS DIGITAL LOOP WITH DEDICATED DS1	INTERC	FFICE	TRANSPORT w/ 3/	1 MUX											
	First 4-Wire 56Kbps Digital Grade Local Loop in Combination - Zone 1		1	UNCDX	UDL56	25.32	489.04	337.51					38.07	38.07	1	
	First 4-Wire 56Kbps Digital Grade Local Loop in Combination -		-	OINCDA	UDLOO	25.32	409.04	337.51					30.07	30.07	 	
	Zone 2		2	UNCDX	UDL56	43.11	489.04	337.51					38.07	38.07		
	First 4-Wire 56Kbps Digital Grade Local Loop in Combination -		T-			1	.00.04	5551					00.01	55.51		t e
	Zone 3		3	UNCDX	UDL56	67.26	489.04	337.51					38.07	38.07	<u> </u>	
	First Interoffice Transport - Dedicated - DS1 combination - Per															
	Mile Per Month			UNC1X	1L5XX	0.5753										
	First Interoffice Transport - Dedicated - DS1 - combination			LINICAY	LIATEA	74.00	047.47	100.75					20.07	20.07	I	
	Facility Termination Per Month Per each 1/0 Channel System in combination Per Month			UNC1X UNC1X	U1TF1 MQ1	71.29 146.69	217.17 197.78	163.75 140.06					38.07	38.07	 	-
	Per each OCU-DP COCI (data) COCI per month (2.4-64kbs)			UNCDX	1D1DD	2.00	15.76	11.28							 	
	3/1 Channel System in combination per month			UNC3X	MQ3	233.10	403.97	234.40			<u> </u>				†	t
	Per each DS1 COCI in combination per month			UNC1X	UC1D1	16.07	13.09	9.38	1						1	
	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1														1	1
	Interoffice Transport Combination - Zone 1		1	UNCDX	UDL56	25.32	489.04	337.51					38.07	38.07		
	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1		_		I	7	7								_	
	Interoffice Transport Combination - Zone 2		2	UNCDX	UDL56	43.11	489.04	337.51					38.07	38.07	 	
	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination - Zone 3		3	UNCDX	UDL56	67.26	489.04	337.51					38.07	38.07	1	1

ONBONDLE	D NETWORK ELEMENTS - North Carolina		ı								Com Cont	Comp Control		ment: 2		bit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)				Submitted	Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
			ļ			Rec	Nonrec		Nonrecurring					Rates (\$)		
	OCLUBB COOL/data) COOLia combination and month (0.4		-				First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	OCU-DP COCI (data) COCI in combination per month (2.4-64kbs)			UNCDX	1D1DD	2.00	15.76	11.28								
	Each Additional DS1 Interoffice Channel per mile in same 3/1			UNCDA	טטוטו	2.00	15.76	11.20								
	Channel System per month			UNC1X	1L5XX	0.5753										
	Each Additional DS1 Interoffice Channel Facility Termination in															
	same 3/1 Channel System per month			UNC1X	U1TF1	71.29	217.17	163.75					38.07	38.07		
	Each Additional DS1 COCI in the same 3/1 channel system															
	combination per month			UNC1X	UC1D1	16.07	13.09	9.38								
	Nonrecurring Currently Combined Network Elements Switch -As-															
EVTER	Is Charge IDED 4-WIRE 64 KBPS DIGITAL LOOP WITH DEDICATED DS1	INITEDO	EEICE	UNC1X	UNCCC		21.75	21.75	32.28	10.96			38.07	38.07		
EXIE	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice	INIEK	/CFICE	INANGPUKI W/ 3/1	IVIUA						—					
[Transport Combination - Zone 1		1	UNCDX	UDL64	25.32	489.04	337.51					38.07	38.07		
1	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice		Ė	-												<u> </u>
	Transport Combination - Zone 2		2	UNCDX	UDL64	43.11	489.04	337.51					38.07	38.07		
	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice															
	Transport Combination - Zone 3		3	UNCDX	UDL64	67.26	489.04	337.51					38.07	38.07		
	First Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month			LINICAV	1L5XX	0.5753										
	First Interoffice Transport - Dedicated - DS1 combination -			UNC1X	1L5XX	0.5753										
	Facility Termination Per Month			UNC1X	U1TF1	71.29	217.17	163.75					38.07	38.07		
	Per each Channel System 1/0 in combination Per Month			UNC1X	MQ1	146.69	197.78	140.06			1		00.07	00.07		
	Per each OCU-DP COCI (data) in combination - per month (2.4-															
	64kbs)			UNCDX	1D1DD	2.00	15.76	11.28								
	3/1 Channel System in combination per month			UNC3X	MQ3	233.10	403.97	234.40								
	Per each DS1 COCI in combination per month		ļ	UNC1X	UC1D1	16.07	13.09	9.38								
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1		1	UNCDX	UDL64	25.22	400.04	227.54					38.07	38.07		
	Interoffice Transport Combination - Zone 1 Additional 4-Wire 64Kbps Digital Grade Loop in same DS1		1	UNCDX	UDL64	25.32	489.04	337.51					38.07	38.07		
	Interoffice Transport Combination - Zone 2		2	UNCDX	UDL64	43.11	489.04	337.51					38.07	38.07		
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1		-	ONODX	ODLOT	40.11	400.04	007.01					00.07	00.07		
	Interoffice Transport Combination - Zone 3		3	UNCDX	UDL64	67.26	489.04	337.51					38.07	38.07		
	Additional OCU-DP COCI (data) - DS1 to DS0 Channel System															
	combination - per month (2.4-64kbs)			UNCDX	1D1DD	2.00	15.76	11.28								
	Each Additional DS1 Interoffice Channel per mile in same 3/1				41 =>04											
	Channel System per month Each Additional DS1 Interoffice Channel Facility Termination in			UNC1X	1L5XX	0.5753										
	same 3/1 Channel System per month			UNC1X	U1TF1	71.29	217.17	163.75					38.07	38.07		
+	Each Additional DS1 COCI in the same 3/1 channel system			0.101/	51111	71.23	211.11	100.70					55.07	55.07		
[combination per month	L	L	UNC1X	UC1D1	16.07	13.09	9.38	<u> </u>		<u></u>			<u> </u>	<u> </u>	<u> </u>
	Nonrecurring Currently Combined Network Elements Switch -As-															
	Is Charge			UNC1X	UNCCC		21.75	21.75	32.28	10.96			38.07	38.07		
EXTE	IDED 2-WIRE ISDN LOOP WITH DS1 INTEROFFICE TRANSPOR	RT w/ 3/	1 MUX													
	First 2-Wire ISDN Loop in a DS1 Interoffice Combination Transport - Zone 1		1	UNCNX	U1L2X	19.42	325.91	251.31					38.07	38.07		
-	First 2-Wire ISDN Loop in a DS1 Interoffice Combination		<u> </u>	UNCINA	UTLZX	15.42	323.91	231.31					36.07	36.07		-
[Transport - Zone 2		2	UNCNX	U1L2X	32.88	325.91	251.31					38.07	38.07		
	First 2-Wire ISDN Loop in a DS1 Interoffice Combination															
	Transport - Zone 3		3	UNCNX	U1L2X	51.14	325.91	251.31					38.07	38.07		<u> </u>
	First Interoffice Transport - Dedicated - DS1 combination - Per															
	Mile per month First Interoffice Transport - Dedicated - DS1 combination -		-	UNC1X	1L5XX	0.5753					-					1
	First Interoffice Transport - Dedicated - DS1 combination - Facility Termination per month			UNC1X	U1TF1	71.29	217.17	163.75					38.07	38.07		
-	Per each Channel System 1/0 in combination - per month		 	UNC1X	MQ1	146.69	197.78	140.06					30.07	30.07		
	2 - 2 - 2 - 2 - 2 - 2 - 2 - 2 - 2 - 2 -															
	Per each 2-wire ISDN COCI (BRITE) in combination - per month			UNCNX	UC1CA	3.59	15.76	11.28	<u> </u>							
	3/1 Channel System in combination per month			UNC3X	MQ3	233.10	403.97	234.40		•						
1	Per each DS1 COCI in combination per month			UNC1X	UC1D1	16.07	13.09	9.38								

NRUNDLE	D NETWORK ELEMENTS - North Carolina			1							Ι	T -		ment: 2		bit: A
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increment Charge - Manual Sv Order vs. Electronic Disc Add
						Rec	Nonred First	curring Add'l	Nonrecurring First	Disconnect Add'l	SOMEC	SOMAN	OSS SOMAN	Rates (\$) SOMAN	SOMAN	SOMAN
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport				+		FIRST	Addi	FIRST	Addi	SOMEC	SUMAN	SOWAN	SOWAN	SOWAN	SUMAN
	Combination - Zone 1 Additional 2-wire ISDN Loop in same DS1Interoffice Transport		1	UNCNX	U1L2X	19.42	325.91	251.31					38.07	38.07		
	Combination - Zone 2		2	UNCNX	U1L2X	32.88	325.91	251.31					38.07	38.07		
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport Combination - Zone 3		3	UNCNX	U1L2X	51.14	325.91	251.31					38.07	38.07		
	Additional 2-wire ISDN COCI (BRITE) in same 1/0 channel system combination- per month			UNCNX	UC1CA	3.59	15.76	11.28								
	Each Additional DS1 Interoffice Channel per mile in same 3/1 Channel System per month			UNC1X	1L5XX	0.5753										
	Each Additional DS1 Interoffice Channel Facility Termination in same 3/1 Channel System per month			UNC1X	U1TF1	71.29	217.17	163.75					38.07	38.07		
	Each Additional DS1 COCI in the same 3/1 channel system combination per month			UNC1X	UC1D1	16.07	13.09	9.38								
	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge			UNC1X	UNCCC		21.75	21.75	32.28	10.96			38.07	38.07		
EXTEN	DED 4-WIRE DS1 LOOP WITH DEDICATED DS1 INTEROFFICE	TRANS	PORT		014000		21.13	21.75	32.20	10.90			30.07	30.07		
	First 4-wire DS1 Digital Lcoal Loop in Combination - Zone 1			UNC1X	USLXX	47.60	714.84	421.47			İ		38.07	38.07		
	First 4-wire DS1 Digital Lcoal Loop in Combination - Zone 2		2	UNC1X	USLXX	84.36	714.84	421.47			İ		38.07	38.07		
İ	First 4-wire DS1 Digital Lcoal Loop in Combination - Zone 3		3	UNC1X	USLXX	134.29	714.84	421.47					38.07	38.07		
	First Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month			UNC1X	1L5XX	0.5753										
	First Interoffice Transport - Dedicated - DS1 combination - Facility Termination Per Month			UNC1X	U1TF1	71.29	217.17	163.75					38.07	38.07		
	3/1 Channel System in combination per month			UNC3X	MQ3	233.10	403.97	234.40								
	Per each DS1 COCI combination per month			UNC1X	UC1D1	16.07	13.09	9.38								
	Each Additional DS1 Interoffice Channel per mile in same 3/1 Channel System per month			UNC1X	1L5XX	0.5753										
	Each Additional DS1 Interoffice Channel Facility Termination in same 3/1 Channel System per month			UNC1X	U1TF1	71.29	217.17	163.75					38.07	38.07		
	Each Additional DS1 COCI in the same 3/1 channel system combination per month			UNC1X	UC1D1	16.07	13.09	9.38								
	Additional 4-Wire DS1 Digital Local Loop in Combination - Zone										İ					
-	1 Additional 4-Wire DS1 Digital Local Loop in Combination - Zone		1	UNC1X	USLXX	47.60	714.84	421.47					38.07	38.07		
	2 Additional 4-Wire DS1 Digital Local Loop in Combination - Zone		2	UNC1X	USLXX	84.36	714.84	421.47					38.07	38.07		
	3		3	UNC1X	USLXX	134.29	714.84	421.47					38.07	38.07		
	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge			UNC1X	UNCCC		21.75	21.75	32.28	10.96			38.07	38.07		
EXTEN	DED 4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH DS0 I	NTERO			LIDI 50	05.00	100.01	007.54			ļ					
	First 4-wire 56 kbps Local Loop in combination - Zone 1			UNCDX	UDL56	25.32	489.04	337.51			1					
	First 4-wire 56 kbps Local Loop in combination - Zone 2 First 4-wire 56 kbps Local Loop in combination - Zone 3		3	UNCDX	UDL56 UDL56	43.11 67.26	489.04 489.04	337.51 337.51			1					
	First 4-wiree 56 kbps Interoffice Transport - Dedicated - Per Mile per month			UNCDX	1L5XX	0.0282										
	First 4-wire 56 kbps Interoffice Transport - Dedicated - Facility Termination per month			UNCDX	U1TD5	17.40	137.48	52.58					38.07	38.07		
	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge			UNCDX	UNCCC		21.75	21.75	32.28	10.96			38.07	38.07		
EXTEN	DED 4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH DS0 I	NTERO	FFICE		3		270	270	02.20	. 3.50			55.07	55.07		
	First 4-wire 64 kbps Local Loop in combination - Zone 1		1	UNCDX	UDL64	25.32	489.04	337.51			1	1	l	l	l	
	First 4-wire 64 kbps Local Loop in combination - Zone 2		2	UNCDX	UDL64	43.11	489.04	337.51			İ					
	First 4-wire 64 kbps Local Loop in combination - Zone 3		3	UNCDX	UDL64	67.26	489.04	337.51								
	First I4-wire 65 kbps Interoffice Transport - Dedicated - Per Mile per month			UNCDX	1L5XX	0.0282										
	First 4-wire 64 kbps Interoffice Transport - Dedicated - Facility Termination per month			UNCDX	U1TD6	17.40	137.48	52.58					38.07	38.07		

ONROND	LEC	NETWORK ELEMENTS - North Carolina				1							T -		ment: 2		bit: A
CATEGOR	Υ	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l
							Rec	Nonre			Disconnect				Rates (\$)		
	_							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Nonrecurring Currently Combined Network Elements Switch -As-			LINCDY	LINICOC		21.75	21.75	32.28	10.00			38.07	20.07		
ADDITIONA	A I AI	Is Charge ETWORK ELEMENTS			UNCDX	UNCCC		21.75	21.75	32.28	10.96	-		38.07	38.07		
		ISED as a part of a currently combined facility, the non-recurr	na cha	nae de	not annly but a S	witch As Is c	harge does an	olv.				-					
		ised as ordinarily combined network elements in All States, the										†					
		urring Currently Combined Network Elements "Switch As Is"					7.0 .0 0.1.a.go										
		Nonrecurring Currently Combined Network Elements Switch -As-				1											
		Is Charge - 2 wire/4-Wire VG			UNCVX	UNCCC		21.75	21.75	32.28	10.96			26.94	12.76		
		Nonrecurring Currently Combined Network Elements Switch -As-															
		Is Charge - 56/64 kbps			UNCDX	UNCCC		21.75	21.75	32.28	10.96			26.94	12.76		
		Nonrecurring Currently Combined Network Elements Switch -As-							a								
\vdash	_	Is Charge - DS1		-	UNC1X	UNCCC		21.75	21.75	32.28	10.96			26.94	12.76	-	
		Nonrecurring Currently Combined Network Elements Switch -As- Is Charge - DS3			UNC3X	UNCCC		21.75	21.75	32.28	10.96			26.94	12.76		1
	-	Nonrecurring Currently Combined Network Elements Switch -As-			UNCSA	UNCCC		21.75	21.75	32.20	10.96	-		20.94	12.70		
		Is Charge - STS1			UNCSX	UNCCC		21.75	21.75	32.28	10.96			26.94	12.76		1
Ont	tiona	al Features & Functions:			ONOOX	UNCCC		21.75	21.75	32.20	10.30	†		20.34	12.70		
100	1.0				U1TD1,												
		Clear Channel Capability Extended Frame Option - per DS1	- 1		ULDD1,UNC1X	CCOEF		OI	OI	01	01						
					U1TD1,												
		Clear Channel Capability Super FrameOption - per DS1	- 1		ULDD1,UNC1X	CCOSF		OI	OI	OI	01						
		Clear Channel Capability (SF/ESF) Option - Subsequent			ULDD1, U1TD1,												
		Activity - per DS1	- 1		UNC1X, USL	NRCCC		184.76S	23.8S	1.99S	0.78S			26.94	12.76		
					U1TD3, ULDD3,				_								
ļ		C-bit Parity Option - Subsequent Activity - per DS3	i		UE3, UNC3X	NRCC3		218.92S	7.66S	.7576S	0S			26.94	12.76		
MU		PLEXERS			LINIOAY	1404	1 10 00	407.70	440.00					00.04	40.70		
		DS1 to DS0 Channel System per month OCU-DP COCI (data) - DS1 to DS0 Channel System - per			UNC1X	MQ1	146.69	197.78	140.06			-		26.94	12.76		
		month (2.4-64kbs) used for a Local Loop			UDL	1D1DD	2.00	13.09	9.38								
	_	OCU-DP COCI (data) - DS1 to DS0 Channel System - per			ODL	10100	2.00	15.05	3.30								
		month (2.4-64kbs) used for connection to a channelized DS1															
		Local Channel in the same SWC as collocation			U1TUD	1D1DD	2.00	13.09	9.38								
		2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per															
		month for a Local Loop			UDN	UC1CA	3.59	13.09	9.38								
		2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per															
		month used for connection to a channelized DS1 Local Channel															
		in the same SWC as collocation			U1TUB	UC1CA	3.59	13.09	9.38								
		Voice Grade COCI - DS1 to DS0 Channel System - per month			UEA	1D1VG	1.27	42.00	0.20								
	-	used for a Local Loop Voice Grade COCI - DS1 to DS0 Channel System - per month			UEA	IDIVG	1.27	13.09	9.38			-					
		used for connection to a channelized DS1 Local Channel in the															
		same SWC as collocation			U1TUC	1D1VG	1.27	13.09	9.38								
		DS3 to DS1 Channel System per month			UNC3X	MQ3	233.10	403.97	234.40					26.94	12.76		
		STS-1 to DS1 Channel System per month			UNCSX	MQ3	233.10	403.97	234.40					26.94	12.76		
		DS1 COCI used with Loop per month			USL	UC1D1	16.07	13.09	9.38	1	l		İ		i	1	
		DS1 COCI (used for connection to a channelized DS1 Local															
		Channel in the same SWC as collocation) per month			U1TUA	UC1D1	16.07	13.09	9.38	1				ļ		ļ	
		DS1 COCI used with Interoffice Channel per month			U1TD1	UC1D1	16.07	13.09	9.38								
		DS3 Interface Unit (DS1 COCI) used with Local Channel per				11045											1
\vdash	\dashv	month		-	ULDD1	UC1D1	16.07	13.09	9.38			-		00.04	40.70		
\vdash	\dashv				 	1		-		1	-	-		26.94 26.94	12.76 12.76	1	
UNBLINDI	FDI	OCAL EXCHANGE SWITCHING(PORTS)			 	1				1		 		20.94	12.70	 	
		ge Ports			+	+				1							
		Although the Port Rate includes all available features in GA, F	Y, LA	& TN. t	he desired features	will need to b	e ordered usir	ng retail USOC:	S	1		1					
		VOICE GRADE LINE PORT RATES (RES)	,	l, .									İ	İ	İ	İ	
		Exchange Ports - 2-Wire Analog Line Port- Res.			UEPSR	UEPRL	2.19	21.60	21.60					26.94	12.76		
		Exchange Ports - 2-Wire Analog Line Port with Caller ID - Res.		1	UEPSR	UEPRC	2.19	21.60	21.60	1	l	1	l	26.94	12.76	l	l

UNBUNDL	ED NETWORK ELEMENTS - North Carolina			T							Ia - :	la - ·		ment: 2		bit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l
						Rec	Nonrec		Nonrecurring					Rates (\$)		
			<u> </u>		+		First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Exchange Ports - 2-Wire Analog Line Port outgoing only - Res.			UEPSR	UEPRO	2.19	21.60	21.60					26.94	12.76		
	Exchange Ports - 2-Wire VG unbundled res, low usage line port with Caller ID (LUM)			UEPSR	UEPAP	2.19	21.60	21.60					26.94	12.76		
	2-Wire voice unbundled Low Usage Line Port without Caller ID Capability			UEPSR	UEPRT	2.19	21.60	21.60					26.94	12.76		
	2-Wire Voice Grade Unbundled Port without Caller ID capability,			021 011	02.11.	2.10	21.00	21.00					20.01	12.70		
	North Carolina			UEPSR	UEPRZ	2.19	21.60	21.60								
	2-Wire Voice Grade Unbundled Port with Caller ID capability, North Carolina			UEPSR	UEPRY	2.19	21.60	21.60								
	Subsequent Activity			UEPSR	USASC	0.00	0.00	0.00					26.94	12.76		
FEAT	TURES				<u> </u>											
2 14/1	All Available Vertical Features RE VOICE GRADE LINE PORT RATES (BUS)			UEPSR	UEPVF	3.40	0.00	0.00					26.94	12.76		
2-1/11	Exchange Ports - 2-Wire Analog Line Port without Caller ID -				+											
	Bus Exchange Ports - 2-Wire VG unbundled Line Port with			UEPSB	UEPBL	2.19	21.60	21.60					26.94	12.76		
	unbundled port with Caller+E484 ID - Bus.			UEPSB	UEPBC	2.19	21.60	21.60					26.94	12.76		
	Exchange Ports - 2-Wire Analog Line Port outgoing only - Bus.			UEPSB	UEPBO	2.19	21.60	21.60					26.94	12.76		
	Exhange Ports - 2-Wire VG unbundled incoming only port with Caller ID - Bus			UEPSB	UEPB1	2.19	21.60	21.60					26.94	12.76		
	2-Wire voice unbundled Incoming Only Port without Caller ID Capability			UEPSB	UEPBE	2.19	21.60	21.60					26.94	12.76		
	Subsequent Activity			UEPSB	USASC	0.00	0.00	0.00								
FEAT	All Available Vertical Features		1	UEPSB	UEPVF	3.40	0.00	0.00					26.94	12.76		
EXC	HANGE PORT RATES (DID & PBX)			UEFSB	UEFVF	3.40	0.00	0.00			1		20.94	12.70		
EXCI	2-Wire VG Unbundled 2-Way PBX Trunk - Res			UEPSE	UEPRD	2.18	21.60	21.60			1		26.94	12.76		
	2-Wire VG Line Side Unbundled 2-Way PBX Trunk - Bus			UEPSP	UEPPC	2.18	21.60	21.60			<u> </u>		26.94	12.76		
	2-Wire VG Line Side Unbundled Outward PBX Trunk - Bus			UEPSP	UEPPO	2.18	21.60	21.60					26.94	12.76		
	2-Wire VG Line Side Unbundled Incoming PBX Trunk - Bus			UEPSP	UEPP1	2.18	21.60	21.60					26.94	12.76		
	2-Wire Analog Long Distance Terminal PBX Trunk - Bus			UEPSP	UEPLD	2.18	21.60	21.60					26.94	12.76		
	2-Wire Voice Unbundled PBX LD Terminal Ports			UEPSP	UEPLD	2.18	21.60	21.60					26.94	12.76		
	2-Wire Vice Unbundled 2-Way PBX Usage Port			UEPSP	UEPXA	2.18	21.60	21.60					26.94	12.76		
	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports			UEPSP	UEPXB	2.18	21.60	21.60					26.94	12.76		
	2-Wire Voice Unbundled PBX LD DDD Terminals Port			UEPSP	UEPXC	2.18	21.60	21.60			1		26.94	12.76		
	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port 2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD		ļ	UEPSP	UEPXD	2.18	21.60	21.60			1		26.94	12.76		
	Capable Port			UEPSP	UEPXE	2.18	21.60	21.60					26.94	12.76		
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Administrative Calling Port			UEPSP	UEPXL	2.18	21.60	21.60					26.94	12.76		
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Room Calling Port			UEPSP	UEPXM	2.18	21.60	21.60					26.94	12.76		
, 1	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital			LIEDOD	LIEDVO	0.40	04.00	04.60					20.01	10.70		
	Discount Room Calling Port 2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port		!	UEPSP UEPSP	UEPXO UEPXS	2.18 2.18	21.60 21.60	21.60 21.60			1	-	26.94 26.94	12.76 12.76		
	Subsequent Activity	-	 	UEPSP	USASC	0.00	0.00	0.00	1	1	+	1	26.94	12.76	 	
FEA7	TURES	-	 	021 01	23/200	0.00	0.00	0.00			+		20.54	12.70		
,	All Available Vertical Features		t	UEPSP UEPSE	UEPVF	3.40	0.00	0.00	1	1	†		26.94	12.76		
EXCI	HANGE PORT RATES (COIN)		t		1	2.10	2.00	2.00			1					
	Exchange Ports - Coin Port					2.59	21.60	21.60					26.94	12.76		
	: Transmission/usage charges associated with POTS circuit sv															
	E: Access to B Channel or D Channel Packet capabilities will be	availa	ble only	y through BFR/New	Business Red	quest Process.	Rates for the	packet capabi	lities will be de	etermined via 1	the Bona Fid	de Request/	New Business	Request Pro	cess.	
	LOCAL EXCHANGE SWITCHING(PORTS)	ļ	<u> </u>		1				ļ	ļ						1
	HANGE PORT RATES		<u> </u>	and and the second	1				A 61 41110 1 1		<u> </u>			L		
	DS1 Port rates below for 4-Wire DDITS Trunk Port and 4-Wire ISI tests for 4-Wire DDITS Trunk Ports with 4-Wire ISDN DS1 Ports											ritt rates or	a separate ag	reement.		+
D.~																

JNBUNDLI	ED NETWORK ELEMENTS - North Carolina													ment: 2		bit: A
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increments Charge - Manual Sv Order vs. Electronic Disc Add
						B	Nonrec	urring	Nonrecurring	g Disconnect				Rates (\$)	2.00 .01	2.007.144
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Exchange Ports - DDITS Port - 4-Wire DS1 Port with DID															
	capability (E:4/1/2004)			UEPDD	UEPDD	123.65	116.59	69.92					26.94	12.76		
	Exchange Ports - 2-Wire ISDN Port (See Notes below.)			UEPTX, UEPSX	U1PMA	24.50	62.29	62.29					55.30	55.30		
	All Features Offered			UEPTX, UEPSX	UEPVF	3.40	0.00	0.00								
NOTE	Exchange Ports - 2-Wire ISDN Port Channel Profiles		<u> </u>	UEPTX, UEPSX	U1UMA	0.00	0.00	0.00								
	: Transmission/usage charges associated with POTS circuit sv :: Access to B Channel or D Channel Packet capabilities will be													Dominat Dea		
	IANGE PORT RATES (continued)	avaliai	oie oni	y through BFR/New	Business Re	quest Process.	Rates for the	раскет сараві	lities will be de	etermined via i	ne Bona Fio	ie Request/	New Business	Request Pro	cess.	
EXCI	Exchange Ports - 4-Wire ISDN DS1 Port with Detailed E911		1		1						+					
	Locator Capability (E:4/1/2004)			UEPEX	UEPEX	179.75	241.63	241.63					53.89	53.89		
	Exchange Ports - 4-Wire ISDN DS1 Port (E:4/1/2004)		 	UEPDX	UEPDX	179.75	241.63	241.63			 	 	53.89	53.89		
	Physical Collocation - DS1 Cross-Connects	- 1		UEPEX UEPDX	PE1P1	2.34	71.02	51.08		1			26.94	12.76		
	Virtual collocation - Special Access & UNE, cross-connect per	· ·			1	2.04	702	330	İ	İ			20.04		İ	
	DS1			UEPEX UEPDX	CNC1X	0.97	71.02	51.08					26.94	12.76		
Detail	led E911 with Locator Capability (required with UEPEX port)															
i	Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - E911															
	Locator Capability - Initial Profile Establishment per CLEC per															
	State			UEPEX	UEP1A	0.00	1,802.00						26.94	12.76		
	Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - E911															
	Locator Capability - Subsequent Profile Changes, Additions,															
	Deletions			UEPEX	UEP1B	0.00	174.99						26.94	12.76		
New o	or Additional PRI Telephone Numbers															
	Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - E911															
	Locator Capability 2-way Telephone Numbers, per number in			l												
	E911 profile [New or Additional]		-	UEPEX	UEP1C		1.17	1.17			1		26.94	12.76		
	Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - E911															
	Locator Capability - Outdial Telephone Numbers, per number in E911 profile [New or Additional]			UEPEX	UEP1D		28.17	28.17					26.94	12.76		
_	Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - Inward			UEPEA	UEPID		20.17	20.17			-		20.94	12.76		
	Telephone Numbers - Inward Data Only Option [New or															
	Additional			UEPDX	UEP1E	0.00	1.17	1.17					26.94	12.76		
	Exchange Ports - 4-Wire ISDN DS1 Port - Subsequent [New]			OLI DX	OLI IL	0.00	1.17	1.17			1		20.04	12.70		
	Inward Tel Numbers [Customer Testing Purposes]			UEPEX	PR7ZT	0.00	56.33	56.33					26.94	12.76		
LOCA	AL NUMBER PORTABILITY															
	Local Number Portability (1 per port)			UEPEX UEPDX	LNPCN	1.75										
INTER	RFACE (Provsioning Only)															
	Voice/Data			UEPEX	PR71V	0.00	0.00	0.00					26.94	12.76		
	Digital Data			UEPEX	PR71D	0.00	0.00	0.00					26.94	12.76		
	Inward Data			UEPDX	PR71E	0.00	0.00	0.00					26.94	12.76		
New o	or Additional Channel															
	New or Additional - Voice/Data "B" Channel			UEPEX	PR7BV	0.00	36.92						26.94	12.76		
	New or Additional - Digital Data "B" Channel		<u> </u>	UEPEX	PR7BF	0.00	36.92						26.94	12.76		
	New or Additional Inward Data "B" Channel			UEPDX	PR7BD	0.00	36.92						26.94	12.76		
_	New or Additional Useage Sensitive Voice Data "B" Channel		├	UEPEX	PR7BS	0.00					1		26.94	12.76		
-	New or Additional Useage Sensitive Digital Data "B" Channel New or Additional PRI "D" Channel		-	UEPEX UEPEX	PR7BU PR7EX	0.00	36.92			-	1		26.94 26.94	12.76 12.76	-	-
CALL	TYPES		 	UEPEX	FK/EX	0.00	30.92				+	 	∠6.94	12.76		
CALL	Inward		 	UEPEX UEPDX	PR7C1	0.00	0.00	0.00	 	 	 		26.94	12.76	l	
_	Outward			UEPEX	PR7CO	0.00	0.00	0.00			 	 	26.94	12.76		
_	Two-way		 	UEPEX	PR7CC	0.00	0.00	0.00			 	 	26.94	12.76		
UNBL	JNDLED PORT with REMOTE CALL FORWARDING CAPABILITY	;		- /\		3.00	0.00	3.00		İ			20.04	.2.70		
	JNDLED REMOTE CALL FORWARDING SERVICE - RESIDENCE				İ					İ	1		l	l	l	
	Unbundled Remote Call Forwarding Service, Area Calling, Res			UEPVR	UERAC	2.19	21.60	21.60					26.94	12.76		
	<u> </u>			1	1		-									
	Unbundled Remote Call Forwarding Service, Local Calling - Res	<u></u>	L	UEPVR	UERLC	2.19	21.60	21.60	<u></u>	<u> </u>	1	<u></u>	26.94	12.76	<u> </u>	<u></u>
	Unbundled Remote Call Forwarding Service, InterLATA - Res			UEPVR	UERTE	2.19	21.60	21.60					26.94	12.76		
	Unbundled Remote Call Forwarding Service, IntraLATA - Res			UEPVR	UERTR	2.19	21.60	21.60					26.94	12.76		
Non-F	Recurring		1						l				l			

UNBUNDLE	D NETWORK ELEMENTS - North Carolina													ment: 2	Exhi	
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)		s		Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l
						Rec	Nonred		Nonrecurring Disc					Rates (\$)	_	
						1100	First	Add'l	First A	dd'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Unbundled Remote Call Forwarding Service - Conversion -			l												
ļ	Switch-as-is		1	UEPVR	USAC2		2.77	0.40					26.94	12.76		
	Unbundled Remote Call Forwarding Service - Conversion with			LIED) (D	USACC		2.77	0.40								
LINDU	allowed change (PIC and LPIC) NDLED REMOTE CALL FORWARDING - Bus		1	UEPVR	USACC		2.11	0.40								
UNBU	NDLED REMOTE CALL FORWARDING - Bus		+		+				 							
	Unbundled Remote Call Forwarding Service, Area Calling - Bus			UEPVB	UERAC	2.19	21.60	21.60					26.94	12.76		
	Cribatiated Nerricle Sail 1 Stwarding Service; 71164 Sailing Bus		1	OLI VD	OLIVIO	2.10	21.00	21.00					20.04	12.70		
	Unbundled Remote Call Forwarding Service, Local Calling - Bus			UEPVB	UERLC	2.19	21.60	21.60					26.94	12.76		
	Unbundled Remote Call Forwarding Service, InterLATA - Bus		1	UEPVB	UERTE	2.19	21.60	21.60					26.94	12.76		
	Unbundled Remote Call Forwarding Service, IntraLATA - Bus	i –	i i	UEPVB	UERTR	2.19	21.60	21.60					26.94	12.76		
	Unbundled Remote Call Forwarding Service Expanded and															
	Exception Local Calling	<u> </u>	<u> </u>	UEPVB	UERVJ	2.19	21.60	21.60					26.94	12.76	<u> </u>	
Non-R	ecurring															
	Unbundled Remote Call Forwarding Service - Conversion -							·		T			l		l	
	Switch-as-is		 	UEPVB	USAC2		2.77	0.40					26.94	12.76		
	Unbundled Remote Call Forwarding Service - Conversion with	1	1	LIEDVD												
	allowed change (PIC and LPIC)			UEPVB	USACC		2.77	0.40								
	LOCAL SWITCHING, PORT USAGE		1		-											
End O	office Switching (Port Usage)	-	1		_	0.0015			 							
-	End Office Switching Function, Per MOU End Office Trunk Port - Shared, Per MOU	-	+		+	0.0015										
Tondo	em Switching (Port Usage) (Local or Access Tandem)		1		+	0.00023										
Tanue	Tandem Switching Function Per MOU		1		+	0.0006			+							
	Tandem Trunk Port - Shared, Per MOU		1		+	0.0003										
	Tandem Switching Function Per MOU (Melded)		1		+	0.00024618										
	Tandem Trunk Port - Shared, Per MOU (Melded)		1			0.00012309										
	Melded Factor: 41.03% of the Tandem Rate		1		1											
Comm	non Transport															
	Common Transport - Per Mile, Per MOU					0.00001										
	Common Transport - Facilities Termination Per MOU					0.00034										
	PORT/LOOP COMBINATIONS - COST BASED RATES															
	Based Rates are applied where BellSouth is required by FCC ar															
	res shall apply to the Unbundled Port/Loop Combination - Cos															
	office and Tandem Switching Usage and Common Transport Us															
I he fil	rst and additional Port nonrecurring charges apply to Not Curr E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)	ently C	ombine	ea Compos. For Cui	rrently Comb	inea Combos th	ie nonrecurrin	g cnarges sha	iii de those identified	in the Noi	nrecurring	- Currently	Compined se	ections.	-	
	Port/Loop Combination Rates		1		+											
UNE	2-Wire VG Loop/Port Combo - Zone 1	1	1		+	13.03			+ + + + + + + + + + + + + + + + + + + +				 	 	 	
	2-Wire VG Loop/Port Combo - Zone 2	 	2		1	21.33										
	2-Wire VG Loop/Port Combo - Zone 3	t	3		1	32.61			 					1		
UNE L	oop Rates	1	Ť		1	52.51								İ		
	2-Wire Voice Grade Loop (SL1) - Zone 1	i –	1	UEPRX	UEPLX	10.75								1		
	2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPRX	UEPLX	19.05										
	2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPRX	UEPLX	30.33										
2-Wire	Voice Grade Line Port Rates (Res)															
	2-Wire voice unbundled port - residence			UEPRX	UEPRL	2.28	79.59	63.97					40.18	9.45		
	2-Wire voice unbundled port with Caller ID - res	<u> </u>	<u> </u>	UEPRX	UEPRC	2.28	79.59	63.97					40.18	9.45		
	2-Wire voice unbundled port outgoing only - res	 	1	UEPRX	UEPRO	2.28	79.59	63.97					40.18	9.45		
	0.145			I	1	1	70.50	63.97					40.18	9.45		
	2-Wire voice unbundles res, low usage line port with Caller ID (LUM)			UEPRX	UEPAP	2.28	79.59	00.01	 					0.40		
	(LUM) 2-Wire voice unbundled Low Usage Line Port without Caller ID Capability			UEPRX UEPRX	UEPAP UEPRT	2.28	79.59	63.97					40.18	9.45		
	(LUM) 2-Wire voice unbundled Low Usage Line Port without Caller ID Capability 2-Wire Voice Grade Unbundled Port without Caller ID capability,			UEPRX	UEPRT	2.28	79.59	63.97								
	(LUM) 2-Wire voice unbundled Low Usage Line Port without Caller ID Capability															
FEAT	(LUM) 2-Wire voice unbundled Low Usage Line Port without Caller ID Capability 2-Wire Voice Grade Unbundled Port without Caller ID capability, North Carolina 2-Wire Voice Grade Unbundled Port without Caller ID capability, North Carolina			UEPRX	UEPRT	2.28	79.59	63.97								

ONBONDLE	D NETWORK ELEMENTS - North Carolina										1_	1_		ment: 2		bit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)				Submitted	_	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Charge -	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add
						Rec	Nonrec		Nonrecurring Disc					Rates (\$)		
						1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
LOCAL	NUMBER PORTABILITY			UEDDV	LUBOY											
NONDE	Local Number Portability (1 per port)	-		UEPRX	LNPCX	0.35										—
NONKE	CURRING CHARGES (NRCs) - CURRENTLY COMBINED 2-Wire Voice Grade Loop / Line Port Combination - Conversion -				-						-	-				
	Switch-as-is			UEPRX	USAC2		2.77	0.40					40.18	9.45		
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -			OLITOX	UUAUZ	-	2.11	0.40					40.10	3.43		
	Switch with change			UEPRX	USACC		2.77	0.40					40.18	9.45		
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -			021.101	00/100		2	0.10					10.10	0.10		
	Subsequent Database Update						1.42						10.27			
ADDITI	ONAL NRCs															
	2-Wire Voice Grade Loop/Line Port Combination - Subsequent					İ	İ									
	Activity			UEPRX	USAS2	0.00	0.00	0.00					40.18	9.45		
	Unbundled Miscellaneous Rate Element, Tag Loop at End User				1									I		
	Premise			UEPRX	URETL		8.33	0.83					26.94	12.76	0.00	0.0
	N PREMISES EXTENSION CHANNELS	ļ			1										ļ	
	2 Wire Analog Voice Grade Extension Loop – Non-Design		1	UEPRX	UEAEN	12.11	57.99	42.37					26.94	12.76	0.00	0.00
	2 Wire Analog Voice Grade Extension Loop – Non-Design		2	UEPRX	UEAEN	21.24	57.99	42.37					26.94	12.76	0.00	0.00
	2 Wire Analog Voice Grade Extension Loop – Non-Design		3	UEPRX	UEAEN	33.65	57.99	42.37					26.94	12.76	0.00	0.00
	Wire Analog Voice Grade Extension Loop – Design Wire Analog Voice Grade Extension Loop – Design	-	2	UEPRX UEPRX	UEAED UEAED	14.97 25.93	142.97 142.97	106.56					26.94 26.94	12.76 12.76	0.00	0.00
		-	3	UEPRX	UEAED	40.81	142.97	106.56 106.56					26.94	12.76	0.00	0.00
INTED	2 Wire Analog Voice Grade Extension Loop – Design OFFICE TRANSPORT	1	3	UEPKA	UEAED	40.61	142.97	100.56					20.94	12.70	0.00	0.00
INTERV	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility				+ +											
	Termination			UEPRX	U1TV2	18.00	137.48	52.58					38.07	38.07		
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile			021.101	01112	10.00	1077.10	02.00					00.01	00.01		
	or Fraction Mile			UEPRX	U1TVM	0.0125	0.00	0.00								
2-WIRE	VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS)															
	ort/Loop Combination Rates															
	2-Wire VG Loop/Port Combo - Zone 1		1			13.03										
	2-Wire VG Loop/Port Combo - Zone 2		2			21.33										
	2-Wire VG Loop/Port Combo - Zone 3		3			32.61										
	pop Rates															
	2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPBX	UEPLX	10.75										
	2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPBX	UEPLX	19.05										
O Wine	2-Wire Voice Grade Loop (SL1) - Zone 3	-	3	UEPBX	UEPLX	30.33										
2-wire	Voice Grade Line Port (Bus) 2-Wire voice unbundled port without Caller ID - bus	1	-	UEPBX	UEPBL	2.28	79.59	63.97	 				40.18	9.45	-	
	2-Wire voice unbundled port with Caller ID - bus 2-Wire voice unbundled port with Caller + E484 ID - bus	 	 	UEPBX	UEPBC	2.28	79.59	63.97			-	-	40.18	9.45	 	
	2-Wire voice unbundled port outgoing only - bus	1	!	UEPBX	UEPBO	2.28	79.59	63.97					40.18	9.45	 	
	2-Wire voice unbundled incoming only port with Caller ID - Bus	 	t	UEPBX	UEPB1	2.28	79.59	63.97					40.18	9.45		
	2-Wire voice unbundled Incoming Only Port with Caller ID				52. 51	2.20	70.00	55.51					70.10	5.45	1	<u> </u>
	Capability			UEPBX	UEPBE	2.28	79.59	63.97					40.18	9.45		1
LOCAL	NUMBER PORTABILITY	l				- 1								1	1	
	Local Number Portability (1 per port)	l		UEPBX	LNPCX	0.35							1		1	
FEATU																
	All Features Offered			UEPBX	UEPVF	3.40	0.00	0.00					40.18	9.45		
NONRE	CURRING CHARGES (NRCs) - CURRENTLY COMBINED				1 1								ļ			
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -			LIEDDY	110466	l	. =-									1
	Switch-as-is	-	ļ	UEPBX	USAC2		2.77	0.40					40.18	9.45	ļ	
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -	1		LIEDDY	LICACO	l	o ==	0.40					40.40			1
	Switch with change	╂	-	UEPBX	USACC		2.77	0.40					40.18	9.45		
	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Subsequent Database Update	1			1	l	1.42						10.27			1
	ONAL NRCs	 	-		+ +	+	1.42				-	-	10.27			
ADDITI	2-Wire Voice Grade Loop/Line Port Combination - Subsequent	 	 		+ +	+									 	\vdash
	Activity	1		UEPBX	USAS2		0.00	0.00					40.18	9.45		1
	Unbundled Miscellaneous Rate Element, Tag Loop at End User				00.02		0.00	0.00					70.10	5.45	1	
	Premise			UEPBX	URETL	l	8.33	0.83					26.94	12.76	0.00	0.0
055/01	N PREMISES EXTENSION CHANNELS	<u> </u>	<u> </u>			1	2.00	2,00			1	1		:=::0	2.00	0.0

NRONDLE	D NETWORK ELEMENTS - North Carolina												ment: 2		bit: A
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			Svc Order Submitted Manually per LSR	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
					+ +		Nonrec	urring	Nonrecurring Disconnect			OSS	Rates (\$)		<u> </u>
						Rec	First	Add'l	First Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2 Wire Analog Voice Grade Extension Loop – Non-Design		1	UEPBX	UEAEN	12.11	57.99	42.37	1 1121			26.94	12.76	0.00	0.0
	2 Wire Analog Voice Grade Extension Loop – Non-Design		2	UEPBX	UEAEN	21.24	57.99	42.37		1		26.94	12.76	0.00	0.0
	2 Wire Analog Voice Grade Extension Loop – Non-Design		3	UEPBX	UEAEN	33.65	57.99	42.37				26.94	12.76	0.00	0.0
	2 Wire Analog Voice Grade Extension Loop – Design		1	UEPBX	UEAED	14.97	142.97	106.56				26.94	12.76	0.00	0.0
	2 Wire Analog Voice Grade Extension Loop – Design		2	UEPBX	UEAED	25.93	142.97	106.56				26.94	12.76	0.00	0.0
	2 Wire Analog Voice Grade Extension Loop – Design		3	UEPBX	UEAED	40.81	142.97	106.56				26.94	12.76	0.00	0.0
INTER	OFFICE TRANSPORT														
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility														
	Termination			UEPBX	U1TV2	18.00	137.48	52.58				38.07	38.07		
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile														
	or Fraction Mile			UEPBX	U1TVM	0.0125	0.00	0.00							
	E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES - PBX)				1							L			
UNE F	Port/Loop Combination Rates				1							L			<u> </u>
	2-Wire VG Loop/Port Combo - Zone 1		1		1	13.03						L			<u> </u>
	2-Wire VG Loop/Port Combo - Zone 2		2			21.33									
	2-Wire VG Loop/Port Combo - Zone 3		3		1	32.61				1		ļ		ļ	<u> </u>
UNE L	oop Rates														
	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEPRG	UEPLX	10.75									
	2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEPRG	UEPLX	19.05									
	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEPRG	UEPLX	30.33									
2-Wire	Voice Grade Line Port Rates (RES - PBX)														ļ
	2-Wire VG Unbundled Combination 2-Way PBX Trunk Port -														
	Res			UEPRG	UEPRD	2.28	164.57	128.16				40.18	9.45		
LOCA	L NUMBER PORTABILITY														
	Local Number Portability (1 per port)			UEPRG	LNPCP	3.15	0.00	0.00							
FEAT															
	All Features Offered			UEPRG	UEPVF	3.40	0.00	0.00				40.18	9.45		
NONR	ECURRING CHARGES (NRCs) - CURRENTLY COMBINED														
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -														
	Conversion - Switch-As-Is			UEPRG	USAC2		2.77	0.40				40.18	9.45		ļ
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -														
	Conversion - Switch with Change			UEPRG	USACC		2.77	0.40				40.18	9.45		
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -														
	Subsequent Database Update						1.42					10.27			
ADDIT	TIONAL NRCs														
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -														
	Subsequent Activity			UEPRG	USAS2	0.00	0.00	0.00				40.18	9.45		
	Unbundled Miscellaneous Rate Element, Tag Loop at End User														
	Premise			UEPRG	URETL		8.33	0.83		1		26.94	12.76	0.00	0.0
OFF/C	ON PREMISES EXTENSION CHANNELS				1					1		ļ		ļ	<u> </u>
	Local Channel Voice grade, per termination		1	UEPRG	P2JHX	14.97	142.97	106.56	ļ	ļ		26.94	12.76	0.00	
	Local Channel Voice grade, per termination		2	UEPRG	P2JHX	25.93	142.97	106.56	ļ	ļ	ļ	26.94	12.76	0.00	
	Local Channel Voice grade, per termination		3	UEPRG	P2JHX	40.81	142.97	106.56				26.94	12.76	0.00	0.
	Non-Wire Direct Serve Channel Voice Grade		1	UEPRG	SDD2X	14.62	252.06	109.08		1		26.94	12.76	0.00	0.
	Non-Wire Direct Serve Channel Voice Grade		2	UEPRG	SDD2X	23.86	126.03	54.54				26.94	12.76	0.00	0.
	Non-Wire Direct Serve Channel Voice Grade		3	UEPRG	SDD2X	36.40	126.03	54.54		1		26.94	12.76	0.00	0.0
INTER	OFFICE TRANSPORT				1					1		ļ		ļ	<u> </u>
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility				1 1					1	1	l	l		1
	Termination			UEPRG	U1TV2	18.00	137.48	52.58		ļ	ļ	38.07	38.07		
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile				1					1	1	I			1
	or Fraction Mile			UEPRG	U1TVM	0.0125	0.00	0.00	 	1	1	_			
	E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)				+					1	ļ				
UNE F	Port/Loop Combination Rates		L.						ļ	ļ	ļ				
	2-Wire VG Loop/Port Combo - Zone 1		1			13.03			ļ	ļ	ļ				
	2-Wire VG Loop/Port Combo - Zone 2		2		1	21.33					ļ	ļ			<u> </u>
	2-Wire VG Loop/Port Combo - Zone 3		3		1	32.61				1		ļ		ļ	↓
UNE L	oop Rates				1					1		ļ		ļ	<u> </u>
	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEPPX	UEPLX	10.75					<u> </u>		<u></u>		
	2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEPPX	UEPLX	19.05					1				

UNBUNDLE	D NETWORK ELEMENTS - North Carolina												Attach	ment: 2	Exhi	bit: A
											Svc Order	Svc Order	Incremental	Incremental		Incremental
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		Interi	l_								Elec		Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
		1					Nonrec	urring	Nonrecurring	Disconnect	1	l	OSS	Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEPPX	UEPLX	30.33										
2-Wire	Voice Grade Line Port Rates (BUS - PBX)															
	Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus			UEPPX	UEPPC	2.28	164.57	128.16					40.18	9.45		
	Line Side Unbundled Outward PBX Trunk Port - Bus			UEPPX	UEPPO	2.28	164.57	128.16					40.18	9.45		
	Line Side Unbundled Incoming PBX Trunk Port - Bus			UEPPX	UEPP1	2.28	164.57	128.16			ļ		40.18	9.45		
-	2-Wire Voice Unbundled PBX LD Terminal Ports 2-Wire Voice Unbundled 2-Way Combination PBX Usage Port	1	<u> </u>	UEPPX UEPPX	UEPLD UEPXA	2.28 2.28	164.57 164.57	128.16 128.16			.		40.18 40.18	9.45 9.45		
	2-Wire Voice Unburidled 2-Way Combination PBX 0sage Port 2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports	1	1	UEPPX	UEPXB	2.28	164.57	128.16			 		40.18	9.45		
	2-Wire Voice Unbundled PBX LD DDD Terminals Port			UEPPX	UEPXC	2.28	164.57	128.16			+		40.18	9.45		
	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port	t e		UEPPX	UEPXD	2.28	164.57	128.16					40.18	9.45		
	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD	1									Ì			21.10		
	Capable Port		L	UEPPX	UEPXE	2.28	164.57	128.16	<u> </u>		<u> </u>	<u></u>	40.18	9.45		<u> </u>
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy															
	Administrative Calling Port			UEPPX	UEPXL	2.28	164.57	128.16					40.18	9.45		-
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy															1
	Room Calling Port			UEPPX	UEPXM	2.28	164.57	128.16			ļ		40.18	9.45		
	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital			UEPPX	UEPXO	2.28	164.57	128.16					40.18	9.45		1
	Discount Room Calling Port 2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port	1	1	UEPPX	UEPXS	2.28	164.57	128.16			 		40.18	9.45		
LOCAL	L NUMBER PORTABILITY			OLFFA	ULFAS	2.20	104.57	120.10			+		40.10	9.43		
LOOA	Local Number Portability (1 per port)			UEPPX	LNPCP	3.15	0.00	0.00			1		40.18	9.45		
FEATU							0.00							0.10		
	All Features Offered			UEPPX	UEPVF	3.40	0.00	0.00					40.18	9.45		
NONR	ECURRING CHARGES (NRCs) - CURRENTLY COMBINED															1
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -															1
	Conversion - Switch-As-Is			UEPPX	USAC2		2.77	0.40					40.18	9.45		1
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -			UEPPX	USACC		2.77	0.40					40.18	9.45		1
-	Conversion - Switch with Change 2-Wire Voice Grade Loop / Line Port Combination - Conversion -	1	<u> </u>	UEPPX	USACC		2.11	0.40			.		40.18	9.45		
	Subsequent Database Update						1.42						10.27			1
ADDIT	IONAL NRCs	1				-	1.42				1		10.27			
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -															
	Subsequent Activity			UEPPX	USAS2	0.00	0.00	0.00					40.18	9.45		1
	Unbundled Miscellaneous Rate Element, Tag Loop at End User															
	Premise			UEPPX	URETL		8.33	0.83					26.94	12.76	0.00	0.00
OFF/O	N PREMISES EXTENSION CHANNELS			UEDDV	Do !! !! !			100 50						10 =0		
\vdash	Local Channel Voice grade, per termination	<u> </u>	1	UEPPX UEPPX	P2JHX	14.97	142.97	106.56	 		ļ	 	26.94	12.76	0.00	0.00
\vdash	Local Channel Voice grade, per termination	1	3	UEPPX	P2JHX P2JHX	25.93 40.81	142.97 142.97	106.56 106.56	 		1		26.94 26.94	12.76 12.76	0.00	0.00
	Local Channel Voice grade, per termination Non-Wire Direct Serve Channel Voice Grade	1	1	UEPPX	SDD2X	14.62	252.06	109.08	 				26.94	12.76	0.00	0.00
	Non-Wire Direct Serve Channel Voice Grade	t -	2	UEPPX	SDD2X SDD2X	23.86	126.03	54.54			1		26.94	12.76	0.00	0.00
	Non-Wire Direct Serve Channel Voice Grade	1	3	UEPPX	SDD2X	36.40	126.03	54.54					26.94	12.76	0.00	0.00
INTER	OFFICE TRANSPORT	İ						-					_	_		
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility															
	Termination	L		UEPPX	U1TV2	18.00	137.48	52.58				ļ	38.07	38.07		1
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile			LIEDDY		6 2 4 2 5						1				ı
2 14/15/	or Fraction Mile E VOICE GRADE LOOP WITH 2-WIRE ANALOG LINE COIN POI	L DT	-	UEPPX	U1TVM	0.0125	0.00	0.00								
	e voice grade Loop with 2-wike analog line coin Pol	N I	-		+	+			 		1	-				
UNEP	2-Wire VG Coin Port/Loop Combo – Zone 1	 	1			13.03					1					
	2-Wire VG Coin Port/Loop Combo – Zone 2	t -	2		+ +	21.33					1					
	2-Wire VG Coin Port/Loop Combo – Zone 3		3			32.61			1							
UNE L	oop Rates	1							1		Ì					
	2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPCO	UEPLX	10.75										
	2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPCO	UEPLX	19.05										
	2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPCO	UEPLX	30.33										
2-Wire	Voice Grade Line Ports (COIN)	1														

ONBONDLE	D NETWORK ELEMENTS - North Carolina										Τ	T -		ment: 2		bit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			II .	Submitted	Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increment Charge - Manual St Order vs Electronic Disc Add
						Rec	Nonred		Nonrecurring					Rates (\$)		
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Coin 2-Way without Operator Screening and without															
	Blocking (NC)			UEPCO	UEPND	2.28	79.59	63.97					40.18	9.45		
	2-Wire Coin 2-Way with Operator Screening (NC)			UEPCO	UEPNC	2.28	79.59	63.97					40.18	9.45		
	2-Wire Coin 2-Way with Operator Screening and Blocking: 011,				l											
	900/976, 1+DDD (NC, TN)			UEPCO	UEPRP	2.28	79.59	63.97					40.18	9.45		
	2-Wire Coin 2-Way with Operator Screening and 011 Blocking			LIEDOO	LIEDNID	0.00	70.50	00.07					40.18	9.45		
	(NC) 2-Wire Coin 2-Way with Operator Screening: 900 Blocking:			UEPCO	UEPNB	2.28	79.59	63.97			-	-	40.18	9.45		
	900/976, 1+DDD, 011+, and Local (NC, TN)			UEPCO	UEPCA	2.28	79.59	63.97					40.18	9.45		
	2-Wire Coin Outward with Operator Screening and 011 Blocking			UEPCO	UEPCA	2.20	79.59	03.97			 		40.16	9.45		
	(NC)			UEPCO	UEPNE	2.28	79.59	63.97					40.18	9.45		
	2-Wire Coin Outward with Operator Screening and Blocking:			OLFCO	OLFINE	2.20	19.55	03.91			<u> </u>		40.16	9.43		
	900/976, 1+DDD, 011+, and Local (NC)			UEPCO	UEPCL	2.28	79.59	63.97					40.18	9.45		
	2-Wire 2-Way Smartline with 900/976 (all states except LA)			UEPCO	UEPCK	2.28	79.59	63.97			1		40.18	9.45		
	2-Wire Coin Outward Smartline with 900/976 (all states except			02. 00	02. 0.0	2.20	. 0.00	00.01	1					0.10		1
	LA)			UEPCO	UEPCR	2.28	79.59	63.97					40.18	9.45		
ADDIT	IONAL UNE COIN PORT/LOOP (RC)			02. 00	02. 0.0	2.20	7 0.00	00.01			İ		10.10	0.10		
	UNE Coin Port/Loop Combo Usage (Flat Rate)			UEPCO	URECU	3.70	0.00	0.00	0.00	0.00			40.18	9.45		
LOCAL	NUMBER PORTABILITY										İ					
	Local Number Portability (1 per port)			UEPCO	LNPCX	0.35										
NONRI	ECURRING CHARGES - CURRENTLY COMBINED															
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -															
	Switch-as-is			UEPCO	USAC2		2.77	0.40					40.18	9.45		
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -															
	Switch with change			UEPCO	USACC		2.77	0.40					40.18	9.45		
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -															
	Subsequent Database Update						1.42									
ADDIT	IONAL NRCs															ļ
	2-Wire Voice Grade Loop/Line Port Combination - Subsequent												40.40			
	Activity	-	-	UEPCO	USAS2		0.00	0.00			1		40.18	9.45		!
	Unbundled Miscellaneous Rate Element, Tag Loop at End User Premise			UEPCO	URETL		8.33	0.83					26.94	12.76	0.00	0.0
2 WIDI	E VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE	E I INIE I	ODT (UREIL		8.33	0.83			 		26.94	12.76	0.00	0.0
	ort/Loop Combination Rates	LINE	I NO	KEO)	+						 					
OI4E I	2-Wire VG Loop/IO Tranport/Port Combo - Zone 1		1			17.16					1		1		1	
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 2		2			28.12			1		1					
- 1	2-Wire VG Loop/IO Tranport/Port Combo - Zone 3		3		1	43.00			1	1			1		1	—
UNE L	oop Rates		Ť			.0.00			1	İ			İ	İ	İ	
	2-Wire Voice Grade Loop (SL2) - Zone 1		1	UEPFR	UECF2	14.97			İ			İ		İ		
	2-Wire Voice Grade Loop (SL2) - Zone 2		2	UEPFR	UECF2	25.93										
	2-Wire Voice Grade Loop (SL2) - Zone 3			UEPFR	UECF2	40.81										
2-Wire	Voice Grade Line Port Rates (Res)															
	2-Wire voice unbundled port - residence			UEPFR	UEPRL	2.19	225.00	225.00					40.18	9.45		
	2-Wire voice unbundled port with Caller ID - res			UEPFR	UEPRC	2.19	225.00	225.00					40.18	9.45		
	2-Wire voice unbundled port outgoing only - res			UEPFR	UEPRO	2.19	225.00	225.00					40.18	9.45		
	2-Wire voice unbundles res, low usage line port with Caller ID															1
	(LUM)		<u> </u>	UEPFR	UEPAP	2.19	225.00	225.00					40.18	9.45		
INTER	OFFICE TRANSPORT		ļ		+				ļ				ļ	 	ļ	
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility			LIEDED	LIATO CO	40.00	440.00	74.00								1
	Termination	-	-	UEPFR	U1TV2	18.00	140.00	71.00	 	-	ļ		 	-	 	
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile or Fraction Mile			UEPFR	1L5XX	0.0125										1
FEATL		 	 	OLPER	ILOAA	0.0125			1	1	}	-	 	 	 	
FEAT	All Features Offered	-	+	UEPFR	UEPVF	3.40	0.00	0.00	1		 	-	40.18	9.45		
LOCAL	NUMBER PORTABILITY	H	!	OLITIK	OLI VI	3.40	0.00	0.00	1	 	1		40.10	9.40	 	
LUCAL	Local Number Portability (1 per port)	H	!	UEPFR	LNPCX	0.35			1	 	1		 	l	 	
NONRI	ECURRING CHARGES (NRCs) - CURRENTLY COMBINED	†	†	0=1111	2111 37	0.55			1		1	-				
110.410	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port				1				1	1			1		1	<u> </u>
l l	Combination - Conversion - Switch-as-is			UEPFR	USAC2		9.03	1.87			1		40.18	9.45		1

UNBUNDL	ED NETWORK ELEMENTS - North Carolina												Attach	ment: 2	Exhi	bit: A
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental		Incremental Charge -	Incremental Charge - Manual Svo Order vs.
		m									per Lor	per Loix	Electronic- 1st	Electronic- Add'l	Electronic- Disc 1st	Electronic- Disc Add'l
						Dee	Nonred	curring	Nonrecurring Di	isconnect			oss	Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port															
	Combination - Conversion - Switch-With-Change	ļ		UEPFR	USACC		9.03	1.87					40.18	9.45		
	Unbundled Miscellaneous Rate Element, Tag Designed Loop at			LIEDED	UDETN		44.00	4.40					00.04	40.70	0.00	0.00
2 14/15	End User Premise RE VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIR	ELINEI	ODT /	UEPFR	URETN		11.20	1.10	-				26.94	12.76	0.00	0.00
	Port/Loop Combination Rates	LINE	JORT (1					+							
ONE	2-Wire VG Loop/IO Tranport/Port Combo - Zone 1	1	1			17.16								<u> </u>		
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 2		2			28.12										
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 3		3			43.00										
UNE	Loop Rates															
	2-Wire Voice Grade Loop (SL2) - Zone 1		1	UEPFB	UECF2	14.97										
	2-Wire Voice Grade Loop (SL2) - Zone 2	ļ	2	UEPFB	UECF2	25.93								ļ		
0.160	2-Wire Voice Grade Loop (SL2) - Zone 3	.	3	UEPFB	UECF2	40.81			+ +			 	-	 	!	
Z-VVII	re Voice Grade Line Port (Bus) 2-Wire voice unbundled port without Caller ID - bus	-	-	UEPFB	UEPBL	2.19	225.00	225.00	+				40.18	9.45		
 	2-Wire voice unbundled port without Caller ID - bus 2-Wire voice unbundled port with Caller + E484 ID - bus	 	 	UEPFB	UEPBC	2.19	225.00	225.00	+ +				40.18	9.45		
 	2-Wire voice unbundled port with Caller + E464 ib - bus	l		UEPFB	UEPBO	2.19	225.00	225.00	 				40.18	9.45		
	2-Wire voice unbundled incoming only port with Caller ID - Bus	1		UEPFB	UEPB1	2.19	225.00	225.00	† †				40.18	9.45		
LOCA	AL NUMBER PORTABILITY															
	Local Number Portability (1 per port)			UEPFB	LNPCX	0.35										
INTE	ROFFICE TRANSPORT															
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility					40.00		=								
	Termination	ļ	-	UEPFB	U1TV2	18.00	140.00	71.00								
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile or Fraction Mile			UEPFB	1L5XX	0.0125										
FΕΔΊ	TURES			UEPFB	ILSAA	0.0125			+ +					 		
I EA.	All Features Offered			UEPFB	UEPVF	3.40	0.00	0.00					40.18	9.45		
NON	RECURRING CHARGES (NRCs) - CURRENTLY COMBINED															
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port															
	Combination - Conversion - Switch-as-is			UEPFB	USAC2		9.03	1.87					40.18	9.45		
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port															
-	Combination - Conversion - Switch with change Unbundled Miscellaneous Rate Element, Tag Designed Loop at	1		UEPFB	USACC		9.03	1.87	 				40.18	9.45		
	End User Premise			UEPFB	URETN		11.20	1.10					26.94	12.76	0.00	0.00
2-WII	RE VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIR	FINE	PORT (OKLIN		11.20	1.10					20.34	12.70	0.00	0.00
	Port/Loop Combination Rates	<u> </u>	J	1 5%												
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 1		1			17.16										
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 2		2			28.12										
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 3		3			43.00										
UNE	Loop Rates	ļ	.	LIEDED	LIEOSO				 							
 	2-Wire Voice Grade Loop (SL2) - Zone 1	1	1	UEPFP UEPFP	UECF2	14.97 25.93			+ +			-	-	1	 	
	2-Wire Voice Grade Loop (SL2) - Zone 2 2-Wire Voice Grade Loop (SL2) - Zone 3	<u> </u>	3	UEPFP	UECF2	40.81			-					-		
2-Wir	re Voice Grade Line Port Rates (BUS - PBX)	 	3	OLFIF	ULUFZ	40.01			+ +							
-	100 100	1			_				+ +				1	†	1	
	Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus	1		UEPFP	UEPPC	2.18	225.00	225.00	1				40.18	9.45		
	Line Side Unbundled Outward PBX Trunk Port - Bus		L	UEPFP	UEPPO	2.18	225.00	225.00					40.18	9.45		
	Line Side Unbundled Incoming PBX Trunk Port - Bus			UEPFP	UEPP1	2.18	225.00	225.00					40.18	9.45		
	2-Wire Voice Unbundled PBX LD Terminal Ports	ļ		UEPFP	UEPLD	2.18	225.00	225.00	ļ				40.18	9.45	ļ	
	2-Wire Voice Unbundled 2-Way Combination PBX Usage Port	.	1	UEPFP	UEPXA	2.18	225.00	225.00	+ +			 	40.18	9.45	 	
	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports 2-Wire Voice Unbundled PBX LD DDD Terminals Port	 	-	UEPFP UEPFP	UEPXB UEPXC	2.18 2.18	225.00 225.00	225.00 225.00	+				40.18 40.18	9.45 9.45		
	2-Wire Voice Unbundled PBX LD DDD Terminals Port 2-Wire Voice Unbundled PBX LD Terminal Switchboard Port	1	 	UEPFP	UEPXC	2.18	225.00	225.00	+ +				40.18	9.45	 	
- 	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD	 	 	02111	OLI AD	2.10	223.00	220.00	+ +				40.10	5.45	 	
	Capable Port			UEPFP	UEPXE	2.18	225.00	225.00					40.18	9.45		
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy	İ			1											
	Administrative Calling Port	ļ		UEPFP	UEPXL	2.18	225.00	225.00					40.18	9.45		
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy								1 T							
	Room Calling Port	l		UEPFP	UEPXM	2.18	225.00	225.00	1 1			l	40.18	9.45]	L

UNBUNDLE	D NETWORK ELEMENTS - North Carolina													Attach	ment: 2	Exhi	ibit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BC	s	USOC			RATES (\$)				Svc Order Submitted Manually per LSR	Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Charge -	Charge -
			1				Rec	Nonrec		Nonrecurring I					Rates (\$)		
+-	2 Wire Voice Hebundled 4 Way Outstine DDV Hetal/Hearth	₩	+	-				First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
ı	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital Discount Room Calling Port			UEPFP		UEPXO	2.18	225.00	225.00					40.18	9.45		
	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port		1	UEPFP		UEPXS	2.18	225.00	225.00			1		40.18	9.45		
	NUMBER PORTABILITY		1	OLITI		OLI AO	2.10	220.00	220.00					40.10	0.40		
	Local Number Portability (1 per port)			UEPFP		LNPCP	3.15	0.00	0.00					40.18	9.45		
INTER	OFFICE TRANSPORT																
1	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility																
	Termination			UEPFP		U1TV2	18.00	140.00	71.00								
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile																
FEATU	or Fraction Mile	-	1	UEPFP		1L5XX	0.0125					1					
	All Features Offered	1	+	UEPFP		UEPVF	3.40	0.00	0.00	+		1	 	40.18	9.45	 	
	ECURRING CHARGES (NRCs) - CURRENTLY COMBINED	 	+	OLFIP		OLF VF	3.40	0.00	0.00	+		<u> </u>	 	40.18	9.45	 	
NONKE	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port	1	1							 				†			
ı 1	Combination - Conversion - Switch-as-is	1		UEPFP		USAC2		9.03	1.87					40.18	9.45		
i i	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port																
	Combination - Conversion - Switch with change			UEPFP		USACC		9.03	1.87					40.18	9.45		
1	Unbundled Miscellaneous Rate Element, Tag Designed Loop at																
	End User Premise			UEPFP		URETN		11.20	1.10					26.94	12.76	0.00	0.00
	PORT/LOOP COMBINATIONS - COST BASED RATES																
	VOICE GRADE LOOP- BUS ONLY - WITH 2-WIRE DID TRUNK	PORT	1														
UNE PO	ort/Loop Combination Rates 2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 1	-	1				20.97					1					
	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 1 2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 2	-	1 2				27.80					-	-	-			
-+-	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 3		3				37.08					1	1	1			
	pop Rates		1				37.00					1					
ONE EX	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 1		1	UEPPX		UECD1	8.85					1					
	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 2		2	UEPPX		UECD1	15.68										
	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 3		3	UEPPX		UECD1	24.96					1					
	ort Rate																
	Exchange Ports - 2-Wire DID Port			UEPPX		UEPD1	12.12	224.81	188.40					40.18	9.45		
	CURRING CHARGES - CURRENTLY COMBINED																
	2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Combination -	1						40.00						=====			
	Switch-as-is		1	UEPPX		USAC1		13.26	8.39					53.89	11.34		
i	2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Conversion with BellSouth Allowable Changes			UEPPX		USA1C		13.26	8.39					53.89	11.34		
ADDIT	IONAL NRCs	1	+	UEPPA		USAIC		13.26	8.39	+		1	 	53.89	11.34	 	
ADDITI	2-Wire DID Subsequent Activity - Add Trunks, Per Trunk	1	t	UEPPX		USAS1		53.49					-	40.18	9.45		
-	Unbundled Miscellaneous Rate Element, Tag Designed Loop at	t	†					55.15		 		1	1		5.70	1	
ı 1	End User Premise	1		UEPPX		URETN		11.20	1.10					26.94	12.76	0.00	0.00
	one Number/Trunk Group Establisment Charges																
	DID Trunk Termination (One Per Port)			UEPPX		NDT	0.00	0.00	0.00								
ı 1 [—]	DID Numbers, Establish Trunk Group and Provide First Group	1		l		I T				Ι Τ				_			
	of 20 DID Numbers	L	<u> </u>	UEPPX		NDZ	0.00	0.00	0.00			ļ		ļ			
	Additional DID Numbers for each Group of 20 DID Numbers	 	+	UEPPX		ND4	0.00	0.00	0.00	 		_		 	-	.	1
	DID Numbers, Non- consecutive DID Numbers , Per Number Reserve Non-Consecutive DID numbers	-	+	UEPPX UEPPX		ND5 ND6	0.00	0.00	0.00			<u> </u>	-	 		-	+
+-	Reserve Non-Consecutive DID numbers Reserve DID Numbers	1	+	UEPPX		NDV	0.00	0.00	0.00	+		1	-	 	-	-	
LOCAL	NUMBER PORTABILITY	\vdash	+	ULPPA		INDA	0.00	0.00	0.00	 		 		+			
LOCAL	Local Number Portability (1 per port)	1	t	UEPPX		LNPCP	3.15	0.00	0.00				-	t			
2-WIRE	EISDN DIGITAL GRADE LOOP WITH 2-WIRE ISDN DIGITAL LI	NE SID	E PORT			0,	0.10	0.00	0.00	 		1	1	1		1	
	ort/Loop Combination Rates	1	T											1	l	İ	
-	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -			LIEDES	LIEDDE		00.01										
'	UNE Zone 1	1	1	UEPPB	UEPPR		38.84						-				-
			1					ı									
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port - UNE Zone 2		2	UEPPB	UEPPR		50.01										
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -		2		UEPPR UEPPR		50.01 65.18										

	D NETWORK ELEMENTS - North Carolina						1					T -			ment: 2		bit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	E	BCS	USOC			RATES (\$)				Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increment Charge - Manual Sv Order vs. Electronic Disc Add
							Rec	Nonrec	urring	Nonrecurring					Rates (\$)		
			<u> </u>					First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire ISDN Digital Grade Loop - UNE Zone 1		1	UEPPB	UEPPR	USL2X	14.47								 '		
			_ '												, '		
	2-Wire ISDN Digital Grade Loop - UNE Zone 2		2	UEPPB	UEPPR	USL2X	25.64										
UNE	2-Wire ISDN Digital Grade Loop - UNE Zone 3		3	UEPPB	UEPPR	USL2X	40.81										
UNE	Exchange Port - 2-Wire ISDN Line Side Port			UEPPB	UEPPR	UEPPB	24.37	388.20	302.77					19.99	19.99		
NONE	ECURRING CHARGES - CURRENTLY COMBINED		 	UEPPB	UEFFR	UEPPB	24.31	300.20	302.77					19.99	19.99		
NON	2-Wire ISDN Digital Grade Loop / 2-Wire ISDN Line Side Port		-														
	Combination - Conversion		1 '	UEPPB	UEPPR	USACB	0.00	174.35	174.35						, ,		
ADDIT	TIONAL NRCs			02.1.2	OLITIK	00/102	0.00	.,									
1.2311	Unbundled Miscellaneous Rate Element, Tag Designed Loop at			1													
1	End User Premise		1 '	UEPPB	UEPPR	URETN		11.20	1.10			1			1 '		1
İ	Unbundled Miscellaneous Rate Element, Tag Loop at End User																
[Premise		<u>_</u> '	UEPPB	UEPPR	URETL	<u> </u>	8.33	0.83	<u> </u>		<u> </u>		26.94	12.76	0.00	0.0
LOCA	L NUMBER PORTABILITY																
	Local Number Portability (1 per port)			UEPPB	UEPPR	LNPCX	0.35	0.00	0.00								
B-CH/	ANNEL USER PROFILE ACCESS:																
	CVS/CSD (DMS/5ESS)		<u> </u>	UEPPB	UEPPR		0.00	0.00	0.00						<u> </u>		
	CVS (EWSD)		<u> </u>	UEPPB		U1UCB	0.00	0.00	0.00								
	CSD		<u> </u>	UEPPB	UEPPR	U1UCC	0.00	0.00	0.00						 '		
	ANNEL AREA PLUS USER PROFILE ACCESS: (AL,KY,LA,MS SO	C,MS, &	TN)												 '		
USER	TERMINAL PROFILE		<u> </u>												 '		
	User Terminal Profile (EWSD only)		<u> </u>	UEPPB	UEPPR	U1UMA	0.00	0.00	0.00						 '		
VERT	ICAL FEATURES		 '				0.40										
INITER	All Vertical Features - One per Channel B User Profile		 '	UEPPB	UEPPR	UEPVF	3.40	0.00	0.00						├		
INTER	ROFFICE CHANNEL MILEAGE		├ ──'														
	Interoffice Channel mileage each, including first mile and facilities termination		1 '	LIEDDD	UEPPR	M1GNC	18.0282	137.48	52.58					19.99	19.99		
	Interoffice Channel mileage each, additional mile			UEPPB		M1GNM	0.0282	0.00	0.00					19.99	19.99		
4-WID	E DS1 DIGITAL LOOP WITH 4-WIRE ISDN DS1 DIGITAL TRUNK	DODT		OLFFB	OLFFR	IVITGINIVI	0.0202	0.00	0.00						$\vdash \vdash \vdash$		
	NE-P DS1 combination rates below for in this rate exhibit apply			ldad hasa	in nlace a	e of 10/2/03 i	intil 4/1/04 Aft	or 1/1/01 these	rates shall re	ort to tariff rate	as or a sanara	e commerci	al agreeme	nt			
	ests for 4-Wire DS1 Digital Loop with 4-Wire ISDN DS1 Digital T																
	Port/Loop Combination Rates			1		1	l l		to a copa.	dio agroomoni							
-	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE																
	0 1														,		
1	Zone 1		1	UEPPP			226.55										
			1	UEPPP			226.55										
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 2		1 2	UEPPP UEPPP			226.55 263.28										
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 2 4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE		2	UEPPP			263.28										
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 2 4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 3		Ė														
UNE L	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 2 4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 3 Zone 3 .oop Rates		2	UEPPP			263.28 313.15										
UNE L	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 2 4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 3 .oop Rates 4-Wire DS1 Digital Loop - UNE Zone 1		3	UEPPP UEPPP		USL4P	263.28 313.15 47.54										
UNE L	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 2 4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 3 .oop Rates 4-Wire DS1 Digital Loop - UNE Zone 1 4-Wire DS1 Digital Loop - UNE Zone 2		3	UEPPP UEPPP UEPPP		USL4P	263.28 313.15 47.54 84.27										
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 2 4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 3 cop Rates 4-Wire DS1 Digital Loop - UNE Zone 1 4-Wire DS1 Digital Loop - UNE Zone 2 4-Wire DS1 Digital Loop - UNE Zone 3		3	UEPPP UEPPP			263.28 313.15 47.54										
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 2 4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 3 -oop Rates 4-Wire DS1 Digital Loop - UNE Zone 1 4-Wire DS1 Digital Loop - UNE Zone 2 4-Wire DS1 Digital Loop - UNE Zone 3 Port Rate		3	UEPPP UEPPP UEPPP UEPPP		USL4P USL4P	263.28 313.15 47.54 84.27 134.14										
UNE F	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 2 4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 3 2.00p Rates 4-Wire DS1 Digital Loop - UNE Zone 1 4-Wire DS1 Digital Loop - UNE Zone 2 4-Wire DS1 Digital Loop - UNE Zone 3 20-TRATE Exchange Ports - 4-Wire ISDN DS1 Port (E:4/1/2004)		3	UEPPP UEPPP UEPPP		USL4P	263.28 313.15 47.54 84.27	956.47	663.10					19.99	19.99		
UNE F	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 2 4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 3 .oop Rates 4-Wire DS1 Digital Loop - UNE Zone 1 4-Wire DS1 Digital Loop - UNE Zone 2 4-Wire DS1 Digital Loop - UNE Zone 3 oort Rate Exchange Ports - 4-Wire ISDN DS1 Port (E:4/1/2004) ECURRING CHARGES - CURRENTLY COMBINED		3	UEPPP UEPPP UEPPP UEPPP		USL4P USL4P	263.28 313.15 47.54 84.27 134.14	956.47	663.10					19.99	19.99		
UNE F	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 2 4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 3 cop Rates 4-Wire DS1 Digital Loop - UNE Zone 1 4-Wire DS1 Digital Loop - UNE Zone 2 4-Wire DS1 Digital Loop - UNE Zone 3 cort Rate Exchange Ports - 4-Wire ISDN DS1 Port (E:4/1/2004) ECURRING CHARGES - CURRENTLY COMBINED 4-Wire DS1 Digital Loop / 4-Wire ISDN DS1 Digital Trunk Port		3	UEPPP UEPPP UEPPP UEPPP UEPPP		USL4P USL4P UEPPP	263.28 313.15 47.54 84.27 134.14 179.01							19.99	19.99		
UNE F	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 2 4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 3 2.00p Rates 4-Wire DS1 Digital Loop - UNE Zone 1 4-Wire DS1 Digital Loop - UNE Zone 2 4-Wire DS1 Digital Loop - UNE Zone 3 2-Wire DS1 Digital Loop - UNE Zone 3 2-Wire DS1 Digital Loop - UNE Zone 3 2-Wire DS1 Digital Loop - UNE Zone 3 3-Wire DS1 Digital Loop - UNE Zone 3 4-Wire DS1 Digital Loop - UNE Zone 3 4-Wire ISDN DS1 Port (E:4/1/2004) 4-Wire DS1 Digital Loop / 4-Wire ISDN DS1 Digital Trunk Port Combination - Conversion - Switch-as-is (E:4/1/2004)		3	UEPPP UEPPP UEPPP UEPPP		USL4P USL4P	263.28 313.15 47.54 84.27 134.14	956.47	663.10					19.99	19.99		
UNE F	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 2 4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 3 .oop Rates 4-Wire DS1 Digital Loop - UNE Zone 1 4-Wire DS1 Digital Loop - UNE Zone 2 4-Wire DS1 Digital Loop - UNE Zone 3 ort Rate Exchange Ports - 4-Wire ISDN DS1 Port (E:4/1/2004) ECURRING CHARGES - CURRENTLY COMBINED 4-Wire DS1 Digital Loop / 4-Wire ISDN DS1 Digital Trunk Port Combination - Conversion - Switch-as-is (E:4/1/2004)		3	UEPPP UEPPP UEPPP UEPPP UEPPP		USL4P USL4P UEPPP	263.28 313.15 47.54 84.27 134.14 179.01							19.99	19.99		
UNE F	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 2 4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 3 .oop Rates 4-Wire DS1 Digital Loop - UNE Zone 1 4-Wire DS1 Digital Loop - UNE Zone 2 4-Wire DS1 Digital Loop - UNE Zone 3 .oor Rate Exchange Ports - 4-Wire ISDN DS1 Port (E:4/1/2004) ECURRING CHARGES - CURRENTLY COMBINED 4-Wire DS1 Digital Loop / 4-Wire ISDN DS1 Digital Trunk Port Combination - Conversion - Switch-as-is (E:4/1/2004) [IONAL NRCS] 4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trunk Port -		3	UEPPP UEPPP UEPPP UEPPP UEPPP UEPPP		USL4P USL4P UEPPP USACP	263.28 313.15 47.54 84.27 134.14 179.01	481.51	481.51					19.99	19.99		
UNE F	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 2 4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 3 2.00p Rates 4-Wire DS1 Digital Loop - UNE Zone 1 4-Wire DS1 Digital Loop - UNE Zone 2 4-Wire DS1 Digital Loop - UNE Zone 3 2.00p Rate Exchange Ports - 4-Wire ISDN DS1 Port (E:4/1/2004) ECURRING CHARGES - CURRENTLY COMBINED 4-Wire DS1 Digital Loop / 4-Wire ISDN DS1 Digital Trunk Port Combination - Conversion -Switch-as-is (E:4/1/2004) 1-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trunk Port Subsequent Inward/2-Way Tel Nos - (NC Only)		3	UEPPP UEPPP UEPPP UEPPP UEPPP		USL4P USL4P UEPPP	263.28 313.15 47.54 84.27 134.14 179.01							19.99	19.99		
UNE F	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 2 4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 3 .oop Rates 4-Wire DS1 Digital Loop - UNE Zone 1 4-Wire DS1 Digital Loop - UNE Zone 2 4-Wire DS1 Digital Loop - UNE Zone 3 .oot Rate Exchange Ports - 4-Wire ISDN DS1 Port (E:4/1/2004) ECURRING CHARGES - CURRENTLY COMBINED 4-Wire DS1 Digital Loop / 4-Wire ISDN DS1 Digital Trunk Port Combination - Conversion - Switch-as-is (E:4/1/2004) TIONAL NRCS 4-Wire DS1 Loop/ 4-Wire ISDN DS1 Digital Trunk Port - Subsequent Inward/2-Way Tel Nos - (NC Only) 4-Wire DS1 Loop/4-Wire ISDN Digital Trunk Port - Subsequent		3	UEPPP UEPPP UEPPP UEPPP UEPPP UEPPP UEPPP		USL4P USL4P UEPPP USACP	263.28 313.15 47.54 84.27 134.14 179.01	481.51	481.51					19.99	19.99		
UNE F	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 2 4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 3 3.00 Rates 4-Wire DS1 Digital Loop - UNE Zone 1 4-Wire DS1 Digital Loop - UNE Zone 2 4-Wire DS1 Digital Loop - UNE Zone 3 70rt Rate Exchange Ports - 4-Wire ISDN DS1 Port (E:4/1/2004) ECURRING CHARGES - CURRENTLY COMBINED 4-Wire DS1 Digital Loop / 4-Wire ISDN DS1 Digital Trunk Port Combination - Conversion - Switch-as-is (E:4/1/2004) TIONAL NRCS 4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trunk Port - Subsequent Inward/2-Way Tel Nos - (NC Only) 4-Wire DS1 Loop/4-Wire ISDN Digital Trunk Port - Subsequent Activity Outward tel nos. (NC only)		3	UEPPP UEPPP UEPPP UEPPP UEPPP UEPPP		USL4P USL4P UEPPP USACP	263.28 313.15 47.54 84.27 134.14 179.01	481.51	481.51					19.99	19.99		
UNE F	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 2 4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 3 cop Rates 4-Wire DS1 Digital Loop - UNE Zone 1 4-Wire DS1 Digital Loop - UNE Zone 2 4-Wire DS1 Digital Loop - UNE Zone 2 4-Wire DS1 Digital Loop - UNE Zone 3 cort Rate Exchange Ports - 4-Wire ISDN DS1 Port (E:4/1/2004) ECURRING CHARGES - CURRENTLY COMBINED 4-Wire DS1 Digital Loop / 4-Wire ISDN DS1 Digital Trunk Port Combination - Conversion - Switch-as-is (E:4/1/2004) 110NAL NRCS 4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trunk Port - Subsequent Inward/2-Way Tel Nos - (NC Only) 4-Wire DS1 Loop/4-Wire ISDN Digital Trunk Port - Subsequent Activity Outward tel nos. (NC only) 4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trunk Port - Subsequent Activity Outward tel nos. (NC only)		3	UEPPP UEPPP UEPPP UEPPP UEPPP UEPPP UEPPP		USL4P USL4P UEPPP USACP PR7TG PR7TP	263.28 313.15 47.54 84.27 134.14 179.01	481.51 1.17 28.17	481.51 1.17 28.17					19.99	19.99		
UNE F NONR	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 2 4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 3 .oop Rates 4-Wire DS1 Digital Loop - UNE Zone 1 4-Wire DS1 Digital Loop - UNE Zone 2 4-Wire DS1 Digital Loop - UNE Zone 3 Port Rate Exchange Ports - 4-Wire ISDN DS1 Port (E:4/1/2004) ECURRING CHARGES - CURRENTLY COMBINED 4-Wire DS1 Digital Loop / 4-Wire ISDN DS1 Digital Trunk Port Combination - Conversion - Switch-as-is (E:4/1/2004) TIONAL NRCS 4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trunk Port - Subsequent Inward/2-Way Tel Nos - (NC Only) 4-Wire DS1 Loop/4-Wire ISDN Digital Trunk Port - Subsequent Activity Outward tel nos. (NC only) 4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trk Port - Subsequent Inward Tel Numbers		3	UEPPP UEPPP UEPPP UEPPP UEPPP UEPPP UEPPP		USL4P USL4P UEPPP USACP	263.28 313.15 47.54 84.27 134.14 179.01	481.51	481.51					19.99	19.99		
UNE F NONR	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 2 4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 3 .oop Rates 4-Wire DS1 Digital Loop - UNE Zone 1 4-Wire DS1 Digital Loop - UNE Zone 2 4-Wire DS1 Digital Loop - UNE Zone 3 .oot Rate Exchange Ports - 4-Wire ISDN DS1 Port (E:4/1/2004) ECURRING CHARGES - CURRENTLY COMBINED 4-Wire DS1 Digital Loop / 4-Wire ISDN DS1 Digital Trunk Port Combination - Conversion - Switch-as-is (E:4/1/2004) IONAL NRCS 4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trunk Port - Subsequent Inward/2-Way Tel Nos - (NC Only) 4-Wire DS1 Loop/ 4-Wire ISDN DS1 Digital Trunk Port - Subsequent Inward Valvire ISDN DS1 Digital Trunk Port - Subsequent Inward Tel Numbers L NUMBER PORTABILITY		3	UEPPP UEPPP UEPPP UEPPP UEPPP UEPPP UEPPP UEPPP UEPPP		USL4P USL4P USL4P USACP USACP PR7TG PR7TP	263.28 313.15 47.54 84.27 134.14 179.01	481.51 1.17 28.17	481.51 1.17 28.17					19.99	19.99		
UNE F NONR ADDIT	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 2 4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 3 .oop Rates 4-Wire DS1 Digital Loop - UNE Zone 1 4-Wire DS1 Digital Loop - UNE Zone 2 4-Wire DS1 Digital Loop - UNE Zone 3 Port Rate Exchange Ports - 4-Wire ISDN DS1 Port (E:4/1/2004) ECURRING CHARGES - CURRENTLY COMBINED 4-Wire DS1 Digital Loop / 4-Wire ISDN DS1 Digital Trunk Port Combination - Conversion - Switch-as-is (E:4/1/2004) TIONAL NRCS 4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trunk Port - Subsequent Inward/2-Way Tel Nos - (NC Only) 4-Wire DS1 Loop/4-Wire ISDN Digital Trunk Port - Subsequent Activity Outward tel nos. (NC only) 4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trk Port - Subsequent Inward Tel Numbers		3	UEPPP UEPPP UEPPP UEPPP UEPPP UEPPP UEPPP		USL4P USL4P UEPPP USACP PR7TG PR7TP	263.28 313.15 47.54 84.27 134.14 179.01	481.51 1.17 28.17	481.51 1.17 28.17					19.99	19.99		

UNDUNDLE	D NETWORK ELEMENTS - North Carolina			•										ment: 2		bit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			1	Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increment Charge - Manual Sv Order vs. Electronic Disc Add
						Rec	Nonre	curring	Nonrecurring	g Disconnect			oss	Rates (\$)	•	
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Digital Data			UEPPP	PR71D	0.00	0.00	0.00								
	Inward Data			UEPPP	PR71E	0.00	0.00	0.00								
New o	r Additional "B" Channel															
	New or Additional - Voice/Data B Channel			UEPPP	PR7BV	0.00	36.92						19.99	19.99		
	New or Additional - Digital Data B Channel			UEPPP	PR7BF	0.00	36.92						19.99	19.99		
	New or Additional Inward Data B Channel			UEPPP	PR7BD	0.00	36.92						19.99	19.99		
CALL	TYPES															—
	Inward			UEPPP	PR7C1	0.00	0.00	0.00								
	Outward			UEPPP	PR7CO	0.00	0.00	0.00								
	Two-way			UEPPP	PR7CC	0.00	0.00	0.00								—
Intero	fice Channel Mileage	ļ			<u> </u>	 			ļ		ļ					
	Fixed Each Including First Mile	ļ		UEPPP	1LN1A	71.8653	217.17	163.75	0.00		ļ		19.99	19.99		
	Each Airline-Fractional Additional Mile			UEPPP	1LN1B	0.5753										
	E DS1 DIGITAL LOOP WITH 4-WIRE DDITS TRUNK PORT				1		<u> </u>									
	NE-P DS1 combination rates below for in this rate exhibit apply										te commerc	ial agreeme	nt.			
	sts for 4-Wire DS1 Digital Loop with 4-Wire DDITS after the eff	ective d	ate of	this amendment sha	III be provide	ed pursuant to	a separate agre	ement or tarif	f at BellSouth's	s discretion.						
UNE P	ort/Loop Combination Rates															——
	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 1			UEPDC		171.06										
	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 2			UEPDC		207.79										
	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 3		3	UEPDC		257.66										
UNE L	oop Rates															
	4-Wire DS1 Digital Loop - UNE Zone 1		1	UEPDC	USLDC	47.54										
	4-Wire DS1 Digital Loop - UNE Zone 2		2	UEPDC	USLDC	84.27										
	4-Wire DS1 Digital Loop - UNE Zone 3		3	UEPDC	USLDC	134.14										
UNE P	ort Rate															
	4-Wire DDITS Digital Trunk Port (E:4/1/2004)			UEPDC	UDD1T	123.52	831.43	491.39					19.99	19.99		
NONR	ECURRING CHARGES - CURRENTLY COMBINED															
	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination - Switch-as-is (E:4/1/2004)			UEPDC	USAC4		490.38	490.38								
	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination - Conversion with DS1 Changes (E:4/1/2004)			UEPDC	USAWA		490.38	490.38								
	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination - Conversion with Change - Trunk (E:4/1/2004)			UEPDC	USAWB		490.38	490.38								
ADDIT	IONAL NRCs				1											1
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent							407.00								ĺ
	Service Activity Per Service Order			UEPDC	USAS4		127.63	127.63								
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - NRC -			LIEBBO	LIDTTA		00.04	00.04								1
	Subsequent Channel Activation/Chan - 2-Way Trunk			UEPDC	UDTTA	-	28.81	28.81		-	.	-				
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent			LIEBBO	LIDTTD		00.04	00.04								l
	Channel Activation/Chan - 1-Way Outward Trunk 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Channel	 		UEPDC	UDTTB	 	28.81	28.81		 	 	-				
	Activation/Chan Inward Trunk w/out DID			UEPDC	UDTTC		28.81	28.81					19.99	19.99		ļ
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan Activation Per Chan - Inward Trunk with DID			UEPDC	UDTTD		28.81	28.81					19.99	19.99		
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan	1		l	L	I				I						i
	Activation / Chan - 2-Way DID w User Trans	<u> </u>		UEPDC	UDTTE	ļ	28.81	28.81		ļ	<u> </u>					
BIPOL	AR 8 ZERO SUBSTITUTION	<u> </u>		UEDDO.	0005=	ļ	0.00			ļ	<u> </u>					
	B8ZS -Superframe Format	ļ		UEPDC	CCOSF		0.00i	615.00s	ļ		ļ					
	B8ZS - Extended Superframe Format	ļ		UEPDC	CCOEF	L	0.00i	615.00s			ļ					
Altern	ate Mark Inversion	<u> </u>		LIEBBO							<u> </u>					
	AMI -Superframe Format	<u> </u>		UEPDC	MCOSF	ļ	0.00	0.00		ļ	<u> </u>					
	AMI - Extended SuperFrame Format	ļ		UEPDC	MCOPO	ļ	0.00	0.00			ļ					
Teleph	none Number/Trunk Group Establisment Charges	ļ			L				ļ	L						
	Telephone Number for 2-Way Trunk Group	ļ		UEPDC	UDTGX	0.00			ļ	L			19.99	19.99		
	Telephone Number for 1-Way Outward Trunk Group	ļ		UEPDC	UDTGY	0.00					ļ		19.99	19.99		
	Telephone Number for 1-Way Inward Trunk Group Without DID	ļ		UEPDC	UDTGZ	0.00			ļ	L			19.99	19.99		
	DID Numbers, Establish Trunk Group and Provide First Group of 20 DID Numbers			UEPDC	NDZ	0.00	0.00	0.00								
	DID Numbers for each Group of 20 DID Numbers			UEPDC	ND4	0.00			İ	l	İ	1	İ			

															1	
NBUNDLE	D NETWORK ELEMENTS - North Carolina			•							r -	_		ment: 2		ibit: A
		1											Incremental	Incremental		
											Submitted	Submitted		Charge -	Charge -	Charge -
		Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Sv
ATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic
													1st	Add'l	Disc 1st	Disc Add'
						Rec	Nonred		Nonrecurring					Rates (\$)		T 0011111
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
-	DID Numbers, Non- consecutive DID Numbers , Per Number		-	UEPDC	ND5	0.00	0.00	0.00								+
-+-	Reserve Non-Consecutive DID Nos.			UEPDC	ND6	0.00	0.00	0.00								
D. P.	Reserve DID Numbers ated DS1 (Interoffice Channel Mileage) - FX/FCO for 4-Wire DS1	4 District		UEPDC	NDV	0.00	0.00	0.00								
Dedica	Interoffice Channel Mileage - Fixed rate 0-8 miles (Facilities	Digita	Loop	with 4-wire DDI15 I	runk Port						-					+
	Termination)			UEPDC	1LNO1	71.29	217.17	163.75	0.00	0.00			19.99	19.99		
$-\!\!+\!\!-$	Termination)	1	-	UEPDC	TLNOT	71.29	217.17	103.75	0.00	0.00			19.99	19.99		+
	Intereffice Channel Mileson Additional acts and will 0.0 miles			UEPDC	1LNOA	0.5753	0.00	0.00								
-	Interoffice Channel Mileage - Additional rate per mile - 0-8 miles Interoffice Channel Mileage - Fixed rate 9-25 miles (Facilities		-	UEPDC	ILNOA	0.5753	0.00	0.00								
				LIEDDO	41.000	0.00	0.00	0.00								
-+-	Termination) Interoffice Channel Mileage - Additional rate per mile - 9-25	 		UEPDC	1LNO2	0.00	0.00	0.00								+
- 1		1		LIEDDC	1LNOB	0.5753	0.00	0.00			1					1
-+-	miles	 		UEPDC	ILINOB	0.5753	0.00	0.00								+
- 1	Interoffice Channel Mileage - Fixed rate 25+ miles (Facilities Termination)	1		UEPDC	1LNO3	0.00	0.00	0.00	0.00		1					1
-	Termination)		-	UEPDC	1LNO3	0.00	0.00	0.00	0.00							
- 1	latereffice Channel Mileson Ad Principles 200	1		LIEDDO	AL NICO	0.5750	0.00	0.00			1					1
-+-	Interoffice Channel Mileage - Additional rate per mile - 25+ miles Local Number Portability, per DS0 Activated	 		UEPDC	1LNOC LNPCP	0.5753 3.15	0.00	0.00	0.00							+
-			-	UEPDC			0.00	0.00	0.00							
4 14/15/	Central Office Termininating Point			UEPDC	CTG	0.00										
	E DS1 LOOP WITH CHANNELIZATION WITH PORT															
	n is 1 DS1 Loop, 1 D4 Channel Bank, and up to 24 Feature Acti															
	System can have up to 24 combinations of rates depending on				<u> </u>											
	NE-P DS1 combination rates below for 4-Wire DS1 Loop with C											shall revert	to tariff rates	or a separate	agreement.	
	sts for 4-Wire DS1 Loop with Channelization with Port after th	e effect	ive dat	e of this amendmen	t shall be pro	vided pursuan	t to a separate	agreement or	tariff at BellSoi	uth's discretion	on.					↓
UNE D	S1 Loop		.													
-+-	4-Wire DS1 Loop - UNE Zone 1		1	UEPMG	USLDC	47.54	0.00	0.00								
-+-	4-Wire DS1 Loop - UNE Zone 2		2	UEPMG	USLDC	84.27	0.00	0.00								
UNIE D	4-Wire DS1 Loop - UNE Zone 3		3	UEPMG	USLDC	134.14	0.00	0.00								
UNE D	SO Channelization Capacities (D4 Channel Bank Configuration	ns)		LIEDMO	VUM24	100.00	0.00	0.00					10.00	40.00		
-+-	24 DSO Channel Capacity - 1 per DS1			UEPMG		123.06	0.00	0.00					19.99	19.99		
-	48 DSO Channel Capacity - 1 per 2 DS1s		-	UEPMG	VUM48 VUM96	246.12	0.00	0.00					19.99	19.99		
-	96 DSO Channel Capacity -1per 4 DS1s		-	UEPMG		492.24 738.36	0.00	0.00					19.99	19.99 19.99		+
-	144 DS0 Channel Capacity - 1 per 6 DS1s	<u> </u>	-	UEPMG	VUM14 VUM19	984.48	0.00	0.00					19.99	19.99		+
-	192 DS0 Channel Capacity -1 per 8 DS1s		-	UEPMG									19.99			
-+-	240 DS0 Channel Capacity - 1 per 10 DS1s			UEPMG	VUM2O	1,230.60	0.00	0.00					19.99	19.99		
-+-	288 DS0 Channel Capacity - 1 per 12 DS1s			UEPMG	VUM28	1,476.72	0.00	0.00					19.99	19.99		
-+-	384 DS0 Channel Capacity - 1 per 16 DS1s			UEPMG	VUM38	1,968.96	0.00	0.00					19.99	19.99		
-	480 DS0 Channel Capacity - 1 per 20 DS1s		-	UEPMG	VUM4O	2,461.20	0.00	0.00					19.99	19.99		+
-+-	576 DS0 Channel Capacity -1 per 24 DS1s			UEPMG UEPMG	VUM57 VUM67	2,953.44	0.00	0.00					19.99 19.99	19.99 19.99		
No. B	672 DS0 Channel Capacity - 1 per 28 DS1s	. 0	11			3,445.68		0.00					19.99	19.99		+
	ecurring Charges (NRC) Associated with 4-Wire DS1 Loop with						stem				-			 	-	+
	mum System configuration is One (1) DS1, One (1) D4 Channe															+
wuitipi	les of this configuration functioning as one are considered Ad	ua i arte	tne m	ıııınum system con	inguration is	counted.										+
	NRC - Conversion (Currently Combined) with or without BellSouth Allowed Changes	1		UEPMG	USAC4	0.00	330.61	40.04					40.00	40.00		1
			L					16.64					19.99	19.99		
	n Additions at End User Locations Where 4-Wire DS1 Loop wit				ination Curre	entry Exists and	1 									+
new (N	Not Currently Combined) in all states, except in Density Zone 1	гот гор	o WISA	3	+											+
- 1	1 DS1/D4 Channel Bank - Additionally Add NRC for each Port and Assoc Fea Activation (E:4/1/2004)	1		UEPMG	VUMD4	0.00	743.74	326.22	149.02	47.00	1		40.00	40.00		1
Dime!		!	-	UEPIVIG	VUIVID4	0.00	/43./4	326.22	149.02	17.68	-		19.99	19.99	-	+
Bipolar	r 8 Zero Substitution	!	-		+	-	-				-			 	-	+
	Clear Channel Capability Format, superframe - Subsequent	1		LIEDMO	CCCCE	0.00	0.00:	C45 00-								1
	Activity Only	!	-	UEPMG	CCOSF	0.00	U.UUI	615.00s			-			 	-	+
- 1	Clear Channel Capability Format - Extended Superframe - Subsequent Activity Only	1		UEPMG	CCOEF	0.00	0.00:	615.00s			1					1
				UEPINIG	CCOEF	0.00	0.001	615.00S								
	ate Mark Inversion (AMI)	1	1		1											↓
Alterna	0 , -						0.00									
Alterna	Superframe Format			UEPMG	MCOSF	0.00	0.00	0.00								-
	Extended Superframe Format		Dout	UEPMG UEPMG	MCOSF MCOPO	0.00	0.00	0.00								
Exchar		on with	Port													

UNDUNDLE	D NETWORK ELEMENTS - North Carolina													ment: 2	Exhil	
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)				Submitted	Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'
						Rec	Nonrec		Nonrecurring					Rates (\$)		
	Li ou o i i o i i i o i i i o i i i o i i i o i i i o i i i o i i i o i i o i i o i o i i o i						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Line Side Combination Channelized PBX Trunk Port - Business (E:4/1/2004)			UEPPX	UEPCX	2.28	0.00	0.00	0.00	0.00			40.18	9.45		
	Line Side Outward Channelized PBX Trunk Port - Business	1	1	UEPPA	UEPCX	2.20	0.00	0.00	0.00	0.00			40.16	9.45		
	(E:4/1/2004)			UEPPX	UEPOX	2.28	0.00	0.00	0.00	0.00			40.18	9.45		
	Line Side Inward Only Channelized PBX Trunk Port without DID (E:4/1/2004)			UEPPX	UEP1X	2.28	0.00	0.00	0.00	0.00			40.18	9.45		
	2-Wire Trunk Side Unbundled Channelized DID Trunk Port (E:4/1/2004)			UEPPX	UEPDM	13.26	0.00	0.00	0.00	0.00			40.18	9.45		
Featur	e Activations - Unbundled Loop Concentration			OLITA	OLI DIVI	13.20	0.00	0.00	0.00	0.00			40.10	3.43		
i cata	Feature (Service) Activation for each Line Port Terminated in D4	1	1													
	Bank			UEPPX	1PQWM	0.65	25.27	13.34	4.15	4.12			40.18	9.45		
	Feature (Service) Activation for each Trunk Port Terminated in D4 Bank			UEPPX	1PQWU	0.65	77.75	18.33	58.74	11.48			40.18	9.45		
Teleph	one Number/ Group Establishment Charges for DID Service	t	t			2.20				0				20		
	DID Trunk Termination (1 per Port)	1	i –	UEPPX	NDT	0.00	0.00	0.00			İ	İ				
	Estab Trk Grp and Provide 1st 20 DID Nos. (FL,GA, NC,& SC)			UEPPX	NDZ	0.00	0.00	0.00								
	DID Numbers - groups of 20 - Valid all States			UEPPX	ND4	0.00	0.00	0.00								
	Non-Consecutive DID Numbers - per number			UEPPX	ND5	0.00	0.00	0.00								
	Reserve Non-Consecutive DID Numbers			UEPPX	ND6	0.00	0.00	0.00								
	Reserve DID Numbers			UEPPX	NDV	0.00	0.00	0.00								
Local	Number Portability															
	Local Number Portability - 1 per port			UEPPX	LNPCP	3.15	0.00	0.00								
IFFATI	IRES - Vertical and Optional															
	Switching Features Offered with Line Side Ports Only															
Local	All Features Available			UEPPX	UEPVF	3.40	0.00	0.00					40.18	9.45		
Local :	All Features Available CENTREX PORT/LOOP COMBINATIONS - COST BASED RATES		State (40.18	9.45		
UNBUNDLED (All Features Available CENTREX PORT/LOOP COMBINATIONS - COST BASED RATES Based Rates are applied where BellSouth is required by FCC	and/or		Commission rule to	provide Unb	ındled Local S	witching or Sw	ritch Ports.	dled Port secti	on of this Pate	Evhibit		40.18	9.45		
UNBUNDLED 1. Cos 2. Feat	All Features Available ENTREX PORTILOOP COMBINATIONS - COST BASED RATE: t Based Rates are applied where BellSouth is required by FCC ures shall apply to the Unbundled Port/Loop Combination - C	and/or	ed Rat	Commission rule to e section in the sam	provide Unbu	indled Local St	witching or Sw	vitch Ports.				oin Port/Lo				
UNBUNDLED 1. Cos 2. Feat 3. End	All Features Available CENTREX PORT/LOOP COMBINATIONS - COST BASED RATES Based Rates are applied where BellSouth is required by FCC	and/or Cost Bas Usage	ed Rat	Commission rule to e section in the sam	provide Unbute manner as this rate exh	indled Local S they are applie ibit shall apply	witching or Sw d to the Stand to all combina	vitch PortsAlone Unbunations of loop/	port network e	lements excep	t for UNE C		op Combinati	ions.	Additional NR	Cs may
UNBUNDLED 1. Cos 2. Feat 3. End 4. The	All Features Available CENTREX PORT/LOOP COMBINATIONS - COST BASED RATES Based Rates are applied where BellSouth is required by FCC ures shall apply to the Unbundled Port/Loop Combination - C Office and Tandem Switching Usage and Common Transport first and additional Port nonrecurring charges apply to Not Cu	and/or Cost Bas Usage	ed Rat	Commission rule to e section in the sam	provide Unbute manner as this rate exh	indled Local S they are applie ibit shall apply	witching or Sw d to the Stand to all combina	vitch PortsAlone Unbunations of loop/	port network e	lements excep	t for UNE C		op Combinati	ions.	Additional NR	Cs may
UNBUNDLED 1. Cos 2. Feat 3. End 4. The apply	All Features Available CENTREX PORTILOOP COMBINATIONS - COST BASED RATE: Based Rates are applied where BellSouth is required by FCC ures shall apply to the Unbundled Port/Loop Combination - C Office and Tandem Switching Usage and Common Transport	and/or Cost Bas Usage urrently	sed Rat rates in Comb	Commission rule to e section in the sam the Port section of ined Combos. For	provide Unbu e manner as this rate exh Currently Co	indled Local S they are applie ibit shall apply mbined Combo	witching or Sw d to the Stand to all combina os, the nonrecu	vitch PortsAlone Unbunations of loop/	port network e	lements excep	t for UNE C		op Combinati	ions.	Additional NR	Cs may
Local : UNBUNDLED (1. Cos 2. Feat 3. End 4. The apply : 5. Mar	All Features Available CENTREX PORTI/LOOP COMBINATIONS - COST BASED RATE: Based Rates are applied where BellSouth is required by FCC ures shall apply to the Unbundled Port/Loop Combination - C Office and Tandem Switching Usage and Common Transport first and additional Port nonrecurring charges apply to Not Ci also and are categorized accordingly.	and/or Cost Bas Usage urrently	sed Rat rates in Comb	Commission rule to e section in the sam the Port section of ined Combos. For	provide Unbu e manner as this rate exh Currently Co	indled Local S they are applie ibit shall apply mbined Combo	witching or Sw d to the Stand to all combina os, the nonrecu	vitch PortsAlone Unbunations of loop/	port network e	lements excep	t for UNE C		op Combinati	ions.	Additional NR	Cs may
UNBUNDLED 1. Cos 2. Feat 3. End 4. The apply 5. Mar UNE-P 2-Wire	All Features Available CENTREX PORT/LOOP COMBINATIONS - COST BASED RATE: Based Rates are applied where BellSouth is required by FCC ures shall apply to the Unbundled Port/Loop Combination - C Office and Tandem Switching Usage and Common Transport first and additional Port nonrecurring charges apply to Not Ci also and are categorized accordingly. ket Rates for Unbundled Centrex Port/Loop Combination will CENTREX - SESS (Valid in All States) VG Loop/2-Wire Voice Grade Port (Centrex) Combo	and/or Cost Bas Usage urrently	sed Rat rates in Comb	Commission rule to e section in the sam the Port section of ined Combos. For	provide Unbu e manner as this rate exh Currently Co	indled Local S they are applie ibit shall apply mbined Combo	witching or Sw d to the Stand to all combina os, the nonrecu	vitch PortsAlone Unbunations of loop/	port network e	lements excep	t for UNE C		op Combinati	ions.	Additional NR	Cs may
UNBUNDLED 1. Cos 2. Feat 3. End 4. The apply 5. Mar UNE-P 2-Wire	All Features Available CENTREX PORTI/LOOP COMBINATIONS - COST BASED RATE: t Based Rates are applied where BellSouth is required by FCC ures shall apply to the Unbundled Port/Loop Combination - C Office and Tandem Switching Usage and Common Transport first and additional Port nonrecurring charges apply to Not Ct also and are categorized accordingly. ket Rates for Unbundled Centrex Port/Loop Combination will CENTREX - 5ESS (Valid in All States)	and/or Cost Bas Usage urrently	sed Rat rates in Comb	Commission rule to e section in the sam the Port section of ined Combos. For	provide Unbu e manner as this rate exh Currently Co	indled Local S they are applie ibit shall apply mbined Combo	witching or Sw d to the Stand to all combina os, the nonrecu	vitch PortsAlone Unbunations of loop/	port network e	lements excep	t for UNE C		op Combinati	ions.	Additional NR	Cs may
UNBUNDLED 1. Cos 2. Feat 3. End 4. The apply 5. Mar UNE-P 2-Wire	All Features Available CENTREX PORTI/LOOP COMBINATIONS - COST BASED RATE: t Based Rates are applied where BellSouth is required by FCC ures shall apply to the Unbundled Port/Loop Combination - C Office and Tandem Switching Usage and Common Transport first and additional Port nonrecurring charges apply to Not Ct also and are categorized accordingly. ket Rates for Unbundled Centrex Port/Loop Combination will CENTREX - 5ESS (Valid in All States) VG Loop/2-Wire Voice Grade Port (Centrex) Combo ort/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo	and/or Cost Bas Usage urrently	sed Rat rates in Comb	Commission rule to e section in the sam the Port section of ined Combos. For on an Individual Ca	provide Unbu e manner as this rate exh Currently Co	indled Local S they are applie ibit shall apply mbined Combo il further notic	witching or Sw d to the Stand to all combina os, the nonrecu	vitch PortsAlone Unbunations of loop/	port network e	lements excep	t for UNE C		op Combinati	ions.	Additional NR	Cs may
UNBUNDLED 1. Cos 2. Feat 3. End 4. The apply 5. Mar UNE-P 2-Wire	All Features Available CENTREX PORT/LOOP COMBINATIONS - COST BASED RATE: Based Rates are applied where BellSouth is required by FCC ures shall apply to the Unbundled Port/Loop Combination - C Office and Tandem Switching Usage and Common Transport first and additional Port nonrecurring charges apply to Not Ci also and are categorized accordingly. ket Rates for Unbundled Centrex Port/Loop Combination will CENTREX - SESS (Valid in All States) VG Loop/2-Wire Voice Grade Port (Centrex) Combo ort/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Non-Design	and/or Cost Bas Usage urrently	sed Rat rates in Comb	Commission rule to e section in the sam the Port section of ined Combos. For	provide Unbu e manner as this rate exh Currently Co	indled Local S they are applie ibit shall apply mbined Combo	witching or Sw d to the Stand to all combina os, the nonrecu	vitch PortsAlone Unbunations of loop/	port network e	lements excep	t for UNE C		op Combinati	ions.	Additional NR	Cs may
UNBUNDLED 1. Cos 2. Feat 3. End 4. The apply 5. Mar UNE-P 2-Wire	All Features Available CENTREX PORT/LOOP COMBINATIONS - COST BASED RATE: t Based Rates are applied where BellSouth is required by FCC ures shall apply to the Unbundled Port/Loop Combination - C Office and Tandem Switching Usage and Common Transport first and additional Port nonrecurring charges apply to Not Ci also and are categorized accordingly. ket Rates for Unbundled Centrex Port/Loop Combination will CENTREX - 5ESS (Valid in All States) VG Loop/2-Wire Voice Grade Port (Centrex) Combo ort/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Non-Design 1-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Non-Design	and/or Cost Bas Usage urrently	sed Rat rates in Comb	Commission rule to e section in the sam the Port section of ined Combos. For on an Individual Ca	provide Unbu e manner as this rate exh Currently Co	indled Local S they are applie ibit shall apply mbined Combo il further notic	witching or Sw d to the Stand to all combina os, the nonrecu	vitch PortsAlone Unbunations of loop/	port network e	lements excep	t for UNE C		op Combinati	ions.	Additional NR	Cs may
UNBUNDLED 1. Cos 2. Feat 3. End 4. The apply 5. Mar UNE-P 2-Wire	All Features Available CENTREX PORTI/LOOP COMBINATIONS - COST BASED RATE: t Based Rates are applied where BellSouth is required by FCC ures shall apply to the Unbundled Port/Loop Combination - C Office and Tandem Switching Usage and Common Transport first and additional Port nonrecurring charges apply to Not Ct also and are categorized accordingly. ket Rates for Unbundled Centrex Port/Loop Combination will CENTREX - 5ESS (Valid in All States) VG Loop/2-Wire Voice Grade Port (Centrex) Combo ort/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Vone VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo	and/or Cost Bas Usage urrently	sed Raterates in Combinated	Commission rule to e section in the sam the Port section of ined Combos. For on an Individual Ca UEP95	provide Unbu e manner as this rate exh Currently Co	indled Local S they are applie ibit shall apply mbined Combo il further notic 13.03 21.33	witching or Sw d to the Stand to all combina os, the nonrecu	vitch PortsAlone Unbunations of loop/	port network e	lements excep	t for UNE C		op Combinati	ions.	Additional NR	Cs may
Local sumbuled in Local sumbul	All Features Available CENTREX PORTI/LOOP COMBINATIONS - COST BASED RATE: Based Rates are applied where BellSouth is required by FCC ures shall apply to the Unbundled Port/Loop Combination - C Office and Tandem Switching Usage and Common Transport first and additional Port nonrecurring charges apply to Not Ci also and are categorized accordingly. ket Rates for Unbundled Centrex Port/Loop Combination will CENTREX - 5ESS (Valid in All States) VG Loop/2-Wire Voice Grade Port (Centrex) Combo ort/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design	and/or Cost Bas Usage urrently	sed Raterates in Combinated	Commission rule to e section in the sam the Port section of ined Combos. For on an Individual Ca	provide Unbu e manner as this rate exh Currently Co	indled Local S they are applie ibit shall apply mbined Combo il further notic	witching or Sw d to the Stand to all combina os, the nonrecu	vitch PortsAlone Unbunations of loop/	port network e	lements excep	t for UNE C		op Combinati	ions.	Additional NR	Cs may
Local sumbuled in Local sumbul	All Features Available CENTREX PORT/LOOP COMBINATIONS - COST BASED RATE: t Based Rates are applied where BellSouth is required by FCC ures shall apply to the Unbundled Port/Loop Combination - C Office and Tandem Switching Usage and Common Transport first and additional Port nonrecurring charges apply to Not Ci also and are categorized accordingly. ket Rates for Unbundled Centrex Port/Loop Combination will CENTREX - 5ESS (Valid in All States) VG Loop/2-Wire Voice Grade Port (Centrex) Combo ort/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Tort/Loop Combination Rates (Design) [2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-	and/or Cost Bas Usage urrently	sed Raterates in Combinated	Commission rule to e section in the sam the Port section of ined Combos. For on an Individual Ca UEP95 UEP95	provide Unbu e manner as this rate exh Currently Co	indled Local S they are applie ibit shall apply mbined Combo il further notic 13.03 21.33 32.61	witching or Sw d to the Stand to all combina os, the nonrecu	vitch PortsAlone Unbunations of loop/	port network e	lements excep	t for UNE C		op Combinati	ions.	Additional NR	Cs may
Local sumbuled in Local sumbul	All Features Available CENTREX PORT/LOOP COMBINATIONS - COST BASED RATE: Based Rates are applied where BellSouth is required by FCC ures shall apply to the Unbundled Port/Loop Combination - C Office and Tandem Switching Usage and Common Transport first and additional Port nonrecurring charges apply to Not Ci also and are categorized accordingly. ket Rates for Unbundled Centrex Port/Loop Combination will CENTREX - 5ESS (Valid in All States) VG Loop/2-Wire Voice Grade Port (Centrex) Combo ort/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design ort/Loop Combination Rates (Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Non-Design	and/or Cost Bas Usage urrently	sed Raterates in Combinated	Commission rule to e section in the sam the Port section of ined Combos. For on an Individual Ca UEP95	provide Unbu e manner as this rate exh Currently Co	indled Local S they are applie ibit shall apply mbined Combo il further notic 13.03 21.33	witching or Sw d to the Stand to all combina os, the nonrecu	vitch PortsAlone Unbunations of loop/	port network e	lements excep	t for UNE C		op Combinati	ions.	Additional NR	Cs may
Local sumbuled in Local sumbul	All Features Available CENTREX PORT/LOOP COMBINATIONS - COST BASED RATE: t Based Rates are applied where BellSouth is required by FCC ures shall apply to the Unbundled Port/Loop Combination - C Office and Tandem Switching Usage and Common Transport first and additional Port nonrecurring charges apply to Not Ci also and are categorized accordingly. ket Rates for Unbundled Centrex Port/Loop Combination will CENTREX - 5ESS (Valid in All States) VG Loop/2-Wire Voice Grade Port (Centrex) Combo ort/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Design	and/or Cost Bas Usage urrently	sed Raterates in Combinated	Commission rule to e section in the sam the Port section of ined Combos. For on an Individual Ca UEP95 UEP95	provide Unbu e manner as this rate exh Currently Co	indled Local S they are applie ibit shall apply mbined Combo il further notic 13.03 21.33 32.61	witching or Sw d to the Stand to all combina os, the nonrecu	vitch PortsAlone Unbunations of loop/	port network e	lements excep	t for UNE C		op Combinati	ions.	Additional NR	Cs may
Local sumbuled in Local sumbul	All Features Available CENTREX PORTI/LOOP COMBINATIONS - COST BASED RATE:	and/or Cost Bas Usage urrently	sed Rat rates in Combi otiated	Commission rule to e section in the same the Port section of ined Combos. For on an Individual Ca UEP95 UEP95 UEP95	provide Unbu e manner as this rate exh Currently Co	indled Local S they are applie ibit shall apply mbined Combo il further notic 13.03 21.33 32.61	witching or Sw d to the Stand to all combina os, the nonrecu	vitch PortsAlone Unbunations of loop/	port network e	lements excep	t for UNE C		op Combinati	ions.	Additional NR	Cs may
Local s UNBUNDLED 1. Cos 2. Feat 3. End 4. The apply s 5. Mar UNE-P 2-Wire UNE P	All Features Available CENTREX PORT/LOOP COMBINATIONS - COST BASED RATE: Based Rates are applied where BellSouth is required by FCC ures shall apply to the Unbundled Port/Loop Combination - C Office and Tandem Switching Usage and Common Transport first and additional Port nonrecurring charges apply to Not Ci also and are categorized accordingly. ket Rates for Unbundled Centrex Port/Loop Combination will CENTREX - SESS (Valid in All States) VG Loop/2-Wire Voice Grade Port (Centrex) Combo ort/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design ort/Loop Combination Rates (Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Non-Design ort/Loop Combination Rates (Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Design	and/or Cost Bas Usage urrently	sed Rat rates in Comb otiated	Commission rule to e section in the sam the Port section of ined Combos. For on an Individual Ca UEP95 UEP95 UEP95 UEP95	provide Unbu e manner as this rate exh Currently Co	indled Local S they are applie ibit shall apply mbined Combo il further notic 13.03 21.33 32.61 17.25 28.21	witching or Sw d to the Stand to all combina os, the nonrecu	vitch PortsAlone Unbunations of loop/	port network e	lements excep	t for UNE C		op Combinati	ions.	Additional NR	Cs may
Local s UNBUNDLED 1. Cos 2. Feat 3. End 4. The apply s 5. Mar UNE-P 2-Wire UNE P	All Features Available CENTREX PORT/LOOP COMBINATIONS - COST BASED RATE: Based Rates are applied where BellSouth is required by FCC ures shall apply to the Unbundled Port/Loop Combination - C Office and Tandem Switching Usage and Common Transport first and additional Port nonrecurring charges apply to Not Ci also and are categorized accordingly. ket Rates for Unbundled Centrex Port/Loop Combination will CENTREX - SESS (Valid in All States) VG Loop/2-Wire Voice Grade Port (Centrex) Combo ort/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design ort/Loop Combination Rates (Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Design	and/or Cost Bas Usage urrently	ed Ratrates in Combinated	Commission rule to e section in the same the Port section of ined Combos. For on an Individual Ca UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95	provide Unbine Unbine provide Unbine provide Unbine provide Unbine	they are applie ibit shall apply mbined Combo il further notic 13.03 21.33 32.61 17.25 28.21 43.09 10.75	witching or Sw d to the Stand to all combina os, the nonrecu	vitch PortsAlone Unbunations of loop/	port network e	lements excep	t for UNE C		op Combinati	ions.	Additional NR	Cs may
Local s UNBUNDLED 1. Cos 2. Feat 3. End 4. The apply s 5. Mar UNE-P 2-Wire UNE P	All Features Available CENTREX PORTI/LOOP COMBINATIONS - COST BASED RATE: Based Rates are applied where BellSouth is required by FCC ures shall apply to the Unbundled Port/Loop Combination - C Office and Tandem Switching Usage and Common Transport first and additional Port nonrecurring charges apply to Not Ci also and are categorized accordingly. ket Rates for Unbundled Centrex Port/Loop Combination will CENTREX - 5ESS (Valid in All States) VG Loop/2-Wire Voice Grade Port (Centrex) Combo ort/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -Design	and/or Cost Bas Usage urrently	ed Raterates in Combinated	Commission rule to e section in the same the Port section of ined Combos. For on an Individual Ca UEP95	13.03 21.33 32.61 17.25 28.21 43.09	witching or Sw d to the Stand to all combina os, the nonrecu	vitch PortsAlone Unbunations of loop/	port network e	lements excep	t for UNE C		op Combinati	ions.	Additional NR	Cs may	
Local s UNBUNDLED 1. Cos 2. Feat 3. End 4. The apply s 5. Mar UNE-P 2-Wire UNE P	All Features Available CENTREX PORTI/LOOP COMBINATIONS - COST BASED RATE: Based Rates are applied where BellSouth is required by FCC ures shall apply to the Unbundled Port/Loop Combination - C Office and Tandem Switching Usage and Common Transport first and additional Port nonrecurring charges apply to Not Co also and are categorized accordingly. ket Rates for Unbundled Centrex Port/Loop Combination will CENTREX - 5ESS (Valid in All States) VG Loop/2-Wire Voice Grade Port (Centrex) Combo ort/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design 2-Wire VG Loop/2-Wire Voice Grade Loop (SL 1) - Zone 1 2-Wire Voice Grade Loop (SL 1) - Zone 2 2-Wire Voice Grade Loop (SL 1) - Zone 3	and/or Cost Bas Usage urrently	ed Raterates in Comb	Commission rule to e section in the same the Port section of ined Combos. For on an Individual Ca UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95	provide Unbi e manner as this rate exh Currently Co se Basis, uni UECS1 UECS1 UECS1	13.03 21.33 32.61 17.25 28.21 43.09 10.75 19.05 30.33	witching or Sw d to the Stand to all combina os, the nonrecu	vitch PortsAlone Unbunations of loop/	port network e	lements excep	t for UNE C		op Combinati	ions.	Additional NR	Cs may
Local s UNBUNDLED 1. Cos 2. Feat 3. End 4. The apply s 5. Mar UNE-P 2-Wire UNE P	All Features Available CENTREX PORT/LOOP COMBINATIONS - COST BASED RATE: Based Rates are applied where BellSouth is required by FCC ures shall apply to the Unbundled Port/Loop Combination - C Office and Tandem Switching Usage and Common Transport first and additional Port nonrecurring charges apply to Not Co also and are categorized accordingly. ket Rates for Unbundled Centrex Port/Loop Combination will CENTREX - SESS (Valid in All States) VG Loop/2-Wire Voice Grade Port (Centrex) Combo ort/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design 2-Wire Voice Grade Loop (SL 1) - Zone 1 2-Wire Voice Grade Loop (SL 1) - Zone 3 2-Wire Voice Grade Loop (SL 1) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 1	and/or Cost Bas Usage urrently	ed Raterates in Combinated	UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95	UECS1 UECS1 UECS2	13.03 17.25 28.21 43.09 10.75 19.05 30.33 14.97	witching or Sw d to the Stand to all combina os, the nonrecu	vitch PortsAlone Unbunations of loop/	port network e	lements excep	t for UNE C		op Combinati	ions.	Additional NR	Cs may
Local s UNBUNDLED 1. Cos 2. Feat 3. End 4. The apply s 5. Mar UNE-P 2-Wire UNE P	All Features Available CENTREX PORT/LOOP COMBINATIONS - COST BASED RATE: Based Rates are applied where BellSouth is required by FCC ures shall apply to the Unbundled Port/Loop Combination - C Office and Tandem Switching Usage and Common Transport first and additional Port nonrecurring charges apply to Not Ci also and are categorized accordingly. ket Rates for Unbundled Centrex Port/Loop Combination will CENTREX - SESS (Valid in All States) VG Loop/2-Wire Voice Grade Port (Centrex) Combo ort/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design ort/Loop Combination Rates (Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Loop (SL 1) - Zone 1 2-Wire Voice Grade Loop (SL 2) - Zone 1 2-Wire Voice Grade Loop (SL 2) - Zone 2	and/or Cost Bas Usage urrently	ed Raterates ir Comb	UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95	UECS1 UECS1 UECS2 UECS2 UECS2	13.03 14.97 10.75 19.05 30.33 14.97 25.93	witching or Sw d to the Stand to all combina os, the nonrecu	vitch PortsAlone Unbunations of loop/	port network e	lements excep	t for UNE C		op Combinati	ions.	Additional NR	Cs may
Local s UNBUNDLED 1. Cos 2. Feat 3. End 4. The apply s 5. Mar UNE-P 2-Wire UNE P	All Features Available CENTREX PORT/LOOP COMBINATIONS - COST BASED RATE:	and/or Cost Bas Usage urrently	ed Raterates in Combinated	UEP95	13.03 17.25 28.21 43.09 10.75 19.05 30.33 14.97	witching or Sw d to the Stand to all combina os, the nonrecu	vitch PortsAlone Unbunations of loop/	port network e	lements excep	t for UNE C		op Combinati	ions.	Additional NR	Cs may	
Local : UNBUNDLED 1. Cos 2. Feat 3. End 4. The apply 5. Mar UNE-P 2-Wire UNE P	All Features Available CENTREX PORT/LOOP COMBINATIONS - COST BASED RATE: Based Rates are applied where BellSouth is required by FCC ures shall apply to the Unbundled Port/Loop Combination - C Office and Tandem Switching Usage and Common Transport first and additional Port nonrecurring charges apply to Not Co also and are categorized accordingly. ket Rates for Unbundled Centrex Port/Loop Combination will CENTREX - 5ESS (Valid in All States) VG Loop/2-Wire Voice Grade Port (Centrex) Combo ort/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design 2-Wire Voice Grade Loop (SL 1) - Zone 1 2-Wire Voice Grade Loop (SL 1) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 3 ort Rate	and/or Cost Bas Usage urrently	ed Raterates ir Comb	UEP95	13.03 14.97 10.75 19.05 30.33 14.97 25.93	witching or Sw d to the Stand to all combina os, the nonrecu	vitch PortsAlone Unbunations of loop/	port network e	lements excep	t for UNE C		op Combinati	ions.	Additional NR	Cs may	
Local s UNBUNDLED 1. Cos 2. Feat 3. End 4. The apply s 5. Mar UNE-P 2-Wire UNE P	All Features Available CENTREX PORT/LOOP COMBINATIONS - COST BASED RATE: Based Rates are applied where BellSouth is required by FCC ures shall apply to the Unbundled Port/Loop Combination - C Office and Tandem Switching Usage and Common Transport first and additional Port nonrecurring charges apply to Not Co also and are categorized accordingly. ket Rates for Unbundled Centrex Port/Loop Combination will CENTREX - 5ESS (Valid in All States) VG Loop/2-Wire Voice Grade Port (Centrex) Combo ort/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design 2-Wire Voice Grade Loop (SL 1) - Zone 1 2-Wire Voice Grade Loop (SL 1) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 3 ort Rate	and/or Cost Bas Usage urrently	ed Raterates ir Comb	UEP95	13.03 14.97 10.75 19.05 30.33 14.97 25.93	witching or Sw d to the Stand to all combina os, the nonrecu	vitch PortsAlone Unbunations of loop/	port network e	lements excep	t for UNE C		op Combinati	ions.	Additional NR	Cs may	

MRONDFI	ED NETWORK ELEMENTS - North Carolina			1							T -	T -		ment: 2		bit: A
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Charge -	Increment Charge - Manual Sv Order vs. Electronic Disc Add
							Nonrec	urring	Nonrecurring	Disconnect				Rates (\$)	DISC 1St	DISC Add
					+	Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local		 				11131	Addi	11130	Audi	COME	COMPAN	COMPAR	COMPAR	COMPAR	COMPAN
	Area			UEP95	UEPYH	2.28	79.59	63.97					40.18	9.45		
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)2,3 Basic Local Area			UEP95	UEPYM	2.28	164.57	128.16					40.18	9.45		
	2-Wire Voice Grade Port, Diff Serving Wire Center 2,3 - 800 Service Term - Basic Local Area			UEP95	UEPYZ	2.28							40.18	9.45		
	2-Wire Voice Grade Port terminated in on Megalink or equivalent															
	- Basic Local Area 2-Wire Voice Grade Port Terminated on 800 Service Term -			UEP95	UEPY9	2.28	79.59	63.97					40.18	9.45		
	Basic Local Area			UEP95	UEPY2	2.28	79.59	63.97					40.18	9.45		
NC O	nly															
	2-Wire Voice Grade Port (Centrex)			UEP95	UEPUA	2.28	79.59	63.97		•			40.18	9.45		
	2-Wire Voice Grade Port (Centrex 800 termination)			UEP95	UEPUB	2.28	79.59	63.97					40.18	9.45		
	2-Wire Voice Grade Port (Centrex with Caller ID)1			UEP95	UEPUH	2.28	79.59	63.97					40.18	9.45		
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)2,3			UEP95	UEPUM	2.28	164.57	128.16					40.18	9.45		
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term 2,3			UEP95	UEPUZ	2.28	164.57	128.16					40.18	9.45		
	2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP95	UEPU9	2,28	79.59	63.97					40.18	9.45		
	2-Wire Voice Grade Port Terminated in on Niegalink of equivalent			UEP95	UEPU2	2.28	79.59	63.97					40.18	9.45		
Local	Switching		1	021 00	OLI OL	2.20	70.00	00.01					40.10	0.40		
	Centrex Intercom Funtionality, per port			UEP95	URECS	0.903										
Local	Number Portability															
	Local Number Portability (1 per port)			UEP95	LNPCC	0.35										
Featu																
	All Standard Features Offered, per port			UEP95	UEPVF	3.40										
	All Select Features Offered, per port			UEP95	UEPVS	0.00	457.83									
	All Centrex Control Features Offered, per port			UEP95	UEPVC	3.40										
NARS				LIEDOS	LIADOV	0.00	0.00	0.00	0.00	0.00		0.00	40.40	0.45		
_	Unbundled Network Access Register - Combination		1	UEP95 UEP95	UARCX UAR1X	0.00	0.00	0.00	0.00	0.00	-	0.00	40.18 40.18	9.45 9.45		
-	Unbundled Network Access Register - Indial Unbundled Network Access Register - Outdial		-	UEP95	UAROX	0.00	0.00	0.00	0.00	0.00		0.00	40.18	9.45		
Misce	ellaneous Terminations		1	OLF 93	UAROX	0.00	0.00	0.00	0.00	0.00		0.00	40.16	9.40		
	e Trunk Side		1													
	Trunk Side Terminations, each			UEP95	CEND6	12.36										
4-Wir	e Digital (1.544 Megabits)															
	DS1 Circuit Terminations, each			UEP95	M1HD1	123.65							40.18	9.45		
	DS0 Channels Activated, each			UEP95	M1HDO	0.00	28.81						40.18	9.45		
Interd	ffice Channel Mileage - 2-Wire															
	Interoffice Channel Facilities Termination			UEP95	M1GBC	18.00										
	Interoffice Channel mileage, per mile or fraction of mile			UEP95	M1GBM	0.0282										
	re Activations (DS0) Centrex Loops on Channelized DS1 Servic	е	<u> </u>	 	_								 	 	 	
D4 Cr	Feature Activation on D-4 Channel Bank Centrex Loop Slot		 	UEP95	1PQWS	0.65	-									-
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP95	1PQW6	0.65										
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop		1													
	Slot Feature Activation on D-4 Channel Bank Centrex Loop Slot -		1	UEP95	1PQW7	0.65										
	Different Wire Center			UEP95	1PQWP	0.65										
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP95	1PQWV	0.65										
	Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop												l	I		
	Slot		<u> </u>	UEP95	1PQWQ	0.65										
	Feature Activation on D-4 Channel Bank WATS Loop Slot		<u> </u>	UEP95	1PQWA	0.65							ļ			<u> </u>
P			1	1					1		1	1	1	1	1	1
Non-	Recurring Charges (NRC) Associated with UNE-P Centrex NRC Conversion Currently Combined Switch-As-Is with allowed		 	 	+ +											

UNBUNDLE	D NETWORK ELEMENTS - North Carolina												Attach	ment: 2	Exhil	oit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			Svc Order Submitted Elec per LSR	Submitted	Incremental	Incremental Charge - Manual Svc Order vs. Electronic- Add'l		Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
		<u> </u>					Nonrec	urring	Nonrecurring Dis	connect			oss	Rates (\$)		
		1				Rec	First	Add'l		Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	New Centrex Standard Common Block			UEP95	M1ACS	0.00	695.11						40.18	9.45		
	New Centrex Customized Common Block			UEP95	M1ACC	0.00	695.11						40.18	9.45		
	NAR Establishment Charge, Per Occasion			UEP95	URECA	0.00	72.73						40.18	9.45		
Additio	onal Non-Recurring Charges (NRC)															
	Unbundled Miscellaneous Rate Element, Tag Loop at End Use Premise			UEP95	URETL		8.33	0.83								1
	Unbundled Miscellaneous Rate Element, Tag Design Loop at End Use Premise			UEP95	URETN		11.20	1.10								
	CENTREX - DMS100 (Valid in All States)															
	VG Loop/2-Wire Voice Grade Port (Centrex) Combo	ļ														
UNE P	ort/Loop Combination Rates (Non-Design)	ļ	<u> </u>													
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Non-Design		1	UEP9D		13.03										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design		2	UEP9D		21.33										į.
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design		3	UEP9D		32.61										
UNE P	ort/Loop Combination Rates (Design)															,
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Design	-	1	UEP9D		17.25										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design		2	UEP9D		28.21										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design		3	UEP9D		43.09										
UNE L	oop Rate															
	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP9D	UECS1	10.75										
	2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEP9D	UECS1	19.05										
	2-Wire Voice Grade Loop (SL 1) - Zone 3	ļ	3	UEP9D	UECS1	30.33										
\vdash	2-Wire Voice Grade Loop (SL 2) - Zone 1	ļ	1	UEP9D	UECS2	14.97										
	2-Wire Voice Grade Loop (SL 2) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 3	<u> </u>	3	UEP9D UEP9D	UECS2 UECS2	25.93 40.81										
LINE P	ort Rate		3	OLF 3D	ULC32	40.01										
ALL S																
-	2-Wire Voice Grade Port (Centrex) Basic Local Area	1		UEP9D	UEPYA	2.28	79.59	63.97					40.18	9.45		
	2-Wire Voice Grade Port (Centrex 800 termination)Basic Local Area			UEP9D	UEPYB	2.28	79.59	63.97					40.18	9.45		
	2-Wire Voice Grade Port (Centrex / EBS-PSET)3Basic Local Area			UEP9D	UEPYC	2.28	79.59	63.97					40.18	9.45		
	2-Wire Voice Grade Port (Centrex / EBS-M5009)3Basic Local			UEP9D	UEPYD								40.18	9.45		
	Area 2-Wire Voice Grade Port (Centrex / EBS-M5209))3 Basic Local					2.28	79.59	63.97								
	Area 2-Wire Voice Grade Port (Centrex / EBS-M5112))3 Basic Local			UEP9D	UEPYE	2.28	79.59	63.97					40.18	9.45		
	Area 2-Wire Voice Grade Port (Centrex / EBS-M5312))3Basic Local			UEP9D	UEPYF	2.28	79.59	63.97					40.18	9.45		
	Area 2-Wire Voice Grade Port (Centrex / EBS-M5008))3 Basic Local			UEP9D	UEPYG	2.28	79.59	63.97					40.18	9.45		
	Area 2-Wire Voice Grade Port (Centrex / EBS-M5208))3 Basic Local			UEP9D	UEPYT	2.28	79.59	63.97					40.18	9.45		<u> </u>
	Area			UEP9D	UEPYU	2.28	79.59	63.97					40.18	9.45		
	2-Wire Voice Grade Port (Centrex / EBS-M5216))3 Basic Local Area			UEP9D	UEPYV	2.28	79.59	63.97					40.18	9.45		
	2-Wire Voice Grade Port (Centrex / EBS-M5316))3 Basic Local Area			UEP9D	UEPY3	2.28	79.59	63.97					40.18	9.45		
	2-Wire Voice Grade Port (Centrex with Caller ID) Basic Local Area			UEP9D	UEPYH	2.28	79.59	63.97					40.18	9.45		
	2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp Indication))4 Basic Local Area			UEP9D	UEPYW	2.28	79.59	63.97					40.18	9.45		

CATEGORY RATE ELEMENTS	UNBUNDLE	D NETWORK ELEMENTS - North Carolina											Attach	ment: 2	Exhi	bit: A
## CATEGORY RATE (LEMENTS ## 2004 N. 1904 N. 1	ONDONDE	NETWORK ELEMENTS NORTH GUIOMING									Submitted	Submitted	Incremental Charge -	Incremental Charge -	Incremental Charge -	Incremental Charge -
Non-control Non-control	CATEGORY	RATE ELEMENTS	Zone	BCS	usoc			RATES (\$)				-	Order vs.	Order vs.	Order vs.	Order vs. Electronic-
New York Cross Crists Phys (Perturativity Wig Lamp Indication)													1st	Add'l	Disc 1st	Disc Add'l
Second Area Control						Poc	Nonre	curring	Nonrecurrin	g Disconnect			oss	Rates (\$)		
Base Cool Anso						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
2-3-Steet Load New 40.16 9.45		Basic Local Area		UEP9D	UEPYJ	2.28	79.59	63.97					40.18	9.45		
Besic Local Ansa		2,3-Basic Local Area		UEP9D	UEPYM	2.28	164.57	128.16					40.18	9.45		
Basic Local Area LUEPDO LUEPYP 220 164.57 128.16 40.18 9.45		Basic Local Area		UEP9D	UEPYO	2.28	164.57	128.16					40.18	9.45		
State Local Area Lie Price		Basic Local Area		UEP9D	UEPYP	2.28	164.57	128.16					40.18	9.45		
2-Wire Vooc Grade Pot (Centracidiffer SWC (ESS-MS1122.3.4 LEPRID LIEPYR 2.28 164.57 128.16 40.18 9.45		· · · · · · · · · · · · · · · · · · ·		LIEDOD	LIEDVO	2.20	404.57	400.40					40.40	0.45		
2-Wire Votor Grosfe Port Contrace/differ SWC / EBS-MSD102.3.4 UEP90 UEPY4 2.28 164.57 128.16 40.18 9.45		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2,3,4														
2-Wire Votes Grade Port (Centrevoldifer SWC (FBS-M6000)2, 3 UEP9D UEPY4		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2,3,4														
Savine Votos Grade Port (Centraviditier SWC /EBS-MSS102.3.4 UEP9D UEPY8		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2,3,4														
2 2 2 2 2 2 2 2 2 2																
2-Wire Voice Grade Port (Centrevidifier SWC (EBS-MSS16)2,3,4 UEP9D UEPY7 2.28 16.4.57 128.16 40.18 9.4.5				UEP9D	UEPY5	2.28	164.57	128.16					40.18	9.45		
Basic Local Area		Basic Local Area		UEP9D	UEPY6	2.28	164.57	128.16					40.18	9.45		
Term 2.3		Basic Local Area		UEP9D	UEPY7	2.28	164.57	128.16					40.18	9.45		
Basic Local Area		Term 2,3		UEP9D	UEPYZ	2.28	164.57	128.16					40.18	9.45		
No Only UEPD UEPD UEPV 2.28 79.59 63.97 40.18 9.45		Basic Local Area		UEP9D	UEPY9	2.28	79.59	63.97					40.18	9.45		
2-Wire viole Grade Port (Centrex)		Local Area		UEP9D	UEPY2	2.28	79.59	63.97					40.18	9.45		
2-Wire Voice Grade Port (Centrex (B01 termination)	NC On			LIEDOD	LIEDITA	2.20	70 F0	62.07					40.18	0.45		-
2-Wire Voice Grade Port (Centrex / EBS-PSET) 4	—															
2-Wire Voice Grade Port (Centrex / EBS-M5009)4											-					-
2-Wire Voice Grade Port (Centrex / EBS-M5209)4											†					
2-Wire Voice Grade Port (Centrex / EBS-M5112)4																
2-Wire Voice Grade Port (Centrex / EBS-M5312)4																
2-Wire Voice Grade Port (Centrex / EBS-M5009)4 UEP9D UEPUT 2.28 79.59 63.97 40.18 9.45																
2-Wire Voice Grade Port (Centrex / EBS-M5209)4 UEPDD UEPUV 2.28 79.59 63.97 40.18 9.45																
2-Wire Voice Grade Port (Centrex/EBS-M5216)4	 									1	†					
2-Wire Voice Grade Port (Centrex / EBS-M6316)4 UEP9D UEPU3 2.28 79.59 63.97 40.18 9.45			-													
2-Wire Voice Grade Port (Centrex with Caller ID) 2-Wire Voice Grade Port (Centrex With Caller ID) 2-Wire Voice Grade Port (Centrex With Caller ID) 40.18 9.45 2-Wire Voice Grade Port (Centrex With Caller ID) 40.18 9.45 10-P9D 40.18 10-P9D 40.18 10-P9D 40.18 10-P9D 40.18 10-P9D 40.18 10-P9D 40.18 10-P9D 40.18 10-P9D 40.18 10-P9D 40.18 10-P9D 40.18 10-P9D 40.18 10-P9D 40.18 10-P9D 40.18 10-P9D 40.18 10-P9D 40.18 10-P9D 40.18 10-P9D 40.18 10-P9D 40.18 10-P9D 40.18 10																
2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp Indication)4 UEP9D UEPUW 2.28 79.59 63.97 40.18 9.45 12-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication)4 UEP9D UEPUW 2.28 79.59 63.97 40.18 9.45 12-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication)4 UEP9D UEPUW 2.28 79.59 63.97 40.18 9.45 12-Wire Voice Grade Port (Centrex from diff Serving Wire Center) 2.3 164.57 128.16 40.18 9.45 12-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2,3,4 UEP9D UEPUP 2.28 164.57 128.16 40.18 9.45 12-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2,3,4 UEP9D UEPUP 2.28 164.57 128.16 40.18 9.45 12-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2,3,4 UEP9D UEPUP 2.28 164.57 128.16 40.18 9.45 12-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2,3,4 UEP9D UEPUR 2.28 164.57 128.16 40.18 9.45 12-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2,3,4 UEP9D UEPUR 2.28 164.57 128.16 40.18 9.45 12-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2,3,4 UEP9D UEPUR 2.28 164.57 128.16 40.18 9.45 12-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2,3,4 UEP9D UEPUR 2.28 164.57 128.16 40.18 9.45 12-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2,3,4 UEP9D UEPUR 2.28 164.57 128.16 40.18 9.45 12-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2,3,4 UEP9D UEPUR 2.28 164.57 128.16 40.18 9.45 12-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2,3,4 UEP9D UEPUR 2.28 164.57 128.16 40.18 9.45 12-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2,3,4 UEP9D UEPUR 2.28 164.57 128.16 40.18 9.45 12-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2,3,4 UEP9D UEPUR 2.28 164.57 128.16 40.18 9.45 12-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2,3,4 UEP9D UEPUR 2.28 164.57 128.16 40.18 9.45 12-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2,3,4 UEP9D UEPUR 2.28 164.57 128.16 40.18 9.45 12-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2,3,4 UEP9D UEPUR 2.28 164.57 128.16 40.18 9.45 12-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2,3,4 UEP9D UEPUR 2.28 164.57											ļ					
Indication)4				UEP9D	UEPUH	2.28	79.59	63.97					40.18	9.45		
2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication)4 UEP9D UEPUJ 2.28 79.59 63.97 40.18 9.45 2-Wire Voice Grade Port (Centrex from diff Serving Wire Center) UEP9D UEPUM 2.28 164.57 128.16 40.18 9.45 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2,3,4 UEP9D UEPUP 2.28 164.57 128.16 40.18 9.45 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-S209)2,3,4 UEP9D UEPUP 2.28 164.57 128.16 40.18 9.45 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-S209)2,3,4 UEP9D UEPUP 2.28 164.57 128.16 40.18 9.45 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5012)2,3,4 UEP9D UEPUP 2.28 164.57 128.16 40.18 9.45 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2,3,4 UEP9D UEPUR 2.28 164.57 128.16 40.18 9.45 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2,3,4 UEP9D UEPUR 2.28 164.57 128.16 40.18 9.45 40.18 9.45				l	l				1		1]				1
2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2,3,4 UEP9D UEPUP 2.28 164.57 128.16 40.18 9.45 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2,3,4 UEP9D UEPUP 2.28 164.57 128.16 40.18 9.45 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2,3,4 UEP9D UEPUP 2.28 164.57 128.16 40.18 9.45 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2,3,4 UEP9D UEPUP 2.28 164.57 128.16 40.18 9.45 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2,3,4 UEP9D UEPUP 2.28 164.57 128.16 40.18 9.45 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2,3,4 UEP9D UEPUR 2.28 164.57 128.16 40.18 9.45 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2,3,4 UEP9D UEPUR 2.28 164.57 128.16 40.18 9.45																
2,3		2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication)4		UEP9D	UEPUJ	2.28	79.59	63.97					40.18	9.45		
2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2,3,4 UEP9D UEPUP 2.28 164.57 128.16 40.18 9.45 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2,3,4 UEP9D UEPUQ 2.28 164.57 128.16 40.18 9.45 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2,3,4 UEP9D UEPUR 2.28 164.57 128.16 40.18 9.45 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2,3,4 UEP9D UEPUR 2.28 164.57 128.16 40.18 9.45				UEP9D	UEPUM	2.28	164.57	128.16					40.18	9.45		
2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2,3,4 UEP9D UEPUP 2.28 164.57 128.16 40.18 9.45 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2,3,4 UEP9D UEPUQ 2.28 164.57 128.16 40.18 9.45 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2,3,4 UEP9D UEPUR 2.28 164.57 128.16 40.18 9.45 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2,3,4 UEP9D UEPUR 2.28 164.57 128.16 40.18 9.45		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2,3,4		UEP9D	UEPUO	2.28	164.57	128.16					40.18	9.45		
2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2,3,4 UEP9D UEPUQ 2.28 164.57 128.16 40.18 9.45 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2,3,4 UEP9D UEPUR 2.28 164.57 128.16 40.18 9.45 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2,3,4 UEP9D UEPUS 2.28 164.57 128.16 40.18 9.45				UEP9D									40.18	9.45		
2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2,3,4 UEP9D UEPUR 2.28 164.57 128.16 40.18 9.45 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2,3,4 UEP9D UEPUS 2.28 164.57 128.16 40.18 9.45		, , , , ,														
2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2,3,4 UEP9D UEPUS 2.28 164.57 128.16 40.18 9.45																
		, , , ,														
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2,3,4 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2,3,4		UEP9D UEP9D	UEPUS UEPU4	2.28	164.57	128.16					40.18	9.45		

UNBUN	IDLE	D NETWORK ELEMENTS - North Carolina												Attach	ment: 2	Exhi	ibit: A
CATEGO	DRY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			1	Svc Order Submitted Manually per LSR	Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
							Rec	Nonred		Nonrecurring					Rates (\$)		
								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2.3.4			UEP9D	UEPU5	2.28	164.57	128.16					40.18	9.45		
+		2-Wire voice Grade Port (Centrex/diller SWC /EBS-W5208)2,3,4			DEP9D	UEPUS	2.28	164.57	128.16					40.18	9.45		1
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2,3,4			UEP9D	UEPU6	2.28	164.57	128.16					40.18	9.45		
		, , , , , , , , , , , , , , , , , , , ,															
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2,3,4			UEP9D	UEPU7	2.28	164.57	128.16					40.18	9.45		
		2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service															
		Term 2,3			UEP9D	UEPUZ	2.28	164.57	128.16					40.18	9.45		
		2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP9D	UEPU9	2.28	79.59	63.97					40.18	9.45		
-		2-Wire Voice Grade Port Terminated in 611 Wegalink of equivalent		1	UEP9D	UEPU2	2.28	79.59	63.97					40.18	9.45		+
L	ocal S	Switching			02.05	02. 02	2.20	70.00	00.07					10.10	0.10		†
T I		Centrex Intercom Funtionality, per port			UEP9D	URECS	0.903										
L		lumber Portability															
		Local Number Portability (1 per port)			UEP9D	LNPCC	0.35										ļ
F	eature						0.40										ļ
-		All Standard Features Offered, per port All Select Features Offered, per port			UEP9D UEP9D	UEPVF UEPVS	3.40 0.00	457.83						40.18	9.45		-
		All Centrex Control Features Offered, per port		1	UEP9D	UEPVC	3.40	457.03				1	-	40.16	9.45		
N	NARS	All Gentlex Control Features Offered, per port		1	OLI 3D	OLI VO	3.40										+
- 1		Unbundled Network Access Register - Combination			UEP9D	UARCX	0.00	0.00	0.00	0.00	0.00		0.00	40.18	9.45		1
		Unbundled Network Access Register - Inward			UEP9D	UAR1X	0.00	0.00	0.00	0.00	0.00		0.00	40.18	9.45		
		Unbundled Network Access Register - Outdial			UEP9D	UAROX	0.00	0.00	0.00	0.00	0.00		0.00	40.18	9.45		
		aneous Terminations															
2		Trunk Side															
		Trunk Side Terminations, each		-	UEP9D	CEND6	12.36						-	1			
4		Digital (1.544 Megabits) DS1 Circuit Terminations, each			UEP9D	M1HD1	123.65							40.18	9.45		-
		DS0 Channels Activiated per Channel			UEP9D	M1HDO	0.00	28.81				1	1	40.18	9.45		1
-		ice Channel Mileage - 2-Wire			OLI OD	WITTE	0.00	20.01						40.10	0.40		
		Interoffice Channel Facilities Termination			UEP9D	M1GBC	18.00										
		Interoffice Channel mileage, per mile or fraction of mile			UEP9D	M1GBM	0.0282										
		Activations (DS0) Centrex Loops on Channelized DS1 Service	е														
		nnel Bank Feature Activations		ļ													
		Feature Activation on D-4 Channel Bank Centrex Loop Slot		-	UEP9D	1PQWS	0.65						-	1			
		Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP9D	1PQW6	0.65										
-		Feature Activation on D-4 Channel Bank FX Trunk Side Loop Feature Activation on D-4 Channel Bank FX Trunk Side Loop		 	OLI 3D	IF QVV0	0.00			+				 			
		Slot			UEP9D	1PQW7	0.65							1			
		Feature Activation on D-4 Channel Bank Centrex Loop Slot -											1	1			
		Different Wire Center			UEP9D	1PQWP	0.65					<u> </u>					
						1,50,47								1			
		Feature Activation on D-4 Channel Bank Private Line Loop Slot Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop		-	UEP9D	1PQWV	0.65			1				 			
		Slot			UEP9D	1PQWQ	0.65							1			
 -		Feature Activation on D-4 Channel Bank WATS Loop Slot		t	UEP9D	1PQWQ	0.65			+		1	-	t			
N		ecurring Charges (NRC) Associated with UNE-P Centrex				~.,,,	0.00			1			l				
ĺ		NRC Conversion Currently Combined Switch-As-Is with allowed				1							1	1			
		changes, per port			UEP9D	USAC2		2.77	0.40			ļ		40.18	9.45		
		New Centrex Standard Common Block			UEP9D	M1ACS	0.00	695.11						40.18	9.45		
		New Centrex Customized Common Block		-	UEP9D	M1ACC	0.00	695.11		1				40.18	9.45		
٠,		NAR Establishment Charge, Per Occasion nal Non-Recurring Charges (NRC)		-	UEP9D	URECA	0.00	72.73		1		 	1	40.18	9.45		
		Unbundled Miscellaneous Rate Element, Tag Loop at End Use		 		+ -				1		 	-	-			
		Premise			UEP9D	URETL		8.33	0.83					1			
		Unbundled Miscellaneous Rate Element, Tag Design Loop at		†	05			0.00	0.00					1			
		End Use Premise		<u> </u>	UEP9D	URETN		11.20	1.10						<u> </u>		
		- Required Port for Centrex Control in 1AESS, 5ESS & EWSD															
N	Note 2	- Requres Interoffice Channel Mileage															

UNBUNDLE	D NETWORK ELEMENTS - North Carolina												Attachi	nent: 2	Exhi	bit: A
											Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		Interi						Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc			
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC		RATES (\$)						Order vs.	Order vs.	Order vs.	Order vs.
										Electronic-	Electronic-	Electronic-	Electronic-			
													1st	Add'l	Disc 1st	Disc Add'l
						Rec	Nonre	curring	Nonrecurring	Disconnect			oss	Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
Note 3	- Installation is combination of Installation charge for SL2 Lo	op and	Port													
Note 4	- Requires Specific Customer Premises Equipment															
Note: I	: Rates displaying an "R" in Interim column are interim and subject to rate true-up as set forth in General Terms and Conditions.															

	INIE: =	D NETWORK ELEMENTO CONTROL												1		1	
UNB	JNDLE	D NETWORK ELEMENTS - South Carolina			.		1						1_		ment: 2		bit: A
												1		Incremental			
													Submitted	Charge -	Charge -	Charge -	Charge -
CATE	CORV	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			Elec	-	Manual Svc	Manual Svc	Manual Svc	
OA!L	00	NATE ELEMENTO	m	20110	500	0000			τοτι 20 (φ)			per LSR	per LSR	Order vs. Electronic-	Order vs. Electronic-	Order vs. Electronic-	Order vs. Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
																Disc ist	Disc Auu i
	-						Rec	Nonre			Disconnect	201150	0011411		Rates (\$)	201441	001111
-	+							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	The "Z	one" shown in the sections for stand-alone loops or loops as	part of	a com	oination refers to Ge	ographically	Deaveraged U	NE Zones. To	view Geograp	nically Deavera	ged UNE Zon	e Designation	ns by Cent	ral Office, refe	er to internet \	Nebsite:	1
		vww.interconnection.bellsouth.com/become_a_clec/html/inter	rconnec	tion.ht	m												
OPER		SUPPORT SYSTEMS (OSS) - "REGIONAL RATES"		L.,										<u> </u>	<u></u>	L	
		(1) CLEC should contact its contract negotiator if it prefers the ither the state specific Commission ordered rates for the servi															
		f the 9 states.	ice orde	ining ci	larges, or GLEC may	elect the re	gioriai service o	bruering charg	e, nowever, Ci	EC Can not of	nam a mixture	or the two	regardiess i	I CLEC IIas a	merconnecti	on contract e	stablished in
		(2) Any element that can be ordered electronically will be bill	ed acco	rding	to the SOMEC rate lis	sted in this	category. Pleas	se refer to Bell	South's Local	Ordering Hand	book (LOH) to	determine	f a product	can be order	ed electronica	Illy. For thos	e elements
	that ca	nnot be ordered electronically at present per the LOH, the list	ed SOM	IEC rat	e in this category ref	ects the cha	arge that would	l be billed to a	CLEC once ele	ectronic orderi	ng capabilities	come on-li	ne for that	element. Oth	erwise, the ma	anual orderin	g charge,
	SOMAI	N, will be applied to a CLECs bill when it submits an LSR to B	ellSout	h.													
	1	OSS - Electronic Service Order Charge, Per Local Service Request (LSR) - UNE Only				SOMEC		3.50	0.00	3.50	0.00						
-	+	OSS - Manual Service Order Charge, Per Local Service Request				SOMEC		3.50	0.00	3.50	0.00				-		
		(LSR) - UNE Only				SOMAN		15.69	0.00	1.97	0.00						
UNE S		DATÉ ADVANCEMENT CHARGE															
	NOTE:	The Expedite charge will be maintained commensurate with	BellSou	th's FO	C No.1 Tariff, Section	n 5 as appli	cable.										
					UAL, UEANL, UCL,												
					UEF. UDF. UEQ.												
					UDL, UENTW, UDN,												
					UEA, UHL, ULC,												
					USL, U1T12, U1T48,												
					U1TD1, U1TD3, U1TDX, U1TO3,												
					U1TS1, U1TVX,												
					UC1BC, UC1BL,												
					UC1CC, UC1CL,												
					UC1DC, UC1DL,												
					UC1EC, UC1EL,												
					UC1FC, UC1FL, UC1GC, UC1GL,												
					UC1HC, UC1HL,												
					UDL12, UDL48,												
					UDLO3, UDLSX,												
					UE3, ULD12,												
					ULD48, ULDD1, ULDD3, ULDDX,												
					ULDO3, ULDS1,												
					ULDVX, UNC1X,												
					UNC3X, UNCDX,												
					UNCNX, UNCSX,												
					UNCVX, UNLD1, UNLD3, UXTD1,												
					UXTD3, UXTS1,												
		UNE Expedite Charge per Circuit or Line Assignable USOC, per			U1TUC, U1TUD,												
		Day			U1TUB, U1TUA	SDASP		200.00									
UNBU		EXCHANGE ACCESS LOOP		<u> </u>													
-	2-WIRE	ANALOG VOICE GRADE LOOP 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1	-	1	UEANL	UEAL2	14.94	37.92	17.62	23.56	5.32	-			-		
-	+	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1			UEANL	UEAL2	21.39	37.92	17.62	23.56	5.32	 					
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3		3	UEANL	UEAL2	26.72	37.92	17.62	23.56	5.32						
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1			UEANL	UEASL	14.94	37.92	17.62	23.56	5.32						
<u> </u>	1	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2			UEANL	UEASL	21.39 26.72	37.92	17.62	23.56 23.56	5.32 5.32	-	-				
<u> </u>	+	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3 Unbundled Miscellaneous Rate Element, Tag Loop at End User	-	3	UEANL	UEASL	26.72	37.92	17.62	23.56	5.32	1			 		
		Premise			UEANL	URETL		8.33	0.83						1		
		Loop Testing - Basic 1st Half Hour			UEANL	URET1		34.23	34.23								
		Loop Testing - Basic Additional Half Hour			UEANL	URETA		19.90	19.90								

Version 3Q03: 11/12/2003 Page 274 of 349

UNBUN	DLE	D NETWORK ELEMENTS - South Carolina													ment: 2	1	ibit: A
CATEGOR	RY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs.	Charge - Manual Svc Order vs.	Charge -	Charge -
														Electronic- 1st	Electronic- Add'l	Disc 1st	Disc Add'l
						+	I	Nonrec	urring	Nonrecurring	Disconnect		1	oss	Rates (\$)		
						+	Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		CLEC to CLEC Conversion Charge Without Outside Dispatch							71441		71441	0020	00				
		(UVL-SL1)			UEANL	UREWO		15.81	8.96								
		Unbundled Voice Loop, Non-Design Voice Loop, billing for BST															1
		providing make-up (Engineering Information - E.I.)			UEANL	UEANM		13.47	13.47								
		Manual Order Coordination for UVL-SL1s (per loop)			UEANL	UEAMC		8.17	8.17								
		Order Coordination for Specified Conversion Time for UVL-SL1															
		(per LSR)			UEANL	OCOSL		18.13	18.13								1
2-	WIRE	Unbundled COPPER LOOP															
		2-Wire Unbundled Copper Loop - Non-Designed Zone 1			UEQ	UEQ2X	12.94	36.40	16.10	22.66	4.42	1					
		2 Wire Unbundled Copper Loop - Non-Designed - Zone 2			UEQ	UEQ2X	14.51	36.40	16.10	22.66	4.42						-
		2 Wire Unbundled Copper Loop - Non-Designed - Zone 3		3	UEQ	UEQ2X	15.02	36.40	16.10	22.66	4.42	-					+
		Unbundled Miscellaneous Rate Element, Tag Loop at End User Premise			UEQ	URETL		8.33	0.83						I		
\vdash		Manual Order Coordination 2 Wire Unbundled Copper Loop -		 	ULW	UKEIL		0.33	0.83	+ -					 		+
		Non-Designed (per loop)			UEQ	USBMC		8.17	8.17						I		
\vdash		Unbundled Copper Loop, Non-Design Copper Loop, billing for			024	CODIVIO		0.17	0.17						 	1	
		BST providing make-up (Engineering Information - E.I.)			UEQ	UEQMU		13.47	13.47						I		
		Loop Testing - Basic 1st Half Hour			UEQ	URET1		34.23	34.23			†			t		†
		Loop Testing - Basic Additional Half Hour			UEQ	URETA		19.90	19.90			†			t		†
		CLEC to CLEC Conversion Charge Without Outside Dispatch										İ					1
		(UCL-ND)			UEQ	UREWO		14.30	7.45								
UNBUNDL	LED E	EXCHANGE ACCESS LOOP															1
2-	WIRE	ANALOG VOICE GRADE LOOP															
		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-															
		Zone 1		1	UEPSR UEPSB	UEALS	14.94	37.92	17.62	23.56	5.32						
		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-															
		Zone 1		1	UEPSR UEPSB	UEABS	14.94	37.92	17.62	23.56	5.32						
		2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting-															
		Zone 2		2	UEPSR UEPSB	UEALS	21.39	37.92	17.62	23.56	5.32	ļ					
		2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting-		2	HEDOD HEDOD	UEABS	21.39	27.00	47.00	22.50	F 20						
-		Zone 2 2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-			UEPSR UEPSB	UEABS	21.39	37.92	17.62	23.56	5.32	 	-				+
		Zone 3		3	UEPSR UEPSB	UEALS	26.72	37.92	17.62	23.56	5.32						
		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-		3	OLF SK OLF SB	ULALS	20.72	31.92	17.02	23.30	5.52	1	1		1		+
		Zone 3		3	UEPSR UEPSB	UEABS	26.72	37.92	17.62	23.56	5.32						
UNBUNDI		EXCHANGE ACCESS LOOP		Ť	02. 0. 02. 02	027.00	20.72	07.02		20.00	0.02	İ				İ	
		ANALOG VOICE GRADE LOOP										İ					†
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or															
		Ground Start Signaling - Zone 1		1	UEA	UEAL2	16.68	105.98	68.43	53.05	10.61				<u> </u>		<u> </u>
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or															
oxdot		Ground Start Signaling - Zone 2		2	UEA	UEAL2	23.13	105.98	68.43	53.05	10.61						1
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or		1											_		
oxdot		Ground Start Signaling - Zone 3		3	UEA	UEAL2	28.46	105.98	68.43	53.05	10.61				L	ļ	
\vdash		Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL		18.13		ļ					1		ļ
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse				LIEAGO				== ==					1		
\vdash		Battery Signaling - Zone 1		1	UEA	UEAR2	16.68	105.98	68.43	53.05	10.61	-	-		 	1	+
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 2		2	UEA	UEAR2	23.13	105.98	68.43	E2 05	10.61				I		
\vdash		2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse			OLA	UEAKZ	23.13	105.98	08.43	53.05	10.01	 	-	-	 	1	+
		Battery Signaling - Zone 3		3	UEA	UEAR2	28.46	105.98	68.43	53.05	10.61				I		
\vdash		Order Coordination for Specified Conversion Time (per LSR)		-	UEA	OCOSL	20.40	18.13	00.43	55.05	10.01	 	-		 	 	+
\vdash		CLEC to CLEC Conversion Charge without outside dispatch			UEA	UREWO		87.90	36.44	1		1	 		I	1	
		Loop Tagging - Service Level 2 (SL2)			UEA	URETL		11.24	1.10						t		
4-	WIRE	E ANALOG VOICE GRADE LOOP							0						t		
		4-Wire Analog Voice Grade Loop - Zone 1		1	UEA	UEAL4	32.59	132.38	94.83	59.35	14.61				1		<u> </u>
		4-Wire Analog Voice Grade Loop - Zone 2			UEA	UEAL4	43.89	132.38	94.83	59.35	14.61						1
		4-Wire Analog Voice Grade Loop - Zone 3			UEA	UEAL4	43.38	132.38	94.83	59.35	14.61						
		Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL		18.13									
		CLEC to CLEC Conversion Charge without outside dispatch			UEA	UREWO	ĺ	87.90	36.44	i							

CATEGORY RATE ELEMENTS Intering Zone BCS USOC RATES (\$)		Order vs. Order vs.
CATEGORY RATE ELEMENTS Intering Nonecurring None	Charge - Manual Svc Order vs. Electronic- 1st Charge - Manual Sv Order vs. Electronic- Add'l	Charge - c Manual Svc Order vs Electronic- Disc 1st Charge - Manual Svc Order vs. Electronic- Disc Add'I
CATEGORY RATE ELEMENTS Intering Zone BCS USOC RATES (\$)	Manual Svc Order vs. Electronic- 1st OSS Rates (\$)	c Manual Svc Order vs. - Electronic- Disc 1st Manual Svc Order vs. Electronic- Disc Add'l
CATEGORY RATE ELEMENTS None BCS USOC RATES (\$) Per LSR Per LSR	Order vs. Electronic- 1st OSS Rates (\$)	Order vs. Electronic- Disc 1st Order vs. Electronic- Disc Add'l
Rec Nonrecurring	Electronic- 1st Electronic Add'l	- Electronic- Electronic- Disc 1st Disc Add'I
Nonrecurring Nonrecurring Nonrecurring Nonrecurring Some	1st Add'l OSS Rates (\$)	Disc 1st Disc Add'I
New Som	OSS Rates (\$)	
New Som		SOMAN SOMAN
New Som	SOMAN SOMAN	SOMAN SOMAN
2-Wire ISDN Digital Grade Loop - Zone 1		
2-Wire ISDN Digital Grade Loop - Zone 2		
2-Wire ISDN Digital Grade Loop - Zone 3 3 UDN U1L2X 37.70 117.58 80.03 53.05 10.61		
Order Coordination For Specified Conversion Time (per LSR) CLEC to CLEC Conversion Charge without outside dispatch UDN UREWO 91.82 44.25 2-WIRE ASYMMETRICAL DIBITAL SUBSCRIBER LINE (ADSL) COMPATIBLE LOOP 2 Wire Unbundled ADSL Loop including manual service inquiry 8 facility reservation - Zone 1 1 UAL UAL2X 12.19 120.84 70.56 50.37 7.93 2 Wire Unbundled ADSL Loop including manual service inquiry 8 facility reservation - Zone 2 UAL UAL2X 13.71 120.84 70.56 50.37 7.93 2 Wire Unbundled ADSL Loop including manual service inquiry 8 facility reservation - Zone 3 UAL UAL2X 14.14 120.84 70.56 50.37 7.93 Order Coordination for Specified Conversion Time (per LSR) 2 Wire Unbundled ADSL Loop without manual service inquiry 8 facility reservation - Zone 1 UAL UAL2W 12.19 95.81 57.82 50.37 7.93 2 Wire Unbundled ADSL Loop without manual service inquiry 8 facility reservaton - Zone 2 UAL UAL2W 13.71 95.81 57.82 50.37 7.93 2 Wire Unbundled ADSL Loop without manual service inquiry 8 facility reservaton - Zone 2 UAL UAL2W 13.71 95.81 57.82 50.37 7.93 2 Wire Unbundled ADSL Loop without manual service inquiry 8 facility reservaton - Zone 2 UAL UAL2W 13.71 95.81 57.82 50.37 7.93 Order Coordination for Specified Conversion Time (per LSR) UAL UAL2W 14.14 95.81 57.82 50.37 7.93 Order Coordination for Specified Conversion Time (per LSR) UAL UAL2W 14.14 95.81 57.82 50.37 7.93 Order Coordination for Specified Conversion Time (per LSR) UAL UAL2W 14.14 95.81 57.82 50.37 7.93 Order Coordination for Specified Conversion Time (per LSR) UAL UAL2W 14.14 95.81 57.82 50.37 7.93 Order Coordination for Specified Conversion Time (per LSR) UAL UAL2W 14.14 95.81 57.82 50.37 7.93 Order Coordination for Specified Conversion Time (per LSR) UAL UAL2W 14.14 95.81 57.82 50.37 7.93 Order Coordination for Specified Conversion Time (per LSR) UAL UAL2W 14.14 95.81 57.82 50.37 7.93 Order Coordination for Specified Conversion Time (per LSR) UAL UAL2W 14.14 95.81 57.82 50.37 7.93 Order Coordination for Specified Conversion Time (per LSR) UAL UAL2W		
CLEC to CLEC Conversion Charge without outside dispatch 2-WIRE ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMPATIBLE LOOP 2 Wire Unbundled ADSL Loop including manual service inquiry 8 facility reservation - Zone 1 2 Wire Unbundled ADSL Loop including manual service inquiry 8 facility reservation - Zone 2 2 Wire Unbundled ADSL Loop including manual service inquiry 8 facility reservation - Zone 2 2 Wire Unbundled ADSL Loop including manual service inquiry 8 facility reservation - Zone 2 2 Wire Unbundled ADSL Loop including manual service inquiry 8 facility reservation - Zone 3 3 UAL UAL2X 13.71 120.84 70.56 50.37 7.93 Order Coordination for Specified Conversion Time (per LSR) 2 Wire Unbundled ADSL Loop without manual service inquiry 8 facility reservation - Zone 1 1 UAL UAL2W 12.19 95.81 57.82 50.37 7.93 2 Wire Unbundled ADSL Loop without manual service inquiry 8 facility reservator - Zone 2 2 UAL UAL2W 13.71 95.81 57.82 50.37 7.93 2 Wire Unbundled ADSL Loop without manual service inquiry 8 facility reservator - Zone 2 2 UAL UAL2W 13.71 95.81 57.82 50.37 7.93 2 Wire Unbundled ADSL Loop without manual service inquiry 8 facility reservator - Zone 2 3 UAL UAL2W 13.71 95.81 57.82 50.37 7.93 Order Coordination for Specified Conversion Time (per LSR) UAL UAL2W 14.14 95.81 57.82 50.37 7.93 Order Coordination for Specified Conversion Time (per LSR) UAL UAL2W 14.14 95.81 57.82 50.37 7.93 Order Coordination for Specified Conversion Time (per LSR) UAL UAL2W 14.14 95.81 57.82 50.37 7.93 Order Coordination for Specified Conversion Time (per LSR) UAL UAL2W 14.14 95.81 57.82 50.37 7.93 Order Coordination for Specified Conversion Time (per LSR) UAL UAL2W 14.14 95.81 57.82 50.37 7.93 Order Coordination for Specified Conversion Time (per LSR) UAL UAL2W 14.14 95.81 57.82 50.37 7.93 Order Coordination for Specified Conversion Time (per LSR) UAL UAL2W 14.14 95.81 57.82 50.37 7.93 Order Coordination for Specified Conversion Time (per LSR) UAL UAL2W 14.14 95.81 57.82 50.37 7.93 Order Coordination for Specified Conversio		
2-WIRE ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMPATIBLE LOOP		
2 Wire Unbundled ADSL Loop including manual service inquiry		
Reacility reservation - Zone 1		
2 Wire Unbundled ADSL Loop including manual service inquiry & facility reservation - Zone 2 2 UAL UAL2X 13.71 120.84 70.56 50.37 7.93 2 Wire Unbundled ADSL Loop including manual service inquiry & facility reservation - Zone 3 3 UAL UAL2X 14.14 120.84 70.56 50.37 7.93 UAL UAL2X 14.14 120.84 70.56 50.37 7.93 UAL OCOSL 18.13 2 Wire Unbundled ADSL Loop without manual service inquiry & facility reservaton - Zone 1 2 Wire Unbundled ADSL Loop without manual service inquiry & facility reservaton - Zone 2 2 Wire Unbundled ADSL Loop without manual service inquiry & facility reservaton - Zone 2 2 Wire Unbundled ADSL Loop without manual service inquiry & facility reservaton - Zone 3 3 UAL UAL2W 13.71 95.81 57.82 50.37 7.93 UAL UAL2W 13.71 95.81 57.82 50.37 7.93 UAL UAL2W 14.14 95.81 57.82 50.37 7.93 UAL UAL2W 14.14 95.81 57.82 50.37 7.93 UAL UAL2W 14.14 95.81 57.82 50.37 7.93 UAL UAL2W 14.14 95.81 57.82 50.37 7.93 UAL UAL2W 14.14 95.81 57.82 50.37 7.93 UAL UAL2W 14.14 95.81 57.82 50.37 7.93 UAL UAL2W 14.14 95.81 57.82 50.37 7.93 UAL UAL2W 14.14 95.81 57.82 50.37 7.93 UAL UAL2W 14.14 95.81 57.82 50.37 7.93 UAL UAL2W 14.14 95.81 57.82 50.37 7.93 UAL UAL2W 14.14 95.81 57.82 50.37 7.93 UAL UAL2W 14.14 95.81 57.82 50.37 7.93 UAL UAL2W 14.14 95.81 57.82 50.37 7.93 UAL UAL2W 14.14 95.81 57.82 50.37 7.93 UAL UAL2W 14.14 95.81 57.82 50.37 7.93 UAL UAL2W 14.14 95.81 57.82 50.37 7.93		
& facility reservation - Zone 2 2 UAL UAL2X 13.71 120.84 70.56 50.37 7.93 2 Wire Unbundled ADSL Loop including manual service inquiry & facility reservation - Zone 3 3 UAL UAL2X 14.14 120.84 70.56 50.37 7.93 Order Coordination for Specified Conversion Time (per LSR) UAL OCOSL 18.13		
2 Wire Unbundled ADSL Loop including manual service inquiry & facility reservation - Zone 3 3 UAL UALZX 14.14 120.84 70.56 50.37 7.93 Order Coordination for Specified Conversion Time (per LSR) 2 Wire Unbundled ADSL Loop without manual service inquiry & facility reservaton - Zone 1 1 UAL UALZW 12.19 95.81 57.82 50.37 7.93 2 Wire Unbundled ADSL Loop without manual service inquiry & facility reservaton - Zone 2 2 UAL UALZW 13.71 95.81 57.82 50.37 7.93 2 Wire Unbundled ADSL Loop without manual service inquiry & facility reservaton - Zone 2 2 UAL UALZW 13.71 95.81 57.82 50.37 7.93 2 Wire Unbundled ADSL Loop without manual service inquiry & facility reservaton - Zone 3 3 UAL UALZW 14.14 95.81 57.82 50.37 7.93 UAL OCOSL 18.13 CLEC to CLEC Conversion Time (per LSR) UAL OCOSL 18.13 CLEC to CLEC Conversion Charge without outside dispatch UAL UREWO 86.38 40.48 2-WIRE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATIBLE LOOP 2 Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 1 UHL UHL2X 9.58 129.52 79.24 50.37 7.93		
Refacility reservation - Zone 3		
Order Coordination for Specified Conversion Time (per LSR) 2 Wire Unbundled ADSL Loop without manual service inquiry & facility reservaton - Zone 1 1 UAL UAL2W 12.19 95.81 57.82 50.37 7.93 2 Wire Unbundled ADSL Loop without manual service inquiry & facility reservaton - Zone 2 2 UAL UAL2W 13.71 95.81 57.82 50.37 7.93 2 Wire Unbundled ADSL Loop without manual service inquiry & facility reservaton - Zone 2 2 UAL UAL2W 13.71 95.81 57.82 50.37 7.93 2 Wire Unbundled ADSL Loop without manual service inquiry & facility reservaton - Zone 3 3 UAL UAL2W 14.14 95.81 57.82 50.37 7.93 Order Coordination for Specified Conversion Time (per LSR) UAL OCOSL 18.13 CLEC to CLEC Conversion Charge without outside dispatch UAL UREWO 86.38 40.48 2-WIRE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATIBLE LOOP 2 Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 1 1 UHL UHL2X 9.58 129.52 79.24 50.37 7.93		T T
2 Wire Unbundled ADSL Loop without manual service inquiry & facility reservaton - Zone 1 1 UAL UAL2W 12.19 95.81 57.82 50.37 7.93 2 Wire Unbundled ADSL Loop without manual service inquiry & facility reservaton - Zone 2 2 UAL UAL2W 13.71 95.81 57.82 50.37 7.93 2 Wire Unbundled ADSL Loop without manual service inquiry & facility reservaton - Zone 3 3 UAL UAL2W 14.14 95.81 57.82 50.37 7.93 2 UAL2W 14.14 95.81 57.82 50.37 7.93 2 UAL2W 14.14 95.81 57.82 50.37 7.93 2 UAL2W 14.14 95.81 57.82 50.37 7.93 2 UAL2W 14.14 95.81 57.82 50.37 7.93 2 UAL2W 14.14 95.81 57.82 50.37 7.93 2 UAL2W 14.14 95.81 57.82 50.37 7.93 2 UAL2W 14.14 95.81 57.82 50.37 7.93 2 UAL2W 14.14 95.81 57.82 50.37 7.93 2 UAL2W 14.14 95.81 57.82 50.37 7.93 2 UAL2W 14.14 95.81 57.82 50.37 7.93 2 UAL2W 14.14 95.81 57.82 50.37 7.93 2 UAL2W 14.14 95.81 57.82 50.37 7.93 2 UAL2W 14.14 95.81 57.82 50.37 7.93 2 UAL2W 14.14 95.81 57.82 5		
Facility reservaton - Zone 1		
2 Wire Unbundled ADSL Loop without manual service inquiry & facility reservaton - Zone 2 UAL UAL2W 13.71 95.81 57.82 50.37 7.93 2 Wire Unbundled ADSL Loop without manual service inquiry & facility reservaton - Zone 3 UAL UAL2W 14.14 95.81 57.82 50.37 7.93 Order Coordination for Specified Conversion Time (per LSR) UAL OCOSL 18.13 CLEC to CLEC Conversion Charge without outside dispatch UAL UREWO 86.38 40.48 2-WIRE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATIBLE LOOP 2 Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 1 UHL UHL2X 9.58 129.52 79.24 50.37 7.93 1 UHL UHL2X 9.58 129.52 79.24 50.37 7.93		
Facility reservation - Zone 2		
2 Wire Unbundled ADSL Loop without manual service inquiry & facility reservation - Zone 3 3 UAL UAL2W 14.14 95.81 57.82 50.37 7.93 Order Coordination for Specified Conversion Time (per LSR) UAL OCOSL 18.13 CLEC to CLEC Conversion Charge without outside dispatch UAL UREWO 86.38 40.48 2-WIRE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATIBLE LOOP 2 Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 1 UHL UHL2X 9.58 129.52 79.24 50.37 7.93 2 UNITED COMPATIBLE UNITED COMPATIBLE UPLICATION OF THE COMPATIBLE UNITED COMPATIBLE U		
Tacility reservation - Zone 3		
Order Coordination for Specified Conversion Time (per LSR) UAL OCOSL 18.13 CLEC to CLEC Conversion Charge without outside dispatch UAL UREWO 86.38 40.48 2-WIRE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATIBLE LOOP 2 Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 1 1 UHL UHL2X 9.58 129.52 79.24 50.37 7.93		
CLEC to CLEC Conversion Charge without outside dispatch 2-WIRE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATIBLE LOOP 2 Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 1 1 UHL UHL2X 9.58 129.52 79.24 50.37 7.93 2 Wire Unbundled HDSL Loop including manual service inquiry		
2-WIRE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATIBLE LOOP 2 Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 1 1 UHL UHL2X 9.58 129.52 79.24 50.37 7.93 2 Wire Unbundled HDSL Loop including manual service inquiry		
2 Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 1 1 UHL UHL2X 9.58 129.52 79.24 50.37 7.93 2 Wire Unbundled HDSL Loop including manual service inquiry		
& facility reservation - Zone 1 1 UHL UHL2X 9.58 129.52 79.24 50.37 7.93 2 Wire Unbundled HDSL Loop including manual service inquiry		
2 Wire Unbundled HDSL Loop including manual service inquiry		
& facility reservation - Zone 2 2 UHL UHL2X 10.92 129.52 79.24 50.37 7.93		
2 Wire Unbundled HDSL Loop including manual service inquiry		
& facility reservation - Zone 3 3 UHL UHL2X 11.40 129.52 79.24 50.37 7.93		
Order Coordination for Specified Conversion Time (per LSR) UHL OCOSL 18.13		
2 Wire Unbundled HDSL Loop without manual service inquiry		
and facility reservation - Zone 1 1 UHL UHL2W 9.58 104.49 66.50 50.37 7.93		
2 Wire Unbundled HDSL Loop without manual service inquiry		
and facility reservation - Zone 2 2 UHL UHL2W 10.92 104.49 66.50 50.37 7.93		
2 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - 7 one 3		
Order Coordination for Specified Conversion Time (per LSR) UHL OCOSL 18.13		+
CLEC to CLEC Conversion Charge without outside dispatch UHL UREWO 86.32 40.48		+
4-WIRE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATIBLE LOOP 4 Wire Unbundled HDSL Loop including manual service inquiry		+
4 Wire Unbundled HUSL Loop including manual service inquiry and facility reservation - Zone 1 1 UHL UHL4X 16.02 158.18 107.89 55.12 10.38		1
aind lacinity reservation - 2016 1 Uril. Unit.4 16.02 156.16 107.69 55.12 10.36 14-Wire Unbundled HDSL Loop including manual service inquiry		+ + +
4-vivile Unburinded in IDSL Loop including manual service inquiry and facility reservation - Zone 2 UHL UHL4X 14.33 158.18 107.89 55.12 10.38		1
and lacinity reservation - Zone 2 Unit Unit.4A 14.33 136.16 107.89 35.12 10.36 4-Wire Unbundled HDSL Loop including manual service inquiry		+
and facility reservation - Zone 3 UHL UHL4X 16.84 158.18 107.89 55.12 10.38		
dailu latuliny reservation - 2016 3 - 3 - 5		+
4-Wire Unbundled HDSL Loop without manual service inquiry		+ +
and facility reservation - Zone 1 1 UHL UHL4W 16.02 133.14 95.16 55.12 10.38		1
4-Wire Unbundled HDSL Loop without manual service inquiry		+ + +
and facility reservation - Zone 2 UHL UHL4W 14.33 133.14 95.16 55.12 10.38		
4-Wire Unbundled HDSL Loop without manual service inquiry		+ + +
and facility reservation - Zone 3 UHL UHL4W 16.84 133.14 95.16 55.12 10.38		
Order Coordination for Specified Conversion Time (per LSR) UHL IOCOSL 18.13		1
CLEC to CLEC Conversion Charge without outside dispatch UHL UREWO 86.32 40.48		1
4-WIRE DS1 DIGITAL LOOP		1
4-Wire DS1 Digital Loop - Zone 1		
4-Wire DS1 Digital Loop - Zone 2 2 USL USLXX 136.00 253.03 157.89 44.80 11.73		1
4-Wire DS1 Digital Loop - Zone 3 3 USL USLXX 229.15 253.03 157.89 44.80 11.73		
Order Coordination for Specified Conversion Time (per LSR) USL OCOSL 18.13		

UNBUNDLE	D NETWORK ELEMENTS - South Carolina			ı							T -	T -		ment: 2	1	bit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			1	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Charge -	Increment Charge - Manual Sv Order vs. Electronic Disc Add
						Rec	Nonrec	urring	Nonrecurring	Disconnect				Rates (\$)		
						1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	CLEC to CLEC Conversion Charge without outside dispatch			USL	UREWO		101.30	43.13								
4-WIRE	E 19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP															
	4 Wire Unbundled Digital 19.2 Kbps			UDL	UDL19	29.93	126.66	89.12		14.61						
	4 Wire Unbundled Digital 19.2 Kbps			UDL	UDL19	33.99	126.66	89.12	59.35	14.61						
	4 Wire Unbundled Digital 19.2 Kbps		3	UDL	UDL19	34.74	126.66	89.12	59.35	14.61						
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 1		1	UDL	UDL56	29.93	126.66	89.12	59.35	14.61						
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 2		2	UDL	UDL56	33.99	126.66	89.12	59.35	14.61						
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 3		3	UDL	UDL56	34.74	126.66	89.12	59.35	14.61						
	Order Coordination for Specified Conversion Time (per LSR)			UDL	OCOSL		18.13									
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 1		1	UDL	UDL64	29.93	126.66	89.12	59.35	14.61						
i	4 Wire Unbundled Digital Loop 64 Kbps - Zone 2		2	UDL	UDL64	33.99	126.66	89.12	59.35	14.61	1				1	
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 3		3	UDL	UDL64	34.74	126.66	89.12		14.61	1	ĺ	ĺ	1		
	Order Coordination for Specified Conversion Time (per LSR)			UDL	OCOSL		18.13									
	CLEC to CLEC Conversion Charge without outside dispatch			UDL	UREWO		102.34	49.85								
2-WIRE	Unbundled COPPER LOOP															
	2-Wire Unbundled Copper Loop-Designed including manual															
	service inquiry & facility reservation - Zone 1		1	UCL	UCLPB	12.19	119.91	69.62	50.37	7.93						
 	2-Wire Unbundled Copper Loop-Designed including manual		<u> </u>	002	OOL: D	12.10	110.01	00.02	00.07	7.00	1					
	service inquiry & facility reservation - Zone 2		2	UCL	UCLPB	13.71	119.91	69.62	50.37	7.93						İ
	2 Wire Unbundled Copper Loop-Designed including manual			OCL	OCLI D	13.71	113.31	03.02	30.37	7.55						
			3	UCL	UCLPB	14.14	119.91	69.62	50.37	7.93						ĺ
	service inquiry & facility reservation - Zone 3		3	UCL	UCLMC	14.14	8.17	8.17		7.93						
	Order Coordination for Unbundled Copper Loops (per loop)		-	UCL	UCLIVIC		8.17	8.17								
	2-Wire Unbundled Copper Loop-Designed without manual		1	UCL	UCLPW	12.19	04.07	56.89	50.07	7.93						
	service inquiry and facility reservation - Zone 1	-	- 1	UCL	UCLPVV	12.19	94.87	56.89	50.37	7.93						—
	2-Wire Unbundled Copper Loop-Designed without manual		_					=		= 00						
	service inquiry and facility reservation - Zone 2		2	UCL	UCLPW	13.71	94.87	56.89	50.37	7.93						
	2-Wire Unbundled Copper Loop-Designed without manual		_					=		= 00						
	service inquiry and facility reservation - Zone 3		3	UCL	UCLPW	14.14	94.87	56.89		7.93						!
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		8.17	8.17								
	CLEC to CLEC Conversion Charge without outside dispatch															ĺ
	(UCL-Des)			UCL	UREWO		94.87	42.57								
4-WIRE	COPPER LOOP				1											<u> </u>
	4-Wire Copper Loop-Designed including manual service inquiry															İ
	and facility reservation - Zone 1		1	UCL	UCL4S	19.64	144.17	93.88	55.12	10.38						
	4-Wire Copper Loop-Designed including manual service inquiry															İ
	and facility reservation - Zone 2		2	UCL	UCL4S	20.90	144.17	93.88	55.12	10.38						İ
	4-Wire Copper Loop-Designed including manual service inquiry															
	and facility reservation - Zone 3		3	UCL	UCL4S	19.34	144.17	93.88	55.12	10.38						İ
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		8.17	8.17								
	4-Wire Copper Loop-Designed without manual service inquiry															
	and facility reservation - Zone 1		1	UCL	UCL4W	19.64	119.13	81.15	55.12	10.38						ĺ
	4-Wire Copper Loop-Designed without manual service inquiry												Î			
	and facility reservation - Zone 2		2	UCL	UCL4W	20.90	119.13	81.15	55.12	10.38						ĺ
	4-Wire Copper Loop-Designed without manual service inquiry															
	and facility reservation - Zone 3		3	UCL	UCL4W	19.34	119.13	81.15	55.12	10.38						İ
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		8.17	8.17								
	CLEC to CLEC Conversion Charge without outside dispatch															
	(UCL-Des)			UCL	UREWO		94.87	42.57								
LOOP MODIFIC																
				UAL, UHL, UCL,												
1				UEQ, ULS, UEA,								1			I	1
	Unbundled Loop Modification, Removal of Load Coils - 2 Wire			UEANL, UEPSR,	1											1
	pair less than or equal to 18k ft, per Unbundled Loop		1	UEPSB	ULM2L		32.46	32.46			1	l	l	1	1	1
	Unbundled Loop Modification Removal of Load Coils - 4 Wire		-	02.00	CLIVIZE		02.40	02.40			 	 	 		1	
	less than or equal to 18K ft, per Unbundled Loop			UHL, UCL, UEA	ULM4L		32.46	32.46								1
	ress than or equal to Tork It, per Unbulluled Loop	 		UAL, UHL, UCL,	ULIVIHL		32.40	32.40			1	-	1	 	+	
1				UEQ, ULS, UEA,								1			I	1
1	Unbundled Loop Modification Removal of Bridged Tap Removal,			UEANL. UEPSR.	1											1
1	per unbundled loop	1	1	UEPSB	ULMBT		32.48	32.48			1	I	1	1	1	1
1	per unburialea 100p	l .		UEPSB	OLIVID I		32.48	32.48	1		1	1		<u> </u>	<u> </u>	1

Substitute Sub	UNBUNE	DLED	NETWORK ELEMENTS - South Carolina												Attach	ment: 2	Exhi	bit: A
Test					Zone	BCS	USOC			RATES (\$)			Submitted Elec	Submitted Manually	Charge - Manual Svc Order vs.	Charge - Manual Svc Order vs.	Charge - Manual Svc Order vs.	Order vs.
Second Second Microbiolitics																		Electronic- Disc Add'l
Size-Loss Marthelion									Nonrec	curring	Nonrecurring	Disconnect			OSS	Rates (\$)		
Selective Per Circle Box Location - CELC Feeder Facility Sele								Rec					SOMEC	SOMAN			SOMAN	SOMAN
Sto-Lagor - Per Cross Bot Location - Per St Preder Facility Set J. JEANA. USSISSA 244.42 244.4																		
DEADLE D	Su																	
Sub-Loco Per Building Equipment Room - Per SP Par Parl UEANL USSIG			Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set- Up	I		UEANL	USBSA		241.42	241.42								
Facility Set-Up Facility Set-Up Set-Up Facility Set-Up S				I		UEANL	USBSB		22.69	22.69								
Sub-Loop - Fee Falling Experiment Norm - Per 25 Per Parriel U.SANL U.SSNC Sub-Loop Destrobution Per 2-Wire Analog Voice Grade Loop 1 U.SANL U.SSNC 8.87 65.54 31.03 45.36 6.71						UEANL	USBSC		177.84	177.84								
Sub-Loop Distribution Per 2-Wite Analogy Vices Grade Loop - 1			Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel	ı														
Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop				-	1			8.87			45.35	6.71						
Zone 3			Zone 2	I	2	UEANL	USBN2	12.58	65.94	31.03	45.35	6.71						
Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop				1	3	UEANL	USBN2	14.79	65.94	31.03	45.35	6.71						
Zone 1 UEANL						UEANL	USBMC		8.17	8.17								
Zone 2 Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop			Zone 1		1	UEANL	USBN4	14.11	79.21	44.29	49.82	9.09						
Zone 3			Zone 2		2	UEANL	USBN4	19.40	79.21	44.29	49.82	9.09						
Sub-Loop 2-Wire Intrabulding Network Cable (INC)					3	UEANL	USBN4	18.90	79.21	44.29	49.82	9.09						
Sub-Loop 2-Wire Intrabuliding Network Cable (INC)			Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		8.17	8.17								
Sub-Loop -Wire Intrabuliding Network Cable (INC)				I				2.41			45.35	6.71						
Sub-Loop -Wire Intrabuliding Network Cable (INC)			Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		8.17	8.17								
Loop Testing - Basic Additional Half Hour			Sub-Loop 4-Wire Intrabuilding Network Cable (INC)	I		UEANL	USBR4	5.36	59.38	24.47	49.82	9.09						
Loop Testing - Basic Ast Half Hour			Order Coordination for Unbundled Sub-Loops, per sub-loop pair			LIFANI	USBMC		8 17	8 17								
2 Wire Copper Unbundled Sub-Loop Distribution - Zone 2																		
2 Wire Copper Unbundled Sub-Loop Distribution - Zone 2			Loop Testing - Basic Additional Half Hour			UEANL	URETA		19.90	19.90			1					
2 Wire Copper Unbundled Sub-Loop Distribution - Zone 3				ı														
Order Coordination for Unbundled Sub-Loops, per sub-loop pair UEF USBMC 8.17				Ī														
A Wire Copper Unbundled Sub-Loop Distribution - Zone 1	\vdash			- 1	3			10.48			45.35	6.71						
4 Wire Copper Unbundled Sub-Loop Distribution - Zone 2																		
A Wire Copper Unbundled Sub-Loop Distribution - Zone 3	\vdash			_ !											ļ			
Loop Testing - Basic 1st Half Hour																		
Loop Testing - Basic Additional Half Hour			Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEF												
Unbundled Network Terminating Wire (UNTW) UENTW UENPP 0.3303 30.20 30.20 30.20																		
Unbundled Network Terminating Wire (UNTW) per Pair UENTW UENPP 0.3303 30.20 30.20	<u> </u>					UEF	URETA		19.90	19.90	ļ		ļ	ļ				
Network Interface Device (NID) - 1-2 lines	Un					LIENTW/	LIENIDD	0.3303	20.20	30.30	<u> </u>		-					
Network Interface Device (NID) - 1-2 lines	Ne					OLIVIVV	OLINFF	0.5505	30.20	30.20				 				
Network Interface Device (NID) - 1-6 lines	100					UENTW	UND12		43.68	28.79								
Network Interface Device Cross Connect - 4W		ĺ	Network Interface Device (NID) - 1-6 lines			UENTW	UND16		64.42	49.53								
UNE OTHER, PROVISIONING ONLY - NO RATE NID - Dispatch and Service Order for NID installation																		
NID - Dispatch and Service Order for NID installation UENTW UNDBX 0.00 0.00 UNTW Circuit Id Establishment, Provisioning Only - No Rate UENTW UENCE 0.00 0.00 Unbundled Contract Name, Provisioning Only - No Rate ENTW UNECN 0.00 0.00	LINE SET					UENTW	UNDC4		5.92	5.92			ļ					
UNTW Circuit Id Establishment, Provisioning Only - No Rate UENTW UENCE 0.00 0.00 UEANL,UEF,UEQ,U Unbundled Contract Name, Provisioning Only - No Rate ENTW UNECN 0.00 0.00	UNE OTHE				-	LIENTON	LINDRY	0.00	0.00				<u> </u>	ļ	 			
UEANL,UEF,UEQ,U Unbundled Contract Name, Provisioning Only - No Rate ENTW UNECN 0.00 0.00	 																	
						UEANL,UEF,UEQ,U												
UNE OTHER, PROVISIONING ONLY - NO RATE	LINE OTUE					ENTW	UNECN	0.00	0.00				ļ	-				

ONDONDL	ED NETWORK ELEMENTS - South Carolina												Attach	ment: 2	Exhi	bit: A
												Svc Order			Incremental	Incremental
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		Interi	l_								Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
\vdash		-	1				Nonred	urring	Nonrecurring	Disconnect			220	Rates (\$)		
		-				Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
			1				THOU	Addi	11130	Addi	JONEC	JOWAN	JONIAN	JONAN	JOHAN	JOHAN
				UAL,UCL,UDC,UDL,												
	Unbundled Contact Name, Provisioning Only - no rate			UDN,UEA,UHL,ULC	UNECN	0.00	0.00									
	Unbundled Sub-Loop Feeder-2 Wire Cross Box Jumper - no															
	rate			UEA,UDN,UCL,UDC	USBFQ	0.00	0.00									
	Unbundled Sub-Loop Feeder-4 Wire Cross Box Jumper - no															
	rate			UEA,USL,UCL,UDL	USBFR	0.00	0.00									
\sqsubseteq	Unbundled DS1 Loop - Superframe Format Option - no rate			USL	CCOSF	0.00	0.00									
	Unbundled DS1 Loop - Expanded Superframe Format option -															
	no rate			USL	CCOEF	0.00	0.00									
HIGH CAPAC	CITY UNBUNDLED LOCAL LOOP	-	1													
	High Capacity Unbundled Local Loop - DS3 - Per Mile per month			UE3	1L5ND	12.26									1	
\vdash	montn High Capacity Unbundled Local Loop - DS3 - Facility	1	 	ULO	ILDIND	12.26								 	 	
	Termination per month			UE3	UE3PX	306.36	452.52	264.53	119.75	83.77						
\vdash	High Capacity Unbundled Local Loop - STS-1 - Per Mile per	 		020	JLJI A	300.30	+02.02	204.33	115.75	03.77					 	
	month			UDLSX	1L5ND	12.26										
	High Capacity Unbundled Local Loop - STS-1 - Facility			05207	120112	12.20										
	Termination per month			UDLSX	UDLS1	313.49	452.52	264.53	119.75	83.77						
LOOP MAKE																
	Loop Makeup - Preordering Without Reservation, per working or															
	spare facility queried (Manual).			UMK	UMKLW		24.04	24.04								
	Loop Makeup - Preordering With Reservation, per spare facility															
	queried (Manual).			UMK	UMKLP		25.49	25.49								
	Loop MakeupWith or Without Reservation, per working or															
	spare facility queried (Mechanized)			UMK	UMKMQ		0.34	0.34								
	NG AND LINE SPLITTING	<u> </u>	<u>L</u>		<u> </u>				L							
	E 1: The Line Sharing monthly recurring rates for all installation					lanight Octobe	r 01, 2004 snai	i be billed as t	ollows:							
	E 1: 10/02/2003 – 10/01/2004: 25% of the rate for an unbundled co E 1: 10/02/2004 – 10/01/2005: 50% of the rate for UCLND	opper ic	op noi	I-designed (OCLND	' '											
	E 1: 10/02/2004 - 10/01/2003: 30 % of the rate for UCLND	-														
	E 1: Above will apply to USOCS: ULSDT and ULSCT															
	TE 2: The Line Sharing monthly recurring rates with USOCs UL	SDC an	ULSC	CC applies only to ci	rcuits install	ed and inservic	e on or before	October 1, 20	03							
	SHARING			1				,								
SPLI	TTERS-CENTRAL OFFICE BASED															
	Line Sharing Splitter, per System 96 Line Capacity			ULS	ULSDA	216.22	189.21	0.00	178.38	0.00						
	Line Sharing Splitter, per System 24 Line Capacity			ULS	ULSDB	54.05	189.21	0.00	178.38	0.00						
	Line Sharing Splitter, Per System, 8 Line Capacity			ULS	ULSD8	18.02	189.21	0.00	178.38	0.00						
1	Line Sharing-DLEC Owned Splitter in CO-CFA activaton-	1	1	l	l										I	
	deactivation (per LSOD)	 	<u> </u>	ULS	ULSDG		86.67	0.00	49.95	0.00				 	-	
	USER ORDERING-CENTRAL OFFICE BASED LINE SHARING	<u> </u>	-	 	1									-	 	
END	I in a Charing part line Activation (DCT Owned == 1:44==)			1	1			40.00	10.04	4.93					1	
END	Line Sharing - per Line Activation (BST Owned splitter) -			IIIS	TH SDC	0.64				4.93	1	1		1		l
END	OBSOLETE see **NOTE 2			ULS	ULSDC	0.61	18.55	10.62	10.04						†	
END	OBSOLETE see **NOTE 2 Line Share Service, TRO per line activation, BST owned splitter -			ULS	ULSDC	0.61	18.55	10.62	10.04							
END	OBSOLETE see **NOTE 2 Line Share Service, TRO per line activation, BST owned splitter - Central Office Located (25% of UCLND) - please see NOTE 1															
END	OBSOLETE see **NOTE 2 Line Share Service, TRO per line activation, BST owned splitter - Central Office Located (25% of UCLND) - please see NOTE 1 (E:10/2/2003)			ULS	ULSDT	3.24	18.55	10.62	10.04	4.93						
END	OBSOLETE see **NOTE 2 Line Share Service, TRO per line activation, BST owned splitter - Central Office Located (25% of UCLND) - please see NOTE 1															
END	OBSOLETE see **NOTE 2 Line Share Service, TRO per line activation, BST owned splitter - Central Office Located (25% of UCLND) - please see NOTE 1 (E:10/2/2003) Line Share Service, TRO per line activation, BST owned splitter -															
END	OBSOLETE see **NOTE 2 Line Share Service, TRO per line activation, BST owned splitter - Central Office Located (25% of UCLND) - please see NOTE 1 (E:10/2/2003) Line Share Service, TRO per line activation, BST owned splitter - Central Office Located (50% of UCLND) - please see NOTE 1			ULS	ULSDT	3.24	18.55	10.62	10.04	4.93						
END	OBSOLETE see **NOTE 2 Line Share Service, TRO per line activation, BST owned splitter- Central Office Located (25% of UCLND) - please see NOTE 1 (E:10/2/2003) Line Share Service, TRO per line activation, BST owned splitter- Central Office Located (50% of UCLND) - please see NOTE 1 (E:10/2/2004) Line Share Service, TRO per line activation, BST owned splitter- Central Office Located (75% of UCLND) - please see NOTE 1			ULS	ULSDT	3.24	18.55 18.55	10.62	10.04	4.93						
END	OBSOLETE see **NOTE 2 Line Share Service, TRO per line activation, BST owned splitter- Central Office Located (25% of UCLND) - please see NOTE 1 (E:10/2/2003) Line Share Service, TRO per line activation, BST owned splitter- Central Office Located (50% of UCLND) - please see NOTE 1 (E:10/2/2004) Line Share Service, TRO per line activation, BST owned splitter- Central Office Located (75% of UCLND) - please see NOTE 1 (E:10/2/2005)			ULS	ULSDT	3.24	18.55	10.62	10.04	4.93						
END	OBSOLETE see **NOTE 2 Line Share Service, TRO per line activation, BST owned splitter- Central Office Located (25% of UCLND) - please see NOTE 1 (E:10/2/2003) Line Share Service, TRO per line activation, BST owned splitter- Central Office Located (50% of UCLND) - please see NOTE 1 (E:10/2/2004) Line Share Service, TRO per line activation, BST owned splitter- Central Office Located (75% of UCLND) - please see NOTE 1 (E:10/2/2005) Line Sharing - per Subsequent Activity per Line			ULS ULS	ULSDT ULSDT ULSDT	3.24	18.55 18.55	10.62 10.62	10.04	4.93						
I END	OBSOLETE see **NOTE 2 Line Share Service, TRO per line activation, BST owned splitter- Central Office Located (25% of UCLND) - please see NOTE 1 (E:10/2/2003) Line Share Service, TRO per line activation, BST owned splitter- Central Office Located (50% of UCLND) - please see NOTE 1 (E:10/2/2004) Line Share Service, TRO per line activation, BST owned splitter- Central Office Located (75% of UCLND) - please see NOTE 1 (E:10/2/2005) Line Sharing - per Subsequent Activity per Line Rearrangement(BST Owned Splitter)			ULS	ULSDT	3.24	18.55 18.55	10.62	10.04	4.93						
IEND	OBSOLETE see **NOTE 2 Line Share Service, TRO per line activation, BST owned splitter- Central Office Located (25% of UCLND) - please see NOTE 1 (E:10/2/2003) Line Share Service, TRO per line activation, BST owned splitter- Central Office Located (50% of UCLND) - please see NOTE 1 (E:10/2/2004) Line Share Service, TRO per line activation, BST owned splitter- Central Office Located (75% of UCLND) - please see NOTE 1 (E:10/2/2005) Line Sharing - per Subsequent Activity per Line Rearrangement(BST Owned Splitter) Line Sharing - per Subsequent Activity per Line			ULS ULS ULS	ULSDT ULSDT ULSDT ULSDS	3.24	18.55 18.55 18.55 16.42	10.62 10.62 10.62 8.21	10.04	4.93						
END	OBSOLETE see **NOTE 2 Line Share Service, TRO per line activation, BST owned splitter- Central Office Located (25% of UCLND) - please see NOTE 1 (E:10/2/2003) Line Share Service, TRO per line activation, BST owned splitter- Central Office Located (50% of UCLND) - please see NOTE 1 (E:10/2/2004) Line Share Service, TRO per line activation, BST owned splitter- Central Office Located (75% of UCLND) - please see NOTE 1 (E:10/2/2005) Line Sharing - per Subsequent Activity per Line Rearrangement(BST Owned Splitter)			ULS ULS	ULSDT ULSDT ULSDT	3.24	18.55 18.55	10.62 10.62	10.04	4.93						

UNBUNDLE	D NETWORK ELEMENTS - South Carolina		_											ment: 2	1	ibit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			II .	Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
						Rec	Nonrec		Nonrecurring					Rates (\$)		
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Line Share Service, TRO per line activation, CLEC owned															
	splitter - Central Office Located (25% of UCLND) - please see															
	NOTE 1 (E:10/2/2003)			ULS	ULSCT	3.24	47.44	19.31	20.67	12.74						
	Line Share Service, TRO per line activation, CLEC owned															
	splitter - Central Office Located (50% of UCLND) - please see NOTE 1 (E:10/2/2004)			ULS	ULSCT	6.47	47.44	19.31	20.67	12.74						
	Line Share Service, TRO per line activation, CLEC owned			OLO	ULSCI	0.47	47.44	15.51	20.07	12.74	+		-		-	
	splitter - Central Office Located (75% of UCLND) - please see															
	NOTE 1 (E:10/2/2005)			ULS	ULSCT	9.71	47.44	19.31	20.67	12.74						
LINE	SPLITTING					-										
	JSER ORDERING-CENTRAL OFFICE BASED															
	Line Splitting - per line activation DLEC owned splitter			UEPSR UEPSB	UREOS	0.61										
	Line Splitting - per line activation BST owned - physical			UEPSR UEPSB	UREBP	0.61	37.09	21.24		9.85						
	Line Splitting - per line activation BST owned - virtual			UEPSR UEPSB	UREBV	0.61	37.09	21.24	20.07	9.85						
MAIN	TENANCE															
	No Trouble Found - per 1/2 hour increments - Basic						80.00	55.00								
	No Trouble Found - per 1/2 hour increments - Overtime						120.00	82.50								ļ
UNDUNDUED.	No Trouble Found - per 1/2 hour increments - Premium						160.00	110.00								ļ
	DEDICATED TRANSPORT OFFICE CHANNEL - DEDICATED TRANSPORT	-	ļ		+ +								1		1	
INTER	Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade -				+				-		 					+
	Per Mile per month			U1TVX	1L5XX	0.0167										
	Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade -	1	1	OTTVX	TESAX	0.0107					1					
	Facility Termination			U1TVX	U1TV2	24.30	40.63	27.47	16.77	6.91						
	Interoffice Channel - Dedicated Transpor t- 2-Wire Voice Grade			0	02	2	10.00	2	10.77	0.01	1					
	Rev Bat Per Mile per month			U1TVX	1L5XX	0.0167										
	Interoffice Channel - Dedicated Transport- 2- Wire VG Rev Bat.															
	Facility Termination			U1TVX	U1TR2	24.30	40.63	27.47	16.77	6.91						
	Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade	ł														
	Per Mile per month			U1TVX	1L5XX	0.0167										
	Interoffice Channel - Dedicated Transport - 4- Wire Voice Grade															
	- Facility Termination			U1TVX	U1TV4	21.29	40.63	27.47	16.77	6.91						
	Interoffice Channel - Dedicated Transport - 56 kbps - per mile															
	per month			U1TDX	1L5XX	0.0167					ļ					-
	Interoffice Channel - Dedicated Transport - 56 kbps - Facility			LIATOV	LIATOR	40.70	40.00	07.47	40.77	0.04						
\vdash	Termination Interoffice Channel - Dedicated Transport - 64 kbps - per mile	1	 	U1TDX	U1TD5	16.76	40.63	27.47	16.77	6.91	1		 		 	
1 1	per month	1		U1TDX	1L5XX	0.0167						1	I		I	
 	Interoffice Channel - Dedicated Transport - 64 kbps - Facility	 	 	01100	1LU/XX	0.0107			+		 		 	 	 	
1 1	Termination	1		U1TDX	U1TD6	16.76	40.63	27.47	16.77	6.91			I		I	
	Interoffice Channel - Dedicated Channel - DS1 - Per Mile per	l –	t		1		.0.00	2	10	3.31			1	İ	1	
	month			U1TD1	1L5XX	0.3415							1		1	
	Interoffice Channel - Dedicated Tranport - DS1 - Facility				1											
	Termination	<u> </u>	L	U1TD1	U1TF1	77.14	89.47	81.99	16.39	14.48		<u> </u>	<u> </u>		<u> </u>	
	Interoffice Channel - Dedicated Transport - DS3 - Per Mile per															
	month	ļ	<u> </u>	U1TD3	1L5XX	8.02										<u> </u>
	Interoffice Channel - Dedicated Transport - DS3 - Facility				1								1		1	
	Termination per month	ļ	<u> </u>	U1TD3	U1TF3	880.65	279.37	163.12	60.33	58.59			ļ		ļ	
	Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per	1		114704	41.500/	0.00						1	I		I	
\vdash	month	-	 	U1TS1	1L5XX	8.02			+		ļ		 	-	 	
	Interoffice Channel - Dedicated Transport - STS-1 - Facility Termination	1		U1TS1	U1TFS	880.55	279.37	163.12	60.33	58.59			I		I	
DARK FIBER		1	 	01101	UIIFS	680.55	219.31	103.12	60.33	58.59	1	-	 	1	 	-
DANK FIBER	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction	 	 		+ +				1		1		t	 	t	
	Thereof per month - Interoffice Channel	1		UDF, UDFCX	1L5DF	36.41						1	I		I	
	NRC Dark Fiber - Interoffice Channel		 	UDF, UDFCX	UDF14	33.41	640.51	138.17	317.76	198.11			1	İ	1	
	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction	1	i –	,	1		,		1			İ	1	İ	1	
	Thereof per month - Local Loop	1		UDF, UDFCX	1L5DL	97.65						1	I		I	
	NRC Dark Fiber - Local Loop			UDF, UDFCX	UDFL4		640.51	138.17	317.76	198.11						

UNBUNDL	ED NETWORK ELEMENTS - South Carolina												Attach	ment: 2	Exhi	ibit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			I .	Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrec	urring	Nonrecurring					Rates (\$)	•	•
						1160	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
8XX ACCESS	TEN DIGIT SCREENING			OLID	1	0.0000070										ļ
 	8XX Access Ten Digit Screening, Per Call 8XX Access Ten Digit Screening, Reservation Charge Per 8XX			OHD	-	0.0006673									-	
	Number Reserved			OHD	N8R1X		2.59	0.44								
	8XX Access Ten Digit Screening, Per 8XX No. Established W/O POTS Translations			OHD			5.95	0.81	4.58	0.54						
	8XX Access Ten Digit Screening, Per 8XX No. Established With POTS Translations			OHD	N8FTX		5.95	0.81	4.58	0.54						
\vdash	8XX Access Ten Digit Screening, Customized Area of Service			OHD	INOF I A		5.95	0.61	4.56	0.54						
	Per 8XX Number 8XX Access Ten Digit Screening, Multiple InterLATA CXR			OHD	N8FCX		2.59	1.30			1					
	Routing Per CXR Requested Per 8XX No.			OHD	N8FMX		3.03	1.74								
	8XX Access Ten Digit Screening, Change Charge Per Request			OHD	N8FAX		3.03	0.44							—	+
	8XX Access Ten Digit Screening, Call Handling and Destination						5.55	3. F4								1
	Features			OHD	N8FDX	<u> </u>	2.59	2.59								
	8XX Access Ten Digit Screening, w/ 8XX No. Delivery			OHD		0.0006673		-								
	8XX Access Ten Digit Screening, w/ POTS No. Delivery			OHD		0.0006673										
LINE INFORM	IATION DATA BASE ACCESS (LIDB)															
\vdash	LIDB Common Transport Per Query			OQT	1	0.0000246										ļ
\vdash	LIDB Validation Per Query LIDB Originating Point Code Establishment or Change			OQU OQT, OQU	NRBPX	0.0138158	34.40		42.18						-	ļ
SIGNALING (OQ1, OQU	INRBPA		34.40		42.18							
OIOWALINO (CCS7 Signaling Connection, Per 56 Kbps Facility			UDB	TPP++	16.93	35.61	35.61	16.48	16.48	1					+
	CCS7 Signaling Termination, Per STP Port			UDB	PT8SX	163.49	00.01	00.01	10.10	10.10						
	CCS7 Signaling Usage, Per TCAP Message			UDB		0.0000692										1
	CCS7 Signaling Connection, Per link (A link)			UDB	TPP++	16.93	35.61	35.61	16.48	16.48						
	CCS7 Signaling Connection, Per link (B link) (also known as D link)			UDB	TPP++	16.93	35.61	35.61	16.48	16.48						
	CCS7 Signaling Usage, Per ISUP Message			UDB		0.0000173										
	CCS7 Signaling Usage Surrogate, per link per LATA			UDB	STU56	791.37										
	CCS7 Signaling Point Code, per Originating Point Code Establishment or Change, per STP affected			UDB	CCAPO		29.08	29.08	35.65	35.65						
	CCS7 Signaling Point Code, per Destination Point Code															
E911 SERVIC	Establishment or Change, Per Stp Affected			UDB	CCAPD		29.08	29.08	35.65	35.65						
E911 SERVIC	Local Channel - Dedicated - 2-wr Voice Grade				1	15.33	193.53	33.24	36.72	3.21						+
	Interoffice Transport - Dedicated - 2-wr Voice Grade Per Mile				1	0.0167	190.00	55.24	50.72	5.21	1				†	†
	Interoffice Transport - Dedicated - 2-wr Voice Grade Per Facility				i	5.5.57								İ	1	1
	Termination					24.30	40.63	27.47	16.77	6.91					I	
	Local Channel - Dedicated - DS1 - Zone 1			•		42.62	177.87	154.06	22.24	15.30						
	Local Channel - Dedicated - DS1 - Zone 2					70.32	177.87	154.06	22.24	15.30						ļ
\vdash	Local Channel - Dedicated - DS1 - Zone 3				1	190.68	177.87	154.06	22.24	15.30						+
\vdash	Interoffice Transport - Dedicated - DS1 Per Mile				+	0.3415					1				1	
0411000000	Interoffice Transport - Dedicated - DS1 Per Facility Termination					77.14	89.47	81.99	16.39	14.48						
CALLING NA	ME (CNAM) SERVICE CNAM For DB Owners - Service Establishment			OQV	+		23.00	23.00	21.15	21.15	-			-	 	┼──┤
\vdash	CNAM For DB Owners - Service Establishment CNAM For Non DB Owners - Service Establishment			OQV	1		23.00	23.00	21.15	21.15	1			1	 	+
	CNAM For DB Owners - Service Provisioning With Point Code			000	+		23.00	23.00	21.15	21.15					 	
	Establishment CNAM For Non DB Owners - Service Provisioning With Point			OQV	1		993.09	734.47	269.53	198.18					ļ	
	Code Establishment			OQV			343.09	245.69	275.87	198.18					I	
\vdash	CNAM for DB Owners, Per Query			OQV	1	0.0010433	343.08	240.09	213.01	130.10	†				t	
	CNAM for Non DB Owners, Per Query			OQV	1	0.0010433								1	1	<u> </u>
LNP Query Se					i				i i		Ì			ĺ	1	1
	LNP Charge Per query					0.0008837			<u> </u>							
	LNP Service Establishment Manual			-			25.09	25.09	23.07	23.07						
	LNP Service Provisioning with Point Code Establishment						594.82	303.88	269.53	198.18				ļ	L	
SELECTIVE F	ROUTING				1						1				1	

UNBUNDLE	D NETWORK ELEMENTS - South Carolina			1	_	1								ment: 2		bit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)				Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
			ļ			Rec	Nonrec		Nonrecurring					Rates (\$)		
	October a Decision Decision of the October Oct		1		-	1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Selective Routing Per Unique Line Class Code Per Request Per Switch						84.89	84.89	14.14	14.14						
VIRTUAL COL			1		+		04.09	04.09	14.14	14.14					 	
VIII OAL GOL	Virtual Collocation-2 Wire Cross Connects (Loop) for Line		1		+										<u> </u>	
	Splitting			UEPSR UEPSB	VE1LS	0.0317	12.32	11.83	6.04	5.45						
PHYSICAL CO																
	Physical Collocation-2 Wire Cross Connects (Loop) for Line															
	Splitting		ļ	UEPSR UEPSB	PE1LS	0.0341	12.32	11.83	6.04	5.45						
AIN SELECTIV	/E CARRIER ROUTING		1	CDC	CDCEC		404 204 24	404 204 24	0.000.05	0.000.05					1	
	Regional Service Establishment End Office Establishment		-	SRC SRC	SRCEC SRCEO		101,324.34 175.66	101,324.34 175.66	8,609.85 1.70	8,609.85 1.70					-	<u> </u>
-+-	Query NRC, per query		1	SRC	SKCLO	0.0035036	173.00	175.00	1.70	1.70					-	
AIN - BELLSC	OUTH AIN SMS ACCESS SERVICE			0.10	1	0.0000000			1						1	
T	AIN SMS Access Service - Service Establishment, Per State,		t		1				† †							
	Initial Setup			A1N	CAMSE		39.53	39.53	40.78	40.78	<u> </u>				<u> </u>	
\longrightarrow	AIN SMS Access Service - Port Connection - Dial/Shared Access			A1N	CAMDP		7.85	7.85	9.11	9.11					1	<u> </u>
	AIN SMS Access Service - Port Connection - ISDN Access			A1N	CAM1P		7.85	7.85	9.11	9.11						
	AIN SMS Access Service - User Identification Codes - Per User			0.401	0.0.0.0.0		05.00	05.00	07.40	07.40						
	ID Code AIN SMS Access Service - Security Card, Per User ID Code,		-	A1N	CAMAU		35.08	35.08	27.12	27.12					-	
	Initial or Replacement			A1N	CAMRC		41.98	41.98	11.74	11.74						
	AIN SMS Access Service - Storage, Per Unit (100 Kilobytes)		1	AIN	CAWING	0.0027	41.90	41.50	11.74	11.74						-
	AIN SMS Access Service - Session, Per Minute				1	0.7121										
	AIN SMS Access Service - Company Performed Session, Per															
	Minute					0.8364										
AIN - BELLSC	UTH AIN TOOLKIT SERVICE															
	AIN Toolkit Service - Service Establishment Charge, Per State,															
	Initial Setup			CAM	BAPSC		39.53	39.53	40.78	40.78						
	AIN Toolkit Service - Training Session, Per Customer		1		BAPVX		4,211.54	4,211.54	0.00	0.00					1	
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, Term. Attempt				BAPTT		7.85	7.85	9.11	9.11						
-+-	AlN Toolkit Service - Trigger Access Charge, Per Trigger, Per		1		DAFTI		7.00	7.05	9.11	5.11					-	-
	DN, Off-Hook Delay				BAPTD		7.85	7.85	9.11	9.11						
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per				1				-						t	
	DN, Off-Hook Immediate				BAPTM		7.85	7.85	9.11	9.11						
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per															
	DN, 10-Digit PODP				BAPTO		34.54	34.54	14.39	14.39						
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per				DADTO										1	
	DN, CDP AIN Toolkit Sonice Trigger Access Charge Per Trigger Per	-	1		BAPTC		34.54	34.54	14.39	14.39					-	
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN. Feature Code				BAPTF		34.54	34.54	14.39	14.39						
	AIN Toolkit Service - Query Charge, Per Query		1		DAI II	0.0558238	34.34	34.54	14.55	14.55					-	
	AIN Toolkit Service - Type 1 Node Charge, Per AIN Toolkit					0.0000200										
	Subscription, Per Node, Per Query					0.0069214										
	AIN Toolkit Service - SCP Storage Charge, Per SMS Access															
	Account, Per 100 Kilobytes				1	0.07										<u> </u>
	AIN Toolkit Service - Monthly report - Per AIN Toolkit Service				D 4 D 4 4 0	44.0-	7	7.0-		F =-					I	
	Subscription ANN Toolkit Sonice Special Study Per ANN Toolkit Sonice	-	₩	CAM	BAPMS	11.87	7.85	7.85	5.52	5.52	-				1	1
	AIN Toolkit Service - Special Study - Per AIN Toolkit Service Subscription			CAM	BAPLS	3.51	8.68	8.68							I	
	AIN Toolkit Service - Call Event Report - Per AIN Toolkit Service	-	 	OAIVI	DAFLO	3.31	0.08	0.08	+ -						-	
	Subscription			CAM	BAPDS	8.48	7.85	7.85	5.52	5.52					1	
<u> </u>	AIN Toolkit Service - Call Event Special Study - Per AIN Toolkit				1	20		30		2.32					1	
	Service Subscription			CAM	BAPES	0.12	8.68	8.68			<u> </u>				<u> </u>	
	XTENDED LINK (EELs)							-								
	The monthly recurring and non-recurring charges below will															L
	The monthly recurring and the Switch-As-Is Charge and not t					UNE combinati	ons provisione	ed as ' Current	lly Combined' N	etwork Eleme	nts.				1	ļ
EXIE	NTED 2-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICAT	בט עם	INIE	KUFFICE TRANSPO	ik i											

UNBUNDLE	D NETWORK ELEMENTS - South Carolina												Attach	ment: 2	Exhi	bit: A
											Svc Order	Svc Order	Incremental	Incremental		Incremental
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
		1	1		+		Nonrec	urring	Nonrecurring	Disconnect			OSS	Rates (\$)		<u> </u>
		1				Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	First 2-Wire VG Loop (SL2) in Combination - Zone 1		1	UNCVX	UEAL2	16.68	105.98	68.43	53.05	10.61						
	First 2-Wire VG Loop (SL2) in Combination - Zone 2		2	UNCVX	UEAL2	23.13	105.98	68.43	53.05	10.61						
	First 2-Wire VG Loop (SL2) in Combination - Zone 3	ļ	3	UNCVX	UEAL2	28.46	105.98	68.43	53.05	10.61						
	Interoffice Transport - Dedicated - DS1 combination - Per Mile per month			UNC1X	1L5XX	0.27										i l
	Interoffice Transport - Dedicated - DS1 combination - Facility	1	1	ONCIA	ILJAA	0.27			1							
	Termination per month			UNC1X	U1TF1	61.71	89.47	81.99	16.39	14.48						i l
	1/0 Channelization System in combination Per Month			UNC1X	MQ1	107.57	91.24	62.71		9.81						
	Voice Grade COCI - Per Month			UNCVX	1D1VG	0.56	6.59	4.73	0.00	0.00						
						40.00	40= 00		====							i l
\vdash	Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 1	 	1	UNCVX	UEAL2	16.68	105.98	68.43	53.05	10.61	-	-				——
	Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 2		2	UNCVX	UEAL2	23.13	105.98	68.43	53.05	10.61						1 1
		t	ΙŤ		02,2	20.10	100.00	00.40	55.55	10.01						
	Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 3	<u> </u>	3	UNCVX	UEAL2	28.46	105.98	68.43	53.05	10.61		<u> </u>	<u> </u>			<u> </u>
	Voice Grade COCI - Per Month			UNCVX	1D1VG	0.56	6.59	4.73	0.00	0.00						
	Nonrecurring Currently Combined Network Elements Switch -As-	-														i l
EVIE	Is Charge NDED 4-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICA	TED DC	4 INITE	UNC1X	UNCCC		5.61	5.61	7.00	7.00						—
EXIE	NDED 4-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICA	IED DS	INIE	COFFICE TRANSPO	JKI				-							—
	First 4-Wire Analog Voice Grade Loop in Combination - Zone 1		1	UNCVX	UEAL4	32.59	132.38	94.83	59.35	14.61						i l
									33.33							
	First 4-Wire Analog Voice Grade Loop in Combination - Zone 2		2	UNCVX	UEAL4	43.89	132.38	94.83	59.35	14.61						İ
																i l
-	First 4-Wire Analog Voice Grade Loop in Combination - Zone 3 Interoffice Transport - Dedicated - DS1 combination - Per Mile	ļ	3	UNCVX	UEAL4	43.38	132.38	94.83	59.35	14.61						
	Per Month			UNC1X	1L5XX	0.27										i l
	Interoffice Transport - Dedicated - DS1 - Facility Termination Per			ONOTA	120701	0.27										
	Month			UNC1X	U1TF1	61.71	89.47	81.99	16.39	14.48						i l
	1/0 Channel System in combination Per Month			UNC1X	MQ1	107.57	91.24	62.71	10.56	9.81						
 	Voice Grade COCI in combination - per month	ļ		UNCVX	1D1VG	0.56	6.59	4.73	0.00	0.00						
	Additional 4-Wire Analog Voice Grade Loop in same DS1 Interoffice Transport Combination - Zone 1		1	UNCVX	UEAL4	32.59	132.38	94.83	59.35	14.61						i l
	Additional 4-Wire Analog Voice Grade Loop in same DS1		<u>'</u>	ONCVA	ULAL4	32.35	132.36	54.03	39.33	14.01						
	Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL4	43.89	132.38	94.83	59.35	14.61						1
	Additional 4-Wire Analog Voice Grade Loop in same DS1															
	Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL4	43.38	132.38	94.83	59.35	14.61						
 	Additional Voice Grade COCI in combination - per month	ļ		UNCVX	1D1VG	0.56	6.59	4.73	0.00	0.00						—
	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge	1		UNC1X	UNCCC		5.61	5.61	7.00	7.00						1
EXTE	NDED 4-WIRE 56 KBPS EXTENDED DIGITAL LOOP WITH DEDI	CATED	DS1 IN				3.01	3.01	7.00	7.00						
									† †							
	First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 1		1	UNCDX	UDL56	29.93	126.66	89.12	59.35	14.61						
\vdash	First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2	-	2	UNCDX	UDL56	33.99	126.66	89.12	59.35	14.61	ļ	-				
	First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 3		3	UNCDX	UDL56	34.74	126.66	89.12	59.35	14.61						į J
	Interoffice Transport - Dedicated - DS1 combination - Per Mile	t		5.10DA	00200	34.74	120.00	03.12	55.55	17.01						
	Per Month		L	UNC1X	1L5XX	0.27			<u> </u>							<u> </u>
	Interoffice Transport - Dedicated - DS1 - combination Facility															
\vdash	Termination Per Month	ļ	_	UNC1X	U1TF1	61.71	89.47	81.99	16.39	14.48		1				\vdash
\vdash	1/0 Channel System in combination Per Month OCU-DP COCI (data) per month (2.4-64kbs)	 	-	UNC1X UNCDX	MQ1 1D1DD	107.57 1.19	91.24 6.59	62.71 4.73	10.56 0.00	9.81 0.00	-	1				\vdash
 	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1	 		OINODA	טטוטו	1.19	6.59	4.73	0.00	0.00	-	—				
1 1	Interoffice Transport Combination - Zone 1		1	UNCDX	UDL56	29.93	126.66	89.12	59.35	14.61						[]
	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1															
	Interoffice Transport Combination - Zone 2		2	UNCDX	UDL56	33.99	126.66	89.12	59.35	14.61						igwdot
	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1		3	LINCDY	LIDI EC	04.74	400.00	00.40	50.05	44.04						į J
	Interoffice Transport Combination - Zone 3	1	3	UNCDX	UDL56	34.74	126.66	89.12	59.35	14.61	l	L	l	L		

UNBU	INDLEI	NETWORK ELEMENTS - South Carolina												Attach	ment: 2	Exhi	oit: A
01120												Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
												Submitted	1		Charge -	Charge -	Charge -
			Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEG	ORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
	1		-	1		+		Nonrec	urring	Nonrecurring	Disconnect			088	Rates (\$)		
				†			Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Additional OCU-DP COCI (data) - in combination per month (2.4-							7.00.		71001	0020	00				
		64kbs)			UNCDX	1D1DD	1.19	6.59	4.73	0.00	0.00						
		Nonrecurring Currently Combined Network Elements Switch -As-	-														
		Is Charge			UNC1X	UNCCC		5.61	5.61	7.00	7.00						
-	EXTEN	DED 4-WIRE 64 KBPS EXTENDED DIGITAL LOOP WITH DEDI	CATED	DS1 IN	TEROFFICE TRANS	SPORT											
		First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 1		1	UNCDX	UDL64	29.93	126.66	89.12	59.35	14.61						
		Tilist 4-Wile 04Rbps Digital Grade Loop III Combination - Zone T		+ '-	UNCDX	UDL04	29.93	120.00	09.12	39.33	14.01						
		First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 2		2	UNCDX	UDL64	33.99	126.66	89.12	59.35	14.61						
		,															
		First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 3		3	UNCDX	UDL64	34.74	126.66	89.12	59.35	14.61						
1		Interoffice Transport - Dedicated - DS1 combination - Per Mile	1			I	ı _ T										
		Per Month	ļ	<u> </u>	UNC1X	1L5XX	0.27						1				
		interoffice Transport - Dedicated - DS1 combination - Facility Termination Per Month			UNC1X	U1TF1	61.71	00.47	81.99	16.39	14.48						
-	1	1/0 Channel System in combination Per Month	1	 	UNC1X UNC1X	MQ1	107.57	89.47 91.24	62.71	10.56	9.81	1	 	 	 		
		OCU-DP COCI (data) - in combination - per month (2.4-64kbs)		1	UNCDX	1D1DD	1.19	6.59	4.73	0.00	0.00		1				
		Additional 4-Wire 64Kbps Digital Grade Loop in same DS1		1	0.102/	10.00	0	0.00	0	0.00	0.00						
		Interoffice Transport Combination - Zone 1		1	UNCDX	UDL64	29.93	126.66	89.12	59.35	14.61						
		Additional 4-Wire 64Kbps Digital Grade Loop in same DS1															
		Interoffice Transport Combination - Zone 2		2	UNCDX	UDL64	33.99	126.66	89.12	59.35	14.61						
		Additional 4-Wire 64Kbps Digital Grade Loop in same DS1		3				400.00		====							
-	1	Interoffice Transport Combination - Zone 3 Additional OCU-DP COCI (data) - in combination - per month	-	3	UNCDX	UDL64	34.74	126.66	89.12	59.35	14.61						
		(2.4-64kbs)			UNCDX	1D1DD	1.19	6.59	4.73	0.00	0.00						
		Nonrecurring Currently Combined Network Elements Switch -As-		1	ONODA	10100	1.13	0.55	4.73	0.00	0.00						
		Is Charge			UNC1X	UNCCC		5.61	5.61	7.00	7.00						
	EXTEN	DED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICAT	ED DS1	INTER	OFFICE TRANSPO	RT											
		4-Wire DS1 Digital Loop in Combination - Zone 1		1	UNC1X	USLXX	90.87	253.03	157.89	44.80	11.73						
		4-Wire DS1 Digital Loop in Combination - Zone 2		2	UNC1X	USLXX	155.43	253.03	157.89	44.80	11.73						
-		4-Wire DS1 Digital Loop in Combination - Zone 3 Interoffice Transport - Dedicated - DS1 combination - Per Mile		3	UNC1X	USLXX	261.89	253.03	157.89	44.80	11.73						
		Per Month			UNC1X	1L5XX	0.27										
		Interoffice Transport - Dedicated - DS1 combination - Facility		1	ONOTA	120701	0.27										
		Termination Per Month			UNC1X	U1TF1	61.71	89.47	81.99	16.39	14.48						
		Nonrecurring Currently Combined Network Elements Switch -As-					ĺ										
		Is Charge			UNC1X	UNCCC		5.61	5.61	7.00	7.00						
	EXTEN	DED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICAT	ED DS3				22.27	0.00		11.00	44.00						
	1	First DS1Loop in Combination - Zone 1	-		UNC1X	USLXX	90.87	253.03	157.89	44.80	11.73						
-	1	First DS1Loop in Combination - Zone 2 First DS1Loop in Combination - Zone 3	 	3	UNC1X UNC1X	USLXX	155.43 261.89	253.03 253.03	157.89 157.89	44.80 44.80	11.73 11.73	-	-				
—		Interoffice Transport - Dedicated - DS3 combination - Per Mile	†	-	0.4017	UOLAA	201.09	200.00	137.09	44.00	11.73	 	 				
1		Per Month			UNC3X	1L5XX	6.42										
		Interoffice Transport - Dedicated - DS3 - Facility Termination per	i –			1						İ			1		
		month	ļ		UNC3X	U1TF3	704.52	279.37	163.12	60.33	58.59						
	ļ	3/1Channel System in combination per month	ļ		UNC3X	MQ3	144.02	178.54	94.18	33.33	31.90	ļ					
	1	DS1 COCI in combination per month	-	-	UNC1X	UC1D1	8.64	6.59	4.73	0.00	0.00	1	-		-		
		Additional DS1Loop in DS3 Interoffice Transport Combination - Zone 1		1	UNC1X	USLXX	90.87	253.03	157.89	44.80	11.73						J
		Additional DS1Loop in DS3 Interoffice Transport Combination -	1	+ -	011017	JULIA	30.07	200.00	137.03	44.00	11.73						
1		Zone 2		2	UNC1X	USLXX	155.43	253.03	157.89	44.80	11.73						
		Additional DS1Loop in DS3 Interoffice Transport Combination -															
		Zone 3		3	UNC1X	USLXX	261.89	253.03	157.89	44.80	11.73						
		Additoinal DS1 COCI in combination per month			UNC1X	UC1D1	8.64	6.59	4.73	0.00	0.00						
1		Nonrecurring Currently Combined Network Elements Switch -As-	1		LINICAY	LINGGO		F 04	5.04	7.00	7.00						
-	EYTEN	Is Charge DED 4-WIRE VOICE GRADE EXTENDED LOOP/ 4 WIRE VOICE	CRAD	E INTE	UNC3X	UNCCC		5.61	5.61	7.00	7.00	1	-	-	-		
	LATEN	2-WireVG Loop in combination - Zone 1	JIMD	1 1	UNCVX	UEAL2	16.68	105.98	68.43	53.05	10.61						
	1	2-WireVG Loop in combination - Zone 2	t	2	UNCVX	UEAL2	23.13	105.98	68.43	53.05	10.61	1	<u> </u>	1	1		

ONRONDLE	D NETWORK ELEMENTS - South Carolina					1					la a :	I		ment: 2		bit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)				Submitted Manually	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'l
						Rec	Nonrec		Nonrecurring					Rates (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-WireVG Loop in combination - Zone 3		3	UNCVX	UEAL2	28.46	105.98	68.43	53.05	10.61						
	Interoffice Transport - 2-wire VG - Dedicated- Per Mile Per Month Interoffice Transport - 2-wire VG - Dedicated - Facility			UNCVX	1L5XX	0.0134										
	Termination per month			UNCVX	U1TV2	19.44	40.63	27.47	16.77	6.91						
	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge			UNCVX	UNCCC		5.61	5.61	7.00	7.00						
EXTE	NDED 4-WIRE VOICE GRADE EXTENDED LOOP/ 4 WIRE VOICE	GRAD	EINTE													
	4-WireVG Loop in combination - Zone 1		1	UNCVX	UEAL4	32.59	132.38	94.83	59.35	14.61						
	4-WireVG Loop in combination - Zone 2		2	UNCVX	UEAL4	43.89	132.38	94.83	59.35	14.61						
	4-WireVG Loop in combination - Zone 3		3	UNCVX	UEAL4	43.38	132.38	94.83	59.35	14.61						
	Interoffice Transport - 4-wire VG - Dedicated - Per Mile Per Month			UNCVX	1L5XX	0.0134										
	Interoffice Transport - 4-wire VG - Dedicated - Facility Termination per month			UNCVX	U1TV4	17.03	40.63	27.47	16.77	6.91						
	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge			UNCVX	UNCCC		5.61	5.61	7.00	7.00						
EXTE	NDED DS3 DIGITAL EXTENDED LOOP WITH DEDICATED DS3	INTERC	FFICE		011000		0.01	0.01	7.00	7.00						
	DS3 Local Loop in combination - per mile per month			UNC3X	1L5ND	12.26										
	DS3 Local Loop in combination - Facility Termination per month Interoffice Transport - Dedicated - DS3 - Per Mile per month			UNC3X UNC3X	UE3PX 1L5XX	306.36 6.42	452.52	264.53	119.75	83.77						
	Interoffice Transport - Dedicated - DS3 - Per Mile per month Interoffice Transport - Dedicated - DS3 combination - Facility			UNC3X	ILSXX	0.42										
	Termination per month			UNC3X	U1TF3	704.52	279.37	163.12	60.33	58.59						
	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge			UNC3X	UNCCC		5.61	5.61	7.00	7.00						
EXTE	NDED STS-1 DIGITAL EXTENDED LOOP WITH DEDICATED ST	S-1 INT	EROFF													
	STS-1 Local Lolp in combination - per mile per month			UNCSX	1L5ND	12.26										
	STS-1 Local Loop in combination - Facility Termination per month			UNCSX	UDLS1	313.49	452.52	264.53	119.75	83.77						
	Interoffice Transport - Dedicated - STS-1 combination - per mile per month			UNCSX	1L5XX	6.42										
	Interoffice Transport - Dedicated - STS-1 combination - Facility Termination per month			UNCSX	U1TFS	704.44	279.37	163.12	60.33	58.59						
	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge			UNCSX	UNCCC		5.61	5.61	7.00	7.00						
EXTE	NDED 2-WIRE ISDN EXTENDED LOOP WITH DS1 INTEROFFICE	TRAN	SPORT				0.01	3.31	7.00							
	First 2-Wire ISDN Loop in Combination - Zone 1		1	UNCNX	U1L2X	25.21	117.58	80.03	53.05	10.61						
	First 2-Wire ISDN Loop in Combination - Zone 2		2	UNCNX	U1L2X	32.76	117.58	80.03	53.05	10.61						
 	First 2-Wire ISDN Loop in Combination - Zone 3		3	UNCNX	U1L2X	37.70	117.58	80.03	53.05	10.61	-					-
	Interoffice Transport - Dedicated - DS1 combination - per mile per month			UNC1X	1L5XX	0.27										
	Interoffice Transport - Dedicated - DS1 combination - Facility Termination per month			UNC1X	U1TF1	61.71	89.47	81.99	16.39	14.48						
	1/0 Channel System in combination - per month			UNC1X	MQ1	107.57	91.24	62.71	10.56	9.81						
	2-wire ISDN COCI (BRITE) - in combination - per month			UNCNX	UC1CA	2.56	6.59	4.73	0.00	0.00						
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport Combination - Zone 1		1	UNCNX	U1L2X	25.21	117.58	80.03	53.05	10.61						
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport Combination - Zone 2		2	UNCNX	U1L2X	32.76	117.58	80.03	53.05	10.61						
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport Combination - Zone 3		3	UNCNX	U1L2X	37.70	117.58	80.03	53.05	10.61						
	Additional 2-wire ISDN COCI (BRITE) - in combination- per month			UNCNX	UC1CA	2.56	6.59	4.73	0.00	0.00						
	Nonrecurring Currently Combined Network Elements Switch -As- is Charge			UNC1X	UNCCC	2.50	5.61	5.61	7.00	7.00						
EXTE	NDED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICAT	ED STS	-1 INTE			† †	5.01	5.01	7.00	7.00	t	t				
	First DS1 Loop Combination - Zone 1			UNC1X	USLXX	90.87	253.03	157.89	44.80	11.73						
	First DS1 Loop Combination - Zone 2		2	UNC1X	USLXX	155.43	253.03	157.89	44.80	11.73						

UNBUNDL	ED NETWORK ELEMENTS - South Carolina													ment: 2	1	bit: A
				1			<u>-</u>				Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		Intent									Elec	Manually	Manual Svc	Manual Svc		Manual Svo
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m									per LSK	per LSK	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
						_	Nonrec	urrina	Nonrecurring	Disconnect			oss	Rates (\$)	1	
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	First DS1 Loop Combination - Zone 3		3	UNC1X	USLXX	261.89	253.03	157.89	44.80	11.73						
	Interoffice Transport - Dedicated - STS-1 combination - Per Mile															
	Per Month			UNCSX	1L5XX	6.42										
	Interoffice Transport - Dedicated - STS-1 combination - Facility															
	Termination per month			UNCSX	U1TFS	704.44	279.37	163.12	60.33	58.59						
	3/1 Channel System in combination per month			UNCSX	MQ3	144.02	178.54	94.18	33.33	31.90						
	DS1 COCI in combination per month			UNC1X	UC1D1	8.64	6.59	4.73	0.00	0.00						
	Additional DS1Loop in the same STS-1 Interoffice Transport			0.10171	00.5.	0.01	0.00		0.00	0.00						
	Combination - Zone 1		1	UNC1X	USLXX	90.87	253.03	157.89	44.80	11.73						
-+-	Additional DS1Loop in the same STS-1 Interoffice Transport		L'	ONOTA	OOLYON	30.07	200.00	107.00	44.00	11.70						
	Combination - Zone 2		2	UNC1X	USLXX	155.43	253.03	157.89	44.80	11.73						
+-	Additional DS1Loop in the same STS-1 Interoffice Transport			ONOTA	OOLXX	100.40	200.00	137.03	44.00	11.75						
	Combination - Zone 3	l	3	UNC1X	USLXX	261.89	253.03	157.89	44.80	11.73						1
+-	DS1 COCI in combination per month	-	٦	UNC1X	UC1D1	8.64	6.59	4.73	0.00	0.00	-		-	-	1	
+-		-	 	014017	ועוטט	0.04	0.59	4.13	0.00	0.00	-		-	-	1	
	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge	1		UNCSX	UNCCC		5.61	5.61	7.00	7.00						1
- IFVT	IS Charge ENDED 4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH 56 KE	De iriz	EDOCT		UNCCC		5.61	5.61	7.00	7.00					-	
EXII		SPS IN I			LIDI 50	00.00	100.00	00.10	50.05	44.04						
\longrightarrow	4-wire 56 kbps Local Loop in combination - Zone 1			UNCDX	UDL56	29.93	126.66	89.12	59.35	14.61						
	4-wire 56 kbps Local Loop in combination - Zone 2			UNCDX	UDL56	33.99	126.66	89.12	59.35	14.61						
	4-wire 56 kbps Local Loop in combination - Zone 3		3	UNCDX	UDL56	34.74	126.66	89.12	59.35	14.61						
	Interoffice Transport - Dedicated - 4-wire 56 kbps combination -															
	Per Mile per month			UNCDX	1L5XX	0.0134										
	Interoffice Transport - Dedicated - 4-wire 56 kbps combination -															
	Facility Termination per month			UNCDX	U1TD5	13.41	40.63	27.47	16.77	6.91						
	Nonrecurring Currently Combined Network Elements Switch -As-															
	Is Charge			UNCDX	UNCCC		5.61	5.61	7.00	7.00						
EXT	NDED 4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH 64 KE	PS INT														
	4-wire 64 kbps Lcoal Loop in Combination - Zone 1			UNCDX	UDL64	29.93	126.66	89.12	59.35	14.61						
	4-wire 64 kbps Lcoal Loop in Combination - Zone 2		2	UNCDX	UDL64	33.99	126.66	89.12	59.35	14.61						
	4-wire 64 kbps Lcoal Loop in Combination - Zone 3		3	UNCDX	UDL64	34.74	126.66	89.12	59.35	14.61						
	Interoffice Transport - Dedicated - 4-wire 64 kbps combination -															
	Per Mile per month			UNCDX	1L5XX	0.0134										
	Interoffice Transport - Dedicated - 4-wire 64 kbps combination -															
	Facility Termination per month			UNCDX	U1TD6	13.41	40.63	27.47	16.77	6.91						
	Nonrecurring Currently Combined Network Elements Switch -As-															
	Is Charge			UNCDX	UNCCC		5.61	5.61	7.00	7.00						
EXT	NDED 2-WIRE VOICE GRADE LOOP WITH DS1 INTEROFFICE T	RANSP	ORT w	/ 3/1 MUX												
	First 2-wire VG Loop (SL2) in Combination - Zone 1		1	UNCVX	UEAL2	16.68	105.98	68.43	53.05	10.61						
	First 2-wire VG Loop (SL2) in Combination - Zone 2		2	UNCVX	UEAL2	23.13	105.98	68.43	53.05	10.61						
	First 2-wire VG Loop (SL2) in Combination - Zone 3		3	UNCVX	UEAL2	28.46	105.98	68.43	53.05	10.61						
	First Interoffice Transport - Dedicated - DS1 combination - Per									-						
	Mile	l		UNC1X	1L5XX	0.27										1
	First Interoffice Transport - Dedicated - DS1 combination -			1					į į					1		
	Facility Termination per month	1		UNC1X	U1TF1	61.71	89.47	81.99	16.39	14.48	1	1		1		I
	Per each DS1 Channelization System Per Month			UNC1X	MQ1	107.57	91.24	62.71	10.56	9.81		İ			İ	1
	Per each Voice Grade COCI - Per Month per month	i –	1	UNCVX	1D1VG	0.56	6.59	4.73	0.00	0.00	i	i	İ	İ	İ	1
	3/1 Channel System in combination per month			UNC3X	MQ3	144.02	178.54	94.18	33.33	31.90		İ			İ	1
	Per each DS1 COCI in combination per month	i –	1	UNC1X	UC1D1	8.64	6.59	4.73	0.00	0.00	i	i	İ	İ	İ	1
-	Each Additional 2-Wire VG Loop(SL 2) in the same DS1	<u> </u>	<u> </u>			5.01	2.30	0	2.00	2.00		1				1
	Interoffice Transport Combination - Zone 1	1	1	UNCVX	UEAL2	16.68	105.98	68.43	53.05	10.61	1	1		1		I
+	Each Additional 2-Wire VG Loop(SL2) in the same DS1	1			J ,£	10.00	.00.00	55.45	55.55	10.01		 		1	1	†
	Interoffice Transport Combination - Zone 2	l	2	UNCVX	UEAL2	23.13	105.98	68.43	53.05	10.61						1
-+-	Each Additional 2-Wire VG Loop(SL2) in the same DS1	 		0.1017	JL/1L2	20.13	100.00	00.43	55.65	10.01	 			1	†	t
1	Interoffice Transport Combination - Zone 3	1	3	UNCVX	UEAL2	28.46	105.98	68.43	53.05	10.61	1	1		1		I
	Each Additional Voice Grade COCI in combination - per month	 		UNCVX	1D1VG	0.56	6.59	4.73	0.00	0.00		 			t	
	TEACH AUGINOHAL VOICE GRADE COCH IN COMBINATION - DEL MONTO	ı	1	OINCVA	טווטו	0.56	0.39	4./3	0.00	0.00	<u> </u>			 		
$\overline{}$	Each Additional DS1 Interoffice Channel per mile in same 3/1			LINC1V	11.577	0.27										
				UNC1X	1L5XX	0.27										

ONRONDE	ED NETWORK ELEMENTS - South Carolina	_		1	1	ı					10	06		ment: 2		ibit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			I .	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Charge -	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l
						Rec	Nonrec		Nonrecurring					Rates (\$)		
							First	Add'l	First	Add'l		SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Each Additional DS1 COCI combination per month	ļ		UNC1X	UC1D1	8.64	6.59	4.73	0.00	0.00						
	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge	1		UNC1X	UNCCC		5.61	5.61	7.00	7.00						
EYTE	INDED 4-WIRE 56 KBPS DIGITAL LOOP WITH DEDICATED DS1	INTER	FEICE				5.61	5.61	7.00	7.00	-				-	
LAIL	First 4-Wire Analog Voice Grade Local Loop in Combination -	INTERN	/ I I I I I	I TRANSI ORT W/ 3/	I											
	Zone 1		1	UNCVX	UEAL4	32.59	132.38	94.83	59.35	14.61						
	First 4-Wire Analog Voice Grade Local Loop in Combination -															
	Zone 2		2	UNCVX	UEAL4	43.89	132.38	94.83	59.35	14.61						
	First 4-Wire Analog Voice Grade Local Loop in Combination -															
	Zone 3		3	UNCVX	UEAL4	43.38	132.38	94.83	59.35	14.61						
	First Interoffice Transport - Dedicated - DS1 combination - Per	1													I	
	Mile Per Month	.	-	UNC1X	1L5XX	0.27					ļ				 	
	First Interoffice Transport - Dedicated - DS1 - Facility Termination Per Month	1		UNC1X	U1TF1	61.71	89.47	81.99	16.39	14.48					I	
	Per each 1/0 Channel System in combination Per Month	<u> </u>	1	UNC1X	MQ1	107.57	91.24	62.71	10.56	9.81	 				-	
	Per each Voice Grade COCI in combination - per month			UNCVX	1D1VG	0.56	6.59	4.73	0.00	0.00	+				-	
	3/1 Channel System in combination per month			UNC3X	MQ3	144.02	178.54	94.18	33.33	31.90						
	Per each DS1 COCI in combination per month	1		UNC1X	UC1D1	8.64	6.59	4.73	0.00	0.00					t	İ
	Additional 4-Wire Analog Voice Grade Loop in same DS1										İ					
	Interoffice Transport Combination - Zone 1		1	UNCVX	UEAL4	32.59	132.38	94.83	59.35	14.61						
	Additional 4-Wire Analog Voice Grade Loop in same DS1															
	Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL4	43.89	132.38	94.83	59.35	14.61						
	Additional 4-Wire Analog Voice Grade Loop in same DS1															
	Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL4	43.38	132.38	94.83	59.35	14.61						
	Each Additional DS1 Interoffice Channel per mile in same 3/1															
	Channel System per month			UNC1X	1L5XX	0.27										
	Each Additional DS1 Interoffice Channel Facility Termination in			LINIOAN		04.74	00.47	04.00	40.00	44.40						
	same 3/1 Channel System per month Additional Voice Grade COCI - in combination - per month	ļ		UNC1X UNCVX	U1TF1 1D1VG	61.71 0.56	89.47 6.59	81.99 4.73	16.39 0.00	14.48 0.00	1				1	
	Nonrecurring Currently Combined Network Elements Switch -As-	1	<u> </u>	UNCVX	IDIVG	0.56	6.59	4.73	0.00	0.00	.				-	
	Is Charge	1		UNC1X	UNCCC		5.61	5.61	7.00	7.00						
FXTE	NDED 4-WIRE 56 KBPS DIGITAL LOOP WITH DEDICATED DS1	INTERC	FFICE				5.01	3.01	7.00	7.00	1					
	First 4-Wire 56Kbps Digital Grade Local Loop in Combination -	1	1		T						†				t	†
	Zone 1		1	UNCDX	UDL56	29.93	126.66	89.12	59.35	14.61						
	First 4-Wire 56Kbps Digital Grade Local Loop in Combination -															
	Zone 2		2	UNCDX	UDL56	33.99	126.66	89.12	59.35	14.61						
	First 4-Wire 56Kbps Digital Grade Local Loop in Combination -			1												
	Zone 3	<u> </u>	3	UNCDX	UDL56	34.74	126.66	89.12	59.35	14.61						
	First Interoffice Transport - Dedicated - DS1 combination - Per	1													I	
	Mile Per Month	ļ		UNC1X	1L5XX	0.27									-	
	First Interoffice Transport - Dedicated - DS1 - combination Facility Termination Per Month			UNC1X	U1TF1	61.71	89.47	81.99	16.39	14.48					1	
	Per each 1/0 Channel System in combination Per Month	1	 	UNC1X UNC1X	MQ1	61.71 107.57	89.47 91.24	81.99 62.71	16.39	9.81	1					
	Per each 0CU-DP COCI (data) COCI per month (2.4-64kbs)	1	 	UNCDX	1D1DD	107.57	6.59	4.73	0.00	0.00	1					
-	3/1 Channel System in combination per month	†	 	UNC3X	MQ3	144.02	178.54	94.18	33.33	31.90				 	 	
	Per each DS1 COCI in combination per month			UNC1X	UC1D1	8.64	6.59	4.73	0.00	0.00						
	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1	1			1	5.01	2.00	0	2.00	2.00					1	
	Interoffice Transport Combination - Zone 1		1	UNCDX	UDL56	29.93	126.66	89.12	59.35	14.61					1	
	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1								ĺ							
	Interoffice Transport Combination - Zone 2	ļ	2	UNCDX	UDL56	33.99	126.66	89.12	59.35	14.61						
	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1			l	l										1	
	Interoffice Transport Combination - Zone 3	!	3	UNCDX	UDL56	34.74	126.66	89.12	59.35	14.61	ļ				ļ	
	OCU-DP COCI (data) COCI in combination per month (2.4-	1		LINCDY	10100		0.50	4 =	0.00	0.00					I	
	64kbs)	1	-	UNCDX	1D1DD	1.19	6.59	4.73	0.00	0.00	ļ				1	1
	Each Additional DS1 Interoffice Channel per mile in same 3/1	1	1	I		l					1	1		1	1	
	Channel System per month			II INIC1Y	111 5 Y Y	0.27										
	Channel System per month Each Additional DS1 Interoffice Channel Facility Termination in		-	UNC1X	1L5XX	0.27										

ATECOPY RATE ELEMENTS May James BCS USC RATES () R	UNBU	IDLEI	NETWORK ELEMENTS - South Carolina												Attach	ment: 2	Exhi	bit: A															
Part					Zone	BCS	USOC			RATES (\$)			Submitted Elec	Submitted Manually	Incremental Charge - Manual Svc Order vs. Control Cont																		
Control Cont	—								Nonrec	urring	Nonrecurring	Disconnect			OSS	Rates (\$)																	
Monthstorop or month Monthstorop or month Monthstorop or month Monthstorop or month Monthstorop or monthstoropo or mo								Rec					SOMEC	SOMAN			SOMAN	SOMAN															
Nonequaring Currently Contained Network Elements Service June 2017 NACCO																		1															
Compare Comp					1	UNC1X	UC1D1	8.64	6.59	4.73	0.00	0.00						\vdash															
ExtraCopt - Write of Wints o						UNC1X	UNCCC		5.61	5.61	7.00	7 00						i															
Transport Contribution - Zever 1 0 NCDX UDL64 29 90 128 88 89 12 59 38 1461		XTEN		INTERC	FFICE				0.01	0.01	7.00	7.00																					
First A-Wire 6FK/Sep Dipid Crask Loop in a SST Interedice 2																		1															
Transport Combination - Zone 2 2 UNCOX UDL64 33.90 126.66 69.12 59.35 14.61					1	UNCDX	UDL64	29.93	126.66	89.12	59.35	14.61																					
First A-Wire SetOps Digital Grade Loop in a DSS Interoffice 3 (INCDX UDL66 34.74 128.66 89.12 59.35 14.61					2	UNCDX	UDL64	33.99	126.66	89.12	59.35	14.61						i															
Fast interoffice Transport Combination - Per Munh March Warsh Marc																		i															
Meter Fer Mouth First Interroffice Transport Condition Per Month First Interroffice Transport Condition Per Month First Interroffice Transport Condition Per Month First Interroffice Transport Condition Per Month First Interroffice Transport Condition Per Month First Interroffice Transport Condition Per Month First Interroffice Transport Condition Per Month First Interroffice Transport Condition Per Month First Interroffice Transport Condition Per Month First Interroffice Transport Condition Per Month First Interroffice Transport Condition Per Month First Interroffice Transport Condition Per Month First Interroffice Transport Condition Per Month First Interroffice Transport Condition Per Month First Interroffice Transport Condition Per Month First Interroffice Transport Condition Per Month First Interroffice Transport Condition Per Month First Interroffice Transport Condition Per Month First Interroffice Transport Condition Per Per Month First Interroffice Transport Condition Per Per Month First Interroffice Transport Condition Per Per Month First Interroffice Transport Condition Per Per Month First Interroffice Transport Condition Per Per Month First Interroffice Transport Condition Per Per Month First Interroffice Transport Condition Per Per Month First Interroffice Transport Condition Per Per Month First Interroffice Condition Per Per Month First Interroffice Condition Per Per Month First Interroffice Condition Per Per Month First Interroffice Condition Per Per Month First Interroffice Condition Per Per Month First Interroffice Condition Per Per Month First Interroffice Condition Per Per Month First Interroffice Condition Per Per Month First Interroffice Condition Per Per Month First Interroffice Condition Per Per Month First Interroffice Condition Per Per Month First Interroffice Condition Per Per Month First Interroffice Transport Interroffice Condition Per Per Per Month First Interroffice Transport Interroffice Transport Inte					3	UNCDX	UDL64	34.74	126.66	89.12	59.35	14.61						 															
First Interoffice Transport - Dedicated c DS1 combination - Part (District Month) (District						LINC1X	11 5XY	0.27																									
Facility Termination Per Month					1	ONCIX	ILJAA	0.21																									
Per each OCU-DP COCI (data) in combination - per month (2-4 Channel System in combination - per month (2-4 Channel System in combination - per month (2-4 Channel System in combination - per month (2-4 Channel System in combination - per month (2-4 Channel System in combination - per month (2-4 Channel System in Channel S			Facility Termination Per Month															ı															
G466s G475						UNC1X	MQ1	107.57	91.24	62.71	10.56	9.81																					
31 Channel System in combination per month						LINCDY	10100	1 10	6 50	173	0.00	0.00						i															
Per each DST COCI in combination per month																																	
Intereffice Transport Combination - Zone 1			Per each DS1 COCI in combination per month				UC1D1	8.64	6.59	4.73	0.00	0.00						i															
Additional 4-Wire 64Kbps Digital Grade Loop in same DS1 InterOffice Transport Combination - Zone 2 2 UNCDX UDL64 33.99 126.66 89.12 59.35 14.61					١.				400.00									i															
Interoffice Transport Combination - Zone 2					1	UNCDX	UDL64	29.93	126.66	89.12	59.35	14.61																					
Interdifice Transport Combination - Zone 3					2	UNCDX	UDL64	33.99	126.66	89.12	59.35	14.61						i															
Additional COU-DP COCI (data) - DSI to DSO Channel System combination - per month (2-4-64kb) = UNCIX 101DD 1.19 6.59 4.73 0.00 0.00																																	
Combination - per month (2-4-84kbs) UNCDX 1010D 1.19 6.59 4.73 0.00 0.					3	UNCDX	UDL64	34.74	126.66	89.12	59.35	14.61																					
Each Additional DSI Interoffice Channel per mile in same 3/1 Channel System per month UNCIX 1L5XX 0.27						LINCDX	10100	1 19	6 59	4 73	0.00	0.00						i															
Channel System per month Same 3/1 Channel System in combination per month Same 3/1 Channel System in combination per month Same 3/1 Channel System in combination per month Same 3/1 Channel System in combination per month Same 3/1 Channel System in combination per month Same 3/1 Channel System in combination per month Same 3/1 Channel System in combination per month Same 3/1 Channel System in combination per month Same 3/1 Channel System in combination per month Same 3/1 Channel System in combination per month Same 3/1 Channel System in combination per month Same 3/1 Channel System in combination per month Same 3/1 Channel System in combination per month Same 3/1 Channel System in combination per month Same 3/1 Channel System in combination per month Same 3/1 Channel System in combination per month Same 3/1 Channel System in combination per month Same 3/1 Channel System in combi						ONOBA	10100	1.10	0.00	4.70	0.00	0.00																					
Same 3f Channel System per month			Channel System per month			UNC1X	1L5XX	0.27																									
Each Additional DST COCI in the same 3/1 channel system combination per month combinat						LINIOAN		04.74	00.47	04.00	40.00	44.40						i															
Combination per month						UNCTX	U11F1	61.71	89.47	81.99	16.39	14.48																					
Is Charge UNC1X						UNC1X	UC1D1	8.64	6.59	4.73	0.00	0.00						i l															
EXTENDED 2-WIRE ISDN LOOP WITH DS1 INTEROFFICE TRANSPORT W/3/1 MUX																		í															
First 2-Wire ISDN Loop in a DS1 Interoffice Combination 1 UNCNX U1L2X 25.21 117.58 80.03 53.05 10.61	\vdash	VTEN		T/ 2/	/A BALLY	UNC1X	UNCCC		5.61	5.61	7.00	7.00																					
Transport - Zone 1		XIEN		(1 W/ 3/	TIVIUX																												
Transport - Zone 2			Transport - Zone 1		1	UNCNX	U1L2X	25.21	117.58	80.03	53.05	10.61						i															
First 2-Wire ISDN Loop in a DS1 Interoffice Combination 3 UNCNX																		1															
Transport - Zone 3 3 UNCNX U1L2X 37.70 117.58 80.03 53.05 10.61					2	UNCNX	U1L2X	32.76	117.58	80.03	53.05	10.61																					
First Interoffice Transport - Dedicated - DS1 combination - Per Mile per month UNC1X					3	UNCNX	U1L2X	37.70	117.58	80.03	53.05	10.61						i l															
First Interoffice Transport - Dedicated - DS1 combination - Facility Termination per month																		i															
Facility Termination per month						UNC1X	1L5XX	0.27										 															
Per each Channel System 1/0 in combination - per month						LINC1X	U1TE1	61 71	89 47	81 00	16 30	14 19						i															
Per each 2-wire ISDN COCI (BRITE) in combination - per month					t								t																				
3/1 Channel System in combination per month																																	
Per each DS1 COCI in combination per month	\vdash				1								-																				
Additional 2-wire ISDN Loop in same DS1Interoffice Transport 1 UNCNX U1L2X 25.21 117.58 80.03 53.05 10.61					 								 																				
Combination - Zone 1								5.04																									
Combination - Zone 2 2 UNCNX U1L2X 32.76 117.58 80.03 53.05 10.61			Combination - Zone 1		1	UNCNX	U1L2X	25.21	117.58	80.03	53.05	10.61																					
Additional 2-wire ISDN Loop in same DS1Interoffice Transport					2	LINCNIY	1141.2	20.70	447 50	90.00	E2 05	40.64																					
	+				-	UNCINA	UILZX	32.76	117.58	80.03	53.05	10.61	 																				
				L	3	UNCNX	U1L2X	37.70	117.58	80.03	53.05	10.61	<u> </u>					<u>. </u>															

ONRONDLE	D NETWORK ELEMENTS - South Carolina			1							la - ·	la - ·		ment: 2		ibit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)				Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'l
						Rec	Nonrec		Nonrecurring					Rates (\$)		
	A LUIS LO LI PORTI GOOL (PRITE) :						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Additional 2-wire ISDN COCI (BRITE) in same 1/0 channel			UNCNX	UC1CA	2.56	6.59	4.73	0.00	0.00						
	system combination- per month Each Additional DS1 Interoffice Channel per mile in same 3/1			UNCINX	UCTCA	2.56	6.59	4.73	0.00	0.00					-	
	Channel System per month			UNC1X	1L5XX	0.27										
1	Each Additional DS1 Interoffice Channel Facility Termination in				120111				†						t	
	same 3/1 Channel System per month			UNC1X	U1TF1	61.71	89.47	81.99	16.39	14.48						
	Each Additional DS1 COCI in the same 3/1 channel system															
	combination per month			UNC1X	UC1D1	8.64	6.59	4.73	0.00	0.00						ļ
	Nonrecurring Currently Combined Network Elements Switch -As-			UNC1X	LINICCO		5.04	5.04	7.00	7.00						
EYTEN	Is Charge NDED 4-WIRE DS1 LOOP WITH DEDICATED DS1 INTEROFFICE	TPAN	SPORT		UNCCC		5.61	5.61	7.00	7.00						-
LXILI	First 4-wire DS1 Digital Loop in Combination - Zone 1	III		UNC1X	USLXX	90.87	253.03	157.89	44.80	11.73					-	
	First 4-wire DS1 Digital Lcoal Loop in Combination - Zone 2		2	UNC1X	USLXX	155.43	253.03	157.89	44.80	11.73						
	First 4-wire DS1 Digital Lcoal Loop in Combination - Zone 3		3	UNC1X	USLXX	261.89	253.03	157.89	44.80	11.73						
	First Interoffice Transport - Dedicated - DS1 combination - Per							<u> </u>								
	Mile Per Month			UNC1X	1L5XX	0.27										ļ
	First Interoffice Transport - Dedicated - DS1 combination -			UNC1X	U1TF1	61.71	89.47	81.99	16.39	14.48						
	Facility Termination Per Month 3/1 Channel System in combination per month			UNC3X	MQ3	144.02	178.54	94.18	33.33	31.90					-	-
-	Per each DS1 COCI combination per month			UNC1X	UC1D1	8.64	6.59	4.73	0.00	0.00					<u> </u>	
	Each Additional DS1 Interoffice Channel per mile in same 3/1		1	ONOTA	00151	0.04	0.00	4.70	0.00	0.00					1	<u> </u>
	Channel System per month			UNC1X	1L5XX	0.27										
	Each Additional DS1 Interoffice Channel Facility Termination in															
	same 3/1 Channel System per month			UNC1X	U1TF1	61.71	89.47	81.99	16.39	14.48						
	Each Additional DS1 COCI in the same 3/1 channel system							. =0								
	combination per month Additional 4-Wire DS1 Digital Local Loop in Combination - Zone		1	UNC1X	UC1D1	8.64	6.59	4.73	0.00	0.00					-	<u> </u>
	14 Additional 4-Wife DST Digital Local Loop in Combination - Zone		1	UNC1X	USLXX	90.87	253.03	157.89	44.80	11.73						
	Additional 4-Wire DS1 Digital Local Loop in Combination - Zone		<u> </u>	ONOTA	OOLAN	30.01	200.00	107.00	44.00	11.70					<u> </u>	
	2		2	UNC1X	USLXX	155.43	253.03	157.89	44.80	11.73						
	Additional 4-Wire DS1 Digital Local Loop in Combination - Zone															
	3		3	UNC1X	USLXX	261.89	253.03	157.89	44.80	11.73						
	Nonrecurring Currently Combined Network Elements Switch -As-			LINIOAV	111000		5.04	5.04	7.00	7.00						
EVTE	Is Charge IDED 4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH DS0 I	NITEDO	FEIGE	UNC1X	UNCCC		5.61	5.61	7.00	7.00					1	
EXIE	First 4-wire 56 kbps Local Loop in combination - Zone 1	NIEKO	1 1	UNCDX	UDL56	29.93	126.66	89.12	59.35	14.61					 	
	First 4-wire 56 kbps Local Loop in combination - Zone 2		2	UNCDX	UDL56	33.99	126.66	89.12	59.35	14.61						
	First 4-wire 56 kbps Local Loop in combination - Zone 3		3	UNCDX	UDL56	34.74	126.66	89.12	59.35	14.61						
	First 4-wiree 56 kbps Interoffice Transport - Dedicated - Per Mile															
-	per month		<u> </u>	UNCDX	1L5XX	0.0134			ļ							<u> </u>
	First 4-wire 56 kbps Interoffice Transport - Dedicated - Facility			UNCDX	U1TD5	13.41	40.63	27.47	16.77	6.91						
	Termination per month Nonrecurring Currently Combined Network Elements Switch -As-			UNCDX	פעווט	13.41	40.63	21.41	16.77	6.91					-	
	Is Charge			UNCDX	UNCCC		5.61	5.61	7.00	7.00						
EXTEN	NDED 4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH DS0 I	NTERO	FFICE		0.1000		0.01	0.01	7.00	7.00						
	First 4-wire 64 kbps Local Loop in combination - Zone 1		1	UNCDX	UDL64	29.93	126.66	89.12	59.35	14.61						
	First 4-wire 64 kbps Local Loop in combination - Zone 2		2	UNCDX	UDL64	33.99	126.66	89.12	59.35	14.61						
	First 4-wire 64 kbps Local Loop in combination - Zone 3		3	UNCDX	UDL64	34.74	126.66	89.12	59.35	14.61					ļ	↓
1	First I4-wire 65 kbps Interoffice Transport - Dedicated - Per Mile		1	UNCDX	1L5XX	0.0134										
	per month First 4-wire 64 kbps Interoffice Transport - Dedicated - Facility	-	 	UNCDA	ILDAA	0.0134					-				+	+
	Termination per month		1	UNCDX	U1TD6	13.41	40.63	27.47	16.77	6.91						
	Nonrecurring Currently Combined Network Elements Switch -As-		t		1,		00			2.01			İ			İ
	Is Charge		<u></u>	UNCDX	UNCCC		5.61	5.61	7.00	7.00						
	NETWORK ELEMENTS															
	used as a part of a currently combined facility, the non-recurr								 							
	used as ordinarily combined network elements in All States, to curring Currently Combined Network Elements "Switch As Is"					AS IS Charge	uoes not.				-	-	-		 	
Home	ourning ourroundy combined Network Elements Switch As is	-mar ge	, one a	Applies to each co								L	L		L	

UNRI	INDI F	D NETWORK ELEMENTS - South Carolina												Attach	ment: 2	Exhil	hit: A
0.400				T .		I						Svc Order	Svc Order	Incremental		Incremental	Incremental
						1						Submitted	Submitted		Charge -	Charge -	Charge -
												Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATE	ORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)				_		Order vs.	Order vs.	Order vs.
071121		10112 =======	m		200				101120 (4)			per LSR	per LSR	Order vs.			
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							_	Nonre	curring	Nonrecurring	Disconnect			oss	Rates (\$)		
				t			Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Nonrecurring Currently Combined Network Elements Switch -As-															
		Is Charge - 2 wire/4-Wire VG			UNCVX	UNCCC		5.61	5.61	7.00	7.00						1
		Nonrecurring Currently Combined Network Elements Switch -As-						Î	Î		Î						
		Is Charge - 56/64 kbps			UNCDX	UNCCC		5.61	5.61	7.00	7.00						í
		Nonrecurring Currently Combined Network Elements Switch -As-															i
		Is Charge - DS1			UNC1X	UNCCC		5.61	5.61	7.00	7.00						ı
		Nonrecurring Currently Combined Network Elements Switch -As-															
		Is Charge - DS3			UNC3X	UNCCC		5.61	5.61	7.00	7.00						
		Nonrecurring Currently Combined Network Elements Switch -As-															í
		Is Charge - STS1			UNCSX	UNCCC		5.61	5.61	7.00	7.00						l .
	Option	al Features & Functions:															
	1				U1TD1,	L		l	l	L.	l						1
		Clear Channel Capability Extended Frame Option - per DS1	ı		ULDD1,UNC1X	CCOEF		01	01	01	01						
1	1			1	U1TD1,	I											ı
		Clear Channel Capability Super FrameOption - per DS1	- 1		ULDD1,UNC1X	CCOSF		01	01	01	Ol						
		Clear Channel Capability (SF/ESF) Option - Subsequent			ULDD1, U1TD1,					_	_						í
		Activity - per DS1			UNC1X, USL	NRCCC		185.26S	23.86S	1.99S	0.78S						-
					U1TD3, ULDD3,												í
		C-bit Parity Option - Subsequent Activity - per DS3	I		UE3, UNC3X	NRCC3		219.58S	7.69S	.7370S	0S						
	MULTI	PLEXERS				L											
	1	DS1 to DS0 Channel System per month			UNC1X	MQ1	107.57	91.24	62.71	10.56	9.81						
		OCU-DP COCI (data) - DS1 to DS0 Channel System - per			LIDI	40400	4.40	0.50	4.70								i I
	1	month (2.4-64kbs) used for a Local Loop			UDL	1D1DD	1.19	6.59	4.73								
		OCU-DP COCI (data) - DS1 to DS0 Channel System - per															i I
		month (2.4-64kbs) used for connection to a channelized DS1			U1TUD	1D1DD	4.40	0.50	4.70								í
	-	Local Channel in the same SWC as collocation 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per		-	טווט	טטוטו	1.19	6.59	4.73								
		month for a Local Loop			UDN	UC1CA	2.56	6.59	4.73								i I
-	-	2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per		-	UDIN	UCICA	2.56	6.59	4.73								
		month used for connection to a channelized DS1 Local Channel															í
		in the same SWC as collocation			U1TUB	UC1CA	2.56	6.59	4.73								ł
		Voice Grade COCI - DS1 to DS0 Channel System - per month			OTTOB	OCIOA	2.50	0.00	4.73								
		used for a Local Loop			UEA	1D1VG	0.56	6.59	4.73								ł
		Voice Grade COCI - DS1 to DS0 Channel System - per month		1	0271		0.00	0.00	0								(
		used for connection to a channelized DS1 Local Channel in the															ł
		same SWC as collocation			U1TUC	1D1VG	0.56	6.59	4.73								ł
	i e	DS3 to DS1 Channel System per month			UNC3X	MQ3	144.02	178.54	94.18	33.33	31.90						·
		STS-1 to DS1 Channel System per month		1	UNCSX	MQ3	144.02	178.54	94.18	33.33	31.90				1		1
		DS1 COCI used with Loop per month		1	USL	UC1D1	8.64	6.59	4.73						1		1
		DS1 COCI (used for connection to a channelized DS1 Local															í
	<u> </u>	Channel in the same SWC as collocation) per month	<u></u>	<u></u>	U1TUA	UC1D1	8.64	6.59	4.73	<u></u>					L		<u> </u>
		DS1 COCI used with Interoffice Channel per month			U1TD1	UC1D1	8.64	6.59	4.73								
		DS3 Interface Unit (DS1 COCI) used with Local Channel per															1
	1	month			ULDD1	UC1D1	8.64	6.59	4.73								
UNBUI		LOCAL EXCHANGE SWITCHING(PORTS)															
		nge Ports				1		l		ļ							
L		Although the Port Rate includes all available features in GA, I	KY, LA	& TN, tl	ne desired features	will need to b	e ordered usir	ng retail USOC	s	.							
L	2-WIRI	VOICE GRADE LINE PORT RATES (RES)		<u> </u>	LIEDOD	LUEBBI				L	L						ļ
	!	Exchange Ports - 2-Wire Analog Line Port- Res.		<u> </u>	UEPSR	UEPRL	1.65	2.38	2.28	1.42	1.33						
	1	Follows Bods OMFs Andrew Co. B. of St. C. S. C.			LIEDOD	LIEBES											1
<u> </u>	!	Exchange Ports - 2-Wire Analog Line Port with Caller ID - Res.		!	UEPSR	UEPRC	1.65	2.38	2.28	1.42	1.33				 		
		Funkanan Darta O Wina Analas I in Bost or tasting at 1			LIEDOD	LIEBEO	1.0-	0.00	0.00		1.00						l .
<u> </u>	!	Exchange Ports - 2-Wire Analog Line Port outgoing only - Res.	—	!	UEPSR	UEPRO	1.65	2.38	2.28	1.42	1.33				-		
1	1	Exchange Ports - 2-Wire VG unbundled SC extended local			LIEDOD	LIEBALL	4.05	0.00	0.00	1 40	1.33	1	1				1
—	 	dialing parity Port with Caller ID - Res. Exchange Ports - 2-Wire VG unbundled South Carolina Area	-	 	UEPSR	UEPAU	1.65	2.38	2.28	1.42	1.33						
1	1	Calling port with Caller ID - Res (LW8)			UEPSR	UEPAJ	1.65	2.38	2.28	1.42	1.33	1	1				1
-	 	Exchange Ports - 2-Wire VG unbundled res, low usage line port	 	 	OLFOR	OLF#J	1.03	2.38	2.28	1.42	1.33	-	1		1		1
1		with Caller ID (LUM)			UEPSR	UEPAP	1.65	2.38	2.28	1.42	1.33						1
	1	WILL CONT ID (LOW)	<u> </u>	1	OLI OIL	JOLI AF	1.00	2.30	2.20	1.42	1.33	1	1		ı		

RATE GRIVENTS RATE REMEITS RATE REMAINS RATE REMEITS RATE REMAINS RATE REMEITS RATE REMAINS rolina									1_	1_		ment: 2		bit: A		
Piert April SOME	CATEGORY	RATE ELEMENTS	Zone	BCS	USOC						Submitted Elec	Submitted Manually	Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Charge - Manual Svc Order vs. Electronic-	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add
Personal Callet D						Pac										
Pist - silvo Callet Profit - 2-Wee County						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
Exchange Posts - 2-View VS Date Confide Recidence Aves Calley Berlin without Callet to Depart of the Vicings List Provision Callet To Capability Capabilit																
Colling Flar without Caller Discussibility Colling Flar without Caller D Colling Flar wi				UEPSR	UEPWL	1.65	2.38	2.28	1.42	1.33						
Capabley USPSR USPSR USPSR USPSR 1.65 2.38 2.28 1.42 1.33		Calling Plan without Caller ID capability		UEPSR	UEPRS	1.65	2.38	2.28	1.42	1.33						
Soltespunt Anthrop FATURES																
PEATURES UPPVF 3.04 0.00 0.										1.33						
All Available Ventrice Features UIFPSR UIF				UEPSR	USASC	0.00	0.00	0.00								
Exhange Potrs - 2-Wire National Line Potr with Line P				LIEBOB												
Exchange Pots - 2-Wire Analog Line Pot without Callet 0 - 1.00				UEPSR	UEPVF	3.04	0.00	0.00								
Bus	2-WIRE		-								1					
Unbunded port with Calleter E-644 D - Dus.		Bus		UEPSB	UEPBL	1.65	2.38	2.28	1.42	1.33						
Exchange Pots - 2-Wire VG unbundled SC estended local duling party Port with Cell fell En - But.				UEPSB	UEPBC	1.65	2.38	2.28	1.42	1.33						
Exchange Points - 2-Wire VG unbounded SC estended local disting party Port with California Dr. Butt. UEPSB UEPAZ 1.65 2.38 2.28 1.42 1.33		Exchange Ports - 2-Wire Analog Line Port outgoing only - Rus		UEPSB	UEPBO	1.65	2.38	2.28	1.42	1.33						
Exhange Potts - 2-Wire VG unbundled snorming only port with Caller ID - Bus		Exchange Ports - 2-Wire VG unbundled SC extended local														
Exchange Ports - 2-Wire VG unbundled South Cardina Bus Area Calling Port with Calle IP - Bus (LIRB) Exchange Ports - 2-Wire Vice South Cardina Business Dialing Plan without Caller ID		Exhange Ports - 2-Wire VG unbundled incoming only port with														
Exchange Ports - 2-Wire Voice South Carolina Business Daling Plan without Caller ID UEPSB UEPWM 1.65 2.38 2.28 1.42 1.33				UEPSB	UEPB1	1.65	2.38	2.28	1.42	1.33	1					
Plan without Caller ID		Area Calling Port with Caller ID - Bus (LMB)		UEPSB	UEPAB	1.65	2.38	2.28	1.42	1.33						
Calling Port without Caller ID UEPSB UEPBB 1.65 2.38 2.28 1.42 1.33		Plan without Caller ID		UEPSB	UEPWM	1.65	2.38	2.28	1.42	1.33						
Capability		Calling Port without Caller ID		UEPSB	UEPBB	1.65	2.38	2.28	1.42	1.33						
Subsequent Activity				UEPSB	UEPBE	1.65	2.38	2.28	1.42	1.33						
All Available Vertical Features		Subsequent Activity		UEPSB		0.00	0.00	0.00								
All Available Vertical Features UEPVF 3.04 0.00	FEATU	RES														
EXCHAMGE PORT RATES (DID & PBX) 2 Wire VG Unbundled 2-Way PBX Trunk - Res UEPSE UEPPD 1.65 31.34 14.88 13.97 0.90 2 Wire VG Line Side Unbundled Cotward PBX Trunk - Bus UEPSP UEPPD 1.65 31.34 14.88 13.97 0.90 2 Wire VG Line Side Unbundled Cotward PBX Trunk - Bus UEPSP UEPPD 1.65 31.34 14.88 13.97 0.90 2 Wire VG Line Side Unbundled Cotward PBX Trunk - Bus UEPSP UEPPD 1.65 31.34 14.88 13.97 0.90 2 Wire VG Line Side Unbundled Cotward PBX Trunk - Bus UEPSP UEPPD 1.65 31.34 14.88 13.97 0.90 2 Wire VG Line Side Unbundled PBX Trunk - Bus UEPSP UEPPD 1.65 31.34 14.88 13.97 0.90 2 Wire VG Line Side Unbundled PBX Trunk - Bus UEPSP UEPPD 1.65 31.34 14.88 13.97 0.90 2 Wire VG Line Side Unbundled PBX LID Terminal Pots UEPSP UEPLD 1.65 31.34 14.88 13.97 0.90 2 Wire Vice Unbundled PBX LID Terminal Pots UEPSP UEPLD 1.65 31.34 14.88 13.97 0.90 2 Wire Vice Unbundled PBX LID Terminal Pots UEPSP UEPXB 1.65 31.34 14.88 13.97 0.90 2 Wire Vice Unbundled PBX LID Terminal Side Pots UEPSP UEPXB 1.65 31.34 14.88 13.97 0.90 2 Wire Vice Unbundled PBX LID Terminal Switchboard Pot UEPSP UEPXB 1.65 31.34 14.88 13.97 0.90 2 Wire Vice Unbundled PBX LID Terminal Switchboard Pot UEPSP UEPXD 1.65 31.34 14.88 13.97 0.90 2 Wire Vice Unbundled PBX LID Terminal Switchboard Pot UEPSP UEPXD 1.65 31.34 14.88 13.97 0.90 2 Wire Vice Unbundled PBX LID Terminal Switchboard Pot UEPSP UEPXD 1.65 31.34 14.88 13.97 0.90 2 Wire Vice Unbundled PBX LID Terminal Switchboard Pot UEPSP UEPXD 1.65 31.34 14.88 13.97 0.90 2 Wire Vice Unbundled PBX LID Terminal Switchboard Pot UEPSP UEPXD 1.65 31.34 14.88 13.97 0.90 2 Wire Vice Unbundled PBX LID Terminal Switchboard Pot UEPSP UEPXD 1.65 31.34 14.88 13.97 0.90 2 Wire Vice Unbundled PBX LID Terminal Switchboard Pot UEPSP UEPXD 1.65 31.34 14.88 13.97 0.90 2 Wire Vice Unbundled PBX LID Terminal Switchboard Pot UEPSP UEPXD 1.65 31.34 14.88 13.97 0.90 2 Wire Vice Unbundled PBX LID Terminal Switchboard Pot UEPSP UEPXD 1.65 31.34 14.88 13.97 0.90 2 Wire Vice Unbundled PBX LID Terminal Switchboard P		All Available Vertical Features		UEPSB			0.00	0.00								
2-Wire VG Unbundled 2-Way PBX Trunk - Res					UEPVF	3.04	0.00	0.00								
2-Wire VG Line Side Unbundled 2-Way PBX Trunk - Bus UEPSP UEPPC 1.65 31.34 14.88 13.97 0.90																
2-Wire VG Line Side Unbundled Dutward PBX Trunk - Bus UEPSP UEPPO 1.65 31.34 14.88 13.97 0.90																
2-Wire V G Line Side Unbundled Incoming PBX Trunk - Bus UEPSP UEPU 1.65 31.34 14.88 13.97 0.90																
2-Wire Nanog Long Distance Terminal PBX Trunk - Bus UEPSP UEPLD 1.65 31.34 14.88 13.97 0.90																
2-Wire Voice Unbundled PBX LD Terminal Ports			ļ										ļ	 	ļ	
2-Wire Vice Unbundled 2-Way PBX Usage Port UEPSP UEPXB 1.65 31.34 14.88 13.97 0.90			ļ										ļ	 	ļ	
2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports																
2-Wire Voice Unbundled PBX LD DDD Terminals Port			-								1					
2-Wire Voice Unbundled PBX LD Terminal Switchboard Port UEPSP UEPXD 1.65 31.34 14.88 13.97 0.90											-	-				
2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD UEPSP UEPXE 1.65 31.34 14.88 13.97 0.90											 					
2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Administrative Calling Port UEPSP UEPXL 1.65 31.34 14.88 13.97 0.90		2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD														
2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Room Calling Port UEPSP UEPXM 1.65 31.34 14.88 13.97 0.90 0.90 0.90 0.90		2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy														
Room Calling Port				UEPSP	UEPXL	1.65	31.34	14.88	13.97	0.90						
Discount Room Calling Port		Room Calling Port	 -	UEPSP	UEPXM	1.65	31.34	14.88	13.97	0.90	1					
2-Wire Voice Unbundled 2-Way PBX South Carolina Area Plus UEPSP		Discount Room Calling Port														
Subsequent Activity		2-Wire Voice Unbundled 2-Way PBX South Carolina Area Plus									 					
FEATURES			-							0.90						
EXCHANGE PORT RATES (COIN)																
				UEPSP UEPSE	UEPVF	3.04	0.00	0.00								
Exchange Ports - Coin Port 1.65 2.38 2.28 1.42 1.33																

CATEGORY Local Switci NOTE: Tran NOTE: Acc UNBUNDLED LOCA EXCHANGE The DS1 Po Requests fo Exch Exch Exch In Exch Exch Exch Exch Exch Exch Exch Exch	RATE ELEMENTS Ching Features offered with Port Insmission/usage charges associated with POTS circuit sw Evess to B Channel or D Channel Packet capabilities will be AL EXCHANGE SWITCHING(PORTS) E PORT RATES Tor 14-Wire DDITS Trunk Port and 4-Wire ISD Tor 4-Wire DDITS Trunk Ports with 4-Wire ISDN DS1 Ports a thange Ports - 2-Wire DID Port Hange Ports - 2-Wire ISDN Port (See Notes below.) Features Offered thange Ports - 2-Wire ISDN Port - Channel Profiles Insmission/usage charges associated with POTS circuit sw Less to B Channel or D Channel Packet capabilities will be E PORT RATES (continued) hange Ports - 4-Wire ISDN DS1 Port with Detailed E911 ator Capability (E-4/1/2004) hange Ports - 4-Wire ISDN DS1 Port (E:4/1/2004) hange Ports - 5-Wire ISDN DS1 Port (E:4/1/2004) Sical Collocation - DS1 Cross-Connects	DN Port	in this effecti	rate exhibit apply to ve date of this amer UEPEX UEPDD UEPTX, UEPSX UEPTX, UEPSX UEPTX, UEPSX UEPTX, UEPSX	Business Re	quest Process. ded base in pla	Rates for the control of the control	Add'I ed data transm packet capabi 3 until 4/1/04.	lities will be de After 4/1/04 the	Add'I nannels associ etermined via t ese rates shall	he Bona Fic revert to tar	Submitted Manually per LSR SOMAN wire ISDN per Request/	Incremental Charge - Manual Svc Order vs. Electronic- 1st OSS SOMAN oorts. New Business	Charge - Manual Svc Order vs. Electronic- Add'l Rates (\$) SOMAN	Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
Local Switci NOTE: Tran NOTE: Acce UNBUNDLED LOCA EXCHANGE The DS1 Po Requests fo Exch Capa Exch NOTE: Tran NOTE: Acce EXCHANGE Exch NOTE: Tran NOTE: Acce EXCHANGE Exch Loca Exch Phys	ching Features offered with Port nsmission/usage charges associated with POTS circuit sv ess to B Channel or D Channel Packet capabilities will be AL EXCHANGE SWITCHING(PORTS) E PORT RATES ort rates below for 4-Wire DDITS Trunk Port and 4-Wire ISD or 4-Wire DDITS Trunk Ports with 4-Wire ISDN DS1 Ports a thange Ports - 2-Wire DID Port hange Ports - 2-DITS Port - 4-Wire DS1 Port with DID ability (E:4/1/2004) hange Ports - 2-Wire ISDN Port (See Notes below.) Features Offered thange Ports - 2-Wire ISDN Port - Channel Profiles provided thange Ports - 2-Wire ISDN Port - Channel Profiles E PORT RATES (continued) thange Ports - 4-Wire ISDN DS1 Port with Detailed E911 ator Capability (E:4/1/2004) hange Ports - 4-Wire ISDN DS1 Port with Detailed E911 ator Capability (E:4/1/2004)	witched availab	usage ble only in this effecti	will also apply to ci / through BFR/New rate exhibit apply to ve date of this amer UEPEX UEPDD UEPTX, UEPSX UEPTX, UEPSX UEPTX, UEPSX UEPTX, UEPSX	rcuit switche Business Re the embedd dment shall UEPP2 UEPDD U1PMA UEPVF	d voice and/or quest Process. ded base in plate be provided p 8.86 73.62 13.38	First circuit switch Rates for the circuit switch rates for the uce as of 10/2/0 ursuant to a st 119.57 202.47 72.93	eurring Add'l ed data transm packet capabi 3 until 4/1/04. parate agreem 18.78	First hission by B-Ch lities will be de After 4/1/04 the ent or tariff at	Add'I nannels associ etermined via t ese rates shall	Submitted Elec per LSR SOMEC ated with 2- he Bona Fice revert to tai	Submitted Manually per LSR SOMAN wire ISDN per Request/	Charge - Manual Svc Order vs. Electronic- 1st OSS SOMAN oorts. New Business	Charge - Manual Svc Order vs. Electronic- Add'l Rates (\$) SOMAN	Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge - Manual Svc Order vs. Electronic- Disc Add'l
Local Switci NOTE: Tran NOTE: Acce UNBUNDLED LOCA EXCHANGE The DS1 Po Requests fo Exch Capa Exch NOTE: Tran NOTE: Acce EXCHANGE Exch NOTE: Tran NOTE: Acce EXCHANGE Exch Local	ching Features offered with Port nsmission/usage charges associated with POTS circuit sv ess to B Channel or D Channel Packet capabilities will be AL EXCHANGE SWITCHING(PORTS) E PORT RATES ort rates below for 4-Wire DDITS Trunk Port and 4-Wire ISD or 4-Wire DDITS Trunk Ports with 4-Wire ISDN DS1 Ports a thange Ports - 2-Wire DID Port hange Ports - 2-DITS Port - 4-Wire DS1 Port with DID ability (E:4/1/2004) hange Ports - 2-Wire ISDN Port (See Notes below.) Features Offered thange Ports - 2-Wire ISDN Port - Channel Profiles provided thange Ports - 2-Wire ISDN Port - Channel Profiles E PORT RATES (continued) thange Ports - 4-Wire ISDN DS1 Port with Detailed E911 ator Capability (E:4/1/2004) hange Ports - 4-Wire ISDN DS1 Port with Detailed E911 ator Capability (E:4/1/2004)	witched availab	usage ble only in this effecti	will also apply to ci / through BFR/New rate exhibit apply to ve date of this amer UEPEX UEPDD UEPTX, UEPSX UEPTX, UEPSX UEPTX, UEPSX UEPTX, UEPSX	rcuit switche Business Re the embedd dment shall UEPP2 UEPDD U1PMA UEPVF	d voice and/or quest Process. ded base in plate be provided p 8.86 73.62 13.38	First circuit switch Rates for the circuit switch rates for the uce as of 10/2/0 ursuant to a st 119.57 202.47 72.93	eurring Add'l ed data transm packet capabi 3 until 4/1/04. parate agreem 18.78	First hission by B-Ch lities will be de After 4/1/04 the ent or tariff at	Add'I nannels associ etermined via t ese rates shall	Elec per LSR SOMEC ated with 2- he Bona Ficure Prevent to tai	Manually per LSR SOMAN wire ISDN per Request/	Manual Svc Order vs. Electronic- 1st OSS SOMAN	Manual Svc Order vs. Electronic- Add'l Rates (\$) SOMAN	Manual Svc Order vs. Electronic- Disc 1st	Manual Svc Order vs. Electronic- Disc Add'l
Local Switci NOTE: Tran NOTE: Acce UNBUNDLED LOCA EXCHANGE The DS1 Po Requests fo Exch Exch Capa Exch All F Exch NOTE: Tran NOTE: Acce EXCHANGE Exch Local Exch Phys	ching Features offered with Port nsmission/usage charges associated with POTS circuit sv ess to B Channel or D Channel Packet capabilities will be AL EXCHANGE SWITCHING(PORTS) E PORT RATES ort rates below for 4-Wire DDITS Trunk Port and 4-Wire ISD or 4-Wire DDITS Trunk Ports with 4-Wire ISDN DS1 Ports a thange Ports - 2-Wire DID Port hange Ports - 2-DITS Port - 4-Wire DS1 Port with DID ability (E:4/1/2004) hange Ports - 2-Wire ISDN Port (See Notes below.) Features Offered thange Ports - 2-Wire ISDN Port - Channel Profiles provided thange Ports - 2-Wire ISDN Port - Channel Profiles E PORT RATES (continued) thange Ports - 4-Wire ISDN DS1 Port with Detailed E911 ator Capability (E:4/1/2004) hange Ports - 4-Wire ISDN DS1 Port with Detailed E911 ator Capability (E:4/1/2004)	witched availab	usage ble only in this effecti	will also apply to ci / through BFR/New rate exhibit apply to ve date of this amer UEPEX UEPDD UEPTX, UEPSX UEPTX, UEPSX UEPTX, UEPSX UEPTX, UEPSX	rcuit switche Business Re the embedd dment shall UEPP2 UEPDD U1PMA UEPVF	d voice and/or quest Process. ded base in plate be provided p 8.86 73.62 13.38	First circuit switch Rates for the circuit switch rates for the uce as of 10/2/0 ursuant to a st 119.57 202.47 72.93	eurring Add'l ed data transm packet capabi 3 until 4/1/04. parate agreem 18.78	First hission by B-Ch lities will be de After 4/1/04 the ent or tariff at	Add'I nannels associ etermined via t ese rates shall	per LSR SOMEC ated with 2- he Bona Fic	SOMAN wire ISDN page Request/	Order vs. Electronic- 1st OSS SOMAN Ports. New Business	Order vs. Electronic- Add'l Rates (\$) SOMAN Request Pro	Order vs. Electronic- Disc 1st SOMAN	Order vs. Electronic- Disc Add'l
NOTE: Tran NOTE: Acco UNBUNDLED LOCA EXCHANGE The DS1 Po Requests fo Exch Exch Loca Exch All F Exch NOTE: Tran NOTE: Acco EXCHANGE Exch Loca Exch Phys	nsmission/usage charges associated with POTS circuit sw tess to B Channel or D Channel Packet capabilities will be AL EXCHANGE SWITCHING(PORTS) E PORT RATES Or rates below for 4-Wire DDITS Trunk Port and 4-Wire ISI or 4-Wire DDITS Trunk Ports with 4-Wire ISDN DS1 Ports a hange Ports - 2-Wire DID Port thange Ports - DDITS Port - 4-Wire DS1 Port with DID ability (E:4/1/2004) thange Ports - 2-Wire ISDN Port (See Notes below.) Features Offered thange Ports - 2-Wire ISDN Port Channel Profiles nsmission/usage charges associated with POTS circuit sw tess to B Channel or D Channel Packet capabilities will be E PORT RATES (continued) hange Ports - 4-Wire ISDN DS1 Port with Detailed E911 ator Capability (E:4/1/2004) hange Ports - 4-Wire ISDN DS1 Port with Detailed E911 ator Capability (E:4/1/2004)	witched availab	in this effecti	rate exhibit apply to ve date of this amer UEPEX UEPDD UEPTX, UEPSX UEPTX, UEPSX UEPTX, UEPSX UEPTX, UEPSX	the embedondment shall UEPP2 UEPDD U1PMA UEPVF	d voice and/or quest Process. ded base in plate be provided p 8.86 73.62 13.38	First circuit switch Rates for the circuit switch rates for the uce as of 10/2/0 ursuant to a st 119.57 202.47 72.93	Add'I ed data transm packet capabi 3 until 4/1/04. parate agreem 18.78	First hission by B-Ch lities will be de After 4/1/04 the ent or tariff at	Add'I nannels associ etermined via t ese rates shall	SOMEC ated with 2- he Bona Fig	SOMAN wire ISDN p	OSS SOMAN Oorts. New Business	Electronic- Add'l Rates (\$) SOMAN	Electronic- Disc 1st	Electronic- Disc Add'l
NOTE: Tran NOTE: Acc NOTE: Acc UNBUNDLED LOCA EXCHANGE The DS1 Po Requests fo Exch Exch Locapa Exch All F Exch NOTE: Tran NOTE: Acce EXCHANGE Exch Loca Exch Phys	nsmission/usage charges associated with POTS circuit sw tess to B Channel or D Channel Packet capabilities will be AL EXCHANGE SWITCHING(PORTS) E PORT RATES Or rates below for 4-Wire DDITS Trunk Port and 4-Wire ISI or 4-Wire DDITS Trunk Ports with 4-Wire ISDN DS1 Ports a hange Ports - 2-Wire DID Port thange Ports - DDITS Port - 4-Wire DS1 Port with DID ability (E:4/1/2004) thange Ports - 2-Wire ISDN Port (See Notes below.) Features Offered thange Ports - 2-Wire ISDN Port Channel Profiles nsmission/usage charges associated with POTS circuit sw tess to B Channel or D Channel Packet capabilities will be E PORT RATES (continued) hange Ports - 4-Wire ISDN DS1 Port with Detailed E911 ator Capability (E:4/1/2004) hange Ports - 4-Wire ISDN DS1 Port with Detailed E911 ator Capability (E:4/1/2004)	DN Port	in this effecti	rate exhibit apply to ve date of this amer UEPEX UEPDD UEPTX, UEPSX UEPTX, UEPSX UEPTX, UEPSX UEPTX, UEPSX	the embedondment shall UEPP2 UEPDD U1PMA UEPVF	d voice and/or quest Process. ded base in plate be provided p 8.86 73.62 13.38	First circuit switch Rates for the circuit switch rates for the uce as of 10/2/0 ursuant to a st 119.57 202.47 72.93	Add'I ed data transm packet capabi 3 until 4/1/04. parate agreem 18.78	First hission by B-Ch lities will be de After 4/1/04 the ent or tariff at	Add'I nannels associ etermined via t ese rates shall	ated with 2- he Bona Fic revert to tal	wire ISDN ple Request/	OSS SOMAN Poorts. New Business	Add'I Rates (\$) SOMAN s Request Pro	Disc 1st	Disc Add'l
NOTE: Tran NOTE: Acc UNBUNDLED LOCA EXCHANGE The DS1 Po Requests fo Exch Exch Exch All F Exch NOTE: Tran NOTE: Acce EXCHANGE Exch Phys	nsmission/usage charges associated with POTS circuit sw tess to B Channel or D Channel Packet capabilities will be AL EXCHANGE SWITCHING(PORTS) E PORT RATES Or rates below for 4-Wire DDITS Trunk Port and 4-Wire ISI or 4-Wire DDITS Trunk Ports with 4-Wire ISDN DS1 Ports a hange Ports - 2-Wire DID Port thange Ports - DDITS Port - 4-Wire DS1 Port with DID ability (E:4/1/2004) thange Ports - 2-Wire ISDN Port (See Notes below.) Features Offered thange Ports - 2-Wire ISDN Port Channel Profiles nsmission/usage charges associated with POTS circuit sw tess to B Channel or D Channel Packet capabilities will be E PORT RATES (continued) hange Ports - 4-Wire ISDN DS1 Port with Detailed E911 ator Capability (E:4/1/2004) hange Ports - 4-Wire ISDN DS1 Port with Detailed E911 ator Capability (E:4/1/2004)	DN Port	in this effecti	rate exhibit apply to ve date of this amer UEPEX UEPDD UEPTX, UEPSX UEPTX, UEPSX UEPTX, UEPSX UEPTX, UEPSX	the embedondment shall UEPP2 UEPDD U1PMA UEPVF	d voice and/or quest Process. ded base in plate be provided p 8.86 73.62 13.38	First circuit switch Rates for the circuit switch rates for the uce as of 10/2/0 ursuant to a st 119.57 202.47 72.93	Add'I ed data transm packet capabi 3 until 4/1/04. parate agreem 18.78	First hission by B-Ch lities will be de After 4/1/04 the ent or tariff at	Add'I nannels associ etermined via t ese rates shall	ated with 2- he Bona Fic revert to tal	wire ISDN ple Request/	OSS SOMAN Poorts. New Business	Rates (\$) SOMAN Request Pro	SOMAN	
NOTE: Tran NOTE: Acc UNBUNDLED LOCA EXCHANGE The DS1 Po Requests fo Exch Exch Exch All F Exch NOTE: Tran NOTE: Acce EXCHANGE Exch Phys	nsmission/usage charges associated with POTS circuit sw tess to B Channel or D Channel Packet capabilities will be AL EXCHANGE SWITCHING(PORTS) E PORT RATES Or rates below for 4-Wire DDITS Trunk Port and 4-Wire ISI or 4-Wire DDITS Trunk Ports with 4-Wire ISDN DS1 Ports a hange Ports - 2-Wire DID Port thange Ports - DDITS Port - 4-Wire DS1 Port with DID ability (E:4/1/2004) thange Ports - 2-Wire ISDN Port (See Notes below.) Features Offered thange Ports - 2-Wire ISDN Port Channel Profiles nsmission/usage charges associated with POTS circuit sw tess to B Channel or D Channel Packet capabilities will be E PORT RATES (continued) hange Ports - 4-Wire ISDN DS1 Port with Detailed E911 ator Capability (E:4/1/2004) hange Ports - 4-Wire ISDN DS1 Port with Detailed E911 ator Capability (E:4/1/2004)	DN Port	in this effecti	rate exhibit apply to ve date of this amer UEPEX UEPDD UEPTX, UEPSX UEPTX, UEPSX UEPTX, UEPSX UEPTX, UEPSX	the embedondment shall UEPP2 UEPDD U1PMA UEPVF	d voice and/or quest Process. ded base in plate be provided p 8.86 73.62 13.38	First circuit switch Rates for the circuit switch rates for the uce as of 10/2/0 ursuant to a st 119.57 202.47 72.93	Add'l ed data transm packet capabi 3 until 4/1/04. parate agreem 18.78	First hission by B-Ch lities will be de After 4/1/04 the ent or tariff at	Add'I nannels associ etermined via t ese rates shall	ated with 2- he Bona Fic revert to tal	wire ISDN ple Request/	SOMAN ports. New Business	SOMAN Request Pro		SOMAN
NOTE: Tran NOTE: Acc UNBUNDLED LOCA EXCHANGE The DS1 Po Requests fo Exch Exch Exch All F Exch NOTE: Tran NOTE: Acce EXCHANGE Exch Phys	nsmission/usage charges associated with POTS circuit sw tess to B Channel or D Channel Packet capabilities will be AL EXCHANGE SWITCHING(PORTS) E PORT RATES Or rates below for 4-Wire DDITS Trunk Port and 4-Wire ISI or 4-Wire DDITS Trunk Ports with 4-Wire ISDN DS1 Ports a hange Ports - 2-Wire DID Port thange Ports - DDITS Port - 4-Wire DS1 Port with DID ability (E:4/1/2004) thange Ports - 2-Wire ISDN Port (See Notes below.) Features Offered thange Ports - 2-Wire ISDN Port Channel Profiles nsmission/usage charges associated with POTS circuit sw tess to B Channel or D Channel Packet capabilities will be E PORT RATES (continued) hange Ports - 4-Wire ISDN DS1 Port with Detailed E911 ator Capability (E:4/1/2004) hange Ports - 4-Wire ISDN DS1 Port with Detailed E911 ator Capability (E:4/1/2004)	DN Port	in this effecti	rate exhibit apply to ve date of this amer UEPEX UEPDD UEPTX, UEPSX UEPTX, UEPSX UEPTX, UEPSX UEPTX, UEPSX	the embedondment shall UEPP2 UEPDD U1PMA UEPVF	d voice and/or quest Process. ded base in plate be provided p 8.86 73.62 13.38	circuit switch Rates for the ce as of 10/2/0 ursuant to a se 119.57 202.47 72.93	ed data transm packet capabi 3 until 4/1/04. parate agreem 18.78	lission by B-Ch lities will be de After 4/1/04 the	nannels associ etermined via t	ated with 2- he Bona Fic revert to tal	wire ISDN ple Request/	oorts. New Business	Request Pro		SOMAN
NOTE: Tran NOTE: Acc UNBUNDLED LOCA EXCHANGE The DS1 Po Requests fo Exch Exch Exch All F Exch NOTE: Tran NOTE: Acce EXCHANGE Exch Phys	nsmission/usage charges associated with POTS circuit sw tess to B Channel or D Channel Packet capabilities will be AL EXCHANGE SWITCHING(PORTS) E PORT RATES Or rates below for 4-Wire DDITS Trunk Port and 4-Wire ISI or 4-Wire DDITS Trunk Ports with 4-Wire ISDN DS1 Ports a hange Ports - 2-Wire DID Port thange Ports - DDITS Port - 4-Wire DS1 Port with DID ability (E:4/1/2004) thange Ports - 2-Wire ISDN Port (See Notes below.) Features Offered thange Ports - 2-Wire ISDN Port Channel Profiles nsmission/usage charges associated with POTS circuit sw tess to B Channel or D Channel Packet capabilities will be E PORT RATES (continued) hange Ports - 4-Wire ISDN DS1 Port with Detailed E911 ator Capability (E:4/1/2004) hange Ports - 4-Wire ISDN DS1 Port with Detailed E911 ator Capability (E:4/1/2004)	DN Port	in this effecti	rate exhibit apply to ve date of this amer UEPEX UEPDD UEPTX, UEPSX UEPTX, UEPSX UEPTX, UEPSX UEPTX, UEPSX	the embedondment shall UEPP2 UEPDD U1PMA UEPVF	ded base in pla be provided p 8.86 73.62 13.38	Rates for the control of the control	3 until 4/1/04. parate agreem	lities will be de After 4/1/04 the ent or tariff at	etermined via t	he Bona Fic revert to tar	le Request/	New Business		cess.	
NOTE: Acce UNBUNDLED LOCA EXCHANGE The DS1 Po Requests fo Exch Exch Exch All F Exch NOTE: Tran NOTE: Acce EXCHANGE Exch Loca Exch Phys	cess to B Channel or D Channel Packet capabilities will be AL EXCHANGE SWITCHING(PORTS) E PORT RATES ort rates below for 4-Wire DDITS Trunk Port and 4-Wire ISD or 4-Wire DDITS Trunk Ports with 4-Wire ISDN DS1 Ports a shange Ports - 2-Wire DID Port hange Ports - 2-Wire DID Port hange Ports - 2-Wire DID Port hange Ports - 2-Wire ISDN Port (See Notes below.) Features Offered hange Ports - 2-Wire ISDN Port Channel Profiles nsmission/usage charges associated with POTS circuit swess to B Channel or D Channel Packet capabilities will be E PORT RATES (continued) hange Ports - 4-Wire ISDN DS1 Port with Detailed E911 ator Capability (E:4/1/2004) hange Ports - 4-Wire ISDN DS1 Port (E:4/1/2004) hange Ports - 4-Wire ISDN DS1 Port (E:4/1/2004)	DN Port	in this effecti	rate exhibit apply to ve date of this amer UEPEX UEPDD UEPTX, UEPSX UEPTX, UEPSX UEPTX, UEPSX UEPTX, UEPSX	the embedondment shall UEPP2 UEPDD U1PMA UEPVF	ded base in pla be provided p 8.86 73.62 13.38	Rates for the control of the control	3 until 4/1/04. parate agreem	lities will be de After 4/1/04 the ent or tariff at	etermined via t	he Bona Fic revert to tar	le Request/	New Business		cess.	
UNBUNDLED LOCA EXCHANGE The DS1 Po Requests fo Exch Exch Exch All F Exch NOTE: Tran NOTE: Acce EXCHANGE Exch Loca Exch Phys	AL EXCHANGE SWITCHING(PORTS) E PORT RATES or 4-Wire DDITS Trunk Port and 4-Wire ISD or 4-Wire DDITS Trunk Ports with 4-Wire ISDN DS1 Ports a hange Ports - 2-Wire DID Port hange Ports - DDITS Port - 4-Wire DS1 Port with DID ability (E:4/1/2004) hange Ports - 2-Wire ISDN Port (See Notes below.) Features Offered hange Ports - 2-Wire ISDN Port Channel Profiles nsmission/usage charges associated with POTS circuit sw tess to B Channel or D Channel Packet capabilities will be E PORT RATES (continued) hange Ports - 4-Wire ISDN DS1 Port with Detailed E911 ator Capability (E:4/1/2004) hange Ports - 4-Wire ISDN DS1 Port (E:4/1/2004)	DN Port	in thise effecti	rate exhibit apply to ve date of this amer UEPEX UEPDD UEPTX, UEPSX UEPTX, UEPSX UEPTX, UEPSX UEPTX, UEPSX	o the embedondment shall UEPP2 UEPDD U1PMA UEPVF	ded base in pla be provided p 8.86 73.62 13.38	ace as of 10/2/0 ursuant to a se 119.57 202.47 72.93	3 until 4/1/04. eparate agreem 18.78	After 4/1/04 the	ese rates shall	revert to tai				cess.	
EXCHANGE The DS1 Po Requests fo Exch Capa Exch All F Exch NOTE: Tran NOTE: Acce EXCHANGE Exch Loca Exch Phys	E PORT RATES ort rates below for 4-Wire DDITS Trunk Port and 4-Wire ISI or 4-Wire DDITS Trunk Ports with 4-Wire ISDN DS1 Ports a hange Ports - 2-Wire DID Port thange Ports - DDITS Port - 4-Wire DS1 Port with DID ability (E:4/1/2004) hange Ports - 2-Wire ISDN Port (See Notes below.) Features Offered hange Ports - 2-Wire ISDN Port Channel Profiles nsmission/usage charges associated with POTS circuit sw tess to B Channel or D Channel Packet capabilities will be E PORT RATES (continued) hange Ports - 4-Wire ISDN DS1 Port with Detailed E911 ator Capability (E:4/1/2004) hange Ports - 4-Wire ISDN DS1 Port (E:4/1/2004)	after the	usage	ve date of this amer UEPEX UEPDD UEPTX, UEPSX UEPTX, UEPSX UEPTX, UEPSX	UEPDD UEPVF	8.86 73.62 13.38	119.57 202.47 72.93	parate agreem 18.78	ent or tariff at			riff rates or	a separate ag	reement.		
The DS1 Po Requests fo Exch Exch All F Exch NOTE: Tran NOTE: Acce EXCHANGE Exch Loca Exch Phys	ort rates below for 4-Wire DDITS Trunk Port and 4-Wire ISD or 4-Wire DDITS Trunk Ports with 4-Wire ISDN DS1 Ports a thange Ports - 2-Wire DID Port hange Ports - DDITS Port - 4-Wire DS1 Port with DID ability (E:4/1/2004) hange Ports - 2-Wire ISDN Port (See Notes below.) Features Offered thange Ports - 2-Wire ISDN Port - Channel Profiles sess to B Channel or D Channel Packet capabilities will be E PORT RATES (continued) thange Ports - 4-Wire ISDN DS1 Port with Detailed E911 ator Capability (E:4/1/2004) hange Ports - 4-Wire ISDN DS1 Port (E:4/1/2004)	after the	usage	ve date of this amer UEPEX UEPDD UEPTX, UEPSX UEPTX, UEPSX UEPTX, UEPSX	UEPDD UEPVF	8.86 73.62 13.38	119.57 202.47 72.93	parate agreem 18.78	ent or tariff at			riff rates or	a separate ag	reement.		<u> </u>
Requests fo Exch Exch Capa Exch All F Exch NOTE: Tran NOTE: Acce EXCHANGE Exch Loca Exch Phys	or 4-Wire DDITS Trunk Ports with 4-Wire ISDN DS1 Ports at hange Ports - 2-Wire DID Port shange Ports - DDITS Port - 4-Wire DS1 Port with DID ability (E:4/1/2004) shange Ports - 2-Wire ISDN Port (See Notes below.) Features Offered shange Ports - 2-Wire ISDN Port Channel Profiles shange Ports - 2-Wire ISDN Port Channel Profiles shange Ports - 2-Wire ISDN Port Channel Profiles shange Ports - 2-Wire ISDN Port Channel Profiles shange Ports - Sees to B Channel or D Channel Packet capabilities will be EPORT RATES (continued) shange Ports - 4-Wire ISDN DS1 Port with Detailed E911 ator Capability (E:4/1/2004) shange Ports - 4-Wire ISDN DS1 Port (E:4/1/2004)	after the	usage	ve date of this amer UEPEX UEPDD UEPTX, UEPSX UEPTX, UEPSX UEPTX, UEPSX	UEPDD UEPVF	8.86 73.62 13.38	119.57 202.47 72.93	parate agreem 18.78	ent or tariff at			riff rates or	a separate ag	reement.		
Exch Exch Capa Exch All F Exch NOTE: Tran NOTE: Acce EXCHANGE Exch Loca Exch Phys	hange Ports - 2-Wire DID Port hange Ports - DDITS Port - 4-Wire DS1 Port with DID ability (E:4/1/2004) hange Ports - 2-Wire ISDN Port (See Notes below.) Features Offered hange Ports - 2-Wire ISDN Port Channel Profiles nsmission/usage charges associated with POTS circuit sw tess to B Channel or D Channel Packet capabilities will be E PORT RATES (continued) hange Ports - 4-Wire ISDN DS1 Port with Detailed E911 ator Capability (E:4/1/2004) hange Ports - 4-Wire ISDN DS1 Port (E:4/1/2004)	vitched	usage	UEPEX UEPDD UEPTX, UEPSX UEPTX, UEPSX UEPTX, UEPSX	UEPP2 UEPDD U1PMA UEPVF	73.62 13.38	119.57 202.47 72.93	18.78								
Exch capa Exch All F Exch NOTE: Tran NOTE: Acce EXCHANGE Exch Loca Exch Phys	hange Ports - DDITS Port - 4-Wire DS1 Port with DID ability (E:4/1/2004) hange Ports - 2-Wire ISDN Port (See Notes below.) Features Offered hange Ports - 2-Wire ISDN Port — Channel Profiles nsmission/usage charges associated with POTS circuit swees to B Channel or D Channel Packet capabilities will be E PORT RATES (continued) hange Ports - 4-Wire ISDN DS1 Port with Detailed E911 ator Capability (E:4/1/2004) hange Ports - 4-Wire ISDN DS1 Port (E:4/1/2004)			UEPDD UEPTX, UEPSX UEPTX, UEPSX UEPTX, UEPSX	UEPDD U1PMA UEPVF	73.62 13.38	202.47 72.93		60.03		iscretion.					
capa Exch All F Exch NOTE: Tran NOTE: Acce EXCHANGE Exch Loca Exch Phys	ability (E:4/1/2004) hange Ports - 2-Wire ISDN Port (See Notes below.) Features Offered hange Ports - 2-Wire ISDN Port Channel Profiles nsmission/usage charges associated with POTS circuit sv ess to B Channel or D Channel Packet capabilities will be E PORT RATES (continued) hange Ports - 4-Wire ISDN DS1 Port with Detailed E911 ator Capability (E:4/1/2004) hange Ports - 4-Wire ISDN DS1 Port (E:4/1/2004)			UEPTX, UEPSX UEPTX, UEPSX UEPTX, UEPSX	U1PMA UEPVF	13.38	72.93	95 90		3.77						
Exch All F Exch NOTE: Tran NOTE: Acce EXCHANGE EXCHANGE Exch Loca Exch Phys	hange Ports - 2-Wire ISDN Port (See Notes below.) Features Offered hange Ports - 2-Wire ISDN Port Channel Profiles nsmission/usage charges associated with POTS circuit sw tess to B Channel or D Channel Packet capabilities will be EPORT RATES (continued) hange Ports - 4-Wire ISDN DS1 Port with Detailed E911 ator Capability (E:4/1/2004) hange Ports - 4-Wire ISDN DS1 Port (E:4/1/2004)			UEPTX, UEPSX UEPTX, UEPSX UEPTX, UEPSX	U1PMA UEPVF	13.38	72.93	95 90	70.75	0.47						í
All F Exch NOTE: Trann NOTE: Accc EXCHANGE Exch Loca Exch Phys	Features Offered hange Ports - 2-Wire ISDN Port Channel Profiles nsmission/usage charges associated with POTS circuit sv tess to B Channel or D Channel Packet capabilities will be E PORT RATES (continued) hange Ports - 4-Wire ISDN DS1 Port with Detailed E911 ator Capability (E:4/1/2004) hange Ports - 4-Wire ISDN DS1 Port (E:4/1/2004)			UEPTX, UEPSX UEPTX, UEPSX	UEPVF			53.11	72.75 47.90	2.47 10.76						
Exch NOTE: Tran NOTE: Acce EXCHANGE Exch Loca Exch Phys	hange Ports - 2-Wire ISDN Port Channel Profiles nsmission/usage charges associated with POTS circuit swess to B Channel or D Channel Packet capabilities will be E PORT RATES (continued) hange Ports - 4-Wire ISDN DS1 Port with Detailed E911 ator Capability (E:4/1/2004) hange Ports - 4-Wire ISDN DS1 Port (E:4/1/2004)			UEPTX, UEPSX		3.04	0.00	53.11 0.00	47.90	10.76	-	-	-	-		
NOTE: Tran NOTE: Acce EXCHANGE Exch Loca Exch Phys	nsmission/usage charges associated with POTS circuit sv sess to B Channel or D Channel Packet capabilities will be E PORT RATES (continued) thange Ports - 4-Wire ISDN DS1 Port with Detailed E911 ator Capability (E:4/1/2004) thange Ports - 4-Wire ISDN DS1 Port (E:4/1/2004)					0.00	0.00	0.00			-	-	-	-		
NOTE: Acce EXCHANGE Exch Loca Exch Phys	cess to B Channel or D Channel Packet capabilities will be E PORT RATES (continued) hange Ports - 4-Wire ISDN DS1 Port with Detailed E911 ator Capability (E:4/1/2004) hange Ports - 4-Wire ISDN DS1 Port (E:4/1/2004)			will also apply to cl					iesion by B.C.	l nannole secos	atad with a	wire ISDN -	orte	-		
EXCHANGE Exch Loca Exch Phys	E PORT RATES (continued) hange Ports - 4-Wire ISDN DS1 Port with Detailed E911 ator Capability (E:4/1/2004) hange Ports - 4-Wire ISDN DS1 Port (E:4/1/2004)	avallal	ole offing											Boguest Bro		
Exch Loca Exch Phys Virtu	hange Ports - 4-Wire ISDN DS1 Port with Detailed E911 ator Capability (E:4/1/2004) hange Ports - 4-Wire ISDN DS1 Port (E:4/1/2004)	-		anough brk/New	Lusiiiess Ke	quest FIUCESS.	Nates for the	раскет сараві	iiies wiii ne de	zierininieu via t	ne bolla ric	e nequest/	TEM DUSINGS	nequest Pro	UU33.	
Loca Exch Phys Virtu	ator Capability (E:4/1/2004) change Ports - 4-Wire ISDN DS1 Port (E:4/1/2004)		\vdash		t							-				
Exch Phys Virtu	hange Ports - 4-Wire ISDN DS1 Port (E:4/1/2004)			UEPEX	UEPEX	107.44	204.27	101.78	79.35	20.10						í
Phys Virtu				UEPDX	UEPDX	107.44	204.27	101.78	79.35	20.10						
Virtu				UEPEX UEPDX	PE1P1	1.12	22.08	15.96	6.42	5.80		1				
	ual collocation - Special Access & UNE, cross-connect per			02: 2%		2	22.00	10.00	0.12	0.00						
				UEPEX UEPDX	CNC1X	1.12	22.08	15.96	6.42	5.80						í
Detailed E9	211 with Locator Capability (required with UEPEX port)			02.2% 02.2%	0.10.171		22.00	10.00	02	0.00						
	oundled Exchange Ports, 4-Wire ISDN DS1 Port - E911															
	ator Capability - Initial Profile Establishment per CLEC per															í
State				UEPEX	UEP1A	0.00	1,808.00		156.43							í
Unb	oundled Exchange Ports, 4-Wire ISDN DS1 Port - E911						,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,									·
	ator Capability - Subsequent Profile Changes, Additions,															ł
	etions			UEPEX	UEP1B	0.00	175.53									í
New or Add	ditional PRI Telephone Numbers															
Unb [,]	oundled Exchange Ports, 4-Wire ISDN DS1 Port - E911															i
Loca	ator Capability 2-way Telephone Numbers, per number in															í
	1 profile [New or Additional]			UEPEX	UEP1C	0.0698	0.49	0.49								í
Unb	oundled Exchange Ports, 4-Wire ISDN DS1 Port - E911															i —
	ator Capability - Outdial Telephone Numbers, per number in															í
	1 profile [New or Additional]			UEPEX	UEP1D	0.0698	11.54	11.54								
	oundled Exchange Ports, 4-Wire ISDN DS1 Port - Inward															·
	ephone Numbers - Inward Data Only Option [New or				I							1				ł .
	litional]		$oxed{oxed}$	UEPDX	UEP1E	0.00	0.49	0.49								
	hange Ports - 4-Wire ISDN DS1 Port - Subsequent [New]			L	L							1				ł .
	ard Tel Numbers [Customer Testing Purposes]		\vdash	UEPEX	PR7ZT	0.00	23.07	23.07								
	MBER PORTABILITY		\vdash	HEREY CHEST	Luna											
	al Number Portability (1 per port)		\vdash	UEPEX UEPDX	LNPCN	1.75										
	E (Provsioning Only)		\vdash	HEDEV	DD741											
	ce/Data		\vdash	UEPEX	PR71V	0.00	0.00	0.00	-	-		ļ				
	ital Data		\vdash	UEPEX	PR71D	0.00	0.00	0.00	-	-		 				
	ard Data		\vdash	UEPDX	PR71E	0.00	0.00	0.00								
	ditional Channel v or Additional - Voice/Data "B" Channel		\vdash	UEPEX	PR7BV	0.00	14.56									
	v or Additional - Voice/Data "B" Channel		\vdash		PR7BF											
			\vdash	UEPEX UEPDX	PR7BD	0.00	14.56 14.56									
	v or Additional Inward Data "B" Channel v or Additional Useage Sensitive Voice Data "B" Channel	-	\vdash	UEPDX	PR7BS	0.00	14.56			-		-				
	v or Additional Useage Sensitive Voice Data "B" Channel	-	\vdash	UEPEX	PR7BU	0.00				-		-				
	v or Additional PRI "D" Channel		\vdash	UEPEX	PR7EX	0.00	14.56		-	-						
CALL TYPE		-	\vdash	OLFLA	I N/LA	0.00	14.36			-		-				
			\vdash	UEPEX UEPDX	PR7C1	0.00	0.00	0.00	-	-						
Inwa	ard	-	\vdash	UEPEX UEPDX UEPEX	PR7C0	0.00	0.00	0.00		-		-				
	o-way		\vdash	UEPEX	PR7CC	0.00	0.00	0.00	 	 	-					
	J-Way ED PORT with REMOTE CALL FORWARDING CAPABILITY	,——	\vdash	OLI LA	1 10700	0.00	0.00	0.00			-	-				

UNBUNDLED I	NETWORK ELEMENTS - South Carolina												Attach	ment: 2	Exhi	ibit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			II .	Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge -	Incrementa Charge -
							Manua		Managarini	. Dianamant					Diac rat	Disc Add I
						Rec	Nonred First	urring Add'l	Nonrecurring First	Add'l	COMEC	SOMAN	SOMAN	Rates (\$) SOMAN	SOMAN	SOMAN
LINBUNDI	LED REMOTE CALL FORWARDING SERVICE - RESIDENCE						FIISL	Addi	Filst	Addi	JOINEC	JOWAN	JOWAN	JOWAN	JOWAN	SOWAN
	nbundled Remote Call Forwarding Service, Area Calling, Res			UEPVR	UERAC	1.65	2.38	2.28	1.42	1.33	1					
	gg,g,															
Ur	nbundled Remote Call Forwarding Service, Local Calling - Res			UEPVR	UERLC	1.65	2.38	2.28	1.42	1.33						
	nbundled Remote Call Forwarding Service, InterLATA - Res			UEPVR	UERTE	1.65	2.38	2.28	1.42	1.33						
	nbundled Remote Call Forwarding Service, IntraLATA - Res			UEPVR	UERTR	1.65	2.38	2.28	1.42	1.33						
Non-Recu																
	nbundled Remote Call Forwarding Service - Conversion -			UEPVR	USAC2		0.40	0.10								
	witch-as-is		-	UEPVR	USAC2		0.10	0.10								
	nbundled Remote Call Forwarding Service - Conversion with lowed change (PIC and LPIC)	1		UEPVR	USACC		0.10	0.10				1				
UNRUNDI	LED REMOTE CALL FORWARDING - Bus	-		OLI VIX	USACC	+	0.10	0.10								
0.1.20.1.2.											†					
Ur	nbundled Remote Call Forwarding Service, Area Calling - Bus			UEPVB	UERAC	1.65	2.38	2.28	1.42	1.33						
	<u> </u>	İ												1		
	nbundled Remote Call Forwarding Service, Local Calling - Bus			UEPVB	UERLC	1.65	2.38	2.28	1.42	1.33						
	nbundled Remote Call Forwarding Service, InterLATA - Bus			UEPVB	UERTE	1.65	2.38	2.28	1.42	1.33						
	nbundled Remote Call Forwarding Service, IntraLATA - Bus			UEPVB	UERTR	1.65	2.38	2.28	1.42	1.33						ļ
	nbundled Remote Call Forwarding Service Expanded and															
	xception Local Calling			UEPVB	UERVJ	1.65	2.38	2.28	1.42	1.33	ļ					.
Non-Recu											ļ					-
	nbundled Remote Call Forwarding Service - Conversion -			LIEDVD	USAC2		0.40	0.40								
	witch-as-is nbundled Remote Call Forwarding Service - Conversion with			UEPVB	USAC2		0.10	0.10			-					
	lowed change (PIC and LPIC)			UEPVB	USACC		0.10	0.10								
	CAL SWITCHING, PORT USAGE			OLI VD	OOACC		0.10	0.10			1					
	e Switching (Port Usage)										†					
	nd Office Switching Function, Per MOU				1	0.0010519										
	nd Office Trunk Port - Shared, Per MOU					0.0002136										
	Switching (Port Usage) (Local or Access Tandem)															
	andem Switching Function Per MOU					0.0001634										
	andem Trunk Port - Shared, Per MOU					0.0002863										
	andem Switching Function Per MOU (Melded)					0.00004951										
	andem Trunk Port - Shared, Per MOU (Melded)					0.000086749										.
	elded Factor: 30.30% of the Tandem Rate										ļ					
	Transport ommon Transport - Per Mile, Per MOU		-			0.0000045					.					
	ommon Transport - Facilities Termination Per MOU					0.0000045					1			1		
	RT/LOOP COMBINATIONS - COST BASED RATES					0.0004030					1					
	ed Rates are applied where BellSouth is required by FCC ar	nd/or St	ate Co	mmission rule to pr	ovide Unbun	dled Local Swi	tching or Swite	ch Ports.			†					
	shall apply to the Unbundled Port/Loop Combination - Cos								ed Port section	of this Rate E	xhibit.					1
	e and Tandem Switching Usage and Common Transport Us											n Port/Loop	Combination	ns.		
	and additional Port nonrecurring charges apply to Not Curr	ently C	ombine	ed Combos. For Cur	rently Comb	ined Combos th	ne nonrecurrin	g charges sha	II be those ide	ntified in the N	lonrecurring	- Currently	Combined se	ections.		
	OICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)															
	/Loop Combination Rates															
	Wire VG Loop/Port Combo - Zone 1	ļ	1		ļ	14.89										ļ
	Wire VG Loop/Port Combo - Zone 2	 	2		 	21.52			-	-	ļ	 		 	 	
UNE Loop	Wire VG Loop/Port Combo - Zone 3	 	3		 	27.17				-	ļ			 	-	
	Wire Voice Grade Loop (SL1) - Zone 1		1	UEPRX	UEPLX	13.76										
	Wire Voice Grade Loop (SL1) - Zone 1 Wire Voice Grade Loop (SL1) - Zone 2	1		UEPRX	UEPLX	20.38			 	 	1			 	 	1
	Wire Voice Grade Loop (SL1) - Zone 2 Wire Voice Grade Loop (SL1) - Zone 3	 		UEPRX	UEPLX	20.38					1			 		
	pice Grade Line Port Rates (Res)	 	3	OLI IVA	JLI LA	20.04					 	-		 	 	
	Wire voice unbundled port - residence	 		UEPRX	UEPRL	1.13	40.30	19.90	24.98	6.65	1	 				
	Wire voice unbundled port with Caller ID - res			UEPRX	UEPRC	1.13	40.30	19.90	24.98	6.65				1		
	Wire voice unbundled port outgoing only - res	i e		UEPRX	UEPRO	1.13	40.30	19.90	24.98	6.65				İ		—
	Wire voice Grade unbundled South Carolina extended local								, ,		İ			1		
die	aling parity port with Caller ID - res	I	l	UEPRX	UEPAU	1.13	40.30	19.90	24.98	6.65	1	l	l	l	I	1

NARONDE	ED NETWORK ELEMENTS - South Carolina		1	T									Attachi			bit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			1	Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'l
						Rec	Nonrec		Nonrecurring					Rates (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire voice unbundled South Carolina Area Calling port with Caller ID - res (LW8)			UEPRX	UEPAJ	1.13	40.30	19.90	24.98	6.65						
	2-Wire voice unbundles res, low usage line port with Caller ID		1	UEPKX	UEPAJ	1.13	40.30	19.90	24.98	6.05	-				-	-
	(LUM)			UEPRX	UEPAP	1.13	37.93	16.72								
	2-Wire Voice Unbundled South Carolina Residence Dialing Plan														t	t
	without Caller ID			UEPRX	UEPWL	1.13	40.30	19.90	24.98	6.65						
	2-Wire voice unbundled South Carolina Area Calling Port															
	without Caller ID Capability			UEPRX	UEPRS	1.13	40.30	19.90	24.98	6.65						
	2-Wire voice unbundled Low Usage Line Port without Caller ID			LIEDDY	LIEDDE	4.40	40.00	10.00	04.00	0.05						
FEAT	Capability			UEPRX	UEPRT	1.13	40.30	19.90	24.98	6.65						-
I EAT	All Features Offered			UEPRX	UEPVF	3.04	0.00	0.00			†					
LOCA	L NUMBER PORTABILITY			02.100	02. 11	0.0 1	0.00	0.00							t	
	Local Number Portability (1 per port)			UEPRX	LNPCX	0.35										
NONR	ECURRING CHARGES (NRCs) - CURRENTLY COMBINED															
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -															
	Switch-as-is			UEPRX	USAC2		0.10	0.10								
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -			UEPRX	USACC		0.10	0.10								
ADDIT	Switch with change		<u> </u>	UEPRX	USACC		0.10	0.10			-				-	-
ADDII	2-Wire Voice Grade Loop/Line Port Combination - Subsequent				-										 	1
	Activity			UEPRX	USAS2	0.00	0.00	0.00								
	Unbundled Miscellaneous Rate Element, Tag Loop at End User				1											
	Premise			UEPRX	URETL		8.33	0.83								
OFF/C	ON PREMISES EXTENSION CHANNELS															
	2 Wire Analog Voice Grade Extension Loop – Non-Design		1	UEPRX	UEAEN	14.94	37.92	17.62	23.56	5.32						
	2 Wire Analog Voice Grade Extension Loop – Non-Design		2	UEPRX	UEAEN	21.39	37.92	17.62	23.56	5.32						
	Wire Analog Voice Grade Extension Loop – Non-Design Wire Analog Voice Grade Extension Loop – Design		3	UEPRX UEPRX	UEAEN UEAED	26.72 16.68	37.92 105.98	17.62 68.43	23.56 53.05	5.32 10.61					1	-
_	2 Wire Analog Voice Grade Extension Loop – Design		2	UEPRX	UEAED	23.13	105.98	68.43	53.05	10.61						-
	2 Wire Analog Voice Grade Extension Loop – Design		3	UEPRX	UEAED	28.46	105.98	68.43	53.05	10.61					-	
INTER	OFFICE TRANSPORT															
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility															
	Termination			UEPRX	U1TV2	24.30	40.63	27.47	16.77	6.91						
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile															
O MID	or Fraction Mile			UEPRX	U1TVM	0.0167	0.00	0.00			-				1	1
	E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS) Port/Loop Combination Rates		1		-						-				-	-
ONE I	2-Wire VG Loop/Port Combo - Zone 1		1		+	14.89										
	2-Wire VG Loop/Port Combo - Zone 2		2			21.52									t	
	2-Wire VG Loop/Port Combo - Zone 3		3	<u> </u>		27.17										
UNE L	oop Rates							-		-						
	2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPBX	UEPLX	13.76										
	2-Wire Voice Grade Loop (SL1) - Zone 2			UEPBX	UEPLX	20.38										
2 18/:	2-Wire Voice Grade Loop (SL1) - Zone 3 e Voice Grade Line Port (Bus)		3	UEPBX	UEPLX	26.04					1				-	-
∠-vvire	2-Wire voice unbundled port without Caller ID - bus		 	UEPBX	UEPBL	1.13	40.30	19.90	24.98	6.65	 				 	
	2-Wire voice unbundled port with Caller + E484 ID - bus			UEPBX	UEPBC	1.13	40.30	19.90	24.98	6.65						
	2-Wire voice unbundled port outgoing only - bus			UEPBX	UEPBO	1.13	40.30	19.90	24.98	6.65					1	
	2-Wire voice Grade unbundled South Carolina extended local															
	dialing parity port with Caller ID - bus			UEPBX	UEPAZ	1.13	40.30	19.90	24.98	6.65						
	2-Wire voice unbundled incoming only port with Caller ID - Bus		<u> </u>	UEPBX	UEPB1	1.13	40.30	19.90	24.98	6.65					ļ	
	2-Wire voice unbundled South Carolina Bus Area Calling Port			UEPBX	UEPAB	1.13	40.30	19.90	24.98	6.65						
	with Caller ID (LMB) 2-Wire Voice Unbundled South Carolina Business Dialing Plan		 	ULPDA	UEPAB	1.13	40.30	19.90	24.98	60.0	-				 	-
	without Caller ID			UEPBX	UEPWM	1.13	40.30	19.90	24.98	6.65					1	
-+	2-Wire voice unbundled South Carolina Business Area Calling				1	0	.0.00	.0.50	250	0.30					1	
					UEPBB					6.65						

UNBUNDL	ED NETWORK ELEMENTS - South Carolina													ment: 2		bit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			1	Svc Order Submitted Manually per LSR		Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
							Nonrec	curring	Nonrecurring	Disconnect		l .	OSS	Rates (\$)	l	1
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire voice unbundled Incoming Only Port without Caller ID															
	Capability			UEPBX	UEPBE	1.13	40.30	19.90	24.98	6.65						
LOC	AL NUMBER PORTABILITY															
	Local Number Portability (1 per port)			UEPBX	LNPCX	0.35										
FEA	TURES															
	All Features Offered			UEPBX	UEPVF	3.04	0.00	0.00								
NON	RECURRING CHARGES (NRCs) - CURRENTLY COMBINED				_											
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -			LIEDDY	LICACO		0.40	0.40								
	Switch-as-is		-	UEPBX	USAC2		0.10	0.10			1					-
	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch with change			UEPBX	USACC		0.10	0.10								
Δηη	TIONAL NRCs			OLFBA	USACC		0.10	0.10	1		<u> </u>	+	 	 		
אסט	2-Wire Voice Grade Loop/Line Port Combination - Subsequent				+				+		1	1	t			
	Activity			UEPBX	USAS2		0.00	0.00					I			
	Unbundled Miscellaneous Rate Element, Tag Loop at End User				-002		0.00	0.00					†			
	Premise			UEPBX	URETL		8.33	0.83					1			
OFF	ON PREMISES EXTENSION CHANNELS						0.00									
	2 Wire Analog Voice Grade Extension Loop - Non-Design		1	UEPBX	UEAEN	14.94	37.92	17.62	23.56	5.32						
	2 Wire Analog Voice Grade Extension Loop – Non-Design		2	UEPBX	UEAEN	21.39	37.92	17.62	23.56	5.32						
	2 Wire Analog Voice Grade Extension Loop - Non-Design		3	UEPBX	UEAEN	26.72	37.92	17.62	23.56	5.32						
	2 Wire Analog Voice Grade Extension Loop – Design		1	UEPBX	UEAED	16.68	105.98	68.43	53.05	10.61						
	2 Wire Analog Voice Grade Extension Loop – Design		2	UEPBX	UEAED	23.13	105.98	68.43	53.05	10.61						
	2 Wire Analog Voice Grade Extension Loop – Design		3	UEPBX	UEAED	28.46	105.98	68.43	53.05	10.61						
INTE	ROFFICE TRANSPORT															
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility															
	Termination			UEPBX	U1TV2	24.30	40.63	27.47	16.77	6.91						
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile			LIEDDY	U1TVM	0.0407	0.00	0.00								
2 14/1	or Fraction Mile RE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES - PBX)			UEPBX	UTTVIVI	0.0167	0.00	0.00			-	 				-
	Port/Loop Combination Rates		-		+						-	 				
UNE	2-Wire VG Loop/Port Combo - Zone 1		1		+	14.89			1		1	1	-			
	2-Wire VG Loop/Port Combo - Zone 2		2		+	21.52					 	<u> </u>				
	2-Wire VG Loop/Port Combo - Zone 3		3		+	27.17					1					
UNE	Loop Rates		Ŭ			2,,,,,					1					
	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEPRG	UEPLX	13.76						İ				
	2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEPRG	UEPLX	20.38						İ				
	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEPRG	UEPLX	26.04										
2-Wi	re Voice Grade Line Port Rates (RES - PBX)															
	2-Wire VG Unbundled Combination 2-Way PBX Trunk Port -															
	Res			UEPRG	UEPRD	1.13	69.26	32.50	37.53	6.22	ļ]				<u> </u>
LOC	AL NUMBER PORTABILITY				1											
	Local Number Portability (1 per port)			UEPRG	LNPCP	3.15	0.00	0.00			ļ	ļ	ļ			ļ
FEA	TURES			LIEDDO	LIEDVE	201	0.00	2.22					-			
N.C.	All Features Offered			UEPRG	UEPVF	3.04	0.00	0.00			ļ	-	 			-
NON	RECURRING CHARGES (NRCs) - CURRENTLY COMBINED		-		+						<u> </u>	-	 			<u> </u>
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Conversion - Switch-As-Is			UEPRG	USAC2		7.93	1.91					I			
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -			OLFING	USAUZ		1.83	1.91	1		 	1	t	l	l	
	Conversion - Switch with Change			UEPRG	USACC		7.93	1.91					I			1
ADD	ITIONAL NRCs				20,.00								†			
7.55	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -				1						1		1	İ	İ	İ
	Subsequent Activity			UEPRG	USAS2	0.00	0.00	0.00					I			
	PBX Subsequent Activity - Change/Rearrange Multiline Hunt															
	Group	<u></u>			<u> </u>		7.34	7.34	<u> </u>		<u></u>	<u></u>	L	<u> </u>	<u> </u>	
	Unbundled Miscellaneous Rate Element, Tag Loop at End User															
	Premise			UEPRG	URETL		8.33	0.83			ļ					
OFF	ON PREMISES EXTENSION CHANNELS															
	Local Channel Voice grade, per termination		1	UEPRG	P2JHX	16.68	105.98	68.43	53.05	10.61	ļ	ļ	1			ļ
	Local Channel Voice grade, per termination		2	UEPRG	P2JHX	23.13	105.98	68.43	53.05	10.61	1	1	l .			L

UNBUNDL	ED NETWORK ELEMENTS - South Carolina												Attach	ment: 2	Exhi	bit: A
											Svc Order	Svc Order	Incremental		Incremental	Incremental
1											Submitted	Submitted		Charge -	Charge -	Charge -
		Intor		1							Elec	Manually	Manual Svc	Manual Svc		Manual Svc
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m	1	1									Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
\vdash		ļ				Rec	Nonrec		Nonrecurring					Rates (\$)		
\vdash		1		LIEBBO	50 11 11/		First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
\vdash	Local Channel Voice grade, per termination	ļ	3	UEPRG	P2JHX	28.46	105.98	68.43	53.05	10.61						
\vdash	Non-Wire Direct Serve Channel Voice Grade	1	1	UEPRG	SDD2X	17.74	131.88	62.06	90.70	13.42		-				-
\vdash	Non-Wire Direct Serve Channel Voice Grade Non-Wire Direct Serve Channel Voice Grade	1	2	UEPRG UEPRG	SDD2X SDD2X	25.16 29.58	65.94 65.94	31.03 31.03	45.35 45.35	6.71 6.71				1		
INTE	ROFFICE TRANSPORT	1	3	UEPRG	SDDZA	29.50	65.94	31.03	45.35	0.71						
INTE	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility	 	-		+									-		
	Termination			UEPRG	U1TV2	24.30	40.63	27.47	16.77	6.91						
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile	 		ULFRG	UTIVZ	24.30	40.03	21.41	10.77	0.91						1
	or Fraction Mile			UEPRG	U1TVM	0.0167	0.00	0.00								
2-WII	RE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)	1		OLI IKO	01111111	0.0107	0.00	0.00								
	Port/Loop Combination Rates															
	2-Wire VG Loop/Port Combo - Zone 1	1	1			14.89										
	2-Wire VG Loop/Port Combo - Zone 2		2			21.52										
	2-Wire VG Loop/Port Combo - Zone 3	1	3		† †	27.17	1					İ	İ	1		
UNE	Loop Rates															
	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEPPX	UEPLX	13.76										
	2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEPPX	UEPLX	20.38										
	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEPPX	UEPLX	26.04										
2-Wir	e Voice Grade Line Port Rates (BUS - PBX)															
	Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus			UEPPX	UEPPC	1.13	69.26	32.50	37.53	6.22						
	Line Side Unbundled Outward PBX Trunk Port - Bus			UEPPX	UEPPO	1.13	69.26	32.50	37.53	6.22						
	Line Side Unbundled Incoming PBX Trunk Port - Bus			UEPPX	UEPP1	1.13	69.26	32.50	37.53	6.22						
\longrightarrow	2-Wire Voice Unbundled PBX LD Terminal Ports			UEPPX	UEPLD	1.13	69.26	32.50	37.53	6.22						
\vdash	2-Wire Voice Unbundled 2-Way Combination PBX Usage Port	1		UEPPX	UEPXA	1.13	69.26	32.50	37.53	6.22						
\vdash	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports	ļ		UEPPX	UEPXB	1.13	69.26	32.50	37.53	6.22						
\vdash	2-Wire Voice Unbundled PBX LD DDD Terminals Port	1	1	UEPPX	UEPXC UEPXD	1.13 1.13	69.26 69.26	32.50 32.50	37.53 37.53	6.22 6.22		-				-
\vdash	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port 2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD	1	1	UEPPX	UEPAD	1.13	69.26	32.50	37.53	6.22		-				-
	Capable Port			UEPPX	UEPXE	1.13	69.26	32.50	37.53	6.22						
\vdash	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy	 	-	UEPPA	UEFAE	1.13	69.26	32.50	37.53	0.22				-		
	Administrative Calling Port			UEPPX	UEPXL	1.13	69.26	32.50	37.53	6.22						
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy	1		OLITA	OLI AL	1.10	03.20	32.30	37.33	0.22						
	Room Calling Port			UEPPX	UEPXM	1.13	69.26	32.50	37.53	6.22						
	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital	t -	t -			0	33.20	32.00	500	J.ZZ				<u> </u>		
1 1	Discount Room Calling Port			UEPPX	UEPXO	1.13	69.26	32.50	37.53	6.22				1		
	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port	t		UEPPX	UEPXS	1.13	69.26	32.50	37.53	6.22				t	İ	İ
	2-Wire Voice Unbundled 2-Way PBX South Carolina Area Plus	1	1													
1 1	Calling Port			UEPPX	UEPXT	1.13	69.26	32.50	37.53	6.22				1		
LOC/	AL NUMBER PORTABILITY															
	Local Number Portability (1 per port)			UEPPX	LNPCP	3.15	0.00	0.00								
FEAT	URES															
	All Features Offered			UEPPX	UEPVF	3.04	0.00	0.00								
NON	RECURRING CHARGES (NRCs) - CURRENTLY COMBINED				\bot		\Box									
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -			l	1						1			I		
\vdash	Conversion - Switch-As-Is	L	<u> </u>	UEPPX	USAC2		7.93	1.91			ļ		ļ	1	ļ	ļ
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -			LIEDDY	110466						1			I		
-	Conversion - Switch with Change	1	<u> </u>	UEPPX	USACC		7.93	1.91					 	-		ļ
ADDI	TIONAL NRCs	<u> </u>	<u> </u>	 	+ +						ļ		 	 	 	.
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -			LIEDDY	LIEAGO	0.00	0.00	0.00			1			I		
\vdash	Subsequent Activity PRY Subsequent Activity Change/Rearrange Multiline Hunt	1	 	UEPPX	USAS2	0.00	0.00	0.00			-	-	-	 		-
1 1	PBX Subsequent Activity - Change/Rearrange Multiline Hunt						7.34	7.34						1		
\vdash	Group Unbundled Miscellaneous Rate Element, Tag Loop at End User	1	 	-	+		1.34	7.34			-			 		
1 1	Premise			UEPPX	URETL		8.33	0.83						1		
			-	ULPPA	UKEIL		8.33	0.83			 	-	 	 	-	
OEE/	ON DREMISES EXTENSION CHANNELS															
OFF/	ON PREMISES EXTENSION CHANNELS Up ocal Channel Voice grade, per termination		1	LIEPPX	P2.IHY	16 69	105.09	68 43	53.05	10.61						
OFF/	DN PREMISES EXTENSION CHANNELS Local Channel Voice grade, per termination Local Channel Voice grade, per termination		1 2	UEPPX UEPPX	P2JHX P2JHX	16.68 23.13	105.98 105.98	68.43 68.43	53.05 53.05	10.61 10.61						

UNBUNDLE	D NETWORK ELEMENTS - South Carolina			T							la - :			ment: 2		bit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)				Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrec		Nonrecurring					Rates (\$)		
	New Wire Direct Come Channel Value Conde		1	UEPPX	CDDOV	17.74	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Non-Wire Direct Serve Channel Voice Grade Non-Wire Direct Serve Channel Voice Grade		2	UEPPX	SDD2X SDD2X	25.16	131.88 65.94	62.06 31.03	90.70 45.35	13.42 6.71						
	Non-Wire Direct Serve Channel Voice Grade			UEPPX	SDD2X	29.58	65.94	31.03	45.35	6.71						
INTER	OFFICE TRANSPORT		Ť		1				10.00	-						
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility															
	Termination			UEPPX	U1TV2	24.30	40.63	27.47	16.77	6.91						
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile			LIEDDY	11477.04	0.0407	0.00	0.00								
2.WID	or Fraction Mile E VOICE GRADE LOOP WITH 2-WIRE ANALOG LINE COIN POR) T	-	UEPPX	U1TVM	0.0167	0.00	0.00								
	ort/Loop Combination Rates	1			+											
O.N.E.	2-Wire VG Coin Port/Loop Combo – Zone 1		1			14.89	1									
	2-Wire VG Coin Port/Loop Combo – Zone 2		2	<u> </u>		21.52										
	2-Wire VG Coin Port/Loop Combo – Zone 3		3			27.17										
UNE L	oop Rates															
	2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPCO	UEPLX	13.76										
	2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPCO UEPCO	UEPLX	20.38 26.04					-					
2-Wire	Voice Grade Line Ports (COIN)		3	UEPCO	UEPLX	26.04										
Z-Wile	2-Wire Coin 2-Way without Operator Screening and without				+											
	Blocking (SC)			UEPCO	UEPSD	1.13	40.30	19.90	24.98	6.65						
	2-Wire Coin 2-Way with Operator Screening and Blocking: 011,															
	900/976, 1+DDD (SC)			UEPCO	UEPSA	1.13	40.30	19.90	24.98	6.65						
	2-Wire Coin 2-Way with Operator Screening and 011 Blocking															
	(SC)			UEPCO	UEPSH	1.13	40.30	19.90	24.98	6.65						
	2-Wire Coin 2-Way with Operator Screening and 011 Blocking;			LIEBOO	LIEDOO	4.40	40.00	10.00	04.00	0.05						
	with Dialing Parity (SC) 2-Wire Coin 2-Way with Operator Screening and: 900 Blocking:			UEPCO	UEPSC	1.13	40.30	19.90	24.98	6.65						
	900/976, 1+DDD, 011+, and Local (SC)			UEPCO	UEPCC	1.13	40.30	19.90	24.98	6.65						
	2-Wire Coin 2-W Operator Screen: 900 Block: 900/976, 1+DDD,				1 1											
	011+, Local; Enhanced Call OPT 3YV (SC)			UEPCO	UEPCE	1.13	40.30	19.90	24.98	6.65						
	2-Wire Coin 2-W Operator Screen: 900 Block: 900/976, 1+DDD,															
	011+, Local; Enhanced Call OPT AP7 (SC)			UEPCO	UEPCF	1.13	40.30	19.90	24.98	6.65						
	2-Wire Coin Outward without Blocking and without Operator			LIEBOO	LIEDOO	4.40	40.00	19.90	04.00	6.65						
	Screening (SC) 2-Wire Coin Outward with Operator Screening and 011 Blocking			UEPCO	UEPSG	1.13	40.30	19.90	24.98	6.05						
	(SC)			UEPCO	UEPSF	1.13	40.30	19.90	24.98	6.65						
	2-Wire Coin Outward with Operator Screening and Blocking:				32. 0.	0	.5.50	.0.00	200	3.00					İ	İ
	011, 900/976, 1+DDD (SC)			UEPCO	UEPSJ	1.13	40.30	19.90	24.98	6.65						
	2-Wire Coin Outward with Operator Screening and Blocking:							<u> </u>		<u> </u>						
	900/976, 1+DDD, 011+, and Local (SC)		_	UEPCO	UEPCM	1.13	40.30	19.90	24.98	6.65	1					
	2-Wire Coin Out Operator Screen & Block: 900/976, 1+DDD,			UEPCO	UEPCP	1.13	40.30	19.90	24.98	6.65						
- -	011+, Local; Enhanced Calling OPT 3YW (SC) 2-Wire 2-Way Smartline with 900/976 (all states except LA)			UEPCO	UEPCK	1.13	40.30	19.90	24.98	6.65	 					
	2-Wire Coin Outward Smartline with 900/976 (all states except		 	02.1 00	JEI OK	1.13	40.30	13.50	24.90	0.00						
	LA)			UEPCO	UEPCR	1.13	40.30	19.90	24.98	6.65						
ADDIT	IONAL UNE COIN PORT/LOOP (RC)															
	UNE Coin Port/Loop Combo Usage (Flat Rate)			UEPCO	URECU	4.05	0.00	0.00	0.00	0.00						
LOCA	L NUMBER PORTABILITY		_	LIEDOO	LNDCY	0.05					1					
NONE	Local Number Portability (1 per port) ECURRING CHARGES - CURRENTLY COMBINED		-	UEPCO	LNPCX	0.35					 					
NONK	2-Wire Voice Grade Loop / Line Port Combination - Conversion -				+		+		 		 					
	Switch-as-is			UEPCO	USAC2		0.10	0.10								
T I	2-Wire Voice Grade Loop / Line Port Combination - Conversion -				1			2.70								
L	Switch with change			UEPCO	USACC		0.10	0.10								
ADDIT	IONAL NRCs															
	2-Wire Voice Grade Loop/Line Port Combination - Subsequent			LIEDOO	110400		0.00	0.00								
	Activity	1	İ	UEPCO	USAS2		0.00	0.00			1	1			l	
	Unbundled Miscellaneous Rate Element, Tag Loop at End User		1		1	1	ĺ									

INBUNDLE	D NETWORK ELEMENTS - South Carolina												Attach	ment: 2	Exhi	ibit: A
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			Submitted Elec	Svc Order Submitted Manually per LSR	Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
						Rec	Nonrec	urring	Nonrecurring	Disconnect				Rates (\$)		
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	E VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE	LINE	PORT (RES)												
UNE P	ort/Loop Combination Rates															
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 1		1			18.00					ļ					ļ
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 2		2			24.45					1					-
LINE	2-Wire VG Loop/IO Tranport/Port Combo - Zone 3 oop Rates		3		+	29.78					.					+
ONEL	2-Wire Voice Grade Loop (SL2) - Zone 1		1	UEPFR	UECF2	16.68					1					
	2-Wire Voice Grade Loop (SL2) - Zone 1		2	UEPFR	UECF2	23.13					+					+
-	2-Wire Voice Grade Loop (SL2) - Zone 3			UEPFR	UECF2	28.46					1					
2-Wire	Voice Grade Line Port Rates (Res)		Ť								İ					
	2-Wire voice unbundled port - residence			UEPFR	UEPRL	1.32	108.36	70.71	1.42	1.33						1
	2-Wire voice unbundled port with Caller ID - res			UEPFR	UEPRC	1.32	108.36	70.71	1.42	1.33						
	2-Wire voice unbundled port outgoing only - res			UEPFR	UEPRO	1.32	108.36	70.71	1.42	1.33						
	2-Wire voice Grade unbundled South Carolina extended local															
	dialing parity port with Caller ID - res			UEPFR	UEPAU	1.32	108.36	70.71	1.42	1.33						
	2-Wire voice unbundled South Carolina Area Calling port with Caller ID - res (LW8)			UEPFR	UEPAJ	1.32	108.36	70.71	1.42	1.33						
	2-Wire voice unbundles res, low usage line port with Caller ID (LUM)			UEPFR	UEPAP	1.32	108.36	70.71	1.42	1.33						
	2-Wire Voice Unbundled South Carolina Residence Dialing Plan without Caller ID			UEPFR	UEPWL	1.32	108.36	70.71	1.42	1.33						
INTER	OFFICE TRANSPORT		-	OLITIK	OLI WE	1.02	100.50	70.71	1.42	1.00	1					
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility Termination			UEPFR	U1TV2	19.44	40.63	27.47	16.77	6.91						
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile or Fraction Mile			UEPFR	1L5XX	0.0134	10.00	27.11	10.77	0.01						
FEATU				OLITIK	TEOXX	0.0134										
	All Features Offered			UEPFR	UEPVF	3.04	0.00	0.00								
LOCA	NUMBER PORTABILITY															
	Local Number Portability (1 per port)			UEPFR	LNPCX	0.35										
NONR	ECURRING CHARGES (NRCs) - CURRENTLY COMBINED															
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port Combination - Conversion - Switch-as-is			UEPFR	USAC2		8.50	1.87								
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port Combination - Conversion - Switch-With-Change			UEPFR	USACC		8.50	1.87								
	Unbundled Miscellaneous Rate Element, Tag Designed Loop at End User Premise			UEPFR	URETN		11.24	1.10								
2-WIR	E VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE	LINE F	ORT (BUS)												
UNE P	ort/Loop Combination Rates							•		•						
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 1		1			18.00										
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 2	ļ	2			24.45										
1000	2-Wire VG Loop/IO Tranport/Port Combo - Zone 3	 	3		+	29.78					ļ	 	 		-	
UNE L	oop Rates 2-Wire Voice Grade Loop (SL2) - Zone 1		1	UEPFB	UECF2	16.68					ļ					-
	2-Wire Voice Grade Loop (SL2) - Zone 1 2-Wire Voice Grade Loop (SL2) - Zone 2	-	2	UEPFB	UECF2	23.13					1	-	-		-	
	2-Wire Voice Grade Loop (SL2) - Zone 2 2-Wire Voice Grade Loop (SL2) - Zone 3	 	3	UEPFB	UECF2	28.46					<u> </u>				-	
2-Wire	Voice Grade Line Port (Bus)	l		02110	020, 2	20.40					1	 				
	2-Wire voice unbundled port without Caller ID - bus	i e		UEPFB	UEPBL	1.32	108.36	70.71	1.42	1.33						†
	2-Wire voice unbundled port with Caller + E484 ID - bus	1		UEPFB	UEPBC	1.32	108.36	70.71	1.42	1.33					İ	
	2-Wire voice unbundled port outgoing only - bus			UEPFB	UEPBO	1.32	108.36	70.71	1.42	1.33						
	2-Wire voice Grade unbundled South Carolina extended local															
	dialing parity port with Caller ID - bus			UEPFB	UEPAZ	1.32	108.36	70.71	1.42	1.33						
	2-Wire voice unbundled incoming only port with Caller ID - Bus			UEPFB	UEPB1	1.32	108.36	70.71	1.42	1.33						
	2-Wire voice unbundled South Carolina Bus Area Calling Port			l	1											
	with Caller ID (LMB) 2-Wire Voice Unbundled South Carolina Business Dialing Plan			UEPFB	UEPAB	1.32	108.36	70.71	1.42	1.33						
LOCA	without Caller ID NUMBER PORTABILITY			UEPFB	UEPWM	1.32	108.36	70.71	1.42	1.33						
	Local Number Portability (1 per port)	Ì	Ì	UEPFB	LNPCX	0.35					1	i			l	1

UNBUNDL	ED NETWORK ELEMENTS - South Carolina		,	ı							_			ment: 2	+	ibit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	всѕ	USOC			RATES (\$)				Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l
						Rec	Nonred		Nonrecurring					Rates (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
INTE	ROFFICE TRANSPORT															
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility Termination			UEPFB	U1TV2	19.44	40.63	27.47	16.77	6.91						
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile or Fraction Mile			UEPFB	1L5XX	0.0134										
FEA	TURES															Î
	All Features Offered	i	1	UEPFB	UEPVF	3.04	0.00	0.00								
NON	RECURRING CHARGES (NRCs) - CURRENTLY COMBINED															
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port Combination - Conversion - Switch-as-is			UEPFB	USAC2		8.50	1.87								
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port Combination - Conversion - Switch with change			UEPFB	USACC		8.50	1.87								
	Unbundled Miscellaneous Rate Element, Tag Designed Loop at															
	End User Premise	<u> </u>	10000	UEPFB	URETN		11.24	1.10							ļ	1
	RE VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIR	LINE	PORT (PRX)	_										1	ļ
UNE	Port/Loop Combination Rates	 	1		+	18.00					1			-	1	
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 1	1	2			18.00 24.45										
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 2	ļ	_			24.45										
LINIE	2-Wire VG Loop/IO Tranport/Port Combo - Zone 3 Loop Rates	1	3			29.78										
UNE	2-Wire Voice Grade Loop (SL2) - Zone 1		1	UEPFP	UECF2	16.68					-					
	2-Wire Voice Grade Loop (SL2) - Zone 1	1	2	UEPFP	UECF2	23.13					1					
-	2-Wire Voice Grade Loop (SL2) - Zone 2			UEPFP	UECF2	28.46										1
2-Wi	re Voice Grade Line Port Rates (BUS - PBX)	1	3	OLFIF	ULCI 2	20.40					1					
2-111	Te voice Grade Line i of Rates (BOO - 1 BX)															
	Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus			UEPFP	UEPPC	1.32	137.32	83.31	67.02	11.51						
	Line Side Unbundled Outward PBX Trunk Port - Bus			UEPFP	UEPPO	1.32	137.32	83.31	67.02	11.51	1					
	Line Side Unbundled Incoming PBX Trunk Port - Bus			UEPFP	UEPP1	1.32	137.32	83.31	67.02	11.51					İ	
	2-Wire Voice Unbundled PBX LD Terminal Ports			UEPFP	UEPLD	1.32	137.32	83.31	67.02	11.51					İ	
	2-Wire Voice Unbundled 2-Way Combination PBX Usage Port			UEPFP	UEPXA	1.32	137.32	83.31	67.02	11.51						
	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports	i	1	UEPFP	UEPXB	1.32	137.32	83.31	67.02	11.51						
	2-Wire Voice Unbundled PBX LD DDD Terminals Port	i	1	UEPFP	UEPXC	1.32	137.32	83.31	67.02	11.51						
	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port			UEPFP	UEPXD	1.32	137.32	83.31	67.02	11.51						
	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD Capable Port			UEPFP	UEPXE	1.32	137.32	83.31	67.02	11.51						
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy			02	OL: AL		.07.02	00.01	07.02						İ	
	Administrative Calling Port 2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy			UEPFP	UEPXL	1.32	137.32	83.31	67.02	11.51						
	Room Calling Port			UEPFP	UEPXM	1.32	137.32	83.31	67.02	11.51						
	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital Discount Room Calling Port			UEPFP	UEPXO	1.32	137.32	83.31	67.02	11.51						
	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port	 	 	UEPFP	UEPXS	1.32	137.32	83.31	67.02	11.51	H			 	1	
	2-Wire Voice Unbundled 2-Way PBX South Carolina Area Plus	†	†	OE111	OLI AG	1.02	101.02	00.31	07.02	11.31	-				1	t
	Calling Port			UEPFP	UEPXT	1.32	137.32	83.31	67.02	11.51						
LOC	AL NUMBER PORTABILITY	!	 	LIEDED	LNDCD	0.45	0.00	0.00	1					 	1	
INITE	Local Number Portability (1 per port) ROFFICE TRANSPORT	 	 	UEPFP	LNPCP	3.15	0.00	0.00			-			-	 	1
INTE	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility	 	 						1		 				1	+
	Termination			UEPFP	U1TV2	19.44	40.63	27.47	16.77	6.91						
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile or Fraction Mile			UEPFP	1L5XX	0.0134			12117	2.31						
FΕΔ	TURES	†	!	OLI I I	ILUAA	0.0134			† †		 			 	-	1
1.27	All Features Offered	i –	i –	UEPFP	UEPVF	3.04	0.00	0.00								1
NON	RECURRING CHARGES (NRCs) - CURRENTLY COMBINED	t	t —				2.20	2.30						İ		1
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port Combination - Conversion - Switch-as-is			UEPFP	USAC2		8.50	1.87								
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port	<u> </u>	t	02.11	30/102		0.00	1.07								
	Combination - Conversion - Switch with change	1	1	UEPFP	USACC		8.50	1.87	1		1			l	1	1

UNBUNDLE	D NETWORK ELEMENTS - South Carolina														ment: 2		bit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	В	cs	USOC			RATES (\$)				Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Charge -	Charge -
							Rec	Nonrec		Nonrecurring					Rates (\$)		
	Halanda Baranda Baranda Tan Barina Haranda							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Unbundled Miscellaneous Rate Element, Tag Designed Loop at			UEPFP		URETN		11.24	1.10								İ
	End User Premise PORT/LOOP COMBINATIONS - COST BASED RATES			UEFFF		UKETIN		11.24	1.10								
	VOICE GRADE LOOP- BUS ONLY - WITH 2-WIRE DID TRUNK	PORT															
	ort/Loop Combination Rates	1										i e					
	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 1		1				23.75					1					
	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 2		2				30.20										
	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 3		3				35.52										
	pop Rates																
	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 1		1	UEPPX		UECD1	16.68										
	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 2	-		UEPPX		UECD1	23.13				-	 	1	-	-	 	
	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 3	-	3	UEPPX		UECD1	28.46							-			
	Exchange Ports - 2-Wire DID Port	1	 	UEPPX		UEPD1	7.06	225.55	87.21	113.08	14.38	1	 	 	 	 	
	CURRING CHARGES - CURRENTLY COMBINED	1	<u> </u>	J			7.00	220.00	07.21	110.00	14.50	l	t	1		1	—
	2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Combination -	i e	l	1								1				İ	
	Switch-as-is			UEPPX		USAC1		7.32	1.87								ĺ
	2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Conversion																
	with BellSouth Allowable Changes			UEPPX		USA1C		7.32	1.87								
ADDITI	ONAL NRCs																
	2-Wire DID Subsequent Activity - Add Trunks, Per Trunk			UEPPX		USAS1		26.84									
	Unbundled Miscellaneous Rate Element, Tag Designed Loop at End User Premise			UEPPX		URETN		11.24	1.10								ĺ
	one Number/Trunk Group Establisment Charges		-	UEPPA		UKETIN		11.24	1.10			1	-				
	DID Trunk Termination (One Per Port)			UEPPX		NDT	0.00	0.00	0.00								
	DID Numbers, Establish Trunk Group and Provide First Group			OL: 1X			0.00	0.00	0.00			1					
	of 20 DID Numbers			UEPPX		NDZ	0.00	0.00	0.00								ĺ
	Additional DID Numbers for each Group of 20 DID Numbers			UEPPX		ND4	0.00	0.00	0.00								
	DID Numbers, Non- consecutive DID Numbers , Per Number			UEPPX		ND5	0.00	0.00	0.00								
	Reserve Non-Consecutive DID numbers			UEPPX		ND6	0.00	0.00	0.00								
	Reserve DID Numbers			UEPPX		NDV	0.00	0.00	0.00								
	NUMBER PORTABILITY		-	LIEDDY		LNPCP	2.45	0.00	0.00			1					
	Local Number Portability (1 per port) ISDN DIGITAL GRADE LOOP WITH 2-WIRE ISDN DIGITAL LII	NE SIDE	DODT	UEPPX		LNPCP	3.15	0.00	0.00			-	-				
	ort/Loop Combination Rates	INE SIDE	FORT	1													
OIL I	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -																
	UNE Zone 1		1	UEPPB	UEPPR		30.86										ĺ
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -							İ									
	UNE Zone 2		2	UEPPB	UEPPR		38.60										
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -				=												1
	UNE Zone 3	-	3	UEPPB	UEPPR		44.23										
	pop Rates 2-Wire ISDN Digital Grade Loop - UNE Zone 1		1	UEPPB	UEPPR	USL2X	21.90										
	2-Wile ISDN Digital Grade Loop - ONE Zorie 1		'	UEPPB	UEPPK	USLZA	21.90										
	2-Wire ISDN Digital Grade Loop - UNE Zone 2	1	2	UEPPB	UEPPR	USL2X	29.64										1
	2-Wire ISDN Digital Grade Loop - UNE Zone 3	i e	3	UEPPB	UEPPR	USL2X	35.27					1				İ	
UNE Po	ort Rate																
	Exchange Port - 2-Wire ISDN Line Side Port			UEPPB	UEPPR	UEPPB	8.96	190.51	133.14	100.95	21.37						
	CURRING CHARGES - CURRENTLY COMBINED																
	2-Wire ISDN Digital Grade Loop / 2-Wire ISDN Line Side Port	1															1
	Combination - Conversion	!		UEPPB	UEPPR	USACB	0.00	38.59	27.08	-	-	<u> </u>		 	-	.	
ADDITI	ONAL NRCs	-	 	-							-	 	1	-	-	 	
	Unbundled Miscellaneous Rate Element, Tag Designed Loop at End User Premise			UEPPB	UEPPR	URETN		11.24	1.10								1
	Unbundled Miscellaneous Rate Element, Tag Loop at End User	-	-	OLFFD	JLFFK	OILLIN		11.24	1.10							 	
	Premise	1		UEPPB	UEPPR	URETL		8.33	0.83								1
LOCAL	NUMBER PORTABILITY	i e	l	1				3.50	3.30			1				İ	
	Local Number Portability (1 per port)	İ		UEPPB	UEPPR	LNPCX	0.35	0.00	0.00							1	
B-CHAI	NNEL USER PROFILE ACCESS:																

<u>UNBUNDL</u>	ED NETWORK ELEMENTS - South Carolina														ment: 2		ibit: A
CATEGORY	RATE ELEMENTS	Interi	Zone		cs	USOC			RATES (\$)			Submitted Elec	Submitted Manually	Manual Svc	Charge - Manual Svc	Charge - Manual Svc	Charge - Manual Sve
CATEGORT	RATE ELEMENTS	m	Zone		C3	0300			.,			per LSR	per LSR	Order vs. Electronic- 1st	Order vs. Electronic- Add'l	Order vs. Electronic- Disc 1st	Order vs. Electronic Disc Add'l
							Rec	Nonrec		Nonrecurring					Rates (\$)		
								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	CVS/CSD (DMS/5ESS)	1		UEPPB	UEPPR		0.00	0.00	0.00								ļ
	CVS (EWSD)	+	-	UEPPB	UEPPR	U1UCB	0.00	0.00	0.00								-
B CL	CSD HANNEL AREA PLUS USER PROFILE ACCESS: (AL,KY,LA,MS S	C MC o	TAI	UEPPB	UEPPR	U1UCC	0.00	0.00	0.00	-		1			1		
B-Cr	ICVS/CSD (DMS/5ESS)	JC,IVIO, 6	I IN)	UEPPB	UEPPR	U1UCD	0.00	0.00	0.00			1	-		-		-
+	CVS (EWSD)	+		UEPPB	UEPPR	U1UCE	0.00	0.00	0.00						-		+
	CSD CSD			UEPPB	UEPPR	U1UCF	0.00	0.00	0.00								†
USE	R TERMINAL PROFILE	1															1
	User Terminal Profile (EWSD only)			UEPPB	UEPPR	U1UMA	0.00	0.00	0.00			1					
VER:	TICAL FEATURES																
	All Vertical Features - One per Channel B User Profile			UEPPB	UEPPR	UEPVF	3.04	0.00	0.00								
INTE	ROFFICE CHANNEL MILEAGE						\Box			\Box				ļ			
	Interoffice Channel mileage each, including first mile and	1		LIEDSS	LIEDES										I		
	facilities termination	1		UEPPB		M1GNC	24.30	40.63	27.47	16.77	6.91						.
A 1871	Interoffice Channel mileage each, additional mile IRE DS1 DIGITAL LOOP WITH 4-WIRE ISDN DS1 DIGITAL TRUN	L BORT	-	UEPPB	UEPPR	M1GNM	0.0167	0.00	0.00	 		 	1	 	 	 	
	UNE-P DS1 combination rates below for in this rate exhibit app		ombod	dod baca	in place a	s of 10/2/02	until 4/1/04 Aft	or 4/1/04 those	ratos shall ro	vort to tariff rate	oe or a conara	to commore	ial agroomo	nt	-		-
	uests for 4-Wire DS1 Digital Loop with 4-Wire ISDN DS1 Digital													iii.		1	-
	Port/Loop Combination Rates	T	l arto	tile cilee	tive date c	T tills dillicite	Interit Small be	Jioviaca parsa	unt to a sepa	die agreement	or tarm at Ber	l	Jorenon.				
0.1.2	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 1		1	UEPPP			176.82										
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 2			UEPPP			241.38										
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 3			UEPPP			347.84										
UNE	Loop Rates	1															
	4-Wire DS1 Digital Loop - UNE Zone 1		1	UEPPP		USL4P	90.87										
	4-Wire DS1 Digital Loop - UNE Zone 2		2	UEPPP		USL4P	155.43										
	4-Wire DS1 Digital Loop - UNE Zone 3		3	UEPPP		USL4P	261.89										ļ
UNE	Port Rate	1					0	4== 00		101.15	24.22						.
1101	Exchange Ports - 4-Wire ISDN DS1 Port (E:4/1/2004)	-		UEPPP		UEPPP	85.95	457.30	259.67	124.15	31.83						-
NON	IRECURRING CHARGES - CURRENTLY COMBINED 4-Wire DS1 Digital Loop / 4-Wire ISDN DS1 Digital Trunk Port	+	-			-						1	-		-		-
ADD	Combination - Conversion -Switch-as-is (E:4/1/2004)			UEPPP		USACP	0.00	119.34	78.73								
ADD	4-Wire DS1 Loop/4-W ISDN Digtl Trk Port - Subsqt Actvy-	+	-			-						1	-		-		
	Inward/two way Tel Nos. (except NC)	1		UEPPP		PR7TF		0.49	0.49						I		
	4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trunk Port -	1		J 11		1		0.40	0.40					1	1	1	
	Outward Tel Numbers (All States except NC) 4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trk Port -			UEPPP		PR7TO		11.54	11.54								-
LOC	Subsequent Inward Tel Numbers AL NUMBER PORTABILITY			UEPPP		PR7ZT		23.07	23.07								
1200	Local Number Portability (1 per port)	1		UEPPP		LNPCN	1.75							1	1	1	
	Voice/Data	1		UEPPP		PR71V	0.00	0.00	0.00	1		1		İ	1	İ	
	Digital Data			UEPPP		PR71D	0.00	0.00	0.00								
	Inward Data			UEPPP		PR71E	0.00	0.00	0.00								
New	or Additional "B" Channel																
	New or Additional - Voice/Data B Channel	1		UEPPP		PR7BV	0.00	14.56						ļ	L	ļ	
	New or Additional - Digital Data B Channel	-		UEPPP		PR7BF	0.00	14.56				ļ					ļ
0.4.	New or Additional Inward Data B Channel	-	-	UEPPP		PR7BD	0.00	14.56				<u> </u>		!	 	.	
CAL	L TYPES Inward	1	-	UEPPP		PR7C1	0.00	0.00	0.00						 		
	Outward	+	-	UEPPP		PR7C0	0.00	0.00	0.00			 			+		
	Two-way	+	-	UEPPP		PR7CC	0.00	0.00	0.00			 			+		
Inter	roffice Channel Mileage	+		OLFFP		1 1/00	0.00	0.00	0.00	 		<u> </u>		 	 	 	
miter	Fixed Each Including First Mile	+		UEPPP		1LN1A	77.4815	89.47	81.99	16.39	14.48			 	 	 	
	Each Airline-Fractional Additional Mile	1		UEPPP		1LN1B	0.3415	03.47	01.33	10.39	14.40	l	t	1	†	1	†
4-WI	IRE DS1 DIGITAL LOOP WITH 4-WIRE DDITS TRUNK PORT	1				1								İ	t	İ	
	UNE-P DS1 combination rates below for in this rate exhibit app						·								-		+

UNBUNDL	ED NETWORK ELEMENTS - South Carolina												Attach	ment: 2	Exhi	ibit: A
											Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svo
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
					1		Monro		Monroourring	Disconnect			220	Potos (\$)		
					-	Rec	First	curring Add'l	Nonrecurring First	Add'l	COMEC	SOMAN	SOMAN	Rates (\$) SOMAN	SOMAN	SOMAN
Pogr		activa d	ato of	hie amondmont cha	ll be provide	nd nurcuant to					SOWIEC	SOWAN	SOWAN	SOWAN	SOWAN	SOWAN
	Port/Loop Combination Rates	ective u	ate or	illis alliellullielli sila	li be provide	pursuant to	a separate agre	I	at belisouth s	uiscretion.	<u> </u>		1			-
OIVE	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 1		1	UEPDC		149.77					†	-				
	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 2		2	UEPDC		214.33					<u> </u>		1			-
	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 3			UEPDC	1	320.78					1	1				†
UNE	Loop Rates		Ť	02. 20		020.70					İ					
	4-Wire DS1 Digital Loop - UNE Zone 1		1	UEPDC	USLDC	90.87										
	4-Wire DS1 Digital Loop - UNE Zone 2		2	UEPDC	USLDC	155.43										
	4-Wire DS1 Digital Loop - UNE Zone 3		3	UEPDC	USLDC	261.89										
UNE	Port Rate															
	4-Wire DDITS Digital Trunk Port (E:4/1/2004)			UEPDC	UDD1T	58.90	455.50	253.79	117.55	14.20						
NON	RECURRING CHARGES - CURRENTLY COMBINED															
	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination															
oxdot	- Switch-as-is (E:4/1/2004)			UEPDC	USAC4		129.78	67.17								
	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination														l	
	- Conversion with DS1 Changes (E:4/1/2004)			UEPDC	USAWA		129.78	67.17								
	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination		1	l									I			
	- Conversion with Change - Trunk (E:4/1/2004)			UEPDC	USAWB		129.78	67.17								
ADDI	TIONAL NRCs															
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - NRC -															
	Subsequent Channel Activation/Chan - 2-Way Trunk			UEPDC	UDTTA		14.51	14.51								ļ
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent			LIEDDO	LIDTTD		44.54	44.54								
	Channel Activation/Chan - 1-Way Outward Trunk 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Channel		-	UEPDC	UDTTB		14.51	14.51			1					
	Activation/Chan Inward Trunk w/out DID			UEPDC	UDTTC		14.51	14.51								
\vdash	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan		-	UEPDC	ODITO		14.51	14.51			1	1	-			-
	Activation Per Chan - Inward Trunk with DID			UEPDC	UDTTD		14.51	14.51								
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan		-	OLI DO	ODTID		14.51	14.51			†	-				
	Activation / Chan - 2-Way DID w User Trans			UEPDC	UDTTE		14.51	14.51								
BIPO	LAR 8 ZERO SUBSTITUTION			02. 20	022		1				1	1				†
	B8ZS -Superframe Format			UEPDC	CCOSF		0.00i	605.00s			İ					
	B8ZS - Extended Superframe Format			UEPDC	CCOEF		0.00i	605.00s			İ					
Alter	nate Mark Inversion															
	AMI -Superframe Format			UEPDC	MCOSF		0.00	0.00								
	AMI - Extended SuperFrame Format			UEPDC	MCOPO		0.00	0.00								
Teler	hone Number/Trunk Group Establisment Charges															
	Telephone Number for 2-Way Trunk Group			UEPDC	UDTGX	0.00										
	Telephone Number for 1-Way Outward Trunk Group			UEPDC	UDTGY	0.00										
\Box	Telephone Number for 1-Way Inward Trunk Group Without DID			UEPDC	UDTGZ	0.00										
	DID Numbers, Establish Trunk Group and Provide First Group		1	l	l								I			
\vdash	of 20 DID Numbers			UEPDC	NDZ	0.00	0.00	0.00					-			
\vdash	DID Numbers for each Group of 20 DID Numbers		<u> </u>	UEPDC	ND4	0.00	0.00	0.00			ļ		 		 	├
\vdash	DID Numbers, Non- consecutive DID Numbers , Per Number		<u> </u>	UEPDC	ND5 ND6	0.00	0.00	0.00			ļ		 		 	├
\vdash	Reserve Non-Consecutive DID Nos.		<u> </u>	UEPDC	NDV		0.00	0.00	 		 	1	 		-	-
Do-II	Reserve DID Numbers ated DS1 (Interoffice Channel Mileage) - FX/FCO for 4-Wire DS1	Dicital	Loor	UEPDC		0.00	0.00	0.00			 	-	 	-	-	
Dedic	Interoffice Channel Mileage - Fixed rate 0-8 miles (Facilities	Digital	Loop		TUILK POIL	1			 		<u> </u>		 		-	
	Termination)			UEPDC	1LNO1	77.14	89.47	81.99	16.39	14.48						
	Interoffice Channel Mileage - Additional rate per mile - 0-8 miles			UEPDC	1LNOA	0.3415	0.00	0.00								
	Interoffice Channel Mileage - Fixed rate 9-25 miles (Facilities												1			
\vdash	Termination)		<u> </u>	UEPDC	1LNO2	0.00	0.00	0.00			ļ		_			_
	Interoffice Channel Mileage - Additional rate per mile - 9-25 miles			UEPDC	1LNOB	0.3415	0.00	0.00								
	Interoffice Channel Mileage - Fixed rate 25+ miles (Facilities Termination)			UEPDC	1LNO3	0.00	0.00	0.00								
	Interoffice Channel Mileage - Additional rate per mile - 25+ miles		L	UEPDC	1LNOC	0.3415	0.00	0.00	<u> </u>		<u></u>	<u></u>	<u> </u>		<u> </u>	
	Local Number Portability, per DS0 Activated			UEPDC	LNPCP	3.15	0.00	0.00								

UNBUN	DLE	NETWORK ELEMENTS - South Carolina												Attach	ment: 2	Exhi	bit: A
												Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
			Intori									Elec	Manually	Manual Svc	Manual Svc		Manual Svo
CATEGO	RY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			""									p = = = = = = = = = = = = = = = = = = =	p = = = = = = = = = = = = = = = = = = =	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							Rec	Nonre		Nonrecurring					Rates (\$)		
		0				070		First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	MUDE	Central Office Termininating Point		-	UEPDC	CTG	0.00					1					
		DS1 LOOP WITH CHANNELIZATION WITH PORT								-		-					
		is 1 DS1 Loop, 1 D4 Channel Bank, and up to 24 Feature Acti ystem can have up to 24 combinations of rates depending on			har of narta used					-		-					
		E-P DS1 combination rates below for 4-Wire DS1 Loop with C				a avbibit ann	ly to the embe	ddad baaa in r	loop on of 10/2	102 until 4/4/04	After 4/4/04	those retec	aball rayart	to toriff rotoo	or a concrete	agraamant	
		ts for 4-Wire DS1 Loop with Channelization with Port after th											Shall revert	lo tariii rates	or a separate	agreement.	
		St Loop	l	l ve dat	or tills amendment	Silali be pro	l	t to a separate	agreement or	lann at benoo	uni s uiscrem	J					
		4-Wire DS1 Loop - UNE Zone 1		1	UEPMG	USLDC	90.87	0.00	0.00			1	1		1		
		4-Wire DS1 Loop - UNE Zone 2		2	UEPMG	USLDC	155.43	0.00	0.00			1	1		1		
	-	4-Wire DS1 Loop - UNE Zone 3			UEPMG	USLDC	261.89	0.00	0.00			İ					
U	NE DS	60 Channelization Capacities (D4 Channel Bank Configuration	ns)	Ť	-			2.30	2.30	1				l	1	1	
	T	24 DSO Channel Capacity - 1 per DS1			UEPMG	VUM24	82.78	0.00	0.00			İ					
		48 DSO Channel Capacity - 1 per 2 DS1s	Ì		UEPMG	VUM48	165.56	0.00	0.00								
		96 DSO Channel Capacity -1per 4 DS1s	Ì		UEPMG	VUM96	331.12	0.00	0.00								İ
		144 DS0 Channel Capacity - 1 per 6 DS1s			UEPMG	VUM14	496.68	0.00	0.00								
		192 DS0 Channel Capacity -1 per 8 DS1s			UEPMG	VUM19	662.24	0.00	0.00								
		240 DS0 Channel Capacity - 1 per 10 DS1s			UEPMG	VUM2O	827.80	0.00	0.00								
		288 DS0 Channel Capacity - 1 per 12 DS1s			UEPMG	VUM28	993.36	0.00	0.00								
		384 DS0 Channel Capacity - 1 per 16 DS1s			UEPMG	VUM38	1,324.48	0.00	0.00								
		480 DS0 Channel Capacity - 1 per 20 DS1s			UEPMG	VUM4O	1,655.60	0.00	0.00								
		576 DS0 Channel Capacity -1 per 24 DS1s			UEPMG	VUM57	1,986.72	0.00	0.00								
		672 DS0 Channel Capacity - 1 per 28 DS1s		L	UEPMG	VUM67	2,317.84	0.00	0.00								
		curring Charges (NRC) Associated with 4-Wire DS1 Loop with						stem				ļ					
		num System configuration is One (1) DS1, One (1) D4 Channe										1					
IVI	uitipi	es of this configuration functioning as one are considered Ac	ad'i atte	r tne m	inimum system con	iguration is	counted.			-		.	-		-	-	
		NRC - Conversion (Currently Combined) with or without BellSouth Allowed Changes			UEPMG	USAC4	0.00	150.81	8.38								
9	vetom	Additions at End User Locations Where 4-Wire DS1 Loop with	th Chan	nelizat					0.30	 		<u> </u>					
		ot Currently Combined) in all states, except in Density Zone 1				l ation curre	I LAISIS AITE			 		<u> </u>					
	··· (1 DS1/D4 Channel Bank - Additionally Add NRC for each Port	C C	1								1	1		1		
		and Assoc Fea Activation (E:4/1/2004)			UEPMG	VUMD4	0.00	717.71	425.81	149.08	17.69						
В	ipolar	8 Zero Substitution					0.00					İ					
		Clear Channel Capability Format, superframe - Subsequent															
		Activity Only			UEPMG	CCOSF	0.00	0.00i	605.00s								
		Clear Channel Capability Format - Extended Superframe -															
		Subsequent Activity Only			UEPMG	CCOEF	0.00	0.00i	605.00s								
Α	lterna	te Mark Inversion (AMI)															
		Superframe Format			UEPMG	MCOSF	0.00	0.00	0.00								
		Extended Superframe Format			UEPMG	MCOPO	0.00	0.00	0.00								
		ge Ports Associated with 4-Wire DS1 Loop with Channelization	on with	Port						ļ		ļ			ļ	ļ	
E	xchan	ge Ports	ļ							-				 	-	-	
		Line Side Combination Channelized PBX Trunk Port - Business	1		LIEDDY	LIEDOY		0.00	0.00		0.00				I	I	
$\vdash \vdash$		(E:4/1/2004) Line Side Outward Channelized PBX Trunk Port - Business	 	-	UEPPX	UEPCX	1.13	0.00	0.00	0.00	0.00	ļ		 	 	 	ļ
			1		LIEDDY	LIEDOY	4 40	0.00	0.00	0.00	0.00				I	I	
\vdash	-	(E:4/1/2004) Line Side Inward Only Channelized PBX Trunk Port without DID	!	-	UEPPX	UEPOX	1.13	0.00	0.00	0.00	0.00	 	-		 		-
		(E:4/1/2004)	1		UEPPX	UEP1X	1.13	0.00	0.00	0.00	0.00				I	I	
\vdash	-	2-Wire Trunk Side Unbundled Channelized DID Trunk Port	 		OLFFA	OLF IA	1.13	0.00	0.00	0.00	0.00	1	H	l	t	t	
		(E:4/1/2004)	1		UEPPX	UEPDM	7.09	0.00	0.00	0.00	0.00				I	I	
E	eature	Activations - Unbundled Loop Concentration			OLI 1 A	OLI DIVI	7.05	0.00	0.00	0.00	0.00	†			 	 	
Н,		Feature (Service) Activation for each Line Port Terminated in D4					1			<u> </u>					<u> </u>	<u> </u>	
		Bank	1		UEPPX	1PQWM	0.56	25.45	13.44	4.20	4.17				I	I	
		Feature (Service) Activation for each Trunk Port Terminated in	1							0				l	1	1	
		D4 Bank	1		UEPPX	1PQWU	0.56	78.31	18.46	59.37	11.60				1	1	
Te	elepho	one Number/ Group Establishment Charges for DID Service															
		DID Trunk Termination (1 per Port)			UEPPX	NDT	0.00	0.00	0.00								
		Estab Trk Grp and Provide 1st 20 DID Nos. (FL,GA, NC,& SC)			UEPPX	NDZ	0.00	0.00	0.00								
		DID Numbers - groups of 20 - Valid all States			UEPPX	ND4	0.00	0.00	0.00								
		Non-Consecutive DID Numbers - per number			UEPPX	ND5	0.00	0.00	0.00								

JNBUNDLED	NETWORK ELEMENTS - South Carolina												Attach	ment: 2	Exhi	ibit: A
											Svc Order	Svc Order	Incremental	Incremental	Incremental	Increment
											II .	Submitted		Charge -	Charge -	Charge -
											Elec	Manually		Manual Svc		
ATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			l l				1	
AILOOKI	TOTAL ELEMENTO	m		500	0000			πατεσ (φ)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs
													Electronic-	Electronic-	Electronic-	Electronic
													1st	Add'l	Disc 1st	Disc Add
							Manua		l Names accoming	. Dianamant	<u> </u>	l	000	D-4 (6)		1
					ļ	Rec	Nonrec		Nonrecurring					Rates (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Reserve Non-Consecutive DID Numbers			UEPPX	ND6	0.00	0.00	0.00								1
	Reserve DID Numbers			UEPPX	NDV	0.00	0.00	0.00								
	umber Portability															
L	Local Number Portability - 1 per port			UEPPX	LNPCP	3.15	0.00	0.00								
FEATUR	RES - Vertical and Optional															
Local Sw	witching Features Offered with Line Side Ports Only															
	All Features Available			UEPPX	UEPVF	3.04	0.00	0.00			İ					
	ENTREX PORT/LOOP COMBINATIONS - COST BASED RATES					0.0.										1
	Based Rates are applied where BellSouth is required by FCC		State (ommission rule to	orovide Unbi	Indlad Local S	witching or Su	ritch Ports			<u> </u>					1
	res shall apply to the Unbundled Port/Loop Combination - Co								dlad Dart sasti	on of this Bate	- Evhibit		 	-	-	+
2. Featur	res shall apply to the oribundled Port/Loop Combination - Co	USI DAS	eu Kai	the Best seeding	e manner as	triey are applie	d to the Stand	-Alone Onbun	uleu Fort Section	on or this Rate	EXHIBIT.	 				-
3. End U	Office and Tandem Switching Usage and Common Transport rst and additional Port nonrecurring charges apply to Not Cu	Usage i	Comb	the Port Section of	this rate exh	mbined Comb	to all combina	ations of loop/	port network e	identified in t	he Nepresu	oin Port/LC	onthy Combinat	ions.	Additional NE	Co mov
		enuy	COIIID	med Combos. POF	Carrently CO	IIIDIIIEG COIIDI	o, the homect	army charges	onan be mose	raeminieu in t	ne womecu	ining - Curre	entry Combine	eu sections.	Additional Nr	tos may
	so and are categorized accordingly.								1	1						
	et Rates for Unbundled Centrex Port/Loop Combination will	be nego	otiated	on an Individual Ca	se Basis, un	til further notic	e.				ļ		ļ	ļ	ļ	
	CENTREX - 5ESS (Valid in All States)															
	G Loop/2-Wire Voice Grade Port (Centrex) Combo															
UNE Por	rt/Loop Combination Rates (Non-Design)															
2	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -															
	Non-Design		1	UEP95		14.89										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -				1						1		1			1
	Non-Design		2	UEP95		21.52										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -			OLI 33	-	21.02					-	-	ļ	-	-	<u> </u>
			_													
	Non-Design		3	UEP95		27.17										
	rt/Loop Combination Rates (Design)															
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -															
	Design		1	UEP95		17.81										
2	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
	Design		2	UEP95		24.26										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		<u> </u>								i e					
	Design		3	UEP95		29.59										
UNE Loc			J	OLI 33	†	23.33					1		 	-	-	+
			_	LIEDOS	115004	40.70					-					-
	2-Wire Voice Grade Loop (SL 1) - Zone 1			UEP95	UECS1	13.76							ļ			
	2-Wire Voice Grade Loop (SL 1) - Zone 2			UEP95	UECS1	20.38										
	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP95	UECS1	26.04										
	2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP95	UECS2	16.68										
	2-Wire Voice Grade Loop (SL 2) - Zone 2			UEP95	UECS2	23.13										
2	2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP95	UECS2	28.46										
UNE Por	rt Rate															
All State	es															
12	2-Wire Voice Grade Port (Centrex) Basic Local Area			UEP95	UEPYA	1.13	40.30	19.90	24.98	6.65	İ					
	2-Wire Voice Grade Port (Centrex 800 termination)			UEP95	UEPYB	1.13	40.30	19.90	24.98	6.65	1		1			1
	2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local			02. 00	02	0	10.00	10.00	200	0.00						1
	Area			UEP95	UEPYH	1.13	40.30	19.90	24.98	6.65						
				UEP95	UEPTH	1.13	40.30	19.90	24.98	6.05	<u> </u>					1
	2-Wire Voice Grade Port (Centrex from diff Serving Wire			l												
	Center)2,3 Basic Local Area			UEP95	UEPYM	1.13	108.36	70.71	54.47	11.94						
2	2-Wire Voice Grade Port, Diff Serving Wire Center 2,3 - 800															
	Service Term - Basic Local Area		<u></u>	UEP95	UEPYZ	1.13	108.36	70.71	54.47	11.94	<u> </u>					
2	2-Wire Voice Grade Port terminated in on Megalink or equivalent		I													
	- Basic Local Area		l	UEP95	UEPY9	1.13	40.30	19.90	24.98	6.65	1	1	1	I	I	
	2-Wire Voice Grade Port Terminated on 800 Service Term -										İ					†
	Basic Local Area		l	UEP95	UEPY2	1.13	40.30	19.90	24.98	6.65	1	1	1	1	1	1
	LA, MS, SC, & TN Only		 	021 00	JL: 12	1.13	40.30	10.00	24.30	0.00	1		t	 	 	
			-	LIEDOE	LIEDO A	4 40	40.30	19.90	24.98	0.05	1	 	-	-	-	
	2-Wire Voice Grade Port (Centrex)		├ ──	UEP95	UEPQA	1.13				6.65	 	 	1	1	1	
	2-Wire Voice Grade Port (Centrex 800 termination)		<u> </u>	UEP95	UEPQB	1.13	40.30	19.90	24.98	6.65						Ļ
	2-Wire Voice Grade Port (Centrex with Caller ID)1			UEP95	UEPQH	1.13	40.30	19.90	24.98	6.65						<u> </u>
	2-Wire Voice Grade Port (Centrex from diff Serving Wire		l -								1	l		_		
	Center)2,3		l	UEP95	UEPQM	1.13	108.36	70.71	54.47	11.94	1	1	1	1	1	1
						_		_	_	_	T	I -	T .	_	T .	T
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service															

JNBUNDLE	ED NETWORK ELEMENTS - South Carolina												Attach	ment: 2	Exhi	ibit: A
											Svc Order	Svc Order	Incremental	Incremental		
												Submitted		Charge -	Charge -	Charge -
		Interi									Elec	Manually		Manual Svc		Manual Sv
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR			Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
						Rec	Nonrec		Nonrecurring					Rates (\$)		
\longrightarrow							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
				l												
	2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP95	UEPQ9	1.13	40.30	19.90	24.98	6.65						
	2-Wire Voice Grade Port Terminated on 800 Service Term			UEP95	UEPQ2	1.13	40.30	19.90	24.98	6.65						
Local	Switching		-	LIEBOE	LIDEOO	0.7000					1					
1 222	Centrex Intercom Funtionality, per port			UEP95	URECS	0.7996					-					
Local	Number Portability Local Number Portability (1 per port)		-	UEP95	LNPCC	0.35					-	-				-
Featur			-	UEF93	LINFCC	0.35					ł	-				ł
reatur	All Standard Features Offered, per port			UEP95	UEPVF	3.04					 	-				
	All Select Features Offered, per port		-	UEP95	UEPVS	0.00	406.42				ł	-				ł
	All Centrex Control Features Offered, per port			UEP95	UEPVC	3.04	400.42				1	1				
NARS			!	OFL 20	OLF VC	3.04					1	H	 		 	1
INAKS	Unbundled Network Access Register - Combination		 	UEP95	UARCX	0.00	0.00	0.00	0.00	0.00	 	H	 		 	
	Unbundled Network Access Register - Combination		 	UEP95	UAR1X	0.00	0.00	0.00	0.00	0.00	1	 	 		1	ł
$\overline{}$	Unbundled Network Access Register - Outdial		 	UEP95	UAROX	0.00	0.00	0.00	0.00	0.00					 	†
Misco	Ilaneous Terminations			OLI 33	JANUA	0.00	0.00	0.00	0.00	0.00	 	-			 	
	e Trunk Side		 		+	 	+									†
2 11110	Trunk Side Terminations, each			UEP95	CEND6	8.86	119.57	18.78	60.03	3.77	1	1				
4-Wire	e Digital (1.544 Megabits)			OLI SO	OLIVDO	0.00	110.07	10.70	00.00	0.77	†	-				
	DS1 Circuit Terminations, each			UEP95	M1HD1	73.62	202.47	95.90	72.75	2.47	1	1				
	DS0 Channels Activated, each			UEP95	M1HDO	0.00	14.51	00.00	72.70		İ					İ
Intero	ffice Channel Mileage - 2-Wire										i e					İ
	Interoffice Channel Facilities Termination			UEP95	M1GBC	24.30	40.63	27.47	16.77	6.91	İ					
	Interoffice Channel mileage, per mile or fraction of mile			UEP95	M1GBM	0.0167					İ					
Featur	re Activations (DS0) Centrex Loops on Channelized DS1 Servic	е														
D4 Ch	annel Bank Feature Activations															
	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP95	1PQWS	0.56									ĺ	
															ĺ	
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP95	1PQW6	0.56										
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop															
	Slot			UEP95	1PQW7	0.56										
	Feature Activation on D-4 Channel Bank Centrex Loop Slot -															
	Different Wire Center			UEP95	1PQWP	0.56										
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP95	1PQWV	0.56										
	Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop															
	Slot			UEP95	1PQWQ	0.56										
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP95	1PQWA	0.56										<u> </u>
Non-R	Recurring Charges (NRC) Associated with UNE-P Centrex				1						1					ļ
I	NRC Conversion Currently Combined Switch-As-Is with allowed			LIEDOE	110465											
	changes, per port		-	UEP95	USAC2	0.00	37.93	16.72			ļ		ļ		 	ļ
$\overline{}$	New Centrex Standard Common Block		-	UEP95	M1ACS	0.00	668.70				 	1	-		 	ļ
$\overline{}$	New Centrex Customized Common Block NAR Establishment Charge, Per Occasion		-	UEP95 UEP95	M1ACC URECA	0.00	668.70 72.89				 	1	-		 	ļ
A al -1:4:			-	OLF90	URECA	0.00	12.89				1	-			-	
Adalti	onal Non-Recurring Charges (NRC) Unbundled Miscellaneous Rate Element, Tag Loop at End Use		 		+	 					1	-			-	1
1	Premise		1	UEP95	URETL		8.33	0.83								
$\overline{}$	Unbundled Miscellaneous Rate Element, Tag Design Loop at		 	OE1 33	OINETE		0.33	0.03			 	H	 		 	†
I	End Use Premise			UEP95	URETN		11.24	1.10								
UNF-F	P CENTREX - DMS100 (Valid in All States)		†		0.12114		11.27	1.10			1	 				1
	e VG Loop/2-Wire Voice Grade Port (Centrex) Combo														1	
	Port/Loop Combination Rates (Non-Design)												İ		İ	
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -												İ		İ	
1	Non-Design		1	UEP9D		14.89										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		1								1				İ	İ
1	Non-Design		2	UEP9D		21.52										
1				ı								1	1			I
-+	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -					l	l									
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Non-Design		3	UEP9D		27.17										

ONBONDL	ED NETWORK ELEMENTS - South Carolina										C	Core Contr		ment: 2		ibit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)					Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Charge -	Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'l
						Rec	Nonrec		Nonrecurring					Rates (\$)		
						1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -		1	LIEDOD		47.04										
	Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -	-	1	UEP9D		17.81										
	Design		2	UEP9D		24.26										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		<u> </u>												t	
	Design		3	UEP9D		29.59										
UNE	oop Rate															
	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP9D	UECS1	13.76										
	2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEP9D	UECS1	20.38										
	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP9D	UECS1	26.04										
	2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP9D	UECS2	16.68										Ī
	2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP9D	UECS2	23.13										
	2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP9D	UECS2	28.46										
UNE	Port Rate															ĺ
ALL S	STATES															
	2-Wire Voice Grade Port (Centrex) Basic Local Area			UEP9D	UEPYA	1.13	40.30	19.90	24.98	6.65						
	2-Wire Voice Grade Port (Centrex 800 termination)Basic Local															
	Area			UEP9D	UEPYB	1.13	40.30	19.90	24.98	6.65						
	2-Wire Voice Grade Port (Centrex / EBS-PSET)3Basic Local															
	Area			UEP9D	UEPYC	1.13	40.30	19.90	24.98	6.65						
	2-Wire Voice Grade Port (Centrex / EBS-M5009)3Basic Local															
	Area			UEP9D	UEPYD	1.13	40.30	19.90	24.98	6.65						
	2-Wire Voice Grade Port (Centrex / EBS-M5209))3 Basic Local						40.00									
	Area			UEP9D	UEPYE	1.13	40.30	19.90	24.98	6.65						
	2-Wire Voice Grade Port (Centrex / EBS-M5112))3 Basic Local						40.00									
	Area			UEP9D	UEPYF	1.13	40.30	19.90	24.98	6.65						
	2-Wire Voice Grade Port (Centrex / EBS-M5312))3Basic Local			LIEDOD	UEPYG	4.40	40.20	40.00	04.00	0.05						
	Area 2-Wire Voice Grade Port (Centrex / EBS-M5008))3 Basic Local		1	UEP9D	UEPYG	1.13	40.30	19.90	24.98	6.65						
	Area			UEP9D	UEPYT	1.13	40.30	19.90	24.98	6.65						
	2-Wire Voice Grade Port (Centrex / EBS-M5208))3 Basic Local		<u> </u>	UEP9D	UEPTI	1.13	40.30	19.90	24.90	0.00					-	
	Area			UEP9D	UEPYU	1.13	40.30	19.90	24.98	6.65						
	2-Wire Voice Grade Port (Centrex / EBS-M5216))3 Basic Local		1	OLI 3D	OLI 10	1.13	40.50	13.30	24.30	0.00						1
	Area			UEP9D	UEPYV	1.13	40.30	19.90	24.98	6.65						
	2-Wire Voice Grade Port (Centrex / EBS-M5316))3 Basic Local		1	02.02	02	0	10.00	10.00	21.00	0.00					1	1
	Area			UEP9D	UEPY3	1.13	40.30	19.90	24.98	6.65						
	2-Wire Voice Grade Port (Centrex with Caller ID) Basic Local		1													
	Area			UEP9D	UEPYH	1.13	40.30	19.90	24.98	6.65						
	2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp															
	Indication))4 Basic Local Area	<u></u>		UEP9D	UEPYW	1.13	40.30	19.90	24.98	6.65	<u> </u>				<u> </u>	<u> </u>
	2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication))4															ĺ
	Basic Local Area			UEP9D	UEPYJ	1.13	40.30	19.90	24.98	6.65						
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)															
	2,3-Basic Local Area			UEP9D	UEPYM	1.13	108.36	70.71	54.47	11.94						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2,3,4			l							1				I	
	Basic Local Area			UEP9D	UEPYO	1.13	108.36	70.71	54.47	11.94						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2,3,4			LIEDOD	LIEDY'S		400.00	70 71		44.61					1	
	Basic Local Area		<u> </u>	UEP9D	UEPYP	1.13	108.36	70.71	54.47	11.94					-	
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2,3,4			LIEDOD	LIEDYO	4 40	400.00	70.74	F4 47	44.04	1				I	
	Basic Local Area	-	1	UEP9D	UEPYQ	1.13	108.36	70.71	54.47	11.94	-				 	├ ──
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2,3,4 Basic Local Area			UEP9D	UEPYR	1.13	108.36	70.71	54.47	11.94	1				I	
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2,3,4	H	 	OLFBD	ULFIR	1.13	100.30	70.71	34.47	11.94					t	
	Basic Local Area			UEP9D	UEPYS	1.13	108.36	70.71	54.47	11.94					1	
- 	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2,3,4	t	†		02. 10	1.10	100.00	70.71	57.77	11.54	-				I	†
	Basic Local Area			UEP9D	UEPY4	1.13	108.36	70.71	54.47	11.94	1				I	
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3		1								1				İ	1
	Basic Local Area	1	1	UEP9D	UEPY5	1.13	108.36	70.71	54.47	11.94	1	1			1	1

UNBU	NDLE	D NETWORK ELEMENTS - South Carolina													ment: 2		ibit: A
CATEGO	ORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			II .	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
								Nonred	urring	Nonrecurring	Disconnect				Rates (\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2,3,4				1		11130	Addi	THOU	Addi	JOINLO	JOHAN	JONIAN	JONIAN	JONIAN	JOINAIN
		Basic Local Area			UEP9D	UEPY6	1.13	108.36	70.71	54.47	11.94						
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2,3,4 Basic Local Area			UEP9D	UEPY7	1.13	108.36	70.71	54.47	11.94						
		2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term 2.3			UEP9D	UEPYZ	1.13	108.36	70.71	54.47	11.94						
		2-Wire Voice Grade Port terminated in on Megalink or equivalent Basic Local Area			UEP9D	UEPY9	1.13	40.30	19.90	24.98	6.65						
		2-Wire Voice Grade Port Terminated on 800 Service Term Basic Local Area			UEP9D	UEPY2	1.13	40.30	19.90	24.98	6.65						
		, LA, MS, SC, & TN Only		L													
		2-Wire Voice Grade Port (Centrex)			UEP9D	UEPQA	1.13	40.30	19.90	24.98	6.65						
		2-Wire Voice Grade Port (Centrex 800 termination)			UEP9D	UEPQB	1.13	40.30	19.90	24.98	6.65						
		2-Wire Voice Grade Port (Centrex / EBS-PSET)4			UEP9D	UEPQC	1.13	40.30	19.90	24.98	6.65						
		2-Wire Voice Grade Port (Centrex / EBS-M5009)4		<u> </u>	UEP9D	UEPQD	1.13	40.30	19.90	24.98	6.65						1
		2-Wire Voice Grade Port (Centrex / EBS-M5209)4		-	UEP9D	UEPQE	1.13	40.30	19.90	24.98	6.65	ļ		 	.	-	+
-		2-Wire Voice Grade Port (Centrex / EBS-M5112)4			UEP9D UEP9D	UEPQF UEPQG	1.13 1.13	40.30 40.30	19.90 19.90	24.98 24.98	6.65 6.65	-					+
		2-Wire Voice Grade Port (Centrex / EBS-M5312)4 2-Wire Voice Grade Port (Centrex / EBS-M5008)4			UEP9D	UEPQG	1.13	40.30	19.90	24.98	6.65	-					+
_		2-Wire Voice Grade Port (Centrex / EBS-M5006)4 2-Wire Voice Grade Port (Centrex / EBS-M5208)4			UEP9D	UEPQU	1.13	40.30	19.90	24.98	6.65	 					+
-		2-Wire Voice Grade Port (Centrex / EBS-M5206)4 2-Wire Voice Grade Port (Centrex / EBS-M5216)4			UEP9D	UEPQV	1.13	40.30	19.90	24.98	6.65	1					+
\rightarrow		2-Wire Voice Grade Port (Centrex / EBS-M5316)4			UEP9D	UEPQ3	1.13	40.30	19.90	24.98	6.65	1					+
\dashv		2-Wire Voice Grade Fort (Centrex / EBS-NBS16)4 2-Wire Voice Grade Port (Centrex with Caller ID)			UEP9D	UEPQH	1.13	40.30	19.90	24.98	6.65	+					+
_		2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp			OLI OD	OLI GII	1.10	40.00	10.00	24.00	0.00	1					+
		Indication)4			UEP9D	UEPQW	1.13	40.30	19.90	24.98	6.65						
		2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication)4			UEP9D	UEPQJ	1.13	40.30	19.90	24.98	6.65						
		2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)				1					0.00	İ					
		2,3			UEP9D	UEPQM	1.13	108.36	70.71	54.47	11.94						
-		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2,3,4			UEP9D	UEPQO	1.13	108.36	70.71	54.47	11.94						<u> </u>
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2,3,4			UEP9D	UEPQP	1.13	108.36	70.71	54.47	11.94						
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2,3,4			UEP9D	UEPQQ	1.13	108.36	70.71	54.47	11.94						
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2,3,4			UEP9D	UEPQR	1.13	108.36	70.71	54.47	11.94						
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2,3,4			UEP9D	UEPQS	1.13	108.36	70.71	54.47	11.94						
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2,3,4			UEP9D	UEPQ4	1.13	108.36	70.71	54.47	11.94						
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2,3,4			UEP9D	UEPQ5	1.13	108.36	70.71	54.47	11.94						
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2,3,4			UEP9D	UEPQ6	1.13	108.36	70.71	54.47	11.94						
		2 Miro Voice Crade Bort (Centray/differ SWC /EBS M5345)2 2 4			UEP9D	UEPQ7	1.13	100.00	70.74	54.47	11.94						1
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2,3,4 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term 2,3			UEP9D UEP9D	UEPQ7 UEPQZ	1.13	108.36	70.71	54.47	11.94						
1					UEP9D	UEPQ2	1.13		19.90		6.65						
-+		2-Wire Voice Grade Port terminated in on Megalink or equivalent 2-Wire Voice Grade Port Terminated on 800 Service Term		1	UEP9D	UEPQ9 UEPQ2	1.13	40.30 40.30	19.90	24.98 24.98	6.65	<u> </u>		 	 	-	+
-		Switching		t	021 30	JL1 42	1.13	40.30	19.30	24.30	0.00	1					+
		Centrex Intercom Funtionality, per port			UEP9D	URECS	0.7996										
1		lumber Portability					3000			1				1	1		†
		Local Number Portability (1 per port)			UEP9D	LNPCC	0.35			1		Ì			ĺ	1	1
	Feature																
		All Standard Features Offered, per port			UEP9D	UEPVF	3.04										
		All Select Features Offered, per port			UEP9D	UEPVS	0.00	406.42									
		All Centrex Control Features Offered, per port			UEP9D	UEPVC	3.04										

Ì											Svc Order	Svc Order	Incremental	Incremental	Incremental	Incrementa
l l											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		Indan:									Elec	Manually	Manual Svc		Manual Svc	Manual Svo
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
·		m									per Lore	per Lore	Electronic-	Electronic-	Electronic-	
													1st	Add'l	Disc 1st	Disc Add'l
													ist	Addi	DISC 1St	DISC Add I
					1	_	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates (\$)		
					1	Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
NARS																
	Unbundled Network Access Register - Combination			UEP9D	UARCX	0.00	0.00	0.00	0.00	0.00	i e					†
	Unbundled Network Access Register - Inward			UEP9D	UAR1X	0.00	0.00	0.00	0.00	0.00	i e					†
	Unbundled Network Access Register - Outdial			UEP9D	UAROX	0.00	0.00	0.00	0.00	0.00	1					
	aneous Terminations			02. 02	0711071	0.00	0.00	0.00	0.00	0.00	1					+
	Trunk Side		 		1						1					+
	Trunk Side Terminations, each			UEP9D	CEND6	8.86	119.57	18.78	60.03	3.77	+			+		+
	Digital (1.544 Megabits)			OLF 9D	CLINDO	0.00	119.57	10.70	00.03	3.11					1	-
	DS1 Circuit Terminations, each		-	UEP9D	M1HD1	73.62	202.47	95.90	72.75	2.47	-			-		+
	DS0 Channels Activiated per Channel		-	UEP9D	M1HD0	0.00	14.51	93.90	12.13	2.47	-			-		+
				UEP9D	MIHDO	0.00	14.51				<u> </u>					+
	ice Channel Mileage - 2-Wire		-	LIEDOD	144000	04.00	40.00	07.47	40.77	0.04						
	Interoffice Channel Facilities Termination			UEP9D	M1GBC	24.30	40.63	27.47	16.77	6.91						
	Interoffice Channel mileage, per mile or fraction of mile			UEP9D	M1GBM	0.0167										
	Activations (DS0) Centrex Loops on Channelized DS1 Service	e														
D4 Cha	nnel Bank Feature Activations															
	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP9D	1PQWS	0.56										
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP9D	1PQW6	0.56										
-	Feature Activation on D-4 Channel Bank FX Trunk Side Loop										i e					+
'	Slot			UEP9D	1PQW7	0.56										
$\overline{}$	Feature Activation on D-4 Channel Bank Centrex Loop Slot -			OLI OD	11 00 11 1	0.00	-				1					+
	Different Wire Center			UEP9D	1PQWP	0.56										
-+-	Different Wife Center			OLI 3D	II QVVI	0.50					†			+		+
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP9D	1PQWV	0.56										
-	Feature Activation on D-4 Channel Bank Frivate Line Loop Slot		-	OLF 9D	IFQVVV	0.50					ł	-		-	ļ	
	Slot			UEP9D	1PQWQ	0.56										
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP9D	1PQWA	0.56										
	curring Charges (NRC) Associated with UNE-P Centrex															
	NRC Conversion Currently Combined Switch-As-Is with allowed															
	changes, per port			UEP9D	USAC2		37.93	16.72								
	New Centrex Standard Common Block			UEP9D	M1ACS	0.00	668.70									
	New Centrex Customized Common Block			UEP9D	M1ACC	0.00	668.70									1
	NAR Establishment Charge, Per Occasion			UEP9D	URECA	0.00	72.89				ĺ					1
	nal Non-Recurring Charges (NRC)										i e					†
	Unbundled Miscellaneous Rate Element, Tag Loop at End Use			1	1	1	1				İ	1		1	1	1
	Premise			UEP9D	URETL		8.33	0.83			1					1
	Unbundled Miscellaneous Rate Element, Tag Design Loop at		 	02. 00	SINETE	 	0.00	0.00			1	-		1	1	t
	End Use Premise			UEP9D	URETN	1	11.24	1.10			1	1				1
	- Required Port for Centrex Control in 1AESS, 5ESS & EWSD		 	02.1 30	CINETIN	 	11.24	1.10			 	 		 	 	+
	- Required For for Centrex Control in TAESS, 3ESS & EWSD		 	+	1	 					 	 		 	 	+
	- Requires interoffice Channel Mileage - Installation is combination of Installation charge for SL2 Loc	on on-	Dort	-	+	 					1	-	 	1	1	+
	- Installation is combination of installation charge for SL2 Lot - Requires Specific Customer Premises Equipment	op and	FOIL	-	+	 					1	-	 	1	1	+
	- Recours acidic Customer Premises Equipment	1	1	1	1	ns and Condition					ļ		ļ	ļ		1

The "State" shown in the sections for started-store loops or loops as part of a combination refers to Geographically Description (Combine Company of the Combine Company of the Combine Company of the Combine Company of the Combine Company of the Combine Company of the Combine Company of the Combine Company of the Combine Co	LINDI	NDI EI	NETWORK ELEMENTS, Townsons												A 1		F. 1. 11	
CATEGORY RATE ELEMENTS Initial Companies BCS USOC RATES (6) RATES (6) RATES (7) RATES (8) Pot 648 Pot	UNBU	NDLE	J NETWORK ELEMENTS - Tennessee	1	1			ı					Cua Ordar	Cua Ordar				
ATTEMPT BLEMENTS INTO BOOK BOOK BATTEM (8) POLICY BOOK BATTEM (8) POLICY BOOK BATTEM (9) POLICY BOOK BOOK BOOK BOOK BOOK BOOK BOOK BOO													l .					
## CATEGORY ## AFEELEMENTS ## Area for the process of the process				l									I .				-	•
Biotechnolis (Bectronic) Res Monrecurring (Monrecurring Disconnect Res Monrecurring Disconnect Disconnect Res Monrecurring art of scenariosition referred to the common control action of the common control				m									por zort	po. 2011				Electronic-
The Your Shows in the sections for stand-attended sons loops or loops as part of a combination refers to Geographically Developed United States (1997). The Proceedings of the States Commission of the States (1997) of th															1st	Add'l	Disc 1st	Disc Add'l
The Yook' Shown in the sections for stand attended to loop or loops as part of a combination refers to Grographically Deveraged URE Zone Designations by Command (Microsoft Standard Command C	-								Manragurring		Nonrogurrin	n Diagonnoot			000	Potos (\$)		
The "Some" above in the sections for stand allow composed to Source or Source and a combination return to Geographically Dearwaged UNE Zones. To New Geographically Dearwaged United Sources United Dearwaged United Sources United Dearwaged								Rec		Add'I			SOMEC	SOMAN			SOMAN	SOMAN
Inhiphytoxic interconnection believable. Combinations at Combination and Combi									11130	Addi	11100	Addi	COMEO	OOMAN	COMPAR	COMPAR	COMPAR	COMPAR
GPEANTONAL SUPPORT STYTEMS (OSS) - **RECORDAL BATES** NOTE: (1) CLE should consonate or it is prefer the "state specific" OSS charges as ordered by the State Commissions. The OSS charges currently contained in this rate exhibit are the Ballisouth "regional" errice ordering charges. CLEC may be the specific OSS charges (CLEC may be contained in this rate exhibit are the Dallisouth "regional" errice ordering charges. CLEC may be the specific OSS charges (CLEC may be contained in this rate or ordered electronically error in the contained of the file according to the part of the States.		The "Zo	one" shown in the sections for stand-alone loops or loops as	part of	a comb	ination refers to Ge	ographically	Deaveraged U	NE Zones. To	view Geograp	hically Deaver	aged UNE Zon	e Designation	ons by Cent	ral Office, refe	er to internet \	Website:	
NOTE: (1) FLEC should consuct its contract negotator if it prefers the "rate specific CMS charges as ordered by the State Commissions. Text. CEL Con and textina an animative on the two responses of FLEC than a structure animative on the two responses of FLEC than a structure animative on the two responses of FLEC than a structure animative on the two responses of FLEC than a structure animative on the two responses of FLEC than a structure animative on the two responses of FLEC than a structure animative on the two responses of FLEC than a structure animative on the two responses of FLEC than a structure and the structure of FLEC than a structure and the structure of FLEC than a structur		http://w	ww.interconnection.bellsouth.com/become_a_clec/html/inter	connec	tion.ht	m												
all est either the state specific Commission ordered rates for the service ordering changes, however, CLEC can not obtain a miniture of the two regardless of LEC has a Intercomection contrad establishment, the state specific Commission ordered retardless of the SOMEC national his case, proceedings of the Some national his case, proceedings of the Some national his case, proceedings of the Some national his case, proceedings of the Some national his case, proceedings of the Some national his case, proceedings of the Some national his case, proceedings of the Some national his case, proceedings of the Some national his case, proceedings of the Some national his case, proceedings of the Some national his case, proceedings of the Some national his case, proceeding	OPERA			- "	:	:-!! OCC -b		h a Ctata Caman	inniana Tha f	200 -1				the Delice		 i		CI FC man
white for the 8 states. NOTE: CIP Any demonst has can be ordered electronically will be bibled according to the SOMEC rate listed in this category. Please refer to BellSouth's Local Ordering Handbook (LOR) to determine if a product can be ordered electronically. For those elements and the specified to a CLEC bill when it submits an LSR to BellSouth. NOTE: 105 St. Handla Service for Change, Per Benards are applicable trate element for SOMAN vall be applied to a CLEC bill when it submits an LSR to BellSouth. NOTE: 105 St. Handla Service for Change, Per Benards are applicable trate element for SOMAN valles applied to a CLEC bill when it submits an LSR to BellSouth. NOTE: 105 St. Handla Service for Change, Per Benards Service (CIP) and the service of the servic																		
NOTE: (2) Any element that can be ordered electronically will be billed according to the SOMEC rate listed in this category. Please arefore to Bill South's Local Ordering Handbook (LOFE) to determine if a product can be ordered electronically. For those selements that cannot be ordered electronically and present pre-fix for in this category reflects the charge that would be billed to a CLEC bill when it submits an LSR to Belliotium. NOTE: SOURCE, CLECK bill when it submits an LSR to Belliotium. NOTE: Source Control of the Source Control of				ce orde	illig Ci	larges, or GLEC may	elect the re	gioriai service	ordering charg	e, nowever, cr	LC can not of	Jani a mixture	of the two	regardiess i	I CLEC IIas a	interconnecti	on contract es	stabilistieu III
SOMAN will be applied to a CLEC once electronic ordering capabilities come on-line for that element. Otherwise, the manual ordering charge.				ed acco	rdina t	o the SOMEC rate lis	sted in this o	ategory. Pleas	se refer to Bell	South's Local	Ordering Hand	book (LOH) to	determine	if a product	can be order	ed electronica	llv. For those	elements
NOTE: DOSS: Manual Service Order Charge, Part Element - UNIE Only "Please see applicable rise element for SOMAN charge"																		
OSS - Restorate (Safe - Use Comments Service Chair Change, Per Lucial Service SOMEC 3:50 0:00 3:50 0:00		SOMAN	I, will be applied to a CLECs bill when it submits an LSR to B	ellSout	h.			-										
Reguest (LSR) L. UNE Colys WOTE: The Expedite charge will be maintained commensurate with SelfSouth's FCC No.1 train's, Section 5 as applicable.		NOTE:		nly **Pl	ease se	e applicable rate ele	ment for SO	MAN charge**										
NOTE: The Expedite charge will be maintained commensurate with BellSouth's FCC No.1 Tariff, Section 5 as applicable.							001450		0.70	0.00	0 =0							
NOTE: The Expedite charge will be maintained commensurate with Bell-South's FCC No.1 Tariff, Section 5 as applicable. ULL USEN, LDC, USE, UDIT, UFF, UDIT, UFF, UDIT, UTF, UDIT, UD	LINE O	BVICE		-	<u> </u>		SOMEC		3.50	0.00	3.50	0.00	-	1				
UNBUNDLED EXCHANGE ACCESS LOOP UNBUNDLED EXCHANGE ACCESS LOOP	UNE 3			BellSou	th's FC	C No.1 Tariff, Section	n 5 as appli	cable.										
UPE UP LUC U LENTW UDN. UEA UHL ULC. USL UTTO URR, USL UTTO UTTO URR, USL UTTO UTTO URR, USL UTTO UTTO URR, USL UTTO UTTO URR, UST UTTO UTTO URR, UST UTTO UTTO URR, UST UTTO UTTO URR, UST UTTO UTTO URR, UST UTTO UTTO URR, UST UTTO UTTO URR, UST UTTO UTTO URR, UST UTTO UTTO URR, UST UTTO UTTO URR, UST UTTO UTTO URR, UST UTTO UTTO URR, UST UTTO UTTO URR, UST UST UTTO UTTO UTTO UTTO UTTO UTTO UT		NOTE.	The Expedite only will be maintained commensurate with			o No.1 Tallii, ocolio	по аз аррп	oubic.										
UNE Expedite Charge per Circuit or Line Assignable USCC, per UTUR, UTTUR																		
URE Expedite Charge per Circuit or Line Assignable USOC, per UTURU, UTURU, UNION, UNIO																		
USI, UTTR, UTTOS																		
UNE Expedite Charge per Circuit or Line Assignable USOC, per UTIVO, UNION, UNIO																		
UNITON, UTTON, U																		
UNSUNDED EXCHANGE ACCESS LOOP UNBUNDED EXCHANGE ACCESS LOOP 2-Wire Analog Voice Grade Loop - Service Level 1-Zone 1 1 UEANL UEAL2 13.19 31.99 20.02 10.65 1.41 20.35 10.54 13.32 13.35 12.Wire Analog Voice Grade Loop - Service Level 1-Zone 2 2 UEANL UEAL2 17.23 31.99 20.02 10.65 1.41 20.35 10.54 13.32 13.35 12.Wire Analog Voice Grade Loop - Service Level 1-Zone 2 2 UEANL UEAL2 22.53 31.99 20.02 10.65 1.41 20.055 10.54 13.32 13.35 12.Wire Analog Voice Grade Loop - Service Level 1-Zone 2 2 UEANL UEAL2 22.53 31.99 20.02 10.65 1.41 20.055 10.54 13.32 13.35 12.Wire Analog Voice Grade Loop - Service Level 1-Zone 2 2 UEANL UEAL2 22.53 31.99 20.02 10.65 1.41 20.055 10.54 13.32 13.35 12.Wire Analog Voice Grade Loop - Service Level 1-Zone 2 2 UEANL UEAL2 22.53 31.99 20.02 10.65 1.41 20.055 10.54 13.32 13.35 12.Wire Analog Voice Grade Loop - Service Level 1-Zone 2 2 UEANL UEAL2 22.53 31.99 20.02 10.65 1.41 20.055 10.54 13.32 13.35 12.Wire Analog Voice Grade Loop - Service Level 1-Zone 2 2 UEANL UEAL2 22.53 31.99 20.02 10.65 1.41 20.055 10.54 13.32 13.35 12.Wire Analog Voice Grade Loop - Service Level 1-Zone 2 2 UEANL UEAL2 22.53 31.99 20.02 10.65 1.41 20.055 10.54 13.32 13.35 12.Wire Analog Voice Grade Loop - Service Level 1-Zone 2 2 UEANL UEAL2 22.53 31.99 20.02 10.65 1.41 20.055 10.54 13.32 13.35 12.Wire Analog Voice Grade Loop - Service Level 1-Zone 2 2 UEANL UEAL2 22.53 31.99 20.02 10.65 1.41 20.055 10.54 13.32 13.35 13.35 12.Wire Analog Voice Grade Loop - Service Level 1-Zone 2 2 UEANL UEAL2 22.53 31.99 20.02 10.65 1.41 20.055 10.54 13.32 13.35 1																		
UCICC, UCICL, UC																		
UNIEL Expedite Charge per Circuit or Line Assignable USOC, per Day UNIELD CHARGE ACCESS LOOP UNBUNDLE Expedite Charge per Circuit or Line Assignable USOC, per Day UNITUR, UN																		
UNE Expedite Charge per Circuit or Line Assignable USOC, per UTUNC, UTUNC, UNION, UNCOX, UNCO																		
UNBUNDLED EXCHANGE ACCESS LOOP UNBUNDLED EXCHANGE ACCESS LOOP 2-WIFE ANALOG VOICE GRADE LOOP 2-WIFE ANALOG VOICE GRADE LOOP 2-WIFE ANALOG VOICE GRADE LOOP 3-WIFE ANALOG VOICE GRADE LOOP 2-WIFE ANALOG VOICE GRADE LOOP 3-WIFE ANALOG VOICE GRADE LOOP 3-WIFE ANALOG VOICE GRADE LOOP 3-WIFE ANALOG VOICE GRADE LOOP 4-WIFE ANALOG VOICE GRADE LOOP 3-WIFE ANALOG VOICE GRADE LOOP 4-WIFE ANALOG VOICE GRADE LOOP 4-WIFE ANALOG VOICE GRADE LOOP 4-WIFE ANALOG VOICE GRADE LOOP 4-WIFE ANALOG VOICE GRADE LOOP 5-WIFE ANALOG VOICE GRADE LOOP 4-WIFE ANALOG VOICE GRADE LOOP 5-WIFE ANALOG VOICE GRADE LOOP 4-WIFE ANALOG VOICE GRADE LOOP 5-WIFE ANALOG VOICE GRADE LOOP 5-WIFE ANALOG VOICE GRADE LOOP 4-WIFE ANALOG VOICE GRADE LOOP 5-WIFE ANALOG VOICE GRADE LOOP																		
UNE Expedite Charge per Circuit or Line Assignable USOC, per UTTUC, UTTUD, UNLDS, UNDN, UNCNX																		
UNE Expedite Charge per Circuit or Line Assignable USOC, per UTUB, ULDOX, UNCOX																		
UDLO3, UDLSX, UB3, ULD1, ULD3, ULD51, ULD3, ULD7, ULD3, ULD7, ULD3, ULD7, ULD3, ULD7, ULD3, ULD7, ULD3, ULD51, ULD03, ULD51, ULD03, ULD51, ULD03, ULD51, ULD03, ULD51, ULD03, ULD51, ULD03, UNC9X, UNC9X, UNC9X, UNC9X, UNC9X, UNLD1, UNLD3, UXTD1, UXTD3, UXTS1, UTTUC, UTTUD, UTTUB, UTT						UC1HC, UC1HL,												
UNE Expedite Charge per Circuit or Line Assignable USOC, per DITUR, UTITUA UNCTS, UNCOX, UNCO																		
ULDAS, ULDDX, NCXX, UNC																		
ULDS, ULDS, ULDS, ULDS, ULDS, ULDS, ULDS, ULDS, ULDS, ULDS, ULDS, ULDS, ULDS, ULDS, ULDS, UNCSX, UNC																		
UNE Expedite Charge per Circuit or Line Assignable USOC, per Day UNEUNDLED EXCHANGE ACCESS LOOP 2-WIRE ANALOG VOICE GRADE LOOP 2-WIRE ANALOG VOICE GRADE LOOP 2-WIRE ANALOG VOICE GRADE LOOP 2-WIRE ANALOG VOICE GRADE LOOP 3-WIRE ANALOG VOICE GRADE LOOP 2-WIRE ANALOG VOICE GRADE LOOP Service Level 1- Zone 1 1 UEANL UEAL2 13.19 31.99 20.02 10.65 1.41 20.35 10.54 13.32 13.33 13.34																		
UNE Expedite Charge per Circuit or Line Assignable USOC, per UNE Expedite Charge per Circuit or Line Assignable USOC, per Day UNE Expedite Charge per Circuit or Line Assignable USOC, per Day UTTUB,																		
UNBUNDLED EXCHANGE ACCESS LOOP UNBUNDLED EXCHANGE ACCESS LOOP 2-WIRE ANALOG VOICE GRADE LOOP 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2																		
UNE Expedite Charge per Circuit or Line Assignable USOC, per Day UNEDINDLED EXCHANGE ACCESS LOOP 2-WIRE ANALOG VOICE GRADE LOOP - Service Level 1- Zone 1 1 UEANL UEAL2 13.19 31.99 20.02 10.65 1.41 20.35 10.54 13.32 13.32 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2 2 UEANL UEAL2 17.23 31.99 20.02 10.65 1.41 20.35 10.54 13.32 13.33 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3 3 UEANL UEAL2 13.19 31.99 20.02 10.65 1.41 20.35 10.54 13.32 13.33 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3 3 UEANL UEAL2 17.23 31.99 20.02 10.65 1.41 20.35 10.54 13.32 13.33 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3 3 UEANL UEAL2 13.19 31.99 20.02 10.65 1.41 20.35 10.54 13.32 13.33 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1 1 UEANL UEASL 13.19 31.99 20.02 10.65 1.41 20.35 10.54 13.32 13.33 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2 2 UEANL UEASL 13.19 31.99 20.02 10.65 1.41 20.35 10.54 13.32 13.33 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2 2 UEANL UEASL 17.23 31.99 20.02 10.65 1.41 20.35 10.54 13.32 13.33 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2 2 UEANL UEASL 17.23 31.99 20.02 10.65 1.41 20.35 10.54 13.32 13.33 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3 3 UEANL UEASL 22.55 31.99 20.02 10.65 1.41 20.35 10.54 13.32 13.33 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3 3 UEANL UEASL 22.55 31.99 20.02 10.65 1.41 20.35 10.54 13.32 13.33 2-2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3 3 UEANL UEASL 22.55 31.99 20.02 10.65 1.41 20.35 10.54 13.32 13.33 2-2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3 3 UEANL UEASL 22.53 31.99 20.02 10.65 1.41 20.35 10.54 13.32 13.33 2-2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3 3 UEANL UEASL 22.53 31.99 20.02 10.65 1.41 20.35 10.54 13.32 13.33 2-2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3 3 UEANL UEASL 22.53 31.99 20.02 10.65 1.41 20.35 10.54 13.32 13.33 2-2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3 3 10.54 13.32 13.33																		
UNE Expedite Charge per Circuit or Line Assignable USOC, per Day UNBUNDLED EXCHANGE ACCESS LOOP 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1 1 UEANL UEAL2 13.19 31.99 20.02 10.65 1.41 20.35 10.54 13.32 13.32 13.32 13.32 13.33 19.34 10.34 13.34																		
UNE Expedite Charge per Circuit or Line Assignable USOC, per Day UNE Expedite Charge per Circuit or Line Assignable USOC, per Day UNE Expedite Charge per Circuit or Line Assignable USOC, per Day UNE Expedite Charge per Circuit or Line Assignable USOC, per Day UNE Expedite Charge per Circuit or Line Assignable USOC, per Day UNE Expedite Charge per Circuit or Line Assignable USOC, per Day UNE Expedite Charge per Circuit or Line Assignable USOC, per Day UNE Expedite Charge per Circuit or Line Assignable USOC, per Day UNTUB, UITUB, UITUD, UITUD, UITUD, UITUD, UITUB, UITUD, UITUB, UITUD, UITUB, UITUD, UITUB, UITUD, UITUB, UITUB, UITUD, UITUB,																		
UNB Expedite Charge per Circuit or Line Assignable USOC, per Day UNBUNDLED EXCHANGE ACCESS LOOP 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3 3-Wire Analog Voice Grade Loop - Service Level 1- Zone 3 3-Wire Analog Voice Grade Loop - Service Level 1- Zone 3 3-Wire Analog Voice Grade Loop - Service Level 1- Zone 3 3-Wire Analog Voice Grade Loop - Service Level 1- Zone 3 3-Wire Analog Voice Grade Loop - Service Level 1- Zone 3 3-Wire Analog Voice Grade Loop - Service Level 1- Zone 1 1-WANL UEAL2 13.19 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1 1-WANL UEASL 13.19 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2 3-Wire Analog Voice Grade Loop - Service Level 1- Zone 2 3-Wire Analog Voice Grade Loop - Service Level 1- Zone 2 3-Wire Analog Voice Grade Loop - Service Level 1- Zone 2 3-Wire Analog Voice Grade Loop - Service Level 1- Zone 2 3-Wire Analog Voice Grade Loop - Service Level 1- Zone 2 3-Wire Analog Voice Grade Loop - Service Level 1- Zone 2 3-Wire Analog Voice Grade Loop - Service Level 1- Zone 2 3-Wire Analog Voice Grade Loop - Service Level 1- Zone 2 3-Wire Analog Voice Grade Loop - Service Level 1- Zone 2 3-Wire Analog Voice Grade Loop - Service Level 1- Zone 2 3-Wire Analog Voice Grade Loop - Service Level 1- Zone 2 3-Wire Analog Voice Grade Loop - Service Level 1- Zone 2 3-Wire Analog Voice Grade Loop - Service Level 1- Zone 2 3-Wire Analog Voice Grade Loop - Service Level 1- Zone 2 4-Wire Analog Voice Grade Loop - Service Level 1- Zone 2 4-Wire Analog Voice Grade Loop - Service Level 1- Zone 2 4-Wire Analog Voice Grade Loop - Service Level 1- Zone 2 4-Wire Analog Voice Grade Loop - Service Level 1- Zone 2 4-Wire Analog Voice Grade Loop - Service Level 1- Zone 2 4-Wire Analog Voice Grade Loop - Service Level 1- Zone 3 4-Wire Analog Voice Grade Loop - Service Level 1- Zo																		
UNBUNDLED EXCHANGE ACCESS LOOP 2-WIRE ANALOG VOICE GRADE LOOP 1 UEANL UEAL2 13.19 31.99 20.02 10.65 1.41 20.35 10.54 13.32 13.33 13.34 13.			UNE Expedite Charge per Circuit or Line Assignable USOC, per															
2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1			Day			U1TUB, U1TUA	SDASP		200.00									
2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1	UNBUN																	
2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2 2 UEANL UEAL2 17.23 31.99 20.02 10.65 1.41 20.35 10.54 13.32 13.32 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3 3 UEANL UEAL2 22.53 31.99 20.02 10.65 1.41 20.35 10.54 13.32 13.32 13.32 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1 1 UEANL UEASL 13.19 31.99 20.02 10.65 1.41 20.35 10.54 13.32 13.32 13.32 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2 2 UEANL UEASL 17.23 31.99 20.02 10.65 1.41 20.35 10.54 13.32 13.32 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2 2 UEANL UEASL 17.23 31.99 20.02 10.65 1.41 20.35 10.54 13.32 13.32 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3 3 UEANL UEASL 22.53 31.99 20.02 10.65 1.41 20.35 10.54 13.32 13.32 13.32 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3 3 UEANL UEASL 22.53 31.99 20.02 10.65 1.41 20.35 10.54 13.32 13.32 13.32 20.33 20.02 20	-	2-WIRE			4	LIEANI	HEAL?	10.10	24.00	20.00	10.05	4.44	-		20.25	10.54	40.00	40.00
2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3 3 UEANL UEAL2 22.53 31.99 20.02 10.65 1.41 20.35 10.54 13.32 13.32 2.53 2.54 2.55	-			-									}	—				
2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1													1					13.32
2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2 2 UEANL UEASL 17.23 31.99 20.02 10.65 1.41 20.35 10.54 13.32 13.32 13.32 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3 3 UEANL UEASL 22.53 31.99 20.02 10.65 1.41 20.35 10.54 13.32					1	UEANL	UEASL	13.19	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
Unbundled Miscellaneous Rate Element, Tag Loop at End User UEANL URETL 8.33 0.83 20.35 10.54 13.32 13.32										20.02								13.32
Premise					3	UEANL	UEASL	22.53	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
Loop Testing - Basic 1st Half Hour UEANL URET1 78.92 78.92 20.35 10.54 13.32 13.32 Loop Testing - Basic Additional Half Hour UEANL URETA 23.33 23.33 20.35 10.54 13.32 13.32 CLEC to CLEC Conversion Charge Without Outside Dispatch CLEC to CLEC Conversion Charge Without Outside Dispatch CLEC to CLEC Conversion Charge Without Outside Dispatch CLEC to CLEC CONVERSION CHARGE WITHOUT CHA						LIEANI	LIDETI		0.22	0.00					20.25	10.54	10 00	40.00
Loop Testing - Basic Additional Half Hour UEANL URETA 23.33 23.33 20.35 10.54 13.32 13.32 CLEC to CLEC Conversion Charge Without Outside Dispatch	\vdash				-									-				
CLEC to CLEC Conversion Charge Without Outside Dispatch	-				l													13.32
					i –				20.00	20.00					20.00	10.04	.0.02	
[[UVL-3L1]			(UVL-SL1)			UEANL	UREWO		15.80	8.95					20.35	10.54	13.32	13.32

UNBUND	LED NETWORK ELEMENTS - Tennessee		,											ment: 2		ibit: A
CATEGORY	/ RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'
						Rec	Nonrecurring		Nonrecurring					Rates (\$)		
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Unbundled Voice Loop, Non-Design Voice Loop, billing for BST															
	providing make-up (Engineering Information - E.I.)	ļ		UEANL	UEANM		28.80	28.80								↓
	Manual Order Coordination for UVL-SL1s (per loop)	ļ		UEANL	UEAMC		36.52	36.52								↓
	Order Coordination for Specified Conversion Time for UVL-SL1				00001		04.00	04.00								
2 14/	(per LSR) IRE Unbundled COPPER LOOP	+		UEANL	OCOSL		34.29	34.29			-	 				+
2-44	2-Wire Unbundled Copper Loop - Non-Designed Zone 1	+	1	UEQ	UEQ2X	13.19	31.99	20.02	10.65	1.41	1	ł	20.35	10.54	13.32	13.32
	2 Wire Unbundled Copper Loop - Non-Designed - Zone 2	+	2	UEQ	UEQ2X	17.23	31.99	20.02		1.41	+	†	20.35	10.54	13.32	
	2 Wire Unbundled Copper Loop - Non-Designed - Zone 3	1		UEQ	UEQ2X	22.53		20.02		1.41	+		20.35		13.32	
	Unbundled Miscellaneous Rate Element, Tag Loop at End User		Ť						1		1	İ				
	Premise			UEQ	URETL		8.33	0.83					20.35	10.54	13.32	13.32
	Manual Order Coordination 2 Wire Unbundled Copper Loop -															
	Non-Designed (per loop)	<u> </u>	<u>L</u>	UEQ	USBMC		36.52	36.52	<u> </u>					<u> </u>	<u></u>	
	Unbundled Copper Loop, Non-Design Copper Loop, billing for															
	BST providing make-up (Engineering Information - E.I.)			UEQ	UEQMU		28.80	28.80					20.35	10.54	13.32	13.32
	Loop Testing - Basic 1st Half Hour			UEQ	URET1		78.92	78.92					20.35	10.54	13.32	
	Loop Testing - Basic Additional Half Hour	1		UEQ	URETA		23.33	23.33					20.35	10.54	13.32	13.32
	CLEC to CLEC Conversion Charge Without Outside Dispatch				LIDEMO		44.00	7.44					00.05	40.54	40.00	40.00
LINIDI INIDI E	(UCL-ND)	-		UEQ	UREWO		14.29	7.44	1				20.35	10.54	13.32	13.32
	ED EXCHANGE ACCESS LOOP VIRE ANALOG VOICE GRADE LOOP	+	ļ						+		1			-	-	+
2-00	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-	+			-				+		+			-	-	
	Zone 1		1	UEPSR UEPSB	UEALS	13.19	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-	+	<u> </u>	OLI OK OLI OD	OLALO	13.13	31.33	20.02	10.00	1.41	+	 	20.55	10.54	10.02	13.32
	Zone 1		1	UEPSR UEPSB	UEABS	13.19	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
	2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting-		<u> </u>	OLI OK OLI OD	OLABO	10.10	01.00	20.02	10.00	1.41	1		20.00	10.04	10.02	10.02
	Zone 2		2	UEPSR UEPSB	UEALS	17.23	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
	2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting-															1
	Zone 2		2	UEPSR UEPSB	UEABS	17.23	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-															
	Zone 3		3	UEPSR UEPSB	UEALS	22.53	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-															
	Zone 3	ļ	3	UEPSR UEPSB	UEABS	22.53	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
	ED EXCHANGE ACCESS LOOP	-							1							-
2-W	IRE ANALOG VOICE GRADE LOOP	+	ļ		_				+		1			-	-	+
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 1		1	UEA	UEAL2	16.56	75.06	48.20	28.70	17.64	1		20.35	10.54	13.32	13.32
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or	+	+-	ULA	ULALZ	10.56	73.00	40.20	20.70	17.04	 	 	20.33	10.54	13.32	13.3
	Ground Start Signaling - Zone 2		2	UEA	UEAL2	21.63	75.06	48.20	28.70	17.64	1		20.35	10.54	13.32	13.3
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or	1	ΤĒ		1	250	, 5.50	.0.20	200		†		20.00		10.02	10.0
	Ground Start Signaling - Zone 3		3	UEA	UEAL2	28.28	75.06	48.20	28.70	17.64	1		20.35	10.54	13.32	13.3
	Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL		34.29									
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse															
	Battery Signaling - Zone 1		1	UEA	UEAR2	16.56	75.06	48.20	28.70	17.64			20.35	10.54	13.32	13.3
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse															
	Battery Signaling - Zone 2	1	2	UEA	UEAR2	21.63	75.06	48.20	28.70	17.64		ļ	20.35	10.54	13.32	13.32
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse		_		LIEAS?								22.5-			
	Battery Signaling - Zone 3	1	3	UEA	UEAR2	28.28	75.06 34.29	48.20	28.70	17.64	1	ļ	20.35	10.54	13.32	13.32
	Order Coordination for Specified Conversion Time (per LSR) CLEC to CLEC Conversion Charge without outside dispatch	+	 	UEA UEA	OCOSL UREWO		75.06	36.41	+		1	 	20.35	10.54	13.32	13.32
	Loop Tagging - Service Level 2 (SL2)	+-	 	UEA	URETL		11.23	1.10			+		20.35	10.54	13.32	
4-W	IRE ANALOG VOICE GRADE LOOP	+	 	ULA	ONLIL		11.23	1.10	+		 	 	20.33	10.54	13.32	13.3
7-44	4-Wire Analog Voice Grade Loop - Zone 1	+	1	UEA	UEAL4	24.70	122.76	85.57	76.35	39.16	 		20.35	10.54	13.32	13.3
	4-Wire Analog Voice Grade Loop - Zone 2	 	2	UEA	UEAL4	32.25	122.76	85.57		39.16	 	1	20.35	10.54	13.32	
	4-Wire Analog Voice Grade Loop - Zone 3	1		UEA	UEAL4	42.17	122.76	85.57		39.16			20.35	10.54	13.32	
	Order Coordination for Specified Conversion Time (per LSR)	1	Ť	UEA	OCOSL		34.29		1	22.10	1	1		1		1
	CLEC to CLEC Conversion Charge without outside dispatch			UEA	UREWO		75.06	36.41					20.35	10.54	13.32	13.3
2-W	IRE ISDN DIGITAL GRADE LOOP															
i	2-Wire ISDN Digital Grade Loop - Zone 1		1	UDN	U1L2X	22.22	142.76	88.88	76.35	39.16			20.35	10.54	13.32	13.3

NRONDL	ED NETWORK ELEMENTS - Tennessee										1 -			ment: 2		ibit: A
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			1	Svc Order Submitted Manually per LSR		Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
							Nonrecurring		Nonrecurring	Disconnect		1	oss	Rates (\$)	1	
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire ISDN Digital Grade Loop - Zone 2		2	UDN	U1L2X	29.02	142.76	88.88	76.35	39.16			20.35	10.54	13.32	13.3
	2-Wire ISDN Digital Grade Loop - Zone 3		3	UDN	U1L2X	37.95	142.76	88.88	76.35	39.16			20.35	10.54	13.32	13.3
	Order Coordination For Specified Conversion Time (per LSR)			UDN	OCOSL		34.29				ĺ				Î	
	CLEC to CLEC Conversion Charge without outside dispatch			UDN	UREWO		91.77	44.22					20.35	10.54	13.32	13.3
2-WIF	RE ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMP	ATIBLE	LOOP								ĺ				Î	
	2 Wire Unbundled ADSL Loop including manual service inquiry & facility reservation - Zone 1		1	UAL	UAL2X	13.82	270.01	234.63	74.54	39.14			20.35	10.54	13.32	13.3
	2 Wire Unbundled ADSL Loop including manual service inquiry		1	UAL	UALZX	13.82	270.01	234.63	74.54	39.14	-	-	20.35	10.54	13.32	13.3
	& facility reservation - Zone 2		2	UAL	UAL2X	18.05	270.01	234.63	74.54	39.14			20.35	10.54	13.32	13.3
_	2 Wire Unbundled ADSL Loop including manual service inquiry			OAL	UALZA	10.03	270.01	254.05	74.54	33.14		1	20.55	10.54	10.02	10.0
	& facility reservation - Zone 3		3	UAL	UAL2X	23.60	270.01	234.63	74.54	39.14			20.35	10.54	13.32	13.3
	Order Coordination for Specified Conversion Time (per LSR)	1	Ť	UAL	OCOSL	20.00	34.29	204.00	7 7.04	00.14			20.00	10.04	10.02	10.
	2 Wire Unbundled ADSL Loop without manual service inquiry &	1			2000L		04.20		1				†	 	i	1
	facility reservation - Zone 1	1 1	1	UAL	UAL2W	13.82	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.3
	2 Wire Unbundled ADSL Loop without manual service inquiry &	<u> </u>	Ė		1 1										12.32	1
	facility reservation - Zone 2	1	2	UAL	UAL2W	18.05	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.3
	2 Wire Unbundled ADSL Loop without manual service inquiry &				1 1										10.02	1
	facility reservation - Zone 3	1	3	UAL	UAL2W	23.60	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.3
	Order Coordination for Specified Conversion Time (per LSR)			UAL	OCOSL		34.29									
	CLEC to CLEC Conversion Charge without outside dispatch	ı		UAL	UREWO		31.99	20.02			ĺ		20.35	10.54	13.32	13.
2-WIF	RE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIBLE I	OOP													
	2 Wire Unbundled HDSL Loop including manual service inquiry															
	& facility reservation - Zone 1		1	UHL	UHL2X	10.83	270.01	234.63	74.54	39.14			20.35	10.54	13.32	13.3
	2 Wire Unbundled HDSL Loop including manual service inquiry															
	& facility reservation - Zone 2		2	UHL	UHL2X	14.15	270.01	234.63	74.54	39.14			20.35	10.54	13.32	13.3
	2 Wire Unbundled HDSL Loop including manual service inquiry															
	& facility reservation - Zone 3		3	UHL	UHL2X	18.50	270.01	234.63	74.54	39.14			20.35	10.54	13.32	13.3
	Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		34.29									
	2 Wire Unbundled HDSL Loop without manual service inquiry	١.							40.0=							
_	and facility reservation - Zone 1		1	UHL	UHL2W	10.83	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.
	2 Wire Unbundled HDSL Loop without manual service inquiry	Ι.	2	UHL	11111 0147	44.45	24.00	20.02	40.05	4 44			20.25	10.54	13.32	40
-+	and facility reservation - Zone 2 2 Wire Unbundled HDSL Loop without manual service inquiry			UHL	UHL2W	14.15	31.99	20.02	10.65	1.41	-	-	20.35	10.54	13.32	13.
	and facility reservation - Zone 3	١.,	3	UHL	UHL2W	18.50	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.
	Order Coordination for Specified Conversion Time (per LSR)	-		UHL	OCOSL	10.50	34.29	20.02	10.03	1.41	1	1	20.33	10.54	13.32	13.
	CLEC to CLEC Conversion Charge without outside dispatch			UHL	UREWO		31.99	20.02			 		20.35	10.54	13.32	13.
4-WIF	RE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIBLE I	OOP	OFF	OKEWO		31.33	20.02				-	20.55	10.54	13.32	10.
7 ****	4 Wire Unbundled HDSL Loop including manual service inquiry				+						1	1				
	and facility reservation - Zone 1	1	1	UHL	UHL4X	13.93	279.60	244.22	74.54	39.14			20.35	10.54	13.32	13.
	4-Wire Unbundled HDSL Loop including manual service inquiry	1													1	1
	and facility reservation - Zone 2	<u> </u>	2	UHL	UHL4X	18.20	279.60	244.22	74.54	39.14	<u></u>	<u></u>	20.35	10.54	13.32	13.
	4-Wire Unbundled HDSL Loop including manual service inquiry															
	and facility reservation - Zone 3		3	UHL	UHL4X	23.80	279.60	244.22	74.54	39.14			20.35	10.54	13.32	13.
	Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		34.29									
	4-Wire Unbundled HDSL Loop without manual service inquiry												_			
	and facility reservation - Zone 1	I	1	UHL	UHL4W	13.93	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.
	4-Wire Unbundled HDSL Loop without manual service inquiry	Ι.		l	[J											
_	and facility reservation - Zone 2		2	UHL	UHL4W	18.20	31.99	20.02	10.65	1.41	1	-	20.35	10.54	13.32	13.
	4-Wire Unbundled HDSL Loop without manual service inquiry	Ι.	_	 		00.00	04.00	00.00	40.0-				00.6=	10.51	10.00	1
-	and facility reservation - Zone 3		3	UHL	UHL4W	23.80	31.99	20.02	10.65	1.41	 	1	20.35	10.54	13.32	13.
-	Order Coordination for Specified Conversion Time (per LSR) CLEC to CLEC Conversion Charge without outside dispatch		-	UHL UHL	OCOSL UREWO		34.29 31.99	20.02	 		1	-	20.35	10.54	13.32	13.
4 18/15	RE DS1 DIGITAL LOOP		-	UFIL	UKEWU		31.99	20.02	 		1	-	20.35	10.54	13.32	13.
4-1/11	4-Wire DS1 Digital Loop - Zone 1	!	1	USL	USLXX	57.73	313.08	219.72	96.86	40.45	1	-	18.98	8.43	11.95	11
_	4-Wire DS1 Digital Loop - Zone 1	 		USL	USLXX	75.40	313.08	219.72	96.86	40.45	 	 	18.98	8.43	11.95	
-	4-Wire DS1 Digital Loop - Zone 2	 		USL	USLXX	98.59	313.08	219.72	96.86	40.45	 	H	18.98	8.43	11.95	11
	Order Coordination for Specified Conversion Time (per LSR)	 		USL	OCOSL	30.39	34.59	213.12	30.00	40.45		-	10.30	0.43	11.95	11.
	CLEC to CLEC Conversion Charge without outside dispatch	l -		USL	UREWO		130.47	40.11			1		20.35	10.54	13.32	13.
	RE 19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP		-		3.12.770		.00.77	70.11	+		+	 	20.00	10.04	10.02	10.

UNBUNDL	ED NETWORK ELEMENTS - Tennessee													ment: 2		ibit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Svo Order vs. Electronic Disc Add'I
-							Nonrecurring		Nonrecurring	Disconnect			OSS	Rates (\$)		I
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	4 Wire Unbundled Digital 19.2 Kbps		1	UDL	UDL19	31.10	207.01	141.38	90.70	44.18	0020	00	20.35	10.54	13.32	13.32
	4 Wire Unbundled Digital 19.2 Kbps			UDL	UDL19	40.61	207.01	141.38	90.70	44.18			20.35	10.54	13.32	13.32
	4 Wire Unbundled Digital 19.2 Kbps			UDL	UDL19	53.11	207.01	141.38	90.70	44.18			20.35	10.54	13.32	13.32
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 1			UDL	UDL56	31.10	207.01	141.38	90.70	44.18			20.35	10.54	13.32	13.32
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 2		2	UDL	UDL56	40.61	207.01	141.38	90.70	44.18			20.35	10.54	13.32	13.32
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 3			UDL	UDL56	53.11	207.01	141.38	90.70	44.18			20.35	10.54	13.32	13.32
	Order Coordination for Specified Conversion Time (per LSR)			UDL	OCOSL		34.29									
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 1		1	UDL	UDL64	31.10	207.01	141.38	90.70	44.18			20.35	10.54	13.32	13.32
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 2		2	UDL	UDL64	40.61	207.01	141.38	90.70	44.18	İ		20.35	10.54	13.32	13.32
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 3		3	UDL	UDL64	53.11	207.01	141.38	90.70	44.18			20.35	10.54	13.32	13.32
	Order Coordination for Specified Conversion Time (per LSR)			UDL	OCOSL		34.29									
	CLEC to CLEC Conversion Charge without outside dispatch			UDL	UREWO		102.28	49.82					20.35	10.54	13.32	13.32
2-WII	RE Unbundled COPPER LOOP															
	2-Wire Unbundled Copper Loop-Designed including manual						İ									
	service inquiry & facility reservation - Zone 1	- 1	1	UCL	UCLPB	13.19	31.99	20.02	10.65	1.41		1	20.35	10.54	13.32	13.32
	2-Wire Unbundled Copper Loop-Designed including manual						i									
	service inquiry & facility reservation - Zone 2	- 1	2	UCL	UCLPB	17.23	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
	2 Wire Unbundled Copper Loop-Designed including manual														Î	
	service inquiry & facility reservation - Zone 3	- 1	3	UCL	UCLPB	22.53	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		36.52	36.52								
	2-Wire Unbundled Copper Loop-Designed without manual						i									
	service inquiry and facility reservation - Zone 1	- 1	1	UCL	UCLPW	13.19	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
	2-Wire Unbundled Copper Loop-Designed without manual														Î	
	service inquiry and facility reservation - Zone 2	- 1	2	UCL	UCLPW	17.23	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
	2-Wire Unbundled Copper Loop-Designed without manual						i									
	service inquiry and facility reservation - Zone 3	- 1	3	UCL	UCLPW	22.53	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		36.52	36.52								
	CLEC to CLEC Conversion Charge without outside dispatch															
	(UCL-Des)	- 1		UCL	UREWO		31.99	20.02					20.35	10.54	13.32	13.32
4-WIF	RE COPPER LOOP															
	4-Wire Copper Loop-Designed including manual service inquiry															
	and facility reservation - Zone 1	- 1	1	UCL	UCL4S	24.70	122.76	85.57	76.35	39.16			20.35	10.54	13.32	13.32
	4-Wire Copper Loop-Designed including manual service inquiry															
	and facility reservation - Zone 2	- 1	2	UCL	UCL4S	32.25	122.76	85.57	76.35	39.16			20.35	10.54	13.32	13.32
	4-Wire Copper Loop-Designed including manual service inquiry															
	and facility reservation - Zone 3	- 1	3	UCL	UCL4S	42.17	122.76	85.57	76.35	39.16			20.35	10.54	13.32	13.32
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		36.52	36.52								
	4-Wire Copper Loop-Designed without manual service inquiry															
	and facility reservation - Zone 1	- 1	1	UCL	UCL4W	24.70	122.76	85.57	76.35	39.16			20.35	10.54	13.32	13.32
	4-Wire Copper Loop-Designed without manual service inquiry															
	and facility reservation - Zone 2	- 1	2	UCL	UCL4W	32.25	122.76	85.57	76.35	39.16			20.35	10.54	13.32	13.32
	4-Wire Copper Loop-Designed without manual service inquiry															
	and facility reservation - Zone 3	ı	3	UCL	UCL4W	42.17	122.76	85.57	76.35	39.16			20.35	10.54	13.32	13.32
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		36.52	36.52								
	CLEC to CLEC Conversion Charge without outside dispatch															
	(UCL-Des)			UCL	UREWO		31.99	20.02					20.35	10.54	13.32	13.32
LOOP MODIF	FICATION															
	Unbundled Loop Modification, Removal of Load Coils - 2 Wire			UAL, UHL, UCL, UEQ, ULS, UEA, UEANL, UEPSR,												
	pair less than or equal to 18k ft, per Unbundled Loop			UEPSB	ULM2L		65.40	65.40			-	_	20.35	10.54	13.32	13.32
	Unbundled Loop Modification Removal of Load Coils - 4 Wire			l	l l							1			40	
	less than or equal to 18K ft, per Unbundled Loop			UHL, UCL, UEA	ULM4L		65.40	65.40					20.35	10.54	13.32	13.32
				UAL, UHL, UCL,												
	III. II. II. II. II. II. II. II. II. II			UEQ, ULS, UEA,								1				
1	Unbundled Loop Modification Removal of Bridged Tap Removal,			UEANL, UEPSR,	LUMBT		05.44	05.44				1	00.0-	40.51	10.00	10.00
ı			1	UEPSB	ULMBT		65.44	65.44	1		1	ı	20.35	10.54	13.32	13.32
SUB-LOOPS	per unbundled loop	<u> </u>			i i		1		i i				1			

UNBUNDLE	D NETWORK ELEMENTS - Tennessee												Attach	ment: 2	Exhi	ibit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			1	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
		-	-				Monroourring		Nonrecurring	Disconnect			000	Rates (\$)		
		-	+			Rec	Nonrecurring First	Add'l	First	Add'l	COMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set-	-	1				FIRST	Addi	FIRST	Addi	SOWIEC	SOWAN	SUMAN	SOWAN	SUMAN	SUMAN
	Up			UEANL	USBSA		517.25	517.25					20.35	10.54	13.32	13.32
	ОР	<u> </u>	1	OLANE	OODOA		317.23	317.23			1	1	20.55	10.54	13.32	13.32
	Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up	1		UEANL	USBSB		42.68	42.68					20.35	10.54	13.32	13.32
	Sub-Loop - Per Building Equipment Room - CLEC Feeder										1					
	Facility Set-Up	- 1		UEANL	USBSC		313.01	313.01					20.35	10.54	13.32	13.32
	Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel															
	Set-Up	I		UEANL	USBSD		108.06	108.06					20.35	10.54	13.32	13.32
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -															
	Statewide		SW	UEANL	USBN2	10.02	148.84	112.34	73.14	36.65			20.35	10.54	13.32	13.32
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		34.29	34.29								
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -		+	UEAINL	USBIVIC		34.29	34.29			1	1				
	Zone 1		1	UEANL	USBN4	7.30	147.93	75.11	99.96	16.98			20.35	10.54	13.32	13.32
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -		<u> </u>	02,442	002.11	7.00		70.11	00.00	10.00	1		20.00		10.02	10.02
	Zone 2		2	UEANL	USBN4	9.54	147.93	75.11	99.96	16.98			20.35	10.54	13.32	13.32
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -															
	Zone 3		3	UEANL	USBN4	12.47	147.93	75.11	99.96	16.98			20.35	10.54	13.32	13.32
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		34.29	34.29								
	Sub-Loop 2-Wire Intrabuilding Network Cable (INC)	ı	1	UEANL	USBR2	1.35	94.56	29.35					20.35	10.54	13.32	13.32
	Order Consideration for Habrard of Cub Long and sub-land are			UEANL	USBMC		34.29	34.29								
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair Sub-Loop 4-Wire Intrabuilding Network Cable (INC)		+	UEANL	USBR4	2.26	116.14	34.29			-	-	20.35	10.54	13.32	13.32
	Sub-Loop 4-Wile Intrabuliding Network Cable (INC)	- '	+	OLANL	USBK4	2.20	110.14	37.10			1	1	20.33	10.54	13.32	13.32
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		34.29	34.29								
	Loop Testing - Basic 1st Half Hour		1	UEANL	URET1		78.92	78.92								
	Loop Testing - Basic Additional Half Hour			UEANL	URETA		23.33	23.33								
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1	I	1	UEF	UCS2X	5.16	110.71	37.89	94.41	13.09			20.35	10.54	13.32	13.32
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 2	I	2	UEF	UCS2X	6.74	110.71	37.89	94.41	13.09			20.35	10.54	13.32	13.32
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	I	3	UEF	UCS2X	8.81	110.71	37.89	94.41	13.09			20.35	10.54	13.32	13.32
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair		1	UEF UEF	USBMC UCS4X	6.52	34.29 117.12	34.29 44.30	99.96	16.98			20.35	10.54	13.32	13.32
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1	<u> </u>	2	UEF	UCS4X	8.52	117.12	44.30	99.96	16.98	-	-	20.35	10.54	13.32	13.32
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 2 4 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	<u> </u>		UEF	UCS4X UCS4X	11.14	117.12	44.30	99.96	16.98		 	20.35	10.54	13.32	13.32
	- This sopper officialists our-Loop Distribution - Zolle 3	- '-	-	OL1	J007A	11.14	111.12	44.30	33.30	10.90	1	 	20.35	10.54	13.32	13.32
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair		1	UEF	USBMC		34.29	34.29								
	Loop Testing - Basic 1st Half Hour			UEF	URET1		78.92	78.92						1		
	Loop Testing - Basic Additional Half Hour			UEF	URETA		23.33	23.33								
	dled Network Terminating Wire (UNTW)															
	Unbundled Network Terminating Wire (UNTW) per Pair		1	UENTW	UENPP	0.4555	2.48	2.48			ļ		20.35	10.54	13.32	13.32
Networ	k Interface Device (NID)	.	1	LIENTAL	LINIDAO		00.00	54.50	0.0001	0.0001	ļ		00.00	40.7	40.00	40.00
	Network Interface Device (NID) - 1-2 lines	₩	-	UENTW	UND12		89.69	54.56	0.6391	0.6391	 	1	20.35	10.54	13.32	13.32
	Network Interface Device (NID) - 1-6 lines Network Interface Device Cross Connect - 2 W	╂	+	UENTW UENTW	UND16 UNDC2		129.65 11.11	94.51 11.11	0.6522	0.6522			20.35 20.35	10.54 10.54	13.32 13.32	13.32 13.32
1	Network Interface Device Cross Connect - 2 W Network Interface Device Cross Connect - 4W	 	+	UENTW	UNDC2 UNDC4		11.11	11.11			<u> </u>		20.35	10.54	13.32	13.32
UNE OTHER: P	PROVISIONING ONLY - NO RATE	t	†	J_11111	311237		11.11	11.11			l	<u> </u>	20.33	10.54	10.02	10.02
,	NID - Dispatch and Service Order for NID installation	t	†	UENTW	UNDBX	0.00	0.00					†	1			
	UNTW Circuit Id Establishment, Provisioning Only - No Rate			UENTW	UENCE	0.00	0.00							1		
	<u> </u>			UEANL,UEF,UEQ,U												
	Unbundled Contract Name, Provisioning Only - No Rate		<u> </u>	ENTW	UNECN	0.00	0.00									
UNE OTHER, P	PROVISIONING ONLY - NO RATE															
		1														
	Haland Hall Control Name Books 1 Control		1	UAL,UCL,UDC,UDL,	LINECT											
	Unbundled Contact Name, Provisioning Only - no rate	 	1	UDN,UEA,UHL,ULC	UNECN	0.00	0.00						 	 	 	├
l I	Unbundled Sub-Loop Feeder-2 Wire Cross Box Jumper - no	1		UEA,UDN,UCL,UDC	l	0.00	0.00		1		1	1	I	l	1	1

UNBU	NDLE	D NETWORK ELEMENTS - Tennessee												Attach	ment: 2	Exhi	ibit: A
CATEG	ORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			1	Svc Order Submitted Manually per LSR	Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'I
							Rec	Nonrecurring		Nonrecurring					Rates (\$)		
							Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Unbundled Sub-Loop Feeder-4 Wire Cross Box Jumper - no				HODED	0.00	0.00									
		Inhundled DC4 Loop Superframe Formet Option no rate			UEA,USL,UCL,UDL USL	USBFR CCOSF	0.00	0.00						-			-
		Unbundled DS1 Loop - Superframe Format Option - no rate Unbundled DS1 Loop - Expanded Superframe Format option -		1	USL	CCOSF	0.00	0.00				1	-	-			
		no rate			USL	CCOEF	0.00	0.00									
HIGH C	APACIT	Y UNBUNDLED LOCAL LOOP			002	0002.	0.00	0.00						t			†
		High Capacity Unbundled Local Loop - DS3 - Per Mile per															
		month			UE3	1L5ND	9.19										
		High Capacity Unbundled Local Loop - DS3 - Facility															
		Termination per month			UE3	UE3PX	374.24	595.37	304.50	234.83	170.16			36.84	36.84		
		High Capacity Unbundled Local Loop - STS-1 - Per Mile per			LIDLEY	11 END	0.40							1			
		month High Capacity Unbundled Local Loop - STS-1 - Facility		-	UDLSX	1L5ND	9.19	-						-			
		Termination per month			UDLSX	UDLS1	389.35	595.37	304.50	215.82	151.15			36.84	36.84		
	Note (1): Rates provided in TN for both electronic and manual Loop	Makeui	p are ir								nents from t	he Tenness				
LOOP N			manou						, a pormanom	late ranning on		1		l	, , , , , , , , , , , , , , , , , , ,		†
		Loop Makeup - Preordering Without Reservation, per working or															
		spare facility queried (Manual).	R		UMK	UMKLW		0.76	0.76					19.99	19.99	19.99	19.99
		Loop Makeup - Preordering With Reservation, per spare facility															
		queried (Manual).	R		UMK	UMKLP		0.76	0.76					19.99	19.99	19.99	19.99
		Loop MakeupWith or Without Reservation, per working or spare facility queried (Mechanized)	R		UMK	UMKMQ		0.76	0.76								
I INF SI	AARING	S AND LINE SPLITTING	K		UIVIK	UIVIKIVIQ		0.76	0.76								
		: The Line Sharing monthly recurring rates for all installation	is comi	oleted 1	from October 02, 200	3 through m	idnight Octobe	er 01. 2004 shal	l be billed as f	follows:		1					
		1: 10/02/2003 – 10/01/2004: 25% of the rate for an unbundled co					 	T		1							1
		1: 10/02/2004 - 10/01/2005: 50% of the rate for UCLND				ľ											
		1: 10/02/2005 - 10/01/2006: 75% of the rate for UCLND															
		: Above will apply to USOCS: ULSDT and ULSCT															
		2: The Line Sharing monthly recurring rates with USOCs ULS	SDC and	ULSC	CC applies only to ci	rcuits install	ed and inservi	ce on or before	October 1, 20	03							
		HARING															ļ
	SPLITI	ERS-CENTRAL OFFICE BASED			111.0	ULSDA	100.00	150.00	0.00	0.00	0.00	1		20.35	10.54	13.32	13.32
		Line Sharing Splitter, per System 96 Line Capacity Line Sharing Splitter, per System 24 Line Capacity			ULS ULS	ULSDA	25.00	150.00	0.00	0.00	0.00			20.35	10.54	13.32	13.32
		Line Sharing Ophiter, per Gystem 24 Eine Capacity Line Sharing-DLEC Owned Splitter in CO-CFA activaton-			OLO	OLODB	23.00	150.00	0.00	0.00	0.00			20.55	10.54	10.02	10.02
		deactivation (per LSOD)			ULS	ULSDG		163.06	0.00	92.71	0.00			20.35	10.54	13.32	13.32
	END U	SER ORDERING-CENTRAL OFFICE BASED LINE SHARING							0.00		0.00						
		Line Sharing - per Line Activation (BST Owned splitter) -															
		OBSOLETE see **NOTE 2			ULS	ULSDC	0.61	40.00	31.39	0.00	0.00			20.35	10.54	13.32	13.32
		Line Share Service, TRO per line activation, BST owned splitter -]		_	_						_			
		Central Office Located (25% of UCLND) - please see NOTE 1				LII CDT		40.00	04.00	0.00	0.00			I			
		(E:10/2/2003) Line Share Service, TRO per line activation, BST owned splitter -		-	ULS	ULSDT	2.94	40.00	31.39	0.00	0.00	 	1	 			
		Central Office Located (50% of UCLND) - please see NOTE 1					1							1			
		(E:10/2/2004)			ULS	ULSDT	5.87	40.00	31.39	0.00	0.00			I			
		Line Share Service, TRO per line activation, BST owned splitter -			1		5.51	.5.50	050	5.50	3.50		1	1	1		
		Central Office Located (75% of UCLND) - please see NOTE 1					1	1						I			
		(E:10/2/2005)			ULS	ULSDT	8.81	40.00	31.39	0.00	0.00						
		Line Sharing - per Subsequent Activity per Line															
		Rearrangement(BST Owned Splitter)		<u> </u>	ULS	ULSDS		30.00	15.00			ļ		20.35	10.54	13.32	13.32
		Line Sharing - per Subsequent Activity per Line			111.0	111.000		20.00	45.00					20.25	40.54	40.00	40.00
		Rearrangement(DLEC Owned Splitter) Line Sharing - per Line Activation (DLEC owned Splitter) -		 	ULS	ULSCS	 	30.00	15.00	1		1	-	20.35	10.54	13.32	13.32
		OBSOLETE see **NOTE 2			ULS	ULSCC	0.61	47.44	19.31	0.00	0.00			20.35	10.54	13.32	13.32
		Line Share Service, TRO per line activation, CLEC owned			0_0	02000	0.01	77.77	10.01	0.00	5.00			20.00	10.04	10.02	10.02
		splitter - Central Office Located (25% of UCLND) - please see					1	1						I			
		NOTE 1 (E:10/2/2003)			ULS	ULSCT	2.94	47.44	19.31	0.00	0.00			<u> </u>			
		Line Share Service, TRO per line activation, CLEC owned															
		splitter - Central Office Located (50% of UCLND) - please see			l a						_			I			
		NOTE 1 (E:10/2/2004)		<u> </u>	ULS	ULSCT	5.87	47.44	19.31	0.00	0.00	<u> </u>		l	l		

UNBUNDLE	D NETWORK ELEMENTS - Tennessee			T	1	1					Ia a :	la a :		ment: 2	1	bit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			1	Svc Order Submitted Manually per LSR		Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
						Rec	Nonrecurring		Nonrecurring			•		Rates (\$)		
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Line Share Service, TRO per line activation, CLEC owned															
	splitter - Central Office Located (75% of UCLND) - please see															
	NOTE 1 (E:10/2/2005)			ULS	ULSCT	8.81	47.44	19.31	0.00	0.00						
	SPLITTING															1
END U	SER ORDERING-CENTRAL OFFICE BASED Line Splitting - per line activation DLEC owned splitter			UEPSR UEPSB	UREOS	0.61			-		-		-			-
	Line Splitting - per line activation BST owned - physical		-	UEPSR UEPSB	UREBP	0.61	48.96	21.39	35.06	10.79	1		20.35	10.54	13.32	13.3
	Line Splitting - per line activation BST owned - priysical Line Splitting - per line activation BST owned - virtual			UEPSR UEPSB	UREBV	0.61	48.96	21.39		10.79	 		20.35	10.54	13.32	13.32
MAINT	ENANCE			OLI OK OLI OD	OKEDV	0.01	40.30	21.00	33.00	10.73			20.55	10.54	10.02	10.0
	No Trouble Found - per 1/2 hour increments - Basic						80.00	55.00			1					
	No Trouble Found - per 1/2 hour increments - Overtime						120.00	82.50								
	No Trouble Found - per 1/2 hour increments - Premium						160.00	110.00			1					
	DEDICATED TRANSPORT															
INTER	OFFICE CHANNEL - DEDICATED TRANSPORT															
	Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade -															
	Per Mile per month			U1TVX	1L5XX	0.0054										
	Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade -															
	Facility Termination			U1TVX	U1TV2	18.58	55.39	17.37	27.96	3.51			20.35	21.09		
	Interoffice Channel - Dedicated Transpor t- 2-Wire Voice Grade															
	Rev Bat Per Mile per month			U1TVX	1L5XX	0.0054										
	Interoffice Channel - Dedicated Transport- 2- Wire VG Rev Bat.	1				40.50										
	Facility Termination	-	-	U1TVX	U1TR2	18.58	55.39	17.37	27.96	3.51			20.35	21.09		
	Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade	1		LIATON	1L5XX	0.0054										
	Per Mile per month Interoffice Channel - Dedicated Transport - 4- Wire Voice Grade			U1TVX	ILSXX	0.0054			-		-		-			-
	- Facility Termination			U1TVX	U1TV4	24.09	37.87	26.02	30.78	13.07			15.08	15.08		
	Interoffice Channel - Dedicated Transport - 56 kbps - per mile			UTIVA	01174	24.09	31.01	20.02	30.76	13.07	1		15.06	15.06		ł
	per month			U1TDX	1L5XX	0.0174										
	Interoffice Channel - Dedicated Transport - 56 kbps - Facility			OTTEX	120701	0.0174					1					1
	Termination			U1TDX	U1TD5	17.98	55.39	17.37	27.96	3.51			20.35	21.09		
	Interoffice Channel - Dedicated Transport - 64 kbps - per mile				-											
	per month			U1TDX	1L5XX	0.0174										
	Interoffice Channel - Dedicated Transport - 64 kbps - Facility															
	Termination			U1TDX	U1TD6	17.98	55.39	17.37	27.96	3.51			20.35	21.09		
	Interoffice Channel - Dedicated Channel - DS1 - Per Mile per															
	month			U1TD1	1L5XX	0.3562										
	Interoffice Channel - Dedicated Tranport - DS1 - Facility															
	Termination			U1TD1	U1TF1	77.86	112.40	76.27	19.55	14.99			20.35	21.09		
	Interoffice Channel - Dedicated Transport - DS3 - Per Mile per			LIATEDO	41.5007							1		I		
	month			U1TD3	1L5XX	2.34			+		<u> </u>		-	 	1	1
	Interoffice Channel - Dedicated Transport - DS3 - Facility			U1TD3	U1TF3	848.99	395.29	176.56	109.04	105.91			36.84	36.84		
	Termination per month Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per	 		פטווט	01153	848.99	395.∠9	176.56	109.04	105.91	1	-	30.84	30.84	1	
	month			U1TS1	1L5XX	2.34								I		
	Interoffice Channel - Dedicated Transport - STS-1 - Facility	-		0.101	120/0/	2.34	1		 				 	 	 	
	Termination			U1TS1	U1TFS	849.30	395.29	176.56	109.04	105.91			36.84	36.84		
DARK FIBER					1	0.0.00	555.25	0.50	100.04		1		55.54	33.54		
1	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction					l			ĺ	l		İ	ĺ	1	1	Ì
	Thereof per month - Interoffice Channel			UDF, UDFCX	1L5DF	28.74						1		I		
	NRC Dark Fiber - Interoffice Channel			UDF, UDFCX	UDF14		1,121.00	153.19	580.26	357.17			20.35	10.54	13.32	13.32
	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction															
	Thereof per month - Local Loop			UDF, UDFCX	1L5DL	58.83										
	NRC Dark Fiber - Local Loop			UDF, UDFCX	UDFL4		1,121.00	153.19	580.26	357.17			20.35	10.54	13.32	13.3
8XX ACCESS	TEN DIGIT SCREENING				1		ļ		ļ		ļ		ļ	1		
	8XX Access Ten Digit Screening, Per Call			OHD	4	0.0005192	ļ				ļ			ļ		ļ
	8XX Access Ten Digit Screening, Reservation Charge Per 8XX			CLID	NODAY			0 =0				1	00.00	00.00	40.00	40.0
	Number Reserved 8XX Access Ten Digit Screening, Per 8XX No. Established W/O	-	-	OHD	N8R1X	-	5.21	0.76	+	-	 		20.35	20.35	13.28	13.2
1	John Access Ten Digit Screening, Per 8XX No. Established W/O	l .	1	OHD	1	I	11.47	1.46	7.34	0.7602	1	1	20.35	20.35	13.28	13.2

UNBUNDLE	D NETWORK ELEMENTS - Tennessee												Attach	ment: 2	Exhi	bit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			II .	Svc Order Submitted Manually per LSR	Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Charge -	Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'l
						Rec	Nonrecurring		Nonrecurring					Rates (\$)		
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	8XX Access Ten Digit Screening, Per 8XX No. Established With			OUD	NOFTY		44.47	4.40	7.04	0.7000			00.05	00.05	40.00	40.00
	POTS Translations 8XX Access Ten Digit Screening, Customized Area of Service		1	OHD	N8FTX		11.47	1.46	7.34	0.7602			20.35	20.35	13.28	13.28
	Per 8XX Number			OHD	N8FCX		4.47	2.24					20.35	20.35	13.28	13.28
	8XX Access Ten Digit Screening, Multiple InterLATA CXR															
	Routing Per CXR Requested Per 8XX No.			OHD	N8FMX		5.23	3.00					20.35	20.35	13.28	13.28
	8XX Access Ten Digit Screening, Change Charge Per Request			OHD	N8FAX		5.97	0.76					20.35	20.35	13.28	13.28
	8XX Access Ten Digit Screening, Call Handling and Destination															
	Features		ļ	OHD	N8FDX		4.47						20.35	20.35	13.28	13.28
LINE INFORMA	ATION DATA BASE ACCESS (LIDB)		-	007		0.0000054					ļ					
	LIDB Common Transport Per Query LIDB Validation Per Query		1	OQT OQU	-	0.0000354 0.0117403					-			-		-
	LIDB Validation Per Query LIDB Originating Point Code Establishment or Change		-	OQT, OQU	NRBPX	0.0117403	49.03				 		20.35	20.35	13.28	13.28
SIGNALING (C		 	1	0Q1, 0QU	MINDLY		49.03		1	1	}	 	20.35	20.35	13.28	13.28
SIGNALING (C	CCS7 Signaling Termination, Per STP Port		1	UDB	PT8SX	138.41					1				1	
 	CCS7 Signaling Termination, Per STP Port CCS7 Signaling Usage, Per TCAP Message	-	 	UDB	1 100/	0.0000916			 	 	 	-	 	 	t	
	CCS7 Signaling Osage, Fer TOAF Message CCS7 Signaling Connection, Per link (A link)	<u> </u>	1	UDB	TPP++	17.84	130.84	130.84	1		1	 	20.35	20.35	13.32	13.32
	CCS7 Signaling Connection, Per link (B link) (also known as D			000	1	17.01	100.01	100.01			İ		20.00	20.00	10.02	10.02
	link)			UDB	TPP++	17.84	130.84	130.84					20.35	20.35	13.32	13.32
	CCS7 Signaling Usage, Per ISUP Message			UDB		0.0000373										
	CCS7 Signaling Usage Surrogate, per link per LATA			UDB	STU56	352.30										
	Signaling Point Code, per Originating Point Code Establishment															
	or Change, per STP			UDB	CCAPO		121.77	121.77					20.35	20.35	13.32	13.32
CALLING NAM	E (CNAM) SERVICE															
	CNAM For DB Owners - Service Establishment			OQV			43.27									
	CNAM For Non DB Owners - Service Establishment			OQV			43.27									
	CNAM For DB Owners - Service Provisioning With Point Code															
	Establishment			OQV			1,868.00	1,382.00								
	CNAM For Non DB Owners - Service Provisioning With Point															
	Code Establishment			OQV	ļ	0.0010=11	645.50	432.23								
	CNAM for DB Owners, Per Query CNAM for Non DB Owners, Per Query		1	OQV	-	0.0010541 0.0010541									1	
	CNAM (Non-Databs Owner), NRC, applies when using the		-	OQV	+	0.0010541					 					
	Character Based User Interface (CHUI)			oqv	CDDCH								20.35	20.35	13.28	13.28
SELECTIVE RO		-	1	OQV	CDDCIT				1		1		20.33	20.33	13.20	13.20
OLLLO IIVE KO	Selective Routing Per Unique Line Class Code Per Request Per		1		+						1					
	Switch						179.60	179.60					20.35	20.35		
VIRTUAL COLI																
	Virtual Collocation-2 Wire Cross Connects (Loop) for Line	1			1	l			1	ĺ	Ì			ĺ	1	ĺ
	Splitting	<u> </u>		UEPSR UEPSB	VE1LS	0.57	11.62	9.90	10.38	8.66	<u> </u>	<u> </u>	19.99	19.99	19.99	19.99
PHYSICAL COI								·								
	Physical Collocation-2 Wire Cross Connects (Loop) for Line							<u> </u>								
	Splitting			UEPSR UEPSB	PE1LS	0.7905	11.62	9.90	10.38	8.66			19.99	19.99	19.99	19.99
AIN SELECTIV	E CARRIER ROUTING															
	Regional Service Establishment			SRC	SRCEC		190,638.00		ļ				20.35	ļ	1	ļ
	End Office Establishment		_	SRC	SRCEO	0.05	317.55	317.55	3.19	3.19			20.35	20.35	13.28	13.28
AIN DELLOS	Query NRC, per query	.	1	SRC	+	0.0206047			1	-	ļ	 	!	-	 	-
AIN - BELLSOL	JTH AIN SMS ACCESS SERVICE AIN SMS Access Service - Service Establishment, Per State,	-	1		1	-	1		 	 	ļ	ļ	 	.	 	.
				A4N	CAMSE		125 50	125.50				1	20.25	20.25	12.00	12.00
 	Initial Setup	-	1	A1N	CAMSE		135.56	135.56	1		 	-	20.35	20.35	13.28	13.28
	AIN SMS Access Service - Port Connection - Dial/Shared Access			A1N	CAMDP		41.75	41.75				1	20.35	20.35	13.28	13.28
	AIN SMS Access Service - Port Connection - Dial/Shared Access AIN SMS Access Service - Port Connection - ISDN Access	-	 	A1N	CAM1P		41.75	41.75	 	 	 	-	20.35	20.35	13.28	13.28
	AIN SMS Access Service - User Identification Codes - Per User		1	,	C/ W/111		71.75	71.75	1				20.00	20.00	10.20	10.20
1	ID Code			A1N	CAMAU		96.63	96.63				1	20.35	20.35	13.28	13.28
	AIN SMS Access Service - Security Card, Per User ID Code,	1			1	l	33.30	22.30	1	İ					10.20	12.20
	Initial or Replacement			A1N	CAMRC		113.67	113.67				1	20.35	20.35	13.28	13.28
	AIN SMS Access Service - Storage, Per Unit (100 Kilobytes)					0.0024										
	AIN SMS Access Service - Session, Per Minute					0.0820123										

UNBUNDLE	D NETWORK ELEMENTS - Tennessee												Attach	ment: 2	Exhi	bit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			Svc Order Submitted Elec per LSR		Incremental	Incremental Charge - Manual Svc Order vs. Electronic- Add'l		Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
							T								D130 131	DISC Add I
						Rec	Nonrecurring		Nonrecurring					Rates (\$)		
	AINI CMC Access Convince Company Performed Consider Per						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	AIN SMS Access Service - Company Performed Session, Per Minute					2.27										
AIN - BELLSO	OUTH AIN TOOLKIT SERVICE					2.21										
	AIN Toolkit Service - Service Establishment Charge, Per State,															
	Initial Setup			CAM	BAPSC		132.04	132.04					20.35	20.35	13.28	13.28
	AIN Toolkit Service - Training Session, Per Customer				BAPVX		7,915.00	7,915.00					20.35	20.35	13.28	13.28
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per														40.00	
	DN, Term. Attempt				BAPTT		31.21	31.21					20.35	20.35	13.28	13.28
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, Off-Hook Delay				BAPTD		31.21	31.21					20.35	20.35	13.28	13.28
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, Off-Hook Immediate				BAPTM		31.21	31.21					20.35	20.35	13.28	13.28
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, 10-Digit PODP				BAPTO		85.24	85.24					20.35	20.35	13.28	13.28
	AllN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, CDP				BAPTC		85.24	85.24					20.35	20.35	13.28	13.28
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per															
	DN, Feature Code				BAPTF	0.0044000	85.24	85.24					20.35	20.35	13.28	13.28
	AIN Toolkit Service - Query Charge, Per Query					0.0211882										
	AIN Toolkit Service - Type 1 Node Charge, Per AIN Toolkit Subscription, Per Node, Per Query					0.0054774										
	AIN Toolkit Service - SCP Storage Charge, Per SMS Access Account, Per 100 Kilobytes					1.50										
	AIN Toolkit Service - Monthly report - Per AIN Toolkit Service															
	Subscription			CAM	BAPMS	17.43	33.52	33.52					20.35	20.35	13.28	13.28
	AIN Toolkit Service - Special Study - Per AIN Toolkit Service Subscription			CAM	BAPLS	0.1321116	36.23	36.23					20.35	20.35	13.28	13.28
	AIN Toolkit Service - Call Event Report - Per AIN Toolkit Service Subscription			CAM	BAPDS	17.35	33.52	33.52					20.35	20.35	13.28	13.28
	AIN Toolkit Service - Call Event Special Study - Per AIN Toolkit			CAM	DADEC	0.0511425	26.22	26.22					20.25	20.25	13.28	13.28
ENHANCED E	Service Subscription XTENDED LINK (EELs)			CAIVI	BAPES	0.0511435	36.23	36.23					20.35	20.35	13.28	13.28
	The monthly recurring and non-recurring charges below will	apply a	nd the	Switch-As-Is Charge	will not app	oly for UNE cor	nbinations pro	visioned as ' C	Ordinarily Comb	oined' Network	Elements.					
	The monthly recurring and the Switch-As-Is Charge and not t															
EXTE	NTED 2-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICAT	TED DS														
	First 2-Wire VG Loop (SL2) in Combination - Zone 1		1	UNCVX	UEAL2	16.56	108.76	35.47	72.94	10.86			20.35	21.09		
\vdash	First 2-Wire VG Loop (SL2) in Combination - Zone 2 First 2-Wire VG Loop (SL2) in Combination - Zone 3	-	3	UNCVX UNCVX	UEAL2 UEAL2	21.63 28.28	108.76 108.76	35.47 35.47	72.94 72.94	10.86 10.86			20.35 20.35	21.09 21.09		
\vdash	Interoffice Transport - Dedicated - DS1 combination - Per Mile		3	UNCVX	UEALZ	20.20	100.76	35.47	72.94	10.00			20.33	21.09		
	per month			UNC1X	1L5XX	0.3562										
	Interoffice Transport - Dedicated - DS1 combination - Facility			UNC1X	U1TF1	77.86	171.24	113.12	70.07	30.90			20.35	21.09		
	Termination per month 1/0 Channelization System in combination Per Month			UNC1X	MQ1	80.77	171.24	14.48	3.04	2.74	 		20.33	21.09		
	Voice Grade COCI - Per Month			UNCVX	1D1VG	0.91	5.70	4.42	3.04	2.74						
	Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 1		1	UNCVX	UEAL2	16.56	108.76	35.47	72.94	10.86			20.35	21.09		
			-													
	Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 2		2	UNCVX	UEAL2	21.63	108.76	35.47	72.94	10.86			20.35	21.09		
	Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 3 Voice Grade COCI - Per Month		3	UNCVX UNCVX	UEAL2 1D1VG	28.28 0.91	108.76 5.70	35.47 4.42	72.94	10.86	1		20.35	21.09		
	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge			UNC1X	UNCCC		52.73	24.62	9.12	9.12			20.35	21.09		
EXTEN	NDED 4-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICA	TED DS	1 INTER			1	52.73	27.02	5.12	9.12			20.33	21.09		
	First 4-Wire Analog Voice Grade Loop in Combination - Zone 1		1	UNCVX	UEAL4	24.70	108.76	35.47	72.94	10.86			20.35	21.09		
	First 4-Wire Analog Voice Grade Loop in Combination - Zone 2	1	2	UNCVX	UEAL4	32.26	108.76	35.47	72.94	10.86		<u> </u>	20.35	21.09		<u> </u>

UNBUNDLE	D NETWORK ELEMENTS - Tennessee													ment: 2		bit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			1	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l
						Rec	Nonrecurring		Nonrecurring					Rates (\$)	•	
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
					l l					40.00						ĺ
	First 4-Wire Analog Voice Grade Loop in Combination - Zone 3 Interoffice Transport - Dedicated - DS1 combination - Per Mile		3	UNCVX	UEAL4	42.18	108.76	35.47	72.94	10.86			20.35	21.09		
	Per Month			UNC1X	1L5XX	0.3562										ĺ
	Interoffice Transport - Dedicated - DS1 - Facility Termination Per			ONOTA	120701	0.0002										
	Month			UNC1X	U1TF1	77.86	171.24	113.12	70.07	30.90			20.35	21.09		1
	1/0 Channel System in combination Per Month			UNC1X	MQ1	80.77	105.76	14.48	3.04	2.74						
	Voice Grade COCI in combination - per month			UNCVX	1D1VG	0.91	5.70	4.42								
	Additional 4-Wire Analog Voice Grade Loop in same DS1			11110101		04.70	100.70	05.47	70.04	40.00			00.05	04.00		1
	Interoffice Transport Combination - Zone 1 Additional 4-Wire Analog Voice Grade Loop in same DS1		1	UNCVX	UEAL4	24.70	108.76	35.47	72.94	10.86			20.35	21.09		
	Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL4	32.26	108.76	35.47	72.94	10.86			20.35	21.09		1
	Additional 4-Wire Analog Voice Grade Loop in same DS1		Ė		32	02.20	100.70	0011	, 2.54	10.00			20.00	21.00		
	Interoffice Transport Combination - Zone 3	L	3	UNCVX	UEAL4	42.18	108.76	35.47	72.94	10.86	<u> </u>	<u></u>	20.35	21.09		<u> </u>
	Additional Voice Grade COCI in combination - per month			UNCVX	1D1VG	0.91	5.70	4.42								
	Nonrecurring Currently Combined Network Elements Switch -As-				1											ĺ
EVTEN	Is Charge DED 4-WIRE 56 KBPS EXTENDED DIGITAL LOOP WITH DEDIG	CATED	DC4 IN	UNC1X	UNCCC		52.73	24.62	9.12	9.12			20.35	21.09		
EXIEN	DED 4-WIKE 36 KBPS EXTENDED DIGITAL LOOP WITH DEDIG	LATED	DOT IN	I EROFFICE TRANS	BPORT											1
	First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 1		1	UNCDX	UDL56	31.10	108.76	35.47	72.94	10.86			20.35	21.09		ĺ
	The Trine conspectigital Grade 2005 in Combination 2010 :			0110271	02200	01.10	100.10	00.11	72.01	10.00			20.00	21.00		
	First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2		2	UNCDX	UDL56	40.61	108.76	35.47	72.94	10.86			20.35	21.09		İ
																ĺ
	First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 3		3	UNCDX	UDL56	53.11	108.76	35.47	72.94	10.86			20.35	21.09		
	Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month			UNC1X	1L5XX	0.3562										1
	Interoffice Transport - Dedicated - DS1 - combination Facility			UNCIX	ILSXX	0.3562										—
	Termination Per Month			UNC1X	U1TF1	77.86	171.24	113.12	70.07	30.90			20.35	21.09		ĺ
	1/0 Channel System in combination Per Month			UNC1X	MQ1	80.77	105.76	14.48	3.04	2.74			20.00	21.00		
	OCU-DP COCI (data) per month (2.4-64kbs)			UNCDX	1D1DD	0.91	5.70	4.42								
	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1															
	Interoffice Transport Combination - Zone 1		1	UNCDX	UDL56	31.10	108.76	35.47	72.94	10.86			20.35	21.09		
	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination - Zone 2		2	UNCDX	UDL56	40.61	108.76	35.47	72.94	10.86			20.35	21.09		ĺ
	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1			UNCDA	UDLS6	40.61	100.76	35.47	72.94	10.00			20.35	21.09		
	Interoffice Transport Combination - Zone 3		3	UNCDX	UDL56	53.11	108.76	35.47	72.94	10.86			20.35	21.09		ĺ
	Additional OCU-DP COCI (data) - in combination per month (2.4-		Ť													
	64kbs)			UNCDX	1D1DD	0.91	5.70	4.42								İ
	Nonrecurring Currently Combined Network Elements Switch -As-	ł			1											ĺ
EVTEN	Is Charge DED 4-WIRE 64 KBPS EXTENDED DIGITAL LOOP WITH DEDIG	CATED	DC4 IN	UNC1X	UNCCC		52.73	24.62	9.12	9.12			20.35	21.09		
EXIEN	DED 4-WIRE 64 RBPS EXTENDED DIGITAL LOOP WITH DEDIG	LATED	DOT IN	I EROFFICE TRANS	BPORT		1									
	First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 1		1	UNCDX	UDL64	31.10	108.76	35.47	72.94	10.86			20.35	21.09		ĺ
	2 1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2		Ė		1											
	First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 2		2	UNCDX	UDL64	40.61	108.76	35.47	72.94	10.86			20.35	21.09		
																1
	First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 3	ļ	3	UNCDX	UDL64	53.11	108.76	35.47	72.94	10.86	1		20.35	21.09		
	Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month		1	UNC1X	1L5XX	0.3562										i
	interoffice Transport - Dedicated - DS1 combination - Facility	-	 	ONCIA	ILUAA	0.3002	 				—					
	Termination Per Month		1	UNC1X	U1TF1	77.86	171.24	113.12	70.07	30.90			20.35	21.09		i
	1/0 Channel System in combination Per Month			UNC1X	MQ1	80.77	105.76	14.48		2.74						
	OCU-DP COCI (data) - in combination - per month (2.4-64kbs)			UNCDX	1D1DD	0.91	5.70	4.42								
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1						I T									1
	Interoffice Transport Combination - Zone 1		1	UNCDX	UDL64	31.10	108.76	35.47	72.94	10.86			20.35	21.09		
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination - Zone 2		2	UNCDX	UDL64	40.61	108.76	35.47	72.94	10.86			20.35	21.09		ĺ
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1			0.1007	JDL04	40.01	100.70	33.47	12.94	10.00	 		20.33	21.09		
1	Interoffice Transport Combination - Zone 3	l	3	UNCDX	UDL64	53.11	108.76	35.47	72.94	10.86		1	20.35	21.09	l	1

UNBUNDLE	D NETWORK ELEMENTS - Tennessee												Attach	ment: 2	Exhi	bit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			Svc Order Submitted Elec per LSR	1	Incremental	Incremental Charge - Manual Svc Order vs. Electronic- Add'l		Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrecurring		Nonrecurring	Disconnect			oss	Rates (\$)	l .	
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Additional OCU-DP COCI (data) - in combination - per month				1											
	(2.4-64kbs)	-	ļ	UNCDX	1D1DD	0.91	5.70	4.42								
	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge	1		UNC1X	UNCCC		52.73	24.62	9.12	9.12			20.35	21.09		
EXTEN	IDED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICAT	ED DS1	INTER				32.73	24.02	5.12	3.12			20.55	21.03		
	4-Wire DS1 Digital Loop in Combination - Zone 1	1	1	UNC1X	USLXX	57.73	228.40	161.74	79.87	24.88						
	4-Wire DS1 Digital Loop in Combination - Zone 2		2	UNC1X	USLXX	75.40	228.40	161.74	79.87	24.88						
	4-Wire DS1 Digital Loop in Combination - Zone 3		3	UNC1X	USLXX	98.59	228.40	161.74	79.87	24.88						
	Interoffice Transport - Dedicated - DS1 combination - Per Mile															
	Per Month	-	├	UNC1X	1L5XX	0.3562					1	-		-		
	Interoffice Transport - Dedicated - DS1 combination - Facility Termination Per Month			UNC1X	U1TF1	77.86	171.24	113.12	70.07	30.90			20.35	21.09		
	Nonrecurring Currently Combined Network Elements Switch -As-	1	†	5.1017	31111	77.30	171.24	110.12	70.07	50.30	1		20.00	21.03		
	Is Charge			UNC1X	UNCCC		52.73	24.62	9.12	9.12			20.35	21.09		
EXTEN	IDED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICAT	ED DS3			RT											
	First DS1Loop in Combination - Zone 1			UNC1X	USLXX	57.73	228.40	161.74	79.87	24.88			20.35	21.09		
	First DS1Loop in Combination - Zone 2		2	UNC1X	USLXX	75.40	228.40	161.74	79.87	24.88			20.35	21.09		
	First DS1Loop in Combination - Zone 3	-	3	UNC1X	USLXX	98.59	228.40	161.74	79.87	24.88			20.35	21.09		
	Interoffice Transport - Dedicated - DS3 combination - Per Mile Per Month			UNC3X	1L5XX	2.34										
	Interoffice Transport - Dedicated - DS3 - Facility Termination per		<u> </u>	ONOOX	TESTA	2.04					1	1				
	month			UNC3X	U1TF3	854.97	482.01	153.81	64.43	35.43			36.84	36.84		
	3/1Channel System in combination per month			UNC3X	MQ3	222.98	156.02	49.41	17.12	6.77						
	DS1 COCI in combination per month			UNC1X	UC1D1	17.58	5.70	4.42								
	Additional DS1Loop in DS3 Interoffice Transport Combination -															
	Zone 1		1	UNC1X	USLXX	57.73	228.40	161.74	79.87	24.88			20.35	21.09		
	Additional DS1Loop in DS3 Interoffice Transport Combination - Zone 2		2	UNC1X	USLXX	75.40	228.40	161.74	79.87	24.88			20.35	21.09		
 	Additional DS1Loop in DS3 Interoffice Transport Combination -			UNCIX	USLAA	75.40	220.40	101.74	79.07	24.00			20.33	21.09		
	Zone 3		3	UNC1X	USLXX	98.59	228.40	161.74	79.87	24.88			20.35	21.09		
	Additoinal DS1 COCI in combination per month			UNC1X	UC1D1	17.58	5.70	4.42								
	Nonrecurring Currently Combined Network Elements Switch -As-	-														
	Is Charge	<u> </u>	<u> </u>	UNC3X	UNCCC		52.73	24.62	9.12	9.12			20.35	21.09		
EXTEN	IDED 2-WIRE VOICE GRADE EXTENDED LOOP/ 2 WIRE VOICE	GRAD	E INTE			40.50	400.70	05.47	70.04	10.00						
	2-WireVG Loop in combination - Zone 1 2-WireVG Loop in combination - Zone 2		2	UNCVX UNCVX	UEAL2 UEAL2	16.56 21.63	108.76 108.76	35.47 35.47	72.94 72.94	10.86 10.86						
	2-WireVG Loop in combination - Zone 3		3	UNCVX	UEAL2	28.28	108.76	35.47	72.94	10.86						
	Interoffice Transport - 2-wire VG - Dedicated- Per Mile Per															
	Month			UNCVX	1L5XX	0.0174										
	Interoffice Transport - 2-wire VG - Dedicated - Facility								I]							
	Termination per month		-	UNCVX	U1TV2	21.79	79.83	44.08	69.32	31.00	ļ		20.35	21.09		
	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge			UNCVX	UNCCC		52.73	24.62	9.12	9.12			20.35	21.09		
EXTEN	IDED 4-WIRE VOICE GRADE EXTENDED LOOP/ 4 WIRE VOICE	GRAD	E INTE				32.13	24.02	5.12	3.12	 	-	20.33	21.09		
	4-WireVG Loop in combination - Zone 1		1	UNCVX	UEAL4	24.70	108.76	35.47	72.94	10.86						
	4-WireVG Loop in combination - Zone 2		2	UNCVX	UEAL4	32.26	108.76	35.47	72.94	10.86						
	4-WireVG Loop in combination - Zone 3		3	UNCVX	UEAL4	42.18	108.76	35.47	72.94	10.86						
	Interoffice Transport - 4-wire VG - Dedicated - Per Mile Per			LINICVY	11 5 7 7	0.0474										
	Month Interoffice Transport - 4-wire VG - Dedicated - Facility	 	 	UNCVX	1L5XX	0.0174			+		-	 				<u> </u>
	Termination per month			UNCVX	U1TV4	27.30	79.83	44.08	69.32	31.00			20.35	21.09		
	Nonrecurring Currently Combined Network Elements Switch -As-		t		1	27.50		50	55.52	050			20.50	250		
	Is Charge		<u>L</u>	UNCVX	UNCCC		52.73	24.62	9.12	9.12			20.35	21.09		
EXTEN	IDED DS3 DIGITAL EXTENDED LOOP WITH DEDICATED DS3	INTERC	FFICE													
	DS3 Local Loop in combination - per mile per month	-	<u> </u>	UNC3X	1L5ND	9.19										
	DS3 Local Loop in combination - Facility Termination per month			UNC3X	UE3PX	373.47	240.23	180.87	106.78	45.24						
	Interoffice Transport - Dedicated - DS3 - Per Mile per month	†	 	UNC3X	1L5XX	2.34	240.23	100.07	100.76	45.24	1	 				
	1				1											

UNBUNDLE	ED NETWORK ELEMENTS - Tennessee												Attachi	ment: 2	Exhi	bit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)				Svc Order Submitted Manually per LSR	Incremental Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge -	
						Rec	Nonrecurring		Nonrecurring	Disconnect			oss	Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Interoffice Transport - Dedicated - DS3 combination - Facility				===		400.04	.=								i
	Termination per month Nonrecurring Currently Combined Network Elements Switch -As-			UNC3X	U1TF3	854.97	482.01	153.81	64.43	35.43			36.84	36.84		
	Is Charge			UNC3X	UNCCC		52.73	24.62	9.12	9.12			36.84	36.84		l
EXTE	NDED STS-1 DIGITAL EXTENDED LOOP WITH DEDICATED ST	S-1 INT	EROFF							-						i
	STS-1 Local Lolp in combination - per mile per month			UNCSX	1L5ND	9.19										
	STS-1 Local Loop in combination - Facility Termination per			LINIOOV	1101.04	004.50	0.40.00	400.07	400.70	45.04						i
	month Interoffice Transport - Dedicated - STS-1 combination - per mile			UNCSX	UDLS1	394.56	240.23	180.87	106.78	45.24						
	per month			UNCSX	1L5XX	2.34										i
	Interoffice Transport - Dedicated - STS-1 combination - Facility								1							
	Termination per month			UNCSX	U1TFS	849.30	482.01	153.81	64.43	35.43			36.84	36.84		
	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge			UNCSX	UNCCC		52.73	24.62	9.12	9.12			36.84	36.84		l
EYTE	IS Charge NDED 2-WIRE ISDN EXTENDED LOOP WITH DS1 INTEROFFICE	TPAN	PORT	UNCSX	UNCCC		52.73	24.02	9.12	9.12			36.84	36.84		
LXIL	First 2-Wire ISDN Loop in Combination - Zone 1	IIIAII	1	UNCNX	U1L2X	22.22	108.76	35.47	72.94	10.86			20.35	21.09		
	First 2-Wire ISDN Loop in Combination - Zone 2		2	UNCNX	U1L2X	29.02	108.76	35.47	72.94	10.86			20.35	21.09		
	First 2-Wire ISDN Loop in Combination - Zone 3		3	UNCNX	U1L2X	37.95	108.76	35.47	72.94	10.86			20.35	21.09		
	Interoffice Transport - Dedicated - DS1 combination - per mile															i
\vdash	per month Interoffice Transport - Dedicated - DS1 combination - Facility			UNC1X	1L5XX	0.3562			-							
	Termination per month			UNC1X	U1TF1	77.86	171.24	113.12	70.07	30.90			20.35	21.09		i
	1/0 Channel System in combination - per month			UNC1X	MQ1	80.77	105.76	14.48	3.04	2.74						i
	2-wire ISDN COCI (BRITE) - in combination - per month			UNCNX	UC1CA	3.24	5.70	4.42								
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport		١.				400 =0		====							i
\vdash	Combination - Zone 1 Additional 2-wire ISDN Loop in same DS1Interoffice Transport		1	UNCNX	U1L2X	22.22	108.76	35.47	72.94	10.86			20.35	21.09		
	Combination - Zone 2		2	UNCNX	U1L2X	29.02	108.76	35.47	72.94	10.86			20.35	21.09		i
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport															
	Combination - Zone 3		3	UNCNX	U1L2X	37.95	108.76	35.47	72.94	10.86			20.35	21.09		
	Additional 2-wire ISDN COCI (BRITE) - in combination- per			LINIONIX	110404	0.04	5.70	4.40								i
	month Nonrecurring Currently Combined Network Elements Switch -As-			UNCNX	UC1CA	3.24	5.70	4.42								
	Is Charge			UNC1X	UNCCC		52.73	24.62	9.12	9.12			20.35	21.09		l
EXTE	NDED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICATI	ED STS	-1 INTE													
	First DS1 Loop Combination - Zone 1			UNC1X	USLXX	57.73	228.40	161.74	79.87	24.88			20.35	21.09		
	First DS1 Loop Combination - Zone 2			UNC1X	USLXX	75.40	228.40	161.74	79.87	24.88			20.35	21.09		
	First DS1 Loop Combination - Zone 3 Interoffice Transport - Dedicated - STS-1 combination - Per Mile		3	UNC1X	USLXX	98.59	228.40	161.74	79.87	24.88			20.35	21.09		
	Per Month			UNCSX	1L5XX	2.34										l
	Interoffice Transport - Dedicated - STS-1 combination - Facility								1							
	Termination per month			UNCSX	U1TFS	849.30	482.01	153.81	64.43	35.43			36.84	36.84		
\vdash	3/1 Channel System in combination per month			UNCSX	MQ3	222.98 17.58	156.02	49.41 4.42	17.12	6.77	-					—
\vdash	DS1 COCI in combination per month Additional DS1Loop in the same STS-1 Interoffice Transport			UNC1X	UC1D1	17.58	5.70	4.42	 							
	Combination - Zone 1		1	UNC1X	USLXX	57.73	228.40	161.74	79.87	24.88			20.35	21.09		i
	Additional DS1Loop in the same STS-1 Interoffice Transport															
$\sqcup \sqcup$	Combination - Zone 2		2	UNC1X	USLXX	75.40	228.40	161.74	79.87	24.88			20.35	21.09		
	Additional DS1Loop in the same STS-1 Interoffice Transport		_	LINC4V	LICL VV	00.50	200.40	404.74	70.07	04.00			20.25	04.00		i
\vdash	Combination - Zone 3 DS1 COCI in combination per month		3	UNC1X UNC1X	USLXX UC1D1	98.59 17.58	228.40 5.70	161.74 4.42	79.87	24.88			20.35	21.09		
	Nonrecurring Currently Combined Network Elements Switch -As-			011017	55151	17.36	5.70	7.42								
	Is Charge			UNCSX	UNCCC		52.73	24.62	9.12	9.12	<u> </u>	<u> </u>	36.84	36.84		<u> </u>
EXTE	NDED 4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH 56 KB	PS INT														
\vdash	4-wire 56 kbps Local Loop in combination - Zone 1			UNCDX	UDL56	31.10	108.76	35.47	72.94	10.86						—
 	4-wire 56 kbps Local Loop in combination - Zone 2 4-wire 56 kbps Local Loop in combination - Zone 3			UNCDX UNCDX	UDL56 UDL56	40.61 53.11	108.76 108.76	35.47 35.47	72.94 72.94	10.86 10.86	1					
	Interoffice Transport - Dedicated - 4-wire 56 kbps combination -			5.10DX	35200	33.11	100.70	55.47	12.04	10.00						·
	Per Mile per month			UNCDX	1L5XX	0.0174										<u> </u>

CATEGORY RATE ELEMENTS Interim Zone BCS USOC RATE RATES (5) Submitted	Exhibit: A emental Incrementa arge - Charge - ual Svc Manual Sv
CATEORY RATE ELEMENTS Interference Company Com	
CATEGORY RATE ELEMENTS Intert Manual Section Ma	
## COMPANY NATE ELEMENTS ## APP Section December	
Rec Nonrecurring Disconnect Section Se	der vs. Order vs.
Rec	tronic- Electronic
Interoffice Transport - Dedicated - 4 wire 68 kips combination - Paulity Francisco per crown. UNCDX	sc 1st Disc Add'
Interoffice Transport - Dedicated - 4 wire 68 kips combination - Paulity Francisco per crown. UNCDX	
Interactive Transport - Dedicated - Avere 64 bips combination -	OMAN SOMAN
Facility Termination per month UNCDX UNC	WIAN SOWAN
Nonrocurring Currently Combined Network Elements Switch -As UNCDX	
St.Pharge UNCDX	
4-wire 64 kbps Local Loop in Combination - Zone 1	
4-stre 64 kbps Local Loop in Combination - Zone 2 3 3 UNCDX UDL64 40:61 108.76 35.47 72.94 10.86	
H-wire 64 kbps Local Loop in Combination - Zone 3 UNCDX UDL64 S3.11 108.76 35.47 72.94 10.86	
Interoffice Transport - Declarated -4-wire 64 kbps combination -	
Per Mile per month	
Interoffice Transport - Dedicated - 4-wire 64 kbps combination - UNCDX	
Facility Termination per month UNCDX U1TD6 21.19 79.83 44.08 69.32 31.00 22.35 21.09	+
Nonrecurring Currently Combined Network Elements Switch -As- UNCDX	
UNCOX	-+
EXTENDED ZWIRE VOICE GRADE LOOP WITH DS1 INTEROFFICE TRANSPORT W 3/1 MUX First Zwire VG Loop (SL2) in Combination - Zone 1 1 UNCVX UEAL2 16.56 108.76 35.47 72.94 10.86 20.35 21.09 First Zwire VG Loop (SL2) in Combination - Zone 2 2 UNCVX UEAL2 21.63 108.76 35.47 72.94 10.86 20.35 21.09 First Zwire VG Loop (SL2) in Combination - Zone 3 3 UNCVX UEAL2 28.28 108.76 35.47 72.94 10.86 20.35 21.09 First Interoffice Transport - Dedicated - DS1 combination - Per UNC1X 11.5XX 0.3562 UNC1X 11.5XX 0.3562 First Interoffice Transport - Dedicated - DS1 combination - Per UNC1X 11.5XX 0.3562 UNC1X 11.5XX 0.3562 First Interoffice Transport - Dedicated - DS1 combination - Per UNC1X 11.5XX 0.3562 UNC1X 11.5XX 0.3562 First Interoffice Transport - Dedicated - DS1 combination - UNC1X U1TF1 77.86 171.24 113.12 70.07 30.90 20.35 21.09 Per each DS1 Channelization System Per Month UNC1X UNC1X MQ1 80.77 105.76 14.48 30.40 2.74 Per each DS1 Channelization System Per Month UNC1X U1TF1 77.86 171.24 113.12 70.07 30.90 20.35 21.09 Per each DS1 Color Combination per month UNC1X U1TF1 77.86 171.24 113.12 70.07 30.90 20.35 21.09 Per each DS1 COLO In combination per month UNC1X U1TF1 77.86 171.24 171.2 6.77 36.884 36.84 36	
First 2-wire VG Loop (SL2) in Combination - Zone 1	
First 2-wire VG Loop (SL2) in Combination - Zone 3 3 UNCVX	
First InterOffice Transport - Dedicated - DS1 combination - Per Mile Mile First InterOffice Transport - Dedicated - DS1 combination - Each Additional ZVIIre - Combination - Each Additional ZVIIre VG Loop(SL2) in the same DS1 InterOffice Transport Combination - Zone 2 Each Additional ZVIIre VG Loop(SL2) in the same DS1 InterOffice Transport Combination - Zone 3 Each Additional ZVIIre VG Loop(SL2) in the same DS1 InterOffice Transport Combination - Zone 3 Each Additional ZVIIre VG Loop(SL2) in the same DS1 InterOffice Transport Combination - Zone 3 Each Additional ZVIIre VG Loop(SL2) in the same DS1 InterOffice Transport Combination - Zone 3 Each Additional ZVIIre VG Loop(SL2) in the same DS1 InterOffice Transport Combination - Zone 3 Each Additional ZVIIre VG Loop(SL2) in the same DS1 InterOffice Transport Combination - Zone 3 Each Additional ZVIIre VG Loop(SL2) in the same DS1 InterOffice Transport Combination - Zone 3 Each Additional ZVIIre VG Loop(SL2) in the same DS1 InterOffice Transport Combination - Zone 3 Each Additional ZVIIre VG Loop(SL2) in the same DS1 InterOffice Transport Combination - Zone 3 Each Additional ZVIIre VG Loop(SL2) in the same DS1 InterOffice Transport Combination - Zone 3 Each Additional ZVIIre VG Loop(SL2) in the same DS1 InterOffice Transport Combination - Zone 3 Each Additional ZVIIre VG Loop(SL2) in the same DS1 InterOffice Transport Combination - Zone 3 Each Additional ZVIIre VG Loop(SL2) in the same DS1 INTEROFFICE TRANSPORT VG LOOP COMBINATION - ZONE 3 Each Additional DS1 InterOffice Transport Combination - Per month INCX INCX INCX INCX INCX INCX INCX INCX	
Mile Number Num	
First Interoffice Transport - Dedicated - DS1 combination - Facility Termination per month UNC1X U1TF1 77.86 171.24 113.12 70.07 30.90 20.35 21.09 Per each DS1 Channelization System Per Month UNCXX MQ1 80.77 105.76 14.48 3.04 2.74 Per each Voice Grade COCI - Per Month per month UNCXX IDTVG 0.91 5.70 4.42 Search Voice Grade COCI - Per Month per month UNCXX IDTVG 0.91 5.70 4.42 Per each Voice Grade COCI - Per Month per month UNCXX IDTVG 0.91 5.70 4.42 Search Voice Grade Local Loop in Combination per month UNCXX IDTVG 0.91 17.58 5.70 4.42 Search Voice Grade Local Loop in Combination per month UNCXX IDTVG 0.91 17.58 5.70 4.42 Search 2.74	
Facility Termination per month	
Per each DS1 Channelization System Per Month UNC1X MO1 80.77 105.76 14.48 3.04 2.74	
Per each Voice Grade COCI - Per Month per month	
3/1 Channel System in combination per month	
Per each DS1 COCI in combination per month	
Each Additional 2-Wire VG Loop(SL 2) in the same DS1	
Interoffice Transport Combination - Zone 1	
Interoffice Transport Combination - Zone 2	
Each Additional 2-Wire VG Loop(SL2) in the same DS1 Interoffice Transport Combination - Zone 3 3 UNCVX UEAL2 28.28 108.76 35.47 72.94 10.86 20.35 21.09	
Interoffice Transport Combination - Zone 3 3 UNCVX UEAL2 28.28 108.76 35.47 72.94 10.86 20.35 21.09	
Each Additional Voice Grade COCI in combination - per month UNCVX 1D1VG 0.91 5.70 4.42	
Each Additional DS1 Interoffice Channel per mile in same 3/1 UNC1X	
Channel System per month	
Each Additional DS1 Interoffice Channel Facility Termination in same 3/1 Channel System per month UNC1X U1TF1 77.86 171.24 113.12 70.07 30.90 20.35 21.09	
Same 3/1 Channel System per month	
Each Additional DS1 COCI combination per month	
Is Charge	
EXTENDED 4-WIRE VOICE GRADE LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT w/ 3/1 MUX First 4-Wire Analog Voice Grade Local Loop in Combination - Zone 1	
First 4-Wire Analog Voice Grade Local Loop in Combination - 1 UNCVX	
Zone 1	
First 4-Wire Analog Voice Grade Local Loop in Combination - Zone 2 UNCVX UEAL4 32.26 108.76 35.47 72.94 10.86 20.35 21.09	
Zone 2 2 UNCVX UEAL4 32.26 108.76 35.47 72.94 10.86 20.35 21.09	
First 4-Wire Analog Voice Grade Local Loop in Combination -	-+
Zone 3 UNCVX UEAL4 42.18 108.76 35.47 72.94 10.86 20.35 21.09	
First Interoffice Transport - Dedicated - DS1 combination - Per	
Mile Per Month UNC1X	
First Interoffice Transport - Dedicated - DS1 - Facility	
Termination Per Month UNC1X U1TF1 77.86 171.24 113.12 70.07 30.90 20.35 21.09	
Per each 1/0 Channel System in combination Per Month UNC1X MQ1 80.77 105.76 14.48 3.04 2.74	
Per each Voice Grade COCI in combination - per month	-
3/1 Channel System in combination per month UNC3X MQ3 222.98 156.02 49.41 17.12 6.77 36.84 36.84	-
Per each DST COCT in combination per month UNCTA UCTDT 17.58 5.70 4.42 Additional 4-Wire Analog Voice Grade Loop in same DS1	$\overline{}$
Interoffice Transport Combination - Zone 1	
Additional 4-Wire Analog Voice Grade Loop in same DS1	
Interoffice Transport Combination - Zone 2 2 UNCVX UEAL4 32.26 108.76 35.47 72.94 10.86 20.35 21.09	

ONBONDLE	D NETWORK ELEMENTS - Tennessee			1										ment: 2		bit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			1	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'l
						Rec	Nonrecurring		Nonrecurring					Rates (\$)		
	Additional A Wire Angles Voice Conda Lass in come DC4						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Additional 4-Wire Analog Voice Grade Loop in same DS1 Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL4	42.18	108.76	35.47	72.94	10.86			20.35	21.09		
+	Each Additional DS1 Interoffice Channel per mile in same 3/1			ONOVA	OLAL	42.10	100.70	33.47	72.54	10.00			20.55	21.03		
	Channel System per month			UNC1X	1L5XX	0.3562										
	Each Additional DS1 Interoffice Channel Facility Termination in															
	same 3/1 Channel System per month			UNC1X	U1TF1	77.86	171.24	113.12	70.07	30.90			20.35	21.09		
	Additional Voice Grade COCI - in combination - per month			UNCVX	1D1VG	0.91	5.70	4.42	-							
	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge			UNC1X	UNCCC		52.73	24.62	9.12	9.12			20.35	21.09		
EXTEN	IDED 4-WIRE 56 KBPS DIGITAL LOOP WITH DEDICATED DS1	INTERC	OFFICE				32.73	24.02	3.12	5.12			20.33	21.03		
	First 4-Wire 56Kbps Digital Grade Local Loop in Combination -															
	Zone 1		1	UNCDX	UDL56	31.10	108.76	35.47	72.94	10.86			20.35	21.09		
	First 4-Wire 56Kbps Digital Grade Local Loop in Combination -															
\vdash	Zone 2		2	UNCDX	UDL56	40.61	108.76	35.47	72.94	10.86			20.35	21.09		
	First 4-Wire 56Kbps Digital Grade Local Loop in Combination - Zone 3		3	UNCDX	UDL56	53.11	108.76	35.47	72.94	10.86			20.35	21.09		
 	First Interoffice Transport - Dedicated - DS1 combination - Per		13	UNCDA	UDLOG	55.11	100.76	33.47	12.94	10.86			20.35	21.09	 	
	Mile Per Month			UNC1X	1L5XX	0.3562										
	First Interoffice Transport - Dedicated - DS1 - combination															
	Facility Termination Per Month			UNC1X	U1TF1	77.86	171.24	113.12	70.07	30.90			20.35	21.09		
	Per each 1/0 Channel System in combination Per Month			UNC1X	MQ1	80.77	105.76	14.48	3.04	2.74						
	Per each OCU-DP COCI (data) COCI per month (2.4-64kbs)		ļ	UNCDX	1D1DD	0.91	5.70	4.42								
\vdash	3/1 Channel System in combination per month Per each DS1 COCI in combination per month			UNC3X UNC1X	MQ3 UC1D1	222.98 17.58	156.02 5.70	49.41 4.42	17.12	6.77			36.84	36.84		
—	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1		1	UNCIX	ОСТИ	17.58	5.70	4.42	-							
	Interoffice Transport Combination - Zone 1		1	UNCDX	UDL56	31.10	108.76	35.47	72.94	10.86			20.35	21.09		
	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1															
	Interoffice Transport Combination - Zone 2		2	UNCDX	UDL56	40.61	108.76	35.47	72.94	10.86			20.35	21.09		
	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1		3	LINODY	LIDI FO	50.44	100.70	35.47	70.04	40.00			00.05	04.00		
	Interoffice Transport Combination - Zone 3 OCU-DP COCI (data) COCI in combination per month (2.4-		3	UNCDX	UDL56	53.11	108.76	35.47	72.94	10.86			20.35	21.09		
	64kbs)			UNCDX	1D1DD	0.91	5.70	4.42								
	Each Additional DS1 Interoffice Channel per mile in same 3/1			0.10271		0.01	0.70		†							
	Channel System per month			UNC1X	1L5XX	0.3562										
	Each Additional DS1 Interoffice Channel Facility Termination in															
	same 3/1 Channel System per month			UNC1X	U1TF1	77.86	171.24	113.12	70.07	30.90			20.35	21.09		
	Each Additional DS1 COCI in the same 3/1 channel system			LINICAY	LICADA	47.50	F 70	4 40								
\vdash	combination per month Nonrecurring Currently Combined Network Elements Switch -As-	-	1	UNC1X	UC1D1	17.58	5.70	4.42	 		 					-
	Is Charge			UNC1X	UNCCC		52.73	24.62	9.12	9.12			20.35	21.09		
EXTEN	IDED 4-WIRE 64 KBPS DIGITAL LOOP WITH DEDICATED DS1	INTERC	FFICE				02.70	27.02	5.12	5.12			20.00	21.00		
	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice															
	Transport Combination - Zone 1		1	UNCDX	UDL64	31.10	108.76	35.47	72.94	10.86			20.35	21.09		
_	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice				LIBI 6											
\vdash	Transport Combination - Zone 2		2	UNCDX	UDL64	40.61	108.76	35.47	72.94	10.86	-		20.35	21.09		ļ
	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 3		3	UNCDX	UDL64	53.11	108.76	35.47	72.94	10.86			20.35	21.09		
	First Interoffice Transport - Dedicated - DS1 combination - Per			CINODA	ODLO4	55.11	100.76	33.47	12.34	10.00	 		20.33	21.09		-
	Mile Per Month			UNC1X	1L5XX	0.3562										
	First Interoffice Transport - Dedicated - DS1 combination -															
	Facility Termination Per Month			UNC1X	U1TF1	77.86	171.24	113.12	70.07	30.90			20.35	21.09	L	
\vdash	Per each Channel System 1/0 in combination Per Month			UNC1X	MQ1	80.77	105.76	14.48	3.04	2.74						
	Per each OCU-DP COCI (data) in combination - per month (2.4-64kbs)			UNCDX	1D1DD	0.91	5.70	4.42								
	3/1 Channel System in combination per month		1	UNC3X	MQ3	222.98	156.02	4.42	17.12	6.77	-		36.84	36.84	-	
	Per each DS1 COCI in combination per month		t	UNC1X	UC1D1	17.58	5.70	49.41	11.12	0.77	 		30.04	30.64	 	
 	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1			551X	30151	17.50	5.70	7.72							1	
			1	UNCDX	UDL64	31.10	108.76	35.47	72.94	10.86	1		20.35	21.09	I	1

CNDUNDLE	D NETWORK ELEMENTS - Tennessee	1	1		 						Cup Onder	Cup Cude		ment: 2		bit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'l
						Rec	Nonrecurring		Nonrecurring					Rates (\$)		
						1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1		2	LINODY	LIDIOA	10.01	400.70	05.47	70.04	40.00			00.05	04.00		ĺ
	Interoffice Transport Combination - Zone 2 Additional 4-Wire 64Kbps Digital Grade Loop in same DS1		2	UNCDX	UDL64	40.61	108.76	35.47	72.94	10.86	+		20.35	21.09		
	Interoffice Transport Combination - Zone 3		3	UNCDX	UDL64	53.11	108.76	35.47	72.94	10.86			20.35	21.09		l
	Additional OCU-DP COCI (data) - DS1 to DS0 Channel System		Ŭ	ONODA	OBLOT	00.11	100.70	00.47	72.04	10.00			20.00	21.00		
	combination - per month (2.4-64kbs)			UNCDX	1D1DD	0.91	5.70	4.42								l
	Each Additional DS1 Interoffice Channel per mile in same 3/1						ĺ									
	Channel System per month			UNC1X	1L5XX	0.3562										
	Each Additional DS1 Interoffice Channel Facility Termination in				l											l
	same 3/1 Channel System per month			UNC1X	U1TF1	77.86	171.24	113.12	70.07	30.90			20.35	21.09		
	Each Additional DS1 COCI in the same 3/1 channel system combination per month			UNC1X	UC1D1	17.58	5.70	4.42								1
- 	Nonrecurring Currently Combined Network Elements Switch -As-			011017	30101	17.50	5.70	7.42								
	Is Charge			UNC1X	UNCCC		52.73	24.62	9.12	9.12			20.35	21.09		l
EXTE	NDED 2-WIRE ISDN LOOP WITH DS1 INTEROFFICE TRANSPOR	RT w/ 3/	1 MUX													
	First 2-Wire ISDN Loop in a DS1 Interoffice Combination															1
	Transport - Zone 1		1	UNCNX	U1L2X	22.22	108.76	35.47	72.94	10.86			20.35	21.09		
	First 2-Wire ISDN Loop in a DS1 Interoffice Combination		_	LINIONIV	U1L2X	29.02	400.70	35.47	72.94	40.00			20.35	21.09		l
	Transport - Zone 2 First 2-Wire ISDN Loop in a DS1 Interoffice Combination		2	UNCNX	UILZX	29.02	108.76	35.47	72.94	10.86	.		20.35	21.09		-
	Transport - Zone 3		3	UNCNX	U1L2X	37.95	108.76	35.47	72.94	10.86			20.35	21.09		l
	First Interoffice Transport - Dedicated - DS1 combination - Per			ONOR	OTLEX	07.00	100.70	00.47	72.04	10.00			20.00	21.00		
	Mile per month			UNC1X	1L5XX	0.3562										l
	First Interoffice Transport - Dedicated - DS1 combination -															
	Facility Termination per month			UNC1X	U1TF1	77.86	171.24	113.12	70.07	30.90			20.35	21.09		
	Per each Channel System 1/0 in combination - per month			UNC1X	MQ1	80.77	105.76	14.48	3.04	2.74						——
	Per each 2-wire ISDN COCI (BRITE) in combination - per month			UNCNX	UC1CA	3.24	5.70	4.42								l
	3/1 Channel System in combination per month			UNC3X	MQ3	222.98	156.02	49.41	17.12	6.77			36.84	36.84		
	Per each DS1 COCI in combination per month			UNC1X	UC1D1	17.58	5.70	4.42	2	0			00.01	00.01		
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport															
	Combination - Zone 1		1	UNCNX	U1L2X	22.22	108.76	35.47	72.94	10.86			20.35	21.09		
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport		_													l
	Combination - Zone 2		2	UNCNX	U1L2X	29.02	108.76	35.47	72.94	10.86			20.35	21.09		
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport Combination - Zone 3		3	UNCNX	U1L2X	37.95	108.76	35.47	72.94	10.86			20.35	21.09		l
	Additional 2-wire ISDN COCI (BRITE) in same 1/0 channel		3	UNCINA	UILZA	37.95	106.76	35.47	72.94	10.00			20.33	21.09		
	system combination- per month			UNCNX	UC1CA	3.24	5.70	4.42								1
	Each Additional DS1 Interoffice Channel per mile in same 3/1															
	Channel System per month			UNC1X	1L5XX	0.3562										
	Each Additional DS1 Interoffice Channel Facility Termination in						.=									1
	same 3/1 Channel System per month			UNC1X	U1TF1	77.86	171.24	113.12	70.07	30.90			20.35	21.09		—
	Each Additional DS1 COCI in the same 3/1 channel system combination per month			UNC1X	UC1D1	17.58	5.70	4.42								1
	Nonrecurring Currently Combined Network Elements Switch -As-			011017	30101	17.50	5.70	7.42	1							
	Is Charge			UNC1X	UNCCC		52.73	24.62	9.12	9.12			20.35	21.09		1
EXTE	IDED 4-WIRE DS1 LOOP WITH DEDICATED DS1 INTEROFFICE	TRANS		w/ 3/1 MUX												
	First 4-wire DS1 Digital Lcoal Loop in Combination - Zone 1			UNC1X	USLXX	57.73	228.40	161.74	79.87	24.88						
	First 4-wire DS1 Digital Lcoal Loop in Combination - Zone 2	ļ		UNC1X	USLXX	75.40	228.40	161.74	79.87	24.88						
	First 4-wire DS1 Digital Local Loop in Combination - Zone 3	-	3	UNC1X	USLXX	98.59	228.40	161.74	79.87	24.88	1					
	First Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month			UNC1X	1L5XX	0.3562										1
	First Interoffice Transport - Dedicated - DS1 combination -	-		ONOIA	ILUAA	0.5562			1							
	Facility Termination Per Month			UNC1X	U1TF1	77.86	171.24	113.12	70.07	30.90			20.35	21.09		1
	3/1 Channel System in combination per month			UNC3X	MQ3	222.98	156.02	49.41	17.12	6.77		İ	36.84	36.84		
	Per each DS1 COCI combination per month			UNC1X	UC1D1	17.58	5.70	4.42								
	Each Additional DS1 Interoffice Channel per mile in same 3/1															1
	Channel System per month	l		UNC1X	1L5XX	0.3562										1

ONRONDLE	ED NETWORK ELEMENTS - Tennessee			ı							_	1-		ment: 2		bit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			1	Svc Order Submitted Manually per LSR		Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
						Rec	Nonrecurring			g Disconnect				Rates (\$)		
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Each Additional DS1 Interoffice Channel Facility Termination in															
	same 3/1 Channel System per month			UNC1X	U1TF1	77.86	171.24	113.12	70.07	30.90			20.35	21.09		
	Each Additional DS1 COCI in the same 3/1 channel system					4==0										
-	combination per month		-	UNC1X	UC1D1	17.58	5.70	4.42		1						
	Additional 4-Wire DS1 Digital Local Loop in Combination - Zone		1	UNC1X	USLXX	57.73	228.40	161.74	79.87	24.88						
	Additional 4-Wire DS1 Digital Local Loop in Combination - Zone		-	UNCIX	USLAA	57.73	220.40	101.74	79.07	24.00						-
	2		2	UNC1X	USLXX	75.40	228.40	161.74	79.87	24.88						
	Additional 4-Wire DS1 Digital Local Loop in Combination - Zone			0.10.17	002,01	70.10	220.10			2 1.00	1					†
	3		3	UNC1X	USLXX	98.59	228.40	161.74	79.87	24.88						
	Nonrecurring Currently Combined Network Elements Switch -As-															
	Is Charge			UNC1X	UNCCC		52.73	24.62	9.12	9.12	L	<u> </u>	20.35	21.09		
EXTE	NDED 4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH DS0 II	NTERO														
	First 4-wire 56 kbps Local Loop in combination - Zone 1			UNCDX	UDL56	31.10	108.76	35.47		10.86						
	First 4-wire 56 kbps Local Loop in combination - Zone 2		2	UNCDX	UDL56	40.61	108.76	35.47	72.94	10.86						
	First 4-wire 56 kbps Local Loop in combination - Zone 3		3	UNCDX	UDL56	53.11	108.76	35.47	72.94	10.86						
	First 4-wiree 56 kbps Interoffice Transport - Dedicated - Per Mile															
	per month			UNCDX	1L5XX	0.0174										
	First 4-wire 56 kbps Interoffice Transport - Dedicated - Facility			LINODY	LIATOR	04.40	70.00	14.00	00.00	04.00			00.05	04.00		
	Termination per month		-	UNCDX	U1TD5	21.19	79.83	44.08	69.32	31.00			20.35	21.09		
	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge			UNCDX	UNCCC		52.73	24.62	9.12	9.12			20.35	21.09		
EVTE	NDED 4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH DS0 II	UTERO	EEICE :		UNCCC		52.73	24.62	9.12	9.12	-		20.35	21.09		
LAIL	First 4-wire 64 kbps Local Loop in combination - Zone 1	VILKO	1 1	UNCDX	UDL64	31.10	108.76	35.47	72.94	10.86	1					
	First 4-wire 64 kbps Local Loop in combination - Zone 1		2	UNCDX	UDL64	40.61	108.76	35.47	72.94	10.86						
	First 4-wire 64 kbps Local Loop in combination - Zone 3		3	UNCDX	UDL64	53.11	108.76	35.47		10.86	1					
	First I4-wire 65 kbps Interoffice Transport - Dedicated - Per Mile		Ŭ	ONODA	OBLOT	00.11	100.70	00.47	72.04	10.00						
	per month			UNCDX	1L5XX	0.0174										
	First 4-wire 64 kbps Interoffice Transport - Dedicated - Facility															
	Termination per month			UNCDX	U1TD6	21.19	79.83	44.08	69.32	31.00			20.35	21.09		
	Nonrecurring Currently Combined Network Elements Switch -As-															
	Is Charge			UNCDX	UNCCC		52.73	24.62	9.12	9.12			20.35	10.54		
	NETWORK ELEMENTS															
	used as a part of a currently combined facility, the non-recurr															
	used as ordinarily combined network elements in All States, the					As Is Charge	does not.									
Nonre	ecurring Currently Combined Network Elements "Switch As Is"	Charge	(One a	pplies to each com	bination)			.	1	 						
1	Nonrecurring Currently Combined Network Elements Switch -As-			LINCVY	UNCCC		52.73	24.62	9.12	9.12			53.73	24.62		
	Is Charge - 2 wire/4-Wire VG Nonrecurring Currently Combined Network Elements Switch -As-			UNCVX	UNCCC		52.73	24.62	9.12	9.12	1	-	53.73	24.62		
1	Is Charge - 56/64 kbps			UNCDX	UNCCC		52.73	24.62	9.12	9.12		1	20.35	10.54		
+	Nonrecurring Currently Combined Network Elements Switch -As-			ONODA	UNCCC		32.73	24.02	3.12	9.12			20.33	10.54	 	
1	Is Charge - DS1			UNC1X	UNCCC		52.73	24.62	9.12	9.12			53.73	24.62		
1	Nonrecurring Currently Combined Network Elements Switch -As-				3230		32.70	252	0.12	5.12			556	232	İ	
1	Is Charge - DS3			UNC3X	UNCCC		52.73	24.62	9.12	9.12		1	53.73	24.62		
	Nonrecurring Currently Combined Network Elements Switch -As-															
	Is Charge - STS1			UNCSX	UNCCC		52.73	24.62	9.12	9.12			53.73	24.62		
Option	nal Features & Functions:															
				U1TD1,												
	Clear Channel Capability Extended Frame Option - per DS1			ULDD1,UNC1X	CCOEF		OI	01	01	01						
				U1TD1,				l.,		l.,		1				
	Clear Channel Capability Super FrameOption - per DS1	i	-	ULDD1,UNC1X	CCOSF		01	UI	OI	OI			 	 	 	
	Clear Channel Capability (SF/ESF) Option - Subsequent			ULDD1, U1TD1,	NRCCC		105 100	22 050	2.03S	0.79S		1	45.68	4 70		
	Activity - per DS1		-	UNC1X, USL U1TD3, ULDD3,	INKUUU		185.16S	23.85S	2.035	0.795			45.68	1.76		-
	C-bit Parity Option - Subsequent Activity - per DS3			UE3, UNC3X	NRCC3		219.46S	7.68S	.7637S	0S		1	45.68	1.76		
MULT	IPLEXERS			OLO, UNUOA	ININOUS		213.403	7.000	.10313	00	H		45.08	1.70	 	
- INIGET	DS1 to DS0 Channel System per month			UNC1X	MQ1	80.77	105.76	14.48	3.04	2.74		 	20.35	9.80		
	00 0.10.11101 0,000.11 pol 111011111					00.77	100.70	17.70	0.04	4.17			20.00	5.50		
+	OCU-DP COCI (data) - DS1 to DS0 Channel System - per															I .

NURONDE	ED NETWORK ELEMENTS - Tennessee													ment: 2		bit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic-	Increment Charge - Manual Sv Order vs. Electronic
													1st	Add'l	Disc 1st	Disc Add
			1			Dee	Nonrecurring		Nonrecurring	Disconnect			oss	Rates (\$)	•	•
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	OCU-DP COCI (data) - DS1 to DS0 Channel System - per															
	month (2.4-64kbs) used for connection to a channelized DS1															
	Local Channel in the same SWC as collocation			U1TUD	1D1DD	1.82	6.07	4.66								
	2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per															
	month for a Local Loop			UDN	UC1CA	3.10	6.07	4.66								
	2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per															
	month used for connection to a channelized DS1 Local Channel															
	in the same SWC as collocation			U1TUB	UC1CA	3.10	6.07	4.66								
	Voice Grade COCI - DS1 to DS0 Channel System - per month															
	used for a Local Loop			UEA	1D1VG	0.91	6.07	4.66								
	Voice Grade COCI - DS1 to DS0 Channel System - per month															
	used for connection to a channelized DS1 Local Channel in the same SWC as collocation			U1TUC	1D1VG	0.91	6.07	4.66								
	DS3 to DS1 Channel System per month			UNC3X	MQ3	222.98	156.02	49.41	17.12	6.77	-		20.35	9.80		1
-	STS-1 to DS1 Channel System per month		-	UNCSX	MQ3	222.98	156.02	49.41	17.12	6.77	1		20.35	9.80	-	1
	DS1 COCI used with Loop per month			USL	UC1D1	17.58	6.07	4.66	17.12	0.77			20.33	9.00		1
-	DS1 COCI (used for connection to a channelized DS1 Local		1	OOL	OCIDI	17.50	0.07	4.00								1
	Channel in the same SWC as collocation) per month			U1TUA	UC1D1	17.58	6.07	4.66								
	DS1 COCI used with Interoffice Channel per month			U1TD1	UC1D1	17.58	6.07	4.66			1					1
	DS3 Interface Unit (DS1 COCI) used with Local Channel per			01151	00.5.	17.00	0.07				1					
	month			ULDD1	UC1D1	17.58	6.07	4.66								
NBUNDLE	LOCAL EXCHANGE SWITCHING(PORTS)															
	ange Ports															
NOT	E: Although the Port Rate includes all available features in GA, I	KY, LA	& TN, t	he desired features	will need to b	e ordered usin	g retail USOCs	3								
2-WI	RE VOICE GRADE LINE PORT RATES (RES)															
	Exchange Ports - 2-Wire Analog Line Port- Res.			UEPSR	UEPRL	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.4
	Exchange Ports - 2-Wire Analog Line Port with Caller ID - Res.			UEPSR	UEPRC	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.4
	Exchange Ports - 2-Wire Analog Line Port outgoing only - Res.			UEPSR	UEPRO	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.4
	Exchange Ports - 2-Wire VG unbundled TN extended local			LIEDOD	LIEDAG	4.00	0.00	0.40	0.00	0.00			00.05	40.54	40.00	
	dialing parity Port with Caller ID - Res.		1	UEPSR	UEPAQ	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.4
	Exchange Ports - 2-Wire VG unbundled Tennessee Area Plus with Caller ID - Res (AC7)			UEPSR	UEPAH	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.4
	Exchange Ports - 2-Wire VG unbundled Tennessee Area Calling			UEPSK	UEPAH	1.09	9.93	9.19	3.00	2.92	-		20.33	10.54	13.32	1.4
	port with Caller ID - Res (F2R)			UEPSR	UEPAK	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.4
	Exchange Ports - 2-Wire VG unbundled Tennessee Area Calling			ULFOR	ULFAR	1.09	9.93	3.13	3.00	2.32			20.33	10.34	13.32	1.5
	port with Caller ID - Res (TACER)			UEPSR	UEPAL	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.4
	Exchange Ports - 2-Wire VG unbundled Tennessee Area Calling			02.	02.7.2	1.00	0.00	0.10	0.00	2.02	1		20.00	10.01	10.02	· · · · · ·
	port with Caller ID - Res (TACSR)			UEPSR	UEPAM	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.4
	Exchange Ports - 2-Wire VG unbundled Tennessee Area Calling			OL: OK	02.740	1.00	0.00	0.10	0.00	2.02			20.00	10.01	10.02	
	port with Caller ID - Res (1MF2X)			UEPSR	UEPAN	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.4
	Exchange Ports - 2-Wire VG unbundled Tennessee Area Calling		1													
	port with Caller ID - Res (2MR)			UEPSR	UEPAO	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.4
	Exchange Ports - 2-Wire VG unbundled res, low usage line port															
	with Caller ID (LUM)			UEPSR	UEPAP	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.4
	Exchange Port - 2-Wire VG Tennessee Residence Dialing Plan															
	without Caller ID		<u> </u>	UEPSR	UEPWN	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.4
	Exchange Port - 2-Wire VG Tennessee Residence Area Plus															
_	without Caller ID		<u> </u>	UEPSR	UEPRR	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.4
	2-Wire voice unbundled Low Usage Line Port without Caller ID	1													I	
	Capability		<u> </u>	UEPSR	UEPRT	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.4
- 1	Subsequent Activity		<u> </u>	UEPSR	USASC	0.00	0.00	0.00					20.35	10.54	13.32	1.4
	TURES		1		1						1					1
FEA	Tana nanaya se s		1	LIEDOD												
	All Available Vertical Features			UEPSR	UEPVF	0.00	0.00	0.00					20.35	10.54	13.32	1.4
	All Available Vertical Features RE VOICE GRADE LINE PORT RATES (BUS) Exchange Ports - 2-Wire Analog Line Port without Caller ID -			UEPSR	UEPVF	0.00	0.00	0.00					20.35	10.54	13.32	1.4

CHOONDE	ED NETWORK ELEMENTS - Tennessee		l								Svc Order	Svc Order		ment: 2 Incremental	Incremental	bit: A Incremental
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			Submitted Elec per LSR	Submitted Manually	Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge - Manual Sv Order vs. Electronic Disc Add'
						Rec	Nonrecurring		Nonrecurring					Rates (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Exchange Ports - 2-Wire VG unbundled Line Port with			LIEDOD	LIEDDO	1.89	0.00	9.19	3.66	2.92			20.35	10.54	13.32	
	unbundled port with Caller+E484 ID - Bus.		-	UEPSB	UEPBC	1.89	9.93	9.19	3.00	2.92	-	-	20.35	10.54	13.32	1.4
	Exchange Ports - 2-Wire Analog Line Port outgoing only - Bus.			UEPSB	UEPBO	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.4
	Exchange Ports - 2-Wire VG unbundled TN extended local															
	dialing parity Port with Caller ID - Bus.			UEPSB	UEPAV	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.4
	Exhange Ports - 2-Wire VG unbundled incoming only port with															
	Caller ID - Bus			UEPSB	UEPB1	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.4
	Exchange Ports - 2-Wire VG unbundled TN Bus 2-Way Area															
	Calling Port Economy Option - Bus (TACC1)			UEPSB	UEPAC	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.4
1	Exchange Ports - 2-Wire VG unbundled TN Bus 2-Way Area Calling Port Standard Option - Bus (TACC2)		1	UEPSB	UEPAD	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.4
	Exchange Ports - 2-W VG unbundled TN Bus 2-Way Collierville		 	021 00	OLI AD	1.09	9.93	5.19	3.00	2.32	†	-	20.35	10.34	13.32	1.4
	& Memphis Local Calling Port - Bus (B2F)			UEPSB	UEPAE	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.4
	Exchange Ports - 2-W VG unbundled TN Bus 2-Way Collierville															
	& Memphis Local Calling Port			UEPSB	UEPB2	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.4
	Exchange Ports - 2-W VG unbundled TN, Business Line Inward,															
	Collierville & Memphis Local Calling Plan			UEPSB	UEPB3	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.4
	Exchange Ports - 2-Wire Voice Tennessee Business Dialing															
	Plan without Caller ID			UEPSB	UEPWO	1.89	9.93	9.19	3.66	2.92	ļ		20.35	10.54	13.32	1.4
	2-Wire voice unbundled Incoming Only Port without Caller ID Capability			UEPSB	UEPBE	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.4
	Subsequent Activity		-	UEPSB	USASC	0.00	0.00	0.00	3.00	2.92	1	1	20.35	10.54	13.32	1.4
FEAT				OLI OD	OUAGO	0.00	0.00	0.00					20.55	10.54	10.02	1.4
	All Available Vertical Features			UEPSB	UEPVF	0.00	0.00	0.00			İ		20.35	10.54	13.32	1.4
EXCH	ANGE PORT RATES (DID & PBX)															
	2-Wire VG Unbundled 2-Way PBX Trunk - Res			UEPSE	UEPRD	1.79	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.4
	2-Wire VG Line Side Unbundled 2-Way PBX Trunk - Bus			UEPSP	UEPPC	1.79	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.4
	2-Wire VG Line Side Unbundled Outward PBX Trunk - Bus			UEPSP	UEPPO	1.79	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.4
	2-Wire VG Line Side Unbundled Incoming PBX Trunk - Bus 2-Wire Analog Long Distance Terminal PBX Trunk - Bus			UEPSP UEPSP	UEPP1 UEPLD	1.79 1.79	9.93 9.93	9.19 9.19	3.66 3.66	2.92 2.92			20.35 20.35	10.54 10.54	13.32 13.32	1.4 1.4
+	2-Wire Analog TN 2-Way Calling Plan PBX Trunk - Bus			UEPSP	UEPT2	1.79	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.4
	2-Wire TN Outward Calling Plan PBX Trunk - Bus			UEPSP	UEPTO	1.79	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.4
	2-Wire Voice Unbundled PBX LD Terminal Ports			UEPSP	UEPLD	1.79	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.4
	2-Wire Voice Unbundled 2-Way PBX Tennessee Calling Port			UEPSP	UEPT2	1.79	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.4
	2-Wire Voice Unbundled 1-Way Outgoing PBX Tennessee															
	Calling Port			UEPSP	UEPTO	1.79	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.4
	2-Wire Vice Unbundled 2-Way PBX Usage Port			UEPSP	UEPXA	1.79	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.4
	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports			UEPSP	UEPXB	1.79	9.93	9.19	3.66	2.92	ļ		20.35	10.54	13.32	1.4
	2-Wire Voice Unbundled PBX LD DDD Terminals Port 2-Wire Voice Unbundled PBX LD Terminal Switchboard Port			UEPSP UEPSP	UEPXC UEPXD	1.79 1.79	9.93 9.93	9.19 9.19	3.66 3.66	2.92 2.92	.	-	20.35 20.35	10.54 10.54	13.32 13.32	1.4 1.4
	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD			UEFSF	UEPAD	1.79	9.93	9.19	3.00	2.92			20.33	10.54	13.32	1.4
	Capable Port			UEPSP	UEPXE	1.79	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.4
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy			02. 0.	02.7.2		0.00	0.10	0.00	2.02			20.00	.0.0.	10.02	
	Administrative Calling Port			UEPSP	UEPXL	1.79	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy															
	Room Calling Port			UEPSP	UEPXM	1.79	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
	2-W Voice Unbundled 1-Way Out PBX Hotel/Hospital Economy				I 7											
	Administrative Calling Port TN Calling Port			UEPSP	UEPXN	1.79	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital		1	LIEDED	UEPXO	1.79	9.93	9.19	2.00	2.00			20.35	10.54	12.22	1.40
	Discount Room Calling Port Unbundled Exchange Ports, PBX Trunk Combination,		-	UEPSP	UEPXU	1.79	9.93	9.19	3.66	2.92	1	-	20.35	10.54	13.32	1.4
	Collierville and Memphis Local Calling Plan			UEPSP	UEPA6	1.79	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.4
	Unbundled Exchange Ports, PBX Trunk Combination, first trunk,		 	0.	02.70	1.73	0.00	5.19	3.30	2.02	1	<u> </u>	20.00	10.04	10.02	1.7
	Collierville and Memphis Local Calling Plan			UEPSP	UEPA7	1.79	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.4
	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPSP	UEPXS	1.79	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
	2-Wire Voice Unbundled PBX Collierville and Memphis Calling															
	Port		l	UEPSP	UEPXU	1.79	9.93	9.19	3.66	2.92	1		20.35	10.54	13.32	1.4

LINDLINDLI	ED NETWORK ELEMENTS - Tennessee												Attack	ment: 2	Ful:	bit: A
UNBUNDLI	ED NETWORK ELEWENTS - Tellilessee				1	ı					Cua Ordar	Cvo Ordor				Incremental
													Incremental	Incremental		
											Submitted	Submitted		Charge -	Charge -	Charge -
CATECORY	RATE ELEMENTS	Interi	7	BCS	USOC			DATES (\$)			Elec	,	Manual Svc	Manual Svc		Manual Svc
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
														- (4)		
						Rec	Nonrecurring		Nonrecurring					Rates (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Unbundled 2-Way PBX Tennessee RegionServ															
	Calling Port			UEPSP	UEPXV	1.79	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
	Subsequent Activity			UEPSP	USASC	0.00	0.00	0.00					20.35	10.54	13.32	1.40
FEAT	URES															
	All Available Vertical Features			UEPSP UEPSE	UEPVF	0.00	0.00	0.00					20.35	10.54	13.32	1.40
EXCH	IANGE PORT RATES (COIN)				Î								Î			
	Exchange Ports - Coin Port					2.11	9.93	9.19	3.66	2.92	1		20.35	10.54	13.32	1.40
NOTE	: Transmission/usage charges associated with POTS circuit sv	vitched	usage	will also apply to ci	rcuit switche			ed data transm		annels assoc	ated with 2	wire ISDN r				
	: Access to B Channel or D Channel Packet capabilities will be													s Request Pro	cess.	
	LOCAL EXCHANGE SWITCHING(PORTS)	- availar	1	, unough Dirighton	1	1	110100 101 1110	paonor capas.			1	l	1	 		
	IANGE PORT RATES															
	SANGE PORT RATES OS1 Port rates below for 4-Wire DDITS Trunk Port and 4-Wire IS	DN Dort	in this	rato ovhibit apply to	the embed	dod baso in sla	100 as of 10/2/0	2 until 4/1/04	After 4/1/04 th	eo ratoe ekali	rovert to to	riff rates ar	a congrate co	roomont		
I ne L	coto for 4 Wire DDITC Trunk Dorto with 4 Wire 1004 DO4 Dorto	DIN POR	off	rate exhibit apply to	dment ala	he provided	urought 15 7	o unun 4/1/04.	ant or tariff	Delle authin	icevert to ta	III rates of	a separate ag I	l cement.		-
Requ	ests for 4-Wire DDITS Trunk Ports with 4-Wire ISDN DS1 Ports	arter the	errect								iscretion.	 	20.00	10.51	10.00	4.00
\vdash	Exchange Ports - 2-Wire DID Port			UEPEX	UEPP2	8.97	47.75	47.01	9.21	8.47		ļ	20.35	10.54	13.32	1.40
] [Exchange Ports - DDITS Port - 4-Wire DS1 Port with DID	1	1	l	l						1	1		l		1
	capability (E:4/1/2004)			UEPDD	UEPDD	35.74	75.93	38.15	8.77	8.04			20.35	10.54	13.32	1.40
	Exchange Ports - 2-Wire ISDN Port (See Notes below.)			UEPTX, UEPSX	U1PMA	16.26	30.23	29.49	4.10	4.10		<u> </u>	20.35	10.54	13.32	1.40
	All Features Offered			UEPTX, UEPSX	UEPVF	0.00	0.00	0.00								
	Exchange Ports - 2-Wire ISDN Port Channel Profiles			UEPTX, UEPSX	U1UMA	0.00	0.00	0.00								
NOTE	: Transmission/usage charges associated with POTS circuit sv	vitched	usage	will also apply to ci	rcuit switche	ed voice and/or	circuit switche	ed data transm	ission by B-Ch	annels assoc	ated with 2	wire ISDN p	oorts.			
NOTE	: Access to B Channel or D Channel Packet capabilities will be	availal	ole only	through BFR/New	Business Re	auest Process.	Rates for the	packet capabi	lities will be de	termined via t	he Bona Fid	le Request/	New Busines	s Request Pro	cess.	
	IANGE PORT RATES (continued)											1				
	Exchange Ports - 4-Wire ISDN DS1 Port with Detailed E911															
	Locator Capability (E:4/1/2004)			UEPEX	UEPEX	75.04	148.66	147.18	38.46	36.98			20.35	10.54	13.32	1.40
	Exchange Ports - 4-Wire ISDN DS1 Port (E:4/1/2004)			UEPDX	UEPDX	75.04	148.66	147.18	38.46	36.98			20.35	10.54	10.02	1.40
-	Physical Collocation - DS1 Cross-Connects			UEPEX UEPDX	PE1P1	1.51	53.27	40.16	30.40	30.90	†		20.33	10.54		
			-	OEPEX OEPDX	FEIFI	1.31	55.21	40.16								
	Virtual collocation - Special Access & UNE, cross-connect per			HEDEY HEDDY	ONOAY	4.00	00.00	47.70	40.40	0.75						
—	DS1			UEPEX UEPDX	CNC1X	1.32	32.22	17.76	10.46	8.75						
Detail	led E911 with Locator Capability (required with UEPEX port)															
	Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - E911															
	Locator Capability - Initial Profile Establishment per CLEC per															
	State			UEPEX	UEP1A	0.00	1,699.00		147.00				20.35	10.54		
	Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - E911															
	Locator Capability - Subsequent Profile Changes, Additions,															
	Deletions			UEPEX	UEP1B	0.00	164.94						20.35	10.54		
New o	or Additional PRI Telephone Numbers															
	Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - E911															
	Locator Capability 2-way Telephone Numbers, per number in															
	E911 profile [New or Additional]			UEPEX	UEP1C	0.0755	0.94						20.35	10.54		
\vdash	Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - E911			OLI LX	OLI IO	0.0733	0.34				†		20.55	10.54		
	Locator Capability - Outdial Telephone Numbers, per number in															
				LIEDEV	LIEDAD	0.0755	00.00	00.00					00.05	40.54		
	E911 profile [New or Additional]			UEPEX	UEP1D	0.0755	22.36	22.36					20.35	10.54		
	Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - Inward															
	Telephone Numbers - Inward Data Only Option [New or															
	Additional]			UEPDX	UEP1E	0.00	0.94						20.35	10.54		
	Exchange Ports - 4-Wire ISDN DS1 Port - Subsequent [New]															
	Inward Tel Numbers [Customer Testing Purposes]			UEPEX	PR7ZT	0.00	44.71	44.70					20.35	10.54		
LOCA	AL NUMBER PORTABILITY															
	Local Number Portability (1 per port)			UEPEX UEPDX	LNPCN	1.75							20.35	10.54		
INTER	RFACE (Provsioning Only)				ĺ							1		ĺ		l
	Voice/Data		1	UEPEX	PR71V	0.00	0.00	0.00				İ	20.35	10.54		İ
	Digital Data			UEPEX	PR71D	0.00	0.00	0.00			1		20.35	10.54		
	Inward Data		1	UEPDX	PR71E	0.00	0.00	0.00			1		20.35	10.54		
Now	or Additional Channel		 	OLI DA	. 137 1	0.00	0.00	0.00			t	 	20.33	10.54		l
IAEM (New or Additional - Voice/Data "B" Channel	-	 	UEPEX	PR7BV	0.00	28.39				 	 	20.35	10.54		
\vdash		-	 						-		1	-				
\vdash	New or Additional - Digital Data "B" Channel		-	UEPEX	PR7BF	0.00	29.11				-	 	20.35	10.54		
\vdash	New or Additional Inward Data "B" Channel			UEPDX	PR7BD	0.00	29.39				-	ļ	20.35	10.54		
	New or Additional Useage Sensitive Voice Data "B" Channel			UEPEX	PR7BS	0.00	29.39				1	ļ	20.35	10.54		ļ
	New or Additional Useage Sensitive Digital Data "B" Channel		1	UEPEX	PR7BU	0.00	29.39				1	l	20.35	10.54		l

JURUNDLE	D NETWORK ELEMENTS - Tennessee													ment: 2	1	bit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			II .	Svc Order Submitted Manually per LSR	Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'
						Rec	Nonrecurring		Nonrecurring					Rates (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN		SOMAN	SOMAN	SOMAN
	New or Additional PRI "D" Channel			UEPEX	PR7EX	0.00	29.39						20.35	10.54		
CALL T																
	Inward			UEPEX UEPDX	PR7C1	0.00	0.00	0.00								
	Outward			UEPEX	PR7CO PR7CC	0.00	0.00	0.00			ļ					
	Two-way NDLED PORT with REMOTE CALL FORWARDING CAPABILITY	,	1	UEPEX	PR/CC	0.00	0.00	0.00			-					-
	NDLED PORT WITH REMOTE CALL FORWARDING CAPABILITY NDLED REMOTE CALL FORWARDING SERVICE - RESIDENCE				+	-					 	-		-	-	
	Unbundled Remote Call Forwarding Service - Residence		1	UEPVR	UERAC	1.89	9.93	9.19	3.66	2.92	1	1	20.35	10.54	13.32	1.40
	Oribundled Remote Call Follwarding Service, Area Calling, Res		<u> </u>	OLF VIX	ULKAC	1.09	9.93	5.15	3.00	2.52	1	1	20.33	10.54	13.32	1.40
'	Unbundled Remote Call Forwarding Service, Local Calling - Res			UEPVR	UERLC	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
-+	Unbundled Remote Call Forwarding Service, InterLATA - Res		1	UEPVR	UERTE	1.89	9.93	9.19	3.66	2.92	1	-	20.35	10.54	13.32	1.40
-	Unbundled Remote Call Forwarding Service, IntraLATA - Res		t	UEPVR	UERTR	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
	ecurring		t —			55	3.55	5.10	5.50	2.52			20.00	. 5.54	13.32	
	Unbundled Remote Call Forwarding Service - Conversion -		t —		i i	i e	1			İ			İ	1	1	
	Switch-as-is			UEPVR	USAC2	1	1.03	0.29					20.35	10.54	13.32	1.40
	Unbundled Remote Call Forwarding Service - Conversion with		i –													
	allowed change (PIC and LPIC)			UEPVR	USACC	1	1.03	0.29						1	1	
UNBUN	NDLED REMOTE CALL FORWARDING - Bus															ĺ
																ĺ
	Unbundled Remote Call Forwarding Service, Area Calling - Bus			UEPVB	UERAC	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
	Unbundled Remote Call Forwarding Service, Local Calling - Bus			UEPVB	UERLC	1.89	9.93	9.19		2.92			20.35	10.54	13.32	1.40
	Unbundled Remote Call Forwarding Service, InterLATA - Bus			UEPVB	UERTE	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
	Unbundled Remote Call Forwarding Service, IntraLATA - Bus			UEPVB	UERTR	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
'	Unbundled Remote Call Forwarding Service Expanded and															
	Exception Local Calling			UEPVB	UERVJ	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
Non-Re	ecurring				ļ											
'	Unbundled Remote Call Forwarding Service - Conversion -															
	Switch-as-is			UEPVB	USAC2		1.03	0.29			ļ		20.35	10.54	13.32	1.40
'	Unbundled Remote Call Forwarding Service - Conversion with			LIED) (D			4.00	0.00								
UNDUNDUED I	allowed change (PIC and LPIC) LOCAL SWITCHING, PORT USAGE		ļ	UEPVB	USACC	-	1.03	0.29			-					-
	ffice Switching (Port Usage)				1						 	-				
	End Office Switching Function, Per MOU				1	0.0008041					 	-				
	m Switching (Port Usage) (Local or Access Tandem)		<u> </u>		+	0.0008041	+ + + + + + + + + + + + + + + + + + +				1	1		-	-	
Tanuen	Tandem Switching Function Per MOU				+	0.0009778	 				1					1
-	Tandem Switching Function Per MOU (Melded)	†	 		1	0.000380364			1		1	 		I	I	-
	Melded Factor: 38.90% of the Tandem Rate				1	0.00000000						1			1	
Comm	on Transport		t		1	<u> </u>							1	<u> </u>	<u> </u>	
	Common Transport - Per Mile, Per MOU		t		i i	0.0000064	1			İ			İ	1	1	
	Common Transport - Facilities Termination Per MOU	1	i –	İ	İ	0.0003871				l			İ	1	1	1
JNBUNDLED F	PORT/LOOP COMBINATIONS - COST BASED RATES	1	i –	İ	İ	1				l			İ	1	1	1
	ased Rates are applied where BellSouth is required by FCC ar	nd/or St	ate Co	mmission rule to pre	ovide Unbun	dled Local Sw	itching or Switch	h Ports.			İ		1			
	es shall apply to the Unbundled Port/Loop Combination - Cos								ed Port section	of this Rate E	xhibit.					
	ffice and Tandem Switching Usage and Common Transport Us											n Port/Loop	Combination	ns.		
	st and additional Port nonrecurring charges apply to Not Curr															
	VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)															
UNE Po	ort/Loop Combination Rates															
	2-Wire VG Loop/Port Combo - Zone 1		1			14.18										
	2-Wire VG Loop/Port Combo - Zone 2		2			18.01	$oxed{\Box}$									
	2-Wire VG Loop/Port Combo - Zone 3		3		<u> </u>	23.02							ļ	1	1	
UNE Lo	oop Rates		<u> </u>	LUEBBY	Lucation									ļ	ļ	
	2-Wire Voice Grade Loop (SL1) - Zone 1			UEPRX	UEPLX	12.48									.	
		1	2	UEPRX	UEPLX	16.31					1	1		1	1	
	2-Wire Voice Grade Loop (SL1) - Zone 2															
	2-Wire Voice Grade Loop (SL1) - Zone 3			UEPRX	UEPLX	21.32										
	2-Wire Voice Grade Loop (SL1) - Zone 3 Voice Grade Line Port Rates (Res)			UEPRX			20.4	15.5	2 /-			4= 0-				
	2-Wire Voice Grade Loop (SL1) - Zone 3				UEPLX UEPRL UEPRC	21.32 1.70 1.70	22.14 22.14	15.25 15.25	8.45 8.45	3.91 3.91		15.69 15.69				

MRONDFI	ED NETWORK ELEMENTS - Tennessee			ı							1-	1_		ment: 2		ibit: A
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			1	Svc Order Submitted Manually per LSR	Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
						Rec	Nonrecurring		Nonrecurring					Rates (\$)		
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire voice Grade unbundled Tennessee extended local															
	dialing parity port with Caller ID - res			UEPRX	UEPAQ	1.70	22.14	15.25	8.45	3.91		15.69				
	2-Wire voice unbundled Tennessee Area Plus with Caller ID - res (AC7)			UEPRX	UEPAH	1.70	22.14	15.25	8.45	3.91		15.69				
	2-Wire voice unbundled Tennessee Area Calling port with Caller ID - res (F2R)			UEPRX	UEPAK	1.70	22.14	15.25	8.45	3.91		15.69				
	2-Wire voice unbundled Tennessee Area Calling port with Caller ID - res (TACER)			UEPRX	UEPAL	1.70	22.14	15.25	8.45	3.91		15.69				
	2-Wire voice unbundled Tennessee Area Calling port with Caller			UEPRX	UEPAM	1.70		15.25	8.45	3.91						
	ID - res (TACSR) 2-Wire voice unbundled Tennessee Area Calling port with Caller						22.14					15.69				
	ID - res (1MF2X)			UEPRX	UEPAN	1.70	22.14	15.25	8.45	3.91		15.69	1			1
	2-Wire voice unbundled Tennessee Area Calling port with Caller ID - res (2MR)			UEPRX	UEPAO	1.70	22.14	15.25	8.45	3.91		15.69				
	2-Wire voice unbundles res, low usage line port with Caller ID (LUM)			UEPRX	UEPAP	1.70	22.14	15.25	8.45	3.91		15.69				
	2-Wire Voice Unbundled Tennessee Residence Dialing Plan without Caller ID			UEPRX	UEPWN	1.70	22.14	15.25	8.45	3.91		15.69				
	2-Wire voice unbundled Tennessee Area Plus Port without Caller ID Capability			UEPRX	UEPRR	1.70	22.14	15.25	8.45	3.91		15.69				
	2-Wire voice unbundled Low Usage Line Port without Caller ID Capability			UEPRX	UEPRT	1.70	22.14	15.25	8.45	3.91		15.69				
FEAT	TURES			02.700	02			10.20	0.10	0.01		10.00	t			
	All Features Offered			UEPRX	UEPVF	0.00	0.00	0.00			1	15.69				1
LOCA	AL NUMBER PORTABILITY															
	Local Number Portability (1 per port)			UEPRX	LNPCX	0.35										
NONE	RECURRING CHARGES (NRCs) - CURRENTLY COMBINED															
	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch-as-is			UEPRX	USAC2		1.03	0.29				15.69				
	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch with change			UEPRX	USACC		1.03	0.29				15.69				
	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Subsequent Database Update						0.76					15.69				
ADDI	TIONAL NRCs															
	2-Wire Voice Grade Loop/Line Port Combination - Subsequent Activity			UEPRX	USAS2	0.00	0.00	0.00				15.69				
	Unbundled Miscellaneous Rate Element, Tag Loop at End User Premise			UEPRX	URETL		8.33	0.83					20.35	10.54	13.32	13.3
OFF/0	ON PREMISES EXTENSION CHANNELS			02.700	UNLIE		0.00	0.00			1		20.00	.0.0.	10.02	10.0
	2 Wire Analog Voice Grade Extension Loop – Non-Design		1	UEPRX	UEAEN	13.19	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.3
	2 Wire Analog Voice Grade Extension Loop – Non-Design		2	UEPRX	UEAEN	17.23	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.3
	2 Wire Analog Voice Grade Extension Loop – Non-Design		3	UEPRX	UEAEN	22.53		20.02	10.65	1.41			20.35	10.54	13.32	13.3
	2 Wire Analog Voice Grade Extension Loop – Design		1	UEPRX	UEAED	16.56		48.20	28.70	17.64			20.35	10.54	13.32	13.3
	2 Wire Analog Voice Grade Extension Loop – Design		2	UEPRX	UEAED	21.63	75.06	48.20	28.70	17.64			20.35	10.54	13.32	13.3
	2 Wire Analog Voice Grade Extension Loop – Design		3	UEPRX	UEAED	28.28	75.06	48.20	28.70	17.64			20.35	10.54	13.32	13.3
INTE	ROFFICE TRANSPORT		-		1				-		1					
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility Termination			UEPRX	U1TV2	18.58	55.39	17.37	27.96	3.51						
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile or Fraction Mile			UEPRX	U1TVM	0.0174	0.00	0.00								
	RE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS)				\perp				\Box						ļ	
UNE	Port/Loop Combination Rates		L				ļ				ļ	ļ	ļ			ļ
	2-Wire VG Loop/Port Combo - Zone 1		1			14.18	ļ				ļ	ļ	ļ			ļ
_	2-Wire VG Loop/Port Combo - Zone 2		2			18.01							-			
100-	2-Wire VG Loop/Port Combo - Zone 3		3		1	23.02					<u> </u>	ļ	 	-	-	_
UNE	Loop Rates		- 1	LIEDDY	UEPLX	12.48	 		<u> </u>		 	1	 	-		
1	2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPBX UEPBX	UEPLX	12.48 16.31	1				1	 	 			\vdash
																1

JNBUNDL	ED NETWORK ELEMENTS - Tennessee										Ι			ment: 2		ibit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			I .	Submitted Manually	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrecurring		Nonrecurring					Rates (\$)		
						1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
2-W	ire Voice Grade Line Port (Bus)															
	2-Wire voice unbundled port without Caller ID - bus			UEPBX	UEPBL	1.70	22.14	15.25	8.45	3.91		15.69				ļ
	2-Wire voice unbundled port with Caller + E484 ID - bus			UEPBX	UEPBC	1.70	22.14	15.25	8.45	3.91		15.69				
	2-Wire voice unbundled port outgoing only - bus	_		UEPBX	UEPBO	1.70	22.14	15.25	8.45	3.91	ļ	15.69				
	2-Wire voice Grade unbundled Tennessee extended local dialing parity port with Caller ID - bus			UEPBX	UEPAV	1.70	22.14	15.25	8.45	3.91		15.69				
_	2-Wire voice unbundled incoming only port with Caller ID - Bus	+	1	UEPBX	UEPB1	1.70	22.14	15.25	8.45	3.91	1	15.69			1	-
	2-Wire voice unbundled Tennessee Bus 2-Way Area Calling	1	1	OLI DX	OLI DI	1.70	22.14	10.20	0.40	3.31	1	13.03				
	Port Economy Option (TACC1)			UEPBX	UEPAC	1.70	22.14	15.25	8.45	3.91		15.69				
	2-Wire voice unbundled Tennessee Bus 2-Way Area Calling	+	1	02. 57.	02.7.0			.0.20	0.10	0.01	1	10.00			1	†
	Port Standard Option (TACC2)			UEPBX	UEPAD	1.70	22.14	15.25	8.45	3.91		15.69				
	2-Wire voice unbundled Tennessee Bus 2-Way Collierville and	1	i –		1	0			50	2.31				İ	1	
	Memphis Local Calling Port (B2F)			UEPBX	UEPAE	1.70	22.14	15.25	8.45	3.91		15.69				
	2-Wire Voice Unbundled Tennessee Business Dialing Plan															
	without Caller ID			UEPBX	UEPWO	1.70	22.14	15.25	8.45	3.91		15.69				
	Tennessee Inward Collierville and Memphis Local Calling Plan															
	(BUS)			UEPBX	UEPB2	1.70	22.14	15.25	8.45	3.91		15.69				ļ
	Tennessee 2-Way Collierville and Memphis Local Calling Plan															
	(BUS)			UEPBX	UEPB3	1.70	22.14	15.25	8.45	3.91		15.69				
	2-Wire voice unbundled Incoming Only Port without Caller ID															
	Capability			UEPBX	UEPBE	1.70	22.14	15.25	8.45	3.91		15.69				ļ
LOC	AL NUMBER PORTABILITY	+		UEPBX	LNDOV	0.35					1					
EEA	Local Number Portability (1 per port) TURES	+	1	UEPBX	LNPCX	0.35					-			-		
FEA	All Features Offered	+	-	UEPBX	UEPVF	0.00	0.00	0.00			 	15.69			-	
NON	IRECURRING CHARGES (NRCs) - CURRENTLY COMBINED	+	-	UEPBA	UEFVF	0.00	0.00	0.00			1	15.69			-	
NON	2-Wire Voice Grade Loop / Line Port Combination - Conversion	.+			+						+				-	
	Switch-as-is			UEPBX	USAC2		1.03	0.29				15.69				
	2-Wire Voice Grade Loop / Line Port Combination - Conversion	-		02. 57.	00/102		1.00	0.20			1	10.00				
	Switch with change			UEPBX	USACC		1.03	0.29				15.69				
	2-Wire Voice Grade Loop / Line Port Combination - Conversion	-														
	Subsequent Database Update						0.76					15.69				
ADD	OITIONAL NRCs															
	2-Wire Voice Grade Loop/Line Port Combination - Subsequent															
	Activity			UEPBX	USAS2	0.00	0.00	0.00				15.69				
	Unbundled Miscellaneous Rate Element, Tag Loop at End User	·														
	Premise			UEPBX	URETL		8.33	0.83					20.35	10.54	13.32	13.32
OFF	ON PREMISES EXTENSION CHANNELS	+	1	UEPBX	UEAEN	10.10	01.00	20.00	10.0=	4 **			20.0=	10.51	13.32	10.00
	2 Wire Analog Voice Grade Extension Loop – Non-Design	+	<u> </u>			13.19	31.99	20.02	10.65	1.41	1		20.35	10.54		13.32
_	2 Wire Analog Voice Grade Extension Loop – Non-Design 2 Wire Analog Voice Grade Extension Loop – Non-Design	+	3	UEPBX UEPBX	UEAEN UEAEN	17.23 22.53	31.99 31.99	20.02	10.65 10.65	1.41 1.41		-	20.35 20.35	10.54 10.54	13.32 13.32	13.32 13.32
-+	2 Wire Analog Voice Grade Extension Loop – Non-Design 2 Wire Analog Voice Grade Extension Loop – Design	+	1	UEPBX	UEAEN	16.56	75.06	48.20	28.70	17.64			20.35	10.54	13.32	13.32
	2 Wire Analog Voice Grade Extension Loop – Design	+	2	UEPBX	UEAED	21.63	75.06	48.20	28.70	17.64		-	20.35	10.54	13.32	13.32
-	2 Wire Analog Voice Grade Extension Loop – Design	+		UEPBX	UEAED	28.28	75.06	48.20	28.70	17.64			20.35	10.54		13.32
INTE	EROFFICE TRANSPORT	1	Ť		522	20.20	7 0.00	-10.20	20.70	17.04	1	 	20.00	10.04	10.02	10.02
11412	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility	1	t		1									1	<u> </u>	
	Termination	1		UEPBX	U1TV2	18.58	55.39	17.37	27.96	3.51					I	
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile)														
	or Fraction Mile	<u> </u>	<u>L</u>	UEPBX	U1TVM	0.0174	0.00	0.00								
	IRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES - PBX)							•		•						
UNE	Port/Loop Combination Rates	1														<u> </u>
	2-Wire VG Loop/Port Combo - Zone 1	1	1		1	14.18			ļ					ļ	1	<u> </u>
_	2-Wire VG Loop/Port Combo - Zone 2	1	2		1	18.01								ļ	1	<u> </u>
	2-Wire VG Loop/Port Combo - Zone 3	1	3	LIEBBO	luen	23.02			ļ		ļ				ļ	_
	2-Wire Voice Grade Loop (SL 1) - Zone 1	1	1	UEPRG	UEPLX	12.48					-				-	
	2-Wire Voice Grade Loop (SL 1) - Zone 2	+	2	UEPRG	UEPLX	16.31					ļ			.	 	├
0.147	2-Wire Voice Grade Loop (SL 1) - Zone 3	+	3	UEPRG	UEPLX	21.32					 	1		 	 	
12-Wi	ire Voice Grade Line Port Rates (RES - PBX)	1	1		1						1	1				

UNBUNDLE	D NETWORK ELEMENTS - Tennessee										1			ment: 2		bit: A
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Charge -	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'
							Nonrecurring		Nonrecurring	Disconnect	†		oss	Rates (\$)	1	
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire VG Unbundled Combination 2-Way PBX Trunk Port -															
	Res			UEPRG	UEPRD	1.70	22.14	15.25	8.45	3.91		15.69				
LOCA	L NUMBER PORTABILITY															
	Local Number Portability (1 per port)			UEPRG	LNPCP	3.15	0.00	0.00				15.69				
FEAT																
	All Features Offered			UEPRG	UEPVF	0.00	0.00	0.00			ļ	15.69				
NONR	ECURRING CHARGES (NRCs) - CURRENTLY COMBINED										ļ					
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -			LIEDDO	110400		4.00	0.00				45.00				
	Conversion - Switch-As-Is			UEPRG	USAC2		1.03	0.29			-	15.69		-		
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Conversion - Switch with Change			UEPRG	USACC		1.03	0.29				15.69				
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -		-	UEPRG	USACC		1.03	0.29			 	15.69				1
	Subsequent Database Update						0.76					15.69			1	
ADDIT	TIONAL NRCs				+		0.70				1	13.09			-	1
ADDII	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -		-								<u> </u>			1		1
	Subsequent Activity			UEPRG	USAS2	0.00	0.00	0.00				15.69				
	PBX Subsequent Activity - Change/Rearrange Multiline Hunt			OLI IKO	00/102	0.00	0.00	0.00			1	10.00			1	
	Group						14.64	14.64				15.69				
	Unbundled Miscellaneous Rate Element, Tag Loop at End User										İ					1
	Premise			UEPRG	URETL		8.33	0.83					20.35	10.54	13.32	13.
OFF/C	ON PREMISES EXTENSION CHANNELS															
	Local Channel Voice grade, per termination		1	UEPRG	P2JHX	16.56	75.06	48.20	28.70	17.64			20.35	10.54	13.32	13.3
	Local Channel Voice grade, per termination		2	UEPRG	P2JHX	21.63	75.06	48.20	28.70	17.64			20.35	10.54	13.32	13.3
	Local Channel Voice grade, per termination		3	UEPRG	P2JHX	28.28	75.06	48.20	28.70	17.64			20.35	10.54	13.32	13.3
	Non-Wire Direct Serve Channel Voice Grade		SW	UEPRG	SDD2X	10.02	148.84	112.34	73.14	36.65			20.35	10.54	13.32	13.3
INTER	OFFICE TRANSPORT															
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility															
	Termination			UEPRG	U1TV2	18.58	55.39	17.37	27.96	3.51						
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile															
0.14/10	or Fraction Mile			UEPRG	U1TVM	0.0174	0.00	0.00			ļ					
	E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)				_						-			-		
UNE	Port/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1		1		+	14.18					 					
_	2-Wire VG Loop/Port Combo - Zone 1		2		+	18.01					1				-	1
	2-Wire VG Loop/Port Combo - Zone 3		3			23.02					†					
UNF	oop Rates		Ŭ			20.02					1				1	
0.1.2	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEPPX	UEPLX	12.48					İ					
	2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEPPX	UEPLX	16.31							İ	İ	1	
	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEPPX	UEPLX	21.32							l	İ	1	
2-Wire	e Voice Grade Line Port Rates (BUS - PBX)						1				İ			1		
							İ									
	Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus			UEPPX	UEPPC	1.70	22.14	15.25	8.45	3.91		15.69				
	Line Side Unbundled Outward PBX Trunk Port - Bus			UEPPX	UEPPO	1.70		15.25	8.45	3.91		15.69				
	Line Side Unbundled Incoming PBX Trunk Port - Bus			UEPPX	UEPP1	1.70	22.14	15.25	8.45	3.91		15.69				
	2-Wire Voice Unbundled PBX LD Terminal Ports			UEPPX	UEPLD	1.70	22.14	15.25	8.45	3.91		15.69		ļ	1	L
	2-Wire Voice Unbundled 2-Way Combination PBX Tennessee														I	
_	Calling Port			UEPPX	UEPT2	1.70	22.14	15.25	8.45	3.91	-	15.69			-	-
	2-Wire Voice Unbundled 1-Way Outgoing PBX Tennessee			UEPPX	UEPTO	1.70	20.44	45.05	0.45	2.24		45.00			1	
_	Calling Port		-	UEPPX	UEPXA		22.14	15.25	8.45	3.91 3.91	ļ	15.69 15.69		-	1	!
_	2-Wire Voice Unbundled 2-Way Combination PBX Usage Port 2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports	-	-	UEPPX	UEPXA	1.70 1.70	22.14 22.14	15.25 15.25	8.45 8.45	3.91	 	15.69			 	
-	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports 2-Wire Voice Unbundled PBX LD DDD Terminals Port	-	-	UEPPX	UEPXB	1.70		15.25	8.45	3.91	}	15.69	 	 	 	
	2-Wire Voice Unbundled PBX LD DDD Terminals Port 2-Wire Voice Unbundled PBX LD Terminal Switchboard Port			UEPPX	UEPXD	1.70		15.25	8.45	3.91	 	15.69			+	
-	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD			OLI I A	טבו אט	1.70	22.14	15.25	0.40	3.31	1	13.08	l	 	t	
	Capable Port			UEPPX	UEPXE	1.70	22.14	15.25	8.45	3.91		15.69			I	
-	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy			OLI I A	OLI AL	1.70	22.14	10.20	0.43	5.51	1	10.08			I	
	Administrative Calling Port			UEPPX	UEPXL	1.70	22.14	15.25	8.45	3.91		15.69			I	
-	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy					0		.0.20	5. 70	0.01		.0.00	i	i	1	
1	Room Calling Port	l	1	UEPPX	UEPXM	1.70	22.14	15.25	8.45	3.91	I	15.69	1	l	I	

UNDUNDL	ED NETWORK ELEMENTS - Tennessee		1	ı								06		ment: 2		bit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrecurring		Nonrecurring					Rates (\$)		
						1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Unbundled 1W Out PBX Hotel/Hospital Economy															
	Administrative Calling Port TN Calling Port			UEPPX	UEPXN	1.70	22.14	15.25	8.45	3.91		15.69				
	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital			UEPPX	LIEDVO	4.70	00.44	45.05	0.45	0.04		45.00				
	Discount Room Calling Port 2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port		<u> </u>	UEPPX	UEPXO UEPXS	1.70 1.70	22.14 22.14	15.25 15.25	8.45 8.45	3.91 3.91		15.69 15.69			-	-
-	2-Wire Voice Unbundled PBX Collierville and Memphis Calling			UEPPA	UEFAS	1.70	22.14	15.25	0.45	3.91		15.69			1	1
	Port			UEPPX	UEPXU	1.70	22.14	15.25	8.45	3.91		15.69				
	2-Wire Voice Unbundled 2-Way PBX Tennessee RegionServ			02.17	02.70			10.20	0.10	0.01		10.00			t	
	Callling Port			UEPPX	UEPXV	1.70	22.14	15.25	8.45	3.91		15.69				
	Tennessee PBX 2-Way Combo Each Additional Trunk						i									
	Collierville and Memphis Local Calling Plan			UEPPX	UEPA6	1.70	22.14	15.25	8.45	3.91		15.69				
	Tennessee PBX 2-Way Combo First Trunk Collierville and															
1.55	Memphis Local Calling Plan			UEPPX	UEPA7	1.70	22.14	15.25	8.45	3.91		15.69			1	1
LOCA	AL NUMBER PORTABILITY		-	LIEDDY	LNDCD	0.4=	0.00	2.00	1			45.00			 	
EEAT	Local Number Portability (1 per port) FURES			UEPPX	LNPCP	3.15	0.00	0.00				15.69			-	-
FEAT	All Features Offered			UEPPX	UEPVF	0.00	0.00	0.00				15.69				-
NON	RECURRING CHARGES (NRCs) - CURRENTLY COMBINED			ULFFX	OLF VI	0.00	0.00	0.00				13.09			-	
itoit.	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -															
	Conversion - Switch-As-Is			UEPPX	USAC2		1.03	0.29				15.69				
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -															
	Conversion - Switch with Change			UEPPX	USACC		1.03	0.29				15.69				
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -															
	Subsequent Database Update						0.76					15.69				
ADDI	TIONAL NRCs															
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -															
	Subsequent Activity			UEPPX	USAS2	0.00	0.00	0.00				15.69			1	-
	PBX Subsequent Activity - Change/Rearrange Multiline Hunt Group						14.64	14.64				15.69				
-	Unbundled Miscellaneous Rate Element, Tag Loop at End User						14.04	14.04				13.09			1	1
	Premise			UEPPX	URETL		8.33	0.83					20.35	10.54	13.32	13.32
OFF/	ON PREMISES EXTENSION CHANNELS			02.17	UNLIL		0.00	0.00					20.00	10.01	10.02	10.02
	Local Channel Voice grade, per termination		1	UEPPX	P2JHX	16.56	75.06	48.20	28.70	17.64			20.35	10.54	13.32	13.32
	Local Channel Voice grade, per termination		2	UEPPX	P2JHX	21.63	75.06	48.20	28.70	17.64			20.35	10.54	13.32	13.32
	Local Channel Voice grade, per termination		3	UEPPX	P2JHX	28.28	75.06	48.20	28.70	17.64			20.35	10.54	13.32	13.32
	Non-Wire Direct Serve Channel Voice Grade		SW	UEPPX	SDD2X	10.02	148.84	112.34	73.14	36.65			20.35	10.54	13.32	13.32
INTE	ROFFICE TRANSPORT															
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility Termination			UEPPX	LIATVO	18.58	55.00	47.07	07.00	2.54						
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile		<u> </u>	UEPPX	U1TV2	18.58	55.39	17.37	27.96	3.51					-	-
	or Fraction Mile			UEPPX	U1TVM	0.0174	0.00	0.00								
UNF	Port/Loop Combination Rates			OLITA	OTTVIVI	0.0174	0.00	0.00								
0.12	2-Wire VG Coin Port/Loop Combo – Zone 1		1			14.18									t	1
	2-Wire VG Coin Port/Loop Combo – Zone 2		2			18.01										
	2-Wire VG Coin Port/Loop Combo – Zone 3		3			23.02	i									
UNE	Loop Rates															
	2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPCO	UEPLX	12.48										
	2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPCO	UEPLX	16.31									ļ	ļ
0.15"	2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPCO	UEPLX	21.32			1						 	
2-Wir	re Voice Grade Line Ports (COIN)		-						-		1				 	
	2-Wire Coin 2-Way without Operator Screening and without Blocking (TN)			UEPCO	UEPTB	1.70	22.14	15.25	8.45	3.91		15.69			I	
	2-Wire Coin 2-Way with Operator Screening and Blocking: 011,		 	OLFOO	ULFID	1.70	22.14	15.25	0.40	3.91	 	15.69			 	
	900/976, 1+DDD (NC, TN)			UEPCO	UEPRP	1.70	22.14	15.25	8.45	3.91		15.69			I	
	2-Wire Coin 2-Way with Operator Screening and 011 Blocking				- '	0			20						1	
	(TN)		<u></u>	UEPCO	UEPTA	1.70	22.14	15.25	8.45	3.91		15.69			L	L
	2-Wire Coin 2-Way with Operator Screening: 900 Blocking:															
	900/976, 1+DDD, 011+, and Local (NC, TN)	1	İ	UEPCO	UEPCA	1.70	22.14	15.25	8.45	3.91	1	15.69	l	l	1	1

JNBUNDL	ED NETWORK ELEMENTS - Tennessee													ment: 2	1	bit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			1	Svc Order Submitted Manually per LSR	Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
						Rec	Nonrecurring		Nonrecurring					Rates (\$)		
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Coin Outward with Operator Screening and 011 Blocking	3														
	(TN)			UEPCO	UEPTC	1.70	22.14	15.25	8.45	3.91		15.69				
	2-Wire Coin Outward with Operator Screening and Blocking:					. =-		4= 0=				4= 00				
	900/976, 1+DDD, 011+, and Local (TN) 2-Wire 2-Way Smartline with 900/976 (all states except LA)	_		UEPCO UEPCO	UEPOT UEPCK	1.70 1.88		15.25	8.45	3.91		15.69 15.69				
	2-Wire Coin Outward Smartline with 900/976 (all states except LA)	+		UEPCU	UEPCK	1.88					1	15.69			-	
	LA)			UEPCO	UEPCR	1.88						15.69				
ADD	ITIONAL UNE COIN PORT/LOOP (RC)	1		OLI CO	OLI OK	1.00	t					13.03				
ADD	UNE Coin Port/Loop Combo Usage (Flat Rate)	1	1	UEPCO	URECU	3.45	0.00	0.00	0.00	0.00	1	15.69				
	Local Number Portability (1 per port)	1		UEPCO	LNPCX	0.35					i e				t	
	2-Wire Voice Grade Loop / Line Port Combination - Conversion	-	i –			2.30	1						İ	İ	1	İ
	Switch-as-is		L	UEPCO	USAC2		1.03	0.29	<u> </u>		<u></u>	15.69		<u> </u>	<u> </u>	<u></u>
	2-Wire Voice Grade Loop / Line Port Combination - Conversion	-														
	Switch with change		<u></u>	UEPCO	USACC		1.03	0.29				15.69				
	2-Wire Voice Grade Loop/Line Port Combination - Subsequent															
	Activity	1	<u> </u>	UEPCO	USAS2	0.00	0.00	0.00			ļ	15.69	ļ	ļ	1	
- 1	Unbundled Miscellaneous Rate Element, Tag Loop at End User															l
	Premise	<u> </u>		UEPCO	URETL		8.33	0.83					20.35	10.54	13.32	13.3
	RE VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIR	E LINE I	PORT (RES)												
UNE	Port/Loop Combination Rates	+	4			40.45			-		1				-	
_	2-Wire VG Loop/IO Tranport/Port Combo - Zone 1 2-Wire VG Loop/IO Tranport/Port Combo - Zone 2	+	1 2		+	18.45 23.52	-				-	-			-	
_	2-Wire VG Loop/IO Tranport/Port Combo - Zone 2 2-Wire VG Loop/IO Tranport/Port Combo - Zone 3	+	3		-	30.17	 				-	-				
LINE	Loop Rates	+			+	30.17					1	1			-	
OIL	2-Wire Voice Grade Loop (SL2) - Zone 1	+	1	UEPFR	UECF2	16.56										
	2-Wire Voice Grade Loop (SL2) - Zone 2	1	2	UEPFR	UECF2	21.63					1					
	2-Wire Voice Grade Loop (SL2) - Zone 3	1	3	UEPFR	UECF2	28.28										
2-Wi	re Voice Grade Line Port Rates (Res)															
	2-Wire voice unbundled port - residence			UEPFR	UEPRL	1.89	84.99	57.39	32.36	20.56	1	15.69				
	2-Wire voice unbundled port with Caller ID - res			UEPFR	UEPRC	1.89	84.99	57.39	32.36	20.56		15.69		ĺ		
	2-Wire voice unbundled port outgoing only - res			UEPFR	UEPRO	1.89	84.99	57.39	32.36	20.56		15.69				
	2-Wire voice Grade unbundled Tennessee extended local															
	dialing parity port with Caller ID - res			UEPFR	UEPAQ	1.89	84.99	57.39	32.36	20.56		15.69				
	2-Wire voice unbundled Tennessee Area Plus with Caller ID -															
	res (AC7)			UEPFR	UEPAH	1.89	84.99	57.39	32.36	20.56		15.69				
	2-Wire voice unbundled Tennessee Area Calling port with Calle	r	1	LIEDED	UEPAK	4.00	04.00	F7 00	20.22	20.50		45.00			I	1
	ID - res (F2R) 2-Wire voice unbundled Tennessee Area Calling port with Calle	-	 	UEPFR	UEPAK	1.89	84.99	57.39	32.36	20.56	1	15.69			 	-
	ID - res (TACER)	'		UEPFR	UEPAL	1.89	84.99	57.39	32.36	20.56		15.69			1	
-	2-Wire voice unbundled Tennessee Area Calling port with Calle	r	 	OLI I IX	OLI AL	1.09	04.39	31.39	32.30	20.30	 	13.09	 	 	 	
	ID - res (TACSR)	1		UEPFR	UEPAM	1.89	84.99	57.39	32.36	20.56		15.69			I	1
	2-Wire voice unbundled Tennessee Area Calling port with Calle	r	t		02. / uvi	1.00	04.00	07.00	32.30	20.00		10.00	1	1	<u> </u>	
	ID - res (1MF2X)			UEPFR	UEPAN	1.89	84.99	57.39	32.36	20.56		15.69			I	1
	2-Wire voice unbundled Tennessee Area Calling port with Calle	r	t			30	1	230	52.50		1		İ	İ	1	
	ID - res (2MR)			UEPFR	UEPAO	1.89	84.99	57.39	32.36	20.56		15.69			1	
	2-Wire voice unbundles res, low usage line port with Caller ID															
	(LUM)	1	<u> </u>	UEPFR	UEPAP	1.89	84.99	57.39	32.36	20.56		15.69				
	2-Wire Voice Unbundled Tennessee Residence Dialing Plan		-												_	
	without Caller ID	1	<u> </u>	UEPFR	UEPWN	1.89	84.99	57.39	32.36	20.56	ļ	15.69			ļ	
INTE	ROFFICE TRANSPORT	1	<u> </u>								ļ				ļ	
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility			LIEDED	11477.60	40 =0	55.00	47.00	07.00	0					I	1
_	Termination	+	<u> </u>	UEPFR	U1TV2	18.58	55.39	17.37	27.96	3.51			 	 	 	
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile	1		UEPFR	1L5XX	0.0174									I	1
EE A	or Fraction Mile	+	 	OLPER	ILOAA	0.0174	1				1	-			 	-
FEA	All Features Offered	+	 	UEPFR	UEPVF	0.00	0.00	0.00			 	15.69	 	 	 	-
Inc	AL NUMBER PORTABILITY	+	†	OLITA	OLF VI	0.00	0.00	0.00	 			13.09	 	 	 	
	Local Number Portability (1 per port)	+	-	UEPFR	LNPCX	0.35	1				 				†	
1	RECURRING CHARGES (NRCs) - CURRENTLY COMBINED	+	+		· · · · · ·	0.00	 					 		-	+	

IDUNULI	ED NETWORK ELEMENTS - Tennessee			1								_		ment: 2	1	ibit: A
TEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			1	Svc Order Submitted Manually per LSR	Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
						Rec	Nonrecurring		Nonrecurring					Rates (\$)		
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port															
	Combination - Conversion - Switch-as-is			UEPFR	USAC2		16.94	3.72				15.69				
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port Combination - Conversion - Switch-With-Change			UEPFR	USACC		16.94	3.72				15.69				
	Unbundled Miscellaneous Rate Element, Tag Designed Loop at End User Premise			UEPFR	URETN		11.23	1.10					20.35	10.54	13.32	13.3
2-WIR	RE VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE	LINE	PORT (OILLIN		11.20	1.10				-	20.55	10.54	10.02	10.0
	Port/Loop Combination Rates		1	1							1	†			-	1
0.112	2-Wire VG Loop/IO Tranport/Port Combo - Zone 1		1		+ -	18.45										1
_	2-Wire VG Loop/IO Tranport/Port Combo - Zone 2		2		+ -	23.52										1
-	2-Wire VG Loop/IO Tranport/Port Combo - Zone 3		3		+ -	30.17										1
LINE	Loop Rates		-	 	+ -	30.17	 		 		1	H	 	 	t	†
JNE	2-Wire Voice Grade Loop (SL2) - Zone 1		1	UEPFB	UECF2	16.56	 		 		1	H	 	 	t	†
+	2-Wire Voice Grade Loop (SL2) - Zone 1 2-Wire Voice Grade Loop (SL2) - Zone 2		2	UEPFB	UECF2	21.63			 		 	-	-	-	 	
+	2-Wire Voice Grade Loop (SL2) - Zone 2 2-Wire Voice Grade Loop (SL2) - Zone 3		3	UEPFB	UECF2	28.28			 		 	-	-	-	 	
2 10/:-	e Voice Grade Line Port (Bus)		3	UEPFB	UEUFZ	28.28			1		1	 			 	
∠-VVII				LIEDED	UEPBL	1.89	04.00	F7 00	20.00	20.50	 	45.00	-	-	 	
-	2-Wire voice unbundled port without Caller ID - bus		-	UEPFB			84.99	57.39	32.36	20.56		15.69				-
_	2-Wire voice unbundled port with Caller + E484 ID - bus			UEPFB	UEPBC	1.89	84.99	57.39		20.56		15.69				ļ
-	2-Wire voice unbundled port outgoing only - bus 2-Wire voice Grade unbundled Tennessee extended local			UEPFB	UEPBO	1.89	84.99	57.39	32.36	20.56		15.69			1	
				LIEDED	UEPAV	4.00	04.00	F7.00	00.00	00.50		45.00				
-	dialing parity port with Caller ID - bus		-	UEPFB		1.89	84.99	57.39	32.36	20.56	1	15.69				-
-	2-Wire voice unbundled incoming only port with Caller ID - Bus		-	UEPFB	UEPB1	1.89	84.99	57.39	32.36	20.56	1	15.69				
	2-Wire voice unbundled Tennessee Bus 2-Way Area Calling Port Economy Option (TACC1)			UEPFB	UEPAC	1.89	84.99	57.39	32.36	20.56		15.69				
	2-Wire voice unbundled Tennessee Bus 2-Way Area Calling Port Standard Option (TACC2)			UEPFB	UEPAD	1.89	84.99	57.39	32.36	20.56		15.69				
	2-Wire voice unbundled Tennessee Bus 2-Way Collierville and Memphis Local Calling Port (B2F)			UEPFB	UEPAE	1.89	84.99	57.39	32.36	20.56		15.69				
	2-Wire Voice Unbundled Tennessee Business Dialing Plan without Caller ID			UEPFB	UEPWO	1.89	84.99	57.39	32.36	20.56		15.69				
	Tennessee Inward Collierville and Memphis Local Calling Plan (BUS)			UEPFB	UEPB2	1.89	84.99	57.39	32.36	20.56		15.69				
	Tennessee 2-Way Collierville and Memphis Local Calling Plan (BUS)			UEPFB	UEPB3	1.89	84.99	57.39	32.36	20.56		15.69				
1.004	L NUMBER PORTABILITY			OLITB	OLI DO	1.00	04.33	37.33	32.30	20.50		15.05				1
	Local Number Portability (1 per port)			UEPFB	LNPCX	0.35										+
INTE	ROFFICE TRANSPORT			OLI I D	LIVI OA	0.35	 		 		1	H	 	 	t	†
INTER	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility Termination			UEPFB	U1TV2	18.58	55.39	17.37	27.96	3.51						
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile						55.39	11.31	21.90	3.51						
	or Fraction Mile			UEPFB	1L5XX	0.0174	 		ļ		_	-	.	.	-	1
FEAT	TURES		-	LIEDED	LIED) (E	0.00	2.22	2.00			ļ	45.00	-	-	1	<u> </u>
Nor	All Features Offered			UEPFB	UEPVF	0.00	0.00	0.00	1		<u> </u>	15.69			-	<u> </u>
NONF	RECURRING CHARGES (NRCs) - CURRENTLY COMBINED										<u> </u>				-	<u> </u>
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port														1	
+	Combination - Conversion - Switch-as-is			UEPFB	USAC2		16.94	3.72	 			15.69	.	.	-	_
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port Combination - Conversion - Switch with change			UEPFB	USACC		16.94	3.72				15.69				
	Unbundled Miscellaneous Rate Element, Tag Designed Loop at End User Premise			UEPFB	URETN		11.23	1.10					20.35	10.54	13.32	13.
2-WIR	RE VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE	LINE F	ORT (PBX)												
	Port/Loop Combination Rates		Ĺ ,													
Ì	2-Wire VG Loop/IO Tranport/Port Combo - Zone 1		1			18.45										
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 2		2	İ		23.52	1		†				ĺ	ĺ		
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 3		3			30.17										
UNE I	Loop Rates		Ť		1								İ	İ	1	1
	2-Wire Voice Grade Loop (SL2) - Zone 1		1	UEPFP	UECF2	16.56										
	2-Wire Voice Grade Loop (SL2) - Zone 2		2	UEPFP	UECF2	21.63	i i				İ	1	İ	İ	1	i

UNBU	NDLE	NETWORK ELEMENTS - Tennessee												Attach	ment: 2	Exhi	bit: A
0.120				1								Svc Order	Svc Order	Incremental		Incremental	Incremental
												Submitted	Submitted		Charge -	Charge -	Charge -
												Elec		Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEG	ORY	RATE ELEMENTS	Interi	Zone	BCS	usoc			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		· · · · · · · · · · · · · · · · · · ·	m									per LSK	per LSK			Electronic-	Electronic-
														Electronic-	Electronic-		
														1st	Add'l	Disc 1st	Disc Add'l
						+		Nonrecurring		Nonrecurring	Disconnect	 	l	OSS	Rates (\$)	<u> </u>	
						+	Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire	/oice Grade Line Port Rates (BUS - PBX)							71441	1 01	71441	0020			00		
		1000 01000 11101 01110100 (200 1 27)															
		Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus			UEPFP	UEPPC	1.79	106.40	63.08	42.67	18.54		15.69				1 '
		Line Side Unbundled Outward PBX Trunk Port - Bus			UEPFP	UEPPO	1.79	106.40	63.08	42.67	18.54		15.69				
		Line Side Unbundled Incoming PBX Trunk Port - Bus			UEPFP	UEPP1	1.79	106.40	63.08	42.67	18.54		15.69				
		2-Wire Voice Unbundled PBX LD Terminal Ports			UEPFP	UEPLD	1.79	106.40	63.08	42.67	18.54		15.69				
		2-Wire Voice Unbundled 2-Way Combination PBX Tennessee															
		Calling Port			UEPFP	UEPT2	1.79	106.40	63.08	42.67	18.54		15.69				1
		2-Wire Voice Unbundled 1-Way Outgoing PBX Tennessee															
		Calling Port			UEPFP	UEPTO	1.79	106.40	63.08	42.67	18.54	1	15.69				1
		2-Wire Voice Unbundled 2-Way Combination PBX Usage Port		1	UEPFP	UEPXA	1.79	106.40	63.08	42.67	18.54		15.69				ſ
		2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports		1	UEPFP	UEPXB	1.79	106.40	63.08	42.67	18.54		15.69				
		2-Wire Voice Unbundled PBX LD DDD Terminals Port		1	UEPFP	UEPXC	1.79	106.40	63.08	42.67	18.54		15.69				ſ
		2-Wire Voice Unbundled PBX LD Terminal Switchboard Port		1	UEPFP	UEPXD	1.79	106.40	63.08	42.67	18.54		15.69				ſ
		2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD															
		Capable Port			UEPFP	UEPXE	1.79	106.40	63.08	42.67	18.54		15.69				1
		2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy															
		Administrative Calling Port			UEPFP	UEPXL	1.79	106.40	63.08	42.67	18.54		15.69				l .
		2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy															
		Room Calling Port			UEPFP	UEPXM	1.79	106.40	63.08	42.67	18.54		15.69				1
		2-Wire Voice Unbundled 1W Out PBX Hotel/Hospital Economy															
		Administrative Calling Port TN Calling Port			UEPFP	UEPXN	1.79	106.40	63.08	42.67	18.54		15.69				l .
		2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital															
		Discount Room Calling Port			UEPFP	UEPXO	1.79	106.40	63.08	42.67	18.54		15.69				l .
		2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port		1	UEPFP	UEPXS	1.79	106.40	63.08	42.67	18.54		15.69				
		2-Wire Voice Unbundled PBX Collierville and Memphis Calling															
		Port			UEPFP	UEPXU	1.79	106.40	63.08	42.67	18.54		15.69				1
		2-Wire Voice Unbundled 2-Way PBX Tennessee RegionServ															
		Callling Port			UEPFP	UEPXV	1.79	106.40	63.08	42.67	18.54		15.69				l .
	LOCAL	NUMBER PORTABILITY															1
		Local Number Portability (1 per port)			UEPFP	LNPCP	3.15	0.00	0.00				15.69				1
	INTERC	FFICE TRANSPORT															1
		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility															1
		Termination			UEPFP	U1TV2	18.58	55.39	17.37	27.96	3.51						1
		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile															1
		or Fraction Mile			UEPFP	1L5XX	0.0174										l .
	FEATU																1
		All Features Offered			UEPFP	UEPVF	0.00	0.00	0.00				15.69				l .
	NONRE	CURRING CHARGES (NRCs) - CURRENTLY COMBINED															1
		2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port															l .
		Combination - Conversion - Switch-as-is			UEPFP	USAC2		16.94	3.72				15.69				
		2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port															l .
		Combination - Conversion - Switch with change			UEPFP	USACC		16.94	3.72				15.69				
		Unbundled Miscellaneous Rate Element, Tag Designed Loop at															1
		End User Premise			UEPFP	URETN		11.23	1.10					20.35	10.54	13.32	13.32
		ORT/LOOP COMBINATIONS - COST BASED RATES		!													
		VOICE GRADE LOOP- BUS ONLY - WITH 2-WIRE DID TRUNK	PORT														
\vdash	UNE PO	rt/Loop Combination Rates		-		+	10.00										
\vdash		2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 1	—	1		+	18.38					ļ	ļ				—
\vdash	\vdash	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 2	-	2		+	19.87					ļ	ļ				
\vdash	LINIE	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 3	-	3		+	24.78					ļ	ļ				
\vdash	UNE LO	op Rates	-	1	LIEDDY	UECD1	9.60										
\vdash		2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 1	-		UEPPX	UECD1	9.60					ļ	ļ				
\vdash		2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 2		2	UEPPX UEPPX												
\vdash	UNE Po	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 3	-	3	UEPPA	UECD1	16.00					-	-	-			
\vdash	UNE PO	Exchange Ports - 2-Wire DID Port	-	 	UEPPX	UEPD1	8.78	45.44	29.94	8.45	3.91	-	-	30.89	7.03		
\vdash	NOND	CURRING CHARGES - CURRENTLY COMBINED	-	1	ULFFA	UEPUI	0.78	45.44	29.94	0.45	3.91		-	30.89	1.03		
\Box	NONKE	CONTING CHARGES - CORRENTLY COMBINED	<u> </u>	1	l	1		Į.				L	l		l .		

NNRNNDFE	D NETWORK ELEMENTS - Tennessee					1						T -			ment: 2		ibit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	В	cs	USOC			RATES (\$)			1	Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge - Manual S Order vs
							Rec	Nonrecurring		Nonrecurring	g Disconnect				Rates (\$)		
							1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Combination -																
	Switch-as-is			UEPPX		USAC1		8.76	5.75					30.89	7.03		Ļ
	2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Conversion with BellSouth Allowable Changes			UEPPX		USA1C		8.76	5.75					30.89	7.03		
	Unbundled Miscellaneous Rate Element, Tag Designed Loop at End User Premise			UEPPX		URETN		11.23	1.10								
	one Number/Trunk Group Establisment Charges																
	DID Trunk Termination (One Per Port)			UEPPX		NDT	0.00	0.00	0.00								
	Additional DID Numbers for each Group of 20 DID Numbers			UEPPX		ND4	0.00	0.00	0.00								ļ
	DID Numbers, Non- consecutive DID Numbers , Per Number			UEPPX		ND5	0.00	0.00	0.00								ļ
	Reserve Non-Consecutive DID numbers			UEPPX		ND6	0.00	0.00	0.00			<u> </u>					
	Reserve DID Numbers			UEPPX		NDV	0.00	0.00	0.00			<u> </u>					
	NUMBER PORTABILITY											ļ					ļ
	Local Number Portability (1 per port)			UEPPX		LNPCP	3.15	0.00	0.00								
	ISDN DIGITAL GRADE LOOP WITH 2-WIRE ISDN DIGITAL LIN	NE SIDE	PORT			ļ						ļ					ļ
UNE Po	ort/Loop Combination Rates											<u> </u>					
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port - UNE Zone 1		1	UEPPB	UEPPR		32.27										
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port - UNE Zone 2		2	UEPPB	UEPPR		34.78										
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port - UNE Zone 3		3	UEPPB	UEPPR		44.32										
	pop Rates																
	2-Wire ISDN Digital Grade Loop - UNE Zone 1		1	UEPPB	UEPPR	USL2X	16.20										
	2-Wire ISDN Digital Grade Loop - UNE Zone 2		2	UEPPB	UEPPR	USL2X	18.71										
	2-Wire ISDN Digital Grade Loop - UNE Zone 3		3	UEPPB	UEPPR	USL2X	28.25										
	ort Rate																1
	Exchange Port - 2-Wire ISDN Line Side Port			UEPPB	UEPPR	UEPPB	16.07	141.75	118.37	49.20	43.26			19.99	19.99		
	CURRING CHARGES - CURRENTLY COMBINED 2-Wire ISDN Digital Grade Loop / 2-Wire ISDN Line Side Port																
	Combination - Conversion			UEPPB	UEPPR	USACB	0.00	117.23	117.23					19.99	19.99		
ADDITI	ONAL NRCs																1
	2-Wire ISDN Loop / 2-Wire ISDN Port Combination - Sub Actvy- Non Feature/Add Trunk			UEPPB	UEPPR	USASB		212.88						19.99	19.99		
	Unbundled Miscellaneous Rate Element, Tag Designed Loop at End User Premise			UEPPB	UEPPR	URETN		11.23	1.10								
	Unbundled Miscellaneous Rate Element, Tag Loop at End User			UEPPB	UEPPR	UKETN		11.23	1.10								
1.004	Premise NUMBER PORTABILITY			UEPPB	UEPPR	URETL		8.33	0.83			-					_
	Local Number Portability (1 per port)	-	-	UEPPB	UEPPR	LNDCV	0.35	0.00	0.00			 		-	-	-	+
	NNEL USER PROFILE ACCESS:		 	OLFFD	JLFFK	LINEON	0.35	0.00	0.00			 				 	
	CVS/CSD (DMS/5ESS)	-	 	UEPPB	UEPPR	LITLICA	0.00	0.00	0.00		 	†		 	 	 	
	CVS (EWSD)		 	UEPPB	UEPPR	U1UCB	0.00	0.00	0.00			1				 	\vdash
	CSD	-	 	UEPPB	UEPPR	U1UCC	0.00	0.00	0.00		 	†		 	 	 	
	NNEL AREA PLUS USER PROFILE ACCESS: (AL,KY,LA,MS SO	CMS &	TN)	OLI FD	JLIFK	0.1000	0.00	0.00	0.00		 	†		 	 	 	
D-ONAI	CVS/CSD (DMS/5ESS)	5,410, 6	 	UEPPB	UEPPR	U1UCD	0.00	0.00	0.00			 					
	CVS (EWSD)	-	 	UEPPB	UEPPR	U1UCE	0.00	0.00	0.00			 			 		†
-	CSD	-	 	UEPPB	UEPPR	U1UCF	0.00	0.00	0.00		 	†		 	 	 	
USER	FERMINAL PROFILE	-	 	52.10	52.110		0.00	0.00	0.00			 		 	 		
	User Terminal Profile (EWSD only)		t	UEPPB	UEPPR	U1UMA	0.00	0.00	0.00					 	 	i	†
	CAL FEATURES	-	 	J_11 D	OLITIK	CIONA	0.00	0.00	0.00			 		 	 		
	All Vertical Features - One per Channel B User Profile	-	 	UEPPB	UEPPR	UEPVF	0.00	0.00	0.00			 		 	 		
	OFFICE CHANNEL MILEAGE	-	 	JEITD	OLITIK	○ L I V I	0.00	0.00	0.00		 	†		 	 	 	\vdash
	Interoffice Channel mileage each, including first mile and	-	 			 	 	 			 	†		 	 	 	\vdash
	facilities termination			UEPPB	HEPPP	M1GNC	17.91	53.99	17.37					19.99	19.99		
			-			M1GNM	0.173	0.00	0.00	H	 	 		15.33	13.39	<u> </u>	
	Unteroffice Channel mileage each, additional mile																
4-WIPE	Interoffice Channel mileage each, additional mile DS1 DIGITAL LOOP WITH 4-WIRE ISDN DS1 DIGITAL TRUNK	POPT		UEPPB	UEFFR	IVITGINIVI	0.173	0.00	0.00								

UNBUNDI F	D NETWORK ELEMENTS - Tennessee												Attach	ment: 2	Exhi	hit: A
ONDONDEL		I	l		1						Svc Order	Svc Order	Incremental		Incremental	Incremental
											Submitted	Submitted		Charge -	Charge -	Charge -
		In terms									Elec	Manually	Manual Svc	Manual Svc		Manual Svc
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m						.,,			per Lor	per Lor	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
															Disc 1st	DISC Add I
						Rec	Nonrecurring			g Disconnect				Rates (\$)		
							First	Add'l	First	Add'l		SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	ests for 4-Wire DS1 Digital Loop with 4-Wire ISDN DS1 Digital 1	Frunk Po	ort afte	the effective date of	of this amend	ment shall be	provided pursu	ant to a sepa	rate agreement	or tariff at Bel	lSouth's di	scretion.				
UNE P	ort/Loop Combination Rates															
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE															
	Zone 1		1	UEPPP		132.58										
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE		_													
	Zone 2		2	UEPPP		150.25										
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE			LIEDDD		470.44										
	Zone 3		3	UEPPP		173.44										
UNE L	oop Rates		4	LIEDDD	1101.45	F7.70					1					
\vdash	4-Wire DS1 Digital Loop - UNE Zone 1	 	7	UEPPP UEPPP	USL4P USL4P	57.73 75.40	 		 		1	-		 		
\vdash	4-Wire DS1 Digital Loop - UNE Zone 2 4-Wire DS1 Digital Loop - UNE Zone 3	 	3	UEPPP	USL4P USL4P	98.59			1			-	-			
LINE	Port Rate	 	3	ULFFF	USL4F	90.59	+		1		 	 		+		
UNE	Exchange Ports - 4-Wire ISDN DS1 Port (E:4/1/2004)	 	 	UEPPP	UEPPP	74.85	415.53	366.90	89.28	77.43	}	 	19.99	19.99	 	
NOND	ECURRING CHARGES - CURRENTLY COMBINED	 	 	OLFFF	ULFFF	74.65	410.03	300.90	09.28	11.43	}	 	19.99	19.99	 	
NONK	4-Wire DS1 Digital Loop / 4-Wire ISDN DS1 Digital Trunk Port											1				
	Combination - Conversion -Switch-as-is (E:4/1/2004)			UEPPP	USACP	0.00	328.53	328.53					19.99	19.99		
ADDIT	TONAL NRCs	1	1	OLITI	OOACI	0.00	320.33	320.33	1		†	-	13.33	13.33		
ADDIT	4-Wire DS1 Loop/4-W ISDN Digtl Trk Port - Subsqt Actvy-				+		 				<u> </u>	1	1			
	Inward/two way Tel Nos. (except NC)			UEPPP	PR7TF		0.94						19.99	19.99		
	4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trunk Port -			OLITI	110111		0.04				1	1	10.00	10.00		
	Outward Tel Numbers (All States except NC)			UEPPP	PR7TO		22.36	22.36					19.99	19.99		
	4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trk Port -			02			22.00	22.00			İ		10.00	10.00		
	Subsequent Inward Tel Numbers			UEPPP	PR7ZT		44.71	44.70					19.99	19.99		
LOCA	L NUMBER PORTABILITY											İ				
	Local Number Portability (1 per port)			UEPPP	LNPCN	1.75										
INTER	FACE (Provsioning Only)															
	Voice/Data			UEPPP	PR71V	0.00	0.00	0.00								
	Digital Data			UEPPP	PR71D	0.00	0.00	0.00								
	Inward Data			UEPPP	PR71E	0.00	0.00	0.00								
New o	r Additional "B" Channel															
	New or Additional - Voice/Data B Channel			UEPPP	PR7BV	0.00	28.39						19.99	19.99		
	New or Additional - Digital Data B Channel			UEPPP	PR7BF	0.00	29.11						19.99	19.99		
	New or Additional Inward Data B Channel			UEPPP	PR7BD	0.00	29.39						19.99	19.99		
CALL	TYPES	<u> </u>	ļ	LIEDDD	DD76 :				 			-	ļ	-	ļ	
\vdash	Inward	!	-	UEPPP	PR7C1	0.00	0.00	0.00	 	 	 		 	 	 	
\vdash	Outward	 	-	UEPPP	PR7CO	0.00		0.00	 	-	 	1	 	 	 	
Interes	Two-way ffice Channel Mileage	 	-	UEPPP	PR7CC	0.00	0.00	0.00	 	-	 	1	 	 	 	
intero	Fixed Each Including First Mile	 	+	UEPPP	1LN1A	76.1825	145.98	109.85	19.55		 	-	19.99	19.99		-
\vdash	Each Airline-Fractional Additional Mile	 	 	UEPPP	1LN1A 1LN1B	0.3525	145.98	109.85	19.55	1	}	 	19.99	19.99	 	
A-WID	E DS1 DIGITAL LOOP WITH 4-WIRE DDITS TRUNK PORT	 	!	OLFFF	ILIVID	0.3525	t		1	 	1	H	 	t	 	
	NE-P DS1 combination rates below for in this rate exhibit appl	v to the	ember	lded hase in nlace a	s of 10/2/03	intil 4/1/04 Af	ter 4/1/04 these	rates shall re	vert to tariff rat	es or a senara	te commerc	ial agreeme	nt.	 	 	
	ests for 4-Wire DS1 Digital Loop with 4-Wire DDITS after the eff											ugreenile	 I	 	 	
	Port/Loop Combination Rates	1	1				u							<u> </u>		
3.421	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 1	†	1	UEPDC		93.28	1		1	i			19.99	19.99	i	
	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 2	l	2	UEPDC	1	110.95	t		†				19.99	19.99	İ	
	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 3	1	3	UEPDC		134.14	1		İ	İ	1		19.99	19.99	İ	
UNE L	oop Rates	1					1		İ	İ	1		1		İ	
	4-Wire DS1 Digital Loop - UNE Zone 1		1	UEPDC	USLDC	57.53					İ		1		1	
	4-Wire DS1 Digital Loop - UNE Zone 2	<u></u>	2	UEPDC	USLDC	75.40										
	4-Wire DS1 Digital Loop - UNE Zone 3		3	UEPDC	USLDC	98.59										
UNE P	ort Rate															
	4-Wire DDITS Digital Trunk Port (E:4/1/2004)			UEPDC	UDD1T	35.55	342.80	257.87	61.41	48.49			19.99	19.99		
NONR	ECURRING CHARGES - CURRENTLY COMBINED															
	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination			LIEDDO			040.04	040.04					40.00	40.00		
\vdash	- Switch-as-is (E:4/1/2004) 4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination	-	1	UEPDC	USAC4		312.91	312.91	+				19.99	19.99		
	- Conversion with DS1 Changes (E:4/1/2004)			UEPDC	USAWA		312.91	312.91					19.99	19.99		
	- Conversion with DOT Changes (E.4/1/2004)	1		OLFDO	JOANNA		312.91	312.91	L	L	1	1	19.99	19.99	L	

ONRONDLE	NETWORK ELEMENTS - Tennessee													ment: 2	1	ibit: A
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic-	Charge - Manual Svc Order vs. Electronic-	Order vs. Electronic-	Charge - Manual Sv Order vs. Electronic
									•				1st	Add'l	Disc 1st	Disc Add'
						Rec	Nonrecurring		Nonrecurring					Rates (\$)		
	ANT BOARD IN A CANTO BRITO TO A DE LO CANTO						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination			LIEDDO	LICANAID		040.04	040.04					40.00	40.00		
ADDITIO	- Conversion with Change - Trunk (E:4/1/2004) ONAL NRCs			UEPDC	USAWB		312.91	312.91	-				19.99	19.99		-
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent		-						-							
	Service Activity Per Service Order			UEPDC	USAS4		94.88	94.88								
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - NRC -			UEPDC	USAS4		94.00	94.00			1				-	1
	Subsequent Channel Activation/Chan - 2-Way Trunk			UEPDC	UDTTA		108.67	108.67					19.99	19.99		
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent			OLI DO	ODITA		100.07	100.07					13.33	13.33		†
	Channel Activation/Chan - 1-Way Outward Trunk			UEPDC	UDTTB		108.67	108.67					19.99	19.99		
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsgnt Channel			02. 50	05.15		100.07	100.01			1		10.00	10.00	1	1
	Activation/Chan Inward Trunk w/out DID			UEPDC	UDTTC		108.67	108.67					19.99	19.99		
1 1	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan				12				†					12,00	t	
	Activation Per Chan - Inward Trunk with DID			UEPDC	UDTTD		108.67	108.67					19.99	19.99	I	1
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan			ĺ										1	1	1
	Activation / Chan - 2-Way DID w User Trans			UEPDC	UDTTE		108.67	108.67					19.99	19.99		
	AR 8 ZERO SUBSTITUTION															
	B8ZS -Superframe Format			UEPDC	CCOSF		0.00i	590.00s					19.99	19.99		
	B8ZS - Extended Superframe Format			UEPDC	CCOEF		0.00i	590.00s					19.99	19.99		
Alternat	te Mark Inversion															
	AMI -Superframe Format			UEPDC	MCOSF		0.00	0.00								
	AMI - Extended SuperFrame Format			UEPDC	MCOPO		0.00	0.00								
Telepho	one Number/Trunk Group Establisment Charges															
	Telephone Number for 2-Way Trunk Group			UEPDC	UDTGX	0.00							19.99	19.99		
	Telephone Number for 1-Way Outward Trunk Group			UEPDC	UDTGY	0.00							19.99	19.99		
	Telephone Number for 1-Way Inward Trunk Group Without DID			UEPDC	UDTGZ	0.00							19.99	19.99		
	DID Numbers for each Group of 20 DID Numbers			UEPDC	ND4	0.00							19.99	19.99		
	DID Numbers, Non- consecutive DID Numbers , Per Number			UEPDC	ND5	0.00							19.99	19.99		
	Reserve Non-Consecutive DID Nos.			UEPDC	ND6	0.00		0.00								
	Reserve DID Numbers			UEPDC	NDV	0.00	0.00	0.00								
	ed DS1 (Interoffice Channel Mileage) - FX/FCO for 4-Wire DS1	Digita	Loop	with 4-Wire DDITS	Trunk Port											
	Interoffice Channel Mileage - Fixed rate 0-8 miles (Facilities															
	Termination)			UEPDC	1LNO1	75.83	145.98	109.85	19.66	14.99						
	Interoffice Channel Mileage - Additional rate per mile - 0-8 miles			UEPDC	1LNOA	0.3525	0.00	0.00								
	Interoffice Channel Mileage - Fixed rate 9-25 miles (Facilities			LIEBBO	41.000		0.00								1	
	Termination)		-	UEPDC	1LNO2	0.00	0.00	0.00	 		-			-	1	
	Interoffice Channel Mileage - Additional rate per mile - 9-25			LIEBDO	11 NOB	0.3525	0.00	0.00							I	1
+	miles Interoffice Channel Mileage - Fixed rate 25+ miles (Facilities		-	UEPDC	1LNOB	0.3525	0.00	0.00	 		1			 	 	1
	Termination)			UEPDC	1LNO3	0.00	0.00	0.00								
-	Termination)			UEPDC	ILINOS	0.00	0.00	0.00			1				-	
	Interoffice Channel Mileage - Additional rate per mile - 25+ miles			UEPDC	1LNOC	0.3525	0.00	0.00								
	Local Number Portability, per DS0 Activated			UEPDC	LNPCP	3.15		0.00								1
	Central Office Termininating Point		-	UEPDC	CTG	0.00		0.00						1		
	DS1 LOOP WITH CHANNELIZATION WITH PORT			OLI DO	010	0.00										
	is 1 DS1 Loop, 1 D4 Channel Bank, and up to 24 Feature Acti	ivations					1				1				1	†
	ystem can have up to 24 combinations of rates depending on			ber of ports used			1				1				1	†
	E-P DS1 combination rates below for 4-Wire DS1 Loop with C					ly to the embe	edded base in r	lace as of 10/2	2/03 until 4/1/04	. After 4/1/04	these rates	shall revert	to tariff rates	or a separate	agreement.	†
	ts for 4-Wire DS1 Loop with Channelization with Port after the															†
	S1 Loop				l line	, , , , , , , , , , , , , , , , , , , ,		J						İ	1	t
	4-Wire DS1 Loop - UNE Zone 1		1	UEPMG	USLDC	57.73	0.00	0.00	† 1					İ	t	
	4-Wire DS1 Loop - UNE Zone 2		2	UEPMG	USLDC	75.40		0.00								İ
	4-Wire DS1 Loop - UNE Zone 3		3	UEPMG	USLDC	98.59		0.00								
	O Channelization Capacities (D4 Channel Bank Configuration	ns)		1					į į					ĺ		
	24 DSO Channel Capacity - 1 per DS1			UEPMG	VUM24	131.87	0.00	0.00					19.99	19.99		
	48 DSO Channel Capacity - 1 per 2 DS1s			UEPMG	VUM48	263.74		0.00					19.99	19.99		
	96 DSO Channel Capacity -1per 4 DS1s			UEPMG	VUM96	527.48		0.00					19.99	19.99		
	144 DS0 Channel Capacity - 1 per 6 DS1s			UEPMG	VUM14	791.42		0.00					19.99	19.99		
				UEPMG	VUM19	827.76	0.00	0.00					19.99	19.99		

UNBUNI	DLED	NETWORK ELEMENTS - Tennessee												Attach	ment: 2	Exhi	bit: A
		J	l									Svc Order	Svc Order	Incremental		Incremental	Incremental
												Submitted	Submitted		Charge -	Charge -	Charge -
			And and									Elec		Manual Svc	Manual Svc		Manual Svo
CATEGOR	RY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m						- (1)			per Lor	per LSK	Electronic-	Electronic-	Electronic-	Electronic-
																Disc 1st	
														1st	Add'l	DISC 1St	Disc Add'l
							B	Nonrecurring		Nonrecurring	Disconnect			oss	Rates (\$)		
			i				Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	- 1	240 DS0 Channel Capacity - 1 per 10 DS1s	i		UEPMG	VUM2O	1,318.70	0.00	0.00					19.99	19.99		
	- 1	288 DS0 Channel Capacity - 1 per 12 DS1s	i		UEPMG	VUM28	1,582.44	0.00	0.00					19.99	19.99		
		384 DS0 Channel Capacity - 1 per 16 DS1s	i		UEPMG	VUM38	2,109.92	0.00	0.00					19.99	19.99		
		480 DS0 Channel Capacity - 1 per 20 DS1s	i		UEPMG	VUM4O	2,637.40	0.00	0.00					19.99	19.99		
		576 DS0 Channel Capacity -1 per 24 DS1s			UEPMG	VUM57	3,164.88	0.00	0.00					19.99	19.99		
	(672 DS0 Channel Capacity - 1 per 28 DS1s	i		UEPMG	VUM67	3,692.36	0.00	0.00					19.99	19.99		
No	n-Red	curring Charges (NRC) Associated with 4-Wire DS1 Loop with	h Chanr	neliztio	n with Port - Conve	rsion Charge	Based on a Sy	stem									
		num System configuration is One (1) DS1, One (1) D4 Channe															
		es of this configuration functioning as one are considered Ad										İ					
		NRC - Conversion (Currently Combined) with or without			, , , , , , , , , , , , , , , , , , ,	Ĭ						İ					
		BellSouth Allowed Changes			UEPMG	USAC4	0.00	303.61	15.74					19.99	19.99		
Sv	stem	Additions at End User Locations Where 4-Wire DS1 Loop wi	th Chan	nelizat	ion with Port Comb	ination Curre	ntly Exists and					İ					
		ot Currently Combined) in all states, except in Density Zone 1															
		1 DS1/D4 Channel Bank - Additionally Add NRC for each Port	1														
		and Assoc Fea Activation (E:4/1/2004)			UEPMG	VUMD4	0.00	704.68	441.48	138.36	16.41			19.99			
Bi		8 Zero Substitution										İ					
		Clear Channel Capability Format, superframe - Subsequent										İ					
		Activity Only			UEPMG	CCOSF	0.00	0.00i	590.00s								
		Clear Channel Capability Format - Extended Superframe -	t														
		Subsequent Activity Only			UEPMG	CCOEF	0.00	0.00i	590.00s								
Alf		e Mark Inversion (AMI)	t					0.00									
		Superframe Format	1		UEPMG	MCOSF	0.00	0.00	0.00								
		Extended Superframe Format	t		UEPMG	MCOPO	0.00	0.00	0.00								
Ex		ge Ports Associated with 4-Wire DS1 Loop with Channelization	on with	Port													
		ge Ports															
		Line Side Combination Channelized PBX Trunk Port - Business	1														
		(E:4/1/2004)			UEPPX	UEPCX	1.70	0.00	0.00	0.00	0.00			30.89	7.03		
		Line Side Outward Channelized PBX Trunk Port - Business										İ					
		(E:4/1/2004)			UEPPX	UEPOX	1.70	0.00	0.00	0.00	0.00			30.89	7.03		
		Line Side Inward Only Channelized PBX Trunk Port without DID	1														
		(E:4/1/2004)			UEPPX	UEP1X	1.70	0.00	0.00	0.00	0.00			30.89	7.03		
		2-Wire Trunk Side Unbundled Channelized DID Trunk Port										İ					
		(E:4/1/2004)			UEPPX	UEPDM	8.97	0.00	0.00	0.00	0.00			30.89	7.03		
		Unbundled Exchange Ports, 2-Wire Channelized – Outdial –	t														
		(AL, KY, LA, MS, & TN)(Conversion from Network Access															
		Service) (E:4/1/2004)			UEPPX	UEPCY	1.70	0.00	0.00	0.00	0.00			30.89	7.03		
		Unbundled Exchange Ports, 2-Wire Channelized – Combination	1														
		(AL, KY, LA, MS, & TN) (Conversion from Network Access	1			1							1		I	I	l
		Service) (E:4/1/2004)	1		UEPPX	UEPCT	1.70	0.00	0.00	0.00	0.00		1	30.89	7.03	I	l
		Unbundled Exchange Ports, 2-Wire Channelized – Outdial –															1
		Tennessee Only - Calling Plan - Regionserv (E:4/1/2004)			UEPPX	UEPCZ	1.70	0.00	0.00	0.00	0.00			30.89	7.03	1	
		Unbundled Exchange Ports, 2-Wire Channelized – Two Way -															
		Tennessee Only - Calling Plan - Regionsery (E:4/1/2004)	1		UEPPX	UEPC6	1.70	0.00	0.00	0.00	0.00		1	30.89	7.03	I	1
Fe	ature	Activations - Unbundled Loop Concentration	Ì														
		Feature (Service) Activation for each Line Port Terminated in D4															
	1	Bank (includes Q.1.4, P50.1, P.50.498)			UEPPX	1PQWM	2.02	23.94	12.64	3.82	3.80			30.89	7.03		
		Feature (Service) Activation for each Trunk Port Terminated in															
		D4 Bank (includes Q.1.4, P50.1, P.50.498)	1		UEPPX	1PQWU	2.02	73.67	17.37	54.09	10.57		1	30.89	7.03	I	1
Te	lepho	ne Number/ Group Establishment Charges for DID Service															
		DID Trunk Termination (1 per Port)			UEPPX	NDT	0.00	0.00	0.00								
		DID Numbers - groups of 20 - Valid all States			UEPPX	ND4	0.00	0.00	0.00								
		Non-Consecutive DID Numbers - per number			UEPPX	ND5	0.00	0.00	0.00								
		Reserve Non-Consecutive DID Numbers			UEPPX	ND6	0.00	0.00	0.00								
		Reserve DID Numbers			UEPPX	NDV	0.00	0.00	0.00								
Lo		umber Portability															
		Local Number Portability - 1 per port			UEPPX	LNPCP	3.15	0.00	0.00								
	ATUR	RES - Vertical and Optional															
Lo		witching Features Offered with Line Side Ports Only															
		All Features Available			UEPPX	UEPVF	0.00	0.00	0.00								

LIMBI	INDI E	D NETWORK ELEMENTS - Tennessee												Attack	ment: 2	Exhil	-:4. A
ONDO	NULL	D NETWORK ELEMENTS - Tellilessee		1			I					Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
												Submitted	Submitted		Charge -	Charge -	Charge -
												Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATE	ORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)				per LSR				
0,112		10.112 ====	m						(+)			per LSR	perLSK	Order vs.	Order vs. Electronic-	Order vs. Electronic-	Order vs. Electronic-
														Electronic-			
														1st	Add'l	Disc 1st	Disc Add'l
							_	Nonrecurring		Nonrecurring	Disconnect			oss	Rates (\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
UNBU	NDLED (CENTREX PORT/LOOP COMBINATIONS - COST BASED RATES	3			ĺ											
		t Based Rates are applied where BellSouth is required by FCC															
		ures shall apply to the Unbundled Port/Loop Combination - C															
	3. End	Office and Tandem Switching Usage and Common Transport	Usage i	rates ir	the Port section of	this rate exh	ibit shall apply	to all combina	ations of loop/	port network e	lements excep	t for UNE C	oin Port/Lo	op Combinat	ions.		
		first and additional Port nonrecurring charges apply to Not Cu	ırrently	Comb	ined Combos. For (Currently Co	mbined Combo	s, the nonrecu	irring charges	shall be those	identified in t	he Nonrecu	rring - Curre	ently Combine	ed sections. I	Additional NR	Cs may
		also and are categorized accordingly.															
		ket Rates for Unbundled Centrex Port/Loop Combination will		otiated	on an Individual Ca	se Basis, un	til further notic	e.									
		CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only)														
		VG Loop/2-Wire Voice Grade Port (Centrex) Combo ort/Loop Combination Rates (Non-Design)		-													
	UNEF	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -															
		Non-Design		1	UEP91		14.18										
-	 	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		-	OLFSI	-	14.18					-					
1		Non-Design		2	UEP91		18.01						1				
—	+	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -			OE1 31		10.01										
		Non-Design		3	UEP91		23.02										
	UNF P	ort/Loop Combination Rates (Design)		Ŭ	02. 0.		20.02										
	OIVE !	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -															
		Design		1	UEP91		18.26										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
		Design		2	UEP91		23.33										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
		Design		3	UEP91		29.98										
	UNE L	oop Rate				ĺ											
		2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP91	UECS1	12.48										
		2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEP91	UECS1	16.31										
		2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP91	UECS1	21.32										
		2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP91	UECS2	16.56										
		2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP91	UECS2	21.63										
		2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP91	UECS2	28.28										
	UNE P																
	All Sta	tes (Except North Carolina and Sout Carolina)					4 = 0	20.11	45.05	0.45							
-	1	2-Wire Voice Grade Port (Centrex) Basic Local Area			UEP91	UEPYA	1.70	22.14	15.25	8.45	3.91	-	30.89	7.03			
		2-Wire Voice Grade Port (Centrex 800 termination)Basic Local Area			LIED04	UEPYB	1.70	22.14	15.05	8.45	3.91		30.89	7.03			
	1	2-Wire Voice Grade Port (Centrex with Caller ID)Note1 Basic			UEP91	UEFTB	1.70	22.14	15.25	0.40	3.91		30.69	7.03			
		Local Area			UEP91	UEPYH	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
-	1	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)			DEP91	UEPTH	1.70	22.14	15.25	0.40	3.91		30.69	7.03			
1		Note 2, 3 Basic Local Area			UEP91	UEPYM	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
 	 	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service		 	02.01	021 1101	1.70	22.17	10.20	5.45	0.01		00.00	7.00			
1		Term - Basic Local Area			UEP91	UEPYZ	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
		2-Wire Voice Grade Port terminated in on Megalink or equivalent								00							
		- Basic Local Area			UEP91	UEPY9	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
		2-Wire Voice Grade Port Terminated on 800 Service Term -															
		Basic Local Area			UEP91	UEPY2	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	AL, KY	, LA, MS, & TN Only															
		2-Wire Voice Grade Port (Centrex)			UEP91	UEPQA	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
		2-Wire Voice Grade Port (Centrex 800 termination)			UEP91	UEPQB	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
		2-Wire Voice Grade Port (Centrex with Caller ID)1			UEP91	UEPQH	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
		2-Wire Voice Grade Port (Centrex from diff Serving Wire															
	1	Center)2,3			UEP91	UEPQM	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
1		2-Wire Voice Grade Port, Diff Serving Wire Center - 2,3 - 800															7
<u> </u>	1	Service Term			UEP91	UEPQZ	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
1		[
		2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP91	UEPQ9	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
<u> </u>		2-Wire Voice Grade Port Terminated on 800 Service Term			UEP91	UEPQ2	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
<u> </u>	Local	Switching		ļ	LIEDO4	LIDEOO	0.0001										
-	Lassii	Centrex Intercom Funtionality, per port		-	UEP91	URECS	0.6381					-					
	Local	Number Portability		1	I								<u> </u>				

JNBU	NDLE	NETWORK ELEMENTS - Tennessee													ment: 2	1	ibit: A
CATEG	ORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			1	Svc Order Submitted Manually per LSR		Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
							Rec	Nonrecurring		Nonrecurring	g Disconnect			oss	Rates (\$)		
								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Local Number Portability (1 per port)			UEP91	LNPCC	0.35										
	Feature				LIEBO									=			
		All Standard Features Offered, per port			UEP91	UEPVF	0.00						30.89	7.03			
		All Select Features Offered, per port		-	UEP91	UEPVS	0.00					1	30.89	7.03		-	
	NARS	All Centrex Control Features Offered, per port		-	UEP91	UEPVC	0.00					1	30.89	7.03		-	
	NAKS	Unbundled Network Access Register - Combination			UEP91	UARCX	0.00	0.00	0.00	0.00	0.00		0.00	7.03		1	
		Unbundled Network Access Register - Indial			UEP91	UAR1X	0.00		0.00	0.00	0.00	1	0.00	7.03			+
		Unbundled Network Access Register - Outdial			UEP91	UAROX	0.00		0.00		0.00	1	0.00	7.03			1
	Miscell	aneous Terminations									0.00	1				t	<u> </u>
		Trunk Side				1							İ		1		
		Trunk Side Terminations, each			UEP91	CENA6	8.78	22.14	15.25	8.45	3.91		30.89	7.03			
		ice Channel Mileage - 2-Wire															
		Interoffice Channel Facilities Termination - Voice Grade			UEP91	M1GBC	18.58		15.25	8.45	3.91		30.89	7.03			
		Interoffice Channel mileage, per mile or fraction of mile			UEP91	M1GBM	0.0174										
		Activations (DS0) Centrex Loops on Channelized DS1 Service	е					ļ				ļ	ļ			ļ	
	D4 Cha	nnel Bank Feature Activations			LIEDOA	4001410	0.00										
		Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP91	1PQWS	0.66										
		Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP91	1PQW6	0.66										
		Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot			UEP91	1PQW7	0.66										
		Feature Activation on D-4 Channel Bank Centrex Loop Slot -			OLI 91	II QW/	0.00										
		Different Wire Center			UEP91	1PQWP	0.66										
		Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP91	1PQWV	0.66										
		Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop Slot			UEP91	1PQWQ	0.66										
		Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP91	1PQWA	0.66			1		1	1			-	
	Non-Re	curring Charges (NRC) Associated with UNE-P Centrex			OLI 01	11 000000	0.00			1		1					+
		Conversion - Currently Combined Switch-As-Is with allowed											İ				
		changes, per port			UEP91	USAC2		1.03	0.29				30.89	7.03			
		New Centrex Standard Common Block			UEP91	M1ACS	0.00	658.60					30.89	7.03			1
		New Centrex Customized Common Block			UEP91	M1ACC	0.00						30.89	7.03			1
		Secondary Block, per Block			UEP91	M2CC1	0.00						30.89	7.03			
		NAR Establishment Charge, Per Occasion			UEP91	URECA		68.57					30.89	7.03			1
	Additio	nal Non-Recurring Charges (NRC)															
		Unbundled Miscellaneous Rate Element, Tag Loop at End Use Premise			UEP91	URETL		8.33	0.83								
		Unbundled Miscellaneous Rate Element, Tag Design Loop at End Use Premise			UEP91	URETN		11.23	1.10								
	IINF-P	CENTREX - 5ESS (Valid in All States)			OLF91	UKLIN		11.23	1.10								
		VG Loop/2-Wire Voice Grade Port (Centrex) Combo											İ				
		ort/Loop Combination Rates (Non-Design)				1						i e	İ			t	
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -										1					
		Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		1	UEP95		14.18										
		Non-Design		2	UEP95		18.01										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design		3	UEP95		23.02										
	UNF P	ort/Loop Combination Rates (Design)		- 3	OL1 90	+	20.02			1		 		1		†	
	J	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -		_	LIEDOS		10.00									1	
		Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		1	UEP95		18.26						1	1		 	
		Design		2	UEP95		23.33										<u> </u>
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design		3	UEP95		29.98										
		pop Rate															
		2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP95	UECS1	12.48										

NRONDLE	D NETWORK ELEMENTS - Tennessee											T -		ment: 2	1	bit: A
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			1	Svc Order Submitted Manually per LSR	Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increment Charge Manual S Order vs Electroni Disc Add
						Rec	Nonrecurring		Nonrecurring					Rates (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Grade Loop (SL 1) - Zone 2			UEP95	UECS1	16.31										
	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP95	UECS1	21.32										
	2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP95	UECS2	16.56										
	2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP95	UECS2	21.63										
	2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP95	UECS2	28.28										
	ort Rate				\perp											
All Sta				LIEDAE	11551/4		20.44		0.45				= 00			
	2-Wire Voice Grade Port (Centrex) Basic Local Area			UEP95	UEPYA	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port (Centrex 800 termination)			UEP95	UEPYB	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local Area			UEP95	UEPYH	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port (Centrex from diff Serving Wire						22.14									
	Center)2,3 Basic Local Area			UEP95	UEPYM	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port, Diff Serving Wire Center 2,3 - 800 Service Term - Basic Local Area			UEP95	UEPYZ	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port terminated in on Megalink or equivalent - Basic Local Area			UEP95	UEPY9	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port Terminated on 800 Service Term -															
AI KY	Basic Local Area LA. MS. SC. & TN Only			UEP95	UEPY2	1.70	22.14	15.25	8.45	3.91	-	30.89	7.03			
AL, KI	2-Wire Voice Grade Port (Centrex)			UEP95	UEPQA	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
-	2-Wire Voice Grade Fort (Centrex) 2-Wire Voice Grade Port (Centrex 800 termination)			UEP95	UEPQB	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port (Centrex odo terrimation) 2-Wire Voice Grade Port (Centrex with Caller ID)1		-	UEP95	UEPQH	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
-	2-Wire Voice Grade Port (Centrex from diff Serving Wire			OLI 00	OLI GII	1.70	22.17	10.20	0.40	0.01		00.00	7.00			
	Center)2,3 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service			UEP95	UEPQM	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	Term 2,3			UEP95	UEPQZ	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP95	UEPQ9	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port Terminated on 800 Service Term			UEP95	UEPQ2	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	A Only															
Local S	Switching															
	Centrex Intercom Funtionality, per port			UEP95	URECS	0.6381										
Local I	Number Portability															
Feature	Local Number Portability (1 per port)			UEP95	LNPCC	0.35	-									
i catur	All Standard Features Offered, per port		-	UEP95	UEPVF	0.00						30.89	7.03			
-	All Select Features Offered, per port		-	UEP95	UEPVS	0.00	433.78				†	30.89	7.03			
_	All Centrex Control Features Offered, per port			UEP95	UEPVC	0.00	100.70				1	30.89	7.03		1	
NARS					-											
	Unbundled Network Access Register - Combination			UEP95	UARCX	0.00	0.00	0.00	0.00	0.00		0.00	7.03			
	Unbundled Network Access Register - Indial			UEP95	UAR1X	0.00	0.00	0.00	0.00	0.00		0.00	7.03			
	Unbundled Network Access Register - Outdial			UEP95	UAROX	0.00	0.00	0.00	0.00	0.00		0.00	7.03			
Miscel	aneous Terminations															
2-Wire	Trunk Side		İ		1								1			
	Trunk Side Terminations, each			UEP95	CEND6	8.78	47.75	47.01	9.21	8.47		30.89	7.03			
	Digital (1.544 Megabits)				1											
	DS1 Circuit Terminations, each			UEP95	M1HD1	35.55	75.93	38.15				30.89	7.03			
	DS0 Channels Activated, each			UEP95	M1HDO	0.00	108.67					30.89	7.03			
Interof	fice Channel Mileage - 2-Wire															
	Interoffice Channel Facilities Termination			UEP95	M1GBC	18.58	22.14	15.25	8.45	3.91		30.89	7.03			
	Interoffice Channel mileage, per mile or fraction of mile			UEP95	M1GBM	0.0174										
	e Activations (DS0) Centrex Loops on Channelized DS1 Service	e														
D4 Cha	nnel Bank Feature Activations															
	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP95	1PQWS	0.66		· · · · ·								
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP95	1PQW6	0.66										
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot			UEP95	1PQW7	0.66										

UNBUNDLE	D NETWORK ELEMENTS - Tennessee												Attach	ment: 2	Exhi	bit: A
		Intori									Svc Order Submitted Elec	Submitted	Incremental	Incremental Charge - Manual Svc		Incremental Charge - Manual Svc
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs. Electronic- 1st	Order vs. Electronic- Add'l	Order vs. Electronic- Disc 1st	Order vs. Electronic- Disc Add'l
		-					Nonrecurring		Nonrecurring	Disconnect			OSS	Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Feature Activation on D-4 Channel Bank Centrex Loop Slot -															
	Different Wire Center			UEP95	1PQWP	0.66										
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP95	1PQWV	0.66										
	Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop			UEP95	1PQWQ	0.66										
\vdash	Feature Activation on D-4 Channel Bank WATS Loop Slot		-	UEP95	1PQWQ	0.66										
	ecurring Charges (NRC) Associated with UNE-P Centrex	1		OLF 93	IFQWA	0.00										
Non Re	NRC Conversion Currently Combined Switch-As-Is with allowed										1					
	changes, per port			UEP95	USAC2		1.03	0.29				30.89	7.03			
	New Centrex Standard Common Block			UEP95	M1ACS	0.00	658.60					30.89	7.03			
	New Centrex Customized Common Block			UEP95	M1ACC	0.00	658.60					30.89	7.03			
	NAR Establishment Charge, Per Occasion			UEP95	URECA	0.00	68.57					30.89	7.03			
	nal Non-Recurring Charges (NRC)							· · · · ·								
	Unbundled Miscellaneous Rate Element, Tag Loop at End Use Premise			UEP95	URETL		8.33	0.83								
	Unbundled Miscellaneous Rate Element, Tag Design Loop at				I											
	End Use Premise			UEP95	URETN		11.23	1.10								
	CENTREX - DMS100 (Valid in All States)										ļ					
	VG Loop/2-Wire Voice Grade Port (Centrex) Combo ort/Loop Combination Rates (Non-Design)	-	-						-		.					
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -	-	-						-		 					
	Non-Design		1	UEP9D		14.18										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design		2	UEP9D		18.01										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -			UEP9D		10.01			1		1					
	Non-Design		3	UEP9D		23.02										
	ort/Loop Combination Rates (Design)															
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -															
	Design		1	UEP9D		18.26										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design		2	UEP9D		23.33										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
	Design		3	UEP9D		29.98										
	pop Rate															
	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP9D	UECS1	12.48					ļ					
	2-Wire Voice Grade Loop (SL 1) - Zone 2	-	2	UEP9D	UECS1	16.31					1					
	2-Wire Voice Grade Loop (SL 1) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 1		3	UEP9D UEP9D	UECS1 UECS2	21.32 16.56			-		-					
	2-Wire Voice Grade Loop (SL 2) - Zone 1	1	2	UEP9D	UECS2	21.63			-		1					
	2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP9D	UECS2	28.28					1					
UNE Po			Ŭ	OLI OD	02002	20.20					1					
ALL ST									t		†					
	2-Wire Voice Grade Port (Centrex) Basic Local Area	1		UEP9D	UEPYA	1.70	22.14	15.25	8.45	3.91		30.89	7.03	l	l	l
	2-Wire Voice Grade Port (Centrex 800 termination)Basic Local															
	Area	1		UEP9D	UEPYB	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port (Centrex / EBS-PSET)3Basic Local Area			UEP9D	UEPYC	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port (Centrex / EBS-M5009)3Basic Local Area			UEP9D	UEPYD	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port (Centrex / EBS-M5209))3 Basic Local Area			UEP9D	UEPYE	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port (Centrex / EBS-M5112))3 Basic Local Area			UEP9D	UEPYF	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port (Centrex / EBS-M5312))3Basic Local Area			UEP9D	UEPYG	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port (Centrex / EBS-M5008))3 Basic Local Area			UEP9D	UEPYT	1.70	22.14	15.25	8.45	3.91		30.89	7.03			

OMBONDLE	D NETWORK ELEMENTS - Tennessee		1	ı							10	I 0 C .		ment: 2		ibit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			Svc Order Submitted Elec per LSR	Submitted Manually	Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Charge -	Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'l
			ļ			Rec	Nonrecurring		Nonrecurring			T =		Rates (\$)		
	O Mire Veice Crede Dest (Control / EDC MESON) 2 Desigl and		-				First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Grade Port (Centrex / EBS-M5208))3 Basic Local Area			UEP9D	UEPYU	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port (Centrex / EBS-M5216))3 Basic Local		1	OLF9D	OLFIO	1.70	22.14	13.23	0.43	3.91		30.09	7.03			+
	Area			UEP9D	UEPYV	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port (Centrex / EBS-M5316))3 Basic Local															
	Area			UEP9D	UEPY3	1.70	22.14	15.25	8.45	3.91		30.89	7.03			ļ
	2-Wire Voice Grade Port (Centrex with Caller ID) Basic Local			LIEDOD	UEPYH	1.70	20.44	15.25	0.45	2.04		20.00	7.03			
	Area 2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp			UEP9D	UEPYH	1.70	22.14	15.25	8.45	3.91		30.89	7.03		-	-
	Indication))4 Basic Local Area			UEP9D	UEPYW	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication))4								00	0.0.						
	Basic Local Area			UEP9D	UEPYJ	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)					. =-			0.45				=			
	2,3-Basic Local Area 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2,3,4		-	UEP9D	UEPYM	1.70	22.14	15.25	8.45	3.91		30.89	7.03		1	
	Basic Local Area			UEP9D	UEPYO	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2,3,4			02.00	02 0			10.20	0.10	0.01		00.00	7.00			
	Basic Local Area			UEP9D	UEPYP	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2,3,4															
	Basic Local Area			UEP9D	UEPYQ	1.70	22.14	15.25	8.45	3.91		30.89	7.03			ļ
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2,3,4 Basic Local Area			UEP9D	UEPYR	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2,3,4			UEP9D	UEFTK	1.70	22.14	15.25	0.45	3.91		30.09	7.03		<u> </u>	1
	Basic Local Area			UEP9D	UEPYS	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2,3,4															
	Basic Local Area			UEP9D	UEPY4	1.70	22.14	15.25	8.45	3.91		30.89	7.03			ļ
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3			UEP9D	UEPY5	1.70	22.14	15.05	8.45	3.91		30.89	7.03			
	Basic Local Area 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2,3,4			UEP9D	UEPTS	1.70	22.14	15.25	0.45	3.91		30.09	7.03			1
	Basic Local Area			UEP9D	UEPY6	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2,3,4															
	Basic Local Area			UEP9D	UEPY7	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service			LIEDOD	LIEDV7	4.70	00.44	45.05	0.45	0.04		00.00	7.00			
	Term 2,3 2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP9D	UEPYZ	1.70	22.14	15.25	8.45	3.91		30.89	7.03		-	.
	Basic Local Area			UEP9D	UEPY9	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port Terminated on 800 Service Term Basic								00	0.0.						
	Local Area			UEP9D	UEPY2	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
AL, K	, LA, MS, SC, & TN Only		ļ													
	2-Wire Voice Grade Port (Centrex) 2-Wire Voice Grade Port (Centrex 800 termination)		-	UEP9D UEP9D	UEPQA UEPQB	1.70 1.70	22.14 22.14	15.25 15.25	8.45 8.45	3.91 3.91		30.89 30.89	7.03 7.03		1	<u> </u>
	2-Wire Voice Grade Port (Centrex 800 termination) 2-Wire Voice Grade Port (Centrex / EBS-PSET)4			UEP9D	UEPQB	1.70	22.14	15.25	8.45	3.91	 	30.89	7.03			-
	2-Wire Voice Grade Port (Centrex / EBS-PSE1)4 2-Wire Voice Grade Port (Centrex / EBS-M5009)4		-	UEP9D	UEPQD	1.70	22.14	15.25	8.45	3.91	ł	30.89	7.03	-	-	
			-	UEP9D	UEPQE	1.70		15.25		3.91	-	30.89	7.03			
	2-Wire Voice Grade Port (Centrex / EBS-M5209)4 2-Wire Voice Grade Port (Centrex / EBS-M5112)4		-	UEP9D	UEPQF	1.70		15.25	8.45 8.45	3.91	-	30.89	7.03			
			-	UEP9D	UEPQG	1.70			8.45	3.91	ł	30.89	7.03	-	-	
	2-Wire Voice Grade Port (Centrex / EBS-M5312)4 2-Wire Voice Grade Port (Centrex / EBS-M5008)4		 	UEP9D	UEPQG	1.70	22.14 22.14	15.25 15.25	8.45	3.91	1	30.89	7.03	1	+	
+	2-Wire Voice Grade Port (Centrex / EBS-W5006)4 2-Wire Voice Grade Port (Centrex / EBS-M5208)4		 	UEP9D	UEPQU	1.70		15.25	8.45	3.91	 	30.89	7.03	 	 	
+	2-Wire Voice Grade Port (Centrex / EBS-M5206)4		 	UEP9D	UEPQV	1.70		15.25	8.45	3.91	 	30.89	7.03	 	 	
	2-Wire Voice Grade Port (Centrex / EBS-M5216)4 2-Wire Voice Grade Port (Centrex / EBS-M5316)4		 	UEP9D	UEPQ3	1.70	22.14	15.25	8.45	3.91	 	30.89	7.03	 	 	
	2-Wire Voice Grade Port (Centrex vith Caller ID)		 	UEP9D	UEPQH	1.70		15.25	8.45	3.91	†	30.89	7.03		t	†
	2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp			02.00	JE1 (411	1.70	22.14	10.20	0.40	0.91		55.55	7.00		<u> </u>	
	Indication)4			UEP9D	UEPQW	1.70	22.14	15.25	8.45	3.91		30.89	7.03		I	
	2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication)4			UEP9D	UEPQJ	1.70	22.14	15.25	8.45	3.91		30.89	7.03		1	
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)							-								
	2,3			UEP9D	UEPQM	1.70	22.14	15.25	8.45	3.91	ļ	30.89	7.03			<u> </u>
															I	
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2,3,4		<u> </u>	UEP9D	UEPQO	1.70	22.14	15.25	8.45	3.91	1	30.89	7.03	l	1	1

JNBUN	IDLE	NETWORK ELEMENTS - Tennessee													ment: 2		bit: A
ATEGO	DRY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'I
							Rec	Nonrecurring		Nonrecurring					Rates (\$)		
							1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2.3.4			UEP9D	UEPQP	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
-+		2-vviile voice Grade Port (Centrexdiller SVVC /EBS-Ivi5009)2,3,4			DEP9D	UEFQF	1.70	22.14	15.25	0.40	3.91		30.09	7.03			
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2,3,4			UEP9D	UEPQQ	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2,3,4			UEP9D	UEPQR	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2,3,4			UEP9D	UEPQS	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
		2-ville voice drade i dit (dentiewallier dwo/LBG-MG512/2,5,4			OLI 3D	OLI QO	1.70	22.14	13.23	0.43	5.51		30.03	7.00			
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2,3,4			UEP9D	UEPQ4	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2,3,4			UEP9D	UEPQ5	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2,3,4			UEP9D	UEPQ6	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
		2 1110 1000 Class 1 01 (Control and City / 250 moz 10/2)c; 1			02.05	02. 00			10.20	0.10	0.01		00.00	7.00			
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2,3,4			UEP9D	UEPQ7	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
		2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service					. =0										
+		Term 2,3			UEP9D	UEPQZ	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
		2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP9D	UEPQ9	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
		2-Wire Voice Grade Port Terminated on 800 Service Term			UEP9D	UEPQ2	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
L		witching															
		Centrex Intercom Funtionality, per port			UEP9D	URECS	0.6381										
	_ocai r	lumber Portability Local Number Portability (1 per port)			UEP9D	LNPCC	0.35			-							
F	eature				OLF 9D	LINFOC	0.33										
		All Standard Features Offered, per port			UEP9D	UEPVF	0.00						30.89	7.03			
		All Select Features Offered, per port			UEP9D	UEPVS	0.00	433.78					30.89	7.03			
	14.00	All Centrex Control Features Offered, per port			UEP9D	UEPVC	0.00						30.89	7.03			
- 1	NARS	Unbundled Network Access Register - Combination			UEP9D	UARCX	0.00	0.00	0.00	0.00	0.00		0.00	7.03			
		Unbundled Network Access Register - Inward			UEP9D	UAR1X	0.00	0.00	0.00	0.00	0.00		0.00	7.03			
		Unbundled Network Access Register - Outdial			UEP9D	UAROX	0.00	0.00	0.00	0.00	0.00		0.00	7.03			
		aneous Terminations															
2		Trunk Side			LIEDAD	OFNIDO	0.70	00.14	45.05	0.45	3.91		00.00	7.00			
- 1		Trunk Side Terminations, each Digital (1.544 Megabits)			UEP9D	CEND6	8.78	22.14	15.25	8.45	3.91		30.89	7.03			
- 1	- WIII C	DS1 Circuit Terminations, each			UEP9D	M1HD1	35.55	75.93	38.15				30.89	7.03			
		DS0 Channels Activiated per Channel			UEP9D	M1HDO	0.00	108.67					30.89	7.03			
li li		ice Channel Mileage - 2-Wire															
		Interoffice Channel Facilities Termination Interoffice Channel mileage, per mile or fraction of mile			UEP9D UEP9D	M1GBC M1GBM	18.58 0.0174	22.14	15.25	8.45	3.91		30.89	7.03			
		e Activations (DS0) Centrex Loops on Channelized DS1 Service	e		DEP9D	IVITGBIVI	0.0174										
		nnel Bank Feature Activations															
		Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP9D	1PQWS	0.66										
		Endow Address and Bud EVIII 2011			LIEDOD	400140	0.00										
		Feature Activation on D-4 Channel Bank FX line Side Loop Slot Feature Activation on D-4 Channel Bank FX Trunk Side Loop			UEP9D	1PQW6	0.66					-					
		Slot			UEP9D	1PQW7	0.66										
		Feature Activation on D-4 Channel Bank Centrex Loop Slot - Different Wire Center			UEP9D	1PQWP	0.66										
		Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP9D	1PQWV	0.66										
		Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop															
_		Slot			UEP9D	1PQWQ	0.66			 		<u> </u>					
	lon-Pr	Feature Activation on D-4 Channel Bank WATS Loop Slot curring Charges (NRC) Associated with UNE-P Centrex		-	UEP9D	1PQWA	0.66					1					
	-OH-KE	NRC Conversion Currently Combined Switch-As-Is with allowed										†					
		changes, per port			UEP9D	USAC2		1.03	0.29				30.89	7.03			

UNBUNDLE	D NETWORK ELEMENTS - Tennessee												Attachi	ment: 2	Exhi	bit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Charge -	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'I
						Rec	Nonrecurring		Nonrecurring					Rates (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	New Centrex Standard Common Block			UEP9D	M1ACS	0.00	658.60				ļ	30.89	7.03			
	New Centrex Customized Common Block		-	UEP9D	M1ACC	0.00	658.60		-		1	30.89	7.03			
A -1 -1141	NAR Establishment Charge, Per Occasion		-	UEP9D	URECA		68.57		-		1	30.89	7.03			-
Additi	onal Non-Recurring Charges (NRC)		-				-				.					-
	Unbundled Miscellaneous Rate Element, Tag Loop at End Use Premise			UEP9D	URETL		8.33	0.83								
	Unbundled Miscellaneous Rate Element, Tag Design Loop at			UEP9D	UKETL		0.33	0.03			1					—
	End Use Premise			UEP9D	URETN		11.23	1.10								l
UNF-P	CENTREX - EWSD (Valid in AL, FL, KY, LA, MS & TN)			OLI OD	OILLIIV		11.20	1.10			1					
	VG Loop/2-Wire Voice Grade Port (Centrex) Combo										1					
	ort/Loop Combination Rates (Non-Design)										İ					
1	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -										İ					
1	Non-Design		1	UEP9E		14.18						1				1
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
	Non-Design		2	UEP9E		18.01										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
	Non-Design		3	UEP9E		23.02										
UNE P	ort/Loop Combination Rates (Design)															
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -															l
	Design		1	UEP9E		18.26										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		_													
	Design		2	UEP9E		23.33										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -			LIEDOE		00.00										ĺ
	Design		3	UEP9E		29.98					1					-
UNE L	oop Rate		1	UEP9E	UECS1	12.48			-		-					
+	2-Wire Voice Grade Loop (SL 1) - Zone 1 2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEP9E	UECS1	16.31			+ + + + + + + + + + + + + + + + + + +		1					
	2-Wire Voice Grade Loop (SL 1) - Zone 2 2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP9E	UECS1	21.32					+					
	2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP9E	UECS2	16.56			 		1					
	2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP9E	UECS2	21.63										
	2-Wire Voice Grade Loop (SL 2) - Zone 3			UEP9E	UECS2	28.28					İ					
UNE P	ort Rate		Ť								İ					
	, KY, LA, MS, & TN only															
	2-Wire Voice Grade Port (Centrex) Basic Local Area			UEP9E	UEPYA	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port (Centrex 800 termination)Basic Local															
	Area			UEP9E	UEPYB	1.70	22.14	15.25	8.45	3.91	<u> </u>	30.89	7.03		<u> </u>	<u></u>
	2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local									-						1
	Area			UEP9E	UEPYH	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port (Centrex from diff Serving Wire						T		I T							1
	Center)2,3 Basic Local Area			UEP9E	UEPYM	1.70	22.14	15.25	8.45	3.91		30.89	7.03			├
	2-Wire Voice Grade Port, Diff Serving Wire Center 2,3 - 800			LIEDOE	LIEDV7	4 ===	00.4.	45.00		0.01		00.00	7			1
	Service Term - Basic Local Area		-	UEP9E	UEPYZ	1.70	22.14	15.25	8.45	3.91	ļ	30.89	7.03		 	
	2-Wire Voice Grade Port terminated in on Megalink or equivalent			LIEDOE	LIEDVO	1.70	22.44	15.05	0.45	2.04		20.00	7.00			1
	- Basic Local Area		-	UEP9E	UEPY9	1.70	22.14	15.25	8.45	3.91	ļ	30.89	7.03		-	
	2-Wire Voice Grade Port Terminated on 800 Service Term - Basic Local Area			UEP9E	UEPY2	1.70	22.14	15.25	8.45	3.91		30.89	7.03			1
AI K	/, LA, MS, & TN Only			OLFSE	UEF12	1.70	22.14	15.25	0.45	3.91	<u> </u>	30.89	1.03		-	
AL, K	2-Wire Voice Grade Port (Centrex)	-		UEP9E	UEPQA	1.70	22.14	15.25	8.45	3.91	 	30.89	7.03			—
+	2-Wire Voice Grade Port (Centrex) 2-Wire Voice Grade Port (Centrex 800 termination)	-		UEP9E	UEPQB	1.70	22.14	15.25	8.45	3.91	 	30.89	7.03			<u> </u>
	2-Wire Voice Grade Port (Centrex with Caller ID)1			UEP9E	UEPQH	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
İ	2-Wire Voice Grade Port (Centrex from diff Serving Wire					0		.0.20	50	0.01		30.00	7.50		İ	
	Center)2,3			UEP9E	UEPQM	1.70	22.14	15.25	8.45	3.91		30.89	7.03			1
İ	2-Wire Voice Grade Port, Diff Serving Wire Center 2,3 - 800										İ					
	Service Term			UEP9E	UEPQZ	1.70	22.14	15.25	8.45	3.91		30.89	7.03			1
	2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP9E	UEPQ9	1.70	22.14	15.25	8.45	3.91		30.89	7.03			L
	2-Wire Voice Grade Port Terminated on 800 Service Term			UEP9E	UEPQ2	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
Local	Switching															└
	Centrex Intercom Funtionality, per port		1	UEP9E	URECS	0.6381										1

NRONI	ULEL	NETWORK ELEMENTS - Tennessee	_		ı	1						0	06		ment: 2	+	ibit: A
CATEGOR	RΥ	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'
							Rec	Nonrecurring		Nonrecurring					Rates (\$)		
							Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
Lo		umber Portability															ļ
		Local Number Portability (1 per port)			UEP9E	LNPCC	0.35										
Fe	ature				LIEDAE	LUEDVE											
		All Standard Features Offered, per port			UEP9E	UEPVF	0.00						30.89	7.03			
		All Select Features Offered, per port			UEP9E	UEPVS	0.00	433.78					30.89	7.03			ļ
NI.	ARS	All Centrex Control Features Offered, per port	ļ		UEP9E	UEPVC	0.00			1			30.89	7.03			
N/	ARS	Habita diad Naturali Access Benister Combination	1	1	UEP9E	UARCX	0.00	0.00	0.00	0.00	0.00		0.00	7.03			
		Unbundled Network Access Register - Combination						0.00			0.00						
		Unbundled Network Access Register - Indial			UEP9E UEP9E	UAR1X UAROX	0.00		0.00	0.00			0.00	7.03			-
DA:		Unbundled Network Access Register - Outdial aneous Terminations			UEP9E	UARUX	0.00	0.00	0.00	0.00	0.00	-	0.00	7.03			
		Trunk Side	 	 		+				+ +		 				1	
2-1		Trunk Side Trunk Side Terminations, each	 	1	UEP9E	CEND6	8.78	22.14	15.25	8.45	3.91		30.89	7.03		1	\vdash
4-1		Digital (1.544 Megabits)	 	 	OLI OL	SEINDO	0.70	22.14	15.25	0.40	3.91	H	30.08	7.03	 	1	\vdash
		DS1 Circuit Terminations, each	 	1	UEP9E	M1HD1	35.55	75.93	38.15	 		H	30.89	7.03	 	1	
		DS0 Channel Activated Per Channel	 	 	UEP9E	M1HDO	0.00	108.67	50.15	+ + +			30.89	7.03		†	
Int		ice Channel Mileage - 2-Wire	1	 	0L1 0L		0.00	100.07		1		 	30.03	7.03	1	1	
		Interoffice Channel Facilities Termination			UEP9E	M1GBC	18.58	22.14	15.25	8.45	3.91	1	30.89	7.03			t
		Interoffice Channel mileage, per mile or fraction of mile	1		UEP9E	M1GBM	0.0174	22.17	10.20	0.40	0.01		00.00	7.00			+
Fe		Activations (DS0) Centrex Loops on Channelized DS1 Service	ce														
		nnel Bank Feature Activations	Ī													İ	1
		Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP9E	1PQWS	0.66										1
		Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP9E	1PQW6	0.66										
		Feature Activation on D-4 Channel Bank FX Trunk Side Loop			UEP9E	1PQW7	0.66										
		Feature Activation on D-4 Channel Bank Centrex Loop Slot -										İ					1
	_	Different Wire Center			UEP9E	1PQWP	0.66										-
		Feature Activation on D-4 Channel Bank Private Line Loop Slot Feature Activation on D-4 Channel Bank Tije Line/Trunk Loop			UEP9E	1PQWV	0.66										
		Slot			UEP9E	1PQWQ	0.66										
		Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP9E	1PQWA	0.66			1							+
No		curring Charges (NRC) Associated with UNE-P Centrex			OLI 3L	II QWA	0.00			1							+
		NRC Conversion Currently Combined Switch-As-Is with allowed	1			+											+
		changes, per port	1	1	UEP9E	USAC2		1.03	0.29	1			30.89	7.03			
		New Centrex Standard Common Block	t	t	UEP9E	M1ACS	0.00	658.60	0.20	† †			30.89	7.03	İ		
-		New Centrex Customized Common Block	1	i –	UEP9E	M1ACC	0.00	658.60		1			30.89	7.03	ĺ		1
		NAR Establishment Charge, Per Occasion		1	UEP9E	URECA	0.00	68.57		1			30.89	7.03			
Ac		nal Non-Recurring Charges (NRC)															
		Unbundled Miscellaneous Rate Element, Tag Loop at End Use Premise			UEP9E	URETL		8.33	0.83								
		Unbundled Miscellaneous Rate Element, Tag Design Loop at End Use Premise			UEP9E	URETN		11.23	1.10								
UI		CENTREX - DCO - Valid in AL, KY, LA, MS, & TN)		1						1							
		VG Loop/2-Wire Voice Grade Port (Centrex) Combo		i –													
		rt/Loop Combination Rates (Non-Design)															
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Non-Design		1	UEP93		14.18										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design		2	UEP93		18.01										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design		3	UEP93		23.02										
UN	NE Po	rt/Loop Combination Rates (Design)	Ì														1
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Design	-	1	UEP93		18.26										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design		2	UEP93		23.33										

	D NETWORK ELEMENTS - Tennessee													ment: 2		ibit: A
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			1	Submitted		Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge Manual S Order vs
						Rec	Nonrecurring		Nonrecurring			•		Rates (\$)		
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
	Design		3	UEP93		29.98										
	pop Rate															
	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP93	UECS1	12.48										
	2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEP93	UECS1	16.31										
	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP93	UECS1	21.32										
	2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP93	UECS2	16.56										
	2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP93	UECS2	21.63										
	2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP93	UECS2	28.28										
	ort Rate															
AL, KY	, LA, MS, & TN only					. =-	20.44	4= 0=	0.45							
	2-Wire Voice Grade Port (Centrex) Basic Local Area	ļ		UEP93	UEPYA	1.70	22.14	15.25	8.45	3.91	-	30.89	7.03	.	ļ	₩
	2-Wire Voice Grade Port (Centrex 800 termination)Basic Local	1		LIEBOO	LIEDVO	4 =	00.11	45.00		0.00		00.00				1
	Area	.		UEP93	UEPYB	1.70	22.14	15.25	8.45	3.91		30.89	7.03			↓
	2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local	1		LIEBOO	LIEDY"											1
	Area	ļ		UEP93	UEPYH	1.70	22.14	15.25	8.45	3.91		30.89	7.03			↓
	2-Wire Voice Grade Port (Centrex from diff Serving Wire	1		LIEBOO	LIEDVA.											
	Center)2,3 Basic Local Area			UEP93	UEPYM	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port, Diff Serving Wire Center - 2,3 - 800															
	Service Term - Basic Local Area			UEP93	UEPYZ	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port terminated in on Megalink or equivalent															
	- Basic Local Area			UEP93	UEPY9	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port Terminated on 800 Service Term -															
	Basic Local Area			UEP93	UEPY2	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port (Centrex)			UEP93	UEPQA	1.70		15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port (Centrex 800 termination)			UEP93	UEPQB	1.70		15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port (Centrex with Caller ID)1			UEP93	UEPQH	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port (Centrex from diff Serving Wire															
	Center)2,3			UEP93	UEPQM	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port, Diff Serving Wire Center - 2,3 -800															
	Service Term			UEP93	UEPQZ	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP93	UEPQ9	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port Terminated on 800 Service Term			UEP93	UEPQ2	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
Local S	Switching															
	Centrex Intercom Funtionality, per port			UEP93	URECS	0.6381										
Local N	lumber Portability															
	Local Number Portability (1 per port)			UEP93	LNPCC	0.35										
Feature																
	All Standard Features Offered, per port			UEP93	UEPVF	0.00										
	All Centrex Control Features Offered, per port			UEP93	UEPVC	0.00										
NARS																
	Unbundled Network Access Register - Combination	ļ		UEP93	UARCX	0.00		0.00	0.00	0.00		0.00	7.03	ļ	ļ	↓
	Unbundled Network Access Register - Indial	ļ		UEP93	UAR1X	0.00		0.00	0.00	0.00		0.00	7.03			↓
	Unbundled Network Access Register - Outdial	ļ		UEP93	UAROX	0.00	0.00	0.00	0.00	0.00		0.00	7.03	ļ	ļ	↓
	aneous Terminations	.											-			↓
	Trunk Side															
	Trunk Side Terminations, each	<u> </u>		UEP93	CEND6	8.78	22.14	15.25	8.45	3.91		30.89	7.03			↓
	Digital (1.544 Megabits)	.		LIEBOO	NAME :								L			↓
	DS1 Circuit Terminations, each	.		UEP93	M1HD1	35.55		38.15				30.89	7.03			↓
	DS0 Channels Activated, Per Channel	ļ		UEP93	M1HDO	0.00	108.67					30.89	7.03			├
	ice Channel Mileage - 2-Wire	.		LIEBOO		10										↓
	Interoffice Channel Facilities Termination	ļ		UEP93	M1GBC	18.58	22.14	15.25	8.45	3.91		30.89	7.03	ļ	ļ	↓
	Interoffice Channel mileage, per mile or fraction of mile	l		UEP93	M1GBM	0.0174	ļ						ļ			
	Activations (DS0) Centrex Loops on Channelized DS1 Service	e					 						.	ļ	ļ	↓
	nnel Bank Feature Activations	I									ļ				ļ	↓
D4 Cha																
D4 Cha	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP93	1PQWS	0.66	ļ									

UNBUNDLE	D NETWORK ELEMENTS - Tennessee												Attach	ment: 2	Exhi	ibit: A
											Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		Intent									Elec					Manual Svc
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC	RATES (\$)						per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m									per LSR	per Lore	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
													131	Addi	DISCISE	DISC Add I
						Rec	Nonrecurring		Nonrecurring	g Disconnect				Rates (\$)		-
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop															
	Slot			UEP93	1PQW7	0.66										
	Feature Activation on D-4 Channel Bank Centrex Loop Slot -															
	Different Wire Center			UEP93	1PQWP	0.66										
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP93	1PQWV	0.66										
	Feature Activation on D-4 Channel Bank Tie Line/Trunk Loop															
	Slot			UEP93	1PQWQ	0.66										
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP93	1PQWA	0.66										
Non-R	ecurring Charges (NRC) Associated with UNE-P Centrex															
	NRC Conversion Currently Combined Switch-As-Is with allowed															
	changes, per port			UEP93	USAC2		1.03	0.29				30.89	7.03			
	New Centrex Standard Common Block			UEP93	M1ACS	0.00	658.60					30.89	7.03			
	New Centrex Customized Common Block			UEP93	M1ACC	0.00	658.60					30.89	7.03			
	NAR Establishment Charge, Per Occasion			UEP93	URECA		68.57					30.89	7.03			
Additi	onal Non-Recurring Charges (NRC)															
	Unbundled Miscellaneous Rate Element, Tag Loop at End Use															
	Premise			UEP93	URETL		8.33	0.83								
	Unbundled Miscellaneous Rate Element, Tag Design Loop at															
	End Use Premise			UEP93	URETN		11.23	1.10								
	- Required Port for Centrex Control in 1AESS, 5ESS & EWSD															
	2 - Requres Interoffice Channel Mileage															ļ
	- Installation is combination of Installation charge for SL2 Lo	op and	Port													
	- Requires Specific Customer Premises Equipment															
Note:	Rates displaying an "R" in Interim column are interim and sub	ject to	rate tru	e-up as set forth in	General Terr	ns and Conditi	ons.									

Attachment 3

Network Interconnection

TABLE OF CONTENTS

1.	GENERAL	3
2.	DEFINITIONS: (FOR THE PURPOSE OF THIS ATTACHMENT)	3
3.	NETWORK INTERCONNECTION	5
4.	INTERCONNECTION TRUNK GROUP ARCHITECTURES	7
5.	NETWORK DESIGN AND MANAGEMENT FOR INTERCONNECTION	ON14
6.	LOCAL DIALING PARITY	17
7.	INTERCONNECTION COMPENSATION	17
8.	FRAME RELAY SERVICE INTERCONNECTION	23
9.	ORDERING CHARGES	26
10	BASIC 911 AND E911 INTERCONNECTION	26
Rat	tes	Exhibit A
Bas	sic Architecture	Exhibit B
On	e Way Architecture	Exhibit C
	o Way Architecture	Exhibit D
Sup	pergroup Architecture	Exhibit E

NETWORK INTERCONNECTION

1. GENERAL

1.1 The Parties shall provide interconnection with each other's networks for the transmission and routing of telephone exchange service (Local Traffic), ISP-bound Traffic, and exchange access (Switched Access Traffic) on the following terms:

2. DEFINITIONS: (FOR THE PURPOSE OF THIS ATTACHMENT)

For purposes of this attachment only, the following terms shall have the definitions set forth below:

- Automatic Location Identification (ALI) is a feature by which the address associated with the calling party's telephone number (ANI) is forwarded to the PSAP for display. Access to the ALI database is described in Attachment 2 to this Agreement.
- 2.2 **Automatic Number Identification (ANI)** corresponds to the seven-digit telephone number assigned by the serving local exchange carrier.
- Basic 911 Service (B911) routes a call to one centralized answering location. The attendant at the answering location obtains the pertinent information that identifies the call and the caller's needs. The attendant then determines the appropriate agency and dials a 7-digit number to transfer the caller to that agency. The calling party's emergency information is verbally relayed to the responding agency and a unit is dispatched to the caller's location.
- 2.4 **Call Termination** has the meaning set forth for "termination" in 47CFR § 51.701(d).
- 2.5 **Call Transport** has the meaning set forth for "transport" in 47 CFR § 51.701(c).
- 2.6 **Call Transport and Termination** is used collectively to mean the switching and transport functions from the Interconnection Point to the last point of switching.
- 2.7 **Common (Shared) Transport** is defined as the transport of the originating Party's traffic by the terminating Party over the terminating Party's common (shared) facilities between (1) the terminating Party's tandem switch and end office switch, (2) between the terminating Party's tandem switches, and/or (3) between the terminating Party's host and remote end office switches. All switches referred herein must be entered into the Local Exchange Routing Guide (LERG).
- 2.8 **Dedicated Interoffice Facility** is defined as a switch transport facility between a Party's Serving Wire Center and the first point of switching within the LATA on the other Party's network.

2.9 **End Office Switching** is defined as the function that establishes a communications path between the trunk side and line side of the End Office switch. 2.10 **Enhanced 911 Service** provides features not present in Basic 911 Service, including ANI and ALI display, Selective Routing (SR) and other standard and optional features. 2.11 **Fiber Meet** is an interconnection arrangement whereby the Parties physically interconnect their networks via an optical fiber interface at which one Party's facilities, provisioning, and maintenance responsibility begins and the other Party's responsibility ends. 2.12 **Final Trunk Group** is defined as the trunk group that does not carry overflow traffic. 2.13 **Interconnection Point (IP)** is the physical telecommunications equipment interface that interconnects the networks of BellSouth and Network PTS. 2.14 **IntraLATA Toll Traffic** is as defined in Section 7 of this Attachment. 2.15 **ISP-bound Traffic** is as defined in Section 7 of this Attachment. 2.16 **Local Channel** is defined as a switched transport facility between a Party's Interconnection Point and the IP's Serving Wire Center. 2.17 **Local Traffic** is as defined in Section 7 of this Attachment. 2.18 **Public Safety Answering Point (PSAP)** is the answering location for 911 calls. 2.19 **Reciprocal Trunk Group** is defined as a one-way trunk group carrying BellSouth originated traffic to be terminated by Network PTS. 2.20 **Serving Wire Center** is defined as the wire center owned by one Party from which the other Party would normally obtain dial tone for its IP. 2.21 **Selective Routing (SR)** is a standard feature that routes an E911 call from the tandem to the designated PSAP based upon the address of the ANI of the calling party. 2.22 **Tandem Switching** is defined as the function that establishes a communications path between two switching offices through a third switching office through the provision of trunk side to trunk side switching. 2.23 **Transit Traffic** is traffic originating on Network PTS's network that is switched and/or transported by BellSouth and delivered to a third party's network, or traffic originating on a third party's network that is switched and/or transported by BellSouth and delivered to Network PTS's network.

3. NETWORK INTERCONNECTION

- 3.1 This Attachment pertains only to the provision of network interconnection where Network PTS owns, leases from a third party or otherwise provides its own switch(es).
- 3.2 Network interconnection may be provided by the Parties at any technically feasible point within BellSouth's network. Requests to BellSouth for interconnection at points other than as set forth in this Attachment may be made through the Bona Fide Request/New Business Request (BFR/NBR) process set out in this Agreement.
- 3.2.1 Each Party is responsible for providing, engineering and maintaining the network on its side of the IP. The IP must be located within BellSouth's serving territory in the LATA in which traffic is originating. The IP determines the point at which the originating Party shall pay the terminating Party for the Call Transport and Termination of Local Traffic, ISP-bound Traffic and IntraLATA Toll Traffic.
- 3.2.2 Pursuant to the provisions of this Attachment, the location of the initial IP in a given LATA shall be established by mutual agreement of the Parties. Subject to the requirements for installing additional IPs, as set forth below, any IPs existing prior to the Effective Date of the Agreement will be accepted as initial IPs and will not require re-grooming. When the Parties mutually agree to utilize two-way interconnection trunk groups for the exchange of Local Traffic, ISP-bound Traffic and IntraLATA Toll Traffic between each other, the Parties shall mutually agree to the location of IP(s). If the Parties are unable to agree to a mutual initial IP, each Party, as originating Party, shall establish a single IP in the LATA for the delivery of its originated Local Traffic, ISP-bound Traffic and IntraLATA Toll Traffic to the other Party for Call Transport and Termination by the terminating Party.
- 3.2.3 When first establishing the interconnection arrangement in each LATA, the location of the IP shall be established by mutual agreement of the Parties. In selecting the IP, both Parties will act in good faith and select the point that is most efficient for both Parties. If the Parties are unable to agree on the location of the IP, each Party will designate IPs for its originated traffic. Additional IP(s) in a LATA may be established by mutual agreement of the Parties. Notwithstanding the foregoing, additional IP(s) in a particular LATA shall be established, at the request of either Party, when the Local Traffic and ISP-bound Traffic exceeds 8.9 million minutes per month for three consecutive months at the proposed location of the additional IP. BellSouth will not request the establishment of an IP where physical or virtual collocation space is not available or where BellSouth fiber connectivity is not available. When the Parties agree to utilize two-way interconnection trunk groups for the exchange of Local Traffic, ISP-bound Traffic and IntraLATA Toll Traffic the Parties must agree to the location of the IP(s).

3.3 Interconnection via Dedicated Facilities

- 3.3.1 Local Channel Facilities. As part of Call Transport and Termination, the originating Party may obtain Local Channel facilities from the terminating Party. The percentage of Local Channel facilities utilized for Local Traffic shall be determined based upon the application of the Percent Local Facility (PLF) Factor on a statewide basis. The charges applied to the percentage of Local Channel facilities used for Local Traffic as determined by the PLF are as set forth in Exhibit A to this Attachment. The remaining percentage of Local Channel facilities shall be billed at BellSouth's applicable access tariff rates.
- 3.3.2 <u>Dedicated Interoffice Facilities.</u> As a part of Call Transport and Termination, the originating Party may obtain Dedicated Interoffice Facilities from the terminating Party. The percentage of Dedicated Interoffice Facilities utilized for Local Traffic shall be determined based upon the application of the Percent Local Facility (PLF) Factor on a statewide basis. The charges applied to the percentage of the Dedicated Interoffice Facilities used for Local Traffic as determined by the PLF are as set forth in Exhibit A to this Attachment. The remaining percentage of the Dedicated Interoffice Facilities shall be billed at BellSouth's applicable access tariff rates.
- 3.3.3 The facilities purchased pursuant to this Section 3 shall be ordered via the Access Service Request (ASR) process.

3.4 Fiber Meet

- 3.4.1 Notwithstanding Section 3.2.1, 3.2.2, and 3.2.3 above, if Network PTS elects to establish interconnection with BellSouth pursuant to a Fiber Meet Local Channel, Network PTS and BellSouth shall jointly engineer, operate and maintain a Synchronous Optical Network (SONET) transmission system by which they shall interconnect their transmission and routing of Local Traffic via a Local Channel at either the DS1 or DS3 level. The Parties shall work jointly to determine the specific transmission system. However, Network PTS's SONET transmission system must be compatible with BellSouth's equipment, and the Data Communications Channel (DCC) must be turned off.
- 3.4.2 Each Party, at its own expense, shall procure, install and maintain the agreed upon SONET transmission system in its network.
- 3.4.3 The Parties shall agree to a Fiber Meet point between the BellSouth Serving Wire Center and the Network PTS Serving Wire Center. The Parties shall deliver their fiber optic facilities to the Fiber Meet point with sufficient spare length to reach the fusion splice point for the Fiber Meet Point. BellSouth shall, at its own expense, provide and maintain the fusion splice point for the Fiber Meet. A building type Common Language Location Identification (CLLI) code will be established for each Fiber Meet point. All orders for interconnection facilities from the Fiber Meet point shall indicate the Fiber Meet point as the originating point for the facility.

- 3.4.4 Upon verbal request by Network PTS, BellSouth shall allow Network PTS access to the fusion splice point for the Fiber Meet point for maintenance purposes on Network PTS's side of the Fiber Meet point.
- 3.4.5 Neither Party shall charge the other for its Local Channel portion of the Fiber Meet facility used exclusively for Local Traffic. All other appropriate charges will apply. Network PTS shall be billed for a mixed use of the Local Channel using the actual traffic Network PTS elects to transmit over the facility and the rates from this Agreement and the appropriate tariff(s). Charges for switched and special access services shall be billed in accordance with the applicable access service tariff.

4. INTERCONNECTION TRUNK GROUP ARCHITECTURES

- 4.1 BellSouth and Network PTS shall establish interconnecting trunk groups and trunk group configurations between networks, including the use of one-way or two-way trunks in accordance with the following provisions set forth in this Agreement. For trunking purposes, traffic will be routed based on the digits dialed by the originating End User and in accordance with the LERG.
- 4.2 Network PTS shall establish an interconnection trunk group(s) to at least one BellSouth access tandem within the LATA for the delivery of Network PTS's originated Local Traffic, ISP-bound Traffic and IntraLATA Toll Traffic and for the receipt and delivery of Transit Traffic. To the extent Network PTS desires to deliver Local Traffic, ISP-bound Traffic, IntraLATA Toll Traffic and/or Transit Traffic to BellSouth access tandems within the LATA, other than the tandems(s) to which Network PTS has established interconnection trunk groups, Network PTS shall order Multiple Tandem Access, as described in this Attachment, to such other BellSouth access tandems.
- 4.2.1 Notwithstanding the forgoing, Network PTS shall establish an interconnection trunk group(s) to all BellSouth access and local tandems in the LATA where Network PTS has homed (i.e. assigned) its NPA/NXXs. Network PTS shall home its NPA/NXXs on the BellSouth tandems that serve the exchange rate center areas to which the NPA/NXXs are assigned. The specified exchange rate center assigned to each BellSouth tandem is defined in the LERG. Network PTS shall enter its NPA/NXX access and/or local tandem homing arrangements into the LERG.
- 4.3 Switched access traffic will be delivered to and from Interexchange Carriers (IXCs) based on Network PTS's NXX access tandem homing arrangement as specified by Network PTS in the LERG.
- Any Network PTS interconnection request that (1) deviates from the interconnection trunk group architectures as described in this Agreement, (2) affects traffic delivered to Network PTS from a BellSouth switch, and (3) requires special BellSouth switch translations and other network modifications will require

Network PTS to submit a BFR/NBR via the BFR/NBR Process as set forth in this Agreement.

- 4.5 Recurring and nonrecurring rates associated with interconnecting trunk groups between BellSouth and Network PTS are set forth in Exhibit A. To the extent a rate associated with the interconnecting trunk group is not set forth in Exhibit A, the rate shall be as set forth in the appropriate BellSouth tariff for switched access services.
- 4.6 For two-way trunk groups that carry only both Parties' Local Traffic, the Parties shall be compensated at 50% of the nonrecurring and recurring rates for dedicated trunks and DS1 facilities. Network PTS shall be responsible for ordering and paying for any two-way trunks carrying Transit Traffic.
- 4.7 All trunk groups will be provisioned as Signaling System 7 (SS7) capable where technically feasible. If SS7 is not technically feasible multi-frequency (MF) protocol signaling shall be used.
- 4.8 In cases where Network PTS is also an IXC, the IXC's Feature Group D (FG D) trunk group(s) must remain separate from the local interconnection trunk group(s).
- Each Party shall order interconnection trunks and trunk group including trunk and trunk group augmentations via the ASR process. A Firm Order Confirmation (FOC) shall be returned to the ordering Party, after receipt of a valid, error free ASR, within the timeframes set forth in each state's applicable Performance Measures. Notwithstanding the foregoing, blocking situations and projects shall be managed through BellSouth's Carrier Interconnection Switching Center (CISC) Project Management Group and Network PTS's equivalent trunking group, and FOCs for such orders shall be returned in the timeframes applicable to the project. A project is defined as (1) a new trunk group or (2) a request for more than 96 trunks on a single or multiple group(s) in a given BellSouth local calling area.

4.10 Interconnection Trunk Groups for Exchange of Local Traffic and Transit Traffic

Upon mutual agreement of the Parties in a joint planning meeting, the Parties' shall exchange Local Traffic on two-way interconnection trunk group(s) with the quantity of trunks being mutually determined and the provisioning being jointly coordinated. Furthermore, the Parties shall agree upon the IP(s) for two-way interconnection trunk groups transporting both Parties' Local Traffic, ISP-bound Traffic and IntraLATA Toll Traffic. Network PTS shall order such two-way trunks via the Access Service Request (ASR) process. BellSouth will use the Trunk Group Service Request (TGSR) to request changes in trunking. Furthermore, the Parties shall jointly review trunk performance and forecasts on a periodic basis. The Parties' use of two-way interconnection trunk groups for the transport of Local Traffic, ISP-bound Traffic and IntraLATA Toll Traffic between

the Parties does not preclude either Party from establishing additional one-way interconnection trunks for the delivery of its originated Local Traffic, ISP-bound Traffic and IntraLATA Toll Traffic to the other Party.

4.10.1 **BellSouth Access Tandem Interconnection**

BellSouth access tandem interconnection at a single access tandem provides access to those end offices subtending that access tandem (Intratandem Access). Access tandem interconnection is available for any of the following access tandem architectures

4.10.1.1 **Basic Architecture**

In the basic architecture, Network PTS's originating Local Traffic, ISP-bound Traffic and IntraLATA Toll Traffic and originating and terminating Transit Traffic is transported on a single two-way trunk group between Network PTS and BellSouth access tandem(s) within a LATA to provide Intratandem Access. This trunk group carries Transit Traffic between Network PTS and Independent Companies, Interexchange Carriers, other CLECs, CMRS providers that have a Meet Point Billing arrangement with BellSouth, and other network providers with which Network PTS desires to exchange traffic. This trunk group also carries Network PTS originated Transit Traffic transiting a single BellSouth access tandem destined to third party tandems such as an Independent Company tandem or other CLEC tandem. BellSouth originated Local Traffic, ISP-bound Traffic and IntraLATA Toll Traffic is transported on a separate single one-way trunk group terminating to Network PTS. Other trunk groups for operator services, directory assistance, emergency services and intercept must be established pursuant to the applicable BellSouth tariff if service is requested. The LERG contains current routing and tandem serving arrangements. The basic Architecture is illustrated in Exhibit B.

4.10.1.2 **One-Way Trunk Group Architecture**

In one-way trunk group architecture, the Parties interconnect using three separate trunk groups. A one-way trunk group provides Intratandem Access for Network PTS-originated Local Traffic, ISP-bound Traffic and IntraLATA Toll Traffic destined for BellSouth End Users. A second one-way trunk group carries BellSouth-originated Local Traffic, ISP-bound Traffic and IntraLATA Toll Traffic destined for Network PTS End-Users. A two-way trunk group provides Intratandem Access for Network PTS's originating and terminating Transit Traffic. This trunk group carries Transit Traffic between Network PTS and Independent Companies, Interexchange Carriers, other CLECs, CMRS providers that have a Meet Point Billing arrangement with BellSouth, and other network providers with which Network PTS desires to exchange traffic. This trunk group also carries Network PTS originated Transit Traffic transiting a single BellSouth access tandem destined to third party tandems such as an Independent Company tandem or other CLEC tandem. BellSouth originated Local Traffic, ISP-bound Traffic and IntraLATA Toll Traffic is transported on a separate single one-way trunk group

terminating to Network PTS. Other trunk groups for operator services, directory assistance, emergency services and intercept must be established pursuant to the applicable BellSouth tariff if service is requested. The LERG contains current routing and tandem serving arrangements. The one-way trunk group architecture is illustrated in Exhibit C.

4.10.1.3 **Two-Way Trunk Group Architecture**

The two-way trunk group Architecture establishes one two-way trunk group to provide Intratandem Access for the exchange of Local Traffic, ISP-bound Traffic and IntraLATA Toll Traffic between Network PTS and BellSouth. In addition, a separate two-way transit trunk group must be established for Network PTS's originating and terminating Transit Traffic. This trunk group carries Transit Traffic between Network PTS and Independent Companies, Interexchange Carriers, other CLECs, CMRS providers that have a Meet Point Billing arrangement with BellSouth, and other network providers with which Network PTS desires to exchange traffic. This trunk group also carries Network PTS originated Transit Traffic transiting a single BellSouth access tandem destined to third party tandems such as an Independent Company tandem or other CLEC tandem. BellSouth originated traffic may, in order to prevent or remedy traffic blocking situations, be transported on a separate single one-way trunk group terminating to Network PTS. However, where Network PTS is responsive in a timely manner to BellSouth's transport needs for its originated traffic, BellSouth originating traffic will be placed on the two-way Local Traffic trunk group carrying ISP-bound Traffic and IntraLATA Toll Traffic. Other trunk groups for operator services, directory assistance, emergency services and intercept must be established pursuant to the applicable BellSouth tariff if service is requested. The LERG contains current routing and tandem serving arrangements. The two-way trunk group architecture is illustrated in Exhibit D.

4.10.1.4 **Supergroup Architecture**

In the supergroup architecture, the Parties' Local Traffic, ISP-bound Traffic and IntraLATA Toll Traffic and Network PTS's Transit Traffic are exchanged on a single two-way trunk group between Network PTS and BellSouth to provide Intratandem Access to Network PTS. This trunk group carries Transit Traffic between Network PTS and Independent Companies, Interexchange Carriers, other CLECs, CMRS providers that have a Meet Point Billing arrangement with BellSouth, and other network providers with which Network PTS desires to exchange traffic. This trunk group also carries Network PTS originated Transit Traffic transiting a single BellSouth access tandem destined to third party tandems such as an Independent Company tandem or other CLEC tandem. BellSouth originated traffic may, in order to prevent or remedy traffic blocking situations, be transported on a separate single one-way trunk group terminating to Network PTS. However, where Network PTS is responsive in a timely manner to BellSouth's transport needs for its originated traffic, BellSouth originating traffic will be placed on the Supergroup. Other trunk groups for operator services,

directory assistance, emergency services and intercept must be established pursuant to the applicable BellSouth tariff if service is requested. The LERG contains current routing and tandem serving arrangements. The supergroup architecture is illustrated in Exhibit E.

4.10.1.5 **Multiple Tandem Access Interconnection**

- 4.10.1.5.1 Where Network PTS does not choose access tandem interconnection at every BellSouth access tandem within a LATA, Network PTS may utilize BellSouth's multiple tandem access interconnection (MTA). To utilize MTA Network PTS must establish an interconnection trunk group(s) at a BellSouth access tandem through multiple BellSouth access tandems within the LATA as required. BellSouth will route Network PTS's originated Local Traffic, ISP-bound Traffic and IntraLATA Toll Traffic for LATA wide transport and termination. Network PTS must also establish an interconnection trunk group(s) at all BellSouth access tandems where Network PTS NXXs are homed as described in Section 4.2.1 above. If Network PTS does not have NXXs homed at any particular BellSouth access tandem within a LATA and elects not to establish an interconnection trunk group(s) at such BellSouth access tandem, Network PTS can order MTA in each BellSouth access tandem within the LATA where it does have an interconnection trunk group(s) and BellSouth will terminate Network PTS's Local Traffic, ISPbound Traffic and IntraLATA Toll Traffic to End-Users served through those BellSouth access tandems where Network PTS does not have an interconnection trunk group(s). MTA shall be provisioned in accordance with BellSouth's Ordering Guidelines.
- 4.10.1.5.2 Network PTS may also utilize MTA to route its originated Transit Traffic; provided, however, that MTA may not be utilized to route switched access traffic that transits the BellSouth network to an Interexchange Carrier (IXC). Switched access traffic originated by or terminated to Network PTS will be delivered to and from IXCs based on Network PTS's NXX access tandem homing arrangement as specified by Network PTS in the LERG.
- 4.10.1.5.3 Compensation for MTA shall be at the applicable tandem switching and transport charges specified in Exhibit A to this Attachment and shall be billed in addition to any Call Transport and Termination charges.
- 4.10.1.5.4 To the extent Network PTS does not purchase MTA in a LATA served by multiple access tandems, Network PTS must establish an interconnection trunk group(s) to every access tandem in the LATA to serve the entire LATA. To the extent Network PTS routes its traffic in such a way that utilizes BellSouth's MTA service without properly ordering MTA, Network PTS shall pay BellSouth the associated MTA charges.

4.10.2 Local Tandem Interconnection

- 4.10.2.1 Local Tandem Interconnection arrangement allows Network PTS to establish an interconnection trunk group(s) at BellSouth local tandems for: (1) the delivery of Network PTS-originated Local Traffic, ISP-bound Traffic and IntraLATA Toll Traffic transported and terminated by BellSouth to BellSouth end offices served by those BellSouth local tandems, and (2) for local Transit Traffic transported by BellSouth for third party network providers who have also established an interconnection trunk group(s) at those BellSouth local tandems.
- 4.10.2.2 When a specified local calling area is served by more than one BellSouth local tandem, Network PTS must designate a "home" local tandem for each of its assigned NPA/NXXs and establish trunk connections to such local tandems. Additionally, Network PTS may choose to establish an interconnection trunk group(s) at the BellSouth local tandems where it has no codes homing but is not required to do so. Network PTS may deliver Local Traffic, ISP-bound Traffic and IntraLATA Toll Traffic to a "home" BellSouth local tandem that is destined for other BellSouth or third party network provider end offices subtending other BellSouth local tandems in the same local calling area where Network PTS does not choose to establish an interconnection trunk group(s). It is Network PTS's responsibility to enter its own NPA/NXX local tandem homing arrangements into the LERG either directly or via a vendor in order for other third party network providers to determine appropriate traffic routing to Network PTS's codes. Likewise, Network PTS shall obtain its routing information from the LERG.
- 4.10.2.3 Notwithstanding establishing an interconnection trunk group(s) to BellSouth's local tandems, Network PTS must also establish an interconnection trunk group(s) to BellSouth access tandems within the LATA on which Network PTS has NPA/NXXs homed for the delivery of Interexchange Carrier Switched Access (SWA) and toll traffic, and traffic to Type 2A CMRS connections located at the access tandems. BellSouth shall not switch SWA traffic through more than one BellSouth access tandem. SWA, Type 2A CMRS or toll traffic routed to the local tandem in error will not be backhauled to the BellSouth access tandem for completion. (Type 2A CMRS interconnection is defined in BellSouth's A35 General Subscriber Services Tariff).
- 4.10.2.4 BellSouth's provisioning of Local Tandem Interconnection assumes that Network PTS has executed the necessary local interconnection agreements with the other third party network providers subtending those local tandems as required by the Act.

4.10.3 **Direct End Office-to-End Office Interconnection**

4.10.3.1 Direct End Office-to-End Office one-way or two-way interconnection trunk groups allow for the delivery of a Party's originating Local Traffic, ISP-bound Traffic and IntraLATA Toll Traffic to the terminating Party on a direct end office-to-end office basis.

- 4.10.3.2 The Parties shall utilize direct end office-to-end office trunk groups under any one of the following conditions:
- 4.10.3.2.1 Tandem Exhaust If a tandem through which the Parties are interconnected is unable to, or is forecasted to be unable to support additional traffic loads for any period of time, the Parties will mutually agree on an end office trunking plan that will alleviate the tandem capacity shortage and ensure completion of traffic between Network PTS and BellSouth.
- 4.10.3.2.2 Traffic Volume –To the extent either Party has the capability to measure the amount of traffic between Network PTS's switch and a BellSouth end office and where such traffic exceeds or is forecasted to exceed a single DS1 of traffic per month, then the Parties shall install and retain direct end office trunking sufficient to handle such traffic volumes. Either Party will install additional capacity between such points when overflow traffic exceeds or is forecasted to exceed a single DS1 of traffic per month. In the case of one-way trunking, additional trunking shall only be required by the Party whose trunking has achieved the preceding usage threshold.
- 4.10.3.2.3 Mutual Agreement The Parties may install direct end office trunking upon mutual agreement in the absence of conditions (1) or (2) above.

4.10.4 Transit Traffic Trunk Group

Transit Traffic trunks can either be two-way trunks or two one-way trunks ordered by Network PTS to deliver and receive Transit Traffic. Establishing Transit Traffic trunks at BellSouth access and local tandems provides intratandem access to the third parties also interconnected at those tandems.

4.10.4.1 **Toll Free Traffic**

- 4.10.4.1.1 If Network PTS chooses BellSouth to perform the Service Switching Point (SSP) Function (i.e., handle Toll Free database queries) from BellSouth's switches, all Network PTS originating Toll Free traffic will be routed over the Transit Traffic Trunk Group and shall be delivered using GR-394 format. Carrier Code "0110" and Circuit Code (to be determined for each LATA) shall be used for all such calls.
- 4.10.4.1.2 Network PTS may choose to perform its own Toll Free database queries from its switch. In such cases, Network PTS will determine the nature (local/intraLATA/interLATA) of the Toll Free call (local/IntraLATA/InterLATA) based on the response from the database. If the call is a BellSouth local or intraLATA Toll Free call, Network PTS will route the post-query local or IntraLATA converted ten-digit local number to BellSouth over the local or intraLATA trunk group. If the call is a third party (ICO, IXC, CMRS or other CLEC) local or intraLATA Toll Free call, Network PTS will route the post-query local or intraLATA converted ten-digit local number to BellSouth over the Transit Traffic Trunk Group and Network PTS shall provide to BellSouth a Toll Free

billing record when appropriate. If the query reveals the call is an interLATA Toll Free call, Network PTS will route the post-query interLATA Toll Free call (1) directly from its switch for carriers interconnected with its network or (2) over the Transit Traffic Trunk Group to carriers that are not directly connected to Network PTS's network but that are connected to BellSouth's access tandem.

4.10.5 All post-query Toll Free calls for which Network PTS performs the SSP function, if delivered to BellSouth, shall be delivered using GR-394 format for calls destined to IXCs, and GR-317 format for calls destined to end offices that directly subtend a BellSouth access tandem within the LATA.

5. NETWORK DESIGN AND MANAGEMENT FOR INTERCONNECTION

- 5.1 <u>Network Management and Changes</u>. The Parties will exchange toll-free maintenance contact numbers and escalation procedures. The Parties will provide public notice of network changes in accordance with applicable federal and state rules and regulations.
- Interconnection Technical Standards. The interconnection of all networks will be based upon accepted industry/national guidelines for transmission standards and traffic blocking criteria. Interconnecting facilities shall conform, at a minimum, to the telecommunications industry standard of DS-1 pursuant to Telcordia Standard No. TR-NWT-00499. Where Network PTS chooses to utilize Signaling System 7 signaling, also known as Common Channel Signaling (SS7), SS7 connectivity is required between the Network PTS switch and the BellSouth Signaling Transfer Point (STP). BellSouth will provide SS7 signaling using Common Channel Signaling Access Capability in accordance with the technical specifications set forth in the BellSouth Guidelines to Technical Publication, TR-TSV-000905. Facilities of each Party shall provide the necessary on-hook, off-hook answer and disconnect supervision and shall provide calling number ID (Calling Party Number) when technically feasible.
- Ouality of Interconnection. The local interconnection for the transmission and routing of telephone exchange service and exchange access that each Party provides to each other will be at least equal in quality to what it provides to itself and any subsidiary or affiliate, where technically feasible, or to any other Party to which each Party provides local interconnection.
- Network Management Controls. Both Parties will work cooperatively to apply sound network management principles by invoking appropriate network management controls (e.g., call gapping) to alleviate or prevent network congestion.
- 5.5 SS7 Signaling. Both Parties will utilize LEC-to-LEC SS7 Signaling, where available, in conjunction with all traffic in order to enable full interoperability of CLASS features and functions except for call return. All SS7 signaling parameters

will be provided, including but not limited to automatic number identification (ANI), originating line information (OLI) calling company category and charge number. All privacy indicators will be honored, and the Parties will exchange Transactional Capabilities Application Part (TCAP) messages to facilitate full interoperability of SS7-based features between the respective networks. Neither Party shall alter the SS7 parameters, or be a party to altering such parameters, or knowingly pass SS7 parameters that have been altered in order to circumvent appropriate interconnection charges.

5.6 <u>Signaling Call Information</u>. BellSouth and Network PTS will send and receive 10 digits for Local Traffic. Additionally, BellSouth and Network PTS will exchange the proper call information, i.e. originated call company number and destination call company number, CIC, and OZZ, including all proper translations for routing between networks and any information necessary for billing.

5.7 Forecasting for Trunk Provisioning

- 5.7.1 Within six (6) months after execution of this Agreement, Network PTS shall provide an initial interconnection trunk group forecast for each LATA in which it plans to provide service within BellSouth's region. Upon receipt of Network PTS's forecast, the Parties shall conduct a joint planning meeting to develop a joint interconnection trunk group forecast. Each forecast provided under this Section shall be deemed "Confidential Information" under the General Terms and Conditions of this Agreement.
- 5.7.1.1 At a minimum, the forecast shall include the projected quantity of Transit Trunks, Network PTS-to-BellSouth one-way trunks (Network PTS Trunks), BellSouth-to-Network PTS one-way trunks (Reciprocal Trunk Groups) and/or two-way interconnection trunks, if the Parties have agreed to interconnect using two-way trunking to transport the Parties' Local Traffic and IntraLATA Toll Traffic. The quantities shall be projected for a minimum of six months and shall include an estimate of the current year plus the next two years total forecasted quantities. The Parties shall mutually develop Reciprocal Trunk Groups and/or two-way interconnection trunk forecast quantities.
- All forecasts shall include, at a minimum, Access Carrier Terminal Location (ACTL), trunk group type (local/intraLATA toll, Transit, Operator Services, 911, etc.), A location/Z location (CLLI codes for Network PTS location and BellSouth location where the trunks shall terminate), interface type (e.g., DS1), Direction of Signaling, Trunk Group Number, if known, (commonly referred to as the 2-6 code) and forecasted trunks in service each year (cumulative).
- 5.7.2 Once initial interconnection trunk forecasts have been developed, Network PTS shall continue to provide interconnection trunk forecasts on a semiannual basis or at otherwise mutually agreeable intervals. Network PTS shall use its best efforts to make the forecasts as accurate as possible based on reasonable engineering criteria.

The Parties shall continue to develop Reciprocal Trunk Group and/or two-way interconnection trunk forecasts as described in Section 5.7.1.1.

5.7.3 The submitting and development of interconnection trunk forecasts shall not replace the ordering process for local interconnection trunks. Each Party shall exercise its best efforts to provide the quantity of interconnection trunks mutually forecasted. However, the provision of the forecasted quantity of interconnection trunks is subject to trunk terminations and facility capacity existing at the time the trunk order is submitted. Furthermore, the receipt and development of trunk forecasts does not imply any liability for failure to perform if capacity (trunk terminations or facilities) is not available for use at the forecasted time.

5.8 Trunk Utilization

- 5.8.1 For the Reciprocal Trunk Groups that are Final Trunk Groups (Reciprocal Final Trunk Groups), BellSouth and Network PTS shall monitor traffic on each interconnection Reciprocal Final Trunk Group that is ordered and installed. The Parties agree that the Reciprocal Final Trunk Groups will be utilized at 60 percent (60%) of the time consistent busy hour utilization level within 90 days of installation. The Parties agree that the Reciprocal Final Trunk Groups will be utilized at eighty percent (80%) of the time consistent busy hour utilization level within 180 days of installation. Any Reciprocal Final Trunk Group not meeting the minimum thresholds set forth in this Section are defined as "Under-utilized" trunks. BellSouth may disconnect any Under-utilized Reciprocal Final Trunk Groups and Network PTS shall refund to BellSouth the associated nonrecurring and recurring trunk and facility charges paid by BellSouth, if any.
- 5.8.1.1 BellSouth's CISC will notify Network PTS of any under-utilized Reciprocal Trunk Groups and the number of such trunk groups that BellSouth wishes to disconnect. BellSouth will provide supporting information either by email or facsimile to the designated Network PTS interface. Network PTS will provide concurrence with the disconnection in seven (7) business days or will provide specific information supporting why the trunks should not be disconnected. Such supporting information should include expected traffic volumes (including traffic volumes generated due to Local Number Portability) and the timeframes within which Network PTS expects to need such trunks. BellSouth's CISC Project Manager and Circuit Capacity Manager will discuss the information with Network PTS to determine if agreement can be reached on the number of Reciprocal Final Trunk Groups to be removed. If no agreement can be reached, BellSouth will issue disconnect orders to Network PTS. The due date of these orders will be four weeks after Network PTS was first notified in writing of the underutilization of the trunk groups.
- To the extent that any interconnection trunk group is utilized at a time-consistent busy hour of eighty percent (80%) or greater, the Parties may review the trunk

groups and, if necessary, shall negotiate in good faith for the installation of augmented facilities.

- 5.8.3 For the two-way trunk groups, BellSouth and Network PTS shall monitor traffic on each interconnection trunk group that is ordered and installed. The Parties agree that within 90 days of the installation of the BellSouth two-way trunk or trunks, the trunks will be utilized at 60 percent (60%) of the time consistent busy hour utilization level. The Parties agree that within 180 days of the installation of a trunk or trunks, the trunks will be utilized at eighty percent (80%) of the time consistent busy hour utilization level. Any trunk or trunks not meeting the minimum thresholds set forth in this Section are defined as "Under-utilized" trunks. BellSouth will request the disconnection of any Under-utilized two-way trunk(s) and Network PTS shall refund to BellSouth the associated nonrecurring and recurring trunk and facility charges paid by BellSouth, if any.
- BellSouth's LISC will notify Network PTS of any under-utilized two-way trunk groups and the number of trunks that BellSouth wishes to disconnect. BellSouth will provide supporting information either by email or facsimile to the designated Network PTS interface. Network PTS will provide concurrence with the disconnection in seven (7) business days or will provide specific information supporting why the two-way trunks should not be disconnected. Such supporting information should include expected traffic volumes (including traffic volumes generated due to Local Number Portability) and the timeframes within which Network PTS expects to need such trunks. BellSouth's CISC Project Manager and Circuit Capacity Manager will discuss the information with Network PTS to determine if agreement can be reached on the number of trunks to be removed. If no agreement can be reached, Network PTS will issue disconnect orders to BellSouth. The due date of these orders will be four weeks after Network PTS was first notified in writing of the underutilization of the trunk groups.
- To the extent that any interconnection trunk group is utilized at a time-consistent busy hour of eighty percent (80%) or greater, the Parties may review the trunk groups and, if necessary, shall negotiate in good faith for the installation of augmented facilities.

6. LOCAL DIALING PARITY

BellSouth and Network PTS shall provide local and toll dialing parity, as defined in FCC rules and regulations, with no unreasonable dialing delays. Dialing parity shall be provided for all originating telecommunications services that require dialing to route a call.

7. INTERCONNECTION COMPENSATION

7.1 Compensation for Call Transportation and Termination for Local Traffic, ISP-bound Traffic and IntraLATA Toll Traffic

- 7.1.1 For the purposes of this Attachment and for reciprocal compensation between the Parties pursuant to this Attachment, Local Traffic is defined as any telephone call that originates in one exchange and terminates in either the same exchange, or other local calling area associated with the originating exchange as defined and specified in Section A3 of BellSouth's General Subscriber Service Tariff.
- 7.1.1.1 Additionally, Local Traffic includes any cross boundary, voice-to-voice intrastate, interLATA or interstate, interLATA calls established as a local call by the ruling regulatory body.
- 7.1.2 ISP-bound Traffic is defined as calls to an information service provider or Internet service provider (ISP) that are dialed by using a local dialing pattern (7 or 10 digits) by a calling party in one exchange to an ISP server or modem in either the same exchange or a corresponding Extended Area Service (EAS) exchange as defined and specified in Section A3 of BellSouth's General Subscriber Service tariff. ISP-bound Traffic is not Local Traffic subject to reciprocal compensation, but instead is information access traffic subject to the FCC's jurisdiction.
- 7.1.3 Notwithstanding the definitions of Local Traffic and ISP-bound traffic above, and pursuant to the FCC's Order on Remand and Report and Order in CC Docket 99-68 released April 27, 2001 (ISP Order on Remand), BellSouth and Network PTS agree to the rebuttable presumption that all combined circuit switched Local and ISP-bound Traffic delivered to BellSouth or Network PTS that exceeds a 3:1 ratio of terminating to originating traffic on a statewide basis shall be considered ISP-bound traffic for compensation purposes. BellSouth and Network PTS further agree to the rebuttable presumption that all combined circuit switched Local and ISP-bound Traffic delivered to BellSouth or Network PTS that does not exceed a 3:1 ratio of terminating to originating traffic on a statewide basis shall be considered Local Traffic for compensation purposes.
- 7.1.4 Neither Party shall pay compensation to the other Party for per minute of use rate elements associated with the Call Transport and Termination of Local Traffic or ISP-bound Traffic.
- 7.1.5 The appropriate elemental rates set forth in Exhibit A of this Attachment shall apply for Transit Traffic as described in Sections 7.6 and 7.6.1 below and to Multiple Tandem Access as described in Section 4.10.1.5 above.
- 7.1.6 Neither Party shall represent Switched Access Traffic as Local Traffic or ISP-bound Traffic for purposes of determining compensation for the call.
- 7.1.7 IntraLATA Toll Traffic is defined as all traffic that originates and terminates within a single LATA that is not Local or ISP-bound traffic under this Attachment.

- 7.1.7.1 For terminating its intraLATA toll traffic on the other company's network, the originating Party will pay the terminating Party BellSouth's current intrastate or interstate, whichever is appropriate, terminating switched access tariff rates as set forth in BellSouth's Access Services Tariffs as filed and in effect with the FCC or Commission. The appropriate charges will be determined by the routing of the call. Additionally, if one Party is the other Party's End User's presubscribed interexchange carrier or if one Party's End User uses the other Party as an interexchange carrier on a 101XXXXX basis, the originating party will charge the other Party the appropriate BellSouth originating switched access tariff rates as set forth in BellSouth's Intrastate or Interstate Access Services Tariff as filed and in effect with the FCC or appropriate Commission.
- 7.1.8 If Network PTS assigns NPA/NXXs to specific BellSouth rate centers within the LATA and assigns numbers from those NPA/NXXs to Network PTS End Users physically located outside of that LATA, BellSouth traffic originating from within the LATA where the NPA/NXXs are assigned and delivered to a Network PTS customer physically located outside of such LATA, shall not be deemed Local Traffic. Further, Network PTS agrees to identify such interLATA traffic to BellSouth and to compensate BellSouth for originating and transporting such interLATA traffic to Network PTS at BellSouth's switched access tariff rates.
- 7.2 If Network PTS does not identify such interLATA traffic to BellSouth, to the best of BellSouth's ability BellSouth will determine which whole Network PTS NPA/NXXs on which to charge the applicable rates for originating network access service as reflected in BellSouth's Access Service Tariff. BellSouth shall make appropriate billing adjustments if Network PTS can provide sufficient information for BellSouth to determine whether or not said traffic is Local or ISP-bound Traffic.

7.3 **Jurisdictional Reporting**

- 7.3.1 Percent Local Use. Each Party shall report to the other a Percent Local Usage (PLU) factor. The application of the PLU will determine the amount of local or ISP-bound minutes to be billed to the other Party. Each Party shall update its PLU on the first of January, April, July and October of the year and shall send it to the other Party to be received no later than 30 days after the first of each such month based on local and ISP-bound usage for the past three months ending the last day of December, March, June and September, respectively. Requirements associated with PLU calculation and reporting shall be as set forth in BellSouth's Jurisdictional Factors Reporting Guide, as it is amended from time to time.
- 7.3.2 Percent Local Facility. Each Party shall report to the other a Percent Local Facility (PLF) factor. The application of the PLF will determine the portion of switched dedicated transport to be billed per the local jurisdiction rates. The PLF shall be applied to Multiplexing, Local Channel and Interoffice Channel Switched Dedicated Transport utilized in the provision of local interconnection trunks. Each

Party shall update its PLF on the first of January, April, July and October of the year and shall send it to the other Party to be received no later than 30 days after the first of each such month to be effective the first bill period the following month, respectively. Requirements associated with PLU and PLF calculation and reporting shall be as set forth in BellSouth's Jurisdictional Factors Reporting Guide, as it is amended from time to time.

- Percent Interstate Usage. Each Party shall report to the other the projected Percent Interstate Usage (PIU) factor. All jurisdictional report requirements, rules and regulations for Interexchange Carriers specified in BellSouth's Intrastate Access Services Tariff will apply to Network PTS. After interstate and intrastate traffic percentages have been determined by use of PIU procedures, the PLU and PLF factors will be used for application and billing of local interconnection. Each Party shall update its PIUs on the first of January, April, July and October of the year and shall send it to the other Party to be received no later than 30 days after the first of each such month, for all services showing the percentages of use for the past three months ending the last day of December, March, June and September.
- Notwithstanding the provisions in Section 7.3.1, 7.3.2, and 7.3.3 above, where the terminating Party has message recording technology that identifies the jurisdiction of traffic terminated as defined in this Agreement, such information shall, at the terminating Party's option, be utilized to determine the appropriate jurisdictional reporting factors (PLU, PIU, and/or PLF), in lieu of those provided by the originating Party. In the event that the terminating Party opts to utilize its own data to determine jurisdictional reporting factors, such terminating Party shall notify the originating Party at least 15 days prior to the beginning of the calendar quarter in which the terminating Party will begin to utilize its own data. Such factors shall subject to the Dispute Resolution provisions in this Agreement, as well as the Audit provisions set forth in 7.3.5 below.
- Audits. On thirty (30) days written notice, each Party must provide the other the ability and opportunity to conduct an annual audit to ensure the proper billing of traffic. BellSouth and Network PTS shall retain records of call detail for a minimum of nine months from which the PLU, PLF and/or PIU can be ascertained. The audit shall be conducted during normal business hours at an office designated by the Party being audited. Audit requests shall not be submitted more frequently than one (1) time per calendar year. Audits shall be performed by a mutually acceptable independent auditor paid for by the Party requesting the audit. The PLF, PLU and/or PIU shall be adjusted based upon the audit results and shall apply for the quarter the audit was completed, for the quarter prior to the completion of the audit, and for the two quarters following the completion of the audit. If, as a result of an audit, either Party is found to have overstated the PLF, PLU and/or PIU by twenty percentage points (20%) or more, that Party shall reimburse the auditing Party for the cost of the audit.

7.4 Compensation for 8XX Traffic

- 7.4.1 <u>Compensation for 8XX Traffic</u>. Each Party shall pay the other the appropriate switched access charges set forth in the BellSouth intrastate or interstate switched access tariffs. Network PTS will pay BellSouth the database query charge as set forth in the BellSouth intrastate or interstate switched access tariffs as applicable.
- 7.4.2 Records for 8XX Billing. Each Party will provide to the other the appropriate records necessary for billing intraLATA 8XX customers. The records provided will be in a standard EMI format.
- 7.4.3 8XX Access Screening. BellSouth's provision of 8XX Toll Free Dialing (TFD) to Network PTS requires interconnection from Network PTS to BellSouth's 8XX Signal Channel Point (SCP). Such interconnections shall be established pursuant to BellSouth's Common Channel Signaling Interconnection Guidelines and Telcordia's CCS Network Interface Specification document, TR-TSV-000905. Network PTS shall establish SS7 interconnection at the BellSouth Local Signal Transfer Points serving the BellSouth 8XX SCPs that Network PTS desires to query. The terms and conditions for 8XX TFD are set out in BellSouth's Intrastate Access Services Tariff.

7.5 Mutual Provision of Switched Access Service

- 7.5.1 Switched Access Traffic. Switched Access Traffic is described as telephone calls requiring local transmission or switching services for the purpose of the origination or termination of Telephone Toll Service. Switched Access Traffic includes, but is not limited to, the following types of traffic: Feature Group A, Feature Group B, Feature Group C, Feature Group D, toll free access (e.g., 8XX), 900 access and their successors. Additionally, any Public Switched Telephone Network interexchange telecommunications traffic, regardless of transport protocol method, where the originating and terminating points, end-to-end points, are in different LATAs, or are in the same LATA and the Parties' Switched Access services are used for the origination or termination of the call, shall be considered Switched Access Traffic. Irrespective of transport protocol method used, a call which originates in one LATA and terminates in another LATA (i.e., the end-to-end points of the call) or in which the Parties' Switched Access Services are used for the origination or termination of the call, shall not be considered Local Traffic or ISP-bound Traffic.
- 7.5.2 If the BellSouth End User chooses Network PTS as their presubscribed interexchange carrier, or if the BellSouth End User uses Network PTS as an interexchange carrier on a 101XXXX basis, BellSouth will charge Network PTS the appropriate BellSouth tariff charges for originating switched access services.
- 7.5.3 Where the originating Party delivers a call to the terminating Party over switched access facilities, the originating Party will pay the terminating Party terminating,

switched access charges as set forth in BellSouth's Intrastate or Interstate Access Services Tariff, as appropriate.

- When Network PTS's end office switch provides an access service connection to or from an interexchange carrier (IXC) by a direct trunk group to the IXC utilizing BellSouth facilities, each Party will provide its own access services to the IXC and bill on a multi-bill, multi-tariff meet-point basis. Each Party will bill its own access services rates to the IXC with the exception of the interconnection charge. The interconnection charge will be billed by Network PTS as the Party providing the end office function. Each party will use the Multiple Exchange Carrier Access Billing (MECAB) guidelines to establish meet point billing for all applicable traffic. The Parties shall utilize a thirty (30) day billing period.
- 7.5.4.1 When Network PTS's end office subtends the BellSouth Access Tandem switch for receipt or delivery of switched access traffic and provides an access service connection to or from an IXC via BellSouth's Access Tandem switch, BellSouth, as the tandem company agrees to provide to Network PTS, as the End Office Company, as defined in MECAB, at no charge, all the switched access detail usage data, recorded at the access tandem, within no more than sixty (60) days after the recording date. Each Party will notify the other when it is not feasible to meet these requirements. As business requirements change, data reporting requirements may be modified as necessary.
- 7.5.5 BellSouth, as the tandem provider company, will retain for a minimum period of sixty (60) days, access message detail sufficient to recreate any data that is lost or damaged by the tandem provider company or any third party involved in processing or transporting data.
- 7.5.6 BellSouth, as the tandem provider company, agrees to recreate the lost or damaged data within forty-eight (48) hours of notification by the other or by an authorized third party handling the data.
- 7.5.7 Any claims against BellSouth, as the tandem provider company, for unbillable or uncollectible revenue should be filed with the tandem provider company within 120 days of the usage date.
- 7.5.8 BellSouth, as the tandem provider company shall keep records of its billing activities relating to jointly-provided Intrastate and Interstate access services in sufficient detail to permit the Subsequent Billing Party to, by formal or informal review or audit, to verify the accuracy and reasonableness of the jointly-provided access billing data provided by the Initial Billing Party. Each Party agrees to cooperate in such formal or informal reviews or audits and further agrees to jointly review the findings of such reviews or audits in order to resolve any differences concerning the findings thereof.

7.5.9 Network PTS agrees not to deliver switched access traffic to BellSouth for termination except over Network PTS ordered switched access trunks and facilities.

7.6 **Transit Traffic**

- PTS's Transit Traffic. Rates for local Transit Traffic and ISP-bound Transit Traffic shall be the applicable Call Transport and Termination charges as set forth in Exhibit A to this Attachment. Rates for Switched Access Transit Traffic shall be the applicable charges as set forth in BellSouth Interstate or Intrastate Switched Access tariffs. Billing associated with all Transit Traffic shall be pursuant to MECAB guidelines. Traffic between Network PTS and Wireless Type 1 third parties shall not be treated as Transit Traffic from a routing or billing perspective. Traffic between Network PTS and Wireless Type 2A or a third party CLEC utilizing BellSouth switching shall not be treated as Transit Traffic from a routing or billing perspective until BellSouth and the Wireless carrier or a third party CLEC utilizing BellSouth switching have the capability to properly meet-point-bill in accordance with MECAB guidelines.
- The delivery of traffic that transits the BellSouth network and is transported to another carrier's network is excluded from any BellSouth billing guarantees. BellSouth agrees to deliver Transit Traffic to the terminating carrier; provided, however, that Network PTS is solely responsible for negotiating and executing any appropriate contractual agreements with the terminating carrier for the exchange of Transit Traffic through the BellSouth network. BellSouth will not be liable for any compensation to the terminating carrier or to Network PTS. In the event that the terminating third party carrier imposes on BellSouth any charges or costs for the delivery of Transit Traffic, Network PTS shall reimburse BellSouth for such costs. Additionally, the Parties agree that any billing to a third party or other telecommunications carrier under this section shall be pursuant to MECAB procedures.

8. FRAME RELAY SERVICE INTERCONNECTION

- 8.1 In addition to the Local Interconnection services set forth above, BellSouth will offer a network to network Interconnection arrangement between BellSouth's and Network PTS's frame relay switches as set forth below. The following provisions will apply only to Frame Relay Service and Exchange Access Frame Relay Service and Managed Shared Frame Relay Service in those states in which Network PTS is certified and providing Frame Relay Service as a Local Exchange Carrier and where traffic is being exchanged between Network PTS and BellSouth Frame Relay Switches in the same LATA.
- 8.2 The Parties agree to establish two-way Frame Relay facilities between their respective Frame Relay Switches to the mutually agreed upon Frame Relay Service

point(s) of interconnection (IP(s)) within the LATA. All IPs shall be within the same Frame Relay Network Serving Areas as defined in Section A40 of BellSouth's General Subscriber Service Tariff except as set forth in this Attachment.

- 8.3 Upon the request of either Party, such interconnection will be established where BellSouth and Network PTS have Frame Relay Switches in the same LATA. Where there are multiple Frame Relay switches in one central office, an interconnection with any one of the switches will be considered an interconnection with all of the switches at that central office for purposes of routing packet traffic.
- 8.4 The Parties agree to provision local and intraLATA Frame Relay Service and Exchange Access Frame Relay Service and Managed Shared Frame Relay Service (both intrastate and interstate) over Frame Relay interconnection facilities between the respective Frame Relay switches and the IPs.
- 8.5 The Parties agree to assess each other reciprocal charges for the facilities that each provides to the other according to the Percent Local Circuit Use Factor (PLCU), determined as follows:
- 8.5.1 If the data packets originate and terminate in locations in the same LATA, and are consistent with the local definitions of the Agreement, the traffic is considered local. Frame Relay framed packet data is transported within Virtual Circuits (VC). For the purposes of this Agreement, if all the data packets transported within a VC remain within the LATA, then consistent with the local definitions in this Agreement, the traffic on that VC is local (Local VC).
- 8.5.2 If the originating and terminating locations of the two-way packet data traffic are not in the same LATA, the traffic on that VC is interLATA (InterLATA VC).
- 8.5.3 The PLCU is determined by dividing the total number of Local VCs, by the total number of VCs on each Frame Relay facility. To facilitate implementation, Network PTS may determine its PLCU in aggregate, by dividing the total number of Local VCs in a given LATA by the total number VCs in that LATA. The Parties agree to renegotiate the method for determining PLCU, at BellSouth's request, and within 90 days, if BellSouth notifies Network PTS that it has found that this method does not adequately represent the PLCU.
- 8.5.4 If there are no VCs on a facility when it is billed, the PLCU will be zero.
- 8.5.5 BellSouth will provide the circuit between the Parties' respective Frame Relay Switches. The Parties will be compensated as follows: BellSouth will invoice, and Network PTS will pay, the total nonrecurring and recurring charges for the circuit based upon the rates set forth in BellSouth's Interstate Access Tariff, FCC No. 1. Network PTS will then invoice, and BellSouth will pay, an amount calculated by

multiplying the BellSouth billed charges for the circuit by one-half of Network PTS's PLCU.

- The Parties agree to compensate each other for Frame Relay network-to-network interface (NNI) ports based upon the NNI rates set forth in BellSouth's Interstate Access Tariff, FCC No. 1. Compensation for each pair of NNI ports will be calculated as follows: BellSouth will invoice, and Network PTS will pay, the total nonrecurring and recurring charges for the NNI port. Network PTS will then invoice, and BellSouth will pay, an amount calculated by multiplying the BellSouth billed nonrecurring and recurring charges for the NNI port by Network PTS's PLCU.
- 8.7 Each Party agrees that there will be no charges to the other Party for its own subscriber's Permanent Virtual Circuit (PVC) rate elements for the local PVC segment from its Frame Relay switch to its own subscriber's premises. PVC rate elements include the Data Link Connection Identifier (DLCI) and Committed Information Rate (CIR).
- 8.8 For the PVC segment between the Network PTS and BellSouth Frame Relay switches, compensation for the PVC charges is based upon the rates in BellSouth's Interstate Access Tariff, FCC No. 1.
- 8.9 Compensation for PVC rate elements will be calculated as follows:
- 8.9.1 If Network PTS orders a VC connection between a BellSouth subscriber's PVC segment and a PVC segment from the BellSouth Frame Relay switch to the Network PTS Frame Relay switch, BellSouth will invoice, and Network PTS will pay, the total nonrecurring and recurring PVC charges for the PVC segment between the BellSouth and Network PTS Frame Relay switches. If the VC is a Local VC, Network PTS will then invoice and BellSouth will pay, the total nonrecurring and recurring PVC charges billed for that segment. If the VC is not local, no compensation will be paid to Network PTS for the PVC segment.
- 8.9.2 If BellSouth orders a Local VC connection between a Network PTS subscriber's PVC segment and a PVC segment from the Network PTS Frame Relay switch to the BellSouth Frame Relay switch, BellSouth will invoice, and Network PTS will pay, the total nonrecurring and recurring PVC and CIR charges for the PVC segment between the BellSouth and Network PTS Frame Relay switches. If the VC is a Local VC, Network PTS will then invoice and BellSouth will pay the total nonrecurring and recurring PVC and CIR charges billed for that segment. If the VC is not local, no compensation will be paid to Network PTS for the PVC segment.
- 8.9.3 The Parties agree to compensate each other for requests to change a PVC segment or PVC service order record, according to the Feature Change charge as set forth in the BellSouth access tariff BellSouth Tariff FCC No. 1.

- 8.9.4 If Network PTS requests a change, BellSouth will invoice and Network PTS will pay a Feature Change charge for each affected PVC segment.
- 8.9.4.1 If BellSouth requests a change to a Local VC, Network PTS will invoice and BellSouth will pay a Feature Change charge for each affected PVC segment.
- 8.9.5 The Parties agree to limit the sum of the CIR for the VCs on a DS1 NNI port to not more than three times the port speed, or not more than six times the port speed on a DS3 NNI port.
- 8.9.6 Except as expressly provided herein, this Agreement does not address or alter in any way either Party's provision of Exchange Access Frame Relay Service, Managed Shared Frame Relay Service or interLATA Frame Relay Service. All charges by each Party to the other for carriage of Exchange Access Frame Relay Service or interLATA Frame Relay Service are included in the BellSouth access tariff BellSouth Tariff FCC No. 1.
- Network PTS will identify and report quarterly to BellSouth the PLCU of the Frame Relay facilities it uses, per Section 8.5.3 above.
- 8.11 Either Party may request a review or audit of the various service components, consistent with the provisions of section E2 of the BellSouth State Access Services tariffs or Section 2 of the BellSouth FCC No.1 Tariff.

9. ORDERING CHARGES

9.1 The terms, conditions and rates for Ordering Charges are as set forth in FCC Tariff for Access Service Records.


10 BASIC 911 AND E911 INTERCONNECTION

- Basic 911 and E911 provides a caller access to the applicable emergency service bureau by dialing 911.
- Basic 911 Interconnection. BellSouth will provide to Network PTS a list consisting of each municipality that subscribes to Basic 911 service. The list will also provide, if known, the E911 conversion date for each municipality and, for network routing purposes, a ten-digit directory number representing the appropriate emergency answering position for each municipality subscribing to 911. Network PTS will be required to arrange to accept 911 calls from its end users in municipalities that subscribe to Basic 911 service and translate the 911 call to the appropriate 10-digit directory number as stated on the list provided by BellSouth. Network PTS will be required to route that call to BellSouth at the appropriate 911 tandem. When a municipality converts to E911 service, Network PTS will be required to begin using E911 procedures.

- 10.3 E911 Interconnection. Network PTS shall install a minimum of two dedicated trunks originating from its Serving Wire Center and terminating to the appropriate E911 tandem. The Serving Wire Center must be in the same LATA as the E911 tandem. The dedicated trunks shall be, at a minimum, DS0 level trunks configured as part of a digital (1.544 Mb/s) interface (DS1 facility). The configuration shall use CAMA-type signaling with multifrequency (MF) pulsing that will deliver ANI with the voice portion of the call. If the user interface is digital, MF pulses as well as other AC signals shall be encoded per the u-255 Law convention. Network PTS will be required to provide BellSouth daily updates to the E911 database. Network PTS will be required to forward 911 calls to the appropriate E911 tandem along with ANI based upon the current E911 end office to tandem homing arrangement as provided by BellSouth. If the E911 tandem trunks are not available, Network PTS will be required to route the call to a designated 7-digit or 10-digit local number residing in the appropriate Public Service Answering Point (PSAP). This call will be transported over BellSouth's interoffice network and will not carry the ANI of the calling party. Network PTS shall be responsible for providing BellSouth with complete and accurate data for submission to the 911/E911 database for the purpose of providing 911/E911 to its end users.
- 10.4 <u>Rates.</u> BellSouth will impose applicable charges on Network PTS for BellSouth trunking arrangements. Rates for trunking arrangements are as set forth in Exhibit A of this Attachment. In addition Network PTS will be responsible for charges for the facilities that the E911 trunks will ride. Facility rates are as set forth in the access tariff.
- 10.5 The detailed practices and procedures for 911/E911 interconnection are contained in the E911 Local Exchange Carrier Guide For Facility-Based Providers as amended from time to time during the term of this Agreement.


Basic Architecture

Exhibit B




One-Way Architecture

Exhibit C



Two-Way Architecture


Exhibit D



ATTACHMENT 3 PAGE 31

Exhibit E

Supergroup Architecture



LOCAL INT	ERCONNECTION - Alabama													ment: 3		bit: A
											Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		Interi									Elec	Manually	Manual Svc	Manual Svc		Manual Svo
CATEGORY	RATE ELEMENTS		Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m									,	,	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
						Rec	Nonred		Nonrecurring					Rates (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	RCONNECTION (CALL TRANSPORT AND TERMINATION)			4	1											
	: "bk" beside a rate indicates that the Parties have agreed to be	ili and k	eep roi	tnat element pursu	lant to the te	rms and conditi	ons in Attachr	nent 3.	-							
IAND	Tandem Switching Function Per MOU			OHD	+	0.0004980bk								-		-
 	Multiple Tandem Switching, per MOU (applies to intial tandem			OHD		0.0004960DK					1					
	only)			OHD		0.000498										
	Tandem Intermediary Charge, per MOU*			OHD	+	0.0025										
* This	charge is applicable only to transit traffic and is applied in ad	dition to	o appli		l/or intercon											
	K CHARGE			l			-		İ							
	Installation Trunk Side Service - per DS0			OHD	TPP6X		21.56	8.12								
	Installation Trunk Side Service - per DS0		1	OHD	TPP9X		21.56	8.12	į į		Ì					
	Dedicated End Office Trunk Port Service-per DS0**			OHD	TDEOP	0.00										
	Dedicated End Office Trunk Port Service-per DS1**			OH1 OH1MS	TDE1P	0.00										
	Dedicated Tandem Trunk Port Service-per DS0**			OHD	TDWOP	0.00										
	Dedicated Tandem Trunk Port Service-per DS1**			OH1 OH1MS	TDW1P	0.00										
	s rate element is recovered on a per MOU basis and is included	d in the	End O	ffice Switching and	Tandem Swi	tching, per MOl	J rate elements	5								
COM	MON TRANSPORT (Shared)															
	Common Transport - Per Mile, Per MOU			OHD		0.0000023bk										
	Common Transport - Facilities Termination Per MOU			OHD		0.0003224bk										
	RCONNECTION (DEDICATED TRANSPORT)															
INTER	ROFFICE CHANNEL - DEDICATED TRANSPORT															
	Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade -	1		OUM	41 ENIE	0.000000										
-	Per Mile per month			OHM	1L5NF	0.008838			-		1					
	Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade - Facility Termination per month			ОНМ	1L5NF	21.13	40.54	27.41	16.74	6.90						
+	Interoffice Channel - Dedicated Transport - 56 kbps - per mile			OF IIVI	ILSINI	21.13	40.54	27.41	10.74	0.90	1					
	per month			ОНМ	1L5NK	0.008838										
 	Interoffice Channel - Dedicated Transport - 56 kbps - Facility			OT IIVI	TEGIVIT	0.000000										
	Termination per month			ОНМ	1L5NK	15.12	40.54	27.41	16.74	6.90						
	Interoffice Channel - Dedicated Transport - 64 kbps - per mile															
	per month			OHM	1L5NK	0.008838										
	Interoffice Channel - Dedicated Transport - 64 kbps - Facility															
	Termination per month			OHM	1L5NK	15.12	40.54	27.41	16.74	6.90						
	Interoffice Channel - Dedicated Channel - DS1 - Per Mile per															
	month			OH1, OH1MS	1L5NL	0.18										
	Interoffice Channel - Dedicated Tranport - DS1 - Facility															
	Termination per month			OH1, OH1MS	1L5NL	60.16	89.27	81.81	16.35	14.44						
	Interoffice Channel - Dedicated Transport - DS3 - Per Mile per															
	month			OH3, OH3MS	1L5NM	4.09										
	Interoffice Channel - Dedicated Transport - DS3 - Facility			0.10 0.1010						=0.40						
	Termination per month			OH3, OH3MS	1L5NM	703.52	278.75	162.76	60.20	58.46						
LOCA	L CHANNEL - DEDICATED TRANSPORT			OHM	TEFV2	13.97	193.10	33.17	36.64	3.20						
	Local Channel - Dedicated - 2-Wire Voice Grade per month			OHM												
 	Local Channel - Dedicated - 4-Wire Voice Grade per month Local Channel - Dedicated - DS1 per month	1	 	OHM OH1	TEFV4 TEFHG	14.93 35.76	193.53 177.47	33.60 153.72	37.11 22.19	3.67 15.26				 		-
 	Local Orlanner - Dedicated - DOT per month	1	 	0111	ILITIO	33.76	111.41	155.72	22.19	13.20				 	1	1
] [Local Channel - Dedicated - DS3 Facility Termination per month			ОНЗ	TEFHJ	416.54	451.52	263.94	119.49	83.58				1		
LOCA	L INTERCONNECTION MID-SPAN MEET	1	!		1.20	710.04	TO 1.02	200.04	110.40	55.50	1			I	1	†
	: If Access service ride Mid-Span Meet, one-half the tariffed se	rvice Lo	cal Ch	annel rate is applica	able.				†					1		
1.312	Local Channel - Dedicated - DS1 per month		J	OH1MS	TEFHG	0.00	0.00		† †					1		
	Local Channel - Dedicated - DS3 per month	1		OH3MS	TEFHJ	0.00	0.00		†							
MULT	TPLEXERS	1	i –		1				1							
	Channelization - DS1 to DS0 Channel System			OH1, OH1MS	SATN1	101.06	91.04	62.57	10.54	9.79						
	DS3 to DS1 Channel System per month			OH3, OH3MS	SATNS	166.13	178.14	93.97	33.26	31.63						
	DS3 Interface Unit (DS1 COCI) per month			OH1, OH1MS	SATCO	12.70	6.58	4.72								
Notes	: If no rate is identified in the contract, the rates, terms, and co	ondition	s for t	he specific service of	or function w	ill be as set fort	h in applicable	e BellSouth ta	riff.							

LOCA	AL INTE	RCONNECTION - Florida													ment: 3		ibit: A
CATE	GORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'l
	1					+	i I	Nonrec	curring	Nonrecurring	Disconnect		1	oss	Rates (\$)	I.	<u> </u>
						+	Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
LOCAL	LINTER	CONNECTION (CALL TRANSPORT AND TERMINATION)															
		"bk" beside a rate indicates that the Parties have agreed to bi	ill and k	eep fo	that element pursu	ant to the te	rms and conditi	ons in Attachn	nent 3.								
		M SWITCHING															
		Tandem Switching Function Per MOU			OHD		0.0006019bk										
		Multiple Tandem Switching, per MOU (applies to intial tandem															
		only)			OHD		0.0006019										
	* Thin	Tandem Intermediary Charge, per MOU*	dition t	o oppli	OHD	d/or intercen	0.0025					1					
		charge is applicable only to transit traffic and is applied in ad	dition to	о арри	cable switching and	J/or interconi	nection charges	•									
		CHARGE Installation Trunk Side Service - per DS0	1	1	OHD	TPP6X	+	21.73	8.19								
	+	Installation Trunk Side Service - per DS0	1	-	OHD	TPP9X	 	21.73	8.19			1				1	
-	1	Dedicated End Office Trunk Port Service-per DS0**	1	 	OHD	TDEOP	0.00	21.73	0.19						1	1	
	†	Dedicated End Office Trunk Port Service-per DS1**	1	<u> </u>	OH1 OH1MS	TDE1P	0.00										
		Dedicated Tandem Trunk Port Service-per DS0**			OHD	TDWOP	0.00										
		Dedicated Tandem Trunk Port Service-per DS1**			OH1 OH1MS	TDW1P	0.00										
	** This	rate element is recovered on a per MOU basis and is included	d in the	End O	ffice Switching and	Tandem Swi	tching, per MOl	J rate elements	3								
	COMM	ON TRANSPORT (Shared)															
		Common Transport - Per Mile, Per MOU			OHD		0.0000035bk										
		Common Transport - Facilities Termination Per MOU			OHD		0.0004372bk										
LOCAL		CONNECTION (DEDICATED TRANSPORT)															ļ
		OFFICE CHANNEL - DEDICATED TRANSPORT															
		Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade - Per Mile per month			ОНМ	1L5NF	0.0091										
		Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade - Facility Termination per month	•		ОНМ	1L5NF	25.32	47.35	31.78	18.31	7.03						
		Interoffice Channel - Dedicated Transport - 56 kbps - per mile per month			ОНМ	1L5NK	0.0091										
		Interoffice Channel - Dedicated Transport - 56 kbps - Facility Termination per month			ОНМ	1L5NK	18.44	47.35	31.78	18.31	7.03						
		Interoffice Channel - Dedicated Transport - 64 kbps - per mile per month			ОНМ	1L5NK	0.0091										
		Interoffice Channel - Dedicated Transport - 64 kbps - Facility Termination per month			ОНМ	1L5NK	18.44	47.35	31.78	18.31	7.03						
Ì		Interoffice Channel - Dedicated Channel - DS1 - Per Mile per															
		month Interoffice Channel - Dedicated Tranport - DS1 - Facility			OH1, OH1MS	1L5NL	0.1856										
		Termination per month Interoffice Channel - Dedicated Transport - DS3 - Per Mile per			OH1, OH1MS	1L5NL	88.44	105.54	98.47	21.47	19.05						
	-	month Interoffice Channel - Dedicated Transport - DS3 - Facility			OH3, OH3MS	1L5NM	3.87										
	LOCAL	Termination per month CHANNEL - DEDICATED TRANSPORT			OH3, OH3MS	1L5NM	1,071.00	335.46	219.28	72.03	70.56						
		Local Channel - Dedicated - 2-Wire Voice Grade per month	1		ОНМ	TEFV2	19.66	265.84	46.97	37.63	4.00						
		Local Channel - Dedicated - 4-Wire Voice Grade per month			ОНМ	TEFV4	20.45	266.54	47.67	44.22	5.33						
		Local Channel - Dedicated - DS1 per month			OH1	TEFHG	36.49	216.65	183.54	24.30	16.95						
		Local Channel - Dedicated - DS3 Facility Termination per month			ОНЗ	TEFHJ	531.91	556.37	343.01	139.13	96.84						
l		INTERCONNECTION MID-SPAN MEET	1		L.,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	<u> </u>						ļ			ļ	ļ	
-	NOTE:	If Access service ride Mid-Span Meet, one-half the tariffed ser	rvice Lo	cal Ch			0.00	0.00							1		├
-	+	Local Channel - Dedicated - DS1 per month	1	1	OH1MS	TEFHG	0.00	0.00							1	1	
-	MIII	Local Channel - Dedicated - DS3 per month PLEXERS	1	 	OH3MS	TEFHJ	0.00	0.00				1			1	1	
		Channelization - DS1 to DS0 Channel System	1	1	OH1, OH1MS	SATN1	146.77	101.42	71.62	11.09	10.49						
 	+	DS3 to DS1 Channel System per month	1	-	OH3, OH3MS	SATNS	211.19	199.28	118.64	40.34	39.07	1				1	
	1	DS3 Interface Unit (DS1 COCI) per month		 	OH1, OH1MS	SATCO	13.76	10.07	7.08	70.04	55.07						
	Notoci	If no rate is identified in the contract, the rates, terms, and co	ondition	s for t						iff.		1	i		Ì	Ì	

LOCAL IN	TERCONNECTION - Georgia													ment: 3		ibit: A
]			· · · · · · · · · · · · · · · · · · ·	· · · · · · · · · · · · · · · · · · ·			Svc Order				Incremental	Incrementa
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svo
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		- ""											Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
						ļ										
						Rec	Nonrec		Nonrecurring					Rates (\$)		
					1		First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
LOCALINIT	FROMINECTION (CALL TRANSPORT AND TERMINATION)	1			+										-	
	ERCONNECTION (CALL TRANSPORT AND TERMINATION) E: "bk" beside a rate indicates that the Parties have agreed to b	ill and b	oon fo	that alamant nursu	iont to the to	rmo and sanditi	ana in Attachn	nont 2							-	
	DEM SWITCHING	III anu k	eep ioi	that element pursu	iant to the te	ins and conditi	Ons in Attachi	nent 3.	1							
17.1	Tandem Switching Function Per MOU			OHD		0.0004086bk										
	Multiple Tandem Switching, per MOU (applies to intial tandem			OHD	+	0.000 - 0000K										
	only)			OHD		0.0004086										
	Tandem Intermediary Charge, per MOU*			OHD	+	0.0025										
* Th	is charge is applicable only to transit traffic and is applied in ac	Idition to	o appli		d/or interconi											
TRU	INK CHARGE								1							
	Installation Trunk Side Service - per DS0			OHD	TPP6X		21.53	8.11								
	Installation Trunk Side Service - per DS0			OHD	TPP9X		21.53	8.11								
	Dedicated End Office Trunk Port Service-per DS0**			OHD	TDEOP	0.00										
	Dedicated End Office Trunk Port Service-per DS1**			OH1 OH1MS	TDE1P	0.00										
	Dedicated Tandem Trunk Port Service-per DS0**			OHD	TDWOP	0.00										
	Dedicated Tandem Trunk Port Service-per DS1**			OH1 OH1MS	TDW1P	0.00										
	nis rate element is recovered on a per MOU basis and is include	d in the	End O	ffice Switching and	Tandem Swi	tching, per MOl	J rate elements	3								
CON	MMON TRANSPORT (Shared)															
	Common Transport - Per Mile, Per MOU			OHD		0.0000027bk										
	Common Transport - Facilities Termination Per MOU			OHD		0.0001914bk										
	ERCONNECTION (DEDICATED TRANSPORT)															
INT	EROFFICE CHANNEL - DEDICATED TRANSPORT															
	Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade	-		OUN4	41.515	0.0057										
	Per Mile per month	1		OHM	1L5NF	0.0057									-	
	Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade Facility Termination per month	- [ОНМ	1L5NF	12.87	48.455	19.48	16.575	4.995						
	Interoffice Channel - Dedicated Transport - 56 kbps - per mile			Onivi	ILSINF	12.07	46.433	19.40	16.575	4.995	1					
	per month			ОНМ	1L5NK	0.0057										
-	Interoffice Channel - Dedicated Transport - 56 kbps - Facility			OT IIVI	TESIVIC	0.0037										
	Termination per month			ОНМ	1L5NK	7.83	48.455	19.48	16.575	4.995						
	Interoffice Channel - Dedicated Transport - 64 kbps - per mile			OT IIVI	TEGIVIT	7.00	40.400	10.40	10.070	4.000						
	per month			ОНМ	1L5NK	0.0057										
	Interoffice Channel - Dedicated Transport - 64 kbps - Facility															
	Termination per month			ОНМ	1L5NK	7.83	48.455	19.48	16.575	4.995						
	Interoffice Channel - Dedicated Channel - DS1 - Per Mile per								1							
	month			OH1, OH1MS	1L5NL	0.1154										
	Interoffice Channel - Dedicated Tranport - DS1 - Facility															
	Termination per month			OH1, OH1MS	1L5NL	34.19	111.025	80.28	31.355	21.73						
	Interoffice Channel - Dedicated Transport - DS3 - Per Mile per															
	month			OH3, OH3MS	1L5NM	2.53										
	Interoffice Channel - Dedicated Transport - DS3 - Facility															
	Termination per month			OH3, OH3MS	1L5NM	342.02	320.47	86.32	66.77	52.81						
LOC	AL CHANNEL - DEDICATED TRANSPORT															
	Local Channel - Dedicated - 2-Wire Voice Grade per month			OHM	TEFV2	7.74	121.065	53.295	46.395	13.365						
\vdash	Local Channel - Dedicated - 4-Wire Voice Grade per month	-	<u> </u>	OHM	TEFV4	8.72	125.62	54.43	46.395	13.365				-	-	
\vdash	Local Channel - Dedicated - DS1 per month	1	 	OH1	TEFHG	18.47	149.46	111.195	40.355	26.115	-			 	 	1
	Local Channel Dedicated DS2 Facility Termination	1		OH3	TEFHJ	147.01	445.01	145.18	112.905	75 00				1	I	
100	Local Channel - Dedicated - DS3 Facility Termination per month AL INTERCONNECTION MID-SPAN MEET	1	 	0113	IEFfJ	147.01	445.01	145.18	112.905	75.88						1
	E: If Access service ride Mid-Span Meet, one-half the tariffed se	rvice Lo	ral Ch	I annol rato is annlina	able	+			 					 	 	
INOI	Local Channel - Dedicated - DS1 per month	I VICE LC	cai ch	OH1MS	TEFHG	0.00	0.00		 					 	 	
 	Local Channel - Dedicated - DS1 per month	1	†	OH3MS	TEFHJ	0.00	0.00							t	t	
MUI	TIPLEXERS	 	1	JJ		5.00	0.00							-	-	
IIIO	Channelization - DS1 to DS0 Channel System	1	!	OH1, OH1MS	SATN1	69.75	105.675	41.585	23.75	4.19	<u> </u>			I	I	1
	DS3 to DS1 Channel System per month	1	†	OH3, OH3MS	SATNS	121.90	224.475	71.83	40.005	31.065				1	1	
 	DS3 Interface Unit (DS1 COCI) per month	1	t	OH1, OH1MS	SATCO	7.35	15.805	11.385	6.605	6.605				1	t	İ
								BellSouth tai		0.000						

LOCAL IN	ITERCONNECTION - Kentucky													ment: 3		ibit: A
							· · · · · · · · · · · · · · · · · · ·	· · · · · · · · · · · · · · · · · · ·		· · · · · · · · · · · · · · · · · · ·	Svc Order	Svc Order	Incremental		Incremental	Incremental
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svo
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		""									•		Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
						1										
		1	1			Rec	Nonrec		Nonrecurring					Rates (\$)		
					1		First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
LOCALINIT	EDCONNECTION (CALL TRANSPORT AND TERMINATION)		1													
	ERCONNECTION (CALL TRANSPORT AND TERMINATION) TE: "bk" beside a rate indicates that the Parties have agreed to b	ill and b	oon fo	r that alamant nursu	iont to the to	rmo and sanditi	ana in Attachn	nont 2			1				-	<u> </u>
	NDEM SWITCHING	ili anu k	eep 10	triat element pursu	iant to the te	ins and conditi	Ons in Attachi	nent 3.	1							<u> </u>
1.51	Tandem Switching Function Per MOU			OHD		0.0006772bk					1					
	Multiple Tandem Switching, per MOU (applies to intial tandem			OHD	+	0.0000772DK										+
	only)			OHD		0.0006772										
	Tandem Intermediary Charge, per MOU*			OHD	+	0.0025										
* Th	his charge is applicable only to transit traffic and is applied in a	dition to	o appli		d/or interconi											
TRU	JNK CHARGE								1							
	Installation Trunk Side Service - per DS0			OHD	TPP6X		21.58	8.13								
	Installation Trunk Side Service - per DS0			OHD	TPP9X		21.58	8.13								
	Dedicated End Office Trunk Port Service-per DS0**			OHD	TDEOP	0.00										
	Dedicated End Office Trunk Port Service-per DS1**			OH1 OH1MS	TDE1P	0.00										
	Dedicated Tandem Trunk Port Service-per DS0**			OHD	TDWOP	0.00										
	Dedicated Tandem Trunk Port Service-per DS1**			OH1 OH1MS	TDW1P	0.00										
	his rate element is recovered on a per MOU basis and is include	d in the	End O	ffice Switching and	Tandem Swi	tching, per MOl	J rate elements	3								
COI	MMON TRANSPORT (Shared)															
	Common Transport - Per Mile, Per MOU			OHD		0.0000030bk										
	Common Transport - Facilities Termination Per MOU	1	1	OHD		0.0007466bk										
	ERCONNECTION (DEDICATED TRANSPORT)															
INT	EROFFICE CHANNEL - DEDICATED TRANSPORT	1	1													
	Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade	-		OLIM	41 ENIE	0.04										
-	Per Mile per month	+	1	ОНМ	1L5NF	0.01					1				-	<u> </u>
	Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade Facility Termination per month	-		ОНМ	1L5NF	29.11	47.34	31.78	22.77	8.75						
	Interoffice Channel - Dedicated Transport - 56 kbps - per mile	+	1	Onivi	ILSINF	29.11	47.34	31.70	22.11	6.75	1					1
	per month			ОНМ	1L5NK	0.0115										
-	Interoffice Channel - Dedicated Transport - 56 kbps - Facility			OT IIVI	TESIVIC	0.0113					1					
	Termination per month			ОНМ	1L5NK	20.97	47.35	31.78	22.77	8.75						
	Interoffice Channel - Dedicated Transport - 64 kbps - per mile			OT IIVI	ILOIVIC	20.07	47.00	01.70	22.77	0.70						1
	per month			ОНМ	1L5NK	0.0115										
	Interoffice Channel - Dedicated Transport - 64 kbps - Facility															
	Termination per month			ОНМ	1L5NK	20.97	47.35	31.78	22.77	8.75						
	Interoffice Channel - Dedicated Channel - DS1 - Per Mile per								1							
	month			OH1, OH1MS	1L5NL	0.23										
	Interoffice Channel - Dedicated Tranport - DS1 - Facility															
	Termination per month			OH1, OH1MS	1L5NL	96.04	105.52	98.46	23.09	20.49						
	Interoffice Channel - Dedicated Transport - DS3 - Per Mile per															
	month			OH3, OH3MS	1L5NM	4.97										
	Interoffice Channel - Dedicated Transport - DS3 - Facility															
	Termination per month			OH3, OH3MS	1L5NM	1,175.15	335.40	219.24	89.57	87.75						
Loc	CAL CHANNEL - DEDICATED TRANSPORT															
	Local Channel - Dedicated - 2-Wire Voice Grade per month	1	1	OHM	TEFV2	18.57	265.78	46.96	46.79	4.98						
	Local Channel - Dedicated - 4-Wire Voice Grade per month	-		OHM	TEFV4	19.86	266.48	47.65	47.54	5.73				-	-	!
-	Local Channel - Dedicated - DS1 per month	1	-	OH1	TEFHG	40.46	209.60	176.51	30.21	21.07	1			1	1	
	Local Channel Dedicated DC2 Equility Termination and and	. [ОНЗ	TEFHJ	576.05	551.38	338.08	173.00	120.42				1	1	
100	Local Channel - Dedicated - DS3 Facility Termination per month CAL INTERCONNECTION MID-SPAN MEET	+	1	UIJO	IEFfJ	5/0.05	351.38	338.08	173.00	120.42	 					
	TE: If Access service ride Mid-Span Meet, one-half the tariffed se	rvice ! c	rcal Ch	annel rate is applied	able	+			 		}			 	 	
INU	Local Channel - Dedicated - DS1 per month	I VICE LC	cai ch	OH1MS	TEFHG	0.00	0.00		 					1	 	
\vdash	Local Channel - Dedicated - DS3 per month	+		OH3MS	TEFHJ	0.00	0.00				 			t	t	
MUI	LTIPLEXERS	1	1	CSIVIO		5.00	0.00							-	-	†
	Channelization - DS1 to DS0 Channel System	1	1	OH1, OH1MS	SATN1	113.33	101.40	71.60	13.79	13.04	1			I	I	
	DS3 to DS1 Channel System per month	1		OH3, OH3MS	SATNS	158.20	199.23	118.62	50.16	48.59				1	1	1
	DS3 Interface Unit (DS1 COCI) per month	1		OH1, OH1MS	SATCO	11.80	10.07	7.08	555	.0.50				1	t	1
		1		he specific service of					·		1	1		 	 	+

LOCAL II	NTER	RCONNECTION - Louisiana													ment: 3		ibit: A
								· · · · · · · · · · · · · · · · · · ·	· · · · · · · · · · · · · · · · · · ·			Svc Order	Svc Order	Incremental	Incremental	Incremental	Incrementa
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
			Interi									Elec	Manually	Manual Svc	Manual Svc		Manual Svo
CATEGOR	Y	RATE ELEMENTS		Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m									P	p = = = = = = =	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
																D130 131	DISC Add I
							Rec	Nonrec			g Disconnect				Rates (\$)		
							1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		ONNECTION (CALL TRANSPORT AND TERMINATION)															
		ok" beside a rate indicates that the Parties have agreed to bi	ill and k	eep fo	r that element pursu	uant to the te	rms and conditi	ons in Attachn	nent 3.								
IA		SWITCHING															
		andem Switching Function Per MOU			OHD		0.0005507bk										
		Multiple Tandem Switching, per MOU (applies to intial tandem			OHD		0.0005507										
		nly) andem Intermediary Charge, per MOU*		1	OHD		0.0005507 0.0025										
* TI		andern intermediary Charge, per MOO arge is applicable only to transit traffic and is applied in ad	dition t	o onnli		d/or intercent											
		charge is applicable only to transit trainc and is applied in ad	dition t	о аррп	Cable Switching and	a/or interconi	lection charges										
IK		nstallation Trunk Side Service - per DS0	1	1	OHD	TPP6X		21.64	8.15			1					
-		nstallation Trunk Side Service - per DS0			OHD	TPP9X		21.64	8.15								
 		Dedicated End Office Trunk Port Service-per DS0**	1	1	OHD	TDEOP	0.00	21.04	0.15	1	1				t	t	1
 		Dedicated End Office Trunk Port Service-per DS0 Dedicated End Office Trunk Port Service-per DS1**	1	1	OH1 OH1MS	TDE1P	0.00			1	1				t	t	1
 		Dedicated End Office Trunk Port Service-per DS1*	1		OHD	TDWOP	0.00				<u> </u>				t	t	
		Dedicated Tandem Trunk Port Service-per DS0**	1	1	OH1 OH1MS	TDW1P	0.00								-	-	
** T		ate element is recovered on a per MOU basis and is included	d in the	End O				I rate elements									
		N TRANSPORT (Shared)	u III tile	I I	The ownering and	Tandem Own	lonning, per wiot	rate elements	•								
 		Common Transport - Per Mile, Per MOU			OHD		0.0000032bk										
		Common Transport - Facilities Termination Per MOU			OHD		0.0003748bk										
LOCAL INT		ONNECTION (DEDICATED TRANSPORT)			0.15		0.00001 10DK										
		FICE CHANNEL - DEDICATED TRANSPORT															
-		nteroffice Channel - Dedicated Transport - 2-Wire Voice Grade -															
		Per Mile per month			OHM	1L5NF	0.013										
		nteroffice Channel - Dedicated Transport- 2- Wire Voice Grade -															
		acility Termination per month			ОНМ	1L5NF	22.60	39.36	26.62								
		nteroffice Channel - Dedicated Transport - 56 kbps - per mile															
	р	per month			OHM	1L5NK	0.013										
	İr	nteroffice Channel - Dedicated Transport - 56 kbps - Facility															
	Т	ermination per month			OHM	1L5NK	15.61	39.37	26.62								
	Ir	nteroffice Channel - Dedicated Transport - 64 kbps - per mile															
	р	er month			OHM	1L5NK	0.013										
	lr	nteroffice Channel - Dedicated Transport - 64 kbps - Facility															
		ermination per month			OHM	1L5NK	15.61	39.37	26.62								
		nteroffice Channel - Dedicated Channel - DS1 - Per Mile per															
		nonth			OH1, OH1MS	1L5NL	0.2652										
		nteroffice Channel - Dedicated Tranport - DS1 - Facility]]				_	_	
		ermination per month			OH1, OH1MS	1L5NL	70.47	86.69	79.44								
		nteroffice Channel - Dedicated Transport - DS3 - Per Mile per]]				_	_	
		nonth			OH3, OH3MS	1L5NM	6.04								1	1	
		nteroffice Channel - Dedicated Transport - DS3 - Facility													1	1	
		ermination per month			OH3, OH3MS	1L5NM	850.45	270.69	158.05								
LO		CHANNEL - DEDICATED TRANSPORT															
		ocal Channel - Dedicated - 2-Wire Voice Grade per month		1	OHM	TEFV2	18.32	187.51	32.21								
		ocal Channel - Dedicated - 4-Wire Voice Grade per month			OHM	TEFV4	19.41	187.94	32.63								
-	L	ocal Channel - Dedicated - DS1 per month	1	-	OH1	TEFHG	39.18	172.34	149.27	ļ	-				1	1	1
	Ι,	and Channel Dedicated DC2 Facility Termination			OHa	TEFHJ	400 44	400.40	250.00						1	I	
H . ~		ocal Channel - Dedicated - DS3 Facility Termination per month	1	-	OH3	IEFHJ	469.44	438.46	256.30	ļ	-				1	1	1
		NTERCONNECTION MID-SPAN MEET				1	-			 	1	-			 	 	ļ
NO		Access service ride Mid-Span Meet, one-half the tariffed ser	rvice Lo	cai Ch			0.00	0.00							 	 	-
 		ocal Channel - Dedicated - DS1 per month ocal Channel - Dedicated - DS3 per month	1		OH1MS OH3MS	TEFHG TEFHJ	0.00	0.00		-	-				-	-	
N/II		LEXERS	1		OI ISIVIS	IEFFIJ	0.00	0.00		-	-				-	-	1
IVIU		Channelization - DS1 to DS0 Channel System	1	 	OH1, OH1MS	SATN1	105.09	88.41	60.76	 	-						1
		DS3 to DS1 Channel System per month	1	1	OH3, OH3MS	SATNS	201.48	172.99	91.25			1			1	1	1
		DS3 Interface Unit (DS1 COCI) per month	1	1	OH3, OH3MS	SATING	11.78	6.39	4.58	1	1	 			 	 	ł
					IOLLI, OLLIIVIO	ISAICU	11./8		4.38			1				1	1

LOCAL INT	TERCONNECTION - Mississippi													ment: 3		ibit: A
]				· · · · · · · · · · · · · · · · · · ·			Svc Order				Incremental	Incremental
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svo
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
											1		Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
			<u> </u>						T. N	B'			000	D-1 (A)		<u> </u>
						Rec	Nonrec		Nonrecurring		001150	001441		Rates (\$)	001141	000000
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
LOCAL INTE	RCONNECTION (CALL TRANSPORT AND TERMINATION)				+									-	-	+
	: "bk" beside a rate indicates that the Parties have agreed to bi	ll and k	een fo	that element nursu	iant to the te	rme and conditi	one in Attachr	nent 3			1					<u> </u>
	DEM SWITCHING	l ana k	 	I that cicinicite parsa	Tant to the te	ling and conditi	Olio III Attuolii	ilent o.								+
	Tandem Switching Function Per MOU			OHD		0.0005379bk										
	Multiple Tandem Switching, per MOU (applies to intial tandem															
	only)			OHD		0.0005379										
	Tandem Intermediary Charge, per MOU*			OHD		0.0025										
* This	s charge is applicable only to transit traffic and is applied in ad	dition to	o appli	cable switching and	d/or interconi	nection charges										
TRUN	NK CHARGE															
	Installation Trunk Side Service - per DS0	ļ		OHD	TPP6X		21.58	8.13						ļ	ļ	ļ
	Installation Trunk Side Service - per DS0	ļ		OHD	TPP9X		21.58	8.13	ļ					1	1	
	Dedicated End Office Trunk Port Service-per DS0**	ļ	<u> </u>	OHD	TDEOP	0.00			ļ		ļ					↓
<u> </u>	Dedicated End Office Trunk Port Service-per DS1**	ļ	 	OH1 OH1MS	TDE1P	0.00								1	1	
-	Dedicated Tandem Trunk Port Service-per DS0**			OHD	TDWOP	0.00										
** Th:	Dedicated Tandem Trunk Port Service-per DS1** is rate element is recovered on a per MOU basis and is included	d in the	End O	OH1 OH1MS	TDW1P	0.00	l roto alamanta									
	MON TRANSPORT (Shared)	in the	Ena O	Ince Switching and	Tandem Swi	tening, per wo) rate elements	•								<u> </u>
COMI	Common Transport - Per Mile, Per MOU		1	OHD	1	0.0000026bk					1					
	Common Transport - Facilities Termination Per MOU			OHD	+	0.0004541bk										
LOCAL INTE	RCONNECTION (DEDICATED TRANSPORT)			OLID	+	0.000 TO TOR										1
	ROFFICE CHANNEL - DEDICATED TRANSPORT															
	Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade -				1				İ							
	Per Mile per month			ОНМ	1L5NF	0.0098										
	Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade -															
	Facility Termination per month			OHM	1L5NF	22.52	40.77	27.57	17.26	7.11						
	Interoffice Channel - Dedicated Transport - 56 kbps - per mile															
	per month			OHM	1L5NK	0.0098										
	Interoffice Channel - Dedicated Transport - 56 kbps - Facility															
	Termination per month			OHM	1L5NK	15.68	40.78	27.57	17.26	7.11						
	Interoffice Channel - Dedicated Transport - 64 kbps - per mile			01.114	41.55.07	0.0000										
ļ	per month		<u> </u>	ОНМ	1L5NK	0.0098										
	Interoffice Channel - Dedicated Transport - 64 kbps - Facility Termination per month			ОНМ	1L5NK	15.68	40.78	27.57	17.26	7.11						
	Interoffice Channel - Dedicated Channel - DS1 - Per Mile per			OHIVI	ILDINK	13.00	40.76	21.51	17.20	7.11				-	-	
	month			OH1. OH1MS	1L5NL	0.201										
	Interoffice Channel - Dedicated Tranport - DS1 - Facility			OTTI, OTTIMO	TEGINE	0.201										1
	Termination per month			OH1, OH1MS	1L5NL	57.33	89.79	82.28	16.86	14.90						
	Interoffice Channel - Dedicated Transport - DS3 - Per Mile per															
	month			OH3, OH3MS	1L5NM	4.76										
	Interoffice Channel - Dedicated Transport - DS3 - Facility															
	Termination per month			OH3, OH3MS	1L5NM	641.90	280.37	163.70	62.08	60.29						
LOCA	AL CHANNEL - DEDICATED TRANSPORT															
	Local Channel - Dedicated - 2-Wire Voice Grade per month			OHM	TEFV2	14.91	194.22	33.36	37.79	3.30						
	Local Channel - Dedicated - 4-Wire Voice Grade per month			OHM	TEFV4	15.99	194.66	33.80	38.27	3.78						
———	Local Channel - Dedicated - DS1 per month	ļ	<u> </u>	OH1	TEFHG	36.83	178.50	154.61	22.89	15.74						
	Local Channel Dedicated DC2 Facility Terminals	1	1	OH3	TEFHJ	440.07	454.40	204 47	400.00	00.10				1	I	
1.004	Local Channel - Dedicated - DS3 Facility Termination per month AL INTERCONNECTION MID-SPAN MEET	1	1	Uris	IEFHJ	413.87	454.13	264.47	123.23	86.19	1			 	 	
	E: If Access service ride Mid-Span Meet, one-half the tariffed se	rvice ! ^	cal Cr	annel rate is annlisa	able				+					+	+	
INOTE	Local Channel - Dedicated - DS1 per month	VICE LO	cai ch	OH1MS	TEFHG	0.00	0.00		 					 	 	+
 	Local Channel - Dedicated - DS3 per month	!		OH3MS	TEFHJ	0.00	0.00		 		 			 	 	
MULT	TIPLEXERS	1	 	C. 101VIO	12110	0.00	0.00							†	 	
	Channelization - DS1 to DS0 Channel System	<u> </u>		OH1, OH1MS	SATN1	102.85	91.57	62.94	10.87	10.10				1	1	†
	DS3 to DS1 Channel System per month	†		OH3, OH3MS	SATNS	170.63	179.17	94.52	34.30	32.82				1	1	İ
	DS3 Interface Unit (DS1 COCI) per month	1		OH1, OH1MS	SATCO	12.96	6.62	4.74						İ	İ	İ .
Netes	s: If no rate is identified in the contract, the rates, terms, and co	ondition	s for t						riff.		İ					1

LOCAL IN	TERCONNECTION - North Carolina													ment: 3		ibit: A
											Svc Order				Incremental	
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svo
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
											1		Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
									T 81	- B'				D-1 (A)		<u> </u>
						Rec	Nonrec			g Disconnect	001150	001111		Rates (\$)	001141	000000
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
LOCAL INTE	RCONNECTION (CALL TRANSPORT AND TERMINATION)	-			+											
	E: "bk" beside a rate indicates that the Parties have agreed to b	ill and k	oon fo	that alament nursu	iant to the to	me and conditi	one in Attachn	nont 2								
	DEM SWITCHING	III alla k	Г	Tinat element pursu	Tant to the te	ins and conditi	Olis III Attacili	ilent J.			1					
17.11	Tandem Switching Function Per MOU			OHD	+	0.0012000bk										+
	Multiple Tandem Switching, per MOU (applies to intial tandem			OTID		0.0012000BR										
	only)			OHD		0.0012										
	Tandem Intermediary Charge, per MOU*			OHD		0.0025										
* Thi	s charge is applicable only to transit traffic and is applied in ad	dition to	o appli	cable switching and	l/or interconi	nection charges										
TRUI	NK CHARGE															
	Installation Trunk Side Service - per DS0			OHD	TPP6X		21.55	8.12								
	Installation Trunk Side Service - per DS0			OHD	TPP9X		21.55	8.12								
	Dedicated End Office Trunk Port Service-per DS0**			OHD	TDEOP	0.00										
	Dedicated End Office Trunk Port Service-per DS1**			OH1 OH1MS	TDE1P	0.00										
	Dedicated Tandem Trunk Port Service-per DS0**			OHD	TDWOP	0.00									1	↓
—	Dedicated Tandem Trunk Port Service-per DS1**	1	<u> </u>	OH1 OH1MS	TDW1P	0.00			ļ	ļ	ļ					↓
	is rate element is recovered on a per MOU basis and is include	d in the	End O	ffice Switching and	Tandem Swi	tching, per MOl	J rate elements	\$								ļ
COM	MON TRANSPORT (Shared)	ļ		O. I.B.		0.000040011										
	Common Transport - Per Mile, Per MOU			OHD		0.0000100bk										
LOCAL INTE	Common Transport - Facilities Termination Per MOU			OHD		0.0003400bk										_
	RCONNECTION (DEDICATED TRANSPORT)															
INTE	ROFFICE CHANNEL - DEDICATED TRANSPORT Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade -															
	Per Mile per month			ОНМ	1L5NF	0.0282										
	Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade -	1		OF IIVI	ILSINI	0.0202					1					1
	Facility Termination per month			ОНМ	1L5NF	18.00	137.48	52.58								
	Interoffice Channel - Dedicated Transport - 56 kbps - per mile			OT IIVI	TEGINI	10.00	107.40	02.00								
	per month			ОНМ	1L5NK	0.0282										
	Interoffice Channel - Dedicated Transport - 56 kbps - Facility			O		0.0202										
	Termination per month			ОНМ	1L5NK	17.40	137.48	52.58								
	Interoffice Channel - Dedicated Transport - 64 kbps - per mile															
	per month			OHM	1L5NK	0.0282										
	Interoffice Channel - Dedicated Transport - 64 kbps - Facility															
	Termination per month			OHM	1L5NK	17.40	137.48	52.58								
	Interoffice Channel - Dedicated Channel - DS1 - Per Mile per															
	month			OH1, OH1MS	1L5NL	0.5753										
	Interoffice Channel - Dedicated Tranport - DS1 - Facility				1										1	
	Termination per month		<u> </u>	OH1, OH1MS	1L5NL	71.29	217.17	163.75						ļ	ļ	ļ
	Interoffice Channel - Dedicated Transport - DS3 - Per Mile per				I	40								1	I	
\vdash	month	1	<u> </u>	OH3, OH3MS	1L5NM	12.98					<u> </u>			ļ	-	.
	Interoffice Channel - Dedicated Transport - DS3 - Facility			0110 0110340	41.55.54	700.00	70401	-70 F-						1	I	
H	Termination per month AL CHANNEL - DEDICATED TRANSPORT	1	<u> </u>	OH3, OH3MS	1L5NM	720.38	794.94	579.55	1	1	}			 	!	
LOC	Local Channel - Dedicated TRANSPORT	1	 	OHM	TEFV2	11.24	553.80	89.69	1	1	1			 	 	
\vdash	Local Channel - Dedicated - 2-wire voice Grade per month Local Channel - Dedicated - 4-Wire Voice Grade per month	1	 	OHM	TEFV2	11.24	562.23	92.67	1	1	 			-		
\vdash	Local Channel - Dedicated - 4-Wire Voice Grade per month Local Channel - Dedicated - DS1 per month	1	 	OHM OH1	TEFHG	12.03 27.05	562.23	92.67 462.69	1		}			1	 	
 	person charmer - Dedicated - DOT per month	1	†	0.11	ILITIG	21.00	JJ4.40	402.09	1	1	 			 	t	
	Local Channel - Dedicated - DS3 Facility Termination per month			ОНЗ	TEFHJ	298.92	438.46	256.30							1	
LOC	AL INTERCONNECTION MID-SPAN MEET		t		1									1	t	
	E: If Access service ride Mid-Span Meet, one-half the tariffed se	rvice Lo	cal Ch	annel rate is applica	able.									İ	İ	
	Local Channel - Dedicated - DS1 per month	T	1	OH1MS	TEFHG	0.00	0.00								1	1
	Local Channel - Dedicated - DS3 per month	1	1	OH3MS	TEFHJ	0.00	0.00				Ì					1
MUL	TIPLEXERS															
	Channelization - DS1 to DS0 Channel System			OH1, OH1MS	SATN1	146.69	197.78	140.06								
	DS3 to DS1 Channel System per month			OH3, OH3MS	SATNS	233.10	403.97	234.40								
	DS3 Interface Unit (DS1 COCI) per month			OH1, OH1MS	SATCO	16.07	13.09	9.38								
Note	s: If no rate is identified in the contract, the rates, terms, and c	ondition	s for t	he specific service of	or function w	ill be as set for	h in applicable	e BellSouth ta	riff.							

LOCAL INTE	RCONNECTION - South Carolina													ment: 3		ibit: A
								·		·	Svc Order				Incremental	
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svo
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
											•		Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
									T N1	B'			000	D-1 (A)		<u> </u>
						Rec	Nonrec		Nonrecurring		001150	001111		Rates (\$)	0011411	001141
_							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
LOCAL INTERC	CONNECTION (CALL TRANSPORT AND TERMINATION)	-			+											-
	"bk" beside a rate indicates that the Parties have agreed to bi	ill and k	oon for	that alament nursu	iant to the to	rme and conditi	one in Attachr	nont 2								-
	M SWITCHING	III alla k	Г	Tinat element pursu	Tant to the te	lins and conditi	Olis III Attacili	ilent J.			1					
	Tandem Switching Function Per MOU			OHD	+	0.0007360bk										
	Multiple Tandem Switching, per MOU (applies to intial tandem			OLID	+	0.0007 000DK										
	only)			OHD		0.000736										
	Tandem Intermediary Charge, per MOU*			OHD		0.0025										
	harge is applicable only to transit traffic and is applied in ad	dition to	o appli	cable switching and	d/or interconi	nection charges										
TRUNK	CHARGE															
	Installation Trunk Side Service - per DS0			OHD	TPP6X		21.65	8.16								
	Installation Trunk Side Service - per DS0			OHD	TPP9X		21.65	8.16								
	Dedicated End Office Trunk Port Service-per DS0**			OHD	TDEOP	0.00				· · · · · · · · · · · · · · · · · · ·						
	Dedicated End Office Trunk Port Service-per DS1**			OH1 OH1MS	TDE1P	0.00										
	Dedicated Tandem Trunk Port Service-per DS0**	1		OHD	TDWOP	0.00										<u> </u>
	Dedicated Tandem Trunk Port Service-per DS1**	<u> </u>	<u> </u>	OH1 OH1MS	TDW1P	0.00			ļ					ļ	ļ	ļ
	rate element is recovered on a per MOU basis and is included	d in the	End O	ffice Switching and	Tandem Swi	tching, per MOL	J rate elements	5								
	ON TRANSPORT (Shared)			O. I.D.												
	Common Transport - Per Mile, Per MOU			OHD		0.0000045bk										.
	Common Transport - Facilities Termination Per MOU			OHD		0.0004095bk										
	CONNECTION (DEDICATED TRANSPORT)								-							
	DFFICE CHANNEL - DEDICATED TRANSPORT Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade -								-							
	Per Mile per month			ОНМ	1L5NF	0.0167										
	Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade -	1		OF IIVI	ILSINI	0.0107					1					
	Facility Termination per month			ОНМ	1L5NF	24.30	40.63	27.47	16.77	6.91						
	Interoffice Channel - Dedicated Transport - 56 kbps - per mile			OT IIVI	TEGINI	24.00	40.00	21.41	10.77	0.01						1
	per month			ОНМ	1L5NK	0.0167										
	Interoffice Channel - Dedicated Transport - 56 kbps - Facility			0	1201111	0.0.0										
	Termination per month			ОНМ	1L5NK	16.76	40.63	27.47	16.77	6.91						
	Interoffice Channel - Dedicated Transport - 64 kbps - per mile															1
	per month			ОНМ	1L5NK	0.0167										
	Interoffice Channel - Dedicated Transport - 64 kbps - Facility															
	Termination per month			OHM	1L5NK	16.76	40.63	27.47	16.77	6.91						
	Interoffice Channel - Dedicated Channel - DS1 - Per Mile per															
	month			OH1, OH1MS	1L5NL	0.3415										
	Interoffice Channel - Dedicated Tranport - DS1 - Facility															
	Termination per month			OH1, OH1MS	1L5NL	77.14	89.47	81.99	16.39	14.48						
	Interoffice Channel - Dedicated Transport - DS3 - Per Mile per															
	month			OH3, OH3MS	1L5NM	8.02										
	Interoffice Channel - Dedicated Transport - DS3 - Facility			0.10 0.1010												
	Termination per month	ļ		OH3, OH3MS	1L5NM	880.65	279.37	163.12	60.33	58.59						
LOCAL	CHANNEL - DEDICATED TRANSPORT			OUNA	TEE\ (0	45.00	100 50	00.04	00.70	0.01						
	Local Channel - Dedicated - 2-Wire Voice Grade per month			OHM	TEFV2	15.33	193.53	33.24	36.72	3.21	1					
	Local Channel - Dedicated - 4-Wire Voice Grade per month			OHM	TEFV4 TEFHG	16.54	193.97 177.87	33.68	37.19	3.68 15.30						-
	Local Channel - Dedicated - DS1 per month			OH1	IEFRG	42.62	177.87	154.06	22.24	15.30				 	 	
	Local Channel - Dedicated - DS3 Facility Termination per month			ОНЗ	TEFHJ	446.00	452.52	264.53	119.75	83.77				1		
	INTERCONNECTION MID-SPAN MEET	-	1	00		770.00	702.02	204.00	110.70	55.77				-	†	
	If Access service ride Mid-Span Meet, one-half the tariffed se	rvice I o	cal Ch	annel rate is applica	able.	†			t 1					<u> </u>	†	
	Local Channel - Dedicated - DS1 per month		Ju. 011	OH1MS	TEFHG	0.00	0.00		†					1	1	
	Local Channel - Dedicated - DS3 per month	1		OH3MS	TEFHJ	0.00	0.00		†						İ	
	PLEXERS	1	i –		1				1						İ	1
	Channelization - DS1 to DS0 Channel System			OH1, OH1MS	SATN1	107.57	91.24	62.71	10.56	9.81						
	DS3 to DS1 Channel System per month			OH3, OH3MS	SATNS	144.02	178.54	94.18	33.33	31.90						
	DS3 Interface Unit (DS1 COCI) per month			OH1, OH1MS	SATCO	8.64	6.59	4.73								
Notes:	If no rate is identified in the contract, the rates, terms, and contract, the rates, terms, and contract, the rates, terms, and contract, the rates, terms, and contract, the rates, terms, and contract, the rates, terms, and contract, the rates, terms, and contract, the rates, terms, and contract, the rates, terms, and contract, the rates, terms, and contract, the rates, terms, and contract, the rates, terms, and the rates, terms, and the rates, th	ondition	s for t	he specific service of	or function w	ill be as set fort	h in applicable	e BellSouth ta	riff.							

LOCAL IN	TERCONNECTION - Tennessee													ment: 3		bit: A
											Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		Interi									Elec	Manually	Manual Svc	Manual Svc		Manual Svo
CATEGORY	RATE ELEMENTS		Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m									,	,	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
															2.00 .00	2.007.44
						Rec	Nonrecurring		Nonrecurring					Rates (\$)		
						1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	ERCONNECTION (CALL TRANSPORT AND TERMINATION)	J		1		l										
	E: "bk" beside a rate indicates that the Parties have agreed to b	ill and k	eep to	that element pursu	ant to the te	rms and conditi	ions in Attachn	nent 3.								
IAN	IDEM SWITCHING			OUD		0.00007701.1										
	Tandem Switching Function Per MOU			OHD		0.0009778bk										
	Multiple Tandem Switching, per MOU (applies to intial tandem only)			OHD		0.0009778										
	Tandem Intermediary Charge, per MOU*			OHD	+	0.0009778										
* Th	is charge is applicable only to transit traffic and is applied in ac	ldition t	o annli		l/or intercon						1					
	NK CHARGE	I	l appii	l	aror intercom	l										
III	Installation Trunk Side Service - per DS0			OHD	TPP6X		21.59	8.09								
	Installation Trunk Side Service - per DS0	1	†	OHD	TPP9X	1	21.59	8.09						1	1	t
	Dedicated End Office Trunk Port Service-per DS0**	1	†	OHD	TDEOP	0.00	200	0.00						1	1	t
	Dedicated End Office Trunk Port Service-per DS1**	1	1	OH1 OH1MS	TDE1P	0.00								1	1	1
	Dedicated Tandem Trunk Port Service-per DS0**	1	i –	OHD	TDWOP	0.00			1						1	1
	Dedicated Tandem Trunk Port Service-per DS1**		1	OH1 OH1MS	TDW1P	0.00			i i		Ì					
** Th	nis rate element is recovered on a per MOU basis and is include	d in the	End O	ffice Switching and	Tandem Swi	tching, per MO	J rate elements	5								
COM	MMON TRANSPORT (Shared)															
	Common Transport - Per Mile, Per MOU			OHD		0.0000064bk										
	Common Transport - Facilities Termination Per MOU			OHD		0.0003871bk										
	ERCONNECTION (DEDICATED TRANSPORT)															
INTE	EROFFICE CHANNEL - DEDICATED TRANSPORT															
	Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade	-														
	Per Mile per month			OHM	1L5NF	0.0174										
	Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade	-														
	Facility Termination per month			OHM	1L5NF	18.58	55.39	17.37	27.96	3.51						
	Interoffice Channel - Dedicated Transport - 56 kbps - per mile			OUN4	41 55117	0.0474										
	per month			OHM	1L5NK	0.0174										
	Interoffice Channel - Dedicated Transport - 56 kbps - Facility Termination per month			ОНМ	1L5NK	17.98	55.39	17.37	27.96	3.51						
	Interoffice Channel - Dedicated Transport - 64 kbps - per mile	1		OHIVI	ILDINK	17.98	55.39	17.37	27.96	3.51				-	-	-
	per month			ОНМ	1L5NK	0.0174										
	Interoffice Channel - Dedicated Transport - 64 kbps - Facility			OF IIVI	ILSINK	0.0174					1					
	Termination per month			ОНМ	1L5NK	17.98	55.39	17.37	27.96	3.51						
	Interoffice Channel - Dedicated Channel - DS1 - Per Mile per			OT IIVI	TEGIVIT	17.50	00.00	17.07	27.00	0.01						
	month			OH1, OH1MS	1L5NL	0.3562										
	Interoffice Channel - Dedicated Tranport - DS1 - Facility	1	1	,	1	0.0002								1	1	
	Termination per month	1		OH1, OH1MS	1L5NL	77.86	112.40	76.27	19.55	14.99				1	I	
	Interoffice Channel - Dedicated Transport - DS3 - Per Mile per	1	i –		1	1									1	
	month	1		OH3, OH3MS	1L5NM	2.34								1	I	
	Interoffice Channel - Dedicated Transport - DS3 - Facility															
	Termination per month	1	<u> </u>	OH3, OH3MS	1L5NM	848.99	395.29	176.56	109.04	105.91	<u> </u>			<u> </u>	<u> </u>	<u> </u>
LOC	AL CHANNEL - DEDICATED TRANSPORT															
	Local Channel - Dedicated - 2-Wire Voice Grade per month			OHM	TEFV2	19.43	199.33	24.16	54.81	4.80						
	Local Channel - Dedicated - 4-Wire Voice Grade per month			OHM	TEFV4	20.56	201.53	24.83	55.52	5.51						
$\vdash \vdash \vdash$	Local Channel - Dedicated - DS1 per month	 	<u> </u>	OH1	TEFHG	40.99	277.35	233.26	33.18	22.30	ļ					
	Level Observed Bullianted Book 5 199 To 1 199	1		0110			F0= 0-		2.5	.=. :-				1	I	I
H	Local Channel - Dedicated - DS3 Facility Termination per month	 	<u> </u>	OH3	TEFHJ	611.30	595.37	304.50	215.82	151.15	<u> </u>			-	-	-
	AL INTERCONNECTION MID-SPAN MEET	<u> </u>				1			ļ .		}			!	!	
NOT	E: If Access service ride Mid-Span Meet, one-half the tariffed se	rvice Lo	cal Ch			0.00	0.00				1			1	1	
\vdash	Local Channel - Dedicated - DS1 per month Local Channel - Dedicated - DS3 per month	1	 	OH1MS OH3MS	TEFHG TEFHJ	0.00	0.00		 		 					
MIII	LTIPLEXERS	1	 	OI ISIVIS	ILIIJ	0.00	0.00		1		}			 	 	-
WIOL	Channelization - DS1 to DS0 Channel System	1	1	OH1, OH1MS	SATN1	80.77	141.87	77.11	44.47	42.62	1	1		1	1	1
 	DS3 to DS1 Channel System per month	1	 	OH3, OH3MS	SATNS	222.98	308.03	108.47	6.34	4.23				 	 	1
 	DS3 Interface Unit (DS1 COCI) per month	1	 	OH1, OH1MS	SATING	17.58	6.07	4.66	0.34	4.23	1			t	 	1
	200ondoo onk (201 000/) per month	1	i .	he specific service of							!				 	

Attachment 4

Physical Collocation

BELLSOUTH

PHYSICAL COLLOCATION

1. Scope of Attachment

- 1.1 The rates, terms, and conditions contained within this Attachment shall only apply when Network PTS is physically collocated as a sole occupant or as a Host within a "BellSouth Premises" location pursuant to this Attachment. "BellSouth Premises" include BellSouth Central Offices and Serving Wire Centers (hereinafter "BellSouth Premises"). This Attachment is applicable to "BellSouth Premises" owned or leased by BellSouth. However, if the "BellSouth Premises" occupied by BellSouth is leased by BellSouth from a third party, special considerations and intervals may apply in addition to the terms and conditions contained in this Attachment.
- Right to Occupy. BellSouth shall offer to Network PTS collocation on rates, terms, and conditions that are just, reasonable, non-discriminatory and consistent with the rules of the FCC. Subject to the rates, terms and conditions of this Attachment, where space is available and it is technically feasible, BellSouth will allow Network PTS to occupy a certain area designated by BellSouth within a "BellSouth Premises", or on BellSouth property upon which the "BellSouth Premises" is located, of a size which is specified by Network PTS and agreed to by BellSouth (hereinafter "Collocation Space"). The necessary rates, terms and conditions for h premises as defined by the FCC, other than BellSouth Premises, shall be negotiated upon reasonable request for collocation at such premises.
- 1.2.1 Neither BellSouth nor any of BellSouth's affiliates may reserve space for future use on more preferential terms than those set forth in this Attachment.
- 1.2.1.1 In all states other than Florida, the size specified by Network PTS may contemplate a request for space sufficient to accommodate Network PTS's growth within a twenty-four (24) month period.
- 1.2.1.2 In the state of Florida, the size specified by Network PTS may contemplate a request for space sufficient to accommodate Network PTS's growth within an eighteen (18) month period.
- Space Allocation. BellSouth shall attempt to accommodate Network PTS's requested space preferences, if any. In allocating Collocation Space, BellSouth shall not materially increase Network PTS's cost or materially delay Network PTS's occupation and use of the Collocation Space, assign Collocation Space that will impair the quality of service or otherwise limit the service Network PTS wishes to offer, reduce unreasonably the total space available for physical collocation or preclude unreasonable physical collocation within the "BellSouth Premises". Space shall not be available for collocation if it is: (a) physically occupied by non-obsolete equipment; (b) assigned to another collocated telecommunications carrier; (c) used to provide

physical access to occupied space; (d) used to enable technicians to work on equipment located within occupied space; (e) properly reserved for future use, either by BellSouth or another collocated telecommunications carrier; or (f) essential for the administration and proper functioning of the "BellSouth Premises". BellSouth may segregate Collocation Space and require separate entrances for collocated telecommunications carriers to access their Collocation Space, pursuant to FCC Rules.

- 1.4 <u>Space Reclamation.</u> In the event of space exhaust within a "BellSouth Premises", BellSouth may include in its documentation for the Petition for Waiver filed with the Commission, any unutilized space in the "BellSouth Premises", including unutilized space held by Network PTS and other collocated telecommunications carriers in BellSouth's Premises. Network PTS will be responsible for the justification of unutilized space within its Collocation Space, if the Commission requires such justification.
- 1.4.1 If physical Collocation Space is needed to accommodate another telecommunication carrier's request for physical collocation or BellSouth's own immediate space needs, BellSouth may reclaim from Network PTS any physical Collocation Space that is not being "efficiently used" or that cannot be proven to be needed within the two (2) year (18 months in Florida) planning period. This term ("efficiently used") shall mean that substantially all of the floor space is taken up by Network PTS's collocated equipment as described in Section 5.1 of this Attachment. In addition, BellSouth may reclaim, for the same reasons as those stated above, any space that is not being used at all to house Network PTS's equipment and/or facilities for collocation purposes. Network PTS will have one hundred eighty (180) calendar days from receipt of notice by BellSouth to Network PTS of the need for such physical Collocation Space to ensure that such space is being used in accordance with the terms and conditions herein and shall be responsible to justify to the Commission, if the Commission requires such justification.
- 1.5 <u>Use of Space</u>. Network PTS shall use the Collocation Space for the purpose of installing, maintaining and operating Network PTS's equipment (including testing and monitoring equipment) necessary for interconnection with BellSouth's services/facilities or for accessing BellSouth's unbundled network elements for the provision of telecommunications services, as specifically set forth in this Agreement. The Collocation Space assigned to Network PTS may not be used for any purposes other than as specifically described herein or in any amendment hereto.
- 1.6 <u>Rates and Charges</u>. Network PTS agrees to pay the rates and charges identified in Exhibit B attached hereto.
- 1.7 If any due date contained in this Attachment falls on a weekend or a National holiday, the due date will be the next business day thereafter. For intervals of ten (10) calendar days or less, National holidays will be excluded.

1.8 The Parties agree to comply with all applicable federal, state, county, local and administrative laws, rules, ordinances, regulations and codes in the performance of their obligations hereunder.

2. Space Availability Report

- 2.1 Space Availability Report. Upon request from Network PTS and at the Network PTS's expense, BellSouth will provide a written report (Space Availability Report) describing in detail the space that is currently available for collocation at a particular "BellSouth Premises". This report will include the amount of Collocation Space available at the "BellSouth Premises" requested, the number of collocators present at the "BellSouth Premises", any modifications in the use of the space since the last report on the "BellSouth Premises" requested and the measures BellSouth is taking to make additional space available for collocation arrangements. A Space Availability Report does not reserve space at the "BellSouth Premises" for which the Space Availability Report was requested by Network PTS.
- 2.1.1 The request from Network PTS for a Space Availability Report must be in writing and include the "BellSouth Premises" street address, as identified in the Local Exchange Routing Guide (LERG) and Common Language Location Identification (CLLI) code of the "BellSouth Premises". CLLI code information is located in the National Exchange Carrier Association (NECA) Tariff FCC No. 4.
- BellSouth will respond to a request for a Space Availability Report for a particular "BellSouth Premises" within ten (10) calendar days of the receipt of such a request. BellSouth will make its best efforts to respond in ten (10) calendar days to a Space Availability Report request when the request includes from two (2) to five (5) "BellSouth Premises" within the same state. The response time for Space Availability Report requests of more than five (5) "BellSouth Premises", whether the request are for the same state or for two or more states within the BellSouth Region, shall be negotiated between the Parties. If BellSouth cannot meet the ten (10) calendar day response time, BellSouth shall notify Network PTS and inform Network PTS of the timeframe under which it can respond.

3. Collocation Options

3.1 <u>Cageless.</u> BellSouth shall allow Network PTS to collocate Network PTS's equipment and facilities without requiring the construction of a cage or similar structure. BellSouth shall allow Network PTS to have direct access to Network PTS's equipment and facilities in accordance with Section 5.9. BellSouth shall make cageless collocation available in single bay increments. Except where Network PTS's equipment requires special technical considerations (e.g., special cable racking or isolated ground plane), BellSouth shall assign cageless Collocation Space in conventional equipment rack lineups where feasible. For equipment requiring special technical considerations, Network PTS must provide the equipment layout, including

- spatial dimensions for such equipment pursuant to generic requirements contained in Telcordia GR-63-Core, and shall be responsible for compliance with all special technical requirements associated with such equipment.
- 3.2 Caged. At Network PTS's expense, Network PTS will arrange with a Supplier certified by BellSouth (BellSouth Certified Supplier) to construct a collocation arrangement enclosure in accordance with BellSouth's Technical References (TRs) (hereinafter referred to as Specifications) prior to starting equipment installation. BellSouth will provide Specifications upon request. Where local building codes require enclosure specifications more stringent than BellSouth's enclosure Specifications, Network PTS and Network PTS's BellSouth Certified Supplier must comply with the more stringent local building code requirements. Network PTS's BellSouth Certified Supplier shall be responsible for filing and obtaining any and all necessary permits and/or licenses for such construction. BellSouth shall cooperate with Network PTS and provide, at Network PTS's expense, the documentation, including existing building architectural drawings, enclosure drawings, and Specifications required and necessary for Network PTS's BellSouth Certified Supplier to obtain all necessary permits and/or other licenses. Network PTS's BellSouth Certified Supplier shall bill Network PTS directly for all work performed for Network PTS to comply with this Attachment. BellSouth shall have no liability for, nor responsibility to pay, such charges imposed by Network PTS's BellSouth Certified Supplier. Network PTS must provide the local BellSouth Central Office Building Contact with two (2) Access Keys that will allow entry into the locked enclosure. Except in the case of an emergency, BellSouth will not access Network PTS's locked enclosure prior to notifying Network PTS at least forty-eight (48) hours or two (2) business days, whichever is greater, before access to the Collocation Space is required. Upon request, BellSouth shall construct the enclosure for Network PTS.
- 3.2.1 BellSouth may elect to review Network PTS's plans and specifications prior to allowing construction to start, to ensure compliance with BellSouth's Specifications. BellSouth will notify Network PTS of its desire to execute this review in BellSouth's response to the Initial Application, if Network PTS has indicated its desire to construct its own enclosure. If Network PTS's Initial Application does not indicate its desire to construct its own enclosure, but its subsequent firm order does indicate its desire to construct its own enclosure, then notification to review will be given within ten (10) calendar days after the date the firm order has been received by BellSouth. BellSouth shall complete its review within fifteen (15) calendar days after the receipt of Network PTS's plans and specifications. Regardless of whether or not BellSouth elects to review Network PTS's plans and specifications, BellSouth reserves the right to inspect the enclosure after construction has been completed to ensure that it is constructed according to Network PTS's submitted plans and specifications and/or BellSouth's Specifications, as applicable. If BellSouth decides to inspect the constructed Collocation Space, BellSouth will complete its inspection within fifteen (15) calendar days after receipt of written notification of completion of the enclosure from Network PTS. BellSouth shall require Network PTS to remove or correct within seven (7) calendar days, at Network PTS's expense, any structure that does not

meet Network PTS's plans and specifications or BellSouth's Specifications, as applicable.

- 3.3 Shared Caged Collocation. Network PTS may allow other telecommunications carriers to share Network PTS's caged collocation arrangement, pursuant to the terms and conditions agreed to by Network PTS (Host) and the other telecommunications carriers (Guests) contained in this Section, except where the "BellSouth Premises" is located within a leased space and BellSouth is prohibited by said lease from offering such an option to Network PTS. BellSouth shall be notified in writing by Network PTS upon the execution of any agreement between the Host and its Guest(s) within ten (10) calendar days of its execution and prior to the submission of any Firm Orders. Further, such notification shall include the name of the Guest(s), the term of the agreement, and a certification by Network PTS that said agreement imposes upon the Guest(s) the same terms and conditions for Collocation Space as set forth in this Attachment between BellSouth and Network PTS. The term of the agreement between the Host and its Guest(s) shall not exceed the term of this Attachment between BellSouth and Network PTS.
- 3.3.1 Network PTS, as the Host, shall be the sole interface and responsible Party to BellSouth for the assessment and billing of rates and charges contained within this Attachment. Network PTS is also responsible for ensuring that the safety and security requirements of this Attachment are fully complied with by the Guest(s), its employees and agents. BellSouth shall provide Network PTS with a proration of the costs of the Collocation Space based on the number of collocators and the space used by each. There will be a minimum charge of one (1) bay/rack per Host/Guest. In addition to the above, for all states other than Florida, Network PTS shall be the responsible party to BellSouth for the purpose of submitting applications for initial and additional equipment placement for the Guest(s). In Florida, the Guest(s) may submit its own initial and subsequent equipment placement applications using the Host's Access Carrier Name Abbreviation (ACNA). A separate Guest application shall result in the assessment of an Initial Application Fee or a Subsequent Application Fee, as set forth in Exhibit B, which will be billed to the Host on the date that BellSouth provides its written response to the Guest(s) Bona Fide Application (Application Response).
- 3.3.2 Notwithstanding the foregoing, the Guest(s) may submit service orders directly to BellSouth to request the provisioning of interconnecting facilities between BellSouth and the Guest(s), the provisioning of services, and access to unbundled network elements. The bill for these interconnecting facilities, services and UNEs will be charged to the Guest(s) pursuant to the applicable Tariff or the Guest's Interconnection Agreement with BellSouth.
- 3.3.3 Network PTS shall indemnify and hold harmless BellSouth from any and all claims, actions, causes of action, of whatever kind or nature arising out of the presence of Network PTS's Guest(s) in the Collocation Space, except to the extent caused by BellSouth's sole negligence, gross negligence, or willful misconduct.

- 3.4 Adjacent Collocation. Subject to technical feasibility and space availability, BellSouth will permit an adjacent collocation arrangement (Adjacent Arrangement) on "BellSouth Premises" property only when space within the requested "BellSouth Premises" is legitimately exhausted and where the Adjacent Arrangement does not interfere with access to existing or planned structures or facilities on the "BellSouth Premises" property. An Adjacent Arrangement shall be procured by Network PTS or constructed by the Network PTS's BellSouth Certified Supplier and must be in conformance with BellSouth's design and construction Specifications. Further, Network PTS shall construct, procure, maintain and operate said Adjacent Arrangement(s) pursuant to all of the rates, terms and conditions set forth in this Attachment.
- 3.4.1 If Network PTS requests Adjacent Collocation, pursuant to the conditions stated in 3.4 above, Network PTS must arrange with a BellSouth Certified Supplier to construct the Adjacent Arrangement structure in accordance with BellSouth's Specifications. BellSouth will provide the appropriate Specifications upon request. Where local building codes require enclosure specifications more stringent than BellSouth's Specifications, Network PTS and Network PTS's BellSouth Certified Supplier shall comply with the more stringent local building code requirements. Network PTS's BellSouth Certified Supplier shall be responsible for filing and receiving any and all necessary zoning, permits and/or licenses for such construction. Network PTS's BellSouth Certified Supplier shall bill Network PTS directly for all work performed for Network PTS to comply with this Attachment. BellSouth shall have no liability for, nor responsibility to pay, such charges imposed by Network PTS's BellSouth Certified Supplier. Network PTS must provide the local BellSouth Central Office Building Contact with two (2) cards, keys or other access devices used to gain entry into the locked enclosure. Except in the case of an emergency, BellSouth will not access Network PTS's locked enclosure prior to notifying Network PTS at least forty-eight (48) hours or two (2) business days, whichever is greater, before access to the Collocation Space is required.
- 3.4.2 Network PTS must submit its Adjacent Arrangement construction plans and specifications to BellSouth when it places its firm order. BellSouth shall review Network PTS's plans and specifications prior to the construction of an Adjacent Arrangement(s) to ensure Network PTS's compliance with BellSouth's Specifications. BellSouth shall complete its review within fifteen (15) calendar days after receipt of the plans and specifications from Network PTS for the Adjacent Arrangement. BellSouth may inspect the Adjacent Arrangement during and after construction is completed to ensure that it is constructed according to Network PTS's submitted plans and specifications. If BellSouth decides to inspect the completed Adjacent Arrangement, BellSouth will complete its inspection within fifteen (15) calendar days after receipt of written notification of completion of the enclosure from Network PTS. BellSouth shall require Network PTS to remove or correct within seven (7) calendar days, at Network PTS's expense, any structure that does not meet its submitted plans and specifications or BellSouth's Specifications, as applicable.

- 3.4.3 Network PTS shall provide a concrete pad, the structure housing the arrangement, heating/ventilation/air conditioning (HVAC), lighting, and all of the facilities that are required to connect the structure (i.e., racking, conduits, etc.) to the BellSouth point of demarcation. At Network PTS's option, and where the local authority having jurisdiction permits, BellSouth shall provide an AC power source and access to physical collocation services and facilities, subject to the same nondiscriminatory requirements as those applicable to any other physical collocation arrangement. In Alabama and Louisiana, BellSouth will provide DC power to Adjacent Collocation sites where technically feasible, as that term has been defined by the FCC, subject to individual case basis (ICB) pricing. Network PTS's BellSouth Certified Supplier shall be responsible, at Network PTS's sole expense, for filing and obtaining any and all necessary permits and/or licenses for an Adjacent Arrangement. BellSouth shall allow Shared Caged Collocation within an Adjacent Arrangement, pursuant to the terms and conditions set forth in Section 3.3 above.
- Direct Connect. BellSouth will permit Network PTS to directly interconnect between 3.5 its own virtual/physical Collocation Space within the same central office by utilizing a Direct Connect. Network PTS shall contract with a BellSouth Certified Supplier to place the Direct Connect, which shall be provisioned using facilities owned by Network PTS. Network PTS-provisioned DC's shall utilize BellSouth common cable support structure. There will be a recurring charge per linear foot, and a nonrecurring charge per cable, of the actual common cable support structure used by Network PTS to provision the Direct Connects between its virtual/physical Collocation Spaces. In those instances where Network PTS's virtual/physical Collocation Space is contiguous in the central office, Network PTS will have the option of using Network PTS's own technicians to deploy the Direct Connects using either electrical or optical facilities between its Collocation Spaces by constructing its own dedicated cable support structure. Network PTS will deploy such electrical or optical connections directly between its own facilities without being routed through BellSouth's equipment. Network PTS may not self-provision Direct Connects on any BellSouth distribution frame, POT, DSX (Digital System Cross-Connect) or LGX (Light Guide Cross-Connect). Network PTS is responsible for ensuring the integrity of the signal.
- 3.5.1 To place an order for Direct Connects, Network PTS must submit an Initial Application or Subsequent Application. If no modification to the Collocation Space is requested other than the placement of Direct Connects, the Subsequent Application Fee for Direct Connects, as defined in Exhibit B, will apply. If other modifications, in addition to the placement of Direct Connects are requested, either an Initial Application Fee or Subsequent Application Fee will apply, pursuant to Section 6.3.1 of this Attachment. This non-recurring fee will be billed by BellSouth on the date that BellSouth provides an Application Response to Network PTS.
- 3.6 <u>Co-Carrier Cross Connect (CCXC).</u> The primary purpose of collocation is for a telecommunications carrier to interconnect with BellSouth's network or to access BellSouth's unbundled network elements for the provision of telecommunications services. BellSouth will permit Network PTS to interconnect between its virtual or physical collocation arrangement(s) and that (those) of another collocated

telecommunications carrier within the same "BellSouth Premises". Both Network PTS's agreement and the other collocated telecommunications carrier's agreement must contain the CCXC rates, terms and conditions before BellSouth will permit the provisioning of CCXCs between the two collocated carriers. Network PTS is prohibited from using the Collocation Space for the sole or primary purpose of cross-connecting to other collocated telecommunications carriers.

- 3.6.1 Network PTS must contract with a BellSouth Certified Supplier to place the CCXC. The CCXC shall be provisioned using facilities owned by Network PTS. Such crossconnections to other collocated telecommunications carriers may be made using either electrical or optical facilities. Network PTS shall be responsible for providing a letter of authorization (LOA), with the application, to BellSouth from the other collocated telecommunications carrier to which it will be cross-connecting. The Network PTSprovisioned CCXC shall utilize BellSouth common cable support structure. There will be a recurring charge per linear foot, per cable, of common cable support structure used by Network PTS to provision the CCXC to the other collocated telecommunications carrier. In those instances where Network PTS's equipment and the equipment of the other collocated telecommunications carrier are located in contiguous caged Collocation Space, Network PTS may use its own technicians to install co-carrier cross connects using either electrical or optical facilities between the equipment of both collocated telecommunications carriers by constructing a dedicated cable support structure between the two contiguous cages. Network PTS shall deploy such electrical or optical cross-connections directly between its own facilities and the facilities of another collocated telecommunications carrier without being routed through BellSouth's equipment. Network PTS shall not provision CCXC on any BellSouth distribution frame, POT (Point of Termination) Bay, DSX (Digital System Cross-Connect) or LGX (Light Guide Cross-Connect). Network PTS is responsible for ensuring the integrity of the signal.
- 3.6.2 To place an order for CCXCs, Network PTS must submit an Initial Application or Subsequent Application to BellSouth. If no modification to the Collocation Space is requested other than the placement of CCXCs, the Subsequent Application Fee for CCXCs, as defined in Exhibit B, will apply. If other modifications, in addition to the placement of CCXCs, are requested, either an Initial Application or Subsequent Application Fee will apply, pursuant to Section 6.3.1 of this Attachment. BellSouth will bill this nonrecurring fee on the date that it provides an Application Response to Network PTS.

4. Occupancy

4.1 Occupancy. BellSouth will notify Network PTS in writing when the Collocation Space is ready for occupancy (Space Ready Date). Network PTS will schedule and complete an acceptance walkthrough of the Collocation Space with BellSouth within fifteen (15) calendar days of the Space Ready Date. BellSouth will correct any deviations in Network PTS's original or jointly amended application requirements within seven (7) calendar days after the walkthrough, unless the Parties mutually agree

upon a different time frame. BellSouth will then establish a new Space Ready Date. Another acceptance walkthrough will be scheduled and conducted within fifteen (15) calendar days of the new Space Ready Date. This follow-up acceptance walkthrough will be limited to only those items identified in the initial walkthrough. If Network PTS completes its acceptance walkthrough within the fifteen (15) calendar day interval, billing will begin upon the date of Network PTS's acceptance of the Collocation Space (Space Acceptance Date). In the event Network PTS fails to complete an acceptance walkthrough within this fifteen (15) calendar day interval, the Collocation Space shall be deemed accepted by Network PTS on the Space Ready Date and billing will commence from that date. If Network PTS decides to occupy the space prior to the Space Ready Date, the date Network PTS occupies the space is deemed the new Space Acceptance Date and billing will begin from that date. Network PTS must notify BellSouth in writing that its collocation equipment installation is complete and operational with BellSouth's network. BellSouth may, at its discretion, refuse to accept any orders for cross-connects until it has received such notice. For the purposes of this paragraph, Network PTS's telecommunications equipment will be deemed operational when it has been cross-connected to BellSouth's network for the purpose of provisioning telecommunication services to its customers.

- 4.2 Termination of Occupancy. In addition to any other provisions addressing termination of occupancy in this Agreement, Network PTS may terminate its occupancy of a particular Collocation Space by submitting a Subsequent Application requesting termination of occupancy. Such termination shall be effective upon BellSouth's acceptance of the Space Relinquishment Form. Billing for monthly recurring charges will cease on the date that Network PTS and BellSouth conduct an inspection of the terminated space and jointly sign off on the Space Relinquishment Form or on the date that Network PTS signs off on the Space Relinquishment Form and sends this form to BellSouth, provided no discrepancies are found during BellSouth's subsequent inspection of the terminated space. If the subsequent inspection by BellSouth reveals discrepancies, billing will cease on the date that BellSouth and Network PTS jointly conduct an inspection, confirming that Network PTS has corrected all of the noted discrepancies identified by BellSouth. A Subsequent Application Fee will not apply for the termination of occupancy; however, specific disconnect fees may apply to certain rate elements in Alabama, Florida, Georgia, Kentucky, Mississippi, South Carolina and Tennessee. The particular disconnect fees that would apply in each state are contained in Exhibit B of this Attachment. BellSouth may terminate Network PTS's right to occupy Collocation Space in the event Network PTS fails to comply with any provision of this Agreement, including payment of the applicable fees contained in Exhibit B of this Attachment.
- 4.2.1 Upon termination of occupancy, Network PTS, at its sole expense, shall remove its equipment and any other property owned, leased or controlled by the Network PTS from the Collocation Space. Network PTS shall have thirty (30) calendar days from the Bona Fide Firm Order (BFFO) date ("Termination Date") to complete such removal, including the removal of all equipment and facilities of Network PTS's

Guest(s), unless Network PTS's Guest(s) has assumed responsibility for the Collocation Space housing the Guest(s)'s equipment and executed the appropriate documentation required by BellSouth prior to the Network PTS removal date. Network PTS shall continue the payment of all monthly recurring charges to BellSouth until the date Network PTS, and if applicable Network PTS's Guest(s), has fully vacated the Collocation Space and the Space Relinquishment Form has been accepted by BellSouth. If Network PTS or Network PTS's Guest(s) fails to vacate the Collocation Space within thirty (30) calendar days from the "Termination Date", BellSouth shall have the right to remove and dispose of the equipment and any other property of Network PTS or Network PTS's Guest(s), in any manner that BellSouth deems fit, at Network PTS's expense and with no liability whatsoever for Network PTS's property or Network PTS's Guest(s)'s property. Upon termination of Network PTS's right to occupy specific Collocation Space, the Collocation Space will revert back to BellSouth's space inventory, and Network PTS shall surrender the Collocation Space to BellSouth in the same condition as when it was first occupied by Network PTS, with the exception of ordinary wear and tear, unless otherwise agreed to by the Parties. Network PTS's BellSouth Certified Supplier shall be responsible for updating and making any necessary changes to BellSouth's records as required by BellSouth's Specifications including, but not limited to, BellSouth's Central Office Record Drawings and ERMA Records. Network PTS shall be responsible for the cost of removing any Network PTS constructed enclosure, together with any supporting structures (e.g., racking, conduits, or power cables), by the "Termination Date" and restoring the grounds to their original condition.

5. <u>Use of Collocation Space</u>

- 5.1 Equipment Type. BellSouth permits the collocation of any equipment necessary for interconnection to BellSouth's network or access to BellSouth's unbundled network elements in the provision of telecommunications services, as the term "necessary" is defined by FCC 47 C.F.R. Section 51.323 (b). The primary purpose and function of any equipment collocated in a "BellSouth Premises" must be for interconnection to BellSouth's network or access to BellSouth's unbundled network elements in the provision of telecommunications services.
- 5.1.1 Examples of equipment that would not be considered necessary include, but are not limited to: traditional circuit switching equipment, equipment used exclusively for call-related databases, computer servers used exclusively for providing information services, operations support system (OSS) equipment used to support collocated telecommunications carrier network operations, equipment that generates customer orders, manages trouble tickets or inventory, or stores customer records in centralized databases, etc. BellSouth will determine upon receipt of an application if the requested equipment is necessary based on the criteria established by the FCC. Multifunctional equipment placed on a "BellSouth Premises" must not place any greater relative burden on BellSouth's property than comparable single-function

equipment. BellSouth reserves the right to permit collocation of any equipment on a nondiscriminatory basis.

- 5.1.2 Such equipment must, at a minimum, meet the following Telcordia Network Equipment Building Systems (NEBS) General Equipment Requirements: Criteria Level 1 requirements as outlined in Telcordia Special Report SR-3580, Issue 1. Except where otherwise required by a Commission, BellSouth shall comply with the applicable FCC rules relating to denial of collocation based on Network PTS's failure to comply with this Section.
- 5.1.3 Network PTS shall not request more DS0, DS1, DS3 and optical terminations for a collocation arrangement than the total port or termination capacity of the equipment physically installed in the arrangement. The total capacity of the equipment collocated in the arrangement will include equipment contained in an application, as well as equipment already placed in the collocation arrangement. If full network termination capacity of the equipment being installed is not requested in the application, additional network terminations for the installed equipment will require the submission of another application. In the event Network PTS submits an application for terminations that will exceed the total capacity of the collocated equipment, Network PTS will be informed of the discrepancy by BellSouth and required to submit a revision to the application.

Commencing with the most current calendar quarter after the effective date of this Attachment, and thereafter with respect to each subsequent calendar quarter during the term of this Attachment, Network PTS will, no later than thirty (30) days after the close of such calendar quarter, provide a report to ICS Collocation Product Management, Room 34A55, 675 W. Peachtree Street, Atlanta, Georgia 30375 listing any equipment in the Collocation Space (i) that was added during the calendar quarter to which such report pertains, and (ii) for which there is a UCC-1 lien holder or another entity that has a secured financial interest in such equipment. Equipment that satisfies both subparts (i) and (ii) of this section shall be defined as "Secured Equipment". If no Secured Equipment has been installed within a given calendar quarter, no report shall be due hereunder in connection with such calendar quarter.

- 5.2 Network PTS shall not use the Collocation Space for marketing purposes, nor shall it place any identifying signs or markings outside the Collocation Space or on the grounds of the "BellSouth Premises".
- Network PTS shall place a plaque or affix other identification (e.g., stenciling) to Network PTS's equipment, including the appropriate emergency contacts with their corresponding telephone numbers, in order for BellSouth to properly identify Network PTS's equipment in the case of an emergency.
- 5.4 <u>Entrance Facilities</u>. Network PTS may elect to place Network PTS-owned or Network PTS-leased fiber entrance facilities into its Collocation Space. BellSouth will designate the point of interconnection in close proximity to the "BellSouth Premises"

building housing the Collocation Space, such as at an entrance manhole or a cable vault, which are physically accessible by both Parties. Network PTS will provide and place fiber cable at the point of entrance of sufficient length to be pulled through conduit and into the splice location. Network PTS will provide and install a sufficient length of fire retardant riser cable, to which the entrance cable will be spliced by BellSouth. The fire retardant riser cable will extend from the splice location to Network PTS's equipment in the Collocation Space. In the event Network PTS utilizes a non-metallic, riser-type entrance facility, a splice will not be required. Network PTS must contact BellSouth for instructions prior to placing any entrance facility cable in the manhole. Network PTS is responsible for the maintenance of the entrance facilities. At Network PTS's option, BellSouth will accommodate, where technically feasible, a microwave entrance facility, pursuant to separately negotiated terms and conditions. In the case of adjacent collocation, copper facilities may be used between the adjacent collocation arrangement and the central office demarcation point unless BellSouth determines that limited space is available for the placement of entrance facilities.

- 5.5.1 <u>Dual Entrance Facilities</u>. BellSouth will provide at least two interconnection points at each Premise where at least two such interconnection points are available and capacity exists. Upon receipt of a request by Network PTS for dual entrance facilities to its physical Collocation Space, BellSouth shall provide Network PTS with information regarding BellSouth's capacity to accommodate the requested dual entrance facilities. If conduit in the serving manhole(s) is available and is not reserved for another purpose or for utilization within twelve (12) months of the receipt of an application for collocation, BellSouth will make the requested conduit space available for the installation of a second entrance facility to Network PTS's Collocation Space. The location of the serving manhole(s) will be determined at the sole discretion of BellSouth. Where dual entrance facilities are not available due to lack of capacity, BellSouth will provide this information to Network PTS in the Application Response.
- 5.5.2 Shared Use. Network PTS may utilize spare capacity on an existing interconnector's entrance facility for the purpose of providing an entrance facility to Network PTS's Collocation Space within the same "BellSouth Premises". BellSouth shall allow the splice, as long as the fiber is non-working fiber. Network PTS must arrange with BellSouth in accordance with BellSouth's Special Construction Procedures, RL93-11-030BT, and provide a LOA from the other telecommunications carrier authorizing BellSouth to perform the splice of the Network PTS-provided riser cable to the spare capacity on the entrance facility. If Network PTS desires to allow another telecommunications carrier to use its entrance facilities, that other telecommunications carrier must arrange with BellSouth in accordance with BellSouth's Special Construction Procedures, RL93-11-030BT, and provide a LOA from Network PTS authorizing BellSouth to perform the splice of that telecommunications carrier's provided riser cable to the spare capacity on Network PTS's entrance facility.
- 5.6 <u>Demarcation Point</u>. BellSouth will designate the point(s) of demarcation between Network PTS's equipment and/or network and BellSouth's network. Each Party will

be responsible for the maintenance and operation of all equipment/facilities on its side of the demarcation point. For 2-wire and 4-wire connections to BellSouth's network, the demarcation point shall be a common block on BellSouth's designated conventional distributing frame (CDF). Network PTS shall be responsible for providing the necessary cabling, and Network PTS's BellSouth Certified Supplier shall be responsible for installing and properly labeling/stenciling the common block and any necessary cabling identified in Section 7 of this Attachment. Network PTS or its agent must perform all required maintenance to the equipment/facilities on its side of the demarcation point, pursuant to Section 5.7, following, and may self-provision cross-connects that may be required within its own Collocation Space to activate service requests.

- 5.6.1 In Tennessee, BellSouth will designate the point(s) of demarcation between Network PTS's equipment and/or network and BellSouth's network. Each Party will be responsible for the maintenance and operation of all equipment/facilities on its side of the demarcation point. For connections to BellSouth's network, the demarcation point shall be a Network PTS-provided Point of Termination Bay (POT Bay) in a common area within the "BellSouth Premises". Network PTS shall be responsible for providing, and Network PTS's BellSouth Certified Supplier shall be responsible for installing and properly labeling/stenciling the POT Bay, as well as installing the necessary cabling between Network PTS's Collocation Space and the demarcation point. Network PTS, its agent, or Network PTS's BellSouth Certified Supplier must perform all required maintenance to the equipment/facilities on its side of the demarcation point, pursuant to Section 5.7, following, and may self-provision crossconnects that may be required within its own Collocation Space to activate service requests. BellSouth will negotiate alternative rates, terms and conditions related to the demarcation point in Tennessee, if Network PTS desires to avoid the use of an intermediary device as contemplated by the Tennessee Regulatory Authority.
- Network PTS's Equipment and Facilities. Network PTS, or if required by this Attachment, Network PTS's BellSouth Certified Supplier, is solely responsible for the design, engineering, installation, testing, provisioning, performance, monitoring, maintenance and repair of the equipment and facilities used by Network PTS which must be performed in compliance with all applicable BellSouth Specifications. Such equipment and facilities may include, but are not limited to, cable(s), equipment, and point of termination connections. Network PTS and its designated BellSouth Certified Supplier must follow and comply with all BellSouth Specifications outlined in the following BellSouth Technical Requirements: TR 73503, TR 73519, TR 73572, and TR 73564.
- BellSouth's Access to Collocation Space. From time to time, BellSouth may require access to Network PTS's Collocation Space. BellSouth retains the right to access Network PTS's space for the purpose of making BellSouth equipment and building modifications (e.g., running, altering or removing racking, ducts, electrical wiring, HVAC, and cabling). BellSouth will give notice to Network PTS at least forty-eight (48) hours before access to Network PTS's Collocation Space is required. Network

PTS may elect to be present whenever BellSouth performs work in the Network PTS's Collocation Space. The Parties agree that Network PTS will not bear any of the expense associated with this type of work.

- 5.9 Access. Pursuant to Section 12, Network PTS shall have access to its Collocation Space twenty-four (24) hours a day, seven (7) days a week. Network PTS agrees to provide the name and social security number, date of birth, or driver's license number of each employee, supplier, or agent of Network PTS or Network PTS's Guest(s) that will be provided with access keys or cards (Access Keys), prior to the issuance of said Access Keys, using form RF-2906-C, the "CLEC and CLEC Certified Supplier Access Request and Acknowledgement" form. The appropriate key acknowledgement forms (the "Collocation Acknowledgement Sheet" for access cards and the "Key Acknowledgement Form" for keys) must be signed by Network PTS and returned to BellSouth Access Management within fifteen (15) calendar days of Network PTS's receipt. Failure to return these properly acknowledged forms will result in the holding of subsequent access key or card requests until the proper key acknowledgement documents have been received by BellSouth and reflect current information. Access Keys may not be duplicated under any circumstances. Network PTS agrees to be responsible for all Access Keys and for the return of all Access Keys in the possession of Network PTS's employees, suppliers, agents, or Guest(s) after termination of the employment relationship, the contractual obligation with Network PTS ends, upon the termination of this Attachment, or upon the termination of occupancy of Collocation Space in a specific "BellSouth Premises".
- 5.9.1 BellSouth will permit one (1) accompanied site visit to Network PTS's designated Collocation Space, after receipt of the BFFO, without charge to Network PTS. Network PTS must submit to BellSouth the completed Access Control Request Form for all employees or agents requiring access to a "BellSouth Premises" at least thirty (30) calendar days prior to the date Network PTS desires access to the Collocation Space. In order to permit reasonable access during construction of the Collocation Space, Network PTS may submit a request for its one (1) accompanied site visit to its designated Collocation Space at any time subsequent to BellSouth's receipt of the BFFO. In the event Network PTS desires access to the Collocation Space after submitting such a request, but prior to the approval of its access request, in addition to the first accompanied free visit, BellSouth shall permit Network PTS to access the Collocation Space accompanied by a security escort, at Network PTS's expense, which will be assessed pursuant to the Security Escort fees contained in Exhibit B. Network PTS must request escorted access to its designated Collocation Space at least three (3) business days prior to the date such access is desired.
- Lost or Stolen Access Devises. Network PTS shall immediately notify BellSouth in writing when any of its Access Keys have been lost or stolen. If it becomes necessary for BellSouth to re-key buildings or deactivate an Access card as a result of a lost or stolen Access Device(s) or for failure of Network PTS's employees, suppliers, agents or Guest(s) to return an Access Device(s), Network PTS shall pay for the costs of re-keying or deactivating the Access card pursuant to the fees set forth in Exhibit B.

- 5.11 Interference or Impairment. Notwithstanding any other provisions of this Attachment, Network PTS shall not use any product or service provided under this Agreement, any other service related thereto or used in combination therewith, or place or use any equipment or facilities in any manner that 1) significantly degrades, interferes with or impairs service provided by BellSouth or any other entity or any person's use of its telecommunications services; 2) endangers or damages the equipment, facilities or any other property of BellSouth or any other entity or person; 3) compromises the privacy of any communications; or 4) creates an unreasonable risk of injury or death to any individual or to the public. If BellSouth reasonably determines that any equipment or facilities of Network PTS violates the provisions of this paragraph, BellSouth shall provide written notice to Network PTS, which shall direct Network PTS to cure the violation within forty-eight (48) hours of Network PTS's receipt of written notice or, at a minimum, to commence curative measures within twenty-four (24) hours and exercise reasonable diligence to complete such measures as soon as possible thereafter. After receipt of the notice, the Parties agree to consult immediately and, if necessary, to conduct an inspection of the Collocation Space.
- 5.11.1 Except in the case of the deployment of an advanced service which significantly degrades the performance of other advanced services or traditional voice band services, if Network PTS fails to take curative action within forty-eight (48) hours or if the violation is of a character that poses an immediate and substantial threat of damage to property or injury or death to any person, or any other significant degradation, interference or impairment of BellSouth's or another entity's service, then and only in that event, BellSouth may take such action as it deems appropriate to correct the violation including, without limitation, the interruption of electrical power to Network PTS's equipment and/or facilities. BellSouth will endeavor, but is not required, to provide notice to Network PTS prior to the taking of such action and BellSouth shall have no liability to Network PTS for any damages arising from such action, except to the extent that such action by BellSouth constitutes willful misconduct.
- 5.11.2 For purposes of this Section, the term "significantly degrades" shall be defined as an action that noticeably impairs a service from a user's perspective. In the case of the deployment of an advanced service which significantly degrades the performance of other advanced services or traditional voice band services and Network PTS fails to take curative action within forty-eight (48) hours of Network PTS's receipt of written notice, BellSouth will establish before the appropriate Commission that the technology deployment is causing the significant degradation. Any claims of network harm presented to Network PTS or, if subsequently necessary, the Commission must be provided by BellSouth with specific and verifiable information. When BellSouth demonstrates that a certain technology deployed by Network PTS is significantly degrading the performance of other advanced services or traditional voice band services, Network PTS shall discontinue deployment of that technology and migrate its customers to other technologies that will not significantly degrade the performance of such services. Where the only degraded service itself is a known disturber, and the

newly deployed technology satisfies at least one of the criteria for a presumption that it is acceptable for deployment under Section 47 C.F.R. 51.230, the degraded service shall not prevail against the newly-deployed technology.

- 5.12 Personalty and its Removal. Facilities and equipment placed by Network PTS in the Collocation Space shall not become a part of the Collocation Space, even if nailed, screwed or otherwise fastened to the Collocation Space, but shall retain their status as personal property and may be removed by Network PTS at any time. Any damage caused to the Collocation Space by Network PTS's employees, suppliers, agents or representatives during the installation or removal of such property shall be promptly repaired by Network PTS at its sole expense. If Network PTS decides to remove equipment from its Collocation Space and the removal requires no physical work be performed by BellSouth and Network PTS's physical work includes, but is not limited to, power reduction, cross-connects, or tie pairs, BellSouth will bill Network PTS an Administrative Only Application Fee as set forth in Exhibit B. This non-recurring fee will be billed on the date that BellSouth provides an Application Response to Network PTS.
- Alterations. Under no condition shall Network PTS or any person acting on behalf of Network PTS make any rearrangement, modification, augment, improvement, addition, and/or other alteration which could affect in any way space, power, HVAC, and/or safety considerations to the Collocation Space or the "BellSouth Premises", without the express written consent of BellSouth, which shall not be unreasonably withheld. The cost of any such rearrangement, modification, augment, improvement, addition, and/or other alteration shall be paid by Network PTS, and shall require a Subsequent Application and will result in the assessment of either a Subsequent Application Fee, an Administrative Only Application Fee or an Initial Application Fee as set forth in Section 6.3.1, which will be billed by BellSouth on the date that BellSouth provides Network PTS with an Application Response.
- 5.14 <u>Janitorial Service</u>. Network PTS shall be responsible for the general upkeep of its Collocation Space. Network PTS shall arrange directly with a BellSouth Certified Supplier for janitorial services applicable to Caged Collocation Space. BellSouth shall provide a list of such suppliers on a "BellSouth Premises"-specific basis, upon request.

6. Ordering and Preparation of Collocation Space

6.1 If any state or federal regulatory agency imposes procedures or intervals applicable to Network PTS and BellSouth that are different from the procedures or intervals set forth in this Section, whether now in effect or that become effective after execution of this Agreement, those procedures or intervals shall supersede the requirements set forth herein for that jurisdiction for all applications that are submitted for the first time after the effective date thereof.

- Initial Application. For Network PTS's or Network PTS's Guest's(s') initial equipment placement, Network PTS shall input a Physical Expanded Interconnection Application Document (Initial Application) directly into BellSouth's electronic application (e.App) system for processing. The Initial Application is considered Bona Fide when it is complete and accurate, meaning that all of the required fields on the application are completed with the appropriate type of information. An application fee will apply to each application submitted by Network PTS and will be billed by BellSouth on the date BellSouth provides Network PTS with an Application Response.
- 6.3 <u>Subsequent Application.</u> In the event Network PTS or Network PTS's Guest(s) desires to modify its use of the Collocation Space after a BFFO, Network PTS shall complete an application (Subsequent Application) that contains all of the detailed information associated with the alteration related to the Collocation Space, as defined in Section 5.13 of this Attachment. The Subsequent Application will be considered Bona Fide when it is complete and accurate, meaning that all of the required fields on the Subsequent Application are completed with the appropriate type of information associated with the alteration. BellSouth shall determine what modifications, if any, to the "BellSouth Premises" are required to accommodate the change requested by Network PTS in the application. Such modifications to the "BellSouth Premises" may include, but are not limited to, floor loading changes, changes necessary to meet HVAC requirements, changes to power plant requirements, equipment additions, etc.
- 6.3.1 Subsequent Application Fee. The application fee paid by Network PTS shall be dependent upon the level of assessment needed. If the modifications reflected on the Subsequent Application require no labor or capital expenditure by BellSouth, but BellSouth must perform an assessment of the application to evaluate whether or not BellSouth would be required to perform necessary infrastructure or provisioning activities, then an Administrative Only Application Fee shall apply. This Administrative Only Application Fee would be applicable in instances such as those associated with a Transfer of Ownership of the Collocation Space, Removal of Equipment from the Collocation Space, a modification to an application prior to receipt of the BFFO and a V-to-P Conversion (In Place). The fee for a Subsequent Application in which the modifications requested have limited effect (e.g., requires labor expenditure but no capital expenditure by BellSouth and where sufficient cable support structure, HVAC, power and terminations are available) shall be the Subsequent Application Fee, as set forth in Exhibit B. A modification involving a capital expenditure by BellSouth shall require Network PTS to submit the Subsequent Application with an Initial Application Fee. The appropriate nonrecurring application fee will be billed on the date BellSouth provides Network PTS with an Application Response.
- 6.4 <u>Space Preferences</u>. If Network PTS has previously requested and received a Space Availability Report for the "BellSouth Premises", Network PTS may submit up to three (3) space preferences on its application by identifying the specific space identification numbers referenced on the Space Availability Report for the space it is

requesting. In the event BellSouth cannot accommodate the Network PTS's preference(s), Network PTS may accept the space allocated by BellSouth or cancel its application and submit another application requesting additional space preferences for the same central office. This application will be treated as a new application and an application fee will apply. The application fee will be billed by BellSouth on the date that BellSouth provides Network PTS with an Application Response.

- 6.5 Space Availability Notification.
- Unless otherwise specified, BellSouth will respond to an application within ten (10) calendar days as to whether space is available or not available within the requested "BellSouth Premises". BellSouth will also respond as to whether the application is Bona Fide and if it is not Bona Fide, the items/revisions necessary to cause the application to become Bona Fide. If the amount of space requested is not available, BellSouth will notify Network PTS of the amount of space that is available and no application fee will apply. When BellSouth's response includes an amount of space less than that requested by Network PTS or space that is configured differently, no application fee will apply. If Network PTS decides to accept the available space, Network PTS must resubmit its application to reflect the actual space available, including the configuration of the space, prior to submitting a BFFO. When Network PTS resubmits its application to accept the available space, BellSouth will bill Network PTS the appropriate application fee.
- 6.5.2 BellSouth will respond to a Florida or Tennessee application within fifteen (15) calendar days as to whether space is available or not available within a "BellSouth Premises". BellSouth will also respond as to whether the application is Bona Fide and if it is not Bona Fide, the items/revisions necessary to cause the application to become Bona Fide. If a lesser amount of space than requested is available, BellSouth will provide an Application Response for the amount of space that is available and bill Network PTS an appropriate application fee on the date that BellSouth provides the Application Response. When BellSouth's Application Response includes an amount of space less than that requested by Network PTS or space that is configured differently, if Network PTS decides to accept the available space, Network PTS must amend its application to reflect the actual space available, including the configuration of the space, prior to submitting a BFFO.
- 6.5.3 <u>Denial of Application</u>. If BellSouth notifies Network PTS that no space is available (Denial of Application), BellSouth will not assess an application fee to Network PTS. After notifying Network PTS that there is no available space in the requested "BellSouth Premises", BellSouth will allow Network PTS, upon request, to tour the entire "BellSouth Premises" within ten (10) calendar days of such Denial of Application. In order to schedule this tour within ten (10) calendar days, BellSouth must receive the request for a tour of the "BellSouth Premises" within five (5) calendar days of the Denial of Application.

- 6.6 Filing of Petition for Waiver. Upon Denial of Application, BellSouth will timely file a petition with the appropriate Commission pursuant to 47 U.S.C. § 251(c)(6). BellSouth shall provide to the Commission any information requested by that Commission. Such information shall include which space, if any, BellSouth or any of BellSouth's affiliates have reserved for future use and a detailed description of the specific future uses for which the space has been reserved. Subject to an appropriate nondisclosure agreement or provision, BellSouth shall permit Network PTS to inspect any floor plans or diagrams that BellSouth provides to the Commission.
- Waiting List. On a first-come, first-served basis, which is governed by the date of receipt of an application or Letter of Intent, BellSouth will maintain a waiting list of requesting telecommunication carriers that have either received a Denial of Application or, where it is publicly known that the "BellSouth Premises" is out of space, have submitted a Letter of Intent to collocate in that "BellSouth Premises". BellSouth will notify each telecommunication carrier on the waiting list that can be accommodated by the amount of space that becomes available, according to the position of the telecommunication carrier on said waiting list.
- 6.7.1 In Florida, on a first-come, first-served basis, which is governed by the date of receipt of an application or Letter of Intent, BellSouth will maintain a waiting list of requesting telecommunication carriers that have either received a Denial of Application or, where it is publicly known that the "BellSouth Premises" is out of space, have submitted a Letter of Intent to collocate in that "BellSouth Premises". Sixty (60) calendar days prior to space becoming available, if known, BellSouth will notify the Commission and the telecommunication carriers on the waiting list by mail when space becomes available according to the position of each telecommunication carrier on said waiting list. If BellSouth does not know sixty (60) calendar days in advance of when space will become available, BellSouth will notify the Commission and the telecommunication carriers on the waiting list within two (2) business days of the determination that space will become available. A telecommunication carrier that, upon denial of physical Collocation Space, requests virtual Collocation Space shall automatically be placed on the waiting list for physical Collocation Space that may become available in the future.
- When physical Collocation Space becomes available, Network PTS must submit an updated, complete, and accurate application to BellSouth within thirty (30) calendar days of notification by BellSouth that physical Collocation Space will be available in the requested "BellSouth Premises" previously out of space. If Network PTS has originally requested caged Collocation Space and cageless Collocation Space becomes available, Network PTS may refuse such space and notify BellSouth in writing within the thirty (30) day timeframe that Network PTS wants to maintain its place on the waiting list for caged Physical Collocation Space, without accepting the available cageless Collocation Space.

Network PTS may accept an amount of space less than what it originally requested by submitting an application as set forth above, and upon request, may maintain its

position on the waiting list for the remaining space that was initially requested. If Network PTS does not submit an application or notify BellSouth in writing as described above, BellSouth will offer the space to the next telecommunication carrier on the waiting list and remove Network PTS from the waiting list. Upon request, BellSouth will advise Network PTS as to its position on the waiting list.

- 6.8 <u>Public Notification</u>. BellSouth will maintain on its Interconnection Services website a notification document that will indicate all "BellSouth Premises" that are without available space. BellSouth shall update such document within ten (10) calendar days of the date that BellSouth becomes aware that insufficient space is available to accommodate physical collocation. BellSouth will also post a document on its Interconnection Services website that contains a general notice when space becomes available in a "BellSouth Premises" previously on the space exhaust list.
- 6.9 <u>Application Response.</u>
- 6.9.1 In Alabama, Georgia, Kentucky, Louisiana, Mississippi, North Carolina, and South Carolina, when space has been determined to be available for physical (caged or cageless) arrangements, BellSouth will provide an Application Response within twenty (20) calendar days of receipt of a Bona Fide Application. The Application Response will include, at a minimum, the configuration of the space, the Cable Installation Fee, Cable Records Fee, and any other applicable space preparation fees, as described in Section 8.
- In Florida and Tennessee, within fifteen (15) calendar days of receipt of a Bona Fide Application, when space has been determined to be available or when a lesser amount of space than that requested is available, then with respect to the space available, BellSouth will provide an Application Response including sufficient information to enable Network PTS to place a firm order. The Application Response will include, at a minimum, the configuration of the space, the Cable Installation Fee, Cable Records Fee, and the space preparation fees, as described in Section 8. When Network PTS submits ten (10) or more applications within ten (10) calendar days, the initial fifteen (15) calendar day response interval will increase by ten (10) calendar days for every additional ten (10) applications or fraction thereof.
- 6.10 <u>Application Modifications</u>.
- 6.10.1 If a modification or revision is made to any information in the Bona Fide Application prior to a BFFO, with the exception of modifications to Customer Information, Contact Information or Billing Contact Information, at the request of Network PTS, or as necessitated by technical considerations, the application shall be considered a new application and handled as a new application with respect to the response and provisioning intervals. BellSouth will charge Network PTS the appropriate application fee associated with the level of assessment performed by BellSouth. If the modification requires no labor or capital expenditure by BellSouth, but BellSouth must perform an assessment of the application to evaluate whether or not BellSouth

would be required to perform necessary infrastructure or provisioning activities, then an Administrative Only Application Fee shall apply. The fee for an application modification in which the modification requested has limited effect (e.g., requires labor expenditure but no capital expenditure by BellSouth and where sufficient cable support structure, HVAC, power and terminations are available) shall be the Subsequent Application Fee as set forth in Exhibit B. A modification involving a capital expenditure by BellSouth shall require Network PTS to submit the application with an Initial Application Fee. The appropriate nonrecurring application fee will be billed on the date BellSouth provides Network PTS with an Application Response.

6.11 Bona Fide Firm Order.

- 6.11.1 Network PTS shall indicate its intent to proceed with equipment installation in a "BellSouth Premises" by submitting a Bona Fide Firm Order (BFFO) to BellSouth. The BFFO must be received by BellSouth no later than thirty (30) calendar days after BellSouth's Application Response to Network PTS's Bona Fide Application or Network PTS's application will expire.
- BellSouth will establish a firm order date based upon the date BellSouth is in receipt of Network PTS's BFFO. BellSouth will acknowledge the receipt of Network PTS's BFFO within seven (7) calendar days of receipt, so that Network PTS will have positive confirmation from BellSouth that its BFFO has been received. BellSouth's response to a BFFO will include a Firm Order Confirmation, which contains the firm order date. No revisions can be made to a BFFO.

7. Construction and Provisioning

- 7.1 <u>Construction and Provisioning Intervals.</u>
- 7.1.1 In Florida and Tennessee, BellSouth will complete construction of physical Collocation Space as soon as possible within a maximum of ninety (90) calendar days from receipt of a BFFO or as agreed to by the Parties. For virtual Collocation Space, BellSouth will complete construction as soon as possible within a maximum of sixty (60) calendar days from receipt of a BFFO or as agreed to by the Parties. For Augments requested to Collocation Space after the initial space has been completed, BellSouth will complete construction for Collocation Space as soon as possible within a maximum of forty-five (45) calendar days from receipt of a BFFO or as agreed to by the Parties. If BellSouth does not believe that construction will be completed within the relevant provisioning interval and BellSouth and Network PTS cannot agree upon a completion date, within forty-five (45) calendar days of receipt of the BFFO for an initial request, or within thirty (30) calendar days of receipt of the BFFO for an Augment, BellSouth may seek an extension from the Commission.
- 7.1.2 In Alabama, Georgia, Kentucky, Louisiana, Mississippi, North Carolina, and South Carolina, BellSouth will complete construction for physical caged Collocation Space under ordinary conditions as soon as possible within a maximum of ninety (90)

calendar days from receipt of a BFFO or as agreed to by the Parties. BellSouth will complete construction for physical cageless Collocation Space under ordinary conditions as soon as possible within a maximum of sixty (60) calendar days from receipt of a BFFO and ninety (90) calendar days from receipt of a BFFO for extraordinary conditions, or as agreed to by the Parties. Ordinary conditions are defined as space available with only minor changes required to BellSouth's support systems (Examples include, but are not limited to: minor modifications to HVAC, cabling and BellSouth's power plant). Extraordinary conditions include, but may not be limited to: major BellSouth equipment rearrangements or additions; power plant additions or upgrades; major mechanical additions or upgrades; major upgrades for ADA compliance; environmental hazards or hazardous materials abatement; and arrangements for which equipment shipping intervals are extraordinary in length. The Parties may mutually agree to renegotiate an alternative provisioning interval or BellSouth may seek a waiver from the ordered interval from the appropriate Commission.

- 7.1.3 When Network PTS adds equipment within initial demand parameters that requires no additional space preparation work on the part of BellSouth, then no additional charges or intervals will be imposed by BellSouth that would cause delay in Network PTS's operation.
- 7.1.4 In the states of Alabama, Georgia, Kentucky, Louisiana, Mississippi, North Carolina, and South Carolina, BellSouth will provide the reduced intervals outlined below to Network PTS, when Network PTS requests an augment that is identified in Sections 7.1.4.1, 7.1.4.2, 7.1.4.3, 7.1.4.4 and 7.1.4.5 ("Augment") after the Space Ready Date for existing physical Collocation Space. Unless otherwise set forth in Section 7.1.4.10, any such augment application will require a Subsequent Application and will result in the assessment of an Augment Application fee as set forth in Exhibit B.
- 7.1.4.1 Simple Augments will be completed within twenty (20) calendar days after receipt of the BFFO for an:
 - Extension of Existing AC Circuit Capacity within Arrangement Where Sufficient Circuit Capacity is Available
 - Fuse Change and/or Increase or Decrease -48V DC Power from Existing ILEC BDFB
- 7.1.4.2 Minor Augments will be completed within forty-five (45) calendar days after receipt of the BFFO for:
 - 168 DS1s Terminations at the ILEC Demarcation Frame (Databasing Only; Panels, Relay Racks and Overhead Racking Exist)
 - 96 DS3s Terminations at the ILEC Demarcation Frame (Databasing Only; Panels, Relay Racks and Overhead Racking Exist)
 - 99 Fiber Terminations at the ILEC Demarcation Frame (Databasing Only; Panels, Relay Racks and Overhead Racking Exist)

- Maximum of 2000 Service Ready DS0 Terminations at the ILEC Demarcation Frame (Databasing Only; Panels, Relay Racks and Overhead Racking Exist)
- 7.1.4.3 Intermediate Augments will be completed within sixty (60) calendar days after receipt of the BFFO for:
 - 168 DS1s (Databasing and Installation of Termination Panels, Relay Racks or Additional Structure as Required)
 - 96 DS3s (Databasing and Installation of Termination Panels, Relay Racks or Additional Structure as Required)
 - 99 Fiber Terminations (Databasing and Installation of Termination Panels, Relay Racks or Additional Structure as Required)
 - 2000 DS0s (Databasing and Installation of Termination Panels, Relay Racks or Additional Structure as Required)
 - Installation of Cable Racking or Other Support Structures as Required to Support Co-Carrier Cross Connects (Adequate Floor or Ceiling Structural Capacity Exists and Support/Protection Structure for Fiber Patch Cord is Excluded)
- 7.1.4.4 Major Augments of physical Collocation Space will be completed within ninety (90) calendar days after BFFO. This category includes all requests for additional physical Collocation Space (caged or cageless).
- 7.1.4.5 Major Augments of virtual Collocation Space will be completed within seventy-five (75) calendar days after BFFO. This category includes all requests for additional virtual Collocation Space.
- 7.1.4.6 If Network PTS submits an augment application request that includes two augment items from the same category in either Section 7.1.4.1, 7.1.4.2, or7.1.4.3 above, the provisioning interval associated with the next highest augment category will apply (e.g., if two items from the minor augment category are requested on the same request, then an interval of sixty (60) calendar days from the receipt of the BFFO would apply, which is the interval associated with the intermediate category).
- 7.1.4.7 If Network PTS submits an augment application request that includes three augment items from the same category in either Section 7.1.4.1, 7.1.4.2, or7.1.4.3 above, the major augment interval of ninety (90) calendar days from the receipt of the BFFO would apply (e.g., if three items from the simple augment category are requested on the same request for a physical collocation arrangement, then an interval of ninety (90) calendar days from the receipt of the BFFO would apply, which is the major physical augment interval; likewise if three items from the simple augment category are requested on the same request for a virtual collocation arrangement, then an interval of seventy-five (75) calendar days from the receipt of the BFFO would apply, which is the major virtual augment interval).
- 7.1.4.8 If Network PTS submits an augment application request that includes one augment item from two separate categories in Sections 7.1.4.1, 7.1.4.2 and 7.1.4.3 above, the Version 3O03: 11/12/2003

augment interval associated with the highest augment category will apply (e.g., if an item from the minor augment category and an item from the intermediate augment category are requested on the same request, then an interval of sixty (60) calendar days from the receipt of the BFFO would apply, which is the interval associated with the intermediate augment category).

- 7.1.4.9 All Augments not expressly included in the Simple, Minor, Intermediate or Major categories, as outlined above, will be placed into the appropriate category as negotiated by Network PTS and BellSouth. If Network PTS and BellSouth are unable to determine the appropriate category through negotiation, then the appropriate major augment category, identified in Section 7.1.4.4 and Section 7.1.4.5, would apply based on whether the augment request is for Network PTS's physical or virtual Collocation Space.
- 7.1.4.10 Individual application fees associated with simple, minor and intermediate augment applications are contained in Exhibit B. The appropriate application fee will be assessed to Network PTS at the time BellSouth provides Network PTS with the Application Response. Network PTS will be assessed a Subsequent Application Fee for all Major Augment applications (Major Augments are defined above in Sections 7.1.4.4 and 7.1.4.5). The Subsequent Application Fee is also reflected in Exhibit B of this Attachment.
- Joint Planning. Joint planning between BellSouth and Network PTS will commence within a maximum of twenty (20) calendar days from BellSouth's receipt of a BFFO. BellSouth will provide the preliminary design of the Collocation Space and the equipment configuration requirements as reflected in the Bona Fide Application and BFFO. The Collocation Space completion interval will be provided to Network PTS during the joint planning meeting.
- 7.3 Permits. Each Party, its agent(s) or BellSouth Certified Supplier(s) will file for the appropriate permits required for the scope of work to be performed by that Party, its agent(s) or BellSouth Certified Supplier(s) within ten (10) calendar days of the completion of the finalized construction design and specifications.
- Acceptance Walkthrough. Network PTS will schedule and complete an acceptance walkthrough of the Collocation Space with BellSouth within fifteen (15) calendar days after the Space Ready Date. In the event Network PTS fails to complete an acceptance walkthrough within this fifteen (15) day interval, the Collocation Space shall be deemed accepted by Network PTS on the Space Ready Date. BellSouth will correct any deviations to Network PTS's original or jointly amended design and/or specification requirements within seven (7) calendar days after the walkthrough, unless the Parties mutually agree upon a different timeframe.
- 7.5 <u>Circuit Facility Assignments (CFAs).</u> Unless otherwise specified, BellSouth will provide CFAs to Network PTS prior to the applicable provisioning interval set forth herein (Provisioning Interval) for those "BellSouth Premises" in which Network PTS has physical Collocation Space with no POT bay or with a grand fathered POT bay

provided by BellSouth. BellSouth cannot provide CFAs to Network PTS prior to the Provisioning Interval for those "BellSouth Premises" in which Network PTS has physical Collocation Space with a POT bay provided by Network PTS or virtual Collocation Space, until Network PTS provides BellSouth with the following information:

For physical Collocation Space with a Network PTS-provided POT bay, Network PTS shall provide BellSouth with a complete layout of the POT panels on an equipment inventory update (EIU) form, showing locations, speeds, etc.

- For virtual Collocation Space, Network PTS shall provide BellSouth with a complete layout of Network PTS's equipment on an equipment inventory update (EIU) form, including the locations of the low speed ports and the specific frame terminations to which the equipment will be wired by Network PTS's BellSouth Certified Supplier.
- 7.5.1 BellSouth cannot begin work on the CFAs until the complete and accurate EIU form is received from Network PTS. If the EIU form is provided within ten (10) calendar days prior to the ending date of the Provisioning Interval, then the CFAs will be made available by the ending date of the Provisioning Interval. If the EIU form is not received ten (10) calendar days prior to the ending date of the Provisioning Interval, then the CFAs will be provided within ten (10) calendar days of receipt of the EIU form.
- 7.5.2 BellSouth will bill Network PTS a nonrecurring charge, as set forth in Exhibit B, each time Network PTS requests a resend of its CFAs for any reason other than a BellSouth error in the CFAs initially provided to Network PTS.
- 7.6 Use of BellSouth Certified Supplier. Network PTS shall select a supplier which has been approved as a BellSouth Certified Supplier to perform all engineering and installation work. Network PTS and Network PTS's BellSouth Certified Supplier must follow and comply with all of BellSouth's Specifications, as outlined in the following BellSouth Technical Requirements: TR 73503, TR 73519, TR 73572, and TR 73564. In some cases, Network PTS must select different BellSouth Certified Suppliers for those work activities associated with transmission equipment, switching equipment and power equipment. BellSouth shall provide Network PTS with a list of BellSouth Certified Suppliers upon request. The BellSouth Certified Supplier(s) shall be responsible for installing Network PTS's equipment and associated components, extending power cabling to the BellSouth power distribution frame, performing operational tests after installation is completed, and notifying BellSouth's equipment engineers and Network PTS upon successful completion of the installation, etc. The BellSouth Certified Supplier shall bill Network PTS directly for all work performed for Network PTS pursuant to this Attachment. BellSouth shall have no liability for, nor responsibility to pay, such charges imposed by Network PTS's BellSouth Certified Supplier. BellSouth shall make available its supplier certification program to Network PTS or any supplier proposed by Network PTS and will not unreasonably withhold

- certification. All work performed by or for Network PTS shall conform to generally accepted industry standards.
- Alarm and Monitoring. BellSouth shall place environmental alarms in the "BellSouth Premises" for the protection of BellSouth equipment and facilities. Network PTS shall be responsible for the placement, monitoring and removal of environmental and equipment alarms used to service Network PTS's Collocation Space. Upon request, BellSouth will provide Network PTS with an applicable tariffed service(s) to facilitate remote monitoring of collocated equipment by Network PTS. Both Parties shall use best efforts to notify the other of any verified environmental condition known to that Party.
- 7.8 Virtual to Physical Collocation Relocation. In the event physical Collocation Space was previously denied at a "BellSouth Premises" due to technical reasons or space limitations and physical Collocation Space has subsequently become available, Network PTS may relocate its existing virtual collocation arrangement(s) to a physical collocation arrangement(s) and pay the appropriate fees associated with physical Collocation Space and the rearrangement or reconfiguration of services currently being terminated in the virtual collocation arrangement If BellSouth knows when additional space for physical collocation may become available at the "BellSouth Premises" requested by Network PTS, such information will be provided to Network PTS in BellSouth's written denial of physical Collocation Space. To the extent that (i) physical Collocation Space becomes available to Network PTS within one hundred eighty (180) calendar days of BellSouth's written denial of Network PTS's request for physical Collocation Space, (ii) BellSouth had knowledge that the space was going to become available, and (iii) Network PTS was not informed in the written denial that physical Collocation Space would become available within such one hundred eighty (180) calendar day period, then Network PTS may relocate its virtual collocation arrangement to a physical collocation arrangement and will receive a credit for any nonrecurring charges previously paid for such virtual Collocation Space. Network PTS must arrange with a BellSouth Certified Supplier for the relocation of equipment from its virtual Collocation Space to its physical Collocation Space and will bear the cost of such relocation.
- 7.8.1 In Alabama, BellSouth will complete a relocation from virtual Collocation Space to cageless physical Collocation Space within thirty (30) calendar days and from virtual Collocation Space to caged physical Collocation Space within ninety (90) calendar days.
- 7.9 <u>Virtual to Physical Conversion (In-Place)</u>. Virtual collocation arrangements may be converted to "in-place" physical collocation arrangements if the potential conversion meets all of the following criteria: 1) there is no change in the amount of equipment or the configuration of the equipment that was in the virtual Collocation Space; 2) the conversion of the virtual collocation arrangement will not cause the equipment or the results of that conversion to be located in a space that BellSouth has reserved for its own future needs; 3) the converted arrangement does not limit BellSouth's ability to

secure its own equipment and facilities due to the location of the virtual Collocation Space; and 4) any changes to the arrangement can be accommodated by existing power, HVAC, and other requirements. Unless otherwise specified, BellSouth will complete virtual to physical conversions (in-place) within sixty (60) calendar days from receipt of the BFFO. BellSouth will bill Network PTS an Administrative Only Application Fee, as set forth in Exhibit B, on the date BellSouth provides an Application Response to Network PTS.

- 7.9.1 In Alabama and Tennessee, BellSouth will complete Virtual to Physical Conversions (In Place) within thirty (30) calendar days from receipt of the BFFO.
- 7.10 <u>Cancellation</u>. If at any time prior to space acceptance, Network PTS cancels its order for Collocation Space (Cancellation), BellSouth will bill the applicable nonrecurring charge(s) for any and all work processes for which work has begun or been completed. In Georgia, if Network PTS cancels its order for Collocation Space at any time prior to space acceptance, BellSouth will bill Network PTS for all costs incurred prior to the date of Cancellation and for any costs incurred as a direct result of the Cancellation, not to exceed the total amount that would have been due had the firm order not been cancelled.
- 7.11 <u>Licenses.</u> Network PTS, at its own expense, will be solely responsible for obtaining from the proper governmental authorities, and any other appropriate agency, entity, or person, all rights, privileges, permits, licenses, and certificates necessary or required to operate as a provider of telecommunication services to the public or to build-out, equip and/or occupy Collocation Space in a "BellSouth Premises".
- 7.12 <u>Environmental Compliance.</u> The Parties agree to utilize and adhere to the Environmental Hazard Guidelines identified in Exhibit A attached hereto.

8. Rates and Charges

- 8.1 <u>Application Fee.</u> BellSouth shall assess a nonrecurring application fee via a service order on the date BellSouth responds pursuant to Section 6.10 (Application Response).
- 8.1.1 In Tennessee, the application fee for caged Collocation Space is the planning fee for both Initial Applications and Subsequent Applications placed by Network PTS.

 Likewise, for cageless Collocation Space, the same Cageless Application Fee applies for both Initial Applications and Subsequent Applications placed by Network PTS.

 BellSouth will bill the appropriate nonrecurring application fee on the date that BellSouth provides an Application Response to Network PTS.
- 8.2 <u>Cable Installation</u>. Cable Installation Fee(s) are assessed per entrance cable placed. This nonrecurring fee will be billed by BellSouth upon receipt of Network PTS's BFFO.

- 8.3 Recurring Charges. If Network PTS has met the applicable fifteen (15) calendar day walkthrough interval specified in Section 4, billing for recurring charges will begin upon the Space Acceptance Date. In the event that Network PTS fails to complete an acceptance walkthrough within the applicable fifteen (15) calendar day interval, billing for recurring charges will commence on the Space Ready Date. If Network PTS occupies the space prior to the Space Ready Date, the date Network PTS occupies the space is deemed the new Space Acceptance Date and billing for recurring charges will begin on that date.
- Space Preparation. Space preparation fees consist of a nonrecurring charge for Firm Order Processing and monthly recurring charges for Central Office Modifications assessed per arrangement, per square foot and Common Systems Modifications assessed per arrangement, per square foot for cageless collocation and per cage for caged collocation. Network PTS shall remit payment of the nonrecurring Firm Order Processing fee coincident with the submission of a BFFO. These charges recover the costs associated with preparing the Collocation Space, which includes, but is not limited to, the following items: a survey, engineering of the Collocation Space, design and modification costs for network, building and support systems, etc. In the event Network PTS opts for cageless space, the space preparation fees will be assessed based on the total square footage of floor space dedicated to Network PTS as prescribed in this Section.
- 8.5 Floor Space. The Floor Space Charge includes reasonable charges for lighting, HVAC, and other allocated expenses associated with maintenance of the "BellSouth Premises", but does not include any power-related costs incurred by BellSouth. When the Collocation Space is enclosed, Network PTS shall pay floor space charges based upon the number of square feet so enclosed. The minimum size for caged Collocation Space is 100 square feet. Additional caged Collocation Space may be requested in increments of 50 square feet. When the Collocation Space is not enclosed, Network PTS shall pay floor space charges based upon the following floor space calculation: [(depth of the equipment lineup in which the rack is placed) + (0.5 x maintenance aisle depth) + (0.5 x wiring aisle depth)] x (width of rack and spacers). For purposes of this calculation, the depth of the equipment lineup shall consider the footprint of equipment racks plus any equipment overhang. BellSouth will assign unenclosed Collocation Space in conventional equipment rack lineups where feasible. In the event Network PTS's collocated equipment requires special cable racking, isolated grounding or other treatment which prevents placement within conventional equipment rack lineups, Network PTS shall be required to request an amount of floor space sufficient to accommodate the total equipment arrangement.
- 8.6 Power. BellSouth shall make available –48 Volt (-48V) Direct Current (DC) power for Network PTS's Collocation Space at a BellSouth Power Board or BellSouth Battery Distribution Fuse Bay (BDFB) upon Network PTS's request within the "BellSouth Premises"; however, the determination of whether BellSouth will permit the power configuration requested by Network PTS will be made at BellSouth's sole discretion, which shall not be unreasonably withheld. BellSouth will revise Network

PTS's recurring power charges to reflect a power upgrade upon notification of the completion of the upgrade by Network PTS's BellSouth Certified Vendor. BellSouth will revise recurring power charges to reflect a power reduction upon BellSouth's receipt of the Power Reduction Form from Network PTS certifying the completion of the power reduction work, including the removal of the power cabling by Network PTS's BellSouth Certified Supplier.

- 8.6.1 When obtaining power from a BDFB, fuses and power cables (A&B) must be engineered (sized), and installed by Network PTS's BellSouth Certified Supplier. Likewise, when obtaining power from a BellSouth power board, power cables (A&B) must be engineered (sized) and installed by Network PTS's BellSouth Certified Supplier. Network PTS is responsible for contracting with a BellSouth Certified Supplier for the power distribution feeder cable running from a BellSouth BDFB or BellSouth power board to Network PTS's equipment. The determination of whether Network PTS's requested DC power will be provided from the BellSouth BDFB or BellSouth power board will be made at BellSouth's sole, but reasonable, discretion. The BellSouth Certified Supplier contracted by Network PTS must provide BellSouth with a copy of the engineering power specifications prior to the day on which Network PTS's equipment becomes operational (Commencement Date). BellSouth will provide the common power feeder cable support structure between the BellSouth BDFB or BellSouth power board and Network PTS's Collocation Space. Network PTS shall contract with a BellSouth Certified Supplier who will be responsible for the following power provisioning activities: installing, removing or replacing dedicated power cable support structure within Network PTS's arrangement, power cable feeds, and terminations of cable. A BellSouth Certified Supplier must perform all terminations at a BellSouth power board. Network PTS shall comply with all applicable National Electric Code (NEC), BellSouth TR73503, Telcordia and ANSI Standards regarding power cabling, installation, and maintenance.
- 8.6.2 If Network PTS elects to install its own DC Power Plant, BellSouth shall provide Alternating Current (AC) power to feed Network PTS's DC Power Plant. Charges for AC power will be assessed per breaker ampere per month. Rates include the provision of commercial and standby AC power. When obtaining power from a BellSouth service panel, protection devices and power cables must be engineered (sized) and installed by Network PTS's BellSouth Certified Supplier, except that BellSouth shall engineer and install protection devices and power cables for Adjacent Collocation. Network PTS's BellSouth Certified Supplier must also provide a copy of the engineering power Specifications prior to the Commencement Date. Charges for AC power shall be assessed pursuant to the rates specified in Exhibit B. AC power voltage and phase ratings shall be determined on a per location basis. At Network PTS's option, Network PTS may arrange for AC power in an adjacent collocation arrangement from a retail provider of electrical power.
- 8.6.3 In Tennessee, monthly recurring charges for -48V DC power consumption will be assessed per ampere per month based upon the engineered and installed power feed fused ampere capacity. Rates include redundant feeder fuse positions (A&B) and

common cable racks to Network PTS's equipment or space enclosure. Network PTS shall contract with a BellSouth Certified Supplier to perform the installation and removal of dedicated power cable support structure within Network PTS's arrangement and terminations of cable within the Collocation Space.

- 8.6.3.1 In Tennessee, nonrecurring charges for –48V DC power distribution will be based on the costs associated with collocation power plant investment and the associated infrastructure.
- 8.6.4 In Alabama and Louisiana, Network PTS has the option to purchase power directly from an electric utility company. Under such an option, Network PTS is responsible for contracting with the electric utility company for its own power feed and meter and is financially responsible for purchasing all equipment necessary to accomplish the arrangement, including inverters, batteries, power boards, bus bars, BDFBs, backup power supplies and cabling. The actual work to install this arrangement must be performed by a BellSouth Certified Supplier hired by Network PTS. Network PTS's BellSouth Certified Supplier must comply with all applicable safety codes, including the National Electric Safety Codes, in the installation of this power arrangement. If Network PTS previously had power supplied by BellSouth, Network PTS may request to change its Collocation Space to obtain power from an electric utility company by submitting a Subsequent Application. BellSouth will waive the application fee for this Subsequent Application if no other changes are requested therein. Any floor space, cable racking, etc. utilized by Network PTS in provisioning said power will be billed on an ICB basis.
- 8.6.5 In South Carolina, Network PTS has the option to purchase power directly from an electric utility company where technically feasible and where space is available in a requested "BellSouth Premises". Under such option, Network PTS is responsible for contracting with the electric utility company for its own power feed and meter and is financially responsible for purchasing all equipment necessary to accomplish the arrangement, including inverters, batteries, power boards, bus bars, BDFBs, backup power supplies and power cabling. The actual work to install this arrangement must be performed by a BellSouth Certified Supplier hired by Network PTS. Network PTS's BellSouth Certified Supplier must comply with all applicable national, regional, state and local safety, electrical, fire and building codes, including the National Electric Safety Code standards, in the installation of this power arrangement, just as BellSouth is required to comply with these codes. Network PTS must submit an application to BellSouth for the appropriate amount of Collocation Space that Network PTS requires to install this type of power arrangement. BellSouth will evaluate the request and determine if the appropriate amount of space is available within the office for the installation of Network PTS's power equipment and facilities. This type of power arrangement must be located in an appropriate area in the central office that has been properly conditioned for the installation of power equipment and conforms to the applicable national, regional, state and local safety, electrical, fire and building codes. BellSouth shall waive the application fee or any other nonrecurring charges that would otherwise be due from a CLEC that decides to reconfigure an existing collocation

power arrangement to purchase power directly from an electric utility company as provided herein. Network PTS shall be responsible for the recurring charges associated with the central office space needed for this type of power arrangement, including space required to place associated power-related equipment and facilities (i.e., batteries, generator, power meter, etc.). If there is no space available for this type of power arrangement in the requested central office, BellSouth may seek a waiver of these requirements from the Commission for the central office requested. Network PTS would still retain the option of ordering its power needs directly from BellSouth.

- 8.6.6 If Network PTS desire to reduce the amount of power that it has requested from BellSouth, Network PTS must submit a Subsequent Application for this power reduction. If no other modifications to the Collocation Space are requested other than the reduction in power, the Power Reduction Only, Application fee, as set forth in Exhibit B, will apply. If other modifications are requested in addition to the reduction of power, the Subsequent Application Fee will apply. BellSouth will bill the appropriate nonrecurring application fee on the date BellSouth provides an Application Response to Network PTS.
- 8.6.7 In Alabama and Louisiana, if Network PTS is currently served from the BellSouth main power board and requests that its power be reconfigured to connect to a BellSouth BDFB in a specific central office, Network PTS must submit a Subsequent Application to BellSouth. A response to such application will be provided by BellSouth within seven (7) calendar days and no application fee will apply for the initial power reduction at each "BellSouth Premises" in which Network PTS is currently collocated.
- 8.7 <u>Security Escort.</u> A security escort will be required whenever Network PTS or its approved agent desires access to the entrance manhole or must have access to a "BellSouth Premises" after the one (1) accompanied site visit allowed pursuant to Section 5.9 prior to completing BellSouth's Security Training requirements. The rates for security escort service are assessed, beginning with the scheduled escort time, pursuant to the fee schedule in Exhibit B. BellSouth will wait for one-half (1/2) hour after the scheduled time for such an escort and Network PTS shall pay for such half-hour charges in the event Network PTS fails to show up.
- 8.8 Cable Record charges. These charges apply for work required to add or change existing cable records assigned to Network PTS in BellSouth's database systems. The VG/DS0 per cable record charge is for a maximum of 3600 records. The Fiber cable record charge is for a maximum of 99 records. The Cable Record charges are assessed as nonrecurring fees in all BellSouth states, other than Louisiana, and will be billed upon receipt of Network PTS's BFFO. In Louisiana, the Cable Record charges are assessed on a monthly recurring basis and will be billed upon receipt of Network PTS's BFFO.
- 8.9 Other. If no rate is identified in the contract, the rate for the specific service or function will be negotiated by the Parties upon request by either Party.

9. Insurance

- 9.1 Network PTS shall, at its sole cost and expense, procure, maintain, and keep in force insurance as specified in this Section and underwritten by insurance companies licensed to do business in the states applicable under this Agreement and having a Best's Insurance Rating of A-.
- 9.2 Network PTS shall maintain the following specific coverage:
- 9.2.1 Commercial General Liability coverage in the amount of ten million dollars (\$10,000,000.00) or a combination of Commercial General Liability and Excess/Umbrella coverage totaling not less than ten million dollars (\$10,000,000.00). BellSouth shall be named as an Additional Insured on the Commercial General Liability policy as specified herein.
- 9.2.2 Statutory Workers Compensation coverage and Employers Liability coverage in the amount of one hundred thousand dollars (\$100,000.00) each accident, one hundred thousand dollars (\$100,000.00) each employee by disease, and five hundred thousand dollars (\$500,000.00) policy limit by disease.
- 9.2.3 All Risk Property coverage on a full replacement cost basis insuring all of Network PTS's real and personal property situated on or within BellSouth's Central Office location(s).
- 9.2.4 Network PTS may elect to purchase business interruption and contingent business interruption insurance, having been advised that BellSouth assumes no liability for loss of profit or revenues should an interruption of service occur.
- 9.3 The limits set forth in Section 9.2 above may be increased by BellSouth from time to time during the term of this Agreement upon thirty (30) calendar days notice to Network PTS to at least such minimum limits as shall then be customary with respect to comparable occupancy of BellSouth structures.
- All policies purchased by Network PTS shall be deemed to be primary and not contributing to or in excess of any similar coverage purchased by BellSouth. All insurance must be in effect on or before the date equipment is delivered to BellSouth's Premises and shall remain in effect for the term of this Attachment or until all Network PTS's property has been removed from BellSouth's Premises, whichever period is longer. If Network PTS fails to maintain required coverage, BellSouth may pay the premiums thereon and seek reimbursement of same from Network PTS.
- 9.5 Network PTS shall submit certificates of insurance reflecting the coverage required pursuant to this Section a minimum of ten (10) business days prior to the commencement of any work in the Collocation Space. Failure to meet this interval may result in construction and equipment installation delays. Network PTS shall arrange for BellSouth to receive thirty (30) business days' advance notice of cancellation from Network PTS's insurance company. Network PTS shall forward a

certificate of insurance and notice of cancellation/non-renewal to BellSouth at the following address:

BellSouth Telecommunications, Inc. Attn.: Risk Management Coordinator 17H53 BellSouth Center 675 W. Peachtree Street Atlanta, Georgia 30375

- 9.6 Network PTS must conform to recommendations made by BellSouth's fire insurance company to the extent BellSouth has agreed to, or shall hereafter agree to, such recommendations.
- 9.7 <u>Self-Insurance</u>. If Network PTS's net worth exceeds five hundred million dollars (\$500,000,000), Network PTS may elect to request self-insurance status in lieu of obtaining any of the insurance required in Sections 9.2.1 and 9.2.2. Network PTS shall provide audited financial statements to BellSouth thirty (30) calendar days prior to the commencement of any work in the Collocation Space. BellSouth shall then review such audited financial statements and respond in writing to Network PTS in the event that self-insurance status is not granted to Network PTS. If BellSouth approves Network PTS for self-insurance, Network PTS shall annually furnish to BellSouth, and keep current, evidence of such net worth that is attested to by one of Network PTS's corporate officers. The ability to self-insure shall continue so long as the Network PTS meets all of the requirements of this Section. If Network PTS subsequently no longer satisfies this Section, Network PTS is required to purchase insurance as indicated by Sections 9.2.1 and 9.2.2.
- 9.8 The net worth requirements set forth in Section 9.7 may be increased by BellSouth from time to time during the term of this Attachment upon thirty (30) calendar days' notice to Network PTS to at least such minimum limits as shall then be customary with respect to comparable occupancy of BellSouth structures.
- 9.9 Failure to comply with the provisions of this Section will be deemed a material breach of this Attachment.

10. Mechanics Liens

10.1 If any mechanics lien or other liens shall be filed against property of either Party (BellSouth or Network PTS), or any improvement thereon by reason of or arising out of any labor or materials furnished or alleged to have been furnished or to be furnished to or for the other Party or by reason of any changes, or additions to said property made at the request or under the direction of the other Party, the other Party directing or requesting those changes shall, within thirty (30) business days after receipt of written notice from the Party against whose property said lien has been filed, either pay such lien or cause the same to be bonded off the affected property in the manner provided by law. The Party causing said lien to be placed against the property of the

other shall also defend, at its sole cost and expense, on behalf of the other, any action, suit or proceeding which may be brought for the enforcement of such liens and shall pay any damage and discharge any judgment entered thereon.

11. <u>Inspections</u>

BellSouth may conduct an inspection of Network PTS's equipment and facilities in the Collocation Space(s) prior to the activation of facilities between Network PTS's equipment and equipment of BellSouth. BellSouth may conduct an inspection if Network PTS adds equipment and may otherwise conduct routine inspections at reasonable intervals mutually agreed upon by the Parties. BellSouth shall provide Network PTS with a minimum of forty-eight (48) hours or two (2) business days, whichever is greater, advance notice of all such inspections. All costs of such inspection shall be borne by BellSouth.

12. Security and Safety Requirements

- Unless otherwise specified, Network PTS will be required, at its own expense, to conduct a statewide investigation of criminal history records for each Network PTS employee hired in the past five years being considered for work on the "BellSouth Premises", for the states/counties where the Network PTS employee has worked and lived for the past five years. Where state law does not permit statewide collection or reporting, an investigation of the applicable counties is acceptable. Network PTS shall not be required to perform this investigation if an affiliated company of Network PTS has performed an investigation of the Network PTS employee seeking access, if such investigation meets the criteria set forth above. This requirement will not apply if Network PTS has performed a pre-employment statewide investigation of criminal history records of the Network PTS employee for the states/counties where the Network PTS employee has worked and lived for the past five years or, where state law does not permit a statewide investigation, an investigation of the applicable counties.
- 12.2 Network PTS will be required to administer to its personnel assigned to the "BellSouth Premises" security training either provided by BellSouth, or meeting criteria defined by BellSouth.
- Network PTS shall provide its employees and agents with picture identification, which must be worn and visible at all times while in the Collocation Space or other areas in or around the "BellSouth Premises". The photo identification card shall bear, at a minimum, the employee's name and photo and Network PTS's name. BellSouth reserves the right to remove from a "BellSouth Premises" any employee of Network PTS not possessing identification issued by Network PTS or who has violated any of BellSouth's policies as outlined in the CLEC Security Training documents. Network PTS shall not hold BellSouth harmless for any damages resulting from such removal of its personnel from a "BellSouth Premises". Network PTS shall be solely responsible

for ensuring that any Guest(s) of Network PTS is in compliance with all subsections of this Section.

- Network PTS shall not assign to the "BellSouth Premises" any personnel with records of felony criminal convictions. Network PTS shall not assign to the "BellSouth Premises" any personnel with records of misdemeanor convictions, except for misdemeanor traffic violations, without advising BellSouth of the nature and gravity of the offense(s). BellSouth reserves the right to refuse building access to any Network PTS personnel who have been identified to have misdemeanor criminal convictions. Notwithstanding the foregoing, in the event that Network PTS chooses not to advise BellSouth of the nature and gravity of any misdemeanor conviction, Network PTS may, in the alternative, certify to BellSouth that it shall not assign to the "BellSouth Premises" any personnel with records of misdemeanor convictions (other than misdemeanor traffic violations).
- 12.4.1 Network PTS shall not knowingly assign to the "BellSouth Premises" any individual who was a former employee of BellSouth and whose employment with BellSouth was terminated for a criminal offense whether or not BellSouth sought prosecution of the individual for the criminal offense.
- 12.4.2 Network PTS shall not knowingly assign to the "BellSouth Premises" any individual who was a former supplier of BellSouth and whose access to a "BellSouth Premises" was revoked due to commission of a criminal offense whether or not BellSouth sought prosecution of the individual for the criminal offense.
- 12.5 For each Network PTS employee or agent hired by Network PTS within five years of being considered for work on the "BellSouth Premises", who requires access to a "BellSouth Premises" pursuant to this Attachment, Network PTS shall furnish BellSouth, prior to an employee or agent gaining such access, a certification that the aforementioned background check and security training were completed. The certification will contain a statement that no felony convictions were found and certify that the employee completed the security training. If the employee's criminal history includes misdemeanor convictions, Network PTS will disclose the nature of the convictions to BellSouth at that time. In the alternative, Network PTS may certify to BellSouth that it shall not assign to the "BellSouth Premises" any personnel with records of misdemeanor convictions other than misdemeanor traffic violations.
- 12.5.1 For all other Network PTS employees requiring access to a "BellSouth Premises" pursuant to this Attachment, Network PTS shall furnish BellSouth, prior to an employee gaining such access, a certification that the employee is not subject to the requirements of Section 12.5 above and that security training was completed by the employee.
- At BellSouth's request, Network PTS shall promptly remove from the "BellSouth Premises" any employee of Network PTS BellSouth does not wish to grant access to a "BellSouth Premises" 1) pursuant to any investigation conducted by BellSouth or 2) prior to the initiation of an investigation if an employee of Network PTS is found

interfering with the property or personnel of BellSouth or another collocated telecommunications carrier, provided that an investigation shall promptly be commenced by BellSouth.

- 12.7 Security Violations. BellSouth reserves the right to interview Network PTS's employees, agents, or suppliers in the event of wrongdoing in or around BellSouth's property or involving BellSouth's or another collocated telecommunications carrier's property or personnel, provided that BellSouth shall provide reasonable notice to Network PTS's Security representative of such interview. Network PTS and its suppliers shall reasonably cooperate with BellSouth's investigation into allegations of wrongdoing or criminal conduct committed by, witnessed by, or involving Network PTS's employees, agents, or suppliers. Additionally, BellSouth reserves the right to bill Network PTS for all reasonable costs associated with investigations involving its employees, agents, or suppliers if it is established and mutually agreed in good faith that Network PTS's employees, agents, or suppliers are responsible for the alleged act. BellSouth shall bill Network PTS for BellSouth property, which is stolen or damaged where an investigation determines the culpability of Network PTS's employees. agents, or suppliers and where Network PTS agrees, in good faith, with the results of such investigation. Network PTS shall notify BellSouth in writing immediately in the event that Network PTS discovers one of its employees already working on the "BellSouth Premises" is a possible security risk. Upon request of the other Party, the Party who is the employer shall discipline consistent with its employment practices, up to and including removal from BellSouth's Premises, any employee found to have violated the security and safety requirements of this Section. Network PTS shall not hold BellSouth harmless for any damages resulting from such removal of its personnel from a "BellSouth Premises".
- 12.8 <u>Use of Supplies</u>. Unauthorized use of equipment, supplies or other property by either Party, whether or not used routinely to provide telephone service will be strictly prohibited and handled appropriately. Costs associated with such unauthorized use may be charged to the offending Party, as may be all associated investigative costs.
- 12.9 <u>Use of Official Lines</u>. Except for non-toll calls necessary in the performance of their work, neither Party shall use the telephones of the other Party on BellSouth's Premises. Charges for unauthorized telephone calls may be charged to the offending Party, as may be all associated investigative costs.
- 12.10 <u>Accountability</u>. Full compliance with the Security requirements of this Section shall in no way limit the accountability of either Party to the other for the improper actions of its employees.

13. Destruction of Collocation Space

13.1 In the event a Collocation Space is wholly or partially damaged by fire, windstorm, tornado, flood or by similar causes to such an extent as to be rendered wholly unsuitable for Network PTS's permitted use hereunder, then either Party may elect

within ten (10) calendar days after such damage, to terminate occupancy of the damaged Collocation Space, and if either Party shall so elect, by giving the other written notice of termination, both Parties shall stand released of and from further liability under the terms hereof. If the Collocation Space shall suffer only minor damage and shall not be rendered wholly unsuitable for Network PTS's permitted use, or is damaged and the option to terminate is not exercised by either Party, BellSouth covenants and agrees to proceed promptly without expense to Network PTS, except for improvements not to the property of BellSouth, to repair the damage. BellSouth shall have a reasonable time within which to rebuild or make any repairs, and such rebuilding and repairing shall be subject to delays caused by storms, shortages of labor and materials, government regulations, strikes, walkouts, and causes beyond the control of BellSouth, which causes shall not be construed as limiting factors, but as exemplary only. Network PTS may, at its own expense, accelerate the rebuild of its collocated space and equipment provided however that a BellSouth Certified Supplier is used and the necessary space preparation has been completed. If Network PTS's acceleration of the project increases the cost of the project, then those additional charges will be incurred by Network PTS. Where allowed and where practical, Network PTS may erect a temporary facility while BellSouth rebuilds or makes repairs. In all cases where the Collocation Space shall be rebuilt or repaired, Network PTS shall be entitled to an equitable abatement of rent and other charges, depending upon the unsuitability of the Collocation Space for Network PTS's permitted use, until such Collocation Space is fully repaired and restored and Network PTS's equipment installed therein (but in no event later than thirty (30) calendar days after the Collocation Space is fully repaired and restored). Where Network PTS has placed an Adjacent Arrangement pursuant to Section 3.4. Network PTS shall have the sole responsibility to repair or replace said Adjacent Arrangement provided herein. Pursuant to this Section, BellSouth will restore the associated services to the Adjacent Arrangement.

14. Eminent Domain

14.1 If the whole of a Collocation Space or Adjacent Arrangement shall be taken by any public authority under the power of eminent domain, then this Attachment shall terminate with respect to such Collocation Space or Adjacent Arrangement as of the day possession shall be taken by such public authority and rent and other charges for the Collocation Space or Adjacent Arrangement shall be paid up to that day with proportionate refund by BellSouth of such rent and charges as may have been paid in advance for a period subsequent to the date of the taking. If any part of the Collocation Space or Adjacent Arrangement shall be taken under eminent domain, BellSouth and Network PTS shall each have the right to terminate this Attachment with respect to such Collocation Space or Adjacent Arrangement and declare the same null and void, by written notice of such intention to the other Party within ten (10) calendar days after such taking.

15. <u>Nonexclusivity</u>

Network PTS understands that this Attachment is not exclusive and that BellSouth may enter into similar agreements with other Parties. Assignment of space pursuant to all such agreements shall be determined by space availability and made on a first come, first served basis

ENVIRONMENTAL AND SAFETY PRINCIPLES

The following principles provide basic guidance on environmental and safety issues when applying for and establishing Physical Collocation arrangements.

1. GENERAL PRINCIPLES

- 1.1 Compliance with Applicable Law. BellSouth and Network PTS agree to comply with applicable federal, state, and local environmental and safety laws and regulations including U.S. Environmental Protection Agency (USEPA) regulations issued under the Clean Air Act (CAA), Clean Water Act (CWA), Resource Conservation and Recovery Act (RCRA), Comprehensive Environmental Response, Compensation and Liability Act (CERCLA), Superfund Amendments and Reauthorization Act (SARA), the Toxic Substances Control Act (TSCA), and OSHA regulations issued under the Occupational Safety and Health Act of 1970, as amended and NFPA and National Electrical Codes (NEC) and the NESC (Applicable Laws). Each Party shall notify the other if compliance inspections are conducted by regulatory agencies and/or citations are issued that relate to any aspect of this Attachment.
- Notice. BellSouth and Network PTS shall provide notice to the other, including Material Safety Data Sheets (MSDSs), of known and recognized physical hazards or Hazardous Chemicals existing on site or brought on site. A Hazardous Chemical inventory list is posted on an OSHA Poster and updated annually at each Central Office. This Poster is normally located near the front entrance of the building or in the lounge area. Each Party is required to provide specific notice for known potential Imminent Danger conditions. Network PTS should contact 1-800-743-6737 for any BellSouth MSDS required.
- 1.3 Practices/Procedures. BellSouth may make available additional environmental control procedures for Network PTS to follow when working at a "BellSouth Premises" (See Section 2, below). These practices/procedures will represent the regular work practices required to be followed by the employees and suppliers of BellSouth for environmental protection. Network PTS will require its suppliers, agents and others accessing the "BellSouth Premises" to comply with these practices. Section 2 lists the Environmental categories where BST practices should be followed by Network PTS when operating in the "BellSouth Premises".
- 1.4 <u>Environmental and Safety Inspections</u>. BellSouth reserves the right to inspect the Network PTS space with proper notification. BellSouth reserves the right to stop any Network PTS work operation that imposes Imminent Danger to the environment, employees or other persons in the area on BellSouth's Premises.
- 1.5 <u>Hazardous Materials Brought On Site</u>. Any hazardous materials brought into, used, stored or abandoned at the "BellSouth Premises" by Network PTS are owned by Network PTS. Network PTS will indemnify BellSouth for claims, lawsuits or damages to persons or property caused by these materials. Without prior written BellSouth approval, no substantial new safety or environmental hazards can be created by Network PTS or different hazardous materials used by Network PTS at a "BellSouth Premises". Network PTS must demonstrate adequate emergency response capabilities for its materials used or remaining at the "BellSouth Premises".

- 1.6 <u>Spills and Releases</u>. When contamination is discovered at a "BellSouth Premises", either Party discovering the condition must notify the other Party. All Spills or Releases of regulated materials will immediately be reported by Network PTS to BellSouth.
- Coordinated Environmental Plans and Permits. BellSouth and Network PTS will coordinate plans, permits or information required to be submitted to government agencies, such as emergency response plans, spill prevention control and countermeasures (SPCC) plans and community reporting. If fees are associated with filing, BellSouth and Network PTS will develop a cost sharing procedure. If BellSouth's permit or EPA identification number must be used, Network PTS must comply with all of BellSouth's permit conditions and environmental processes, including environmental "best management practices (BMP)" (see Section 2, below) and/or selection of BST disposition vendors and disposal sites.
- Environmental and Safety Indemnification. BellSouth and Network PTS shall indemnify, defend and hold harmless the other Party from and against any claims (including, without limitation, third-party claims for personal injury or death or real or personal property damage), judgments, damages (including direct and indirect damages and punitive damages), penalties, fines, forfeitures, costs, liabilities, interest and losses arising in connection with the violation or alleged violation of any Applicable Law or contractual obligation or the presence or alleged presence of contamination arising out of the acts or omissions of the indemnifying Party, its agents, suppliers, or employees concerning its operations at the "BellSouth Premises".

2. CATEGORIES FOR CONSIDERATION OF ENVIRONMENTAL ISSUES

- When performing functions that fall under the following Environmental categories on BellSouth's Premises, Network PTS agrees to comply with the applicable sections of the current issue of BellSouth's Environmental and Safety Methods and Procedures (M&Ps), incorporated herein by this reference. Network PTS further agrees to cooperate with BellSouth to ensure that Network PTS's employees, agents, and/or suppliers are knowledgeable of and satisfy those provisions of BellSouth's Environmental M&Ps which apply to the specific Environmental function being performed by Network PTS, its employees, agents and/or suppliers.
- 2.2 The most current version of the reference documentation must be requested from Network PTS's BellSouth Regional Contract Manager (RCM) (f/k/a Account Team Collocation Coordinator ATCC).

ENVIRONMENTAL CATEGORIES	ENVIRONMENTAL ISSUES	ADDRESSED BY THE FOLLOWING DOCUMENTATION
Disposal of hazardous material or other regulated	Compliance with all applicable local, state, & federal laws and	Std T&C 450

material	regulations	Fact Sheet Series 17000
(e.g., batteries, fluorescent tubes, solvents & cleaning materials)	Pollution liability insurance EVET approval of supplier	Std T&C 660-3 Approved Environmental Vendor List (Contact RCM Representative)
Emergency response	Hazmat/waste release/spill fire safety emergency	Fact Sheet Series 17000 Building Emergency Operations Plan (EOP) (specific to and located on BellSouth's Premises)
Contract labor/outsourcing for services with environmental implications to be performed on	Compliance with all applicable local, state, & federal laws and regulations	Std T&C 450 Std T&C 450-B
"BellSouth Premises" (e.g., disposition of hazardous material/waste; maintenance of storage	Performance of services in accordance with BST's environmental M&Ps	(Contact RCM Representative for copy of appropriate E/S M&Ps.)
tanks)	Insurance	Std T&C 660
Transportation of hazardous material	Compliance with all applicable local, state, & federal laws and regulations	Std T&C 450 Fact Sheet Series 17000
	Pollution liability insurance	Std T&C 660-3
	EVET approval of supplier	Approved Environmental Vendor List (Contact RCM Representative)
Maintenance/operations work which may produce a waste	Compliance with all applicable local, state, & federal laws and regulations	Std T&C 450
Other maintenance work	Protection of BST employees and equipment	29CFR 1910.147 (OSHA Standard) 29CFR 1910 Subpart O (OSHA Standard)
Janitorial services	All waste removal and disposal must conform to all applicable federal, state and local	Procurement Manager (CRES Related Matters)-BST Supply

	regulations	Chain Services
	All Hazardous Material and Waste	Fact Sheet Series 17000
	Asbestos notification and protection of employees and equipment	GU-BTEN-001BT, Chapter 3 BSP 010-170-001BS (Hazcom)
Manhole cleaning	Compliance with all applicable local, state, & federal laws and regulations	Std T&C 450 Fact Sheet 14050 BSP 620-145-011PR Issue A, August 1996
	Pollution liability insurance	Std T&C 660-3
	EVET approval of supplier	Approved Environmental Vendor List (Contact RCM Representative)
Removing or disturbing building materials that may contain asbestos	Asbestos work practices	GU-BTEN-001BT, Chapter 3 For questions regarding removing or disturbing materials that contain asbestos, call the BellSouth Building Service Center: AL, MS, TN, KY & LA (local area code) 557-6194 FL, GA, NC & SC (local area code) 780-2740

3. **DEFINITIONS**

<u>Generator</u>. Under RCRA, the person whose act produces a Hazardous Waste, as defined in 40 CFR 261, or whose act first causes a Hazardous Waste to become subject to regulation. The Generator is legally responsible for the proper management and disposal of Hazardous Wastes in accordance with regulations.

<u>Hazardous Chemical</u>. As defined in the U.S. Occupational Safety and Health (OSHA) hazard communication standard (29 CFR 1910.1200), any chemical which is a health hazard or physical hazard.

Hazardous Waste. As defined in Section 1004 of RCRA.

<u>Imminent Danger</u>. Any conditions or practices at a "BellSouth Premises" which are such that a danger exists which could reasonably be expected to cause immediate death or serious harm to people or immediate significant damage to the environment or natural resources.

4. ACRONYMS

<u>RCM</u> – Regional Collocation Manager (f/k/a Account Team Collocation Coordinator)

<u>BST</u> – BellSouth Telecommunications

<u>CRES</u> – Corporate Real Estate and Services (formerly PS&M)

<u>DEC/LDEC</u> - Department Environmental Coordinator/Local Department Environmental Coordinator

<u>E/S</u> – Environmental/Safety

EVET - Environmental Vendor Evaluation Team

<u>GU-BTEN-001BT</u> - BellSouth Environmental Methods and Procedures

NESC - National Electrical Safety Codes

<u>P&SM</u> - Property & Services Management

Std T&C - Standard Terms & Conditions

Attachment 4

Remote Site Physical Collocation

BELLSOUTH

REMOTE SITE PHYSICAL COLLOCATION

1. Scope of Attachment

- 1.1 <u>Scope of Attachment.</u> The rates, terms, and conditions contained within this Attachment shall only apply when Network PTS is occupying the collocation space as a sole occupant or as a Host within a Remote Site Location ("Remote Collocation Space") pursuant to this Attachment.
- 1.2 Right to occupy. BellSouth shall offer to Network PTS Remote Collocation Space on rates, terms, and conditions that are just, reasonable, non-discriminatory and consistent with the rules of the Federal Communications Commission ("FCC"). Subject to the rates, terms, and conditions of this Attachment, where space is available and collocation is technically feasible, BellSouth will allow Network PTS to occupy that certain area designated by BellSouth within a BellSouth Remote Site Location, or on BellSouth property upon which the BellSouth Remote Site Location is located, of a size, which is specified by Network PTS and agreed to by BellSouth. BellSouth Remote Site Locations include cabinets, huts, and controlled environmental vaults owned or leased by BellSouth that house BellSouth Network Facilities. To the extent this Attachment does not include all the necessary rates, terms and conditions for BellSouth Remote Site Locations other than cabinets, huts and controlled environmental vaults, the Parties will negotiate said rates, terms, and conditions upon request for collocation at BellSouth Remote Site Locations other than those specified above.

1.3 Space Reservation.

- 1.3.1 In all states other than Florida, the number of racks/bays specified by Network PTS may contemplate a request for space sufficient to accommodate Network PTS's growth within a two-year period.
- 1.3.2 In the state of Florida, the number of racks/bays specified by Network PTS may contemplate a request for space sufficient to accommodate Network PTS's growth within an eighteen (18) month period.
- 1.3.3 Neither BellSouth nor any of BellSouth's affiliates may reserve space for future use on more preferential terms than those set forth above.
- 1.4 <u>Third Party Property.</u> If the Premises, or the property on which it is located, is leased by BellSouth from a Third Party or otherwise controlled by a Third Party, special

considerations and intervals may apply in addition to the terms and conditions of this Attachment. Additionally, where BellSouth notifies Network PTS that BellSouth's agreement with a Third Party does not grant BellSouth the ability to provide access and use rights to others, upon Network PTS's request, BellSouth will use its best efforts to obtain the owner's consent and to otherwise secure such rights for Network PTS. Network PTS agrees to reimburse BellSouth for the reasonable and demonstrable costs incurred by BellSouth in obtaining such rights for Network PTS. In cases where a Third Party agreement does not grant BellSouth the right to provide access and use rights to others as contemplated by this Attachment and BellSouth, despite its best efforts, is unable to secure such access and use rights for Network PTS as above, Network PTS shall be responsible for obtaining such permission to access and use such property. BellSouth shall cooperate with Network PTS in obtaining such permission.

- 1.5 <u>Space Reclamation</u>. In the event of space exhaust within a Remote Site Location, BellSouth may include in its documentation for the Petition for Waiver filing any unutilized space in the Remote Site Location. Network PTS will be responsible for any justification of unutilized space within its Remote Collocation Space, if the Commission requires such justification.
- 1.6 <u>Use of Space.</u> Network PTS shall use the Remote Collocation Space for the purposes of installing, maintaining and operating Network PTS's equipment (to include testing and monitoring equipment) necessary for interconnection with BellSouth services and facilities or for accessing BellSouth unbundled network elements (UNEs) for the provision of telecommunications services, as specifically set forth in this Agreement. The Remote Collocation Space may be used for no other purposes except as specifically described herein or in any amendment hereto.
- 1.7 <u>Rates and charges</u>. Network PTS agrees to pay the rates and charges identified in Exhibit B attached hereto.
- 1.8 If any due date contained in this Attachment falls on a weekend or National holiday, then the due date will be the next business day thereafter. For intervals of ten (10) calendar days or less National holidays will be excluded.
- 1.9 The Parties agree to comply with all applicable federal, state, county, local and administrative laws, rules, ordinances, regulations and codes in the performance of their obligations hereunder.

2. <u>Space Availability Report</u>

2.1 <u>Space Availability Report</u>. Upon request from Network PTS, BellSouth will provide a written report ("Space Availability Report"), describing in detail the space that is available for collocation and specifying the amount of Remote Collocation Space available at the Remote Site Location requested, the number of collocators present at

the Remote Site Location, any modifications in the use of the space since the last report on the Remote Site Location requested and the measures BellSouth is taking to make additional space available for collocation arrangements. A Space Availability Report does not reserve space at the Remote Site Location.

- 2.1.1 The request from Network PTS for a Space Availability Report must be written and must include the Common Language Location Identification ("CLLI") code for both the Remote Site Location and the serving wire center. The CLLI code information for the serving wire center is located in the National Exchange Carrier Association (NECA) Tariff FCC No. 4. If Network PTS is unable to obtain the CLLI code for the Remote Site Location from, for example, a site visit to the remote site, Network PTS may request the CLLI code from BellSouth. To obtain a CLLI code for a Remote Site Location directly from BellSouth, Network PTS should submit to BellSouth a Remote Site Interconnection Request for the serving wire center CLLI code prior to submitting its request for a Space Availability Report. Network PTS should complete all the requested information and submit the Request to BellSouth. BellSouth will bill the applicable fee upon receipt of the request.
- 2.1.2 BellSouth will respond to a request for a Space Availability Report for a particular Remote Site Location within ten (10) calendar days of receipt of such request. BellSouth will make best efforts to respond in ten (10) calendar days to such a request when the request includes from two (2) to five (5) Remote Site Locations within the same state. The response time for requests of more than five (5) Remote Site Locations shall be negotiated between the Parties. If BellSouth cannot meet the ten (10) calendar day response time, BellSouth shall notify Network PTS and inform Network PTS of the time frame under which it can respond.
- 2.2 <u>Remote Terminal information.</u> Upon request, BellSouth will provide Network PTS with the following information concerning BellSouth's remote terminals: (i) the address of the remote terminal; (ii) the CLLI code of the remote terminal; (iii) the carrier serving area of the remote terminal; (iv) the designation of which remote terminals subtend a particular central office; and (v) the number and address of customers that are served by a particular remote terminal.
- 2.2.1 BellSouth will provide this information on a first come, first served basis within thirty (30) calendar days of a Network PTS request subject to the following conditions: (i) the information will only be provided on a CD in the same format in which it appears in BellSouth's systems; (ii) the information will only be provided for each serving wire center designated by Network PTS, up to a maximum of thirty (30) wire centers per Network PTS request per month per state, and up to for a maximum of one hundred twenty (120) wire centers total per month per state for all CLECs; and (iii) Network PTS agrees to pay the costs incurred by BellSouth in providing the information.

3. <u>Collocation Options</u>

- 3.1 Cageless. BellSouth shall allow Network PTS to collocate Network PTS's equipment and facilities without requiring the construction of a cage or similar structure. BellSouth shall allow Network PTS to have direct access to Network PTS's equipment and facilities in accordance with Section 5.8. BellSouth shall make cageless collocation available in single rack/bay increments. Except where Network PTS's equipment requires special technical considerations (e.g., special cable racking or isolated ground plane), BellSouth shall assign cageless Remote Collocation Space in conventional equipment rack lineups where feasible. For equipment requiring special technical considerations, Network PTS must provide the equipment layout, including spatial dimensions for such equipment pursuant to generic requirements contained in Telcordia GR-63-Core, and shall be responsible for compliance with all special technical requirements associated with such equipment pursuant to Section 7.6 following.
- Caged. At Network PTS's expense, Network PTS may arrange with a Supplier 3.2 certified by BellSouth ("BellSouth Certified Supplier") to construct a collocation arrangement enclosure, where technically feasible as that term has been defined by the FCC, in accordance with BellSouth's Technical References (TR) ("Specifications") prior to starting equipment installation. BellSouth will provide Specifications upon request. Network PTS's BellSouth Certified Supplier shall be responsible for filing and receiving any and all necessary permits and/or licenses for such construction. BellSouth shall cooperate with Network PTS and provide, at Network PTS's expense, the documentation, including existing building architectural drawings, enclosure drawings, and Specifications required and necessary for Network PTS's BellSouth Certified Supplier to obtain the zoning, permits and/or other licenses. Network PTS's BellSouth Certified Supplier shall bill Network PTS directly for all work performed for Network PTS pursuant to this Attachment and BellSouth shall have no liability for nor responsibility to pay such charges imposed by Network PTS's BellSouth Certified Supplier. Network PTS must provide the local BellSouth Remote Site Location contact with two Access Keys used to enter the locked enclosure. Except in case of emergency, BellSouth will not access Network PTS's locked enclosure prior to notifying Network PTS at least forty-eight (48) hours before access to the Remote Site Location is required. Upon request, BellSouth shall construct the enclosure for Network PTS.
- 3.2.1 BellSouth may elect to review Network PTS's plans and specifications prior to allowing construction to start to ensure compliance with BellSouth's Specifications. Notification to Network PTS indicating BellSouth's desire to execute this review will be provided in BellSouth's response to the Application, if Network PTS has indicated their desire to construct their own enclosure. If Network PTS's Application does not indicate their desire to construct their own enclosure, but their firm order does indicate their desire to construct their own enclosure, then notification to review will be given within ten (10) calendar days after the Firm Order date. BellSouth shall complete its

review within fifteen (15) calendar days after the receipt of the plans and specifications. Regardless of whether or not BellSouth elects to review Network PTS's plans and specifications, BellSouth reserves the right to inspect the enclosure after construction to make sure it is constructed according to the submitted plans and specifications and/or BellSouth's Specifications, as applicable. BellSouth shall require Network PTS to remove or correct within seven (7) calendar days at Network PTS's expense any structure that does not meet these plans and specifications or, where applicable, BellSouth's Specifications.

- 3.3 Shared Collocation. Network PTS may allow other telecommunications carriers to share Network PTS's Remote Collocation Space pursuant to terms and conditions agreed to by Network PTS ("Host") and other telecommunications carriers ("Guests") and pursuant to this Section, except where the BellSouth Remote Site Location is located within a leased space and BellSouth is prohibited by said lease from offering such an option or is located on property for which BellSouth holds an easement and such easement does not permit such an option. Network PTS shall notify BellSouth in writing upon execution of any agreement between the Host and its Guest within ten (10) calendar days of its execution and prior to any Firm Order. Further, such notice shall include the name of the Guest(s) and the term of the agreement, and shall contain a certification by Network PTS that said agreement imposes upon the Guest(s) the same terms and conditions for Remote Collocation Space as set forth in this Attachment between BellSouth and Network PTS.
- 3.3.1 Network PTS, as the Host, shall be the sole interface and responsible Party to BellSouth for assessment of rates and charges contained within this Attachment and for the purposes of ensuring that the safety and security requirements of this Attachment are fully complied with by the Guest, its employees and agents. BellSouth shall provide Network PTS with a proration of the costs of the Remote Collocation Space based on the number of collocators and the space used by each with a minimum charge of one (1) bay/rack per Host/Guest. In those instances where the Host permits a Guest to use a shelf within the Host's bay, BellSouth will not prorate the cost of the bay. In all states other than Florida, and in addition to the foregoing, Network PTS shall be the responsible party to BellSouth for the purpose of submitting applications for bay/rack placement for the Guest. In Florida the Guest may directly submit bay/rack placement applications using the Host's access carrier name abbreviation (ACNA). A separate Guest application shall require the assessment of an Application Fee, as set forth in Exhibit B, which will be charged to the Host. BellSouth shall bill this nonrecurring fee on the date that BellSouth provides it written response ("Application Response").
- 3.3.2 Notwithstanding the foregoing, the Guest may arrange directly with BellSouth for the provision of the interconnecting facilities between BellSouth and the Guest and for the provision of the services and access to unbundled network elements. The bill for these interconnecting facilities, services and access to UNEs will be charged to the Guest

pursuant to the applicable tariff or the Guest's Interconnection Agreement with BellSouth.

- 3.3.3 Network PTS shall indemnify and hold harmless BellSouth from any and all claims, actions, causes of action, of whatever kind or nature arising out of the presence of Network PTS's Guest(s) in the Remote Collocation Space except to the extent caused by BellSouth's sole negligence, gross negligence, or willful misconduct.
- Adjacent Collocation. Subject to technical feasibility and space availability, BellSouth will permit adjacent Remote Site collocation arrangements ("Remote Site Adjacent Arrangement") on the property on which the Remote Site is located when space within the Remote Site Location is legitimately exhausted, where the Remote Site Adjacent Arrangement does not interfere with access to existing or planned structures or facilities on the Remote Site Location property. The Remote Site Adjacent Arrangement shall be constructed or procured by Network PTS and in conformance with BellSouth's design and construction Specifications. Further, Network PTS shall construct, procure, maintain and operate said Remote Site Adjacent Arrangement(s) pursuant to all of the terms and conditions set forth in this Attachment. Rates shall be negotiated at the time of the application for the Remote Site Adjacent Arrangement.
- 3.4.1 Should Network PTS elect Adjacent Collocation, Network PTS must arrange with a BellSouth Certified Supplier to construct a Remote Site Adjacent Arrangement structure in accordance with BellSouth's Specifications. Where local building codes require enclosure specifications more stringent than BellSouth's Specifications, Network PTS and Network PTS's BellSouth Certified Supplier must comply with local building code requirements. Network PTS's BellSouth Certified Supplier shall be responsible for filing and receiving any and all necessary zoning, permits and/or licenses for such construction. Network PTS's BellSouth Certified Supplier shall bill Network PTS directly for all work performed for Network PTS pursuant to this Attachment and BellSouth shall have no liability for nor responsibility to pay such charges imposed by Network PTS's BellSouth Certified Supplier. Network PTS must provide the local BellSouth Remote Site Location contact with two cards, keys or other access device used to enter the locked enclosure. Except in cases of emergency, BellSouth shall not access Network PTS's locked enclosure prior to notifying Network PTS at least forty-eight (48) hours or two (2) business days, whichever is greater, before access to the locked enclosure is required.
- 3.4.2 Network PTS must submit its plans and specifications to BellSouth with its Firm Order. BellSouth shall review Network PTS's plans and specifications prior to construction of a Remote Site Adjacent Arrangement(s) to ensure compliance with BellSouth's Specifications. BellSouth shall complete its review within fifteen (15) calendar days after receipt of plans and specifications. BellSouth may inspect the Remote Site Adjacent Arrangement(s) during and after construction to confirm it is constructed according to the submitted plans and specifications. BellSouth shall require Network PTS to remove or correct within seven (7) calendar days at Network

PTS's expense any structure that does not meet these plans and specifications or, where applicable, BellSouth's Specifications.

- 3.4.3 Network PTS shall provide a concrete pad, the structure housing the arrangement, heating/ventilation/air conditioning ("HVAC"), lighting, and all facilities that connect the structure (i.e. racking, conduits, etc.) to the BellSouth point of demarcation. At Network PTS's option, and where the local authority having jurisdiction permits, BellSouth shall provide an AC power source and access to physical collocation services and facilities subject to the same nondiscriminatory requirements as applicable to any other physical collocation arrangement. In Alabama and Louisiana, BellSouth will provide DC power to Adjacent Collocation sites where technically feasible, as that term has been defined by the FCC, and subject to individual case basis pricing. Network PTS's BellSouth Certified Supplier shall be responsible, at Network PTS's expense, for filing and receiving any and all necessary zoning, permits and/or licenses for such arrangement. BellSouth shall allow Shared Collocation within a Remote Site Adjacent Arrangement pursuant to the terms and conditions set forth herein.
- 3.5 Co-carrier cross-connect (CCXC). The primary purpose of collocation is for a collocated telecommunications carrier to interconnect with BellSouth's network or to access BellSouth's unbundled network elements for the provision of telecommunications services within a BellSouth Premises. BellSouth will permit Network PTS to interconnect between its virtual or physical collocation arrangements and those of another collocated telecommunications carrier within the same Remote Site Location. Both Network PTS's agreement and the other collocated telecommunications carrier's agreement must contain rates, terms and conditions for CCXC language. At no point in time shall Network PTS use the Remote Collocation Space for the sole or primary purpose of cross connecting to other collocated telecommunications carriers.
- 3.5.1 Network PTS must use a BellSouth Certified Supplier to place the CCXC. The CCXC shall be provisioned through facilities owned by Network PTS. Such connections to other collocated telecommunications carriers may be made using either optical or electrical facilities. In cases where Network PTS's equipment and the equipment of the other collocated telecommunications carrier are located in contiguous caged Collocation Spaces, Network PTS will have the option of using Network PTS's own technicians to deploy co-carrier cross connects using either electrical or optical facilities between the sets of equipment and construct its own dedicated cable support structure. Network PTS shall deploy such optical or electrical connections directly between its own facilities and the facilities of other collocated telecommunications carriers without being routed through BellSouth equipment. Network PTS shall not provision CCXC on any BellSouth distribution frame, POT (Point of Termination) Bay, DSX (Digital System Cross-connect) or LGX (Light Guide Cross-connect). Network PTS is responsible for ensuring the integrity of the signal.

- 3.5.2 Network PTS shall be responsible for providing a letter of authorization ("LOA") to BellSouth from the other collocated telecommunications carrier prior to installing the CCXC. Network PTS-provisioned CCXC shall utilize common cable support structure. There will be a recurring charge per linear foot, per cable, of common cable support structure used. In the case of two contiguous caged collocation arrangements, Network PTS will have the option of using Network PTS's own technicians to construct its own dedicated support structure.
- 3.5.3 To order CCXCs, Network PTS must submit an Application. If no modification to the Remote Collocation Space is requested other than the placement of CCXCs, the Subsequent Application Fee for CCXCs, as defined in Exhibit B, will apply. If modifications in addition to the placement of CCXCs are requested, the Application Fee will apply. This nonrecurring fee will be billed by BellSouth on the date that BellSouth provides an Application Response.

4. <u>Occupancy</u>

- 4.1 Occupancy. BellSouth will notify Network PTS in writing that the Remote Collocation Space is ready for occupancy ("Space Ready Date"). Network PTS will schedule and complete an acceptance walkthrough of each Remote Collocation Space with BellSouth within fifteen (15) calendar days of BellSouth's notifying Network PTS that Remote Collocation Space is ready for occupancy ("Space Ready Date"). BellSouth will correct any deviations to Network PTS's original or jointly amended requirements within seven (7) calendar days after the walkthrough, unless the Parties jointly agree upon a different time frame, and BellSouth shall establish a new Space Ready Date. Another acceptance walkthrough will then be scheduled and conducted within fifteen (15) calendar days of the new Space Ready Date. This follow-up acceptance walkthrough will be limited to those items identified in the initial walkthrough. If Network PTS has met the fifteen (15) calendar day interval(s), billing will begin upon the date of Network PTS's acceptance of the Collocation Space ("Space Acceptance Date"). In the event that Network PTS fails to complete an acceptance walkthrough within this fifteen (15) calendar day interval, the Remote Collocation Space shall be deemed accepted by Network PTS on the Space Ready Date and billing will commence from that date. If Network PTS decides to occupy the space prior to the Space Ready Date, the date Network PTS occupies the space becomes the new Space Acceptance Date and billing begins from that date. Network PTS must notify BellSouth in writing that collocation equipment installation is complete and is operational with BellSouth's network. BellSouth may, at its option, not accept orders for cross connects until receipt of such notice. For purposes of this paragraph, Network PTS's telecommunications equipment will be deemed operational when cross-connected to BellSouth's network for the purpose of service provision.
- 4.2 <u>Termination of Occupancy</u>. In addition to any other provisions addressing termination of occupancy in this Attachment, Network PTS may terminate occupancy in a particular Remote Collocation Space by submitting an Application requesting termination of occupancy; such termination shall be effective upon BellSouth's

acceptance of the Space Relinquishment Form. Billing for monthly recurring charges will cease on the date Network PTS and BellSouth conduct an inspection of the terminated space and jointly sign off on the Space Relinquishment Form or on the date that Network PTS signs off on the Space Relinquishment Form and sends the form to BellSouth if a subsequent inspection of the terminated space by BellSouth reveals no discrepancies. If the subsequent inspection by BellSouth reveals discrepancies, billing will cease on the date that BellSouth and Network PTS jointly conduct an inspection which confirms that Network PTS has corrected the discrepancies. An Application Fee will not apply for termination of occupancy. BellSouth may terminate Network PTS's right to occupy the Remote Collocation Space in the event Network PTS fails to comply with any provision of this Agreement.

4.2.1 Upon termination of occupancy, Network PTS at its expense shall remove its equipment and other property from the Remote Collocation Space. Network PTS shall have thirty (30) calendar days from the Bona Fide Firm Order ("BFFO") Application Date ("Termination Date") to complete such removal, including the removal of all equipment and facilities of Network PTS's Guest(s), unless Network PTS's Guest(s) has assumed responsibility for the Remote Collocation Space housing the Guest(s)'s equipment and executed the documentation required by BellSouth prior to such removal date. Network PTS shall continue payment of monthly fees to BellSouth until such date as Network PTS, and if applicable Network PTS's Guest(s), has fully vacated the Remote Collocation Space and the Space Relinquish Form has been accepted by BellSouth. Should Network PTS or Network PTS's Guest(s) fail to vacate the Remote Collocation Space within thirty (30) calendar days from the Termination Date, BellSouth shall have the right to remove the equipment and dispose of the equipment and other property of Network PTS or Network PTS's Guest(s), in any manner that BellSouth deems fit, at Network PTS's expense and with no liability whatsoever for Network PTS's or Network PTS's Guest(s)'s property. Upon termination of Network PTS's right to occupy Remote Collocation Space, the Remote Collocation Space will revert back to BellSouth, and Network PTS shall surrender such Remote Collocation Space to BellSouth in the same condition as when first occupied by the Network PTS except for ordinary wear and tear unless otherwise agreed to by the Parties. For CEVs and huts Network PTS's BellSouth Certified Supplier shall be responsible for updating and making any necessary changes to BellSouth's records as required by BellSouth's Specifications including but not limited to Record Drawings and ERMA Records. Network PTS shall be responsible for the cost of removing any Network PTS constructed enclosure, together with all support structures (e.g., racking, conduits, or power cables), at the termination of occupancy and restoring the grounds to their original condition.

5. Use of Remote Collocation Space

5.1 <u>Equipment Type</u>. BellSouth permits the collocation of any type of equipment necessary for interconnection to BellSouth's network or for access to BellSouth's unbundled network elements in the provision of telecommunications services, as the term "necessary" is defined by FCC 47 C.F.R. Section 51.323 (b). The primary

purpose and function of any equipment collocated in a Remote Collocation Space must be for interconnection to BellSouth's network or for access to BellSouth's unbundled network elements in the provision of telecommunications services.

- 5.1.1 Examples of equipment that would not be considered necessary include but are not limited to: traditional circuit switching equipment, equipment used exclusively for call-related databases, computer servers used exclusively for providing information services, operations support system (OSS) equipment used to support collocated telecommunications carrier network operations, equipment that generates customer orders, manages trouble tickets or inventory, or stores customer records in centralized databases, etc. BellSouth will determine upon receipt of an application if the requested equipment is necessary based on the criteria established by the FCC. Multifunctional equipment placed on BellSouth's Premises must not place any greater relative burden on BellSouth's property than comparable single-function equipment. BellSouth reserves the right to permit collocation of any equipment on a nondiscriminatory basis.
- 5.1.2 Such equipment must, at a minimum, meet the following Telcordia Network
 Equipment Building Systems (NEBS) General Equipment Requirements: Criteria
 Level 3 requirements as outlined in the Telcordia Special Report SR-3580, Issue 1.
 Except where otherwise required by a Commission, BellSouth shall comply with the
 applicable FCC rules relating to denial of collocation based on Network PTS's failure
 to comply with this Section.
- 5.1.2.1 All Network PTS equipment installation shall comply with BellSouth TR 73503-11h, "Grounding Engineering Procedures". Metallic cable sheaths and metallic strength members of optical fiber cables as well as the metallic cable sheaths of all copper conductor cables shall be bonded to the designated grounding bus for the Remote Site Location. All copper conductor pairs, working and non-working, shall be equipped with a solid-state protector unit (over-voltage protection only), which has been listed by a nationally recognized testing laboratory.
- Network PTS shall identify to BellSouth whenever Network PTS submits a Method of Procedure ("MOP") adding equipment to Network PTS's Remote Collocation Space all UCC-1 lien holders or other entities that have a financial interest, secured or otherwise, in the equipment in Network PTS's Remote Collocation Space. Network PTS shall submit a copy of the list of any lien holders or other entities that have a financial interest to Network PTS's ATCC Representative.
- 5.2 Network PTS shall not use the Remote Collocation Space for marketing purposes nor shall it place any identifying signs or markings in the area surrounding the Remote Collocation Space or on the grounds of the Remote Site Location.

- Network PTS shall place a plaque or other identification affixed to Network PTS's equipment to identify Network PTS's equipment, including a list of emergency contacts with telephone numbers.
- Entrance Facilities. Network PTS may elect to place Network PTS-owned or Network PTS-leased fiber entrance facilities into the Remote Collocation Space. BellSouth will designate the point of interconnection at the Remote Site Location housing the Remote Collocation Space, which is physically accessible by both Parties. Network PTS will provide and place copper cable through conduit from the Remote Collocation Space to the Feeder Distribution Interface to the splice location of sufficient length for splicing by BellSouth. Network PTS must contact BellSouth for instructions prior to placing the entrance facility cable. Network PTS is responsible for maintenance of the entrance facilities.
- Shared Use. Network PTS may utilize spare capacity on an existing interconnector entrance facility for the purpose of providing an entrance facility to Network PTS's collocation arrangement within the same BellSouth Remote Site Location. BellSouth shall allow splicing to the entrance facility, provided that the fiber is non-working fiber. Network PTS must arrange with BellSouth in accordance with BellSouth's Special Construction Procedures, RL93-11-030BT, and provide a LOA from the other telecommunications carrier for BellSouth to splice the Network PTS provided riser cable to the spare capacity on the entrance facility. If Network PTS desires to allow another telecommunications carrier to use its entrance facilities, then that telecommunications carrier must arrange with BellSouth in accordance with BellSouth's Special Construction Procedures, RL93-11-030BT, and provide a LOA from Network PTS for BellSouth to splice that telecommunications carrier's provided riser cable to the spare capacity on Network PTS's entrance facility.
- Demarcation Point. BellSouth will designate the point(s) of demarcation between Network PTS's equipment and/or network and BellSouth's network. Each Party will be responsible for maintenance and operation of all equipment/facilities on its side of the demarcation point. Network PTS or its agent must perform all required maintenance to Network PTS equipment/facilities on its side of the demarcation point, pursuant to Section 5.6, following.
- Network PTS's Equipment and Facilities. Network PTS, or if required by this Attachment, Network PTS's BellSouth Certified Supplier, is solely responsible for the design, engineering, installation, testing, provisioning, performance, monitoring, maintenance and repair of the equipment and facilities used by Network PTS which must be performed in compliance with all applicable BellSouth Specifications. Such equipment and facilities may include but are not limited to cable(s), equipment, and point of termination connections. Network PTS and its selected BellSouth Certified Supplier must follow and comply with all BellSouth requirements outlined in BellSouth's TR 73503, TR 73519, TR 73572, and TR 73564.

- 5.7 <u>BellSouth's Access to Remote Collocation Space</u>. From time to time BellSouth may require access to the Remote Collocation Space. BellSouth retains the right to access the Remote Collocation Space for the purpose of making BellSouth equipment and Remote Site Location modifications. Except in case of emergency, BellSouth will give notice to Network PTS at least forty-eight (48) hours before access to the Remote Collocation Space is required. Network PTS may elect to be present whenever BellSouth performs work in the Collocation Space. The Parties agree that Network PTS will not bear any of the expense associated with this work.
- 5.8 Access. Pursuant to Section 12, Network PTS shall have access to the Remote Collocation Space twenty-four (24) hours a day, seven (7) days a week. Network PTS agrees to provide the name and social security number or date of birth or driver's license number of each employee, supplier, or agents of Network PTS or Network PTS's Guests to be provided with access keys or cards ("Access Keys") prior to the issuance of said Access Keys using form RF-2906-C "CLEC and CLEC Certified Supplier Access Request and Acknowledgement". Key acknowledgement forms, "Collocation Acknowledgement Sheet" for access cards and "Key Acknowledgement Form" for keys, must be signed by Network PTS and returned to BellSouth Access Management within fifteen (15) calendar days of Network PTS's receipt. Failure to return properly acknowledged forms will result in the holding of subsequent requests until acknowledgements are current. Access Keys shall not be duplicated under any circumstances. Network PTS agrees to be responsible for all Access Keys and for the return of all said Access Keys in the possession of Network PTS's employees, suppliers, Guests, or agents after termination of the employment relationship, contractual obligation with Network PTS or upon the termination of this Attachment or the termination of occupancy of an individual Remote Collocation Space arrangement.
- 5.8.1 BellSouth will permit one accompanied site visit to Network PTS's designated collocation arrangement location after receipt of the BFFO without charge to Network PTS. Network PTS must submit to BellSouth the completed Access Control Request Form for all employees or agents requiring access to the BellSouth Remote Site Location a minimum of thirty (30) calendar days prior to the date Network PTS desires access to the Remote Collocation Space. In order to permit reasonable access during construction of the Remote Collocation Space, Network PTS may submit such a request at any time subsequent to BellSouth's receipt of the BFFO. In the event Network PTS desires access to the Remote Collocation Space after submitting such a request but prior to access being approved, in addition to the first accompanied free visit, BellSouth shall permit Network PTS to access the Remote Collocation Space accompanied by a security escort at Network PTS's expense. Network PTS must request escorted access at least three (3) business days prior to the date such access is desired.
- 5.9 <u>Lost or Stolen Access Keys</u>. Network PTS shall notify BellSouth in writing immediately in the case of lost or stolen Access Keys. Should it become necessary for

BellSouth to re-key Remote Site Locations or deactivate a card as a result of a lost Access Key(s) or for failure to return an Access Key(s), Network PTS shall pay for all reasonable costs associated with the re-keying or deactivating the card.

- 5.10 Interference or Impairment. Notwithstanding any other provisions of this Attachment, Network PTS shall not use any product or service provided under this Agreement, any other service related thereto or used in combination therewith, or place or use any equipment and facilities in any manner that 1) significantly degrades, interferes with or impairs service provided by BellSouth or by any other entity or any person's use of its telecommunications service; 2) endangers or damages the equipment, facilities or other property of BellSouth or of any other entity or person; 3) compromises the privacy of any communications; or 4)creates an unreasonable risk of injury or death to any individual or to the public. If BellSouth reasonably determines that any equipment or facilities of Network PTS violates the provisions of this paragraph, BellSouth shall give written notice to Network PTS, which notice shall direct Network PTS to cure the violation within forty-eight (48) hours of Network PTS's actual receipt of written notice or, at a minimum, to commence curative measures within 24 hours and to exercise reasonable diligence to complete such measures as soon as possible thereafter. After receipt of the notice, the Parties agree to consult immediately and, if necessary, to inspect the arrangement.
- 5.10.1 Except in the case of the deployment of an advanced service which significantly degrades the performance of other advanced services or traditional voice band services, if Network PTS fails to take curative action within forty-eight (48) hours or if the violation is of a character which poses an immediate and substantial threat of damage to property, injury or death to any person, or any other significant degradation, interference or impairment of BellSouth's or any other entity's service, then and only in that event BellSouth may take such action as it deems appropriate to correct the violation, including without limitation the interruption of electrical power to Network PTS's equipment. BellSouth will endeavor, but is not required, to provide notice to Network PTS prior to taking such action and shall have no liability to Network PTS for any damages arising from such action, except to the extent that such action by BellSouth constitutes willful misconduct.
- 5.10.2 For purposes of this section, the term significantly degrade shall mean an action that noticeably impairs a service from a user's perspective. In the case of the deployment of an advanced service which significantly degrades the performance of other advanced services or traditional voice band services and Network PTS fails to take curative action within forty-eight (48) hours then BellSouth will establish before the Commission that the technology deployment is causing the significant degradation. Any claims of network harm presented to Network PTS or, if subsequently necessary, the Commission must be supported with specific and verifiable information. Where BellSouth demonstrates that a deployed technology is significantly degrading the performance of other advanced services or traditional voice band services, Network PTS shall discontinue deployment of that technology and migrate its customers to

technologies that will not significantly degrade the performance of other such services. Where the only degraded service itself is a known disturber, and the newly deployed technology satisfies at least one of the criteria for a presumption that is acceptable for deployment under Section 47 C.F.R. 51.230, the degraded service shall not prevail against the newly-deployed technology.

- Personalty and its Removal. Facilities and equipment placed by Network PTS in the Remote Collocation Space shall not become a part of the Remote Site Location, even if nailed, screwed or otherwise fastened to the Remote Collocation Space but shall retain their status as personalty and may be removed by Network PTS at any time. Any damage caused to the Remote Collocation Space by Network PTS's employees, agents or representatives shall be promptly repaired by Network PTS at its expense.
- 5.11.1 If Network PTS decides to remove equipment from its Remote Collocation Space and the removal requires no physical changes, BellSouth will bill Network PTS an Administrative Only Application Fee as set forth in Exhibit B for these changes. This nonrecurring fee will be billed on the date that BellSouth provides an Application Response.
- Alterations. In no case shall Network PTS or any person acting on behalf of Network PTS make any rearrangement, modification, improvement, addition, or other alteration which could affect in any way space, power, HVAC, and/or safety considerations to the Remote Collocation Space or the BellSouth Remote Site Location without the written consent of BellSouth, which consent shall not be unreasonably withheld. The cost of any specialized alterations shall be paid by Network PTS. Any such material rearrangement, modification, improvement, addition, or other alteration shall require an application and Application Fee. BellSouth will bill the nonrecurring fee on the date that BellSouth provides an Application Response.
- 5.13 <u>Upkeep of Remote Collocation Space</u>. Network PTS shall be responsible for the general upkeep and cleaning of the Remote Collocation Space. Network PTS shall be responsible for removing any Network PTS debris from the Remote Collocation Space and from in and around the Remote Site Location on each visit.

6. Ordering and Preparation of Remote Collocation Space

- Should any state or federal regulatory agency impose procedures or intervals applicable to Network PTS and BellSouth that are different from procedures or intervals set forth in this Section, whether now in effect or that become effective after execution of this Agreement, those procedures or intervals shall supersede the requirements set forth herein for that jurisdiction for all applications submitted for the first time after the effective date thereof
- 6.2 <u>Remote Site Application</u>. When Network PTS or Network PTS's Guest(s) desires to install a bay/rack in a Remote Site Location, Network PTS shall submit to BellSouth a Physical Expanded Interconnection Application Document ("Application"). The

application is Bona Fide when it is complete and accurate, meaning that all required fields on the application are completed with the appropriate type of information. An application fee will apply which will be billed on the date that BellSouth provides an Application Response. The placement of an additional bay/rack at a later date will be treated in the same fashion and an application will be required. The installation of additional shelves/equipment, subject to the restrictions contained in Section 5.10, within an existing bay/rack does not require an application.

- Availability of Space. Upon submission of an application, BellSouth will permit Network PTS to physically collocate, pursuant to the terms of this Attachment, at any BellSouth Remote Site Location, unless BellSouth has determined that there is no space available due to space limitations or that collocation at the Remote Site Location is not practical for technical reasons. In the event space is not immediately available at a Remote Site Location, BellSouth reserves the right to make additional space available, in which case the conditions in Section 7 shall apply, or BellSouth may elect to deny space in accordance with this Section in which case virtual or adjacent collocation options may be available. If the amount of space requested is not available, BellSouth will notify Network PTS of the amount that is available.
- 6.4 Space Availability Notification.
- Unless otherwise specified, BellSouth will respond to an application within ten (10) calendar days as to whether space is available or not available within a BellSouth Remote Site Location. BellSouth will also respond as to whether the application is Bona Fide and if it is not Bona Fide the items necessary to cause the application to become Bona Fide. If the amount of space requested is not available, BellSouth will notify Network PTS of the amount of space that is available and no Application Fee shall apply. When BellSouth's response includes an amount of space less than that requested by Network PTS or differently configured no application fee shall apply. If Network PTS decides to accept the available space, Network PTS must resubmit its application to reflect the actual space available prior to submitting a BFFO and an application fee will be billed.
- BellSouth will respond to a Florida application within fifteen (15) calendar days as to whether space is available or not available within a BellSouth Remote Site Location. BellSouth will also respond as to whether the application is Bona Fide and if it is not Bona Fide the items necessary to cause the application to become Bona Fide. If a lesser amount of space than requested is available, BellSouth will provide an Application Response for the amount of space that is available and an Application Fee will be billed by BellSouth on the date that BellSouth provides an Application Response. When BellSouth's Application Response includes an amount of space less than that requested by Network PTS or differently configured, if Network PTS decides to accept the available space, Network PTS must amend its application to reflect the actual space available prior to submitting a BFFO.

- BellSouth will respond to a Louisiana application within ten (10) calendar days for space availability for one (1) to ten (10) applications; fifteen (15) calendar days for eleven (11) to twenty (20) applications; and for more than twenty (20) applications, the response interval is increased by five (5) calendar days for every five additional applications received within five (5) business days. If the amount of space requested is not available, BellSouth will notify Network PTS of the amount of space that is available and no Application Fee will apply. When BellSouth's response includes an amount of space less than that requested by Network PTS or differently configured no application fee shall apply. If Network PTS decides to accept the available space, Network PTS must resubmit its application to reflect the actual space available prior to submitting a BFFO and an application fee will be billed. BellSouth will also respond as to whether the application is Bona Fide and if it is not Bona Fide the items necessary to cause the application to become Bona Fide.
- 6.5 <u>Denial of Application</u>. If BellSouth notifies Network PTS that no space is available ("Denial of Application"), BellSouth will not assess an Application Fee. After notifying Network PTS that BellSouth has no available space in the requested Remote Site Location, BellSouth will allow Network PTS, upon request, to tour the Remote Site Location within ten (10) calendar days of such Denial of Application. In order to schedule said tour within ten (10) calendar days, the request for a tour of the Remote Site Location must be received by BellSouth within five (5) calendar days of the Denial of Application.
- 6.6 <u>Filing of Petition for Waiver</u>. Upon Denial of Application BellSouth will timely file a petition with the Commission pursuant to 47 U.S.C. § 251(c)(6). BellSouth shall provide to the Commission any information requested by that Commission. Such information shall include which space, if any, BellSouth or any of BellSouth's affiliates have reserved for future use and a detailed description of the specific future uses for which the space has been reserved. Subject to an appropriate nondisclosure agreement or provision, BellSouth shall permit Network PTS to inspect any plans or diagrams that BellSouth provides to the Commission.
- Maiting List. On a first-come, first-served basis governed by the date of receipt of an application or Letter of Intent, BellSouth will maintain a waiting list of requesting carriers who have either received a Denial of Application or, where it is publicly known that the Remote Site Location is out of space, have submitted a Letter of Intent to collocate. BellSouth will notify the telecommunications carriers on the waiting list that can be accommodated by the amount of space that becomes available according to the position of the telecommunications carriers on said waiting list.
- 6.7.1 In Florida, on a first-come, first-served basis governed by the date of receipt of an application or Letter of Intent, BellSouth will maintain a waiting list of requesting carriers who have either received a Denial of Application or, where it is publicly known that the Remote Site Location is out of space, have submitted a Letter of Intent to collocate. Sixty (60) calendar days prior to space becoming available, if known,

BellSouth will notify the Florida PSC and the telecommunications carriers on the waiting list by mail when space becomes available according to the position of the telecommunications carrier on said waiting list. If not known sixty (60) calendar days in advance, BellSouth shall notify the Florida PSC and the telecommunications carriers on the waiting list within two business days of the determination that space is available. A telecommunications carrier that, upon denial of physical collocation, requests virtual collocation shall be automatically placed on the waiting list.

- 6.7.2 When space becomes available, Network PTS must submit an updated, complete, and correct application to BellSouth within thirty (30) calendar days of such notification. If Network PTS has originally requested caged Remote Collocation Space and cageless Remote Collocation Space becomes available, Network PTS may refuse such space and notify BellSouth in writing within that time that Network PTS wants to maintain its place on the waiting list without accepting such space. Network PTS may accept an amount of space less than its original request by submitting an application as set forth above, and upon request, may maintain its position on the waiting list for the remaining space that was initially requested. If Network PTS does not submit such an application or notify BellSouth in writing as described above, BellSouth will offer such space to the next telecommunications carrier on the waiting list and remove Network PTS from the waiting list. Upon request, BellSouth will advise Network PTS as to its position on the list.
- 6.8 Public Notification. BellSouth will maintain on its Interconnection Services website a notification document that will indicate all Remote Site Locations that are without available space. BellSouth shall update such document within ten (10) calendar days of the date that BellSouth becomes aware that there is insufficient space to accommodate collocation at the Remote Site Location. BellSouth will also post a document on its Interconnection Services website that contains a general notice where space has become available in a Remote Site Location previously on the space exhaust list.

6.9 <u>Application Response</u>.

- In Florida, within fifteen (15) calendar days of receipt of a Bona Fide application, when space has been determined to be available or when a lesser amount of space than that requested is available, then with respect to the space available, BellSouth will provide an Application Response including sufficient information to enable Network PTS to place a Firm Order. The Application Response will include, at a minimum, the configuration of the space, the Cable Installation Fee, Cable Records Fee, and the space preparation fees, as described in Section 8. When Network PTS submits ten (10) or more applications within ten (10) calendar days, the initial fifteen (15) calendar day response period will increase by ten (10) calendar days for every additional ten (10) applications or fraction thereof.
- 6.9.2 In Alabama, Georgia, Kentucky, Mississippi, North Carolina, South Carolina, and Tennessee when space has been determined to be available, BellSouth will provide an

Application Response within twenty (20) calendar days of receipt of a Bona Fide application. The Application Response will include, at a minimum, the configuration of the space, the Cable Installation Fee, Cable Records Fee, and the space preparation fees, as described in Section 8.

6.9.3 In Louisiana, when space has been determined to be available, BellSouth will respond with an Application Response within thirty (30) calendar days for one (1) to ten (10) applications; thirty (35) calendar days for eleven (11) to twenty (20) applications; and for requests of more than twenty (20) applications, the Application Response interval will be increased by five (5) calendar days for every five (5) applications received within five (5) business days. The Application Response will include, at a minimum, the configuration of the space, the Cable Installation Fee, Cable Records Fee, and the space preparation fees, as described in Section 8.

6.10 <u>Application Modifications</u>.

6.10.1 If a modification or revision is made to any information in the Bona Fide application prior to a BFFO, with the exception of modifications to Customer Information, Contact Information or Billing Contact Information, either at the request of Network PTS or necessitated by technical considerations, said application shall be considered a new application and shall be handled as a new application with respect to response and provisioning intervals and BellSouth will charge Network PTS a full application fee as set forth in Exhibit B. BellSouth will bill the nonrecurring fee on the date that BellSouth provides an Application Response.

6.10.2 Bona Fide Firm Order.

- 6.10.3 Network PTS shall indicate its intent to proceed with equipment installation in a BellSouth Remote Site Location by submitting a Firm Order to BellSouth. The BFFO must be received by BellSouth no later than thirty (30) calendar days after BellSouth's Application Response to Network PTS's Bona Fide application or the application will expire.
- 6.10.4 BellSouth will establish a firm order date based upon the date BellSouth is in receipt of a BFFO. BellSouth will acknowledge the receipt of Network PTS's BFFO within seven (7) calendar days of receipt indicating that the BFFO has been received. A BellSouth response to a BFFO will include a Firm Order Confirmation containing the firm order date. No revisions will be made to a BFFO.

7. <u>Construction and Provisioning</u>

7.1 Construction and Provisioning Intervals.

7.1.1 In Florida, BellSouth will complete construction for collocation arrangements as soon as possible and within a maximum of ninety (90) calendar days from receipt of a BFFO or as agreed to by the Parties. For changes to Remote Collocation Space after initial

space completion ("Augmentation"), BellSouth will complete construction for collocation arrangements as soon as possible and within a maximum of forty-five (45) calendar days from receipt of a BFFO or as agreed to by the Parties. If BellSouth does not believe that construction will be completed within the relevant time frame and BellSouth and Network PTS cannot agree upon a completion date, within forty-five (45) calendar days of receipt of the BFFO for an initial request, and within thirty (30) calendar days for Augmentations, BellSouth may seek an extension from the Florida Commission.

- 7.1.2 In Alabama, Georgia, Kentucky, Mississippi, North Carolina, South Carolina, and Tennessee, BellSouth will complete construction for collocation arrangements under ordinary conditions as soon as possible and within a maximum of sixty (60) calendar days from receipt of a BFFO and ninety (90) calendar days from receipt of a BFFO for extraordinary conditions or as agreed to by the Parties. Ordinary conditions are defined as space available with only minor changes to support systems required, such as but not limited to, HVAC, cabling and the power plant(s). Extraordinary conditions shall include, but not limited to, major BellSouth equipment rearrangement or addition; power plant addition or upgrade; major mechanical addition or upgrade; major upgrade for ADA compliance; environmental hazard or hazardous materials abatement; and arrangements for which equipment shipping intervals are extraordinary in length. The Parties may mutually agree to renegotiate an alternative provisioning interval or BellSouth may seek a waiver from this interval from the Commission.
- 7.1.3 In Louisiana, BellSouth will complete construction for collocation arrangements under ordinary conditions as soon as possible and within a maximum of sixty (60) calendar days from receipt of a BFFO for an initial request, and within 60 calendar days for an Augmentation, or as agreed to by the Parties. The Parties may mutually agree to renegotiate an alternative provisioning interval or BellSouth may seek a waiver from this interval from the Commission.
- 7.2 In the event BellSouth does not have space immediately available at a Remote Site Location, BellSouth may elect to make additional space available by, for example but not limited to, rearranging BellSouth facilities or constructing additional capacity. In such cases, the above intervals shall not apply and BellSouth will provision the Remote Collocation Space in a nondiscriminatory manner and at parity with BellSouth and will provide Network PTS with the estimated completion date in its Response.
- 7.3 <u>Joint Planning</u>. Joint planning between BellSouth and Network PTS will commence within a maximum of twenty (20) calendar days from BellSouth's receipt of a BFFO. BellSouth will provide the preliminary design of the Remote Collocation Space and the equipment configuration requirements as reflected in the Bona Fide application and affirmed in the BFFO. The Remote Collocation Space completion time period will be provided to Network PTS during joint planning.

- 7.4 <u>Permits</u>. Each Party or its agents will diligently pursue filing for the permits required for the scope of work to be performed by that Party or its agents within ten (10) calendar days of the completion of finalized construction designs and specifications.
- Acceptance Walkthrough. Network PTS will schedule and complete an acceptance walkthrough of each Remote Collocation Space with BellSouth within fifteen (15) calendar days of BellSouth's notifying Network PTS that the Remote Collocation Space is ready for occupancy. In the event that Network PTS fails to complete an acceptance walkthrough within this fifteen (15) calendar day interval, the Remote Collocation Space shall be deemed accepted by Network PTS on the Space Ready Date. BellSouth will correct any deviations to Network PTS's original or jointly amended requirements within seven (7) calendar days after the walkthrough, unless the Parties jointly agree upon a different time frame.
- 7.6 Use of BellSouth Certified Supplier. Network PTS shall select a supplier which has been approved by BellSouth to perform all engineering and installation work Network PTS and Network PTS's BellSouth Certified Supplier must follow and comply with all BellSouth requirements outlined in BellSouth's TR 73503, TR 73519, TR 73572, and TR 73564. In some cases, Network PTS must select separate BellSouth Certified Suppliers for transmission equipment, switching equipment and power equipment. BellSouth shall provide Network PTS with a list of BellSouth Certified Suppliers upon request. The BellSouth Certified Supplier(s) shall be responsible for installing Network PTS's equipment and components, extending power cabling to the BellSouth power distribution frame, performing operational tests after installation is complete, and notifying BellSouth's Outside Plant engineers and Network PTS upon successful completion of installation. The BellSouth Certified Supplier shall bill Network PTS directly for all work performed for Network PTS pursuant to this Attachment, and BellSouth shall have no liability for nor responsibility to pay such charges imposed by the BellSouth Certified Supplier. BellSouth shall make available its supplier certification program to Network PTS or any supplier proposed by Network PTS and will not unreasonably withhold certification. All work performed by or for Network PTS shall conform to generally accepted industry standards.
- Alarm and Monitoring. BellSouth may place alarms in the Remote Site Location for the protection of BellSouth equipment and facilities. Network PTS shall be responsible for placement, monitoring and removal of environmental and equipment alarms used to service Network PTS's Remote Collocation Space. Upon request, BellSouth will provide Network PTS with applicable tariffed service(s) to facilitate remote monitoring of collocated equipment by Network PTS. Both Parties shall use best efforts to notify the other of any verified hazardous conditions known to that Party.
- 7.8 <u>Virtual Remote Collocation Space Relocation</u>. In the event physical Remote Collocation Space was previously denied at a Remote Site Location due to technical reasons or space limitations, and physical Remote Collocation Space has subsequently

become available, Network PTS may relocate its virtual Remote Collocation arrangements to physical Remote Collocation Space arrangements and pay the appropriate fees for physical Remote Collocation Space and for the rearrangement or reconfiguration of services terminated in the virtual Remote Collocation Space arrangement, as outlined in the appropriate BellSouth tariffs. In the event that BellSouth knows when additional space for physical Remote Collocation Space may become available at the location requested by Network PTS, such information will be provided to Network PTS in BellSouth's written denial of physical Remote Collocation Space. To the extent that (i) physical Remote Collocation Space becomes available to Network PTS within one hundred eighty (180) calendar days of BellSouth's written denial of Network PTS's request for physical collocation, (ii) BellSouth had knowledge that the space was going to become available, and (iii) Network PTS was not informed in the written denial that physical Remote Collocation Space would become available within such one hundred eighty (180) calendar days, then Network PTS may relocate its virtual Remote Collocation Space arrangement to a physical Remote Collocation Space arrangement and will receive a credit for any nonrecurring charges previously paid for such virtual Remote Collocation Space. Network PTS must arrange with a BellSouth Certified Supplier for the relocation of equipment from its virtual Remote Collocation Space to its physical Remote Collocation Space and will bear the cost of such relocation.

- 7.8.1 In Alabama, BellSouth will complete a relocation from virtual collocation to physical collocation within ninety (90) calendar days.
- Virtual to Physical Conversion (In-Place). Virtual collocation arrangements may be converted to "in-place" physical arrangements if the potential conversion meets the following four criteria: 1) there is no change in the amount of equipment or the configuration of the equipment that was in the virtual collocation arrangement; 2) the conversion of the virtual collocation arrangement will not cause the equipment or the results of that conversion to be located in a space that BellSouth has reserved for its own future needs; 3) the converted arrangement does not limit BellSouth's ability to secure its own equipment and facilities due to the location of the virtual collocation arrangement; and 4) any changes to the arrangement can be accommodated by existing power, HVAC, and other requirements. Unless otherwise specified, BellSouth will complete virtual to in-place physical collocation conversions within sixty (60) calendar days from receipt of the BFFO. BellSouth will bill Network PTS an Administrative Only Application Fee as set forth in Exhibit B for these charges on the date that BellSouth provides an Application Response.
- 7.9.1 In Alabama and Tennessee, BellSouth will complete Virtual to Physical Conversions (In Place) within thirty (30) calendar days from receipt of the BFFO.
- 7.10 <u>Cancellation</u>. If, at any time prior to space acceptance, Network PTS cancels its order for the Remote Collocation Space(s) ("Cancellation"), BellSouth will bill the applicable nonrecurring rate for any and all work processes for which work has begun.

In Georgia, if Network PTS cancels its order for Remote Collocation Space at any time prior to space acceptance, BellSouth will bill Network PTS for all costs incurred prior to the date of Cancellation and for any costs incurred as a direct result of the Cancellation, not to exceed the total amount that would have been due had the order not been cancelled.

- 7.11 <u>Licenses</u>. Network PTS, at its own expense, will be solely responsible for obtaining from governmental authorities, and any other appropriate agency, entity, or person, all rights, privileges, and licenses necessary or required to operate as a provider of telecommunications services to the public or to build-out, equip and occupy the Remote Collocation Space.
- 7.12 <u>Environmental Hazard Guidelines</u>. The Parties agree to utilize and adhere to the Environmental Hazard Guidelines identified in Exhibit A attached hereto.

8. Rates and Charges

- 8.1 Recurring Charges. If Network PTS has met the applicable fifteen (15) calendar day walkthrough interval(s) specified in Section 4, billing for recurring charges will begin upon the Space Acceptance Date. In the event that Network PTS fails to complete an acceptance walkthrough within the applicable fifteen (15) calendar day interval(s), billing for recurring charges will commence on the Space Ready Date. If Network PTS occupies the space prior to the Space Ready Date, the date Network PTS occupies the space becomes the new Space Acceptance Date and billing for recurring charges begin on that date.
- 8.2 <u>Application Fee</u>. BellSouth shall assess an Application Fee via a service order, which shall be issued at the time BellSouth responds that space is available pursuant to Section 6.10 (Application Response). This nonrecurring fee will be billed by BellSouth on the date that BellSouth provides an Application Response.
- 8.2.1 In Tennessee, the applicable application fee is the planning fee for both Initial Applications and Subsequent Applications placed by Network PTS. This nonrecurring fee will be billed by BellSouth on the date that BellSouth provides an Application Response.
- 8.3 Rack/Bay Space. The rack/bay space charge includes reasonable charges for air conditioning, ventilation and other allocated expenses associated with maintenance of the Remote Site Location, and includes amperage necessary to power Network PTS's equipment. Network PTS shall pay rack/bay space charges based upon the number of racks/bays requested. BellSouth will assign Remote Collocation Space in conventional remote site rack/bay lineups where feasible.
- 8.4 Power. BellSouth shall make available –48 Volt (-48V) DC power for Network PTS's Remote Collocation Space at a BellSouth Power Board or BellSouth Battery Distribution Fuse Bay (BDFB) at Network PTS's option within the Remote Site

Location. The charge for power shall be assessed as part of the recurring charge for rack/bay space. If the power requirements for Network PTS's equipment exceeds the capacity available, then such power requirements shall be assessed on an individual case basis. BellSouth will revise recurring power charges to reflect a power upgrade upon notification of the completion of the upgrade by Network PTS's BellSouth Certified Vendor. BellSouth will revise recurring power charges to reflect a power reduction upon BellSouth's receipt of the Power Reduction Form from Network PTS certifying the completion of the power reduction, including the removal of the power cabling by Network PTS's BellSouth Certified Supplier.

- Adjacent Collocation Power. Charges for AC power will be assessed per breaker ampere per month. Rates include the provision of commercial and standby AC power, where available. When obtaining power from a BellSouth service panel, protection devices and power cables must be engineered (sized), and installed by Network PTS's BellSouth Certified Supplier except that BellSouth shall engineer and install protection devices and power cables for Adjacent Collocation. Network PTS's BellSouth Certified Supplier must also provide a copy of the engineering power specification prior to the equipment becoming operational. Charges for AC power shall be assessed pursuant to the rates specified in Exhibit B. AC power voltage and phase ratings shall be determined on a per location basis. At Network PTS's option, Network PTS may arrange for AC power in an Adjacent Collocation arrangement from a retail provider of electrical power.
- 8.5 <u>Security Escort</u>. A security escort will be required whenever Network PTS or its approved agent desires access to the Remote Site Location after the one accompanied site visit allowed pursuant to Section 5 prior to completing BellSouth's Security Training requirements. Rates for a security escort are assessed according to the schedule appended hereto as Exhibit B beginning with the scheduled escort time. BellSouth will wait for one-half (1/2) hour after the scheduled time for such an escort and Network PTS shall pay for such half-hour charges in the event Network PTS fails to show up.
- 8.6 Other. If no rate is identified in the contract, the rate for the specific service or function will be negotiated by the Parties upon request by either Party.

9. <u>Insurance</u>

- 9.1 Network PTS shall, at its sole cost and expense, procure, maintain, and keep in force insurance as specified in this Section and underwritten by insurance companies licensed to do business in the states applicable under this Agreement and having a Best's Insurance Rating of A-.
- 9.2 Network PTS shall maintain the following specific coverage:
- 9.2.1 Commercial General Liability coverage in the amount of ten million dollars (\$10,000,000.00) or a combination of Commercial General Liability and

Excess/Umbrella coverage totaling not less than ten million dollars (\$10,000,000.00). BellSouth shall be named as an Additional Insured on the Commercial General Liability policy as specified herein.

- 9.2.2 Statutory Workers Compensation coverage and Employers Liability coverage in the amount of one hundred thousand dollars (\$100,000.00) each accident, one hundred thousand dollars (\$100,000.00) each employee by disease, and five hundred thousand dollars (\$500,000.00) policy limit by disease.
- 9.2.3 All Risk Property coverage on a full replacement cost basis insuring all of Network PTS's real and personal property situated on or within BellSouth's Remote Site Location.
- 9.2.4 Network PTS may elect to purchase business interruption and contingent business interruption insurance, having been advised that BellSouth assumes no liability for loss of profit or revenues should an interruption of service occur.
- 9.3 The limits set forth in Section 9.2 above may be increased by BellSouth from time to time during the term of this Agreement upon thirty (30) calendar days notice to Network PTS to at least such minimum limits as shall then be customary with respect to comparable occupancy of BellSouth structures.
- All policies purchased by Network PTS shall be deemed to be primary and not contributing to or in excess of any similar coverage purchased by BellSouth. All insurance must be in effect on or before the date equipment is delivered to BellSouth's Remote Site Location and shall remain in effect for the term of this Attachment or until all of Network PTS's property has been removed from BellSouth's Remote Site Location, whichever period is longer. If Network PTS fails to maintain required coverage, BellSouth may pay the premiums thereon and seek reimbursement of same from Network PTS.
- 9.5 Network PTS shall submit certificates of insurance reflecting the coverage required pursuant to this Section a minimum of ten (10) business days prior to the commencement of any work in the Remote Collocation Space. Failure to meet this interval may result in construction and equipment installation delays. Network PTS shall arrange for BellSouth to receive thirty (30) business days' advance notice of cancellation from Network PTS's insurance company. Network PTS shall forward a certificate of insurance and notice of cancellation/non-renewal to BellSouth at the following address:

BellSouth Telecommunications, Inc. Attn.: Risk Management Coordinator 17H53 BellSouth Center 675 W. Peachtree Street Atlanta, Georgia 30375

- 9.6 Network PTS must conform to recommendations made by BellSouth's fire insurance company to the extent BellSouth has agreed to, or shall hereafter agree to, such recommendations.
- 9.7 Self-Insurance. If Network PTS's net worth exceeds five hundred million dollars (\$500,000,000), Network PTS may elect to request self-insurance status in lieu of obtaining any of the insurance required in Sections 9.2.1 and 9.2.2. Network PTS shall provide audited financial statements to BellSouth thirty (30) calendar days prior to the commencement of any work in the Remote Collocation Space. BellSouth shall then review such audited financial statements and respond in writing to Network PTS in the event that self-insurance status is not granted to Network PTS. If BellSouth approves Network PTS for self-insurance, Network PTS shall annually furnish to BellSouth, and keep current, evidence of such net worth that is attested to by one of Network PTS's corporate officers. The ability to self-insure shall continue so long as Network PTS meets all of the requirements of this Section. If Network PTS subsequently no longer satisfies this Section, Network PTS is required to purchase insurance as indicated by Sections 9.2.1 and Section 9.2.2.
- 9.8 The net worth requirements set forth in Section 9.7 may be increased by BellSouth from time to time during the term of this Attachment upon thirty (30) calendar days' notice to Network PTS to at least such minimum limits as shall then be customary with respect to comparable occupancy of BellSouth structures.
- 9.9 Failure to comply with the provisions of this Section will be deemed a material breach of this Attachment.

10. Mechanics Liens

10.1 If any mechanics lien or other liens shall be filed against property of either Party (BellSouth or Network PTS), or any improvement thereon by reason of or arising out of any labor or materials furnished or alleged to have been furnished or to be furnished to or for the other Party or by reason of any changes, or additions to said property made at the request or under the direction of the other Party, the other Party directing or requesting those changes shall, within thirty (30) business days after receipt of written notice from the Party against whose property said lien has been filed, either pay such lien or cause the same to be bonded off the affected property in the manner provided by law. The Party causing said lien to be placed against the property of the other shall also defend, at its sole cost and expense, on behalf of the other, any action, suit or proceeding which may be brought for the enforcement of such liens and shall pay any damage and discharge any judgment entered thereon.

11. Inspections

BellSouth may conduct an inspection of Network PTS's equipment and facilities in the Remote Collocation Space(s) prior to the activation of facilities between Network

PTS's equipment and equipment of BellSouth. BellSouth may conduct an inspection if Network PTS adds equipment and may otherwise conduct routine inspections at reasonable intervals mutually agreed upon by the Parties. BellSouth shall provide Network PTS with a minimum of forty-eight (48) hours or two (2) business days, whichever is greater, advance notice of all such inspections. All costs of such inspection shall be borne by BellSouth.

12. Security and Safety Requirements

- 12.1 Unless otherwise specified, Network PTS will be required, at its own expense, to conduct a statewide investigation of criminal history records for each Network PTS employee hired in the past five years being considered for work on the BellSouth Remote Site Location, for the states/counties where the Network PTS employee has worked and lived for the past five years. Where state law does not permit statewide collection or reporting, an investigation of the applicable counties is acceptable. Network PTS shall not be required to perform this investigation if an affiliated company of Network PTS has performed an investigation of the Network PTS employee seeking access, if such investigation meets the criteria set forth above. This requirement will not apply if Network PTS has performed a pre-employment statewide investigation of criminal history records of the Network PTS employee for the states/counties where the Network PTS employee has worked and lived for the past five years or, where state law does not permit a statewide investigation, an investigation of the applicable counties.
- 12.2 Network PTS will be required to administer to their personnel assigned to the BellSouth Premises security training either provided by BellSouth, or meeting criteria defined by BellSouth.
- Network PTS shall provide its employees and agents with picture identification, which must be worn, and visible at all times while in the Remote Collocation Space or other areas in or around the Remote Site Location. The photo Identification card shall bear, at a minimum, the employee's name and photo, and Network PTS's name. BellSouth reserves the right to remove from its Remote Site Location any employee of Network PTS not possessing identification issued by Network PTS or who have violated any of BellSouth's policies as outlined in the CLEC Security Training documents. Network PTS shall hold BellSouth harmless for any damages resulting from such removal of its personnel from BellSouth Remote Site Location. Network PTS shall be solely responsible for ensuring that any Guest(s) of Network PTS is in compliance with all subsections of this Section.
- Network PTS shall not assign to the BellSouth Remote Site Location any personnel with records of felony criminal convictions. Network PTS shall not assign to the BellSouth Remote Site Location any personnel with records of misdemeanor convictions, except for misdemeanor traffic violations, without advising BellSouth of the nature and gravity of the offense(s). BellSouth reserves the right to refuse access to any Network PTS personnel who have been identified to have misdemeanor

criminal convictions. Notwithstanding the foregoing, in the event that Network PTS chooses not to advise BellSouth of the nature and gravity of any misdemeanor conviction, Network PTS may, in the alternative, certify to BellSouth that it shall not assign to the BellSouth Remote Site Location any personnel with records of misdemeanor convictions (other than misdemeanor traffic violations).

- 12.4.1 Network PTS shall not knowingly assign to the BellSouth Remote Site Location any individual who was a former employee of BellSouth and whose employment with BellSouth was terminated for a criminal offense whether or not BellSouth sought prosecution of the individual for the criminal offense.
- 12.4.2 Network PTS shall not knowingly assign to the BellSouth Remote Site Location any individual who was a former supplier of BellSouth and whose access to a BellSouth Remote Site Location was revoked due to commission of a criminal offense whether or not BellSouth sought prosecution of the individual for the criminal offense.
- 12.5 For each Network PTS employee or agent hired by Network PTS within five years of being considered for work on the BellSouth Remote Site Location, who requires access to a BellSouth Remote Site Location pursuant to this Attachment, Network PTS shall furnish BellSouth, prior to an employee gaining such access, a certification that the aforementioned background check and security training were completed. The certification will contain a statement that no felony convictions were found and certifying that the security training was completed by the employee. If the employee's criminal history includes misdemeanor convictions, Network PTS will disclose the nature of the convictions to BellSouth at that time. In the alternative, Network PTS may certify to BellSouth that it shall not assign to the BellSouth Remote Site Location any personnel with records of misdemeanor convictions other than misdemeanor traffic violations.
- 12.5.1 For all other Network PTS employees requiring access to a BellSouth Remote Site Location pursuant to this Attachment, Network PTS shall furnish BellSouth, prior to an employee gaining such access, a certification that the employee is not subject to the requirements of Section 12.5 above and that security training was completed by the employee.
- At BellSouth's request, Network PTS shall promptly remove from BellSouth's Remote Site Location any employee of Network PTS BellSouth does not wish to grant access to its Remote Site Location 1) pursuant to any investigation conducted by BellSouth or 2) prior to the initiation of an investigation if an employee of Network PTS is found interfering with the property or personnel of BellSouth or another collocated telecommunications carrier, provided that an investigation shall promptly be commenced by BellSouth.
- 12.7 <u>Security Violations</u>. BellSouth reserves the right to interview Network PTS's employees, agents, or suppliers in the event of wrongdoing in or around BellSouth's

property or involving BellSouth's or another collocated telecommunications carrier's property or personnel, provided that BellSouth shall provide reasonable notice to Network PTS's Security representative of such interview. Network PTS and its suppliers shall reasonably cooperate with BellSouth's investigation into allegations of wrongdoing or criminal conduct committed by, witnessed by, or involving Network PTS's employees, agents, or suppliers. Additionally, BellSouth reserves the right to bill Network PTS for all reasonable costs associated with investigations involving its employees, agents, or suppliers if it is established and mutually agreed in good faith that Network PTS's employees, agents, or suppliers are responsible for the alleged act. BellSouth shall bill Network PTS for BellSouth property, which is stolen or damaged where an investigation determines the culpability of Network PTS's employees, agents, or suppliers and where Network PTS agrees, in good faith, with the results of such investigation. Network PTS shall notify BellSouth in writing immediately in the event that the Network PTS discovers one of its employees already working on the BellSouth Remote Site Location is a possible security risk. Upon request of the other Party, the Party who is the employer shall discipline consistent with its employment practices, up to and including removal from BellSouth's Remote Site Location, any employee found to have violated the security and safety requirements of this section. Network PTS shall hold BellSouth harmless for any damages resulting from such removal of its personnel from BellSouth's Remote Site Location.

- 12.8 <u>Use of Supplies</u>. Unauthorized use of telecommunications equipment or supplies by either Party, whether or not used routinely to provide telephone service (e.g. plug-in cards,) will be strictly prohibited and handled appropriately. Costs associated with such unauthorized use may be charged to the offending Party, as may be all associated investigative costs.
- 12.9 <u>Use of Official Lines</u>. Except for non-toll calls necessary in the performance of their work, neither Party shall use the telephones of the other Party on the BellSouth Remote Site Location. Charges for unauthorized telephone calls may be charged to the offending Party, as may be all associated investigative costs.
- 12.10 <u>Accountability</u>. Full compliance with the Security requirements of this Section shall in no way limit the accountability of either Party to the other for the improper actions of its employees.

13. <u>Destruction of Remote Collocation Space</u>

In the event a Remote Collocation Space is wholly or partially damaged by fire, windstorm, tornado, flood or by similar causes to such an extent as to be rendered wholly unsuitable for Network PTS's permitted use hereunder, then either Party may elect within ten (10) calendar days after such damage, to terminate this Attachment with respect to the affected Remote Collocation Space, and if either Party shall so elect, by giving the other written notice of termination, both Parties shall stand released of and from further liability under the terms hereof with respect to such Remote Collocation Space. If the Remote Collocation Space shall suffer only minor

damage and shall not be rendered wholly unsuitable for Network PTS's permitted use, or is damaged and the option to terminate is not exercised by either Party, BellSouth covenants and agrees to proceed promptly without expense to Network PTS, except for improvements not to the property of BellSouth, to repair the damage. BellSouth shall have a reasonable time within which to rebuild or make any repairs, and such rebuilding and repairing shall be subject to delays caused by storms, shortages of labor and materials, government regulations, strikes, walkouts, and causes beyond the control of BellSouth, which causes shall not be construed as limiting factors, but as exemplary only. Network PTS may, at its own expense, accelerate the rebuild of its Remote Collocation Space and equipment provided however that a BellSouth Certified Supplier is used and the necessary space preparation has been completed. Rebuild of equipment must be performed by a BellSouth Certified Vendor. If Network PTS's acceleration of the project increases the cost of the project, then those additional charges will be incurred by Network PTS. Where allowed and where practical, Network PTS may erect a temporary facility while BellSouth rebuilds or makes repairs. In all cases where the Remote Collocation Space shall be rebuilt or repaired, Network PTS shall be entitled to an equitable abatement of rent and other charges, depending upon the unsuitability of the Remote Collocation Space for Network PTS's permitted use, until such Remote Collocation Space is fully repaired and restored and Network PTS's equipment installed therein (but in no event later than thirty (30) calendar days after the Remote Collocation Space is fully repaired and restored). Where Network PTS has placed a Remote Site Adjacent Arrangement pursuant to Section 3.4, Network PTS shall have the sole responsibility to repair or replace said Remote Site Adjacent Arrangement provided herein. Pursuant to this Section, BellSouth will restore the associated services to the Remote Site Adjacent Arrangement.

14. Eminent Domain

14.1 If the whole of a Remote Collocation Space or Remote Site Adjacent Arrangement shall be taken by any public authority under the power of eminent domain, then this Attachment shall terminate with respect to such Remote Collocation Space or Remote Site Adjacent Arrangement as of the day possession shall be taken by such public authority and rent and other charges for the Remote Collocation Space or Remote Site Adjacent Arrangement shall be paid up to that day with proportionate refund by BellSouth of such rent and charges as may have been paid in advance for a period subsequent to the date of the taking. If any part of the Remote Collocation Space or Remote Site Adjacent Arrangement shall be taken under eminent domain, BellSouth and Network PTS shall each have the right to terminate this Attachment with respect to such Remote Collocation Space or Remote Site Adjacent Arrangement and declare the same null and void, by written notice of such intention to the other Party within ten (10) calendar days after such taking.

15. <u>Nonexclusivity</u>

Network PTS understands that this Attachment is not exclusive and that BellSouth may enter into similar agreements with other Parties. Assignment of space pursuant to all such agreements shall be determined by space availability and made on a first come, first served basis.

ENVIRONMENTAL AND SAFETY PRINCIPLES

The following principles provide basic guidance on environmental and safety issues when applying for and establishing Physical Collocation arrangements.

1. GENERAL PRINCIPLES

- 1.1 Compliance with Applicable Law. BellSouth and Network PTS agree to comply with applicable federal, state, and local environmental and safety laws and regulations including U.S. Environmental Protection Agency (USEPA) regulations issued under the Clean Air Act (CAA), Clean Water Act (CWA), Resource Conservation and Recovery Act (RCRA), Comprehensive Environmental Response, Compensation and Liability Act (CERCLA), Superfund Amendments and Reauthorization Act (SARA), the Toxic Substances Control Act (TSCA), and OSHA regulations issued under the Occupational Safety and Health Act of 1970, as amended and NFPA and National Electrical Codes (NEC) and the NESC ("Applicable Laws"). Each Party shall notify the other if compliance inspections are conducted by regulatory agencies and/or citations are issued that relate to any aspect of this Attachment.
- Notice. BellSouth and Network PTS shall provide notice to the other, including Material Safety Data Sheets (MSDSs), of known and recognized physical hazards or Hazardous Chemicals existing on site or brought on site. A Hazardous Chemical inventory list is posted on an OSHA Poster and updated annually at each Central Office. This Poster is normally located near the front entrance of the building or in the lounge area. Each Party is required to provide specific notice for known potential Imminent Danger conditions. Network PTS should contact 1-800-743-6737 for any BellSouth MSDS required.
- 1.3 Practices/Procedures. BellSouth may make available additional environmental control procedures for Network PTS to follow when working at a BellSouth Remote Site Location (See Section 2, below). These practices/procedures will represent the regular work practices required to be followed by the employees and suppliers of BellSouth for environmental protection. Network PTS will require its suppliers, agents and others accessing the BellSouth Remote Site Location to comply with these practices. Section 2 lists the Environmental categories where BST practices should be followed by Network PTS when operating in the BellSouth Remote Site Location.
- 1.4 <u>Environmental and Safety Inspections</u>. BellSouth reserves the right to inspect the Network PTS space with proper notification. BellSouth reserves the right to stop any Network PTS work operation that imposes Imminent Danger to the environment, employees or other persons in the area or Remote Site Location.
- 1.5 <u>Hazardous Materials Brought On Site</u>. Any hazardous materials brought into, used, stored or abandoned at the BellSouth Remote Site Location by Network PTS are owned by Network PTS. Network PTS will indemnify BellSouth for claims, lawsuits or damages to persons or property caused by these materials. Without prior written BellSouth approval, no substantial new safety or environmental hazards can be created by Network PTS or different hazardous materials used by Network PTS at the BellSouth Remote Site Location. Network PTS must demonstrate adequate emergency response capabilities for its materials used or remaining at the BellSouth Remote Site

33

Location.

- 1.6 <u>Spills and Releases</u>. When contamination is discovered at a BellSouth Remote Site Location, either Party discovering the condition must notify the other Party. All Spills or Releases of regulated materials will immediately be reported by Network PTS to BellSouth.
- Coordinated Environmental Plans and Permits. BellSouth and Network PTS will coordinate plans, permits or information required to be submitted to government agencies, such as emergency response plans, spill prevention control and countermeasures (SPCC) plans and community reporting. If fees are associated with filing, BellSouth and Network PTS will develop a cost sharing procedure. If BellSouth's permit or EPA identification number must be used, Network PTS must comply with all of BellSouth's permit conditions and environmental processes, including environmental "best management practices (BMP)" (see Section 2, below) and/or selection of BST disposition vendors and disposal sites.
- Environmental and Safety Indemnification. BellSouth and Network PTS shall indemnify, defend and hold harmless the other Party from and against any claims (including, without limitation, third-party claims for personal injury or death or real or personal property damage), judgments, damages, (including direct and indirect damages, and punitive damages), penalties, fines, forfeitures, costs, liabilities, interest and losses arising in connection with the violation or alleged violation of any Applicable Law or contractual obligation or the presence or alleged presence of contamination arising out of the acts or omissions of the indemnifying Party, its agents, suppliers, or employees concerning its operations at the Remote Site Location.

2. CATEGORIES FOR CONSIDERATION OF ENVIRONMENTAL ISSUES

- When performing functions that fall under the following Environmental categories on BellSouth's Remote Site Location, Network PTS agrees to comply with the applicable sections of the current issue of BellSouth's Environmental and Safety Methods and Procedures (M&Ps), incorporated herein by this reference. Network PTS further agrees to cooperate with BellSouth to ensure that Network PTS's employees, agents, and/or suppliers are knowledgeable of and satisfy those provisions of BellSouth's Environmental M&Ps which apply to the specific Environmental function being performed by Network PTS, its employees, agents and/or suppliers.
- 2.1.1 The most current version of reference documentation must be requested from Network PTS's BellSouth Account Team Collocation Coordinator (ATCC) Representative.

ENVIRONMENTAL CATEGORIES	ENVIRONMENTAL ISSUES	ADDRESSED BY THE FOLLOWING DOCUMENTATION
Disposal of hazardous material or other regulated material (e.g., batteries, fluorescent tubes, solvents & cleaning materials)	Compliance with all applicable local, state, & federal laws and regulations	 Std T&C 450 Fact Sheet Series 17000 Std T&C 660-3

	Pollution liability insurance EVET approval of supplier	Approved Environmental Vendor List (Contact ATCC Representative)
Emergency response	Hazmat/waste release/spill fire safety emergency	 Fact Sheet Series 1700 Building Emergency Operations Plan (EOP) (specific to and located on Remote Site Location)
Contract labor/outsourcing for services with environmental implications to be performed on BellSouth Remote Site Location (e.g., disposition of hazardous material/waste; maintenance of storage tanks)	Compliance with all applicable local, state, & federal laws and regulations Performance of services in accordance with BST's environmental M&Ps Insurance	 Std T&C 450 Std T&C 450-B (Contact ATCC Representative for copy of appropriate E/S M&Ps.) Std T&C 660
Transportation of hazardous material	Compliance with all applicable local, state, & federal laws and regulations Pollution liability insurance EVET approval of supplier	 Std T&C 450 Fact Sheet Series 17000 Std T&C 660-3 Approved Environmental Vendor List (Contact ATCC Representative)
Maintenance/operations work which may produce a waste Other maintenance work	Compliance with all applicable local, state, & federal laws and regulations Protection of BST employees and equipment	 Std T&C 450 29CFR 1910.147 (OSHA Standard) 29CFR 1910 Subpart O (OSHA Standard)
Janitorial services	All waste removal and disposal must conform to all applicable federal, state and local regulations All Hazardous Material and Waste Asbestos notification and protection of employees and equipment	 -Procurement Manager (CRES Related Matters)-BST Supply Chain Services Fact Sheet Series 17000 GU-BTEN-001BT, Chapter 3 BSP 010-170-001BS

		(Hazcom)
Manhole cleaning	Compliance with all applicable local, state, & federal laws and regulations	 Std T&C 450 Fact Sheet 14050 BSP 620-145-011PR Issue A, August 1996
	Pollution liability insurance	• Std T&C 660-3
	EVET approval of supplier	Approved Environmental Vendor List (Contact ATCC Representative)
Removing or disturbing building materials that may contain asbestos	Asbestos work practices	GU-BTEN-001BT, Chapter 3 For questions regarding removing or disturbing materials that contain asbestos, call the BellSouth Building Service Center: AL, MS, TN, KY & LA (local area code) 557-6194 FL, GA, NC & SC (local area code) 780-2740

3. **DEFINITIONS**

<u>Generator</u>. Under RCRA, the person whose act produces a Hazardous Waste, as defined in 40 CFR 261, or whose act first causes a Hazardous Waste to become subject to regulation. The Generator is legally responsible for the proper management and disposal of Hazardous Wastes in accordance with regulations.

<u>Hazardous Chemical</u>. As defined in the U.S. Occupational Safety and Health (OSHA) hazard communication standard (29 CFR 1910.1200), any chemical which is a health hazard or physical hazard.

Hazardous Waste. As defined in section 1004 of RCRA.

<u>Imminent Danger</u>. Any conditions or practices at a remote site location which are such that a danger exists which could reasonably be expected to cause immediate death or serious harm to people or immediate significant damage to the environment or natural resources.

Spill or Release. As defined in Section 101 of CERCLA.

4. ACRONYMS

ATCC - Account Team Collocation Coordinator

<u>BST</u> – BellSouth Telecommunications

<u>CRES</u> – Corporate Real Estate and Services (formerly PS&M)

<u>DEC/LDEC</u> - Department Environmental Coordinator/Local Department Environmental Coordinator

E/S – Environmental/Safety

EVET - Environmental Vendor Evaluation Team

<u>GU-BTEN-001BT</u> - BellSouth Environmental Methods and Procedures

NESC - National Electrical Safety Codes

<u>P&SM</u> - Property & Services Management

Std T&C - Standard Terms & Conditions

COLLOCAT	ION - Alabama												Attach	ment: 4	Exhi	bit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'I
						Rec	Nonred		Nonrecurring					Rates (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
PHYSICAL CO	I I OCATION															
TITIOICAL CC	Physical Collocation 2-Wire Cross Connect, Exchange Port 2-															
	Wire Analog - Res			UEPSR	PE1R2	0.03	12.30	11.80	6.03	5.44						
	Physical Collocation 2-Wire Cross Connect, Exchange Port 2-															
	Wire Line Side PBX Trunk - Bus			UEPSP	PE1R2	0.03	12.30	11.80	6.03	5.44						
	Physical Collocation 2-Wire Cross Connect, Exchange Port 2-															
	Wire Voice Grade PBX Trunk - Res			UEPSE	PE1R2	0.03	12.30	11.80	6.03	5.44						
	Physical Collocation 2-Wire Cross Connect, Exchange Port 2- Wire Analog - Bus			UEPSB	PE1R2	0.03	12.30	11.80	6.03	5.44						
	Physical Collocation 2-Wire Cross Connect, Exchange Port 2-			UEFOB	FE IRZ	0.03	12.30	11.00	0.03	5.44						
	Wire ISDN		1	UEPSX	PE1R2	0.03	12.30	11.80	6.03	5.44						
	Physical Collocation 2-Wire Cross Connect, Exchange Port 2-					2.00	:=:00		2.00						İ	
	Wire ISDN			UEPTX	PE1R2	0.03	12.30	11.80	6.03	5.44					<u> </u>	
	Physical Collocation 4-Wire Cross Connect, Exchange Port 4-									· · · · · · · · · · · · · · · · · · ·						
DI 11/01/01/01	Wire ISDN DS1		<u> </u>	UEPEX	PE1R4	0.05	12.39	11.87	6.39	5.73					ļ	
PHYSICAL CO				01.0	DEADA		1 070 10		0.54							
	Physical Collocation - Initial Application Fee Physical Collocation - Subsequent Application Fee		1	CLO CLO	PE1BA PE1CA		1,879.48 1,566.60		0.51							
	Physical Collocation - Subsequent Application Fee Physical Collocation Administrative Only - Application Fee			CLO	PE1BL		742.15									
	Physical Collocation - Space Preparation - Firm Order			OLO	ILIDE		742.15									
	Processing			CLO	PE1SJ		600.71									
	Physical Collocation - Space Preparation - C.O. Modification per															
	square ft.			CLO	PE1SK	1.96										
	Physical Collocation - Space Preparation, Common Systems															
	Modifications-Cageless, per square foot			CLO	PE1SL	2.62										
	Physical Collocation - Space Preparation - Common Systems Modifications-Caged, per cage			CLO	PE1SM	88.86										
	Physical Collocation - Cable Installation, Pricing, non-recurring			CLO	PETSIVI	88.86									 	
	charge, per Entrance Cable			CLO	PE1BD		859.71		22.49							
	Physical Collocation - Floor Space, per sq feet			CLO	PE1PJ	3.22	000 1		22.10							
	Physical Collocation - Cable Support Structure, per Entrance															
	Cable			CLO	PE1PM	17.11										
	Physical Collocation - Power, -48V DC Power - per Fused Amp			CLO	PE1PL	7.83										
	Physical Collocation - Power Reconfiguration Only, Application Fee			CLO	PE1PR		398.76									
	Physical Collocation - Power, 120V AC Power, Single Phase,			CLO	FEIFK		390.70									
	per Breaker Amp			CLO	PE1FB	4.91										
	Physical Collocation - Power, 240V AC Power, Single Phase,															
	per Breaker Amp			CLO	PE1FD	9.84										
	Physical Collocation - Power, 120V AC Power, Three Phase, per															
	Breaker Amp		ļ	CLO	PE1FE	14.74									ļ	
	Physical Collocation - Power, 277V AC Power, Three Phase, per Breaker Amp		1	CLO	PE1FG	34.06										
	Breaker Amp			UEANL,UEQ,	FEIFG	34.06										
				UNLDX, UNCNX,												
1				UEA, UCL, UAL,												
				UHL, UDC, UDN,												
	Physical Collocation - 2-wire cross-connect, loop, provisioning			UNCVX	PE1P2	0.03	12.30	11.80	6.03	5.44						
1	Dhusian Callagation Audio assessment laws and it		1	UEA, UHL, UNCVX,	DE4D4	0.0-	10.00	44.6=	0.00							
	Physical Collocation - 4-wire cross-connect, loop, provisioning		-	UNCDX, UCL, UDL WDS1L,WDS1S,	PE1P4	0.05	12.39	11.87	6.39	5.73					ļ	
			1	UXTD1, ULDD1,												
				USLEL, UNLD1.												
1				UEPEX, UEPDX,												
	Physical Collocation -DS1 Cross-Connect for Physical		1	USL, ULC, U1TD1,												
	Collocation, provisioning		<u> </u>	UNC1X	PE1P1	1.11	22.03	15.93	6.40	5.79						

COLLOCAT	ION - Alabama				1							-		ment: 4		ibit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)				Submitted Manually	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrec		Nonrecurring					Rates (\$)		
						1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
				UE3,U1TD3, UXTD3, UXTS1, UNC3X, UNCSX, ULDD3, U1TS1,ULDS1,												
	Physical Collocation - DS3 Cross-Connect, provisioning			UNLD3	PE1P3	14.16	20.89	15.20	7.38	5.92						
	Physical Collocation - 2-Fiber Cross-Connect			CLO, ULDO3, ULD12, ULD48, U1TO3, U1T12, U1T48, UDLO3, UDL12, UDF ULDO3, ULD12, ULD48, U1TO3, U1T12, U1T48,	PE1F2	2.81	20.89	15.20	7.38	5.92						
				UDLO3, UDL12,												
	Physical Collocation - 4-Fiber Cross-Connect			UDF	PE1F4	4.99	25.55	19.86	9.71	8.25						
	Physical Collocation - Space enclosure, welded wire, first 100															
	square feet			CLO	PE1BW	156.33										
	Physical Collocation - Space enclosure, welded wire, each additional 50 square feet			CLO	PE1CW	15.34										
	Physical Collocation - Security Access System - Security System per Central Office			CLO	PE1AX	45.70										
	Physical Collocation -Security Access System - New Card			CLO	FLIAX	45.70										
	Activation, per Card Activation (First), per State			CLO	PE1A1	0.05	27.79									
	Physical Collocation-Security Access System-Administrative Change, existing Access Card, per Request, per State, per Card Physical Collocation - Security Access System - Replace Lost or			CLO	PE1AA		7.79									
	Stolen Card, per Card			CLO	PE1AR		22.78									
	Physical Collocation - Security Access - Initial Key, per Key			CLO	PE1AK		13.10									
	Physical Collocation - Security Access - Key, Replace Lost or Stolen Key, per Key			CLO	PE1AL		13.10									
	Physical Collocation - Space Availability Report, per Central			0.0	55.05											
	Office Requested Physical Collocation - CFA Information Resend Request, per			CLO	PE1SR		1,075.17									
-	premises, per request Physical Collocation - Cable Records, per request			CLO CLO	PE1C9 PE1CR		77.56 759.29	488.11	133.00						-	
	Physical Collocation, Cable Records, VG/DS0 Cable, per cable record (maximum 3600 records)			CLO	PE1CD		326.92	400.11	189.12							
	Physical Collocation, Cable Records, VG/DS0 Cable, per each															
ļļ	100 pair			CLO	PE1CO		4.81		5.90		1					
 	Physical Collocation, Cable Records, DS1, per T1 TIE Physical Collocation, Cable Records, DS3, per T3 TIE		-	CLO CLO	PE1C1 PE1C3		2.25 7.88		2.76 9.66		1				-	1
	Physical Collocation, Cable Records, DS3, per 13 TE Physical Collocation - Cable Records, Fiber Cable, per cable record (maximum 99 records)			CLO	PE1CB		84.49		77.13							
	Physical Collocation - Security Escort for Basic Time - normally				. 2.55	1	54.48		,,							
	scheduled work, per half hour Physical Collocation - Security Escort for Overtime - outside of			CLO	PE1BT		16.93	10.73			-				-	-
	normally scheduled working hours on a scheduled work day, per half hour			CLO	PE1OT		22.05	13.86								
	Physical Collocation - Security Escort for Premium Time - outside of scheduled work day, per half hour			CLO	PE1PT		27.17	16.98								
	Physical Collocation - Virtual to Physical Collocation Relocation, per Voice Grade Circuit			CLO	PE1BV	_	33.00									
	Physical Collocation - Virtual to Physical Collocation Relocation, per DSO Circuit			CLO	PE1BO		33.00									
	Physical Collocation - Virtual to Physical Collocation Relocation, per DS1 Circuit			CLO	PE1B1		52.00									

COLLOCAT	ION - Alabama													ment: 4		ibit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'l
						_	Nonrec	curring	Nonrecurring	Disconnect			oss	Rates (\$)	1	
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Physical Collocation - Virtual to Physical Collocation Relocation,															
	per DS3 Circuit			CLO	PE1B3		52.00									
	Physical Collocation - Virtual to Physical Collocation In-Place, Per Voice Grade Circuit			CLO	PE1BR		23.00									
	Physical Collocation Virtual to Physical Collocation In-Place, Per DSO Circuit			CLO	PE1BP		23.00									
	Physical Collocation - Virtual to Physical Collocation In-Place,															
	Per DS1 Circuit			CLO	PE1BS		33.00									
	Physical Collocation - Virtual to Physical Collocation In-Place,			01.0	DEADE		07.00									
	per DS3 Circuit Physical Collocation - Virtual to Physical Collocation In-			CLO	PE1BE		37.00									
	Place/Relocation, space cable facilities assigned to Collocation Space, per 700 cable pairs or fraction thereof			CLO	PE1B7		592.00									
	Physical Collocation - Co-Carrier Cross Connects/Direct			0.0	55.55											
	Connect - Fiber Cable Support Structure, per linear ft.			CLO	PE1ES	0.0011										<u> </u>
	Physical Collocation - Co-Carrier Cross Connect/Direct Connect - Copper/Coax Cable Support Structure, per lin. ft.			CLO	PE1DS	0.0016										
	Physical Collocation - Co-Carrier Cross Connects/Direct Connect, Application Fee, per application			CLO	PE1DT		584.22									
	Physical Collocation - Copper Entrance Cable per Cable (CO manhole to vault splice)			CLO	PE1EA		1,196.424	42.721								
	Physical Collocation - Copper Entrance Cable Installation, per 100 Pairs			CLO	PE1EB		18.103									
	Physical Collocation - Fiber Entrance Cable per Cable (CO														1	
	manhole to vault splice)			CLO	PE1EC		1,000.913	42.721								
	Physical Collocation - Fiber Entrance Cable Installation, per Fiber			CLO	PE1ED		7.241									
	Physical Collocation - Application Cost, Simple Augment			CLO	PE1KS		594.41		1.21							
	Physical Collocation - Application Cost, Minor Augment			CLO	PE1KM		833.47		1.21							
	Physical Collocation - Application Cost, Intermediate Augment			CLO	PE1K1		1,058.00		1.21							
	Physical Collocation - Co-Carrier Cross Connect/Direct Connect - Fiber Cable Support Structure, per cable	ı		CLO	PE1DU		535.37									
	Physical Collocation - Co-Carrier Cross Connect/Direct Connect -			01.0	DE4D)/		505.07									
AD IACENT C	Copper/Coax Cable Support Structure, per cable DLLOCATION	- 1		CLO	PE1DV		535.37									
ADJACENT C	Adjacent Collocation - Space Charge per Sq. Ft.			CLOAC	PE1JA	0.14										+
	Adjacent Collocation - Electrical Facility Charge per Linear Ft.			CLOAC	PE1JC	5.41										
	Adjacent Collocation - 2-Wire Cross-Connects			UEA,UHL,UDL,UCL	PE1P2	0.02	12.30	11.80	6.03	5.44						
	Adjacent Collocation - 4-Wire Cross-Connects			UEA,UHL,UDL,UCL		0.04	12.39	11.87	6.39	5.73						
	Adjacent Collocation - DS1 Cross-Connects			UEA,UHL,UDL,UCL		1.03	22.03	15.93	6.40	5.79						
	Adjacent Collocation - DS3 Cross-Connects			UEA,UHL,UDL,UCL		13.95	20.89	15.20	7.38	5.92						
	Adjacent Collocation - 2-Fiber Cross-Connect Adjacent Collocation - 4-Fiber Cross-Connect		<u> </u>	CLOAC CLOAC	PE1F2 PE1F4	2.36 4.52	20.89 25.55	15.20 19.86	7.38 9.71	5.92 8.25						
	Adjacent Collocation - 4-Fiber Cross-Connect Adjacent Collocation - Application Fee			CLOAC	PE1JB	4.52	1,576.69	19.00	0.51	0.23						1
-	Adjacent Collocation - 120V, Single Phase Standby Power Rate			OLOAO	I LIJD		1,570.03		0.51							+
	per AC Breaker Amp	L	L	CLOAC	PE1FB	4.91			<u> </u>		<u> </u>			<u> </u>	<u> </u>	
	Adjacent Collocation - 240V, Single Phase Standby Power Rate per AC Breaker Amp			CLOAC	PE1FD	9.84										
	Adjacent Collocation - 120V, Three Phase Standby Power Rate per AC Breaker Amp			CLOAC	PE1FE	14.74										
	Adjacent Collocation - 277V, Three Phase Standby Power Rate per AC Breaker Amp			CLOAC	PE1FG	34.06										
PHYSICAL CO	DLLOCATION IN THE REMOTE SITE		1	CLUAC	FEIFG	34.06			1						+	+
SIGAL CC	Physical Collocation in the Remote Site - Application Fee		 	CLORS	PE1RA		307.70		168.22		-			1	t	†
	Cabinet Space in the Remote Site per Bay/ Rack			CLORS	PE1RB	201.42	551.176								1	
	Physical Collocation in the Remote Site - Security Access - Key			CLORS	PE1RD		13.10									
	Physical Collocation in the Remote Site - Space Availability Report per Premises Requested			CLORS	PE1SR		115.87									

COLLO	CATI	ON - Alabama												Attach	ment: 4	Exhi	bit: B
CATEGO		RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I		Incremental Charge -
							Rec	Nonred		Nonrecurring					Rates (\$)		
								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Physical Collocation in the Remote Site - Remote Site CLLI			0,000												İ
		Code Request, per CLLI Code Requested			CLORS	PE1RE		37.56									
		Remote Site DLEC Data (BRSDD), per Compact Disk, per CO			CLORS	PE1RR		233.38									-
		Physical Collocation - Security Escort for Basic Time - normally			CLODE	DE4DT		16.93	40.70								İ
		scheduled work, per half hour Physical Collocation - Security Escort for Overtime - outside of			CLORS	PE1BT		16.93	10.73								
		normally scheduled working hours on a scheduled work day,															ĺ
		per half hour			CLORS	PE1OT		22.05	13.86								
		Physical Collocation - Security Escort for Premium Time -			OLONO	1 2101		22.00	13.00								-
		outside of scheduled work day, per half hour			CLORS	PE1PT		27.17	16.98								
PHYSIC/	AL CO	LLOCATION IN THE REMOTE SITE - ADJACENT			020110				10.00	İ							
		Remote Site-Adjacent Collocation - AC Power, per breaker amp	- 1		CLORS	PE1RS	6.27						1				1
										1							
		Remote Site-Adjacent Collocation - Real Estate, per square foot	- 1		CLORS	PE1RT	0.134										
		Remote Site-Adjacent Collocation-Application Fee	-		CLORS	PE1RU		755.62	755.62								
		If Security Escort and/or Add'I Engineering Fees become nece	essary 1	for rem	ote site collocation,	the Parties v	will negotiate ap	ppropriate rate	s.								
VIRTUAL	_ COLI	OCATION															
		Virtual Collocation - Application Fee			AMTFS	EAF		1,205.26		0.51							
		Virtual Collocation Administrative Only - Application Fee	I		AMTFS	VE1AF		742.15									
		Virtual Collocation - Cable Installation Cost, per cable			AMTFS	ESPCX		859.71		22.49							
		Virtual Collocation - Floor Space, per sq. ft.			AMTFS	ESPVX	3.22										
		Virtual Collocation - Power, per fused amp			AMTFS	ESPAX	7.83										
		Virtual Collocation - Cable Support Structure, per entrance cable			AMTFS	ESPSX	14.97										İ
					UEANL,UEA,UDN,U DC,UAL,UHL,UCL,U EQ, UNCVX,												
		Virtual Collocation - 2-wire Cross Connects (loop) Virtual Collocation - 4-wire Cross Connects (loop)			UNCDX, UNCNX UEA,UHL,UCL,UDL, UAL, UDN, UNCVX, UNCDX	UEAC2 UEAC4	0.03	12.30	11.80	6.03	5.44						
		Virtual Collocation - 2-Fiber Cross Connects			UDL12, UDLO3, U1T48, U1T12, U1T03, ULDO3, ULD12, ULD48, UDF		2.84	20.89	15.20	7.38	5.92						
		Virtual Collocation - 4-Fiber Cross Connects			UDL12, UDLO3, U1T48, U1T12, U1T03, ULDO3, ULD12, ULD48, UDF	CNC4F	5.69	25.55	19.86	9.71	8.25						
		Virtual collocation - Special Access & UNE, cross-connect per DS1			USL,ULC, ULR, UXTD1, UNC1X, ULDD1, U1TD1, USLEL, UNLD1, UEPEX, UEPDX	CNC1X	1.11	22.03	15.93	6.40	5.79						
		Virtual collocation - Special Access & UNE, cross-connect per DS3			USL,UE3, U1TD3, UXTS1, UXTD3, UNC3X, UNCSX, ULDD3, U1TS1, ULDS1, UDLSX, UNLD3	CND3X	14.16	20.89	15.20	7.38	5.92						
		Virtual Collocation - Co-Carrier Cross Connects - Fiber Cable			l	l				Ι Τ			1				1
		Support Structure, per linear foot Virtual Collocation - Co-Carrier Cross Connects - Copper/Coax Cable Support Structure, per linear ft			AMTFS AMTFS	VE1CB VE1CD	0.0026 0.0038										
		Virtual Collocation - Co-Carrier Cross Connects - Fiber Cable Support Structure,per cable			AMTFS	VE1CC	3.3300	535.37									

COLLOCAT	ION - Alabama													ment: 4		bit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)				Submitted Manually	Manual Svc Order vs. Electronic-	Charge - Manual Svc Order vs. Electronic-	Charge - Manual Svc Order vs. Electronic-	Order vs. Electronic
													1st	Add'l	Disc 1st	Disc Add'l
						Rec	Nonrec		Nonrecurring					Rates (\$)		
						1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Virtual Collocation - Co-Carrier Cross Connects - Copper/Coax Cable Support Structure, per cable			AMTFS	VE1CE		535.37									
	Virtual Collocation Cable Records - per request			AMTFS	VE1BA		759.29	488.11	133.00							
	Virtual Collocation Cable Records - VG/DS0 Cable, per cable record			AMTFS	VE1BB		326.92	326.92	189.12							
	Virtual Collocaiton Cable Records - VG/DS0 Cable, per each 100 pair			AMTFS	VE1BC		4.81		5.90							
	Virtual Collocation Cable Records - DS1, per T1TIE			AMTFS	VE1BD		2.25		2.76		1					
	Virtual Collocation Cable Records - DS3, per T3TIE			AMTES	VE1BE	1	7.88		9.66		1					
	Virtual Collocation Cable Records - Fiber Cable, per 99 fiber records			AMTFS	VE1BF		84.49		77.13							
	Virtual collocation - Security Escort - Basic, per half hour			AMTFS	SPTBX		16.93	10.73	11.13							
	Virtual collocation - Security Escort - Basic, per half hour Virtual collocation - Security Escort - Overtime, per half hour			AMTES	SPTOX		22.05	13.86								
	Virtual collocation - Security Escort - Overtime, per half hour	1		AMTFS	SPTPX		27.17	16.98								
	Virtual collocation - Security Escort - Premium, per hair nour			AMTFS	CTRLX		27.17	10.73								ļ
	Virtual collocation - Maintenance in CO - Overtime, per half hour			AMTFS	SPTOM		36.47	13.86								
	Virtual collocation - Maintenance in CO - Premium per half hour			AMTFS	SPTPM		45.02	16.98								
	Virtual Collocation - Request Resend of CFA Information, per CLLI			AMTFS	VE1QR		77.56									
VIRTUAL COL																
	Virtual Collocation - 2-wire Cross Connect, Exchange Port 2- Wire Analog - Res			UEPSR	VE1R2	0.03	12.30	11.80	6.03	5.44						
	Virtual Collocation 2-Wire Cross Connect, Exchange Port 2- Wire Line Side PBX Trunk - Bus			UEPSP	VE1R2	0.03	12.30	11.80	6.03	5.44						
	Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire Voice Grade PBX Trunk - Res			UEPSE	VE1R2	0.03	12.30	11.80	6.03	5.44						
	Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire Analog Bus			UEPSB	VE1R2	0.03	12.30	11.80	6.03	5.44						
	Virtual Collocation 2-Wire Cross Connect, Exchnage Port 2-Wire ISDN			UEPSX	VE1R2	0.03	12.30	11.80	6.03	5.44						
	Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire ISDN			UEPTX	VE1R2	0.03	12.30	11.80	6.03	5.44						
	Virtual Collocation 4-Wire Cross Connect, Exchange Port 4-Wire ISDN DS1			UEPEX	VE1R4	0.05	12.39	11.87	6.39	5.44						
Note:	Rates displaying an "R" in Interim column are interim and sub	ject to	rate tru	e-up as set forth i	in General Tern	ns and Condition	ns.									

COLLOCAT	ION - Florida												Attach	ment: 4	Exhi	bit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						_	Nonrec	urring	Nonrecurring	Disconnect	1		oss	Rates (\$)	1	ı
						Rec	First	Add'l	First	Add'l		SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
PHYSICAL CO	LLOCATION															
	Physical Collocation 2-Wire Cross Connect, Exchange Port 2-															
	Wire Analog - Res			UEPSR	PE1R2	0.0276	8.22	7.22								
	Physical Collocation 2-Wire Cross Connect, Exchange Port 2-															
	Wire Line Side PBX Trunk - Bus			UEPSP	PE1R2	0.0276	8.22	7.22								
	Physical Collocation 2-Wire Cross Connect, Exchange Port 2-															
	Wire Voice Grade PBX Trunk - Res			UEPSE	PE1R2	0.0276	8.22	7.22								
	Physical Collocation 2-Wire Cross Connect, Exchange Port 2-															
	Wire Analog - Bus			UEPSB	PE1R2	0.0276	8.22	7.22								
	Physical Collocation 2-Wire Cross Connect, Exchange Port 2-															
	Wire ISDN			UEPSX	PE1R2	0.0276	8.22	7.22								
	Physical Collocation 2-Wire Cross Connect, Exchange Port 2-	1	1	l	L \bullet	. 7					1					
	Wire ISDN			UEPTX	PE1R2	0.0276	8.22	7.22								
	Physical Collocation 4-Wire Cross Connect, Exchange Port 4-															
	Wire ISDN DS1			UEPEX	PE1R4	0.0552	8.42	7.36								
PHYSICAL CO																
	Physical Collocation - Initial Application Fee			CLO	PE1BA		2,597.00									
	Physical Collocation - Subsequent Application Fee			CLO	PE1CA		2,236.00									
	Physical Collocation Administrative Only - Application Fee	l		CLO	PE1BL		742.00									
	Physical Collocation - Space Preparation - Firm Order															
	Processing			CLO	PE1SJ		288.93									
	Physical Collocation - Space Preparation - C.O. Modification per			0.0	DE 4014											
	square ft.			CLO	PE1SK	2.38										
	Physical Collocation - Space Preparation - Common Systems															
	Modifications-Caged, per cage		<u> </u>	CLO	PE1SM	92.55										
	Physical Collocation - Cable Installation, Pricing, non-recurring			01.0	DE 4 D D		4 750 00		45.40							
	charge, per Entrance Cable			CLO	PE1BD PE1PJ	7.86	1,750.00		45.16							
-	Physical Collocation - Floor Space, per sq feet			CLO	PETPJ	7.86										
	Physical Collocation - Cable Support Structure, per Entrance Cable			CI O	DEADM	40.00										
	Cable			CLO	PE1PM	18.96					-					
	Dhysical Callegation Davies 40\/ DC Davies and Freed Asse			CLO	PE1PL	7.80										
	Physical Collocation - Power, -48V DC Power - per Fused Amp Physical Collocation - Power Reconfiguration Only, Application		<u> </u>	CLO	PEIPL	7.00										
	Fee	١.		CLO	PE1PR		399.43									
	Physical Collocation - Power, 120V AC Power, Single Phase,			CLO	PETPR		399.43									
	per Breaker Amp			CLO	PE1FB	5.38										
	Physical Collocation - Power, 240V AC Power, Single Phase,	1	1	OLO .	ILIID	5.50					 	1				
	per Breaker Amp	1	1	CLO	PE1FD	10.77										
 	Physical Collocation - Power, 120V AC Power, Three Phase, per	1	 	0.0		10.77			 		 					
	Breaker Amp	1	1	CLO	PE1FE	16.15										
	Physical Collocation - Power, 277V AC Power, Three Phase, per	1				10.13					1				1	
	Breaker Amp	1	1	CLO	PE1FG	37.30										
		1		UEANL,UEQ,		550										
		l		UNLDX, UNCNX,												
		l		UEA, UCL, UAL,												
		l		UHL, UDC, UDN,												
	Physical Collocation - 2-wire cross-connect, loop, provisioning	l		UNCVX	PE1P2	0.0276	8.22	7.22	5.74	4.58						
				UEA, UHL, UNCVX,												
	Physical Collocation - 4-wire cross-connect, loop, provisioning	l		UNCDX, UCL, UDL	PE1P4	0.0552	8.42	7.36	5.90	4.66						
				WDS1L,WDS1S,												
		l		UXTD1, ULDD1,												
]		1	1	USLEL, UNLD1,												
]		1	1	UEPEX, UEPDX,												
	Physical Collocation -DS1 Cross-Connect for Physical	1	1	USL, ULC, U1TD1,												
	Collocation, provisioning	L	<u></u>	UNC1X	PE1P1	1.32	27.77	15.52	5.93	4.77	1			<u> </u>		<u> </u>

COLLOCAT	ION - Florida			1	1	1					1_	-		ment: 4		bit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)				Submitted Manually	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrec		Nonrecurring					Rates (\$)		
						1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
				UE3,U1TD3, UXTD3, UXTS1, UNC3X, UNCSX, ULDD3, U1TS1,ULDS1,												
	Physical Collocation - DS3 Cross-Connect, provisioning			UNLD3	PE1P3	16.81	25.48	14.05	7.77	5.01						
	Physical Collocation - 2-Fiber Cross-Connect			CLO, ULDO3, ULD12, ULD48, U1TO3, U1T12, U1T48, UDLO3, UDL12, UDF ULDO3, ULD12, ULD48, U1TO3,	PE1F2	3.34	41.94	30.52	13.91	11.16						
				U1T12, U1T48,												
	Physical Collocation - 4-Fiber Cross-Connect			UDLO3, UDL12, UDF	PE1F4	5.92	51.30	39.87	18.29	15.54						
 	Physical Collocation - 4-Fiber Cross-Connect Physical Collocation - Space enclosure, welded wire, first 100		1	001	r ⊑ 11°4	5.92	31.30	38.67	10.29	10.04						
	square feet			CLO	PE1BW	189.45										
	Physical Collocation - Space enclosure, welded wire, each additional 50 square feet			CLO	PE1CW	18.58										
	Physical Collocation - Security Access System - Security System															
	per Central Office Physical Collocation -Security Access System - New Card			CLO	PE1AY	0.0105										
	Activation, per Card Activation (First), per State			CLO	PE1A1	0.0577	55.80									
	Physical Collocation-Security Access System-Administrative Change, existing Access Card, per Request, per State, per Card Physical Collocation - Security Access System - Replace Lost or			CLO	PE1AA		15.65									
	Stolen Card, per Card			CLO	PE1AR		45.75									
	Physical Collocation - Security Access - Initial Key, per Key			CLO	PE1AK		26.30									
	Physical Collocation - Security Access - Key, Replace Lost or Stolen Key, per Key			CLO	PE1AL		26.30									
	Physical Collocation - Space Availability Report, per Central			0.0	DE40D		0.450.00									
	Office Requested Physical Collocation - CFA Information Resend Request, per premises, per request			CLO	PE1SR PE1C9		2,159.00 77.54									
 	Physical Collocation - Cable Records, per request			CLO	PE1C9 PE1CR		1,525.00	980.22	267.08							
	Physical Collocation, Cable Records, VG/DS0 Cable, per cable record (maximum 3600 records)			CLO	PE1CD		656.50	000.22	379.78							
	Physical Collocation, Cable Records, VG/DS0 Cable, per each															
	100 pair		ļ	CLO CLO	PE1CO		9.66		11.84 5.54							
	Physical Collocation, Cable Records, DS1, per T1 TIE Physical Collocation, Cable Records, DS3, per T3 TIE	<u> </u>	<u> </u>	CLO	PE1C1 PE1C3		4.52 15.82		5.54 19.40							
	Physical Collocation, Cable Records, DS3, per 13 TIE Physical Collocation - Cable Records, Fiber Cable, per cable record (maximum 99 records)			CLO	PE1CB		169.67		154.89							
	Physical Collocation - Security Escort for Basic Time - normally scheduled work, per half hour			CLO	PE1BT		16.52	10.83	10.1.00							
	Physical Collocation - Security Escort for Overtime - outside of normally scheduled working hours on a scheduled work day,															
	per half hour Physical Collocation - Security Escort for Premium Time -			CLO	PE1OT		21.92	14.19								
	outside of scheduled work day, per half hour Physical Collocation - Virtual to Physical Collocation Relocation,			CLO	PE1PT		27.31	17.55								
	per Voice Grade Circuit Physical Collocation - Virtual to Physical Collocation Relocation,			CLO	PE1BV		33.00									
	per DSO Circuit Physical Collocation - Virtual to Physical Collocation Relocation, per DS1 Circuit			CLO	PE1BO PE1B1		33.00 52.00									

COLLOCAT	ION - Florida			T		T								ment: 4		bit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)				Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrec		Nonrecurring					Rates (\$)		
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Physical Collocation - Virtual to Physical Collocation Relocation,	١.		01.0	DE 4 DO		50.00									
	per DS3 Circuit Physical Collocation - Virtual to Physical Collocation In-Place,	ı		CLO	PE1B3		52.00									
	Per Voice Grade Circuit			CLO	PE1BR		23.00									
+	Physical Collocation Virtual to Physical Collocation In-Place, Per			020	LIDIC		20.00									
	DSO Circuit	- 1		CLO	PE1BP		23.00									
	Physical Collocation - Virtual to Physical Collocation In-Place,															
	Per DS1 Circuit	ı		CLO	PE1BS		33.00		ļ							
	Physical Collocation - Virtual to Physical Collocation In-Place, per DS3 Circuit			CLO	PE1BE		37.00									
	Physical Collocation - Virtual to Physical Collocation In-	'		CLO	FEIDE		37.00									
	Place/Relocation, space cable facilities assigned to Collocation															
	Space, per 700 cable pairs or fraction thereof	- 1		CLO	PE1B7		592.00									
	Physical Collocation - Co-Carrier Cross Connects/Direct															
	Connect - Fiber Cable Support Structure, per linear ft.			CLO	PE1ES	0.001										
	Physical Collocation - Co-Carrier Cross Connect/Direct Connect - Copper/Coax Cable Support Structure, per lin. ft.	-		CLO	PE1DS	0.0014										
	Physical Collocation - Co-Carrier Cross Connects/Direct			CLO	FLIDS	0.0014										
	Connect, Application Fee, per application			CLO	PE1DT		584.11									
	Physical Collocation - Copper Entrance Cable per Cable (CO															
	manhole to vault splice)			CLO	PE1EA		1,169.133	42.712								
	Physical Collocation - Copper Entrance Cable Installation, per			01.0	DE4ED		40.000									
	100 Pairs Physical Collocation - Fiber Entrance Cable per Cable (CO			CLO	PE1EB		18.009									
	manhole to vault splice)			CLO	PE1EC		973.661	42.712								
	Physical Collocation - Fiber Entrance Cable Installation, per			OLO	1 111111		370.001	72.712								
	Fiber			CLO	PE1ED		7.24									
	Physical Collocation - Co-Carrier Cross Connect/Direct Connect -															
	Fiber Cable Support Structure, per cable	l l		CLO	PE1DU		535.54									
	Physical Collocation - Co-Carrier Cross Connect/Direct Connect - Copper/Coax Cable Support Structure, per cable	1 ,		CLO	PE1DV		535.54									
ADJACENT C	OLLOCATION	-		CLO	FLIDV		333.34									
7.207.02.11	Adjacent Collocation - Space Charge per Sq. Ft.			CLOAC	PE1JA	0.1635										
	Adjacent Collocation - Electrical Facility Charge per Linear Ft.			CLOAC	PE1JC	5.11										
	Adjacent Collocation - 2-Wire Cross-Connects				PE1P2	0.0213	24.69	23.69	11.77	10.62						
	Adjacent Collocation - 4-Wire Cross-Connects				PE1P4	0.0426	24.88	23.83	12.04	10.80						
	Adjacent Collocation - DS1 Cross-Connects Adjacent Collocation - DS3 Cross-Connects				PE1P1	1.22	44.24	31.98	12.07	10.91						
	Adjacent Collocation - DS3 Cross-Connects Adjacent Collocation - 2-Fiber Cross-Connect			UEA,UHL,UDL,UCL CLOAC	PE1P3 PE1F2	16.56 2.81	41.94 41.94	30.52 30.52	13.91 13.91	11.15 11.16						
	Adjacent Collocation - 4-Fiber Cross-Connect			CLOAC	PE1F4	5.36	51.30	39.87	18.29	15.54						
	Adjacent Collocation - Application Fee			CLOAC	PE1JB	0.00	2,785.00	00.0.	10.20	10.01						
	Adjacent Collocation - 120V, Single Phase Standby Power Rate						·									
	per AC Breaker Amp			CLOAC	PE1FB	5.38										
	Adjacent Collocation - 240V, Single Phase Standby Power Rate			01.040	PE1FD	10.77										
	per AC Breaker Amp Adjacent Collocation - 120V, Three Phase Standby Power Rate			CLOAC	PE1FD	10.77										
	per AC Breaker Amp			CLOAC	PE1FE	16.15										
<u> </u>	Adjacent Collocation - 277V, Three Phase Standby Power Rate		1													
	per AC Breaker Amp			CLOAC	PE1FG	37.30										
	Adjacent Collocation - Cable Support Structure per Entrance			0.0.0	DE 40::											
DUVEICAL CO	Cable		<u> </u>	CLOAC	PE1PM	18.96					-					<u> </u>
PHYSICAL CO	Physical Collocation in the Remote Site - Application Fee			CLORS	PE1RA		617.91		328.81							
	Cabinet Space in the Remote Site - Application Fee		 	CLORS	PE1RA PE1RB	219.49	017.81		320.61							
			<u> </u>			210.40										
	Physical Collocation in the Remote Site - Security Access - Key			CLORS	PE1RD		26.30									
	Physical Collocation in the Remote Site - Space Availability															
	Report per Premises Requested		l	CLORS	PE1SR		232.69]	

COLLO	CATI	ON - Florida												Attach	ment: 4	Exhi	ibit: B
CATEGO		RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)		:		Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I		Incremental Charge -
							Rec	Nonrec		Nonrecurring Discor					Rates (\$)		T
								First	Add'l	First Ad	d'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Physical Collocation in the Remote Site - Remote Site CLLI			01.000	DEADE		75.44									
-		Code Request, per CLLI Code Requested			CLORS CLORS	PE1RE		75.41									
-		Remote Site DLEC Data (BRSDD), per Compact Disk, per CO Physical Collocation - Security Escort for Basic Time - normally			CLORS	PE1RR		233.51									
		scheduled work, per half hour			CLORS	PE1BT		16.52	10.83								
+		Physical Collocation - Security Escort for Overtime - outside of			CLORS	PEIDI		10.32	10.03		-						
		normally scheduled working hours on a scheduled work day,															
		per half hour			CLORS	PE1OT		21.92	14.19								
-		Physical Collocation - Security Escort for Premium Time -			OLONO	1 2101		21.32	14.13								
		outside of scheduled work day, per half hour			CLORS	PE1PT		27.31	17.55								
PHYSIC/	AL CO	LLOCATION IN THE REMOTE SITE - ADJACENT			020110			27.01									
		Remote Site-Adjacent Collocation - AC Power, per breaker amp	l		CLORS	PE1RS	6.27										
				1			1										
		Remote Site-Adjacent Collocation - Real Estate, per square foot		<u> </u>	CLORS	PE1RT	0.134									<u></u>	
		Remote Site-Adjacent Collocation-Application Fee			CLORS	PE1RU		755.62	755.62								
		If Security Escort and/or Add'I Engineering Fees become nec	essary 1	for rem	ote site collocation,	the Parties	will negotiate ap	opropriate rate	s.								
VIRTUAL	COLI	LOCATION															
		Virtual Collocation - Application Fee			AMTFS	EAF		4,122.00	1,249.00								
		Virtual Collocation Administrative Only - Application Fee	I		AMTFS	VE1AF		742.00									
		Virtual Collocation - Cable Installation Cost, per cable			AMTFS	ESPCX	12.45	965.00									
		Virtual Collocation - Floor Space, per sq. ft.			AMTFS	ESPVX	4.25										
		Virtual Collocation - Power, per fused amp			AMTFS	ESPAX	6.95										
		Virtual Collocation - Cable Support Structure, per entrance			AMTFS		13.35										
		cable			UEANL,UEA,UDN,U DC,UAL,UHL,UCL,U EQ, UNCVX,	ESPSX											
		Virtual Collocation - 2-wire Cross Connects (loop) Virtual Collocation - 4-wire Cross Connects (loop)			UNCDX, UNCNX UEA,UHL,UCL,UDL, UAL, UDN, UNCVX, UNCDX	UEAC2 UEAC4	0.0502	11.57									
		Virtual Collocation - 2-Fiber Cross Connects			UDL12, UDLO3, U1T48, U1T12, U1T03, ULDO3, ULD12, ULD48, UDF		6.71	2,431.00									
		Virtual Collocation - 4-Fiber Cross Connects			U1T48, U1T12, U1T03, ULDO3, ULD12, ULD48, UDF	CNC4F	6.71	2,431.00									
		Virtual collocation - Special Access & UNE, cross-connect per DS1			USL,ULC, ULR, UXTD1, UNC1X, ULDD1, U1TD1, USLEL, UNLD1, UEPEX, UEPDX	CNC1X	7.50	155.00	14.00								
		Virtual collocation - Special Access & UNE, cross-connect per DS3			USL,UE3, U1TD3, UXTS1, UXTD3, UNC3X, UNCSX, ULDD3, U1TS1, ULDS1, UDLSX, UNLD3	CND3X	56.25	151.90	11.83								
		Virtual Collocation - Co-Carrier Cross Connects - Fiber Cable			l						T		1				
+		Support Structure, per linear foot Virtual Collocation - Co-Carrier Cross Connects - Copper/Coax Cable Support Structure, per linear ft			AMTFS AMTFS	VE1CB VE1CD	0.0028										
		Virtual Collocation - Co-Carrier Cross Connects - Fiber Cable Support Structure,per cable			AMTFS	VE1CC	0.00.1	535.54									

COLLOCAL	ION - Florida		,										Attach			bit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)				Submitted Manually	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'l
						_ 1	Nonreci	urring	Nonrecurring	Disconnect	J		oss	Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Virtual Collocation - Co-Carrier Cross Connects - Copper/Coax															
	Cable Support Structure, per cable			AMTFS	VE1CE		535.54									
	Virtual Collocation Cable Records - per request			AMTFS	VE1BA		1,525.00		267.08							
	Virtual Collocation Cable Records - VG/DS0 Cable, per cable															
	record			AMTFS	VE1BB		656.50		379.78							
	Virtual Collocation Cable Records - VG/DS0 Cable, per each															
	100 pair			AMTFS	VE1BC		9.66		11.84							
	Virtual Collocation Cable Records - DS1, per T1TIE			AMTFS	VE1BD		4.52		5.54							
	Virtual Collocation Cable Records - DS3, per T3TIE			AMTFS	VE1BE		15.82		19.40							
	Virtual Collocation Cable Records - Fiber Cable, per 99 fiber															
	records			AMTFS	VE1BF		169.67		154.89							
	Virtual collocation - Security Escort - Basic, per quarter hour			AMTFS	SPTBQ		10.89									
	Virtual collocation - Security Escort - Overtime, per quarter hour			AMTFS	SPTOQ		13.64									
	Virtual collocation - Security Escort - Premium, per quarter hour			AMTFS	SPTPQ		16.40									
	Virtual Collocation - 2-wire Cross Connects (loop), per ckts			AMTFS	VE1R2	0.05	11.57									
	Virtual Collocation - 4-wire Cross Connects (loop), per ckts			AMTFS	VE1R4	0.05	11.57									
	Virtual Collocation - DS-1/DCS Cross Connects, PER CKTS			AMTFS	VE11S	8.09	69.64									
	Virtual Collocation - DS-1.DSX Cross Connects, PER CKTS			AMTFS	VE11X	0.41	69.64									
	Virtual Collocation - DS-3/DCS Cross Connects, PER CKT			AMTFS	VE13S	59.67	528.00									
	Virtual Collocation - DS-3/DSC Cross Connects, PER CKT			AMTFS	VE13X	10.06	528.00									
	Virtual collocation - Maintenance in CO - Basic, per quarter hour			AMTFS	SPTRE		10.89									
	Virtual collocation - Maintenance in CO - Overtime, per quarter hour			AMTFS	SPTOE		13.64									
	Virtual collocation - Maintenance in CO - Premium per quarter hour			AMTFS	SPTPE		16.40									
	Virtual Collocation - Request Resend of CFA Information, per CLLI			AMTFS	VE1QR		77.54									
IRTUAL COL				7.1111.0	, rendir		77.01		1							
	Virtual Collocation - 2-wire Cross Connect, Exchange Port 2-															
	Wire Analog - Res			UEPSR	VE1R2	0.0502	11.57	11.57								
	Virtual Collocation 2-Wire Cross Connect, Exchange Port 2- Wire Line Side PBX Trunk - Bus			UEPSP	VE1R2	0.0502	11.57	11.57								
	Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire Voice Grade PBX Trunk - Res			UEPSE	VE1R2	0.0502	11.57	11.57								
	Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire Analog Bus			UEPSB	VE1R2	0.0502	11.57	11.57								
	Virtual Collocation 2-Wire Cross Connect, Exchnage Port 2-Wire ISDN			UEPSX	VE1R2	0.0502	11.57	11.57								
	Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire ISDN			UEPTX	VE1R2	0.0502	11.57	11.57								
	ISDN Virtual Collocation 4-Wire Cross Connect, Exchange Port 4-Wire ISDN DS1			UEPEX	VE1R2	0.0502	11.57	11.57								
	Rates displaying an "R" in Interim column are interim and sub	<u>. </u>	<u> </u>					11.57	.							├

COLLO	CATIO	DN - Georgia												Attach	ment: 4	Fxhi	bit: B
00220	<u> </u>	on coorgiu										Svc Order	Svc Order	Incremental		Incremental	
												Submitted	Submitted		Charge -	Charge -	Charge -
												Elec		Manual Svc	Manual Svc		Manual Svc
CATEGO	RY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m									per LSK	per LSK	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							_	Nonrec	urring	Nonrecurring	g Disconnect			oss	Rates (\$)	·	
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
PHYSICA		LOCATION															
		Physical Collocation 2-Wire Cross Connect, Exchange Port 2-															
		Wire Analog - Res	1		UEPSR	PE1R2	0.30	12.60	12.60								
		Physical Collocation 2-Wire Cross Connect, Exchange Port 2-															
		Wire Line Side PBX Trunk - Bus	- 1		UEPSP	PE1R2	0.30	12.60	12.60								
		Physical Collocation 2-Wire Cross Connect, Exchange Port 2-															
		Wire Voice Grade PBX Trunk - Res	ı		UEPSE	PE1R2	0.30	12.60	12.60								
		Physical Collocation 2-Wire Cross Connect, Exchange Port 2-															
$\vdash \!$		Wire Analog - Bus		ļ	UEPSB	PE1R2	0.30	12.60	12.60	ļ	ļ	ļ			ļ	ļ	ļ
		Physical Collocation 2-Wire Cross Connect, Exchange Port 2-	1 .							I					1	I	1
$\vdash \!$		Wire ISDN		ļ	UEPSX	PE1R2	0.30	12.60	12.60	.		ļ			ļ	.	ļ
		Physical Collocation 2-Wire Cross Connect, Exchange Port 2-	Ι.		LIEDTY	DE4D0	0.00	40.00	10.00	I					1	I	1
\vdash		Wire ISDN		1	UEPTX	PE1R2	0.30	12.60	12.60	!	 	ļ		1	 	!	
		Physical Collocation 4-Wire Cross Connect, Exchange Port 4- Wire ISDN DS1	1		UEPEX	PE1R4	0.50	12.60	40.00	I					Ì	I	Ì
DUVCICA		LOCATION			UEPEX	PE1R4	0.50	12.60	12.60	-		1					
PHISICA		Physical Collocation - Initial Application Fee			CLO	PE1BA		1,285.98		0.59		1					
\vdash		Physical Collocation - Initial Application Fee	1	1	CLO	PE1CA		1,085.48		0.59		1					
 		Physical Collocation Administrative Only - Application Fee		-	CLO	PE1BL		740.83		0.55		1					
		Physical Collocation - Space Preparation - Firm Order			CLO	ILIDE		740.03									
		Processing			CLO	PE1SJ		141.10									
		Physical Collocation - Space Preparation - C.O. Modification per			020	. 2.00						1					
		square ft.			CLO	PE1SK	2.01										
		Physical Collocation - Space Preparation, Common Systems															
		Modifications-Cageless, per square foot			CLO	PE1SL	2.23										
		Physical Collocation - Space Preparation - Common Systems															
		Modifications-Caged, per cage			CLO	PE1SM	75.61										
		Physical Collocation - Cable Installation, Pricing, non-recurring															
\perp		charge, per Entrance Cable			CLO	PE1BD		736.93		21.51							
		Physical Collocation - Floor Space, per sq feet			CLO	PE1PJ	4.52										
		Physical Collocation - Cable Support Structure, per Entrance															
\vdash		Cable		ļ	CLO	PE1PM	7.21										
		Di			CLO	DE 4 DI	4.70										
\vdash		Physical Collocation - Power, -48V DC Power - per Fused Amp Physical Collocation - Power Reconfiguration Only, Application			CLO	PE1PL	4.78			-		-					
		Physical Collocation - Power Reconfiguration Only, Application			CLO	PE1PR		398.80									
+-+		Physical Collocation - Power, 120V AC Power, Single Phase,	+-	1	010	LIFK		J90.0U		 	1	 		1	1	+	1
		per Breaker Amp			CLO	PE1FB	5.14									1	
\vdash		Physical Collocation - Power, 240V AC Power, Single Phase,	1	1	1		0.14			I				1	 	I	
		per Breaker Amp	1		CLO	PE1FD	10.30			I					1	I	1
		Physical Collocation - Power, 120V AC Power, Three Phase, per															
	ı	Breaker Amp	1		CLO	PE1FE	15.44			I					1	I	1
		Physical Collocation - Power, 277V AC Power, Three Phase, per															
		Breaker Amp	<u></u>	<u> </u>	CLO	PE1FG	35.65										
	T				UEANL,UEQ,											1	
			1		UNLDX, UNCNX,					I					1	I	1
					UEA, UCL, UAL,					1						1	
		District Oally selfer Oally see	1		UHL, UDC, UDN,	DE 4 D 2	6 6 4 6 -			I					1	I	1
\vdash		Physical Collocation - 2-wire cross-connect, loop, provisioning	!	1	UNCVX	PE1P2	0.0197			!	 	ļ		1	 	!	
		Physical Collocation - 4-wire cross-connect, loop, provisioning			UEA, UHL, UNCVX, UNCDX, UCL, UDL	PE1P4	0.0393									1	
+		rnysical Collocation - 4-wire cross-connect, loop, provisioning	1	+	WDS1L,WDS1S,	FEIF4	0.0393			 	-	1			-		-
			1		UXTD1, ULDD1,					I					1	I	1
					USLEL, UNLD1,											1	
					UEPEX, UEPDX,											1	
			1	1		1				1	I	1	1	I	1	1	
	Į.	Physical Collocation -DS1 Cross-Connect for Physical			USL, ULC, U1TD1,		I	J									

COLLOCAT	ION - Georgia			T	,							1 -		ment: 4		bit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)				Submitted Manually	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrec		Nonrecurring					Rates (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
				UE3,U1TD3, UXTD3, UXTS1, UNC3X, UNCSX, ULDD3, U1TS1,ULDS1,												
	Physical Collocation - DS3 Cross-Connect, provisioning			UNLD3	PE1P3	4.06										
	Physical Collocation - 2-Fiber Cross-Connect			CLO, ULDO3, ULD12, ULD48, U1TO3, U1T12, U1T48, UDLO3, UDL12, UDF ULDO3, ULD12, ULD48, U1TO3, U1T12, U1T48,	PE1F2	1.72										
				UDLO3, UDL12,												
	Physical Collocation - 4-Fiber Cross-Connect			UDF	PE1F4	3.30										
	Physical Collocation - Space enclosure, welded wire, first 100		1													
	square feet			CLO	PE1BW	160.45										
	Physical Collocation - Space enclosure, welded wire, each additional 50 square feet			CLO	PE1CW	15.74										
	Physical Collocation - Security Access System - Security System															
	per Central Office, per Sq. Ft.			CLO	PE1AY	0.0106										
	Physical Collocation -Security Access System - New Card Activation, per Card Activation (First), per State			CLO	PE1A1		22.00									
	Physical Collocation - Security Access System - New Access Card Deactivation, per Card			CLO	PE1A4		8.72	8.72								
	Physical Collocation-Security Access System-Administrative Change, existing Access Card, per Request, per State, per Card			CLO	PE1AA		5.38									
	Physical Collocation - Security Access System - Replace Lost or Stolen Card, per Card			CLO	PE1AR		17.01									
	Physical Collocation - Security Access - Initial Key, per Key			CLO	PE1AK PE1AK	-	17.01									
	Physical Collocation - Security Access - Initial Rey, per Rey Physical Collocation - Security Access - Key, Replace Lost or			CLO	FLIAN		13.20									
	Stolen Key, per Key			CLO	PE1AL		13.20									
	Physical Collocation - Space Availability Report, per Central Office Requested			CLO	PE1SR		248.75									
	Physical Collocation - CFA Information Resend Request, per															
	premises, per request		<u> </u>	CLO	PE1C9		77.42				ļ					
	Physical Collocation - Cable Records, per request		<u> </u>	CLO	PE1CR		743.65	478.06	125.75							
	Physical Collocation, Cable Records, VG/DS0 Cable, per cable record (maximum 3600 records)			CLO	PE1CD		317.60		177.77							
	Physical Collocation, Cable Records, VG/DS0 Cable, per each 100 pair		1	CLO	PE1CO		4.48		5.30							
 	Physical Collocation, Cable Records, DS1, per T1 TIE		 	CLO	PE1C0		2.22		2.63		 				 	
	Physical Collocation, Cable Records, DS3, per T3 TIE		†	CLO	PE1C3	1	7.76		9.19						1	
	Physical Collocation - Cable Records, Fiber Cable, per cable record (maximum 99 records)			CLO	PE1CB		83.45		73.57							
	Physical Collocation - Securify Escort for Basic Time - normally scheduled work, per half hour			CLO	PE1BT		16.52	10.83								
	Physical Collocation - Security Escort for Overtime - outside of normally scheduled working hours on a scheduled work day, per half hour			CLO	PE1OT		21.92	14.19								
	Physical Collocation - Security Escort for Premium Time - outside of scheduled work day, per half hour			CLO	PE1PT		27.31	17.55								
	Physical Collocation - Virtual to Physical Collocation Relocation, per Voice Grade Circuit			CLO	PE1BV		33.00									
	Physical Collocation - Virtual to Physical Collocation Relocation, per DSO Circuit			CLO	PE1BO		33.00									

COLLOCA	ATION - Georgia												Attach	ment: 4	Exhi	bit: B
											Svc Order	Svc Order	Incremental		Incremental	Incremental
											Submitted	Submitted		Charge -	Charge -	Charge -
		Interi	_								Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
						_	Nonred	curring	Nonrecurring	Disconnect		1	oss	Rates (\$)	1	
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Physical Collocation - Virtual to Physical Collocation Relocation,															
	per DS1 Circuit			CLO	PE1B1		52.00									
	Physical Collocation - Virtual to Physical Collocation Relocation,															
	per DS3 Circuit			CLO	PE1B3		52.00									
	Physical Collocation - Virtual to Physical Collocation In-Place, Per Voice Grade Circuit			CLO	PE1BR		23.00									
	Physical Collocation Virtual to Physical Collocation In-Place, Per			OLO	LIDI		23.00		1							
	DSO Circuit			CLO	PE1BP		23.00									
	Physical Collocation - Virtual to Physical Collocation In-Place,															
	Per DS1 Circuit			CLO	PE1BS		33.00									
	Physical Collocation - Virtual to Physical Collocation In-Place,				DE 10-											
\vdash	per DS3 Circuit			CLO	PE1BE		37.00			-						
	Physical Collocation - Virtual to Physical Collocation In- Place/Relocation, space cable facilities assigned to Collocation	1											1		1	
	Space, per 700 cable pairs or fraction thereof			CLO	PE1B7		592.00									
	Physical Collocation - Co-Carrier Cross Connects/Direct			<u></u>			332.00									
	Connect - Fiber Cable Support Structure, per linear ft.			CLO	PE1ES	0.001										
	Physical Collocation - Co-Carrier Cross Connect/Direct Connect -	-														
	Copper/Coax Cable Support Structure, per lin. ft.			CLO	PE1DS	0.0015										
	Physical Collocation - Co-Carrier Cross Connects/Direct			0.0	DE 4 DE		=00.40									
	Connect, Application Fee, per application Physical Collocation - Copper Entrance Cable per Cable (CO			CLO	PE1DT		583.18									
	manhole to vault splice)			CLO	PE1EA		1,198.43	42.645								
	Physical Collocation - Copper Entrance Cable Installation, per			OLO	I L ILX		1,100.40	42.040								
	100 Pairs			CLO	PE1EB		18.071									
	Physical Collocation - Fiber Entrance Cable per Cable (CO															
	manhole to vault splice)			CLO	PE1EC		1,003.267	42.645								
	Physical Collocation - Fiber Entrance Cable Installation, per			CLO	PE1ED		7.000									
	Fiber Physical Collocation - Application Cost, Simple Augment			CLO	PE1ED PE1KS		7.228 594.05		1.21							
-	Physical Collocation - Application Cost, Minor Augment Physical Collocation - Application Cost, Minor Augment			CLO	PE1KM		832.95		1.21							
	Physical Collocation - Application Cost, Intermediate Augment			CLO	PE1K1		1,057.00		1.21					İ		
	Physical Collocation - Co-Carrier Cross Connect/Direct Connect															
	Fiber Cable Support Structure, per cable	- 1		CLO	PE1DU		553.43									
	Physical Collocation - Co-Carrier Cross Connect/Direct Connect	1 .														
-	Copper/Coax Cable Support Structure, per cable	l l		CLO	PE1DV		553.43									
	Physical Collocation, Entrance Cable Support Structure, Copper, per each 100 pairs or fraction thereof (CO Manhole to															
	Frame)	l ı		CLO	PE1EE	0.2629										
	Physical Collocation, Entrance Cable Installation, Copper, per															
	Cable (CO Manhole to Frame)	I		CLO	PE1EF		755.15		21.51							
	Physical Collocation, Entrance Cable Installation, Copper, per	l . ¯														
AD IACEST	each 100 pairs or fraction thereof (CO Manhole to Frame) COLLOCATION			CLO	PE1EG		9.12			-						
ADJACENT	Adjacent Collocation - Space Charge per Sq. Ft.	 		CLOAC	PE1JA	0.164			 	-	 			 		
 	Adjacent Collocation - Space Charge per Sq. Ft. Adjacent Collocation - Electrical Facility Charge per Linear Ft.			CLOAC	PE1JA PE1JC	4.01					 			 		
	Adjacent Collocation - 2-Wire Cross-Connects			UEA,UHL,UDL,UCL	PE1P2	0.0172										
	Adjacent Collocation - 4-Wire Cross-Connects			UEA,UHL,UDL,UCL	PE1P4	0.0344										
	Adjacent Collocation - DS1 Cross-Connects			UEA,UHL,UDL,UCL	PE1P1	0.3608										
	Adjacent Collocation - DS3 Cross-Connects			UEA,UHL,UDL,UCL		4.73										
\vdash	Adjacent Collocation - 2-Fiber Cross-Connect			CLOAC	PE1F2	1.66					-					
	Adjacent Collocation - 4-Fiber Cross-Connect Adjacent Collocation - Application Fee	 		CLOAC CLOAC	PE1F4 PE1JB	3.24	1.382.19		0.50	-	 			 		
	Adjacent Collocation - Application Fee Adjacent Collocation - 120V, Single Phase Standby Power Rate			OLUAU	I L IVD		1,302.19		0.30		+					
	per AC Breaker Amp			CLOAC	PE1FB	5.14										
	Adjacent Collocation - 240V, Single Phase Standby Power Rate															
	per AC Breaker Amp			CLOAC	PE1FD	10.30										
	Adjacent Collocation - 120V, Three Phase Standby Power Rate	1	1 T										1	_	1	
	per AC Breaker Amp			CLOAC	PE1FE	15.44						İ		1		

COLLO	CATI	ON - Georgia												Attach	ment: 4	Exhil	hit: D
COLLC	JUAII	on - Georgia	1	1								Svc Order	Svc Order	Incremental		Incremental	
												Submitted	Submitted		Charge -	Charge -	Charge -
												Elec		Manual Svc	Manual Svc		Manual Svc
CATEGO	ORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)								
CAILO	JI(1	KATE ELEMENTO	m	20116	500	0000			KAILO (4)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
								Nonrec	urring	Nonrecurring	n Disconnect		1	OSS	Rates (\$)		
-				1			Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
-		Adjacent Collocation - 277V, Three Phase Standby Power Rate						11130	Auu i	11130	Auu	JOINEC	JONAN	JOINAIN	JOHAN	JOHAN	JOINAIN
		per AC Breaker Amp			CLOAC	PE1FG	35.65										
-		Adjacent Collocation - 240V, Three Phase Standby Power Rate			CLOAC	1110	33.03										
		per AC Breaker Amp			CLOAC	PE1JD	35.65										
DHASIC	AL COL	LOCATION IN THE REMOTE SITE	<u> </u>		CLOAC	I LISD	33.03										
FITTOIC		Physical Collocation in the Remote Site - Application Fee			CLORS	PE1RA		300.61		132.62							
-		Cabinet Space in the Remote Site per Bay/ Rack			CLORS	PE1RB	143.23	300.01		132.02							
		Cabinet Space in the Remote Site per Bay/ Rack	<u> </u>		CLORS	PEIRD	143.23										
		Physical Collocation in the Remote Site - Security Access - Key			CLORS	PE1RD		13.20									
\vdash		Physical Collocation in the Remote Site - Security Access - Rey Physical Collocation in the Remote Site - Space Availability	-	 	OLUNG	LLIND	 	13.20		1				-			
		Report per Premises Requested	1		CLORS	PE1SR		109.94						Ì	I		
-		Physical Collocation in the Remote Site - Remote Site CLLI	1	1	OLORO	FEIOR		109.94		+	-	-	-	-	-		
		Code Request, per CLLI Code Requested			CLORS	PE1RE		36.04									
\vdash		Remote Site DLEC Data (BRSDD), per Compact Disk, per CO	 	1	CLORS	PE1RE PE1RR	-	116.64		 		-			-		
\vdash		Physical Collocation - Security Escort for Basic Time - normally	 	<u> </u>	CLORO	FEIRK		110.04		+				-	-		
		scheduled work, per half hour			CLORS	PE1BT		16.52	10.83								
		Physical Collocation - Security Escort for Overtime - outside of			CLORS	PEIBI		16.52	10.83								
		normally scheduled working hours on a scheduled work day, per half hour			CLORS	PE1OT		21.92	14.19								
			<u> </u>		CLORS	PEIOI		21.92	14.19								
		Physical Collocation - Security Escort for Premium Time -			CLORS	PE1PT		07.04	47.55								
DUVCIO	AL CO.	outside of scheduled work day, per half hour LOCATION IN THE REMOTE SITE - ADJACENT			CLORS	PETPT		27.31	17.55								
PHISIC	AL COL	LOCATION IN THE REMOTE SITE - ADJACENT	-														
		Remote Site-Adjacent Collocation - AC Power, per breaker amp			CLORS	PE1RS	6.27										
		Remote Site-Adjacent Conocation - AC Power, per breaker amp	<u> </u>		CLORS	PEIRS	0.21										
		Descrite Cite Adianant Collegation Deal Estate accompany fact			CLORS	PE1RT	0.134										
		Remote Site-Adjacent Collocation - Real Estate, per square foot	<u> </u>		CLORS	PE1RU	0.134	755.62	755.62								
-	NOTE.	Remote Site-Adjacent Collocation-Application Fee If Security Escort and/or Add'I Engineering Fees become nec	0000011	for rom			vill pagatiota ar										
		OCATION	essary i	lor rein	Tote site conocation,	the Farties v	viii negotiate ap	opropriate rate	5.								
VIKTUA	L COLL	Virtual Collocation - Application Fee			AMTFS	EAF		609.52		0.59							
-		Virtual Collocation - Application Fee Virtual Collocation Administrative Only - Application Fee	1		AMTES	VE1AF		609.52		0.59		1					
-		Virtual Collocation - Cable Installation Cost, per cable			AMTFS	ESPCX		736.93		21.51							
-		Virtual Collocation - Floor Space, per sq. ft.			AMTFS	ESPVX	4.52	730.93		21.31		-			-		
-		Virtual Collocation - Power, per fused amp			AMTFS	ESPAX	4.78					-			-		
-		Virtual Collocation - Cable Support Structure, per entrance			AIVITTO	LOFAX	4.70					-			-		
		cable			AMTFS	ESPSX	7.57										
-		cable			UEANL,UEA,UDN,U	LOFOX	1.51										
					DC,UAL,UHL,UCL,U												
			1		EQ, UNCVX,									Ì	I		
		Virtual Collocation - 2-wire Cross Connects (loop)	1		UNCDX, UNCNX	UEAC2	0.0188							Ì	I		
\vdash		virtual Conocation - 2-wile Cross Confidence (100p)	 	1	UEA,UHL,UCL,UDL,	JLAUZ	0.0100			 				 	 		
			1		UAL, UDN, UNCVX,									Ì	I		
		Virtual Collocation - 4-wire Cross Connects (Ioop)	1		UNCDX	UEAC4	0.0375							Ì	I		
\vdash		virtual Conocation - T-wire Cross Confidence (100p)	 	1	014007	JLA04	0.0373			1		 	1	1	 		
					UDL12, UDLO3,												
					U1T48, U1T12,												
			1		U1T03, ULDO3,									Ì	I		
		Virtual Collocation - 2-Fiber Cross Connects			ULD12, ULD48, UDF	CNC2F	1.73						1				
		The Constitution of the Co	 	1	32512, 32540, 0DI	511021	1.73			 				 	 		
					UDL12, UDLO3,								1				
					U1T48, U1T12,								1				
					U1T03, ULDO3,										1		
		Virtual Collocation - 4-Fiber Cross Connects			ULD12, ULD48, UDF	CNC4F	3.45								1		
\vdash		THE CONTROL OF THE COURT OF THE	 	1	USL,ULC, ULR,	5110-11	5.45			 				 	 		
1 1			1		UXTD1, UNC1X,									Ì	I		
					ULDD1, U1TD1,										1		
		Virtual collocation - Special Access & UNE, cross-connect per			USLEL, UNLD1,								1				
		DS1	1		UEPEX, UEPDX	CNC1X	0.3726							Ì	I		
			1	1	JOET EA, OLI DA	311017	0.0120			ı	l .	1	1	1	1	1	

COLLOCAT	ION - Georgia													ment: 4		bit: B
											Svc Order		Incremental		Incremental	Incremental
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		Interi	l_								Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
											_		Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
							N		Nonrecurring	D '						
						Rec	Nonrec First	Add'l	First	Add'l		SOMAN	SOMAN	Rates (\$) SOMAN	SOMAN	SOMAN
				USL,UE3, U1TD3,	+		THOL	Auu i	11130	Auu i	JOHILO	JONAN	JONAN	JONAN	JOHIAN	JOMAN
				UXTS1, UXTD3,												
				UNC3X, UNCSX.												
				ULDD3, U1TS1,												
	Virtual collocation - Special Access & UNE, cross-connect per			ULDS1, UDLSX,												
	DS3			UNLD3	CND3X	4.06										
	Virtual Collocation - Co-Carrier Cross Connects - Fiber Cable			ONEDS	CIADOX	4.00										
	Support Structure, per linear foot			AMTFS	VE1CB	0.0023										
	Virtual Collocation - Co-Carrier Cross Connects - Copper/Coax			7 WITT O	VETOD	0.0020										
	Cable Support Structure, per linear ft			AMTFS	VE1CD	0.0034										
	Virtual Collocation - Co-Carrier Cross Connects - Fiber Cable			/ WITT O	VETOD	0.0004										
	Support Structure,per cable			AMTFS	VE1CC		553.43									
	Virtual Collocation - Co-Carrier Cross Connects - Copper/Coax	1	1		1		300.40		 		1				1	
	Cable Support Structure, per cable	l		AMTFS	VE1CE		553.43									1
	Virtual Collocation Cable Records - per request	1		AMTFS	VE1BA		743.65	478.06	125.75					1	l .	t
	Virtual Collocation Cable Records - VG/DS0 Cable, per cable	1					. 40.00	47 0.00	120.73						1	1
	record	l	1	AMTFS	VE1BB		317.60		177.77							I
	Virtual Collocation Cable Records - VG/DS0 Cable, per each			7	12.00		017.00									
	100 pair			AMTFS	VE1BC		4.48		5.30							
	Virtual Collocation Cable Records - DS1, per T1TIE		1	AMTFS	VE1BD		2.22		2.63							
	Virtual Collocation Cable Records - DS3, per T3TIE			AMTFS	VE1BE		7.76		9.19							
	Virtual Collocation Cable Records - Fiber Cable, per 99 fiber				1											
	records			AMTFS	VE1BF		83.45		73.57							
	Virtual collocation - Security Escort - Basic, per half hour			AMTFS	SPTBX		16.52	10.83								
	Virtual collocation - Security Escort - Overtime, per half hour			AMTFS	SPTOX		21.92	14.19								
	Virtual collocation - Security Escort - Premium, per half hour			AMTFS	SPTPX		27.31	17.55								
	Virtual collocation - Maintenance in CO - Basic, per half hour			AMTFS	CTRLX		26.54	10.83								
	Virtual collocation - Maintenance in CO - Overtime, per half hour			AMTFS	SPTOM		35.44	14.19								
	Virtual collocation - Maintenance in CO - Premium per half hour			AMTFS	SPTPM		44.34	17.55								
	Virtual Collocation - Request Resend of CFA Information, per															
	CLLI			AMTFS	VE1QR		77.42									
	Virtual Collocation, Entrance Cable Support Structure, Copper,															
	per each 100 pairs or fraction thereof (CO Manhole to Frame)	- 1		AMTFS	VE1EE	0.23										
	Virtual Collocation, Entrance Cable Installation, Copper, per															
	Cable (CO Manhole to Frame)	I		AMTFS	VE1EF		755.15		21.51							
	Virtual Collocation, Entrance Cable Installation, Copper, per															
	each 100 pairs or fraction thereof (CO Manhole to Frame)	ı		AMTFS	VE1EG		9.12									
VIRTUAL COL																
	Virtual Collocation - 2-wire Cross Connect, Exchange Port 2-															
	Wire Analog - Res			UEPSR	VE1R2	0.30	12.60	12.60								
	Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-															
	Wire Line Side PBX Trunk - Bus	<u> </u>	ļ	UEPSP	VE1R2	0.30	12.60	12.60						1	1	-
	Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire			LIEDOE	\/E4D0	0.00	40.00	40.00								
	Voice Grade PBX Trunk - Res Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire	<u> </u>	ļ	UEPSE	VE1R2	0.30	12.60	12.60						1	1	-
	Analog Bus	l	1	UEPSB	VE1R2	0.30	12.60	12.60								I
\vdash		-	1	UEFOB	VE IKZ	0.30	12.60	12.60							 	
	Virtual Collocation 2-Wire Cross Connect, Exchnage Port 2-Wire ISDN	l		UEPSX	VE1R2	0.30	12.60	12.60								1
\vdash	Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire	!	 	UEPSX	VE IKZ	0.30	12.60	12.60	 		 			-	1	
	ISDN	l		UEPTX	VE1R2	0.30	12.60	12.60								1
	Virtual Collocation 4-Wire Cross Connect, Exchange Port 4-Wire	1	1	OLI IA	V L IIVZ	0.30	12.00	12.00			1	1			1	1
		I	1	L		1			1		1			1	1	1
	ISDN DS1			UEPEX	VE1R4	0.50	12.60	12.60	l l							

COLLOCAT	ION - Kentucky													ment: 4		bit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l
						Rec	Nonred		Nonrecurring					Rates (\$)	1	
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
PHYSICAL CO	I LOCATION														1	
FITTSICAL CC	Physical Collocation 2-Wire Cross Connect, Exchange Port 2-															
	Wire Analog - Res			UEPSR	PE1R2	0.0333	24.68	23.68	12.14	10.95						
	Physical Collocation 2-Wire Cross Connect, Exchange Port 2-															
	Wire Line Side PBX Trunk - Bus			UEPSP	PE1R2	0.0333	24.68	23.68	12.14	10.95						
	Physical Collocation 2-Wire Cross Connect, Exchange Port 2- Wire Voice Grade PBX Trunk - Res			UEPSE	PE1R2	0.0333	24.68	23.68	12.14	10.95						
	Physical Collocation 2-Wire Cross Connect, Exchange Port 2-			OLI OL	1 211(2	0.0000	24.00	20.00	12.14	10.00						<u> </u>
	Wire Analog - Bus			UEPSB	PE1R2	0.0333	24.68	23.68	12.14	10.95						
	Physical Collocation 2-Wire Cross Connect, Exchange Port 2-															
	Wire ISDN			UEPSX	PE1R2	0.0333	24.68	23.68	12.14	10.95						
	Physical Collocation 2-Wire Cross Connect, Exchange Port 2-Wire ISDN			UEPTX	PE1R2	0.0333	24.68	23.68	12.14	10.95						
 	Physical Collocation 4-Wire Cross Connect, Exchange Port 4-			J. 17	111.2	0.0000	24.00	20.00	12.17	10.00						
	Wire ISDN DS1			UEPEX	PE1R4	1.48	44.23	31.98	12.81	11.57						
PHYSICAL CO																
	Physical Collocation - Initial Application Fee			CLO	PE1BA		3,773.54									
	Physical Collocation - Subsequent Application Fee			CLO	PE1CA		3,145.35									
	Physical Collocation Administrative Only - Application Fee Physical Collocation - Space Preparation - Firm Order		1	CLO	PE1BL		742.12				1					
	Processing			CLO	PE1SJ		1,206.07									
	Physical Collocation - Space Preparation - C.O. Modification per			OLO	1 2 100		1,200.07									<u> </u>
	square ft.			CLO	PE1SK	2.32										
	Physical Collocation - Space Preparation, Common Systems															
	Modifications-Cageless, per square foot			CLO	PE1SL	3.26										
	Physical Collocation - Space Preparation - Common Systems Modifications-Caged, per cage			CLO	PE1SM	110.57										
	Physical Collocation - Cable Installation, Pricing, non-recurring			CLO	FLISIVI	110.57										+
	charge, per Entrance Cable			CLO	PE1BD		1,729.11		45.16							
	Physical Collocation - Floor Space, per sq feet			CLO	PE1PJ	7.99										
	Physical Collocation - Cable Support Structure, per Entrance															
	Cable			CLO	PE1PM	19.86										
	Physical Collocation - Power, -48V DC Power - per Fused Amp			CLO	PE1PL	8.06										
	Physical Collocation - Power Reconfiguration Only, Application			CLO	FLIFE	8.00									1	
	Fee	1		CLO	PE1PR		399.50									
	Physical Collocation - Power, 120V AC Power, Single Phase,															
	per Breaker Amp			CLO	PE1FB	5.44										
	Physical Collocation - Power, 240V AC Power, Single Phase, per Breaker Amp		1	CLO	PE1FD	10.88										
 	Physical Collocation - Power, 120V AC Power, Three Phase, per		 	CLU	FEIFU	10.88			1							\vdash
	Breaker Amp		1	CLO	PE1FE	16.32										
	Physical Collocation - Power, 277V AC Power, Three Phase, per															
	Breaker Amp			CLO	PE1FG	37.68										
				UEANL,UEQ,												
				UNLDX, UNCNX, UEA, UCL, UAL,												
			1	UHL, UDC, UDN,												
	Physical Collocation - 2-wire cross-connect, loop, provisioning			UNCVX	PE1P2	0.0333	24.68	23.68	12.14	10.95						
				UEA, UHL, UNCVX,												
	Physical Collocation - 4-wire cross-connect, loop, provisioning		<u> </u>	UNCDX, UCL, UDL	PE1P4	0.0665	24.88	23.82	12.77	11.46						<u> </u>
				WDS1L,WDS1S, UXTD1, ULDD1,												
, 1			1	USLEL, UNLD1,												
			1	UEPEX, UEPDX,												
	Physical Collocation -DS1 Cross-Connect for Physical	1	1	USL, ULC, U1TD1,	DEADA	4 40	44.00	24.00	40.04	44.53						
	Collocation, provisioning	l	<u> </u>	UNC1X	PE1P1	1.48	44.23	31.98	12.81	11.57		l		l	l .	1

COLLOCAT	ION - Kentucky			1	1	1					_		Attach			bit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)				Submitted Manually	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrec		Nonrecurring					Rates (\$)		
						1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
				UE3,U1TD3, UXTD3, UXTS1, UNC3X, UNCSX, ULDD3, U1TS1,ULDS1,												
	Physical Collocation - DS3 Cross-Connect, provisioning			UNLD3	PE1P3	18.89	41.93	30.51	14.75	11.83						
	Physical Collocation - 2-Fiber Cross-Connect			CLO, ULDO3, ULD12, ULD48, U1TO3, U1T12, U1T48, UDLO3, UDL12, UDF ULD03, ULD12, ULD48, U1TO3,	PE1F2	3.75	41.93	30.51	14.76	11.84						
				U1T12, U1T48,												
	Physical Collocation - 4-Fiber Cross-Connect			UDLO3, UDL12, UDF	PE1F4	6.65	51.29	39.87	19.41	16.49						
 	Physical Collocation - 4-Fiber Cross-Connect Physical Collocation - Space enclosure, welded wire, first 100		 	ODF	rc1r4	60.0	51.29	39.87	19.41	16.49						
	square feet			CLO	PE1BW	184.97										
	Physical Collocation - Space enclosure, welded wire, each additional 50 square feet			CLO	PE1CW	18.14										
	Physical Collocation - Security Access System, Security System,															
	per Central Office			CLO	PE1AX	76.10										
	Physical Collocation -Security Access System - New Card Activation, per Card Activation (First), per State			CLO	PE1A1	0.058	55.79									
	Physical Collocation-Security Access System-Administrative Change, existing Access Card, per Request, per State, per Card Physical Collocation - Security Access System - Replace Lost or			CLO	PE1AA		15.64									
	Stolen Card, per Card			CLO	PE1AR		45.74									
	Physical Collocation - Security Access - Initial Key, per Key			CLO	PE1AK		26.29									
	Physical Collocation - Security Access - Key, Replace Lost or Stolen Key, per Key			CLO	PE1AL		26.29									
	Physical Collocation - Space Availability Report, per Central Office Requested			CLO	PE1SR		2,158.67									
	Physical Collocation - CFA Information Resend Request, per premises, per request			CLO	PE1C9		77.55									
	Physical Collocation - Cable Records, per request			CLO	PE1CR		1,524.45	980.01	267.02							
	Physical Collocation, Cable Records, VG/DS0 Cable, per cable record (maximum 3600 records)			CLO	PE1CD		656.37		379.70							
	Physical Collocation, Cable Records, VG/DS0 Cable, per each			0.0	55100											
 	100 pair Physical Collocation, Cable Records, DS1, per T1 TIE		 	CLO CLO	PE1CO PE1C1		9.65 4.52		11.84 5.54		 					
-	Physical Collocation, Cable Records, DS1, per 11 TIE Physical Collocation, Cable Records, DS3, per T3 TIE			CLO	PE1C1		15.81		19.39							
	Physical Collocation, - Cable Records, 503, per 13 hz Physical Collocation - Cable Records, Fiber Cable, per cable record (maximum 99 records)			CLO	PE1CB		169.63		154.85							
	Physical Collocation - Security Escort for Basic Time - normally scheduled work, per half hour			CLO	PE1BT		33.98	21.53								
	Physical Collocation - Security Escort for Overtime - outside of normally scheduled working hours on a scheduled work day, per half hour			CI O	DE4OT		44.00	07.04								
	Physical Collocation - Security Escort for Premium Time - outside of scheduled work day, per half hour			CLO	PE1OT PE1PT		44.26 54.54	27.81 34.09								
	Physical Collocation - Virtual to Physical Collocation Relocation, per Voice Grade Circuit			CLO	PE1BV		33.00	54.09								
	Physical Collocation - Virtual to Physical Collocation Relocation, per DSO Circuit			CLO	PE1BO		33.00									
	Physical Collocation - Virtual to Physical Collocation Relocation, per DS1 Circuit			CLO	PE1B1		52.00									

COLLOCATI	ON - Kentucky												Attach	ment: 4	Exhi	bit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)				Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	
						Rec	Nonre		Nonrecurring					Rates (\$)		
		ļ	ļ			1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Physical Collocation - Virtual to Physical Collocation Relocation,			0.0	55.50		=====									ł
	per DS3 Circuit Physical Collocation - Virtual to Physical Collocation In-Place,			CLO	PE1B3		52.00									
	Per Voice Grade Circuit			CLO	PE1BR		23.00									
	Physical Collocation Virtual to Physical Collocation In-Place, Per DSO Circuit			CLO	PE1BP		23.00									
	Physical Collocation - Virtual to Physical Collocation In-Place, Per DS1 Circuit			CLO	PE1BS		33.00									l
	Physical Collocation - Virtual to Physical Collocation In-Place, per DS3 Circuit			CLO	PE1BE		37.00									1
	Physical Collocation - Virtual to Physical Collocation In- Place/Relocation, space cable facilities assigned to Collocation Space, per 700 cable pairs or fraction thereof			CLO	PE1B7		592.00									
	Physical Collocation - Co-Carrier Cross Connects/Direct					0.0045	392.00									
	Connect - Fiber Cable Support Structure, per linear ft. Physical Collocation - Co-Carrier Cross Connect/Direct Connect - Copper/Coax Cable Support Structure, per lin. ft.			CLO	PE1ES PE1DS	0.0012										
	Physical Collocation - Co-Carrier Cross Connects/Direct Connect, Application Fee, per application				PE1DT	0.0016	584.20									
	Physical Collocation - Copper Entrance Cable per Cable (CO manhole to vault splice)			CLO	PE1EA		1,224.485	42.719								
	Physical Collocation - Copper Entrance Cable Installation, per 100 Pairs				PE1EB		18.102	72.719								
	Physical Collocation - Fiber Entrance Cable per Cable (CO manhole to vault splice)				PE1EC		1,028.981	42.719								
	Physical Collocation - Fiber Entrance Cable Installation, per Fiber				PE1ED		7.241	42.710								
	Physical Collocation - Application Cost, Simple Augment			CLO	PE1KS		594.98		1.21							1
	Physical Collocation - Application Cost, Minor Augment			CLO	PE1KM		834.26		1.21							
	Physical Collocation - Application Cost, Intermediate Augment			CLO	PE1K1		1,059.00		1.21							
	Physical Collocation - Co-Carrier Cross Connect/Direct Connect - Fiber Cable Support Structure, per cable	I		CLO	PE1DU		535.55									
	Physical Collocation - Co-Carrier Cross Connect/Direct Connect - Copper/Coax Cable Support Structure, per cable	I		CLO	PE1DV		535.55									
ADJACENT CO			<u> </u>	01.040	DE / 14	0.04=-										-
	Adjacent Collocation - Space Charge per Sq. Ft. Adjacent Collocation - Electrical Facility Charge per Linear Ft.	<u> </u>	!		PE1JA PE1JC	0.0173 5.35			—		1					
	Adjacent Collocation - Electrical Facility Charge per Linear Ft. Adjacent Collocation - 2-Wire Cross-Connects			UEA,UHL,UDL,UCL		0.0258	24.68	23.68	12.14	10.95						
	Adjacent Collocation - 4-Wire Cross-Connects		<u> </u>	UEA,UHL,UDL,UCL		0.0515	24.88	23.82	12.77	11.46						1
	Adjacent Collocation - DS1 Cross-Connects			UEA,UHL,UDL,UCL	PE1P1	1.37	44.23	31.98	12.81	11.57						
	Adjacent Collocation - DS3 Cross-Connects			UEA,UHL,UDL,UCL	PE1P3	18.61	41.93	30.51	14.75	11.83						
	Adjacent Collocation - 2-Fiber Cross-Connect				PE1F2	3.15	41.93	30.51	14.76	11.84						
	Adjacent Collocation - 4-Fiber Cross-Connect	<u> </u>	<u> </u>	CLOAC	PE1F4	6.02	51.29	39.87	19.41	16.49						
	Adjacent Collocation - Application Fee		<u> </u>	CLOAC	PE1JB		3,165.50									——
	Adjacent Collocation - 120V, Single Phase Standby Power Rate per AC Breaker Amp			CLOAC	PE1FB	5.44										ļ
	Adjacent Collocation - 240V, Single Phase Standby Power Rate per AC Breaker Amp			CLOAC	PE1FD	10.88										
	Adjacent Collocation - 120V, Three Phase Standby Power Rate per AC Breaker Amp			CLOAC	PE1FE	16.32										
	Adjacent Collocation - 277V, Three Phase Standby Power Rate per AC Breaker Amp			CLOAC	PE1FG	37.68										
PHYSICAL COL	LLOCATION IN THE REMOTE SITE		<u> </u>	CLODE	DEADA		047.70		220.22							——
	Physical Collocation in the Remote Site - Application Fee Cabinet Space in the Remote Site per Bay/ Rack			CLORS CLORS	PE1RA PE1RB	219.67	617.78		338.89							
	Cabinet Space in the Remote Site per Bay/ Rack Physical Collocation in the Remote Site - Security Access - Key			CLORS	PE1RB PE1RD	219.07	26.29									
	Physical Collocation in the Remote Site - Security Access - Rey Physical Collocation in the Remote Site - Space Availability Report per Premises Requested			CLORS	PE1SR		232.64									

COLLO	CATI	ON - Kentucky												Attach	ment: 4	Exhi	ibit: B
CATEGO		RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			1	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I		Incremental Charge -
							Rec	Nonrec		Nonrecurring					Rates (\$)		
								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Physical Collocation in the Remote Site - Remote Site CLLI			0.000												
		Code Request, per CLLI Code Requested		<u> </u>	CLORS	PE1RE		75.40									
		Remote Site DLEC Data (BRSDD), per Compact Disk, per CO Physical Collocation - Security Escort for Basic Time - normally			CLORS	PE1RR		233.42									
		scheduled work, per half hour			CLORS	PE1BT		33.98	21.53								
		Physical Collocation - Security Escort for Overtime - outside of			CLORG	FLIDI		33.90	21.33								
		normally scheduled working hours on a scheduled work day,															
		per half hour			CLORS	PE1OT		44.26	27.81								
		Physical Collocation - Security Escort for Premium Time -															
		outside of scheduled work day, per half hour			CLORS	PE1PT		54.54	34.09								
PHYSIC/	AL CO	LOCATION IN THE REMOTE SITE - ADJACENT															
																	_
		Remote Site-Adjacent Collocation - AC Power, per breaker amp			CLORS	PE1RS	6.27										<u> </u>
1											·						
		Remote Site-Adjacent Collocation - Real Estate, per square foot			CLORS	PE1RT	0.134										
		Remote Site-Adjacent Collocation-Application Fee	L	<u> </u>	CLORS	PE1RU	<u> </u>	755.62	755.62								
		If Security Escort and/or Add'l Engineering Fees become nec	essary 1	or rem	ote site collocation,	the Parties	will negotiate a	ppropriate rate	s.								
VIRTUAL	COL	LOCATION			AMTFS	EAF		0.440.00		4.04							
		Virtual Collocation - Application Fee Virtual Collocation Administrative Only - Application Fee			AMTFS	VE1AF		2,419.86 742.12		1.01							
		Virtual Collocation - Cable Installation Cost, per cable	-		AMTFS	ESPCX		1,729.11		45.16							
		Virtual Collocation - Cable Installation Cost, per cable Virtual Collocation - Floor Space, per sq. ft.		1	AMTFS	ESPVX	7.99	1,729.11		45.10							
		Virtual Collocation - Power, per fused amp			AMTFS	ESPAX	8.06										
		Virtual Collocation - Cable Support Structure, per entrance			,	20.750	0.00										†
		cable			AMTFS	ESPSX	17.38										
		Virtual Collocation - 2-wire Cross Connects (loop)			UEANL,UEA,UDN,U DC,UAL,UHL,UCL,U EQ, UNCVX, UNCDX, UNCNX	UEAC2	0.0309	24.68	23.68	12.14	10.95						
		Virtual Collocation - 4-wire Cross Connects (loop)			UEA,UHL,UCL,UDL, UAL, UDN, UNCVX, UNCDX	UEAC4	0.0619	24.88	23.82	12.77	11.46						
		Virtual Collocation - 2-Fiber Cross Connects			UDL12, UDLO3, U1T48, U1T12, U1T03, ULDO3, ULD12, ULD48, UDF	CNC2F	3.80	41.94	30.51	14.76	11.84						
		Virtual Collocation - 4-Fiber Cross Connects			UDL12, UDLO3, U1T48, U1T12, U1T03, ULDO3, ULD12, ULD48, UDF	CNC4F	7.59	51.29	39.87	19.41	16.49						
		Virtual collocation - Special Access & UNE, cross-connect per DS1			USL,ULC, ULR, UXTD1, UNC1X, ULDD1, U1TD1, USLEL, UNLD1, UEPEX, UEPDX	CNC1X	1.48	44.23	31.98	12.81	11.57						
		Virtual collocation - Special Access & UNE, cross-connect per DS3			USL,UE3, U1TD3, UXTS1, UXTD3, UNC3X, UNCSX, ULDD3, U1TS1, ULDS1, UDLSX, UNLD3	CND3X	18.89	41.93	30.51	14.75	11.83						
		Virtual Collocation - Co-Carrier Cross Connects - Fiber Cable			ANTEO	VE405							1				
		Support Structure, per linear foot Virtual Collocation - Co-Carrier Cross Connects - Copper/Coax Cable Support Structure, per linear ft			AMTFS AMTFS	VE1CB VE1CD	0.003										
		Virtual Collocation - Co-Carrier Cross Connects - Fiber Cable Support Structure,per cable			AMTFS	VE1CC		535.55									

COLLOCAI	ION - Kentucky													ment: 4		ibit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)				Submitted Manually		Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge - Manual Sv Order vs.
									N1	D'					2.00 .01	2.007.444.
			1			Rec	Nonrec First	urring Add'l	Nonrecurring First	Add'l	SOMEC	SOMAN	SOMAN	Rates (\$) SOMAN	SOMAN	SOMAN
	Virtual Collocation - Co-Carrier Cross Connects - Copper/Coax						FIRST	Addi	FIRST	Addi	SOMEC	SUMAN	SUMAN	SUMAN	SUMAN	SUMAN
	Cable Support Structure, per cable			AMTFS	VE1CE		535.55									
	Virtual Collocation Cable Records - per request			AMTFS	VE1BA		1,524.45	980.01	267.02		-				-	+
	Virtual Collocation Cable Records - Per request Virtual Collocation Cable Records - VG/DS0 Cable, per cable			AWITTS	VLIDA		1,324.43	900.01	207.02		-				-	+
	record			AMTFS	VE1BB		656.37		379.70							
+	Virtual Collocation Cable Records - VG/DS0 Cable, per each		1	AIVITES	VEIDD		030.37		3/9./0		1					+
	100 pair			AMTFS	VE1BC		9.65		11.84							
	Virtual Collocation Cable Records -DS1, per T1TIE			AMTFS	VE1BD		4.52		5.54							+
	Virtual Collocation Cable Records - DS3, per T3TIE			AMTFS	VE1BD		15.81		19.39							+
	Virtual Collocation Cable Records - B3s, per 1311E Virtual Collocation Cable Records - Fiber Cable, per 99 fiber			AIVITES	VEIDE		10.01		19.39							+
	records			AMTFS	VE1BF		169.63		154.85							
	Virtual collocation - Security Escort - Basic, per half hour			AMTFS	SPTBX		33.98	21.53	154.85							+
	Virtual collocation - Security Escort - Basic, per half hour Virtual collocation - Security Escort - Overtime, per half hour		-	AMTES	SPTOX		33.98 44.26	27.81								
	Virtual collocation - Security Escort - Overtime, per half hour		-	AMTES	SPTPX		54.54	34.09								
	Virtual collocation - Security Escott - Premium, per half hour			AMTES	CTRLX		56.07	21.53								+
	Virtual collocation - Maintenance in CO - Basic, per half hour			AIVITES	CIRLX		56.07	21.53								+
	Virtual collocation - Maintenance in CO - Overtime, per half hour			AMTFS	SPTOM		73.23	27.81								
	Virtual collocation - Maintenance in CO - Premium per half hour			AMTFS	SPTPM		90.39	34.09								
	Virtual Collocation - Request Resend of CFA Information, per															
	CLLI			AMTFS	VE1QR		77.55									
VIRTUAL COL																
	Virtual Collocation - 2-wire Cross Connect, Exchange Port 2-															
	Wire Analog - Res			UEPSR	VE1R2	0.0309	24.68	23.68	12.14	10.95						
	Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-															
	Wire Line Side PBX Trunk - Bus			UEPSP	VE1R2	0.0309	24.68	23.68	12.14	10.95						
	Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire															
	Voice Grade PBX Trunk - Res			UEPSE	VE1R2	0.0309	24.68	23.68	12.14	10.95						
	Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire															
	Analog Bus			UEPSB	VE1R2	0.0309	24.68	23.68	12.14	10.95						
	Virtual Collocation 2-Wire Cross Connect, Exchnage Port 2-Wire															
	ISDN		<u></u>	UEPSX	VE1R2	0.0309	24.68	23.68	12.14	10.95			<u> </u>		<u> </u>	1
	Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire ISDN			UEPTX	VE1R2	0.0309	24.68	23.68	12.14	10.95						
+	Virtual Collocation 4-Wire Cross Connect, Exchange Port 4-Wire		+	52. IX	VE1112	0.0000	2-1.00	20.00	12.17	10.33	 				1	+
	ISDN DS1			UEPEX	VE1R4	1.48	44.23	31.98	12.81	11.57					1	1
	Rates displaying an "R" in Interim column are interim and sub							31.30	12.01	11.37	 			l		+

COLLOCAT	ION - Louisiana													ment: 4		ibit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'I
						Rec	Nonred			g Disconnect				Rates (\$)		
-							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
PHYSICAL CO	I OCATION		1													
	Physical Collocation 2-Wire Cross Connect, Exchange Port 2-										1					•
	Wire Analog - Res			UEPSR	PE1R2	0.0318	11.94	11.46								
	Physical Collocation 2-Wire Cross Connect, Exchange Port 2-															
	Wire Line Side PBX Trunk - Bus			UEPSP	PE1R2	0.0318	11.94	11.46								
	Physical Collocation 2-Wire Cross Connect, Exchange Port 2-															
	Wire Voice Grade PBX Trunk - Res Physical Collocation 2-Wire Cross Connect, Exchange Port 2-			UEPSE	PE1R2	0.0318	11.94	11.46								_
	Wire Analog - Bus			UEPSB	PE1R2	0.0318	11.94	11.46								
	Physical Collocation 2-Wire Cross Connect, Exchange Port 2-		1	ULFOB	FLINZ	0.0316	11.54	11.40								
1	Wire ISDN			UEPSX	PE1R2	0.0318	11.94	11.46							1	
	Physical Collocation 2-Wire Cross Connect, Exchange Port 2-															
	Wire ISDN			UEPTX	PE1R2	0.0318	11.94	11.46								
	Physical Collocation 4-Wire Cross Connect, Exchange Port 4-			l	L										1	
DILIVEIGAL CO	Wire ISDN DS1		<u> </u>	UEPEX	PE1R4	0.0636	12.04	11.53	1	-						
PHYSICAL CO	Physical Collocation - Initial Application Fee			CLO	PE1BA		1,837.24									
	Physical Collocation - Initial Application Fee Physical Collocation - Subsequent Application Fee			CLO	PE1BA PE1CA		1,533.41									
	Physical Collocation - Subsequent Application Fee		1	CLO	PE1BL		741.97									
	Physical Collocation - Space Preparation - Firm Order			020							1					
	Processing			CLO	PE1SJ		583.33									
	Physical Collocation - Space Preparation - C.O. Modification per square ft.			CLO	PE1SK	2.31										
	Physical Collocation - Space Preparation, Common Systems Modifications-Cageless, per square foot			CLO	PE1SL	2.70										
	Physical Collocation - Space Preparation - Common Systems															
	Modifications-Caged, per cage			CLO	PE1SM	91.60										
	Physical Collocation - Cable Installation, Pricing, non-recurring			0.0	55.55											
	charge, per Entrance Cable Physical Collocation - Floor Space, per sq feet			CLO CLO	PE1BD PE1PJ	5.30	841.54									
	Physical Collocation - Proof Space, per sq reet Physical Collocation - Cable Support Structure, per Entrance			CLO	FEIFJ	5.30										
	Cable			CLO	PE1PM	18.31										
	Physical Collocation - Power, -48V DC Power - per Fused Amp	1		CLO	PE1PL	8.32										
1	Physical Collocation - Power Reconfiguration Only, Application	·		020		0.02									İ	
	Fee	- 1		CLO	PE1PR		398.76									
	Physical Collocation - Power, 120V AC Power, Single Phase, per Breaker Amp			CLO	PE1FB	5.45										
	Physical Collocation - Power, 240V AC Power, Single Phase, per Breaker Amp			CLO	PE1FD	10.92										
	Physical Collocation - Power, 120V AC Power, Three Phase, per Breaker Amp			CLO	PE1FE	16.37										
	Physical Collocation - Power, 277V AC Power, Three Phase, per Breaker Amp			CLO	PE1FG	37.80										
				UEANL,UEQ, UNLDX, UNCNX, UEA, UCL, UAL, UHL, UDC, UDN,												
	Physical Collocation - 2-wire cross-connect, loop, provisioning			UNCVX	PE1P2	0.0318	11.94	11.46								
	Physical Collocation - 4-wire cross-connect, loop, provisioning			UEA, UHL, UNCVX, UNCDX, UCL, UDL	PE1P4	0.0636	12.04	11.53								
	Physical Collocation -DS1 Cross-Connect for Physical			WDS1L,WDS1S, UXTD1, ULDD1, USLEL, UNLD1, UEPEX, UEPDX, USL, ULC, U1TD1,												
	Collocation, provisioning			UNC1X	PE1P1	1.04	21.39	15.47								

COLLOCAT	ION - Louisiana												Attach	ment: 4	Exhi	bit: B
													Incremental	Incremental	Incremental	Incremental
											Submitted			Charge -	Charge -	Charge -
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			Elec per LSR	Manually per LSR	Manual Svc Order vs.	Manual Svc Order vs.	Manual Svc Order vs.	Manual Svc Order vs.
		m						***			per LOIX	per Lor	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
					-	1	Nonrec	urring	Nonrecurrin	ng Disconnect	-		OSS	Rates (\$)		<u> </u>
					1	Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
				UE3,U1TD3,												
				UXTD3, UXTS1,												
				UNC3X, UNCSX, ULDD3,												
				U1TS1,ULDS1,												
	Physical Collocation - DS3 Cross-Connect, provisioning			UNLD3	PE1P3	13.21	20.28	14.76								
				CLO, ULDO3,												
				ULD12, ULD48, U1TO3, U1T12,												
				U1T48, UDLO3,												
	Physical Collocation - 2-Fiber Cross-Connect			UDL12, UDF	PE1F2	2.62	20.28	14.76								
				ULDO3, ULD12,												
				ULD48, U1TO3, U1T12, U1T48,												
				UDLO3, UDL12,												
	Physical Collocation - 4-Fiber Cross-Connect			UDF	PE1F4	4.65	24.81	19.29								
	Physical Collocation - Space enclosure, welded wire, first 100															
-	square feet Physical Collocation - Space enclosure, welded wire, each			CLO	PE1BW	184.50			ļ							
	additional 50 square feet			CLO	PE1CW	18.10										
	Physical Collocation - Security Access System - Security System			010		10.10										
	per Central Office, per Sq. Ft.			CLO	PE1AY	0.0224										
	Physical Collocation -Security Access System - New Card Activation, per Card Activation (First), per State			CLO	PE1A1	0.0579	27.50									
	Activation, per Card Activation (First), per State			CLO	PEIAI	0.0579	27.50		1		1					
	Physical Collocation-Security Access System-Administrative															
	Change, existing Access Card, per Request, per State, per Card			CLO	PE1AA		7.74									
	Physical Collocation - Security Access System - Replace Lost or			01.0	DEAAD		00.04									
	Stolen Card, per Card Physical Collocation - Security Access - Initial Key, per Key			CLO CLO	PE1AR PE1AK		22.64 13.01			+						
	Physical Collocation - Security Access - Key, Replace Lost or			CLO	ILIAN		13.01									
	Stolen Key, per Key			CLO	PE1AL		13.01									
	Physical Collocation - Space Availability Report, per Central Office Requested			CLO	PE1SR		1,044.07									
	Physical Collocation - CFA Information Resend Request, per			CLO	PEIOR	1	1,044.07		1		1					
	premises, per request			CLO	PE1C9		77.43									
	Recurring Collocation Cable Records - per request			CLO	PE1CU	10.97										
	Recurring Collocation Cable Records - VG/DS0 Cable, per cable record			CLO	PE1CE	5.29										
 	Recurring Collocation Cable Records - VG/DS0 Cable, per each	 		010	I'L IVE	5.29			 	+						
	100 pair	<u> </u>		CLO	PE1CT	0.08										
	Recurring Collocation Cable Records - DS1, per T1TIE			CLO	PE1C2	0.04										
 	Recurring Collocation Cable Records - DS3, per T3TIE Recurring Collocation Cable Records - Fiber Cable, per 99 fiber	-		CLO	PE1C4	0.13				+	1					
	records			CLO	PE1CG	1.37										
	Physical Collocation - Security Escort for Basic Time - normally															
	scheduled work, per half hour			CLO	PE1BT		16.44	10.42			ļ					
	Physical Collocation - Security Escort for Overtime - outside of normally scheduled working hours on a scheduled work day,															
	per half hour			CLO	PE1OT		21.41	13.45								
	Physical Collocation - Security Escort for Premium Time -															
	outside of scheduled work day, per half hour			CLO	PE1PT		26.38	16.49			ļ					
	Physical Collocation - Virtual to Physical Collocation Relocation, per Voice Grade Circuit			CLO	PE1BV		33.00									
	Physical Collocation - Virtual to Physical Collocation Relocation,			010			33.00									
	per DSO Circuit			CLO	PE1BO		33.00									
	Physical Collocation - Virtual to Physical Collocation Relocation,			CLO	PE1B1	Ι Τ	52.00									
	per DS1 Circuit	<u> </u>		CLU	LEIRI	1	52.00		<u> </u>	1	1			<u> </u>	<u> </u>	<u> </u>

COLLOCAT	ION - Louisiana													ment: 4		ibit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
						В	Nonre	curring	Nonrecurring	Disconnect			oss	Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Physical Collocation - Virtual to Physical Collocation Relocation,															
	per DS3 Circuit			CLO	PE1B3		52.00									
	Physical Collocation - Virtual to Physical Collocation In-Place, Per Voice Grade Circuit			CLO	PE1BR		23.00									
	Physical Collocation Virtual to Physical Collocation In-Place, Per DSO Circuit			CLO	PE1BP		23.00									
	Physical Collocation - Virtual to Physical Collocation In-Place,															
	Per DS1 Circuit			CLO	PE1BS		33.00									
	Physical Collocation - Virtual to Physical Collocation In-Place,															
	per DS3 Circuit			CLO	PE1BE		37.00									+
	Physical Collocation - Virtual to Physical Collocation In- Place/Relocation, space cable facilities assigned to Collocation Space, per 700 cable pairs or fraction thereof			CLO	PE1B7		592.00									
	Physical Collocation - Co-Carrier Cross Connects/Direct															
	Connect - Fiber Cable Support Structure, per linear ft.			CLO	PE1ES	0.001										
	Physical Collocation - Co-Carrier Cross Connect/Direct Connect - Copper/Coax Cable Support Structure, per lin. ft.			CLO	PE1DS	0.0015										
	Physical Collocation - Co-Carrier Cross Connects/Direct Connect, Application Fee, per application			CLO	PE1DT		583.30									
	Physical Collocation - Copper Entrance Cable per Cable (CO manhole to vault splice)			CLO	PE1EA		1,358.81	42.653								
	Physical Collocation - Copper Entrance Cable Installation, per 100 Pairs			CLO	PE1EB		18.074									
	Physical Collocation - Fiber Entrance Cable per Cable (CO															
	manhole to vault splice)			CLO	PE1EC		1,163.609	42.653								
	Physical Collocation - Fiber Entrance Cable Installation, per Fiber			CLO	PE1ED		7.23									
	Physical Collocation - Application Cost, Simple Augment			CLO	PE1KS		596.35		1.22							1
	Physical Collocation - Application Cost, Minor Augment			CLO	PE1KM		836.18		1.22							
	Physical Collocation - Application Cost, Intermediate Augment			CLO	PE1K1		1,061.00		1.22							
	Physical Collocation - Co-Carrier Cross Connect/Direct Connect - Fiber Cable Support Structure, per cable	I		CLO	PE1DU		534.79									
	Physical Collocation - Co-Carrier Cross Connect/Direct Connect - Copper/Coax Cable Support Structure, per cable			CLO	PE1DV		534.79									
ADJACENT C	OLLOCATION	-		OLO	ILIDV		334.79									+
	Adjacent Collocation - Space Charge per Sq. Ft.			CLOAC	PE1JA	0.0552									İ	†
	Adjacent Collocation - Electrical Facility Charge per Linear Ft.			CLOAC	PE1JC	5.61										1
	Adjacent Collocation - 2-Wire Cross-Connects				PE1P2	0.0245	11.94	11.46								
	Adjacent Collocation - 4-Wire Cross-Connects			UEA,UHL,UDL,UCL		0.0491	12.04	11.53								
	Adjacent Collocation - DS1 Cross-Connects			UEA,UHL,UDL,UCL		0.9605	21.39	15.47								
	Adjacent Collocation - DS3 Cross-Connects			UEA,UHL,UDL,UCL		13.01	20.28	14.76								+
	Adjacent Collocation - 2-Fiber Cross-Connect Adjacent Collocation - 4-Fiber Cross-Connect		1	CLOAC CLOAC	PE1F2 PE1F4	2.20 4.21	20.28 24.81	14.76 19.29							-	+
	Adjacent Collocation - 4-Fiber Cross-Connect Adjacent Collocation - Application Fee			CLOAC	PE1JB	4.21	1,543.20	19.29			1				-	+
	Adjacent Collocation - Application ree Adjacent Collocation - 120V, Single Phase Standby Power Rate			CLOAC	FLIJB		1,343.20								1	+
	per AC Breaker Amp			CLOAC	PE1FB	5.45										
	Adjacent Collocation - 240V, Single Phase Standby Power Rate per AC Breaker Amp			CLOAC	PE1FD	10.92										
	Adjacent Collocation - 120V, Three Phase Standby Power Rate per AC Breaker Amp			CLOAC	PE1FE	16.37										
	Adjacent Collocation - 277V, Three Phase Standby Power Rate per AC Breaker Amp			CLOAC	PE1FG	37.80										
PHYSICAL CO	DLLOCATION IN THE REMOTE SITE		1	OLOAG	1 2 11 0	37.00									 	+
1	Physical Collocation in the Remote Site - Application Fee			CLORS	PE1RA		298.80							1	1	
	Cabinet Space in the Remote Site per Bay/ Rack			CLORS	PE1RB	225.39										†
	Physical Collocation in the Remote Site - Security Access - Key			CLORS	PE1RD		13.01									
	Physical Collocation in the Remote Site - Space Availability Report per Premises Requested			CLORS	PE1SR		112.52									

COLLO	CATI	ON - Louisiana												Attach	ment: 4	Exhi	ibit: B
CATEGO		RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			1	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I		Incremental Charge -
							Rec	Nonred		Nonrecurring Disc					Rates (\$)		
								First	Add'l	First A	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Physical Collocation in the Remote Site - Remote Site CLLI			01.000	DEADE		00.47									
		Code Request, per CLLI Code Requested			CLORS CLORS	PE1RE		36.47									
-		Remote Site DLEC Data (BRSDD), per Compact Disk, per CO Physical Collocation - Security Escort for Basic Time - normally			CLORS	PE1RR		233.21									
		scheduled work, per half hour			CLORS	PE1BT		16.44	10.42								
		Physical Collocation - Security Escort for Overtime - outside of			CLORS	PEIDI		10.44	10.42	 							
		normally scheduled working hours on a scheduled work day,															
		per half hour			CLORS	PE1OT		21.41	13.45								
		Physical Collocation - Security Escort for Premium Time -			OLONO	1 2101		21.41	10.40								
		outside of scheduled work day, per half hour			CLORS	PE1PT		26.38	16.49								
PHYSIC/	AL CO	LOCATION IN THE REMOTE SITE - ADJACENT															
		Remote Site-Adjacent Collocation - AC Power, per breaker amp		L	CLORS	PE1RS	6.27					<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	
		Remote Site-Adjacent Collocation - Real Estate, per square foot			CLORS	PE1RT	0.134										
		Remote Site-Adjacent Collocation-Application Fee			CLORS	PE1RU		755.62	755.62								
		If Security Escort and/or Add'l Engineering Fees become nec	essary 1	for rem	ote site collocation,	the Parties	will negotiate ap	opropriate rate	s.								
VIRTUAL	_ COLI	OCATION															
		Virtual Collocation - Application Fee			AMTFS	EAF		1,770.40									
		Virtual Collocation Administrative Only - Application Fee			AMTFS	VE1AF		741.97									
		Virtual Collocation - Cable Installation Cost, per cable			AMTFS	ESPCX		841.54									
		Virtual Collocation - Floor Space, per sq. ft.			AMTES	ESPVX	3.20										
		Virtual Collocation - Power, per fused amp			AMTFS	ESPAX	8.32										_
		Virtual Collocation - Cable Support Structure, per entrance cable			AMTFS	ESPSX	16.02										
		Virtual Collocation - 2-wire Cross Connects (loop)			UEANL,UEA,UDN,U DC,UAL,UHL,UCL,U EQ, UNCVX, UNCDX, UNCNX	UEAC2	0.0296	11.94	11.46								
		Virtual Collocation - 4-wire Cross Connects (loop)			UEA,UHL,UCL,UDL, UAL, UDN, UNCVX, UNCDX	UEAC4	0.0591	12.04	11.53								
		Virtual Collocation - 2-Fiber Cross Connects			UDL12, UDLO3, U1T48, U1T12, U1T03, ULDO3, ULD12, ULD48, UDF	CNC2F	2.65	20.29	14.76								
		Virtual Collocation - 4-Fiber Cross Connects			UDL12, UDLO3, U1T48, U1T12, U1T03, ULDO3, ULD12, ULD48, UDF	CNC4F	5.31	24.81	19.29								
		Virtual collocation - Special Access & UNE, cross-connect per DS1			USL,ULC, ULR, UXTD1, UNC1X, ULDD1, U1TD1, USLEL, UNLD1, UEPEX, UEPDX	CNC1X	1.04	21.39	15.47								
		Virtual collocation - Special Access & UNE, cross-connect per DS3			USL,UE3, U1TD3, UXTS1, UXTD3, UNC3X, UNCSX, ULDD3, U1TS1, ULDS1, UDLSX, UNLD3	CND3X	13.21	20.28	14.76								
		Virtual Collocation - Co-Carrier Cross Connects - Fiber Cable		1	l	l								1			
		Support Structure, per linear foot Virtual Collocation - Co-Carrier Cross Connects - Copper/Coax Cable Support Structure, per linear ft			AMTFS AMTFS	VE1CB VE1CD	0.0024 0.0036										
		Virtual Collocation - Co-Carrier Cross Connects - Fiber Cable Support Structure, per cable			AMTFS	VE1CD	0.0036	534.79									

COLLOCAT	ION - Louisiana												Attach			ibit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)				Submitted Manually	Charge -	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
															DISC 1St	DISC AUU I
						Rec	Nonrec			g Disconnect	L			Rates (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Virtual Collocation - Co-Carrier Cross Connects - Copper/Coax Cable Support Structure, per cable			AMTFS	VE1CE		534.79									
	Virtual Collocation Cable Records - per request			AMTFS	VE1BA	10.97										ĺ
	Virtual Collocation Cable Records - VG/DS0 Cable, per cable record			AMTFS	VE1BB	5.29										
	Virtual Collocation Cable Records - VG/DS0 Cable, per each 100 pair			AMTFS	VE1BC	0.08										
	Virtual Collocation Cable Records - DS1, per T1TIE			AMTFS	VE1BD	0.04										
	Virtual Collocation Cable Records - DS3, per T3TIE			AMTFS	VE1BE	0.13										
	Virtual Collocation Cable Records - Fiber Cable, per 99 fiber records			AMTFS	VE1BF	1.37										
	Virtual collocation - Security Escort - Basic, per half hour			AMTFS	SPTBX	1.07	16.44	10.42			+					
	Virtual collocation - Security Escort - Overtime, per half hour			AMTFS	SPTOX		21.41	13.45			-					†
	Virtual collocation - Security Escort - Premium, per half hour			AMTFS	SPTPX		26.38	16.49			-					†
	Virtual collocation - Maintenance in CO - Basic, per half hour			AMTFS	CTRLX	1	27.12	10.42			+					+
	Virtual collocation - Maintenance in CO - Overtime, per half hour			AMTFS	SPTOM		35.42	13.45								
	Virtual collocation - Maintenance in CO - Premium per half hour			AMTFS	SPTPM		43.72	16.49								
	Virtual Collocation - Request Resend of CFA Information, per CLLI			AMTFS	VE1QR		77.43									
/IRTUAL COL																
	Virtual Collocation - 2-wire Cross Connect, Exchange Port 2- Wire Analog - Res			UEPSR	VE1R2	0.0296	11.94	11.46								
	Virtual Collocation 2-Wire Cross Connect, Exchange Port 2- Wire Line Side PBX Trunk - Bus			UEPSP	VE1R2	0.0296	11.94	11.46								
	Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire Voice Grade PBX Trunk - Res			UEPSE	VE1R2	0.0296	11.94	11.46								
	Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire Analog Bus			UEPSB	VE1R2	0.0296	11.94	11.46								
	Virtual Collocation 2-Wire Cross Connect, Exchnage Port 2-Wire ISDN			UEPSX	VE1R2	0.0296	11.94	11.46								
	Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire ISDN			UEPTX	VE1R2	0.0296	11.94	11.46								
	Virtual Collocation 4-Wire Cross Connect, Exchange Port 4-Wire ISDN DS1			UEPEX	VE1R4	0.0591	12.04	11.53								
Note:	Rates displaying an "R" in Interim column are interim and sub	iect to	rate tru	e-up as set forth	in General Term	ns and Condition	ns.									1

COLLOC	CATIO	DN - Mississippi												Attach	ment: 4	Exhi	hit: B
332230												Svc Order	Svc Order	Incremental		Incremental	
			l									Submitted	Submitted		Charge -	Charge -	Charge -
			Interi									Elec	Manually	Manual Svc	Manual Svc		Manual Svc
CATEGOR	RY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			""											Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
								Name		Namaanumin	Disconnect			220	Rates (\$)		
							Rec	Nonrec First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
-								FIISL	Auu i	FIISL	Add I	SOMEC	SOWAN	SOWAN	SOWAN	SOWAN	SUMAN
PHYSICAL	COL	LOCATION															
1111010711		Physical Collocation 2-Wire Cross Connect, Exchange Port 2-															
		Wire Analog - Res			UEPSR	PE1R2	0.0288	12.37	11.87	6.04	5.45						
		Physical Collocation 2-Wire Cross Connect, Exchange Port 2-															
		Wire Line Side PBX Trunk - Bus			UEPSP	PE1R2	0.0288	12.37	11.87	6.04	5.45						
		Physical Collocation 2-Wire Cross Connect, Exchange Port 2-															
		Wire Voice Grade PBX Trunk - Res			UEPSE	PE1R2	0.0288	12.37	11.87	6.04	5.45						
		Physical Collocation 2-Wire Cross Connect, Exchange Port 2-			LIEDOD	PE1R2	0.0288	12.37	11.87	0.04	5 45						
		Wire Analog - Bus Physical Collocation 2-Wire Cross Connect, Exchange Port 2-			UEPSB	PETRZ	0.0288	12.37	11.87	6.04	5.45	-			-	-	
		Wire ISDN	l		UEPSX	PE1R2	0.0288	12.37	11.87	6.04	5.45				1		
		Physical Collocation 2-Wire Cross Connect, Exchange Port 2-	1		02. 0/	. = 1112	0.0200	12.01	11.07	3.04	0.40				—	—	
		Wire ISDN	1		UEPTX	PE1R2	0.0288	12.37	11.87	6.04	5.45		1				
		Physical Collocation 4-Wire Cross Connect, Exchange Port 4-															
		Wire ISDN DS1			UEPEX	PE1R4	0.0576	12.47	11.94	6.59	5.91						
PHYSICAL		LOCATION															
		Physical Collocation - Initial Application Fee			CLO	PE1BA		1,890.38									
		Physical Collocation - Subsequent Application Fee			CLO	PE1CA		1,575.69									
		Physical Collocation Administrative Only - Application Fee Physical Collocation - Space Preparation - Firm Order			CLO	PE1BL		740.76		-					-		
		Priysical Collocation - Space Preparation - Firm Order Processing	١.,		CLO	PE1SJ		604.19									
-		Physical Collocation - Space Preparation - C.O. Modification per	<u> </u>		CLO	FLISS		004.19									
		square ft.	l 1		CLO	PE1SK	2.30										
		Physical Collocation - Space Preparation, Common Systems				_											
		Modifications-Cageless, per square foot	- 1		CLO	PE1SL	2.52										
		Physical Collocation - Space Preparation - Common Systems															
		Modifications-Caged, per cage	ı		CLO	PE1SM	85.67										
		Physical Collocation - Cable Installation, Pricing, non-recurring			0.0	55.55											
		charge, per Entrance Cable Physical Collocation - Floor Space, per sq feet			CLO CLO	PE1BD PE1PJ	5.74	926.27		22.62						-	
		Physical Collocation - Floor Space, per sq reet Physical Collocation - Cable Support Structure, per Entrance			CLO	PETPJ	5.74										
		Cable			CLO	PE1PM	17.42										
		04510			020		2										
		Physical Collocation - Power, -48V DC Power - per Fused Amp	- 1		CLO	PE1PL	7.33										
		Physical Collocation - Power Reconfiguration Only, Application															
		Fee	- 1		CLO	PE1PR		398.76									
		Physical Collocation - Power, 120V AC Power, Single Phase,	Ι		0.0					_]		_	_	
		per Breaker Amp			CLO	PE1FB	5.29										
		Physical Collocation - Power, 240V AC Power, Single Phase, per Breaker Amp	l .		CLO	PE1FD	10.58			1			1				
 		per Breaker Amp Physical Collocation - Power, 120V AC Power, Three Phase, per	- '-		OLO	FEIFU	10.58			 		1	-		 	 	
		Breaker Amp	1		CLO	PE1FE	15.87			1			1				
		Physical Collocation - Power, 277V AC Power, Three Phase, per	'							1					1	1	
		Breaker Amp	<u> </u>		CLO	PE1FG	36.65			<u> </u>	<u> </u>	<u> </u>	<u> </u>		<u> </u>	<u> </u>	
					UEANL,UEQ,			_									
					UNLDX, UNCNX,					1						1	
			l		UEA, UCL, UAL,					1					1		
		Physical Collegation 2 wire gross connect loop	1		UHL, UDC, UDN, UNCVX	PE1P2	0.0288	12.37	11.87	6.04	5.45		1			1	
		Physical Collocation - 2-wire cross-connect, loop, provisioning	1		UEA, UHL, UNCVX,	r E 1 F Z	0.0288	12.37	11.87	6.04	5.45	1			 	 	
		Physical Collocation - 4-wire cross-connect, loop, provisioning	1		UNCDX, UCL, UDL	PE1P4	0.0576	12.47	11.94	6.59	5.91		1			1	
		,	1		WDS1L,WDS1S,		3.00.0			5.55	5.51				1	1	
			1		UXTD1, ULDD1,					1			1			1	
			l		USLEL, UNLD1,					1					1		
			l		UEPEX, UEPDX,					1					1		
		Physical Collocation -DS1 Cross-Connect for Physical			USL, ULC, U1TD1,	DE4D4		00.40	10.00							1	
		Collocation, provisioning	<u> </u>		UNC1X	PE1P1	1.14	22.16	16.02	6.60	5.97	L	L		I	I	

COLLOCAT	ION - Mississippi			1	1	1							Attach			ibit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)				Submitted Manually	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrec		Nonrecurring					Rates (\$)		
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
				UE3,U1TD3, UXTD3, UXTS1, UNC3X, UNCSX, ULDD3, U1TS1,ULDS1,												
	Physical Collocation - DS3 Cross-Connect, provisioning			UNLD3	PE1P3	14.49	21.01	15.29	7.61	6.10						
	Physical Collocation - 2-Fiber Cross-Connect			CLO, ULDO3, ULD12, ULD48, U1TO3, U1T12, U1T48, UDLO3, UDL12, UDF ULDO3, ULD12, ULD48, U1TO3, U1T12, U1T48,	PE1F2	2.87	21.01	15.29	7.61	6.10						
				UDLO3, UDL12,												
\vdash	Physical Collocation - 4-Fiber Cross-Connect			UDF	PE1F4	5.10	25.70	19.97	10.01	8.50						<u> </u>
1 1	Physical Collocation - Space enclosure, welded wire, first 100 square feet			CLO	PE1BW	183.20										
	Square reet Physical Collocation - Space enclosure, welded wire, each additional 50 square feet			CLO	PE1CW	17.97										
	Physical Collocation - Security Access System, Security System,			020	1 2 10 11	17.57										
	per Central Office	- 1		CLO	PE1AX	75.23										
	Physical Collocation -Security Access System - New Card Activation, per Card Activation (First), per State	ı		CLO	PE1A1	0.0576	27.95									
	Physical Collocation-Security Access System-Administrative Change, existing Access Card, per Request, per State, per Card Physical Collocation - Security Access System - Replace Lost or	1		CLO	PE1AA		7.84									
	Stolen Card, per Card			CLO	PE1AR		22.91									
	Physical Collocation - Security Access - Initial Key, per Key			CLO	PE1AK		13.17									
	Physical Collocation - Security Access - Key, Replace Lost or Stolen Key, per Key			CLO	PE1AL		13.17									
	Physical Collocation - Space Availability Report, per Central Office Requested	١,		CLO	PE1SR		1,081.40									
	Physical Collocation - CFA Information Resend Request, per premises, per request	1		CLO	PE1C9		77.41									
	Physical Collocation - Cable Records, per request			CLO	PE1CR		763.69	490.94	133.77							
	Physical Collocation, Cable Records, VG/DS0 Cable, per cable record (maximum 3600 records)			CLO	PE1CD		328.81		190.22							
	Physical Collocation, Cable Records, VG/DS0 Cable, per each			0.0	DE 100											
	100 pair Physical Collocation, Cable Records, DS1, per T1 TIE			CLO CLO	PE1CO PE1C1		4.84 2.27		5.93 2.78							-
 	Physical Collocation, Cable Records, DS1, per T1 TIE Physical Collocation, Cable Records, DS3, per T3 TIE			CLO	PE1C3	1	7.92		9.72							
	Physical Collocation - Cable Records, Fiber Cable, per cable record (maximum 99 records)			CLO	PE1CB		84.98		77.58							
	Physical Collocation - Security Escort for Basic Time - normally scheduled work, per half hour			CLO	PE1BT		17.02	10.79								
	Physical Collocation - Security Escort for Overtime - outside of normally scheduled working hours on a scheduled work day,			010	DEACT		20.4=	40.0:		·						
	per half hour Physical Collocation - Security Escort for Premium Time - outside of scheduled work day, per half hour			CLO	PE1OT PE1PT		22.17	13.94 17.08								
	Physical Collocation - Virtual to Physical Collocation Relocation, per Voice Grade Circuit			CLO	PE1BV		33.00	17.50								
	Physical Collocation - Virtual to Physical Collocation Relocation, per DSO Circuit			CLO	PE1BO		33.00									
	Physical Collocation - Virtual to Physical Collocation Relocation, per DS1 Circuit			CLO	PE1B1		52.00									

COLLOCAT	ION - Mississippi													ment: 4		ibit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l
-			<u> </u>				Nonrec	urring	Nonrecurring	Disconnect			220	Rates (\$)	L	<u> </u>
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Physical Collocation - Virtual to Physical Collocation Relocation,						11130	Addi	11100	Auu	COME	COMPAR	COMPAR	COMPAR	COMPAR	COMPAR
	per DS3 Circuit			CLO	PE1B3		52.00									
	Physical Collocation - Virtual to Physical Collocation In-Place,															
	Per Voice Grade Circuit			CLO	PE1BR		23.00									
	Physical Collocation Virtual to Physical Collocation In-Place, Per			0.0	55455											
-	DSO Circuit Physical Collocation - Virtual to Physical Collocation In-Place,			CLO	PE1BP		23.00								1	
	Per DS1 Circuit			CLO	PE1BS		33.00									
-	Physical Collocation - Virtual to Physical Collocation In-Place,			020	LIBO		00.00									
	per DS3 Circuit			CLO	PE1BE		37.00									
	Physical Collocation - Virtual to Physical Collocation In-															
	Place/Relocation, space cable facilities assigned to Collocation						====								1	
	Space, per 700 cable pairs or fraction thereof Physical Collocation - Co-Carrier Cross Connects/Direct		<u> </u>	CLO	PE1B7		592.00									
	Connect - Fiber Cable Support Structure, per linear ft.		1	CLO	PE1ES	0.001										
	Physical Collocation - Co-Carrier Cross Connect/Direct Connect -			OLO	LILO	0.001										
	Copper/Coax Cable Support Structure, per lin. ft.			CLO	PE1DS	0.0015										
	Physical Collocation - Co-Carrier Cross Connects/Direct															
	Connect, Application Fee, per application			CLO	PE1DT		583.13									ļ
	Physical Collocation - Copper Entrance Cable per Cable (CO			01.0	DE4E4		4 005 000	40.044								
	manhole to vault splice) Physical Collocation - Copper Entrance Cable Installation, per			CLO	PE1EA		1,265.629	42.641								
	100 Pairs			CLO	PE1EB		18.069									
	Physical Collocation - Fiber Entrance Cable per Cable (CO			020			10.000									
	manhole to vault splice)			CLO	PE1EC		1,070.484	42.641								
	Physical Collocation - Fiber Entrance Cable Installation, per															
	Fiber			CLO	PE1ED		7.228									
	Physical Collocation - Application Cost, Simple Augment Physical Collocation - Application Cost, Minor Augment			CLO CLO	PE1KS PE1KM		597.34 837.57		1.22 1.22							
	Physical Collocation - Application Cost, Millor Augment Physical Collocation - Application Cost, Intermediate Augment			CLO	PE1K1		1,063.00		1.22						1	
	Physical Collocation - Co-Carrier Cross Connect/Direct Connect -			OLO	I LIKI		1,000.00		1.22							1
	Fiber Cable Support Structure, per cable	- 1		CLO	PE1DU		534.65									
	Physical Collocation - Co-Carrier Cross Connect/Direct Connect -															
	Copper/Coax Cable Support Structure, per cable			CLO	PE1DV		534.65									
ADJACENT C	OLLOCATION Adjacent Collocation - Space Charge per Sq. Ft.			CLOAC	PE1JA	0.0678										1
	Adjacent Collocation - Space Charge per Sq. Ft. Adjacent Collocation - Electrical Facility Charge per Linear Ft.			CLOAC	PE1JA PE1JC	4.68									1	1
	Adjacent Collocation - 2-Wire Cross-Connects				PE1P2	0.0223	12.37	11.87	6.04	5.45						
	Adjacent Collocation - 4-Wire Cross-Connects			UEA,UHL,UDL,UCL		0.0446	12.47	11.94	6.59	5.91						
	Adjacent Collocation - DS1 Cross-Connects			UEA,UHL,UDL,UCL		1.05	22.16	16.02	6.60	5.97						
	Adjacent Collocation - DS3 Cross-Connects			UEA,UHL,UDL,UCL		14.27	21.01	15.29	7.61	6.10						
	Adjacent Collocation - 2-Fiber Cross-Connect			CLOAC	PE1F2	2.42	21.01	15.29	7.61	6.10						ļ
	Adjacent Collocation - 4-Fiber Cross-Connect Adjacent Collocation - Application Fee			CLOAC CLOAC	PE1F4 PE1JB	4.62	25.70 1,585.83	19.97	10.01	8.50						
	Adjacent Collocation - Application 1 ee Adjacent Collocation - 120V, Single Phase Standby Power Rate			CLOAC	FLIJB		1,505.05									1
	per AC Breaker Amp			CLOAC	PE1FB	5.29										
	Adjacent Collocation - 240V, Single Phase Standby Power Rate															
	per AC Breaker Amp			CLOAC	PE1FD	10.58										<u> </u>
	Adjacent Collocation - 120V, Three Phase Standby Power Rate			01.040	DE4EE	45.00										
	per AC Breaker Amp Adjacent Collocation - 277V, Three Phase Standby Power Rate			CLOAC	PE1FE	15.87			 							
	per AC Breaker Amp		1	CLOAC	PE1FG	36.65										
PHYSICAL CO	DLLOCATION IN THE REMOTE SITE			1	0	55.55			1							†
	Physical Collocation in the Remote Site - Application Fee			CLORS	PE1RA		309.48		168.63							
	Cabinet Space in the Remote Site per Bay/ Rack			CLORS	PE1RB	210.05				· · · · ·						
	Displaced Collegation in the Demote Oil Consult Assets			CI ODC	DEADS		10.1-									
	Physical Collocation in the Remote Site - Security Access - Key Physical Collocation in the Remote Site - Space Availability			CLORS	PE1RD		13.17								-	
	Report per Premises Requested	1	1	CLORS	PE1SR		116.54							l	I	

COLLC	CATI	ON - Mississippi												Attach	ment: 4	Exhi	bit: B
CATEGO		RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I		Incremental Charge -
							Rec	Nonrec		Nonrecurring					Rates (\$)		
								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Physical Collocation in the Remote Site - Remote Site CLLI			0.000	55.55											İ
		Code Request, per CLLI Code Requested			CLORS	PE1RE		37.77									
		Remote Site DLEC Data (BRSDD), per Compact Disk, per CO Physical Collocation - Security Escort for Basic Time - normally		1	CLORS	PE1RR		233.14									
		scheduled work, per half hour			CLORS	PE1BT		17.02	10.79								İ
		Physical Collocation - Security Escort for Overtime - outside of		1	CLORG	FLIDI		17.02	10.79								
		normally scheduled working hours on a scheduled work day,															İ
		per half hour			CLORS	PE1OT		22.17	13.94								İ
		Physical Collocation - Security Escort for Premium Time -															
		outside of scheduled work day, per half hour			CLORS	PE1PT		27.32	17.08								İ
PHYSIC	AL CO	LLOCATION IN THE REMOTE SITE - ADJACENT															
		Remote Site-Adjacent Collocation - AC Power, per breaker amp			CLORS	PE1RS	6.27								<u> </u>	<u> </u>	<u> </u>
											-						1
		Remote Site-Adjacent Collocation - Real Estate, per square foot			CLORS	PE1RT	0.134										
		Remote Site-Adjacent Collocation-Application Fee			CLORS	PE1RU		755.62	755.62								
		If Security Escort and/or Add'l Engineering Fees become nec	essary 1	for rem	ote site collocation,	the Parties	will negotiate ap	opropriate rate	s.								
VIRTUA	L COL	LOCATION			ALTEO	E . E		4 040 05		0.54							
-		Virtual Collocation - Application Fee			AMTES	EAF		1,212.25		0.51							
-		Virtual Collocation Administrative Only - Application Fee Virtual Collocation - Cable Installation Cost, per cable	<u> </u>	-	AMTFS AMTFS	VE1AF ESPCX		740.76 926.27		22.62							
+		Virtual Collocation - Cable Installation Cost, per cable Virtual Collocation - Floor Space, per sq. ft.			AMTFS	ESPVX	5.74	926.27		22.02							
+		Virtual Collocation - Proof Space, per sq. n. Virtual Collocation - Power, per fused amp			AMTFS	ESPAX	7.33										
-		Virtual Collocation - Cable Support Structure, per entrance		_	AWITTO	LOI AX	7.55			1							
		cable			AMTFS	ESPSX	15.24										
		Virtual Collocation - 2-wire Cross Connects (loop)			UEANL,UEA,UDN,U DC,UAL,UHL,UCL,U EQ, UNCVX, UNCDX, UNCNX	UEAC2	0.0268	12.37	11.87	6.04	5.45						
		Virtual Collocation - 4-wire Cross Connects (loop)			UEA,UHL,UCL,UDL, UAL, UDN, UNCVX, UNCDX	UEAC4	0.0536	12.47	11.94	6.59	5.91						
		Virtual Collocation - 2-Fiber Cross Connects			UDL12, UDLO3, U1T48, U1T12, U1T03, ULDO3, ULD12, ULD48, UDF	CNC2F	2.91	21.01	15.29	7.61	6.10						
		Virtual Collocation - 4-Fiber Cross Connects			UDL12, UDLO3, U1T48, U1T12, U1T03, ULDO3, ULD12, ULD48, UDF	CNC4F	5.82	25.70	19.97	10.01	8.50						
		Virtual Collocation - Special Access & UNE, cross-connect per DS1			USL,ULC, ULR, UXTD1, UNC1X, ULDD1, U1TD1, USLEL, UNLD1, UEPEX, UEPDX	CNC1X	1.14	22.16	16.02	6.60	5.97						
		Virtual collocation - Special Access & UNE, cross-connect per DS3			USL,UE3, U1TD3, UXTS1, UXTD3, UNC3X, UNCSX, ULDD3, U1TS1, ULDS1, UDLSX, UNLD3	CND3X	14.49	21.01	15.29	7.61	6.10						
		Virtual Collocation - Co-Carrier Cross Connects - Fiber Cable			ANTEO	VE405							1				1
		Support Structure, per linear foot Virtual Collocation - Co-Carrier Cross Connects - Copper/Coax Cable Support Structure, per linear ft			AMTFS	VE1CB VE1CD	0.0025 0.0037										
		Virtual Collocation - Co-Carrier Cross Connects - Fiber Cable Support Structure,per cable			AMTFS	VE1CC		534.65									

COLLOCAT	ION - Mississippi													ment: 4		ibit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)				Submitted Manually		Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'
								_							DISC 1SI	DISC Add I
						Rec	Nonrec		Nonrecurring					Rates (\$)		
	Note at Oally and a construction of the constr						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Virtual Collocation - Co-Carrier Cross Connects - Copper/Coax Cable Support Structure, per cable			AMTFS	VE1CE		534.65									
	Virtual Collocation Cable Records - per request			AMTFS	VE1BA		763.69	490.94	133.77							
	Virtual Collocation Cable Records - VG/DS0 Cable, per cable		1													1
	record			AMTFS	VE1BB		328.81		190.22							
	Virtual Collocation Cable Records - VG/DS0 Cable, per each															
	100 pair			AMTFS	VE1BC		4.84		5.93							
	Virtual Collocation Cable Records - DS1, per T1TIE			AMTFS	VE1BD		2.27		2.78							
	Virtual Collocation Cable Records - DS3, per T3TIE			AMTFS	VE1BE		7.92		9.72							
	Virtual Collocation Cable Records - Fiber Cable, per 99 fiber															
	records			AMTFS	VE1BF		84.98		77.58							
	Virtual collocation - Security Escort - Basic, per half hour			AMTFS	SPTBX		17.02	10.79								
	Virtual collocation - Security Escort - Overtime, per half hour			AMTFS	SPTOX		22.17	13.94								
	Virtual collocation - Security Escort - Premium, per half hour			AMTFS	SPTPX		27.32	17.08								
	Virtual collocation - Maintenance in CO - Basic, per half hour			AMTFS	CTRLX		28.09	10.79								
	Virtual collocation - Maintenance in CO - Overtime, per half hour			AMTFS	SPTOM		36.69	13.94								
	Virtual collocation - Maintenance in CO - Premium per half hour			AMTFS	SPTPM		45.28	17.08								
	Virtual Collocation - Request Resend of CFA Information, per CLLI			AMTFS	VE1QR		77.41									
IRTUAL COL	LOCATION															
	Virtual Collocation - 2-wire Cross Connect, Exchange Port 2-															
	Wire Analog - Res			UEPSR	VE1R2	0.0268	12.37	11.87	6.04	5.45						
	Virtual Collocation 2-Wire Cross Connect, Exchange Port 2- Wire Line Side PBX Trunk - Bus			UEPSP	VE1R2	0.0268	12.37	11.87	6.04	5.45						
	Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire Voice Grade PBX Trunk - Res			UEPSE	VE1R2	0.0268	12.37	11.87	6.04	5.45						
	Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire			ULFSL	VLTINZ	0.0200	12.57	11.07	0.04	3.43						
	Analog Bus			UEPSB	VE1R2	0.0268	12.37	11.87	6.04	5.45						
	Virtual Collocation 2-Wire Cross Connect, Exchnage Port 2-Wire ISDN			UEPSX	VE1R2	0.0268	12.37	11.87	6.04	5.45						
	Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire ISDN			UEPTX	VE1R2	0.0268	12.37	11.87	6.04	5.45						
	Virtual Collocation 4-Wire Cross Connect, Exchange Port 4-Wire ISDN DS1			UEPEX	VE1R4	0.0536	12.47	11.94	6.59	5.91						
Note:	Rates displaying an "R" in Interim column are interim and sub	ject to	rate tru	e-up as set forth i	in General Tern	ns and Condition	ns.									1

COLLOCAT	ION - North Carolina													ment: 4		ibit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'
						Rec	Nonrec		Nonrecurring					Rates (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
PHYSICAL CO	DI LOCATIONI								<u> </u>							
PHTSICAL CO	Physical Collocation 2-Wire Cross Connect, Exchange Port 2-															
	Wire Analog - Res			UEPSR	PE1R2	0.32	41.78	39.23					26.94	12.76		
	Physical Collocation 2-Wire Cross Connect, Exchange Port 2- Wire Line Side PBX Trunk - Bus			UEPSP	PE1R2	0.32	41.78	39.23					26.94	12.76		
	Physical Collocation 2-Wire Cross Connect, Exchange Port 2- Wire Voice Grade PBX Trunk - Res			UEPSE	PE1R2	0.32	41.78	39.23					26.94	12.76		
	Physical Collocation 2-Wire Cross Connect, Exchange Port 2- Wire Analog - Bus			UEPSB	PE1R2	0.32	41.78	39.23					26.94	12.76		
	Physical Collocation 2-Wire Cross Connect, Exchange Port 2-Wire ISDN			UEPSX	PE1R2	0.32	41.78	39.23					26.94	12.76		
	Physical Collocation 2-Wire Cross Connect, Exchange Port 2-															
	Wire ISDN Physical Collocation 4-Wire Cross Connect, Exchange Port 4-			UEPTX	PE1R2	0.32	41.78	39.23			 		26.94	12.76		
	Wire ISDN DS1		<u> </u>	UEPEX	PE1R4	0.64	41.91	39.25	1				26.94	12.76		<u> </u>
PHYSICAL CO				01.0	DEADA		0.000.00									
	Physical Collocation - Initial Application Fee Physical Collocation - Subsequent Application Fee	ı		CLO CLO	PE1BA PE1CA		2,322.00 2,311.00		 							
	Physical Collocation - Subsequent Application Fee Physical Collocation Administrative Only - Application Fee			CLO	PE1CA PE1BL		741.44		-							
	Physical Collocation - Space Preparation - Firm Order Processing			CLO	PE1SJ		1,196.00									
	Physical Collocation - Space Preparation - C.O. Modification per						1,196.00									
	square ft. Physical Collocation - Space Preparation, Common Systems			CLO	PE1SK	2.42										<u> </u>
	Modifications-Cageless, per square foot	1		CLO	PE1SL	2.88										
	Physical Collocation - Space Preparation - Common Systems															
	Modifications-Caged, per cage	<u> </u>		CLO	PE1SM	97.98										
	Space Preparation Fees - Power Per Nominal -48V Dc Amp	ı		CLO	PE1FH	5.76			 							ļ
	Physical Collocation - Cable Installation, Pricing, non-recurring charge, per Entrance Cable	١.,		CLO	PE1BD		1,701.00									
	Physical Collocation - Floor Space, per sq feet	<u> </u>		CLO	PE1PJ	2.30	1,701.00									
	Physical Collocation - Cable Support Structure, per Entrance	<u> </u>		020	12110	2.00			<u> </u>							
	Cable	1		CLO	PE1PM	20.57										
	Physical Collocation - Power, -48V DC Power - per Fused Amp	ı		CLO	PE1PL	7.65										
	Physical Collocation - Power Reconfiguration Only, Application Fee	ı		CLO	PE1PR		399.13									
	Physical Collocation - Power, 120V AC Power, Single Phase,			0.0	55.45-											
	per Breaker Amp Physical Collocation - Power, 240V AC Power, Single Phase,	I		CLO	PE1FB	5.50					 					
	per Breaker Amp Physical Collocation - Power, 120V AC Power, Three Phase, per	- 1		CLO	PE1FD	11.01										-
	Breaker Amp	1		CLO	PE1FE	16.51					ļ					├
	Physical Collocation - Power, 277V AC Power, Three Phase, per Breaker Amp	1		CLO	PE1FG	38.12										
				UEANL, UEQ, UNLDX, UNCNX, UEA, UCL, UAL, UHL, UDC, UDN,												
	Physical Collocation - 2-wire cross-connect, loop, provisioning	I		UNCVX UEA, UHL, UNCVX,	PE1P2	0.0309	33.53	31.65								
	Physical Collocation - 4-wire cross-connect, loop, provisioning	ı		UNCDX, UCL, UDL	PE1P4	0.0618	33.67	31.70								
	Physical Collocation -DS1 Cross-Connect for Physical			WDS1L,WDS1S, UXTD1, ULDD1, USLEL, UNLD1, UEPEX, UEPDX, USL, ULC, U1TD1,												
	Collocation, provisioning	- 1		UNC1X	PE1P1	1.38	52.87	39.86								

COLLOCAT	ION - North Carolina			ı							1			ment: 4		bit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)				Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrec			g Disconnect				Rates (\$)		
						1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
				UE3,U1TD3, UXTD3, UXTS1, UNC3X, UNCSX, ULDD3, U1TS1,ULDS1,												
	Physical Collocation - DS3 Cross-Connect, provisioning	I		UNLD3	PE1P3	17.62	51.97	38.59								
	Physical Collocation - 2-Fiber Cross-Connect	ı		CLO, ULDO3, ULD12, ULD48, U1TO3, U1T12, U1T48, UDLO3, UDL12, UDF ULDO3, ULD12, ULD48, U1TO3, U1T12, U1T48,	PE1F2	3.50	51.97	38.59								
				UDLO3, UDL12,												
	Physical Collocation - 4-Fiber Cross-Connect	L_ı	L	UDF	PE1F4	6.20	64.53	51.15	<u> </u>	<u> </u>					<u> </u>	<u> </u>
	Physical Collocation - Space enclosure, welded wire, first 100															
	square feet	l	<u> </u>	CLO	PE1BW		559.81									
	Physical Collocation - Space enclosure, welded wire, each additional 50 square feet	I		CLO	PE1CW		25.37									
	Physical Collocation - Security Access System - Security System															
	per Central Office, per Sq. Ft. Physical Collocation -Security Access System - New Card			CLO	PE1AY	0.0135										
	Activation, per Card Activation (First), per State	1		CLO	PE1A1	0.062	15.00									
	Physical Collocation-Security Access System-Administrative Change, existing Access Card, per Request, per State, per Card Physical Collocation - Security Access System - Replace Lost or	ı		CLO	PE1AA		15.51									
	Stolen Card, per Card			CLO	PE1AR		15.00									
	Physical Collocation - Security Access - Initial Key, per Key			CLO	PE1AK		15.00									
	Physical Collocation - Security Access - Key, Replace Lost or Stolen Key, per Key			CLO	PE1AL		15.00									
	Physical Collocation - Space Availability Report, per Central															
	Office Requested Physical Collocation - CFA Information Resend Request, per	I		CLO	PE1SR		2,140.00	2,140.00								
	premises, per request			CLO	PE1C9		77.48									
	Physical Collocation - Cable Records, per request Physical Collocation, Cable Records, VG/DS0 Cable, per cable			CLO	PE1CR		1,707.00									
	record (maximum 3600 records) Physical Collocation, Cable Records, VG/DS0 Cable, per each			CLO	PE1CD		923.08									-
	100 pair		ļ	CLO	PE1CO		18.02			ļ						
 	Physical Collocation, Cable Records, DS1, per T1 TIE Physical Collocation, Cable Records, DS3, per T3 TIE		<u> </u>	CLO CLO	PE1C1 PE1C3		8.43 29.51		1	 	-					├
\vdash	Physical Collocation, Cable Records, DS3, per 13 TIE Physical Collocation - Cable Records, Fiber Cable, per cable		-	CLU	PETU3		29.51		-	 	-					
	record (maximum 99 records)			CLO	PE1CB		278.82									
	Physical Collocation - Security Escort for Basic Time - normally scheduled work, per half hour			CLO	PE1BT		33.68	21.34								
	Physical Collocation - Security Escort for Overtime - outside of normally scheduled working hours on a scheduled work day,															
	per half hour Physical Collocation - Security Escort for Premium Time -			CLO	PE1OT		43.87	27.57		-						-
	outside of scheduled work day, per half hour Physical Collocation - Virtual to Physical Collocation Relocation,			CLO	PE1PT		54.06	33.80								
	per Voice Grade Circuit			CLO	PE1BV		33.00									ļ
	Physical Collocation - Virtual to Physical Collocation Relocation, per DSO Circuit			CLO	PE1BO		33.00									
	Physical Collocation - Virtual to Physical Collocation Relocation, per DS1 Circuit			CLO	PE1B1		52.00									

COLLOCA	FION - North Carolina													ment: 4		ibit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
						Rec	Nonred			Disconnect	001150	001111		Rates (\$)	001441	
	Physical Collocation - Virtual to Physical Collocation Relocation,		1				First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	prysical Collocation - Virtual to Physical Collocation Relocation, per DS3 Circuit			CLO	PE1B3		52.00									
	Physical Collocation - Virtual to Physical Collocation In-Place,			OLO	I LIBS		32.00		+		+					+
	Per Voice Grade Circuit			CLO	PE1BR		23.00									
	Physical Collocation Virtual to Physical Collocation In-Place, Per								†						İ	+
	DSO Circuit			CLO	PE1BP		23.00									
	Physical Collocation - Virtual to Physical Collocation In-Place,															
	Per DS1 Circuit			CLO	PE1BS		33.00									
	Physical Collocation - Virtual to Physical Collocation In-Place,			01.0	DEADE		07.00									
-	per DS3 Circuit Physical Collocation - Virtual to Physical Collocation In-			CLO	PE1BE		37.00		-							+
	Place/Relocation, space cable facilities assigned to Collocation		1	1					1							1
	Space, per 700 cable pairs or fraction thereof		1	CLO	PE1B7		592.00		1							1
	Physical Collocation - Co-Carrier Cross Connects/Direct				1				İ		1		1			1
	Connect - Fiber Cable Support Structure, per linear ft.			CLO	PE1ES	0.0028										
	Physical Collocation - Co-Carrier Cross Connect/Direct Connect -	•														
	Copper/Coax Cable Support Structure, per lin. ft.			CLO	PE1DS	0.0041			.							
	Physical Collocation - Co-Carrier Cross Connects/Direct			CLO	PE1DT		583.66									
-	Connect, Application Fee, per application Physical Collocation - Copper Entrance Cable per Cable (CO			CLO	PEIDI		583.66		-							+
	manhole to vault splice)			CLO	PE1EA		1,167.175	42.68								
	Physical Collocation - Copper Entrance Cable Installation, per			OLO	I L I L/X		1,107.170	42.00	1							1
	100 Pairs			CLO	PE1EB		18.086									
	Physical Collocation - Fiber Entrance Cable per Cable (CO															1
	manhole to vault splice)			CLO	PE1EC		971.852	42.68								
	Physical Collocation - Fiber Entrance Cable Installation, per															
-	Fiber			CLO CLO	PE1ED PE1KS		7.234 575.93		1.10							-
-	Physical Collocation - Application Cost, Simple Augment Physical Collocation - Application Cost, Minor Augment			CLO	PE1KS PE1KM		806.66		1.16 1.16							+
	Physical Collocation - Application Cost, Intermediate Augment			CLO	PE1K1		1,023.00		1.16							+
	Physical Collocation - Co-Carrier Cross Connect/Direct Connect -			020			1,020.00								İ	†
	Fiber Cable Support Structure, per cable	- 1		CLO	PE1DU		532.72									
	Physical Collocation - Co-Carrier Cross Connect/Direct Connect -															
	Copper/Coax Cable Support Structure, per cable	I		CLO	PE1DV		532.72									
ADJACENT C	OLLOCATION			0.010	DE414											
	Adjacent Collocation - Space Charge per Sq. Ft. Adjacent Collocation - Electrical Facility Charge per Linear Ft.			CLOAC CLOAC	PE1JA PE1JC	0.1555 5.78			 							-
+	Adjacent Collocation - Electrical Facility Charge per Linear Ft. Adjacent Collocation - 2-Wire Cross-Connects				PE1DC PE1P2	0.0239	33.53	31.65								+
	Adjacent Collocation - 2-Wire Cross-Connects			UEA,UHL,UDL,UCL		0.0239	33.67	31.70			+				†	
	Adjacent Collocation - DS1 Cross-Connects			UEA,UHL,UDL,UCL	PE1P1	1.28	52.87	39.86			1					†
	Adjacent Collocation - DS3 Cross-Connects			UEA,UHL,UDL,UCL	PE1P3	17.35	51.97	38.59								
	Adjacent Collocation - 2-Fiber Cross-Connect			CLOAC	PE1F2	2.94	51.97	38.59								
	Adjacent Collocation - 4-Fiber Cross-Connect			CLOAC	PE1F4	5.62	64.53	51.15								
	Adjacent Collocation - Application Fee			CLOAC	PE1JB		3,139.00									-
	Adjacent Collocation - 120V, Single Phase Standby Power Rate per AC Breaker Amp			CLOAC	PE1FB	5.50										
—	Adjacent Collocation - 240V, Single Phase Standby Power Rate			CLOAC	PEIFB	5.50			†		1				1	+
	per AC Breaker Amp			CLOAC	PE1FD	11.01										
	Adjacent Collocation - 120V, Three Phase Standby Power Rate			1					1		†					†
	per AC Breaker Amp	<u> </u>		CLOAC	PE1FE	16.51			<u>1 </u>		1	<u> </u>		<u> </u>	<u> </u>	<u> </u>
	Adjacent Collocation - 277V, Three Phase Standby Power Rate															
	per AC Breaker Amp			CLOAC	PE1FG	38.12			1		1					<u> </u>
PHYSICAL C	DLLOCATION IN THE REMOTE SITE		<u> </u>	01.000	DEADA		005.01				1				ļ	
	Physical Collocation in the Remote Site - Application Fee			CLORS CLORS	PE1RA PE1RB	054.00	865.34		+		1					
	Cabinet Space in the Remote Site per Bay/ Rack			CLUKS	PE1KB	254.02			+	-	-		-		-	+
	Physical Collocation in the Remote Site - Security Access - Key			CLORS	PE1RD		26.06								1	
 	Physical Collocation in the Remote Site - Space Availability	1					20.50		1		1			1	1	
	Report per Premises Requested			CLORS	PE1SR		230.60		1						1	

COLLO	CATI	ON - North Carolina												Attach	ment: 4	Exhi	ibit: B
CATEGO		RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I		Incremental Charge -
							Rec		curring	Nonrecurring					Rates (\$)		
								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Physical Collocation in the Remote Site - Remote Site CLLI			0.000	55.55											
		Code Request, per CLLI Code Requested			CLORS	PE1RE		74.74									
		Remote Site DLEC Data (BRSDD), per Compact Disk, per CO			CLORS	PE1RR		232.94									_
		Physical Collocation - Security Escort for Basic Time - normally			CLODE	DEADT		33.68	04.04								
		scheduled work, per half hour Physical Collocation - Security Escort for Overtime - outside of		-	CLORS	PE1BT		33.08	21.34								+
		normally scheduled working hours on a scheduled work day,															
		per half hour			CLORS	PE1OT		43.87	27.57								
		Physical Collocation - Security Escort for Premium Time -		1	OLONO	1 2101		43.07	21.51								
		outside of scheduled work day, per half hour			CLORS	PE1PT		54.06	33.80								
PHYSICA	AL CO	LOCATION IN THE REMOTE SITE - ADJACENT			020110			0 1.00	00.00								
Ť																	
		Remote Site-Adjacent Collocation - AC Power, per breaker amp	l		CLORS	PE1RS	6.27										
		· · · · · · · · · · · · · · · · · · ·															
		Remote Site-Adjacent Collocation - Real Estate, per square foot			CLORS	PE1RT	0.134										
		Remote Site-Adjacent Collocation-Application Fee			CLORS	PE1RU		755.62	755.62								
		If Security Escort and/or Add'I Engineering Fees become nec	essary 1	for rem	ote site collocation,	the Parties	will negotiate ap	ppropriate rate	s.								
VIRTUAL	_ COLI	OCATION															
		Virtual Collocation - Application Fee			AMTFS	EAF		1,208.00		1.16				26.94	12.76		
		Virtual Collocation Administrative Only - Application Fee	I		AMTFS	VE1AF		741.44									
		Virtual Collocation - Cable Installation Cost, per cable			AMTFS	ESPCX		2,750.00						26.94	12.76		
		Virtual Collocation - Floor Space, per sq. ft.			AMTFS	ESPVX	3.20										
		Virtual Collocation - Power, per fused amp		ļ	AMTFS	ESPAX	3.48										
		Virtual Collocation - Cable Support Structure, per entrance cable			AMTFS	ESPSX	12.60										
					UEANL,UEA,UDN,U DC,UAL,UHL,UCL,U EQ, UNCVX,												
		Virtual Collocation - 2-wire Cross Connects (loop) Virtual Collocation - 4-wire Cross Connects (loop)			UNCDX, UNCNX UEA,UHL,UCL,UDL, UAL, UDN, UNCVX, UNCDX	UEAC2 UEAC4	0.0208							26.94	12.76		
		Virtual Collocation - 2-Fiber Cross Connects			UDL12, UDLO3, U1T48, U1T12, U1T03, ULDO3, ULD12, ULD48, UDF		1.86							26.94	12.76		
		Virtual Collocation - 4-Fiber Cross Connects			UDL12, UDLO3, U1T48, U1T12, U1T03, ULDO3, ULD12, ULD48, UDF	CNC4F	3.73							26.94	12.76		
		Virtual collocation - Special Access & UNE, cross-connect per DS1			USL,ULC, ULR, UXTD1, UNC1X, ULDD1, U1TD1, USLEL, UNLD1, UEPEX, UEPDX	CNC1X	0.3978							26.94	12.76		
		Virtual collocation - Special Access & UNE, cross-connect per DS3			USL,UE3, U1TD3, UXTS1, UXTD3, UNC3X, UNCSX, ULDD3, U1TS1, ULDS1, UDLSX, UNLD3	CND3X	4.18							26.94	12.76		
		Virtual Collocation - Co-Carrier Cross Connects - Fiber Cable											1				
		Support Structure, per linear foot Virtual Collocation - Co-Carrier Cross Connects - Copper/Coax Cable Support Structure, per linear ft			AMTFS AMTFS	VE1CB VE1CD	0.0028										
		Virtual Collocation - Co-Carrier Cross Connects - Fiber Cable Support Structure,per cable			AMTFS	VE1CC		532.72						26.94	12.76		

COLLOCAT	ION - North Carolina												Attach			bit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)				Submitted Manually		Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add
ı							Nonro	curring	Nonrocurri	ng Disconnect			220	Rates (\$)		
						Rec	First	Add'I	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Virtual Collocation - Co-Carrier Cross Connects - Copper/Coax						11130	Auu	11130	Auu	JOINEC	JOINAN	JOWAN	JONIAN	JOHAN	JOHIAN
	Cable Support Structure, per cable			AMTFS	VE1CE		532.72						26.94	12.76		
	Virtual Collocation Cable Records - per request			AMTFS	VE1BA		1474.00 I	947.42 S	247.64 I	247.64 S	1	1	20.01	12.70		1
	Virtual Collocation Cable Records - VG/DS0 Cable, per cable			7	72.07			0111120	2	2111010	1	1				1
	record			AMTFS	VE1BB		629.42 I	629.42 S	350.10 I	350.10 S						
	Virtual Collocation Cable Records - VG/DS0 Cable, per each		1	,	12.00		02021	0202 0	00001	5556	1					
	100 pair		1	AMTFS	VE1BC		8.87 I	8.87 S	10.43 I	10.43 S					1	
+	Virtual Collocation Cable Records - DS1, per T1TIE			AMTFS	VE1BD		4.40 I	4.40 S	5.17 I	5.17 S	1	1				1
+	Virtual Collocation Cable Records - DS3, per T3TIE			AMTFS	VE1BE		15.38 I	15.38 S	18.09 I	18.09 S	1					
+	Virtual Collocation Cable Records - Fiber Cable, per 99 fiber			74	72.02		10.00	10.00 0	.0.00 .	10.00 0	1					
	records			AMTFS	VE1BF		165.38 I	165.38 S	144.87 I	144.87 S						
	Virtual collocation - Security Escort - Basic, per half hour			AMTFS	SPTBX		41.00	25.00					26.94	12.76		
	Virtual collocation - Security Escort - Overtime, per half hour			AMTFS	SPTOX		48.00	30.00	1		1	1	26.94	12.76		1
	Virtual collocation - Security Escort - Premium, per half hour			AMTFS	SPTPX		55.00	35.00					26.94	12.76		
	Virtual collocation - Maintenance in CO - Basic, per half hour			AMTFS	CTRLX		52.59	21.45					26.94	12.76		
	Virtual collocation - Maintenance in CO - Overtime, per half hour			AMTFS	SPTOM		70.24	28.11					26.94	12.76		
	Virtual collocation - Maintenance in CO - Premium per half hour			AMTFS	SPTPM		87.88	34.77					26.94	12.76		
	Virtual Collocation - Request Resend of CFA Information, per CLLI			AMTFS	VE1QR		77.48									
VIRTUAL COL	LOCATION															
	Virtual Collocation - 2-wire Cross Connect, Exchange Port 2- Wire Analog - Res			UEPSR	VE1R2	0.09	41.78	39.23					26.94	12.76		
	Virtual Collocation 2-Wire Cross Connect, Exchange Port 2- Wire Line Side PBX Trunk - Bus			UEPSP	VE1R2	0.09	41.78	39.23					26.94	12.76		
	Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire Voice Grade PBX Trunk - Res			UEPSE	VE1R2	0.09	41.78	39.23					26.94	12.76		
	Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire Analog Bus			UEPSB	VE1R2	0.09	41.78	39.23					26.94	12.76		
	Virtual Collocation 2-Wire Cross Connect, Exchnage Port 2-Wire ISDN			UEPSX	VE1R2	0.09	41.78	39.23					26.94	12.76		
	Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire ISDN			UEPTX	VE1R2	0.09	41.78	39.23					26.94	12.76		
	Virtual Collocation 4-Wire Cross Connect, Exchange Port 4-Wire ISDN DS1			UEPEX	VE1R4	0.18		39.25					26.94	12.76		
Note:	Rates displaying an "R" in Interim column are interim and sub	ject to	rate tru	e-up as set forth	in General Tern	ns and Conditi	ons.									

COLLOCAT	ION - South Carolina													ment: 4		ibit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l
						Rec	Nonred		Nonrecurring					Rates (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
PHYSICAL CO	LLOCATION														1	
FHISICAL CO	Physical Collocation 2-Wire Cross Connect, Exchange Port 2-															
	Wire Analog - Res			UEPSR	PE1R2	0.0341	12.32	11.83	6.04	5.45						
	Physical Collocation 2-Wire Cross Connect, Exchange Port 2- Wire Line Side PBX Trunk - Bus			UEPSP	PE1R2	0.0341	12.32	11.83	6.04	5.45						
	Physical Collocation 2-Wire Cross Connect, Exchange Port 2-															
	Wire Voice Grade PBX Trunk - Res Physical Collocation 2-Wire Cross Connect, Exchange Port 2-			UEPSE	PE1R2	0.0341	12.32	11.83	6.04	5.45						<u> </u>
	Wire Analog - Bus			UEPSB	PE1R2	0.0341	12.32	11.83	6.04	5.45						
	Physical Collocation 2-Wire Cross Connect, Exchange Port 2- Wire ISDN			UEPSX	PE1R2	0.0341	12.32	11.83	6.04	5.45						
	Physical Collocation 2-Wire Cross Connect, Exchange Port 2-			-			-			-						
	Wire ISDN Physical Collocation 4-Wire Cross Connect, Exchange Port 4-			UEPTX	PE1R2	0.0341	12.32	11.83	6.04	5.45	-					<u> </u>
	Wire ISDN DS1	<u> </u>		UEPEX	PE1R4	1.12	22.08	15.96	6.42	5.80						
PHYSICAL CO																
	Physical Collocation - Initial Application Fee			CLO	PE1BA		1,883.67									
	Physical Collocation - Subsequent Application Fee			CLO	PE1CA		1,570.10									
	Physical Collocation Administrative Only - Application Fee			CLO	PE1BL		743.66									
	Physical Collocation - Space Preparation - Firm Order Processing			CLO	PE1SJ		602.05									
	Physical Collocation - Space Preparation - C.O. Modification per						002.00									
	square ft. Physical Collocation - Space Preparation, Common Systems			CLO	PE1SK	2.75										
	Modifications-Cageless, per square foot			CLO	PE1SL	3.24										
	Physical Collocation - Space Preparation - Common Systems Modifications-Caged, per cage			CLO	PE1SM	110.16										
	Physical Collocation - Cable Installation, Pricing, non-recurring			CLO	DE4DD		794.22		22.54							
	charge, per Entrance Cable Physical Collocation - Floor Space, per sq feet			CLO	PE1BD PE1PJ	3.95	794.22		22.54						1	
	Physical Collocation - Cable Support Structure, per Entrance			CLO	FEIFJ	3.93										
	Cable			CLO	PE1PM	21.33										
	Physical Collocation - Power, -48V DC Power - per Fused Amp			CLO	PE1PL	9.19										
	Physical Collocation - Power Reconfiguration Only, Application			020		0.10										
	Fee	ı		CLO	PE1PR		400.33									
	Physical Collocation - Power, 120V AC Power, Single Phase, per Breaker Amp			CLO	PE1FB	5.67										
	Physical Collocation - Power, 240V AC Power, Single Phase, per Breaker Amp			CLO	PE1FD	11.36										
	Physical Collocation - Power, 120V AC Power, Three Phase, per				PEIFU	11.30										
	Breaker Amp Physical Collocation - Power, 277V AC Power, Three Phase, per			CLO	PE1FE	17.03										
	Breaker Amp			CLO	PE1FG	39.33										
				UEANL,UEQ, UNLDX, UNCNX, UEA, UCL, UAL,												
	Physical Collocation - 2-wire cross-connect, loop, provisioning			UHL, UDC, UDN, UNCVX	PE1P2	0.0341	12.32	11.83	6.04	5.45						
				UEA, UHL, UNCVX,												
	Physical Collocation - 4-wire cross-connect, loop, provisioning			UNCDX, UCL, UDL WDS1L,WDS1S, UXTD1, ULDD1, USLEL, UNLD1,	PE1P4	0.0682	12.42	11.90	6.40	5.74						
	Physical Collocation -DS1 Cross-Connect for Physical Collocation, provisioning			UEPEX, UEPDX, USL, ULC, U1TD1, UNC1X	PE1P1	1.12	22.08	15.96	6.42	5.80						

COLLOCAT	ION - South Carolina	1	1		1	1					·			ment: 4		ibit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)				Submitted Manually	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
						Rec	Nonrec		Nonrecurring					Rates (\$)		
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
				UE3,U1TD3, UXTD3, UXTS1, UNC3X, UNCSX, ULDD3, U1TS1,ULDS1,												
	Physical Collocation - DS3 Cross-Connect, provisioning			UNLD3	PE1P3	14.21	20.94	15.23	7.39	5.93						
	Physical Collocation - 2-Fiber Cross-Connect			CLO, ULDO3, ULD12, ULD48, U1TO3, U1T12, U1T48, UDLO3, UDL12, UDF ULDO3, ULD12, ULD48, U1TO3, U1T12, U1T48,	PE1F2	2.82	20.94	15.23	7.40	5.93						
				UDLO3, UDL12,												
	Physical Collocation - 4-Fiber Cross-Connect	L	L	UDF	PE1F4	5.01	25.61	19.90	9.73	8.26				<u> </u>	<u> </u>	
	Physical Collocation - Space enclosure, welded wire, first 100															
ļļ	square feet			CLO	PE1BW	219.19										
	Physical Collocation - Space enclosure, welded wire, each additional 50 square feet			CLO	PE1CW	21.50										
	Physical Collocation - Security Access System, Security System, per Central Office			CLO	PE1AX	74.72										
	Physical Collocation -Security Access System - New Card			CLO	FLIAX	14.12										+
	Activation, per Card Activation (First), per State			CLO	PE1A1	0.0601	27.85									
	Physical Collocation-Security Access System-Administrative Change, existing Access Card, per Request, per State, per Card Physical Collocation - Security Access System - Replace Lost or			CLO	PE1AA		7.81									
	Stolen Card, per Card			CLO	PE1AR		22.83									
	Physical Collocation - Security Access - Initial Key, per Key			CLO	PE1AK		13.13									
	Physical Collocation - Security Access - Key, Replace Lost or Stolen Key, per Key			CLO	PE1AL		13.13									
	Physical Collocation - Space Availability Report, per Central			0.0	55.05											
	Office Requested Physical Collocation - CFA Information Resend Request, per			CLO	PE1SR		1,077.57									
-	premises, per request Physical Collocation - Cable Records, per request			CLO CLO	PE1C9 PE1CR		77.71 760.98	489.20	133.29						-	+
	Physical Collocation, Cable Records, VG/DS0 Cable, per cable record (maximum 3600 records)			CLO	PE1CD		327.65	403.20	189.54							
	Physical Collocation, Cable Records, VG/DS0 Cable, per each															
ļļ	100 pair			CLO	PE1CO		4.82		5.91							ļ
 	Physical Collocation, Cable Records, DS1, per T1 TIE Physical Collocation, Cable Records, DS3, per T3 TIE		-	CLO CLO	PE1C1 PE1C3		2.26 7.90		2.77 9.68		1				-	
	Physical Collocation, Cable Records, DS3, per 13 TE Physical Collocation - Cable Records, Fiber Cable, per cable record (maximum 99 records)			CLO	PE1CB		7.90 84.68		77.30							
 	Physical Collocation - Security Escort for Basic Time - normally			010			04.00		77.30						†	†
	scheduled work, per half hour Physical Collocation - Security Escort for Overtime - outside of			CLO	PE1BT		16.96	10.75								
	normally scheduled working hours on a scheduled work day, per half hour			CLO	PE1OT		22.10	13.89								
	Physical Collocation - Security Escort for Premium Time - outside of scheduled work day, per half hour			CLO	PE1PT		27.23	17.02								
	Physical Collocation - Virtual to Physical Collocation Relocation, per Voice Grade Circuit			CLO	PE1BV		33.00									
	Physical Collocation - Virtual to Physical Collocation Relocation, per DSO Circuit			CLO	PE1BO		33.00									
	Physical Collocation - Virtual to Physical Collocation Relocation, per DS1 Circuit			CLO	PE1B1		52.00									

COLLOCAT	TION - South Carolina													ment: 4		ibit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l
							Name		l Names accoming	. Dianamant			220	Detec (\$)	l	<u> </u>
			1			Rec	Nonred		Nonrecurring		COMEC	SOMAN	SOMAN	Rates (\$)	SOMAN	SOMAN
	Physical Collocation - Virtual to Physical Collocation Relocation,						First	Add'l	First	Add'l	SOMEC	SOWAN	SUMAN	SOWAN	SUMAN	SOWAN
	per DS3 Circuit			CLO	PE1B3		52.00									
	Physical Collocation - Virtual to Physical Collocation In-Place,			020	I LIBO		02.00									
	Per Voice Grade Circuit			CLO	PE1BR		23.00									
	Physical Collocation Virtual to Physical Collocation In-Place, Per															
	DSO Circuit			CLO	PE1BP		23.00									
	Physical Collocation - Virtual to Physical Collocation In-Place,			01.0	DE 4 DO		00.00									
	Per DS1 Circuit Physical Collocation - Virtual to Physical Collocation In-Place,			CLO	PE1BS		33.00									1
	per DS3 Circuit			CLO	PE1BE		37.00									
	Physical Collocation - Virtual to Physical Collocation In-			OLO	TEIDE		07.00									1
	Place/Relocation, space cable facilities assigned to Collocation													1	1	
	Space, per 700 cable pairs or fraction thereof			CLO	PE1B7		592.00									
	Physical Collocation - Co-Carrier Cross Connects/Direct															
	Connect - Fiber Cable Support Structure, per linear ft.			CLO	PE1ES	0.001										
	Physical Collocation - Co-Carrier Cross Connect/Direct Connect - Copper/Coax Cable Support Structure, per lin. ft.			CLO	PE1DS	0.0015										
	Physical Collocation - Co-Carrier Cross Connects/Direct			CLO	FLIDS	0.0013									1	
	Connect, Application Fee, per application			CLO	PE1DT		584.42									
	Physical Collocation - Copper Entrance Cable per Cable (CO															
	manhole to vault splice)			CLO	PE1EA		1,136.597	42.808								
	Physical Collocation - Copper Entrance Cable Installation, per															
	100 Pairs			CLO	PE1EB		18.14									
	Physical Collocation - Fiber Entrance Cable per Cable (CO manhole to vault splice)			CLO	PE1EC		940.686	42.808								
	Physical Collocation - Fiber Entrance Cable Installation, per			CLO	PETEC		940.686	42.808								
	Fiber			CLO	PE1ED		7.256									
	Physical Collocation - Application Cost, Simple Augment			CLO	PE1KS		594.27		1.21							
	Physical Collocation - Application Cost, Minor Augment			CLO	PE1KM		833.26		1.21							
	Physical Collocation - Application Cost, Intermediate Augment			CLO	PE1K1		1,058.00		1.21							
	Physical Collocation - Co-Carrier Cross Connect/Direct Connect -	١.		01.0	DEADLI		500.50									
	Fiber Cable Support Structure, per cable Physical Collocation - Co-Carrier Cross Connect/Direct Connect -	- 1		CLO	PE1DU		536.56									-
	Copper/Coax Cable Support Structure, per cable	1 .		CLO	PE1DV		536.56									
ADJACENT C	OLLOCATION			020	LIDV		000.00									
I	Adjacent Collocation - Space Charge per Sq. Ft.			CLOAC	PE1JA	0.0939										
	Adjacent Collocation - Electrical Facility Charge per Linear Ft.			CLOAC	PE1JC	6.40										
	Adjacent Collocation - 2-Wire Cross-Connects				PE1P2	0.0264	12.32	11.83		5.45						
	Adjacent Collocation - 4-Wire Cross-Connects			UEA,UHL,UDL,UCL		0.0527	12.42	11.90		5.74						
	Adjacent Collocation - DS1 Cross-Connects Adjacent Collocation - DS3 Cross-Connects			UEA,UHL,UDL,UCL UEA,UHL,UDL,UCL	PE1P1	1.03 14.00	22.08 20.94	15.96 15.23		5.80 5.93					-	
	Adjacent Collocation - 2-Fiber Cross-Connect			CLOAC	PE1F2	2.37	20.94	15.23		5.93					1	
	Adjacent Collocation - 4-Fiber Cross-Connect			CLOAC	PE1F4	4.53	25.61	19.90		8.26						1
	Adjacent Collocation - Application Fee			CLOAC	PE1JB		1,580.20									
	Adjacent Collocation - 120V, Single Phase Standby Power Rate															1
	per AC Breaker Amp			CLOAC	PE1FB	5.67										
	Adjacent Collocation - 240V, Single Phase Standby Power Rate		1	01.040	DE4ED	44.00										
	per AC Breaker Amp Adjacent Collocation - 120V, Three Phase Standby Power Rate			CLOAC	PE1FD	11.36			+					-	-	
	per AC Breaker Amp		1	CLOAC	PE1FE	17.03										
	Adjacent Collocation - 277V, Three Phase Standby Power Rate			0_0/10		17.03										
	per AC Breaker Amp		1	CLOAC	PE1FG	39.33										
PHYSICAL CO	DLLOCATION IN THE REMOTE SITE															
	Physical Collocation in the Remote Site - Application Fee			CLORS	PE1RA		308.38		168.60							
	Cabinet Space in the Remote Site per Bay/ Rack		<u> </u>	CLORS	PE1RB	246.44			 							<u> </u>
	Physical Collocation in the Remote Site - Security Access - Key		1	CLORS	PE1RD		13.13									
 	Physical Collocation in the Remote Site - Security Access - Rey Physical Collocation in the Remote Site - Space Availability	-	1	CLORO	FEIRD		13.13							+	+	
	Report per Premises Requested		1	CLORS	PE1SR		116.13						1	1	I	

COLLO	CATI	ON - South Carolina												Attach	ment: 4	Exhi	ibit: B
CATEGO		RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			1	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I		Incremental Charge -
							Rec	Nonrec		Nonrecurring					Rates (\$)		
								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Physical Collocation in the Remote Site - Remote Site CLLI			0.000												
		Code Request, per CLLI Code Requested			CLORS	PE1RE		37.64									
		Remote Site DLEC Data (BRSDD), per Compact Disk, per CO			CLORS	PE1RR		234.50									_
		Physical Collocation - Security Escort for Basic Time - normally			CLODE	DEADT		16.96	40.75								
-		scheduled work, per half hour Physical Collocation - Security Escort for Overtime - outside of			CLORS	PE1BT		16.96	10.75								+
		normally scheduled working hours on a scheduled work day,															
		per half hour			CLORS	PE1OT		22.10	13.89								
		Physical Collocation - Security Escort for Premium Time -			OLONO	1 2101		22.10	13.03								
		outside of scheduled work day, per half hour			CLORS	PE1PT		27.23	17.02								
PHYSICA	L CO	LLOCATION IN THE REMOTE SITE - ADJACENT															
Ĩ																	
		Remote Site-Adjacent Collocation - AC Power, per breaker amp		L	CLORS	PE1RS	6.27			<u> </u>		<u> </u>	<u> </u>	<u> </u>	<u> </u>		
	•																
		Remote Site-Adjacent Collocation - Real Estate, per square foot			CLORS	PE1RT	0.134										
		Remote Site-Adjacent Collocation-Application Fee			CLORS	PE1RU		755.62	755.62								
		If Security Escort and/or Add'l Engineering Fees become nec	essary	or rem	ote site collocation,	the Parties	will negotiate a	ppropriate rate	s.								
VIRTUAL	. COLI	LOCATION															
		Virtual Collocation - Application Fee			AMTFS	EAF		1,207.95		0.51							
		Virtual Collocation Administrative Only - Application Fee	- 1	<u> </u>	AMTFS	VE1AF		743.66		00.54							
		Virtual Collocation - Cable Installation Cost, per cable			AMTES	ESPCX	0.05	794.22		22.54							_
		Virtual Collocation - Floor Space, per sq. ft.			AMTFS AMTFS	ESPVX ESPAX	3.95 9.19										
		Virtual Collocation - Power, per fused amp Virtual Collocation - Cable Support Structure, per entrance			AIVIIFS	ESPAX	9.19			-							
		cable			AMTFS	ESPSX	18.66										
		Virtual Collocation - 2-wire Cross Connects (Ioop)			UEANL,UEA,UDN,U DC,UAL,UHL,UCL,U EQ, UNCVX, UNCDX, UNCNX	UEAC2	0.0317	12.32	11.83	6.04	5.45						
		Virtual Collocation - 4-wire Cross Connects (loop)			UEA,UHL,UCL,UDL, UAL, UDN, UNCVX, UNCDX	UEAC4	0.0634	12.42	11.90	6.40	5.74						
		Virtual Collocation - 2-Fiber Cross Connects			UDL12, UDLO3, U1T48, U1T12, U1T03, ULDO3, ULD12, ULD48, UDF	CNC2F	2.86	20.94	15.23	7.40	5.93						
		Virtual Collocation - 4-Fiber Cross Connects			UDL12, UDLO3, U1T48, U1T12, U1T03, ULDO3, ULD12, ULD48, UDF	CNC4F	5.71	25.61	19.90	9.73	8.26						
		Virtual collocation - Special Access & UNE,cross-connect per			USL,ULC, ULR, UXTD1, UNC1X, ULDD1, U1TD1, USLEL, UNLD1,												
		DS1 Virtual collocation - Special Access & UNE, cross-connect per DS3			UEPEX, UEPDX USL,UE3, U1TD3, UXTS1, UXTD3, UNC3X, UNCSX, ULDD3, U1TS1, ULDS1, UDLSX, UNLD3	CNC1X CND3X	1.12	22.08	15.96 15.23	7.39	5.80 5.93						
		Virtual Collocation - Co-Carrier Cross Connects - Fiber Cable		1	l	l]				1	1		
		Support Structure, per linear foot Virtual Collocation - Co-Carrier Cross Connects - Copper/Coax Cable Support Structure, per linear ft			AMTFS	VE1CB VE1CD	0.0022										
		Virtual Collocation - Co-Carrier Cross Connects - Fiber Cable Support Structure,per cable			AMTFS	VE1CC		536.56									

COLLOCAT	ION - South Carolina													ment: 4		ibit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)				Submitted Manually		Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Order vs.
															DISC 1St	DISC Add I
						Rec	Nonrec		Nonrecurring					Rates (\$)		
			<u> </u>				First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Virtual Collocation - Co-Carrier Cross Connects - Copper/Coax Cable Support Structure, per cable			AMTFS	VE1CE		536.56									
	Virtual Collocation Cable Records - per request			AMTFS	VE1BA		760.98	489.20	133.29							
	Virtual Collocation Cable Records - VG/DS0 Cable, per cable															
	record			AMTFS	VE1BB		327.65		189.54							
	Virtual Collocation Cable Records - VG/DS0 Cable, per each			-												1
	100 pair	l	1	AMTFS	VE1BC		4.82		5.91						1	
	Virtual Collocation Cable Records - DS1, per T1TIE			AMTFS	VE1BD		2.26		2.77							
	Virtual Collocation Cable Records - DS3, per T3TIE			AMTFS	VE1BE		7.90		9.68							
	Virtual Collocation Cable Records - Fiber Cable, per 99 fiber															
	records			AMTFS	VE1BF		84.68		77.30							
	Virtual collocation - Security Escort - Basic, per half hour			AMTFS	SPTBX		16.96	10.75								
	Virtual collocation - Security Escort - Overtime, per half hour			AMTFS	SPTOX		22.10	13.89								
	Virtual collocation - Security Escort - Premium, per half hour			AMTFS	SPTPX		27.23	17.02								
	Virtual collocation - Maintenance in CO - Basic, per half hour			AMTFS	CTRLX		27.99	10.75								
	Virtual collocation - Maintenance in CO - Overtime, per half hour			AMTFS	SPTOM		36.56	13.89								
	Virtual collocation - Maintenance in CO - Premium per half hour			AMTFS	SPTPM		45.12	17.02								
	Virtual Collocation - Request Resend of CFA Information, per CLLI			AMTFS	VE1QR		77.71									
IRTUAL COL																
	Virtual Collocation - 2-wire Cross Connect, Exchange Port 2-															
	Wire Analog - Res	L	<u></u>	UEPSR	VE1R2	0.0317	12.32	11.83	6.04	5.45					<u> </u>	L
	Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-															
	Wire Line Side PBX Trunk - Bus			UEPSP	VE1R2	0.0317	12.32	11.83	6.04	5.45						
	Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire Voice Grade PBX Trunk - Res			UEPSE	VE1R2	0.0317	12.32	11.83	6.04	5.45						
	Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire			OLI OL	VETILE	0.0017	12.02	11.00	0.04	0.40						+
	Analog Bus			UEPSB	VE1R2	0.0317	12.32	11.83	6.04	5.45						
	Virtual Collocation 2-Wire Cross Connect, Exchnage Port 2-Wire ISDN			UEPSX	VE1R2	0.0317	12.32	11.83	6.04	5.45						
	Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire ISDN			UEPTX	VE1R2	0.0317	12.32	11.83	6.04	5.45						
	Virtual Collocation 4-Wire Cross Connect, Exchange Port 4-Wire ISDN DS1			UEPEX	VE1R4	1.12	22.08	15.96	6.42	5.80						
Notes	Rates displaying an "R" in Interim column are interim and sub	iect to	rate tru					.0.00	U.72	5.00	 				 	

COLL	OCATI	ION - Tennessee												Attach	ment: 4	Evhi	bit: B
COLL	OCAII		l			ı						Svc Order	Svc Order	Incremental			Incremental
												Submitted	Submitted		Charge -	Charge -	Charge -
			1									Elec	Manually		Manual Svc		Manual Svc
CATE	ORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)				per LSR	Order vs.		Order vs.	Order vs.
		10112 =======	m		200				101120 (4)			per LSR	per LSR		Order vs.		
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
								Nonrecurring		Nonrecurrin	g Disconnect			oss	Rates (\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
PHYSI	CAL CO	LLOCATION															
		Physical Collocation 2-Wire Cross Connect, Exchange Port 2-															
		Wire Analog - Res			UEPSR	PE1R2	0.30	19.20	19.20					20.35	10.54	13.32	1.40
		Physical Collocation 2-Wire Cross Connect, Exchange Port 2-															
		Wire Line Side PBX Trunk - Bus			UEPSP	PE1R2	0.30	19.20	19.20					20.35	10.54	13.32	1.40
		Physical Collocation 2-Wire Cross Connect, Exchange Port 2-															
		Wire Voice Grade PBX Trunk - Res			UEPSE	PE1R2	0.30	19.20	19.20					20.35	10.54	13.32	1.40
		Physical Collocation 2-Wire Cross Connect, Exchange Port 2-															
		Wire Analog - Bus			UEPSB	PE1R2	0.30	19.20	19.20					20.35	10.54	13.32	1.40
		Physical Collocation 2-Wire Cross Connect, Exchange Port 2-															
	<u></u>	Wire ISDN	<u> </u>		UEPSX	PE1R2	0.30	19.20	19.20	<u> </u>	<u></u>	<u> </u>		20.35	10.54	13.32	1.40
		Physical Collocation 2-Wire Cross Connect, Exchange Port 2-															
<u></u>	<u></u>	Wire ISDN			UEPTX	PE1R2	0.30	19.20	19.20					20.35	10.54	13.32	1.40
1	1	Physical Collocation 4-Wire Cross Connect, Exchange Port 4-	1			1										I	
		Wire ISDN DS1			UEPEX	PE1R4	0.50	19.20	19.20					20.35	10.54	13.32	1.40
PHYSI	CAL CO	LLOCATION															
		Physical Collocation - Cageless - Application Fee			CLO	PE1CH		2,633.00									
		Physical Collocation Administrative Only - Application Fee	ı		CLO	PE1BL		743.25									
		Physical Collocation - Space Preparation - Firm Order															
		Processing			CLO	PE1SJ		1,204.00									
		Physical Collocation - Space Preparation - C.O. Modification per															
		square ft.	ı		CLO	PE1SK	2.74										
		Physical Collocation - Space Preparation, Common Systems															
		Modifications-Cageless, per square foot	<u> </u>		CLO	PE1SL	2.95										
		Physical Collocation - Space Preparation - Common Systems	١.		0.0	DE4014	100.11										
		Modifications-Caged, per cage			CLO	PE1SM	100.14										
		Physical Collocation - Cageless - Cable Installation Cost, per cable			CLO	PE1ZA		1,749.00									
		Physical Collocation - Cageless - Floor Space, per sq. ft.			CLO	PE1ZB	3.91	1,749.00									
		Physical Collocation - Floor Space, per sq. it.			CLO	PE1PJ	5.94					1					
-		Physical Collocation - Cageless - Cable Support Structure, per			CLO	FLIFJ	3.34					1					
		Entrance Cable			CLO	PE1CJ	17.87										
-		Physical Collocation - Cable Support Structure, per Entrance			CLO	1 1 100	17.07					1					
		Cable	l i		CLO	PE1PM	19.80										
		Physical Collocation - Cageless - Power, per Fused Amp	<u> </u>		CLO	PE1ZC	6.79					1					
	†	y and a second s				-:- -	50			1	Ì			1	1		1
	1	Physical Collocation - Power, -48V DC Power - per Fused Amp	1		CLO	PE1PL	8.87							1	1		1
	1	Physical Collocation - Power Reconfiguration Only, Application				İ				İ	1					İ	İ
	1	Fee	1		CLO	PE1PR		400.10									
		Physical Collocation - Power, 120V AC Power, Single Phase,															
L	L	per Breaker Amp	L		CLO	PE1FB	5.60				<u> </u>	L					
		Physical Collocation - Power, 240V AC Power, Single Phase,]]		
]	per Breaker Amp			CLO	PE1FD	11.22										
		Physical Collocation - Power, 120V AC Power, Three Phase, per															
	<u> </u>	Breaker Amp			CLO	PE1FE	16.82										
1	1	Physical Collocation - Power, 277V AC Power, Three Phase, per	l .		0.0									1	1		1
	ļ	Breaker Amp			CLO	PE1FG	38.84					ļ					
	1		l		UEANL,UEQ,												
	1		1		UNLDX, UNCNX,									Ì	Ì		Ì
	1		1		UEA, UCL, UAL,									1	1		1
	1	Physical Collegation 2 wire gross connect loopin-in-	Ι.		UHL, UDC, UDN, UNCVX	PE1P2	0.033	33.82	31.92								
-	!	Physical Collocation - 2-wire cross-connect, loop, provisioning Physcial Collocation - Cageless - 2-Wire Cross-Connects	<u> </u>		UNCVX UNLDX, UNCNX	PE1P2 PE1ZD	0.033	33.82 11.62	9.90	10.38	8.66					-	
-	1	i nysolai collocation - cayeless - 2-vvile closs-collilects	1	H	UEA, UHL, UNCVX,	I L IZU	0.57	11.02	9.90	10.38	0.00	 		1	1	1	
	1	Physical Collocation - 4-wire cross-connect, loop, provisioning			UNCDX. UCL. UDL	PE1P4	0.066	33.94	31.95					1	1		1
-	 	Physical Collocation - Cageless - 4-Wire Cross Connects	- '-		UNCVX, UNCDX,	PE1ZE	0.57	11.81	10.04	10.44	8.67						
	1	1. 11/5/04/ Solitotation Sugarous - 4-11/16 Orosa Comidata	!		5 VA, 0140DA,		0.01	11.01	10.04	10.44	0.07	1	1	1	1	L	<u> </u>

CATEGORY	RATE ELEMENTS	Interi m	Zone										Incremental		Exhil Incremental	
	RATE ELEMENTS		Zone												3. JJtui	
	RATE ELEMENTS		Zone		1						Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
	RATE ELEMENTS		Zone								Elec	Manually		Manual Svc		Manual Svc
		m		BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
								***			per Lor	per Lor	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
															D130 131	Disc Add I
						Rec	Nonrecurring		Nonrecurring					Rates (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
				VDS1L,WDS1S,												1
				JXTD1, ULDD1, JSLEL, UNLD1,												1
				JEPEX, UEPDX,												1
	rsical Collocation -DS1 Cross-Connect for Physical			JSL, ULC, U1TD1,												1
	location, provisioning	1		JNC1X	PE1P1	1.51	53.27	40.16								ĺ
000	ocalion, pronoiding			VDS1L,WDS1S,			00.27	10.10								
				JXTD1, ULDD1,												ĺ
				JSLEL, UNLD1,												ĺ
Phys	sical Collocation - Cageless - DS1 Cross Connects			JEPEX, UEPDX	PE1ZF	1.32	32.22	17.76	10.46	8.75						L
				JE3,U1TD3,												ĺ
				JXTD3, UXTS1,												ĺ
				JNC3X, UNCSX,												ĺ
				JLDD3, J1TS1,ULDS1,												ĺ
Dhyo	rsical Collocation - DS3 Cross-Connect, provisioning			J11S1,ULDS1, JNLD3	PE1P3	19.26	52.37	38.89								ĺ
Filysi	sical Collocation - DSS Cross-Connect, provisioning	- '		JE3,U1TD3,	FEIF3	19.20	52.57	30.09								
				JXTD3, UXTS1,												ĺ
				JNC3X, UNCSX,												1
				JLDD3,												ĺ
				J1TS1,ULDS1,												ĺ
Phys	scial Collocation - Cageless - DS3 Cross Connects			JNLD3	PE1ZG	12.32	29.97	16.30	12.03	8.99						<u> </u>
				CLO, ULDO3,												1
				JLD12, ULD48,												ĺ
				J1TO3, U1T12,												ĺ
Dt	alian Callanatian of Films Const.			J1T48, UDLO3,	DE 450	45.04	44.50	00.00	40.00	40.04			0.00	0.00	4.50	4.50
Pnys	rsical Collocation - 2-Fiber Cross-Connect	-		JDL12, UDF CLO, ULDO3,	PE1F2	15.64	41.56	29.82	12.96	10.34			2.69	2.69	1.56	1.56
				JLD, ULDU3, JLD12, ULD48,												ĺ
				J1TO3, U1T12,												ĺ
				J1T48, UDLO3,												ĺ
Phys	rsical Collocation - Cageless - 2 Fiber Cross Connect			JDL12, UDF	PE1CK	3.03	41.56	29.82	12.96	10.34						ĺ
	•		U	JLDO3, ULD12,												
			U	JLD48, U1TO3,												ĺ
				J1T12, U1T48,												ĺ
				JDLO3, UDL12,												ĺ
Phys	rsical Collocation - 4-Fiber Cross-Connect	ı		JDF	PE1F4	28.11	50.53	38.78	16.97	14.35			2.69	2.69	1.56	1.56
				JLDO3, ULD12, JLD48, U1TO3,												ĺ
				J1T12, U1T48,												ĺ
				JDLO3, UDL12,												ĺ
Phys	rsical Collocation - Cageless - 4-Fiber Cross-Connect			JDF	PE1CL	6.06	50.53	38.78	16.97	14.35		1		1		1
	rsical Collocation - Space enclosure, welded wire, first 100		l ľ			2.00	22.50							İ		
squar	are feet	L_I		CLO	PE1BW	218.53	<u> </u>		<u> </u>		<u></u>	<u> </u>	<u></u>	<u> </u>		1
	rsical Collocation - Space enclosure, welded wire, each						İ									1
	itional 50 square feet	I	С	CLO	PE1CW	21.44										
	rsical Collocation - Security Access System - Security System				L											1
	Central Office	ı	C	CLO	PE1AX	55.99										├
	rsical Collocation -Security Access System - New Card			CLO	DE1 A 4	0.059	55.07					1		1		1
Activa	vation, per Card Activation (First), per State			LU	PE1A1	0.059	55.67		-			-	1	-		
Phye	rsical Collocation-Security Access System-Administrative											1		1		1
	ange, existing Access Card, per Request, per State, per Card		0	CLO	PE1AA		15.61					1		1		1
	rsical Collocation - Security Access System - Replace Lost or		H	-	,		.0.01		1					1		
	len Card, per Card		c	CLO	PE1AR		45.64									1
	rsical Collocation - Security Access - Initial Key, per Key		С	CLO	PE1AK		26.24									
	sical Collocation - Security Access - Key, Replace Lost or											1]		1
	len Key, per Key	1	l C	CLO	PE1AL		26.24		1		ĺ	i	i			i

COLLOCAT	ION - Tennessee													ment: 4		ibit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'l
						Rec	Nonrecurring		Nonrecurring	g Disconnect			oss	Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Physical Collocation - Space Availability Report, per Central															
	Office Requested			CLO	PE1SR		2,027.00	2,154.00								ļ
	Physical Collocation - CFA Information Resend Request, per premises, per request			CLO	PE1C9		77.67									
	Physical Collocation - Cable Records, per request			CLO	PE1CR		1,711.00									
	Physical Collocation, Cable Records, VG/DS0 Cable, per cable						.,									
	record (maximum 3600 records)	I		CLO	PE1CD		925.06									
	Physical Collocation, Cable Records, VG/DS0 Cable, per each															
	100 pair Physical Collocation, Cable Records, DS1, per T1 TIE	- !		CLO CLO	PE1CO PE1C1		18.05 8.45			-					1	
_	Physical Collocation, Cable Records, DS1, per T1 TIE Physical Collocation, Cable Records, DS3, per T3 TIE	i i		CLO	PE1C3		29.57			1					1	
	Physical Collocation - Cable Records, Fiber Cable, per cable			OLO	12100		20.07									1
I	record (maximum 99 records)	I	L	CLO	PE1CB		279.42			<u> </u>		<u> </u>		<u> </u>	<u> </u>	
	Physcial Collocation - Cageless - Security Escort - Basic, per															
	Half Hour			CLO	PE1ZM		33.15	20.44								<u> </u>
	Physical Collocation - Cageless - Security Escort - Overtime, per Half Hour			CLO	PE1ZN		41.50	25.61								
	Physical Collocation - Cageless - Security Escort - Premium, per			CLO	FLIZIN		41.50	25.01								1
	Half Hour			CLO	PE1ZO		49.86	30.79								
	Physical Collocation - Security Escort for Basic Time - normally															
	scheduled work, per half hour			CLO	PE1BT		33.91	21.49								<u> </u>
	Physical Collocation - Security Escort for Overtime - outside of															
	normally scheduled working hours on a scheduled work day, per half hour			CLO	PE1OT		44.17	27.76								
_	Physical Collocation - Security Escort for Premium Time -			CLO	FLIOI		44.17	21.10		1					1	
	outside of scheduled work day, per half hour			CLO	PE1PT		54.42	34.02								
	Physical Collocation - Virtual to Physical Collocation Relocation,						•									
	per Voice Grade Circuit	- 1		CLO	PE1BV		33.00									
	Physical Collocation - Virtual to Physical Collocation Relocation,	١.		0.0	55450											
-	per DSO Circuit Physical Collocation - Virtual to Physical Collocation Relocation,	- 1		CLO	PE1BO		33.00									
	per DS1 Circuit			CLO	PE1B1		52.00									
	Physical Collocation - Virtual to Physical Collocation Relocation,	-								1					İ	
	per DS3 Circuit	- 1		CLO	PE1B3		52.00									
	Physical Collocation - Virtual to Physical Collocation In-Place,															
	Per Voice Grade Circuit	I		CLO	PE1BR		23.00									ļ
	Physical Collocation Virtual to Physical Collocation In-Place, Per DSO Circuit			CLO	PE1BP		23.00									
-	Physical Collocation - Virtual to Physical Collocation In-Place,	-		OLO	I LIBI		25.00									
	Per DS1 Circuit	- 1		CLO	PE1BS		33.00									
	Physical Collocation - Virtual to Physical Collocation In-Place,															
	per DS3 Circuit	ı		CLO	PE1BE		37.00									
	Physical Collocation - Virtual to Physical Collocation In- Place/Relocation, space cable facilities assigned to Collocation															
	Space, per 700 cable pairs or fraction thereof			CLO	PE1B7		592.00									
	Physical Caged Collocation-App Cost(initial & sub)-Planning,			020	, , , , ,		002.00									
	per request			CLO	PE1AC	16.16	2,903.66									
—	Physical Caged Collocation-Space Prep-Grounding, per location Physical Collocation, Caged Collocation - Space Prep-Power			CLO	PE1BB	4.32			1	!						
	Cable, 40 AMP, includes 20 AMP A and B Feed		1	CLO	PE1SN		142.40			1						
	Physical Collocation, Caged Collocation - Space Prep-Power			020	1 2 1011		1-72.40		1	1						
	Cable, 100 AMP, includes 50 AMP A and B Feed			CLO	PE1SO		185.72			<u> </u>						
	Physical Collocation, Caged Collocation - Space Prep-Power															
\vdash	Cable, 200 AMP, includes 100 AMP A and B Feed			CLO	PE1SP		242.05		ļ							ļ
	Physical Caged Collocation-Space Enclosure-Cage Preparation, per first 100 sq. ft.			CLO	PE1S1	110.97										
	Phycical Caged Collocation-Space Enclosure-Cage			OLO .	FLISI	110.97			1	 	 					
	Preparation2, per add'l 50 sq. ft.		1	CLO	PE1S5	55.49]			I				1	I	

COLLOCAT	ION - Tennessee			I	1	T					1_			ment: 4		bit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)				Submitted Manually	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'l
						Rec	Nonrecurring		Nonrecurring	g Disconnect			oss	Rates (\$)	l.	
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Physical Caged collocation-Cable Installation-Entrance Fiber Structure, interduct per ft.			CLO	PE1CP	0.0156										
	Phycical Caged Collocation-Cable Installation-Entrance Fiber, per cable			CLO	PE1CQ	2.56	944.27									
	Physical Caged Collocation-Floor Space-Land & Buildings, per sq. ft.			CLO	PE1FS	5.94										
	Physical Caged Collocation-Cable Support Structure-Cable Racking, per entrance cable			CLO	PE1CS	21.47										
	Physical Caged Collocation-Power-Power Construction, per amp			CLO	FLICS	21.47										
	DC plant			CLO	PE1PN	3.55										
	Physical Caged Collocation-Power-Power Consumption,per amp AC usage			CLO	PE1PO	2.03										
	Physical Caged Collocation-2-wire Cross Connects-Voice Grade ckts, per ckt.			UE3,U1TD3, UXTD3, UXTS1, UNC3X, UNCSX, ULDD3, U1TS1,ULDS1, UNLD3	PE12C	0.0475	7.68									
	Physical Caged Collocation-4-wire Cross Connects-Voice Grade Ckts, per ckt.			UE3,U1TD3, UXTD3, UXTS1, UNC3X, UNCSX, ULDD3, U1TS1,ULDS1, UNLD3	PE14C	0.0475	7.68									
	Physical Caged Collocation-DS1 Cross Connects-connection to DCS, per ckt.			UE3,U1TD3, UXTD3, UXTS1, UNC3X, UNCSX, ULDD3, U1TS1,ULDS1, UNLD3	PE11S	7.68	41.65									
	Physical Caged Collocation-DS1 Cross Connects-Connection to DSX, per ckt.			UE3,U1TD3, UXTD3, UXTS1, UNC3X, UNCSX, ULDD3, U1TS1,ULDS1, UNLD3	PE11X	0.38	41.65									
	Physical Caged Collocation-DS3 Cross Connects-Connection to DCS, per ckt.			U1TD3, UXTD3, UXTS1, UNC3X, UNCSX, ULDD3, U1TS1,ULDS1, UNLD3	PE13S	53.96	298.03									
	Physical Caged Collocation-DS3 Cross Connects-Connection to DSX, per ckt.			U1TD3, UXTD3, UXTS1, UNC3X, UNCSX, ULDD3, U1TS1,ULDS1, UNLD3	PE13X	9.32	298.03									
	Physical Caged Collocation-Security Access-Access Cards, per 5 Cards			CLO	PE1A2		76.10									
	Physical Collocation - Co-Carrier Cross Connects/Direct Connect - Fiber Cable Support Structure, per linear ft.			CLO	PE1ES	0.0013										
	Physical Collocation - Cageless - Co-Carrier Cross Connects - Fiber Cable Support Structure, per linear ft.			CLO	PE1ZH	0.0013										
	Physical Collocation - Cageless - Co-Carrier Cross Connects-					0.0031	FFF 00									
	Fiber Cable Support Structure, per cable Physical Collocation - Co-Carrier Cross Connect/Direct Connect -			CLO	PE1ZK		555.03									
	Copper/Coax Cable Support Structure, per lin. ft. Physical Collocation - Cageless - Co-Carrier Cross Connects -			CLO	PE1DS	0.0019										
	Copper/Coax Cable Support Structure, per linear ft.			CLO	PE1ZJ	0.0045										<u> </u>

COLLOCATI	ON - Tennessee			-										ment: 4		bit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	∋ BCS	USOC	RATES (\$)					1	Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l
						Dee	Nonrecurring		Nonrecurring	Disconnect			oss	Rates (\$)		-
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Physical Collocation - Cageless - Co-Carrier Cross Connects -															
	Copper/Coax Cable Support Structure, per cable			CLO	PE1ZL		555.03									l
	Physical Collocation - Co-Carrier Cross Connects/Direct															1
	Connect, Application Fee, per application			CLO	PE1DT		585.09									
	Physical Collocation - Copper Entrance Cable per Cable (CO manhole to vault splice)			CLO	PE1EA		1,279.91	42.784								ĺ
	Physical Collocation - Copper Entrance Cable Installation, per			CLO	FLILA		1,279.91	42.704								—
	100 Pairs			CLO	PE1EB		18.13									ĺ
	Physical Collocation - Fiber Entrance Cable per Cable (CO															
	manhole to vault splice)			CLO	PE1EC		1,084.11	42.784								
	Physical Collocation - Fiber Entrance Cable Installation, per							·								i
	Fiber		!	CLO	PE1ED		7.252									
	Physical Collocation - Co-Carrier Cross Connect/Direct Connect - Fiber Cable Support Structure, per cable		1	CLO	PE1DU		555.03									1
	Physical Collocation - Co-Carrier Cross Connect/Direct Connect -	- '		CLO	FLIDO		333.03									
	Copper/Coax Cable Support Structure, per cable	- 1	1	CLO	PE1DV		555.03									İ
ADJACENT CO																
	Adjacent Collocation - Space Charge per Sq. Ft.				PE1JA	0.0656										
	Adjacent Collocation - Electrical Facility Charge per Linear Ft.				PE1JC	5.53										L
	Adjacent Collocation - 2-Wire Cross-Connects			UEA,UHL,UDL,UCL		0.34	11.12	10.18		10.23			1.77	1.77	1.12	1.12
	Adjacent Collocation - 4-Wire Cross-Connects Adjacent Collocation - DS1 Cross-Connects			UEA,UHL,UDL,UCL UEA,UHL,UDL,UCL		0.33 1.70	11.30 28.39	10.31 16.88	11.62 11.65	10.44 10.54			1.77 1.77	1.77 1.77	1.12 1.12	1.12 1.12
-	Adjacent Collocation - DS1 Cross-Connects Adjacent Collocation - DS3 Cross-Connects			UEA,UHL,UDL,UCL		19.03	26.23	15.51	13.40	10.54			1.77	1.77	1.12	1.12
	Adjacent Collocation - 2-Fiber Cross-Connect				PE1F2	3.49	26.23	15.51	13.41	10.78			1.77	1.77	1.12	1.12
	Adjacent Collocation - 4-Fiber Cross-Connect				PE1F4	6.50	29.75	19.02	17.60	14.97			1.77	1.77	1.12	1.12
	Adjacent Collocation - Application Fee			CLOAC	PE1JB		2,973.00									
	Adjacent Collocation - 120V, Single Phase Standby Power Rate															ĺ
	per AC Breaker Amp			CLOAC	PE1FB	5.81										
	Adjacent Collocation - 240V, Single Phase Standby Power Rate			CLOAC	PE1FD	11.64										ĺ
	per AC Breaker Amp Adjacent Collocation - 120V, Three Phase Standby Power Rate			CLUAC	PETFU	11.04										
	per AC Breaker Amp			CLOAC	PE1FE	17.45										ĺ
	Adjacent Collocation - 277V, Three Phase Standby Power Rate						†									
	per AC Breaker Amp			CLOAC	PE1FG	40.30										ĺ
PHYSICAL COL	LLOCATION IN THE REMOTE SITE															
	Physical Collocation in the Remote Site - Application Fee		ļ	CLORS	PE1RA	200 ::	580.20		312.76							
	Cabinet Space in the Remote Site per Bay/ Rack		<u> </u>	CLORS	PE1RB	220.41			1		-					
	Physical Collocation in the Remote Site - Security Access - Key			CLORS	PE1RD		24.69									1
	Physical Collocation in the Remote Site - Space Availability		†				24.00									
	Report per Premises Requested		<u>L</u>	CLORS	PE1SR	<u></u>	218.49									<u> </u>
	Physical Collocation in the Remote Site - Remote Site CLLI									·						1
\vdash	Code Request, per CLLI Code Requested		<u> </u>		PE1RE		70.81									
	Remote Site DLEC Data (BRSDD), per Compact Disk, per CO		<u> </u>	CLORS	PE1RR		234.15		1							
	Physical Collocation - Security Escort for Basic Time - normally scheduled work, per half hour		1	CLORS	PE1BT		33.91	21.49								İ
	Physical Collocation - Security Escort for Overtime - outside of			OLONO	יבוטו		55.91	21.45								
	normally scheduled working hours on a scheduled work day,															1
	per half hour			CLORS	PE1OT		44.17	27.76								L
	Physical Collocation - Security Escort for Premium Time -									·						1
DI IVOIO AL CO	outside of scheduled work day, per half hour		ļ	CLORS	PE1PT		54.42	34.02								
PHYSICAL COL	LLOCATION IN THE REMOTE SITE - ADJACENT		!													
	Remote Site-Adjacent Collocation - AC Power, per breaker amp			CLORS	PE1RS	6.27										
1	Remote Site-Adjacent Collocation - Real Estate, per square foot		1	CLORS	PE1RT	0.134	1									1
	Remote Site-Adjacent Collocation - Real Estate, per square root Remote Site-Adjacent Collocation-Application Fee		†		PE1RU	0.134	755.62	755.62								
	If Security Escort and/or Add'l Engineering Fees become nece	essary	for rem			vill negotiate a								Ì		
VIRTUAL COLI		-		,		_										ſ

COLLOCATI	ON - Tennessee					· · · · · · · · · · · · · · · · · · ·			· · · · · · · · · · · · · · · · · · ·				Attach	ment: 4	Exhi	bit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)				Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge -	
						Rec	Nonrecurring		Nonrecurring					Rates (\$)		
	Vistoral Collegation Application For			AMTFS	EAF		First 2,633.00	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN 2.07	SOMAN	SOMAN	SOMAN 1.41
	Virtual Collocation - Application Fee Virtual Collocation Administrative Only - Application Fee			AMTFS	VE1AF		743.25		-				2.07	2.81	0.67	1.41
	Virtual Collocation - Cable Installation Cost, per cable				ESPCX		1,749.00						2.07	2.81	0.67	1.41
	Virtual Collocation - Cable Installation Cost, per cable Virtual Collocation - Floor Space, per sq. ft.			AMTFS	ESPVX	3.91	1,749.00						2.01	2.01	0.07	1.41
	Virtual Collocation - Power, per fused amp			AMTFS	ESPAX	6.79										
	Virtual Collocation - Cable Support Structure, per entrance			744111 0	201700	0.70										
	cable			AMTFS	ESPSX	17.87										
	Virtual Collocation - 2-wire Cross Connects (loop)			UEANL,UEA,UDN,U DC,UAL,UHL,UCL,U EQ, UNCVX, UNCDX, UNCNX	UEAC2	0.57	11.62	9.90	10.38	8.66			2.07	2.81	0.67	1.41
				UEA,UHL,UCL,UDL,												
				UAL, UDN, UNCVX,					I				1	1	I	1
	Virtual Collocation - 4-wire Cross Connects (loop)			UNCDX	UEAC4	0.57	11.81	10.04	10.44	8.67			2.07	2.81	0.67	1.41
	Virtual Collocation - 2-Fiber Cross Connects			UDL12, UDLO3, U1T48, U1T12, U1T03, ULDO3, ULD12, ULD48, UDF	CNC2F	3.03	41.56	29.82	12.96	10.34			2.69	2.69	1.56	1.56
	Virtual Collocation - 4-Fiber Cross Connects			UDL12, UDLO3, U1T48, U1T12, U1T03, ULDO3, ULD12, ULD48, UDF	CNC4F	6.06	50.53	38.78	16.97	14.35			2.69	2.69	1.56	1.56
	Virtual collocation - Special Access & UNE, cross-connect per DS1				CNC1X	1.32	32.22	17.76	10.46	8.75			2.07	2.81	0.67	1.41
	Virtual collocation - Special Acess & UNE, cross-connect per DS3			USL,UE3, U1TD3, UXTS1, UXTD3, UNC3X, UNCSX, ULDD3, U1TS1, ULDS1, UDLSX, UNLD3	CND3X	12.32	29.97	16.30	12.03	8.99			2.07	2.81	0.67	1.41
	Virtual Collocation - Co-Carrier Cross Connects - Fiber Cable															
	Support Structure, per linear foot			AMTFS	VE1CB	0.0031										
	Virtual Collocation - Co-Carrier Cross Connects - Copper/Coax Cable Support Structure, per linear ft			AMTFS	VE1CD	0.0045										
	Virtual Collocation - Co-Carrier Cross Connects - Fiber Cable Support Structure,per cable Virtual Collocation - Co-Carrier Cross Connects - Copper/Coax			AMTFS	VE1CC		555.03						2.07	2.81	0.67	1.41
	Cable Support Structure, per cable			AMTFS	VE1CE		555.03		I				2.07	2.81	0.67	1.41
	Virtual Collocation Cable Records - per request			AMTFS	VE1BA		1,711.00						2.01	2.01	5.07	1.41
	Virtual Collocation Cable Records - VG/DS0 Cable, per cable						.,,,,,,,,,,		<u> </u>				1	1	1	t
	record			AMTFS	VE1BB		925.06		1						1	1
	Virtual Collocation Cable Records - VG/DS0 Cable, per each 100 pair			AMTFS	VE1BC		18.05									
	Virtual Collocation Cable Records - DS1, per T1TIE			AMTFS	VE1BD		8.45									
	Virtual Collocation Cable Records - DS3, per T3TIE			AMTFS	VE1BE		29.57									
	Virtual Collocation Cable Records - Fiber Cable, per 99 fiber records			AMTFS	VE1BF		279.42									
	Virtual collocation - Security Escort - Basic, per half hour			AMTFS	SPTBX		33.15						2.07	2.81	0.67	1.41
	Virtual collocation - Security Escort - Overtime, per half hour			AMTFS	SPTOX		41.50						2.07	2.81	0.67	1.41
	Virtual collocation - Security Escort - Premium, per half hour			AMTFS	SPTPX		49.86						2.07	2.81	0.67	1.41
	Virtual collocation - Maintenance in CO - Basic, per half hour			AMTFS	CTRLX		30.64		ļ				2.07	2.81	0.67	1.41
									1							1 .
	Virtual collocation - Maintenance in CO - Overtime, per half hour			AMTFS	SPTOM		35.77		l .]	I	l	2.07	2.81	0.67	1.41

COLLOCAT	ION - Tennessee												Attach	ment: 4	Exhi	bit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)				Submitted Manually		Charge -	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						5	Nonrecurring		Nonrecurring	Disconnect			oss	Rates (\$)	L	
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Virtual collocation - Maintenance in CO - Premium per half hour			AMTFS	SPTPM		40.90						2.07	2.81	0.67	1.41
	Virtual Collocation - Request Resend of CFA Information, per CLLI			AMTFS	VE1QR		77.67									
VIRTUAL COL																
	Virtual Collocation - 2-wire Cross Connect, Exchange Port 2- Wire Analog - Res			UEPSR	VE1R2	0.30	19.20	19.20					20.35	10.54	13.32	1.40
	Virtual Collocation 2-Wire Cross Connect, Exchange Port 2- Wire Line Side PBX Trunk - Bus			UEPSP	VE1R2	0.30	19.20	19.20					20.35	10.54	13.32	1.40
	Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire Voice Grade PBX Trunk - Res			UEPSE	VE1R2	0.30	19.20	19.20					20.35	10.54	13.32	1.40
	Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire Analog Bus			UEPSB	VE1R2	0.30	19.20	19.20					20.35	10.54	13.32	1.40
	Virtual Collocation 2-Wire Cross Connect, Exchnage Port 2-Wire ISDN			UEPSX	VE1R2	0.30	19.20	19.20		•			20.35	10.54	13.32	1.40
	Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire ISDN			UEPTX	VE1R2	0.30	19.20	19.20		•			20.35	10.54	13.32	1.40
	Virtual Collocation 4-Wire Cross Connect, Exchange Port 4-Wire ISDN DS1			UEPEX	VE1R4	0.50	19.20	19.20					20.35	10.54	13.32	1.40
Note:	Rates displaying an "R" in Interim column are interim and sub	ject to	rate tru	e-up as set forth in	General Tern	ns and Conditi	ons.									

Attachment 5

Access to Numbers and Number Portability

TABLE OF CONTENTS

1.	NON-DISCRIMINATORY ACCESS TO TELEPHONE NUMBERS	3
2.	LOCAL SERVICE PROVIDER NUMBER PORTABILITY - PERMANENT	
SC	OLUTION (LNP)	3
3.	OPERATIONAL SUPPORT SYSTEM (OSS) RATES	4

ACCESS TO NUMBERS AND NUMBER PORTABILITY

1. NON-DISCRIMINATORY ACCESS TO TELEPHONE NUMBERS

- During the term of this Agreement, where Network PTS is utilizing its own switch, Network PTS shall contact the North American Numbering Plan Administrator, NeuStar, for the assignment of numbering resources. In order to be assigned a Central Office Code, Network PTS will be required to complete the Central Office Code (NXX) Assignment Request and Confirmation Form (Code Request Form) in accordance with Industry Numbering Committee's Central Office Code (NXX) Assignment Guidelines (INC 95-0407-008).
- Where BellSouth provides local switching or resold services to Network PTS, BellSouth will provide Network PTS with on-line access to intermediate telephone numbers as defined by applicable FCC rules and regulations on a first come first served basis. Network PTS acknowledges that such access to numbers shall be in accordance with the appropriate FCC rules and regulations. Network PTS acknowledges that there may be instances where there is a shortage of telephone numbers in a particular rate center; and in such instances, BellSouth may request that Network PTS return unused intermediate numbers to BellSouth. Network PTS shall return unused intermediate numbers to BellSouth upon BellSouth's request. BellSouth shall make all such requests on a nondiscriminatory basis.
- 1.3 BellSouth will allow Network PTS to designate up to 100 intermediate telephone numbers per rate center for Network PTS's sole use. Assignment, reservation and use of telephone numbers shall be governed by applicable FCC rules and regulations. Network PTS acknowledges that there may be instances where there is a shortage of telephone numbers in a particular rate center and BellSouth has the right to limit access to blocks of intermediate telephone numbers. These instances include: 1) where jeopardy status has been declared by the North American Numbering Plan (NANP) for a particular Numbering Plan Area (NPA); or 2) where a rate center has less than six months supply of numbering resources.

2. LOCAL SERVICE PROVIDER NUMBER PORTABILITY - PERMANENT SOLUTION (LNP)

- 2.1 The Parties will offer Number Portability in accordance with rules, regulations and guidelines adopted by the Commission, the FCC and industry fora.
- 2.2 <u>End User Line Charge</u>. Where Network PTS subscribes to BellSouth's local switching, BellSouth shall bill and Network PTS shall pay the end user line charge associated with implementing LNP as set forth in BellSouth's FCC Tariff No. 1.

This charge is not subject to the resale discount set forth in Attachment 1 of this Agreement.

- To limit service outage, BellSouth and Network PTS will adhere to the process flows and cutover guidelines for porting numbers as outlined in the LNP Reference Guide, as amended from time to time. The LNP Reference Guide, incorporated herein by reference, is accessible via the Internet at the following site: http://www.interconnection.bellsouth.com. All intervals referenced in the LNP Reference Guide shall apply to both BellSouth and Network PTS.
- 2.4 The Parties will set Location Routing Number (LRN) unconditional or 10-digit triggers where applicable. Where triggers are set, the porting Party will remove the ported number at the same time the trigger is removed.
- A trigger order is a service order issued in advance of the porting of a number. A trigger order 1) initiates call queries to the AIN SS7 network in advance of the number being ported; and 2) provides for the new service provider to be in control of when a number ports.
- Where triggers are not set, the Parties shall coordinate the porting of the number between service providers so as to minimize service interruptions to the End User.
- 2.7 BellSouth and Network PTS will work cooperatively to implement changes to LNP process flows ordered by the FCC or as recommended by standard industry forums addressing LNP.

3. OPERATIONAL SUPPORT SYSTEM (OSS) RATES

3.1 The terms, conditions and rates for OSS are as set forth in Attachment 2.

Attachment 6

Pre-Ordering, Ordering, Provisioning, Maintenance and Repair

TABLE OF CONTENTS

1.	QUALITY OF PRE-ORDERING, ORDERING, PROVISIONING, MAINTENANCE AND REPAIR.	3
2.	ACCESS TO OPERATIONS SUPPORT SYSTEMS	3
3.	MISCELLANEOUS	5

Version 3Q03: 11/12/2003

PRE-ORDERING, ORDERING, PROVISIONING, MAINTENANCE AND REPAIR

1. QUALITY OF PRE-ORDERING, ORDERING, PROVISIONING, MAINTENANCE AND REPAIR

- 1.1 BellSouth shall provide to Network PTS nondiscriminatory access to its Operations Support Systems (OSS) and the necessary information contained therein in order that Network PTS can perform the functions of pre-ordering, ordering, provisioning, maintenance and repair, and billing.. BellSouth shall provide Network PTS with all relevant documentation (manuals, user guides, specifications, etc.) regarding business rules and other formatting information as well as practices and procedures necessary to ensure requests are efficiently processed. All documentation will be readily accessible at BellSouth's interconnection website and are incorporated herein by reference. BellSouth shall ensure that its OSS are designed to accommodate access requests for both current and projected demand of Network PTS and other CLECs in the aggregate.
- 1.2 BellSouth shall provision services during its regular working hours. To the extent Network PTS requests provisioning of service to be performed outside BellSouth's regular working hours, or the work so requested requires BellSouth's technicians or project manager to work outside of regular working hours, overtime charges shall apply. Notwithstanding the foregoing, if such work is performed outside of regular working hours by a BellSouth technician or project manager during his or her scheduled shift and BellSouth does not incur any overtime charges in performing the work on behalf of Network PTS, BellSouth will not assess Network PTS additional charges beyond the rates and charges specified in this Agreement.

2. ACCESS TO OPERATIONS SUPPORT SYSTEMS

- 2.1 BellSouth shall provide Network PTS nondiscriminatory access to its OSS and the necessary information contained therein in order that Network PTS can perform the functions of pre-ordering, ordering, provisioning, maintenance and repair, and billing. BellSouth shall provide nondiscriminatory access to the OSS through manual and/or electronic interfaces as described in this Attachment. It is the sole responsibility of Network PTS to obtain the technical capability to access and utilize BellSouth's OSS interfaces. Specifications for Network PTS's access and use of BellSouth's electronic interfaces are set forth at BellSouth's interconnection website and are incorporated herein by reference.
- 2.1.1 <u>Pre-Ordering</u>. BellSouth will provide electronic access to its OSS and the information contained therein in order that Network PTS can perform the following pre-ordering functions: service address validation, telephone number selection, service and feature availability, due date information, customer record

Version 3Q03: 11/12/2003

information and loop makeup information. Mechanized access is provided by electronic interfaces whose specifications for access and use are set forth at BellSouth's interconnection website and are incorporated herein by reference. The process by which BellSouth and Network PTS will manage these electronic interfaces to include the development and introduction of new interfaces will be governed by the change management process as described below. Network PTS shall provide to BellSouth access to customer record information, including circuit numbers associated with each telephone number where applicable. Network PTS shall provide such information within four (4) hours after request via electronic access where available. If electronic access is not available, Network PTS shall provide to BellSouth paper copies of customer record information, including circuit numbers associated with each telephone number where applicable. If BellSouth requests the information before noon, the customer record information after noon, the customer record information after noon, the customer record information shall be provided by noon the following day.

- 2.1.2 The Parties agree not to view, copy, or otherwise obtain access to the customer record information of any customer without that customer's permission. Network PTS will obtain access to customer record information only in strict compliance with applicable laws, rules, or regulations of the state in which the service is provided. BellSouth reserves the right to audit Network PTS's access to customer record information. If a BellSouth audit of Network PTS's access to customer record information reveals that Network PTS is accessing customer record information without having obtained the proper End User authorization, BellSouth upon reasonable notice to Network PTS may take corrective action, including but not limited to suspending or terminating Network PTS's electronic access to BellSouth's OSS functionality. All such information obtained through an audit shall be deemed Information covered by the Proprietary and Confidential Information section in the General Terms and Conditions of this Agreement.
- 2.1.3 Ordering. BellSouth will make available to Network PTS electronic interfaces for the purpose of exchanging order information, including order status and completion notification, for non-complex and certain complex resale requests and certain network elements. Specifications for access and use of BellSouth's electronic interfaces are set forth at BellSouth's interconnection website and are incorporated herein by reference. The process by which BellSouth and Network PTS will manage these electronic interfaces to include the development and introduction of new interfaces will be governed by the change management process as described below.
- 2.1.4 <u>Maintenance and Repair</u>. BellSouth will make available to Network PTS electronic interfaces for the purpose of reporting and monitoring service troubles. Specifications for access and use of BellSouth's maintenance and repair electronic interfaces are set forth at BellSouth's interconnection website and are incorporated herein by reference. The process by which BellSouth and Network PTS will manage these electronic interfaces to include the development and introduction of new interfaces will be governed by the change management process as described

Version 3Q03: 11/12/2003

below. Requests for trouble repair are billed in accordance with the provisions of this Agreement. BellSouth and Network PTS agree to adhere to BellSouth's Operational Understanding, as amended from time to time during this Agreement and as incorporated herein by reference. The Operational Understanding may be accessed via BellSouth's interconnection website.

- 2.1.5 <u>Billing</u>. BellSouth will provide Network PTS nondiscriminatory access to billing information as specified in Attachment 7 to this Agreement.
- 2.2 Change Management. BellSouth and Network PTS agree that the collaborative change management process known as the Change Control Process (CCP) will be used to manage changes to existing interfaces, introduction of new interfaces and retirement of interfaces. BellSouth and Network PTS agree to comply with the provisions of the documented Change Control Process as may be amended from time to time and incorporated herein by reference. The change management process will cover changes to BellSouth's electronic interfaces, BellSouth's testing environment, associated manual process improvements, and relevant documentation. The process will define a procedure for resolution of change management disputes. Documentation of the CCP as well as related information and processes will be clearly organized and readily accessible to Network PTS at BellSouth's interconnection website.
- 2.3 Rates. Charges for use of OSS shall be as set forth in this Agreement.

3. MISCELLANEOUS

- 3.1 <u>Pending Orders.</u> Orders placed in the hold or pending status by Network PTS will be held for a maximum of thirty (30) calendar days from the date the order is placed on hold. After such time, Network PTS shall be required to submit a new service request. Incorrect or invalid requests returned to Network PTS for correction or clarification will be held for thirty (30) calendar days. If Network PTS does not return a corrected request within thirty (30) calendar days, BellSouth will cancel the request.
- 3.2 <u>Single Point of Contact</u>. Network PTS will be the single point of contact with BellSouth for ordering activity for network elements and other services used by Network PTS to provide services to its End Users, except that BellSouth may accept a request directly from another CLEC, or BellSouth, acting with authorization of the affected End User. Network PTS and BellSouth shall each execute a blanket letter of authorization with respect to customer requests so that prior proof of End User authorization will not be necessary with every request (except in the case of a local service freeze). The Parties shall each be entitled to adopt their own internal processes for verification of customer authorization for requests, provided, however, that such processes shall comply with applicable state and federal law and industry and regulatory guidelines. Pursuant to a request from another carrier, BellSouth may disconnect any network element being used by Network PTS to provide service to that End User and may reuse such network

elements or facilities to enable such other carrier to provide service to the End User. BellSouth will notify Network PTS that such a request has been processed but will not be required to notify Network PTS in advance of such processing.

- 3.2.1 Neither BellSouth nor Network PTS shall prevent or delay an End User from migrating to another carrier because of unpaid bills, denied service, or contract terms.
- 3.2.2 BellSouth shall return a Firm Order Confirmation (FOC) and Local Service Request (LSR) rejection/clarification within the intervals in accordance with the Service Quality Measurement (SQM) set forth in Attachment 9 of this Agreement.
- 3.2.3 Network PTS shall return a FOC to BellSouth within thirty-six (36) hours after Network PTS's receipt from BellSouth of a valid LSR.
- 3.2.4 Network PTS shall provide a Reject Response to BellSouth within twenty-four (24) hours after BellSouth's submission of an LSR which is incomplete or incorrectly formatted.
- 3.3 <u>Use of Facilities</u>. When a customer of Network PTS elects to discontinue service and to transfer service to another local exchange carrier, including BellSouth, BellSouth shall have the right to reuse the facilities provided to Network PTS by BellSouth. In addition, where BellSouth provides local switching, BellSouth may disconnect and reuse facilities when the facility is in a denied state and BellSouth has received a request to establish new service or transfer of service from a customer or a customer's CLEC at the same address served by the denied facility. BellSouth will notify Network PTS that such a request has been processed after the disconnect order has been completed.
- 3.4 <u>Contact Numbers</u>. The Parties agree to provide one another with toll-free nation-wide (50 states) contact numbers for the purpose of ordering, provisioning and maintenance of services.
- 3.5 <u>Subscription Functions</u>. In cases where BellSouth performs subscription functions for an interexchange carrier (IXC) (i.e. PIC and LPIC changes via Customer Account Record Exchange (CARE)), BellSouth will in all possible instances provide the affected IXCs with the Operating Company Number (OCN) of the local provider for the purpose of obtaining End User billing account and other End User information required under subscription requirements.
- 3.5.1 When Network PTS's End User, served by resale or loop and port combinations, changes its PIC or LPIC, and per BellSouth's FCC or state tariff the interexchange carrier elects to charge the End User the PIC or LPIC change charge, BellSouth will bill the PIC or LPIC change charge to Network PTS, which has the billing relationship with that End User, and Network PTS may pass such charge to the End User.

- 3.6 Cancellation Charges. If Network PTS cancels a request for network elements or resold services, any costs incurred by BellSouth in conjunction with the provisioning of that request will be recovered in accordance with BellSouth's Private Line Tariff or BellSouth's FCC No. 1 Tariff, Section 5.4, as applicable. Notwithstanding the foregoing, if Network PTS places an LSR based upon BellSouth's loop makeup information, and such information is inaccurate resulting in the inability of BellSouth to provision the network elements requested and another spare compatible facility cannot be found with the transmission characteristics of the network elements originally requested, cancellation charges described in this Section shall not apply. Where Network PTS places a single LSR for multiple network elements or services based upon loop makeup information, and information as to some, but not all, of the network elements or services is inaccurate, if BellSouth cannot provision the network elements or services that were the subject of the inaccurate loop makeup information, Network PTS may cancel its request for those network elements or services without incurring cancellation charges as described in this Section. In such instance, should Network PTS elect to cancel the entire LSR, cancellation charges as described in this Section shall apply to those elements and services that were not the subject of inaccurate loop makeup.
- 3.7 <u>Service Date Advancement Charges (a.k.a. Expedites)</u>. For Service Date Advancement requests by Network PTS, Service Date Advancement charges will apply for intervals less than the standard interval as outlined in the BellSouth Product and Services Interval Guide. The charges as outlined in BellSouth's FCC No. 1 Tariff, Section 5, will apply as applicable.

Attachment 7

Billing

TABLE OF CONTENTS

1.	PAYMENT AND BILLING ARRANGEMENTS	3
2.	BILLING DISPUTES	7
3.	RAO HOSTING	8
4.	OPTIONAL DAILY USAGE FILE	11
5.	ACCESS DAILY USAGE FILE	14
6.	ENHANCED OPTIONAL DAILY USAGE FILE (EODUF)	16
Ra	tes	Exhibit A

BILLING

1. PAYMENT AND BILLING ARRANGEMENTS

The terms and conditions set forth in this Attachment shall apply to all services ordered and provisioned pursuant to this Agreement.

- 1.1 <u>Billing</u>. BellSouth will bill through the Carrier Access Billing System (CABS), Integrated Billing System (IBS) and/or the Customer Records Information System (CRIS) depending on the particular service(s) provided to Network PTS under this Agreement. BellSouth will format all bills in Carrier Billing Output Specification (CBOS) Standard or CLUB/EDI format, depending on the type of service provided. For those services where standards have not yet been developed, BellSouth's billing format will change as necessary when standards are finalized by the applicable industry forum.
- 1.1.1 For any service(s) BellSouth receives from Network PTS, Network PTS shall bill BellSouth in CBOS format.
- 1.1.2 Any switched access charges associated with interexchange carrier access to the resold local exchange lines will be billed by, and due to BellSouth.
- 1.1.3 BellSouth will render bills each month on established bill days for each of Network PTS's accounts. If either Party requests multiple billing media or additional copies of the bills, the billing Party will provide these at a reasonable cost.
- 1.1.4 BellSouth will bill Network PTS in advance for all services to be provided during the ensuing billing period except charges associated with service usage and nonrecurring charges, which will be billed in arrears.
- 1.1.4.1 Charges for services will be calculated on an individual End User account level, including, if applicable, any charge for usage or usage allowances. BellSouth will also bill Network PTS, and Network PTS will be responsible for and remit to BellSouth, all charges applicable to said services including but not limited to 911 and E911 charges, End Users common line charges, federal subscriber line charges, telecommunications relay charges (TRS), and franchise fees, unless otherwise ordered by a Commission.
- 1.1.5 BellSouth will not perform billing and collection services for Network PTS as a result of the execution of this Agreement.
- 1.1.6 In the event that this Agreement or an amendment to this Agreement effects a rate change to recurring rate elements that are billed in advance, BellSouth will make an adjustment to such recurring rates billed in advance at the previously effective rate. The adjustment shall reflect billing at the new rates from the Effective Date of the Agreement or amendment.

- 1.2 Establishing Accounts. After submitting a credit profile and deposit, if required, and after receiving certification as a local exchange carrier from the appropriate regulatory agency, Network PTS will provide the appropriate BellSouth advisory team/local contract manager the necessary documentation to enable BellSouth to establish accounts for Local Interconnection, Network Elements and Other Services, Collocation and/or resold services. Such documentation shall include the Application for Master Account, if applicable, proof of authority to provide telecommunications services, the appropriate Operating Company Numbers (OCN) for each state as assigned by the National Exchange Carriers Association (NECA), Carrier Identification Code (CIC), Access Customer Name and Abbreviation (ACNA), Blanket Letter of Authorization (LOA), Misdirected Number form, and a tax exemption certificate, if applicable. Notwithstanding anything to the contrary in this Agreement, Network PTS may not order services under a new account established in accordance with this Section 1.2 until 30 days after all information specified in this Section 1.2 is received from Network PTS.
- 1.2.1 OCN. If Network PTS needs to change its OCN(s) under which it operates when Network PTS has already been conducting business utilizing those OCN(s), Network PTS shall bear all costs incurred by BellSouth to convert Network PTS to the new OCN(s). OCN conversion charges include all time required to make system updates to all of Network PTS's End User customer records and will be handled by the BFR/NBR process.
- 1.2.2 <u>Payment Responsibility</u>. Payment of all charges will be the responsibility of Network PTS. Network PTS shall make payment to BellSouth for all services billed. Payments made by Network PTS to BellSouth as payment on account will be credited to Network PTS's accounts receivable master account. BellSouth will not become involved in billing disputes that may arise between Network PTS and Network PTS's customer.
- 1.3 <u>Payment Due.</u> Payment for services provided is due on or before the next bill date in immediately available funds. Payment is considered to have been made when received by BellSouth.
- 1.4 <u>Due Dates</u>. If the payment due date falls on a Sunday or on a holiday that is observed on a Monday, the payment due date shall be the first non-holiday day following such Sunday or holiday. If the payment due date falls on a Saturday or on a holiday which is observed on Tuesday, Wednesday, Thursday, or Friday, the payment due date shall be the last non-holiday day preceding such Saturday or holiday. If payment is not received by the payment due date, a late payment charge, as set forth in Section 1.6, below, shall apply.
- 1.5 <u>Tax Exemption</u>. Upon BellSouth's receipt of tax exemption certificate, the total amount billed to Network PTS will not include those taxes or fees from which Network PTS is exempt. Network PTS will be solely responsible for the

computation, tracking, reporting and payment of all taxes and like fees associated with the services provided to the End User of Network PTS.

- Late Payment. If any portion of the payment is not received by BellSouth on or before the payment due date as set forth preceding, or if any portion of the payment is received by BellSouth in funds that are not immediately available to BellSouth, then a late payment charge shall be due to BellSouth. The late payment charge shall be the portion of the payment not received by the payment due date multiplied by a late factor and will be applied on a per bill basis. The late factor shall be as set forth in Section A2 of the General Subscriber Services Tariff, Section B2 of the Private Line Service Tariff or Section E2 of the Intrastate Access Tariff, as appropriate. In addition to any applicable late payment charges, Network PTS may be charged a fee for all returned checks as set forth in Section A2 of the General Subscriber Services Tariff or pursuant to the applicable state law.
- 1.7 <u>Discontinuing Service to Network PTS</u>. The procedures for discontinuing service to Network PTS are as follows:
- 1.7.1 BellSouth reserves the right to suspend or terminate service in the event of prohibited, unlawful or improper use of BellSouth facilities or service, abuse of BellSouth facilities, or any other violation or noncompliance by Network PTS of the rules and regulations of BellSouth's tariffs.
- 1.7.2 BellSouth reserves the right to suspend or terminate service for nonpayment. If payment of amounts not subject to a billing dispute, as described in Section 2, is not received by the bill date in the month after the original bill date, BellSouth will provide written notice to Network PTS that additional applications for service may be refused, that any pending orders for service may not be completed, and/or that access to ordering systems may be suspended if payment of such amounts, and all other amounts not in dispute that become past due before refusal, incompletion or suspension, is not received by the fifteenth day following the date of the notice. In addition, BellSouth may, at the same time, provide written notice to the person designated by Network PTS to receive notices of noncompliance that BellSouth may discontinue the provision of existing services to Network PTS if payment of such amounts, and all other amounts not in dispute that become past due before discontinuance, is not received by the thirtieth day following the date of the initial notice.
- 1.7.3 In the case of discontinuance of services, all billed charges, as well as applicable termination charges, shall become due.
- 1.7.4 Discontinuance of service on Network PTS's account will effect a discontinuance of service to Network PTS's End Users. BellSouth will reestablish service for Network PTS upon payment of all past due charges and the appropriate connection fee subject to BellSouth's normal application procedures. Network

PTS is solely responsible for notifying the End User of the discontinuance of the service. If within fifteen (15) days after Network PTS's service has been discontinued and no arrangements to reestablish service have been made consistent with this subsection, Network PTS's service will be disconnected.

- 1.8 Deposit Policy. Network PTS shall complete the BellSouth Credit Profile and provide information to BellSouth regarding credit worthiness. Based on the results of the credit analysis, BellSouth reserves the right to secure the account with a suitable form of security deposit. Such security deposit shall take the form of cash, an Irrevocable Letter of Credit (BellSouth form), Surety Bond (BellSouth form) or, in BellSouth's sole discretion, some other form of security proposed by Network PTS. Any such security deposit shall in no way release Network PTS from its obligation to make complete and timely payments of its bill. Network PTS shall pay any applicable deposits prior to the inauguration of service. If, in the sole opinion of BellSouth, circumstances so warrant and/or gross monthly billing has increased beyond the level initially used to determine the level of security deposit, BellSouth reserves the right to request additional security and/or file a Uniform Commercial Code (UCC-1) security interest in Network PTS's "accounts receivables and proceeds." Interest on a security deposit, if provided in cash, shall accrue and be paid in accordance with the terms in the appropriate BellSouth tariff. Security deposits collected under this Section shall not exceed two months' estimated billing. In the event Network PTS fails to remit to BellSouth any deposit requested pursuant to this Section, service to Network PTS may be terminated in accordance with the terms of Section 1.7 of this Attachment, and any security deposits will be applied to Network PTS's account(s). In the event Network PTS defaults on its account, service to Network PTS will be terminated in accordance with the terms of Section 1.7 above, and any security deposits will be applied to Network PTS's account.
- Notices. Notwithstanding anything to the contrary in this Agreement, all bills and notices regarding billing matters, including notices relating to security deposits, disconnection of services for nonpayment of charges, and rejection of additional orders from Network PTS, shall be forwarded to the individual and/or address provided by Network PTS in establishment of its billing account(s) with BellSouth, or to the individual and/or address subsequently provided by Network PTS as the contact for billing information. All monthly bills and notices described in this Section shall be forwarded to the same individual and/or address; provided, however, upon written request from Network PTS to BellSouth's billing organization, the notice of discontinuance of services purchased by Network PTS under this Agreement provided for in Section 1.7.2 of this Attachment shall be sent via certified mail to the individual(s) listed in the Notices provision of the General Terms and Conditions of this Agreement.
- 1.10 <u>Rates.</u> Rates for Optional Daily Usage File (ODUF), Access Daily Usage File (ADUF), Enhanced Optional Daily Usage File (EODUF) and Centralized Message Distribution Service (CMDS) are set out in Exhibit A to this Attachment. If no

rate is identified in this Attachment, the rate for the specific service or function will be as set forth in the applicable BellSouth tariff or as negotiated by the Parties upon request by either Party.

2. BILLING DISPUTES

- 2.1 Each Party agrees to notify the other Party in writing upon the discovery of a billing dispute. Network PTS shall report all billing disputes to BellSouth using the Billing Adjustment Request Form (RF 1461) provided by BellSouth. In the event of a billing dispute, the Parties will endeavor to resolve the dispute within sixty (60) calendar days of the notification date. If the Parties are unable within the 60 day period to reach resolution, then the aggrieved Party may pursue dispute resolution in accordance with the General Terms and Conditions of this Agreement.
- 2.2 For purposes of this Section 2, a billing dispute means a reported dispute of a specific amount of money actually billed by either Party. The dispute must be clearly explained by the disputing Party and supported by written documentation, which clearly shows the basis for disputing charges. A billing dispute will not include the refusal to pay all or part of a bill or bills when no written documentation is provided to support the dispute, nor shall a billing dispute include the refusal to pay other amounts owed by the billed Party until the dispute is resolved. Claims by the billed Party for damages of any kind will not be considered a billing dispute for purposes of this Section. If the billing dispute is resolved in favor of the billing Party, the disputing Party will make immediate payment of any of the disputed amount owed to the billing Party or the billing Party shall have the right to pursue normal treatment procedures. Any credits due to the disputing Party, pursuant to the billing dispute, will be applied to the disputing Party's account by the billing Party immediately upon resolution of the dispute.
- 2.3 If a Party disputes a charge and does not pay such charge by the payment due date, or if a payment or any portion of a payment is received by either Party after the payment due date, or if a payment or any portion of a payment is received in funds which are not immediately available to the other Party, then a late payment charge and interest, where applicable, shall be assessed. For bills rendered by either Party for payment, the late payment charge for both Parties shall be calculated based on the portion of the payment not received by the payment due date multiplied by the late factor as set forth in the following BellSouth tariffs: for services purchased from the General Subscribers Services Tariff for purposes of resale and for ports and non-designed loops, Section A2 of the General Subscriber Services Tariff; for services purchased from the Private Line Tariff for purposes of resale, Section B2 of the Private Line Service Tariff; and for designed network elements and other services and local interconnection charges, Section E2 of the Access Service Tariff. The Parties shall assess interest on previously assessed late payment charges only in a state where it has the authority pursuant to its tariffs.

3. RAO HOSTING

- 3.1 RAO Hosting, Calling Card and Third Number Settlement System (CATS) and Non-Intercompany Settlement System (NICS) services provided to Network PTS by BellSouth will be in accordance with the methods and practices regularly applied by BellSouth to its own operations during the term of this Agreement, including such revisions as may be made from time to time by BellSouth.
- 3.2 Network PTS shall furnish all relevant information required by BellSouth for the provision of RAO Hosting, CATS and NICS.
- 3.3 Charges or credits, as applicable, will be applied by BellSouth to Network PTS on a monthly basis in arrears. Amounts due (excluding adjustments) are payable within thirty (30) days of receipt of the billing statement.
- Network PTS must have its own unique hosted RAO code. Where BellSouth is the selected CMDS interfacing host, Network PTS must request that BellSouth establish a unique hosted RAO code for Network PTS. Such request shall be in writing to the BellSouth RAO Hosting coordinator and must be submitted at least eight (8) weeks prior to provision of services pursuant to this Section. Services shall commence on a date mutually agreed by the Parties.
- 3.5 BellSouth will receive messages from Network PTS that are to be processed by BellSouth, another LEC in the BellSouth region or a LEC outside the BellSouth region. Network PTS shall send all messages to BellSouth no later than sixty (60) days after the message date.
- 3.6 BellSouth will perform invoice sequence checking, standard EMI format editing, and balancing of message data with the EMI trailer record counts on all data received from Network PTS.
- 3.7 All data received from Network PTS that is to be processed or billed by another LEC within the BellSouth region will be distributed to that LEC in accordance with the Agreement(s) in effect between BellSouth and the involved LEC.
- 3.8 All data received from Network PTS that is to be placed on the CMDS network for distribution outside the BellSouth region will be handled in accordance with the agreement(s) in effect between BellSouth and its connecting contractor.
- 3.9 BellSouth will receive messages from the CMDS network that are destined to be processed by Network PTS and will forward them to Network PTS on a daily basis for processing.
- 3.10 Transmission of message data between BellSouth and Network PTS will be via CONNECT:Direct or Secure File Transfer Protocol (FTP).

- 3.10.1 Data circuits (private line or dial-up) will be required between BellSouth and Network PTS for the purpose of data transmission when utilizing CONNECT: Direct. Where a dedicated line is required, Network PTS will be responsible for ordering the circuit and coordinating the installation with BellSouth. Network PTS is responsible for any charges associated with this line. Equipment required on the BellSouth end to attach the line to the mainframe computer and to transmit data will be negotiated on an individual case basis. Where a dial-up facility is required, dial circuits will be installed in the BellSouth data center by BellSouth and the associated charges assessed to Network PTS. Additionally, all message toll charges associated with the use of the dial circuit by Network PTS will be the responsibility of Network PTS. Associated equipment on the BellSouth end, including a modem, will be negotiated on an individual case basis between the Parties. All equipment, including modems and software, that is required on the Network PTS end for the purpose of data transmission will be the responsibility of Network PTS.
- 3.10.2 If Network PTS utilizes Secure File Transfer Protocol for data file transmission, purchase of the Secure File Transfer Protocol software will be the responsibility of Network PTS.
- 3.11 All messages and related data exchanged between BellSouth and Network PTS will be formatted for EMI formatted records and packed between appropriate EMI header and trailer records in accordance with accepted industry standards.
- 3.12 Network PTS will maintain recorded message detail necessary to recreate files provided to BellSouth for a period of three (3) calendar months beyond the related message dates.
- 3.13 Should it become necessary for Network PTS to send data to BellSouth more than sixty (60) days past the message date(s), Network PTS will notify BellSouth in advance of the transmission of the data. BellSouth will work with its connecting contractor and/or Network PTS, where necessary, to notify all affected LECs.
- In the event that data to be exchanged between the two Parties should become lost or destroyed, the Party responsible for creating the data will make every effort to restore and retransmit such data. If the data cannot be retrieved, the Party responsible for losing or destroying the data will be liable to the other Party for any resulting lost revenue. Lost revenue may be a combination of revenues that could not be billed to the End Users and associated access revenues. Both Parties will work together to estimate the revenue amount based upon historical data through a method mutually agreed upon. The resulting estimated revenue loss will be paid by the responsible Party to the other Party within three (3) calendar months of the resolution of the amount owed, or as mutually agreed upon by the Parties.

- 3.15 Should an error be detected by the EMI format edits performed by BellSouth on data received from Network PTS, the entire pack containing the affected data will not be processed by BellSouth. BellSouth will notify Network PTS of the error. Network PTS will correct the error(s) and will resend the entire pack to BellSouth for processing. In the event that an out-of-sequence condition occurs on subsequent packs, Network PTS will resend these packs to BellSouth after the pack containing the error has been successfully reprocessed by BellSouth.
- 3.16 In association with message distribution service, BellSouth will provide Network PTS with associated intercompany settlements reports (CATS and NICS) as appropriate.
- 3.17 Notwithstanding anything in this Agreement to the contrary, in no case shall either Party be liable to the other for any direct or consequential damages incurred as a result of the obligations set out in this Section 3.
- 3.18 Intercompany Settlements Messages
- 3.18.1 Intercompany Settlements Messages facilitate the settlement of revenues associated with traffic originated from or billed by Network PTS as a facilities based provider of local exchange telecommunications services outside the BellSouth region. Only traffic that originates in one Bell operating territory and bills in another Bell operating territory is included. Traffic that originates and bills within the same Bell operating territory will be settled on a local basis between Network PTS and the involved company(ies), unless that company is participating in NICS.
- 3.18.2 Both traffic that originates outside the BellSouth region by Network PTS and is billed within the BellSouth region, and traffic that originates within the BellSouth region and is billed outside the BellSouth region by Network PTS, is covered by CATS. Also covered is traffic that either is originated by or billed by Network PTS, involves a company other than Network PTS, qualifies for inclusion in the CATS settlement, and is not originated or billed within the BellSouth region (NICS).
- 3.18.3 Once Network PTS is operating within the BellSouth territory, revenues associated with calls originated and billed within the BellSouth region will be settled via NICS.
- 3.18.4 BellSouth will receive the monthly NICS reports from Telcordia on behalf of Network PTS. BellSouth will distribute copies of these reports to Network PTS on a monthly basis.
- 3.18.5 BellSouth will receive the monthly CATS reports from Telcordia on behalf of Network PTS. BellSouth will distribute copies of these reports to Network PTS on a monthly basis.

- 3.18.6 BellSouth will collect the revenue earned by Network PTS from the Bell operating company in whose territory the messages are billed via CATS, less a per message billing and collection fee of five cents (\$0.05), on behalf of Network PTS. BellSouth will remit the revenue billed by Network PTS to the Bell operating company in whose territory the messages originated, less a per message billing and collection fee of five cents (\$0.05), on behalf on Network PTS. These two amounts will be netted together by BellSouth and the resulting charge or credit issued to Network PTS via a monthly Carrier Access Billing System (CABS) miscellaneous bill.
- 3.18.7 BellSouth will collect the revenue earned by Network PTS within the BellSouth territory from another CLEC also within the BellSouth territory (NICS) where the messages are billed, less a per message billing and collection fee of five cents (\$0.05), on behalf of Network PTS. BellSouth will remit the revenue billed by Network PTS within the BellSouth region to the CLEC also within the BellSouth region, where the messages originated, less a per message billing and collection fee of five cents (\$0.05). These two amounts will be netted together by BellSouth and the resulting charge or credit issued to Network PTS via a monthly CABS miscellaneous bill.
- 3.18.8 BellSouth and Network PTS agree that monthly netted amounts of less than fifty dollars (\$50.00) will not be settled.

4. OPTIONAL DAILY USAGE FILE

- 4.1 Upon written request from Network PTS, BellSouth will provide the Optional Daily Usage File (ODUF) service to Network PTS pursuant to the terms and conditions set forth in this section.
- 4.2 Network PTS shall furnish all relevant information required by BellSouth for the provision of the ODUF.
- 4.3 The ODUF feed will contain billable messages that were carried over the BellSouth Network and processed in the BellSouth Billing System, but billed to a Network PTS customer.
- Charges for the ODUF will appear on Network PTSs' monthly bills for the previous month's usage. The charges are as set forth in Exhibit A to this Attachment. Network PTS will be billed at the ODUF rates that are in effect at the end of the previous month.
- 4.5 The ODUF feed will contain both rated and unrated messages. All messages will be in the standard Alliance for Telecommunications Industry Solutions (ATIS) EMI record format.
- 4.6 Messages that error in the billing system of Network PTS will be the responsibility of Network PTS. If, however, Network PTS should encounter significant volumes

of errored messages that prevent processing by Network PTS within its systems, BellSouth will work with Network PTS to determine the source of the errors and the appropriate resolution.

4.7 The following specifications shall apply to the ODUF feed. 4.7.1 ODUF Messages to be Transmitted The following messages recorded by BellSouth will be transmitted to Network 4.7.1.1 PTS: 4.7.1.1.1 Message recording for per use/per activation type services (examples: Three -Way Calling, Verify, Interrupt, Call Return, etc.) 4.7.1.1.2 Measured billable Local 4.7.1.1.3 Directory Assistance messages 4.7.1.1.4 IntraLATA Toll 4.7.1.1.5 WATS and 800 Service 4.7.1.1.6 N11 4.7.1.1.7 Information Service Provider Messages 4.7.1.1.8 **Operator Services Messages** 4.7.1.1.9 Operator Services Message Attempted Calls (Network Element only) 4.7.1.1.10 Credit/Cancel Records 4.7.1.1.11 Usage for Voice Mail Message Service 4.7.1.2 Rated Incollects (messages BellSouth receives from other revenue accounting offices) can also be on ODUF. Rated Incollects will be intermingled with BellSouth recorded rated and unrated usage. Rated Incollects will not be packed separately. 4.7.1.3 BellSouth will perform duplicate record checks on records processed to ODUF. Any duplicate messages detected will be deleted and not sent to Network PTS. 4.7.1.4 In the event that Network PTS detects a duplicate on ODUF they receive from BellSouth, Network PTS will drop the duplicate message and will not return the duplicate to BellSouth. 4.7.2 **ODUF Physical File Characteristics**

- 4.7.2.1 ODUF will be distributed to Network PTS via CONNECT:Direct, Secure File Transfer Protocol (FTP) or another mutually agreed medium. The ODUF feed will be a variable block format. The data on the ODUF feed will be in a non-compacted EMI format (175 byte format plus modules). It will be created on a daily basis Monday through Friday except holidays. Details such as dataset name and delivery schedule will be addressed during negotiations of the distribution medium. There will be a maximum of one dataset per workday per OCN.
- 4.7.2.2 Data circuits (private line or dial-up) will be required between BellSouth and Network PTS for the purpose of data transmission as set forth in Section 3.10.1 above.
- 4.7.2.3 If Network PTS utilizes Secure File Transfer Protocol (FTP) for data file transmission, purchase of the Secure File Transfer Protocol (FTP) software will be the responsibility of Network PTS.
- 4.7.3 ODUF Packing Specifications
- 4.7.3.1 A pack will contain a minimum of one message record or a maximum of 99,999 message records plus a pack header record and a pack trailer record. One transmission can contain a maximum of 99 packs and a minimum of one pack.
- 4.7.3.2 The OCN, From RAO, and Invoice Number will control the invoice sequencing. The From RAO will be used to identify to Network PTS which BellSouth RAO that is sending the message. BellSouth and Network PTS will use the invoice sequencing to control data exchange. BellSouth will be notified of sequence failures identified by Network PTS and resend the data as appropriate.
 - The data will be packed using ATIS EMI records.
- 4.7.4 ODUF Pack Rejection
- 4.7.4.1 Network PTS will notify BellSouth within one business day of rejected packs (via the mutually agreed medium). Packs could be rejected because of pack sequencing discrepancies or a critical edit failure on the Pack Header or Pack Trailer records (i.e. out-of-balance condition on grand totals, invalid data populated). Standard ATIS EMI error codes will be used. Network PTS will not be required to return the actual rejected data to BellSouth. Rejected packs will be corrected and retransmitted to Network PTS by BellSouth.
- 4.7.5 ODUF Control Data
- 4.7.5.1 Network PTS will send one confirmation record per pack that is received from BellSouth. This confirmation record will indicate Network PTS's receipt of the pack and acceptance or rejection of the pack. Pack Status Code(s) will be populated using standard ATIS EMI error codes for packs that were rejected by Network PTS for reasons stated in the above section.

4.7.6 ODUF Testing

4.7.6.1 Upon request from Network PTS, BellSouth shall send ODUF test files to Network PTS. The Parties agree to review and discuss the ODUF content and/or format. For testing of usage results, BellSouth shall request that Network PTS set up a production (live) file. The live test may consist of Network PTS's employees making test calls for the types of services Network PTS requests on ODUF. These test calls are logged by Network PTS, and the logs are provided to BellSouth. These logs will be used to verify the files. Testing will be completed within 30 calendar days from the date on which the initial test file was sent.

5. ACCESS DAILY USAGE FILE

- Upon written request from Network PTS, BellSouth will provide the Access Daily Usage File (ADUF) service to Network PTS pursuant to the terms and conditions set forth in this section.
- Network PTS shall furnish all relevant information required by BellSouth for the provision of ADUF.
- 5.3 ADUF will contain access messages associated with a port that Network PTS has purchased from BellSouth
- Charges for ADUF will appear on Network PTS's monthly bills for the previous month's usage. The charges are as set forth in Exhibit A to this Attachment. Network PTS will be billed at the ADUF rates that are in effect at the end of the previous month.
- Messages that error in the billing system of Network PTS will be the responsibility of Network PTS. If, however, Network PTS should encounter significant volumes of errored messages that prevent processing by Network PTS within its systems, BellSouth will work with Network PTS to determine the source of the errors and the appropriate resolution.
- 5.6 ADUF Messages To Be Transmitted
- 5.6.1 The following messages recorded by BellSouth will be transmitted to Network PTS:
- 5.6.1.1 Recorded originating and terminating interstate and intrastate access records associated with a port.
- 5.6.1.2 Recorded terminating access records for undetermined jurisdiction access records associated with a port.
- 5.6.2 BellSouth will perform duplicate record checks on records processed to ADUF. Any duplicate messages detected will be dropped and not sent to Network PTS.

- 5.6.3 In the event that Network PTS detects a duplicate on ADUF they receive from BellSouth, Network PTS will drop the duplicate message and will not return the duplicate to BellSouth.
- 5.6.4 ADUF Physical File Characteristics
- ADUF will be distributed to Network PTS via CONNECT:Direct, Secure File Transfer Protocol (FTP) or another mutually agreed medium. The ADUF feed will be a fixed block format. The data on the ADUF feed will be in a non-compacted EMI format (210 byte). It will be created on a daily basis Monday through Friday except holidays. Details such as dataset name and delivery schedule will be addressed during negotiations of the distribution medium. There will be a maximum of one dataset per workday per OCN.
- Data circuits (private line or dial-up) will be required between BellSouth and Network PTS for the purpose of data transmission as set forth in Section 3.10.1 above.
- 5.6.4.3 If Network PTS utilizes Secure File Transfer Protocol (FTP) for data file transmission, purchase of the Secure File Transfer Protocol (FTP) software will be the responsibility of Network PTS.
- 5.6.5 ADUF Packing Specifications
- 5.6.5.1 A pack will contain a minimum of one message record or a maximum of 99,999 message records plus a pack header record and a pack trailer record. One transmission can contain a maximum of 99 packs and a minimum of one pack.
- The OCN, From RAO, and Invoice Number will control the invoice sequencing. The From RAO will be used to identify to Network PTS which BellSouth RAO is sending the message. BellSouth and Network PTS will use the invoice sequencing to control data exchange. BellSouth will be notified of sequence failures identified by Network PTS and resend the data as appropriate.

The data will be packed using ATIS EMI records.

- 5.6.6 ADUF Pack Rejection
- 5.6.6.1 Network PTS will notify BellSouth within one business day of rejected packs (via the mutually agreed medium). Packs could be rejected because of pack sequencing discrepancies or a critical edit failure on the Pack Header or Pack Trailer records (i.e. out-of-balance condition on grand totals, invalid data populated). Standard ATIS EMI error codes will be used. Network PTS will not be required to return the actual rejected data to BellSouth. Rejected packs will be corrected and retransmitted to Network PTS by BellSouth.
- 5.6.7 ADUF Control Data

- 5.6.7.1 Network PTS will send one confirmation record per pack that is received from BellSouth. This confirmation record will indicate Network PTS's receipt of the pack and acceptance or rejection of the pack. Pack Status Code(s) will be populated using standard ATIS EMI error codes for packs that were rejected by Network PTS for reasons stated in the above section.
- 5.6.8 ADUF Testing
- 5.6.8.1 Upon request from Network PTS, BellSouth shall send a test file of generic data to Network PTS via Connect:Direct or Text File via E-Mail. The Parties agree to review and discuss the test file's content and/or format.

6. ENHANCED OPTIONAL DAILY USAGE FILE (EODUF)

- Upon written request from Network PTS, BellSouth will provide the Enhanced Optional Daily Usage File (EODUF) service to Network PTS pursuant to the terms and conditions set forth in this section. EODUF will only be sent to existing ODUF subscribers who request the EODUF option.
- Network PTS shall furnish all relevant information required by BellSouth for the provision of the Enhanced Optional Daily Usage File.
- 6.3 The Enhanced Optional Daily Usage File (EODUF) will provide usage data for local calls originating from resold Flat Rate Business and Residential Lines.
- Charges for delivery of the Enhanced Optional Daily Usage File will appear on Network PTS's monthly bills for the previous month's usage. The charges are as set forth in Exhibit A to this Attachment. Network PTS will be billed at the EODUF rates that are in effect at the end of the previous month.
- All messages will be in the standard Alliance for Telecommunications Industry Solutions (ATIS) EMI record format.
- Messages that error in the billing system of Network PTS will be the responsibility of Network PTS. If, however, Network PTS should encounter significant volumes of errored messages that prevent processing by Network PTS within its systems, BellSouth will work with Network PTS to determine the source of the errors and the appropriate resolution.
- The following specifications shall apply to the EODUF feed.
- 6.7.1 Usage To Be Transmitted
- 6.7.1.1 The following messages recorded by BellSouth will be transmitted to Network PTS:

6.7.1.1.1 Customer usage data for flat rated local call originating from Network PTS's End User lines (1FB or 1FR). The EODUF record for flat rate messages will include: 6.7.1.1.2 Date of Call 6.7.1.1.3 From Number 6.7.1.1.4 To Number 6.7.1.1.5 Connect Time 6.7.1.1.6 Conversation Time 6.7.1.1.7 Method of Recording 6.7.1.1.8 From RAO 6.7.1.1.9 Rate Class 6.7.1.1.10 Message Type 6.7.1.1.11 **Billing Indicators** 6.7.1.1.12 Bill to Number 6.7.1.2 BellSouth will perform duplicate record checks on EODUF records processed to Optional Daily Usage File. Any duplicate messages detected will be deleted and not sent to Network PTS. 6.7.1.3 In the event that Network PTS detects a duplicate on Enhanced Optional Daily Usage File they receive from BellSouth, Network PTS will drop the duplicate message (Network PTS will not return the duplicate to BellSouth). 6.7.2 Physical File Characteristics 6.7.2.1 The EODUF feed will be distributed to Network PTS over their existing Optional Daily Usage File (ODUF) feed. The EODUF messages will be intermingled among Network PTS's Optional Daily Usage File (ODUF) messages. The EODUF will be a variable block format (2476) with an LRECL of 2472. The data on the EODUF will be in a non-compacted EMI format (175 byte format plus modules). It will be created on a daily basis (Monday through Friday except holidays). 6.7.2.2 Data circuits (private line or dial-up) may be required between BellSouth and Network PTS for the purpose of data transmission. Where a dedicated line is required, Network PTS will be responsible for ordering the circuit, overseeing its

installation and coordinating the installation with BellSouth. Network PTS will also be responsible for any charges associated with this line. Equipment required

on the BellSouth end to attach the line to the mainframe computer and to transmit successfully ongoing will be negotiated on an individual case basis. Where a dialup facility is required, dial circuits will be installed in the BellSouth data center by BellSouth and the associated charges assessed to Network PTS. Additionally, all message toll charges associated with the use of the dial circuit by Network PTS will be the responsibility of Network PTS. Associated equipment on the BellSouth end, including a modem, will be negotiated on an individual case basis between the Parties. All equipment, including modems and software, that is required on Network PTS's end for the purpose of data transmission will be the responsibility of Network PTS.

- 6.7.3 Packing Specifications
- 6.7.3.1 A pack will contain a minimum of one message record or a maximum of 99,999 message records plus a pack header record and a pack trailer record. One transmission can contain a maximum of 99 packs and a minimum of one pack.
- 6.7.3.2 The Operating Company Number (OCN), From Revenue Accounting Office (RAO), and Invoice Number will control the invoice sequencing. The From RAO will be used to identify to Network PTS which BellSouth RAO is sending the message. BellSouth and Network PTS will use the invoice sequencing to control data exchange. BellSouth will be notified of sequence failures identified by Network PTS and resend the data as appropriate.
- 6.7.3.3 The data will be packed using ATIS EMI records.

ODUF/ADUF	F/CMDS - Alabama												Attach	ment: 7	Exhi	bit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)				Submitted Manually	Charge -	Charge -	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						_ 1	Nonre	curring	Nonrecurring	Disconnect			oss	Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
ODUF/ADUF/C	MDS															
ACCES	SS DAILY USAGE FILE (ADUF)															
	ADUF: Message Processing, per message					0.007037										
	ADUF: Data Transmission (CONNECT:DIRECT), per message					0.000113										
OPTIO	NAL DAILY USAGE FILE (ODUF)															
	ODUF: Recording, per message		ļ			0.000011										
	ODUF: Message Processing, per message		1			0.004101										
	ODUF: Message Processing, per Magnetic Tape provisioned					42.67										
	ODUF: Data Transmission (CONNECT:DIRECT), per message					0.000094										
CENTR	RALIZED MESSAGE DISTRIBUTION SERVICE (CMDS)															
	CMDS: Message Processing, per message					0.004	•						•			
	CMDS: Data Transmission (CONNECT:DIRECT), per message					0.001										
Notes:	If no rate is identified in the contract, the rate for the specific	service	e or fun	ction will be as set	forth in appl	icable BellSout	n tariff or as n	egotiated by t	he Parties upor	n request by e	ther Party.					<u> </u>

ODUF/ADU	F/CMDS - Florida												Attach	ment: 7	Exhi	ibit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)				Submitted Manually	Charge -	Charge -	Charge - Manual Svc Order vs.	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						_ 1	Nonre	curring	Nonrecurring	Disconnect			oss	Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
																1
ODUF/ADUF/0	CMDS															1
ACCE	SS DAILY USAGE FILE (ADUF)															
	ADUF: Message Processing, per message					0.001656										
	ADUF: Data Transmission (CONNECT:DIRECT), per message					0.0001245										
OPTIC	NAL DAILY USAGE FILE (ODUF)															
	ODUF: Recording, per message					0.0000071										
	ODUF: Message Processing, per message					0.002146										
	ODUF: Message Processing, per Magnetic Tape provisioned					35.91										
	ODUF: Data Transmission (CONNECT:DIRECT), per message					0.00010375										
CENT	RALIZED MESSAGE DISTRIBUTION SERVICE (CMDS)															
	CMDS: Message Processing, per message					0.004	•									
	CMDS: Data Transmission (CONNECT:DIRECT), per message					0.001										
Notes	If no rate is identified in the contract, the rate for the specific	service	or fun	ction will be as set	forth in appl	icable BellSout	h tariff or as n	egotiated by t	he Parties upor	n request by e	ther Party.					

ODUF/ADUF	C/CMDS - Georgia												Attach	ment: 7	Exhi	ibit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)				Submitted Manually	Charge -	Charge -	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						_	Nonre	urring	Nonrecurring	Disconnect		1	oss	Rates (\$)	1	-
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
ODUF/ADUF/C	-															
ACCES	SS DAILY USAGE FILE (ADUF)															
	ADUF: Message Processing, per message					0.001713										<u> </u>
	ADUF: Data Transmission (CONNECT:DIRECT), per message					0.00013027										
OPTIO	NAL DAILY USAGE FILE (ODUF)															
	ODUF: Recording, per message					0.0000068										
	ODUF: Message Processing, per message					0.002167										
	ODUF: Message Processing, per Magnetic Tape provisioned					36.06										ļ!
	ODUF: Data Transmission (CONNECT:DIRECT), per message					0.00010856										
CENTR	RALIZED MESSAGE DISTRIBUTION SERVICE (CMDS)			•			•	•				,	•			
	CMDS: Message Processing, per message					0.004	•	•					•			
	CMDS: Data Transmission (CONNECT:DIRECT), per message					0.001										
Notes:	If no rate is identified in the contract, the rate for the specific	service	e or fun	ction will be as set	forth in appli	icable BellSout	n tariff or as n	egotiated by t	he Parties upor	request by e	ther Party.					

ODUF/ADUI	F/CMDS - Kentucky												Attach	ment: 7	Exhi	ibit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)				Submitted Manually	Charge -	Charge -	Charge - Manual Svc Order vs.	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						_ 1	Nonre	curring	Nonrecurring	a Disconnect			oss	Rates (\$)	l.	
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
ODUF/ADUF/C																
ACCE	SS DAILY USAGE FILE (ADUF)															
	ADUF: Message Processing, per message					0.001857										ļ
	ADUF: Data Transmission (CONNECT:DIRECT), per message					0.00012447										
OPTIO	NAL DAILY USAGE FILE (ODUF)															
	ODUF: Recording, per message					0.0000136										
	ODUF: Message Processing, per message					0.002506										
	ODUF: Message Processing, per Magnetic Tape provisioned					35.90										ļ
	ODUF: Data Transmission (CONNECT:DIRECT), per message					0.00010372										
CENTI	RALIZED MESSAGE DISTRIBUTION SERVICE (CMDS)															
	CMDS: Message Processing, per message					0.004										
	CMDS: Data Transmission (CONNECT:DIRECT), per message					0.001										
Notes:	If no rate is identified in the contract, the rate for the specific	service	or fun	ction will be as set	forth in appl	icable BellSout	h tariff or as n	egotiated by t	he Parties upor	n request by e	ther Party.					

ODUF/ADUF	-/CMDS - Louisiana												Attach	ment: 7	Exhi	ibit: A
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			Submitted Elec	Submitted Manually	Charge - Manual Svc	Charge - Manual Svc	Incremental Charge - Manual Svc	Charge - Manual Svo
OATEGOK!	IVATE EEEIMENTO	m	Zone	200				10.120 (¢)			per LSR	per LSR	Order vs. Electronic- 1st	Order vs. Electronic- Add'I	Order vs. Electronic- Disc 1st	Order vs. Electronic- Disc Add'l
						D	Nonre	curring	Nonrecurring	Disconnect			oss	Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
																<u> </u>
ODUF/ADUF/C																
ACCES	SS DAILY USAGE FILE (ADUF)															
	ADUF: Message Processing, per message					0.007983										
	ADUF: Data Transmission (CONNECT:DIRECT), per message					0.00012681										
OPTIO	NAL DAILY USAGE FILE (ODUF)															
	ODUF: Recording, per message					0.0000117										
	ODUF: Message Processing, per message					0.004641										
	ODUF: Message Processing, per Magnetic Tape provisioned					48.45										
	ODUF: Data Transmission (CONNECT:DIRECT), per message					0.00010568										
CENTE	RALIZED MESSAGE DISTRIBUTION SERVICE (CMDS)															
	CMDS: Message Processing, per message					0.004										
	CMDS: Data Transmission (CONNECT:DIRECT), per message					0.001										
Notes:	If no rate is identified in the contract, the rate for the specific	service	e or fun	ction will be as set	forth in appl	icable BellSout	h tariff or as n	egotiated by t	he Parties upor	n request by ei	ther Party.					

ODUF/ADUF	C/CMDS - Mississippi												Attach	ment: 7	Exhi	ibit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)				Submitted Manually	Charge -	Charge -	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
 							Nonre	urring	Nonrecurring	Disconnect			oss	Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
ODUF/ADUF/C	MDS															
ACCES	SS DAILY USAGE FILE (ADUF)															
	ADUF: Message Processing, per message					0.008087										J
	ADUF: Data Transmission (CONNECT:DIRECT), per message					0.00012803										
OPTIO	NAL DAILY USAGE FILE (ODUF)															
	ODUF: Recording, per message					0.0000063										
	ODUF: Message Processing, per message					0.004707										ļ
	ODUF: Message Processing, per Magnetic Tape provisioned					49.04										
	ODUF: Data Transmission (CONNECT:DIRECT), per message					0.00010669										
CENTR	RALIZED MESSAGE DISTRIBUTION SERVICE (CMDS)															
	CMDS: Message Processing, per message					0.004	•	•								
	CMDS: Data Transmission (CONNECT:DIRECT), per message					0.001										
Notes:	If no rate is identified in the contract, the rate for the specific	service	or fun	ction will be as set	forth in appl	icable BellSout	h tariff or as n	egotiated by t	he Parties upor	request by e	ther Party.					

RATE ELEMENTS	Interi m	Zone	BCS	usoc						Submitted	Submitted		Charge -	Incremental Charge - Manual Svc	Charge -
RAIE ELEWENIS	m	Zone	ьсэ	0300			DATEC (6)								
							RATES (\$)			per LSR	per LSR	Order vs. Electronic- 1st	Order vs. Electronic- Add'l	Order vs. Electronic- Disc 1st	Order vs. Electronic- Disc Add'l
					B	Nonre	curring	Nonrecurring	Disconnect			oss	Rates (\$)		
					Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
essage Processing, per message					0.01435										
ata Transmission (CONNECT:DIRECT), per message					0.0001277										
/ USAGE FILE (ODUF)															
ecording, per message					0.0003										
lessage Processing, per message					0.0032										
lessage Processing, per Magnetic Tape provisioned					54.61										
ata Transmission (CONNECT:DIRECT), per message					0.00004										
ESSAGE DISTRIBUTION SERVICE (CMDS)	İ														
lessage Processing, per message					0.004										
ata Transmission (CONNECT:DIRECT), per message					0.001										
1	TUSAGE FILE (ODUF) ecording, per message essage Processing, per message essage Processing, per Magnetic Tape provisioned ata Transmission (CONNECT:DIRECT), per message ESSAGE DISTRIBUTION SERVICE (CMDS) lessage Processing, per message ata Transmission (CONNECT:DIRECT), per message	ata Transmission (CONNECT:DIRECT), per message I USAGE FILE (ODUF) ecording, per message essage Processing, per message essage Processing, per Magnetic Tape provisioned ata Transmission (CONNECT:DIRECT), per message ESSAGE DISTRIBUTION SERVICE (CMDS) lessage Processing, per message	ata Transmission (CONNECT:DIRECT), per message If USAGE FILE (ODUF) ecording, per message essage Processing, per message essage Processing, per Magnetic Tape provisioned ata Transmission (CONNECT:DIRECT), per message ESSAGE DISTRIBUTION SERVICE (CMDS) lessage Processing, per message ata Transmission (CONNECT:DIRECT), per message	essage Processing, per message ata Transmission (CONNECT:DIRECT), per message / USAGE FILE (ODUF) ecording, per message essage Processing, per message essage Processing, per Magnetic Tape provisioned ata Transmission (CONNECT:DIRECT), per message ESSAGE DISTRIBUTION SERVICE (CMDS) lessage Processing, per message ata Transmission (CONNECT:DIRECT), per message	essage Processing, per message ata Transmission (CONNECT:DIRECT), per message / USAGE FILE (ODUF) ecording, per message essage Processing, per message essage Processing, per Magnetic Tape provisioned ata Transmission (CONNECT:DIRECT), per message ESSAGE DISTRIBUTION SERVICE (CMDS) lessage Processing, per message ata Transmission (CONNECT:DIRECT), per message	SAGE FILE (ADUF)	SAGE FILE (ADUF)	ISAGE FILE (ADUF) essage Processing, per message ata Transmission (CONNECT:DIRECT), per message to cording, per message essage Processing, per message essage Processing, per message essage Processing, per Magnetic Tape provisioned ata Transmission (CONNECT:DIRECT), per message to conding per message essage Processing, per Magnetic Tape provisioned ata Transmission (CONNECT:DIRECT), per message ESSAGE DISTRIBUTION SERVICE (CMDS) essage Processing, per message ata Transmission (CONNECT:DIRECT), per message to condition t	ISAGE FILE (ADUF) Bessage Processing, per message ata Transmission (CONNECT:DIRECT), per message TUSAGE FILE (DOUF) Bessage Processing, per message Bessage Processing, per message Bessage Processing, per message Bessage Processing, per Magnetic Tape provisioned Bessage Processing, per Magnetic Tape provisioned Bessage Processing, per Magnetic Tape provisioned Bessage Processing, per message	ISAGE FILE (ADUF) Bessage Processing, per message ata Transmission (CONNECT:DIRECT), per message TUSAGE FILE (DOUF) Bessage Processing, per message U.0.0001277 USAGE FILE (DOUF) Bessage Processing, per message Bessage Processing, per message Bessage Processing, per Magnetic Tape provisioned Bata Transmission (CONNECT:DIRECT), per message Bessage Processing, per Magnetic Tape provisioned Bata Transmission (CONNECT:DIRECT), per message Bessage Processing, per message Bessage Proces	ISAGE FILE (ADUF) Bessage Processing, per message ata Transmission (CONNECT:DIRECT), per message O.001277 USAGE FILE (DOUF) Bessage Processing, per message O.00032 Bessage Processing, per message O.00032 Bessage Processing, per Magnetic Tape provisioned ata Transmission (CONNECT:DIRECT), per message Bata Transmission (CONNECT:DIRECT), per message Bata Transmission (CONNECT:DIRECT), per message Bata Transmission (CONNECT:DIRECT), per message Bata Transmission (CONNECT:DIRECT), per message O.00004 BESSAGE DISTRIBUTION SERVICE (CMDS) Bessage Processing, per message O.0004	ISAGE FILE (ADUF) Bessage Processing, per message 10.001277 10 SAGE FILE (DOUF) Bessage Processing, per message 10.0001277 10 SAGE FILE (DOUF) Bessage Processing, per message 10.0003 Bessage Processing, per message 10.0003 Bessage Processing, per Magnetic Tape provisioned 10 SAGE FILE (DOUF) Bessage Processing, per message 10.0003 Bessage Processing, per Magnetic Tape provisioned 10 SOMEC SOMAN 10 SOMEC SOMAN 10 SOMEC SOMAN 11 SOMEC SOMAN 11 SOMEC SOMAN 12 SOMEC SOMAN 13 SOMEC SOMAN 14 SOMEC SOMAN 15 SOMEC SOMAN 16 SOMEC SOMAN 16 SOMEC SOMAN 17 SOMEC SOMAN 18 SOM	ISAGE FILE (ADUF) Bessage Processing, per message O.001277 USAGE FILE (ODUF) Bessage Processing, per message O.0001277 USAGE FILE (ODUF) Bessage Processing, per message O.0003 Bessage Processing, per message O.0003 Bessage Processing, per Magnetic Tape provisioned ata Transmission (CONNECT:DIRECT), per message D.0004 BESSAGE DISTRIBUTION SERVICE (CMDS) Bessage Processing, per message O.0004 D.0004	ISAGE FILE (ADUF) Bessage Processing, per message ISAGE FILE (ADUF) Bessage Processing, per message ISAGE FILE (DOUF) Bessage Processing, per message ISAGE FILE (DOUF) Bessage Processing, per message ISAGE FILE (DOUF) Bessage Processing, per message ISAGE FILE (DOUF) Bessage Processing, per message ISAGE FILE (DOUF) Bessage Processing, per message ISAGE FILE (DOUF) Bessage Processing, per message ISAGE DISTRIBUTION SERVICE (CMDS) Bessage Processing, per message ISAGE DISTRIBUTION SERVICE (CMDS) Bessage Processing, per message ISAGE DISTRIBUTION SERVICE (CMDS) Bessage Processing, per message ISAGE DISTRIBUTION SERVICE (CMDS) Bessage Processing, per message ISAGE DISTRIBUTION SERVICE (CMDS) Bessage Processing, per message ISAGE DISTRIBUTION SERVICE (CMDS) Bessage Processing, per message ISAGE DISTRIBUTION SERVICE (CMDS) Bessage Processing, per message ISAGE DISTRIBUTION SERVICE (CMDS) Bessage Processing, per message ISAGE DISTRIBUTION SERVICE (CMDS) Bessage Processing, per message ISAGE DISTRIBUTION SERVICE (CMDS) Bessage Processing, per message ISAGE DISTRIBUTION SERVICE (CMDS) Bessage Processing, per message ISAGE DISTRIBUTION SERVICE (CMDS) Bessage Processing, per message ISAGE DISTRIBUTION SERVICE (CMDS) Bessage Processing, per message ISAGE DISTRIBUTION SERVICE (CMDS) Bessage Processing, per message ISAGE DISTRIBUTION SERVICE (CMDS) Bessage Processing, per message ISAGE DISTRIBUTION SERVICE (CMDS) Bessage Processing, per message ISAGE DISTRIBUTION SERVICE (CMDS) Bessage Processing, per message ISAGE DISTRIBUTION SERVICE (CMDS) Bessage Processing, per message ISAGE DISTRIBUTION SERVICE (CMDS) Bessage Processing, per message ISAGE DISTRIBUTION SERVICE (CMDS) Bessage Processing, per message	SAGE FILE (ADUF) essage Processing, per message 0.001277 7 USAGE FILE (ODUF) essage Processing, per message 0.0001277 7 USAGE FILE (ODUF) essage Processing, per message 0.0003 essage Processing, per message 0.0003 essage Processing, per message 0.0003 essage Processing, per message 0.0004 essage Processing, per message 0.0004 essage Processing, per message 0.0004

ODUF/ADUF	F/CMDS - South Carolina												Attach	ment: 7	Exhi	ibit: A
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			Submitted	Submitted		Charge -	Incremental Charge - Manual Svc Order vs.	Incremental Charge - Manual Svc Order vs.
		m						- (1)			per Lon	per Lon	Electronic- 1st	Electronic- Add'I	Electronic- Disc 1st	Electronic- Disc Add'l
						Rec	Nonre	curring	Nonrecurring	Disconnect			oss	Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
ODUF/ADUF/C																
ACCES	SS DAILY USAGE FILE (ADUF)															
	ADUF: Message Processing, per message					0.008061										
	ADUF: Data Transmission (CONNECT:DIRECT), per message					0.00013036										
OPTIO	NAL DAILY USAGE FILE (ODUF)															
	ODUF: Recording, per message					0.0000216										
	ODUF: Message Processing, per message					0.004704										
	ODUF: Message Processing, per Magnetic Tape provisioned					48.87										
	ODUF: Data Transmission (CONNECT:DIRECT), per message					0.00010863										
CENTE	RALIZED MESSAGE DISTRIBUTION SERVICE (CMDS)						•									
	CMDS: Message Processing, per message			•		0.004										
	CMDS: Data Transmission (CONNECT:DIRECT), per message					0.001										
Notes:	If no rate is identified in the contract, the rate for the specific	service	e or fun	ction will be as set	forth in appl	icable BellSout	h tariff or as n	egotiated by t	he Parties upor	request by ei	ther Party.					

ODUF/ADUF	F/CMDS - Tennessee												Attach	ment: 7	Exhi	bit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)				Submitted Manually	Charge - Manual Svc Order vs. Electronic-	Charge - Manual Svc Order vs. Electronic-	Charge - Manual Svc Order vs. Electronic-	Order vs. Electronic-
							Nonrecurring		Nonrecurring	n Disconnect			1st	Add'l Rates (\$)	Disc 1st	Disc Add'l
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
ODUF/ADUF/C	MDS															
ACCES	SS DAILY USAGE FILE (ADUF)															
	ADUF: Message Processing, per message					0.0158054										
	ADUF: Data Transmission (CONNECT:DIRECT), per message					0.0001387										
OPTIO	NAL DAILY USAGE FILE (ODUF)															
	ODUF: Recording, per message					0.0000044										
	ODUF: Message Processing, per message					0.0027366										
	ODUF: Message Processing, per Magnetic Tape provisioned					52.75										
	ODUF: Data Transmission (CONNECT:DIRECT), per message					0.0000339										
CENT	RALIZED MESSAGE DISTRIBUTION SERVICE (CMDS)							•					•			
	CMDS: Message Processing, per message					0.004		•					•			
	CMDS: Data Transmission (CONNECT:DIRECT), per message					0.001										
Notes:	If no rate is identified in the contract, the rate for the specific	service	e or fun	ction will be as set	forth in appli	cable BellSout	h tariff or as ne	egotiated by t	he Parties upon	request by e	ther Party.					<u> </u>

Attachment 8

Rights-of-Way, Conduits and Pole Attachments

Rights-of-Way, Conduits and Pole Attachments

BellSouth will provide nondiscriminatory access to any pole, duct, conduit, or right-of-way owned or controlled by BellSouth pursuant to 47 U.S.C. § 224, as amended by the Act, pursuant to terms and conditions of a license agreement subsequently negotiated with BellSouth's Competitive Structure Provisioning Center.

Attachment 9

Performance Measurements

Version 3Q03: 12/10/2003

PERFORMANCE MEASUREMENTS

Upon a particular Commission's issuance of an Order pertaining to Performance Measurements in a proceeding expressly applicable to all CLECs generally, BellSouth shall implement in that state such Performance Measurements as of the date specified by the Commission. Performance Measurements that have been Ordered in a particular state can currently be accessed via the internet at http://pmap.bellsouth.com. The following Service Quality Measurements (SQM) plan as it presently exists and as it may be modified in the future, is being included as the performance measurements currently in place for the state of Tennessee. At such time that the TRA issues a subsequent Order pertaining to Performance Measurements, such Performance Measurements shall supersede the SQM contained in the Agreement.

Version 3O03: 12/10/2003



BellSouth Service Quality Measurement Plan (SQM)

Tennessee Performance Metrics

Measurement Descriptions Version 2.00

Issue Date: July 1, 2003

Introduction



Introduction

The BellSouth Service Quality Measurement Plan (SQM) describes in detail the measurements produced to evaluate the quality of service delivered to BellSouth's customers both wholesale and retail. The SQM was developed to respond to the requirements of the Communications Act of 1996 Section 251 (96 Act) which required BellSouth to provide non-discriminatory access to Competitive Local Exchange Carriers (CLEC)¹ and their Retail Customers. The reports produced by the SQM provide regulators, CLECs and BellSouth the information necessary to monitor the delivery of non-discriminatory access.

This plan results from the many divergent forces evolving from the 96 Act. The 96 Act, the Georgia Public Service Commission (GPSC) Order (Docket 7892-U 12/30/97), LCUG 1-7.0, the FCC's NPRM (CC Docket 98-56 RM9101 04/17/98), the Louisiana Public Service Commission (LPSC) Order (Docket U-22252 Subdocket C 04/19/98), numerous arbitration cases, LPSC sponsored collaborative workshops (10/98-02/00), and proceedings in Alabama, Florida, Mississippi, and North Carolina have and continue to influence the SQM. Per the Order in Docket 01-00193, issued by the Tennessee Regulatory Authority on October 4, 2002, this version of the SQM reflects the Florida Public Service Commission Order Nos. PSC-02-1736-PAA-TP, issued December 10, 2002, PSC-03-0529-PAA-TP, issued April 22, 2003 and PSC-03-0603-CO-TP, issued May 15, 2003.

The SQM and the reports flowing from it must change to reflect the dynamic requirements of the industry. New measurements are added as new products, systems, and processes are developed and fielded. New products and services are added as the markets for them develop and the processes stabilize. The measurements are also changed to reflect changes in systems, correct errors, and respond to both 3rd Party audit requirements and the Florida PSC.

This document is intended for use by someone with knowledge of the telecommunications industry, information technologies and a functional knowledge of the subject areas covered by the BellSouth Performance Measurements and the reports that flow from them.

Once it is approved, the most current copy of this document can be found on the web at URL: http://pmap.bellsouth.com in the Documentation/Exhibits folder.

Report Publication Dates

Each month, preliminary SQM reports will be posted to BellSouth's SQM web site (http://pmap.bellsouth.com) by 8:00 A.M. EST on the 21st day of each month or the first business day after the 21st. The validated SQM reports will be posted by 8:00 A.M. on the last day of the month. Reports not posted by this time will be considered late for SEEM payment purposes. Validated SEEM reports will be posted on the 15th of the following month. SEEM payments due will also be paid on the

Version 2.00 i Issue Date: July 1, 2003

¹Alternative Local Exchange Companies (ALEC) and Competing Local Providers (CLP) are referred to as Competitive Local Exchange Carriers (CLEC) in this document.



Tennessee Performance Metrics

15th of the following month. For instance: May data will be posted in preliminary SQM reports on June 21. Final validated SQM reports will be posted on the last day of the month. Final validated SEEM reports will be posted and payments mailed on the 15th of the following month. BellSouth shall retain the performance measurement raw data files for a period of 18 months and further retain the monthly reports produced in PMAP for a period of three years.

Report Delivery Methods

CLEC SQM and SEEM reports will be considered delivered when posted to the web site. The Tennessee Regulatory Authority has access to the web site. In addition, a copy of the SQM and Monthly State Summary reports will be filed with the TRA as soon as possible after the last day of each month.





Contents

Section 1	l: Operations Support Systems (OSS)	
OSS-1	Average Response Interval and Percent within Interval (Pre-Ordering/Ordering)	4
OSS-2	OSS Availability (Pre-Ordering/Ordering)	7
OSS-3	OSS Availability (Maintenance & Repair)	9
OSS-4	Response Interval (Maintenance & Repair)	11
PO-1:	Loop Makeup - Response Time – Manual	13
PO-2:	Loop Makeup - Response Time - Electronic	15
Section '	2: Ordering	
		17
O-1: O-2:	Acknowledgement Message Timeliness	
O-3: O-4:	Percent Flow-Through Service Requests (Summary) Percent Flow-Through Service Requests (Detail)	
0-4.		
0.6	Flow-Through Error Analysis CLEC LSR Information	
O-6:		
O-7:	Percent Rejected Service Requests	
O-8:	Reject Interval	
0-9:	Firm Order Confirmation Timeliness	
O-10:	Service Inquiry with LSR Firm Order Confirmation (FOC) Response Time Manual	
0-11:	Firm Order Confirmation and Reject Response Completeness	
O-12:	Speed of Answer in Ordering Center	46
Section 3	3: Provisioning	
P-1:	Mean Held Order Interval & Distribution Intervals	48
P-2:	(Deleted) Average Jeopardy Notice Interval & Percentage of Orders Given Jeopardy Notices	
P-2A:	Jeopardy Notice Interval	52
P-2B:	Percentage of Orders Given Jeopardy Notices	54
P-3:	Percent Missed Initial Installation Appointments	57
P-3A:	(Deleted) Percent Missed Installation Appointments Including Subsequent Appointment	
P-4:	Average Completion Interval (OCI) & Order Completion Interval Distribution	
P-4A:	(Deleted) Average Order Completion Interval (OCI) & Order Completion Interval Distribution	
P-5:	Average Completion Notice Interval	
P-6:	% Completions/Attempts without Notice or < 24 hours Notice	
P-7:	Coordinated Customer Conversions Interval	
P-7A:	Coordinated Customer Conversions – Hot Cut Timeliness% within Interval and Average Interval	
P-7B:	Coordinated Customer Conversions – Average Recovery Time	
P-7C:	Hot Cut Conversions - % Provisioning Troubles Received within 7 Days of a Completed Service Order	
P-8:	Cooperative Acceptance Testing - % of xDSL Loops Successfully Passing Cooperative Testing	
P-9: P-10:	(Deleted) Total Service Order Cycle Time (TSOCT)	
P-10.	Service Order Accuracy	
P-11A	·	
P-12:	(Deleted) LNP-Average Disconnect Timeliness Interval & Disconnect Timeliness Interval Distribution	
P-13B:		
P-13C:		
P-13D	0 11 0 00	
Continu	l. Maintananaa & Banain	
	I: Maintenance & Repair I: Missed Repair Appointments	97
	2: Customer Trouble Report Rate	
	3: Maintenance Average Duration	
	4: Percent Repeat Troubles within 30 Days	

rennessee	Feriornance metrics	Contents
	Out of Service (OOS) > 24 Hours	
	Average Answer Time – Repair Centers	
M&R-7:	Mean Time To Notify CLEC of Network Outages	114
Section 5:	Billing	
B-1:	Invoice Accuracy	116
B-2:	Mean Time to Deliver Invoices	
B-3:	Usage Data Delivery Accuracy	
B-4:	Usage Data Delivery Completeness.	
B-5:	Usage Data Delivery Timeliness	
B-6:	Mean Time to Deliver Usage	
B-7:	Recurring Charge Completeness	
B-7: B-8:	Non-Recurring Charge Completeness	
B-9:	Percent Daily Usage Feed Errors Corrected in "X" Business Days	
B-10:	Percent Billing Errors Corrected in "X" Business Days	
Section 6:	Operator Services and Directory Assistance	
OS-1:	Speed to Answer Performance/Average Speed to Answer - Toll	126
OS-1. OS-2:	Speed to Answer Performance/Percent Answered within "X" Seconds – Toll	
	Speed to Answer Performance/Percent Answered within A Seconds – Toll	
DA-1:		
DA-2:	Speed to Answer Performance/Percent Answered within "X" Seconds – Directory Assistance (DA)	142
Section 7:	Database Update Information	
D-1:	Average Database Update Interval	144
D-2:	Percent Database Update Accuracy	146
D-3:	Percent NXXs and LRNs Loaded by the LERG Effective Date	148
Section 8:	F911	
E-1:	Timeliness	150
E-1: E-2:	Accuracy.	
E-3:	Mean Interval	
	Trunk Group Performance	
TGP-1:	Trunk Group Performance-Aggregate	
TGP-2:	Trunk Group Performance-CLEC Specific	158
Section 10	2: Collocation	
C-1:	Collocation Average Response Time	161
C-1. C-2:	Collocation Average Arrangement Time	
C-2. C-3:	Collocation Percent of Due Dates Missed	
C-3.	Conocation Fercent of Due Dates Wisseu	103
Section 11	: Change Management	
CM-1:	Timeliness of Change Management Notices	
CM-2:	Change Management Notice Average Delay Days	169
CM-3:	Timeliness of Documents Associated with Change	171
CM-4:	Change Management Documentation Average Delay Days	
CM-5:	Notification of CLEC Interface Outages	
CM-6:	Percent of Software Errors Corrected in "X" (10, 30, 45) Business Days	
CM-7:	Percent of Change Requests Accepted or Rejected within 10 Days	
CM-8:	Percent Change Requests Rejected.	180
CM-9:	Number of Defects in Production Releases (Type 6 CR)	
CM-10:	Software Validations	
CM-11:	Percent of Change Requests Implemented within 60 Weeks of Prioritization	186



Tennessee Performance Metrics		Contents
Appendix A: Reporting Scope		
A-1:	Standard Service Groupings	188
A-2:	Standard Service Order Activities	
Append	lix B: Glossary of Acronyms and Terms	
		189
C-1:	lix C: BellSouth Audit Policy BellSouth's Internal Audit Policy BellSouth's External Audit Policy	199
Append	lix D: OSS Tables	200
Append	lix E: Flow-Through Matrix	
		202



Section 1: Operations Support Systems (OSS)

OSS-1: Average Response Interval and Percent within Interval (Pre-Ordering/Ordering)

Definition

The average response interval and percent within the Interval is the average times and percent of requests responded to within certain intervals for accessing legacy data associated with appointment scheduling, service and feature availability, address verification, request for Telephone numbers (TNs), and Customer Service Records (CSRs).

Exclusions

- Syntactically incorrect queries
- · Scheduled OSS Maintenance
- · Retail usage of LENS

Business Rules

The average response interval for retrieving pre-order/order information from a given legacy system is determined by summing the response times for all requests submitted to the legacy systems during the reporting period and dividing by the total number of legacy system requests for that month.

The response interval starts when the application (LENS or TAG for CLECs and RNS or ROS for BellSouth) submits a request to the legacy system and ends when the appropriate response is received by the client application. The percent of accesses to the legacy systems during the reporting period which take less than 2.3 seconds, the percent of accesses which take more than 6 seconds, and the percent which are less than or equal to 6.3 seconds are also captured. BellSouth will not schedule maintenance during the hours from 8:00 a.m. until 9:00 p.m., Monday through Friday.

Calculation

Response Interval = (a - b)

- a = Date and Time of Legacy Response
- b = Date and Time of Legacy Request

Average Response Interval = c / d

- c = Sum of Response Intervals
- d = Number of Legacy Requests During the Reporting Period

Percent within Interval = (e / f) X 100

- e = Count of requests within the designated Interval within the reporting period.
- f = Number of Legacy Requests during the Reporting Period for System for which a response was provided.

Report Structure

- Interface Type
- · Not CLEC Specific
- Not Product/Service Specific
- Regional Level



Data Retained

Relating to CLEC Experience

- Report Month
- Legacy Contract (per reporting dimension)
- Response Interval
- · Regional Scope

Relating to BellSouth Performance

- Report Month
- Legacy Contract (per reporting dimension)
- Response Interval
- · Regional Scope

SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation

- RSAG Address (Regional Street Address Guide-Address) stores street address information used to validate customer addresses. CLECs and BellSouth query this legacy system.
- RSAG TN (Regional Street Address Guide-Telephone number) contains information about facilities available and telephone numbers working at a given address. CLECs and BellSouth query this legacy system.
- ATLAS (Application for Telephone Number Load Administration and Selection) acts as a warehouse for storing telephone
 numbers that are available for assignment by the system. It enables CLECs and BellSouth service reps to select and reserve
 telephone numbers. CLECs and BellSouth query this legacy system.
- **COFFI** (Central Office Feature File Interface) stores information about product and service offerings and availability. CLECs query this legacy system.
- **DSAP** (DOE Support Application) provides due date information. CLECs and BellSouth query this legacy system.
- CRIS (Customer Record Information System) Source of CSR (Customer Service Record) information. Contains information
 about individual customers including listings, addresses, features, services, etc. CLECs and BellSouth can query for CSR
 information.
- P/SIMS (Product/Services Inventory Management system) provides information on capacity, tariffs, inventory and service
 availability. CLECs query this legacy system.
- OASIS (Obtain Available Services Information Systems) Information on feature and rate availability. BellSouth queries this
 legacy system.

SQM Analog/Benchmark

Parity + 2 seconds

(See Appendix D: Tables for SQM OSS Legacy Access Times)

SEEM Measure

SEEM	Tier I	Tier II	Tier III
Yes		X	

SEEM Disaggregation - Analog/Benchmark

SEEM Disaggregation

- **RSAG Address** (Regional Street Address Guide-Address) stores street address information used to validate customer addresses. CLECs and BellSouth query this legacy system.
- **RSAG TN** (Regional Street Address Guide-Telephone number) contains information about facilities available and telephone numbers working at a given address. CLECs and BellSouth query this legacy system.
- ATLAS (Application for Telephone Number Load Administration and Selection) acts as a warehouse for storing telephone
 numbers that are available for assignment by the system. It enables CLECs and BellSouth service reps to select and reserve



- telephone numbers. CLECs and BellSouth query this legacy system.
- **COFFI** (Central Office Feature File Interface) stores information about product and service offerings and availability. CLECs query this legacy system.
- DSAP (DOE Support Application) provides due date information. CLECs and BellSouth query this legacy system.
- CRIS (Customer Record Information System) Source of CSR (Customer Service Record) information. Contains information about individual customers including listings, addresses, features, services, etc. CLECs and BellSouth can query for CSR information.
- **P/SIMS** (Product/Services Inventory Management system) provides information on capacity, tariffs, inventory and service availability. CLECs query this legacy system.
- OASIS (Obtain Available Services Information Systems) Information on feature and rate availability. BellSouth queries this
 legacy system.

SEEM Analog/Benchmark

• Parity + 2 Seconds

(See Appendix D: Tables for SEEM OSS Legacy Systems)



OSS-2: OSS Availability (Pre-Ordering/Ordering)

Definition

Percent of time OSS interface is functionally available compared to scheduled availability. Availability percentages for CLEC interface and for all Legacy systems accessed by them are captured. ("Functional Availability" is the amount of time in hours during the reporting period that the legacy systems are available to users. The planned System Scheduled Availability is the time in hours per day that the legacy system is scheduled to be available.)

Scheduled availability is posted on the Interconnection website: (www.interconnection.bellsouth.com/oss/osshour.html)

Exclusions

- CLEC impacting troubles caused by factors outside of BellSouth's purview, e.g., troubles in customer equipment, troubles in networks owned by telecommunications companies other than BellSouth, etc.
- Degraded service outages which are defined as a critical function that is normally performed by the CLEC or is normally provided by an application or system available to the CLEC, but with significantly reduced response or processing time.
- · Scheduled OSS Maintenance

Business Rules

This measurement captures the functional availability of applications/interfaces as a percentage of scheduled availability for the same systems. Only full and Loss of Functionality outages are included in the calculation for this measure. Full outages are defined as occurrences of either of the following:

- Application/Interface application is down or totally inoperative.
- Application is totally inoperative for customers attempting to access or use the application. This includes transport outages when
 they may be directly associated with a specific application.
- Loss of Functionality outages are defined as:
 - A critical function that is normally performed by the CLEC or is normally provided by an application or system is temporarily unavailable to the CLEC.

Comparison to an internal benchmark provides a vehicle for determining whether or not CLECs and retail BellSouth entities are given comparable opportunities for use of pre-ordering and ordering systems.

(Note: Scheduled maintenance will not be performed between the hours of 8:00 a.m through 9:00 p.m. Monday through Friday.)

Calculation

OSS Availability (Pre-Ordering/Ordering) = (a / b) X 100

- a = Functional Availability
- b = Scheduled Availability

Report Structure

- Interface Type
- Not CLEC Specific
- Not Product/Service Specific
- · Regional Level



Data Retained

Relating to CLEC Experience

- Report Month
- Legacy Contract Type (per reporting dimension)
- Regional Scope
- Hours of Downtime

Relating to BellSouth Performance

- Report Month
- Legacy Contract Type (per reporting dimension)
- · Regional Scope
- · Hours of Downtime

SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation

SQM Analog/Benchmark

• Regional Level, Per OSS Interface....>= 99.5%

(See Appendix D: Tables for SQM OSS Availability)

SEEM Measure

SEEM	Tier I	Tier II
Yes		X

SEEM Disaggregation - Analog/Benchmark

SEEM Disaggregation

SEEM Analog/Benchmark

• Regional Level, Per OSS Interface.....>= 99.5%

(See Appendix D: Tables for SEEM OSS Availability)



OSS-3: OSS Availability (Maintenance & Repair)

Definition

Percent of time applications are functionally available as compared to scheduled availability. Calculations are based upon availability of applications and interfacing applications utilized by CLECs for maintenance and repair. "Functional Availability" is defined as the number of hours in the reporting period that the applications/interfaces are available to users. "Scheduled Availability" is defined as the number of hours in the reporting period that the applications/interfaces are scheduled to be available.

Scheduled availability is posted on the Interconnection website: (www.interconnection.bellsouth.com/oss/osshour.html)

Exclusions

- CLEC-impacting trouble caused by factors outside of BellSouth's purview, e.g., troubles in customer equipment, troubles in networks owned by telecommunications companies other than BellSouth, etc.
- Degraded service outages which are defined as a critical function that is normally performed by the CLEC or is normally provided
 by an application or system available to the CLEC, but with significantly reduced response or processing time.

Business Rules

This measurement captures the functional availability of applications/interfaces as a percentage of scheduled availability for the same systems. Only full outages are included in the calculations for this measure. Full outages are defined as occurrences of either of the following:

- Application/interfacing application is down or totally inoperative.
- Application is totally inoperative for customers attempting to access or use the application. This includes transport outages when
 they may be directly associated with a specific application.

Loss of Functionality outages are defined as:

 A critical function that is normally performed by the CLEC or is normally provided by an application or system is temporarily unavailable to the CLEC.

Comparison to an internal benchmark provides a vehicle for determining whether or not CLECs and retail BellSouth entities are given comparable opportunities for use of maintenance and repair systems.

Calculation

OSS Availability (a / b) X 100

- a = Functional Availability
- b = Scheduled Availability

Report Structure

- Interface Type
- Not CLEC Specific
- Not Product/Service Specific
- · Regional Level

Data Retained

Relating to CLEC Experience

- Availability of CLEC TAFI
- Availability of LMOS HOST, MARCH, SOCS, CRIS, PREDICTOR, LNP and OSPCM



ECTA

Relating to BellSouth Performance

- Availability of BellSouth TAFI
- · Availability of LMOS HOST, MARCH, SOCS, CRIS, PREDICTOR, LNP and OSPCM

SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation • Regional Level, Per OSS Interface.....>= 99.5% (See Appendix D: Tables for OSS Availability (M&R)

SEEM Measure

SEEM	Tier I	Tier II
Yes		X

SEEM Disaggregation - Analog/Benchmark

SEEM Disaggregation SEEM Analog/Benchmark • Regional Level, Per OSS Interface....>= 99.5%

(See Appendix D: Tables for SEEM OSS Availability (M&R)



OSS-4: Response Interval (Maintenance & Repair)

Definition

The response intervals are determined by subtracting the time a request is received on the BellSouth side of the interface from the time the response is received from the legacy system. Percentages of requests falling into each interval category are reported, along with the actual number of requests falling into those categories.

Exclusions

None

Business Rules

This measure is designed to monitor the time required for the CLEC and BellSouth interface system to obtain from BellSouth's legacy systems the information required to handle maintenance and repair functions. The clock starts on the date and time when the request is received on the BellSouth side of the interface_and the clock stops when the response has been transmitted through that same point to the requester.

Note: The OSS Response Interval BellSouth Total Report is a combination of BellSouth Residence and Business Total.

Calculation

OSS Response Interval = (a - b)

- a = Query Response Date and Time
- b = Query Request Date and Time

Percent Response Interval (per category) = (c / d) X 100

- c = Number of Response Intervals in category "X"
- d = Number of Queries Submitted in the Reporting Period

where, "X" is
$$<= 4$$
, $> 4 <= 10$, $<= 10$, > 10 , or > 30 seconds.

Average Interval = (e / f)

- e = Sum of Response Intervals
- f = Number of Queries Submitted in the Reporting Period

Report Structure

- Not CLEC Specific
- Not Product/Service Specific
- · Regional Level

Data Retained

Relating to CLEC Experience

• CLEC Transaction Intervals

Relating to BellSouth Performance

BellSouth Business and Residential Transactions Intervals



SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation

SQM Analog/Benchmark

Regional Level, Per OSS Interface......Parity with Retail

(See Appendix D: Tables for Legacy System Access Times for M&R)

Note: BellSouth's Appendix D lists the query functions and the appropriate legacy systems that the queries travel through to return a response.

SEEM Measure

SEEM	Tier I	Tier II
Yes		X

SEEM Disaggregation - Analog/Benchmark

SEEM Disaggregation

SEEM Analog/Benchmark



PO-1: Loop Makeup - Response Time - Manual

Definition

This report measures the average interval and percent within the interval from the submission of a Manual Loop Makeup Service Inquiry (LMUSI) to the distribution of Loop Makeup information back to the CLEC.

Exclusions

- Inquiries, which are submitted electronically
- Designated Holidays are excluded from the interval calculation
- Weekends are excluded from the interval calculation
- Canceled Inquiries

Business Rules

The CLEC Manual Loop Makeup Service Inquiry (LMUSI) process includes inquiries submitted via E-mail or FAX to BellSouth's Complex Resale Support Group (CRSG)

This measurement combines three intervals:

- 1. From receipt of a valid Service Inquiry for Loop Makeup to hand off to the Service Advocacy Center (SAC) for "Look-up."
- 2. From SAC start date to SAC complete date
- 3. From SAC complete date to date the Complex Resale Support Group (CRSG) distributes loop makeup information back to the CLEC.

The "Receive Date" is defined as the date the Manual LMUSI is received by the CRSG. It is counted as day Zero. LMU "Return Date" is defined as the date the LMU information is sent back to the CLEC from BellSouth. The interval calculation is reset to Zero when a CLEC initiated change occurs on the Manual LMU request.

Note: The Loop Makeup Service Inquiry Form does not require the CLEC to furnish the type of Loop. The CLEC determines whether the loop makeup will support the type of service they wish to order or not and qualifies the loop. If the loop makeup will support the service, a firm order LSR is submitted by the CLEC.

(A valid Service Inquiry is an inquiry that has all required fields populated correctly and has not been returned for clarification.)

Calculation

Response Interval = (a - b)

- a = Date the LMUSI returned to CLEC
- b = Date the LMUSI is received

Average Interval = (c / d)

- c = Sum of all Response Intervals
- d = Total Number of LMUSIs received within the reporting period

Percent within interval = (e / f) X 100

- e = Total LMUSIs received within the interval
- f = Total Number of LMUSIs processed within the reporting period



Report Structure

- · CLEC Aggregate
- CLEC Specific
- Geographic Scope
 - State
 - Region
- Interval for manual LMUs:
 - 0 <= 1 day
 - >1 <= 2 days
 - >2 <= 3 days
 - $0 \le 3 \text{ days}$
 - >3 <= 6 days
 - >6 <= 10 days
 - > 10 days
- Average Interval in days

Data Retained

Relating to CLEC Experience

- · Report Month
- Total Number of Inquiries
- SI Intervals
- State and Region

Relating to BellSouth Performance

SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation

SQM Analog/Benchmark

SEEM Measure

SEEM	Tier I	Tier II
Yes	X	X

SEEM Disaggregation - Analog/Benchmark

SEEM Disaggregation

SEEM Analog/Benchmark



PO-2: Loop Makeup - Response Time - Electronic

Definition

This report measures the average interval and the percent within the interval from the electronic submission of a Loop Makeup Service Inquiry (LMUSI) to the distribution of Loop Makeup information back to the CLEC.

Exclusions

- · Manually submitted inquiries
- · Canceled Requests

Business Rules

The response interval starts when the CLEC's Mechanized Loop Makeup Service Inquiry (LMUSI) is submitted electronically through the Operational Support Systems interface, TAG. It ends when BellSouth's Loop Facility Assignment and Control System (LFACS) responds electronically to the CLEC with the requested Loop Makeup data via the TAG Interface. LSRs submitted via LENs will be reflected in the results for the TAG interface.

Note: The Loop Makeup Service Inquiry Form does not require the CLEC to furnish the type of Loop. The CLEC determines whether the loop makeup will support the type of service they wish to order or not and qualifies the loop. If the loop makeup will support the service, a firm order LSR is submitted by the CLEC. EDI is not a pre-ordering system, and, therefore, is not applicable in this measure.

Calculation

Response Interval = (a - b)

- a = Date and Time the LMUSI returned to CLEC
- b = Date and Time the LMUSI is received

Average Interval = (c / d)

- c = Sum of all response intervals
- d = Total Number of LMUSIs received within the reporting period

Percent within interval = (e / f) X 100

- e = Total LMUSIs received within the interval
- f = Total Number of LMUSIs processed within the reporting period

Report Structure

- · CLEC Aggregate
- CLEC Specific
- Geographic Scope
 - State
 - Region
- Interval for electronic LMUs:
 - $0 \le 1$ minute
 - >1 -<= 5 minutes
 - $0 \le 5$ minutes
 - > 5 <= 8 minutes
 - $> 8 \le 15$ minutes



- > 15 minutes
- Average Interval in minutes

Data Retained

Relating to CLEC Experience

- Report Month
- Total Number of Inquires
- SI Interval
- State and Region

Relating to BellSouth Performance

• Not Applicable

SQM Disaggregation - Analog/Benchmark



Section 2: Ordering

O-1: Acknowledgement Message Timeliness

Definition

This measurement provides the response interval and percent within the interval from the time an LSR or transmission (may contain multiple LSRs from one or more CLECs in multiple states) is electronically submitted via EDI or TAG until an acknowledgement notice is sent by the system.

Exclusions

- · Scheduled OSS Maintenance
- · Manually Submitted LSRs

Business Rules

The process includes EDI and TAG system functional acknowledgements for all Local Service Requests (LSRs) which are electronically submitted by the CLEC. The start time is the receipt time of the LSR at BellSouth's side of the interface (gateway). The end time is when the acknowledgement is transmitted by BellSouth at BellSouth's side of the interface (gateway). For those CLECs using EDI, if more than one CLEC uses the same ordering center, an Acknowledgement Message will be returned to the "Aggregator", however, BellSouth will not be able to determine which specific CLEC this message represented.

Calculation

Response Interval = (a - b)

- a = Date and Time Acknowledgement Notices returned to CLEC
- b = Date and Time Messages/LSRs electronically submitted by the CLEC via EDI or TAG respectively

Average Response Interval = (c / d)

- c = Sum of all Response Intervals for returned acknowledgements
- d = Total number of electronically submitted Messages/LSRs received, via EDI or TAG respectively, for which Acknowledgement Notices were returned in the Reporting Period.

Percent within Interval = (e / f) X 100

- e = Total number of electronically submitted messages/LSRs received, from CLEC via EDI or TAG respectively, in the Reporting Period.
- f = Total number of electronically submitted messages/LSRs acknowledged in the Reporting Period.

Reporting Structure

- CLEC Aggregate
- CLEC Specific
- Geographic Scope
 - Region
- · Electronically Submitted LSRs
 - $0 \le 10$ minutes
 - > 10 <= 20 minutes
 - > 20 <= 30 minutes
 - $0 \le 30$ minutes
 - > 30 <= 45 minutes
 - > 45 <= 60 minutes

O-1: Acknowledgement Message Timeliness



Tennessee Performance Metrics

- > 60 <= 120 minutes
- > 120 minutes
- · Average interval for electronically submitted LSRs in minutes

Data Retained

Relating to CLEC Experience

- · Report Month
- Record of Functional Acknowledgements

Relating to BellSouth Performance

• Not Applicable

SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation

SQM Analog/Benchmark

•	EDI	\therefore EDI – 95% <= 30 Minutes
•	TAG	\therefore TAG – 95% <= 30 Minutes

SEEM Measure

SEEM Tier I Tier II $Yes \dots \dots X \dots \dots X$

SEEM Disaggregation - Analog/Benchmark

SEEM Disaggregation

SEEM Analog/Benchmark

•	EDI	EDI – 95% <= 30 Minutes
•	TAG	TAG – 95% <= 30 Minutes



O-2: Acknowledgement Message Completeness

Definition

This measurement provides the percent of Messages/LSRs received via EDI or TAG, which are acknowledged electronically.

Exclusions

Manually submitted LSRs

Business Rules

EDI and TAG send Functional Acknowledgements for all LSRs, which are electronically submitted by a CLEC. For those CLECs using EDI, if more than one CLEC uses the same ordering center, an Acknowledgement Message will be returned to the "Aggregator", however, BellSouth will not be able to determine which specific CLEC this message represented. The Acknowledgement Message is returned prior to the determination of whether the LSR will be partially mechanized or fully mechanized.

Calculation

Acknowledgement Completeness = (a / b) X 100

- a = Total number of Functional Acknowledgements returned in the reporting period for Messages/LSRs electronically submitted by EDI or TAG respectively
- b = Total number of electronically submitted Messages/LSRs received in the reporting period by EDI or TAG respectively

Report Structure

- CLEC Aggregate
- CLEC Specific
- Geographic Scope
 - Region

Note: Acknowledgement message is generated before the system recognizes whether this message (LSR) will be partially or fully mechanized.

Data Retained

Relating to CLEC Experience

- · Report Month
- Record of Functional Acknowledgements

Relating to BellSouth Performance

· Not Applicable

SQM Disaggregation - Analog/Benchmark



O-2: Acknowledgement Message Completeness

Tennessee Performance Metrics

SEEM Measure

 SEEM
 Tier I
 Tier II

 Yes
 X
 X

SEEM Disaggregation - Analog/Benchmark

SEEM Disaggregation SEEM Analog/Benchmark

EDI Benchmark: 99.9%
 TAG Benchmark: 99.5%



O-3: Percent Flow-Through Service Requests (Summary)

Definition

The percentage of Local Service Requests (LSR) and LNP Local Service Requests (LNP LSRs) submitted electronically via the CLEC mechanized ordering process that flow through and reach a status for a FOC to be issued, without manual intervention.

Exclusions

- · Fatal Rejects
- Auto Clarification
- Manual Fallout for Percent Flow-Through only
- · CLEC System Fallout
- · Scheduled OSS Maintenance

Business Rules

The CLEC mechanized ordering process includes all LSRs, including supplements (subsequent versions) which are submitted through one of the three gateway interfaces (TAG, EDI and LENS), that flow through and reach a status for a FOC to be issued, without manual intervention. These LSRs can be divided into two classes of service: Business and Residence, and two types of service: Resale, and Unbundled Network Elements (UNE). The CLEC mechanized ordering process does not include LSRs which are submitted manually (for example, fax and courier) or are not designed to flow through (for example, Manual Fallout.)

Definitions:

Fatal Rejects: Errors that prevent an LSR, submitted electronically by the CLEC, from being processed further. When an LSR is submitted by a CLEC, LEO/LNP Gateway will perform edit checks to ensure the data received is correctly formatted and complete. For example, if the PON field contains an invalid character, LEO/LNP Gateway will reject the LSR and the CLEC will receive a Fatal Reject.

Auto-Clarification: Clarifications that occur due to invalid data within the LSR. LESOG/LAUTO will perform data validity checks to ensure the data within the LSR is correct and valid. For example, if the address on the LSR is not valid according to RSAG, or if the LNP is not available for the NPA NXX requested, the CLEC will receive an Auto-Clarification.

Manual Fallout: Planned Fallout that occur by design. Certain LSRs are designed to fallout of the Mechanized Order Process due to their complexity. These LSRs are manually processed by the LCSC. When a CLEC submits an LSR, LESOG/LAUTO will determine if the LSR should be forwarded to LCSC for manual handling. Following are the categories for Manual Fallout:

- 1. Complex*
- 2 Special pricing plans
- 3. Some Partial migrations (All LNP Partial Migrations)
- 4. New telephone number not yet posted to BOCRIS
- 5. Pending order review required
- 6. CSR inaccuracies such as invalid or missing CSR data in CRIS
- 7. Expedites (requested by the CLEC)
- 8. Denials-restore and conversion, or disconnect and conversion orders
- 9. Class of service invalid in certain states with some types of service
- 10. Low volume such as activity type "T" (move)
- 11. More than 25 business lines, or more than 15 loops
- 12. Transfer of calls option for the CLEC end users
- 13. Directory Listings (Identions and Captions)
- 14. LNP Only Supplement LSRs except supps of O-2 (Due Date Changes) on Req Type CB

*See LSR Flow-Through Matrix in Appendix E for a list of services, including complex services, and whether LSRs issued for the services are eligible to flow through. The matrix is updated automatically when new services are added or the systems are improved to allow a service to flow through. The current version of the Flow-Through Matrix is on the PMAP website (http://pmap.bellsouth.com) in the Documentation/Exhibits folder. Any change in the flow-through order category from flow-through to non-flow-through shall require prior



Commission approval.

Total System Fallout: Errors that require manual review by the LCSC to determine if the error is caused by the CLEC, or is due to BellSouth system functionality. If it is determined the error is caused by the CLEC, the LSR will be sent back to the CLEC for clarification. If it is determined the error is BellSouth caused, the LCSC representative will correct the error, and the LSR will continue to be processed.

Z Status: LSRs that receive a supplemental LSR submission prior to final disposition of the original LSR.

Calculation

Percent Flow Through = a / [b - (c + d + e + f)] X 100

- a = the total number of LSRs that flow through LESOG/LAUTO and reach a status for a FOC to be issued
- b = the number of LSRs passed from LEO/LNP Gateway to LESOG/LAUTO
- c = the number of LSRs that fallout for manual processing
- d = the number of LSRs that are returned to the CLEC for auto clarification
- e = the number of LSRs that are returned to the CLEC from the LCSC due to CLEC clarification
- f = the number of LSRs that receive a Z status.

Percent Achieved Flow Through = a / [b - (c + d + e)] X 100

- a = the number of LSRs that flow through LESOG/LAUTO and reach a status for a FOC to be issued.
- b = the number of LSRs passed from LEO/LNP Gateway to LESOG/LAUTO
- c = the number of LSRs that are returned to the CLEC for auto clarification
- d = the number of LSRs that are returned to the CLEC from the LCSC due to CLEC clarification
- e = the number of LSRs that receive Z status

Report Structure

- · CLEC Aggregate
 - Region

Data Retained

Relating to CLEC Experience

- Report Month
- Total Number of LSRs Received, by Interface, by CLEC
 - TAG
 - EDI
 - LENS
- Total Number of Errors by Type, by CLEC
 - Fatal Rejects
 - Auto Clarification
 - CLEC Caused System Fallout
- Total Number of Errors by Error Code
- Total Fallout for Manual Processing

Relating to BellSouth Performance

- Report Month
- Total Number of Errors by Type
 - BellSouth System Error



SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation

SQM Analog/Benchmark^a

•	Residence	Benchmark: 95%
•	Business	Benchmark: 90%
•	UNE - Loops	Benchmark: 85%
	UNE-P.	
•	LNP	Benchmark: 85%

SEEM Measure

SEEM	Tier I	Tier II
Yes		X

SEEM Disaggregation - Analog/Benchmark

SEEM Disaggregation

SEEM Analog/Benchmark^a

		•
•	Residence	Benchmark: 95%
•	Business	Benchmark: 90%
•	UNE - Loops	Benchmark: 85%
	UNE-P	
•	LNP	Benchmark: 85%

^a Benchmarks do not apply to the "Percent Achieved Flow-Through."



O-4: Percent Flow-Through Service Requests (Detail)

Definition

A detailed list, by CLEC, of the percentage of Local Service Requests (LSR) and LNP Local Service Requests (LNP LSRs) submitted electronically via the CLEC mechanized ordering process that flow through and reach a status for a FOC to be issued, without manual or human intervention.

Exclusions

- · Fatal Rejects
- Auto Clarification
- Manual Fallout for Percent Flow-Through only
- CLEC System Fallout
- Scheduled OSS Maintenance

Business Rules

The CLEC mechanized ordering process includes all LSRs, including supplements (subsequent versions) which are submitted through one of the three gateway interfaces (TAG, EDI, and LENS), that flow through and reach a status for a FOC to be issued, without manual intervention. These LSRs can be divided into two classes of service: Business and Residence, and two types of service: Resale, and Unbundled Network Elements (UNE). The CLEC mechanized ordering process does not include LSRs, which are submitted manually (for example, fax and courier) or are not designed to flow through (for example, Manual Fallout.)

Definitions:

Fatal Rejects: Errors that prevent an LSR, submitted electronically by the CLEC, from being processed further. When an LSR is submitted by a CLEC, LEO/LNP Gateway will perform edit checks to ensure the data received is correctly formatted and complete. For example, if the PON field contains an invalid character, LEO/LNP Gateway will reject the LSR and the CLEC will receive a Fatal Reject.

Auto-Clarification: Clarifications that occur due to invalid data within the LSR. LESOG/LAUTO will perform data validity checks to ensure the data within the LSR is correct and valid. For example, if the address on the LSR is not valid according to RSAG, or if the LNP is not available for the NPA NXX requested, the CLEC will receive an Auto-Clarification.

Manual Fallout: Planned Fallout that occur by design. Certain LSRs are designed to fallout of the Mechanized Order Process due to their complexity. These LSRs are manually processed by the LCSC. When a CLEC submits an LSR, LESOG/LAUTO will determine if the LSR should be forwarded to LCSC for manual handling. Following are the categories for Manual Fallout:

- 1. Complex*
- 2 Special pricing plans
- 3. Some Partial migrations (All LNP Partial Migrations)
- 4. New telephone number not yet posted to BOCRIS
- 5. Pending order review required
- 6. CSR inaccuracies such as invalid or missing CSR data in CRIS
- 7. Expedites (requested by the CLEC)
- 8. Denials-restore and conversion, or disconnect and conversion orders
- 9. Class of service invalid in certain states with some types of service
- 10. Low volume such as activity type "T" (move)
- 11. More than 25 business lines, or more than 15 loops
- 12. Transfer of calls option for the CLEC end users
- 13. Directory Listings (Identions and Captions)
- 14. LNP Only Supplement LSRs except supps of O-2 (Due Date Changes) on Req Type CB

*See LSR Flow-Through Matrix in Appendix E for a list of services, including complex services, and whether LSRs issued for the services are eligible to flow through. The matrix is updated automatically when new services are added or the systems are improved to allow a service to flow through. The current version of the Flow-Through Matrix is on the PMAP website (http://pmap.bellsouth.com) in the



Documentation/Exhibits folder. Any change in the flow-through order category from flow-through to non-flow-through shall require prior Commission approval.

Total System Fallout: Errors that require manual review by the LCSC to determine if the error is caused by the CLEC, or is due to BellSouth system functionality. If it is determined the error is caused by the CLEC, the LSR will be sent back to the CLEC for clarification. If it is determined the error is BellSouth caused, the LCSC representative will correct the error, and the LSR will continue to be processed.

Z Status: LSRs that receive a supplemental LSR submission prior to final disposition of the original LSR.

Calculation

Percent Flow Through = a / [b - (c + d + e + f)] X 100

- a = the total number of LSRs that flow through LESOG/LAUTO and reach a status for a FOC to be issued
- b = the number of LSRs passed from LEO/LNP Gateway to LESOG/LAUTO
- c = the number of LSRs that fallout for manual processing
- d = the number of LSRs that are returned to the CLEC for auto clarification
- e = the number of LSRs that are returned to the CLEC from the LCSC due to CLEC clarification
- f = the number of LSRs that receive a Z status.

Percent Achieved Flow Through = a / [b - (c + d + e)] X 100

- a = the number of LSRs that flow through LESOG/LAUTO and reach a status for a FOC to be issued
- b = the number of LSRs passed from LEO/LNP Gateway to LESOG/LAUTO
- c =the number of LSRs that are returned to the CLEC for auto clarification
- d = the number of LSRs that are returned to the CLEC from the LCSC due to CLEC clarification
- e = the number of LSRs that receive Z status

Report Structure

Provides the flow through percentage for each CLEC (by alias designation) submitting LSRs through the CLEC mechanized ordering process. The report provides the following:

- CLEC (by alias designation)
- Number of fatal rejects
- Mechanized interface used
- Total mechanized LSRs
- Total manual fallout
- · Number of auto clarifications returned to CLEC
- Number of validated LSRs
- Number of BellSouth caused fallout
- Number of CLEC caused fallout
- · Number of Service Orders Issued
- · Base calculation
- · CLEC error excluded calculation
- Region

Data Retained

Relating to CLEC Experience

- Report Month
- Total Number of LSRs Received, by Interface, by CLEC
 - TAG
 - EDI
 - LENS
- Total Number of Errors by Type, by CLEC
 - Fatal Rejects
 - Auto Clarification



- CLEC Errors
- Total Number of Errors by Error Code
- Total Fallout for Manual Processing

Relating to BellSouth Performance

- · Report Month
- Total Number of Errors by Type
 - BellSouth System Error

SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation Residence Benchmark: 95% Business Benchmark: 90% UNE - Loops Benchmark: 85% UNE-P Benchmark: 90% LNP Benchmark: 90% Benchmark: 85% Benchmark: 85% Benchmark: 85% Benchmark: 90% Tier I Tier II

SEEM Disaggregation - Analog/Benchmark

Yes X

SEEM Disaggregation		SEEM Analog/Benchmark
• F	Residence	. Benchmark: 95%
• E	Business	. Benchmark: 90%
J •	UNE- Loops	. Benchmark: 85%
J •	JNE-P	. Benchmark: 90%
• I	.NP	Benchmark: 85%

^a Benchmarks do not apply to the "Percent Achieved Flow-Through."



Flow-Through Error Analysis

Definition

An analysis of each error type (by error code) that was experienced by the LSRs that did not flow through or reached a status for a FOC to be issued.

Exclusions

Each Error Analysis is error code specific, therefore exclusions are not applicable.

Business Rules

The CLEC mechanized ordering process includes all LSRs, including supplements (subsequent versions) which are submitted through one of the three gateway interfaces (TAG, EDI, and LENS), that flow through and reach a status for a FOC to be issued. The CLEC mechanized ordering process does not include LSRs which are submitted manually (for example, fax and courier).

Calculation

Total for each error type

Report Structure

Provides an analysis of each error type (by error code). The report is in descending order by count of each error code and provides the following:

- Error Type (by error code)
- Count of each error type
- · Percent of each error type
- · Cumulative percent
- Error Description
- CLEC Caused Count of each error code
- Percent of aggregate by CLEC caused count
- · Percent of CLEC caused count
- · BellSouth Caused Count of each error code
- · Percent of aggregate by BellSouth caused count
- · Percent of BellSouth by BellSouth caused count.

Data Retained

Relating to CLEC Experience

- · Report Month
- Total Number of LSRs Received
- Total Number of Errors by Type (by Error Code)
 - CLEC caused error

Flow-Through Error Analysis



Tennessee Performance Metrics

Relating to BellSouth Performance

- Report Month
- Total Number of Errors by Type (by Error Code)
 - BellSouth System Error

SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation • Not Applicable			SQM Analog/BenchmarkNot Applicable
SEEM Measu	ıre		
SEEM	Tier I	Tier II	
	are action		ul.
SEEM DISag	gregation -	Analog/Benchma	rk
SEEM Disaggre	gation	SEEM Analog/Benchmark	



O-6: CLEC LSR Information

Definition

A list with the flow through activity of LSRs by CC, PON and Ver, issued by each CLEC during the report period.

Exclusions

- Fatal Rejects
- LSRs Submitted Manually

Business Rules

The CLEC mechanized ordering process includes all LSRs, including supplements (subsequent versions) which are submitted through one of the three gateway interfaces (TAG, EDI, and LENS), that flow through and reach a status for a FOC to be issued. The CLEC mechanized ordering process does not include LSRs which are submitted manually (for example, fax and courier).

Calculation

Not Applicable

Report Structure

Provides a list with the flow through activity of LSRs by CC, PON and Ver, issued by each CLEC during the report period with an explanation of the columns and content. This report is available on a CLEC specific basis. The report provides the following for each LSR.

- CC
- PON
- Ver
- Timestamp
- Type
- Err #
- Note or Error Description

Data Retained

Relating to CLEC Experience

- · Report Month
- Record of LSRs Received by CC, PON and Ver
- · Record of Timestamp, Type, Err # and Note or Error Description for Each LSR by CC, PON and Ver

Relating to BellSouth Performance

Not Applicable

SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation

SQM Analog/Benchmark

Not Applicable......Not Applicable



SEEM Measure

SEEM Tier I Tier II

SEEM Disaggregation - Analog/Benchmark

SEEM Disaggregation SEEM Analog/Benchmark



O-7: Percent Rejected Service Requests

Definition

Percent Rejected Service Request is the percent of total Service Requests [(Local Service Requests (LSRs) or Access Service Requests (ASRs)] received which are rejected due to error or omission. Service Requests are considered valid when they are submitted by the CLEC and pass edit checks to insure the data received is correctly formatted and complete.

Exclusions

- Service Requests canceled by the CLEC prior to being rejected/clarified.
- Fatal Rejects
- Order Activities of BellSouth or the CLEC associated with internal or administrative use of local services (Record Orders, Test Orders, etc.) where identifiable
- · LSRs identified as "Projects"

Business Rules

Fully Mechanized: An LSR/Service Request is considered "rejected" when it is submitted electronically but does not pass edit checks in the ordering systems (EDI, LENS, TAG, LESOG, LNP Gateway, LAUTO) and is returned to the CLEC without manual intervention. There are two types of "Rejects" in the Mechanized category:

A **Fatal Reject** occurs when a CLEC attempts to electronically submit an LSR but required fields are either not populated or incorrectly populated and the request is returned to the CLEC before it is considered a valid LSR.

Fatal rejects are reported in a separate column, and for informational purposes ONLY. They are not considered in the calculation of the percent of total LSRs rejected or the total number of rejected LSRs.

An **Auto Clarification** occurs when a valid LSR is electronically submitted but rejected from LESOG or LAUTO because it does not pass further edit checks for order accuracy.

Partially Mechanized: A valid LSR, which is electronically submitted (via EDI, LENS, TAG) but cannot be processed electronically and "falls out" for manual handling. It is then put into "clarification" and sent back (rejected) to the CLEC.

Non-Mechanized: LSRs which are faxed or mailed to the LCSC for processing and "clarified" (rejected) back to the CLEC by the BellSouth service representative.

Interconnection Trunks: Interconnection Trunks are ordered on Access Service Requests (ASRs). ASRs are submitted to and processed by the Local Interconnection Service Center (LISC). Trunk data is reported as a separate category.

Calculation

Percent Rejected Service Requests = (a / b) X 100

- a = Total Number of Service Requests Rejected in the reporting period
- b = Total Number of Service Requests Received in the reporting period

Report Structure

- Fully Mechanized, Partially Mechanized, Non-Mechanized
- Trunks
- · CLEC Specific
- CLEC Aggregate
- Geographic Scope
 - State



- Region
- Product Specific percent Rejected
- Total percent Rejected

Data Retained

Relating to CLEC Experience

- · Report Month
- Total Number of LSRs
- Total Number of Rejects
- · State and Region
- Total Number of ASRs (Trunks)

Relating to BellSouth Performance

· Not Applicable

SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation

SQM Analog/Benchmark

Mechanized, Partially Mechanized and Non-Mechanized

- Resale Business
- Resale Design (Special)
- · Resale PBX
- · Resale Centrex
- Resale ISDN
- LNP (Standalone)
- INP (Standalone)
- 2W Analog Loop Design
- 2W Analog Loop Non-Design
- 2W Analog Loop with INP Design
- 2W Analog Loop with INP Non-Design
- 2W Analog Loop with LNP Design
- 2W Analog Loop with LNP Non-Design
- UNE Digital Loop < DS1
- UNE Digital Loop >= DS1
- UNE Loop + Port Combinations
- UNE Combination Other
- UNE ISDN Loop
- UNE Other Design
- UNE Other Non-Design
- UNE Line Splitting
- EELs
- Switch Ports
- UNE xDSL (ADSL, HDSL, UCL)
- Line Sharing
- Local Interoffice Transport
- Local Interconnection Trunks

SEEM Measure

SEEM	Tier I	Tier II
No		



0-7: Percent Rejected Service Requests

(a) **BELLSOUTH**[®]

SEEM Disaggregation - Analog/Benchmark

SEEM Disaggregation SEEM Analog/Benchmark



O-8: Reject Interval

Definition

Reject Interval is the average reject time from receipt of Service Requests [(Local Service Requests (LSRs) or Access Service Requests (ASRs)] to the distribution of a Reject. Service Requests are considered valid when they are submitted by the CLEC and pass edit checks to insure the data received is correctly formatted and complete. When there are multiple rejects on a single version of an LSR, the first reject issued is used for the calculation of the interval duration.

Exclusions

- Service Requests canceled by CLEC prior to being rejected/clarified.
- Fatal Rejects
- Designated Holidays are excluded from the interval calculation for partially mechanized and non-mechanized LSRs/ASRs only.
- LSRs which are identified and classified as "Projects"

Non-business hours for Partially Mechanized and Non-Mechanized LSRs are excluded from the interval calculation. The excluded time is the time outside of normal operations which can be found at the following website: http://www.interconnection.bellsouth.com/centers/html/lcsc.html

Local Interconnection Service Center (LISC) - Monday through Friday 4:30 PM until 8:00 AM
From 4:30 PM Friday until 8:00 AM Monday

The hours excluded will be altered to reflect changes in the Center operating hours. The LCSC will accept faxed LSRs only during posted hours of operation.

The interval will be the amount of time accrued from receipt of the LSR until normal closing of the center if an LSR is worked using overtime hours.

In the case of a Partially Mechanized LSR received and worked after normal business hours, the interval will be set at one (1) minute.

Business Rules

The Reject interval is determined for each rejected LSR processed during the reporting period. The Reject interval is the elapsed time from when BellSouth receives LSR (date and time stamps in EDI or TAG) until that LSR is rejected back to the CLEC. Elapsed time for each LSR (date and time stamps in EDI or TAG) is accumulated for each reporting dimension. The accumulated time for each reporting dimension is then divided by the associated total number of rejected LSRs to produce the reject interval distribution.

Fully Mechanized: The elapsed time from receipt of a valid electronically submitted LSR (date and time stamp in EDI translator or TAG) until the LSR is rejected (date and time stamp or reject in EDI translator, or TAG). Auto Clarifications are considered in the Fully Mechanized category.

Partially Mechanized: The elapsed time from receipt of a valid electronically submitted LSR (date and time stamp in EDI translator or TAG) until it falls out for manual handling. The stop time on partially mechanized LSRs is when the LCSC Service Representative clarifies the LSR back to the CLEC via EDI translator, or TAG.

Non-Mechanized: The elapsed time from receipt of a valid LSR (date and time stamp of FAX or date and time mailed LSR is received in the LCSC) until notice of the reject (clarification) is returned to the CLEC via LON.

Interconnection Trunks: Interconnection Trunks are ordered on Access Service Requests (ASRs). ASRs are submitted to and processed by the Local Interconnection Service Center (LISC). Trunk data is reported as a separate category.

O-8: Reject Interval



Tennessee Performance Metrics

Calculation

Reject Interval = (a - b)

- a = Date and Time of Service Request Rejection
- b = Date and Time of Service Request Receipt

Average Reject Interval = (c / d)

- c = Sum of all Reject Intervals
- d = Number of Service Requests Rejected in Reporting Period

Reject Interval Distribution = (e / f) X 100

- e = Service Requests Rejected in reported interval
- f = Total Number of Service Requests Rejected in Reporting Period

Report Structure

- · Fully Mechanized, Partially Mechanized, Non-Mechanized
- CLEC Specific
- · CLEC Aggregate
- · Geographic Scope
 - State
 - Region
- Fully Mechanized:
 - $0 \le 4$ minutes
 - > 4 <= 8 minutes
 - >8 <= 12 minutes
 - > 12 <= 60 minutes
 - $0 \le 1 \text{ hour}$
 - > 1 <= 4 hours
 - > 4 <= 8 hours
 - > 8 <= 12 hours
 - > 12 <= 16 hours
 - $> 16 \le 20 \text{ hours}$
 - > 20 <= 24 hours
 - > 24 hours
- Partially Mechanized:
 - $0 \le 1 \text{ hour}$
 - $> 1 \le 4 \text{ hours}$
 - > 4 <= 8 hours
 - > 8 <= 10 hours
 - $0 \le 10 \text{ hours}$
 - > 10 <= 18 hours
 - $0 \le 18 \text{ hours}$
 - > 18 <= 24 hours
 - > 24 hours
- · Non-mechanized:
 - $0 \le 1 \text{ hour}$
 - > 1 <= 4 hours
 - > 4 <= 8 hours
 - > 8 <= 12 hours
 - > 12 <= 16 hours
 - $> 16 \le 20 \text{ hours}$
 - $> 20 \le 24 \text{ hours}$ 0 - $\le 24 \text{ hours}$
 - > 24 hours
- Trunks:



- $0 \le 36 \text{ hours}$
- > 36 hours
- Average Interval is reported in business hours.

Data Retained

Relating to CLEC Experience

- · Report Month
- Reject Interval
- Total Number of LSRs
- Total Number of Rejects
- · State and Region
- Total Number of ASRs (Trunks)

Relating to BellSouth Performance

· Not Applicable

SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation

SQM Analog/Benchmark

- · Resale PBX
- · Resale Centrex
- · Resale ISDN
- LNP (Standalone)
- INP (Standalone)
- 2W Analog Loop Design
- 2W Analog Loop Non-Design
- 2W Analog Loop with INP Design
- 2W Analog Loop with INP Non-Design
- 2W Analog Loop with LNP Design
- 2W Analog Loop with LNP Non-Design
- UNE Digital Loop < DS1
- UNE Digital Loop >= DS1
- UNE Loop + Port Combinations
- UNE Combination Other
- UNE ISDN Loop
- UNE Other Design
- UNE Other Non-Design
- UNE Line Splitting
- EELs
- Switch Ports
- UNE xDSL (ADSL, HDSL, UCL)
- Line Sharing
- Local Interoffice Transport
- Local Interconnection Trunks
 Trunks: 95% <= 36 Hours

O-8: Reject Interval



SEEM Measure

 SEEM
 Tier I
 Tier II

 Yes
 X
 X

SEEM Disaggregation - Analog/Benchmark

SEEM Disaggregation

SEEM Analog/Benchmark

•	Fully Mechanized	97%	<= 1 hour
	Partially Mechanized		
•	Non-Mechanized	95%	<= 24 hours
•	Local Interconnection Trunks	95%	<= 36 hours



O-9: Firm Order Confirmation Timeliness

Definition

Interval for Return of a Firm Order Confirmation (FOC Interval) is the average response time from receipt of valid LSR or ASR to distribution of a Firm Order Confirmation. The interval will include an electronic facilities check.

Exclusions

- Service Requests canceled by CLEC prior to being confirmed.
- Designated Holidays are excluded from the interval calculation for partially mechanized and non-mechanized LSRs/ASRs only.
- LSRs which are identified and classified as "Projects"

Non-business hours for Partially Mechanized and Non-Mechanized LSRs are excluded from the interval calculation. The excluded time is the time outside of normal operations which can be found at the following website: http://www.interconnection.bellsouth.com/centers/html/lcsc.html

For ASRs processed in the Local Interconnection Service Center (LISC) - From 4:30~PM~ All hours outside of Monday - Friday 8:00~AM-4:30~PM~ CST, should be excluded.

The hours excluded will be altered to reflect changes in the Center operating hours. The Centers will accept faxed LSRs only during posted hours of operation.

The interval will be the amount of time accrued from receipt of the LSR until normal closing of the center if an LSR is worked using overtime hours.

In the case of a Partially Mechanized LSR received and worked after normal business hours, the interval will be set at one (1) minute.

Business Rules

Fully Mechanized: The elapsed time from receipt of a valid electronically submitted LSR (date and time stamp in EDI or TAG) until the LSR is processed, appropriate service orders are generated and a Firm Order Confirmation is returned to the CLEC via EDI translator or TAG.

Partially Mechanized: The elapsed time from receipt of a valid electronically submitted LSR (date and time stamp in EDI, or TAG) which falls out for manual handling until appropriate service orders are issued by a BellSouth service representative via Direct Order Entry (DOE) or Service Order Negotiation Generation System (SONGS) to SOCS and a Firm Order Confirmation is returned to the CLEC via EDI translator, or TAG.

Non-Mechanized: The elapsed time from receipt of a valid paper LSR (date and time stamp of FAX or date and time paper LSRs received in LCSC) until appropriate service orders are issued by a BellSouth service representative via Direct Order Entry (DOE) or Service Order Negotiation Generation System (SONGS) to SOCS and a Firm Order Confirmation is sent to the CLEC via LON.

Interconnection Trunks: Interconnection Trunks are ordered on Access Service Requests (ASRs). ASRs are submitted to and processed by the Local Interconnection Service Center (LISC). The elapsed time is measured from receipt of a valid ASR (date and time stamp of a FAX or paper ASR received in the LISC) until the appropriate orders are issued by a BellSouth representative and a FOC issued in EXACT. Trunk data is reported as a separate category.

Note: When multiple FOCs occur on a single version of an LSR, the first FOC is used to measure the interval.

O-9: Firm Order Confirmation Timeliness



Tennessee Performance Metrics

Calculation

Firm Order Confirmation Interval = (a - b)

- a = Date and Time of Firm Order Confirmation
- b = Date and Time of Service Request Receipt

Average FOC Interval = (c / d)

- c = Sum of all Firm Order Confirmation Times
- d = Number of Service Requests Confirmed in Reporting Period

FOC Interval Distribution = (e / f) X 100

- e = Service Requests Confirmed in Designated Interval
- f = Total Service Requests Confirmed in the Reporting Period

Report Structure

- · Fully Mechanized, Partially Mechanized, Non-Mechanized
 - CLEC Specific
 - CLEC Aggregate
- · Geographic Scope
 - State
 - Region
- Fully Mechanized:
 - 0 <= 15 minutes
 - > 15 <= 30 minutes
 - > 30 <= 45 minutes
 - $> 45 \le 60 \text{ minutes}$
 - > 60 <= 90 minutes
 - > 90 <= 120 minutes
 - > 120 <= 180 minutes
 - $0 \le 3 \text{ hours}$
 - > 3 <= 6 hours
 - > 6 <= 12 hours
 - > 12 <= 24 hours
 - > 24 <= 48 hours
 - > 48 hours
- Partially Mechanized:
 - $0 \le 4$ hours
 - > 4 <= 8 hours
 - > 8 <= 10 hours
 - $0 \le 10 \text{ hours}$
 - > 10 <= 18 hours
 - $0 \le 18 \text{ hours}$
 - > 18 <= 24 hours
 - $> 24 \le 48 \text{ hours}$
 - > 48 hours
- Non-mechanized:
 - $0 \le 4$ hours
 - > 4 <= 8 hours
 - > 8 <= 12 hours
 - > 12 <= 16 hours
 - $0 \le 24 \text{ hours}$
 - > 16 <= 20 hours
 - > 20 <= 24 hours
 - > 24 <= 36 hours $0 - \le 36 \text{ hours}$



- $> 36 \le 48 \text{ hours}$
- > 48 hours
- Trunks:
 - $0 \le 48 \text{ hours}$
 - > 48 hours
- · Average Interval is reported in business hours

Data Retained

Relating to CLEC Experience

- · Report Month
- · Interval for FOC
- Total Number of LSRs
- State and Region
- Total Number of ASRs (Trunks)

Relating to BellSouth Performance

· Not Applicable

SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation

SQM Analog/Benchmark

- Resale Residence ... Fully Mechanized: 95% <= 3 Hours
 Resale Business ... Partially Mechanized: 95% <= 10 Hours
- Resale PBX
- Resale Centrex
- · Resale ISDN
- LNP (Standalone)
- INP (Standalone)
- 2W Analog Loop Design
- 2W Analog Loop Non-Design
- 2W Analog Loop with INP Design
- 2W Analog Loop with INP Non-Design
- 2W Analog Loop with LNP Design
- 2W Analog Loop with LNP Non-Design
- UNE Digital Loop < DS1
- UNE Digital Loop >= DS1
- UNE Loop + Port Combinations
- UNE Combination Other
- UNE ISDN Loop
- UNE Other Design
- UNE Other Non-Design
- UNE Line Splitting
- EELs
- Switch Ports
- UNE xDSL (ADSL, HDSL, UCL)
- Line Sharing
- Local Interoffice Transport

SEEM Measure

SEEM	Tier I	Tier II
Yes	X	X



SEEM Disaggregation - Analog/Benchmark

SEEM Disaggregation

SEEM Analog/Benchmark

•	Fully Mechanized	95%	<= 3 Hours
•	Partially Mechanized	95%	<= 10 Hours
	Non-Mechanized		
•	Local Interconnection Trunks	95%	<= 48 Hours



O-10: Service Inquiry with LSR Firm Order Confirmation (FOC) Response Time Manual¹

Definition

This report measures the interval and the percent within the interval from the submission of a Service Inquiry (SI) with Firm Order LSR to the distribution of a Firm Order Confirmation (FOC).

Exclusions

- Designated Holidays are excluded from the interval calculation.
- Weekend hours from 5:00 PM Friday until 8:00AM Monday are excluded from the interval calculation of the Service Inquiry.
- · Canceled Requests
- Electronically Submitted Requests
- Non-business hours for Partially Mechanized and Non-Mechanized LSRs are excluded from the interval calculation. The excluded time is the time outside of normal operations which can be found at the following website: http://www.interconnection.bellsouth.com/centers/html/lcsc.html

Business Rules

This measurement combines four intervals:

- 1. From receipt of a valid Service Inquiry with LSR to hand off to the Service Advocacy Center (SAC) for Loop 'Look-up'.
- 2. From SAC start date to SAC complete date.
- 3. From SAC complete date to the Complex Resale Support Group (CRSG) complete date with hand off to LCSC.
- 4. From receipt of a valid SI/LSR in the LCSC to Firm Order Confirmation.

(A valid Service Inquiry is an inquiry that has all required fields populated correctly and has not been returned for clarification.)

Calculation

FOC Timeliness Interval with SI = (a - b)

- a = Date and Time Firm Order Confirmation (FOC) for SI with LSR returned to CLEC
- b = Date and Time SI with LSR received

Average Interval = (c / d)

- c = Sum of all FOC Timeliness Intervals with SI
- d = Total number of SIs with LSRs received in the reporting period

Percent Within Interval = (e / f) X 100

- e = Total number of Service Inquiries with LSRs received by the CRSG to distribution of FOC by the Local Carrier Service Center (LCSC)
- f = Total number of Service Inquiries with LSRs received in the reporting period

Report Structure

- CLEC Aggregate
- CLEC Specific
- Geographic Scope
 - State
 - Region

¹See O-9 for FOC Timeliness



- Intervals
 - $0 \le 3 \text{ days}$
 - > 3 <= 5 days
 - $0 \le 5 \text{ days}$
 - > 5 <= 7 days
 - > 7 <= 10 days
 - > 10 <= 15 days
 - >15 days
- · Average Interval measured in days

Data Retained

Relating to CLEC Experience

- · Report Month
- · Total Number of Requests
- · SI Intervals
- State and Region

Relating to BellSouth Performance

• Not Applicable

SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation

SQM Analog/Benchmark

- xDSL (includes UNE unbundled ADSL, HDSL and95% Returned <= 5 Business Days UNE Unbundled Copper Loops)
- Unbundled Interoffice Transport

SEEM Measure

SEEM	Tier I	Tier II
No		

SEEM Disaggregation - Analog/Benchmark

SEEM Disaggregation

SEEM Analog/Benchmark



O-11: Firm Order Confirmation and Reject Response Completeness

Definition

A response is expected from BellSouth for every Local Service Request transaction (version). Firm Order Confirmation and Reject Response Completeness is the corresponding number of Local Service Requests received to the combination of Firm Order Confirmation and Reject Responses.

Exclusions

- · Service Requests canceled by the CLEC prior to FOC or Rejected/Clarified
- Fatal Rejects
- · LSRs identified as "Projects"

Business Rules

Mechanized – The number of FOCs or Auto Clarifications sent to the CLEC from EDI, or TAG in response to electronically submitted LSRs.

Partially Mechanized – The number of FOCs or Rejects sent to the CLEC from EDI, or TAG in response to electronically submitted LSRs which fall out for manual handling by the LCSC personnel.

Non-Mechanized: The number of FOCs or Rejects sent to the CLECs by FAX server.

Interconnection Trunks: Interconnection Trunks are ordered on Access Service Requests (ASRs). ASRs are submitted to and processed by the Local Interconnection Service Center (LISC). Trunk data is reported as a separate category.

For CLEC Results:

Percent responses is determined by computing the number of Firm Order Confirmations and Rejects transmitted by BellSouth and dividing by the number of Local Service Requests (all versions) received in the reporting period.

Calculation

Firm Order Confirmation / Reject Response Completeness = (a / b) X 100

- a = Total Number of Service Requests for which a Firm Order Confirmation or Reject is Sent
- b = Total Number of Service Requests Received in the Report Period

Report Structure

Fully Mechanized, Partially Mechanized, Non-Mechanized and Interconnection Trunks

- · State and Region
- CLEC Specific
- · CLEC Aggregate

Data Retained

Relating to CLEC Experience

- · Report Month
- Total Number of LSRs
- Total Number of rejects



- Total Number of ASRs (Trunks)
- Total Number of FOCs

Relating to BellSouth Performance

· Not Applicable

SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation

SQM Analog/Benchmark

- Resale Business
- Resale Design (Special)
- Resale PBX
- · Resale Centrex
- · Resale ISDN
- LNP (Standalone)
- INP (Standalone)
- 2W Analog Loop Design
- 2W Analog Loop Non-Design
- 2W Analog Loop with INP Design
- 2W Analog Loop with INP Non-Design
- 2W Analog Loop with LNP Design
- 2W Analog Loop with LNP Non-Design
- UNE Digital Loop < DS1
- UNE Digital Loop >= DS1
- UNE Loop + Port Combinations
- UNE Combination Other
- UNE ISDN Loop
- UNE Other Design
- UNE Other Non-Design
- UNE Line Splitting
- EELs
- Switch Ports
- UNE xDSL (ADSL, HDSL, UCL)
- Line Sharing
- Local Interoffice Transport
- · Local Interconnection Trunks

SEEM Measure

SEEM	Tier I	Tier II
Yes	X	X

SEEM Disaggregation - Analog/Benchmark

SEEM Disaggregation

SEEM Analog/Benchmark

- Partially Mechanized
- Non-Mechanized
- Local Interconnection Trunks



O-12: Speed of Answer in Ordering Center

Definition

Measures the average time a customer is in queue.

Exclusions

None

Business Rules

The clock starts when the appropriate option is selected (i.e., 1 for Resale Consumer, 2 for Resale Multiline, and 3 for UNE-LNP, etc.) and the call enters the queue for that particular group in the LCSC. The clock stops when a BellSouth service representative in the LCSC answers the call. The speed of answer is determined by measuring and accumulating the elapsed time from the entry of a CLEC call into the BellSouth automatic call distributor (ACD) until a service representative in BellSouth's Local Carrier Service Center (LCSC) answers the CLEC call.

Calculation

Speed of Answer in Ordering Center = (a / b)

- a = Total seconds in queue
- b = Total number of calls answered in the Reporting Period

Report Structure

Aggregate

- CLEC Local Carrier Service Center
- BellSouth
 - Business Service Center
- Geographic Scope
 - Region

Data Retained

Relating to CLEC Experience

· Mechanized Tracking Through LCSC Automatic Call Distributor

Relating to BellSouth Performance

Mechanized Tracking Through BellSouth Retail Center Support System



SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation

SQM Analog/Benchmark

Aggregate

CLEC – Local Carrier Service Center
 Parity with Retail (Business Service Center)

SEEM Measure

 SEEM
 Tier I
 Tier II

 Yes
 X

SEEM Disaggregation - Analog/Benchmark

SEEM Disaggregation

SEEM Analog/Benchmark



Section 3: Provisioning

P-1: Mean Held Order Interval & Distribution Intervals

Definition

When delays occur in completing CLEC orders, the average period that CLEC orders are held for BellSouth reasons, pending a delayed completion, should be no worse for the CLEC when compared to BellSouth delayed orders. Calculation of the interval is the total days orders are held and pending but not completed that have passed the currently committed due date; divided by the total number of held orders. This report is based on orders still pending, held and past their committed due date. The distribution interval is based on the number of orders held and pending but not completed over 15 and 90 days. (Orders reported in the >90 day interval are also included in the >15 day interval.)

Exclusions

- Order Activities of BellSouth or the CLEC associated with internal or administrative use of local services (Record Orders, Listing Orders, Test Orders, etc.) Test order types may be C, N, R, or T
- Disconnect (D) & From (F) orders
- Orders with Appointment Code of 'A', i.e., orders for locations requiring special construction including locations where no address exists and a technician must make a field visit to determine how to get facilities to the location.

Business Rules

Mean Held Order Interval: This metric is computed at the close of each report period. The held order interval is established by first identifying all orders, at the close of the reporting interval, that both have not been reported as completed in SOCS and have passed the currently committed due date for the order and identifying all orders that have been reported as completed in SOCS after the currently committed due date for the order. For each such order, the number of calendar days between the earliest committed due date on which BellSouth had a company missed appointment and the close of the reporting period is established and represents the held order interval for that particular order. The held order interval is accumulated by the standard groupings, unless otherwise noted, and the reason for the order being held. The total number of days accumulated in a category is then divided by the number of held orders within the same category to produce the mean held order interval. The interval is by calendar days with no exclusions for Holidays or Sundays.

CLEC Specific reporting is by type of held order (facilities, equipment, other), total number of orders held, and the total and average days.

Held Order Distribution Interval: This measure provides data to report total days held and identifies these in categories of >15 days and >90 days. (Orders counted in >90 days are also included in >15 days).

Calculation

Mean Held Order Interval = a / b

- a = Sum of held-over-days for all Past Due Orders Held with a BellSouth Missed Appointment from the earliest BellSouth missed appointment
- b = Number of Past Due Orders Held and Pending But Not Completed and past the committed due date

Held Order Distribution Interval (for each interval) = $(c / d) \times 100$

- c = # of Orders Held for >= 15 days or # of Orders Held for >= 90 days
- d = Total # of Past Due Orders Held and Pending But Not Completed)



Report Structure

- · CLEC Specific
- CLEC Aggregate
- · BellSouth Aggregate
- Circuit Breakout < 10, >= 10 (except trunks)
- Dispatch/Non-Dispatch
- · Geographic Scope
 - State
 - Region

Data Retained

Relating to CLEC Experience

- Report Month
- CLEC Order Number and PON (PON)
- Order Submission Date (TICKET ID)
- Committed Due Date (DD)
- Service Type (CLASS_SVC_DESC)
- · Hold Reason
- Total Line/Circuit Count
- Geographic Scope

Note: Code in parentheses is the corresponding header found in the raw data file.

Relating to BellSouth Performance

- · Report Month
- BellSouth Order Number
- · Order Submission Date
- Committed Due Date
- Service Type
- Hold Reason
- Total Line/Circuit Count
- Geographic Scope

SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation **SQM Analog/Benchmark** Resale Centrex Retail Centrex Resale ISDN Retail ISDN Switch-Based Orders) Switch-Based Orders) Switch-Based Orders)



• UNE Digital Loop < DS1	Retail Digital Loop < DS1
• UNE Digital Loop >= DS1	
• UNE Loop + Port Combinations	
- Dispatch In	Dispatch
- Switch Based	Switched Based
UNE Switch Ports	Retail Residence and Business (POTS)
UNE Combo Other	Retail Residence, Business and Design Dispatch
UNE xDSL (HDSL, ADSL and UCL)	ADSL Provided to Retail
UNE ISDN (Includes UDC)	Retail ISDN - BRI
UNE Line Sharing	ADSL Provided to Retail
UNE Other Design	Retail Design
UNE Other Non-Design	Retail Residence and Business
• Local Transport (Unbundled Interoffice Transport)	Retail DS1/DS3 Interoffice
Local Interconnection Trunks	Parity with Retail
UNE Line Splitting	ADSL to Retail
• EELs	

SEEM Measure

SEEM	Tier I	Tier II
No		

SEEM Disaggregation - Analog/Benchmark

SEEM Disaggregation	SEEM Analog/Benchmark
Not Applicable	Not Applicable



P-2: Average Jeopardy Notice Interval & Percentage of Orders Given Jeopardy Notices

(Deleted)



P-2A: Jeopardy Notice Interval

Definition

When BellSouth can determine in advance that a committed due date is in jeopardy for facility delay, it will provide advance notice to the CLEC.

The interval is from the date/time the notice is released to the CLEC/BellSouth systems until 5pm on the due date of the order.

Exclusions

- · Orders held for CLEC end user reasons
- Disconnect (D) and From (F) orders
- Orders with Jeopardy Notice when jeopardy is identified on the due date. This exclusion only applies when the technician on premises has attempted to provide service but must refer to Engineer or Cable Repair for facility jeopardy.
- Orders issued with a due date of < = 48 hours.

Business Rules

When BellSouth can determine in advance that a committed due date is in jeopardy for facility delay, it will provide advance notice to the CLEC. The number of committed orders in a report period is the number of orders that have a due date in the reporting period. Jeopardy notices for interconnection trunk results are usually zero as these trunks seldom experience facility delays. The Committed Due Date is considered the Confirmed Due Date. This report measures dispatched orders only. If an order is originally sent as non-dispatch and it is determined there is a facility delay, the order is converted to a dispatch code so the facility problem can be corrected. It will remain coded dispatched until completion.

Calculation

Jeopardy Interval = a - b

- a = Date and Time of Scheduled Due Date on Service Order
- b = Date and Time of Jeopardy Notice

Average Jeopardy Interval = c / d

- c = Sum of all Jeopardy Intervals
- d = Number of Orders Notified of Jeopardy in Reporting Period

Report Structure

- CLEC Specific
- CLEC Aggregate
- · BellSouth Aggregate
- · Mechanized Orders
- Non-Mechanized Orders
- Dispatch/Non-Dispatch
- Geographic Scope
 - State
 - Region

Data Retained

Relating to CLEC Experience

- · Report Month
- · CLEC Order Number and PON



- Date and Time Jeopardy Notice Sent
- Committed Due Date
- Service Type

Relating to BellSouth Performance

- Report Month
- BellSouth Order Number
- Date and Time Jeopardy Notice Sent
- Committed Due Date
- Service Type

SQM Disaggregation - Analog/Benchmark

SQM Le	vel of Disaggregation	SQM Analog/Benchmark
•	Resale Residence	.95% > = 48 hours
•	Resale Business	.95% > = 48 hours
•	Resale Design	.95% > = 48 hours
•	Resale PBX	
•	Resale Centrex	.95% > = 48 hours
•	Resale ISDN	.95% > = 48 hours
•	LNP (Standalone)	.95% > = 48 hours
•	INP (Standalone)	.95% > = 48 hours
•	2W Analog Loop Design	.95% > = 48 hours
•	2W Analog Loop Non-Design	
•	2W Analog Loop with LNP - Design	.95% > = 48 hours
•	2W Analog Loop with LNP- Non-Design	
•	2W Analog Loop with INP-Design	.95% > = 48 hours
•	2W Analog Loop with INP-Non-Design	.95% > = 48 hours
•	UNE Digital Loop < DS1	
•	UNE Digital Loop >= DS1	.95% > = 48 hours
•	UNE Loop + Port Combinations	
	- Dispatch In	
	- Switch Based	
•	UNE Switch Ports	
•	UNE Combo Other	
•	UNE xDSL (HDSL, ADSL and UCL)	
•	UNE ISDN (Includes UDC)	
•	UNE Line Sharing	
•	UNE Other Design	
•	UNE Other Non-Design	
•	Local Transport (Unbundled Interoffice Transport)	
•	Local Interconnection Trunks	
•	UNE Line Splitting	
•	EELs	. 95% > = 48 nours
SEEM	Measure	
SEE	M Tier I Tier II	
N	0	
SEEM D	isaggregation	SEEM Analog/Benchmark



P-2B: Percentage of Orders Given Jeopardy Notices

Definition

When BellSouth can determine in advance that a committed due date is in jeopardy for facility delay, it will provide advance notice to the CLEC.

The Percent of Orders is the percentage of orders given jeopardy notices for facility delay in the count of orders confirmed in the report period.

Exclusions

- · Orders held for CLEC end user reasons
- Disconnect (D) and From (F) orders

Business Rules

When BellSouth can determine in advance that a committed due date is in jeopardy for facility delay, it will provide advance notice to the CLEC. The number of committed orders in a report period is the number of orders that have a due date in the reporting period. Jeopardy notices for interconnection trunks results are usually zero as these trunks seldom experience facility delays. The Committed due date is considered the Confirmed due date. This report measures dispatched orders only. If an order is originally sent as non-dispatch and it is determined there is a facility delay, the order is converted to a dispatch code so the facility problem can be corrected. It will remain coded dispatched until completion.

Calculation

Percent of Orders Given Jeopardy Notice = (a / b) X 100

- a = Number of Orders Given Jeopardy Notices in Reporting Period
- b = Number of Orders Confirmed (due) in Reporting Period

Percent of Orders Given Jeopardy Notice > = 48 hours = (c / d) X 100

- c = Number of Orders Given Jeopardy Notice >= 48 hours in Reporting Period (electronic only)
- d = Number of Orders Given Jeopardy Notices in Reporting Period (electronic only)

Report Structure

- · CLEC Specific
- CLEC Aggregate
- BellSouth Aggregate
- · Mechanized Orders
- · Non-Mechanized Orders
- Dispatch/Non-Dispatch
- Geograhic Scope
 - State
 - Region

Data Retained

Relating to CLEC Experience

- · Report Month
- CLEC Order Number and PON



- Date and Time Jeopardy Notice sent
- Committed Due Date
- Service Type

Relating to BellSouth Performance

- Report Month
- BellSouth Order Number
- Date and Time Jeopardy Notice sent
- Committed Due Date
- Service Type

SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation	SQM Analog/Benchmark
Resale Residence	Retail Residence
Resale Business	Retail Business
Resale Design	Retail Design
Resale PBX	Retail PBX
Resale Centrex	Retail Centrex
Resale ISDN	Retail ISDN
LNP (Standalone)	Retail Residence and Business (POTS)
INP (Standalone)	Retail Residence and Business (POTS)
2W Analog Loop Design	
2W Analog Loop Non-Design	Retail Residence and Business – (POTS Excluding Switch-
	Based Orders)
2W Analog Loop with LNP - Design	
2W Analog Loop with LNP - Non-Design	Retail Residence and Business – (POTS Excluding Switch-
	Based Orders)
2W Analog Loop with INP-Design	
2W Analog Loop with INP-Non-Design	Retail Residence and Business – (POTS Excluding Switch-
	Based Orders)
UNE Digital Loop < DS1	
UNE Digital Loop >=DS1	
UNE Loop + Port Combinations	
- Dispatch In	Dispatch In
- Switch Based	
UNE Switch Ports	· · · · · · · · · · · · · · · · · · ·
UNE Combo Other	
UNE xDSL (HDSL, ADSL and UCL)	
UNE ISDN (Includes UDC)	
UNE Line Sharing	
UNE Other Design	
• UNE Other Non-Design	
Local Transport (Unbundled Interoffice Transport)	
Local Interconnection Trunks LDTF Line Collection Trunks	
UNE Line Splitting	
• EELs	Retail DS1/DS3

P-2B: Percentage of Orders Given Jeopardy Notices

SEEM Measure

SEEM Tier I Tier II No.....

SEEM Disaggregation

SEEM Analog/Benchmark



P-3: Percent Missed Initial Installation Appointments

Definition

"Percent missed initial installation appointments" monitors the reliability of BellSouth commitments with respect to committed due dates to assure that the CLEC can reliably quote expected due dates to their retail customer as compared to BellSouth. This measure is the percentage of total orders processed for which BellSouth is unable to complete the service orders on the committed due dates and reported for Total misses and End User Misses.

Exclusions

- Orders canceled prior to the due date including orders that are to be provisioned on the same day they are placed. ("Zero Due Date Orders")
- Order Activities of BellSouth or the CLEC associated with internal or administrative use of local services (Record Orders, Listing Orders Test Orders, etc., Order types may be coded C, N, R or T)
- Disconnect (D) & From (F) orders
- · End User Misses

Business Rules

Percent Missed Initial Installation Appointments (PMI) is the percentage of orders with completion dates in the reporting period that are past the original committed due date. Missed Appointments caused by end-user reasons will be excluded and reported separately. The first commitment date on the service order that is a missed appointment is the missed appointment code used for calculation whether it is a BellSouth missed appointment or an End User missed appointment. The "due date" is any time on the confirmed due date. Which means there cannot be a cutoff time for commitments, as certain types of orders are requested to be worked after standard business hours. Also, during Daylight Savings Time, field technicians are scheduled until 9PM in some areas and the customer is offered a greater range of intervals from which to select.

Calculation

Percent Missed Installation Appointments = (a / b) X 100

- a = Number of Orders with Completion date in Reporting Period past the Original Committed Due Date
- b = Number of Orders Completed in Reporting Period

Report Structure

- CLEC Specific
- CLEC Aggregate
- BellSouth Aggregate
- Report in Categories of <10 lines/circuits >= 10 lines/circuits (except trunks)
- Dispatch/Non-Dispatch (except Trunks)
- Geographic Scope
 - State
 - Region

Data Retained

Relating to CLEC Experience

- · Report Month
- CLEC Order Number and PON (PON)
- Committed Due Date (DD)



- Completion Date (CMPLTN DD)
- Status Type
- Status Notice Date
- · Standard Order Activity

Note: Code in parentheses is the corresponding header found in the raw data file.

Relatng to BellSouth Performance

- Report Month
- BellSouth Order Number
- Committed Due Date (DD)
- Completion Date (CMPLTN DD)
- Status Type
- Status Notice Date
- Standard Order Activity

SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation	SQM Analog/Benchmark
Resale Residence	Retail Residence
Resale Business	Retail Business
Resale Design	Retail Design
Resale PBX	Retail PBX
Resale Centrex	Retail Centrex
Resale ISDN	Retail ISDN
LNP (Standalone)	Retail Residence and Business (POTS)
INP (Standalone)	Retail Residence and Business (POTS)
2W Analog Loop Design	Retail Residence and Business Dispatch
2W Analog Loop Non-Design	Retail Residence and Business – (POTS Excluding
	Switch- Based Orders)
2W Analog Loop With LNP - Design	Retail Residence and Business Dispatch
 2W Analog Loop With LNP- Non-Design 	
	Switch-Based Orders)
2W Analog Loop With INP-Design	
2W Analog Loop With INP-Non-Design	
	Switch-Based Orders)
UNE Digital Loop < DS1	
• UNE Digital Loop >= DS1	Retail Digital Loop >= DS1
UNE Loop + Port Combinations	
- Dispatch In	Dispatch In
- Switch Based	
• UNE Switch Ports	
UNE xDSL (HDSL, ADSL and UCL) Without Conditioning	
- With Conditioning	Without Conditioning With Conditioning (BellSouth does not
- With Conditioning	offer this service to Retail)
UNE ISDN	
UNE Line Sharing Without Conditioning	
	ADSL Provided to Retail
UNE Other Design	Retail Design
UNE Other Non-Design	
• Local Transport (Unbundled Interoffice Transport)	
Local Interconnection Trunks	
UNE Line Splitting Without Conditioning	
• EELs	
UNE UDC/IDSL	Retail ISDN - BRI



SEEM Measure

 SEEM
 Tier I
 Tier II

 Yes
X
 X

SEEM Disaggregation - Analog/Benchmark

SEEM Disaggregation	SEEM Analog/Benchmark
Resale Residence	Retail Residence
Resale Business	Retail Business
Resale Design	Retail Design
Resale PBX	Retail PBX
Resale Centrex	Retail Centrex
Resale ISDN	Retail ISDN
LNP (Standalone)	Retail Residence and Business (POTS)
INP (Standalone)	Retail Residence and Business (POTS)
2W Analog Loop Design	
2W Analog Loop Non-Design	Retail Residence and Business – (POTS Excluding
	Switch-Based Orders)
2W Analog Loop With LNP - Design	
2W Analog Loop With LNP- Non-Design	Retail Residence and Business – (POTS Excluding
	Switch-Based Orders)
2W Analog Loop With INP-Design	
2W Analog Loop With INP-Non-Design	
	Switch-Based Orders)
UNE Digital Loop < DS1	
• UNE Digital Loop >= DS1	
UNE Loop + Port Combinations	Retail Residence and Business
- Dispatch In	
- Switch Based • UNE Switch Ports	
UNE Combo Other	
UNE xDSL (HDSL, ADSL and UCL)	
- Without Conditioning	- Without Conditioning
- With Conditioning	With Conditioning (BellSouth does not offer this
· ·	service to Retail)
UNE ISDN	
UNE Line Sharing Without Conditioning	ADSL Provided to Retail
With Conditioning	
Local Transport (Unbundled Interoffice Transport)	
Local Interconnection Trunks	
UNE Line Splitting Without Conditioning	
With Conditioning	
UNE Other Design	
UNE Other Non-Design	
• EELs	
UNE UDC/IDSL	Retail ISDN - BRI

P-3A: Percent Missed Installation Appointments Including Subsequent Appointments

(Deleted)



P-4: Average Completion Interval (OCI) & Order Completion Interval Distribution

Definition

The "average completion interval" measure monitors the interval of time it takes BellSouth to provide service for the CLEC or its own customers. The "Order Completion Interval Distribution" provides the percentages of orders completed within certain time periods. This report measures how well BellSouth meets the interval offered to customers on service orders.

Exclusions

- Canceled Service Orders
- Order Activities of BellSouth or the CLEC associated with internal or administrative use of local services (Record Orders, Listing Orders, Test Orders, etc.)
- Disconnect (D & F) orders (Except "D" orders associated with LNP Standalone)
- "L" Appointment coded orders (where the customer has requested a later than offered interval)
- End user-caused misses

Business Rules

The actual completion interval is determined for each order processed during the reporting period. The completion interval is the elapsed time from when BellSouth issues a FOC or SOCS date time stamp receipt of an order from the CLEC to BellSouth's actual order completion date. The clock starts when a valid order number is assigned by SOCS and stops when the technician or system completes the order in SOCS. Elapsed time for each order is accumulated for each reporting dimension. The accumulated time for each reporting dimension is then divided by the associated total number of orders completed. Orders that are worked on zero due dates are calculated with a .33-day interval (8 hours) in order to report a portion of a day interval. These orders are issued and worked/completed on the same day. They can be either flow through orders (no field work-non-dispatched) or field orders (dispatched).

The interval breakout for UNE and Design is: 0.5 = 0 < 5, 5.10 = 5 < 10, 10.15 = 10 < 15, 15.20 = 15 < 20, 20.25 = 20 < 25, 25.30 = 25 < 30, >= 30 = 30 and greater.

Calculation

Completion Interval = (a - b)

- a = Completion Date
- b = FOC/SOCS date time-stamp (application date)

Average Completion Interval = (c / d)

- c = Sum of all Completion Intervals
- d = Count of Orders Completed in Reporting Period

Order Completion Interval Distribution (for each interval) = (e / f) X 100

- e = Service Orders Completed in "X" days
- f = Total Service Orders Completed in Reporting Period

Report Structure

- CLEC Specific
- CLEC Aggregate
- BellSouth Aggregate
- Dispatch/Non-Dispatch categories applicable to all levels except trunks
- Residence and Business reported in day intervals = 0,1,2,3,4,5,5+
- UNE and Design reported in day intervals =0-5,5-10,10-15,15-20,20-25,25-30, >= 30
- All Levels are reported <10 line/circuits; >= 10 line/circuits (except trunks)



- Geographic Scope
 - State
 - Region

Data Retained

Relating to CLEC Experience

- · Report Month
- CLEC Company Name
- Order Number (PON)
- Application Date and Time
- Completion Date (CMPLTN_DT)
- Service Type (CLASS_SVC_DESC)
- · Geographic Scope

Note: Code in parentheses is the corresponding header found in the raw data file.

Relating to BellSouth Performance

- · Report Month
- BellSouth Order Number
- · Order Submission Date and Time
- Order Completion Date and Time
- Service Type
- Geographic Scope

SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation	SQM Analog/Benchmark	
Resale Residence	Retail Residence	
Resale Business	Retail Business	
Resale Design	Retail Design	
Resale PBX		
Resale Centrex	Retail Centrex	
Resale ISDN	Retail ISDN	
LNP (Standalone)		
INP (Standalone)		
2W Analog Loop Design		
2W Analog Loop Non-Design		
	Switch-Based Orders)	
2W Analog Loop with LNP - Design		
 2W Analog Loop with LNP- Non-Design 		
	Switch-Based Orders)	
2W Analog Loop with INP-Design	Retail Residence and Business Dispatch	
	Switch-Based Orders)	
UNE Digital Loop < DS1	Retail Digital Loop < DS1	
• UNE Digital Loop >= DS1	Retail Digital Loop >= DS1	
UNE Loop + Port Combinations	Retail Residence and Business	
- Dispatch In	Dispatch In	
- Switch Based		
UNE Switch Ports	· /	
 UNE xDSL (HDSL, ADSL and UCL) 		
- Without Conditioning		
- With Conditioning		
• UNE ISDN		
UNE Line Sharing Without Conditioning	ADSL Provided to Retail	



	With Conditioning	<= 12 Days
•	Local Transport (Unbundled Interoffice Transport)	
•	Local Interconnection Trunks	Parity with Retail
	UNE Line Splitting Without Conditioning	
	With Conditioning	
	UNE Other Design	Retail Design
	UNE Other Non-Design	
	EELs	
•	UNE UDC/IDSL	Retail ISDN - BRI

SEEM Measure

 SEEM
 Tier I
 Tier II

 Yes
X

SEEM Disaggregation - Analog/Benchmark

SEEM Disaggregation SEEM Analog/Benchmark Resale Business Retail Business Resale Design Retail Design Resale PBX Retail PBX Resale Centrex Retail Centrex Resale ISDN Retail ISDN LNP (Standalone) Retail Residence and Business (POTS) INP (Standalone) Retail Residence and Business (POTS) Switch-Based Orders) Switch-Based Orders) Switch-Based Orders) Dispatch In.....- Dispatch In Switch Based.....- Switch Based UNE xDSL (HDSL, ADSL and UCL) Without Conditioning - <= 5 Days With Conditioning...... - <= 12 Days With Conditioning<= 12 Days With Conditioning<= 12 Days UNE Other Design Retail Design



P-4A: Average Order Completion and Completion Notice Interval (AOCCNI) Distribution

(Deleted)

(A) BELLSOUTH®

P-5: Average Completion Notice Interval

Definitions

The Completion Notice Interval is the elapsed time between the BellSouth reported completion of work and the issuance of a valid completion notice to the CLEC.

Exclusions

- Canceled Service Orders
- Order Activities of BellSouth or the CLEC associated with internal or administrative use of local services (Record Orders, Listing Orders, Test Orders, etc.) Test order types may be C, N, R, or T.
- D & F orders (Exception: "D" orders associated with LNP Standalone)

Business Rules

Measurement on interval of completion date and time entered by a field technician on dispatched orders, and 5PM start time on the due date for non-dispatched orders; to the release of a notice to the CLEC/BellSouth of the completion status. The field technician notifies the CLEC the work was complete and then he/she enters the completion time stamp information in his/her computer. This information switches through to the SOCS systems either completing the order or rejecting the order to the Work Management Center (WMC). If the completion is rejected, it is manually corrected and then completed by the WMC. The notice is returned on each individual order.

The start time for all orders is the completion stamp either by the field technician or the 5PM due date stamp; the end time for mechanized orders is the time stamp the notice was delivered to the CLEC interface (LENS, EDI, OR TAG). For non-mechanized orders-the end time will be date and timestamp of order update from the FAX record via LON or C-SOTS system. For the retail analog, the start time is when the technician completes the order and the end time is when the order status is changed to complete in SOCS.

Calculation

Completion Notice Interval = (a - b)

- a = Date and Time of Notice of Completion
- b = Date and Time of Work Completion

Average Completion Notice Interval = c / d

- c = Sum of all Completion Notice Intervals
- d = Number of Orders with Notice of Completion in Reporting Period

Report Structure

- · CLEC Specific
- CLEC Aggregate
- · BellSouth Aggregate
- Mechanized Orders
- Non-Mechanized Orders
- Dispatch/Non-Dispatch
- Reporting intervals in Hours; 0.1 <= 2. > 2 <= 4. > 4 <= 8. > 8 <= 12. > 12 <= 24. > 24 plus Overall Average Hour Interval
- Reported in categories of <10 line / circuits; >= 10 line/circuits (except trunks)
- Geographic Scope
 - State
 - Region

(A) **BELLSOUTH***

Data Retained

Relating to CLEC Experience

- Report Month
- CLEC Order Number (so_nbr)
- Work Completion Date (cmpltn_dt)
- Work Completion Time
- Completion Notice Availability Date
- Completion Notice Availability Time
- Service Type
- Geographic Scope

Note: Code in parentheses is the corresponding header found in the raw data file.

Relating to BellSouth Performance

- Report Month
- BellSouth Order Number (so_nbr)
- Work Completion Date (cmpltn_dt)
- Work Completion Time
- Completion Notice Availability Date
- Completion Notice Availability Time
- Service Type
- Geographic Scope

Note: Code in parentheses is the corresponding header found in the raw data file.

SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation **SQM Analog/Benchmark** Resale Residence Retail Residence Resale Design Retail Design Switch-Based Orders) Switch-Based Orders Switch-Based Orders Dispatch In - Dispatch In Switch Based --- Switch Based



•	UNE ISDN (Includes UDC)	. Retail ISDN - BRI
•	UNE Line Sharing	. ADSL Provided to Retail
•	Local Transport (Unbundled Interoffice Transport)	. Retail DS1/DS3 Interoffice
•	Local Interconnection Trunks	. Parity with Retail
•	UNE Line Splitting	. ADSL to Retail
	UNE Other Design	
	UNE Other Non-Design	
•	EELs	. Retail DS1/DS3

SEEM Measure

SEEM Tier I Tier II

SEEM Disaggregation - Analog/Benchmark

SEEM Disaggregation SEEM Analog/Benchmark • Not Applicable Not Applicable



P-6: % Completions/Attempts without Notice or < 24 hours Notice

Definition

The purpose of this measure is to report if BellSouth is returning a FOC to the CLEC in time for the CLEC to notify their customer of the scheduled date.

Exclusions

- · Canceled Orders
- Expedited Orders
- "0" dated orders or any request where the subscriber requested an earlier due date of < 24 hours prior to the original commitment date, or any LSR received < 24 hours prior to the original commitment date.

Business Rules

For CLEC Results:

Calculation would exclude any successful or unsuccessful service delivery where the CLEC was informed at least 24 hours in advance. BellSouth may also exclude from calculation any LSRs received from the requesting CLEC with less than 24 hour notice prior to the commitment date.

Calculation

Percent Completions or Attempts without Notice or with Less Than 24 Hours Notice = (a / b) X 100

- a = Completion Dispatches (Successful and Unsuccessful) With No FOC or FOC Received < 24 Hours of Original Committed Due Date
- b = All Completions

Report Structure

- CLEC Specific
- · CLEC Aggregate
- Dispatch /Non-Dispatch
- Total Orders FOC < 24 Hours
- Total Completed Service Orders
- % FOC < 24 Hours
- Geographic Scope
 - State
 - Region

Data Retained

Relating to CLEC Experience

- Committed Due Date (DD)
- FOC End Timestamp
- Report Month
- CLEC Order Number and PON

Relating to BellSouth Performance

· Not Applicable



SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation

SQM Analog/Benchmark

- Resale Residence <= 5%
- Resale Business
- Resale Design
- Resale PBX
- Resale Centrex
- · Resale ISDN
- LNP (Standalone)
- INP (Standalone)
- 2W Analog Loop Design
- 2W Analog Loop Non-Design
- 2W Analog Loop Design with LNP
- 2W Analog Loop Non-Design with LNP
- 2W Analog Loop Design with INP
- 2W Analog Loop Non-Design with INP
- UNE Digital Loop < DS1
- UNE Digital Loop >= DS1
- UNE Loop + Port Combinations
 - Dispatch In
 - Switch Based
- UNE Switch Ports
- UNE Combo Other
- UNE xDSL (HDSL, ADSL and UCL)
- UNE ISDN (Includes UDC)
- UNE Line Sharing
- UNE Line Splitting
- Local Transport (Unbundled Interoffice Transport)
- Local Interconnection Trunks
- EELS

SEEM Measure

SEEM	Tier I	Tier I
No		

SEEM Disaggregation - Analog/Benchmark

SEEM Disaggregation

SEEM Analog/Benchmark



P-7: Coordinated Customer Conversions Interval

Definition

This report measures the average time it takes BellSouth to disconnect an unbundled loop from the BellSouth switch and cross connect it to CLEC equipment. This measurement applies to service orders with INP and LNP, and where the CLEC has requested BellSouth to provide a coordinated cutover.

Exclusions

- Any order canceled by the CLEC will be excluded from this measurement.
- Delays due to CLEC following disconnection of the unbundled loop
- Unbundled Loops where there is no existing subscriber loop and loops where coordination is not requested.

Business Rules

Where the service order includes LNP, the interval includes the total time for the cutover including the translation time to place the line back in service on the ported line. When the service order includes INP, the interval includes the total time for the cutover including the translation time to place the link back in service on the ported line. The interval is calculated for the entire cutover time for the service order and then divided by items worked in that time to give the average per-item interval for each service order.

Calculation

Coordinated Customer Conversions Interval = (a - b)

- a = Completion Date and Time for Cross Connection of a Coordinated Unbundled Loop
- b = Disconnection Date and Time of an Coordinated Unbundled Loop

Percent Coordinated Customer Conversions (for each interval) = (c / d) X 100

- c = Total number of Coordinated Customer Conversions for each interval
- d = Total Number of Unbundled Loop with Coordinated Conversions (items) for the reporting period

Report Structure

- · CLEC Specific
- CLEC Aggregate
- The interval breakout is 0.5 = 0 <=5, 5.15 = 55 <=15, >=15 = 15 and greater, plus Overall Average Interval
- Geographic Scope
 - State
 - Region

Data Retained

Relating to CLEC Experience

- Report Month
- CLEC Order Number
- Committed Due Date (DD)
- Service Type (CLASS_SVC_DESC)
- Cutover Start Time
- Cutover Completion time
- Portability Start and Completion Times (INP orders)
- Total Conversions (Items)

Note: Code in parentheses is the corresponding header found in the raw data file.



Relating to BellSouth Performance

• No BellSouth Analog Exists

SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation

SQM Analog/Benchmark

SEEM Measure

SEEM	Tier I	Tier II
Yes	X	X

SEEM Disaggregation - Analog/Benchmark

SEEM Disaggregation

SEEM Analog/Benchmark



P-7A: Coordinated Customer Conversions – Hot Cut Timeliness % within Interval and Average Interval

Definition

This category measures whether BellSouth begins the cutover of an unbundled loop on a coordinated and/or a time specific order at the CLEC requested start time. It measures the percentage of orders where the cut begins within 15 minutes of the requested start time of the order and the average interval.

Exclusions

- Any order canceled by the CLEC will be excluded from this measurement.
- Delays caused by the CLEC
- Unbundled Loops where there is no existing subscriber loop and loops where coordination is not requested.
- All unbundled loops on multiple loop orders after the first loop
- · Test Orders

Business Rules

This report measures whether BellSouth begins the cutover of an unbundled loop on a coordinated and/or a time specific order at the CLEC requested start time. The cut is considered on time if it starts 15 minutes before or after the requested start time. Using the scheduled time and the actual cutover start time, the measurement will calculate the percent within interval and the average interval. If a cut involves multiple lines, the cut will be considered "on time" if the first line is cut within the interval. <= 15 minutes includes intervals that began 15:00 minutes or less before the scheduled cut time and cuts that began 15 minutes or less after the scheduled cut time; >15 minutes, <= 30 minutes includes cuts within 15:00 – 30:00 minutes either prior to or after the scheduled cut time; >30 minutes includes cuts greater than 30:00 minutes either prior to or after the scheduled cut time. If IDLC is involved, a four hour window applies to the start time. (8 A.M. to Noon or 1 P.M. to 5 P.M.) This only applies if BellSouth notifies the CLEC by 10:30 A.M. on the day before the due date that the service is on IDLC.

Calculation

% within Interval = (a / b) X 100

- a = Total Number of Coordinated Unbundled Loop Orders for the interval
- b = Total Number of Coordinated Unbundled Loop Orders for the reporting period

Interval = (c - d)

- c = Scheduled Time for Cross Connection of a Coordinated Unbundled Loop Order
- d = Actual Start Date and Time of a Coordinated Unbundled Loop Order

Average Interval = (e / f)

- · Sum of all Intervals
- Total Number of Coordinated Unbundled Loop Orders for the reporting period.



Report Structure

- CLEC Specific
- CLEC Aggregate

Reported in intervals of early, on time and late cuts % <= 15 minutes; % >15 minutes, <= 30 minutes; % >30 minutes, plus Overall Average Interval

- Geographic Scope
 - State
 - Region
- Percentages are reported in intervals of early, on time and late cuts for IDLC and non-IDLC cuts

```
On Time (Non-IDLC)
```

<= 15 minutes

Note: This is a 30-minute bucket representing a cut that begins 15 minutes or less before or after the scheduled start time.

```
Early (Non-IDLC)
```

```
>15 minutes - <= 30 minutes
```

>30 minutes - <=60 minutes

>60 minutes - <= 120 minutes

>120 minutes - <= 180 minutes

>180 minutes - <= 240 minutes

<= 240 minutes

Late (Non-IDLC)

>15 minutes - <= 30 minutes

>30 minutes - <=60 minutes

>60 minutes - <= 120 minutes

>120 minutes - <= 180 minutes

>180 minutes - <= 240 minutes

>240 minutes

Overall Average Interval for non-IDLC

On Time (IDLC)

 ≤ 2 hours

Note: This is a 4-hour bucket representing a cut involving IDLC that begins 2 hours or less before or after the scheduled start time

Early (IDLC)

>2 hours

Late (IDLC)

>2 hours

Overall Average Interval for IDLC

Data Retained

Relating to CLEC Experience

- · Report Month
- CLEC Order Number (so_nbr)
- Committed Due Date (DD)
- Service Type (CLASS_SVC_DESC)
- Cutover Scheduled Start Time
- Cutover Actual Start Time
- **Total Conversions Orders**

Note: Code in parentheses is the corresponding header found in the raw data file.



Relating to BellSouth Performance

• No BellSouth Analog exists

SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation

SQM Analog/Benchmark

- - SL1 Time Specific
 - SL1 Non-Time Specific
 - SL2 Time Specific
 - SL2 Non-Time Specific

 - SL2 IDLC

SEEM Measure

SEEM	Tier I	Tier II
Yes	X	X

SEEM Disaggregation - Analog/Benchmark

SEEM Disaggregation

SEEM Analog/Benchmark

- SL1 IDLC
- SL1 Non-Time Specific
- SL2 Time Specific
- SL2 IDLC



P-7B: Coordinated Customer Conversions – Average Recovery Time

Definition

Measures the time between notification and resolution by BellSouth of a service outage found that can be isolated to the BellSouth side of the network. The time between notification and resolution by BellSouth must be measured to ensure that CLEC customers do not experience unjustifiable lengthy service outages during a Coordinated Customer Conversion. This report measures outages associated with Coordinated Customer Conversions prior to service order completion.

Exclusions

- · Cutovers where service outages are due to CLEC caused reasons when the CLEC agrees
- · Cutovers where service outages are due to end-user caused reasons when the CLEC agrees
- · Test Orders

Business Rules

Measures the outage duration time related to Coordinated Customer Conversions from the initial trouble notification until the trouble has been restored and the CLEC has been notified. The duration time is defined as the time from the initial trouble notification until the trouble has been restored and the CLEC has been notified. The interval is calculated on the total outage time for the circuits divided by the total number of outages restored during the report period to give the average outage duration.

Calculation

Recovery Time = (a - b)

- a = Date and Time That Trouble is Closed by CLEC
- b = Date and Time Initial Trouble is Opened with BellSouth

Average Recovery Time = (c / d)

- c = Sum of all the Recovery Times per circuit
- d = Number of Troubles per circuit Referred to BellSouth

Report Structure

- · CLEC Specific
- CLEC Aggregate
- Geographic Scope
 - State
 - Region

Data Retained

Relating to CLEC Experience

- Report Month
- CLEC Company Name
- CLEC Order Number (so_nbr)
- Committed Due Date (DD)
- Service Type (CLASS_SVC_DESC)
- CLEC Acceptance Conflict (CLEC_CONFLICT)
- CLEC Conflict Resolved (CLEC_CON_RES)
- CLEC Conflict MFC (CLEC_CONFLICT_MFC)



• Total Conversion Orders

Note: Code in parentheses is the corresponding header found in the raw data file.

Relating to BellSouth Performance

• None

SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation

SQM Analog/Benchmark

- Unbundled Loops with INP<= 5 Hours
- Unbundled Loops with LNP.....<= 5 Hours

SEEM Measure

SEEM	Tier I	Tier II
No		

SEEM Disaggregation - Analog/Benchmark

SEEM Disaggregation

SEEM Analog/Benchmark



P-7C: Hot Cut Conversions - % Provisioning Troubles Received within 7 Days of a Completed Service Order

Definition

The Percent Provisioning Troubles received within 7 days of a completed service order associated with a Hot Cut Conversion (CCC) measures the quality and accuracy of Coordinated Customer Conversion Activities.

Exclusions

- · Any order cancelled by the CLEC
- Troubles caused by Customer Provided Equipment
- Test Orders

Business Rules

Measures the quality and accuracy of completed service orders associated with Coordinated and Non-coordinated Customer Conversions. The first trouble report received on a circuit ID within 7 days following a service order completion is counted in this measure. Subsequent trouble reports are measured in Repeat Report Rate. Reports are calculated searching in the prior report period for completed Coordinated Customer Conversion service orders and following 7 days after the completion of the service order for a trouble report issue date.

Calculation

% Provisioning Troubles within 7 days of service order completion = (a / b) X 100

- a = The sum of all CCC Circuits with a trouble within 7 days following service order(s) completion
- b = The total number of CCC service order circuits completed in the previous report calendar month

Report Structure

- · CLEC Specific
- CLEC Aggregate
- Dispatch/Non-Dispatch
- Geographic Scope
 - State
 - Region

Data Retained

Relating to CLEC Experience

- Report Month
- CLEC Order Number (so_nbr)
- PON
- Order Submission Date (TICKET_ID)
- Order Submission Time (TICKET_ID)
- Status Type
- Status Notice Date
- Standard Order Activity
- Geographic Scope
- Total Conversion Circuits

Note: Code in parentheses is the corresponding header found in the raw data file.



Relating to BellSouth Performance

• No BellSouth Analog exists

SQM Disaggregation - Analog/Benchmark

SEEM Disaggregation - Analog/Benchmark

Yes X X



P-8: Cooperative Acceptance Testing - % of xDSL Loops Successfully Passing Cooperative Testing

Definition

A loop will be considered successfully cooperatively tested when both the CLEC and BellSouth representatives agree that the loop meets the technical specifications set forth in TR 73600.

Exclusions

- Testing failures due to CLEC (incorrect contact number, CLEC not ready, etc.)
- xDSL lines with no request for cooperative testing
- · Test Orders

Business Rules

When a BellSouth technician finishes delivering an order for an xDSL loop where the CLEC order calls for cooperative testing at the customer's premise, the BellSouth technician is to call a toll free number to the CLEC testing center. The BellSouth technician and the CLEC representative at the center then test the line. As an example of the type of testing performed, the testing center may ask the technician to put a short on the line so that the center can run a test to see if it can identify the short. CLEC caused failures will be captured in the raw data files.

Calculation

Cooperative Acceptance Testing - % of xDSL Loops Successfully Tested = (a / b) X 100

- a = Total number of successful xDSL cooperative tests for xDSL lines where cooperative testing was requested in the reporting period
- b = Total Number of xDSL line tests requested by the CLEC and scheduled in the reporting period

Report Structure

- CLEC Specific
- CLEC Aggregate
- Type of Loop Tested
- Geographic Scope
 - State
 - Region

Data Retained

Relating to CLEC Experience

- Report Month
- CLEC Company Name (OCN)
- CLEC Order Number (so_nbr) and PON (PON)
- Committed Due Date (DD)
- Service Type (CLASS_SVC_DESC)
- Acceptance Testing Completed (ACCEPT_TESTING)
- Acceptance Testing Declined (ACCEPT_TESTING)
- Total xDSL Orders
- Missed Appointments Code (SO_MISSED_CMMT_CD)

Note: Code in parentheses is the corresponding header found in the raw data file.



Relating to BellSouth Performance

• No BellSouth Analog Exists

SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation

SQM Analog/Benchmark

- UNE xDSL 95% of Lines Successfully Tested
 - ADSL
 - HDSL
 - UCL
 - OTHER

SEEM Measure

 SEEM
 Tier I
 Tier II

 Yes
 X
 X

SEEM Disaggregation - Analog/Benchmark

SEEM Disaggregation

SEEM Analog/Benchmark

• UNE xDSL 95% of Lines Successfully Tested

- ADSL
- HDSL
- UCL
- Other



P-9: % Provisioning Troubles within 30 Days of Service Order Completion

Definition

Percent Provisioning Troubles within 30 days of Service Order Completion measures the quality and accuracy of Service order activities.

Exclusions

- · Cancelled Service Orders
- Order Activities of BellSouth or the CLEC associated with internal or administrative use of local services (Record Orders, Listing Orders, Test Orders, etc.) Test order types may be C, N, R, or T.
- D & F orders
- Trouble reports caused and closed out to Customer Provided Equipment (CPE)

Business Rules

Measures the quality and accuracy of completed orders. The first trouble report received after service order completion is counted in this measure. Subsequent trouble reports are measured in Repeat Report Rate. Reports are calculated searching in the prior report period for completed service orders and following 30 days after completion of the service order for a trouble report issue date.

D & F orders are excluded as there is no subsequent activity following a disconnect.

Note: Standalone LNP historical data is not available in the maintenance systems (LMOS or WFA).

Calculation

% Provisioning Troubles within 30 days of Service Order Activity = (a / b) X 100

- a = Trouble reports on all completed orders within 30 days following service order(s) completion
- b = All Service Orders completed in the previous report calendar month

Report Structure

- · CLEC Specific
- · CLEC Aggregate
- BellSouth Aggregate
- Reported in categories of <10 line/circuits; >= 10 line/circuits (except trunks)
- Dispatch /Non-Dispatch (except trunks)
- Geographic Scope
 - State
 - Region

Data Retained

Relating to CLEC Experience

- Report Month
- CLEC Order Number and PON
- Order Submission Date (TICKET_ID)
- Order Submission Time (TICKET_ID)
- · Status Type
- Status Notice Date



- Standard Order Activity
- Geographic Scope

Note: Code in parentheses is the corresponding header found in the raw data file.

Relating to BellSouth Performance

- Report Month
- BellSouth Order Number
- Order Submission Date
- Order Submission Time
- Status Type
- Status Notice Date
- Standard Order Activity
- Geographic Scope

SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation	SQM Analog/Benchmark
Resale Residence	Retail Residence
Resale Business	Retail Business
Resale Design	Retail Design
Resale PBX	Retail PBX
Resale Centrex	Retail Centrex
Resale ISDN	Retail ISDN
LNP (Standalone)	Retail Residence and Business (POTS)
INP (Standalone)	Retail Residence and Business (POTS)
2W Analog Loop Design	Retail Residence and Business Dispatch
2W Analog Loop Non-Design	Retail Residence and Business - (POTS Excluding
	Switch-Based Orders)
2W Analog Loop with LNP Design	Retail Residence and Business Dispatch
2W Analog Loop with LNP Non-Design	
	Switch-Based Orders)
2W Analog Loop with INP Design	Retail Residence and Business Dispatch
2W Analog Loop with INP Non-Design	Retail Residence and Business (POTS - Excluding
	Switch-Based Orders)
UNE Digital Loop < DS1	Retail Digital Loop < DS1
• UNE Digital Loop >= DS1	Retail Digital Loop >= DS1
UNE xDSL (HDSL, ADSL and UCL)	
UNE ISDN (Includes UDC)	Retail ISDN BRI
UNE Line Sharing	ADSL Provided to Retail
UNE Loop + Port Combinations	
- Dispatch In	
- Switch-Based	
UNE Switch Ports	` ,
UNE Combo Other	
	(Including Dispatch Out and Dispatch In)
Local Transport (Unbundled Interoffice Transport)	
UNE Other Non-Design	
UNE Other Design	
Local Interconnection Trunks	
UNE Line Splitting	
• EELs	Retail DS1/DS3

(a) BELLSOUTH[®]

SEEM Measure

 SEEM
 Tier I
 Tier II

 Yes
 X
 X

SEEM Disaggregation - Analog/Benchmark

SEEM Disaggregation	SEEM Analog/Benchmark
Resale Residence	Retail Residence
Resale Business	Retail Business
Resale Design	Retail Design
Resale PBX	Retail PBX
Resale Centrex	Retail Centrex
Resale ISDN	Retail ISDN
LNP (Standalone)	Retail Residence and Business (POTS)
INP (Standalone)	Retail Residence and Business (POTS)
2W Analog Loop Design	Retail Residence and Business Dispatch
2W Analog Loop Non-Design	Retail Residence and Business - (POTS Excluding
	Switch-Based Orders)
2W Analog Loop with LNP Design	
2W Analog Loop with LNP Non-Design	Retail Residence and Business - (POTS Excluding
	Switch-Based Orders)
2W Analog Loop with INP Design	Retail Residence and Business Dispatch
2W Analog Loop with INP Non-Design	Retail Residence and Business (POTS - Excluding
	Switch-Based Orders)
• UNE Digital Loop < DS1	Retail Digital Loop < DS1
• UNE Digital Loop >= DS1	Retail Digital Loop >= DS1
UNE Loop + Port Combinations	Retail Residence and Business
- Dispatch In	Dispatch In
- Switch-Based	
• UNE Switch Ports	,
UNE Combo Other	
	(Including Dispatch Out and Dispatch In)
UNE xDSL (HDSL, ADSL and UCL)	
UNE ISDN (Includes UDC)	
UNE Line Sharing	
Local Transport (Unbundled Interoffice Transport)	
Local Interconnection Trunks	
UNE Line Splitting	
UNE Other Non-Design	
• UNE Other Design	C
• EELs	Retail DS1/DS3



P-10: Total Service Order Cycle Time (TSOCT) (Deleted)



P-11: Service Order Accuracy

Definition

The "service order accuracy" measurement measures the accuracy and completeness of BellSouth service orders by comparing what was ordered and what was completed.

Exclusions

- Canceled Service Orders
- Order Activities of BellSouth or the CLEC associated with internal or administrative use of local services (Record Orders, Listing Orders, Test Orders, etc.)
- D & F orders

Business Rules

A statistically valid sample of service orders, completed during a monthly reporting period, is compared to the original account profile and the order that the CLEC sent to BellSouth. An order is "completed without error" if all service attributes and account detail changes (as determined by comparing the original order) completely and accurately reflect the activity specified on the original order and any supplemental CLEC order. For both small and large sample sizes, when a Service Request cannot be matched with a corresponding Service Order, it will not be counted. For small sample sizes an effort will be made to replace the service request.

Service Order Accuracy Sampling Process: A list of all orders completed in the report month is generated. The orders are then listed by the disaggregations specified in the SQM. For each disaggregation, the quantity of completed orders and the error rate for each disaggregation from the previous month are entered into a "Stratified Random Sampling for Proportions" formula. This formula determines the number of orders that are to be reviewed for each disaggregation. Once the sample size for each disaggregation is determined, the specified quantity of orders for each disaggregation are pulled for review.

Calculation

Percent Service Order Accuracy = (a / b) X 100

- a = Orders Completed without Error
- b = Orders Completed in Reporting Period

Report Structure

- · CLEC Aggregate
- Reported in categories of <10 line/circuits; >= 10 line/circuits
- Dispatch/Non-Dispatch

Data Retained

Relating to CLEC Experience

- Report Month
- CLEC Order Number and PON
- Local Service Request (LSR)
- Order Submission Date
- Committed Due Date
- Service Type
- Standard Order Activity



Relating to BellSouth Performance

• No BellSouth Analog Exist

SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation

SQM Analog/Benchmark

- · Resale Business
- Resale Design (Specials)
- UNE Specials (Design)
- UNE (Non-Design)
- Local Interconnection Trunks

SEEM Measure

SEEM	Tier I	Tier II
Yes		X

SEEM Disaggregation - Analog/Benchmark

SEEM Disaggregation

SEEM Analog/Benchmark

•	Resale	95%
•	UNE	95%
•	UNE-P	95%

Note: This measure to be replaced when P-11A is implemented.



<u>Note</u>: This measure becomes effective with September 2003 service orders. The Service Order Accuracy measure as defined in the previous SQM will be effective prior to that time.

P-11A: Service Order Accuracy

Definition

The Service Order Accuracy measurement measures the accuracy and completeness of CLEC requests for service by comparing the CLEC Local Service Request (LSR) to the completed service order after provisioning has been completed. Only electronically submitted LSRs that require manual handling by a BellSouth service representative in the LCSC are measured.

Exclusions

- · Canceled Service Orders
- Order Activities of BellSouth or the CLEC associated with internal or administrative use of local services (Record Orders, Listing Orders, orders using test OCNs, which may be coded C, N, R or T etc.)
- Disconnect Orders
- CLEC LSRs submitted manually (FAX or Courier)
- CLEC LSRs submitted electronically that are not manually handled by BellSouth (Flow Through)

Business Rules

Only CLEC LSRs submitted electronically that fall out of the electronic system for manual processing (partially mechanized) by a BellSouth representative and the resulting service orders are selected for this measure. The CLEC requested services on the LSR are compared to the completed service order using the CLEC-Affecting Service Attributes shown below.

Selected CLEC-Affecting Service Attributes

The BellSouth Local Service Request (LSR) fields identified below will be used, as applicable, for this Service Order Accuracy review process.

BellSouth LSR Fields

The fields listed below would only be captured as a miss when they are service affecting. For the purpose of the Service Order Accuracy measure, if any of the fields listed below are populated on the LSR and do not match the corresponding field on the Service Order, but this mismatch does not affect the correct provisioning of the Service Order, the field is not considered to be service affecting and therefore will not be included as a miss in this measure. An example would be LCSC/System workarounds, which will be identified in a document posted on the Interconnection website. CLECs may discuss any of the posted LCSC/System Workarounds during the regular PMAP notification calls.

- · Company Code
- PON
- Billed Telephone Number
- Telephone Number
- Ported Telephone Number
- Circuit ID
- PIC
- LPIC
- Directory Listing
 - Directory Delivery Address
 - Listing Activity
 - Alphanumeric Listing Identifier Code
 - Record Type



- Listing Type
- Listed Telephone Number
- Listed Name, Last Name
- Listed Name, First Name
- Address Indicator
- Listed Address House Number
- Listed Address House Number Suffix
- Listed Address Street Directional
- Listed Address Street Name
- Listed Address Thoroughfare
- Listed Address Street Suffix
- Listed Address Locality
- Yellow Pages Heading
- Features
 - Feature Activity
 - Feature Codes
 - Feature Detail*
- Hunting
 - Hunt Group Activity
 - Hunt Group Identifier
 - Telephone Number Identifier
 - Hunt Type Code
 - Hunt Line Activity
 - Hunting Sequence
 - Number Type
 - Hunting Telephone Number
- E911 Listing
 - Service Address House Number
 - Service Address House Number Suffix
 - Service Address Street Directional
 - Service Address Street Name
 - Service Address Thoroughfare
 - Service Address Street Suffix
 - Service Address Descriptive Location
- EATN
- ATN
- APOT
- CFA
- NC
- NCI

Calculation

Percent Service Order Accuracy = (a / b) X 100

- a = Applicable Orders Completed without Error
- b = Applicable Orders Completed in Reporting Period

Report Structure

- CLEC Specific
- CLEC Aggregate
- Geographic Scope
 - Region

^{*} Feature Detail will only be checked for the following USOCs: GCE, GCJ, CREX4, GCJRC, GCZ, DRS, VMSAX, S98VM, S98AF, SMBBX, MBBRX. USOCs and FIDs for Feature Detail will be posted on the Interconnection Website. Any changes to the USOCs and FIDs required to continue checking the identical service will be updated on this Website.



Data Retained

Relating to CLEC Experience

- · Report Month
- CLEC Order Number (PON)
- Local Service Request (LSR) Number
- BellSouth Service Order Number
- BellSouth Service Order Completion Date
- Service Type (Resale, UNE, UNE-P)
- Standard Order Activity

Relating to BellSouth Performance

• No BellSouth Analog Exists

SQM Disaggregation – Analog/Benchmark

SQM Level of Disaggregation

SQM Analog/Benchmark

•	Resale	95% Accurate
•	UNE	95% Accurate
•	UNE-P	95% Accurate

SEEM Measure

SEEM	Tier I	Tier II	Tier III
Yes	X	X	

SEEM Disaggregation - Analog/Benchmark

SEEM Disaggregation

SEEM Analog/Benchmark

•	Resale	95%	Accurate
•	UNE	95%	Accurate
•	UNE-P	95%	Accurate



P-12: LNP-Average Disconnect Timeliness Interval & Disconnect Timeliness Interval Distribution

(Deleted)



P-13B: LNP - Percent Out of Service < 60 Minutes

Definition

The Number of LNP related conversions where the time required to facilitate the activation of the port in BellSouth's network is less than 60 minutes, expressed as a percentage of total number of activations that took place.

Exclusions

- · CLEC-caused errors
- · NPAC caused errors unless caused by BellSouth
- Standalone LNP orders with more than 500 number activations

Business Rules

The Start time is the Receipt of the NPAC broadcast activation message in BellSouth's LSMS. The End time is when the Provisioning event is successfully completed in BellSouth's network as reflected in BellSouth's LSMS. Count the number of activations that took place in less than 60 minutes.

Calculation

Percent Out of Service < 60 Minutes = $(a/b) \times 100$

- a = Number of activations provisioned in less than 60 minutes
- b = Total LNP activations

Report Structure

- · CLEC Specific
- CLEC Aggregate
- · Geographic Scope
 - State
 - Region

Data Retained

Relating to CLEC Experience

- Order Number
- Telephone Number/Circuit Number
- Committed Due Date
- Date/Time of Recent Change Notice

Relating to BellSouth Performance

- SOCS Completion Date and Time Stamp
- CLEC Activate Message

SQM Disaggregation – Analog/Benchmark

SQM Level of Disaggregation

SQM Analog/Benchmark

P-13B: LNP - Percent Out of Service < 60 Minutes

SEEM Measure

SEEM Tier II Tier III Tier I Yes X X

SEEM Disaggregation - Analog/Benchmark

SEEM Disaggregation SEEM Analog/Benchmark



P-13C: LNP – Percentage of Time BellSouth Applies the 10-Digit Trigger Prior to the LNP Order Due Date

Definition

Percentage of time BellSouth applies 10-digit trigger for LNP TNs prior to the due date.

Exclusions

Excludes CLEC or Customer caused misses or delays.

Business Rules

Obtain number of LNP TNs where the 10-digit trigger was applicable prior to due date, and the total number of LNP TNs where the 10-digit trigger was applicable.

Calculation

Percentage of 10-Digit Applications = $(a/b) \times 100$

- a = Count of LNP TNs for which 10-digit trigger was applied prior to due date
- b = Total LNP TNs for which 10-digit triggers were applicable

Report Structure

- CLEC Specific
- CLEC Aggregate
- Geographic Scope
 - State
 - Region

Data Retained

Relating to CLEC Experience

- Order Number
- Telephone Number/Circuit Number
- Committed Due Date
- Date/Time of Recent Change Notice

Relating to BellSouth Performance

- SOCS Completion Date and Time Stamp
- CLEC Activate Message

SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation

SQM Analog/Benchmark

• LNP (Standalone) Benchmark: 95%



SEEM Measure

 SEEM
 Tier I
 Tier II

 Yes
 X
 X

SEEM Disaggregation SEEM Analog/Benchmark



P-13D: LNP - Average Disconnect Timeliness Interval (Non-Trigger)

Definition

Disconnect Timeliness is defined as the interval between the time ESI Number Manager receives the valid 'Number Ported' message from NPAC (signifying the CLEC 'Activate') until the time the Disconnect is completed in the Central Office switch. This interval effectively measures BellSouth responsiveness by isolating it from impacts that are caused by CLEC related activities.

Exclusions

- · Canceled Service Orders
- Order Activities of BellSouth or the CLEC associated with internal or administrative use of local services (Record Orders, Listing Orders, Test Orders, etc.) where identifiable. Order types may be C, N, R, or T.
- CLEC-caused errors
- NPAC-caused errors, unless caused by BellSouth
- Incomplete Ports where only a subset of activate messages have been received compared with the LSR and create messages.
- Orders which are candidates for 10 digit triggers, except those that did not receive 10 digit triggers prior to the port out date.
- LSRs where the CLEC did not contact BST within 30 minutes after Activate Message.

Business Rules

The Disconnect Timeliness interval is determined for each telephone number ported associated with a disconnect service order processed on an LSR during the reporting period. The Disconnect Timeliness interval is the elapsed time from when BellSouth receives a valid 'Number Ported' message in ESI Number Manager (signifying the CLEC 'Activate') for each telephone number ported until each number on the service order is disconnected in the Central Office switch. Elapsed time for each ported number is accumulated for each reporting dimension. The accumulated time for each reporting dimension is then divided by the total number of selected telephone numbers disconnected in the reporting period. Non-Business hours will be excluded from the duration calculation for unscheduled after hours LNP ports. This will yield a benchmark equivalent to by 12:00 noon the next business day thus, keeping the benchmark at 4 hours.

Calculation

Disconnect Timeliness Interval = (a - b)

- a = Completion Date and Time in Central Office switch for each number on disconnect order
- b = Valid 'Number Ported' message received date and time

Average Disconnect Timeliness Interval = (c / d)

- c = Sum of all Disconnect Timeliness Intervals
- d = Total Number of disconnected numbers completed in reporting period

Report Structure

- CLEC Specific
- CLEC Aggregate
- · Geographic Scope
 - State
 - Region

P-13D: LNP - Average Disconnect Timeliness Interval (Non-Trigger)

Data Retained

Relating to CLEC Experience

- Order Number
- Telephone Number/Circuit Number
- Committed Due Date
- Receipt Date/Time (ESI Number Manager)
- Date/Time of Recent Change Notice

Relating to BellSouth Performance

- SOCS Completion Date and Time Stamp
- CLEC Activate Message

SQM Disaggregation – Analog/Benchmark

SQM Level of Disaggregation

SQM Analog/Benchmark

- LNP (Normal Working Hours and Approved After Hours)........95% < = 4 Hours

SEEM Measure

SEEM	Tier I	Tier II
Yes	X	X

SEEM Disaggregation - Analog/Benchmark

- LNP (Normal Working Hours and Approved After Hours)........95% < = 4 Hours



Section 4: Maintenance & Repair

M&R-1: Missed Repair Appointments

Definition

The percent of customer trouble reports not cleared by the committed date and time.

Exclusions

- Trouble tickets canceled at the CLEC request
- BellSouth trouble reports associated with internal or administrative service
- Customer Provided Equipment (CPE) troubles or CLEC Equipment Trouble

Business Rules

The negotiated commitment date and time is established when the repair report is received. The cleared time is the date and time that BellSouth personnel clear the trouble and closes the trouble report in his/her Computer Access Terminal (CAT) or workstation. If this is after the Commitment time, the report is flagged as a "Missed Commitment" or a missed repair appointment. When the data for this measure is collected for BellSouth and a CLEC, it can be used to compare the percentage of the time repair appointments are missed due to BellSouth reasons. (No access reports are not part of this measure because they are not a missed appointment.)

Note: Appointment intervals vary with force availability in the POTS environment. Specials and Trunk intervals are standard interval appointments of no greater than 24 hours. Standalone LNP historical data is not available in the maintenance systems (LMOS or WFA).

Calculation

Percentage of Missed Repair Appointments = (a / b) X 100

- a = Count of Customer Troubles Not Cleared by the Quoted Commitment Date and Time
- b = Total Customer Trouble reports closed in Reporting Period

Report Structure

- Dispatch/Non-Dispatch
- CLEC Specific
- CLEC Aggregate
- BellSouth Aggregate
- Geographic Scope
 - State
 - Region



Data Retained

Relating to CLEC Experience

- · Report Month
- CLEC Company Name
- Submission Date and Time (TICKET_ID)
- Completion Date (CMPLTN_DT)
- Service Type (CLASS_SVC_DESC)
- Disposition and Cause (CAUSE_CD & CAUSE_DESC)

Note: Code in parentheses is the corresponding header found in the raw data file.

Relating to BellSouth Performance

- · Report Month
- BellSouth Company Code
- Submission Date and Time
- Completion Date
- Service Type
- Disposition and Cause (Non-Design /Non-Special Only)
- Trouble Code (Design and Trunking Services)

SQM Disaggregation - Analog/Benchmark

QM Level of Disaggregation	SQM Analog/Benchmark
Resale Residence	Retail Residence
Resale Business	Retail Business
Resale Design	Retail Design
Resale PBX	Retail PBX
Resale Centrex	Retail Centrex
Resale ISDN	Retail ISDN
2W Analog Loop Design	Retail Residence & Business Dispatch
2W Analog Loop Non – Design	Retail Residence & Business (POTS) (Exclusion of
	Switch-based feature troubles)
UNE Digital Loop < DS1	Retail Digital Loop < DS1
• UNE Digital Loop >= DS1	Retail Digital Loop >= DS1
UNE Loop + Port Combinations	Retail Residence and Business
UNE Switch ports	Retail Residence and Business (POTS)
UNE Combo Other	Retail Residence, Business and Design Dispatch
UNE xDSL (HDSL, ADSL and UCL)	
UNE ISDN	Retail ISDN – BRI
UNE Line Sharing	ADSL provided to Retail
UNE Other Design	Retail Design
UNE Other Non-Design	Retail Residence and Business
Local Interconnection Trunks	Parity with Retail
 Local Transport (Unbundled Interoffice Transport) 	Retail DS1/DS3 Interoffice

SEEM Measure

SEEM	Tier I	Tier II
Yes	X	X



SEEM Disaggregation - Analog/Benchmark

SEEM Disaggregation SEEM Analog/Benchmark Resale PBX Retail PBX Resale Centrex Retail Centrex Switch-based feature troubles) UNE ISDN Retail ISDN – BRI Local Transport (Unbundled Interoffice Transport)......Retail DS1/DS3 Interoffice



M&R-2: Customer Trouble Report Rate

Definition

Initial and repeated customer direct or referred customer troubles reported within a calendar month per 100 lines/circuits in service.

Exclusions

- Trouble tickets canceled at the CLEC request.
- BellSouth trouble reports associated with internal or administrative service.
- Customer Provided Equipment (CPE) troubles or CLEC Equipment Trouble.

Business Rules

Customer Trouble Report Rate is computed by accumulating the number of maintenance initial and repeated trouble reports during the reporting period. The resulting number of trouble reports are divided by the total "number of service" lines, ports or combination that exist for the CLECs and BellSouth respectively at the end of the report month.

Calculation

Customer Trouble Report Rate = (a / b) X 100

- a = Count of Initial and Repeated Customer Trouble Reports closed in the Current Period
- b = Number of Service Access Lines in service at End of the Report Period

Report Structure

- · CLEC Specific
- CLEC Aggregate
- BellSouth Aggregate
- Dispatch/Non-Dispatch
- Geographic Scope
 - State
 - Region

Data Retained

Relating to CLEC Experience

- · Report Month
- CLEC Company Name
- Ticket Submission Date and Time (TICKET_ID)
- Ticket Completion Date (CMPLTN_DT)
- Service Type (CLASS_SVC_DESC)
- Disposition and Cause (CAUSE_CD & CAUSE_DESC)
- # Service Access Lines in Service at the end of period

Note: Code in parentheses is the corresponding header found in the raw data file.



Relating to BellSouth Performance

- · Report Month
- BellSouth Company Code
- Ticket Submission Date and Time
- Ticket Completion Date
- Service Type
- Disposition and Cause (Non-Design /Non-Special Only)
- Trouble Code (Design and Trunking Services)
- # Service Access Lines in Service at the end of period

SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation SQM Analog/Benchmark Resale Centrex Retail Centrex Switch-based feature troubles) UNE Other Design Retail Design

SEEM Measure

SEEM	Tier I	Tier II
Yes	X	X

SEEM Disaggregation - Analog/Benchmark

SEEM Disaggregation	SEEM Analog/Benchmark
Resale Residence	Retail Residence
Resale Business	Retail Business
Resale Design	Retail Design
Resale PBX	
Resale Centrex	Retail Centrex
Resale ISDN	Retail ISDN
2W Analog Loop Design	Retail Residence and Business Dispatch
	Switch-based feature troubles)
• UNE Digital Loop < DS1	Retail Digital Loop < DS1
UNE Digital Loop > DS1	Retail Digital Loop >= DS1
UNE Loop + Port Combinations	
UNE Switch Ports	Retail Residence and Business (POTS)
UNE Combo Other	Retail Residence, Business and Design Dispatch



•	UNE xDSL (HDSL, ADSL and UCL)	. ADSL Provided to Retail
•	UNE ISDN	. Retail ISDN – BRI
•	UNE Line Sharing	. ADSL Provided to Retail
•	UNE Other Design	. Retail Design
	UNE Other Non-Design	
	Local Transport (Unbundled Interoffice Transport)	
	Local Interconnection Trunks	

M&R-3: Maintenance Average Duration

Definition

The Average duration of Customer Trouble Reports from the receipt of the Customer Trouble Report to the time the trouble report is cleared.

Exclusions

- · Trouble tickets canceled at the CLEC request.
- BellSouth trouble reports associated with internal or administrative service.
- Customer Provided Equipment (CPE) troubles or CLEC Equipment Trouble.

Business Rules

For Average Duration the clock starts on the date and time of the receipt of the correct report information, i.e. correct telephone number, correct circuit identification, trouble description, etc. for the repair request. The clock stops on the date and time the service is restored and the BellSouth or CLEC customer is notified (when the technician completes the trouble ticket on his/her CAT or work systems).

Calculation

Maintenance Duration = (a - b)

- a = Date and Time of Service Restoration
- b = Date and Time Customer Trouble Ticket was Opened

Average Maintenance Duration = (c / d)

- c = Total of all maintenance durations in the reporting period
- d = Total Closed Customer Troubles in the reporting period

Report Structure

- Dispatch/Non-Dispatch
- **CLEC Specific**
- CLEC Aggregate
- BellSouth Aggregate
- Geographic Scope
 - State
 - Region

Data Retained

Relating to CLEC Experience

- Report Month
- Total Tickets (LINE NBR)
- CLEC Company Name
- Ticket Submission Date and Time (TICKET_ID)
- Ticket Completion Date (CMPLTN_DT)
- Service Type (CLASS_SVC_DESC)
- Disposition and Cause (CAUSE_CD & CAUSE_DESC)

Note: Code in parentheses is the corresponding header found in the raw data file.



Relating to BellSouth Performance

- · Report Month
- Total Tickets
- BellSouth Company Code
- Ticket Submission Date
- Ticket Submission Time
- Ticket Completion Date
- Ticket Completion Time
- Total Duration Time
- Service Type
- Disposition and Cause (Non-Design/Non-Special Only)
- Trouble Code (Design and Trunking Services)

SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation	SQM Analog/Benchmark
Resale Residence	Retail Residence
Resale Business	Retail Business
Resale Design	Retail Design
Resale PBX	Retail PBX
Resale Centrex	Retail Centrex
Resale ISDN	Retail ISDN
2W Analog Loop Design	
2W Analog Loop Non – Design	Retail Residence and Business (POTS) (Exclusion of
	Switch-based feature troubles)
UNE Digital Loop < DS1	Retail Digital Loop < DS1
• UNE Digital Loop >= DS1	Retail Digital Loop >= DS1
UNE Loop + Port Combinations	Retail Residence and Business
UNE Switch ports	
UNE Combo Other	Retail Residence, Business & Design Dispatch
UNE xDSL (HDSL, ADSL and UCL)	ADSL Provided to Retail
UNE ISDN	
UNE Line Sharing	ADSL Provided to Retail
UNE Other Design	Retail Design
UNE Other Non-Design	Retail Residence and Business
Local Transport (Unbundled Interoffice Transport)	
Local Interconnection Trunks	Parity with Retail

SEEM Measure

SEEM	Tier I	Tier II
Yes	X	X

SEEM Disaggregation - Analog/Benchmark

SEEM Disaggregation	SEEM Analog/Benchmark
Resale Residence	Retail Residence
Resale Business	Retail Business
Resale Design	Retail Design
Resale PBX	Retail PBX
Resale Centrex	Retail Centrex
Resale ISDN	Retail ISDN
2W Analog Loop Design	Retail Residence and Business Dispatch
• 2W Analog Loop Non – Design	
	Switch-based feature troubles)
 UNE Digital Loop < DS1 	Retail Digital Loop < DS1



•	UNE Digital Loop >= DS1	Retail Digital Loop >= DS1
	UNE Loop + Port Combinations	
•	UNE Switch ports	Retail Residence and Business (POTS)
•	UNE Combo Other	Retail Residence, Business and Design Dispatch
•	UNE xDSL (HDSL, ADSL and UCL)	ADSL Provided to Retail
•	UNE ISDN	Retail ISDN – BRI
•	UNE Line Sharing	ADSL Provided to Retail
•	UNE Other Design	Retail Design
•	UNE Other Non-Design	Retail Residence and Business
•	Local Transport (Unbundled Interoffice Transport)	Retail DS1/DS3 Interoffice
•	Local Interconnection Trunks	Parity with Retail



M&R-4: Percent Repeat Troubles within 30 Days

Definition

Percent Customer Repeat Troubles within 30 Days measures the percent of customer troubles, during the current reporting period, that had at least one prior trouble ticket on the same line/circuit, anytime in the proceeding 30 calendar days from the receipt of the current trouble report.

Exclusions

- Trouble tickets canceled at the CLEC request.
- BellSouth trouble reports associated with internal or administrative service.
- Customer Provided Equipment (CPE) troubles or CLEC Equipment Trouble.

Business Rules

This measure includes Customer trouble reports on the same line/circuit, received within 30 days of an original Customer trouble report, using the 'cleared date' of the first trouble and the 'received date' of the next trouble.

Calculation

Percent Repeat Customer Troubles within 30 Days = (a / b) X 100

- a = Count of Customer Troubles using the 'received date' where more than one trouble report was logged for the same service line/circuit, within a continuous 30 days
- b = Count of Total Customer Trouble Reports using the 'cleared date', in the Reporting Period

Report Structure

- Dispatch/Non-Dispatch
- CLEC Specific
- CLEC Aggregate
- BellSouth Aggregate
- Geographic Scope
 - State
 - Region

Data Retained

Relating to CLEC Experience

- Report Month
- Total Tickets (LINE_NBR)
- CLEC Company Name
- Ticket Submission Date and Time (TICKET_ID)
- Ticket Completion Date (CMPLTN_DT)
- Total and Percent Repeat Customer Trouble Reports within 30 Days (TOT_REPEAT)
- Service Type
- Disposition and Cause (CAUSE_CD & CAUSE_DESC)

Note: Code in parentheses is the corresponding header found in the raw data file.

Relating to BellSouth Performance

· Report Month



- Total Tickets
- BellSouth Company Code
- Ticket Submission Date
- Ticket Submission Time
- Ticket Completion Date
- Ticket Completion Time
- Total and Percent Repeat Customer Trouble Reports within 30 Days
- Service Type
- Disposition and Cause (Non-Design /Non-Special Only)
- Trouble Code (Design and Trunking Services)

SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation SQM Analog/Benchmark Resale PBX Retail PBX Resale Centrex Retail Centrex Switch-based feature troubles) UNE Other Design Retail Design

SEEM Measure

SEEM	Tier I	Tier II
Yes	X	X

SEEM Disaggregation - Analog/Benchmark

SEEM Disaggregation	SEEM Analog/Benchmark
Resale Residence	Retail Residence
Resale Business	Retail Business
Resale Design	Retail Design
Resale PBX	Retail PBX
Resale Centrex	Retail Centrex
Resale ISDN	Retail ISDN
2W Analog Loop Design	Retail Residence and Business Dispatch
2W Analog Loop Non – Design	Retail Residence and Business (POTS) (Exclusion of
	Switch-based feature troubles)
UNE Digital Loop < DS1	Retail Digital Loop < DS1
• UNE Digital Loop >= DS1	Retail Digital Loop >= DS1
UNE Loop + Port Combinations	Retail Residence and Business
UNE Switch ports	Retail Residence and Business (POTS)
UNE Combo Other	Retail Residence, Business and Design Dispatch



•	UNE xDSL (HDSL, ADSL and UCL)	. ADSL Provided to Retail
•	UNE ISDN	. Retail ISDN – BRI
•	UNE Line Sharing	. ADSL Provided to Retail
	UNE Other Design	
	UNE Other Non-Design	
	Local Transport (Unbundled Interoffice Transport)	
	Local Interconnection Trunks	



M&R-5: Out of Service (OOS) > 24 Hours

Definition

For Out of Service Customer Troubles (no dial tone, cannot be called or cannot call out) the percentage of Total OOS Customer Troubles cleared in excess of 24 hours. (All design services are considered to be out of service).

Exclusions

- · Trouble Reports canceled at the CLEC request
- BellSouth Trouble Reports associated with administrative service
- Customer Provided Equipment (CPE) Troubles or CLEC Equipment Troubles.

Business Rules

Customer Trouble reports that are out of service and cleared in excess of 24 hours. The clock begins when the customer trouble report is created in LMOS/WFA and the customer trouble is counted if the elapsed time exceeds 24 hours.

Calculation

Out of Service (OOS) > 24 hours = $(a / b) \times 100$

- a = Total Cleared Customer Troubles OOS > 24 Hours
- b = Total OOS Customer Troubles in Reporting Period

Report Structure

- Dispatch/Non-Dispatch
- CLEC Specific
- BellSouth Aggregate
- CLEC Aggregate
- · Geographic Scope
 - State
 - Region

Data Retained

Relating to CLEC Experience

- Report Month
- Total Tickets
- CLEC Company Name
- Ticket Submission Date and Time (TICKET_ID)
- Ticket Completion Date (CMPLTN_DT
- Percentage of Customer Troubles out of Service > 24 Hours (OOS>24_FLAG)
- Service type (CLASS_SVC_DESC)
- Disposition and Cause (CAUSE_CD & CAUSE-DESC)

Note: Code in parentheses is the corresponding header found in the raw data file.



Relating to BellSouth Performance

- · Report Month
- · Total Tickets
- BellSouth Company Code
- Ticket Submission Date
- Ticket Submission time
- Ticket Completion Date
- Ticket Completion Time
- Percent of Customer Troubles out of Service > 24 Hours
- Service Type
- Disposition and Cause (Non-Design/Non-Special only)
- Trouble Code (Design and Trunking Services)

SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation	SQM Analog/Benchmark
Resale Residence	. Retail Residence
Resale Business	. Retail Business
Resale Design	. Retail Design
Resale PBX	. Retail PBX
Resale Centrex	. Retail Centrex
Resale ISDN	. Retail ISDN
2W Analog Loop Design	
2W Analog Loop Non – Design	. Retail Residence and Business (POTS) (Exclusion of
	Switch-based feature troubles)
UNE Digital Loop < DS1	. Retail Digital Loop < DS1
• UNE Digital Loop >= DS1	. Retail Digital Loop >= DS1
UNE Loop + Port Combinations	
UNE Switch ports	. Retail Residence and Business (POTS)
UNE Combo Other	. Retail Residence, Business and Design Dispatch
UNE xDSL (HDSL, ADSL and UCL)	
UNE ISDN	
UNE Line Sharing	. ADSL Provided to Retail
UNE Other Design	
UNE Other Non-Design	. Retail Residence and Business
Local Transport (Unbundled Interoffice Transport)	
Local Interconnection Trunks	. Parity with Retail

SEEM Measure

SEEM	Tier I	Tier II
Yes	X	X

SEEM Disaggregation - Analog/Benchmark

SEEM Disaggregation	SEEM Analog/Benchmark
Resale Residence	Retail Residence
Resale Business	Retail Business
Resale Design	Retail Design
Resale PBX	Retail PBX
Resale Centrex	Retail Centrex
Resale ISDN	Retail ISDN
2W Analog Loop Design	Retail Residence and Business Dispatch
2W Analog Loop Non – Design	Retail Residence and Business (POTS) (Exclusion of
	Switch-based feature troubles)
UNE Digital Loop < DS1	



•	UNE Digital Loop >= DS1	Retail Digital Loop >= DS1
•	UNE Loop + Port Combinations	Retail Residence and Business
•	UNE Switch Ports	Retail Residence and Business (POTS)
•	UNE Combo Other	Retail Residence, Business and Design Dispatch
•	UNE xDSL (HDSL, ADSL and UCL)	ADSL Provided to Retail
•	UNE ISDN	Retail ISDN – BRI
•	UNE Line Sharing	ADSL Provided to Retail
•	UNE Other Design	Retail Design
•	UNE Other Non-Design	Retail Residence and Business
•	Local Transport (Unbundled Interoffice Transport)	Retail DS1/DS3 Interoffice
•	Local Interconnection Trunks	Parity with Retail



M&R-6: Average Answer Time – Repair Centers

Definition

This report measures the average time a customer is in queue when calling a BellSouth Repair Center.

Exclusions

· Abandoned Calls

Business Rules

The clock starts when a CLEC Representative or BellSouth customer makes a choice on the Repair Center's menu and is put in queue for the next repair attendant. The clock stops when the repair attendant answers the call.

Note: The Total Column is a combined BellSouth Residence and Business number.

Calculation

Answer Time for BellSouth Repair Centers = (a - b)

- a = Time BellSouth Repair Attendant Answers Call
- b = Time of entry into queue after ACD Selection

Average Answer Time for BellSouth Repair Centers = (c / d)

- c = Sum of all Answer Times
- d = Total number of calls by reporting period

Report Structure

- CLEC Aggregate
- BellSouth Aggregate
- Geographic Scope
 - Region

Data Retained

Relating to CLEC Experience

• CLEC Average Answer Time

Relating to BellSouth Performance

• BellSouth Average Answer Time

SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation

• Region. CLEC/BellSouth Service Centers and BellSouth Repair Centers are regional.

@ BELLSOUTH®

M&R-6: Average Answer Time – Repair Centers

SQM Analog/Benchmark

• For CLEC, Average Answer Times in UNE Center and BRMC are comparable to the Average Answer Times in the BellSouth Repair Centers.

SEEM Measure

SEEM	Tier I	Tier II
No		

SEEM Disaggregation - Analog/Benchmark



M&R-7: Mean Time To Notify CLEC of Network Outages

Definition

BellSouth will inform the CLEC and appropriate BellSouth personnel of any Network outages (customer impacting).

Exclusions

None

Business Rules

The time it takes for the Network Management Center (NMC) to notify the CLEC and appropriate BellSouth personnel of a customer impacting network incident in equipment that may be utilized by the CLEC. When BellSouth becomes aware of a network incident, the CLEC and appropriate BellSouth personnel will be notified electronically. The notification time for each outage will be measured in minutes and divided by the number of outages for the reporting period. The CLECs will be notified the same way and at the same time as BellSouth personnel. These are broadcast messages. It is up to those receiving the message to determine if they have customers affected by the incident.

Calculation

Time to Notify = (a - b)

- a = Date and Time NMC Notified
- b = Date and Time NMC detected network incident

Mean Time to Notify = (c / d)

- c = Sum of all Times to Notify
- d = Count of all Network Incidents

Report Structure

- BellSouth Aggregate
- CLEC Aggregate
- CLEC Specific
- · Geographic Scope
 - Region

Data Retained

Relating to CLEC Experience

- Report Month
- Major Network Events
- Date/Time of Incident
- Date/Time of Notification

Relating to BellSouth Performance

- Report Month
- Major Network Events
- Date/Time of Incident
- Date/Time of Notification

M&R-7: Mean Time To Notify CLEC Network Outages

SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation

SQM Analog/Benchmark

•	BellSouth Aggregate	Parity with Retail
	CLEC Aggregate	•
	CLEC Specific.	

SEEM Measure

SEEM	Tier I	Tier II
No		

SEEM Disaggregation - Analog/Benchmark

SEEM Disaggregation

SEEM Analog/Benchmark



Section 5: Billing

B-1: Invoice Accuracy

Definition

This measure provides the percentage of accuracy of the billing invoices rendered to CLECs during the current month.

Exclusions

- Adjustments not related to billing errors (e.g., credits for service outage, special promotion credits, adjustments to satisfy the customer)
- Test Accounts

Business Rules

The accuracy of billing invoices delivered by BellSouth to the CLEC must enable them to provide a degree of billing accuracy comparative to BellSouth bills rendered to retail customers of BellSouth. CLECs request adjustments on bills determined to be incorrect. The BellSouth Billing verification process includes manually analyzing a sample of local bills from each bill period. The bill verification process draws from a mix of different customer billing options and types of service. An end-to-end auditing process is performed for new products and services. Internal measurements and controls are maintained on all billing processes. The CLEC-specific raw data file (which is available on the PMAP web site) will contain the number of bills and adjustments for the reporting month. The number of bills and bill adjustments will be displayed by OCN and/or ACNA.

Calculation

Invoice Accuracy = $[(a - b) / a] \times 100$

- a = Absolute Value of Total Billed Revenues during current month
- b = Absolute Value of Total Billing Related Adjustments during current month

Measure of Adjustments = $[(c-d) / c] \times 100$

- c = Number of Bills in current month
- d = Number of Billing-related Adjustments in current month

Report Structure

- · CLEC Specific
- CLEC Aggregate
- BellSouth Aggregate
- Geographic Scope
 - State
 - Region
- Number of Adjustments

Data Retained

Relating to CLEC Experience

- Report Month
- Invoice Type
 - UNE
 - Resale
 - Interconnection



- Total Billed Revenue
- Total Billing Related Adjustments
- · Number of Bills
- Number of Adjustments

Relating to BellSouth Performance

- · Report Month
- Retail Type
 - CRIS
 - CABS
- Total Billed Revenue
- Total Billing Related Adjustments

SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation

SQM Analog/Benchmark

- - Resale
 - UNE
 - Interconnection

SEEM Measure

 SEEM
 Tier I
 Tier II

 Yes
 X
 X

SEEM Disaggregation - Analog/Benchmark

SEEM Disaggregation

SEEM Analog/Benchmark

- UNE
- Interconnection



B-2: Mean Time to Deliver Invoices

Definition

This report measures the mean interval for timeliness of billing invoices sent to CLECs in an agreed upon format. CRIS-based invoices are measured in business days, and CABS-based invoices in calendar days.

Exclusions

None

Business Rules

Bill Distribution is calculated as follows: CRIS BILLS-The number of workdays is reported for CRIS bills. This is calculated by counting the Bill Period date as the first workday. Weekends and holidays are excluded when counting workdays. J/N Bills are counted in the CRIS work day category for the purposes of the measurement since their billing account number (Q account) is provided from the CRIS system.

CABS BILLS-The number of calendar days is reported for CABS bills. This is calculated by counting the day following the Bill Period date as the first calendar day. Weekends and holidays are included when counting the calendar days.

Calculation

Invoice Timeliness = (a - b)

- a = Invoice Transmission Date
- b = Close Date of Scheduled Bill Cycle

Mean Time To Deliver Invoices = (c / d)

- c = Sum of all Invoice Timeliness intervals
- d = Count of Invoices Transmitted in Reporting Period

Report Structure

- · CLEC Specific
- CLEC Aggregate
- BellSouth Aggregate
- · Geographic Scope
 - State
 - Region

B-2: Mean Time to Deliver Invoices

Tennessee Performance Metrics

Data Retained

Relating to CLEC Experience

- Report Month
- Invoice Type
 - UNE
 - Resale
 - Interconnection
 - State
- Invoice Transmission Count
- Date of Scheduled Bill Close

Relating to BellSouth Performance

- Report Month
- Invoice Type
 - CRIS
 - CABS
- Invoice Transmission Count
- Date of Scheduled Bill Close

SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation

Product/Invoice Type

- Resale
- UNE
- Interconnection
- State

SQM Analog/Benchmark

 CLEC Average Delivery Intervals for both CRIS and CABS Invoices are comparable to BellSouth Average delivery for both systems.

SEEM Measure

SEEM	Tier I	Tier II
Yes	X	X

SEEM Disaggregation - Analog/Benchmark

SEEM Disaggregation

SEEM Analog/Benchmark

- - CRIS - CABS
- BST-State



B-3: Usage Data Delivery Accuracy

Definition

This measurement captures the percentage of recorded usage that is delivered error free and in an acceptable format to the appropriate Competitive Local Exchange Carrier (CLEC). These percentages will provide the necessary data for use as a comparative measurement for BellSouth performance. This measurement captures Data Delivery Accuracy rather than the accuracy of the individual usage recording.

Exclusions

None

Business Rules

The accuracy of the data delivery of usage records delivered by BellSouth to the CLEC must enable them to provide a degree of accuracy comparative to BellSouth bills rendered to their retail customers. If errors are detected in the delivery process, they are investigated, evaluated and documented. Errors are corrected and the data retransmitted to the CLEC.

Calculation

Usage Data Delivery Accuracy (Packs) = $(a - b) / a \times 100$ (This calculation not ordered by the FPSC)

- a = Total number of usage data packs sent during current month
- b = Total number of usage data packs requiring retransmission during current month

Usage Data Delivery Accuracy (Records) = (c - d) / c X 100

- c = Total number of usage records sent during current month
- d = Total number of usage records requiring retransmission during current month

Report Structure

- CLEC Aggregate
- BellSouth Aggregate
- Geographic Scope
 - Region

Data Retained

Relating to CLEC Experience

- Report Month
- Record Type
 - BellSouth Recorded
 - Non-BellSouth Recorded
- · Number of Records
- Packs

Relating to BellSouth Performance

- · Report Month
- · Record Type
- · Number of Records
- Packs





SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation SQM Analog/Benchmark

SEEM Measure

 SEEM
 Tier I
 Tier II

 Yes
 X
 X

SEEM Disaggregation - Analog/Benchmark

SEEM Disaggregation SEEM Analog/Benchmark

- CLEC State (In Florida, SEEM is based on records).......Parity with Retail
- BellSouth Region



B-4: Usage Data Delivery Completeness

Definition

This measurement provides percentage of complete and accurately recorded usage data (usage recorded by BellSouth and usage recorded by other companies and sent to BellSouth for billing) that is processed and transmitted to the CLEC within thirty (30) days of the message recording date. A parity measure is also provided showing completeness of BellSouth messages processed and transmitted via CMDS. BellSouth delivers its own retail usage from recording location to billing location via CMDS as well as delivering billing data to other companies. Timeliness, Completeness and Mean Time to Deliver Usage measures are reported on the same report.

Exclusions

None

Business Rules

The purpose of these measurements is to demonstrate the level of quality of usage data delivered to the appropriate CLEC. Method of delivery is at the option of the CLEC.

Calculation

Usage Data Delivery Completeness = (a / b) X 100

- a = Total number of Recorded usage records delivered during current month that are within thirty (30) days of the message recording date
- b = Total number of Recorded usage records delivered during the current month

Report Structure

- · CLEC Specific
- CLEC Aggregate
- Region

Data Retained

Relating to CLEC Experience

- · Report Month
- Record Type
 - BellSouth Recorded
 - Non-BellSouth Recorded

Relating to BellSouth Performance

None

SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation	SQM Analog/Benchmark
Region	>= 98% within 30 Calendar Days





SEEM Measure

SEEM Tier I Tier II

SEEM Disaggregation - Analog/Benchmark

SEEM Disaggregation SEEM Analog/Benchmark

Not Applicable......Not Applicable



B-5: Usage Data Delivery Timeliness

Definition

This measurement provides a percentage of recorded usage data (usage recorded by BellSouth and usage recorded by other companies and sent to BellSouth for billing) that is delivered to the appropriate CLEC within six (6) calendar days from the receipt of the initial recording. A parity measure is also provided showing timeliness of BellSouth messages processed and transmitted via CMDS. Timeliness, Completeness and Mean Time to Deliver Usage measures are reported on the same report.

Exclusions

None

Business Rules

The purpose of this measurement is to demonstrate the level of timeliness for processing and transmission of usage data delivered to the appropriate CLEC. The usage data will be mechanically transmitted or mailed to the CLEC data processing center once daily. The Timeliness interval of usage recorded by other companies is measured from the date BellSouth receives the records to the date BellSouth distributes to the CLEC. Method of delivery is at the option of the CLEC

Calculation

Usage Data Delivery Timeliness Current month = (a / b) X 100

- a = Total number of usage records sent within six (6) calendar days from initial recording/receipt
- ullet b = Total number of usage records sent

Report Structure

- CLEC Aggregate
- CLEC Specific
- Region

Data Retained

Relating to CLEC Experience

- · Report Month
- Record Type
 - BellSouth Recorded
 - Non-BellSouth Recorded

Relating to BellSouth Performance

None

SQM Level of Disaggregation - Analog/Benchmark

SQM Level of Disaggregation

SQM Analog/Benchmark





SEEM Measure

SEEM Tier I Tier II

SEEM Disaggregation - Analog/Benchmark

SEEM Disaggregation SEEM Analog/Benchmark

Not Applicable......Not Applicable



B-6: Mean Time to Deliver Usage

Definition

This measurement provides the average time it takes to deliver Usage Records to a CLEC. A parity measure is also provided showing timeliness of BellSouth messages processed and transmitted via CMDS. Timeliness, Completeness and Mean Time to Deliver Usage measures are reported on the same report.

Exclusions

None

Business Rules

The purpose of this measure is to calculate the average number of days it takes BellSouth to deliver usage data to the appropriate CLEC. The calculation reflects the differences between the date the data is transmitted or mailed to the CLEC and the date the data is generated by Customer divided by the total record volume delivery.

Each delivery record is calculated as the time, in days, between when the customer generates the call and when BellSouth delivers the usage data to the CLEC. Each delivery record is categorized by the resulting number of days.

An estimated interval is calculated for each category by taking the total number of usage data records delivered for that period and multiplying it by the total number of days in that period. The mean (average) time to deliver the usage data is calculated by summing all estimated intervals and dividing by the total number of records delivered.

Note: Any usage record falling in the 30+ day interval will be added using an average figure of 31.5 days.

Usage data is mechanically transmitted or mailed to the CLEC data processing center once daily. Method of delivery is at the option of the CLEC.

Calculation

Delivery Interval Record = (a - b)

- a = Date BellSouth delivers the usage data
- b = Date usage data is generated by the customer

Estimated Interval = (c X d)

- c = Number of records delivered in each category
- d = Number of days to deliver for the category

Mean Time to Deliver Usage = (e / f)

- e = Sum of all estimated intervals
- f = Total number of records delivered

Report Structure

- · CLEC Aggregate
- CLEC Specific
- Region



Data Retained

Relating to CLEC Experience

- · Report Month
- · Record Type
 - BellSouth Recorded
 - Non-BellSouth Recorded

Relating to BellSouth Performance

• None

SQM Level of Disaggregation - Analog/Benchmark

SQM Level of Disaggregation • Region.....<= 6 Days SEEM Measure SEEM Tier I Tier II No.....

SEEM Disaggregation - Analog/Benchmark

SEEM Disaggregation	SEEM Analog/Benchmark
Not Applicable	Not Applicable



B-7: Recurring Charge Completeness

Definition

This measure captures percentage of fractional recurring charges appearing on the correct bill.

Exclusions

None

Business Rules

The effective date of the recurring charge must be within 30 days of the bill date for the charge to appear on the correct bill. The count of fractional recurring charges in the calculation refers to a sum of absolute total dollar values either billed on the correct bill or absolute value of total fractional recurring charges on the bill.

Calculation

Recurring Charge Completeness = (a / b) X 100

- a = Count of fractional recurring charges that are on the correct bill¹
- b = Total count of fractional recurring charges that are on the bill

Report Structure

- CLEC Specific
- CLEC Aggregate
- · BellSouth Aggregate

Data Retained

Relating to CLEC Experience

- Report Month
- Invoice Type
- Total Recurring Charges Billed
- Total Billed On Time

Relating to BellSouth Performance

- · Report Month
- Retail Analog
- Total Recurring Charges Billed
- Total Billed On Time

¹Correct bill = next available bill



SQM Level of Disaggregation - Analog/Benchmark

SQM Level of Disaggregation

SQM Analog/Benchmark

Product/Invoice Type

•	Resale	. Parit	ty

• UNE Benchmark 90%
• Interconnection Benchmark 90%

SEEM Measure

SEEM Tier I Tier II

SEEM Disaggregation - Analog/Benchmark

SEEM Disaggregation

SEEM Analog/Benchmark

Not Applicable......Not Applicable



B-8: Non-Recurring Charge Completeness

Definition

This measure captures percentage of non-recurring charges appearing on the correct bill.

Exclusions

None

Business Rules

The effective date of the non-recurring charge must be within 30 days of the bill date for the charge to appear on the correct bill. The count of non-recurring charges in the calculation refers to a sum of absolute total dollar values either billed on the correct bill or absolute value of total non-recurring charges on the bill.

Calculation

Non-Recurring Charge Completeness = $(a / b) \times 100$

- a = Count of non-recurring charges that are on the correct bill¹
- b = Total count of non-recurring charges that are on the bill

Report Structure

- CLEC Specific
- CLEC Aggregate
- BellSouth Aggregate
- Geographic Scope
 - State

Data Retained

Relating to CLEC Experience

- Report Month
- Invoice Type
- Total Non-Recurring Charges Billed
- Total Billed On Time

Relating to BellSouth Performance

- · Report Month
- Retail Analog
- Total Non-Recurring Charges Billed
- Total Billed On Time

¹Correct bill = next available bill



SQM Level of Disaggregation - Analog/Benchmark

SQM Level of Disaggregation

SQM Analog/Benchmark

90%

SEEM Analog/Benchmark

Product/Invoice Type

•	Resale	. Parity
•	UNE	. Benchmark

SEEM Measure

SEEM Tier I Tier II

SEEM Disaggregation - Analog/Benchmark

SEEM Disaggregation

Not Applicable......Not Applicable



B-9: Percent Daily Usage Feed Errors Corrected in "X" Business Days

Definition

Measures the timely correction of Daily Usage Feed (DUF) errors in record information and Pack formats measured separately. Errors included (1) Pack Failure errors and (2) EMI content errors in records.

Exclusions

- Usage that cannot be corrected and resent or usage that the CLEC doesn't want Retransmitted.
- CLEC Problem/Issue/File Retransmission forms disputed by BellSouth SMEs that do not result in an EMI error.
- CLEC notification received by BellSouth > 10 business days from transmission date of errored messages or packs.

Business Rules

This measure will provide the % of errors corrected in "X" Business days.

Pack Failure errors are defined as a DUF header/trailer error containing one or more of the following conditions: Grand total records not equal to records in pack or sequence/invoice numbers for a from RAO is not sequential

EMI content errors are defined as those records with errors contained in the EMI detail records that cause a message to be unbillable by the CLEC

Only notification received via the CLEC Problem/Issue/File Retransmission form will be included in this measure. To locate the form, go to the PMAP web site (http://pmap.bellsouth.com/) and click the Documentation/Exhibits link, then select the "CLEC Problem/Issue/File Retransmission form."

When circumstances arise for multiple content errors it is not necessary for the form to be filled out in its entirety, the CLECs agree to provide sufficient information for content error research so that a thorough investigation and resolution can be completed.

For each type error condition, a new CLEC Problem/Issue/File Retransmission form should be submitted.

EMI content errors should be attached in a separate file from the CLEC Problem/Issue/File Retransmission form

Elapsed time is measured in business days.

The clock starts when BellSouth receives CLEC's Problem/Issue/File Retransmission form.

The clock stops when BellSouth provides the corrected usage to the CLEC using the predesignated DUF delivery method.

This measure applies only to CLECs that are ODUF and ADUF participants

Calculation

Timeliness of Daily Usage EMI Content Errors Corrected = $(a \, / \, b) \, X \, 100$

- a = Total number of Daily Usage Records with EMI Content Errors Corrected in the reporting month within 10 Business Days.
- b = Total number of Daily Usage Records with EMI Content Errors corrected in reporting month.

Timeliness of Daily Usage Pack Format Errors Corrected = (c / d) $X\ 100$

- c = Total number of Daily Usage Packs with Format Errors Corrected in the reporting month within 4 Business Days.
- d = Total number of Daily Usage Packs with Format Errors corrected in reporting month

B-9: Percent Daily Usage Feed Errors Corrected in "X" Business Days

Report Structure

- CLEC Specific
 - Total number of BST disputed Daily Usage Records with EMI Content Errors received in reporting month.
 - Total number of Daily Usage Records with EMI Content Errors received in reporting month.
 - Total number of BST disputed Daily Usage Packs with Format Errors received in reporting month
 - Total number of Daily Usage Packs with Format Errors received in reporting month
- CLEC Aggregate
- Geographic Scope
 - Region

Data Retained

Relating to CLEC Experience

- · Report Month
 - BellSouth Recorded
 - Non-BellSouth Recorded

Relating to BellSouth Performance

• None

SQM Level of Disaggregation - Analog/Benchmark

SQM Level of Disaggregation • Region			SQM Analog/BenchmarkDiagnostic		
SEEM Measu	ıre				
SEEM No	Tier I	Tier II			
SEEM Disaggregation - Analog/Benchmark					
SEEM Disaggregation			SEEM Analog/Benchmark		



B-10: Percent Billing Errors Corrected in "X" Business Days

Definition

Measures timely carrier bill adjustments.

Exclusions

Adjustments that are initiated by BellSouth

Business Rules

This measure applies to CLEC wholesale bill adjustment requests. IXC Access billing adjustment requests are not reflected in this measure. Elapsed time is measured in business days. The clock starts when BellSouth receives the CLEC Billing Adjustment Request (BAR) form and the clock stops when BellSouth either makes an adjustment through BOCRIS or ACATS (generally next CLEC bill unless adjustment request after middle of the month) or BellSouth denies the request in BDATS or ACATS and BellSouth notifies the CLEC of the BAR resolution. BellSouth will report separately those adjustment requests that are disputed by BellSouth. (BAR form and instructions are found at www.interconnection.bellsouth.com/forms/html/billing&collections.html).

Calculation

Percent Billing Errors Corrected in 45 Business Days = (a / b) X 100

- a = Number of BAR resolutions sent in 45 Business Days
- b = Total Number of BAR resolutions due in Reporting Period

Report Structure

- · CLEC Specific
- CLEC Aggregate
- Geographic Scope
 - State
 - Region

Data Retained

Relating to CLEC Experience

- · Number of BellSouth Adjustments in 45 Business Days
- · Total number of Billing Adjustment Requests in Reporting Period
- Number of Adjustments disputed by BellSouth (reported separately)

Relating to BellSouth Performance

None

SQM Disaggregation - Retail Analog/Benchmark

SQM Level of Disaggregation

SQM Analog/Benchmark



SE	FM	I IV	lea	SII	ır۵

SEEM	Tier I	Tier I
Yes	X	X

SEEM Disaggregation - Analog/Benchmark

SEEM Disaggregation SEEM Analog/Benchmark • State 90% Billing Disputes <= 45 Business Days</td>

Note: In order to set an appropriate penalty provision, staff recommends deferring implementation of the penalty until conclusion of the commission proceeding on the remedy structure of the SEEM Plan, or 120 days, whichever comes first.

Issue Date: July 1, 2003



Section 6: Operator Services and Directory Assistance

OS-1: Speed to Answer Performance/Average Speed to Answer - Toll

Definition

Measurement of the average time in seconds calls wait before answered by a toll operator.

Exclusions

None

Business Rules

The clock starts when the customer enters the queue and the clock stops when a BellSouth representative answers the call or the customer abandons the call. The length of each call is determined by measuring, using a scanning technique, and accumulating the elapsed time from the entry of a customer call into the BellSouth call management system queue until the customer call is abandoned or transferred to BellSouth personnel assigned to handle calls for assistance. The system makes no distinction between CLEC customers and BellSouth customers.

Calculation

Speed to Answer Performance/Average Speed to Answer – Toll = a / b

- a = Total queue time
- b = Total calls answered

Note: Total queue time includes time that answered calls wait in queue as well as time abandoned calls wait in queue prior to abandonment.

Report Structure

- Reported for the aggregate of BellSouth and CLECs

Data Retained (on Aggregate Basis)

- For the items below, BellSouth's Performance Measurement Analysis Platform (PMAP) receives a final computation; therefore, no raw data file is available in PMAP
- Month

Version 2.00

- Call Type (Toll)
- Average Speed of Answer

SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation SQM Analog/Benchmark





SEEM Measure

SEEM Tier I Tier II

SEEM Disaggregation - Analog/Benchmark

SEEM Disaggregation SEEM Analog/Benchmark

OS-2: Speed to Answer Performance/Percent Answered within "X" Seconds - Toll

Definition

Measurement of the percent of toll calls that are answered in less than ten seconds

Exclusions

None

Business Rules

The clock starts when the customer enters the queue and the clock stops when a BellSouth representative answers the call or the customer abandons the call. The length of each call is determined by measuring, using a scanning technique, and accumulating the elapsed time from the entry of a customer call into the BellSouth call management system queue until the customer call is abandoned or transferred to BellSouth personnel assigned to handle calls for assistance. The system makes no distinction between CLEC customers and BellSouth customers.

Calculation

The Percent Answered within "X" Seconds measurement for toll is derived by using the BellCore Statistical Answer Conversion Tables, to convert the Average Speed to Answer measure into a percent of calls answered within "X" seconds. The BellCore Conversion Tables are specific to the defined parameters of work time, number of operators, max queue size and call abandonment rates.

Report Structure

- · Reported for the aggregate of BellSouth and CLECs
 - State

Data Retained (on Aggregate Basis)

- For the items below, BellSouth's Performance Measurement Analysis Platform (PMAP) receives a final computation; therefore, no raw data file is available in PMAP
- Month
- Call Type (Toll)
- Average Speed of Answer

SQM Disaggregation - Analog/Benchmark

SQM Level of D	isaggregatio	n:	SQM Analog/Benchmark	
• None			Parity by Design	
SEEM Measu	ire			
SEEM	Tier I	Tier II		
No				



SEEM Disaggregation - Analog/Benchmark

SEEM Disaggregation SEEM Analog/Benchmark

• Not Applicable Not Applicable



DA-1: Speed to Answer Performance/Average Speed to Answer – Directory Assistance (DA)

Definition

Measurement of the average time in seconds calls wait before answered by a DA operator.

Exclusions

None

Business Rules

The clock starts when the customer enters the queue and the clock stops when a BellSouth representative answers the call or the customer abandons the call. The length of each call is determined by measuring, using a scanning technique, and accumulating the elapsed time from the entry of a customer call into the BellSouth call management system queue until the customer call is abandoned or transferred to BellSouth personnel assigned to handle calls for assistance. The system makes no distinction between CLEC customers and BellSouth customers.

Calculation

Speed to Answer Performance/Average Speed to Answer – Directory Assistance (DA) = a / b

- a = Total queue time
- b = Total calls answered

Note: Total queue time includes time that answered calls wait in queue as well as time abandoned calls wait in queue prior to abandonment.

Report Structure

- Reported for the aggregate of BellSouth and CLECs
 - State

Data Retained (on Aggregate Basis)

- For the items below, BellSouth's Performance Measurement Analysis Platform (PMAP) receives a final computation; therefore, no raw data file is available in PMAP
- Month
- Call Type (DA)
- Average Speed of Answer

SQM Level of Disaggregation - Analog/Benchmark





SEEM Measure
SEEM Tier I Tier II

No.....

SEEM Disaggregation - Analog/Benchmark

SEEM Disaggregation SEEM Analog/Benchmark



DA-2: Speed to Answer Performance/Percent Answered within "X" Seconds – Directory Assistance (DA)

Definition

Measurement of the percent of DA calls that are answered in less than twelve seconds.

Exclusions

None

Business Rules

The clock starts when the customer enters the queue and the clock stops when a BellSouth representative answers the call or the customer abandons the call. The length of each call is determined by measuring, using a scanning technique, and accumulating the elapsed time from the entry of a customer call into the BellSouth call management system queue until the customer call is abandoned or transferred to BellSouth personnel assigned to handle calls for assistance. The system makes no distinction between CLEC customers and BellSouth customers.

Calculation

The Percent Answered within "X" Seconds measurement for DA is derived by using the BellCore Statistical Answer Conversion Tables, to convert the Average Speed to Answer measure into a percent of calls answered within "X" seconds. The BellCore Conversion Tables are specific to the defined parameters of work time, number of operators, max queue size and call abandonment rates.

Report Structure

- · Reported for the aggregate of BellSouth and CLECs
 - State

Data Retained (on Aggregate Basis)

- For the items below, BellSouth's Performance Measurement Analysis Platform (PMAP) receives a final computation; therefore, no raw data file is available in PMAP.
- Month
- Call Type (DA)
- Average Speed of Answer

SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation			SQM Analog/Benchmark	
• None			Parity by Design	
SEEM Measu	ure			
SEEM	Tier I	Tier II		
No				



SEEM Disaggregation - Analog/Benchmark

SEEM Disaggregation SEEM Analog/Benchmark



Section 7: Database Update Information

D-1: Average Database Update Interval

Definition

This report measures the interval from receipt of the database change request to the completion of the update to the database for Line Information Database (LIDB), Directory Assistance and Directory Listings.

Exclusions

- Updates Canceled by the CLEC
- Initial update when supplemented by CLEC
- BellSouth updates associated with internal or administrative use of local services.

Business Rules

The interval for this measure begins with the date and time stamp when a service order is completed and the completion notice is released to all systems to be updated with the order information including Directory Assistance, Directory Listings, and Line Information Database (LIDB). The end time stamp is the date and time of completion of updates to the system. This metric includes updates from stand-alone directory listing orders.

For BellSouth Results:

The BellSouth computation is identical to that for the CLEC with the clarifications noted below.

Other Clarifications and Qualification:

- For LIDB, the elapsed time for a BellSouth update is measured from the point in time when the BellSouth file maintenance process
 makes the LIDB update information available until the date and time reported by BellSouth that database updates are completed.
- Results for the CLECs are captured and reported at the update level by Reporting Dimension (see below).
- The Completion Date is the date upon which BellSouth issues the Update Completion Notice to the CLEC.
- If the CLEC initiates a supplement to the originally submitted update and the supplement reflects changes in customer requirements (rather than responding to BellSouth initiated changes), then the update submission date and time will be the date and time of BellSouth receipt of a syntactically correct update supplement. Update activities responding to BellSouth initiated changes will not result in changes to the update submission date and time used for the purposes of computing the update completion interval.
- Elapsed time is measured in hours and hundredths of hours rounded to the nearest tenth of an hour.
- Because this should be a highly automated process, the accumulation of elapsed time continues through off-schedule, weekends and holidays; however, scheduled maintenance windows are excluded.

Calculation

Update Interval = (a - b)

- a = Completion Date and Time of Database Update
- b = Submission Date and Time of Database Change

Average Update Interval = (c / d)

- c = Sum of all Update Intervals
- d = Total Number of Updates Completed During Reporting Period



Report Structure

- CLEC Specific (Under development)
- CLEC Aggregate
- BellSouth Aggregate
- Geographic Scope
 - Region

Data Retained

Relating to CLEC Experience

- Database File Submission Time
- Database File Update Completion Time
- CLEC Number of Submissions
- Total Number of Updates

Relating to BellSouth Performance

- Database File Submission Time
- Database File Update Completion Time
- BellSouth Number of Submissions
- Total Number of Updates

SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation

SQM Analog/Benchmark

- Database TypeParity by Design
- LIDB
- Directory Listings
- · Directory Assistance

SEEM Measure

SEEM	Tier I	Tier II
No		

SEEM Disaggregation - Analog/Benchmark

SEEM Disaggregation

SEEM Analog/Benchmark

Not Applicable......Not Applicable



D-2: Percent Database Update Accuracy

Definition

This report measures the accuracy of database updates by BellSouth for Line Information Database (LIDB) Directory Assistance and Directory Listings using a statistically valid sample of completed CLEC Service Orders in a manual review. This manual review is not conducted on BellSouth Service Orders.

Exclusions

- Updates canceled by the CLEC
- Initial update when supplemented by CLEC
- · CLEC orders that had CLEC errors
- · BellSouth updates associated with internal or administrative use of local services.

Business Rules

For each update reviewed during the reporting period, the original update that the CLEC sent to BellSouth is compared to the database following completion of the update by BellSouth. An update is "completed without error" if the database completely and accurately reflects the activity specified on the original and supplemental update (e.g., orders) submitted by the CLEC. Each database (e.g., LIDB, Directory Assistance and Directory Listings) should be separately tracked and reported.

A statistically valid sample of completed CLEC Service Orders is pulled each month. This metric includes updates from stand-alone directory listing orders.

Calculation

Percent Update Accuracy = (a / b) X 100

- a = Number of Updates Completed Without Error
- b = Number Updates Completed

Report Structure

- · CLEC Aggregate
- CLEC Specific (not available in this report)
- BellSouth Aggregate (not available in this report)
- Geographic Scope
 - Region

Data Retained

Relating to CLEC Experience

- · Report Month
- CLEC Order Number (so_nbr) and PON (PON)
- Local Service Request (LSR)
- · Order Submission Date
- · Number of Orders Reviewed

Note: Code in parentheses is the corresponding header found in the raw data file.



Relating to BellSouth Performance

• Not Applicable

SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation **SQM Analog/Benchmark** - LIDB - Directory Listings - Directory Assistance **SEEM Measure SEEM**

SEEM Disaggregation - Analog/Benchmark

Tier II

Tier I

No.....

SEEM Disaggregation SEEM Analog/Benchmark



D-3: Percent NXXs and LRNs Loaded by the LERG Effective Date

Definition

Measurement of the percent of NXX(s) and Location Routing Numbers LRN(s) loaded and tested in new end office and/or tandem switches by the Local Exchange Routing Guide (LERG) effective date when facilities are in place. BellSouth has a single provisioning process for both NXX(s) and LRN(s). In this measure BellSouth will identify whether or not a particular NXX has been flagged as LNP capable (set triggers for dips) by the LERG effective date.

Exclusions

- · Activation requests where the CLEC's interconnection arrangements and facilities are not in place by the LERG effective date.
- · Expedite requests

Business Rules

Data for the initial NXX(s) and LRN(s) in a local calling area will be based on the LERG effective date or completion of the initial interconnection trunk group(s), whichever is longer. Data for additional NXX(s) in the local calling area will be based on the LERG effective date. The LERG effective date is loaded into the system at the request of the CLEC. It is contingent upon the CLEC to engineer, order, and install interconnection arrangements and facilities prior to that date.

The total Count of NXX(s) and LRN(s) that were scheduled to be loaded and those that were loaded by the LERG effective date in BellSouth switches will be captured in the Work Force Administration - Dispatch In database.

An LRN is assigned by the owner of the switch and is placed into the software translations for every switch to be used as an administrative pointer to route NXX(s) in LNP capable switches. The LRN is a result of Local Number Porting and is housed in a national database provided by the Number Portability Administration Center (NPAC). The switch owner is responsible for notifying NPAC and requesting the effective date that will be reflected in the LERG. The national database downloads routing tables into BellSouth's Service Control Point (SCP) regional databases, which are queried by switches when routing ported numbers.

The basic NXX routing process includes the addition of all NXX(s) in the response translations. This addition to response translations is what supports LRN routing. Routing instructions for all NXX(s), including LRN(s), are received from the Advance Routing & Trunking System (ARTS) and all routing, including response, is established based on the information contained in the Translation Work Instructions (TWINs) document.

Calculation

Percent NXXs/LRNs Loaded and Tested Prior to the LERG Effective Date = (a / b) X 100

- a = Count of NXXs and LRNs loaded by the LERG effective date
- b = Total NXXs and LRNs to be scheduled and loaded by the LERG effective date

Report Structure

- · CLEC Specific
- CLEC Aggregate
- BellSouth (Not Applicable)
- · Geographic Scope
 - Region



Data Retained

Relating to CLEC Experience

- Company Name
- Company Code
- NPA/NXX
- LERG Effective Date
- · Loaded Date

Relating to BellSouth Performance

• Not Applicable

SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation **SQM Analog/Benchmark** Region **SEEM Measure SEEM** Tier I Tier II No..... **SEEM Disaggregation - Analog/Benchmark**

SEEM Disaggregation SEEM Analog/Benchmark Not Applicable......Not Applicable



Section 8: E911

E-1: Timeliness

Definition

Measures the percent of batch orders for E911 database updates (to CLEC resale and BellSouth retail records) processed successfully within a 24-hour period.

Exclusions

- Any resale order canceled by a CLEC
- · Facilities-based CLEC orders

Business Rules

The 24-hour processing period is calculated based on the date and time processing starts on the batch orders and the date and time processing stops on the batch orders. Mechanical processing starts when SCC (the BellSouth E911 vendor) receives E911 files containing batch orders extracted from the BellSouth Service Order Control System (SOCS). Processing stops when SCC loads the individual records to the E911 database. The E911 database includes updates to the Automatic Location Identification (ALI) database. The system makes no distinction between CLEC resale records and BellSouth retail records.

Calculation

E911 Timeliness = (a / b) X 100

- a = Number of batch orders processed within 24 hours
- b = Total number of batch orders submitted

Report Structure

Reported for the aggregate of CLEC resale updates and BellSouth retail updates

- State
- Region

Data Retained

- · Report Month
- · Aggregate Data

SQM Disaggregation - Analog/Benchmark

SQM Level of D	isaggregatio	n	SQM Analog/Benchmark
• None			Parity by Design
SEEM Measu	ıre		
SEEM	Tier I	Tier II	
No			



E-1: Timeliness

Tennessee Performance Metrics

SEEM Disaggregation - Analog/Benchmark

SEEM Disaggregation SEEM Analog/Benchmark



E-2: Accuracy

Definition

Measures the percent of E911 telephone number (TN) record updates (to CLEC resale and BellSouth retail records) processed successfully for E911 (including the Automatic Location Identification (ALI) database).

Exclusions

- · Any resale order canceled by a CLEC
- · Facilities-based CLEC orders

Business Rules

Accuracy is based on the number of records processed without error at the conclusion of the processing cycle. Mechanical processing starts when SCC (the BellSouth E911 vendor) receives E911 files containing telephone number (TN) records extracted from BellSouth's Service Order Control System (SOCS). The system makes no distinction between CLEC resale records and BellSouth retail records.

Calculation

E911 Accuracy = (a / b) X 100

- a = Number of record individual updates processed with no errors
- b = Total number of individual record updates

Report Structure

Reported for the aggregate of CLEC resale updates and BellSouth retail updates

- State
- Region

Data Retained

- · Report Month
- Aggregate Data

SQM Level of Disaggregation

SQM Disaggregation - Analog/Benchmark

None		Parity by Design	
SEEM Measu	ire		
SEEM	Tier I	Tier II	
No			
SEEM Disago	gregation -	Analog/Benchmar	k
SEEM Disaggre	gation		SEEM Analog/Benchmark

SQM Analog/Benchmark



E-3: Mean Interval

Definition

Measures the mean interval processing of E911 batch orders (to update CLEC resale and BellSouth retail records) including processing against the Automatic Location Identification (ALI) database.

Exclusions

- Any resale order canceled by a CLEC
- · Facilities-based CLEC orders

Business Rules

The processing period is calculated based on the date and time processing starts on the batch orders and the date and time processing stops on the batch orders. Data is posted is 4-hour increments up to and beyond 24 hours. The system makes no distinction between CLEC resale records and BellSouth retail records.

Calculation

E911 Interval = (a - b)

- a = Date and time of batch order completion
- b = Date and time of batch order submission

E911 Mean Interval = (c / d)

- c = Sum of all E911 Intervals
- d = Number of batch orders completed

Report Structure

Reported for the aggregate of CLEC resale updates and BellSouth retail updates

- State
- Region

Data Retained

- · Report Month
- Aggregate Data

SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation None Parity by Design SEEM Measure SEEM Tier I Tier II



E-3: Mean Interval

Tennessee Performance Metrics

SEEM Disaggregation - Analog/Benchmark

SEEM Disaggregation SEEM Analog/Benchmark

Section 9: Trunk Group Performance

TGP-1: Trunk Group Performance-Aggregate

Definition

The Trunk Group Performance report displays, over a reporting cycle, aggregate, average trunk group blocking data for each hour of each day of the reporting cycle, for both CLEC affecting and BellSouth affecting trunk groups.

Exclusions

- Trunk Groups blocked due to unanticipated significant increase in CLEC traffic
- Orders that are delayed or refused by CLEC
- Trunk Groups for which there was no valid data available for an entire study period
- Duplicate trunk group information
- Trunk Groups blocked due to CLEC network/equipment failure
- Final Groups actually overflowing, not blocked

Business Rules

The purpose of the Trunk Group Performance Report is to provide trunk blocking measurements on CLEC and BellSouth trunk groups for comparison only. It is not the intent of the report that it be used for network management and/or engineering. BellSouth should notify the CLEC when such blocking meets this exclusion criteria (orders that are delayed or refused by the CLEC) and report the results, both with and without the exclusions. An unanticipated significant increase in traffic is indicated by a 20% increase for small trunk groups or 1800 CCS for large groups over the previous months traffic when the increase was not forecasted by the CLEC.

Monthly Average Blocking:

- The reporting cycle includes both business and non-business days in a calendar month.
- Monthly average blocking values are calculated for each trunk group for each of the 24 time consistent hours across a reporting cycle.

Aggregate Monthly Blocking:

- Used to compare aggregate blocking across trunk groups which terminate traffic at CLEC points of presence versus BellSouth
- · Aggregate monthly blocking data is calculated for each hour of the day across all trunk groups assigned to a category.

Trunk Categorization:

· This report displays, over a reporting cycle, aggregate, average blocking data for each hour of a day. Therefore, for each reporting cycle, 24 blocking data points are generated for two aggregate groups of selected trunk groups. These groups are CLEC affecting and BellSouth affecting trunk groups. In order to assign trunk groups to each aggregate group, all trunk groups are first assigned to a category. A trunk group's end points and the type of traffic that is transmitted on it define a category. Selected categories of trunk groups are assigned to the aggregate groups so that trunk reports can be generated. The categories to which trunk groups have been assigned for this report are as follows.

CLEC Affecting Categories:

	Point A	Point B
Category 1:	BellSouth End Office	BellSouth Access Tandem
Category 3:	BellSouth End Office	CLEC Switch
Category 4:	BellSouth Local Tandem	CLEC Switch
Category 5:	BellSouth Access Tandem	CLEC Switch



Category 10:	BellSouth End Office	BellSouth Local Tandem
Category 16:	BellSouth Tandem	BellSouth Tandem

BellSouth Affecting Categories:

	Point A	Point B
Category 1:	BellSouth End Office	BellSouth Access Tandem
Category 9:	BellSouth End Office	BellSouth End Office
Category 10:	BellSouth End Office	BellSouth Local Tandem
Category 16:	BellSouth Tandem	BellSouth Tandem

Calculation

Monthly Average Blocking:

- For each hour of the day, each day's raw data are summed across all valid measurements days in a report cycle for blocked and attempted calls.
- The sum of the blocked calls is divided by the total number of calls attempted in a reporting period.

Aggregate Monthly Blocking:

- For each hour of the day, the monthly sums of the blocked and attempted calls from each trunk group are separately aggregated over all trunk groups within each assigned category.
- The total blocked calls is divided by the total call attempts within a group to calculate an aggregate monthly blocking for each assigned group.
- The result is an aggregate monthly average blocking value for each of the 24 hours by group.
- The difference between the CLEC and BellSouth affecting trunk groups are also calculated for each hour.

Report Structure

- CLEC Aggregate
- BellSouth Aggregate
 - State
- With and Without Exclusion for Orders Delayed or Refused by CLEC

Data Retained

Relating to CLEC Experience

- · Report Month
- Total Trunk Groups
- Number of Trunk Groups by CLEC
- Hourly Blocking Per Trunk Group
- Hourly Usage Per Trunk Group
- Hourly Call Attempts Per Trunk Group

Related to BellSouth Performance

- Report Month
- Total Trunk Groups
- · Aggregate Hourly Blocking Per Trunk Group
- Hourly Usage Per Trunk Group
- Hourly Call Attempts Per Trunk Group



SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation

SQM Analog/Benchmark

BellSouth Aggregate

SEEM Measure

SEEM	Tier I	Tier II
Yes		X

SEEM Disaggregation - Analog/Benchmark

SEEM Disaggregation

SEEM Analog/Benchmark

- BellSouth Aggregate



TGP-2: Trunk Group Performance – CLEC Specific

Definition

The Trunk Group Performance report displays, over a reporting cycle, CLEC specific, average trunk group blocking data for each hour of each day of the reporting cycle, for both CLEC affecting and BellSouth affecting trunk groups.

Exclusions

- Trunk Groups blocked due to unanticipated significant increase in CLEC traffic
- · Orders that are delayed or refused by CLEC
- · Trunk Groups for which there was no valid data available for an entire study period
- · Duplicate trunk group information
- Trunk Groups blocked due to CLEC network/equipment failure
- Final Groups actually overflowing not blocked

Business Rules

The purpose of the Trunk Group Performance Report is to provide trunk blocking measurements on CLEC and BellSouth trunk groups for comparison only. It is not the intent of the report that it be used for network management and/or engineering. BellSouth should notify the CLEC when such blocking meets this exclusion criteria (orders that are delayed or refused by the CLEC) and report the results, both with and without the exclusions. An unanticipated significant increase in traffic is indicated by a 20% increase for small trunk groups or 1800 CCS for large groups over the previous months traffic when the increase was not forecasted by the CLEC.

Monthly Average Blocking:

- The reporting cycle includes both business and non-business days in a calendar month.
- Monthly average blocking values are calculated for each trunk group for each of the 24 time consistent hours across a reporting cycle.

Aggregate Monthly Blocking:

- Used to compare aggregate blocking across trunk groups which terminate traffic at CLEC points of presence versus BellSouth switches.
- Aggregate monthly blocking data is calculated for each hour of the day across all trunk groups assigned to a category.

Trunk Categorization:

• This report displays, over a reporting cycle, aggregate, average blocking data for each hour of a day. Therefore, for each reporting cycle, 24 blocking data points are generated for two aggregate groups of selected trunk groups. These groups are CLEC affecting and BellSouth affecting trunk groups. In order to assign trunk groups to each aggregate group, all trunk groups are first assigned to a category. A trunk group's end points and the type of traffic that is transmitted on it define a category. Selected categories of trunk groups are assigned to the aggregate groups so that trunk reports can be generated. The categories to which trunk groups have been assigned for this report are as follows.

CLEC Affecting Categories:

	Point A	Point B
Category 1:	BellSouth End Office	BellSouth Access Tandem
Category 3:	BellSouth End Office	CLEC Switch
Category 4:	BellSouth Local Tandem	CLEC Switch
Category 5:	BellSouth Access Tandem	CLEC Switch
Category 10:	BellSouth End Office	BellSouth Local Tandem



BellSouth Affecting Categories:

	Point A	Point B
Category 1:	BellSouth End Office	BellSouth Access Tandem
Category 9:	BellSouth End Office	BellSouth End Office
Category 10:	BellSouth End Office	BellSouth Local Tandem
Category 16:	BellSouth Tandem	BellSouth Tandem

Calculation

Monthly Average Blocking:

- For each hour of the day, each day's raw data are summed across all valid measurements days in a report cycle for blocked and attempted calls.
- The sum of the blocked calls is divided by the total number of calls attempted in a reporting period.

Aggregate Monthly Blocking:

- For each hour of the day, the monthly sums of the blocked and attempted calls from each trunk group are separately aggregated over all trunk groups within each assigned category.
- The total blocked calls is divided by the total call attempts within a group to calculate an aggregate monthly blocking for each assigned group.
- The result is an aggregate monthly average blocking value for each of the 24 hours by group.
- The difference between the CLEC and BellSouth affecting trunk groups are also calculated for each hour.

Report Structure

- · CLEC Specific
 - State
- With and Without Exclusion for Orders Delayed or Refused by CLEC

Data Retained

Relating to CLEC Experience

- Report Month
- Total Trunk Groups
- Number of Trunk Groups by CLEC
- Hourly Blocking Per Trunk Group
- Hourly Usage Per Trunk Group
- Hourly Call Attempts Per Trunk Group

Relating to BellSouth Performance

- Report Month
- Total Trunk Groups
- Aggregate Hourly Blocking Per Trunk Group
- Hourly Usage Per Trunk Group
- Hourly Call Attempts Per Trunk Group



SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation

SQM Analog/Benchmark

Any 2 consecutive hour period in 24 hours where CLEC blockage exceeds BellSouth blockage by more than 0.5% using trunk groups 1, 3, 4, 5, 10, 16 for CLECs and 9 for BellSouth

SEEM Measure

 SEEM
 Tier I
 Tier II

 Yes
 X

SEEM Disaggregation - Analog/Benchmark

SEEM Disaggregation

SEEM Analog/Benchmark

- BellSouth Trunk Group



Section 10: Collocation

C-1: Collocation Average Response Time

Definition

Measures the average time (counted in calendar days) from the receipt of a complete and accurate collocation application (including receipt of application fee if required) to the date BellSouth returns a response electronically or in writing. Within the number of calendar days as designated by the Collocation order after having received a bona fide application for physical collocation, BellSouth must respond with space availability and a price quote.

Exclusions

Any application canceled by the CLEC

Business Rules

The clock starts on the date that BellSouth receives a complete and accurate collocation application accompanied by the appropriate application fee if required. The clock stops on the date that BellSouth returns a response. The clock will restart upon receipt of changes to the original application request.

Calculation

Response Time = (a - b)

- a = Request Response Date
- b = Request Submission Date

Average Response Time = (c / d)

- c = Sum of all Response Times
- d = Count of Responses Returned within Reporting Period

Report Structure

- · Individual CLEC (alias) aggregate
- Aggregate of all CLECs
- · Geographic Scope
 - State

Data Retained

- · Report period
- Aggregate data

SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation

SQM Analog/Benchmark

- Physical Caged-Initial
- Physical Caged-Augment
- · Physical-Cageless-Initial
- Physical Cageless-Augment





SEEM Measure

SEEM Tier I Tier II

SEEM Disaggregation - Analog/Benchmark

SEEM Disaggregation SEEM Analog/Benchmark



C-2: Collocation Average Arrangement Time

Definition

Measures the average time (counted in calendar days) from receipt of a complete and accurate Bona Fide firm order (including receipt of appropriate fee if required) to the date BellSouth completes the collocation arrangement and notifies the CLEC.

Exclusions

Any Bona Fide firm order canceled by the CLEC

Business Rules

The clock starts on the date that BellSouth receives a complete and accurate Bone Fide firm order accompanied by the appropriate fee. The clock stops on the date that BellSouth completes the collocation arrangement and notifies the CLEC. The cable assignments associated with the specific collocation request will be provided prior to completion of the arrangement.

Calculation

Arrangement Time = (a - b)

- a = Date Collocation Arrangement is Complete
- b = Date Order for Collocation Arrangement Submitted

Average Arrangement Time = (c / d)

- c = Sum of all Arrangement Times
- d = Total Number of Collocation Arrangements Completed during Reporting Period

Report Structure

- Individual CLEC (alias) Aggregate
- Aggregate of all CLECs
- Geographic Scope
 - State

Data Retained

- Report Period
- Aggregate Data

SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation	SQM Analog/Benchmark
• State	Virtual - 60 Calendar Days
Virtual-Initial	
Virtual-Augment	
Physical Caged-Initial	
Physical Caged-Augment	Physical Caged-Augment - 45 Calendar Days (Without Space
	Increase)
Physical Cageless-Initial	Physical Caged-Augment - 90 Calendar Days (With Space
	Increase)
Physical Cageless-Augment	Physical Cageless - 90 Calendar Days
	Physical Cagedless-Augment - 45 Calendar Days (Without





BELLSOUTH[®]

Space Increase)

Physical Cagedless-Augment - 90 Calendar Days (With Space Increase)

SEEM Measure

SEEM Tier I Tier II

SEEM Disaggregation - Analog/Benchmark

SEEM Disaggregation SEEM Analog/Benchmark

Not Applicable
 Not Applicable



C-3: Collocation Percent of Due Dates Missed

Definition

Measures the percent of missed due dates for both virtual and physical collocation arrangements

Exclusions

Any Bona Fide firm order canceled by the CLEC

Business Rules

Percent Due Dates Missed is the percent of total collocation arrangements which BellSouth is unable to complete by end of the BellSouth committed due date. The arrangement is considered a missed due date if it is not completed on or before the committed due date.

Calculation

% of Due Dates Missed = $(a / b) \times 100$

- a = Number of Completed Orders that were not completed by BellSouth Committed Due Date during Reporting Period
- b = Number of Orders Completed in Reporting Period

Report Structure

- · Individual CLEC (alias) aggregate
- Aggregate of all CLECs
- · Geographic Scope
 - State

Data Retained

- · Report Period
- Aggregate Data

SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation

SQM Analog/Benchmark

- State.....>= 95% on time
- Virtual-Initial
- Virtual- Augment
- Physical Caged- Initial
- Physical Caged- Augment
- Physical Cageless- Initial
- Physical Cageless- Augment

SEEM Measure

SEEM	Tier I	Tier II
Ves	Y	Y





SEEM Disaggregation - Analog/Benchmark

SEEM Disaggregation

SEEM Analog/Benchmark

• All Collocation Arrangements>= 95% on time



Section 11: Change Management

CM-1: Timeliness of Change Management Notices

Definition

Measures whether CLECs receive required software release notices on time to prepare for BellSouth interface/system changes so CLEC interfaces are not impaired by change.

Exclusions

- Changes to release dates for reasons outside BellSouth control, such as the system software vendor changes. For example: a patch
 to fix a software problem.
- Type 6 Change Requests (Defects/Expedites), as defined by the Change Control Process (CCP)

Business Rules

This metric is designed to measure the percent of change management notices sent to the CLECs according to notification standards and time frames set forth in the Change Control Process. The CCP is used by BellSouth and the CLECs to manage requested changes to the BellSouth Local Interfaces.

The clock starts on the notification date. The clock stops on the software release date. When project events occur (scope changes, analysis information, etc.), the software release date may change. A revised notification would be required and the clock would restart. Based on release constraints for defects/expedites, notification may be less than the agreed upon interval in the CCP for new features.

Calculation

Timeliness of Change Management Notices = (a / b) X 100

- a = Total number of Change Management Notifications Sent Within Required Time frames
- b = Total Number of Change Management Notifications Sent

Report Structure

- BellSouth Aggregate
- · Geographic Scope
 - Region

Data Retained

- Report Period
- Notice Date
- Release Date

SQM Disaggregation - Analog/Benchmark

SQM Level of D	isaggregatio	n	SQM Analog/Benchmark
 Region. 			98% on time
SEEM Measu	ıre		
SEEM	Tier I	Tier II	
Yes		X	



SEEM Disaggregation - Analog/Benchmark

SEEM Disaggregation SEEM Analog/Benchmark



CM-2: Change Management Notice Average Delay Days

Definition

Measures the average delay days for change management system release notices sent outside the time frame set forth in the Change Control Process.

Exclusions

- Changes to release dates for reasons outside BellSouth control, such as the system vendor
- Type 6 Change Requests (Defects/Expedites), as defined by the Change Control Process

Business Rules

This metric is designed to compute the average delay days for change management notices sent to the CLECs outside the time frames set forth in the Change Control Process. The CCP is used by BellSouth and the CLECs to manage requested changes to the BellSouth Local Interfaces.

The clock starts on the notification due date. The clock stops on the software release date. When project events occur (scope changes, analysis information, etc.), the software release date may change. A revised notification would be required and the clock would restart. Based on release constraints for defects/expedites, notification may be less than the agreed upon interval in the CCP for new features

Calculation

Change Management Notice Delay Days = (a - b)

- a = Date Notice Sent
- b = Date Notice Due

Change Management Notice Average Delay Days = (c / d)

- c = Sum of all Change Management Notice Delay Days
- d = Total Number of Notices Sent Late

Report Structure

- BellSouth Aggregate
- Geographic Scope
 - Region

Data Retained

- · Report Period
- Notice Date
- · Release Date

SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation

SQM Analog/Benchmark

• Region.....<= 5 Days

CM-2: Change Management Notice Average Delay Days

BELLSOUTH[®]

SEEM Measure

SEEM Tier I Tier II

SEEM Disaggregation - Analog/Benchmark

SEEM Disaggregation SEEM Analog/Benchmark



CM-3: Timeliness of Documents Associated with Change

Definition

Measures whether CLECs received requirements or business rule documentation on time to prepare for BellSouth interface/system changes so CLEC interfaces are not impaired by change.

Exclusions

- Documentation for release dates that slip less than 30 days for a change mandated by regulatory or legal entities (Federal Communications Commission [FCC], a state commission/authority, or state and federal courts) or CLEC request.
- Type 6 Change Requests (Defects/Expedites), as defined by the Change Control Process.

Business Rules

This metric is designed to measure the percent of requirements or business rule documentation sent to the CLECs according to documentation standards and time frames set forth in the Change Control Process, a copy of which can be found at http://www.interconnection.bellsouth.com/markets/lec/ccp_live/index.html. The CCP is used by BellSouth and the CLECs to manage requested changes to the BellSouth Local Interfaces.

The clock starts on the business rule documentation release date. The clock stops on the software release date. When project events occur (scope changes, analysis information, etc.), the software release date may change. Revisions to documentation could be required and the clock would restart.

Calculation

Timeliness of Documents Associated with Change = (a / b) X 100

- a = Change Management Documentation Sent Within Required Time frames after Notices
- b = Total Number of Change Management Documentation Sent

Report Structure

- BellSouth Aggregate
- Geographic Scope
 - Region

Data Retained

- Report Period
- Notice Date
- Release Date

SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation

SQM Analog/Benchmark

BELLSOUTH[®]

CM-3: Timeliness of Documents Associated with Change

SEEM Measure

SEEM Tier I Tier II Yes X

SEEM Disaggregation - Analog/Benchmark

SEEM Disaggregation SEEM Analog/Benchmark



CM-4: Change Management Documentation Average Delay Days

Definition

Measures the average delay days for requirements or business rule documentation sent outside the time frames set forth in the Change Control Process.

Exclusions

- Documentation for release dates that slip less than 30 days for reasons outside BellSouth control, such as changes due to Regulatory mandate or CLEC request.
- Type 6 Change Requests (Defects/Expedites), as defined by the Change Control Process.

Business Rules

This metric is designed to compute the average delay days for business rule documentation sent to the CLECs outside the time frames set forth in the Change Control Process. The CCP is used by BellSouth and the CLECs to manage requested changes to the BellSouth Local Interfaces.

The clock starts on the business rule documentation release date. The clock stops on the software release date. When project events occur (scope changes, analysis information, etc.), the software release date may change. Revisions to documentation could be required and the clock would restart.

Calculation

Change Management Documentation Delay Days = (a - b)

- a = Date Documentation Provided
- b = Date Documentation Due

Change Management Documentation Average Delay Days = (c / d)

- c = Sum of all CM Documentation Delay Days
- d = Total Change Management Documents Sent

Report Structure

- BellSouth Aggregate
- Geographic Scope
 - Region

Data Retained

- Report Period
- Notice Date
- Release Date

SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation

SQM Analog/Benchmark

• Region.....<= 5 Days

CM-4: Change Management Documentation Average Delay Days

SEEM Measure

SEEM Tier I Tier II

SEEM Disaggregation - Analog/Benchmark

SEEM Disaggregation SEEM Analog/Benchmark



CM-5: Notification of CLEC Interface Outages

Definition

Measures the time it takes BellSouth to notify the CLEC of an outage of an interface.

Exclusions

None

Business Rules

This metric measures the process of notifying CLECs of an interface outage as defined by the Change Control Process Documentation. BellSouth has 15 minutes to notify the CLECs via email, once the Help Desk has verified the existence of an outage. An outage is verified to exist when on or more of the following conditions occur:

- 1. BellSouth can duplicate a CLEC reported error.
- 2. BellSouth finds an error message within the system error log that identifiably matches a CLEC reported outage.
- 3. When 3 or more CLECs report the identical type of outage.
- 4. BellSouth detects a problem due to the loss of functionality for users of a system.

Note: The 15 minute clock begins once a CLEC reported or a BellSouth detected outage has lasted for 20 minutes and has been verified. If the outage is not verified within 20 minutes, the clock begins at the point of verification.

This metric will be expressed as a percentage.

Calculation

Notification of CLEC Interface Outages = (a / b) X 100

- a = Number of Interface Outages where CLECs are notified within 15 minutes
- b = Total Number of Interface Outages

Report Structure

- CLEC Aggregate
- Geographic Scope
 - Region

Data Retained

Relating to CLEC Experience

- Number of Interface Outages
- Number of Notifications <= 15 minutes

Relating to BellSouth Performance

Not Applicable

SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation

SQM Analog/Benchmark

Interface Applicable to EDI.....CLEC CSOTSCLEC LENS......CLEC TAGCLEC ECTACLEC

SEEM Measure

SEEM Tier I Tier II No.....

SEEM Disaggregation - Analog/Benchmark

SEEM Disaggregation

SEEM Analog/Benchmark

Not Applicable......Not Applicable

TAFI......CLEC/BellSouth



CM-6: Percent of Software Errors Corrected in "X" (10, 30, 45) Business Days

Definition

Measures the percent of all outstanding Software Errors due and overdue to be corrected by BellSouth in "X" (10, 30, 45) business days within the monthly report period.

Exclusions

- Software Corrections having implementation intervals that are longer than those defined in this measure and agreed upon by the CLECs
- Rejected or reclassified software errors (BellSouth must report the number of rejected or reclassified software errors disputed by the CLECs)

Business Rules

This metric is designed to measure BellSouth's performance each month in correcting identified Software Errors within the specified interval. The clock starts when a Software Error validated per the Change Control Process, a copy of which can be found at http://www.interconnection.bellsouth.com/markets/lec/ccp_live/index.html, and stops when the error is corrected and notice posted to the Change Control Website. The monthly report should include all defects due and overdue to be corrected within the report period. Software defects are defined as Type 6 Change Requests in the Change Control Process.

Calculation

Percent of Software Errors Corrected in "X" (10, 30, 45) Business Days = (a / b) X 100

- a = Total number of Software Errors Corrected where "X" = 10, 30, or 45 Business Days.
- b = Total number of Software Errors requiring correction where "X" = 10, 30, or 45 Business Days.

Report Structure

- Severity 2 = 10 Business Days
- Severity 3 = 30 Business Days
- Severity 4 = 45 Business Days

Data Retained

- · Report Period
- Total Completed
- Total Completed within "X" Business Days
- Disputed, Rejected or Reclassified Software Errors

SQM Level of Disaggregation - Analog/Benchmark

SQM Level of Disaggregation

SQM Analog/Benchmark

CM-6: Percent of Software Errors Corrected in "X" (10, 30, 45) Business Days

SEEM Measure

 SEEM
 Tier I
 Tier II

 Yes
 X

SEEM Disaggregation - Analog/Benchmark

SEEM Disaggregation SEEM Analog/Benchmark



CM-7: Percent of Change Requests Accepted or Rejected within 10 Days

Definition

Measures the percent of Change Requests other than Type 1 or Type 6 Change Requests, submitted by CLECs that are Accepted or Rejected by BellSouth in 10 business days within the report period.

Exclusions

• Change Requests that are canceled or withdrawn before a response from BellSouth is due.

Business Rules

The Acceptance/Rejection interval starts when the acknowledgement is due to the CLEC per the Change Control Process, a copy of which can be found at http://www.interconnection.bellsouth.com/markets/lec/ccp_live/index.html. The clock ends when BellSouth issues an acceptance or rejection notice to the CLEC. This metric includes all change requests not subject to the above exclusions, not just those received and accepted or rejected in the reporting period.

Calculation

Percent of Change Requests Accepted or Rejected within 10 Business Days = (a / b) X 100

- a = Total number of Change Requests accepted or rejected within 10 business days
- b = Total number of Change Requests submitted in the reporting period

Report Structure

· BellSouth Aggregate

Data Retained

- · Report Period
- · Requests Accepted or Rejected
- Total Requests

SQM Level of Disaggregation

SQM Level of Disaggregation - Analog/Benchmark

• Region			95% within interval	
SEEM Measu	ıre			
SEEM	Tier I	Tier II		
Yes		X		
SEEM Disag	gregation -	Analog/Benchma	nrk	
SEEM Disaggregation			SEEM Analog/Benchmark	
Region			95% within interval	

SQM Analog/Benchmark



CM-8: Percent Change Requests Rejected

Definition

Measures the percent of Change Requests (other than Type 1 or Type 6 Change Requests) submitted by CLECs that are rejected by reason within the report period.

Exclusions

Change Requests that are canceled or withdrawn before a response from BellSouth is due.

Business Rules

This metric includes any rejected change requests in the reporting period, regardless of whether received early or late. The metric will be disaggregated by major categories of rejections per the Change Control Process, a copy of which can be found at http://www.interconnection.bellsouth.com/markets/lec/ccp_live/index.html. These reasons are: Cost, Technical Feasibility, and Industry Direction. This metric includes all change requests not subject to the above exclusions, not just those received and accepted or rejected in the same reporting period.

Calculation

Percent Change Requests Rejected = (a / b) X 100

- a = Total number of Change Requests rejected
- b = Total number of Change Requests submitted within the report period

Report Structure

- BellSouth Aggregate
- Cost
- · Technical Feasibility

Data Retained

- · Report Period
- Requests Rejected
- · Total Requests

SQM Level of Disaggregation - Analog/Benchmark

SQM Level of Disaggregation

SQM Analog/Benchmark

- Reason Cost
- Reason Technical Feasibility
- Reason Industry Direction

SEEM Measure

SEEM	Tier I	Tier II
No		



CM-8: Percent Change Requests Rejected

SEEM Disaggregation - Analog/Benchmark

SEEM Disaggregation SEEM Analog/Benchmark

(A) BELLSOUTH®

CM-9: Number of Defects in Production Releases (Type 6 CR)

Definition

Measures the number of defects in Production Releases. This measure will be presented as the number of Type 6 Severity 1 defects, the number of Type 6 Severity 2 defects without a mechanized work around, and the number of Type 6 Severity 3 defects resulting within a three week period from a Production Release date. The definition of Type 6 Change Requests (CR) and Severity 1, Severity 2, and Severity 3 defects can be found in the Change Control Process Document.

Exclusions

None

Business Rules

This metric measures the number of Type 6 Severity 1 defects, the number of Type 6 Severity 2 defects without a mechanized work around, and the number of Type 6 Severity 3 defects resulting within a three week period from a Production Release date. The definitions of Type 6 Change Requests (CR) and Severity 1, 2, and 3 defects can be found in the Change Control Process, which can be found at http://www.interconnection.bellsouth.com/markets/lec/ccp_live/index.html.

Calculation

The number of Type 6 Severity 1 Defects, the number of Type 6 Severity 2 Defects without a mechanized work around, and the number of Type 6 Severity 3 defects.

Report Structure

- Production Releases
- Number of Type 6 Severity 1 defects
- Number of Type 6 Severity 2 defects without a mechanized work around
- Number of Type 6 Severity 3 defects

Data Retained

- Region
- Report Period
- Production Releases

SQM Level of Disaggregation

- Number of Type 6 Severity 1 defects
- Number of Type 6 Severity 2 defects without a mechanized work around
- Number of Type 6 Severity 3 defects

SQM Level of Disaggregation - Analog/Benchmark

SQM Analog/Benchmark

BELLSOUTH[®]

CM-9: Number of Defects in Production Releases (Type 6 CR)

SEEM Measure

SEEM Tier I Tier II No.....

SEEM Disaggregation

SEEM Analog/Benchmark



CM-10: Software Validation

Definition

Measures software validation test results for Production Releases of BellSouth Local Interfaces.

Exclusions

None

Business Rules

BellSouth maintains a test deck of transactions that are used to validate that functionality in software Production Releases work as designed. Each transaction in the test deck is assigned a weight factor, which is based on the weights that have been assigned to the metrics. Within the software validation metric weight factors will be allocated among transaction types (e.g., Pre-Order, Order Resale, Order UNE, Order UNE-P) and then equally distributed across transactions within the specific type.

BellSouth will begin to execute the software validation test deck within one (1) business day following a Production Release. Test deck transactions will be executed using Production Release software in the CAVE environment. Within seven (7) business days following completion of the Production Release software validation test in CAVE, BellSouth will report the number of test deck transactions that failed. Each failed transaction will be multiplied by the transaction's weight factor.

A transaction is considered failed if the request cannot be submitted or processed, or results in incorrect or improperly formatted data.

The test deck scenario weight table can be found in the Change Control Process, a copy of which can be found at http://www.interconnection.bellsouth.com/markets/lec/ccp_live/index.html.

Calculation

This software validation metric is defined as the ratio of the sum of the weights of failed transactions using Production Release software in CAVE to the sum of the weights of all transactions in the test deck.

- Numerator = Sum of weights of failed transactions
- Denominator = Sum of weights of all transactions in the test deck

Report Structure

· BellSouth Aggregate

Data Retained

- · Report Period
- Production Release Number
- Test Deck Weights
- % Test Deck Weight Failure

SQM Level of Disaggregation - Analog/Benchmark

SQM Level of Disaggregation SQM Analog/Benchmark • Region<= 5%



SEEM Measure

SEEM Tier I Tier II

SEEM Disaggregation

SEEM Analog/Benchmark



CM-11: Percent of Change Requests Implemented within 60 Weeks of Prioritization

Definition

Measures whether BellSouth provides CLECs timely implementation of prioritized change requests.

Exclusions

- Change requests that are implemented later than 60 weeks with the consent of the CLECs
- Change requests for which BellSouth has regulatory authority to exceed the interval

Business Rules

This metric is designed to measure BellSouth's monthly performance in implementing prioritized change requests. The clock starts when a change request has first been prioritized as described in the Change Control Process. The clock stops when the change request has been implemented by BellSouth and made available to the CLECs. BellSouth will begin reporting this monthly measure with the next release for diagnostic purposes, and will be measured for SEEM purposes 60 weeks from first prioritization meeting following Commission approval of this measure.

Calculation

Percent of Type 5 CLEC initiated Change Requests implemented on time = (a / b) X 100

- a = Total number of prioritized Type 5 Change Requests implemented each month that are less than or equal to 60 weeks of age from the date of their first prioritization plus all other prioritized change requests existing at the end of the month that are less than or equal to 60 weeks of age from prioritization.
- b = All entries in "a" above plus all Type 5 Change Requests prioritized more than 60 weeks before the end of the monthly reporting period.

Percent of Type 4 BellSouth initiated Change Requests implemented on time = $(a / b) \times 100$

- a = Total number of prioritized Type 4 Change Requests implemented each month that are less than or equal to 60 weeks of age from the date of the release prioritization list plus all other Type 4 prioritized change requests existing at the end of the month that are less than or equal to 60 weeks of age from prioritization.
- b = All entries in "a" above plus all Type 4 Change Requests prioritized more than 60 weeks before the end of the monthly reporting period.

Report Structure

- BellSouth Aggregate
- Type 4 requests implemented
- Type 5 requests implemented
- % implemented within 16, 32, 48, and 60 weeks

Data Retained

- Region
- Report Month
- Total implemented by type
- Total implemented within 60 weeks



SQM Level of Disaggregation - Analog/Benchmark

SQM Level of Disaggregation		SQM Analog/Benchmark
 Type 4 requests implement 	nted	95% within interval
SEEM Measure		
SEEM Tier I	Tier II Tier III	
Yes	X	
SEEM Disaggregation		SEEM Analog/Benchmark
Region		95% within interval

Appendix A: Reporting Scope

A-1: Standard Service Groupings

See individual reports in the body of the SQM.

A-2: Standard Service Order Activities

These are the generic BellSouth/CLEC service order activities which are included in the Pre-Ordering, Ordering, and Provisioning sections of this document. It is not meant to indicate specific reporting categories.

Service Order Activity Types

- Service Migrations Without Changes
- Service Migrations With Changes
- Move and Change Activities
- Service Disconnects (Unless noted otherwise)
- New Service Installations

Pre-Ordering Query Types

- Address
- Telephone Number
- · Appointment Scheduling
- Customer Service Record
- Feature Availability
- Service Inquiry

Maintenance Query Types

TAFI - TAFI queries the systems below

- CRIS
- March
- Predictor
- LMOS
 - DLR
 - DLETH
 - LMOSupd
- LNP
- NIW
- OSPCM
- SOCS

Report Levels

- CLEC RESH
- CLEC State
- · CLEC Region
- Aggregate CLEC State
- Aggregate CLEC Region
- BellSouth State
- · BellSouth Region



Appendix B: Glossary of Acronyms and Terms

Symbols used in calculations

A mathematical symbol representing the sum of a series of values following the symbol.

A mathematical operator representing subtraction.

A mathematical operator representing addition.

A mathematical operator representing division.

A mathematical symbol that indicates the metric on the left of the symbol is less than the metric on the right.

A mathematical symbol that indicates the metric on the left of the symbol is less than or equal to the metric on the right.

A mathematical symbol that indicates the metric on the left of the symbol is greater than the metric on the right.

A mathematical symbol that indicates the metric on the left of the symbol is greater than or equal to the metric on the right.

Α

ACD

Automatic Call Distributor - A service that provides status monitoring of agents in a call center and routes high volume incoming telephone calls to available agents while collecting management information on both callers and attendants.

Parentheses, used to group mathematical operations which are completed before operations outside the parentheses.

Aggregate

Sum total of all items in like category, e.g. CLEC aggregate equals the sum total of all CLECs' data for a given reporting level.

ALEC

Alternative Local Exchange Company = FL CLEC

ADSL

Asymmetrical Digital Subscriber Line

ASR

Access Service Request - A request for access service terminating delivery of carrier traffic into a Local Exchange Carrier's network.

ATLAS

Appendix B: Glossary of Acronyms and Terms

Application for Telephone Number Load Administration System - The BellSouth Operations System used to administer the pool of available telephone numbers and to reserve selected numbers from the pool for use on pending service requests/service orders.

ATLASTN

ATLAS software contract for Telephone Number.

Auto Clarification

The number of LSRs that were electronically rejected from LESOG and electronically returned to the CLEC for correction.

В

BFR:

Bona Fied Request

BILLING

The process and functions by which billing data is collected and by which account information is processed in order to render accurate and timely billing.

BOCRIS

Business Office Customer Record Information System (Front-end to the CRIS database.)

BRI

Basic Rate ISDN

BRC

Business Repair Center - The BellSouth Business Systems trouble receipt center which serves large business and CLEC customers.

BellSouth

BellSouth Telecommunications, Inc.

C

CABS

Carrier Access Billing System

CCC

Coordinated Customer Conversions

CCP

Change Control Process

Centrex

A business telephone service, offered by local exchange carriers, which is similar to a Private Branch Exchange (PBX) but the switching equipment is located in the telephone company Central Office (CO).

CKTID

A unique identifier for elements combined in a service configuration

CLEC

Competitive Local Exchange Carrier

CLP

Competitive Local Provider = NC CLEC

CM

Change Management

Appendix B: Glossary of Acronyms and Terms

CMDS

Centralized Message Distribution System - Telcordia administered national system used to transfer specially formatted messages among companies.

COFFI

Central Office Feature File Interface - Provides information about USOCs and class of service. COFFI is a part of DOE/SONGS. It indicates all services available to a customer.

CRIS

Customer Record Information System - This system is used to retain customer information and render bills for telecommunications service.

CRSACCTS

CRIS software contract for CSR information

CRSG

Complex Resale Support Group

C-SOTS

CLEC Service Order Tracking System

CSR

Customer Service Record

CTTG

Common Transport Trunk Group - Final trunk groups between BellSouth & Independent end offices and the BellSouth access tandems.

D

DA

Directory Assistance

DESIGN

Design Service is defined as any Special or Plain Old Telephone Service Order which requires BellSouth Design Engineering Activities.

DISPOSITION & CAUSE

Types of trouble conditions, e.g. No Trouble Found, Central Office Equipment, Customer Premises Equipment, etc.

DLETH

Display Lengthy Trouble History - A history report that gives all activity on a line record for trouble reports in LMOS.

DLR

Detail Line Record - A report that gives detailed line record information on records maintained in LMOS

DS-0

The worldwide standard speed for one digital voice signal (64000 bps).

DS-1

24 DS-0s (1.544Mb/sec., i.e. carrier systems)

DOE

Direct Order Entry System - An internal BellSouth service order entry system used by BellSouth Service Representatives to input business service orders in BellSouth format.



DSAP

DOE (Direct Order Entry) Support Application - The BellSouth Operations System which assists a Service Representative or similar carrier agent in negotiating service provisioning commitments for non-designed services and Unbundled Network Elements.

Appendix B: Glossary of Acronyms and Terms

DSAPDDI

DSAP software contract for schedule information.

DSI.

Digital Subscriber Line

DUI

Database Update Information

Ε

E911

Provides callers access to the applicable emergency services bureau by dialing a 3-digit universal telephone number.

EDI

Electronic Data Interchange - The computer-to-computer exchange of inter and/or intra-company business documents in a public standard format.

ESSX

BellSouth Centrex Service

F G

Fatal Reject

The number of LSRs that were electronically rejected from LEO, which checks to see of the LSR has all the required fields correctly populated.

Flow-Through

In the context of this document, LSRs submitted electronically via the CLEC mechanized ordering process that flow through to the BellSouth OSS without manual or human intervention.

FOC

Firm Order Confirmation - A notification returned to the CLEC confirming that the LSR has been received and accepted, including the specified commitment date.

FX

Foreign Exchange

Н

HAL

"Hands Off" Assignment Logic - Front end access and error resolution logic used in interfacing BellSouth Operations Systems such as ATLAS, BOCRIS, LMOS, PSIMS, RSAG and SOCS.

HALCRIS

HAL software contract for CSR information

HDSL

High Density Subscriber Loop/Line



IJK

ILEC

Incumbent Local Exchange Company

INP

Interim Number Portability

ISDN

Integrated Services Digital Network

IPC

Interconnection Purchasing Center

L

LAN

Local Area Network

LAUTO

The automatic processor in the LNP Gateway that validates LSRs and issues service orders.

LCSC

Local Carrier Service Center - The BellSouth center which is dedicated to handling CLEC LSRs, ASRs, and Preordering transactions along with associated expedite requests and escalations.

Legacy System

Term used to refer to BellSouth Operations Support Systems (see OSS)

LENS

Local Exchange Negotiation System - The BellSouth LAN/web server/OS application developed to provide both preordering and ordering electronic interface functions for CLECs.

LEO

Local Exchange Ordering - A BellSouth system which accepts the output of EDI, applies edit and formatting checks, and reformats the Local Service Requests in BellSouth Service Order format.

LERG

Local Exchange Routing Guide

LESOG

Local Exchange Service Order Generator - A BellSouth system which accepts the service order output of LEO and enters the Service Order into the Service Order Control System using terminal emulation technology.

LFACS

Loop Facilities Assessment and Control System

LIDB

Line Information Database

LMOS

Loop Maintenance Operations System - A system that provides a mechanized means of maintaining customer line records and for entering, processing, and tracking trouble reports.

LMOS HOST



LMOS host computer

LMOSupd

LMOS update allows trouble tickets on line records to be entered into LMOS.

LMU

Loop Make-up

LMUS

Loop Make-up Service Inquiry

LNP

Local Number Portability - In the context of this document, the capability for a subscriber to retain his current telephone number as he transfers to a different local service provider.

LNP Gateway

Local Number Portability (gateway)- A system that provides both internal and external communications with various interfaces and process including:

- (1). Linking BellSouth to the Number Portability Administration Center (NPAC).
- (2). Allowing for inter-company communications between BellSouth and the CLECs for electronic ordering.
- (3). Providing interface between NPAC and AIN SMS for LNP routing processes.

LOOPS

Transmission paths from the central office to the customer premises.

LRN

Location Routing Number

LSR

Local Service Request - A request for local resale service or unbundled network elements from a CLEC.

M

Maintenance & Repair

The process and function by which trouble reports are passed to BellSouth and by which the related service problems are resolved.

MARCH

A memory administration system that translates line-related service order data into switch provisioning messages and automatically transmits the messages to targeted stored program control system switches.

Ν

NBR

New Business Request

NC

"No Circuits" - All circuits busy announcement.

NIW

Network Information Warehouse - A system that stores central office blockage data for use in processing trouble reports.

Appendix B: Glossary of Acronyms and Terms

NMLI

Native Mode LAN Interconnection

NPA

Numbering Plan Area

NXX

The "exchange" portion of a telephone number.

0

OASIS

Obtain Availability Services Information System - A BellSouth front-end processor, which acts as an interface between COFFI and RNS. This system takes the USOCs in COFFI and translates them to English for display in RNS.

OASISBSN

OASIS software contract for feature/service

OASISNET

OASIS software contract for feature/service

OASISOCP

OASIS software contract for feature/service

ORDERING

The process and functions by which resale services or unbundled network elements are ordered from BellSouth as well as the process by which an LSR or ASR is placed with BellSouth.

Order Types

The following order types are used in this document:

- (1). T The "to" portion of a change of address. This Order Type is used to connect main service at a new address when a customer moves from one address to another in any of the nine states within the BellSouth region. A "T" Order Type is always pared with an "F" Order Type which will have the same telephone number following the "F" Order Type Code unless the orders are within different states.
- (2). N Orders establishing a new account. Also, this Order Type Code is occasionally used when changing from one type of system to another such as when changing from PBX to Centrex.
- (3). C Order Type used for the following conditions: changes or partial connections or disconnections of service or equipment; change of telephone number, grade or class of main line, additional lines, auxiliary lines, PBX trunks and stations; addition of trunks or lines to existing accounts; move of equipment (other than change of address); temporary suspension and restoration of service at customer's request.
- (4). R Order Type used for the following conditions: additions, removals or changes in directory listings; responsibility change orders, addition, removal or changes in directory and billing information; other record corrections where no "field work" is involved.

OSPCM

Outside Plant Contract Management System - A system that provides scheduling and completion information on outside plant construction activities.

OSS

Operations Support System - A support system or database which is used to mechanize the flow or performance of work. The term is used to refer to the overall system consisting of hardware complex, computer operating system(s), and

Appendix B: Glossary of Acronyms and Terms

application which is used to provide the support functions.

OUT OF SERVICE

Customer has no dial tone and cannot call out.

P_Q

PMAP

Performance Measurement Analysis Platform

PON

Purchase Order Number

POTS

Plain Old Telephone Service

PREDICTOR

A system which is used to administer proactive maintenance and rehabilitation activities on outside plant facilities, provide access to selected work groups to Mechanized Loop Testing and switching system I/O ports.

Preordering

The process and functions by which vital information is obtained, verified, or validated prior to placing a service request.

PRI

Primary Rate ISDN

Provisioning

The process and functions by which necessary work is performed to activate a service requested via an LSR or ASR and to initiate the proper billing and accounting functions.

PSIMS

Product/Service Inventory Management System - A BellSouth database Operations System which contains availability information on switching system features and capabilities and on BellSouth service availability. This database is used to verify the availability of a feature or service in an NXX prior to making a commitment to the customer.

PSIMSORB

PSIMS software contract for feature/service.

R

RNS

Regional Negotiation System - An internal BellSouth service order entry system used by BellSouth Consumer Services to input service orders in BellSouth format.

ROS

Regional Ordering System

RRC

Residence Repair Center - The BellSouth Consumer Services trouble receipt center which serves residential customers.

RSAG

Regional Street Address Guide - The BellSouth database, which contains street addresses validated to be accurate with state and local governments.

Appendix B: Glossary of Acronyms and Terms

RSAGADDR

RSAG software contract for address search.

RSAGTN

RSAG software contract for telephone number search.

S

SAC

Service Advocacy Center

SEEM

Self Effectuating Enforcement Mechanism

SOCS

Service Order Control System - A system which routes service order images among BellSouth drop points and BellSouth OSS during the service provisioning process.

SOIR

Service Order Interface Record - any change effecting activity to a customer account by service order that impacts 911/E911

SONGS

Service Order Negotiation and Generation System.

Syntactically Incorrect Query

A query that cannot be fulfilled due to insufficient or incorrect input data from the end user. For example, A CLEC would like to query the legacy system for the following address: 1234 Main ST. Entering "1234 Main ST" will be considered syntactically correct because valid characters were used in the address field. However, entering "AB34 Main ST" will be considered syntactically incorrect because invalid characters (i.e., alpha characters were entered in numeric slots) were used in the address field.

T

TAFI

Trouble Analysis Facilitation Interface - The BellSouth Operations System that supports trouble receipt center personnel in taking and handling customer trouble reports.

TAG

Telecommunications Access Gateway – TAG was designed to provide an electronic interface, or machine-to-machine interface for the bi-directional flow of information between BellSouth's OSSs and participating CLECs.

TN

Telephone Number

Total Manual Fallout

The number of LSRs which are entered electronically but require manual entering into a service order generator.

UV

UNE

Unbundled Network Element

UCL

Unbundled Copper Link



Appendix B: Glossary of Acronyms and Terms

USOC

Universal Service Order Code

WXYZ

WATS

Wide Area Telephone Service

WFA

Work Force Administration

WMC

Work Management Center

WTN

Working Telephone Number.



Appendix C: BellSouth Audit Policy

C-1: BellSouth's Internal Audit Policy

BellSouth's internal efforts to make certain that the reports produced by the PMAP platform are of the highest accuracy has been formalized into a Performance Measurements Quality Assurance Plan (PMQAP) that documents and augments existing quality assurance processes integral to the production and validation of Performance Measurements data.

The plan consists of three sections:

 Change Control addresses the quality assurance steps involved in the introduction of new measurements and changes to existing measurements.

Appendix C: Audit Policy

- 2. Production addresses the quality assurance steps used to create monthly SQM reports.
- 3. Monthly Validation addresses the quality assurance steps used to ensure accurate posting of monthly results.

The BellSouth PMQAP will ensure that BellSouth effectively and consistently provides accurate performance measurements data for the activities included in the SQM. The BellSouth Internal Audit department will audit this plan and its quality assurance steps annually, beginning in 4Q01.

C-2: BellSouth's External Audit Policy

BellSouth currently provides many CLECs with audit rights as a part of their individual interconnection agreements. BellSouth has developed a proposed Audit Plan for use by the parties to an audit. If requested by a Public Service Commission or by a CLEC exercising contractual audit rights, BellSouth will agree to undergo a comprehensive audit of the current year aggregate level reports for both BellSouth and the CLECs for each of the next five (5) years (2001 - 2005), to be conducted by an independent third party auditor jointly selected by BellSouth and the CLEC. The results of audits will be made available to all the parties subject to proper safeguards to protect proprietary information. Requested audits include the following specifications:

- 1. The cost shall be borne by BellSouth.
- 2. The independent third party auditor shall be selected with input from BellSouth, the PSC, if applicable, and the CLEC(s).
- 3. BellSouth, the PSC and the CLECs shall jointly determine the scope of the audit.

These comprehensive audits are intended to provide the basis for the PSCs and CLECs to determine that the SQM, PMAP and SEEM produce accurate data that reflects each States Order for performance measurements. Once this has been verified by an initial audit, the BellSouth PMQAP will provide the basis for future audits.



Appendix D: OSS Tables

OSS-1: Average Response Interval and Percent Within Interval (Pre-Ordering/Ordering)

Table 1: Legacy System Access Times For RNS

System	Contract	Data	< 2.3 sec.	> 6 sec.	<= 6.3 sec.	Avg. Sec.	# of Calls
RSAG	RSAG-TN	Address	X	X	X	x	X
RSAG	RSAG-ADDR	Address	X	X	X	x	X
ATLAS	ATLAS-TN	TN	X	X	X	x	x
DSAP	DSAP-DDI	Schedule	x	X	x	x	x
CRIS	CRSACCTS	CSR	x	xx	x	x	x
OASIS	OASISBIG	Feature/Service	x	X	x	x	x

Table 2: Legacy System Access Times For R0S

System	Contract	Data	< 2.3 sec.	> 6 sec.	<= 6.3 sec.	Avg. sec.	# of Calls
RSAG	RSAG-TN	Address	X	X	X	X	X
RSAG	RSAG-ADDF	R Address	X	X	X	x	X
ATLAS	ATLAS-TN	TN	x	xx	X	x	x
DSAP	DSAP-DDI	Schedule	x	xx	x	x	x
CRIS	CRSOCSR	CSR	x	x	x	x	x
OASIS		Feature/Service					

Table 3: Legacy System Access Times For LENS

System	Contract	Data	< 2.3 sec.	> 6 sec.	<= 6.3 sec.	Avg. sec.	# of Calls
RSAG	RSAG-TN	Address	x	X	X	X	X
RSAG	RSAG-ADDR	Address	X	X	X	x	X
ATLAS	ATLAS-TN	TN	x	X	X	x	X
DSAP	DSAP	Schedule	x	X	X	x	x
CRIS	CRSECSRL	CSR	x	X	x	x	x
COFFI	COFFI/USOCF	eature/Service	x	x	x	x	x
P/SIMS	PSIMS/ORB F	eature/Service	x	X	x	x	x

Table 4: Legacy System Access Times For TAG

	Contract	Data	< 2.3 sec.	> 6 sec.	<= 6.3 sec.	Avg. sec.	# of Calls
RSAG	RSAG-TN	Address	X	X	X	x	X
RSAG	RSAG-ADDR	R Address	x	X	X	x	X
ATLAS	ATLAS-TN	TN	x	x	x	x	x
ATLAS	ATLAS-MLH	TN	x	xx	x	x	x
ATLAS	ATLAS-DID	TN	x	x	x	x	x
DSAP	DSAP-DDI	Schedule	x	xx	x	x	x
CRIS	TAG-CSR	CSR	x	X	X	x	x
P/SIMS	PSIM/ORB	Feature/Service	X	X	X	x	x



OSS-1: Average Response Interval and Percent Within Interval (Pre-Ordering/Ordering)

SEEM OSS Legacy System

System	BellSouth	CLEC
	Telephone Number/Address	
RSAG-ADDR	RNS, ROS	TAG, LENS
RSAG-TN	RNS, ROS	TAG, LENS
Atlas	RNS,ROS	TAG. LENS
	Appointment Scheduling	
DSAP	RNS, ROS	TAG, LENS
	CSR Data	
CRSACCTS	RNS	
CRSOCSR	ROS	
CRSECSRL		LENS
TAG-CSR		TAG
	Service/Feature Availability	
OASISBIG	RNS, ROS	
PSIMS/ORB, COFFI		LENS, TAG

OSS-2: OSS Availability (Pre-Ordering/Ordering)

OSS Availability

OSS Interface	Applicable to	% Availability
EDI	CLEC	X
LENS	CLEC	X
LEO	CLEC	x
LESOG	CLEC	X
PSIMS	CLEC	X
TAG	CLEC	X
LNP Gateway	CLEC	x
COG	CLEC	x
SOG	CLEC	X



DOM	x
DOE	
CRIS	
ATLAS/COFFI	
BOCRIS	CLEC/BellSouthx
DSAP	
RSAG	
SOCS	
SONGS	
RNS	BellSouthx
ROS	BellSouth x

OSS-2: OSS Availability (Pre-Ordering/Ordering)

SEEM OSS Availability

OSS Interface	Applicable to	% Availability
EDI	CLEC	X
LENS	CLEC	X
LEO	CLEC	X
LESOG	CLEC	x
PSIMS	CLEC	X
TAG	CLEC	x
LNP Gateway	CLEC	X
COG	CLEC	x
SOG	CLEC	X
DOM	CLEC	X



OSS-3: OSS Availability (Maintenance & Repair)

OSS Availability (M&R)

OSS Interface	% Availability
BellSouth TAFI	x
CLEC TAFI	x
CLEC ECTA	X
BellSouth & CLEC	
CRIS	x
LMOS HOST	x
LNP Gateway	x
MARCH	x
OSPCM	x
PREDICTOR	x
SOCS	Y

OSS-3: OSS Availability (Maintenance & Repair)

SEEM OSS Availability (M&R)

OSS Interface	% Availability
CLEC TAFI	x
CLEC ECTA	X

OSS-4: Response Interval (Maintenance & Repair)

Legacy System Access Times for M&R

System	BellSouth			Count			
	& CLEC	<= 4	> 4 <= 10	<= 10	> 10	> 30 Av	g. Int.
CRIS	X	x	X	X	xx	x	. X
DLETH	X	x	X	X	xx	x	. X
DLR	X	x	X	X	xx	x	. X
LMOS	X	x	X	X	X	X	. X
LMOSupd	X	x	X	X	X	X	. X
LNP	X	x	X	X	X	X	. X
MARCH	X	x	X	X	X	x	. X
OSPCM	X	x	X	X	X	X	. X
Predictor	X	x	X	XX	X	X	. X
SOCS	X	x	X	X	X	x	. X
NIW	X	x	X	xx	xx	x	. X



TAFI

System	Open Trouble Ticket	Status Trouble Ticket	Mechanized Line Testing	Close Trouble Ticket
CRIS	X			
DLETH	Χ			
DLR	X			
LMOS	X	Х		X
LMOSSupd	X	X	X	X
LNP	X			
MARCH	X			
OSPCM	Χ	X		
Predictor	X	X		
SOCS	X	X		
NIW	Χ			

Note: Depending on the type of customer report multiple systems maybe touched in one transaction.



Appendix E: LSR Flow-Through Matrix (as of May 13, 2003)

Product	PRODUCT TYPE	REQTYPE	ACT TYPE	F/T³	COMPLEX SERVICE	COMPLEX ORDER	PLANNED FALLOUT FOR MANUAL HANDLING ¹	EDI	TAG²	LENS ⁴	COMMENTS
2 wire analog DID trunk port	U	F	N	No	UNE	Yes	NA	N	N	N	
2 wire analog port	U	F	N	No	UNE	No	Yes	Υ	Υ	Υ	
2 wire ISDN digital line	U	A	N,T	No	UNE	Yes	NA	Ν	N	N	
2 wire ISDN digital loop	U	A	N,C,D	Yes	UNE	Yes	No	Υ	Υ	N	
2 wire ISDN digital loop - LNP	U	В	V,P,Q	Yes	UNE	Yes	No	Υ	Υ	N	
3 Way Calling	R,B	E,M	N,C,V,W,P,Q,T	Yes	No	No	No	Υ	Υ	Υ	
3rd Party Call Block	R,B	E,M	N,C,V,W,D,P,Q,T	Yes	No	No	No	Υ	Υ	Υ	
4 wire analog voice grade loop	U	A	T	No	UNE	Yes	Yes	Υ	Υ	N	
4 wire analog voice grade loop	U	A	N	Yes	UNE	Yes	No	Υ	Υ	N	
4 wire DS1 & PRI digital loop	U	A	N,T	No	UNE	Yes	NA	N	N	N	
4 wire DSO & PRI digital loop	U	A	N,T	No	UNE	Yes	NA	Ν	N	N	
4 wire ISDN DSI digital trunk ports	U	A	N,T	No	UNE	Yes	NA	N	N	N	
4-WIRE DS1 LOOP WITH CHANNELIZATION WITH PORT DS1	С	M	N,C,D,V	No	Yes	Yes	NA	N	N	N	
4-WIRE DS1 LOOP WITH CHANNELIZATION WITH PORT TRUNK SERVICE	С	M	N,C,D,V	No	Yes	Yes	NA	N	N	N	
900 Call Block	R,B	E,M	N,C,V,W,D,P,Q,T	Yes	No	No	No	Υ	Υ	Υ	
Accupulse	С	Е	N,C,T,V,W	No	Yes	Yes	NA	N	N	N	
ADSL	R,B,C	E	V,W,D	Yes	C/S	C/S	No	Y	Y	Y	NOTE THIS PRODUCT CAN BE ORDERED FOR RES/BUS AND CENTREX
Analog Data/Private Line	С	E	N,C,T,V,W,D	No	Yes	Yes	NA	N	N	N	OLIVINEX
Area Plus	R,B	E,M	N,C,V,W,P,Q,T	Yes	No	No	No	Y	Y	Y	
ATM (ASYNCHRONOUS TRANFER MODE)	С	E,W	N,C,V,W,D	No	Yes	Yes	NA NA	N	N	N	
Basic Rate ISDN *Unbundled	U	A	T	No	Yes	Yes	Yes	Y	Y	N	
Basic Rate ISDN *Unbundled	U	A	N,V,D	Yes	UNE	Yes	No	Y	Y	Y	
Basic Rate ISDN *Unbundled	U	A	C,T	No	UNE	Yes	Yes	Y	Y	Y	
Basic Rate ISDN 2 Wire UNE P	C	M	N,C,D,V	No	Yes	Yes	NA	N	N	N	Manual
Basic Rate ISDN 2 Wire	С	E	N,C, D,T,V,P,Q	No	Yes	Yes	Yes	Y	Y	Y	Mandai

Version 2.00 205 Issue Date: July 1, 2003



Appendix E: LSR Flow-Through Matrix (as of May 13, 2003)

Product	PRODUCT TYPE	REQTYPE	ACT TYPE	F/T ³	COMPLEX SERVICE	COMPLEX ORDER	PLANNED FALLOUT FOR MANUAL HANDLING ¹	EDI	TAG ²	LENS ⁴	COMMENTS
BELLSOUTH CHANNELIZED TRUNKS	С	E	N,C,D,T,V,W,P,Q	No	Yes	Yes	NA	Ν	N	N	
Call Block	R,B	E,M	N,C,V,W,P,Q,T	Yes	No	No	No	Υ	Υ	Υ	
Call Forwarding	R,B	E,M	N,C,V,W,P,Q,T	Yes	No	No	No	Υ	Υ	Υ	
Call Return	R,B	E,M	N,C,V,W,P,Q,T	Yes	No	No	No	Υ	Υ	Υ	
Call Selector	R,B	E,M	N,C,V,W,P,Q,T	Yes	No	No	No	Υ	Υ	Υ	
Call Tracing	R,B	E,M	N,C,V,W,P,Q,T	Yes	No	No	No	Υ	Υ	Υ	
Call Waiting	R,B	E,M	N,C,V,W,P,Q,T	Yes	No	No	No	Υ	Υ	Υ	
Call Waiting Deluxe	R,B	E,M	N,C,V,W,P,Q,T	Yes	No	No	No	Υ	Υ	Υ	
Caller ID	R,B	E,M	N,C,V,W,P,Q,T	Yes	No	No	No	Υ	Υ	Υ	
BELLSOUTH CENTREX*	С	P	N,C,D,W,T,S,B,L,V,P	No	Yes	Yes	NA	N	N	N	
UNE P CENTREX	C	M	N,C,D,V	No	Yes	Yes	NA	Ν	N	N	
Collect Call Block	R,B	E,M	N,C,V,W,D,P,Q,T	Yes	No	No	No	Υ	Υ	Υ	
DID	С	N	N,C,D,V,W,T,P,Q	No	Yes	Yes	Yes	Υ	Υ	Υ	
2-WIRE DIRECT INWARD DIAL (DID) TRUNK PORT AND VOICE GRADE LOOP COMBINATION	С	M	N,C,D,V	No	Yes	Yes	NA	N	N	N	
Digital Data Transport	U	E	N,C,T,V,W	No	UNE	Yes	NA	N	N	N	
DIGITAL DIRECT INTEGRATION TERMINATION SERVICES (DDITS) DS1	С	M	N,C,D,V	No	Yes	Yes	NA	N	N	N	
DIGITAL DIRECT INTEGRATION TERMINATION SERVICES (DDITS) TRUNK SERVICE	С	M	N,C,D,V	No	Yes	Yes	NA	N	N	N	
Dissertante I intina Industriana	B,U	B,C,E,F,J,M,N		No	No	No	Yes	Y	Y	Y	
Directory Listing Indentions Directory Listings (simple)	R,B,U	B,C,E,F,J,M,N	N,C,T,R,V,W,P,Q	Yes	No	No	No	Y	Y	Y	
Directory Listings (simple)	R,B,U	B,C,E,F,J,M,N	N,C,R,V,W,P,Q T	No	No	No	Yes	Y	Y	N	
Directory Listings (simple)	R,B,U	B,C,E,F,J,M,N	N,C,T,R,V,W,P,Q	No	No	Yes	Yes	Y	Y	Y	
DIFFERENT PREMISE ADDRESS (DPA)	С	E	N,C,D,V,W,T	No	Yes	Yes	NA	N	N	N	
DS1Loop	U	A	N,D,V	Yes	UNE	Yes	No	Y	Y	Y	
DS3	U	A	N,C,V	No	UNE	Yes	NA NA	N	N	N	
DSO Loop	U	A	N,D,V	Yes	UNE	Yes	No	Y	Y	Y	
DSO Loop	U	A	C,T	No	No	No	Yes	Υ	Y	Y	
Enhanced Caller ID	R,B	E	C,D,N,V,W,P,Q,T	Yes	No	No	No	Y	Y	Y	

Version 2.00 206 Issue Date: July 1, 2003



Appendix E: LSR Flow-Through Matrix (as of May 13, 2003)

Product	PRODUCT TYPE	REQTYPE	ACT TYPE	F/T ³	COMPLEX SERVICE	COMPLEX ORDER	PLANNED FALLOUT FOR MANUAL HANDLING ¹	EDI	TAG ²	LENS ⁴	COMMENTS
Enhanced Extended Links (EELS)	U	A	C,D,N,T,V	Yes	No	No	No	Υ	Υ	Υ	
ESSX	С	P	C,D,T,V,S,B,W,L,P,Q	No	Yes	Yes	NA	Ν	N	N	
Flat Rate/Business	В	E, M	C,D,N,V,W,T Y,B,L,S,D,T,P,Q	Yes	No	No	No	Υ	Υ	Υ	
Flat Rate/Residence	R	E, M	C,D,N,V,W,T Y,B,L,S,D,T,P,Q	Yes	No	No	No	Υ	Υ	Υ	
FLEXSERV	C	Е	N,C,D,T,V,W,P,Q	No	Yes	Yes	NA	N	N	N	
Frame Relay	С	Е	N,C,D,V,W	No	Yes	Yes	NA	Ν	N	N	
FX/FCO	С	Е	N,C,D,T,V,W,P,Q	No	Yes	Yes	NA	N	N	N	
UNE P FX/FCO (RES,BUS,PBX) (NOTE: THIS PRODUCT WILL NOT BE AVAILABLE UNTIL 0801-02	C	M	N,C,V,D,T,S,B,L,W,Y,P,Q	No	Yes	Yes	NA	N	N	N	
Ga. Community Calling	R,B	M	C,D,N,V,W,P,Q	No	No	No	NA NA	N	N	N	
Ga. Community Calling	R,B	E	T	No	No	No	Yes	Y	Y	N	
HDSL	U	A	T	No	UNE	No	Yes	Y	Y	N	
HDSL	U	A	N,C,D,V	Yes	UNE	No	No	Y	Y	Y	
Hunting MLH	R,B	E, M	C,D,N,T,V,W	No	C/S ⁴	C/S	Yes	Υ	Υ	N	
Hunting Series Completion	R,B	E, M	C,D,N,V,W	Yes	C/S	C/S	No	Υ	Υ	Υ	
Hunting Series Completion	R,B	E, M	T	No	No	No	Yes	Υ	Υ	N	
INP to LNP Conversion	U	С	С	No	UNE	Yes	Yes	Υ	Υ	N	
LightGate	С	E	N,C,D,T,V,W,P,Q	No	Yes	Yes	NA	Ν	N	N	
Line Sharing	U	Α	N,C,D,V,P,Q	Yes	UNE	No	No	Υ	Υ	Υ	
Line Splitting	U	Α	N,C,D	Yes	UNE	No	No	Υ	Υ	Υ	
LNP With Complex Listing	U	С	P,V,Q	No	UNE	Yes	Yes	Υ	Υ	N	
LNP with Complex Services	U	С	P,V,Q	No	UNE	Yes	Yes	Υ	Υ	N	
LNP with Partial Migration	U	С	P,V,Q	No	UNE	Yes	Yes	Υ	Υ	N	
LNP	U	С	P,V,Q	Yes	UNE	Yes	No	Υ	Υ	N	
Local Number Portability (INP to LNP)	U	С	С	No	UNE	No	Yes	Υ	Υ	N	
INP	U	B,C	D	No	UNE	No	Yes	Υ	Υ	N	
Loop+LNP	U	В	V,P,Q	Yes	UNE	No	No	Υ	Υ	N	
Measured Rate/Bus	R,B	E,M	C,D,N,V,W,P,Q,T Y,B,L,S,D	Yes	No	No	No	Y	Y	Y	

Version 2.00 207 Issue Date: July 1, 2003



Appendix E: LSR Flow-Through Matrix (as of May 13, 2003)

Product	PRODUCT TYPE	REQTYPE	ACT TYPE	F/T ³	COMPLEX SERVICE	COMPLEX ORDER	PLANNED FALLOUT FOR MANUAL HANDLING ¹	EDI	TAG ²	LENS ⁴	COMMENTS
			C,D,N,V,W,P,Q,T								
Measured Rate/Res	R,B	E,M	Y,B,L,S,D	Yes	No	No	No	Υ	Υ	Υ	
Megalink POINT TO POINT	С	E	N,V,W,T,D,C,P,Q	No	Yes	Yes	NA	N	N	N	
Megalink CHANNELIZED	С	E	N,V,W,T,D,C,P,Q	No	Yes	Yes	NA	N	N	N	
Memory Call	R,B	E, M	C,D,N,V,W,P,Q,T	Yes	No	No	No	Υ	Υ	Υ	
Memory Call Ans. Svc.	R,B	E, M	C,D,N,V,W,P,Q,T	Yes	No	No	No	Υ	Υ	Υ	
Multiserv	С	Р	N,C,D,T,V,S,B,W,L,P,Q	No	Yes	Yes	NA	N	N	N	
Native Mode LAN Interconnection (NMLI)	С	E	N,C,D,V,W	No	Yes	Yes	NA	Ν	N	Ν	
Off-Prem Stations	С	E	N,C,D,V,W,T,P,Q	No	Yes	Yes	NA	Ν	N	N	
Optional Calling Plan	R,B	E, M	N,V,P,Q,W	Yes	No	No	No	Υ	Υ	Υ	
Package/Complete Choice and Area Plus	R,B	E, M	N,C,V,W,P,Q	Yes	No	No	No	Υ	Υ	Υ	
Package/Complete Choice and Area Plus	R,B	E, M	Т	No	No	No	Yes	Υ	Υ	N	
Pathlink/ Primary Rate ISDN	С	Е	N,C,D,T,V,W,P,Q	No	Yes	Yes	NA	Ν	N	N	
4-WIRE ISDN PRI UNE COMBO	С	М	N,C,D,V	No	Yes	Yes	NA	Ν	N	N	
Pay Phone Provider	В	E,M	C,D,T,N,V,W,P,Q	Yes	No	No	No	Υ	Υ	Υ	
PBX Standalone Port	С	F	N,C,D	No	Yes	Yes	Yes	Υ	Υ	N	
PBX Trunks	С	Е	N,C,D,V,W,T,P,Q	No	Yes	Yes	Yes	Υ	Υ	N	
PIC/LPIC Change	R,B,C	E,M	C,V,P,Q,T	Yes	No	No	No	Υ	Υ	Υ	
PIC/LPIC Freeze	R,B,C	E,M	N,C,V,P,Q,T	Yes	No	No	No	Υ	Υ	Υ	
PORT/LOOP COMBO 2-WIRE PBX	С	М	N,C,D,V	No	No	No	Yes	Υ	Υ	N	
Port/Loop Simple	U	М	N,C,D,V	Yes	No	No	No	Υ	Υ	Υ	
Preferred Call Forward	R,B,U	E,M	C,D,N,V,W,P,Q,T	Yes	No	No	No	Υ	Υ	Υ	
RCF Basic	R,B	E,M	N,D,W,V,P,Q,T	No	No	No	Yes	Υ	Υ	N	
Remote Access to CF	R,B	E,M	C,D,N,V,W,P,Q,T	No	No	No	NA	Υ	Υ	N	
Repeat Dialing	R,B	E,M	C,D,N,V,W,P,Q,T	Yes	No	No	No	Υ	Υ	Υ	
Ringmaster	R,B	E,M	C,D,N,V,W,P,Q,T	Yes	No	No	No	Υ	Υ	Υ	
Smartpath	R,B	E	C,D,T,N,V,W	No	Yes	Yes	NA	N	N	N	
SmartRING	С	Е	N,D,C,V,W	No	Yes	Yes	NA	Ν	N	Ν	
Speed Calling	R,B	E,M	C,D,N,V,W,P,Q,T	Yes	No	No	No	Υ	Υ	Υ	
Synchronet	С	Е	N,D,C,V,W	No	Yes	Yes	Yes	Υ	Υ	N	
Three Way Call Block	R,B	E,M	C,D,N,V,W,P,Q,T	Yes	No	No	No	Υ	Υ	N	

Version 2.00 208 Issue Date: July 1, 2003



Appendix E: LSR Flow-Through Matrix (as of May 13, 2003)

Product	PRODUCT TYPE	REQTYPE	ACT TYPE	F/T ³	COMPLEX SERVICE	COMPLEX ORDER	PLANNED FALLOUT FOR MANUAL HANDLING ¹	EDI	TAG ²	LENS⁴	COMMENTS
Tie Lines	С	Е	N,C,D,V,W,T,P,Q	No	Yes	Yes	NA	Ν	N	N	
TOLL FREE DIALING (TFD)	С	Е	N,C,D,V,W	No	Yes	Yes	NA	Ν	Ν	Z	
Touchtone	R,B	E	C,D,N,V,W,P,Q,T	Yes	No	No	No	Υ	Υ	Υ	
Unbundled Loop-Analog 2W, SL1, SL2	U	A,B	D,N,V	Yes	UNE	No	No	Υ	Υ	Υ	
Unbundled Loop-Analog 2W, SL1,SL2	U	A,B	C **	Yes	UNE	No	Yes	Υ	Υ	Υ	
Unbundled Universal Digital Channel (UDC) Loop	U	Α	N,D	Yes	UNE	No	No	Υ	Υ	Υ	
WATS*	С	E	W,D,N,C,V	No	Yes	Yes	NA	Ν	N	Ν	
XDSL	U	A,B	N,C,V,D	Yes	UNE	No	No	Υ	Υ	Υ	
XDSL	U	A,B	T	No	No	No	Yes	Υ	Υ	Ζ	

Product: U-UNE; C-Complex; B-Business; R-Residence

Reqtype: A-Loop; B-Loop with LNP/INP; C-LNP/INP; E-Resale; F-Port; J-Directory Listing and Directory Assistance; M-UNE-P; N-DID Resale; P-Centrex Resale, ACT: N-New installation-; C-Change an existing account; D-Disconnection; T-Outside move of end user location; R-Record activity is for ordering administrative changes; V-Conversion of service to new LSP as specified; W-Conversion of service to new LSP "as is"; S-Suspend; B-Restore; Y-Deny; L-Seasonal Suspend; P-Partial Migration (initial); Q-Partial Migration (subsequent)

Note 1: Planned Fallout for Manual Handling denotes those services that are electronically submitted and are not intended to flow-through due to the complexity of the service.

Note 2: The TAG column includes thse LSRs submitted via Robo TAG.

Note 3: For all services that indicate 'No' for flow-through, the following reasons, in addition to complex services or complex order, also prompt manual handling: Expedites from CLECs, special pricing plans, partial migrations (although conversions-as-is flow through for issue 9 unless migrating the main TN and a new TN must be assigned), class of service invalid in certain states with some TOS e.g. government, or cannot be changed when changing main TN on C activity, pnding order review required (Example: Any pending service order (PSO) not related to current PON, pending service order (PSO) with multiple service orders pending realted to current PON and SUP received), more than 25 business lines and more than 15 loops, CSR inaccuracies such as invalid or missing CSR data in CRIS, Directory listings with Indentions or Captions, , transfer of calls option for CLEC end user – new TN not yet posted to CRIS.

Note 4: Services with C/S in the Complex Service and/or the Complex Order columns can be either complex or simple.

Note 5: The following list of items will not FT:

LSRs with Project or RPON fields populated

**SL1 REOTYP A, ACT C, LNA N, C, or D

**SL2 REQTYP A, ACT C, LNA C

REQTYP B, C, ACT P when migrating main telephone number

REQTYP B, C ACT V with Complex

REQTYP E, M, N and P; ACT = V, LNA = V (LNP to Resale/UNE Switched Combinations)

Attachment 10

BellSouth Disaster Recovery Plan

CON	ITENT	<u>S</u>		PAGE
1.0	Purpo	NCA		2
2.0		e Point of	Contact	2
3.0	_	fying the		2
3.0	3.1			3
			nmental Concerns	4
4.0			y Control Center (ECC)	4
5.0		very Proc		5
		ČLEC (5
	5.2	BellSou	uth Outage	5
			Loss of Central Office	6
		5.2.2	Loss of a Central Office with Serving Wire Center Functions	6
			Loss of a Central Office with Tandem Functions	6
		5.2.4	Loss of a Facility Hub	7
	5.3	Combin	ned Outage (CLEC and BellSouth Equipment)	7
6.0	T1 Id	entification	on Procedures	7
7.0	Acro	ıvms		8

1.0 PURPOSE

In the unlikely event of a disaster occurring that affects BellSouth's long-term ability to deliver traffic to a Competitive Local Exchange Carrier (CLEC), general procedures have been developed by BellSouth to hasten the recovery process in accordance with the Telecommunications Service Priority (TSP) Program established by the Federal Communications Commission to identify and prioritize telecommunication services that support national security or emergency preparedness (NS/EP) missions. Since each location is different and could be affected by an assortment of potential problems, a detailed recovery plan is impractical. However, in the process of reviewing recovery activities for specific locations, some basic procedures emerge that appear to be common in most cases.

These general procedures should apply to any disaster that affects the delivery of traffic for an extended time period. Each CLEC will be given the same consideration during an outage, and service will be restored as quickly as possible.

This document will cover the basic recovery procedures that would apply to every CLEC.

2.0 SINGLE POINT OF CONTACT

When a problem is experienced, regardless of the severity, the BellSouth Network Management Center (NMC) will observe traffic anomalies and begin monitoring the situation. Controls will be appropriately applied to insure the sanity of BellSouth's network; and, in the event that a switch or facility node is lost, the NMC will attempt to circumvent the failure using available reroutes.

BellSouth's NMC will remain in control of the restoration efforts until the problem has been identified as being a long-term outage. At that time, the NMC will contact BellSouth's Emergency Control Center (ECC) and relinquish control of the recovery efforts. Even though the ECC may take charge of the situation, the NMC will continue to monitor the circumstances and restore traffic as soon as damaged network elements are revitalized.

The telephone number for the BellSouth Network Management Center in Atlanta, as published in Telcordia's National Network Management Directory, is 404-321-2516.

3.0 IDENTIFYING THE PROBLEM

During the early stages of problem detection, the NMC will be able to tell which CLECs are affected by the catastrophe. Further analysis and/or first hand observation will determine if the disaster has affected CLEC equipment only, BellSouth equipment only or a combination. The initial restoration activity will be largely determined by the equipment that is affected.

Once the nature of the disaster is determined and after verifying the cause of the problem, the NMC will initiate reroutes and/or transfers that are jointly agreed upon by the affected CLECs' Network Management Center and the BellSouth NMC. The type and percentage of controls used will depend upon available network capacity. Controls necessary to stabilize the situation will be invoked and the NMC will attempt to re-establish as much traffic as possible.

For long-term outages, recovery efforts will be coordinated by the Emergency Control Center (ECC). Traffic controls will continue to be applied by the NMC until facilities are re-established. As equipment is made available for service, the ECC will instruct the NMC to begin removing the controls and allow traffic to resume.

3.1 SITE CONTROL

In the total loss of building use scenario, what likely exists will be a smoking pile of rubble. This rubble will contain many components that could be dangerous. It could also contain any personnel on the premises at the time of the disaster. For these reasons, the local fire marshal with the assistance of the police will control the site until the building is no longer a threat to surrounding properties and the companies have secured the site from the general public.

During this time, the majority owner of the building should be arranging for a demolition contractor to mobilize to the site with the primary objective of reaching the cable entrance facility for a damage assessment. The results of this assessment would then dictate immediate plans for restoration, both short term and permanent.

In a less catastrophic event, i.e., the building is still standing and the cable entrance facility is usable, the situation is more complex. The site will initially be controlled by local authorities until the threat to adjacent property has diminished. Once the site is returned to the control of the companies, the following events should occur.

An initial assessment of the main building infrastructure systems (mechanical, electrical, fire and life safety, elevators, and others) will establish building needs. Once these needs are determined, the majority owner should lead the building restoration efforts. There may be situations where the site will not be totally restored within the confines of the building. The companies must individually determine their needs and jointly assess the cost of permanent restoration to determine the overall plan of action.

Multiple restoration trailers from each company will result in the need for designated space and installation order. This layout and control is required to maximize the amount of restoration equipment that can be placed at the site, and the priority of placements.

Care must be taken in this planning to ensure other restoration efforts have logistical access to the building. Major components of telephone and building equipment will need to be removed and replaced. A priority for this equipment must also be jointly established to facilitate overall site restoration. (Example: If the AC switchgear has sustained damage, this would be of the highest priority in order to regain power, lighting, and HVAC throughout the building.)

If the site will not accommodate the required restoration equipment, the companies would then need to quickly arrange with local authorities for street closures, rights of way or other possible options available.

3.2 ENVIRONMENTAL CONCERNS

In the worse case scenario, many environmental concerns must be addressed. Along with the police and fire marshal, the state environmental protection department will be on site to monitor the situation.

Items to be concerned with in a large central office building could include:

- 1. Emergency engine fuel supply. Damage to the standby equipment and the fuel handling equipment could have created "spill" conditions that have to be handled within state and federal regulations.
- 2. Asbestos-containing materials that may be spread throughout the wreckage. Asbestos could be in many components of building, electrical, mechanical, outside plant distribution, and telephone systems.
- 3. Lead and acid. These materials could be present in potentially large quantities depending upon the extent of damage to the power room.
- 4. Mercury and other regulated compounds resident in telephone equipment.
- 5. Other compounds produced by the fire or heat.

Once a total loss event occurs at a large site, local authorities will control immediate clean up (water placed on the wreckage by the fire department) and site access.

At some point, the companies will become involved with local authorities in the overall planning associated with site clean up and restoration. Depending on the clean up approach taken, delays in the restoration of several hours to several days may occur.

In a less severe disaster, items listed above are more defined and can be addressed individually depending on the damage.

In each case, the majority owner should coordinate building and environmental restoration as well as maintain proper planning and site control.

4.0 THE EMERGENCY CONTROL CENTER (ECC)

The ECC is located in the Midtown 1 Building in Atlanta, Georgia. During an emergency, the ECC staff will convene a group of pre-selected experts to inventory the damage and initiate corrective actions. These experts have regional access to BellSouth's personnel and equipment and will assume control of the restoration activity anywhere in the nine-state area.

In the past, the ECC has been involved with restoration activities resulting from hurricanes, ice storms and floods. They have demonstrated their capabilities during these calamities as well as

during outages caused by human error or equipment failures. This group has an excellent record of restoring service as quickly as possible.

During a major disaster, the ECC may move emergency equipment to the affected location, direct recovery efforts of local personnel and coordinate service restoration activities with the CLECs. The ECC will attempt to restore service as quickly as possible using whatever means is available, leaving permanent solutions, such as the replacement of damaged buildings or equipment, for local personnel to administer.

Part of the ECC's responsibility, after temporary equipment is in place, is to support the NMC efforts to return service to the CLECs. Once service has been restored, the ECC will return control of the network to normal operational organizations. Any long-term changes required after service is restored will be made in an orderly fashion and will be conducted as normal activity.

5.0 RECOVERY PROCEDURES

The nature and severity of any disaster will influence the recovery procedures. One crucial factor in determining how BellSouth will proceed with restoration is whether or not BellSouth's equipment is incapacitated. Regardless of whose equipment is out of service, BellSouth will move as quickly as possible to aid with service recovery; however, the approach that will be taken may differ depending upon the location of the problem.

5.1 CLEC OUTAGE

For a problem limited to one CLEC (or a building with multiple CLECs), BellSouth has several options available for restoring service quickly. For those CLECs that have agreements with other CLECs, BellSouth can immediately start directing traffic to a provisional CLEC for completion. This alternative is dependent upon BellSouth having concurrence from the affected CLECs.

Whether or not the affected CLECs have requested a traffic transfer to another CLEC will not impact BellSouth's resolve to re-establish traffic to the original destination as quickly as possible.

5.2 BELLSOUTH OUTAGE

Because BellSouth's equipment has varying degrees of impact on the service provided to the CLECs, restoring service from damaged BellSouth equipment is different. The outage will probably impact a number of Carriers simultaneously. However, the ECC will be able to initiate immediate actions to correct the problem.

A disaster involving any of BellSouth's equipment locations could impact the CLECs, some more than others. A disaster at a Central Office (CO) would only impact the delivery of traffic to and from that one location, but the incident could affect many Carriers. If the Central Office is a Serving Wire Center (SWC), then traffic from the entire area to those Carriers served from that switch would also be impacted. If the switch functions as an Access Tandem, or there is a tandem in the building, traffic from every CO to every CLEC could be interrupted. A disaster that destroys a facility hub could disrupt various traffic flows, even though the switching equipment may be unaffected.

The NMC would be the first group to observe a problem involving BellSouth's equipment. Shortly after a disaster, the NMC will begin applying controls and finding re-routes for the

completion of as much traffic as possible. These reroutes may involve delivering traffic to alternate Carriers upon receiving approval from the CLECs involved. In some cases, changes in translations will be required. If the outage is caused by the destruction of equipment, then the ECC will assume control of the restoration.

5.2.1 Loss of a Central Office

When BellSouth loses a Central Office, the ECC will

- a) Place specialists and emergency equipment on notice;
- b) Inventory the damage to determine what equipment and/or functions are lost;
- c) Move containerized emergency equipment and facility equipment to the stricken area, if necessary;
- d) Begin reconnecting service on a parity basis for Hospitals, Police and other emergency agencies or End Users served by BellSouth or CLEC in accordance with the TSP priority restoration coding scheme entered in the BellSouth Maintenance database immediately prior to the emergency.

5.2.2 Loss of a Central Office with Serving Wire Center Functions

The loss of a Central Office that also serves as a Serving Wire Center (SWC) will be restored as described in Section 5.2.1.

5.2.3 Loss of a Central Office with Tandem Functions

When BellSouth loses a Central Office building that serves as an Access Tandem and as a SWC, the ECC will

- a) Place specialists and emergency equipment on notice;
- b) Inventory the damage to determine what equipment and/or functions are lost;
- c) Move containerized emergency equipment and facility equipment to the stricken area, if necessary;
- d) Begin reconnecting service on a parity basis for Hospitals, Police and other emergency agencies or End Users served by BellSouth or CLEC in accordance with the TSP priority restoration coding scheme entered in the BellSouth Maintenance database immediately prior to the emergency;
- e) Re-direct as much traffic as possible to the alternate access tandem (if available) for delivery to those CLECs utilizing a different location as a SWC;
- f) Begin aggregating traffic to a location near the damaged building. From this location, begin re-establishing trunk groups to the CLECs for the delivery of traffic normally found on the direct trunk groups. (This aggregation point may be the alternate access tandem location or another CO on a primary facility route.)

5.2.4 Loss of a Facility Hub

In the event that BellSouth loses a facility hub, the recovery process is much the same as above. Once the NMC has observed the problem and administered the appropriate controls, the ECC will assume authority for the repairs. The recovery effort will include

- a) Placing specialists and emergency equipment on notice;
- b) Inventorying the damage to determine what equipment and/or functions are lost;
- c) Moving containerized emergency equipment to the stricken area, if necessary;
- d) Reconnecting service on a parity basis for Hospitals, Police and other emergency agencies or End Users served by BellSouth or CLEC in accordance with the TSP priority restoration coding scheme entered in the BellSouth Maintenance database immediately prior to the emergency; and
- e) If necessary, BellSouth will aggregate the traffic at another location and build temporary facilities. This alternative would be viable for a location that is destroyed and building repairs are required.

5.3 COMBINED OUTAGE (CLEC AND BELLSOUTH EQUIPMENT)

In some instances, a disaster may impact BellSouth's equipment as well as the CLECs'. This situation will be handled in much the same way as described in Section 5.2.3. Since BellSouth and the CLECs will be utilizing temporary equipment, close coordination will be required.

6.0 T1 IDENTIFICATION PROCEDURES

During the restoration of service after a disaster, BellSouth may be forced to aggregate traffic for delivery to a CLEC. During this process, T1 traffic may be consolidated onto DS3s and may become unidentifiable to the Carrier. Because resources will be limited, BellSouth may be forced to "package" this traffic entirely differently than normally received by the CLECs. Therefore, a method for identifying the T1 traffic on the DS3s and providing the information to the Carriers is required.

7.0 ACRONYMS

CLEC - Competitive Local Exchange Carrier

CO - Central Office (BellSouth)

DS3 - Facility that carries 28 T1s (672 circuits)

ECC - Emergency Control Center (BellSouth)

NMC - Network Management Center

SWC - Serving Wire Center (BellSouth switch)

T1 - Facility that carries 24 circuits

TSP - Telecommunications Service Priority

Hurricane Information

During a hurricane, BellSouth will make every effort to keep CLECs updated on the status of our network. Information centers will be set up throughout BellSouth Telecommunications. These centers are not intended to be used for escalations, but rather to keep the CLEC informed of network related issues, area damages and dispatch conditions, etc.

Hurricane-related information can also be found on line at http://www.interconnection.bellsouth.com/network/disaster/dis_resp.htm. Information concerning Mechanized Disaster Reports can also be found at this website by clicking on CURRENT MDR REPORTS or by going directly to http://www.interconnection.bellsouth.com/network/disaster/mdrs.htm.

BST Disaster Management Plan

BellSouth maintenance centers have geographical and redundant communication capabilities. In the event of a disaster removing any maintenance center from service another geographical center would assume maintenance responsibilities. The contact numbers will not change and the transfer will be transparent to the CLEC.

Attachment 11

Bona Fide Request and New Business Request Process

Version 3Q03: 11/12/2003

BONA FIDE REQUEST AND NEW BUSINESS REQUEST PROCESS

1.0 The Parties agree that Network PTS is entitled to order any Unbundled Network Element, Interconnection option, service option or Resale Service required to be made available by FCC or Commission requirements pursuant to the Communications Act of 1934, as modified by the Telecommunications Act of 1996 (the "Act"). Network PTS also shall be permitted to request the development of new or revised facilities or service options which are not required by the Act. Procedures applicable to requesting the addition of such facilities or service options are specified in this Attachment 11.

2.0 **BONA FIDE REQUEST**

- A Bona Fide Request (BFR) is to be used when Network PTS makes a request of BellSouth to provide a new or modified Unbundled Network Element, Interconnection option, or other service option (Requested Services) pursuant to the Act that was not previously included in this Agreement.
- A BFR shall be submitted in writing by Network PTS and shall specifically identify the requested service date, technical requirements, space requirements and/or such other specifications that clearly define the request such that BellSouth has sufficient information to analyze and prepare a response. Such a request shall also include Network PTS's designation of the request as being pursuant to the Telecommunications Act of 1996 (i.e. a BFR). The request shall be sent to Network PTS's designated BellSouth Sales contact.
- 2.3 If BellSouth determines that the preliminary analysis of the requested BFR is of such complexity that it will cause BellSouth to expend inordinate resources to evaluate the BFR, BellSouth shall notify Network PTS within ten (10) business days of BellSouth's receipt of BFR that a fee will be required prior to the evaluation of the BFR. Network PTS shall submit such fee within thirty (30) business days of BellSouth's notice that a fee is required. Within thirty (30) business days of BellSouth's receipt of the fee, BellSouth shall respond to Network PTS by providing a preliminary analysis of such Requested Services that are the subject of the BFR. The preliminary analysis shall either confirm that BellSouth will offer access to the Requested Services or confirm that BellSouth will not offer the Requested Services. If the preliminary analysis states that BellSouth will not offer the Requested Services, BellSouth will provide an explanation of

Version 3O03: 11/12/2003

why the request is not technically feasible, does not qualify as a BFR for the Requested Services or is otherwise not required to be provided under the Act. If preliminary analysis of the requested BFR is not of such complexity that it will cause BellSouth to expend inordinate resources to evaluate the BFR, within thirty (30) business days of its receipt of the BFR, BellSouth shall respond to Network PTS by providing a preliminary analysis of such Requested Services that are the subject of the BFR. The preliminary analysis shall either confirm that BellSouth will offer access to the Requested Services or confirm that BellSouth will not offer the Requested Services. If the preliminary analysis states that BellSouth will not offer the Requested Services, BellSouth will provide an explanation of why the request is not technically feasible, does not qualify as a BFR for the Requested Services or is otherwise not required to be provided under the Act.

- 2.4 Network PTS may cancel a BFR at any time. If Network PTS cancels the request more than ten (10) business days after submitting the BFR request, Network PTS shall pay BellSouth's reasonable and demonstrable costs of processing and/or implementing the BFR up to the date of cancellation in addition to any fee submitted in accordance with Section 2.3 above.
- 2.5 Network PTS will have thirty (30) business days from receipt of preliminary analysis to accept the preliminary analysis or cancel the BFR as set forth in Section 2.4. Acceptance of the preliminary analysis must be in writing and accompanied by all nonrecurring charges quoted in the preliminary analysis. The nonrecurring charges as stated in the preliminary analysis cover the initial work required to develop the project plan, create the design parameters, and establish all activities and resources required to complete the BFR (Development Costs). Development costs are non-refundable. If Network PTS fails to respond within this 30-day period, the BFR will be deemed cancelled.
- 2.5.1 BellSouth shall propose a firm price quote and a detailed implementation plan within thirty (30) business days of receipt of Network PTS's acceptance of the preliminary analysis.
- 2.5.2 Network PTS shall have thirty (30) business days from receipt of firm price quote to accept or deny the firm price quote and submit any additional nonrecurring, non-refundable fees quoted in the firm price quote.
- 2.6 Unless Network PTS agrees otherwise, all prices shall be consistent with the pricing principles of the Act, FCC and/or the Commission.

- 2.7 If Network PTS believes that BellSouth's firm price quote is not consistent with the requirements of the Act, or if either Party believes that the other is not acting in good faith in requesting, negotiating or processing the BFR, either Party may seek FCC or Commission arbitration, as appropriate, to resolve the dispute. Any such arbitration applicable to Unbundled Network Elements and/or Interconnection shall be conducted in accordance with standards prescribed in Section 252 of the Act.
- Upon agreement to the rates, terms and conditions of a BFR, an amendment to this Agreement may be required.

3.0 NEW BUSINESS REQUEST

- A New Business Request (NBR) is to be used by Network PTS to make a request of BellSouth for a new or modified feature or capability of an existing product or service, a new product or service that is not deployed within the BellSouth network or operations and business support systems, or a new or modified service option that was not previously included in this Agreement (Requested Enhanced Services).
- An NBR shall be submitted in writing by Network PTS and shall specifically identify the requested service date, technical requirements, space requirements and/or such specifications that clearly define the request such that BellSouth has sufficient information to analyze and prepare a response. The request shall be sent to Network PTS's designated BellSouth Sales contact.
- 3.3 If BellSouth determines that the preliminary analysis of the requested NBR is of such complexity that it will cause BellSouth to expend inordinate resources to evaluate the NBR, BellSouth shall notify Network PTS that a fee will be required prior to the evaluation of the NBR. Network PTS shall submit such fee within ten (10) business days of BellSouth's notice that a fee is required. BellSouth shall use reasonable efforts to respond to the NBR within (30) business days following BellSouth's receipt of the fee by providing a preliminary analysis of such Requested Enhanced Services that are the subject of the NBR. The preliminary analysis shall either confirm that BellSouth will offer access to the Requested Enhanced Services or confirm that BellSouth will not offer the Requested Enhanced Services. If the preliminary analysis states that BellSouth will not offer the Requested Services, BellSouth will provide an explanation of why the request is not technically feasible, does not qualify as an NBR for the Requested Services or is otherwise not required to be provided under the Act. If preliminary analysis of the requested NBR is not of such complexity that it will cause BellSouth to expend inordinate resources to

evaluate the NBR, BellSouth will use reasonable efforts to respond to Network PTS within thirty (30) business days of its receipt of an NBR by providing a preliminary analysis of such Requested Services that are the subject of the NBR. The preliminary analysis shall either confirm that BellSouth will offer access to the Requested Enhanced Services or confirm that BellSouth will not offer the Requested Enhanced Services. If the preliminary analysis states that BellSouth will not offer the Requested Services, BellSouth will provide an explanation of why the request is not technically feasible, does not qualify as an NBR for the Requested Services or is otherwise not required to be provided under the Act.

- Network PTS may cancel an NBR at any time. If Network PTS cancels the request more than ten (10) business days after submitting it, Network PTS shall pay BellSouth's reasonable and demonstrable costs of processing and/or implementing the NBR up to the date of cancellation in addition to any fee submitted in accordance with Section 3.3 above.
- 3.5 Network PTS will have thirty (30) business days from receipt of preliminary analysis to accept the preliminary analysis or cancel the NBR as set forth in section 3.4. Acceptance of the preliminary analysis must be in writing and accompanied by all nonrecurring charges quoted in the preliminary analysis. The nonrecurring charges as stated in the preliminary analysis cover the initial work required to develop the project plan, create the design parameters, and establish all activities and resources required to complete the NBR. If Network PTS fails to respond within this 30-day period, the NBR will be deemed cancelled.
- If Network PTS accepts the preliminary analysis, BellSouth shall propose a firm price quote and a detailed implementation plan within sixty (60) business days of receipt of Network PTS's acceptance of the preliminary analysis and nonrecurring fees quoted in the preliminary analysis.
- 3.7 Network PTS shall have thirty (30) business days from receipt of the firm price quote to accept or deny the firm price quote and submit any additional nonrecurring, non-refundable fees quoted in the firm price quote.
- 3.8 Upon agreement to the terms of a NBR, an amendment to this Agreement, or a separate agreement, may be required.