BELLSOUTH® / CLEC Agreement

Customer Name: Access Communications, LLC.

Access Communications, LLC. 4Q05 ICA	2
Table of Contents	3
General Terms and Conditions	5
Signature Page	25
Att 1 - Resale	26
Att 1 - Resale Discounts & Rates	46
Att 2 - Network Elements & Other Services	55
Att 2 - Network Element Rates Exh A	127
Att 2 - Network Element Rates, Exh B - NC Rates Applicable to Embedded Base Services As of 3-10-05 Attachment 2 - Exhibit C	388 406
Att 3 - Network Interconnection	410
Att 3 - Network Element Rates	441
Att 4 - Collocation	459
Att 4 - Collocation Rates - Exhibit B	512
Att 5 - Access to Numbers and Number Portability	558
Att 6 - Ordering	564
Att 7 - Billing	573
Att 7 - CMDS ODUF & ADUF Rates	593
Att 8 - Rights of Way	602
Att 9 - Perf Meas Intro	604
Att 10 - Disaster Recovery Plan	606
Att 11 - BFR and NBR Process	615

Note: This page is not part of the actual signed contract/amendment, but is present for record keeping purposes only.

Interconnection Agreement

Between

BellSouth Telecommunications, Inc.

and

Access Communications, LLC.

TABLE OF CONTENTS

General Terms and Conditions

De		4 .		
eti	nı	Ħ	Λn	C

- 1. CLEC Certification
- 2. Term of the Agreement
- 3. Nondiscriminatory Access
- 4. Court Ordered Requests for Call Detail Records and Other Subscriber Information
- 5. Liability and Indemnification
- 6. Intellectual Property Rights and Indemnification
- 7. Proprietary and Confidential Information
- 8. Resolution of Disputes
- 9. Taxes
- 10. Force Majeure
- 11. Adoption of Agreements
- 12. Modification of Agreement
- 13. Legal Rights
- 14. Indivisibility
- 15. Severability
- 16. Non-Waivers
- 17. Governing Law
- 18. Assignments and Transfers
- 19. Notices
- 20. Rule of Construction
- 21. Headings of No Force or Effect
- 22. Multiple Counterparts
- 23. Filing of Agreement
- 24. Compliance with Law
- 25. Necessary Approvals
- **26.** Good Faith Performance
- 27. Rates
- 28. Rate True-Up
- 29. Survival
- 30. Entire Agreement

TABLE OF CONTENTS (cont'd)

- **Attachment 1 Resale**
- **Attachment 2 Network Elements and Other Services**
- **Attachment 3 Network Interconnection**
- **Attachment 4 Collocation**
- **Attachment 5 Access to Numbers and Number Portability**
- Attachment 6 Pre-Ordering, Ordering, Provisioning and Maintenance and Repair
- **Attachment 7 Billing**
- **Attachment 8 Rights-of-Way, Conduits and Pole Attachments**
- **Attachment 9 Performance Measurements**
- **Attachment 10- BellSouth Disaster Recovery Plan**
- **Attachment 11–Bona Fide Request and New Business Request Process**

AGREEMENT GENERAL TERMS AND CONDITIONS

THIS AGREEMENT is made by and between BellSouth Telecommunications, Inc., (BellSouth), a Georgia corporation, and Access Communications, LLC. (Access Communications), a Florida corporation, and shall be effective on the Effective Date, as defined herein. This Agreement may refer to either BellSouth or Access Communications or both as a "Party" or "Parties."

WITNESSETH

WHEREAS, BellSouth is a local exchange telecommunications company authorized to provide Telecommunications Services (as defined below) in the states of Alabama, Florida, Georgia, Kentucky, Louisiana, Mississippi, North Carolina, South Carolina and Tennessee; and

WHEREAS, Access Communications is or seeks to become a CLEC authorized to provide telecommunications services in the states of Alabama, Florida, Georgia, Kentucky, Louisiana, Mississippi, North Carolina, South Carolina, and Tennessee; and

WHEREAS, pursuant to Sections 251 and 252 of the Act; Access Communications wishes to purchase certain services from BellSouth; and

WHEREAS, Parties wish to interconnect their facilities, exchange traffic, and perform Local Number Portability (LNP) pursuant to Sections 251 and 252 of the Act as set forth herein; and

NOW THEREFORE, in consideration of the mutual agreements contained herein, BellSouth and Access Communications agree as follows:

Definitions

Affiliate is defined as a person that (directly or indirectly) owns or controls, is owned or controlled by, or is under common ownership or control with, another person. For purposes of this paragraph, the term "own" means to own an equity interest (or equivalent thereof) of more than ten percent (10%).

Commission is defined as the appropriate regulatory agency in each state of BellSouth's nine-state region (Alabama, Florida, Georgia, Kentucky, Louisiana, Mississippi, North Carolina, South Carolina, and Tennessee).

Competitive Local Exchange Carrier (CLEC) means a telephone company certificated by the Commission to provide local exchange service within BellSouth's franchised area.

Version: 4Q05 Standard ICA

Effective Date is defined as the date that the Agreement is effective for purposes of rates, terms and conditions and shall be thirty (30) days after the date of the last signature executing the Agreement. Future amendments for rate changes will also be effective thirty (30) days after the date of the last signature executing the amendment.

FCC means the Federal Communications Commission.

Telecommunications means the transmission, between or among points specified by the user, of information of the user's choosing, without change in the form or content of the information as sent and received.

Telecommunications Service means the offering of telecommunications for a fee directly to the public, or to such classes of users as to be effectively available directly to the public, regardless of the facilities used.

Telecommunications Act of 1996 (Act) means Public Law 104-104 of the United States Congress effective February 8, 1996. The Act amended the Communications Act of 1934 (47 U.S.C. Section 1 et. seq.).

1. CLEC Certification

- 1.1 Access Communications agrees to provide BellSouth in writing Access Communications's CLEC certification from the Commission for all states covered by this Agreement except Kentucky prior to BellSouth filing this Agreement with the appropriate Commission for approval. Additionally, Access Communications shall provide to BellSouth an effective certification to do business issued by the secretary of state or equivalent authority in each state covered by this Agreement.
- To the extent Access Communications is not certified as a CLEC in each state covered by this Agreement as of the execution hereof, Access Communications may not purchase services hereunder in that state. Access Communications will notify BellSouth in writing and provide CLEC certification from the Commission when it becomes certified to operate in, as well as an effective certification to do business issued by the secretary of state or equivalent authority for, any other state covered by this Agreement. Upon receipt thereof, BellSouth will file this Agreement in that state, and Access Communications may purchase services pursuant to this Agreement in that state, subject to establishing appropriate accounts in the additional state as described in Attachment 7.
- 1.3 Should Access Communications's certification in any state be rescinded or otherwise terminated, BellSouth may, at its election, suspend or terminate this Agreement immediately and all monies owed on all outstanding invoices for services provided in that state shall become due, or BellSouth may refuse to provide services hereunder in that state until certification is reinstated in that state,

Version: 4Q05 Standard ICA

provided such notification is made prior to expiration of the term of this Agreement. Access Communications shall provide an effective certification to do business issued by the secretary of state or equivalent authority in each state covered by this Agreement.

2. Term of the Agreement

- 2.1 The initial term of this Agreement shall be five (5) years, beginning on the Effective Date and shall apply to the BellSouth territory in the state(s) of Alabama, Florida, Georgia, Kentucky, Louisiana, Mississippi, North Carolina, South Carolina and Tennessee. Notwithstanding any prior agreement of the Parties, the rates, terms and conditions of this Agreement shall not be applied retroactively prior to the Effective Date.
- The Parties agree that by no earlier than two hundred seventy (270) days and no later than one hundred and eighty (180) days prior to the expiration of the initial term of this Agreement, they shall commence negotiations for a new agreement to be effective beginning on the expiration date of this Agreement (Subsequent Agreement). If as of the expiration of the initial term of this Agreement, a Subsequent Agreement has not been executed by the Parties, then except as set forth in Sections 2.3.1 and 2.3.2 below, this Agreement shall continue on a month-to-month basis while a Subsequent Agreement is being negotiated. The Parties' rights and obligations with respect to this Agreement after expiration of the initial term shall be as set forth in Section 2.3 below.
- If, within one hundred and thirty-five (135) days of commencing the negotiation referred to in Section 2.2 above, the Parties are unable to negotiate new terms, conditions and prices for a Subsequent Agreement, either Party may petition the Commission to establish appropriate rates, terms and conditions for the Subsequent Agreement pursuant to 47 U.S.C. § 252.
- 2.3.1 Access Communications may request termination of this Agreement only if it is no longer purchasing services pursuant to this Agreement. Except as set forth in Section 2.3.2 below, notwithstanding the foregoing, in the event that as of the date of expiration of the initial term of this Agreement and conversion of this Agreement to a month-to-month term, the Parties have not entered into a Subsequent Agreement and no arbitration proceeding has been filed in accordance with Section 2.3 above, then BellSouth may terminate this Agreement upon sixty (60) days notice to Access Communications. In the event that BellSouth terminates this Agreement as provided above, BellSouth shall continue to offer services to Access Communications pursuant to the rates, terms and conditions set forth in BellSouth's then current standard interconnection agreement. In the event that BellSouth's standard interconnection agreement becomes effective between the Parties, the Parties may continue to negotiate a Subsequent Agreement.
- 2.3.2 Notwithstanding Section 2.2 above, in the event that as of the expiration of the initial term of this Agreement the Parties have not entered into a Subsequent

Version: 4Q05 Standard ICA

Agreement and no arbitration proceeding has been filed in accordance with Section 2.3 above and BellSouth is not providing any services under this Agreement as of the date of expiration of the initial term of this Agreement, then this Agreement shall not continue on a month-to-month basis but shall be deemed terminated as of the expiration date hereof.

- If, at any time during the term of this Agreement, BellSouth is unable to contact Access Communications pursuant to the Notices provision hereof or any other contact information provided by Access Communications under this Agreement, and there are no active services being provisioned under this Agreement, then BellSouth may, at its discretion, terminate this Agreement, without any liability whatsoever, upon sending of notification to Access Communications pursuant to the Notices section hereof.
- 2.5 In addition to as otherwise set forth in this Agreement, BellSouth reserves the right to suspend access to ordering systems, refuse to process additional or pending applications for service, or terminate service in the event of prohibited, unlawful or improper use of BellSouth's facilities or service, abuse of BellSouth's facilities or any other material breach of this Agreement, and all monies owed on all outstanding invoices shall become due. In such event, Access Communications is solely responsible for notifying its customers of any discontinuance of service.

3. Nondiscriminatory Access

When Access Communications purchases Telecommunications Services from BellSouth pursuant to Attachment 1 of this Agreement for the purposes of resale to customers, such services shall be equal in quality, subject to the same conditions, and provided within the same provisioning time intervals that BellSouth provides to others, including its customers. To the extent technically feasible, the quality of a Network Element, as well as the quality of the access to such Network Element provided by BellSouth to Access Communications shall be at least equal to that which BellSouth provides to itself and shall be the same for all Telecommunications carriers requesting access to that Network Element. The quality of the interconnection between the network of BellSouth and the network of Access Communications shall be at a level that is equal to that which BellSouth provides itself, a subsidiary, an Affiliate, or any other party. The interconnection facilities shall be designed to meet the same technical criteria and service standards that are used within BellSouth's network and shall extend to a consideration of service quality as perceived by BellSouth's customers and service quality as perceived by Access Communications.

4 Court Ordered Requests for Call Detail Records and Other Subscriber Information

4.1 <u>Subpoenas Directed to BellSouth.</u> Where BellSouth provides resold services for Access Communications, or, if applicable under this Agreement, switching, BellSouth shall respond to subpoenas and court ordered requests delivered directly to BellSouth for the purpose of providing call detail records when the targeted

Version: 4Q05 Standard ICA

telephone numbers belong to Access Communications customers. Billing for such requests will be generated by BellSouth and directed to the law enforcement agency initiating the request. BellSouth shall maintain such information for Access Communications customers for the same length of time it maintains such information for its own customers.

- 4.2 <u>Subpoenas Directed to Access Communications.</u> Where BellSouth is providing resold services to Access Communications, or, if applicable under this Agreement, switching, then Access Communications agrees that in those cases where Access Communications receives subpoenas or court ordered requests regarding targeted telephone numbers belonging to Access Communications customers, and where Access Communications does not have the requested information, Access Communications will advise the law enforcement agency initiating the request to redirect the subpoena or court ordered request to BellSouth for handling in accordance with Section 4.1 above.
- In all other instances, where either Party receives a request for information involving the other Party's customer, the Party receiving the request will advise the law enforcement agency initiating the request to redirect such request to the other Party.

5 Liability and Indemnification

- Access Communications Liability. In the event that Access Communications consists of two (2) or more separate entities as set forth in this Agreement and/or any Amendments hereto, or any third party places orders under this Agreement using Access Communications's company codes or identifiers, all such entities shall be jointly and severally liable for the obligations of Access Communications under this Agreement.
- 5.2 <u>Liability for Acts or Omissions of Third Parties.</u> BellSouth shall not be liable to Access Communications for any act or omission of another entity providing any services to Access Communications.
- Except for any indemnification obligations of the Parties hereunder, each Party's liability to the other for any loss, cost, claim, injury, liability or expense, including reasonable attorneys' fees relating to or arising out of any cause whatsoever, whether based in contract, negligence or other tort, strict liability or otherwise, relating to the performance of this Agreement, shall not exceed a credit for the actual cost of the services or functions not performed or improperly performed. Any amounts paid to Access Communications pursuant to Attachment 9 hereof shall be credited against any damages otherwise payable to Access Communications pursuant to this Agreement.
- 5.3.1 <u>Limitations in Tariffs.</u> A Party may, in its sole discretion, provide in its tariffs and contracts with its customers and third parties that relate to any service, product or function provided or contemplated under this Agreement, that to the maximum

Version: 4Q05 Standard ICA

extent permitted by Applicable Law, such Party shall not be liable to the customer or third party for (i) any loss relating to or arising out of this Agreement, whether in contract, tort or otherwise, that exceeds the amount such Party would have charged that applicable person for the service, product or function that gave rise to such loss and (ii) consequential damages. To the extent that a Party elects not to place in its tariffs or contracts such limitations of liability, and the other Party incurs a loss as a result thereof, such Party shall, except to the extent caused by the other Party's gross negligence or willful misconduct, indemnify and reimburse the other Party for that portion of the loss that would have been limited had the first Party included in its tariffs and contracts the limitations of liability that such other Party included in its own tariffs at the time of such loss.

- 5.3.2 Neither BellSouth nor Access Communications shall be liable for damages to the other Party's terminal location, equipment or customer premises resulting from the furnishing of a service, including, but not limited to, the installation and removal of equipment or associated wiring, except to the extent caused by a Party's negligence or willful misconduct or by a Party's failure to ground properly a local loop after disconnection.
- 5.3.3 Under no circumstance shall a Party be responsible or liable for indirect, incidental, or consequential damages, including, but not limited to, economic loss or lost business or profits, damages arising from the use or performance of equipment or software, or the loss of use of software or equipment, or accessories attached thereto, delay, error, or loss of data. In connection with this limitation of liability, each Party recognizes that the other Party may, from time to time, provide advice, make recommendations, or supply other analyses related to the services or facilities described in this Agreement, and, while each Party shall use diligent efforts in this regard, the Parties acknowledge and agree that this limitation of liability shall apply to provision of such advice, recommendations, and analyses.
- To the extent any specific provision of this Agreement purports to impose liability, or limitation of liability, on either Party different from or in conflict with the liability or limitation of liability set forth in this Section, then with respect to any facts or circumstances covered by such specific provisions, the liability or limitation of liability contained in such specific provision shall apply.
- Indemnification for Certain Claims. Except to the extent caused by the indemnified Party's gross negligence or willful misconduct, the Party providing services hereunder, its Affiliates and its parent company, shall be indemnified, defended and held harmless by the Party receiving services hereunder against any claim, loss or damage arising from the receiving Party's use of the services provided under this Agreement pertaining to (1) claims for libel, slander or invasion of privacy arising from the content of the receiving Party's own communications, or (2) any claim, loss or damage claimed by the customer of the Party receiving services arising from such company's use or reliance on the

Version: 4Q05 Standard ICA

providing Party's services, actions, duties, or obligations arising out of this Agreement.

5.5 <u>Disclaimer.</u> EXCEPT AS SPECIFICALLY PROVIDED TO THE CONTRARY IN THIS AGREEMENT, NEITHER PARTY MAKES ANY REPRESENTATIONS OR WARRANTIES TO THE OTHER PARTY CONCERNING THE SPECIFIC QUALITY OF ANY SERVICES, OR FACILITIES PROVIDED UNDER THIS AGREEMENT. THE PARTIES DISCLAIM, WITHOUT LIMITATION, ANY WARRANTY OR GUARANTEE OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, ARISING FROM COURSE OF PERFORMANCE, COURSE OF DEALING, OR FROM USAGES OF TRADE.

6 Intellectual Property Rights and Indemnification

- No License. Except as expressly set forth in Section 6.2 below, no patent, copyright, trademark or other proprietary right is licensed, granted or otherwise transferred by this Agreement. The Parties are strictly prohibited from any use, including but not limited to, in the selling, marketing, promoting or advertising of telecommunications services, of any name, service mark, logo or trademark (collectively, the "Marks") of the other Party. The Marks include those Marks owned directly by a Party or its Affiliate(s) and those Marks that a Party has a legal and valid license to use. The Parties acknowledge that they are separate and distinct and that each provides a separate and distinct service and agree that neither Party may, expressly or impliedly, state, advertise or market that it is or offers the same service as the other Party or engage in any other activity that may result in a likelihood of confusion between its own service and the service of the other Party.
- 6.2 Ownership of Intellectual Property. Any intellectual property that originates from or is developed by a Party shall remain the exclusive property of that Party. Except for a limited, non-assignable, non-exclusive, non-transferable license to use patents or copyrights to the extent necessary for the Parties to use any facilities or equipment (including software) or to receive any service solely as provided under this Agreement, no license in patent, copyright, trademark or trade secret, or other proprietary or intellectual property right, now or hereafter owned, controlled or licensable by a Party, is granted to the other Party. Neither shall it be implied nor arise by estoppel. Any trademark, copyright or other proprietary notices appearing in association with the use of any facilities or equipment (including software) shall remain on the documentation, material, product, service, equipment or software. It is the responsibility of each Party to ensure at no additional cost to the other Party that it has obtained any necessary licenses in relation to intellectual property of third Parties used in its network that may be required to enable the other Party to use any facilities or equipment (including software), to receive any service, or to perform its respective obligations under this Agreement.

6.3 Intellectual Property Remedies

Version: 4Q05 Standard ICA

6.3.1 <u>Indemnification.</u> The Party providing a service pursuant to this Agreement will defend the Party receiving such service or data provided as a result of such service against claims of infringement arising solely from the use by the receiving Party of such service in the manner contemplated under this Agreement and will indemnify the receiving Party for any damages awarded based solely on such claims in accordance with Section 5 above.

6.3.2 Claim of Infringement

- 6.3.2.1 In the event that use of any facilities or equipment (including software), becomes, or in the reasonable judgment of the Party who owns the affected network is likely to become, the subject of a claim, action, suit, or proceeding based on intellectual property infringement, then said Party, promptly and at its sole expense and sole option, but subject to the limitations of liability set forth below, shall:
- 6.3.2.2 modify or replace the applicable facilities or equipment (including software) while maintaining form and function, or
- 6.3.2.3 obtain a license sufficient to allow such use to continue.
- In the event Sections 6.3.2.2 or 6.3.2.3 above are commercially unreasonable, then said Party may terminate, upon reasonable notice, this contract with respect to use of, or services provided through use of, the affected facilities or equipment (including software), but solely to the extent required to avoid the infringement claim.
- 6.3.3 Exception to Obligations. Neither Party's obligations under this Section shall apply to the extent the infringement is caused by: (i) modification of the facilities or equipment (including software) by the indemnitee; (ii) use by the indemnitee of the facilities or equipment (including software) in combination with equipment or facilities (including software) not provided or authorized by the indemnitor, provided the facilities or equipment (including software) would not be infringing if used alone; (iii) conformance to specifications of the indemnitee which would necessarily result in infringement; or (iv) continued use by the indemnitee of the affected facilities or equipment (including software) after being placed on notice to discontinue use as set forth herein.
- 6.3.4 <u>Exclusive Remedy.</u> The foregoing shall constitute the Parties' sole and exclusive remedies and obligations with respect to a third party claim of intellectual property infringement arising out of the conduct of business under this Agreement.
- 6.3.5 <u>Dispute Resolution.</u> Any claim arising under Sections 6.1 and 6.2 above shall be excluded from the dispute resolution procedures set forth in Section 8 below and shall be brought in a court of competent jurisdiction.

7 Proprietary and Confidential Information

Version: 4Q05 Standard ICA

- Proprietary and Confidential Information. It may be necessary for BellSouth and Access Communications, each as the "Discloser," to provide to the other Party, as "Recipient," certain proprietary and confidential information (including trade secret information) including but not limited to technical, financial, marketing, staffing and business plans and information, strategic information, proposals, request for proposals, specifications, drawings, maps, prices, costs, costing methodologies, procedures, processes, business systems, software programs, techniques, customer account data, call detail records and like information (collectively the "Information"). All such Information conveyed in writing or other tangible form shall be clearly marked with a confidential or proprietary legend. Information conveyed orally by the Discloser to Recipient shall be designated as proprietary and confidential at the time of such oral conveyance, shall be reduced to writing by the Discloser within forty-five (45) days thereafter, and shall be clearly marked with a confidential or proprietary legend.
- 7.2 <u>Use and Protection of Information.</u> Recipient agrees to protect such Information of the Discloser provided to Recipient from whatever source from distribution, disclosure or dissemination to anyone except employees of Recipient with a need to know such Information solely in conjunction with Recipient's analysis of the Information and for no other purpose except as authorized herein or as otherwise authorized in writing by the Discloser. Recipient will not make any copies of the Information inspected by it.

7.3 <u>Exceptions</u>

- 7.3.1 Recipient will not have an obligation to protect any portion of the Information which:
- 7.3.2 (a) is made publicly available by the Discloser or lawfully by a nonparty to this Agreement; (b) is lawfully obtained by Recipient from any source other than Discloser; (c) is previously known to Recipient without an obligation to keep it confidential; or (d) is released from the terms of this Agreement by Discloser upon written notice to Recipient.
- Recipient agrees to use the Information solely for the purposes of negotiations pursuant to 47 U.S.C. § 251 or in performing its obligations under this Agreement and for no other entity or purpose, except as may be otherwise agreed to in writing by the Parties. Nothing herein shall prohibit Recipient from providing information requested by the FCC or a state regulatory agency with jurisdiction over this matter, or to support a request for arbitration or an allegation of failure to negotiate in good faith.
- 7.5 Recipient agrees not to publish or use the Information for any advertising, sales or marketing promotions, press releases, or publicity matters that refer either directly or indirectly to the Information or to the Discloser or any of its affiliated companies.

Version: 4Q05 Standard ICA

- 7.6 The disclosure of Information neither grants nor implies any license to the Recipient under any trademark, patent, copyright, application or other intellectual property right that is now or may hereafter be owned by the Discloser.
- 7.7 <u>Survival of Confidentiality Obligations.</u> The Parties' rights and obligations under this Section 7 shall survive and continue in effect until two (2) years after the expiration or termination date of this Agreement with regard to all Information exchanged during the term of this Agreement. Thereafter, the Parties' rights and obligations hereunder survive and continue in effect with respect to any Information that is a trade secret under applicable law.

8 Resolution of Disputes

Except as otherwise stated in this Agreement, if any dispute arises as to the interpretation of any provision of this Agreement or as to the proper implementation of this Agreement, the aggrieved Party, if it elects to pursue resolution of the dispute, shall petition the Commission for a resolution of the dispute. However, each Party reserves any rights it may have to seek judicial review of any ruling made by the Commission concerning this Agreement.

9 Taxes

- 9.1 <u>Definition.</u> For purposes of this Section, the terms "taxes" and "fees" shall include but not be limited to federal, state or local sales, use, excise, gross receipts or other taxes or tax-like fees of whatever nature and however designated (including tariff surcharges and any fees, charges or other payments, contractual or otherwise, for the use of public streets or rights of way, whether designated as franchise fees or otherwise) imposed, or sought to be imposed, on or with respect to the services furnished hereunder or measured by the charges or payments therefore, excluding any taxes levied on income.
- 9.2 <u>Taxes and Fees Imposed Directly On Either Providing Party or Purchasing Party</u>
- 9.2.1 Taxes and fees imposed on the providing Party, which are not permitted or required to be passed on by the providing Party to its customer, shall be borne and paid by the providing Party.
- 9.2.2 Taxes and fees imposed on the purchasing Party, which are not required to be collected and/or remitted by the providing Party, shall be borne and paid by the purchasing Party.
- 9.3 <u>Taxes and Fees Imposed on Purchasing Party But Collected And Remitted By Providing Party</u>
- 9.3.1 Taxes and fees imposed on the purchasing Party shall be borne by the purchasing Party, even if the obligation to collect and/or remit such taxes or fees is placed on the providing Party.

Version: 4Q05 Standard ICA

- 9.3.2 To the extent permitted by applicable law, any such taxes and/or fees shall be shown on applicable billing documents between the Parties. Notwithstanding the foregoing, the purchasing Party shall remain liable for any such taxes and fees regardless of whether they are actually billed by the providing Party at the time that the respective service is billed.
- 9.3.3 If the purchasing Party determines that in its opinion any such taxes or fees are not applicable, the providing Party shall not bill such taxes or fees to the purchasing Party if the purchasing Party provides written certification, reasonably satisfactory to the providing Party, stating that it is exempt or otherwise not subject to the tax or fee, setting forth the basis therefor, and satisfying any other requirements under applicable law. If any authority seeks to collect any such tax or fee that the purchasing Party has determined and certified not to be applicable, or any such tax or fee that was not billed by the providing Party, the purchasing Party may contest the same in good faith, at its own expense. In any such contest, the purchasing Party shall promptly furnish the providing Party with copies of all filings in any proceeding, protest, or legal challenge, all rulings issued in connection therewith, and all correspondence between the purchasing Party and the taxing authority.
- 9.3.4 In the event that all or any portion of an amount sought to be collected must be paid in order to contest the imposition of any such tax or fee, or to avoid the existence of a lien on the assets of the providing Party during the pendency of such contest, the purchasing Party shall be responsible for such payment and shall be entitled to the benefit of any refund or recovery. The purchasing Party shall have the right to contest, at its own expense, any such tax or fee that it believes is not applicable or was paid by it in error. If requested in writing by the purchasing Party, the providing Party shall facilitate such contest either by assigning to the purchasing Party its right to claim a refund of such tax or fee, if such an assignment is permitted under applicable law, or, if an assignment is not permitted, by filing and pursuing a claim for refund on behalf of the purchasing Party but at the purchasing Party's expense.
- 9.3.5 If it is ultimately determined that any additional amount of such a tax or fee is due to the imposing authority, the purchasing Party shall pay such additional amount, including any interest and penalties thereon.
- 9.3.6 Notwithstanding any provision to the contrary, the purchasing Party shall protect, indemnify and hold harmless (and defend at the purchasing Party's expense) the providing Party from and against any such tax or fee, interest or penalties thereon, or other charges or payable expenses (including reasonable attorney fees) with respect thereto, which are incurred by the providing Party in connection with any claim for or contest of any such tax or fee.
- 9.3.7 Each Party shall notify the other Party in writing of any assessment, proposed assessment or other claim for any additional amount of such a tax or fee by a taxing authority; provided, however, that the failure of a Party to provide notice shall not relieve the other Party of any obligations hereunder.

Version: 4Q05 Standard ICA

- 9.4 Taxes and Fees Imposed on Providing Party But Passed On To Purchasing Party
- 9.4.1 Taxes and fees imposed on the providing Party, which are permitted or required to be passed on by the providing Party to its customer, shall be borne by the purchasing Party.
- 9.4.2 To the extent permitted by applicable law, any such taxes and/or fees shall be shown on applicable billing documents between the Parties. Notwithstanding the foregoing, the purchasing Party shall remain liable for any such taxes and fees regardless of whether they are actually billed by the providing Party at the time that the respective service is billed.
- 9.4.3 If the purchasing Party disagrees with the providing Party's determination as to the application of or basis for any such tax or fee, the Parties shall consult with respect to the imposition and billing of such tax or fee. Notwithstanding the foregoing, the providing Party shall retain ultimate responsibility for determining whether and to what extent any such taxes or fees are applicable, and the purchasing Party shall abide by such determination and pay such taxes or fees to the providing Party. The providing Party shall further retain ultimate responsibility for determining whether and how to contest the imposition of such taxes and fees; provided, however, that any such contest undertaken at the request of the purchasing Party shall be at the purchasing Party's expense.
- In the event that all or any portion of an amount sought to be collected must be paid in order to contest the imposition of any such tax or fee, or to avoid the existence of a lien on the assets of the providing Party during the pendency of such contest, the purchasing Party shall be responsible for such payment and shall be entitled to the benefit of any refund or recovery. The purchasing Party shall have the right to contest, at its own expense, any such tax or fee that it believes is not applicable or was paid by it in error. If requested in writing by the purchasing Party, the providing Party shall facilitate such contest either by assigning to the purchasing Party its right to claim a refund of such tax or fee, if such an assignment is permitted under applicable law, or, if an assignment is not permitted, by filing and pursuing a claim for refund on behalf of the purchasing Party but at the purchasing Party's expense.
- 9.4.5 If it is ultimately determined that any additional amount of such a tax or fee is due to the imposing authority, the purchasing Party shall pay such additional amount, including any interest and penalties thereon.
- 9.4.6 Notwithstanding any provision to the contrary, the purchasing Party shall protect, indemnify and hold harmless (and defend at the purchasing Party's expense) the providing Party from and against any such tax or fee, interest or penalties thereon, or other charges or payable expenses (including reasonable attorneys' fees) with respect thereto, which are incurred by the providing Party in connection with any claim for or contest of any such tax or fee.

Version: 4Q05 Standard ICA

9.4.7 Each Party shall notify the other Party in writing of any assessment, proposed assessment or other claim for any additional amount of such a tax or fee by a taxing authority; provided, however, that the failure of a Party to provide notice shall not relieve the other Party of any obligations hereunder.

9.5 <u>Additional Provisions Applicable to All Taxes and Fees</u>

- 9.5.1 In any contest of a tax or fee by one Party, the other Party shall cooperate fully by providing records, testimony and such additional information or assistance as may reasonably be necessary to pursue the contest. Further, the other Party shall be reimbursed for any reasonable and necessary out-of-pocket copying and travel expenses incurred in assisting in such contest.
- 9.5.2 Notwithstanding any provision of this Agreement to the contrary, any administrative, judicial, or other proceeding concerning the application or amount of a tax or fee shall be maintained in accordance with the provisions of this Section and any applicable federal, state or local law governing the resolution of such disputed tax or fee; and under no circumstances shall either Party have the right to bring a dispute related to the application or amount of tax or fee before a regulatory authority.

10 Force Majeure

In the event performance of this Agreement, or any obligation hereunder, is either directly or indirectly prevented, restricted, or interfered with by reason of fire, flood, earthquake or like acts of God, wars, revolution, civil commotion, explosion, acts of public enemy, embargo, acts of the government in its sovereign capacity, labor difficulties, including without limitation, strikes, slowdowns, picketing, or boycotts, unavailability of equipment from vendor, changes requested by Access Communications, or any other circumstances beyond the reasonable control and without the fault or negligence of the Party affected, the Party affected shall be excused from such performance on a day-to-day basis to the extent of such prevention, restriction, or interference (and the other Party shall likewise be excused from performance of its obligations on a day-to-day basis until the delay, restriction or interference has ceased); provided, however, that the Party so affected shall use diligent efforts to avoid or remove such causes of non-performance and both Parties shall proceed whenever such causes are removed or cease. The Party affected shall provide notice of the Force Majeure event within a reasonable period of time following such an event.

11 Adoption of Agreements

Pursuant to 47 U.S.C. § 252(i) and 47 C.F.R. § 51.809, BellSouth shall make available to Access Communications any entire interconnection agreement filed and approved pursuant to 47 U.S.C. § 252. The adopted agreement shall apply to the same states as the agreement that was adopted, and the term of the adopted agreement shall expire on the same date as set forth in the agreement that was adopted.

Version: 4Q05 Standard ICA

12 Modification of Agreement

- 12.1 If Access Communications changes its name or makes changes to its company structure or identity due to a merger, acquisition, transfer or any other reason, it is the responsibility of Access Communications to notify BellSouth of said change, request that an amendment to this Agreement, if necessary, be executed to reflect said change and notify the Commission of such modification of company structure in accordance with the state rules governing such modification in company structure if applicable. Additionally, Access Communications shall provide BellSouth with any necessary supporting documentation, which may include, but is not limited to, a credit application, Application for Master Account, proof of authority to provide telecommunications services, the appropriate Operating Company Number (OCN) for each state as assigned by National Exchange Carrier Association (NECA), Carrier Identification Code (CIC), Access Customer Name and Abbreviation (ACNA), BellSouth's blanket form letter of authority (LOA), Misdirected Number form and a tax exemption certificate.
- 12.2 No modification, amendment, supplement to, or waiver of the Agreement or any of its provisions shall be effective and binding upon the Parties unless it is made in writing and duly signed by the Parties.
- In the event that any effective legislative, regulatory, judicial or other legal action materially affects any material terms of this Agreement, or the ability of Access Communications or BellSouth to perform any material terms of this Agreement, Access Communications or BellSouth may, on thirty (30) days' written notice, require that such terms be renegotiated, and the Parties shall renegotiate in good faith such mutually acceptable new terms as may be required. In the event that such new terms are not renegotiated within forty-five (45) days after such notice, and either Party elects to pursue resolution of such amendment such Party shall pursue the dispute resolution process set forth in Section 8 above.

13 Legal Rights

Execution of this Agreement by either Party does not confirm or imply that the executing Party agrees with any decision(s) issued pursuant to the Telecommunications Act of 1996 and the consequences of those decisions on specific language in this Agreement. Neither Party waives its rights to appeal or otherwise challenge any such decision(s) and each Party reserves all of its rights to pursue any and all legal and/or equitable remedies, including appeals of any such decision(s).

14 Indivisibility

Subject to Section 15 below, the Parties intend that this Agreement be indivisible and nonseverable, and each of the Parties acknowledges that it has assented to all of the covenants and promises in this Agreement as a single whole and that all of such covenants and promises, taken as a whole, constitute the essence of the contract. Without limiting the generality of the foregoing, each of the Parties

Version: 4Q05 Standard ICA

acknowledges that any provision by BellSouth of collocation space under this Agreement is solely for the purpose of facilitating the provision of other services under this Agreement as set forth in Attachment 4. The Parties further acknowledge that this Agreement is intended to constitute a single transaction and that the obligations of the Parties under this Agreement are interdependent.

15 Severability

If any provision of this Agreement, or part thereof, shall be held invalid or unenforceable in any respect, the remainder of the Agreement or provision shall not be affected thereby, provided that the Parties shall negotiate in good faith to reformulate such invalid provision, or part thereof, or related provision, to reflect as closely as possible the original intent of the parties, consistent with applicable law, and to effectuate such portions thereof as may be valid without defeating the intent of such provision. In the event the Parties are unable to mutually negotiate such replacement language, either Party may elect to pursue the dispute resolution process set forth in Section 8 above.

16 Non-Waivers

A failure or delay of either Party to enforce any of the provisions hereof, to exercise any option which is herein provided, or to require performance of any of the provisions hereof shall in no way be construed to be a waiver of such provisions or options, and each Party, notwithstanding such failure, shall have the right thereafter to insist upon the performance of any and all of the provisions of this Agreement.

17 Governing Law

Where applicable, this Agreement shall be governed by and construed in accordance with federal and state substantive telecommunications law, including rules and regulations of the FCC and appropriate Commission. In all other respects, this Agreement shall be governed by and construed and enforced in accordance with the laws of the State of Georgia without regard to its conflict of laws principles.

18 Assignments and Transfers

Any assignment by either Party to any entity of any right, obligation or duty, or of any other interest hereunder, in whole or in part, without the prior written consent of the other Party shall be void. The assignee must provide evidence of a Commission approved certification to provide Telecommunications Service in each state that Access Communications is entitled to provide Telecommunications Service. After BellSouth's consent, the Parties shall amend this Agreement to reflect such assignments and shall work cooperatively to implement any changes required due to such assignment. All obligations and duties of any Party under this Agreement shall be binding on all successors in interest and assigns of such Party. No assignment or delegation hereof shall relieve the assignor of its obligations under this Agreement in the event that the assignee fails to perform such obligations. Notwithstanding anything to the contrary in this Section, Access

Version: 4Q05 Standard ICA

Communications shall not be permitted to assign this Agreement in whole or in part to any entity unless either (1) Access Communications pays all bills, past due and current, under this Agreement, or (2) Access Communications's assignee expressly assumes liability for payment of such bills.

In the event that Access Communications desires to transfer any services hereunder to another provider of Telecommunications Service, or Access Communications desires to assume hereunder any services provisioned by BellSouth to another provider of Telecommunications Service, such transfer of services shall be subject to separately negotiated rates, terms and conditions.

19 Notices

19.1 Every notice, consent or approval of a legal nature, required or permitted by this Agreement shall be in writing and shall be delivered either by hand, by overnight courier or by US mail postage prepaid, or email if an email address is listed below, addressed to:

BellSouth Telecommunications, Inc.

BellSouth Local Contract Manager 600 North 19th Street, 10th floor Birmingham, AL 35203

and

ICS Attorney Suite 4300 675 West Peachtree Street Atlanta, GA 30375

Access Communications, LLC.

Richard Slinin 35 Fairway Lane Jacksonville, FL 32250 904.463.6500 rslinin@aol.com

or at such other address as the intended recipient previously shall have designated by written notice to the other Party.

Unless otherwise provided in this Agreement, notice by mail shall be effective on the date it is officially recorded as delivered by return receipt or equivalent, and in the absence of such record of delivery, it shall be presumed to have been delivered the fifth day, or next business day after the fifth day, after it was deposited in the mails.

Version: 4Q05 Standard ICA

19.3 Notwithstanding the above, BellSouth will post to BellSouth's Interconnection Web site changes to business processes and policies and shall post to BellSouth's Interconnection Web site or submit through applicable electronic systems, other service and business related notices not requiring an amendment to this Agreement.

20 Rule of Construction

No rule of construction requiring interpretation against the drafting Party hereof shall apply in the interpretation of this Agreement.

21 Headings of No Force or Effect

The headings of Articles and Sections of this Agreement are for convenience of reference only, and shall in no way define, modify or restrict the meaning or interpretation of the terms or provisions of this Agreement.

Multiple Counterparts

This Agreement may be executed in multiple counterparts, each of which shall be deemed an original, but all of which shall together constitute but one and the same document.

Filing of Agreement

This Agreement, and any amendments hereto, shall be filed with the appropriate state regulatory agency pursuant to the requirements of Section 252 of the Act, or as otherwise required by the state and the Parties shall share equally in any applicable fees. Notwithstanding the foregoing, this Agreement shall not be submitted for approval by the appropriate state regulatory agency unless and until such time as Access Communications is duly certified as a local exchange carrier in such state, except as otherwise required by a Commission.

24 Compliance with Law

The Parties have negotiated their respective rights and obligations pursuant to substantive Federal and State Telecommunications law and this Agreement is intended to memorialize the Parties' mutual agreement with respect to each Party's rights and obligations under the Act and applicable FCC and Commission orders, rules and regulations. Nothing contained herein, nor any reference to applicable rules and orders, is intended to expand on the Parties' rights and obligations as set forth herein. To the extent the provisions of this Agreement differ from the provisions of any Federal or State Telecommunications statute, rule or order in effect as of the execution of this Agreement, this Agreement shall control. Each Party shall comply at its own expense with all other laws of general applicability.

25 Necessary Approvals

Each Party shall be responsible for obtaining and keeping in effect all approvals from, and rights granted by, governmental authorities, building and property owners, other carriers, and any other persons that may be required in connection with the performance of its obligations under this Agreement. Each Party shall

Version: 4Q05 Standard ICA

reasonably cooperate with the other Party in obtaining and maintaining any required approvals and rights for which such Party is responsible.

26 Good Faith Performance

Each Party shall act in good faith in its performance under this Agreement and, in each case in which a Party's consent or agreement is required or requested hereunder, such Party shall not unreasonably withhold or delay such consent or agreement.

27. Rates

- Access Communications shall pay the charges set forth in this Agreement. In the event that BellSouth is unable to bill the applicable rate or no rate is established or included in this Agreement for any services provided pursuant to this Agreement; provided, however, that subject to Access Communications's agreement to the limitation regarding billing disputes as described in Section 2.2 of Attachment 7 hereof, BellSouth shall not back bill any amounts for services rendered more than twelve (12) months prior to the date that the charges or additional charges for such services are actually billed. Notwithstanding the foregoing, both Parties recognize that situations may exist which could necessitate back billing beyond twelve (12) months. These exceptions are:
 - Charges connected with jointly provided services whereby meet point billing guidelines require either Party to rely on records provided by a third party and such records have not been provided in a timely manner;
 - Charges incorrectly billed due to erroneous information supplied by the non-billing Party.
 - Charges for which a regulatory body has granted the billing Party the authority to back bill beyond twelve (12) months.
- To the extent a rate element is omitted or no rate is established, BellSouth has the right not to provision such service until the Agreement is amended to include such rate.
- 27.3 To the extent Access Communications requests services not included in this Agreement, such services shall be provisioned pursuant to the rates, terms and conditions set forth in the applicable tariffs or a separately negotiated Agreement, unless the Parties agree to amend this Agreement to include such service prospectively.

28 Rate True-Up

- 28.1 This section applies to rates that are expressly subject to true-up.
- 28.2 The rates shall be trued-up, either up or down, based on final prices determined either by further agreement between the Parties, or by a final and effective order of the Commission. The Parties shall implement the true-up by comparing the actual

Version: 4Q05 Standard ICA

volumes and demand for each item, together with the rates for each item, with the final prices determined for each item. Each Party shall keep its own records upon which the true-up can be based, and any final payment from one Party to the other shall be in an amount agreed upon by the Parties based on such records. In the event of any discrepancy between the records or disagreement between the Parties regarding the amount of such true-up, the dispute shall be subject to the dispute resolution process set forth in this Agreement.

A final and effective order of the Commission that forms the basis of a true-up shall be based upon cost studies submitted by either or both Parties to the Commission and shall be binding upon BellSouth and Access Communications specifically or upon all carriers generally, such as a generic cost proceeding.

29 Survival

The Parties' obligations under this Agreement which by their nature are intended to continue beyond the termination or expiration of this Agreement shall survive the termination or expiration of this Agreement.

30 Entire Agreement

- 30.1 This Agreement means the General Terms and Conditions, the Attachments hereto and all documents identified therein, as such may be amended from time to time and which are incorporated herein by reference, all of which, when taken together, are intended to constitute one indivisible agreement. This Agreement sets forth the entire understanding and supersedes prior agreements between the Parties relating to the subject matter contained in this Agreement and merges all prior discussions between them. Any orders placed under prior agreements between the Parties shall be governed by the terms of this Agreement and Access Communications acknowledges and agrees that any and all amounts and obligations owed for services provisioned or orders placed under prior agreements between the Parties, related to the subject matter hereof, shall, as of the Effective Date, be due and owing under this Agreement and be governed by the terms and conditions of this Agreement as if such services or orders were provisioned or placed under this Agreement. Neither Party shall be bound by any definition, condition, provision, representation, warranty, covenant or promise other than as expressly stated in this Agreement or as is contemporaneously or subsequently set forth in writing and executed by a duly authorized officer or representative of the Party to be bound thereby.
- Any reference throughout this Agreement to a tariff, industry guideline, BellSouth's technical guideline or reference, BellSouth business rule, guide or other such document containing processes or specifications applicable to the services provided pursuant to this Agreement, shall be construed to refer to only those provisions thereof that are applicable to these services, and shall include any successor or replacement versions thereof, all as they are amended from time to time and all of which are incorporated herein by reference, and may be found at BellSouth's Interconnection Web site at: www.interconnection.bellsouth.com.

Version: 4Q05 Standard ICA

References to state tariffs throughout this Agreement shall be to the tariff for the state in which the services were provisioned; provided, however, that in any state where certain BellSouth services or tariff provisions have been or become deregulated or detariffed, any reference in this Agreement to a detariffed or deregulated service or provision of such tariff shall be deemed to refer to the service description, price list or other agreement pursuant to which BellSouth provides such services as a result of detariffing or deregulation.

Version: 4Q05 Standard ICA

General Terms and Conditions Signature Page

IN WITNESS WHEREOF, the Parties have executed this Agreement the day and year written below.

BellSouth Telecommunications, Inc.

Access Communications, LLC.

Name: Kristen E. Shore

Title: Director

Date

Name: RICHARD SLININ

Title: VP - Member.

Date: 3-21-2006

Version: 4Q05 Standard ICA 11/30/05

CCCS 25 of 621

Attachment 1

Resale

Table of Contents

1.	Discount Rates	3
2.	Definition of Terms	3
3.	General Provisions	3
4	BellSouth's Provision of Services to Access Communications	6
5.	Maintenance of Services	7
6.	Discontinuance of Service	8
7.	White Pages Listings	8
8.	Operator Services (Operator Call Processing and Directory Assistance)	10
9.	Branding for Wholesale OCP and DA	11
10.	LIDB	12
11.	Revenue Accounting Office (RAO) Hosting	13
12.	Optional Daily Usage File (ODUF)	13
13.	Enhanced Optional Daily Usage File (EODUF)	13
Res	sale RestrictionsE	Exhibit A
Opt	tional Daily Usage File (ODUF) E	Exhibit B
Enh	hanced Option Daily Usage File (EODUF) E	Exhibit C
Res	sale Discounts and Rates E	xhibit D

RESALE

1. Discount Rates

- The discounts rates applied to Access Communications's purchases of BellSouth Telecommunications Services for the purpose of resale shall be as set forth in Exhibit D. Such discounts have been determined by the applicable Commission to reflect the costs avoided by BellSouth when selling a service for wholesale purposes.
- 1.2 The Telecommunications Services available for purchase by Access Communications for the purposes of resale to Access Communications's customers shall be available at BellSouth's tariffed rates less the discount reflected in Exhibit D and subject to the exclusions and limitations in Exhibit A.

2. Definition of Terms

For purposes of this Attachment only, the following terms shall have the definitions as set forth below:

- 2.1 Customer of Record means the entity responsible for placing application for service; requesting additions, rearrangements, maintenance or discontinuance of service; payment in full of charges incurred such as nonrecurring, monthly recurring, toll, directory assistance, etc.
- 2.2 End User Customer Location means the physical location of the premises where a customer makes use of the Telecommunications Services.
- 2.3 New Services means functions, features or capabilities that are not currently offered by BellSouth. This includes packaging of existing services or combining a new function, feature or capability with an existing service.
- 2.4 Resale means an activity wherein a certificated CLEC, such as Access Communications, subscribes to the retail Telecommunications Services of BellSouth and then offers those retail Telecommunications Services to the public.

3. General Provisions

- 3.1 All of the negotiated rates, terms and conditions set forth in this Attachment pertain to the resale of BellSouth's retail Telecommunications Services and other services specified in this Attachment. Subject to effective and applicable FCC and Commission rules and orders, BellSouth shall make available to Access Communications for resale those Telecommunications Services BellSouth makes available, pursuant to its General Subscriber Services Tariff (GSST) and Private Line Services Tariff, to customers who are not Telecommunications carriers.
- 3.1.1 When Access Communications provides Resale service in a cross boundary area (customer is physically located in a particular state and is served by a central office in an adjoining state) the rates, regulations and discounts for the state in which the serving central office is located will apply. Billing will be from the state in which the customer is located.

Version: 4Q05 Standard ICA 11/30/05

- Access Communications as a reseller of Lifeline and Link-Up Services hereby certifies that it has and will comply with the FCC requirements governing the Lifeline and Link-Up programs as set forth in 47 C.F.R. § 54.417(a) and (b). This includes the requirements set forth in BellSouth's GSST, Sections A3.31 and A4.7.
- 3.2.1 Access Communications shall maintain records to document FCC or applicable state eligibility and verification records to document compliance governing the Lifeline/Link-Up programs for the three (3) full preceding calendar years, and Access Communications shall provide such documentation to the FCC or it's Administrator upon request.
- In Tennessee, if Access Communications does not resell Lifeline service to any end users, and if Access Communications agrees to order an appropriate Operator Services/Directory Assistance block as set forth in BellSouth's GSST, the discount shall be twenty-one point fifty-six percent (21.56%).
- 3.2.2.1 In the event Access Communications resells Lifeline service to any end user in Tennessee, BellSouth will begin applying the sixteen percent (16%) discount rate to all services. Upon Access Communications and BellSouth's implementation of a billing arrangement whereby a separate Master Account (Q-account) associated with a separate OCN is established for billing of Lifeline service end users, the discount shall be applied as set forth in Section 3.2.2 above for the non-Lifeline affected Master Account (Q-account).
- 3.2.2.2 Access Communications must provide written notification to BellSouth within thirty (30) days prior to either providing its own operator services/directory services or ordering the appropriate operator services/directory assistance blocking, to qualify for the higher discount rate of twenty-one point fifty-six percent (21.56%).
- 3.3 Access Communications may purchase resale services from BellSouth for its own use in operating its business. The resale discount will apply to those services under the following conditions:
- 3.3.1 Access Communications must resell services to other end users.
- 3.3.2 Access Communications cannot be a CLEC for the single purpose of selling to itself.
- 3.3.3 Access Communications will be the Customer of Record for all services purchased from BellSouth. Except as specified herein, BellSouth will take orders from, bill and receive payment from Access Communications for said services.
- 3.4 Access Communications will be BellSouth's single point of contact for all services purchased pursuant to this Agreement. BellSouth shall have no contact with the customer except to the extent provided for herein.
- 3.5 BellSouth will continue to bill the customer for any services that the customer specifies it wishes to receive directly from BellSouth. BellSouth maintains the right to serve directly any customer within the service area of Access Communications. BellSouth will continue to market directly its own

Telecommunications products and services and in doing so may establish independent relationships with customers of Access Communications. Neither Party shall interfere with the right of any person or entity to obtain service directly from the other Party.

- 3.5.1 BellSouth will accept a request from another CLEC for conversion of the customer's service from Access Communications to such other CLEC. Upon completion of the conversion BellSouth will notify Access Communications that such conversion has been completed.
- When a customer of Access Communications or BellSouth elects to change his/her carrier to the other Party, both Parties agree to release the customer's service to the other Party concurrent with the due date of the service order, which shall be established based on the standard interval for the customer's requested service as set forth in the BellSouth Product and Services Interval Guide.
- 3.5.3 BellSouth and Access Communications will refrain from contacting an customer who has placed or whose selected carrier has placed on the customer's behalf an order to change the customer's service provider from BellSouth or Access Communications to the other Party until such time that the order for service has been completed.
- 3.6 Current telephone numbers may normally be retained by the customer and are assigned to the service furnished. However, neither Party nor the customer has a property right to the telephone number or any other call number designation associated with services furnished by BellSouth, and no right to the continuance of service through any particular central office. BellSouth reserves the right to change such numbers, or the central office designation associated with such numbers, or both, whenever BellSouth deems it necessary to do so in the conduct of its business and in accordance with BellSouth practices and procedures on a nondiscriminatory basis.
- 3.7 Service is furnished subject to the condition that it will not be used for any unlawful purpose.
- 3.8 Service will be discontinued if any law enforcement agency advises that the service being used is in violation of the law.
- 3.9 BellSouth can refuse service when it has grounds to believe that service will be used in violation of the law.
- 3.10 If Access Communications or its customers utilize a BellSouth resold Telecommunications Service in a manner other than that for which the service was originally intended as described in BellSouth's retail tariffs Access Communications has the responsibility to notify BellSouth. BellSouth will only provision and maintain said service consistent with the terms and conditions of the tariff describing said service.
- Facilities and/or equipment utilized by BellSouth to provide service to Access Communications remain the property of BellSouth.
- 3.12 Service Ordering and Operations Support Systems (OSS)

- 3.12.1 Access Communications must order services through resale interfaces, i.e., the Local Carrier Service Center (LCSC) and/or appropriate Complex Resale Support Group (CRSG) pursuant to this Agreement. Access Communications may submit a Local Service Request (LSR) electronically as set forth in Attachment 6. Service orders will be in a standard format designated by BellSouth.
- 3.12.2 BellSouth messaging services set forth in BellSouth's Messaging Service Re-Seller Information Package shall be made available for resale without the wholesale discount.
- 3.13 BellSouth's Inside Wire Maintenance Service Plan is available for resale at rates, terms and conditions as set forth by BellSouth and without the wholesale discount.
- 3.14 In the event Access Communications acquires a customer whose service is provided pursuant to a BellSouth Special Assembly, BellSouth shall make available to Access Communications that Special Assembly at the wholesale discount at Access Communications's option. Access Communications shall be responsible for all terms and conditions of such Special Assembly including but not limited to termination liability if applicable.
- 3.15 BellSouth shall provide 911/E911 for Access Communications customers in the same manner that it is provided to BellSouth customers. BellSouth shall provide and validate Access Communications customer information to the Public Safety Answering Point (PSAP). BellSouth shall use its service order process to update and maintain, on the same schedule that it uses for its customers, the Access Communications customer information in the Automatic Location Identification/Data Management System (ALI/DMS) databases used to support 911/E911 services.
- 3.16 Pursuant to 47 C.F.R. § 51.617, BellSouth shall bill to Access Communications, and Access Communications shall pay, the End User Common Line (EUCL) charges identical to the EUCL charges BellSouth bills its customers.

4 BellSouth's Provision of Services to Access Communications

- 4.1 Resale of BellSouth services shall be as follows:
- 4.1.1 The resale of Telecommunications Services shall be limited to users and uses conforming to the class of service restrictions.
- 4.1.2 Hotel and Hospital PBX services are the only Telecommunications Services available for resale to Hotel/Motel and Hospital customers, respectively. Similarly, Access Line Service for Customer Provided Coin Telephones is the only local service available for resale to Payphone Service Provider (PSP) customers. Shared Tenant Service customers can only be sold those local exchange access services available in BellSouth's GSST Section A23, Shared Tenant Service Section in the states of Florida, Georgia, North Carolina and South Carolina, and in A27 in the states of Alabama, Kentucky, Louisiana, Mississippi and Tennessee.
- 4.1.3 BellSouth reserves the right to periodically audit services purchased by Access

Communications to establish authenticity of use. Such audit shall not occur more than once in a calendar year. Access Communications shall make any and all records and data available to BellSouth or BellSouth's auditors on a reasonable basis. BellSouth shall bear the cost of said audit. Any information provided by Access Communications for purposes of such audit shall be deemed Confidential Information pursuant to the General Terms and Conditions.

- 4.2 Subject to Exhibit A hereto, resold services can only be used in the same manner as specified in BellSouth's Tariffs. Resold services are subject to the same terms and conditions as are specified for such services when furnished to an individual customer of BellSouth in the appropriate section of BellSouth's Tariffs. Specific tariff features (e.g., a usage allowance per month) shall not be aggregated across multiple resold services.
- 4.3 If Access Communications cancels an order for resold services, any costs incurred by BellSouth in conjunction with provisioning of such order will be recovered in accordance with BellSouth's GSST and Private Line Services Tariffs.
- 4.4 Service Jointly Provisioned with an Independent Company or CLEC
- 4.4.1 BellSouth will in some instances provision resold services in accordance with BellSouth's GSST and Private Line Tariffs jointly with an Independent Company (ICO) or other CLEC.
- 4.4.2 When Access Communications assumes responsibility for such service, all terms and conditions defined in the Tariff will apply for services provided within the BellSouth service area only.
- 4.4.3 Service terminating in an ICO or other CLEC area will be provisioned and billed by the ICO or other CLEC directly to Access Communications.
- 4.4.4 Access Communications must establish a billing arrangement with the ICO or other CLEC prior to assuming a customer account where such circumstances apply.
- 4.4.5 Specific guidelines regarding such services are available on the BellSouth Interconnection Web site.

5. Maintenance of Services

- 5.1 Services resold pursuant to this Attachment and BellSouth's GSST and Private Line Service Tariff and facilities and equipment provided by BellSouth shall be maintained by BellSouth.
- Access Communications or its customers may not rearrange, move, disconnect, remove or attempt to repair any facilities owned by BellSouth except with the written consent of BellSouth.
- Access Communications accepts responsibility to notify BellSouth of situations that arise that may result in a service problem.
- 5.4 Access Communications will contact the appropriate repair centers in accordance with procedures established by BellSouth.

- For all repair requests, Access Communications shall adhere to BellSouth's prescreening guidelines prior to referring the trouble to BellSouth.
- 5.6 BellSouth reserves the right to contact Access Communications's customers, if deemed necessary, for maintenance purposes.

6. Discontinuance of Service

- The procedures for discontinuing service to a customer are as follows:
- 6.1.1 BellSouth will deny service to Access Communications's customer on behalf of, and at the request of, Access Communications. Upon restoration of the customer's service, restoral charges will apply and will be the responsibility of Access Communications.
- 6.1.2 At the request of Access Communications, BellSouth will disconnect a Access Communications customer.
- 6.1.3 All requests by Access Communications for denial or disconnection of a customer for nonpayment must be in writing.
- 6.1.4 Access Communications will be made solely responsible for notifying the customer of the proposed disconnection of the service.
- 6.1.5 BellSouth will continue to process calls made to the Annoyance Call Center and will advise Access Communications when it is determined that annoyance calls are originated from one of its customer's locations. BellSouth shall be indemnified, defended and held harmless by Access Communications and/or the customer against any claim, loss or damage arising from providing this information to Access Communications. It is the responsibility of Access Communications to take the corrective action necessary with its customer who make annoying calls. (Failure to do so will result in BellSouth's disconnecting the customer's service.)

7. White Pages Listings

- 7.1 BellSouth shall provide Access Communications and its end users access to white pages directory listings under the following terms:
- 7.1.1 <u>Listings.</u> Access Communications shall provide all new, changed and deleted listings on a timely basis and BellSouth or its agent will include Access Communications residential and business customer listings in the appropriate White Pages (residential and business) or alphabetical directories in the geographic areas covered by this Agreement. Directory listings will make no distinction between Access Communications and BellSouth customers. Access Communications shall provide listing information in accordance with the procedures set forth in The BellSouth Business Rules for Local Ordering found at BellSouth's Interconnection Services Web site.
- 7.1.2 <u>Unlisted/Non-Published Customers.</u> Access Communications will be required to provide to BellSouth the names, addresses and telephone numbers of all Access Communications customers who wish to be omitted from directories. Unlisted/Non-Published listings will be subject to the rates as set forth in

Version: 4Q05 Standard ICA 11/30/05

- BellSouth's GSST and shall not be subject to the wholesale discount.
- 7.1.3 <u>Inclusion of Access Communications Customers in Directory Assistance</u>

 <u>Database.</u> BellSouth will include and maintain Access Communications customer listings in BellSouth's Directory Assistance databases. Access Communications shall provide such Directory Assistance listings to BellSouth at no charge.
- 7.1.4 <u>Listing Information Confidentiality.</u> BellSouth will afford Access Communications's directory listing information the same level of confidentiality that BellSouth affords its own directory listing information.
- 7.1.5 Additional and Designer Listings. Additional and designer listings will be offered by BellSouth at tariffed rates as set forth in BellSouth's GSST and shall not be subject to the wholesale discount.
- 7.1.6 Rates. So long as Access Communications provides listing information to BellSouth as set forth in Section 7.1.2 above, BellSouth shall provide to Access Communications one (1) basic White Pages directory listing per Access Communications customer at no charge other than the manual service order charge or the electronic service order charge, as appropriate, as described in Attachment 6.
- 7.2 <u>Directories.</u> BellSouth or its agent shall make available White Pages directories to Access Communications customer at no charge or as specified in a separate agreement between Access Communications and BellSouth's agent.
- 7.3 Procedures for submitting Access Communications Subscriber Listing Information (SLI) are found in The BellSouth Business Rules for Local Ordering found at BellSouth's Interconnection Services Web site.
- 7.3.1 Access Communications authorizes BellSouth to release all Access Communications SLI provided to BellSouth by Access Communications to qualifying third parties pursuant to either a license agreement or BellSouth's Directory Publishers Database Service (DPDS) in BellSouth's GSST. Such Access Communications SLI shall be intermingled with BellSouth's own customer listings and listings of any other CLEC that has authorized a similar release of SLI.
- No compensation shall be paid to Access Communications for BellSouth's receipt of Access Communications's SLI, or for the subsequent release to third parties of such SLI. In addition, to the extent BellSouth incurs costs to modify its systems to enable the release of Access Communications's SLI, or costs on an ongoing basis to administer the release of Access Communications's SLI, Access Communications shall pay to BellSouth its proportionate share of the reasonable costs associated therewith. At any time that costs may be incurred to administer the release of Access Communications's SLI, Access Communications will be notified. If Access Communications does not wish to pay its proportionate share of these reasonable costs, Access Communications may instruct BellSouth that it does not wish to release its SLI to independent publishers, and Access Communications shall amend this Agreement accordingly. Access Communications will be liable for all costs incurred until the effective date of the

amendment.

- Neither BellSouth nor any agent shall be liable for the content or accuracy of any SLI provided by Access Communications under this Agreement. Access Communications shall indemnify, except to the extent caused by BellSouth's gross negligence or willful misconduct, hold harmless and defend BellSouth and its agents from and against any damages, losses, liabilities, demands, claims, suits, judgments, costs and expenses (including but not limited to reasonable attorneys' fees and expenses) arising from BellSouth's Tariff obligations or otherwise and resulting from or arising out of any third party's claim of inaccurate Access Communications listings or use of the SLI provided pursuant to this Agreement. BellSouth may forward to Access Communications any complaints received by BellSouth relating to the accuracy or quality of Access Communications listings.
- 7.3.4 Listings and subsequent updates will be released consistent with BellSouth system changes and/or update scheduling requirements.

8. Operator Services (Operator Call Processing and Directory Assistance)

- 8.1 Operator Call Processing (OCP) provides: (1) operator handling for call completion (for example, collect, third number billing, and manual calling-card calls); (2) operator or automated assistance for billing after the customer has dialed the called number (for example, calling card calls); and (3) special services including but not limited to Busy Line Verification and Emergency Line Interrupt (ELI), Emergency Agency Call and operator-assisted Directory Assistance (DA).
- Upon request for BellSouth OCP, BellSouth shall:
- 8.2.1 Process 0+ and 0- dialed local calls.
- 8.2.2 Process 0+ and 0- intraLATA toll calls.
- 8.2.3 Process calls that are billed to Access Communications customer's calling card that can be validated by BellSouth.
- 8.2.4 Process person-to-person calls.
- 8.2.5 Process collect calls.
- 8.2.6 Provide the capability for callers to bill a third party and shall also process such calls.
- 8.2.7 Process station-to-station calls.
- 8.2.8 Process Busy Line Verify and ELI requests.
- 8.2.9 Process emergency call trace originated by PSAP.
- 8.2.10 Process operator-assisted DA calls.
- 8.2.11 Adhere to equal access requirements, providing Access Communications local customer the same IXC access that BellSouth provides its own operator service (OS).
- 8.2.12 Exercise at least the same level of fraud control in providing OS to Access

- Communications that BellSouth provides for its own OS.
- 8.2.13 Perform Billed Number Screening when handling Collect, Person-to-Person, and Billed-To-Third-Party calls.
- 8.2.14 Direct customer account and other similar inquiries to the customer service center designated by Access Communications.
- 8.3 Upon Access Communications's request BellSouth shall provide call records to Access Communications in accordance with Optional Daily Usage File (ODUF) standards.
- 8.4 The interface requirements shall conform to the interface specifications for the platform used to provide OS as long as the interface conforms to industry standards.
- 8.5 DA Service
- 8.5.1 DA Service provides local and non-local customer telephone number listings with the option to complete the call at the caller's direction separate and distinct from local switching.
- 8.5.2 DA Service shall provide up to two (2) listing requests per call, if available and if requested by Access Communications's customer. BellSouth shall provide caller-optional DA call completion service at rates set forth in BellSouth's GSST to one of the provided listings.
- 8.6 <u>DA Service Updates.</u> BellSouth shall update customer listings changes daily. These changes include:
- 8.6.1 New customer connections;
- 8.6.2 Customer disconnections;
- 8.6.3 Customer address changes; and
- Non-listed and non-published numbers for use in emergencies.

9. Branding for Wholesale OCP and DA

- 9.1 BellSouth's branding feature provides a definable announcement to Access Communications's customers using BellSouth's DA/OCP prior to placing such customers in queue or connecting them to an available operator or automated operator system. This feature allows Access Communications to have its calls custom branded with Access Communications's name on whose behalf BellSouth is providing DA and/or OCP. Rates for the branding features are set forth in Exhibit D.
- 9.2 BellSouth offers three (3) branding options to Access Communications when ordering BellSouth's DA and OCP: BellSouth Branding, Unbranding and Custom Branding.
- 9.3 Access Communications's order for Custom Branding is considered firm ten (10) business days after BellSouth's receipt of the order. Access Communications may cancel its order more than ten (10) business days after BellSouth's receipt of the order. Access Communications shall notify BellSouth in writing and shall pay

Version: 4Q05 Standard ICA 11/30/05

all charges per the order. For branding and unbranding via Originating Line Number Screening (OLNS), Access Communications must contact its Local Contract Manager to initiate the order via the OLNS Branding Order form.

9.4 Branding via OLNS

- 9.4.1 BellSouth Branding, Unbranding and Custom Branding are also available for DA, OCP or both via OLNS software. When utilizing this method of Unbranding or Custom Branding, Access Communications shall not be required to purchase dedicated trunking.
- 9.4.2 BellSouth Branding is the default branding offering.
- 9.4.3 For BellSouth to provide Unbranding or Custom Branding via OLNS software for OCP or for DA, Access Communications must have its OCN(s) and telephone numbers reside in BellSouth's Line Information Database (LIDB). To implement Unbranding and Custom Branding via OLNS software, Access Communications must submit a manual order form which requires, among other things, Access Communications's OCN and a forecast, pursuant to the appropriate BellSouth form provided, for the traffic volume anticipated for each BellSouth Traffic Operator Position System (TOPS) during the peak busy hour. Access Communications shall provide updates to such forecast on a quarterly basis and at any time such forecasted traffic volumes are expected to change significantly. Upon Access Communications's purchase of Unbranding or Custom Branding using OLNS software for any particular TOPS, all Access Communications customers served by that TOPS will receive the Unbranded "no announcement" or the Custom Branded announcement.

10. LIDB

- 10.1 BellSouth LIDB stores current information on working telephone numbers and billing account numbers.
- Where Access Communications is purchasing Resale services BellSouth shall utilize BellSouth's service order generated from Access Communications LSR's to populate LIDB with Access Communications's customer information. BellSouth provides access to information in its LIDB, including Access Communications customer information, to its LIDB customers via queries to LIDB.
- 10.2.1 When necessary for fraud control measures, BellSouth may perform additions, updates and deletions of Access Communications data to the LIDB (e.g., calling card deactivation).
- 10.2.2 Access Communications will not be charged a fee for LIDB storage services provided by BellSouth to Access Communications pursuant to this Attachment.
- 10.3 Responsibilities of the Parties
- BellSouth will administer the data provided by Access Communications pursuant to this Agreement in the same manner as BellSouth administers its own data.
- 10.3.2 Access Communications is responsible for completeness and accuracy of the data

being provided to BellSouth.

- 10.3.3 BellSouth shall not be responsible to Access Communications for any lost revenue which may result from BellSouth's administration of the LIDB pursuant to its established practices and procedures as they exist and as they may be changed by BellSouth in its sole discretion from time to time.
- 11. Revenue Accounting Office (RAO) Hosting
- 11.2 RAO Hosting is not required for resale in the BellSouth region.
- 12. Optional Daily Usage File (ODUF)
- The ODUF Agreement with terms and conditions is included in this Attachment as Exhibit B. Rates for ODUF are as set forth in Exhibit D.
- 12.2 BellSouth will provide ODUF service upon written request.
- 13. Enhanced Optional Daily Usage File (EODUF)
- The EODUF service Agreement with terms and conditions is included in this Attachment as Exhibit C. Rates for EODUF are as set forth in Exhibit D.
- 13.2 BellSouth will provide EODUF service upon written request.

EXCLUSIONS AND LIMITATIONS ON SERVICES AVAILABLE FOR RESALE (Note 4)

	Type of Service		AL		FL		GA]	KY]	LA	I	MS	ľ	NC		SC	,	TN
	Type of Service	Resale	Discount																
1	Grandfathered Services (Note 1)	Yes	Yes																
2	Promotions - > 90 Days(Note 2&3)	Yes	Yes																
3	Promotions - < 90 Days (Note 2 & 3)	Yes	No																
4	Lifeline/Link Up Services	Yes	Yes																
5	911/E911 Services	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	No	No	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
6	N11 Services (Note 1)	Yes	Yes	Yes	Yes	Yes	Yes	No	No	No	No	Yes	Yes	Yes	Yes	No	No	Yes	Yes
7	MemoryCall [®] Service	Yes	No																
8	Mobile Services	Yes	No																
9	Federal Subscriber Line Charges	Yes	No																
10	Nonrecurring Charges	Yes	Yes	Yes	No														
11	EUCL Charge	Yes	No																
12	Public Telephone Access Svc(PTAS)	Yes	Yes	Yes	No	Yes	Yes												
13	Inside Wire Maint Service Plan	Yes	No																

Applicable Notes:

- 1. **Grandfathered services** can be resold only to existing subscribers of the grandfathered service.
- 2. Where available for resale, **promotions** will be made available only to customers who would have qualified for the promotion had it been provided by BellSouth directly. Promotions shall be available only for the term set forth in the applicable tariff.
- 3. Promotions shall be available only for the term set forth in the applicable tariff.
- 4. Some of BellSouth's local exchange and toll Telecommunications Services are not available in certain central offices and areas.

Version: 4Q05 Standard ICA

11/30/05

Optional Daily Usage File

Upon written request from Access Communications, BellSouth will provide the

- ODUF service to Access Communications pursuant to the terms and conditions set forth in this section. 2. Access Communications shall furnish all relevant information required by BellSouth for the provision of the ODUF. 3. The ODUF feed provides Access Communications messages that were carried over the BellSouth network and processed by BellSouth for Access Communications. 4. Charges for ODUF will appear on Access Communications's monthly bills for the previous month's usage in arrears. The charges are as set forth in Exhibit D. 5. The ODUF feed will contain both rated and unrated messages. All messages will be in the standard Alliance for Telecommunications Industry Solutions (ATIS) Exchange Message Interface (EMI) record format. **ODUF Specifications** 6. 6.1 ODUF Message to be Transmitted 6.1.1 The following messages recorded by BellSouth will be transmitted to Access Communications: 6.1.1.1 Message recording for per use/per activation type services (examples: Three Way Calling, Verify, Interrupt, Call Return, etc.); 6.1.1.2 Measured local calls; 6.1.1.3 Directory Assistance messages; 6.1.1.4 IntraLATA Toll; 6.1.1.5 WATS and 800 Service: 6.1.1.6 N11: 6.1.1.7 Information Service Provider Messages;
- 6.1.1.11 Usage for Voice Mail Message Service.

OS Message Attempted Calls;

Credit/Cancel Records; and

OS Messages;

- 6.1.2 Rated Incollects (messages BellSouth receives from other revenue accounting offices) appear on ODUF. Rated Incollects will be intermingled with BellSouth recorded rated and unrated usage. Rated Incollects will not be packed separately.
- 6.1.3 BellSouth will perform duplicate record checks on records processed to ODUF.
 Any duplicate messages detected will be deleted and not sent to Access
 Communications.

Version: 4Q05 Standard ICA 11/30/05

6.1.1.8

6.1.1.9

6.1.1.10

1.

- 6.1.4 In the event that Access Communications detects a duplicate on ODUF they receive from BellSouth, Access Communications will drop the duplicate message and will not return the duplicate to BellSouth.
- 6.2 ODUF Physical File Characteristics
- ODUF will be distributed to Access Communications via Secure File Transfer Protocol (FTP). The ODUF feed will be a variable block format. The data on the ODUF feed will be in a non-compacted EMI format (one hundred seventy-five (175) byte format plus modules). It will be created on a daily basis Monday through Friday except holidays. Details such as dataset name and delivery schedule will be addressed during negotiations of the distribution medium. There will be a maximum of one (1) dataset per workday per OCN. If BellSouth determines the Secure FTP Mailbox is nearing capacity levels, BellSouth may move the customer to CONNECT:Direct file delivery.
- 6.2.2 If the customer is moved, CONNECT:Direct data circuits (private line or dial-up) will be required between BellSouth and Access Communications for the purpose of data transmission. Where a dedicated line is required, Access Communications will be responsible for ordering the circuit, overseeing its installation and coordinating the installation with BellSouth. Access Communications will also be responsible for any charges associated with this line. Equipment required on the BellSouth end to attach the line to the mainframe computer and to transmit messages successfully on an ongoing basis will be negotiated on an individual case basis. Any costs incurred for such equipment will be Access Communications's responsibility. Where a dial-up facility is required, dial circuits will be installed in the BellSouth data center by BellSouth and the associated charges assessed to Access Communications. Additionally, all message toll charges associated with the use of the dial circuit by Access Communications will be the responsibility of Access Communications. Associated equipment on the BellSouth end, including a modem, will be negotiated on an individual case basis between the Parties. All equipment, including modems and software, that is required on Access Communications's end for the purpose of data transmission will be the responsibility of Access Communications.
- 6.2.3 If Access Communications utilizes FTP for data file transmission, purchase of the FTP software will be the responsibility of Access Communications.
- 6.3 ODUF Packing Specifications
- 6.3.1 The data will be packed using ATIS EMI records. A pack will contain a minimum of one (1) message record or a maximum of ninety-nine thousand nine hundred and ninety-nine (99,999) message records plus a pack header record and a pack trailer record. One transmission can contain a maximum of ninety-nine (99) packs and a minimum of one (1) pack.
- 6.3.2 The OCN, From RAO, and Invoice Number will control the invoice sequencing. The From RAO will be used to identify to Access Communications which BellSouth RAO is sending the message. BellSouth and Access Communications

Version: 4Q05 Standard ICA 11/30/05

will use the invoice sequencing to control data exchange. BellSouth will be notified of sequence failures identified by Access Communications and resend the data as appropriate.

6.4 ODUF Pack Rejection

Access Communications will notify BellSouth within one (1) business day of rejected packs (via the mutually agreed medium). Packs could be rejected because of pack sequencing discrepancies or a critical edit failure on the Pack Header or Pack Trailer records (e.g., out-of-balance condition on grand totals, invalid data populated). Standard ATIS EMI error codes will be used. Access Communications will not be required to return the actual rejected data to BellSouth. Rejected packs will be corrected and retransmitted to Access Communications by BellSouth.

6.5 ODUF Control Data

6.5.1 Access Communications will send one confirmation record per pack that is received from BellSouth. This confirmation record will indicate Access Communications's receipt of the pack and the acceptance or rejection of the pack. Pack Status Code(s) will be populated using standard ATIS EMI error codes for packs that were rejected by Access Communications for reasons stated in the above section.

6.6 <u>ODUF Testing</u>

6.6.1 Upon request from Access Communications, BellSouth shall send ODUF test files to Access Communications. The Parties agree to review and discuss the ODUF file content and/or format. For testing of usage results, BellSouth shall request that Access Communications set up a production (live) file. The live test may consist of Access Communications's employees making test calls for the types of services Access Communications requests on ODUF. These test calls are logged by Access Communications, and the logs are provided to BellSouth. These logs will be used to verify the files. Testing will be completed within thirty (30) days from the date on which the initial test file was sent.

Enhanced Optional Daily Usage File

- 1. Upon written request from Access Communications, BellSouth will provide the EODUF service to Access Communications pursuant to the terms and conditions set forth in this section. EODUF will only be sent to existing ODUF subscribers who request the EODUF option.
- 2. Access Communications shall furnish all relevant information required by BellSouth for the provision of the EODUF.
- 3. The EODUF will provide usage data for local calls originating from resold Flat Rate Business and Residential Lines.
- 4. Charges for EODUF will appear on Access Communications's monthly bills for the previous month's usage in arrears. The charges are as set forth in Exhibit D.
- 5. All messages will be in the standard ATIS EMI record format.
- 6. Messages that error in the billing system of Access Communications will be the responsibility of Access Communications. If, however, Access Communications should encounter significant volumes of errored messages that prevent processing by Access Communications within its systems, BellSouth will work with Access Communications to determine the source of the errors and the appropriate resolution.
- 7. <u>EODUF Specifications</u>
- 7.1 EODUF Usage To Be Transmitted
- 7.1.1 The following messages recorded by BellSouth will be transmitted to Access Communications:
- 7.1.1.1 Customer usage data for flat rated local calls originating from Access Communications's customer lines (1FB or 1FR). The EODUF record for flat rate messages will include:
- 7.1.1.1.1 Date of Call
- 7.1.1.1.2 From Number
- 7.1.1.1.3 To Number
- 7.1.1.1.4 Connect Time
- 7.1.1.1.5 Conversation Time
- 7.1.1.1.6 Method of Recording
- 7.1.1.1.7 From RAO
- 7.1.1.1.8 Rate Class
- 7.1.1.1.9 Message Type
- 7.1.1.1.10 Billing Indicators

Version: 4Q05 Standard ICA

11/30/05

- 7.1.1.1.11 Bill to Number
- 7.1.2 BellSouth will perform duplicate record checks on EODUF records processed to ODUF. Any duplicate messages detected will be deleted and not sent to Access Communications.
- 7.1.3 In the event that Access Communications detects a duplicate on EODUF they receive from BellSouth, Access Communications will drop the duplicate message and will not return the duplicate to BellSouth.
- 7.2 EODUF Physical File Characteristics
- 7.2.1 EODUF feed will be distributed to Access Communications via FTP. The EODUF messages will be intermingled among Access Communications's ODUF messages. The EODUF will be a variable block format. The data on the EODUF will be in a non-compacted EMI format (one hundred seventy-five (175) byte format plus modules). It will be created on a daily basis Monday through Friday except holiday. If BellSouth determines the Secure FTP mailbox is nearing capacity levels, BellSouth may move the customer to CONNECT:Direct file delivery.
- 7.2.2 Data circuits (private line or dial-up) may be required between BellSouth and Access Communications for the purpose of data transmission. Where a dedicated line is required, Access Communications will be responsible for ordering the circuit, overseeing its installation and coordinating the installation with BellSouth. Access Communications will also be responsible for any charges associated with this line. Equipment required on the BellSouth end to attach the line to the mainframe computer and to transmit successfully ongoing will be negotiated on an individual case basis. Where a dial-up facility is required, dial circuits will be installed in the BellSouth data center by BellSouth and the associated charges assessed to Access Communications. Additionally, all message toll charges associated with the use of the dial circuit by Access Communications will be the responsibility of Access Communications. Associated equipment on the BellSouth end, including a modem, will be negotiated on an individual case basis between the Parties. All equipment, including modems and software, that is required on Access Communications's end for the purpose of data transmission will be the responsibility of Access Communications.
- 7.2.3 If Access Communications utilizes FTP for data file transmission, purchase of the FTP software will be the responsibility of Access Communications.
- 7.3 EODUF Packing Specifications
- 7.3.1 The data will be packed using ATIS EMI records. A pack will contain a minimum of one (1) message record or a maximum of ninety-nine thousand nine hundred and ninety-nine (99,999) message records plus a pack header record and a pack trailer record. One transmission can contain a maximum of ninety-nine (99) packs and a minimum of one (1) pack.
- 7.3.2 The OCN, From RAO, and Invoice Number will control the invoice sequencing. The From RAO will be used to identify to Access Communications which

Version: 4Q05 Standard ICA 11/30/05

Attachment 1 Page 20 Exhibit C

BellSouth RAO is sending the message. BellSouth and Access Communications will use the invoice sequencing to control data exchange. BellSouth will be notified of sequence failures identified by Access Communications and resend the data as appropriate.

	SCOUNTS & RATES - Alabama												Attachment:	1 Exh D		
l											Svc Order	Svc Order			Incremental	Incrementa
												Submitted		Charge -	Charge -	Charge -
											Elec					
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m									per LSK	per LSK	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
						Rec	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
APPLICABLE	DISCOUNTS															
	Residence %					16.30										
	Business %					16.30										
	CSAs %					16.30										
	S SUPPORT SYSTEMS (OSS) - "REGIONAL RATES"															
	: (1) CLEC should contact its contract negotiator if it prefers the															
elect o	either the state specific Commission ordered rates for the servi	ice orde	ering cha	arges, or CLEC ma	y elect the re	gional service o	rdering charge	e, however, Cl	EC can not ob	tain a mixture	of the two	egardless it	CLEC has a	interconnecti	ion contract e	stablished ir
	OSS - Electronic Service Order Charge, Per Local Service															
	Request (LSR) - Resale Only				SOMEC		3.50	0.00	3.50	0.00						
	OSS - Manual Service Order Charge, Per Local Service Request															
	(LSR) - Resale Only				SOMAN		19.99	0.00	19.99	0.00						
ODUF/EODUF																
OPTIC	DNAL DAILY USAGE FILE (ODUF)															
	ODUF: Recording, per message					0.000011										
	ODUF: Message Processing, per message					0.004101										
	ODUF: Message Processing, per Magnetic Tape provisioned					42.67										
	ODUF: Data Transmission (CONNECT:DIRECT), per message					0.000094										
						0.000034										
ENHA	NCED OPTIONAL DAILY USAGE FILE (EODUF)															,
	EODUF: Message Processing, per message					0.22										
	EODUF: Message Processing, per message ASSISTANCE CUSTOM BRANDING ANNOUNCEMENT via OLNS	S SOFT\	WARE													
	EODUF: Message Processing, per message ASSISTANCE CUSTOM BRANDING ANNOUNCEMENT via OLNS Recording of DA Custom Branded Announcement	SOFT	WARE				3,000.00	3,000.00								
	EODUF: Message Processing, per message ASSISTANCE CUSTOM BRANDING ANNOUNCEMENT via OLNS Recording of DA Custom Branded Announcement Loading of DA Custom Branded Anouncement per Switch per	SOFT	WARE				.,	,								
DIRECTORY	EODUF: Message Processing, per message ASSISTANCE CUSTOM BRANDING ANNOUNCEMENT via OLNS Recording of DA Custom Branded Announcement Loading of DA Custom Branded Anouncement per Switch per OCN	SOFT	WARE				3,000.00	3,000.00								
DIRECTORY	EODUF: Message Processing, per message ASSISTANCE CUSTOM BRANDING ANNOUNCEMENT via OLNS Recording of DA Custom Branded Announcement Loading of DA Custom Branded Anouncement per Switch per OCN ASSISTANCE UNBRANDING via OLNS SOFTWARE	SOFT	WARE				1,170.00	1,170.00								
DIRECTORY	EODUF: Message Processing, per message ASSISTANCE CUSTOM BRANDING ANNOUNCEMENT via OLNS Recording of DA Custom Branded Announcement Loading of DA Custom Branded Anouncement per Switch per OCN ASSISTANCE UNBRANDING via OLNS SOFTWARE Loading of DA per OCN (1 OCN per Order)	SSOFT	WARE				1,170.00	1,170.00								
DIRECTORY A	EODUF: Message Processing, per message ASSISTANCE CUSTOM BRANDING ANNOUNCEMENT via OLNS Recording of DA Custom Branded Announcement Loading of DA Custom Branded Anouncement per Switch per OCN ASSISTANCE UNBRANDING via OLNS SOFTWARE Loading of DA per OCN (1 OCN per Order) Loading of DA per Switch per OCN						1,170.00	1,170.00								
DIRECTORY A	EODUF: Message Processing, per message ASSISTANCE CUSTOM BRANDING ANNOUNCEMENT via OLNS Recording of DA Custom Branded Announcement Loading of DA Custom Branded Announcement per Switch per OCN ASSISTANCE UNBRANDING via OLNS SOFTWARE Loading of DA per OCN (1 OCN per Order) Loading of DA per Switch per OCN ASSISTANCE CUSTOM BRANDING ANNOUNCEMENT via OLNS ASSISTANCE CUSTOM BRANDING ANNOUNCEMENT via OLNS						1,170.00 420.00 16.00	1,170.00 420.00 16.00								
DIRECTORY A	EODUF: Message Processing, per message ASSISTANCE CUSTOM BRANDING ANNOUNCEMENT via OLNS Recording of DA Custom Branded Announcement Loading of DA Custom Branded Anouncement per Switch per OCN ASSISTANCE UNBRANDING via OLNS SOFTWARE Loading of DA per OCN (1 OCN per Order) Loading of DA per Switch per OCN ASSISTANCE CUSTOM BRANDING ANNOUNCEMENT via OLNS Recording of Custom Branded OA Announcement						1,170.00	1,170.00								
DIRECTORY A	EODUF: Message Processing, per message ASSISTANCE CUSTOM BRANDING ANNOUNCEMENT via OLNS Recording of DA Custom Branded Announcement Loading of DA Custom Branded Announcement per Switch per OCN ASSISTANCE UNBRANDING via OLNS SOFTWARE Loading of DA per OCN (1 OCN per Order) Loading of DA per Switch per OCN ASSISTANCE CUSTOM BRANDING ANNOUNCEMENT via OLNS ASSISTANCE CUSTOM BRANDING ANNOUNCEMENT via OLNS						1,170.00 420.00 16.00	1,170.00 420.00 16.00								
DIRECTORY A	EODUF: Message Processing, per message ASSISTANCE CUSTOM BRANDING ANNOUNCEMENT via OLNS Recording of DA Custom Branded Announcement Loading of DA Custom Branded Announcement per Switch per OCN ASSISTANCE UNBRANDING via OLNS SOFTWARE Loading of DA per OCN (1 OCN per Order) Loading of DA per Switch per OCN ASSISTANCE CUSTOM BRANDING ANNOUNCEMENT via OLNS Recording of Custom Branded OA Announcement Loading of Custom Branded OA Announcement per shelf/NAV per OCN Loading of OA Custom Branded Announcement per Switch per						1,170.00 420.00 16.00 7,000.00 500.00	1,170.00 420.00 16.00 7,000.00 500.00								
DIRECTORY A	EODUF: Message Processing, per message ASSISTANCE CUSTOM BRANDING ANNOUNCEMENT via OLNS Recording of DA Custom Branded Announcement Loading of DA Custom Branded Anouncement per Switch per OCN ASSISTANCE UNBRANDING via OLNS SOFTWARE Loading of DA per OCN (1 OCN per Order) Loading of DA per Switch per OCN ASSISTANCE CUSTOM BRANDING ANNOUNCEMENT via OLNS Recording of Custom Branded OA Announcement Loading of Custom Branded OA Announcement per shelf/NAV per OCN						1,170.00 420.00 16.00 7,000.00	1,170.00 420.00 16.00 7,000.00								

Version: 4Q05 Standard ICA 01/25/06 Page 1 of 9

RESALE DISCOUNTS & RATES - Florida													Attachment:	1 Exh D		
											Svc Order	Svc Order			Incremental	Incremental
												Submitted		Charge -	Charge -	Charge -
	_										Elec				Manual Svc	
CATEGORY RATE ELEMENTS	In	teri	Zone	BCS	USOC			RATES(\$)			per LSR	,	Order vs.	Order vs.	Order vs.	Order vs.
	1	m									per LSK	per LSK	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
						B	Nonrec	curring	Nonrecurring	Disconnect			oss	Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
APPLICABLE DISCOUNTS																
Residence %						21.83										
Business %						16.81										
CSAs %						16.81										
OPERATIONS SUPPORT SYSTEMS (OSS) - "REGIONAL RA																
NOTE: (1) CLEC should contact its contract negoti																
elect either the state specific Commission ordered		order	ing cha	arges, or CLEC may	y elect the re	gional service o	ordering charg	e, however, Cl	LEC can not ob	tain a mixture	of the two	regardless i	f CLEC has a	interconnect	on contract e	stablished in
OSS - Electronic Service Order Charge, Per L	ocal Service															
Request (LSR) - Resale Only					SOMEC		3.50	0.00	3.50	0.00						
OSS - Manual Service Order Charge, Per Loc	al Service Request															
(LSR) - Resale Only					SOMAN		19.99	0.00	19.99	0.00						
ODUF/EODUF SERVICES																
OPTIONAL DAILY USAGE FILE (ODUF)																
ODUF: Recording, per message						0.0000071										
ODUF: Message Processing, per message						0.002146										
ODUF: Message Processing, per Magnetic Ta	pe provisioned					35.91										
ODUF: Data Transmission (CONNECT:DIREC						0.00010375										
ENHANCED OPTIONAL DAILY USAGE FILE (EODU	F)															
EODUF: Message Processing, per message						0.080698										
DIRECTORY ASSISTANCE CUSTOM BRANDING ANNOUNCE	CEMENT via OLNS SC	OFTW	ARE													
Recording of DA Custom Branded Announcer							3,000.00	3,000.00								
Loading of DA Custom Branded Anouncemen	t per Switch per															
OCN							1,170.00	1,170.00								
DIRECTORY ASSISTANCE UNBRANDING via OLNS SOFTW	VARE															
Loading of DA per OCN (1 OCN per Order)							420.00	420.00								
Loading of DA per Switch per OCN							16.00	16.00								
OPERATOR ASSISTANCE CUSTOM BRANDING ANNOUNCE		FTW	ARE													
Recording of Custom Branded OA Announcer							7,000.00	7,000.00								
Loading of Custom Branded OA Announcement	ent per shelf/NAV						500.00	500.00								
Loading of OA Custom Branded Announceme	ent per Switch per	<u>_</u>			1		555.00	555.00						1	1	1
OCN OCN	· · ·						1,170.00	1,170.00								
OPERATOR ASSISTANCE UNBRANDING via OLNS SOFTW	/ARE															
Loading of OA per OCN (Regional)							1,200.00	1,200.00				<u> </u>		<u> </u>	<u> </u>	<u> </u>

Version: 4Q05 Standard ICA 01/25/06 Page 2 of 9

RESALE DI	ISCOUNTS & RATES - Georgia					•	•	•	•	•			Attachment:	1 Exh D		
											Svc Order	Svc Order	Incremental	Incremental	Incremental	Increment
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
											Elec				Manual Svc	
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m						,			per Lor	per Lor	Electronic-	Electronic-	Electronic-	Electronic
													1st	Add'l	Disc 1st	Disc Add'
															Disc 1st	DISC Add
						Rec	Nonrec			Disconnect				Rates(\$)		
		<u> </u>	1				First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
ADDI ICADI E	_ E DISCOUNTS		+		_											
AFFLICABLE	Residence %	-	-			20.30										
-	Business %	+			+	17.30	-									
-	CSAs %	+			+	17.30	-									-
OBERATIONS	S SUPPORT SYSTEMS (OSS) - "REGIONAL RATES"	+			+	17.30	-									-
	: (1) CLEC should contact its contract negotiator if it prefers the	ne "stat	e specifi	ic" OSS charges as	s ordered by t	he State Comm	issions The C	SS charges c	urrently contai	ned in this rat	a avhihit are	the BellSo	ıth "regional"	service orde	ring charges	CI EC ma
	either the state specific Commission ordered rates for the serv															
elect	OSS - Electronic Service Order Charge, Per Local Service	T Oru	ening cir	arges, or CLEC ma	ay elect the re	gioriai sei vice c	ruering charge	s, However, Cr	LC can not or	I	I the two i	egaruless i	CLLC Has a	interconnecti	l contract e	Stabilished i
	Request (LSR) - Resale Only				SOMEC		3.50	0.00	3.50	0.00						
+	OSS - Manual Service Order Charge, Per Local Service Request	+			SOIVILO		3.30	0.00	3.30	0.00						
	(LSR) - Resale Only	1			SOMAN		19.99	0.00	19.99	0.00						
ODUF/EODUF					CONFUT		10.00	0.00	10.00	0.00						
	ONAL DAILY USAGE FILE (ODUF)				_											
 	ODUF: Recording, per message				+	0.0000068										
	ODUF: Message Processing, per message					0.002167										-
	ODUF: Message Processing, per Magnetic Tape provisioned					36.06										
	ODUF: Data Transmission (CONNECT:DIRECT), per message					0.00010856										
ENHA	NCED OPTIONAL DAILY USAGE FILE (EODUF)															
	EODUF: Message Processing, per message					0.227409										
DIRECTORY	ASSISTANCE CUSTOM BRANDING ANNOUNCEMENT via OLNS	SOFT	WARE			0.227 100										
	Recording of DA Custom Branded Announcement	1	1				3.000.00	3.000.00								
	Loading of DA Custom Branded Anouncement per Switch per						0,000.00	-,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,								
	OCN						1.170.00	1,170.00								
DIDECTORY			+ +					,								
	ASSISTANCE UNBRANDING via OLNS SOFTWARE															
DIRECTORT							420.00	420.00								
DIRECTORY	ASSISTANCE UNBRANDING via OLNS SOFTWARE Loading of DA per OCN (1 OCN per Order) Loading of DA per Switch per OCN						420.00 16.00	420.00 16.00								
	Loading of DA per OCN (1 OCN per Order)	SOFT	WARE													
	Loading of DA per OCN (1 OCN per Order) Loading of DA per Switch per OCN	SOFT	WARE													
	Loading of DA per OCN (1 OCN per Order) Loading of DA per Switch per OCN ASSISTANCE CUSTOM BRANDING ANNOUNCEMENT via OLNS	SOFT	WARE				16.00	16.00								
	Loading of DA per OCN (1 OCN per Order) Loading of DA per Switch per OCN ASSISTANCE CUSTOM BRANDING ANNOUNCEMENT via OLNS Recording of Custom Branded OA Announcement	S SOFT\	WARE				16.00	16.00								
	Loading of DA per OCN (1 OCN per Order) Loading of DA per Switch per OCN ASSISTANCE CUSTOM BRANDING ANNOUNCEMENT via OLNS Recording of Custom Branded OA Announcement Loading of Custom Branded OA Announcement per shelf/NAV	SOFT\	WARE				7,000.00	7,000.00								
OPERATOR A	Loading of DA per OCN (1 OCN per Order) Loading of DA per Switch per OCN ASSISTANCE CUSTOM BRANDING ANNOUNCEMENT via OLNS Recording of Custom Branded OA Announcement Loading of Custom Branded OA Announcement per shelf/NAV per OCN Loading of OA Custom Branded Announcement per Switch per OCN	SOFT	WARE				7,000.00	7,000.00								
OPERATOR A	Loading of DA per OCN (1 OCN per Order) Loading of DA per Switch per OCN ASSISTANCE CUSTOM BRANDING ANNOUNCEMENT via OLNS Recording of Custom Branded OA Announcement Loading of Custom Branded OA Announcement per shelf/NAV per OCN Loading of OA Custom Branded Announcement per Switch per	SOFT	WARE				7,000.00 500.00	7,000.00 500.00								

Version: 4Q05 Standard ICA 01/25/06 Page 3 of 9

RESAL	E DIS	SCOUNTS & RATES - Kentucky												Attachment:	1 Exh D		
												Svc Order	Svc Order			Incremental	Incremental
													Submitted		Charge -	Charge -	Charge -
			1									Elec				Manual Svc	
CATEGO	ORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES(\$)			per LSR		Order vs.	Order vs.	Order vs.	Order vs.
			m									per LSK	per LSK	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							n	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates(\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
APPLICA	ABLE	DISCOUNTS															
		Residence %					16.79										
		Business %					15.54										
		CSAs %					15.54										
		SUPPORT SYSTEMS (OSS) - "REGIONAL RATES"															
		(1) CLEC should contact its contract negotiator if it prefers the															
		ither the state specific Commission ordered rates for the servi	ice orde	ering ch	arges, or CLEC ma	y elect the re	gional service of	ordering charge	e, however, Cl	LEC can not ob	tain a mixture	of the two	regardless i	f CLEC has a	interconnect	on contract e	stablished ir
		OSS - Electronic Service Order Charge, Per Local Service															
		Request (LSR) - Resale Only				SOMEC		3.50	0.00	3.50	0.00						
		OSS - Manual Service Order Charge, Per Local Service Request															
		(LSR) - Resale Only				SOMAN		19.99	0.00	19.99	0.00						
		SERVICES															
		NAL DAILY USAGE FILE (ODUF)															
		ODUF: Recording, per message					0.0000136										
		ODUF: Message Processing, per message					0.002506										
		ODUF: Message Processing, per Magnetic Tape provisioned					35.90										
		ODUF: Data Transmission (CONNECT:DIRECT), per message					0.00010372										
E	ENHAN	NCED OPTIONAL DAILY USAGE FILE (EODUF)															
		EODUF: Message Processing, per message					0.235889										
DIRECT		SSISTANCE CUSTOM BRANDING ANNOUNCEMENT via OLNS	SOFT	WARE													
		Recording of DA Custom Branded Announcement						3,000.00	3,000.00								
		Loading of DA Custom Branded Anouncement per Switch per															
		OCN						1,170.00	1,170.00								
DIRECT	ORY A	SSISTANCE UNBRANDING via OLNS SOFTWARE															
		Loading of DA per OCN (1 OCN per Order)						420.00	420.00								
		Loading of DA per Switch per OCN						16.00	16.00								
OPERAT	TOR AS	SSISTANCE CUSTOM BRANDING ANNOUNCEMENT via OLNS	SOFTV	VARE													
		Recording of Custom Branded OA Announcement						7,000.00	7,000.00								
		Loading of Custom Branded OA Announcement per shelf/NAV per OCN						500.00	500.00								
		Loading of OA Custom Branded Announcement per Switch per	1					555.00	555.00				i		1	1	1
		OCN						1,170.00	1,170.00								
OPERAT	TOR AS	SSISTANCE UNBRANDING via OLNS SOFTWARE															<u> </u>
1		Loading of OA per OCN (Regional)	I	1				1,200.00	1,200.00			1					

Version: 4Q05 Standard ICA 01/25/06
Page 4 of 9

RESALE DIS	COUNTS & RATES - Louisiana												Attachment:	1 Exh D		
											Svc Order	Svc Order	Incremental	Incremental	Incremental	Incrementa
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		lutani									Elec				Manual Svc	
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m									per Lore	per Lore	Electronic-	Electronic-	Electronic-	Electronic
													1st	Add'l	Disc 1st	Disc Add'
															D130 131	DISC Add
						Rec	Nonrec			Disconnect				Rates(\$)		
			-				First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
APPLICABLE I	DISCOUNTS		+ -													+
	Residence %				+	20.72										+
	Business %					20.72										+
	CSAs %				+	9.05										+
	SUPPORT SYSTEMS (OSS) - "REGIONAL RATES"				+	0.00										+
	(1) CLEC should contact its contract negotiator if it prefers the	he "stat	e specif	ic" OSS charges as	s ordered by t	he State Comm	issions. The C	OSS charges c	urrently contai	ned in this rat	e exhibit are	the BellSo	uth "regional	" service orde	ering charges	. CLEC ma
	ther the state specific Commission ordered rates for the serv															
	OSS - Electronic Service Order Charge, Per Local Service	1	1	g,]		-,								
	Request (LSR) - Resale Only				SOMEC		3.50	0.00	3.50	0.00						
	OSS - Manual Service Order Charge, Per Local Service Request	t			0020		0.00	0.00	0.00	0.00						
	(LSR) - Resale Only				SOMAN		19.99	0.00	19.99	0.00						
ODUF/EODUF																1
OPTIO	NAL DAILY USAGE FILE (ODUF)															
	ODUF: Recording, per message					0.0000117										1
	ODUF: Message Processing, per message					0.004641										
	ODUF: Message Processing, per Magnetic Tape provisioned					48.45										
	ODUF: Data Transmission (CONNECT:DIRECT), per message					0.00010568										
ENHAN	CED OPTIONAL DAILY USAGE FILE (EODUF)															
	EODUF: Message Processing, per message					0.250015										
DIRECTORY AS	SSISTANCE CUSTOM BRANDING ANNOUNCEMENT via OLNS	S SOFT	WARE													
	Recording of DA Custom Branded Announcement						3,000.00	3,000.00								
	Loading of DA Custom Branded Anouncement per Switch per OCN						1,170,00	1,170.00								
	SSISTANCE UNBRANDING via OLNS SOFTWARE				_		1,170.00	1,170.00							-	+
	Loading of DA per OCN (1 OCN per Order)						420.00	420.00								
	Loading of DA per Octv (1 Octv per Order)		+				16.00	16.00			1					+
	SISTANCE CUSTOM BRANDING ANNOUNCEMENT via OLNS	SOFT	WARE				10.00	10.00								+
	Recording of Custom Branded OA Announcement	100111	TTAILE				7.000.00	7,000.00								
	Loading of Custom Branded OA Announcement per shelf/NAV	1	+		+	 	7,000.00	7,000.00	 					 	 	+
	per OCN						500.00	500.00								
	Loading of OA Custom Branded Announcement per Switch per															1
	OCN						1,170.00	1,170.00								
	SISTANCE UNBRANDING via OLNS SOFTWARE Loading of OA per OCN (Regional)															
							1,200.00	1,200.00								

Version: 4Q05 Standard ICA 01/25/06 Page 5 of 9

RESALE DISCOUNTS & RA	TES - Mississippi												Attachment:	1 Exh D		
											Svc Order	Svc Order			Incremental	Incremental
1												Submitted		Charge -	Charge -	Charge -
		l									Elec				Manual Svc	
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES(\$)			per LSR	,	Order vs.	Order vs.	Order vs.	Order vs.
		m						-(1)			per LSK	per LSK	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l		Disc Add'l
													151	Addi	Disc 1st	DISC Add I
						Rec	Nonrec	urring	Nonrecurring	Disconnect		•	oss	Rates(\$)	•	•
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
APPLICABLE DISCOUNTS																
Residence %						15.75										
Business %						15.75										
CSAs %						15.75										
OPERATIONS SUPPORT SYSTE																
	contact its contract negotiator if it prefers th															
	cific Commission ordered rates for the servi	ice orde	ering ch	arges, or CLEC ma	y elect the re	gional service of	ordering charg	e, however, Cl	LEC can not ob	tain a mixture	of the two	regardless i	f CLEC has a	interconnect	on contract e	stablished in
	Service Order Charge, Per Local Service															
Request (LSR) - F					SOMEC		3.50	0.00	3.50	0.00						
	vice Order Charge, Per Local Service Request															
(LSR) - Resale Or	ıly				SOMAN		19.99	0.00	19.99	0.00						
ODUF/EODUF SERVICES																
OPTIONAL DAILY USAG																
ODUF: Recording						0.0000063										
	Processing, per message					0.004707										
	Processing, per Magnetic Tape provisioned					49.04										
	smission (CONNECT:DIRECT), per message					0.00010669										
	OAILY USAGE FILE (EODUF)															
	Processing, per message					0.250424										
	OM BRANDING ANNOUNCEMENT via OLNS	S SOFT	WARE													
	Custom Branded Announcement						3,000.00	3,000.00								
	stom Branded Anouncement per Switch per															
OCN							1,170.00	1,170.00								
DIRECTORY ASSISTANCE UNBI																
	OCN (1 OCN per Order)						420.00	420.00								
Loading of DA per							16.00	16.00								
	OM BRANDING ANNOUNCEMENT via OLNS	SOFTV	NARE													
	om Branded OA Announcement						7,000.00	7,000.00								
Loading of Custor per OCN	n Branded OA Announcement per shelf/NAV						500.00	500.00								
	stom Branded Announcement per Switch per	i –	1				555.00	555.00				1		1	1	1
OCN	·						1,170.00	1,170.00								
OPERATOR ASSISTANCE UNBE																
Loading of OA pe	OCN (Regional)			<u></u>			1,200.00	1,200.00		L		<u> </u>			<u> </u>	

Version: 4Q05 Standard ICA 01/25/06 Page 6 of 9

RESALE DI	SCOUNTS & RATES - North Carolina												Attachment:	1 Exh D		
											Svc Order	Svc Order			Incremental	Incrementa
												Submitted		Charge -	Charge -	Charge -
											Elec				Manual Svc	
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES(\$)			per LSR		Order vs.	Order vs.	Order vs.	Order vs.
		m									per LSK	per LSK	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
						B	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates(\$)		1
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
APPLICABLE	DISCOUNTS															
	Residence %					21.50										
	Business %					17.60										
	CSAs %					17.60										
	SUPPORT SYSTEMS (OSS) - "REGIONAL RATES"															
	: (1) CLEC should contact its contract negotiator if it prefers the															
elect e	either the state specific Commission ordered rates for the servi	ice orde	ering ch	arges, or CLEC ma	y elect the re	gional service o	ordering charge	e, however, Cl	LEC can not ob	tain a mixture	of the two	regardless i	f CLEC has a	interconnect	on contract e	established in
	OSS - Electronic Service Order Charge, Per Local Service															
	Request (LSR) - Resale Only				SOMEC		3.50	0.00	3.50	0.00						
	OSS - Manual Service Order Charge, Per Local Service Request															
	(LSR) - Resale Only				SOMAN		19.99	0.00	19.99	0.00						
ODUF/EODUF																
OPTIC	NAL DAILY USAGE FILE (ODUF)															
	ODUF: Recording, per message					0.0000174										
	ODUF: Message Processing, per message					0.001647										
	ODUF: Message Processing, per Magnetic Tape provisioned					35.91										
	ODUF: Data Transmission (CONNECT:DIRECT), per message					0.00011029										
ENHA	NCED OPTIONAL DAILY USAGE FILE (EODUF)															
	EODUF: Message Processing, per message					0.131005										
DIRECTORY A	ASSISTANCE CUSTOM BRANDING ANNOUNCEMENT via OLNS	SOFT	WARE													
	Recording of DA Custom Branded Announcement						3,000.00	3,000.00								
	Loading of DA Custom Branded Anouncement per Switch per															
	OCN						1,170.00	1,170.00								
DIRECTORY A	ASSISTANCE UNBRANDING via OLNS SOFTWARE															
	Loading of DA per OCN (1 OCN per Order)						420.00	420.00								
	Loading of DA per Switch per OCN						16.00	16.00								
OPERATOR A	SSISTANCE CUSTOM BRANDING ANNOUNCEMENT via OLNS	SOFT	WARE													
	Recording of Custom Branded OA Announcement						7,000.00	7,000.00								
	Loading of Custom Branded OA Announcement per shelf/NAV						500.00	500.00								
	Loading of OA Custom Branded Announcement per Switch per															
			1		1	1	1.170.00	1,170,00								
	OCN					l l	1,170.00	1,170.00								
OPERATOR A	OCN SSISTANCE UNBRANDING via OLNS SOFTWARE						1,170.00	1,170.00								

Version: 4Q05 Standard ICA 01/25/06 Page 7 of 9

RESA	LE DIS	SCOUNTS & RATES - South Carolina												Attachment:	1 Exh D		
												Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
													Submitted		Charge -	Charge -	Charge -
			l									Elec					
CATE	ORY	RATE ELEMENTS	Interi	Zone	BCS	usoc			RATES(\$)			per LSR		Order vs.	Order vs.	Order vs.	Order vs.
			m									per LSK	per LSK	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							_	Nonrec	urrina	Nonrecurring	Disconnect			oss	Rates(\$)		-
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
APPLI	CABLE	DISCOUNTS															
		Residence %					14.80										
		Business %					14.80										
		CSAs %					8.98										
OPER/		SUPPORT SYSTEMS (OSS) - "REGIONAL RATES"				1	2.00								İ		
		(1) CLEC should contact its contract negotiator if it prefers th	e "state	specif	ic" OSS charges as	ordered by t	he State Comm	issions. The C	OSS charges c	urrently contain	ned in this rat	e exhibit are	the BellSo	uth "regional	service ord	ering charges.	CLEC may
	elect e	ither the state specific Commission ordered rates for the servi	ce orde	rina ch	arges, or CLEC ma	v elect the re	gional service o	rdering charge	e. however. Cl	_EC can not ob	tain a mixture	of the two	regardless i	f CLEC has a	interconnect	ion contract e	stablished in
	1	OSS - Electronic Service Order Charge, Per Local Service			g				.,,								
		Request (LSR) - Resale Only				SOMEC		3.50	0.00	3.50	0.00						
		OSS - Manual Service Order Charge, Per Local Service Request								0.00							
		(LSR) - Resale Only				SOMAN		19.99	0.00	19.99	0.00						
ODUF/		SERVICES															
		NAL DAILY USAGE FILE (ODUF)															
		ODUF: Recording, per message					0.0000216										
		ODUF: Message Processing, per message					0.004704										
		ODUF: Message Processing, per Magnetic Tape provisioned					48.87										
		ODUF: Data Transmission (CONNECT:DIRECT), per message				+	0.00010863										
		ICED OPTIONAL DAILY USAGE FILE (EODUF)															
		EODUF: Message Processing, per message					0.258301										
DIREC		SSISTANCE CUSTOM BRANDING ANNOUNCEMENT via OLNS	SOFT	NARE			0.200001										
		Recording of DA Custom Branded Announcement	1	1				3.000.00	3,000.00								
		Loading of DA Custom Branded Anouncement per Switch per						0,000.00	-,,,,,,,,,								
		OCN						1,170,00	1,170.00								
DIREC		SSISTANCE UNBRANDING via OLNS SOFTWARE				+		1,110.00	1,110.00								
DIREC	IONIA	Loading of DA per OCN (1 OCN per Order)				+		420.00	420.00								
		Loading of DA per Switch per OCN				+		16.00	16.00								
OPER/		SSISTANCE CUSTOM BRANDING ANNOUNCEMENT via OLNS	SOFTV	VARE		+		10.00	10.00								
J. L.I.		Recording of Custom Branded OA Announcement	1			+		7.000.00	7,000.00								
		Loading of Custom Branded OA Announcement per shelf/NAV				+		.,500.00	.,000.00								
		per OCN	l			1		500.00	500.00			İ					1
—	 	Loading of OA Custom Branded Announcement per Switch per	-			+		300.00	300.00								
		IOCN	l			1		1,170.00	1,170.00			İ					1
OPERA		SSISTANCE UNBRANDING via OLNS SOFTWARE	l			+		1,170.00	1,170.00							1	
O. LIV	T ON A	Loading of OA per OCN (Regional)	-			+		1,200,00	1.200.00								
	1	Loading of OA per OON (Neglonal)		1		1	1	1,200.00	1,200.00	l					I	I	1

Version: 4Q05 Standard ICA 01/25/06

Page 8 of 9

RESA	LE DIS	COUNTS & RATES - Tennessee												Attachment:	1 Exh D		
												Svc Order	Svc Order			Incremental	Incremental
													Submitted		Charge -	Charge -	Charge -
												Elec				Manual Svc	
CATEG	ORY	RATE ELEMENTS	Interi	Zone	BCS	usoc			RATES(\$)			per LSR		Order vs.	Order vs.	Order vs.	Order vs.
		· · · · · · · · · · · · · · · · · · ·	m									per LSK	per LSK		Electronic-		Electronic-
														Electronic-		Electronic-	
														1st	Add'l	Disc 1st	Disc Add'l
	1						_	Nonrecurring		Nonrecurring	Disconnect			oss	Rates(\$)	1	
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
APPLIC	CABLE	DISCOUNTS															
		Residence %					16.00										
		Business %					16.00										
		CSAs %					16.00										
OPERA		SUPPORT SYSTEMS (OSS) - "REGIONAL RATES"				1	: ::00								İ		
		(1) CLEC should contact its contract negotiator if it prefers th	e "state	e specif	ic" OSS charges as	ordered by t	he State Comm	issions. The C	OSS charges c	urrently contain	ned in this rat	e exhibit are	the BellSo	uth "regional	service ord	ering charges.	. CLEC may
		ther the state specific Commission ordered rates for the servi															
		OSS - Electronic Service Order Charge, Per Local Service			J			J	,				1				
		Request (LSR) - Resale Only				SOMEC		3.50	0.00	3.50	0.00						
		OSS - Manual Service Order Charge, Per Local Service Request						0.00		0.00							
		(LSR) - Resale Only				SOMAN		19.99	0.00	19.99	0.00						
ODUF/I		SERVICES															
		NAL DAILY USAGE FILE (ODUF)															
		ODUF: Recording, per message					0.0000044										
		ODUF: Message Processing, per message					0.002446										
		ODUF: Message Processing, per Magnetic Tape provisioned					35.54										
		ODUF: Data Transmission (CONNECT:DIRECT), per message				+	0.0000339										
		ICED OPTIONAL DAILY USAGE FILE (EODUF)				+	0.000000										
		EODUF: Message Processing, per message				+	0.229779										
DIRECT		SSISTANCE CUSTOM BRANDING ANNOUNCEMENT via OLNS	SOFT	WARE			0.220110										
		Recording of DA Custom Branded Announcement		1				3.000.00									
		Loading of DA Custom Branded Anouncement per Switch per				+		0,000.00									
		OCN						1,170,00									
DIRECT		SSISTANCE UNBRANDING via OLNS SOFTWARE				+		1,110.00									
DIREC	I OK I A	Loading of DA per OCN (1 OCN per Order)				+		420.00	420.00								
		Loading of DA per Switch per OCN				+		16.00	16.00								•
OPERA		SSISTANCE CUSTOM BRANDING ANNOUNCEMENT via OLNS	SOFTV	VARE		+		10.00	10.00								
U. LIU		Recording of Custom Branded OA Announcement	1			+		7.000.00	7,000.00								
		Loading of Custom Branded OA Announcement per shelf/NAV				+		.,500.00	.,000.00								
		lper OCN				1		500.00	500.00			İ					
	 	Loading of OA Custom Branded Announcement per Switch per		+		+		300.00	300.00							 	
		IOCN				1		1,170.00	1,170.00			İ					
OPERA		SSISTANCE UNBRANDING via OLNS SOFTWARE				+		1,170.00	1,170.00							†	
O. LIV	TON A	Loading of OA per OCN (Regional)		1		+		1,200,00	1.200.00							1	+
	1	Loading of OA per OON (Neglonal)		1		1		1,200.00	1,200.00	l					I	1	1

Version: 4Q05 Standard ICA 01/25/06
Page 9 of 9

Attachment 2

Network Elements and Other Services

Version: 4Q05 Standard ICA 01/25/06

TABLE OF CONTENTS

1	INTRODUCTION	3
2	LOOPS	8
3	LINE SPLITTING	30
4	LOCAL SWITCHING	32
5	UNBUNDLED NETWORK ELEMENT COMBINATIONS	41
6	DEDICATED TRANSPORT AND DARK FIBER TRANSPORT	48
7	CALL RELATED DATABASES AND SIGNALING	57
8	AUTOMATIC LOCATION IDENTIFICATION/DATA MANAGEMENT SYSTEM	66
9	WHITE PAGE LISTINGS	70
Rat	tes	Exhibit A
Rat	tes	Exhibit B
Init	tial Wire Center List	Exhibit C

ACCESS TO NETWORK ELEMENTS AND OTHER SERVICES

1 Introduction

- 1.1 This Attachment sets forth rates, terms and conditions for unbundled network elements (Network Elements) and combinations of Network Elements (Combinations) that BellSouth offers to Access Communications for Access Communications's provision of Telecommunications Services in accordance with its obligations under Section 251(c)(3) of the Act. Additionally, this Attachment sets forth the rates, terms and conditions for other facilities and services BellSouth makes available to Access Communications (Other Services). Additionally, the provision of a particular Network Element or Other Service may require Access Communications to purchase other Network Elements or services. In the event of a conflict between this Attachment and any other section or provision of this Agreement, the provisions of this Attachment shall control.
- 1.2 The rates for each Network Element, Combinations and Other Services are set forth in Exhibits A and B. If no rate is identified in this Agreement, the rate will be as set forth in the applicable BellSouth tariff or as negotiated by the Parties upon request by either Party. If Access Communications purchases service(s) from a tariff, all terms and conditions and rates as set forth in such tariff shall apply. A one-month minimum billing period shall apply to all Network Elements, Combinations and Other Services.
- 1.3 Access Communications may purchase and use Network Elements and Other Services from BellSouth in accordance with 47 C.F.R § 51.309.
- 1.4 The Parties shall comply with the requirements as set forth in the technical references within this Attachment 2.
- 1.5 Access Communications shall not obtain a Network Element for the exclusive provision of mobile wireless services or interexchange services.
- 1.6 Conversion of Wholesale Services to Network Elements or Network Elements to Wholesale Services. Upon request, BellSouth shall convert a wholesale service, or group of wholesale services, to the equivalent Network Element or Combination that is available to Access Communications pursuant to Section 251 of the Act and under this Agreement or convert a Network Element or Combination that is available to Access Communications pursuant to Section 251 of the Act and under this Agreement to an equivalent wholesale service or group of wholesale services offered by BellSouth (collectively "Conversion"). BellSouth shall charge the applicable nonrecurring switch-as-is rates for Conversions to specific Network Elements or Combinations found in Exhibit A. BellSouth shall also charge the same nonrecurring switch-as-is rates when converting from Network Elements or Combinations. Any rate change resulting from the Conversion will be effective as of the next billing cycle following BellSouth's receipt of a complete and accurate

Version: 4Q05 Standard ICA

Conversion request from Access Communications. A Conversion shall be considered termination for purposes of any volume and/or term commitments and/or grandfathered status between Access Communications and BellSouth. Any change from a wholesale service/group of wholesale services to a Network Element/Combination, or from a Network Element/Combination to a wholesale service/group of wholesale services, that requires a physical rearrangement will not be considered to be a Conversion for purposes of this Agreement. BellSouth will not require physical rearrangements if the Conversion can be completed through record changes only. Orders for Conversions will be handled in accordance with the guidelines set forth in the Ordering Guidelines and Processes and CLEC Information Packages as referenced in Sections 1.13.1 and 1.13.2 below.

- 1.7 Except to the extent expressly provided otherwise in this Attachment, Access Communications may not maintain unbundled network elements or combinations of unbundled network elements, that are no longer offered pursuant to this Agreement (collectively "Arrangements"). In the event BellSouth determines that Access Communications has in place any Arrangements after the Effective Date of this Agreement, BellSouth will provide Access Communications with thirty (30) days written notice to disconnect or convert such Arrangements. If Access Communications fails to submit orders to disconnect or convert such Arrangements within such thirty (30) day period, BellSouth will transition such circuits to the equivalent tariffed BellSouth service(s). Those circuits identified and transitioned by BellSouth pursuant to this Section 1.7 shall be subject to all applicable disconnect charges as set forth in this Agreement and the full nonrecurring charges for installation of the equivalent tariffed BellSouth service as set forth in BellSouth's tariffs. The applicable recurring tariff charge shall apply to each circuit as of the Effective Date of this Agreement.
- 1.8 The Parties agree that for purposes of this Agreement, the list attached hereto as Exhibit C designates those wire centers that, as of March 10, 2005, meet the FCC's established criteria for non-impairment and constitutes BellSouth's list of non-impaired wire centers where certain high capacity (DS1 and above) Loops and high capacity Dedicated Transport are no longer available as Network Elements. This list of non-impaired wire centers shall be subject to modification and/or the addition of wire centers without amendment provided the changes are compliant with the FCC's non-impairment criteria. Notification of such modification and/or addition of wire centers shall be via BellSouth's Web site. Upon the Effective Date of this Agreement, Access Communications will not place any new orders for high capacity Dedicated Transport or high capacity Loops in those wire centers listed in Exhibit C as modified from time to time as provided for above. In all other wire centers, prior to submitting an order pursuant to this Agreement for high capacity Dedicated Transport or high capacity Loops, Access Communications shall undertake a reasonably diligent inquiry to determine whether Access Communications is entitled to unbundled access to such Network Elements in accordance with the terms of this Agreement. By submitting any such order,

Version: 4Q05 Standard ICA

Access Communications self-certifies that to the best of Access Communications's knowledge, the high capacity Dedicated Transport or high capacity Loop requested is available as a Network Element pursuant to this Agreement. Upon receiving such order, BellSouth shall process the request in reliance upon Access Communications's self-certification. To the extent BellSouth believes that such request does not comply with the terms of this Agreement, BellSouth shall seek dispute resolution in accordance with the General Terms and Conditions of this Agreement. In the event such dispute is resolved in BellSouth's favor, BellSouth shall bill Access Communications the difference between the rates for such circuits pursuant to this Agreement and the applicable nonrecurring and recurring charges for the equivalent tariffed service from the date of installation to the date the circuit is transitioned to the equivalent tariffed service. Within thirty (30) days following a decision finding in BellSouth's favor, Access Communications shall submit a spreadsheet identifying those non-compliant circuits to be transitioned to tariffed services or disconnected.

1.8.1

In the event that (1) BellSouth designated a wire center as non-impaired as set forth in Exhibit C or as set forth in a subsequent notification via BellSouth's Web site; (2) as a result of such designation, Access Communications converted high capacity Dedicated Transport or high capacity Loops to other services or ordered new services as services other than high capacity Dedicated Transport or high capacity Loop UNEs subsequent to March 10, 2005; (3) Access Communications otherwise would have been entitled to high capacity Dedicated Transport or high capacity Loops in such wire center at the time such alternative services were provisioned, and (4) BellSouth acknowledges, or a state or federal regulatory body with authority determines, that, at the time BellSouth designated such wire center as non-impaired, such wire center did not meet the FCC's non-impairment criteria, then upon request of Access Communications consistent with the applicable ordering processes as reflected in the Guides located on BellSouth's Web site no later than sixty (60) days after BellSouth acknowledges or the state or federal regulatory body issues an order making such a finding, BellSouth shall transition to high capacity Dedicated Transport or high capacity Loops, as appropriate, any alternative services in such wire center that were established after such wire center was designated as non-impaired. In such instances, BellSouth shall refund to Access Communications the difference between the rate paid by Access Communications for such services and the applicable rates set forth herein for high capacity Dedicated Transport or high capacity Loops, including but not limited to any charges associated with the Conversion (as defined in Section 1.6 above) from high capacity Dedicated Transport or high capacity Loops to other wholesale services, if applicable, for the period from the later of June 1, 2005, or the date the circuit became a wholesale service to the date the circuit is transitioned to high capacity Dedicated Transport or high capacity Loop as described in this Section. Similarly, in the event that Access Communications has placed orders for high capacity Dedicated Transport or high capacity Loops on or after March 11, 2005, and Access Communications acknowledges, or a state or federal regulatory body

Version: 4Q05 Standard ICA 01/25/06

with authority determines, that the wire center(s) in or between which such high capacity Dedicated Transport or high capacity Loops were ordered are non-impaired with respect to such high capacity Dedicated Transport or high capacity Loops, then no later than sixty (60) days after such acknowledgement or finding, Access Communications shall transition such high capacity Dedicated Transport or high capacity Loops to alternative wholesale services. In such instances, Access Communications shall compensate Bellsouth for the difference between the recurring and nonrecurring rates paid by Access Communications for the high capacity Dedicated Transport or high capacity Loops and the applicable BellSouth tariff rate to which Access Communications would have been entitled if Access Communications had purchased such circuits from BellSouth's tariffs, including but not limited to any charges associated with converting such high capacity Dedicated Transport or high capacity Loops to wholesale services.

- 1.9 Access Communications may utilize Network Elements and Other Services to provide services in accordance with this Agreement, as long as such services are consistent with industry standards and applicable BellSouth Technical References.
- BellSouth will perform Routine Network Modifications (RNM) in accordance with FCC 47 C.F.R. § 51.319 (a)(7) and (e)(4) for Loops and Dedicated Transport provided under this Attachment. If BellSouth has anticipated such RNM and performs them during normal operations and has recovered the costs for performing such modifications through the rates set forth in Exhibit A, then BellSouth shall perform such RNM at no additional charge. RNM shall be performed within the intervals established for the Network Element and subject to the performance measurements and associated remedies set forth in Attachment 9 of this Agreement to the extent such RNM were anticipated in the setting of such intervals. If BellSouth has not anticipated a requested network modification as being a RNM and has not recovered the costs of such RNM in the rates set forth in Exhibit A, then such request will be handled as a project on an individual case basis. BellSouth will provide a price quote for the request and, upon receipt of payment from Access Communications, BellSouth shall perform the RNM.

1.11 <u>Commingling of Services</u>

- 1.11.1 Commingling means the connecting, attaching, or otherwise linking of a Network Element, or a Combination, to one or more Telecommunications Services or facilities that Access Communications has obtained at wholesale from BellSouth, or the combining of a Network Element or Combination with one or more such wholesale Telecommunications Services or facilities. Access Communications must comply with all rates, terms or conditions applicable to such wholesale Telecommunications Services or facilities.
- 1.11.2 Subject to the limitations set forth elsewhere in this Attachment, BellSouth shall not deny access to a Network Element or a Combination on the grounds that one or more of the elements: (1) is connected to, attached to, linked to, or combined

Version: 4Q05 Standard ICA

with such a facility or service obtained from BellSouth; or (2) shares part of BellSouth's network with access services or inputs for mobile wireless services and/or interexchange services.

- 1.11.3 Unless otherwise agreed to by the Parties, the Network Element portion of a commingled circuit will be billed at the rates set forth in Exhibit A and the remainder of the circuit or service will be billed in accordance with BellSouth's tariffed rates or rates set forth in a separate agreement between the Parties.
- 1.11.4 When multiplexing equipment is attached to a commingled circuit, the multiplexing equipment will be billed from the same agreement or tariff as the higher bandwidth circuit. Central Office Channel Interfaces (COCI) will be billed from the same agreement or tariff as the lower bandwidth circuit.
- 1.11.5 Notwithstanding any other provision of this Agreement, BellSouth shall not be obligated to commingle or combine Network Elements or Combinations with any service, network element or other offering that it is obligated to make available only pursuant to Section 271 of the Act.
- 1.12 Terms and conditions for order cancellation charges and Service Date
 Advancement Charges will apply in accordance with Attachment 6 and are
 incorporated herein by this reference. The charges shall be as set forth in Exhibit
 A.
- 1.13 <u>Ordering Guidelines and Processes</u>
- 1.13.1 For information regarding Ordering Guidelines and Processes for various Network Elements, Combinations and Other Services, Access Communications should refer to the "Guides" section of the BellSouth Interconnection Web site.
- 1.13.2 Additional information may also be found in the individual CLEC Information Packages located at the "CLEC UNE Products" on BellSouth's Interconnection Web site at: www.interconnection.bellsouth.com/guides/html/unes.html.
- 1.13.3 The provisioning of Network Elements, Combinations and Other Services to Access Communications's Collocation Space will require cross-connections within the central office to connect the Network Element, Combinations or Other Services to the demarcation point associated with Access Communications's Collocation Space. These cross-connects are separate components that are not considered a part of the Network Element, Combinations or Other Services and, thus, have a separate charge pursuant to this Agreement.
- 1.13.4 <u>Testing/Trouble Reporting.</u>
- 1.13.4.1 Access Communications will be responsible for testing and isolating troubles on Network Elements. Access Communications must test and isolate trouble to the

Version: 4005 Standard ICA

BellSouth network before reporting the trouble to the UNE Customer Wholesale Interconnection Network Services (CWINS) Center. Upon request from BellSouth at the time of the trouble report, Access Communications will be required to provide the results of the Access Communications test which indicate a problem on the BellSouth network.

- 1.13.4.2 Once Access Communications has isolated a trouble to the BellSouth network, and has issued a trouble report to BellSouth, BellSouth will take the actions necessary to repair the Network Element when trouble is found. BellSouth will repair its network facilities to its wholesale customers in the same time frames that BellSouth repairs similar services to its retail customers.
- 1.13.4.3 If Access Communications reports a trouble on a BellSouth Network Element and no trouble is found in BellSouth's network, BellSouth will charge Access Communications a Maintenance of Service Charge for any dispatching and testing (both inside and outside the CO) required by BellSouth in order to confirm the Network Element's working status. BellSouth will assess the applicable Maintenance of Service rates from BellSouth's FCC No.1 Tariff, Section 13.3.1.
- 1.13.4.4 In the event BellSouth must dispatch to the customer's location more than once due to incorrect or incomplete information provided by Access Communications (e.g., incomplete address, incorrect contact name/number, etc.), BellSouth will bill Access Communications for each additional dispatch required to repair the Network Element due to the incorrect/incomplete information provided. BellSouth will assess the applicable Maintenance of Service rates from BellSouth's FCC No.1 Tariff, Section 13.3.1.

2 Loops

2.1 General. The local loop Network Element is defined as a transmission facility that BellSouth provides pursuant to this Attachment between a distribution frame (or its equivalent) in BellSouth's central office and the loop demarcation point at an customer premises (Loop). Facilities that do not terminate at a demarcation point at an customer premises, including, by way of example, but not limited to, facilities that terminate to another carrier's switch or premises, a cell site, Mobile Switching Center or base station, do not constitute local Loops. The Loop Network Element includes all features, functions, and capabilities of the transmission facilities, including the network interface device, and attached electronics (except those used for the provision of advanced services, such as Digital Subscriber Line Access Multiplexers (DSLAMs)), optronics and intermediate devices (including repeaters and load coils) used to establish the transmission path to the customer's premises, including inside wire owned or controlled by BellSouth. Access Communications shall purchase the entire bandwidth of the Loop and, except as required herein or as otherwise agreed to by the Parties, BellSouth shall not subdivide the frequency of the Loop.

Version: 4Q05 Standard ICA

- 2.1.1 The Loop does not include any packet switched features, functions or capabilities.
- 2.1.2 Fiber to the Home (FTTH) loops are local loops consisting entirely of fiber optic cable, whether dark or lit, serving an customer's premises or, in the case of predominantly residential multiple dwelling units (MDUs), a fiber optic cable, whether dark or lit, that extends to the MDU minimum point of entry (MPOE). Fiber to the Curb (FTTC) loops are local loops consisting of fiber optic cable connecting to a copper distribution plant that is not more than five hundred (500) feet from the customer's premises or, in the case of predominantly residential MDUs, not more than five hundred (500) feet from the MDU's MPOE. The fiber optic cable in a FTTC loop must connect to a copper distribution plant at a serving area interface from which every other copper distribution subloop also is not more than five hundred (500) feet from the respective customer's premises.
- 2.1.2.1 In new build (Greenfield) areas, where BellSouth has only deployed FTTH/FTTC facilities, BellSouth is under no obligation to provide Loops. FTTH facilities include fiber loops deployed to the MPOE of a MDU that is predominantly residential regardless of the ownership of the inside wiring from the MPOE to each customer in the MDU.
- 2.1.2.2 In FTTH/FTTC overbuild situations where BellSouth also has copper Loops, BellSouth will make those copper Loops available to Access Communications on an unbundled basis, until such time as BellSouth chooses to retire those copper Loops using the FCC's network disclosure requirements. In these cases, BellSouth will offer a sixty-four (64) kilobits per second (kbps) second voice grade channel over its FTTH/FTTC facilities.
- 2.1.2.3 Furthermore, in FTTH/FTTC overbuild areas where BellSouth has not yet retired copper facilities, BellSouth is not obligated to ensure that such copper Loops in that area are capable of transmitting signals prior to receiving a request for access to such Loops by Access Communications. If a request is received by BellSouth for a copper Loop, and the copper facilities have not yet been retired, BellSouth will restore the copper Loop to serviceable condition if technically feasible. In these instances of Loop orders in an FTTH/FTTC overbuild area, BellSouth's standard Loop provisioning interval will not apply, and the order will be handled on a project basis by which the Parties will negotiate the applicable provisioning interval
- 2.1.3 A hybrid Loop is a local Loop, composed of both fiber optic cable, usually in the feeder plant, and copper twisted wire or cable, usually in the distribution plant. BellSouth shall provide Access Communications with nondiscriminatory access to the time division multiplexing features, functions and capabilities of such hybrid Loop, on an unbundled basis to establish a complete transmission path between BellSouth's central office and an customer's premises.
- 2.1.4 Transition for DS1 and DS3 Loops

- 2.1.4.1 For purposes of this Section 2, the Transition Period for the Embedded Base of DS1 and DS3 Loops and for the Excess DS1 and DS3 Loops (defined in 2.1.4.3) is the twelve (12) month period beginning March 11, 2005 and ending March 10, 2006.
- 2.1.4.2 For purposes of this Section 2, Embedded Base means DS1 and DS3 Loops that were in service for Access Communications as of March 10, 2005 in those wire centers that, as of such date, met the criteria set forth in Sections 2.1.4.5.1 or 2.1.4.5.2 below. Subsequent disconnects or loss of customers shall be removed from the Embedded Base.
- 2.1.4.3 Excess DS1 and DS3 Loops are those Access Communications DS1 and DS3 Loops in service as of March 10, 2005, in excess of the caps set forth in Sections 2.3.6.2 and 2.3.12 below, respectively. Subsequent disconnects or loss of customers shall be removed from Excess DS1 and DS3 Loops.
- 2.1.4.4 For purposes of this Section 2, a Business Line is defined in 47 C.F.R. § 51.5.
- 2.1.4.5 Notwithstanding anything to the contrary in this Agreement, and except as set forth in Section 2.1.4.12 below, BellSouth shall make available DS1 and DS3 Loops as described in this Section 2.1.4 only for Access Communications's Embedded Base during the Transition Period:
- 2.1.4.5.1 DS1 Loops at any location within the service area of a wire center containing 60,000 or more Business Lines and four (4) or more fiber-based collocators.
- 2.1.4.5.2 DS3 Loops at any location within the service area of a wire center containing 38,000 or more Business Lines and four (4) or more fiber-based collocators.
- 2.1.4.6 A list of wire centers meeting the criteria set forth in Sections 2.1.4.5.1 and 2.1.4.5.2 above as of March 10, 2005 (Initial Wire Center List), is as set forth in Exhibit C or as set forth in a subsequent notification via BellSouth's web site.
- 2.1.4.7 Notwithstanding the Effective Date of this Agreement, during the Transition Period, the rates for Access Communications's Embedded Base of DS1 and DS3 Loops and Access Communications's Excess DS1 and DS3 Loops described in this Section 2.1.4 shall be as set forth in Exhibit B.
- 2.1.4.8 The Transition Period shall apply only to (1) Access Communications's Embedded Base and (2) Access Communications's Excess DS1 and DS3 Loops. Access Communications shall not add new DS1 or DS3 loops as described in this Section 2.1.4 pursuant to this Agreement for those wire centers that are designated as non-impaired.
- 2.1.4.9 Once a wire center exceeds both of the thresholds set forth in Section 2.1.4.5.1 above, no future DS1 Loop unbundling will be required in that wire center.

- 2.1.4.10 Once a wire center exceeds both of the thresholds set forth in Section 2.1.4.5.2 above, no future DS3 Loop unbundling will be required in that wire center.
- 2.1.4.11 No later than December 9, 2005 Access Communications shall submit spreadsheet(s) identifying all of the Embedded Base of circuits and Excess DS1 and DS3 Loops to be either disconnected or converted to other BellSouth services pursuant to Section 1.6 above. The Parties shall negotiate a project schedule for the Conversion of the Embedded Base and Excess DS1 and DS3 Loops.
- 2.1.4.11.1 If Access Communications fails to submit the spreadsheet(s) specified in Section 2.1.4.11 above for all of its Embedded Base and Excess DS1 and DS3 Loops prior to December 9, 2005, BellSouth will identify Access Communications's remaining Embedded Base and Excess DS1 and DS3 Loops, if any, and will transition such circuits to the equivalent tariffed BellSouth service(s). Those circuits identified and transitioned by BellSouth pursuant to this Section 2.1.4.11.1 shall be subject to all applicable disconnect charges as set forth in this Agreement and the full nonrecurring charges for installation of the equivalent tariffed BellSouth service as set forth in BellSouth's tariffs.
- 2.1.4.11.2 For Embedded Base circuits and Excess DS1 and DS3 Loops converted pursuant to Section 2.1.4.11 above or transitioned pursuant to Section 2.1.4.11.1 above, the applicable recurring tariff charge shall apply to each circuit as of the earlier of the date each circuit is converted or transitioned, as applicable, or March 11, 2006.
- 2.1.4.12 <u>Modifications and Updates to the Wire Center List and Subsequent Transition Periods</u>
- 2.1.4.12.1 In the event BellSouth identifies additional wire centers that meet the criteria set forth in Section 2.1.4.5 above, but that were not included in the Initial Wire Center List, BellSouth shall include such additional wire centers in a carrier notification letter (CNL). Each such list of additional wire centers shall be considered a "Subsequent Wire Center List".
- 2.1.4.12.2 Effective ten (10) business days after the date of a BellSouth CNL providing a Subsequent Wire Center List, BellSouth shall not be required to unbundle DS1 and/or DS3 Loops, as applicable, in such additional wire center(s).
- 2.1.4.12.3 For purposes of Section 2.1.4.12 above, BellSouth shall make available DS1 and DS3 Loops that were in service for Access Communications in a wire center on the Subsequent Wire Center List as of the tenth (10th) business day after the date of BellSouth's CNL identifying the Subsequent Wire Center List (Subsequent Embedded Base) until ninety (90) days after the tenth (10th) business day from the date of BellSouth's CNL identifying the Subsequent Wire Center List (Subsequent Transition Period).

- 2.1.4.12.4 Subsequent disconnects or loss of customers shall be removed from the Subsequent Embedded Base.
- 2.1.4.12.5 The rates set forth in Exhibit B shall apply to the Subsequent Embedded Base during the Subsequent Transition Period.
- 2.1.4.12.6 No later than forty (40) days from BellSouth's CNL identifying the Subsequent Wire Center List, Access Communications shall submit a spreadsheet(s) identifying the Subsequent Embedded Base of circuits to be disconnected or converted to other BellSouth services. The Parties shall negotiate a project schedule for the Conversion of the Subsequent Embedded Base.
- 2.1.4.12.6.1 If Access Communications fails to submit the spreadsheet(s) specified in Section 2.1.4.12.6 above for all of its Subsequent Embedded Base within forty (40) days after the date of BellSouth's CNL identifying the Subsequent Wire Center List, BellSouth will identify Access Communications's remaining Subsequent Embedded Base, if any, and will transition such circuits to the equivalent tariffed BellSouth service(s). Those circuits identified and transitioned by BellSouth shall be subject to the applicable disconnect charges as set forth in this Agreement and the full nonrecurring charges for installation of the equivalent tariffed BellSouth service as set forth in BellSouth's tariffs.
- 2.1.4.12.6.2 For Subsequent Embedded Base circuits converted pursuant to Section 2.1.4.12.6 above or transitioned pursuant to Section 2.1.4.12.6.1 above, the applicable recurring tariff charges shall apply as of the earlier of the date each circuit is converted or transitioned, as applicable, or the first day after the end of the Subsequent Transition Period.
- 2.1.5 Where facilities are available, BellSouth will install Loops in compliance with BellSouth's Products and Services Interval Guide available at BellSouth's Web site. For orders of fifteen (15) or more Loops, the installation and any applicable Order Coordination as described below will be handled on a project basis, and the intervals will be set by the BellSouth project manager for that order. When Loops require a Service Inquiry (SI) prior to issuing the order to determine if facilities are available, the interval for the SI process is separate from the installation interval.
- 2.1.6 The Loop shall be provided to Access Communications in accordance with BellSouth's TR 73600 Unbundled Local Loop Technical Specification and applicable industry standard technical references.
- 2.1.7 BellSouth will only provision, maintain and repair the Loops to the standards that are consistent with the type of Loop ordered.
- 2.1.8 When a BellSouth technician is required to be dispatched to provision the Loop, BellSouth will tag the Loop with the Circuit ID number and the name of the ordering CLEC. When a dispatch is not required to provision the Loop, BellSouth

will tag the Loop on the next required visit to the customer's location. If Access Communications wants to ensure the Loop is tagged during the provisioning process for Loops that may not require a dispatch (e.g., UVL-SL1, UVL-SL2, and UCL-ND), Access Communications may order Loop Tagging. Rates for Loop Tagging are as set forth in Exhibit A.

- 2.1.8.1 For voice grade Loop orders (or orders for Loops intended to provide voice grade services), Access Communications shall have dial-tone available for that Loop forty-eight (48) hours prior to the Loop order completion due date.
- 2.1.9 Order Coordination (OC) and Order Coordination-Time Specific (OC-TS)
- 2.1.9.1 OC allows BellSouth and Access Communications to coordinate the installation of the SL2 Loops, Unbundled Digital Loops (UDL) and other Loops where OC may be purchased as an option, to Access Communications's facilities to limit customer service outage. OC is available when the Loop is provisioned over an existing circuit that is currently providing service to the customer. OC for physical conversions will be scheduled at BellSouth's discretion during normal working hours on the committed due date. OC shall be provided in accordance with the chart set forth below.
- 2.1.9.2 OC-TS allows Access Communications to order a specific time for OC to take place. BellSouth will make commercially reasonable efforts to accommodate Access Communications's specific conversion time request. However, BellSouth reserves the right to negotiate with Access Communications a conversion time based on load and appointment control when necessary. This OC-TS is a chargeable option for all Loops except Unbundled Copper Loops (UCL) and is billed in addition to the OC charge. Access Communications may specify a time between 9:00 a.m. and 4:00 p.m. (location time) Monday through Friday (excluding holidays). If Access Communications specifies a time outside this window, or selects a time or quantity of Loops that requires BellSouth technicians to work outside normal work hours, overtime charges will apply in addition to the OC and OC-TS charges. Overtime charges will be applied based on the amount of overtime worked and in accordance with the rates established in BellSouth's intrastate Access Services Tariff, Section E13.2, for each state. The OC-TS charges for an order due on the same day at the same location will be applied on a per LSR basis.

2.1.10

	Order Coordination (OC)	Order Coordination - Time Specific (OC-TS)	Test Points	DLR	Charge for Dispatch and Testing if No Trouble Found
SL-1	Chargeable	Chargeable Option	Not	Chargeable Option –	Charged for Dispatch inside and outside

Version: 4005 Standard ICA

(Non- Designed)	Option		available	ordered as Engineering Information Document	Central Office
UCL-ND (Non- Designed)	Chargeable Option	Not Available	Not Available	Chargeable Option – ordered as Engineering Information Document	Charged for Dispatch inside and outside Central Office
Unbundled Voice Loops - SL-2 (including 2- and 4-wire UVL) (Designed)	Included	Chargeable Option	Included	Included	Charged for Dispatch outside Central Office
Unbundled Digital Loop (Designed)	Included	Chargeable Option	Included (where appropriate)	Included	Charged for Dispatch outside Central Office
Unbundled Copper Loop (Designed)	Chargeable in accordance with Section 2	Not available	Included	Included	Charged for Dispatch outside Central Office

For UVL-SL1 and UCLs, Access Communications must order and will be billed for both OC and OC-TS if requesting OC-TS.

2.1.11 <u>CLEC to CLEC Conversions for Unbundled Loops</u>

- 2.1.11.1 The CLEC to CLEC conversion process for Loops may be used by Access Communications when converting an existing Loop from another CLEC for the same customer. The Loop type being converted must be included in Access Communications's Agreement before requesting a conversion.
- 2.1.11.2 To utilize the CLEC to CLEC conversion process, the Loop being converted must be the same Loop type with no requested changes to the Loop, must serve the same customer location from the same serving wire center, and must not require an outside dispatch to provision.
- 2.1.11.3 The Loops converted to Access Communications pursuant to the CLEC to CLEC conversion process shall be provisioned in the same manner and with the same functionality and options as described in this Agreement for the specific Loop type.

2.1.12 Bulk Migration

Version: 4Q05 Standard ICA

2.1.12.1 BellSouth will make available to Access Communications a Bulk Migration process pursuant to which Access Communications may request to migrate port/loop combinations, provisioned pursuant to a separate agreement between the parties, to Loops (UNE-L). The Bulk Migration process may be used if such loop/port combinations are (1) associated with two (2) or more Existing Account Telephone Numbers (EATNs); and (2) located in the same Central Office. The terms and conditions for use of the Bulk Migration process are described in the BellSouth CLEC Information Package. The CLEC Information Package is located on BellSouth's Interconnection Web site at:

www.interconnection.bellsouth.com/guides/html/unes.html. The rates for the Bulk Migration process shall be the nonrecurring rates associated with the Loop type being requested on the Bulk Migration, as set forth in Exhibit A. Additionally, OSS charges will also apply. Loops connected to Integrated Digital Loop Carrier (IDLC) systems will be migrated pursuant to Section 2.6 below.

- 2.1.12.2 Should Access Communications request migration for two (2) or more EATNs containing fifteen (15) or more circuits, Access Communications must use the Bulk Migration process referenced in 2.1.11.1 above.
- 2.2 Unbundled Voice Loops (UVLs)
- 2.2.1 BellSouth shall make available the following UVLs:
- 2.2.1.1 2-wire Analog Voice Grade Loop SL1 (Non-Designed);
- 2.2.1.2 2-wire Analog Voice Grade Loop SL2 (Designed); or
- 2.2.1.3 4-wire Analog Voice Grade Loop (Designed)
- 2.2.2 UVL may be provisioned using any type of facility that will support voice grade services. This may include loaded copper, non-loaded copper, digital loop carrier systems, fiber/copper combination (hybrid loop) or a combination of any of these facilities. BellSouth, in the normal course of maintaining, repairing, and configuring its network, may also change the facilities that are used to provide any given voice grade circuit. This change may occur at any time. In these situations, BellSouth will only ensure that the newly provided facility will support voice grade services. BellSouth will not guarantee that Access Communications will be able to continue to provide any advanced services over the new facility. BellSouth will offer UVL in two (2) different service levels Service Level One (SL1) and Service Level Two (SL2).
- 2.2.3 <u>Unbundled Voice Loop SL1 (UVL-SL1).</u> Loops are 2-wire loop start circuits, will be non-designed, and will not have remote access test points. OC will be offered as a chargeable option on SL1 Loops when reuse of existing facilities has been requested by Access Communications, however, OC is always required on UCLs that involve the reuse of facilities that are currently providing service.

Version: 4Q05 Standard ICA 01/25/06

Access Communications may also order OC-TS when a specified conversion time is requested. OC-TS is a chargeable option for any coordinated order and is billed in addition to the OC charge. An Engineering Information (EI) document can be ordered as a chargeable option. The EI document provides Loop Make-Up information which is similar to the information normally provided in a Design Layout Record (DLR). Upon issuance of a non-coordinated order in the service order system, SL1 Loops will be activated on the due date in the same manner and time frames that BellSouth normally activates POTS-type Loops for its customers.

- 2.2.4 For an additional charge BellSouth will make available Loop Testing so that Access Communications may request further testing on new UVL-SL1 Loops. Rates for Loop Testing are as set forth in Exhibit A.
- 2.2.5 <u>Unbundled Voice Loop SL2 (UVL-SL2).</u> Loops may be 2-wire or 4-wire circuits, shall have remote access test points, and will be designed with a DLR provided to Access Communications. SL2 circuits can be provisioned with loop start, ground start or reverse battery signaling. OC is provided as a standard feature on SL2 Loops. The OC feature will allow Access Communications to coordinate the installation of the Loop with the disconnect of an existing customer's service and/or number portability service. In these cases, BellSouth will perform the order conversion with standard order coordination at its discretion during normal work hours.
- 2.3 Unbundled Digital Loops
- 2.3.1 BellSouth will offer UDLs. UDLs are service specific, will be designed, will be provisioned with test points (where appropriate), and will come standard with OC and a DLR. The various UDLs are intended to support a specific digital transmission scheme or service.
- 2.3.2 BellSouth shall make available the following UDLs, subject to restrictions set forth herein:
- 2.3.2.1 2-wire Unbundled ISDN Digital Loop;
- 2.3.2.2 2-wire Unbundled ADSL Compatible Loop;
- 2.3.2.3 2-wire Unbundled HDSL Compatible Loop;
- 2.3.2.4 4-wire Unbundled HDSL Compatible Loop;
- 2.3.2.5 4-wire Unbundled DS1 Digital Loop;
- 2.3.2.6 4-wire Unbundled Digital Loop/DS0 64 kbps, 56 kbps and below;
- 2.3.2.7 DS3 Loop; or

Version: 4Q05 Standard ICA

- 2.3.2.8 STS-1 Loop.
- 2.3.3 <u>2-wire Unbundled ISDN Digital Loops.</u> These will be provisioned according to industry standards for 2-Wire Basic Rate ISDN services and will come standard with a test point, OC, and a DLR. Access Communications will be responsible for providing BellSouth with a Service Profile Identifier (SPID) associated with a particular ISDN-capable Loop and customer. With the SPID, BellSouth will be able to adequately test the circuit and ensure that it properly supports ISDN service.
- 2.3.4 <u>2-wire ADSL-Compatible Loop.</u> This is a designed Loop that is provisioned according to Revised Resistance Design (RRD) criteria and may be up to 18,000 feet long and may have up to 6,000 feet of bridged tap (inclusive of Loop length). The Loop is a 2-wire circuit and will come standard with a test point, OC, and a DLR.
- 2.3.5 <u>2-wire or 4-wire HDSL-Compatible Loop.</u> This is a designed Loop that meets Carrier Serving Area (CSA) specifications, may be up to 12,000 feet long and may have up to 2,500 feet of bridged tap (inclusive of Loop length). It may be a 2-wire or 4-wire circuit and will come standard with a test point, OC, and a DLR.
- 2.3.6 4-wire Unbundled DS1 Digital Loop.
- 2.3.6.1 This is a designed 4-wire Loop that is provisioned according to industry standards for DS1 or Primary Rate ISDN services and will come standard with a test point, OC, and a DLR. A DS1 Loop may be provisioned over a variety of loop transmission technologies including copper, HDSL-based technology or fiber optic transport systems. It will include a 4-wire DS1 Network Interface at the customer's location. For purposes of this Agreement, including the transition of DS1 and DS3 Loops described in Section 2.1.4 above, DS1 Loops include 2-wire and 4-wire copper Loops capable of providing high-bit rate digital subscriber line services, such as 2-wire and 4-wire HDSL Compatible Loops.
- 2.3.6.2 BellSouth shall not provide more than ten (10) unbundled DS1 Loops to Access Communications at any single building in which DS1 Loops are available as unbundled Loops.
- 2.3.7 4-wire Unbundled Digital/DS0 Loop. These are designed 4-wire Loops that may be configured as sixty-four (64)kbps, fifty-six (56)kbps, nineteen (19)kbps, and other sub-rate speeds associated with digital data services and will come standard with a test point, OC, and a DLR.
- 2.3.8 <u>DS3 Loop.</u> DS3 Loop is a two-point digital transmission path which provides for simultaneous two-way transmission of serial, bipolar, return-to-zero isochronous digital electrical signals at a transmission rate of forty-four point seven thirty-six (44.736) megabits per second (Mbps) that is dedicated to the use of the ordering

Version: 4Q05 Standard ICA

CLEC. It may provide transport for twenty-eight (28) DS1 channels, each of which provides the digital equivalent of twenty-four (24) analog voice grade channels. The interface to unbundled dedicated DS3 transport is a metallic-based electrical interface.

- 2.3.9 STS-1 Loop. STS-1 Loop is a high-capacity digital transmission path with SONET VT1.5 mapping that is dedicated for the use of the ordering customer. It is a two (2)-point digital transmission path which provides for simultaneous two (2)-way transmission of serial bipolar return-to-zero synchronous digital electrical signals at a transmission rate of fifty-one point eighty-four (51.84) Mbps. It may provide transport for twenty-eight (28) DS1 channels, each of which provides the digital equivalent of twenty-four (24) analog voice grade channels. The interface to unbundled dedicated STS-1 transport is a metallic-based electrical interface.
- 2.3.10 Both DS3 Loop and STS-1 Loop require a SI in order to ascertain availability.
- 2.3.11 DS3 services come with a test point and a DLR. Mileage is airline miles, rounded up and a minimum of one (1) mile applies. BellSouth's TR 73501

 LightGate® Service Interface and Performance Specifications, Issue D, June 1995 applies to DS3 services.
- 2.3.12 Access Communications may obtain a maximum of a single Unbundled DS3 Loop to any single building in which DS3 Loops are available as Unbundled Loops.
- 2.4 <u>Unbundled Copper Loops (UCL)</u>
- 2.4.1 BellSouth shall make available UCLs. The UCL is a copper twisted pair Loop that is unencumbered by any intervening equipment (e.g., filters, load coils, range extenders, digital loop carrier, or repeaters) and is not intended to support any particular telecommunications service. The UCL will be offered in two (2) types Designed and Non-Designed.
- 2.4.2 <u>Unbundled Copper Loop Designed (UCL-D)</u>
- 2.4.2.1 The UCL-D will be provisioned as a dry copper twisted pair (2-wire or 4-wire) Loop that is unencumbered by any intervening equipment (e.g., filters, load coils, range extenders, digital loop carrier, or repeaters).
- 2.4.2.2 A UCL-D will be eighteen thousand (18,000) feet or less in length and is provisioned according to Resistance Design parameters, may have up to six thousand (6,000) feet of bridged tap and will have up to thirteen hundred (1300) Ohms of resistance.
- 2.4.2.3 The UCL-D is a designed circuit, is provisioned with a test point, and comes standard with a DLR. OC is a chargeable option for a UCL-D; however, OC is

always required on UCLs where a reuse of existing facilities has been requested by Access Communications.

- 2.4.2.4 These Loops are not intended to support any particular services and may be utilized by Access Communications to provide a wide-range of telecommunications services as long as those services do not adversely affect BellSouth's network. This facility will include a Network Interface Device (NID) at the customer's location for the purpose of connecting the Loop to the customer's inside wire.
- 2.4.3 <u>Unbundled Copper Loop Non-Designed (UCL-ND)</u>
- 2.4.3.1 The UCL–ND is provisioned as a dedicated 2-wire metallic transmission facility from BellSouth's Main Distribution Frame (MDF) to a customer's premises (including the NID). The UCL-ND will be a "dry copper" facility in that it will not have any intervening equipment such as load coils, repeaters, or digital access main lines (DAMLs), and may have up to six thousand (6,000) feet of bridged tap between the customer's premises and the serving wire center. The UCL-ND typically will be thirteen hundred (1300) Ohms resistance and in most cases will not exceed eighteen thousand (18,000) feet in length, although the UCL-ND will not have a specific length limitation. For Loops less than eighteen thousand (18,000) feet and with less than thirteen hundred (1300) Ohms resistance, the Loop will provide a voice grade transmission channel suitable for loop start signaling and the transport of analog voice grade signals. The UCL-ND will not be designed and will not be provisioned with either a DLR or a test point.
- 2.4.3.2 The UCL-ND facilities may be mechanically assigned using BellSouth's assignment systems. Therefore, the Loop Makeup (LMU) process is not required to order and provision the UCL-ND. However, Access Communications can request LMU for which additional charges would apply.
- 2.4.3.3 For an additional charge, BellSouth also will make available Loop Testing so that Access Communications may request further testing on the UCL-ND. Rates for Loop Testing are as set forth in Exhibit A.
- 2.4.3.4 UCL-ND Loops are not intended to support any particular service and may be utilized by Access Communications to provide a wide-range of telecommunications services as long as those services do not adversely affect BellSouth's network. The UCL-ND will include a NID at the customer's location for the purpose of connecting the Loop to the customer's inside wire.
- 2.4.3.5 OC will be provided as a chargeable option and may be utilized when the UCL-ND provisioning is associated with the reuse of BellSouth facilities. OC-TS does not apply to this product.

- 2.4.3.6 Access Communications may use BellSouth's Unbundled Loop Modification (ULM) offering to remove excessive bridged taps and/or load coils from any copper Loop within the BellSouth network. Therefore, some Loops that would not qualify as UCL-ND could be transformed into Loops that do qualify, using the ULM process.
- 2.5 <u>Unbundled Loop Modifications (Line Conditioning)</u>
- 2.5.1 Line Conditioning is defined as routine network modification that BellSouth regularly undertakes to provide xDSL services to its own customers. This may include the removal of any device, from a copper Loop or copper Subloop that may diminish the capability of the Loop or Subloop to deliver high-speed switched wireline telecommunications capability, including xDSL service. Such devices include, load coils, excessive bridged taps, low pass filters, and range extenders. Excessive bridged taps are bridged taps that serves no network design purpose and that are beyond the limits set according to industry standards and/or the BellSouth's TR 73600 Unbundled Local Loop Technical Specification.
- 2.5.2 BellSouth will remove load coils only on copper Loops and Subloops that are less than eighteen thousand (18,000) feet in length.
- 2.5.3 For any copper loop being ordered by Access Communications which has over six thousand (6,000) feet of combined bridged tap will be modified, upon request from Access Communications, so that the loop will have a maximum of six thousand (6,000) feet of bridged tap. This modification will be performed at no additional charge to Access Communications. Loop conditioning orders that require the removal of bridged tap that serves no network design purpose on a copper Loop that will result in a combined total of bridged tap between two thousand five hundred (2,500) and six thousand (6,000) feet will be performed at the rates set forth in Exhibit A.
- 2.5.4 Access Communications may request removal of any unnecessary and non-excessive bridged tap (bridged tap between zero (0) and two thousand five hundred (2,500) feet which serves no network design purpose), at rates pursuant to BellSouth's SC Process as mutually agreed to by the Parties.
- 2.5.5 Rates for ULM are as set forth in Exhibit A.
- 2.5.6 BellSouth will not modify a Loop in such a way that it no longer meets the technical parameters of the original Loop type (e.g., voice grade, ADSL, etc.) being ordered.
- 2.5.7 If Access Communications requests ULM on a reserved facility for a new Loop order, BellSouth may perform a pair change and provision a different Loop facility in lieu of the reserved facility with ULM if feasible. The Loop provisioned will meet or exceed specifications of the requested Loop facility as modified. Access

Communications will not be charged for ULM if a different Loop is provisioned. For Loops that require a DLR or its equivalent, BellSouth will provide LMU detail of the Loop provisioned.

- 2.5.8 Access Communications shall request Loop make up information pursuant to this Attachment prior to submitting a service inquiry and/or a LSR for the Loop type that Access Communications desires BellSouth to condition.
- 2.5.9 When requesting ULM for a Loop that BellSouth has previously provisioned for Access Communications, Access Communications will submit a SI to BellSouth. If a spare Loop facility that meets the Loop modification specifications requested by Access Communications is available at the location for which the ULM was requested, Access Communications will have the option to change the Loop facility to the qualifying spare facility rather than to provide ULM. In the event that BellSouth changes the Loop facility in lieu of providing ULM, Access Communications will not be charged for ULM but will only be charged the service order charges for submitting an order.

2.6 Loop Provisioning Involving IDLC

- 2.6.1 Where Access Communications has requested an Unbundled Loop and BellSouth uses IDLC systems to provide the local service to the customer and BellSouth has a suitable alternate facility available, BellSouth will make such alternative facilities available to Access Communications. If a suitable alternative facility is not available, then to the extent it is technically feasible, BellSouth will implement one of the following alternative arrangements for Access Communications (e.g., hairpinning):
 - 1. Roll the circuit(s) from the IDLC to any spare copper that exists to the customer premises.
 - 2. Roll the circuit(s) from the IDLC to an existing DLC that is not integrated.
 - 3. If capacity exists, provide "side-door" porting through the switch.
 - 4. If capacity exists, provide "Digital Access Cross-Connect System (DACS)-door" porting (if the IDLC routes through a DACS prior to integration into the switch).
- 2.6.2 Arrangements 3 and 4 above require the use of a designed circuit. Therefore, non-designed Loops such as the SL1 voice grade and UCL-ND may not be ordered in these cases.
- 2.6.3 If no alternate facility is available, and upon request from Access Communications, and if agreed to by both Parties, BellSouth may utilize its SC process to determine the additional costs required to provision facilities. Access Communications will then have the option of paying the one-time SC rates to place the Loop.

2.7 Network Interface Device

- 2.7.1 The NID is defined as any means of interconnection of the customer's customer premises wiring to BellSouth's distribution plant, such as a cross-connect device used for that purpose. The NID is a single line termination device or that portion of a multiple line termination device required to terminate a single line or circuit at the premises. The NID features two (2) independent chambers or divisions that separate the service provider's network from the customer's premises wiring. Each chamber or division contains the appropriate connection points or posts to which the service provider and the customer each make their connections. The NID provides a protective ground connection and is capable of terminating cables such as twisted pair cable.
- 2.7.2 BellSouth shall permit Access Communications to connect Access Communications's Loop facilities to the customer's customer premises wiring through the BellSouth NID or at any other technically feasible point.

2.7.3 Access to NID

- 2.7.3.1 Access Communications may access the customer's premises wiring by any of the following means and Access Communications shall not disturb the existing form of electrical protection and shall maintain the physical integrity of the NID:
- 2.7.3.1.1 BellSouth shall allow Access Communications to connect its Loops directly to BellSouth's multi-line residential NID enclosures that have additional space and are not used by BellSouth or any other telecommunications carriers to provide service to the premises;
- 2.7.3.1.2 Where an adequate length of the customer's customer premises wiring is present and environmental conditions permit, either Party may remove the customer premises wiring from the other Party's NID and connect such wiring to that Party's own NID;
- 2.7.3.1.3 Either Party may enter the subscriber access chamber or dual chamber NID enclosures for the purpose of extending a cross-connect or spliced jumper wire from the customer premises wiring through a suitable "punch-out" hole of such NID enclosures; or
- 2.7.3.1.4 Access Communications may request BellSouth to make other rearrangements to the customer premises wiring terminations or terminal enclosure on a time and materials cost basis.
- 2.7.3.2 In no case shall either Party remove or disconnect the other Party's loop facilities from either Party's NIDs, enclosures, or protectors unless the applicable Commission has expressly permitted the same and the disconnecting Party provides prior notice to the other Party. In such cases, it shall be the responsibility of the Party disconnecting loop facilities to leave undisturbed the existing form of electrical protection and to maintain the physical integrity of the NID. It will be

Access Communications's responsibility to ensure there is no safety hazard, and Access Communications will hold BellSouth harmless for any liability associated with the removal of the BellSouth Loop from the BellSouth NID. Furthermore, it shall be the responsibility of the disconnecting Party, once the other Party's loop has been disconnected from the NID, to reconnect the disconnected loop to a nationally recognized testing laboratory listed station protector, which has been grounded as per Article 800 of the National Electrical Code. If no spare station protector exists in the NID, the disconnected loop must be appropriately cleared, capped and stored.

- 2.7.3.3 Access Communications shall not remove or disconnect ground wires from BellSouth's NIDs, enclosures, or protectors.
- 2.7.3.4 Access Communications shall not remove or disconnect NID modules, protectors, or terminals from BellSouth's NID enclosures.
- 2.7.3.5 Due to the wide variety of NID enclosures and outside plant environments, BellSouth will work with Access Communications to develop specific procedures to establish the most effective means of implementing this section if the procedures set forth herein do not apply to the NID in question.
- 2.7.4 <u>Technical Requirements</u>
- 2.7.4.1 The NID shall provide an accessible point of interconnection and shall maintain a connection to ground.
- 2.7.4.2 If an existing NID is accessed, it shall be capable of transferring electrical analog or digital signals between the customer's premises and the distribution media and/or cross-connect to Access Communications's NID.
- 2.7.4.3 Existing BellSouth NIDs will be operational and provided in "as is" condition. Access Communications may request BellSouth to do additional work to the NID on a time and material basis. When Access Communications deploys its own local loops in a multiple-line termination device, Access Communications shall specify the quantity of NID connections that it requires within such device.
- 2.8 <u>Subloop Elements.</u>
- 2.8.1 Where facilities permit, BellSouth shall offer access to its Unbundled Subloop (USL) elements as specified herein.
- 2.8.2 Unbundled Subloop Distribution (USLD)
- 2.8.2.1 The USLD facility is a dedicated transmission facility that BellSouth provides from a customer's point of demarcation to a BellSouth cross-connect device. The BellSouth cross-connect device may be located within a remote terminal (RT) or a stand-alone cross-box in the field or in the equipment room of a building. The

USLD media is a copper twisted pair that can be provisioned as a 2-wire or 4-wire facility. BellSouth will make available the following subloop distribution offerings where facilities exist:

USLD – Voice Grade (USLD-VG)
Unbundled Copper Subloop (UCSL)
USLD – Intrabuilding Network Cable (USLD-INC (aka riser cable))

- 2.8.2.2 USLD-VG is a copper subloop facility from the cross-box in the field up to and including the point of demarcation at the customer's premises and may have load coils.
- 2.8.2.3 UCSL is a copper facility eighteen thousand (18,000) feet or less in length provided from the cross-box in the field up to and including the customer's point of demarcation. If available, this facility will not have any intervening equipment such as load coils between the customer and the cross-box.
- 2.8.2.3.1 If Access Communications requests a UCSL and it is not available, Access Communications may request the copper Subloop facility be modified pursuant to the ULM process to remove load coils and/or excessive bridged taps. If load coils and/or excessive bridged taps are removed, the facility will be classified as a UCSL.
- 2.8.2.4 USLD-INC is the distribution facility owned or controlled by BellSouth inside a building or between buildings on the same property that is not separated by a public street or road. USLD-INC includes the facility from the cross-connect device in the building equipment room up to and including the point of demarcation at the customer's premises.
- 2.8.2.4.1 Upon request for USLD-INC from Access Communications, BellSouth will install a cross-connect panel in the building equipment room for the purpose of accessing USLD-INC pairs from a building equipment room. The cross-connect panel will function as a single point of interconnection (SPOI) for USLD-INC and will be accessible by multiple carriers as space permits. BellSouth will place cross-connect blocks in twenty five (25) pair increments for Access Communications's use on this cross-connect panel. Access Communications will be responsible for connecting its facilities to the twenty five (25) pair cross-connect block(s).
- 2.8.2.5 For access to Voice Grade USLD and UCSL, Access Communications shall install a cable to the BellSouth cross-box pursuant to the terms and conditions for physical collocation for remote sites set forth in Attachment 4. This cable would be connected by a BellSouth technician within the BellSouth cross-box during the set-up process. Access Communications's cable pairs can then be connected to BellSouth's USL within the BellSouth cross-box by the BellSouth technician.

- 2.8.2.6 Through the SI process, BellSouth will determine whether access to USLs at the location requested by Access Communications is technically feasible and whether sufficient capacity exists in the cross-box. If existing capacity is sufficient to meet Access Communications's request, then BellSouth will perform the site set-up as described in the CLEC Information Package, located at BellSouth's Interconnection Web site:

 www.interconnection.bellsouth.com/products/html/unes.html.
- 2.8.2.7 The site set-up must be completed before Access Communications can order Subloop pairs. For the site set-up in a BellSouth cross-connect box in the field, BellSouth will perform the necessary work to splice Access Communications's cable into the cross-connect box. For the site set-up inside a building equipment room, BellSouth will perform the necessary work to install the cross-connect panel and the connecting block(s) that will be used to provide access to the requested USLs.
- 2.8.2.8 Once the site set-up is complete, Access Communications will request Subloop pairs through submission of a LSR form to the LCSC. OC is required with USL pair provisioning when Access Communications requests reuse of an existing facility, and the OC charge shall be billed in addition to the USL pair rate. For expedite requests by Access Communications for Subloop pairs, expedite charges will apply for intervals less than five (5) days.
- 2.8.2.9 USLs will be provided in accordance with BellSouth's TR 73600 Unbundled Local Loop Technical Specifications.
- 2.8.3 <u>Unbundled Network Terminating Wire (UNTW)</u>
- 2.8.3.1 UNTW is unshielded twisted copper wiring that is used to extend circuits from an intra-building network cable terminal or from a building entrance terminal to an individual customer's point of demarcation. It is the final portion of the Loop that in multi-subscriber configurations represents the point at which the network branches out to serve individual subscribers.
- 2.8.3.2 This element will be provided in MDUs and/or Multi-Tenants Units (MTUs) where either Party owns wiring all the way to the customer's premises. Neither Party will provide this element in locations where the property owner provides its own wiring to the customer's premises, where a third party owns the wiring to the customer's premises.
- 2.8.3.3 <u>Requirements</u>
- 2.8.3.3.1 On a multi-unit premises, upon request of the other Party (Requesting Party), the Party owning the network terminating wire (Provisioning Party) will provide access to UNTW pairs on an Access Terminal that is suitable for use by multiple carriers at each Garden Terminal or Wiring Closet.

- 2.8.3.3.2 The Provisioning Party shall not be required to install new or additional NTW beyond existing NTW to provision the services of the Requesting Party.
- 2.8.3.3.3 In existing MDUs and/or MTUs in which BellSouth does not own or control wiring (INC/NTW) to the customers premises, and Access Communications does own or control such wiring, Access Communications will install UNTW Access Terminals for BellSouth under the same terms and conditions as BellSouth provides UNTW Access Terminals to Access Communications.
- 2.8.3.3.4 In situations in which BellSouth activates a UNTW pair, BellSouth will compensate Access Communications for each pair activated commensurate to the price specified in Access Communications's Agreement.
- 2.8.3.3.5 Upon receipt of the UNTW SI requesting access to the Provisioning Party's UNTW pairs at a multi-unit premises, representatives of both Parties will participate in a meeting at the site of the requested access. The purpose of the site visit will include discussion of the procedures for installation and location of the Access Terminals. By request of the Requesting Party, an Access Terminal will be installed either adjacent to each of the Provisioning Party's Garden Terminal or inside each Wiring Closet. The Requesting Party will deliver and connect its central office facilities to the UNTW pairs within the Access Terminal. The Requesting Party may access any available pair on an Access Terminal. A pair is available when a pair is not being utilized to provide service or where the customer has requested a change in its local service provider to the Requesting Party. Prior to connecting the Requesting Party's service on a pair previously used by the Provisioning Party, the Requesting Party is responsible for ensuring the customer is no longer using the Provisioning Party's service or another CLEC's service before accessing UNTW pairs.
- 2.8.3.3.6 Access Terminal installation intervals will be established on an individual case basis.
- 2.8.3.3.7 The Requesting Party is responsible for obtaining the property owner's permission for the Provisioning Party to install an Access Terminal(s) on behalf of the Requesting Party. The submission of the SI by the Requesting Party will serve as certification by the Requesting Party that such permission has been obtained. If the property owner objects to Access Terminal installations that are in progress or within thirty (30) days after completion and demands removal of Access Terminals, the Requesting Party will be responsible for costs associated with removing Access Terminals and restoring the property to its original state prior to Access Terminals being installed.
- 2.8.3.3.8 The Requesting Party shall indemnify and hold harmless the Provisioning Party against any claims of any kind that may arise out of the Requesting Party's failure to obtain the property owner's permission. The Requesting Party will be billed for nonrecurring and recurring charges for accessing UNTW pairs at the time the

Requesting Party activates the pair(s). The Requesting Party will notify the Provisioning Party within five (5) business days of activating UNTW pairs using the LSR form.

- 2.8.3.3.9 If a trouble exists on a UNTW pair, the Requesting Party may use an alternate spare pair that serves that customer if a spare pair is available. In such cases, the Requesting Party will re-terminate its existing jumper from the defective pair to the spare pair. Alternatively, the Requesting Party will isolate and report troubles in the manner specified by the Provisioning Party. The Requesting Party must tag the UNTW pair that requires repair. If the Provisioning Party dispatches a technician on a reported trouble call and no UNTW trouble is found, the Provisioning Party will charge Requesting Party for time spent on the dispatch and testing the UNTW pair(s).
- 2.8.3.3.10 If the Requesting Party initiates the Access Terminal installation and the Requesting Party has not activated at least ten percent (10%) of the capacity of the Access Terminal installed pursuant to the Requesting Party's request for an Access Terminal within six (6) months of installation of the Access Terminal, the Provisioning Party will bill the Requesting Party a nonrecurring charge equal to the actual cost of provisioning the Access Terminal.
- 2.8.3.3.11 If the Provisioning Party determines that the Requesting Party is using the UNTW pairs without reporting the activation of the pairs, the Requesting Party will be billed for the use of that pair back to the date the customer began receiving service from the Requesting Party at that location. Upon request, the Requesting Party will provide copies of its billing record to substantiate such date. If the Requesting Party fails to provide such records, then the Provisioning Party will bill the Requesting Party back to the date of the Access Terminal installation.

2.8.4 Dark Fiber Loop

- 2.8.4.1 Dark Fiber Loop is an unused optical transmission facility, without attached signal regeneration, multiplexing, aggregation or other electronics, from the demarcation point at a customer's premises to the customer's serving wire center. Dark Fiber Loops may be strands of optical fiber existing in aerial or underground structure. BellSouth will not provide line terminating elements, regeneration or other electronics necessary for Access Communications to utilize Dark Fiber Loops.
- 2.8.4.2 Transition for Dark Fiber Loop
- 2.8.4.2.1 For purposes of this Section 2.8.4, the Transition Period for Dark Fiber Loops is the eighteen (18) month period beginning March 11, 2005 and ending September 10, 2006.
- 2.8.4.2.2 For purposes of this Section 2.8.4, Embedded Base means Dark Fiber Loops that were in service for Access Communications as of March 10, 2005. Subsequent disconnects or loss of customers shall be removed from the Embedded Base.

- 2.8.4.3 During the Transition Period only, BellSouth shall make available for the Embedded Base Dark Fiber Loops for Access Communications at the terms and conditions set forth in this Attachment.
- 2.8.4.4 Notwithstanding the Effective Date of this Agreement, the rates for Access Communications's Embedded Base of Dark Fiber Loops during the Transition Period shall be as set forth in Exhibit A.
- 2.8.4.5 The Transition Period shall apply only to Access Communications's Embedded Base and Access Communications shall not add new Dark Fiber Loops pursuant to this Agreement.
- 2.8.4.6 Effective September 11, 2006, Dark Fiber Loops will no longer be made available pursuant to this Agreement.
- 2.8.4.7 No later than June 10, 2006 Access Communications shall submit spreadsheet(s) identifying all of the Embedded Base of circuits to be either disconnected or converted to other BellSouth services as Conversions pursuant to Section 1.6 above. The Parties shall negotiate a project schedule for the Conversion of the Embedded Base.
- 2.8.4.7.1 If Access Communications fails to submit the spreadsheet(s) specified in Section 2.8.4.7 above for all of its Embedded Base prior to June 10, 2006, BellSouth will identify Access Communications's remaining Embedded Base, if any, and will transition such circuits to the equivalent tariffed BellSouth service(s). Those circuits identified and transitioned by BellSouth pursuant to this Section 2.8.4.7.1 shall be subject to all applicable disconnect charges as set forth in this Agreement and the full nonrecurring charges for installation of the equivalent tariffed BellSouth service as set forth in BellSouth's tariffs.
- 2.8.4.7.2 For Embedded Base circuits converted pursuant to Section 2.8.4.7 above or transitioned pursuant to Section 2.8.4.7.1 above, the applicable recurring tariff charge shall apply to each circuit as of the earlier of the date each circuit is converted or transitioned, as applicable, or September 11, 2006.
- 2.9 Loop Makeup
- 2.9.1 Description of Service
- 2.9.1.1 BellSouth shall make available to Access Communications LMU information with respect to Loops that are required to be unbundled under this Agreement so that Access Communications can make an independent judgment about whether the Loop is capable of supporting the advanced services equipment Access Communications intends to install and the services Access Communications wishes to provide. LMU is a preordering transaction, distinct from Access Communications ordering any other service(s). Loop Makeup Service Inquiries

(LMUSI) and mechanized LMU queries for preordering LMU are likewise unique from other preordering functions with associated SIs as described in this Agreement.

- 2.9.1.2 BellSouth will provide Access Communications LMU information consisting of the composition of the Loop material (copper/fiber); the existence, location and type of equipment on the Loop, including but not limited to digital loop carrier or other remote concentration devices, feeder/distribution interfaces, bridged taps, load coils, pair-gain devices; the Loop length; the wire gauge and electrical parameters.
- 2.9.1.3 BellSouth's LMU information is provided to Access Communications as it exists either in BellSouth's databases or in its hard copy facility records. BellSouth does not guarantee accuracy or reliability of the LMU information provided.
- 2.9.1.4 BellSouth's provisioning of LMU information to the requesting CLEC for facilities is contingent upon either BellSouth or the requesting CLEC controlling the Loop(s) that serve the service location for which LMU information has been requested by the CLEC. The requesting CLEC is not authorized to receive LMU information on a facility used or controlled by another CLEC unless BellSouth receives a LOA from the voice CLEC (owner) or its authorized agent on the LMUSI submitted by the requesting CLEC.
- 2.9.1.5 Access Communications may choose to use equipment that it deems will enable it to provide a certain type and level of service over a particular BellSouth Loop as long as that equipment does not disrupt other services on the BellSouth network. The determination shall be made solely by Access Communications and BellSouth shall not be liable in any way for the performance of the advanced data services provisioned over said Loop. The specific Loop type (e.g., ADSL, HDSL, or otherwise) ordered on the LSR must match the LMU of the Loop reserved taking into consideration any requisite line conditioning. The LMU data is provided for informational purposes only and does not guarantee Access Communications's ability to provide advanced data services over the ordered Loop type. Furthermore, the LMU information for Loops other than copper-only Loops (e.g., ADSL, UCL-ND, etc.) that support xDSL services, is subject to change at any time due to modifications and/or upgrades to BellSouth's network. Except as set forth in Section 2.9.1.6 below, copper-only Loops will not be subject to change due to modification and/or upgrades to BellSouth's network and will remain on copper facilities until the Loop is disconnected by Access Communications or the customer, or until BellSouth retires the copper facilities via the FCC's and any applicable Commission's requirements. Access Communications is fully responsible for any of its service configurations that may differ from BellSouth's technical standard for the Loop type ordered.
- 2.9.1.6 If BellSouth retires its copper facilities using 47 C.F.R § 51.325(a) requirements; or is required by a governmental agency or regulatory body to move or replace copper facilities as a maintenance procedure, BellSouth will notify Access

Communications, according to the applicable network disclosure requirements. It will be Access Communications's responsibility to move any service it may provide over such facilities to alternative facilities. If Access Communications fails to move the service to alternative facilities by the date in the network disclosure notice, BellSouth may terminate the service to complete the network change.

2.9.2 Submitting LMUSI

- 2.9.2.1 Access Communications may obtain LMU information and reserve facilities by submitting a mechanized LMU query or a manual LMUSI according to the terms and conditions as described in the LMU CLEC Information Package, incorporated herein by reference as it may be amended from time to time. The CLEC Information Package is located at the "CLEC UNE Product" on the BellSouth Interconnection Web site:

 www.interconnection.bellsouth.com/guides/html/unes.html. After obtaining the Loop information from the mechanized LMU process, if Access Communications needs further Loop information in order to determine Loop service capability, Access Communications may initiate a separate Manual SI for a separate nonrecurring charge as set forth in Exhibit A.
- 2.9.2.2 All LSRs issued for reserved facilities shall reference the facility reservation number as provided by BellSouth. Access Communications will not be billed any additional LMU charges for the Loop ordered on such LSR. If, however, Access Communications does not reserve facilities upon an initial LMUSI, Access Communications's placement of an order for an advanced data service type facility will incur the appropriate billing charges to include SI and reservation per Exhibit A.
- 2.9.2.3 Where Access Communications has reserved multiple Loop facilities on a single reservation, Access Communications may not specify which facility shall be provisioned when submitting the LSR. For those occasions, BellSouth will assign to Access Communications, subject to availability, a facility that meets the BellSouth technical standards of the BellSouth type Loop as ordered by Access Communications.
- 2.9.2.4 Charges for preordering manual LMUSI or mechanized LMU are separate from any charges associated with ordering other services from BellSouth.

3 Line Splitting

3.1 Line splitting shall mean that a provider of data services (a Data LEC) and a provider of voice services (a Voice CLEC) to deliver voice and data service to customers over the same Loop. The Voice CLEC and Data LEC may be the same or different carriers.

Version: 4Q05 Standard ICA

- 3.2 <u>Line Splitting UNE-L.</u> In the event Access Communications provides its own switching or obtains switching from a third party, Access Communications may engage in line splitting arrangements with another CLEC using a splitter, provided by Access Communications, in a Collocation Space at the central office where the loop terminates into a distribution frame or its equivalent.
- 3.3 <u>Line Splitting –Loop and UNE Port (UNE-P)</u>
- 3.3.1 To the extent Access Communications is purchasing UNE-P pursuant to this Agreement, BellSouth will permit Access Communications to replace UNE-P with Line Splitting. The UNE-P arrangement will be converted to a stand-alone Loop, a Network Element switch port, two (2) collocation cross-connects and the high frequency spectrum line activation. The resulting arrangement shall continue to be included in Access Communications's Embedded Base as described in Section 5.4.3.2 below.
- 3.3.2 Access Communications shall provide BellSouth with a signed LOA between it and the Data LEC or Voice CLEC with which it desires to provision Line Splitting services, if Access Communications will not provide voice and data services.
- 3.3.3 Line Splitting arrangements in service pursuant to this Section 3.3 must be disconnected or provisioned pursuant to Section 3.2 above on or before March 10, 2006.
- 3.4 <u>Provisioning Line Splitting and Splitter Space UNE-P</u>
- 3.4.1 The Data LEC, Voice CLEC or BellSouth may provide the splitter. When Access Communications or its authorized agent owns the splitter, Line Splitting requires the following: a non-designed analog Loop from the serving wire center to the NID at the customer's location; a collocation cross-connection connecting the Loop to the collocation space; a second collocation cross-connection from the collocation space connected to a voice port; the high frequency spectrum line activation, and a splitter. When BellSouth owns the splitter, Line Splitting requires the following: a non-designed analog Loop from the serving wire center to the NID at the customer's location with connecting facility assignment (CFA) and splitter port assignments, and a collocation cross-connection from the collocation space connected to a voice port.
- 3.4.2 An unloaded 2-wire copper Loop must serve the customer. The meet point for the Voice CLEC and the Data LEC is the point of termination on the MDF for the Data LEC's cable and pairs.
- 3.4.3 The foregoing procedures are applicable to migration from a UNE-P arrangement to Line Splitting Service.
- 3.5 <u>Provisioning Line Splitting and Splitter Space UNE-L</u>

- 3.5.1 The Voice CLEC provides the splitter when providing Line Splitting with UNE-L. When Access Communications owns the splitter, Line Splitting requires the following: a loop from NID at the customer's location to the serving wire center and terminating into a distribution frame or its equivalent.
- 3.6 <u>CLEC Provided Splitter Line Splitting UNE-P and UNE-L</u>
- 3.6.1 To order High Frequency Spectrum on a particular Loop, Access Communications must have a DSLAM collocated in the central office that serves the customer of such Loop.
- 3.6.2 Access Communications may purchase, install and maintain central office POTS splitters in its collocation arrangements. Access Communications may use such splitters for access to its customers and to provide digital line subscriber services to its customers using the High Frequency Spectrum. Existing Collocation rules and procedures and the terms and conditions relating to Collocation set forth in Attachment 4-Central Office shall apply.
- 3.6.3 Any splitters installed by Access Communications in its collocation arrangement shall comply with ANSI T1.413, Annex E, or any future ANSI splitter Standards. Access Communications may install any splitters that BellSouth deploys or permits to be deployed for itself or any BellSouth affiliate.
- 3.7 <u>Maintenance Line Splitting UNE-P and UNE-L</u>
- 3.7.1 BellSouth will be responsible for repairing voice troubles and the troubles with the physical loop between the NID at the customer's premises and the termination point.
- 3.7.2 Access Communications shall indemnify, defend and hold harmless BellSouth from and against any claims, losses, actions, causes of action, suits, demands, damages, injury, and costs including reasonable attorney fees, which arise out of actions related to the other service provider, except to the extent caused by BellSouth's gross negligence or willful misconduct.

4 Local Switching

- 4.1 Notwithstanding anything to the contrary in this Agreement, the services offered pursuant to this Section 4 are limited to DS0 level Local Switching and BellSouth is not required to provide Local Switching pursuant to this Agreement except as set forth in Section 4.2 below.
- 4.1.1 BellSouth shall not be required to unbundle local circuit switching for Access Communications for a particular customer when Access Communications: (1) serves a customer with four (4) or more voice-grade (DS0) equivalents or lines served by BellSouth in Zone 1 of the following MSAs: Atlanta, GA; Miami, FL;

Version: 4Q05 Standard ICA

Orlando, FL; Ft. Lauderdale, FL; Charlotte-Gastonia-Rock Hill, NC; Greensboro-Winston Salem-High Point, NC; Nashville, TN; and New Orleans, LA; or (2) serves a customer with a DS1 or higher capacity Loop in any service area covered by this Agreement. To the extent that Access Communications is serving any customer as described in (2) of this Section 4.1.1 as of the Effective Date of this Agreement, such customer's arrangement may not remain in place and such Arrangement must be terminated by Access Communications or transitioned by Access Communications, or BellSouth shall disconnect such Arrangements upon thirty (30) days notice.

4.2 <u>Transition for Local Switching</u>

- 4.2.1 For purposes of this Section 4, the Transition Period for the Embedded Base of Local Switching is the twelve (12) month period beginning March 11, 2005 and ending March 10, 2006.
- 4.2.2 For the purposes of this Section 4, Embedded Base shall mean Local Switching and any additional elements that are required to be provided in conjunction therewith that were in service for Access Communications as of March 10, 2005. Subsequent disconnects or loss of customers shall be removed from the Embedded Base.
- 4.2.3 During the Transition Period only, BellSouth shall make Local Switching available for the Embedded Base, in addition to all elements that are required to be provided in conjunction with Local Switching, at the rates, terms and conditions set forth in this Attachment. The Transition Period shall apply only to Access Communications's Embedded Base and Access Communications shall not place new orders for Local Switching pursuant to this Agreement.
- 4.2.4 Notwithstanding the Effective Date of this Agreement, the rates for Access Communications's Embedded Base of Local Switching during the Transition Period shall be as set forth in Exhibit A.
- 4.2.5 Access Communications must submit orders, to disconnect or convert all of its Embedded Base of Local Switching to other BellSouth services as Conversions pursuant to Section 1.6 above by October 1, 2005.
- 4.2.5.1 If Access Communications fails to submit orders to disconnect or convert all of its Embedded Base of Local Switching as specified in Section 4.2.5 above prior to October 1, 2005, BellSouth will identify Access Communications's remaining Embedded Base of Local Switching and will disconnect such Local Switching. Those circuits identified and disconnected by BellSouth shall be subject to the applicable disconnect charges as set forth in this Agreement.
- 4.2.6 Effective March 11, 2006, Local Switching will no longer be made available pursuant to this Agreement.

Version: 4Q05 Standard ICA

- 4.3 <u>Local Switching Capability, including Tandem Switching Capability</u>
- 4.3.1 Local Switching capability is defined as all line-side and trunk-side facilities, plus the features, functions, and capabilities of the switch shall include the basic switching function of connecting lines to lines, lines to trunks, trunks to lines, and trunks to trunks. Local Switching includes all vertical features that the switch is capable of providing, including custom calling, custom local area signaling service features, and Centrex, as well as any technically feasible customized routing functions.
- 4.3.2 Unbundled local switching consists of three (3) separate components: Unbundled Ports, End Office Switching Functionality, and End Office Interoffice Trunk Ports.
- 4.3.3 Unbundled Local Switching combined with Common Transport and, if necessary, Tandem Switching provides to Access Communications's customer local calling and the ability to presubscribe to a primary carrier for intraLATA and/or to presubscribe to a primary carrier for interLATA toll service.
- 4.3.4 Provided that Access Communications has unbundled Local Switching from BellSouth and uses the BellSouth Carrier Identification Code (CIC) for its customers' Local Preferred Interexchange Carrier (LPIC) or if a BellSouth local customer selects BellSouth as its LPIC, then the Parties will consider as local any calls originated by a Access Communications local customer, or originated by a BellSouth local customer and terminated to a Access Communications local customer, where such calls originate and terminate in the same LATA, except for those calls originated and terminated through switched access arrangements (i.e., calls that are transported by a Party other than BellSouth). For such calls, BellSouth will charge Access Communications the Network Elements for the BellSouth facilities utilized. Neither Party shall bill the other originating or terminating switched access charges for such calls. Intercarrier compensation for local calls between BellSouth and Access Communications shall be as described in BellSouth's UNE Local Call Flows set forth on BellSouth's Interconnection Web site: www.interconnection.bellsouth.com/products/docs.
- Where Access Communications has unbundled Local Switching from BellSouth but does not use the BellSouth CIC for its customers' LPIC, BellSouth will consider as local those direct dialed telephone calls that originate from a Access Communications customer and terminate within the basic local calling area or within the extended local calling areas and that are dialed using seven (7) or ten (10) digits as defined and specified in Section A3 of BellSouth's GSST. For such local calls, BellSouth will charge Access Communications the Network Elements for the BellSouth facilities utilized. Intercarrier compensation for local calls between BellSouth and Access Communications shall be as described in BellSouth's UNE Local Call Flows set forth on BellSouth's Interconnection Web site at www.interconnection.bellsouth.com/products/docs.

- 4.3.6 For any calls that originate and terminate through switched access arrangements (i.e., calls that are transported by a party other than BellSouth), BellSouth shall bill Access Communications the Network Elements for the BellSouth facilities utilized. Each Party may bill the toll provider originating or terminating switched access charges as appropriate.
- 4.3.7 Unbundled Ports may or may not include individual features. Where applicable and available, non-switch-based services may be ordered with the Unbundled Port at BellSouth's retail rates.
- 4.3.8 Any features that are not currently available but are technically feasible through the switch can be requested through the BFR/NBR Process as set forth in Attachment 11.
- 4.3.9 BellSouth will provide to Access Communications selective routing of calls to a requested Operator System platform pursuant to this Agreement. Any other routing requests by Access Communications will be made pursuant to the BFR/NBR Process as set forth in Attachment 11.
- 4.3.10 BellSouth shall perform routine testing (e.g., Mechanized Loop Tests (MLT) and test calls such as 105, 107 and 108 type calls) and fault isolation on a mutually agreed upon schedule.
- 4.3.11 BellSouth shall control congestion points such as those caused by radio station call-ins and network routing abnormalities. All traffic shall be restricted in a nondiscriminatory manner.
- 4.3.12 BellSouth shall perform manual call trace and permit customer originated call trace. BellSouth shall provide Switching Service Point (SSP) capabilities and signaling software to interconnect the signaling links destined to the Signaling Transfer Point Switch (STPS). These capabilities shall adhere to the technical specifications set forth in the applicable industry standard technical references.
- 4.3.13 BellSouth shall provide interfaces to adjuncts through Telcordia standard interfaces. These adjuncts can include, but are not limited to, the Service Circuit Node and Automatic Call Distributors. BellSouth shall offer to Access Communications all Advanced Intelligent Network (AIN) triggers in connection with its Service Creation Environment and Service Management System (SCE/SMS) offering.
- 4.3.14 BellSouth shall provide access to SS7 Signaling Network or Multi-Frequency trunking if requested by Access Communications.
- 4.3.15 BellSouth shall provide the following Local Switching interfaces:

- 4.3.15.1 Standard Tip/Ring interface including loopstart or groundstart, on-hook signaling (e.g., for calling number, calling name and message waiting lamp);
- 4.3.15.2 Coin phone signaling;
- 4.3.15.3 Basic Rate Interface ISDN adhering to appropriate Telcordia Technical Requirements;
- 4.3.15.4 2-wire analog interface to PBX;
- 4.3.15.5 4-wire analog interface to PBX; and
- 4.3.15.6 Loops adhering to Telcordia TR-NWT-08 and TR-NWT-303 specifications to interconnect Digital Loop Carriers.
- 4.3.16 Access Communications shall maintain the individual telephone number and the correct corresponding address/location data, including maintaining the customer listed address as the actual physical customer location in the E911 ALI Database.
- 4.3.17 Access Communications will be responsible and liable for any errors resulting from the submission of invalid telephone number and address/location data for the Access Communications's customers.
- 4.4 Common (Shared) Transport.
- 4.4.1 Common (Shared) Transport, defined as transmission facilities shared by more than one carrier, including BellSouth, between end office switches, between end office switches and tandem switches, and between tandem switches, in BellSouth's network. Where BellSouth Network Elements are connected by intraoffice wiring, such wiring is provided as part of the Network Element and is not Common (Shared) Transport.
- 4.4.2 Notwithstanding any other provision of this Agreement, BellSouth will only provide unbundled access to Common (Shared) Transport to the extent BellSouth is required to provide and is providing Local Switching to Access Communications.
- 4.4.3 <u>Technical Requirements of Common (Shared) Transport</u>
- 4.4.3.1 Common (Shared) Transport provided on DS1, DS3, and STS-1 circuits shall at a minimum meet the performance, availability, jitter, and delay requirements specified for Central Office to Central Office (CO to CO) connections in the applicable industry standards.
- 4.4.3.2 BellSouth shall be responsible for the engineering, provisioning, and maintenance of the underlying equipment and facilities that are used to provide Common (Shared) Transport.

4.4.3.3 At a minimum, Common (Shared) Transport shall meet all of the requirements set forth in the applicable industry standards.

4.5 <u>Tandem Switching</u>

- 4.5.1 The Tandem Switching capability Network Element is defined as:

 (i) trunk-connect facilities, which include, but are not limited to, the connection between trunk termination at a cross-connect panel and switch trunk card; (ii) the basic switch trunk function of connecting trunks to trunks; and (iii) the functions that are centralized in the Tandem Switches (as distinguished from separate end office switches), including but not limited to call recording, the routing of calls to operator services and signaling conversion features.
- 4.5.2 Where Access Communications utilizes portions of the BellSouth network in originating or terminating traffic, the Tandem Switching rates are applied in call scenarios where the Tandem Switching Network Element has been utilized. Because switch recordings cannot accurately indicate on a per call basis when the Tandem Switching Network Element has been utilized for an interoffice call originating from a UNE port and terminating to a BellSouth, ICO or Facility-Based CLEC office, BellSouth has developed, based upon call studies, a melded rate that takes into account the average percentage of calls that utilize Tandem Switching in these scenarios. BellSouth shall apply the melded Tandem Switching rate for every call in these scenarios. BellSouth shall utilize the melded Tandem Switching Rate until BellSouth has the capability to measure actual Tandem Switch usage in each call scenario specifically mentioned above, at which point the rate for the actual Tandem Switch usage shall apply. The UNE Local Call Flows set forth on BellSouth's Interconnection Web site: www.interconnection.bellsouth.com/products/docs, illustrate when the full or melded Tandem Switching rates apply for specific scenarios.

4.5.3 <u>Technical Requirements</u>

- 4.5.3.1 Tandem Switching shall have the same capabilities or equivalent capabilities as those described in Telcordia TR-TSY-000540 Issue 2R2, Tandem Supplement, June 1, 1990. The requirements for Tandem Switching include but are not limited to the following:
- 4.5.3.1.1 Tandem Switching shall provide signaling to establish a tandem connection;
- 4.5.3.1.2 Tandem Switching will provide screening as jointly agreed to by Access Communications and BellSouth;
- 4.5.3.1.3 Where applicable, Tandem Switching shall provide AIN triggers supporting AIN features where such routing is not available from the originating end office switch, to the extent such Tandem switch has such capability;

Version: 4Q05 Standard ICA

- 4.5.3.1.4 Where applicable, Tandem Switching shall provide access to Toll Free number database;
- 4.5.3.1.5 Tandem Switching shall provide connectivity to Public Safety Answering Point (PSAP)s where 911 solutions are deployed and the tandem is used for 911; and
- 4.5.3.1.6 Where appropriate, Tandem Switching shall provide connectivity for the purpose of routing transit traffic to and from other carriers.
- 4.5.3.2 BellSouth may perform testing and fault isolation on the underlying switch that is providing Tandem Switching. Such testing shall be testing routinely performed by BellSouth. The results and reports of the testing shall be made available to Access Communications.
- 4.5.3.3 BellSouth shall control congestion points and network abnormalities. All traffic will be restricted in a non-discriminatory manner.
- 4.5.3.4 Tandem Switching shall process originating toll free traffic received from Access Communications's local switch.
- 4.5.3.5 In support of AIN triggers and features, Tandem Switching shall provide SSP capabilities when these capabilities are not available from the Local Switching Network Element to the extent such Tandem Switch has such capability.
- 4.5.4 Upon Access Communications's purchase of overflow trunk groups, Tandem Switching shall provide an alternate routing pattern for Access Communications's traffic overflowing from direct end office high usage trunk groups.

4.6 <u>Remote Call Forwarding (URCF)</u>

- 4.6.1 As an option, BellSouth shall make available to Access Communications an unbundled port with Remote Call Forwarding capability. URCF service combines the functionality of unbundled Local Switching, Tandem Switching and common transport to forward calls from the URCF service telephone number (the number dialed by the calling party) to another telephone number selected by the URCF service subscriber. Access Communications must ensure that the following conditions are satisfied:
- 4.6.1.1 the customer of the forward-to number (service) agrees to receive calls forwarded using the URCF service (if such customer is different from the URCF service customer);
- 4.6.1.2 the forward-to number (service) is equipped with sufficient capacity to receive the volume of calls that will be generated from the URCF service;
- 4.6.1.3 the URCF service will not be utilized to forward calls to another URCF or similar service; and

- 4.6.1.4 the forward-to number (service) is not a public safety number (e.g., 911, fire or police number).
- 4.6.2 In addition to the charge for the URCF service port, BellSouth shall charge Access Communications the rates set forth in Exhibit A for unbundled Local Switching, Tandem Switching, and Common Transport, including all associated usage incurred for calls from the URCF service telephone number (the number dialed by the calling party) to the forward-to number (service).
- 4.7 <u>AIN Selective Carrier Routing for OS, DA and Repair Centers</u>
- 4.7.1 Where BellSouth provides Local Switching to Access Communications, BellSouth will provide AIN Selective Carrier Routing (AIN SCR) at the request of Access Communications. AIN SCR will provide Access Communications with the capability of routing operator calls, 0+ and 0- and 0+ NPA Local Numbering Plan Area (LNPA), 555-1212 directory assistance, 1+411 directory assistance and 611 repair center calls to pre-selected destinations.
- 4.7.2 Access Communications shall order AIN SCR through its Account Team and/or Local Contract Manager. AIN SCR must first be established regionally and then on a per central office per state basis.
- 4.7.3 AIN SCR is not available in DMS 10 switches.
- 4.7.4 Where AIN SCR is utilized by Access Communications, the routing of Access Communications's customer calls shall be pursuant to information provided by Access Communications and stored in BellSouth's AIN SCR Service Control Point database. AIN SCR shall utilize a set of Line Class Codes (LCCs) unique to a basic class of service assigned on an "as needed" basis. The same LCCs will be assigned in each central office where AIN SCR is established.
- 4.7.5 Upon ordering AIN SCR Regional Service, Access Communications shall remit to BellSouth the nonrecurring Regional Service Order charge set forth in Exhibit A. There shall be a nonrecurring End Office Establishment Charge as set forth in Exhibit A, per office, due at the addition of each central office where AIN SCR will be utilized. For each Access Communications customer activated, there shall be a nonrecurring customer Establishment charge as set forth in Exhibit A. Access Communications shall pay the AIN SCR Per Query Charge set forth in Exhibit A.
- 4.7.6 This nonrecurring Regional Service Order charge will be non-refundable and will be paid with one half due up-front with the submission of all fully completed required forms including: Regional SCR Order Request-Form A, Central Office AIN SCR Order Request Form B, AIN SCR Central Office Identification Form Form C, AIN SCR Routing Options Selection Form Form D, and Routing Combinations Table Form E. BellSouth has thirty (30) days to respond to Access Communications's fully completed firm order as a Regional Service

Order. With the delivery of this firm order response to Access Communications, BellSouth considers that the delivery schedule of this service commences. The remaining half of the nonrecurring Regional Service Order payment must be paid when at least ninety percent (90%) of the Central Offices listed on the original order have been turned up for the service.

- 4.7.7 The nonrecurring End Office Establishment charge will be billed to Access Communications following BellSouth's normal monthly billing cycle for this type of order.
- 4.7.8 End-User Establishment Orders will not be turned-up until the second payment is received for the Regional Service Order. The nonrecurring End Office Establishment charges will be billed to Access Communications following BellSouth's normal monthly billing cycle for this type of order.
- 4.7.9 Additionally, the AIN SCR Per Query Charge will be billed to Access Communications following the normal billing cycle for per query charges.
- 4.7.10 All other network components needed, (i.e., unbundled switching, unbundled local transport, etc.) will be billed per contracted rates.
- 4.8 Selective Call Routing Using Line Class Codes (SCR-LCC)
- 4.8.1 Where Access Communications has purchased unbundled Local Switching from BellSouth and utilizes an operator services provider other than BellSouth, BellSouth will route Access Communications's customer calls to that provider through Selective Call Routing.
- 4.8.2 SCR-LCC provides the capability for Access Communications to have its Operator Call Processing/Directory Assistance (OCP/DA) calls routed to BellSouth's OCP/DA platform for BellSouth provided Custom Branded or Unbranded OCP/DA or to its own or an alternate OCP/DA platform for Self-Branded OCP/DA. SCR-LCC is only available if capacity is available in the requested BellSouth end office switches.
- 4.8.3 Custom Branding for DA is not available for certain classes of service, including but not limited to Hotel/Motel services, WATS service, and certain PBX services.
- 4.8.4 Where available, Access Communications specific and unique LCCs are programmed in each BellSouth end office switch where Access Communications intends to serve customers with customized OCP/DA branding. The LCCs specifically identify Access Communications's customers so OCP/DA calls can be routed over the appropriate trunk group to the requested OCP/DA platform. Additional LCCs are required in each end office if the end office serves multiple NPAs (i.e., a unique LCC is required per NPA), and/or if the end office switch

Version: 4Q05 Standard ICA

serves multiple rate areas and Access Communications intends to provide Access Communications -branded OCP/DA to its customers in these multiple rate areas.

- 4.8.5 SCR-LCC supporting Custom Branding and Self Branding require Access Communications to order dedicated trunking from each BellSouth end office identified by Access Communications, either to the BellSouth TOPS for Custom Branding or to the Access Communications Operator Service Provider for Self Branding. Separate trunk groups are required for Operator Services and for DA. Rates for trunks are set forth in applicable BellSouth's FCC No. 1 Tariff.
- 4.8.6 Unbranding Unbranded DA and/or OCP calls ride common trunk groups provisioned by BellSouth from those end offices identified by Access Communications to the BellSouth TOPS.
- 4.8.7 The rates for SCR-LCC are as set forth in Exhibit A. There is a nonrecurring charge for the establishment of each LCC in each BellSouth central office. Furthermore, for Unbranded and Custom Branded OCP/DA provided by BellSouth Operator Services with unbundled ports and unbundled port/loop switch combinations, monthly recurring usage charges shall apply for the UNEs necessary to provide the service, such as end office and tandem switching and common transport. A flat rated end office switching charge shall apply to Self-Branded OCP/DA when used in conjunction with unbundled ports and unbundled port/loop switch combinations.

5 Unbundled Network Element Combinations

- 5.1 For purposes of this Section, references to "Currently Combined" Network Elements shall mean that the particular Network Elements requested by Access Communications are in fact already combined by BellSouth in the BellSouth network. References to "Ordinarily Combined" Network Elements shall mean that the particular Network Elements requested by Access Communications are not already combined by BellSouth in the location requested by Access Communications but are elements that are typically combined in BellSouth's network. References to "Not Typically Combined" Network Elements shall mean that the particular Network Elements requested by Access Communications are not elements that BellSouth combines for its use in its network.
- 5.1.1 Except as otherwise set forth in this Agreement, upon request, BellSouth shall perform the functions necessary to combine Network Elements that BellSouth is required to provide under this Agreement in any manner, even if those elements are not ordinarily combined in BellSouth's network, provided that such Combination is technically feasible and will not undermine the ability of other carriers to obtain access to Network Elements or to interconnect with BellSouth's network.

Version: 4Q05 Standard ICA

To the extent Access Communications requests a Combination for which BellSouth does not have methods and procedures in place to provide such Combination, rates and/or methods or procedures for such Combination will be developed pursuant to the BFR process.

5.2 Rates

- 5.2.1 The rates for the Currently Combined Network Elements specifically set forth in Exhibit A shall be the rates associated with such Combinations. Where a Currently Combined Combination is not specifically set forth in Exhibit A, the rate for such Currently Combined Combination shall be the sum of the recurring rates for those individual Network Elements as set forth in Exhibit A and/or Exhibit B in addition to the applicable nonrecurring switch-as-is charge set forth in Exhibit A.
- The rates for the Ordinarily Combined Network Elements specifically set forth in Exhibit A shall be the nonrecurring and recurring charges for those Combinations. Where an Ordinarily Combined Combination is not specifically set forth in Exhibit A, the rate for such Ordinarily Combined Combination shall be the sum of the recurring rates for those individual Network Elements as set forth in Exhibit A and/or Exhibit B and nonrecurring rates for those individual Network Elements as set forth in Exhibit A.
- 5.2.3 The rates for Not Typically Combined Combinations shall be developed pursuant to the BFR process upon request of Access Communications.

5.3 Enhanced Extended Links (EELs)

- 5.3.1 EELs are combinations of Loops and Dedicated Transport as defined in this Attachment, together with any facilities, equipment, or functions necessary to combine those Network Elements. BellSouth shall provide Access Communications with EELs where the underlying Network Element are available and are required to be provided pursuant to this Agreement and in all instances where the requesting carrier meets the eligibility requirements, if applicable.
- 5.3.2 High-capacity EELs are (1) combinations of Loop and Dedicated Transport, (2) Dedicated Transport commingled with a wholesale loop, or (3) a loop commingled with wholesale transport at the DS1 and/or DS3 level as described in 47 C.F.R. § 51.318(b).
- By placing an order for a high-capacity EEL, Access Communications thereby certifies that the service eligibility criteria set forth herein are met for access to a converted high-capacity EEL, a new high-capacity EEL, or part of a high-capacity commingled EEL as a UNE. BellSouth shall have the right to audit Access Communications's high-capacity EELs as specified below.

5.3.4 Service Eligibility Criteria

- 5.3.4.1 High capacity EELs must comply with the following service eligibility requirements. Access Communications must certify for each high-capacity EEL that all of the following service eligibility criteria are met:
- 5.3.4.1.1 Access Communications has received state certification to provide local voice service in the area being served;
- 5.3.4.2 For each combined circuit, including each DS1 circuit, each DS1 EEL, and each DS1-equivalent circuit on a DS3 EEL:
- 5.3.4.2.1 1) Each circuit to be provided to each customer will be assigned a local number prior to the provision of service over that circuit;
- 5.3.4.2.2 2) Each DS1-equivalent circuit on a DS3 EEL must have its own local number assignment so that each DS3 must have at least twenty-eight (28) local voice numbers assigned to it;
- 5.3.4.2.3 3) Each circuit to be provided to each customer will have 911 or E911 capability prior to provision of service over that circuit;
- 5.3.4.2.4 4) Each circuit to be provided to each customer will terminate in a collocation arrangement that meets the requirements of 47 C.F.R. § 51.318(c);
- 5.3.4.2.5 5) Each circuit to be provided to each customer will be served by an interconnection trunk over which Access Communications will transmit the calling party's number in connection with calls exchanged over the trunk;
- 5.3.4.2.6 6) For each twenty-four (24) DS1 EELs or other facilities having equivalent capacity, Access Communications will have at least one (1) active DS1 local service interconnection trunk over which Access Communications will transmit the calling party's number in connection with calls exchanged over the trunk; and
- 5.3.4.2.7 7) Each circuit to be provided to each customer will be served by a switch capable of switching local voice traffic.
- 5.3.4.3 BellSouth may, on an annual basis, audit Access Communications's records in order to verify compliance with the qualifying service eligibility criteria. The audit shall be conducted by a third party independent auditor, and the audit must be performed in accordance with the standards established by the American Institute for Certified Public Accountants (AICPA). To the extent the independent auditor's report concludes that Access Communications failed to comply with the service eligibility criteria, Access Communications must true-up any difference in payments, convert all noncompliant circuits to the appropriate service, and make the correct payments on a going-forward basis. In the event the auditor's report concludes that Access Communications did not comply in any material respect with the service eligibility criteria, Access Communications shall reimburse

BellSouth for the cost of the independent auditor. To the extent the auditor's report concludes that Access Communications did comply in all material respects with the service eligibility criteria, BellSouth will reimburse Access Communications for its reasonable and demonstrable costs associated with the audit. Access Communications will maintain appropriate documentation to support its certifications.

5.3.4.4 In the event Access Communications converts special access services to UNEs, Access Communications shall be subject to the termination liability provisions in the applicable special access tariffs, if any.

5.4 UNE-P

- DS0 Local Switching, as defined in Section 4 above, in combination with a Loop and Common (Shared) Transport as defined in Section 4.4 above (UNE-P) provides local exchange service for the origination or termination of calls. UNE-P supports the same local calling and feature requirements as described in the Local Switching section of this Attachment and the ability to presubscribe to a primary carrier for interLATA toll service and/or to presubscribe to a primary carrier for interLATA toll service.
- 5.4.2 Notwithstanding anything to the contrary in this Agreement, BellSouth is not required to provide UNE-P pursuant to this Agreement except as set forth in this Section 5.4.
- 5.4.3 Transition Period for UNE-P
- 5.4.3.1 For purposes of this Section 5.4, the Transition Period for UNE-P is the twelve (12) month period beginning March 11, 2005 and ending March 10, 2006.
- 5.4.3.2 For the purposes of this Section 5.4, Embedded Base shall mean UNE-P and any additional elements that are required to be provided in conjunction therewith that were in service for Access Communications as of March 10, 2005. Subsequent disconnects or loss of customers shall be removed from the Embedded Base.
- During the Transition Period only, BellSouth shall make UNE-P available for the Embedded Base, in addition to all elements that are required to be provided in conjunction with UNE-P, at the rates, terms and conditions set forth in this Attachment. The Transition Period shall apply only to Access Communications's Embedded Base and Access Communications shall not place new orders for UNE-P pursuant to this Agreement.
- 5.4.3.4 Notwithstanding the Effective Date of this Agreement, the rates for Access Communications's Embedded Base of UNE-P during the Transition Period shall be as set forth in Exhibit A.

- 5.4.3.5 By October 1, 2005, Access Communications must submit orders or spreadsheets or if migrating to UNE Loops must use the Bulk Migration process in accordance with Section 2.1.12 above, to either disconnect or convert all of its Embedded Base of UNE-P to other BellSouth services.
- 5.4.3.5.1 If Access Communications fails to submit orders or spreadsheets converting all of the Embedded Base of UNE-P as specified in Section 5.4.3.5 above prior to October 1, 2005, BellSouth will identify Access Communications's remaining Embedded Base of UNE-P and will transition such UNE-P to resold BellSouth telecommunication services, as set forth in Attachment 1. Those circuits identified and transitioned by BellSouth shall be subject to the applicable disconnect charges as set forth in this Agreement and the full nonrecurring charges for installation of such BellSouth services as set forth in BellSouth's tariffs.
- 5.4.3.5.2 For Embedded Base UNE-P converted pursuant to Section 5.4.3.5 above or transitioned pursuant to Section 5.4.3.5. above, the applicable recurring tariff charges shall apply as of the earlier of the date each circuit is converted or transitioned, as applicable, or March 11, 2006.
- 5.4.3.6 Effective March 11, 2006, UNE-P will no longer be made available pursuant to this Agreement.
- 5.4.4 BellSouth shall make 911 updates in the BellSouth 911 database for Access Communications's UNE-P. BellSouth will not bill Access Communications for 911 surcharges. Access Communications is responsible for paying all 911 surcharges to the applicable governmental agency.
- 5.5 <u>Intercarrier Compensation</u>
- 5.5.1 Intercarrier compensation for seven (7) or ten (10) digit dialed calls originated by Access Communications utilizing Local Switching shall apply as follows:
- 5.5.2 For calls terminating to a BellSouth customer or to an customer served by BellSouth resold services, BellSouth shall charge Access Communications for End Office Switching as set forth in Exhibit A at the terminating end office.
- 5.5.3 For calls terminating to a CLEC where such CLEC is utilizing a BellSouth switch port or port/loop combination to provide service to its customer, BellSouth shall charge Access Communications for End Office Switching as set forth in Exhibit A at the terminating end office. BellSouth will not charge the terminating CLEC for End Office Switching as set forth in Exhibit A at the terminating end office.
- 5.5.3.1 For calls terminating to third party carriers, such as CLECs, wireless carriers and independent companies, utilizing their own switches to serve their customers, Access Communications is required to enter into interconnection or traffic exchange agreements with such third parties for the exchange of traffic through

BellSouth's network. If Access Communications does not have such an agreement with a third party carrier and BellSouth is charged termination charges by a third party terminating a call originated by Access Communications, or if such third party carrier bills BellSouth for terminating such calls, despite the existence of such an agreement, then BellSouth may, at its option:

- 5.5.3.1.1 pay such charges as billed by the third party carrier and charge End Office Switching as set forth in Exhibit A to Access Communications for each such call; or
- 5.5.3.1.2 pay such charges as billed by the third party carrier and Access Communications will reimburse the full amount of such charges within thirty (30) days of BellSouth's request for reimbursement.
- 5.5.3.2 Intercarrier compensation for seven (7) or ten (10) digit dialed calls terminating to Access Communications utilizing Local Switching shall apply as follows:
- 5.5.3.2.1 For calls originated by a BellSouth customer or by an customer served by resold BellSouth services, BellSouth shall not charge Access Communications for End Office Switching at the terminating end office for use of the network component; therefore, Access Communications shall not charge BellSouth intercarrier compensation or any other charges for termination of such calls.
- 5.5.3.2.2 For calls originated by a CLEC where such CLEC is utilizing a BellSouth switch port or port/loop combination to provide service to its customer, BellSouth shall not charge Access Communications for End Office Switching at the terminating end office for use of the network component; therefore, Access Communications shall not charge the originating CLEC or BellSouth intercarrier compensation or any other charges for termination of such calls.
- 5.5.3.2.3 For calls originated by third party carriers, such as CLECs, wireless carriers and independent companies, utilizing their own switches to serve their customers, Access Communications is required to enter into interconnection or traffic exchange agreements with such third parties for the exchange of traffic through BellSouth's network. Access Communications may bill the third parties according to such agreements and shall not bill BellSouth for the exchange of traffic through BellSouth's network.
- 5.5.3.3 Intercarrier compensation shall apply as follows for intralata 1+ dialed calls originated by Access Communications utilizing Local Switching where Access Communications uses BellSouth's CIC for its customer's LPIC:
- 5.5.3.3.1 For calls terminating to a BellSouth customer or to an customer served by BellSouth resold services, BellSouth shall charge Access Communications for End Office Switching as set forth in Exhibit A at the terminating end office.

- 5.5.3.3.2 For calls terminating to a CLEC where such CLEC is utilizing a BellSouth switch port or port/loop combination to provide service to its customer, BellSouth shall charge Access Communications for End Office Switching as set forth in Exhibit A at the terminating end office. BellSouth will not charge the terminating CLEC for End Office Switching at the terminating end office. In the event that BellSouth is charged termination charges by the CLEC, BellSouth may pay such charges and Access Communications will reimburse BellSouth the full amount of such charges within thirty (30) days following BellSouth's request for reimbursement.
- 5.5.3.3.3 For calls terminating to third party carriers, such as CLECs, wireless carriers and independent companies, utilizing their own switches to serve their customers, Access Communications is required to enter into interconnection or traffic exchange agreements with such third parties for the exchange of traffic through BellSouth's network. If Access Communications does not have such an agreement with a third party carrier and BellSouth is charged termination charges by a third party terminating a call originated by Access Communications, or if such third party carrier bills BellSouth for terminating such calls, despite the existence of such an agreement, then BellSouth may, at its option:
- 5.5.3.3.3.1 pay such charges as billed by the third party carrier and charge End Office Switching as set forth in Exhibit A to Access Communications for each such call; or
- 5.5.3.3.2 pay such charges as billed by the third party carrier and Access Communications will reimburse BellSouth the full amount of such charges within thirty (30) days following BellSouth's request for reimbursement.
- 5.5.3.4 Intercarrier compensation shall apply as follows for intralata 1+ dialed calls terminating to Access Communications utilizing Local Switching where the originating carrier uses BellSouth's CIC for its customer's LPIC:
- 5.5.3.4.1 For calls originated by a BellSouth customer or by an customer served by BellSouth resold service, BellSouth shall charge Access Communications for End Office Switching as set forth in Exhibit A at the terminating end office for use of the End Office Switching network component in terminating such calls. Access Communications may charge BellSouth for intercarrier compensation at the End Office Switching as set forth in Exhibit A for such calls. Access Communications shall not charge originating or terminating switched access rates to BellSouth for termination of such calls.
- 5.5.3.5 For calls originated by or terminating to interexchange carriers through a switched access arrangement, Access Communications may bill the interexchange carrier in accordance with Access Communications's tariff and will not bill BellSouth any charges for such call. Access Communications shall pay BellSouth applicable charges for the use of BellSouth's network in accordance with the rates set forth in Exhibit A for originating and terminating such calls.

6 Dedicated Transport and Dark Fiber Transport

- 6.1 <u>Dedicated Transport.</u> Dedicated Transport is defined as BellSouth's transmission facilities between wire centers or switches owned by BellSouth, or between wire centers or switches owned by BellSouth and switches owned by Access Communications, including but not limited to DS1, DS3 and OCn level services, as well as dark fiber, dedicated to Access Communications. BellSouth shall not be required to provide access to OCn level Dedicated Transport under any circumstances pursuant to this Agreement. In addition, except as set forth in Section 6.2 below, BellSouth shall not be required to provide to Access Communications unbundled access to interoffice transmission facilities that do not connect a pair of wire centers or switches owned by BellSouth ("Entrance Facilities").
- 6.2 <u>Transition for DS1 and DS3 Dedicated Transport Including DS1 and DS3 Entrance Facilities</u>
- 6.2.1 For purposes of this Section 6.2, the Transition Period for the Embedded Base of DS1 and DS3 Dedicated Transport, Embedded Base Entrance Facilities and for Excess DS1 and DS3 Dedicated Transport, is the twelve (12) month period beginning March 11, 2005 and ending March 10, 2006.
- 6.2.2 For purposes of this Section 6.2, Embedded Base means DS1 and DS3 Dedicated Transport that were in service for Access Communications as of March 10, 2005 in those wire centers that, as of such date, met the criteria set forth in Sections 6.2.6.1 or 6.2.6.2 below. Subsequent disconnects or loss of customers shall be removed from the Embedded Base.
- 6.2.3 For purposes of this Section 6, Embedded Base Entrance Facilities means Entrance Facilities that were in service for Access Communications as of March 10, 2005. Subsequent disconnects or loss of customers shall be removed from the Embedded Base.
- For purposes of this Section 6, Excess DS1 and DS3 Dedicated Transport means those Access Communications DS1 and DS3 Dedicated Transport facilities in service as of March 10, 2005, in excess of the caps set forth in Section 6.6 below. Subsequent disconnects and loss of customers shall be removed from Excess DS1 and DS3 Loops.
- 6.2.5 For purposes of this Section 6.2, a Business Line is as defined in 47 C.F.R. § 51.5.
- 6.2.6 Notwithstanding anything to the contrary in this Agreement, BellSouth shall make available Dedicated Transport as described in this Section 6.2 only for Access Communications's Embedded Base during the Transition Period:

Version: 4Q05 Standard ICA

- 6.2.6.1 DS1 Dedicated Transport where both wire centers at the end points of the route contain 38,000 or more Business Lines or four (4) or more fiber-based collocators.
- DS3 Dedicated Transport where both wire centers at the end points of the route contain 24,000 or more Business Lines or three (3) or more fiber-based collocators.
- 6.2.6.3 A list of wire centers meeting the criteria set forth in Sections 6.2.6.1 or 6.2.6.2 above as of March 10, 2005, is available as set forth in Exhibit C or as set forth in a subsequent notification via BellSouth's Web site (Initial Wire Center List).
- 6.2.6.4 Notwithstanding anything to the contrary in this Agreement, BellSouth shall make available Entrance Facilities only for Access Communications's Embedded Base Entrance Facilities and only during the Transition Period.
- 6.2.6.5 Notwithstanding the Effective Date of this Agreement, during the Transition Period, the rates for Access Communications's Embedded Base of DS1 and DS3 Dedicated Transport and for Access Communications's Excess DS1 and DS3 Dedicated Transport, as described in this Section 6.2, shall be as set forth in Exhibit B, and the rates for Access Communications's Embedded Base Entrance Facilities as described in this Section 6.2 shall be as set forth in Exhibit A.
- 6.2.6.6 The Transition Period shall apply only to (1) Access Communications's Embedded Base and Embedded Base Entrance Facilities; and (2) Access Communications's Excess DS1 and DS3 Dedicated Transport. Access Communications shall not add new Entrance Facilities pursuant to this Agreement. Further, Access Communications shall not add new DS1 or DS3 Dedicated Transport as described in this Section 6.2 pursuant to this Agreement.
- 6.2.6.7 Once a wire center exceeds either of the thresholds set forth in Section 6.2.6.1 above, no future DS1 Dedicated Transport unbundling will be required in that wire center.
- Once a wire center exceeds either of the thresholds set forth in Section 6.2.6.2 above, no future DS3 Dedicated Transport will be required in that wire center.
- No later than December 9, 2005 Access Communications shall submit spreadsheet(s) identifying all of the Embedded Base of circuits, Embedded Base Entrance Facilities, and Excess DS1 and DS3 Dedicated Transport to be either disconnected or converted to other BellSouth services pursuant to Section 1.6 above. The Parties shall negotiate a project schedule for the Conversion of the Embedded Base, Embedded Base Entrance Facilities and Excess DS1 and DS3 Dedicated Transport.
- 6.2.6.9.1 If Access Communications fails to submit the spreadsheet(s) specified in Section 6.2.6.9 above for all of its Embedded Base, Embedded Base Entrance Facilities

and Excess DS1 and DS3 Dedicated Transport prior to December 9, 2005, BellSouth will identify Access Communications's remaining Embedded Base, Embedded Base Entrance Facilities and Excess DS1 and DS3 Dedicated Transport, if any, and will transition such circuits to the equivalent tariffed BellSouth service(s). Those circuits identified and transitioned by BellSouth pursuant to this Section 6.2.6.9.1 shall be subject to all applicable disconnect charges as set forth in this Agreement and the full nonrecurring charges for installation of the equivalent tariffed BellSouth service as set forth in BellSouth's tariffs.

- 6.2.6.9.2 For Embedded Base circuits, Embedded Base Entrance Facilities and Excess DS1 and DS3 Dedicated Transport converted pursuant to Section 6.2.6.9 above or transitioned pursuant to Section 6.2.6.9.1 above, the applicable recurring tariff charge shall apply to each circuit as of the earlier of the date each circuit is converted or transitioned, as applicable, or March 11, 2006.
- 6.2.6.10 <u>Modifications and Updates to the Wire Center List and Subsequent Transition Periods</u>
- 6.2.6.10.1 In the event BellSouth identifies additional wire centers that meet the criteria set forth in Sections 6.2.6.1 or 6.2.6.2 above, but that were not included in the Initial Wire Center List, BellSouth shall include such additional wire centers in CNL. Each such list of additional wire centers shall be considered a Subsequent Wire Center List.
- 6.2.6.10.2 Effective ten (10) business days after the date of a BellSouth CNL providing a Subsequent Wire Center List, BellSouth shall not be required to provide DS1 and DS3 Dedicated Transport, as applicable, in such additional wire center(s).
- 6.2.6.10.3 For purposes of Section 6.2.6.10 above, BellSouth shall make available DS1 and DS3 Dedicated Transport that was in service for Access Communications in a wire center on the Subsequent Wire Center List as of the tenth (10th) business day after the date of BellSouth's CNL identifying the Subsequent Wire Center List (Subsequent Embedded Base) until ninety (90) days after the tenth (10th) business day from the date of BellSouth's CNL identifying the Subsequent Wire Center List (Subsequent Transition Period).
- 6.2.6.10.4 Subsequent disconnects or loss of customers shall be removed from the Subsequent Embedded Base.
- 6.2.6.10.5 The rates set forth in Exhibit B shall apply to the Subsequent Embedded Base during the Subsequent Transition Period.
- 6.2.6.10.6 No later than forty (40) days from BellSouth's CNL identifying the Subsequent Wire Center List Access Communications shall submit a spreadsheet(s) identifying the Subsequent Embedded Base of circuits to be disconnected or converted to

other BellSouth services. The Parties shall negotiate a project schedule for the Conversion of the Subsequent Embedded Base.

- 6.2.6.10.6.1 If Access Communications fails to submit the spreadsheet(s) specified in Section 6.2.6.10.6 above for all of its Subsequent Embedded Base within forty (40) days after the date of BellSouth's CNL identifying the Subsequent Wire Center List, BellSouth will identify Access Communications's remaining Subsequent Embedded Base, if any, and will transition such circuits to the equivalent tariffed BellSouth service(s). Those circuits identified and transitioned by BellSouth shall be subject to the applicable disconnect charges as set forth in this Agreement and the full nonrecurring charges for installation of the equivalent tariffed BellSouth service as set forth in BellSouth's tariffs.
- 6.2.6.10.7 For Subsequent Embedded Base circuits converted pursuant to Section 6.2.6.10.6 above or transitioned pursuant to Section 6.2.6.10.6.1 above, the applicable recurring tariff charges shall apply as of the earlier of the date each circuit is converted or transitioned, as applicable, or the first day after the end of the Subsequent Transition Period.
- 6.3 BellSouth shall:
- Provide Access Communications exclusive use of Dedicated Transport to a particular customer or carrier;
- Provide all technically feasible features, functions, and capabilities of Dedicated Transport as outlined within the technical requirements of this section;
- 6.3.3 Permit, to the extent technically feasible, Access Communications to connect Dedicated Transport to equipment designated by Access Communications, including but not limited to, Access Communications's collocated facilities; and
- Permit, to the extent technically feasible, Access Communications to obtain the functionality provided by BellSouth's digital cross-connect systems.
- 6.4 BellSouth shall offer Dedicated Transport:
- 6.4.1 As capacity on a shared facility; and
- As a circuit (i.e., DS0, DS1, DS3, STS-1) dedicated to Access Communications.
- 6.5 Dedicated Transport may be provided over facilities such as optical fiber, copper twisted pair, and coaxial cable, and shall include transmission equipment such as line terminating equipment, amplifiers, and regenerators.
- Access Communications may obtain a maximum of twelve (12) unbundled DS3
 Dedicated Transport circuits on each route where DS3 Dedicated Transport is
 available as a Network Element, and a maximum of ten (10) unbundled DS1

Version: 4Q05 Standard ICA

Dedicated Transport circuits on each Route where there is no 251(c)(3) unbundling obligation for DS3 Dedicated Transport but for which impairment exists for DS1 Dedicated Transport. A route is defined as a transmission path between one (1) of BellSouth's wire centers or switches and another of BellSouth's wire centers or switches. A route between two (2) points may pass through one (1) or more intermediate wire centers or switches. Transmission paths between identical end points are the same "route", irrespective of whether they pass through the same intermediate wire centers or switches, if any.

6.7 <u>Technical Requirements</u>

- 6.7.1 BellSouth shall offer DS0 equivalent interface transmission rates for DS0 or voice grade Dedicated Transport. For DS1 or DS3 circuits, Dedicated Transport shall at a minimum meet the performance, availability, jitter, and delay requirements specified for Customer Interface to Central Office (CI to CO) connections in the applicable industry standards.
- 6.7.2 BellSouth shall offer the following interface transmission rates for Dedicated Transport:
- 6.7.2.1 DS0 Equivalent;
- 6.7.2.2 DS1;
- 6.7.2.3 DS3;
- 6.7.2.4 STS-1; and
- 6.7.2.5 SDH (Synchronous Digital Hierarchy) Standard interface rates are in accordance with International Telecommunications Union (ITU) Recommendation G.707 and Plesiochronous Digital Hierarchy (PDH) rates per ITU Recommendation G.704.
- 6.7.3 BellSouth shall design Dedicated Transport according to its network infrastructure. Access Communications shall specify the termination points for Dedicated Transport.
- At a minimum, Dedicated Transport shall meet each of the requirements set forth in the applicable industry technical references and BellSouth Technical References;
- 6.7.4.1 Telcordia TR-TSY-000191 Alarm Indication Signals Requirements and Objectives, Issue 1, May 1986.
- 6.7.4.2 BellSouth's TR 73501 LightGate® Service Interface and Performance Specifications, Issue D, June 1995.

- 6.7.4.3 BellSouth's TR 73525 MegaLink®Service, MegaLink Channel Service and MegaLink Plus Service Interface and Performance Specifications, Issue C, May 1996.
- 6.8 <u>Unbundled Channelization (Multiplexing)</u>
- 6.8.1 To the extent Access Communications is purchasing DS1 or DS3 or STS-1 Dedicated Transport pursuant to this Agreement, Unbundled Channelization (UC) provides the optional multiplexing capability that will allow a DS1 (1.544 Mbps) or DS3 (44.736 Mbps) or STS-1 (51.84 Mbps) Network Elements to be multiplexed or channelized at a BellSouth central office. Channelization can be accomplished through the use of a multiplexer or a digital cross-connect system at the discretion of BellSouth. Once UC has been installed, Access Communications may request channel activation on a channelized facility and BellSouth shall connect the requested facilities via COCIs. The COCI must be compatible with the lower capacity facility and ordered with the lower capacity facility. This service is available as defined in NECA 4.
- 6.8.2 BellSouth shall make available the following channelization systems and interfaces:
- 6.8.2.1 DS1 Channelization System: channelizes a DS1 signal into a maximum of twenty-four (24) DS0s. The following COCI are available: Voice Grade, Digital Data and ISDN.
- 6.8.2.2 DS3 Channelization System: channelizes a DS3 signal into a maximum of twenty-eight (28) DS1s. A DS1 COCI is available with this system.
- 6.8.2.3 STS-1 Channelization System: channelizes a STS-1 signal into a maximum of twenty-eight (28) DS1s. A DS1 COCI is available with this system.
- 6.8.3 <u>Technical Requirements.</u> In order to assure proper operation with BellSouth provided central office multiplexing functionality, Access Communications's channelization equipment must adhere strictly to form and protocol standards. Access Communications must also adhere to such applicable industry standards for the multiplex channel bank, for voice frequency encoding, for various signaling schemes, and for sub rate digital access.
- 6.9 <u>Dark Fiber Transport.</u> Dark Fiber Transport is defined as Dedicated Transport that consists of unactivated optical interoffice transmission facilities without attached signal regeneration, multiplexing, aggregation or other electronics. Except as set forth in Section 6.9.1 below, BellSouth shall not be required to provide access to Dark Fiber Transport Entrance Facilities pursuant to this Agreement.
- 6.9.1 Transition for Dark Fiber Transport and Dark Fiber Transport Entrance Facilities

- 6.9.1.1 For purposes of this Section 6.9, the Transition Period for the Embedded Base of Dark Fiber Transport is the eighteen (18) month period beginning March 11, 2005 and ending September 10, 2006.
- 6.9.1.2 For purposes of this Section 6.9, Embedded Base means Dark Fiber Transport that was in service for Access Communications as of March 10, 2005 in those wire centers that, as of such date, met the criteria set forth in 6.9.1.4.1 below. Subsequent disconnects or loss of customers shall be removed from the Embedded Base.
- 6.9.1.3 For purposes of this Section 6.9, a Business Line is as defined in 47 C.F.R. § 51.5.
- 6.9.1.4 Notwithstanding anything to the contrary in this Agreement, BellSouth shall make available Dark Fiber Transport as described in this Section 6.9 only for Access Communications's Embedded Base during the Transition Period:
- 6.9.1.4.1 Dark Fiber Transport where both wire centers at the end points of the route contain twenty-four thousand (24,000) or more Business Lines or three (3) or more fiber-based collocators.
- 6.9.1.5 A list of wire centers meeting the criteria set forth in Section 6.9.1.4 above as of March 10, 2005, ("Initial List") is available as set forth in Exhibit C or as set forth in a subsequent notification via BellSouth's Web site.
- 6.9.1.6 Notwithstanding the Effective Date of this Agreement, during the Transition Period, the rates for Access Communications's Embedded Base of Dark Fiber Transport as described in Section 6.9.1.2 above shall be as set forth in Exhibit B and the rates for Access Communications's Embedded Base of Dark Fiber Transport Entrance Facilities as described in Section 6.9.1 above shall be as set forth in Exhibit A.
- 6.9.1.7 The Transition Period shall apply only to Access Communications's Embedded Base of Dark Fiber Transport and Dark Fiber Entrance Facilities. Access Communications shall not add new Dark Fiber Transport as described in this Section 6.9. Further, Access Communications shall not add new Dark Fiber Entrance Facilities pursuant to this Agreement.
- 6.9.1.8 Once a wire center exceeds either of the thresholds set forth in this Section 6.9.1.4 above, no future Dark Fiber Transport unbundling will be required in that wire center.
- 6.9.1.9 No later than June 10, 2006 Access Communications shall submit spreadsheet(s) identifying all of the Embedded Base of Dark Fiber Transport and Dark Fiber Entrance Facilities to be either disconnected or converted to other BellSouth services as Conversions pursuant to Section 1.6 above. The Parties shall negotiate a project schedule for the Conversion of the Embedded Base.

- 6.9.1.9.1 If Access Communications fails to submit the spreadsheet(s) specified in Section 6.9.1.9 above for all of its Embedded Base prior to June 10, 2006, BellSouth will identify Access Communications's remaining Embedded Base, if any, and will transition such circuits to the equivalent tariffed BellSouth service(s). Those circuits identified and transitioned by BellSouth pursuant to this Section 6.9.1.9.1 shall be subject to all applicable disconnect charges as set forth in this Agreement and the full nonrecurring charges for installation of the equivalent tariffed BellSouth service as set forth in BellSouth's tariffs.
- 6.9.1.9.2 For Embedded Base circuits converted pursuant to Section 6.9.1.9 above or transitioned pursuant to Section 6.9.1.9.1 above, the applicable recurring tariff charge shall apply to each circuit as of the earlier of the date each circuit is converted or transitioned, as applicable, or September 11, 2006.
- 6.9.1.10 <u>Modifications and Updates to the Wire Center List and Subsequent Transition Periods</u>
- 6.9.1.10.1 In the event BellSouth identifies additional wire centers that meet the criteria set forth in Section 6.9.1.4.1 above, but that were not included in the Initial Wire Center List, BellSouth shall include such additional wire centers in a CNL. Each such list of additional wire centers shall be considered a "Subsequent Wire Center List".
- 6.9.1.10.2 Effective ten (10) business days after the date of a BellSouth CNL providing a Subsequent Wire Center List, BellSouth shall not be required to provide unbundled access to Dark Fiber Transport, as applicable, in such additional wire center(s).
- 6.9.1.10.3 For purposes of Section 6.9.1.10, BellSouth shall make available Dark Fiber Transport that was in service for Access Communications in a wire center on the Subsequent Wire Center List as of the tenth (10th) business day after the date of BellSouth's CNL identifying the Subsequent Wire Center List (Subsequent Embedded Base) until ninety (90) days after the tenth (10th) business day from the date of BellSouth's CNL identifying the Subsequent Wire Center List (Subsequent Transition Period).
- 6.9.1.10.4 Subsequent disconnects or loss of customers shall be removed from the Subsequent Embedded Base.
- 6.9.1.10.5 The rates set forth in Exhibit B shall apply to the Subsequent Embedded Base during the Subsequent Transition Period.
- 6.9.1.10.6 No later than forty (40) days from BellSouth's CNL identifying the Subsequent Wire Center List Access Communications shall submit a spreadsheet(s) identifying the Subsequent Embedded Base of circuits to be disconnected or converted to

other BellSouth services. The Parties shall negotiate a project schedule for the Conversion of the Subsequent Embedded Base.

- 6.9.1.10.6.1 If Access Communications fails to submit the spreadsheet(s) specified in Section 6.9.1.10.6 above for all of its Subsequent Embedded Base within forty (40) days after the date of BellSouth's CNL identifying the Subsequent Wire Center List, BellSouth will identify Access Communications's remaining Subsequent Embedded Base, if any, and will transition such circuits to the equivalent tariffed BellSouth service(s). Those circuits identified and transitioned by BellSouth shall be subject to the applicable disconnect charges as set forth in this Agreement and the full nonrecurring charges for installation of the equivalent tariffed BellSouth service as set forth in BellSouth's tariffs.
- 6.9.1.10.6.2 For Subsequent Embedded Base circuits converted pursuant to Section 6.9.1.10.6 above or transitioned pursuant to Section 6.9.1.10.6.1 above, the applicable recurring tariff charges shall apply as of the earlier of the date each circuit is converted or transitioned, as applicable, or the first day after the end of the Subsequent Transition Period.

6.10 Rearrangements

- Rearrangement of a dedicated transport or combination that includes dedicated transport that requires a CFA change: A request to move a working Access Communications circuit from one CFA to another Access Communications CFA, where both CFAs terminate in the same BellSouth Central Office (Change in CFA), shall not constitute the establishment of new service. The applicable rates set forth in Exhibit A. Requests to reterminate one end of a facility that is not a Change in CFA constitute the establishment of new service and require disconnection of existing service and the applicable rates set forth in Exhibit A shall apply.
- 6.10.2 Requests to reterminate one end of a facility that is not a Change in CFA constitute the establishment of new service and require disconnection of existing service and the applicable rates set forth in Exhibit A shall apply.
- Upon request of Access Communications, BellSouth shall project manage the Change in CFA or retermination of Dedicated Transport and combinations that include transport as described in Sections 6.10.1 and 6.10.2 above and Access Communications may request OC-TS for such orders.
- 6.10.4 BellSouth shall accept a LOA between Access Communications and another carrier that will allow Access Communications to connect Dedicated Transport or Combination that includes Dedicated Transport to the other carrier's collocation space or to another carrier's CFA associated with higher bandwidth transport.

Version: 4005 Standard ICA

- Access Communications may utilize the EEL to UNE-L retermination process, as described in BellSouth's guides available on its web site, to disconnect an EEL circuit and reterminate the Loop portion of the former EEL circuit to a collocation arrangement in the customer Serving Wire Center as a standalone UNE Loop. When using this process, the existing Loop portion of the EEL will be re-used and the resulting standalone Loop will be subject to the rates, terms and conditions for that particular Loop as set forth in this Attachment. This process will apply only to EELs that include as a part of its combination a DS1 Loop, UVL-SL2 Loop, 4-Wire UDL Loop (64, 56 kbs) and a 2-Wire ISDN Loop.
- BellSouth shall charge the applicable EEL to UNE-L retermination rates found in Exhibit A. Access Communications shall also be charged applicable manual service order, collocation cross-connect and EEL disconnect charges a set forth in Exhibit A of this Attachment.
- 6.10.7 The EEL to UNE-L retermination process is not available when the rearrangement requires a dispatch outside the serving wire center where the Loop terminates. If an outside dispatch is required, or if Access Communications elects not to utilize the EEL to UNE-L retermination process, Access Communications must submit an LSR to disconnect the entire EEL circuit, and must submit a separate LSR for the requested standalone Loop. In such cases, Access Communications will be charged the EEL disconnect charges and the full nonrecurring rates for installation of a new Loop, as set forth in Exhibit A.

7 Call Related Databases and Signaling

- Call Related Databases are the databases other than OSS, that are used in signaling networks, for billing and collection, or the transmission, routing or other provision of a Telecommunications Service. Notwithstanding anything to the contrary herein, BellSouth shall only provide unbundled access to call related databases and signaling including but not limited to, BellSouth Switched Access 8XX Toll Free Dialing Ten Digit Screening Service, LIDB, Signaling, Signaling Link Transport, STP, SS7 AIN Access, Service Control Point(SCP\Databases, Local Number Portability (LNP) Databases and Calling Name (CNAM) Database Service pursuant to this Agreement where BellSouth is required to provide and is providing Local Switching or UNE-P to Access Communications pursuant to this Agreement.
- 7.2 <u>BellSouth Switched Access (SWA) 8XX Toll Free Dialing Ten Digit Screening</u> Service
- 7.2.1 The BellSouth SWA 8XX Toll Free Dialing Ten Digit Screening Service database (8XX SCP Database) is a SCP that contains customer record information and the functionality to provide call-handling instructions for 8XX calls. The 8XX SCP IN software stores data downloaded from the national SMS/8XX database and

Version: 4Q05 Standard ICA 01/25/06

provides the routing instructions in response to queries from the SSP or tandem. The BellSouth SWA 8XX Toll Free Dialing Ten Digit Screening Service (8XX TFD Service) utilizes the 8XX SCP Database to provide identification and routing of the 8XX calls, based on the ten digits dialed. At Access Communications's option, 8XX TFD Service is provided with or without POTS number delivery, dialing number delivery, and other optional complex features as selected by Access Communications.

7.2.2 The 8XX SCP Database is designated to receive and respond to queries using the ANSI Specification of SS7 protocol.

7.3 LIDB

7.3.1 LIDB is a transaction-oriented database accessible through Common Channel Signaling (CCS) networks. For access to LIDB, Access Communications must purchase appropriate signaling links pursuant to Section 7.4 below. LIDB contains records associated with customer Line Numbers and Special Billing Numbers. LIDB accepts queries from other Network Elements and provides appropriate responses. The query originator need not be the owner of LIDB data. LIDB queries include functions such as screening billed numbers that provides the ability to accept Collect or Third Number Billing calls and validation of Telephone Line Number based non-proprietary calling cards. The interface for the LIDB functionality is the interface between BellSouth's CCS network and other CCS networks. LIDB also interfaces to administrative systems.

7.3.2 <u>Technical Requirements</u>

- 7.3.2.1 BellSouth will offer to Access Communications any additional capabilities that are developed for LIDB during the life of this Agreement.
- 7.3.2.2 BellSouth shall process Access Communications's customer records in LIDB at least at parity with BellSouth customer records, with respect to other LIDB functions. BellSouth shall indicate to Access Communications what additional functions (if any) are performed by LIDB in the BellSouth network.
- 7.3.2.3 Within two (2) weeks after a request by Access Communications, BellSouth shall provide Access Communications with a list of the customer data items, which Access Communications would have to provide in order to support each required LIDB function. The list shall indicate which data items are essential to LIDB function and which are required only to support certain services. For each data item, the list shall show the data formats, the acceptable values of the data item and the meaning of those values.
- 7.3.2.4 BellSouth shall provide LIDB systems for which operating deficiencies that would result in calls being blocked shall not exceed thirty (30) minutes per year.

- 7.3.2.5 BellSouth shall provide LIDB systems for which operating deficiencies that would not result in calls being blocked shall not exceed twelve (12) hours per year.
- 7.3.2.6 BellSouth shall provide LIDB systems for which the LIDB function shall be in overload no more than twelve (12) hours per year.
- 7.3.2.7 All additions, updates and deletions of Access Communications data to the LIDB shall be solely at the direction of Access Communications. Such direction from Access Communications will not be required where the addition, update or deletion is necessary to perform standard fraud control measures (e.g., calling card auto-deactivation).
- 7.3.2.8 BellSouth shall provide priority updates to LIDB for Access Communications data upon Access Communications's request (e.g., to support fraud detection), via password-protected telephone card, facsimile, or electronic mail within one (1) hour of notice from the established BellSouth contact.
- 7.3.2.9 BellSouth shall provide LIDB systems such that no more than 0.01% of Access Communications customer records will be missing from LIDB, as measured by Access Communications audits. BellSouth will audit Access Communications records in LIDB against Data Base Administration System (DBAS) to identify record mismatches and provide this data to a designated Access Communications contact person to resolve the status of the records and BellSouth will update system appropriately. BellSouth will refer record of mismatches to Access Communications within one (1) business day of audit. Once reconciled records are received back from Access Communications, BellSouth will update LIDB the same business day if less than five hundred (500) records are received before 1:00 p.m. Central Time. If more than five hundred (500) records are received, BellSouth will contact Access Communications to negotiate a time frame for the updates, not to exceed three (3) business days.
- 7.3.2.10 BellSouth shall perform backup and recovery of all of Access Communications's data in LIDB including sending to LIDB all changes made since the date of the most recent backup copy, in at least the same time frame BellSouth performs backup and recovery of BellSouth data in LIDB for itself. Currently, BellSouth performs backups of the LIDB for itself on a weekly basis; and when a new software release is scheduled, a backup is performed prior to loading the new release.
- 7.3.2.11 BellSouth shall provide Access Communications with LIDB reports of data which are missing or contain errors, as well as any misrouted errors, within a reasonable time period as negotiated between Access Communications and BellSouth.
- 7.3.2.12 BellSouth shall prevent any access to or use of Access Communications data in LIDB by BellSouth personnel that are outside of established administrative and

fraud control personnel, or by any other Party that is not authorized by Access Communications in writing.

- 7.3.2.13 BellSouth shall provide Access Communications performance of the LIDB Data Screening function, which allows a LIDB to completely or partially deny specific query originators access to LIDB data owned by specific data owners, for Customer Data that is part of an NPA-NXX or RAO-0/1XX wholly or partially owned by Access Communications at least at parity with BellSouth Customer Data. BellSouth shall obtain from Access Communications the screening information associated with LIDB Data Screening of Access Communications data in accordance with this requirement. BellSouth currently does not have LIDB Data Screening capabilities. When such capability is available, BellSouth shall offer it to Access Communications under the BFR/NBR Process as set forth in Attachment 11.
- 7.3.2.14 BellSouth shall accept queries to LIDB associated with Access Communications customer records and shall return responses in accordance with industry standards.
- 7.3.2.15 BellSouth shall provide mean processing time at the LIDB within 0.50 seconds under normal conditions as defined in industry standards.
- 7.3.2.16 BellSouth shall provide processing time at the LIDB within one (1) second for ninety-nine percent (99%) of all messages under normal conditions as defined in industry standards.
- 7.3.3 Interface Requirements
- 7.3.3.1 BellSouth shall offer LIDB in accordance with the requirements of this subsection.
- 7.3.3.2 The interface to LIDB shall be in accordance with the technical references contained within.
- 7.3.3.3 The CCS interface to LIDB shall be the standard interface described herein.
- 7.3.3.4 The LIDB Data Base interpretation of the ANSI-TCAP messages shall comply with the technical reference herein. Global Title Translation (GTT) shall be maintained in the signaling network in order to support signaling network routing to the LIDB.
- 7.3.3.5 The application of the LIDB rates contained in Exhibit A will be based on a Percent CLEC LIDB Usage (PCLU) factor. Access Communications shall provide BellSouth a PCLU. The PCLU will be applied to determine the percentage of total LIDB usage to be billed to the other Party at local rates. Access Communications shall update its PCLU on the first of January, April, July and October and shall send it to BellSouth to be received no later than thirty (30) calendar days after the first of each such month based on local usage for the past

Version: 4Q05 Standard ICA 01/25/06

three months ending the last day of December, March, June and September, respectively. Requirements associated with PCLU calculation and reporting shall be as set forth in BellSouth's Jurisdictional Factors Reporting Guide.

- Signaling. BellSouth shall offer access to signaling and access to BellSouth's signaling databases subject to compatibility testing and at the terms and conditions set forth in Attachment 3 and at the rates set forth in Exhibit A. BellSouth may provide mediated access to BellSouth signaling systems and databases. Available signaling elements include signaling links, STPs and SCPs. Signaling functionality will be available with both A-link and B-link connectivity.
- 7.4.1 <u>Signaling Link Transport.</u> Signaling Link Transport is a set of two (2) or four (4) dedicated 56 kbps transmission paths between Access Communications designated SPOI that provide appropriate physical diversity.
- 7.4.1.1 <u>Technical Requirements</u>
- 7.4.1.1.1 Signaling Link Transport shall consist of full duplex mode fifty-six (56) kbps transmission paths and shall perform in the following two (2) ways:
- 7.4.1.1.1 As an "A-link" Signaling Link Transport is a connection between a switch or SCP and a home STP switch pair; and
- 7.4.1.1.2 As a "B-link" Signaling Link Transport is a connection between two (2) STP switch pairs in different company networks (e.g., between two (2) STP switch pairs for two (2) CLECs).
- 7.4.1.2 Signaling Link Transport shall consist of two (2) or more signaling link layers as follows:
- 7.4.1.2.1 An A-link layer shall consist of two (2) links; and
- 7.4.1.2.2 A B-link layer shall consist of four (4) links.
- 7.4.1.3 A signaling link layer shall satisfy interoffice and intraoffice diversity of facilities and equipment, such that:
- 7.4.1.3.1 No single failure of facilities or equipment causes the failure of both links in an Alink layer (i.e., the links should be provided on a minimum of two (2) separate physical paths end-to-end); and
- 7.4.1.3.2 No two (2) concurrent failures of facilities or equipment shall cause the failure of all four (4) links in a B-link layer (i.e., the links should be provided on a minimum of three (3) separate physical paths end-to-end).

- 7.4.2 <u>Interface Requirements.</u> There shall be a DS1 (1.544 Mbps) interface at Access Communications's designated SPOIs. Each fifty-six (56) kbps transmission path shall appear as a DS0 channel within the DS1 interface.
- 7.4.3 STP. An STP is a signaling network function that includes all of the capabilities provided by the signaling transfer point switches and their associated signaling links that enables the exchange of SS7 messages among and between switching elements, database elements and signaling transfer point switches.
- 7.4.3.1 <u>Technical Requirements</u>
- 7.4.3.1.1 STPs shall provide access to BellSouth Local Switching or Tandem Switching and to BellSouth SCPs/Databases connected to BellSouth SS7 network. STPs also provide access to third party local or tandem switching and third party provided STPs.
- 7.4.3.1.2 The connectivity provided by STPs shall fully support the functions of all other Network Elements connected to the BellSouth SS7 network. This includes the use of the BellSouth SS7 network to convey messages that neither originate nor terminate at a signaling end point directly connected to the BellSouth SS7 network (i.e., transit messages). When the BellSouth SS7 network is used to convey transit messages, there shall be no alteration of the Integrated Services Digital Network User Part (ISDNUP) or Transaction Capabilities Application Part (TCAP) user data that constitutes the content of the message. Rates for ISDNUP and TCAP messages are as set forth in Exhibit A.
- 7.4.3.1.3 If a BellSouth tandem switch routes traffic, based on dialed or translated digits, on SS7 trunks between a Access Communications local switch and third party local switch, the BellSouth SS7 network shall convey the TCAP messages that are necessary to provide Call Management features (Automatic Callback, Automatic Recall, and Screening List Editing) between Access Communications local STPs and the STPs that provide connectivity with the third party local switch, even if the third party local switch is not directly connected to BellSouth STPs.
- 7.4.3.1.4 STPs shall provide all functions of the SCCP necessary for Class 0 (basic connectionless) service as defined in Telcordia ANSI Interconnection Requirements. This includes GTT and SCCP Management procedures, as specified in ANSI T1.112.4. Where the destination signaling point is a Access Communications or third party local or tandem switching system directly connected to BellSouth SS7 network, BellSouth shall perform final GTT of messages to the destination and SCCP Subsystem Management of the destination. In all other cases, BellSouth shall perform intermediate GTT of messages to a gateway pair of STPs in an SS7 network connected with BellSouth SS7 network and shall not perform SCCP Subsystem Management of the destination. If BellSouth performs final GTT to a Access Communications database, then Access

Communications agrees to provide BellSouth with the Destination Point Code for Access Communications database.

- 7.4.3.1.5 STPs shall provide all functions of the Operations, Maintenance and Administration Part (OMAP) as specified in applicable industry standard technical references, which may include, where available in BellSouth's network, MTP Routing Verification Test (MRVT) and SCCP Routing Verification Test (SRVT).
- 7.4.3.1.6 Where the destination signaling point is a BellSouth local or tandem switching system or database, or is a Access Communications or third party local or tandem switching system directly connected to the BellSouth SS7 network, STPs shall perform MRVT and SRVT to the destination signaling point. In all other cases, STPs shall perform MRVT and SRVT to a gateway pair of STPs in an SS7 network connected with the BellSouth SS7 network. This requirement may be superseded by the specifications for Internetwork MRVT and SRVT when these become approved ANSI standards and available capabilities of BellSouth STPs.

7.4.4 <u>SS7</u>

- 7.4.4.1 When technically feasible and upon request by Access Communications, SS7 AIN Access shall be made available in association with switching. SS7 AIN Access is the provisioning of AIN 0.1 triggers in an equipped BellSouth local switch and interconnection of the BellSouth SS7 network with Access Communications's SS7 network to exchange TCAP queries and responses with a Access Communications SCP.
- 7.4.4.2 SS7 AIN Access shall provide Access Communications SCP access to an equipped BellSouth local switch via interconnection of BellSouth's SS7 and Access Communications SS7 Networks. BellSouth shall offer SS7 AIN Access through its STPs. If BellSouth requires a mediation device on any part of its network specific to this form of access, BellSouth must route its messages in the same manner. The interconnection arrangement shall result in the BellSouth local switch recognizing the Access Communications SCP as at least at parity with BellSouth's SCPs in terms of interfaces, performance and capabilities.

7.4.4.3 Interface Requirements

- 7.4.4.3.1 BellSouth shall provide the following STP options to connect Access Communications or Access Communications-designated Local Switching systems to the BellSouth SS7 network:
- 7.4.4.3.1.1 An A-link interface from Access Communications Local Switching systems; and
- 7.4.4.3.1.2 A B-link interface from Access Communications local STPs.

- 7.4.4.3.2 Each type of interface shall be provided by one (1) or more layers of signaling links.
- 7.4.4.3.3 The SPOI for each link shall be located at a cross-connect element in the CO where the BellSouth STP is located. There shall be a DS1 or higher rate transport interface at each of the SPOIs. Each signaling link shall appear as a DS0 channel within the DS1 or higher rate interface.
- 7.4.4.3.4 BellSouth shall provide intraoffice diversity between the SPOI and BellSouth STPs so that no single failure of intraoffice facilities or equipment shall cause the failure of both B-links in a layer connecting to a BellSouth STP.
- 7.4.4.3.5 STPs shall provide all functions of the MTP as defined in the applicable industry standard technical references.

7.4.4.4 <u>Message Screening</u>

- 7.4.4.4.1 BellSouth shall set message screening parameters so as to accept valid messages from Access Communications local or tandem switching systems destined to any signaling point within BellSouth's SS7 network where the Access Communications switching system has a valid signaling relationship.
- 7.4.4.4.2 BellSouth shall set message screening parameters so as to pass valid messages from Access Communications local or tandem switching systems destined to any signaling point or network accessed through BellSouth's SS7 network where the Access Communications switching system has a valid signaling relationship.
- 7.4.4.4.3 BellSouth shall set message screening parameters so as to accept and pass/send valid messages destined to and from Access Communications from any signaling point or network interconnected through BellSouth's SS7 network where the Access Communications SCP has a valid signaling relationship.

7.4.5 SCP/Databases

- 7.4.5.1 Call Related Databases provide the storage of, access to, and manipulation of information required to offer a particular service and/or capability. BellSouth shall provide access to the following Databases: LNP, LIDB, Toll Free Number Database, ALI/DMS, and CNAM Database. BellSouth also provides access to SCE/SMS application databases and DA.
- 7.4.5.2 A SCP is deployed in a SS7 network that executes service application logic in response to SS7 queries sent to it by a switching system also connected to the SS7 network. SMS provides operational interfaces to allow for provisioning, administration and maintenance of subscriber data and service application data stored in SCPs.

7.4.5.3 Technical Requirements for SCPs/Databases

Version: 4Q05 Standard ICA 01/25/06

- 7.4.5.3.1 BellSouth shall provide physical access to SCPs through the SS7 network and protocols with TCAP as the application layer protocol.
- 7.4.5.3.2 BellSouth shall provide physical interconnection to databases via industry standard interfaces and protocols (e.g., SS7, ISDN and X.25).
- 7.4.5.3.3 The reliability of interconnection options shall be consistent with requirements for diversity and survivability.
- 7.5 <u>LNP Database.</u> The Permanent Number Portability (PNP) database supplies routing numbers for calls involving numbers that have been ported from one local service provider to another. BellSouth agrees to provide access to the PNP database at rates, terms and conditions as set forth by BellSouth and in accordance with an effective FCC or Commission directive.

7.6 <u>CNAM Database Service</u>

- 7.6.1 CNAM is the ability to associate a name with the calling party number, allowing the customer (to which a call is being terminated) to view the calling party's name before the call is answered. The calling party's information is accessed by queries launched to the CNAM database. This service also provides Access Communications the opportunity to load and store its subscriber names in the BellSouth CNAM SCPs.
- 7.6.2 Access Communications shall submit to BellSouth a notice of its intent to access and utilize BellSouth CNAM Database Services. Said notice shall be in writing no less than sixty (60) days prior to Access Communications's access to BellSouth's CNAM Database Services and shall be addressed to Access Communications's Local Contract Manager.
- 7.6.2.1 Access Communications's customers' names and numbers related to UNE-P Services and shall be stored in the BellSouth CNAM database, and shall be available, on a per query basis only, to all entities that launch queries to the BellSouth CNAM database. BellSouth, at its sole discretion, may opt to interconnect with and query other calling name databases. In the event BellSouth does not query a third party calling name database that stores the calling party's information, BellSouth cannot deliver the calling party's information to a called customer. In addition, BellSouth cannot deliver the calling party's information where the calling party subscribes to any service that would block or otherwise cause the information to be unavailable.
- 7.6.2.2 For each Access Communications customer that subscribes to a switch based vertical feature providing calling name information to that customer for calls received, BellSouth will launch a query on a per call basis to the BellSouth CNAM database, or, subject to Section 7.6.2.1 above, to a third party calling name database, to provide calling name information, if available, to Access

Version: 4Q05 Standard ICA

Communications's customer. Access Communications shall pay the rates set forth in Exhibit A, on a per query basis, for each query to the BellSouth CNAM database made on behalf of an Access Communications customer that subscribes to the appropriate vertical features that support Caller ID or a variation thereof. In addition, Access Communications shall reimburse BellSouth for any charges BellSouth pays to third party calling name database providers for queries launched to such database providers for the benefit of Access Communications's customers.

7.6.3 BellSouth shall bill for CNAM queries the rate set forth in Exhibit A. In the event BellSouth is unable to bill per query, BellSouth shall bill Access Communications at the applicable rates set forth in Exhibit A based on a surrogate of two hundred and fifty-six (256) database queries per month per Access Communications's customers with the Caller ID feature.

7.7 <u>SCE/SMS AIN Access</u>

- 7.7.1 BellSouth's SCE/SMS AIN Access shall provide Access Communications the capability to create service applications in a BellSouth SCE and deploy those applications in a BellSouth SMS to a BellSouth SCP.
- 7.7.2 BellSouth's SCE/SMS AIN Access shall provide access to SCE hardware, software, testing and technical support (e.g., help desk, system administrator) resources available to Access Communications. Training, documentation, and technical support will address use of SCE and SMS access and administrative functions but will not include support for the creation of a specific service application.
- 7.7.3 BellSouth SCP shall partition and protect Access Communications service logic and data from unauthorized access.
- 7.7.4 When Access Communications selects SCE/SMS AIN Access, BellSouth shall provide training, documentation, and technical support to enable Access Communications to use BellSouth's SCE/SMS AIN Access to create and administer applications.
- 7.7.5 Access Communications access will be provided via remote data connection (e.g., dial-in, ISDN).
- 7.7.6 BellSouth shall allow Access Communications to download data forms and/or tables to BellSouth SCP via BellSouth SMS without intervention from BellSouth.

8 Automatic Location Identification/Data Management System

8.1 911 and E911 Databases

- 8.1.1 BellSouth shall provide Access Communications with nondiscriminatory access to 911 and E911 databases on an unbundled basis, in accordance with 47 C.F.R. § 51.319 (f).
- 8.1.2 The ALI/DMS database contains customer information (including name, address, telephone information, and sometimes special information from the local service provider or customer) used to determine to which PSAP to route the call. The ALI/DMS database is used to provide enhanced routing flexibility for E911. Access Communications will be required to provide the BellSouth 911 database vendor daily service order updates to E911 database in accordance with Section 8.2.1 below.

8.2 Technical Requirements

- 8.2.1 BellSouth's 911 database vendor shall provide Access Communications the capability of providing updates to the ALI/DMS database through a specified electronic interface. Access Communications shall contact BellSouth's 911 database vendor directly to request interface. Access Communications shall provide updates directly to BellSouth's 911 database vendor on a daily basis. Updates shall be the responsibility of Access Communications and BellSouth shall not be liable for the transactions between Access Communications and BellSouth's 911 database vendor.
- 8.2.2 It is Access Communications's responsibility to retrieve and confirm statistical data and to correct errors obtained from BellSouth's 911 database vendor on a daily basis. All errors will be assigned a unique error code and the description of the error and the corrective action is described in the CLEC Users Guide for Facility Based Providers that is found on the BellSouth Interconnection Web site.
- 8.2.3 Access Communications shall conform to the BellSouth standards as described in the CLEC Users Guide to E911 for Facilities Based Providers that is located on the BellSouth's Interconnection Web site:

 www.interconnection.bellsouth.com/guides.
- 8.2.4 Stranded Unlocks are defined as customer records in BellSouth's ALI/DMS database that have not been migrated for over ninety (90) days to Access Communications, as a new provider of local service to the customer. Stranded Unlocks are those customer records that have been "unlocked" by the previous local exchange carrier that provided service to the customer and are open for Access Communications to assume responsibility for such records.
- 8.2.5 Based upon customer record ownership information available in the NPAC database, BellSouth shall provide a Stranded Unlock annual report to Access Communications that reflects all Stranded Unlocks that remain in the ALI/DMS database for over ninety (90) days. Access Communications shall review the Stranded Unlock report, identify its customer records and request to either delete

Version: 4Q05 Standard ICA

such records or migrate the records to Access Communications within two (2) months following the date of the Stranded Unlock report provided by BellSouth. Access Communications shall reimburse BellSouth for any charges BellSouth's database vendor imposes on BellSouth for the deletion of Access Communications's records.

- 8.3 <u>911 PBX Locate Service®</u>. 911 PBX Locate Service is comprised of a database capability and a separate transport component.
- 8.3.1 <u>Description of Product.</u> The transport component provides a dedicated trunk path from a Private Branch Exchange (PBX) switch to the appropriate BellSouth 911 tandem.
- 8.3.1.1 The database capability allows Access Communications to offer an E911 service to its PBX end users that identifies to the PSAP the physical location of the Access Communications PBX 911 end user station telephone number for the 911 call that is placed by the end user.
- 8.3.2 Access Communications may order either the database capability or the transport component as desired or Access Communications may order both components of the service.
- 8.3.3 <u>911 PBX Locate Database Capability.</u> Access Communications's end user or Access Communications's end user's database management agent (DMA) must provide the end user PBX station telephone numbers and corresponding address and location data to BellSouth's 911 database vendor. The data will be loaded and maintained in BellSouth's ALI database.
- 8.3.4 Ordering, provisioning, testing and maintenance shall be provided by Access Communications pursuant to the 911 PBX Locate Marketing Service Description (MSD) that is located on the BellSouth Interconnection Web site.
- 8.3.5 Access Communications's end user, or Access Communications's end user DMA must provide ongoing updates to BellSouth's 911 database vendor within a commercially reasonable timeframe of all PBX station telephone number adds, moves and deletions. It will be the responsibility of Access Communications to ensure that the end user or DMA maintain the data pertaining to each end user's extension managed by the 911 PBX Locate Service product. Access Communications should not submit telephone number updates for specific PBX station telephone numbers that are submitted by Access Communications's end user, or Access Communications's end user DMA under the terms of 911 PBX Locate product.
- 8.3.5.1 Access Communications must provision all PBX station numbers in the same LATA as the E911 tandem.

- 8.3.6 Access Communications agrees to release, indemnify, defend and hold harmless BellSouth from any and all loss, claims, demands, suits, or other action, or any liability whatsoever, whether suffered, made, instituted or asserted by Access Communications's end user or by any other party or person, for any personal injury to or death of any person or persons, or for any loss, damage or destruction of any property, whether owned by Access Communications or others, or for any infringement or invasion of the right of privacy of any person or persons, caused or claimed to have been caused, directly or indirectly, by the installation, operation, failure to operate, maintenance, removal, presence, condition, location or use of PBX Locate Service features or by any services which are or may be furnished by BellSouth in connection therewith, including but not limited to the identification of the telephone number, address or name associated with the telephone used by the party or parties accessing 911 services using 911 PBX Locate Service hereunder, except to the extent caused by BellSouth's gross negligence or wilful misconduct. Access Communications is responsible for assuring that its authorized end users comply with the provisions of these terms and that unauthorized persons do not gain access to or use the 911 PBX Locate Service through user names, passwords, or other identifiers assigned to Access Communications's end user or DMA pursuant to these terms. Specifically, Access Communications's end user or DMA must keep and protect from use by any unauthorized individual identifiers, passwords, and any other security token(s) and devices that are provided for access to this product.
- 8.3.7 Access Communications may only use BellSouth PBX Locate Service solely for the purpose of validating and correcting 911 related data for Access Communications's end users' telephone numbers for which it has direct management authority.
- 8.3.8 <u>911 PBX Locate Transport Component.</u> The 911 PBX Locate Service transport component requires Access Communications to order a CAMA type dedicated trunk from Access Communications's end user premise to the appropriate BellSouth 911 tandem pursuant to the following provisions.
- 8.3.8.1 Except as otherwise set forth below, a minimum of two (2) end user specific, dedicated 911 trunks are required between the Access Communications's end user premise and the BellSouth 911 tandem as described in BellSouth's TR 73576 and in accordance with the 911 PBX Locate Marketing Service Description located on the BellSouth Interconnection Web site. Access Communications is responsible for connectivity between the end user's PBX and Access Communications's switch or POP location. Access Communications will then order 911 trunks from their switch or POP location to the BellSouth 911 tandem. The dedicated trunks shall be, at a minimum, DS0 level trunks configured as part of a digital interface (delivered over a Access Communications purchased DS1 facility that hands off at a DS1 or higher level digital or optical interface). Access Communications is responsible for ensuring that the PBX switch is capable of sending the calling

Version: 4Q05 Standard ICA

station's Direct Inward Dial (DID) telephone number to the BellSouth 911 tandem in a specified Multi-frequency (MF) Address Signaling Protocol. If the PBX switch supports Primary Rate ISDN (PRI) and the calling stations are DID numbers, then the 911 call can be transmitted using PRI, and there will be no requirement for the PBX Locate Transport component.

- 8.3.9 Ordering and Provisioning. Access Communications will submit an Access Service Request (ASR) to BellSouth to order a minimum of two (2) end user specific 911 trunks from its switch or POP location to the BellSouth 911 tandem.
- 8.3.9.1 Testing and maintenance shall be provided by Access Communications pursuant to the 911 PBX Locate Marketing Service description that is located on the BellSouth Interconnection Web site.
- 8.3.10 Rates. Rates for the 911 PBX Locate Service database component are set forth in Exhibit A. Trunks and facilities for 911 PBX Locate transport component may be ordered by Access Communications pursuant to the terms and conditions set forth in Attachment 3.

9 White Page Listings

- 9.1 BellSouth shall provide Access Communications and its customers access to white pages directory listings under the following terms:
- 9.1.1 <u>Listings.</u> Access Communications shall provide all new, changed and deleted listings on a timely basis and BellSouth or its agent will include Access Communications residential and business customer listings in the appropriate White Pages (residential and business) or alphabetical directories in the geographic areas covered by this Agreement. Directory listings will make no distinction between Access Communications and BellSouth customers. Access Communications shall provide listing information in accordance with the procedures set forth in The BellSouth Business Rules for Local Ordering found at BellSouth's Interconnection Web site.
- 9.1.2 <u>Unlisted/Non-Published Customers.</u> Access Communications will be required to provide to BellSouth the names, addresses and telephone numbers of all Access Communications customers who wish to be omitted from directories. Unlisted/Non-Published listings will be subject to the rates as set forth in BellSouth's GSST and shall not be subject to wholesale discount.
- 9.1.3 <u>Inclusion of Access Communications Customers in Directory Assistance Database.</u>
 BellSouth will include and maintain Access Communications customer listings in BellSouth's Directory Assistance databases. Access Communications shall provide such Directory Assistance listings to BellSouth at no charge.

Version: 4Q05 Standard ICA

- 9.1.4 <u>Listing Information Confidentiality.</u> BellSouth will afford Access Communications's directory listing information the same level of confidentiality that BellSouth affords its own directory listing information.
- 9.1.5 <u>Additional and Designer Listings.</u> Additional and designer listings will be offered by BellSouth at tariffed rates as set forth in BellSouth's GSST and shall not be subject to the wholesale discount.
- 9.1.6 Rates. So long as Access Communications provides listing information to BellSouth as set forth in Section 9.1.1 above, BellSouth shall provide to Access Communications one (1) basic White Pages directory listing per Access Communications customer at no charge other than applicable service order charges as set forth in BellSouth's tariffs. Except in the case of an LSR submitted solely to port a number from BellSouth, if such listing is requested on the initial LSR associated with the request for services, a single manual service order charge or electronic service order charge, as appropriate, as described in Attachment 6, will apply to both the request for service and the request for the directory listing. Where a subsequent LSR is placed solely to request a directory listing, or is placed to port a number and request a directory listing, separate service order charges as set forth in BellSouth's tariffs shall apply, as well as the manual service order charge or the electronic service order charge, as appropriate, as described in Attachment 6.
- 9.2 <u>Directories.</u> BellSouth or its agent shall make available White Pages directories to Access Communications customer at no charge or as specified in a separate agreement between Access Communications and BellSouth's agent.
- 9.3 Procedures for submitting Access Communications Subscriber Listing Information (SLI) are found in The BellSouth Business Rules for Local Ordering found at BellSouth's Interconnection Web site.
- 9.3.1 Access Communications authorizes BellSouth to release all Access
 Communications SLI provided to BellSouth by Access Communications to
 qualifying third parties pursuant to either a license agreement or BellSouth's
 Directory Publishers Database Service (DPDS), GSST. Such Access
 Communications SLI shall be intermingled with BellSouth's own customer listings
 and listings of any other CLEC that has authorized a similar release of SLI.
- 9.3.2 No compensation shall be paid to Access Communications for BellSouth's receipt of Access Communications SLI, or for the subsequent release to third parties of such SLI. In addition, to the extent BellSouth incurs costs to modify its systems to enable the release of Access Communications's SLI, or costs on an ongoing basis to administer the release of Access Communications SLI, Access Communications shall pay to BellSouth its proportionate share of the reasonable costs associated therewith. At any time that costs may be incurred to administer the release of Access Communications's SLI, Access Communications will be notified. If

Version: 4Q05 Standard ICA

Access Communications does not wish to pay its proportionate share of these reasonable costs, Access Communications may instruct BellSouth that it does not wish to release its SLI to independent publishers, and Access Communications shall amend this Agreement accordingly. Access Communications will be liable for all costs incurred until the effective date of the agreement.

- 9.3.3 Neither BellSouth nor any agent shall be liable for the content or accuracy of any SLI provided by Access Communications under this Agreement. Access Communications shall indemnify, except to the extent caused by BellSouth's gross negligence or willful misconduct, hold harmless and defend BellSouth and its agents from and against any damages, losses, liabilities, demands, claims, suits, judgments, costs and expenses (including but not limited to reasonable attorneys' fees and expenses) arising from BellSouth's tariff obligations or otherwise and resulting from or arising out of any third party's claim of inaccurate Access Communications listings or use of the SLI provided pursuant to this Agreement. BellSouth may forward to Access Communications any complaints received by BellSouth relating to the accuracy or quality of Access Communications listings.
- 9.3.4 Listings and subsequent updates will be released consistent with BellSouth system changes and/or update scheduling requirements.

UNRU	NDI ED N	ETWORK ELEMENTS - Alabama												Attachment:	2 Exh Δ	l	
ONDO	NOLLD I	ETWORK EELMENTO - Alabama					1					Svc Order	Svc Order	Incremental		Incremental	Incremental
												Submitted			Charge -	Charge -	Charge -
												Elec	Manually		Manual Svc		Manual Svc
CATE	GORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		····	m						- ()			per LSK	per LOK	Electronic-	Electronic-	Electronic-	Electronic-
																Disc 1st	Disc Add'l
														1st	Add'l	DISC 1St	DISC Add I
								Nonrec	curring	Nonrecurring	Disconnect		•	oss	Rates(\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	The "Zo	one" shown in the sections for stand-alone loops or loops as	part of	a comb	ination refers to Ge	ographically	Deaveraged U	NE Zones. To	view Geograp	hically Deavera	aged UNE Zone	Designation	ns by Cent	ral Office, refe	er to internet	Website:	
		ww.interconnection.bellsouth.com/become_a_clec/html/inter					_			-	_	-	-				
OPER		SUPPORT SYSTEMS (OSS) - "REGIONAL RATES"															
		1) CLEC should contact its contract negotiator if it prefers th	ne "state	specif	ic" OSS charges as	ordered by t	he State Comm	nissions. The C	OSS charges c	urrently contain	ned in this rate	e exhibit are	the BellSo	uth "regional	" service orde	ring charges.	CLEC may
		ther the state specific Commission ordered rates for the servi															
		2) Any element that can be ordered electronically will be bill															
		nnot be ordered electronically at present per the LOH, the list															
		OSS - Electronic Service Order Charge, Per Local Service					1								1		J J . ,
1		Request (LSR) - UNE Only	1			SOMEC		3.50	0.00	3.50	0.00						
		OSS - Manual Service Order Charge, Per Local Service Request					İ		2.30	2.30	2.50			İ	İ	İ	
1		(LSR) - UNE Only	1			SOMAN]	15.66	0.00	1.97	0.00				Ì		
UNE S	ERVICE	DATE ADVANCEMENT CHARGE	†					12.00	2.00		2.00				1		
0.12		The Expedite charge will be maintained commensurate with	BellSou	ıth's FC	C No.1 Tariff. Section	n 5 as appli	cable.	l l		l .	l .	1	1	l .	1	l .	
			1	1	UAL, UEANL, UCL,	5 ac appir	<u></u>			1	1	1	1	1	1	1	
					UEF, UDF, UEQ,												
					UDL, UENTW, UDN,												
					UEA, UHL, ULC,												
					USL, U1T12, U1T48,												
					U1TD1, U1TD3,												
					U1TDX, U1TO3,												
					U1TS1, U1TVX,												
					UC1BC, UC1BL,												
					UC1CC, UC1CL,												
					UC1DC, UC1DL,												
					UC1EC, UC1EL,												
					UC1FC, UC1FL,												
					UC1GC, UC1GL,												
					UC1HC, UC1HL,												
					UDL12, UDL48,												
					UDLO3, UDLSX, UE3. ULD12.												
					ULD48. ULDD1.												
					ULDD3, ULDDX,												
					ULDO3, ULDS1, ULDVX, UNC1X.												
1			1		UNC3X, UNCDX,												
1			1		UNCNX, UNCSX,												
			1		UNCVX, UNLD1,							1	1				
			1		UNLD3, UXTD1,							1	1				
			1		UXTD3, UXTS1,							1	1				
			1		U1TUC, U1TUD,							1	1				
		LINE English Observed Observed Andrew Market	1		U1TUB, U1TUA,							1	1				
		UNE Expedite Charge per Circuit or Line Assignable USOC, per	1		NTCVG, NTCUD,	00.00						1	1				
0555	D MCD:	Day CHARGE	!	1	NTCD1	SDASP	1	200.00		ļ	ļ			1		1	
OKDE		ICATION CHARGE	1	1			 	05.40	0.00	0.00	2.00			-	1	-	
<u> </u>	1	Order Modification Charge (OMC)	!	1			1	35.13	0.00	0.00	0.00			1		1	
LINESCO	NDI ED -	Order Modification Additional Dispatch Charge (OMCAD)	!	1			1	150.00	0.00	0.00	0.00			1		1	
ONBO		XCHANGE ACCESS LOOP	!	1			1			ļ	ļ			1		1	
<u> </u>	2-WIRE	ANALOG VOICE GRADE LOOP	!	1			1			ļ	ļ			1		1	
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or	1									1	1				
<u> </u>		Ground Start Signaling - Zone 1	ļ	1	UEA	UEAL2	14.38	88.00	55.00	47.24	7.44				ļ		
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or	1								_						
L		Ground Start Signaling - Zone 2	ļ	2	UEA	UEAL2	22.85	88.00	55.00	47.24	7.44						
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or	1														
<u> </u>		Ground Start Signaling - Zone 3	ļ	3	UEA	UEAL2	36.14	88.00	55.00	47.24	7.44				ļ		
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse	1]								Ì		
		Battery Signaling - Zone 1		1	UEA	UEAR2	14.38	88.00	55.00	47.24	7.44						

Version 4Q05 Standard ICA 03/15/06 (Renegotiations)

Page 1 of 261

UNBUNDLED	NETWORK ELEMENTS - Alabama												Attachment:	2 Exh A		
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Svc Order Submitted Manually per LSR			Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
							Nonrec		Nonrecurring					Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse		_	UEA	UEAR2	22.85	88.00	55.00	47.24	7.44						
	Battery Signaling - Zone 2 2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse			UEA	UEAR2	22.85	88.00	55.00	41.24	7.44						
	Battery Signaling - Zone 3 Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per		3	UEA	UEAR2	36.14	88.00	55.00	47.24	7.44						
	DS0)			UEA	URESL		24.89	3.51								
	Switch-As-Is Conversion rate per UNE Loop, Spreadsheet (per DS0)			UEA	URESP		26.37	4.99								
	CLEC to CLEC Conversion Charge without outside dispatch			UEA	UREWO		87.72	36.36	†							
	Loop Tagging - Service Level 2 (SL2)			UEA	URETL		11.21	1.10								
4-WIR	E ANALOG VOICE GRADE LOOP								i i							
	4-Wire Analog Voice Grade Loop - Zone 1		1	UEA	UEAL4	25.34	131.97	94.51	59.14	14.50						
	4-Wire Analog Voice Grade Loop - Zone 2		2	UEA	UEAL4	38.58	131.97	94.51	59.14	14.50						
	4-Wire Analog Voice Grade Loop - Zone 3		3	UEA	UEAL4	60.02	131.97	94.51	59.14	14.50						
	Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per DS0)			UEA	URESL		24.89	3.51								
	Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per								ĺ							
	DS0)			UEA	URESP		26.37	4.99								
	CLEC to CLEC Conversion Charge without outside dispatch			UEA	UREWO		87.72	36.36								
2-WIR	E ISDN DIGITAL GRADE LOOP		<u> </u>		1141.614	21.22										
	2-Wire ISDN Digital Grade Loop - Zone 1	<u> </u>		UDN	U1L2X	21.88	117.24	79.77	52.88	10.54						
	2-Wire ISDN Digital Grade Loop - Zone 2			UDN	U1L2X	32.85	117.24	79.77	52.88	10.54						
	2-Wire ISDN Digital Grade Loop - Zone 3 CLEC to CLEC Conversion Charge without outside dispatch		3	UDN UDN	U1L2X UREWO	48.55	117.24 91.63	79.77 44.16	52.88	10.54						
2.WID	E ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMP	ATIDI	1 000		UKEWU		91.03	44.16								
2-4411	2 Wire Unbundled ADSL Loop including manual service inquiry	ATIBLE	LOOF													
	& facility reservation - Zone 1		1	UAL	UAL2X	11.01	110.00	68.00	47.24	7.44						
	2 Wire Unbundled ADSL Loop including manual service inquiry & facility reservation - Zone 2		2	UAL	UAL2X	12.73	110.00	68.00	47.24	7.44						
	2 Wire Unbundled ADSL Loop including manual service inquiry					44.00										
	& facility reservation - Zone 3		3	UAL	UAL2X	14.30	110.00	68.00	47.24	7.44						
	2 Wire Unbundled ADSL Loop without manual service inquiry & facility reservaton - Zone 1		1	UAL	UAL2W	11.01	90.00	57.00	47.24	7.44						
	2 Wire Unbundled ADSL Loop without manual service inquiry & facility reservaton - Zone 2		2	UAL	UAL2W	12.73	90.00	57.00	47.24	7.44						
i l	2 Wire Unbundled ADSL Loop without manual service inquiry &															
	facility reservaton - Zone 3		3	UAL	UAL2W	14.30	90.00	57.00	47.24	7.44						
	CLEC to CLEC Conversion Charge without outside dispatch			UAL	UREWO		86.20	40.40								
2-WIR	E HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	HIBLE	LOOP		_		-		 				 		 	
1	Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 1		1	UHL	UHL2X	8.74	110.00	68.00	47.24	7.44						
	2 Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 2		2	UHL	UHL2X	10.17	110.00	68.00	47.24	7.44						
	2 Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 3		3	UHL	UHL2X	11.44	110.00	68.00	47.24	7.44						
	2 Wire Unbundled HDSL Loop without manual service inquiry															
 	and facility reservation - Zone 1 2 Wire Unbundled HDSL Loop without manual service inquiry			UHL	UHL2W	8.74	90.00	57.00	47.24	7.44						
	and facility reservation - Zone 2 2 Wire Unbundled HDSL Loop without manual service inquiry			UHL	UHL2W	10.17	90.00	57.00	47.24	7.44						
	and facility reservation - Zone 3		3	UHL	UHL2W	11.44	90.00	57.00	47.24	7.44						
	CLEC to CLEC Conversion Charge without outside dispatch			UHL	UREWO		86.14	40.40								
4-WIR	E HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIBLE	LOOP													
	4 Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 1		1	UHL	UHL4X	13.95	148.36	68.00	51.70	9.73						
	4-Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 2		2	UHL	UHL4X	15.56	148.36	68.00	51.70	9.73						
	4-Wire Unbundled HDSL Loop including manual service inquiry								ĺ							
	and facility reservation - Zone 3	1	3	UHL	UHL4X	15.25	148.36	68.00	51.70	9.73						

UNBUNDLED	NETWORK ELEMENTS - Alabama												Attachment:	2 Exh A		
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
															2.00 .01	2.007.444.
							Nonred		Nonrecurring					Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	4-Wire Unbundled HDSL Loop without manual service inquiry															
	and facility reservation - Zone 1		1	UHL	UHL4W	13.95	94.00	57.00	51.70	9.73						
	4-Wire Unbundled HDSL Loop without manual service inquiry		_													
	and facility reservation - Zone 2	<u> </u>	2	UHL	UHL4W	15.56	94.00	57.00	51.70	9.73						
	4-Wire Unbundled HDSL Loop without manual service inquiry		_		11111 4147	45.05	04.00	F7.00	54.70	0.72						
	and facility reservation - Zone 3			UHL	UHL4W	15.25	94.00	57.00	51.70	9.73						
4 14/15	CLEC to CLEC Conversion Charge without outside dispatch			UHL	UREWO		86.14	40.40								
4-WIR	4-Wire DS1 Digital Loop - Zone 1		1	USL	USLXX	82.55	252.47	157.54	44.70	11.71	1					
	4-Wire DS1 Digital Loop - Zone 2			USL	USLXX	154.18	252.47	157.54	44.70	11.71	1					
	4-Wire DS1 Digital Loop - Zone 3			USL	USLXX	314.52	252.47	157.54	44.70	11.71	1					
	Switch-As-Is Conversion rate per UNE Loop, single LSR, (per		-	001	COLDU	014.02	202.41	107.04	44.70	11.71						1
	DS1)			USL	URESL		24.89	3.51								
	Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per						200	3.31					1	1		1
	DS1)			USL	URESP		26.37	4.99								
	CLEC to CLEC Conversion Charge without outside dispatch			USL	UREWO		101.09	43.05								
4-WIR	RE 19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP															
	4 Wire Unbundled Digital Loop 2.4 Kbps - Zone 1		1	UDL	UDL2X	26.09	126.27	88.80	59.14	14.50						
	4 Wire Unbundled Digital Loop 2.4 Kbps - Zone 2		2	UDL	UDL2X	35.95	126.27	88.80	59.14	14.50						
	4 Wire Unbundled Digital Loop 2.4 Kbps - Zone 3			UDL	UDL2X	37.88	126.27	88.80	59.14	14.50						
	4 Wire Unbundled Digital Loop 4.8 Kbps - Zone 1			UDL	UDL4X	26.09	126.27	88.80	59.14	14.50						
	4 Wire Unbundled Digital Loop 4.8 Kbps - Zone 2			UDL	UDL4X	35.95	126.27	88.80	59.14	14.50						
	4 Wire Unbundled Digital Loop 4.8 Kbps - Zone 3			UDL	UDL4X	37.88	126.27	88.80	59.14	14.50						
	4 Wire Unbundled Digital Loop 9.6 Kbps - Zone 1			UDL	UDL9X	26.09	126.27	88.80	59.14	14.50						
	4 Wire Unbundled Digital Loop 9.6 Kbps - Zone 2			UDL	UDL9X	35.95	126.27	88.80	59.14	14.50						
	4 Wire Unbundled Digital Loop 9.6 Kbps - Zone 3			UDL	UDL9X	37.88	126.27	88.80	59.14	14.50						
	4 Wire Unbundled Digital 19.2 Kbps - Zone 1			UDL	UDL19	26.09	126.27	88.80	59.14	14.50						
	4 Wire Unbundled Digital 19.2 Kbps - Zone 2 4 Wire Unbundled Digital 19.2 Kbps - Zone 3			UDL UDL	UDL19 UDL19	35.95 37.88	126.27 126.27	88.80 88.80	59.14 59.14	14.50 14.50						
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 1			UDL	UDL19	26.09	126.27	88.80	59.14	14.50	1					
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 1			UDL	UDL56	35.95	126.27	88.80	59.14	14.50						
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 3			UDL	UDL56	37.88	126.27	88.80	59.14	14.50	1					
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 1			UDL	UDL64	26.09	126.27	88.80	59.14	14.50						1
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 2			UDL	UDL64	35.95	126.27	88.80	59.14	14.50						1
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 3			UDL	UDL64	37.88	126.27	88.80	59.14	14.50						
	Switch-As-Is Conversion rate per UNE Loop, single LSR, (per					000										
	DS0)			UDL	URESL		24.89	3.51								
	Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per															
	DS0)	<u> </u>		UDL	URESP		26.37	4.99					<u> </u>		<u> </u>	<u> </u>
	CLEC to CLEC Conversion Charge without outside dispatch			UDL	UREWO		102.13	49.75								
2-WIR	RE Unbundled COPPER LOOP															
	2-Wire Unbundled Copper Loop-Designed including manual															
	service inquiry & facility reservation - Zone 1		1	UCL	UCLPB	11.01	112.46	65.30	47.24	7.44						
	2-Wire Unbundled Copper Loop-Designed including manual															
	service inquiry & facility reservation - Zone 2		2	UCL	UCLPB	12.73	112.46	65.30	47.24	7.44						
	2 Wire Unbundled Copper Loop-Designed including manual		_													
	service inquiry & facility reservation - Zone 3		3	UCL	UCLPB	14.30	112.46	65.30	47.24	7.44						
	2-Wire Unbundled Copper Loop-Designed without manual			LICI	LICI DW	44.04	04.40	54.00	47.04	7.44						
	service inquiry and facility reservation - Zone 1 2-Wire Unbundled Copper Loop-Designed without manual	 	1	UCL	UCLPW	11.01	91.46	54.30	47.24	7.44	1		-	-		
1	service inquiry and facility reservation - Zone 2	1	2	UCL	UCLPW	12.73	91.46	54.30	47.24	7.44			1	1		
+	2-Wire Unbundled Copper Loop-Designed without manual	 		JOL	OOLF W	12.13	31.40	54.50	41.24	7.44	 		1	1	1	1
	service inquiry and facility reservation - Zone 3	1	3	UCL	UCLPW	14.30	91 46	54.30	47.24	7.44			1	1		
 	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC	14.50	8.15	8.15	77.24		1					t
t t	CLEC to CLEC Conversion Charge without outside dispatch						50	3.70					1	1		1
1	(UCL-Des)			UCL	UREWO		97.23	42.48								
4-WIR	RE COPPER LOOP					i			i				İ		İ	1
	4-Wire Copper Loop-Designed including manual service inquiry															
	and facility reservation - Zone 1	1	1	UCL	UCL4S	17.36	114.21	67.05	51.70	9.73		İ	l	Ì		

UNBUNDI ED	NETWORK ELEMENTS - Alabama												Attachment:	2 Fyh Δ		
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted	Incremental		Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
							Nonrec	urring	Nonrecurring	Disconnect			oss	Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	4-Wire Copper Loop-Designed including manual service inquiry															
	and facility reservation - Zone 2		2	UCL	UCL4S	20.76	135.21	88.05	51.70	9.73						i
	4-Wire Copper Loop-Designed including manual service inquiry and facility reservation - Zone 3		3	UCL	UCL4S	28.21	135.21	88.05	51.70	9.73						
	4-Wire Copper Loop-Designed without manual service inquiry and facility reservation - Zone 1		1	UCL	UCL4W	17.36	114.21	67.05	51.70	9.73						
	4-Wire Copper Loop-Designed without manual service inquiry															
	and facility reservation - Zone 2		2	UCL	UCL4W	20.76	114.21	67.05	51.70	9.73						
	4-Wire Copper Loop-Designed without manual service inquiry and facility reservation - Zone 3		2	UCL	UCL4W	28.21	114.21	67.05	51.70	9.73						1
—	Order Coordination for Unbundled Copper Loops (per loop)		3	UCL	UCL4VV UCLMC	28.21	8.15	8.15	51.70	9.73						\vdash
 	CLEC to CLEC conversion Charge without outside dispatch	 		UCL	UREWO		97.23	42.48								
	5225 to 6225 conversion onlyge without outside dispatch	1		UEA, UDN, UAL,	JIKE 110	-	31.23	72.40								
	Order Coordination for Specified Conversion Time (per LSR)	1		UHL, UDL, USL	OCOSL		18.90									1
Rearra	angements			. ,												
	EEL to UNE-L Retermination, per 2 Wire Unbundled Voice Loop-															
	SL2			UEA	UREEL		87.72	36.36								
																1
	EEL to UNE-L Retermination, per 4 Wire Unbundled Voice Loop			UEA	UREEL		87.72	36.36								\longleftarrow
-	EEL to UNE-L Retermination, per 2 Wire ISDN Loop EEL to UNE-L Retermination, per 4 Wire Unbundled Digital			UDN	UREEL		91.63	44.16	-							
	Loop			UDL	UREEL		102.13	49.75								1
	EEL to UNE-L Retermination, per 4 Wire Unbundled DS1 Loop			USL	UREEL		102.13	43.05	1							
UNE LOOP CO	OMMINGLING			002	OKELL		101.00	40.00								
	E ANALOG VOICE GRADE LOOP - COMMINGLING															
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or															
	Ground Start Signaling - Zone 1		1	NTCVG	UEAL2	14.38	88.00	55.00	47.24	7.44						
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 2		2	NTCVG	UEAL2	22.85	88.00	55.00	47.24	7.44						
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or			NTOVO		00.44	00.00	55.00	47.04	7.44						i l
-	Ground Start Signaling - Zone 3	1	3	NTCVG	UEAL2	36.14	88.00	55.00	47.24	7.44						
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 1		1	NTCVG	UEAR2	14.38	88.00	55.00	47.24	7.44						
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 2		2	NTCVG	UEAR2	22.85	88.00	55.00	47.24	7.44						i
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse	1		ITTOVO	OL7 II (Z	22.00	00.00	00.00	77.27	7						
	Battery Signaling - Zone 3		3	NTCVG	UEAR2	36.14	88.00	55.00	47.24	7.44						1
	Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per															
	DS0)			NTCVG	URESL		24.89	3.51								
	Switch-As-Is Conversion rate per UNE Loop, Spreadsheet (per DS0)			NTCVG	URESP		26.37	4.99								
	CLEC to CLEC Conversion Charge without outside dispatch			NTCVG	UREWO		87.72	36.36								
4 14	Loop Tagging - Service Level 2 (SL2)	!		NTCVG	URETL		11.21	1.10								\vdash
4-WIR	E ANALOG VOICE GRADE LOOP - COMMINGLING 4-Wire Analog Voice Grade Loop - Zone 1	 	4	NTCVG	UEAL4	25.34	131.97	94.51	59.14	14.50						\vdash
	4-Wire Analog Voice Grade Loop - Zone 1 4-Wire Analog Voice Grade Loop - Zone 2	1		NTCVG	UEAL4	25.34 38.58	131.97	94.51	59.14	14.50						\vdash
	4-Wire Analog Voice Grade Loop - Zone 2	1		NTCVG	UEAL4	60.02	131.97	94.51	59.14	14.50						
	Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per		Ŭ		02/12 !	00.02	101.01	0 1.01	00							
	DS0) Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per			NTCVG	URESL		24.89	3.51								
	DS0)	1		NTCVG	URESP		26.37	4.99								1
	CLEC to CLEC Conversion Charge without outside dispatch	1		NTCVG	UREWO		87.72	36.36								
4-WIR	E DS1 DIGITAL LOOP - COMMINGLING															
	4-Wire DS1 Digital Loop - Zone 1			NTCD1	USLXX	82.55	252.47	157.54	44.70	11.71						
	4-Wire DS1 Digital Loop - Zone 2	ļ		NTCD1	USLXX	154.18	252.47	157.54	44.70	11.71						
	4-Wire DS1 Digital Loop - Zone 3	<u> </u>	3	NTCD1	USLXX	314.52	252.47	157.54	44.70	11.71						
	Switch-As-Is Conversion rate per UNE Loop, single LSR, (per DS1)			NTCD1	URESL		24.89	3.51								

UNBUNDLED	NETWORK ELEMENTS - Alabama												Attachment:	2 Exh A		
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						_	Nonred		Nonrecurring					Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per			NTCD1	URESP		26.37	4.00								1 '
	DS1) CLEC to CLEC Conversion Charge without outside dispatch		<u> </u>	NTCD1 NTCD1	UREWO		101.09	4.99 43.05								
4-WIE	LE 19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP - COMMINGLIN	IG.		NICDI	UKEWU		101.09	43.05								
4-4411	4 Wire Unbundled Digital Loop 2.4 Kbps - Zone 1	ĭ	1	NTCUD	UDL2X	26.09	126.27	88.80	59.14	14.50						
	4 Wire Unbundled Digital Loop 2.4 Kbps - Zone 2			NTCUD	UDL2X	35.95	126.27	88.80	59.14	14.50						
	4 Wire Unbundled Digital Loop 2.4 Kbps - Zone 3			NTCUD	UDL2X	37.88	126.27	88.80	59.14	14.50						
	4 Wire Unbundled Digital Loop 4.8 Kbps - Zone 1			NTCUD	UDL4X	26.09	126.27	88.80	59.14	14.50						
	4 Wire Unbundled Digital Loop 4.8 Kbps - Zone 2			NTCUD	UDL4X	35.95	126.27	88.80	59.14	14.50						
	4 Wire Unbundled Digital Loop 4.8 Kbps - Zone 3			NTCUD	UDL4X	37.88	126.27	88.80	59.14	14.50						 '
	4 Wire Unbundled Digital Loop 9.6 Kbps - Zone 1	-		NTCUD	UDL9X	26.09	126.27	88.80	59.14	14.50						 '
 	4 Wire Unbundled Digital Loop 9.6 Kbps - Zone 2 4 Wire Unbundled Digital Loop 9.6 Kbps - Zone 3	1		NTCUD NTCUD	UDL9X UDL9X	35.95 37.88	126.27 126.27	88.80 88.80	59.14 59.14	14.50 14.50						\vdash
	4 Wire Unbundled Digital 19.2 Kbps - Zone 3	1		NTCUD	UDL9X UDL19	26.09	126.27	88.80	59.14	14.50						\vdash
 	4 Wire Unbundled Digital 19.2 Kbps - Zone 1	1		NTCUD	UDL19	35.95	126.27	88.80	59.14	14.50						\vdash
	4 Wire Unbundled Digital 19.2 Kbps - Zone 3			NTCUD	UDL19	37.88	126.27	88.80	59.14	14.50						
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 1			NTCUD	UDL56	26.09	126.27	88.80	59.14	14.50						
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 2			NTCUD	UDL56	35.95	126.27	88.80	59.14	14.50						
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 3		3	NTCUD	UDL56	37.88	126.27	88.80	59.14	14.50						
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 1			NTCUD	UDL64	26.09	126.27	88.80	59.14	14.50						
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 2			NTCUD	UDL64	35.95	126.27	88.80	59.14	14.50						
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 3		3	NTCUD	UDL64	37.88	126.27	88.80	59.14	14.50						Ļ'
	Switch-As-Is Conversion rate per UNE Loop, single LSR, (per DS0)			NTCUD	URESL	0.00	24.89	3.51	0.00	0.00						
	Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per			LITOLIB												
-	DS0)			NTCUD	URESP UREWO	0.00	26.37	4.99	0.00	0.00						
	CLEC to CLEC Conversion Charge without outside dispatch		<u> </u>	NTCUD NTCVG, NTCUD,	UREWO	0.00	102.13	49.75	0.00	0.00						
LINDUNDI ED	Order Coordination for Specified Conversion Time (per LSR) EXCHANGE ACCESS LOOP			NTCD1	OCOSL		18.90									
	E ANALOG VOICE GRADE LOOP															
	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1		1	UEANL	UEAL2	12.58	37.81	17.56	23.49	5.30						
	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2			UEANL	UEAL2	21.05	37.81	17.56	23.49	5.30						
	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3		3	UEANL	UEAL2	34.34	37.81	17.56	23.49	5.30						
	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1			UEANL	UEASL	12.58	37.81	17.56	23.49	5.30						
	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2			UEANL	UEASL	21.05	37.81	17.56	23.49	5.30						
	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3		3	UEANL	UEASL	34.34	37.81	17.56	23.49	5.30						
	Tag Loop at End User Premise			UEANL	URETL		8.93	0.88								
 	Loop Testing - Basic 1st Half Hour	1	-	UEANL	URET1 URETA		34.16 19.85	0.00 19.85								
H	Loop Testing - Basic Additional Half Hour Manual Order Coordination for UVL-SL1s (per loop)	1	<u> </u>	UEANL UEANL	UEAMC		19.85 8.15	8.15	 							
	Order Coordination for Specified Conversion Time for UVL-SL1 (per LSR)			UEANL	OCOSL		18.09	6.13								
	Unbundled Non-Design Voice Loop, billing for BST providing make-up (Engineering Information - E.I.)			UEANL	UEANM		13.44									
	CLEC to CLEC Conversion Charge Without Outside Dispatch			-				0.01								
2.14/15	(UVL-SL1)	1	<u> </u>	UEANL	UREWO		15.78	8.94	 							
Z-WIF	2-Wire Unbundled Copper Loop - Non-Designed Zone 1	1	1	UEQ	UEQ2X	11.20	34.14	15.10	21.25	4.15						
 	2 Wire Unbundled Copper Loop - Non-Designed - Zone 2	1		UEQ	UEQ2X	13.27	34.14	15.10	21.25	4.15						
	2 Wire Unbundled Copper Loop - Non-Designed - Zone 3	1		UEQ	UEQ2X	15.07	34.14	15.10	21.25	4.15						
	Tag Loop at End User Premise		Ť	UEQ	URETL		8.93	0.88	0	70						
	Loop Testing - Basic 1st Half Hour			UEQ	URET1		34.16	0.00								
	Loop Testing - Basic Additional Half Hour			UEQ	URETA		19.85	19.85								
	Manual Order Coordination 2 Wire Unbundled Copper Loop - Non-Designed (per loop)			UEQ	USBMC		8.15	8.15								
	Unbundled Copper Loop - Non-Designed, billing for BST providing make-up (Engineering Information - E.I.)			UEQ	UEQMU		13.44									

LINBUN	IDI ED N	IETWORK ELEMENTS - Alabama												Attachment:	2 Evh Δ		
ONBO	NDLLD I	ELIWORK ELEMENTS - Alabama		1								Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
												Submitted			Charge -	Charge -	Charge -
			Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEG	ORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							1	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates(\$)		-
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		CLEC to CLEC Conversion Charge Without Outside Dispatch															
		(UCL-ND)			UEQ	UREWO		14.27	7.43								
LOOP	MODIFIC	CATION															
					UAL, UHL, UCL,												
		Unbundled Loop Modification, Removal of Load Coils - 2 Wire			UEQ, ULS, UEA, UEANL. UEPSR.												
		pair less than or equal to 18k ft. per Unbundled Loop			UEPSB	ULM2L		0.00	0.00								
		Unbundled Loop Modification Removal of Load Coils - 4 Wire			OLI OB	CLIVIZE		0.00	0.00								
		less than or equal to 18K ft, per Unbundled Loop			UHL, UCL, UEA	ULM4L		0.00	0.00								1
					UAL, UHL, UCL,												
					UEQ,ULS,UEA,												[]
		Unbundled Loop Modification Removal of Bridged Tap Removal,			UEANL, UEPSR,												1
SUB-L	OORE	per unbundled loop			UEPSB	ULMBT		32.41	32.41								
30B-L		l op Distribution															
	202 20	Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set-	1	1													
	<u> </u>	Up	L_	<u>L</u>	UEANL, UEF	USBSA	<u> </u>	244.42									<u> </u>
		Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up			UEANL, UEF	USBSB		22.64									
		Sub-Loop - Per Building Equipment Room - CLEC Feeder Facility Set-Up			UEANL	USBSC		177.45									
		Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel			UEANL	USBSC		177.45									
		Set-Up			UEANL	USBSD		55.15									
		Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -			02/11/2	00202		00.10									
		Zone 1		1	UEANL	USBN2	11.21	65.80	30.96	45.25	6.70						
		Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -															
		Zone 2		2	UEANL	USBN2	11.94	65.80	30.96	45.25	6.70						
		Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -		3	UEANL	USBN2	16.86	65.80	30.96	45.25	6.70						
		Zone 3		3	UEAINL	USBINZ	10.00	05.60	30.90	45.25	6.70						
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		8.15	8.15								
		Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -															
		Zone 1		1	UEANL	USBN4	8.46	79.03	44.19	49.71	9.07						
		Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -															
		Zone 2		2	UEANL	USBN4	16.67	79.03	44.19	49.71	9.07						
		Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 3		3	UEANL	USBN4	32.57	79.03	44.19	49.71	9.07						1
		2016 3		3	UEAINL	USBIN4	32.37	79.03	44.19	49.71	9.07						
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		8.15	8.15								1
		Sub-Loop 2-Wire Intrabuilding Network Cable (INC)			UEANL	USBR2	2.27	53.01	18.17	45.25	6.70						
									· · · · · · · · · · · · · · · · · · ·								1
	ļ	Order Coordination for Unbundled Sub-Loops, per sub-loop pair	ļ	!	UEANL	USBMC		8.15	8.15	10.5	2.5-						└──
-	<u> </u>	Sub-Loop 4-Wire Intrabuilding Network Cable (INC)	<u> </u>	1	UEANL	USBR4	5.16	59.25	24.41	49.71	9.07						
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		8.15	8.15								[
	1	Loop Testing - Basic 1st Half Hour		†	UEANL	URET1		34.16	0.00								
		Loop Testing - Basic Additional Half Hour			UEANL	URETA	<u> </u>	19.85	19.85								
		2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1		1	UEF	UCS2X	6.22	65.80	30.96	45.25	6.70						
		2 Wire Copper Unbundled Sub-Loop Distribution - Zone 2		2		UCS2X	8.76	65.80	30.96	45.25	6.70						igspace
-	 	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 3		3	UEF	UCS2X	11.27	65.80	30.96	45.25	6.70	1					
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEF	USBMC		8.15	8.15								[]
	1	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1	†	1	UEF	UCS4X	6.11	79.03	44.19	49.71	9.07	1		1			
		4 Wire Copper Unbundled Sub-Loop Distribution - Zone 2			UEF	UCS4X	12.61	79.03	44.19	49.71	9.07						
		4 Wire Copper Unbundled Sub-Loop Distribution - Zone 3		3	UEF	UCS4X	15.36	79.03	44.19	49.71	9.07						
			1	1										1			1
<u> </u>	<u> </u>	Order Coordination for Unbundled Sub-Loops, per sub-loop pair		<u> </u>	UEF	USBMC		8.15	8.15			<u> </u>					\vdash
		Loop Tagging Service Level 1, Unbundled Copper Loop, Non- Designed and Distribution Subloops			UEF. UEANL	URETL		8.93	0.88								1
	1	Designed and Distribution Subioops	1	1	ULF, UEAINL	UKEIL		8.93	0.88			1			l		1

UNBUNDLE	D NE	TWORK ELEMENTS - Alabama												Attachment:	2 Exh A		
CATEGORY		RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Svc Order Submitted	Incremental		Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
								Nonrec		Nonrecurring					Rates(\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		oop Testing - Basic 1st Half Hour			UEF	URET1		34.16	0.00								
		oop Testing - Basic Additional Half Hour			UEF	URETA		19.85	19.85								
Unb		ed Sub-Loop Modification															
		nbundled Sub-Loop Modification - 2-W Copper Dist Load			uee	111 1401/		475.70	5.40								
		oil/Equip Removal per 2-W PR Inbundled Sub-loop Modification - 4-W Copper Dist Load	1		UEF	ULM2X		175.78	5.10								
		coil/Equip Removal per 4-W PR			UEF	ULM4X		175.78	5.10								
h		nbundled Loop Modification, Removal of Bridge Tap, per			UEF	ULIVI4X		175.76	5.10								
		nbundled loop			UEF	ULMBT		278.20	6.11								
Unb		ed Network Terminating Wire (UNTW)	1			J		270.20	0.11								
		Inbundled Network Terminating Wire (UNTW) per Pair			UENTW	UENPP	0.40	30.01									
Netv		Interface Device (NID)	1														
		etwork Interface Device (NID) - 1-2 lines			UENTW	UND12		43.23	28.38								
		etwork Interface Device (NID) - 1-6 lines			UENTW	UND16		63.97	49.11								
		etwork Interface Device Cross Connect - 2 W	<u> </u>		UENTW	UNDC2		5.87	5.87								
<u> </u>		etwork Interface Device Cross Connect - 4W	ļ		UENTW	UNDC4		5.87	5.87								
UNE OTHER	R, PR	OVISIONING ONLY - NO RATE			UAL, UCL, UDC,												
	U	inbundled Contact Name, Provisioning Only - no rate			UDL, UDN, UEA, UHL, UEANL, UEF, UEQ, UENTW, NTCVG, NTCUD, NTCD1, USL	UNECN	0.00	0.00									
		Inbundled DS1 Loop - Superframe Format Option - no rate			USL, NTCD1	CCOSF	0.00	0.00									
		nbundled DS1 Loop - Expanded Superframe Format option -															
		o rate			USL, NTCD1	CCOEF	0.00	0.00									
		ID - Dispatch and Service Order for NID installation			UENTW	UNDBX	0.00	0.00									
		NTW Circuit Establishment, Provisioning Only - No Rate			UENTW	UENCE	0.00	0.00									
LOOP MAK																	
		oop Makeup - Preordering Without Reservation, per working or			118412	1 15 4121 147		00.00	00.00								
-		pare facility queried (Manual). oop Makeup - Preordering With Reservation, per spare facility	-		UMK	UMKLW		20.00	20.00								
	qι	ueried (Manual).			UMK	UMKLP		21.00	21.00								
		oop MakeupWith or Without Reservation, per working or pare facility queried (Mechanized)			UMK	UMKMQ		0.59	0.59								
LINE SPLIT			+	 	OIVIN	UIVINIVIQ	 	0.59	0.59			 					
		R ORDERING-CENTRAL OFFICE BASED	1			1	 										
LAL		ine Splitting - per line activation DLEC owned splitter	1		UEPSR UEPSB	UREOS	0.61										
		ine Splitting - per line activation BST owned - physical	1		UEPSR UEPSB	UREBP	0.61	37.01	21.19	20.02	9.83						
		ine Splitting - per line activation BST owned - virtual	1		UEPSR UEPSB	UREBV	0.61	37.01	21.19	20.02	9.83						
	BUND	LED EXCHANGE ACCESS LOOP															
2-W	IRE A	NALOG VOICE GRADE LOOP															
		Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- one 1		1	UEPSR UEPSB	UEALS	12.58	37.81	17.56	23.49	5.30						
		Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- one 1		1	UEPSR UEPSB	UEABS	12.58	37.81	17.56	23.49	5.30						
	2	Wire Analog Voice Grade Loop- Service Level 1-Line Splitting- one 2		2	UEPSR UEPSB	UEALS	21.05	37.81	17.56	23.49	5.30						
	2	Wire Analog Voice Grade Loop- Service Level 1-Line Splitting- one 2		2	UEPSR UEPSB	UEABS	21.05	37.81	17.56	23.49	5.30						
	2	Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- one 3		3	UEPSR UEPSB	UEALS	34.34	37.81	17.56	23.49	5.30						
	2	Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- one 3		3	UEPSR UEPSB	UEABS	34.34	37.81	17.56	23.49	5.30						
РНУ		L COLLOCATION	+	3	OLI OIL OLF OD	JEADO	34.34	31.01	17.30	23.49	5.50						
F 1		hysical Collocation-2 Wire Cross Connects (Loop) for Line															
		plitting			UEPSR UEPSB	PE1LS	0.03	12.30	11.80	6.03	5.44						
VIR	TUAL	COLLOCATION															

LINDLINDI E	D NETWORK ELEMENTS - Alabama												Attachment	2 Evb A	ı	Ι
UNBUNDLE	D NETWORK ELEMENTS - ATADAMA	1	1		1	1					Cua Ordar	Svc Order	Attachment:	Incremental	Ingramantal	Incremental
												Submitted		Charge -	Charge -	Charge -
		Interi	l_					DATEO(6)			Elec	Manually		Manual Svc	Manual Svc	
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
							Nonrec		Nonrecurring					Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Virtual Collocation-2 Wire Cross Connects (Loop) for Line															
	Splitting			UEPSR UEPSB	VE1LS	0.03	12.30	11.80	6.03	5.44						
UNBUNDLE	D DEDICATED TRANSPORT															
INTE	ROFFICE CHANNEL - DEDICATED TRANSPORT															
	Interoffice Channel - 2-Wire Voice Grade - per mile			U1TVX	1L5XX	0.008838										
	Interoffice Channel - 2-Wire Voice Grade - Facility Termination			U1TVX	U1TV2	21.13	40.54	27.41	16.74	6.90						
	Interoffice Channel - 2-Wire Voice Grade Rev Bat per mile			U1TVX	1L5XX	0.008838										
	Interoffice Channel - 2-Wire VG Rev Bat Facility Termination			U1TVX	U1TR2	21.13	40.54	27.41	16.74	6.90						
	Interoffice Channel - 4-Wire Voice Grade - per mile			U1TVX	1L5XX	0.008838										
	· ·															
	Interoffice Channel - 4- Wire Voice Grade - Facility Termination		1	U1TVX	U1TV4	18.73	40.54	27.41	16.74	6.90	I	1				1
	Interoffice Channel - 56 kbps - per mile			U1TDX	1L5XX	0.008838										
	Interoffice Channel - 56 kbps - Facility Termination			U1TDX	U1TD5	15.12	40.54	27.41	16.74	6.90	İ					
	Interoffice Channel - 64 kbps - per mile		1	U1TDX	1L5XX	0.008838	.0.04	2,,,,,	.5 4	0.00	1	1				1
-	Interoffice Channel - 64 kbps - Facility Termination			U1TDX	U1TD6	15.12	40.54	27.41	16.74	6.90		1				
 	Interoffice Channel - DS1 - per mile		1	U1TD1	1L5XX	0.18	70.04	21.71	10.74	0.30	1					
	Interoffice Channel - DS1 - Facility Termination			U1TD1	U1TF1	60.16	89.27	81.81	16.35	14.44						
	Interoffice Channel - DS3 - per mile			U1TD3	1L5XX	4.09	09.27	01.01	10.55	14.44						
h + + -	Interoffice Channel - DS3 - Facility Termination		1	U1TD3	U1TF3	703.52	278.75	162.76	60.20	58.46	1					
-			 	U1TS1	1L5XX	4.09	210.13	102.70	00.20	30.40	1					
	Interoffice Channel - STS-1 - per mile						070.75	100.70	00.00	50.40	ļ					
	Interoffice Channel - STS-1 - Facility Termination			U1TS1	U1TFS	701.37	278.75	162.76	60.20	58.46						
	Local Channel - Dedicated - 2-Wire Voice Grade		-	ULDVX, UNCVX	ULDV2	16.07										
-	Local Channel - Dedicated - 2-Wire Voice Grade Rev Bat			ULDVX	ULDR2	16.07										
	Local Channel - Dedicated - 4-Wire Voice Grade			ULDVX, UNCVX	ULDV4	17.17										
	Local Channel - Dedicated - DS1 - Zone 1		_	ULDD1, UNC1X	ULDF1	41.12										
	Local Channel - Dedicated - DS1 - Zone 2		2	ULDD1, UNC1X	ULDF1	57.48										
	Local Channel - Dedicated - DS1 - Zone 3		3	ULDD1, UNC1X	ULDF1	123.77										
	Local Channel - Dedicated - DS3 - Per Mile per month			ULDD3, UNC3X	1L5NC	7.96										
	Local Channel - Dedicated - DS3 - Facility Termination			ULDD3, UNC3X	ULDF3	479.02										
	Local Channel - Dedicated - STS-1- Per Mile per month			ULDS1, UNCSX	1L5NC	7.96										
	Local Channel - Dedicated - STS-1 - Facility Termination			ULDS1, UNCSX	ULDFS	469.76										
UNB	UNDLED DARK FIBER - Stand Alone or in Combination															
	Dark Fiber - Interoffice Transport, Per Four Fiber Strands, Per															
	Route Mile Or Fraction Thereof			UDF, UDFCX	1L5DF	22.34										
	Dark Fiber - Interoffice Transport, Per Four Fiber Strands, Per															
	Route Mile Or Fraction Thereof			UDF, UDFCX	UDF14		639.09	137.87	317.06	197.66						
DARK FIBER	8															
	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction															
	Thereof per month - Local Channel		1	UDF, UDFCX	1L5DC	69.37]		I					1
	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction															
	Thereof per month - Local Loop			UDF, UDFCX	1L5DL	69.37										
8XX ACCES	S TEN DIGIT SCREENING				1				i i		1					
	8XX Access Ten Digit Screening, Per Call					0.000565			i i		İ					
	8XX Access Ten Digit Screening, w/ 8FL No. Delivery		1		İ	0.000565			i		İ	1	İ		İ	İ
	8XX Access Ten Digit Screening, w/ POTS No. Delivery		1		1	0.000565					l					
LINE INFOR	MATION DATA BASE ACCESS (LIDB)		 		1	2.300000					1	I				1
	LIDB Common Transport Per Query				1	0.00002					1	-				1
	LIDB Validation Per Query		 		1	0.012002					 	1				
 	LIDB Originating Point Code Establishment or Change		 	OQU	NRBPX	0.012002	34.32		42.08		 					
CALLING N	AME (CNAM) SERVICE		1	U40	INITOI-V		J4.JZ		42.00		1	+	 		1	1
CALLING NA			-		1	0.000902			 		-					
\vdash	CNAM for DB Owners, Per Query		 		1						1					
CEL FOTN :=	CNAM for Non DB Owners, Per Query		1		+	0.000902			 		 	1				-
SELECTIVE			1		 				 		 	1			-	
	Selective Routing Per Unique Line Class Code Per Request Per		1				0.4.70	04.70								l
	Switch		<u> </u>		 		84.70	84.70	14.11	14.11	1					ļ
AIN SELECT	TIVE CARRIER ROUTING		<u> </u>		 		101 5				1					
\vdash	Regional Service Establishment		 		<u> </u>		101,098.91		8,590.70		ļ					
	End Office Establishment						169.88	169.88	1.70	1.70						l

	IINDII	NDI ED 1	ETWORK ELEMENTS - Alabama												Attachmont.	2 Evh ^	1	ı
ATE ELEMENTS Part P	UNBUI	NULEUN	ETWORK ELEMENTS - Alabama	ı			1	ı					Cua Ordar	Cua Order			Ingramantal	Ingramantal
ATTEMENT PARTE REMENTS with a part of the																		
ATTEMPT RATE ELEMENTS IN CONTROL OF THE CONTROL OF															_	_	_	_
March Marc	CATE	SORV	DATE ELEMENTO	Interi	7	DCC	ucoc			DATEC(¢)								
Part Part	CATE	JURY	RATE ELEMENTS	m	Zone	BCS	USOC			KATES(\$)			per LSR	per LSR		Order vs.	Order vs.	Order vs.
Description Description															Electronic-	Electronic-	Electronic-	Electronic-
District Process Pro															1st	Add'l	Disc 1st	Disc Add'l
District Process Pro		1						1	Monroe		Monroourring	Disconnect			000	Potoc(\$)		
AN - BELLEUTH MAY ACCESS STRENGT AN - CANGES AN - CA				-			-	Baa					COMEC	COMAN			COMAN	COMAN
ANN. BELLOUTH AND STREAM CONTROL STREAM CONTROL CONTRO			Ouen, NPC per quent						FIISL	Auu i	LIISI	Auu i	SOWIEC	SUMAN	SOWAN	SOWAN	SOWAN	SOWAN
MR Side Access Service - Service Evolutionary, Per State, MIN CAMPR 7.80 7.81 0.00 0.0	AINI F				-			0.002749										
Note Status	AIN - E	SELLSO																
AND SIZE Secreta Service - Fine Courterfilier - Districtured Access AND SIZE Secreta Service - Fine Courterfilier - Districtured Access AND SIZE Secreta Service - S						A4NI	CAMCE		20.44	20.44	40.60	40.60						
APRIS SEA Access Service - Per Connections - SEA Access Service - Security Cert, Per University - Per University - Content - Per University - Per Unive			ililiai Selup	-		AIN	CAIVISE		39.44	39.44	40.69	40.09		-				
APRIS SEA Access Service - Per Connections - SEA Access Service - Security Cert, Per University - Per University - Content - Per University - Per Unive			AIN CMC Assess Conrises - Port Connection - Dial/Chared Assess			A4NI	CAMDD		7.02	7.02	0.00	0.00						
ANS SIX Scenes Service - Dural Interdiscination Coles - Per User D Code					-													
D. Code API SISS Access Service - Service Cards, Per User ID Code. ANN CAMPU \$5.00 \$5.00 \$77.06 77.06					-	AIN	CAIVITE		7.83	7.83	9.09	9.09						
AN SMS Access Service - Season, Per Libert Di Code, Inches of the Replacement of the Repl						AANI	CAMALL		25.00	25.00	07.00	07.00						
Inhibit or Replacement ANN CAMPC 41.88 41.88 11.71 11.71 11.71					-	AIN	CAIVIAU		35.00	35.00	27.06	27.06						
AN SIGS Across Sentors - Strongs, Per Unit (100 Kilebyren) AN SIGS Across Sentors - Strongs - Per Unit (100 Kilebyren) AN SIGS Across Sentors - Company Per Unit (100 Kilebyren) AN SIGS Across Sentors - Company Per Unit (100 Kilebyren) AN SIGS Across Sentors - Company Per Unit (100 Kilebyren) AN SIGS Across Sentors - Company Per Unit (100 Kilebyren) AN SIGS Across Sentors - Company Per Unit (100 Kilebyren) AN SIGS Across Sentors - Company Per Unit (100 Kilebyren) BOST - Ministration - Company Per Unit (100 Kilebyren) BOST - Ministration - Company Per Unit (100 Kilebyren) BOST - Unburded Local Loop - parties BISTS - Unburded Local Loop - Feeling Formation UNIT SIGN - SIGN - SIGN - Company Per Unit (100 Kilebyren) BISTS - Unburded Local Loop - Feeling Formation UNIT SIGN - SIGN		1		1		A1NI	CAMBO		44.00	44.00	44 74	44 74				Ì	Ì	
AN SUS Access Service - Speason, Per Minute		1		-		AIN	CAIVIRC	0.000400	41.88	41.88	11./1	11./1						
ANS NAS Access Services - Company Performed Session, Per	-	-		l	-		-						 	1		 	 	-
Minute	-	+		 			-	0.59					1					
HOH CAPACITY UNBUNDLED LOCAL LOOP				l				0.70										
DBS-SYST-AT UNBUNDLED LOCAL LOOP - Stand Alone	шси			1				0.73					1	-		1	1	-
OS3 Unbounded Local Logo - Pacility Termination	HIGH (1			-						1			-	-	-
DSS Urbunded Local Loop - Facility Termination		DS-3/S						0.00										
STS-Unbunded Loop - Perilip Termanton		-							454.50		110.10							
STS-1 Inburdied Local Loop - Facility Termination UDLSX UDLST 319.83 461.52 263.94 119.49 83.58									451.52	263.94	119.49	83.58						
Network Elements Used in Combination - 2 2 Network UEAL2 14.88 88.00 55.00 47.24 7.44									454.50		110.10							
Network Elements Used in Combinations						UDLSX	UDLS1	319.83	451.52	263.94	119.49	83.58						
EVINO VIG. Logy (ELZ) in Combination - Zone 1 UNCVX UEAL2 14.38 88.00 55.00 47.24 7.44	ENHA																	
2-Wire VG Loop (SLZ) in Combination - Zone 2 2 UNCVX UEAL2 22.85 88.00 55.00 47.24 7.44		Networ																
2-Wire VS Loop (SL2) in Combination - Zone 3 3 NKVX UEA.2 36.14 88.00 55.00 47.24 7.74 1.64 4.45 4.45 4.45 4.45 5.45 4.45 5.45 4.45 5.45 4.45					1													
4-Wire Analog Voice Grade Loop in Combination - Zone 2 2 NNCVX UEAL4 25.34 131.97 94.51 59.14 14.50																		
4-Wire Analog Voice Grade Loop in Combination - Zone 2 2 UNCVX UEA.4 38.58 131.97 94.51 59.14 14.50					3													
4-Wire ISDN Loop in Combination - Zone 1					1													
2-Wire ISDN Loop in Combination - Zone 1																		
2-Wire ISDN Loop in Combination - Zone 2 2 UNCNX U1L2X 32.85 117.24 79.77 52.88 10.54																		
2-Wire SBND Loop in Combination - Zone 3 3 UNCNX U1L2X 48.55 117.24 79.77 52.88 10.54																		
4-Wire 68fbps Digital Grade Loop in Combination - Zone 1																		
4-Wire SRKPps Digital Grade Loop in Combination - Zone 2 2 UNCDX UDL56 35.95 126.27 88.80 59.14 14.50																		
4-Wire 69Kbps Digital Grade Loop in Combination - Zone 1																		
4-Wire 64Kbps Digital Grade Loop in Combination - Zone 1																		
4-Wire 64Kbps Digital Grade Loop in Combination - Zone 2 2 UNCIX UDL64 35.95 126.27 88.80 59.14 14.50																		
4-Wire DSI Digital Loop in Combination - Zone 3 3 UNCDX UDL64 37.88 126.27 88.80 59.14 14.50					<u> </u>													
4-Wire DS1 Digital Loop in Combination - Zone 1																		
4-Wire DS1 Digital Loop in Combination - Zone 2 2 UNC1X USLXX 154,18 252,47 157,54 44,70 11,71																ļ	ļ	ļ
4-Wire DS1 Digital Loop in Combination - Zone 3 3 UNC1X USLXX 314.52 252.47 157.54 44.70 11.71																ļ	ļ	ļ
DS3 Local Loop in combination - per mile				ļ									<u> </u>					
DS3 Local Loop in combination - Facility Termination		<u> </u>		ļ	3				252.47	157.54	44.70	11.71	<u> </u>					
STS-1 Local Loop in combination - per mile		<u> </u>		ļ							1		<u> </u>					
STS-1 Local Loop in combination - Facility Termination		<u> </u>		ļ					451.52	263.94	119.49	83.58	<u> </u>					
Interoffice Channel in combination - 2-wire VG - per mile				ļ														
Interoffice Channel in combination - 2-wire VG - Facility UNCVX									451.52	263.94	119.49	83.58						
Termination		<u> </u>	'	ļ		UNCVX	1L5XX	0.008838			1		<u> </u>					
Interoffice Channel in combination - 4-wire VG - per mile		1		1												Ì	Ì	
Interoffice Channel in combination - 4-wire VG - Facility Termination UNCVX U1TV4 18.73 40.54 27.41 16.74 6.90		<u> </u>		ļ					40.54	27.41	16.74	6.90	<u> </u>					
Termination		<u> </u>		ļ		UNCVX	1L5XX	0.008838			1		<u> </u>					
Interoffice Channel in combination - 4-wire 56 kbps - per mile UNCDX 1L5XX 0.008838				l														
Interoffice Channel in combination - 4-wire 56 kbps - Facility UNCDX									40.54	27.41	16.74	6.90						
Termination						UNCDX	1L5XX	0.008838										
Interoffice Channel in combination - 4-wire 64 kbps - per mile				l														1
Interoffice Channel in combination - 4-wire 64 kbps - Facility Termination UNCDX U1TD6 15.12 40.54 27.41 16.74 6.90 Interoffice Channel in combination - DS1 - per mile UNC1X 1L5XX 0.18									40.54	27.41	16.74	6.90						
Termination			Interoffice Channel in combination - 4-wire 64 kbps - per mile			UNCDX	1L5XX	0.008838										
Interoffice Channel in combination - DS1 - per mile UNC1X 1L5XX 0.18			Interoffice Channel in combination - 4-wire 64 kbps - Facility															
	L	<u> </u>		L	L	UNCDX	U1TD6	15.12	40.54	27.41	16.74	6.90	<u> </u>	<u> </u>		<u> </u>	<u> </u>	<u> </u>
Interoffice Channel in combination - DS1 Facility Termination UNC1X U1TF1 60.16 89.27 81.81 16.35 14.44																		
			Interoffice Channel in combination - DS1 Facility Termination			UNC1X	U1TF1	60.16	89.27	81.81	16.35	14.44						

LINBUNDI ED	NETWORK ELEMENTS - Alabama												Attachment:	2 Fyh Δ		
ONBONDEED	NETWORK ELEMENTO - Alabama		1								Svc Order	Svc Order			Incremental	Incremental
											Submitted		Charge -	Charge -	Charge -	Charge -
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	usoc			RATES(\$)			Elec	Manually	Manual Svc	Manual Svc		
CATEGORY	RATE ELEMENTS	m	Zone	BUS	USUC			KATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
						_	Nonrec		Nonrecurring					Rates(\$)		T
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Interoffice Channel in combination - DS3 - per mile			UNC3X	1L5XX	4.09										
	Interoffice Channel in combination - DS3 - Facility Termination			UNC3X	U1TF3	703.52	278.75	162.76	60.20	58.46						
	Interoffice Channel in combination - STS-1 - per mile			UNCSX	1L5XX	4.09										
	Interoffice Channel in combination - STS-1 Facility Termination			UNCSX	U1TFS	701.37	278.75	162.76	60.20	58.46						
	NETWORK ELEMENTS															
Optio	nal Features & Functions:															
				U1TD1,												
	Clear Channel Capability Extended Frame Option - per DS1			ULDD1,UNC1X	CCOEF		0.00	0.00	0.00	0.00						
				U1TD1,												
	Clear Channel Capability Super FrameOption - per DS1	- 1	1	ULDD1,UNC1X	CCOSF		0.00	0.00	0.00	0.00			Ì	1	I	1
	Clear Channel Capability (SF/ESF) Option - Subsequent			ULDD1, U1TD1,												
	Activity - per DS1	- 1		UNC1X, USL	NRCCC		184.85	23.81	1.99	0.7741				1	1	
	<u> </u>			U1TD3, ULDD3,								1				1
	C-bit Parity Option - Subsequent Activity - per DS3	i		UE3, UNC3X	NRCC3		219.13	7.67	0.7355	0.00				1	1	
	DS1/DS0 Channel System			UNC1X	MQ1	107.19	91.04	62.57	10.54	9.79						1
	DS3/DS1Channel System		1	UNC3X, UNCSX	MQ3	176.20	178.14	93.97	33.26	31.83			1	t	t	
	Voice Grade COCI in combination		1	UNCVX	1D1VG	0.56	6.58	4.72	55.20	000	<u> </u>	1	 	<u> </u>	—	
-	Voice Grade COCI - for Stand Alone Local Loop			UEA	1D1VG	0.56	6.58	4.72								+
	Voice Grade COCI - for connection to a channelized DS1 Local		_	OLA	IDIVO	0.50	0.50	7.12				1				+
	Channel in the same SWC as collocation			U1TUC	1D1VG	0.56	6.58	4.72								
	2-wire ISDN COCI (BRITE) in combination			UNCNX	UC1CA	2.41	6.58	4.72								
			1									ļ				
	2-wire ISDN COCI (BRITE) - for a Local Loop		1	UDN	UC1CA	2.41	6.58	4.72								
	2-wire ISDN COCI (BRITE) - for connection to a channelized			LIATUD	110404	0.44	0.50	4.70								
	DS1 Local Channel in the same SWC as collocation		1	U1TUB	UC1CA	2.41	6.58	4.72								
	OCU-DP COCI (2.4-64kbs) in combination			UNCDX	1D1DD	1.19	6.58	4.72								
	OCU-DP COCI (2.4-64kbs) - for Stand Alone Local Loop			UDL	1D1DD	1.19	6.58	4.72								
	OCU-DP COCI (2.4-64kbs) - for connection to a channelized															
	DS1 Local Channel in the same SWC as collocation			U1TUD	1D1DD	1.19	6.58	4.72								1
	DS1 COCI in combination			UNC1X	UC1D1	13.47	6.58	4.72								
	DS1 COCI - for Stand Alone Local Channel			ULDD1	UC1D1	13.47	6.58	4.72								
	DS1 COCI - for Stand Alone Interoffice Channel			U1TD1	UC1D1	13.47	6.58	4.72								
	DS1 COCI - for Stand Alone Local Loop			USL	UC1D1	13.47	6.58	4.72								
	DS1 COCI - for connection to a channelized DS1 Local Channel															
	in the same SWC as collocation			U1TUA	UC1D1	13.47	6.58	4.72								
				UNCVX, U1TVX,												
				UNCDX, U1TDX,												
				UNC1X,												
				U1TD1,UNC3X,												
				U1TD3, UNCSX,												
				U1TS1,												
	Wholesale to UNE, Switch-As-Is Conversion Charge			UDF,UDFCX	UNCCC		5.59	5.59								
 			 	U1TVX, U1TDX,	3550		0.00	0.00	 			 	 	t	t	+
	Unbundled Misc Rate Element, SNE SAI, Single Network			U1TD1, U1TD3,										1	1	1
	Element - Switch As Is Non-recurring Charge, per circuit (LSR)			U1TS1, UDF, UE3	URESL		36.70	16.06						1	1	1
 	Unbundled Misc Rate Element, SNE SAI, Single Network		1	U1TVX, U1TDX,	UNLOL		30.70	10.06	-			}	 	 	 	+
			1	U1TD1, U1TD3,									Ì	I	I	1
	Element - Switch As Is Non-recurring Charge, incremental				LIDEOS		4.40	4 /0						1	1	
 	charge per circuit on a spreadsheet	+	1	U1TS1, UDF, UE3	URESP		1.48	1.48	-			 	 	1	 	+
\vdash	UNE Reconfiguration Change Charge per Circuit	I	1	UNC1X	URERC		35.00	35.00	1			1	1	-	1	+
	UNE Reconfiguration Change Charge per Circuit Project	l .	1	LINIOAY	LIDEES								Ì	1	I	I
	Managed		1	UNC1X	URERP		1.48	1.48				1				↓
Acces	ss to DCS - Customer Reconfiguration (FlexServ)		1													
	Customer Reconfiguration Establishment		ļ				1.48		1.84					1	1	
	DS1 DCS Termination with DS0 Switching		1		1	29.46	25.55	19.66	16.63	13.38		Į				1
	DS1 DCS Termination with DS1 Switching					9.94	18.47	12.58	12.21	8.96						1
	DS3 DCS Termination with DS1 Switching					105.16	25.55	19.66	16.63	13.38						
Node	(SynchroNet)											<u> </u>				
Node				UNCDX	UNCNT	15.77										

UNBUNDI ED I	NETWORK ELEMENTS - Alabama												Attachment:	2 Fxh A	1	
CHECHELE	ALL WORK ELEMENTO ALL SAINT										Svc Order	Svc Order		Incremental	Incremental	Incremental
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svo
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
							Nonrec	urring	Nonrecurring	Disconnect		1	oss	Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
				U1TVX, U1TDX,												
				UEA, UDL, U1TUC,												ĺ
				U1TUD, U1TUB,												ĺ
	NRC - Change in Facility Assignment per circuit Service			ULDVX, ULDDX, UNCVX, UNCDX,												l
	Rearrangement	1		UNC1X	URETD		101.09	43.05								ĺ
	i roamangomoni	·		U1TVX, U1TDX,	0.12.15		101.00	.0.00								
				UEA, UDL, U1TUC,												ĺ
				U1TUD, U1TUB,												
				ULDVX, ULDDX,												ĺ
	NRC - Change in Facility Assignment per circuit Project			UNCVX, UNCDX,	LIDETT								1			1
\vdash	Management (added to CFA per circuit if project managed) NRC - Order Coordination Specific Time - Dedicated Transport	-	-	UNC1X UNC1X	URETB OCOSR		1.28 18.93	1.28 18.93			-	 	 			-
COMMINGLIN			<u> </u>	UNCIA	OCOSK		18.93	18.93	1			-	 			
				UNCVX, UNCDX,					1							
1 1				UNC1X, UNC3X,												1
				UNCSX, U1TD1,												İ
				U1TD3, U1TS1,												İ
				UE3, UDLSX,												ĺ
				U1TVX, U1TDX, U1TUB, ULDVX,												l
				ULDD1, ULDD3,												İ
	Commingling Authorization				CMGAU	0.00	0.00	0.00	0.00	0.00						İ
Comm	ingled (UNE part of single bandwidth circuit)															
	Commingled VG COCI				1D1VG	0.56	6.58	4.72								
	Commingled Digital COCI				1D1DD	1.19	6.58	4.72								
-	Commingled ISDN COCI Commingled 2-wire VG Interoffice Channel			XDD4X XDV2X	UC1CA U1TV2	2.41 21.13	6.58 40.54	4.72 27.41	16.74	6.90						
-	Commingled 4-wire VG Interoffice Channel			XDV6X	U1TV4	18.73	40.54	27.41	16.74	6.90						
	Commingled 56kbps Interoffice Channel				U1TD5	15.12	40.54	27.41	16.74	6.90						
	Commingled 64kbps Interoffice Channel			XDD4X	U1TD6	15.12	40.54	27.41	16.74	6.90						
				XDV2X, XDV6X,												
	Commingled VG/DS0 Interoffice Channel Mileage			XDD4X	1L5XX	0.008838		== 00	47.04							
	Commingled 2-wire Local Loop Zone 1 Commingled 2-wire Local Loop Zone 2		2	XDV2X XDV2X	UEAL2 UEAL2	14.38 22.85	88.00 88.00	55.00 55.00	47.24 47.24	7.44 7.44			-			
 	Commingled 2-wire Local Loop Zone 2 Commingled 2-wire Local Loop Zone 3		3	XDV2X XDV2X	UEAL2	36.14	88.00	55.00	47.24	7.44		 	 			
	Commingled 4-wire Local Loop Zone 1		1	XDV6X	UEAL4	25.34	131.97	94.51	59.14	14.50			†			
	Commingled 4-wire Local Loop Zone 2		2		UEAL4	38.58	131.97	94.51	59.14	14.50						
	Commingled 4-wire Local Loop Zone 3		3	XDV6X	UEAL4	60.02	131.97	94.51	59.14	14.50						
	Commingled 56kbps Local Loop Zone 1		1	XDD4X	UDL56	26.09	126.27	88.80	59.14	14.50			1			
\vdash	Commingled 56kbps Local Loop Zone 2		2	XDD4X	UDL56	35.95	126.27	88.80	59.14	14.50	1	 	 			<u> </u>
\vdash	Commingled 56kbps Local Loop Zone 3 Commingled 64kbps Local Loop Zone 1		3	XDD4X XDD4X	UDL56 UDL64	37.88 26.09	126.27 126.27	88.80 88.80	59.14 59.14	14.50 14.50			-	-		
	Commingled 64kbps Local Loop Zone 2		2	XDD4X	UDL64	35.95	126.27	88.80	59.14	14.50			+			
	Commingled 64kbps Local Loop Zone 3		3	XDD4X	UDL64	37.88	126.27	88.80	59.14	14.50			1			
	Commingled ISDN Local Loop Zone 1		1	XDD4X	U1L2X	21.88	117.24	79.77	52.88	10.54		İ			İ	
	Commingled ISDN Local Loop Zone 2		2	XDD4X	U1L2X	32.85	117.24	79.77	52.88	10.54						
\vdash	Commingled ISDN Local Loop Zone 3		3	XDD4X	U1L2X	48.55	117.24	79.77	52.88	10.54		<u> </u>				
\vdash	Commingled DS1 COCI Commingled DS1 Interoffice Channel		-		UC1D1 U1TF1	13.47 60.16	6.58 89.27	4.72 81.81	16.35	14.44	1		1		-	
\vdash	Commingled DS1 Interoffice Channel Commingled DS1 Interoffice Channel Mileage		-	XDH1X XDH1X	1L5XX	0.18	89.27	81.81	10.35	14.44			-	-		
	Commingled DS1/DS0 Channel System		-	XDH1X	MQ1	107.19	91.04	62.57	10.54	9.79	1	1	-			
	Commingled DS1 Local Loop Zone 1		1		USLXX	82.55	252.47	157.54	44.70	11.71			1			
	Commingled DS1 Local Loop Zone 2		2		USLXX	154.18	252.47	157.54	44.70	11.71						
	Commingled DS1 Local Loop Zone 3		3	XDH1X	USLXX	314.52	252.47	157.54	44.70	11.71						
\vdash	Commingled DS3 Local Loop				UE3PX	308.08	451.52	263.94	119.49	83.58						
\vdash	Commingled DS3/STS-1 Local Loop Mileage		-	,	1L5ND UDLS1	8.38 319.83	451.52	263.94	119.49	83.58	1		1		-	
 	Commingled STS-1 Local Loop Commingled DS3/DS1 Channel System	-	 	HFRST HFQC6	MQ3	319.83 176.20	451.52 178.14	93.97		31.83			+			
	Toomingled DoorDo Fondine System	1	1	i ii Q00	ואושט	170.20	170.14	JJ.J/	33.20	31.03	1	1	1	l	1	

Version 4Q05 Standard ICA 03/15/06 (Renegotiations) Page 11 of 261

LINDIIN	IDI ED I	IETWORK ELEMENTS - Alabama												Attachment:	2 Evh A		
UNDUN	IDLED	NETWORK ELEMENTS - Alabama					1					Svc Order		Incremental		Incremental	Incremental
												Submitted				Charge -	
															Charge -		Charge -
CATEG	ODV	RATE ELEMENTS	Interi	7	BCS	usoc			RATES(\$)			Elec		Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEG	ORT	RATE ELEMENTS	m	Zone	BCS	0500			KATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
								Nonred		l Names accoming	. Dianamant		l	000	Detec(f)		
							B				Disconnect	SOMEC	SOMAN		Rates(\$)	0011411	0011411
		0			LIFOOO	LIATEO	Rec	First	Add'I	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Commingled DS3 Interoffice Channel			HFQC6	U1TF3	703.52	278.75	162.76	60.20	58.46						
		Commingled DS3 Interoffice Channel Mileage			HFQC6	1L5XX	4.09										
		Commingled STS-1Interoffice Channel			HFRST	U1TFS	701.37	278.75	162.76	60.20	58.46						
		Commingled STS-1Interoffice Channel Mileage			HFRST	1L5XX	4.09										
		Commingled Dark Fiber - Interoffice Transport, Per Four Fiber				l											i l
		Strands, Per Route Mile Or Fraction Thereof			HEQDL	1L5DF	22.34										
		Commingled Dark Fiber - Interoffice Transport, Per Four Fiber															ı l
		Strands, Per Route Mile Or Fraction Thereof			HEQDL	UDF14		639.09	137.87	317.06	197.66						
SIGNA	LING (C																
	NOTE:	bk" beside a rate indicates that the parties have agreed to bil	and ke	ep for	tnat element pursua	nt to the terr		ons in Attachm	ent 3.	,	1			1			
		CCS7 Signaling Usage, Per TCAP Message					0.0000569bk										
		CCS7 Signaling Usage, Per ISUP Message					0.0000142bk										
LNP Q	uery Ser																
		LNP Charge Per query					0.000757										
		LNP Service Establishment Manual						12.52		11.51							
		LNP Service Provisioning with Point Code Establishment						593.49	303.20	268.93	197.74						
911 PB	X LOCA																
	911 PB	X LOCATE DATABASE CAPABILITY															
		Service Establishment per CLEC per End User Account			9PBDC	9PBEU		1,813.00									1
		Changes to TN Range or Customer Profile			9PBDC	9PBTN		181.44									1
		Per Telephone Number (Monthly)			9PBDC	9PBMM	0.07										1
		Change Company (Service Provider) ID			9PBDC	9PBPC		532.60									1
		PBX Locate Service Support per CLEC (MonthIt)			9PBDC	9PBMR	181.33										1
		Service Order Charge			9PBDC	9PBSC		15.66									
	911 PB	X LOCATE TRANSPORT COMPONENT															1
	See Att	3															i
UNBUN	IDLED L	OCAL EXCHANGE SWITCHING(PORTS)															i
	The Ex	change Switching Port Rates Reflected Here Apply to Embed	ded Bas	e Swite	ching Ports as of Ma	rch 10, 2005	and Consist of	the TELRIC C	ost Based Rat	es Plus \$1.00 ii	n Accordance	with the TR	RO.				
		NGE PORT RATES															1
		Although the Port Rate includes all available features in GA,	KY, LA	& TN, ti	ne desired features v	vill need to b	oe ordered usin	g retail USOC	5								
	2-WIRE	VOICE GRADE LINE PORT RATES (RES)															
		Exchange Ports - 2-Wire Analog Line Port- Res.			UEPSR	UEPRL	2.38	2.38	2.27	1.42	1.33						
		Exchange Ports - 2-Wire Analog Line Port with Caller ID - Res.			UEPSR	UEPRC	2.38	2.38	2.27	1.42	1.33						i
		Exchange Ports - 2-Wire Analog Line Port outgoing only - Res.			UEPSR	UEPRO	2.38	2.38	2.27	1.42	1.33						ı I
		Exchange Ports - 2-Wire VG unbundled AL extended local															
		dialing parity Port with Caller ID - Res.			UEPSR	UEPAR	2.38	2.38	2.27	1.42	1.33	1					i
		Exchange Ports - 2-Wire VG unbundled res, low usage line port			-												
		with Caller ID (LUM)			UEPSR	UEPAP	2.38	2.38	2.27	1.42	1.33	1					ı I
		Exchange Ports - 2-Wire VG Alabama Residence Dialing Plan			-							İ					
1		without Caller Id			UEPSR	UEPWA	2.38	2.38	2.27	1.42	1.33		1				, I
		2-Wire voice unbundled Low Usage Line Port without Caller ID					_:00	00				İ					
1		Capability			UEPSR	UEPRT	2.38	2.38	2.27	1.42	1.33		1				, I
		Subsequent Activity			UEPSR	USASC	0.00	0.00	0.00	1	30						$\overline{}$
	FEATU				-							İ					
		All Available Vertical Features			UEPSR	UEPVF	1.98	0.00	0.00								
		VOICE GRADE LINE PORT RATES (BUS)				1	50	3.30	5.50								
		Exchange Ports - 2-Wire Analog Line Port without Caller ID -										İ					
		Bus			UEPSB	UEPBL	2.38	2.38	2.27	1.42	1.33						i I
		Exchange Ports - 2-Wire VG unbundled Line Port with					2.50	2.50		2	50	 	1				
1		unbundled port with Caller+E484 ID - Bus.			UEPSB	UEPBC	2.38	2.38	2.27	1.42	1.33	l	1				i
		and and port with Callet (ETOT ID Date.			J. JD	02,00	2.50	2.30	2.21	1.42	1.00	 	 				$\overline{}$
		Exchange Ports - 2-Wire Analog Line Port outgoing only - Bus.			UEPSB	UEPBO	2.38	2.38	2.27	1.42	1.33						i l
		Exchange Ports - 2-Wire VG unbundled AL extended local			J. JD	02,00	2.50	2.30	2.21	1.42	1.00	 	1				$\overline{}$
		dialing parity Port with Caller ID - Bus.			UEPSB	UEPAW	2.38	2.38	2.27	1.42	1.33	1					i l
		Exhange Ports - 2-Wire VG unbundled incoming only port with					2.50	2.50	2.21	1.72	1.00		l				\vdash
1		Caller ID - Bus			UEPSB	UEPB1	2.38	2.38	2.27	1.42	1.33		1				i
	l	Odnor ID Dao	<u> </u>	1	01.00	OLIDI	2.30	2.30	۷.۷۱	1.42	1.33	1	l		l		

Version 4Q05 Standard ICA 03/15/06 (Renegotiations) Page 12 of 261

JNBUNULED '	NETWORK ELEMENTS - Alabama												Attachment:	2 Exh A		
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)			Svc Order Submitted Elec per LSR			Incremental Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic-	Charge -
													1st	Add'l	Disc 1st	Disc Add'l
													ist	Add I	DISC 1St	DISC Add I
							Nonrec	urring	Nonrecurring	Disconnect			oss	Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Exchange Ports - 2-Wire Voice Alabama Business Dialing Plan															
	without Caller ID			UEPSB	UEPWB	2.38	2.38	2.27	1.42	1.33						
	2-Wire voice unbundled Incoming Only Port without Caller ID															
	Capability			UEPSB	UEPBE	2.38	2.38	2.27	1.42	1.33						
	Subsequent Activity			UEPSB	USASC	0.00	0.00	0.00								
FEATU					L											
EVOL	All Available Vertical Features			UEPSB	UEPVF	1.98	0.00	0.00								
EXCHA	ANGE PORT RATES (DID & PBX)		1	LIEDOE	UEPRD	2.38	24.07	11.05	12.04	0.00						
	2-Wire VG Unbundled 2-Way PBX Trunk - Res 2-Wire VG Line Side Unbundled 2-Way PBX Trunk - Bus			UEPSE UEPSP	UEPPC	2.38	31.27 31.27	14.85 14.85	13.94 13.94	0.90						
	2-Wire VG Line Side Unbundled Outward PBX Trunk - Bus			UEPSP	UEPPO	2.38	31.27	14.85	13.94	0.90						
	2-Wire VG Line Side Unbundled Incoming PBX Trunk - Bus		 	UEPSP	UEPP1	2.38	31.27	14.85	13.94	0.90						
-+	2-Wire Analog Long Distance Terminal PBX Trunk - Bus		1	UEPSP	UEPLD	2.38	31.27	14.85	13.94	0.90						
	2-Wire Voice Unbundled 2-Way PBX Alabama Calling Port		1	UEPSP	UEPA2	2.38	31.27	14.85	13.94	0.90						
	2-Wire Voice Unbundled PBX LD Terminal Ports		1	UEPSP	UEPLD	2.38	31.27	14.85	13.94	0.90						
	2-Wire Vice Unbundled 2-Way PBX Usage Port			UEPSP	UEPXA	2.38	31.27	14.85	13.94	0.90						
	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports	1	1	UEPSP	UEPXB	2.38	31.27	14.85	13.94	0.90						
	2-Wire Voice Unbundled PBX LD DDD Terminals Port			UEPSP	UEPXC	2.38	31.27	14.85	13.94	0.90						
	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port			UEPSP	UEPXD	2.38	31.27	14.85	13.94	0.90						
	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD															
	Capable Port			UEPSP	UEPXE	2.38	31.27	14.85	13.94	0.90						
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy															
	Administrative Calling Port			UEPSP	UEPXL	2.38	31.27	14.85	13.94	0.90						
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy															
	Room Calling Port			UEPSP	UEPXM	2.38	31.27	14.85	13.94	0.90						
	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital															
	Discount Room Calling Port		ļ	UEPSP	UEPXO	2.38	31.27	14.85	13.94	0.90						
	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPSP	UEPXS	2.38	31.27	14.85	13.94	0.90						
FEATI	Subsequent Activity		1	UEPSP	USASC	0.00	0.00	0.00								
FEATU	All Available Vertical Features			UEPSP UEPSE	UEPVF	1.98	0.00	0.00								
NOTE	: Transmission/usage charges associated with POTS circuit sv									annole accor	atod with 2	ina ICDNI a				
	. Transinission/usage charges associated with FOTS circuit sv					od voice and/or	circuit cwitch						orte			
														Request Pro	ress	
NOTE:	: Access to B Channel or D Channel Packet capabilities will be													Request Pro	cess.	
NOTE:	: Access to B Channel or D Channel Packet capabilities will be E VOICE GRADE LINE PORT RATES (DID)			through BFR/New		equest Process.	Rates for the	packet capabi	lities will be de	termined via t				Request Pro	cess.	
NOTE: 2-WIRI	: Access to B Channel or D Channel Packet capabilities will be E VOICE GRADE LINE PORT RATES (DID) Exchange Ports - 2-Wire DID Port				Business Re									Request Pro	cess.	
NOTE: 2-WIRI	: Access to B Channel or D Channel Packet capabilities will be E VOICE GRADE LINE PORT RATES (DID)			through BFR/New	Business Re	equest Process.	Rates for the	packet capabi	lities will be de	termined via t				Request Pro	cess.	
NOTE: 2-WIRI	: Access to B Channel or D Channel Packet capabilities will be IE VOICE GRADE LINE PORT RATES (DID) Exchange Ports - 2-Wire DID Port EVOICE GRADE LINE PORT RATES (ISDN-BRI) Exchange Ports - 2-Wire ISDN Port (See Notes below.) All Features Offered		ble only	UEPTX, UEPSX UEPTX, UEPSX UEPTX, UEPSX	UEPP2 U1PMA UEPVF	9.05 10.79 1.98	119.31 72.77 0.00	18.74 52.99 0.00	lities will be de 59.90	stermined via t				Request Pro	cess.	
NOTE: 2-WIRI 2-WIRI	Access to B Channel or D Channel Packet capabilities will be it VOICE GRADE LINE PORT RATES (DID) Exchange Ports - 2-Wire DID Port EVOICE GRADE LINE PORT RATES (ISDN-BRI) Exchange Ports - 2-Wire ISDN Port (See Notes below.) All Features Offered Exchange Ports - 2-Wire ISDN Port Channel Profiles	availa	ble only	UEPEX UEPTX, UEPSX UEPTX, UEPSX UEPTX, UEPSX UEPTX, UEPSX	UEPP2 U1PMA UEPVF U1UMA	9.05 9.05 10.79 1.98 0.00	72.77 0.00 0.00	18.74 52.99 0.00 0.00	59.90 47.79	3.76 10.74	he Bona Fid	e Request/	New Business	Request Pro	Cess.	
NOTE: 2-WIRI 2-WIRI NOTE:	Access to B Channel or D Channel Packet capabilities will be E VOICE GRADE LINE PORT RATES (DID) Exchange Ports - 2-Wire DID Port E VOICE GRADE LINE PORT RATES (ISDN-BRI) Exchange Ports - 2-Wire ISDN Port (See Notes below.) All Features Offered Exchange Ports - 2-Wire ISDN Port - Channel Profiles Transmission/usage charges associated with POTS circuit so	e availa	ble only	V through BFR/New UEPEX UEPTX, UEPSX UEPTX, UEPSX UEPTX, UEPSX Will also apply to ci	Business Re UEPP2 U1PMA UEPVF U1UMA rcuit switche	9.05 10.79 1.98 0.00 ed voice and/or	72.77 0.00 0.00 circuit switched	18.74 52.99 0.00 0.00 ed data transm	59.90 47.79	3.76 10.74 nannels associ	he Bona Fid	e Request/	New Business			
NOTE: 2-WIRI 2-WIRI NOTE: NOTE:	Access to B Channel or D Channel Packet capabilities will be E VOICE GRADE LINE PORT RATES (DID) Exchange Ports - 2-Wire DID Port EVOICE GRADE LINE PORT RATES (ISDN-BRI) Exchange Ports - 2-Wire ISDN Port (See Notes below.) All Features Offered Exchange Ports - 2-Wire ISDN Port - Channel Profiles Transmission/usage charges associated with POTS circuit sy Access to B Channel or D Channel Packet capabilities will be	e availal	ble only	V through BFR/New UEPEX UEPTX, UEPSX UEPTX, UEPSX UEPTX, UEPSX Will also apply to ci	Business Re UEPP2 U1PMA UEPVF U1UMA rcuit switche	9.05 10.79 1.98 0.00 ed voice and/or	72.77 0.00 0.00 circuit switched	18.74 52.99 0.00 0.00 ed data transm	59.90 47.79	3.76 10.74 nannels associ	he Bona Fid	e Request/	New Business			
NOTE: 2-WIRI 2-WIRI NOTE: NOTE: UNBUI	Access to B Channel or D Channel Packet capabilities will be to VOICE GRADE LINE PORT RATES (DID) Exchange Ports - 2-Wire DID Port EVOICE GRADE LINE PORT RATES (ISDN-BRI) Exchange Ports - 2-Wire ISDN Port (See Notes below.) All Features Offered Exchange Ports - 2-Wire ISDN Port Channel Profiles Transmission/usage charges associated with POTS circuit so: Access to B Channel or D Channel Packet capabilities will be NDLED PORT with REMOTE CALL FORWARDING CAPABILITY	witched	ble only	V through BFR/New UEPEX UEPTX, UEPSX UEPTX, UEPSX UEPTX, UEPSX Will also apply to ci	Business Re UEPP2 U1PMA UEPVF U1UMA rcuit switche	9.05 10.79 1.98 0.00 ed voice and/or	72.77 0.00 0.00 circuit switched	18.74 52.99 0.00 0.00 ed data transm	59.90 47.79	3.76 10.74 nannels associ	he Bona Fid	e Request/	New Business			
NOTE: 2-WIRI 2-WIRI NOTE: NOTE: UNBUI	Access to B Channel or D Channel Packet capabilities will be E VOICE GRADE LINE PORT RATES (DID) Exchange Ports - 2-Wire DID Port EVOICE GRADE LINE PORT RATES (ISDN-BRI) Exchange Ports - 2-Wire ISDN Port (See Notes below.) All Features Offered Exchange Ports - 2-Wire ISDN Port - Channel Profiles Transmission/usage charges associated with POTS circuit sy: Access to B Channel or D Channel Packet capabilities will by DIDLED PORT with REMOTE CALL FORWARDING CAPABILITY INDLED REMOTE CALL FORWARDING SERVICE - RESIDENCE	witched	ble only	UEPEX UEPTX, UEPSX UEPTX, UEPSX UEPTX, UEPSX UEPTX, UEPSX will also apply to ci y through BFR/New	Business Re UEPP2 U1PMA UEPVF U1UMA reuit switch Business Re	9.05 10.79 1.98 0.00 ed voice and/or equest Process.	Rates for the 119.31 72.77 0.00 0.00 circuit switche Rates for the	18.74 52.99 0.00 0.00 ed data transmaraket capabi	59.90 47.79 ission by B-Chities will be de	3.76 10.74 nannels associ	he Bona Fid	e Request/	New Business			
NOTE: 2-WIRI 2-WIRI NOTE: NOTE: UNBUI	Access to B Channel or D Channel Packet capabilities will be to VOICE GRADE LINE PORT RATES (DID) Exchange Ports - 2-Wire DID Port EVOICE GRADE LINE PORT RATES (ISDN-BRI) Exchange Ports - 2-Wire ISDN Port (See Notes below.) All Features Offered Exchange Ports - 2-Wire ISDN Port Channel Profiles Transmission/usage charges associated with POTS circuit so: Access to B Channel or D Channel Packet capabilities will be NDLED PORT with REMOTE CALL FORWARDING CAPABILITY	witched	ble only	V through BFR/New UEPEX UEPTX, UEPSX UEPTX, UEPSX UEPTX, UEPSX Will also apply to ci	Business Re UEPP2 U1PMA UEPVF U1UMA rcuit switche	9.05 10.79 1.98 0.00 ed voice and/or	72.77 0.00 0.00 circuit switched	18.74 52.99 0.00 0.00 ed data transm	59.90 47.79	3.76 10.74 nannels associ	he Bona Fid	e Request/	New Business			
NOTE: 2-WIRI 2-WIRI NOTE: NOTE: UNBUI	Access to B Channel or D Channel Packet capabilities will be to VICE GRADE LINE PORT RATES (DID) Exchange Ports - 2-Wire DID Port EVOICE GRADE LINE PORT RATES (ISDN-BRI) Exchange Ports - 2-Wire ISDN Port (See Notes below.) All Features Offered Exchange Ports - 2-Wire ISDN Port - Channel Profiles Transmission/usage charges associated with POTS circuit so: Transmission/usage charges associated with POTS circuit so: Access to B Channel or D Channel Packet capabilities will be INDLED PORT with REMOTE CALL FORWARDING CAPABILITY INDLED REMOTE CALL FORWARDING SERVICE - RESIDENCE Unbundled Remote Call Forwarding Service, Area Calling, Res	witched	ble only	UEPEX UEPTX, UEPSX UEPTX, UEPSX UEPTX, UEPSX UEPTX, UEPSX Will also apply to ci y through BFR/New UEPVR	Business Re UEPP2 U1PMA UEPVF U1UMA rcuit switch Business Re UERAC	9.05 9.05 10.79 1.98 0.00 ed voice and/or equest Process.	Rates for the 119.31 72.77 0.00 0.00 circuit switche Rates for the	18.74 52.99 0.00 0.00 d data transm packet capabi	59.90 47.79 sission by B-Ch	3.76 10.74 nannels associetermined via t	he Bona Fid	e Request/	New Business			
NOTE: 2-WIRI 2-WIRI NOTE: NOTE: UNBUI	Access to B Channel or D Channel Packet capabilities will be to VOICE GRADE LINE PORT RATES (DID) Exchange Ports - 2-Wire DID Port EVOICE GRADE LINE PORT RATES (ISDN-BRI) Exchange Ports - 2-Wire ISDN Port (See Notes below.) All Features Offered Exchange Ports - 2-Wire ISDN Port - Channel Profiles Transmission/usage charges associated with POTS circuit so Access to B Channel or D Channel Packet capabilities will be INDLED PORT with REMOTE CALL FORWARDING CAPABILITY INDLED REMOTE CALL FORWARDING SERVICE - RESIDENCE Unbundled Remote Call Forwarding Service, Area Calling, Res Unbundled Remote Call Forwarding Service, Local Calling - Res	witched	ble only	UEPEX UEPTX, UEPSX UEPTX, UEPSX UEPTX, UEPSX UEPTX, UEPSX Will also apply to ci y through BFR/New UEPVR UEPVR	Business Re UEPP2 U1PMA UEPVF U1UMA rcuit switche Business Re UERAC UERAC	9.05 9.07 10.79 1.98 0.00 ed voice and/or quest Process. 2.38	119.31 72.77 0.00 0.00 circuit switche Rates for the 2.38	18.74 52.99 0.00 0.00 d data transm packet capabi 2.27 2.27	59.90 47.79 ission by B-Chilities will be de	3.76 10.74 nannels associtermined via t	he Bona Fid	e Request/	New Business			
NOTE: 2-WIRI 2-WIRI NOTE: NOTE: UNBUI	Access to B Channel or D Channel Packet capabilities will be E VOICE GRADE LINE PORT RATES (DID) Exchange Ports - 2-Wire DID Port E VOICE GRADE LINE PORT RATES (ISDN-BRI) Exchange Ports - 2-Wire ISDN Port (See Notes below.) All Features Offered Exchange Ports - 2-Wire ISDN Port - Channel Profiles Transmission/usage charges associated with POTS circuit sy: Access to B Channel or D Channel Packet capabilities will be will be be a compared to the port of the port	witched	ble only	V through BFR/New UEPEX UEPTX, UEPSX UEPTX, UEPSX UEPTX, UEPSX Will also apply to ci Y through BFR/New UEPVR UEPVR UEPVR	Business Re UEPP2 U1PMA UEPVF U1UMA rouit switche Business Re UERAC UERAC UERLC UERTE	9.05 9.07 9.07 9.09 1.98 0.00 ed voice and/or quest Process. 2.38 2.38 2.38	72.77 0.00 0.00 circuit switche Rates for the 2.38 2.38 2.38	18.74 52.99 0.00 0.00 ed data transm packet capabi 2.27 2.27 2.27	1.42 1.42	3.76 10.74 nannels associtermined via t 1.33 1.33 1.33	he Bona Fid	e Request/	New Business			
NOTE: 2-WIRI 2-WIRI NOTE: NOTE: UNBUI	Access to B Channel or D Channel Packet capabilities will be to VICE GRADE LINE PORT RATES (DID) Exchange Ports - 2-Wire DID Port EVOICE GRADE LINE PORT RATES (ISDN-BRI) Exchange Ports - 2-Wire ISDN Port (See Notes below.) All Features Offered Exchange Ports - 2-Wire ISDN Port - Channel Profiles Transmission/usage charges associated with POTS circuit so: Transmission/usage charges associated with POTS circuit so: Access to B Channel or D Channel Packet capabilities will be INDLED PORT with REMOTE CALL FORWARDING CAPABILITY INDLED REMOTE CALL FORWARDING SERVICE - RESIDENCE Unbundled Remote Call Forwarding Service, Area Calling, Res Unbundled Remote Call Forwarding Service, InterLATA - Res Unbundled Remote Call Forwarding Service, InterLATA - Res	witched	ble only	UEPEX UEPTX, UEPSX UEPTX, UEPSX UEPTX, UEPSX UEPTX, UEPSX Will also apply to ci y through BFR/New UEPVR UEPVR	Business Re UEPP2 U1PMA UEPVF U1UMA rcuit switche Business Re UERAC UERAC	9.05 9.07 10.79 1.98 0.00 ed voice and/or quest Process. 2.38	119.31 72.77 0.00 0.00 circuit switche Rates for the 2.38	18.74 52.99 0.00 0.00 d data transm packet capabi 2.27 2.27	59.90 47.79 ission by B-Chilities will be de	3.76 10.74 nannels associtermined via t	he Bona Fid	e Request/	New Business			
NOTE: 2-WIRI 2-WIRI NOTE: NOTE: UNBUI UNBUI	Access to B Channel or D Channel Packet capabilities will be EVOICE GRADE LINE PORT RATES (DID) Exchange Ports - 2-Wire DID Port EVOICE GRADE LINE PORT RATES (ISDN-BRI) Exchange Ports - 2-Wire ISDN Port (See Notes below.) All Features Offered Exchange Ports - 2-Wire ISDN Port - Channel Profiles Transmission/usage charges associated with POTS circuit ss. Transmission/usage charges associated with POTS circuit sw. Access to B Channel or D Channel Packet capabilities will be INDLED PORT with REMOTE CALL FORWARDING CAPABILITY INDLED REMOTE CALL FORWARDING SERVICE - RESIDENCE Unbundled Remote Call Forwarding Service, Area Calling, Res Unbundled Remote Call Forwarding Service, Local Calling - Res Unbundled Remote Call Forwarding Service, InterLATA - Res Unbundled Remote Call Forwarding Service, InterLATA - Res Unbundled Remote Call Forwarding Service, IntraLATA - Res Unbundled Remote Call Forwarding Service, IntraLATA - Res	witched	ble only	V through BFR/New UEPEX UEPTX, UEPSX UEPTX, UEPSX UEPTX, UEPSX Will also apply to ci Y through BFR/New UEPVR UEPVR UEPVR	Business Re UEPP2 U1PMA UEPVF U1UMA rouit switche Business Re UERAC UERAC UERLC UERTE	9.05 9.07 9.07 9.09 1.98 0.00 ed voice and/or quest Process. 2.38 2.38 2.38	72.77 0.00 0.00 circuit switche Rates for the 2.38 2.38 2.38	18.74 52.99 0.00 0.00 ed data transm packet capabi 2.27 2.27 2.27	1.42 1.42	3.76 10.74 nannels associtermined via t 1.33 1.33 1.33	he Bona Fid	e Request/	New Business			
NOTE: 2-WIRI 2-WIRI NOTE: NOTE: UNBUI UNBUI	Access to B Channel or D Channel Packet capabilities will be levoice GRADE LINE PORT RATES (DID) Exchange Ports - 2-Wire DID Port Evolange Ports - 2-Wire ISDN Port (See Notes below.) All Features Offered Exchange Ports - 2-Wire ISDN Port - Channel Profiles Exchange Ports - 2-Wire ISDN Port - Channel Profiles Transmission/usage charges associated with POTS circuit ss Access to B Channel or D Channel Packet capabilities will be NDLED PORT with REMOTE CALL FORWARDING CAPABILITY INDLED REMOTE CALL FORWARDING SERVICE - RESIDENCE Unbundled Remote Call Forwarding Service, Area Calling, Res Unbundled Remote Call Forwarding Service, Local Calling - Res Unbundled Remote Call Forwarding Service, InterLATA - Res Unbundled Remote Call Forwarding Service intraLATA - Res Unbundled Remote Call Forwarding Service - Conversion -	witched	ble only	UEPTX, UEPSX UEPTX, UEPSX UEPTX, UEPSX UEPTX, UEPSX WILL Also apply to ci y through BFR/New UEPVR UEPVR UEPVR UEPVR UEPVR	Business Re UEPP2 U1PMA UEPVF U1UMA rouit switche Business Re UERAC UERAC UERLC UERTE UERTR	9.05 9.07 9.07 9.09 1.98 0.00 ed voice and/or quest Process. 2.38 2.38 2.38	119.31 72.77 0.00 0.00 circuit switche Rates for the 2.38 2.38 2.38 2.38	18.74 52.99 0.00 0.00 d data transm packet capabi 2.27 2.27 2.27 2.27	1.42 1.42	3.76 10.74 nannels associtermined via t 1.33 1.33 1.33	he Bona Fid	e Request/	New Business			
NOTE: 2-WIRI 2-WIRI NOTE: NOTE: UNBUI	Access to B Channel or D Channel Packet capabilities will be E VOICE GRADE LINE PORT RATES (DID) Exchange Ports - 2-Wire DID Port E VOICE GRADE LINE PORT RATES (ISDN-BRI) Exchange Ports - 2-Wire ISDN Port (See Notes below.) All Features Offered Exchange Ports - 2-Wire ISDN Port - Channel Profiles Transmission/usage charges associated with POTS circuit sy: Cacess to B Channel or D Channel Packet capabilities will be will be to be a comparable of the port of t	witched	ble only	V through BFR/New UEPEX UEPTX, UEPSX UEPTX, UEPSX UEPTX, UEPSX Will also apply to ci Y through BFR/New UEPVR UEPVR UEPVR	Business Re UEPP2 U1PMA UEPVF U1UMA rouit switche Business Re UERAC UERAC UERLC UERTE	9.05 9.07 9.07 9.09 1.98 0.00 ed voice and/or quest Process. 2.38 2.38 2.38	72.77 0.00 0.00 circuit switche Rates for the 2.38 2.38 2.38	18.74 52.99 0.00 0.00 ed data transm packet capabi 2.27 2.27 2.27	1.42 1.42	3.76 10.74 nannels associtermined via t 1.33 1.33 1.33	he Bona Fid	e Request/	New Business			
NOTE: 2-WIRI 2-WIRI NOTE: NOTE: UNBUI UNBUI	Access to B Channel or D Channel Packet capabilities will be to VOICE GRADE LINE PORT RATES (DID) Exchange Ports - 2-Wire DID Port EVOICE GRADE LINE PORT RATES (ISDN-BRI) Exchange Ports - 2-Wire ISDN Port (See Notes below.) All Features Offered Exchange Ports - 2-Wire ISDN Port - Channel Profiles Transmission/usage charges associated with POTS circuit so Access to B Channel or D Channel Packet capabilities will be NDLED PORT with REMOTE CALL FORWARDING CAPABILITY NDLED REMOTE CALL FORWARDING SERVICE - RESIDENCE Unbundled Remote Call Forwarding Service, Area Calling, Res Unbundled Remote Call Forwarding Service, InterLATA - Res Unbundled Remote Call Forwarding Service, IntraLATA - Res Recurring Unbundled Remote Call Forwarding Service - Conversion - Switch-as-is Unbundled Remote Call Forwarding Service - Conversion with	witched	ble only	UEPTX, UEPSX UEPTX, UEPSX UEPTX, UEPSX UEPTX, UEPSX WILL Also apply to ci y through BFR/New UEPVR UEPVR UEPVR UEPVR UEPVR	Business Re UEPP2 U1PMA UEPVF U1UMA reuit switch Business Re UERAC UERAC UERLC UERTE UERTE	9.05 9.07 9.07 9.09 1.98 0.00 ed voice and/or quest Process. 2.38 2.38 2.38	119.31 72.77 0.00 0.00 circuit switche Rates for the 2.38 2.38 2.38 2.38	18.74 52.99 0.00 0.00 d data transm packet capabi 2.27 2.27 2.27 2.27	1.42 1.42	3.76 10.74 nannels associtermined via t 1.33 1.33 1.33	he Bona Fid	e Request/	New Business			
NOTE: 2-WIRI 2-WIRI NOTE: NOTE: UNBUI UNBUI	Access to B Channel or D Channel Packet capabilities will be E VOICE GRADE LINE PORT RATES (DID) Exchange Ports - 2-Wire DID Port E VOICE GRADE LINE PORT RATES (ISDN-BRI) Exchange Ports - 2-Wire ISDN Port (See Notes below.) All Features Offered Exchange Ports - 2-Wire ISDN Port - Channel Profiles Transmission/usage charges associated with POTS circuit sy: Cacess to B Channel or D Channel Packet capabilities will be will be to be a comparable of the port of t	witched	ble only	V through BFR/New UEPTX, UEPSX UEPTX, UEPSX UEPTX, UEPSX WILL UEPSX WILL also apply to ci y through BFR/New UEPVR UEPVR UEPVR UEPVR UEPVR UEPVR	Business Re UEPP2 U1PMA UEPVF U1UMA rouit switche Business Re UERAC UERAC UERLC UERTE UERTR	9.05 9.07 9.07 9.09 1.98 0.00 ed voice and/or quest Process. 2.38 2.38 2.38	119.31 72.77 0.00 0.00 circuit switche Rates for the 2.38 2.38 2.38 0.10	18.74 52.99 0.00 0.00 d data transm packet capabi 2.27 2.27 2.27 0.10	1.42 1.42	3.76 10.74 nannels associtermined via t 1.33 1.33 1.33	he Bona Fid	e Request/	New Business			
NOTE: 2-WIRI 2-WIRI NOTE: NOTE: UNBUI UNBUI	Access to B Channel or D Channel Packet capabilities will be to VOICE GRADE LINE PORT RATES (DID) Exchange Ports - 2-Wire DID Port Evolage Ports - 2-Wire ISDN Port (See Notes below.) All Features Offered Exchange Ports - 2-Wire ISDN Port (See Notes below.) All Features Offered Exchange Ports - 2-Wire ISDN Port - Channel Profiles : Transmission/usage charges associated with POTS circuit ss : Access to B Channel or D Channel Packet capabilities will be NDLED PORT with REMOTE CALL FORWARDING CAPABILITY INDLED REMOTE CALL FORWARDING SERVICE - RESIDENCE Unbundled Remote Call Forwarding Service, Area Calling, Res Unbundled Remote Call Forwarding Service, Local Calling - Res Unbundled Remote Call Forwarding Service, InterLATA - Res Unbundled Remote Call Forwarding Service - Conversion - Switch-as-is Unbundled Remote Call Forwarding Service - Conversion with allowed change (PIC and LPIC)	witched	ble only	V through BFR/New UEPTX, UEPSX UEPTX, UEPSX UEPTX, UEPSX WILL UEPSX WILL also apply to ci y through BFR/New UEPVR UEPVR UEPVR UEPVR UEPVR UEPVR	Business Re UEPP2 U1PMA UEPVF U1UMA reuit switch Business Re UERAC UERAC UERLC UERTE UERTE	9.05 9.07 9.07 9.09 1.98 0.00 ed voice and/or quest Process. 2.38 2.38 2.38	119.31 72.77 0.00 0.00 circuit switche Rates for the 2.38 2.38 2.38 0.10	18.74 52.99 0.00 0.00 d data transm packet capabi 2.27 2.27 2.27 0.10	1.42 1.42	3.76 10.74 nannels associtermined via t 1.33 1.33 1.33	he Bona Fid	e Request/	New Business			
NOTE: 2-WIRI 2-WIRI NOTE: NOTE: UNBUI UNBUI	Access to B Channel or D Channel Packet capabilities will be to VOICE GRADE LINE PORT RATES (DID) Exchange Ports - 2-Wire DID Port Evolage Ports - 2-Wire ISDN Port (See Notes below.) All Features Offered Exchange Ports - 2-Wire ISDN Port (See Notes below.) All Features Offered Exchange Ports - 2-Wire ISDN Port - Channel Profiles : Transmission/usage charges associated with POTS circuit ss : Access to B Channel or D Channel Packet capabilities will be NDLED PORT with REMOTE CALL FORWARDING CAPABILITY INDLED REMOTE CALL FORWARDING SERVICE - RESIDENCE Unbundled Remote Call Forwarding Service, Area Calling, Res Unbundled Remote Call Forwarding Service, Local Calling - Res Unbundled Remote Call Forwarding Service, InterLATA - Res Unbundled Remote Call Forwarding Service - Conversion - Switch-as-is Unbundled Remote Call Forwarding Service - Conversion with allowed change (PIC and LPIC)	witched	ble only	V through BFR/New UEPTX, UEPSX UEPTX, UEPSX UEPTX, UEPSX WILL UEPSX WILL also apply to ci y through BFR/New UEPVR UEPVR UEPVR UEPVR UEPVR UEPVR	Business Re UEPP2 U1PMA UEPVF U1UMA reuit switch Business Re UERAC UERAC UERLC UERTE UERTE	9.05 9.07 9.07 9.09 1.98 0.00 ed voice and/or quest Process. 2.38 2.38 2.38	119.31 72.77 0.00 0.00 circuit switche Rates for the 2.38 2.38 2.38 0.10	18.74 52.99 0.00 0.00 d data transm packet capabi 2.27 2.27 2.27 0.10	1.42 1.42	3.76 10.74 nannels associtermined via t 1.33 1.33 1.33	he Bona Fid	e Request/	New Business			
NOTE: 2-WIRI 2-WIRI NOTE: NOTE: UNBUI UNBUI	Access to B Channel or D Channel Packet capabilities will be the Voice GRADE LINE PORT RATES (DID) Exchange Ports - 2-Wire DID Port EVOICE GRADE LINE PORT RATES (ISDN-BRI) Exchange Ports - 2-Wire ISDN Port (See Notes below.) All Features Offered Exchange Ports - 2-Wire ISDN Port - Channel Profiles Transmission/usage charges associated with POTS circuit so a Access to B Channel or D Channel Packet capabilities will be NDLED PORT with REMOTE CALL FORWARDING CAPABILITY NDLED REMOTE CALL FORWARDING SERVICE - RESIDENCE Unbundled Remote Call Forwarding Service, Area Calling, Res Unbundled Remote Call Forwarding Service, Local Calling - Res Unbundled Remote Call Forwarding Service, InterLATA - Res Recurring Unbundled Remote Call Forwarding Service - Conversion - Switch-as-is Unbundled Remote Call Forwarding Service - Conversion with allowed change (PIC and LPIC) INDLED REMOTE CALL FORWARDING - Bus	witched	ble only	UEPTX, UEPSX UEPTX, UEPSX UEPTX, UEPSX UEPTX, UEPSX UEPTX, UEPSX will also apply to ci y through BFR/New UEPVR UEPVR UEPVR UEPVR UEPVR UEPVR UEPVR	Business Re UEPP2 U1PMA UEPVF U1UMA rcuit switch Business Re UERAC UERAC UERTE UERTE UERTE USAC2 USAC2	9.05 9.05 10.79 1.98 0.00 ed voice and/or equest Process. 2.38 2.38 2.38	119.31 72.77 0.00 0.00 0.00 circuit switche Rates for the 2.38 2.38 2.38 0.10 0.10	18.74 52.99 0.00 0.00 d data transm packet capabi 2.27 2.27 2.27 0.10 0.10	ities will be de 59.90 47.79 47.79 ission by B-Chities will be de 1.42 1.42 1.42 1.42	3.76 10.74 annels associatermined via t 1.33 1.33 1.33	he Bona Fid	e Request/	New Business			
NOTE: 2-WIRI 2-WIRI NOTE: NOTE: UNBUI UNBUI NON-R	Access to B Channel or D Channel Packet capabilities will be the Voice GRADE LINE PORT RATES (DID) Exchange Ports - 2-Wire DID Port EVOICE GRADE LINE PORT RATES (ISDN-BRI) Exchange Ports - 2-Wire ISDN Port (See Notes below.) All Features Offered Exchange Ports - 2-Wire ISDN Port - Channel Profiles Transmission/usage charges associated with POTS circuit so a Access to B Channel or D Channel Packet capabilities will be NDLED PORT with REMOTE CALL FORWARDING CAPABILITY NDLED REMOTE CALL FORWARDING SERVICE - RESIDENCE Unbundled Remote Call Forwarding Service, Area Calling, Res Unbundled Remote Call Forwarding Service, Local Calling - Res Unbundled Remote Call Forwarding Service, InterLATA - Res Recurring Unbundled Remote Call Forwarding Service - Conversion - Switch-as-is Unbundled Remote Call Forwarding Service - Conversion with allowed change (PIC and LPIC) INDLED REMOTE CALL FORWARDING - Bus	e availa	ble only	UEPTX, UEPSX UEPTX, UEPSX UEPTX, UEPSX UEPTX, UEPSX UEPTX, UEPSX will also apply to ci y through BFR/New UEPVR UEPVR UEPVR UEPVR UEPVR UEPVR UEPVR	Business Re UEPP2 U1PMA UEPVF U1UMA rcuit switch Business Re UERAC UERAC UERTE UERTE UERTE USAC2 USAC2	9.05 9.05 10.79 1.98 0.00 ed voice and/or equest Process. 2.38 2.38 2.38	119.31 72.77 0.00 0.00 0.00 circuit switche Rates for the 2.38 2.38 2.38 0.10 0.10	18.74 52.99 0.00 0.00 d data transm packet capabi 2.27 2.27 2.27 0.10 0.10	ities will be de 59.90 47.79 47.79 ission by B-Chities will be de 1.42 1.42 1.42 1.42	3.76 10.74 annels associatermined via t 1.33 1.33 1.33	he Bona Fid	e Request/	New Business			

Version 4Q05 Standard ICA 03/15/06 (Renegotiations) Page 13 of 261

UNBUNDLED	NETWORK ELEMENTS - Alabama												Attachment:	2 Exh A		
											Svc Order		Incremental		Incremental	Incremental
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
													-	_	_	_
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES(\$)			Elec		Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORI	KATE ELEMENTO	m	20116	500	0000			π. Ευ(ψ)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
			1				Nonrec	urrina	Monrocurring	Disconnect			066	Rates(\$)		
-			1			Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
-	Unbundled Remote Call Forwarding Service, IntraLATA - Bus		1	UEPVB	UERTR	2.38	2.38	2.27	1.42	1.33	SOWIEC	SOWAN	JOWAN	JOWAN	JOWAN	JOWAN
-			1	OLF VB	OLKIK	2.30	2.30	2.21	1.42	1.33						
	Unbundled Remote Call Forwarding Service Expanded and			UEPVB	UERVJ	2.38	2.38	2.27	1.42	1.33						
No.	Exception Local Calling	-		UEFVB	UERVJ	2.30	2.30	2.21	1.42	1.33						
NOTI-	Recurring Unbundled Remote Call Forwarding Service - Conversion -		1													
	Switch-as-is			UEPVB	USAC2		0.10	0.10								
-			1	UEFVB	USACZ		0.10	0.10								
	Unbundled Remote Call Forwarding Service - Conversion with			LIEDVD	110400		0.40	0.40								
UNIDURED ED	allowed change (PIC and LPIC)	-	1	UEPVB	USACC		0.10	0.10								
	LOCAL SWITCHING, PORT USAGE	-	1													
Ena	Office Switching (Port Usage)					0.0007005										
	End Office Switching Function, Per MOU		-			0.0007025										
 	End Office Trunk Port - Shared, Per MOU		-			0.0001638										
Tand	em Switching (Port Usage) (Local or Access Tandem)	-	 		1	0.00000-				ļ						
\vdash	Tandem Switching Function Per MOU	-	 		1	0.000095				ļ						
\vdash	Tandem Trunk Port - Shared, Per MOU	1	1		 	0.0002015										
	Tandem Switching Function Per MOU (Melded)	1	1			0.000040993										
<u> </u>	Tandem Trunk Port - Shared, Per MOU (Melded)	1	1			0.000086947										
	ed Factor: 43.15% of the Tandem Rate															
Com	non Transport															
	Common Transport - Per Mile, Per MOU					0.0000023										
	Common Transport - Facilities Termination Per MOU					0.0003224										
	PORT/LOOP COMBINATIONS - COST BASED RATES															
	t Based Rates are applied where BellSouth is required by FCC															
	UNE-P Switching Port Rates Reflected in the Cost Based Secti	ion App	ly to E	mbedded Base UNE	-Ps as of Ma	rch 10, 2005 and	I Consist of th	e TELRIC Cos	t Based Rates	Plus \$1.00 in A	ccordance	with the TR	RO.			
	tures shall apply to the Unbundled Port/Loop Combination - Co						to the Stand-	Alone Unbund	led Port section	n of this Rate	Exhibit.					
>End	Office and Tandem Switching Usage and Common Transport U	Usage ra	ates in	the Port section of	this rate exhi	bit shall apply t	to the Stand-A	Alone Unbund ions of loop/p	led Port section	n of this Rate ements except	Exhibit. for UNE Co	oin Port/Loo	p Combinatio			
>End >The	Office and Tandem Switching Usage and Common Transport Usage and additional Port nonrecurring charges apply to Not Cu	Usage ra	ates in	the Port section of	this rate exhi	bit shall apply t	to the Stand-A	Alone Unbund ions of loop/p	led Port section	n of this Rate ements except	Exhibit. for UNE Co	oin Port/Loo	p Combinatio			
>End >The 2-WIF	Office and Tandem Switching Usage and Common Transport U first and additional Port nonrecurring charges apply to Not Cu RE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)	Usage ra	ates in	the Port section of	this rate exhi	bit shall apply t	to the Stand-A	Alone Unbund ions of loop/p	led Port section	n of this Rate ements except	Exhibit. for UNE Co	oin Port/Loo	p Combinatio			
>End >The 2-WIF	Office and Tandem Switching Usage and Common Transport I first and additional Port nonrecurring charges apply to Not Cu & VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) Port/Loop Combination Rates	Usage ra	ates in	the Port section of	this rate exhi	bit shall apply to bined Combos t	to the Stand-A	Alone Unbund ions of loop/p	led Port section	n of this Rate ements except	Exhibit. for UNE Co	oin Port/Loo	p Combinatio			
>End >The 2-WIF	Office and Tandem Switching Usage and Common Transport It first and additional Port nonrecurring charges apply to Not Cu RE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) Port/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1	Usage ra	ates in	the Port section of	this rate exhi	bit shall apply to bined Combos to 13.70	to the Stand-A	Alone Unbund ions of loop/p	led Port section	n of this Rate ements except	Exhibit. for UNE Co	oin Port/Loo	p Combinatio			
>End >The 2-WIF	Office and Tandem Switching Usage and Common Transport II first and additional Port nonrecurring charges apply to Not Cu RE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) Port/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2	Usage ra	ates in	the Port section of	this rate exhi	bit shall apply to bined Combos to 13.70 22.19	to the Stand-A	Alone Unbund ions of loop/p	led Port section	n of this Rate ements except	Exhibit. for UNE Co	oin Port/Loo	p Combinatio			
>End >The 2-WIF	Office and Tandem Switching Usage and Common Transport It first and additional Port nonrecurring charges apply to Not Cu RE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) Port/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1	Usage ra	ates in	the Port section of	this rate exhi	bit shall apply to bined Combos to 13.70	to the Stand-A	Alone Unbund ions of loop/p	led Port section	n of this Rate ements except	Exhibit. for UNE Co	oin Port/Loo	p Combinatio			
>End >The 2-WIF UNE	Office and Tandem Switching Usage and Common Transport II first and additional Port nonrecurring charges apply to Not Cu RE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) Port/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2	Usage ra	ates in	the Port section of	this rate exhi	bit shall apply to bined Combos to 13.70 22.19	to the Stand-A	Alone Unbund ions of loop/p	led Port section	n of this Rate ements except	Exhibit. for UNE Co	oin Port/Loo	p Combinatio			
>End >The 2-WIF UNE	Office and Tandem Switching Usage and Common Transport It first and additional Port nonrecurring charges apply to Not Cu RE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) Port/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3	Usage ra	ates in	the Port section of	this rate exhi	bit shall apply to bined Combos to 13.70 22.19	to the Stand-A	Alone Unbund ions of loop/p	led Port section	n of this Rate ements except	Exhibit. for UNE Co	oin Port/Loo	p Combinatio			
>End >The 2-WIF UNE	Office and Tandem Switching Usage and Common Transport It first and additional Port nonrecurring charges apply to Not Cu RE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) Port/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 Loop Rates	Usage ra	ates in Combin	the Port section of the Combos. For Combos.	this rate exhi	13.70 22.19 35.80	to the Stand-A	Alone Unbund ions of loop/p	led Port section	n of this Rate ements except	Exhibit. for UNE Co	oin Port/Loo	p Combinatio			
>End >The 2-WIF UNE	Office and Tandem Switching Usage and Common Transport It first and additional Port nonrecurring charges apply to Not Cu RE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) Port/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 Loop Rates 2-Wire Voice Grade Loop (SL1) - Zone 1	Usage ra	ates in t	the Port section of the Combos. For Combos. For Combos.	this rate exhi	bit shall apply to bined Combos to 13.70 22.19 35.80 11.55	to the Stand-A	Alone Unbund ions of loop/p	led Port section	n of this Rate ements except	Exhibit. for UNE Co	oin Port/Loo	p Combinatio			
>End >The 2-Wif UNE	Office and Tandem Switching Usage and Common Transport It first and additional Port nonrecurring charges apply to Not Cu RE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) Port/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 Loop Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2	Usage ra	Combin	the Port section of the Combos. For Combos	UEPLX UEPLX UEPLX	13.70 22.19 35.80 11.55 20.04	to the Stand-A	Alone Unbund ions of loop/p	led Port section	n of this Rate ements except	Exhibit. for UNE Co	oin Port/Loo	p Combinatio			
>End >The 2-Wif UNE	Office and Tandem Switching Usage and Common Transport It first and additional Port nonrecurring charges apply to Not Cu RE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) Port/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 Loop Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3	Usage ra	Combin	the Port section of the Combos. For Combos	this rate exhi	13.70 22.19 35.80 11.55 20.04	to the Stand-A	Alone Unbund ions of loop/p	led Port section	n of this Rate ements except	Exhibit. for UNE Co	oin Port/Loo	p Combinatio			
>End >The 2-Wif UNE	Office and Tandem Switching Usage and Common Transport It first and additional Port nonrecurring charges apply to Not Cu RE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) Port/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 Loop Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 e Voice Grade Line Port Rates (Res)	Usage ra	Combin	the Port section of the Combos. For Combos	UEPLX UEPLX UEPLX	13.70 22.19 35.80 11.55 20.04 33.65	to the Stand- o all combinat he nonrecurri	Alone Unbund ions of loop/p ng charges sh	led Port sectio ort network el all be those id	n of this Rate ments except entified in the	Exhibit. for UNE Co	oin Port/Loo	p Combinatio			
>End >The 2-Wif UNE	Office and Tandem Switching Usage and Common Transport It first and additional Port nonrecurring charges apply to Not Cu RE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) Port/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 Loop Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 e Voice Grade Line Port Rates (Res) 2-Wire voice unbundled port - residence	Usage ra	Combin	UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPLX UEPLX UEPLX	bit shall apply to ined Combos 1 13.70 22.19 35.80 11.55 20.04 33.65 2.15	to the Stand- o all combinat he nonrecurri	Alone Unbundions of loop/p ng charges sh	led Port section or network elements all be those identified the section of the s	n of this Rate ments except entified in the	Exhibit. for UNE Co	oin Port/Loo	p Combinatio			
>End >The 2-WIF UNE	Office and Tandem Switching Usage and Common Transport It first and additional Port nonrecurring charges apply to Not Cu RE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) Port/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 Loop Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 e Voice Grade Line Port Rates (Res) 2-Wire voice unbundled port - residence 2-Wire voice unbundled port with Caller ID - res	Usage ra	Combin	UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX	bit shall apply to bined Combos 1 13.70 22.19 35.80 11.55 20.04 33.65 2.15 2.15	to the Stand- o all combinat he nonrecurri	Alone Unbundions of loop/g ng charges sh	led Port section ort network eleant be those identified by the section of the sec	n of this Rate ements except entified in the	Exhibit. for UNE Co	oin Port/Loo	p Combinatio			
>End >The 2-WIF UNE	Office and Tandem Switching Usage and Common Transport It first and additional Port nonrecurring charges apply to Not Cu RE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) Port/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 Loop Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 e Voice Grade Line Port Rates (Res) 2-Wire voice unbundled port - residence 2-Wire voice unbundled port with Caller ID - res 2-Wire voice unbundled port outgoing only - res	Usage ra	Combin	UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX	bit shall apply to bined Combos 1 13.70 22.19 35.80 11.55 20.04 33.65 2.15 2.15	to the Stand- o all combinat he nonrecurri	Alone Unbundions of loop/g ng charges sh	led Port section ort network eleant be those identified by the section of the sec	n of this Rate ements except entified in the	Exhibit. for UNE Co	oin Port/Loo	p Combinatio			
>End >The 2-WIF UNE	Office and Tandem Switching Usage and Common Transport It first and additional Port nonrecurring charges apply to Not Cu Its VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) Port/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 Loop Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 e Voice Grade Line Port Rates (Res) 2-Wire voice unbundled port - residence 2-Wire voice unbundled port outgoing only - res 2-Wire voice Grade unbundled Alabama extended local dialing parity port with Caller ID - res	Usage ra	Combin	UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPRC UEPRC	13.70 22.19 35.80 11.55 20.04 33.65 2.15 2.15	40.19 40.19 40.19	Alone Unbundions of loop/p ning charges sh 19.83 19.83 19.83	led Port section or network elea all be those idea.	n of this Rate ements except entified in the 6.63 6.63 6.63	Exhibit. for UNE Co	oin Port/Loo	p Combinatio			
>End >The 2-WIF UNE	Office and Tandem Switching Usage and Common Transport It first and additional Port nonrecurring charges apply to Not Cu RE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) Port/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 Loop Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 e Voice Grade Line Port Rates (Res) 2-Wire voice unbundled port - residence 2-Wire voice unbundled port outgoing only - res 2-Wire voice Use Grade Loop outgoing only - res 2-Wire voice Grade Loop Incomposition of the Incomposition of the Incomposition of the Incomposition of the Incomposition of the Incomposition of Incompositi	Usage ra	Combin	UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPRC UEPRC	13.70 22.19 35.80 11.55 20.04 33.65 2.15 2.15	40.19 40.19 40.19	Alone Unbundions of loop/p ning charges sh 19.83 19.83 19.83	led Port section or network elea all be those idea.	n of this Rate ements except entified in the 6.63 6.63 6.63	Exhibit. for UNE Co	oin Port/Loo	p Combinatio			
>End >The 2-WIF UNE	Office and Tandem Switching Usage and Common Transport It first and additional Port nonrecurring charges apply to Not Cu RE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) Port/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 Loop Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 e Voice Grade Line Port Rates (Res) 2-Wire voice unbundled port - residence 2-Wire voice unbundled port with Caller ID - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice Grade unbundled Alabama extended local dialing parity port with Caller ID - res 2-Wire voice unbundleds res, low usage line port with Caller ID (LUM)	Usage ra	Combin	UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPRC UEPRC UEPAR	13.70 22.19 35.80 11.55 20.04 33.65 2.15 2.15	40.19 40.19	19.83	eled Port section ort network elea all be those ide all b	n of this Rate ements except entified in the 6.63 6.63 6.63	Exhibit. for UNE Co	oin Port/Loo	p Combinatio			
>End >The 2-WIF UNE	Office and Tandem Switching Usage and Common Transport It first and additional Port nonrecurring charges apply to Not Cu RE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) Port/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 Loop Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 e Voice Grade Line Port Rates (Res) 2-Wire voice unbundled port - residence 2-Wire voice unbundled port with Caller ID - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice Grade unbundled Alabama extended local dialing parity port with Caller ID - res 2-Wire voice unbundles Por residence	Usage ra	Combin	UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPRC UEPRC UEPAR	13.70 22.19 35.80 11.55 20.04 33.65 2.15 2.15	40.19 40.19	19.83	eled Port section ort network elea all be those ide all b	n of this Rate ements except entified in the 6.63 6.63 6.63	Exhibit. for UNE Co	oin Port/Loo	p Combinatio			
>End >The 2-Wif UNE	Office and Tandem Switching Usage and Common Transport It first and additional Port nonrecurring charges apply to Not Cu RE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) Port/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 Loop Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 e Voice Grade Line Port Rates (Res) 2-Wire voice unbundled port - residence 2-Wire voice unbundled port outgoing only - res 2-Wire voice Unbundled Port with Caller ID - res 2-Wire voice Grade unbundled Alabama extended local dialing parity port with Caller ID - res 2-Wire voice unbundles res, low usage line port with Caller ID (LUM) 2-Wire Voice Unbundled Alabama Residence Dialing Plan without Caller ID	Usage ra	Combin	UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPRC UEPRC UEPRO UEPAR	13.70 22.19 35.80 11.55 20.04 33.65 2.15 2.15 2.15	40.19 40.19 40.19	19.83 19.83 19.83	24.91 24.91 24.91	n of this Rate ments except entified in the 6.63 6.63 6.63 6.63 6.63	Exhibit. for UNE Co	oin Port/Loo	p Combinatio			
>End >The 2-WIF UNE	Office and Tandem Switching Usage and Common Transport It first and additional Port nonrecurring charges apply to Not Cu 8E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) Port/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 Loop Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 e Voice Grade Line Port Rates (Res) 2-Wire voice unbundled port - residence 2-Wire voice unbundled port with Caller ID - res 2-Wire voice unbundled port with Caller ID - res 2-Wire voice unbundled port with Caller ID - res 2-Wire voice unbundled port with Caller ID - res 2-Wire voice unbundled shabama extended local dialing parity port with Caller ID - res 2-Wire voice unbundles res, low usage line port with Caller ID (LUM) 2-Wire Voice Unbundled Alabama Residence Dialing Plan without Caller ID 2-Wire voice unbundled Low Usage Line Port without Caller ID	Usage ra	Combin	UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPLX UEPLX UEPLX UEPRC UEPRC UEPAR UEPAP	bit shall apply to bined Combos 13.70 22.19 35.80 11.55 20.04 33.65 2.15 2.15 2.15 2.15 2.15	40.19 40.19 40.19 40.19 40.19	19.83 19.83 19.83	24.91 24.91 24.91	6.63 6.63 6.63	Exhibit. for UNE Co	oin Port/Loo	p Combinatio			
>End >The 2-Wir	Office and Tandem Switching Usage and Common Transport It first and additional Port nonrecurring charges apply to Not Cu RE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) Port/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 Loop Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire voice Grade Loop (SL1) - Zone 3 e Voice Grade Line Port Rates (Res) 2-Wire voice unbundled port - residence 2-Wire voice unbundled port outgoing only - res 2-Wire voice Grade unbundled Alabama extended local dialing parity port with Caller ID - res 2-Wire voice unbundles res, low usage line port with Caller ID (LUM) 2-Wire Voice Unbundled Alabama Residence Dialing Plan without Caller ID 2-Wire voice unbundled Low Usage Line Port without Caller ID	Usage ra	Combin	UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPRC UEPRC UEPRO UEPAR	13.70 22.19 35.80 11.55 20.04 33.65 2.15 2.15 2.15	40.19 40.19 40.19	19.83 19.83 19.83	24.91 24.91 24.91	n of this Rate ments except entified in the 6.63 6.63 6.63 6.63 6.63	Exhibit. for UNE Co	oin Port/Loo	p Combinatio			
>End >The 2-Wir UNE UNE	Office and Tandem Switching Usage and Common Transport It first and additional Port nonrecurring charges apply to Not Cu 8E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) Port/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 Loop Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 3 e Voice Grade Line Port Rates (Res) 2-Wire voice unbundled port - residence 2-Wire voice unbundled port outgoing only - res 2-Wire voice Unbundled port outgoing only - res 2-Wire voice Grade unbundled Alabama extended local dialing parity port with Caller ID - res 2-Wire voice unbundleds res, low usage line port with Caller ID (LUM) 2-Wire Voice Unbundled Alabama Residence Dialing Plan without Caller ID 2-Wire voice unbundled Low Usage Line Port without Caller ID Capability URES	Usage ra	Combin	UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPRC UEPRC UEPRO UEPAR UEPAP UEPAP	13.70 22.19 35.80 11.55 20.04 33.65 2.15 2.15 2.15 2.15 2.15 2.15 2.15	40.19 40.19 40.19 40.19 40.19	19.83 19.83 19.83 19.83	24.91 24.91 24.91	6.63 6.63 6.63	Exhibit. for UNE Co	oin Port/Loo	p Combinatio			
>End >The 2-Wif	Office and Tandem Switching Usage and Common Transport It first and additional Port nonrecurring charges apply to Not Cu RE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) Port/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 Loop Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 e Voice Grade Line Port Rates (Res) 2-Wire voice unbundled port - residence 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port with Caller ID - res 2-Wire voice unbundled port suffice (Port of Vire Voice Unbundled Port Seption 1) 2-Wire voice unbundled Port Seption (Line) 2-Wire voice unbundled Port Seption (Line) 2-Wire voice Unbundled Ralabama Residence Dialing Plan without Caller ID 2-Wire voice unbundled Low Usage Line Port without Caller ID Capability **URES** All Features Offered	Usage ra	Combin	UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPLX UEPLX UEPLX UEPRC UEPRC UEPAR UEPAP	bit shall apply to bined Combos 13.70 22.19 35.80 11.55 20.04 33.65 2.15 2.15 2.15 2.15 2.15	40.19 40.19 40.19 40.19 40.19	19.83 19.83 19.83	24.91 24.91 24.91	6.63 6.63 6.63	Exhibit. for UNE Co	oin Port/Loo	p Combinatio			
>End >The 2-Wif	Office and Tandem Switching Usage and Common Transport It first and additional Port nonrecurring charges apply to Not Cu RE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) Port/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 Loop Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 e Voice Grade Loop (SL1) - Zone 3 e Voice Grade Loop (SL1) - Zone 3 2-Wire voice unbundled port - residence 2-Wire voice unbundled port with Caller ID - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice Grade unbundled Alabama extended local dialing parity port with Caller ID - res 2-Wire voice Unbundled Port - residence 2-Wire voice Unbundled Alabama Residence Dialing Plan without Caller ID 2-Wire voice unbundled Low Usage Line Port without Caller ID Capability URES All Features Offered ECURRING CHARGES (NRCs) - CURRENTLY COMBINED	Usage ra	Combin	UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPRC UEPRC UEPRO UEPAR UEPAP UEPAP	13.70 22.19 35.80 11.55 20.04 33.65 2.15 2.15 2.15 2.15 2.15 2.15 2.15	40.19 40.19 40.19 40.19 40.19	19.83 19.83 19.83 19.83	24.91 24.91 24.91	6.63 6.63 6.63	Exhibit. for UNE Co	oin Port/Loo	p Combinatio			
>End >The 2-Wif	Office and Tandem Switching Usage and Common Transport It first and additional Port nonrecurring charges apply to Not Cu RE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) Port/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 Loop Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 e Voice Grade Line Port Rates (Res) 2-Wire voice unbundled port - residence 2-Wire voice unbundled port outgoing only - res 2-Wire voice Grade Loop (SL1) - Zone 3 2-Wire voice Unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice Unbundled Alabama extended local dialing parity port with Caller ID - res 2-Wire voice unbundled Romen Service (LUM) 2-Wire voice Unbundled Alabama Residence Dialing Plan without Caller ID 2-Wire voice Unbundled Low Usage Line Port without Caller ID Capability URES All Features Offered RECURRING CHARGES (NRCs) - CURRENTLY COMBINED 2-Wire Voice Grade Loop / Line Port Combination - Conversion -	Usage ra	Combin	UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPRC UEPRO UEPRO UEPAR UEPAP UEPAP UEPWA	13.70 22.19 35.80 11.55 20.04 33.65 2.15 2.15 2.15 2.15 2.15 2.15 2.15	40.19 40.19 40.19 40.19 40.19 40.19	19.83 19.83 19.83 19.83 19.83	24.91 24.91 24.91	6.63 6.63 6.63	Exhibit. for UNE Co	oin Port/Loo	p Combinatio			
>End >The 2-Wif	Office and Tandem Switching Usage and Common Transport It first and additional Port nonrecurring charges apply to Not Cu RE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) Port/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 Loop Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 e Voice Grade Line Port Rates (Res) 2-Wire voice unbundled port - residence 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled Port with Caller ID - res 2-Wire voice unbundled Port with Caller ID - res 2-Wire voice unbundled Rabama extended local dialing parity port with Caller ID - res 2-Wire voice unbundled Rabama Residence Dialing Plan without Caller ID 2-Wire voice unbundled Low Usage Line Port without Caller ID Capability URES All Features Offered ECURRING CHARGES (NRCs) - CURRENTLY COMBINED 2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch-as-is	Usage ra	Combin	UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPRC UEPRC UEPRO UEPAR UEPAP UEPAP	13.70 22.19 35.80 11.55 20.04 33.65 2.15 2.15 2.15 2.15 2.15 2.15 2.15	40.19 40.19 40.19 40.19 40.19	19.83 19.83 19.83 19.83	24.91 24.91 24.91	6.63 6.63 6.63	Exhibit. for UNE Co	oin Port/Loo	p Combinatio			
>End >The 2-Wif	Office and Tandem Switching Usage and Common Transport It first and additional Port nonrecurring charges apply to Not Cu 8E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) Port/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 Loop Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 e Voice Grade Line Port Rates (Res) 2-Wire voice unbundled port with Caller ID - res 2-Wire voice unbundled port with Caller ID - res 2-Wire voice unbundled port with Caller ID - res 2-Wire voice Grade unbundled Alabama extended local dialing parity port with Caller ID - res 2-Wire voice unbundled port with Caller ID - res 2-Wire voice unbundled Port with Caller ID - res 2-Wire voice Unbundled Rabama Residence Dialing Plan without Caller ID 2-Wire voice Unbundled Low Usage Line Port without Caller ID Capability **URES** All Features Offered **RECURRING CHARGES (NRCs) - CURRENTLY COMBINED 2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch-as-is 2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch-as-is	Usage ra	Combin	UEPRX UEPRX	UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPRC UEPRC UEPRO UEPAR UEPAP UEPAP UEPAP UEPVF	13.70 22.19 35.80 11.55 20.04 33.65 2.15 2.15 2.15 2.15 2.15 2.15 2.15	40.19 40.19 40.19 40.19 40.19 40.19 40.19	19.83 19.83 19.83 19.83 19.83 19.83 19.83	24.91 24.91 24.91	6.63 6.63 6.63	Exhibit. for UNE Co	oin Port/Loo	p Combinatio			
>End >The 2-Wif	Office and Tandem Switching Usage and Common Transport It first and additional Port nonrecurring charges apply to Not Cu RE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) Port/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 Loop Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 e Voice Grade Line Port Rates (Res) 2-Wire voice unbundled port - residence 2-Wire voice unbundled port outgoing only - res 2-Wire voice Grade Loop (SL1) - Zone 3 2-Wire voice Grade Loop (SL1) - Zone 3 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice Grade unbundled Alabama extended local dialing parity port with Caller ID - res 2-Wire voice unbundled Alabama Residence Dialing Plan without Caller ID 2-Wire voice Unbundled Alabama Residence Dialing Plan without Caller ID 2-Wire voice Unbundled Low Usage Line Port without Caller ID Capability URES All Features Offered 8-CURRING CHARGES (NRCs) - CURRENTLY COMBINED 2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch-as-is 2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch with change	Usage ra	Combin	UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPRC UEPRO UEPRO UEPAR UEPAP UEPAP UEPWA	13.70 22.19 35.80 11.55 20.04 33.65 2.15 2.15 2.15 2.15 2.15 2.15 2.15	40.19 40.19 40.19 40.19 40.19 40.19	19.83 19.83 19.83 19.83 19.83	24.91 24.91 24.91	6.63 6.63 6.63	Exhibit. for UNE Co	oin Port/Loo	p Combinatio			
>End >The 2-Wif	Office and Tandem Switching Usage and Common Transport It first and additional Port nonrecurring charges apply to Not Cu 8E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) Port/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 Loop Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 3 e Voice Grade Line Port Rates (Res) 2-Wire voice unbundled port - residence 2-Wire voice unbundled port outgoing only - res 2-Wire voice Unbundled port outgoing only - res 2-Wire voice Grade unbundled Alabama extended local dialing parity port with Caller ID - res 2-Wire voice unbundled sers, low usage line port with Caller ID (LUM) 2-Wire Voice Unbundled Alabama Residence Dialing Plan without Caller ID 2-Wire voice unbundled Low Usage Line Port without Caller ID Capability URES All Features Offered 2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch with change 2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch with change 2-Wire Voice Grade Loop / Line Port Platform - Installation	Usage ra	Combin	UEPRX UEPRX	UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPRC UEPRC UEPRO UEPAR UEPAP UEPAP UEPAP UEPVF	13.70 22.19 35.80 11.55 20.04 33.65 2.15 2.15 2.15 2.15 2.15 2.15 2.15	40.19 40.19 40.19 40.19 40.19 40.19 40.19	19.83 19.83 19.83 19.83 19.83 19.83 19.83	24.91 24.91 24.91	6.63 6.63 6.63	Exhibit. for UNE Co	oin Port/Loo	p Combinatio			
>End >The 2-Wif	Office and Tandem Switching Usage and Common Transport It first and additional Port nonrecurring charges apply to Not Cu RE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) Port/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 Loop Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 e Voice Grade Line Port Rates (Res) 2-Wire voice unbundled port - residence 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port with Caller ID - res 2-Wire voice unbundled Port with Caller ID - res 2-Wire voice unbundled Port with Caller ID - res 2-Wire voice unbundled Alabama extended local dialing parity port with Caller ID - res 2-Wire voice unbundled Rabama Residence Dialing Plan without Caller ID 2-Wire voice Unbundled Alabama Residence Dialing Plan without Caller ID 2-Wire voice unbundled Low Usage Line Port without Caller ID Capability **URES** All Features Offered **RECURRING CHARGES (NRCs) - CURRENTLY COMBINED 2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch-as-is 2-Wire Voice Grade Loop / Line Port Platform - Installation Charge at QuickService location - Not Conversion of Existing	Usage ra	Combin	UEPRX UEPRX	UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPRC UEPRO UEPAR UEPAP UEPAP UEPAP UEPAP UEPAP UEPVF	13.70 22.19 35.80 11.55 20.04 33.65 2.15 2.15 2.15 2.15 2.15 2.15 2.15	40.19 40.19 40.19 40.19 40.19 40.19 0.00	19.83 19.83 19.83 19.83 19.83 19.83 19.83	24.91 24.91 24.91	6.63 6.63 6.63	Exhibit. for UNE Co	oin Port/Loo	p Combinatio			
>End >The 2-Wir UNE UNE 2-Wir FEAT NONF	Office and Tandem Switching Usage and Common Transport It first and additional Port nonrecurring charges apply to Not Cu 8E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) Port/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 Loop Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 3 e Voice Grade Line Port Rates (Res) 2-Wire voice unbundled port - residence 2-Wire voice unbundled port outgoing only - res 2-Wire voice Unbundled port outgoing only - res 2-Wire voice Grade unbundled Alabama extended local dialing parity port with Caller ID - res 2-Wire voice unbundled sers, low usage line port with Caller ID (LUM) 2-Wire Voice Unbundled Alabama Residence Dialing Plan without Caller ID 2-Wire voice unbundled Low Usage Line Port without Caller ID Capability URES All Features Offered 2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch with change 2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch with change 2-Wire Voice Grade Loop / Line Port Platform - Installation	Usage ra	Combin	UEPRX UEPRX	UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPRC UEPRC UEPRO UEPAR UEPAP UEPAP UEPAP UEPVF	13.70 22.19 35.80 11.55 20.04 33.65 2.15 2.15 2.15 2.15 2.15 2.15 2.15	40.19 40.19 40.19 40.19 40.19 40.19 40.19	19.83 19.83 19.83 19.83 19.83 19.83 19.83	24.91 24.91 24.91	6.63 6.63 6.63	Exhibit. for UNE Co	oin Port/Loo	p Combinatio			

Version 4Q05 Standard ICA 03/15/06 (Renegotiations) Page 14 of 261

UNBUNDLED	NETWORK ELEMENTS - Alabama												Attachment:	2 Exh A		
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
							Nonrec		Nonrecurring					Rates(\$)		
	lows with Oarland the Bart Oarlands of the Oarlands					Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
i l	2-Wire Voice Grade Loop/Line Port Combination - Subsequent Activity			UEPRX	USAS2	0.00	0.00	0.00								
	Unbundled Miscellaneous Rate Element, Tag Loop at End User			UEPKA	U3A32	0.00	0.00	0.00								
ı	Premise			UEPRX	URETL		8.33	0.83								
OFF/C	ON PREMISES EXTENSION CHANNELS															
ullet	2 Wire Analog Voice Grade Extension Loop – Non-Design		1	UEPRX	UEAEN	12.58	37.81	17.56	23.49	5.30						
	2 Wire Analog Voice Grade Extension Loop – Non-Design		2	UEPRX	UEAEN	21.05	37.81	17.56	23.49	5.30						
	2 Wire Analog Voice Grade Extension Loop – Non-Design		3	UEPRX	UEAEN	34.34	37.81	17.56	23.49	5.30						
	2 Wire Analog Voice Grade Extension Loop – Design 2 Wire Analog Voice Grade Extension Loop – Design		2	UEPRX UEPRX	UEAED UEAED	14.38 22.85	88.00 88.00	55.00 55.00	47.24 47.24	7.44 7.44						
	2 Wire Analog Voice Grade Extension Loop – Design		3	UEPRX	UEAED	36.14	88.00	55.00	47.24	7.44					1	1
INTEF	ROFFICE TRANSPORT				02.20	55.14	55.55	00.00	71.24	71-1					†	†
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility			İ	1											
	Termination			UEPRX	U1TV2	21.13	40.54	27.41	16.74	6.90						
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile			1				· · · · · · · · · · · · · · · · · · ·		· · · · · · · · · · · · · · · · · · ·						
	or Fraction Mile			UEPRX	U1TVM	0.008838	0.00	0.00							1	1
	E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS)															
UNE F	Port/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1					13.70										
	2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2					22.19										
	2-Wire VG Loop/Port Combo - Zone 3				+	35.80										
UNE I	Loop Rates					00.00										
	2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPBX	UEPLX	11.55										
	2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPBX	UEPLX	20.04										
	2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPBX	UEPLX	33.65										
2-Wire	e Voice Grade Line Port (Bus)															
-	2-Wire voice unbundled port without Caller ID - bus			UEPBX	UEPBL	2.15	40.19	19.83	24.91	6.63						
-+	2-Wire voice unbundled port with Caller + E484 ID - bus			UEPBX UEPBX	UEPBC UEPBO	2.15 2.15	40.19 40.19	19.83 19.83	24.91 24.91	6.63 6.63						
	2-Wire voice unbundled port outgoing only - bus 2-Wire voice Grade unbundled Alabama extended local dialing			UEPBA	UEPBU	2.15	40.19	19.03	24.91	0.03					1	1
	parity port with Caller ID - bus			UEPBX	UEPAW	2.15	40.19	19.83	24.91	6.63						
1	2-Wire voice unbundled incoming only port with Caller ID - Bus			UEPBX	UEPB1	2.15	40.19	19.83	24.91	6.63					İ	İ
	2-Wire Voice Unbundled Alabama Business Dialing Plan without															
	Caller ID			UEPBX	UEPWB	2.15	40.19	19.83	24.91	6.63						
	2-Wire voice unbundled Incoming Only Port without Caller ID															
	Capability			UEPBX	UEPBE	2.15	40.19	19.83	24.91	6.63						
FEAT	URES			LIEDDY	LIED\/E	4.00	0.00	0.00								
NONE	All Features Offered ECURRING CHARGES (NRCs) - CURRENTLY COMBINED			UEPBX	UEPVF	1.98	0.00	0.00								
NON	2-Wire Voice Grade Loop / Line Port Combination - Conversion -															
1	Switch-as-is			UEPBX	USAC2		0.10	0.10							1	1
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -															
	Switch with change			UEPBX	USACC		0.10	0.10								
ADDIT	FIONAL NRCs			ļ											ļ	ļ
	2-Wire Voice Grade Loop/Line Port Combination - Subsequent		1	LIEBBY			0.00	0.00								
	Activity		-	UEPBX	USAS2		0.00	0.00							1	1
1	Unbundled Miscellaneous Rate Element, Tag Loop at End User Premise			UEPBX	URETL		8.33	0.83							1	1
OFF/C	DN PREMISES EXTENSION CHANNELS			OLI DA	OINETE		0.33	0.03			 				†	†
570	2 Wire Analog Voice Grade Extension Loop – Non-Design		1	UEPBX	UEAEN	12.58	37.81	17.56	23.49	5.30					1	1
	2 Wire Analog Voice Grade Extension Loop – Non-Design		2	UEPBX	UEAEN	21.05	37.81	17.56	23.49	5.30						
	2 Wire Analog Voice Grade Extension Loop – Non-Design		3	UEPBX	UEAEN	34.34	37.81	17.56	23.49	5.30			-			
	2 Wire Analog Voice Grade Extension Loop – Design		1	UEPBX	UEAED	14.38	88.00	55.00	47.24	7.44						
	2 Wire Analog Voice Grade Extension Loop – Design		2	UEPBX	UEAED	22.85	88.00	55.00	47.24	7.44					1	1
INITE	2 Wire Analog Voice Grade Extension Loop – Design		3	UEPBX	UEAED	36.14	88.00	55.00	47.24	7.44					1	1
	OFFICE I KANSFOK I	1	1												ļ	1
111121	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility					1	1				1	1				

CATEGORY RATE ELEMENTS Intering Manual Score BCS USOC RATES(\$) Submitted Elec Manually per LSR Per LSR Per LSR Manual Svo. Description of the Charge of Manual Svo. Description of the Charge of Manual Svo. Description of the Charge of Manual Svo. Description of the Charge of Manual Svo. Description of the Charge of Manual Svo. Description of the Charge of Manual Svo. Description of the Charge of Manual Svo. Description of the Charge of Manual Svo. Description of the Charge of Manual Svo. Description of the Charge of Manual Svo. Description of the Charge of Manual Svo. Description of the Charge of Manual Svo. Description of the Charge of Manual Svo. Description of the Charge of Manual Svo. Description of the Charge of Manual Svo. Description of the Charge of the Charge of Manual Svo. Description of the Charge of the Charge of Manual Svo. Description of the Charge of the Cha	UNBUNDLED N	ETWORK ELEMENTS - Alabama												Attachment:	2 Exh A		
				Zone	BCS	USOC			RATES(\$)			Submitted Elec	Submitted Manually	Incremental Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic-	Charge - Manual Svc Order vs. Electronic-	Charge - Manual Svo Order vs. Electronic-
Comparison Com														ist	Addi	Disc 1st	Disc Add'l
Internetive Transport - Doscorded - 2 Wer Vorse Gredo - Per Mile Internetive Transport - Doscorded - 2 Wer Vorse Gredo - Per Mile Internetive Transport - Doscorded - 2 Wer Vorse Gredo - Doscorded - 2 Wer Vorse Gredo - Doscorded - 2 Wer Vorse Gredo - Doscorded - 2 Wer Vorse Gredo - Doscorded - Doscor								Nonrec	curring	Nonrecurring	Disconnect		1	OSS	S Rates(\$)		
							Rec					SOMEC	SOMAN		SOMAN	SOMAN	SOMAN
OF FINCHOLM MINE CONTINUE LINE PORT (RES PBS) UEPRS UTITAM 0.008838 0.00 0.00		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile				+	1100	11100	Auu	11100	Addi	COMILO	COMPAR	COMPAR	COMPAR	COMPAN	COMPAR
Description Description					LIEDRY	LI1TVM	0 008838	0.00	0.00								
UNE TOUR CLOSE PORT CONTROL - ZONE 1 1 1 1 1 1 1 1 1 1					OLI DA	OTTVIVI	0.000030	0.00	0.00								
2-Wine VG LoopPer Cortion - Zone 1						+											-
2-Wine VG LoopProf Control - Zone 2						_	13.70										
Second S						_											
UPPER UPPE						+						1	1				
SWINE Votor Gardate Long (St. 1) - Zone 2 2 UEPRG UEPLX 20.04							00.00										
2-Wine Votor Grade Lorg (St. 1) - Zone 2				1	UEPRG	UEPLX	11.55										
2-Wire Voice Grade Large Pittage (RES - PBX)																	
2-Wive Voice Grade Lune Port Rates (RES - PBX)												1					
E-Yellie VG Unbundled Combination 2-Way PBX Trunk Port -					- * * * * *	1	55.55				1	1		1	 	1	
Res														1	1		
Part Part			1		UEPRG	UEPRD	2,15	69.08	32.41	37,43	6.20			Ì	l		1
All Features Offered USPRG						1		22.00		2.710	3.20			İ	İ		
NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED					UEPRG	UEPVF	1.98	0.00	0.00					1	1		
2-Vife Voice Grade Loop Line Port Combination (PBX) - Conversion - Switch-As- 8 UEPRG USAC2 7.91 1.90																	
Conversion - Switch-Na-ls																	
Conversion - Switch with Change UEPRG USACC 7.81 1.90		Conversion - Switch-As-Is			UEPRG	USAC2		7.91	1.90								
ADDITIONAL NRCs 2-Wire Voice Grade Loop Line Port Combination (PBX) - Subsequent Activity - Change/Rearrange Multiline Hunt Group 7.32					LIEDDO	LICACC		7.04	1.00								
2-Wire Voice Grade Loop/ Line Port Combination (FBX) - UEPRG USAS2 0.00 0.00 0.00 0.00					UEFRG	USACC		7.01	1.90								
Subsequent Activity - Change/Rearrange Multiline Hunt Group						_											-
Group		Subsequent Activity			UEPRG	USAS2	0.00	0.00	0.00								
Unbundled Miscellaneous Rate Element, Tag Loop at End User Premise																	
Premise UEPRG URETL 8.33 0.83								7.32	7.32								
OFFON PREMISES EXTENSION CHANNELS Local Channel Voice grade, per termination 1 UEPRG P2.JHX 14.38 88.00 55.00 47.24 7.44																	
Local Channel Voice grade, per termination 1 UEPRG P2.HIX 14.38 88.00 55.00 47.24 7.44					UEPRG	URETL		8.33	0.83								
Local Channel Voice grade, per termination 2 UEPRG P2JHX 22.85 88.00 55.00 47.24 7.44																	
Local Channel Voice grade, per termination 3 UEPRG P2_HIX 36.14 88.00 55.00 47.24 7.44				1													
Non-Wire Direct Serve Channel Voice Grade																	
Non-Wire Direct Serve Channel Voice Grade 2 UEPRG SDD2X 23.88 131.60 61.92 90.50 13.40																	
Non-Wire Direct Serve Channel Voice Grade																	
InterOfFIcE TRANSPORT																	
Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility Termination UEPRG U1TV2 21.13 40.54 27.41 16.74 6.90				3	UEPRG	SDD2X	33.72	131.60	61.92	90.50	13.40						
Termination						+						<u> </u>				1	├
Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile of Fraction Mile UEPRG U1TVM 0.008838 0.00					LIEDDO	LIAT. /2	04.40	40.51	07.44	1071	0.00						1
OF Fraction Mile				-	UEPKG	U11V2	21.13	40.54	27.41	16.74	6.90	-					
2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)					LIEDDC	LIATAM	0.00000	0.00	0.00					1	1		1
UNE Port/Loop Combination Rates				1	ULFRU	UTTVIVI	0.008838	0.00	0.00			 			-		
2-Wire VG Loop/Port Combo - Zone 1			-	 		+	 					1		-	-		
2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 2-Wire VG Loop/Port Combo - Zone 3 35.80 UNE Loop Rates 2-Wire Voice Grade Loop (SL 1) - Zone 1 1 UEPPX UEPLX 11.55 2-Wire Voice Grade Loop (SL 1) - Zone 2 2 UEPPX UEPLX 20.04 2-Wire Voice Grade Loop (SL 1) - Zone 3 3 UEPPX UEPLX 33.65 2-Wire Voice Grade Line Port Rates (BUS - PBX) Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus UEPPX UEPPC 2.15 69.08 32.41 37.43 6.20 Line Side Unbundled Incoming PBX Trunk Port - Bus UEPPX UEPPC 2.15 69.08 32.41 37.43 6.20 2-Wire Voice Unbundled 2-Way Combination PBX Alabama Calling Port UEPPX UEPPX UEPPA 2.15 69.08 32.41 37.43 6.20 UEPPX UEPPA 37.43 6.20 UEPPX UEPPA 37.43 6.20 UEPPX UEPPA 37.43 6.20 UEPPX UEPPA 37.43 6.20 UEPPX UEPPA 37.43 6.20 UEPPX UEPPA 37.43 6.20 UEPPX UEPPA 37.43 6.20			-	 		+	10.70					1		-	-		
2-Wire VG Loop/Port Combo - Zone 3						+					-	<u> </u>		-	-	-	
UNE Loop Rates						+						1	-				
2-Wire Voice Grade Loop (SL 1) - Zone 1						+	33.80				-	<u> </u>		-	-	-	
2-Wire Voice Grade Loop (SL 1) - Zone 2 2 UEPPX UEPLX 20.04			-	4	LIEDDY	I IEDI V	11 55					 		1	1	1	
2-Wire Voice Grade Loop (SL 1) - Zone 3 3 UEPPX UEPLX 33.65												1	-				
2-Wire Voice Grade Line Port Rates (BUS - PBX)												1	-	1	1	1	
Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus UEPPX UEPPC 2.15 69.08 32.41 37.43 6.20 Line Side Unbundled Outward PBX Trunk Port - Bus UEPPX UEPPO 2.15 69.08 32.41 37.43 6.20 Line Side Unbundled Incoming PBX Trunk Port - Bus UEPPX UEPP1 2.15 69.08 32.41 37.43 6.20 Line Side Unbundled 2-Way Combination PBX Alabama Calling Port UEPPX UEPP2 2.15 69.08 32.41 37.43 6.20 LINE PPX UEPPX UEPPX UEPPX UEPPX UEPPA 37.43 6.20 LINE PPX UEPPX UEPPX UEPPA 37.43 6.20 LINE PPX UEPPX UEPPA 37.43 6.20 LINE PPX UEPPA 37.43 LINE PPX UEPPA 37.43 6.20 LINE PPX UEPPA 37.43 LINE PPX UEPPA 37			-	3	OLIFA	JLFLA	33.63							 	 		
Line Side Unbundled Outward PBX Trunk Port - Bus UEPPX UEPPO 2.15 69.08 32.41 37.43 6.20	Z-VVIIE V	TOTO GIAGE LINE I OIL NAISS (DOG - FBA)				+	 					 		1	1	1	
Line Side Unbundled Outward PBX Trunk Port - Bus UEPPX UEPPO 2.15 69.08 32.41 37.43 6.20		Line Side Unbundled Combination 2-Way PRX Trunk Port - Rus	1		LIEPPX	LIEPPC	2 15	69 N8	32 //1	37 //3	6 20			Ì	l		1
Line Side Unbundled Incoming PBX Trunk Port - Bus UEPPX UEPP1 2.15 69.08 32.41 37.43 6.20 2-Wire Voice Unbundled 2-Way Combination PBX Alabama UEPPX UEPA2 2.15 69.08 32.41 37.43 6.20 Calling Port UEPPX UEPA2 2.15 69.08 32.41 37.43 6.20				 								 		 	 		
2-Wire Voice Unbundled 2-Way Combination PBX Alabama Calling Port UEPPX UEPA2 2.15 69.08 32.41 37.43 6.20																	
Calling Port UEPPX UEPA2 2.15 69.08 32.41 37.43 6.20					0_11 A	02.77	2.13	03.00	J2.+1	37.73	0.20		<u> </u>	 	 		<u> </u>
					UEPPX	UEPA2	2 15	69.08	32 41	37 43	6.20						1
																	—
2-Wire Voice Unbundled 2-Way Combination PBX Usage Port UEPPX UEPXA 2.15 69.08 32.41 37.43 6.20																	—
2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports UEPPX UEPXB 2.15 69.08 32.41 37.43 6.20			-										1	 	 		—

UNBUN	NDLED N	IETWORK ELEMENTS - Alabama												Attachment:	2 Exh A		1
0.120.		The state of the s										Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
													Submitted		Charge -	Charge -	Charge -
			Interi									Elec	Manually	Manual Svc	Manual Svc	-	Manual Svc
CATE	ORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			""											Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
								Nonrec		Nonrecurring		201150	001441		Rates(\$)	2014411	001441
-		2-Wire Voice Unbundled PBX LD DDD Terminals Port			UEPPX	UEPXC	Rec 2.15	First 69.08	Add'I 32.41	First 37.43	Add'l 6.20	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		2-Wire Voice Unbundled PBX LD Terminal Switchboard Port			UEPPX	UEPXD	2.15	69.08	32.41	37.43	6.20						
	1	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD			UEFFX	UEPAD	2.15	69.06	32.41	37.43	0.20						
		Capable Port			UEPPX	UEPXE	2.15	69.08	32.41	37.43	6.20						
		2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy			OLITA	OLIAL	2.10	00.00	02.41	07.40	0.20						
		Administrative Calling Port			UEPPX	UEPXL	2.15	69.08	32.41	37.43	6.20						
		2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy															
		Room Calling Port			UEPPX	UEPXM	2.15	69.08	32.41	37.43	6.20						
		2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital															
		Discount Room Calling Port			UEPPX	UEPXO	2.15	69.08	32.41	37.43	6.20						
		2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPPX	UEPXS	2.15	69.08	32.41	37.43	6.20						
	FEATU		ļ														ļ
<u> </u>		All Features Offered	ļ		UEPPX	UEPVF	1.98	0.00	0.00								
-	NONRE	CURRING CHARGES (NRCs) - CURRENTLY COMBINED	ļ			-											
	1	2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Conversion - Switch-As-Is	1		UEPPX	USAC2		7.91	1.90]			1]
		2-Wire Voice Grade Loop/ Line Port Combination (PBX) -			UEPPX	USAC2		7.91	1.90								
		Conversion - Switch with Change			UEPPX	USACC		7.91	1.90								
	ADDITI	ONAL NRCs			UEPPA	USACC		7.91	1.90								
	ADDIII	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -	1														
		Subsequent Activity			UEPPX	USAS2	0.00	0.00	0.00								
		PBX Subsequent Activity - Change/Rearrange Multiline Hunt															
		Group						7.32	7.32								
		Unbundled Miscellaneous Rate Element, Tag Loop at End User															
		Premise			UEPPX	URETL		8.33	0.83								
	OFF/ON	PREMISES EXTENSION CHANNELS															
		Local Channel Voice grade, per termination		1	UEPPX	P2JHX	14.38	88.00	55.00	47.24	7.44						
		Local Channel Voice grade, per termination			UEPPX	P2JHX	22.85	88.00	55.00	47.24	7.44						
		Local Channel Voice grade, per termination		3	UEPPX	P2JHX	36.14	88.00	55.00	47.24	7.44						
		Non-Wire Direct Serve Channel Voice Grade		1 2	UEPPX UEPPX	SDD2X SDD2X	22.41 23.88	131.60	61.92 61.92	90.50 90.50	13.40 13.40						
		Non-Wire Direct Serve Channel Voice Grade Non-Wire Direct Serve Channel Voice Grade		3	UEPPX	SDD2X SDD2X	33.72	131.60 131.60	61.92	90.50	13.40						
	INTER	DFFICE TRANSPORT		3	OLFFX	SDDZX	33.12	131.00	01.32	90.30	13.40						
	IIVI LIKE	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility	1														
		Termination			UEPPX	U1TV2	21.13	40.54	27.41	16.74	6.90						
		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile	1			1											
L	<u> </u>	or Fraction Mile	<u> </u>		UEPPX	U1TVM	0.008838	0.00	0.00	<u> </u>		<u> </u>	<u> </u>				<u> </u>
		VOICE GRADE LOOP WITH 2-WIRE ANALOG LINE COIN POR	RT														
	UNE Po	ort/Loop Combination Rates															
	ļ	2-Wire VG Coin Port/Loop Combo – Zone 1	ļ				13.70			ļl							
<u> </u>	ļ	2-Wire VG Coin Port/Loop Combo – Zone 2	ļ				22.19										
-	LINIT :	2-Wire VG Coin Port/Loop Combo – Zone 3	ļ			-	35.80										
-		op Rates 2-Wire Voice Grade Loop (SL1) - Zone 1	1	4	UEPCO	UEPLX	11.55										
-	1	2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2	1	2	UEPCO	UEPLX	20.04	+				1	-		1		1
\vdash	 	2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3	 		UEPCO	UEPLX	33.65	ł		1					1		1
	2-Wire	Voice Grade Line Ports (COIN)	1	_		52. DX	55.55	+		 			 				
		2-Wire Coin 2-Way without Operator Screening and without	†					İ									
		Blocking (AL, KY, LA, MS)			UEPCO	UEPRF	2.15	40.19	19.83	24.91	6.63						
		2-Wire Coin 2-Way with Operator Screening (AL, KY)			UEPCO	UEPRE	2.15	40.19	19.83	24.91	6.63						
		2-Wire Coin 2-Way with Operator Screening and Blocking: 011,						İ		ĺ							
	ļ	900/976, 1+DDD (AL, KY, LA, MS)			UEPCO	UEPRA	2.15	40.19	19.83	24.91	6.63						
		2-Wire Coin 2-Way with Operator Screening and 011 Blocking							·		·						
	ļ	(AL, LA, MS)	ļ		UEPCO	UEPRB	2.15	40.19	19.83	24.91	6.63						<u> </u>
1	1	2-Wire Coin 2-Way with Operator Screening & Blocking:	1		LIEDOO	LIEDOD	0 :-	40.42	40.00	04.51	0.00		1]
-	 	900/976, 1+DDD, 011+, & Local (AL, KY, LA, MS)	!		UEPCO	UEPCD	2.15	40.19	19.83	24.91	6.63				1		
1	1	2-Wire Coin Outward with Operator Screening and 011 Blocking	1		UEPCO	UEPRK	2.15	40.19	19.83	24.91	6.63		1				1
	1	(AL, FL)			UEPUU	UEPKK	2.15	40.19	19.83	24.91	6.63	1	l		l		

UNBUNDLED	NETWORK ELEMENTS - Alabama												Attachment:	2 Exh A		
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge -	Incremental Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
															Disc 1st	Disc Auu i
							Nonrec		Nonrecurring					Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Coin Outward with Operator Screening and Blocking:				1											
	011, 900/976, 1+DDD (AL, KY, LA, MS) 2-Wire Coin Outward Operator Screening & Blocking: 900/976,			UEPCO	UEPRH	2.15	40.19	19.83	24.91	6.63						
	1+DDD, 011+, and Local (AL, KY, LA, MS)			UEPCO	UEPCN	2.15	40.19	19.83	24.91	6.63						
	2-Wire 2-Way Smartline with 900/976 (all states except LA)			UEPCO	UEPCK	2.15	40.19	19.83	24.91	6.63						
	2-Wire Coin Outward Smartline with 900/976 (all states except					_			_							
	LA)			UEPCO	UEPCR	2.15	40.19	19.83	24.91	6.63						
ADDI	TIONAL UNE COIN PORT/LOOP (RC)															
Non	UNE Coin Port/Loop Combo Usage (Flat Rate) RECURRING CHARGES - CURRENTLY COMBINED			UEPCO	URECU	1.56	0.00	0.00	0.00	0.00						
NONE	2-Wire Voice Grade Loop / Line Port Combination - Conversion -															
	Switch-as-is			UEPCO	USAC2		0.10	0.10								
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -		†	021 00	00,102		0.10	0.10								
	Switch with change		<u></u>	UEPCO	USACC		0.10	0.10			<u> </u>	<u> </u>				
ADDI	TIONAL NRCs															
	2-Wire Voice Grade Loop/Line Port Combination - Subsequent		1													
	Activity			UEPCO	USAS2		0.00	0.00								
	Unbundled Miscellaneous Rate Element, Tag Loop at End User Premise			UEPCO	URETL		8.33	0.83								
2-WIF	RE VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE	IINF	PORT (UKLIL		0.33	0.63								
	Port/Loop Combination Rates	<u> </u>	1													
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 1					16.76										
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 2					25.23										
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 3					38.52										
UNE	Loop Rates		L .	LIEBER	115050	1100										
	2-Wire Voice Grade Loop (SL2) - Zone 1			UEPFR UEPFR	UECF2 UECF2	14.38 22.85										
	2-Wire Voice Grade Loop (SL2) - Zone 2 2-Wire Voice Grade Loop (SL2) - Zone 3			UEPFR	UECF2	36.14										
2-Wir	re Voice Grade Line Port Rates (Res)		3	OLITIK	OLOI 2	30.14										
	2-Wire voice unbundled port - residence			UEPFR	UEPRL	2.38	90.38	57.27	48.66	8.77						
	2-Wire voice unbundled port with Caller ID - res			UEPFR	UEPRC	2.38	90.38	57.27	48.66	8.77						
	2-Wire voice unbundled port outgoing only - res			UEPFR	UEPRO	2.38	90.38	57.27	48.66	8.77						
	2-Wire voice Grade unbundled Alabama extended local dialing								40.00							
$\longrightarrow \longmapsto$	parity port with Caller ID - res 2-Wire voice unbundles res, low usage line port with Caller ID			UEPFR	UEPAR	2.38	90.38	57.27	48.66	8.77						
	(LUM)			UEPFR	UEPAP	2.38	90.38	57.27	48.66	8.77						
	2-Wire Voice Unbundled Alabama Residence Dialing Plan			OLITIK	OLI 74	2.00	50.50	01.21	40.00	0.77						
	without Caller ID			UEPFR	UEPWA	2.38	90.38	57.27	48.66	8.77						
INTE	ROFFICE TRANSPORT															
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility															
	Termination			UEPFR	U1TV2	21.13	40.54	27.41	16.74	6.90						
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile or Fraction Mile			UEPFR	1L5XX	0.008838										
FEAT	TURES		l	OLITIN	ILUAA	0.000036					1					1
	All Features Offered		1	UEPFR	UEPVF	1.98	0.00	0.00								
NON	RECURRING CHARGES (NRCs) - CURRENTLY COMBINED															
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port		1	l												
	Combination - Conversion - Switch-as-is		<u> </u>	UEPFR	USAC2		8.48	1.87								
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port Combination - Conversion - Switch-With-Change			UEPFR	USACC		8.48	1.87								
-+	Unbundled Miscellaneous Rate Element, Tag Designed Loop at		l	021111	00,100		0.40	1.07			1					1
	End User Premise			UEPFR	URETN		11.21	1.10								
	RE VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE	LINE	PORT (I	BUS)												
UNE	Port/Loop Combination Rates															
			1	1	1	16.76			1		1					
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 1						-									
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 2					25.23										

UNBUND	IEDA	ETWORK ELEMENTS - Alabama												Attachment:	2 Evh Δ		
ONDOND	LLDI	ETWORK ELEMENTS - Alabama		1		1	1					Svc Order		Incremental		Incremental	Incremental
												Submitted	Submitted		Charge -	Charge -	Charge -
																_	
CATEGO	DV	RATE ELEMENTS	Interi	Zone	BCS	usoc			RATES(\$)			Elec			Manual Svc	Manual Svc	Manual Svc
CATEGO	KI	RATE ELEMENTS	m	Zone	ВСЗ	0300			KAILS(4)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
-						+	ı	Nonrec		Monroourring	Disconnect	-	l	000	Rates(\$)		
\vdash				<u> </u>			Da.a				Disconnect	SOMEC	SOMAN			COMAN	SOMAN
		0.14/			LIEDED	LIEGEO	Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		2-Wire Voice Grade Loop (SL2) - Zone 2			UEPFB	UECF2	22.85										ļ
		2-Wire Voice Grade Loop (SL2) - Zone 3		3	UEPFB	UECF2	36.14										
2.	-Wire	Voice Grade Line Port (Bus)															
		2-Wire voice unbundled port without Caller ID - bus			UEPFB	UEPBL	2.38	90.38	57.27	48.66	8.77						
		2-Wire voice unbundled port with Caller + E484 ID - bus			UEPFB	UEPBC	2.38	90.38	57.27	48.66	8.77						
		2-Wire voice unbundled port outgoing only - bus			UEPFB	UEPBO	2.38	90.38	57.27	48.66	8.77						
		2-Wire voice Grade unbundled Alabama extended local dialing															l
		parity port with Caller ID - bus			UEPFB	UEPAW	2.38	90.38	57.27	48.66	8.77						
		2-Wire voice unbundled incoming only port with Caller ID - Bus			UEPFB	UEPB1	2.38	90.38	57.27	48.66	8.77						
		2-Wire Voice Unbundled Alabama Business Dialing Plan without															İ
LL		Caller ID		 	UEPFB	UEPWB	2.38	90.38	57.27	48.66	8.77						
II.	NTERC	OFFICE TRANSPORT		 		\bot				.							
		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility								1							İ
		Termination		<u> </u>	UEPFB	U1TV2	21.13	40.54	27.41	16.74	6.90						
		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile		1		1]			I			1				i
		or Fraction Mile			UEPFB	1L5XX	0.008838										<u> </u>
F	EATU																1
		All Features Offered			UEPFB	UEPVF	1.98	0.00	0.00								<u> </u>
N	IONRE	CURRING CHARGES (NRCs) - CURRENTLY COMBINED															
		2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port															
		Combination - Conversion - Switch-as-is			UEPFB	USAC2		8.48	1.87								ł
		2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port															
		Combination - Conversion - Switch with change			UEPFB	USACC		8.48	1.87								1
		Unbundled Miscellaneous Rate Element, Tag Designed Loop at															
		End User Premise			UEPFB	URETN		11.21	1.10								ł
2-	-WIRE	VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE	LINE	PORT (I	PBX)												
U	INE Po	ort/Loop Combination Rates															
		2-Wire VG Loop/IO Tranport/Port Combo - Zone 1					16.76										
		2-Wire VG Loop/IO Tranport/Port Combo - Zone 2					25.23										
		2-Wire VG Loop/IO Tranport/Port Combo - Zone 3					38.52										
U	INE Lo	op Rates															
		2-Wire Voice Grade Loop (SL2) - Zone 1		1	UEPFP	UECF2	14.38										
		2-Wire Voice Grade Loop (SL2) - Zone 2		2	UEPFP	UECF2	22.85										
		2-Wire Voice Grade Loop (SL2) - Zone 3		3	UEPFP	UECF2	36.14										
2-	-Wire	Voice Grade Line Port Rates (BUS - PBX)															
		,					i i										ſ
		Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus		1	UEPFP	UEPPC	2.38	119.27	69.85	61.18	8.34		1				i
		Line Side Unbundled Outward PBX Trunk Port - Bus		1	UEPFP	UEPPO	2.38	119.27	69.85	61.18	8.34			İ			ſ
		Line Side Unbundled Incoming PBX Trunk Port - Bus		1	UEPFP	UEPP1	2.38	119.27	69.85	61.18	8.34			İ			ſ
		2-Wire Voice Unbundled 2-Way Combination PBX Alabama		1		1			22.30	1	2.31			İ			ſ
		Calling Port		1	UEPFP	UEPA2	2.38	119.27	69.85	61.18	8.34		1				i
		2-Wire Voice Unbundled PBX LD Terminal Ports		†	UEPFP	UEPLD	2.38	119.27	69.85	61.18	8.34						
		2-Wire Voice Unbundled 2-Way Combination PBX Usage Port		<u> </u>	UEPFP	UEPXA	2.38	119.27	69.85	61.18	8.34	1	1				
		2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports		<u> </u>	UEPFP	UEPXB	2.38	119.27	69.85	61.18	8.34	1	1				
		2-Wire Voice Unbundled PBX LD DDD Terminals Port		1	UEPFP	UEPXC	2.38	119.27	69.85	61.18	8.34						
		2-Wire Voice Unbundled PBX LD Terminal Switchboard Port			UEPFP	UEPXD	2.38	119.27	69.85	61.18	8.34	-	 				i
		2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD					2.00		55.00	510	3.04	-	 				i
		Capable Port			UEPFP	UEPXE	2.38	119.27	69.85	61.18	8.34						i
		2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy			SE. 11	SEI AL	2.50	110.21	00.00	01.10	0.04	-	 				i
		Administrative Calling Port			UEPFP	UEPXL	2.38	119.27	69.85	61.18	8.34						İ
		2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy		 	52.11	SEI AL	2.00	110.21	00.00	01.10	0.04						
		Room Calling Port		1	UEPFP	UEPXM	2.38	119.27	69.85	61.18	8.34	1	1				i
		2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital		1	OLFIF	OLF AIVI	2.38	119.27	09.65	01.18	0.34	 		1			——
		Discount Room Calling Port			UEPFP	UEPXO	2.38	119.27	69.85	61.18	8.34						İ
		2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port		 	UEPFP	UEPXS	2.38	119.27	69.85	61.18	8.34	-	-				
	ITED	2-wire voice unbundled 1-way Outgoing PBX Measured Port PFFICE TRANSPORT		1	UEFFF	UEPAS	∠.38	119.27	69.85	01.18	8.34	1	-				
II	NIEK(1		+	 			 		1	-				
		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility			UEPFP	U1TV2	04.40	40.54	27.41	40.74	0.00						1
		Termination		l	UEPFP	UTIV2	21.13	40.54	27.41	16.74	6.90	1	l				<u> </u>

	NETWORK ELEMENTS - Alabama													Attachment:	2 Exh A		
CATEGORY	RATE ELEMENTS	Interi m	Zone	вс	:s	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'l
i I							1	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates(\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile																
i l	or Fraction Mile			UEPFP		1L5XX	0.008838										
FEAT	URES																
	All Features Offered			UEPFP		UEPVF	1.98	0.00	0.00								
NONR	ECURRING CHARGES (NRCs) - CURRENTLY COMBINED																
ı l	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port																
	Combination - Conversion - Switch-as-is			UEPFP		USAC2		8.48	1.87								
ı l	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port																
	Combination - Conversion - Switch with change			UEPFP		USACC		8.48	1.87								
ı l	Unbundled Miscellaneous Rate Element, Tag Designed Loop at			HEDED		LIDETN		44.04	4.40								
0.1405	End User Premise	/ DODT		UEPFP		URETN		11.21	1.10								
	E VOICE GRADE LOOP- BUS ONLY - WITH 2-WIRE DID TRUNK	PORT															
UNE	Port/Loop Combination Rates 2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 1	 					23.40										
	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 2	1		1			31.88										
	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 3	1		1			45.17										
IINF I	Loop Rates	+	<u> </u>				40.17					 				 	
10.12.2	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 1	1	1	UEPPX		UECD1	14.38										
	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 2	1	2	UEPPX		UECD1	22.85										
	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 3		3	UEPPX		UECD1	36.14										
UNE F	Port Rate		<u> </u>														
	Exchange Ports - 2-Wire DID Port			UEPPX		UEPD1	9.02	207.31	73.74	107.14	11.20						
NONF	ECURRING CHARGES - CURRENTLY COMBINED						****										
	2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Combination -	-															
i l	Switch-as-is			UEPPX		USAC1		7.31	1.87								
	2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Conversion																
i l	with BellSouth Allowable Changes			UEPPX		USA1C		7.31	1.87								
ADDIT	TIONAL NRCs																
	2-Wire DID Subsequent Activity - Add Trunks, Per Trunk			UEPPX		USAS1		26.78	26.78								
i l	Unbundled Miscellaneous Rate Element, Tag Designed Loop at																
	End User Premise			UEPPX		URETN		11.21	1.10								
Telep	hone Number/Trunk Group Establisment Charges																
	DID Trunk Termination (One Per Port)			UEPPX		NDT	0.00	0.00	0.00								
	Additional DID Numbers for each Group of 20 DID Numbers	1		UEPPX		ND4	0.00	0.00	0.00								
	DID Numbers, Non- consecutive DID Numbers , Per Number	1		UEPPX		ND5	0.00	0.00	0.00								
	Reserve Non-Consecutive DID numbers	-		UEPPX		ND6	0.00	0.00	0.00								
2 14/15	Reserve DID Numbers	NE CID	- DODT	UEPPX		NDV	0.00	0.00	0.00								
	E ISDN DIGITAL GRADE LOOP WITH 2-WIRE ISDN DIGITAL LI Port/Loop Combination Rates	INE SIDI	PURI	1			1										
UNEF	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -																
ı l	UNE Zone 1						28.28										
-+-	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -	1	†	t			20.20			 		 			1	 	
i I	UNE Zone 2						38.86										
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -	1	1				55.50										
ı l	UNE Zone 3						53.84										
UNE I	oop Rates	1	i –												İ		İ
i l	2-Wire ISDN Digital Grade Loop - UNE Zone 1		1	UEPPB	UEPPR	USL2X	19.03										
i i										ĺ							
	2-Wire ISDN Digital Grade Loop - UNE Zone 2		2	UEPPB	UEPPR	USL2X	29.62										
	2-Wire ISDN Digital Grade Loop - UNE Zone 3		3	UEPPB	UEPPR	USL2X	45.60				-						
UNE F	Port Rate																
	Exchange Port - 2-Wire ISDN Line Side Port	<u> </u>		UEPPR		UEPPR	9.24	190.01	132.76	100.67	21.28						
	Exchange Port - 2-Wire ISDN Line Side Port	<u> </u>		UEPPB		UEPPB	9.24	190.01	132.76	100.67	21.28						
NONR	ECURRING CHARGES - CURRENTLY COMBINED	1	ļ														ļ
ı I	2-Wire ISDN Digital Grade Loop / 2-Wire ISDN Line Side Port	1	1									1				1	1
, ,	Combination - Conversion	1		UEPPB	UEPPR	USACB	0.00	38.51	27.02							ļ	
<u> </u>																	
ADDI1	TIONAL NRCs Unbundled Miscellaneous Rate Element, Tag Designed Loop at									ļ							

LINDII	NDI ED A	NETWORK ELEMENTS - Alabama													Attachment:	2 Evb A		
UNBU	NULEUR	NETWORK ELEMENTS - ATADAMA	1	1	1		1	ı					Cua Ordar		Incremental		Incremental	Incremental
													Submitted					
																Charge -	Charge -	Charge -
CATE	CODY	RATE ELEMENTS	Interi	Zone	ہ ا	cs	USOC			RATES(\$)			Elec		Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATE	GUKT	RATE ELEMENTS	m	Zone	P	CS	0300			KATES(4)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
															Electronic-	Electronic-	Electronic-	Electronic-
															1st	Add'l	Disc 1st	Disc Add'l
									Nonrec	urring	Nonrecurring	Disconnect		l .	088	Rates(\$)		
	1							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
-	-	Unbundled Miscellaneous Rate Element, Tag Loop at End User						Rec	LIISI	Add I	FIISL	Add I	SOIVIEC	SUMAN	SOWAN	SOWAN	SUMAN	SUMAN
		Premise			UEPPB	UEPPR	URETL		8.33	0.83								i
-	D CHA	NNEL USER PROFILE ACCESS:			UEFFB	UEFFR	UKEIL		0.33	0.63								1
-	ь-спа	CVS/CSD (DMS/5ESS)			UEPPB	UEPPR	U1UCA	0.00	0.00	0.00								1
-	+	CVS (EWSD)			UEPPB	UEPPR	U1UCB	0.00	0.00	0.00								1
-	+	CSD CSD			UEPPB	UEPPR	U1UCC	0.00	0.00	0.00								1
	D-CHA	NNEL AREA PLUS USER PROFILE ACCESS: (AL,KY,LA,MS S	CMS 8	TAI	OLFFB	ULFFR	01000	0.00	0.00	0.00								
	B-CHA	CVS/CSD (DMS/5ESS)	C, IVI G, 6	i iiv)	UEPPB	UEPPR	U1UCD	0.00	0.00	0.00								
	1	CVS (EWSD)			UEPPB	UEPPR	U1UCE	0.00	0.00	0.00								
	1	CSD			UEPPB	UEPPR	U1UCF	0.00	0.00	0.00								
—	USER	FERMINAL PROFILE	1	1	OLI FD	OLITIK	31001	0.00	0.00	0.00	1	1	1					
—	JJER	User Terminal Profile (EWSD only)	1	1	UEPPB	UEPPR	U1UMA	0.00	0.00	0.00	1	1	1					
-	VEDTIC	CAL FEATURES	1	 	OLFED	JLFFK	O TOWA	0.00	0.00	0.00			1					
-		All Vertical Features - One per Channel B User Profile	1	 	UEPPB	UEPPR	UEPVF	1.98	0.00	0.00								
—		DFFICE CHANNEL MILEAGE	1	1	ULFFD	ULTER	OLF VF	1.98	0.00	0.00	1	1	1	-				
	INTERC	Interoffice Channel mileage each, including first mile and																
		facilities termination			LIEDDD	UEPPR	M1GNC	21.13	40.54	27.41	16.74	6.90						1
	1	Interoffice Channel mileage each, additional mile					M1GNM	0.008838	0.00	0.00	10.74	0.90						
IINDII	NDI ED (ENTREX PORT/LOOP COMBINATIONS - COST BASED RATE	•		UEFFB	UEPPK	IVITGINIVI	0.00000	0.00	0.00								
ONBO		CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only)																
		VG Loop/2-Wire Voice Grade Port (Centrex) Combo																
-		ort/Loop Combination Rates (Non-Design)																
-	ONLF	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo																
		Non-Design						13.70										1
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -						13.70										
		Non-Design						22.19										i
-	-	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -						22.10										
		Non-Design						35.80										i
	UNF Po	ort/Loop Combination Rates (Design)						00.00										
	O.V.E. I. V	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo																
		Design						16.53										1
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -						10.00										
		Design						25.00										1
	+	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -						20.00										
		Design						38.29										1
	UNE Lo	pop Rate						00.20										
		2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP91		UECS1	11.55										
	1	2-Wire Voice Grade Loop (SL 1) - Zone 2	1	2	UEP91		UECS1	20.04										
	1	2-Wire Voice Grade Loop (SL 1) - Zone 3	1	3	UEP91		UECS1	33.65										
	1	2-Wire Voice Grade Loop (SL 2) - Zone 1	1	1	UEP91		UECS2	14.38			İ	İ						
	1	2-Wire Voice Grade Loop (SL 2) - Zone 2	1	2	UEP91		UECS2	22.85										
	1	2-Wire Voice Grade Loop (SL 2) - Zone 3	1	3	UEP91		UECS2	36.14			İ	İ						
	UNE Po		1	T -	T		1				İ	İ						
		tes (Except North Carolina and Sout Carolina)																
		2-Wire Voice Grade Port (Centrex) Basic Local Area		1	UEP91		UEPYA	2.15	40.19	19.83	24.91	6.63						
		2-Wire Voice Grade Port (Centrex 800 termination)Basic Local																
1	1	Area	1	1	UEP91		UEPYB	2.15	40.19	19.83	24.91	6.63		1				1
		2-Wire Voice Grade Port (Centrex with Caller ID)Note1 Basic	Ì															
L		Local Area	<u> </u>	Ш.	UEP91		UEPYH	2.15	40.19	19.83	24.91	6.63	<u> </u>	<u> </u>		<u> </u>		<u> </u>
		2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)																
		Note 2, 3 Basic Local Area	1		UEP91		UEPYM	2.15	90.38	57.27	48.66	8.77	1					1
		2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service																
		Term - Basic Local Area	<u> </u>	Ш.	UEP91		UEPYZ	2.15	90.38	57.27	48.66	8.77	<u> </u>	<u> </u>		<u> </u>		<u> </u>
		2-Wire Voice Grade Port terminated in on Megalink or equivalent																
		- Basic Local Area	<u> </u>	Ш.	UEP91		UEPY9	2.15	40.19	19.83	24.91	6.63	<u> </u>	<u> </u>		<u> </u>		<u> </u>
		2-Wire Voice Grade Port Terminated on 800 Service Term -																
		Basic Local Area	<u> </u>		UEP91		UEPY2	2.15	40.19	19.83	24.91	6.63						1
		, LA, MS, & TN Only																
	1	2-Wire Voice Grade Port (Centrex)			UEP91		UEPQA	2.15	40.19	19.83	24.91	6.63						

CATEGORY RATE ELEMENTS Note: N	UNBUNDI ED N	IETWORK ELEMENTS - Alabama												Attachment:	2 Fxh A		
ATECONY RATE ELEMENTS PART BLUENTS RATE B	ONBONDEED !	ALL THORN ELEMENTO ALABAMA										Svc Order	Svc Order			Incremental	Incremental
RATE BLEMENTS Inter- Part													1				Charge -
ATTECHY BATE ELEMENTS M One BATE SERVICE			Intori														Manual Svc
	CATEGORY	RATE ELEMENTS		Zone	BCS	USOC			RATES(\$)								
Note Note			m									P	,				
With Vision Clarified Control Contro																	
Procedure Proc																D130 131	DISC Add I
SWYS VOIC Grade Part (Centres, 60) Internation UCPPS UCPPS 215 40.09 18.55 24.91 6.60																	
2-Wine toxic Grade Part (Centre for Off Service Wee 1991 1992 1993 2-15 4-0.13 1.8.5 2-5.97 4.8.6 1.9.5												SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
Device State Control Part (Control Ford Control Ford State																	
Center 1.0 Cent					UEP91	UEPQH	2.15	40.19	19.83	24.91	6.63						
Sevine Vision Grade Peru. Del Servinery Wise Contract Peru. Del Serviner							0.45			40.00							i
Beruce Form		Center)2,3			UEP91	UEPQM	2.15	90.38	57.27	48.66	8.77						+
Description Comparison Co		2-vvire voice Grade Port, Dill Serving vvire Center - 2,3 - 800			LIEDO1	LIEDOZ	2.15	00.30	E7 07	40.66	0.77						ı
Device vision Closed Part Termination on 800 Service Term Local Switching Core Purification of Control DePoil De		Service Terrii			UEP91	UEPQZ	2.15	90.36	31.21	40.00	0.11						
Device vision Closed Part Termination on 800 Service Term Local Switching Core Purification of Control DePoil De		2-Wire Voice Grade Port terminated in an Megalink or equivalent			I IED01	HEPOq	2 15	40.10	10.83	2/ 01	6.63						i
Local Switching																	
Centers Neteron Production per port UPP91 UPP02 UPP02 UPP03	I ocal S				OLI 31	OLI QZ	2.10	40.13	19.00	24.31	0.03						—
Features	Locare				UEP91	URECS	0.5488										—
All Standard Fortuna Offend, per port UEP91 UEP92 1.08	Feature				- *.		2.2.00	İ						1			
All Senset Features Offered, per port All Cardines Control Features Offered, per port UEP91 UEPVS 0.00 455.52 NAM8 NAM8 NAM8 NAM8 NAM8 NAM9	Julian				UEP91	UEPVF	1.98	İ						1			
MARS MARS								405.52						İ	İ		ſ
NARS Number NARS Number Name Nam																	
Usbounded Network Access Register - Judiel UEP91 UARX	NARS																ſ
Unbounded Netrovic Access Register - Indial UEP91 UARTX		Unbundled Network Access Register - Combination															
Miscelaneous Terminations		Unbundled Network Access Register - Indial			UEP91	UAR1X	0.00	0.00	0.00	0.00	0.00						
2-Wire Trunk Side		Unbundled Network Access Register - Outdial			UEP91	UAROX	0.00	0.00	0.00	0.00	0.00						
Trunk Side Terminations, each UEP91 CENA6 8.05 119.31 1874 59.90 3.76																	ĺ
Interoffice Channel Mileage - 2-Wire	2-Wire																
Interoffice Channel Facilities Termination - Voice Grade UEP91 MIGBM 0.08538					UEP91	CENA6	8.05	119.31	18.74	59.90	3.76						[
Interoffice Channel mileage, per mile of fraction of mile UEP91 MIGBM 0.00888	Interof																L
Feature Activation on D-4 Channel Bank Fexture Activation on D-4 Channel Bank Fexture Activation on D-4 Channel Bank Fexture Activation on D-4 Channel Bank Fexture Activation on D-4 Channel Bank Fexture Activation on D-4 Channel Bank Fexture Activation on D-4 Channel Bank Fexture Activation on D-4 Channel Bank Fexture Activation on D-4 Channel Bank Fexture Activation on D-4 Channel Bank Fexture Activation on D-4 Channel Bank Fexture Activation on D-4 Channel Bank Fexture Activation on D-4 Channel Bank Fexture Activation on D-4 Channel Bank Fexture Activation on D-4 Channel Bank Fexture Activation on D-4 Channel Bank Fexture Activation on D-4 Channel Bank Fexture Activation on D-4 Channel Bank Fexture Activation on D-4 Channel Bank File LineTrunk Loop Stot Feature Activation on D-4 Channel Bank File LineTrunk Loop Stot UEP91 1POWV 0.56								40.54	27.41	16.74	6.90						L
December Comment Com					UEP91	M1GBM	0.008838										
Feature Activation on D-4 Channel Bank FX Iruns Side Loop Slot UEP91 IPOW6 0.56			е														
Feature Activation on D-4 Channel Bank FX line Side Loop Slot UEP91 1POW6 0.56						1001110	0.50										
Feature Activation on D-4 Channel Bank FX Trunk Side Loop UEP91 1PQW7 0.56		Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP91	1PQWS	0.56										+
Feature Activation on D-4 Channel Bank FX Trunk Side Loop UEP91 1PQW7 0.56		Factors Activistics on D. 4 Channel Beats EV line Cids I am Clat			LIEDO4	4DOMC	0.50										i .
Stot					UEP91	IFQW6	0.56										
Feature Activation on D-4 Channel Bank Centrex Loop Slot - UEP91					LIED01	1DOW7	0.56										ı
Different Wire Center					UEP91	IFQW/	0.56						1				-
Feature Activation on D-4 Channel Bank Private Line Loop Slot UEP91 1PQWV 0.56					LIED01	1POWP	0.56										i .
Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop UEP91 1POWQ 0.56		Billionit Wile Genter			OLI 01	11 QW1	0.00										
Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop UEP91 1POWQ 0.56] [Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP91	1PQWV	0.56	l]]			1
Slot	1					1	5.55	<u> </u>		1				1	1		
Feature Activation on D-4 Channel Bank WATS Loop Slot UEP91 1PQWA 0.56					UEP91	1PQWQ	0.56	l									1
Non-Recurring Charges (NRC) Associated with UNE-P Centrex Conversion - Currently Combined Switch-As-Is with allowed changes, per port UEP91								İ						İ	İ		
Conversion - Currently Combined Switch-As-Is with allowed changes, per port	Non-Re	curring Charges (NRC) Associated with UNE-P Centrex															ſ
changes, per port		Conversion - Currently Combined Switch-As-Is with allowed								j							ſ
New Centrex Standard Common Block		changes, per port		<u> </u>						<u> </u>				<u> </u>	<u></u>		<u> </u>
New Centrex Customized Common Block									16.58								
Secondary Block, per Block UEP91 M2CC1 0.00 78.02																	
NAR Establishment Charge, Per Occasion Additional Non-Recurring Charges (NRC) Unbundled Miscellaneous Rate Element, Tag Loop at End Use Premise Unbundled Miscellaneous Rate Element, Tag Design Loop at End Use Premise UEP91 URETL 8.33 0.83 UNBURGA 0.00 72.73 8.33 0.83 UREP91 URETL 8.33 0.83 UREP91 URETN 11.21 1.10 UNE-P CENTREX - 5ESS (Valid in All States) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Combo UNE Port/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Non-Design 13.70 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Source Voice Grade Port (Centr																	
Additional Non-Recurring Charges (NRC) Unbundled Miscellaneous Rate Element, Tag Loop at End Use Premise UEP91 URETL 8.33 0.83 Unbundled Miscellaneous Rate Element, Tag Design Loop at End Use Premise UEP91 URETN 11.21 1.10 UNE-P CENTREX - 5ESS (Valid in All States) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Son-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Son-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Son-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Son-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Son-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Son-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Son-Design 13.70																	
Unbundled Miscellaneous Rate Element, Tag Loop at End Use Premise Unbundled Miscellaneous Rate Element, Tag Design Loop at End Use Premise Unbundled Miscellaneous Rate Element, Tag Design Loop at End Use Premise UEP91 URETN 11.21 1.10 UNE-P CENTREX - 5ESS (Valid in All States) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Combo UNE Port/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Non-Design 13.70 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Voice Grade	<u> </u>				UEP91	URECA	0.00	72.73		ļl				ļ			!
Premise	Additio																
Unbundled Miscellaneous Rate Element, Tag Design Loop at End Use Premise UEP91 URETN 11.21 1.10					LIEDOA	LIDETI		0.00	0.00								1
End Use Premise	 				UEP91	UKEIL		8.33	0.83					 	1		
UNE-P CENTREX - 5ESS (Valid in All States) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Combo UNE Port/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Non-Design 13.70 13.70 13.70] [LIEDO4	LIDETN		44.04	4.40]]			1
2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Combo UNE Port/Loop Combination Rates (Non-Design)	I I I I				UEP91	UKEIN		11.21	1.10					-			
UNE Port/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-				 		+				 				-			
2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Non-Design 13.70 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -				1		+		+		1		-		1	1		
Non-Design 13.70 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - 13.70	UNE PO					+		1				1	1				
2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -							13 70	l									1
	 			 		+	13.70	+						 			
		Non-Design					22.19	l									1

UNBUNDLED	NETWORK ELEMENTS - Alabama												Attachment:	2 Exh A		
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge -	Incremental Charge -	Charge -	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l
									1							
						-	Nonrec		Nonrecurring					Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo					05.00										
LINE	Non-Design					35.80										
UNE	Port/Loop Combination Rates (Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -													-		-
	Design					16.53										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -					10.00										
	Design					25.00										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
	Design					38.29										
UNE I	Loop Rate															
	2-Wire Voice Grade Loop (SL 1) - Zone 1	<u> </u>		UEP95	UECS1	11.55					<u> </u>					
	2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEP95	UECS1	20.04										
	2-Wire Voice Grade Loop (SL 1) - Zone 3	 	3	UEP95	UECS1	33.65					1		-	1	 	
	2-Wire Voice Grade Loop (SL 2) - Zone 1 2-Wire Voice Grade Loop (SL 2) - Zone 2	 	2	UEP95 UEP95	UECS2 UECS2	14.38 22.85					1			 		-
	2-Wire Voice Grade Loop (SL 2) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP95	UECS2	36.14										
LINE	Port Rate		3	OLF 93	01032	30.14										
All St																
7.11 01	2-Wire Voice Grade Port (Centrex) Basic Local Area			UEP95	UEPYA	2.15	40.19	19.83	24.91	6.63						
	2-Wire Voice Grade Port (Centrex 800 termination)			UEP95	UEPYB	2.15	40.19	19.83	24.91	6.63				1		
	2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local					_										
	Area			UEP95	UEPYH	2.15	40.19	19.83	24.91	6.63						
	2-Wire Voice Grade Port (Centrex from diff Serving Wire															
	Center)2,3 Basic Local Area			UEP95	UEPYM	2.15	90.38	57.27	48.66	8.77						
	2-Wire Voice Grade Port, Diff Serving Wire Center 2,3 - 800															
	Service Term - Basic Local Area			UEP95	UEPYZ	2.15	90.38	57.27	48.66	8.77						
	2-Wire Voice Grade Port terminated in on Megalink or equivalent															
	- Basic Local Area			UEP95	UEPY9	2.15	40.19	19.83	24.91	6.63						
	2-Wire Voice Grade Port Terminated on 800 Service Term -			LIEBOE	LIEDVO	0.45	40.40	40.00	04.04	0.00						
A1 1/	Basic Local Area Y, LA, MS, SC, & TN Only			UEP95	UEPY2	2.15	40.19	19.83	24.91	6.63				-		
AL, K	2-Wire Voice Grade Port (Centrex)			UEP95	UEPQA	2.15	40.19	19.83	24.91	6.63						
	2-Wire Voice Grade Port (Centrex) 2-Wire Voice Grade Port (Centrex 800 termination)			UEP95	UEPQB	2.15	40.19	19.83	24.91	6.63						
	2-Wire Voice Grade Port (Centrex 800 termination) 2-Wire Voice Grade Port (Centrex with Caller ID)1			UEP95	UEPQH	2.15	40.19	19.83	24.91	6.63						
	2-Wire Voice Grade Port (Centrex from diff Serving Wire			OL1 00	OLI GII	2.10	40.10	10.00	24.01	0.00						
	Center)2,3			UEP95	UEPQM	2.15	90.38	57.27	48.66	8.77						
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service															
	Term 2,3			UEP95	UEPQZ	2.15	90.38	57.27	48.66	8.77						
	2-Wire Voice Grade Port terminated in on Megalink or equivalent		<u> </u>	UEP95	UEPQ9	2.15	40.19	19.83	24.91	6.63						
	2-Wire Voice Grade Port Terminated on 800 Service Term	<u> </u>	<u> </u>	UEP95	UEPQ2	2.15	40.19	19.83	24.91	6.63				ļ		
Local	Switching	<u> </u>	<u> </u>	LIEDOE	LIDEGG	0.7100								-		
F	Centrex Intercom Funtionality, per port	 	<u> </u>	UEP95	URECS	0.5488			ļ				1	!	 	
Featu		 	 	UEP95	UEPVF	1.98					-		-	-		-
	All Standard Features Offered, per port All Select Features Offered, per port	 	 	UEP95 UEP95	UEPVS	0.00	405.52				 				-	
	All Centrex Control Features Offered, per port	 	 	UEP95	UEPVC	1.98	+05.52				1			t	 	
NARS		1	†	021 00	JE: VO	1.30							1	†	1	†
	Unbundled Network Access Register - Combination		1	UEP95	UARCX	0.00	0.00	0.00	0.00	0.00				1		
	Unbundled Network Access Register - Indial			UEP95	UAR1X	0.00	0.00	0.00	0.00	0.00			1			
	Unbundled Network Access Register - Outdial			UEP95	UAROX	0.00	0.00	0.00	0.00	0.00					İ	
	Ilaneous Terminations															
2-Wir	Trunk Side															
	Trunk Side Terminations, each		<u> </u>	UEP95	CEND6	8.05	119.31	18.74	59.90	3.76				1	ļ	
4-Wir	e Digital (1.544 Megabits)	ļ	<u> </u>	LIEBOS	1	20.5	200							ļ	ļ	
	DS1 Circuit Terminations, each	1	1	UEP95	M1HD1	60.09	202.02	95.69	72.59	2.46	ļ]			
		1		LEGGE	141100	0.00	44 10									
Interes	DS0 Channels Activated, each ffice Channel Mileage - 2-Wire			UEP95	M1HDO	0.00	14.48									

UNRUN	IDI ED N	ETWORK ELEMENTS - Alabama												Attachment:	2 Evh Δ		
ONDON	IDEED N	ETWORK ELEMENTS - Alabama										Svc Order		Incremental		Incremental	Incremental
												Submitted			Charge -	Charge -	Charge -
												Elec		Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEG	ORY	RATE ELEMENTS	Interi	Zone	BCS	usoc			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m									per Lor	per Lor	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
																טואל ואנ	DISC Add I
								Nonrec	urring	Nonrecurring	Disconnect				Rates(\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Interoffice Channel mileage, per mile or fraction of mile			UEP95	M1GBM	0.008838										
		Activations (DS0) Centrex Loops on Channelized DS1 Service	е														
		nnel Bank Feature Activations			LIEBOE	400140	0.50										
		Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP95	1PQWS	0.56										
		Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP95	1PQW6	0.56										
		Feature Activation on D-4 Channel Bank FX Trunk Side Loop			OLI 33	11 QVV0	0.50										
		Slot			UEP95	1PQW7	0.56										
		Feature Activation on D-4 Channel Bank Centrex Loop Slot -															
		Different Wire Center			UEP95	1PQWP	0.56						1				
		Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP95	1PQWV	0.56										
		Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop															
		Slot			UEP95	1PQWQ	0.56										
		Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP95	1PQWA	0.56										
\vdash		curring Charges (NRC) Associated with UNE-P Centrex				+											
		NRC Conversion Currently Combined Switch-As-Is with allowed			UEP95	USAC2		0.10	0.10								
		changes, per port Conversion of Existing Centrex Common Block, each			UEP95	USACN		37.75	16.58			1					
		New Centrex Standard Common Block			UEP95	M1ACS	0.00	667.21	10.50								
		New Centrex Customized Common Block			UEP95	M1ACC	0.00	667.21									
		NAR Establishment Charge, Per Occasion			UEP95	URECA	0.00	72.73									
		nal Non-Recurring Charges (NRC)															
		Unbundled Miscellaneous Rate Element, Tag Loop at End Use															
		Premise			UEP95	URETL		8.33	0.83								
		Unbundled Miscellaneous Rate Element, Tag Design Loop at															
		End Use Premise			UEP95	URETN		11.21	1.10								
		CENTREX - DMS100 (Valid in All States) /G Loop/2-Wire Voice Grade Port (Centrex) Combo										-					
		rt/Loop Combination Rates (Non-Design)															
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -															
		Non-Design					13.70										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
		Non-Design ,					22.19										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -							· · · · · · · · · · · · · · · · · · ·					-			
		Non-Design					35.80										
\vdash		rt/Loop Combination Rates (Design)															
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -					10.50						1				
\vdash		Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -				+	16.53			 		-	-		1		
		Design					25.00										
\vdash		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -	-			+	25.00										
		Design					38.29						1				
		op Rate				1											
		2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP9D	UECS1	11.55										
		2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEP9D	UECS1	20.04										
		2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP9D	UECS1	33.65										
\vdash		2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP9D	UECS2	14.38										
\vdash		2-Wire Voice Grade Loop (SL 2) - Zone 2			UEP9D	UECS2	22.85					1					
\vdash	UNE Po	2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP9D	UECS2	36.14			-							
	ALL ST					+	1										
		2-Wire Voice Grade Port (Centrex) Basic Local Area			UEP9D	UEPYA	2.15	40.19	19.83	24.91	6.63						
		2-Wire Voice Grade Port (Centrex) Basic Local Area 2-Wire Voice Grade Port (Centrex 800 termination)Basic Local				52. 170	2.10	70.10	10.00	24.01	0.00						
		Area			UEP9D	UEPYB	2.15	40.19	19.83	24.91	6.63		1				
		2-Wire Voice Grade Port (Centrex / EBS-PSET)3Basic Local															
		Area			UEP9D	UEPYC	2.15	40.19	19.83	24.91	6.63						
1 1		2-Wire Voice Grade Port (Centrex / EBS-M5009)3Basic Local					\neg]				
L		Area			UEP9D	UEPYD	2.15	40.19	19.83	24.91	6.63						

Version 4Q05 Standard ICA 03/15/06 (Renegotiations) Page 24 of 261

IINDIINDI ED	NETWORK ELEMENTS - Alabama												Attachment:	2 Evh A		
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Svc Order Submitted Manually per LSR	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
							Nonrec	urrina	Nonrecurring	Disconnect			oss	Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Grade Port (Centrex / EBS-M5209))3 Basic Local															
	Area			UEP9D	UEPYE	2.15	40.19	19.83	24.91	6.63						<u> </u>
	2-Wire Voice Grade Port (Centrex / EBS-M5112))3 Basic Local Area			UEP9D	UEPYF	2.15	40.19	19.83	24.91	6.63						Ĭ '
	2-Wire Voice Grade Port (Centrex / EBS-M5312))3Basic Local															
	Area			UEP9D	UEPYG	2.15	40.19	19.83	24.91	6.63						ļ'
	2-Wire Voice Grade Port (Centrex / EBS-M5008))3 Basic Local Area			UEP9D	UEPYT	2.15	40.19	19.83	24.91	6.63						1
	2-Wire Voice Grade Port (Centrex / EBS-M5208))3 Basic Local			OLI 3D	OLITI	2.10	40.13	19.05	24.51	0.03						
	Area			UEP9D	UEPYU	2.15	40.19	19.83	24.91	6.63						
	2-Wire Voice Grade Port (Centrex / EBS-M5216))3 Basic Local			LIEDOD	UEPYV	0.45	40.40	19.83	24.91	6.63						
+	Area 2-Wire Voice Grade Port (Centrex / EBS-M5316))3 Basic Local			UEP9D	UEPYV	2.15	40.19	19.83	24.91	6.63						
	Area			UEP9D	UEPY3	2.15	40.19	19.83	24.91	6.63						
	2-Wire Voice Grade Port (Centrex with Caller ID) Basic Local															
	Area 2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp			UEP9D	UEPYH	2.15	40.19	19.83	24.91	6.63						
	Indication))4 Basic Local Area			UEP9D	UEPYW	2.15	40.19	19.83	24.91	6.63						Ĭ
	2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication))4															
	Basic Local Area			UEP9D	UEPYJ	2.15	40.19	19.83	24.91	6.63						
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center) 2,3-Basic Local Area			UEP9D	UEPYM	2.15	90.38	57.27	48.66	8.77						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2,3,4			OLI OD	OLI TIVI	2.10	50.00	07.27	40.00	0.11						
	Basic Local Area			UEP9D	UEPYO	2.15	90.38	57.27	48.66	8.77						L
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2,3,4 Basic Local Area			UEP9D	UEPYP	2.15	90.38	57.27	48.66	8.77						Ĭ
+	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2,3,4			UEP9D	UEFTF	2.15	90.36	51.21	40.00	0.77						
	Basic Local Area			UEP9D	UEPYQ	2.15	90.38	57.27	48.66	8.77						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2,3,4															
	Basic Local Area 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2,3,4			UEP9D	UEPYR	2.15	90.38	57.27	48.66	8.77						
	Basic Local Area			UEP9D	UEPYS	2.15	90.38	57.27	48.66	8.77						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2,3,4															
	Basic Local Area 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3			UEP9D	UEPY4	2.15	90.38	57.27	48.66	8.77						
	Basic Local Area			UEP9D	UEPY5	2.15	90.38	57.27	48.66	8.77						ĺ
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2,3,4															
<u> </u>	Basic Local Area 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2,3,4			UEP9D	UEPY6	2.15	90.38	57.27	48.66	8.77						
	Basic Local Area			UEP9D	UEPY7	2.15	90.38	57.27	48.66	8.77						
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service															
	Term 2,3			UEP9D	UEPYZ	2.15	90.38	57.27	48.66	8.77						
	2-Wire Voice Grade Port terminated in on Megalink or equivalent Basic Local Area			UEP9D	UEPY9	2.15	40.19	19.83	24.91	6.63						ĺ
	2-Wire Voice Grade Port Terminated on 800 Service Term Basic			02.00	02110	2.10	70.10	10.00	2-7.91	0.00						
	Local Area			UEP9D	UEPY2	2.15	40.19	19.83	24.91	6.63						
AL, K	Y, LA, MS, SC, & TN Only 2-Wire Voice Grade Port (Centrex)			UEP9D	UEPQA	2.15	40.19	19.83	24.91	6.63						
	2-Wire Voice Grade Port (Centrex) 2-Wire Voice Grade Port (Centrex 800 termination)			UEP9D	UEPQB	2.15	40.19	19.83	24.91	6.63						
	2-Wire Voice Grade Port (Centrex / EBS-PSET)4			UEP9D	UEPQC	2.15	40.19	19.83	24.91	6.63						
	2-Wire Voice Grade Port (Centrex / EBS-M5009)4		<u> </u>	UEP9D UEP9D	UEPQD UEPQE	2.15 2.15	40.19 40.19	19.83 19.83	24.91 24.91	6.63 6.63		-				
	2-Wire Voice Grade Port (Centrex / EBS-M5209)4 2-Wire Voice Grade Port (Centrex / EBS-M5112)4		 	UEP9D	UEPQE	2.15	40.19	19.83	24.91	6.63						
	2-Wire Voice Grade Port (Centrex / EBS-M5312)4			UEP9D	UEPQG	2.15	40.19	19.83	24.91	6.63						
	2-Wire Voice Grade Port (Centrex / EBS-M5008)4			UEP9D	UEPQT	2.15	40.19	19.83	24.91	6.63						
	2-Wire Voice Grade Port (Centrex / EBS-M5208)4 2-Wire Voice Grade Port (Centrex / EBS-M5216)4		 	UEP9D UEP9D	UEPQU UEPQV	2.15 2.15	40.19 40.19	19.83 19.83	24.91 24.91	6.63 6.63	-	-				
	2-Wire Voice Grade Port (Centrex / EBS-M5210)4 2-Wire Voice Grade Port (Centrex / EBS-M5316)4			UEP9D	UEPQ3	2.15	40.19	19.83	24.91	6.63						
	2-Wire Voice Grade Port (Centrex with Caller ID)			UEP9D	UEPQH	2.15	40.19	19.83	24.91	6.63						

HARLINDI ED	NETWORK ELEMENTS - Alabama												Attachment:	2 Evh A		
UNBUNDLED	NETWORK ELEMENTS - Alabama										Svc Order		Incremental		Incremental	Incremental
											Submitted			Charge -	Charge -	Charge -
															_	
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	usoc			RATES(\$)			Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORT	RATE ELEMENTS	m	Zone	ВСЗ	0300			KAILS(4)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
							Nonrec	urring	Nonrocurring	Disconnect	1	l .	088	Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
-+-	2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp				+	Nec	riist	Auu i	FIISt	Auu i	SOMEC	JOWAN	JOWAN	JOWAN	JOWAN	JOWAN
	Indication)4			UEP9D	UEPQW	2.15	40.19	19.83	24.91	6.63						1
-+-	2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication)4			UEP9D	UEPQV	2.15	40.19	19.83	24.91	6.63	-					
-+-	2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication)4 2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)			UEP9D	UEPQJ	2.13	40.19	19.03	24.91	0.03	-					
	2.3			UEP9D	UEPQM	2.15	90.38	57.27	48.66	8.77						ĺ
-+-	2,3			OLF3D	ULFQIVI	2.13	90.30	31.21	40.00	0.77	-					
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2,3,4			UEP9D	UEPQO	2.15	90.38	57.27	48.66	8.77						1
	2-Wile Voice Glade Fort (Certife Vallier SWC /LB3-F3L1)2,3,4			OLF3D	ULFQU	2.13	90.30	31.21	40.00	0.77						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2,3,4			UEP9D	UEPQP	2.15	90.38	57.27	48.66	8.77						i
	2-Wile Voice Grade Fort (Certife Vallier SWC /LB3-W5009)2,3,4			OLF3D	ULFQF	2.13	90.30	31.21	40.00	0.77						-
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2,3,4			UEP9D	UEPQQ	2.15	90.38	57.27	48.66	8.77						i
	2-vviie voice Grade i ort (Gentiewaliiei Gwo / EBG-5203/2,5,4			OLI 3D	OLI QQ	2.10	30.30	31.21	40.00	0.77						-
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2,3,4			UEP9D	UEPQR	2.15	90.38	57.27	48.66	8.77						i
-+-	2-vviile voice Grade Port (Certifex differ 5vvC /EB3-ivi5112)2,3,4			UEP9D	UEFQR	2.13	90.36	31.21	40.00	0.11	-					
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2,3,4			UEP9D	UEPQS	2.15	90.38	57.27	48.66	8.77						i
	2-vviile voice Grade Port (Certifex differ SVVC /EBS-IVISS12)2,3,4			UEP9D	UEFQS	2.10	90.36	31.21	40.00	0.11						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2,3,4			UEP9D	UEPQ4	2.15	90.38	57.27	48.66	8.77						i
+-	2-wire voice Grade Port (Centrex/diller SWC /EBS-M5008)2,3,4			UEP9D	UEPQ4	2.15	90.38	57.27	48.00	8.77						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2,3,4			UEP9D	UEPQ5	2.15	90.38	F7 07	48.66	8.77						i
	2-vvire voice Grade Port (Centrex/diller SWC /EBS-IVI5208)2,3,4			UEP9D	UEPQ5	2.15	90.38	57.27	48.00	8.77						
	2 Mins Maior Crade Bort (Contravidiffer CMC /FBC MESAC)2 2 4			UEP9D	UEPQ6	2.15	90.38	57.27	48.66	8.77						i
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2,3,4			UEP9D	UEFQ0	2.10	90.36	31.21	40.00	0.11						
	2 Miss Maiss Crade Bart (Control/differ CMC /FBC M5246)2 2 4			LIEDOD	LIEDOZ	0.45	00.00	F7 07	40.00	0.77						i
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2,3,4			UEP9D	UEPQ7	2.15	90.38	57.27	48.66	8.77						
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service			LIEDOD	UEPQZ	0.45	00.00	F7 07	48.66	8.77						ĺ
	Term 2,3			UEP9D	UEPQZ	2.15	90.38	57.27	48.00	8.77						+
	2 Wire Veice Conda Bort torraineted in an Manalini, or annimalant			UEP9D	UEPQ9	2.45	10.10	40.00	04.04	6.63						i
	2-Wire Voice Grade Port terminated in on Megalink or equivalent					2.15	40.19	19.83	24.91							
Land	2-Wire Voice Grade Port Terminated on 800 Service Term Switching			UEP9D	UEPQ2	2.15	40.19	19.83	24.91	6.63						
Local	Centrex Intercom Funtionality, per port			UEP9D	URECS	0.5488					-					
Featur				UEP9D	UKECS	0.5400										
reatui	All Standard Features Offered, per port			UEP9D	UEPVF	1.98					-					
-+-	All Select Features Offered, per port			UEP9D	UEPVS	0.00	405.52				-					
-+-	All Centrex Control Features Offered, per port			UEP9D	UEPVC	1.98	405.52				-					
NARS				OLF3D	OLFVC	1.50										t
INANG	Unbundled Network Access Register - Combination			UEP9D	UARCX	0.00	0.00	0.00	0.00	0.00	-					
	Unbundled Network Access Register - Inward			UEP9D	UAR1X	0.00	0.00	0.00	0.00	0.00						t
$\overline{}$	Unbundled Network Access Register - Undual		 	UEP9D	UAROX	0.00	0.00	0.00	0.00	0.00						
Misca	Ilaneous Terminations			01.30	JANOA	0.00	0.00	0.00	0.00	0.00						
	e Trunk Side				+				 			l				
	Trunk Side Terminations, each			UEP9D	CEND6	8.05	119.31	18.74	59.90	3.76		l				
4-Wire	e Digital (1.544 Megabits)					3.00			55.50	3.70	<u> </u>	1				
7	DS1 Circuit Terminations, each			UEP9D	M1HD1	60.09	202.02	95.69	72.59	2.46						
$\overline{}$	DS0 Channels Activiated per Channel			UEP9D	M1HDO	0.00	14.48	33.00	. 2.00	2.40						
Intero	ffice Channel Mileage - 2-Wire					3.50	0		t							
	Interoffice Channel Facilities Termination			UEP9D	M1GBC	21.13	40.54	27.41	16.74	6.90						
	Interoffice Channel mileage, per mile or fraction of mile			UEP9D	M1GBM	0.008838			1							
Featu	re Activations (DS0) Centrex Loops on Channelized DS1 Service	e		-					1							ſ
	annel Bank Feature Activations															
	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP9D	1PQWS	0.56										
	,															
1	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP9D	1PQW6	0.56			I			1				1
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop															
	Slot			UEP9D	1PQW7	0.56			1							1
	Feature Activation on D-4 Channel Bank Centrex Loop Slot -															ſ
1	Different Wire Center			UEP9D	1PQWP	0.56			1							1
1	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP9D	1PQWV	0.56			I		1	1				1

UNBUN	NDLED N	IETWORK ELEMENTS - Alabama			1	_								Attachment:			
														Incremental		Incremental	
												Submitted	Submitted		Charge -	Charge -	Charge -
			Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEG	ORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
												-	-	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
														131	Addi	Diac 1at	Disc Add I
								Nonrec	urring	Nonrecurring	Disconnect			OSS	Rates(\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop															
		Slot			UEP9D	1PQWQ	0.56										
		Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP9D	1PQWA	0.56										
	Non De	ecurring Charges (NRC) Associated with UNE-P Centrex			OLF 9D	IFQWA	0.50					1					
	NOII-KE	NRC Conversion Currently Combined Switch-As-Is with allowed										1					
		changes, per port			UEP9D	USAC2		0.10	0.10								
					UEP9D	USACN											
		Conversion of existing Centrex Common Block, each					2.22	37.75	16.58			ļ					<u> </u>
		New Centrex Standard Common Block			UEP9D	M1ACS	0.00	667.21									
		New Centrex Customized Common Block			UEP9D	M1ACC	0.00	667.21									
		NAR Establishment Charge, Per Occasion			UEP9D	URECA	0.00	72.73									
	Additio	nal Non-Recurring Charges (NRC)	ļ			1				1					1		
		Unbundled Miscellaneous Rate Element, Tag Loop at End Use				1				1					1		1
		Premise			UEP9D	URETL		8.33	0.83								
		Unbundled Miscellaneous Rate Element, Tag Design Loop at															1
		End Use Premise			UEP9D	URETN		11.21	1.10	1					1		1
	UNE-P	CENTREX - EWSD (Valid in AL, FL, KY, LA, MS & TN)															
		VG Loop/2-Wire Voice Grade Port (Centrex) Combo															
		ort/Loop Combination Rates (Non-Design)															
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -															
		Non-Design					13.70										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -					10.70										
		Non-Design					22.19										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -					22.19										
							25.00										
	UNIE D	Non-Design					35.80										
	UNE PO	ort/Loop Combination Rates (Design)															
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -															
		Design					16.53										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
		Design					25.00										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
		Design					38.29										
	UNE Lo	pop Rate															
		2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP9E	UECS1	11.55										
		2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEP9E	UECS1	20.04										
		2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP9E	UECS1	33.65										
		2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP9E	UECS2	14.38										
		2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP9E	UECS2	22.85										
		2-Wire Voice Grade Loop (SL 2) - Zone 3	1	3	UEP9E	UECS2	36.14			t		1	1		1	1	
	UNE Po		1	Ť		02002	00.14			 		1	1		†	 	<u> </u>
-		KY, LA, MS, & TN only	1	1		+				-		 					<u> </u>
-	~=, · £,	2-Wire Voice Grade Port (Centrex) Basic Local Area	 	 	UEP9E	UEPYA	2.15	40.19	19.83	24.91	6.63	1	l		t	1	
-		2-Wire Voice Grade Port (Centrex) Basic Local Area 2-Wire Voice Grade Port (Centrex 800 termination)Basic Local	1	1	OL: 0L	JLITA	2.13	70.13	10.00	27.31	0.03	1			 		
		Area	l		UEP9E	UEPYB	2.15	40.40	19.83	24.91	6.63		l				1
	1		1	1	UEPSE	UEPIB	∠.15	40.19	19.83	24.91	0.63	 			-	 	
1	1	2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local	I		LIEDOE	LIED/41	0.4-	40.40	10.00		0.00		1		I	Ì	1
	1	Area	<u> </u>	<u> </u>	UEP9E	UEPYH	2.15	40.19	19.83	24.91	6.63	1			1		├
1	1	2-Wire Voice Grade Port (Centrex from diff Serving Wire	I										1		I	Ì	1
<u> </u>		Center)2,3 Basic Local Area	<u> </u>	<u> </u>	UEP9E	UEPYM	2.15	90.38	57.27	48.66	8.77	ļ	ļ			ļ	├
1	1	2-Wire Voice Grade Port, Diff Serving Wire Center 2,3 - 800	I		l	I				I			1		I	Ì	1
<u> </u>	<u> </u>	Service Term - Basic Local Area	<u> </u>		UEP9E	UEPYZ	2.15	90.38	57.27	48.66	8.77	ļ	ļ		ļ	ļ	1
1	1	2-Wire Voice Grade Port terminated in on Megalink or equivalent				1				I			1		I	Ì	1
		- Basic Local Area	<u> </u>		UEP9E	UEPY9	2.15	40.19	19.83	24.91	6.63						
		2-Wire Voice Grade Port Terminated on 800 Service Term -				1											
	<u> </u>	Basic Local Area	<u>L</u>	<u>L</u>	UEP9E	UEPY2	2.15	40.19	19.83	24.91	6.63	<u> </u>	<u> </u>		<u> </u>	<u> </u>	<u> </u>
	AL, KY	, LA, MS, & TN Only															
		2-Wire Voice Grade Port (Centrex)			UEP9E	UEPQA	2.15	40.19	19.83	24.91	6.63						
		2-Wire Voice Grade Port (Centrex 800 termination)			UEP9E	UEPQB	2.15	40.19	19.83	24.91	6.63						
		2-Wire Voice Grade Port (Centrex with Caller ID)1	1	i –	UEP9E	UEPQH	2.15	40.19	19.83	24.91	6.63				1	İ	
		2-Wire Voice Grade Port (Centrex from diff Serving Wire	1	1			25		.0.50	251	3.30	1	1		1	1	
	1	Center)2,3	I		UEP9E	UEPQM	2.15	90.38	57.27	48.66	8.77		1		I	Ì	1
L		00.110.72,0	1	1	O L. OL	JEI WITI	2.10	00.00	01.21	70.00	0.11	·	l		<u> </u>	1	

LINDIIN	DI ED I	IETWORK ELEMENTS - Alabama												Attachment: 2	2 Evh A		1
UNBUN	DLEDI	IETWORK ELEMENTS - Alabama		1		1						Svc Order	Svc Order		Incremental	Incremental	Incremental
													Submitted		Charge -	Charge -	Charge -
												Elec	Manually		Manual Svc	Manual Svc	_
CATEG	ORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES(\$)								
OA! LO	O	TATE ELEMENTO	m		500	0000			= 5(4)			per LSR	per LSR		Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
								Nonrec	urring	Nonrecurring	Disconnect			oss	Rates(\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		2-Wire Voice Grade Port, Diff Serving Wire Center 2,3 - 800															
		Service Term			UEP9E	UEPQZ	2.15	90.38	57.27	48.66	8.77						
		2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP9E	UEPQ9	2.15	40.19	19.83	24.91	6.63						
		2-Wire Voice Grade Port Terminated on 800 Service Term			UEP9E	UEPQ2	2.15	40.19	19.83	24.91	6.63						
	Local S	Switching															
		Centrex Intercom Funtionality, per port			UEP9E	URECS	0.5488										
	Feature																
		All Standard Features Offered, per port			UEP9E	UEPVF	1.98										
		All Select Features Offered, per port			UEP9E	UEPVS	0.00	405.52									
		All Centrex Control Features Offered, per port		1	UEP9E	UEPVC	1.98										
igwdown	NARS			1		LUBOY		0.55				1					
L		Unbundled Network Access Register - Combination		 	UEP9E	UARCX	0.00	0.00	0.00	0.00	0.00						
<u> </u>		Unbundled Network Access Register - Indial		1	UEP9E	UAR1X	0.00	0.00	0.00	0.00	0.00	1					-
——	Missel	Unbundled Network Access Register - Outdial		1	UEP9E	UAROX	0.00	0.00	0.00	0.00	0.00	1					-
		aneous Terminations Trunk Side		1		+						1					
	2-wire	Trunk Side Trunk Side Terminations, each		-	UEP9E	CEND6	8.05	119.31	18.74	59.90	3.76						
	4-Wiro	Digital (1.544 Megabits)		1	UEF9E	CENDO	6.05	119.51	10.74	59.90	3.76	1					
	4-Wile	DS1 Circuit Terminations, each		1	UEP9E	M1HD1	60.09	202.02	95.69	72.59	2.46	1					
		DS0 Channel Activated Per Channel		1	UEP9E	M1HDO	0.00	14.48	93.09	12.59	2.40	1					
-	Interof	ice Channel Mileage - 2-Wire		-	OLI 3L	WITIDO	0.00	14.40				1					
	interor	Interoffice Channel Facilities Termination			UEP9E	M1GBC	21.13	40.54	27.41	16.74	6.90						
		Interoffice Channel mileage, per mile or fraction of mile			UEP9E	M1GBM	0.008838	40.04	27.41	10.74	0.00						
	Feature	Activations (DS0) Centrex Loops on Channelized DS1 Service	e		OLI OL	WITCEW	0.000000										
		nnel Bank Feature Activations															
		Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP9E	1PQWS	0.56										
					<u> </u>		0.00										
		Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP9E	1PQW6	0.56										
		Feature Activation on D-4 Channel Bank FX Trunk Side Loop															
		Slot			UEP9E	1PQW7	0.56										
		Feature Activation on D-4 Channel Bank Centrex Loop Slot -															
		Different Wire Center			UEP9E	1PQWP	0.56										
		Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP9E	1PQWV	0.56										
		Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop															
		Slot			UEP9E	1PQWQ	0.56										
		Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP9E	1PQWA	0.56										
	Non-Re	curring Charges (NRC) Associated with UNE-P Centrex															
		NRC Conversion Currently Combined Switch-As-Is with allowed			l	1]							
		changes, per port		1	UEP9E	USAC2		0.10	0.10								
		Conversion of Existing Centrex Common Block, each		1	UEP9E	USACN		37.75	16.58								
		New Centrex Standard Common Block		1	UEP9E	M1ACS	0.00	667.21				ļ					
<u> </u>		New Centrex Customized Common Block		_	UEP9E	M1ACC	0.00	667.21				<u> </u>					ļ
<u> </u>	A -1.1141	NAR Establishment Charge, Per Occasion		_	UEP9E	URECA	0.00	72.73				<u> </u>					ļ
L	Additio	nal Non-Recurring Charges (NRC)		 		+	1										
		Unbundled Miscellaneous Rate Element, Tag Loop at End Use			LIEDOE	LIDET!	[2.00	0.00								
\vdash		Premise		1	UEP9E	URETL		8.33	0.83			1					-
		Unbundled Miscellaneous Rate Element, Tag Design Loop at End Use Premise			UEP9E	URETN		11.21	1.10]							
\vdash	IINE.D	CENTREX - DCO - Valid in AL, KY, LA, MS, & TN)		1	OLPSE	UKETIN		11.21	1.10			1					
		VG Loop/2-Wire Voice Grade Port (Centrex) Combo		1		+	 										-
		ort/Loop Combination Rates (Non-Design)		1		+	+	+									
	UNE P	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -		1		+						1	1				-
		Non-Design					13.70]							
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		 		+	15.70					 					
		Non-Design	l				22.19]							
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -				1	22.10										
		Non-Design	l				35.80]							
		1					00										

HINDHIN	DIEDA	IETWORK ELEMENTS - Alabama												Attachment:	2 Evh A		1
UNBUN	DLED	IETWORK ELEMENTS - Alabama	1	1		1						Svc Order	Svc Order		Incremental	Incremental	Incremental
													Submitted		Charge -	Charge -	Charge -
												Elec	Manually		Manual Svc	Manual Svc	_
CATEG	ORY	RATE ELEMENTS	Interi	Zone	BCS	usoc			RATES(\$)				per LSR		Order vs.	Order vs.	Order vs.
OA!LO	O	KATE ELEMENTO	m	20110	500	0000			= = (+)			per LSR	perLSK	Order vs.			
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
								Nonrec	urring	Nonrecurring	Disconnect			oss	Rates(\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	UNE Po	ort/Loop Combination Rates (Design)															
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -															
		Design					16.53										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
		Design					25.00										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
		Design					38.29										
		oop Rate															
		2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP93	UECS1	11.55										
		2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEP93	UECS1	20.04										
		2-Wire Voice Grade Loop (SL 1) - Zone 3	ļ	3	UEP93	UECS1	33.65					ļ					
		2-Wire Voice Grade Loop (SL 2) - Zone 1	ļ	1	UEP93	UECS2	14.38										
-		2-Wire Voice Grade Loop (SL 2) - Zone 2	<u> </u>	2	UEP93	UECS2	22.85										-
<u> </u>		2-Wire Voice Grade Loop (SL 2) - Zone 3	 	3	UEP93	UECS2	36.14			1		}		ļ			
		ort Rate	 	<u> </u>		+				1		}		ļ			
\vdash	AL, KY	LA, MS, & TN only 2-Wire Voice Grade Port (Centrex) Basic Local Area	 	-	UEP93	UEPYA	2.15	40.19	19.83	24.91	6.63	1	-				
		2-Wire Voice Grade Port (Centrex) Basic Local Area 2-Wire Voice Grade Port (Centrex 800 termination)Basic Local			UEP93	UEPYA	2.15	40.19	19.83	24.91	6.63						
		2-wire voice Grade Port (Centrex 800 termination)Basic Local Area			UEP93	UEPYB	2.15	40.19	19.83	24.91	6.63						
		2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local			UEF93	UEPTB	2.13	40.19	19.03	24.91	0.03	1	1				
		Area			UEP93	UEPYH	2.15	40.19	19.83	24.91	6.63						
		2-Wire Voice Grade Port (Centrex from diff Serving Wire		1	OLI 33	OLI III	2.10	40.13	19.00	24.31	0.03	1					
		Center)2,3 Basic Local Area			UEP93	UEPYM	2.15	90.38	57.27	48.66	8.77						
		2-Wire Voice Grade Port, Diff Serving Wire Center - 2,3 - 800			OLI 93	OLI TIVI	2.10	30.30	31.21	40.00	0.77						
		Service Term - Basic Local Area			UEP93	UEPYZ	2.15	90.38	57.27	48.66	8.77						
		2-Wire Voice Grade Port terminated in on Megalink or equivalent			OLI 50	OLI IZ	2.10	50.00	01.21	40.00	0.77						
		- Basic Local Area			UEP93	UEPY9	2.15	40.19	19.83	24.91	6.63						
		2-Wire Voice Grade Port Terminated on 800 Service Term -									0.00						
		Basic Local Area			UEP93	UEPY2	2.15	40.19	19.83	24.91	6.63						
		2-Wire Voice Grade Port (Centrex)			UEP93	UEPQA	2.15	40.19	19.83	24.91	6.63						
		2-Wire Voice Grade Port (Centrex 800 termination)			UEP93	UEPQB	2.15	40.19	19.83	24.91	6.63						
		2-Wire Voice Grade Port (Centrex with Caller ID)1			UEP93	UEPQH	2.15	40.19	19.83	24.91	6.63						
		2-Wire Voice Grade Port (Centrex from diff Serving Wire															
		Center)2,3			UEP93	UEPQM	2.15	90.38	57.27	48.66	8.77						
		2-Wire Voice Grade Port, Diff Serving Wire Center - 2,3 -800															
		Service Term		<u> </u>	UEP93	UEPQZ	2.15	90.38	57.27	48.66	8.77						
		2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP93	UEPQ9	2.15	40.19	19.83	24.91	6.63						
		2-Wire Voice Grade Port Terminated on 800 Service Term			UEP93	UEPQ2	2.15	40.19	19.83	24.91	6.63						
		witching															
		Centrex Intercom Funtionality, per port		<u> </u>	UEP93	URECS	0.5488										
	Feature		ļ		LIEBAA							ļ					
<u> </u>		All Standard Features Offered, per port	<u> </u>		UEP93	UEPVF	1.98					<u> </u>					
<u> </u>	MARC	All Centrex Control Features Offered, per port	<u> </u>	<u> </u>	UEP93	UEPVC	1.98			-							ļ
 	NARS	Habundlad Naturali Access Bogistes Combination	 	<u> </u>	LIEDO2	LIABOY	0.00	0.00	0.00	0.00	0.00	}		ļ			
\vdash		Unbundled Network Access Register - Combination	 	-	UEP93	UARCX	0.00	0.00	0.00	0.00	0.00	1	-				
\vdash		Unbundled Network Access Register - Indial Unbundled Network Access Register - Outdial	 	 	UEP93 UEP93	UAR1X UAROX	0.00	0.00	0.00	0.00	0.00	1					
	Missoll	aneous Terminations	1		OLFSO	UARUX	0.00	0.00	0.00	0.00	0.00	}		1			
		Trunk Side	1	 		+	1			 				 			
		Trunk Side Terminations, each	1	 	UEP93	CEND6	8.05	119.31	18.74	59.90	3.76			 			
\vdash		Digital (1.544 Megabits)	-		<u> </u>	321100	0.03	110.01	10.74	55.50	5.70	 					
		DS1 Circuit Terminations, each	-	l	UEP93	M1HD1	60.09	202.02	95.69	72.59	2.46						
		DS0 Channels Activated, Per Channel	1		UEP93	M1HDO	0.00	14.48	55.55	, 2.00	2.40						
		ice Channel Mileage - 2-Wire	l	†			5.50	0									i
		Interoffice Channel Facilities Termination	l	†	UEP93	M1GBC	21.13	40.54	27.41	16.74	6.90						i
		Interoffice Channel mileage, per mile or fraction of mile			UEP93	M1GBM	0.008838				2.50						
	Feature	Activations (DS0) Centrex Loops on Channelized DS1 Service	e		* *												
		nnel Bank Feature Activations															

UNBUNDLED I	NETWORK ELEMENTS - Alabama												Attachment:	2 Exh A		
											Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		Intori									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m									,	p	Electronic-			Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
															D130 131	DISC Add I
							Nonrec			g Disconnect				Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP93	1PQWS	0.56										
	Feature Activation on D-4 Channel Bank FX Line Side Loop Slot			UEP93	1PQW6	0.56										1
	Feature Activation on D-4 Channel Bank FX Line Side Loop Slot Feature Activation on D-4 Channel Bank FX Trunk Side Loop			UEP93	IPQW6	0.06										
	Slot			UEP93	1PQW7	0.56										
	Feature Activation on D-4 Channel Bank Centrex Loop Slot -			UEF93	IFQW7	0.56										
	Different Wire Center			UEP93	1PQWP	0.56										
-	Different wire Center			UEP93	IPQWP	0.06										-
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP93	1PQWV	0.56										
	Feature Activation on D-4 Channel Bank Tie Line/Trunk Loop															
	Slot			UEP93	1PQWQ	0.56										
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP93	1PQWA	0.56										
Non-Re	ecurring Charges (NRC) Associated with UNE-P Centrex															
	NRC Conversion Currently Combined Switch-As-Is with allowed															
	changes, per port			UEP93	USAC2		0.10	0.10								
	Conversion of Existing Centrex Common Block, each			UEP93	USACN		37.75	16.58								
	New Centrex Standard Common Block			UEP93	M1ACS	0.00	667.21									
	New Centrex Customized Common Block			UEP93	M1ACC	0.00	667.21									
	NAR Establishment Charge, Per Occasion			UEP93	URECA	0.00	72.73									
Additio	onal Non-Recurring Charges (NRC)															
	Unbundled Miscellaneous Rate Element, Tag Loop at End Use															
	Premise			UEP93	URETL		8.33	0.83								
	Unbundled Miscellaneous Rate Element, Tag Design Loop at															
	End Use Premise			UEP93	URETN		11.21	1.10								
	- Required Port for Centrex Control in 1AESS, 5ESS & EWSD															
	- Requres Interoffice Channel Mileage															
	- Installation is combination of Installation charge for SL2 Lo	op and	Port													
	- Requires Specific Customer Premises Equipment															
Note:	Rates displaying an "I" in Interim column are interim as a resu	ult of a (Commis	ssion order.												

Version 4Q05 Standard ICA 03/15/06 (Renegotiations)

UNRU	NDI ED N	ETWORK ELEMENTS - Florida												Attachment:	2 Fyh Δ	l	
ONDO	ADELD I	ETWORK ELLMENTS - Florida										Svc Order	Svc Order	Incremental		Incremental	Incremental
												Submitted			Charge -	Charge -	Charge -
			Intori									Elec	Manually		Manual Svc		Manual Svc
CATE	GORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m									F	,	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
																2.00 101	2.007.444
								Nonrec			Disconnect				Rates(\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		one" shown in the sections for stand-alone loops or loops as				ographically	Deaveraged U	NE Zones. To	view Geograp	hically Deaver	aged UNE Zone	e Designation	ons by Cent	ral Office, refe	er to internet	Website:	
		ww.interconnection.bellsouth.com/become_a_clec/html/inter	rconnec	tion.ht	m												
OPER.		SUPPORT SYSTEMS (OSS) - "REGIONAL RATES"									L				<u> </u>		
		CLEC should contact its contract negotiator if it prefers the contract negotiator if it prefers the contract negotiator if it prefers the contract negotiator if it prefers the contract negotiator if it prefers the contract negotiator if it prefers the contract negotiator if it prefers the contract negotiator if it prefers the contract negotiator if it prefers the contract negotiator if it prefers the contract negotiator if it prefers the contract negotiator if it prefers the contract negotiator if it prefers the contract negotiator if it prefers the contract negotiator if it prefers the contract negotiator if it prefers the contract negotiator if it prefers the contract negotiator if it prefers the contract negotiator is not contract negotiator. Output Output Description Output Description Output Description Desc															
		ther the state specific Commission ordered rates for the servi															
		2) Any element that can be ordered electronically will be bill															
-	tnat car	not be ordered electronically at present per the LOH, the list OSS - Electronic Service Order Charge, Per Local Service	ea SOM	IEC rate	e in this category ref	lects the cha	arge that would	be billed to a	CLEC once el	ectronic oraeri	ng capabilities	come on-II	ne for that o	element. Otne	erwise, the ma	anuai ordering	g cnarge,
1		Request (LSR) - UNE Only				SOMEC		3.50	0.00	3.50	0.00				1		
-	1	OSS - Manual Service Order Charge, Per Local Service Request	}	1		SUIVIEU	1	3.50	0.00	3.50	0.00			1	1	1	
1		(LSR) - UNE Only				SOMAN		11.90	0.00	1.83	0.00						
UNF	FRVICE	DATE ADVANCEMENT CHARGE	 			CONMIN	 	11.50	0.00	1.03	0.00			1	1	1	
5.12 3		The Expedite charge will be maintained commensurate with	BellSou	ith's FC	C No.1 Tariff, Section	n 5 as appli	cable.		<u> </u>	<u> </u>		1	<u> </u>	I	1	I	
		go ilin so maniamos commendante mui	_ 5550		UAL, UEANL, UCL,	5 45 45511											
1					UEF, UDF, UEQ,												
					UDL, UENTW, UDN,												
					UEA, UHL, ULC,												
					USL, U1T12, U1T48,												
					U1TD1, U1TD3,												
					U1TDX, U1TO3,												
					U1TS1, U1TVX,												
					UC1BC, UC1BL,												
					UC1CC, UC1CL,												
					UC1DC, UC1DL,												
					UC1EC, UC1EL,												
					UC1FC, UC1FL,												
					UC1GC, UC1GL,												
					UC1HC, UC1HL,												
					UDL12, UDL48,												
					UDLO3, UDLSX,												
					UE3, ULD12,												
					ULD48, ULDD1,												
					ULDD3, ULDDX, ULDO3. ULDS1.												
					ULDVX, UNC1X.												
					UNC3X, UNCDX,												
1					UNCNX, UNCSX,												
1					UNCVX, UNLD1.												
1					UNLD3, UXTD1,										1		
1					UXTD3, UXTS1,										1		
1					U1TUC, U1TUD.										1		
1					U1TUB,												
1		UNE Expedite Charge per Circuit or Line Assignable USOC, per			U1TUA,NTCVG,										1		
		Day			NTCUD, NTCD1	SDASP		200.00									
ORDE		ICATION CHARGE															
		Order Modification Charge (OMC)						26.21	0.00	0.00	0.00						
		Order Modification Additional Dispatch Charge (OMCAD)						150.00	0.00	0.00	0.00						
UNBU		XCHANGE ACCESS LOOP															
L	2-WIRE	ANALOG VOICE GRADE LOOP	ļ				ļ								ļ		
1		2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or				l <u>.</u>											
L	1	Ground Start Signaling - Zone 1	ļ	1	UEA	UEAL2	12.24	135.75	82.47	63.53	12.01						
1		2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or		_	1154	LIEALO	47.40	405 75	20.47	00.50	10.01				1		
-	1	Ground Start Signaling - Zone 2	 	2	UEA	UEAL2	17.40	135.75	82.47	63.53	12.01						
1		2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or			1154	LIEALO	20.07	405.75	00.47	62.52	40.04				1		
-	1	Ground Start Signaling - Zone 3 2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse	 	3	UEA	UEAL2	30.87	135.75	82.47	63.53	12.01			-		-	
1		2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 1			UEA	UEAR2	12.24	135.75	82.47	63.53	12.01				1		
	1	Dattery Signaling - Zone i	1	1	OLA	UEARZ	12.24	135.75	82.47	03.53	12.01	1					

Version 4Q05 Standard ICA 03/15/06 (Renegotiations)

JNBUNDLED	NETWORK ELEMENTS - Florida												Attachment:			
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-	Charge - Manual Svc Order vs. Electronic-	Order vs. Electronic-	Incrementa Charge - Manual Svo Order vs. Electronic-
									1				1st	Add'l	Disc 1st	Disc Add'l
						Rec	Nonrec First	urring Add'l	Nonrecurring First	Disconnect Add'l	SOMEC	SOMAN	OSS SOMAN	Rates(\$) SOMAN	SOMAN	SOMAN
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse				+	1100	1 1131	Auu	1 1131	Auu	COMEO	COMPAR	COMPAR	COMPAR	COMPAR	COMPAR
	Battery Signaling - Zone 2		2	UEA	UEAR2	17.40	135.75	82.47	63.53	12.01						
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse															
	Battery Signaling - Zone 3 Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per		3	UEA	UEAR2	30.87	135.75	82.47	63.53	12.01					-	
	DS0)			UEA	URESL		8.98	8.98								
	Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per			-												
	DS0)			UEA	URESP		8.98	8.98								
	CLEC to CLEC Conversion Charge without outside dispatch			UEA	UREWO		87.71	36.35								
4 14/10	Loop Tagging - Service Level 2 (SL2) E ANALOG VOICE GRADE LOOP			UEA	URETL		11.21	1.10								
4-WIR	4-Wire Analog Voice Grade Loop - Zone 1		-	UEA	UEAL4	18.89	167.86	115.15	67.08	15.56						
	4-Wire Analog Voice Grade Loop - Zone 1 4-Wire Analog Voice Grade Loop - Zone 2			UEA	UEAL4	26.84	167.86	115.15	67.08	15.56						
	4-Wire Analog Voice Grade Loop - Zone 2			UEA	UEAL4	47.62	167.86	115.15	67.08	15.56						
	Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per		Ť	02/1	02/12 !		101.00	110110	07.00	10.00					1	
	DS0)		L	UEA	URESL		8.98	8.98	<u> </u>						<u> </u>	
	Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per															
	DS0)			UEA	URESP		8.98	8.98								
	CLEC to CLEC Conversion Charge without outside dispatch			UEA	UREWO		87.71	36.35								
2-WIR	E ISDN DIGITAL GRADE LOOP			UDN	U1L2X	19.28	147.69	94.41	00.00	10.71						
	2-Wire ISDN Digital Grade Loop - Zone 1 2-Wire ISDN Digital Grade Loop - Zone 2			UDN	U1L2X U1L2X	19.28 27.40	147.69	94.41	62.23 62.23	10.71 10.71					-	
	2-Wire ISDN Digital Grade Loop - Zone 2			UDN	U1L2X	48.62	147.69	94.41	62.23	10.71						
	CLEC to CLEC Conversion Charge without outside dispatch			UDN	UREWO	40.02	91.61	44.15	02.23	10.71						
2-WIR	E ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMP	ATIBLE	LOOF				9.1.9.1									
	2 Wire Unbundled ADSL Loop including manual service inquiry															
	& facility reservation - Zone 1		1	UAL	UAL2X	8.30	149.53	103.85	75.05	15.63						
	2 Wire Unbundled ADSL Loop including manual service inquiry															
	& facility reservation - Zone 2		2	UAL	UAL2X	11.80	149.53	103.85	75.05	15.63						
	2 Wire Unbundled ADSL Loop including manual service inquiry & facility reservation - Zone 3		,	UAL	UAL2X	20.94	149.53	103.85	75.05	15.63						
	2 Wire Unbundled ADSL Loop without manual service inquiry &		3	UAL	UALZA	20.54	149.55	103.65	75.05	15.05						
	facility reservaton - Zone 1		1	UAL	UAL2W	8.30	124.83	71.12	60.64	9.12						
	2 Wire Unbundled ADSL Loop without manual service inquiry &					0.00				****						
	facility reservaton - Zone 2		2	UAL	UAL2W	11.80	124.83	71.12	60.64	9.12						
	2 Wire Unbundled ADSL Loop without manual service inquiry &															
	facility reservaton - Zone 3		3	UAL	UAL2W	20.94	124.83	71.12	60.64	9.12						
0.14/15	CLEC to CLEC Conversion Charge without outside dispatch	TID! F		UAL	UREWO		86.19	40.39								
2-WIR	E HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA 2 Wire Unbundled HDSL Loop including manual service inquiry	IIBLE	LUUP		+ +				 						-	+
	& facility reservation - Zone 1		1	UHL	UHL2X	7.22	159.09	113.41	75.05	15.63						
	2 Wire Unbundled HDSL Loop including manual service inquiry		<u> </u>	0.12	OT ILLEX		100.00		70.00	10.00						
	& facility reservation - Zone 2		2	UHL	UHL2X	10.26	159.09	113.41	75.05	15.63						
	2 Wire Unbundled HDSL Loop including manual service inquiry															
	& facility reservation - Zone 3		3	UHL	UHL2X	18.21	159.09	113.41	75.05	15.63						
	2 Wire Unbundled HDSL Loop without manual service inquiry			l			,								1	
	and facility reservation - Zone 1 2 Wire Unbundled HDSL Loop without manual service inquiry		1	UHL	UHL2W	7.22	134.40	80.69	60.64	9.12					1	ļ
	and facility reservation - Zone 2		2	UHL	UHL2W	10.26	134.40	80.69	60.64	9.12						
	2 Wire Unbundled HDSL Loop without manual service inquiry			OI IL	OI ILZVV	10.20	134.40	00.09	00.04	5.12					 	†
	and facility reservation - Zone 3		3	UHL	UHL2W	18.21	134.40	80.69	60.64	9.12					1	
	CLEC to CLEC Conversion Charge without outside dispatch			UHL	UREWO		86.12	40.39								
4-WIR	E HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIBLE	LOOP													
	4 Wire Unbundled HDSL Loop including manual service inquiry			l						·					1	
	and facility reservation - Zone 1		1	UHL	UHL4X	10.86	193.31	138.98	77.15	12.61						ļ
	4-Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 2		_	UHL	UHL4X	15.44	193.31	138.98	77.15	12.61						
	janu racinty reservation - Zone Z		- 2	UIIL	UUL4X	15.44	193.37	138.98	11.15	12.01					ļ	
-	4-Wire Unbundled HDSL Loop including manual service inquiry					ı			1							

UNBUNDLED	NETWORK ELEMENTS - Florida												Attachment:	2 Exh A		
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
															2.00 .00	2.007.00.
]	Nonrec		Nonrecurring					Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	4-Wire Unbundled HDSL Loop without manual service inquiry															
	and facility reservation - Zone 1	1	1	UHL	UHL4W	10.86	168.62	115.47	62.74	11.22						ļ
	4-Wire Unbundled HDSL Loop without manual service inquiry		_	UHL	11111 4147	45.44	400.00	445 47	62.74	11.22						
-	and facility reservation - Zone 2 4-Wire Unbundled HDSL Loop without manual service inquiry	1		UHL	UHL4W	15.44	168.62	115.47	62.74	11.22	-				-	
	and facility reservation - Zone 3		3	UHL	UHL4W	27.39	168.62	115.47	62.74	11.22						
	CLEC to CLEC Conversion Charge without outside dispatch			UHL	UREWO	27.00	86.12	40.39	02.74	11.22						
4-WIR	E DS1 DIGITAL LOOP	1		OTIL	OKEWO		00.12	40.00								
	4-Wire DS1 Digital Loop - Zone 1		1	USL	USLXX	70.74	313.75	181.48	61.22	13.53						
	4-Wire DS1 Digital Loop - Zone 2		2	USL	USLXX	100.54	313.75	181.48	61.22	13.53						
	4-Wire DS1 Digital Loop - Zone 3		3	USL	USLXX	178.39	313.75	181.48	61.22	13.53						
	Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per	1	1													
\vdash	DS1)	1	<u> </u>	USL	URESL	ļ	8.98	8.98							ļ	
	Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per DS1)	1		LICI	LIDEOD	1	0.00	0.00								
-	- /			USL USL	URESP UREWO	-	8.98 101.07	8.98 43.04							-	
4.WID	CLEC to CLEC Conversion Charge without outside dispatch E 19.2. 56 OR 64 KBPS DIGITAL GRADE LOOP			USL	UKEWU		101.07	43.04			-				-	ļ
4-9916	4 Wire Unbundled Digital Loop 2.4 Kbps - Zone 1		1	UDL	UDL2X	22.20	161.56	108.85	67.08	15.56						
	4 Wire Unbundled Digital Loop 2.4 Kbps - Zone 1			UDL	UDL2X	31.56	161.56	108.85	67.08	15.56						
	4 Wire Unbundled Digital Loop 2.4 Kbps - Zone 3		_	UDL	UDL2X	55.99	161.56	108.85	67.08	15.56						
	4 Wire Unbundled Digital Loop 4.8 Kbps - Zone 1			UDL	UDL4X	22.20	161.56	108.85	67.08	15.56					1	
	4 Wire Unbundled Digital Loop 4.8 Kbps - Zone 2			UDL	UDL4X	31.56	161.56	108.85	67.08	15.56						
	4 Wire Unbundled Digital Loop 4.8 Kbps - Zone 3		3	UDL	UDL4X	55.99	161.56	108.85	67.08	15.56						
	4 Wire Unbundled Digital Loop 9.6 Kbps - Zone 1			UDL	UDL9X	22.20	161.56	108.85	67.08	15.56						
	4 Wire Unbundled Digital Loop 9.6 Kbps - Zone 2			UDL	UDL9X	31.56	161.56	108.85	67.08	15.56						
	4 Wire Unbundled Digital Loop 9.6 Kbps - Zone 3			UDL	UDL9X	55.99	161.56	108.85	67.08	15.56						
	4 Wire Unbundled Digital 19.2 Kbps - Zone 1			UDL	UDL19	22.20	161.56	108.85	67.08	15.56						
	4 Wire Unbundled Digital 19.2 Kbps - Zone 2			UDL	UDL19	31.56	161.56	108.85	67.08	15.56						
	4 Wire Unbundled Digital 19.2 Kbps - Zone 3			UDL	UDL19	55.99	161.56	108.85	67.08	15.56						_
-	4 Wire Unbundled Digital Loop 56 Kbps - Zone 1			UDL UDL	UDL56 UDL56	22.20 31.56	161.56 161.56	108.85 108.85	67.08 67.08	15.56 15.56					-	
-	4 Wire Unbundled Digital Loop 56 Kbps - Zone 2 4 Wire Unbundled Digital Loop 56 Kbps - Zone 3	1		UDL	UDL56	55.99	161.56	108.85	67.08	15.56	-				-	
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 1			UDL	UDL64	22.20	161.56	108.85	67.08	15.56						
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 2			UDL	UDL64	31.56	161.56	108.85	67.08	15.56						
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 3			UDL	UDL64	55.99	161.56	108.85	67.08	15.56						
	Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per															
	DS0)			UDL	URESL		8.98	8.98								
	Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per															
	DS0)			UDL	URESP		8.98	8.98								
	CLEC to CLEC Conversion Charge without outside dispatch			UDL	UREWO		102.11	49.74								
2-WIR	E Unbundled COPPER LOOP															
	2-Wire Unbundled Copper Loop-Designed including manual		4	UCL	UCLPB	8.30	148.50	102.82	75.05	15.63						
	service inquiry & facility reservation - Zone 1 2-Wire Unbundled Copper Loop-Designed including manual		'	UCL	UCLPB	0.30	146.50	102.02	75.05	15.63						1
	service inquiry & facility reservation - Zone 2		2	UCL	UCLPB	11.80	148.50	102.82	75.05	15.63						
	2 Wire Unbundled Copper Loop-Designed including manual														1	
	service inquiry & facility reservation - Zone 3		3	UCL	UCLPB	20.94	148.50	102.82	75.05	15.63						
	2-Wire Unbundled Copper Loop-Designed without manual															
	service inquiry and facility reservation - Zone 1		1	UCL	UCLPW	8.30	123.81	70.09	60.64	9.12						
_	2-Wire Unbundled Copper Loop-Designed without manual	1				Ι Π									_	
\vdash	service inquiry and facility reservation - Zone 2	ļ	2	UCL	UCLPW	11.80	123.81	70.09	60.64	9.12					1	ļ
	2-Wire Unbundled Copper Loop-Designed without manual		_		LIOL BIA	00.01	400.01	70.00	00.01	0.10					1	
	service inquiry and facility reservation - Zone 3	1	3	UCL	UCLPW	20.94	123.81	70.09	60.64	9.12	1			 	1	
	CLEC to CLEC Conversion Charge without outside dispatch (UCL -Des)	1		UCL	UREWO	1	97.21	42.47								
\vdash	Order Coordination for Unbundled Copper Loops (per loop)	1	1	UCL	UCLMC	+ -	97.21	9.00							+	
4-WIR	E COPPER LOOP	1	1		COLIVIO		3.00	3.00							t	
	4-Wire Copper Loop-Designed including manual service inquiry	†	†											1	1	
1 1	and facility reservation - Zone 1	1	1	UCL	UCL4S	11.83	177.87	132.76	77.15	17.73				l	I	

UNBUNDLED	NETWORK ELEMENTS - Florida												Attachment:	2 Exh A	1	T
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR			Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
							Nonrec		Nonrecurring					Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	4-Wire Copper Loop-Designed including manual service inquiry		_	LICI	1101.40	16.81	177.87	132.76	77.15	47.70						
-	and facility reservation - Zone 2 4-Wire Copper Loop-Designed including manual service inquiry		- 2	UCL	UCL4S	16.81	1/7.8/	132.76	//.15	17.73					-	
	and facility reservation - Zone 3		3	UCL	UCL4S	29.82	177.87	132.76	77.15	17.73						
	4-Wire Copper Loop-Designed without manual service inquiry		_													1
	and facility reservation - Zone 1		1	UCL	UCL4W	11.83	153.18	100.03	62.74	11.22						
	4-Wire Copper Loop-Designed without manual service inquiry		_													
	and facility reservation - Zone 2 4-Wire Copper Loop-Designed without manual service inquiry		2	UCL	UCL4W	16.81	153.18	100.03	62.74	11.22					1	
	and facility reservation - Zone 3		3	UCL	UCL4W	29.82	153.18	100.03	62.74	11.22						
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		9.00	9.00							İ	†
	CLEC to CLEC Conversion Charge without outside dispatch			UCL	UREWO		97.21	42.47								
	0.1.0.0.1.0.1.0.1.0.1.0.1.0.1.0.1.0.1.0			UEA, UDN, UAL,	0000:											
Poarr	Order Coordination for Specified Conversion Time (per LSR)			UHL, UDL,USL	OCOSL		23.02									+
Realia	EEL to UNE-L Retermination, per 2 Wire Unbundled Voice Loop-														1	+
	SL2			UEA	UREEL		87.71	36.35								
	EEL to UNE-L Retermination, per 4 Wire Unbundled Voice Loop			UEA	UREEL		87.71	36.35								<u> </u>
	EEL to UNE-L Retermination, per 2 Wire ISDN Loop			UDN	UREEL		91.61	44.15								<u> </u>
	EEL to UNE-L Retermination, per 4 Wire Unbundled Digital			UDL	UREEL		102.11	49.74								
 	EEL to UNE-L Retermination, per 4 Wire Unbundled DS1 Loop			USL	UREEL		101.07	43.04							1	+
UNE LOOP CO	OMMINGLING			OOL	OKELL		101.07	40.04								1
2-WIR	E ANALOG VOICE GRADE LOOP - COMMINGLING															
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 1		1	NTCVG	UEAL2	12.24	135.75	82.47	63.53	12.01						
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 2		2	NTCVG	UEAL2	17.40	135.75	82.47	63.53	12.01						
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or		_	NITOVO	LIEALO	30.87	105.75	00.47	63.53	40.04						
-	Ground Start Signaling - Zone 3 2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse		3	NTCVG	UEAL2	30.87	135.75	82.47	63.53	12.01						+
	Battery Signaling - Zone 1 2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse		1	NTCVG	UEAR2	12.24	135.75	82.47	63.53	12.01						
	Battery Signaling - Zone 2		2	NTCVG	UEAR2	17.40	135.75	82.47	63.53	12.01						
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse															
	Battery Signaling - Zone 3		3	NTCVG	UEAR2	30.87	135.75	82.47	63.53	12.01						
	Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per DS0)			NTCVG	URESL		8.98	8.98								
	Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per			NITOVO	URESP		0.00	0.00								
	DS0) CLEC to CLEC Conversion Charge without outside dispatch			NTCVG NTCVG	UREWO		8.98 87.71	8.98 36.35								+
 	Loop Tagging - Service Level 2 (SL2)			NTCVG	URETL		11.21	1.10								
4-WIR	E ANALOG VOICE GRADE LOOP - COMMINGLING				O.K.E.T.E											1
	4-Wire Analog Voice Grade Loop - Zone 1			NTCVG	UEAL4	18.89	167.86	115.15	67.08	15.56						
	4-Wire Analog Voice Grade Loop - Zone 2			NTCVG	UEAL4	26.84	167.86	115.15	67.08	15.56						
	4-Wire Analog Voice Grade Loop - Zone 3		3	NTCVG	UEAL4	47.62	167.86	115.15	67.08	15.56						1
	Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per DS0)			NTCVG	URESL		8.98	8.98								
	Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per			NITOVO	LIDECE		0.00	0.00								
 	DS0) CLEC to CLEC Conversion Charge without outside dispatch		<u> </u>	NTCVG NTCVG	URESP		8.98 87.71	8.98 36.35			 				 	
4-WIR	E DS1 DIGITAL LOOP - COMMINGLING		1	INTOVG	UNLVVU		01.11	30.35			-					+
	4-Wire DS1 Digital Loop - Zone 1			NTCD1	USLXX	70.74	313.75	181.48	61.22	13.53						<u> </u>
	4-Wire DS1 Digital Loop - Zone 2			NTCD1	USLXX	100.54	313.75	181.48	61.22	13.53						
	4-Wire DS1 Digital Loop - Zone 3		3	NTCD1	USLXX	178.39	313.75	181.48	61.22	13.53						_
	Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per DS1)			NTCD1	URESL		8.98	8.98								

LINBLIND	I ED N	ETWORK ELEMENTS - Florida												Attachment:	2 Evh Δ		
UNDUND	LEDI	ETWORK ELEMENTS - FIOTIDA	1	1								Svc Order		Incremental		Incremental	Incremental
												Submitted					
															Charge -	Charge -	Charge -
CATEGO	DV.	RATE ELEMENTS	Interi	7	BCS	USOC			RATES(\$)			Elec			Manual Svc	Manual Svc	Manual Svc
CATEGO	Κī	RATE ELEMENTS	m	Zone	ВСЗ	USUC			KATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							_	Nonrec		Nonrecurring					Rates(\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per															ł
		DS1)			NTCD1	URESP		8.98	8.98								
		CLEC to CLEC Conversion Charge without outside dispatch			NTCD1	UREWO		101.07	43.04								
4-	-WIRE	19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP - COMMINGLIN	G														
		4 Wire Unbundled Digital Loop 2.4 Kbps - Zone 1			NTCUD	UDL2X	22.20	161.56	108.85	67.08	15.56						
		4 Wire Unbundled Digital Loop 2.4 Kbps - Zone 2			NTCUD	UDL2X	31.56	161.56	108.85	67.08	15.56						
		4 Wire Unbundled Digital Loop 2.4 Kbps - Zone 3			NTCUD	UDL2X	55.99	161.56	108.85	67.08	15.56						
		4 Wire Unbundled Digital Loop 4.8 Kbps - Zone 1			NTCUD	UDL4X	22.20	161.56	108.85	67.08	15.56						1
		4 Wire Unbundled Digital Loop 4.8 Kbps - Zone 2			NTCUD	UDL4X	31.56	161.56	108.85	67.08	15.56						1
		4 Wire Unbundled Digital Loop 4.8 Kbps - Zone 3	<u> </u>		NTCUD	UDL4X	55.99	161.56	108.85	67.08	15.56]		ļ
		4 Wire Unbundled Digital Loop 9.6 Kbps - Zone 1			NTCUD	UDL9X	22.20	161.56	108.85	67.08	15.56						
		4 Wire Unbundled Digital Loop 9.6 Kbps - Zone 2			NTCUD	UDL9X	31.56	161.56	108.85	67.08	15.56						
		4 Wire Unbundled Digital Loop 9.6 Kbps - Zone 3			NTCUD	UDL9X	55.99	161.56	108.85	67.08	15.56						
		4 Wire Unbundled Digital 19.2 Kbps - Zone 1		1	NTCUD	UDL19	22.20	161.56	108.85	67.08	15.56						
		4 Wire Unbundled Digital 19.2 Kbps - Zone 2			NTCUD	UDL19	31.56	161.56	108.85	67.08	15.56						i
		4 Wire Unbundled Digital 19.2 Kbps - Zone 3		3	NTCUD	UDL19	55.99	161.56	108.85	67.08	15.56						
		4 Wire Unbundled Digital Loop 56 Kbps - Zone 1		1	NTCUD	UDL56	22.20	161.56	108.85	67.08	15.56						
		4 Wire Unbundled Digital Loop 56 Kbps - Zone 2		2	NTCUD	UDL56	31.56	161.56	108.85	67.08	15.56						
		4 Wire Unbundled Digital Loop 56 Kbps - Zone 3		3	NTCUD	UDL56	55.99	161.56	108.85	67.08	15.56						
		4 Wire Unbundled Digital Loop 64 Kbps - Zone 1		1	NTCUD	UDL64	22.20	161.56	108.85	67.08	15.56						
		4 Wire Unbundled Digital Loop 64 Kbps - Zone 2		2	NTCUD	UDL64	31.56	161.56	108.85	67.08	15.56						1
		4 Wire Unbundled Digital Loop 64 Kbps - Zone 3		3	NTCUD	UDL64	55.99	161.56	108.85	67.08	15.56						
		Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per															
		DS0)			NTCUD	URESL		8.98	8.98								ł
		Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per															
		DS0)			NTCUD	URESP		8.98	8.98								ł
		CLEC to CLEC Conversion Charge without outside dispatch			NTCUD	UREWO		102.11	49.74								
		3			NTCVG, NTCUD,												
		Order Coordination for Specified Conversion Time (per LSR)			NTCD1	OCOSL		23.02									ł
UNBUND	LED E	XCHANGE ACCESS LOOP															
		ANALOG VOICE GRADE LOOP															
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1		1	UEANL	UEAL2	10.69	49.57	22.83	25.62	6.57						
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2			UEANL	UEAL2	15.20	49.57	22.83	25.62	6.57						
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3			UEANL	UEAL2	26.97	49.57	22.83	25.62	6.57						
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1			UEANL	UEASL	10.69	49.57	22.83	25.62	6.57						
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2	1		UEANL	UEASL	15.20	49.57	22.83	25.62	6.57	1		1	1		
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3	1	2	UEANL	UEASL	26.97	49.57	22.83	25.62	6.57	1	i		 		
\vdash		Tag Loop at End User Premise	1		UEANL	URETL	20.31	8.93	0.88	20.02	0.57	1					
\vdash		Loop Testing - Basic 1st Half Hour	1		UEANL	URET1		48.65	0.00			1					<u> </u>
\vdash		Loop Testing - Basic Additional Half Hour	1		UEANL	URETA		23.95	23.95			1					
+		Manual Order Coordination for UVL-SL1s (per loop)	1	 	UEANL	UEAMC	 	9.00	9.00	 		1	-		 		
 		Order Coordination for Specified Conversion Time for UVL-SL1	1	-	OL/ 114L	SEAMO		3.00	3.00			t	1		1		
		(per LSR)			UEANL	OCOSL		23.02									i
		Unbundled Non-Design Voice Loop, billing for BST providing	1	-	OLANL	CCCSL		23.02				t	1		1		
		make-up (Engineering Information - E.I.)			UEANL	UEANM		13.49									İ
		CLEC to CLEC Conversion Charge Without Outside Dispatch	1	1	OLANL	CLAINIVI		13.49		-		 	 	-	-		
		(UVL-SL1)			UEANL	UREWO		15.78	8.94								İ
2	WIDE	Unbundled COPPER LOOP	1	1	OLAINL	JILLYVU		15.78	0.94			1	-	1	1		——
	441KE	2-Wire Unbundled Copper Loop - Non-Designed Zone 1	1	4	UEQ	UEQ2X	7.69	44.98	20.90	24.88	6.45	1	-	1	1		——
		2 Wire Unbundled Copper Loop - Non-Designed Zone 1 2 Wire Unbundled Copper Loop - Non-Designed - Zone 2	1		UEQ	UEQ2X UEQ2X	10.92	44.98	20.90	24.88	6.45	1	-	1	1		——
+-+		2 Wire Unbundled Copper Loop - Non-Designed - Zone 2 2 Wire Unbundled Copper Loop - Non-Designed - Zone 3	 		UEQ	UEQ2X UEQ2X	19.38	44.98	20.90	24.88	6.45	-			 		
\vdash		Z Wire Unbundled Copper Loop - Non-Designed - Zone 3 Tag Loop at End User Premise	 	3	UEQ	URETL	19.38	8.93	0.88	∠4.88	0.45	1					
\vdash			 	-	UEQ UEQ	URET1			0.00	 		1					
\vdash		Loop Testing - Basic 1st Half Hour	 	-				48.65 23.95		 		1					
\vdash		Loop Testing - Basic Additional Half Hour	1	-	UEQ	URETA	1	23.95	23.95	1		1	-	-	 		
		Manual Order Coordination 2 Wire Unbundled Copper Loop -	1	1	LIEO	LICOMAC		0.00							Ì		i '
\vdash		Non-Designed (per loop)	<u> </u>	<u> </u>	UEQ	USBMC	-	9.00		-				1	1		├
		Unbundled Copper Loop - Non-Design, billing for BST providing			LIEO												i
\Box		make-up (Engineering Information - E.I.)		l	UEQ	UEQMU		13.49				1	l	l			ł

UNBUNDI ED	NETWORK ELEMENTS - Florida												Attachment:	2 Fxh A	1	
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)					Incremental Charge - Manual Svc Order vs. Electronic- 1st		Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
							Nonrec	urring	Nonrecurring	Disconnect			oss	Rates(\$)	l	<u> </u>
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	CLEC to CLEC Conversion Charge Without Outside Dispatch							= 40								·
LOOP MODIF	(UCL-ND)			UEQ	UREWO		14.27	7.43								
LOOP MODIF	Unbundled Loop Modification, Removal of Load Coils - 2 Wire pair less than or equal to 18k ft, per Unbundled Loop			UAL, UHL, UCL, UEQ, ULS, UEA, UEANL, UEPSR, UEPSB	ULM2L		0.00	0.00								
	Unbundled Loop Modification Removal of Load Coils - 4 Wire															
	less than or equal to 18K ft, per Unbundled Loop			UHL, UCL, UEA	ULM4L		0.00	0.00								
	Unbundled Loop Modification Removal of Bridged Tap Removal, per unbundled loop			UAL, UHL, UCL, UEQ, ULS, UEA, UEANL, UEPSR, UEPSB	ULMBT		10.52	10.52								
SUB-LOOPS			<u> </u>		-											 '
Sub-L	oop Distribution Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set-				-											
	Up			UEANL, UEF	USBSA		487.23									
	Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up			UEANL, UEF	USBSB		6.25									ĺ
	Sub-Loop - Per Building Equipment Room - CLEC Feeder Facility Set-Up			UEANL	USBSC		169.25									
	Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel Set-Up			UEANL	USBSD		38.65									
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 1		1	UEANL	USBN2	6.46	60.19	21.78	47.50	5.26						
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 2		2	UEANL	USBN2	9.18	60.19	21.78	47.50	5.26						
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 3		3	UEANL	USBN2	16.29	60.19	21.78	47.50	5.26						1
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		9.00	9.00								ĺ
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 1		1	UEANL	USBN4	7.37	68.83	30.42	49.71	6.60						
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 2		2	UEANL	USBN4	10.47	68.83	30.42	49.71	6.60						
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 3		3	UEANL	USBN4	18.58	68.83	30.42	49.71	6.60						
-	Order Coordination for Unbundled Sub-Loops, per sub-loop pair Sub-Loop 2-Wire Intrabuilding Network Cable (INC)			UEANL UEANL	USBMC USBR2	3.96	9.00 51.84	9.00 13.44	47.50	5.26						!
-	Sub-Loop 2-wire intrabuliding Network Cable (INC)		1	UEANL	USBRZ	3.96	51.84	13.44	47.50	5.26						
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		9.00	9.00								ĺ
	Sub-Loop 4-Wire Intrabuilding Network Cable (INC)			UEANL	USBR4	9.37	55.91	17.51	49.71	6.60						
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		9.00	9.00								
	Loop Testing - Basic 1st Half Hour Loop Testing - Basic Additional Half Hour		!	UEANL UEANL	URET1 URETA		48.65 23.95	0.00 23.95			1					1
 	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1		1	UEF	UCS2X	5.15	60.19	23.95	47.50	5.26						
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1			UEF	UCS2X	7.31	60.19	21.78	47.50	5.26						
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 3			UEF	UCS2X	12.98	60.19	21.78	47.50	5.26						
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair		<u>L</u>	UEF	USBMC	<u> </u>	9.00	9.00								
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1			UEF	UCS4X	5.36	68.83	30.42	49.71	6.60						
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 2			UEF	UCS4X	7.61	68.83	30.42	49.71	6.60						
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 3 Order Coordination for Unbundled Sub-Loops, per sub-loop pair		3	UEF UEF	UCS4X USBMC	13.51	68.83 9.00	9.00	49.71	6.60						
	Loop Tagging Service Level 1, Unbundled Copper Loop, Non-		1	OLI	JODINO		5.00	5.00								†
	Designed and Distribution Subloops			UEF, UEANL	URETL		8.93	0.88								1

UNBUNDLE	D NETWORK ELEMENTS - Florida												Attachment:	2 Exh A		
CATEGORY		Interi m	Zone	BCS	usoc			RATES(\$)				Svc Order Submitted	Incremental		Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
							Nonrec		Nonrecurring					Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Loop Testing - Basic 1st Half Hour			UEF	URET1		48.65	0.00								
	Loop Testing - Basic Additional Half Hour			UEF	URETA		23.95	23.95								
Unb	undled Sub-Loop Modification															
	Unbundled Sub-Loop Modification - 2-W Copper Dist Load			uee	111 1401/		40.44	40.44								
	Coil/Equip Removal per 2-W PR Unbundled Sub-loop Modification - 4-W Copper Dist Load			UEF	ULM2X		10.11	10.11								
	Coil/Equip Removal per 4-W PR			UEF	ULM4X		10.11	10.11								
	Unbundled Loop Modification, Removal of Bridge Tap, per			UEF	ULIVI4X		10.11	10.11								\vdash
	unbundled loop			UEF	ULMBT		15.58	15.58								
Unb	undled Network Terminating Wire (UNTW)	1		<u> </u>	OCIVID I	 	13.38	13.36								\vdash
J.1.0	Unbundled Network Terminating Wire (UNTW) per Pair	1		UENTW	UENPP	0.4572	18.02									\vdash
Netw	work Interface Device (NID)	1			1											
1 1	Network Interface Device (NID) - 1-2 lines	i i		UENTW	UND12		71.49	48.87								
	Network Interface Device (NID) - 1-6 lines			UENTW	UND16		113.89	89.07								
	Network Interface Device Cross Connect - 2 W			UENTW	UNDC2		7.63	7.63								
	Network Interface Device Cross Connect - 4W			UENTW	UNDC4		7.63	7.63								
UNE OTHER	R, PROVISIONING ONLY - NO RATE															
	Unbundled Contact Name, Provisioning Only - no rate			UAL, UCL, UDC, UDL, UDN, UEA, UHL, UEANL, UEF, UEQ, UENTW, NTCVG, NTCUD, NTCD1, USL	UNECN	0.00	0.00									
	Unbundled DS1 Loop - Superframe Format Option - no rate			USL, NTCD1	CCOSF	0.00	0.00									
	Unbundled DS1 Loop - Expanded Superframe Format option -	1		OOL, NIODI	00001	0.00	0.00									-
	no rate			USL, NTCD1	CCOEF	0.00	0.00									
	NID - Dispatch and Service Order for NID installation			UENTW	UNDBX	0.00	0.00									
	UNTW Circuit Establishment, Provisioning Only - No Rate			UENTW	UENCE	0.00	0.00									
LOOP MAKE																
	Loop Makeup - Preordering Without Reservation, per working or															
	spare facility queried (Manual).			UMK	UMKLW		52.17	52.17								
	Loop Makeup - Preordering With Reservation, per spare facility queried (Manual).			UMK	UMKLP		55.07	55.07								
	Loop MakeupWith or Without Reservation, per working or															
	spare facility queried (Mechanized)	ļ		UMK	UMKMQ		0.6784	0.6784								igsquare
LINE SPLIT		1	<u> </u>		1											↓
END	USER ORDERING-CENTRAL OFFICE BASED	 	<u> </u>	HEDOD HEDOD	LIDECO	2.01				-						\vdash
	Line Splitting - per line activation DLEC owned splitter	1	-	UEPSR UEPSB UEPSR UEPSB	UREOS UREBP	0.61 0.61	29.68	21.28	19.57	9.61						\vdash
	Line Splitting - per line activation BST owned - physical Line Splitting - per line activation BST owned - virtual	1		UEPSR UEPSB	UREBV	1.134	29.68	21.28	19.57	9.61						\vdash
IINR	BUNDLED EXCHANGE ACCESS LOOP	1		OLI ON OLF OD	ONLDV	1.134	25.00	21.20	19.57	9.01						\vdash
	IRE ANALOG VOICE GRADE LOOP	1			+											
	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-	1			1											\vdash
	Zone 1	1	1	UEPSR UEPSB	UEALS	10.69	49.57	22.83	25.62	6.57						1
	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- Zone 1		1	UEPSR UEPSB	UEABS	10.69	49.57	22.83	25.62	6.57						
	2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting-	1	Ė		1	.0.00		22.50	20.02	5.57						\vdash
	Zone 2	1	2	UEPSR UEPSB	UEALS	15.20	49.57	22.83	25.62	6.57						1
	2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting- Zone 2		2	UEPSR UEPSB	UEABS	15.20	49.57	22.83	25.62	6.57						
	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- Zone 3		3	UEPSR UEPSB	UEALS	26.97	49.57	22.83	25.62	6.57						
	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-	1	Ť			20.07	.0.07	22.00	20.02	3.07						
	Zone 3	1	3	UEPSR UEPSB	UEABS	26.97	49.57	22.83	25.62	6.57						1
PHY	SICAL COLLOCATION	1	Ť		1			50		2.37						
	Physical Collocation-2 Wire Cross Connects (Loop) for Line															
	Splitting	<u></u>		UEPSR UEPSB	PE1LS	0.0276	8.22	7.22	5.74	4.58						<u> </u>
VIRT	TUAL COLLOCATION															

UNRUN	IDI ED N	IETWORK ELEMENTS - Florida												Attachment:	2 Fyh Δ		
ONDO	IDEED I	ETWORK ELLINENTS - Florida										Svc Order	Svc Order		Incremental	Incremental	Incremental
													Submitted	Charge -	Charge -	Charge -	Charge -
												Elec	Manually	-	Manual Svc	Manual Svc	
CATEG	ORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		····	m						- ()			pei LSK	per LSK				
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
								Nonrec	urring	Nonrecurring	Disconnect			oss	Rates(\$)	l.	
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Virtual Collocation-2 Wire Cross Connects (Loop) for Line															
		Splitting			UEPSR UEPSB	VE1LS	0.0502	11.57	11.57	0.00	0.00						
UNBUN		DEDICATED TRANSPORT															
	INTER	OFFICE CHANNEL - DEDICATED TRANSPORT															
		Interoffice Channel - 2-Wire Voice Grade - per mile			U1TVX	1L5XX	0.0091										
		Interoffice Channel - 2-Wire Voice Grade - Facility Termination			U1TVX	U1TV2	25.32	47.35	31.78	18.31	7.03						
		Interoffice Channel - 2-Wire Voice Grade Rev Bat per mile			U1TVX	1L5XX	0.0091										
		Interoffice Channel - 2-Wire VG Rev Bat Facility Termination			U1TVX	U1TR2	25.32	47.35	31.78	18.31	7.03	_					
		Interoffice Channel - 4-Wire Voice Grade - per mile			U1TVX	1L5XX	0.0091										
		Later War Observat A March Volum October Fred To To 18			114T 0/		00.50	47.65	04 =0	40.01	7.00	1					1
-		Interoffice Channel - 4- Wire Voice Grade - Facility Termination			U1TVX	U1TV4	22.58	47.35	31.78	18.31	7.03	1					
<u> </u>		Interoffice Channel - 56 kbps - per mile			U1TDX	1L5XX	0.0091	47.05	04.70	10.01	7.00	1					
-		Interoffice Channel - 56 kbps - Facility Termination			U1TDX	U1TD5	18.44	47.35	31.78	18.31	7.03	1					
<u> </u>		Interoffice Channel - 64 kbps - per mile			U1TDX	1L5XX	0.0091	47.05	04.70	40.04	7.00	1			1	1	
<u> </u>		Interoffice Channel - 64 kbps - Facility Termination			U1TDX	U1TD6	18.44	47.35	31.78	18.31	7.03	1					
-		Interoffice Channel - DS1 - per mile			U1TD1 U1TD1	1L5XX U1TF1	0.1856	105.51	00.47	04.47	40.05	1				-	
-		Interoffice Channel - DS1 - Facility Termination Interoffice Channel - DS3 - per mile			U11D1 U1TD3	1L5XX	88.44 3.87	105.54	98.47	21.47	19.05	 					
		Interoffice Channel - DS3 - per mile Interoffice Channel - DS3 - Facility Termination			U1TD3	U1TF3	1,071.00	335.46	219.28	72.03	70.56						-
		Interoffice Channel - STS-1 - per mile			U1TS1	1L5XX	3.87	333.46	219.20	72.03	70.56						-
		Interoffice Channel - STS-1 - Facility Termination			U1TS1	U1TFS	1,056.00	335.46	219.28	72.03	70.56						-
-		Local Channel - Dedicated - 4-Wire Voice Grade - Zone 1		1	ULDVX, UNCVX	ULDV4	23.52	333.40	219.20	72.03	70.56	+					
		Local Channel - Dedicated - 4-Wire Voice Grade - Zone 1 Local Channel - Dedicated - 4-Wire Voice Grade - Zone 2			ULDVX, UNCVX	ULDV4	33.42					1					-
		Local Channel - Dedicated - 4-Wire Voice Grade - Zone 2			ULDVX, UNCVX	ULDV4	59.29					-					
		Local Channel - Dedicated - 4-Wire Voice Grade - 2016 3			ULDD1, UNC1X	ULDF1	41.96					1					-
		Local Channel - Dedicated - DS1 - Zone 2			ULDD1, UNC1X	ULDF1	59.63										
		Local Channel - Dedicated - DS1 - Zone 3			ULDD1, UNC1X	ULDF1	105.80					+					
		Local Channel - Dedicated - DS3 - Per Mile per month		Ŭ	ULDD3, UNC3X	1L5NC	9.78					+					
		Local Channel - Dedicated - DS3 - Facility Termination			ULDD3, UNC3X	ULDF3	611.70					+					
		Local Channel - Dedicated - STS-1- Per Mile per month			ULDS1, UNCSX	1L5NC	9.78					+					
		Local Channel - Dedicated - STS-1 - Facility Termination			ULDS1, UNCSX	ULDFS	621.79										
	UNBUN	IDLED DARK FIBER - Stand Alone or in Combination			, , , , , , , , , , , , , , , , , , , ,												
		Dark Fiber - Interoffice Transport, Per Four Fiber Strands, Per															
		Route Mile Or Fraction Thereof			UDF, UDFCX	1L5DF	26.85										
		Dark Fiber - Interoffice Transport, Per Four Fiber Strands, Per															
		Route Mile Or Fraction Thereof			UDF, UDFCX	UDF14		751.34	193.88								
DARK	FIBER																
		Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction															1
		Thereof per month - Local Channel			UDF, UDFCX	1L5DC	53.87										
		Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction				1							1				1
		Thereof per month - Local Loop			UDF, UDFCX	1L5DL	53.87										
8XX AC	CESS 1	EN DIGIT SCREENING										1					
		8XX Access Ten Digit Screening, Per Call				1	0.0006252					1					
						1							1				1
		8XX Access Ten Digit Screening, w/ 8FL No. Delivery, per query					0.0006252										├
		8XX Access Ten Digit Screening, w/ POTS No. Delivery, per				1	0.000000						1				1
LINE	I CODIC	query				+	0.0006252					1					
LINE IN	NFORMA	ATION DATA BASE ACCESS (LIDB) LIDB Common Transport Per Query				+	0.0000303					1			1	1	
—	-	LIDB Validation Per Query	-			+	0.0000203 0.0136959					1	 				
		LIDB Originating Point Code Establishment or Change			OQU	NRBPX	0.0130939	55.13	55.13	55.13	55.13	+			-	-	
CALL	IC NAM	E (CNAM) SERVICE	-		UQU	INKBPA	+	55.13	55.13	55.13	55.13	1	-		1	1	
CALLII	TO NAIV	CNAM for DB Owners, Per Query				+	0.001024					1			1	1	
-		CNAM for Non DB Owners, Per Query				+	0.001024					1			1	1	
SELEC	TIVE P	DUTING				+	0.001024					1			1	1	
JLLLU		Selective Routing Per Unique Line Class Code Per Request Per				+	 					 	l				—
1		Switch				1		93.55	93.55	12.71	12.71	1					1
AIN SE	LECTIV	E CARRIER ROUTING				+	 	55.55	55.55	12.71	14.71	†	1				—
JL				1		1	1	l.		l l		1	l		l	l	

Version 4Q05 Standard ICA 03/15/06 (Renegotiations) Page 38 of 261

UNBUNDI ED N	IETWORK ELEMENTS - Florida												Attachment:	2 Fxh A		
ONDONDEEDT	ETWORK ELLMENTO - Horida										Svc Order			Incremental	Incremental	Incrementa
												Submitted		Charge -	Charge -	Charge -
											Elec		Manual Svc	Manual Svc	Manual Svc	Manual Svo
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	usoc			RATES(\$)								
CATEGORI	KATE EEEMENTO	m	20116	Воо	0000			ιν-ι - Ε Ο (ψ)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
					1		Nonrec	urring	Nonrecurring	Disconnect	1	1	oss	Rates(\$)	l	
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Regional Service Establishment				1		193,444.00	7.00	7,737.00	71441	0020					
	End Office Establishment				1		187.36	187.36	0.69	0.69	1	1				
	Query NRC, per query					0.0031868	.000	101.00	0.00	0.00						
AIN - BELLSOI	JTH AIN SMS ACCESS SERVICE				1	0.0001000										
	AIN SMS Access Service - Service Establishment, Per State,															
	Initial Setup			A1N	CAMSE		43.56	43.56	44.93	44.93						
	AIN SMS Access Service - Port Connection - Dial/Shared Access			A1N	CAMDP		8.64	8.64	10.03	10.03						
	AIN SMS Access Service - Port Connection - ISDN Access			A1N	CAM1P		8.64	8.64	10.03	10.03			1	1	1	
	AIN SMS Access Service - User Identification Codes - Per User						2.01	2.01	12.00				İ	İ	İ	
	ID Code			A1N	CAMAU		38.66	38.66	29.88	29.88			Ì	Ì	Ì	1
	AIN SMS Access Service - Security Card, Per User ID Code,			***	1			22.30					1	1	1	
	Initial or Replacement			A1N	CAMRC		75.10	75.10	12.93	12.93						1
	AIN SMS Access Service - Storage, Per Unit (100 Kilobytes)					0.0028			:=::00	:=:00			İ	İ	İ	
	AIN SMS Access Service - Session, Per Minute				1	0.7809			1				İ	İ	İ	
	AIN SMS Access Service - Company Performed Session, Per				1								1	1	1	
	Minute					0.4609										
HIGH CAPACIT	Y UNBUNDLED LOCAL LOOP															
	TS-1 UNBUNDLED LOCAL LOOP - Stand Alone															
	DS3 Unbundled Local Loop - per mile			UE3	1L5ND	10.92										
	DS3 Unbundled Local Loop - Facility Termination			UE3	UE3PX	386.88	556.37	343.01	139.13	96.84						
	STS-1Unbundled Local Loop - per mile			UDLSX	1L5ND	10.92										
	STS-1 Unbundled Local Loop - Facility Termination			UDLSX	UDLS1	426.60	556.37	343.01	139.13	96.84						
ENHANCED EX	(TENDED LINK (EELs)															
Networ	k Elements Used in Combinations															
	2-Wire VG Loop (SL2) in Combination - Zone 1		1	UNCVX	UEAL2	12.24	127.59	60.54	48.00	6.31						
	2-Wire VG Loop (SL2) in Combination - Zone 2		2	UNCVX	UEAL2	17.40	127.59	60.54	48.00	6.31						
	2-Wire VG Loop (SL2) in Combination - Zone 3		3	UNCVX	UEAL2	30.87	127.59	60.54	48.00	6.31						
	4-Wire Analog Voice Grade Loop in Combination - Zone 1		1	UNCVX	UEAL4	18.89	127.59	60.54	48.00	6.31						
	4-Wire Analog Voice Grade Loop in Combination - Zone 2			UNCVX	UEAL4	26.84	127.59	60.54	48.00	6.31						
	4-Wire Analog Voice Grade Loop in Combination - Zone 3		3	UNCVX	UEAL4	47.62	127.59	60.54	48.00	6.31						
	2-Wire ISDN Loop in Combination - Zone 1		1	UNCNX	U1L2X	19.28	127.59	60.54	48.00	6.31						
	2-Wire ISDN Loop in Combination - Zone 2		2	UNCNX	U1L2X	27.40	127.59	60.54	48.00	6.31						
	2-Wire ISDN Loop in Combination - Zone 3		3	UNCNX	U1L2X	48.62	127.59	60.54	48.00	6.31						
	4-Wire 56Kbps Digital Grade Loop in Combination - Zone 1		1	UNCDX	UDL56	22.20	127.59	60.54	48.00	6.31						
	4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2		2	UNCDX	UDL56	31.56	127.59	60.54	48.00	6.31						
	4-Wire 56Kbps Digital Grade Loop in Combination - Zone 3		3	UNCDX	UDL56	55.99	127.59	60.54	48.00	6.31						
	4-Wire 64Kbps Digital Grade Loop in Combination - Zone 1		1	UNCDX	UDL64	22.20	127.59	60.54	48.00	6.31						1
	4-Wire 64Kbps Digital Grade Loop in Combination - Zone 2		2	UNCDX	UDL64	31.56	127.59	60.54	48.00	6.31			ļ	ļ	ļ	1
	4-Wire 64Kbps Digital Grade Loop in Combination - Zone 3		3	UNCDX	UDL64	55.99	127.59	60.54	48.00	6.31			ļ	ļ	ļ	1
	4-Wire DS1 Digital Loop in Combination - Zone 1		1	UNC1X	USLXX	70.74	217.75	121.62	51.44	14.45			ļ	ļ	ļ	1
L	4-Wire DS1 Digital Loop in Combination - Zone 2		2	UNC1X	USLXX	100.54	217.75	121.62	51.44	14.45						
L	4-Wire DS1 Digital Loop in Combination - Zone 3		3	UNC1X	USLXX	178.39	217.75	121.62	51.44	14.45						
ļ	DS3 Local Loop in combination - per mile			UNC3X	1L5ND	10.92	611.15									├
 	DS3 Local Loop in combination - Facility Termination			UNC3X	UE3PX	386.88	244.42	154.73	67.10	26.27			 	 	 	
ļ	STS-1 Local Loop in combination - per mile			UNCSX	1L5ND	10.92	611.15									├
ļ	STS-1 Local Loop in combination - Facility Termination			UNCSX	UDLS1	426.60	244.42	154.73	67.10	26.27			-	-	-	
ļ	Interoffice Channel in combination - 2-wire VG - per mile			UNCVX	1L5XX	0.0091			1				-	-	-	
	Interoffice Channel in combination - 2-wire VG - Facility			LINIOVO	LIATVO	05.00	0.4.70	50.50	45.00	10.00			Ì	Ì	Ì	1
ļ	Termination			UNCVX	U1TV2 1L5XX	25.32	94.70	52.59	45.28	18.03	-	-	1	1	1	
	Interoffice Channel in combination - 4-wire VG - per mile			UNCVX	ILOXX	0.0091			1		-	-	1	1	1	
	Interoffice Channel in combination - 4-wire VG - Facility			LINCVY	U1TV4	00.50	04.70	50.50	45.00	40.00			1	1	1	1
 	Termination			UNCVX UNCDX	1L5XX	22.58 0.0091	94.70	52.59	45.28	18.03			-	-	-	
	Interoffice Channel in combination - 4-wire 56 kbps - per mile			OINCDV	ILOAA	0.0091			 				 	 	 	
	Interoffice Channel in combination - 4-wire 56 kbps - Facility Termination			UNCDX	U1TD5	18.44	94.70	52.59	45.28	18.03			1	1	1	1
	Interoffice Channel in combination - 4-wire 64 kbps - per mile			UNCDX	1L5XX	0.0091	94.70	52.59	45.28	10.03			-	-	-	
-	Interoffice Channel in combination - 4-wire 64 kbps - per fille			OINCDA	ILOAA	0.0091					-	-				
	Termination			UNCDX	U1TD6	18.44	94.70	52.59	45.28	18.03			Ì	Ì	Ì	1
	16111IIIIaliOII			OINCDA	סטווט	10.44	94.70	5∠.59	45.28	10.03						1

Version 4Q05 Standard ICA 03/15/06 (Renegotiations) Page 39 of 261

UNBUNDI ED N	IETWORK ELEMENTS - Florida												Attachment:	2 Evh Δ		
ONBONDLED	NETWORK ELEMENTS - Florida	l	1								Svc Order	Svc Order	Incremental		Incremental	Incremental
												Submitted		Charge -	Charge -	Charge -
		1									Elec	Manually	_	Manual Svc	Manual Svc	Manual Svo
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m						- (,,			per Lon	per LSK	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
													151	Add I	DISC 1St	DISC AUU I
							Nonrec	urring	Nonrecurring	Disconnect				Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Interoffice Channel in combination - DS1 - per mile			UNC1X	1L5XX	0.1856										1
	Interoffice Channel in combination - DS1 Facility Termination			UNC1X	U1TF1	88.44	174.46	122.46	45.61	17.95						
	Interoffice Channel in combination - DS3 - per mile			UNC3X	1L5XX	3.87										.
	Interoffice Channel in combination - DS3 - Facility Termination			UNC3X	U1TF3	1,071.00	320.00	138.20	38.60	18.81						-
	Interoffice Channel in combination - STS-1 - per mile			UNCSX	1L5XX	3.87										-
	Interoffice Channel in combination - STS-1 Facility Termination			UNCSX	U1TFS	1,056.00	320.00	138.20	38.60	18.81						
	IETWORK ELEMENTS															
Option	al Features & Functions:			U1TD1.							ļ					
	Clear Channel Capability Extended Frame Option - per DS1	١.		ULDD1,UNC1X	CCOEF		0.00	0.00	0.00	0.00						ı
	orear orianner oapability Extended Frame Option - per DST		-	U1TD1,	COCEF		0.00	0.00	0.00	0.00	1		-			
	Clear Channel Capability Super FrameOption - per DS1	l ,		ULDD1.UNC1X	CCOSF		0.00	0.00	0.00	0.00						1
 	Clear Channel Capability (SF/ESF) Option - Subsequent	<u> </u>	1	ULDD1, U1TD1.	00001		0.00	0.00	0.00	0.00			 			
	Activity - per DS1			UNC1X, USL	NRCCC		184.92	23.82	2.07	0.80]			1
	,, poi 201			U1TD3, ULDD3,		-	104.02	20.02	2.07	0.00	1	<u> </u>	 			
	C-bit Parity Option - Subsequent Activity - per DS3	Li		UE3, UNC3X	NRCC3		219.09	7.67	0.773	0.00						1
	DS1/DS0 Channel System	<u> </u>		UNC1X	MQ1	146.77	57.28	14.74	1.50	1.34						
	DS3/DS1Channel System			UNC3X, UNCSX	MQ3	211.19	115.60	56.54		4.26						
	Voice Grade COCI in combination			UNCVX	1D1VG	1.38	6.71	4.84								
	Voice Grade COCI - for Stand Alone Local Loop			UEA	1D1VG	1.38	6.71	4.84	0.00	0.00						
	Voice Grade COCI - for connection to a channelized DS1 Local															
	Channel in the same SWC as collocation			U1TUC	1D1VG	1.38	6.71	4.84	0.00	0.00						i
	OCU-DP COCI (2.4-64kbs) in combination			UNCDX	1D1DD	2.10	6.71	4.84	0.00	0.00						
	OCU-DP COCI (2.4-64kbs) - for Stand Alone Local Loop			UDL	1D1DD	2.10	6.71	4.84	0.00	0.00						I
	OCU-DP COCI (2.4-64kbs) - for connection to a channelized															1
	DS1 Local Channel in the same SWC as collocation			U1TUD	1D1DD	2.10	6.71	4.84	0.00	0.00						
	2-wire ISDN COCI (BRITE) in combination			UNCNX	UC1CA	3.66	6.71	4.84	0.00	0.00						!
	2-wire ISDN COCI (BRITE) - for a Local Loop			UDN	UC1CA	3.66	6.71	4.84	0.00	0.00						-
	2-wire ISDN COCI (BRITE) - for connection to a channelized															i
	DS1 Local Channel in the same SWC as collocation			U1TUB	UC1CA	3.66	6.71	4.84	0.00	0.00						
	DS1 COCI in combination			UNC1X	UC1D1	13.76	6.71	4.84	0.00	0.00						
	DS1 COCI - for Stand Alone Local Channel			ULDD1	UC1D1	13.76	6.71	4.84	0.00	0.00						
	DS1 COCI - for Stand Alone Interoffice Channel			U1TD1 USL	UC1D1 UC1D1	13.76 13.76	6.71 6.71	4.84 4.84	0.00	0.00						
	DS1 COCI - for Stand Alone Local Loop DS1 COCI - for connection to a channelized DS1 Local Channel			USL	OCIDI	13.76	0.71	4.84	0.00	0.00	1					
	in the same SWC as collocation			U1TUA	UC1D1	13.76	6.71	4.84	0.00	0.00						1
	in the same SWC as conocation			UNCVX, U1TVX,	OCIDI	13.70	0.71	4.04	0.00	0.00	1	1				
				UNCDX, U1TDX,												1
				UNC1X.												1
				U1TD1.UNC3X.												1
				U1TD3, UNCSX,												1
		1		U1TS1,			l]			I
	Wholesale to UNE, Switch-As-Is Conversion Charge	1		UDF,UDFCX	UNCCC		8.98	8.98]			1
	,			U1TVX, U1TDX,				2.30					İ			·
	Unbundled Misc Rate Element, SNE SAI, Single Network	1		U1TD1, U1TD3,			l]			1
	Element - Switch As Is Non-recurring Charge, per circuit (LSR)	1		U1TS1, UDF, UE3	URESL		8.98	8.98								1
	Unbundled Misc Rate Element, SNE SAI, Single Network			U1TVX, U1TDX,			Ì									
	Element - Switch As Is Non-recurring Charge, incremental	1		U1TD1, U1TD3,			l]			I
	charge per circuit on a spreadsheet	ı		U1TS1, UDF, UE3	URESP		8.98	8.98]			!
	UNE Reconfiguration Change Charge per Circuit	ı		UNC1X	URERC		35.00	35.00								<u> </u>
	UNE Reconfiguration Change Charge per Circuit Project	1					\neg]			
	Managed			UNC1X	URERP		1.49	1.49	ļ				ļ			
Access	to DCS - Customer Reconfiguration (FlexServ)				ļ											1
	Customer Reconfiguration Establishment	ļ			ļ		1.63		1.63							
\vdash	DS1 DCS Termination with DS0 Switching	ļ	<u> </u>			27.39	32.89	23.58	16.96	12.77	ļ					1
\vdash	DS1 DCS Termination with DS1 Switching	<u> </u>			ļ	11.70	25.07	15.76	13.05	8.86	<u> </u>		 			
B1 - 1 - 4	DS3 DCS Termination with DS1 Switching	 	ļ		1	146.81	32.89	23.58	16.96	12.77	}		 			
	SynchroNet)	1		LINCDY	LINCALT	40.05	ł				1	-	-			
	Node per month		1	UNCDX	UNCNT	16.35					<u> </u>	1				

Version 4Q05 Standard ICA 03/15/06 (Renegotiations) Page 40 of 261

LINDI	INDI ED N	NETWORK ELEMENTS - Florida												Attachment:	2 Evh A		
UNBC	NADEDE	ALI WORK ELEWEN 13 - FIORIDA										Svc Order	Svc Order	Incremental		Incremental	Incremental
												Submitted		Charge -	Charge -	Charge -	Charge -
												Elec	Manually	Manual Svc	Manual Svc	_	Manual Svc
CATE	GORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m		200	0000						per LSK	per LSK	Electronic-	Electronic-		Electronic-
														1st	Add'l	Electronic- Disc 1st	
														150	Addi	DISC 1St	Disc Add'l
								Nonrec	urring	Nonrecurring	Disconnect		•	oss	Rates(\$)	•	•
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Service	Rearrangements															
					U1TVX, U1TDX,												
					UEA, UDL, U1TUC,												
					U1TUD, U1TUB,												
					ULDVX, ULDDX,												
		NRC - Change in Facility Assignment per circuit Service			UNCVX, UNCDX,												
		Rearrangement	- 1		UNC1X	URETD		101.07	43.04								
					U1TVX, U1TDX,												
					UEA, UDL, U1TUC,												
					U1TUD, U1TUB,												
					ULDVX, ULDDX,												
		NRC - Change in Facility Assignment per circuit Project			UNCVX, UNCDX,												
		Management (added to CFA per circuit if project managed)	I		UNC1X	URETB		3.67	3.67						ļ		1
		NRC - Order Coordination Specific Time - Dedicated Transport	I		UNC1X	OCOSR		18.90	18.90								
COMI	MINGLING	3		1												1	1
				1	UNCVX, UNCDX,										l	I	I
					UNC1X, UNC3X,												
					UNCSX, U1TD1,												
					U1TD3, U1TS1,												
					UE3, UDLSX,												
					U1TVX, U1TDX,												
					U1TUB, ULDVX,												
					ULDD1, ULDD3,												
		Commingling Authorization			ULDS1	CMGAU	0.00	0.00	0.00	0.00	0.00						
	Commi	ingled (UNE part of single bandwidth circuit)		1	VD (0) / 1/TO) /O	15.0.0				2.22							
		Commingled VG COCI			XDV2X, NTCVG	1D1VG	1.38	6.71	4.84	0.00	0.00						
		Commingled Digital COCI			XDV6X, NTCUD	1D1DD	2.10	6.71	4.84	0.00	0.00						
		Commingled ISDN COCI			XDD4X	UC1CA	3.66	6.71	4.84	0.00	0.00						
		Commingled 2-wire VG Interoffice Channel			XDV2X	U1TV2	25.32	94.70	52.59	45.28	18.03						
		Commingled 4-wire VG Interoffice Channel			XDV6X	U1TV4	22.58	94.70	52.59	45.28	18.03						
		Commingled 56kbps Interoffice Channel			XDD4X XDD4X	U1TD5	18.44	94.70	52.59	45.28	18.03						
		Commingled 64kbps Interoffice Channel			XDV4X XDV2X, XDV6X,	U1TD6	18.44	94.70	52.59	45.28	18.03						
		Commingled VG/DS0 Interoffice Channel Mileage			XDD4X	1L5XX	0.0091										
		Commingled 2-wire Local Loop Zone 1	1	1	XDV2X	UEAL2	12.24	127.59	60.54	48.00	6.31	1	1				
		Commingled 2-wire Local Loop Zone 1 Commingled 2-wire Local Loop Zone 2	-	2	XDV2X XDV2X	UEAL2	17.40	127.59	60.54	48.00	6.31						
		Commingled 2-wire Local Loop Zone 3	1	3	XDV2X	UEAL2	30.87	127.59	60.54	48.00	6.31	1	1				
		Commingled 4-wire Local Loop Zone 1		1	XDV6X	UEAL4	18.89	127.59	60.54	48.00	6.31						
-	+	Commingled 4-wire Local Loop Zone 1 Commingled 4-wire Local Loop Zone 2	1	2	XDV6X	UEAL4	26.84	127.59	60.54	48.00	6.31				 	t	t
—	-	Commingled 4-wire Local Loop Zone 3	1	3	XDV6X	UEAL4	47.62	127.59	60.54	48.00	6.31					 	
—	-	Commingled 56kbps Local Loop Zone 1	1	1	XDD4X	UDL56	22.20	127.59	60.54	48.00	6.31					 	
	1	Commingled 56kbps Local Loop Zone 2		2	XDD4X	UDL56	31.56	127.59	60.54	48.00	6.31					<u> </u>	<u> </u>
	1	Commingled 56kbps Local Loop Zone 3		3	XDD4X	UDL56	55.99	127.59	60.54	48.00	6.31				1	1	1
	1	Commingled 64kbps Local Loop Zone 1		1	XDD4X	UDL64	22.20	127.59	60.54	48.00	6.31				İ	1	1
		Commingled 64kbps Local Loop Zone 2		2	XDD4X	UDL64	31.56	127.59	60.54	48.00	6.31			İ	İ	İ	1
		Commingled 64kbps Local Loop Zone 3		3	XDD4X	UDL64	55.99	127.59	60.54	48.00	6.31			İ	İ	İ	1
		Commingled ISDN Local Loop Zone 1		1	XDD4X	U1L2X	19.28	127.59	60.54	48.00	6.31						
		Commingled ISDN Local Loop Zone 2		2	XDD4X	U1L2X	27.40	127.59	60.54	48.00	6.31						
		Commingled ISDN Local Loop Zone 3		3	XDD4X	U1L2X	48.62	127.59	60.54	48.00	6.31						
		Commingled DS1 COCI			XDH1X, NTCD1	UC1D1	13.76	6.71	4.84	0.00	0.00						
		Commingled DS1 Interoffice Channel			XDH1X	U1TF1	88.44	174.46	122.46	45.61	17.95						
		Commingled DS1 Interoffice Channel Mileage			XDH1X	1L5XX	0.1856										
		Commingled DS1/DS0 Channel System			XDH1X	MQ1	146.77	57.28	14.74								
		Commingled DS1 Local Loop Zone 1		_1	XDH1X	USLXX	70.74	217.75	121.62	51.44	14.45						
		Commingled DS1 Local Loop Zone 2		2	XDH1X	USLXX	100.54	217.75	121.62	51.44	14.45						
		Commingled DS1 Local Loop Zone 3		3	XDH1X	USLXX	178.39	217.75	121.62	51.44	14.45						
		Commingled DS3 Local Loop			HFQC6	UE3PX	386.88	244.42	154.73	67.10	26.27						
		Commingled DS3/STS-1 Local Loop Mileage			HFQC6, HFRST	1L5ND	10.92										
		Commingled STS-1 Local Loop			HFRST	UDLS1	426.60	244.42	154.73	67.10	26.27						

LINDIIN	DI ED I	NETWORK ELEMENTS - Florida												Attachment:	2 Evh A	ı	ı
UNDUN	DLEDI	VETWORK ELEMENTS - Florida		1	I		I					Svc Order	Svc Order		Incremental	Incremental	Incremental
													Submitted		Charge -	Charge -	Charge -
	001	DATE EL EMENTO	Interi	-	500				DATEC(#)			Elec	Manually		Manual Svc	Manual Svc	Manual Svc
CATEG	ORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							1				. B'			200	D - ((ft)		
							4 <u> </u>	Nonrec		Nonrecurring					Rates(\$)		
		0 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1			115000		Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Commingled DS3/DS1 Channel System			HFQC6	MQ3	211.19	115.60	56.54	12.16	4.26						
		Commingled DS3 Interoffice Channel			HFQC6	U1TF3	1,071.00	320.00	138.20	38.60	18.81						
		Commingled DS3 Interoffice Channel Mileage			HFQC6	1L5XX	3.87										
		Commingled STS-1Interoffice Channel			HFRST	U1TFS	1,056.00	320.00	138.20	38.60	18.81						
		Commingled STS-1Interoffice Channel Mileage			HFRST	1L5XX	3.87										
		Commingled Dark Fiber - Interoffice Transport, Per Four Fiber															
		Strands, Per Route Mile Or Fraction Thereof			HEQDL	1L5DF	26.85										
		Commingled Dark Fiber - Interoffice Transport, Per Four Fiber															
		Strands, Per Route Mile Or Fraction Thereof			HEQDL	UDF14		751.34	193.88								
SIGNAL				1						Ì]]
	NOTE:	bk" beside a rate indicates that the parties have agreed to bill	l and ke	ep for	that element pursua	nt to the ter		ons in Attachm	ent 3.								
		CCS7 Signaling Usage, Per TCAP Message					0.0000607bk										
		CCS7 Signaling Usage, Per ISUP Message					0.0000152bk										
LNP Qu	ery Sei																
		LNP Charge Per query					0.000852										
		LNP Service Establishment Manual						13.83	13.83	12.71	12.71						
		LNP Service Provisioning with Point Code Establishment						655.50	334.88	297.03	218.40						
911 PB	(LOCA	ATE .															
	911 PB	X LOCATE DATABASE CAPABILITY															
		Service Establishment per CLEC per End User Account			9PBDC	9PBEU		1,820.00									
		Changes to TN Range or Customer Profile			9PBDC	9PBTN		182.14									
		Per Telephone Number (Monthly)			9PBDC	9PBMM	0.07										
		Change Company (Service Provider) ID			9PBDC	9PBPC		534.66									
		PBX Locate Service Support per CLEC (MonthIt)			9PBDC	9PBMR	178.80										
		Service Order Charge			9PBDC	9PBSC		11.90									
	911 PB	X LOCATE TRANSPORT COMPONENT															
	See At	13															
	Note:	Rates displaying an "I" in Interim column are interim as a resu	ilt of a C	Commi	ssion order.	•				•		•		•	•		
		OCAL EXCHANGE SWITCHING(PORTS)															
	The Ex	change Switching Port Rates Reflected Here Apply to Embedo	ded Bas	se Swite	ching Ports as of Ma	rch 10, 2005	and Consist of	f the TELRIC C	ost Based Rat	es Plus \$1.00 in	n Accordance	with the TR	RO.				
	Exchar	nge Ports															
	NOTE:	Although the Port Rate includes all available features in GA, I	KY, LA	& TN, t	he desired features v	will need to	be ordered usin	g retail USOCs	5	•		•		•	•		
	2-WIRE	VOICE GRADE LINE PORT RATES (RES)															
		Exchange Ports - 2-Wire Analog Line Port- Res.			UEPSR	UEPRL	2.40	3.74	3.63	1.88	1.80						
		Exchange Ports - 2-Wire Analog Line Port with Caller ID - Res.			UEPSR	UEPRC	2.40	3.74	3.63	1.88	1.80						
				i –								İ					
		Exchange Ports - 2-Wire Analog Line Port outgoing only - Res.			UEPSR	UEPRO	2.40	3.74	3.63	1.88	1.80						
		Exchange Ports - 2-Wire VG unbundled Florida area calling with			5_2 5.1		20	54	3.30	50							l
		Caller ID - Res.			UEPSR	UEPAF	2.40	3.74	3.63	1.88	1.80						
		Exchange Ports - 2-Wire VG unbundled Florida Residence Area		1	02.0.	02.73	2.40	3.14	5.00	00	00	1	<u> </u>				1
		Calling Plan, without Caller ID capability			UEPSR	UEPA9	2.40	3.74	3.63	1.88	1.80						
		Exchange Ports - 2-Wire VG unbundled Florida extended		1	OLI OIX	021718	2.40	5.74	5.05	1.00	1.00	1	-				1
		dialing port for use with CREX7 and Caller ID			UEPSR	UEPA1	2.40	3.74	3.63	1.88	1.80						
		Exchange Ports - 2-Wire VG unbundled Florida extended		1	OLI OIX	OLI / (I	2.40	5.74	5.05	1.00	1.00	1	-				1
		dialing port for use with CREX7, without Caller ID capability			UEPSR	UEPA8	2.40	3.74	3.63	1.88	1.80						
		Exchange Ports - 2-Wire VG unbundled res, low usage line port		i	OLI OIX	0217.0	2.40	5.74	0.00	1.00	1.00	 					
		with Caller ID (LUM)			UEPSR	UEPAP	2.40	3.74	3.63	1.88	1.80						
H-		2-Wire voice unbundled Low Usage Line Port without Caller ID		1	OLFOR	OLFAP.	2.40	3.14	3.03	1.00	1.00	1					
		Capability			UEPSR	UEPRT	2.40	3.74	3.63	1.88	1.80						
		Subsequent Activity		1	UEPSR	USASC	0.00	0.00	0.00	1.00	1.00	1	 			1	1
	FEATU			1	OLFOR	UUAUU	0.00	0.00	0.00			1	 			1	1
	LAIU	All Available Vertical Features		1	UEPSR	UEPVF	2.26	0.00	0.00			1	 			1	1
	2-WIDE	E VOICE GRADE LINE PORT RATES (BUS)		1	ULFOR	OLFVF	2.20	0.00	0.00			1	 			1	1
	~- VV ITE	Exchange Ports - 2-Wire Analog Line Port without Caller ID -		1			1					1	 			1	1
		Bus			UEPSB	UEPBL	2.40	3.74	3.63	1.88	1.80						
-		Exchange Ports - 2-Wire VG unbundled Line Port with		1	ULFOD	OLFBL	2.40	3.74	3.03	1.00	1.00	 	-			-	-
		unbundled port with Caller+E484 ID - Bus.			UEPSB	UEPBC	2.40	3.74	3.63	1.88	1.80						
ш		junipunicieu puit with Galler+L+04 ID - DUS.	L	1	ULFOD	ULFBC	2.40	3.14	3.03	1.08	1.80	<u> </u>	L	I		L	L

UNBUNDLED I	NETWORK ELEMENTS - Florida												Attachment:	2 Exh A		
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Charge -	Charge -
							Nonred	curring	Nonrecurring	Disconnect			oss	Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
						Nec	11130	Auu i	11130	Addi	JOINEC	JONAN	JONAN	JOHIAN	JOHAN	JOINAIN
	Evahanga Parta - 2 Wire Analog Line Part outgoing only - Pug			UEPSB	UEPBO	2.40	3.74	3.63	1.88	1.80						
	Exchange Ports - 2-Wire Analog Line Port outgoing only - Bus.		-	UEFSB	UEPBU	2.40	3.74	3.03	1.00	1.00	1					
	Exhange Ports - 2-Wire VG unbundled incoming only port with			LIEDOD	LIEDD4	0.40	0.74	0.00	4.00	4.00						
-	Caller ID - Bus			UEPSB	UEPB1	2.40	3.74	3.63	1.88	1.80						
	2-Wire voice unbundled Incoming Only Port without Caller ID															
	Capability			UEPSB	UEPBE	2.40	3.74	3.63	1.88	1.80						
	Subsequent Activity			UEPSB	USASC	0.00	0.00	0.00								ļ
FEATU																ļ
	All Available Vertical Features			UEPSB	UEPVF	2.26	0.00	0.00								
EXCHA	ANGE PORT RATES (DID & PBX)															
	2-Wire VG Unbundled 2-Way PBX Trunk - Res			UEPSE	UEPRD	2.40	39.06	18.18	12.35	0.7187						
	2-Wire VG Line Side Unbundled 2-Way PBX Trunk - Bus			UEPSP	UEPPC	2.40	39.06	18.18	12.35	0.7187						
	2-Wire VG Line Side Unbundled Outward PBX Trunk - Bus			UEPSP	UEPPO	2.40	39.06	18.18	12.35	0.7187						
	2-Wire VG Line Side Unbundled Incoming PBX Trunk - Bus			UEPSP	UEPP1	2.40	39.06	18.18	12.35	0.7187						
	2-Wire Analog Long Distance Terminal PBX Trunk - Bus			UEPSP	UEPLD	2.40	39.06	18.18	12.35	0.7187						
i i	2-Wire Voice Unbundled PBX LD Terminal Ports			UEPSP	UEPLD	2.40	39.06	18.18	12.35	0.7187						
	2-Wire Vice Unbundled 2-Way PBX Usage Port			UEPSP	UEPXA	2.40	39.06	18.18	12.35	0.7187						
	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports			UEPSP	UEPXB	2.40	39.06	18.18	12.35	0.7187						
	2-Wire Voice Unbundled PBX LD DDD Terminals Port			UEPSP	UEPXC	2.40	39.06	18.18	12.35	0.7187						1
	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port			UEPSP	UEPXD	2.40	39.06	18.18	12.35	0.7187						
	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD															
	Capable Port			UEPSP	UEPXE	2.40	39.06	18.18	12.35	0.7187						
+	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy			OLI OI	OLI AL	2.40	00.00	10.10	12.00	0.7107						†
	Administrative Calling Port			UEPSP	UEPXL	2.40	39.06	18.18	12.35	0.7187						
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy			OLI OI	OLIAL	2.40	33.00	10.10	12.55	0.7107						
	Room Calling Port			UEPSP	UEPXM	2.40	39.06	18.18	12.35	0.7187						
+	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital			ULFSF	OLFAIN	2.40	39.00	10.10	12.33	0.7107				-		-
				UEPSP	LIEDVO	2.40	39.06	18.18	10.05	0.7107						
	Discount Room Calling Port	-	_		UEPXO	2.40 2.40		18.18	12.35 12.35	0.7187 0.7187						
	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port		1	UEPSP	UEPXS		39.06		12.35	0.7187						
	Subsequent Activity			UEPSP	USASC	0.00	0.00	0.00								
FEATU																ļ
	All Available Vertical Features			UEPSP UEPSE	UEPVF	2.26	0.00	0.00			<u> </u>	L				
	Transmission/usage charges associated with POTS circuit s															
	Access to B Channel or D Channel Packet capabilities will be	availa	ble only	through BFR/New E	Business Re	quest Process.	Rates for the	packet capabi	lities will be de	termined via t	he Bona Fic	le Request/l	New Business	s Request Pro	cess.	
2-WIRE	VOICE GRADE LINE PORT RATES (DID)															
	Exchange Ports - 2-Wire DID Port			UEPEX	UEPP2	9.73	78.41	15.82	41.94	4.26				1		ļ
2-WIRE	VOICE GRADE LINE PORT RATES (ISDN-BRI)								ļ		ļ			ļ		ļ
	Exchange Ports - 2-Wire ISDN Port (See Notes below.)			UEPTX, UEPSX	U1PMA	8.83	46.83	50.68	27.64	11.93	<u> </u>			ļ		1
	All Features Offered			UEPTX, UEPSX	UEPVF	2.26	0.00	0.00								1
	Exchange Ports - 2-Wire ISDN Port Channel Profiles			UEPTX, UEPSX	U1UMA	0.00	0.00	0.00								
	Transmission/usage charges associated with POTS circuit s															
NOTE:	Access to B Channel or D Channel Packet capabilities will be	availa	ble only	through BFR/New E	Business Re	quest Process.	Rates for the	packet capabi	lities will be de	etermined via t	he Bona Fid	de Request/I	New Business	s Request Pro	cess.	
	NOLED PORT with REMOTE CALL FORWARDING CAPABILITY															
	NDLED REMOTE CALL FORWARDING SERVICE - RESIDENCE															
	Unbundled Remote Call Forwarding Service, Area Calling, Res			UEPVR	UERAC	2.40	3.74	3.63	1.88	1.80						
	<u> </u>										İ					
	Unbundled Remote Call Forwarding Service, Local Calling - Res			UEPVR	UERLC	2.40	3.74	3.63	1.88	1.80]		I		
	Unbundled Remote Call Forwarding Service, InterLATA - Res			UEPVR	UERTE	2.40	3.74	3.63	1.88	1.80	İ			1		
	Unbundled Remote Call Forwarding Service, IntraLATA - Res			UEPVR	UERTR	2.40	3.74	3.63	1.88	1.80				1		
Non-Re	ecurring					20	54	3.30	50	50				t		1
	Unbundled Remote Call Forwarding Service - Conversion -		1 -						1					t	1	†
	Switch-as-is			UEPVR	USAC2		0.102	0.102	Ì]		I		
 	Unbundled Remote Call Forwarding Service - Conversion with		\vdash	OLI VIX	20,102		0.102	0.102	 		1			—		†
	allowed change (PIC and LPIC)			UEPVR	USACC		0.102	0.102						1		
LINRIII	NDLED REMOTE CALL FORWARDING - Bus			OLI VIX	00/100		0.102	0.102	 		 			t		+
ONBOI	TOTAL MARKET ON WARDING - DUS	1	\vdash						1		1			 	1	1
	Unbundled Remote Call Forwarding Service, Area Calling - Bus			UEPVB	UERAC	2.40	3.74	3.63	1.88	1.80				1		
 	Oribunated Nethole Call Forwarding Service, Area Calling - Bus	1	\vdash	ULFVD	ULITAL	2.40	3.14	3.03	1.08	1.80	1			 	1	
	Unbundled Remote Call Forwarding Service, Local Calling - Bus			UEPVB	UERLC	2.40	3.74	3.63	1.88	1.80]		I		
	Tombunuled Remote Call Forwarding Service, Local Calling - Bus	L		UEFVD	JERLU	2.40	3.74	3.03	1.88	1.80	l	l .		1	l	ь

Version 4Q05 Standard ICA 03/15/06 (Renegotiations) Page 43 of 261

IUNBUND	DLED N	NETWORK ELEMENTS - Florida												Attachment:	2 Exh A		
												Svc Order	Svc Order		Incremental	Incremental	Incremental
													Submitted		Charge -	Charge -	Charge -
												Elec	Manually	_	Manual Svc	_	Manual Svc
CATEGO	RY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES(\$)			per LSR			Order vs.	Order vs.	Order vs.
0,			m		200	0000						per LSK	per LSR				
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
								Nonrec	urring	Nonrecurring	Disconnect		1	oss	Rates(\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Unbundled Remote Call Forwarding Service, InterLATA - Bus			UEPVB	UERTE	2.40	3.74	3.63	1.88	1.80	0020					
		Unbundled Remote Call Forwarding Service, IntraLATA - Bus			UEPVB	UERTR	2.40	3.74	3.63	1.88	1.80		1				
		Unbundled Remote Call Forwarding Service Expanded and			OLI VD	OLIVIIV	2.40	0.74	0.00	1.00	1.00		1				
		Exception Local Calling			UEPVB	UERVJ	2.40	3.74	3.63	1.88	1.80						
- I	lon-Re	ecurring			02.75	GERRIO	2.10	0	0.00	1100							
		Unbundled Remote Call Forwarding Service - Conversion -															
		Switch-as-is			UEPVB	USAC2		0.102	0.102								
		Unbundled Remote Call Forwarding Service - Conversion with			02.75	00/102		0.102	0.102								
		allowed change (PIC and LPIC)			UEPVB	USACC		0.102	0.102								
UNBUNE		OCAL SWITCHING, PORT USAGE							*****								
		fice Switching (Port Usage)															
F		End Office Switching Function, Per MOU					0.0007662			t				1			
		End Office Trunk Port - Shared, Per MOU					0.000164			t				1			
 		m Switching (Port Usage) (Local or Access Tandem)					2.000.04			t				1			
		Tandem Switching Function Per MOU					0.0001319			t				1			
 		Tandem Trunk Port - Shared, Per MOU					0.000235			t		1		1			
		Tandem Switching Function Per MOU (Melded)					0.000027185										
		Tandem Trunk Port - Shared, Per MOU (Melded)					0.000048434										
1		Factor: 20.61% of the Tandem Rate					0.0000 10 10 1										
		on Transport															
		Common Transport - Per Mile, Per MOU					0.0000035										
-		Common Transport - Facilities Termination Per MOU					0.0004372										
UNBUNE	LED F	PORT/LOOP COMBINATIONS - COST BASED RATES					0.0001012										
		Based Rates are applied where BellSouth is required by FCC a	and/or S	State Co	ommission rule to p	rovide Unbu	indled Local Sw	itching or Swi	ch Ports.			1			l .		
		INE-P Switching Port Rates Reflected in the Cost Based Section								Based Rates F	Plus \$1.00 in A	ccordance	with the TRI	RO.			
		res shall apply to the Unbundled Port/Loop Combination - Co															
		Office and Tandem Switching Usage and Common Transport U											oin Port/Loc	p Combination	ons.		
		rst and additional Port nonrecurring charges apply to Not Cur															
		VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)															
		VOICE GRADE LOOF WITH 2-WIRE LINE FORT (RES)															
		ort/Loop Combination Rates															
 							11.94										
H		ort/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1					11.94 16.05										
	JNE Po	ort/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2					16.05										
	JNE Po	ort/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1															
	JNE Po	ort/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3		1	UEPRX	UEPLX	16.05										
	JNE Po	ort/Loop Combination Rates [2-Wire VG Loop/Port Combo - Zone 1 [2-Wire VG Loop/Port Combo - Zone 2 [2-Wire VG Loop/Port Combo - Zone 3 [2-Wire VG Loop/Port Combo - Zone 3 [2-Wire VG Loop/Port Combo - Zone 3		1 2	UEPRX UEPRX	UEPLX UEPLX	16.05 26.80										
	JNE Po	Drt/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 Dop Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2					16.05 26.80 9.77										
U	JNE Po	prt/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 pop Rates 2-Wire Voice Grade Loop (SL1) - Zone 1		2	UEPRX	UEPLX	16.05 26.80 9.77 13.88										
U	JNE Po	Drt/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 Dop Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPRX	UEPLX	16.05 26.80 9.77 13.88	53.31	26.46	27.50	8.37						
L	JNE Po	Drt/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 Drates 2-Wire VG Loop/Port Combo - Zone 3 Drates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 Voice Grade Line Port Rates (Res)		2	UEPRX UEPRX	UEPLX UEPLX	9.77 13.88 24.63	53.31 53.31		27.50 27.50	8.37 8.37						
L	JNE Po	Drt/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 Dop Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 Voice Grade Line Port Rates (Res) 2-Wire voice unbundled port - residence		2	UEPRX UEPRX UEPRX	UEPLX UEPLX UEPRL	9.77 13.88 24.63		26.46								
L	JNE Po	Drt/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 Dop Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 Voice Grade Line Port Rates (Res) 2-Wire voice unbundled port - residence 2-Wire voice unbundled port with Caller ID - res		2	UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPRL UEPRC UEPRO	16.05 26.80 9.77 13.88 24.63 2.17 2.17	53.31	26.46 26.46	27.50	8.37						
L	JNE Po	Drt/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 Dop Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 Voice Grade Line Port Rates (Res) 2-Wire voice unbundled port - residence 2-Wire voice unbundled port with Caller ID - res		2	UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPRL UEPRC	16.05 26.80 9.77 13.88 24.63 2.17 2.17	53.31	26.46 26.46	27.50	8.37						
L	JNE Po	Drt/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 Draw Stes 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 Voice Grade Line Port Rates (Res) 2-Wire voice unbundled port - residence 2-Wire voice unbundled port with Caller ID - res 2-Wire voice unbundled port outgoing only - res		2	UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPRC UEPRC UEPRO UEPAF	16.05 26.80 9.77 13.88 24.63 2.17 2.17 2.17	53.31 53.31	26.46 26.46 26.46	27.50 27.50	8.37 8.37						
L	JNE Po	Drt/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 Dop Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 Voice Grade Line Port Rates (Res) 2-Wire voice unbundled port - residence 2-Wire voice unbundled port with Caller ID - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled Florida Area Calling with Caller ID - res		2	UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPRL UEPRC UEPRO	16.05 26.80 9.77 13.88 24.63 2.17 2.17	53.31 53.31	26.46 26.46 26.46	27.50 27.50	8.37 8.37						
L	JNE Po	Drt/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 DOP Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 Voice Grade Line Port Rates (Res) 2-Wire voice unbundled port - residence 2-Wire voice unbundled port with Caller ID - res 2-Wire voice unbundled Port outgoing only - res 2-Wire voice unbundled Florida Area Calling with Caller ID - res 2-Wire voice unbundled Florida Area Calling with Caller ID - res 2-Wire voice unbundled Florida Area Calling with Caller ID - res		2	UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPRC UEPRC UEPRO UEPAF	16.05 26.80 9.77 13.88 24.63 2.17 2.17 2.17	53.31 53.31 53.31	26.46 26.46 26.46 26.46	27.50 27.50 27.50	8.37 8.37 8.37						
L	JNE Po	crt/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 2-Wire VG Loop/Port Combo - Zone 3 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 Voice Grade Line Port Rates (Res) 2-Wire voice unbundled port - residence 2-Wire voice unbundled port with Caller ID - res 2-Wire voice unbundled Florida Area Calling with Caller ID - res 2-Wire voice unbundled Florida Area Calling with Caller ID - res 2-Wire voice unbundled Florida Area Calling with Caller ID - res 2-Wire voice unbundled Florida Area Calling with Caller ID - res 2-Wire voice unbundles res, low usage line port with Caller ID (LUM)		2	UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPRC UEPRO UEPAF UEPAF	16.05 26.80 9.77 13.88 24.63 2.17 2.17 2.17 2.17	53.31 53.31 53.31	26.46 26.46 26.46 26.46 26.46	27.50 27.50 27.50 27.50	8.37 8.37 8.37						
L	JNE Po	Port/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 Poop Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 Poice Grade Line Port Rates (Res) 2-Wire voice unbundled port - residence 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled Florida Area Calling with Caller ID - res 2-Wire voice unbundled Florida Area Calling with Caller ID - res 2-Wire voice unbundled Florida Area Calling with Caller ID - res 2-Wire voice unbundled Florida Area Calling with Caller ID - res 2-Wire voice unbundled Florida Area Calling with Caller ID - res 2-Wire voice unbundled Florida Area Calling with Caller ID - res 2-Wire voice unbundled Florida extended dialing with Caller ID		2	UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPRC UEPRO UEPAF UEPAF	16.05 26.80 9.77 13.88 24.63 2.17 2.17 2.17 2.17	53.31 53.31 53.31	26.46 26.46 26.46 26.46 26.46	27.50 27.50 27.50 27.50	8.37 8.37 8.37						
L	JNE Lo	Drt/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 Dop Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 Voice Grade Line Port Rates (Res) 2-Wire voice unbundled port - residence 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled Port outgoing only - res 2-Wire voice unbundled Florida Area Calling with Caller ID - res 2-Wire voice unbundled Florida Area Calling with Caller ID - res 2-Wire voice unbundled Florida Area Calling with Caller ID - Caller I		2	UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPRC UEPRO UEPAF UEPAF UEPAP	16.05 26.80 9.77 13.88 24.63 2.17 2.17 2.17 2.17 2.17 2.17	53.31 53.31 53.31 53.31 53.31	26.46 26.46 26.46 26.46 26.46	27.50 27.50 27.50 27.50 27.50	8.37 8.37 8.37 8.37 8.37						
L	JNE Lo	Drt/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 Dop Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 Voice Grade Line Port Rates (Res) 2-Wire voice unbundled port - residence 2-Wire voice unbundled port with Caller ID - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled Florida Area Calling with Caller ID - res 2-Wire voice unbundled Florida Area Calling with Caller ID - with Caller ID capability 2-Wire voice unbundled Florida extended dialing port without Caller ID capability 2-Wire voice unbundled Florida Area Calling Port without Caller ID Capability		2	UEPRX	UEPLX UEPLX UEPRC UEPRO UEPAF UEPAF UEPAP	16.05 26.80 9.77 13.88 24.63 2.17 2.17 2.17 2.17 2.17	53.31 53.31 53.31 53.31 53.31	26.46 26.46 26.46 26.46 26.46	27.50 27.50 27.50 27.50 27.50	8.37 8.37 8.37 8.37 8.37						
L	JNE Lo	Drt/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 Dop Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 Voice Grade Line Port Rates (Res) 2-Wire voice unbundled port - residence 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled Port outgoing only - res 2-Wire voice unbundled Florida Area Calling with Caller ID - res 2-Wire voice unbundled Florida Area Calling with Caller ID - res 2-Wire voice unbundled Florida Area Calling with Caller ID - Caller I		2	UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPRL UEPRC UEPRO UEPAF UEPAF UEPAP UEPA1 UEPA8	16.05 26.80 9.77 13.88 24.63 2.17 2.17 2.17 2.17 2.17 2.17	53.31 53.31 53.31 53.31 53.31 53.31	26.46 26.46 26.46 26.46 26.46 26.46	27.50 27.50 27.50 27.50 27.50 27.50	8.37 8.37 8.37 8.37 8.37						
L	JNE Lo	Drt/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 Dop Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 Voice Grade Line Port Rates (Res) 2-Wire voice unbundled port - residence 2-Wire voice unbundled port with Caller ID - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled Florida Area Calling with Caller ID - res 2-Wire voice unbundled Florida Area Calling with Caller ID - with Caller ID capability 2-Wire voice unbundled Florida extended dialing port without Caller ID capability 2-Wire voice unbundled Florida Area Calling Port without Caller ID Capability		2	UEPRX UEPRX UEPRX	UEPLX UEPRL UEPRC UEPRO UEPAF UEPAF UEPAP UEPA1 UEPA8	16.05 26.80 9.77 13.88 24.63 2.17 2.17 2.17 2.17 2.17 2.17	53.31 53.31 53.31 53.31 53.31 53.31	26.46 26.46 26.46 26.46 26.46 26.46	27.50 27.50 27.50 27.50 27.50 27.50	8.37 8.37 8.37 8.37 8.37						
22	JNE Lo	Drt/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 Dop Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 Voice Grade Loop (SL1) - Zone 3 2-Wire voice unbundled port - residence 2-Wire voice unbundled port with Caller ID - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled Florida Area Calling with Caller ID - res 2-Wire voice unbundled Florida Area Calling with Caller ID - res 2-Wire voice unbundled Florida extended dialing with Caller ID 2-Wire voice unbundled Florida extended dialing port without Caller ID capability 2-Wire voice unbundled Florida Area Calling Port without Caller ID Capability 2-Wire voice unbundled Florida Area Calling Port without Caller ID Capability		2	UEPRX UEPRX UEPRX UEPRX	UEPLX UEPRL UEPRC UEPRO UEPAF UEPAP UEPAP UEPA1 UEPA8	16.05 26.80 9.77 13.88 24.63 2.17 2.17 2.17 2.17 2.17 2.17 2.17	53.31 53.31 53.31 53.31 53.31 53.31 53.31	26.46 26.46 26.46 26.46 26.46 26.46 26.46	27.50 27.50 27.50 27.50 27.50 27.50 27.50	8.37 8.37 8.37 8.37 8.37 8.37						
	JNE Lo	crt/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 cop Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 Voice Grade Line Port Rates (Res) 2-Wire voice unbundled port - residence 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled Florida Area Calling with Caller ID - res 2-Wire voice unbundled Florida extended dialing with Caller ID (LUM) 2-Wire voice unbundled Florida extended dialing with Caller ID Capability 2-Wire voice unbundled Florida Area Calling Port without Caller ID Capability 2-Wire voice unbundled Florida Area Calling Port without Caller ID Capability 2-Wire voice unbundled Florida Area Calling Port without Caller ID Capability 2-Wire voice unbundled Low Usage Line Port without Caller ID Capability RES All Features Offered		2	UEPRX UEPRX UEPRX UEPRX	UEPLX UEPRL UEPRC UEPRO UEPAF UEPAP UEPAP UEPA1 UEPA8	16.05 26.80 9.77 13.88 24.63 2.17 2.17 2.17 2.17 2.17 2.17 2.17	53.31 53.31 53.31 53.31 53.31 53.31 53.31	26.46 26.46 26.46 26.46 26.46 26.46 26.46	27.50 27.50 27.50 27.50 27.50 27.50 27.50	8.37 8.37 8.37 8.37 8.37 8.37						
	JNE Lo	Pril Coop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 2-Wire VG Loop/Port Combo - Zone 3 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 Voice Grade Line Port Rates (Res) 2-Wire voice unbundled port - residence 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled Florida Area Calling with Caller ID - res 2-Wire voice unbundled Florida Area Calling with Caller ID (LUM) 2-Wire voice unbundled Florida extended dialing with Caller ID 2-Wire voice unbundled Florida extended dialing port without Caller ID capability 2-Wire voice unbundled Florida Area Calling Port without Caller ID Capability 2-Wire voice unbundled Florida Area Calling Port without Caller ID Capability		2	UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPRC UEPRO UEPAF UEPAP UEPA1 UEPA8 UEPA9	16.05 26.80 9.77 13.88 24.63 2.17 2.17 2.17 2.17 2.17 2.17 2.17	53.31 53.31 53.31 53.31 53.31 53.31 53.31	26.46 26.46 26.46 26.46 26.46 26.46 26.46 26.46	27.50 27.50 27.50 27.50 27.50 27.50 27.50	8.37 8.37 8.37 8.37 8.37 8.37						
	JNE Lo	crt/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 cop Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 Voice Grade Line Port Rates (Res) 2-Wire voice unbundled port - residence 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled Florida Area Calling with Caller ID - res 2-Wire voice unbundled Florida extended dialing with Caller ID (LUM) 2-Wire voice unbundled Florida extended dialing with Caller ID Capability 2-Wire voice unbundled Florida Area Calling Port without Caller ID Capability 2-Wire voice unbundled Florida Area Calling Port without Caller ID Capability 2-Wire voice unbundled Florida Area Calling Port without Caller ID Capability 2-Wire voice unbundled Low Usage Line Port without Caller ID Capability RES All Features Offered		2	UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPRC UEPRO UEPAF UEPAP UEPA1 UEPA8 UEPA9	16.05 26.80 9.77 13.88 24.63 2.17 2.17 2.17 2.17 2.17 2.17 2.17	53.31 53.31 53.31 53.31 53.31 53.31 53.31	26.46 26.46 26.46 26.46 26.46 26.46 26.46 26.46	27.50 27.50 27.50 27.50 27.50 27.50 27.50	8.37 8.37 8.37 8.37 8.37 8.37						
	JNE Lo	brt/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 bop Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 Voice Grade Loop (SL1) - Zone 3 2-Wire voice unbundled port - residence 2-Wire voice unbundled port - residence 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled Florida Area Calling with Caller ID - res 2-Wire voice unbundled Florida Area Calling with Caller ID - res 2-Wire voice unbundled Florida extended dialing with Caller ID 2-Wire voice unbundled Florida extended dialing port without Caller ID capability 2-Wire voice unbundled Florida Area Calling Port without Caller ID Capability 2-Wire voice unbundled Low Usage Line Port without Caller ID Capability RES All Features Offered CURRING CHARGES (NRCs) - CURRENTLY COMBINED		2	UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPRC UEPRO UEPAF UEPAP UEPA1 UEPA8 UEPA9	16.05 26.80 9.77 13.88 24.63 2.17 2.17 2.17 2.17 2.17 2.17 2.17	53.31 53.31 53.31 53.31 53.31 53.31 53.31	26.46 26.46 26.46 26.46 26.46 26.46 26.46 26.46	27.50 27.50 27.50 27.50 27.50 27.50 27.50	8.37 8.37 8.37 8.37 8.37 8.37						
	JNE Lo	Pril Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 2-Wire VG Loop/Port Combo - Zone 3 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 Voice Grade Line Port Rates (Res) 2-Wire voice unbundled port - residence 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled Florida Area Calling with Caller ID - res 2-Wire voice unbundled Florida Area Calling with Caller ID (LUM) 2-Wire voice unbundled Florida extended dialing with Caller ID 2-Wire voice unbundled Florida Area Calling Port without Caller ID capability 2-Wire voice unbundled Florida Area Calling Port without Caller ID Capability 2-Wire voice unbundled Low Usage Line Port without Caller ID Capability 2-Wire voice unbundled Low Usage Line Port without Caller ID Capability 8-Wire voice Unbundled Low Usage Line Port without Caller ID Capability 2-Wire voice Unbundled Low Usage Line Port without Caller ID Capability 8-Wire Voice Grade Loop / Line Port Combination - Conversion - Voice Voice Grade Loop / Line Port Combination - Conversion - Voice Voice Grade Loop / Line Port Combination - Conversion - Voice Voice Grade Loop / Line Port Combination - Conversion - Voice Voice Grade Loop / Line Port Combination - Conversion - Voice Grade Loop / Line Port Combination - Conversion - Voice Grade Loop / Line Port Combination - Conversion - Voice Grade Loop / Line Port Combination - Conversion - Voice Grade Loop / Line Port Combination - Conversion - Voice Grade Loop / Line Port Combination - Conversion - Voice Grade Loop / Line Port Combination - Conversion - Voice Grade Loop / Line Port Combination - Conversion - Voice Grade Loop / Line Port Combination - Conversion - Voice Grade Loop / Line Port Combination - Conversion - Voice Grade Loop / Line Port Combination - Conversion - Voice Grade Loop / Line Po		2	UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPRL UEPRC UEPRO UEPAF UEPAP UEPA1 UEPA8 UEPA9 UEPAT	16.05 26.80 9.77 13.88 24.63 2.17 2.17 2.17 2.17 2.17 2.17 2.17	53.31 53.31 53.31 53.31 53.31 53.31 53.31	26.46 26.46 26.46 26.46 26.46 26.46 26.46 26.46	27.50 27.50 27.50 27.50 27.50 27.50 27.50	8.37 8.37 8.37 8.37 8.37 8.37						

Version 4Q05 Standard ICA 03/15/06 (Renegotiations) Page 44 of 261

UNBUNDL	ED N	ETWORK ELEMENTS - Florida												Attachment:	2 Exh A		
CATEGOR		RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Svc Order Submitted Manually per LSR		Incremental Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
								Nonrec	urring	Nonrecurring	Disconnect				Rates(\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		2-Wire Voice Grade Loop / Line Port Platform - Installation															
		Charge at QuickService location - Not Conversion of Existing															
4.0		Service DNAL NRCs			UEPRX	URECC		0.102									
AD		2-Wire Voice Grade Loop/Line Port Combination - Subsequent															
		Activity			UEPRX	USAS2	0.00	0.00	0.00								
		Unbundled Miscellaneous Rate Element, Tag Loop at End User															
		Premise			UEPRX	URETL		8.33	0.83								
OF	F/ON	PREMISES EXTENSION CHANNELS															
		2 Wire Analog Voice Grade Extension Loop – Non-Design		1	UEPRX	UEAEN	10.69	49.57	22.83	25.62	6.57						
		2 Wire Analog Voice Grade Extension Loop – Non-Design		2	UEPRX	UEAEN	15.20	49.57	22.83	25.62	6.57						
		2 Wire Analog Voice Grade Extension Loop – Non-Design		3	UEPRX	UEAEN	26.97	49.57	22.83	25.62	6.57					-	-
		2 Wire Analog Voice Grade Extension Loop – Design		1 2	UEPRX UEPRX	UEAED UEAED	12.24 17.40	135.75 135.75	82.47 82.47	63.53 63.53	12.01 12.01						
		Wire Analog Voice Grade Extension Loop – Design Wire Analog Voice Grade Extension Loop – Design		3	UEPRX	UEAED	30.87	135.75	82.47 82.47	63.53	12.01	1				1	1
INT		FFICE TRANSPORT		3	OLI-IVA	ULALD	30.07	133.73	02.47	03.33	12.01						
		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility															
		Termination			UEPRX	U1TV2	25.32	47.35	31.78								
		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile															
		or Fraction Mile			UEPRX	U1TVM	0.0091	0.00	0.00								
		VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS)															
UN		rt/Loop Combination Rates															
		2-Wire VG Loop/Port Combo - Zone 1					11.94										
		2-Wire VG Loop/Port Combo - Zone 2					16.05										
LIN		2-Wire VG Loop/Port Combo - Zone 3 op Rates					26.80										
O.V		2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPBX	UEPLX	9.77										
		2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPBX	UEPLX	13.88										
		2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPBX	UEPLX	24.63										
2-V		/oice Grade Line Port (Bus)															
		2-Wire voice unbundled port without Caller ID - bus			UEPBX	UEPBL	2.17	53.31	26.46	27.50	8.37						
		2-Wire voice unbundled port with Caller + E484 ID - bus			UEPBX	UEPBC	2.17	53.31	26.46	27.50	8.37						
		2-Wire voice unbundled port outgoing only - bus			UEPBX	UEPBO	2.17	53.31	26.46	27.50	8.37						
		2-Wire voice unbundled incoming only port with Caller ID - Bus			UEPBX	UEPB1	2.17	53.31	26.46	27.50	8.37						
		2-Wire voice unbundled Incoming Only Port without Caller ID Capability			UEPBX	UEPBE	2.17	53.31	26.46	27.50	8.37						
FF	ATU				ULFBA	OLFBL	2.17	33.31	20.40	21.50	0.37						
		All Features Offered			UEPBX	UEPVF	2.26	0.00	0.00								
NO		CURRING CHARGES (NRCs) - CURRENTLY COMBINED		1		7	20	2.00	2.00								
		2-Wire Voice Grade Loop / Line Port Combination - Conversion -															
		Switch-as-is			UEPBX	USAC2		0.102	0.102								
		2-Wire Voice Grade Loop / Line Port Combination - Conversion -															
		Switch with change		1	UEPBX	USACC		0.102	0.102								
AD		DNAL NRCs		1		1											
		2-Wire Voice Grade Loop/Line Port Combination - Subsequent Activity			UEPBX	USAS2		0.00	0.00								
		Unbundled Miscellaneous Rate Element, Tag Loop at End User		 	ULFBA	U3A32		0.00	0.00								
		Premise			UEPBX	URETL		8.33	0.83								
OF		PREMISES EXTENSION CHANNELS		1 1	* - : -::			2.00	2,00								
		2 Wire Analog Voice Grade Extension Loop - Non-Design		1	UEPBX	UEAEN	10.69	49.57	22.83	25.62	6.57						
		2 Wire Analog Voice Grade Extension Loop – Non-Design		2	UEPBX	UEAEN	15.20	49.57	22.83	25.62	6.57				_	_	
		2 Wire Analog Voice Grade Extension Loop – Non-Design		3	UEPBX	UEAEN	26.97	49.57	22.83	25.62	6.57						
		2 Wire Analog Voice Grade Extension Loop – Design		1	UEPBX	UEAED	12.24	135.75	82.47	63.53	12.01						
		2 Wire Analog Voice Grade Extension Loop – Design		2	UEPBX	UEAED	17.40	135.75	82.47	63.53	12.01					-	
1817		2 Wire Analog Voice Grade Extension Loop – Design FFICE TRANSPORT		3	UEPBX	UEAED	30.87	135.75	82.47	63.53	12.01						
IIN		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility		1		+										-	-
		Termination			UEPBX	U1TV2	25.32	47.35	31.78								
					J. D.	0.172	20.02	77.00	01.70			L				·	·

LINIBLE	NDI ED A	SETHODIC EL EMENTO. El cal·la													05.1.4		
UNBU	NDLED N	NETWORK ELEMENTS - Florida												Attachment:			t
														Incremental			Incremental
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
			Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATE	GORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													•	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
								Nonrec	urring	Nonrecurring	Disconnect				Rates(\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile															
		or Fraction Mile			UEPBX	U1TVM	0.0091	0.00	0.00								ł
	2-WIRE	VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES - PBX)															
	UNE Po	ort/Loop Combination Rates															ĺ
		2-Wire VG Loop/Port Combo - Zone 1					11.94										ł
		2-Wire VG Loop/Port Combo - Zone 2					16.05										ĺ
		2-Wire VG Loop/Port Combo - Zone 3					26.80										ĺ
	UNE Lo	pop Rates															
		2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEPRG	UEPLX	9.77										
		2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEPRG	UEPLX	13.88										ĺ
		2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEPRG	UEPLX	24.63										1
	2-Wire	Voice Grade Line Port Rates (RES - PBX)															í
		2-Wire VG Unbundled Combination 2-Way PBX Trunk Port -															1
L		Res	<u>L</u>	<u> </u>	UEPRG	UEPRD	2.17	174.81	100.65	75.88	12.73	<u> </u>	<u></u>	<u> </u>	<u> </u>		<u> </u>
	FEATU	RES															1
		All Features Offered			UEPRG	UEPVF	2.26	0.00	0.00								
	NONRE	CURRING CHARGES (NRCs) - CURRENTLY COMBINED															
		2-Wire Voice Grade Loop/ Line Port Combination (PBX) -															
		Conversion - Switch-As-Is			UEPRG	USAC2		8.45	1.91								ł
		2-Wire Voice Grade Loop/ Line Port Combination (PBX) -															1
		Conversion - Switch with Change			UEPRG	USACC		8.45	1.91								ł l
	ADDITI	ONAL NRCs															
		2-Wire Voice Grade Loop/ Line Port Combination (PBX) -		t t													
		Subsequent Activity			UEPRG	USAS2	0.00	0.00	0.00								ł l
		PBX Subsequent Activity - Change/Rearrange Multiline Hunt															
		Group						7.86	7.86								ł l
		Unbundled Miscellaneous Rate Element, Tag Loop at End User		t t													
		Premise			UEPRG	URETL		8.33	0.83								ł
	OFF/O	N PREMISES EXTENSION CHANNELS		t t													
		Local Channel Voice grade, per termination		1	UEPRG	P2JHX	12.24	135.75	82.47	63.53	12.01						
		Local Channel Voice grade, per termination		2	UEPRG	P2JHX	17.40	135.75	82.47	63.53	12.01						
		Local Channel Voice grade, per termination		3	UEPRG	P2JHX	30.87	135.75	82.47	63.53	12.01						
		Non-Wire Direct Serve Channel Voice Grade		1	UEPRG	SDD2X	12.92	120.38	43.56	95.00	10.54						
		Non-Wire Direct Serve Channel Voice Grade		2	UEPRG	SDD2X	18.36	120.38	43.56	95.00	10.54						
		Non-Wire Direct Serve Channel Voice Grade		3	UEPRG	SDD2X	32.58	120.38	43.56	95.00	10.54						
	INTER	OFFICE TRANSPORT	1	\vdash						22.30							ĺ
	T	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility	1	\vdash		† 1	İ										ĺ
1	1	Termination	1		UEPRG	U1TV2	25.32	47.35	31.78			1	1				1
	1	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile	1	\vdash			20.02		00								ĺ
	1	or Fraction Mile			UEPRG	U1TVM	0.0091	0.00	0.00			İ					1
	2-WIRE	VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)	i –	1 1				2.00	2.00								
		ort/Loop Combination Rates	1	\vdash		† 1	İ										
	1	2-Wire VG Loop/Port Combo - Zone 1	1	1 1			11.94										
	1	2-Wire VG Loop/Port Combo - Zone 2	1	1 1			16.05										
	1	2-Wire VG Loop/Port Combo - Zone 3	1			1	26.80			İ			İ	İ	İ		
	UNE La	pop Rates	1	\vdash		† 1											
	1	2-Wire Voice Grade Loop (SL 1) - Zone 1	1	1	UEPPX	UEPLX	9.77										
	1	2-Wire Voice Grade Loop (SL 1) - Zone 2	1	2	UEPPX	UEPLX	13.88										
	1	2-Wire Voice Grade Loop (SL 1) - Zone 3	1	3	UEPPX	UEPLX	24.63										
	2-Wire	Voice Grade Line Port Rates (BUS - PBX)	1				50										i
	1	\	i –	1 1													
1	1	Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus	1		UEPPX	UEPPC	2.17	174.81	100.65	75.88	12.73	1	1				1
	1	Line Side Unbundled Outward PBX Trunk Port - Bus	1	1 1	UEPPX	UEPPO	2.17	174.81	100.65	75.88	12.73	1	 				
	1	Line Side Unbundled Incoming PBX Trunk Port - Bus	1	+ +	UEPPX	UEPP1	2.17	174.81	100.65	75.88	12.73		l				ſ
-	+	2-Wire Voice Unbundled PBX LD Terminal Ports	!	 	UEPPX	UEPLD	2.17	174.81	100.65	75.88	12.73						ſ
-	1	2-Wire Voice Unbundled 2-Way Combination PBX Usage Port	1	1 1	UEPPX	UEPXA	2.17	174.81	100.65	75.88	12.73						
—	+	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports	1	+ +	UEPPX	UEPXB	2.17	174.81	100.65	75.88	12.73						
-	+	2-Wire Voice Unbundled PBX LD DDD Terminals Port	1	+ +	UEPPX	UEPXC	2.17	174.81	100.65	75.88	12.73						
	1	2-Wire Voice Unbundled PBX LD DDD Terminals Port 2-Wire Voice Unbundled PBX LD Terminal Switchboard Port	1	 	UEPPX	UEPXD	2.17	174.81	100.65	75.88	12.73						
	1	2-14116 AOICE OUDUITUIER EDV ED TEITIIIIAI OMICUIDUALD BOLL			ULFFA	OLFAD	2.17	1/4.01	100.00	10.08	12./3	1	l	l	1		

UNBUNDLE	NETWORK ELEMENTS - Florida												Attachment:	2 Exh A		
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Submitted	Incremental		Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
							Nonrec		Nonrecurring					Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD															
	Capable Port			UEPPX	UEPXE	2.17	174.81	100.65	75.88	12.73						
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Administrative Calling Port			UEPPX	UEPXL	2.17	174.81	100.65	75.88	12.73						
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Room Calling Port			UEPPX	UEPXM	2.17	174.81	100.65	75.88	12.73						
	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital Discount Room Calling Port			UEPPX	UEPXO	2.17	174.81	100.65	75.88	12.73						
	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPPX	UEPXS	2.17	174.81	100.65	75.88	12.73						
FEAT	URES															
	All Features Offered		<u> </u>	UEPPX	UEPVF	2.26	0.00	0.00								
NON	RECURRING CHARGES (NRCs) - CURRENTLY COMBINED															
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Conversion - Switch-As-Is			UEPPX	USAC2		8.45	1.91								
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Conversion - Switch with Change			UEPPX	USACC		8.45	1.91								
ADDI	TIONAL NRCs			-												
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Subsequent Activity			UEPPX	USAS2	0.00	0.00	0.00								
	PBX Subsequent Activity - Change/Rearrange Multiline Hunt Group			OLITA	CONCE	0.00	7.86	7.86								
	Unbundled Miscellaneous Rate Element, Tag Loop at End User															
055	Premise CATENDIAN CHANNEL C			UEPPX	URETL		8.33	0.83								
OFF/	ON PREMISES EXTENSION CHANNELS Local Channel Voice grade, per termination		1	UEPPX	P2JHX	12.24	135.75	82.47	63.53	12.01						
	Local Channel Voice grade, per termination		2	UEPPX	P2JHX	17.40	135.75	82.47	63.53	12.01						-
	Local Channel Voice grade, per termination Local Channel Voice grade, per termination	1	3	UEPPX	P2JHX	30.87	135.75	82.47	63.53	12.01						-
 	Non-Wire Direct Serve Channel Voice Grade		1	UEPPX	SDD2X	12.92	120.38	43.56	95.00	10.54						
	Non-Wire Direct Serve Channel Voice Grade		2	UEPPX	SDD2X	18.36	120.38	43.56	95.00	10.54						
	Non-Wire Direct Serve Channel Voice Grade		3	UEPPX	SDD2X	32.58	120.38	43.56	95.00	10.54						
INTE	ROFFICE TRANSPORT															
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility Termination			UEPPX	U1TV2	25.32	47.35	31.78								
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile or Fraction Mile			UEPPX	U1TVM	0.0091	0.00	0.00								
2-WI	RE VOICE GRADE LOOP WITH 2-WIRE ANALOG LINE COIN PO	RT			1											
UNE	Port/Loop Combination Rates	<u> </u>														
	2-Wire VG Coin Port/Loop Combo – Zone 1					11.94										
	2-Wire VG Coin Port/Loop Combo – Zone 2					16.05										
	2-Wire VG Coin Port/Loop Combo – Zone 3	<u> </u>	lacksquare		1	26.80										1
UNE	Loop Rates	ļ	\vdash		<u>.</u>											├
	2-Wire Voice Grade Loop (SL1) - Zone 1	ļ	1	UEPCO	UEPLX	9.77										
\vdash	2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3	1	3	UEPCO UEPCO	UEPLX UEPLX	13.88 24.63			-							
2,14/:	re Voice Grade Line Ports (COIN)	1	3	UEPUU	UEPLA	∠4.03			H							
2-771	2-Wire Coin 2-Way with Operator Screening and Blocking: 011,	1	\vdash		1				1							
	900/976, 1+DDD (FL) 2-Wire Coin 2-Way with Operator Screening and 011 Blocking			UEPCO	UEP2F	2.17	53.31	26.46	27.50	8.37						1
	(FL)			UEPCO	UEPFA	2.17	53.31	26.46	27.50	8.37						1
	2-Wire Coin 2-Way with Operator Screening and Blocking: 900/976, 1+DDD, 011+, and Local (FL)			UEPCO	UEPCG	2.17	53.31	26.46	27.50	8.37						
	2-Wire Coin Outward with Operator Screening and 011 Blocking (AL, FL)			UEPCO	UEPRK	2.17	53.31	26.46	27.50	8.37						
	2-Wire Coin Outward with Operator Screening and Blocking: 900/976, 1+DDD, 011+ (FL)			UEPCO	UEPOF	2.17	53.31	26.46	27.50	8.37						
	2-Wire Coin Outward with Operator Screening and Blocking: 900/976, 1+DDD, 011+, and Local (FL, GA)			UEPCO	UEPCQ	2.17	53.31	26.46	27.50	8.37						
	2-Wire 2-Way Smartline with 900/976 (all states except LA)			UEPCO	UEPCK	2.17	53.31	26.46	27.50	8.37						

UNBUNDLED	NETWORK ELEMENTS - Florida												Attachment:	2 Exh A		
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Charge -	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l
							Nonrec	urrina	Nonrecurring	n Disconnect		l .	000	Rates(\$)	l .	
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN		SOMAN	SOMAN	SOMAN
	2-Wire Coin Outward Smartline with 900/976 (all states except					Nec	First	Auu i	FIISt	Auu i	SOWIEC	JOWAN	JOWAN	JOWAN	JOWAN	JOWAN
	I A)			UEPCO	UEPCR	2.17	53.31	26.46	27.50	8.37						
ADDI	TIONAL UNE COIN PORT/LOOP (RC)			02.00	OZ. OK	2	00.01	20.10	21.00	0.01						
	UNE Coin Port/Loop Combo Usage (Flat Rate)			UEPCO	URECU	1.86	0.00	0.00	0.00	0.00						
NON	RECURRING CHARGES - CURRENTLY COMBINED															
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -	·														
	Switch-as-is			UEPCO	USAC2		0.102	0.102								
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -			UEPCO	USACC		0.102	0.102								
ADDI	Switch with change TIONAL NRCs			UEPCO	USACC		0.102	0.102					1			
ADDI	2-Wire Voice Grade Loop/Line Port Combination - Subsequent				1											
	Activity			UEPCO	USAS2		0.00	0.00								
	Unbundled Miscellaneous Rate Element, Tag Loop at End User															
	Premise			UEPCO	URETL		8.33	0.83								
	RE VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE	E LINE I	PORT (F	RES)												
UNE	Port/Loop Combination Rates															
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 1					14.64										
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 2					19.80 33.27					-					
LINE	2-Wire VG Loop/IO Tranport/Port Combo - Zone 3 Loop Rates					33.21										
ONL	2-Wire Voice Grade Loop (SL2) - Zone 1		1	UEPFR	UECF2	12.24							1			
	2-Wire Voice Grade Loop (SL2) - Zone 2		2	UEPFR	UECF2	17.40										
	2-Wire Voice Grade Loop (SL2) - Zone 3		3	UEPFR	UECF2	30.87							t			
2-Wir	e Voice Grade Line Port Rates (Res)															
	2-Wire voice unbundled port - residence			UEPFR	UEPRL	2.40	174.81	100.65	75.88	12.73						
	2-Wire voice unbundled port with Caller ID - res			UEPFR	UEPRC	2.40	174.81	100.65	75.88	12.73						
	2-Wire voice unbundled port outgoing only - res			UEPFR	UEPRO	2.40	174.81	100.65	75.88	12.73						
	O Miles veine web and led Floride Area Collins with Colleg ID			UEPFR	LIEBAE	2.40	474.04	400.05	75.00	40.70						
	2-Wire voice unbundled Florida Area Calling with Caller ID - res 2-Wire voice unbundles res, low usage line port with Caller ID			UEPFR	UEPAF	2.40	174.81	100.65	75.88	12.73			-			
	(LUM)			UEPFR	UEPAP	2.40	174.81	100.65	75.88	12.73						
INTE	ROFFICE TRANSPORT			02.77	02.7%	20		100.00	7 0.00	.20						
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility															
	Termination			UEPFR	U1TV2	25.32	47.35	31.78								
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile															
	or Fraction Mile			UEPFR	1L5XX	0.0091										
FEAT	TURES			LIEBER	1155) (5											
Non	All Features Offered			UEPFR	UEPVF	2.26	0.00	0.00								
NONE	RECURRING CHARGES (NRCs) - CURRENTLY COMBINED 2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port	 	1		+					-	1		-	-	-	
	Combination - Conversion - Switch-as-is			UEPFR	USAC2		16.97	3.73					1			
-	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port	<u> </u>		021111	33/102		10.07	5.75					1			
	Combination - Conversion - Switch-With-Change	1		UEPFR	USACC		16.97	3.73								
	Unbundled Miscellaneous Rate Element, Tag Designed Loop at															
	End User Premise			UEPFR	URETN		11.21	1.10								
	RE VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE	E LINE I	PORT (E	BUS)												
UNE	Port/Loop Combination Rates	<u> </u>	├		 	44.04						<u> </u>		ļ		
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 1 2-Wire VG Loop/IO Tranport/Port Combo - Zone 2	 	1		1	14.64 19.80						1	 			
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 2 2-Wire VG Loop/IO Tranport/Port Combo - Zone 3	 	├		1	33.27					1	1	t			
UNE	Loop Rates	<u> </u>	t		1	00.Z1							1			
	2-Wire Voice Grade Loop (SL2) - Zone 1		1	UEPFB	UECF2	12.24										
	2-Wire Voice Grade Loop (SL2) - Zone 2		2	UEPFB	UECF2	17.40										
	2-Wire Voice Grade Loop (SL2) - Zone 3		3	UEPFB	UECF2	30.87										
	e Voice Grade Line Port (Bus)	1														
2-Wir										12.73		1	1	1	1	1
2-Wir	2-Wire voice unbundled port without Caller ID - bus			UEPFB	UEPBL	2.40	174.81	100.65	75.88			1				
2-Wit				UEPFB UEPFB UEPFB	UEPBC UEPBO	2.40 2.40 2.40	174.81 174.81 174.81	100.65 100.65	75.88 75.88	12.73 12.73						

NRONDLED	NETWORK ELEMENTS - Florida					•							Attachment:		L'	ļ
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Charge -	Charge -
							Nonred	curring	Nonrecurring	Disconnect			oss	Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
INTER	OFFICE TRANSPORT															
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility															
	Termination			UEPFB	U1TV2	25.32	47.35	31.78						1 '	,	
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile			ULFIB	01172	25.52	47.33	31.70			1					
				LIEDED	41.577	0.0004								1 '	,	
	or Fraction Mile			UEPFB	1L5XX	0.0091					ļ			——		
FEATU	-															
	All Features Offered			UEPFB	UEPVF	2.26	0.00	0.00						'	<u>'</u>	
NONRE	ECURRING CHARGES (NRCs) - CURRENTLY COMBINED															
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port													1 '	,	
	Combination - Conversion - Switch-as-is			UEPFB	USAC2		16.97	3.73						1 '	,	
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port													1		
	Combination - Conversion - Switch with change	1		UEPFB	USACC		16.97	3.73				I		1 '	1 '	1
	Unbundled Miscellaneous Rate Element, Tag Designed Loop at															
	End User Premise			UEPFB	URETN		11.21	1.10				1		1 '	1 '	
2-WIPE	E VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE	FINE	PORT /F		OILLIN		11.21	1.10			1	ł – – – –			$\vdash \vdash \vdash$	
		LLINE	FORT (F	ם או										\vdash		
UNE PO	ort/Loop Combination Rates	 	+-+		+	1101					1	 				
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 1					14.64										
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 2					19.80								 '		
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 3					33.27								<u>'</u>		
UNE Lo	oop Rates													<u> </u>		
	2-Wire Voice Grade Loop (SL2) - Zone 1		1	UEPFP	UECF2	12.24								1		
	2-Wire Voice Grade Loop (SL2) - Zone 2		2	UEPFP	UECF2	17.40								1	ı	
	2-Wire Voice Grade Loop (SL2) - Zone 3		3	UEPFP	UECF2	30.87										
2-Wire	Voice Grade Line Port Rates (BUS - PBX)															
					1											
	Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus			UEPFP	UEPPC	2.40	174.81	100.65	75.88	12.73				1 '		
-	Line Side Unbundled Outward PBX Trunk Port - Bus			UEPFP	UEPPO	2.40	174.81	100.65	75.88	12.73	1					
		 	-		UEPP1		174.81							\vdash		
	Line Side Unbundled Incoming PBX Trunk Port - Bus			UEPFP		2.40		100.65	75.88	12.73	ļ			——		
	2-Wire Voice Unbundled PBX LD Terminal Ports			UEPFP	UEPLD	2.40	174.81	100.65	75.88	12.73						
	2-Wire Voice Unbundled 2-Way Combination PBX Usage Port			UEPFP	UEPXA	2.40	174.81	100.65	75.88	12.73						
	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports			UEPFP	UEPXB	2.40	174.81	100.65	75.88	12.73				<u> </u>		
	2-Wire Voice Unbundled PBX LD DDD Terminals Port			UEPFP	UEPXC	2.40	174.81	100.65	75.88	12.73				1		
	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port			UEPFP	UEPXD	2.40	174.81	100.65	75.88	12.73				1	ı	
	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD															
	Capable Port			UEPFP	UEPXE	2.40	174.81	100.65	75.88	12.73				1 '		
-	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy															
	Administrative Calling Port	1		UEPFP	UEPXL	2.40	174.81	100.65	75.88	12.73		I		1 '	1 '	
-	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy	1	\vdash	ULFFF	ULFAL	2.40	174.01	100.05	13.08	12.73	 	 			$\vdash \!$	
		1		LIEBED	LIEDVAA	0.40	474.01	100.05	75.00	40 =0		I		1 '	1 '	
_	Room Calling Port		\vdash	UEPFP	UEPXM	2.40	174.81	100.65	75.88	12.73	1	1		<u>'</u>	└─ ──'	
	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital	1		====								I		1 '	1 '	
	Discount Room Calling Port			UEPFP	UEPXO	2.40	174.81	100.65	75.88	12.73	1	1		<u> </u>	 '	
	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPFP	UEPXS	2.40	174.81	100.65	75.88	12.73				<u> </u>	<u> </u>	
INTER	OFFICE TRANSPORT															
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility						_									
	Termination			UEPFP	U1TV2	25.32	47.35	31.78				1		1 '	1 '	
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile				İ						1	İ				
	or Fraction Mile	1		UEPFP	1L5XX	0.0091						I		1 '	1 '	
FEATU		 	1 1	<u> </u>	. 20/01	3.0001					1	 			\vdash	
	All Features Offered	 	+	UEPFP	UEPVF	2.26	0.00	0.00			1	1				
	ECURRING CHARGES (NRCs) - CURRENTLY COMBINED	1	\vdash	ULFFF	OLFVF	2.20	0.00	0.00			 	 			$\vdash \!$	
NONKE		1	-		+						1	1			├	-
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port	1		====								I		1 '	1 '	
	Combination - Conversion - Switch-as-is	<u> </u>	\sqcup	UEPFP	USAC2		16.97	3.73			ļ			'	Ļ'	
		1			1							1		1 '	1 '	
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port					1	16.97	3.73			1			. '	,	
	Combination - Conversion - Switch with change			UEPFP	USACC		10.91	0.70								
+				UEPFP	USACC		10.91	0.70								
	Combination - Conversion - Switch with change			UEPFP UEPFP	URETN		11.21	1.10								
2-WIRE	Combination - Conversion - Switch with change Unbundled Miscellaneous Rate Element, Tag Designed Loop at End User Premise	PORT														
	Combination - Conversion - Switch with change Unbundled Miscellaneous Rate Element, Tag Designed Loop at	PORT														

LINBUNDI ED I	NETWORK ELEMENTS - Florida												Attachment:	2 Evh Δ	ı	
CIADOIADEED	AFT AA OUV FFFIAIEN 19 - LIOHING	1	1								Svc Order	Svc Order			Incremental	Incremental
												Submitted	Charge -	Charge -	Charge -	Charge -
CATECORY	DATE ELEMENTO	Interi	7	DOC	11000			RATES(\$)			Elec	Manually	Manual Svc		Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			KAIES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
-							Managa		Name and accounting and	Dianamant			000	Detec(f)		
						n.,	Nonrec		Nonrecurring		001450	001111		Rates(\$)	001141	001111
	O.W. VO.L. VO.L. DID T. J. D. J. O. J. LINE 7 O					Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 2					27.11										
I I I I	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 3					40.58										
UNE L	oop Rates			HEDDY	LIEOD4	40.04										
	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 1		1	UEPPX UEPPX	UECD1 UECD1	12.24 17.40										
	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 2		2	UEPPX		30.87										
LINE D	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 3		3	UEPPX	UECD1	30.87										
UNE P	ort Rate			HEDDY	UEDD4	0.74	04440	20.00								
NOND	Exchange Ports - 2-Wire DID Port			UEPPX	UEPD1	9.71	214.16	98.29								
NONKI	ECURRING CHARGES - CURRENTLY COMBINED															
	2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Combination -			HEDDY	110404		7.05	4.07								
 	Switch-as-is	<u> </u>	<u> </u>	UEPPX	USAC1		7.85	1.87	ļ .				1			├
	2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Conversion	1		LIEBBY	110									l	Ì	1
H	with BellSouth Allowable Changes	<u> </u>	<u> </u>	UEPPX	USA1C		7.85	1.87								
ADDIT	IONAL NRCs	<u> </u>	<u> </u>	LIEBBY	110.0.								1			├
\vdash	2-Wire DID Subsequent Activity - Add Trunks, Per Trunk	ļ	ļ	UEPPX	USAS1		32.26	32.26			1					
	Unbundled Miscellaneous Rate Element, Tag Designed Loop at	1		LIEBBY										l	Ì	1
	End User Premise			UEPPX	URETN		11.21	1.10								
Teleph	one Number/Trunk Group Establisment Charges															
	DID Trunk Termination (One Per Port)			UEPPX	NDT	0.00	0.00	0.00								
	DID Numbers, Establish Trunk Group and Provide First Group															
	of 20 DID Numbers			UEPPX	NDZ	0.00	0.00	0.00								
	Additional DID Numbers for each Group of 20 DID Numbers			UEPPX	ND4	0.00	0.00	0.00								
	DID Numbers, Non- consecutive DID Numbers , Per Number			UEPPX	ND5	0.00	0.00	0.00								
	Reserve Non-Consecutive DID numbers	<u> </u>		UEPPX	ND6	0.00	0.00	0.00								
	Reserve DID Numbers			UEPPX	NDV	0.00	0.00	0.00								
	ISDN DIGITAL GRADE LOOP WITH 2-WIRE ISDN DIGITAL LII	NE SIDI	PORI	1												
UNE P	ort/Loop Combination Rates	<u> </u>														
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -															
	UNE Zone 1	<u> </u>				23.63										
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -															
	UNE Zone 2					30.05										
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -															
L	UNE Zone 3					46.84										
UNE L	oop Rates	<u> </u>			1101 01	4= 0=										
	2-Wire ISDN Digital Grade Loop - UNE Zone 1		1	UEPPB UEPPR	USL2X	15.25										
	L		_													
	2-Wire ISDN Digital Grade Loop - UNE Zone 2		2	UEPPB UEPPR	USL2X	21.67										
	2-Wire ISDN Digital Grade Loop - UNE Zone 3	<u> </u>	3	UEPPB UEPPR	USL2X	38.46			ļ .				1			├
UNE P	ort Rate	<u> </u>	<u> </u>	HEDDD	HEDDE	0.00	101 =0	445.00	ļ .				1			├
\vdash	Exchange Port - 2-Wire ISDN Line Side Port	<u> </u>	<u> </u>	UEPPR	UEPPR	8.38	194.52	145.09								
	Exchange Port - 2-Wire ISDN Line Side Port	<u> </u>	<u> </u>	UEPPB	UEPPB	8.38	194.52	145.09								
NONRI	CURRING CHARGES - CURRENTLY COMBINED	<u> </u>	<u> </u>										1			├
	2-Wire ISDN Digital Grade Loop / 2-Wire ISDN Line Side Port	1		LIEDDO VIENE	1104.00									l	Ì	1
	Combination - Conversion	<u> </u>	<u> </u>	UEPPB UEPPR	USACB	0.00	25.22	17.00					1			├
ADDIT	IONAL NRCs	<u> </u>	<u> </u>										1			├
	Unbundled Miscellaneous Rate Element, Tag Designed Loop at			HEDDD HEDDS	LIDETA		44.01									1
 	End User Premise	 	1	UEPPB UEPPR	URETN		11.21	1.10			1		-	1	1	
	Unbundled Miscellaneous Rate Element, Tag Loop at End User	1		HEDDD HEDDS	LIDET		0.00	0.00						l	Ì	1
	Premise	 	1	UEPPB UEPPR	URETL		8.33	0.83			1		-	1	1	
B-CHA	NNEL USER PROFILE ACCESS: ICVS/CSD (DMS/5ESS)	 	1	UEPPB UEPPR	U1UCA	0.00	0.00	0.00			1		-	1	1	
 		 	1			0.00	0.00	0.00			1		-	1	1	
—	CVS (EWSD)	 	1	UEPPB UEPPR	U1UCB	0.00	0.00	0.00	 		1		-	1	1	
D C''A	CSD	C MC 2		UEPPB UEPPR	U1UCC	0.00	0.00	0.00	 		1		-	1	1	
	NNEL AREA PLUS USER PROFILE ACCESS: (AL,KY,LA,MS SI	C,IVIS, 8	(I N)													
USER	TERMINAL PROFILE	 	1	UEPPB UEPPR	11411840	0.00	0.00	0.00			1			-	-	+
1,555	User Terminal Profile (EWSD only)	 	1	UEPPB UEPPR	U1UMA	0.00	0.00	0.00			1		-	1	1	
VERTI	CAL FEATURES	 	1	HEDDD HEDDS	HED.	0.00	2.22	2.00			1		-	1	1	
INITES	All Vertical Features - One per Channel B User Profile		1	UEPPB UEPPR	UEPVF	2.26	0.00	0.00								
INTER	OFFICE CHANNEL MILEAGE										1					1

UNBUNDLED	NETWORK ELEMENTS - Florida												Attachment:	2 Exh A	l	
ONDONDEED	TETWORK ELEMENTO TIONGG										Svc Order	Svc Order	Incremental		Incremental	Incremental
												Submitted		Charge -	Charge -	Charge -
											Elec					
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES(\$)					Manual Svc			
CATEGORI	RATE ELEMENTS	m	Zone	ьсэ	0300			KATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
							Nonrec		Nonrecurring					Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Interoffice Channel mileage each, including first mile and															
	facilities termination			UEPPB UEPPR	M1GNC	25.3291	47.35	31.78	18.31	7.03						
	Interoffice Channel mileage each, additional mile			UEPPB UEPPR	M1GNM	0.0091	0.00	0.00								
UNBUNDLED	CENTREX PORT/LOOP COMBINATIONS - COST BASED RATE:	3														
	CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only															
	e VG Loop/2-Wire Voice Grade Port (Centrex) Combo		1													
	Port/Loop Combination Rates (Non-Design)															†
ONL	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -															
						44.04										
	Non-Design		1			11.94										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo					40.00										
	Non-Design					16.05										ļ
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
	Non-Design					26.80										
UNE	Port/Loop Combination Rates (Design)															
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -															
	Design					14.41										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
	Design					19.57										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -					10.01										†
						33.04										
UNIT	Design					33.04										<u> </u>
UNE	oop Rate				115004											
	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP91	UECS1	9.77										ļ
	2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEP91	UECS1	13.88										
	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP91	UECS1	24.63										
	2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP91	UECS2	12.24										
	2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP91	UECS2	17.40										
	2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP91	UECS2	30.87										
UNE	Ports															
All St	ates (Except North Carolina and Sout Carolina)															
	2-Wire Voice Grade Port (Centrex) Basic Local Area			UEP91	UEPYA	2.17	53.31	26.46	27.50	8.37						
	2-Wire Voice Grade Port (Centrex 800 termination)Basic Local		1													
	Area			UEP91	UEPYB	2.17	53.31	26.46	27.50	8.37						
+	2-Wire Voice Grade Port (Centrex with Caller ID)Note1 Basic			ULF91	OLFIB	2.17	33.31	20.40	21.30	0.37						-
				UEP91	UEPYH	2.17	53.31	00.40	07.50	8.37						
	Local Area			UEP91	UEPTH	2.17	53.31	26.46	27.50	8.37						<u> </u>
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)			LIEBO.	LIEBYA.		,		/:							
	Note 2, 3 Basic Local Area			UEP91	UEPYM	2.17	139.49	86.10	65.41	13.81						ļ
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service															
	Term - Basic Local Area			UEP91	UEPYZ	2.17	139.49	86.10	65.41	13.81						
	2-Wire Voice Grade Port terminated in on Megalink or equivalent]				<u> </u>	1	l			1	1	
	- Basic Local Area	l		UEP91	UEPY9	2.17	53.31	26.46	27.50	8.37	I]		1	1	
	2-Wire Voice Grade Port Terminated on 800 Service Term -															
	Basic Local Area			UEP91	UEPY2	2.17	53.31	26.46	27.50	8.37						
Georg	ia and Florida Only					2.17				2.3,	İ	i		İ	İ	
	2-Wire Voice Grade Port (Centrex)			UEP91	UEPHA	2.17	53.31	26.46	27.50	8.37	1	i				1
	2-Wire Voice Grade Port (Centrex 800 termination)			UEP91	UEPHB	2.17	53.31	26.46	27.50	8.37	 			1	1	†
H + + + + + + + + + + + + + + + + + + +	2-Wire Voice Grade Port (Centrex 800 termination) 2-Wire Voice Grade Port (Centrex with Caller ID)1		\vdash	UEP91	UEPHH	2.17	53.31	26.46	27.50	8.37	 	1		1	1	+
\vdash			\vdash	ULF31	JEFIIIT	2.17	ا د.ی	20.40	21.50	0.37	-					
	2-Wire Voice Grade Port (Centrex from diff Serving Wire			LIEDO4	LIEBURA	0.4-	400.40	00.40	05.44	40.01						
	Center)2,3		\vdash	UEP91	UEPHM	2.17	139.49	86.10	65.41	13.81	1			 	 	
	2-Wire Voice Grade Port, Diff Serving Wire Center 2,3 - 800	l	1				400 :-				I]		1	1	
	Service Term			UEP91	UEPHZ	2.17	139.49	86.10	65.41	13.81	1]]	1
		l	1]	l				1	I]		1	1	
	2-Wire Voice Grade Port terminated in on Megalink or equivalent		<u> </u>	UEP91	UEPH9	2.17	53.31	26.46	27.50	8.37				<u> </u>	<u> </u>	<u> </u>
	2-Wire Voice Grade Port Terminated on 800 Service Term			UEP91	UEPH2	2.17	53.31	26.46	27.50	8.37						
Local	Switching															
	Centrex Intercom Funtionality, per port			UEP91	URECS	0.7384										
Featu											1					†
- Juli	All Standard Features Offered, per port			UEP91	UEPVF	2.26										
 	All Select Features Offered, per port		\vdash	UEP91	UEPVS	0.00	370.70				1			1	1	
 	All Centrex Control Features Offered, per port	-	\vdash	UEP91	UEPVS	2.26	3/0./0		-	-	 	-		 	 	
	All Centrex Control Features Offered, per port	l	11	UEF91	UEFVC	2.20			L	<u> </u>	i	1		l	l	

JNBUNDLED	NETWORK ELEMENTS - Florida												Attachment:	2 Exh A		
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Svc Order Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Charge -	Charge -
							Nonrec	urring	Nonrecurring	Disconnect		•	oss	Rates(\$)		
-+-					+	Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
NARS			+ +			Nec	FIISL	Auu i	FIISL	Auu i	SOWIEC	JOWAN	JOWAN	JOWAN	JOIVIAIN	JOWAN
NAKS			1													
	Unbundled Network Access Register - Combination			UEP91	UARCX	0.00	0.00	0.00	0.00	0.00						
	Unbundled Network Access Register - Indial			UEP91	UAR1X	0.00	0.00	0.00	0.00	0.00						
	Unbundled Network Access Register - Outdial			UEP91	UAROX	0.00	0.00	0.00	0.00	0.00						
Misce	Ilaneous Terminations															
	Trunk Side															
	Trunk Side Terminations, each			UEP91	CENA6	8.73										
Intere	ffice Channel Mileage - 2-Wire		+ - 1	OLF91	CLIVAO	0.73					-	-				
intero			-	LIEBO.												
	Interoffice Channel Facilities Termination - Voice Grade			UEP91	M1GBC	25.32										
	Interoffice Channel mileage, per mile or fraction of mile			UEP91	M1GBM	0.0091										
	re Activations (DS0) Centrex Loops on Channelized DS1 Servic	e	\bot										l		l	L
D4 Ch	annel Bank Feature Activations															
	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP91	1PQWS	0.66										ĺ
					1	2.00										
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot	l		UEP91	1PQW6	0.66								1		l
+-		 	+	OLFSI	11 02 77 70	0.06			 		 	 	 	 	 	
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop	l			4504-									1		l
	Slot			UEP91	1PQW7	0.66					ļ	ļ				
	Feature Activation on D-4 Channel Bank Centrex Loop Slot -															
	Different Wire Center			UEP91	1PQWP	0.66										
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP91	1PQWV	0.66										
	Feature Activation on D-4 Channel Bank Tile Line/Trunk Loop			OLI UI	11 Q111	0.00										
				LIEDOA	4001410	0.00										
	Slot		1	UEP91	1PQWQ	0.66										
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP91	1PQWA	0.66										
Non-R	Recurring Charges (NRC) Associated with UNE-P Centrex															
	Conversion - Currently Combined Switch-As-Is with allowed															
	changes, per port			UEP91	USAC2		21.50	8.42								
	Conversion of Existing Centrex Common Block			UEP91	USACN		5.17	8.32								
-+-	New Centrex Standard Common Block			UEP91	M1ACS	0.00	618.82	0.02								
	New Centrex Customized Common Block			UEP91	M1ACC	0.00	618.82									
			-													
	Secondary Block, per Block			UEP91	M2CC1	0.00	71.31									
	NAR Establishment Charge, Per Occasion			UEP91	URECA	0.00	66.48									
	P CENTREX - 5ESS (Valid in All States)															
2-Wire	e VG Loop/2-Wire Voice Grade Port (Centrex) Combo															
UNE P	Port/Loop Combination Rates (Non-Design)															
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -															
	Non-Design					11.94										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -					11.54										
		l			1	40.05							1	1	1]
	Non-Design	 			1	16.05			-		1	1		1		
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -	l			1								1	1	1]
	Non-Design					26.80										
UNE P	Port/Loop Combination Rates (Design)															<u> </u>
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -			·						-						
	Design	l			1	14.41							1	1	1	1
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -				İ				İ		1	1	i		i	i
	Design	l			1	19.57								1		l
-+-		 	+ +		+	13.57			1		1	1	1	1	1	1
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -	l			1	20.01							1	1	1	1
	Design	!	1		+	33.04			ļ		!	!	ļ	ļ	ļ	
UNE L	oop Rate										ļ	ļ				
1	2-Wire Voice Grade Loop (SL 1) - Zone 1	<u> </u>	1	UEP95	UECS1	9.77	_									
			2	UEP95	UECS1	13.88				-						
	2-Wire Voice Grade Loop (SL 1) - Zone 2					24.63										
			3	UEP95	UECS1	24.0.3										
	2-Wire Voice Grade Loop (SL 1) - Zone 2 2-Wire Voice Grade Loop (SL 1) - Zone 3		3													
	2-Wire Voice Grade Loop (SL 1) - Zone 2 2-Wire Voice Grade Loop (SL 1) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 1		3	UEP95	UECS2	12.24										
	2-Wire Voice Grade Loop (SL 1) - Zone 2 2-Wire Voice Grade Loop (SL 1) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 1 2-Wire Voice Grade Loop (SL 2) - Zone 2		3 1 2	UEP95 UEP95	UECS2 UECS2	12.24 17.40										
LIMES	2-Wire Voice Grade Loop (SL 1) - Zone 2 2-Wire Voice Grade Loop (SL 1) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 1 2-Wire Voice Grade Loop (SL 2) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP95	UECS2	12.24										
	2-Wire Voice Grade Loop (SL 1) - Zone 2 2-Wire Voice Grade Loop (SL 1) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 1 2-Wire Voice Grade Loop (SL 2) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 3 2-Ort Rate		3 1 2	UEP95 UEP95	UECS2 UECS2	12.24 17.40										
UNE P	2-Wire Voice Grade Loop (SL 1) - Zone 2 2-Wire Voice Grade Loop (SL 1) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 1 2-Wire Voice Grade Loop (SL 2) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 3 Port Rate		3 1 2	UEP95 UEP95 UEP95	UECS2 UECS2 UECS2	12.24 17.40 30.87										
	2-Wire Voice Grade Loop (SL 1) - Zone 2 2-Wire Voice Grade Loop (SL 1) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 1 2-Wire Voice Grade Loop (SL 2) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 3 2-Ort Rate		3 1 2	UEP95 UEP95	UECS2 UECS2	12.24 17.40	53.31 53.31	26.46 26.46	27.50 27.50	8.37 8.37						

UNBUNDLED	NETWORK ELEMENTS - Florida												Attachment:	2 Exh A		
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Svc Order Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'l
							Nonrec		Nonrecurring					Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local															
-	Area			UEP95	UEPYH	2.17	53.31	26.46	27.50	8.37						
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)2,3 Basic Local Area			UEP95	UEPYM	2.17	139.49	86.10	65.41	13.81						
	2-Wire Voice Grade Port, Diff Serving Wire Center 2,3 - 800 Service Term - Basic Local Area			UEP95	UEPYZ	2.17	139.49	86.10	65.41	13.81						
	2-Wire Voice Grade Port terminated in on Megalink or equivalent						=0.04									
	- Basic Local Area 2-Wire Voice Grade Port Terminated on 800 Service Term -			UEP95	UEPY9	2.17	53.31	26.46	27.50	8.37						
41.10	Basic Local Area			UEP95	UEPY2	2.17	53.31	26.46	27.50	8.37						
	Y, LA, MS, SC, & TN Only	<u> </u>	1		 	2.17			1	-						
FL & G	GA Only	 	1	HEDOS	LIEDUA	2.17	50.01	20.40	07.50	0.07	1					
	2-Wire Voice Grade Port (Centrex) 2-Wire Voice Grade Port (Centrex 800 termination)	 	\vdash	UEP95 UEP95	UEPHA UEPHB	2.17 2.17	53.31 53.31	26.46 26.46	27.50 27.50	8.37 8.37	-					
	2-Wire Voice Grade Port (Centrex 800 termination) 2-Wire Voice Grade Port (Centrex with Caller ID)1			UEP95 UEP95	UEPHB	2.17			27.50	8.37						
	2-Wire Voice Grade Port (Centrex with Caller ID)1 2-Wire Voice Grade Port (Centrex from diff Serving Wire	<u> </u>	1	UEP93	UEPHH	2.17	53.31	26.46	21.50	8.37		 				
	Center)2,3			UEP95	UEPHM	2.17	139.49	86.10	65.41	13.81						
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term 2,3			UEP95	UEPHZ	2.17	139.49	86.10	65.41	13.81						
	16111 2,3			ULF 95	OLFTIZ	2.17	139.49	00.10	03.41	13.01						
	2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP95	UEPH9	2.17	53.31	26.46	27.50	8.37						
	2-Wire Voice Grade Port Terminated on 800 Service Term			UEP95	UEPH2	2.17	53.31	26.46	27.50	8.37						
Local	Switching			02.00	022		00.01	20.10	27.00	0.07						
	Centrex Intercom Funtionality, per port			UEP95	URECS	0.7384										
Featur																
	All Standard Features Offered, per port			UEP95	UEPVF	2.26										
	All Select Features Offered, per port			UEP95	UEPVS	0.00	370.70									
	All Centrex Control Features Offered, per port			UEP95	UEPVC	2.26										
NARS																
	Unbundled Network Access Register - Combination			UEP95	UARCX	0.00	0.00	0.00	0.00	0.00						
	Unbundled Network Access Register - Indial			UEP95	UAR1X	0.00	0.00	0.00	0.00	0.00						
————	Unbundled Network Access Register - Outdial		1	UEP95	UAROX	0.00	0.00	0.00	0.00	0.00						
	laneous Terminations															
2-wire	Trunk Side Trunk Side Terminations, each		-	UEP95	CEND6	8.73					-					
4-Wiro	Digital (1.544 Megabits)			UEF95	CENDO	0.73										
4-11116	DS1 Circuit Terminations, each		+ +	UEP95	M1HD1	54.95			1							
	DS0 Channels Activated, each		1 1	UEP95	M1HDO	0.00	15.69		<u> </u>							
Interof	fice Channel Mileage - 2-Wire					0.00	.0.00		1							
	Interoffice Channel Facilities Termination			UEP95	M1GBC	25.32										
	Interoffice Channel mileage, per mile or fraction of mile			UEP95	M1GBM	0.0091										
	e Activations (DS0) Centrex Loops on Channelized DS1 Service	e														
D4 Cha	annel Bank Feature Activations															
	Feature Activation on D-4 Channel Bank Centrex Loop Slot		lacksquare	UEP95	1PQWS	0.66			ļ							
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP95	1PQW6	0.66										
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot			UEP95	1PQW7	0.66										
	Feature Activation on D-4 Channel Bank Centrex Loop Slot - Different Wire Center			UEP95	1PQWP	0.66										
	Feature Activation on D-4 Channel Bank Private Line Loop Slot Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop			UEP95	1PQWV	0.66										
	Slot	<u> </u>	\vdash	UEP95	1PQWQ	0.66										
Non D	Feature Activation on D-4 Channel Bank WATS Loop Slot ecurring Charges (NRC) Associated with UNE-P Centrex	<u> </u>	\vdash	UEP95	1PQWA	0.66			 		-					
Non-R	NRC Conversion Currently Combined Switch-As-Is with allowed		1		+				 	-	-	-				
	changes, per port			UEP95	USAC2	0.00	21.50	8.42	I			1				
	Conversion of Existing Centrex Common Block, each	<u> </u>	1 1	UEP95	USACN	0.00	5.17	8.32	-		<u> </u>	 				
	Control of Existing Control Continion Blook, each		1	01.00	00/1011		5.17	0.02	1	ı	·					

UNRUN	IDI ED I	NETWORK ELEMENTS - Florida												Attachment:	2 Fyh Δ		
ONBOI	IDEEDI	VETWORK ELEMENTS - FIORIDA										Svc Order		Incremental		Incremental	Incremental
												Submitted			Charge -	Charge -	Charge -
			Interi									Elec		Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEG	ORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			""											Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
											D'				D - ((ft)		
						-	Rec	Nonrec First	urring Add'l	Nonrecurring First	Add'l	SOMEC	SOMAN	SOMAN	Rates(\$) SOMAN	SOMAN	SOMAN
		New Centrex Standard Common Block		1	UEP95	M1ACS	0.00	618.82	Add I	FIISL	Auu i	SOMEC	SOWAN	SOWAN	SOWAN	SOWAN	SUMAN
		New Centrex Standard Common Block		 	UEP95	M1ACC	0.00	618.82									
		NAR Establishment Charge, Per Occasion			UEP95	URECA	0.00	66.48									
	Additio	onal Non-Recurring Charges (NRC)			02.00	OTTE OF T	0.00	00.10									
		Unbundled Miscellaneous Rate Element, Tag Loop at End Use															
		Premise			UEP95	URETL		8.33	0.83								i
		Unbundled Miscellaneous Rate Element, Tag Design Loop at															
		End Use Premise			UEP95	URETN		11.21	1.10								
		CENTREX - DMS100 (Valid in All States)															
		VG Loop/2-Wire Voice Grade Port (Centrex) Combo	<u> </u>	├											ļ		
-	UNE P	ort/Loop Combination Rates (Non-Design)	 	1		+											
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Non-Design	1				11.94						1				1
\vdash		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -	 	1 1		1	11.94										
		Non-Design	1				16.05						1				1
	1	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -	†	1 1		† †	10.00										1
		Non-Design	1				26.80						1				1
	UNE P	ort/Loop Combination Rates (Design)															
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -															
		Design					14.41										i
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															i
		Design					19.57										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -					33.04										i
	LINE L	Design Doop Rate				+	33.04										
	ONL L	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP9D	UECS1	9.77										
		2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEP9D	UECS1	13.88										
		2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP9D	UECS1	24.63										i
		2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP9D	UECS2	12.24										
		2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP9D	UECS2	17.40										l
		2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP9D	UECS2	30.87										
		ort Rate															
	ALL S					115514	0.15										
		2-Wire Voice Grade Port (Centrex) Basic Local Area			UEP9D	UEPYA	2.17										
		2-Wire Voice Grade Port (Centrex 800 termination)Basic Local Area			UEP9D	UEPYB	2.17	53.31	26.46	27.50	8.37						i
-	1	2-Wire Voice Grade Port (Centrex / EBS-PSET)3Basic Local	1	1 1	OLFAD	ULFID	2.17	اد.دد	20.40	21.30	0.37	1	-				
		Area			UEP9D	UEPYC	2.17	53.31	26.46	27.50	8.37						1
		2-Wire Voice Grade Port (Centrex / EBS-M5009)3Basic Local			021 02	02.10	2.17	55.51	20.40	27.50	0.07						
		Area			UEP9D	UEPYD	2.17	53.31	26.46	27.50	8.37						1
	1	2-Wire Voice Grade Port (Centrex / EBS-M5209))3 Basic Local	l			1											1
		Area			UEP9D	UEPYE	2.17	53.31	26.46	27.50	8.37						
		2-Wire Voice Grade Port (Centrex / EBS-M5112))3 Basic Local		1 1					·								_
		Area		1	UEP9D	UEPYF	2.17	53.31	26.46	27.50	8.37						
		2-Wire Voice Grade Port (Centrex / EBS-M5312))3Basic Local			LIEDAD	LIEDYO	0.4-	50.01	20.42	07.50	0.07						ı .
-	1	Area	 	1	UEP9D	UEPYG	2.17	53.31	26.46	27.50	8.37						
		2-Wire Voice Grade Port (Centrex / EBS-M5008))3 Basic Local Area	1		UEP9D	UEPYT	2.17	53.31	26.46	27.50	8.37		1				, !
—	1	2-Wire Voice Grade Port (Centrex / EBS-M5208))3 Basic Local	1	+ +	OLIBD	ULFII	2.17	اد.دد	20.40	21.30	0.37						
1		Area	1		UEP9D	UEPYU	2.17	53.31	26.46	27.50	8.37		1				, !
		2-Wire Voice Grade Port (Centrex / EBS-M5216))3 Basic Local				1		22.01			2.0.						
		Area			UEP9D	UEPYV	2.17	53.31	26.46	27.50	8.37						1
		2-Wire Voice Grade Port (Centrex / EBS-M5316))3 Basic Local															1
		Area	<u> </u>		UEP9D	UEPY3	2.17	53.31	26.46	27.50	8.37						
		2-Wire Voice Grade Port (Centrex with Caller ID) Basic Local	1			<u>-</u>							1				, ,
-		Area	ļ		UEP9D	UEPYH	2.17	53.31	26.46	27.50	8.37						
		2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp Indication))4 Basic Local Area	1		UEP9D	UEPYW	2.17	53.31	26.46	27.50	8.37		1				, !
	<u> </u>	Indication))4 Dasic Local Area	l		UEP9D	UEPTW	2.17	53.31	∠0.46	21.50	8.37	1	l		l		

UNBU	NDLED N	ETWORK ELEMENTS - Florida												Attachment:	2 Exh A		
CATE		RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
								Nonrec		Nonrecurring					Rates(\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication))4						== =									
		Basic Local Area			UEP9D	UEPYJ	2.17	53.31	26.46	27.50	8.37						
		2-Wire Voice Grade Port (Centrex from diff Serving Wire Center) 2,3-Basic Local Area			UEP9D	UEPYM	2.17	53.31	26.46	27.50	8.37						
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2,3,4 Basic Local Area			UEP9D	UEPYO	2.17	53.31	26.46	27.50	8.37						
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2,3,4 Basic Local Area			UEP9D	UEPYP	2.17	53.31	26.46	27.50	8.37						
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2,3,4 Basic Local Area			UEP9D	UEPYQ	2.17	139.49	86.10	65.41	13.81						
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2,3,4 Basic Local Area			UEP9D	UEPYR	2.17	139.49	86.10	65.41	13.81						
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2,3,4 Basic Local Area			UEP9D	UEPYS	2.17	139.49	86.10	65.41	13.81						
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2,3,4 Basic Local Area			UEP9D	UEPY4	2.17	139.49	86.10	65.41	13.81						
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3 Basic Local Area			UEP9D	UEPY5	2.17	139.49	86.10	65.41	13.81						
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2,3,4 Basic Local Area			UEP9D	UEPY6	2.17	139.49	86.10	65.41	13.81						
	1	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2,3,4							220	227.11							
		Basic Local Area 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service			UEP9D	UEPY7	2.17	139.49	86.10	65.41	13.81						
<u> </u>	-	Term 2,3 2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP9D	UEPYZ	2.17	139.49	86.10	65.41	13.81						
		Basic Local Area 2-Wire Voice Grade Port Terminated on 800 Service Term Basic			UEP9D	UEPY9	2.17	53.31	26.46	27.50	8.37						
		Local Area			UEP9D	UEPY2	2.17	53.31	26.46	27.50	8.37						
	FL & G	A Only					2.17										
		2-Wire Voice Grade Port (Centrex)			UEP9D	UEPHA	2.17	53.31	26.46	27.50	8.37						
		2-Wire Voice Grade Port (Centrex 800 termination)			UEP9D	UEPHB	2.17	53.31	26.46	27.50	8.37						
		2-Wire Voice Grade Port (Centrex / EBS-PSET)4			UEP9D	UEPHC	2.17	53.31	26.46	27.50	8.37						
		2-Wire Voice Grade Port (Centrex / EBS-M5009)4			UEP9D	UEPHD	2.17	53.31	26.46	27.50	8.37						
		2-Wire Voice Grade Port (Centrex / EBS-M5209)4			UEP9D	UEPHE	2.17	53.31	26.46	27.50	8.37						
	<u> </u>	2-Wire Voice Grade Port (Centrex / EBS-M5112)4			UEP9D	UEPHF	2.17	53.31	26.46	27.50	8.37						
<u> </u>	ļ	2-Wire Voice Grade Port (Centrex / EBS-M5312)4	ļ		UEP9D	UEPHG	2.17	53.31	26.46	27.50	8.37						
L	ļ	2-Wire Voice Grade Port (Centrex / EBS-M5008)4	 	ļ	UEP9D	UEPHT	2.17	53.31	26.46	27.50	8.37						
L	1	2-Wire Voice Grade Port (Centrex / EBS-M5208)4	ļ	1	UEP9D	UEPHU	2.17	53.31	26.46	27.50	8.37						
<u> </u>	<u> </u>	2-Wire Voice Grade Port (Centrex / EBS-M5216)4	<u> </u>	 	UEP9D	UEPHV	2.17	53.31	26.46	27.50	8.37						
<u> </u>	<u> </u>	2-Wire Voice Grade Port (Centrex / EBS-M5316)4	<u> </u>	 	UEP9D	UEPH3	2.17	53.31	26.46	27.50	8.37						
<u> </u>	1	2-Wire Voice Grade Port (Centrex with Caller ID)	 	1	UEP9D	UEPHH	2.17	53.31	26.46	27.50	8.37	1					
		2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp Indication)4			UEP9D	UEPHW	2.17	53.31	26.46	27.50	8.37						
		2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication)4	1		UEP9D	UEPHJ	2.17	53.31	26.46	27.50	8.37						
		2-Wire Voice Grade Port (Centrex from diff Serving Wire Center) 2.3			UEP9D	UEPHM	2.17	139.49	86.10	65.41	13.81						
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2,3,4			UEP9D	UEPHO	2.17	139.49	86.10	65.41	13.81						
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2,3,4			UEP9D	UEPHP	2.17	139.49	86.10	65.41	13.81						
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2,3,4			UEP9D	UEPHQ	2.17	139.49	86.10	65.41	13.81						
		2-Wire Voice Grade Fort (Centrex/differ SWC /EBS-9209)2,9,4			UEP9D	UEPHR	2.17	139.49	86.10	65.41	13.81						
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-W5112)2,3,4 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2, 3,4			UEP9D	UEPHS	2.17	139.49	86.10	65.41							
		, , , ,									13.81						
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2,3,4	1		UEP9D	UEPH4	2.17	139.49	86.10	65.41	13.81	<u> </u>					

HINDHIND	I ED N	NETWORK ELEMENTS - Florida												Attachment:	2 Evh A		
UNBUND	LEDI	NETWORK ELEMENTS - FIORIDA	1			1	I					Svc Order	Svc Order		Incremental	Incremental	Incremental
													Submitted		Charge -	Charge -	Charge -
												Elec					
CATEGO	RY	RATE ELEMENTS	Interi	Zone	BCS	usoc			RATES(\$)				Manually per LSR		Manual Svc Order vs.	Manual Svc Order vs.	Manual Svo Order vs.
OA! LOO		TOTAL ELEMENTO	m	20.10	500	0000			= = (+)			per LSR	perLSK				
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
								Nonrec	urring	Nonrecurring	Disconnect			oss	Rates(\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2,3,4			UEP9D	UEPH5	2.17	139.49	86.10	65.41	13.81						
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2,3,4			UEP9D	UEPH6	2.17	139.49	86.10	65.41	13.81						
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2,3,4			UEP9D	UEPH7	2.17	139.49	86.10	65.41	13.81						
		2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service															
		Term 2,3			UEP9D	UEPHZ	2.17	139.49	86.10	65.41	13.81						
		L <u>.</u> . <u>.</u>															
		2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP9D	UEPH9	2.17	53.31	26.46	27.50	8.37						
		2-Wire Voice Grade Port Terminated on 800 Service Term		1	UEP9D	UEPH2	2.17	53.31	26.46	27.50	8.37						
L	ocal S	Switching			LIEDOD	LIDEOO	0.7004										
 -	oot	Centrex Intercom Funtionality, per port	 	1	UEP9D	URECS	0.7384			 		 	-				-
	eature	All Standard Features Offered, per port	!	1	UEP9D	UEPVF	2.26			 		1					
\vdash		All Select Features Offered, per port	!	1	UEP9D UEP9D	UEPVF	0.00	370.70		 		1					
\vdash		All Centrex Control Features Offered, per port	1	+	UEP9D	UEPVS	2.26	310.10		 		 	-	1			
N.	IARS	All Centiex Control Features Offered, per port		1	UEF9D	UEFVC	2.20					1	1				
- 1	IANO	Unbundled Network Access Register - Combination		1	UEP9D	UARCX	0.00	0.00	0.00	0.00	0.00	1					
		Unbundled Network Access Register - Inward			UEP9D	UAR1X	0.00	0.00	0.00	0.00	0.00						
-		Unbundled Network Access Register - Outdial			UEP9D	UAROX	0.00	0.00	0.00	0.00	0.00						
N	liscell	aneous Terminations			02.05	67 11 (67)	0.00	0.00	0.00	0.00	0.00	1					
		Trunk Side															
		Trunk Side Terminations, each			UEP9D	CEND6	8.73										
4		Digital (1.544 Megabits)															
		DS1 Circuit Terminations, each			UEP9D	M1HD1	54.95										
		DS0 Channels Activiated per Channel			UEP9D	M1HDO	0.00	15.69									
Ir	nterof	fice Channel Mileage - 2-Wire															
		Interoffice Channel Facilities Termination			UEP9D	M1GBC	25.32										
		Interoffice Channel mileage, per mile or fraction of mile			UEP9D	M1GBM	0.0091										
		e Activations (DS0) Centrex Loops on Channelized DS1 Service	е														
D	4 Cha	nnel Bank Feature Activations															
		Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP9D	1PQWS	0.66										
		Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP9D	1PQW6	0.66										
		Feature Activation on D-4 Channel Bank FX Trunk Side Loop															
		Slot		1	UEP9D	1PQW7	0.66										
		Feature Activation on D-4 Channel Bank Centrex Loop Slot -	l		LIEDOD	400000	0.00			1							
		Different Wire Center	!	1	UEP9D	1PQWP	0.66			 		1					
		Feature Activation on D-4 Channel Bank Private Line Loop Slot	l		UEP9D	1PQWV	0.66			1							
 		Feature Activation on D-4 Channel Bank Tije Line/Trunk Loop		1	UEF9D	IFQVVV	0.00					<u> </u>					
		Slot	l		UEP9D	1PQWQ	0.66			I							
 		Feature Activation on D-4 Channel Bank WATS Loop Slot		1	UEP9D	1PQWQ	0.66			t		 					
N	lon-Re	ecurring Charges (NRC) Associated with UNE-P Centrex	-		OLI 3D	II QWA	0.00			-							
"		NRC Conversion Currently Combined Switch-As-Is with allowed	-			1				-							
		changes, per port	l		UEP9D	USAC2		21.50	8.42	I							
		Conversion of existing Centrex Common Block, each			UEP9D	USACN		5.17	8.32	1							1
		New Centrex Standard Common Block			UEP9D	M1ACS	0.00	618.82	2.32	1				İ			
		New Centrex Customized Common Block			UEP9D	M1ACC	0.00	618.82									
		NAR Establishment Charge, Per Occasion			UEP9D	URECA	0.00	66.48									
Α	dditic	onal Non-Recurring Charges (NRC)															
		Unbundled Miscellaneous Rate Element, Tag Loop at End Use															
		Premise			UEP9D	URETL		8.33	0.83								
ıΤ		Unbundled Miscellaneous Rate Element, Tag Design Loop at															
		End Use Premise			UEP9D	URETN		11.21	1.10								
		CENTREX - EWSD (Valid in AL, FL, KY, LA, MS & TN)		$oxed{oxed}$						ļ							1
		VG Loop/2-Wire Voice Grade Port (Centrex) Combo				ļ				ļ							1
U	INE P	ort/Loop Combination Rates (Non-Design)															<u> </u>

UNBUNDLED I	NETWORK ELEMENTS - Florida												Attachment:	2 Exh A	l	T
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Submitted	Incremental	Incremental Charge -	Charge -	Charge -
							Nonrec	urring	Nonrecurring	Disconnect			oss	Rates(\$)		•
						Rec	First	Add'I	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -															
	Non-Design					11.94										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
	Non-Design					16.05										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
	Non-Design					26.80										
UNE P	ort/Loop Combination Rates (Design)		1													ļ
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -	1				44.44										
—	Design		1		+	14.41					1					
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design					19.57										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		+		1	19.57					1					
	Design					33.04										
UNE I	oop Rate		1 1		1	55.54										
1	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP9E	UECS1	9.77										
	2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEP9E	UECS1	13.88										
	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP9E	UECS1	24.63										
	2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP9E	UECS2	12.24										
	2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP9E	UECS2	17.40										
	2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP9E	UECS2	30.87										
	ort Rate															
AL, FL	, KY, LA, MS, & TN only		1		L											
L	2-Wire Voice Grade Port (Centrex) Basic Local Area	<u> </u>	1 1	UEP9E	UEPYA	2.17	53.31	26.46	27.50	8.37						
	2-Wire Voice Grade Port (Centrex 800 termination)Basic Local Area			UEP9E	UEPYB	2.17	53.31	26.46	27.50	8.37						
	2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local Area			UEP9E	UEPYH	2.17	53.31	26.46	27.50	8.37						
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)2,3 Basic Local Area			UEP9E	UEPYM	2.17	139.49	86.10	65.41	13.81						
	2-Wire Voice Grade Port, Diff Serving Wire Center 2,3 - 800 Service Term - Basic Local Area			UEP9E	UEPYZ	2.17	139.49	86.10	65.41	13.81						
	2-Wire Voice Grade Port terminated in on Megalink or equivalent - Basic Local Area			UEP9E	UEPY9	2.17	53.31	26.46	27.50	8.37						
	2-Wire Voice Grade Port Terminated on 800 Service Term - Basic Local Area			UEP9E	UEPY2	2.17	53.31	26.46	27.50	8.37						
Florida		1				2.17		-								
	2-Wire Voice Grade Port (Centrex)			UEP9E	UEPHA	2.17	53.31	26.46	27.50	8.37						
	2-Wire Voice Grade Port (Centrex 800 termination)			UEP9E	UEPHB	2.17	53.31	26.46	27.50	8.37						
	2-Wire Voice Grade Port (Centrex with Caller ID)1			UEP9E	UEPHH	2.17	53.31	26.46	27.50	8.37						
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)2,3			UEP9E	UEPHM	2.17	139.49	86.10	65.41	13.81						
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term 2,3			UEP9E	UEPHZ	2.17	139.49	86.10	65.41	13.81						
		1			1	_				_						
\vdash	2-Wire Voice Grade Port terminated in on Megalink or equivalent	ļ	↓	UEP9E	UEPH9	2.17	53.31	26.46	27.50	8.37	ļ					_
1	2-Wire Voice Grade Port Terminated on 800 Service Term	-	+ +	UEP9E	UEPH2	2.17	53.31	26.46	27.50	8.37	1					1
Local	Switching Centrex Intercom Funtionality, per port	-	 	UEP9E	URECS	0.7384					1			1	-	
Featur		\vdash	 	OLFBE	UNEGO	0.7304					1					
Catur	All Standard Features Offered, per port		1 1	UEP9E	UEPVF	2.26										
	All Select Features Offered, per port	†		UEP9E	UEPVS	0.00	370.70									
	All Centrex Control Features Offered, per port	1		UEP9E	UEPVC	2.26										
NARS																
	Unbundled Network Access Register - Combination			UEP9E	UARCX	0.00	0.00	0.00	0.00	0.00						
	Unbundled Network Access Register - Indial			UEP9E	UAR1X	0.00	0.00	0.00	0.00	0.00						ļ
<u> </u>	Unbundled Network Access Register - Outdial	<u> </u>	1 1	UEP9E	UAROX	0.00	0.00	0.00	0.00	0.00						
	laneous Terminations	<u> </u>	├								1			-	-	
2-Wire	Trunk Side Trunk Side Terminations, each	 	╁─┼	UEP9E	CEND6	8.73					 			-	-	
ļI	Trunk Side Terminations, each	<u> </u>	1	UEF9E	CENDO	0.73					l	1		l	l	

UNBUNDLED	NETWORK ELEMENTS - Florida												Attachment:			
											Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		Intori									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES(\$)			per LSR		Order vs.	Order vs.	Order vs.	Order vs.
		m									Po. 2011	po. 2011	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
													ist	Addi	DISC 1St	DISC Add I
							Nonrec	urring	Nonrecurrin	g Disconnect			oss	Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
4-Wire	Digital (1.544 Megabits)															
	DS1 Circuit Terminations, each			UEP9E	M1HD1	54.95										
	DS0 Channel Activated Per Channel			UEP9E	M1HDO	0.00	15.69									
Interof	fice Channel Mileage - 2-Wire															
	Interoffice Channel Facilities Termination			UEP9E	M1GBC	25.32										
	Interoffice Channel mileage, per mile or fraction of mile			UEP9E	M1GBM	0.0091										
Featur	e Activations (DS0) Centrex Loops on Channelized DS1 Service	e														
	annel Bank Feature Activations															
	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP9E	1PQWS	0.66										
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP9E	1PQW6	0.66										
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop		t - t								1					
	Slot			UEP9E	1PQW7	0.66										
	Feature Activation on D-4 Channel Bank Centrex Loop Slot -		 	OLI OL	11 Q117	0.00					+	1				
	Different Wire Center			UEP9E	1PQWP	0.66										
	Different Wife Center		 	OLI 3L	II QVVI	0.00										
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP9E	1PQWV	0.66										
-	Feature Activation on D-4 Channel Bank Tije Line/Trunk Loop		 	UEF9E	IFQWV	0.00					+	-				
	Slot			UEP9E	1PQWQ	0.66										
	Feature Activation on D-4 Channel Bank WATS Loop Slot		 	UEP9E	1PQWQ 1PQWA	0.66										
Non D	ecurring Charges (NRC) Associated with UNE-P Centrex		 	UEP9E	TPQWA	0.00										
Non-R			<u> </u>													
	NRC Conversion Currently Combined Switch-As-Is with allowed						04.50									
	changes, per port		<u> </u>	UEP9E	USAC2		21.50	8.42								<u> </u>
	Conversion of Existing Centrex Common Block, each		<u> </u>	UEP9E	USACN		5.17	8.32								
	New Centrex Standard Common Block			UEP9E	M1ACS	0.00	618.82									<u> </u>
	New Centrex Customized Common Block			UEP9E	M1ACC	0.00	618.82									
	NAR Establishment Charge, Per Occasion			UEP9E	URECA	0.00	66.48									
Additio	onal Non-Recurring Charges (NRC)															
	Unbundled Miscellaneous Rate Element, Tag Loop at End Use															1
	Premise			UEP9E	URETL		8.33	0.83								
	Unbundled Miscellaneous Rate Element, Tag Design Loop at										1					1
	End Use Premise			UEP9E	URETN		11.21	1.10								<u> </u>
	- Required Port for Centrex Control in 1AESS, 5ESS & EWSD															
	- Requres Interoffice Channel Mileage															
	- Installation is combination of Installation charge for SL2 Lo	op and	Port													
	- Requires Specific Customer Premises Equipment															
Note:	Rates displaying an "I" in Interim column are interim as a resu	ult of a	Commiss	ion order.											-	

Version 4Q05 Standard ICA 03/15/06 (Renegotiations)

UNBU	NDLED N	ETWORK ELEMENTS - Georgia					1							Attachment:			
														Incremental			Incremental
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
CATE	ODV	DATE ELEMENTO	Interi	7	BCS	USOC			RATES(\$)			Elec	Manually	Manual Svc	Manual Svc		Manual Svc
CATE	SURY	RATE ELEMENTS	m	Zone	BCS	USOC			KAIES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
	1							Nonred	urrina	Nonrocurrin	Disconnect		1	088	Rates(\$)		
							Rec	First	Add'l	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
							Nec	11131	Auu i	11130	Auu	JONEC	JONAN	JONAN	JOHAN	JOHAN	JOHAN
	Tho "7	one" shown in the sections for stand-alone loops or loops as	nart of	2 comb	ination refers to Go	ographically	Dogworagod II	NE Zonos To	viou Googran	hically Doayor	aged LINE Zone	Docianatio	ne by Cont	ral Office refe	or to internet	Mohsito:	
		ww.interconnection.bellsouth.com/become_a_clec/html/inter				ograpincany	Deaveraged 0	NE Zones. 10	view Geograp	incany Deaver	aged ONE ZON	Designation	ons by Cent	iai Oilice, reic	si to internet	website.	
OBED		SUPPORT SYSTEMS (OSS) - "REGIONAL RATES"	I	1			ı			1	1	1	1	ı	1	1	
OFER		(1) CLEC should contact its contract negotiator if it prefers the	e "state	snecif	ic" OSS charges as	ordered by t	he State Comm	issions The (OSS charges c	urrently contai	ned in this rate	exhibit are	the BellSo	uth "regional	" service orde	ring charges	CLEC may
		ther the state specific Commission ordered rates for the servi															
		(2) Any element that can be ordered electronically will be bill															
		nnot be ordered electronically at present per the LOH, the list															
	triat ou	OSS - Electronic Service Order Charge, Per Local Service	1	I	in and dategory rea	leoto tric one	l	be billed to d	OLLO OHOC CH	l controller	lig capabilities	1	I	l Ciricina Cario	l	I	g onargo,
		Request (LSR) - UNE Only				SOMEC		3.50	0.00	3.50	0.00						
		OSS - Manual Service Order Charge, Per Local Service Request				0020		0.00	0.00	0.00	0.00						
		(LSR) - UNE Only				SOMAN		11.73	0.00	6.13	0.00						
UNE S	ERVICE	DATE ADVANCEMENT CHARGE				00.00.00		11.10	0.00	0.10	0.00						
		The Expedite charge will be maintained commensurate with	BellSou	ith's FC	C No.1 Tariff. Section	n 5 as appli	cable.			ı	ı						
		, , , , , , , , , , , , , , , , , , ,			,												
					UAL, UEANL, UCL,												
					UEF, UDC, UDF,												
					UEQ, UDL, UENTW,												
					UDN, UEA, UHL,												
					ULC, USL, U1T12,												
					U1T48, U1TD1,												
					U1TD3, U1TDX,												
					U1TO3, U1TS1,												
					U1TVX, UC1BC,												
					UC1BL, UC1CC,												
					UC1CL, UC1DC,												
					UC1DL, UC1EC,												
					UC1EL, UC1FC,												
					UC1FL, UC1GC,												
					UC1GL, UC1HC,												
					UC1HL, UDL12,												
					UDL48, UDLO3,												
					UDLSX, UE3,												
					ULD12, ULD48,												
					ULDD1, ULDD3,												
					ULDDX, ULDO3,												
					ULDS1, ULDVX,												
1	1		1		UNC1X, UNC3X,]								Ì		
1	1		1		UNCDX, UNCNX,]								Ì		
1	1		1		UNCSX, UNCVX,]								Ì		
			1		UNLD1, UNLD3,												
1	1		1		UXTD1, UXTD3,]								Ì		
1	1		1		UXTS1, U1TUC,]								1		
1	1		1		U1TUD, U1TUB,]								Ì		
1	1	UNE Expedite Charge per Circuit or Line Assignable USOC, per	1		U1TUA,NTCVG,]								Ì		
1	1	Day	1		NTCUD, NTCD1	SDASP]	200.00							Ì		
ORDE	MODIE	ICATION CHARGE	 	1	111000, 111001	SDAGE	 	200.00							 		
5.152	I	Order Modification Charge (OMC)	 	!		-	 	26.21	0.00	0.00	0.00				 		
	1	Order Modification Additional Dispatch Charge (OMCAD)	 	!		-		150.00	0.00	0.00	0.00						
UNRIII	NDLFD F	EXCHANGE ACCESS LOOP	1	1		†		100.00	0.00	0.00	0.00				 		
5.150		ANALOG VOICE GRADE LOOP	1	1			1								1		
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or	†	İ											1		
1	1	Ground Start Signaling - Zone 1	1	1	UEA	UEAL2	11.57	79.85	24.65	18.92	7.87				Ì		
	†	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or	1	'				. 5.56	250	.0.02					1		
		Ground Start Signaling - Zone 2	1	2	UEA	UEAL2	16.95	79.85	24.65	18.92	7.87						
	1	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or	1	 			10.00	, 5.55	2-7.00	10.02	7.57			1	1		
	1	Ground Start Signaling - Zone 3	1	3	UEA	UEAL2	33.08	79.85	24.65	18.92	7.87				Ì		
	†	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse	1	 			22.30		30						1		
1	1	Battery Signaling - Zone 1	1	1	UEA	UEAR2	11.57	79.85	24.65	18.92	7.87				Ì		
	<u> </u>	, ,							50								

Version 4Q05 Standard ICA 03/15/06 (Renegotiations)

Page 59 of 261

UNRU	NDI ED N	IETWORK ELEMENTS - Georgia												Attachment:	2 Evh Δ		
ONBOI	NDLLD I	LIWORK ELEMENTS - Georgia	1									Svc Order	Svc Order	Incremental		Incremental	Incremental
												Submitted			Charge -	Charge -	Charge -
												Elec	Manually	_	Manual Svc	Manual Svc	Manual Svc
CATE	CORV	RATE ELEMENTS	Interi	Zone	BCS	usoc			RATES(\$)								
CAILC	JOKI	RATE ELEMENTS	m	Zone	ВСЗ	0300			IXATEO(ψ)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							1	Nonrec	urring	Nonrecurring	Disconnect			OSS	Rates(\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse					Nec	11131	Auu	11130	Auu i	JONEC	JONAN	JOHAN	JOHAN	JOHAN	JOHAN
		Battery Signaling - Zone 2		2	UEA	UEAR2	16.95	79.85	24.65	18.92	7.87						
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse			OLA	OLAIVE	10.33	73.00	24.00	10.32	7.07						
		Battery Signaling - Zone 3		3	UEA	UEAR2	33.08	79.85	24.65	18.92	7.87						
		Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per		Ŭ	OLA	OLITAL	00.00	70.00	24.00	10.02	1.01						
		DS0)			UEA	URESL		25.06	3.53								
		Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per			02/1	011202		20.00	0.00								1
		DS0)			UEA	URESP		26.55	5.03								
		CLEC to CLEC Conversion Charge without outside dispatch			UEA	UREWO		87.72	36.36								
		Loop Tagging - Service Level 2 (SL2)	†		UEA	URETL	İ	11.19	1.10	1					1		
	4-WIRE	ANALOG VOICE GRADE LOOP	†			1	İ								1		
		4-Wire Analog Voice Grade Loop - Zone 1		1	UEA	UEAL4	17.80	93.01	28.17	19.52	8.12				İ		
		4-Wire Analog Voice Grade Loop - Zone 2		2	UEA	UEAL4	21.68	93.01	28.17	19.52	8.12						
		4-Wire Analog Voice Grade Loop - Zone 3			UEA	UEAL4	30.25	93.01	28.17	19.52	8.12						
		Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per															
		DS0)			UEA	URESL		25.06	3.53								
		Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per															
		DS0)			UEA	URESP		26.55	5.03								
		CLEC to CLEC Conversion Charge without outside dispatch			UEA	UREWO		87.72	36.36								
	2-WIRE	ISDN DIGITAL GRADE LOOP															
		2-Wire ISDN Digital Grade Loop - Zone 1		1	UDN	U1L2X	21.89	180.06	35.25	18.23	6.97						
		2-Wire ISDN Digital Grade Loop - Zone 2		2	UDN	U1L2X	25.27	180.06	35.25	18.23	6.97						
		2-Wire ISDN Digital Grade Loop - Zone 3			UDN	U1L2X	40.17	180.06	35.25	18.23	6.97						
		CLEC to CLEC Conversion Charge without outside dispatch			UDN	UREWO		120.98	33.04								
	2-WIRE	ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMP	ATIBLE	LOOP													
		2 Wire Unbundled ADSL Loop including manual service inquiry															
		& facility reservation - Zone 1		1	UAL	UAL2X	11.23	44.69	31.55	0.00	0.00						ļ
		2 Wire Unbundled ADSL Loop including manual service inquiry		_													
		& facility reservation - Zone 2		2	UAL	UAL2X	12.97	44.69	31.55	0.00	0.00						
		2 Wire Unbundled ADSL Loop including manual service inquiry															
		& facility reservation - Zone 3		3	UAL	UAL2X	20.62	44.69	31.55	0.00	0.00						ļ
		2 Wire Unbundled ADSL Loop without manual service inquiry &					44.00										
-		facility reservaton - Zone 1		1	UAL	UAL2W	11.23	44.69	31.55	0.00	0.00						
		2 Wire Unbundled ADSL Loop without manual service inquiry & facility reservaton - Zone 2		_	UAL	UAL2W	12.97	44.69	31.55	0.00	0.00						
-	-	2 Wire Unbundled ADSL Loop without manual service inquiry &	1		UAL	UALZVV	12.97	44.09	31.33	0.00	0.00						
		facility reservation - Zone 3		2	UAL	UAL2W	20.62	44.69	31.55	0.00	0.00						
-	1	CLEC to CLEC Conversion Charge without outside dispatch	1	3	UAL	UREWO	20.02	44.69	29.29	0.00	0.00		1				
-	2-WIRE	HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIB! F	OOP	U/ 1L	OILLAND	+	44.09	23.23	1		 			 		
		2 Wire Unbundled HDSL Loop including manual service inquiry		-50.			<u> </u>										†
		& facility reservation - Zone 1		1	UHL	UHL2X	7.88	44.69	31.55	0.00	0.00						
		2 Wire Unbundled HDSL Loop including manual service inquiry	1						050	5.50	5.50				1		
		& facility reservation - Zone 2		2	UHL	UHL2X	9.09	44.69	31.55	0.00	0.00						
		2 Wire Unbundled HDSL Loop including manual service inquiry					5.55		050	5.50	5.50				1		
		& facility reservation - Zone 3	1	3	UHL	UHL2X	14.48	44.69	31.55	0.00	0.00	1			Ì		
		2 Wire Unbundled HDSL Loop without manual service inquiry	1											İ	İ		
1		and facility reservation - Zone 1	1	1	UHL	UHL2W	7.88	44.69	31.55	0.00	0.00	1			1		
		2 Wire Unbundled HDSL Loop without manual service inquiry															
L	<u> </u>	and facility reservation - Zone 2	<u> </u>	2	UHL	UHL2W	9.09	44.69	31.55	0.00	0.00	<u></u>			<u> </u>		
		2 Wire Unbundled HDSL Loop without manual service inquiry															
		and facility reservation - Zone 3	<u></u>	3	UHL	UHL2W	14.48	44.69	31.55	0.00	0.00			<u></u>			
		CLEC to CLEC Conversion Charge without outside dispatch			UHL	UREWO		44.69	31.55								
	4-WIRE	HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIBLE	LOOP													
		4 Wire Unbundled HDSL Loop including manual service inquiry					l										
		and facility reservation - Zone 1		1	UHL	UHL4X	10.39	44.69	31.55	0.00	0.00						
1		4-Wire Unbundled HDSL Loop including manual service inquiry	1			[I	l					1			1		
	1	and facility reservation - Zone 2	ļ	2	UHL	UHL4X	12.00	44.69	31.55	0.00	0.00				ļ		<u> </u>
		4-Wire Unbundled HDSL Loop including manual service inquiry	1									1			Ì		
1	1	and facility reservation - Zone 3	1	3	UHL	UHL4X	19.07	44.69	31.55	0.00	0.00	l		l	l		1

Version 4Q05 Standard ICA 03/15/06 (Renegotiations) Page 60 of 261

UNRU	NDI ED I	IETWORK ELEMENTS - Georgia												Attachment:	2 Evh Δ		l I
UNDU	NDLED	l LEMENTS - Georgia	1									Sve Order		Incremental		Incremental	Incremental
												Submitted	Submitted		Charge -	Charge -	Charge -
CATE	CORV	RATE ELEMENTS	Interi	7	BCS	usoc			RATES(\$)			Elec		Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATE	JURY	RATE ELEMENTS	m	Zone	BCS	USOC			KAIES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
															l		
							_	Nonrec			Disconnect				Rates(\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		4-Wire Unbundled HDSL Loop without manual service inquiry															
		and facility reservation - Zone 1		1	UHL	UHL4W	10.39	44.69	31.55	0.00	0.00						
		4-Wire Unbundled HDSL Loop without manual service inquiry															
		and facility reservation - Zone 2		2	UHL	UHL4W	12.00	44.69	31.55	0.00	0.00						
		4-Wire Unbundled HDSL Loop without manual service inquiry															
		and facility reservation - Zone 3		3	UHL	UHL4W	19.07	44.69	31.55	0.00	0.00						
		CLEC to CLEC Conversion Charge without outside dispatch			UHL	UREWO		44.69	31.55								
	4-WIRE	DS1 DIGITAL LOOP															
		4-Wire DS1 Digital Loop - Zone 1			USL	USLXX	41.02	211.93	72.49	38.24	7.20						
		4-Wire DS1 Digital Loop - Zone 2	<u> </u>		USL	USLXX	46.41	211.93	72.49	38.24	7.20						
		4-Wire DS1 Digital Loop - Zone 3		3	USL	USLXX	62.03	211.93	72.49	38.24	7.20						
		Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per			·												
		DS1)	<u></u>		USL	URESL		25.06	3.53								
1		Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per	1											-		-	
<u></u>	<u> </u>	DS1)	<u> </u>		USL	URESP		26.55	5.03	<u></u>					<u> </u>		<u></u>
		CLEC to CLEC Conversion Charge without outside dispatch			USL	UREWO		100.91	42.97								
	4-WIRE	19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP															
		4 Wire Unbundled Digital Loop 2.4 Kbps - Zone 1		1	UDL	UDL2X	21.86	196.66	37.00	18.82	7.20						
		4 Wire Unbundled Digital Loop 2.4 Kbps - Zone 2		2	UDL	UDL2X	28.36	196.66	37.00	18.82	7.20						
		4 Wire Unbundled Digital Loop 2.4 Kbps - Zone 3			UDL	UDL2X	38.22	196.66	37.00	18.82	7.20						
		4 Wire Unbundled Digital Loop 4.8 Kbps - Zone 1		1	UDL	UDL4X	21.86	196.66	37.00	18.82	7.20						
		4 Wire Unbundled Digital Loop 4.8 Kbps - Zone 2		2	UDL	UDL4X	28.36	196.66	37.00	18.82	7.20						
		4 Wire Unbundled Digital Loop 4.8 Kbps - Zone 3		3	UDL	UDL4X	38.22	196.66	37.00	18.82	7.20						
		4 Wire Unbundled Digital Loop 9.6 Kbps - Zone 1		1	UDL	UDL9X	21.86	196.66	37.00	18.82	7.20						
		4 Wire Unbundled Digital Loop 9.6 Kbps - Zone 2		2	UDL	UDL9X	28.36	196.66	37.00	18.82	7.20						
		4 Wire Unbundled Digital Loop 9.6 Kbps - Zone 3		3	UDL	UDL9X	38.22	196.66	37.00	18.82	7.20						
		4 Wire Unbundled Digital 19.2 Kbps - Zone 1		1	UDL	UDL19	21.86	196.66	37.00	18.82	7.20						
		4 Wire Unbundled Digital 19.2 Kbps - Zone 2		2	UDL	UDL19	28.36	196.66	37.00	18.82	7.20						
		4 Wire Unbundled Digital 19.2 Kbps - Zone 3		3	UDL	UDL19	38.22	196.66	37.00	18.82	7.20						
		4 Wire Unbundled Digital Loop 56 Kbps - Zone 1		1	UDL	UDL56	21.86	196.66	37.00	18.82	7.20						
		4 Wire Unbundled Digital Loop 56 Kbps - Zone 2		2	UDL	UDL56	28.36	196.66	37.00	18.82	7.20						
		4 Wire Unbundled Digital Loop 56 Kbps - Zone 3		3	UDL	UDL56	38.22	196.66	37.00	18.82	7.20						
		4 Wire Unbundled Digital Loop 64 Kbps - Zone 1		1	UDL	UDL64	21.86	196.66	37.00	18.82	7.20						
		4 Wire Unbundled Digital Loop 64 Kbps - Zone 2		2	UDL	UDL64	28.36	196.66	37.00	18.82	7.20						
		4 Wire Unbundled Digital Loop 64 Kbps - Zone 3			UDL	UDL64	38.22	196.66	37.00	18.82	7.20						
		Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per	1							1							
		DS0)			UDL	URESL		25.06	3.53								
	1	Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per	1			1		20.00	3.30	t							
1		DS0)	1		UDL	URESP		26.55	5.03	I		1	1				
	1	CLEC to CLEC Conversion Charge without outside dispatch	1		UDL	UREWO		101.95	49.66	1							İ
	2-WIRE	Unbundled COPPER LOOP	1			1				t							
	T	2-Wire Unbundled Copper Loop-Designed including manual	1			1				t							
1		service inquiry & facility reservation - Zone 1	l	1	UCL	UCLPB	12.02	44.69	31.55	0.00	0.00	1	1				1
		2-Wire Unbundled Copper Loop-Designed including manual	1				02	00	200	2.00	2.00						
		service inquiry & facility reservation - Zone 2		2	UCL	UCLPB	13.88	44.69	31.55	0.00	0.00						
		2 Wire Unbundled Copper Loop-Designed including manual															
1		service inquiry & facility reservation - Zone 3	1	3	UCL	UCLPB	22.07	44.69	31.55	0.00	0.00	1	1				
	1	2-Wire Unbundled Copper Loop-Designed without manual	1			1	22.07		350	5.50	0.30						
1		service inquiry and facility reservation - Zone 1	1	1	UCL	UCLPW	12.02	44.69	31.55	0.00	0.00	1	1				
	1	2-Wire Unbundled Copper Loop-Designed without manual	1				12.02		000	5.50	3.30		1				1
1		service inquiry and facility reservation - Zone 2	l	2	UCL	UCLPW	13.88	44.69	31.55	0.00	0.00	1	1				
	t	2-Wire Unbundled Copper Loop-Designed without manual	1			100	.0.00		000	0.00	3.00	1	1				
1		service inquiry and facility reservation - Zone 3	1	3	UCL	UCLPW	22.07	44.69	31.55	0.00	0.00	1	1				
	1	Order Coordination for Unbundled Copper Loops (per loop)	1		UCL	UCLMC	22.01	18.92	18.92	0.00	0.00						1
	1	CLEC to CLEC conversion Charge without outside dispatch	1		UCL	UREWO		44.69	31.55	t							1
	4-WIRE	COPPER LOOP	1			1		55	350	t							1
	1	4-Wire Copper Loop-Designed including manual service inquiry	i –			1				1							
1		and facility reservation - Zone 1		1	UCL	UCL4S	16.65	44.69	31.55	0.00	0.00	İ					
						,502.0	. 0.00	00	000	0.00	0.00	L		L			

UNBUNDLED	NETWORK ELEMENTS - Georgia												Attachment:	2 Exh A		1
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR			Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
							Nonrec		Nonrecurring			•		Rates(\$)	•	
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	4-Wire Copper Loop-Designed including manual service inquiry		_	LICI	1101.40	19.22	44.69	31.55	0.00	0.00						
+	and facility reservation - Zone 2 4-Wire Copper Loop-Designed including manual service inquiry		2	UCL	UCL4S	19.22	44.69	31.55	0.00	0.00						-
	and facility reservation - Zone 3		3	UCL	UCL4S	30.55	44.69	31.55	0.00	0.00						
	4-Wire Copper Loop-Designed without manual service inquiry					99.00			9.00							
	and facility reservation - Zone 1		1	UCL	UCL4W	16.65	44.69	31.55	0.00	0.00						
	4-Wire Copper Loop-Designed without manual service inquiry		_													
	and facility reservation - Zone 2 4-Wire Copper Loop-Designed without manual service inquiry		2	UCL	UCL4W	19.22	44.69	31.55	0.00	0.00						
	and facility reservation - Zone 3		3	UCL	UCL4W	30.55	44.69	31.55	0.00	0.00						
	Order Coordination for Unbundled Copper Loops (per loop)		Ť	UCL	UCLMC	00.00	18.92	18.92	0.00	0.00						
	CLEC to CLEC conversion Charge without outside dispatch			UCL	UREWO		44.69	31.55								
				UEA, UDN, UAL,												
	Order Coordination for Specified Conversion Time (per LSR)		<u> </u>	UHL, UDL, USL	OCOSL		57.79									
Rearr	angements EEL to UNE-L Retermination, per 2 Wire Unbundled Voice Loop-															
	SL2			UEA	UREEL		79.85	24.65								
				0271	UNLEE		7 0.00	200								
	EEL to UNE-L Retermination, per 4 Wire Unbundled Voice Loop			UEA	UREEL		79.85	24.65								
	EEL to UNE-L Retermination, per 2 Wire ISDN Loop			UDN	UREEL		120.98	33.02								
	EEL to UNE-L Retermination, per 4 Wire Unmbundled Digital						404.0=									
	Loop EEL to UNE-L Retermination, per 4 Wire Unbundled DS1 Loop			UDL USL	UREEL UREEL		101.95 100.91	49.66 42.97								
UNE LOOP C	OMMINGLING			USL	UKLLL		100.91	42.51								
	RE ANALOG VOICE GRADE LOOP - COMMINGLING															
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 1		1	NTCVG	UEAL2	11.57	79.85	24.65	18.92	7.87						
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 2		2	NTCVG	UEAL2	16.95	79.85	24.65	18.92	7.87						
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 3		2	NTCVG	UEAL2	33.08	79.85	24.65	18.92	7.87						
—	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse		3	NICVG	ULALZ	33.06	79.03	24.03	10.92	7.07						
	Battery Signaling - Zone 1 2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse		1	NTCVG	UEAR2	11.57	79.85	24.65	18.92	7.87						
	Battery Signaling - Zone 2		2	NTCVG	UEAR2	16.95	79.85	24.65	18.92	7.87						
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse															
\vdash	Battery Signaling - Zone 3		3	NTCVG	UEAR2	33.08	79.85	24.65	18.92	7.87						
	Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per DS0)			NTCVG	URESL		25.06	3.53								
	Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per DS0)			NTCVG	URESP		26.55	5.03								
	CLEC to CLEC Conversion Charge without outside dispatch		<u> </u>	NTCVG	UREWO		87.72	36.36								
	Loop Tagging - Service Level 2 (SL2)			NTCVG	URETL		11.19	1.10								
4-WIR	E ANALOG VOICE GRADE LOOP															
-	4-Wire Analog Voice Grade Loop - Zone 1			NTCVG	UEAL4	17.80	93.01	28.17	19.52	8.12						
-	4-Wire Analog Voice Grade Loop - Zone 2 4-Wire Analog Voice Grade Loop - Zone 3			NTCVG NTCVG	UEAL4 UEAL4	21.68 30.25	93.01 93.01	28.17 28.17	19.52 19.52	8.12 8.12						<u> </u>
h + +	Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per		3	NICVG	UEAL4	30.25	93.01	28.17	19.52	8.12						
	DS0) Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per			NTCVG	URESL		25.06	3.53								
	DS0)			NTCVG	URESP		26.55	5.03								
 	CLEC to CLEC Conversion Charge without outside dispatch		<u> </u>	NTCVG	UREWO		87.72	36.36								
4-WIR	RE DS1 DIGITAL LOOP - COMMINGLING															
	4-Wire DS1 Digital Loop - Zone 1			NTCD1	USLXX	41.02	211.93	72.49	38.24	7.20						
	4-Wire DS1 Digital Loop - Zone 2			NTCD1	USLXX	46.41	211.93	72.49	38.24	7.20						<u> </u>
\vdash	4-Wire DS1 Digital Loop - Zone 3		3	NTCD1	USLXX	62.03	211.93	72.49	38.24	7.20						
	Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per DS1)			NTCD1	URESL		25.06	3.53								

LINBUNDLE	ED N	ETWORK ELEMENTS - Georgia												Attachment:	2 Evh Δ		
UNBUNDLE	ED N	ETWORK ELEMENTS - Georgia		1								Svc Order		Incremental		Incremental	Incremental
												Submitted			Charge -	Charge -	Charge -
																_	
CATEGOR		RATE ELEMENTS	Interi	7	BCS	USOC			RATES(\$)			Elec			Manual Svc	Manual Svc	Manual Svc
CATEGOR	T	RATE ELEMENTS	m	Zone	ВСЗ	USUC			KATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							_	Nonrec		Nonrecurring					Rates(\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per															1
		DS1)			NTCD1	URESP		26.55	5.03								1
		CLEC to CLEC Conversion Charge without outside dispatch			NTCD1	UREWO		100.91	42.97								.
4-W		19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP - COMMINGLIN	G														.
		4 Wire Unbundled Digital Loop 2.4 Kbps - Zone 1			NTCUD	UDL2X	21.86	196.66	37.00	18.82	7.20						<u> </u>
		4 Wire Unbundled Digital Loop 2.4 Kbps - Zone 2			NTCUD	UDL2X	28.36	196.66	37.00	18.82	7.20						<u> </u>
		4 Wire Unbundled Digital Loop 2.4 Kbps - Zone 3			NTCUD	UDL2X	38.22	196.66	37.00	18.82	7.20						<u> </u>
		4 Wire Unbundled Digital Loop 4.8 Kbps - Zone 1			NTCUD	UDL4X	21.86	196.66	37.00	18.82	7.20						<u> </u>
		4 Wire Unbundled Digital Loop 4.8 Kbps - Zone 2			NTCUD	UDL4X	28.36	196.66	37.00	18.82	7.20						1
		4 Wire Unbundled Digital Loop 4.8 Kbps - Zone 3			NTCUD	UDL4X	38.22	196.66	37.00	18.82	7.20						L
		4 Wire Unbundled Digital Loop 9.6 Kbps - Zone 1			NTCUD	UDL9X	21.86	196.66	37.00	18.82	7.20						
		4 Wire Unbundled Digital Loop 9.6 Kbps - Zone 2			NTCUD	UDL9X	28.36	196.66	37.00	18.82	7.20						
		4 Wire Unbundled Digital Loop 9.6 Kbps - Zone 3			NTCUD	UDL9X	38.22	196.66	37.00	18.82	7.20						
		4 Wire Unbundled Digital 19.2 Kbps - Zone 1			NTCUD	UDL19	21.86	196.66	37.00	18.82	7.20						
		4 Wire Unbundled Digital 19.2 Kbps - Zone 2		2	NTCUD	UDL19	28.36	196.66	37.00	18.82	7.20						
		4 Wire Unbundled Digital 19.2 Kbps - Zone 3		3	NTCUD	UDL19	38.22	196.66	37.00	18.82	7.20						
		4 Wire Unbundled Digital Loop 56 Kbps - Zone 1		1	NTCUD	UDL56	21.86	196.66	37.00	18.82	7.20						
		4 Wire Unbundled Digital Loop 56 Kbps - Zone 2		2	NTCUD	UDL56	28.36	196.66	37.00	18.82	7.20						
		4 Wire Unbundled Digital Loop 56 Kbps - Zone 3		3	NTCUD	UDL56	38.22	196.66	37.00	18.82	7.20						
		4 Wire Unbundled Digital Loop 64 Kbps - Zone 1		1	NTCUD	UDL64	21.86	196.66	37.00	18.82	7.20						
		4 Wire Unbundled Digital Loop 64 Kbps - Zone 2		2	NTCUD	UDL64	28.36	196.66	37.00	18.82	7.20						
		4 Wire Unbundled Digital Loop 64 Kbps - Zone 3		3	NTCUD	UDL64	38.22	196.66	37.00	18.82	7.20						
		Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per															
		DS0)			NTCUD	URESL		25.06	3.53								1
		Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per															
		DS0)			NTCUD	URESP		26.55	5.03								1
		CLEC to CLEC Conversion Charge without outside dispatc h			NTCUD	UREWO		101.95	49.66								
					NTCVG, NTCUD,												
		Order Coordination for Specified Conversion Time (per LSR)			NTCD1	OCOSL		57.79									1
UNBUNDLE	ED E	XCHANGE ACCESS LOOP															
		ANALOG VOICE GRADE LOOP															
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1		1	UEANL	UEAL2	10.51	40.02	9.99	5.61	1.72						
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2			UEANL	UEAL2	15.85	40.02	9.99	5.61	1.72						
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3			UEANL	UEAL2	31.97	40.02	9.99	5.61	1.72						
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1			UEANL	UEASL	10.51	40.02	9.99	5.61	1.72						
	T I	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2			UEANL	UEASL	15.85	40.02	9.99	5.61	1.72	1		1	1		1
\vdash	T I	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3		3	UEANL	UEASL	31.97	40.02	9.99	5.61	1.72	1		1	1		1
\vdash	- 	Tag Loop at End User Premise			UEANL	URETL	01.01	8.92	0.88	5.51	1.72	1		1	1		1
\vdash	1	Loop Testing - Basic 1st Half Hour		1	UEANL	URET1		25.12	0.00			1		1	1		1
\vdash	1	Loop Testing - Basic Tist Hair Flour		1	UEANL	URETA		13.62	13.62			1		1	1		1
\vdash	- 1	Manual Order Coordiantion for UVL-SL1s (per loop)			UEANL	UEAMC		18.92	18.92			1					1
\vdash		Order Coordination for Specified Conversion Time for UVL-SL1				3=0		10.02	10.02			1					1
		(per LSR)		1	UEANL	OCOSL		57.79							İ		1
\vdash		Unbundled Non-Design Voice Loop, billing for BST providing		1	O 1L	55552		51.13				1	i		 		
1 1	J	make-up (Engineering Information - E.I.)			UEANL	UEANM		7.30	7.30								1
 		CLEC to CLEC Conversion Charge Without Outside Dispatch		-	Q 11L) = / u vivi		7.50	7.50			 	1		 		
1 1	J	(UVL-SL1)			UEANL	UREWO		15.75	8.92								1
2-14	VIRE	UNBUNDLED COPPER LOOP - NON-DESIGNED		 	OLAIN	SINEVVO		15.75	0.92	 		1	-		 		
		2 Wire Unbundled Copper Loop Non-Designed- Zone 1		1	UEQ	UEQ2X	11.02	44.69	22.40	0.00	0.00	1					1
\vdash		2 Wire Unbundled Copper Loop Non-Designed- Zone 2			UEQ	UEQ2X	12.72	44.69	22.40	0.00	0.00	1					1
\vdash		2 Wire Unbundled Copper Loop Non-Designed-Zone 3			UEQ	UEQ2X	20.22	44.69	22.40	0.00	0.00	1	1	1	1		
\vdash		Tag Loop at End User Premise			UEQ	URETL	20.22	8.92	0.88	0.00	0.00	1	1	1	1		
\vdash		Loop Testing - Basic 1st Half Hour		1	UEQ	URET1		25.12	0.00			t	1		1		
\vdash		Loop Testing - Basic Additional Half Hour		1	UEQ	URETA		13.62	13.62			t	1		1		
\vdash		Manual Order Coordination 2 Wire Unbundled Copper Loop -		1	٥٤٧	UNLIA		13.02	13.02			t	1		1		<u> </u>
		Non-Designed (per loop)		1	UEQ	USBMC		18.92	18.92						Ì		1 '
 		Unbundled Copper Loop - Non-Design, billing for BST providing		1	254	SODIVIC		10.52	10.92			1	-	1	1		
		make-up (Engineering Information - E.I.)			UEQ	UEQMU		7.30	7.30								1
\Box		make-up (Engineening information - E.I.)	l	L	OL W	ULKINU	1	1.30	7.30			·	1	·	1		1

UNBUNDLE	NETWORK ELEMENTS - Georgia			1	1	1					I		Attachment:			ł
													Incremental			
											Submitted	Submitted		Charge -	Charge -	Charge -
		Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
											-		Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
														7.44.	2.00 .01	2.007.444.
							Nonre		Nonrecurring	g Disconnect				Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	CLEC to CLEC Conversion Charge Without Outside Dispatch															
	(UCL-ND)			UEQ	UREWO		14.25	7.42								
LOOP MODI	FICATION						_									
				UAL, UHL, UCL,												
				UEQ, ULS, UEA,												
	Unbundled Loop Modification, Removal of Load Coils - 2 Wire			UEANL, UEPSR,												
	pair less than or equal to 18k ft, per Unbundled Loop			UEPSB	ULM2L		0.00	0.00								
		-	1	UEFOD	ULIVIZL		0.00	0.00								
	Unbundled Loop Modification Removal of Load Coils - 4 Wire						0.00	0.00								
	less than or equal to 18K ft, per Unbundled Loop		1	UHL, UCL, UEA	ULM4L		0.00	0.00								
				UAL, UHL, UCL,												
			1	UEQ, ULS, UEA,	1							İ			Ì	1
	Unbundled Loop Modification Removal of Bridged Tap Removal,		1	UEANL, UEPSR,								l			Ì	1
	per Unbundled Loop		1	UEPSB	ULMBT		17.91					ļ				
SUB-LOOPS																
Sub-	Loop Distribution	\perp	\perp													1
	Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set-															
	Up			UEANL, UEF	USBSA		255.76									
	Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up			UEANL, UEF	USBSB		7.29									
	Sub-Loop - Per Building Equipment Room - CLEC Feeder			, -												
	Facility Set-Up			UEANL	USBSC		175.09									
	Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel			OL7 II IL	COBCC		170.00									
	Set-Up			UEANL	USBSD		51.61									
	Unbundled Sub-Loops, Riser Cable, 2-Wire per Loop, Working		+	ULANL	USBSD		31.01				1					
	and Chara Loop Astination			LIEANII	USBRC	3.61	28.46	3.85	2.20	0.01						
	and Spare Loop Activation		1	UEANL	USBRC	3.01	28.46	3.85	2.20	0.01						
	Unbundled Sub-Loops, Riser Cable, 4-Wire per Loop, Working															
	and Spare Loop Activation			UEANL	USBRD	7.67	31.07	4.79	2.27	0.01						
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -															
	Zone 1		1	UEANL	USBN2	6.52	28.46	3.85	2.20	0.01						
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -															
	Zone 2		2	UEANL	USBN2	10.18	28.46	3.85	2.20	0.01						
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -															
	Zone 3		3	UEANL	USBN2	19.51	28.46	3.85	2.20	0.01						
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -															
	Zone 1		1	UEANL	USBN4	5.93	31.07	4.79	2.27	0.01						
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -	1	1						İ		İ					
	Zone 2		2	UEANL	USBN4	9.71	31.07	4.79	2.27	0.01		l			Ì	1
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -	1	 		332.17	5.71	01.07	7.73	2.21	0.01	1	 		1	†	t
	Zone 3		3	UEANL	USBN4	18.85	31.07	4.79	2.27	0.01		l			Ì	1
	25.10 0	1		J = , 11L	50011	10.00	01.07	7.73	2.21	3.01	1					<u> </u>
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair	.]	1	UEANL	USBMC		18.92	18.92				l			Ì	1
H	Sub-Loop 2-Wire Intrabuilding Network Cable (INC)	1	1	UEANL	USBR2	3.61	28.46	3.85	2.20	0.01	t	1		1		
—	Sub-Loop 2-ville intrabuliding Network Cable (INC)	1	1	ULANL	USDRZ	3.01	∠0.40	3.85	2.20	0.01	1	-	-	1	-	
	Onder Consideration for Habitandlad Cub Loops (1997) Interest	.1		LIEANI	LICDMC		40.00	40.00			1					1
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair	1	1	UEANL	USBMC	7.0-	18.92	18.92	0.00	0.01	1	 		1	 	
\vdash	Sub-Loop 4-Wire Intrabuilding Network Cable (INC)		1	UEANL	USBR4	7.67	31.07	4.79	2.27	0.01	1			1		+
			1	l								l			Ì	1
\vdash	Order Coordination for Unbundled Sub-Loops, per sub-loop pair	1	1	UEANL	USBMC		18.92	18.92	ļ			ļ				
	Loop Testing - Basic 1st Half Hour	1	1	UEANL	URET1		25.12	0.00	ļ							
	Loop Testing - Basic Additional Half Hour		ļ	UEANL	URETA		13.62	13.62								
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1		1	UEF	UCS2X	5.94	28.46	3.85	2.20	0.01						
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 2			UEF	UCS2X	7.51	28.46	3.85	2.20	0.01						
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 3		3	UEF	UCS2X	9.22	28.46	3.85	2.20	0.01						
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair	1	1	UEF	USBMC		18.92	18.92				l			Ì	1
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1		1	UEF	UCS4X	6.37	31.07	4.79	2.27	0.01						
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 2		2	UEF	UCS4X	6.32	31.07	4.79	2.27	0.01	İ	1			1	
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	1	3	UEF	UCS4X	9.10	31.07	4.79	2.27	0.01	1	 	 	†	 	\vdash
 	Soppor oribandiod oub-Loop Distribution - Zolle 3	 	<u> </u>	V-1	300-1/1	3.10	31.07	7.73	2.21	0.01	†	 		 	 	
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair	.1	1	UEF	USBMC		18.92	18.92		1	Ì	I]		1	1
<u> </u>	Torder Coordination for Oribundled Sub-Loops, per sub-loop pair	1	1	JOLIF	USDIVIC		18.92	18.92	l	l	<u> </u>	1	l	1	1	1

LINBLINDI E	LED NETWORK ELEMENTS - Georgia												Attachment:	2 Evh Δ		
UNBUNDLE	LED NETWORK ELEMENTS - Georgia	1	1		1						Svc Order	Svc Order	Incremental		Incremental	Incremental
												Submitted		Charge -	Charge -	Charge -
													_	_		_
CATEGORY	RY RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES(\$)			Elec	Manually		Manual Svc	Manual Svc	Manual Svo
CATEGOR	KATE ELEMENTS	m	Zone	603	0300			(A) Ευ(ψ)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
			+			I	Nonrec	urring	Nonrecurring	g Disconnect			088	Rates(\$)		
-			+			Rec	First	Add'l	First	Add'l	SOMEC	SOMAN		SOMAN	SOMAN	SOMAN
-	Loop tagging Service Level 1, Unbundled Copper Loop, Non-		+			IXEC	11131	Addi	11130	Addi	JOHILO	JONAN	JOHAN	JOHAN	JOHAN	JONAN
	Designed and Distribution Subloops			UEF, UEANL	URETL		8.92	0.88								
-	Loop Testing - Basic 1st Half Hour				URET1		25.12	0.00								
-	Loop Testing - Basic Additional Half Hour			UEF	URETA		13.62	13.62								
Uni	Inbundled Sub-Loop Modification			OLI	OKETA		10.02	10.02			1					
0	Unbundled Sub-Loop Modification - 2-W Copper Dist Load															
	Coil/Equip Removal per 2-W PR			UEF	ULM2X		0.00	0.00								
-	Unbundled Sub-loop Modification - 4-W Copper Dist Load			OLI	OLIVIZA		0.00	0.00								
	Coil/Equip Removal per 4-W PR			UEF	ULM4X		0.00	0.00								
 	Unbundled Loop Modification, Removal of bridge Tap, per	-	 	021	CLIVITA		0.00	0.00				 				
	unbundled loop		1	UEF	ULMBT		17.91	17.91				1				1
Uni	Inbundled Network Terminating Wire (UNTW)	-	+	OL:	CLIVIDI		17.91	17.31		 			 			
Uni	Unbundled Network Terminating Wire (UNTW) per Pair	-	+	UENTW	UENPP	0.533	25.12	12.28	1	 			 			
Not	letwork Interface Device (NID)	-	+	OFIAIAA	OLINI F	0.555	20.12	12.20	1	 			 			
1461	Network Interface Device (NID) - 1-2 lines	-	+	UENTW	UND12		32.86	20.69	1	 			 			
H	Network Interface Device (NID) - 1-2 lines Network Interface Device (NID) - 1-6 lines	+	1		UND12		56.03	43.86	1	1	 	1	1	1		
H	Network Interface Device (NID) - 1-6 lines Network Interface Device Cross Connect - 2 W	+	1	UENTW	UNDC2		2.45	2.45	1	1	 	1	1	1		
	Network Interface Device Cross Connect - 2 W Network Interface Device Cross Connect - 4W				UNDC4		2.45	2.45								
LINE OTHE	HER, PROVISIONING ONLY - NO RATE			OLIVIV	UNDC4		2.43	2.43								
ONE OTHE	ER, FROVISIONING ONET - NO RATE			UAL, UCL, UDC,												
				UDL, UDN, UEA,												
				UHL, UEANL, UEF,												
				UEQ, UENTW,												
				NTCVG, NTCUD,												
	Unbundled Contact Name, Provisioning Only - no rate				UNECN	0.00	0.00									
-	Unbundled DS1 Loop - Superframe Format Option - no rate	+	+		CCOSF	0.00	0.00				-					
	Unbundled DS1 Loop - Expanded Superframe Format option -			OOL, INTODI	00001	0.00	0.00									
	no rate			USL. NTCD1	CCOEF	0.00	0.00									
	NID - Dispatch and Service Order for NID installation			UENTW	UNDBX	0.00	0.00									
	UNTW Circuit Establishment, Provisioning Only - No Rate			UENTW	UENCE	0.00	0.00									
LOOP MAK		+	1	OLIVIV	OLINGE	0.00	0.00									
LOOI MAN	Loop Makeup - Preordering Without Reservation, per working o	r														
		1		UMK	UMKLW		15.19	15.19								
-	spare facility queried (Manual). Loop Makeup - Preordering With Reservation, per spare facility	+	+	UIVIN	UIVIKLVV		15.19	15.19			-					
	queried (Manual).			UMK	UMKLP		19.85	19.85								
-	Loop MakeupWith or Without Reservation, per working or	+	+	OWIN	UNIKLE		19.03	19.00			-					
				UMK	UMKMQ		0.82	0.82								
LINE SPLIT	spare facility queried (Mechanized)	-	+	OIVIN	UIVINIVIU	-	0.82	0.82	 	-			 	-		
	ND USER ORDERING-CENTRAL OFFICE BASED	+	1						1	1	 	1	1	1		
ENI	Line Splitting - per line activation DLEC owned splitter	-	+	UEPSR UEPSB	UREOS	0.61			1	 			 			
 	Line Splitting - per line activation BST owned - physical	+	1		UREBP	0.6297	20.10	12.40	7.68	4.30	 	1	1	1		
H	Line Splitting - per line activation BST owned - physical	+	1	UEPSR UEPSB	UREBV	0.6288	20.10	12.40		4.30	 	1	1	1		
LIKI	INBUNDLED EXCHANGE ACCESS LOOP	-	+	OLI SK OLF SD	OILEDA	0.0200	20.10	12.40	1.00	4.30		1				
	-WIRE ANALOG VOICE GRADE LOOP	-	+		 					 			 			
	INE Loop Rates for Line Splitting (In Ga. PSC ordered the line sp	litting lo	on USC	Cs match the lower	nort- loop co	ombo rates HFI	PI X)		1	 			 			
- IOINI	2-Wire Voice Grade Loop (SL1) for Line Splitting - Zone 1	I I			UEALS	9.56	10.05	7.36	1.37	1.28		1				
 	2-Wire Voice Grade Loop (SL1) for Line Splitting - Zone 1	i	1	UEPSR UEPSB	UEABS	9.56	10.05	7.36		1.28			 			
 	2-Wire Voice Grade Loop (SL1) for Line Splitting - Zone 1		2	UEPSR UEPSB	UEALS	14.86	10.05	7.36		1.28			 			
 	2-Wire Voice Grade Loop (SL1) for Line Splitting - Zone 2		2	UEPSR UEPSB	UEABS	14.86	10.05	7.36		1.28			 			
 	2-Wire Voice Grade Loop (SL1) for Line Splitting - Zone 2 2-Wire Voice Grade Loop (SL1) for Line Splitting - Zone 3	+ +		UEPSR UEPSB	UEALS	31.66	10.05	7.36		1.28			 			
 	2-Wire Voice Grade Loop (SL1)for Line Splitting - Zone 3 2-Wire Voice Grade Loop (SL1)for Line Splitting - Zone 3	+ ;	3	UEPSR UEPSB	UEABS	31.66	10.05	7.36		1.28	 	1	1	1		
ישם	PHYSICAL COLLOCATION	+ '		OLI OK OLI OD	CLADO	31.00	10.03	7.30	1.37	1.20		1				
FR	Physical Collocation-2 Wire Cross Connects (Loop) for Line	+	1						1	1	 	1	1	1		
	Splitting		1	UEPSR UEPSB	PE1LS	0.0197	0.00	0.00					Ì			1
VID	ISPIREING INTUAL COLLOCATION	+	1	OLFON UEFOD	LILO	0.0197	0.00	0.00	1	1	 	1	1	1		
VIR	Virtual Collocation-2 Wire Cross Connects (Loop) for Line	-	+						 	-			-	-		
	Splitting		1	UEPSR UEPSB	VE1LS	0.0188	0.00	0.00	0.00	0.00			Ì			1
LINDLIND	ILED DEDICATED TRANSPORT	+	1	ULFOR UEFOR	AF. IFO	0.0188	0.00	0.00	0.00	0.00		-	-	-		
	NTEROFFICE CHANNEL - DEDICATED TRANSPORT	+	1		 				1	 		 	 	-		
INI	TEROFFICE CHANNEL - DEDICATED TRANSPORT								1				l			1

UNBU	VDI FD I	IETWORK ELEMENTS - Georgia												Attachment:	2 Fxh A		
CATEG		RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
								Nonrec	urring	Nonrecurring	Disconnect			oss	Rates(\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Interoffice Channel - 2-Wire Voice Grade - per mile			U1TVX	1L5XX	0.0057										
		Interoffice Channel - 2-Wire Voice Grade - Facility Termination			U1TVX	U1TV2	12.87	48.46	19.48	16.58	5.00						
		Interoffice Channel - 2-Wire Voice Grade Rev Bat per mile			U1TVX	1L5XX	0.0057										
		Interoffice Channel - 2-Wire VG Rev Bat Facility Termination			U1TVX	U1TR2	12.87	48.46	19.48	16.58	5.00						
-		Interoffice Channel - 4-Wire Voice Grade - per mile			U1TVX	1L5XX	0.0057	40.40	13.40	10.50	3.00						
		F				1	-										
		Interoffice Channel - 4- Wire Voice Grade - Facility Termination			U1TVX	U1TV4	10.78	48.46	19.48	16.58	5.00						
		Interoffice Channel - 56 kbps - per mile			U1TDX	1L5XX	0.0057										
	1	Interoffice Channel - 56 kbps - Facility Termination			U1TDX	U1TD5	7.83	48.46	19.48	16.58	5.00	ļ		ļ			
-	1	Interoffice Channel - 64 kbps - per mile			U1TDX	1L5XX	0.0057	40.40	40.40	40.50	F 00	 					
-	1	Interoffice Channel - 64 kbps - Facility Termination Interoffice Channel - DS1 - per mile			U1TDX U1TD1	U1TD6 1L5XX	7.83 0.1154	48.46	19.48	16.58	5.00	 	-	1			
-	-	Interoffice Channel - DS1 - per fille Interoffice Channel - DS1 - Facility Termination			U1TD1	U1TF1	34.19	111.03	80.28	31.36	21.73	 					
	1	Interoffice Channel - DS3 - per mile			U1TD3	1L5XX	2.53	111.00	00.20	31.30	21.70						
		Interoffice Channel - DS3 - Facility Termination			U1TD3	U1TF3	342.02	320.47	86.32	66.77	52.81						
		Interoffice Channel - STS-1 - per mile			U1TS1	1L5XX	2.53										
		Interoffice Channel - STS-1 - Facility Termination			U1TS1	U1TFS	358.67	320.47	86.32	66.77	52.81						
		Local Channel - Dedicated - 2-Wire Voice Grade			ULDVX, UNCVX	ULDV2	8.90										
		Local Channel - Dedicated - 2-Wire Voice Grade Rev Bat Local Channel - Dedicated - 4-Wire Voice Grade			ULDVX ULDVX, UNCVX	ULDR2 ULDV4	8.90 10.03										
		Local Channel - Dedicated - 4-wire voice Grade Local Channel - Dedicated - DS1 Zone 1			ULDD1, UNC1X	ULDF1	21.24	-									
		Local Channel - Dedicated - DS1 Zone 1			ULDD1, UNC1X	ULDF1	64.75										
		Local Channel - Dedicated - DS1 Zone 3			ULDD1, UNC1X	ULDF1	189.41										
		Local Channel - Dedicated - DS3 - Per Mile per month			ULDD3, UNC3X	1L5NC	1.66										
		Local Channel - Dedicated - DS3 - Facility Termination			ULDD3, UNC3X	ULDF3	169.06										
		Local Channel - Dedicated - STS-1- Per Mile per month			ULDS1, UNCSX	1L5NC	1.66										
		Local Channel - Dedicated - STS-1 - Facility Termination			ULDS1, UNCSX	ULDFS	177.81										
	UNBU	IDLED DARK FIBER Dark Fiber - Interoffice Transport, Per Four Fiber Strands, Per															
		Route Mile Or Fraction Thereof			UDF, UDFCX	1L5DF	23.29										
-		Dark Fiber - Interoffice Transport, Per Four Fiber Strands, Per			ODI, ODI OX	TEODI	25.25										
		Route Mile Or Fraction Thereof			UDF, UDFCX	UDF14		1,776.53	89.75	73.53	18.70						
DARK	FIBER				,												
		Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction															
		Thereof per month - Local Channel			UDF, UDFCX	1L5DC	46.84										
		Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction			LIDE LIDEOV	1L5DL	46.84										
9VV A	CCESS T	Thereof per month - Local Loop EN DIGIT SCREENING			UDF, UDFCX	1L5DL	46.84	-									
OAA A	CCESS	8XX Access Ten Digit Screening, Per Call				-	0.0008543										
		8XX Access Ten Digit Screening, w/8FL No. Delivery					0.0008543										
		8XX Access Ten Digit Screening, w/POTS No. Delivery					0.0008543										
LINE II	NFORMA	ATION DATA BASE ACCESS (LIDB)			•				•								
		LIDB Common Transport Per Query				1	0.0000682										
<u> </u>	1	LIDB Validation Per Query			0011	NDDDV	0.0266962	22.04	22.24	20.25	20.05						
CALL	NG NAM	LIDB Originating Point Code Establishment or Change E (CNAM) SERVICE			OQU	NRBPX	1	33.24	33.24	39.35	39.35	 		 			
CALLI	NAM	CNAM for DB Owners, Per Query				+	0.0009924										
	1	CNAM for Non DB Owners, Per Query				+	0.0009924	+									
SELEC	TIVE R					1	5.53000E4	1									
		Selective Routing Per Unique Line Class Code Per Request Per															
		Switch						102.19	61.15	12.68	6.34	ļ					
AIN SE	LECTIV	E CARRIER ROUTING					1	101 5 : : :									
<u> </u>	1	Regional Service Establishment				1		101,311.67	101,311.67	7,833.25	7,833.25	 					
-	1	End Office Establishment Line/Port NRC, per end user				+	-	158.92 2.06	158.92 2.06	1.64	1.64						-
-	 	Query NRC, per query				+	0.0020368	2.00	2.00								
AIN - E	BELLSO	JTH AIN SMS ACCESS SERVICE					0.0020000	t									
						•						•	•				

UNBUNDLED N	IETWORK ELEMENTS - Georgia												Attachment:	2 Exh A		
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
							Nonrec		Nonrecurring					Rates(\$)	•	
\vdash						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	AIN SMS Access Service - Service Establishment, Per State,															í
	Initial Setup		-	A1N	CAMSE		41.41	41.41	41.63	41.63						
	AIN SMS Access Service - Port Connection - Dial/Shared Access			A1N	CAMDP		8 15	8.15	9.16	9.16						ł
-	AIN SMS Access Service - Port Connection - Dial/Snared Access AIN SMS Access Service - Port Connection - ISDN Access			A1N	CAM1P		8.15	8.15	9.16	9.16	+					
	AIN SMS Access Service - For Conflection - ISBN Access AIN SMS Access Service - User Identification Codes - Per User			AIN	CAWITE		0.13	0.13	9.10	9.10	1					
	ID Code			A1N	CAMAU		35.29	35.29	26.50	26.50						ł
	AIN SMS Access Service - Security Card, Per User ID Code,			71114	C7 11V1/10		00.20	00.20	20.00	20.00						
	Initial or Replacement			A1N	CAMRC		40.24	40.24	11.72	11.72						ł
	AIN SMS Access Service - Storage, Per Unit (100 Kilobytes)					0.0038										i
	AIN SMS Access Service - Session, Per Minute					1.81										í
	AIN SMS Access Service - Company Performed Session, Per							· · · · · · · · · · · · · · · · · · ·								
	Minute					0.8323										<u> </u>
	Y UNBUNDLED LOCAL LOOP															
DS-3/S	TS-1 UNBUNDLED LOCAL LOOP - Stand Alone			1150		40.00										
	DS3 Unbundled Local Loop - per mile			UE3	1L5ND	10.97	4 750 00	101.00	440.04	75.00						
	DS3 Unbundled Local Loop - Facility Termination STS-1Unbundled Local Loop - per mile			UE3 UDLSX	UE3PX 1L5ND	253.38 10.97	1,753.23	131.90	112.91	75.88	-					
-	STS-1 Unbundled Local Loop - Facility Termination		-	UDLSX	UDLS1	305.42	1,753.23	131.90	112.91	75.88	1					
ENHANCED EX	(TENDED LINK (EELs)			ODLOX	ODLST	303.42	1,733.23	131.50	112.91	73.00	1					
	k Elements Used in Combinations				+						+					
	2-Wire VG Loop (SL2) in Combination - Zone 1		1	UNCVX	UEAL2	11.57	195.94	36.38	18.42	6.86						
	2-Wire VG Loop (SL2) in Combination - Zone 2			UNCVX	UEAL2	16.95	195.94	36.38	18.42	6.86						
	2-Wire VG Loop (SL2) in Combination - Zone 3			UNCVX	UEAL2	33.08	195.94	36.38	18.42	6.86						i
	4-Wire Analog Voice Grade Loop in Combination - Zone 1		1	UNCVX	UEAL4	17.80	195.94	36.38	18.42	6.86						
	4-Wire Analog Voice Grade Loop in Combination - Zone 2		2	UNCVX	UEAL4	21.68	195.94	36.38	18.42	6.86						
	4-Wire Analog Voice Grade Loop in Combination - Zone 3		3	UNCVX	UEAL4	30.25	195.94	36.38	18.42	6.86						
	2-Wire ISDN Loop in Combination - Zone 1		1	UNCNX	U1L2X	19.82	195.94	36.38	18.42	6.86						<u> </u>
	2-Wire ISDN Loop in Combination - Zone 2		2	UNCNX	U1L2X	26.26	195.94	36.38	18.42	6.86						
	2-Wire ISDN Loop in Combination - Zone 3		3	UNCNX	U1L2X	42.17	195.94	36.38	18.42	6.86						
	4-Wire 56Kbps Digital Grade Loop in Combination - Zone 1		1	UNCDX	UDL56	21.86	195.94	36.38	18.42	6.86						
	4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2		2	UNCDX	UDL56 UDL56	28.36	195.94 195.94	36.38	18.42	6.86						
-	4-Wire 56Kbps Digital Grade Loop in Combination - Zone 3 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 1		3	UNCDX UNCDX	UDL56	38.22 21.86	195.94	36.38 36.38	18.42 18.42	6.86 6.86						
	4-Wire 64Kbps Digital Grade Loop in Combination - Zone 2		2	UNCDX	UDL64	28.36	195.94	36.38	18.42	6.86						
	4-Wire 64Kbps Digital Grade Loop in Combination - Zone 3		3	UNCDX	UDL64	38.22	195.94	36.38	18.42	6.86						
	4-Wire DS1 Digital Loop in Combination - Zone 1		1	UNC1X	USLXX	41.02	209.45	70.44	37.91	6.86						
	4-Wire DS1 Digital Loop in Combination - Zone 2		2	UNC1X	USLXX	46.41	209.45	70.44	37.91	6.86						í
	4-Wire DS1 Digital Loop in Combination - Zone 3		3	UNC1X	USLXX	62.03	209.45	70.44	37.91	6.86						i
	DS3 Local Loop in combination - per mile			UNC3X	1L5ND	10.97										
	DS3 Local Loop in combination - Facility Termination			UNC3X	UE3PX	253.38	1,260.47	628.84	41.53	20.76						
	STS-1 Local Loop in combination - per mile			UNCSX	1L5ND	10.97										
	STS-1 Local Loop in combination - Facility Termination			UNCSX	UDLS1	305.42	1,260.47	628.84	41.53	20.76	1					
\vdash	Interoffice Channel in combination - 2-wire VG - per mile			UNCVX	1L5XX	0.0057										
1 1	Interoffice Channel in combination - 2-wire VG - Facility		1	LINCVY	U1TV2	40.07	00.50	22.01	40.40	07.00						í
\vdash	Termination			UNCVX UNCVX	1L5XX	12.87 0.0057	66.53	33.61	43.42	27.60	 					
\vdash	Interoffice Channel in combination - 4-wire VG - per mile Interoffice Channel in combination - 4-wire VG - Facility	-	 	OINCVA	ILOAA	0.0057					1					
	Termination		1	UNCVX	U1TV4	10.78	66.53	33.61	43.42	27.60						í
	Interoffice Channel in combination - 4-wire 56 kbps - per mile			UNCDX	1L5XX	0.0057	00.00	00.01	70.72	27.00						í
	Interoffice Channel in combination - 4-wire 56 kbps - Facility				1-2.3	5.5557					1					
]]	Termination		1	UNCDX	U1TD5	7.83	66.53	33.61	43.42	27.60						ł
	Interoffice Channel in combination - 4-wire 64 kbps - per mile			UNCDX	1L5XX	0.0057										i
İ	Interoffice Channel in combination - 4-wire 64 kbps - Facility															i
	Termination			UNCDX	U1TD6	7.83	66.53	33.61	43.42	27.60						ı
	Interoffice Channel in combination - DS1 - per mile			UNC1X	1L5XX	0.1154										
	Interoffice Channel in combination - DS1 Facility Termination			UNC1X	U1TF1	34.19	87.76	45.73	43.80	27.97						
\vdash	Interoffice Channel in combination - DS3 - per mile		<u> </u>	UNC3X	1L5XX	2.53										
	Interoffice Channel in combination - DS3 - Facility Termination		l	UNC3X	U1TF3	342.02	325.91	77.07	49.56	32.88	1	<u> </u>				

Version 4Q05 Standard ICA 03/15/06 (Renegotiations) Page 67 of 261

LINBUNDI E	D NETWORK ELEMENTS - Georgia												Attachment:	2 Evh Δ		
ONBONDEE	D NETWORK ELEMENTS - Georgia				1						Svc Order	Svc Order	Incremental		Incremental	Incremental
											Submitted			Charge -	Charge -	Charge -
		Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS		Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m									per Lore	per Lore				
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
							Nonrec	urring	Nonrecurring	g Disconnect				Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Interoffice Channel in combination - STS-1 - per mile			UNCSX	1L5XX	2.53										
	Interoffice Channel in combination - STS-1 Facility Termination			UNCSX	U1TFS	358.67	325.91	77.07	49.56	32.88						
ADDITIONA	L NETWORK ELEMENTS	+	-	ONCOX	01110	330.07	323.31	11.01	43.30	32.00	1	1				
		1														
Opti	onal Features & Functions:															
				U1TD1,												1 1
	Clear Channel Capability Extended Frame Option - per DS1			ULDD1,UNC1X	CCOEF		0.00	0.00	0.00	0.00						1 1
				U1TD1,												
	Clear Channel Capability Super FrameOption - per DS1	1		ULDD1,UNC1X	CCOSF		0.00	0.00	0.00	0.00						1 1
-	Clear Channel Capability (SF/ESF) Option - Subsequent			ULDD1, U1TD1,	00001		0.00	0.00	0.00	0.00	1					
		Ι.														1 1
	Activity - per DS1	I		UNC1X, USL	NRCCC		184.62	23.78	2.03	0.79						
				U1TD3, ULDD3,												
	C-bit Parity Option - Subsequent Activity - per DS3	i		UE3, UNC3X	NRCC3		218.74	7.66	0.7591	0.00						1
	DS1/DS0 Channel System			UNC1X	MQ1	69.75	86.10									
	DS3/DS1Channel System			UNC3X, UNCSX	MQ3	121.90										
	Voice Grade COCI in combination			UNCVX	1D1VG	0.4689	27.33	2.90	16.86	1.04						
-	Voice Grade COCI - for Stand Alone Local Loop	+	-	UEA	1D1VG	0.4689	27.33	2.90	16.86	1.04	1	1				
		1		ULA	IDIVG	0.4003	21.33	2.50	10.00	1.04	ļ					
	Voice Grade COCI - for connection to a channelized DS1 Local															1 1
	Channel in the same SWC as collocation			U1TUC	1D1VG	0.4689	27.33	2.90	16.86	1.04						
	OCU-DP COCI (2.4-64kbs) in combination			UNCDX	1D1DD	0.9963	27.33	2.90	16.86	1.04						
	OCU-DP COCI (2.4-64kbs) - for Stand Alone Local Loop			UDL	1D1DD	0.9963	27.33	2.90	16.86	1.04						
	OCU-DP COCI (2.4-64kbs) - for connection to a channelized															
	DS1 Local Channel in the same SWC as collocation			U1TUD	1D1DD	0.9963	27.33	2.90	16.86	1.04						
	2-wire ISDN COCI (BRITE) in combination			UNCNX	UC1CA	1.66	27.33	2.90	16.86	1.04	-					
	2-wire ISDN COCI (BRITE) in combination 2-wire ISDN COCI (BRITE) - for a Local Loop				UC1CA			2.90		1.04		-				\vdash
				UDN	UCTCA	1.66	27.33	2.90	16.86	1.04						
	2-wire ISDN COCI (BRITE) - for connection to a channelized															
	DS1 Local Channel in the same SWC as collocation			U1TUB	UC1CA	1.66	27.33	2.90	16.86	1.04						<u> </u>
	DS1 COCI in combination			UNC1X	UC1D1	7.35	27.33	2.90	16.86	1.04						
	DS1 COCI - for Stand Alone Local Channel			ULDD1	UC1D1	7.35	27.33	2.90	16.86	1.04						
	DS1 COCI - for Stand Alone Interoffice Channel			U1TD1	UC1D1	7.35	27.33	2.90	16.86	1.04						
	DS1 COCI - for Stand Alone Local Loop			USL	UC1D1	7.35	27.33	2.90	16.86	1.04						
	DS1 COCI - for connection to a channelized DS1 Local Channel			OOL	OCIDI	7.55	21.55	2.30	10.00	1.04		-				\vdash
				l <u>_</u>												1 1
	in the same SWC as collocation			U1TUA	UC1D1	7.35	27.33	2.90	16.86	1.04						
				UNCVX, U1TVX,												
				UNCDX, U1TDX,												
				UNC1X,												1
				U1TD1,UNC3X,												1
				U1TD3, UNCSX,												1
																1
				U1TS1,												1
	Wholesale to UNE, Switch-As-Is Conversion Charge			UDF,UDFCX	UNCCC		5.70	5.70								
				U1TVX, U1TDX,												
	Unbundled Misc Rate Element, SNE SAI, Single Network			U1TD1, U1TD3,												1
	Element - Switch As Is Non-recurring Charge, per circuit (LSR)	1		U1TS1, UDF, UE3	URESL		36.95	16.17								1
	Unbundled Misc Rate Element, SNE SAI, Single Network		1	U1TVX, U1TDX,	1	 	55.55		1	1	l .	1				
	Element - Switch As Is Non-recurring Charge, incremental	1		U1TD1, U1TD3,						1	1	1				, ,
		1 .		U1TS1, UDF, UE3	URESP		1 40	1 40			1					1
\vdash	charge per circuit on a spreadsheet	++	<u> </u>			ļ .	1.49	1.49		ļ	1	!				
\vdash	UNE Reconfiguration Change Charge per Circuit	I	ļ	UNC1X	URERC		35.00	35.00			 					
	UNE Reconfiguration Change Charge per Circuit Project	1								1	1					1 '
	Managed	- 1		UNC1X	URERP		1.49	1.49			<u> </u>					
Acce	ess to DCS - Customer Reconfiguration (FlexServ)	\perp	L													
	Customer Reconfiguration Establishment						1.40		1.63							
	DS1 DCS Termination with DS0 Switching					19.65	24.90	18.92	15.04	11.95	İ	1				
	DS1 DCS Termination with DS1 Switching	1			1	7.09	18.18	12.20	11.14	8.05	l	t				
 	DS3 DCS Termination with DS1 Switching	+	1		 	125.62	24.90	18.92	15.04	11.95	 	 				
Nii		 	 		 	123.02	24.90	10.92	15.04	11.95	}	 				
Noa	e (SynchroNet)	1	1	LINODY	LINIONIT	40.00					1	1				
	Node per month			UNCDX	UNCNT	13.98					ļ					
ı IServ	ice Rearrangements	1								l]	1				1

UNBUNDI FD	NETWORK ELEMENTS - Georgia												Attachment:	2 Exh A	I	
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)			Svc Order Submitted Elec per LSR		Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						 	Nonrec	urring	Nonrecurring	Disconnect			OSS	Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	NRC - Change in Facility Assignment per circuit Service Rearrangement	ı		U1TVX, U1TDX, UEA, UDL, U1TUC, U1TUD, U1TUB, ULDVX, ULDDX, UNCVX, UNCDX, UNC1X	URETD		100.91	42.97								
	NRC - Change in Facility Assignment per circuit Project Management (added to CFA per circuit if project managed) NRC - Order Coordination Specific Time - Dedicated Transport	1		U1TVX, U1TDX, UEA, UDL, U1TUC, U1TUD, U1TUB, ULDVX, ULDDX, UNCVX, UNCDX, UNC1X, UNC1X	URETB OCOSR		1.28 18.89	1.28 18.89								
COMMINGLI	VG	<u> </u>		ONCIA	OCOSK		10.09	10.09								
				UNCVX, UNCDX, UNC1X, UNC3X, UNCSX, U1TD1, U1TD3, U1TS1, UE3, UDLSX, U1TVX, U1TDX, U1TUB, ULDVX, ULDD1, ULDD3,												
	Commingling Authorization			ULDS1	CMGAU	0.00	0.00	0.00	0.00	0.00						
Comr	ningled (UNE part of single bandwidth circuit)			VDVOV NTOVO	1D1VG	0.4000	07.00	0.00	40.00	101						
	Commingled VG COCI Commingled Digital COCI			XDV2X, NTCVG XDV6X, NTCUD	1D1VG 1D1DD	0.4689 0.9963	27.33 27.33	2.90 2.90	16.86 16.86	1.04 1.04						
	Commingled ISDN COCI			XDD4X	UC1CA	1.66	27.33	2.90	16.86	1.04						
	Commingled 2-wire VG Interoffice Channel			XDV2X	U1TV2	12.87	66.53	33.61	43.42	27.60						
	Commingled 4-wire VG Interoffice Channel		<u> </u>	XDV6X	U1TV4	10.78	66.53	33.61	43.42	27.60						
	Commingled 56kbps Interoffice Channel Commingled 64kbps Interoffice Channel			XDD4X XDD4X	U1TD5 U1TD6	7.83 7.83	66.53 66.53	33.61 33.61	43.42 43.42	27.60 27.60						
	Commingled VG/DS0 Interoffice Channel Mileage Commingled 2-wire Local Loop Zone 1 Commingled 2-wire Local Loop Zone 2		1 2	XDV2X, XDV6X, XDD4X XDV2X XDV2X	1L5XX UEAL2 UEAL2	0.0057 11.57 16.95	195.94 195.94	36.38 36.38	18.42 18.42	6.86 6.86						
	Commingled 2-wire Local Loop Zone 3		3	XDV2X	UEAL2	33.08	195.94	36.38	18.42	6.86						
	Commingled 4-wire Local Loop Zone 1 Commingled 4-wire Local Loop Zone 2		1 2	XDV6X XDV6X	UEAL4 UEAL4	17.80 21.68	195.94 195.94	36.38 36.38	18.42 18.42	6.86 6.86		1				
	Commingled 4-wire Local Loop Zone 2 Commingled 4-wire Local Loop Zone 3	<u> </u>	3	XDV6X	UEAL4	30.25	195.94	36.38	18.42	6.86		 				
	Commingled 56kbps Local Loop Zone 1		1	XDD4X	UDL56	21.86	195.94	36.38	18.42	6.86						
	Commingled 56kbps Local Loop Zone 2		2	XDD4X	UDL56	28.36	195.94	36.38	18.42	6.86						
	Commingled 56kbps Local Loop Zone 3 Commingled 64kbps Local Loop Zone 1		3	XDD4X XDD4X	UDL56 UDL64	38.22 21.86	195.94 195.94	36.38 36.38	18.42 18.42	6.86 6.86		-				
	Commingled 64kbps Local Loop Zone 2		2	XDD4X XDD4X	UDL64	28.36	195.94	36.38	18.42	6.86		<u> </u>				
	Commingled 64kbps Local Loop Zone 3		3	XDD4X	UDL64	38.22	195.94	36.38	18.42	6.86						
	Commingled ISDN Local Loop Zone 1		1	XDD4X	U1L2X	19.82	195.94	36.38	18.42	6.86						
	Commingled ISDN Local Loop Zone 2 Commingled ISDN Local Loop Zone 3	1	3	XDD4X XDD4X	U1L2X U1L2X	26.26 42.17	195.94 195.94	36.38 36.38	18.42 18.42	6.86 6.86		 				
	Commingled DS1 COCI		3	XDH1X, NTCD1	UC1D1	7.35	27.33	2.90	16.86	1.04		<u> </u>				
	Commingled DS1 Interoffice Channel			XDH1X	U1TF1	34.19	87.76	45.73	43.80	27.97						
	Commingled DS1 Interoffice Channel Mileage			XDH1X	1L5XX	0.1154										
	Commingled DS1/DS0 Channel System		1	XDH1X XDH1X	MQ1 USLXX	69.75 41.02	86.10 209.45	70.44	27.04	6.86		1				
	Commingled DS1 Local Loop Zone 1 Commingled DS1 Local Loop Zone 2	!	2	XDH1X XDH1X	USLXX	41.02	209.45	70.44	37.91 37.91	6.86		 				
	Commingled DS1 Local Loop Zone 3		3	XDH1X	USLXX	62.03	209.45	70.44	37.91	6.86						
	Commingled DS3 Local Loop			HFQC6	UE3PX	253.38	1,260.47	628.84	41.53	20.76						
	Commingled DS3/STS-1 Local Loop Mileage		<u> </u>	HFQC6, HFRST	1L5ND	10.97	1 000 47	C00 C4	44 50	00.70						
 	Commingled STS-1 Local Loop Commingled DS3/DS1 Channel System	1	1	HFRST HFQC6	UDLS1 MQ3	305.42 121.90	1,260.47	628.84	41.53	20.76	}	-				
	Commission Door Do Fortamino Oyatem	1		🗷 🗸 🗸		121.50			1		1			l	i	l .

LINDIA	DI ED I	NETWORK ELEMENTS - Georgia												Attachment:	2 Evh A		
UNBUN	DLED	NETWORK ELEMENTS - Georgia					I					Svc Order	Svc Order		Incremental	Incremental	Incremental
													Submitted		Charge -	Charge -	Charge -
												Elec			Manual Svc	-	_
CATEG	ORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES(\$)				Manually			Manual Svc	
OA! E	O	NATE ELEMENTO	m	20110	500	0000			101120(4)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
								Nonred	curring	Nonrecurring	Disconnect			oss	Rates(\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Commingled DS3 Interoffice Channel			HFQC6	U1TF3	342.02	325.91	77.07	49.56	32.88						
		Commingled DS3 Interoffice Channel Mileage			HFQC6	1L5XX	2.53										
		Commingled STS-1Interoffice Channel			HFRST	U1TFS	358.67	325.91	77.07	49.56	32.88						
		Commingled STS-1Interoffice Channel Mileage			HFRST	1L5XX	2.53										
		Commingled Dark Fiber - Interoffice Transport, Per Four Fiber															
		Strands, Per Route Mile Or Fraction Thereof			HEQDL	1L5DF	23.29										
		Commingled Dark Fiber - Interoffice Transport, Per Four Fiber															
		Strands, Per Route Mile Or Fraction Thereof			HEQDL	UDF14		1,776.53	89.75	73.53	18.70						
SIGNA						l			L								
	NOTE:	"bk" beside a rate indicates that the parties have agreed to bil	l and ke	ep for	that element pursua	nt to the ter		ons in Attachm	ent 3.								
		CCS7 Signaling Usage, Per TCAP Message					0.000087bk										
LNDG		CCS7 Signaling Usage, Per ISUP Message (same as E.3.3)					.00bk			1		}		ļ			
LNP Qu	ery Se						0.0008034					1	-				
-		LNP Charge Per query LNP Service Establishment Manual	-			-	0.0008034	12.49		11.09		 					
-		LNP Service Establishment Manual LNP Service Provisioning with Point Code Establishment	-			-	-	574.87	293.68	251.47	184.91	 					
911 PB	V I OC						1	3/4.8/	293.08	231.47	104.91						
SIIFD		X LOCATE DATABASE CAPABILITY										1	1				
	SIIFE	Service Establishment per CLEC per End User Account			9PBDC	9PBEU		1,825.00				1					
		Changes to TN Range or Customer Profile			9PBDC	9PBTN		182.67				1					
		Per Telephone Number (Monthly)			9PBDC	9PBMM	0.07	102.07				1					
		Change Company (Service Provider) ID			9PBDC	9PBPC	0.07	536.23									+
		PBX Locate Service Support per CLEC (MonthIt)			9PBDC	9PBMR	176.96	000.20									•
		Service Order Charge			9PBDC	9PBSC	17 0.00	11.73									
	911 PB	X LOCATE TRANSPORT COMPONENT															
	See At																
	Note:	Rates displaying an "I" in Interim column are interim as a resu	ilt of a C	Commi	ssion order.				•				•			•	•
UNBUN		LOCAL EXCHANGE SWITCHING(PORTS)															
	The Ex	change Switching Port Rates Reflected Here Apply to Embedo	ded Bas	e Swite	ching Ports as of Ma	rch 10, 2005	and Consist of	the TELRIC C	ost Based Rat	tes Plus \$1.00 ir	n Accordance	with the TR	RO.				
		nge Ports															
		Although the Port Rate includes all available features in GA, I	KY, LA	& TN, t	ne desired features v	vill need to	be ordered usin	g retail USOC	s								
	2-WIRE	VOICE GRADE LINE PORT RATES (RES)															
		Exchange Ports - 2-Wire Analog Line Port- Res.			UEPSR	UEPRL	2.09	2.42	2.31	1.37	1.28						
		Exchange Ports - 2-Wire Analog Line Port with Caller ID - Res.			UEPSR	UEPRC	2.09	2.42	2.31	1.37	1.28						
		Estado Barto OM/as Asalas Lisa Barto tasis a sala Bar			LIEDOD	LIEDDO	0.00	0.40	0.04	4.07	4.00						
		Exchange Ports - 2-Wire Analog Line Port outgoing only - Res.			UEPSR	UEPRO	2.09	2.42	2.31	1.37	1.28						
		Exchange Ports - 2-Wire VG unbundled res, low usage line port with Caller ID (LUM)			UEPSR	UEPAP	2.09	2.42	2.31	1.37	1.28						
-					UEFOR	UEPAP	∠.09	2.42	2.31	1.37	1.28						
		Exchange Ports - 2-Wire Voice Georgia basic dialing port without Caller ID			UEPSR	UEPWC	2.09	2.42	2.31	1.37	1.28						
-		2-Wire voice unbundled Georgia basic dialing port for use with	-		OLFOR	OLFVVC	2.09	2.42	2.31	1.3/	1.28	}	-	1			1
		Caller ID - res			UEPSR	UEPWQ	2.09	2.42	2.31	1.37	1.28						
-		2-Wire voice unbundled Georgia basic dialing port - outgoing			OLI OIX	ULI WW	2.09	۷.4۷	2.31	1.37	1.20	 					
		only			UEPSR	UEPWR	2.09	2.42	2.31	1.37	1.28						
-		2-Wire voice unbundled Low Usage Line Port without Caller ID			52. 5IX	021 WIK	2.03	2.72	2.01	1.57	1.20						
		Capability			UEPSR	UEPRT	2.09	2.42	2.31	1.37	1.28						
		2-Wire Voice Grade Unbundled Port without Caller ID capability,					2.00	22	2.51		20						
1		Georgia			UEPSR	UEPRV	2.09	2.42	2.31	1.37	1.28						
		2-Wire Voice Grade Unbundled Port with Caller ID capability,			-						20			İ			
1		Georgia			UEPSR	UEPRU	2.09	2.42	2.31	1.37	1.28						
		Subsequent Activity			UEPSR	USASC	0.00	0.00	0.00								
	FEATU																
		All Available Vertical Features			UEPSR	UEPVF	0.775	0.00	0.00								
	2-WIRE	VOICE GRADE LINE PORT RATES (BUS)															
		Exchange Ports - 2-Wire Analog Line Port without Caller ID -															
		Bus			UEPSB	UEPBL	2.09	2.42	2.31	1.37	1.28	<u> </u>					1
		Exchange Ports - 2-Wire VG unbundled Line Port with															
		unbundled port with Caller+E484 ID - Bus.			UEPSB	UEPBC	2.09	2.42	2.31	1.37	1.28	1	ĺ				1

Version 4Q05 Standard ICA 03/15/06 (Renegotiations) Page 70 of 261

UNBUNDLED	NETWORK ELEMENTS - Georgia												Attachment:	2 Exh A		
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st		Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
							Nonrec	urring	Nonrecurring	Disconnect			oss	Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Exchange Ports - 2-Wire Voice Georgia Business Basic Dialing															
	Port, with Caller ID capability			UEPSB	UEPWP	2.09	2.42	2.31	1.37	1.28						
	Exchange Ports - 2-Wire Analog Line Port outgoing only - Bus.			UEPSB	UEPBO	2.09	2.42	2.31	1.37	1.28						
	Exhange Ports - 2-Wire VG unbundled incoming only port with															
	Caller ID - Bus			UEPSB	UEPB1	2.09	2.42	2.31	1.37	1.28						
	Exchange Ports - 2-Wire Voice Georgia Business Dialing Plan															
	without Caller ID			UEPSB	UEPWD	2.09	2.42	2.31	1.37	1.28						
	2-Wire voice unbundled Incoming Only Port without Caller ID															
	Capability			UEPSB	UEPBE	2.09	2.42	2.31	1.37	1.28						
	Subsequent Activity			UEPSB	USASC	0.00	0.00	0.00								
FEATU																
	All Available Vertical Features			UEPSB	UEPVF	0.775	0.00	0.00					-			
EXCH	ANGE PORT RATES (DID & PBX)															
	2-Wire VG Unbundled 2-Way PBX Trunk - Res			UEPSE	UEPRD	2.09	28.88	13.63	11.48	0.83						
	2-Wire VG Line Side Unbundled 2-Way PBX Trunk - Bus			UEPSP	UEPPC	2.09	28.88	13.63	11.48	0.83						
	2-Wire VG Line Side Unbundled Outward PBX Trunk - Bus			UEPSP	UEPPO	2.09	28.88	13.63	11.48	0.83						
	2-Wire VG Line Side Unbundled Incoming PBX Trunk - Bus			UEPSP	UEPP1	2.09	28.88	13.63	11.48	0.83						
	2-Wire Analog Long Distance Terminal PBX Trunk - Bus			UEPSP	UEPLD	2.09	28.88	13.63	11.48	0.83						
	2-Wire Voice Unbundled PBX LD Terminal Ports			UEPSP	UEPLD	2.09	28.88	13.63	11.48	0.83						
	2-Wire Vice Unbundled 2-Way PBX Usage Port			UEPSP	UEPXA	2.09	28.88	13.63	11.48	0.83						
	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports			UEPSP	UEPXB	2.09	28.88	13.63	11.48	0.83						
	2-Wire Voice Unbundled PBX LD DDD Terminals Port			UEPSP	UEPXC	2.09	28.88	13.63	11.48	0.83						
	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port			UEPSP	UEPXD	2.09	28.88	13.63	11.48	0.83						
	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD															
	Capable Port			UEPSP	UEPXE	2.09	28.88	13.63	11.48	0.83						
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy															
	Administrative Calling Port			UEPSP	UEPXL	2.09	28.88	13.63	11.48	0.83						
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy															
	Room Calling Port			UEPSP	UEPXM	2.09	28.88	13.63	11.48	0.83						
	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital															
	Discount Room Calling Port			UEPSP	UEPXO	2.09	28.88	13.63	11.48	0.83						
	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPSP	UEPXS	2.09	28.88	13.63	11.48	0.83						
	2-Wire voice unbundled Georgia basic dialing port - 1-Way															
	Oudial Trunk			UEPSP	UEPWS	2.09	28.88	13.63	11.48	0.83						
	2-Wire voice unbundled Georgia basic dialing port - 2-Way															
	Trunk			UEPSP	UEPWT	2.09	28.88	13.63	11.48	0.83						
	2-Wire voice unbundled Georgia basic dialing port - 2-way PBX															
[Trunk	<u></u>	L	UEPSP	UEPPQ	2.09	28.88	13.63	11.48	0.83	<u></u>			<u> </u>	<u> </u>	<u> </u>
	Subsequent Activity			UEPSP	USASC	0.00	0.00	0.00								
FEAT									<u> </u>							
	All Available Vertical Features			UEPSP UEPSE	UEPVF	0.775	0.00	0.00								
NOTE	: Transmission/usage charges associated with POTS circuit s	vitched	usage	will also apply to c	ircuit switche	d voice and/or	circuit switche	ed data transm	nission by B-Ch	nannels associ	ated with 2-	wire ISDN p	orts.			
NOTE:	: Access to B Channel or D Channel Packet capabilities will be	availab	ole only	y through BFR/New	Business Re	quest Process.	Rates for the	packet capabi	lities will be de	etermined via t	he Bona Fic	le Request/N	New Business	s Request Pro	cess.	
2-WIR	E VOICE GRADE LINE PORT RATES (DID)															
1	Exchange Ports - 2-Wire DID Port			UEPEX	UEPP2	6.50	122.26	18.65	54.82	3.45						
2-WIR	E VOICE GRADE LINE PORT RATES (ISDN-BRI)								<u> </u>							
	Exchange Ports - 2-Wire ISDN Port (See Notes below.)			UEPTX, UEPSX	U1PMA	7.09	76.39	51.50	45.67	10.36						
	All Features Offered			UEPTX, UEPSX	UEPVF	0.775	0.00	0.00								
	Exchange Ports - 2-Wire ISDN Port Channel Profiles			UEPTX, UEPSX	U1UMA	0.00	0.00	0.00								
	: Transmission/usage charges associated with POTS circuit s															
	: Access to B Channel or D Channel Packet capabilities will be		ole only	y through BFR/New	Business Re	quest Process.	Rates for the	packet capabi	lities will be de	etermined via t	he Bona Fic	le Request/N	New Business	Request Pro	cess.	
	NDLED PORT with REMOTE CALL FORWARDING CAPABILITY															
	NDLED REMOTE CALL FORWARDING SERVICE - RESIDENCE															
UNBU		1		UEPVR	UERAC	2.09	2.42	2.31	1.37	1.28						
UNBU	Unbundled Remote Call Forwarding Service, Area Calling, Res			UEFVK	OLIVIO	2.00										
UNBU	Unbundled Remote Call Forwarding Service, Area Calling, Res			-				-	ĺ							
UNBU	Unbundled Remote Call Forwarding Service, Local Calling - Res			UEPVR	UERLC	2.09	2.42	2.31	1.37	1.28						
UNBU	ğ ; <u>ş</u> ,			-				2.31 2.31	1.37 1.37	1.28 1.28						

Version 4Q05 Standard ICA 03/15/06 (Renegotiations) Page 71 of 261

	DLED N	NETWORK ELEMENTS - Georgia												Attachment: 2	2 Exh A		
CATEG	ORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
							-l _ l	Nonrec		Nonrecurring					Rates(\$)		
		1 .		ļ			Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Non-Re	ecurring															
]		Unbundled Remote Call Forwarding Service - Conversion -															
		Switch-as-is			UEPVR	USAC2		2.01	0.31								
ļ ,		Unbundled Remote Call Forwarding Service - Conversion with															
		allowed change (PIC and LPIC)			UEPVR	USACC		2.01	0.31								
	ONBO	NDLED REMOTE CALL FORWARDING - Bus															
ļ ,																	
		Unbundled Remote Call Forwarding Service, Area Calling - Bus			UEPVB	UERAC	2.09	2.42	2.31	1.37	1.28						
ļ ,		Halanda Hala Barrata Call Francis Control Call Call Call Call Call Call Call Ca			LIEDVD	LIEBLO	0.00	0.40	0.04	4.07	4.00						
		Unbundled Remote Call Forwarding Service, Local Calling - Bus			UEPVB	UERLC	2.09	2.42	2.31	1.37	1.28						
\vdash		Unbundled Remote Call Forwarding Service, InterLATA - Bus	-	1	UEPVB	UERTE	2.09	2.42	2.31	1.37	1.28	1					-
\vdash		Unbundled Remote Call Forwarding Service, IntraLATA - Bus	-	 	UEPVB	UERTR	2.09	2.42	2.31	1.37	1.28	-					-
ļ ,		Unbundled Remote Call Forwarding Service Expanded and			LIEDVD	UERVJ	2.00	0.40	0.04	4.07	4.00						
	N D	Exception Local Calling			UEPVB	UERVJ	2.09	2.42	2.31	1.37	1.28						
	Non-Re	ecurring															
		Unbundled Remote Call Forwarding Service - Conversion - Switch-as-is			UEPVB	USAC2		2.01	0.31								
\vdash		Unbundled Remote Call Forwarding Service - Conversion with			UEPVB	USACZ		2.01	0.31								
ļ ,		allowed change (PIC and LPIC)			UEPVB	USACC		2.01	0.31								
LIMBUM	DIEDI	LOCAL SWITCHING, PORT USAGE			UEPVB	USACC	1	2.01	0.31								
		ffice Switching (Port Usage)				+											
	Ena Oi	End Office Switching Function, Per MOU				+	0.0006153										
\longrightarrow		End Office Switching Function, Per MOU End Office Trunk Port - Shared, Per MOU				-	0.0006153										
\vdash	Tondo	m Switching (Port Usage) (Local or Access Tandem)				+	0.0001226					-					
\vdash	ranuei	Tandem Switching Function Per MOU				+	0.0000972					-					
\longrightarrow		Tandem Trunk Port - Shared, Per MOU				-	0.0000972										
\longrightarrow		Tandem Switching Function Per MOU (Melded)				-	0.0001337										
\vdash		Tandem Trunk Port - Shared, Per MOU (Melded)				+	0.000017904					-					
\rightarrow	Moldod	Factor: 18.42% of the Tandem Rate					0.00002000					1					
		on Transport				1	1										
\rightarrow	Commi	Common Transport - Per Mile, Per MOU					0.0000027					1					
\rightarrow												1					
		Common Transport Excilities Termination Per MOLL					0.0001014										
LINDIIN	DI ED I	Common Transport - Facilities Termination Per MOU					0.0001914										
		PORT/LOOP COMBINATIONS - COST BASED RATES	and/or S	State C	ommission rule to r	provide Unbu		itching or Swi	tch Ports								
	>Cost	PORT/LOOP COMBINATIONS - COST BASED RATES Based Rates are applied where BellSouth is required by FCC a					ndled Local Sw			Based Pates F	Plue \$1 00 in A	ccordance	with the TPF	20			
	>Cost >The U	PORT/LOOP COMBINATIONS - COST BASED RATES Based Rates are applied where BellSouth is required by FCC a JNE-P Switching Port Rates Reflected in the Cost Based Section	on App	ly to En	nbedded Base UNE-	-Ps as of Mar	ndled Local Sw ch 10, 2005 and	Consist of the	e TELRIC Cost				vith the TRF	RO.			
	>Cost >The U >Featu	PORT/LOOP COMBINATIONS - COST BASED RATES Based Rates are applied where BellSouth is required by FCC a NBE-P Switching Port Rates Reflected in the Cost Based Sectio Ires shall apply to the Unbundled Port/Loop Combination - Co	on App ost Base	ly to En ed Rate	nbedded Base UNE- section in the same	-Ps as of Mar e manner as	Indled Local Sw rch 10, 2005 and they are applied	Consist of the	e TELRIC Cost Alone Unbund	led Port sectio	n of this Rate	Exhibit.			ons.		
	>Cost >The U >Featu >End C	PORT/LOOP COMBINATIONS - COST BASED RATES Based Rates are applied where BellSouth is required by FCC a NBE-P Switching Port Rates Reflected in the Cost Based Section INSE-P Switching Port Rates Reflected in the Cost Based Section INSE Shall apply to the Unbundled Port/Loop Combination - Co Office and Tandem Switching Usage and Common Transport L	on App ost Base Jsage r	ly to En ed Rate ates in	nbedded Base UNE- section in the same the Port section of the	-Ps as of Mar e manner as t this rate exhi	indled Local Sw rch 10, 2005 and they are applied bit shall apply t	Consist of the to the Stand-	e TELRIC Cost Alone Unbund tions of loop/p	led Port sectio ort network ele	n of this Rate ements except	Exhibit. for UNE Co	oin Port/Loc	p Combinatio			
	>Cost >The U >Featu >End C >The fi	PORT/LOOP COMBINATIONS - COST BASED RATES Based Rates are applied where BellSouth is required by FCC a JNE-P Switching Port Rates Reflected in the Cost Based Sectic ries shall apply to the Unbundled Port/Loop Combination - Co Office and Tandem Switching Usage and Common Transport U irst and additional Port nonrecurring charges apply to Not Cui	on App ost Base Jsage r	ly to En ed Rate ates in	nbedded Base UNE- section in the same the Port section of the	-Ps as of Mar e manner as t this rate exhi	indled Local Sw rch 10, 2005 and they are applied bit shall apply t	Consist of the to the Stand-	e TELRIC Cost Alone Unbund tions of loop/p	led Port sectio ort network ele	n of this Rate ements except	Exhibit. for UNE Co	oin Port/Loc	p Combinatio			
	>Cost >The U >Featu >End C >The fi 2-WIRE	PORT/LOOP COMBINATIONS - COST BASED RATES Based Rates are applied where BellSouth is required by FCC a MBE-P Switching Port Rates Reflected in the Cost Based Section For Shall apply to the Unbundled Port/Loop Combination - Co Mice and Tandem Switching Usage and Common Transport L First and additional Port nonrecurring charges apply to Not Cuit E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)	on App ost Base Jsage r	ly to En ed Rate ates in	nbedded Base UNE- section in the same the Port section of the	-Ps as of Mar e manner as t this rate exhi	indled Local Sw rch 10, 2005 and they are applied bit shall apply t	Consist of the to the Stand-	e TELRIC Cost Alone Unbund tions of loop/p	led Port sectio ort network ele	n of this Rate ements except	Exhibit. for UNE Co	oin Port/Loc	p Combinatio			
	>Cost >The U >Featu >End C >The fi 2-WIRE	PORT/LOOP COMBINATIONS - COST BASED RATES Based Rates are applied where BellSouth is required by FCC a NBE-P Switching Port Rates Reflected in the Cost Based Sectio Ires shall apply to the Unbundled Port/Loop Combination - Co Office and Tandem Switching Usage and Common Transport L Irst and additional Port nonrecurring charges apply to Not Cui E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) Ort/Loop Combination Rates	on App ost Base Jsage r	ly to En ed Rate ates in	nbedded Base UNE- section in the same the Port section of the	-Ps as of Mar e manner as t this rate exhi	ndled Local Sw ch 10, 2005 and they are applied bit shall apply t bined Combos t	Consist of the to the Stand-	e TELRIC Cost Alone Unbund tions of loop/p	led Port sectio ort network ele	n of this Rate ements except	Exhibit. for UNE Co	oin Port/Loc	p Combinatio			
	>Cost >The U >Featu >End C >The fi 2-WIRE	PORT/LOOP COMBINATIONS - COST BASED RATES Based Rates are applied where BellSouth is required by FCC a Based Rates are applied where BellSouth is required by FCC a JNE-P Switching Port Rates Reflected in the Cost Based Section Interest Shall apply to the Unbundled Port/Loop Combination - Co Diffice and Tandem Switching Usage and Common Transport L Irist and additional Port nonrecurring charges apply to Not Cuit E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) Ort/Loop Combination Rates [2-Wire VG Loop/Port Combo - Zone 1	on App ost Base Jsage r	ly to En ed Rate ates in	nbedded Base UNE- section in the same the Port section of the	-Ps as of Mar e manner as t this rate exhi	ndled Local Sw ch 10, 2005 and they are applied bit shall apply t bined Combos t	Consist of the to the Stand-	e TELRIC Cost Alone Unbund tions of loop/p	led Port sectio ort network ele	n of this Rate ements except	Exhibit. for UNE Co	oin Port/Loc	p Combinatio			
	>Cost >The U >Featu >End C >The fi 2-WIRE	PORT/LOOP COMBINATIONS - COST BASED RATES Based Rates are applied where BellSouth is required by FCC a MINE-P Switching Port Rates Reflected in the Cost Based Section res shall apply to the Unbundled Port/Loop Combination - Co Office and Tandem Switching Usage and Common Transport L irst and additional Port nonrecurring charges apply to Not Cuit E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) ort/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2	on App ost Base Jsage r	ly to En ed Rate ates in	nbedded Base UNE- section in the same the Port section of the	-Ps as of Mar e manner as t this rate exhi	ndled Local Sw ch 10, 2005 and they are applied bit shall apply t bined Combos t 11.46 16.76	Consist of the to the Stand-	e TELRIC Cost Alone Unbund tions of loop/p	led Port sectio ort network ele	n of this Rate ements except	Exhibit. for UNE Co	oin Port/Loc	p Combinatio			
	>Cost >The U >Featu >End C >The fi 2-WIRE UNE Po	PORT/LOOP COMBINATIONS - COST BASED RATES Based Rates are applied where BellSouth is required by FCC a MINE-P Switching Port Rates Reflected in the Cost Based Section res shall apply to the Unbundled Port/Loop Combination - Co Office and Tandem Switching Usage and Common Transport L irst and additional Port nonrecurring charges apply to Not Cuit E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) ort/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3	on App ost Base Jsage r	ly to En ed Rate ates in	nbedded Base UNE- section in the same the Port section of the	-Ps as of Mar e manner as t this rate exhi	ndled Local Sw ch 10, 2005 and they are applied bit shall apply t bined Combos t	Consist of the to the Stand-	e TELRIC Cost Alone Unbund tions of loop/p	led Port sectio ort network ele	n of this Rate ements except	Exhibit. for UNE Co	oin Port/Loc	p Combinatio			
	>Cost >The U >Featu >End C >The fi 2-WIRE UNE Po	PORT/LOOP COMBINATIONS - COST BASED RATES Based Rates are applied where BellSouth is required by FCC a NBE-P Switching Port Rates Reflected in the Cost Based Section res shall apply to the Unbundled Port/Loop Combination - Co Office and Tandem Switching Usage and Common Transport L irst and additional Port nonrecurring charges apply to Not Cur E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) ort/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 oop Rates	on App ost Base Jsage r	ly to Ened Rate ates in Combin	nbedded Base UNE- section in the same the Port section of of ned Combos. For Co	-Ps as of Mar e manner as of this rate exhi urrently Com	ndled Local Sw cto 10, 2005 and they are applied bit shall apply t bined Combos 1 11.46 16.76 33.56	Consist of the to the Stand-	e TELRIC Cost Alone Unbund tions of loop/p	led Port sectio ort network ele	n of this Rate ements except	Exhibit. for UNE Co	oin Port/Loc	p Combinatio			
	>Cost >The U >Featu >End C >The fi 2-WIRE UNE Po	PORT/LOOP COMBINATIONS - COST BASED RATES Based Rates are applied where BellSouth is required by FCC a Based Rates are applied where BellSouth is required by FCC a SINE-P Switching Port Rates Reflected in the Cost Based Section res shall apply to the Unbundled Port/Loop Combination - Co Office and Tandem Switching Usage and Common Transport L irst and additional Port nonrecurring charges apply to Not Cui ter Volce GRADE LOOP WITH 2-WIRE LINE PORT (RES) ort/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 oop Rates 2-Wire Voice Grade Loop (SL1) - Zone 1	on App ost Base Jsage r	ly to Ened Rate ates in Combin	nbedded Base UNE- section in the same the Port section of the Combos. For Combos. For Combos. For Combos. For Combos. For Combos.	Ps as of Mar e manner as this rate exhi urrently Com	ndled Local Sw cto 10, 2005 and they are applied bit shall apply t bined Combos 1 11.46 16.76 33.56	Consist of the to the Stand-	e TELRIC Cost Alone Unbund tions of loop/p	led Port sectio ort network ele	n of this Rate ements except	Exhibit. for UNE Co	oin Port/Loc	p Combinatio			
	>Cost >The U >Featu >End C >The fi 2-WIRE UNE Po	PORT/LOOP COMBINATIONS - COST BASED RATES Based Rates are applied where BellSouth is required by FCC a MSE-P Switching Port Rates Reflected in the Cost Based Sections shall apply to the Unbundled Port/Loop Combination - Co Office and Tandem Switching Usage and Common Transport L irst and additional Port nonrecurring charges apply to Not Cuit E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) ort/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 oop Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 1	on App ost Base Jsage r	y to Ended Rate ates in Combin	nbedded Base UNE- section in the same the Port section of the dombos. For Comb	-Ps as of Mar e manner as i this rate exhi urrently Com	ndled Local Sw ch 10, 2005 and they are applied bit shall apply t bined Combos 1 11.46 16.76 33.56 9.56 14.86	Consist of the to the Stand-	e TELRIC Cost Alone Unbund tions of loop/p	led Port sectio ort network ele	n of this Rate ements except	Exhibit. for UNE Co	oin Port/Loc	p Combinatio			
	>Cost >The U >Featu >End C >The fi 2-WIRE UNE P	PORT/LOOP COMBINATIONS - COST BASED RATES Based Rates are applied where BellSouth is required by FCC a JNE-P Switching Port Rates Reflected in the Cost Based Section res shall apply to the Unbundled Port/Loop Combination - Co Judice and Tandem Switching Usage and Common Transport L Judice and Tandem Switching Usage and Common Transport L Judice GRADE LOOP WITH 2-WIRE LINE PORT (RES) Ort/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 OOP Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 2	on App ost Base Jsage r	y to Ended Rate ates in Combin	nbedded Base UNE- section in the same the Port section of the Combos. For Combos. For Combos. For Combos. For Combos. For Combos.	Ps as of Mar e manner as this rate exhi urrently Com	ndled Local Sw cto 10, 2005 and they are applied bit shall apply t bined Combos 1 11.46 16.76 33.56	Consist of the to the Stand-	e TELRIC Cost Alone Unbund tions of loop/p	led Port sectio ort network ele	n of this Rate ements except	Exhibit. for UNE Co	oin Port/Loc	p Combinatio			
	>Cost >The U >Featu >End C >The fi 2-WIRE UNE P	PORT/LOOP COMBINATIONS - COST BASED RATES Based Rates are applied where BellSouth is required by FCC a MSE-P Switching Port Rates Reflected in the Cost Based Sections shall apply to the Unbundled Port/Loop Combination - Co Office and Tandem Switching Usage and Common Transport L irst and additional Port nonrecurring charges apply to Not Cuit E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) ort/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 oop Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 1	on App ost Base Jsage r	y to Ended Rate ates in Combin	nbedded Base UNE- section in the same the Port section of the dombos. For Comb	-Ps as of Mar e manner as i this rate exhi urrently Com	ndled Local Sw ch 10, 2005 and they are applied bit shall apply t bined Combos 1 11.46 16.76 33.56 9.56 14.86	Consist of the to the Stand-	e TELRIC Cost Alone Unbund tions of loop/p	led Port sectio ort network ele	n of this Rate ements except	Exhibit. for UNE Co	oin Port/Loc	p Combinatio			
	>Cost >The U >Featu >End C >The fi 2-WIRE UNE P	PORT/LOOP COMBINATIONS - COST BASED RATES Based Rates are applied where BellSouth is required by FCC a JNE-P Switching Port Rates Reflected in the Cost Based Section res shall apply to the Unbundled Port/Loop Combination - Co Office and Tandem Switching Usage and Common Transport L irst and additional Port nonrecurring charges apply to Not Cut E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) ort/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 oop Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 Voice Grade Line Port Rates (Res)	on App ost Base Jsage r	y to Ended Rate ates in Combin	nbedded Base UNE- section in the same the Port section of 1 ned Combos. For Co Leading Section of 1 ned Combos. For Co Leading Section 1 New York	Ps as of Mare e manner as this rate exhibitor	ndled Local Sw cth 10, 2005 and they are applied bit shall apply to bined Combos 1 11.46 16.76 33.56 9.56 14.86 31.66	Consist of the to the Stand-	e TELRIC Cost Alone Unbund tions of loop/p ng charges sh	led Port sectio ort network el all be those ide	n of this Rate ments except entified in the	Exhibit. for UNE Co	oin Port/Loc	p Combinatio			
	>Cost >The U >Featu >End C >The fi 2-WIRE UNE P	PORT/LOOP COMBINATIONS - COST BASED RATES Based Rates are applied where BellSouth is required by FCC a MINE-P Switching Port Rates Reflected in the Cost Based Section res shall apply to the Unbundled Port/Loop Combination - Co Office and Tandem Switching Usage and Common Transport L irst and additional Port nonrecurring charges apply to Not Cuit E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) ort/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 oop Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 Voice Grade Line Port Rates (Res) 2-Wire voice unbundled port - residence	on App ost Base Jsage r	y to Ended Rate ates in Combin	nbedded Base UNE- section in the same the Port section of of the Combos. For C	Ps as of Mare e manner as a this rate exhibit rate exhibit remarks the company of	ndled Local Sw ch 10, 2005 and they are applied bit shall apply t bined Combos 1 11.46 16.76 33.56 9.56 14.86 31.66	Consist of the to the Stand- to all combination of the nonrecurri	e TELRIC Cost Alone Unbund tions of loop/p ng charges sh	led Port sectio ort network eled all be those idd	n of this Rate ements except entified in the	Exhibit. for UNE Co	oin Port/Loc	p Combinatio			
	>Cost >The U >Featu >End C >The fi 2-WIRE UNE P	PORT/LOOP COMBINATIONS - COST BASED RATES Based Rates are applied where BellSouth is required by FCC a MINE-P Switching Port Rates Reflected in the Cost Based Section res shall apply to the Unbundled Port/Loop Combination - Co Office and Tandem Switching Usage and Common Transport L irst and additional Port nonrecurring charges apply to Not Cuit VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) ort/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 oop Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 Voice Grade Line Port Rates (Res) 2-Wire voice unbundled port - residence 2-Wire voice unbundled port - residence 2-Wire voice unbundled port with Caller ID - res	on App ost Base Jsage r	y to Ended Rate ates in Combin	nbedded Base UNE- section in the same the Port section of the document of the Combos. For Combos. For Combos. UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	Ps as of Mare e manner as of this rate exhibits rate exhib	ndled Local Sw ch 10, 2005 and they are applied bit shall apply t bined Combos 1 11.46 16.76 33.56 9.56 14.86 31.66	Consist of the to the Stand- to the Stand- to all combination in the nonrecurring the nonre	e TELRIC Cost Alone Unbund tions of loop/p ng charges sh	led Port sectio ort network ele all be those ide	n of this Rate ments except entified in the	Exhibit. for UNE Co	oin Port/Loc	p Combinatio			
	>Cost >The U >Featu >End C >The fi 2-WIRE UNE P	PORT/LOOP COMBINATIONS - COST BASED RATES Based Rates are applied where BellSouth is required by FCC a JNE-P Switching Port Rates Reflected in the Cost Based Section res shall apply to the Unbundled Port/Loop Combination - Co Office and Tandem Switching Usage and Common Transport L irst and additional Port nonrecurring charges apply to Not Cur E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) ort/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 oop Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 Voice Grade Line Port Rates (Res) 2-Wire voice unbundled port - residence 2-Wire voice unbundled port with Caller ID - res 2-Wire voice unbundled port with Caller ID - res	on App ost Base Jsage r	y to Ended Rate ates in Combin	nbedded Base UNE- section in the same the Port section of the document of the Combos. For Combos. For Combos. UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	Ps as of Mare e manner as of this rate exhibits rate exhib	ndled Local Sw ch 10, 2005 and they are applied bit shall apply t bined Combos 1 11.46 16.76 33.56 9.56 14.86 31.66	Consist of the to the Stand- to the Stand- to all combination in the nonrecurring the nonre	e TELRIC Cost Alone Unbund tions of loop/p ng charges sh	led Port sectio ort network ele all be those ide	n of this Rate ments except entified in the	Exhibit. for UNE Co	oin Port/Loc	p Combinatio			
	>Cost >The U >Featu >End C >The fi 2-WIRE UNE P	PORT/LOOP COMBINATIONS - COST BASED RATES Based Rates are applied where BellSouth is required by FCC a MINE-P Switching Port Rates Reflected in the Cost Based Section res shall apply to the Unbundled Port/Loop Combination - Co Office and Tandem Switching Usage and Common Transport L irst and additional Port nonrecurring charges apply to Not Cuit E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) ort/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 oop Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 Voice Grade Loop (SL1) - Zone 3 Voice Grade Line Port Rates (Res) 2-Wire voice unbundled port - residence 2-Wire voice unbundled port with Caller ID - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundles res, low usage line port with Caller ID	on App ost Base Jsage r	y to Ended Rate ates in Combin	nbedded Base UNE- section in the same the Port section of the Port	Ps as of Mare e manner as a this rate exhibit rate exhibit remarks the company of	ndled Local Sw ch 10, 2005 and they are applied bit shall apply t bined Combos 1 11.46 16.76 33.56 9.56 14.86 31.66 1.9019 1.9019	Consist of the to the Stand-to all combinate the nonrecurring the nonrecur	e TELRIC Cost Alone Unbund tions of loop/p ng charges sh 7.36 7.36 7.36	led Port sectio ort network elea all be those idd	n of this Rate ements except entified in the 1.28 1.28 1.28	Exhibit. for UNE Co	oin Port/Loc	p Combinatio			
	>Cost >The U >Featu >End C >The fi 2-WIRE UNE P	PORT/LOOP COMBINATIONS - COST BASED RATES Based Rates are applied where BellSouth is required by FCC a MSE-P Switching Port Rates Reflected in the Cost Based Sections shall apply to the Unbundled Port/Loop Combination - Co Office and Tandem Switching Usage and Common Transport L irst and additional Port nonrecurring charges apply to Not Cuit E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) ort/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 oop Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 3 Voice Grade Line Port Rates (Res) 2-Wire voice unbundled port - residence 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res	on App ost Base Jsage r	y to Ended Rate ates in Combin	nbedded Base UNE- section in the same the Port section of the Port	Ps as of Mare e manner as a this rate exhibit rate exhibit remarks the company of	ndled Local Sw ch 10, 2005 and they are applied bit shall apply t bined Combos 1 11.46 16.76 33.56 9.56 14.86 31.66 1.9019 1.9019	Consist of the to the Stand-to all combinate the nonrecurring the nonrecur	e TELRIC Cost Alone Unbund tions of loop/p ng charges sh 7.36 7.36 7.36	led Port sectio ort network elea all be those idd	n of this Rate ements except entified in the 1.28 1.28 1.28	Exhibit. for UNE Co	oin Port/Loc	p Combinatio			
	>Cost >The U >Featu >End C >The fi 2-WIRE UNE P	PORT/LOOP COMBINATIONS - COST BASED RATES Based Rates are applied where BellSouth is required by FCC a JNE-P Switching Port Rates Reflected in the Cost Based Section res shall apply to the Unbundled Port/Loop Combination - Co Jrice and Tandem Switching Usage and Common Transport L Journal additional Port nonrecurring charges apply to Not Cuit EVOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) Ort/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 OOP Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 Voice Grade Line Port Rates (Res) 2-Wire voice unbundled port - residence 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled sers, low usage line port with Caller ID [LUM] 2-Wire voice unbundled Georgia basic dialing port without Caller	on App ost Base Jsage r	y to Ended Rate ates in Combin	nbedded Base UNE- section in the same the Port section of it ded Combos. For Co UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	Ps as of Mare e manner as this rate existing the remaining term of	ndled Local Sw coh 10, 2005 and they are applied bit shall apply to bined Combos to 11.46 16.76 33.56 9.56 14.86 31.66 1.9019 1.9019 1.9019	Consist of the to the Stand-Interest of the total stand-Interest of all combinates the nonrecurring the nonrecurring the nonrecurring the nonrecurring the nonrecurring the nonrecurring the nonrecurring the nonrecurring the nonrecurring the nonrecurring the nonrecurring the nonrecurring the nonrecurring the nonrecurrent the nonrecurring the nonrecurring the nonrecurring the nonrecurring the nonrecurrent the nonrecurring the nonrecurrent the nonrecurring the nonrecurring the nonrecurring the nonrecurring the nonrecurring the nonrecurrent the nonr	e TELRIC Cost Alone Unbund tions of loop/p ng charges sh 7.36 7.36 7.36	led Port sectio ort network ele all be those ide 1.37 1.37 1.37	n of this Rate ments except entified in the 1.28 1.28 1.28	Exhibit. for UNE Co	oin Port/Loc	p Combinatio			
	>Cost >The U >Featu >End C >The fi 2-WIRE UNE P	PORT/LOOP COMBINATIONS - COST BASED RATES Based Rates are applied where BellSouth is required by FCC a MINE-P Switching Port Rates Reflected in the Cost Based Section res shall apply to the Unbundled Port/Loop Combination - Co Office and Tandem Switching Usage and Common Transport L irst and additional Port nonrecurring charges apply to Not Cure E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) ort/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 OOP Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 Voice Grade Line Port Rates (Res) 2-Wire voice unbundled port - residence 2-Wire voice unbundled port with Caller ID - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundles res, low usage line port with Caller ID (LUM) 2-Wire voice unbundled Georgia basic dialing port without Caller ID capability - res	on App ost Base Jsage r	y to Ended Rate ates in Combin	nbedded Base UNE- section in the same the Port section of it ded Combos. For Co UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	Ps as of Mare e manner as this rate existing the remaining term of	ndled Local Sw coh 10, 2005 and they are applied bit shall apply to bined Combos to 11.46 16.76 33.56 9.56 14.86 31.66 1.9019 1.9019 1.9019	Consist of the to the Stand-Interest of the total stand-Interest of all combinates the nonrecurring the nonrecurring the nonrecurring the nonrecurring the nonrecurring the nonrecurring the nonrecurring the nonrecurring the nonrecurring the nonrecurring the nonrecurring the nonrecurring the nonrecurring the nonrecurrent the nonrecurring the nonrecurring the nonrecurring the nonrecurring the nonrecurrent the nonrecurring the nonrecurrent the nonrecurring the nonrecurring the nonrecurring the nonrecurring the nonrecurring the nonrecurrent the nonr	e TELRIC Cost Alone Unbund tions of loop/p ng charges sh 7.36 7.36 7.36	led Port sectio ort network ele all be those ide 1.37 1.37 1.37	n of this Rate ments except entified in the 1.28 1.28 1.28	Exhibit. for UNE Co	oin Port/Loc	p Combinatio			
	>Cost >The U >Featu >End C >The fi 2-WIRE UNE P	PORT/LOOP COMBINATIONS - COST BASED RATES Based Rates are applied where BellSouth is required by FCC a MISE-P Switching Port Rates Reflected in the Cost Based Sections shall apply to the Unbundled Port/Loop Combination - Co Office and Tandem Switching Usage and Common Transport L irst and additional Port nonrecurring charges apply to Not Cur E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) ort/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 oop Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 3 Voice Grade Loop (SL1) - Zone 3 Voice Grade Line Port Rates (Res) 2-Wire voice unbundled port - residence 2-Wire voice unbundled port with Caller ID - res 2-Wire voice unbundled port with Caller ID - res 2-Wire voice unbundled port sage line port with Caller ID (LUM) 2-Wire voice unbundled Georgia basic dialing port without Caller ID Capability - res 2-Wire voice unbundled Georgia basic dialing port or use with	on App ost Base Jsage r	y to Ended Rate ates in Combin	Depart UPPRX	Ps as of Mare e manner as a ma	ndled Local Sw ch 10, 2005 and they are applied bit shall apply t bined Combos 1 11.46 16.76 33.56 9.56 14.86 31.66 1.9019 1.9019 1.9019	Consist of the to the Stand-to all combinate he nonrecurring 10.05 10.05 10.05 10.05 10.05	PTELRIC Cost Alone Unbund tions of loop/p ng charges sh 7.36 7.36 7.36 7.36	led Port section ort network elements all be those ide	n of this Rate ements except entified in the 1.28 1.28 1.28 1.28	Exhibit. for UNE Co	oin Port/Loc	p Combinatio			

Version 4Q05 Standard ICA 03/15/06 (Renegotiations) Page 72 of 261

UNBUNDLED	NETWORK ELEMENTS - Georgia												Attachment:	2 Exh A		
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES(\$)			Submitted Elec	Svc Order Submitted Manually	Charge - Manual Svc	Incremental Charge - Manual Svc	Charge - Manual Svc	
CATEGORY	RATE ELEMENTS	m	Zone	BC3	0300				<u> </u>		per LSR	per LSR	Electronic- 1st	Order vs. Electronic- Add'l	Order vs. Electronic- Disc 1st	Order vs. Electronic- Disc Add'l
							Nonred			Disconnect	201150	001111		Rates(\$)	001441	001141
	OME	<u> </u>				Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire voice unbundled Low Usage Line Port without Caller ID			LIEDDY	LIEDDT	4 0040	40.05	7.00	4.07	4.00						
	Capability			UEPRX	UEPRT	1.9019	10.05	7.36	1.37	1.28						
	2-Wire Voice Grade Unbundled Port without Caller ID, Georgia			UEPRX	UEPRV	1.9019	10.05 10.05	7.36 7.36		1.28						
EEAT	2-Wire Voice Grade Unbundled Port with Caller ID, Georgia			UEPRX	UEPRU	1.9019	10.05	7.36	1.37	1.28	1					
FLAI	All Features Offered		1	UEPRX	UEPVF	0.775	0.00	0.00								
NONE	RECURRING CHARGES (NRCs) - CURRENTLY COMBINED		-	OLITOX	OLI VI	0.773	0.00	0.00			1					
140141	2-Wire Voice Grade Loop / Line Port Combination - Conversion -															
	Switch-as-is			UEPRX	USAC2		0.10	0.10								
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -			OLITON	00/102		0.10	0.10								•
	Switch with change			UEPRX	USACC		0.10	0.10								
	2-Wire Voice Grade Loop / Line Port Platform - Installation			02.100	00/100		0.10	0.10								•
	Charge at QuickService location - Not Conversion of Existing	1														
	Service	1		UEPRX	URECC		0.10									
ADDI	TIONAL NRCs															
<u> </u>	2-Wire Voice Grade Loop/Line Port Combination - Subsequent								1	İ			l			
	Activity			UEPRX	USAS2	0.00	0.00	0.00								
	Unbundled Miscellaneous Rate Element, Tag Loop at End User															
	Premise			UEPRX	URETL		8.33	0.83								
OFF/0	ON PREMISES EXTENSION CHANNELS															
	2 Wire Analog Voice Grade Extension Loop – Non-Design		1	UEPRX	UEAEN	10.51	40.02	9.99		1.72						
	2 Wire Analog Voice Grade Extension Loop – Non-Design		2	UEPRX	UEAEN	15.85	40.02	9.99		1.72						
	2 Wire Analog Voice Grade Extension Loop – Non-Design		3	UEPRX	UEAEN	31.97	40.02	9.99		1.72						
	2 Wire Analog Voice Grade Extension Loop – Design		1	UEPRX	UEAED	11.57	79.85	24.65	18.92	7.87						
	2 Wire Analog Voice Grade Extension Loop – Design		2	UEPRX	UEAED	16.95	79.85	24.65	18.92	7.87						
	2 Wire Analog Voice Grade Extension Loop – Design		3	UEPRX	UEAED	33.08	79.85	24.65	18.92	7.87						
INTE	ROFFICE TRANSPORT															
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility															
	Termination	<u> </u>		UEPRX	U1TV2	12.87	48.46	19.48	16.58	5.00						
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile			LIEDDY		0.0057	0.00	0.00								
0.14/15	or Fraction Mile			UEPRX	U1TVM	0.0057	0.00	0.00								
	RE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS)															
UNE	Port/Loop Combination Rates		-			11.46										+
	2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2		1			16.76										
	2-Wire VG Loop/Port Combo - Zone 3		1			33.56										
LINE	Loop Rates		1			33.30										
OI4L I	2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPBX	UEPLX	9.56										
	2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPBX	UEPLX	14.86			†		1					†
1	2-Wire Voice Grade Loop (SL1) - Zone 3	T		UEPBX	UEPLX	31.66			1	1						
2-Wir	e Voice Grade Line Port (Bus)	T	Ť		1	1			1	1						1
1	2-Wire voice unbundled port without Caller ID - bus			UEPBX	UEPBL	1.9019	10.05	7.36	1.37	1.28			l			
	2-Wire voice unbundled port with Caller + E484 ID - bus			UEPBX	UEPBC	1.9019	10.05	7.36		1.28						
	2-Wire voice unbundled port outgoing only - bus			UEPBX	UEPBO	1.9019	10.05	7.36		1.28						
	2-Wire voice unbundled incoming only port with Caller ID - Bus			UEPBX	UEPB1	1.9019	10.05	7.36	1.37	1.28						
j	2-Wire voice unbundled Georgia basic dialing port, without															
	Caller ID capability - bus	<u> </u>	<u> </u>	UEPBX	UEPWD	1.9019	10.05	7.36	1.37	1.28	L	<u></u>	<u> </u>			
	2-Wire voice unbundled Georgia basic dialing port for use with															
	Caller ID - bus			UEPBX	UEPWP	1.9019	10.05	7.36	1.37	1.28						
	2-Wire voice unbundled Incoming Only Port without Caller ID	1				[]						
	Capability	<u> </u>	<u> </u>	UEPBX	UEPBE	1.9019	10.05	7.36	1.37	1.28		ļ				1
FEAT	URES		1													1
	All Features Offered		1	UEPBX	UEPVF	0.775	0.00	0.00	ļ							<u> </u>
NONE	RECURRING CHARGES (NRCs) - CURRENTLY COMBINED	ļ	1						ļ		ļ					_
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -	1						_								
	Switch-as-is		1	UEPBX	USAC2		0.10	0.10	ļ		ļ					_
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -	1						_								
	Switch with change	<u> </u>	 	UEPBX	USACC		0.10	0.10	1	 	<u> </u>		-			↓
ADDI	TIONAL NRCs								1		l	l				

UNBUNDLED	NETWORK ELEMENTS - Georgia												Attachment:	2 Exh A		T
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Charge -	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l
						ļ.,,										
							Nonrec		Nonrecurring					Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Grade Loop/Line Port Combination - Subsequent			LIEDDY	110100		0.00	0.00								
	Activity Unbundled Miscellaneous Rate Element, Tag Loop at End User			UEPBX	USAS2		0.00	0.00								+
	Premise			UEPBX	URETL		8.33	0.83								
OFF/C	ON PREMISES EXTENSION CHANNELS			OLI DX	OKETE		0.00	0.00								†
	2 Wire Analog Voice Grade Extension Loop – Non-Design		1	UEPBX	UEAEN	10.51	40.02	9.99	5.61	1.72						†
	2 Wire Analog Voice Grade Extension Loop – Non-Design			UEPBX	UEAEN	15.85	40.02	9.99	5.61	1.72						
	2 Wire Analog Voice Grade Extension Loop – Non-Design		3	UEPBX	UEAEN	31.97	40.02	9.99	5.61	1.72						
	2 Wire Analog Voice Grade Extension Loop – Design		1	UEPBX	UEAED	11.57	79.85	24.65	18.92	7.87						
	2 Wire Analog Voice Grade Extension Loop – Design		2	UEPBX	UEAED	16.95	79.85	24.65	18.92	7.87						
	2 Wire Analog Voice Grade Extension Loop – Design		3	UEPBX	UEAED	33.08	79.85	24.65	18.92	7.87						
INTER	ROFFICE TRANSPORT		l		+	 					 	 	-			+
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility Termination			UEPBX	U1TV2	12.87	48.46	19.48	16.58	5.00						
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile		1	OLI DA	UTIVE	12.01	40.40	13.40	10.30	5.00			 			+
	or Fraction Mile			UEPBX	U1TVM	0.0057	0.00	0.00								1
2-WIF	E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES - PBX)															†
	Port/Loop Combination Rates															1
	2-Wire VG Loop/Port Combo - Zone 1					11.46										
	2-Wire VG Loop/Port Combo - Zone 2					16.76										
	2-Wire VG Loop/Port Combo - Zone 3					33.56										
UNE I	Loop Rates					0.50										
	2-Wire Voice Grade Loop (SL 1) - Zone 1 2-Wire Voice Grade Loop (SL 1) - Zone 2			UEPRG UEPRG	UEPLX UEPLX	9.56 14.86					1	1				+
	2-Wire Voice Grade Loop (SL 1) - Zone 2			UEPRG	UEPLX	31.66					1	1				+
2-Wir	e Voice Grade Line Port Rates (RES - PBX)		3	OLFRG	OLFLX	31.00										+
	2-Wire VG Unbundled Combination 2-Way PBX Trunk Port -															†
	Res			UEPRG	UEPRD	1.9019	10.05	7.36	1.37	1.28						
FEAT	URES															
	All Features Offered			UEPRG	UEPVF	0.775	0.00	0.00								
NONR	ECURRING CHARGES (NRCs) - CURRENTLY COMBINED															
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -															
	Conversion - Switch-As-Is			UEPRG	USAC2		0.10	0.10								-
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -			UEPRG	USACC		0.10	0.10								
ADDI:	Conversion - Switch with Change FIONAL NRCs			UEFRG	USACC		0.10	0.10			1	1				+
ADDII	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -															+
	Subsequent Activity			UEPRG	USAS2	0.00	0.00	0.00								
	PBX Subsequent Activity - Change/Rearrange Multiline Hunt			-		1		2.30						1		1
	Group						6.70	6.70								
	Unbundled Miscellaneous Rate Element, Tag Loop at End User							· · · · · · · · · · · · · · · · · · ·		· · · · · · · · · · · · · · · · · · ·			1			
	Premise		<u> </u>	UEPRG	URETL		8.33	0.83			ļ	ļ				ļ
OFF/C	ON PREMISES EXTENSION CHANNELS		 	LIEDDO	DO ILIV	11.5-	70.05	04.6=	40.00	7.0-	<u> </u>	<u> </u>	 	-		
	Local Channel Voice grade, per termination			UEPRG	P2JHX P2JHX	11.57 16.95	79.85	24.65	18.92	7.87 7.87						
	Local Channel Voice grade, per termination Local Channel Voice grade, per termination		3	UEPRG UEPRG	P2JHX P2JHX	33.08	79.85 79.85	24.65 24.65	18.92 18.92	7.87				-		+
	Non-Wire Direct Serve Channel Voice Grade		1	UEPRG	SDD2X	12.74	56.92	7.70	4.40	0.02			 			+
	Non-Wire Direct Serve Channel Voice Grade		2	UEPRG	SDD2X	19.76	56.92	7.70	4.40	0.02						
	Non-Wire Direct Serve Channel Voice Grade			UEPRG	SDD2X	37.18	56.92	7.70	4.40	0.02				1		1
INTEF	ROFFICE TRANSPORT		L_													
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility									-						
	Termination		<u> </u>	UEPRG	U1TV2	12.87	48.46	19.48	16.58	5.00	ļ	ļ	ļ			
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile												1			
0 14***	or Fraction Mile		<u> </u>	UEPRG	U1TVM	0.0057	0.00	0.00			<u> </u>	<u> </u>	 	-		
	E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX) Port/Loop Combination Rates	1	}		+						<u> </u>	<u> </u>	 			+
		-	1		+	11.46					1	1	1	1		+
UNE	12-Wire VG Loon/Port Combo - Zone 1													ī		1
ONE	2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2					16.76										

UNDUNDUED.	NETWORK ELEMENTS. Coordia												Attack manufacture	0 F.ub. A		
ONBONDLED	NETWORK ELEMENTS - Georgia	1	1	1		ı					00	0	Attachment:		1	
												Svc Order		Incremental		Incremental
												Submitted		Charge -	Charge -	Charge -
		Interi	_					DATEO(6)			Elec	Manually		Manual Svc	Manual Svc	
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
						_	Nonrec		Nonrecurring					Rates(\$)		T
	L					Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
UNE L	oop Rates															
	2-Wire Voice Grade Loop (SL 1) - Zone 1			UEPPX	UEPLX	9.56										
	2-Wire Voice Grade Loop (SL 1) - Zone 2			UEPPX	UEPLX	14.86										
	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEPPX	UEPLX	31.66										
2-Wire	Voice Grade Line Port Rates (BUS - PBX)															
	Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus			UEPPX	UEPPC	1.9019	10.05	7.36	1.37	1.28						
	Line Side Unbundled Outward PBX Trunk Port - Bus			UEPPX	UEPPO	1.9019	10.05	7.36	1.37	1.28						
	Line Side Unbundled Incoming PBX Trunk Port - Bus			UEPPX	UEPP1	1.9019	10.05	7.36	1.37	1.28						
	2-Wire Voice Unbundled PBX LD Terminal Ports			UEPPX	UEPLD	1.9019	10.05	7.36	1.37	1.28						
	2-Wire Voice Unbundled 2-Way Combination PBX Usage Port			UEPPX	UEPXA	1.9019	10.05	7.36		1.28						
	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports			UEPPX	UEPXB	1.9019	10.05	7.36	1.37	1.28						
	2-Wire Voice Unbundled PBX LD DDD Terminals Port			UEPPX	UEPXC	1.9019	10.05	7.36	1.37	1.28						
	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port			UEPPX	UEPXD	1.9019	10.05	7.36	1.37	1.28						
	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD															
	Capable Port			UEPPX	UEPXE	1.9019	10.05	7.36	1.37	1.28						
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy															
	Administrative Calling Port			UEPPX	UEPXL	1.9019	10.05	7.36	1.37	1.28						
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy															
	Room Calling Port			UEPPX	UEPXM	1.9019	10.05	7.36	1.37	1.28						
	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital															1
	Discount Room Calling Port			UEPPX	UEPXO	1.9019	10.05	7.36	1.37	1.28						
	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPPX	UEPXS	1.9019	10.05	7.36	1.37	1.28						
	2-Wire voice unbundled Georgia basic dialing port - 1-Way			<u> </u>												
	Oudial Trunk			UEPPX	UEPWS	1.9019	10.05	7.36	1.37	1.28						
	2-Wire voice unbundled Georgia basic dialing port - 2-Way			OLI I X	02	1.0010	10.00	7.00	1.01	20						•
	Trunk			UEPPX	UEPWT	1.9019	10.05	7.36	1.37	1.28						
h + + + + + + + + + + + + + + + + + + +	2-Wire voice unbundled Georgia basic dialing port - 2-way PBX			OLITA	OLI WI	1.0010	10.00	7.00	1.07	1.20		1				†
	Trunk			UEPPX	UEPPQ	1.9019	10.05	7.36	1.37	1.28						
h + + + + + + + + + + + + + + + + + + +	2-Wire voice unbundled Georgia basic dialing port - PBX LD			OLITA	OLI I Q	1.0010	10.00	7.00	1.07	1.20		1				†
	Terminal Ports					1.9019	10.05	7.36	1.37	1.28						
-	2-Wire voice unbundled Georgia basic dialing port - PBX Toll				+	1.0010	10.00	7.00	1.07	1.20						+
	Terminal Ports					1.9019	10.05	7.36	1.37	1.28						
	2-Wire voice unbundled Georgia basic dialing port - PBX LD				1	1.9019	10.03	7.30	1.37	1.20						
	DDD Terminal Port					1.9019	10.05	7.36	1.37	1.28						
-	2-Wire voice unbundled Georgia basic dialing port - PBX LD				+	1.9019	10.03	7.30	1.37	1.20		-				-
	Terminal Switchboard Port					1.9019	10.05	7.36	1.37	1.28						
-	2-Wire voice unbundled Georgia basic dialing port - PBX LD				+	1.9019	10.05	7.30	1.37	1.20		-				
1	Terminal Switchboard DDD Capable Port	l			1	1.9019	10.05	7.36	1.37	1.28						
 	2-Wire voice unbundled Georgia basic dialing port - PBX 2-Way	1	1		+	1.9019	10.05	1.30	1.37	1.28	1	+	 			+
				UEPPX	UEPPC	1.9019	10.05	7.36	1.37	1.28						
FEAT	Trunk	-	 	OLFFA	OLFFO	1.9019	10.05	1.30	1.37	1.28	-					
FEAT	All Features Offered	-	 	UEPPX	UEPVF	0.775	0.00	0.00	 		-					
NONE	ECURRING CHARGES (NRCs) - CURRENTLY COMBINED	-	 	ULPFA	UEFVF	0.775	0.00	0.00	 		-					
NONK	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -	1	1		+	-					1	-				
	Conversion - Switch-As-Is	l		UEPPX	USAC2		0.10	0.10	1							
 	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -	 	1	OLFFA	USAUZ		0.10	0.10	 		1	 				
	2-vvire voice Grade Loop/ Line Port Combination (PBX) - Conversion - Switch with Change	l		UEPPX	USACC		0.10	0.10	I							
ADDIT	CONVERSION - SWITCH WITH CHANGE	-	 	ULPFA	USACC	-	0.10	0.10	 		-					
ADDII	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -	-	 		+	-			 		-					
		l		UEPPX	USAS2	0.00	0.00	0.00	1							
\vdash	Subsequent Activity DBY Subsequent Activity Change/Bearrange Multiling Hunt	 	 	ULPFA	USASZ	0.00	0.00	0.00	 		1					
]	PBX Subsequent Activity - Change/Rearrange Multiline Hunt	l			1		0.70	0 =0	I							
 	Group	l	1		+		6.70	6.70	 		 	1				
1	Unbundled Miscellaneous Rate Element, Tag Loop at End User	l		LIEDDY	LIDETI		0.00	0.00	1							
055'5	Premise	<u> </u>	<u> </u>	UEPPX	URETL		8.33	0.83	-							
OFF/C	N PREMISES EXTENSION CHANNELS	<u> </u>	<u> </u>	LIEDDY	DO ILE	=-	== ==	215-								
\vdash	Local Channel Voice grade, per termination		1	UEPPX	P2JHX	11.57	79.85	24.65	18.92	7.87	1	1				
\vdash	Local Channel Voice grade, per termination		2	UEPPX	P2JHX	16.95	79.85	24.65	18.92	7.87	1	1				
	Local Channel Voice grade, per termination		3	UEPPX	P2JHX	33.08	79.85	24.65	18.92	7.87	1	1				<u> </u>

UNBUNDLED I	NETWORK ELEMENTS - Georgia												Attachment:	2 Exh A		
0.120112222	- Cooligiu												Incremental	Incremental		Incremental
												Submitted	_	Charge -	Charge -	Charge -
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	usoc			RATES(\$)			Elec			Manual Svc	Manual Svc	Manual Svc
CATEGORI	RATE ELEMENTS	m	Zone	ВСЗ	0300			KATEO(ψ)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic- 1st	Electronic- Add'l	Electronic-	Electronic-
													ist	Addi	Disc 1st	Disc Add'l
							Nonrec	urring	Nonrecurring	Disconnect				Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Non-Wire Direct Serve Channel Voice Grade			UEPPX	SDD2X	12.74	56.92	7.70	4.40	0.02						
<u> </u>	Non-Wire Direct Serve Channel Voice Grade			UEPPX UEPPX	SDD2X SDD2X	19.76 37.18	56.92 56.92	7.70 7.70	4.40 4.40	0.02 0.02						
INTER	Non-Wire Direct Serve Channel Voice Grade OFFICE TRANSPORT		3	UEPPX	SDDZX	37.18	56.92	7.70	4.40	0.02						
INTERN	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility															
	Termination			UEPPX	U1TV2	12.87	48.46	19.48	16.58	5.00						İ
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile															
	or Fraction Mile			UEPPX	U1TVM	0.0057	0.00	0.00								
	VOICE GRADE LOOP WITH 2-WIRE ANALOG LINE COIN POR	RT														1
UNE Po	ort/Loop Combination Rates				1	11.10										
	2-Wire VG Coin Port/Loop Combo – Zone 1 2-Wire VG Coin Port/Loop Combo – Zone 2				+	11.46 16.76										
	2-Wire VG Coin Port/Loop Combo – Zone 2 2-Wire VG Coin Port/Loop Combo – Zone 3				1	33.56					1	1	1	1		
UNE I	oop Rates				+	33.30	-									
	2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPCO	UEPLX	9.56	İ						Ì			
	2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPCO	UEPLX	14.86										
	2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPCO	UEPLX	31.66										
2-Wire	Voice Grade Line Ports (COIN)															
	2-Wire Coin 2-Way with Operator Screening (GA)			UEPCO	UEPGC	1.9019	10.05	7.36	1.37	1.28						
	2-Wire Coin 2-Way with Operator Screening and Blocking: 011, 900/976, 1+DDD (GA)			UEPCO	UEP2G	1.9019	10.05	7.36	1 27	1.28						ĺ
	2-Wire Coin 2-Way with Operator Screening and 011 Blocking			UEPCO	UEFZG	1.9019	10.05	7.30	1.37	1.20						
	(GA)			UEPCO	UEPGA	1.9019	10.05	7.36	1.37	1.28						ĺ
	2-Wire Coin 2-Way with Operator Screening and 900/976			02. 00	02. 0/1		10.00	7.00	1.01	1120						
	Blocking (GA)			UEPCO	UEPGB	1.9019	10.05	7.36	1.37	1.28						ĺ
	2-Wire Coin 2-Way with Operator Screening and Blocking:															
	900/976, 1+DDD, 011+, and Local (GA)			UEPCO	UEPCH	1.9019	10.05	7.36	1.37	1.28						1
	2-Wire Coin Outward with Operator Screening and 011 Blocking			LIEDOO	LIEDD I	4 0040	10.05	7.00	4.07	4.00						ĺ
 	(GA, KY, MS) 2-Wire Coin Outward with Operator Screening and Blocking:			UEPCO	UEPRJ	1.9019	10.05	7.36	1.37	1.28						-
	900/976, 1+DDD, 011+, and Local (FL, GA)			UEPCO	UEPCQ	1.9019	10.05	7.36	1.37	1.28						ĺ
	2-Wire 2-Way Smartline with 900/976 (all states except LA)			UEPCO	UEPCK	1.9019	10.05	7.36	1.37	1.28						
	2-Wire Coin Outward Smartline with 900/976 (all states except															
	LA)			UEPCO	UEPCR	1.9019	10.05	7.36	1.37	1.28						
ADDITI	IONAL UNE COIN PORT/LOOP (RC)															
	UNE Coin Port/Loop Combo Usage (Flat Rate)			UEPCO	URECU	3.59	0.00	0.00	0.00	0.00						
NONRE	ECURRING CHARGES - CURRENTLY COMBINED 2-Wire Voice Grade Loop / Line Port Combination - Conversion -															
	Switch-as-is			UEPCO	USAC2		0.10	0.10								ĺ
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -			021 00	00/102		0.10	0.10								
	Switch with change			UEPCO	USACC		0.10	0.10								
ADDIT	IONAL NRCs															
	2-Wire Voice Grade Loop/Line Port Combination - Subsequent															1
	Activity			UEPCO	USAS2		0.00	0.00								
	Unbundled Miscellaneous Rate Element, Tag Loop at End User			LIEDCO	LIDET		0.00	0.00								1
2.11/101	Premise VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE	INE	OPT /	UEPCO	URETL		8.33	0.83						-		
	ort/Loop Combination Rates	LINE	JIV.1 (I	·	1	-	-									
15.12.1	2-Wire VG Loop/IO Tranport/Port Combo - Zone 1					26.53	İ						İ			
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 2					31.92										
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 3			•		48.04										
	oop Rates				1								ļ			<u> </u>
 	2-Wire Voice Grade Loop (SL2) - Zone 1		1 2	UEPFR	UECF2	11.57							 	-		
\vdash	2-Wire Voice Grade Loop (SL2) - Zone 2 2-Wire Voice Grade Loop (SL2) - Zone 3		3	UEPFR UEPFR	UECF2 UECF2	16.95 33.08					-		1			
2-Wire	Voice Grade Line Port Rates (Res)		J	OLFIN	JLUI'Z	33.08	ł				+		1			
	2-Wire voice unbundled port - residence			UEPFR	UEPRL	2.09	166.05	43.66	41.89	15.44			1			
	2-Wire voice unbundled port with Caller ID - res			UEPFR	UEPRC	2.09	166.05	43.66	41.89	15.44						
	2-Wire voice unbundled port outgoing only - res			UEPFR	UEPRO	2.09	166.05	43.66	41.89	15.44					•	

UNBUNDLED	NETWORK ELEMENTS - Georgia												Attachment:	2 Exh A		
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'l
													151	Auu i	DISC 1St	DISC Add I
							Nonred	curring	Nonrecurring	Disconnect		•	oss	Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire voice unbundles res, low usage line port with Caller ID															
	(LUM)			UEPFR	UEPAP	2.09	166.05	43.66	41.89	15.44						
	2-Wire voice unbundled Georgia basic dialing port, without															
	Caller ID capability - res			UEPFR	UEPWC	2.09	166.05	43.66	41.89	15.44						
	2-Wire voice unbundled Georgia basic dialing port for use with			LIEDED	LIEDWO	2.09	400.05	43.66	44.00	45.44						
	Caller ID - res			UEPFR	UEPWQ	2.09	166.05	43.00	41.89	15.44		-				-
	2-Wire voice unbundled Georgia basic dialing port - outgoing only			UEPFR	UEPWR	2.09	166.05	43.66	41.89	15.44						
INTER	OFFICE TRANSPORT			OLFIK	OLFVIK	2.09	100.03	43.00	41.05	13.44						
IIVI E.	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility															
	Termination			UEPFR	U1TV2	12.87	48.46	19.48	16.58	5.00						
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile															
	or Fraction Mile			UEPFR	1L5XX	0.0057	0.00	0.00								
FEAT	JRES															
	All Features Offered			UEPFR	UEPVF	0.775	0.00	0.00								
NONR	ECURRING CHARGES (NRCs) - CURRENTLY COMBINED															
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port															
	Combination - Conversion - Switch-as-is			UEPFR	USAC2		7.85	1.86								
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port															
	Combination - Conversion - Switch-With-Change			UEPFR	USACC		7.85	1.86								
	Unbundled Miscellaneous Rate Element, Tag Designed Loop at			LIEDED	LIDETN		44.40	4.40								
2 WID	END USER PREMISE E VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE	LINE	DODT (UEPFR	URETN		11.19	1.10				-				-
	e voice Loop/ zwike voice grade to Transport/ z-wike of the combination Rates	LINE	TOKT (I	503)							1					
ONE	2-Wire VG Loop/IO Tranport/Port Combo - Zone 1					26.53										
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 2					31.92										
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 3					48.04										
UNE L	oop Rates															
	2-Wire Voice Grade Loop (SL2) - Zone 1		1	UEPFB	UECF2	11.57										
	2-Wire Voice Grade Loop (SL2) - Zone 2		2	UEPFB	UECF2	16.95										
	2-Wire Voice Grade Loop (SL2) - Zone 3		3	UEPFB	UECF2	33.08										
2-Wire	Voice Grade Line Port (Bus)				ļ											
	2-Wire voice unbundled port without Caller ID - bus			UEPFB	UEPBL	2.09	166.05	43.66	41.89	15.44						
	2-Wire voice unbundled port with Caller + E484 ID - bus			UEPFB UEPFB	UEPBC UEPBO	2.09 2.09	166.05 166.05	43.66 43.66	41.89 41.89	15.44 15.44						
	2-Wire voice unbundled port outgoing only - bus 2-Wire voice unbundled incoming only port with Caller ID - Bus			UEPFB	UEPB1	2.09	166.05	43.66	41.89	15.44						-
	2-Wire voice unbundled freoring only port with Carler ib - Bus 2-Wire voice unbundled Georgia basic dialing port, without			OLFIB	OLFBI	2.09	100.03	43.00	41.09	13.44						1
	Caller ID capability - bus			UEPFB	UEPWD	2.09	166.05	43.66	41.89	15.44						
i	2-Wire voice unbundled Georgia basic dialing port for use with		i –		1	2.00	.00.00	.0.00	00	.0.44			1			
	Caller ID - bus			UEPFB	UEPWP	2.09	166.05	43.66	41.89	15.44			1			
INTER	OFFICE TRANSPORT															
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility									-]		
	Termination		<u> </u>	UEPFB	U1TV2	12.87	48.46	19.48	16.58	5.00	ļ		1	ļ		<u> </u>
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile												1			
	or Fraction Mile		ļ	UEPFB	1L5XX	0.0057	0.00	0.00			ļ					_
FEAT			}	LIEDER	HED)/E	0.775	0.00	0.00			<u> </u>	1	1	 		
NONE	All Features Offered ECURRING CHARGES (NRCs) - CURRENTLY COMBINED		 	UEPFB	UEPVF	0.775	0.00	0.00	 		 	-	 	-		
NONR	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port		 								<u> </u>	-	t	 		
	Combination - Conversion - Switch-as-is			UEPFB	USAC2		7.85	1.86					1			
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port		1													
	Combination - Conversion - Switch with change			UEPFB	USACC]	7.85	1.86					I	1		
	Unbundled Miscellaneous Rate Element, Tag Designed Loop at					l i										
	End User Premise			UEPFB	URETN		11.19	1.10								
	E VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE	LINE	PORT (I	PBX)							ļ					1
UNE F	Port/Loop Combination Rates		<u> </u>								ļ					
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 1		<u> </u>		1	26.53					<u> </u>		1	 		├
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 2	-	1		+	31.92 48.04			-				-			
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 3	<u> </u>	1		ı	48.04					l .	1	1	l .		

HINDHIND	EDN	ETWORK ELEMENTS - Georgia												Attachment:	2 Evh A		
UNBUND	LEDIN	ETWORK ELEMENTS - Georgia	1			1						Svc Order		Incremental		Incremental	Incremental
												Submitted				Charge -	
															Charge -		Charge -
CATEGO	nv	RATE ELEMENTS	Interi	7	BCS	USOC			RATES(\$)			Elec		Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGO	KY	RATE ELEMENTS	m	Zone	BCS	USOC			KAIES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
						-					. D'			200	D - ((A)		
							_	Nonrec		Nonrecurring					Rates(\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
U		op Rates															
		2-Wire Voice Grade Loop (SL2) - Zone 1			UEPFP	UECF2	11.57										
		2-Wire Voice Grade Loop (SL2) - Zone 2		2	UEPFP	UECF2	16.95										
		2-Wire Voice Grade Loop (SL2) - Zone 3		3	UEPFP	UECF2	33.08										
2-	Wire	/oice Grade Line Port Rates (BUS - PBX)															
						1											ł
-		Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus			UEPFP	UEPPC	2.09	166.05	43.66	41.89	15.44						
-		Line Side Unbundled Outward PBX Trunk Port - Bus			UEPFP	UEPPO	2.09	166.05	43.66	41.89	15.44						
		Line Side Unbundled Incoming PBX Trunk Port - Bus			UEPFP	UEPP1	2.09	166.05	43.66	41.89	15.44						
\vdash		2-Wire Voice Unbundled PBX LD Terminal Ports	!		UEPFP	UEPLD	2.09	166.05	43.66	41.89	15.44				1		
\vdash		2-Wire Voice Unbundled 2-Way Combination PBX Usage Port	!		UEPFP	UEPXA	2.09	166.05	43.66	41.89	15.44						
\vdash		2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports	1		UEPFP	UEPXB	2.09	166.05	43.66	41.89	15.44	ļ	ļ		 		
\vdash		2-Wire Voice Unbundled PBX LD DDD Terminals Port	!		UEPFP	UEPXC	2.09	166.05	43.66	41.89	15.44						
		2-Wire Voice Unbundled PBX LD Terminal Switchboard Port			UEPFP	UEPXD	2.09	166.05	43.66	41.89	15.44						
		2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD	1		LIEDED	HEDVE	2.22	400.0=	10.00	44.00	45.44						í
		Capable Port			UEPFP	UEPXE	2.09	166.05	43.66	41.89	15.44						
		2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy						400.0=	40.00								ł
-		Administrative Calling Port			UEPFP	UEPXL	2.09	166.05	43.66	41.89	15.44						
		2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy						400.0=	40.00								ł
		Room Calling Port			UEPFP	UEPXM	2.09	166.05	43.66	41.89	15.44						
		2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital				1											ł '
		Discount Room Calling Port			UEPFP	UEPXO	2.09	166.05	43.66	41.89	15.44						
		2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPFP	UEPXS	2.09	166.05	43.66	41.89	15.44						
		2-Wire voice unbundled Georgia basic dialing port - 1-Way			LIEDED	LIEDWO	0.00	400.05	40.00	44.00	45.44						ł
-		Oudial Trunk			UEPFP	UEPWS	2.09	166.05	43.66	41.89	15.44						
		2-Wire voice unbundled Georgia basic dialing port - 2-Way			UEPFP	LIEDWE	2.09	400.05	40.00	44.00	45.44						ł
—		Trunk FFICE TRANSPORT			UEPFP	UEPWT	2.09	166.05	43.66	41.89	15.44						
IIN		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility				-											
		Termination			UEPFP	U1TV2	12.87	48.46	19.48	16.58	5.00						ł
-		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile			UEFFF	UTIVZ	12.07	40.40	19.40	10.30	5.00						
		or Fraction Mile			UEPFP	1L5XX	0.0057	0.00	0.00								ł
-	EATU				OLFIF	ILJAA	0.0037	0.00	0.00								
-		All Features Offered			UEPFP	UEPVF	0.775	0.00	0.00								
N		CURRING CHARGES (NRCs) - CURRENTLY COMBINED			OLITI	OLI VI	0.773	0.00	0.00								
		2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port				1											
		Combination - Conversion - Switch-as-is			UEPFP	USAC2		7.85	1.86								ł
-		2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port			OLITI	00/102		7.00	1.00								f
		Combination - Conversion - Switch with change	1		UEPFP	USACC		7.85	1.86			1	1		Ì		1
		Unbundled Miscellaneous Rate Element, Tag Designed Loop at	1			30,100	-	7.00	1.50						1		1
		End User Premise	1		UEPFP	URETN		11.19	1.10			1	1		Ì		1
2-		VOICE GRADE LOOP- BUS ONLY - WITH 2-WIRE DID TRUNK	PORT			1	 		0						1		1
		rt/Loop Combination Rates	T 5.0.7			1	-								1		1
		2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 1	†				18.05								1		í
		2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 2	1			İ	23.44			i					1		ĺ
		2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 3	1			1	39.56								İ		i
U		op Rates	1												İ		i
		2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 1	1	1	UEPPX	UECD1	11.57								İ		i Total
		2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 2		2	UEPPX	UECD1	16.95										í
		2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 3		3	UEPPX	UECD1	33.08										1
U		rt Rate	Ì														ĺ
		Exchange Ports - 2-Wire DID Port			UEPPX	UEPD1	6.48	174.55	13.64	59.31	4.27						i
N		CURRING CHARGES - CURRENTLY COMBINED															1
		2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Combination -															1
		Switch-as-is	1		UEPPX	USAC1		6.66	1.86								1
		2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Conversion															1
		with BellSouth Allowable Changes	<u></u>		UEPPX	USA1C		6.66	1.86								<u> </u>
Α	DDITIO	DNAL NRCs															

UNRUN	DI ED N	ETWORK ELEMENTS - Georgia													Attachment:	2 Fyh Δ	1	I
ONDON	DEED IV	ETWORK ELEMENTO - OBOIGIA						1					Svc Order	Svc Order		Incremental	Incremental	Incremental
														Submitted	Charge -	Charge -	Charge -	Charge -
													Elec	Manually	Manual Svc	Manual Svc		Manual Svc
CATEG	ORY	RATE ELEMENTS	Interi	Zone	В	cs	usoc			RATES(\$)								
CAILO	OKI	NATE ELEMENTO	m	20116		.00	0000			πΑ1 Ε0(ψ)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
															Electronic-	Electronic-	Electronic-	Electronic-
															1st	Add'l	Disc 1st	Disc Add'l
									Nonrec	urring	Nonrecurring	Disconnect		1	oss	Rates(\$)	1	l .
								Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Unbundled Miscellaneous Rate Element, Tag Designed Loop at								,,,,,,	101	7.00.		00				
		End User Premise			UEPPX		URETN		11.19	1.10								
		one Number/Trunk Group Establisment Charges			OLITA		ORETT		11.10	1.10								
		DID Trunk Termination (One Per Port)			UEPPX		NDT	0.00	0.00	0.00								
		DID Numbers, Establish Trunk Group and Provide First Group			OL: 17			0.00	0.00	0.00								
		of 20 DID Numbers			UEPPX		NDZ	0.00	0.00	0.00								
		Additional DID Numbers for each Group of 20 DID Numbers			UEPPX		ND4	0.00	0.00	0.00								
		DID Numbers. Non- consecutive DID Numbers . Per Number			UEPPX		ND5	0.00	0.00	0.00								
		Reserve Non-Consecutive DID numbers			UEPPX		ND6	0.00	0.00	0.00								
		Reserve DID Numbers			UEPPX		NDV	0.00	0.00	0.00								
	2-WIRE	ISDN DIGITAL GRADE LOOP WITH 2-WIRE ISDN DIGITAL LII	NE SIDE	PORT				0.00	0.00	0.00	1							
		rt/Loop Combination Rates					1				†					1	1	1
		2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -		1			1						1	i			1	
		UNE Zone 1	1	1				20.44									Ì	
		2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -					1	20.77			† †					1	1	1
		UNE Zone 2		1				25.45										
		2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -		-			1	20.70			 		1					
		UNE Zone 3						39.09										
		op Rates					1	00.00			1							
		2-Wire ISDN Digital Grade Loop - UNE Zone 1		1	UEPPB	UEPPR	USL2X	14.25										
		2 1110 10211 21gitar 01000 200p 0112 2010 1		<u> </u>	02	02	COLLA	11.20			1							
		2-Wire ISDN Digital Grade Loop - UNE Zone 2		2	UEPPB	UEPPR	USL2X	19.26										
		2-Wire ISDN Digital Grade Loop - UNE Zone 3		3	UEPPB	UEPPR	USL2X	32.90			1							
	UNE Po			Ť	OL: I D	OL: III	COLLY	02.00										
		Exchange Port - 2-Wire ISDN Line Side Port			UEPPR		UEPPR	6.19	161.36	141.68	43.68	8.37						
		Exchange Port - 2-Wire ISDN Line Side Port			UEPPB		UEPPB	6.19	161.36	141.68	43.68	8.37						
		CURRING CHARGES - CURRENTLY COMBINED																
		2-Wire ISDN Digital Grade Loop / 2-Wire ISDN Line Side Port																
		Combination - Conversion			UEPPB	UEPPR	USACB	0.00	42.52	26.99								
		ONAL NRCs																
		2-Wire ISDN Loop / 2-Wire ISDN Port Combination - Sub Actvy																
		Non Feature/Add Trunk			UEPPB	UEPPR	USASB		0.00									
		Unbundled Miscellaneous Rate Element, Tag Designed Loop at																
		End User Premise			UEPPB	UEPPR	URETN		11.19	1.10								
		Unbundled Miscellaneous Rate Element, Tag Loop at End User									1							
		Premise			UEPPB	UEPPR	URETL		8.33	0.83								
	B-CHAI	NEL USER PROFILE ACCESS:																
		CVS/CSD (DMS/5ESS)			UEPPB	UEPPR	U1UCA	0.00	0.00	0.00	1							
		CVS (EWSD)			UEPPB	UEPPR	U1UCB	0.00	0.00	0.00								
		CSD			UEPPB	UEPPR	U1UCC	0.00	0.00	0.00	İ							
	B-CHAI	NEL AREA PLUS USER PROFILE ACCESS: (AL,KY,LA,MS SO	C,MS, 8	TN)			1				1							
	USER T	ERMINAL PROFILE									İ							
		User Terminal Profile (EWSD only)			UEPPB	UEPPR	U1UMA	0.00	0.00	0.00								
	VERTIC	AL FEATURES																
		All Vertical Features - One per Channel B User Profile			UEPPB	UEPPR	UEPVF	0.775	0.00	0.00								
	INTERC	FFICE CHANNEL MILEAGE																
		Interoffice Channel mileage each, including first mile and									1							
		facilities termination	<u></u>	L		UEPPR	M1GNC	12.8757	48.46	19.48	16.58	5.00	<u></u>	<u></u>		<u> </u>	<u> </u>	<u> </u>
		Interoffice Channel mileage each, additional mile			UEPPB	UEPPR	M1GNM	0.0057	0.00	0.00								
UNBUN		ENTREX PORT/LOOP COMBINATIONS - COST BASED RATES																
		CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only)															
	2-Wire	VG Loop/2-Wire Voice Grade Port (Centrex) Combo																
	UNE Po	rt/Loop Combination Rates (Non-Design)																
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -									1							
		Non-Design	1	1				11.46									Ì	
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -																
		Non-Design	1	1				16.76									Ì	
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -									İ							
L		Non-Design ,	L				<u> </u>	33.56			<u> </u>		<u></u>			<u> </u>	<u> </u>	<u> </u>

UNBUNDI FD	NETWORK ELEMENTS - Georgia												Attachment:	2 Exh A		
SHORDLED	TOTAL ELEMENTO - Georgia	Inc. :										Svc Order Submitted Manually	Incremental Charge -	Incremental Charge - Manual Svc	Charge -	Incremental Charge - Manual Svc
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)			per LSR	per LSR	Order vs. Electronic-	Order vs. Electronic- Add'l	Order vs. Electronic- Disc 1st	Order vs. Electronic- Disc Add'l
															3.00 .00	
						Rec	Nonrec First	urring Add'l	Nonrecurring First	Disconnect Add'l	SOMEC	SOMAN	OSS SOMAN	Rates(\$) SOMAN	SOMAN	SOMAN
UNE P	ort/Loop Combination Rates (Design)					Rec	FIISL	Add I	FIISL	Add I	SOWIEC	SUWAN	SOWAN	SOMAN	SUMAN	SUMAN
5.421	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -						1									
	Design					13.47										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
 	Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -					18.85					1					
	Design					34.98										
UNE L	oop Rate					04.00										
	2-Wire Voice Grade Loop (SL 1) - Zone 1			UEP91	UECS1	9.56										
	2-Wire Voice Grade Loop (SL 1) - Zone 2			UEP91	UECS1	14.86										
	2-Wire Voice Grade Loop (SL 1) - Zone 3			UEP91	UECS1	31.66										
 	2-Wire Voice Grade Loop (SL 2) - Zone 1 2-Wire Voice Grade Loop (SL 2) - Zone 2		1 2	UEP91 UEP91	UECS2 UECS2	11.57 16.95										
	2-Wire Voice Grade Loop (SL 2) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP91	UECS2	33.08	+									
UNE P			Ŭ			33.30	İ									
All Sta	tes (Except North Carolina and Sout Carolina)															
	2-Wire Voice Grade Port (Centrex) Basic Local Area			UEP91	UEPYA	1.9019	10.05	7.36	1.37	1.28						
	2-Wire Voice Grade Port (Centrex 800 termination)Basic Local Area			UEP91	UEPYB	1.9019	10.05	7.36	1.37	1.28						
	2-Wire Voice Grade Port (Centrex with Caller ID)Note1 Basic Local Area 2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)			UEP91	UEPYH	1.9019	10.05	7.36	1.37	1.28						
	Note 2, 3 Basic Local Area 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service			UEP91	UEPYM	1.9019	82.27	26.96	20.29	9.15						
	Term - Basic Local Area 2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP91	UEPYZ	1.9019	82.27	26.96	20.29	9.15						
	- Basic Local Area 2-Wire Voice Grade Port Terminated in 61 Weganin of equivalent - 1 Basic Local Area - Basic Local Ar			UEP91	UEPY9	1.9019	10.05	7.36	1.37	1.28						
	Basic Local Area			UEP91	UEPY2	1.9019	10.05	7.36	1.37	1.28						
Georg	ia and Florida Only			LIED01	LIEDL!^	1.0040	40.05	7.00	4.07	4.00						
\vdash	2-Wire Voice Grade Port (Centrex) 2-Wire Voice Grade Port (Centrex 800 termination)			UEP91 UEP91	UEPHA UEPHB	1.9019 1.9019	10.05 10.05	7.36 7.36	1.37 1.37	1.28 1.28						
	2-Wire Voice Grade Port (Centrex 800 termination) 2-Wire Voice Grade Port (Centrex with Caller ID)1			UEP91	UEPHB	1.9019	10.05	7.36	1.37	1.28						
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)2,3			UEP91	UEPHM	1.9019	82.27	26.96	20.29	9.15						
	2-Wire Voice Grade Port, Diff Serving Wire Center 2,3 - 800															
	Service Term			UEP91	UEPHZ	1.9019	82.27	26.96	20.29	9.15	1					
	2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP91	UEPH9	1.9019	10.05	7.36	1.37	1.28						
	2-Wire Voice Grade Port Terminated in 60 Wegalink of equivalent			UEP91	UEPH2	1.9019	10.05	7.36	1.37	1.28						
Local	Switching															
	Centrex Intercom Funtionality, per port			UEP91	URECS	0.4237										
Featu				UEP91	UEPVF	0.775										
	All Standard Features Offered, per port All Select Features Offered, per port			UEP91 UEP91	UEPVF	0.775	0.00									
 	All Centrex Control Features Offered, per port			UEP91	UEPVS	0.00	0.00				 					
NARS						2.30	İ									
	Unbundled Network Access Register - Combination			UEP91	UARCX	0.00	0.00	0.00	0.00	0.00						
	Unbundled Network Access Register - Indial			UEP91	UAR1X	0.00	0.00	0.00	0.00	0.00						
881	Unbundled Network Access Register - Outdial laneous Terminations			UEP91	UAROX	0.00	0.00	0.00	0.00	0.00						
	Trunk Side				1		+				-					
2-77116	Trunk Side Terminations, each			UEP91	CENA6	5.50	122.26	18.65	54.82	3.45						
Intero	fice Channel Mileage - 2-Wire								502	2.10						
	Interoffice Channel Facilities Termination - Voice Grade			UEP91	M1GBC	12.87	48.46	19.48	16.58	5.00						
	Interoffice Channel mileage, per mile or fraction of mile			UEP91	M1GBM	0.0057										
	e Activations (DS0) Centrex Loops on Channelized DS1 Service	e														
D4 Ch	Annel Bank Feature Activations Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP91	1PQWS	0.4689	-				-					
	i earne venamen ou 5-4 enammer bank centrex rook 200	1	1	OFLAI	IFUNO	0.4009			ı		1					

	NETWORK ELEMENTS - Georgia												Attachment:			
1											Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
												Submitted	Charge -	Charge -	Charge -	Charge -
1		Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
1												•	Electronic-	Electronic-	Electronic-	Electronic-
1													1st	Add'l	Disc 1st	Disc Add'l
					_	1	Nonrec	urring	Nonrecurring	Disconnect			220	Rates(\$)		
					+	Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOM AN	SOMAN	SOMAN
						1100	1 1131	Addi	11131	Auu	CONIEC	COMPAR	COMPAN	COMPAR	COMPAR	COMPAR
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP91	1PQW6	0.4689										
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop															
	Slot			UEP91	1PQW7	0.4689										
	Feature Activation on D-4 Channel Bank Centrex Loop Slot -															
	Different Wire Center			UEP91	1PQWP	0.4689										
1	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP91	1PQWV	0.4689										
	Feature Activation on D-4 Channel Bank Trivate Line Loop Stot			UEP91	IPQWV	0.4689										
	Slot			UEP91	1PQWQ	0.4689										
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP91	1PQWA	0.4689										
Non-f	Recurring Charges (NRC) Associated with UNE-P Centrex															
	Conversion - Currently Combined Switch-As-Is with allowed															
	changes, per port			UEP91	USAC2		0.10	0.10								
	New Centrex Standard Common Block			UEP91	M1ACS	0.00	317.90	37.59	48.99	5.92						
	New Centrex Customized Common Block			UEP91	M1ACC	0.00	317.90	37.59	48.99	5.92						
	Secondary Block, per Block NAR Establishment Charge, Per Occasion			UEP91 UEP91	M2CC1 URECA	0.00	77.10 0.00									
Addit	ional Non-Recurring Charges (NRC)			UEP91	URECA	0.00	0.00		-							
Addit	Unbundled Miscellaneous Rate Element, Tag Loop at End Use				+											
1	Premise			UEP91	URETL		8.33	0.83								
	Unbundled Miscellaneous Rate Element, Tag Design Loop at															
1	End Use Premise			UEP91	URETN		11.19	1.10								
	P CENTREX - 5ESS (Valid in All States)															
	e VG Loop/2-Wire Voice Grade Port (Centrex) Combo															
UNE	Port/Loop Combination Rates (Non-Design)															
1	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -					44.40										
	Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -					11.46			-							
	Non-Design					16.76										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -					10.70										
1	Non-Design ,					33.56										
UNE	Port/Loop Combination Rates (Design)															
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -															
	Design					13.47										
1	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -					40.05										
	Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -				_	18.85										
	Design					34.98										
UNE	Loop Rate					04.50										
	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP95	UECS1	9.56										
	2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEP95	UECS1	14.86									İ	
	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP95	UECS1	31.66										
	2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP95	UECS2	11.57										
	2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP95	UECS2	16.95					ļ					
	2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP95	UECS2	33.08									 	
All St	Port Rate				+				 						-	
All St	2-Wire Voice Grade Port (Centrex) Basic Local Area			UEP95	UEPYA	1.9019	10.05	7.36	1.37	1.28					 	
- - 	2-Wire Voice Grade Port (Centrex 800 termination)			UEP95	UEPYB	1.9019	10.05	7.36	1.37	1.28						
- 1	2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local				1			50		20					İ	
<u>. </u>	Area			UEP95	UEPYH	1.9019	10.05	7.36	1.37	1.28	<u> </u>					
	2-Wire Voice Grade Port (Centrex from diff Serving Wire															
,	Center)2,3 Basic Local Area			UEP95	UEPYM	1.9019	82.27	26.96	20.29	9.15						
, 1	2-Wire Voice Grade Port, Diff Serving Wire Center 2,3 - 800			LIEDOS	LIEDV7	4 00 10	00.57	00.00	00.00	0 :-	1				1	
,			i	UEP95	UEPYZ	1.9019	82.27	26.96	20.29	9.15	l	1				
	Service Term - Basic Local Area 2-Wire Voice Grade Port terminated in on Megalink or equivalent			02.00					i i							

NBUNDLED	NETWORK ELEMENTS - Georgia												Attachment:	2 Exh A		
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Submitted Manually	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
							Nonrec		Nonrecurring					Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Grade Port Terminated on 800 Service Term -															
	Basic Local Area			UEP95	UEPY2	1.9019	10.05	7.36	1.37	1.28						
FL &	GA Only		<u> </u>				40.05									
	2-Wire Voice Grade Port (Centrex)			UEP95	UEPHA UEPHB	1.9019	10.05	7.36	1.37	1.28 1.28						
	2-Wire Voice Grade Port (Centrex 800 termination) 2-Wire Voice Grade Port (Centrex with Caller ID)1		<u> </u>	UEP95 UEP95	UEPHB	1.9019 1.9019	10.05 10.05	7.36 7.36	1.37 1.37	1.28						-
	2-Wire Voice Grade Port (Centrex with Caller ID)1 2-Wire Voice Grade Port (Centrex from diff Serving Wire			OLF 95	OLFIIII	1.5015	10.03	7.30	1.37	1.20						
	Center)2,3			UEP95	UEPHM	1.9019	82.27	26.96	20.29	9.15						
-+	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service			OL1 33	OLITIM	1.5015	02.21	20.30	20.23	9.10						+
	Term 2,3			UEP95	UEPHZ	1.9019	82.27	26.96	20.29	9.15						
_	10 2,0			02. 00	02	1.0010	02.2.	20.00	20.20	0.10						
	2-Wire Voice Grade Port terminated in on Megalink or equivalent	l	1	UEP95	UEPH9	1.9019	10.05	7.36	1.37	1.28			I			
	2-Wire Voice Grade Port Terminated on 800 Service Term			UEP95	UEPH2	1.9019	10.05	7.36	1.37	1.28			1			
Local	Switching				T			30		20			1			
	Centrex Intercom Funtionality, per port			UEP95	URECS	0.4237										
Featu																
	All Standard Features Offered, per port			UEP95	UEPVF	0.775										
	All Select Features Offered, per port			UEP95	UEPVS	0.00	0.00									
	All Centrex Control Features Offered, per port			UEP95	UEPVC	0.00										
NARS																
	Unbundled Network Access Register - Combination			UEP95	UARCX	0.00	0.00	0.00	0.00	0.00						
	Unbundled Network Access Register - Indial			UEP95	UAR1X	0.00	0.00	0.00	0.00	0.00						
	Unbundled Network Access Register - Outdial			UEP95	UAROX	0.00	0.00	0.00	0.00	0.00						
	ellaneous Terminations															
2-Wir	e Trunk Side															
	Trunk Side Terminations, each			UEP95	CEND6	5.50	122.26	18.65	54.82	3.45						
4-Wir	e Digital (1.544 Megabits)															
	DS1 Circuit Terminations, each		<u> </u>	UEP95	M1HD1	41.20	200.96	93.00	65.81	2.33						
	DS0 Channels Activated, each			UEP95	M1HDO	0.00	13.95									
interd	office Channel Mileage - 2-Wire			LIEDOE	MACRO	40.07	40.40	40.40	40.50	F 00						
	Interoffice Channel Facilities Termination			UEP95 UEP95	M1GBC M1GBM	12.87 0.0057	48.46	19.48	16.58	5.00						
Foots	Interoffice Channel mileage, per mile or fraction of mile ire Activations (DS0) Centrex Loops on Channelized DS1 Service			UEP95	MIGBN	0.0057										1
	hannel Bank Feature Activations		1		+						1					
D4 01	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP95	1PQWS	0.4689										+
_	T datate / lottvation on b 4 channel bank control 200p clot			OL: 50	II QWO	0.4000										+
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP95	1PQW6	0.4689										
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop			OL: 50	ii Qwo	0.4000										
	Slot	l	1	UEP95	1PQW7	0.4689							I			
	Feature Activation on D-4 Channel Bank Centrex Loop Slot -				1	,							1			
	Different Wire Center	l		UEP95	1PQWP	0.4689							1			
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP95	1PQWV	0.4689										
	Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop															
	Slot	<u> </u>	L	UEP95	1PQWQ	0.4689			<u> </u>		<u></u>	<u> </u>	<u> </u>	<u> </u>		<u> </u>
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP95	1PQWA	0.4689										
Non-	Recurring Charges (NRC) Associated with UNE-P Centrex															
	NRC Conversion Currently Combined Switch-As-Is with allowed	l	1]												
	changes, per port			UEP95	USAC2		0.10	0.10			ļ					<u> </u>
	New Centrex Standard Common Block			UEP95	M1ACS	0.00	317.90	37.59	48.99	5.92	ļ					<u> </u>
	New Centrex Customized Common Block	ļ		UEP95	M1ACC	0.00	317.90	37.59	48.99	5.92	ļ		ļ			ļ
1	NAR Establishment Charge, Per Occasion	ļ		UEP95	URECA	0.00	0.00				ļ		ļ			ļ
	tional Non-Recurring Charges (NRC)		<u> </u>								ļ					ļ
Addit									1		1	1	1	1		İ
Addit	Unbundled Miscellaneous Rate Element, Tag Loop at End Use			LIEDOF	UDET		0.00	0.00								
Addit	Unbundled Miscellaneous Rate Element, Tag Loop at End Use Premise			UEP95	URETL		8.33	0.83								
Addit	Unbundled Miscellaneous Rate Element, Tag Loop at End Use Premise Unbundled Miscellaneous Rate Element, Tag Design Loop at															
	Unbundled Miscellaneous Rate Element, Tag Loop at End Use Premise			UEP95 UEP95	URETL		8.33 11.19	0.83								

CATEGORY RATE ELEMENTS Interim m Zone BCS USOC RATES(\$) BCS USOC RATES(\$) RATES(\$) Nonrecurring Nonrecurring Disconnect Sv. Order Submitted Submitted Charge - Manual Sv. Order vs. Electronic-1st Add'I Disc 1st Disc 1st Disc 2st Dis	UNBUNDI FI	NETWORK ELEMENTS - Georgia												Attachment:	2 Fxh A		
RATE ELEMENTS RATE ELEMENTS RATE SUBMINISTRATION OF THE PARTY SUBMINISTR	ONDONDEEL	THE THORK ELEMENTO GOOGIA										Svc Order				Incremental	Incremental
CATEGORY RATE ELEMENTS Image: Bots USC USC SAMETERS USC																	Charge -
Child Chil			Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
More Perticop Combination Rates (Non-Design)	CATEGORY	RATE ELEMENTS		Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
West Comparison Compariso												-		Electronic-	Electronic-	Electronic-	Electronic-
Per														1st	Add'l	Disc 1st	Disc Add'l
Print							1	Nonrec	rurring	Nonrecurring	n Disconnect			OSS	Rates(\$)		I.
UNIF Print Log Combination Rates (No. Design)							Rec					SOMEC	SOMAN			SOMAN	SOMAN
Non-Chesge 11.46	UNE	Port/Loop Combination Rates (Non-Design)						-									
2		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -															
National Company National Co							11.46										
2-Week Vol. Congress (Medical Port (Centres) Prof. Compo.							10.70										
Non-Disage							16.76										
West Provide Controlled Control Control							33 56										
2-Week Vot Loads-Week Votes Grade Port (Centres) Part Combo 13.47 18.85	UNE						00.00										
SAVINE VOLE CONCERVINE VOICE Grade Port (Centreal/Port Combo- Design 2-Vine Volta Capta-Vine Voice Grade Port (Centreal/Port Combo- 2-Vine Volta Capta-Vine Voice Grade Port (Centreal/Port Combo- 2-Vine Voice Grade Local (St. 1) - Zone 1																	
Design 18.85 34.84 34.							13.47										
Description Description							10.5=										
Design D							18.85										
Next Next							34 98										
EVMen Votice Grade Long (Est. 1) - Zone 1	UNE						34.30										
2-Wive Votice Grade Loop (St. 2) - Zone 1				1	UEP9D	UECS1	9.56										
2.Wire Votor Grade Locy (St. 2) - Zone 2		2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEP9D	UECS1	14.86										
2. Wife Votor Grade Loop (St. 2) - Zone 2 2 UEP9D UEC\$2 16.96				_													
2.Wire Voice Grade Dot (Centrex) Basic Local Area UEP9D UEPYA 1,9019 10,05 7,36 1,37 1,28																	
NIKE Port Rate																	
ALL STATES	UNE			3	OLF 9D	ULC32	33.00										
2-Wire Votoe Grade Port (Centrex) Basic Local Area UEP9D UEPYA 1,9019 10.06 7,36 1,37 1,28																	
Area					UEP9D	UEPYA	1.9019	10.05	7.36	1.37	1.28						
2-Wire Voice Grade Port (Centrex / EBS-MS009)3Basic Local Area		,															
Area UEPPD UEPYC 1.9019 10.05 7.36 1.37 1.28					UEP9D	UEPYB	1.9019	10.05	7.36	1.37	1.28						
2-Wire Voice Grade Port (Centrex / EBS-M5099)3Basic Local Area UEP9D UEPYD 1.9019 10.05 7.36 1.37 1.28					LIEDOD	LIEDVO	4 0040	40.05	7.00	4.07	4.00						
Area UEPD UEPY 1.9019 10.05 7.36 1.37 1.28					UEF9D	UEFTC	1.9019	10.05	7.30	1.37	1.20						
2-Wire Voice Grade Port (Centrex / EBS-M5209))3 Basic Local UEP9D UEPYE 1.9019 10.05 7.36 1.37 1.28					UEP9D	UEPYD	1.9019	10.05	7.36	1.37	1.28						
2-Wire Voice Grade Port (Centrex / EBS-M512))3 Basic Local UEP9D UEPYF 1.9019 10.05 7.36 1.37 1.28		2-Wire Voice Grade Port (Centrex / EBS-M5209))3 Basic Local															
Area UEPD UEPYF 1.9019 10.05 7.36 1.37 1.28					UEP9D	UEPYE	1.9019	10.05	7.36	1.37	1.28						
2-Wire Voice Grade Port (Centrex / EBS-M5312))3Basic Local																	
Area UEP9D UEPYT 1.9019 10.05 7.36 1.37 1.28					UEP9D	UEPYF	1.9019	10.05	7.36	1.37	1.28						
2-Wire Voice Grade Port (Centrex / EBS-M5008))3 Basic Local UEP9D UEPYT 1.9019 10.05 7.36 1.37 1.28		I			UEP9D	UEPYG	1 9019	10.05	7.36	1 37	1 28						
Area						32 0	1.5519	10.00	7.50	1.57	1.20						
Area UEP9D UEPYU 1.9019 10.05 7.36 1.37 1.28		Area			UEP9D	UEPYT	1.9019	10.05	7.36	1.37	1.28	<u> </u>	<u> </u>				
2-Wire Voice Grade Port (Centrex / EBS-M5216))3 Basic Local Area																	
Area UEP9D UEPYV 1.9019 10.05 7.36 1.37 1.28			ļ		UEP9D	UEPYU	1.9019	10.05	7.36	1.37	1.28	ļ					
2-Wire Voice Grade Port (Centrex / EBS-M5316))3 Basic Local Area UEP9D UEPY3 1.9019 10.05 7.36 1.37 1.28 2-Wire Voice Grade Port (Centrex with Caller ID) Basic Local Area UEP9D UEPY1 1.9019 10.05 7.36 1.37 1.28 2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp Indication))4 Basic Local Area UEP9D UEPYW 1.9019 1.005 7.36 1.37 1.28 2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication))4 Basic Local Area UEP9D UEPYW 1.9019 1.005 7.36 1.37 1.28 UEP9D UEPYW 1.9019 1.005 7.36 1.37 1.28 UEP9D UEPYJ 1.9019 1.		1			LIEDOD	LIEDV\/	1 0010	10.05	7.26	1 27	1 20						
Area	 				OLFSD	ULFIV	1.9019	10.05	1.30	1.37	1.28	 					
2-Wire Voice Grade Port (Centrex with Caller ID) Basic Local UEP9D UEPYH 1.9019 10.05 7.36 1.37 1.28					UEP9D	UEPY3	1.9019	10.05	7.36	1.37	1.28						
2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp Indication))4 Basic Local Area UEP9D UEPYW 1.9019 10.05 7.36 1.37 1.28																	
Indication))4 Basic Local Area			ļ		UEP9D	UEPYH	1.9019	10.05	7.36	1.37	1.28						
2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication))4 UEP9D UEPYJ 1.9019 10.05 7.36 1.37 1.28					LIEDOD	LIEDVA	4 0040	40.05	7.00	4.07	4.00						
Basic Local Area	 		-		UEP9D	UEPYW	1.9019	10.05	7.36	1.37	1.28	-	-				
2-Wire Voice Grade Port (Centrex from diff Serving Wire Center) UEP9D UEPYM 1.9019 82.27 26.96 20.29 9.15					UEP9D	UEPYJ	1.9019	10.05	7.36	1.37	1.28						
2,3-Basic Local Area											20						
Basic Local Area		2,3-Basic Local Area			UEP9D	UEPYM	1.9019	82.27	26.96	20.29	9.15						
2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2,3,4 Basic Local Area UEP9D UEPYP 1.9019 82.27 26.96 20.29 9.15																	
Basic Local Area UEP9D UEPYP 1.9019 82.27 26.96 20.29 9.15 UEP9D UEPYP 1.9019 82.27 26.96 20.29 9.15 UEP9D UEPYP 1.9019 0.1019			 		UEP9D	UEPYO	1.9019	82.27	26.96	20.29	9.15						
					UEP9D	UEPYP	1 9019	82 27	26.96	20 29	9 15						
						32	1.5519	02.21	20.00	20.29	5.15	†					
Basic Local Area UEP9D UEPYQ 1.9019 82.27 26.96 20.29 9.15			<u></u>		UEP9D	UEPYQ	1.9019	82.27	26.96	20.29	9.15	<u> </u>	<u> </u>				

UNBUNDLED	NETWORK ELEMENTS - Georgia												Attachment:	2 Exh A		
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
<u> </u>					-	1	Monroe		Nonrecurring	Dissennest			000	Potos/¢\		L
						B	First	curring	First	Add'l	SOMEC	SOMAN	SOMAN	Rates(\$) SOMAN	SOMAN	SOMAN
-	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2,3,4				-	Rec	FIISL	Add'l	LIISI	Add I	SOWIEC	SOWAN	SOWAN	SOWAN	SOWAN	SUMAN
	Basic Local Area			UEP9D	UEPYR	1.9019	82.27	26.96	20.29	9.15						İ
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2,3,4			OLI 3D	OLI IIX	1.5015	02.21	20.30	20.23	9.10						
	Basic Local Area			UEP9D	UEPYS	1.9019	82.27	26.96	20.29	9.15						ĺ
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2,3,4															
	Basic Local Area			UEP9D	UEPY4	1.9019	82.27	26.96	20.29	9.15						ĺ
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3															
	Basic Local Area			UEP9D	UEPY5	1.9019	82.27	26.96	20.29	9.15						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2,3,4															l
	Basic Local Area			UEP9D	UEPY6	1.9019	82.27	26.96	20.29	9.15						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2,3,4 Basic Local Area			UEP9D	UEPY7	1.9019	82.27	26.06	20.29	9.15						ĺ
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service			UEP9D	UEP17	1.9019	02.21	26.96	20.29	9.15						
	Term 2.3			UEP9D	UEPYZ	1.9019	82.27	26.96	20.29	9.15						l
	2-Wire Voice Grade Port terminated in on Megalink or equivalent			02. 03	022	1.0010	02.2.	20.00	20:20	0.10						
	Basic Local Area			UEP9D	UEPY9	1.9019	10.05	7.36	1.37	1.28						1
	2-Wire Voice Grade Port Terminated on 800 Service Term Basic															
	Local Area			UEP9D	UEPY2	1.9019	10.05	7.36	1.37	1.28						
FL & 0	GA Only															
	2-Wire Voice Grade Port (Centrex)			UEP9D	UEPHA	1.9019	10.05	7.36	1.37	1.28						
	2-Wire Voice Grade Port (Centrex 800 termination)			UEP9D	UEPHB	1.9019	10.05	7.36	1.37	1.28						
-	2-Wire Voice Grade Port (Centrex / EBS-PSET)4			UEP9D	UEPHC	1.9019	10.05	7.36	1.37	1.28						—
	2-Wire Voice Grade Port (Centrex / EBS-M5009)4			UEP9D UEP9D	UEPHD UEPHE	1.9019 1.9019	10.05 10.05	7.36 7.36	1.37 1.37	1.28 1.28						
	2-Wire Voice Grade Port (Centrex / EBS-M5209)4 2-Wire Voice Grade Port (Centrex / EBS-M5112)4			UEP9D	UEPHF	1.9019	10.05	7.36	1.37	1.28						-
	2-Wire Voice Grade Port (Centrex / EBS-M5312)4 2-Wire Voice Grade Port (Centrex / EBS-M5312)4			UEP9D	UEPHG	1.9019	10.05	7.36	1.37	1.28						
	2-Wire Voice Grade Port (Centrex / EBS-M5008)4			UEP9D	UEPHT	1.9019	10.05	7.36	1.37	1.28						
	2-Wire Voice Grade Port (Centrex / EBS-M5208)4			UEP9D	UEPHU	1.9019	10.05	7.36	1.37	1.28						
	2-Wire Voice Grade Port (Centrex / EBS-M5216)4			UEP9D	UEPHV	1.9019	10.05	7.36	1.37	1.28						
	2-Wire Voice Grade Port (Centrex / EBS-M5316)4			UEP9D	UEPH3	1.9019	10.05	7.36	1.37	1.28						
	2-Wire Voice Grade Port (Centrex with Caller ID)			UEP9D	UEPHH	1.9019	10.05	7.36	1.37	1.28						
	2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp															
	Indication)4			UEP9D	UEPHW	1.9019	10.05	7.36	1.37	1.28						
	2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication)4			UEP9D	UEPHJ	1.9019	10.05	7.36	1.37	1.28						
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)			LIEDOD	UEPHM	4 0040	00.07	20.00	20.20	0.45						
	2,3			UEP9D	UEPHIVI	1.9019	82.27	26.96	20.29	9.15						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2,3,4			UEP9D	UEPHO	1.9019	82.27	26.96	20.29	9.15						
	2 Wile Voice Clade For (Control and CVV 7/250 FOE 1/2,0,4			OLI OD	CELLIC	1.0010	02.21	20.00	20.20	0.10						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2,3,4			UEP9D	UEPHP	1.9019	82.27	26.96	20.29	9.15						
	, , , , ,															
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2,3,4			UEP9D	UEPHQ	1.9019	82.27	26.96	20.29	9.15						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2,3,4			UEP9D	UEPHR	1.9019	82.27	26.96	20.29	9.15						
	- W. W. O. J. D. (O. J. (1997) - O. W. (1997) - O. W.															l
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2, 3,4			UEP9D	UEPHS	1.9019	82.27	26.96	20.29	9.15						—
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2,3,4			UEP9D	UEPH4	1.9019	82.27	26.96	20.29	9.15						l
	2-wire voice Grade Fort (Centrex differ SWC /EBS-W5008)2,3,4			OLF 9D	OLF114	1.9019	02.21	20.90	20.25	9.13						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2,3,4			UEP9D	UEPH5	1.9019	82.27	26.96	20.29	9.15			1			1
	,									- 1				1		
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2,3,4		<u>L</u>	UEP9D	UEPH6	1.9019	82.27	26.96	20.29	9.15	<u> </u>		L	<u> </u>		<u></u>
													1			
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2,3,4		<u> </u>	UEP9D	UEPH7	1.9019	82.27	26.96	20.29	9.15	ļ		ļ			
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service			LIEDOD	LIEDUZ	4 0015	00.00	00.00	00.00				1			1
\vdash	Term 2,3		ļ	UEP9D	UEPHZ	1.9019	82.27	26.96	20.29	9.15						
	2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP9D	UEPH9	1.9019	10.05	7.36	1.37	1.28			1			1
 	2-Wire Voice Grade Port terminated in on Megalink or equivalent 2-Wire Voice Grade Port Terminated on 800 Service Term	 	l -	UEP9D	UEPH9	1.9019	10.05	7.36	1.37	1.28	 		1	1		
	2 TYTIC VOICE CTAGE FOR TEITHINALEGUIT 000 GETVICE TEITH		1	OLI JU	ULITIE	1.5019	10.03	1.30	1.37	1.20	1	1	1	l		

NBUNDLED NE	ETWORK ELEMENTS - Georgia												Attachment:	2 Exh A		
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'l
							Nonred			Disconnect				Rates(\$)		
Local Sw	uitakina	-				Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Centrex Intercom Funtionality, per port			UEP9D	URECS	0.4237										⊢
	All Select Features Offered, per port	+		UEP9D	UEPVS	0.4237	0.00									
	All Centrex Control Features Offered, per port			UEP9D	UEPVC	0.00	0.00				1					
NARS	All Centrex Control Features Offered, per port			OLI 3D	OLI VO	0.00										
	Unbundled Network Access Register - Combination			UEP9D	UARCX	0.00	0.00	0.00	0.00	0.00						
	Unbundled Network Access Register - Inward			UEP9D	UAR1X	0.00	0.00	0.00	0.00	0.00						
	Unbundled Network Access Register - Outdial			UEP9D	UAROX	0.00	0.00	0.00	0.00	0.00						
	neous Terminations			OLI OD	O/ II (O/)	0.00	0.00	0.00	0.00	0.00						
	runk Side															
	Trunk Side Terminations, each			UEP9D	CEND6	5.50	122.26	18.65	54.82	3.45						
	Digital (1.544 Megabits)			02. 05	02.150	0.00	122.20	10.00	0 1.02	0.10						
	DS1 Circuit Terminations, each			UEP9D	M1HD1	41.20	200.96	93.00	65.81	2.33						
	DS0 Channels Activiated per Channel			UEP9D	M1HDO	0.00	13.95	00.00	00.01	2.00						
	ce Channel Mileage - 2-Wire			02. 03		0.00	10.00									
	Interoffice Channel Facilities Termination			UEP9D	M1GBC	12.87	48.46	19.48	16.58	5.00						
	Interoffice Channel mileage, per mile or fraction of mile			UEP9D	M1GBM	0.0057										
	Activations (DS0) Centrex Loops on Channelized DS1 Service	ce		02. 03		0.0001										
	nnel Bank Feature Activations	Ī														
	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP9D	1PQWS	0.4689										
- 	Catalor istration on B. I chamber bank control 200p clot			02. 05	4.1.6	0.1000										
F	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP9D	1PQW6	0.4689										i
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop			OLI OD	11 00110	0.4000										
	Slot			UEP9D	1PQW7	0.4689										i
	Feature Activation on D-4 Channel Bank Centrex Loop Slot -															
	Different Wire Center			UEP9D	1PQWP	0.4689										i
F	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP9D	1PQWV	0.4689										i
	Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop															
	Slot			UEP9D	1PQWQ	0.4689										ĺ
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP9D	1PQWA	0.4689										
	curring Charges (NRC) Associated with UNE-P Centrex															
	NRC Conversion Currently Combined Switch-As-Is with allowed															
	changes, per port			UEP9D	USAC2		0.10	0.10								i
	New Centrex Standard Common Block			UEP9D	M1ACS	0.00	317.90	37.59	48.99	5.92						
	New Centrex Customized Common Block	1	İ	UEP9D	M1ACC	0.00	317.90	37.59	48.99	5.92			İ	İ	İ	
	NAR Establishment Charge, Per Occasion			UEP9D	URECA	0.00	0.00									
	nal Non-Recurring Charges (NRC)															
	Unbundled Miscellaneous Rate Element, Tag Loop at End Use	1														
	Premise			UEP9D	URETL		8.33	0.83								1
	Unbundled Miscellaneous Rate Element, Tag Design Loop at	1	İ							İ			İ	İ	İ	
	End Use Premise	1		UEP9D	URETN		11.19	1.10]			Ì	l	Ì	1
	nal Non-Recurring Charges (NRC)										1					
	Unbundled Miscellaneous Rate Element, Tag Loop at End Use															
	Premise	1		UEP9E	URETL											i
T I	Unbundled Miscellaneous Rate Element, Tag Design Loop at	1														
	End Use Premise	1		UEP9E	URETN											i
	Required Port for Centrex Control in 1AESS, 5ESS & EWSD	1														
	Requres Interoffice Channel Mileage															
Note 3 -	Installation is combination of Installation charge for SL2 Lo	op and	Port													
	Requires Specific Customer Premises Equipment															
	ates displaying an "I" in Interim column are interim as a resi															

UNRU	NDI ED N	ETWORK ELEMENTS - Kentucky												Attachment:	2 Fyh Δ	l	
ONDO	NOLLD I	ETWORK ELLINEWIO - Remucky										Svc Order	Svc Order	Incremental		Incremental	Incremental
												Submitted			Charge -	Charge -	Charge -
			Intori									Elec	Manually		Manual Svc		Manual Svc
CATE	GORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m									,	,	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
																2.00 .01	2.007.444
								Nonrec			Disconnect				Rates(\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		one" shown in the sections for stand-alone loops or loops as				ographically	Deaveraged U	NE Zones. To	view Geograp	hically Deaver	aged UNE Zone	e Designation	ons by Cent	ral Office, refe	er to internet	Website:	
		ww.interconnection.bellsouth.com/become_a_clec/html/inter	rconnec	tion.ht	m												
OPER.		SUPPORT SYSTEMS (OSS) - "REGIONAL RATES"															
		1) CLEC should contact its contract negotiator if it prefers th															
		ther the state specific Commission ordered rates for the servi															
		2) Any element that can be ordered electronically will be bill															
	that car	nnot be ordered electronically at present per the LOH, the list	ed SOM	IEC rate	in this category ref	lects the cha	arge that would	be billed to a	CLEC once el	ectronic orderi	ng capabilities	come on-li	ne for that	element. Othe	erwise, the ma	anual ordering	g charge,
1		OSS - Electronic Service Order Charge, Per Local Service				COMEC]	2.50	0.00	2.50	0.00				1		
-	1	Request (LSR) - UNE Only OSS - Manual Service Order Charge, Per Local Service Request	 			SOMEC		3.50	0.00	3.50	0.00			-		-	
1		(LSR) - Wanuai Service Order Charge, Per Local Service Request (LSR) - UNE Only				SOMAN		7.86	0.00	0.99	0.00						
LINE 9	ERVICE	DATE ADVANCEMENT CHARGE	 	-		SOIVIAIN	-	1.80	0.00	0.99	0.00			-	-	-	
ONE 3		The Expedite charge will be maintained commensurate with	BellSou	ith's FC	C No.1 Tariff Section	n 5 as annli	cable.	I		l .	I	I	I	I	1	I	ı
	NOTE.	The Expedite charge will be maintained commensurate with	Denoou	111310	UAL, UEANL, UCL,	п з аз аррп	Cable.	1			l			l		l	1
1					UEF, UDF, UEQ,												
					UDL, UENTW, UDN,												
					UEA, UHL, ULC,												
					USL, U1T12, U1T48,												
					U1TD1, U1TD3,												
					U1TDX, U1TO3,												
					U1TS1, U1TVX,												
					UC1BC, UC1BL,												
					UC1CC, UC1CL,												
					UC1DC, UC1DL,												
					UC1EC, UC1EL,												
					UC1FC, UC1FL,												
					UC1GC, UC1GL,												
					UC1HC, UC1HL,												
					UDL12, UDL48,												
					UDLO3, UDLSX,												
					UE3, ULD12,												
					ULD48, ULDD1,												
					ULDD3, ULDDX,												
1					ULDO3, ULDS1,]								1		
1					ULDVX, UNC1X,]								1		
1					UNC3X, UNCDX,												
1					UNCNX, UNCSX, UNCVX. UNLD1.												
					UNCVX, UNLD1, UNLD3, UXTD1,]								1		
1					UNLD3, UXTD1, UXTD3, UXTS1,]								1		
1					UXTU3, UXTS1, U1TUC. U1TUD.]								1		
1					U1TUB.		1								1		
1		UNE Expedite Charge per Circuit or Line Assignable USOC, per			U1TUA,NTCVG,		1								1		
		Day			NTCUD, NTCD1	SDASP		200.00									
ORDF	R MODIF	ICATION CHARGE	†					200.00		1					1		
		Order Modification Charge (OMC)						33.37	0.00	0.00	0.00			İ		İ	
		Order Modification Additional Dispatch Charge (OMCAD)						150.00	0.00	0.00	0.00						
UNBU	NDLED E	XCHANGE ACCESS LOOP	1														
	2-WIRE	ANALOG VOICE GRADE LOOP															
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or															
		Ground Start Signaling - Zone 1	<u> </u>	1	UEA	UEAL2	12.67	134.89	81.87	73.65	14.88			<u></u>	<u> </u>	<u></u>	<u> </u>
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or					1]		
		Ground Start Signaling - Zone 2		2	UEA	UEAL2	17.45	134.89	81.87	73.65	14.88						
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or]		
<u> </u>		Ground Start Signaling - Zone 3		3	UEA	UEAL2	33.22	134.89	81.87	73.65	14.88						
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse				l											
		Battery Signaling - Zone 1	<u> </u>	1	UEA	UEAR2	12.67	134.89	81.87	73.65	14.88						

Version 4Q05 Standard ICA 03/15/06 (Renegotiations)

Page 86 of 261

LINRUN	DIEDN	IETWORK ELEMENTS - Kentucky												Attachment:	2 Evh A		1
UNDUN	DLLD	NETWORK ELEMENTS - Remacky										Svc Order	Svc Order		Incremental	Incremental	Incremental
													Submitted		Charge -	Charge -	Charge -
												Elec	Manually		Manual Svc	Manual Svc	_
CATEG	ORY	RATE ELEMENTS	Interi	Zone	BCS	usoc			RATES(\$)			per LSR	per LSR		Order vs.	Order vs.	Order vs.
			m						- ()			per LSK	per LSK	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
														181	Add I	DISC 1St	DISC Add I
								Nonrec	urring	Nonrecurring	Disconnect			oss	Rates(\$)	•	•
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse															
		Battery Signaling - Zone 2		2	UEA	UEAR2	17.45	134.89	81.87	73.65	14.88						
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse															
		Battery Signaling - Zone 3		3	UEA	UEAR2	33.22	134.89	81.87	73.65	14.88						
		Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per															
		DS0)			UEA	URESL		24.96	3.52								
		Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per			1.1E A	LIDEOD		00.44	5.04								
-		DS0) CLEC to CLEC Conversion Charge without outside dispatch			UEA UEA	URESP UREWO		26.44	5.01 36.36								
+		Loop Tagging - Service Level 2 (SL2)			UEA	URETL		87.72 11.21	1.10			1					
+	1-WIDE	ANALOG VOICE GRADE LOOP			OLA	UKLIL		11.21	1.10			1					
		4-Wire Analog Voice Grade Loop - Zone 1		1	UEA	UEAL4	29.26	164.11	112.36	78.91	18.66						
		4-Wire Analog Voice Grade Loop - Zone 1			UEA	UEAL4	34.25	164.11	112.36	78.91	18.66						1
		4-Wire Analog Voice Grade Loop - Zone 3			UEA	UEAL4	85.06	164.11	112.36	78.91	18.66						1
		Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per		Ĭ			22.20		50					İ			İ
		DS0)			UEA	URESL		24.96	3.52								
		Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per															
		DS0)			UEA	URESP		26.44	5.01								
		CLEC to CLEC Conversion Charge without outside dispatch			UEA	UREWO		87.72	36.36								
	2-WIRE	ISDN DIGITAL GRADE LOOP															
		2-Wire ISDN Digital Grade Loop - Zone 1		1	UDN	U1L2X	18.44	146.77	95.02	71.38	13.83						
		2-Wire ISDN Digital Grade Loop - Zone 2			UDN	U1L2X	25.08	146.77	95.02	71.38	13.83						
		2-Wire ISDN Digital Grade Loop - Zone 3			UDN	U1L2X	42.87	146.77	95.02	71.38	13.83						
-	0 M//DE	CLEC to CLEC Conversion Charge without outside dispatch	A TIDLE		UDN	UREWO		91.63	44.16								
-	2-WIKE	ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMP	ATIBLE	LOOP													
		2 Wire Unbundled ADSL Loop including manual service inquiry & facility reservation - Zone 1		4	UAL	UAL2X	10.82	141.98	79.73	69.02	11.47						
		2 Wire Unbundled ADSL Loop including manual service inquiry			UAL	UALZA	10.02	141.90	19.13	69.02	11.47						
		& facility reservation - Zone 2		2	UAL	UAL2X	11.79	141.98	79.73	69.02	11.47						
		2 Wire Unbundled ADSL Loop including manual service inquiry			5, iL	O/ LEE/		111.00	70.70	00.02							
		& facility reservation - Zone 3		3	UAL	UAL2X	12.87	141.98	79.73	69.02	11.47						
		2 Wire Unbundled ADSL Loop without manual service inquiry &															
		facility reservaton - Zone 1		1	UAL	UAL2W	10.82	121.18	69.00	69.09	11.54						
		2 Wire Unbundled ADSL Loop without manual service inquiry &															
		facility reservaton - Zone 2		2	UAL	UAL2W	11.79	121.18	69.00	69.09	11.54						
		2 Wire Unbundled ADSL Loop without manual service inquiry &															
		facility reservaton - Zone 3		3	UAL	UAL2W	12.87	121.18	69.00	69.09	11.54						
		CLEC to CLEC Conversion Charge without outside dispatch			UAL	UREWO		86.20	40.40								
—	2-WIRE	HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	IIBLE	LOOP		+											
		2 Wire Unbundled HDSL Loop including manual service inquiry		4	UHL	UHL2X	8.75	151.54	89.29	69.09	11.54						1
\vdash		& facility reservation - Zone 1 2 Wire Unbundled HDSL Loop including manual service inquiry		1	UIL	UHLZX	8.75	151.54	89.29	69.09	11.54						
		& facility reservation - Zone 2		2	UHL	UHL2X	9.56	151.54	89.29	69.09	11.54						1
-		2 Wire Unbundled HDSL Loop including manual service inquiry	-		OI IL	OI ILZA	9.56	131.34	09.29	03.09	11.54						
		& facility reservation - Zone 3		3	UHL	UHL2X	10.61	151.54	89.29	69.09	11.54						1
		2 Wire Unbundled HDSL Loop without manual service inquiry					.0.01		33.20	33.00	0 +						
		and facility reservation - Zone 1		1	UHL	UHL2W	8.75	130.74	78.56	69.09	11.54						1
		2 Wire Unbundled HDSL Loop without manual service inquiry															1
		and facility reservation - Zone 2		2	UHL	UHL2W	9.56	130.74	78.56	69.09	11.54						L
		2 Wire Unbundled HDSL Loop without manual service inquiry									-						
		and facility reservation - Zone 3		3	UHL	UHL2W	10.61	130.74	78.56	69.09	11.54						
		CLEC to CLEC Conversion Charge without outside dispatch			UHL	UREWO		86.14	40.40								
igsqcut		HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIBLE I	LOOP													
		4 Wire Unbundled HDSL Loop including manual service inquiry															
		and facility reservation - Zone 1		1	UHL	UHL4X	13.95	185.75	123.50	74.95	14.69						ļ
		4-Wire Unbundled HDSL Loop including manual service inquiry		_				,									1
\vdash		and facility reservation - Zone 2		2	UHL	UHL4X	15.68	185.75	123.50	74.95	14.69	1					
		4-Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 3		^	UHL	UHL4X	16.98	185.75	123.50	74.95	14.69						1
		and racinty reservation - Zone 3		3	UIL	UTL4X	10.98	185./5	123.50	74.95	14.69	1					

UNRU	NDI ED N	IETWORK ELEMENTS - Kentucky												Attachment:	2 Evh Δ		T
ONBOI	NDLLD I	ELIWORK ELEMENTS - Remucky										Svc Order	Svc Order		Incremental	Incremental	Incremental
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
			Interi	_					DATEO(8)			Elec	Manually		Manual Svc	Manual Svc	
CATE	SORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
								Nonrec		Nonrecurring					Rates(\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		4-Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 1		4	UHL	UHL4W	13.95	164.95	114.04	77.32	15.80						
		4-Wire Unbundled HDSL Loop without manual service inquiry		- '	UNL	UHL4W	13.95	164.95	114.04	11.32	15.60						
		and facility reservation - Zone 2		2	UHL	UHL4W	15.68	164.95	114.04	77.32	15.80						
		4-Wire Unbundled HDSL Loop without manual service inquiry															
		and facility reservation - Zone 3			UHL	UHL4W	16.98	164.95	114.04	77.32	15.80						
-	4-WIDE	CLEC to CLEC Conversion Charge without outside dispatch DS1 DIGITAL LOOP			UHL	UREWO		86.14	40.40	-							
	4-WIKE	4-Wire DS1 Digital Loop - Zone 1		1	USL	USLXX	86.47	306.69	174.44	65.83	14.55						
		4-Wire DS1 Digital Loop - Zone 2			USL	USLXX	114.10	306.69	174.44	65.83	14.55						
		4-Wire DS1 Digital Loop - Zone 3		3	USL	USLXX	297.76	306.69	174.44	65.83	14.55						
		Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per				LIDEC:											
	1	DS1) Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per			USL	URESL		24.96	3.52	 		-	 				
		DS1)			USL	URESP		26.44	5.01								
		CLEC to CLEC Conversion Charge without outside dispatch			USL	UREWO		101.09	43.04								
	4-WIRE	19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP															
		4 Wire Unbundled Digital Loop 2.4 Kbps - Zone 1			UDL	UDL2X	27.59	157.81	106.06	78.91	18.66						
		4 Wire Unbundled Digital Loop 2.4 Kbps - Zone 2 4 Wire Unbundled Digital Loop 2.4 Kbps - Zone 3			UDL UDL	UDL2X UDL2X	32.48 36.37	157.81 157.81	106.06 106.06	78.91 78.91	18.66 18.66						
		4 Wire Unbundled Digital Loop 4.8 Kbps - Zone 1			UDL	UDL4X	27.59	157.81	106.06	78.91	18.66						
		4 Wire Unbundled Digital Loop 4.8 Kbps - Zone 2			UDL	UDL4X	32.48	157.81	106.06	78.91	18.66						
		4 Wire Unbundled Digital Loop 4.8 Kbps - Zone 3		3	UDL	UDL4X	36.37	157.81	106.06	78.91	18.66						
		4 Wire Unbundled Digital Loop 9.6 Kbps - Zone 1			UDL	UDL9X	27.59	157.81	106.06	78.91	18.66						
-		4 Wire Unbundled Digital Loop 9.6 Kbps - Zone 2			UDL UDL	UDL9X UDL9X	32.48 36.37	157.81	106.06	78.91	18.66						
		4 Wire Unbundled Digital Loop 9.6 Kbps - Zone 3 4 Wire Unbundled Digital 19.2 Kbps - Zone 1			UDL	UDL19	27.59	157.81 157.81	106.06 106.06	78.91 78.91	18.66 18.66						
		4 Wire Unbundled Digital 19.2 Kbps - Zone 2			UDL	UDL19	32.48	157.81	106.06	78.91	18.66						
		4 Wire Unbundled Digital 19.2 Kbps - Zone 3			UDL	UDL19	36.37	157.81	106.06	78.91	18.66						
		4 Wire Unbundled Digital Loop 56 Kbps - Zone 1			UDL	UDL56	27.59	157.81	106.06	78.91	18.66						
-		4 Wire Unbundled Digital Loop 56 Kbps - Zone 2			UDL UDL	UDL56	32.48	157.81 157.81	106.06 106.06	78.91 78.91	18.66						
-	-	4 Wire Unbundled Digital Loop 56 Kbps - Zone 3 4 Wire Unbundled Digital Loop 64 Kbps - Zone 1			UDL	UDL56 UDL64	36.37 27.59	157.81	106.06	78.91	18.66 18.66						
		4 Wire Unbundled Digital Loop 64 Kbps - Zone 2			UDL	UDL64	32.48	157.81	106.06	78.91	18.66						
		4 Wire Unbundled Digital Loop 64 Kbps - Zone 3		3	UDL	UDL64	36.37	157.81	106.06	78.91	18.66						
		Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per															
		DS0)			UDL	URESL		24.96	3.52								
		Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per DS0)			UDL	URESP		26.44	5.01								
		CLEC to CLEC Conversion Charge without outside dispatch			UDL	UREWO		102.13	49.75								
	2-WIRE	Unbundled COPPER LOOP															
		2-Wire Unbundled Copper Loop-Designed including manual		١.					=====								
	-	service inquiry & facility reservation - Zone 1 2-Wire Unbundled Copper Loop-Designed including manual		1	UCL	UCLPB	10.82	140.95	78.70	69.09	11.54						
		service inquiry & facility reservation - Zone 2		2	UCL	UCLPB	11.79	140.95	78.70	69.09	11.54						
		2 Wire Unbundled Copper Loop-Designed including manual		_		1											
		service inquiry & facility reservation - Zone 3		3	UCL	UCLPB	12.87	140.95	78.70	69.09	11.54						
		2-Wire Unbundled Copper Loop-Designed without manual				LIOLDW	40.00	100.15	07.07	00.00	44.54						
	1	service inquiry and facility reservation - Zone 1 2-Wire Unbundled Copper Loop-Designed without manual	-	1	UCL	UCLPW	10.82	120.15	67.97	69.09	11.54	1	1				
		service inquiry and facility reservation - Zone 2		2	UCL	UCLPW	11.79	120.15	67.97	69.09	11.54						
		2-Wire Unbundled Copper Loop-Designed without manual															
		service inquiry and facility reservation - Zone 3	ļ		UCL	UCLPW	12.87	120.15	67.97	69.09	11.54						
-	1	Order Coordination for Unbundled Copper Loops (per loop)	 	-	UCL	UCLMC		9.00	9.00	+		-	1				
		CLEC to CLEC Conversion Charge without outside dispatch (UCL-Des)			UCL	UREWO		97.23	42.48								
	4-WIRE	COPPER LOOP				5.12770		37.23	72.70	†			†				
		4-Wire Copper Loop-Designed including manual service inquiry					İ										
<u> </u>		and facility reservation - Zone 1		1	UCL	UCL4S	16.92	170.31	108.06	74.95	14.69						

LINDIII	NDI ED A	NETWORK ELEMENTS - Kentucky												Attachment:	2 Evb A		
UNBUI	NULEU	VETWORK ELEMENTS - Kentucky	1			1						Cur Onden				l	Incremental
														Incremental			
												Submitted			Charge -	Charge -	Charge -
			Interi	_								Elec			Manual Svc	Manual Svc	Manual Svc
CATE	GORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
								Nonrec			Disconnect				Rates(\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		4-Wire Copper Loop-Designed including manual service inquiry															ł l
		and facility reservation - Zone 2		2	UCL	UCL4S	17.36	170.31	108.06	74.95	14.69						
		4-Wire Copper Loop-Designed including manual service inquiry															ł l
		and facility reservation - Zone 3		3	UCL	UCL4S	28.10	170.31	108.06	74.95	14.69						
		4-Wire Copper Loop-Designed without manual service inquiry															ł l
		and facility reservation - Zone 1		1	UCL	UCL4W	16.92	149.52	97.33	74.95	14.69						
		4-Wire Copper Loop-Designed without manual service inquiry															ł l
		and facility reservation - Zone 2		2	UCL	UCL4W	17.36	149.52	97.33	74.95	14.69						
		4-Wire Copper Loop-Designed without manual service inquiry	1			l											1
<u> </u>	1	and facility reservation - Zone 3		3	UCL	UCL4W	28.10	149.52	97.33	74.95	14.69						
1		CLEC to CLEC Conversion Charge without outside dispatch	1							I							1
<u> </u>	1	(UCL-Des)	ļ		UCL	UREWO		97.23	42.48			1					_
1			1		UEA, UDN, UAL,					I							1
		Order Coordination for Specified Conversion Time (per LSR)			UHL, UDL, USL	OCOSL		23.01									
	Rearra	ngements															-
		EEL to UNE-L Retermination, per 2 Wire Unbundled Voice Loop-				l											í
		SL2			UEA	UREEL		87.72	36.36								
																	ł l
		EEL to UNE-L Retermination, per 4 Wire Unbundled Voice Loop			UEA	UREEL		87.72	36.36								
		EEL to UNE-L Retermination, per 2 Wire ISDN Loop			UDN	UREEL		91.63	44.16								
		EEL to UNE-L Retermination, per 4 Wire Unbundled Digital															ł l
		Loop			UDL	UREEL		102.13	49.75								
		EEL to UNE-L Retermination, per 4 Wire Unbundled DS1 Loop	<u> </u>		USL	UREEL		101.09	43.04								——
UNE L		MMINGLING	<u> </u>														——
	2-WIRE	ANALOG VOICE GRADE LOOP - COMMINGLING															
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or			NTOVO		40.07	404.00	04.07	70.05	44.00						i
	<u> </u>	Ground Start Signaling - Zone 1	<u> </u>	1	NTCVG	UEAL2	12.67	134.89	81.87	73.65	14.88						
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or			NITOVO		17.45	404.00	81.87	73.65	44.00						ł l
		Ground Start Signaling - Zone 2		2	NTCVG	UEAL2	17.45	134.89	81.87	73.65	14.88	1					
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or		_	NITOVO	UEAL2	33.22	134.89	81.87	73.65	14.88						1
	<u> </u>	Ground Start Signaling - Zone 3	1	3	NTCVG	UEALZ	33.22	134.09	01.01	73.00	14.00						
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse			NTCVG	UEAR2	12.67	134.89	81.87	70.05	14.88						ł l
	<u> </u>	Battery Signaling - Zone 1 2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse	1	1	NICVG	UEARZ	12.07	134.89	81.87	73.65	14.88						
		Battery Signaling - Zone 2		2	NTCVG	UEAR2	17.45	134.89	81.87	73.65	14.88						ł
	<u> </u>	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse	1		NICVG	UEARZ	17.45	134.09	01.01	73.00	14.00						
		Battery Signaling - Zone 3		2	NTCVG	UEAR2	33.22	134.89	81.87	73.65	14.88						í
		Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per		3	NICVG	UEARZ	33.22	134.09	01.07	73.00	14.00		-				
		DS0)	1		NTCVG	URESL		24.96	3.52	I							1
\vdash	+	Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per	 		111000	JINLOL		24.30	3.32	 		1	-				
1		DS0)			NTCVG	URESP		26.44	5.01	1							1
\vdash	+	CLEC to CLEC Conversion Charge without outside dispatch	 		NTCVG	UREWO		87.72	36.36	 		1	-				
	1	Loop Tagging - Service Level 2 (SL2)	1		NTCVG	URETL		11.21	1.10	-							$\overline{}$
	4-WIRE	E ANALOG VOICE GRADE LOOP - COMMINGLING	1			JIKETE		11.21	1.10	 		1					
		4-Wire Analog Voice Grade Loop - Zone 1	1	1	NTCVG	UEAL4	29.26	164.11	112.36	78.91	18.66	1		1			1
	1	4-Wire Analog Voice Grade Loop - Zone 2			NTCVG	UEAL4	34.25	164.11	112.36	78.91	18.66						
	1	4-Wire Analog Voice Grade Loop - Zone 3	1		NTCVG	UEAL4	85.06	164.11	112.36	78.91	18.66	1		1			1
	1	Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per	†	Ĭ		1	55.50		2.50	. 5.51	.0.50						
1		IDS0)	1		NTCVG	URESL		24.96	3.52	I							1
	1	Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per	1			1			5.52	İ				İ			i
1		DS0)			NTCVG	URESP		26.44	5.01	1							1
		CLEC to CLEC Conversion Charge without outside dispatch			NTCVG	UREWO		87.72	36.36	İ							i
	4-WIRE	DS1 DIGITAL LOOP - COMMINGLING	1			1			22.30	İ				İ			í
	1	4-Wire DS1 Digital Loop - Zone 1	1	1	NTCD1	USLXX	86.47	306.69	174.44	65.83	14.55			İ			i Total
		4-Wire DS1 Digital Loop - Zone 2			NTCD1	USLXX	114.10	306.69	174.44	65.83	14.55						í
	1	4-Wire DS1 Digital Loop - Zone 3	1		NTCD1	USLXX	297.76	306.69	174.44	65.83	14.55			İ			i Total
		Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per															í
		DS1)			NTCD1	URESL		24.96	3.52	1		1					1
	•		•							•		•	•		•		-

HINRHIND	I ED N	ETWORK ELEMENTS - Kentucky												Attachment:	2 Evh Δ		
UNDUND	יו עםםי	ETWORK ELEMENTS - Remucky	1			1	1					Svc Order		Incremental		Incremental	Incremental
												Submitted			Charge -	Charge -	Charge -
																-	
CATEGO	אחע	RATE ELEMENTS	Interi	7	BCS	USOC			RATES(\$)			Elec		Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGO	JK T	RATE ELEMENTS	m	Zone	ВСЗ	USUC			KATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							_	Nonrec		Nonrecurring					Rates(\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per															ł l
		DS1)			NTCD1	URESP		26.44	5.01								ł
		CLEC to CLEC Conversion Charge without outside dispatch			NTCD1	UREWO		101.09	43.04								
4	-WIRE	19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP - COMMINGLIN	G														
		4 Wire Unbundled Digital Loop 2.4 Kbps - Zone 1			NTCUD	UDL2X	27.59	157.81	106.06	78.91	18.66						
		4 Wire Unbundled Digital Loop 2.4 Kbps - Zone 2			NTCUD	UDL2X	32.48	157.81	106.06	78.91	18.66						
		4 Wire Unbundled Digital Loop 2.4 Kbps - Zone 3			NTCUD	UDL2X	36.37	157.81	106.06	78.91	18.66						
		4 Wire Unbundled Digital Loop 4.8 Kbps - Zone 1			NTCUD	UDL4X	27.59	157.81	106.06	78.91	18.66						
		4 Wire Unbundled Digital Loop 4.8 Kbps - Zone 2			NTCUD	UDL4X	32.48	157.81	106.06	78.91	18.66						
		4 Wire Unbundled Digital Loop 4.8 Kbps - Zone 3			NTCUD	UDL4X	36.37	157.81	106.06	78.91	18.66						
		4 Wire Unbundled Digital Loop 9.6 Kbps - Zone 1			NTCUD	UDL9X	27.59	157.81	106.06	78.91	18.66						<u> </u>
		4 Wire Unbundled Digital Loop 9.6 Kbps - Zone 2			NTCUD	UDL9X	32.48	157.81	106.06	78.91	18.66						<u> </u>
		4 Wire Unbundled Digital Loop 9.6 Kbps - Zone 3			NTCUD	UDL9X	36.37	157.81	106.06	78.91	18.66					-	
		4 Wire Unbundled Digital 19.2 Kbps - Zone 1			NTCUD	UDL19	27.59	157.81	106.06	78.91	18.66						
		4 Wire Unbundled Digital 19.2 Kbps - Zone 2		2	NTCUD	UDL19	32.48	157.81	106.06	78.91	18.66						í
		4 Wire Unbundled Digital 19.2 Kbps - Zone 3		3	NTCUD	UDL19	36.37	157.81	106.06	78.91	18.66						ı .
		4 Wire Unbundled Digital Loop 56 Kbps - Zone 1		1	NTCUD	UDL56	27.59	157.81	106.06	78.91	18.66						1
		4 Wire Unbundled Digital Loop 56 Kbps - Zone 2		2	NTCUD	UDL56	32.48	157.81	106.06	78.91	18.66						1
		4 Wire Unbundled Digital Loop 56 Kbps - Zone 3		3	NTCUD	UDL56	36.37	157.81	106.06	78.91	18.66						1
		4 Wire Unbundled Digital Loop 64 Kbps - Zone 1		1	NTCUD	UDL64	27.59	157.81	106.06	78.91	18.66						í
		4 Wire Unbundled Digital Loop 64 Kbps - Zone 2		2	NTCUD	UDL64	32.48	157.81	106.06	78.91	18.66						
		4 Wire Unbundled Digital Loop 64 Kbps - Zone 3		3	NTCUD	UDL64	36.37	157.81	106.06	78.91	18.66						i
		Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per															i
		DS0)			NTCUD	URESL		24.96	3.52								ł
		Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per															
		DS0)			NTCUD	URESP		26.44	5.01								ł
		CLEC to CLEC Conversion Charge without outside dispatch			NTCUD	UREWO		102.13	49.75								i
		3			NTCVG, NTCUD,												i
		Order Coordination for Specified Conversion Time (per LSR)			NTCD1	OCOSL		23.01									ł
UNBUND	LED E	XCHANGE ACCESS LOOP															i
		ANALOG VOICE GRADE LOOP															
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1		1	UEANL	UEAL2	10.56	46.66	22.57	26.65	7.65						
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2			UEANL	UEAL2	15.34	46.66	22.57	26.65	7.65						
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3			UEANL	UEAL2	31.11	46.66	22.57	26.65	7.65						
\vdash		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1	†		UEANL	UEASL	10.56	46.66	22.57	26.65	7.65						ĺ
+		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2	1		UEANL	UEASL	15.34	46.66	22.57	26.65	7.65						1
+		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3	1	3	UEANL	UEASL	31.11	46.66	22.57	26.65	7.65						1
+		Tag Loop at End User Premise	1		UEANL	URETL	01.11	8.93	0.88	20.00	7.00						1
+		Loop Testing - Basic 1st Half Hour	1	1	UEANL	URET1		46.88	0.00								1
+		Loop Testing - Basic 1st Hair Hour	1	1	UEANL	URETA		24.16	24.16								1
\vdash		Manual Order Coordination for UVL-SL1s (per loop)	1		UEANL	UEAMC	 	9.00	9.00								ſ
\vdash		Order Coordination for Specified Conversion Time for UVL-SL1	1			3=0	 	0.00	5.50								ſ
1 1		(per LSR)	1	1	UEANL	OCOSL]	23.01	23.01			1	I				ł
 		Unbundled Non-Design Voice Loop, billing for BST providing		1	O 1L	55552		20.01	20.01			1	-				
		make-up (Engineering Information - E.I.)			UEANL	UEANM		13.49	13.49			İ					1
 		CLEC to CLEC Conversion Charge Without Outside Dispatch	 	-	Q 11L) = / u vivi		10.40	10.40				 				ſ
		(UVL-SL1)			UEANL	UREWO		15.78	8.94			İ					1
-	-WIDE	Unbundled COPPER LOOP	 	 	OLAIN	SINEVVO	 	15.70	0.94								
 		2-Wire Unbundled Copper Loop - Non-Designed Zone 1	1	1	UEQ	UEQ2X	10.58	44.97	20.89	25.64	6.65						ſ
\vdash		2 Wire Unbundled Copper Loop - Non-Designed - Zone 2	1		UEQ	UEQ2X	11.51	44.97	20.89	25.64	6.65						ſ
		2 Wire Unbundled Copper Loop - Non-Designed - Zone 2	 		UEQ	UEQ2X	13.19	44.97	20.89	25.64	6.65		1				
		Tag Loop at End User Premise	 	3	UEQ	URETL	13.19	8.93	0.88	25.04	0.00		1				
 		Loop Testing - Basic 1st Half Hour		-	UEQ	URET1		46.88	0.00				1				1
 		Loop Testing - Basic 1st Hall Hour Loop Testing - Basic Additional Half Hour		-	UEQ	URETA		24.16	24.16				1				1
 		Manual Order Coordination 2 Wire Unbundled Copper Loop -		-	٥٤٧	UNLIA		۷4.10	24.10				1				1
		Non-Designed (per loop)	1	1	UEQ	USBMC]	9.00	9.00			1					1
 		Unbundled Copper Loop - Non-Design, billing for BST providing	 	1	254	SODIVIC	1	3.00	9.00			1	1				1
		make-up (Engineering Information - E.I.)	1	1	UEQ	UEQMU]	13.49	13.49								1
<u> </u>		mano ap (Engineening information = E.I.)	<u> </u>	<u> </u>	UL W	JEWIND	1	13.49	13.49	L		1	1				

LINBLING	II ED I	NETWORK ELEMENTS - Kentucky												Attachment: 2	2 Evh Δ		ı
CATEGO		RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
<u> </u>							<u> </u>	Nonrec	curring	Nonrecurring	Disconnect			088	Rates(\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		CLEC to CLEC Conversion Charge Without Outside Dispatch															
1.000.11	ODIEL	(UCL-ND)			UEQ	UREWO		14.27	7.43								
LOOP M	ODIFIC	CATION			UAL, UHL, UCL,		+										
		Unbundled Loop Modification, Removal of Load Coils - 2 Wire pair less than or equal to 18k ft, per Unbundled Loop			UEQ, ULS, UEA, UEANL, UEPSR, UEPSB	ULM2L		9.24	9.24								
		Unbundled Loop Modification Removal of Load Coils - 4 Wire less than or equal to 18K ft, per Unbundled Loop			UHL, UCL, UEA	ULM4L		9.24	9.24								
		Unbundled Loop Modification Removal of Bridged Tap Removal, per unbundled loop			UAL, UHL, UCL, UEQ, ULS, UEA, UEANL, UEPSR, UEPSB	ULMBT		10.47	10.47								
SUB-LO		Distribution															
	oup-LC	op Distribution Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set-					 						1				
		Up			UEANL, UEF	USBSA		207.91	207.91								
		Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up			UEANL, UEF	USBSB		12.50	12.50								
		Sub-Loop - Per Building Equipment Room - CLEC Feeder Facility Set-Up			UEANL	USBSC		80.87	80.87								
		Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel Set-Up			UEANL	USBSD		45.04	45.04								
		Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 1		1	UEANL	USBN2	6.34	85.03	39.05	59.81	7.90						
		Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 2		2	UEANL	USBN2	9.06	85.03	39.05	59.81	7.90						
		Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 3		3	UEANL	USBN2	14.82	85.03	39.05	59.81	7.90						
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		9.00	9.00								
		Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 1		1	UEANL	USBN4	8.14	102.31	56.32	65.24	10.88						
		Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 2		2	UEANL	USBN4	8.63	102.31	56.32	65.24	10.88						
		Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -							====		40.00						
\vdash		Zone 3		3	UEANL	USBN4	25.60	102.31	56.32	65.24	10.88		-				
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair	L		UEANL	USBMC	<u> </u>	9.00	9.00	<u> </u>			<u> </u>				
		Sub-Loop 2-Wire Intrabuilding Network Cable (INC)			UEANL	USBR2	2.57	68.35	22.36	59.81	7.90						
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC	1	9.00	9.00								
		Sub-Loop 4-Wire Intrabuilding Network Cable (INC)			UEANL	USBR4	4.98	76.49	30.51	65.24	10.88		1				
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		9.00	9.00								
		Loop Testing - Basic 1st Half Hour			UEANL	URET1		46.88	0.00								
		Loop Testing - Basic Additional Half Hour 2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1		1	UEANL UEF	URETA UCS2X	5.45	24.16 85.03	24.16 39.05	59.81	7.90		 				
\vdash		2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1 2 Wire Copper Unbundled Sub-Loop Distribution - Zone 2			UEF	UCS2X	7.06	85.03	39.05	59.81	7.90		 				
		2 Wire Copper Unbundled Sub-Loop Distribution - Zone 3			UEF	UCS2X	9.67	85.03	39.05	59.81	7.90						
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEF	USBMC		9.00	9.00								
$\sqcup \sqcup$		4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1			UEF	UCS4X	7.09	102.31	56.32	65.24	10.88						
\vdash		4 Wire Copper Unbundled Sub-Loop Distribution - Zone 2 4 Wire Copper Unbundled Sub-Loop Distribution - Zone 3			UEF UEF	UCS4X UCS4X	8.66 19.40	102.31 102.31	56.32 56.32	65.24 65.24	10.88 10.88						
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair		J	UEF	USBMC	15.40	9.00	9.00	05.24	10.00						
		Loop Tagging Service Level 1, Unbundled Copper Loop, Non-			02.	CODIVIO	1	3.00	5.00								
		Designed and Distribution Subloops			UEF, UEANL	URETL		8.93	0.88								

UNBUND	LED N	ETWORK ELEMENTS - Kentucky												Attachment:	2 Exh A		
CATEGO		RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Svc Order Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
							_	Nonrec		Nonrecurring					Rates(\$)		
		Land Tarker David And Half Harry			uee	LIDETA	Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Loop Testing - Basic 1st Half Hour	-		UEF UEF	URET1 URETA		46.88	0.00 24.16								
-	nhun	Loop Testing - Basic Additional Half Hour fled Sub-Loop Modification	-		UEF	UKETA		24.16	24.16								
	iibuii	Unbundled Sub-Loop Modification - 2-W Copper Dist Load	-														
		Coil/Equip Removal per 2-W PR			UEF	ULM2X		5.23	5.23								
		Unbundled Sub-loop Modification - 4-W Copper Dist Load			02.	O LIVILY (0.20	0.20								
		Coil/Equip Removal per 4-W PR			UEF	ULM4X		5.23	5.23								
		Unbundled Loop Modification, Removal of Bridge Tap, per															
		unbundled loop	1		UEF	ULMBT		7.97	7.97								
U		lled Network Terminating Wire (UNTW)															
		Unbundled Network Terminating Wire (UNTW) per Pair	ļ		UENTW	UENPP	0.53	23.51	23.51								
N	etwor	k Interface Device (NID)	<u> </u>	<u> </u>	LIENTA/	LINIDAG											
\vdash		Network Interface Device (NID) - 1-2 lines	 	<u> </u>	UENTW	UND12		73.53	49.47		1						
+		Network Interface Device (NID) - 1-6 lines Network Interface Device Cross Connect - 2 W	+	<u> </u>	UENTW UENTW	UND16 UNDC2		115.96 8.56	91.91 8.56								
+		Network Interface Device Cross Connect - 2 W Network Interface Device Cross Connect - 4W	 		UENTW	UNDC4		8.56	8.56								
LINE OTE	IFR P	ROVISIONING ONLY - NO RATE	-		OLIVIV	ONDO		0.50	0.50								
					UAL, UCL, UDC, UDL, UDN, UEA, UHL, UEANL, UEF, UEQ, UENTW, NTCVG, NTCUD,												
		Unbundled Contact Name, Provisioning Only - no rate			NTCD1, USL	UNECN	0.00	0.00									
-		Unbundled DS1 Loop - Superframe Format Option - no rate			USL, NTCD1	CCOSF	0.00	0.00									
		Unbundled DS1 Loop - Expanded Superframe Format option -			USL, NTCD1	CCOEF	0.00	0.00									
		no rate NID - Dispatch and Service Order for NID installation	1		UENTW	UNDBX	0.00	0.00									
-		UNTW Circuit Establishment, Provisioning Only - No Rate	-		UENTW	UENCE	0.00	0.00									
LOOP MA	VKE-II		-		OLIVIV	OLINCL	0.00	0.00									
200. 18.7		Loop Makeup - Preordering Without Reservation, per working or															
		spare facility queried (Manual).			UMK	UMKLW		23.40	23.40								
		Loop Makeup - Preordering With Reservation, per spare facility queried (Manual).			UMK	UMKLP		24.85	24.85								
		Loop MakeupWith or Without Reservation, per working or															
		spare facility queried (Mechanized)	<u> </u>		UMK	UMKMQ		0.67	0.67		<u> </u>						L
LINE SPI									•					•			
E	ND US	SER ORDERING-CENTRAL OFFICE BASED				1											
		Line Splitting - per line activation DLEC owned splitter	ļ		UEPSR UEPSB	UREOS	0.61	98.55									
\vdash		Line Splitting - per line activation BST owned - physical	 	-	UEPSR UEPSB	UREBP	0.61	37.02	21.20	21.10	9.87						
 	MDII	Line Splitting - per line activation BST owned - virtual DLED EXCHANGE ACCESS LOOP	1	-	UEPSR UEPSB	UREBV	0.61	37.02	21.20	21.10	9.87						
		ANALOG VOICE GRADE LOOP	+	-		-				-	-						
 	TAILE	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-	1	 		 	 				1						
		Zone 1 2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-		1	UEPSR UEPSB	UEALS	10.56	46.66	22.57	26.65	7.65						
		Zone 1		1	UEPSR UEPSB	UEABS	10.56	46.66	22.57	26.65	7.65						
		2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting- Zone 2		2	UEPSR UEPSB	UEALS	15.34	46.66	22.57	26.65	7.65						
		2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting- Zone 2		2	UEPSR UEPSB	UEABS	15.34	46.66	22.57	26.65	7.65						
		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- Zone 3		3	UEPSR UEPSB	UEALS	31.11	46.66	22.57	26.65	7.65						
		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- Zone 3		3	UEPSR UEPSB	UEABS	31.11	46.66	22.57	26.65	7.65						
Р	HYSIC	AL COLLOCATION									-						
		Physical Collocation-2 Wire Cross Connects (Loop) for Line															
		Splitting	ļ		UEPSR UEPSB	PE1LS	0.0333	24.68	23.68	12.14	10.95						
V	IRTUA	L COLLOCATION	1	<u> </u>		1]	l	1					

LIMBUM	DIEDA	IETWORK ELEMENTS - Kentucky												Attachment	2 Evb A		1
UNBUN	DLED	IETWORK ELEMENTS - Kentucky	ı	1		1	1					Cua Ordar	Svc Order	Attachment:	Incremental	Ingramantal	Incremental
													Submitted		Charge -	Charge -	Charge -
			Interi	l_					DATEO(6)			Elec	Manually		Manual Svc	Manual Svc	
CATEG	ORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							_	Nonrec		Nonrecurring					Rates(\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Virtual Collocation-2 Wire Cross Connects (Loop) for Line															
		Splitting			UEPSR UEPSB	VE1LS	0.0309	24.68	23.68	12.14	10.95						
		DEDICATED TRANSPORT															
	INTERC	DEFICE CHANNEL - DEDICATED TRANSPORT															
		Interoffice Channel - 2-Wire Voice Grade - per mile			U1TVX	1L5XX	0.01										
		Interoffice Channel - 2-Wire Voice Grade - Facility Termination			U1TVX	U1TV2	29.11	47.34	31.78	22.77	8.75						
		Interoffice Channel - 2-Wire Voice Grade Rev Bat per mile			U1TVX	1L5XX	0.01										
		Interoffice Channel - 2-Wire VG Rev Bat Facility Termination			U1TVX	U1TR2	29.11	47.34	31.78	22.77	8.75						
		Interoffice Channel - 4-Wire Voice Grade - per mile			U1TVX	1L5XX	0.01										
1 T																	
		Interoffice Channel - 4- Wire Voice Grade - Facility Termination	<u> </u>		U1TVX	U1TV4	25.86	47.34	31.78	22.77	8.75						
		Interoffice Channel - 56 kbps - per mile			U1TDX	1L5XX	0.0115										
		Interoffice Channel - 56 kbps - Facility Termination			U1TDX	U1TD5	20.97	47.34	31.78	22.77	8.75						
		Interoffice Channel - 64 kbps - per mile			U1TDX	1L5XX	0.0115										
		Interoffice Channel - 64 kbps - Facility Termination			U1TDX	U1TD6	20.97	47.34	31.78	22.77	8.75						
		Interoffice Channel - DS1 - per mile			U1TD1	1L5XX	0.23										
		Interoffice Channel - DS1 - Facility Termination			U1TD1	U1TF1	96.04	105.52	98.46	23.09	20.49						
		Interoffice Channel - DS3 - per mile			U1TD3	1L5XX	4.97										
		Interoffice Channel - DS3 - Facility Termination			U1TD3	U1TF3	1,175.15	335.40	219.24	89.57	87.75						
		Interoffice Channel - STS-1 - per mile			U1TS1	1L5XX	4.97										
		Interoffice Channel - STS-1 - Facility Termination			U1TS1	U1TFS	1,149.51	335.40	219.24	89.57	87.75						
		Local Channel - Dedicated - 2-Wire Voice Grade			ULDVX, UNCVX	ULDV2	21.36	000.10	2.0.2.	00.07	01.110						
		Local Channel - Dedicated - 2-Wire Voice Grade Rev Bat			ULDVX	ULDR2	21.36										
		Local Channel - Dedicated - 4-Wire Voice Grade			ULDVX, UNCVX	ULDV4	22.84										
		Local Channel - Dedicated - DS1 - Zone 1		1	ULDD1, UNC1X	ULDF1	46.53					-					
		Local Channel - Dedicated - DS1 - Zone 2		2	ULDD1, UNC1X	ULDF1	49.90					-					
		Local Channel - Dedicated - DS1 - Zone 3			ULDD1, UNC1X	ULDF1	189.18					-					
-		Local Channel - Dedicated - DS3 - Per Mile per month		3	ULDD3, UNC3X	1L5NC	10.05										
+		Local Channel - Dedicated - DS3 - Facility Termination	 		ULDD3, UNC3X	ULDF3	662.46										
-		Local Channel - Dedicated - BSS - Facility Fermination			ULDS1, UNCSX	1L5NC	10.05					+	-				
-		Local Channel - Dedicated - STS-1 - Facility Termination			ULDS1, UNCSX	ULDFS	624.73					+	-				
-	LINIDIIN	IDLED DARK FIBER			ULDS I, UNCSA	ULDFS	024.73					+	-				
-	UNDUN					-	-					+	-				
		Dark Fiber - Interoffice Transport, Per Four Fiber Strands, Per Route Mile Or Fraction Thereof			UDF, UDFCX	1L5DF	30.74										
-			-		UDF, UDFCX	ILSUF	30.74										
		Dark Fiber - Interoffice Transport, Per Four Fiber Strands, Per			LIDE LIDEOV	LIDE44		700.50	100.07	077.07	044.07						
DARKE	IDED	Route Mile Or Fraction Thereof	-		UDF, UDFCX	UDF14		732.53	192.67	377.27	241.67						
DARK F	IBEK	Deal Eilea East Eilea Otas de Dea Deal Milea Essaíre	-			1											
		Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction	1		LIDE LIDECY	41.500	54.00]		1	1				İ
$\vdash \vdash$		Thereof per month - Local Channel	<u> </u>	<u> </u>	UDF, UDFCX	1L5DC	54.06										ļ
		Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction	1]		1	1				İ
00// 4.0		Thereof per month - Local Loop		<u> </u>	UDF, UDFCX	1L5DL	54.06					1	1				
8XX AC		EN DIGIT SCREENING		1		1						-					
\vdash		8XX Access Ten Digit Screening, Per Call		1		1	0.0006478					-					
		8XX Access Ten Digit Screening w/ 8FL No. Delivery,	ļ	<u> </u>		1	0.0006478							ļ			ļ
L		8XX Access Ten Digit Screening, w/ POTS No. Delivery,	ļ	<u> </u>		1	0.0006478							ļ			ļ
LINE IN	FORMA	ATION DATA BASE ACCESS (LIDB)	ļ	ļ								1					
		LIDB Common Transport Per Query	<u> </u>				0.000023					1	1				
		LIDB Validation Per Query	ļ	<u> </u>		<u> </u>	0.0137322							ļ			ļ
لــــا		LIDB Originating Point Code Establishment or Change	<u> </u>		OQU	NRBPX		55.12		67.59		1					
CALLIN		E (CNAM) SERVICE															
		CNAM for DB Owners, Per Query					0.0010348										
		CNAM for Non DB Owners, Per Query					0.0010348		-		-						
SELEC ₁	TIVE RO								-		-						
		Selective Routing Per Unique Line Class Code Per Request Per															
		Switch	<u>L_</u>	<u>L</u>			<u> </u>	93.53	93.53	15.58	15.58	<u> </u>	<u></u>	<u> </u>			<u> </u>
AIN SEL	ECTIV	E CARRIER ROUTING								<u> </u>							
		Regional Service Establishment						193,401.00	193,401.00	9,483.34	9,483.34						
		End Office Establishment						194.09	194.09	0.85	0.85						

UNBUNDLED	NETWORK ELEMENTS - Kentucky												Attachment:	2 Exh A	l	
	- Tomasky										Svc Order			Incremental	Incremental	Incrementa
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES(\$)			Elec		Manual Svc	Manual Svc	Manual Svc	Manual Svo
CATEGORI	RATE ELEMENTS	m	Zone	603	0300			NATEO(ψ)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
							Nonrec		Nonrecurring					Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Line/Port NRC, per end user						2.06	2.06								
AIN DELLEO	Query NRC, per query UTH AIN SMS ACCESS SERVICE					0.0037502										—
AIN - BELLSO	AIN SMS Access Service - Service Establishment, Per State,															—
	Initial Setup			A1N	CAMSE		43.55	43.55	44.93	44.93						l
	AIN SMS Access Service - Port Connection - Dial/Shared Access			A1N	CAMDP		8.64	8.64		10.03						
	AIN SMS Access Service - Port Connection - ISDN Access			A1N	CAM1P		8.64	8.64	10.03	10.03						
	AIN SMS Access Service - User Identification Codes - Per User															l
	ID Code			A1N	CAMAU		38.65	38.65	29.88	29.88						
	AIN SMS Access Service - Security Card, Per User ID Code, Initial or Replacement			A1N	CAMRC		75.08	75.08	12.93	12.93						
 	AIN SMS Access Service - Storage, Per Unit (100 Kilobytes)		1	AIN	CAIVING	0.0025	13.06	13.00	12.93	12.93						
	AIN SMS Access Service - Session, Per Minute					0.666			1				1	1		
	AIN SMS Access Service - Company Performed Session, Per															
	Minute					0.4608										
	TY UNBUNDLED LOCAL LOOP															
DS-3/S	STS-1 UNBUNDLED LOCAL LOOP - Stand Alone															
	DS3 Unbundled Local Loop - per mile			UE3	1L5ND UE3PX	9.25	554.00	220.00	472.00	100.40						—
	DS3 Unbundled Local Loop - Facility Termination STS-1Unbundled Local Loop - per mile			UE3 UDLSX	1L5ND	308.31 9.25	551.38	338.08	173.00	120.42						
+	STS-1 Unbundled Local Loop - Facility Termination			UDLSX	UDLS1	320.51	551.38	338.08	173.00	120.42						—
ENHANCED E	XTENDED LINK (EELs)			OBLOX	ODLOT	020.01	001.00	000.00	170.00	120.42						
	rk Elements Used in Combinations															
	2-Wire VG Loop (SL2) in Combination - Zone 1		1	UNCVX	UEAL2	12.67	125.22	60.48		7.84						
	2-Wire VG Loop (SL2) in Combination - Zone 2			UNCVX	UEAL2	17.45	125.22	60.48		7.84						
	2-Wire VG Loop (SL2) in Combination - Zone 3		3	UNCVX	UEAL2	33.22	125.22	60.48		7.84						
	4-Wire Analog Voice Grade Loop in Combination - Zone 1 4-Wire Analog Voice Grade Loop in Combination - Zone 2		1 2	UNCVX UNCVX	UEAL4 UEAL4	29.26 34.25	125.22 125.22	60.48 60.48		7.84 7.84						-
	4-Wire Analog Voice Grade Loop in Combination - Zone 2			UNCVX	UEAL4	85.06	125.22	60.48		7.84						-
	2-Wire ISDN Loop in Combination - Zone 1		1	UNCNX	U1L2X	18.44	125.22	60.48		7.84						
	2-Wire ISDN Loop in Combination - Zone 2		2	UNCNX	U1L2X	25.08	125.22	60.48		7.84						
	2-Wire ISDN Loop in Combination - Zone 3		3	UNCNX	U1L2X	42.87	125.22	60.48		7.84						
	4-Wire 56Kbps Digital Grade Loop in Combination - Zone 1		1	UNCDX	UDL56	27.59	125.22	60.48		7.84						
	4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2			UNCDX	UDL56	32.48	125.22	60.48		7.84						
	4-Wire 56Kbps Digital Grade Loop in Combination - Zone 3		3	UNCDX	UDL56 UDL64	36.37 27.59	125.22 125.22	60.48 60.48		7.84 7.84						—
	4-Wire 64Kbps Digital Grade Loop in Combination - Zone 1 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 2		2	UNCDX	UDL64	32.48	125.22	60.48		7.84						—
 	4-Wire 64Kbps Digital Grade Loop in Combination - Zone 3		3	UNCDX	UDL64	36.37	125.22	60.48		7.84						
	4-Wire DS1 Digital Loop in Combination - Zone 1		1	UNC1X	USLXX	86.47	210.70	114.60		17.97						
	4-Wire DS1 Digital Loop in Combination - Zone 2		2	UNC1X	USLXX	114.10	210.70	114.60		17.97						
	4-Wire DS1 Digital Loop in Combination - Zone 3		3	UNC1X	USLXX	297.76	210.70	114.60	63.96	17.97						
	DS3 Local Loop in combination - per mile		ļ	UNC3X	1L5ND	9.25				20.5=	<u> </u>					
—	DS3 Local Loop in combination - Facility Termination		-	UNC3X	UE3PX	308.31	237.36	147.69	83.43	32.67	1		-	-		
\vdash	STS-1 Local Loop in combination - per mile STS-1 Local Loop in combination - Facility Termination		-	UNCSX UNCSX	1L5ND UDLS1	9.25 320.51	237.36	147.69	83.43	32.67			-	-	-	
 	Interoffice Channel in combination - 2-wire VG - per mile			UNCVX	1L5XX	0.01	201.00	147.09	05.45	32.07	 					
 	Interoffice Channel in combination - 2-wire VG - Facility				. 20, 31	0.01			1							
	Termination		<u>L</u>	UNCVX	U1TV2	23.95	98.09	53.67	56.31	22.42	<u> </u>					
	Interoffice Channel in combination - 4-wire VG - per mile			UNCVX	1L5XX	0.01	•									
	Interoffice Channel in combination - 4-wire VG - Facility															
\vdash	Termination			UNCVX	U1TV4	21.28	98.09	53.67	56.31	22.42	<u> </u>					
	Interoffice Channel in combination - 4-wire 56 kbps - per mile Interoffice Channel in combination - 4-wire 56 kbps - Facility		 	UNCDX	1L5XX	0.01			 	-	 					
	Termination			UNCDX	U1TD5	17.25	98.09	53.67	56.31	22.42						
	Interoffice Channel in combination - 4-wire 64 kbps - per mile		-	UNCDX	1L5XX	0.01	30.03	33.01	50.51	22.42	1	 				
1	Interoffice Channel in combination - 4-wire 64 kbps - Facility					2.01			İ				İ	İ		
	Termination			UNCDX	U1TD6	17.25	98.09	53.67	56.31	22.42	<u> </u>					
	Interoffice Channel in combination - DS1 - per mile			UNC1X	1L5XX	0.19										1

UNBUNDLED	NETWORK ELEMENTS - Kentucky												Attachment:	2 Exh A		
	1										Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		111											Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
						J	Nonrec		Nonrecurring		001150	001441		Rates(\$)	001141	001441
	Interoffice Channel in combination - DS1 Facility Termination	1		UNC1X	U1TF1	Rec 79.02	First 181.24	Add'I 123.53	First 56.72	Add'l 22.32	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
-	Interoffice Channel in combination - DS1 Facility Termination Interoffice Channel in combination - DS3 - per mile	1		UNC3X	1L5XX	4.09	181.24	123.53	56.72	22.32						
-	Interoffice Channel in combination - DS3 - per mile Interoffice Channel in combination - DS3 - Facility Termination	<u> </u>		UNC3X UNC3X	U1TF3	966.89	350.56	141.58	48.00	23.39						
h	Interoffice Channel in combination - STS-1 - per mile	1		UNCSX	1L5XX	4.09	330.36	141.30	46.00	23.39						$\overline{}$
	Interoffice Channel in combination - STS-1 Facility Termination			UNCSX	U1TFS	945.79	350.56	141.58	48.00	23.39						
ADDITIONAL	NETWORK ELEMENTS			ONOOA	01110	545.75	000.00	141.00	40.00	20.00						
	nal Features & Functions:	1														
				U1TD1.												
	Clear Channel Capability Extended Frame Option - per DS1	1		ULDD1,UNC1X	CCOEF		0.00	0.00	0.00	0.00						i l
				U1TD1,												
	Clear Channel Capability Super FrameOption - per DS1	1		ULDD1,UNC1X	CCOSF		0.00	0.00	0.00	0.00						₁ 1
	Clear Channel Capability (SF/ESF) Option - Subsequent			ULDD1, U1TD1,		İ			İ							i
	Activity - per DS1	L		UNC1X, USL	NRCCC		184.91	23.82	1.99	0.78						
				U1TD3, ULDD3,							1					,
	C-bit Parity Option - Subsequent Activity - per DS3	i		UE3, UNC3X	NRCC3		205.70	7.20	0.6924	0.00						
	DS1/DS0 Channel System			UNC1X	MQ1	113.33	57.26	14.74	1.86	1.67						
	DS3/DS1Channel System			UNC3X, UNCSX	MQ3	158.20	115.48	56.53	15.12	5.30						
	Voice Grade COCI in combination			UNCVX	1D1VG	0.6228	6.71	4.84								
	Voice Grade COCI - for Stand Alone Local Loop	<u> </u>		UEA	1D1VG	0.6228	6.71	4.84								
	Voice Grade COCI - for connection to a channelized DS1 Local			1147110	4541/0	0.0000	0.74	4.04								i l
	Channel in the same SWC as collocation	1		U1TUC	1D1VG	0.6228	6.71	4.84								
-	OCU-DP COCI (2.4-64kbs) in combination	-		UNCDX UDL	1D1DD 1D1DD	1.32 1.32	6.71 6.71	4.84 4.84	-							
 	OCU-DP COCI (2.4-64kbs) - for Stand Alone Local Loop OCU-DP COCI (2.4-64kbs) - for connection to a channelized	-	1	UDL	10100	1.32	6.71	4.84								
	DS1 Local Channel in the same SWC as collocation			U1TUD	1D1DD	1.32	6.71	4.84								i l
	2-wire ISDN COCI (BRITE) in combination			UNCNX	UC1CA	2.84	6.71	4.84								
	2-wire ISDN COCI (BRITE) - for a Local Loop	-		UDN	UC1CA	2.84	6.71	4.84								
	2-wire ISDN COCI (BRITE) - for connection to a channelized			ODIV	OCTOA	2.04	0.71	4.04								
	DS1 Local Channel in the same SWC as collocation			U1TUB	UC1CA	2.84	6.71	4.84								i l
	DS1 COCI in combination			UNC1X	UC1D1	11.80	6.71	4.84								
	DS1 COCI - for Stand Alone Local Channel			ULDD1	UC1D1	11.80	6.71	4.84								
	DS1 COCI - for Stand Alone Interoffice Channel			U1TD1	UC1D1	11.80	6.71	4.84								
	DS1 COCI - for Stand Alone Local Loop			USL	UC1D1	11.80	6.71	4.84								1
	DS1 COCI - for connection to a channelized DS1 Local Channel															1
	in the same SWC as collocation			U1TUA	UC1D1	11.80	6.71	4.84								ı
				UNCVX, U1TVX,												i l
				UNCDX, U1TDX,												i l
				UNC1X,												i l
				U1TD1,UNC3X,												i l
				U1TD3, UNCSX,												i l
	Whalasala to UNIT Cuitab As la Convenzion Charry			U1TS1,	LINGGO		0.00	0.00								₁ 1
	Wholesale to UNE, Switch-As-Is Conversion Charge	1		UDF,UDFCX U1TVX, U1TDX,	UNCCC		8.98	8.98	 							
1 1	Unbundled Misc Rate Element, SNE SAI, Single Network			U1TD1, U1TD3,]		1	1				1
1 1	Element - Switch As Is Non-recurring Charge, per circuit (LSR)	i		U1TS1, UDF, UE3	URESL		36.80	16.10]		1	1				1
	Unbundled Misc Rate Element, SNE SAI, Single Network	+ -		U1TVX, U1TDX,	5.KEGE		55.60	10.10								
	Element - Switch As Is Non-recurring Charge, incremental			U1TD1, U1TD3,]		1	1				1
1 1	charge per circuit on a spreadsheet	i		U1TS1, UDF, UE3	URESP		1.49	1.49								ı l
	UNE Reconfiguration Change Charge per Circuit	Î		UNC1X	URERC		35.00	35.00	į į							1
	UNE Reconfiguration Change Charge per Circuit Project					1										
	Managed	L		UNC1X	URERP		1.49	1.49								<u>. </u>
Acces	s to DCS - Customer Reconfiguration (FlexServ)															
	Customer Reconfiguration Establishment	ļ					1.63		2.03							
\vdash	DS1 DCS Termination with DS0 Switching	ļ	<u> </u>		ļ	25.69	32.88	23.58	21.09	15.88						
\vdash	DS1 DCS Termination with DS1 Switching	<u> </u>	 		ļ	12.41	25.07	15.76	16.23	11.02				ļ		
C	DS3 DCS Termination with DS1 Switching	 			1	154.20	32.88	23.58	21.09	15.88						
Servic	e Rearrangements	1			1	1			1		l	l		l		

IINDIINDI ED	NETWORK ELEMENTS - Kentucky												Attachment	2 Evb A		
UNBUNDLED	NETWORK ELEMENTS - Kentucky	1	1		1						Svc Order		Attachment: Incremental	Incremental	Incremental	Incremental
											Submitted	1	Charge -		Charge -	Charge -
											Elec	1		Charge -		-
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES(\$)				Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORI	NATE ELEMENTO	m	20116	500	0000			π. Ευ(ψ)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
							Nonrec	urring	Nonrecurring	Disconnect			oss	Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
				U1TVX, U1TDX,												
				UEA, UDL, U1TUC,												
				U1TUD, U1TUB,												
				ULDVX, ULDDX,												
	NRC - Change in Facility Assignment per circuit Service			UNCVX, UNCDX,	l											
	Rearrangement			UNC1X	URETD		101.09	43.04								
				U1TVX, U1TDX,												
				UEA, UDL, U1TUC, U1TUD, U1TUB,												
				ULDVX, ULDDX,												
	NRC - Change in Facility Assignment per circuit Project	1		UNCVX, UNCDX,												
	Management (added to CFA per circuit if project managed)	1		UNC1X	URETB	l l	1.28	1.28								
	NRC - Order Coordination Specific Time - Dedicated Transport	l i		UNC1X	OCOSR	1	18.87	18.87								
COMMINGLIN		1		-									1			
		i		UNCVX, UNCDX,												
		1		UNC1X, UNC3X,												
				UNCSX, U1TD1,												
				U1TD3, U1TS1,												
				UE3, UDLSX,												
				U1TVX, U1TDX,												
				U1TUB, ULDVX,												
				ULDD1, ULDD3,												
Comm	Commingling Authorization ingled (UNE part of single bandwidth circuit)	-	<u> </u>	ULDS1	CMGAU	0.00	0.00	0.00	0.00	0.00						
Comm	Commingled VG COCI	1		XDV2X, NTCVG	1D1VG	0.6228	6.71	4.84								
-	Commingled Vo COCI			XDV6X, NTCUD	1D1DD	1.32	6.71	4.84								
	Commingled ISDN COCI			XDD4X	UC1CA	2.84	6.71	4.84								
	Commingled 2-wire VG Interoffice Channel			XDV2X	U1TV2	23.95	98.09	53.67	56.31	22.42						
	Commingled 4-wire VG Interoffice Channel			XDV6X	U1TV4	21.28	98.09	53.67	56.31	22.42						
	Commingled 56kbps Interoffice Channel			XDD4X	U1TD5	20.97	98.09	53.67	56.31	22.42						
	Commingled 64kbps Interoffice Channel			XDD4X	U1TD6	17.25	98.09	53.67	56.31	22.42						
				XDV2X, XDV6X,												
	Commingled VG/DS0 Interoffice Channel Mileage			XDD4X	1L5XX	0.01										
	Commingled 2-wire Local Loop Zone 1		1	XDV2X	UEAL2	12.67	125.22	60.48	59.69	7.84						
	Commingled 2-wire Local Loop Zone 2	!	2	XDV2X	UEAL2	17.45	125.22	60.48	59.69	7.84						
\vdash	Commingled 2-wire Local Loop Zone 3	 	3	XDV2X	UEAL2	33.22	125.22	60.48	59.69	7.84			-			
\vdash	Commingled 4-wire Local Loop Zone 1 Commingled 4-wire Local Loop Zone 2	 	2	XDV6X XDV6X	UEAL4 UEAL4	29.26 34.25	125.22 125.22	60.48 60.48	59.69 59.69	7.84 7.84		-				
	Commingled 4-wire Local Loop Zone 2 Commingled 4-wire Local Loop Zone 3	1	3	XDV6X	UEAL4	34.25 85.06	125.22	60.48	59.69	7.84			-			
	Commingled 56kbps Local Loop Zone 1	1	1	XDD4X	UDL56	27.59	125.22	60.48	59.69	7.84						
	Commingled 56kbps Local Loop Zone 2	1	2	XDD4X	UDL56	32.48	125.22	60.48	59.69	7.84						
	Commingled 56kbps Local Loop Zone 3	1	3	XDD4X	UDL56	36.37	125.22	60.48	59.69	7.84			İ			
	Commingled 64kbps Local Loop Zone 1		1	XDD4X	UDL64	27.59	125.22	60.48	59.69	7.84						
	Commingled 64kbps Local Loop Zone 2		2	XDD4X	UDL64	32.48	125.22	60.48	59.69	7.84						
	Commingled 64kbps Local Loop Zone 3		3	XDD4X	UDL64	36.37	125.22	60.48	59.69	7.84						
	Commingled ISDN Local Loop Zone 1		1	XDD4X	U1L2X	18.44	125.22	60.48	59.69	7.84						
\vdash	Commingled ISDN Local Loop Zone 2	ļ	2	XDD4X	U1L2X	25.08	125.22	60.48	59.69	7.84						
\vdash	Commingled ISDN Local Loop Zone 3	 	3	XDD4X	U1L2X	42.87	125.22	60.48	59.69	7.84			ļ			
\vdash	Commingled DS1 COCI	1	 	XDH1X, NTCD1	UC1D1	11.80	6.71	4.84	56.72	22.32						
\vdash	Commingled DS1 Interoffice Channel Commingled DS1 Interoffice Channel Mileage	1	<u> </u>	XDH1X XDH1X	U1TF1 1L5XX	79.02 0.19	181.24	123.53	56.72	22.32			-			
	Commingled DS1/Interoffice Channel Mileage Commingled DS1/DS0 Channel System	1		XDH1X XDH1X	MQ1	113.33	57.26	14.74	1.86	1.67			1			
 	Commingled DS1/DS0 Charmer System Commingled DS1 Local Loop Zone 1	 	1	XDH1X XDH1X	USLXX	86.47	86.47	86.47	86.47	86.47						
	Commingled DS1 Local Loop Zone 1 Commingled DS1 Local Loop Zone 2	1	2	XDH1X	USLXX	114.10	114.10	114.10	114.10	114.10	1	<u> </u>				
	Commingled DS1 Local Loop Zone 3	†	3	XDH1X	USLXX	297.76	297.76	297.76	297.76	297.76						
	Commingled DS3 Local Loop	1	Ť	HFQC6	UE3PX	308.31										
	Commingled DS3/STS-1 Local Loop Mileage	1		HFQC6, HFRST	1L5ND	9.25							1			
	Commingled STS-1 Local Loop			HFRST	UDLS1	320.51	237.36	147.69	83.43	32.67						
	Commingled DS3/DS1 Channel System			HFQC6	MQ3	158.20	115.48	56.53	15.12	5.30						

LINDLIN	IDI ED I	NETWORK ELEMENTS - Kentucky												Attachment:	2 Evb A		1
UNBUI	IDLEDI	NETWORK ELEMENTS - Reflucky	1									Svc Order	Svc Order		Incremental	Incremental	Incremental
													Submitted		Charge -	Charge -	Charge -
			1									Elec	Manually		Manual Svc	Manual Svc	_
CATEG	ORY	RATE ELEMENTS	Interi	Zone	BCS	usoc			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m						,			per Lor	per Lor	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
																DISC 1St	DISC Auu I
								Nonrec	curring	Nonrecurring	Disconnect			oss	Rates(\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Commingled DS3 Interoffice Channel			HFQC6	U1TF3	966.89	350.56	141.58	48.00	23.39						
		Commingled DS3 Interoffice Channel Mileage			HFQC6	1L5XX	4.09										
		Commingled STS-1Interoffice Channel			HFRST	U1TFS	945.79	350.56	141.58	48.00	23.39						
		Commingled STS-1Interoffice Channel Mileage			HFRST	1L5XX	4.09										
		Commingled Dark Fiber - Interoffice Transport, Per Four Fiber			HEQDL	1L5DF	30.74										
		Strands, Per Route Mile Or Fraction Thereof Commingled Dark Fiber - Interoffice Transport, Per Four Fiber			HEQUL	ILSUF	30.74			-		-	-				
		Strands, Per Route Mile Or Fraction Thereof			HEQDL	UDF14		732.53	192.67	377.27	241.67						
SIGNA	LING (C				NEQUL	UDF 14		132.33	192.07	311.21	241.07	1					
SIGIVA		"bk" beside a rate indicates that the parties have agreed to bill	and ke	en for	that element nursua	nt to the teri	ms and condition	ons in Attachm	ent 3.	Į.							
	NO I E.	CCS7 Signaling Usage, Per TCAP Message	l una no	CP 101	inat cicinent parsau		0.0000656bk	ono in Accorni	iciit o.					1			1
	1	CCS7 Signaling Usage, Per ISUP Message	1				0.0000164bk										1
LNP Q	iery Sei											1					
	T	LNP Charge Per query					0.0008695			1		1		İ			İ
		LNP Service Establishment Manual						13.82	13.82	12.71	12.71						
		LNP Service Provisioning with Point Code Establishment						953.27	487.00	431.95	317.61						
911 PB																	
	911 PB	X LOCATE DATABASE CAPABILITY															
		Service Establishment per CLEC per End User Account			9PBDC	9PBEU		1,814.00									
		Changes to TN Range or Customer Profile			9PBDC	9PBTN		181.57									
		Per Telephone Number (Monthly)			9PBDC	9PBMM	0.07										
		Change Company (Service Provider) ID			9PBDC	9PBPC		533.00									
		PBX Locate Service Support per CLEC (MonthIt)			9PBDC	9PBMR	179.88										
-	044 DD	Service Order Charge			9PBDC	9PBSC		7.86									
-	See At	X LOCATE TRANSPORT COMPONENT															
		េទ Rates displaying an "I" in Interim column are interim as a resu	lt of o C	`ammi	oion order					Į Į		1					
LINBLIN	INOLE:	LOCAL EXCHANGE SWITCHING(PORTS)	litorac	Jonnini	ssion order.	1								1			1
ONDO	The Fx	change Switching Port Rates Reflected Here Apply to Embedo	led Ras	e Swite	hing Ports as of Ma	rch 10 2005	and Consist of	f the TELRIC C	net Rased Rat	tes Plus \$1 00 in	Accordance	with the TR	RO				
		nge Ports	l Buo	l Own	ning rorts as or me	1	una consist o	Tale TEERIO	Dusca Rui	100 1 100 \$1.00 11	1 Accordance	T T T T T T T T T T T T T T T T T T T					
		Although the Port Rate includes all available features in GA, I	KY. LA	& TN. t	ne desired features v	will need to	be ordered usin	ng retail USOC	S			1					
		VOICE GRADE LINE PORT RATES (RES)	T .														
		Exchange Ports - 2-Wire Analog Line Port- Res.			UEPSR	UEPRL	2.49	3.74	3.63	2.23	2.13						
		Exchange Ports - 2-Wire Analog Line Port with Caller ID - Res.			UEPSR	UEPRC	2.49	3.74	3.63	2.23	2.13						
1	l		l														
		Exchange Ports - 2-Wire Analog Line Port outgoing only - Res.			UEPSR	UEPRO	2.49	3.74	3.63	2.23	2.13	ļ					
1	1	Exchange Ports - 2-Wire VG unbundled KY extended local	1														<u> </u>
<u> </u>	ļ	dialing parity Port with Caller ID - Res.	ļ		UEPSR	UEPRM	2.49	3.74	3.63	2.23	2.13						
1	1	Exchange Ports - 2-Wire VG unbundled res, low usage line port	1		LIEBOD	LIEDAE	0.10	0		0.00							1
	<u> </u>	with Caller ID (LUM)	!		UEPSR	UEPAP	2.49	3.74	3.63	2.23	2.13	 					ļ
1	l	Exchange Ports - 2-Wire Voice Kentucky Residence Dialing Plan	l		HEDOD	HEDWE	2.49	3.74	0.00	0.00	0.40						
—	 	without Caller ID 2-Wire voice unbundled Low Usage Line Port without Caller ID	 		UEPSR	UEPWE	2.49	3.74	3.63	2.23	2.13	 					-
1	1	Capability	1		UEPSR	UEPRT	2.49	3.74	3.63	2.23	2.13						1
-	1	Subsequent Activity	1		UEPSR	USASC	0.00	0.00	0.00		2.13	1		1			1
-	FEATU				0L1 010	00/100	0.00	0.00	0.00	 		1					
1		All Available Vertical Features	1		UEPSR	UEPVF	0.00	0.00	0.00	1		†	<u> </u>				
	2-WIRE	VOICE GRADE LINE PORT RATES (BUS)			02. 0	<u> </u>	5.00	3.00	0.00								
	1 <u>.</u>	Exchange Ports - 2-Wire Analog Line Port without Caller ID -								1		1		İ			İ
	l	Bus	l		UEPSB	UEPBL	2.49	3.74	3.63	2.23	2.13						
		Exchange Ports - 2-Wire VG unbundled Line Port with															
L	<u></u>	unbundled port with Caller+E484 ID - Bus.	L		UEPSB	UEPBC	2.49	3.74	3.63	2.23	2.13	1	<u> </u>		<u> </u>		<u> </u>
																_	
		Exchange Ports - 2-Wire Analog Line Port outgoing only - Bus.			UEPSB	UEPBO	2.49	3.74	3.63	2.23	2.13						
	l	Exchange Ports - 2-Wire VG unbundled KY extended local	l														
	ļ	dialing parity Port with Caller ID - Bus.	ļ		UEPSB	UEPBM	2.49	3.74	3.63	2.23	2.13						ļ
1	1	Exhange Ports - 2-Wire VG unbundled incoming only port with	1								_						1
		Caller ID - Bus			UEPSB	UEPB1	2.49	3.74	3.63	2.23	2.13						<u> </u>

UNBUNDLED I	NETWORK ELEMENTS - Kentucky												Attachment:	2 Exh A		
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'
							Managa		Name accoming	Diazzanasat			222	Detec(f)		
						_	Nonrec		Nonrecurring					Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Exchange Ports - 2-Wire Voice Kentucky Business Dialing Plan															
	without Caller ID			UEPSB	UEPWF	2.49	3.74	3.63	2.23	2.13						
	2-Wire voice unbundled Incoming Only Port without Caller ID															
	Capability			UEPSB	UEPBE	2.49	3.74	3.63	2.23	2.13						
FEATU	Subsequent Activity			UEPSB	USASC	0.00	0.00	0.00								
FEATU				UEPSB	UEPVF	0.00	0.00	0.00								
EVCU	All Available Vertical Features ANGE PORT RATES (DID & PBX)			UEPSB	UEPVF	0.00	0.00	0.00								
EXCHA	2-Wire VG Unbundled 2-Way PBX Trunk - Res			UEPSE	UEPRD	2.49	39.05	18.17	15.38	0.89						
	2-Wire VG Unburidled 2-Way FBX Trunk - Rus			UEPSP	UEPPC	2.49	39.05	18.17	15.38	0.89						
	2-Wire VG Line Side Unbundled Outward PBX Trunk - Bus			UEPSP	UEPPO	2.49	39.05	18.17	15.38	0.89						
	2-Wire VG Line Side Unbundled Incoming PBX Trunk - Bus			UEPSP	UEPP1	2.49	39.05	18.17	15.38	0.89						
	2-Wire Analog Long Distance Terminal PBX Trunk - Bus			UEPSP	UEPLD	2.49	39.05	18.17	15.38	0.89						
	2-Wire Voice Unbundled PBX LD Terminal Ports			UEPSP	UEPLD	2.49	39.05	18.17	15.38	0.89						
	2-Wire Vice Unbundled 2-Way PBX Usage Port			UEPSP	UEPXA	2.49	39.05	18.17	15.38	0.89						
	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports			UEPSP	UEPXB	2.49	39.05	18.17	15.38	0.89						
	2-Wire Voice Unbundled PBX LD DDD Terminals Port			UEPSP	UEPXC	2.49	39.05	18.17	15.38	0.89						
	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port			UEPSP	UEPXD	2.49	39.05	18.17	15.38	0.89						
í Í	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD															
1	Capable Port			UEPSP	UEPXE	2.49	39.05	18.17	15.38	0.89						
í Í	2-Wire Voice Unbundled 2-Way PBX Kentucky Room Area															
1	Calling Port Without LUD			UEPSP	UEPXF	2.49	39.05	18.17	15.38	0.89						
	2-Wire Voice Unbundled PBX Kentucky LUD Area Calling Port			UEPSP	UEPXG	2.49	39.05	18.17	15.38	0.89						
	2-Wire Voice Unbundled PBX Kentucky Premium Callling Port			UEPSP	UEPXH	2.49	39.05	18.17	15.38	0.89						
	2-Wire Voice Unbundled 2-Way PBX Kentucky Area Callling															
	Port Without LUD			UEPSP	UEPXJ	2.49	39.05	18.17	15.38	0.89						
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy															
	Administrative Calling Port			UEPSP	UEPXL	2.49	39.05	18.17	15.38	0.89						
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy															
	Room Calling Port			UEPSP	UEPXM	2.49	39.05	18.17	15.38	0.89						
1	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital															
	Discount Room Calling Port			UEPSP	UEPXO	2.49	39.05	18.17	15.38	0.89						
	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPSP	UEPXS	2.49	39.05	18.17	15.38	0.89						
	Subsequent Activity			UEPSP	USASC	0.00	0.00	0.00								
FEATU				LIEBOB LIEBOE			2.22									
	All Available Vertical Features		_	UEPSP UEPSE	UEPVF	0.00	0.00	0.00								
	Switching Features offered with Port					d	almanula annula de		ississ bu D Ch		-4	wine ICDN m				
NOTE:	 Transmission/usage charges associated with POTS circuit st Access to B Channel or D Channel Packet capabilities will be 	witched	usage	will also apply to cit	Cuit SWITCHE	u voice and/or	Dates for the	u uata transm	lission by B-Ch	tormined vic t	ho Bona Eis	wire ISDN p	Jour Business	Doguest Bro	2000	
	E VOICE GRADE LINE PORT RATES (DID)	avana	Die OHIS	anough briving t	Jubiliess Ke	quest FIUCESS.	Nates for title	раскет сараві	irres will be de	termineu via t	ile bolla fic	e nequest/i	TEW DUSINESS	nequest Pro		
Z-VVIRE	Exchange Ports - 2-Wire DID Port		1	UEPEX	UEPP2	11.51	92.18	15.82	52.16	5.30					1	
2-WIDI			-	OLILA	OLITZ	11.31	JZ. 10	10.02	52.10	5.50						
12-11 INL	F VOICE GRADE I INE PORT RATES (ISDN-RRI)										!				l	
	E VOICE GRADE LINE PORT RATES (ISDN-BRI) Exchange Ports - 2-Wire ISDN Port (See Notes below.)			UEPTX, LIEPSX	U1PMA	14 46	60.60	50.67	32 83	14 17						
<u> </u>	Exchange Ports - 2-Wire ISDN Port (See Notes below.)			UEPTX, UEPSX UEPTX, UEPSX	U1PMA UEPVF	14.46	60.60	50.67 0.00	32.83	14.17						
	Exchange Ports - 2-Wire ISDN Port (See Notes below.) All Features Offered			UEPTX, UEPSX UEPTX, UEPSX UEPTX, UEPSX					32.83	14.17						
NOTE:	Exchange Ports - 2-Wire ISDN Port (See Notes below.) All Features Offered Exchange Ports - 2-Wire ISDN Port Channel Profiles	witched	usage	UEPTX, UEPSX UEPTX, UEPSX	UEPVF U1UMA	0.00 0.00	0.00 0.00	0.00 0.00			ated with 2-	wire ISDN n	orts.			
NOTE:	Exchange Ports - 2-Wire ISDN Port (See Notes below.) All Features Offered Exchange Ports - 2-Wire ISDN Port Channel Profiles Transmission/usage charges associated with POTS circuit so	witched	l usage	UEPTX, UEPSX UEPTX, UEPSX will also apply to cir	UEPVF U1UMA cuit switche	0.00 0.00 d voice and/or	0.00 0.00 circuit switche	0.00 0.00 ed data transm	ission by B-Ch	annels associ	ated with 2-	wire ISDN p	orts. New Business	Request Pro	cess.	
NOTE: UNBUN	Exchange Ports - 2-Wire ISDN Port (See Notes below.) All Features Offered Exchange Ports - 2-Wire ISDN Port Channel Profiles : Transmission/usage charges associated with POTS circuit su : Access to B Channel or D Channel Packet capabilities will be NDLED PORT with REMOTE CALL FORWARDING CAPABILITY	e availal	l usage ble only	UEPTX, UEPSX UEPTX, UEPSX will also apply to cir	UEPVF U1UMA cuit switche	0.00 0.00 d voice and/or	0.00 0.00 circuit switche	0.00 0.00 ed data transm	ission by B-Ch	annels associ	ated with 2- he Bona Fig	wire ISDN p le Request/I	orts. New Business	Request Pro	cess.	
NOTE: UNBUN	Exchange Ports - 2-Wire ISDN Port (See Notes below.) All Features Offered Exchange Ports - 2-Wire ISDN Port Channel Profiles Transmission/usage charges associated with POTS circuit so Access to B Channel or D Channel Packet capabilities will be NDLED PORT with REMOTE CALL FORWARDING CAPABILITY NDLED REMOTE CALL FORWARDING SERVICE - RESIDENCE	e availal	l usage ble only	UEPTX, UEPSX UEPTX, UEPSX will also apply to cir through BFR/New B	UEPVF U1UMA rcuit switche Business Re	0.00 0.00 d voice and/or quest Process.	0.00 0.00 circuit switche Rates for the	0.00 0.00 ed data transm packet capabi	ission by B-Ch	annels associ	ated with 2- he Bona Fic	wire ISDN p	orts. New Business	Request Pro	ocess.	
NOTE: UNBUN	Exchange Ports - 2-Wire ISDN Port (See Notes below.) All Features Offered Exchange Ports - 2-Wire ISDN Port Channel Profiles : Transmission/usage charges associated with POTS circuit su : Access to B Channel or D Channel Packet capabilities will be NDLED PORT with REMOTE CALL FORWARDING CAPABILITY	e availal	l usage ble only	UEPTX, UEPSX UEPTX, UEPSX will also apply to cir	UEPVF U1UMA cuit switche	0.00 0.00 d voice and/or	0.00 0.00 circuit switche	0.00 0.00 ed data transm	ission by B-Ch	annels associ	ated with 2- he Bona Fic	wire ISDN p le Request/I	orts. New Business	Request Pro	cess.	
NOTE: UNBUN	Exchange Ports - 2-Wire ISDN Port (See Notes below.) All Features Offered Exchange Ports - 2-Wire ISDN Port Channel Profiles Transmission/usage charges associated with POTS circuit st Access to B Channel or D Channel Packet capabilities will be NDLED PORT with REMOTE CALL FORWARDING CAPABILITY NDLED REMOTE CALL FORWARDING SERVICE - RESIDENCE Unbundled Remote Call Forwarding Service, Area Calling, Res	e availal	l usage ble only	UEPTX, UEPSX UEPTX, UEPSX will also apply to cir through BFR/New E	UEPVF U1UMA cuit switche Business Re UERAC	0.00 0.00 d voice and/or quest Process.	0.00 0.00 circuit switche Rates for the	0.00 0.00 ed data transm packet capabi	ission by B-Ch	annels associ	ated with 2- he Bona Fic	wire ISDN p	orts. New Business	Request Pro	cess.	
NOTE: UNBUN	Exchange Ports - 2-Wire ISDN Port (See Notes below.) All Features Offered Exchange Ports - 2-Wire ISDN Port Channel Profiles Transmission/usage charges associated with POTS circuit so Access to B Channel or D Channel Packet capabilities will be NDLED PORT with REMOTE CALL FORWARDING CAPABILITY NDLED REMOTE CALL FORWARDING SERVICE - RESIDENCE Unbundled Remote Call Forwarding Service, Area Calling, Res Unbundled Remote Call Forwarding Service, Local Calling - Res	e availal	l usage ble only	UEPTX, UEPSX UEPTX, UEPSX will also apply to cir through BFR/New E UEPVR UEPVR	UEPVF U1UMA cuit switche Business Re UERAC UERAC	0.00 0.00 d voice and/or quest Process. 2.49	0.00 0.00 circuit switche Rates for the 3.74	0.00 0.00 ed data transm packet capabi 3.63	ission by B-Ch	annels associ	ated with 2- he Bona Fic	wire ISDN p le Request/I	orts. New Business	Request Pro	cess.	
NOTE: UNBUN	Exchange Ports - 2-Wire ISDN Port (See Notes below.) All Features Offered Exchange Ports - 2-Wire ISDN Port Channel Profiles Transmission/usage charges associated with POTS circuit so Access to B Channel or D Channel Packet capabilities will be NDLED PORT with REMOTE CALL FORWARDING CAPABILITY NDLED REMOTE CALL FORWARDING SERVICE - RESIDENCE Unbundled Remote Call Forwarding Service, Area Calling, Res Unbundled Remote Call Forwarding Service, Local Calling - Res Unbundled Remote Call Forwarding Service, Local Calling - Res	e availal	l usage ble only	UEPTX, UEPSX UEPTX, UEPSX will also apply to cir through BFR/New E UEPVR UEPVR UEPVR	UEPVF U1UMA rouit switche Business Re UERAC UERLC UERTE	0.00 0.00 d voice and/or quest Process. 2.49 2.49	0.00 0.00 circuit switche Rates for the 3.74 3.74	0.00 0.00 ed data transm packet capabi 3.63 3.63 3.63	ission by B-Ch	annels associ	ated with 2- he Bona Fic	wire ISDN p	oorts. New Business	Request Pro	cess.	
NOTE: UNBUN UNBUN	Exchange Ports - 2-Wire ISDN Port (See Notes below.) All Features Offered Exchange Ports - 2-Wire ISDN Port Channel Profiles Transmission/usage charges associated with POTS circuit st Access to B Channel or D Channel Packet capabilities will be NDLED PORT with REMOTE CALL FORWARDING CAPABILITY NDLED REMOTE CALL FORWARDING SERVICE - RESIDENCE Unbundled Remote Call Forwarding Service, Area Calling, Res Unbundled Remote Call Forwarding Service, Local Calling - Res Unbundled Remote Call Forwarding Service, InterLATA - Res Unbundled Remote Call Forwarding Service, IntraLATA - Res	e availal	l usage ble only	UEPTX, UEPSX UEPTX, UEPSX will also apply to cir through BFR/New E UEPVR UEPVR	UEPVF U1UMA cuit switche Business Re UERAC UERAC	0.00 0.00 d voice and/or quest Process. 2.49	0.00 0.00 circuit switche Rates for the 3.74	0.00 0.00 ed data transm packet capabi 3.63	ission by B-Ch	annels associ	ated with 2- he Bona Fic	wire ISDN p	orts. New Business	Request Pro	cess.	
NOTE: UNBUN UNBUN	Exchange Ports - 2-Wire ISDN Port (See Notes below.) All Features Offered Exchange Ports - 2-Wire ISDN Port Channel Profiles Transmission/usage charges associated with POTS circuit stances to B Channel or D Channel Packet capabilities will be NDLED PORT with REMOTE CALL FORWARDING CAPABILITY Unbundled Remote Call Forwarding Service, Area Calling, Res Unbundled Remote Call Forwarding Service, Local Calling - Res Unbundled Remote Call Forwarding Service, InterLATA - Res Unbundled Remote Call Forwarding Service, IntraLATA - Res Unbundled Remote Call Forwarding Service, IntraLATA - Res	e availal	l usage ble only	UEPTX, UEPSX UEPTX, UEPSX will also apply to cir through BFR/New E UEPVR UEPVR UEPVR	UEPVF U1UMA rouit switche Business Re UERAC UERLC UERTE	0.00 0.00 d voice and/or quest Process. 2.49 2.49	0.00 0.00 circuit switche Rates for the 3.74 3.74	0.00 0.00 ed data transm packet capabi 3.63 3.63 3.63	ission by B-Ch	annels associ	ated with 2- he Bona Fic	wire ISDN p	oorts. New Business	Request Pro	cess.	
NOTE: UNBUN UNBUN	Exchange Ports - 2-Wire ISDN Port (See Notes below.) All Features Offered Exchange Ports - 2-Wire ISDN Port Channel Profiles Transmission/usage charges associated with POTS circuit so Access to B Channel or D Channel Packet capabilities will be NDLED PORT with REMOTE CALL FORWARDING CAPABILITY NDLED REMOTE CALL FORWARDING SERVICE - RESIDENCE Unbundled Remote Call Forwarding Service, Area Calling, Res Unbundled Remote Call Forwarding Service, Local Calling - Res Unbundled Remote Call Forwarding Service, InterLATA - Res Unbundled Remote Call Forwarding Service, IntraLATA - Res ecurring Unbundled Remote Call Forwarding Service - Conversion -	e availal	usage ble only	UEPTX, UEPSX UEPTX, UEPSX will also apply to cir through BFR/New E UEPVR UEPVR UEPVR UEPVR UEPVR	UEPVF U1UMA cuit switche Business Re UERAC UERLC UERTE UERTR	0.00 0.00 d voice and/or quest Process. 2.49 2.49	0.00 0.00 circuit switche Rates for the 3.74 3.74 3.74 3.74	0.00 0.00 0.00 ed data transm packet capabi 3.63 3.63 3.63 3.63	ission by B-Ch	annels associ	ated with 2- he Bona Fic	wire ISDN p le Request/l	oorts. New Business	Request Pro	cess.	
NOTE: UNBUN UNBUN	Exchange Ports - 2-Wire ISDN Port (See Notes below.) All Features Offered Exchange Ports - 2-Wire ISDN Port Channel Profiles Transmission/usage charges associated with POTS circuit st Access to B Channel or D Channel Packet capabilities will be NDLED PORT with REMOTE CALL FORWARDING CAPABILITY NDLED REMOTE CALL FORWARDING SERVICE - RESIDENCE Unbundled Remote Call Forwarding Service, Area Calling, Res Unbundled Remote Call Forwarding Service, Local Calling - Res Unbundled Remote Call Forwarding Service, InterLATA - Res Unbundled Remote Call Forwarding Service, IntraLATA - Res Unbundled Remote Call Forwarding Service - Conversion - Switch-as-is	e availal	usage ble only	UEPTX, UEPSX UEPTX, UEPSX will also apply to cir through BFR/New E UEPVR UEPVR UEPVR	UEPVF U1UMA rouit switche Business Re UERAC UERLC UERTE	0.00 0.00 d voice and/or quest Process. 2.49 2.49	0.00 0.00 circuit switche Rates for the 3.74 3.74	0.00 0.00 ed data transm packet capabi 3.63 3.63 3.63	ission by B-Ch	annels associ	ated with 2- he Bona Fic	wire ISDN p	oorts. New Business	Request Pro	cess.	
NOTE: UNBUN UNBUN	Exchange Ports - 2-Wire ISDN Port (See Notes below.) All Features Offered Exchange Ports - 2-Wire ISDN Port Channel Profiles Transmission/usage charges associated with POTS circuit so Access to B Channel or D Channel Packet capabilities will be NDLED PORT with REMOTE CALL FORWARDING CAPABILITY NDLED REMOTE CALL FORWARDING SERVICE - RESIDENCE Unbundled Remote Call Forwarding Service, Area Calling, Res Unbundled Remote Call Forwarding Service, Local Calling - Res Unbundled Remote Call Forwarding Service, InterLATA - Res Unbundled Remote Call Forwarding Service, IntraLATA - Res ecurring Unbundled Remote Call Forwarding Service - Conversion -	e availal	l usage ble only	UEPTX, UEPSX UEPTX, UEPSX will also apply to cir through BFR/New E UEPVR UEPVR UEPVR UEPVR UEPVR	UEPVF U1UMA cuit switche Business Re UERAC UERLC UERTE UERTR	0.00 0.00 d voice and/or quest Process. 2.49 2.49	0.00 0.00 circuit switche Rates for the 3.74 3.74 3.74 3.74	0.00 0.00 0.00 ed data transm packet capabi 3.63 3.63 3.63 3.63	ission by B-Ch	annels associ	ated with 2- he Bona Fic	wire ISDN p le Request/I	oorts. New Business	Request Pro	ccess.	

Version 4Q05 Standard ICA 03/15/06 (Renegotiations) Page 98 of 261

UNBUNDLED	NETWORK ELEMENTS - Kentucky												Attachment:	2 Exh A		
	 										Svc Order		Incremental	Incremental	Incremental	Incremental
											Submitted	Submitted		Charge -	Charge -	Charge -
													Manual Svc	_	-	_
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES(\$)			Elec			Manual Svc		Manual Svc
CATEGORI	KATE ELEMENTO	m	20116	500	0000			ππι ΔΟ(ψ)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
			1				Nonrec	urring	Nonrecurring	Disconnoct			088	Rates(\$)		
			1			Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
LINDII	NDLED REMOTE CALL FORWARDING - Bus		 			Nec	riist	Auu i	FIISt	Auu i	SOWIEC	SOWAN	JOWAN	SOWAN	JOWAN	JOWAN
ONDO	NDEED REMOTE CALE I ORWARDING - Bus		1													
	Unbundled Remote Call Forwarding Service, Area Calling - Bus			UEPVB	UERAC	2.49	3.74	3.63							1 '	1
	Oribundied Remote Call Forwarding Service, Area Calling - Bus		1	OLFVB	ULINAC	2.43	3.74	3.03								
	Unbundled Remote Call Forwarding Service, Local Calling - Bus			UEPVB	UERLC	2.49	3.74	3.63							1 '	1
	Unbundled Remote Call Forwarding Service, InterLATA - Bus		1	UEPVB	UERTE	2.49	3.74	3.63								
	Unbundled Remote Call Forwarding Service, IntraLATA - Bus		1	UEPVB	UERTR	2.49	3.74	3.63								
	Unbundled Remote Call Forwarding Service, IntraLATA - Bus		1	OLFVB	OLKIK	2.43	3.74	3.03								
	Exception Local Calling			UEPVB	UERVJ	2.49	3.74	3.63							1 '	1
Non-P	ecurring		 	OLFVB	OLKVJ	2.43	3.74	3.03								
NOII-IX	Unbundled Remote Call Forwarding Service - Conversion -		1													
	Switch-as-is	1		UEPVB	USAC2		0.10	0.10	Ì		1				1 '	1
	Unbundled Remote Call Forwarding Service - Conversion with		1	OLFVB	USACZ		0.10	0.10								
	allowed change (PIC and LPIC)			UEPVB	USACC		0.10	0.10							i '	1
IINDIINDI ED	LOCAL SWITCHING, PORT USAGE		1	OLFVB	USACC		0.10	0.10								
	ffice Switching (Port Usage)														<u> </u>	
Liiu O	End Office Switching Function, Per MOU		1			0.0011971										
	End Office Trunk Port - Shared, Per MOU		1			0.00011971										
Tando	m Switching (Port Usage) (Local or Access Tandem)		1			0.0002112										
Tanue	Tandem Switching Function Per MOU		1			0.000194										
	Tandem Trunk Port - Shared, Per MOU		1			0.000134										
	Tandem Switching Function Per MOU (Melded)		1			0.000094381										
	Tandem Trunk Port - Shared, Per MOU (Melded)		1			.000117538										
Molder	Factor: 48.65% of the Tandem Rate		 			.000117338										
	on Transport															
0011111	Common Transport - Per Mile, Per MOU		 			0.000003										
 	Common Transport - Facilities Termination Per MOU		 			0.0007466										
LINBUNDI ED	PORT/LOOP COMBINATIONS - COST BASED RATES					0.0007400										
	Based Rates are applied where BellSouth is required by FCC	and/or S	State Co	mmission rule to n	ovide Unhu	ndled Local Sw	itching or Swi	tch Ports		l	l .		<u> </u>			-
	JNE-P Switching Port Rates Reflected in the Cost Based Section								Based Rates F	Plus \$1.00 in A	ccordance v	with the TRE	RO.			
	res shall apply to the Unbundled Port/Loop Combination - Co															
	Office and Tandem Switching Usage and Common Transport L											oin Port/Loc	n Combinatio	ns.		
	irst and additional Port nonrecurring charges apply to Not Cu															
	E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)							g					,			
	ort/Loop Combination Rates															
	2-Wire VG Loop/Port Combo - Zone 1					11.79										
	2-Wire VG Loop/Port Combo - Zone 2					16.52										
	2-Wire VG Loop/Port Combo - Zone 3					32.74										ſ
UNE L	oop Rates				1											ſ
	2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPRX	UEPLX	9.64										ſ
	2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPRX	UEPLX	14.37										
	2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPRX	UEPLX	30.59										
2-Wire	Voice Grade Line Port Rates (Res)															
	2-Wire voice unbundled port - residence			UEPRX	UEPRL	2.15	21.29	15.49	2.85	2.67						
	2-Wire voice unbundled port with Caller ID - res			UEPRX	UEPRC	2.15	21.29	15.49	2.85	2.67						
	2-Wire voice unbundled port outgoing only - res			UEPRX	UEPRO	2.15	21.29	15.49	2.85	2.67						
	2-Wire voice Grade unbundled Kentucky extended local dialing			<u> </u>	1					<u> </u>					ı	ı ——
	parity port with Caller ID - res			UEPRX	UEPRM	2.15	21.29	15.49	2.85	2.67					ļ	
	2-Wire voice unbundles res, low usage line port with Caller ID										İ				1 '	1
	(LUM)			UEPRX	UEPAP	2.15	21.29	15.49	2.85	2.67					ļ	
	2-Wire Voice Unbundled Kentucky Residence Dialing Plan	1							Ì		1				1 '	1 !
	without Caller ID	<u> </u>		UEPRX	UEPWE	2.15	21.29	15.49	2.85	2.67					 '	
1 1	2-Wire voice unbundled Low Usage Line Port without Caller ID	1							Ì		1				1 '	1
	Capability			UEPRX	UEPRT	2.15	21.29	15.49	2.85	2.67					 '	
FEATU					L										Ļ'	
	All Features Offered	<u> </u>		UEPRX	UEPVF	0.00	0.00	0.00							 '	
NONR	ECURRING CHARGES (NRCs) - CURRENTLY COMBINED														 '	
1 1	2-Wire Voice Grade Loop / Line Port Combination - Conversion -	1		===					Ì		1				1 '	1
	Switch-as-is			UEPRX	USAC2		0.10	0.10			1					1

IINDIII	IDI ED I	NETWORK ELEMENTS - Kentucky												Attachment: 2	2 Evh A		
UNBUI	NDLED	NETWORK ELEMENTS - Kentucky		1								Svc Order	Svc Order		Incremental	Incremental	Incremental
												1	Submitted		Charge -	Charge -	Charge -
												Elec					_
CATE	ORY	RATE ELEMENTS	Interi	Zone	BCS	usoc			RATES(\$)				Manually		Manual Svc	Manual Svc	
OATE		TOTAL ELEMENTO	m	20110	200	0000			101120(4)			per LSR	per LSR		Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
								Nonrec	urring	Nonrecurring	Disconnect			oss	Rates(\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		2-Wire Voice Grade Loop / Line Port Combination - Conversion -															
		Switch with change			UEPRX	USACC		0.10	0.10								
		2-Wire Voice Grade Loop / Line Port Platform - Installation															
		Charge at QuickService location - Not Conversion of Existing															
		Service			UEPRX	URECC		0.10									
	ADDIT	ONAL NRCs															
		2-Wire Voice Grade Loop/Line Port Combination - Subsequent															
		Activity			UEPRX	USAS2	0.00	0.00	0.00								
		Unbundled Miscellaneous Rate Element, Tag Loop at End User															
		Premise			UEPRX	URETL		8.33	0.83								
	OFF/O	N PREMISES EXTENSION CHANNELS															
		2 Wire Analog Voice Grade Extension Loop – Non-Design		1	UEPRX	UEAEN	10.56	46.66	22.57	26.65	7.65						
		2 Wire Analog Voice Grade Extension Loop – Non-Design		2	UEPRX	UEAEN	15.34	46.66	22.57	26.65	7.65						
		2 Wire Analog Voice Grade Extension Loop – Non-Design		3	UEPRX	UEAEN	31.11	46.66	22.57	26.65	7.65						
		2 Wire Analog Voice Grade Extension Loop – Design		1	UEPRX	UEAED	12.67	134.89	81.87	73.65	14.88						
		2 Wire Analog Voice Grade Extension Loop – Design		2	UEPRX	UEAED	17.45	134.89	81.87	73.65	14.88						
		2 Wire Analog Voice Grade Extension Loop – Design		3	UEPRX	UEAED	33.22	134.89	81.87	73.65	14.88						
	INTER	OFFICE TRANSPORT															
		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility															
		Termination			UEPRX	U1TV2	23.95	98.09	53.67	56.31	22.42						
		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile															
		or Fraction Mile			UEPRX	U1TVM	0.0095	0.00	0.00								
		VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS)															
	UNE P	ort/Loop Combination Rates															
		2-Wire VG Loop/Port Combo - Zone 1					11.79										
		2-Wire VG Loop/Port Combo - Zone 2					16.52										
		2-Wire VG Loop/Port Combo - Zone 3					32.74										
	UNE L	pop Rates															
		2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPBX	UEPLX	9.64										
		2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPBX	UEPLX	14.37										
		2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPBX	UEPLX	30.59										
	2-Wire	Voice Grade Line Port (Bus)				L											
		2-Wire voice unbundled port without Caller ID - bus			UEPBX	UEPBL	2.15	21.29	15.49	2.85	2.67						
		2-Wire voice unbundled port with Caller + E484 ID - bus		1	UEPBX	UEPBC	2.15	21.29	15.49	2.85	2.67						
		2-Wire voice unbundled port outgoing only - bus			UEPBX	UEPBO	2.15	21.29	15.49	2.85	2.67						
1	1	2-Wire voice Grade unbundled Kentucky extended local dialing	1		LIEBSY	l lieberr					-		1				1
-	1	parity port with Caller ID - bus		 	UEPBX	UEPBM	2.15	21.29	15.49	2.85	2.67						
	 	2-Wire Voice Unbundled incoming only port with Caller ID - Bus			UEPBX	UEPB1	2.15	21.29	15.49	2.85	2.67						
1	1	2-Wire Voice Unbundled Kentucky Business Dialing Plan	1	1 1	LIEDBY	LIEDWE	2.45	24.00	15 40	2.05	2.07		1				1
	1	without Caller ID		\vdash	UEPBX	UEPWF	2.15	21.29	15.49	2.85	2.67	-					
	1	2-Wire voice unbundled Incoming Only Port without Caller ID			HEDDY	HEDDE	2.15	04.00	15.49	2.85	2.67						1
—	FEATU	Capability	-	\vdash	UEPBX	UEPBE	2.15	21.29	15.49	2.85	2.67		-				
	FEATU	All Features Offered		\vdash	UEPBX	UEPVF	0.00	0.00	0.00	-							
	NONE	ECURRING CHARGES (NRCs) - CURRENTLY COMBINED		\vdash	UEPBA	UEPVF	0.00	0.00	0.00	-							
<u> </u>	NONKE	2-Wire Voice Grade Loop / Line Port Combination - Conversion -	-	\vdash		 				 			-				
1	1	Switch-as-is	1	1 1	UEPBX	USAC2		0.10	0.10				1				1
	1	2-Wire Voice Grade Loop / Line Port Combination - Conversion -		1	ULFDA	USAUZ	ŀ	0.10	0.10	+		 	-				
1	1	Switch with change	1		UEPBX	USACC		0.10	0.10				1				1
	ADDIT	ONAL NRCs		1	OLIDA	UUAUU		0.10	0.10	 							—
-	. 100111	2-Wire Voice Grade Loop/Line Port Combination - Subsequent		1		 		-		 							—
	1	Activity			UEPBX	USAS2		0.00	0.00								1
	 	Unbundled Miscellaneous Rate Element, Tag Loop at End User		1	OLI DA	JUAUL		0.00	0.00	 							——
	1	Premise	1		UEPBX	URETL		8.33	0.83				1				1
	OFF/O	N PREMISES EXTENSION CHANNELS			OLI DA	OINETE		0.00	0.00								—
-	3 , 0	2 Wire Analog Voice Grade Extension Loop – Non-Design		1	UEPBX	UEAEN	10.56	46.66	22.57	26.65	7.65						—
	1	2 Wire Analog Voice Grade Extension Loop – Non-Design		2	UEPBX	UEAEN	15.34	46.66	22.57	26.65	7.65						—
	t	2 Wire Analog Voice Grade Extension Loop – Non-Design		3	UEPBX	UEAEN	31.11	46.66	22.57	26.65	7.65						t
	†	2 Wire Analog Voice Grade Extension Loop – Design		1	UEPBX	UEAED	12.67	134.89	81.87	73.65	14.88						
							.2.07	, 000	01.01	. 5.50	50						

UNBUNDLED	NETWORK ELEMENTS - Kentucky												Attachment:	2 Exh A	1	
0.1.20.1.2.2.2	The state of the s										Svc Order	Svc Order	Incremental		Incremental	Incremental
												Submitted		Charge -	Charge -	Charge -
CATEGORY	DATE ELEMENTO	Interi	7	BCS	USOC			RATES(\$)			Elec		Manual Svc			
CATEGORY	RATE ELEMENTS	m	Zone	всъ	USUC			KATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
							Nonrec		Nonrecurring					Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2 Wire Analog Voice Grade Extension Loop – Design		2	UEPBX	UEAED	17.45	134.89	81.87	73.65	14.88						
	2 Wire Analog Voice Grade Extension Loop – Design		3	UEPBX	UEAED	33.22	134.89	81.87	73.65	14.88						1
INTER	OFFICE TRANSPORT															
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility															
	Termination			UEPBX	U1TV2	23.95	98.09	53.67	56.31	22.42						
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile															
	or Fraction Mile			UEPBX	U1TVM	0.0095	0.00	0.00								
2-WIR	E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES - PBX)	1		02. 5/	0	0.0000	0.00	0.00								
	Port/Loop Combination Rates	1														
O.AL I	2-Wire VG Loop/Port Combo - Zone 1	1	 		†	11.79			-		1	 				<u> </u>
 	2-Wire VG Loop/Port Combo - Zone 1		+ +			16.52			t		†	1		 		
-		-	 		+	32.74			-		1	!		-	-	
I INIT !	2-Wire VG Loop/Port Combo - Zone 3	 	+-+		+	32.14			 		-	 		 		
UNE	oop Rates	 	1	LIEBBO	LIEBLY	201			 		1	1		 	 	
\vdash	2-Wire Voice Grade Loop (SL 1) - Zone 1	-	1	UEPRG	UEPLX	9.64			1		1	1		1		
	2-Wire Voice Grade Loop (SL 1) - Zone 2	ļ	2	UEPRG	UEPLX	14.37										
	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEPRG	UEPLX	30.59										
2-Wire	Voice Grade Line Port Rates (RES - PBX)															
	2-Wire VG Unbundled Combination 2-Way PBX Trunk Port -															
	Res			UEPRG	UEPRD	2.15	21.29	15.49	2.85	2.67						
FEAT	JRES															
	All Features Offered			UEPRG	UEPVF	0.00	0.00	0.00								
NONR	ECURRING CHARGES (NRCs) - CURRENTLY COMBINED															
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -															
	Conversion - Switch-As-Is			UEPRG	USAC2		8.45	1.91								
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -							-								
	Conversion - Switch with Change			UEPRG	USACC		8.45	1.91								
ADDIT	TONAL NRCs			020	00/100		0.10					1				
ADDII	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -	 	-								1					
	Subsequent Activity			UEPRG	USAS2	0.00	0.00	0.00								
	PBX Subsequent Activity - Change/Rearrange Multiline Hunt		-	ULFING	USASZ	0.00	0.00	0.00			1	1				
	Group						7.86	7.86								
	'						7.00	7.00			1					
	Unbundled Miscellaneous Rate Element, Tag Loop at End User															
	Premise			UEPRG	URETL		8.33	0.83								
OFF/C	N PREMISES EXTENSION CHANNELS															
	Local Channel Voice grade, per termination		1	UEPRG	P2JHX	12.67	134.89	81.87	73.65	14.88						
	Local Channel Voice grade, per termination	<u> </u>	2	UEPRG	P2JHX	17.45	134.89	81.87	73.65	14.88		ļ		ļ		1
	Local Channel Voice grade, per termination		3	UEPRG	P2JHX	33.22	134.89	81.87	73.65	14.88		L				
	Non-Wire Direct Serve Channel Voice Grade		1	UEPRG	SDD2X	12.68	170.06	78.10	119.62	15.80		L				
	Non-Wire Direct Serve Channel Voice Grade		2	UEPRG	SDD2X	18.12	170.06	78.10	119.62	15.80						
	Non-Wire Direct Serve Channel Voice Grade		3	UEPRG	SDD2X	29.64	170.06	78.10	119.62	15.00	<u> </u>					
INTER	OFFICE TRANSPORT															
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility															1
	Termination			UEPRG	U1TV2	23.95	98.09	53.67	56.31	22.42				1		1
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile										1				İ	
	or Fraction Mile	1		UEPRG	U1TVM	0.0095	0.00	0.00	I					I	Ì	1
2-WIR	E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)								1		İ					
	Port/Loop Combination Rates	1							t		Ì	1		1	1	
J.42 1	2-Wire VG Loop/Port Combo - Zone 1				1	11.79			<u> </u>		1	1		1	1	
 	2-Wire VG Loop/Port Combo - Zone 2		 			16.52			 		1	1		†	†	<u> </u>
	2-Wire VG Loop/Port Combo - Zone 3	1	 		†	32.74			-		1	 				<u> </u>
IINE I	oop Rates	 	+ +		1	J2.14			t		1	1		t	1	
O'NE L	2-Wire Voice Grade Loop (SL 1) - Zone 1	 	1	UEPPX	UEPLX	9.64			 		1	1		1	1	
-		 		UEPPX					 		-	 		 		
	2-Wire Voice Grade Loop (SL 1) - Zone 2	 	2		UEPLX	14.37			 		1	1		 	 	
0.14"	2-Wire Voice Grade Loop (SL 1) - Zone 3	ļ	3	UEPPX	UEPLX	30.59			 		1	1		 	 	
2-Wire	Voice Grade Line Port Rates (BUS - PBX)	<u> </u>	1		-						1	ļ				
														1		1
\vdash	Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus	ļ	$oxed{oxed}$	UEPPX	UEPPC	2.15	21.29	15.49	2.85	2.67						<u> </u>
<u> </u>	Line Side Unbundled Outward PBX Trunk Port - Bus			UEPPX	UEPPO	2.15	21.29	15.49	2.85	2.67	ļ	ļ				
	Line Side Unbundled Incoming PBX Trunk Port - Bus			UEPPX	UEPP1	2.15	21.29	15.49	2.85	2.67]]	

HINRHINDI ED	NETWORK ELEMENTS - Kentucky												Attachment:	2 Evh Δ		
ONBONDLED	NETWORK ELEMENTS - Rentucky	1	1 1		1 1						Svc Order		Incremental		Incremental	Incremental
											Submitted			Charge -	Charge -	Charge -
CATEGORY	RATE ELEMENTS	Interi	7	BCS	usoc			RATES(\$)			Elec			Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	m	Zone	всэ	USUC			KATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
			-													
			1			_	Nonrec		Nonrecurring					Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Unbundled PBX LD Terminal Ports			UEPPX	UEPLD	2.15	21.29	15.49	2.85	2.67						
	2-Wire Voice Unbundled 2-Way Combination PBX Usage Port			UEPPX	UEPXA	2.15	21.29	15.49	2.85	2.67						
	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports			UEPPX	UEPXB	2.15	21.29	15.49	2.85	2.67						1
	2-Wire Voice Unbundled PBX LD DDD Terminals Port			UEPPX	UEPXC	2.15	21.29	15.49	2.85	2.67						į .
	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port			UEPPX	UEPXD	2.15	21.29	15.49	2.85	2.67						
	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD															
	Capable Port			UEPPX	UEPXE	2.15	21.29	15.49	2.85	2.67						l l
	2-Wire Voice Unbundled 2-Way PBX Kentucky Room Area															
	Calling Port without LUD			UEPPX	UEPXF	2.15	21.29	15.49	2.85	2.67						ı
	2-Wire Voice Unbundled PBX Kentucky LUD Area Calling Port		1 1	UEPPX	UEPXG	2.15	21.29	15.49	2.85	2.67						
	2-Wire Voice Unbundled PBX Kentucky Premium Calling Port			UEPPX	UEPXH	2.15	21.29	15.49	2.85	2.67	 					
	2-Wire Voice Unbundled 2-Way Kentucky Area Calling Port		 	OLITA	OLIXII	2.10	21.20	10.40	2.00	2.07	1					
	without LUD			UEPPX	UEPXJ	2.15	21.29	15.49	2.85	2.67						I
\vdash	2-Wire Voice Unbundled OutDial Kentucky NAR Area Calling	1	1	UEPPA	UEPAJ	2.15	21.29	15.49	∠.ช5	2.07	-	 				
				HEDDY	LIEDOK	0.45	04.00	45.40	0.05	0.07						I
	Port		1	UEPPX	UEPOK	2.15	21.29	15.49	2.85	2.67						
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy															ı
	Administrative Calling Port			UEPPX	UEPXL	2.15	21.29	15.49	2.85	2.67						1
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy															ı
	Room Calling Port			UEPPX	UEPXM	2.15	21.29	15.49	2.85	2.67						1
	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital															ı
	Discount Room Calling Port			UEPPX	UEPXO	2.15	21.29	15.49	2.85	2.67						ı
	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPPX	UEPXS	2.15	21.29	15.49	2.85	2.67						
FEAT	IRES															
	All Features Offered			UEPPX	UEPVF	0.00	0.00	0.00								
NONR	ECURRING CHARGES (NRCs) - CURRENTLY COMBINED															
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -															
	Conversion - Switch-As-Is			UEPPX	USAC2		8.45	1.91								ı
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -			OZ. I A	00/102		0.10									
	Conversion - Switch with Change			UEPPX	USACC		8.45	1.91								l l
ADDIT	IONAL NRCs		1 1	OZ. I A	00/100		0.10									
ADDIT	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -		 		1						1	1				
	Subsequent Activity			UEPPX	USAS2	0.00	0.00	0.00								I
	PBX Subsequent Activity - Change/Rearrange Multiline Hunt		 	UEPPA	U3A32	0.00	0.00	0.00								
							7.00	7.00								I
	Group		<u> </u>		-		7.86	7.86			1					h
	Unbundled Miscellaneous Rate Element, Tag Loop at End User			HEDDY	LIDETI		0.00	0.00								I
	Premise		1	UEPPX	URETL		8.33	0.83								
OFF/O	N PREMISES EXTENSION CHANNELS	<u> </u>	├	uee			,				ļ	ļ				
	Local Channel Voice grade, per termination	ļ	1	UEPPX	P2JHX	12.67	134.89	81.87	73.65	14.88						
	Local Channel Voice grade, per termination	<u> </u>	2	UEPPX	P2JHX	17.45	134.89	81.87	73.65	14.88		ļ				-
	Local Channel Voice grade, per termination	<u></u>	3	UEPPX	P2JHX	33.22	134.89	81.87	73.65	14.88						
	Non-Wire Direct Serve Channel Voice Grade		1	UEPPX	SDD2X	12.68	170.06	78.10	119.62	15.80						
	Non-Wire Direct Serve Channel Voice Grade		2	UEPPX	SDD2X	18.12	170.06	78.10	119.62	15.80						
	Non-Wire Direct Serve Channel Voice Grade		3	UEPPX	SDD2X	29.64	170.06	78.10	119.62	15.00						
INTER	OFFICE TRANSPORT															
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility															
	Termination			UEPPX	U1TV2	23.95	98.09	53.67	56.31	22.42						I
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile	1	1 1		1						İ	1	İ	İ		
	or Fraction Mile	I		UEPPX	U1TVM	0.0095	0.00	0.00						İ		i
2-WIR	VOICE GRADE LOOP WITH 2-WIRE ANALOG LINE COIN POR	RT	1 1	<u> </u>	0	0.0000	5.00	0.00			İ	1		1		
	ort/Loop Combination Rates	Ĭ	1 1		1						İ	1		1		
O.N.E. I	2-Wire VG Coin Port/Loop Combo – Zone 1	 	 		+ +	11.79			 		 	1		 		
\vdash	2-Wire VG Coin Port/Loop Combo – Zone 2	1	++		+ +	16.52			-		}	 	1	 		
		1	1		1	32.74			-		-	 				
	2-Wire VG Coin Port/Loop Combo – Zone 3	 	├ 		+	32.74			 		1					
UNE L	oop Rates	1		LIEBOO	LIEDLY	201			-		1	1		 		-
	2-Wire Voice Grade Loop (SL1) - Zone 1	ļ	1	UEPCO	UEPLX	9.64										.
	2-Wire Voice Grade Loop (SL1) - Zone 2	ļ	2	UEPCO	UEPLX	14.37										ļ!
	2-Wire Voice Grade Loop (SL1) - Zone 3	<u> </u>	3	UEPCO	UEPLX	30.59						ļ				-
2-Wire	Voice Grade Line Ports (COIN)															

LINBUNDI FI	NETWORK ELEMENTS - Kentucky												Attachment:	2 Fyh Δ		
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)			1	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
							Nonrec	urrina	Nonrecurring	Disconnect			220	Rates(\$)		<u> </u>
-						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Coin 2-Way without Operator Screening and without					1100		7144		7.00.	0020	00				
	Blocking (AL, KY, LA, MS)			UEPCO	UEPRF	2.15	21.29	15.49	2.85	2.67						
-	2-Wire Coin 2-Way with Operator Screening (AL, KY)			UEPCO	UEPRE	2.15	21.29	15.49	2.85	2.67						
	2-Wire Coin 2-Way with Operator Screening and Blocking: 011, 900/976, 1+DDD (AL, KY, LA, MS)			UEPCO	UEPRA	2.15	21.29	15.49	2.85	2.67						
	2-Wire Coin 2-Way with Operator Screening and 011 Blocking (KY)			UEPCO	UEPKA	2.15	21.29	15.49	2.85	2.67						
	2-Wire Coin 2-Way with Operator Screening & Blocking:			UEPCO	UEFRA	2.15	21.29	15.49	2.00	2.07						
	900/976, 1+DDD, 011+, & Local (AL, KY, LA, MS)			UEPCO	UEPCD	2.15	21.29	15.49	2.85	2.67						
	2-Wire Coin Outward without Blocking and without Operator Screening (KY, LA, MS)			UEPCO	UEPRN	2.15	21.29	15.49	2.85	2.67						
	2-Wire Coin Outward with Operator Screening and 011 Blocking (GA, KY, MS)			UEPCO	UEPRJ	2.15	21.29	15.49	2.85	2.67						İ
	2-Wire Coin Outward with Operator Screening and Blocking:															
	011, 900/976, 1+DDD (AL, KY, LA, MS) 2-Wire Coin Outward Operator Screening & Blocking: 900/976,			UEPCO	UEPRH	2.15	21.29	15.49	2.85	2.67						
	1+DDD, 011+, and Local (AL, KY, LA, MS)			UEPCO	UEPCN	2.15	21.29	15.49	2.85	2.67						
	2-Wire 2-Way Smartline with 900/976 (all states except LA)			UEPCO	UEPCK	2.15	21.29	15.49	2.85	2.67						
	2-Wire Coin Outward Smartline with 900/976 (all states except LA)			UEPCO	UEPCR	2.15	21.29	15.49	2.85	2.67						ĺ
ADD	TIONAL UNE COIN PORT/LOOP (RC)				0.2.											
	UNE Coin Port/Loop Combo Usage (Flat Rate)			UEPCO	URECU	2.57	0.00	0.00	0.00	0.00						
NON	RECURRING CHARGES - CURRENTLY COMBINED 2-Wire Voice Grade Loop / Line Port Combination - Conversion -															
	Switch-as-is			UEPCO	USAC2		0.10	0.10								ĺ
	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch with change			UEPCO	USACC		0.10	0.10								
ADD	TIONAL NRCs			021 00	00/100		0.10	0.10								
	2-Wire Voice Grade Loop/Line Port Combination - Subsequent			LIEDOO	110400		0.00	0.00								
	Activity Unbundled Miscellaneous Rate Element, Tag Loop at End User			UEPCO	USAS2		0.00	0.00								
	Premise			UEPCO	URETL		8.33	0.83								
	RE VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE	LINE	PORT (F	RES)												
UNE	Port/Loop Combination Rates 2-Wire VG Loop/IO Tranport/Port Combo - Zone 1					14.90										
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 2					19.68										
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 3					35.45										
UNE	Loop Rates															
	2-Wire Voice Grade Loop (SL2) - Zone 1		2	UEPFR UEPFR	UECF2	12.67 17.45			1							—
	2-Wire Voice Grade Loop (SL2) - Zone 2 2-Wire Voice Grade Loop (SL2) - Zone 3		3	UEPFR	UECF2 UECF2	33.22										
2-Wi	re Voice Grade Line Port Rates (Res)			OLITIK	OLO: 2	00.22										
	2-Wire voice unbundled port - residence			UEPFR	UEPRL	2.23	128.96	64.11	61.92	9.97						
	2-Wire voice unbundled port with Caller ID - res			UEPFR	UEPRC	2.23	128.96	64.11	61.92	9.97						
	2-Wire voice unbundled port outgoing only - res			UEPFR	UEPRO	2.23	128.96	64.11	61.92	9.97						
	2-Wire voice Grade unbundled Kentucky extended local dialing parity port with Caller ID - res			UEPFR	UEPRM	2.23	128.96	64.11	61.92	9.97						
	2-Wire voice unbundles res, low usage line port with Caller ID (LUM)			UEPFR	UEPAP	2.23	128.96	64.11	61.92	9.97						
	2-Wire Voice Unbundled Kentucky Residence Dialing Plan															
INITE	without Caller ID ROFFICE TRANSPORT			UEPFR	UEPWE	2.23	128.96	64.11	61.92	9.97	<u> </u>					
11415	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility Termination			UEPFR	U1TV2	23.95	98.09	53.67	56.31	22.42						
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile					0.0095	30.09	33.07	30.31	22.42						
FEA	or Fraction Mile		\vdash	UEPFR	1L5XX	0.0095										
	All Features Offered			UEPFR	UEPVF	0.00	0.00	0.00								
NON	RECURRING CHARGES (NRCs) - CURRENTLY COMBINED			·												1

UNBUNE	DLED N	ETWORK ELEMENTS - Kentucky												Attachment:	2 Exh A		
		- · · · · · · · ·										Svc Order	Svc Order			Incremental	Incremental
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
			Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGO	PRY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
												-		Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
				-			ı	Managa		Nauaaaaaa	D:			222	Detec(f)		<u> </u>
				-			Rec	Nonrec First	urring Add'l	Nonrecurring First	Add'l	COMEC	SOMAN	SOMAN	Rates(\$) SOMAN	SOMAN	SOMAN
-		2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port					Rec	LIISI	Add I	FIISL	Add I	SOMEC	SOWAN	SOWAN	SOWAN	SUMAN	SOWAN
		Combination - Conversion - Switch-as-is			UEPFR	USAC2		9.03	1.87								
		2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port			OLITIC	00/102		0.00	1.07								
		Combination - Conversion - Switch-With-Change			UEPFR	USACC		9.03	1.87								
		Unbundled Miscellaneous Rate Element, Tag Designed Loop at															
		End User Premise			UEPFR	URETN		11.21	1.10								
		VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE	E LINE I	PORT (I	BUS)												
L	JNE Po	ort/Loop Combination Rates															
		2-Wire VG Loop/IO Tranport/Port Combo - Zone 1					14.90										
		2-Wire VG Loop/IO Tranport/Port Combo - Zone 2					19.68										
<u> </u>		2-Wire VG Loop/IO Tranport/Port Combo - Zone 3					35.45										
\vdash		op Rates	1	-	HEDED	LIEGEO	40.07							 	 	1	
-		2-Wire Voice Grade Loop (SL2) - Zone 1		2	UEPFB UEPFB	UECF2 UECF2	12.67 17.45									-	
\vdash		2-Wire Voice Grade Loop (SL2) - Zone 2 2-Wire Voice Grade Loop (SL2) - Zone 3	1	3	UEPFB	UECF2	33.22					1	-	1	1	 	+
-		Voice Grade Line Port (Bus)		3	OLFFD	OLOI Z	33.22			 				1	1	t	
 		2-Wire voice unbundled port without Caller ID - bus		t -	UEPFB	UEPBL	2.23	128.96	64.11	61.92	9.97					t	
		2-Wire voice unbundled port with Caller + E484 ID - bus			UEPFB	UEPBC	2.23	128.96	64.11	61.92	9.97						1
		2-Wire voice unbundled port outgoing only - bus			UEPFB	UEPBO	2.23	128.96	64.11	61.92	9.97					1	
		2-Wire voice Grade unbundled Kentucky extended local dialing															
		parity port with Caller ID - bus			UEPFB	UEPBM	2.23	128.96	64.11	61.92	9.97						
		2-Wire voice unbundled incoming only port with Caller ID - Bus			UEPFB	UEPB1	2.23	128.96	64.11	61.92	9.97						
		2-Wire Voice Unbundled Kentucky Business Dialing Plan															
		without Caller ID			UEPFB	UEPWF	2.23	128.96	64.11	61.92	9.97						
		OFFICE TRANSPORT															
		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility							== ==	====							
		Termination		1	UEPFB	U1TV2	23.95	98.09	53.67	56.31	22.42					-	<u> </u>
		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile or Fraction Mile			UEPFB	1L5XX	0.0095										
-	EATU				UEPFB	ILSAA	0.0095										
- '	LAIU	All Features Offered			UEPFB	UEPVF	0.00	0.00	0.00								
-	NONRE	CURRING CHARGES (NRCs) - CURRENTLY COMBINED			02.13	02	0.00	0.00	0.00								
		2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port															
		Combination - Conversion - Switch-as-is			UEPFB	USAC2		9.03	1.87								
		2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port															
		Combination - Conversion - Switch with change			UEPFB	USACC		9.03	1.87								
		Unbundled Miscellaneous Rate Element, Tag Designed Loop at															
		End User Premise			UEPFB	URETN		11.21	1.10								
		VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE	LINE	PORT (I	PBX)												
		ort/Loop Combination Rates					11.00										
		2-Wire VG Loop/IO Tranport/Port Combo - Zone 1 2-Wire VG Loop/IO Tranport/Port Combo - Zone 2		1			14.90 19.68									-	<u> </u>
		2-Wire VG Loop/IO Tranport/Port Combo - Zone 2 2-Wire VG Loop/IO Tranport/Port Combo - Zone 3					35.45									-	
		op Rates					33.43										
- '		2-Wire Voice Grade Loop (SL2) - Zone 1		1	UEPFP	UECF2	12.67										
		2-Wire Voice Grade Loop (SL2) - Zone 2		2	UEPFP	UECF2	17.45										
		2-Wire Voice Grade Loop (SL2) - Zone 3		3	UEPFP	UECF2	33.22			†							1
	2-Wire	Voice Grade Line Port Rates (BUS - PBX)															
		·															
		Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus			UEPFP	UEPPC	2.23	164.27	78.65	75.05	8.73						
		Line Side Unbundled Outward PBX Trunk Port - Bus			UEPFP	UEPPO	2.23	164.27	78.65	75.05	8.73						
		Line Side Unbundled Incoming PBX Trunk Port - Bus			UEPFP	UEPP1	2.23	164.27	78.65	75.05	8.73						ļ
\sqcup		2-Wire Voice Unbundled PBX LD Terminal Ports			UEPFP	UEPLD	2.23	164.27	78.65	75.05	8.73					ļ	.
\vdash		2-Wire Voice Unbundled 2-Way Combination PBX Usage Port		<u> </u>	UEPFP	UEPXA	2.23	164.27	78.65	75.05	8.73			 	ļ	-	4
\vdash		2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports		1	UEPFP UEPFP	UEPXB UEPXC	2.23 2.23	164.27 164.27	78.65	75.05 75.05	8.73 8.73			 	 	!	├
\vdash		2-Wire Voice Unbundled PBX LD DDD Terminals Port 2-Wire Voice Unbundled PBX LD Terminal Switchboard Port	1		UEPFP		2.23		78.65 78.65	75.05 75.05	8.73					 	
\vdash		2-Wire Voice Unbundled PBX LD Terminal Switchboard Port 2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD	-	1	UEPFP	UEPXD	2.23	164.27	78.05	75.05	8.73		-	1	1	 	+
		Capable Port			UEPFP	UEPXE	2.23	164.27	78.65	75.05	8.73					1	
		Capabio i Oit		1	OLFIF	OLFAL	2.23	104.27	70.03	13.03	0.73	1	l	1	1	<u> </u>	

UNBUNDLED	NETWORK ELEMENTS - Kentucky												Attachment:			
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs.	Charge -	Incremental Charge - Manual Svc Order vs.	Incremental Charge - Manual Svc Order vs.
		m									per Lore	por Lore	Electronic- 1st	Electronic- Add'l	Electronic- Disc 1st	Electronic- Disc Add'l
							Nonrec		Nonrecurring					Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Unbundled 2-Way PBX Kentucky Room Area															
	Calling Port without LUD			UEPFP	UEPXF	2.23	164.27	78.65	75.05	8.73						
	2-Wire Voice Unbundled PBX Kentucky LUD Area Calling Port 2-Wire Voice Unbundled PBX Kentucky Premium Calling Port			UEPFP UEPFP	UEPXG UEPXH	2.23 2.23	164.27 164.27	78.65 78.65	75.05 75.05	8.73 8.73						
	2-Wire Voice Unbundled 2-Way Kentucky Premium Calling Port			UEPFP	UEPAH	2.23	164.27	78.65	75.05	8.73					-	
	without LUD			UEPFP	UEPXJ	2.23	164.27	78.65	75.05	8.73						
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy			OLITI	OLI 70	2.20	104.27	70.00	70.00	0.70						
	Administrative Calling Port			UEPFP	UEPXL	2.23	164.27	78.65	75.05	8.73						
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy			*												
	Room Calling Port			UEPFP	UEPXM	2.23	164.27	78.65	75.05	8.73						
	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital															
	Discount Room Calling Port			UEPFP	UEPXO	2.23	164.27	78.65	75.05	8.73						
	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPFP	UEPXS	2.23	164.27	78.65	75.05	8.73						
INTER	ROFFICE TRANSPORT															
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility								====							
	Termination			UEPFP	U1TV2	23.95	98.09	53.67	56.31	22.42						
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile or Fraction Mile			UEPFP	41.577	0.0095										
EEAT	URES			UEPFP	1L5XX	0.0095									-	
FEAT	All Features Offered			UEPFP	UEPVF	0.00	0.00	0.00								1
NONE	RECURRING CHARGES (NRCs) - CURRENTLY COMBINED			OLITI	OLI VI	0.00	0.00	0.00								
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port															
	Combination - Conversion - Switch-as-is			UEPFP	USAC2		9.03	1.87								
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port			*	99,19											
	Combination - Conversion - Switch with change			UEPFP	USACC		9.03	1.87								
	Unbundled Miscellaneous Rate Element, Tag Designed Loop at															
	End User Premise			UEPFP	URETN		11.21	1.10								
	RE VOICE GRADE LOOP- BUS ONLY - WITH 2-WIRE DID TRUNK	PORT														
UNE	Port/Loop Combination Rates															
	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 1		1			22.30										
	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 2 2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 3		1		-	27.08 42.85										
LINE	Loop Rates					42.00										1
OIL.	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 1		1	UEPPX	UECD1	12.67										
	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 2		2	UEPPX	UECD1	17.45										
	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 3		3	UEPPX	UECD1	33.22										
UNE I	Port Rate															
	Exchange Ports - 2-Wire DID Port			UEPPX	UEPD1	9.63	336.11	27.75	132.37	9.31						
NONE	RECURRING CHARGES - CURRENTLY COMBINED		$oxed{\Box}$													
	2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Conversion			===-:												
	with BellSouth Allowable Changes			UEPPX	USA1C		7.85	1.87								
ADDI	TIONAL NRCs	 	+	UEPPX	110404		20.05	20.05						 	1	
	2-Wire DID Subsequent Activity - Add Trunks, Per Trunk Unbundled Miscellaneous Rate Element, Tag Designed Loop at		+	UEPPX	USAS1		32.25	32.25						-		
	End User Premise			UEPPX	URETN		11.21	1.10							1	
Telen	hone Number/Trunk Group Establisment Charges		1	OLITA	OILLIN		11.21	1.10						 	 	+
Зіср	DID Trunk Termination (One Per Port)			UEPPX	NDT	0.00	0.00	0.00							1	†
	Additional DID Numbers for each Group of 20 DID Numbers		1 1	UEPPX	ND4	0.00	0.00	0.00							1	1
İ	DID Numbers, Non- consecutive DID Numbers , Per Number			UEPPX	ND5	0.00	0.00	0.00								
	Reserve Non-Consecutive DID numbers			UEPPX	ND6	0.00	0.00	0.00								
	Reserve DID Numbers			UEPPX	NDV	0.00	0.00	0.00								
	RE ISDN DIGITAL GRADE LOOP WITH 2-WIRE ISDN DIGITAL LI	NE SID	E PORT		1									ļ	ļ	ļ
UNE	Port/Loop Combination Rates	<u> </u>	├													<u> </u>
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -					00.00										
	UNE Zone 1 2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -	 	+		+	26.69								 	 	
	UNE Zone 2					32.92										
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -		+		+	32.92								1	t	
l I	UNE Zone 3					51.21					İ				1	

UNBUNDLED N	NETWORK ELEMENTS - Kentucky													Attachment:	2 Exh A		
CATEGORY	RATE ELEMENTS	Interi m	Zone	во	s	USOC			RATES(\$)				Svc Order Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st		Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
														100	Addi	D130 131	DISC Add I
								Nonrec		Nonrecurring	Disconnect				Rates(\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
UNE Lo	pop Rates																í
	2-Wire ISDN Digital Grade Loop - UNE Zone 1		1	UEPPB	UEPPR	USL2X	16.10										<u> </u>
																	í
	2-Wire ISDN Digital Grade Loop - UNE Zone 2		2	UEPPB	UEPPR	USL2X	22.33										
L	2-Wire ISDN Digital Grade Loop - UNE Zone 3		3	UEPPB	UEPPR	USL2X	40.63										
UNE Po	ort Rate						10.50	202 52		20.10							
-	Exchange Port - 2-Wire ISDN Line Side Port			UEP		UEPPR	10.59	320.53	289.13	92.19	17.56						
NONDE	Exchange Port - 2-Wire ISDN Line Side Port			UEP	PB	UEPPB	10.59	320.53	289.13	92.19	17.56						
NONRE	CURRING CHARGES - CURRENTLY COMBINED 2-Wire ISDN Digital Grade Loop / 2-Wire ISDN Line Side Port																
	Combination - Conversion			UEPPB	UEPPR	USACB	0.00	22.77	17.00								f
ADDITI	ONAL NRCs			UEPPB	UEFFR	USACB	0.00	22.11	17.00								
ADDITI	Unbundled Miscellaneous Rate Element, Tag Designed Loop at																
	End User Premise			UEPPB	UEPPR	URETN	l	11.21	1.10								ł
 	Unbundled Miscellaneous Rate Element, Tag Loop at End User			JLI FD	OLITI	OINLIIN	+	11.21	1.10			 					
	Premise			UEPPB	UEPPR	URETL	l	8.33	0.83								ł
B-CHA	NNEL USER PROFILE ACCESS:		l	22110	JELLIK	ONLIL	-	0.00	0.00								
Воли	CVS/CSD (DMS/5ESS)			UEPPB	UEPPR	U1UCA	0.00	0.00	0.00								
	CVS (EWSD)			UEPPB	UEPPR	U1UCB	0.00	0.00	0.00								
	CSD			UEPPB	UEPPR	U1UCC	0.00	0.00	0.00								
B-CHA	NNEL AREA PLUS USER PROFILE ACCESS: (AL,KY,LA,MS SO	C,MS, &	TN)														i
	CVS/CSD (DMS/5ESS)	, , , ,		UEPPB	UEPPR	U1UCD	0.00	0.00	0.00								i .
	CVS (EWSD)			UEPPB	UEPPR	U1UCE	0.00	0.00	0.00								í
	CSD			UEPPB	UEPPR	U1UCF	0.00	0.00	0.00								
USER	TERMINAL PROFILE																í
	User Terminal Profile (EWSD only)			UEPPB	UEPPR	U1UMA	0.00	0.00	0.00								
	CAL FEATURES																i
	All Vertical Features - One per Channel B User Profile			UEPPB	UEPPR	UEPVF	0.00	0.00	0.00								í
INTER	OFFICE CHANNEL MILEAGE																
	Interoffice Channel mileage each, including first mile and																f
	facilities termination				UEPPR	M1GNC	29.12	47.34	31.78	22.77	8.75						
	Interoffice Channel mileage each, additional mile			UEPPB	UEPPR	M1GNM	0.01	0.00	0.00								
	CENTREX PORT/LOOP COMBINATIONS - COST BASED RATES																
	CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only)	<u> </u>														
	VG Loop/2-Wire Voice Grade Port (Centrex) Combo		<u> </u>														
UNE PO	ort/Loop Combination Rates (Non-Design)		1				ł					ļ					
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -						11 70										ł
\vdash	Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -	-	 	-			11.79					1					
	Non-Design						16.52										ł
 	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -						10.32					1					
	Non-Design			1			32.74										ł
UNE P	ort/Loop Combination Rates (Design)						32.14										1
J.,	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -		 				İ										í
	Design			1			14.82										ł
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -						1										í
	Design			1			19.60										ł
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -																í
	Design					<u> </u>	35.37					<u> </u>					<u> </u>
	pop Rate																
	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEF		UECS1	9.64				· · · · · · · · · · · · · · · · · · ·						
	2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEF		UECS1	14.37										
	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEF		UECS1	30.59										
	2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEF		UECS2	12.67										.
	2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEF		UECS2	17.45					ļ					
	2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEF	P91	UECS2	33.22										
UNE Po																	
	tes (Except North Carolina and Sout Carolina)											ļ					
	2-Wire Voice Grade Port (Centrex) Basic Local Area		<u> </u>	UEF	' 91	UEPYA	2.15	21.29	15.49	2.85	2.67	<u> </u>					

UNBUNDLED I	NETWORK ELEMENTS - Kentucky												Attachment:	2 Exh A		
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
							Nonrec	urring	Nonrecurring	Disconnect			OSS	Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Grade Port (Centrex 800 termination)Basic Local							71441		71441						00
	Area			UEP91	UEPYB	2.15	21.29	15.49	2.85	2.67						
	2-Wire Voice Grade Port (Centrex with Caller ID)Note1 Basic			ULF91	OLFIB	2.13	21.29	13.43	2.03	2.07	1					
	Local Area			UEP91	UEPYH	2.15	21.29	15.49	2.85	2.67						
-	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)			ULF91	OLFIII	2.13	21.29	13.43	2.03	2.07	1					
	Note 2, 3 Basic Local Area			UEP91	UEPYM	2.15	21.29	15.49	2.85	2.67						
			+	UEF91	UEPTIVI	2.10	21.29	15.49	2.00	2.07						
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service			LIEDOA	LIEDV7	0.45	04.00	45.40	0.05	0.07						
	Term - Basic Local Area			UEP91	UEPYZ	2.15	21.29	15.49	2.85	2.67	ļ					
	2-Wire Voice Grade Port terminated in on Megalink or equivalent															
	- Basic Local Area			UEP91	UEPY9	2.15	21.29	15.49	2.85	2.67						
	2-Wire Voice Grade Port Terminated on 800 Service Term -															
	Basic Local Area			UEP91	UEPY2	2.15	21.29	15.49	2.85	2.67						
AL, KY	Y, LA, MS, & TN Only															
	2-Wire Voice Grade Port (Centrex)			UEP91	UEPQA	2.15	21.29	15.49	2.85	2.67						
	2-Wire Voice Grade Port (Centrex 800 termination)			UEP91	UEPQB	2.15	21.29	15.49	2.85	2.67						
	2-Wire Voice Grade Port (Centrex with Caller ID)1			UEP91	UEPQH	2.15	21.29	15.49	2.85	2.67						
	2-Wire Voice Grade Port (Centrex from diff Serving Wire															
	Center)2,3			UEP91	UEPQM	2.15	21.29	15.49	2.85	2.67						
	2-Wire Voice Grade Port, Diff Serving Wire Center - 2,3 - 800															
	Service Term			UEP91	UEPQZ	2.15	21.29	15.49	2.85	2.67						
	2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP91	UEPQ9	2.15	21.29	15.49	2.85	2.67						
	2-Wire Voice Grade Port Terminated on 800 Service Term			UEP91	UEPQ2	2.15	21.29	15.49	2.85	2.67						
Local	Switching															
	Centrex Intercom Funtionality, per port			UEP91	URECS	0.8873										
Featur						0.00.0										
	All Standard Features Offered, per port			UEP91	UEPVF	0.00										
	All Select Features Offered, per port			UEP91	UEPVS	0.00	405.66									
	All Centrex Control Features Offered, per port			UEP91	UEPVC	0.00	400.00				1					
NARS			+ +	OLI UI	OLI VO	0.00										
IVAINO	Unbundled Network Access Register - Combination			UEP91	UARCX	0.00	0.00	0.00	0.00	0.00						
-	Unbundled Network Access Register - Indial			UEP91	UAR1X	0.00	0.00	0.00	0.00	0.00	1					
	Unbundled Network Access Register - India Unbundled Network Access Register - Outdial			UEP91	UAROX	0.00	0.00	0.00	0.00	0.00						
Miscol	llaneous Terminations			OLF91	UARUX	0.00	0.00	0.00	0.00	0.00						
	Trunk Side				+						1					
2-44116	Trunk Side Terminations, each		+	UEP91	CENA6	10.51	92.18	15.82	52.16	5.30						
Interes	frice Channel Mileage - 2-Wire	 	+	OLFSI	CLIVAD	10.51	92.18	10.02	32.10	5.30	 	-				
interor	Interoffice Channel Facilities Termination - Voice Grade	 	+	UEP91	M1GBC	29.11					 	-				
	Interoffice Channel Facilities Termination - Voice Grade Interoffice Channel mileage, per mile or fraction of mile		+	UEP91	M1GBC M1GBM	29.11			 							
East	re Activations (DS0) Centrex Loops on Channelized DS1 Service		+	UEP91	INITORNI	0.01			 							
		e	+		+				 		1	 				
D4 Cha	annel Bank Feature Activations	-	+	HEB04	400140	2.00			 		-					
	Feature Activation on D-4 Channel Bank Centrex Loop Slot		+	UEP91	1PQWS	0.62			1		1	1				
1																
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot		+	UEP91	1PQW6	0.62										
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop															
	Slot			UEP91	1PQW7	0.62										
1	Feature Activation on D-4 Channel Bank Centrex Loop Slot -															
	Different Wire Center			UEP91	1PQWP	0.62										
1 -			1 7		1							<u> </u>				
1	Feature Activation on D-4 Channel Bank Private Line Loop Slot	<u></u>		UEP91	1PQWV	0.62					<u> </u>	<u></u>				
	Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop															
	reature Activation on B-4 Chairner Bank Tijle Eine/ Hunk Loop		1	UEP91	1PQWQ	0.62			Ì			I				
	Slot															
				UEP91	1PQWA	0.62										
Non-R	Slot					0.62										
Non-R	Slot Feature Activation on D-4 Channel Bank WATS Loop Slot					0.62										
Non-R	Slot Feature Activation on D-4 Channel Bank WATS Loop Slot ecurring Charges (NRC) Associated with UNE-P Centrex					0.62	0.102	0.102								
Non-R	Slot Feature Activation on D-4 Channel Bank WATS Loop Slot ecurring Charges (NRC) Associated with UNE-P Centrex Conversion - Currently Combined Switch-As-Is with allowed changes, per port			UEP91	1PQWA	0.62	0.102 18.95	0.102 8.32								
Non-R	Slot Feature Activation on D-4 Channel Bank WATS Loop Slot ecurring Charges (NRC) Associated with UNE-P Centrex Conversion - Currently Combined Switch-As-Is with allowed			UEP91	1PQWA USAC2	0.62			111.05	13.27						

LINDIINDI ED	NETWORK ELEMENTS - Kentucky												Attachment:	2 Evh A		1
UNBUNDLED	NETWORK ELEMENTS - Remucky		1								Svc Order	Svc Order		Incremental	Incremental	Incremental
												Submitted		Charge -	Charge -	Charge -
		lust a ut									Elec	Manually		Manual Svc	-	Manual Svo
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES(\$)			per LSR			Order vs.	Order vs.	Order vs.
		m									po. 2011	po. 20.1	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
															D130 131	DISC Add I
							Nonrec		Nonrecurring					Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Secondary Block, per Block			UEP91	M2CC1	0.00	78.32	78.32	13.27	13.27						
4.1.0	NAR Establishment Charge, Per Occasion			UEP91	URECA	0.00	72.75									
Addit	ional Non-Recurring Charges (NRC) Unbundled Miscellaneous Rate Element, Tag Loop at End Use		-			-						-				
	Premise			UEP91	URETL		8.33	0.83								
 	Unbundled Miscellaneous Rate Element, Tag Design Loop at			OLI 31	OKLIL	-	0.55	0.03			1					
	End Use Premise			UEP91	URETN		11.21	1.10								
UNE-I	P CENTREX - 5ESS (Valid in All States)			02. 0.	OILLIII			0								
	e VG Loop/2-Wire Voice Grade Port (Centrex) Combo															
	Port/Loop Combination Rates (Non-Design)															
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -		l j													
	Non-Design					11.79										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -							<u> </u>								
$oxed{oxed}$	Non-Design		لـــــا			16.52					<u> </u>					
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo															
	Non-Design					32.74										
UNE	Port/Loop Combination Rates (Design)															
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -					14.82										
	Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -					14.82										
	Design					19.60										
 	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -					13.00					1					
	Design					35.37										
UNE I	Loop Rate					00.07										
	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP95	UECS1	9.64										
	2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEP95	UECS1	14.37										
	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP95	UECS1	30.59										
	2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP95	UECS2	12.67										
	2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP95	UECS2	17.45										
	2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP95	UECS2	33.22										
	Port Rate															
All St				UEP95	UEPYA	2.15	21.29	15.49	2.85	2.67						
-	2-Wire Voice Grade Port (Centrex) Basic Local Area 2-Wire Voice Grade Port (Centrex 800 termination)			UEP95 UEP95	UEPYB	2.15	21.29	15.49	2.85	2.67						
	2-Wire Voice Grade Port (Centrex 800 termination) 2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local			UEP95	UEPTB	2.15	21.29	15.49	2.00	2.07						
1 1	Area			UEP95	UEPYH	2.15	21.29	15.49	2.85	2.67						
	2-Wire Voice Grade Port (Centrex from diff Serving Wire			02.00	J	2.10	220	.0.40	2.00	2.01						
1 1	Center)2,3 Basic Local Area			UEP95	UEPYM	2.15	21.29	15.49	2.85	2.67						
	2-Wire Voice Grade Port, Diff Serving Wire Center 2,3 - 800			* *		1										
I	Service Term - Basic Local Area			UEP95	UEPYZ	2.15	21.29	15.49	2.85	2.67	<u> </u>		<u> </u>			<u> </u>
	2-Wire Voice Grade Port terminated in on Megalink or equivalent															
	- Basic Local Area			UEP95	UEPY9	2.15	21.29	15.49	2.85	2.67						
	2-Wire Voice Grade Port Terminated on 800 Service Term -									_						
— .	Basic Local Area		\longmapsto	UEP95	UEPY2	2.15	21.29	15.49	2.85	2.67	<u> </u>					
AL, K	Y, LA, MS, SC, & TN Only		 	LIEDOE	LIEDOA	2.45	21.20	15 40	2.05	2.07	}		ļ			
\vdash	2-Wire Voice Grade Port (Centrex) 2-Wire Voice Grade Port (Centrex 800 termination)	1	\vdash	UEP95 UEP95	UEPQA UEPQB	2.15 2.15	21.29 21.29	15.49 15.49	2.85 2.85	2.67 2.67	1	-				
 	2-Wire Voice Grade Port (Centrex 800 termination) 2-Wire Voice Grade Port (Centrex with Caller ID)1			UEP95 UEP95	UEPQB	2.15	21.29	15.49	2.85	2.67						
 	2-Wire Voice Grade Port (Centrex with Carlet ID)1 2-Wire Voice Grade Port (Centrex from diff Serving Wire		1	OLI 30	OLI QII	2.13	21.29	15.45	2.03	2.07						
	Center)2,3			UEP95	UEPQM	2.15	21.29	15.49	2.85	2.67						
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service						5		_:30							
1 1	Term 2,3			UEP95	UEPQZ	2.15	21.29	15.49	2.85	2.67						
	2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP95	UEPQ9	2.15	21.29	15.49	2.85	2.67						
	2-Wire Voice Grade Port Terminated on 800 Service Term			UEP95	UEPQ2	2.15	21.29	15.49	2.85	2.67						
Local	Switching															
<u> </u>	Centrex Intercom Funtionality, per port			UEP95	URECS	0.8873										
Featu			 	LIEDOE	LIED\ /E	0.00					<u> </u>					
	All Standard Features Offered, per port			UEP95	UEPVF	0.00					1	1				

UNBUNDI FI	D NETWORK ELEMENTS - Kentucky												Attachment:	2 Fxh A		I
ONDONDELL	NETWORK ELEMENTS - Rendery				1	l					Svc Order	Svc Order	Incremental		Incremental	Incremental
												Submitted		Charge -	Charge -	Charge -
_		Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
											· .	-	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
													130	Auu	Diac rat	Disc Add I
							Nonrec	urrina	Nonrecurring	Disconnect		•	oss	Rates(\$)	•	
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	All Select Features Offered, per port			UEP95	UEPVS	0.00	405.66	Addi	11100	Addi	COMILO	COMPAR	JOINTAIN	COMPAN	COMPAN	COMPAR
	All Centrex Control Features Offered, per port		1	UEP95	UEPVC	0.00	+05.00					-				
			1	UEP95	UEPVC	0.00					ļ					
NAR																
	Unbundled Network Access Register - Combination			UEP95	UARCX	0.00	0.00	0.00	0.00	0.00						
	Unbundled Network Access Register - Indial			UEP95	UAR1X	0.00	0.00	0.00	0.00	0.00						
	Unbundled Network Access Register - Outdial			UEP95	UAROX	0.00	0.00	0.00	0.00	0.00						
Misc	ellaneous Terminations															
2-Wi	re Trunk Side															
	Trunk Side Terminations, each			UEP95	CEND6	10.51	92.18	15.82	52.16	5.30						
4-Wi	re Digital (1.544 Megabits)															
H	DS1 Circuit Terminations, each		1	UEP95	M1HD1	74.77	164.86	77.74	60.69	3.86						
	DS0 Channels Activated, each		1	UEP95	M1HDO	0.00	15.09	11.14	00.03	5.00		-				
			1 1	UEF93	MILLIO	0.00	15.09				ļ					
Inter	office Channel Mileage - 2-Wire	<u> </u>									1		ļ	ļ		ļ
\vdash	Interoffice Channel Facilities Termination	ļ	1	UEP95	M1GBC	29.11										
	Interoffice Channel mileage, per mile or fraction of mile			UEP95	M1GBM	0.01										
	ure Activations (DS0) Centrex Loops on Channelized DS1 Service	се														
D4 C	hannel Bank Feature Activations															
	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP95	1PQWS	0.62										
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP95	1PQW6	0.62										
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop			02.00		0.02					 					
	Slot			UEP95	1PQW7	0.62										
	0.00		1	UEP95	IPQW/	0.62					ļ					
	Feature Activation on D-4 Channel Bank Centrex Loop Slot -															
	Different Wire Center			UEP95	1PQWP	0.62										
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP95	1PQWV	0.62										
	Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop															
	Slot			UEP95	1PQWQ	0.62										
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP95	1PQWA	0.62										
Non	Recurring Charges (NRC) Associated with UNE-P Centrex		1	OLI 00	11 00 11/1	0.02										
14011	NRC Conversion Currently Combined Switch-As-Is with allowed										1	1				
				LIEDOE	110400		0.400	0.400								
	changes, per port			UEP95	USAC2		0.102	0.102				ļ				
	Conversion of Existing Centrex Common Block, each			UEP95	USACN		18.95	8.32								
	New Centrex Standard Common Block			UEP95	M1ACS	0.00	669.80	78.32	111.05	13.27						
	New Centrex Customized Common Block			UEP95	M1ACC	0.00	669.80	78.32	111.05	13.27						
	NAR Establishment Charge, Per Occasion			UEP95	URECA	0.00	72.75				1					
Addi	itional Non-Recurring Charges (NRC)															
	Unbundled Miscellaneous Rate Element, Tag Loop at End Use										Ì					
	Premise			UEP95	URETL		8.33	0.83	1		1					
	Unbundled Miscellaneous Rate Element, Tag Design Loop at	1	1 1	J 00	U L. I L		0.00	0.00	 		1	1				1
	End Use Premise	1		UEP95	URETN		11.21	1.10	I		Ì		1	1		1
		 	1 1	ULF90	ONETIN		11.21	1.10	 		 	 	 	 		-
	-P CENTREX - DMS100 (Valid in All States)	1	1		1				1		1	1				
	re VG Loop/2-Wire Voice Grade Port (Centrex) Combo	ļ	1													
UNE	Port/Loop Combination Rates (Non-Design)	<u> </u>]	1]
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo	-1	1 T								1		1]
	Non-Design	1				11.79			I		Ì		1	1		1
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
	Non-Design	1				16.52			I		Ì		1	1		1
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		1 1		1	.0.02			<u> </u>		1	1	1	1		
	Non-Design	1				32.74			I		Ì		1	1		1
LINIE		 	\vdash		-	32.74			-		1	-	-	-		-
UNE	Port/Loop Combination Rates (Design)	1	1		1				1		1	1				
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo	1							1		1					
	Design	<u> </u>				14.82]	1]
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -	1	1 1								1		1]
	Design	1				19.60			I		Ì		1	1]
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
	Design	1				35.37			I		Ì		1	1		1
LINE	Loop Rate	1	1 1		1	33.57			1		1	1	1	1		1
JANE	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP9D	UECS1	9.64					 	 				
	12 TYTE VOICE CTAGE LOOP (OL 1) - ZUTE 1	1	لـــٰـــا	OLI- 3D	OLOGI	3.04			1		<u> </u>	L	<u> </u>	1	L	L

UNBUNDI ED	NETWORK ELEMENTS - Kentucky												Attachment:	2 Fxh A		
ONDONDEED	NETWORK ELEMENTO Remarks										Svc Order		Incremental		Incremental	Incremental
											Submitted			Charge -	Charge -	Charge -
		Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		l											Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
					1	1	Nonrec	urrina	Nonrocurring	Disconnect			088	Rates(\$)		
+						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEP9D	UECS1	14.37		,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		7.00.			•		00	
	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP9D	UECS1	30.59										
	2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP9D	UECS2	12.67										
	2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP9D	UECS2	17.45										
	2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP9D	UECS2	33.22										
	ort Rate															
ALL S	TATES															
	2-Wire Voice Grade Port (Centrex) Basic Local Area			UEP9D	UEPYA	2.15	21.29	15.49	2.85	2.67						
	2-Wire Voice Grade Port (Centrex 800 termination)Basic Local															
	Area	ļ	$oxed{oxed}$	UEP9D	UEPYB	2.15	21.29	15.49	2.85	2.67						
	2-Wire Voice Grade Port (Centrex / EBS-PSET)3Basic Local	1														
\vdash	Area	<u> </u>	1	UEP9D	UEPYC	2.15	21.29	15.49	2.85	2.67						
	2-Wire Voice Grade Port (Centrex / EBS-M5009)3Basic Local			LIEDOD	LIEDVO	0.45	04.00	45.40	0.05	0.07						
	Area		1	UEP9D	UEPYD	2.15	21.29	15.49	2.85	2.67						
1 1	2-Wire Voice Grade Port (Centrex / EBS-M5209))3 Basic Local Area	1		UEP9D	UEPYE	2.15	21.29	15.49	2.85	2.67	1					
-	2-Wire Voice Grade Port (Centrex / EBS-M5112))3 Basic Local		1	UEF9D	UEFTE	2.15	21.29	15.49	2.00	2.07						
	Area			UEP9D	UEPYF	2.15	21.29	15.49	2.85	2.67						
+	2-Wire Voice Grade Port (Centrex / EBS-M5312))3Basic Local			UEP9D	UEPTF	2.15	21.29	15.49	2.00	2.07						
	Area			UEP9D	UEPYG	2.15	21.29	15.49	2.85	2.67						
 	2-Wire Voice Grade Port (Centrex / EBS-M5008))3 Basic Local		 	OLI 3D	OLI 10	2.10	21.23	13.43	2.00	2.07						
	Area			UEP9D	UEPYT	2.15	21.29	15.49	2.85	2.67						
	2-Wire Voice Grade Port (Centrex / EBS-M5208))3 Basic Local		1	OLI 3D	OLITI	2.10	21.23	13.43	2.00	2.01						
	Area			UEP9D	UEPYU	2.15	21.29	15.49	2.85	2.67						
	2-Wire Voice Grade Port (Centrex / EBS-M5216))3 Basic Local			*												
	Area			UEP9D	UEPYV	2.15	21.29	15.49	2.85	2.67						
	2-Wire Voice Grade Port (Centrex / EBS-M5316))3 Basic Local															
	Area			UEP9D	UEPY3	2.15	21.29	15.49	2.85	2.67						
	2-Wire Voice Grade Port (Centrex with Caller ID) Basic Local															
	Area			UEP9D	UEPYH	2.15	21.29	15.49	2.85	2.67						
	2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp															
	Indication))4 Basic Local Area			UEP9D	UEPYW	2.15	21.29	15.49	2.85	2.67						
	2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication))4															
	Basic Local Area			UEP9D	UEPYJ	2.15	21.29	15.49	2.85	2.67						
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)															
\vdash	2,3-Basic Local Area	ļ	1	UEP9D	UEPYM	2.15	21.29	15.49	2.85	2.67						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2,3,4	1		LIEDAD	LIEDYO	0.4-	04.00	45.40	0.0=	0.00	1					
 	Basic Local Area	1	1	UEP9D	UEPYO	2.15	21.29	15.49	2.85	2.67						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2,3,4	1		UEP9D	UEPYP	2.15	21.29	15.49	2.85	2.67	1					
 	Basic Local Area 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2,3,4	1	1	UEF9D	UEFTF	2.15	21.29	15.49	2.85	2.07						
1 1	Basic Local Area	1		UEP9D	UEPYQ	2.15	21.29	15.49	2.85	2.67	1					
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2,3,4	 	+ +	OLI:3D	OLI- I Q	2.10	21.29	15.49	2.00	2.07	 					
	Basic Local Area	1		UEP9D	UEPYR	2.15	21.29	15.49	2.85	2.67						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2,3,4	1		02.00	02. 110	2.10	21.20	10.40	2.00	2.07						
	Basic Local Area	1		UEP9D	UEPYS	2.15	21.29	15.49	2.85	2.67	1					
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2,3,4	1	1 1		1					1.0						
1 1	Basic Local Area	1		UEP9D	UEPY4	2.15	21.29	15.49	2.85	2.67	1					
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3															
	Basic Local Area	<u> </u>		UEP9D	UEPY5	2.15	21.29	15.49	2.85	2.67						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2,3,4															
	Basic Local Area			UEP9D	UEPY6	2.15	21.29	15.49	2.85	2.67						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2,3,4		1													
	Basic Local Area	ļ	$oxed{oxed}$	UEP9D	UEPY7	2.15	21.29	15.49	2.85	2.67						
1 1	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service	1									1					
 	Term 2,3	<u> </u>	├	UEP9D	UEPYZ	2.15	21.29	15.49	2.85	2.67						
	2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP9D	LIEDYO	0.4-	04.00	45.40	0.0-	0.00						
	Basic Local Area	1		UEP9D	UEPY9	2.15	21.29	15.49	2.85	2.67	l	l		l		

UNBUN	DLED N	ETWORK ELEMENTS - Kentucky												Attachment:	2 Exh A		
CATEG		RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Submitted	Incremental	Incremental Charge - Manual Svc Order vs.	Incremental Charge - Manual Svc Order vs.	Incremental Charge - Manual Svc Order vs.
														Electronic- 1st	Electronic- Add'l	Electronic- Disc 1st	Electronic- Disc Add'l
								Nonrec		Nonrecurring			•		Rates(\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		2-Wire Voice Grade Port Terminated on 800 Service Term Basic Local Area			UEP9D	UEPY2	2.15	21.29	15.49	2.85	2.67						i '
	VI KA	LA, MS, SC, & TN Only		1	UEP9D	UEPYZ	2.15	21.29	15.49	2.85	2.67						$\overline{}$
	AL, IXI,	2-Wire Voice Grade Port (Centrex)			UEP9D	UEPQA	2.15	21.29	15.49	2.85	2.67						
		2-Wire Voice Grade Port (Centrex 800 termination)			UEP9D	UEPQB	2.15	21.29	15.49	2.85	2.67						i
		2-Wire Voice Grade Port (Centrex / EBS-PSET)4			UEP9D	UEPQC	2.15	21.29	15.49	2.85	2.67						
		2-Wire Voice Grade Port (Centrex / EBS-M5009)4			UEP9D	UEPQD	2.15	21.29	15.49	2.85	2.67						
		2-Wire Voice Grade Port (Centrex / EBS-M5209)4 2-Wire Voice Grade Port (Centrex / EBS-M5112)4		-	UEP9D UEP9D	UEPQE UEPQF	2.15 2.15	21.29 21.29	15.49 15.49	2.85 2.85	2.67 2.67						
-		2-Wire Voice Grade Port (Centrex / EBS-M5312)4		1	UEP9D	UEPQG	2.15	21.29	15.49	2.85	2.67						
		2-Wire Voice Grade Port (Centrex / EBS-M5008)4			UEP9D	UEPQT	2.15	21.29	15.49	2.85	2.67						
		2-Wire Voice Grade Port (Centrex / EBS-M5208)4			UEP9D	UEPQU	2.15	21.29	15.49	2.85	2.67						
		2-Wire Voice Grade Port (Centrex / EBS-M5216)4			UEP9D	UEPQV	2.15	21.29	15.49	2.85	2.67						
-		2-Wire Voice Grade Port (Centrex / EBS-M5316)4 2-Wire Voice Grade Port (Centrex with Caller ID)	1	1	UEP9D UEP9D	UEPQ3 UEPQH	2.15 2.15	21.29 21.29	15.49 15.49	2.85 2.85	2.67 2.67						
-		2-Wire Voice Grade Port (Centrex with Caller ID) 2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp		1	UEP9D	UEPQH	2.15	21.29	15.49	2.85	2.67						
		Indication)4			UEP9D	UEPQW	2.15	21.29	15.49	2.85	2.67						ł
		2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication)4			UEP9D	UEPQJ	2.15	21.29	15.49	2.85	2.67						i
		2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)															i
		2,3			UEP9D	UEPQM	2.15	21.29	15.49	2.85	2.67						
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2,3,4			UEP9D	UEPQO	2.15	21.29	15.49	2.85	2.67						
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2,3,4			UEP9D	UEPQP	2.15	21.29	15.49	2.85	2.67						ļ
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2,3,4			UEP9D	UEPQQ	2.15	21.29	15.49	2.85	2.67						1
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2,3,4			UEP9D	UEPQR	2.15	21.29	15.49	2.85	2.67						-
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2,3,4			UEP9D	UEPQS	2.15	21.29	15.49	2.85	2.67						
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2,3,4			UEP9D	UEPQ4	2.15	21.29	15.49	2.85	2.67						1
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2,3,4			UEP9D	UEPQ5	2.15	21.29	15.49	2.85	2.67						<u> </u>
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2,3,4			UEP9D	UEPQ6	2.15	21.29	15.49	2.85	2.67						-
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2,3,4			UEP9D	UEPQ7	2.15	21.29	15.49	2.85	2.67						
		2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term 2,3			UEP9D	UEPQZ	2.15	21.29	15.49	2.85	2.67						
		2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP9D	UEPQ9	2.15	21.29	15.49	2.85	2.67						i
		2-Wire Voice Grade Port Terminated in 61 Wegamin of equivalent			UEP9D	UEPQ2	2.15	21.29	15.49	2.85	2.67						
	Local S	witching															
\sqcup		Centrex Intercom Funtionality, per port		oxdot	UEP9D	URECS	0.8873			ļ							<u> </u>
\vdash	Feature	All Standard Features Offered, per port	 	+	UEP9D	UEPVF	0.00			 		1					
 		All Select Features Offered, per port	 	+ +	UEP9D UEP9D	UEPVF	0.00	405.66		 		 					
		All Centrex Control Features Offered, per port	1		UEP9D	UEPVC	0.00	400.00		1							
	NARS	71 1															
		Unbundled Network Access Register - Combination			UEP9D	UARCX	0.00	0.00	0.00	0.00	0.00						
 		Unbundled Network Access Register - Inward	<u> </u>	+-+	UEP9D	UAR1X	0.00	0.00	0.00	0.00	0.00	-					
\vdash	Miscell	Unbundled Network Access Register - Outdial aneous Terminations	-	+	UEP9D	UAROX	0.00	0.00	0.00	0.00	0.00	-					
		Trunk Side															
		Trunk Side Terminations, each			UEP9D	CEND6	10.51	92.18	15.82	52.16	5.30						
		Digital (1.544 Megabits)									_			_		_	
\vdash		DS1 Circuit Terminations, each	ļ	1	UEP9D	M1HD1	74.77	164.86	77.74	60.69	3.86	ļ					<u> </u>
igsquare		DS0 Channels Activiated per Channel		1	UEP9D	M1HDO	0.00	15.09		I		1	1		l		1

UNBUNDLED I	NETWORK ELEMENTS - Kentucky												Attachment:	2 Exh A		
CATEGORY		Interi	7	BCS	USOC			RATES(\$)			Submitted Elec	Submitted Manually	Incremental Charge - Manual Svc	Incremental Charge - Manual Svc	Incremental Charge - Manual Svc	Incremental Charge - Manual Svc
CATEGORY	RATE ELEMENTS	m	Zone	всъ	USUC			KATES(\$)			per LSR	per LSR	Order vs. Electronic- 1st	Order vs. Electronic- Add'l	Order vs. Electronic- Disc 1st	Order vs. Electronic- Disc Add'l
-			1		1	1	Nonrec	rurring	Nonrecurring	n Disconnect			oss	Rates(\$)		
			1			Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOM AN	SOMAN	SOMAN
Interof	fice Channel Mileage - 2-Wire							,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		7.44	0020		•			
-	Interoffice Channel Facilities Termination			UEP9D	M1GBC	29.11										
	Interoffice Channel mileage, per mile or fraction of mile			UEP9D	M1GBM	0.01										
Featur	e Activations (DS0) Centrex Loops on Channelized DS1 Service	e														
D4 Cha	annel Bank Feature Activations															
	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP9D	1PQWS	0.62										
					450140											
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot Feature Activation on D-4 Channel Bank FX Trunk Side Loop		1	UEP9D	1PQW6	0.62										
	Slot			UEP9D	1PQW7	0.62										
	Feature Activation on D-4 Channel Bank Centrex Loop Slot - Different Wire Center			UEP9D	1PQWP	0.62										
	Dilibioni Wile Office		+ +	UEFBD	IFQWF	0.62										
	Feature Activation on D-4 Channel Bank Private Line Loop Slot	ļ		UEP9D	1PQWV	0.62										
	Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop Slot			UEP9D	1PQWQ	0.62										
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP9D	1PQWA	0.62										
Non-Re	ecurring Charges (NRC) Associated with UNE-P Centrex			*		0.00										
	NRC Conversion Currently Combined Switch-As-Is with allowed															
	changes, per port			UEP9D	USAC2		0.102	0.102								
	Conversion of existing Centrex Common Block, each			UEP9D	USACN		18.95	8.32								
	New Centrex Standard Common Block			UEP9D	M1ACS	0.00	669.80	78.32	111.05	13.27						
	New Centrex Customized Common Block			UEP9D	M1ACC	0.00	669.80	78.32	111.05	13.27						
A -1 -1141	NAR Establishment Charge, Per Occasion		1	UEP9D	URECA	0.00	72.75									
Additio	onal Non-Recurring Charges (NRC) Unbundled Miscellaneous Rate Element, Tag Loop at End Use		1		1	-										
	Premise			UEP9D	URETL		8.33	0.83								
	Unbundled Miscellaneous Rate Element, Tag Design Loop at End Use Premise			UEP9D	URETN		11.21	1.10								
UNF-P	CENTREX - EWSD (Valid in AL, FL, KY, LA, MS & TN)		1	UEF9D	UKETIN		11.21	1.10								
	VG Loop/2-Wire Voice Grade Port (Centrex) Combo	1	1 1		+											
	ort/Loop Combination Rates (Non-Design)															
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -															
	Non-Design					11.79										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design					16.52										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
UNED	Non-Design		1			32.74										
UNE P	ort/Loop Combination Rates (Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -	1	 		+	-			-	-		-		1		
	Design					14.82										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -					40.00										
 	Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -	 	1			19.60										
	Design					35.37										
UNE L	oop Rate															
	2-Wire Voice Grade Loop (SL 1) - Zone 1	ļ	1	UEP9E	UECS1	9.64										
	2-Wire Voice Grade Loop (SL 1) - Zone 2	ļ	2	UEP9E UEP9E	UECS1	14.37										
	2-Wire Voice Grade Loop (SL 1) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 1	!	3	UEP9E UEP9E	UECS1 UECS2	30.59 12.67								-		
 	2-Wire Voice Grade Loop (SL 2) - Zone 1 2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP9E UEP9E	UECS2	17.45			1	1						
	2-Wire Voice Grade Loop (SL 2) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 3	1	3	UEP9E	UECS2	33.22					1			1		
UNE P	ort Rate		 			33.22			İ	İ						
	, KY, LA, MS, & TN only															
	2-Wire Voice Grade Port (Centrex) Basic Local Area			UEP9E	UEPYA	2.15	21.29	15.49	2.85	2.67						
	2-Wire Voice Grade Port (Centrex 800 termination)Basic Local Area			UEP9E	UEPYB	2.15	21.29	15.49	2.85	2.67						
	2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local															
	Area	<u> </u>		UEP9E	UEPYH	2.15	21.29	15.49	2.85	2.67		<u> </u>				

JNBUNDLED N	NETWORK ELEMENTS - Kentucky												Attachment:	2 Exh A		
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add
							Nonrec	urring	Nonrecurring	Disconnect				Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Grade Port (Centrex from diff Serving Wire															
	Center)2,3 Basic Local Area			UEP9E	UEPYM	2.15	21.29	15.49	2.85	2.67						
	2-Wire Voice Grade Port, Diff Serving Wire Center 2,3 - 800															
	Service Term - Basic Local Area			UEP9E	UEPYZ	2.15	21.29	15.49	2.85	2.67						
	2-Wire Voice Grade Port terminated in on Megalink or equivalent															
	- Basic Local Area			UEP9E	UEPY9	2.15	21.29	15.49	2.85	2.67						
	2-Wire Voice Grade Port Terminated on 800 Service Term -															
	Basic Local Area			UEP9E	UEPY2	2.15	21.29	15.49	2.85	2.67						
	, LA, MS, & TN Only		1 1	02.02	022	2.10	21.20	10.10	2.00	2.0.						
	2-Wire Voice Grade Port (Centrex)		1 1	UEP9E	UEPQA	2.15	21.29	15.49	2.85	2.67						
-+	2-Wire Voice Grade Port (Centrex 800 termination)			UEP9E	UEPQB	2.15	21.29	15.49	2.85	2.67						
-+	2-Wire Voice Grade Port (Centrex with Caller ID)1			UEP9E	UEPQH	2.15	21.29	15.49	2.85	2.67						
	2-Wire Voice Grade Port (Centrex with Carler ID)1 2-Wire Voice Grade Port (Centrex from diff Serving Wire		+ +	ULF9L	ULFQII	2.13	21.29	13.45	2.03	2.07						
	Center)2.3			UEP9E	UEPQM	2.15	21.29	15.49	2.85	2.67						
	2-Wire Voice Grade Port, Diff Serving Wire Center 2,3 - 800		+ +	UEF9E	UEPQIVI	2.13	21.29	15.49	2.00	2.07	-					
				UEP9E	UEPQZ	2.15	21.29	15.49	2.85	2.67						
\longrightarrow	Service Term		1	UEP9E	UEPQZ	2.15	21.29	15.49	2.85	2.07						
	L															
	2-Wire Voice Grade Port terminated in on Megalink or equivalent		1	UEP9E	UEPQ9	2.15	21.29	15.49	2.85	2.67						
	2-Wire Voice Grade Port Terminated on 800 Service Term		1	UEP9E	UEPQ2	2.15	21.29	15.49	2.85	2.67						
	Switching															
	Centrex Intercom Funtionality, per port			UEP9E	URECS	0.8873										
Feature																
	All Standard Features Offered, per port			UEP9E	UEPVF	0.00										
	All Select Features Offered, per port			UEP9E	UEPVS	0.00	405.66									
	All Centrex Control Features Offered, per port			UEP9E	UEPVC	0.00										
NARS																
	Unbundled Network Access Register - Combination			UEP9E	UARCX	0.00	0.00	0.00	0.00	0.00						
	Unbundled Network Access Register - Indial			UEP9E	UAR1X	0.00	0.00	0.00	0.00	0.00						
	Unbundled Network Access Register - Outdial			UEP9E	UAROX	0.00	0.00	0.00	0.00	0.00						
	laneous Terminations															
2-Wire	Trunk Side															
	Trunk Side Terminations, each			UEP9E	CEND6	10.51	92.18	15.82	52.16	5.30						
4-Wire	Digital (1.544 Megabits)															
	DS1 Circuit Terminations, each			UEP9E	M1HD1	74.77	164.86	77.74	60.69	3.86						
	DS0 Channel Activated Per Channel			UEP9E	M1HDO	0.00	15.09									
	fice Channel Mileage - 2-Wire															
	Interoffice Channel Facilities Termination			UEP9E	M1GBC	29.11										
	Interoffice Channel mileage, per mile or fraction of mile			UEP9E	M1GBM	0.01										
	e Activations (DS0) Centrex Loops on Channelized DS1 Service	e														
D4 Cha	annel Bank Feature Activations															
	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP9E	1PQWS	0.62										
																
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP9E	1PQW6	0.62										
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop				7						1	İ				
	Slot			UEP9E	1PQW7	0.62						1				
-	Feature Activation on D-4 Channel Bank Centrex Loop Slot -		1 1			5.02					1					
	Different Wire Center			UEP9E	1PQWP	0.62						1				
$\overline{}$					1	5.52					1	1				
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP9E	1PQWV	0.62										
	Feature Activation on D-4 Channel Bank Tilvate Line Loop Slot		+	J_1 J_	3,111	0.02					1	1				
	Slot			UEP9E	1PQWQ	0.62						1				
		1	1		1PQWA	0.62					1					
						0.02					!	 				
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP9E												
	Feature Activation on D-4 Channel Bank WATS Loop Slot ecurring Charges (NRC) Associated with UNE-P Centrex			UEP9E												
Non-Re	Feature Activation on D-4 Channel Bank WATS Loop Slot ecurring Charges (NRC) Associated with UNE-P Centrex NRC Conversion Currently Combined Switch-As-Is with allowed						0.103	0.102								
Non-Re	Feature Activation on D-4 Channel Bank WATS Loop Slot ecurring Charges (NRC) Associated with UNE-P Centrex NRC Conversion Currently Combined Switch-As-Is with allowed changes, per port			UEP9E	USAC2		0.102	0.102								
Non-Re	Feature Activation on D-4 Channel Bank WATS Loop Slot ecurring Charges (NRC) Associated with UNE-P Centrex NRC Conversion Currently Combined Switch-As-Is with allowed changes, per port Conversion of Existing Centrex Common Block, each			UEP9E UEP9E	USAC2 USACN	0.00	18.95	8.32	111.05	12 07						
Non-Re	Feature Activation on D-4 Channel Bank WATS Loop Slot ecurring Charges (NRC) Associated with UNE-P Centrex NRC Conversion Currently Combined Switch-As-Is with allowed changes, per port			UEP9E	USAC2	0.00			111.05 111.05	13.27 13.27						

UNBUNDLED	NETWORK ELEMENTS - Kentucky												Attachment:	2 Exh A		l
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Submitted	Incremental	Incremental Charge -	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
							Nonrec	urring	Nonrecurring	Disconnect			oss	Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
Addit	ional Non-Recurring Charges (NRC)					1100										
	Unbundled Miscellaneous Rate Element, Tag Loop at End Use															
	Premise			UEP9E	URETL		8.33	0.83								
	Unbundled Miscellaneous Rate Element, Tag Design Loop at															
	End Use Premise			UEP9E	URETN		11.21	1.10								
UNE-I	CENTREX - DCO - Valid in AL, KY, LA, MS, & TN)															
	e VG Loop/2-Wire Voice Grade Port (Centrex) Combo															
UNE F	Port/Loop Combination Rates (Non-Design)															
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -	-														
	Non-Design					11.79										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -	1										1				
	Non-Design	ļ	1		1	16.52										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -					00 - 1										
11615	Non-Design	-	 		+	32.74										
UNE	Port/Loop Combination Rates (Design)		-													
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Design	1				14.82										
-	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		-		-	14.82										
	Design					19.60										
 	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		1			19.00										
	Design					35.37										
LINE I	Loop Rate				+	00.07										
O.N.E.	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP93	UECS1	9.64										
	2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEP93	UECS1	14.37										
	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP93	UECS1	30.59										
	2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP93	UECS2	12.67										
	2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP93	UECS2	17.45										
	2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP93	UECS2	33.22										
UNE F	Port Rate															
AL, K	Y, LA, MS, & TN only															
	2-Wire Voice Grade Port (Centrex) Basic Local Area			UEP93	UEPYA	2.15	21.29	15.49	2.85	2.67						
	2-Wire Voice Grade Port (Centrex 800 termination)Basic Local															
	Area			UEP93	UEPYB	2.15	21.29	15.49	2.85	2.67						
	2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local															
	Area			UEP93	UEPYH	2.15	21.29	15.49	2.85	2.67						
	2-Wire Voice Grade Port (Centrex from diff Serving Wire				1	_ 1			_	_						
	Center)2,3 Basic Local Area			UEP93	UEPYM	2.15	21.29	15.49	2.85	2.67						
1 1	2-Wire Voice Grade Port, Diff Serving Wire Center - 2,3 - 800	1		LIEBOO	11557	[1				
\vdash	Service Term - Basic Local Area	-	 	UEP93	UEPYZ	2.15	21.29	15.49	2.85	2.67						
	2-Wire Voice Grade Port terminated in on Megalink or equivalent - Basic Local Area	1		UEP93	UEPY9	2.15	21.29	15.49	2.85	2.67		1				
	2-Wire Voice Grade Port Terminated on 800 Service Term -	 	+	UEP93	UEPT9	2.15	21.29	15.49	∠.85	2.07		 				
	Basic Local Area			UEP93	UEPY2	2.15	21.29	15.49	2.85	2.67						
 	2-Wire Voice Grade Port (Centrex)	 	1 1	UEP93	UEPQA	2.15	21.29	15.49	2.85	2.67				1		1
 	2-Wire Voice Grade Port (Centrex) 2-Wire Voice Grade Port (Centrex 800 termination)	1	1 1	UEP93	UEPQB	2.15	21.29	15.49	2.85	2.67						
	2-Wire Voice Grade Port (Centrex with Caller ID)1	1	1 1	UEP93	UEPQH	2.15	21.29	15.49	2.85	2.67						
	2-Wire Voice Grade Port (Centrex from diff Serving Wire	1				25	220	.5.70	2.50	2.57						
	Center)2,3			UEP93	UEPQM	2.15	21.29	15.49	2.85	2.67						
	2-Wire Voice Grade Port, Diff Serving Wire Center - 2,3 -800						0			,,				İ		İ
	Service Term	1		UEP93	UEPQZ	2.15	21.29	15.49	2.85	2.67		1				
	2-Wire Voice Grade Port terminated in on Megalink or equivalent	<u></u>		UEP93	UEPQ9	2.15	21.29	15.49	2.85	2.67						
	2-Wire Voice Grade Port Terminated on 800 Service Term			UEP93	UEPQ2	2.15	21.29	15.49	2.85	2.67						
Local	Switching															
	Centrex Intercom Funtionality, per port			UEP93	URECS	0.8873										
Featu		ļ			1											
\vdash	All Standard Features Offered, per port	 		UEP93	UEPVF	0.00										
H	All Centrex Control Features Offered, per port	<u> </u>	├ ─┤	UEP93	UEPVC	0.00								ļ		ļ
NARS		<u> </u>			1				I		1	l .		l		l

NBUNDLED	NETWORK ELEMENTS - Kentucky												Attachment:	2 Exh A		
											Svc Order	Svc Order	Incremental	Incremental	Incremental	Incrementa
												Submitted	Charge -	Charge -	Charge -	Charge -
											Elec	Manually		Manual Svc		_
ATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES(\$)				per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m		200	5555			(+)			per LSK	per LSK				
													Electronic-		Electronic-	Electronic
													1st	Add'l	Disc 1st	Disc Add'l
							Nonrec	urring	Nonrecurring	Disconnect			088	Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Unbundled Network Access Register - Combination	1		UEP93	UARCX	0.00	0.00	0.00	0.00	0.00	SOWIEC	SUMAN	SUMAN	SUMAN	SUMAN	SUMAN
																
	Unbundled Network Access Register - Indial			UEP93	UAR1X	0.00	0.00	0.00	0.00	0.00						
	Unbundled Network Access Register - Outdial			UEP93	UAROX	0.00	0.00	0.00	0.00	0.00						
	laneous Terminations															ļ
2-Wire	Trunk Side															
	Trunk Side Terminations, each			UEP93	CEND6	10.51	92.18	15.82	52.16	5.30						
4-Wire	Digital (1.544 Megabits)															
	DS1 Circuit Terminations, each			UEP93	M1HD1	74.77	164.86	77.74	60.69	3.86						
	DS0 Channels Activated, Per Channel			UEP93	M1HDO	0.00	15.09									
Interof	fice Channel Mileage - 2-Wire															
	Interoffice Channel Facilities Termination			UEP93	M1GBC	29.11										
	Interoffice Channel mileage, per mile or fraction of mile			UEP93	M1GBM	0.01										
Featur	e Activations (DS0) Centrex Loops on Channelized DS1 Service	e														
	annel Bank Feature Activations															1
	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP93	1PQWS	0.62										
		1														
	Feature Activation on D-4 Channel Bank FX Line Side Loop Slot			UEP93	1PQW6	0.62										
_	Feature Activation on D-4 Channel Bank FX Trunk Side Loop			OLI 33	11 Q 110	0.02										+
	Slot			UEP93	1PQW7	0.62										
-	Feature Activation on D-4 Channel Bank Centrex Loop Slot -	 		OLI 33	11 Q 11 7	0.02										+
	Different Wire Center			UEP93	1PQWP	0.62										
	Different wife Center	1		UEF93	IFQWF	0.02										
	Fration Astination on D.4 Channel Beats British Line Land Clat			UEP93	1PQWV	0.62										
	Feature Activation on D-4 Channel Bank Private Line Loop Slot	-		UEP93	1PQWV	0.62										
	Feature Activation on D-4 Channel Bank Tie Line/Trunk Loop				4001440											
	Slot			UEP93	1PQWQ	0.62										ļ
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP93	1PQWA	0.62										ļ
Non-R	ecurring Charges (NRC) Associated with UNE-P Centrex															
	NRC Conversion Currently Combined Switch-As-Is with allowed				1											
	changes, per port			UEP93	USAC2		0.102	0.102								ļ
	Conversion of Existing Centrex Common Block, each			UEP93	USACN		18.95	8.32								
	New Centrex Standard Common Block			UEP93	M1ACS	0.00	669.80	78.32	111.05	13.27						
	New Centrex Customized Common Block			UEP93	M1ACC	0.00	669.80	78.32	111.05	13.27						
	NAR Establishment Charge, Per Occasion			UEP93	URECA	0.00	72.75									
Additi	onal Non-Recurring Charges (NRC)															
	Unbundled Miscellaneous Rate Element, Tag Loop at End Use											İ				
	Premise			UEP93	URETL		8.33	0.83								
	Unbundled Miscellaneous Rate Element, Tag Design Loop at											İ		İ	1	
	End Use Premise			UEP93	URETN		11.21	1.10								
Note 1	- Required Port for Centrex Control in 1AESS, 5ESS & EWSD			02.00	J.,,,	L	2 1	0		l .			1			
	- Required For for Gentlex Control in TAESS, 3ESS & EWSB															
	- Installation is combination of Installation charge for SL2 Lo	on and	Port													
	Requires Specific Customer Premises Equipment	op and	. 011													
	- Requires Specific Customer Premises Equipment Rates displaying an "I" in Interim column are interim as a resu	.14	`- ··													

UNRU	NDI ED N	IETWORK ELEMENTS - Louisiana												Attachment:	2 Fyh Δ	l	
ONDO	ADELD I	ETWORK ELLINENTO - Louisiana										Svc Order	Svc Order	Incremental		Incremental	Incremental
												Submitted		Charge -	Charge -	Charge -	Charge -
			Intori									Elec	Manually	Manual Svc	Manual Svc		Manual Svc
CATE	GORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m									F	,	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'I	Disc 1st	Disc Add'l
																2.00 .01	2.007.444
								Nonrec			Disconnect				Rates(\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		one" shown in the sections for stand-alone loops or loops as				ographically	Deaveraged U	NE Zones. To	view Geograp	hically Deaver	aged UNE Zone	e Designation	ons by Cent	ral Office, refe	er to internet \	Website:	
		ww.interconnection.bellsouth.com/become_a_clec/html/inter	rconnec	tion.ht	m												
OPER.		SUPPORT SYSTEMS (OSS) - "REGIONAL RATES"															
		(1) CLEC should contact its contract negotiator if it prefers the															
		ther the state specific Commission ordered rates for the servi															
		(2) Any element that can be ordered electronically will be bill															
-	tnat cal	nnot be ordered electronically at present per the LOH, the list OSS - Electronic Service Order Charge, Per Local Service	ea SOM	IEC rate	e in this category ref	lects the cha	arge that would	be billed to a	CLEC once el	ectronic oraeri	ng capabilities	come on-II	ne for that o	element. Otne	erwise, the ma	anuai ordering	g cnarge,
1		Request (LSR) - UNE Only	1			SOMEC		3.50	0.00	3.50	0.00						
-	1	OSS - Manual Service Order Charge, Per Local Service Request	1	1		SOIVIEU	1	3.50	0.00	3.50	0.00					1	
1		(LSR) - UNE Only	1			SOMAN		15.20	0.00	15.20	0.00						
LINE 9	FRVICE	DATE ADVANCEMENT CHARGE	1			CONTAIN		13.20	0.00	15.20	0.00	1	1				
OIVE O		The Expedite charge will be maintained commensurate with	ReliSou	ith's FC	C No 1 Tariff Section	n 5 as annli	cable				l .					l .	l .
-		Expense sharp will be maintained confidenciate with	1	1	UAL, UEANL, UCL,	5 45 45511											
					UEF, UDF, UEQ,												
					UDL, UENTW, UDN,												
					UEA, UHL, ULC,												
					USL, U1T12, U1T48,												
					U1TD1, U1TD3,												
					U1TDX, U1TO3,												
					U1TS1, U1TVX,												
					UC1BC, UC1BL,												
					UC1CC, UC1CL,												
					UC1DC, UC1DL,												
					UC1EC, UC1EL,												
					UC1FC, UC1FL,												
					UC1GC, UC1GL,												
					UC1HC, UC1HL,												
					UDL12, UDL48,												
					UDLO3, UDLSX,												
					UE3, ULD12,												
					ULD48, ULDD1,												
					ULDD3, ULDDX,												
1			1		ULDO3, ULDS1, ULDVX, UNC1X.												
1			1		UNC3X, UNCDX,												
			1		UNCNX, UNCSX,												
			1		UNCVX, UNLD1.												
			1		UNLD3, UXTD1,												
			1		UXTD3, UXTS1,												
1			1		U1TUC, U1TUD.												
1			1		U1TUB,												
1		UNE Expedite Charge per Circuit or Line Assignable USOC, per	1		U1TUA,NTCVG,												
1		Day	1		NTCUD, NTCD1	SDASP		200.00									
ORDE		ICATION CHARGE															
		Order Modification Charge (OMC)						26.21	0.00	0.00	0.00						
		Order Modification Additional Dispatch Charge (OMCAD)						150.00	0.00	0.00	0.00						
UNBU		XCHANGE ACCESS LOOP															
	2-WIRE	ANALOG VOICE GRADE LOOP															
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or	1														
<u> </u>		Ground Start Signaling - Zone 1	<u> </u>	1	UEA	UEAL2	14.93	102.10	65.72								
1		2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or	1														
L	ļ	Ground Start Signaling - Zone 2	ļ	2	UEA	UEAL2	25.35	102.10	65.72								
1		2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or	1				==										
 	1	Ground Start Signaling - Zone 3	!	3	UEA	UEAL2	50.46	102.10	65.72							1	
1		2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse	1		UEA	UEAR2	44.00	400.40	05.70								
	1	Battery Signaling - Zone 1	1	1 1	UEA	UEAK2	14.93	102.10	65.72			<u> </u>					

Version 4Q05 Standard ICA 03/15/06 (Renegotiations) Page 116 of 261

UNBUNDLED N	IETWORK ELEMENTS - Louisiana												Attachment:	2 Exh A		
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Charge -	Charge -
							Nonrec	urring	Nonrecurring Disc	connect				Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse															
	Battery Signaling - Zone 2		2	UEA	UEAR2	25.35	102.10	65.72								
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse															
	Battery Signaling - Zone 3		3	UEA	UEAR2	50.46	102.10	65.72								
	Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per															
	DS0)			UEA	URESL		24.98	3.52								
	Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per															
	DS0)			UEA	URESP		26.47	5.01								
	CLEC to CLEC Conversion Charge without outside dispatch			UEA	UREWO		87.59	36.30								
	Loop Tagging - Service Level 2 (SL2)			UEA	URETL		11.20	1.10								
4-WIRE	ANALOG VOICE GRADE LOOP															
	4-Wire Analog Voice Grade Loop - Zone 1			UEA	UEAL4	30.81	127.40	91.02								
	4-Wire Analog Voice Grade Loop - Zone 2			UEA	UEAL4	38.32	127.40	91.02								
	4-Wire Analog Voice Grade Loop - Zone 3		3	UEA	UEAL4	60.39	127.40	91.02								
] [Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per	l	1	UEA	URESL		24.98	3.52]					1		1
	DS0)			UEA	URESL		24.98	3.52								—
	Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per DS0)			UEA	URESP		26.47	5.01								
	CLEC to CLEC Conversion Charge without outside dispatch			UEA	UREWO		87.59	36.30								-
2.WIDE	SISDN DIGITAL GRADE LOOP			UEA	UKEWO		67.39	30.30								-
Z-WIKE	2-Wire ISDN Digital Grade Loop - Zone 1		1	UDN	U1L2X	22.09	113.34	76.96								-
 	2-Wire ISDN Digital Grade Loop - Zone 2			UDN	U1L2X	35.28	113.34	76.96	 							
 	2-Wire ISDN Digital Grade Loop - Zone 2			UDN	U1L2X	65.18	113.34	76.96	 							
	CLEC to CLEC Conversion Charge without outside dispatch			UDN	UREWO	03.10	91.49	44.09								
2-WIRE	ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMP	ATIRI F			CINEVVO		01.40	77.00								
	2 Wire Unbundled ADSL Loop including manual service inquiry	,,,, <u>,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,</u>	1													
	& facility reservation - Zone 1		1	UAL	UAL2X	12.29	117.08	68.36								
	2 Wire Unbundled ADSL Loop including manual service inquiry															
	& facility reservation - Zone 2		2	UAL	UAL2X	14.09	117.08	68.36								
	2 Wire Unbundled ADSL Loop including manual service inquiry															
	& facility reservation - Zone 3		3	UAL	UAL2X	15.75	117.08	68.36								
	2 Wire Unbundled ADSL Loop without manual service inquiry &															
	facility reservaton - Zone 1		1	UAL	UAL2W	12.29	92.83	56.02								
	2 Wire Unbundled ADSL Loop without manual service inquiry &															
	facility reservaton - Zone 2		2	UAL	UAL2W	14.09	92.83	56.02								
	2 Wire Unbundled ADSL Loop without manual service inquiry &															
	facility reservaton - Zone 3		3	UAL	UAL2W	15.75	92.83	56.02								
	CLEC to CLEC Conversion Charge without outside dispatch			UAL	UREWO		86.07	40.34								
2-WIRE	HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIBLE	LOOP													
	2 Wire Unbundled HDSL Loop including manual service inquiry	l		l		0 =0	405.50	70								1
 	& facility reservation - Zone 1	<u> </u>	1	UHL	UHL2X	9.79	125.50	76.77	 					 	ļ	
	2 Wire Unbundled HDSL Loop including manual service inquiry	l	_	l.,,,,	LILLION	44.50	405 50	70 77]					1		1
 	& facility reservation - Zone 2 2 Wire Unbundled HDSL Loop including manual service inquiry	-	2	UHL	UHL2X	11.52	125.50	76.77								
] [& facility reservation - Zone 3	l	2	UHL	UHL2X	12.74	125.50	76.77]					1		1
 	2 Wire Unbundled HDSL Loop without manual service inquiry	!	3	UIIL	υπιΖλ	12.74	1∠5.50	70.77	 					-		
	and facility reservation - Zone 1	l	4	UHL	UHL2W	9.79	101.24	64.43]					1		1
 	2 Wire Unbundled HDSL Loop without manual service inquiry		 	OI IL	UTILZVV	5.79	101.24	04.43	 					 		
	and facility reservation - Zone 2	l	2	UHL	UHL2W	11.52	101.24	64.43]					1		1
	2 Wire Unbundled HDSL Loop without manual service inquiry				3	52	.024	3 40						1		
	and facility reservation - Zone 3	l	3	UHL	UHL2W	12.74	101.24	64.43]					1		1
	CLEC to CLEC Conversion Charge without outside dispatch		Ť	UHL	UREWO		86.00	40.34							İ	
4-WIRE	HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIBLE	LOOP													
İ	4 Wire Unbundled HDSL Loop including manual service inquiry															
	and facility reservation - Zone 1	<u> </u>	1	UHL	UHL4X	16.24	153.26	104.54					<u> </u>			<u> </u>
	4-Wire Unbundled HDSL Loop including manual service inquiry]		1
	and facility reservation - Zone 2		2	UHL	UHL4X	16.65	153.26	104.54								1
	4-Wire Unbundled HDSL Loop including manual service inquiry	l														1
	and facility reservation - Zone 3		3	UHL	UHL4X	17.34	153.26	104.54								

CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
							N		I M					D - ((ft)		<u> </u>
							Nonrec		Nonrecurring D					Rates(\$)		T
	AME III II III III III III III III III II					Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	4-Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 1			UHL	UHL4W	16.24	129.00	92.20								
-+-	4-Wire Unbundled HDSL Loop without manual service inquiry		- '	UNL	UHL4VV	10.24	129.00	92.20								
	and facility reservation - Zone 2		2	UHL	UHL4W	16.65	129.00	92.20								
	4-Wire Unbundled HDSL Loop without manual service inquiry			OTIL	OTILATO	10.00	120.00	02.20								
	and facility reservation - Zone 3		3	UHL	UHL4W	17.34	129.00	92.20								
	CLEC to CLEC Conversion Charge without outside dispatch			UHL	UREWO		86.00	40.34								
4-WIR	RE DS1 DIGITAL LOOP															
	4-Wire DS1 Digital Loop - Zone 1			USL	USLXX	85.70	245.16	152.98								
	4-Wire DS1 Digital Loop - Zone 2			USL	USLXX	194.96	245.16	152.98								
	4-Wire DS1 Digital Loop - Zone 3		3	USL	USLXX	491.94	245.16	152.98								_
	Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per	l		USL	URESL	1	24.98	3.52								
-+-	DS1) Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per			USL	UKESL		24.98	3.52	+							
	DS1)			USL	URESP		26.47	5.01								
-+	CLEC to CLEC Conversion Charge without outside dispatch			USL	UREWO		100.93	42.98								
4-WIF	RE 19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP															
	4 Wire Unbundled Digital Loop 2.4 Kbps - Zone 1		1	UDL	UDL2X	30.99	121.86	85.48								
	4 Wire Unbundled Digital Loop 2.4 Kbps - Zone 2		2	UDL	UDL2X	36.78	121.86	85.48								
	4 Wire Unbundled Digital Loop 2.4 Kbps - Zone3		3	UDL	UDL2X	38.92	121.86	85.48								
	4 Wire Unbundled Digital Loop 4.8 Kbps -Zone 1			UDL	UDL4X	30.99	121.86	85.48								
	4 Wire Unbundled Digital Loop 4.8 Kbps - Zone 2			UDL	UDL4X	36.78	121.86	85.48								
	4 Wire Unbundled Digital Loop 4.8 Kbps - Zone 3			UDL	UDL4X	38.92	121.86	85.48								
	4 Wire Unbundled Digital Loop 9.6 Kbps - Zone 1			UDL	UDL9X	30.99	121.86	85.48								
\longrightarrow	5 Wire Unbundled Digital Loop 9.6 Kbps - Zone 2 6 Wire Unbundled Digital Loop 9.6 Kbps - Zone 3			UDL UDL	UDL9X UDL9X	36.78 38.92	121.86 121.86	85.48 85.48								
	4 Wire Unbundled Digital 19.2 Kbps - Zone 1			UDL	UDL19	30.99	121.86	85.48								
-+	4 Wire Unbundled Digital 19.2 Kbps - Zone 1			UDL	UDL19	36.78	121.86	85.48								
	4 Wire Unbundled Digital 19.2 Kbps - Zone 3			UDL	UDL19	38.92	121.86	85.48								
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 1			UDL	UDL56	30.99	121.86	85.48								
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 2		2	UDL	UDL56	36.78	121.86	85.48								
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 3			UDL	UDL56	38.92	121.86	85.48								
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 1			UDL	UDL64	30.99	121.86	85.48								
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 2			UDL	UDL64	36.78	121.86	85.48								ļ
\longrightarrow	4 Wire Unbundled Digital Loop 64 Kbps - Zone 3		3	UDL	UDL64	38.92	121.86	85.48								
	Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per DS0)			UDL	URESL		24.98	3.52								
	Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per			UDL	UKESL		24.90	3.32								1
	DS0)			UDL	URESP		26.47	5.01								
	CLEC to CLEC Conversion Charge without outside dispatch			UDL	UREWO		101.97	49.67								
2-WIR	E Unbundled COPPER LOOP															
	2-Wire Unbundled Copper Loop-Designed including manual															
	service inquiry & facility reservation - Zone 1		1	UCL	UCLPB	12.29	116.18	67.46								
	2-Wire Unbundled Copper Loop-Designed including manual															
	service inquiry & facility reservation - Zone 2		2	UCL	UCLPB	14.09	116.18	67.46								
	2 Wire Unbundled Copper Loop-Designed including manual		2	HO	LICLED	45.75	440.40	67.46								
-+-	service inquiry & facility reservation - Zone 3 2-Wire Unbundled Copper Loop-Designed without manual		3	UCL	UCLPB	15.75	116.18	67.46								
	service inquiry and facility reservation - Zone 1		1	UCL	UCLPW	12.29	91.92	55.12								
-+	2-Wire Unbundled Copper Loop-Designed without manual		!		OOL! W	12.29	31.32	55.12	 				1			†
	service inquiry and facility reservation - Zone 2		2	UCL	UCLPW	14.09	91.92	55.12								
	2-Wire Unbundled Copper Loop-Designed without manual															
	service inquiry and facility reservation - Zone 3			UCL	UCLPW	15.75	91.92	55.12								
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		7.92	7.92								
	CLEC to CLEC Conversion Charge without outside dispatch															
	(UCL-Des)			UCL	UREWO		91.92	42.47	 				-			
4-WIR	RE COPPER LOOP 4-Wire Copper Loop-Designed including manual service inquiry				+				 							
					1				1		i		1	ı	ı	1

UNBUNDLED N	IETWORK ELEMENTS - Louisiana												Attachment:	2 Exh A		
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc		N	RATES(\$)				Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Charge -	Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'l
						B	Nonrec		Nonrecurring		001450	001111		Rates(\$)	001441	001441
	4-Wire Copper Loop-Designed including manual service inquiry					Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	and facility reservation - Zone 2		2	UCL	UCL4S	18.95	139.69	90.96								
	4-Wire Copper Loop-Designed including manual service inquiry			UCL	UCL43	10.55	139.09	90.90			1					
	and facility reservation - Zone 3		3	UCL	UCL4S	10.99	139.69	90.96								
	4-Wire Copper Loop-Designed without manual service inquiry															
	and facility reservation - Zone 1		1	UCL	UCL4W	22.27	115.43	78.63								
	4-Wire Copper Loop-Designed without manual service inquiry		_		1101 414	10.05	445.40	70.00								
-	and facility reservation - Zone 2 4-Wire Copper Loop-Designed without manual service inquiry		2	UCL	UCL4W	18.95	115.43	78.63								
	and facility reservation - Zone 3		3	UCL	UCL4W	10.99	115.43	78.63								
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC	10.55	7.92	7.92								
	CLEC to CLEC Conversion Charge without outside dispatch															
	(UCL-Des)			UCL	UREWO		91.92	42.47								
				UEA, UDN, UAL,												
	Order Coordination for Specified Conversion Time (per LSR)			UHL, UDL, USL	OCOSL		17.56									
Rearrar	ngements															
	EEL to UNE-L Retermination, per 2 Wire Unbundled Voice Loop- SL2			UEA	UREEL		87.59	36.30								
-	5L2			UEA	UKEEL		87.59	36.30			1					
	EEL to UNE-L Retermination, per 4 Wire Unbundled Voice Loop			UEA	UREEL		87.59	36.30								
	EEL to UNE-L Retermination, per 2 Wire ISDN Loop			UDN	UREEL		91.49	44.09								
	EEL to UNE-L Retermination, per 4 Wire Unbundled Digital															
	Loop			UDL	UREEL		101.97	49.67								
	EEL to UNE-L Retermination, per 4 Wire Unbundled DS1 Loop			USL	UREEL		100.93	42.98								
UNE LOOP CO																
2-WIRE	ANALOG VOICE GRADE LOOP - COMMINGLING															
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 1		4	NTCVG	UEAL2	14.93	102.10	65.72								
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or		'	NICVG	UEALZ	14.93	102.10	65.72								
	Ground Start Signaling - Zone 2		2	NTCVG	UEAL2	25.35	102.10	65.72								
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or				1											
	Ground Start Signaling - Zone 3		3	NTCVG	UEAL2	50.46	102.10	65.72								
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse															
	Battery Signaling - Zone 1		1	NTCVG	UEAR2	14.93	102.10	65.72								
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse						100.10									
	Battery Signaling - Zone 2 2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse		2	NTCVG	UEAR2	25.35	102.10	65.72								
	Battery Signaling - Zone 3		3	NTCVG	UEAR2	50.46	102.10	65.72								
	Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per		3	WIOVO	OLARZ	30.40	102.10	03.72								
	DS0)			NTCVG	URESL		24.98	3.52								
	Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per															
	DS0)			NTCVG	URESP		26.47	5.01			ļ					
	CLEC to CLEC Conversion Charge without outside dispatch			NTCVG	UREWO		87.59	36.30								
4	Loop Tagging - Service Level 2 (SL2)		<u> </u>	NTCVG	URETL		11.20	1.10		-	<u> </u>				-	
	ANALOG VOICE GRADE LOOP 4-Wire Analog Voice Grade Loop - Zone 1			NTCVG	UEAL4	30.81	127.40	91.02	0.00	0.00	 					
 	4-Wire Analog Voice Grade Loop - Zone 1 4-Wire Analog Voice Grade Loop - Zone 2			NTCVG	UEAL4 UEAL4	30.81	127.40	91.02	0.00	0.00					-	
	4-Wire Analog Voice Grade Loop - Zone 2 4-Wire Analog Voice Grade Loop - Zone 3			NTCVG	UEAL4	60.39	127.40	91.02	0.00	0.00						
	Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per		J		32	00.00	121.40	01.02	0.50	5.00						
	DS0)			NTCVG	URESL		24.98	3.52								
	Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per															
	DS0)			NTCVG	URESP		26.47	5.01			ļ					
	CLEC to CLEC Conversion Charge without outside dispatch			NTCVG	UREWO		87.59	36.30								
4-WIRE	DS1 DIGITAL LOOP 4-Wire DS1 Digital Loop - Zone 1			NTCD1	USLXX	85.70	245.16	152.98			1					
	4-Wire DS1 Digital Loop - Zone 1 4-Wire DS1 Digital Loop - Zone 2			NTCD1	USLXX	85.70 194.96	245.16	152.98	-	-	 				-	
	4-Wire DS1 Digital Loop - Zone 3			NTCD1	USLXX	491.94	245.16	152.98								
	Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per		Ĭ		1	201.04		.02.00								
					URESL											

CATEGORY RATE ELEMENTS Intering Zone BCS USOC RATES(5) Switch-selection	arge - Charge - Chargual Svc Manual Svc Manual Svc Order vs. Order vs. Electronic-Ist OSS Rates(\$)	rge - al Svc Manual Sv er vs. Conic- c: 1st Charge - Manual Sv Order vs. Electronic Disc Add'
Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, [per DS1)		MAN SOMAN
Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, [per DS1]		MAN SOMAN
Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per DS1)	MAN SOMAN SOMA	MAN SOMAN
DS1)		
CLEC to CLEC Conversion Charge without outside displatch NTCD1 USEWD 100.93 42.98		
### ### ### ### ### ### ### ### ### ##		
4 Wire Unbundled Digital Loop 24 Khps - Zone 1		
4 Wire Unbundled Digital Loop 2.4 Ktpps - Zone 2		
4 Wire Unbundled Digital Loop 4.8 Kbps - Zone 2		
4 Wire Unbundled Digital Loop 4.8 Kbps - Zone 2		
4 Wire Unbundled Digital Loop 9.6 Kbps - Zone 1		
A Wire Unbundled Digital Loop 9.6 Kbps - Zone 1		
S Wire Unbundled Digital Loop 9.6 Kbps - Zone 2		
6 Wire Unbundled Digital Loop 9.6 Kbps - Zone 3 3 NTCUD UDL9X 38.92 121.86 85.48		
4 Wire Unbundled Digital 19.2 Kbps - Zone 1		
4 Wire Unbundled Digital 19.2 Kbps - Zone 2	+ +	
A Wire Unbundled Digital 19.2 Kbps - Zone 3 3 NTCUD UDL19 38.92 121.86 85.48	1 1	+
A Wire Unbundled Digital Loop 56 Kbps - Zone 1		
4 Wire Unbundled Digital Loop 56 Kbps - Zone 3 3 NTCUD UDL56 38.92 121.86 85.48 4 Wire Unbundled Digital Loop 64 Kbps - Zone 1 1 NTCUD UDL64 30.99 121.86 85.48 4 Wire Unbundled Digital Loop 64 Kbps - Zone 2 2 NTCUD UDL64 36.78 121.86 85.48 4 Wire Unbundled Digital Loop 64 Kbps - Zone 3 3 NTCUD UDL64 38.92 121.86 85.48 5 Witch-As-Is Conversion rate per UNE Loop, Single LSR, (per DSO) NTCUD URESL 24.98 3.52 5 Witch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per DSO) NTCUD URESL 24.98 3.52 6 Witch-As-Is Conversion Charge without outside dispatch NTCUD URESP 26.47 5.01 7 CLEC to CLEC Conversion Charge without outside dispatch NTCUD UREWO 101.97 49.67 7 CLEC to CLEC Conversion Charge without outside dispatch NTCUD UREWO 101.97 49.67 8 CLEC to CLEC Conversion Charge without outside dispatch NTCUD UREWO 101.97 49.67 9 CUNBUNDLED EXCHANGE ACCESS LOOP UREVINION NTCUD, NTCU		
A Wire Unbundled Digital Loop 64 Kbps - Zone 1		
A Wire Unbundled Digital Loop 64 Kbps - Zone 2		
A Wire Unbundled Digital Loop 64 Kbps - Zone 3 3 NTCUD UDL64 38.92 121.86 85.48		
Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per DS0)		
DS0 NTCUD URESL 24.98 3.52		
Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per DS0) NTCUD URESP 26.47 5.01		
DS0 NTCUD URESP 26.47 5.01		
CLEC to CLEC Conversion Charge without outside dispatch NTCUD UREWO 101.97 49.67		
Order Coordination for Specified Conversion Time (per LSR)		
UNBUNDLED EXCHANGE ACCESS LOOP		
2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1		
2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1		
2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2 UEANL UEAL2 23.33 36.54 16.87 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3 3 UEANL UEAL2 48.43 36.54 16.87		
2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3 3 UEANL UEAL2 48.43 36.54 16.87		
2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1		
2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2		
2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3 3 UEANL UEASL 48.43 36.54 16.87		
Tag Loop at End User Premise UEANL URETL 8.92 0.88		
Loop Testing - Basic 1st Half Hour UEANL URET1 33.17 0.00		
Loop Testing - Basic Additional Half Hour UEANL URETA 19.28 19.28		
Manual Order Coordination for UVL-SL1s (per loop) UEANL UEAMC 7.92 7.92 7.92		
Order Coordination for Specified Conversion Time for UVL-SL1		
(per LSR) UEANL OCOSL 17.56 17.56 Unbundled Non-Design Voice Loop, billing for BST providing UEANL OCOSL 17.56 17.56 Unbundled Non-Design Voice Loop, billing for BST providing UEANL OCOSL 17.56 UEANL UEANL OCOSL 17.56 UEANL OCOSL UEANL		
make-up (Engineering Information - E.I.) UEANL UEANM 13.04 13.04		
There-by Cargineering monitorination (Cargineering monitorination)	 	
(UVL-SL1) UEANL UREWO 15.75 8.93		
2-WIRE Unbundled COPPER LOOP		
2-Wire Unbundled Copper Loop - Non-Designed Zone 1 1 UEQ		
2 Wire Unbundled Copper Loop - Non-Designed - Zone 2 1 2 UEQ UEQ2X 14.32 35.27 15.60		
2 Wire Unbundled Copper Loop - Non-Designed - Zone 3 3 UEQ UEQ2X 16.87 35.27 15.60		
Unbundled Miscellaneous Rate Element, Tag Loop at End User		
Premise	<u> </u>	
Loop Testing - Basic 1st Half Hour		
Loop resumy - basic Additional rain rour UEQ UNETA 19.20 19.20		
Non-Designed (per loop) UEQ USBMC 7.92 7.92		
Unbundled Copper Loop - Non-Design, billing for BST providing		
make-up (Engineering Information - E.I.) UEQ UEQMU 13.04 13.04		1

IINBIIN	IDI ED I	NETWORK ELEMENTS - Louisiana												Attachment:	Σ Evh Δ		
CATEG		RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)		Sub	omitted Elec	Svc Order Submitted Manually per LSR	Incremental Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
	1					1		Nonrec	curring	Nonrecurring Discor	nect			oss	Rates(\$)		
							Rec	First	Add'l	First Ad	d'I SC	OMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		CLEC to CLEC Conversion Charge Without Outside Dispatch							=								ĺ
LOOP	MODIFI	(UCL-ND)		ļ	UEQ	UREWO		14.25	7.42								
2001	WODII I	Unbundled Loop Modification, Removal of Load Coils - 2 Wire pair less than or equal to 18k ft, per Unbundled Loop			UAL, UHL, UCL, UEQ, ULS, UEA, UEANL, UEPSR, UEPSB	ULM2L		0.00	0.00								
		Unbundled Loop Modification Removal of Load Coils - 4 Wire															
		less than or equal to 18K ft, per Unbundled Loop Unbundled Loop Modification Removal of Bridged Tap Removal, per unbundled loop			UHL, UCL, UEA UAL, UHL, UCL, UEQ, ULS, UEA, UEANL, UEPSR, UEPSB	ULM4L ULMBT		0.00	0.00								
SUB-LO		Pietrikutian															
	Sub-LC	pop Distribution Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set-		 		+	 										
		Up			UEANL, UEF	USBSA		144.09	144.09								
		Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up			UEANL, UEF	USBSB		10.99	10.99								<u> </u>
		Sub-Loop - Per Building Equipment Room - CLEC Feeder Facility Set-Up			UEANL	USBSC		86.16	86.16								
		Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel Set-Up			UEANL	USBSD		27.13	27.13								
		Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 1		1	UEANL	USBN2	7.57	63.89	30.06								
		Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 2		2	UEANL	USBN2	12.75	63.89	30.06								
		Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 3		3	UEANL	USBN2	21.45	63.89	30.06								
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		7.92	7.92								i
		Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 1		1	UEANL	USBN4	11.76	76.75	42.92								
		Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 2		2	UEANL	USBN4	16.84	76.75	42.92								
		Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 3		3	UEANL	USBN4	19.27	76.75	42.92								
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		7.92	7.92								
		Sub-Loop 2-Wire Intrabuilding Network Cable (INC)		<u> </u>	UEANL	USBR2	2.91	51.48	17.65								
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		7.92	7.92								İ
		Sub-Loop 4-Wire Intrabuilding Network Cable (INC)			UEANL	USBR4	6.58	57.54	23.71								
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		7.92	7.92								
		Loop Testing - Basic 1st Half Hour			UEANL	URET1		33.17	0.00								
		Loop Testing - Basic Additional Half Hour 2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1		1	UEANL UEF	URETA UCS2X	6.26	19.28 63.89	19.28 30.06		-						
		2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1			UEF	UCS2X	10.07	63.89	30.06								<u> </u>
		2 Wire Copper Unbundled Sub-Loop Distribution - Zone 3			UEF	UCS2X	12.70	63.89	30.06								
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEF	USBMC		7.92	7.92								
		4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1			UEF	UCS4X	8.03	76.75	42.92								
		4 Wire Copper Unbundled Sub-Loop Distribution - Zone 2 4 Wire Copper Unbundled Sub-Loop Distribution - Zone 3			UEF UEF	UCS4X UCS4X	10.71 6.08	76.75 76.75	42.92 42.92								
		4 Wire Copper Unbundled Sub-Loop Distribution - Zone 3 Order Coordination for Unbundled Sub-Loops, per sub-loop pair		3	UEF	USBMC	6.08	76.75	7.92								
		Loop Tagging Service Level 1, Unbundled Copper Loop, Non-		 	011	OODIVIO		1.52	1.32								
		Designed and Distribution Subloops			UEF, UEANL	URETL		8.92	0.88								1

UNBUN	DLED N	IETWORK ELEMENTS - Louisiana												Attachment:	2 Exh A		
CATEG		RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Svc Order Submitted	Incremental		Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
								Nonrec	urring	Nonrecurring	g Disconnect				Rates(\$)		•
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Loop Testing - Basic 1st Half Hour			UEF	URET1		33.17	0.00								
		Loop Testing - Basic Additional Half Hour			UEF	URETA		19.28	19.28								
-	Unbun	dled Sub-Loop Modification															
		Unbundled Sub-Loop Modification - 2-W Copper Dist Load Coil/Equip Removal per 2-W PR			UEF	ULM2X		0.00	0.00								
		Unbundled Sub-loop Modification - 4-W Copper Dist Load			OLI	OLIVIZA		0.00	0.00								
		Coil/Equip Removal per 4-W PR			UEF	ULM4X		0.00	0.00								
		Unbundled Loop Modification, Removal of Bridge Tap, per			02.	O LIVI IX		0.00	0.00								
		unbundled loop			UEF	ULMBT		224.55	4.29								
		dled Network Terminating Wire (UNTW)		L													
		Unbundled Network Terminating Wire (UNTW) per Pair			UENTW	UENPP	0.3454	14.72	14.72								
	Networ	k Interface Device (NID)															
		Network Interface Device (NID) - 1-2 lines			UENTW	UND12		42.26	27.83								
		Network Interface Device (NID) - 1-6 lines	1	ļ	UENTW	UND16		62.86	48.43								
		Network Interface Device Cross Connect - 2 W	1	1	UENTW	UNDC2	ļ	5.73	5.73								
LINE O	UED D	Network Interface Device Cross Connect - 4W ROVISIONING ONLY - NO RATE	1	!	UENTW	UNDC4	 	5.73	5.73								
UNE U	пек, Р	ROVISIONING ONLY - NO RATE			UAL, UCL, UDC,												
		Unbundled Contact Name, Provisioning Only - no rate			UDL, UDN, UEA, UHL, UEANL, UEF, UEQ, UENTW, NTCVG, NTCUD, NTCD1, USL	UNECN	0.00	0.00									
		Unbundled DS1 Loop - Superframe Format Option - no rate			USL, NTCD1	CCOSF	0.00	0.00									
		Unbundled DS1 Loop - Expanded Superframe Format option -			OOL, NIODI	00001	0.00	0.00									
		no rate			USL, NTCD1	CCOEF	0.00	0.00									
		NID - Dispatch and Service Order for NID installation			UENTW	UNDBX	0.00	0.00									
		UNTW Circuit Establishment, Provisioning Only - No Rate			UENTW	UENCE	0.00	0.00									
LOOP N	AKE-U																
		Loop Makeup - Preordering Without Reservation, per working or															
		spare facility queried (Manual).			UMK	UMKLW		23.29	23.29								
		Loop Makeup - Preordering With Reservation, per spare facility queried (Manual).			UMK	UMKLP		24.70	24.70								
		Loop MakeupWith or Without Reservation, per working or															
		spare facility queried (Mechanized)	1	<u> </u>	UMK	UMKMQ		0.19	0.19								
LINE SI			1	<u> </u>							-						
\vdash	באט ענ	SER ORDERING-CENTRAL OFFICE BASED	1	 	UEPSR UEPSB	UREOS	0.61										
\vdash		Line Splitting - per line activation DLEC owned splitter Line Splitting - per line activation BST owned - physical	1	 	UEPSR UEPSB UEPSB UEPSB	UREBP	0.61	17.97	10.29		-						
-		Line Splitting - per line activation BST owned - priysical Line Splitting - per line activation BST owned - virtual	1	1	UEPSR UEPSB	UREBV	0.61	17.97	10.29								
	UNBUN	IDLED EXCHANGE ACCESS LOOP	1	1	52. 5K 6EI 6B	J. LLD V	0.01	17.57	10.29								
		ANALOG VOICE GRADE LOOP		i –			† †										
		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-	1	1													
		Zone 1		_1	UEPSR UEPSB	UEALS	12.90	36.54	16.87	0.00	0.00	<u> </u>					<u> </u>
		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- Zone 1		1	UEPSR UEPSB	UEABS	12.90	36.54	16.87	0.00	0.00						
		2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting-	1	1													
		Zone 2		2	UEPSR UEPSB	UEALS	23.33	36.54	16.87	0.00	0.00						<u> </u>
		2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting-Zone 2		2	UEPSR UEPSB	UEABS	23.33	36.54	16.87	0.00	0.00						
		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- Zone 3		3	UEPSR UEPSB	UEALS	48.43	36.54	16.87	0.00	0.00						
		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-															
		Zone 3		3	UEPSR UEPSB	UEABS	48.43	36.54	16.87	0.00	0.00						
	PHYSIC	AL COLLOCATION															
		Physical Collocation-2 Wire Cross Connects (Loop) for Line				L				_	_						
	\/ID=:::	Splitting	1	1	UEPSR UEPSB	PE1LS	0.0318	11.94	11.46	0.00	0.00						
	VIKTU/	AL COLLOCATION	1			1					l	1					

LINBUNDI ED I	NETWORK ELEMENTS - Louisiana												Attachment:	2 Fyh Δ		
CNECIVELED	VETWORK ELEMENTO - Louisiana										Svc Order	Svc Order	Incremental		Incremental	Incremental
												Submitted		Charge -	Charge -	Charge -
											Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m									per Lor	per Lore	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
															Disc 1st	Disc Auu i
							Nonrec		Nonrecurring					Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Virtual Collocation-2 Wire Cross Connects (Loop) for Line															í
	Splitting			UEPSR UEPSB	VE1LS	0.0296	11.94	11.46	0.00	0.00						
	DEDICATED TRANSPORT															
INTER	OFFICE CHANNEL - DEDICATED TRANSPORT Interoffice Channel - 2-Wire Voice Grade - per mile			U1TVX	1L5XX	0.013										
	Interoffice Channel - 2-Wire Voice Grade - per fille Interoffice Channel - 2-Wire Voice Grade - Facility Termination			U1TVX	U1TV2	22.60	39.36	26.62								
	Interoffice Channel - 2-Wire Voice Grade Rev Bat per mile			U1TVX	1L5XX	0.013	39.30	20.02								
	interoffice charmer - 2-wife voice Grade Nev Bat per fille			OTTVX	TESAX	0.013										f
	Interoffice Channel - 2-Wire VG Rev Bat Facility Termination			U1TVX	U1TR2	22.60	39.36	26.62								í
	Interoffice Channel - 4-Wire Voice Grade - per mile			U1TVX	1L5XX	0.013	00.00									
					1				İ							í
	Interoffice Channel - 4- Wire Voice Grade - Facility Termination			U1TVX	U1TV4	19.81	39.36	26.62				<u> </u>	<u> </u>			1
	Interoffice Channel - 56 kbps - per mile			U1TDX	1L5XX	0.013										i
	Interoffice Channel - 56 kbps - Facility Termination			U1TDX	U1TD5	15.61	39.36	26.62								
	Interoffice Channel - 64 kbps - per mile			U1TDX	1L5XX	0.013										ļ
	Interoffice Channel - 64 kbps - Facility Termination			U1TDX	U1TD6	15.61	39.36	26.62								ļ
	Interoffice Channel - DS1 - per mile			U1TD1	1L5XX	0.2652										
\vdash	Interoffice Channel - DS1 - Facility Termination		<u> </u>	U1TD1	U1TF1	70.47	86.69	79.44	1	-						
	Interoffice Channel - DS3 - per mile			U1TD3 U1TD3	1L5XX U1TF3	6.04	070.00	450.05								
\vdash	Interoffice Channel - DS3 - Facility Termination			U1TS1	1L5XX	850.45 6.04	270.69	158.05								
	Interoffice Channel - STS-1 - per mile Interoffice Channel - STS-1 - Facility Termination			U1TS1	U1TFS	830.19	270.69	158.05								
	Local Channel - Dedicated - 2-Wire Voice Grade			ULDVX, UNCVX	ULDV2	21.07	270.69	156.05								
	Local Channel - Dedicated - 2-Wire Voice Grade Local Channel - Dedicated - 2-Wire Voice Grade Rev Bat			ULDVX, ONOVX	ULDR2	21.07										f
	Local Channel - Dedicated - 4-Wire Voice Grade			ULDVX, UNCVX	ULDV4	22.32										
	Local Channel - Dedicated - DS1 - Zone 1		1	ULDD1, UNC1X	ULDF1	45.06										
	Local Channel - Dedicated - DS1 - Zone 2		2	ULDD1, UNC1X	ULDF1	139.82										ī
	Local Channel - Dedicated - DS1 - Zone 3		3	ULDD1, UNC1X	ULDF1	80.52										í
	Local Channel - Dedicated - DS3 - Per Mile per month			ULDD3, UNC3X	1L5NC	8.99										i
	Local Channel - Dedicated - DS3 - Facility Termination			ULDD3, UNC3X	ULDF3	539.86										i .
	Local Channel - Dedicated - STS-1- Per Mile per month			ULDS1, UNCSX	1L5NC	8.99										
	Local Channel - Dedicated - STS-1 - Facility Termination			ULDS1, UNCSX	ULDFS	525.80										
UNBUN	NDLED DARK FIBER															
	Dark Fiber - Interoffice Transport, Per Four Fiber Strands, Per Route Mile Or Fraction Thereof			UDF, UDFCX	1L5DF	25.28										f
	Dark Fiber - Interoffice Transport, Per Four Fiber Strands, Per			UDF, UDFCX	ILODE	25.20										
	Route Mile Or Fraction Thereof			UDF, UDFCX	UDF14		620.60	133.88								ł
DARK FIBER	Notice wille of Fraction Thereof			ODI, ODI OX	ODI 14		020.00	100.00								f
	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction	1							1							
	Thereof per month - Local Channel			UDF, UDFCX	1L5DC	60.06										ł
	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction															í
	Thereof per month - Local Loop			UDF, UDFCX	1L5DL	60.06										<u> </u>
8XX ACCESS	TEN DIGIT SCREENING															
<u> </u>	8XX Access Ten Digit Screening, Per Call				1	0.0006387										
	OVY A To a Picit Occasion of OVY No. Poli				1	0.00000=										í
 	8XX Access Ten Digit Screening, w/ 8XX No. Delivery, per query		<u> </u>		1	0.0006387			1	-						
	8XX Access Ten Digit Screening, w/ POTS No. Delivery, per				1	0.0006387										ł
LINE INFORMA	query ATION DATA BASE ACCESS (LIDB)	1	 			0.0000367			 		-					
	LIDB Common Transport Per Query	1			1	0.0000221					<u> </u>					ſ
	LIDB Validation Per Query	1			1	0.0135077					<u> </u>					ſ
	LIDB Originating Point Code Establishment or Change			OQU	NRBPX		33.33									í
CALLING NAM	IE (CNAM) SERVICE				1		22.20		İ							í
	CNAM for DB Owners, Per Query					0.0010217										<u> </u>
	CNAM for Non DB Owners, Per Query					0.0010217										
SELECTIVE RO				-				•								
	Selective Routing Per Unique Line Class Code Per Request Per	1]							1
	Switch				ļ		82.25	82.25								
AIN SELECTIV	E CARRIER ROUTING		<u> </u>		1				l]	1	1				

UNBUNDLED I	NETWORK ELEMENTS - Louisiana												Attachment:	2 Exh A		
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Charge -	Charge -
							Nonrec		Nonrecurring					Rates(\$)		
$oxed{oxed}$						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Regional Service Establishment						100,209.33									
	End Office Establishment						164.29	164.29								
	Query NRC, per query					0.0030293										
AIN - BELLSO	UTH AIN SMS ACCESS SERVICE															
1	AIN SMS Access Service - Service Establishment, Per State,				0.1.10=											
	Initial Setup			A1N	CAMSE		38.30	38.30								
							= 00	=								
	AIN SMS Access Service - Port Connection - Dial/Shared Access			A1N	CAMDP		7.60	7.60								
	AIN SMS Access Service - Port Connection - ISDN Access			A1N	CAM1P		7.60	7.60								
1	AIN SMS Access Service - User Identification Codes - Per User															
\vdash	ID Code			A1N	CAMAU		33.99	33.99								
1 1	AIN SMS Access Service - Security Card, Per User ID Code,			AAN	CAMBO		44.00	44.00			1					
	Initial or Replacement		1	A1N	CAMRC	0.0000	41.39	41.39			1					1
	AIN SMS Access Service - Storage, Per Unit (100 Kilobytes)	-	1		+	0.0022					1	-	-	-	-	1
\longleftarrow	AIN SMS Access Service - Session, Per Minute		<u> </u>		+	0.5795					+		1	1	1	
1 1	AIN SMS Access Service - Company Performed Session, Per Minute					0.040.1					1					
LUCUL CARACE						0.8104										
	TY UNBUNDLED LOCAL LOOP															
DS-3/S	STS-1 UNBUNDLED LOCAL LOOP - Stand Alone			LIEO	41 END	40.04					+					
	DS3 Unbundled Local Loop - per mile			UE3	1L5ND	10.04	400.40	250 20								
	DS3 Unbundled Local Loop - Facility Termination			UE3	UE3PX	362.34	438.46	256.30								
	STS-1Unbundled Local Loop - per mile			UDLSX	1L5ND	10.04	438.46	050.00								
ENULANOED E	STS-1 Unbundled Local Loop - Facility Termination			UDLSX	UDLS1	374.56	438.46	256.30								
	XTENDED LINK (EELs) rk Elements Used in Combinations										+					
Networ	2-Wire VG Loop (SL2) in Combination - Zone 1		1	UNCVX	UEAL2	14.93	94.21	45.09			+					
 	2-Wire VG Loop (SL2) in Combination - Zone 1 2-Wire VG Loop (SL2) in Combination - Zone 2		2	UNCVX	UEAL2	25.35	94.21	45.09								
\vdash	2-Wire VG Loop (SL2) in Combination - Zone 2 2-Wire VG Loop (SL2) in Combination - Zone 3		3	UNCVX	UEAL2	50.46	94.21	45.09			1					
-	4-Wire Analog Voice Grade Loop in Combination - Zone 1		1	UNCVX	UEAL4	30.40	94.21	45.09								
	4-Wire Analog Voice Grade Loop in Combination - Zone 2		2	UNCVX	UEAL4	38.32	94.21	45.09			1					
 	4-Wire Analog Voice Grade Loop in Combination - Zone 3		3	UNCVX	UEAL4	60.39	94.21	45.09								
	2-Wire ISDN Loop in Combination - Zone 3		1	UNCNX	U1L2X	22.09	94.21	45.09			1					
\vdash	2-Wire ISDN Loop in Combination - Zone 2		2	UNCNX	U1L2X	35.28	94.21	45.09			-					
	2-Wire ISDN Loop in Combination - Zone 3		3	UNCNX	U1L2X	65.18	94.21	45.09								
	4-Wire 56Kbps Digital Grade Loop in Combination - Zone 1		1	UNCDX	UDL56	30.99	94.21	45.09								
	4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2		2	UNCDX	UDL56	36.78	94.21	45.09								
 	4-Wire 56Kbps Digital Grade Loop in Combination - Zone 3		3	UNCDX	UDL56	38.92	94.21	45.09	 		 					<u> </u>
	4-Wire 64Kbps Digital Grade Loop in Combination - Zone 1		1	UNCDX	UDL64	30.99	94.21	45.09	1		†					
	4-Wire 64Kbps Digital Grade Loop in Combination - Zone 2		2	UNCDX	UDL64	36.78	94.21	45.09	1		†					
	4-Wire 64Kbps Digital Grade Loop in Combination - Zone 3		3	UNCDX	UDL64	38.92	94.21	45.09			1					
	4-Wire DS1 Digital Loop in Combination - Zone 1		1	UNC1X	USLXX	85.70	169.22	100.89	1		†					
	4-Wire DS1 Digital Loop in Combination - Zone 2		2	UNC1X	USLXX	194.96	169.22	100.89	1		†		1	1	1	
	4-Wire DS1 Digital Loop in Combination - Zone 3		3	UNC1X	USLXX	491.94	169.22	100.89			1					Ì
	DS3 Local Loop in combination - per mile		t –	UNC3X	1L5ND	10.04	.00.22	.00.00			1					Ì
	DS3 Local Loop in combination - Facility Termination			UNC3X	UE3PX	362.34	188.45	125.51	1		1					Ì
	STS-1 Local Loop in combination - per mile			UNCSX	1L5ND	10.04					1					Ì
	STS-1 Local Loop in combination - Facility Termination		İ	UNCSX	UDLS1	374.56	188.45	125.51	i i		İ		İ	İ	İ	1
	Interoffice Channel in combination - 2-wire VG - per mile		İ	UNCVX	1L5XX	0.013			i i		İ		İ	İ	İ	1
	Interoffice Channel in combination - 2-wire VG - Facility		İ			5.5.0			i i		İ		İ	İ	İ	1
	Termination			UNCVX	U1TV2	22.60	72.60	41.75]		I					
	Interoffice Channel in combination - 4-wire VG - per mile			UNCVX	1L5XX	0.013			i i							
	Interoffice Channel in combination - 4-wire VG - Facility								i i							
	Termination			UNCVX	U1TV4	19.81	72.60	41.75]		1					
	Interoffice Channel in combination - 4-wire 56 kbps - per mile			UNCDX	1L5XX	0.013			i i							
			1	i	1											
	Interoffice Channel in combination - 4-wire 56 kbps - Facility		ı													1
				UNCDX	U1TD5	15.61	72.60	41.75								
	Interoffice Channel in combination - 4-wire 56 kbps - Facility			UNCDX UNCDX	U1TD5 1L5XX	15.61 0.013	72.60	41.75								
	Interoffice Channel in combination - 4-wire 56 kbps - Facility Termination						72.60	41.75								

CATEGORY RATE ELEMENTS Interi m Zone BCS USOC RATES(\$) Svc Order Submitted Elec Manually per LSR Manually per LSR Order Submitted Manually per LSR Order Submitted Manually per LSR Order Submitted Manually per LSR Order Submitted Manually per LSR Order Submitted Manually per LSR Order Submitted Manually per LSR Order Submitted Manually per LSR Order Submitted Manually per LSR Order Submitted Manually per LSR Order Submitted Electrons or the submitted Manually per LSR Order Submitted Manually per LSR Order Submitted Manually per LSR Order Submitted Electrons or the submitted Submitted Manually per LSR Order Submitted Manually per LSR Order Submitted Manually per LSR Order Submitted Electrons or the submitted Submitted Electrons or the submitted Submitted Electrons or the submitted Submitted Electrons or the submitted Submitted Electrons or the submitted Submitted Electrons or the submitted Submitted Electrons or the submitted Submitted Electrons or the submitted Submitted Electrons or the submitted Submitted Electrons or the submitted Submitted Electrons or the submitted Submitted Electrons or the submitted Submitted Electrons or the submitted Submitted Electrons or the submitted Submitted Electrons or the submitted Submitted Electrons or the submitted Electrons or the submitted Submitted Electrons or the submitted Electrons	UNBUNDI F	D NETWORK ELEMENTS - Louisiana												Attachment:	2 Fxh A		
Interediffice Channel in combination - DST - per mile				Zone	BCS	usoc			RATES(\$)			Submitted Elec	Submitted Manually	Incremental Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
Interoffice Charmel in combination - DS1 - per mile														151	Auu i	DISC 1St	DISC Add I
Interestrice Channel on combination - DST - per miles UNCYX UTITE 70-447 143.58 103.88								Nonrec	urring		Disconnect				Rates(\$)		
Intercritice Channel on combination 1.581 Facility Termination UNCIX UNCIX UTF1 70.47 143.38 (33.88								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
Interestrice Channel or contensation - 15.83 - per mile																	
Interestrice Channel a combination - DS3 - Facility Termination UNCSX USEX 15.5X 6.04 6.05 1.								143.58	103.88								
Interectice Cannon in combination - STS-1 - per miss UNCSX UTSTS S. 0.4																	
Intereffice Channel a combination				ļ				296.68	121.16								
ADDITIONAL NETWORK ELEMENTS								200.00	101.10								
Optional Features & Functions:	ADDITIONA				UNCSX	UTIFS	830.19	296.68	121.16								
Clear Channel Capability Extended Frame Option - per DS1							 										
Clear Channel Capability Super FrameOption - per DS1	Optio	onal Features & Functions:			LIATD4		+										-
Clear Channel Capability Supper FrameOption - per DS1		Clear Channel Capability Extended Frame Option - per DS1	ı		ULDD1,UNC1X	CCOEF		0.00	0.00	0.00	0.00						
Activity - per DS1		Clear Channel Capability Super FrameOption - per DS1	1			CCOSF		0.00	0.00	0.00	0.00						
C-bit Parity Option - Subsequent Activity - per DS3 i U1TD3, ULDD3, US3, UNCXX NRCC3 218,78 7,66 0.7263 0.00 US3, UNCXX NRCC3 105,09 59,97 12,96 UNCXX, UNCXX M01 105,09 59,97 12,96 UNCXX, UNCXX M01 105,09 59,97 12,96 UNCXX, UNCXX M03 201,48 107,05 48,07 UNCXX UNCXX M03 201,48 107,05 48,07 UNCXX UNCXX M03 201,48 107,05 48,07 UNCXX UNCXX M03 201,48 107,05 48,07 UNCXX M03 201,48 107,48																	
C-bt Partify Option - Subsequent Activity - per DS3		Activity - per DS1	I	1		NRCCC		184.65	23.79	1.97	0.77	ļ					
DSS/DSTCOannel System			i		UE3, UNC3X					0.7263	0.00						
Voice Grade COCI in combination																	
Voice Grade COCI - for Stand Alone Local Loop UEA 101VG 0.6497 5.91 4.26																	
Voice Grade COCI - for connection to a channelized DS1 Local Channel in the same SWC as collocation																	
Channel in the same SWC as collocation					UEA	1D1VG	0.6497	5.91	4.26								
OCU-DP COCI (24-64kbs) - in combination																	
OCU-DP COCI (2.4-64kbs) - for Stand Alone Local Loop UDL 101DD 1.38 5.91 4.26				ļ													
DST Local Channel in the same SWC as collocation U1TUD 101DD 1.38 5.91 4.26																	
DS1 Local Channel in the same SWC as collocation					UDL	10100	1.38	5.91	4.26								
2-wire ISDN COCI (BRITE) - for a Local Loop					LIATUD	4D4DD	4.00	5.04	4.00								
2-wire ISDN COCI (BRITE) - for a Local Loop				-													
Description Section Continue Continu	$\longrightarrow \longleftarrow$																
DS1 LOCAL Channel in the same SWC as collocation				-	ODIN	OCTOA	2.50	0.39	4.30			1					-
DS1 COCI in combination					LITTUR	LIC1CA	2 96	6 39	4 58								
DS1 COCI - for Stand Alone Local Channel ULDD1 UC1D1 11.78 5.91 4.26																	
DS1 COCI - for Stand Alone Interoffice Channel U1TD1 UC1D1 11.78 5.91 4.26																	
DS1 COCI - for connection to a channelized DS1 Local Channel in the same SWC as collocation U1TUA UC1D1 11.78 5.91 4.26 UNCVX, U1TVX, UNCDX, U1TVX, UNCDX, U1TDX, UNC1X, UTD1, UNC3X, U1TD1, UNC3X, U1TD1, UNC3X, U1TD1, UNCSX, U1TS1, UDF, UDF CX UNCCC 5.43 5.43 Unbundled Misc Rate Element, SNE SAI, Single Network Element - Switch As Is Non-recurring Charge, per circuit (LSR) U1TS1, UDF, UE3 URESL 36.83 16.12 Unbundled Misc Rate Element, SNE SAI, Single Network Element - Switch As Is Non-recurring Charge, per circuit (LSR) U1TS1, UDF, UE3 URESL 36.83 16.12 Unbundled Misc Rate Element, SNE SAI, Single Network Element - Switch As Is Non-recurring Charge, per circuit (LSR) U1TS1, UDF, UE3 URESL 36.83 16.12 UNTS1, UDF, UE3 URESL 36.83 16.12 U1TD1, U1TD3, U																	
In the same SWC as collocation		DS1 COCI - for Stand Alone Local Loop			USL	UC1D1	11.78	5.91	4.26								
Wholesale to UNE, Switch-As-Is Conversion Charge Wholesale to UNE, Switch-As-Is Conversion Charge Unbundled Misc Rate Element, SNE SAI, Single Network Element - Switch As Is Non-recurring Charge, per circuit (LSR) Unbundled Misc Rate Element, SNE SAI, Single Network Element - Switch As Is Non-recurring Charge, per circuit (LSR) Unbundled Misc Rate Element, SNE SAI, Single Network Element - Switch As Is Non-recurring Charge, per circuit (LSR) Unbundled Misc Rate Element, SNE SAI, Single Network Element - Switch As Is Non-recurring Charge, incremental Charge per circuit on a spreadsheet U1TTVX, U1TDX, U1TD1, U1TD3, U1TD1, U1		DS1 COCI - for connection to a channelized DS1 Local Channel															
UNCDX, U1TDX, UNC1X, U1TD1,UNC3X, U1TD1,UNC3X, U1TD3, UNCSX, U1TD3, UNCSX, U1TD3, UNCSX, U1TD3, UNCCC		in the same SWC as collocation			U1TUA	UC1D1	11.78	5.91	4.26								
Unbundled Misc Rate Element, SNE SAI, Single Network Element - Switch As Is Non-recurring Charge, per circuit (LSR) Unbundled Misc Rate Element, SNE SAI, Single Network Ultrust, Ultru					UNCDX, U1TDX, UNC1X, U1TD1,UNC3X, U1TD3, UNCSX,												
Unbundled Misc Rate Element, SNE SAI, Single Network Element - Switch As Is Non-recurring Charge, per circuit (LSR) Unbundled Misc Rate Element, SNE SAI, Single Network Ultry, U		Wholesale to UNE, Switch-As-Is Conversion Charge	1			UNCCC		5.43	5.43					1			1
Element - Switch As Is Non-recurring Charge, per circuit (LSR) I U1TS1, UDF, UE3 URESL 36.83 16.12 U1DMINISTER U1DMINISTER U1TVX, U1TDX, U1TVX, U1TDX, U1DMINISTER U1TD1, U1TD3, U1DMINISTER																	
Unbundled Misc Rate Element, SNE SAI, Single Network Element - Switch As Is Non-recurring Charge, incremental charge per circuit on a spreadsheet i U1TS1, UDF, UE3 UNE Reconfiguration Change Charge per Circuit UNC1X URERC 35.00 35.00 UNE Reconfiguration Change Charge per Circuit Project Managed I UNC1X URERP 1.49 1.49																	1
Element - Switch As Is Non-recurring Charge, incremental charge per circuit on a spreadsheet i U1TD1, U1TD3, URESP 1.49 1.49 UNE Reconfiguration Change Charge per Circuit I UNC1X URERC 35.00 35.00 UNE Reconfiguration Change Charge per Circuit Project Managed I UNC1X URERP 1.49 1.49			I			URESL		36.83	16.12			ļ					
Charge per circuit on a spreadsheet i																	1
UNE Reconfiguration Change Charge per Circuit I UNC1X URERC 35.00 35.00 UNE Reconfiguration Change Charge per Circuit Project Managed I UNC1X URERP 1.49 1.49			1											1			1
UNE Reconfiguration Change Charge per Circuit Project Managed I UNC1X URERP 1.49 1.49	$-\!\!\!\!+\!\!\!\!\!-$		- !-	1			1										├
Managed I UNC1X URERP 1.49 1.49	$-\!\!\!\!+\!\!\!\!\!-$			1	UNCTX	UKEKU	1	35.00	35.00	1		 		 	1		
			Ι.		LINCAY	LIBERR		1 40	1 40								1
I IACCESS TO DOG - CUSTOME I VECOMINATION (FIEXSELV)	Ac-		 	+	UNC1X	UKEKP	1	1.49	1.49	-					-		
Customer Reconfiguration Establishment 1.43	ACCE		 	1		 	+ -	1 40		-				-	-		
DS1 DCS Termination with DS0 Switching 19.58 24.81 19.09	-+	DS1 DCS Termination with DS0 Switching	 	1		 	10.59		10.00	1		 		1	1		
DS1 DCS Termination with DS1 Switching	-+		 	1		 				1		 		1	1		
DS3 DCS Termination with DS1 Switching	+-		1	 		 				 				 			
Node (SynchroNet)	Nod		†	1		1	170.71	24.01	13.05					 			—
Node per month UNCDX UNCNT 15.43			†		UNCDX	UNCNT	15.43							1			

UNR	NDI ED N	NETWORK ELEMENTS - Louisiana												Attachment:	2 Fyh A		1
UNBU	NULEU	AL I WORK ELEMEN I 3 - LOUISIANA					1					Svc Order	Svc Order	Incremental		Incremental	Incremental
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
			to a cont									Elec	Manually	Manual Svc	Manual Svc	_	Manual Svc
CATE	GORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m									p	p = = = =	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
<u> </u>							I	N		_ N	B'				D = (= = (ft))	l	l
-	-						Rec	Nonrec First	urring Add'l	Nonrecurring First	Add'l	SOMEC	SOMAN	SOMAN	Rates(\$)	SOMAN	SOMAN
	Service	l e Rearrangements	1	1			Rec	LIISI	Add I	FIISL	Add I	SOWIEC	SUMAN	SOWAN	SOWAN	SOWAN	SUMAN
	Oel Vice	Realitangements			U1TVX, U1TDX,												
					UEA, UDL, U1TUC,												
					U1TUD, U1TUB,												
					ULDVX, ULDDX,												
		NRC - Change in Facility Assignment per circuit Service			UNCVX, UNCDX,												
		Rearrangement	- 1		UNC1X	URETD		100.93	42.98								
					U1TVX, U1TDX,												
					UEA, UDL, U1TUC,												
					U1TUD, U1TUB,												
		NDC Characia Facility Assistant and size of Design			ULDVX, ULDDX, UNCVX, UNCDX,												
		NRC - Change in Facility Assignment per circuit Project Management (added to CFA per circuit if project managed)			UNCVX, UNCDX, UNC1X	URETB		1.28	1.28								
-		NRC - Order Coordination Specific Time - Dedicated Transport	<u> </u>		UNC1X	OCOSR		18.85	18.85	+		1				1	1
COM	INGLIN		<u> </u>		5.1017	300011		10.03	10.00			1		1	1	†	†
2 3	1	-	1		UNCVX, UNCDX,							1			1	1	1
					UNC1X, UNC3X,												
					UNCSX, U1TD1,												
					U1TD3, U1TS1,												
					UE3, UDLSX,												
					U1TVX, U1TDX,												
					U1TUB, ULDVX,												
		Commination Authorization			ULDD1, ULDD3, ULDS1	CMGAU	0.00	0.00	0.00								
	Commi	Commingling Authorization ingled (UNE part of single bandwidth circuit)			ULDST	CIVIGAU	0.00	0.00	0.00			1					
	00	Commingled VG COCI			XDV2X, NTCVG	1D1VG	0.6497	5.91	4.26								
		Commingled Digital COCI			XDV6X, NTCUD	1D1DD	1.38	5.91	4.26	†						İ	İ
		Commingled ISDN COCI			XDD4X	UC1CA	2.96	6.39	4.58								
		Commingled 2-wire VG Interoffice Channel			XDV2X	U1TV2	22.60	72.60	41.75								
		Commingled 4-wire VG Interoffice Channel			XDV6X	U1TV4	19.81	72.60	41.75								
		Commingled 56kbps Interoffice Channel			XDD4X	U1TD5	15.61	72.60	41.75								
		Commingled 64kbps Interoffice Channel			XDD4X	U1TD6	15.61	72.60	41.75								
		Commission of MC/DCO Interesting Channel Mileson			XDV2X, XDV6X,	1L5XX	0.040										
-		Commingled VG/DS0 Interoffice Channel Mileage Commingled 2-wire Local Loop Zone 1		1	XDD4X XDV2X	UEAL2	0.013 14.93	94.21	45.09			+				-	-
		Commingled 2-wire Local Loop Zone 2		2	XDV2X	UEAL2	25.35	94.21	45.09			1					
		Commingled 2-wire Local Loop Zone 3		3	XDV2X	UEAL2	50.46	94.21	45.09								
		Commingled 4-wire Local Loop Zone 1		1	XDV6X	UEAL4	30.81	94.21	45.09	İ		1				1	
		Commingled 4-wire Local Loop Zone 2	1	2	XDV6X	UEAL4	38.32	94.21	45.09						<u> </u>		
		Commingled 4-wire Local Loop Zone 3		3	XDV6X	UEAL4	60.39	94.21	45.09								
		Commingled 56kbps Local Loop Zone 1		1	XDD4X	UDL56	30.99	94.21	45.09								
	1	Commingled 56kbps Local Loop Zone 2	1	2	XDD4X	UDL56	36.78	94.21	45.09	ļ		1				ļ	
	-	Commingled 56kbps Local Loop Zone 3	1	3	XDD4X	UDL56	38.92	94.21	45.09	ļ		<u> </u>				-	-
—	1	Commingled 64kbps Local Loop Zone 1	1	1	XDD4X XDD4X	UDL64 UDL64	30.99	94.21 94.21	45.09 45.09	 		1			 	 	
-	-	Commingled 64kbps Local Loop Zone 2 Commingled 64kbps Local Loop Zone 3	1	3	XDD4X XDD4X	UDL64 UDL64	36.78 38.92	94.21	45.09	 		 		-		-	-
	1	Commingled ISDN Local Loop Zone 1	1	1	XDD4X XDD4X	U1L2X	22.09	94.21	45.09	1		1		1	1	t	t
	1	Commingled ISDN Local Loop Zone 2		2	XDD4X XDD4X	U1L2X	35.28	94.21	45.09	†						1	1
	1	Commingled ISDN Local Loop Zone 3		3	XDD4X	U1L2X	65.18	94.21	45.09	†					Ì	1	1
	1	Commingled DS1 COCI	1		XDH1X, NTCD1	UC1D1	11.78	5.91	4.26			Ì			1		
		Commingled DS1 Interoffice Channel			XDH1X	U1TF1	70.47	143.58	103.88								
		Commingled DS1 Interoffice Channel Mileage			XDH1X	1L5XX	0.2652	_	•		_						
		Commingled DS1/DS0 Channel System			XDH1X	MQ1	105.09	59.97	12.96								
	1	Commingled DS1 Local Loop Zone 1	1	1	XDH1X	USLXX	85.70	169.22	100.89	ļ		1				ļ	ļ
	-	Commingled DS1 Local Loop Zone 2	1	2	XDH1X	USLXX	194.96	169.22	100.89	ļ		<u> </u>				-	
-	1	Commingled DS1 Local Loop Zone 3	1	3	XDH1X	USLXX	491.94	169.22	100.89	 		1			 	 	
	+	Commingled DS3 Local Loop Commingled DS3/STS-1 Local Loop Mileage	1	<u> </u>	HFQC6 HFQC6. HFRST	UE3PX 1L5ND	362.34 10.04	188.45	125.51	 				1	-		
—	1	Commingled STS-1 Local Loop Mileage Commingled STS-1 Local Loop	1		HFRST	UDLS1	374.56	188.45	125.51	 		1		-	1	 	
L		Poorminging 010-1 Local Loop	1	1	1111101	ODLOI	314.00	100.43	120.01			1	1	l	1	<u> </u>	<u> </u>

UNRUN	IDI ED I	NETWORK ELEMENTS - Louisiana											Attachment:	2 Fyh Δ		
CATEG		RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)			er Svc Order Submitted Manually Per LSR	Incremental Charge - Manual Svc	Incremental Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic-
													1st	Add'I	Disc 1st	Disc Add'l
								Nonrec		Nonrecurring Discon				Rates(\$)		
					LIEOOO	1400	Rec	First	Add'l	First Add	'I SOME	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Commingled DS3/DS1 Channel System			HFQC6	MQ3	201.48	107.05	48.07							-
		Commingled DS3 Interoffice Channel Commingled DS3 Interoffice Channel Mileage		<u> </u>	HFQC6 HFQC6	U1TF3 1L5XX	850.45 6.04	296.68	121.16							
		Commingled STS-1Interoffice Channel			HFRST	U1TFS	830.19	296.68	121.16	 						
		Commingled STS-1Interoffice Channel Mileage			HFRST	1L5XX	6.04	230.00	121.10							
		Commingled Dark Fiber - Interoffice Transport, Per Four Fiber			TII TOT	TEOTO	0.04									
		Strands, Per Route Mile Or Fraction Thereof			HEQDL	1L5DF	25.28									İ
		Commingled Dark Fiber - Interoffice Transport, Per Four Fiber														
		Strands, Per Route Mile Or Fraction Thereof			HEQDL	UDF14		620.60	133.88							İ
SIGNA	LING (C								· · · · · · · · · · · · · · · · · · ·							1
	NOTE:	bk" beside a rate indicates that the parties have agreed to bill	I and ke	ep for	that element pursua	nt to the ter		ns in Attachm	ent 3.							
		CCS7 Signaling Usage, Per TCAP Message					0.000064bk									1
1.115.6	<u> </u>	CCS7 Signaling Usage, Per ISUP Message		ļ			0.000016bk					_	ļ	ļ		
LNP Q	uery Sei	LNP Charge Per query		-			0.0008559			 		+				
-		LNP Service Establishment Manual					0.0008559	12.16								
-		LNP Service Provisioning with Point Code Establishment					+	576.33	294.43	+		-				
911 PR	X LOCA							370.33	234.43							
31111		X LOCATE DATABASE CAPABILITY					+									
	J L	Service Establishment per CLEC per End User Account			9PBDC	9PBEU		1,819.00								
		Changes to TN Range or Customer Profile			9PBDC	9PBTN		181.99								
		Per Telephone Number (Monthly)			9PBDC	9PBMM	0.07									
		Change Company (Service Provider) ID			9PBDC	9PBPC		534.22								
		PBX Locate Service Support per CLEC (MonthIt)			9PBDC	9PBMR	178.58									
		Service Order Charge			9PBDC	9PBSC		15.20								
		X LOCATE TRANSPORT COMPONENT														
	See At															<u> </u>
		Rates displaying an "I" in Interim column are interim as a resu	ilt of a C	Commi	ssion order.	1				1	1	-	1	1		
UNBUN		OCAL EXCHANGE SWITCHING(PORTS)	1		Line Bertere (M				B I B	Bl 64 00 ' A						<u> </u>
		change Switching Port Rates Reflected Here Apply to Embedonge Ports	ded Bas	e Swite	ching Ports as of Ma	ircn 10, 200:	and Consist of	the IELRIC C	ost Based Rat	es Plus \$1.00 in Accord	ance with the	I KKO.	ı	1		
		Although the Port Rate includes all available features in GA, I	VV I A	O TAI 4	as desired features	will need to	he ardered usin	a rotoil HEOCo								L
		E VOICE GRADE LINE PORT RATES (RES)	NI, LA	Cx IIV, U	ie desired realures	l need to	be ordered usin	g retail 030Cs	•					ı		
	Z-VVIIXL	Exchange Ports - 2-Wire Analog Line Port- Res.			UEPSR	UEPRL	2.52	2.31	2.21			-				
		Excitating Forth 2 wine rulating Eliter of Titles.			OLI OIK	OLITE	2.02	2.01	2,21							
		Exchange Ports - 2-Wire Analog Line Port with Caller ID - Res.			UEPSR	UEPRC	2.52	2.31	2.21							
		Exchange Ports - 2-Wire Analog Line Port outgoing only - Res.			UEPSR	UEPRO	2.52	2.31	2.21							
		Exchange Ports - 2-Wire VG unbundled LA extended local			OLI OIL		2.02	۷.3۱	2.21							
		dialing parity Port with Caller ID - Res.			UEPSR	UEPAS	2.52	2.31	2.21							
		Exchange Ports - 2-Wire VG unbundled Louisiana Area Plus with Caller ID - Res (RUL)			UEPSR	UEPAG	2.52	2.31	2.21							
		Exchange Ports - 2-Wire VG unbundled res, low usage line port														
		with Caller ID (LUM) Exchange Ports - 2-Wire VG Louisiana Residence Dialing Plan		1	UEPSR	UEPAP	2.52	2.31	2.21				1			
		without Caller ID			UEPSR	UEPWG	2.52	2.31	2.21							
		Exchange Ports - 2-Wire VG Louisiana Residence Area Plus without Caller ID			UEPSR	UEPRQ	2.52	2.31	2.21							1
		2-Wire voice unbundled Low Usage Line Port without Caller ID														
-		Capability Subsequent Activity		-	UEPSR UEPSR	UEPRT USASC	2.52 0.00	2.31 0.00	2.21 0.00							
—	FEATU	RES					3.50	3.55	3.30			1				
		All Available Vertical Features			UEPSR	UEPVF	0.00	0.00	0.00	1						
	2-WIRE	VOICE GRADE LINE PORT RATES (BUS)								<u> </u>			<u> </u>	<u> </u>		
		Exchange Ports - 2-Wire Analog Line Port without Caller ID - Bus			UEPSB	UEPBL	2.52	2.31	2.21							
		Exchange Ports - 2-Wire VG unbundled Line Port with unbundled port with Caller+E484 ID - Bus.			UEPSB	UEPBC	2.52	2.31	2.21							

UNBUNDLED	NETWORK ELEMENTS - Louisiana												Attachment:			
	-	Interi									Svc Order Submitted Elec	Svc Order Submitted Manually	Incremental Charge - Manual Svc	Incremental Charge - Manual Svc	Incremental Charge - Manual Svc	Incremental Charge - Manual Svo
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs. Electronic- 1st	Order vs. Electronic- Add'l	Order vs. Electronic- Disc 1st	Order vs. Electronic- Disc Add'l
							Nonre	urrina	Nonrecurring	Disconnect		l l	220	Rates(\$)	l	
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
						Nec	FIISL	Auu i	First	Auu i	SOWIEC	SOWAN	JOWAN	JOWAN	JOWAN	SOWAN
	Exchange Ports - 2-Wire Analog Line Port outgoing only - Bus.			UEPSB	UEPBO	2.52	2.31	2.21								
	Exchange Ports - 2-Wire VG unbundled LA extended local			02.02	02. 20	2.02	2.01									
	dialing parity Port with Caller ID - Bus.			UEPSB	UEPAX	2.52	2.31	2.21								
	Exhange Ports - 2-Wire VG unbundled incoming only port with															
	Caller ID - Bus			UEPSB	UEPB1	2.52	2.31	2.21								
	Exchange Ports - 2-Wire VG unbundled Louisiana Bus Area															
	Calling Port with Caller ID - Bus (BUC)			UEPSB	UEPAA	2.52	2.31	2.21								
	Exchange Ports - 2-Wire Voice Louisiana Business Dialing Plan															
	without Caller ID			UEPSB	UEPWH	2.52	2.31	2.21								
	Exchange Ports - 2-Wire Voice Louisiana Business Area Calling	1		LIEDOD	LIEDDA	0.50	0.04	0.04			1					I
	Port without Caller ID 2-Wire voice unbundled Incoming Only Port without Caller ID	 		UEPSB	UEPBA	2.52	2.31	2.21	1							
1	Capability	l		UEPSB	UEPBE	2.52	2.31	2.21								1
-	Subsequent Activity			UEPSB	USASC	0.00	0.00	0.00								
FEAT	URES			OLI OB	00/100	0.00	0.00	0.00								
	All Available Vertical Features			UEPSB	UEPVF	0.00	0.00	0.00								
EXCH	IANGE PORT RATES (DID & PBX)															
	2-Wire VG Unbundled 2-Way PBX Trunk - Res			UEPSE	UEPRD	2.52	30.37	14.42								
	2-Wire VG Line Side Unbundled 2-Way PBX Trunk - Bus			UEPSP	UEPPC	2.52	30.37	14.42								
	2-Wire VG Line Side Unbundled Outward PBX Trunk - Bus			UEPSP	UEPPO	2.52	30.37	14.42								
	2-Wire VG Line Side Unbundled Incoming PBX Trunk - Bus			UEPSP	UEPP1	2.52	30.37	14.42								
	2-Wire Analog Long Distance Terminal PBX Trunk - Bus			UEPSP	UEPLD	2.52	30.37	14.42								
	2-Wire Voice Unbundled 2-Way PBX Louisiana Calling Port			UEPSP	UEPL2	2.52	30.37	14.42								
	2-Wire Voice Unbundled PBX LD Terminal Ports			UEPSP	UEPLD	2.52	30.37	14.42								
	2-Wire Vice Unbundled 2-Way PBX Usage Port			UEPSP UEPSP	UEPXA UEPXB	2.52	30.37	14.42								
	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports 2-Wire Voice Unbundled PBX LD DDD Terminals Port			UEPSP	UEPXB	2.52 2.52	30.37 30.37	14.42 14.42								-
	2-Wire Voice Unburidled PBX LD DDD Terminals Port			UEPSP	UEPXD	2.52	30.37	14.42								
-	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD			OLI OI	OLI AD	2.52	30.37	14.42								
	Capable Port			UEPSP	UEPXE	2.52	30.37	14.42								
	2-Wire Voice Unbundled 2-Way PBX Louisiana Local Optional					-										
	Callling Port			UEPSP	UEPXK	2.52	30.37	14.42								
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy															
	Administrative Calling Port			UEPSP	UEPXL	2.52	30.37	14.42								
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy															
	Room Calling Port			UEPSP	UEPXM	2.52	30.37	14.42								
1	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital	l		LIEDOD	LIEDVO											1
	Discount Room Calling Port	1		UEPSP	UEPXO	2.52	30.37	14.42	1							1
	2-Wire Voice Unbundled 1-Way Outgoing PBX Louisiana Local Discount Calling Port	1		UEPSP	UEPXP	2.52	30.37	14.42			1					
-	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPSP	UEPXS	2.52	30.37	14.42								-
-	Subsequent Activity			UEPSP	USASC	0.00	0.00	0.00								
FFAT	URES			OLI OI	OOAGC	0.00	0.00	0.00								
	All Available Vertical Features			UEPSP UEPSE	UEPVF	0.00	0.00	0.00								
NOTE	: Transmission/usage charges associated with POTS circuit sv	vitched								nannels associ	ated with 2-	wire ISDN p	orts.	L	L	
	: Access to B Channel or D Channel Packet capabilities will be													s Request Pro	cess.	
2-WII	RE VOICE GRADE LINE PORT RATES (DID)							•		•			•			
	Exchange Ports - 2-Wire DID Port			UEPEX	UEPP2	9.29	115.85	18.20								
2-WIF	RE VOICE GRADE LINE PORT RATES (ISDN-BRI)			L	ļ											1
	Exchange Ports - 2-Wire ISDN Port (See Notes below.)	ļ		UEPTX, UEPSX	U1PMA	11.07	70.76	51.46								
	All Features Offered	<u> </u>		UEPTX, UEPSX	UEPVF	0.00	0.00	0.00						ļ	ļ	
NOTE	Exchange Ports - 2-Wire ISDN Port Channel Profiles	uito' '		UEPTX, UEPSX	U1UMA	0.00	0.00	0.00	ionian bu B O	onnolo	atad with a	wire ICDN	orto	<u> </u>	I	1
	: Transmission/usage charges associated with POTS circuit sv :: Access to B Channel or D Channel Packet capabilities will be													Poguest Pro	2000	
INUIL			ie only	y anough BFK/NEW	Dusiness Re	quest Frocess.	rates for the	раскег сарабі	indes will be de	remmed via t	ile bulla Flo	e request/f	NEW DUSINESS	Request Pro		
HMDI																1
	JNDLED PORT with REMOTE CALL FORWARDING CAPABILITY JNDLED REMOTE CALL FORWARDING SERVICE - RESIDENCE															

UNBUN	IDLED	NETWORK ELEMENTS - Louisiana												Attachment: 2	2 Exh A		
CATEG	ORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)			Submitted Elec	Svc Order Submitted Manually per LSR	Charge - Manual Svc	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
								Nonrec	urrina	Nonrecurring	Disconnect			oss	Rates(\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Unbundled Remote Call Forwarding Service, Local Calling - Res			UEPVR	UERLC	2.52	2.31	2.21								
		Unbundled Remote Call Forwarding Service, InterLATA - Res			UEPVR	UERTE	2.52	2.31	2.21								
		Unbundled Remote Call Forwarding Service, IntraLATA - Res			UEPVR	UERTR	2.52	2.31	2.21								
	Non-R	ecurring															
		Unbundled Remote Call Forwarding Service - Conversion -															
		Switch-as-is			UEPVR	USAC2		0.10	0.10								
		Unbundled Remote Call Forwarding Service - Conversion with															
		allowed change (PIC and LPIC)			UEPVR	USACC		0.10	0.10								
	UNBU	NDLED REMOTE CALL FORWARDING - Bus															
		Unbundled Remote Call Forwarding Service, Area Calling - Bus			UEPVB	UERAC	2.52	2.31	2.21								
		Habitan diad Damata Call Famina III - Oct 1 - 1 - 1 - 1 - 2			LIEDVD	LIEDLO	0.50	0.01	00:								1
<u> </u>		Unbundled Remote Call Forwarding Service, Local Calling - Bus		<u> </u>	UEPVB	UERLC	2.52	2.31	2.21			 					\vdash
-	-	Unbundled Remote Call Forwarding Service, InterLATA - Bus		1	UEPVB	UERTE	2.52	2.31 2.31	2.21 2.21			ļ					\vdash
-	-	Unbundled Remote Call Forwarding Service, IntraLATA - Bus Unbundled Remote Call Forwarding Service Expanded and	-	 	UEPVB	UERTR	2.52	2.31	2.21			1		 			\vdash
		Exception Local Calling			UEPVB	UERVJ	2.52	2.31	2.21								
-	Non-P	ecurring			UEFVB	UERVJ	2.52	2.31	2.21								
	NOII-R	Unbundled Remote Call Forwarding Service - Conversion -										1					
		Switch-as-is			UEPVB	USAC2		0.10	0.10								
		Unbundled Remote Call Forwarding Service - Conversion with		1	OLI VD	OOAOZ		0.10	0.10			1					
		allowed change (PIC and LPIC)			UEPVB	USACC		0.10	0.10								
UNRUN	IDI ED	LOCAL SWITCHING, PORT USAGE			OLI VD	ООЛОС		0.10	0.10								
0.1.20.		ffice Switching (Port Usage)															
		End Office Switching Function, Per MOU					0.001868										
		End Office Trunk Port - Shared, Per MOU					0.00018										
	Tande	m Switching (Port Usage) (Local or Access Tandem)															
		Tandem Switching Function Per MOU					0.0001067										
		Tandem Trunk Port - Shared, Per MOU					0.000222										
		Tandem Switching Function Per MOU (Melded)					0.000035296										
		Tandem Trunk Port - Shared, Per MOU (Melded)					0.000073438										
		Factor: 33.08% of the Tandem Rate															
	Comm	on Transport															
		Common Transport - Per Mile, Per MOU					0.0000032										
LINIDATE	IDI EE	Common Transport - Facilities Termination Per MOU		<u> </u>			0.0003748										\vdash
UNBUN		PORT/LOOP COMBINATIONS - COST BASED RATES		`*-*- C		navida Habu	malland Lanad Cou	itabina an Cui	tal Danta								
		Based Rates are applied where BellSouth is required by FCC a								Danad Datas F	N		ish she TDI	20			
-		JNE-P Switching Port Rates Reflected in the Cost Based Section Ires shall apply to the Unbundled Port/Loop Combination - Co											with the IKI	NO.			
—		office and Tandem Switching Usage and Common Transport U											oin Port/I or	on Combinatio	ns.		
		irst and additional Port nonrecurring charges apply to Not Cur															-
		E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)	. Sincing v	3111311				nomeourn	51141905 511	50 111008 101	ica iii tile		g Carrent	, Johnsmad a			
		ort/Loop Combination Rates					1										
		2-Wire VG Loop/Port Combo - Zone 1					14.13										
		2-Wire VG Loop/Port Combo - Zone 2					24.75										
		2-Wire VG Loop/Port Combo - Zone 3					50.62										
	UNE L	oop Rates															
		2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPRX	UEPLX	11.77										
		2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPRX	UEPLX	22.39										
		2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPRX	UEPLX	48.26										
	2-Wire	Voice Grade Line Port Rates (Res)							·								
		2-Wire voice unbundled port - residence		<u> </u>	UEPRX	UEPRL	2.36	38.85	19.08								
		2-Wire voice unbundled port with Caller ID - res			UEPRX	UEPRC	2.36	38.85	19.08			ļ		ļl			
		2-Wire voice unbundled port outgoing only - res			UEPRX	UEPRO	2.36	38.85	19.08			ļ		ļl			
		2-Wire voice Grade unbundled Louisiana extended local dialing parity port with Caller ID - res			UEPRX	UEPAS	2.36	38.85	19.08								
		2-Wire voice unbundled Louisiana Area Plus with Caller ID - res (RUL)			UEPRX	UEPAG	2.36	38.85	19.08								
	•											•	•				-

UNBUNDLED	NETWORK ELEMENTS - Louisiana												Attachment:	2 Exh A		
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
							Nonrec	urring	Nonrecurring	Disconnect				Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire voice unbundles res, low usage line port with Caller ID															
	(LUM)			UEPRX	UEPAP	2.36	38.85	19.08								
	2-Wire Voice Unbundled Louisiana Residence Dialing Plan without Caller ID			UEPRX	UEPWG	2.36	38.85	19.08								
	2-Wire voice unbundled Louisiana Area Plus Port without Caller			OLI IXX	OLI WO	2.50	30.03	19.00								
	ID Capability			UEPRX	UEPRQ	2.36	38.85	19.08								
	2-Wire voice unbundled Low Usage Line Port without Caller ID															
	Capability			UEPRX	UEPRT	2.36	38.85	19.08								
FEATU				LIEDDY	LIED) (E	0.00	0.00	0.00								
NONE	All Features Offered ECURRING CHARGES (NRCs) - CURRENTLY COMBINED			UEPRX	UEPVF	0.00	0.00	0.00								
NONK	2-Wire Voice Grade Loop / Line Port Combination - Conversion -															
	Switch-as-is			UEPRX	USAC2		0.10	0.10								
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -															
	Switch with change		ļ	UEPRX	USACC		0.10	0.10								
	2-Wire Voice Grade Loop / Line Port Platform - Installation															
	Charge at QuickService location - Not Conversion of Existing Service			UEPRX	URECC		0.10									
ADDIT	TONAL NRCs			UEPRA	URECC		0.10									
ADDII	2-Wire Voice Grade Loop/Line Port Combination - Subsequent															
	Activity			UEPRX	USAS2	0.00	0.00	0.00								
	Unbundled Miscellaneous Rate Element, Tag Loop at End User															
	Premise			UEPRX	URETL		8.33	0.83								
OFF/O	ON PREMISES EXTENSION CHANNELS															
	2 Wire Analog Voice Grade Extension Loop – Non-Design			UEPRX	UEAEN	12.90	36.54	16.87								
	2 Wire Analog Voice Grade Extension Loop – Non-Design 2 Wire Analog Voice Grade Extension Loop – Non-Design		2	UEPRX UEPRX	UEAEN UEAEN	23.33 48.43	36.54 36.54	16.87 16.87								
	2 Wire Analog Voice Grade Extension Loop – Non-Design		1	UEPRX	UEAED	14.93	102.10	65.72								
	2 Wire Analog Voice Grade Extension Loop – Design		2	UEPRX	UEAED	25.35	102.10	65.72								
	2 Wire Analog Voice Grade Extension Loop – Design		3	UEPRX	UEAED	50.46	102.10	65.72								
INTER	OFFICE TRANSPORT															
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility															
	Termination Control of the Control o			UEPRX	U1TV2	22.60	39.36	26.62								
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile or Fraction Mile			UEPRX	U1TVM	0.013	0.00	0.00								
2-WIR	E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS)			UEPKA	UTTVIVI	0.013	0.00	0.00								
	Port/Loop Combination Rates															
	2-Wire VG Loop/Port Combo - Zone 1					14.13										
	2-Wire VG Loop/Port Combo - Zone 2					24.75										
	2-Wire VG Loop/Port Combo - Zone 3					50.62										
UNE L	oop Rates	<u> </u>	L _	LIEDDY	LIEDLY	44										
$\longrightarrow \longmapsto$	2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2		1	UEPBX UEPBX	UEPLX UEPLX	11.77 22.39										
- -	2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPBX	UEPLX	48.26										
2-Wire	e Voice Grade Line Port (Bus)			021 07	OLI LA	70.20										
	2-Wire voice unbundled port without Caller ID - bus			UEPBX	UEPBL	2.36	38.85	19.08								
	2-Wire voice unbundled port with Caller + E484 ID - bus			UEPBX	UEPBC	2.36	38.85	19.08								
	2-Wire voice unbundled port outgoing only - bus			UEPBX	UEPBO	2.36	38.85	19.08								
1	2-Wire voice Grade unbundled Louisiana extended local dialing		1	LIEDDY	LIEDAY	0.00	00.05	10.00								
	parity port with Caller ID - bus 2-Wire voice unbundled incoming only port with Caller ID - Bus		1	UEPBX UEPBX	UEPAX UEPB1	2.36 2.36	38.85 38.85	19.08 19.08								
-+	2-Wire voice unbundled incoming only port with Caller ID - Bus 2-Wire voice unbundled Louisiana Bus Area Calling Port with		†	OLI DA	OLI DI	2.30	30.03	13.00								
	Caller ID (BUC)			UEPBX	UEPAA	2.36	38.85	19.08								
	2-Wire Voice Unbundled Louisiana Business Dialing Plan															
	without Caller ID			UEPBX	UEPWH	2.36	38.85	19.08								
	2-Wire voice unbundled Louisiana Business Area Calling Port			LIEDDY	LIEDS :		22.2									
	without Caller ID Capability			UEPBX	UEPBA	2.36	38.85	19.08								
<u> </u>	2-Wire voice unbundled Incoming Only Port without Caller ID						· ·									

IINRIIN	DIEDN	ETWORK ELEMENTS - Louisiana											Attachment:	2 Evh Δ		
UNDUN	DLED N	ETWORK ELEMENTS - LOUISIANA	I								Svc Order	Svc Order	Incremental		Incremental	Incremental
											Submitted			Charge -	Charge -	Charge -
											Elec	Manually		_	Manual Svc	Manual Svc
CATEG	ORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES(\$)		per LSR		Order vs.	Order vs.	Order vs.	Order vs.
		····	m						- (,,		per LSK	per LSK				
													Electronic-		Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
								Nonrec	urring	Nonrecurring Disconne	ct	•	oss	Rates(\$)		
							Rec	First	Add'l	First Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	FEATU	RES														
		All Features Offered			UEPBX	UEPVF	0.00	0.00	0.00							
	NONRE	CURRING CHARGES (NRCs) - CURRENTLY COMBINED														
		2-Wire Voice Grade Loop / Line Port Combination - Conversion -														
-		Switch-as-is			UEPBX	USAC2		0.10	0.10							
		2-Wire Voice Grade Loop / Line Port Combination - Conversion -			HEDDY			0.40	0.40							
-	ADDITE	Switch with change DNAL NRCs			UEPBX	USACC		0.10	0.10		_	-				
	ADDITI	2-Wire Voice Grade Loop/Line Port Combination - Subsequent				+				 		1				
		Activity			UEPBX	USAS2		0.00	0.00							
\vdash		Unbundled Miscellaneous Rate Element, Tag Loop at End User	†			3002		0.00	0.00			†		I		
		Premise			UEPBX	URETL		8.33	0.83					1		
	OFF/ON	I PREMISES EXTENSION CHANNELS				1		2.00	2,00			1				
		2 Wire Analog Voice Grade Extension Loop – Non-Design		1	UEPBX	UEAEN	12.90	36.54	16.87							
		2 Wire Analog Voice Grade Extension Loop – Non-Design		2	UEPBX	UEAEN	23.33	36.54	16.87							
		2 Wire Analog Voice Grade Extension Loop – Non-Design		3	UEPBX	UEAEN	48.43	36.54	16.87							
		2 Wire Analog Voice Grade Extension Loop – Design		1	UEPBX	UEAED	14.93	102.10	65.72							
		2 Wire Analog Voice Grade Extension Loop – Design			UEPBX	UEAED	25.35	102.10	65.72							
		2 Wire Analog Voice Grade Extension Loop – Design		3	UEPBX	UEAED	50.46	102.10	65.72							
	INTERC	OFFICE TRANSPORT														
		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility			HEDDY	11477.00	00.00	00.00	00.00							
		Termination			UEPBX	U1TV2	22.60	39.36	26.62		_	+				
		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile or Fraction Mile			UEPBX	U1TVM	0.013	0.00	0.00							
	2-WIRE	VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES - PBX)			OLFBX	OTTVIVI	0.013	0.00	0.00		-	+				
		rt/Loop Combination Rates									-					
	0.12.	2-Wire VG Loop/Port Combo - Zone 1					14.13									
		2-Wire VG Loop/Port Combo - Zone 2					24.75									
		2-Wire VG Loop/Port Combo - Zone 3					50.62									
	UNE Lo	op Rates														
		2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEPRG	UEPLX	11.77									
		2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEPRG	UEPLX	22.39									
		2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEPRG	UEPLX	48.26									
	2-Wire	Voice Grade Line Port Rates (RES - PBX)														
		2-Wire VG Unbundled Combination 2-Way PBX Trunk Port - Res	1		UEPRG	UEPRD	2.36	66.91	31.29					I		
\vdash	FEATU	1.00	 		ULFKU	DEPRD	2.30	00.91	31.29			 		+		
\vdash		All Features Offered	 		UEPRG	UEPVF	0.00	0.00	0.00		+	1	1	t		
		CURRING CHARGES (NRCs) - CURRENTLY COMBINED	†		<u> </u>	JE: VI	0.00	0.00	0.00			1	1	†		
		2-Wire Voice Grade Loop/ Line Port Combination (PBX) -	1			1								1		
		Conversion - Switch-As-Is	1		UEPRG	USAC2		7.68	1.85							
		2-Wire Voice Grade Loop/ Line Port Combination (PBX) -														
		Conversion - Switch with Change			UEPRG	USACC		7.68	1.85							
	ADDITI	ONAL NRCs	<u> </u>			1										
		2-Wire Voice Grade Loop/ Line Port Combination (PBX) -	1		LIEDDO											
\vdash		Subsequent Activity	<u> </u>		UEPRG	USAS2	0.00	0.00	0.00			<u> </u>		-		
		PBX Subsequent Activity - Change/Rearrange Multiline Hunt	1			1		7 4 4	7 44					I		
\vdash		Group Unbundled Miscellaneous Rate Element, Tag Loop at End User	 			+	-	7.11	7.11			1	1	+		
		Premise			UEPRG	URETL		8.33	0.83					1		
+	OFF/ON	I PREMISES EXTENSION CHANNELS	 		021 110	JILLE		0.55	0.03		_	1		t		
	3 , 51	Local Channel Voice grade, per termination	†	1	UEPRG	P2JHX	14.93	102.10	65.72			1	1	†		
		Local Channel Voice grade, per termination		2	UEPRG	P2JHX	25.35	102.10	65.72					1		
		Local Channel Voice grade, per termination	1	3	UEPRG	P2JHX	50.46	102.10	65.72							
	INTERC	OFFICE TRANSPORT														
		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility													_	
		Termination			UEPRG	U1TV2	22.60	39.36	26.62							
		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile				I								1		
		or Fraction Mile	<u> </u>		UEPRG	U1TVM	0.013	0.00	0.00				l			

RATE ELEMENTS Interim m Zone BCS USOC RATES(\$) Svc Order Submitted Electonic flectroni	UNBUNDLED I	NETWORK ELEMENTS - Louisiana											Attachment:	2 Exh A		
Part Control Control Control Control State Port Control Contro	CATEGORY			Zone	BCS	USOC			RATES(\$)		Submitted Elec	Submitted Manually	Incremental Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic-	Charge - Manual Svc Order vs. Electronic-	Charge -
Part Control Control Control Control State Port Control Contro								Nonrec	urring	Nonrecurring Disconne	ct	1	oss	Rates(\$)		
2-Wine FORCE DATABLE LOOP WITH ZAWIRE LINE PORT (BUS. PRO)							Rec					SOMAN			SOMAN	SOMAN
Milk Profit Log Combination Research	2-WIRE	VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)							,,,,,,,	7						
2-Wine Vot Legenbrat Cardines Zene 1																
SAME VICE CORDINATION CONTROL CORDINATION CONTROL CONTROL CORD CORD CONTROL CORD CONTROL CORD CONTROL CORD CONTROL CORD CONTROL CORD CONTROL CORD CONTROL CORD CONTROL CORD CONTROL CORD CONTROL CORD CONTROL CORD CONTROL CORD CONTROL CORD CONTROL CORD CONTROL CORD CONTROL CORD CONTROL CORD CONTROL CORD CONTROL CORD CORD CONTROL						14.13			1							
Different College Different Contents Different College Dif										1						
UNIT COOK The Control of Cont																1
E-Write Voice Grade Loop (St. 1) - Zeno 2 2 UEPPX UEPX 22.38	UNE Lo									1						
E-Write Voice Grade Loop (St. 1) - Zeno 2 2 UEPPX UEPX 22.38		2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEPPX	UEPLX	11.77			1						
Description Description																
Les Sels Unburded Combination 2 Way PBX Trunk Ppr1 - Bus USEPPX USEPX		2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEPPX	UEPLX	48.26									
Line Sake Lintanded Outward PRX Trunk Port - Sup UEPPX UEPPO 2.96 66.91 31.29	2-Wire	Voice Grade Line Port Rates (BUS - PBX)														
Line Sake Lintanded Outward PRX Trunk Port - Sup UEPPX UEPPO 2.96 66.91 31.29																
Line Sade Unbounded From PRP Trush Port - Bus UEPPX UEPP 2.96 66.91 31.29																
2-Wire Visco Unbunded PAW, DT Terminal Ports UEPPX																
Calling Port					UEPPX	UEPP1	2.36	66.91	31.29			<u> </u>				
2-Wire Vote Unbunded PRX_D Terminal Post UEPPX UEPX 2.36 66.91 31.29	1					l							I	1		
2-Wire Voice Unbunded 2-Way Compination PEX Usage Port UEPPX UEPX 2.56 66.91 31.29												1	ļ			1
2-Wire Voco Unbunded PSX foll Terminal Horel Ports UEPPK UEPX																
2-Wire Visios Unbundied PRX LO DOT Terminals Port UEPPX UEPXD 2.36 66.91 31.29																
2-Wire Visice Unbundled PRX.L Derminal Switchboard ID Capable POT																
2-Wire Voice Urbundled PRX.LD Terminal Switchboard DD UEPX																
Capable Port Capable Port Capable Port UEPPK					UEPPX	UEPXD	2.36	66.91	31.29							
2-Wire Voice Urbunded 2-Way PBX Louisiana Local Optonal Calling Port UEPPX UEPX					HEDDY	LIEDVE	0.00	00.04	04.00							
Calling Port UEPPX UEPX					UEPPX	UEPXE	2.36	66.91	31.29	4		-				
2-Wire Voice Unbundled 2-Way PBX Hotel-Hospital Economy LEPPX					LIEDDY	LIEDVIZ	2.26	66.01	24.20							
Administrative Calling Port					UEPPA	UEFAR	2.30	00.91	31.29			-				-
2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy UEPPX					LIEDDY	LIEDVI	2.26	66.01	21.20							
Room Caling Port					ULFFX	ULFAL	2.30	00.91	31.25	+		1				
2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital Discour Room Calling Port UEPX					LIEDDY	LIEDYM	2.36	66 91	31 20							
Discount Room Calling Port					OLITA	OLI XIVI	2.50	00.31	31.23	1		-				+
2-Wire Voice Unbundled 1-Way Outgoing PBX Louisiana Local UEPPX UEX UEPX UEX UEPX UEX UEPX UEX UEPX UEX UEPX UEX UEPX UEX UEPX UEX UEPX UEX UEPX UEX UEPX UEX UEPX UEX UEPX UEX UEPX UEX UEPX UEX UEPX UEX UEPX					UEPPX	UEPXO	2.36	66.91	31.29							
Discount Calling Port UEPPX UEPX UEPX UEPX 2.36 66.91 31.29					02.17	02.70	2.00	00.01	01.20							
E-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port UEPPX UEPX					UEPPX	UEPXP	2.36	66.91	31.29							
FEATURES		2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPPX	UEPXS	2.36	66.91	31.29							
NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED	FEATU															
2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Conversion - Switch -As-1s UEPX USAC2 7.68 1.85		All Features Offered			UEPPX	UEPVF	0.00	0.00	0.00							
2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Conversion - Switch -As-1s UEPX USAC2 7.68 1.85	NONRE	CURRING CHARGES (NRCs) - CURRENTLY COMBINED														
2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Conversion - Switch with Change UEPPX																
Conversion - Switch with Change					UEPPX	USAC2		7.68	1.85							
ADDITIONAL NRCS 2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Subsequent Activity - Change/Rearrange Multiline Hunt Group Unbundled Miscellaneous Rate Element, Tag Loop at End User Premise OFF/ON PREMISES EXTENSION CHANNELS Local Channel Voice grade, per termination 1 UEPPX P2JHX 14.93 102.10 65.72 Local Channel Voice grade, per termination 2 UEPPX P2JHX 25.35 102.10 65.72 Local Channel Voice grade, per termination 3 UEPPX P2JHX 50.46 102.10 65.72 Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility Termination UEPPX UTIV2 22.60 39.36 26.62 UEPPX UTIVM 0.013 0.00 0.00 2-WIRE VOICE GRADE LOOP WITH 2-WIRE ANALOG LINE COIN PORT													1			
2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Subsequent Activity - Change/Rearrange Multiline Hunt Group FDX Subsequent Activity - Change/Rearrange Multiline Hunt Group 7.11				<u> </u>	UEPPX	USACC		7.68	1.85							
Subsequent Activity - Change/Rearrange Multiline Hunt Group	ADDIT											<u> </u>				
PBX Subsequent Activity - Change/Rearrange Multiline Hunt Group T.11	1					1							I	1		
Group				<u> </u>	UEPPX	USAS2	0.00	0.00	0.00			1	ļ	ļ		ļ
Unbundled Miscellaneous Rate Element, Tag Loop at End User UEPPX													1			
Premise				ļ				7.11	7.11							_
OFF/ON PREMISES EXTENSION CHANNELS	1				HEDDY	LIDETI		0.00	0.00				I	1		
Local Channel Voice grade, per termination	055.0			!	UEPPX	UKEIL	 	8.33	0.83	 		1	 	 	-	<u> </u>
Local Channel Voice grade, per termination 2 UEPPX P2JHX 25.35 102.10 65.72	OFF/O		-	1	LIEDDY	D2 ILIV	14.00	100 10	CE 70	 	-	 		-		
Local Channel Voice grade, per termination 3 UEPPX P2JHX 50.46 102.10 65.72 INTEROFFICE TRANSPORT										 	_	1		 		
Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility Termination Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile or Fraction Mile UEPPX U1TVZ 22.60 39.36 26.62 UEPPX U1TVM 0.013 0.00 0.00 2-WIRE VOICE GRADE LOOP WITH 2-WIRE ANALOG LINE COIN PORT												1	t	1	1	
Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility Termination Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile or Fraction Mile 2-WIRE VOICE GRADE LOOP WITH 2-WIRE ANALOG LINE COIN PORT	INTER		-	- 3	OLI I A	1 2011/	30.40	102.10	00.72	 	+	1	t	 		
Termination UEPPX U1TV2 22.60 39.36 26.62 Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile or Fraction Mile UEPPX U1TVM 0.013 0.00 0.00 2-WIRE VOICE GRADE LOOP WITH 2-WIRE ANALOG LINE COIN PORT	III EN		1	1		1	 					†	I	 	1	†
Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile or Fraction Mile UEPPX U1TVM 0.013 0.00 0.00 0.00 0.00 0.00 0.00 0.0	1				UEPPX	U1TV2	22,60	39,36	26.62				I	1		
Or Fraction Mile						1							1	1		
2-WIRE VOICE GRADE LOOP WITH 2-WIRE ANALOG LINE COIN PORT					UEPPX	U1TVM	0.013	0.00	0.00				1			
	2-WIRE		RT													
							1									

UNRU	NDI ED N	ETWORK ELEMENTS - Louisiana												Attachment:	2 Evh Δ		
ONBOI	ADEED I	ETWORK ELEWENTS - Louisiana	1									Svc Order		Incremental		Incremental	Incremental
												Submitted			Charge -	Charge -	Charge -
												Elec		Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATE	ORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m									P • • • • • • • • • • • • • • • • • • •	F	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'I	Disc 1st	Disc Add'l
							_	Nonrec		Nonrecurring					Rates(\$)		
		0.W/ \/O.O.'- D// O 7/					Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		2-Wire VG Coin Port/Loop Combo – Zone 1					14.13										
		2-Wire VG Coin Port/Loop Combo – Zone 2 2-Wire VG Coin Port/Loop Combo – Zone 3				-	24.75 50.62										
		pop Rates					50.62										
	OIAL LC	2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPCO	UEPLX	11.77										
		2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPCO	UEPLX	22.39										
		2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPCO	UEPLX	48.26										
	2-Wire	Voice Grade Line Ports (COIN)															
		2-Wire Coin 2-Way without Operator Screening and without															
		Blocking (AL, KY, LA, MS)			UEPCO	UEPRF	2.36	38.85	19.08								
		2-Wire Coin 2-Way with Operator Screening and Blocking: 011,	1			1	_					1	1				
<u> </u>	1	900/976, 1+DDD (AL, KY, LA, MS)	ļ		UEPCO	UEPRA	2.36	38.85	19.08								
		2-Wire Coin 2-Way with Operator Screening and 011 Blocking	l		LIEBCO	HEDDD	0.00	20.05	40.00								
-	-	(AL, LA, MS) 2-Wire Coin 2-Way with Operator Screening & Blocking:	-		UEPCO	UEPRB	2.36	38.85	19.08	-	-	-	-		1		
		900/976, 1+DDD, 011+, & Local (AL, KY, LA, MS)	1		UEPCO	UEPCD	2.36	38.85	19.08			1	1				
 	 	2-Wire Coin Outward without Blocking and without Operator	1		02. 00	021 00	2.00	55.65	10.00								
		Screening (KY, LA, MS)			UEPCO	UEPRN	2.36	38.85	19.08								
		2-Wire Coin Outward with Operator Screening and 011 Blocking															
		(LA)			UEPCO	UEPLA	2.36	38.85	19.08								
		2-Wire Coin Outward with Operator Screening and Blocking:															
		011, 900/976, 1+DDD (AL, KY, LA, MS)			UEPCO	UEPRH	2.36	38.85	19.08								
		2-Wire Coin Outward Operator Screening & Blocking: 900/976,															
		1+DDD, 011+, and Local (AL, KY, LA, MS)			UEPCO	UEPCN	2.36	38.85	19.08								
		2-Wire Coin 2-Way Smartline with 900/976 (Louisiana only)			UEPCO	UEPNA UEPCB	2.36	38.85	19.08								
	ADDITI	2-Wire Coin Outward Smartline with 900/976 (Louisiana only) ONAL UNE COIN PORT/LOOP (RC)			UEPCO	UEPCB	2.36	38.85	19.08								
		UNE Coin Port/Loop Combo Usage (Flat Rate)			UEPCO	URECU	1.81	0.00	0.00	0.00	0.00						
	NONRE	CURRING CHARGES - CURRENTLY COMBINED			OLI CO	OKECO	1.01	0.00	0.00	0.00	0.00						
		2-Wire Voice Grade Loop / Line Port Combination - Conversion -															
		Switch-as-is			UEPCO	USAC2		0.10	0.10								
		2-Wire Voice Grade Loop / Line Port Combination - Conversion -															
		Switch with change			UEPCO	USACC		0.10	0.10								
	ADDITI	ONAL NRCs															
		2-Wire Voice Grade Loop/Line Port Combination - Subsequent															
		Activity			UEPCO	USAS2		0.00	0.00								
		Unbundled Miscellaneous Rate Element, Tag Loop at End User			LIEDOO	URETL		0.00	0.83								
	2-WIPE	Premise VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE	LINE	ORT /	UEPCO RES)	UKEIL		8.33	0.83	1	1	-	-				
		ort/Loop Combination Rates	 [J (I	5,						1						
		2-Wire VG Loop/IO Tranport/Port Combo - Zone 1	1				17.45			1	1						
	1	2-Wire VG Loop/IO Tranport/Port Combo - Zone 2					27.87										
		2-Wire VG Loop/IO Tranport/Port Combo - Zone 3					52.98										
	UNE Lo	op Rates			•				•								
		2-Wire Voice Grade Loop (SL2) - Zone 1		1	UEPFR	UECF2	14.93										
<u> </u>	1	2-Wire Voice Grade Loop (SL2) - Zone 2	ļ	2	UEPFR	UECF2	25.35					ļ					
<u> </u>	0.147	2-Wire Voice Grade Loop (SL2) - Zone 3	 	3	UEPFR	UECF2	50.46			1	1						
	2-wire	Voice Grade Line Port Rates (Res) 2-Wire voice unbundled port - residence	 		UEPFR	UEPRL	2.52	104.41	67.93								
-	1	2-Wire voice unbundled port with Caller ID - res	 		UEPFR	UEPRC	2.52	104.41	67.93	 	1						
-	1	2-Wire voice unbundled port outgoing only - res			UEPFR	UEPRO	2.52	104.41	67.93								
—		2-Wire voice Grade unbundled Louisiana extended local dialing	1				2.02		000								
1		parity port with Caller ID - res	1		UEPFR	UEPAS	2.52	104.41	67.93			1	1				
		2-Wire voice unbundled Louisiana Area Plus with Caller ID - res															
		(RUL)			UEPFR	UEPAG	2.52	104.41	67.93								
1		2-Wire voice unbundles res, low usage line port with Caller ID	l									1	1				
<u> </u>		(LUM)			UEPFR	UEPAP	2.52	104.41	67.93								
1		2-Wire Voice Unbundled Louisiana Residence Dialing Plan	1		LIEDED	LIEDWO	0 =0	404 **	07.00			1	1				
	1	without Caller ID			UEPFR	UEPWG	2.52	104.41	67.93			<u> </u>	<u> </u>				

UNBUNDI ED I	NETWORK ELEMENTS - Louisiana												Attachment:	2 Fxh A		
C.IDONDEED I						1					Svc Order	Svc Order	Incremental		Incremental	Incremental
						1						Submitted		Charge -	Charge -	Charge -
04750000	DATE ELEMENTO	Interi	-	BCS	11000			RATES(\$)			Elec		Manual Svc			Manual Svc
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			KAIES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
							Nonrec		Nonrecurring					Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
INTER	OFFICE TRANSPORT															
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility															
	Termination			UEPFR	U1TV2	22.60	39.36	26.62								
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile															
	or Fraction Mile			UEPFR	1L5XX	0.013										
FEATU				02.7.1	120701	0.010										
- I LATE	All Features Offered	 		UEPFR	UEPVF	0.00	0.00	0.00								
NOND	ECURRING CHARGES (NRCs) - CURRENTLY COMBINED	 	1	UEPFR	UEFVF	0.00	0.00	0.00								
NONKI		 	1													
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port															
	Combination - Conversion - Switch-as-is			UEPFR	USAC2		8.24	1.81								
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port								1			l				
	Combination - Conversion - Switch-With-Change			UEPFR	USACC		8.24	1.81								
	Unbundled Miscellaneous Rate Element, Tag Designed Loop at	1										1				1
	End User Premise	<u> </u>		UEPFR	URETN	<u> </u>	11.20	1.10	<u> </u>	<u> </u>				<u> </u>		<u> </u>
	VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE	E LINE I	ORT (BUS)												
	ort/Loop Combination Rates		\	•								l				
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 1				1	17.45			İ	İ	1	İ		İ		İ
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 2	1				27.87										
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 3					52.98										
LINE L	oop Rates	 				32.30										
ONE L	2-Wire Voice Grade Loop (SL2) - Zone 1	 	1	UEPFB	UECF2	14.93										
	2-Wire Voice Grade Loop (SL2) - Zone 2	ļ	2	UEPFB	UECF2	25.35										
	2-Wire Voice Grade Loop (SL2) - Zone 3		3	UEPFB	UECF2	50.46										
2-Wire	Voice Grade Line Port (Bus)															
	2-Wire voice unbundled port without Caller ID - bus			UEPFB	UEPBL	2.52	104.41	67.93								
	2-Wire voice unbundled port with Caller + E484 ID - bus			UEPFB	UEPBC	2.52	104.41	67.93								
	2-Wire voice unbundled port outgoing only - bus			UEPFB	UEPBO	2.52	104.41	67.93								
	2-Wire voice Grade unbundled Alabama extended local dialing															
	parity port with Caller ID - bus			UEPFB	UEPAW	2.52										
	2-Wire voice Grade unbundled Louisiana extended local dialing															
	parity port with Caller ID - bus			UEPFB	UEPAX	2.52	104.41	67.93								
	2-Wire voice unbundled incoming only port with Caller ID - Bus	 		UEPFB	UEPB1	2.52	104.41	67.93								
	2-Wire voice unbundled Incoming only port with Caller ID - Bus 2-Wire voice unbundled Louisiana Bus Area Calling Port with			OLFIB	OLFBI	2.52	104.41	07.55								
				LIEDED	LIEDAA	0.50	404.44	07.00								
	Caller ID (BUC)			UEPFB	UEPAA	2.52	104.41	67.93								
	2-Wire Voice Unbundled Louisiana Business Dialing Plan	1							I			1		Ì		1
	without Caller ID	<u> </u>		UEPFB	UEPWH	2.52	104.41	67.93	ļ		1	ļ		ļ		
INTER	OFFICE TRANSPORT										1					
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility											1				
	Termination	<u> </u>	<u> </u>	UEPFB	U1TV2	22.60	39.36	26.62	<u></u>	<u></u>		<u> </u>				<u></u>
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile	1								1						1
	or Fraction Mile			UEPFB	1L5XX	0.013			1			l				
FEATU	IRES											l				
	All Features Offered			UEPFB	UEPVF	0.00	0.00	0.00				ĺ				
NONRE	ECURRING CHARGES (NRCs) - CURRENTLY COMBINED				1	2.00	2.00	2.00	1							
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port				1	1			†		1	1		1		
	Combination - Conversion - Switch-as-is			UEPFB	USAC2		8.24	1.81	1			l				
 	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port	1	1	סבווט	JUNUZ	+ +	0.24	1.01	 	1	+	1		 		1
		1		UEPFB	USACC		0.04	1.04	I	1		l		1		1
\vdash	Combination - Conversion - Switch with change			UEFFB	USACC	 	8.24	1.81	 		<u> </u>			 		
	Unbundled Miscellaneous Rate Element, Tag Designed Loop at			LIEDED	LIDET:				1			l				
<u> </u>	End User Premise	<u> </u>		UEPFB	URETN		11.20	1.10								
	VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE	LINE	ORT (I	rRX)	1				ļ		1	ļ		ļ		
UNE P	ort/Loop Combination Rates				1							<u> </u>]
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 1					17.45										
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 2					27.87										
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 3					52.98										
UNE L	oop Rates											l				
	2-Wire Voice Grade Loop (SL2) - Zone 1		1	UEPFP	UECF2	14.93			İ	İ	1	İ		İ		İ
	2-Wire Voice Grade Loop (SL2) - Zone 2	1	2	UEPFP	UECF2	25.35			1	1	1	1		1		1
 	2-Wire Voice Grade Loop (SL2) - Zone 3	 		UEPFP	UECF2	50.46			 		1	1				1
	2 TYTE TOICE CIAGE LOOP (OLZ) - ZOITE 3	·	J	OEI I I	JLUI Z	JU.40			1	L	L	L		1	L	

UNBI	INDLED N	IETWORK ELEMENTS - Louisiana												Attachment:	2 Exh A		
	GORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR		Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
								Nonrec	urring	Nonrecurring	g Disconnect			oss	Rates(\$)	ı	I
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire	Voice Grade Line Port Rates (BUS - PBX)															
		Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus			UEPFP	UEPPC	2.52	132.47	82.14								
	-	Line Side Unbundled Outward PBX Trunk Port - Bus			UEPFP	UEPPO	2.52	132.47	82.14								
		Line Side Unbundled Incoming PBX Trunk Port - Bus			UEPFP	UEPP1	2.52	132.47	82.14								
		2-Wire Voice Unbundled 2-Way Combination PBX Louisiana															
		Calling Port			UEPFP	UEPL2	2.52	132.47	82.14								
		2-Wire Voice Unbundled PBX LD Terminal Ports			UEPFP	UEPLD	2.52	132.47	82.14								
		2-Wire Voice Unbundled 2-Way Combination PBX Usage Port			UEPFP	UEPXA	2.52	132.47	82.14								
		2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports			UEPFP	UEPXB	2.52	132.47	82.14								
	-	2-Wire Voice Unbundled PBX LD DDD Terminals Port 2-Wire Voice Unbundled PBX LD Terminal Switchboard Port			UEPFP UEPFP	UEPXC UEPXD	2.52 2.52	132.47	82.14 82.14								
	-	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port 2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD			UEPFP	UEPAD	2.52	132.47	82.14			1					
		Capable Port			UEPFP	UEPXE	2.52	132.47	82.14								
	1	2-Wire Voice Unbundled 2-Way PBX Louisiana Local Optional		<u> </u>		JEI AL	2.02	102.41	02.14								
		Calling Port			UEPFP	UEPXK	2.52	132.47	82.14								
		2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy															
		Administrative Calling Port			UEPFP	UEPXL	2.52	132.47	82.14								
		2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy															
	_	Room Calling Port			UEPFP	UEPXM	2.52	132.47	82.14								
		2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital			HEDED	LIEDVO	0.50	100.47	00.44								
	_	Discount Room Calling Port 2-Wire Voice Unbundled 1-Way Outgoing PBX Louisiana Local			UEPFP	UEPXO	2.52	132.47	82.14								
		Discount Calling Port			UEPFP	UEPXP	2.52	132.47	82.14								
		2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPFP	UEPXS	2.52	132.47	82.14								
	INTER	OFFICE TRANSPORT															
		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility															
		Termination			UEPFP	U1TV2	22.60	39.36	26.62								
		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile															
	FEATU	or Fraction Mile			UEPFP	1L5XX	0.013										
	FEATU				UEPFP	UEPVF	0.00	0.00	0.00								
	NONDE	All Features Offered CURRING CHARGES (NRCs) - CURRENTLY COMBINED			UEPFP	UEPVF	0.00	0.00	0.00								
	NONKE	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port															
		Combination - Conversion - Switch-as-is			UEPFP	USAC2		8.24	1.81								
		2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port															
		Combination - Conversion - Switch with change			UEPFP	USACC		8.24	1.81								
		Unbundled Miscellaneous Rate Element, Tag Designed Loop at															
		End User Premise			UEPFP	URETN		11.20	1.10								
		VOICE GRADE LOOP- BUS ONLY - WITH 2-WIRE DID TRUNK	PORT														
	UNE PO	ort/Loop Combination Rates 2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 1					24.20										
-	-	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 2					34.62										
		2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 3					59.73										
		oop Rates															
		2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 1		1	UEPPX	UECD1	14.93										
		2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 2		2	UEPPX	UECD1	25.35		•								
	1	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 3		3	UEPPX	UECD1	50.46										
	UNE Po	ort Rate		<u> </u>	LIEDDY	LIEDO4	0.0-	047.0-	20.00								
	NONDE	Exchange Ports - 2-Wire DID Port CURRING CHARGES - CURRENTLY COMBINED		1	UEPPX	UEPD1	9.27	217.95	83.92			1					
	NONKE	2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Combination -		 		+ -				1	1	 					
		Switch-as-is			UEPPX	USAC1		7.10	1.81								
		2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Conversion		1		30, 10 1		0		İ						İ	
		with BellSouth Allowable Changes			UEPPX	USA1C		7.10	1.81								
	ADDITI	ONAL NRCs															
		2-Wire DID Subsequent Activity - Add Trunks, Per Trunk			UEPPX	USAS1		26.01	26.01								
		Unbundled Miscellaneous Rate Element, Tag Designed Loop at		1	LIEDDY	LIDETN		44.00								1	
		End User Premise	1		UEPPX	URETN		11.20	1.10			ĺ.					

LINBU	NDI ED N	IETWORK ELEMENTS - Louisiana													Attachment:	2 Fyh Δ		
ONDO	ADELD I	ETWORK ELLINERTS - Louisiana											Svc Order		Incremental		Incremental	Incremental
														Submitted		Charge -	Charge -	Charge -
			Intori										Elec		Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATE	GORY	RATE ELEMENTS	Interi	Zone	В	CS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m										P	p	Electronic-	Electronic-	Electronic-	Electronic-
															1st	Add'l	Disc 1st	Disc Add'l
	,							ļ										
								_	Nonrec		Nonrecurring I					Rates(\$)		
								Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	i elepn	one Number/Trunk Group Establisment Charges			HEDDY		NDT	0.00	0.00	0.00								
		DID Trunk Termination (One Per Port) Additional DID Numbers for each Group of 20 DID Numbers			UEPPX		NDT ND4	0.00	0.00	0.00								
	-	DID Numbers, Non- consecutive DID Numbers , Per Number			UEPPX		ND5	0.00	0.00	0.00			1					
	+	Reserve Non-Consecutive DID numbers			UEPPX		ND6	0.00	0.00	0.00								
		Reserve DID Numbers			UEPPX		NDV	0.00	0.00	0.00								
	2-WIRE	ISDN DIGITAL GRADE LOOP WITH 2-WIRE ISDN DIGITAL LII	NE SIDE	PORT				0.00	0.00	0.00								
		ort/Loop Combination Rates		1														
		2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -																
		UNE Zone 1						28.48										
		2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -																
	<u> </u>	UNE Zone 2			<u> </u>			41.34										
		2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -																
		UNE Zone 3						71.99										
<u> </u>		op Rates																
		2-Wire ISDN Digital Grade Loop - UNE Zone 1		1	UEPPB	UEPPR	USL2X	19.09										
				_	l													
		2-Wire ISDN Digital Grade Loop - UNE Zone 2		2	UEPPB		USL2X	31.95										
	LINE D	2-Wire ISDN Digital Grade Loop - UNE Zone 3		3	UEPPB	UEPPR	USLZX	62.60										
	UNE PO	Exchange Port - 2-Wire ISDN Line Side Port		<u> </u>	UEPPR		UEPPR	9.39	184.10	128.42								
-	1	Exchange Port - 2-Wire ISDN Line Side Port			UEPPB		UEPPB	9.39	184.10	128.42			-					
		CURRING CHARGES - CURRENTLY COMBINED			OLFFB		OLFFB	9.39	104.10	120.42								
	INOININE	2-Wire ISDN Digital Grade Loop / 2-Wire ISDN Line Side Port																
		Combination - Conversion			UEPPB	UEPPR	USACB	0.00	37.40	26.23								
	ADDITI	ONAL NRCs																
		Unbundled Miscellaneous Rate Element, Tag Designed Loop at																
		End User Premise			UEPPB	UEPPR	URETN		11.20	1.10								
		Unbundled Miscellaneous Rate Element, Tag Loop at End User																
		Premise			UEPPB	UEPPR	URETL		8.33	0.83								
	B-CHA	NNEL USER PROFILE ACCESS:																
		CVS/CSD (DMS/5ESS)			UEPPB	UEPPR	U1UCA	0.00	0.00	0.00								
		CVS (EWSD)			UEPPB	UEPPR	U1UCB	0.00	0.00	0.00								
		CSD		Th1\	UEPPB	UEPPR	U1UCC	0.00	0.00	0.00								
	B-CHA	NNEL AREA PLUS USER PROFILE ACCESS: (AL,KY,LA,MS SO	۶,۱۷۱۵, ۵	i IN)	UEPPB	UEPPR	U1UCD	0.00	0.00	0.00								
	 	CVS/CSD (DMS/5ESS) CVS (EWSD)		<u> </u>	UEPPB		U1UCE	0.00	0.00	0.00								
	-	CSD CSD			UEPPB	UEPPR		0.00	0.00	0.00			1					
 		FERMINAL PROFILE			02110	JLIIK	0.001	0.00	0.00	0.00	 							
		User Terminal Profile (EWSD only)			UEPPB	UEPPR	U1UMA	0.00	0.00	0.00								
		CAL FEATURES						2.00	2.00	2.00								
		All Vertical Features - One per Channel B User Profile			UEPPB	UEPPR	UEPVF	0.00	0.00	0.00								
		OFFICE CHANNEL MILEAGE																
		Interoffice Channel mileage each, including first mile and																
	<u> </u>	facilities termination				UEPPR	M1GNC	22.613	39.36	26.62								
		Interoffice Channel mileage each, additional mile			UEPPB	UEPPR	M1GNM	0.013	0.00	0.00							_	_
UNBU		ENTREX PORT/LOOP COMBINATIONS - COST BASED RATES																
<u> </u>		CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only)															
<u> </u>		VG Loop/2-Wire Voice Grade Port (Centrex) Combo		<u> </u>	 		1											
—	UNE PO	ort/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -		-	 		-						-					
1		Non-Design						14.13										
—	1	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -			 		1	14.13										
1		Non-Design			1			24.75										
	1	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -						24.73										
1		Non-Design			1			50.62										
	UNE Po	ort/Loop Combination Rates (Design)																
	i i	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -						i i										
L	<u> </u>	Design	<u></u>	<u>L</u>	<u></u>			17.29					<u></u>					

UNBUN	NDLED N	NETWORK ELEMENTS - Louisiana												Attachment:	2 Exh A		1
CATEG		RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Submitted	Incremental	Incremental Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
							,									DISC 1St	DISC AUU I
						+	Rec	Nonrec First	urring Add'l	Nonrecurring First	Disconnect Add'l	SOMEC	SOMAN	OSS SOMAN	Rates(\$) SOMAN	SOMAN	SOMAN
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -				+	Rec	FIISL	Add I	FIISL	Add I	SOMEC	SOWAN	SOWAN	SOWAN	SOWAN	SOWAN
		Design					27.71										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
		Design					49.26										
		pop Rate			LIEBO	115001											
		2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP91	UECS1	11.77										
		2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEP91	UECS1	22.39										
		2-Wire Voice Grade Loop (SL 1) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 1		3	UEP91 UEP91	UECS1 UECS2	48.26 14.93										
		2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP91	UECS2	25.35										
	1	2-Wire Voice Grade Loop (SL 2) - Zone 3	†	3	UEP91	UECS2	50.46								1		1
	UNE Po		1		İ	1	220										İ
		tes (Except North Carolina and Sout Carolina)								<u> </u>							
		2-Wire Voice Grade Port (Centrex) Basic Local Area			UEP91	UEPYA	2.36	38.85	19.08								
		2-Wire Voice Grade Port (Centrex 800 termination)Basic Local															
	<u> </u>	Area			UEP91	UEPYB	2.36	38.85	19.08								
		2-Wire Voice Grade Port (Centrex with Caller ID)Note1 Basic															
		Local Area			UEP91	UEPYH	2.36	38.85	19.08								
		2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)			UEP91	UEPYM	2.36	104.41	67.93								
		Note 2, 3 Basic Local Area 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service		1	UEP91	UEPYM	2.36	104.41	67.93								
		Term - Basic Local Area			UEP91	UEPYZ	2.36	104.41	67.93								
		2-Wire Voice Grade Port terminated in on Megalink or equivalent			OLF91	ULFIZ	2.30	104.41	07.93								
		- Basic Local Area			UEP91	UEPY9	2.36	38.85	19.08								
		2-Wire Voice Grade Port Terminated on 800 Service Term -															
		Basic Local Area			UEP91	UEPY2	2.36	38.85	19.08								
	AL, KY	, LA, MS, & TN Only															
		2-Wire Voice Grade Port (Centrex)			UEP91	UEPQA	2.36	38.85	19.08								
		2-Wire Voice Grade Port (Centrex 800 termination)			UEP91	UEPQB	2.36	38.85	19.08								
		2-Wire Voice Grade Port (Centrex with Caller ID)1			UEP91	UEPQH	2.36	38.85	19.08								
		2-Wire Voice Grade Port (Centrex from diff Serving Wire															
-		Center)2,3			UEP91	UEPQM	2.36	104.41	67.93								
		2-Wire Voice Grade Port, Diff Serving Wire Center - 2,3 - 800 Service Term			UEP91	UEPQZ	2.36	104.41	67.93								
		Service Territ			OLF91	ULFQZ	2.30	104.41	07.93								
		2-Wire Voice Grade Port terminated in on Megalink or equivalent	1	1	UEP91	UEPQ9	2.36	38.85	19.08				1				1
—	<u> </u>	2-Wire Voice Grade Port Terminated in 60 Wegamin of equivalent	<u> </u>		UEP91	UEPQ2	2.36	38.85	19.08								1
		Switching						22.00									
		Centrex Intercom Funtionality, per port			UEP91	URECS	0.8577										
	Feature							•									
		All Standard Features Offered, per port			UEP91	UEPVF	0.00	,									
	 	All Select Features Offered, per port	ļ	<u> </u>	UEP91	UEPVS	0.00	412.25									
<u> </u>	NACO	All Centrex Control Features Offered, per port	 	<u> </u>	UEP91	UEPVC	0.00								-		
	NARS	Unbundled Network Access Posister Combination	<u> </u>		UEP91	UARCX	0.00	0.00	0.00	0.00	0.00						
<u> </u>	 	Unbundled Network Access Register - Combination Unbundled Network Access Register - Indial	 	-	UEP91	UARCX UAR1X	0.00	0.00	0.00	0.00	0.00		-		1		1
		Unbundled Network Access Register - Outdial			UEP91	UAROX	0.00	0.00	0.00	0.00	0.00				-		
—	Miscell	aneous Terminations	†		02.101	0,110,1	0.00	0.00	0.00	0.00	0.00				1		1
		Trunk Side															
		Trunk Side Terminations, each			UEP91	CENA6	8.29	115.85	18.20								
		fice Channel Mileage - 2-Wire								<u> </u>							
		Interoffice Channel Facilities Termination - Voice Grade			UEP91	M1GBC	22.60	39.36	26.62		•						
		Interoffice Channel mileage, per mile or fraction of mile			UEP91	M1GBM	0.013										ļ
		Activations (DS0) Centrex Loops on Channelized DS1 Service	e	ļ											ļ		ļ
<u></u>	D4 Cha	Innel Bank Feature Activations	<u> </u>	ļ	LIEDO4	4DOW6	0.0407										
\vdash	<u> </u>	Feature Activation on D-4 Channel Bank Centrex Loop Slot	<u> </u>		UEP91	1PQWS	0.6497										
		Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP91	1PQW6	0.6497										
	1	i cataro notivation on D-4 Oriannei Dank i A inte olde Loop oldt	ı	1	OE: 01	11 (4440	0.0431			1		l	l .		l		1

UNBUNDLED I	NETWORK ELEMENTS - Louisiana												Attachment:	2 Exh A		
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)		s		Submitted	Incremental	Incremental Charge -	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
									1							
						_	Nonrec		Nonrecurring Disco					Rates(\$)		
	Established B. A. C. and B. C. and B. C.					Rec	First	Add'l	First A	\dd'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop			UEP91	1PQW7	0.6497										
	Feature Activation on D-4 Channel Bank Centrex Loop Slot -			UEF91	IPQW/	0.0497										
	Different Wire Center			UEP91	1PQWP	0.6497										
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP91	1PQWV	0.6497										
	Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop															
	Slot			UEP91	1PQWQ	0.6497										
Non D	Feature Activation on D-4 Channel Bank WATS Loop Slot ecurring Charges (NRC) Associated with UNE-P Centrex		1	UEP91	1PQWA	0.6497										
NOII-RE	Conversion - Currently Combined Switch-As-Is with allowed															
	changes, per port			UEP91	USAC2		0.10	0.10								
	Conversion of Existing Centrex Common Block			UEP91	USACN	0.00	36.66	16.10								
	New Centrex Standard Common Block			UEP91	M1ACS	0.00	680.40	10.10								
	New Centrex Customized Common Block			UEP91	M1ACC	0.00	680.40									
	Secondary Block, per Block			UEP91	M2CC1	0.00	79.31									
	NAR Establishment Charge, Per Occasion			UEP91	URECA	0.00	73.93									
Additio	onal Non-Recurring Charges (NRC)															
	Unbundled Miscellaneous Rate Element, Tag Loop at End Use															
	Premise			UEP91	URETL		8.33	0.83								
	Unbundled Miscellaneous Rate Element, Tag Design Loop at End Use Premise			UEP91	URETN		11.20	1.10								
	CENTREX - 5ESS (Valid in All States)															
	VG Loop/2-Wire Voice Grade Port (Centrex) Combo															
UNE Po	ort/Loop Combination Rates (Non-Design)															
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -															
	Non-Design		1			14.13										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design					24.75										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -					24.75										
	Non-Design					50.62										
UNE P	ort/Loop Combination Rates (Design)					00.02										
0.121	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -															
	Design					17.29										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
	Design					27.71										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
	Design					49.26										
UNE L	pop Rate			LIEDOE	LIECO1	44.7-								-		-
 	2-Wire Voice Grade Loop (SL 1) - Zone 1 2-Wire Voice Grade Loop (SL 1) - Zone 2	 	2	UEP95 UEP95	UECS1	11.77 22.39										
 	2-Wire Voice Grade Loop (SL 1) - Zone 2 2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP95 UEP95	UECS1	48.26			 	-				1		1
 	2-Wire Voice Grade Loop (SL 1) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP95	UECS2	14.93				-						
	2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP95	UECS2	25.35										
	2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP95	UECS2	50.46										
UNE P	ort Rate															
All Sta	tes															
	2-Wire Voice Grade Port (Centrex) Basic Local Area			UEP95	UEPYA	2.36	38.85	19.08								
	2-Wire Voice Grade Port (Centrex 800 termination)	<u> </u>	1	UEP95	UEPYB	2.36	38.85	19.08								
	2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local Area			UEP95	UEPYH	2.36	38.85	19.08								
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)2,3 Basic Local Area			UEP95	UEPYM	2.36	104.41	67.93								
	2-Wire Voice Grade Port, Diff Serving Wire Center 2,3 - 800															
	Service Term - Basic Local Area			UEP95	UEPYZ	2.36	104.41	67.93								
	2-Wire Voice Grade Port terminated in on Megalink or equivalent - Basic Local Area			UEP95	UEPY9	2.36	38.85	19.08								
	2-Wire Voice Grade Port Terminated on 800 Service Term - Basic Local Area			UEP95	UEPY2	2.36	38.85	19.08							_	

INBUNDLED	NETWORK ELEMENTS - Louisiana												Attachment:		ļ	
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Charge -	Charge -
															D130 13t	Disc Add
							Nonrec	urring	Nonrecurring	Disconnect				Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
AL, KY	Y, LA, MS, SC, & TN Only															
	2-Wire Voice Grade Port (Centrex)			UEP95	UEPQA	2.36	38.85	19.08								
	2-Wire Voice Grade Port (Centrex 800 termination)			UEP95	UEPQB	2.36	38.85	19.08								
	2-Wire Voice Grade Port (Centrex with Caller ID)1			UEP95	UEPQH	2.36	38.85	19.08								
	2-Wire Voice Grade Port (Centrex from diff Serving Wire															
	Center)2,3			UEP95	UEPQM	2.36	104.41	67.93								İ
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service															
	Term 2,3			UEP95	UEPQZ	2.36	104.41	67.93								
	2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP95	UEPQ9	2.36	38.85	19.08								İ
	2-Wire Voice Grade Port Terminated on 800 Service Term			UEP95	UEPQ2	2.36	38.85	19.08								
Local	Switching															
	Centrex Intercom Funtionality, per port			UEP95	URECS	0.8577										
Featur																
	All Standard Features Offered, per port			UEP95	UEPVF	0.00										
	All Select Features Offered, per port			UEP95	UEPVS	0.00	412.25									
	All Centrex Control Features Offered, per port			UEP95	UEPVC	0.00	_									
NARS																
	Unbundled Network Access Register - Combination			UEP95	UARCX	0.00	0.00	0.00	0.00	0.00						
	Unbundled Network Access Register - Indial			UEP95	UAR1X	0.00	0.00	0.00	0.00	0.00						
	Unbundled Network Access Register - Outdial			UEP95	UAROX	0.00	0.00	0.00	0.00	0.00						
Miscel	Ilaneous Terminations															
	Trunk Side															
2 11110	Trunk Side Terminations, each			UEP95	CEND6	8.29	115.85	18.20								-
4-Wire	Digital (1.544 Megabits)			02.00	02.120	0.20	110.00	10.20								
	DS1 Circuit Terminations, each			UEP95	M1HD1	68.47	196.18	92.92								<u> </u>
+	DS0 Channels Activated, each			UEP95	M1HDO	0.00	14.06	02.02								-
Interof	ffice Channel Mileage - 2-Wire			OLI 50	WITTE	0.00	14.00									-
inter or	Interoffice Channel Facilities Termination			UEP95	M1GBC	22.60	39.36	26.62								-
+	Interoffice Channel mileage, per mile or fraction of mile			UEP95	M1GBM	0.013	00.00	20.02								-
Featur	re Activations (DS0) Centrex Loops on Channelized DS1 Service	Δ.		OLI 00	WITCHWI	0.010										—
	annel Bank Feature Activations				+											-
D4 C11	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP95	1PQWS	0.6497										-
	1 eature Activation on 5-4 channel Bank Centrex Loop Glot			OLI 33	II QWO	0.0437										
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP95	1PQW6	0.6497										
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop			OLI 33	11 Q VV 0	0.0437										
	Slot	1		UEP95	1PQW7	0.6497						1				
	Feature Activation on D-4 Channel Bank Centrex Loop Slot -			OLF 93	IF QVV I	0.0437										
	Different Wire Center			UEP95	1PQWP	0.6497										
	Different Wife Center			UEF93	IFQWF	0.0497					1					-
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP95	1PQWV	0.6497										
				UEF93	IFQWV	0.6497										
	Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop			LIEDOE	4001410	0.0407										
	Slot		1	UEP95	1PQWQ	0.6497					 	-		-		
	Feature Activation on D-4 Channel Bank WATS Loop Slot		1	UEP95	1PQWA	0.6497					ļ	ļ		-	-	
Non-R	ecurring Charges (NRC) Associated with UNE-P Centrex															
	NRC Conversion Currently Combined Switch-As-Is with allowed			LIEDOE	110465											
	changes, per port		1	UEP95	USAC2		0.10	0.10			<u> </u>			1	1	├
	Conversion of Existing Centrex Common Block, each		1	UEP95	USACN		36.66	16.10			<u> </u>			1	1	├
	New Centrex Standard Common Block		1	UEP95	M1ACS	0.00	680.40				<u> </u>			1	1	├
	New Centrex Customized Common Block		.	UEP95	M1ACC	0.00	680.40				ļ					
	NAR Establishment Charge, Per Occasion		1	UEP95	URECA	0.00	73.93									<u> </u>
Additi	onal Non-Recurring Charges (NRC)		.								ļ					
	Unbundled Miscellaneous Rate Element, Tag Loop at End Use Premise			UEP95	URETL		8.33	0.83								
	Unbundled Miscellaneous Rate Element, Tag Design Loop at End Use Premise			UEP95	URETN		11.20	1.10								
UNE-P	CENTREX - DMS100 (Valid in All States)				1	i	-							İ	İ	
	VG Loop/2-Wire Voice Grade Port (Centrex) Combo				1	1					1	1				
	Port/Loop Combination Rates (Non-Design)		_		+						1	 		 		

UNBUNDLED I	NETWORK ELEMENTS - Louisiana												Attachment:	2 Exh A		
											Svc Order		Incremental		Incremental	Incremental
											Submitted			Charge -	Charge -	Charge -
											Elec		Manual Svc	_	-	Manual Svc
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m									po. 20.1	po. 2011	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
													100	Auu	D130 131	DISC Add I
						<u> </u>	Nonred			g Disconnect				Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo														1 '	
L	Non-Design					14.13										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -					04.75									i '	
-	Non-Design		1		+	24.75									 	
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design					50.62									i '	
LINE D	ort/Loop Combination Rates (Design)					30.02									<u> </u>	
OIL I	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -														\vdash	
	Design					17.29									i '	
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
	Design					27.71									1 '	
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
	Design					49.26								<u></u>	<u> </u>	<u></u>
UNE L	pop Rate												_			
	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP9D	UECS1	11.77		-								
	2-Wire Voice Grade Loop (SL 1) - Zone 2			UEP9D	UECS1	22.39										
	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP9D	UECS1	48.26									L	
	2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP9D	UECS2	14.93									 '	
	2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP9D	UECS2	25.35									 '	
LINE D	2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP9D	UECS2	50.46										
	ort Rate														 '	
ALL S				UEP9D	UEPYA	2.36	38.85	19.08								
-	2-Wire Voice Grade Port (Centrex) Basic Local Area 2-Wire Voice Grade Port (Centrex 800 termination)Basic Local			UEP9D	UEPYA	2.36	38.85	19.08								
	Area			UEP9D	UEPYB	2.36	38.85	19.08							1 '	
	2-Wire Voice Grade Port (Centrex / EBS-PSET)3Basic Local			OLI 3D	OLI ID	2.50	30.03	13.00							 	
	Area			UEP9D	UEPYC	2.36	38.85	19.08							1 '	
	2-Wire Voice Grade Port (Centrex / EBS-M5009)3Basic Local			02. 02	02 0	2.00	00.00	10.00								
	Area			UEP9D	UEPYD	2.36	38.85	19.08							1 '	
	2-Wire Voice Grade Port (Centrex / EBS-M5209))3 Basic Local															
	Area			UEP9D	UEPYE	2.36	38.85	19.08							1 '	
	2-Wire Voice Grade Port (Centrex / EBS-M5112))3 Basic Local														1	
	Area			UEP9D	UEPYF	2.36	38.85	19.08							<u> </u>	
	2-Wire Voice Grade Port (Centrex / EBS-M5312))3Basic Local														1 '	
	Area			UEP9D	UEPYG	2.36	38.85	19.08							L	
	2-Wire Voice Grade Port (Centrex / EBS-M5008))3 Basic Local				l										1 '	
	Area			UEP9D	UEPYT	2.36	38.85	19.08								
	2-Wire Voice Grade Port (Centrex / EBS-M5208))3 Basic Local			LIEDOD	HEDVII	2.20	20.05	40.00							1 '	
-	Area 2-Wire Voice Grade Port (Centrex / EBS-M5216))3 Basic Local			UEP9D	UEPYU	2.36	38.85	19.08								
	Area	l		UEP9D	UEPYV	2.36	38.85	19.08							1 '	
 	2-Wire Voice Grade Port (Centrex / EBS-M5316))3 Basic Local		 	021 00	OL: 1 V	2.50	30.03	13.00			 				 	
	Area	l		UEP9D	UEPY3	2.36	38.85	19.08			1				1 '	
	2-Wire Voice Grade Port (Centrex with Caller ID) Basic Local				1	2.00	55.55		Ì	Ì						
	Area	l		UEP9D	UEPYH	2.36	38.85	19.08							1 '	
	2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp						-									
	Indication))4 Basic Local Area			UEP9D	UEPYW	2.36	38.85	19.08						<u></u>	 '	<u></u>
	2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication))4														1	
	Basic Local Area			UEP9D	UEPYJ	2.36	38.85	19.08							<u> </u>	
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)	l				1									1 '	
	2,3-Basic Local Area			UEP9D	UEPYM	2.36	104.41	67.93							 '	
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2,3,4	l													1 '	
 	Basic Local Area	 	ļ	UEP9D	UEPYO	2.36	104.41	67.93	 	 				1	 '	1
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2,3,4	l		LIEDOD	LIEDVD	2 20	104.44	67.00			1				1 '	
 	Basic Local Area 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2,3,4	<u> </u>	 	UEP9D	UEPYP	2.36	104.41	67.93						-	 	
	Basic Local Area	l		UEP9D	UEPYQ	2.36	104.41	67.93			1				1 '	
 	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2,3,4	-	 	OL1 3D	OLI IQ	2.30	104.41	01.33			 				 	
	Basic Local Area	l		UEP9D	UEPYR	2.36	104.41	67.93	Ì						1 '	
	124010 20041 7 104	·		01.00	JOET TIX	2.00	107.71	01.00	1	L	l	1				

	D NETWORK ELEMENTS - Louisiana												Attachment:	2 Exh A		
CATEGORY		Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR		Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Charge -	Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'l
$\overline{}$					+		Nonrec	urring	Nonrecurring Disc	connect			220	Rates(\$)		<u> </u>
					+	Rec	First	Add'l		Add'l	SOMEC	SOMAN	SOMAN	SOM AN	SOMAN	SOMAN
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2,3,4					Nec	11131	Addi	11130 7	nuu i	JONILO	JOHIAN	JOHAN	JOWAN	JOHIAN	JOHAN
	Basic Local Area			UEP9D	UEPYS	2.36	104.41	67.93								
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2,3,4			02.02	020	2.00	10	01.00								
	Basic Local Area			UEP9D	UEPY4	2.36	104.41	67.93								
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3															
	Basic Local Area			UEP9D	UEPY5	2.36	104.41	67.93								
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2,3,4															
	Basic Local Area			UEP9D	UEPY6	2.36	104.41	67.93								
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2,3,4															
	Basic Local Area			UEP9D	UEPY7	2.36	104.41	67.93								
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service	1		LIEDOD	LIEDY?	0.00	404.41	07.00								
-+	Term 2,3		l	UEP9D	UEPYZ	2.36	104.41	67.93								
	2-Wire Voice Grade Port terminated in on Megalink or equivalent Basic Local Area	Ί		UEP9D	UEPY9	2.36	38.85	19.08								
-+	2-Wire Voice Grade Port Terminated on 800 Service Term Basic	+	 	OFLAD	UEF19	2.30	38.85	19.08	 					1		-
	Local Area	Ί		UEP9D	UEPY2	2.36	38.85	19.08								
ΔΙ	KY, LA, MS, SC, & TN Only	1	1	<u> </u>	JE1 12	2.50	30.03	13.00								
	2-Wire Voice Grade Port (Centrex)			UEP9D	UEPQA	2.36	38.85	19.08								
	2-Wire Voice Grade Port (Centrex 800 termination)			UEP9D	UEPQB	2.36	38.85	19.08								
	2-Wire Voice Grade Port (Centrex / EBS-PSET)4			UEP9D	UEPQC	2.36	38.85	19.08								
	2-Wire Voice Grade Port (Centrex / EBS-M5009)4			UEP9D	UEPQD	2.36	38.85	19.08								
	2-Wire Voice Grade Port (Centrex / EBS-M5209)4			UEP9D	UEPQE	2.36	38.85	19.08								
	2-Wire Voice Grade Port (Centrex / EBS-M5112)4			UEP9D	UEPQF	2.36	38.85	19.08								
	2-Wire Voice Grade Port (Centrex / EBS-M5312)4			UEP9D	UEPQG	2.36	38.85	19.08								
	2-Wire Voice Grade Port (Centrex / EBS-M5008)4			UEP9D	UEPQT	2.36	38.85	19.08								
	2-Wire Voice Grade Port (Centrex / EBS-M5208)4			UEP9D	UEPQU	2.36	38.85	19.08								
	2-Wire Voice Grade Port (Centrex / EBS-M5216)4			UEP9D	UEPQV	2.36	38.85	19.08								
	2-Wire Voice Grade Port (Centrex / EBS-M5316)4			UEP9D	UEPQ3	2.36	38.85	19.08								ļ
+	2-Wire Voice Grade Port (Centrex with Caller ID)	1		UEP9D	UEPQH	2.36	38.85	19.08								<u> </u>
	2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp Indication)4			UEP9D	UEPQW	2.36	38.85	19.08								
-+	2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication)4			UEP9D	UEPQJ	2.36	38.85	19.08	+							
	2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication)4 2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)			OLF3D	ULFQJ	2.30	30.03	19.00								
	2.3			UEP9D	UEPQM	2.36	104.41	67.93								
				02.02	02. Q	2.00	10	01.00								
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2,3,4			UEP9D	UEPQO	2.36	104.41	67.93								
	· · · · · · · · · · · · · · · · · · ·															
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2,3,4			UEP9D	UEPQP	2.36	104.41	67.93								
															_	
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2,3,4		<u> </u>	UEP9D	UEPQQ	2.36	104.41	67.93								<u> </u>
		1		l	I					T						
-	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2,3,4	1	ļ	UEP9D	UEPQR	2.36	104.41	67.93								
	O Mice Value Orada Dest (Control 1977 - OMO /EDO MESSONO C	1		LIEDOD	LIEDOS	0.00	404.41	07.00								
-+	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2,3,4	1	}	UEP9D	UEPQS	2.36	104.41	67.93								<u> </u>
	2 Wire Voice Grade Port (Controv/differ SMC /EBS MESSES) 2.4	1		UEP9D	UEPQ4	2.36	104.41	67.93								
$-\!+\!-$	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2,3,4	1	 	OFLAD	UEFQ4	2.30	104.41	67.93	 	-				1		
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2,3,4	1		UEP9D	UEPQ5	2.36	104.41	67.93								
-+	2 TYTIC VOICE CHARGET OF CONTINUE OF CALCULATION OF CONTINUE OF CONTINUE OF CALCULATION OF CALCU	1	1	OLI 3D	OLI QU	2.30	104.41	01.93								
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2,3,4	. [UEP9D	UEPQ6	2.36	104.41	67.93								
		1	1													
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2,3,4	1		UEP9D	UEPQ7	2.36	104.41	67.93								
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service															
	Term 2,3			UEP9D	UEPQZ	2.36	104.41	67.93								<u> </u>
		1								Ī						
	2-Wire Voice Grade Port terminated in on Megalink or equivalent	f I	1	UEP9D	UEPQ9	2.36	38.85	19.08						1		<u> </u>
		`	1	LIEBAB	LIEBC :											
12-	2-Wire Voice Grade Port Terminated in on Weganink or equivalent 2-Wire Voice Grade Port Terminated on 800 Service Term all Switching			UEP9D	UEPQ2	2.36	38.85	19.08								

UNBUNDLE	NETWORK ELEMENTS - Louisiana												Attachment:	2 Exh A		
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Charge -	Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'l
—					-	1	Nonrec	urrina	Nonrecurring	Disconnect	-		088	Datas(\$)		L
\vdash			 		1	Rec	First	curring Add'l	Nonrecurring First	Add'l	SOMEC	SOMAN	SOMAN	Rates(\$) SOMAN	SOMAN	SOMAN
Featu	ires					Rec	riist	Auu i	FIISt	Auu i	SOWIEC	SOWAN	JOWAN	JOWAN	JOWAN	JOWAN
- I cut	All Standard Features Offered, per port			UEP9D	UEPVF	0.00										
	All Select Features Offered, per port			UEP9D	UEPVS	0.00	412.25				1					
	All Centrex Control Features Offered, per port			UEP9D	UEPVC	0.00										
NAR																
	Unbundled Network Access Register - Combination			UEP9D	UARCX	0.00	0.00	0.00	0.00	0.00						
	Unbundled Network Access Register - Inward			UEP9D	UAR1X	0.00	0.00	0.00	0.00	0.00						
	Unbundled Network Access Register - Outdial			UEP9D	UAROX	0.00	0.00	0.00	0.00	0.00						
	ellaneous Terminations															
2-WII	Trunk Side			LIEDOD	CENDS	9.20	11E 0E	10.20			1					—
A_38/:	Trunk Side Terminations, each re Digital (1.544 Megabits)		 	UEP9D	CEND6	8.29	115.85	18.20	 				-	1		
4-441	DS1 Circuit Terminations, each	-	 	UEP9D	M1HD1	68.47	196.18	98.62	 		+		 			
\vdash	DS0 Channels Activiated per Channel		†	UEP9D	M1HDO	0.00	14.06	30.02			1		1	1		
Inter	office Channel Mileage - 2-Wire					2.22										
	Interoffice Channel Facilities Termination			UEP9D	M1GBC	22.60	39.36	26.62								
	Interoffice Channel mileage, per mile or fraction of mile			UEP9D	M1GBM	0.013										
	re Activations (DS0) Centrex Loops on Channelized DS1 Servic	e														
D4 C	hannel Bank Feature Activations															
	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP9D	1PQWS	0.6497										
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP9D	1PQW6	0.6497										
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot			UEP9D	1PQW7	0.6497										
	Feature Activation on D-4 Channel Bank Centrex Loop Slot - Different Wire Center			UEP9D	1PQWP	0.6497										
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP9D	1PQWV	0.6497										
	Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop															
	Slot			UEP9D	1PQWQ	0.6497										
<u> </u>	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP9D	1PQWA	0.6497										
Non-	Recurring Charges (NRC) Associated with UNE-P Centrex										1					
	NRC Conversion Currently Combined Switch-As-Is with allowed changes, per port			UEP9D	USAC2		0.10	0.10								
	Conversion of existing Centrex Common Block, each			UEP9D	USACN		36.66	16.10								
	New Centrex Standard Common Block			UEP9D	M1ACS	0.00	680.40									
	New Centrex Customized Common Block			UEP9D	M1ACC	0.00	680.40									
	NAR Establishment Charge, Per Occasion			UEP9D	URECA	0.00	73.93									
Addi	tional Non-Recurring Charges (NRC)															
	Unbundled Miscellaneous Rate Element, Tag Loop at End Use Premise			UEP9D	URETL		8.33	0.83								
	Unbundled Miscellaneous Rate Element, Tag Design Loop at End Use Premise			UEP9D	URETN		11.20	1.10								
	P CENTREX - EWSD (Valid in AL, FL, KY, LA, MS & TN)	ļ	<u> </u>		1						1		ļ			I
	re VG Loop/2-Wire Voice Grade Port (Centrex) Combo	!	ļ													
UNE	Port/Loop Combination Rates (Non-Design)	 	}		1						1		 			1
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Non-Design					14.13										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design					24.75										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Non-Design					50.62										
UNE	Port/Loop Combination Rates (Design)		ļ		ļ				ļ		1					├
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Design					17.29										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design					27.71										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design					49.26										<u> </u>

UNBUNDLED	NETWORK ELEMENTS - Louisiana												Attachment:	2 Exh A		
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Svc Order Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Charge -	Charge -
							Nonre	curring	Nonrecurring	Disconnect			oss	Rates(\$)		
			1			Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
UNFI	oop Rate					1100	11100	Auui	11100	Auui	COMILO	COMPAR	COMPAN	COMPAR	COMPAN	COMPAR
OIVE E	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP9E	UECS1	11.77										
	2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEP9E	UECS1	22.39										
	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP9E	UECS1	48.26						1				
	2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP9E	UECS2	14.93										
	2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP9E	UECS2	25.35										
	2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP9E	UECS2	50.46										
UNE P	ort Rate			<u> </u>												
	, KY, LA, MS, & TN only															
	2-Wire Voice Grade Port (Centrex) Basic Local Area			UEP9E	UEPYA	2.36	38.85	19.08								
	2-Wire Voice Grade Port (Centrex 800 termination)Basic Local															
	Area			UEP9E	UEPYB	2.36	38.85	19.08								
	2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local															
	Area	L_	1	UEP9E	UEPYH	2.36	38.85	19.08	<u> </u>	<u> </u>	<u></u>	<u> </u>	<u> </u>	<u></u>	<u> </u>	<u>1</u>
	2-Wire Voice Grade Port (Centrex from diff Serving Wire															
	Center)2,3 Basic Local Area			UEP9E	UEPYM	2.36	104.41	67.93								
	2-Wire Voice Grade Port, Diff Serving Wire Center 2,3 - 800															
	Service Term - Basic Local Area			UEP9E	UEPYZ	2.36	104.41	67.93								
	2-Wire Voice Grade Port terminated in on Megalink or equivalent															
	- Basic Local Area			UEP9E	UEPY9	2.36	38.85	19.08								
	2-Wire Voice Grade Port Terminated on 800 Service Term -															
	Basic Local Area			UEP9E	UEPY2	2.36	38.85	19.08								
AL, KY	', LA, MS, & TN Only															
	2-Wire Voice Grade Port (Centrex)			UEP9E	UEPQA	2.36	38.85	19.08								
	2-Wire Voice Grade Port (Centrex 800 termination)			UEP9E	UEPQB	2.36	38.85	19.08								
	2-Wire Voice Grade Port (Centrex with Caller ID)1		ļ	UEP9E	UEPQH	2.36	38.85	19.08								
	2-Wire Voice Grade Port (Centrex from diff Serving Wire			LIEDOE	LIEDOM	0.00	404.44	07.00								l
	Center)2,3			UEP9E	UEPQM	2.36	104.41	67.93								
	2-Wire Voice Grade Port, Diff Serving Wire Center 2,3 - 800			UEP9E	UEPQZ	0.00	101.11	67.00								
	Service Term		-	UEF9E	UEFQZ	2.36	104.41	67.93								
	2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP9E	UEPQ9	2.36	38.85	19.08								
	2-Wire Voice Grade Port Terminated in 60 Negalink of equivalent		-	UEP9E	UEPQ2	2.36	38.85	19.08	†		1					
Local	Switching		-	OLFBL	ULFQZ	2.30	30.03	19.00	†		1					
Local	Centrex Intercom Funtionality, per port			UEP9E	URECS	0.8577										
Featur				OLI OL	OILEGO	0.0077										
i cutui	All Standard Features Offered, per port			UEP9E	UEPVF	0.00										
	All Select Features Offered, per port			UEP9E	UEPVS	0.00	412.25									
	All Centrex Control Features Offered, per port			UEP9E	UEPVC	0.00	712.20		t	1				1		
NARS					1	3.50			1	1				1		
1	Unbundled Network Access Register - Combination			UEP9E	UARCX	0.00	0.00	0.00	0.00	0.00				1		
	Unbundled Network Access Register - Indial			UEP9E	UAR1X	0.00	0.00	0.00	0.00	0.00				İ		
	Unbundled Network Access Register - Outdial			UEP9E	UAROX	0.00	0.00	0.00	0.00	0.00						
Miscel	laneous Terminations				1											
	Trunk Side															
	Trunk Side Terminations, each			UEP9E	CEND6	8.29	115.85	18.20								
4-Wire	Digital (1.544 Megabits)															
	DS1 Circuit Terminations, each			UEP9E	M1HD1	68.47	196.18	92.92								
	DS0 Channel Activated Per Channel			UEP9E	M1HDO	0.00	14.06									
Interof	fice Channel Mileage - 2-Wire															
	Interoffice Channel Facilities Termination			UEP9E	M1GBC	22.60	39.36	26.62								
	Interoffice Channel mileage, per mile or fraction of mile			UEP9E	M1GBM	0.013]						
	e Activations (DS0) Centrex Loops on Channelized DS1 Servic	e					·									
D4 Cha	annel Bank Feature Activations						·									
	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP9E	1PQWS	0.6497					ļ					
					1											1
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot		1	UEP9E	1PQW6	0.6497			.					ļ		└
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop	l							I					Ì		1
	Slot			UEP9E	1PQW7	0.6497			l		l]]]	1

UNBUNDLED	NETWORK ELEMENTS - Louisiana												Attachment:	2 Exh A	I	I
												Svc Order Submitted	Incremental		Incremental Charge -	Incremental Charge -
		Interi									Elec		Manual Svc			Manual Svc
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
						1	Nonrec	urring	Nonrecurring	Disconnect			088	Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Feature Activation on D-4 Channel Bank Centrex Loop Slot -							,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		7.00.	5625					
	Different Wire Center			UEP9E	1PQWP	0.6497										
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP9E	1PQWV	0.6497										
	Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop															
	Slot			UEP9E	1PQWQ	0.6497										
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP9E	1PQWA	0.6497										
Non-R	ecurring Charges (NRC) Associated with UNE-P Centrex															
	NRC Conversion Currently Combined Switch-As-Is with allowed			UEP9E			0.40	0.40								
	changes, per port			UEP9E UEP9E	USAC2 USACN		0.10 36.66	0.10 16.10			1					
-	Conversion of Existing Centrex Common Block, each New Centrex Standard Common Block	<u> </u>		UEP9E UEP9E	M1ACS	0.00	680.40	16.10								
	New Centrex Standard Common Block			UEP9E	M1ACC	0.00	680.40									
 	NAR Establishment Charge, Per Occasion	 		UEP9E	URECA	0.00	73.93									
Additi	onal Non-Recurring Charges (NRC)				0.120/1	0.00	70.00							1		
	Unbundled Miscellaneous Rate Element, Tag Loop at End Use															
	Premise			UEP9E	URETL		8.33	0.83								
	Unbundled Miscellaneous Rate Element, Tag Design Loop at															
	End Use Premise			UEP9E	URETN		11.20	1.10								
	P CENTREX - DCO - Valid in AL, KY, LA, MS, & TN)															
	e VG Loop/2-Wire Voice Grade Port (Centrex) Combo															
UNE F	Port/Loop Combination Rates (Non-Design)															
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo	1				44.40										
-	Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -	<u> </u>				14.13										
	Non-Design					24.75										
 	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -					24.75										
	Non-Design					50.62										
UNE F	Port/Loop Combination Rates (Design)															
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo															
	Design					17.29										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
	Design					27.71										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -					40.00										
LINE	Design Con Parts					49.26					1					
ONE L	2-Wire Voice Grade Loop (SL 1) - Zone 1	1	1	UEP93	UECS1	11.77										-
 	2-Wire Voice Grade Loop (SL 1) - Zone 1 2-Wire Voice Grade Loop (SL 1) - Zone 2	\vdash	2	UEP93	UECS1	22.36					1	-		 		
	2-Wire Voice Grade Loop (SL 1) - Zone 3			UEP93	UECS1	48.26					1		1	1		
	2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP93	UECS2	14.93							1			
	2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP93	UECS2	25.35							1			
	2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP93	UECS2	50.46										
	Port Rate							•								
AL, K	Y, LA, MS, & TN only					1								ļ		
<u> </u>	2-Wire Voice Grade Port (Centrex) Basic Local Area			UEP93	UEPYA	2.36	38.85	19.08								
	2-Wire Voice Grade Port (Centrex 800 termination)Basic Local	1		LIEDOO	LIEDVD	0.00	00.05	40.00						1		
	Area 2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local	 	I	UEP93	UEPYB	2.36	38.85	19.08			1	-	-	 	-	-
1 1	Area			UEP93	UEPYH	2.36	38.85	19.08						1		
 	2-Wire Voice Grade Port (Centrex from diff Serving Wire	 		OLI 30	OLI III	2.30	30.03	19.00								
	Center)2,3 Basic Local Area			UEP93	UEPYM	2.36	104.41	67.93								
	2-Wire Voice Grade Port, Diff Serving Wire Center - 2,3 - 800					1										
	Service Term - Basic Local Area	1		UEP93	UEPYZ	2.36	104.41	67.93						1		
İ	2-Wire Voice Grade Port terminated in on Megalink or equivalent					ĺ										
	- Basic Local Area			UEP93	UEPY9	2.36	38.85	19.08								
	2-Wire Voice Grade Port Terminated on 800 Service Term -	1												1		
	Basic Local Area	<u> </u>	<u> </u>	UEP93	UEPY2	2.36	38.85	19.08								
\vdash	2-Wire Voice Grade Port (Centrex)	 	ļ	UEP93	UEPQA	2.36	38.85	19.08								
	2-Wire Voice Grade Port (Centrex 800 termination)		1	UEP93	UEPQB	2.36	38.85	19.08	l .		1	1	L	L	L	L

NOUNDLED	NETWORK ELEMENTS - Louisiana												Attachment:	2 Exh A		
											Svc Order				Incremental	Incremental
												Submitted	Charge -	Charge -	Charge -	Charge -
											Elec			Manual Svc		Manual Svo
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES(\$)								
AILCONI	KATE ELEMENTO	m	20116	500	0000			IIAI LO(ψ)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
							Nonrecu		Nonrecurring					Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Grade Port (Centrex with Caller ID)1			UEP93	UEPQH	2.36	38.85	19.08								
	2-Wire Voice Grade Port (Centrex from diff Serving Wire															
	Center)2,3			UEP93	UEPQM	2.36	104.41	67.93								
	2-Wire Voice Grade Port, Diff Serving Wire Center - 2,3 -800															
	Service Term			UEP93	UEPQZ	2.36	104.41	67.93								
	2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP93	UEPQ9	2.36	38.85	19.08								
+-	2-Wire Voice Grade Fort terminated in on Negarink or equivalent		 	UEP93	UEPQ2	2.36	38.85	19.08								
Land			-	UEF93	UEPQZ	2.30	30.03	19.06								
Local	Switching			LIEDOO	LIDEOO	0.0577										
	Centrex Intercom Funtionality, per port			UEP93	URECS	0.8577										
Featu			 		_											
	All Standard Features Offered, per port			UEP93	UEPVF	0.00	73.93	27.14								
	All Centrex Control Features Offered, per port			UEP93	UEPVC	0.00	73.93	27.14								
NARS																
	Unbundled Network Access Register - Combination			UEP93	UARCX	0.00	0.00	0.00	0.00	0.00						
	Unbundled Network Access Register - Indial			UEP93	UAR1X	0.00	0.00	0.00	0.00	0.00						İ
	Unbundled Network Access Register - Outdial			UEP93	UAROX	0.00	0.00	0.00	0.00	0.00						
Misce	Ilaneous Terminations					0.00	0.00	0.00								
	Trunk Side															
2-77116	Trunk Side Terminations, each			UEP93	CEND6	8.27	115.85	18.20								
4 10/:-			1	ULF 93	CLINDO	0.21	113.03	10.20								
4-44116	Digital (1.544 Megabits)			LIEBAA		00.47	100.10									
	DS1 Circuit Terminations, each			UEP93	M1HD1	68.47	196.18	92.92								
	DS0 Channels Activated, Per Channel			UEP93	M1HDO	0.00	14.06									
Intero	ffice Channel Mileage - 2-Wire															
	Interoffice Channel Facilities Termination			UEP93	M1GBC	22.60	39.36	26.62								
	Interoffice Channel mileage, per mile or fraction of mile			UEP93	M1GBM	0.013										
Featu	re Activations (DS0) Centrex Loops on Channelized DS1 Service	е														
D4 Ch	annel Bank Feature Activations															
	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP93	1PQWS	0.6497										
						0.0.0.										
	Feature Activation on D-4 Channel Bank FX Line Side Loop Slot			UEP93	1PQW6	0.6497										
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop			OLI 33	II QWO	0.0437									-	
				LIEBOO	400147	0.0407										
	Slot			UEP93	1PQW7	0.6497										
	Feature Activation on D-4 Channel Bank Centrex Loop Slot -															
\longrightarrow	Different Wire Center			UEP93	1PQWP	0.6497										
1																
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP93	1PQWV	0.6497										
	Feature Activation on D-4 Channel Bank Tie Line/Trunk Loop															
	Slot	<u></u>	<u>L</u>	UEP93	1PQWQ	0.6497								<u></u>	<u> </u>	<u> </u>
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP93	1PQWA	0.6497				_						
Non-F	ecurring Charges (NRC) Associated with UNE-P Centrex						i		İ							İ
	NRC Conversion Currently Combined Switch-As-Is with allowed				1				i i							
	changes, per port	l	1	UEP93	USAC2		0.10	0.10							1	1
-+-	Conversion of Existing Centrex Common Block, each	—	 	UEP93	USACN		36.66	16.10							1	
-	New Centrex Standard Common Block		 	UEP93	M1ACS	0.00	680.40	10.10							+	1
-+-			 		M1ACC	0.00									 	
	New Centrex Customized Common Block		1	UEP93			680.40								1	1
	NAR Establishment Charge, Per Occasion		 	UEP93	URECA	0.00	73.93									ļ
Additi	onal Non-Recurring Charges (NRC)		 													
	Unbundled Miscellaneous Rate Element, Tag Loop at End Use	l	1												1	1
	Premise		1	UEP93	URETL		8.33	0.83								
	Unbundled Miscellaneous Rate Element, Tag Design Loop at															
1	End Use Premise	l	1	UEP93	URETN		11.20	1.10							1	1
	- Required Port for Centrex Control in 1AESS, 5ESS & EWSD					İ	i		i							
Note 1															•	
	2 - Regures Interoffice Channel Mileage															
Note 2	2 - Requres Interoffice Channel Mileage 3 - Installation is combination of Installation charge for SL2 Lo	op and	Port													
Note 2 Note 3	2 - Requres Interoffice Channel Mileage 3 - Installation is combination of Installation charge for SL2 Lo 1 - Requires Specific Customer Premises Equipment	op and	Port													

LINDIII	IDI ED N	ETWORK ELEMENTS - Mississippi												Attachment:	2 Evh A	ı	
ONBOI	VDEED IN	ETWORK ELEMENTS - MISSISSIPPI					1					Svc Order	Svc Order	Incremental		Incremental	Incremental
													Submitted		Charge -	Charge -	Charge -
			Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATE	ORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
	1							Nonrec	urrina	Nonrocurrin	g Disconnect			088	Rates(\$)		
-							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN		SOMAN	SOMAN	SOMAN
							1100	1 11 34	Auu	11100	Addi	COMILO	COMPAR	COMPAR	COMPAR	COMPAR	COMPAR
	The "Zo	one" shown in the sections for stand-alone loops or loops as	part of	a comi	pination refers to Ge	ographically	Deaveraged U	NE Zones. To	view Geograp	hically Deaver	aged UNE Zon	e Designation	ons by Cent	ral Office, refe	er to internet	Website:	
		ww.interconnection.bellsouth.com/become_a_clec/html/inter								,	3			,			
OPER/		SUPPORT SYSTEMS (OSS) - "REGIONAL RATES"										1					
	NOTE: (1) CLEC should contact its contract negotiator if it prefers th	e "state	specif	ic" OSS charges as	ordered by t	he State Comm	nissions. The C	OSS charges c	urrently contain	ned in this rat	e exhibit are	the BellSo	uth "regional	service orde	ring charges.	CLEC may
		ther the state specific Commission ordered rates for the servi															
		2) Any element that can be ordered electronically will be bill															
		nnot be ordered electronically at present per the LOH, the list	ed SOM	EC rate	e in this category ref	ects the cha	arge that would	be billed to a	CLEC once el	ectronic orderi	ng capabilities	come on-li	ne for that	element. Othe	erwise, the ma	anual ordering	g charge,
		OSS - Electronic Service Order Charge, Per Local Service Request (LSR) - UNE Only				SOMEC		3.50	0.00	3.50	0.00						
-		OSS - Manual Service Order Charge, Per Local Service Request	1			SOIVIEU		3.50	0.00	3.50	0.00	1	1	 	1	1	
		(LSR) - UNE Only				SOMAN		15.75	0.00	1.97	0.00			1			
UNE S	ERVICE	DATE ADVANCEMENT CHARGE						.5.76	3.00		3.00			1	1		
		The Expedite charge will be maintained commensurate with	BellSou	th's FC	C No.1 Tariff, Section	n 5 as appli	cable.	l .		L		L				L	
		<u> </u>			UAL, UEANL, UCL,												
					UEF, UDF, UEQ,												
					UDL, UENTW, UDN,												
					UEA, UHL, ULC,												
					USL, U1T12, U1T48, U1TD1, U1TD3,												
					U1TDX, U1TO3,												
					U1TS1, U1TVX,												
					UC1BC, UC1BL,												
					UC1CC, UC1CL,												
					UC1DC, UC1DL,												
					UC1EC, UC1EL,												
					UC1FC, UC1FL,												
					UC1GC, UC1GL,												
					UC1HC, UC1HL,												
					UDL12, UDL48, UDLO3. UDLSX.												
					UE3. ULD12.												
					ULD48. ULDD1.												
					ULDD3, ULDDX,												
					ULDO3, ULDS1,												
					ULDVX, UNC1X,												
					UNC3X, UNCDX,										1		
1					UNCNX, UNCSX,										1		
1					UNCVX, UNLD1, UNLD3, UXTD1,									1			
1					UXTD3, UXTS1,									1	1		
					U1TUC, U1TUD,												
1					U1TUB,									1	1		
		UNE Expedite Charge per Circuit or Line Assignable USOC, per			U1TUA,NTCVG,									1	1		
		Day			NTCUD, NTCD1	SDASP		200.00									
ORDE		ICATION CHARGE	<u> </u>					20.0:		2.5-	2						
<u> </u>		Order Modification Charge (OMC) Order Modification Additional Dispatch Charge (OMCAD)	 				1	26.21 150.00	0.00	0.00	0.00	1		1	 	-	
LINRI		XCHANGE ACCESS LOOP	 					150.00	0.00	0.00	0.00			-	-	-	
014001		ANALOG VOICE GRADE LOOP	 				 				1	1		t	 		
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or												1	1		
		Ground Start Signaling - Zone 1		1	UEA	UEAL2	13.89	105.96	68.28	52.82	10.37						
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or	İ												1		
		Ground Start Signaling - Zone 2		2	UEA	UEAL2	18.75	105.96	68.28	52.82	10.37						
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or			l]			_	1		
		Ground Start Signaling - Zone 3	<u> </u>	3	UEA	UEAL2	27.55	105.96	68.28	52.82	10.37			-			
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 4			UEA	UEAL2	45.72	105.96	68.28	52.82	10.37				1		
L		Ground Start Signaling - Zone 4	<u> </u>	4	UEA	UEALZ	45.72	105.96	08.28	52.82	10.37	l					

Version 4Q05 Standard ICA 03/15/06 (Renegotiations) Page 146 of 261

UNBUNDLED	NETWORK ELEMENTS - Mississippi												Attachment:	2 Exh A		
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge -	Incremental Charge -	Charge -	Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'l
						_		curring	Nonrecurring					Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse				LIEADO	40.00	405.00	00.00	50.00	40.07						
	Battery Signaling - Zone 1 2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse		1	UEA	UEAR2	13.89	105.96	68.28	52.82	10.37		-				-
	Battery Signaling - Zone 2		2	UEA	UEAR2	18.75	105.96	68.28	52.82	10.37						
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse			UEA	UEARZ	10.75	105.96	00.20	52.62	10.37	1					1
	Battery Signaling - Zone 3		3	UEA	UEAR2	27.55	105.96	68.28	52.82	10.37						
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse		Ŭ	027	0271112	27.00	.00.00	00.20	02.02	.0.0.						
	Battery Signaling - Zone 4		4	UEA	UEAR2	45.72	105.96	68.28	52.82	10.37						
	Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per															
	DS0)			UEA	URESL		25.01	3.53								
	Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per															
	DS0)			UEA	URESP		26.50	5.02								
	CLEC to CLEC Conversion Charge without outside dispatch			UEA	UREWO		87.56	36.29								
L	Loop Tagging - Service Level 2 (SL2)			UEA	URETL		11.19	1.10								
4-WIR	RE ANALOG VOICE GRADE LOOP		L .	LIEA	LIE AL 4	07.47	100.07	04.50	00.00	44.04						
 	4-Wire Analog Voice Grade Loop - Zone 1			UEA UEA	UEAL4 UEAL4	27.47 38.26	132.27 132.27	94.59 94.59	60.68 60.68	14.64 14.64	1			-	-	<u> </u>
	4-Wire Analog Voice Grade Loop - Zone 2 4-Wire Analog Voice Grade Loop - Zone 3			UEA	UEAL4	50.03	132.27	94.59	60.68	14.64						+
+	4-Wire Analog Voice Grade Loop - Zone 4			UEA	UEAL4	50.03	132.27	94.59	60.68	14.64						
	Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per		7	OLA	OLAL4	30.03	102.21	34.33	00.00	14.04						+
	DS0)			UEA	URESL		25.01	3.53								
	Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per															
	DS0)			UEA	URESP		26.50	5.02								
	CLEC to CLEC Conversion Charge without outside dispatch			UEA	UREWO		87.56	36.29								
2-WIR	E ISDN DIGITAL GRADE LOOP															
	2-Wire ISDN Digital Grade Loop - Zone 1			UDN	U1L2X	21.01	117.61	79.92	52.82	10.37						
	2-Wire ISDN Digital Grade Loop - Zone 2			UDN	U1L2X	27.59	117.61	79.92	52.82	10.37						
	2-Wire ISDN Digital Grade Loop - Zone 3			UDN	U1L2X	37.34	117.61	79.92	52.82	10.37						
	2-Wire ISDN Digital Grade Loop - Zone 4			UDN	U1L2X	59.18	117.61	79.92	52.82	10.37						
0.14/10	CLEC to CLEC Conversion Charge without outside dispatch	ATIDLE		UDN	UREWO		91.46	44.07								
Z-WIR	RE ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMP	AIIBLE	LOOP		_							-				-
	2 Wire Unbundled ADSL Loop including manual service inquiry & facility reservation - Zone 1		1	UAL	UAL2X	11.11	121.27	70.81	50.38	7.93						
	2 Wire Unbundled ADSL Loop including manual service inquiry		<u> </u>	UAL	UALZX	11.11	121.21	70.01	30.36	7.93	1					-
	& facility reservation - Zone 2		2	UAL	UAL2X	11.47	121.27	70.81	50.38	7.93						
	2 Wire Unbundled ADSL Loop including manual service inquiry		-	5,12	O, LLL, (7 0.0 1	00.00	7.00						
	& facility reservation - Zone 3		3	UAL	UAL2X	11.74	121.27	70.81	50.38	7.93						
	2 Wire Unbundled ADSL Loop including manual service inquiry															
	& facility reservation - Zone 4		4	UAL	UAL2X	12.69	121.27	70.81	50.38	7.93	<u> </u>		L	<u></u>	<u></u>	
	2 Wire Unbundled ADSL Loop without manual service inquiry &															
	facility reservaton - Zone 1		1	UAL	UAL2W	11.11	96.15	58.03	50.38	7.93						
	2 Wire Unbundled ADSL Loop without manual service inquiry &					[l							1			
 	facility reservaton - Zone 2		2	UAL	UAL2W	11.47	96.15	58.03	50.38	7.93				-	-	
	2 Wire Unbundled ADSL Loop without manual service inquiry &		_	LIAI	LIALOW	44.74	00.45	50.00	50.00	7.00			1			
-	facility reservaton - Zone 3 2 Wire Unbundled ADSL Loop without manual service inquiry &		3	UAL	UAL2W	11.74	96.15	58.03	50.38	7.93	1			-	-	
	facility reservaton - Zone 4		4	UAL	UAL2W	12.69	96.15	58.03	50.38	7.93						
 	CLEC to CLEC Conversion Charge without outside dispatch	1	+ 4	UAL	UREWO	12.09	86.04	40.33	30.38	1.93	<u> </u>	-	 	t	t	
2-WIR	RE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIBLE	LOOP	J. L	OILL VVO		00.04	70.33			1	1	1	†	†	†
	2 Wire Unbundled HDSL Loop including manual service inquiry		1													
	& facility reservation - Zone 1		1	UHL	UHL2X	8.75	129.98	79.52	50.38	7.93			1			
ĺ	2 Wire Unbundled HDSL Loop including manual service inquiry															
	& facility reservation - Zone 2		2	UHL	UHL2X	9.22	129.98	79.52	50.38	7.93						
	2 Wire Unbundled HDSL Loop including manual service inquiry		1]			
ļļ	& facility reservation - Zone 3		3	UHL	UHL2X	9.87	129.98	79.52	50.38	7.93	ļ		ļ	1	1	<u> </u>
	2 Wire Unbundled HDSL Loop including manual service inquiry		1 .										1			
 	& facility reservation - Zone 4		4	UHL	UHL2X	10.46	129.98	79.52	50.38	7.93	<u> </u>		-	 	 	
1 1	2 Wire Unbundled HDSL Loop without manual service inquiry			UHL	UHL2W	8.75	104.86	66.74	50.38	7.93				1	1	
	and facility reservation - Zone 1	L	1 1	UI IL	UTLZVV	8.75	104.86	00.74	50.38	7.93	1	1	1	1	1	

LINDII	NDI ED A	NETWORK ELEMENTS - Mississippi												Attachment:	2 Evb A	1	
UNBU	NULEU	VETWORK ELEMENTS - MISSISSIPPI	1	1		1	ı					Cus Onder		Incremental		lu anamantal	Incremental
												Submitted			Charge -	Charge -	Charge -
	0001	DATE ELEMENTO	Interi	-	B00				DATEC(#)			Elec		Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATE	GORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
								Nonrec		Nonrecurring					Rates(\$)		
		land the state of					Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		2 Wire Unbundled HDSL Loop without manual service inquiry		_		l											
		and facility reservation - Zone 2		2	UHL	UHL2W	9.22	104.86	66.74	50.38	7.93						
		2 Wire Unbundled HDSL Loop without manual service inquiry		_				40400		=							
		and facility reservation - Zone 3		3	UHL	UHL2W	9.87	104.86	66.74	50.38	7.93						
		2 Wire Unbundled HDSL Loop without manual service inquiry			UHL		40.40			=							
		and facility reservation - Zone 4		4		UHL2W	10.46	104.86	66.74	50.38	7.93						
		CLEC to CLEC Conversion Charge without outside dispatch	<u></u>		UHL	UREWO		85.98	40.33								
	4-WIRE	HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	IIBLE	LOOP													
		4 Wire Unbundled HDSL Loop including manual service inquiry					40.70	450.74	400.00	50.70	40.00						
-	-	and facility reservation - Zone 1	 	1	UHL	UHL4X	13.78	158.74	108.28	56.72	10.68	-					
1	1	4-Wire Unbundled HDSL Loop including manual service inquiry		_		111111 424	40.40	450 71	100.00	50.70	10.00						
-	1	and facility reservation - Zone 2	 	2	UHL	UHL4X	13.43	158.74	108.28	56.72	10.68	1	ļ				
1	1	4-Wire Unbundled HDSL Loop including manual service inquiry	1	_		11111 477	45.50	450.74	400.00	50.70	40.00		1				
-	1	and facility reservation - Zone 3	 	3	UHL	UHL4X	15.59	158.74	108.28	56.72	10.68	1	ļ				
		4-Wire Unbundled HDSL Loop including manual service inquiry					44.40	450.74	400.00	50.70	40.00						
		and facility reservation - Zone 4		4	UHL	UHL4X	14.46	158.74	108.28	56.72	10.68						
		4-Wire Unbundled HDSL Loop without manual service inquiry					40.70	400.00	05.50	50.70	40.00						
	-	and facility reservation - Zone 1		1	UHL	UHL4W	13.78	133.62	95.50	56.72	10.68						
		4-Wire Unbundled HDSL Loop without manual service inquiry		_	UHL		40.40	400.00									
		and facility reservation - Zone 2		2	UHL	UHL4W	13.43	133.62	95.50	56.72	10.68						
		4-Wire Unbundled HDSL Loop without manual service inquiry		_			45.50	400.00									
		and facility reservation - Zone 3		3	UHL	UHL4W	15.59	133.62	95.50	56.72	10.68						
		4-Wire Unbundled HDSL Loop without manual service inquiry						400.00									
	-	and facility reservation - Zone 4		4	UHL	UHL4W	14.46	133.62	95.50	56.72	10.68						
	4 14/15/5	CLEC to CLEC Conversion Charge without outside dispatch			UHL	UREWO		85.98	40.33								
	4-WIRE	DS1 DIGITAL LOOP				1101307	70.00	0.00		10.10	10.00						
		4-Wire DS1 Digital Loop - Zone 1	-		USL	USLXX	79.08	253.93	158.45	46.10	12.07						
		4-Wire DS1 Digital Loop - Zone 2	-		USL	USLXX	129.38	253.93	158.45	46.10	12.07						
		4-Wire DS1 Digital Loop - Zone 3	-		USL	USLXX	206.74	253.93	158.45	46.10	12.07						
		4-Wire DS1 Digital Loop - Zone 4		4	USL	USLXX	458.46	253.93	158.45	46.10	12.07						
		Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per				LIDEOL		05.04	0.50								
	-	DS1)			USL	URESL		25.01	3.53								
		Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per			USL	LIDEOD		00.50	F 00								
-		DS1)	-			URESP		26.50	5.02								
	4 14/15/5	CLEC to CLEC Conversion Charge without outside dispatch			USL	UREWO		100.90	42.96								
-	4-WIRE	19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP	 	-	LIDI	LIDLOY	07.44	400.50	00.05	00.00	44.04	1	ļ				
-	1	4 Wire Unbundled Digital Loop 2.4 Kbps-Zone 1	 		UDL UDL	UDL2X	27.44	126.53	88.85	60.68	14.64 14.64	1	ļ				
—	+	4 Wire Unbundled Digital Loop 2.4 Kbps - Zone 2	 		UDL	UDL2X UDL2X	34.55 40.76	126.53 126.53	88.85 88.85	60.68 60.68	14.64						
—	+	4 Wire Unbundled Digital Loop 2.4 Kbps - Zone 3	 		UDL	UDL2X UDL2X					14.64						
-	1	4 Wire Unbundled Digital Loop 2.4 Kbps - Zone 4	 		UDL	UDL2X UDL4X	32.25 27.44	126.53 126.53	88.85 88.85	60.68 60.68	14.64	-					
-	-	4 Wire Unbundled Digital Loop 4.8 Kbps - Zone 1			UDL		34.55				14.64						
—	+	4 Wire Unbundled Digital Loop 4.8 Kbps - Zone 2 4 Wire Unbundled Digital Loop 4.8 Kbps - Zone 3	 		UDL	UDL4X UDL4X	34.55 40.76	126.53 126.53	88.85 88.85	60.68 60.68	14.64						
-	+	4 Wire Unbundled Digital Loop 4.8 Kbps - Zone 3 4 Wire Unbundled Digital Loop 4.8 Kbps - Zone 4	-		UDL	UDL4X UDL4X	40.76 32.25	126.53	88.85	60.68	14.64						
-	+		-		UDL	UDL4X UDL9X	32.25 27.44	126.53	88.85	60.68	14.64						
-	+	4 Wire Unbundled Digital Loop 9.6 Kbps - Zone 1 5 Wire Unbundled Digital Loop 9.6 Kbps - Zone 2	 		UDL	UDL9X	34.55	126.53	88.85	60.68	14.64						
-	+	6 Wire Unbundled Digital Loop 9.6 Kbps - Zone 3	-		UDL	UDL9X	40.76	126.53	88.85	60.68	14.64						
-	1	7 Wire Unbundled Digital Loop 9.6 Kbps - Zone 4	 		UDL	UDL9X	32.25	126.53	88.85	60.68	14.64	 	-				
-	+	4 Wire Unbundled Digital 19.2 Kbps - Zone 1	 		UDL	UDL19	27.44	126.53	88.85	60.68	14.64						
-	+	4 Wire Unbundled Digital 19.2 Kbps - Zone 2	 		UDL	UDL19	34.55	126.53	88.85	60.68	14.64						
-	1	4 Wire Unbundled Digital 19.2 Kbps - Zone 3	 		UDL	UDL19	40.76	126.53	88.85	60.68	14.64	 	-				
-	+	4 Wire Unbundled Digital 19.2 Kbps - Zone 4	 		UDL	UDL19	32.25	126.53	88.85	60.68	14.64						
-	+	4 Wire Unbundled Digital Loop 56 Kbps - Zone 1	 		UDL	UDL19	27.44	126.53	88.85	60.68	14.64						
-	+	4 Wire Unbundled Digital Loop 56 Kbps - Zone 2	 		UDL	UDL56	34.55	126.53	88.85	60.68	14.64						
-	+	4 Wire Unbundled Digital Loop 56 Kbps - Zone 3	 		UDL	UDL56	40.76	126.53	88.85	60.68	14.64		l				
-	+	4 Wire Unbundled Digital Loop 56 Kbps - Zone 4	 		UDL	UDL56	32.25	126.53	88.85	60.68	14.64						
-	+	4 Wire Unbundled Digital Loop 64 Kbps - Zone 1	 		UDL	UDL64	27.44	126.53	88.85	60.68	14.64						
-	+	4 Wire Unbundled Digital Loop 64 Kbps - Zone 2	 		UDL	UDL64	34.55	126.53	88.85	60.68	14.64		l				
	1	4 Wire Unbundled Digital Loop 64 Kbps - Zone 3			UDL	UDL64	40.76	126.53	88.85	60.68	14.64	<u> </u>	1				
		1. This charming Digital Loop of Rups - Zone o	1	J		ODLOT	70.70	120.00	00.00	00.00	17.04				1		

UNBUNDLED I	NETWORK ELEMENTS - Mississippi												Attachment:	2 Exh A		
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Submitted	Incremental	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'I
							Nonrec	urrina	Nonrecurring	Disconnect			oss	Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 4		4	UDL	UDL64	32.25	126.53	88.85	60.68	14.64						
	Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per															
	DS0)			UDL	URESL		25.01	3.53								
	Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per			·	1											
	DS0)			UDL	URESP		26.50	5.02								
	CLEC to CLEC Conversion Charge without outside dispatch			UDL	UREWO		101.94	49.66								
2-WIRE	Unbundled COPPER LOOP															
	2-Wire Unbundled Copper Loop-Designed including manual															
	service inquiry & facility reservation - Zone 1		1	UCL	UCLPB	11.11	120.34	69.87	50.38	7.93						
	2-Wire Unbundled Copper Loop-Designed including manual															
	service inquiry & facility reservation - Zone 2		2	UCL	UCLPB	11.47	120.34	69.87	50.38	7.93						
	2 Wire Unbundled Copper Loop-Designed including manual	1					,				1	1				1
	service inquiry & facility reservation - Zone 3	ļ	3	UCL	UCLPB	11.74	120.34	69.87	50.38	7.93						├
	2 Wire Unbundled Copper Loop-Designed including manual	1	1	UCL	UCLPB	12.69	120.34	69.87	50.38	7.93	1	1				1
	service inquiry & facility reservation - Zone 4 2-Wire Unbundled Copper Loop-Designed without manual		4	UCL	UCLPB	12.09	120.34	69.87	50.38	7.93						——
	service inquiry and facility reservation - Zone 1		1	UCL	UCLPW	11.11	95.21	57.09	50.38	7.93						
	2-Wire Unbundled Copper Loop-Designed without manual	1	_ '	UCL	UCLEVV	11.11	95.21	57.09	30.36	7.93						-
	service inquiry and facility reservation - Zone 2		2	UCL	UCLPW	11.47	95.21	57.09	50.38	7.93						İ
	2-Wire Unbundled Copper Loop-Designed without manual			UCL	UCLFVV	11.47	93.21	37.09	30.36	7.55						-
	service inquiry and facility reservation - Zone 3		3	UCL	UCLPW	11.74	95.21	57.09	50.38	7.93						İ
	2-Wire Unbundled Copper Loop-Designed without manual		Ū	001	OOLI II	11.7-4	30.E1	07.00	00.00	7.00						
	service inquiry and facility reservation - Zone 4		4	UCL	UCLPW	12.69	95.21	57.09	50.38	7.93						
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC	12.00	8.20	8.20	00.00	7.00						
	CLEC to CLEC Conversion Charge without outside dispatch			002	0020		0.20	0.20								
	(UCL-Des)			UCL	UREWO		95.21	42.40								
4-WIRE	COPPER LOOP															
	4-Wire Copper Loop-Designed including manual service inquiry															
	and facility reservation - Zone 1		1	UCL	UCL4S	17.30	144.68	94.22	56.72	10.68						
	4-Wire Copper Loop-Designed including manual service inquiry															
	and facility reservation - Zone 2		2	UCL	UCL4S	18.84	144.68	94.22	56.72	10.68						
	4-Wire Copper Loop-Designed including manual service inquiry															
	and facility reservation - Zone 3		3	UCL	UCL4S	21.33	144.68	94.22	56.72	10.68						
	4-Wire Copper Loop-Designed including manual service inquiry															
	and facility reservation - Zone 4		4	UCL	UCL4S	21.33	144.68	94.22	56.72	10.68						
	4-Wire Copper Loop-Designed without manual service inquiry					47.00										
-	and facility reservation - Zone 1		1	UCL	UCL4W	17.30	119.56	81.44	56.72	10.68						
	4-Wire Copper Loop-Designed without manual service inquiry and facility reservation - Zone 2	1	2	UCL	UCL4W	18.84	119.56	81.44	56.72	10.68	1	1				1
	4-Wire Copper Loop-Designed without manual service inquiry			UCL	UCL4VV	10.04	119.56	01.44	30.72	10.00						<u> </u>
	and facility reservation - Zone 3	1	3	UCL	UCL4W	21.33	119.56	81.44	56.72	10.68	1	1				1
	4-Wire Copper Loop-Designed without manual service inquiry	1			302411	21.00	110.00	U1.77	55.72	10.00						
	and facility reservation - Zone 4		4	UCL	UCL4W	21.33	119.56	81.44	56.72	10.68						
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		8.20	8.20	****							
	CLEC to CLEC Conversion Charge without outside dispatch															
	(UCL-Des)			UCL	UREWO		95.21	42.40								
	,			UEA, UDN, UAL,												
	Order Coordination for Specified Conversion Time (per LSR)			UHL, UDL, USL	OCOSL		18.19									
Rearra	ngements															
	EEL to UNE-L Retermination, per 2 Wire Unbundled Voice Loop-	1]					1	1				1
	SL2	ļ		UEA	UREEL	ļ	87.56	36.29								I
																1
\vdash	EEL to UNE-L Retermination, per 4 Wire Unbundled Voice Loop	1	1	UEA	UREEL		87.56	36.29						ļ		
	EEL to UNE-L Retermination, per 2 Wire ISDN Loop	l	1	UDN	UREEL		91.46	44.07	 							
	EEL to UNE-L Retermination, per 4 Wire Unbundled Digital	1		UDL	UREEL]	101.94	49.66			1	1				1
	Loop EEL to UNE-L Retermination, per 4 Wire Unbundled DS1 Loop	1	1	USL	UREEL		101.94	49.66								
UNE LOOP CO		1	1	UUL	UNLEL	1	100.90	42.90	1					1		
	E ANALOG VOICE GRADE LOOP - COMMINGLING	 			+	 			 		 	 				$\vdash \vdash \vdash$
Z-VVIKE	ANALOG TOIGE GRADE EGGF - GUMMINGEING	1			·	1			1		·	·		L		

UNBUNDLED	NETWORK ELEMENTS - Mississippi												Attachment:	2 Exh A		
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
							Nonrec		Nonrecurring					Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or															
	Ground Start Signaling - Zone 1		1	NTCVG	UEAL2	13.89	105.96	68.28	52.82	10.37						
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or															
	Ground Start Signaling - Zone 2		2	NTCVG	UEAL2	18.75	105.96	68.28	52.82	10.37						
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or		2	NTCVG	UEAL2	27.55	105.96	68.28	52.82	10.37						İ
	Ground Start Signaling - Zone 3 2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or		3	NICVG	UEALZ	21.55	105.96	00.20	52.62	10.37						
	Ground Start Signaling - Zone 4		1	NTCVG	UEAL2	45.72	105.96	68.28	52.82	10.37						
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse	1		NICVO	ULALZ	45.72	105.50	00.20	32.02	10.57						
	Battery Signaling - Zone 1		1	NTCVG	UEAR2	13.89	105.96	68.28	52.82	10.37						
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse															
[Battery Signaling - Zone 2	<u>L</u>	2	NTCVG	UEAR2	18.75	105.96	68.28	52.82	10.37	<u></u>				<u> </u>	1
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse															
	Battery Signaling - Zone 3		3	NTCVG	UEAR2	27.55	105.96	68.28	52.82	10.37						
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse															
	Battery Signaling - Zone 4		4	NTCVG	UEAR2	45.72	105.96	68.28	52.82	10.37						
	Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per															
	DS0)			NTCVG	URESL		25.01	3.53								
	Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per			NITOVO	LIDEOD		00.50	F 00								
	DS0) CLEC to CLEC Conversion Charge without outside dispatch			NTCVG NTCVG	URESP UREWO		26.50 87.56	5.02 36.29								
	Loop Tagging - Service Level 2 (SL2)			NTCVG	URETL		11.19	1.10								-
	Loop ragging - Service Level 2 (SL2)			NTCVG	UKEIL		11.19	1.10								-
4-WIR	E ANALOG VOICE GRADE LOOP - COMMINGLING			NICVG												-
7 77110	4-Wire Analog Voice Grade Loop - Zone 1		1	NTCVG	UEAL4	27.47	132.27	94.59	60.68	14.64						
	4-Wire Analog Voice Grade Loop - Zone 2			NTCVG	UEAL4	38.26	132.27	94.59	60.68	14.64						
	4-Wire Analog Voice Grade Loop - Zone 3			NTCVG	UEAL4	50.03	132.27	94.59	60.68	14.64						
	4-Wire Analog Voice Grade Loop - Zone 4		4	NTCVG	UEAL4	50.03	132.27	94.59	60.68	14.64						
	Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per															
	DS0)			NTCVG	URESL		25.01	3.53								
	Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per															
	DS0)			NTCVG	URESP		26.50	5.02								
4 14/10	CLEC to CLEC Conversion Charge without outside dispatch DS1 DIGITAL LOOP			NTCVG	UREWO		87.56	36.29								
4-WIR	4-Wire DS1 Digital Loop - Zone 1		1	NTCD1	USLXX	79.08	253.93	158.45	46.10	12.07						
	4-Wire DS1 Digital Loop - Zone 2			NTCD1	USLXX	129.38	253.93	158.45	46.10	12.07						-
	4-Wire DS1 Digital Loop - Zone 3			NTCD1	USLXX	206.74	253.93	158.45	46.10	12.07						
	4-Wire DS1 Digital Loop - Zone 4			NTCD1	USLXX	458.46	253.93	158.45	46.10	12.07						
<u> </u>	Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per	1		-											1	
	DS1)	1		NTCD1	URESL	0.00	25.01	3.53	0.00	0.00						1
	Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per															
	DS1)	<u> </u>		NTCD1	URESP	0.00	26.50	5.02	0.00	0.00						1
	CLEC to CLEC Conversion Charge without outside dispatch	ļ		NTCD1	UREWO	0.00	100.90	42.96	0.00	0.00						I
4-WIR	19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP	ļ		NITOLID	LIDL 637		/00 =-		22.2-							
	4 Wire Unbundled Digital Loop 2.4 Kbps-Zone 1	ļ		NTCUD	UDL2X	27.44	126.53	88.85	60.68	14.64						
	4 Wire Unbundled Digital Loop 2.4 Kbps - Zone 2 4 Wire Unbundled Digital Loop 2.4 Kbps - Zone 3	 		NTCUD NTCUD	UDL2X UDL2X	34.55 40.76	126.53 126.53	88.85 88.85	60.68 60.68	14.64 14.64						
	4 Wire Unbundled Digital Loop 2.4 Kbps - Zone 3 4 Wire Unbundled Digital Loop 2.4 Kbps - Zone 4	1		NTCUD	UDL2X UDL2X	40.76 32.25	126.53	88.85	60.68	14.64					1	
- 	4 Wire Unbundled Digital Loop 4.8 Kbps - Zone 1	1		NTCUD	UDL4X	27.44	126.53	88.85	60.68	14.64						
1	4 Wire Unbundled Digital Loop 4.8 Kbps - Zone 2	1		NTCUD	UDL4X	34.55	126.53	88.85	60.68	14.64						
<u> </u>	4 Wire Unbundled Digital Loop 4.8 Kbps - Zone 3	1		NTCUD	UDL4X	40.76	126.53	88.85	60.68	14.64						
	4 Wire Unbundled Digital Loop 4.8 Kbps - Zone 4		4	NTCUD	UDL4X	32.25	126.53	88.85	60.68	14.64						
	4 Wire Unbundled Digital Loop 9.6 Kbps - Zone 1			NTCUD	UDL9X	27.44	126.53	88.85	60.68	14.64						
	5 Wire Unbundled Digital Loop 9.6 Kbps - Zone 2			NTCUD	UDL9X	34.55	126.53	88.85	60.68	14.64						
	6 Wire Unbundled Digital Loop 9.6 Kbps - Zone 3			NTCUD	UDL9X	40.76	126.53	88.85	60.68	14.64						
	7 Wire Unbundled Digital Loop 9.6 Kbps - Zone 4	ļ		NTCUD	UDL9X	32.25	126.53	88.85	60.68	14.64						
	4 Wire Unbundled Digital 19.2 Kbps - Zone 1	ļ		NTCUD	UDL19	27.44	126.53	88.85	60.68	14.64						├
	4 Wire Unbundled Digital 19.2 Kbps - Zone 2	1		NTCUD	UDL19	34.55	126.53	88.85	60.68	14.64						├
	4 Wire Unbundled Digital 19.2 Kbps - Zone 3	1	3	NTCUD	UDL19	40.76	126.53	88.85	60.68	14.64	ı				L	

CATEGORY																
CATEGORY											Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
CATEGORY												Submitted	Charge -	Charge -	Charge -	Charge -
CATEGORY											Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Sv
CATEGORT	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES(\$)								
	RATE ELEMENTS	m	Zone	ВСЗ	0300			KATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
\longrightarrow																<u> </u>
							Nonreci		Nonrecurring					Rates(\$)	•	
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	4 Wire Unbundled Digital 19.2 Kbps - Zone 4			NTCUD	UDL19	32.25	126.53	88.85	60.68	14.64						ı
4	4 Wire Unbundled Digital Loop 56 Kbps - Zone 1		1	NTCUD	UDL56	27.44	126.53	88.85	60.68	14.64						
4	4 Wire Unbundled Digital Loop 56 Kbps - Zone 2		2	NTCUD	UDL56	34.55	126.53	88.85	60.68	14.64						
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 3		3	NTCUD	UDL56	40.76	126.53	88.85	60.68	14.64						
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 4			NTCUD	UDL56	32.25	126.53	88.85	60.68	14.64						
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 1			NTCUD	UDL64	27.44	126.53	88.85	60.68	14.64						
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 2			NTCUD	UDL64	34.55	126.53	88.85	60.68	14.64						-
				NTCUD	UDL64	40.76	126.53	88.85	60.68	14.64	-					
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 3															
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 4		4	NTCUD	UDL64	32.25	126.53	88.85	60.68	14.64	ļ					+
	Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per															i
	DS0)			NTCUD	URESL		25.01	3.53								<u> </u>
	Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per													-	-	1
	DS0)	<u></u>	Щ.	NTCUD	URESP	<u> </u>	26.50	5.02	<u> </u>		<u> </u>	<u> </u>				<u> </u>
(CLEC to CLEC Conversion Charge without outside dispatch			NTCUD	UREWO		101.94	49.66								1
	<u> </u>			NTCVG, NTCUD,												f
(Order Coordination for Specified Conversion Time (per LSR)			NTCD1	OCOSL		18.19]				1
	XCHANGE ACCESS LOOP		\vdash		3000		10.10		 		1	 				
	ANALOG VOICE GRADE LOOP						+				1					
				LIFANI	LIEALO	40.00	07.00	47.55	20.40	5.05						
	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1			UEANL	UEAL2	12.03	37.92	17.55	23.48	5.25						
	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2			UEANL	UEAL2	16.87	37.92	17.55	23.48	5.25						
	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3			UEANL	UEAL2	25.68	37.92	17.55	23.48	5.25						1
2	2-Wire Analog Voice Grade Loop - Service Level 1-Zone 4			UEANL	UEAL2	43.85	37.92	17.55	23.48	5.25						1
2	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1		1	UEANL	UEASL	12.03	37.92	17.55	23.48	5.25						
2	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2		2	UEANL	UEASL	16.87	37.92	17.55	23.48	5.25						
	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3			UEANL	UEASL	25.68	37.92	17.55	23.48	5.25						
	2-Wire Analog Voice Grade Loop - Service Level 1-Zone 4			UEANL	UEASL	43.85	37.92	17.55	23.48	5.25						
	Tag Loop at End User Premise			UEANL	URETL	10.00	8.92	0.88	20.10	0.20						—
	Loop Testing - Basic 1st Half Hour			UEANL	URET1		34.36	0.00								
	Loop Testing - Basic 1st Hall Hour		-	UEANL	URETA		19.97	19.97								
																
	Manual Order Coordination for UVL-SL1s (per loop)			UEANL	UEAMC		8.20	8.20								1
	Order Coordination for Specified Conversion Time for UVL-SL1															i
	(per LSR)			UEANL	OCOSL		18.19	18.19								1
l	Unbundled Non-Design Voice Loop, billing for BST providing															i
r	make-up (Engineering Information - E.I.)			UEANL	UEANM		13.51	13.51								ĺ
	CLEC to CLEC Conversion Charge Without Outside Dispatch			UEANL	UREWO		15.75	8.92								
	Unbundled COPPER LOOP				1											f
	2-Wire Unbundled Copper Loop - Non-Designed Zone 1	1	1	UEQ	UEQ2X	11.01	36.53	16.16	22.66	4.42	1	i i				
	2 Wire Unbundled Copper Loop - Non-Designed - Zone 2	i		UEQ	UEQ2X	11.51	36.53	16.16	22.66	4.42	1					
	2 Wire Unbundled Copper Loop - Non-Designed - Zone 3	-		UEQ	UEQ2X	11.57	36.53	16.16	22.66	4.42	 					
		-		UEQ	UEQ2X	13.10	36.53	16.16	22.66	4.42	1					
	2 Wire Unbundled Copper Loop - Non-Designed - Zone 4		4	UEQ	URETL	13.10	36.53 8.92		22.00	4.42	1	 				
	Tag Loop at End User Premise							0.88			1					+
	Loop Testing - Basic 1st Half Hour		<u> </u>	UEQ	URET1		34.36	0.00								├
	Loop Testing - Basic Additional Half Hour			UEQ	URETA		19.97	19.97	ļ		ļ					
	Manual Order Coordination 2 Wire Unbundled Copper Loop -						T									1
1	Non-Designed (per loop)			UEQ	USBMC		8.20	8.20	1							1
l	Unbundled Copper Loop - Non-Design, billing for BST providing						1									
	make-up (Engineering Information - E.I.)			UEQ	UEQMU		13.51	13.51	1							1
	CLEC to CLEC Conversion Charge Without Outside Dispatch			UEQ	UREWO		14.24	7.42	1							
LOOP MODIFICA				<u></u>	J. (L 110		17.27	7.72			 					
- COT MODIFICE	ATIVIT		+ -	UAL, UHL, UCL,	<u> </u>		+		 		 					
				UEQ, ULS, UEA,					1]				1
	Habitan Madification Description 10-75 0075]				1
	Unbundled Loop Modification, Removal of Load Coils - 2 Wire			UEANL, UEPSR,					1							1
	pair less than or equal to 18k ft, per Unbundled Loop			UEPSB	ULM2L		32.57	32.57	1							
Į Į	Unbundled Loop Modification Removal of Load Coils - 4 Wire]				1
	less than or equal to 18K ft, per Unbundled Loop			UHL, UCL, UEA	ULM4L	<u> </u>	32.57	32.57	<u> </u>		<u> </u>					<u></u>
				UAL, UHL, UCL,												
				UEQ, ULS, UEA,					1]				1
	Unbundled Loop Modification Removal of Bridged Tap Removal,			UEANL, UEPSR,					1							1
	per unbundled loop			UEPSB	ULMBT		32.59	32.59]				1

CATEGORY RATE ELEMENTS Interim m Zone BCS USOC RATES(\$) BCS USOC RATES(\$) RATES(\$) Sv. Order Submitted Submitted Charge - Manual Sv. Order vs. Electronic-1st Disc 1st Nonrecurring Nonrecurring Disconnect Nonrecurring Disconnect Sv. Order Submitted Submitted Charge - Manual Sv. Order vs. Electronic-1st Disc 1st Nonrecurring Disconnect OSS Rates(\$)	UNBUNDLED N	NETWORK ELEMENTS - Mississippi												Attachment:	2 Exh A		l
Bull-Loop Septembro South Sout				Zone	BCS	usoc			RATES(\$)			Submitted Elec	Submitted Manually	Incremental Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic-	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
Bull-Coop Septembron South Augus Sou								Nonrec	urrina	Nonrecurring	Disconnect			oss	Rates(\$)		ı
Sub-Loop Distribution Sub-Loop Distribution CUES Feeder Finally School Company							Rec					SOMEC	SOMAN			SOMAN	SOMAN
Sub-Loco - Per Circles Sout Location - CLEC Feeder Facility Set 1 UEANL, UEF USSBA	SUB-LOOPS																
Dec. Dec.	Sub-Lo	pop Distribution															
Sub-Loop - Per Close Box Location - Per 25 Pair Panel Set-Up 1		Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set-															
Sub-Loop - Per Busking Equipment Room - CLCC Feeder 1		Up	I		UEANL, UEF	USBSA		259.69									
Facility Set-Up Sub-Loop Petribution Por 2-Wine Analog Votes Grade Loop - 1 UEANL USBSD 56.59			- 1		UEANL, UEF	USBSB		22.77									
Sub-Loop Per Building Equipment Room - Per 27 Per Per Intellige September 1					LIEANI	LIGBOC		170 /7									
Set Up UEANL USBN2 56.39 UEANL USBN2 7.15 66.18 31.14 45.36 6.71 UEANL USBN2 7.15 66.18 31.14 45.36 6.71 UEANL USBN2 7.15 66.18 31.14 45.36 6.71 UEANL USBN2 7.15 66.18 31.14 45.36 6.71 UEANL USBN2 7.15 66.18 31.14 45.36 6.71 UEANL USBN2 2.20 2.2					OLANL	USBSC		170.47									
Deal Usana		Set-Up	- 1		UEANL	USBSD		56.39									
Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - 2						LIODNIO	7.45	00.40	04.44	45.00	0.74						
Zone 2			 	1	UEANL	O2RN5	7.15	66.18	31.14	45.36	6.71						-
Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - 2				2	ΙΙΕΔΝΙ	LISBN2	9 51	66 18	31 14	45 36	6.71						
Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - 2					OL7 II VL	CODINE	5.51	00.10	01.14	40.00	0.71						
Construction Cons		Zone 3		3	UEANL	USBN2	12.45	66.18	31.14	45.36	6.71						
Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -				4	UEANL	USBN2	18.26	66.18	31.14	45.36	6.71						
Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -																	
Zone 1					UEANL	USBMC		8.20	8.20								
Zone 2				1	UEANL	USBN4	7.30	79.49	44.45	51.27	9.35						
Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -		Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -															
Zone 3 Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Variety Control Coordination for Unbundled Sub-Loops, per sub-loop pair UEANL USBMC 8.20 8.20 Wire Copper Unbundled Sub-Loops, per sub-loop pair UEANL USBMC Sub-Loop 2-Wire Intrabuilding Network Cable (INC) UEANL USBMC 8.20 8.20 Wire Copper Unbundled Sub-Loops, per sub-loop pair UEANL USBMC Sub-Loop 4-Wire Intrabuilding Network Cable (INC) UEANL USBMC Sub-Loop 4-Wire Intrabuilding Network Cable (INC) UEANL USBMC Sub-Loop 4-Wire Intrabuilding Network Cable (INC) UEANL USBMC Sub-Loop 4-Wire Intrabuilding Network Cable (INC) UEANL USBMC Sub-Loop 4-Wire Intrabuilding Network Cable (INC) UEANL USBMC Sub-Loop 4-Wire Intrabuilding Network Cable (INC) UEANL USBMC Sub-Loop 4-Wire Intrabuilding Network Cable (INC) UEANL USBMC Sub-Loop 4-Wire Intrabuilding Network Cable (INC) UEANL USBMC Sub-Loop 5-Sub-Loop 4-Wire Intrabuilding Network Cable (INC) UEANL USBMC Sub-Loop 5-				2	UEANL	USBN4	13.92	79.49	44.45	51.27	9.35						
Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - 4				3	UEANL	USBN4	16.73	79.49	44.45	51.27	9.35						
Order Coordination for Unbundled Sub-Loops, per sub-loop pair UEANL USBNC 8.20				4	LIEANI	LICDNA			44.45								
Sub-Loop 2-Wire Intrabuilding Network Cable (INC)		2016 4		-	OLANL	USBN4	10.73	75.45	44.43	31.21	9.55						
Sub-Loop 2-Wire Intrabuilding Network Cable (INC)		Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		8.20	8.20								
Order Coordination for Unbundled Sub-Loops, per sub-loop pair UEANL USBMC Sub-Loop 4-Wire Intrabuilding Network Cable (INC) UEANL USBMC USBMC Sub-Loop 4-Wire Intrabuilding Network Cable (INC) UEANL USBMC Sub-Loop 5-Section 24-S5 51.27 9.35							2.29			45.36	6.71						
Sub-Loop 4-Wire Intrabuilding Network Cable (INC)																	
Order Coordination for Unbundled Sub-Loops, per sub-loop pair UEANL USBMC 8.20 8.20																	
Loop Testing - Basic 1st Half Hour UEANL URET1 34.36 0.00		Sub-Loop 4-Wire Intrabuilding Network Cable (INC)			UEANL	USBR4	4.40	59.60	24.55	51.27	9.35						
Loop Testing - Basic 1st Half Hour UEANL URET1 34.36 0.00																	
Loop Testing - Basic Additional Half Hour																	
2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1																	
2 Wire Copper Unbundled Sub-Loop Distribution - Zone 2 2 UEF UCS2X 7.09 66.18 31.14 45.36 6.71 2 Wire Copper Unbundled Sub-Loop Distribution - Zone 3 3 UEF UCS2X 8.16 66.18 31.14 45.36 6.71			1	1			6.06			A5 26	6 71						
2 Wire Copper Unbundled Sub-Loop Distribution - Zone 3 3 UEF UCS2X 8.16 66.18 31.14 45.36 6.71			1														
2 Wire Copper Unbundled Sub-Loop Distribution - Zone 4			†									1			1		1
Order Coordination for Unbundled Sub-Loops, per sub-loop pair UEF USBMC 8.20 8.20																	
A Wire Copper Unbundled Sub-Loop Distribution - Zone 1																	
4 Wire Copper Unbundled Sub-Loop Distribution - Zone 2 2 UEF UCS4X 9.11 79.49 44.45 51.27 9.35 4 Wire Copper Unbundled Sub-Loop Distribution - Zone 3 3 UEF UCS4X 14.00 79.49 44.45 51.27 9.35 4 Wire Copper Unbundled Sub-Loop Distribution - Zone 4 4 UEF UCS4X 14.00 79.49 44.45 51.27 9.35 Order Coordination for Unbundled Sub-Loops, per sub-loop pair UEF USBMC 8.20 8.20 Loop Tagging Service Level 1, Unbundled Copper Loop, Non-Designed and Distribution Subloops UEF, UEANL URETL 8.92 0.88 Loop Testing - Basic 1st Half Hour UEF URET1 34.36 0.00 URETA 19.97 19																	
4 Wire Copper Unbundled Sub-Loop Distribution - Zone 3 3 UEF UCS4X 14.00 79.49 44.45 51.27 9.35 4 Wire Copper Unbundled Sub-Loop Distribution - Zone 4 4 UEF UCS4X 14.00 79.49 44.45 51.27 9.35 Order Coordination for Unbundled Sub-Loops, per sub-loop pair UEF USBMC 8.20 8.20 Loop Tagging Service Level 1, Unbundled Copper Loop, Non-Designed and Distribution Subloops UEF, UEANL URETL 8.92 0.88 Loop Testing - Basic 1st Half Hour UEF URET1 34.36 0.00 Loop Testing - Basic Additional Half Hour UEF URETA 19.97			ļ														
4 Wire Copper Unbundled Sub-Loop Distribution - Zone 4 4 UEF UCS4X 14.00 79.49 44.45 51.27 9.35			<u> </u>												ļ		ļ
Order Coordination for Unbundled Sub-Loops, per sub-loop pair Loop Tagging Service Level 1, Unbundled Copper Loop, Non-Designed and Distribution Subloops UEF, UEANL URETL 8.92 0.88 Loop Testing - Basic 1st Half Hour UEF URET1 34.36 0.00 Loop Testing - Basic Additional Half Hour UEF URETA 19.97 19.97			<u> </u>														
Loop Tagging Service Level 1, Unbundled Copper Loop, Non- Designed and Distribution Subloops	 	+ vviie Copper Oribunialed Sub-Loop Distribution - Zone 4		4	ULF	UU34X	14.00	79.49	44.45	51.27	9.35	+					
Designed and Distribution Subloops UEF, UEANL URETL 8.92 0.88 Loop Testing - Basic 1st Half Hour UEF URET1 34.36 0.00 Loop Testing - Basic Additional Half Hour UEF URETA 19.97 19.97					UEF	USBMC		8.20	8.20								
Loop Testing - Basic 1st Half Hour UEF URET1 34.36 0.00 Loop Testing - Basic Additional Half Hour UEF URETA 19.97 19.97			1		l	I	[]]		1		
Loop Testing - Basic Additional Half Hour UEF URETA 19.97 19.97			ļ														
			ļ														
	Unbun		 		UEF	UKETA	 	19.97	19.97								-
Unbundled Sub-Loop Modification - 2-W Copper Dist Load	Onbun		1			+	 										
		Coil/Equip Removal per 2-W PR			UEF	ULM2X		176.80	5.13								
Unbundled Sub-loop Modification - 4-W Copper Dist Load Coil/Equip Removal per 4-W PR UEF ULM4X 176.80 5.13					UEF	ULM4X		176.80	5.13								

UNBUN	NDLED I	NETWORK ELEMENTS - Mississippi												Attachment:	2 Exh A		T
CATEG		RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
																2.00 .01	
							↓ _	Nonrec		Nonrecurring					Rates(\$)		
		Habita dia di Laca Madification Description of Dridge Teacher					Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Unbundled Loop Modification, Removal of Bridge Tap, per unbundled loop			UEF	ULMBT		279.81	6.15								
	Unhun	dled Network Terminating Wire (UNTW)		1	OLI	OLIVID I		219.01	0.13								
	0	Unbundled Network Terminating Wire (UNTW) per Pair			UENTW	UENPP	0.3366	30.55		1							
	Netwo	k Interface Device (NID)															
		Network Interface Device (NID) - 1-2 lines			UENTW	UND12		43.84	28.90								
		Network Interface Device (NID) - 1-6 lines			UENTW	UND16		65.30	50.36								
		Network Interface Device Cross Connect - 2 W			UENTW	UNDC2		5.94	5.94								
UNITIO	I Tuen e	Network Interface Device Cross Connect - 4W		-	UENTW	UNDC4		5.94	5.94								ļ
UNE O	IHEK, F	PROVISIONING ONLY - NO RATE			HAL LICE LIDE												<u> </u>
					UAL, UCL, UDC, UDL, UDN, UEA, UHL, UEANL, UEF, UEQ, UENTW, NTCVG, NTCUD,	LINITON	0.00	0.00									
		Unbundled Contact Name, Provisioning Only - no rate			NTCD1, USL USL, NTCD1	UNECN	0.00	0.00									
-	 	Unbundled DS1 Loop - Superframe Format Option - no rate Unbundled DS1 Loop - Expanded Superframe Format option -		1	OOL, NICDI	CCUSF	0.00	0.00									+
		no rate			USL, NTCD1	CCOEF	0.00	0.00									
		NID - Dispatch and Service Order for NID installation			UENTW	UNDBX	0.00	0.00									
		UNTW Circuit Establishment, Provisioning Only - No Rate			UENTW	UENCE	0.00	0.00									
LOOP	MAKE-U																
		Loop Makeup - Preordering Without Reservation, per working or spare facility queried (Manual).			UMK	UMKLW		24.12	24.12								
		Loop Makeup - Preordering With Reservation, per spare facility															
		queried (Manual). Loop MakeupWith or Without Reservation, per working or			UMK	UMKLP		25.58	25.58								
		spare facility queried (Mechanized)			UMK	UMKMQ		0.6652	0.6652								
LINE S	PLITTIN																
	END U	SER ORDERING-CENTRAL OFFICE BASED			LIEDOD LIEDOD	LIDEOC	0.61										
		Line Splitting - per line activation DLEC owned splitter Line Splitting - per line activation BST owned - physical			UEPSR UEPSB UEPSR UEPSB	UREOS UREBP	0.61	18.62	10.66	10.04	4.93						
-	1	Line Splitting - per line activation BST owned - physical Line Splitting - per line activation BST owned - virtual			UEPSR UEPSB	UREBV	0.61	18.62	10.66	10.04	4.93						
	UNBUN	NDLED EXCHANGE ACCESS LOOP			OLI OK OLI OB	OKEBV	0.01	10.02	10.00	10.04	4.00						
		ANALOG VOICE GRADE LOOP															
		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-															
		Zone 1		1	UEPSR UEPSB	UEALS	12.03	37.92	17.55	23.48	5.25						
		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- Zone 1		1	UEPSR UEPSB	UEABS	12.03	37.92	17.55	23.48	5.25						
		2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting- Zone 2		2	UEPSR UEPSB	UEALS	16.87	37.92	17.55	23.48	5.25						
		2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting- Zone 2		2	UEPSR UEPSB	UEABS	16.87	37.92	17.55	23.48	5.25						
		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-															
		Zone 3 2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-		3	UEPSR UEPSB	UEALS	25.68	37.92	17.55	23.48	5.25						
-		Zone 3 2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-		3	UEPSR UEPSB	UEABS	25.68	37.92	17.55	23.48	5.25						
		Zone 4 2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-		4	UEPSR UEPSB	UEALS	43.85	37.92	17.55	23.48	5.25						
	PHYSIC	Zone 4 CAL COLLOCATION		4	UEPSR UEPSB	UEABS	43.85	37.92	17.55	23.48	5.25						
		Physical Collocation-2 Wire Cross Connects (Loop) for Line Splitting			UEPSR UEPSB	PE1LS	0.0288	12.37	11.87	6.04	5.45						
	VIRTU	AL COLLOCATION		t -	OLI OIL OLFOD	I L ILO	0.0200	12.37	11.07	0.04	5.45						†
		Virtual Collocation-2 Wire Cross Connects (Loop) for Line			UEPSR UEPSB	VE1LS	0.0268	12.37	11.87	6.04	5.45						
UNBUN	NDLED I	DEDICATED TRANSPORT			521 SK 521 5D		0.0200	12.07	11.07	0.04	5.45						t
		OFFICE CHANNEL - DEDICATED TRANSPORT				1	1			1							1
												•					

UNBUNDI ED N	IETWORK ELEMENTS - Mississippi												Attachment:	2 Fxh A		
ONDONDEED	ETHORIC ELEMENTO IMISSISSIPPI										Svc Order	Svc Order	Incremental		Incremental	Incremental
												Submitted		Charge -	Charge -	Charge -
		Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES(\$)			per LSR	per LSR		Order vs.	Order vs.	Order vs.
		""											Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
						_	Nonrec		Nonrecurring					Rates(\$)		
	Interest Constitution of the Constitution of t			LIATE OV	41.500/	Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
-	Interoffice Channel - 2-Wire Voice Grade - per mile			U1TVX	1L5XX	0.0098	40.77	07.57	47.00	7.11						
-	Interoffice Channel - 2-Wire Voice Grade - Facility Termination			U1TVX	U1TV2 1L5XX	22.52 0.0098	40.77	27.57	17.26	7.11						
-	Interoffice Channel - 2-Wire Voice Grade Rev Bat per mile			U1TVX	1L5XX	0.0098					-					
	Interoffice Channel - 2-Wire VG Rev Bat Facility Termination			U1TVX	U1TR2	22.52	40.77	27.57	17.26	7.11						i
+	Interoffice Channel - 4-Wire Voice Grade - per mile			U1TVX	1L5XX	0.0098	40.77	21.01	17.20	7.11						
+	interoffice charmer - 4-vviie voice chade - per fillie			OTTVX	TESKK	0.0030										
	Interoffice Channel - 4- Wire Voice Grade - Facility Termination			U1TVX	U1TV4	19.79	40.77	27.57	17.26	7.11						i
	Interoffice Channel - 56 kbps - per mile			U1TDX	1L5XX	0.0098	40.77	27.07	17.20	7.11						
	Interoffice Channel - 56 kbps - Facility Termination			U1TDX	U1TD5	15.68	40.77	27.57	17.26	7.11						
	Interoffice Channel - 64 kbps - per mile			U1TDX	1L5XX	0.0098			20				1			
	Interoffice Channel - 64 kbps - Facility Termination			U1TDX	U1TD6	15.68	40.77	27.57	17.26	7.11						
	Interoffice Channel - DS1 - per mile			U1TD1	1L5XX	0.201										
	Interoffice Channel - DS1 - Facility Termination			U1TD1	U1TF1	57.33	89.79	82.28	16.86	14.90						
	Interoffice Channel - DS3 - per mile			U1TD3	1L5XX	4.76										
	Interoffice Channel - DS3 - Facility Termination			U1TD3	U1TF3	641.90	280.37	163.70	62.08	60.29						
	Interoffice Channel - STS-1 - per mile			U1TS1	1L5XX	4.76		<u> </u>								
	Interoffice Channel - STS-1 - Facility Termination			U1TS1	U1TFS	644.21	280.37	163.70	62.08	60.29						
	Local Channel - Dedicated - 2-Wire Voice Grade			ULDVX, UNCVX	ULDV2	17.15										.
	Local Channel - Dedicated - 2-Wire Voice Grade Rev Bat			ULDVX	ULDR2	17.15										.
	Local Channel - Dedicated - 4-Wire Voice Grade			ULDVX, UNCVX	ULDV4	18.39										-
	Local Channel - Dedicated - DS1 - Zone 1		1	ULDD1, UNC1X	ULDF1	42.35										
	Local Channel - Dedicated - DS1 - Zone 2		2	ULDD1, UNC1X	ULDF1	41.39										
-	Local Channel - Dedicated - DS1 - Zone 3		3	ULDD1, UNC1X	ULDF1	254.87										
-	Local Channel - Dedicated - DS1 - Zone 4 Local Channel - Dedicated - DS3 - Per Mile per month		4	ULDD1, UNC1X ULDD3, UNC3X	ULDF1 1L5NC	254.87 11.11			-							
	Local Channel - Dedicated - DS3 - Fer Mile per Month Local Channel - Dedicated - DS3 - Facility Termination			ULDD3, UNC3X	ULDF3	475.95										
 	Local Channel - Dedicated - DS3 - Facility Termination Local Channel - Dedicated - STS-1- Per Mile per month			ULDS1, UNCSX	1L5NC	11.11										
UNBUN	IDLED DARK FIBER			OLDS I, UNCSA	TESING	11.11										
- ONEON	Dark Fiber - Interoffice Transport, Per Four Fiber Strands, Per				+											
	Route Mile Or Fraction Thereof			UDF, UDFCX	1L5DF	28.27										i
	Dark Fiber - Interoffice Transport, Per Four Fiber Strands, Per			,												
	Route Mile Or Fraction Thereof			UDF, UDFCX	UDF14		642.79	138.67	326.97	203.85						i
DARK FIBER				, , , , , , , , , , , , , , , , , , , ,												
	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction															i
	Thereof per month - Local Channel			UDF, UDFCX	1L5DC	68.94										i
	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction															
	Thereof per month - Local Loop			UDF, UDFCX	1L5DL	68.94										
8XX ACCESS	EN DIGIT SCREENING															.
	8XX Access Ten Digit Screening, Per Call					0.0006216										-
					1]			1
—	8XX Access Ten Digit Screening, w/ 8FL No. Delivery, per query				+	0.0006216			—				 	ļ		
	8XX Access Ten Digit Screening, w/ POTS No. Delivery, per				1	0.0000040]			1
LINE INCORA	query ATION DATA BASE ACCESS (LIDB)				+	0.0006216			 							
LINE INFORMA	LIDB Common Transport Per Query	-			+	0.0000197			 				-			
	LIDB Validation Per Query				+	0.0137053					1	1				
 	LIDB Originating Point Code Establishment or Change			OQU	NRBPX	0.0137033	34.52	34.52	42.33	42.33			 			i
CALLING NAM	E (CNAM) SERVICE			3			04.02	04.02	72.00	72.00						
1	CNAM for DB Owners, Per Query				1	0.0010231							1			
<u> </u>	CNAM for Non DB Owners, Per Query				1	0.0010231										
SELECTIVE RO					1								İ	İ		·
	Selective Routing Per Unique Line Class Code Per Request Per															
	Switch	<u></u>				<u> </u>	85.19	85.19	14.19	14.19	<u> </u>	<u> </u>	<u> </u>	<u> </u>		1
AIN SELECTIV	E CARRIER ROUTING															i
	Regional Service Establishment						101,685.12		8,640.51							1
	End Office Establishment			_			167.49	167.49	1.71	1.71						
	Query NRC, per query					0.0030502				-						
AIN - BELLSO	JTH AIN SMS ACCESS SERVICE				1											j

CATEGORY RATE ELEMENTS Interfer Property Prop	UNBUNDLED N	NETWORK ELEMENTS - Mississippi											Attachment:	2 Exh A		
APP APP		·	Zone	BCS	USOC			RATES(\$)			Submitted Elec	Submitted Manually	Incremental Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic-	Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
AN SIGN Access Service - S							Nonrec	urring	Nonrecurring	Disconnect			oss	Rates(\$)		
Minist Seage						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
AN SME Access Service - Part Connection: Note Blassed Access ANN CAMPU 7567 757 951 9.14 9.14 AN SME Access Service - User Interflictance Codes - Fer User Brown An SME Access Service - User Interflictance Codes - Fer User Brown An SME Access Service - User Interflictance Codes - Fer User Brown An SME Access Service - User Interflictance Codes - Fer User AN SME Access Service - User Interflictance Codes - Fer User AN SME Access Service - User Interflictance Codes - Fer User AN SME Access Service - User Interflictance Codes - Fer		AIN SMS Access Service - Service Establishment, Per State,														í
ANS SEX Acons Service -		Initial Setup		A1N	CAMSE		39.67	39.67	40.92	40.92						ł
ANS SEX Acons Service -																í
AN SMS Access Service - Under Identification Codes - Per User Dock		AIN SMS Access Service - Port Connection - Dial/Shared Access		A1N	CAMDP		7.87	7.87	9.14	9.14						ł
D Code ANN CAMALA 35.21 35.21 32.21 27.21		AIN SMS Access Service - Port Connection - ISDN Access		A1N	CAM1P		7.87	7.87	9.14	9.14						í
AN SNS Access Service - Security Carls, Fee User Di Code, India of Emplacement All Processors All Proc		AIN SMS Access Service - User Identification Codes - Per User														í
Initial or Replacement ANN CAMPC 4.71		ID Code		A1N	CAMAU		35.21	35.21	27.21	27.21						f
AN OSS Access Service - Storage, Per Intel (100 Killsynes)		AIN SMS Access Service - Security Card, Per User ID Code,														í
AN SIGN Access Service -				A1N	CAMRC		42.13	42.13	11.78	11.78						ı
AN SIGN Across Sentera - Company Performed Sension, Per Modern Change Mo		AIN SMS Access Service - Storage, Per Unit (100 Kilobytes)				0.0021										í
Manuse		AIN SMS Access Service - Session, Per Minute				0.5649										ĺ
BB-478-F1 NURBINDLE D LOCAL LOOP Stand Alone																i
DS-SYST-1 UNBUNDLED LOCAL LOOP - Stand Alone						0.8393										<u> </u>
DSS Unbunded Local Loop - Facility Termination UE3 UE3PX 3261 454.13 256.47 123.23 86.19																
SSS Unbundies Load Loop - Facility Termination UES USBYX 15.80 11.20 123.23 86.19	DS-3/S															<u> </u>
STS-Urburnelet Lode Lope - perime UDLSX ILSND 311.20 494.13 266.47 122.21 86.19																
STS-1 Unbury Index Lose Log - Facility Termination							454.13	265.47	123.23	86.19						1
Retwork Elements Used in Combination 2																<u></u>
Network Elements Used in Combination - Zone 1				UDLSX	UDLS1	338.55	454.13	265.47	123.23	86.19						<u></u>
2.Wire VG Loop (SL2) in Combination - Zone 1																<u> </u>
2-Wire VG Loop (SL2) in Combination - Zone 2 2 UNCVX UEAL2 1875 165.96 88.28 52.82 10.37	Networ															<u> </u>
2-Wire VG Loop (SL2) in Combination - Zone 3 3 UNCVX UEAL2 27.55 105.96 68.28 52.82 10.37																<u></u>
2-Wire VS Loop (SL2) in Combination - Zone 4																<u> </u>
4-Wire Analog Voice Grade Loop in Combination - Zone 1																<u></u>
A-Wire Analog Voice Grade Loop in Combination - Zone 3			4													<u> </u>
A-Wire Analog Voice Grade Loop in Combination - Zone 4 UNCVX UEA.4 50.03 132.27 94.59 60.68 14.64																<u></u>
A-Wire Analog Voice Grade Loop in Combination - Zone 1																
2-Wire ISDN Loop in Combination - Zone 1																
2-Wire ISDN Loop in Combination - Zone 2 2 UNCNX U1L2X 27.99 117.61 79.92 52.82 10.37																
2-Wire ISDN Loop in Combination - Zone 3 3 UNCNX U1L2X 37.34 117.61 79.92 52.82 10.37																
2-Wire ISDN Loop in Combination - Zone 1																1
4-Wire 56Kbps Digital Grade Loop in Combination - Zone 1																
A-Wire 56Kbps Digital Grade Loop in Combination - Zone 2																
A-Wire 66Kbps Digital Grade Loop in Combination - Zone 3 3 UNCDX UDL56 40.76 126.53 88.85 60.68 14.64 40.64 40.65 40.65 40.65 40.65 40.65 40.76 40.65 40.76 40.65 40.76 40.65 40.76 40.65 40.76 40.65 40.76 40.77																
4-Wire 68Kbps Digital Grade Loop in Combination - Zone 4																
4-Wire 64Kbps Digital Grade Loop in Combination - Zone 2 2 UNCDX UDL64 27.44 126.53 88.85 60.68 14.64																
4-Wire 64Kbps Digital Grade Loop in Combination - Zone 2 2 UNCDX UDL64 34.55 126.53 88.85 60.68 14.64																
4-Wire 64Kbps Digital Grade Loop in Combination - Zone 3																
A-Wire BS1 Digital Grade Loop in Combination - Zone 4											1					
4-Wire DS1 Digital Loop in Combination - Zone 1											1					
4-Wire DS1 Digital Loop in Combination - Zone 2 2 UNC1X USLXX 129.38 253.93 158.45 46.10 12.07											1					
4-Wire DS1 Digital Loop in Combination - Zone 3 3 UNC1X USLXX 206.74 253.93 158.45 46.10 12.07											1					
4-Wire DS1 Digital Loop in Combination - Zone 4 4 UNC1X											1					
DS3 Local Loop in combination - per mile											1					
DS3 Local Loop in combination - Facility Termination			4				∠53.93	158.45	46.10	12.07	1					
STS-1 Local Loop in combination - per mile			-				454.40	005 47	400.00	00.10	1					
STS-1 Local Loop in combination - Facility Termination UNCSX UDLS1 338.55 454.13 265.47 123.23 86.19			-				454.13	265.47	123.23	გ ხ.19	1					
Interoffice Channel in combination - 2-wire VG - per mile							454.12	265 47	122.22	96 10	-					
Interoffice Channel in combination - 2-wire VG - Facility UNCVX U1TV2 20.32 40.77 27.57 17.26 7.11 UNCVX U1TV2 20.32 40.77 27.57 17.26 7.11 UNCVX U1TV2 20.32 40.77 27.57 17.26 7.11 UNCVX U1TV4 17.86 40.77 27.57 17.26 7.11 UNCVX							454.13	∠05.47	123.23	86.19	-					
Termination				DINCVA	ILOAA	0.0098					<u> </u>					
Interoffice Channel in combination - 4-wire VG - per mile UNCVX 1L5XX 0.0098 Interoffice Channel in combination - 4-wire VG - Facility Termination UNCVX U1TV4 17.86 40.77 27.57 17.26 7.11 Interoffice Channel in combination - 4-wire 56 kbps - per mile UNCDX 1L5XX 0.0098 Interoffice Channel in combination - 4-wire 56 kbps - Facility Termination UNCDX U1TD5 14.04 40.77 27.57 17.26 7.11			1	LINCVY	11471/2	20.20	40.77	27.57	17.00	7 4 4						1
Interoffice Channel in combination - 4-wire VG - Facility UNCVX							40.77	21.51	17.26	7.11	-					
Termination				UNCVA	ILOAA	0.0098	-				-					
Interoffice Channel in combination - 4-wire 56 kbps - per mile UNCDX 1L5XX 0.0098				LINC\/Y	11171/4	17.00	40.77	27.57	17.26	7 1 1						ł
Interoffice Channel in combination - 4-wire 56 kbps - Facility Termination UNCDX U1TD5 14.04 40.77 27.57 17.26 7.11							40.77	16.12	11.20	7.11	-					
Termination UNCDX U1TD5 14.04 40.77 27.57 17.26 7.11				OINODA	ILUAA	0.0098					-					
				LINCDY	LIATOS	14.04	40.77	27 57	17.06	7 11	1					1
Interesting Channel in combination, A wire 64 kbng, per mile I I INCDV I 11 EVV I 0,0000 I		Interoffice Channel in combination - 4-wire 64 kbps - per mile	-	UNCDX	1L5XX	0.0098	40.77	21.57	11.20	7.11	+	-				

UNBUNDLED	NETWORK ELEMENTS - Mississippi												Attachment:	2 Exh A		T
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
															DISC 1St	DISC Add I
							Nonrec	urring	Nonrecurring					Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Interoffice Channel in combination - 4-wire 64 kbps - Facility															
	Termination			UNCDX	U1TD6	14.04	40.77	27.57	17.26	7.11						
	Interoffice Channel in combination - DS1 - per mile			UNC1X	1L5XX	0.201										
	Interoffice Channel in combination - DS1 Facility Termination			UNC1X	U1TF1	51.72	89.79	82.28	16.86	14.90						<u> </u>
	Interoffice Channel in combination - DS3 - per mile			UNC3X	1L5XX	4.76										<u> </u>
	Interoffice Channel in combination - DS3 - Facility Termination			UNC3X	U1TF3	579.12	280.37	163.70	62.08	60.29						
	Interoffice Channel in combination - STS-1 - per mile			UNCSX	1L5XX	4.76										ļ
	Interoffice Channel in combination - STS-1 Facility Termination		ļ	UNCSX	U1TFS	581.21	280.37	163.70	62.08	60.29						
	NETWORK ELEMENTS		ļ													
Optio	nal Features & Functions:															
				U1TD1,												
	Clear Channel Capability Extended Frame Option - per DS1			ULDD1,UNC1X	CCOEF		0.00	0.00	0.00	0.00						
	01			U1TD1,	00005		0.00	0.00	0.00	0.00						
	Clear Channel Capability Super FrameOption - per DS1 Clear Channel Capability (SF/ESF) Option - Subsequent			ULDD1,UNC1X ULDD1, U1TD1,	CCOSF		0.00	0.00	0.00	0.00						
	Activity - per DS1			UNC1X, USL	NRCCC		184.60	23.78	1.96	0.76						
	Activity - per DS1	<u> </u>	-	U1TD3, ULDD3.	INRCCC		104.00	23.10	1.90	0.76						+
	C-bit Parity Option - Subsequent Activity - per DS3			UE3, UNC3X	NRCC3		218.72	7.66	0.7201	0.00						
-	DS1 to DS0 Channel System per month		1	UNC1X	MQ1	102.85	91.57	62.94	10.87	10.10		1				+
-	DS3 to DS1 Channel System per month		1	UNC3X, UNCSX	MQ3	170.63	179.17	94.52	34.30	32.82		1				+
	Voice Grade COCI in combination			UNCVX	1D1VG	0.5737	6.62	4.74	34.30	32.02	1	-	-			+
	Voice Grade COCI - DS1 to DS0 Channel System - per month		1	UNCVA	IDIVG	0.5757	0.02	4.74				1				+
	used for a Local Loop			UEA	1D1VG	0.5737	6.62	4.74								
	Voice Grade COCI - DS1 to DS0 Channel System - per month			OLA	IDIVO	0.5757	0.02	7./7								+
	used for connection to a channelized DS1 Local Channel in the															
	same SWC as collocation			U1TUC	1D1VG	0.5737	6.62	4.74								
	OCU-DP COCI (2.4-64kbs) in combination			UNCDX	1D1DD	1,22	6.62	4.74								+
	OCU-DP COCI (data) - DS1 to DS0 Channel System - per			0.1027	15.55		0.02									1
	month (2.4-64kbs) used for a Local Loop			UDL	1D1DD	1.22	6.62	4.74								
	OCU-DP COCI (data) - DS1 to DS0 Channel System - per															
	month (2.4-64kbs) used for connection to a channelized DS1															
	Local Channel in the same SWC as collocation			U1TUD	1D1DD	1.22	6.62	4.74								
	2-wire ISDN COCI (BRITE) in combination			UNCNX	UC1CA	2.62	6.62	4.74								
	2-wire ISDN COCI (BRITE) - for Local Loop			UDN	UC1CA	2.62	6.62	4.74								
	2-wire ISDN COCI (BRITE) - for connection to DS1 Local															
	Channel in the same SWC as collocation			U1TUB	UC1CA	2.62	6.62	4.74								
	DS1 COCI in combination			UNC1X	UC1D1	12.96	6.62	4.74								
	DS1 COCI - for Local Channel			ULDD1	UC1D1	12.96	6.62	4.74								
	DS1 COCI - for Interoffice Channel	<u> </u>		U1TD1	UC1D1	12.96	6.62	4.74								1
	DS1 COCI - for Loop		1	USL	UC1D1	12.96	6.62	4.74					1			1
	DS1 COCI - for DS1 Local Channel in the same SWC as	1											I		1	
	collocation		ļ	U1TUA	UC1D1	12.96	6.62	4.74								
				UNCVX, U1TVX,												
				UNCDX, U1TDX,												
				UNC1X,												
				U1TD1,UNC3X,												
				U1TD3, UNCSX,												
	Wholesale to UNE, Switch-As-Is Conversion Charge			U1TS1, UDF.UDFCX	UNCCC		5.63	5.63								
 	WITOTOSAID TO DIAL, SWITCHTAS-IS CONVENSION CHARGE	 	1	U1TVX, U1TDX,	DINCCC	 	5.03	5.03			 		t		1	+
1 1	Unbundled Misc Rate Element, SNE SAI, Single Network	1		U1TD1, U1TD3,]							I		Ì	
	Element - Switch As Is Non-recurring Charge, per circuit (LSR)	1		U1TS1, UDF, UE3	URESL]	36.87	16.14					I		1	
	Unbundled Misc Rate Element, SNE SAI, Single Network	_		U1TVX, U1TDX,	5.1.25		00.07	10.17					1		1	1
1 1	Element - Switch As Is Non-recurring Charge, incremental	1		U1TD1, U1TD3,]							I		Ì	
	charge per circuit on a spreadsheet	1		U1TS1, UDF, UE3	URESP]	1.49	1.49					I		Ì	
	UNE Reconfiguration Change Charge per Circuit	i		UNC1X	URERC	1	35.00	35.00					t		1	1
	UNE Reconfiguration Change Charge per Circuit Project												İ		İ	1
															•	1
	Managed	1		UNC1X	URERP		1.49	1.49								

UNBUNDI ED	NETWORK ELEMENTS - Mississippi												Attachment:	2 Fxh A	l	
0.1.20.1.2.2.2											Svc Order	Svc Order		Incremental	Incremental	Incremental
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		Interi	_								Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svo
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
							Nonrec	urring	Nonrecurring	Disconnect		1	oss	Rates(\$)	I	
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Customer Reconfiguration Establishment						1.49		1.90							
	DS1 DCS Termination with DS0 Switching					20.81	25.69	19.77	17.15	13.79						
	DS1 DCS Termination with DS1 Switching					10.73	18.57	12.65 19.77	12.60	9.24						
Servic	DS3 DCS Termination with DS1 Switching e Rearrangements					145.05	25.69	19.77	17.15	13.79						
Jei vic	e Real angements			U1TVX, U1TDX,												<u> </u>
				UEA, UDL, U1TUC,												İ
				U1TUD, U1TUB,												İ
				ULDVX, ULDDX,												İ
	NRC - Change in Facility Assignment per circuit Service			UNCVX, UNCDX,												İ
	Rearrangement	I		UNC1X	URETD		100.90	42.96								
		1		U1TVX, U1TDX,					1							1
		1		UEA, UDL, U1TUC, U1TUD, U1TUB,					1							1
				ULDVX, ULDDX,												1
	NRC - Change in Facility Assignment per circuit Project			UNCVX, UNCDX,					1				1			
	Management (added to CFA per circuit if project managed)	L_I	<u>L</u>	UNC1X	URETB		1.28	1.28	<u> </u>	<u></u>		<u></u>	<u> </u>		<u> </u>	<u> </u>
	NRC - Order Coordination Specific Time - Dedicated Transport	I		UNC1X	OCOSR		18.87	18.87								
COMMINGLIN	G															
				UNCVX, UNCDX,												İ
				UNC1X, UNC3X, UNCSX, U1TD1,												İ
				U1TD3, U1TS1,												İ
				UE3, UDLSX,												İ
				U1TVX, U1TDX,												İ
				U1TUB, ULDVX,												İ
				ULDD1, ULDD3,												İ
	Commingling Authorization			ULDS1	CMGAU	0.00	0.00	0.00	0.00	0.00						
Comm	ingled (UNE part of single bandwidth circuit)			XDV2X, NTCVG	1D1VG	0.5737	6.62	4.74					-			
	Commingled VG COCI Commingled Digital COCI				1D1VG	1.22	6.62	4.74								-
	Commingled ISDN COCI			XDD4X	UC1CA	2.62	6.62	4.74								<u> </u>
	Commingled 2-wire VG Interoffice Channel			XDV2X	U1TV2	22.52	40.77	27.57	17.26	7.11			İ			
	Commingled 4-wire VG Interoffice Channel			XDV6X	U1TV4	19.79	40.77	27.57	17.26	7.11						
	Commingled 56kbps Interoffice Channel			XDD4X	U1TD5	15.68	40.77	27.57	17.26	7.11						
	Commingled 64kbps Interoffice Channel			XDD4X	U1TD6	15.68	40.77	27.57	17.26	7.11			1			
	Commission of VC/DCO Intereffice Characteristics			XDV2X, XDV6X,	41.577	0.0000			1				1			
\vdash	Commingled VG/DS0 Interoffice Channel Mileage Commingled 2-wire Local Loop Zone 1	 	1	XDD4X XDV2X	1L5XX UEAL2	0.0098	105.96	68.28	52.82	10.37			-		-	
	Commingled 2-wire Local Loop Zone 1 Commingled 2-wire Local Loop Zone 2		2	XDV2X	UEAL2	18.75	105.96	68.28	52.82	10.37	 	 	 			
	Commingled 2-wire Local Loop Zone 3		3		UEAL2	27.55	105.96	68.28	52.82	10.37			†			
	Commingled 2-wire Local Loop Zone 4		4	XDV2X	UEAL2	45.72	105.96	68.28	52.82	10.37						
	Commingled 4-wire Local Loop Zone 1		1	XDV6X	UEAL4	27.47	132.27	94.59	60.68	14.64						
	Commingled 4-wire Local Loop Zone 2		2	XDV6X	UEAL4	38.26	132.27	94.59	60.68	14.64			1			
	Commingled 4-wire Local Loop Zone 3	1	3	XDV6X	UEAL4	50.03	132.27	94.59	60.68	14.64						
	Commingled 4-wire Local Loop Zone 4	1	4	XDV6X XDD4X	UEAL4 UDL56	50.03	132.27	94.59	60.68	14.64 14.64	1		1			
\vdash	Commingled 56kbps Local Loop Zone 1 Commingled 56kbps Local Loop Zone 2	-	2	XDD4X XDD4X	UDL56 UDL56	27.44 34.55	126.53 126.53	88.85 88.85	60.68 60.68	14.64	-	 	1			
	Commingled 56kbps Local Loop Zone 3	 	3		UDL56	40.76	126.53	88.85	60.68	14.64	1	 	 			†
	Commingled 56kbps Local Loop Zone 4	1		XDD4X	UDL56	32.25	126.53	88.85	60.68	14.64			1			
	Commingled 64kbps Local Loop Zone 1		1	XDD4X	UDL64	27.44	126.53	88.85	60.68	14.64						
	Commingled 64kbps Local Loop Zone 2		2	XDD4X	UDL64	34.55	126.53	88.85	60.68	14.64						
	Commingled 64kbps Local Loop Zone 3		3		UDL64	40.76	126.53	88.85	60.68	14.64			1			
	Commingled 64kbps Local Loop Zone 4	<u> </u>	4		UDL64	32.25	126.53	88.85	60.68	14.64						
	Commingled ISDN Local Loop Zone 1 Commingled ISDN Local Loop Zone 2	1	1 2	XDD4X XDD4X	U1L2X U1L2X	21.01 27.59	117.61 117.61	79.92 79.92	52.82 52.82	10.37 10.37	1		1			├
\vdash	Commingled ISDN Local Loop Zone 2 Commingled ISDN Local Loop Zone 3	-	3	XDD4X XDD4X	U1L2X U1L2X	37.34	117.61	79.92	52.82	10.37	-	 	1			
	Commingled ISDN Local Loop Zone 3 Commingled ISDN Local Loop Zone 4		4	XDD4X XDD4X	U1L2X	59.18	117.61	79.92	52.82	10.37	 	 	 			
	Commingled ISBN Eddar Ed	<u> </u>			UC1D1	12.96	6.62	4.74		10.57			1			
	*								•							

LIMBIII	IDI ED I	NETWORK ELEMENTS - Mississippi												Attachment: 2	2 Evb A		
UNBUI	IDLEDI	l					1					Svc Order	Svc Order		Incremental	Incremental	Incremental
													Submitted		Charge -	Charge -	Charge -
												Elec	Manually		Manual Svc	Manual Svc	
CATE	ORY	RATE ELEMENTS	Interi	Zone	BCS	usoc			RATES(\$)			per LSR	per LSR		Order vs.	Order vs.	Order vs.
			m						- ()			per LSK	per LOK	Electronic-	Electronic-	Electronic-	Electronic-
														1st		Disc 1st	
														151	Add'l	DISC 1St	Disc Add'l
								Nonrec	urring	Nonrecurring	Disconnect			oss	Rates(\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Commingled DS1 Interoffice Channel			XDH1X	U1TF1	57.33	89.79	82.28	16.86	14.90						
		Commingled DS1 Interoffice Channel Mileage			XDH1X	1L5XX	0.201										
		Commingled DS1/DS0 Channel System			XDH1X	MQ1	102.85	91.57	62.94	10.87	10.10						
		Commingled DS1 Local Loop Zone 1			XDH1X	USLXX	79.08	253.93	158.45	46.10	12.07						
		Commingled DS1 Local Loop Zone 2 Commingled DS1 Local Loop Zone 3		3	XDH1X XDH1X	USLXX	129.38 206.74	253.93 253.93	158.45 158.45	46.10 46.10	12.07 12.07	1					
		Commingled DS1 Local Loop Zone 3 Commingled DS1 Local Loop Zone 4			XDH1X	USLXX	458.46	253.93	158.45	46.10	12.07						
		Commingled DS1 Local Loop Commingled DS3 Local Loop		4	HFQC6	UE3PX	326.15	454.13	265.47	123.23	86.19						
		Commingled DS3/STS-1 Local Loop Mileage			HFQC6, HFRST	1L5ND	11.20	454.15	205.47	123.23	00.19						
		Commingled STS-1 Local Loop			HFRST	UDLS1	338.55	454.13	265.47	123.23	86.19						1
		Commingled DS3/DS1 Channel System			HFQC6	MQ3	170.63	179.17	94.52	34.30	32.82						
		Commingled DS3 Interoffice Channel			HFQC6	U1TF3	641.90	280.37	163.70		60.29						
		Commingled DS3 Interoffice Channel Mileage			HFQC6	1L5XX	4.76				55.20						
		Commingled STS-1Interoffice Channel	1		HFRST	U1TFS	644.21	280.37	163.70	62.08	60.29	Ì					
		Commingled STS-1Interoffice Channel Mileage			HFRST	1L5XX	4.76										
		Commingled Dark Fiber - Interoffice Transport, Per Four Fiber															
		Strands, Per Route Mile Or Fraction Thereof		<u> </u>	HEQDL	1L5DF	28.27										
		Commingled Dark Fiber - Interoffice Transport, Per Four Fiber															
		Strands, Per Route Mile Or Fraction Thereof			HEQDL	UDF14		642.79	138.67	326.97	203.85						
SIGNA	LING (C																
	NOTE:	bk" beside a rate indicates that the parties have agreed to bil	l and ke	ep for	that element pursua	int to the teri		ons in Attachm	ent 3.				•	,		•	
		CCS7 Signaling Usage, Per TCAP Message					0.0000597bk										
LNBS		CCS7 Signaling Usage, Per ISUP Message					0.0000149bk										
LNPQ	uery Se	LNP Charge Per query					0.0008477										
		LNP Service Establishment Manual		<u> </u>			0.0008477	12.59	12.59	11.58	11.58						-
		LNP Service Provisioning with Point Code Establishment						596.94	304.96		198.89	1					
911 PF	X LOCA							330.34	304.90	210.49	190.09						
3		X LOCATE DATABASE CAPABILITY															1
	01112	Service Establishment per CLEC per End User Account			9PBDC	9PBEU		1,822.00									
		Changes to TN Range or Customer Profile			9PBDC	9PBTN		182.29									
		Per Telephone Number (Monthly)			9PBDC	9PBMM	0.07										
		Change Company (Service Provider) ID			9PBDC	9PBPC		535.11									
		PBX Locate Service Support per CLEC (MonthIt)			9PBDC	9PBMR	178.43										
		Service Order Charge			9PBDC	9PBSC		15.75									
		X LOCATE TRANSPORT COMPONENT															
	See At																
		Rates displaying an "I" in Interim column are interim as a resu	ilt of a (Commi	ssion order.	1	1 1			1		1	1				т
UNBU		OCAL EXCHANGE SWITCHING(PORTS)	<u> </u>	L		<u> </u>		==: 5:5				<u> </u>	<u> </u>				
		change Switching Port Rates Reflected Here Apply to Embed	ded Bas	e Swite	ching Ports as of Ma	arch 10, 2005	and Consist of	the TELRIC C	ost Based Rat	ies Plus \$1.00 ir	n Accordance	with the IR	RO.	1		1	т
		nge Ports	ICV I A	0 TN 4			 	UCOC-				l					<u> </u>
-	3-MIDE	Although the Port Rate includes all available features in GA, I VOICE GRADE LINE PORT RATES (RES)	NT, LA	ox IN,t	ie desired reatures	wiii need to l	De oraerea USIN	ig retail USOCS	•	ı			1				ı
-	Z-VVIKE	Exchange Ports - 2-Wire Analog Line Port- Res.	 		UEPSR	UEPRL	2.41	2.39	2.29	1.42	1.33	1					1
-		Exonange Forto - 2-14116 Analog Line Fort- Nes.	1	l	OLI OIL	OLI INL	2.41	2.39	2.23	1.42	1.33						
		Exchange Ports - 2-Wire Analog Line Port with Caller ID - Res.		1	UEPSR	UEPRC	2.41	2.39	2.29	1.42	1.33						
	1		†			320	2.71	2.00	2.20	1.72	1.00	1					†
		Exchange Ports - 2-Wire Analog Line Port outgoing only - Res.		1	UEPSR	UEPRO	2.41	2.39	2.29	1.42	1.33						
		Exchange Ports - 2-Wire VG unbundled MS extended local			-	1											
		dialing parity Port with Caller ID - Res.	1		UEPSR	UEPAT	2.41	2.39	2.29	1.42	1.33						
		Exchange Ports - 2-Wire VG unbundled res, low usage line port							-								
	<u></u>	with Caller ID (LUM)	<u> </u>	L	UEPSR	UEPAP	2.41	2.39	2.29	1.42	1.33	<u></u>	<u> </u>				
		Exchange Ports - 2-Wire Voice Mississippi Residence Dialing														_	
		Plan without Caller ID			UEPSR	UEPWJ	2.41	2.39	2.29	1.42	1.33						<u> </u>
		2-Wire voice unbundled Low Usage Line Port without Caller ID		1													
		Capability	<u> </u>		UEPSR	UEPRT	2.41	2.39	2.29	1.42	1.33	<u> </u>					1
		Subsequent Activity			UEPSR	USASC	0.00	0.00	0.00								
	FEATU		<u> </u>		LIEDOD	LUED) /E	0.50	0.00	0.00	ļ		<u> </u>					↓
		All Available Vertical Features			UEPSR	UEPVF	2.56	0.00	0.00	1		1	1				1

UNBUNDLED	NETWORK ELEMENTS - Mississippi												Attachment:	2 Exh A		
											Svc Order	Svc Order	Incremental		Incremental	Incremental
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
											Elec	Manually	Manual Svc	_	_	Manual Svc
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m						.,,			per Lor	per Lor				
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
							Nonre	curring	Nonrecurring	Disconnect			OSS	Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
2-WIR	VOICE GRADE LINE PORT RATES (BUS)															
	Exchange Ports - 2-Wire Analog Line Port without Caller ID -															
	Bus			UEPSB	UEPBL	2.41	2.39	2.29	1.42	1.33						
	Exchange Ports - 2-Wire VG unbundled Line Port with															
	unbundled port with Caller+E484 ID - Bus.			UEPSB	UEPBC	2.41	2.39	2.29	1.42	1.33						
	Exchange Ports - 2-Wire Analog Line Port outgoing only - Bus.			UEPSB	UEPBO	2.41	2.39	2.29	1.42	1.33						
	Exchange Ports - 2-Wire VG unbundled MS extended local															
	dialing parity Port with Caller ID - Bus.			UEPSB	UEPAY	2.41	2.39	2.29	1.42	1.33						
	Exhange Ports - 2-Wire VG unbundled incoming only port with			<u> </u>												
	Caller ID - Bus			UEPSB	UEPB1	2.41	2.39	2.29	1.42	1.33						
	Exchange Ports - 2-Wire Voice Mississippi Business Dialing Plan															
	without Caller ID			UEPSB	UEPWK	2.41	2.39	2.29	1.42	1.33				1	1	
 	2-Wire voice unbundled Incoming Only Port without Caller ID			-	1		_:30		12	30				İ	İ	1
]	Capability	1	1	UEPSB	UEPBE	2.41	2.39	2.29	1.42	1.33	1			I	I	
	Subsequent Activity			UEPSB	USASC	0.00	0.00	0.00	1	30				t	t	
FEAT					1	2.30	2.30	2.30						t	t	
	All Available Vertical Features			UEPSB	UEPVF	2.56	0.00	0.00								
EXCH	ANGE PORT RATES (DID & PBX)			<u> </u>			0.00									
	2-Wire VG Unbundled 2-Way PBX Trunk - Res			UEPSE	UEPRD	2.41	31.45	14.93	14.38	0.92						
	2-Wire VG Line Side Unbundled 2-Way PBX Trunk - Bus			UEPSP	UEPPC	2.41	31.45	14.93	14.38	0.92						
	2-Wire VG Line Side Unbundled Outward PBX Trunk - Bus			UEPSP	UEPPO	2.41	31.45	14.93	14.38	0.92						
	2-Wire VG Line Side Unbundled Incoming PBX Trunk - Bus			UEPSP	UEPP1	2.41	31.45	14.93	14.38	0.92						
	2-Wire Analog Long Distance Terminal PBX Trunk - Bus			UEPSP	UEPLD	2.41	31.45	14.93	14.38	0.92						
	2-Wire Voice Unbundled PBX LD Terminal Ports			UEPSP	UEPLD	2.41	31.45	14.93	14.38	0.92						
	2-Wire Vice Unbundled 2-Way PBX Usage Port			UEPSP	UEPXA	2.41	31.45	14.93	14.38	0.92						
	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports			UEPSP	UEPXB	2.41	31.45	14.93	14.38	0.92						
	2-Wire Voice Unbundled PBX LD DDD Terminals Port			UEPSP	UEPXC	2.41	31.45	14.93	14.38	0.92						
	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port			UEPSP	UEPXD	2.41	31.45	14.93	14.38	0.92						1
	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD															1
	Capable Port			UEPSP	UEPXE	2.41	31.45	14.93	14.38	0.92						
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy															1
	Administrative Calling Port			UEPSP	UEPXL	2.41	31.45	14.93	14.38	0.92						
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy															
	Room Calling Port			UEPSP	UEPXM	2.41	31.45	14.93	14.38	0.92						
	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital															
	Discount Room Calling Port			UEPSP	UEPXO	2.41	31.45	14.93	14.38	0.92						
	2-Wire Voice Unbundled 2-Way PBX Mississippi Local Economy															
<u> </u>	Calling Port		<u></u>	UEPSP	UEPXQ	2.41	31.45	14.93	14.38	0.92	<u> </u>			<u> </u>	<u> </u>	<u> </u>
	2-Wire Voice Unbundled 2-Way PBX Mississippi Local Optional															
] [Calling Port	1	1	UEPSP	UEPXR	2.41	31.45	14.93	14.38	0.92	1			I	I	
	2-Wire Voice Unbundled PBX Port, Mississippi only			UEPSP	UEPA5	2.41	31.45	14.93	14.38	0.92						
	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPSP	UEPXS	2.41	31.45	14.93	14.38	0.92						
	Subsequent Activity			UEPSP	USASC	0.00	0.00	0.00								
FEAT																
	All Available Vertical Features			UEPSP UEPSE	UEPVF	2.56	0.00	0.00								
NOTE	Transmission/usage charges associated with POTS circuit sv	vitched	usage	will also apply to ci	rcuit switche	d voice and/or	circuit switch	ed data transm	nission by B-Cl	nannels associ	ated with 2	wire ISDN p	orts.			
NOTE	Access to B Channel or D Channel Packet capabilities will be	availal	ole only	through BFR/New	Business Re	quest Process.	. Rates for the	packet capabi	ilities will be de	etermined via t	he Bona Fid	le Request/I	New Business	s Request Pro	cess.	
	E VOICE GRADE LINE PORT RATES (DID)															
	Exchange Ports - 2-Wire DID Port			UEPEX	UEPP2	8.25	120.00	18.85	61.77	3.88						
2-WIR	E VOICE GRADE LINE PORT RATES (ISDN-BRI)															1
	Exchange Ports - 2-Wire ISDN Port (See Notes below.)			UEPTX, UEPSX	U1PMA	13.69	73.19	53.30	47.90	10.76						ļ
	All Features Offered			UEPTX, UEPSX	UEPVF	2.56	0.00	0.00								ļ
	Exchange Ports - 2-Wire ISDN Port Channel Profiles			UEPTX, UEPSX	U1UMA	0.00	0.00	0.00						l	l]
	Transmission/usage charges associated with POTS circuit sy															
	Access to B Channel or D Channel Packet capabilities will be		ole only	through BFR/New	Business Re	quest Process.	Rates for the	packet capabi	ilities will be de	termined via t	he Bona Fid	te Request/I	New Busines:	s Request Pro	cess.	-
	NDLED PORT with REMOTE CALL FORWARDING CAPABILITY				ļ									ļ	ļ	1
UNBU	NDLED REMOTE CALL FORWARDING SERVICE - RESIDENCE				<u> </u>									.	.	
1 1	Unbundled Remote Call Forwarding Service, Area Calling, Res	1		UEPVR	UERAC	2.41	2.39	2.29	1.42	1.33						1

UNBUNDLED	NETWORK ELEMENTS - Mississippi												Attachment:			
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)			Svc Order Submitted Elec per LSR	Manually	Charge - Manual Svc	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
							Nonrec		Nonrecurring					Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Unbundled Remote Call Forwarding Service, Local Calling - Res			UEPVR	UERLC	2.41	2.39	2.29	1.42	1.33						
	Unbundled Remote Call Forwarding Service, InterLATA - Res			UEPVR	UERTE	2.41	2.39	2.29	1.42	1.33						
N 5	Unbundled Remote Call Forwarding Service, IntraLATA - Res			UEPVR	UERTR	2.41	2.39	2.29	1.42	1.33						
Non-R	ecurring Unbundled Remote Call Forwarding Service - Conversion -				-				1							
	Switch-as-is			UEPVR	USAC2		0.0988	0.0988								
	Unbundled Remote Call Forwarding Service - Conversion with		-	UEFVR	USACZ		0.0900	0.0900			1					1
	allowed change (PIC and LPIC)			UEPVR	USACC		0.0988	0.0988								
UNBU	NDLED REMOTE CALL FORWARDING - Bus			OLI VIX	00/100		0.0000	0.0000								1
550.									t				t	1		
	Unbundled Remote Call Forwarding Service, Area Calling - Bus		1	UEPVB	UERAC	2.41	2.39	2.29	1.42	1.33			1	1		
	and a sum of the sum o				1		0			30						
	Unbundled Remote Call Forwarding Service, Local Calling - Bus	<u></u>	L	UEPVB	UERLC	2.41	2.39	2.29	1.42	1.33	<u></u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u></u>
	Unbundled Remote Call Forwarding Service, InterLATA - Bus			UEPVB	UERTE	2.41	2.39	2.29	1.42	1.33						
	Unbundled Remote Call Forwarding Service, IntraLATA - Bus			UEPVB	UERTR	2.41	2.39	2.29	1.42	1.33						
	Unbundled Remote Call Forwarding Service Expanded and															
	Exception Local Calling			UEPVB	UERVJ	2.41	2.39	2.29	1.42	1.33						
Non-R	ecurring															
	Unbundled Remote Call Forwarding Service - Conversion -															
	Switch-as-is			UEPVB	USAC2		0.0988	0.0988								
	Unbundled Remote Call Forwarding Service - Conversion with			LIEDVD	110400		0.0000	0.0000								
UNDUNDUED.	allowed change (PIC and LPIC) LOCAL SWITCHING, PORT USAGE			UEPVB	USACC		0.0988	0.0988	-							
	ffice Switching (Port Usage)															1
Liiu O	End Office Switching Function, Per MOU					0.0010269										1
	End Office Trunk Port - Shared, Per MOU					0.000161										1
Tande	m Switching (Port Usage) (Local or Access Tandem)					0.000101										1
	Tandem Switching Function Per MOU					0.0001723										
	Tandem Trunk Port - Shared, Per MOU					0.0001828										
	Tandem Switching Function Per MOU (Melded)					0.000063441										1
	Tandem Trunk Port - Shared, Per MOU (Melded)					0.000067307										
	Factor: 36.82% of the Tandem Rate															
Comm	on Transport															
	Common Transport - Per Mile, Per MOU					0.0000026										
	Common Transport - Facilities Termination Per MOU					0.0004541										
	PORT/LOOP COMBINATIONS - COST BASED RATES Based Rates are applied where BellSouth is required by FCC a															
	JNE-P Switching Port Rates Reflected in the Cost Based Section								Passad Batas D	Divo \$1 00 in A	acardanas i	with the TDI	BO.			
	res shall apply to the Unbundled Port/Loop Combination - Co											with the TK	KU.			
	Office and Tandem Switching Usage and Common Transport U											oin Port/Loc	on Combinatio	ons.		
	irst and additional Port nonrecurring charges apply to Not Cur															-
7 1110 1	and additional restrictions of the grant good apply to rive out		1		1			ng onangee en	1				.,	1		
2-WIRI	VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)		1						I				I	1		
	ort/Loop Combination Rates					i i										
	2-Wire VG Loop/Port Combo - Zone 1					13.22										
	2-Wire VG Loop/Port Combo - Zone 2					18.13										
	2-Wire VG Loop/Port Combo - Zone 3					27.26										
	2-Wire VG Loop/Port Combo - Zone 4					45.91			ļ							<u> </u>
UNE L	oop Rates		<u> </u>		<u> </u>	ļ			1				1			ļ
	2-Wire Voice Grade Loop (SL1) - Zone 1			UEPRX	UEPLX	10.98										<u> </u>
	2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPRX	UEPLX	15.91			.				-	 	ļ	
	2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPRX	UEPLX	25.04			!				!	 	1	
2 1611	2-Wire Voice Grade Loop (SL1) - Zone 4		4	UEPRX	UEPLX	43.68			 		-		 	 	-	
∠-vvire	Voice Grade Line Port Rates (Res) 2-Wire voice unbundled port - residence			UEPRX	UEPRL	2.23	40.31	19.84	24.90	6.58			-		-	
	2-Wire voice unbundled port - residence 2-Wire voice unbundled port with Caller ID - res			UEPRX	UEPRC	2.23	40.31	19.84	24.90	6.58			 	1	-	
	2-Wire voice unbundled port with Caller ID - res 2-Wire voice unbundled port outgoing only - res			UEPRX	UEPRO	2.23	40.31	19.84		6.58	1	1	1			
	2-vvire voice unbundled port outgoing only - 165		<u> </u>	OLFINA	ULFKU	2.23	40.31	19.64	24.90	0.38	I	<u> </u>	1	I	L	

UNBUNDLE	D NETWORK ELEMENTS - Mississippi												Attachment:	2 Exh A		
CATEGORY		Interi m	Zone	BCS	usoc			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						1			T \$1	B'		ļ.	200	D - ((ft)		J
						.		curring	Nonrecurring		001150	001111		Rates(\$)	001441	001441
	2-Wire voice Grade unbundled Mississippi extended local					Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	dialing parity port with Caller ID - res			UEPRX	UEPAT	2.23	40.31	19.84	24.90	6.58						
	2-Wire voice unbundles res, low usage line port with Caller ID			OLFKA	OLFAI	2.23	40.31	15.04	24.50	0.30						
	(LUM)			UEPRX	UEPAP	2.23	40.31	19.84	24.90	6.58						
	2-Wire Voice Unbundled Mississippi Residence Dialing Plan			02.700	02.74	2.20	10.01	10.01	200	0.00						
	without Caller ID			UEPRX	UEPWJ	2.23	40.31	19.84	24.90	6.58						
	2-Wire voice unbundled Low Usage Line Port without Caller ID															
	Capability			UEPRX	UEPRT	2.23	40.31	19.84	24.90	6.58						
FEA	TURES															
	All Features Offered			UEPRX	UEPVF	2.56	0.00	0.00								
NON	IRECURRING CHARGES (NRCs) - CURRENTLY COMBINED															
	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch-as-is			UEPRX	USAC2		0.0988	0.0988								
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -			UEPRA	USACZ		0.0966	0.0966								1
	Switch with change			UEPRX	USACC	1	0.0988	0.0988				1				
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -					İ										
	Subsequent Database Update						0.00	0.00								
	2-Wire Voice Grade Loop / Line Port Platform - Installation															
	Charge at QuickService location - Not Conversion of Existing															
	Service			UEPRX	URECC		0.0988									
ADD	ITIONAL NRCs															
	2-Wire Voice Grade Loop/Line Port Combination - Subsequent															
	Activity			UEPRX	USAS2	0.00	0.00	0.00								
	Unbundled Miscellaneous Rate Element, Tag Loop at End User			UEPRX	URETL		8.33	0.83								
OFF	Premise /ON PREMISES EXTENSION CHANNELS			UEPRA	UKEIL		0.33	0.63								
OF F	2 Wire Analog Voice Grade Extension Loop – Non-Design		1	UEPRX	UEAEN	12.03	37.92	17.55	23.48	5.25						1
	2 Wire Analog Voice Grade Extension Loop – Non-Design		2	UEPRX	UEAEN	16.87	37.92	17.55	23.48	5.25						
	2 Wire Analog Voice Grade Extension Loop – Non-Design		3	UEPRX	UEAEN	25.68	37.92	17.55	23.48	5.25						
	2 Wire Analog Voice Grade Extension Loop – Non-Design		4	UEPRX	UEAEN	43.85	37.92	17.55	23.48	5.25						
	2 Wire Analog Voice Grade Extension Loop – Design		1	UEPRX	UEAED	13.89	105.96	68.28	52.82	10.37						
	2 Wire Analog Voice Grade Extension Loop – Design		2	UEPRX	UEAED	18.75	105.96	68.28	52.82	10.37						
	2 Wire Analog Voice Grade Extension Loop – Design		3	UEPRX	UEAED	27.55	105.96	68.28	52.82	10.37						
	2 Wire Analog Voice Grade Extension Loop – Design		4	UEPRX	UEAED	45.72	105.96	68.28	52.82	10.37						
INTE	ROFFICE TRANSPORT															
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility Termination			UEPRX	U1TV2	20.32	40.77	27.57	47.00	7.44						
\vdash	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile		1	UEPKA	UTIVZ	20.32	40.77	21.51	17.26	7.11						
	or Fraction Mile			UEPRX	U1TVM	0.0088	0.00	0.00								
2-W	IRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS)		i –		1	3.3300	0.00	2.00								†
	Port/Loop Combination Rates					†										1
	2-Wire VG Loop/Port Combo - Zone 1					13.22										1
	2-Wire VG Loop/Port Combo - Zone 2					18.13										
	2-Wire VG Loop/Port Combo - Zone 3			-		27.26										
	2-Wire VG Loop/Port Combo - Zone 4					45.91										ļ
UNE	Loop Rates				1											ļ
	2-Wire Voice Grade Loop (SL1) - Zone 1			UEPBX	UEPLX	10.98							ļ			<u> </u>
\vdash	2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3		2	UEPBX UEPBX	UEPLX	15.91 25.04					ļ					
	2-Wire Voice Grade Loop (SL1) - Zone 3 2-Wire Voice Grade Loop (SL1) - Zone 4		3	UEPBX	UEPLX	43.68										+
2-W	ire Voice Grade Line Port (Bus)		 "	טבו טא	OLFLA	45.00							-			+
- "	2-Wire voice unbundled port without Caller ID - bus	1	1	UEPBX	UEPBL	2.23	40.31	19.84	24.90	6.58	1	 				†
	2-Wire voice unbundled port with Caller + E484 ID - bus		†	UEPBX	UEPBC	2.23	40.31	19.84	24.90	6.58						<u> </u>
	2-Wire voice unbundled port outgoing only - bus			UEPBX	UEPBO	2.23	40.31	19.84	24.90	6.58						
	2-Wire voice Grade unbundled Mississippi extended local															
	dialing parity port with Caller ID - bus			UEPBX	UEPAY	2.23	40.31	19.84	24.90	6.58						
	2-Wire voice unbundled incoming only port with Caller ID - Bus			UEPBX	UEPB1	2.23	40.31	19.84	24.90	6.58						
	2-Wire Voice Unbundled Mississippi Business Dialing Plan			HEDDY	LIEDA.							1				
	without Caller ID		l	UEPBX	UEPWK	2.23	40.31	19.84	24.90	6.58	I	l	l			<u> </u>

UNBUN	NDI FD N	IETWORK ELEMENTS - Mississippi												Attachment:	2 Fxh A		
0.1201												Submitted	Submitted	Incremental Charge -	Incremental Charge -	Incremental Charge -	Incremental Charge -
CATEG	ORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)			Elec per LSR	Manually per LSR	Manual Svc Order vs. Electronic-	Manual Svc Order vs. Electronic-	Manual Svc Order vs. Electronic-	Manual Svc Order vs. Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
								Nonrec	urring	Nonrecurring	Disconnect		l	oss	Rates(\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		2-Wire voice unbundled Incoming Only Port without Caller ID								0.4.00							
	FEATU	Capability			UEPBX	UEPBE	2.23	40.31	19.84	24.90	6.58						
	FLATO	All Features Offered			UEPBX	UEPVF	2.56	0.00	0.00								
	NONRE	CURRING CHARGES (NRCs) - CURRENTLY COMBINED															
		2-Wire Voice Grade Loop / Line Port Combination - Conversion -															
	ļ	Switch-as-is			UEPBX	USAC2		0.0988	0.0988								
		2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch with change			UEPBX	USACC		0.0988	0.0988								
	1	2-Wire Voice Grade Loop / Line Port Combination - Conversion -	1		52. DX	30,100		0.0000	0.0000								
		Subsequent Database Update						0.00	0.00								
	ADDITI	ONAL NRCs															
		2-Wire Voice Grade Loop/Line Port Combination - Subsequent Activity			UEPBX	USAS2		0.00	0.00								
		Unbundled Miscellaneous Rate Element, Tag Loop at End User			UEPBA	USASZ		0.00	0.00								
	<u> </u>	Premise			UEPBX	URETL		8.33	0.83			<u> </u>	<u> </u>				
	OFF/O	N PREMISES EXTENSION CHANNELS															
		2 Wire Analog Voice Grade Extension Loop – Non-Design		1	UEPBX	UEAEN	12.03	37.92	17.55	23.48	5.25						
		2 Wire Analog Voice Grade Extension Loop – Non-Design		3	UEPBX	UEAEN UEAEN	16.87	37.92 37.92	17.55	23.48	5.25						
	-	Wire Analog Voice Grade Extension Loop – Non-Design Wire Analog Voice Grade Extension Loop – Non-Design		4	UEPBX UEPBX	UEAEN	25.68 43.85	37.92	17.55 17.55	23.48 23.48	5.25 5.25						
		2 Wire Analog Voice Grade Extension Loop – Non-besign		1	UEPBX	UEAED	13.89	105.96	68.28	52.82	10.37						
		2 Wire Analog Voice Grade Extension Loop – Design		2	UEPBX	UEAED	18.75	105.96	68.28	52.82	10.37						
		2 Wire Analog Voice Grade Extension Loop – Design		3	UEPBX	UEAED	27.55	105.96	68.28	52.82	10.37						
	L	2 Wire Analog Voice Grade Extension Loop – Design		4	UEPBX	UEAED	45.72	105.96	68.28	52.82	10.37						
	INTER	DFFICE TRANSPORT				+											
		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility Termination			UEPBX	U1TV2	20.32	40.77	27.57	17.26	7.11						
		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile			OLI DX	011172	20.02	40.11	27.07	17.20	7.11						
		or Fraction Mile			UEPBX	U1TVM	0.0088	0.00	0.00								
		VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES - PBX)															
	UNE Po	ort/Loop Combination Rates					40.00										
-		2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2				+	13.22 18.13										
		2-Wire VG Loop/Port Combo - Zone 3					27.26										
		2-Wire VG Loop/Port Combo - Zone 4				<u> </u>	45.91										
	UNE Lo	oop Rates							•								
<u></u>	<u> </u>	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEPRG	UEPLX	10.98										
 	1	2-Wire Voice Grade Loop (SL 1) - Zone 2 2-Wire Voice Grade Loop (SL 1) - Zone 3	-	3	UEPRG UEPRG	UEPLX UEPLX	15.91 25.04						-				
—	1	2-Wire Voice Grade Loop (SL 1) - Zone 3	1	4	UEPRG	UEPLX	43.68										
	2-Wire	Voice Grade Line Port Rates (RES - PBX)															
		2-Wire VG Unbundled Combination 2-Way PBX Trunk Port -															
<u> </u>	FF 4 T	Res	ļ		UEPRG	UEPRD	2.23	69.37	32.48	37.86	6.17						
 	FEATU	RES All Features Offered			UEPRG	UEPVF	2.56	0.00	0.00								
-		CURRING CHARGES (NRCs) - CURRENTLY COMBINED	 		OLI NO	OLI VI	2.30	0.00	0.00								
		2-Wire Voice Grade Loop/ Line Port Combination (PBX) -															
L	<u> </u>	Conversion - Switch-As-Is			UEPRG	USAC2		7.96	1.91								
		2-Wire Voice Grade Loop/ Line Port Combination (PBX) -			LIEDDO	LICACO		7.00	4.04								
	 	Conversion - Switch with Change 2-Wire Voice Grade Loop / Line Port Combination - Conversion -			UEPRG	USACC		7.96	1.91								
		Subsequent Database Update						0.00	0.00								
	ADDITI	ONAL NRCs						2.00									
		2-Wire Voice Grade Loop/ Line Port Combination (PBX) -															
-	<u> </u>	Subsequent Activity			UEPRG	USAS2	0.00	0.00	0.00								
		PBX Subsequent Activity - Change/Rearrange Multiline Hunt Group				1		7.36	7.36								
		Отоир	<u> </u>	1		_1		1.30	1.30			l	l .		L		

UNBUNDL	ED N	ETWORK ELEMENTS - Mississippi												Attachment:	2 Exh A		1
CATEGOR		RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge -	Incremental Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svo Order vs. Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
<u> </u>							1	Nonrec	urring	Nonrecurring	Disconnect			088	Rates(\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Unbundled Miscellaneous Rate Element, Tag Loop at End User						-									
		Premise			UEPRG	URETL		8.33	0.83								
OF		PREMISES EXTENSION CHANNELS				DO 11 11/	10.00	10=00		=====	10.00						
		Local Channel Voice grade, per termination Local Channel Voice grade, per termination		1 2	UEPRG UEPRG	P2JHX P2JHX	13.89 18.75	105.96 105.96	68.28 68.28	52.82 52.82	10.37 10.37						-
		Local Channel Voice grade, per termination			UEPRG	P2JHX	27.55	105.96	68.28	52.82	10.37						
		Local Channel Voice grade, per termination			UEPRG	P2JHX	45.72	105.96	68.28	52.82	10.37						
IN	TERC	FFICE TRANSPORT															
		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility Termination			UEPRG	U1TV2	20.32	40.77	27.57	17.26	7.11						
		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile or Fraction Mile			UEPRG	U1TVM	0.0088	0.00	0.00								
		VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)		ļ			1					<u> </u>	ļ				
UN	IE Po	rt/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1					13.22					-	 	 			
		2-Wire VG Loop/Port Combo - Zone 2					18.13							1			1
		2-Wire VG Loop/Port Combo - Zone 3					27.26										
		2-Wire VG Loop/Port Combo - Zone 4					45.91										
UN		op Rates															
		2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEPPX	UEPLX	10.98										
\vdash		2-Wire Voice Grade Loop (SL 1) - Zone 2 2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEPPX UEPPX	UEPLX	15.91 25.04							-			
\vdash		2-Wire Voice Grade Loop (SL 1) - Zone 3 2-Wire Voice Grade Loop (SL 1) - Zone 4			UEPPX	UEPLX	43.68										
2-V		/oice Grade Line Port Rates (BUS - PBX)			OLI I N	02.2.	10.00										
		Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus			UEPPX	UEPPC	2.23	69.37	32.48	37.86	6.17						
		Line Side Unbundled Outward PBX Trunk Port - Bus			UEPPX	UEPPO	2.23	69.37	32.48	37.86	6.17						
		Line Side Unbundled Incoming PBX Trunk Port - Bus			UEPPX	UEPP1	2.23	69.37	32.48	37.86	6.17						
		2-Wire Voice Unbundled PBX LD Terminal Ports 2-Wire Voice Unbundled 2-Way Combination PBX Usage Port			UEPPX UEPPX	UEPLD UEPXA	2.23 2.23	69.37 69.37	32.48 32.48	37.86 37.86	6.17 6.17						
-		2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports			UEPPX	UEPXB	2.23	69.37	32.48	37.86	6.17						
		2-Wire Voice Unbundled PBX LD DDD Terminals Port			UEPPX	UEPXC	2.23	69.37	32.48	37.86	6.17						
		2-Wire Voice Unbundled PBX LD Terminal Switchboard Port			UEPPX	UEPXD	2.23	69.37	32.48	37.86	6.17						
		2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD Capable Port			UEPPX	UEPXE	2.23	69.37	32.48	37.86	6.17						
		2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy															
\vdash		Administrative Calling Port 2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy			UEPPX	UEPXL	2.23	69.37	32.48	37.86	6.17						
		Room Calling Port			UEPPX	UEPXM	2.23	69.37	32.48	37.86	6.17						
		2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital Discount Room Calling Port			UEPPX	UEPXO	2.23	69.37	32.48	37.86	6.17						
		2-Wire Voice Unbundled 2-Way PBX Mississippi Local Economy Calling Port			UEPPX	UEPXQ	2.23	69.37	32.48	37.86	6.17						
		2-Wire Voice Unbundled 2-Way PBX Mississippi Local Optional Calling Port			UEPPX	UEPXR	2.23	69.37	32.48	37.86	6.17						
		2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPPX	UEPXS	2.23	69.37	32.48	37.86	6.17						1
	ATU	Mississippi PBX 2-Way Combo Local Opt 2 Calling Port		-	UEPPX	UEPA5	2.23	69.37	32.48	37.86	6.17	 	1	-			
re		All Features Offered		-	UEPPX	UEPVF	2.56	0.00	0.00			1	-				
NC		CURRING CHARGES (NRCs) - CURRENTLY COMBINED				1	2.00	5.50	3.30			1					1
		2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Conversion - Switch-As-Is			UEPPX	USAC2		7.96	1.91								
		2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Conversion - Switch with Change			UEPPX	USACC		7.96	1.91								
		2-Wire Voice Grade Loop / Line Port Combination - Conversion - Subsequent Database Update						0.00	0.00								
АΓ		DNAL NRCs				1		2.20		<u> </u>							
		2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Subsequent Activity			UEPPX	USAS2	0.00	0.00	0.00								

LINBUNDI ED	NETWORK ELEMENTS - Mississippi												Attachment: 2	2 Fyh Δ		
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc	Incremental Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Order vs. Electronic-
														Add'l	DISC 1St	Disc Add'l
							Nonrec		Nonrecurring		COMEC	SOMAN		Rates(\$)	SOMAN	SOMAN
	PBX Subsequent Activity - Change/Rearrange Multiline Hunt		ļ			Rec	First	Add'l	First	Add'l	SOMEC	SOWAN	SOMAN	SOMAN	SOWAN	SOWAN
	Group						7.36	7.36								
	Unbundled Miscellaneous Rate Element, Tag Loop at End User Premise			UEPPX	URETL		8.33	0.83								
OFF/C	N PREMISES EXTENSION CHANNELS			UEFFA	UKEIL		0.33	0.63								
5,6	Local Channel Voice grade, per termination		1	UEPPX	P2JHX	13.89	105.96	68.28	52.82	10.37						
	Local Channel Voice grade, per termination		2	UEPPX	P2JHX	18.75	105.96	68.28	52.82	10.37						
	Local Channel Voice grade, per termination		3	UEPPX	P2JHX	27.55	105.96	68.28	52.82	10.37						
	Local Channel Voice grade, per termination		4	UEPPX	P2JHX	45.72	105.96	68.28	52.82	10.37						
INTER	OFFICE TRANSPORT															
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility Termination			UEPPX	U1TV2	20.32	40.77	27.57	17.26	7.11						
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile															
0.14/10	or Fraction Mile			UEPPX	U1TVM	0.0088	0.00	0.00								
	E VOICE GRADE LOOP WITH 2-WIRE ANALOG LINE COIN POR ort/Loop Combination Rates	()	1		-											
UNE	2-Wire VG Coin Port/Loop Combo – Zone 1	1	 		+	13.22					1	1				1
	2-Wire VG Coin Port/Loop Combo – Zone 2				+	18.13										†
	2-Wire VG Coin Port/Loop Combo – Zone 3					27.26			İ							
	2-Wire VG Coin Port/Loop Combo – Zone 4					45.91										
UNE L	oop Rates															
	2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPCO	UEPLX	10.98										
	2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPCO	UEPLX	15.91										
	2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPCO	UEPLX	25.04										
	2-Wire Voice Grade Loop (SL1) - Zone 4		4	UEPCO	UEPLX	43.68										
2-Wire	Voice Grade Line Ports (COIN)															
	2-Wire Coin 2-Way without Operator Screening and without			LIEDCO	UEPRF	2.22	40.24	10.94	24.00	6.50						
-	Blocking (AL, KY, LA, MS) 2-Wire Coin 2-Way without Operator Screening and without			UEPCO	UEPRF	2.23	40.31	19.84	24.90	6.58	-					-
	Blocking; with Dialing Parity (Note 3) (MS)			UEPCO	UEPMC	2.23	40.31	19.84	24.90	6.58						
	2-Wire Coin 2-Way with Operator Screening and Blocking: 011,															
	900/976, 1+DDD (AL, KY, LA, MS)			UEPCO	UEPRA	2.23	40.31	19.84	24.90	6.58						
	2-Wire Coin 2-W with Operator Screening and Blocking: 011,															
	900/976, 1+DDD; with Dialing Parity (MS)			UEPCO	UEPMA	2.23	40.31	19.84	24.90	6.58						
	2-Wire Coin 2-Way with Operator Screening and 011 Blocking															
	(AL, LA, MS)			UEPCO	UEPRB	2.23	40.31	19.84	24.90	6.58						
	2-Wire Coin 2-Way with Operator Screening and 011 Blocking;															
	with Dialing Parity (MS)			UEPCO	UEPMB	2.23	40.31	19.84	24.90	6.58						
	2-Wire Coin 2-Way with Operator Screening & Blocking: 900/976, 1+DDD, 011+, & Local (AL, KY, LA, MS)			UEPCO	UEPCD	2.23	40.31	19.84	24.90	6.58						
-	2-Wire Coin 2-W Operator Screening: 900 Block: 900/976,			UEPCO	UEPCD	2.23	40.31	19.04	24.90	0.36	-					+
	1+DDD, 011+, Local; with Dialing Parity (MS)			UEPCO	UEPCJ	2.23	40.31	19.84	24.90	6.58						
	2-Wire Coin Outward without Blocking and without Operator		†	02. 00	02.100	2.20	70.01	10.04	24.50	0.00						
	Screening (KY, LA, MS)			UEPCO	UEPRN	2.23	40.31	19.84	24.90	6.58						
	2-Wire Coin Outward without Blocking and without Operator															
	Screening; With Dailing Parity (MS)			UEPCO	UEPME	2.23	40.31	19.84	24.90	6.58						
	2-Wire Coin Outward with Operator Screening and 011 Blocking (GA, KY, MS)			UEPCO	UEPRJ	2.23	40.31	19.84	24.90	6.58						
	2-Wire Coin Outward with Operator Screening and 011		1		1	2.20		.0.04	250	3.30						†
	Blocking; with Dialing Parity (MS) 2-Wire Coin Outward with Operator Screening and Blocking:			UEPCO	UEPMD	2.23	40.31	19.84	24.90	6.58						1
	2-Wire Coin Outward with Operator Screening and Biocking: 011, 900/976, 1+DDD (AL, KY, LA, MS)			UEPCO	UEPRH	2.23	40.31	19.84	24.90	6.58						
	2-Wire Coin Outward Operator Screening & Blocking: 900/976, 1+DDD, 011+, and Local (AL, KY, LA, MS)			UEPCO	UEPCN	2.23	40.31	19.84	24.90	6.58						
 	2-Wire Coin Out Operator Screen & Block: 900/976, 1+DDD,		1	<u>51 50</u>	OLI ON	2.23	40.31	15.04	24.50	0.30						
	011+, and Local; with Dialing Parity (MS)			UEPCO	UEPCS	2.23	40.31	19.84	24.90	6.58						
	2-Wire 2-Way Smartline with 900/976 (all states except LA)			UEPCO	UEPCK	2.23	40.31	19.84	24.90	6.58						
	2-Wire Coin Outward Smartline with 900/976 (all states except								ĺ							
	LA)			UEPCO	UEPCR	1.23	40.31	19.84	24.90	6.58						

UNBUNDLED	NETWORK ELEMENTS - Mississippi												Attachment:	2 Exh A		
0.1.20.1.2.2.2	inconstant and inconstant in the second pro-										Svc Order	Svc Order	Incremental		Incremental	Incremental
												Submitted		Charge -	Charge -	Charge -
											Elec		Manual Svc			Manual Svc
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
OAT LOOK!	NATE ELEMENTO	m	20110	200	0000			= = (+)			per LSR	per LSK				
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
							Nonrec	urring	Nonrecurring	Disconnect			oss	Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
ADDI	TIONAL UNE COIN PORT/LOOP (RC)				+			7.44.	101	7.00.	0020					
	UNE Coin Port/Loop Combo Usage (Flat Rate)			UEPCO	URECU	4.62	0.00	0.00	0.00	0.00						
NON	RECURRING CHARGES - CURRENTLY COMBINED									0.00						
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -															
	Switch-as-is			UEPCO	USAC2		0.0988	0.0988							i '	
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -															
	Switch with change			UEPCO	USACC		0.0988	0.0988							i '	
ADDI	TIONAL NRCs														·	
	2-Wire Voice Grade Loop/Line Port Combination - Subsequent														·	
	Activity			UEPCO	USAS2		0.00	0.00							i '	
	Unbundled Miscellaneous Rate Element, Tag Loop at End User						_								[
	Premise			UEPCO	URETL		8.33	0.83							L	
	RE VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE	LINE	PORT (I	RES)			, and the second									
UNE	Port/Loop Combination Rates				1											
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 1					16.16									L	
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 2					21.02									L	
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 3					29.82									 '	
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 4					47.99										
UNE	Loop Rates		<u> </u>			10.00										
-	2-Wire Voice Grade Loop (SL2) - Zone 1		1	UEPFR	UECF2	13.89										
	2-Wire Voice Grade Loop (SL2) - Zone 2		2	UEPFR	UECF2	18.75									 '	
—	2-Wire Voice Grade Loop (SL2) - Zone 3		3	UEPFR	UECF2	27.55										
2 14/5	2-Wire Voice Grade Loop (SL2) - Zone 4 e Voice Grade Line Port Rates (Res)		4	UEPFR	UECF2	45.72										
2-9911	2-Wire voice unbundled port - residence			UEPFR	UEPRL	2.27	108.35	70.57	54.24	11.70					<u> </u>	
	2-Wire voice unburidled port with Caller ID - res			UEPFR	UEPRC	2.27	108.35	70.57	54.24	11.70					<u> </u>	
 	2-Wire voice unbundled port with caller ID - res			UEPFR	UEPRO	2.27	108.35	70.57	54.24	11.70						
	2-Wire voice driburidied port datgoring drily - res 2-Wire voice Grade unbundled Mississippi extended local			OLITIK	OLITIO	2.21	100.55	10.51	34.24	11.70					\vdash	
	dialing parity port with Caller ID - res			UEPFR	UEPAT	2.27	108.35	70.57	54.24	11.70					i '	
	2-Wire voice unbundles res, low usage line port with Caller ID			02.770	02.711	2.2.	100.00	7 0.01	02.							
	(LUM)			UEPFR	UEPAP	2.27	108.35	70.57	54.24	11.70					i '	
	2-Wire Voice Unbundled Mississippi Residence Dialing Plan															
	without Caller ID			UEPFR	UEPWJ	2.27	108.35	70.57	54.24	11.70					i '	
INTE	ROFFICE TRANSPORT														· ·	
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility														,	
	Termination			UEPFR	U1TV2	20.32	40.77	27.57	17.26	7.11					<u> </u>	
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile														,	
	or Fraction Mile			UEPFR	1L5XX	0.0088									L	
FEAT	URES														 '	
ļ	All Features Offered			UEPFR	UEPVF	2.56	0.00	0.00							 '	
NON	RECURRING CHARGES (NRCs) - CURRENTLY COMBINED	<u> </u>			+	ļ								ļ	 '	
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port	l		UEPFR	USAC2]	16.94	3.72				1			1 '	1
 	Combination - Conversion - Switch-as-is 2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port	!	 	UEPFK	USAC2	 	16.94	3.72			-	 			 	-
	Combination - Conversion - Switch-With-Change	l		UEPFR	USACC		16.94	3.72							1 '	
 	Unbundled Miscellaneous Rate Element, Tag Designed Loop at	 		OLI I IX	30,00	 	10.34	3.12	1					1		1
	End User Premise	l	1	UEPFR	URETN]	11.19	1.10	Ì		1	1			1 '	Ì
2-WIF	RE VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE	LINE	ORT (5	†	11.19	1.10	1							1
	Port/Loop Combination Rates		(/	1	†										İ
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 1					16.16										
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 2					21.02										
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 3					29.82										
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 4			_		47.99										
UNE	Loop Rates															
	2-Wire Voice Grade Loop (SL2) - Zone 1		1	UEPFB	UECF2	13.89									'	
	2-Wire Voice Grade Loop (SL2) - Zone 2		2	UEPFB	UECF2	18.75									 '	<u> </u>
	2-Wire Voice Grade Loop (SL2) - Zone 3		3	UEPFB	UECF2	27.55									 '	<u> </u>
	2-Wire Voice Grade Loop (SL2) - Zone 4	<u> </u>	4	UEPFB	UECF2	45.72								ļ	 '	
2-Wir	e Voice Grade Line Port (Bus)	l	<u> </u>		1	1			l		1	l		I		<u> </u>

UNBUNDLE	D NETWORK ELEMENTS - Mississippi												Attachment:	2 Exh A		
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs.	Incremental Charge - Manual Svc Order vs.	Charge -	Incremental Charge - Manual Svc Order vs.
													Electronic- 1st	Electronic- Add'l	Electronic- Disc 1st	Electronic- Disc Add'l
							Nonrec		Nonrecurring					Rates(\$)		
	IOM/Secretary III and Called D. Inc.			LIEDED	LIEDDI	Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire voice unbundled port without Caller ID - bus			UEPFB	UEPBL	2.27	108.35	70.57	54.24	11.70						
	2-Wire voice unbundled port with Caller + E484 ID - bus			UEPFB UEPFB	UEPBC UEPBO	2.27	108.35	70.57	54.24	11.70						
	2-Wire voice unbundled port outgoing only - bus	1	<u> </u>	UEPFB	UEPBO	2.27	108.35	70.57	54.24	11.70						
	2-Wire voice Grade unbundled Mississippi extended local dialing parity port with Caller ID - bus			UEPFB	UEPAY	2.27	108.35	70.57	54.24	11.70						
	2-Wire voice unbundled incoming only port with Caller ID - Bus			UEPFB	UEPB1	2.27	108.35	70.57	54.24	11.70						
	2-Wire Voice Unbundled Mississippi Business Dialing Plan		1	OLITB	OLIDI	2.21	100.55	70.57	34.24	11.70						
	without Caller ID			UEPFB	UEPWK	2.27	108.35	70.57	54.24	11.70						
INTE	ROFFICE TRANSPORT			OLITB	OLI WIX	2.27	100.00	70.07	04.24	11.70						
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility															
1	Termination			UEPFB	U1TV2	20.32	40.77	27.57	17.26	7.11						
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile															
	or Fraction Mile	<u>L</u>	L	UEPFB	1L5XX	0.0088			<u> </u>		<u> </u>				<u> </u>	<u></u>
FEAT	TURES															
	All Features Offered			UEPFB	UEPVF	2.56	0.00	0.00								
NON	RECURRING CHARGES (NRCs) - CURRENTLY COMBINED															
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port															
	Combination - Conversion - Switch-as-is			UEPFB	USAC2		16.94	3.72								
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port															
	Combination - Conversion - Switch with change			UEPFB	USACC		16.94	3.72								
	Unbundled Miscellaneous Rate Element, Tag Designed Loop at															
	End User Premise		<u> </u>	UEPFB	URETN		11.19	1.10								
	RE VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRI	E LINE I	PORT (РВХ)												
UNE	Port/Loop Combination Rates					10.10										
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 1					16.16 21.02										
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 2 2-Wire VG Loop/IO Tranport/Port Combo - Zone 3					29.82										
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 3 2-Wire VG Loop/IO Tranport/Port Combo - Zone 4					47.99										
LINE	Loop Rates		1			47.55	1		+							
ONE	2-Wire Voice Grade Loop (SL2) - Zone 1		1	UEPFP	UECF2	13.89										
	2-Wire Voice Grade Loop (SL2) - Zone 2		2	UEPFP	UECF2	18.75										
+	2-Wire Voice Grade Loop (SL2) - Zone 3		3	UEPFP	UECF2	27.55										
	2-Wire Voice Grade Loop (SL2) - Zone 4		4	UEPFP	UECF2	45.72										
2-Wii	re Voice Grade Line Port Rates (BUS - PBX)															
	Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus	1	1	UEPFP	UEPPC	2.27	137.41	80.14	67.20	11.29						
	Line Side Unbundled Outward PBX Trunk Port - Bus			UEPFP	UEPPO	2.27	137.41	80.14	67.20	11.29						
	Line Side Unbundled Incoming PBX Trunk Port - Bus			UEPFP	UEPP1	2.27	137.41	80.14	67.20	11.29						
	2-Wire Voice Unbundled PBX LD Terminal Ports			UEPFP	UEPLD	2.27	137.41	80.14	67.20	11.29						
	2-Wire Voice Unbundled 2-Way Combination PBX Usage Port			UEPFP	UEPXA	2.27	137.41	80.14	67.20	11.29						
	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports			UEPFP	UEPXB	2.27	137.41	80.14	67.20	11.29						
	2-Wire Voice Unbundled PBX LD DDD Terminals Port			UEPFP	UEPXC	2.27	137.41	80.14	67.20	11.29						
	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port			UEPFP	UEPXD	2.27	137.41	80.14	67.20	11.29						
	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD															
	Capable Port		<u> </u>	UEPFP	UEPXE	2.27	137.41	80.14	67.20	11.29						
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy	1		UEPFP	UEPXL	2.27	407.44	00.44	07.00	11.29					1	1
	Administrative Calling Port 2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy	 	 	UEPFP	UEPXL	2.27	137.41	80.14	67.20	11.29					-	-
	Room Calling Port	1		UEPFP	UEPXM	2.27	137.41	80.14	67.20	11.29					1	1
	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital	1	 	OLI FF	JLFAIVI	2.21	137.41	00.14	01.20	11.29					 	
	Discount Room Calling Port	1		UEPFP	UEPXO	2.27	137.41	80.14	67.20	11.29					1	1
	2-Wire Voice Unbundled 2-Way PBX Mississippi Local Economy	 	l	0=.11	3E1 //O	2.21	107.41	00.14	57.20	11.20						
	Calling Port	1		UEPFP	UEPXQ	2.27	137.41	80.14	67.20	11.29					1	1
	2-Wire Voice Unbundled 2-Way PBX Mississippi Local Optional	†	†		32.7.0	/	.57.141	55.14	520	20					1	1
. 1	Calling Port	1		UEPFP	UEPXR	2.27	137.41	80.14	67.20	11.29					1	1
	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port	1	<u> </u>	UEPFP	UEPXS	2.27	137.41	80.14	67.20	11.29					1	İ
	2-Wile Voice Oriburialed 1-Way Outgoing FBX Measured Fort															
	Mississippi PBX 2-Way Combo Local Opt 2 Calling Port			UEPFP	UEPA5	2.27	137.41	80.14	67.20	11.29						

UNBUNDLE	D NETWORK ELEMENTS - Mississippi												Attachment:	2 Exh A		T
CATEGORY		Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Charge -	Charge - Manual Svo Order vs.
							Nonrec	urring	Nonrecurring	Disconnect			oss	Rates(\$)		
h						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility					1100	11100	Addi	11100	Auui	COMILO	COMPAN	COMPAN	COMPAN	COMPAR	COMPAR
	Termination			UEPFP	U1TV2	20.32	40.77	27.57	17.26	7.11						
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile			OLITI	OTTVZ	20.02	40.77	21.01	17.20	7.11						+
	or Fraction Mile			UEPFP	1L5XX	0.0088										
FEA	TURES			02	120701	0.0000										1
	All Features Offered			UEPFP	UEPVF	2.56	0.00	0.00								1
NON	RECURRING CHARGES (NRCs) - CURRENTLY COMBINED															1
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port															1
	Combination - Conversion - Switch-as-is			UEPFP	USAC2		16.94	3.72								
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port															
	Combination - Conversion - Switch with change			UEPFP	USACC		16.94	3.72								
	Unbundled Miscellaneous Rate Element, Tag Designed Loop at															
	End User Premise			UEPFP	URETN		11.19	1.10								
UNBUNDLE	D PORT/LOOP COMBINATIONS - COST BASED RATES															
2-WI	RE VOICE GRADE LOOP- BUS ONLY - WITH 2-WIRE DID TRUNK	PORT														
UNE	Port/Loop Combination Rates															
	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 1					22.32										
	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 2					27.16										
	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 3					35.98										
	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 4					54.15										
UNE	Loop Rates															
	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 1		1	UEPPX	UECD1	13.89										
	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 2		2	UEPPX	UECD1	18.75										
	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 3		3	UEPPX	UECD1	27.55										
	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 4		4	UEPPX	UECD1	45.72										
UNE	Port Rate															
	Exchange Ports - 2-Wire DID Port			UEPPX	UEPD1	8.43	225.96	87.13	114.59	14.25						
NON	RECURRING CHARGES - CURRENTLY COMBINED															
	2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Combination -															
	Switch-as-is			UEPPX	USAC1		7.35	1.88								<u> </u>
	2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Conversion															
	with BellSouth Allowable Changes			UEPPX	USA1C		7.35	1.88								
ADD	ITIONAL NRCs															
	2-Wire DID Subsequent Activity - Add Trunks, Per Trunk			UEPPX	USAS1		26.94	26.94								
	Unbundled Miscellaneous Rate Element, Tag Designed Loop at															
L L	End User Premise	<u> </u>	<u> </u>	UEPPX	URETN		11.19	1.10			<u> </u>		1	1	1	+
I ele	phone Number/Trunk Group Establisment Charges			LIEDDY	NDT	0.00	0.00	0.00								
	DID Trunk Termination (One Per Port) Additional DID Numbers for each Group of 20 DID Numbers	 	 	UEPPX UEPPX	NDT ND4	0.00	0.00	0.00			 		 	-	-	+
\vdash	DID Numbers, Non- consecutive DID Numbers, Per Number	 	 	UEPPX	ND4 ND5	0.00	0.00	0.00			1		-			+
	Reserve Non-Consecutive DID numbers	 	<u> </u>	UEPPX	ND6	0.00	0.00	0.00		-	<u> </u>		-	-	-	+
	Reserve DID Numbers	1	1	UEPPX	NDV	0.00	0.00	0.00			1	1				+
2.WI	RE ISDN DIGITAL GRADE LOOP WITH 2-WIRE ISDN DIGITAL LI	NE SIDI	DODT		NDV	0.00	0.00	0.00								+
	Port/Loop Combination Rates	INE SIDI	LFORI								1					+
OINE	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -	 	<u> </u>		 						 		 			+
	UNE Zone 1					29.29										
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -	1	t		†	20.20					 					+
	UNE Zone 2					36.00										
1	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -	<u> </u>	1		1	55.00							1			1
	UNE Zone 3	1	1			46.18							1			
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -		1										1			1
	UNE Zone 4	1				68.61							Ì			
UNE	Loop Rates		i –							l				İ	İ	1
	2-Wire ISDN Digital Grade Loop - UNE Zone 1		1	UEPPB UEPPR	USL2X	18.26										1
		1	i													1
	2-Wire ISDN Digital Grade Loop - UNE Zone 2	1	2	UEPPB UEPPR	USL2X	24.67							Ì			
																1
	2-Wire ISDN Digital Grade Loop - UNE Zone 3		3		USL2X	34.85								<u></u>		
			3	UEPPB UEPPR UEPPB UEPPR		34.85 57.28										

IINDIINDI ED	NETWORK ELEMENTS - Mississippi													Attachment:	2 Evh A		
UNBUNDLED	NETWORK ELEMENTS - MISSISSIPPI	1					1					Svc Order		Incremental		Incremental	Incremental
												Submitted			Charge -	Charge -	Charge -
		1										Elec		Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	Interi	Zone	В	cs	usoc			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
	1	m		_					- (.,			per LSK	per LSK	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
														150	Addi	DISC 1St	DISC Add I
								Nonrec	urring	Nonrecurring	Disconnect			oss	Rates(\$)		•
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Exchange Port - 2-Wire ISDN Line Side Port			UEPPR		UEPPR	11.33	190.80	133.22	100.72	21.13						
	Exchange Port - 2-Wire ISDN Line Side Port			UEPPB		UEPPB	11.33	190.80	133.22	100.72	21.13						
NONR	ECURRING CHARGES - CURRENTLY COMBINED																
	2-Wire ISDN Digital Grade Loop / 2-Wire ISDN Line Side Port																
	Combination - Conversion			UEPPB	UEPPR	USACB	0.00	38.73	27.17								
ADDIT	IONAL NRCs																
	Unbundled Miscellaneous Rate Element, Tag Designed Loop at																
	End User Premise			UEPPB	UEPPR	URETN		11.19	1.10								
	Unbundled Miscellaneous Rate Element, Tag Loop at End User																
	Premise	 		UEPPB	UEPPR	URETL	 	8.33	0.83								
B-CHA	NNEL USER PROFILE ACCESS:	<u> </u>		HEDDE	HEDDE	1141104	0.00	0.00	0.00								
	CVS/CSD (DMS/5ESS)	1		UEPPB	UEPPR	U1UCA	0.00	0.00	0.00								
\vdash	CVS (EWSD)	-		UEPPB	UEPPR UEPPR	U1UCB	0.00	0.00	0.00								
B-CHA	CSD NNEL AREA PLUS USER PROFILE ACCESS: (AL,KY,LA,MS S	Me º	TNI	UEPPB	UEPPK	U1UCC	0.00	0.00	0.00	 		-	 				
В-СНА	INNEL AREA PLUS USER PROFILE ACCESS: (AL,KY,LA,MS SI	ک,۱۷۱ک, & ا	IN)	UEPPB	UEPPR	U1UCD	0.00	0.00	0.00								
	CVS/CSD (DMS/SESS) CVS (EWSD)	-		UEPPB	UEPPR	U1UCE	0.00	0.00	0.00	-					-		
-	CSD			UEPPB	UEPPR	U1UCF	0.00	0.00	0.00								
LISER	TERMINAL PROFILE			ULFFB	ULFFR	01001	0.00	0.00	0.00								
OOLK	User Terminal Profile (EWSD only)			UEPPB	UEPPR	U1UMA	0.00	0.00	0.00								
VERTI	CAL FEATURES			OLITB	OLITIK	O TOWN	0.00	0.00	0.00								
	All Vertical Features - One per Channel B User Profile			UEPPB	UEPPR	UEPVF	2.56	0.00	0.00								
INTER	OFFICE CHANNEL MILEAGE			02.75	<u> </u>	02	2.00	0.00	0.00								
	Interoffice Channel mileage each, including first mile and																
	facilities termination			UEPPB	UEPPR	M1GNC	22.5298	40.77	27.57	17.26	7.11						
	Interoffice Channel mileage each, additional mile				UEPPR	M1GNM	0.0098	0.00	0.00								
UNBUNDLED	CENTREX PORT/LOOP COMBINATIONS - COST BASED RATE:	S															
	CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only)															
	VG Loop/2-Wire Voice Grade Port (Centrex) Combo																
UNE P	ort/Loop Combination Rates (Non-Design)																
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -																
	Non-Design						13.22										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -																
	Non-Design						18.13										
1 1	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -	1]		1	1				
\vdash	Non-Design	<u> </u>					27.26										
1 1	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -	1					45.0.										
100:5	Non-Design	 					45.91								ļ		
UNE P	ort/Loop Combination Rates (Design)	 				 	 			 		-	 				
1 1	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Design	1					16.12										
 	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -	1				-	10.12			1		 	-				
1 1	Design	1					20.98]		1	1				
 	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -					-	20.30					 	 				
	Design	l					29.78										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -	-				-	20.70										
1 1	Design	1					47.95]		1	1				
UNF I	oop Rate	1					47.00										
15 1	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP91		UECS1	10.98										
	2-Wire Voice Grade Loop (SL 1) - Zone 2			UEP91		UECS1	15.91										
	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP91		UECS1	25.04										
	2-Wire Voice Grade Loop (SL 1) - Zone 4		4	UEP91		UECS1	43.68										
	2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP91		UECS2	13.89			j							
	2-Wire Voice Grade Loop (SL 2) - Zone 2	<u></u>	2	UEP91		UECS2	18.75			<u> </u>							
	2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP91		UECS2	27.55			İ							
	2-Wire Voice Grade Loop (SL 2) - Zone 4		4	UEP91		UECS2	45.72			<u> </u>							
UNE P																	
All Sta	tes (Except North Carolina and Sout Carolina)																
	2-Wire Voice Grade Port (Centrex) Basic Local Area			UEP91		UEPYA	2.23	40.31	19.84	24.90	6.58					-	

Note Control	LINDIINI	DI ED I	IETWORK ELEMENTS - Mississippi												Attachment:	2 Evh A		
ATTECHNISH IN ATTECHNISH IN A PROPERTY OF THE	UNBUN	DLED	NETWORK ELEMENTS - MISSISSIPPI										Svc Order	Svc Order			Incremental	Incremental
ATT CALLE LEMENTS IN THE PROPERTY OF THE PROPE																		
ATTEMPT BATE LEMENTS IN DOCUMEN																		
New York Code Print (Secretary of Control of Control of Control of Code April 1994 1994	CATEG	ORY	RATE ELEMENTS		Zone	BCS	USOC			RATES(\$)								
New York (State Part Contents)	OA! LO	0	TOTAL ELEMENTO	m	20110	200	0000						perLSK	perLSK				
Per																		
Per															1St	Addi	DISC 1St	DISC Add I
Wilder W									Nonrec	urring	Nonrecurring	Disconnect			oss	Rates(\$)		
Wind Wash Control of Port Centrol with Caller Differed Black UPPN UPPN 2.23 40.31 19.44 24.50 6.58								Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
Device State For Common with Caster Diffusion Bases Device State For Common with Caster Diffusion State State State Common State			2-Wire Voice Grade Port (Centrex 800 termination)Basic Local															
Social Asias Social Array Content of all Serving Wine Centers Social Content Social Content of all Serving Wine Centers Social Content of all Serving Wine Centers Social Content						UEP91	UEPYB	2.23	40.31	19.84	24.90	6.58						
2-Wine Vota Carda Port (Center stron of Raving Vive Center) UEP91	1	1																
No. 2 2 State Load Anse						UEP91	UEPYH	2.23	40.31	19.84	24.90	6.58						
SWise Vivos Groade Pru, Ent's serving Wise Center - 605 Service UPP91 UPPVZ 2.23 103.55 70.57 64.24 11.70	1	1					l											
Form - Basta Local Area					<u> </u>	UEP91	UEPYM	2.23	108.35	70.57	54.24	11.70						
SWee Vice Grade Part terminated in an Magaink or equivalent UEP91 UEP19 2.20 46.31 19.84 24.90 6.50		1				LIEDO4	LIEDV7	0.00	400.05	70.57	54.04	44.70						
Bosc Local Aleas					<u> </u>	UEP91	UEPYZ	2.23	108.35	70.57	54.24	11.70						
E-Vivier Votan Charles Post Terminated on 800 Service Term		1				LIED01	LIEDVO	2 22	40.21	10.94	24.00	6.50						
Basic Local Area						OLI 31	OLI 13	2.23	40.51	13.04	24.30	0.50	1					-
A. Kr. LA. MS, & TN Only		ı				UFP91	UEPY2	2 23	40.31	19.84	24 90	6 58						1
EVPPR Votos Grafe Prof (Centres SQ) Ummination UEPPI UEPOA 2.23 40.31 19.84 2.400 6.56		AL. KY					J	2.20	70.01	10.04	2-7.50	0.00						t
2-Wire Voce Grafe Par (Centries with Carter 20) Internation UFP91 UFPO2 2.23 40.31 19.44 24.90 6.36						UEP91	UEPQA	2.23	40.31	19.84	24.90	6.58						
2-Wire Voco Grade Pot (Centres van die Serving Wire UEPS1 UEPS1 UEPS1 UEPS1 UEPS1 UEPS1 UEPS1 UEPS1 UEPS1 UEPS1 UEPS1 UEPS1 UEPS1 UEPS1 UEPS1 UEPS1 UEPS1 UEPS1 UEPS2 2.3 108.35 70.57 54.24 11.70 UEPS1 UEPS1 UEPS2 2.3 108.35 70.57 54.24 11.70 UEPS1 UEPS2 2.23 108.35 70.57 54.24 11.70 UEPS1 UEPS2 2.23 40.31 19.84 24.59 6.58 UEPS1 UEPS2 2.23 40.31 19.84 24.59 6.58 UEPS1 UEPS2 2.23 40.31 19.84 24.59 6.58 UEPS1 UEPS2 2.23 40.31 19.84 24.59 6.58 UEPS1 UEPS2 2.23 40.31 19.84 24.59 6.58 UEPS1 UEPS2 2.23 40.31 19.84 24.59 6.58 UEPS1 UEPS2 2.23 40.31 19.84 24.59 6.58 UEPS1 UEPS2 2.23 40.31 19.84 24.59 6.58 UEPS1 UEPS2 2.25 40.31 19.84 24.59 6.58 UEPS1 UEPS2 2.25 40.31 19.84 24.59 6.58 UEPS1 UEPS2 2.25 40.31 19.84 24.59 6.58 UEPS1 UEPS2	j														İ			
2-Wire Voice Grade Port, Chritters from aff Serving Wire UEP91 UEP04 2.23 108.35 70.57 54.24 11.70										19.84								
2.Wine Visios Grade Port, Diff Serving Wire Center - 2,3 - 800 UEP91 UEP02 2,23 108,35 70,57 54,24 11,70			2-Wire Voice Grade Port (Centrex from diff Serving Wire															
Service Term						UEP91	UEPQM	2.23	108.35	70.57	54.24	11.70						
2-Wire Voice Grade Port terminated in on Magalink or equivalent UEP91 UEP02 2.23 40.31 19.94 24.90 6.58		1																
2-Wire Voice Grade Port Terminated on 800 Service Term			Service Term			UEP91	UEPQZ	2.23	108.35	70.57	54.24	11.70						
2-Wire Voice Grade Port Terminated on 800 Service Term		ı																İ
Local Switching																		
Centrex Intercon Funtionality, per port UEP91 UEP92 UEP92 UEP94 UEP94 UEP94 UEP94 UEP94 UEP94 UEP94 UEP95 UEP94 UEP95 UEP94 UEP95 UE						UEP91	UEPQ2	2.23	40.31	19.84	24.90	6.58						-
Features Features						LIEDO4	LIDECC	0.7047			-		1					
All Standard Features Offered, per port UEP91 UEPVF 2.56					<u> </u>	UEP91	URECS	0.7947										
All Select Features Offered, per port UEP91 UEPVS 0.00 404.98		reature				LIED01	LIEDVE	2.56					1					-
All Centrex Control Features Offered, per port UEP91 UEPVC 2.56									404 98									
NARS									404.00									
Unbundled Network Access Register - Combination UEP91 UARCX 0.00						02. 0.	02. 10	2.00										
Unbundled Network Access Register - Outdial UEP91 UAROX 0.00 0						UEP91	UARCX	0.00	0.00	0.00	0.00	0.00						
Miscellaneous Ferminations			Unbundled Network Access Register - Indial			UEP91	UAR1X	0.00	0.00	0.00	0.00	0.00						
2-Wire Trunk Side			Unbundled Network Access Register - Outdial			UEP91	UAROX	0.00	0.00	0.00	0.00	0.00						
Interoffice Channel Mileage - 2-Wire																		
Interoffice Channel Mileage - 2-Wire																		
Interoffice Channel Facilities Termination - Voice Grade UEP91 M1GBC 22.52 40.77 27.57 17.26 7.11						UEP91	CENA6	8.25	120.00	18.85	61.77	3.88						
Interoffice Channel mileage, per mile or fraction of mile Feature Activations (DS0) Centrex Loops on Channelized DS1 Service D4 Channel Bank Feature Activations Feature Activation on D-4 Channel Bank Centrex Loop Slot Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot Feature Activation on D-4 Channel Bank Centrex Loop Slot UEP91 IPQW7 D57 Feature Activation on D-4 Channel Bank Centrex Loop Slot UEP91 IPQW7 D57 Feature Activation on D-4 Channel Bank Centrex Loop Slot UEP91 IPQW7 D57 Feature Activation on D-4 Channel Bank Private Line Loop Slot UEP91 IPQW7 D57 Feature Activation on D-4 Channel Bank Private Line Loop Slot UEP91 IPQW7 D57 Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop Slot UEP91 IPQWQ D57 Feature Activation on D-4 Channel Bank WATS Loop Slot UEP91 IPQWQ D57 Feature Activation on D-4 Channel Bank WATS Loop Slot UEP91 IPQWQ D57 IPQWQ D								22.52	40.00		17.00							
Feature Activations (DS0) Centrex Loops on Channelized DS1 Service D4 Channel Bank Feature Activations Feature Activation on D-4 Channel Bank Centrex Loop Slot Feature Activation on D-4 Channel Bank FX line Side Loop Slot Feature Activation on D-4 Channel Bank FX line Side Loop Slot Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot Feature Activation on D-4 Channel Bank Centrex Loop Slot - UEP91 IPQW7 Different Wire Center UEP91 IPQWP Different Wire Center UEP91 USAC2 Different Wire Center Different Wire Center Different Wire Center Different Wire Center UEP91 Different Wire Center Different Wire Center UEP91 Different Wire Center Different Wire Center Different Wire Center Different Wire Center Different Wire Center Different Wire Center Different Wire Center Different W									40.77	27.57	17.26	7.11						—
D4 Channel Bank Feature Activation on D-4 Channel Bank Centrex Loop Slot UEP91 1PQWS 0.57		Foatur				UEP91	MIGBIN	0.0098			-							
Feature Activation on D-4 Channel Bank Centrex Loop Slot				-														
Feature Activation on D-4 Channel Bank FX line Side Loop Slot Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot Feature Activation on D-4 Channel Bank Centrex Loop Slot - Different Wire Center LEP91 Feature Activation on D-4 Channel Bank Private Line Loop Slot Feature Activation on D-4 Channel Bank Private Line Loop Slot Feature Activation on D-4 Channel Bank Private Line Loop Slot Feature Activation on D-4 Channel Bank Private Line Loop Slot UEP91 1PQWV 0.57 Feature Activation on D-4 Channel Bank WATS Loop Slot UEP91 1PQWQ 0.57 Feature Activation on D-4 Channel Bank WATS Loop Slot UEP91 1PQWQ 0.57 Feature Activation on D-4 Channel Bank WATS Loop Slot UEP91 1PQWQ 0.57 Feature Activation on D-4 Channel Bank WATS Loop Slot UEP91 1PQWQ 0.57 Onnercurring Charges (NRC) Associated with UNE-P Centrex Conversion - Currently Combined Switch-As-Is with allowed changes, per port Conversion of Existing Centrex Common Block UEP91 USAC2 0.10 0.10 0.10 1B.68 New Centrex Standard Common Block UEP91 M1ACS 0.00 666.32		_ + O.1a				UEP91	1PQWS	0.57			-							—
Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot Feature Activation on D-4 Channel Bank Centrex Loop Slot - Different Wire Center UEP91 1PQWP 0.57 Feature Activation on D-4 Channel Bank Private Line Loop Slot Feature Activation on D-4 Channel Bank Private Line Loop Slot Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop Slot Feature Activation on D-4 Channel Bank MATS Loop Slot UEP91 1PQWV 0.57 Feature Activation on D-4 Channel Bank WATS Loop Slot UEP91 1PQWQ 0.57 Feature Activation on D-4 Channel Bank WATS Loop Slot UEP91 1PQWQ 0.57 Feature Activation on D-4 Channel Bank WATS Loop Slot UEP91 1PQWQ 0.57 Feature Activation on D-4 Channel Bank WATS Loop Slot UEP91 1PQWQ 0.57 IUEP91 1PQWQ 0.57 IUEP91 1PQWQ 0.57 IUEP91 1PQWQ 0.57 IUEP91 1PQWQ 0.57 IUEP91 IVSAC2 0.10 0.10 0.10 0.10 IUEP91 IVSAC2 0.10 0.10 IUEP91 IVSAC2 0.10 0.10 0.10 IUEP91 IVSAC2 0.10 0.10 0.10 IUEP91 IVSAC3 IUEP91 IUEP91 IVSAC3 IUEP91 IVSAC3 IUEP91 IUEP91 ar Salar			02. 01		0.07			1										
Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot Feature Activation on D-4 Channel Bank Centrex Loop Slot - Different Wire Center UEP91 1PQWP 0.57 Feature Activation on D-4 Channel Bank Private Line Loop Slot Feature Activation on D-4 Channel Bank Private Line Loop Slot Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop Slot Feature Activation on D-4 Channel Bank MATS Loop Slot UEP91 1PQWV 0.57 Feature Activation on D-4 Channel Bank WATS Loop Slot UEP91 1PQWQ 0.57 Feature Activation on D-4 Channel Bank WATS Loop Slot UEP91 1PQWQ 0.57 Feature Activation on D-4 Channel Bank WATS Loop Slot UEP91 1PQWQ 0.57 Feature Activation on D-4 Channel Bank WATS Loop Slot UEP91 1PQWQ 0.57 IUEP91 1PQWQ 0.57 IUEP91 1PQWQ 0.57 IUEP91 1PQWQ 0.57 IUEP91 1PQWQ 0.57 IUEP91 IVSAC2 0.10 0.10 0.10 0.10 IUEP91 IVSAC2 0.10 0.10 IUEP91 IVSAC2 0.10 0.10 0.10 IUEP91 IVSAC2 0.10 0.10 0.10 IUEP91 IVSAC3 IUEP91 IUEP91 IVSAC3 IUEP91 IVSAC3 IUEP91 IUEP91 lot			UEP91	1PQW6	0.57			I							1			
Slot UEP91 1PQW7 0.57 Feature Activation on D-4 Channel Bank Centrex Loop Slot - Different Wire Center UEP91 1PQWP 0.57 Feature Activation on D-4 Channel Bank Private Line Loop Slot UEP91 1PQWV 0.57 Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop Slot UEP91 1PQWQ 0.57 Feature Activation on D-4 Channel Bank WATS Loop Slot UEP91 1PQWQ 0.57 Feature Activation on D-4 Channel Bank WATS Loop Slot UEP91 1PQWQ 0.57 Non-Recurring Charges (NRC) Associated with UNE-P Centrex Conversion - Currently Combined Switch-As-Is with allowed changes, per port UEP91 USAC2 0.10 0.10 Conversion of Existing Centrex Common Block UEP91 USACN 37.97 16.88 New Centrex Standard Common Block UEP91 M1ACS 0.00 666.32																		
Different Wire Center		ı				UEP91	1PQW7	0.57			I							1
Feature Activation on D-4 Channel Bank Private Line Loop Slot																		
Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop Slot Feature Activation on D-4 Channel Bank WATS Loop Slot Non-Recurring Charges (NRC) Associated with UNE-P Centrex Conversion - Currently Combined Switch-As-Is with allowed changes, per port Conversion of Existing Centrex Common Block UEP91 USAC2 0.10 0.10 0.10 0.10 New Centrex Standard Common Block UEP91 USACN New Centrex Standard Common Block UEP91 M1ACS 0.00 666.32			Different Wire Center			UEP91	1PQWP	0.57										
Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop Slot Feature Activation on D-4 Channel Bank WATS Loop Slot Non-Recurring Charges (NRC) Associated with UNE-P Centrex Conversion - Currently Combined Switch-As-Is with allowed changes, per port Conversion of Existing Centrex Common Block UEP91 USAC2 0.10 0.10 0.10 0.10 New Centrex Standard Common Block UEP91 USACN New Centrex Standard Common Block UEP91 M1ACS 0.00 666.32		ı					1											1
Slot						UEP91	1PQWV	0.57			ļ							1
Feature Activation on D-4 Channel Bank WATS Loop Slot UEP91 1PQWA 0.57 Non-Recurring Charges (NRC) Associated with UNE-P Centrex Conversion - Currently Combined Switch-As-Is with allowed changes, per port Conversion of Existing Centrex Common Block UEP91 USACN 37.97 16.68 New Centrex Standard Common Block UEP91 M1ACS 0.00 666.32		ı	,			LIEBOA	400040	0			I							1
Non-Recurring Charges (NRC) Associated with UNE-P Centrex Conversion - Currently Combined Switch-As-Is with allowed changes, per port Conversion of Existing Centrex Common Block UEP91 USACN 37.97 16.88 New Centrex Standard Common Block UEP91 M1ACS 0.00 666.32					 						 							
Conversion - Currently Combined Switch-As-Is with allowed changes, per port UEP91 USAC2 0.10 0.10					 	UEP91	IPQWA	0.57			 		 	 				
changes, per port UEP91 USAC2 0.10 </td <td></td> <td>NOTI-RE</td> <td></td> <td></td> <td></td> <td></td> <td>1</td> <td></td> <td></td> <td></td> <td>t</td> <td></td> <td>1</td> <td>1</td> <td> </td> <td></td> <td></td> <td> </td>		NOTI-RE					1				t		1	1	 			
Conversion of Existing Centrex Common Block UEP91		ı				UEP91	USAC2		0.10	0.10								1
New Centrex Standard Common Block UEP91 M1ACS 0.00 666.32	1										I		1	1				—
								0.00			1							
							M1ACC											

LINRII	IDI ED N	NETWORK ELEMENTS - Mississippi												Attachment:	2 Evh Δ		
UNBU	ADEED I	VETWORK ELEMENTS - MISSISSIPPI	1	1		1	1					Svc Order		Incremental		Incremental	Incremental
												Submitted			Charge -	Charge -	Charge -
																_	
CATE	OPV	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES(\$)			Elec			Manual Svc	Manual Svc	Manual Svc
CATE	JUKI	RATE ELEMENTS	m	Zone	ВСЗ	0300			KATES(4)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
-	1						-	Nonrec		Monroourring	Dissennest			000	Rates(\$)		
			1	<u> </u>			B			Nonrecurring		COMEC	SOMAN			COMAN	SOMAN
		O I			LIEDO4	M2CC1	Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SUMAN
		Secondary Block, per Block			UEP91		0.00	77.91					ļ				+
		NAR Establishment Charge, Per Occasion			UEP91	URECA	0.00	72.63					ļ				+
	Additio	onal Non-Recurring Charges (NRC)	-	-													
		Unbundled Miscellaneous Rate Element, Tag Loop at End Use															1
		Premise Profile To Pro			UEP91	URETL		8.33	0.83								
		Unbundled Miscellaneous Rate Element, Tag Design Loop at															1
		End Use Premise			UEP91	URETN		11.19	1.10								
		CENTREX - 5ESS (Valid in All States)															
		VG Loop/2-Wire Voice Grade Port (Centrex) Combo											ļ				+
<u> </u>	UNE P	ort/Loop Combination Rates (Non-Design)	<u> </u>	<u> </u>		+								1			
	1	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo	1				40.00										1
<u> </u>	1	Non-Design	 	1		+	13.22					1	-	-	 		
	1	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -					40.10										1
-	1	Non-Design	 	1		+	18.13					1			ļ		
	1	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -				1	07.00										1
<u> </u>	 	Non-Design	<u> </u>	<u> </u>		+	27.26							1			
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -	1				4= 04										1
		Non-Design					45.91										
	UNE P	ort/Loop Combination Rates (Design)															
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -	1				40.40										1
		Design (2.14) A Company					16.12										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -					00.00										1
-		Design					20.98										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -					00.70										1
		Design					29.78										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -	1				47.05										1
	LINIE L	Design					47.95					1					
	UNE LO	pop Rate 2-Wire Voice Grade Loop (SL 1) - Zone 1	1	1	UEP95	UECS1	10.98										\vdash
			1	2	UEP95 UEP95	UECS1	15.91										
		2-Wire Voice Grade Loop (SL 1) - Zone 2	-														
		2-Wire Voice Grade Loop (SL 1) - Zone 3	1	3	UEP95 UEP95	UECS1	25.04 43.68										
		2-Wire Voice Grade Loop (SL 1) - Zone 4	1	1		UECS1											
		2-Wire Voice Grade Loop (SL 2) - Zone 1	1	2	UEP95	UECS2	13.89 18.75										
-		2-Wire Voice Grade Loop (SL 2) - Zone 2	1	_	UEP95	UECS2 UECS2											
<u> </u>	 	2-Wire Voice Grade Loop (SL 2) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 4	 	3	UEP95 UEP95	UECS2	27.55 45.72					-	 				
<u> </u>	LIME D	prince voice Grade Loop (SL 2) - Zone 4	 	4	OLF 90	UEUSZ	40.72					-	 				
<u> </u>	All Stat		-	-		+	+					-			 		
-	All Sta	2-Wire Voice Grade Port (Centrex) Basic Local Area	1	1	UEP95	UEPYA	2.23	40.31	19.84	24.90	6.58	1	-				
-	1	2-Wire Voice Grade Port (Centrex) Basic Local Area 2-Wire Voice Grade Port (Centrex 800 termination)	1	1	UEP95 UEP95	UEPYB	2.23	40.31	19.84	24.90	6.58	1	-				
<u> </u>	 	2-Wire Voice Grade Port (Centrex 800 termination) 2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local	-	-	OFL 20	ULFID	2.23	40.31	19.64	24.90	0.38	-			 		
1	1	Area	1	1	UEP95	UEPYH	2.23	40.31	19.84	24.90	6.58				Ì		1
-	1	2-Wire Voice Grade Port (Centrex from diff Serving Wire	1	1	OFL. AD	UEFIN	2.23	40.31	19.84	24.90	0.58	1	-				
	1	Center)2,3 Basic Local Area			UEP95	UEPYM	2.23	108.35	70.57	54.24	11.70						1
-	1	2-Wire Voice Grade Port, Diff Serving Wire Center 2,3 - 800	 	1	OFL 20	OLF TIVI	2.23	100.35	70.57	34.24	11.70	1	-	1	1		
1	1	Service Term - Basic Local Area	1	1	UEP95	UEPYZ	2.23	108.35	70.57	54.24	11.70				Ì		1
-	 	2-Wire Voice Grade Port terminated in on Megalink or equivalent		 	OL: 30	JLI IZ	2.23	100.33	10.31	57.24	11.70	t	1		1		
1	1	- Basic Local Area	1	1	UEP95	UEPY9	2.23	40.31	19.84	24.90	6.58				Ì		1
—	 	2-Wire Voice Grade Port Terminated on 800 Service Term -	 	 	OLI 33	OLI 19	2.23	40.31	13.04	24.30	0.36	1	-		 		
1	1	Basic Local Area	1	1	UEP95	UEPY2	2.23	40.31	19.84	24.90	6.58				Ì		1
-	AI KV	, LA, MS, SC, & TN Only	1	 	OL: 30	JLI 12	2.23	70.31	13.04	24.90	0.30				 		
—	, n.i	2-Wire Voice Grade Port (Centrex)	 	 	UEP95	UEPQA	2.23	40.31	19.84	24.90	6.58	1	-		 		
\vdash	 	2-Wire Voice Grade Port (Centrex) 2-Wire Voice Grade Port (Centrex 800 termination)	 	 	UEP95	UEPQB	2.23	40.31	19.84	24.90	6.58	1	-		 		
	1	2-Wire Voice Grade Port (Centrex with Caller ID)1	 	1	UEP95	UEPQH	2.23	40.31	19.84	24.90	6.58	1					f
-	1	2-Wire Voice Grade Port (Centrex with Caller ID)1 2-Wire Voice Grade Port (Centrex from diff Serving Wire	 	1	021 00	OLI GII	2.23	70.01	13.04	24.30	0.30	1					
	1	Center)2,3			UEP95	UEPQM	2.23	108.35	70.57	54.24	11.70						1 '
	1	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service	 	1		52. QIVI	2.23	100.00	10.01	54.24	11.70	1					1
1	1	Term 2,3	1	1	UEP95	UEPQZ	2.23	108.35	70.57	54.24	11.70				Ì		1
	1	1.0 2,0	1	1	0-1 00	וטבו עב	۷.۷۵	100.00	10.31	J7.24	11.70		1	l	1		

UNBUNDLED	NETWORK ELEMENTS - Mississippi												Attachment:	2 Exh A		
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Submitted	Incremental		Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
							Nonrec	urring	Nonrecurring	Disconnect			oss	Rates(\$)		-
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP95	UEPQ9	2.23	40.31	19.84	24.90	6.58						
	2-Wire Voice Grade Port Terminated on 800 Service Term			UEP95	UEPQ2	2.23	40.31	19.84	24.90	6.58						
	GA Only Switching		1													—
Local	Centrex Intercom Funtionality, per port	1		UEP95	URECS	0.7947										
Featu				OLI 33	OKEGO	0.7347										
1 0414	All Standard Features Offered, per port			UEP95	UEPVF	2.56										
	All Select Features Offered, per port			UEP95	UEPVS	0.00	404.98									
	All Centrex Control Features Offered, per port			UEP95	UEPVC	2.56										
NARS																
	Unbundled Network Access Register - Combination	ļ	1	UEP95	UARCX	0.00	0.00	0.00	0.00	0.00						
 	Unbundled Network Access Register - Indial	1	1	UEP95	UAR1X UAROX	0.00	0.00	0.00	0.00	0.00						
Micco	Unbundled Network Access Register - Outdial	1		UEP95	UARUX	0.00	0.00	0.00	0.00	0.00				1		
	e Trunk Side															
- - - - - - - - - -	Trunk Side Terminations, each			UEP95	CEND6	8.25	120.00	18.85	61.77	3.88						
4-Wire	e Digital (1.544 Megabits)					00										
İ	DS1 Circuit Terminations, each			UEP95	M1HD1	58.41	203.19	96.25	74.86	2.54						
	DS0 Channels Activated, each			UEP95	M1HDO	0.00	14.56									
Intero	ffice Channel Mileage - 2-Wire															
	Interoffice Channel Facilities Termination			UEP95	M1GBC	22.52	40.77	27.57	17.26	7.11						
	Interoffice Channel mileage, per mile or fraction of mile	<u> </u>		UEP95	M1GBM	0.0098										
	re Activations (DS0) Centrex Loops on Channelized DS1 Service annel Bank Feature Activations	e			-											
D4 CI	Feature Activation on D-4 Channel Bank Centrex Loop Slot	1		UEP95	1PQWS	0.57										
	I eature Activation on 5-4 Channel Bank Gentlex Loop Glot			OLI 33	11 QWO	0.51										
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP95	1PQW6	0.57										İ
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop															
	Slot			UEP95	1PQW7	0.57										
	Feature Activation on D-4 Channel Bank Centrex Loop Slot -															
	Different Wire Center			UEP95	1PQWP	0.57										
	Factors Activation on D. A. Channel Beals Driveta Line Land Clat			UEP95	1PQWV	0.57										İ
	Feature Activation on D-4 Channel Bank Private Line Loop Slot Feature Activation on D-4 Channel Bank Tije Line/Trunk Loop			UEP95	TPQWV	0.57										
	Slot			UEP95	1PQWQ	0.57										
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP95	1PQWA	0.57										
Non-F	Recurring Charges (NRC) Associated with UNE-P Centrex					5.57										
	NRC Conversion Currently Combined Switch-As-Is with allowed															
	changes, per port	1		UEP95	USAC2		0.10	0.10								
	Conversion of Existing Centrex Common Block, each	ļ		UEP95	USACN		37.97	16.68								
	New Centrex Standard Common Block	!		UEP95	M1ACS M1ACC	0.00	666.32							-		
 	New Centrex Customized Common Block NAR Establishment Charge, Per Occasion	-		UEP95 UEP95	URECA	0.00	666.32 72.63							-		
Δddit	ional Non-Recurring Charges (NRC)			UEF95	UKECA	0.00	12.03									
Addit	Unbundled Miscellaneous Rate Element, Tag Loop at End Use	1														
	Premise			UEP95	URETL		8.33	0.83								İ
	Unbundled Miscellaneous Rate Element, Tag Design Loop at															
	End Use Premise	1		UEP95	URETN		11.19	1.10								
	CENTREX - DMS100 (Valid in All States)															1
	e VG Loop/2-Wire Voice Grade Port (Centrex) Combo	<u> </u>			1											
UNE	Port/Loop Combination Rates (Non-Design)	1	 		1											
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Non-Design	1				13.22										1
 	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -	1			+	13.22										
	Non-Design	1				18.13										1
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
	Non-Design					27.26										1

UNBUNDLED	NETWORK ELEMENTS - Mississippi												Attachment:	2 Exh A		
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted	Incremental	Incremental Charge -	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						1	Nonrec	rurring	Nonrecurring	Disconnect			oss	Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -	-				1100										
	Non-Design					45.91										
UNE F	Port/Loop Combination Rates (Design)															
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Design	1				16.12										'
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -					10.12										
	Design					20.98										'
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
	Design					29.78										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Design	1				47.95										
UNE L	oop Rate					47.95										-
	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP9D	UECS1	10.98										
	2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEP9D	UECS1	15.91										
	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP9D	UECS1	25.04										
-	2-Wire Voice Grade Loop (SL 1) - Zone 4 2-Wire Voice Grade Loop (SL 2) - Zone 1		4	UEP9D UEP9D	UECS1 UECS2	43.68 13.89										-
	2-Wire Voice Grade Loop (SL 2) - Zone 1 2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP9D	UECS2	18.75										
	2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP9D	UECS2	27.55										
	2-Wire Voice Grade Loop (SL 2) - Zone 4		4	UEP9D	UECS2	45.72										
	ort Rate															
ALL S	TATES 13 Wire Voice Crade Bort (Contray) Basis Local Area			UEP9D	UEPYA	2.23	40.31	19.84	24.90	6.58						-
	2-Wire Voice Grade Port (Centrex) Basic Local Area 2-Wire Voice Grade Port (Centrex 800 termination)Basic Local			UEF9D	UEPTA	2.23	40.31	19.04	24.90	0.56						+
	Area			UEP9D	UEPYB	2.23	40.31	19.84	24.90	6.58						
	2-Wire Voice Grade Port (Centrex / EBS-PSET)3Basic Local															
	Area			UEP9D	UEPYC	2.23	40.31	19.84	24.90	6.58						
	2-Wire Voice Grade Port (Centrex / EBS-M5009)3Basic Local Area			UEP9D	UEPYD	2.23	40.31	19.84	24.90	6.58						
	2-Wire Voice Grade Port (Centrex / EBS-M5209))3 Basic Local			UEF9D	UEPTD	2.23	40.31	19.04	24.90	0.56						+
	Area			UEP9D	UEPYE	2.23	40.31	19.84	24.90	6.58						
	2-Wire Voice Grade Port (Centrex / EBS-M5112))3 Basic Local															
	Area			UEP9D	UEPYF	2.23	40.31	19.84	24.90	6.58						
	2-Wire Voice Grade Port (Centrex / EBS-M5312))3Basic Local			UEP9D	UEPYG	2.23	40.21	10.94	24.00	6.58						
	Area 2-Wire Voice Grade Port (Centrex / EBS-M5008))3 Basic Local			UEP9D	UEFTG	2.23	40.31	19.84	24.90	0.56						
	Area			UEP9D	UEPYT	2.23	40.31	19.84	24.90	6.58						
	2-Wire Voice Grade Port (Centrex / EBS-M5208))3 Basic Local															
	Area			UEP9D	UEPYU	2.23	40.31	19.84	24.90	6.58						
	2-Wire Voice Grade Port (Centrex / EBS-M5216))3 Basic Local Area			UEP9D	UEPYV	2.23	40.31	19.84	24.90	6.58						
	2-Wire Voice Grade Port (Centrex / EBS-M5316))3 Basic Local			OLFBD	OLFIV	2.23	40.31	19.04	24.50	0.30						+
	Area			UEP9D	UEPY3	2.23	40.31	19.84	24.90	6.58						
	2-Wire Voice Grade Port (Centrex with Caller ID) Basic Local															
	Area			UEP9D	UEPYH	2.23	40.31	19.84	24.90	6.58						
	2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp Indication))4 Basic Local Area			UEP9D	UEPYW	2.23	40.31	19.84	24.90	6.58						
	2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication))4			UEP9D	UEPTW	2.23	40.31	19.04	24.90	0.56						+
	Basic Local Area			UEP9D	UEPYJ	2.23	40.31	19.84	24.90	6.58						
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)															
	2,3-Basic Local Area	ļ		UEP9D	UEPYM	2.23	108.35	70.57	54.24	11.70						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2,3,4 Basic Local Area			UEP9D	UEPYO	2.23	108.35	70.57	54.24	11.70						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2,3,4	 	-	טבו אַט	OLFIO	2.23	100.33	10.51	54.24	11.70						
	Basic Local Area			UEP9D	UEPYP	2.23	108.35	70.57	54.24	11.70						1
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2,3,4															
	Basic Local Area	<u> </u>		UEP9D	UEPYQ	2.23	108.35	70.57	54.24	11.70						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2,3,4 Basic Local Area			UEP9D	UEPYR	2.23	108.35	70.57	54.24	11.70						1
	Dasic Local Alta	1	<u> </u>	OLFBD	OLFIK	2.23	100.35	70.37	34.24	11.70	L	L		L	L	

UNBUNDLE	D NETWORK ELEMENTS - Mississippi												Attachment:	2 Exh A		
CATEGORY		Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						i I	Nonrec	curring	Nonrecurring	Disconnect	1		088	Rates(\$)		
-						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2,3,4					1100	11130	Auu i	11130	Auu	COMILO	COMPAR	COMPAR	COMPAR	COMPAR	COMPAR
	Basic Local Area			UEP9D	UEPYS	2.23	108.35	70.57	54.24	11.70						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2,3,4								¥							
	Basic Local Area			UEP9D	UEPY4	2.23	108.35	70.57	54.24	11.70						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3															ĺ
	Basic Local Area			UEP9D	UEPY5	2.23	108.35	70.57	54.24	11.70						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2,3,4															
.	Basic Local Area			UEP9D	UEPY6	2.23	108.35	70.57	54.24	11.70						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2,3,4 Basic Local Area			UEP9D	UEPY7	2.23	108.35	70.57	54.24	11.70						
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service	-		UEP9D	UEPY/	2.23	108.35	70.57	54.24	11.70		-				
	Term 2,3			UEP9D	UEPYZ	2.23	108.35	70.57	54.24	11.70						
 	2-Wire Voice Grade Port terminated in on Megalink or equivalent	1	1	OL: 3D	OLI IZ	2.23	100.33	10.51	54.24	11.70						†
	Basic Local Area			UEP9D	UEPY9	2.23	40.31	19.84	24.90	6.58			1			
	2-Wire Voice Grade Port Terminated on 800 Service Term Basic															
	Local Area			UEP9D	UEPY2	2.23	40.31	19.84	24.90	6.58			<u> </u>			
AL,	KY, LA, MS, SC, & TN Only															
	2-Wire Voice Grade Port (Centrex)			UEP9D	UEPQA	2.23	40.31	19.84	24.90	6.58						
	2-Wire Voice Grade Port (Centrex 800 termination)			UEP9D	UEPQB	2.23	40.31	19.84	24.90	6.58						
	2-Wire Voice Grade Port (Centrex / EBS-PSET)4			UEP9D	UEPQC	2.23	40.31	19.84	24.90	6.58						
	2-Wire Voice Grade Port (Centrex / EBS-M5009)4			UEP9D	UEPQD	2.23	40.31	19.84	24.90 24.90	6.58	1					<u> </u>
	2-Wire Voice Grade Port (Centrex / EBS-M5209)4 2-Wire Voice Grade Port (Centrex / EBS-M5112)4	-		UEP9D UEP9D	UEPQE UEPQF	2.23 2.23	40.31 40.31	19.84 19.84	24.90	6.58 6.58		-				
	2-Wire Voice Grade Port (Centrex / EBS-M5312)4			UEP9D	UEPQG	2.23	40.31	19.84	24.90	6.58	1					1
	2-Wire Voice Grade Port (Centrex / EBS-M5008)4			UEP9D	UEPQT	2.23	40.31	19.84	24.90	6.58						
	2-Wire Voice Grade Port (Centrex / EBS-M5208)4			UEP9D	UEPQU	2.23	40.31	19.84	24.90	6.58						
	2-Wire Voice Grade Port (Centrex / EBS-M5216)4			UEP9D	UEPQV	2.23	40.31	19.84	24.90	6.58						
	2-Wire Voice Grade Port (Centrex / EBS-M5316)4			UEP9D	UEPQ3	2.23	40.31	19.84	24.90	6.58						
	2-Wire Voice Grade Port (Centrex with Caller ID)			UEP9D	UEPQH	2.23	40.31	19.84	24.90	6.58						
	2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp															
	Indication)4			UEP9D	UEPQW	2.23	40.31	19.84	24.90	6.58						
	2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication)4			UEP9D	UEPQJ	2.23	40.31	19.84	24.90	6.58						
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)			UEP9D	UEPQM	2.23	108.35	70.57	E4 24	11.70						
	2,3	1	1	UEP9D	UEPQIVI	2.23	108.35	70.57	54.24	11.70						1
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2,3,4			UEP9D	UEPQO	2.23	108.35	70.57	54.24	11.70						
	2 1110 10100 01000 1 011 (00111010 0110 1 0110 1 02 1 02			02.00	02. 00	2.20	.00.00	10.01	02.							
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2,3,4			UEP9D	UEPQP	2.23	108.35	70.57	54.24	11.70						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2,3,4			UEP9D	UEPQQ	2.23	108.35	70.57	54.24	11.70						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2,3,4			UEP9D	UEPQR	2.23	108.35	70.57	54.24	11.70						
	2 Mine Veine Conda Dark (Contravidiffer CNAC /EDC ME240)2 2 4			LIEDOD	UEPQS	0.00	400.05	70.57	54.04	44.70						
-	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2,3,4			UEP9D	UEPQS	2.23	108.35	70.57	54.24	11.70						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2,3,4			UEP9D	UEPQ4	2.23	108.35	70.57	54.24	11.70						
	2 Wile Voice Clade Fort (Control and Cove / EBO (Nocoo)2,0,4			OLI OD	OLI Q+	2.20	100.00	70.07	04.24	11.70						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2,3,4			UEP9D	UEPQ5	2.23	108.35	70.57	54.24	11.70			1			
	, , , , , , , , , , , , , , , , , , , ,	1											1			
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2,3,4			UEP9D	UEPQ6	2.23	108.35	70.57	54.24	11.70			<u> </u>			
]			
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2,3,4	1	1	UEP9D	UEPQ7	2.23	108.35	70.57	54.24	11.70	<u> </u>		ļ			<u> </u>
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service			LIEDOD	LIEDOZ	2.23	400.05	70.57	54.04	44.70			1			
 	Term 2,3	1	1	UEP9D	UEPQZ	2.23	108.35	70.57	54.24	11.70	 		1			
	2-Wire Voice Grade Port terminated in on Megalink or equivalent	.]		UEP9D	UEPQ9	2.23	40.31	19.84	24.90	6.58			1			
	2-Wire Voice Grade Port Terminated in 61 Wegamik of equivalent	1	1	UEP9D	UEPQ2	2.23	40.31	19.84	24.90	6.58						†
Loc	al Switching		1	05		2.20	.0.01	.0.04	200	3.00						i e
	Centrex Intercom Funtionality, per port			UEP9D	URECS	0.7947					1					1

UNBUNDI ED	NETWORK ELEMENTS - Mississippi												Attachment:	2 Fxh A	l	
ONBONDEED	METHORIC ELEMENTO IMISSISSIPPI										Svc Order				Incremental	Incremental
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		Interi	_					DATEO(8)			Elec			Manual Svc		Manual Svo
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
							Nonrec		Nonrecurring					Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
Featur	All Standard Features Offered, per port			UEP9D	UEPVF	2.56										
 	All Select Features Offered, per port			UEP9D	UEPVS	0.00	404.98									
	All Centrex Control Features Offered, per port			UEP9D	UEPVC	2.56	10 1100									
NARS																
	Unbundled Network Access Register - Combination			UEP9D	UARCX	0.00	0.00	0.00	0.00	0.00						
	Unbundled Network Access Register - Inward Unbundled Network Access Register - Outdial			UEP9D UEP9D	UAR1X UAROX	0.00	0.00	0.00	0.00	0.00						
Misce	laneous Terminations			UEP9D	UARUX	0.00	0.00	0.00	0.00	0.00						
	Trunk Side															
	Trunk Side Terminations, each			UEP9D	CEND6	8.25	120.00	18.85	61.77	3.88						
4-Wire	Digital (1.544 Megabits)			LIEDAD												
	DS1 Circuit Terminations, each			UEP9D UEP9D	M1HD1 M1HDO	58.41 0.00	203.19 14.56	96.25	74.86	2.54						-
Intero	DS0 Channels Activiated per Channel fice Channel Mileage - 2-Wire			UEP9D	MIHDO	0.00	14.56									
intero	Interoffice Channel Facilities Termination			UEP9D	M1GBC	22.52	40.77	27.57	17.26	7.11						
	Interoffice Channel mileage, per mile or fraction of mile			UEP9D	M1GBM	0.0098	-		_							
	e Activations (DS0) Centrex Loops on Channelized DS1 Service	е														
D4 Ch	annel Bank Feature Activations			LIEBAR	4501110											
	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP9D	1PQWS	0.57										
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP9D	1PQW6	0.57										İ
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop			02.00		0.0.										
	Slot			UEP9D	1PQW7	0.57										
	Feature Activation on D-4 Channel Bank Centrex Loop Slot -															ĺ
	Different Wire Center			UEP9D	1PQWP	0.57										
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP9D	1PQWV	0.57										ĺ
	Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop			02.00		0.01										
	Slot			UEP9D	1PQWQ	0.57										
L	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP9D	1PQWA	0.57										
Non-R	ecurring Charges (NRC) Associated with UNE-P Centrex NRC Conversion Currently Combined Switch-As-Is with allowed															
	changes, per port			UEP9D	USAC2		0.10	0.10								İ
	Conversion of existing Centrex Common Block, each			UEP9D	USACN		37.97	16.68								
	New Centrex Standard Common Block			UEP9D	M1ACS	0.00	666.32									
	New Centrex Customized Common Block			UEP9D	M1ACC	0.00	666.32									
V 44:7:	NAR Establishment Charge, Per Occasion onal Non-Recurring Charges (NRC)			UEP9D	URECA	0.00	72.63				 	 				
Addition	Unbundled Miscellaneous Rate Element, Tag Loop at End Use															—
	Premise			UEP9D	URETL		8.33	0.83								1
	Unbundled Miscellaneous Rate Element, Tag Design Loop at															
L	End Use Premise			UEP9D	URETN		11.19	1.10			ļ					
	CENTREX - EWSD (Valid in AL, FL, KY, LA, MS & TN) VG Loop/2-Wire Voice Grade Port (Centrex) Combo										-	-				-
	ort/Loop Combination Rates (Non-Design)										-					—
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -															
	Non-Design					13.22										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo					40.40										
\vdash	Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -					18.13										
	Non-Design					27.26										1
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -					0										
$\sqcup \sqcup \sqcup$	Non-Design					45.91										
UNE P	ort/Loop Combination Rates (Design)															
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Design					16.12										1
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -					10.12										
	Design					20.98										1

NRANDLED V	ETWORK ELEMENTS - Mississippi											•	Attachment:			
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Submitted	Incremental Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic-	Charge - Manual Svc Order vs. Electronic-	Charge - Manual Sv Order vs. Electronic
													1st	Add'l	Disc 1st	Disc Add'
						1	Nonrec	urring	Nonrecurring	Disconnect			OSS	Rates(\$)	L	
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
	Design					29.78										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -															
	Design					47.95										
	pop Rate															
	2-Wire Voice Grade Loop (SL 1) - Zone 1			UEP9E	UECS1	10.98										
	2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEP9E	UECS1	15.91										
	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP9E	UECS1	25.04										
	2-Wire Voice Grade Loop (SL 1) - Zone 4			UEP9E	UECS1	43.68										
	2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP9E	UECS2	13.89										
	2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP9E	UECS2	18.75					-			-	 	
	2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP9E UEP9E	UECS2 UECS2	27.55 45.72								-	-	
	2-Wire Voice Grade Loop (SL 2) - Zone 4		4	UEF9E	UEC62	45.72								-	-	
	KY, LA, MS, & TN only															
AL, FL,	2-Wire Voice Grade Port (Centrex) Basic Local Area			UEP9E	UEPYA	2.23	40.31	19.84	24.90	6.58						
-	2-Wire Voice Grade Port (Centrex) Basic Local Area 2-Wire Voice Grade Port (Centrex 800 termination)Basic Local			J_1 J_	JEI IA	2.23	70.51	13.04	24.30	0.30					t	
	Area			UEP9E	UEPYB	2.23	40.31	19.84	24.90	6.58					I	
-	2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local			OLI OL	OLI ID	2.20	40.01	10.04	24.00	0.00						
	Area			UEP9E	UEPYH	2.23	40.31	19.84	24.90	6.58						
	2-Wire Voice Grade Port (Centrex from diff Serving Wire															
	Center)2,3 Basic Local Area			UEP9E	UEPYM	2.23	108.35	70.57	54.24	11.70						
	2-Wire Voice Grade Port, Diff Serving Wire Center 2,3 - 800								•							
	Service Term - Basic Local Area			UEP9E	UEPYZ	2.23	108.35	70.57	54.24	11.70						
	2-Wire Voice Grade Port terminated in on Megalink or equivalent															
	- Basic Local Area			UEP9E	UEPY9	2.23	40.31	19.84	24.90	6.58						
	2-Wire Voice Grade Port Terminated on 800 Service Term -															
	Basic Local Area			UEP9E	UEPY2	2.23	40.31	19.84	24.90	6.58						
AL, KY	, LA, MS, & TN Only															
	2-Wire Voice Grade Port (Centrex)			UEP9E	UEPQA	2.23	40.31	19.84	24.90	6.58						
	2-Wire Voice Grade Port (Centrex 800 termination)			UEP9E	UEPQB	2.23	40.31	19.84	24.90	6.58						
	2-Wire Voice Grade Port (Centrex with Caller ID)1			UEP9E	UEPQH	2.23	40.31	19.84	24.90	6.58						
	2-Wire Voice Grade Port (Centrex from diff Serving Wire															
	Center)2,3			UEP9E	UEPQM	2.23	108.35	70.57	54.24	11.70						
	2-Wire Voice Grade Port, Diff Serving Wire Center 2,3 - 800			LIEDOE	115007	0.00	400.05	70.57	5404	44.70						
	Service Term		<u> </u>	UEP9E	UEPQZ	2.23	108.35	70.57	54.24	11.70				1	!	
1	2 Wire Voice Crede Port terminated in an Manalist and in the			UEP9E	UEPQ9	2.23	40.04	19.84	24.90	0.50					I	
	2-Wire Voice Grade Port terminated in on Megalink or equivalent 2-Wire Voice Grade Port Terminated on 800 Service Term		-	UEP9E UEP9E	UEPQ9 UEPQ2	2.23	40.31 40.31	19.84	24.90	6.58 6.58				-	-	
	witching			OLF 3L	ULFUZ	2.23	40.31	19.64	24.90	0.38				1	t	
Local S	Centrex Intercom Funtionality, per port			UEP9E	URECS	0.7947								-	 	
Feature		-	1	OL: 9L	JILLOO	0.7347									 	
	All Standard Features Offered, per port			UEP9E	UEPVF	2.56								1	I	
	All Select Features Offered, per port			UEP9E	UEPVS	0.00	404.98								1	
	All Centrex Control Features Offered, per port			UEP9E	UEPVC	2.56									İ	
NARS				-	1										1	
<u> </u>	Unbundled Network Access Register - Combination			UEP9E	UARCX	0.00	0.00	0.00	0.00	0.00				İ	1	
	Unbundled Network Access Register - Indial			UEP9E	UAR1X	0.00	0.00	0.00	0.00	0.00						
	Unbundled Network Access Register - Outdial			UEP9E	UAROX	0.00	0.00	0.00	0.00	0.00						
	aneous Terminations															
2-Wire	Trunk Side															
	Trunk Side Terminations, each			UEP9E	CEND6	8.25	120.00	18.85	61.77	3.88						
4-Wire	Digital (1.544 Megabits)		<u> </u>			ļ									1	
	DS1 Circuit Terminations, each			UEP9E	M1HD1	58.41	203.19	96.25	74.86	2.54					ļ	
	DS0 Channel Activated Per Channel			UEP9E	M1HDO	0.00	14.56		ļ						ļ	
Interoff	ice Channel Mileage - 2-Wire															
	Interoffice Channel Facilities Termination Interoffice Channel mileage, per mile or fraction of mile			UEP9E UEP9E	M1GBC M1GBM	22.52 0.0098	40.77	27.57	17.26	7.11				ļ	-	
											1		1	ī	1	

UNBUNDLED I	NETWORK ELEMENTS - Mississippi												Attachment:	2 Exh A		
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Submitted	Incremental	Incremental Charge -	Charge -	Charge -
						↓ _ ↓	Nonrec		Nonrecurring					Rates(\$)		
D4 Cha	 annel Bank Feature Activations		1			Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
D4 Clia	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP9E	1PQWS	0.57					-					
	realtire Activation on 5-4 charmer bank centrex 2009 clot			OLI 3L	II QWO	0.57										
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot Feature Activation on D-4 Channel Bank FX Trunk Side Loop			UEP9E	1PQW6	0.57										-
	Slot			UEP9E	1PQW7	0.57										
	Feature Activation on D-4 Channel Bank Centrex Loop Slot -															
	Different Wire Center			UEP9E	1PQWP	0.57										
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP9E	1PQWV	0.57										
	Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop															
	Slot			UEP9E	1PQWQ	0.57										
Non D	Feature Activation on D-4 Channel Bank WATS Loop Slot ecurring Charges (NRC) Associated with UNE-P Centrex	<u> </u>		UEP9E	1PQWA	0.57					-					
Non-Re	NRC Conversion Currently Combined Switch-As-Is with allowed		1		+	1										1
	changes, per port			UEP9E	USAC2		0.10	0.10								
	Conversion of Existing Centrex Common Block, each			UEP9E	USACN		37.97	16.68								
	New Centrex Standard Common Block			UEP9E	M1ACS	0.00	666.32	10.00								
	New Centrex Customized Common Block			UEP9E	M1ACC	0.00	666.32									
	NAR Establishment Charge, Per Occasion			UEP9E	URECA	0.00	72.63									
Additio	onal Non-Recurring Charges (NRC)															
	Unbundled Miscellaneous Rate Element, Tag Loop at End Use															
	Premise			UEP9E	URETL		8.33	0.83								
	Unbundled Miscellaneous Rate Element, Tag Design Loop at End Use Premise			UEP9E	URETN		11.19	1.10								
	CENTREX - DCO - Valid in AL, KY, LA, MS, & TN)															
	VG Loop/2-Wire Voice Grade Port (Centrex) Combo															
UNE P	ort/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -					-										
	Non-Design					13.22										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design					18.13										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo					07.00										
	Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -					27.26										
	Non-Design					45.91										
UNE P	ort/Loop Combination Rates (Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -															
	Design					16.12										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design					20.98										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -				1											
	Design	-	<u> </u>			29.78										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Design					47.95										
UNE Le	oop Rate		\sqcup	LIEBAA												
\vdash	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP93	UECS1	10.98										
\vdash	2-Wire Voice Grade Loop (SL 1) - Zone 2 2-Wire Voice Grade Loop (SL 1) - Zone 3	<u> </u>	3	UEP93 UEP93	UECS1 UECS1	15.91 25.04				-	 					
 	2-Wire Voice Grade Loop (SL 1) - Zone 3 2-Wire Voice Grade Loop (SL 1) - Zone 4	-	4	UEP93	UECS1	43.68			 		-					
	2-Wire Voice Grade Loop (SL 1) - Zone 1	l	1	UEP93	UECS2	13.89					 	 				
	2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP93	UECS2	18.75			Ì							
	2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP93	UECS2	27.55										
	2-Wire Voice Grade Loop (SL 2) - Zone 4		4	UEP93	UECS2	45.72		•								
	ort Rate					ļ .										1
AL, KY	Y, LA, MS, & TN only			LIEDOS	LIEDYA	0.00	40.01	10.01	04.60	0.50						
	2-Wire Voice Grade Port (Centrex) Basic Local Area 2-Wire Voice Grade Port (Centrex 800 termination)Basic Local			UEP93	UEPYA	2.23	40.31	19.84	24.90	6.58				-		
	Area			UEP93	UEPYB	2.23	40.31	19.84	24.90	6.58	<u> </u>					

													Attachment:	Z LAII A		
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR		Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Charge -	Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'l
							Nonrec		Nonrecurring					Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local															
	Area			UEP93	UEPYH	2.23	40.31	19.84	24.90	6.58						
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)2,3 Basic Local Area			UEP93	UEPYM	2.23	108.35	70.57	54.24	11.70						
	2-Wire Voice Grade Port, Diff Serving Wire Center - 2,3 - 800 Service Term - Basic Local Area			UEP93	UEPYZ	2.23	108.35	70.57	54.24	11.70						
	2-Wire Voice Grade Port terminated in on Megalink or equivalent															
	- Basic Local Area			UEP93	UEPY9	2.23	40.31	19.84	24.90	6.58						
	2-Wire Voice Grade Port Terminated on 800 Service Term - Basic Local Area			UEP93	UEPY2	2.23	40.31	19.84	24.90	6.58						
	2-Wire Voice Grade Port (Centrex)			UEP93	UEPQA	2.23	40.31	19.84	24.90	6.58						
	2-Wire Voice Grade Port (Centrex 800 termination)			UEP93	UEPQB	2.23	40.31	19.84	24.90	6.58						
	2-Wire Voice Grade Port (Centrex with Caller ID)1			UEP93	UEPQH	2.23	40.31	19.84	24.90	6.58						
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)2,3			UEP93	UEPQM	2.23	108.35	70.57	54.24	11.70						
	2-Wire Voice Grade Port, Diff Serving Wire Center - 2,3 -800								-							
	Service Term			UEP93	UEPQZ	2.23	108.35	70.57	54.24	11.70						
	2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP93	UEPQ9	2.23	40.31	19.84	24.90	6.58						
	2-Wire Voice Grade Port Terminated on 800 Service Term			UEP93	UEPQ2	2.23	40.31	19.84	24.90	6.58						
Local	Switching			02. 00	02. Q2	2.20	10.01		200	0.00						
	Centrex Intercom Funtionality, per port			UEP93	URECS	0.7947										
Featu						011011										
	All Standard Features Offered, per port			UEP93	UEPVF	2.56										
	All Centrex Control Features Offered, per port			UEP93	UEPVC	2.56										
NARS																
	Unbundled Network Access Register - Combination			UEP93	UARCX	0.00	0.00	0.00	0.00	0.00						
	Unbundled Network Access Register - Indial			UEP93	UAR1X	0.00	0.00	0.00	0.00	0.00						
	Unbundled Network Access Register - Outdial			UEP93	UAROX	0.00	0.00	0.00	0.00	0.00						
	ellaneous Terminations															
2-Wire	e Trunk Side Trunk Side Terminations, each			UEP93	CEND6	8.25	120.00	18.85	C4 77	3.88						<u> </u>
4 10/10	e Digital (1.544 Megabits)			UEP93	CENDO	8.25	120.00	18.85	61.77	3.88						<u> </u>
4-99116	DS1 Circuit Terminations, each			UEP93	M1HD1	58.41	203.19	96.25	74.86	2.54						1
-+	DS0 Channels Activated, Per Channel			UEP93	M1HDO	0.00	14.56	30.23	74.00	2.04						+
Interc	office Channel Mileage - 2-Wire			02. 00		0.00	1 1100									
	Interoffice Channel Facilities Termination			UEP93	M1GBC	22.52	40.77	27.57	17.26	7.11						
	Interoffice Channel mileage, per mile or fraction of mile			UEP93	M1GBM	0.0098										
Featu	re Activations (DS0) Centrex Loops on Channelized DS1 Service	е														
D4 Ch	nannel Bank Feature Activations															
	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP93	1PQWS	0.57										
	Feature Activation on D-4 Channel Bank FX Line Side Loop Slot			UEP93	1PQW6	0.57										
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot			UEP93	1PQW7	0.57		·				-				
	Feature Activation on D-4 Channel Bank Centrex Loop Slot -				1PQWP	0.57										
	Different Wire Center			UEP93							1					
	Feature Activation on D-4 Channel Bank Private Line Loop Slot		<u> </u>	UEP93	1PQWV	0.57										
	Feature Activation on D-4 Channel Bank Tie Line/Trunk Loop Slot			UEP93	1PQWQ	0.57										
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP93	1PQWA	0.57				<u> </u>						
Non-F	Recurring Charges (NRC) Associated with UNE-P Centrex															
	NRC Conversion Currently Combined Switch-As-Is with allowed				1				l l							
	changes, per port			UEP93	USAC2		0.10	0.10								ļ
	10 1 (51) 0 1 0 51 1 1															
	Conversion of Existing Centrex Common Block, each			UEP93	USACN	0.00	37.97	16.68			ļ					
	Conversion of Existing Centrex Common Block, each New Centrex Standard Common Block New Centrex Customized Common Block			UEP93 UEP93 UEP93	M1ACC	0.00	666.32 666.32	16.68								

UNBUNDLED N	IETWORK ELEMENTS - Mississippi												Attachment:	2 Exh A		
											Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
							Nonrec	urring	Nonrecurring	g Disconnect		1	oss	Rates(\$)		<u> </u>
	Rec First Add'I First Add'I SOMEC SOMAN SO															
Additio	nal Non-Recurring Charges (NRC)															
	Unbundled Miscellaneous Rate Element, Tag Loop at End Use														l	
	Premise			UEP93	URETL		8.33	0.83								
	Unbundled Miscellaneous Rate Element, Tag Design Loop at														ļ l	
	End Use Premise			UEP93	URETN		11.19	1.10							ļ l	
Note 1	Required Port for Centrex Control in 1AESS, 5ESS & EWSD															
Note 2	Requres Interoffice Channel Mileage															
Note 3	 Installation is combination of Installation charge for SL2 Lo 	op and	Port	•	•		•				•					
Note 4	Requires Specific Customer Premises Equipment			•	•		•				•					
Note: F	Rates displaying an "I" in Interim column are interim as a resu	ılt of a (Commi	ssion order.			-									

UNRU	NDI ED N	ETWORK ELEMENTS - North Carolina												Attachment:	2 Fyh Δ	l	
ONDO	ADELD I	ETWORK ELLINERTO - NOTHI Garonna										Svc Order		Incremental		Incremental	Incremental
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
			Intori									Elec	Manually	Manual Svc	Manual Svc		Manual Svc
CATE	GORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m									F	F	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
																2.00 .01	2.007.444
								Nonrec			Disconnect				Rates(\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
			1														
		one" shown in the sections for stand-alone loops or loops as				ographically	Deaveraged U	NE Zones. To	view Geograp	hically Deaver	aged UNE Zone	e Designation	ons by Cent	ral Office, refe	er to internet	Website:	
		ww.interconnection.bellsouth.com/become_a_clec/html/inter	rconnec	tion.ht	m												
OPER.		SUPPORT SYSTEMS (OSS) - "REGIONAL RATES"															
		CLEC should contact its contract negotiator if it prefers the contract negotiator if it prefers the contract negotiator if it prefers the contract negotiator if it prefers the contract negotiator if it prefers the contract negotiator if it prefers the contract negotiator if it prefers the contract negotiator if it prefers the contract negotiator if it prefers the contract negotiator if it prefers the contract negotiator if it prefers the contract negotiator if it prefers the contract negotiator if it prefers the contract negotiator if it prefers the contract negotiator if it prefers the contract negotiator if it prefers the contract negotiator if it prefers the contract negotiator if it prefers the contract negotiator is negotiator. Output Description of the contract negotiator is negotiator in the contract negotiator in the contract negotiator is negotiator. Output Description of the contract negotiator is negotiator in the contract negotiator is negotiator.															
		ther the state specific Commission ordered rates for the servi															
		2) Any element that can be ordered electronically will be bill															
	tnat cal	nnot be ordered electronically at present per the LOH, the list	ea SON	EC rate	e in this category ref	lects the cha	arge that would	be billed to a	CLEC once el	ectronic oraeri	ng capabilities	come on-II	ne for that e	element. Otne	erwise, the ma	anuai ordering	g cnarge,
1		OSS - Electronic Service Order Charge, Per Local Service Request (LSR) - UNE Only				SOMEC		3.50	0.00	3.50	0.00		1				
-	1	OSS - Manual Service Order Charge, Per Local Service Request	1	1		SOIVIEU	1	3.50	0.00	3.50	0.00	-	 		1	1	
1		(LSR) - UNE Only	1			SOMAN		15.20	0.00	15.20	0.00						
LINE 9	FRVICE	DATE ADVANCEMENT CHARGE	1	1		CONMIN	1	15.20	0.00	15.20	0.00	-	 		1	1	
ONE 3		The Expedite charge will be maintained commensurate with	BellSon	th's FC	C No.1 Tariff Section	n 5 as annli	cable.		1		I	1	·		I .	I .	ı ————————————————————————————————————
	14012.	The Expedite ondige will be maintained commensurate with	Denoce		UAL, UEANL, UCL,	п о аз аррп	l l				l		I		l	l	I
1					UEF, UDF, UEQ,												
					UDL, UENTW, UDN,												
					UEA, UHL, ULC,												
					USL, U1T12, U1T48,												
					U1TD1, U1TD3,												
					U1TDX, U1TO3,												
					U1TS1, U1TVX,												
					UC1BC, UC1BL,												
					UC1CC, UC1CL,												
					UC1DC, UC1DL,												
					UC1EC, UC1EL,												
					UC1FC, UC1FL,												
					UC1GC, UC1GL,												
					UC1HC, UC1HL,												
					UDL12, UDL48,												
					UDLO3, UDLSX,												
					UE3, ULD12,												
					ULD48, ULDD1,												
					ULDD3, ULDDX,												
1					ULDO3, ULDS1, ULDVX, UNC1X.												
1					UNC3X, UNCDX,								1				
1					UNCNX, UNCSX,								1				
1					UNCVX, UNLD1.												
1					UNLD3, UXTD1,								1				
1					UXTD3, UXTS1,								1				
1					U1TUC, U1TUD.								1				
1					U1TUB,												
1	1	UNE Expedite Charge per Circuit or Line Assignable USOC, per			U1TUA,NTCVG,								1				
1		Day			NTCUD, NTCD1	SDASP		200.00					1				
ORDE		CÁTION CHARGE															
		Order Modification Charge (OMC)						26.21	0.00	0.00	0.00						
		Order Modification Additional Dispatch Charge (OMCAD)						0.00	0.00	0.00	0.00						
UNBU		XCHANGE ACCESS LOOP															
<u> </u>	2-WIRE	ANALOG VOICE GRADE LOOP					ļ										
1		2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or				l <u>.</u>											
L	1	Ground Start Signaling - Zone 1	1	1	UEA	UEAL2	11.96	102.10	65.72								
1		2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or		_	1154	LIEALO	17.00	400.40	05 =0				1				
-	1	Ground Start Signaling - Zone 2	1	2	UEA	UEAL2	17.36	102.10	65.72								
1		2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or		_	1154	LIEALO	25.00	400.40	05.70				1				
-	1	Ground Start Signaling - Zone 3 2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse	1	3	UEA	UEAL2	25.23	102.10	65.72						-	-	
1					UEA	UEAR2	11.96	102.10	65.72				1				
	1	Battery Signaling - Zone 1	1	1	OLA	UEAR2	11.96	102.10	05.72			<u> </u>	l			l	

Version 4Q05 Standard ICA 03/15/06 (Renegotiations) Page 179 of 261

UNRUN	DI FD I	NETWORK ELEMENTS - North Carolina											Attachment: 2	2 Fyh Δ		
ONBON	IDLLD	VETWORK ELEMENTS - NOTHI Caronna									Svc Order	Svc Order		Incremental	Incremental	Incremental
												Submitted		Charge -	Charge -	Charge -
			Interi								Elec	Manually		Manual Svc	Manual Svc	Manual Svo
CATEG	ORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES(\$)		per LSR			Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
							ı	Nonrec		Nonrecurring Disconnect			220	Rates(\$)		<u> </u>
							Rec	First	Add'l	First Add'l		SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse					Nec	11131	Auu	Tilst Add I	JOINEO	JONAN	JOINAIN	JOHAN	JOHIAN	JOHIAN
		Battery Signaling - Zone 2		2	UEA	UEAR2	17.36	102.10	65.72							İ
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse														
		Battery Signaling - Zone 3		3	UEA	UEAR2	25.23	102.10	65.72							İ
		Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per														
		DS0)			UEA	URESL		25.03	3.53							
		Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per														İ
-		DS0)			UEA UEA	URESP UREWO		26.52 87.49	5.02 36.26			1				—
-		CLEC to CLEC Conversion Charge without outside dispatch Loop Tagging - Service Level 2 (SL2)			UEA	URETL		11.20	1.10	 		1				
	4-WIRE	E ANALOG VOICE GRADE LOOP			ULA	OKLIL		11.20	1.10	 						—
	7 771172	4-Wire Analog Voice Grade Loop - Zone 1		1	UEA	UEAL4	19.52	127.40	91.02							
		4-Wire Analog Voice Grade Loop - Zone 2			UEA	UEAL4	24.74	127.40	91.02							
		4-Wire Analog Voice Grade Loop - Zone 3			UEA	UEAL4	46.11	127.40	91.02	1						
		Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per														
L	L	DS0)	<u></u>	L	UEA	URESL	<u> </u>	25.03	3.53	<u> </u>		<u></u>	<u> </u>			<u> </u>
		Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per														
		DS0)			UEA	URESP		26.52	5.02							
		CLEC to CLEC Conversion Charge without outside dispatch			UEA	UREWO		87.49	36.26							
	2-WIRE	ISDN DIGITAL GRADE LOOP														
		2-Wire ISDN Digital Grade Loop - Zone 1		1	UDN	U1L2X	19.78	113.34	76.96							
		2-Wire ISDN Digital Grade Loop - Zone 2			UDN	U1L2X	26.16	113.34	76.96							
		2-Wire ISDN Digital Grade Loop - Zone 3 CLEC to CLEC Conversion Charge without outside dispatch			UDN UDN	U1L2X UREWO	35.37	113.34 91.39	76.96 44.04							
	2-WIDE	E ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMP	ATIRI F			UKEVVO		91.39	44.04	 		1				
	Z-VVIKE	2 Wire Unbundled ADSL Loop including manual service inquiry	ATIBLE	LOOF	1	+										
		& facility reservation - Zone 1		1	UAL	UAL2X	10.14	117.08	68.36							ĺ
		2 Wire Unbundled ADSL Loop including manual service inquiry														
		& facility reservation - Zone 2		2	UAL	UAL2X	11.59	117.08	68.36							ĺ
		2 Wire Unbundled ADSL Loop including manual service inquiry														
		& facility reservation - Zone 3		3	UAL	UAL2X	12.28	117.08	68.36							
		2 Wire Unbundled ADSL Loop without manual service inquiry &														l
		facility reservaton - Zone 1		1	UAL	UAL2W	10.14	92.83	56.02							
		2 Wire Unbundled ADSL Loop without manual service inquiry &		_	UAL	UAL2W	44.50	00.00	50.00							l
		facility reservaton - Zone 2 2 Wire Unbundled ADSL Loop without manual service inquiry &			UAL	UALZVV	11.59	92.83	56.02							
		facility reservation - Zone 3		2	UAL	UAL2W	12.28	92.83	56.02							
		CLEC to CLEC Conversion Charge without outside dispatch			UAL	UREWO	12.20	78.06	32.38							
	2-WIRE	HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIBLE	LOOP				. 0.00	32.30							
		2 Wire Unbundled HDSL Loop including manual service inquiry				1										
		& facility reservation - Zone 1		1	UHL	UHL2X	7.95	125.50	76.77			<u> </u>				<u></u>
		2 Wire Unbundled HDSL Loop including manual service inquiry							· · · · · · · · · · · · · · · · · · ·							
		& facility reservation - Zone 2		2	UHL	UHL2X	9.15	125.50	76.77							1
		2 Wire Unbundled HDSL Loop including manual service inquiry		1	l			,								1
		& facility reservation - Zone 3		3	UHL	UHL2X	9.53	125.50	76.77			<u> </u>				
		2 Wire Unbundled HDSL Loop without manual service inquiry			UHL	UHL2W	7.05	101.04	64.40							1
		and facility reservation - Zone 1 2 Wire Unbundled HDSL Loop without manual service inquiry		 1	UTL	UHL2W	7.95	101.24	64.43	 	_	 				-
		and facility reservation - Zone 2		2	UHL	UHL2W	9.15	101.24	64.43							1
		2 Wire Unbundled HDSL Loop without manual service inquiry			U. IL	OI ILEVV	3.13	101.24	04.43			1				
l		and facility reservation - Zone 3		3	UHL	UHL2W	9.53	101.24	64.43							1
		CLEC to CLEC Conversion Charge without outside dispatch			UHL	UREWO		78.00	32.38							
	4-WIRE	HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIBLE	LOOP												
		4 Wire Unbundled HDSL Loop including manual service inquiry														1
<u></u>		and facility reservation - Zone 1		1	UHL	UHL4X	11.01	153.26	104.54			ļ				
		4-Wire Unbundled HDSL Loop including manual service inquiry		1	l			,								1
		and facility reservation - Zone 2		2	UHL	UHL4X	12.20	153.26	104.54							
		4-Wire Unbundled HDSL Loop including manual service inquiry		_	l.,,,,	UHL4X	13.49	450.00	404.54							1
		and facility reservation - Zone 3		3	UHL	UHL4X	13.49	153.26	104.54	1						<u> </u>

UNRI	NDI FD I	NETWORK ELEMENTS - North Carolina											Attachment:	2 Fyh Δ		1
	GORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)			Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic-	Charge - Manual Svc Order vs. Electronic-	Order vs. Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
							Do.	Nonrec		Nonrecurring Disconnec		COMAN		Rates(\$)	SOMAN	SOMAN
		4-Wire Unbundled HDSL Loop without manual service inquiry		1			Rec	First	Add'l	First Add'l	SOWIEC	SOMAN	SOMAN	SOMAN	SOWAN	SUMAN
		and facility reservation - Zone 1		1	UHL	UHL4W	11.01	129.00	92.20							
		4-Wire Unbundled HDSL Loop without manual service inquiry														
		and facility reservation - Zone 2 4-Wire Unbundled HDSL Loop without manual service inquiry		2	UHL	UHL4W	12.20	129.00	92.20							
		and facility reservation - Zone 3		3	UHL	UHL4W	13.49	129.00	92.20							
		CLEC to CLEC Conversion Charge without outside dispatch			UHL	UREWO		78.00	32.38							
	4-WIRE	DS1 DIGITAL LOOP		<u> </u>		1101101		0.45.40	150.00							
		4-Wire DS1 Digital Loop - Zone 1 4-Wire DS1 Digital Loop - Zone 2			USL	USLXX	63.62 104.40	245.16 245.16	152.98 152.98							
		4-Wire DS1 Digital Loop - Zone 3			USL	USLXX	210.22	245.16	152.98							
		Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per														
		DS1)			USL	URESL		25.03	3.53							
		Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per DS1)			USL	URESP		26.52	5.02							
		CLEC to CLEC Conversion Charge without outside dispatch			USL	UREWO		100.82	42.93							
	4-WIRE	19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP														
		4 Wire Unbundled Digital Loop 2.4 Kbps - Zone 1			UDL	UDL2X	21.98 27.58	121.86	85.48							
		4 Wire Unbundled Digital Loop 2.4 Kbps - Zone 2 4 Wire Unbundled Digital Loop 2.4 Kbps - Zone3			UDL UDL	UDL2X UDL2X	43.08	121.86 121.86	85.48 85.48							
		4 Wire Unbundled Digital Loop 4.8 Kbps -Zone 1			UDL	UDL4X	21.98	121.86	85.48							
		4 Wire Unbundled Digital Loop 4.8 Kbps - Zone 2		2	UDL	UDL4X	27.58	121.86	85.48							
		4 Wire Unbundled Digital Loop 4.8 Kbps - Zone 3			UDL	UDL4X	43.08	121.86	85.48							
		4 Wire Unbundled Digital Loop 9.6 Kbps - Zone 1 5 Wire Unbundled Digital Loop 9.6 Kbps - Zone 2			UDL UDL	UDL9X UDL9X	21.98 27.58	121.86 121.86	85.48 85.48			1				
		6 Wire Unbundled Digital Loop 9.6 Kbps - Zone 3			UDL	UDL9X	43.08	121.86	85.48							
		4 Wire Unbundled Digital 19.2 Kbps - Zone 1		1	UDL	UDL19	21.98	121.86	85.48							
		4 Wire Unbundled Digital 19.2 Kbps - Zone 2			UDL	UDL19	27.58	121.86	85.48							
		4 Wire Unbundled Digital 19.2 Kbps - Zone 3 4 Wire Unbundled Digital Loop 56 Kbps - Zone 1			UDL UDL	UDL19 UDL56	43.08 21.98	121.86 121.86	85.48 85.48							
		4 Wire Unbundled Digital Loop 56 Kbps - Zone 2			UDL	UDL56	27.58	121.86	85.48							
		4 Wire Unbundled Digital Loop 56 Kbps - Zone 3			UDL	UDL56	43.08	121.86	85.48							
		4 Wire Unbundled Digital Loop 64 Kbps - Zone 1			UDL	UDL64	21.98	121.86	85.48							
		4 Wire Unbundled Digital Loop 64 Kbps - Zone 2 4 Wire Unbundled Digital Loop 64 Kbps - Zone 3			UDL UDL	UDL64 UDL64	27.58 43.08	121.86 121.86	85.48 85.48							
		Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per		3	ODL	ODLOT	43.00	121.00	05.40							
		DS0)			UDL	URESL		25.03	3.53							
		Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per							=							
		DS0) CLEC to CLEC Conversion Charge without outside dispatch		1	UDL UDL	URESP UREWO		26.52 101.86	5.02 49.62							
	2-WIRE	Unbundled COPPER LOOP			ODL	OKEWO		101.00	40.02							
		2-Wire Unbundled Copper Loop-Designed including manual														
		service inquiry & facility reservation - Zone 1		1	UCL	UCLPB	10.14	116.18	67.46							
		2-Wire Unbundled Copper Loop-Designed including manual service inquiry & facility reservation - Zone 2		2	UCL	UCLPB	11.59	116.18	67.46							
		2 Wire Unbundled Copper Loop-Designed including manual			OOL	OOLI B	11.55	110.10	07.40							
	1	service inquiry & facility reservation - Zone 3		3	UCL	UCLPB	12.28	116.18	67.46							
		2-Wire Unbundled Copper Loop-Designed without manual			UCL	LICI DW	40.44	04.00	FF 10							
	+	service inquiry and facility reservation - Zone 1 2-Wire Unbundled Copper Loop-Designed without manual		1	UCL	UCLPW	10.14	91.92	55.12	 	+	1				
		service inquiry and facility reservation - Zone 2		2	UCL	UCLPW	11.59	91.92	55.12							
		2-Wire Unbundled Copper Loop-Designed without manual														
	1	service inquiry and facility reservation - Zone 3 Order Coordination for Unbundled Copper Loops (per loop)	-		UCL UCL	UCLPW	12.28	91.92 61.38	55.12 61.38	 		1				
	1	CLEC to CLEC Conversion Charge without outside dispatch	1	1	UCL	UCLIVIC		01.38	01.38	+ +	+	1				
	1	(UCL-Des)		<u></u>	UCL	UREWO		89.06	34.45	<u> </u>]
	4-WIRE	COPPER LOOP														
	1	4-Wire Copper Loop including manual service inquiry and facility reservation - Zone 1		1	UCL	UCL4S	13.10	139.69	90.96							
	_1	Productivation - Zone i	<u> </u>	<u> </u>	JUUL	UUL+U	13.10	133.09	30.30	1		1	l			l

UNBUNDI ED	NETWORK ELEMENTS - North Carolina												Attachment:	2 Fxh A		
0.1201.1212												Svc Order	Incremental	Incremental		Incremental
											Submitted Elec		Charge - Manual Svc	Charge - Manual Svc	Charge - Manual Svc	Charge - Manual Svc
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		""									•		Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
							Nonrec	urring	Nonrecurring Disc	connect			oss	Rates(\$)		
						Rec	First	Add'l		Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	4-Wire Copper Loop including manual service inquiry and facility															
	reservation - Zone 2		2	UCL	UCL4S	15.17	139.69	90.96								\vdash
	4-Wire Copper Loop including manual service inquiry and facility reservation - Zone 3		3	UCL	UCL4S	17.03	139.69	90.96								
	4-Wire Copper Loop without manual service inquiry and facility reservation - Zone 1		1	UCL	UCL4W	13.10	115.43	78.63								
	4-Wire Copper Loop without manual service inquiry and facility															
	reservation - Zone 2 4-Wire Copper Loop without manual service inquiry and facility		2	UCL	UCL4W	15.17	115.43	78.63								
	reservation - Zone 3		3	UCL	UCL4W	17.03	115.43	78.63								
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		61.38	61.38								
1 1 -	CLEC to CLEC Conversion Charge without outside dispatch			UCL	UREWO		20.00	04.45		T	·					
	(UCL-Des)			UCL UEA, UDN, UAL,	UREWO		89.06	34.45								-
	Order Coordination for Specified Conversion Time (per LSR)			UHL, UDL, USL	OCOSL		17.56									
Rearra	ngements															
	EEL to UNE-L Retermination, per 2 Wire Unbundled Voice Loop-				UDEE:											
	SL2			UEA	UREEL		87.49	36.26								
	EEL to UNE-L Retermination, per 4 Wire Unbundled Voice Loop			UEA	UREEL		87.49	36.26								
	EEL to UNE-L Retermination, per 2 Wire ISDN Loop			UDN	UREEL		91.39	44.04								
	EEL to UNE-L Retermination, per 4 Wire Unbundled Digital															
	Loop EEL to UNE-L Retermination, per 4 Wire Unbundled DS1 Loop			UDL USL	UREEL		101.86 100.82	49.62 42.93								-
UNE LOOP CO	DMMINGLING			USL	UKEEL		100.62	42.93								
	E ANALOG VOICE GRADE LOOP - COMMINGLING															,
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or															
\vdash	Ground Start Signaling - Zone 1 2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or		1	NTCVG	UEAL2	11.96	102.10	65.72								-
	Ground Start Signaling - Zone 2		2	NTCVG	UEAL2	17.36	102.10	65.72								
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or															
	Ground Start Signaling - Zone 3		3	NTCVG	UEAL2	25.23	102.10	65.72								
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 1		4	NTCVG	UEAR2	11.96	102.10	65.72								
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse		- '	NICVG	UEARZ	11.90	102.10	65.72								
	Battery Signaling - Zone 2		2	NTCVG	UEAR2	17.36	102.10	65.72								
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 3		3	NTCVG	UEAR2	25.23	102.10	65.72								
	Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per		3	NICVO	OLAKZ	25.25	102.10	03.72								
	DS0)			NTCVG	URESL		25.03	3.53								
	Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per DS0)			NTCVG	URESP		26.52	5.02								
	CLEC to CLEC Conversion Charge without outside dispatch			NTCVG	UREWO		87.49	36.26								
	Loop Tagging - Service Level 2 (SL2)			NTCVG	URETL		11.20	1.10								
4-WIR	E ANALOG VOICE GRADE LOOP -COMMINGLING		4	NITOVO	LIENIA	40.50	407.40	04.00								
 	4-Wire Analog Voice Grade Loop - Zone 1 4-Wire Analog Voice Grade Loop - Zone 2	 		NTCVG NTCVG	UEAL4 UEAL4	19.52 24.74	127.40 127.40	91.02 91.02								
	4-Wire Analog Voice Grade Loop - Zone 3			NTCVG	UEAL4	46.11	127.40	91.02		i						
İ	Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per															
	DS0) Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per		 	NTCVG	URESL		25.03	3.53								
	DS0)			NTCVG	URESP		26.52	5.02								
	CLEC to CLEC Conversion Charge without outside dispatch			NTCVG	UREWO		87.49	36.26								
4-WIR	DS1 DIGITAL LOOP															
\vdash	4-Wire DS1 Digital Loop - Zone 1 4-Wire DS1 Digital Loop - Zone 2	<u> </u>		NTCD1 NTCD1	USLXX	63.62 104.40	245.16 245.16	152.98 152.98								<u> </u>
 	4-Wire DS1 Digital Loop - Zone 2 4-Wire DS1 Digital Loop - Zone 3	<u> </u>		NTCD1	USLXX	210.22	245.16	152.98	 							
	Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per	†			555700	210.22		102.30								
1 1	DS1)			NTCD1	URESL		25.03	3.53								

UNRUNDI	ED N	ETWORK ELEMENTS - North Carolina												Attachment:	2 Evh Δ		
ONDONDE	LUI	ETWORK ELEMENTS - NORTH Carolina				1	l					Svc Order	Svc Order	Incremental		Incremental	Incremental
												Submitted			Charge -	Charge -	Charge -
																_	
0475005		DATE EL EMENTO	Interi	-	B00				DATEC(#)			Elec	Manually		Manual Svc	Manual Svc	Manual Svc
CATEGOR	₹Y	RATE ELEMENTS	m	Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
														100	Auu	D130 131	DISC Add I
								Nonred	urring	Nonrecurring	Disconnect			oss	Rates(\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per															
		DS1)			NTCD1	URESP		26.52	5.02								
		CLEC to CLEC Conversion Charge without outside dispatch			NTCD1	UREWO		100.82	42.93								
4.1	WIDE	19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP			NICDI	UKLVVO		100.02	42.33			1					
4-	VVIKE			- 4	NTCUD	LIDLOV	21.98	121.86	85.48			-					
-		4 Wire Unbundled Digital Loop 2.4 Kbps - Zone 1				UDL2X											
		4 Wire Unbundled Digital Loop 2.4 Kbps - Zone 2			NTCUD	UDL2X	27.58	121.86	85.48								
		4 Wire Unbundled Digital Loop 2.4 Kbps - Zone3			NTCUD	UDL2X	43.08	121.86	85.48								
		4 Wire Unbundled Digital Loop 4.8 Kbps -Zone 1			NTCUD	UDL4X	21.98	121.86	85.48								
		4 Wire Unbundled Digital Loop 4.8 Kbps - Zone 2			NTCUD	UDL4X	27.58	121.86	85.48								
		4 Wire Unbundled Digital Loop 4.8 Kbps - Zone 3		3	NTCUD	UDL4X	43.08	121.86	85.48								
		4 Wire Unbundled Digital Loop 9.6 Kbps - Zone 1		1	NTCUD	UDL9X	21.98	121.86	85.48								
		5 Wire Unbundled Digital Loop 9.6 Kbps - Zone 2		2	NTCUD	UDL9X	27.58	121.86	85.48	1					İ		
		6 Wire Unbundled Digital Loop 9.6 Kbps - Zone 3	1		NTCUD	UDL9X	43.08	121.86	85.48	i l		1	İ	İ	İ		
 		4 Wire Unbundled Digital 19.2 Kbps - Zone 1			NTCUD	UDL19	21.98	121.86	85.48	1		1	1		1		
—		4 Wire Unbundled Digital 19.2 Kbps - Zone 2	1		NTCUD	UDL19	27.58	121.86	85.48			 					
\vdash		4 Wire Unbundled Digital 19.2 Kbps - Zone 2	1		NTCUD	UDL19	43.08	121.86	85.48	 		 	 	1	 		
\vdash		4 Wire Unbundled Digital 19.2 Kbps - Zone 3 4 Wire Unbundled Digital Loop 56 Kbps - Zone 1	1		NTCUD	UDL19	43.08 21.98	121.86	85.48 85.48	-		 	-				
-																	
		4 Wire Unbundled Digital Loop 56 Kbps - Zone 2			NTCUD	UDL56	27.58	121.86	85.48								
		4 Wire Unbundled Digital Loop 56 Kbps - Zone 3			NTCUD	UDL56	43.08	121.86	85.48								
		4 Wire Unbundled Digital Loop 64 Kbps - Zone 1			NTCUD	UDL64	21.98	121.86	85.48								
		4 Wire Unbundled Digital Loop 64 Kbps - Zone 2		2	NTCUD	UDL64	27.58	121.86	85.48								
		4 Wire Unbundled Digital Loop 64 Kbps - Zone 3		3	NTCUD	UDL64	43.08	121.86	85.48								
		Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per															
		DS0)			NTCUD	URESL		25.03	3.53								
		Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per															
		DS0)			NTCUD	URESP		26.52	5.02								
		CLEC to CLEC Conversion Charge without outside dispatch			NTCUD	UREWO		101.86	49.62								
—		CLEC to CLEC Conversion onlarge without outside dispatch			NTCVG, NTCUD,	UKLVVO		101.00	43.02								
		Order Coordination for Specified Conversion Time (per LSR)			NTCD1	OCOSL		17.56									
UNDUND		CONTROL COORDINATION OF SPECIFIED CONVERSION TIME (PER LOK)			NICDI	OCOSL		17.50				-					
						+											
2-1	WIKE	ANALOG VOICE GRADE LOOP															
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1			UEANL	UEAL2	10.82	36.54	16.87								
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2			UEANL	UEAL2	16.21	36.54	16.87								
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3			UEANL	UEAL2	24.08	36.54	16.87			1					
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1		1	UEANL	UEASL	10.82	36.54	16.87					L			
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2		2	UEANL	UEASL	16.21	36.54	16.87								
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3		3	UEANL	UEASL	24.08	36.54	16.87								
		Tag Loop at End User Premise			UEANL	URETL		8.93	0.88								
		Loop Testing - Basic 1st Half Hour			UEANL	URET1		33.17	0.00	i i							
		Loop Testing - Basic Additional Half Hour			UEANL	URETA	i	19.28	19.28	i		1		i			
—		Manual Order Coordination for UVL-SL1s (per loop)	1	1	UEANL	UEAMC		7.92	7.92			 					
+		Order Coordination for Specified Conversion Time for UVL-SL1	 	1	O = / 11 1 E	3E/ W/IO		1.32	1.32			1	1	1	1		
				1	UEANL	OCOSL		17.56]			I	1	1		
\vdash		(per LSR)	1	 	ULAINL	UCUSL		17.56		-		 	-				
		Unbundled Non-Design Voice Loop, billing for BST providing			LIFANII	115 48 4		40.01	10.01								
\vdash		make-up (Engineering Information - E.I.)	ļ		UEANL	UEANM		13.04	13.04								
		CLEC to CLEC Conversion Charge Without Outside Dispatch		1]			I	1	1		
\perp		(UVL-SL1)			UEANL	UREWO		15.74	8.92			1	1]			
2-1	WIRE	Unbundled COPPER LOOP	<u> </u>			1						1	ļ				
		2-Wire Unbundled Copper Loop - Non-Designed Zone 1			UEQ	UEQ2X	10.93	35.27	15.60								
		2 Wire Unbundled Copper Loop - Non-Designed - Zone 2			UEQ	UEQ2X	12.75	35.27	15.60								
		2 Wire Unbundled Copper Loop - Non-Designed - Zone 3		3	UEQ	UEQ2X	13.92	35.27	15.60								
		Tag Loop at End User Premise			UEQ	URETL		8.93	0.88	1					İ		
		Loop Testing - Basic 1st Half Hour	1		UEQ	URET1		33.17	0.00	i l		1	İ	İ	İ		
		Loop Testing - Basic Additional Half Hour			UEQ	URETA		19.28	19.28	i							
		Manual Order Coordination 2 Wire Unbundled Copper Loop -	1		- 1	1		20		1		1	i	1	1		
		Non-Designed (per loop)	1	1	UEQ	USBMC		7.92	7.92]			İ		l		
 		Unbundled Copper Loop - Non-Design, billing for BST providing	1	 		CODIVIO		7.32	7.32	 		 			 		
		make-up (Engineering Information - E.I.)	1	1	UEQ	UEQMU		13.04	13.04]			İ		l		
LL		make-up (Engineening iniormation - E.i.)	l	1	ULV	UERIVIO	l	13.04	13.04	ı		1	1	l	l .		

ATEORY BATE REMEMBY BATE REM	UNBUNDLED	NETWORK ELEMENTS - North Carolina												Attachment:	2 Exh A		Π
California Control C	CATEGORY			Zone	BCS	USOC			RATES(\$)			Submitted Elec	Submitted Manually	Incremental Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic-	Charge - Manual Svc Order vs. Electronic-	Charge -
California Control C								Nonre	curring	Nonrecurring	Disconnect		1	oss	Rates(\$)	ı	
CLE Con CLECT Connection Charge Without Copaled Topics (CLC) UND CONTROL TYPE							Rec					SOMEC	SOMAN			SOMAN	SOMAN
Uservictor Loop Microfication: Removal of Load Cole - 2 Wee pair lives than or equal to 18 ft. per Uniformated Loop Microfication, Removal of Load Cole - 2 Wee pair lives than or equal to 18 ft. per Uniformated Loop Microfication, Removal of Load Cole - 2 wee pair lives than to equal to 18 ft. per Uniformated Loop Microfication, Removal of Load Cole - 2 wee pair lives than to equal to 18 ft. per Uniformated Loop Microfication, Removal of Load Cole - 4 Wee Loop Loop Loop Loop Loop Loop Loop Lo		CLEC to CLEC Conversion Charge Without Outside Dispatch															
Whiterellies Loop Medication, Removal of Load Cols - 2 Vire part free then or equal to 18 ft, per Unbursted Loop					UEQ	UREWO		14.23	7.41								
Unique U	LOOP MODIF	ICATION															
gester than 18 ft 18 18 18 18 18 18 18 1		pair less than or equal to 18k ft, per Unbundled Loop			UEQ, ULS, UEA, UEANL, UEPSR,	ULM2L		0.00	0.00								
Unbunded Lope Modification Removal of Lodd Colls - 4 Wire elegation or equal to 10 Ref. or Unbunded Lope Colls - 4 Wire elegation or equal to 10 Ref. or Unbunded Lope Colls - 4 Wire part of Tran 18 ref. Unbunded Lope Modification Removal of Edition Transcription of Logical Colls - 4 Wire part of Tran 18 ref. Unbunded Lope Modification Removal of Edition Transcription of Logical Colls - 4 Wire Part of Logical Colls - 4 Wire Par																	
Internal Computer State 18 of the per Unbrunded Loop U.S. U.S. U.S. U.S. U.S. U.S. U.S. U.		greater than 18k ft			UCL, ULS, UEQ	ULM2G		0.00	0.00								
Unburided Loop Modification Removal of Load Calls - 4 Wen pair greater from 18 Hz								0.00	0.00								
Description Description	-				UHL, UCL, UEA	ULM4L		0.00	0.00								
Unburnified Loop Modification Removal of Bridged Tap Removal, USB UESA, UESA					UCI	UI M4G		0.00	0.00								
Sub-Loop Per Cross Box Location - CLEC Feeder Facility Set- Up		Unbundled Loop Modification Removal of Bridged Tap Removal,			UAL, UHL, UCL, UEQ, ULS, UEA, UEANL, UEPSR,												
Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set-Up UEANL, UEF USBSA 144.09 UEANL, UEF USBSA 144.09 UEANL, UEF USBSA 144.09 UEANL, UEF USBSA 10.99 UEANL, UEF USBSA 10.99 UEANL, UEF USBSA 10.99 UEANL, UEF USBSA USBSC UEANL, USBSC UE	SUB-LOOPS																
UEAN, UEF USBSA 14.09 USBSA 14.09 USBSA 14.09 USBSA 10.99 USBSA 10.99 USBSA USBSA 10.99 USBSA	Sub-L																
Sub-Loop - Per Building Equipment Room - CLEC Feeder Parilly Set-Up UEANL USBSC 86.16					UEANL, UEF	USBSA		144.09									
Sub-Loop - Per Building Equipment Room - CLEC Feeder Parilly Set-Up UEANL USBSC 86.16		O. I. I. and D. O. and D. and S. D. and D. a			LIEANU LIEE	LIODOD		40.00	40.00								
Sub-Loop Petribution Per 2-Wire Analog Voice Grade Loop - 2 UEANL USBN2 5.70 63.89 30.06		Sub-Loop - Per Building Equipment Room - CLEC Feeder							10.99								
Set-Up					UEAINL	USBSC		00.10									
Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -					UEANL	USBSD		27.13	27.13								
Zone 2		Zone 1		1	UEANL	USBN2	6.70	63.89	30.06								
Zone 3 3 UEANL USBNC 12.79 63.89 30.06		Zone 2		2	UEANL	USBN2	9.93	63.89	30.06								
Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -				3	UEANL	USBN2	12.79	63.89	30.06								
Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -		Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		7.92	7.92								
Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - 2 UEANL USBN4 14.16 76.75 42.92		Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -							-								
Zone 2	-			1	UEANL	USBN4	10.81	76.75	42.92								
Zone 3 JEANL USBN4 24.67 76.75 42.92		Zone 2		2	UEANL	USBN4	14.16	76.75	42.92								
Sub-Loop 2-Wire Intrabuilding Network Cable (INC)				3	UEANL	USBN4	24.67	76.75	42.92								
Sub-Loop 2-Wire Intrabuilding Network Cable (INC)																	
Order Coordination for Unbundled Sub-Loops, per sub-loop pair UEANL USBMC 7.92 7.92	\vdash		<u> </u>	<u> </u>								<u> </u>		ļ	ļ		_
Sub-Loop 4-Wire Intrabuilding Network Cable (INC)	 	Sub-Loop 2-Wire Intrabuilding Network Cable (INC)		<u> </u>	UEANL	USBR2	2.34	51.48	17.65								
Sub-Loop 4-Wire Intrabuilding Network Cable (INC)		Order Coordination for Unbundled Sub-Loops, per sub-loop pair	l		ΙΙΕΔΝΙ	LISBMC		7.02	7.02					1	1		
Dorder Coordination for Unbundled Sub-Loops, per sub-loop pair UEANL USBMC 7.92 7.92				1			4.18			 		1					
Service Order charges will apply only once per sub-loop UEANL URET1 33.17 0.00 UEANL URET1 UEF UEANL URET3 19.28 19.28 UEANL URET4 UEF UEANL URET5 UEANL URET6 UEANL URET7 UEANL URET7 UEANL URET7 UEANL URET7 UEANL URET8 UEANL URET9																	
Loop Testing - Basic 1st Half Hour					UEANL	USBMC		7.92	7.92								
Loop Testing - Basic Additional Half Hour	Servi							· · · · · · · · · · · · · · · · · · ·									
2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1														ļ	ļ		ļ
2 Wire Copper Unbundled Sub-Loop Distribution - Zone 2 2 UEF UCS2X 8.04 63.89 30.06				L								ļ					
2 Wire Copper Unbundled Sub-Loop Distribution - Zone 3 3 UEF UCS2X 9.79 63.89 30.06 Order Coordination for Unbundled Sub-Loops, per sub-loop pair UEF USBMC 7.92 7.92 4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1 1 UEF UCS4X 6.34 76.75 42.92	\vdash		<u> </u>									ļ		 	 	ļ	
Order Coordination for Unbundled Sub-Loops, per sub-loop pair UEF USBMC 7.92 7.92 4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1 1 UEF UCS4X 6.34 76.75 42.92	 		l									1		-	 		
4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1 1 UEF UCS4X 6.34 76.75 42.92		z write Copper Unburialea Sub-Loop Distribution - Zone 3	<u> </u>	3	UEF	UUSZX	9.79	63.89	30.06	 		 					
				1			6.24										
	 	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1	l			UCS4X	9.62	76.75	42.92	+		1	1	1			

HINDH	NDI ED I	NETWORK ELEMENTS - North Carolina												Attachment:	2 Evh A		
UNBU	NULEU	NETWORK ELEMENTS - NOTHI CATOHIIA	1			ı	1					Svc Order		Incremental		Incremental	Incremental
												Submitted	Submitted		Charge -	Charge -	Charge -
												Elec		Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATE	GORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES(\$)					Order vs.	Order vs.	Order vs.	Order vs.
OALL		NATE ELEMENTO	m	20.10	500	0000			= = (+)			per LSR	per LSR				
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
								Nonrec	urring	Nonrecurring	g Disconnect			oss	Rates(\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		4 Wire Copper Unbundled Sub-Loop Distribution - Zone 3		3	UEF	UCS4X	13.04	76.75	42.92								
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEF	USBMC		7.92	7.92								1
		Loop Tagging Service Level 1, Unbundled Copper Loop, Non-															
		Designed and Distribution Subloops			UEF, UEANL	URETL		8.93	0.88								1
		Loop Testing - Basic 1st Half Hour			UEF	URET1		33.17	0.00								
		Loop Testing - Basic Additional Half Hour			UEF	URETA		19.28	19.28								
	Unbun	dled Sub-Loop Modification															İ
		Unbundled Sub-Loop Modification - 2-W Copper Dist Load															1
		Coil/Equip Removal per 2-W PR			UEF	ULM2X		0.00	0.00								İ
		Unbundled Sub-loop Modification - 4-W Copper Dist Load															
		Coil/Equip Removal per 4-W PR			UEF	ULM4X		0.00	0.00								
		Unbundled Loop Modification, Removal of Bridge Tap, per															1
		unbundled loop			UEF	ULMBT		224.55	4.29								
	Unbun	dled Network Terminating Wire (UNTW)															
		Unbundled Network Terminating Wire (UNTW) per Pair			UENTW	UENPP	0.51	14.72	14.72								
	Networ	k Interface Device (NID)															
		Network Interface Device (NID) - 1-2 lines			UENTW	UND12		86.37	56.69								
		Network Interface Device (NID) - 1-6 lines	<u> </u>		UENTW	UND16		127.93	98.21								
		Network Interface Device Cross Connect - 2 W	<u> </u>		UENTW	UNDC2 UNDC4		5.73	5.73								
		Network Interface Device Cross Connect - 4W			UENTW	UNDC4		5.73	5.73								
		Network Interface Device (NID) - 2-Wire Voice Grade					1.01	1.42	1.42								
		Network Interface Device (NID) - 4-Wire Voice Grade					1.14	1.42	1.42								i
		Network Interface Device (NID) - 2-Wire ISDN Digital Grade					1.01	1.42	1.42								
		Network Interface Device (NID) - 2-Wire ADSL Compatible					1.01	1.42	1.42								
		Network Interface Device (NID) - 2-Wire HDSL Compatible					1.01	1.42	1.42								
		`															—
		Network Interface Device (NID) - 4-Wire HDSL Compatible					1.14	1.42	1.42								
		Network Interface Device (NID) - 4-Wire 19.2 kbps					1.14	1.42	1.42								
		Network Interface Device (NID) - 4-Wire 56 kbps					1.14	1.42	1.42								1
		Network Interface Device (NID) - 4-Wire 64 kbps					1.14	1.42	1.42								
UNE C	THER. P	PROVISIONING ONLY - NO RATE															
	T				UAL, UCL, UDC,												
					UDL, UDN, UEA,												1
					UHL, UEANL, UEF,												i
					UEQ, UENTW,												1
					NTCVG, NTCUD,												1
		Unbundled Contact Name, Provisioning Only - no rate			NTCD1, USL	UNECN	0.00	0.00									i
		Unbundled DS1 Loop - Superframe Format Option - no rate			USL, NTCD1	CCOSF	0.00	0.00									
		Unbundled DS1 Loop - Expanded Superframe Format option -															
		no rate			USL, NTCD1	CCOEF	0.00	0.00									
		NID - Dispatch and Service Order for NID installation			UENTW	UNDBX	0.00	0.00	-								
		UNTW Circuit Establishment, Provisioning Only - No Rate			UENTW	UENCE	0.00	0.00									
LOOP	MAKE-U							, and the second									ldot
	1	Loop Makeup - Preordering Without Reservation, per working or	1]			I	I		1		Ì		1 1
	1	spare facility queried (Manual).	ļ	ļ	UMK	UMKLW	ļļ	23.29	23.29	.					ļ		
	1	Loop Makeup - Preordering With Reservation, per spare facility	1		1.15.41.2	11841215]			I	I		1		1		1
	 	queried (Manual).	ļ	<u> </u>	UMK	UMKLP		24.70	24.70			1					└──
1	1	Loop MakeupWith or Without Reservation, per working or	1		LIMIZ	LINAIZNAO]	0.40	0.40	I	I		1		1		1 1
LINE	DI ITT'	spare facility queried (Mechanized)	 	1	UMK	UMKMQ		0.19	0.19	 	 	}	ļ		 		⊢
LINE	PLITTIN	IG SER ORDERING-CENTRAL OFFICE BASED	 	1		1				 	 	1			 		
\vdash	END 0		 	1	UEPSR UEPSB	UREOS	0.64	1E E0	7 70	 	 	1			 		
\vdash	+	Line Splitting - per line activation DLEC owned splitter Line Splitting - per line activation BST owned - physical		-	UEPSR UEPSB	UREBP	0.61 0.6409	15.53 17.97	7.79 10.29	 	 						
\vdash	+		 	 	UEPSR UEPSB	UREBV	0.6409	17.97	10.29	-	 	 	 		-		
-	LINDIIA	Line Splitting - per line activation BST owned - virtual IDLED EXCHANGE ACCESS LOOP	-	-	ULFOR UEFOB	OKEBV	0.03∠5	17.87	10.29		 	-			 		
-		E ANALOG VOICE GRADE LOOP	1			1				1	1	1					
	Z-VVIKE	ANALOG VOICE GRADE LOOF	1	1		1				L	l	<u> </u>	l		1		1

UNBUNDI ED	NETWORK ELEMENTS - North Carolina												Attachment:	2 Fxh A		
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Submitted	Incremental		Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
							Nonrec	urring	Nonrecurring	Disconnect			oss	Rates(\$)		·
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-															
	Zone 1		1	UEPSR UEPSB	UEALS	10.82	36.54	16.87	0.00	0.00						
	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- Zone 1		1	UEPSR UEPSB	UEABS	10.82	36.54	16.87	0.00	0.00						
	2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting- Zone 2		2	UEPSR UEPSB	UEALS	16.21	36.54	16.87	0.00	0.00						
	2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting- Zone 2		2	UEPSR UEPSB	UEABS	16.21	36.54	16.87	0.00	0.00						
	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-															
-	Zone 3		3	UEPSR UEPSB	UEALS	24.08	36.54	16.87	0.00	0.00						
	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- Zone 3		3	UEPSR UEPSB	UEABS	24.08	36.54	16.87	0.00	0.00						
PHYS	ICAL COLLOCATION															
	Physical Collocation-2 Wire Cross Connects (Loop) for Line Splitting			UEPSR UEPSB	PE1LS	0.0309	19.77	14.95	0.00	0.00						
VIRTU	JAL COLLOCATION															 '
	Virtual Collocation-2 Wire Cross Connects (Loop) for Line Splitting			UEPSR UEPSB	VE1LS	0.0287	33.96	32.08	0.00	0.00						
	DEDICATED TRANSPORT															
INTE	ROFFICE CHANNEL - DEDICATED TRANSPORT Interoffice Channel - 2-Wire Voice Grade - per mile			U1TVX	1L5XX	0.0095										\vdash
-	Interoffice Channel - 2-Wire Voice Grade - per fille			U1TVX	U1TV2	12.12	39.36	26.62								
+	Interoffice Channel - 2-Wire Voice Grade - 1 acinty Termination			U1TVX	1L5XX	0.0095	33.30	20.02								
						0.0000										
	Interoffice Channel - 2-Wire VG Rev Bat Facility Termination			U1TVX	U1TR2	12.12	39.36	26.62								
	Interoffice Channel - 4-Wire Voice Grade - per mile			U1TVX	1L5XX	0.0095										Ļ'
	Interoffice Channel - 4- Wire Voice Grade - Facility Termination			U1TVX	U1TV4	10.19	39.36	26.62								1
—	Interoffice Channel - 4- Wire Voice Grade - Facility Termination Interoffice Channel - 56 kbps - per mile			U1TDX	1L5XX	0.0095	39.36	20.02								\vdash
+	Interoffice Channel - 56 kbps - Facility Termination			U1TDX	U1TD5	7.47	39.37	26.62								
	Interoffice Channel - 64 kbps - per mile			U1TDX	1L5XX	0.0095	00.07	20.02								
	Interoffice Channel - 64 kbps - Facility Termination			U1TDX	U1TD6	7.47	39.37	26.62								
	Interoffice Channel - DS1 - per mile			U1TD1	1L5XX	0.1938										
	Interoffice Channel - DS1 - Facility Termination			U1TD1	U1TF1	31.06	86.69	79.44								
	Interoffice Channel - DS3 - per mile			U1TD3	1L5XX	4.44	070.00	450.05								
	Interoffice Channel - DS3 - Facility Termination			U1TD3	U1TF3	329.91	270.69	158.05								
	Interoffice Channel - STS-1 - per mile Interoffice Channel - STS-1 - Facility Termination	1	\vdash	U1TS1 U1TS1	1L5XX U1TFS	4.44 339.20	270.69	158.05			1					
	Local Channel - Dedicated - 2-Wire Voice Grade - Zone 1	1	1	ULDVX, UNCVX	ULDV2	12.93	210.09	130.03								†
	Local Channel - Dedicated - 2-Wire Voice Grade - Zone 2	1		ULDVX, UNCVX	ULDV2	22.90										
	Local Channel - Dedicated - 2-Wire Voice Grade - Zone 3			ULDVX, UNCVX	ULDV2	36.46										
	Local Channel - Dedicated - 4-Wire Voice Grade - Zone 1		1	ULDVX, UNCVX	ULDV4	13.83		•								
	Local Channel - Dedicated - 4-Wire Voice Grade - Zone 2		2	ULDVX, UNCVX	ULDV4	24.53										
	Local Channel - Dedicated - 4-Wire Voice Grade - Zone 3	1	3	ULDVX, UNCVX	ULDV4	39.04										
	Local Channel - Dedicated - DS1 - Zone 1 Local Channel - Dedicated - DS1 - Zone 2	1		ULDD1, UNC1X ULDD1, UNC1X	ULDF1 ULDF1	31.11 55.13										
 	Local Channel - Dedicated - DS1 - Zone 3	1		ULDD1, UNC1X	ULDF1	87.77										
	Local Channel - Dedicated - DS3 - Per Mile per month	1	Ť	ULDD3, UNC3X	1L5NC	1.14										
	Local Channel - Dedicated - DS3 - Facility Termination	1		ULDD3, UNC3X	ULDF3	343.76										† ·
	Local Channel - Dedicated - STS-1- Per Mile per month			ULDS1, UNCSX	1L5NC	1.14										
	Local Channel - Dedicated - STS-1 - Facility Termination			ULDS1, UNCSX	ULDFS	329.05										
	ITY UNBUNDLED LOCAL LOOP	1			ļ											↓
DS-3/	STS-1 UNBUNDLED LOCAL LOOP - Stand Alone	1		UE3	1L5ND	12.05										
 	DS3 Unbundled Local Loop - per mile DS3 Unbundled Local Loop - Facility Termination	1	\vdash	UE3	UE3PX	12.95 229.90	438.46	256.30			1					
 	STS-1Unbundled Local Loop - Pacifity Termination	1		UDLSX	1L5ND	12.95	+30.40	250.50								$\vdash \vdash \vdash$
	STS-1 Unbundled Local Loop - Facility Termination	1		UDLSX	UDLS1	257.82	438.46	256.30								
UNBU	INDLED DARK FIBER															

UNBUNDI FD	NETWORK ELEMENTS - North Carolina												Attachment:	2 Exh A	1	
SINDONDLED	NETWORK ELLINER TO - NORTH CAROLINA										Svc Order	Svc Order			Incremental	Incremental
												Submitted		Charge -	Charge -	Charge -
											Elec	Manually		Manual Svc	Manual Svc	Manual Svo
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)			per LSR	per LSR		Order vs.	Order vs.	Order vs.
		m									,	F 0 0.1	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
						ъ	Nonrec			g Disconnect	001150	0011411		Rates(\$)	001441	001441
	Dark Fiber - Interoffice Transport, Per Four Fiber Strands, Per				+	Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Route Mile Or Fraction Thereof			UDF, UDFCX	1L5DF	24.77										ł
	Dark Fiber - Interoffice Transport, Per Four Fiber Strands, Per			ODI, ODI CX	ILJUI	24.11										
	Route Mile Or Fraction Thereof			UDF, UDFCX	UDF14		620.60	133.88								ł
DARK FIBER				,			0_0.00									ī
	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction															i
	Thereof per month - Local Channel			UDF, UDFCX	1L5DC	73.65										ł
	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction															ĺ
	Thereof per month - Local Loop			UDF, UDFCX	1L5DL	73.65										
8XX ACCESS	TEN DIGIT SCREENING															
	8XX Access Ten Digit Screening, Per Call					0.0005										
LINE INFORMA	ATION DATA BASE ACCESS (LIDB)	l			+	0.00000					 		-			
\vdash	LIDB Common Transport Per Query LIDB Validation Per Query				+	0.00003 0.0134			-	1	_		1	1		
	LIDB Originating Point Code Establishment or Change			OQU	NRBPX	0.0134	62.26									
CALLING NAM	IE (CNAM) SERVICE			040	INDIA		02.20									
1	CNAM for DB & Non DB Owners, Per Query				1	0.0009592										
SELECTIVE R																ī
	Selective Routing Per Unique Line Class Code Per Request Per															l
	Switch						188.59									1
AIN SELECTIV	E CARRIER ROUTING															
	Regional Service Establishment						215,597.00									
	End Office Establishment					0.0050750	347.27									
AIN DELLEO	Query NRC, per query UTH AIN SMS ACCESS SERVICE				+	0.0053758					1					
AIN - BELLSO	AIN SMS Access Service - Service Establishment, Per State,															
	Initial Setup			A1N	CAMSE		294.77									ł
	Initial Cotup			7(114	O7 WIOL		204.77									
	AIN SMS Access Service - Port Connection - Dial/Shared Access			A1N	CAMDP		86.94									ł
	AIN SMS Access Service - Port Connection - ISDN Access			A1N	CAM1P		86.94									
	AIN SMS Access Service - User Identification Codes - Per User															i
	ID Code			A1N	CAMAU		200.83									
	AIN SMS Access Service - Security Card, Per User ID Code,															ł
	Initial or Replacement			A1N	CAMRC		172.05									
	AIN SMS Access Service - Storage, Per Unit (100 Kilobytes)					0.0023										
\vdash	AIN SMS Access Service - Session, Per Minute AIN SMS Access Service - Company Performed Session, Per	<u> </u>			1	0.0791				-				-		
	Minute					2.08										l
ENHANCED F	XTENDED LINK (EELs)				1	2.00			1	1	1	1	1	1		i
	rk Elements Used in Combinations															
	2-Wire VG Loop (SL2) in Combination - Zone 1		1	UNCVX	UEAL2	11.96	385.26	72.08	<u> </u>		İ.,					
	2-Wire VG Loop (SL2) in Combination - Zone 2		2	UNCVX	UEAL2	17.36	385.26	72.08								<u> </u>
	2-Wire VG Loop (SL2) in Combination - Zone 3		3	UNCVX	UEAL2	25.23	385.26	72.08								
	4-Wire Analog Voice Grade Loop in Combination - Zone 1		1	UNCVX	UEAL4	19.52	385.26	72.08								
	4-Wire Analog Voice Grade Loop in Combination - Zone 2		2	UNCVX	UEAL4	24.74	385.26	72.08			ļ					
	4-Wire Analog Voice Grade Loop in Combination - Zone 3	 	3	UNCVX	UEAL4	46.11	385.26	72.08	 		<u> </u>	1	 			
\vdash	2-Wire ISDN Loop in Combination - Zone 1 2-Wire ISDN Loop in Combination - Zone 2		2	UNCNX UNCNX	U1L2X U1L2X	19.78 26.16	385.26 385.26	72.08 72.08	-	1	_		1	1		
 	2-Wire ISDN Loop in Combination - Zone 2 2-Wire ISDN Loop in Combination - Zone 3			UNCNX	U1L2X	35.37	385.26	72.08	1		<u> </u>	-	1			
	4-Wire 56Kbps Digital Grade Loop in Combination - Zone 1		1	UNCDX	UDL56	21.98	385.26	72.08	1	1	1	1	1	1		i
	4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2		2	UNCDX	UDL56	27.58	385.26	72.08	1				1			
	4-Wire 56Kbps Digital Grade Loop in Combination - Zone 3		3	UNCDX	UDL56	43.08	385.26	72.08								1
	4-Wire 64Kbps Digital Grade Loop in Combination - Zone 1		1	UNCDX	UDL64	21.98	385.26	72.08								
	4-Wire 64Kbps Digital Grade Loop in Combination - Zone 2		2	UNCDX	UDL64	27.58	385.26	72.08								
	4-Wire 64Kbps Digital Grade Loop in Combination - Zone 3		3	UNCDX	UDL64	43.08	385.26	72.08								
	4-Wire DS1 Digital Loop in Combination - Zone 1		1	UNC1X	USLXX	63.62	412.03	139.55								
\vdash	4-Wire DS1 Digital Loop in Combination - Zone 2	ļ	2	UNC1X	USLXX	104.40	412.03	139.55								
—	4-Wire DS1 Digital Loop in Combination - Zone 3	 	3	UNC1X	USLXX	210.22	412.03	139.55	 		<u> </u>	1	 			
	DS3 Local Loop in combination - per mile	<u> </u>		UNC3X	1L5ND	12.95			l	1	1	1		l		

UNBUNDLE	D NETWORK ELEMENTS - North Carolina												Attachment:	2 Exh A		
CATEGORY		Interi m	Zone	BCS	usoc			RATES(\$)			1	Svc Order Submitted Manually per LSR	Incremental	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
							Nonrec	urring	Nonrecurring	Disconnect			oss	Rates(\$)		
		1				Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	DS3 Local Loop in combination - Facility Termination			UNC3X	UE3PX	229.90	3,073.55	1,245.84	1							
	STS-1 Local Loop in combination - per mile			UNCSX	1L5ND	12.95	·	•								
	STS-1 Local Loop in combination - Facility Termination			UNCSX	UDLS1	257.82	3,073.55	1,245.84								
	Interoffice Channel in combination - 2-wire VG - per mile			UNCVX	1L5XX	0.0095										
	Interoffice Channel in combination - 2-wire VG - Facility			1110101	11477.00	10.10	404.04	70.04								
	Termination Interoffice Channel in combination - 4-wire VG - per mile			UNCVX UNCVX	U1TV2 1L5XX	12.12 0.0095	131.81	78.34								
	Interoffice Channel in combination - 4-wire VG - per mile Interoffice Channel in combination - 4-wire VG - Facility	1		UNCVX	ILSAA	0.0095										
	Termination			UNCVX	U1TV4	10.19	131.81	78.34								
	Interoffice Channel in combination - 4-wire 56 kbps - per mile			UNCDX	1L5XX	0.0095										
	Interoffice Channel in combination - 4-wire 56 kbps - Facility	1														
	Termination	1		UNCDX	U1TD5	7.47	131.81	78.34								
	Interoffice Channel in combination - 4-wire 64 kbps - per mile	<u> </u>		UNCDX	1L5XX	0.0095										
	Interoffice Channel in combination - 4-wire 64 kbps - Facility Termination			UNCDX	U1TD6	7.47	131.81	78.34	1							
	Interoffice Channel in combination - DS1 - per mile	1		UNC1X	1L5XX	0.1938	131.01	70.34								
	Interoffice Channel in combination - DS1 Facility Termination			UNC1X	U1TF1	31.06	234.02	162.52								
	Interoffice Channel in combination - DS3 - per mile			UNC3X	1L5XX	4.44										
	Interoffice Channel in combination - DS3 - Facility Termination			UNC3X	U1TF3	329.91	802.81	146.02								
	Interoffice Channel in combination - STS-1 - per mile			UNCSX	1L5XX	4.44										
	Interoffice Channel in combination - STS-1 Facility Termination			UNCSX	U1TFS	339.20	802.81	146.02								
	L NETWORK ELEMENTS	-				-			1							
Opt	onal Features & Functions:			U1TD1,		-			-							
	Clear Channel Capability Extended Frame Option - per DS1	ı		ULDD1,UNC1X U1TD1,	CCOEF		0.00	0.00	0.00	0.00						
	Clear Channel Capability Super FrameOption - per DS1	- 1		ULDD1,UNC1X	CCOSF		0.00	0.00	0.00	0.00						
	Clear Channel Capability (SF/ESF) Option - Subsequent Activity - per DS1	I		ULDD1, U1TD1, UNC1X, USL	NRCCC		184.76	23.80	1.99	0.78						
				U1TD3, ULDD3,												
-	C-bit Parity Option - Subsequent Activity - per DS3	l I		UE3, UNC3X	NRCC3	70.04	218.92	7.66	0.7576	0.00						
-	DS1/DS0 Channel System DS3/DS1Channel System			UNC1X UNC3X	MQ1 MQ3	70.84 84.32	170.57		-							
 	Voice Grade COCI in combination			UNCVX	1D1VG	0.4329	54.14	17.51	1							
	Voice Grade COCI - for Local Loop			UEA	1D1VG	0.4329	54.14	17.51								
	Voice Grade COCI - for connection to a channelized DS1 Local								1							
	Channel in the same SWC as collocation			U1TUC	1D1VG	0.4329	54.14	17.51								
	OCU-DP COCI (2.4-64kbs) in combination	1		UNCDX	1D1DD	0.9199	54.14	17.51	ļ							
\vdash	OCU-DP COCI (2.4-64kbs) - for Local Loop	1		UDL	1D1DD	0.9199	54.14	17.51	 							
	OCU-DP COCI (2.4-64kbs) - for connection to a channelized DS1 Local Channel in the same SWC as collocation			U1TUD	1D1DD	0.9199	54.14	17.51	1							
	2-wire ISDN COCI (BRITE) in combination	+		UNCNX	UC1CA	1.53	54.14	17.51	 							
	2-wire ISDN COCI (BRITE) - for Local Loop	1		UDN	UC1CA	1.53	54.14	17.51	† †							
	2-wire ISDN COCI (BRITE) - for connection to a channelized															
	DS1 Local Channel in the same SWC as collocation			U1TUB	UC1CA	1.53	54.14	17.51								
	DS1 COCI in combination	1		UNC1X	UC1D1	8.43	54.14	17.51	ļ							
\vdash	DS1 COCI - for Local Loop	1		USL	UC1D1	8.43	54.14	17.51	 							
	DS1 COCI - for connection to a channelized DS1 Local Channel in the same SWC as collocation			U1TUA	UC1D1	8.43	54.14	17.51	1							
	DS1 COCI - for Interoffice Channel	1		U1TD1	UC1D1	8.43	54.14	17.51	1							
	DS1 COCI - for Local Channel	1		ULDD1	UC1D1	8.43	54.14	17.51	† †							
				UNCVX, U1TVX, UNCDX, U1TDX, UNC1X, U1TD1,UNC3X, U1TD3, UNCSX,												
	Wholesale to UNE, Switch-As-Is Conversion Charge			U1TS1, UDF,UDFCX	UNCCC		5.43	5.43								

LINIDLIN	DIEDA	IETWODY ELEMENTS. North Constitue												Attack manual.	0 Ful A		
UNBUN	IDLED N	IETWORK ELEMENTS - North Carolina					1					00	00	Attachment:		1	1
														Incremental			Incremental
												Submitted	Submitted		Charge -	Charge -	Charge -
04750	001	DATE EL EMENTO	Interi	-	500	11000			DATEC(#)			Elec	Manually		Manual Svc	Manual Svc	Manual Svc
CATEG	ORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							1	Nonrec		Name accoming as	Diagonast			000	Rates(\$)		
							Boo -			Nonrecurring		SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
				-	U1TVX. U1TDX.		Rec	First	Add'l	First	Add'l	SOMEC	SUMAN	SUMAN	SOWAN	SUMAN	SUMAN
		Habita diad Misa Data Flamont, CNF, CAI, Cinala Naturali			U1TD1, U1TD3,												
		Unbundled Misc Rate Element, SNE SAI, Single Network	Ι.			URESL		36.90	10.15								
		Element - Switch As Is Non-recurring Charge, per circuit (LSR) Unbundled Misc Rate Element, SNE SAI, Single Network	_ '_	<u> </u>	U1TS1, UDF, UE3	UKESL		36.90	16.15								
		Element - Switch As Is Non-recurring Charge, incremental			U1TVX, U1TDX, U1TD1, U1TD3,												
		charge per circuit on a spreadsheet			U1TS1, UDF, UE3	URESP		1.49	1.49								
		UNE Reconfiguration Change Charge per Circuit	l i		UNC1X	URERC		35.00	35.00								
-		UNE Reconfiguration Change Charge per Circuit UNE Reconfiguration Change Charge per Circuit Project	-		UNCIA	UKEKC		35.00	33.00								
		Managed			UNC1X	URERP		1.49	1.49								
	٨٥٥٥٥٥	to DCS - Customer Reconfiguration (FlexServ)			UNCIA	UKEKP		1.49	1.49								
	ACCESS	Customer Reconfiguration Establishment	1	1		1		1.43	1.43	-			1				
		DS1 DCS Termination with DS0 Switching	 	1		1	21.64	24.81	19.09			-	1	1			
		DS1 DCS Termination with DS1 Switching	 	 			7.32	17.93	12.22	-				 	 		
		DS3 DCS Termination with DS1 Switching	 	 		1	136.07	24.81	19.09					 			
	Node (SynchroNet)					130.07	24.01	13.03								
	Noue (Node per month			UNCDX	UNCNT	16.00										
	Service	Rearrangements			ONODA	CITOITI	10.00										
	OCI VICE	rtearrangements			U1TVX, U1TDX,												
					UEA, UDL, U1TUC,												
					U1TUD, U1TUB,												
					ULDVX, ULDDX,												
		NRC - Change in Facility Assignment per circuit Service			UNCVX, UNCDX,												
		Rearrangement	1 1		UNC1X	URETD		100.82	42.93								
		rtoarrangomont			U1TVX, U1TDX,	0.12.2		100.02	12.00								
					UEA, UDL, U1TUC,												
					U1TUD, U1TUB,												
					ULDVX. ULDDX.												
		NRC - Change in Facility Assignment per circuit Project			UNCVX, UNCDX.												
		Management (added to CFA per circuit if project managed)	1		UNC1X	URETB		1.29	1.29								
		NRC - Order Coordination Specific Time - Dedicated Transport	T T		UNC1X	OCOSR		18.89	18.89								
COMM	NGLING																
					UNCVX, UNCDX,												
					UNC1X, UNC3X,												
					UNCSX, U1TD1,												
					U1TD3, U1TS1,												
					UE3, UDLSX,												
					U1TVX, U1TDX,												
			1	1	U1TUB, ULDVX,]					1		Ì			
			1	1	ULDD1, ULDD3,]					1		Ì			
		Commingling Authorization			ULDS1	CMGAU	0.00	0.00	0.00								
	Commi	ngled (UNE part of single bandwidth circuit)															
		Commingled VG COCI			XDV2X, NTCVG	1D1VG	0.4329	54.14	17.51								
		Commingled Digital COCI			XDV6X, NTCUD	1D1DD	0.9199	54.14	17.51								
		Commingled ISDN COCI			XDD4X	UC1CA	1.53	54.14	17.51								
		Commingled 2-wire VG Interoffice Channel Facility Termination			XDV2X	U1TV2	12.12	131.81	78.34								
		Commingled 4-wire VG Interoffice Channel Facility Termination		<u></u>	XDV6X	U1TV4	10.19	131.81	78.34								
		Commingled 56kbps Interoffice Channel Facility Termination			XDD4X	U1TD5	7.47	131.81	78.34								
		Commingled 64kbps Interoffice Channel Facility Termination			XDD4X	U1TD6	7.47	131.81	78.34								
				1	XDV2X, XDV6X,							1					
		Commingled VG/DS0 Interoffice Channel per mile			XDD4X	1L5XX	0.0095										
		Commingled 2-wire Local Loop Zone 1		1	XDV2X	UEAL2	11.96	385.26	72.08								
		Commingled 2-wire Local Loop Zone 2		2	XDV2X	UEAL2	17.36	385.26	72.08								
		Commingled 2-wire Local Loop Zone 3		3	XDV2X	UEAL2	25.23	385.26	72.08								
		Commingled 4-wire Local Loop Zone 1		1	XDV6X	UEAL4	19.52	385.26	72.08								
		Commingled 4-wire Local Loop Zone 2		2	XDV6X	UEAL4	24.74	385.26	72.08								
		Commingled 4-wire Local Loop Zone 3		3	XDV6X	UEAL4	46.11	385.26	72.08								
		Commingled 56kbps Local Loop Zone 1		1	XDD4X	UDL56	21.98	385.26	72.08								
		Commingled 56kbps Local Loop Zone 2		2	XDD4X	UDL56	27.58	385.26	72.08								
L	l	Commingled 56kbps Local Loop Zone 3	1	3	XDD4X	UDL56	43.08	385.26	72.08					I	1		

UNBUNDLEI	NETWORK ELEMENTS - North Carolina		1		1						Cur Onder	Core Corden	Attachment:		I	In annual and all
												Svc Order		Incremental	Incremental	
												Submitted	_	Charge -	Charge -	Charge -
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES(\$)			Elec	Manually	Manual Svc	Manual Svc	Manual Svc	
CATEGORI	RATE ELEMENTS	m	Zone	ВСЗ	0300			NATEO(ψ)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
							Nonrec	urring	Nonrecurring Di	isconnect			oss	Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN		SOMAN	SOMAN	SOMAN
	Commingled 64kbps Local Loop Zone 1		1	XDD4X	UDL64	21.98	385.26	72.08								
	Commingled 64kbps Local Loop Zone 2		2	XDD4X	UDL64	27.58	385.26	72.08								
	Commingled 64kbps Local Loop Zone 3		3	XDD4X	UDL64	43.08	385.26	72.08								
	Commingled ISDN Local Loop Zone 1		1	XDD4X	U1L2X	19.78	385.26	72.08								
	Commingled ISDN Local Loop Zone 2		2	XDD4X	U1L2X	26.16	385.26	72.08								
	Commingled ISDN Local Loop Zone 3		3	XDD4X	U1L2X	35.37	385.26	72.08								
	Commingled DS1 COCI			XDH1X, NTCD1	UC1D1	8.43	54.14	17.51								
	Commingled DS1 Interoffice Channel Facility Termination			XDH1X	U1TF1	31.06	234.02	162.52								
-	Commingled DS1 Interoffice Channel per mile		<u> </u>	XDH1X	1L5XX	0.1938										
\vdash	Commingled DS1/DS0 Channel System	<u> </u>	_	XDH1X	MQ1	70.84	170.57	120.55	 				ļ			
 	Commingled DS1 Local Loop Zone 1	 		XDH1X	USLXX	63.62	412.03 412.03	139.55 139.55	 							
 	Commingled DS1 Local Loop Zone 2	├		XDH1X XDH1X	USLXX	104.40 210.22	412.03 412.03	139.55	 							
H +	Commingled DS1 Local Loop Zone 3 Commingled DS3 Local Loop Facility Termination	 	3	HFQC6	UE3PX	210.22	3.073.55	1.245.84	 				1			
 	Commingled DS3/STS-1 Local Loop per mile	1	 	HFQC6, HFRST	1L5ND	12.95	3,073.55	1,240.04	 							
 	Commingled STS-1 Local Loop Facility Termination	 		HFRST	UDLS1	257.82	3,073.55	1,245.84					1			
	Commingled DS3/DS1 Channel System			HFQC6	MQ3	84.32	0,070.00	1,240.04								
	Commingled DS3 Interoffice Channel Facility Termination			HFQC6	U1TF3	329.91	802.81	146.02								
	Commingled DS3 Interoffice Channel per mile			HFQC6	1L5XX	4.44	002.01	140.02								
	Commingled STS-1Interoffice Channel Facility Termination			HFRST	U1TFS	339.20	802.81	146.02								
	Commingled STS-1Interoffice Channel per mile			HFRST	1L5XX	4.44										
	Commingled Dark Fiber - Interoffice Transport, Per Four Fiber															
	Strands, Per Route Mile Or Fraction Thereof			HEQDL	1L5DF	24.77										
	Commingled Dark Fiber - Interoffice Transport, Per Four Fiber															
	Strands, Per Route Mile Or Fraction Thereof			HEQDL	UDF14		620.60	133.88								
SIGNALING																
NOT	E:"bk" beside a rate indicates that the parties have agreed to bil	l and ke	ep for	that element pursua	nt to the teri		ons in Attachm	ent 3.								
	CCS7 Signaling Usage, Per TCAP Message					0.0000374bk										
	CCS7 Signaling Usage, Per ISUP Message		<u> </u>			0.0000094bk										
LNP Query S						0.0007579										
-	LNP Charge Per query LNP Service Establishment Manual		<u> </u>			0.0007579	12.16									
-	LNP Service Establishment Manual LNP Service Provisioning with Point Code Establishment						576.33	294.43								-
911 PBX LO							376.33	294.43								
	PBX LOCATE DATABASE CAPABILITY															
J	Service Establishment per CLEC per End User Account			9PBDC	9PBEU		1.823.00									
	Changes to TN Range or Customer Profile			9PBDC	9PBTN		182.45									
	Per Telephone Number (Monthly)			9PBDC	9PBMM	0.07										
	Change Company (Service Provider) ID	1		9PBDC	9PBPC		535.57									
	PBX Locate Service Support per CLEC (MonthIt)			9PBDC	9PBMR	165.63										
	Service Order Charge			9PBDC	9PBSC		15.20									
911 I	PBX LOCATE TRANSPORT COMPONENT															
See																
	: Rates displaying an "I" in Interim column are interim as a resu	ılt of a (Commi	ssion order.												
	LOCAL EXCHANGE SWITCHING(PORTS)	<u> </u>	<u> </u>	l <u>. </u>	L						l					1
	Exchange Switching Port Rates Reflected Here Apply to Embed	ded Bas	e Swit	ching Ports as of Ma	arch 10, 2005	and Consist of	the TELRIC C	ost Based Rat	es Plus \$1.00 in A	ccordance	with the TR	RO.	1			
	ange Ports		0								l .		l			
	E: Although the Port Rate includes all available features in GA, RE VOICE GRADE LINE PORT RATES (RES)	KY, LA	& IN,t	ne desired features	will need to	be ordered usin	ig retail USOCs	S	,				ı			
Z-VVI		 	-	UEPSR	UEPRL	3.19	21.60	21.60	 				-			
\vdash	Exchange Ports - 2-Wire Analog Line Port- Res.	 	1	ULFOR	UEPKL	3.19	∠1.60	∠1.00	 							
	Exchange Ports - 2-Wire Analog Line Port with Caller ID - Res.	1		UEPSR	UEPRC	3.19	21.60	21.60	1							1
 	Exchange Forts - 2-vviile Analog Line Fort with Callet ID - Res.	 		OLFOR	OLFRU	3.19	21.00	21.00					1			
	Exchange Ports - 2-Wire Analog Line Port outgoing only - Res.	1		UEPSR	UEPRO	3.19	21.60	21.60	1							1
	Exchange Ports - 2-Wire VG unbundled res, low usage line port	1			320	5.19	21.00	21.00								
	with Caller ID (LUM)	1		UEPSR	UEPAP	3.19	21.60	21.60	1							1
	2-Wire voice unbundled Low Usage Line Port without Caller ID												1			
	Capability	1		UEPSR	UEPRT	3.19	21.60	21.60]							1

UNBUNDLED	NETWORK ELEMENTS - North Carolina												Attachment:			<u> </u>
1											Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
i		""									-		Electronic-	Electronic-	Electronic-	Electronic-
i													1st	Add'l	Disc 1st	Disc Add'l
							Nonrec		Nonrecurring D					Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Grade Unbundled Port without Caller ID capability,															
	North Carolina			UEPSR	UEPRZ	3.19	21.60	21.60								
	2-Wire Voice Grade Unbundled Port with Caller ID capability,															
	North Carolina			UEPSR	UEPRY	3.19	21.60	21.60								<u> </u>
	Subsequent Activity			UEPSR	USASC	0.00	0.00	0.00								<u> </u>
FEAT	URES		ļ		l											
	All Available Vertical Features			UEPSR	UEPVF	3.40	0.00	0.00								ļ
2-WIR	RE VOICE GRADE LINE PORT RATES (BUS)															ļ
	Exchange Ports - 2-Wire Analog Line Port without Caller ID -			LIEDOD	LIEDDI	2.40	24.00	24.00								
	Bus Fush and a Darte - 2 Wine VC with and I in a Dart with			UEPSB	UEPBL	3.19	21.60	21.60								
	Exchange Ports - 2-Wire VG unbundled Line Port with			LIEDOD	LIEBBO	0.40	04.00	04.00								
	unbundled port with Caller+E484 ID - Bus.			UEPSB	UEPBC	3.19	21.60	21.60								
	Evaluation Ports 2 Wire Applied Line Port outgoing only. Bug			UEPSB	UEPBO	2 10	21.60	21.60								
	Exchange Ports - 2-Wire Analog Line Port outgoing only - Bus.		-	UEPSB	UEPBU	3.19	21.60	21.60								
.	Exhange Ports - 2-Wire VG unbundled incoming only port with	l		UEPSB	UEPB1	3.19	21.60	21.60			1			1	1	
	Caller ID - Bus 2-Wire voice unbundled Incoming Only Port without Caller ID	!	1	ULFOD	DEFBI	3.19	∠1.00	∠1.00	 		-			-	-	├ ──
	Capability			UEPSB	UEPBE	3.19	21.60	21.60								
	Subsequent Activity		_	UEPSB	USASC	0.00	0.00	0.00				1				
FFAT	URES			OLI OB	OOAOC	0.00	0.00	0.00								
1	All Available Vertical Features		_	UEPSB	UEPVF	3.40	0.00	0.00				1				
EXCL	ANGE PORT RATES (DID & PBX)			OLI OB	OLI VI	0.40	0.00	0.00								
- LXGI	2-Wire VG Unbundled 2-Way PBX Trunk - Res			UEPSE	UEPRD	3.18	21.60	21.60								†
	2-Wire VG Line Side Unbundled 2-Way PBX Trunk - Bus			UEPSP	UEPPC	3.18	21.60	21.60								
	2-Wire VG Line Side Unbundled Outward PBX Trunk - Bus			UEPSP	UEPPO	3.18	21.60	21.60								
	2-Wire VG Line Side Unbundled Incoming PBX Trunk - Bus			UEPSP	UEPP1	3.18	21.60	21.60								
	2-Wire Analog Long Distance Terminal PBX Trunk - Bus			UEPSP	UEPLD	3.18	21.60	21.60								
	2-Wire Voice Unbundled PBX LD Terminal Ports			UEPSP	UEPLD	3.18	21.60	21.60								
	2-Wire Vice Unbundled 2-Way PBX Usage Port			UEPSP	UEPXA	3.18	21.60	21.60								
	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports			UEPSP	UEPXB	3.18	21.60	21.60								
	2-Wire Voice Unbundled PBX LD DDD Terminals Port			UEPSP	UEPXC	3.18	21.60	21.60								
	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port			UEPSP	UEPXD	3.18	21.60	21.60								
	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD															
	Capable Port			UEPSP	UEPXE	3.18	21.60	21.60								
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy															
	Administrative Calling Port			UEPSP	UEPXL	3.18	21.60	21.60								
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy															
	Room Calling Port			UEPSP	UEPXM	3.18	21.60	21.60								
	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital															
	Discount Room Calling Port			UEPSP	UEPXO	3.18	21.60	21.60								
	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPSP	UEPXS	3.18	21.60	21.60								
	Subsequent Activity			UEPSP	USASC	0.00	0.00	0.00								
FEAT	URES															ļ
	All Available Vertical Features			UEPSP UEPSE	UEPVF	3.40	0.00	0.00								<u> </u>
	: Transmission/usage charges associated with POTS circuit sv															
	: Access to B Channel or D Channel Packet capabilities will be	availa	ble onl	y through BFR/New	Business Re	quest Process.	Rates for the	packet capabi	lities will be dete	rmined via t	he Bona Fid	de Request/I	New Business	s Request Pro	cess.	
2-WIR	RE VOICE GRADE LINE PORT RATES (DID)	 	1	LIEDEV	LIEDES	10.00	01.01	01.01	 					 	 	↓
0.1477	Exchange Ports - 2-Wire DID Port	-	1	UEPEX	UEPP2	13.36	81.84	81.84								
Z-WIR	RE VOICE GRADE LINE PORT RATES (ISDN-BRI)	!	1	HEDTY HEDEV	LI4 DNAA	25 50	60.00	60.00	 		-			-	-	₩
$\longrightarrow \longmapsto$	Exchange Ports - 2-Wire ISDN Port (See Notes below.) All Features Offered	 	1	UEPTX, UEPSX UEPTX, UEPSX	U1PMA	25.50 3.40	62.29 0.00	62.29 0.00	 					 	 	
	Exchange Ports - 2-Wire ISDN Port Channel Profiles		1	UEPTX, UEPSX	UEPVF U1UMA	0.00	0.00	0.00	 					-	-	
NOTE		Nitchod	liesas						ission by B.Char	nnale acces	ated with a	wire ISDN -	orte		1	1
	 Transmission/usage charges associated with POTS circuit sv Access to B Channel or D Channel Packet capabilities will be 													Regueet Pro	ress	
IINRI	INDLED PORT with REMOTE CALL FORWARDING CAPABILITY	avaiidi	PIE OIL	, anough brivilew	Lusiness Re	queat i 100655.	nates for the	puonet capabi	I I I I I I I I I I I I I I I I I I I	vid L	וויסם ביוו	ac nequest/l	TOW DUSINGS	. Nequest PIC		
					+				+		 			 	 	
	INDLED REMOTE CALL FORWARDING SERVICE - RESIDENCE							i e	1					•		
	INDLED REMOTE CALL FORWARDING SERVICE - RESIDENCE Unbundled Remote Call Forwarding Service, Area Calling, Res			UEPVR	UERAC	3.19	21.60	21.60								
	Unbundled Remote Call Forwarding Service - RESIDENCE Unbundled Remote Call Forwarding Service, Area Calling, Res			UEPVR	UERAC	3.19	21.60	21.60								

Version 4Q05 Standard ICA 03/15/06 (Renegotiations) Page 191 of 261

CATEGORY NATE ELEMENTS Intel® Sono BCS USCC RATE(8) Beautifully Marked by Manual Port Manual Por			Exh A	Attachment: 2												BUNDLED NETWORK ELEMENTS - North Carolina
Description Severage Call Forwarding Service, Peter LATA - Sets UEPVR	al Svc Manual Svc Order vs. Conic- Electronic-	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic-	Submitted Manually	Submitted Elec			RATES(\$)			usoc	BCS	Zone		
Unbounded Femantic Cell Forwarding Service, IntelATA-Reg. DEPNR. DEPTR. 319 2160 2190			Rates(\$)	oss			g Disconnect	Nonrecurring	urring	Nonrec						
Unbounded Femoto Call Forwarding Service. IncidATA. Feb. UEPVR UEPTR 319 2160 2100	MAN SOMAN	SOMAN			SOMAN	SOMEC			Add'l	First	Rec					
Non-Recurring Liberation Standard Standard Californation with provided Standard		i										UERTE	UEPVR			Unbundled Remote Call Forwarding Service, InterLATA - Res
Non-Recurring Liberation Standard Standard Californation with provided Standard		i											UEPVR			
District Service Cell Forwarding Service - Conversion - Description - Conversion - Description - Conversion - Description - Conversion - Description - Conversion - Description - Conversion - Description - Conversion - Description - Conversion - Description - Conversion - Description - Conversion - Description - Conversion - Description - Conversion - Description																
MORNONEDE PROMITE CALL POWERDINGS - Bus UEPVB UEPAG 3.19 21.60 21.60									0.40	2.77		USAC2	UEPVR			Unbundled Remote Call Forwarding Service - Conversion -
Unbounded Remote Call Forwarding Service, Local Calling - Bus UEP/8 UER/8 UER/8 3.19 21.60 21.60																Unbundled Remote Call Forwarding Service - Conversion with
Urbanded Remoin Call Forwarding Service, New Calling - Bus		1							0.40	2.77		USACC	UEPVR		Ì	allowed change (PIC and LPIC)
Unbundled Remote Call Forwarding Service, Local Calling - Bus		1														UNBUNDLED REMOTE CALL FORWARDING - Bus
Withoutded Remote Call Forwarding Service, IntelLATA - Bus UEPVB UERTE 3.10 21.60									21.60	21.60	3.19	UERAC	UEPVB			Unbundled Remote Call Forwarding Service, Area Calling - Bus
Withoutded Remote Call Forwarding Service, IntelLATA - Bus UEPVB UERTE 3.10 21.60		1														
URPUNDLED LOCAL SWITCHING, PORT USAGE End Office Switching Fort Usage UPVS UP		1							21.60	21.60	3.19	UERLC	UEPVB]]		Unbundled Remote Call Forwarding Service, Local Calling - Bu
Disburdied Remote Call Forwarding Service, IntrinstATA - Bus UEPVB UERVJ 3.19 21.60 21.60		i							21.60	21.60	3.19	UERTE	UEPVB			
Use No. Received Collection Use PVB Use		i							21.60							Unbundled Remote Call Forwarding Service, IntraLATA - Bus
Evopsion Local Calling UERVB UERVB 3.19 21.60 21.60		i														Unbundled Remote Call Forwarding Service Expanded and
Non-Recurring		1							21.60	21.60	3.19	UERVJ	UEPVB]]	1	
Unbundled Remote Call Forwarding Service - Conversion - Switch-as-is UEPVB		i Total					İ	İ			1			1		
Switch-as-9s		i Total					İ	İ			1			1		
Ubbundled Ramote Call Forwarding Service - Conversion with allowed change (RFC) and LPC). UBBUNDLED LOCAL SWITCHING, PORT USAGE End Office Switching Function, Per MOU End Office Switching Function, Per MOU End Office Switching Function, Per MOU Indeed Function of the Conversio		1							0.40	2.77		USAC2	UEPVB		Ì	
UNBUNDLED LOCAL SWITCHING, PORT USaGE End Office Switching Function, Per MOU End Office Switching Function, Per MOU End Office Switching Function, Per MOU End Office Switching Work Switching Function, Per MOU Fander Switching Function, Per MOU Fander Switching Function, Per MOU Fander Switching Function Per MOU Fander Switching Function Per MOU Fander Switching Function Per MOU Fander Switching Function Per MOU (Melded) Fander Function Per Mount Per Mount Per Mount Per Mount Per Mount Per Mount Per Mount Per Mount Per Mount Per Mount Per Mount Per Mount Per Mount Per Mount Per Mount Per Mount Per Mou																Unbundled Remote Call Forwarding Service - Conversion with
End Office Switching (Port Usage) End Office Switching Function, Per MOU End Office Trunk Port - Shared, Per MOU End Office Trunk Port - Shared, Per MOU Transfer Switching (Port Usage) (Local or Access fandem) Transfer Switching (Port Usage) (Local or Access fandem) Transfer Switching Function Per MOU Transfer Switching Function Per Mountion Per MOU Transfer Switching Function Per Mountion Per MOU Transfer Switching Function Per Mountion Per MOU Transfer Switching Function Per Mountion Per Mo		·														
End Office Switching Function, Per MOU End Office Turns Fort - Shared, Per MOU Tandem Switching (Port Usage) (Local or Access Tandem) Tandem Switching (Port Usage) (Local or Access Tandem) Tandem Switching (Port Usage) (Local or Access Tandem) Tandem Switching Punction Per MOU Tandem Switching Punction Per MOU Tandem Switching Punction Per MOU (Metedo) Tandem Switching Punction Per MOU (Metedo) Tandem Switching Punction Per MOU (Metedo) Tandem Switching Punction Per MOU (Metedo) Tandem Switching Punction Per MOU (Metedo) Tandem Switching Punction Per MOU (Metedo) Tandem Switching Punction Per MOU Tandem Switching Punction Per MOU Tandem Switching Punction Per MOU Tandem Switching Punction Per MOU Tandem Switching Punction Per MOU Tandem Switching Punction Per MOU Tandem Switching Punction Per MOU Tandem Switching Usage and Common Transport Switch Ports. The UNE-P Switching Port Rates Reflected in the Cost Based Section Apply to Embedded Base UNE-Ps as of March 10, 2005 and Consist of the TELRIC Cost Based Rates Plus \$1.00 in Accordance with the TRRO. Features shall apply to the Inbundled Port Access Rate section in the same manner as Park and Additional Port nonrecurring charges apply to Not Currently Combined Combos. For Currently Combined Combos the nonrecurring charges shall be those identified in the Nonrecurring - Currently Combined Combos. For Currently Combined Combos. For Currently Combined Combos. For Currently Combined Combos. Por Currently Combined Combos. Por Currently Combined Combos. Por Currently Combined Combos. Por Currently Combined Combos. Por Currently Combined Combos. Por Currently Combined Combos. Por Currently Combined Combos. Por Currently Combined Combos. Por Currently Combined Combos. Por Currently Combined Combos. Por Currently Combined Combos. Por Currently Combined Combos. Por Currently Combined Combos. Por Currently Combined Combos. Por Currently Combined Combos. Por Currently Combined Combos. Por Currently Combined Combos. Por Currently Combined Combos. Por Currently Combined Co																
End Office Trunk Port - Shared, Per MOU		(0.0015					
Tandem Switching (Port Usage) (Local or Access Tandem) Tandem Switching (Port Usage) (Local or Access Tandem) Tandem Switching Porticon Per MOU Tandem Switching Function Per MOU (Medded) Tandem Trunk Port - Shared, Per MOU (Medded) Tandem Trunk Port - Shared, Per MOU (Medded) Tandem Trunk Port - Shared, Per MOU (Medded) Tandem Trunk Port - Shared, Per MOU (Medded) Tandem Trunk Port - Shared, Per MOU (Medded) Tandem Trunk Port - Shared, Per MOU (Medded) Tandem Trunk Port - Shared, Per MOU (Medded) Tandem Trunk Port - Shared, Per MOU (Medded) Tandem Trunk Port - Shared, Per MOU (Medded) Tandem Trunk Port - Shared, Per MOU (Medded) Tandem Trunk Port - Shared, Per MOU (Medded) Tandem Trunk Port - Shared, Per MOU (Medded) Tandem Trunk Port - Shared, Per MOU (Medded) Tandem Trunk Port - Shared, Per MOU (Medded) Tandem Trunk Port - Shared, Per MOU (Medded) Tandem Trunk Port - Shared, Per MOU (Medded) Tandem Trunk Port - Shared, Per MOU (Medded) Tandem Trunk Port - Shared, Per MOU (Medded) Tandem Switching Port Par Mile, Per MOU (Medded) Tandem Switching Port Par Mile, Per MOU (Medded) Tandem Switching Port Par Mile, Per MOU (Medded) Tandem Switching Port Parker Reflected in the Cost Based Section Apply to Embedded Base UNE-Ps as of March 10, 205 and Consist of the TELRIC Cost Based Rates Puls \$1.00 in Accordance with the TRO. Sealed Rates are supplied where Bell South is required by FCC and/or State Commission rule to provide Unbundled Port Loop Combinations of Joop/port network elements except for UNE Coin PortLoop Combinations. Send Office and Tandem Switching Usage and Common Transport Usage rates in the Port section of this rate exhibit shall apply to all combinations of Joop/port network elements except for UNE Coin PortLoop Combinations. Tandem Trunk Port Tandem Switching Usage and Common Transport Usage rates in the Port section of this rate exhibit shall apply to all combinations of Joop/port network elements except for UNE Coin PortLoop Combinations.		(
Tandem Trunk Port - Shared, Per MOU 0.0006 0.0006 0.0007 0.0003		f									0.00020			+		
Tandem Trunk Port - Shared, Per MOU (Melded) 0.00034		f									0.0006			+		
Tandem Switching Function Per MOU (Melded) 0.00024618 0.00012309														1	\vdash	
Tandem Trunk Port - Shared, Per MOU (Melded) 0.00012309														1	\vdash	
Melded Factor: 41.03% of the Tandem Rate														1	\vdash	
Common Transport - Per Mile, Per MOU Common Transport - Per Mile, Per MOU Common Transport - Per Mile, Per MOU Common Transport - Facilities Termination Per MOU Common Transport - Facilities Termination Per MOU Common Transport - Facilities Termination Per MOU Common Transport - Facilities Termination Per MOU Common Transport - Facilities Termination Per MOU Common Transport - Facilities Termination Per MOU Common Transport - Facilities Termination Per MOU Common Transport - Facilities Termination Per MOU Common Transport - Facilities Termination Per MOU Common Transport - Facilities Termination Per MOU Common Transport - Facilities Termination Per MOU Common Transport - Facilities Termination Per MOU Common Transport - Facilities Termination Per MOU Common Transport - Facilities Termination Per MOU Common Transport - Facilities Termination Per MOU Common Transport - Facilities Termination Per MOU Common Transport - Facilities Termination Per Mounted Per State State Section Apply to Embedded Base UNE-Ps as of March 10, 2005 and Consist of the TECRIC Cost Based Rates Plus \$1.00 in Accordance with the TRRO. > The UNE-P Switching Porr Rates Reflected in the Cost Based Rates Section in the same manner as they are applied to the Stand-Alone Unbundled Port section of this Rate Exhibit. > Facilities Termination Per Internet Per State Section Apply to Embedded Base UNE-Ps as of March 10, 2005 and Gonsist of the TECRIC Cost Based Rates Plus \$1.00 in Accordance with the TRRO. > Facilities Termination Per Note of the Stand-Alone Unbundled Port section of this Rate Exhibit. > Facilities Rates Rates are applied to the Stand-Alone Unbundled Port section of this Rate Exhibit. > Facilities Rates Rates Rates Plus St.00 in Accordance with the TRRO. Value Voice Grade Loop (St.1) - Zone 2 14.00 in Accordance with the TRRO. Value Voice Orabination Rates Rates Section Apply to Embedded Base UNE-Ps as of March 10, 2005 and Consist of the TECRIC Cost Based Rates Plus St.00 in Accordance with the TRRO. Value Voice Orabi											0.00012303			-	├──	
Common Transport - Fer Mile, Per MOU 0.00001 0.00034 0.000														-	├──	
Common Transport - Facilities Termination Per MOU UNBUNDLED PORTALOP COMBINATIONS - COST BASED RATES											0.00001			-	├──	
INBUNDLED PORTILOOP COMBINATIONS - COST BASED RATES														\vdash	├──	
Scost Based Rates are applied where BellSouth is required by FCC and/or State Commission rule to provide Unbundled Local Switching or Switch Ports. She UNE-P Switching Port Rates Reflected in the Cost Based Section Apply to Embedded Base UNE-Ps as of March 10, 2005 and Consist of the TELRIC Cost Based Rates Plus \$1.00 in Accordance with the TRRO. Features shall apply to the Unbundled Port/Loop Combination - Cost Based Rate section in the same manner as they are applied to the Stand-Alone Unbundled Port Section of this Rate Exhibit. SEND Office and Tandem Switching Usage and Common Transport Usage rates in the Port section of this rate exhibit shall apply to all combinations of loop/port network elements except for UNE Coin Port/Loop Combinations. SThe (Institute of the Nonecurring Commission Common Transport Usage rates in the Port section of this rate exhibit shall apply to all combinations of loop/port network elements except for UNE Coin Port/Loop Combinations. STHE (Institute of the Nonecurring Common Transport Usage rates in the Port section of this rate exhibit shall apply to all combinations of loop/port network elements except for UNE Coin Port/Loop Combinations. STHE (Institute of the Nonecurring Common Transport Usage rates in the Port section of this rate exhibits shall apply to all combinations of loop/port network elements except for UNE Coin Port/Loop Combinations. STHE (Institute of the Nonecurring Common Transport Usage rates in the Port Section of this rate exhibits shall apply to all combinations of loop/port network elements except for UNE Coin Port/Loop Combinations. STHE (Institute of United Common Transport Usage shall be those identified in the Nonecurring charges shall be those identified in the Nonecurring charges shall be those identified in the Nonecurring charges shall be those identified in the Nonecurring charges shall be those identified in the Nonecurring charges shall be those identified in the Nonecurring charges shall be those identified in the Nonecurring charges shal											0.00034			\vdash	├──	
STINE UNEP Switching Port Rates Reflected in the Cost Based Section Apply to Embedded Base UNE-Ps as of March 10, 2005 and Consist of the TELRIC Cost Based Rates Plus \$1.00 in Accordance with the TRRO.					<u> </u>	l			toh Dorto	itahina ar Cwi	ndled Legal Cu	rovido Unhu	ammission rule to n	toto Cr	and/ar (
SFeatures shall apply to the Unbundled Port/Loop Combination - Cost Based Rate section in the same manner as they are applied to the Stand-Alone Unbundled Port section of this Rate Exhibit. Send Office and Transport Usage rates in the Port section of this rate exhibit shall apply to all combinations of loop/port network elements except for UNE Coin Port/Loop Combinations. Send Office and Transport Usage rates in the Port section of this rate exhibit shall apply to all combinations of loop/port network elements except for UNE Coin Port/Loop Combinations. Send Office and Transport Usage rates in the Port section of this rate exhibit shall apply to all combinations of loop/port network elements except for UNE Coin Port/Loop Combinations. Send Office and Transport Usage rates in the Port section of this rate exhibit shall apply to all combinations of loop/port network elements except for UNE Coin Port/Loop Combinations. Send Office and Individual Port nonrecurring charges shall be those identified in the Nonrecurring - Currently Combined Sections. Send Office and Loop Wint Combination Rates					-24 4 - T DI		N 64 00 ' A	D D								
>End Office and Tandem Switching Usage and Common Transport Usage rates in the Port section of this rate exhibit shall apply to all combinations of loop/port network elements except for UNE Coin Port/Loop Combinations. >The first and additional Port nonrecurring charges apply to Not Currently Combined Combos. For Currently Combined Combos the nonrecurring charges shall be those identified in the Nonrecurring - Currently Combined Sections. Variable Voice Grade Loop WiTh 2-WiRe Linke PORT (RES)				₹0.	vith the IR											
>The first and additional Port nonrecurring charges apply to Not Currently Combined Combos. For Currently Combined Combos the nonrecurring charges shall be those identified in the Nonrecurring - Currently Combined sections. 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 2-Wire VG Loop/Port Combo - Zone 3 33.61 UNE Loop Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 1 UEPRX UEPLX 10.75 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 3 UEPRX UEPLX 19.05 2-Wire Voice Grade Loop (SL1) - Zone 3 3 UEPRX UEPLX 30.33 2-Wire Voice Grade Loop (SL1) - Zone 3 3 UEPRX UEPLX 30.33 2-Wire Voice Grade Loop (SL1) - Zone 3 3 UEPRX UEPLX 30.35 2-Wire voice unbundled port - residence UEPRX UEPRX UEPRC 3.28 79.59 63.97 2-Wire voice unbundled port outgiong only - res 2-Wire voice unbundled port outgiong only - res 2-Wire voice unbundled port outgiong only - res 2-Wire voice unbundled port outgiong only - res 2-Wire voice unbundled port outgiong only - res 2-Wire voice unbundled port outgiong only - res 1-Wire voice unbundled port outgiong only - res 2-Wire voice unbundled port outgiong only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port with Caller ID (LUM) UEPRX UEPR 3.28 79.59 63.97 UEPRX UEPR 3.28 79.59 63.97			ne	n Combineti-	in Dort/I -											
2-Wire Voice Grabe Loop With 2-Wire Link PORT (RES)																
UNE Port/Loop Combination Rates			ections.	ly Combined S	lg - Current	Nomecum	I III III III III III III III III III	an be those fu	ig charges sin	the nomecum	T COMBOS	Trenting Cont	lea Combos. For Ca	TITIOITI	Tentry	
2-Wire VG Loop/Port Combo - Zone 1				-		-					1			\longmapsto	\vdash	
2-Wire VG Loop/Port Combo - Zone 2 22.33 3.61				 		-					14.00			\longmapsto		
2-Wire Voice Grade Loop (SL1) - Zone 1				 		-								\longmapsto		
UNE Loop Rates						1						1		\longmapsto	—	
2-Wire Voice Grade Loop (SL1) - Zone 1						1					33.61	1		\longmapsto	—	
2-Wire Voice Grade Loop (SL1) - Zone 2 2 UEPRX UEPLX 19.05						1					10.75	LIEDLY	LIEDDY		—	
2-Wire Voice Grade Line Port Rates (Res) 2-Wire voice unbundled port - residence UEPRX UEPRX UEPRC 3.28 79.59 63.97						1									—	
2-Wire Voice Grade Line Port Rates (Res)						1									—	
2-Wire voice unbundled port - residence						1					30.33	UEPLX	UEPKA	3	—	
2-Wire voice unbundled port with Caller ID - res UEPRX UEPRC 3.28 79.59 63.97 2-Wire voice unbundled port outgoing only - res UEPRX UEPRO 3.28 79.59 63.97 2-Wire voice unbundles res, low usage line port with Caller ID (LUM) 2-Wire voice unbundled Low Usage Line Port without Caller ID (Capability UEPRX UEPRT 3.28 79.59 63.97						1			62.07	70.50	2.00	HEDDI	LIEDDY	\longmapsto	—	
2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundles res, low usage line port with Caller ID (LUM) 2-Wire voice unbundled Low Usage Line Port without Caller ID Capability UEPRX UEPRO 3.28 79.59 63.97 UEPRX UEPAP 3.28 79.59 63.97				 	-	-								\longmapsto	—	
2-Wire voice unbundles res, low usage line port with Caller ID (LUM) 12-Wire voice unbundled Low Usage Line Port without Caller ID Capability UEPRX UEPAP 3.28 79.59 63.97 UEPRX UEPRT 3.28 79.59 63.97				 	-	-								\longmapsto	—	
(LUM)						1			63.97	79.59	3.28	UEPKU	UEPKA	\longmapsto	—	
Capability UEPRX UEPRT 3.28 79.59 63.97									63.97	79.59	3.28	UEPAP	UEPRX	igsqcut	<u> </u>	(LUM)
									63.97	79.59	3.28	UEPRT	UEPRX			Capability
2-Wire Voice Grade Unbundled Port without Caller ID capability, North Carolina UEPRX UEPRZ 3.28 79.59 63.97		<u> </u>							63.97	79.59	3.28	UEPRZ	UEPRX			2-Wire Voice Grade Unbundled Port without Caller ID capability North Carolina

Version 4Q05 Standard ICA 03/15/06 (Renegotiations) Page 192 of 261

LINDIII	UDI ED N	ETWORK ELEMENTS - North Carolina												Attachment:	2 Evh A		
UNBUI	ADLED I	ETWORK ELEMENTS - NORTH Carollila		1								Svc Order		Incremental		Incremental	Incremental
												Submitted		_	Charge -	Charge -	Charge -
CATE	SORV	DATE ELEMENTO	Interi	7	BCS	11000			RATES(\$)			Elec		Manual Svc		Manual Svc	
CATE	JURT	RATE ELEMENTS	m	Zone	BCS	USOC			KATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
-			-	-			ı			N	•			200	D-((A)		
-			-	-			B	Nonrec		Nonrecurring Di		001150	001111		Rates(\$)	001111	001441
<u> </u>		0.W/ \/ \(\text{O} = \)					Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		2-Wire Voice Grade Unbundled Port without Caller ID capability,															
<u> </u>		North Carolina			UEPRX	UEPRY	3.28	79.59	63.97								
-	FEATU		-	-	UEPRX	UEPVF	0.40	0.00	0.00								
-		All Features Offered CURRING CHARGES (NRCs) - CURRENTLY COMBINED	1	<u> </u>	UEPRX	UEPVF	3.40	0.00	0.00								
	NONKE	2-Wire Voice Grade Loop / Line Port Combination - Conversion -	1	<u> </u>													
		Switch-as-is			UEPRX	USAC2		2.77	0.40								
		2-Wire Voice Grade Loop / Line Port Combination - Conversion -			UEPKA	USACZ		2.11	0.40								-
		Switch with change			UEPRX	USACC		2.77	0.40								
		2-Wire Voice Grade Loop / Line Port Combination - Conversion -			ULFIX	USACC		2.11	0.40								
		Subsequent Database Update						1.42									
		2-Wire Voice Grade Loop / Line Port Platform - Installation						1.72									
1		Charge at QuickService location - Not Conversion of Existing	1	1									1				1
1		Service	1	1	UEPRX	URECC		2.77					1				1
	ADDITI	DNAL NRCs			OLITA	OKLOG		2.11									
—	755111	2-Wire Voice Grade Loop/Line Port Combination - Subsequent	 	 		+				 							
		Activity			UEPRX	USAS2	0.00	0.00	0.00								
		Unbundled Miscellaneous Rate Element, Tag Loop at End User			OLITAX	OOAOZ	0.00	0.00	0.00								
		Premise			UEPRX	URETL		8.33	0.83								
	OFF/ON	PREMISES EXTENSION CHANNELS			OLITOX	OKLIL		0.00	0.00								
	0 , 0.	2 Wire Analog Voice Grade Extension Loop – Non-Design		1	UEPRX	UEAEN	12.11	57.99	42.37								
		2 Wire Analog Voice Grade Extension Loop – Non-Design		2	UEPRX	UEAEN	21.24	57.99	42.37								
		2 Wire Analog Voice Grade Extension Loop – Non-Design		3	UEPRX	UEAEN	33.65	57.99	42.37								
		2 Wire Analog Voice Grade Extension Loop – Design		1	UEPRX	UEAED	14.97	142.97	106.56								
		2 Wire Analog Voice Grade Extension Loop – Design		2	UEPRX	UEAED	25.93	142.97	106.56								
		2 Wire Analog Voice Grade Extension Loop – Design		3	UEPRX	UEAED	40.81	142.97	106.56								
	INTERC	FFICE TRANSPORT															
		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility															
		Termination			UEPRX	U1TV2	18.00	137.48	52.58								
		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile															
		or Fraction Mile			UEPRX	U1TVM	0.0125	0.00	0.00								
	2-WIRE	VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS)															
	UNE Po	rt/Loop Combination Rates															
		2-Wire VG Loop/Port Combo - Zone 1					14.03										
		2-Wire VG Loop/Port Combo - Zone 2					22.33										
		2-Wire VG Loop/Port Combo - Zone 3					33.61										
		op Rates															
		2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPBX	UEPLX	10.75										
		2-Wire Voice Grade Loop (SL1) - Zone 2	<u> </u>	2	UEPBX	UEPLX	19.05										1
		2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPBX	UEPLX	30.33										
	2-Wire	/oice Grade Line Port (Bus)				1											
L		2-Wire voice unbundled port without Caller ID - bus	ļ		UEPBX	UEPBL	3.28	79.59	63.97	 							
<u> </u>		2-Wire voice unbundled port with Caller + E484 ID - bus	ļ	<u> </u>	UEPBX	UEPBC	3.28	79.59	63.97	 							
<u> </u>	1	2-Wire voice unbundled port outgoing only - bus	<u> </u>	<u> </u>	UEPBX	UEPBO	3.28	79.59	63.97	 							├
<u> </u>	1	2-Wire voice unbundled incoming only port with Caller ID - Bus	<u> </u>	<u> </u>	UEPBX	UEPB1	3.28	79.59	63.97	 							├
1		2-Wire voice unbundled Incoming Only Port without Caller ID			LIEDDY	HEDDE	0.00	70.50	00.0=								1
<u> </u>	EE A T'	Capability		-	UEPBX	UEPBE	3.28	79.59	63.97								
—	FEATU		 	 	UEPBX	UEPVF	3.40	0.00	0.00								
		All Features Offered CURRING CHARGES (NRCs) - CURRENTLY COMBINED	-	-	ULFDA	UEFVF	3.40	0.00	0.00	 							
 	NONKE	2-Wire Voice Grade Loop / Line Port Combination - Conversion -	 			+				 			 				
		Switch-as-is			UEPBX	USAC2		2.77	0.40								1
		2-Wire Voice Grade Loop / Line Port Combination - Conversion -	 		OLFDA	USAUZ		2.11	0.40	 							
1		Switch with change	1	1	UEPBX	USACC		2.77	0.40				1				1
—		2-Wire Voice Grade Loop / Line Port Combination - Conversion -	 	1	OLI DA	30,100		2.11	0.40	 			l				—
		Subsequent Database Update	1	1				1.42					1				1
-	ADDITI	ONAL NRCs	 			+		1.72		 			 				
	. 100.11	2-Wire Voice Grade Loop/Line Port Combination - Subsequent				1											†
		Activity	1	1	UEPBX	USAS2		0.00	0.00				1				1
		and the second s						5.50	5.50								

CATEGORY	NETWORK ELEMENTS - North Carolina												Attachment:			
CATEGORT	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Svc Order Submitted Manually per LSR	Charge -	Incremental Charge - Manual Svc Order vs. Electronic-	Charge -	Incrementa Charge - Manual Svo Order vs. Electronic-
ı													1st	Add'I	Disc 1st	Disc Add'l
							Nonrec	urring	Nonrecurring Dis	sconnect			oss	Rates(\$)		
						Rec	First	Add'l		Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Unbundled Miscellaneous Rate Element, Tag Loop at End User															
	Premise			UEPBX	URETL		8.33	0.83								
	N PREMISES EXTENSION CHANNELS															<u> </u>
	2 Wire Analog Voice Grade Extension Loop – Non-Design			UEPBX	UEAEN	12.11	57.99	42.37								
	2 Wire Analog Voice Grade Extension Loop – Non-Design			UEPBX	UEAEN	21.24	57.99	42.37								_
	2 Wire Analog Voice Grade Extension Loop – Non-Design			UEPBX	UEAEN	33.65	57.99	42.37								<u> </u>
	2 Wire Analog Voice Grade Extension Loop – Design		1 2	UEPBX	UEAED UEAED	14.97 25.93	142.97 142.97	106.56 106.56								
	2 Wire Analog Voice Grade Extension Loop – Design 2 Wire Analog Voice Grade Extension Loop – Design			UEPBX UEPBX	UEAED	40.81	142.97	106.56								
	DFFICE TRANSPORT		3	OLFBX	ULALD	40.01	142.37	100.50								
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility															
	Termination			UEPBX	U1TV2	18.00	137.48	52.58								
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile				1	.5.55		02.00								†
	or Fraction Mile			UEPBX	U1TVM	0.0125	0.00	0.00				1				
2-WIRE	VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES - PBX)															
	ort/Loop Combination Rates															
	2-Wire VG Loop/Port Combo - Zone 1					14.03										
	2-Wire VG Loop/Port Combo - Zone 2					22.33										
	2-Wire VG Loop/Port Combo - Zone 3					33.61										
	pop Rates															
	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEPRG	UEPLX	10.75										
	2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEPRG	UEPLX	19.05										
	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEPRG	UEPLX	30.33										
	Voice Grade Line Port Rates (RES - PBX)															
	2-Wire VG Unbundled Combination 2-Way PBX Trunk Port - Res			LIEDDO	UEPRD	2.00	404.57	400.40								
FEATUR				UEPRG	UEPRD	3.28	164.57	128.16								_
	All Features Offered			UEPRG	UEPVF	3.40	0.00	0.00								
	CURRING CHARGES (NRCs) - CURRENTLY COMBINED			OLITIO	OLI VI	3.40	0.00	0.00								1
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Conversion - Switch-As-Is			UEPRG	USAC2		2.77	0.40								
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -															
1	Conversion - Switch with Change			UEPRG	USACC		2.77	0.40								
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -															
	Subsequent Database Update						1.42									
	ONAL NRCs															ļ
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -			LIEDDO								1				
	Subsequent Activity			UEPRG	USAS2	0.00	0.00	0.00								
	Unbundled Miscellaneous Rate Element, Tag Loop at End User Premise			LIEDDG	URETL		8.33	0.83				1				
	N PREMISES EXTENSION CHANNELS			UEPRG	UKEIL		8.33	0.83				-				
	Local Channel Voice grade, per termination	-	1	UEPRG	P2JHX	14.97	142.97	106.56				1				
	Local Channel Voice grade, per termination Local Channel Voice grade, per termination	-	2	UEPRG	P2JHX	25.93	142.97	106.56								
	Local Channel Voice grade, per termination		3	UEPRG	P2JHX	40.81	142.97	106.56								
	Non-Wire Direct Serve Channel Voice Grade		1	UEPRG	SDD2X	14.62	252.06	109.08								†
	Non-Wire Direct Serve Channel Voice Grade		2	UEPRG	SDD2X	23.86	126.03	54.54								†
	Non-Wire Direct Serve Channel Voice Grade		3	UEPRG	SDD2X	36.40	126.03	54.54								
	OFFICE TRANSPORT															
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility Termination			UEPRG	U1TV2	18.00	137.48	52.58								
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile											1				
	or Fraction Mile			UEPRG	U1TVM	0.0125	0.00	0.00								<u> </u>
	VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)				1											<u> </u>
	ort/Loop Combination Rates															<u> </u>
\longrightarrow	2-Wire VG Loop/Port Combo - Zone 1					14.03										<u> </u>
	2-Wire VG Loop/Port Combo - Zone 2				+	22.33										
. 1)	2-Wire VG Loop/Port Combo - Zone 3				+	33.61										
UNE Lo			1	1	1	1			1				1	l	l	1

UNBUNDLED	NETWORK ELEMENTS - North Carolina												Attachment:	2 Exh A		
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR		Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
							Nonrec	urring	Nonrecurring	g Disconnect			oss	Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEPPX	UEPLX	19.05										
	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEPPX	UEPLX	30.33										
2-Wire	e Voice Grade Line Port Rates (BUS - PBX)				_					-						
	Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus			UEPPX	UEPPC	3.28	164.57	128.16								ĺ
	Line Side Unbundled Outward PBX Trunk Port - Bus			UEPPX	UEPPO	3.28	164.57	128.16								
	Line Side Unbundled Incoming PBX Trunk Port - Bus			UEPPX	UEPP1	3.28	164.57	128.16		1						
	2-Wire Voice Unbundled PBX LD Terminal Ports			UEPPX	UEPLD	3.28	164.57	128.16								
	2-Wire Voice Unbundled 2-Way Combination PBX Usage Port			UEPPX	UEPXA	3.28	164.57	128.16								
	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports			UEPPX	UEPXB	3.28	164.57	128.16								
	2-Wire Voice Unbundled PBX LD DDD Terminals Port			UEPPX	UEPXC	3.28	164.57	128.16								L
	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port			UEPPX	UEPXD	3.28	164.57	128.16								
	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD Capable Port			UEPPX	UEPXE	3.28	164.57	128.16		1			1		1	İ
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy			UEPPX	UEPAE	3.28	164.57	128.16								
] [Administrative Calling Port			UEPPX	UEPXL	3.28	164.57	128.16		1			1		1	İ
 	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy				J /\L	5.25	104.01	120.10		†	1		1		1	
	Room Calling Port			UEPPX	UEPXM	3.28	164.57	128.16								1
	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital															
	Discount Room Calling Port			UEPPX	UEPXO	3.28	164.57	128.16								1
	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPPX	UEPXS	3.28	164.57	128.16								
FEAT																L
	All Features Offered			UEPPX	UEPVF	3.40	0.00	0.00								
NONR	RECURRING CHARGES (NRCs) - CURRENTLY COMBINED															
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Conversion - Switch-As-Is			UEPPX	USAC2		2.77	0.40								ĺ
 	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -			ULFFX	USACZ		2.11	0.40		1	1					
	Conversion - Switch with Change			UEPPX	USACC		2.77	0.40								1
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -															
	Subsequent Database Update						1.42									ĺ
ADDIT	FIONAL NRCs															
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -															ĺ
	Subsequent Activity			UEPPX	USAS2	0.00	0.00	0.00								
	Unbundled Miscellaneous Rate Element, Tag Loop at End User			LIEDDY	LIDETI		0.00	0.00								ĺ
OEE/C	Premise DN PREMISES EXTENSION CHANNELS		<u> </u>	UEPPX	URETL		8.33	0.83			-					
OF F/C	Local Channel Voice grade, per termination		1	UEPPX	P2JHX	14.97	142.97	106.56			1					
	Local Channel Voice grade, per termination		2	UEPPX	P2JHX	25.93	142.97	106.56								—
	Local Channel Voice grade, per termination		3	UEPPX	P2JHX	40.81	142.97	106.56			1					
	Non-Wire Direct Serve Channel Voice Grade		1	UEPPX	SDD2X	14.62	252.06	109.08								
	Non-Wire Direct Serve Channel Voice Grade		2	UEPPX	SDD2X	23.86	126.03	54.54								
	Non-Wire Direct Serve Channel Voice Grade		3	UEPPX	SDD2X	36.40	126.03	54.54								
INTER	ROFFICE TRANSPORT															
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility			LIEDDY	11477.00	40.00	407.40	50.50								ĺ
	Termination Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile			UEPPX	U1TV2	18.00	137.48	52.58								
	or Fraction Mile			UEPPX	U1TVM	0.0125	0.00	0.00		1			1		1	İ
2-WIR	E VOICE GRADE LOOP WITH 2-WIRE ANALOG LINE COIN POR	RT		OLI I A	O I I VIVI	0.0123	0.00	0.00		†	-					t e
	Port/Loop Combination Rates	.,							1	1	1		1		1	1
	2-Wire VG Coin Port/Loop Combo – Zone 1				1	14.03					1					ſ
	2-Wire VG Coin Port/Loop Combo – Zone 2					22.33										
	2-Wire VG Coin Port/Loop Combo – Zone 3					33.61								_		
UNE L	oop Rates															
L	2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPCO	UEPLX	10.75					1		ļ		ļ	
\vdash	2-Wire Voice Grade Loop (SL1) - Zone 2		3	UEPCO	UEPLX	19.05			1	1			 		 	+
2-101:	2-Wire Voice Grade Loop (SL1) - Zone 3 e Voice Grade Line Ports (COIN)		3	UEPCO	UEPLX	30.33			-	 			-		-	
2-99116	2-Wire Coin 2-Way without Operator Screening and without		1		+					+						\vdash
] [Blocking (NC)			UEPCO	UEPND	3.28	79.59	63.97		1			1		1	1
	1 3 \ -1					2.20	. 2.00	22.01								

UNBUNDLED I	NETWORK ELEMENTS - North Carolina												Attachment:	2 Exh A		
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Submitted	Incremental	Incremental Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
							Nonrec	urring	Nonrecurring	Disconnect			oss	Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Coin 2-Way with Operator Screening (NC)			UEPCO	UEPNC	3.28	79.59	63.97								
	2-Wire Coin 2-Way with Operator Screening and Blocking: 011, 900/976, 1+DDD (NC, TN)			UEPCO	UEPRP	3.28	79.59	63.97								
	2-Wire Coin 2-Way with Operator Screening and 011 Blocking (NC)			UEPCO	UEPNB	3.28	79.59	63.97								
	2-Wire Coin 2-Way with Operator Screening: 900 Blocking: 900/976, 1+DDD, 011+, and Local (NC, TN)			UEPCO	UEPCA	3.28	79.59	63.97								
	2-Wire Coin Outward with Operator Screening and 011 Blocking (NC)			UEPCO	UEPNE	3.28	79.59	63.97								
	2-Wire Coin Outward with Operator Screening and Blocking:															
	900/976, 1+DDD, 011+, and Local (NC)			UEPCO	UEPCL	3.28	79.59	63.97								
	2-Wire 2-Way Smartline with 900/976 (all states except LA)			UEPCO	UEPCK	3.28	79.59	63.97								
	2-Wire Coin Outward Smartline with 900/976 (all states except LA)			UEPCO	UEPCR	3.28	79.59	63.97								
ADDIT	IONAL UNE COIN PORT/LOOP (RC)															
	UNE Coin Port/Loop Combo Usage (Flat Rate)			UEPCO	URECU	3.70	0.00	0.00	0.00	0.00						
NONRE	CURRING CHARGES - CURRENTLY COMBINED															
	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch-as-is			UEPCO	USAC2		2.77	0.40								
	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch with change	-		UEPCO	USACC		2.77	0.40								
	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Subsequent Database Update						1.42									
ADDIT	IONAL NRCs															
	2-Wire Voice Grade Loop/Line Port Combination - Subsequent Activity			UEPCO	USAS2		0.00	0.00								
	Unbundled Miscellaneous Rate Element, Tag Loop at End User Premise			UEPCO	URETL		8.33	0.83								
2-WIRE	VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE	E LINE I	PORT (I													
UNE P	ort/Loop Combination Rates															
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 1					18.16										
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 2					29.12										
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 3					44.00										
UNE L	oop Rates		1	LIEDED	LIECES	44.07			1							
	2-Wire Voice Grade Loop (SL2) - Zone 1 2-Wire Voice Grade Loop (SL2) - Zone 2	 	2	UEPFR UEPFR	UECF2	14.97 25.93			_		-					
	2-Wire Voice Grade Loop (SL2) - Zone 2 2-Wire Voice Grade Loop (SL2) - Zone 3	1	3	UEPFR	UECF2	25.93 40.81			 	1	1			1		1
2-Wire	Voice Grade Line Port Rates (Res)	1	3	OLI I IX	JL01 2	70.01			-							
	2-Wire voice unbundled port - residence			UEPFR	UEPRL	3.19	225.00	225.00	İ							
İ	2-Wire voice unbundled port with Caller ID - res			UEPFR	UEPRC	3.19	225.00	225.00								
	2-Wire voice unbundled port outgoing only - res			UEPFR	UEPRO	3.19	225.00	225.00								
	2-Wire voice unbundles res, low usage line port with Caller ID (LUM)			UEPFR	UEPAP	3.19	225.00	225.00								
	2-Wire voice res, low usage line port without Caller ID capabilty			UEPFR	UEPRZ	3.19	225.00	225.00								
	2-Wire voice North Carolina port without Caller ID capability - res			UEPFR	UEPRZ	3.19	225.00	225.00								
	2-Wire voice North Carolina port with Caller ID capability - res			UEPFR	UEPRY	3.19	225.00	225.00	1							
INTER	OFFICE TRANSPORT	L			1											
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility Termination			UEPFR	U1TV2	18.00	140.00	71.00							_	
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile or Fraction Mile			UEPFR	1L5XX	0.0125										
FEATU		1			1.20.31	3.0.20			1							
	All Features Offered			UEPFR	UEPVF	3.40	0.00	0.00								
NONR	ECURRING CHARGES (NRCs) - CURRENTLY COMBINED							•								
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port Combination - Conversion - Switch-as-is			UEPFR	USAC2		9.03	1.87								

RATE ELEMENTS Interim m Zone BCS USOC RATES(\$) Sv. Order Submitted Electronic- 1st Nonrecurring Nonrecurring Disconnect Nonrecurring Nonrecurring Disconnect Sv. Order vs. Charge - Charge - Charge - Charge - Manual Svc. Order vs. Electronic- 2st E	UNBUNDLED N	NETWORK ELEMENTS - North Carolina												Attachment:	2 Exh A		
ATTEMPT RATE BLEMENTS Mary Section											Svc	Order				Incremental	Incremental
### ATT ELEMENTS n Zere 9C3 USC SATELLY Security Sec															_		Charge -
ALTOUR PART SELECTION			Interi	l_					DATEO(6)								Manual Svo
No. No.	CATEGORY	RATE ELEMENTS		Zone	BCS	USOC			RATES(\$)		pe	r LSR	per LSR				Order vs.
Proceedings Proceedings Procedure																	Electronic-
Mile Langer Principal Transport Father State Langer Langer State State Langer State Langer State Langer State Langer State Langer Langer State Langer Stat														1st	Add'l	Disc 1st	Disc Add'l
Mile Langer Principal Transport Father State Langer Langer State State Langer State Langer State Langer State Langer State Langer Langer State Langer Stat								Nonrec	urring	Nonrecurring Disco	nnect			oss	Rates(\$)		
Confishedine - Commentine - South With Change UPPR URDING Michael Processing - South With Change UPPR URDING Michael Processing - South With Change UPPR URDING Michael Processing - South With Change UPPR URDING Michael Processing - South With Change UPPR URDING Michael Processing - South With Change UPPR URDING Michael Processing - South With Change UPPR URDING Michael Processing - South With Change UPPR URDING Michael Processing - South With Change UPPR URDING Michael Processing - South With Change UPPR URDING Michael Processing - South With Change UPPR URDING Michael Processing - UPPR URDING Michael Processing - UPPR URDING Michael Processing - UPPR URDING Michael Processing - UPPR URDING Michael Processing - UPPR URDING Michael Processing - UPPR URDING Michael Processing - UPPR URDING Michael Processing - UPPR URDING Michael Processing - UPPR URDING Michael Processing - UPPR UPPR URDING Michael Processing - UPPR URDING Michael Processing - UPPR UPPR URDING Michael Processing - UPPR URDING Michael Processing - UPPR URDING Michael Processing - UPPR URDING Michael Processing - UPPR URDING Michael Processing - UPPR URDING Michael Processing - UPPR URDING Michael Processing - UPPR URDING Michael Processing - UPPR URDING Michael Processing - UPPR URDING Michael Processing - UPPR URDING Michael Processing - UPPR URDING Michael Processing - UPPR URDING Michael Processing - UPPR URDING Michael Processing - UPPR URDING Michael Processing							Rec					MEC	SOMAN			SOMAN	SOMAN
Delication Ministrations Rate Clarent, Tap Designed Loop at																	
End Liber Permiss					UEPFR	USACC		9.03	1.87								
2-Wise Voice Control								44.00									
UNIX-POPULAGE Combination Rates	2 WIDE		LINE	ODT (UREIN		11.20	1.10								
			LINE	1) 170	503)	+											
D. With Vis Logo(D) Transported Control - Zono 3 25.00 2	0.12.1						18.16										
E-Wite VS LogOID TransportPert Common - Zeno 3																	
2-Wire Vood Grade Look (SL2) - Zone 1		2-Wire VG Loop/IO Tranport/Port Combo - Zone 3					44.00										
2-Wire Vote Clarke Lorg (SL) - Zone 2 2 UPPR UECF2 25.00	UNE Lo																
S-Wife Voxed Grade Loop (SL2): Zone 3 3 USPFB USCP2 40.81				_													
A A A A A A A A A A																	
2-Wive vote unfamiliar port will caller 12-Bit D- bus UEPFB UEFFB UEFF	2-Wiro			3	UEPFB	UEUF2	40.81										
2-Wire voce unknowled port with Caller F - E48 ID - Dus	2-44116			-	UEPFB	UEPBL	3.19	225.00	225.00								
2-Wive value unburdied port autograp only - bas UEPFB UEPB 3.19 225.00 225.00																	
InterOFFIce TRANSPORT Internitation InterOFFIce Transport - Dedicated - 2 Wire Voice Grade - Facility UEPFB UTV2 18.00 140.00 71.00					UEPFB	UEPBO	3.19	225.00	225.00								
Interoffee Transport - Dedicated - 2-Wire Voice Grade - Facility Termination UEPFB		2-Wire voice unbundled incoming only port with Caller ID - Bus			UEPFB	UEPB1	3.19	225.00	225.00								
Termination LePFB Linux	INTER																
Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile or Fraction Mile UEPFB					LIEDED	11477 (0	40.00	4.40.00	74.00								
OF Fraction Mile					UEPFB	U11V2	18.00	140.00	71.00								
FEATURES					LIEDER	11 5YY	0.0125										
NONECURING CHARGES (NRCs) - CURRENTLY COMBINED Combination Companies (Nonecuring Charges) Combination - Companies (Nonecuring Charges) Combination - Companies (Nonecuring Charges) Combination - Companies (Nonecuring Charges) Combination - Companies (Nonecuring Charges) Combination - Companies (Nonecuring Charges) Combination - Companies (Nonecuring Charges) Companies (Nonecur	FEATU				OLITB	TESTON	0.0125										
2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port Combination - Conversion - Switch-as-les UEPFB					UEPFB	UEPVF	3.40	0.00	0.00								
Combination - Conversion - Switch-as-is	NONRE	CURRING CHARGES (NRCs) - CURRENTLY COMBINED															
2-Wire Loop / Dedicated to Transport / 2-Wire Line Port Combination - Conversion - Switch with change UEPFB USACC 9.03 1.87																	
Combination - Conversion - Switch with change UEPPB					UEPFB	USAC2		9.03	1.87								
Unbundled Miscellaneous Rate Element, Tag Designed Loop at UEPFB					LIEDED	LICACO		0.00	4.07								
End User Premise					UEFFB	USACC		9.03	1.07								
2-Wire Voice Crade Line Port RankSPORT/ 2-Wire Line Port (PBX)					LIEPER	URETN		11 20	1 10								
2-Wire VL Loop/ID Tranport/Port Combo - Zone 1 18.16 29.12 20.16 29.12 20.16 20.16 29.12 20.16 20.	2-WIRE		LINE	ORT (O.K.Z.IIV		11120									
2-Wire VG Loop/IO Tranport/Port Combo - Zone 2 29.12 29.	UNE Po	ort/Loop Combination Rates		,													
2-Wire Voice Grade Loop (SL2) - Zone 1																	
Wite Loop Rates																	
2-Wire Voice Grade Loop (SL2) - Zone 1	LINIE I						44.00										
2-Wire Voice Grade Loop (SL2) - Zone 2 2 UEPFP UECF2 25.93				1	LIEPEP	LIECE2	14 97			 		-			1		
2-Wire Voice Grade Line Port Rates (BUS - PBX)				2													
Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus UEPFP UEPPC 3.18 225.00 225.00																	
Line Side Unbundled Outward PBX Trunk Port - Bus	2-Wire																
Line Side Unbundled Outward PBX Trunk Port - Bus									· · · · · · · · · · · · · · · · · · ·								
Line Side Unbundled Incoming PBX Trunk Port - Bus UEPFP UEPD1 3.18 225.00 225.00				<u> </u>													
2-Wire Voice Unbundled PBX_LD Terminal Ports				<u> </u>													
2-Wire Voice Unbundled 2-Way Combination PBX Usage Port UEPFP UEPXA 3.18 225.00 225.00				 						 							
2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports										 							
2-Wire Voice Unbundled PBX LD DDD Terminals Port UEPFP UEPXC 3.18 225.00 225.00																	
2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD Capable Port UEPFP UEPXE 3.18 225.00 225.00 2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Administrative Calling Port UEPFP UEPXL 3.18 225.00 225.00 2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Room Calling Port UEPFP UEPXM 3.18 225.00 225.00 UEPFP UEPXM 3.18 225.00 225.00		2-Wire Voice Unbundled PBX LD DDD Terminals Port			UEPFP	UEPXC	3.18	225.00	225.00								
Capable Port					UEPFP	UEPXD	3.18	225.00	225.00								
2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Administrative Calling Port UEPFP UEPXL 3.18 225.00 225.00 2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Room Calling Port UEPFP UEPXM 3.18 225.00 225.00 2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital																	
Administrative Calling Port 2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Room Calling Port UEPFP UEPXL 3.18 225.00 225.00 UEPFP UEPXM 3.18 225.00 225.00 UEPFP UEPXM 3.18 225.00 225.00				<u> </u>	UEPFP	UEPXE	3.18	225.00	225.00								
2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Room Calling Port UEPFP UEPXM 3.18 225.00 225.00 2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital					LIEDED	HEDVI	0.40	005.00	205.00								
Room Calling Port UEPFP UEPXM 3.18 225.00 225.00				 	UEPFP	UEPAL	3.18	225.00	225.00	 							
2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital					UEPFP	UEPXM	3 18	225 00	225 00								
							5.10	220.00	220.00								
					UEPFP	UEPXO	3.18	225.00	225.00								

CATEGORY 2-Wire V INTEROFFICE 1 Interoffic Termina Interoffic or Fracti FEATURES All Featt NONRECURRIN 2-Wire L Combina Unbund End Use 2-Wire Voice UNE Port/Loop 2-Wire V 2-Wire V 2-Wire V 2-Wire V 2-Wire V 2-Wire V 2-Wire V 2-Wire V 2-Wire V 2-Wire V 1-Wire V 1-Wire V 2-Wire V 1-Wire A 1-	ffice Transport - Dedicated - 2 Wire Voice Grade - Facility nation ffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile ction Mile attures Offered ING CHARGES (NRCs) - CURRENTLY COMBINED De Loop / Dedicated IO Transport / 2 Wire Line Port ination - Conversion - Switch-as-is De Loop / Dedicated IO Transport / 2 Wire Line Port ination - Conversion - Switch with change didled Miscellaneous Rate Element, Tag Designed Loop at Isser Premise E GRADE LOOP- BUS ONLY - WITH 2-WIRE DID TRUNK POR Combination Rates De VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 1 De VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 2 De VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 3 Tes Analog Voice Grade Loop - (SL2) - UNE Zone 1 De Analog Voice Grade Loop - (SL2) - UNE Zone 2	Interi	Zone	BCS UEPFP UEPFP UEPFP UEPFP UEPFP UEPFP	UEPXS U1TV2 1L5XX UEPVF USAC2 USACC URETN	Rec 3.18 18.00 0.0125 3.40	Nonrec First 225.00 140.00 0.00 9.03	RATES(\$) urring Add'I 225.00 71.00 0.00 1.87	Nonrecurring Discon First Add	Submitted Elec per LSR		Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'I
INTEROFFICE 1 Interoffic Termina Interoffic or Fracti FEATURES All Featt NONRECURRIN 2-Wire L Combina Unbund End Use 2-Wire VOICE UNE Port/Loop 2-Wire V 2-Wire V 2-Wire V 2-Wire V 1-W	ETRANSPORT fice Transport - Dedicated - 2 Wire Voice Grade - Facility nation fice Transport - Dedicated - 2 Wire Voice Grade - Per Mile ction Mile atures Offered ING CHARGES (NRCs) - CURRENTLY COMBINED Loop / Dedicated IO Transport / 2 Wire Line Port ination - Conversion - Switch-as-is Loop / Dedicated IO Transport / 2 Wire Line Port ination - Conversion - Switch-as-is Loop / Dedicated IO Transport / 2 Wire Line Port ination - Conversion - Switch with change dided Miscellaneous Rate Element, Tag Designed Loop at Iser Premise E GRADE LOOP- BUS ONLY - WITH 2-WIRE DID TRUNK PD Combination Rates B VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 1 B VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 2 B VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 3 Tes Analog Voice Grade Loop - (SL2) - UNE Zone 1 Analog Voice Grade Loop - (SL2) - UNE Zone 1	PORT		UEPFP UEPFP UEPFP UEPFP	U1TV2 1L5XX UEPVF USAC2 USACC	3.18 18.00 0.0125	140.00 0.00 9.03	71.00 0.00			SOMAN			SOMAN	SOMAN
INTEROFFICE 1 Interoffic Termina Interoffic or Fracti FEATURES All Featu NONRECURRIN 2-Wire L Combina Unbund End Use 2-Wire Voice UNE Port/Loop 2-Wire V 2-Wire V 2-Wire V 2-Wire V 1-Wire V 1-Wire V 1-Wire V 1-Wire V 1-Wire V 1-Wire V 1-Wire V 1-Wire V 1-Wire V 1-Wire V 1-Wire V 1-Wire V 1-Wire V 1-Wire V 1-Wire A 1-W	ETRANSPORT fice Transport - Dedicated - 2 Wire Voice Grade - Facility nation fice Transport - Dedicated - 2 Wire Voice Grade - Per Mile ction Mile atures Offered ING CHARGES (NRCs) - CURRENTLY COMBINED Loop / Dedicated IO Transport / 2 Wire Line Port ination - Conversion - Switch-as-is Loop / Dedicated IO Transport / 2 Wire Line Port ination - Conversion - Switch-as-is Loop / Dedicated IO Transport / 2 Wire Line Port ination - Conversion - Switch with change dided Miscellaneous Rate Element, Tag Designed Loop at Iser Premise E GRADE LOOP- BUS ONLY - WITH 2-WIRE DID TRUNK PD Combination Rates B VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 1 B VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 2 B VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 3 Tes Analog Voice Grade Loop - (SL2) - UNE Zone 1 Analog Voice Grade Loop - (SL2) - UNE Zone 1	PORT		UEPFP UEPFP UEPFP UEPFP	U1TV2 1L5XX UEPVF USAC2 USACC	3.18 18.00 0.0125	225.00 140.00 0.00	225.00 71.00 0.00	First Add	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
INTEROFFICE 1 Interoffic Termina Interoffic or Fracti FEATURES All Featu NONRECURRIN 2-Wire L Combina Unbund End Use 2-Wire Voice UNE Port/Loop 2-Wire V 2-Wire V 2-Wire V 2-Wire V 1-Wire V 1-Wire V 1-Wire V 1-Wire V 1-Wire V 1-Wire V 1-Wire V 1-Wire V 1-Wire V 1-Wire V 1-Wire V 1-Wire V 1-Wire V 1-Wire V 1-Wire A 1-W	ETRANSPORT fice Transport - Dedicated - 2 Wire Voice Grade - Facility nation fice Transport - Dedicated - 2 Wire Voice Grade - Per Mile ction Mile atures Offered ING CHARGES (NRCs) - CURRENTLY COMBINED Loop / Dedicated IO Transport / 2 Wire Line Port ination - Conversion - Switch-as-is Loop / Dedicated IO Transport / 2 Wire Line Port ination - Conversion - Switch-as-is Loop / Dedicated IO Transport / 2 Wire Line Port ination - Conversion - Switch with change dided Miscellaneous Rate Element, Tag Designed Loop at Iser Premise E GRADE LOOP- BUS ONLY - WITH 2-WIRE DID TRUNK PD Combination Rates B VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 1 B VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 2 B VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 3 Tes Analog Voice Grade Loop - (SL2) - UNE Zone 1 Analog Voice Grade Loop - (SL2) - UNE Zone 1	PORT		UEPFP UEPFP UEPFP UEPFP	U1TV2 1L5XX UEPVF USAC2 USACC	18.00 0.0125	0.00	71.00 0.00 1.87							
Interoffic Termina Interoffic Termina Interoffic or Fracti FEATURES All Featt NONRECURRIN 2-Wire L Combina Unbund End Use 2-Wire V 2-Wire V 2-Wire V 2-Wire V 2-Wire V 2-Wire V 2-Wire V 1-Wire V 2-Wire V 1-Wire V 2-Wire V 1-Wire V 2-Wire A 2-Wire A 1-Wire	ffice Transport - Dedicated - 2 Wire Voice Grade - Facility nation ffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile ction Mile attures Offered ING CHARGES (NRCs) - CURRENTLY COMBINED De Loop / Dedicated IO Transport / 2 Wire Line Port ination - Conversion - Switch-as-is De Loop / Dedicated IO Transport / 2 Wire Line Port ination - Conversion - Switch with change didled Miscellaneous Rate Element, Tag Designed Loop at Isser Premise E GRADE LOOP- BUS ONLY - WITH 2-WIRE DID TRUNK POR Combination Rates De VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 1 De VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 2 De VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 3 Tes Analog Voice Grade Loop - (SL2) - UNE Zone 1 De Analog Voice Grade Loop - (SL2) - UNE Zone 2	PORT		UEPFP UEPFP UEPFP	1L5XX UEPVF USAC2 USACC	0.0125	9.03	0.00							
Termina Interoffic or Fracti FEATURES All Featu NONRECURRIN 2-Wire L Combina 2-Wire L Combina Unbund End Use 2-Wire V UNE Port/Loop 2-Wire V 2-Wire V 2-Wire V 2-Wire V 2-Wire V 1-Wire V 1-Wire V 2-Wire V 1-Wire V 1-Wire V 1-Wire V 1-Wire V 1-Wire V 1-Wire V 1-Wire V 1-Wire V 1-Wire V 1-Wire V 1-Wire V 1-Wire A 1-Wire	nation fice Transport - Dedicated - 2 Wire Voice Grade - Per Mile ction Mile atures Offered ING CHARGES (NRCs) - CURRENTLY COMBINED b Loop / Dedicated IO Transport / 2 Wire Line Port ination - Conversion - Switch-as-is b Loop / Dedicated IO Transport / 2 Wire Line Port ination - Conversion - Switch with change inded Miscellaneous Rate Element, Tag Designed Loop at ser Premise EGRADE LOOP- BUS ONLY - WITH 2-WIRE DID TRUNK DE Combination Rates b VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 1 b VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 2 b VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 3 tes a Analog Voice Grade Loop - (SL2) - UNE Zone 1 b Analog Voice Grade Loop - (SL2) - UNE Zone 2	PORT		UEPFP UEPFP UEPFP	1L5XX UEPVF USAC2 USACC	0.0125	9.03	0.00							
Interoffic or Fracti FEATURES All Featt NONRECURRIN 2-Wire L Combina Unbund End Use 2-Wire VOICE UNE Port/Loop 2-Wire V 2-Wire V 2-Wire V 2-Wire V UNE Loop Rate 2-Wire A 2-Wire A 1-Wi	iffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile ction Mile atures Offered ING CHARGES (NRCs) - CURRENTLY COMBINED Loop / Dedicated IO Transport / 2 Wire Line Port ination - Conversion - Switch-as-is Loop / Dedicated IO Transport / 2 Wire Line Port ination - Conversion - Switch with change indled Miscellaneous Rate Element, Tag Designed Loop at Iser Premise E GRADE LOOP- BUS ONLY - WITH 2-WIRE DID TRUNK PD Combination Rates B VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 1 B VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 2 B VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 3 Loop - Analog Voice Grade Loop - (SL2) - UNE Zone 1 A Analog Voice Grade Loop - (SL2) - UNE Zone 2	PORT		UEPFP UEPFP UEPFP	1L5XX UEPVF USAC2 USACC	0.0125	9.03	0.00							
or Fracti FEATURES All Featt NONRECURRIN 2-Wire L Combine 2-Wire L Combine Unbund End Use 2-Wire VOICE UNE Port/Loop 2-Wire V 2-Wire V 2-Wire V 2-Wire V 2-Wire V UNE Loop Rate 2-Wire A 2-Wire A 2-Wire A 1-2-W	ction Mile atures Offered ING CHARGES (NRCs) - CURRENTLY COMBINED Loop / Dedicated IO Transport / 2 Wire Line Port ination - Conversion - Switch-as-is Loop / Dedicated IO Transport / 2 Wire Line Port ination - Conversion - Switch with change right of the Company of the Company of the Company of the Company ination - Conversion - Switch with change right of the Conversion - Switch with change right of the Conversion - Switch with change red Riscellaneous Rate Element, Tag Designed Loop at Isser Premise E GRADE LOOP- BUS ONLY - WITH 2-WIRE DID TRUNK PORDINATION OF TR	PORT		UEPFP UEPFP	UEPVF USAC2 USACC		9.03	1.87							
FEATURES All Features All Features All Features All Features All Features All Features Combina Combina Combina Unbund End Use Louis Combina Unbund End Use Louis Combina Combina Combina Une Port/Loop Combina C	atures Offered ING CHARGES (NRCs) - CURRENTLY COMBINED Loop / Dedicated IO Transport / 2 Wire Line Port ination - Conversion - Switch-as-is Loop / Dedicated IO Transport / 2 Wire Line Port ination - Conversion - Switch with change indied Miscellaneous Rate Element, Tag Designed Loop at lser Premise E GRADE LOOP- BUS ONLY - WITH 2-WIRE DID TRUNK DE Combination Rates VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 1 VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 2 VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 2 VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 3 VE Analog Voice Grade Loop - (SL2) - UNE Zone 1 Analog Voice Grade Loop - (SL2) - UNE Zone 2	PORT		UEPFP UEPFP	UEPVF USAC2 USACC		9.03	1.87							
All Feate NONRECURRIN 2-Wire L Combina 2-Wire L Combina Unbund End Use 2-WIRE VOICE UNE Port/Loop 2-Wire V 2-Wire V 1-Wire V 1-Wire V 2-Wire V 1-Wire V 1-Wire V 1-Wire V 1-Wire V 1-Wire A 1-W	ING CHARGES (NRCs) - CURRENTLY COMBINED Loop / Dedicated IO Transport / 2 Wire Line Port ination - Conversion - Switch-as-is Loop / Dedicated IO Transport / 2 Wire Line Port ination - Conversion - Switch with change Idled Miscellaneous Rate Element, Tag Designed Loop at Iser Premise E GRADE LOOP- BUS ONLY - WITH 2-WIRE DID TRUNK ID Combination Rates B VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 1 B VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 2 B VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 3 Total State B Analog Voice Grade Loop - (SL2) - UNE Zone 1 Analog Voice Grade Loop - (SL2) - UNE Zone 2	PORT		UEPFP UEPFP	USAC2 USACC	3.40	9.03	1.87							
NONRECURRIN 2-Wire L Combina 2-Wire L Combina Unbund End Use 2-WIRE VOICE UNE Port/Loop 2-Wire V 2-Wire V 2-Wire V 2-Wire V UNE Loop Rate 2-Wire A 2-Wire A 1-Wire A	ING CHARGES (NRCs) - CURRENTLY COMBINED Loop / Dedicated IO Transport / 2 Wire Line Port ination - Conversion - Switch-as-is Loop / Dedicated IO Transport / 2 Wire Line Port ination - Conversion - Switch with change Idled Miscellaneous Rate Element, Tag Designed Loop at Iser Premise E GRADE LOOP- BUS ONLY - WITH 2-WIRE DID TRUNK ID Combination Rates B VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 1 B VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 2 B VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 3 Total State B Analog Voice Grade Loop - (SL2) - UNE Zone 1 Analog Voice Grade Loop - (SL2) - UNE Zone 2	PORT		UEPFP UEPFP	USAC2 USACC	3.40	9.03	1.87							
2-Wire L Combina 2-Wire L Combina Unbund End Use 2-WIRE VOICE UNE Port/Loop 2-Wire V 2-Wire V UNE Loop Rate 2-Wire A 2-Wire A 1-W	De Loop / Dedicated IO Transport / 2 Wire Line Port ination - Conversion - Switch-as-is be Loop / Dedicated IO Transport / 2 Wire Line Port ination - Conversion - Switch with change ination - Conversion - Switch with change deded Miscellaneous Rate Element, Tag Designed Loop at Iser Premise E GRADE LOOP- BUS ONLY - WITH 2-WIRE DID TRUNK POR Combination Rates by GLoop/2-Wire DID Trunk Port Combo - UNE Zone 1 by GLoop/2-Wire DID Trunk Port Combo - UNE Zone 2 by GLoop/2-Wire DID Trunk Port Combo - UNE Zone 3 tes be Analog Voice Grade Loop - (SL2) - UNE Zone 1 be Analog Voice Grade Loop - (SL2) - UNE Zone 2	PORT		UEPFP	USACC										<u> </u>
Combina 2-Wire L Combina Unbund End Use 2-WIRE VOICE UNE Port/Loop 2-Wire V 2-Wire V UNE Loop Rate 2-Wire A 2-Wire A UNE Port Rate Exchang NONRECURRIN	ination - Conversion - Switch-as-is Loop / Dedicated IO Transport / 2 Wire Line Port ination - Conversion - Switch with change indled Miscellaneous Rate Element, Tag Designed Loop at laser Premise E GRADE LOOP- BUS ONLY - WITH 2-WIRE DID TRUNK PP Combination Rates BY G Loop/2-Wire DID Trunk Port Combo - UNE Zone 1 BY G Loop/2-Wire DID Trunk Port Combo - UNE Zone 2 BY G Loop/2-Wire DID Trunk Port Combo - UNE Zone 3 tes BAnalog Voice Grade Loop - (SL2) - UNE Zone 1 BAnalog Voice Grade Loop - (SL2) - UNE Zone 2	PORT		UEPFP	USACC										
2-Wire L Combina Unbund End Use 2-WIRE VOICE UNE Port/Loop 2-Wire V 2-Wire V UNE Loop Rate 2-Wire A 2-Wire A 2-Wire A UNE Port Rate Exchang NONRECURRIN	e Loop / Dedicated IO Transport / 2 Wire Line Port ination - Conversion - Switch with change didled Miscellaneous Rate Element, Tag Designed Loop at iser Premise E GRADE LOOP- BUS ONLY - WITH 2-WIRE DID TRUNK P. Combination Rates 9 VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 1 9 VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 2 9 VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 3 tes e Analog Voice Grade Loop - (SL2) - UNE Zone 1 9 Analog Voice Grade Loop - (SL2) - UNE Zone 2	PORT		UEPFP	USACC										1
Combina Unbund End Use 2-WIRE VOICE UNE Port/Loop 2-Wire V 2-Wire V UNE Loop Rate 2-Wire A 2-Wire A UNE Port Rate UNE Port Rate Exchang NONRECURRIN	ination - Conversion - Switch with change Indled Miscellaneous Rate Element, Tag Designed Loop at Isser Premise E GRADE LOOP- BUS ONLY - WITH 2-WIRE DID TRUNK ID Combination Rates 9 VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 1 9 VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 2 9 VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 3 10 VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 3 10 VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 3 10 VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 3 11 VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 3 12 VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 3 13 VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 3 14 VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 3	PORT					9.03	1.87	l						
Unbund End Use 2-WIRE VOICE UNE Port/Loop 2-Wire V 2-Wire V UNE Loop Rate 2-Wire A 2-Wire A 2-Wire A 4 2-Wire A 4 UNE Port Rate Exchang NONRECURRIN	adled Miscellaneous Rate Element, Tag Designed Loop at ser Premise E GRADE LOOP- BUS ONLY - WITH 2-WIRE DID TRUNK DE Combination Rates WG Loop/2-Wire DID Trunk Port Combo - UNE Zone 1 by G Loop/2-Wire DID Trunk Port Combo - UNE Zone 2 WG Loop/2-Wire DID Trunk Port Combo - UNE Zone 2 WG Loop/2-Wire DID Trunk Port Combo - UNE Zone 3 tes a Analog Voice Grade Loop - (SL2) - UNE Zone 1 a Analog Voice Grade Loop - (SL2) - UNE Zone 2	PORT					3.03		ı I						í
End Use 2-WIRE VOICE UNE Port/Loop 2-Wire V 2-Wire V UNE Loop Rate 2-Wire A 2-Wire A UNE Port Rate Exchang NONRECURRIN	Iser Premise E GRADE LOOP- BUS ONLY - WITH 2-WIRE DID TRUNK by Combination Rates by G Loop/2-Wire DID Trunk Port Combo - UNE Zone 1 c VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 2 by G Loop/2-Wire DID Trunk Port Combo - UNE Zone 2 c VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 3 tes c Analog Voice Grade Loop - (SL2) - UNE Zone 1 c Analog Voice Grade Loop - (SL2) - UNE Zone 2	PORT		UEPFP	URETN			1.07							$\overline{}$
2-WIRE VOICE UNE Port/Loop 2-Wire V 2-Wire V 2-Wire V UNE Loop Rate 2-Wire A 2-Wire A UNE Port Rate Exchang NONRECURRIN	E GRADE LOOP- BUS ONLY - WITH 2-WIRE DID TRUNK **p Combination Rates** **b 'VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 1 **b 'VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 2 **b 'VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 3 **tes** **b Analog Voice Grade Loop - (SL2) - UNE Zone 1 **Analog Voice Grade Loop - (SL2) - UNE Zone 2	PORT			O. L.		11.20	1.10							í
UNE Port/Loop	p Combination Rates VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 1 vG Loop/2-Wire DID Trunk Port Combo - UNE Zone 1 vG Loop/2-Wire DID Trunk Port Combo - UNE Zone 2 vG Loop/2-Wire DID Trunk Port Combo - UNE Zone 3 tes a Analog Voice Grade Loop - (SL2) - UNE Zone 1 Analog Voice Grade Loop - (SL2) - UNE Zone 2				+		20	0			1				(
2-Wire \\	e VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 1 E VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 2 E VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 3 E VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 3 E Analog Voice Grade Loop - (SL2) - UNE Zone 1 E Analog Voice Grade Loop - (SL2) - UNE Zone 2														
2-Wire N 2-Wire N UNE Loop Rate 2-Wire A 2-Wire A 2-Wire A UNE POrt Rate Exchang NONRECURRIN	e VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 2 VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 3 tes e Analog Voice Grade Loop - (SL2) - UNE Zone 1 e Analog Voice Grade Loop - (SL2) - UNE Zone 2					21.97									i
2-Wire N UNE Loop Rate 2-Wire A 2-Wire A 2-Wire A UNE Port Rate Exchang	e VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 3 tes e Analog Voice Grade Loop - (SL2) - UNE Zone 1 Analog Voice Grade Loop - (SL2) - UNE Zone 2					28.80									ī
2-Wire A 2-Wire A 2-Wire A UNE Port Rate Exchang	e Analog Voice Grade Loop - (SL2) - UNE Zone 1 e Analog Voice Grade Loop - (SL2) - UNE Zone 2					38.08									í
2-Wire A 2-Wire A UNE Port Rate Exchang	Analog Voice Grade Loop - (SL2) - UNE Zone 2														í
2-Wire A UNE Port Rate Exchang NONRECURRIN			1	UEPPX	UECD1	8.85									
UNE Port Rate Exchang NONRECURRIN	A - 1 - 1/2 - 2 - 1 - 1 (OLO) LINE 7 2		2	UEPPX	UECD1	15.68									í T
Exchang NONRECURRIN	Analog Voice Grade Loop - (SL2) - UNE Zone 3		3	UEPPX	UECD1	24.96									i
NONRECURRIN															<u> </u>
	nge Ports - 2-Wire DID Port			UEPPX	UEPD1	13.12	224.81	188.40							Ļ
2-Wire \	ING CHARGES - CURRENTLY COMBINED														
	e Voice Grade Loop / 2-Wire DID Trunk Port Combination -														í
Switch-a				UEPPX	USAC1		13.26	8.39							
	e Voice Grade Loop / 2-Wire DID Trunk Port Conversion			LIEDDY	110440		40.00	0.00							í
ADDITIONAL N	ellSouth Allowable Changes			UEPPX	USA1C		13.26	8.39			-				
				UEPPX	LICACA		E2 40			_	-				
	DID Subsequent Activity - Add Trunks, Per Trunk adled Miscellaneous Rate Element, Tag Designed Loop at			UEPPX	USAS1		53.49				-				
	Iser Premise			UEPPX	URETN		11.20	1.10							í
	ımber/Trunk Group Establisment Charges			OLITA	OKLIN		11.20	1.10		-					
	runk Termination (One Per Port)			UEPPX	NDT	0.00	0.00	0.00							
	umbers, Establish Trunk Group and Provide First Group		 	52. T X		0.00	0.00	5.00							1
	DID Numbers			UEPPX	NDZ	0.00	0.00	0.00							í
	onal DID Numbers for each Group of 20 DID Numbers		1	UEPPX	ND4	0.00	0.00	0.00							1
	umbers, Non- consecutive DID Numbers , Per Number		1	UEPPX	ND5	0.00	0.00	0.00							1
	ve Non-Consecutive DID numbers		1	UEPPX	ND6	0.00	0.00	0.00							i
Reserve	ve DID Numbers			UEPPX	NDV	0.00	0.00	0.00							i .
	DIGITAL GRADE LOOP WITH 2-WIRE ISDN DIGITAL LIN	NE SIDE	E PORT	Г											
	p Combination Rates														
	DN Digital Grade Loop/2W ISDN Digital Line Side Port -													_	1
UNE Zo			<u> </u>			39.84									
	DN Digital Grade Loop/2W ISDN Digital Line Side Port -						l								í
UNE Zo			<u> </u>		.	51.01									
	DN Digital Grade Loop/2W ISDN Digital Line Side Port -										1				i
UNE Zo			<u> </u>	1	1	66.18					1				
UNE Loop Rate			1	UEPPB UEPPR	LICLAY	4447					1				
2-Wire IS	e ISDN Digital Grade Loop - UNE Zone 1		1	UEPPB UEPPR	USL2X	14.47					+				
2 Mira I	e ISDN Digital Grade Loop - UNE Zone 2		2	UEPPB UEPPR	USL2X	25.64					1				i
	e ISDN Digital Grade Loop - UNE Zone 2 e ISDN Digital Grade Loop - UNE Zone 3	-	3	UEPPB UEPPR		25.64 40.81					+				
UNE Port Rate		-	<u> </u>	OLFFB UEFPR	USLZA	40.01	+		-		1				
	nge Port - 2-Wire ISDN Line Side Port		!	UEPPR	UEPPR	25.37	388.20	302.77		+	1				
Exchange	ingo i or - 2-vviie iobiv Line dide Fuit		 	UEPPB	UEPPB	25.37	388.20	302.77			1				

LINDII	NDI ED A	NETWORK ELEMENTS - North Carolina												Attachment:	2 Evb A	1	1
UNBU	NULEU	NETWORK ELEMENTS - NORTH Carolina		1			1					Svc (Order Svc Orde			Incremental	Incremental
													nitted Submitte				Charge -
														_	Charge -	Charge -	
CATE	CODV	RATE ELEMENTS	Interi	Zone	_	3CS	USOC			RATES(\$)		EI					Manual Svc
CATE	GUKT	RATE ELEMENTS	m	Zone	-	503	0300			KAILS(\$)		per	LSR per LSR		Order vs.	Order vs.	Order vs.
														Electronic-		Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
									Nonrec	urring	Nonrecurring Disco	nnoct		088	Rates(\$)		
								Rec	First	Add'l			MEC SOMAN		SOMAN	SOMAN	SOMAN
	NONRE	CURRING CHARGES - CURRENTLY COMBINED						Nec	11130	Addi	11130 A	Jul 301	ILC GOWAN	JONAN	JOHAN	JOHAN	JOINAIN
	HONKE	2-Wire ISDN Digital Grade Loop / 2-Wire ISDN Line Side Port											-	+			
		Combination - Conversion			LIEDDD	UEPPR	USACB	0.00	174.35	174.35							
	ADDITI	ONAL NRCs			OLITO	OLITIK	OOAOD	0.00	174.55	174.55			_				
	755111	Unbundled Miscellaneous Rate Element, Tag Designed Loop at											 	+			
		End User Premise			UEPPB	UEPPR	URETN		11.20	1.10							
	+	Unbundled Miscellaneous Rate Element, Tag Loop at End User															
		Premise			UEPPB	UEPPR	URETL		8.33	0.83							
	B-CHA	NNEL USER PROFILE ACCESS:			OL: I D	02	ONLINE		0.00	0.00							
	1	CVS/CSD (DMS/5ESS)			UEPPB	UEPPR	U1UCA	0.00	0.00	0.00		1		1			
	1	CVS (EWSD)			UEPPB	UEPPR	U1UCB	0.00	0.00	0.00				1			
		CSD			UEPPB	UEPPR	U1UCC	0.00	0.00	0.00		1		1			
	B-CHA	NNEL AREA PLUS USER PROFILE ACCESS: (AL,KY,LA,MS S	C,MS, &	TN)					5.55	2.30				İ			İ
		TERMINAL PROFILE	, .					İ									
		User Terminal Profile (EWSD only)			UEPPB	UEPPR	U1UMA	0.00	0.00	0.00							
	VERTIC	CAL FEATURES															
		All Vertical Features - One per Channel B User Profile			UEPPB	UEPPR	UEPVF	3.40	0.00	0.00							
	INTER	OFFICE CHANNEL MILEAGE															
		Interoffice Channel mileage each, including first mile and															
		facilities termination			UEPPB	UEPPR	M1GNC	18.0282	137.48	52.58							
		Interoffice Channel mileage each, additional mile			UEPPB	UEPPR	M1GNM	0.0282	0.00	0.00							
UNBU	NDLED (CENTREX PORT/LOOP COMBINATIONS - COST BASED RATE:	S														
		CENTREX - 5ESS (Valid in All States)															
		VG Loop/2-Wire Voice Grade Port (Centrex) Combo															
	UNE Po	ort/Loop Combination Rates (Non-Design)															
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -															
		Non-Design						14.03									
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
		Non-Design						22.33									
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
		Non-Design						33.61									
	UNE Po	ort/Loop Combination Rates (Design)															
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -						40.05									
		Design						18.25						+			
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -						20.24									
-	+	Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -	-	 			1	29.21						+	1		-
		Design						44.09				1					1
-	LINE	posign pop Rate					1	44.09					+	+	1		1
	5.4L LC	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP95		UECS1	10.75						+	<u> </u>		
	+	2-Wire Voice Grade Loop (SL 1) - Zone 2			UEP95		UECS1	19.05						+	<u> </u>		
	1	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP95		UECS1	30.33				- 		1			
	1	2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP95		UECS2	14.97				1		1			
	1	2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP95		UECS2	25.93				1		1			
	1	2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP95		UECS2	40.81						1			İ
	UNE Po	ort Rate												1			İ
	All Stat							İ									
		2-Wire Voice Grade Port (Centrex) Basic Local Area			UEP95		UEPYA	3.28	79.59	63.97							
		2-Wire Voice Grade Port (Centrex 800 termination)			UEP95		UEPYB	3.28	79.59	63.97							
		2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local															
L	1	Area	<u></u>	<u> </u>	UEP95		UEPYH	3.28	79.59	63.97		L		1			
		2-Wire Voice Grade Port (Centrex from diff Serving Wire															
		Center)2,3 Basic Local Area		<u> </u>	UEP95		UEPYM	3.28	164.57	128.16				<u> </u>			L
		2-Wire Voice Grade Port, Diff Serving Wire Center 2,3 - 800															
<u></u>		Service Term - Basic Local Area		<u> </u>	UEP95		UEPYZ	3.28						<u> </u>			L
		2-Wire Voice Grade Port terminated in on Megalink or equivalent															
		- Basic Local Area			UEP95		UEPY9	3.28	79.59	63.97							
		2-Wire Voice Grade Port Terminated on 800 Service Term -															
L_	1	Basic Local Area			UEP95		UEPY2	3.28	79.59	63.97							

UNBU	NDLED N	NETWORK ELEMENTS - North Carolina												Attachment:	2 Exh A		
550												Svc Order		Incremental		Incremental	Incremental
			l									Submitted	1		Charge -	Charge -	Charge -
1			l											_	_	•	
CATE	COBV	RATE ELEMENTS	Interi	Zone	BCS	usoc			RATES(\$)			Elec		Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATE	GURT	RATE ELEMENTS	m	Zone	BC3	USUC			VW1E9(9)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			l											Electronic-	Electronic-	Electronic-	Electronic-
			l											1st	Add'l	Disc 1st	Disc Add'l
<u> </u>	1		ļ	 			ļ .			T 81	. B'				D-1(2)		
							_	Nonrec		Nonrecurring					Rates(\$)		
	1			<u> </u>			Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	NC Onl																
		2-Wire Voice Grade Port (Centrex)			UEP95	UEPUA	3.28	79.59	63.97								
		2-Wire Voice Grade Port (Centrex 800 termination)			UEP95	UEPUB	3.28	79.59	63.97								
		2-Wire Voice Grade Port (Centrex with Caller ID)1			UEP95	UEPUH	3.28	79.59	63.97								
		2-Wire Voice Grade Port (Centrex from diff Serving Wire															
		Center)2,3			UEP95	UEPUM	3.28	164.57	128.16								
		2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service															
1	1	Term 2,3	l	1	UEP95	UEPUZ	3.28	164.57	128.16	Ì							
	1		1		- "		5.20		.20.70				1				
		2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP95	UEPU9	3.28	79.59	63.97								
-	+	2-Wire Voice Grade Port Terminated in 60 Wegamik of equivalent	-	 	UEP95	UEPU2	3.28	79.59	63.97				1				
-	Local	Switching	1	1	OLI 30	UL1 UZ	3.20	18.58	05.97	1	1	 	-		1		
-	Local S		-	1	LIEDOE	LIDEOO	0.000			-	-		 		-		
<u> </u>		Centrex Intercom Funtionality, per port		-	UEP95	URECS	0.903			1	1		1		1		
<u> </u>	Feature			1	LIEDAE								ļ				
		All Standard Features Offered, per port			UEP95	UEPVF	3.40										
L		All Select Features Offered, per port	<u> </u>	<u> </u>	UEP95	UEPVS	0.00	457.83		ļ			ļ				
		All Centrex Control Features Offered, per port	<u> </u>	1	UEP95	UEPVC	3.40						L				
	NARS																
		Unbundled Network Access Register - Combination			UEP95	UARCX	0.00	0.00	0.00	0.00	0.00						
		Unbundled Network Access Register - Indial			UEP95	UAR1X	0.00	0.00	0.00	0.00	0.00						
		Unbundled Network Access Register - Outdial			UEP95	UAROX	0.00	0.00	0.00	0.00	0.00						
	Miscell	laneous Terminations															
		Trunk Side															
		Trunk Side Terminations, each			UEP95	CEND6	12.36										
		Digital (1.544 Megabits)															
		DS1 Circuit Terminations, each	l	 	UEP95	M1HD1	123.65			 		<u> </u>	i				
-	+	DS0 Channels Activated, each	-	 	UEP95	M1HDO	0.00	28.81					1				
	Intereff	fice Channel Mileage - 2-Wire		+	OLI 30	WITTE	0.00	20.01									
	interon	Interoffice Channel Facilities Termination		1	UEP95	M1GBC	18.00					1	1				
	-																
-	Factor	Interoffice Channel mileage, per mile or fraction of mile		1	UEP95	M1GBM	0.0282			 			1				
-		e Activations (DS0) Centrex Loops on Channelized DS1 Service	e	1		-				 			1				
<u> </u>	D4 Cha	annel Bank Feature Activations		1	LIEDAE	450140							ļ				
<u> </u>	1	Feature Activation on D-4 Channel Bank Centrex Loop Slot	 	ļ	UEP95	1PQWS	0.65										
1	1		l	1	l		_			Ì							
		Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP95	1PQW6	0.65										
		Feature Activation on D-4 Channel Bank FX Trunk Side Loop	l														
L		Slot			UEP95	1PQW7	0.65										
1		Feature Activation on D-4 Channel Bank Centrex Loop Slot -									<u> </u>			-	1		
L		Different Wire Center	<u> </u>	<u> </u>	UEP95	1PQWP	0.65			<u> </u>	<u> </u>	<u></u>	<u> </u>		<u> </u>	<u> </u>	
1	1	Feature Activation on D-4 Channel Bank Private Line Loop Slot	l	1	UEP95	1PQWV	0.65			Ì							
		Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop															
1		Slot	l		UEP95	1PQWQ	0.65										
	1	Feature Activation on D-4 Channel Bank WATS Loop Slot		1	UEP95	1PQWA	0.65						1				
-	Non-Re	ecurring Charges (NRC) Associated with UNE-P Centrex	1	1		~***	0.00			 			1				
-	14011-146	NRC Conversion Currently Combined Switch-As-Is with allowed	 	1		1	1			1			1		1		
1	1	changes, per port	l	1	UEP95	USAC2		2.77	0.40	Ì							
-	+	New Centrex Standard Common Block	1	1	UEP95	M1ACS	0.00	695.11	0.40	1	1		 		1		
-	+		 	+								-	 				
-	+	New Centrex Customized Common Block	 	1	UEP95	M1ACC	0.00	695.11		 			1				
	A 1 11	NAR Establishment Charge, Per Occasion	<u> </u>		UEP95	URECA	0.00	72.73				.	.				
<u> </u>	Additio	onal Non-Recurring Charges (NRC)											ļ				
1	1	Unbundled Miscellaneous Rate Element, Tag Loop at End Use	l	1		l				Ì							
L	1	Premise	 	ļ	UEP95	URETL		8.33	0.83								
		Unbundled Miscellaneous Rate Element, Tag Design Loop at	l														
L	<u> </u>	End Use Premise	<u></u>	<u>L</u>	UEP95	URETN		11.20	1.10						<u></u>		
		CENTREX - DMS100 (Valid in All States)															
	2-Wire	VG Loop/2-Wire Voice Grade Port (Centrex) Combo															
		ort/Loop Combination Rates (Non-Design)															
			•	•	•					•							

UNBUNDLED I	NETWORK ELEMENTS - North Carolina												Attachment:	2 Exh A		
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Svc Order Submitted	Incremental	Incremental Charge -	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
							Nonrec	curring	Nonrecurring I	Disconnect			oss	Rates(\$)	•	•
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -	-														
	Non-Design					14.03										ļ
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design					22.33										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -					22.55										
	Non-Design Your Non-Design					33.61										
UNE P	ort/Loop Combination Rates (Design)															
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -	-				40.05										
	Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		-			18.25										
	Design					29.21										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
	Design					44.09										
UNE L	pop Rate			LIEDOD	115004	40.75										
-	2-Wire Voice Grade Loop (SL 1) - Zone 1 2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEP9D UEP9D	UECS1 UECS1	10.75 19.05										
	2-Wire Voice Grade Loop (SL 1) - Zone 2 2-Wire Voice Grade Loop (SL 1) - Zone 3	1	3	UEP9D	UECS1	30.33										
	2-Wire Voice Grade Loop (SL 1) - Zone 3		1	UEP9D	UECS2	14.97										
	2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP9D	UECS2	25.93										
	2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP9D	UECS2	40.81										
	ort Rate															
ALL S				LUEDAD	LUEDVA		======									
	2-Wire Voice Grade Port (Centrex) Basic Local Area			UEP9D	UEPYA	3.28	79.59	63.97								
	2-Wire Voice Grade Port (Centrex 800 termination)Basic Local Area			UEP9D	UEPYB	3.28	79.59	63.97								
	2-Wire Voice Grade Port (Centrex / EBS-PSET)3Basic Local			02.03	02	0.20	70.00	00.01								
	Area			UEP9D	UEPYC	3.28	79.59	63.97								
	2-Wire Voice Grade Port (Centrex / EBS-M5009)3Basic Local															
	Area		-	UEP9D	UEPYD	3.28	79.59	63.97								
	2-Wire Voice Grade Port (Centrex / EBS-M5209))3 Basic Local Area			UEP9D	UEPYE	3.28	79.59	63.97								
	2-Wire Voice Grade Port (Centrex / EBS-M5112))3 Basic Local			02.03	022	0.20	70.00	00.01								
	Area			UEP9D	UEPYF	3.28	79.59	63.97								
	2-Wire Voice Grade Port (Centrex / EBS-M5312))3Basic Local															
	Area 2-Wire Voice Grade Port (Centrex / EBS-M5008))3 Basic Local		-	UEP9D	UEPYG	3.28	79.59	63.97								
	Area			UEP9D	UEPYT	3.28	79.59	63.97								
	2-Wire Voice Grade Port (Centrex / EBS-M5208))3 Basic Local			OLI OD	OLI II	0.20	70.00	00.01								
	Area			UEP9D	UEPYU	3.28	79.59	63.97								
	2-Wire Voice Grade Port (Centrex / EBS-M5216))3 Basic Local						======									
	Area 2-Wire Voice Grade Port (Centrex / EBS-M5316))3 Basic Local			UEP9D	UEPYV	3.28	79.59	63.97								
	Area			UEP9D	UEPY3	3.28	79.59	63.97								
	2-Wire Voice Grade Port (Centrex with Caller ID) Basic Local			OLI OD	OLI 10	0.20	70.00	00.01								
	Area			UEP9D	UEPYH	3.28	79.59	63.97								
	2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp															
	Indication))4 Basic Local Area			UEP9D	UEPYW	3.28	79.59	63.97								
	2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication))4 Basic Local Area			UEP9D	UEPYJ	3.28	79.59	63.97								
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)			02.03	02. 10	0.20	70.00	00.01								
	2,3-Basic Local Area			UEP9D	UEPYM	3.28	164.57	128.16								
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2,3,4							400 :-								
 	Basic Local Area 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2,3,4	 	1	UEP9D	UEPYO	3.28	164.57	128.16	 							
	Basic Local Area			UEP9D	UEPYP	3.28	164.57	128.16								
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2,3,4				52. 11	0.20	104.01	120.10								
	Basic Local Area			UEP9D	UEPYQ	3.28	164.57	128.16								
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2,3,4			LIEDOD	LIED: (5		=									
oxdot	Basic Local Area	1	1	UEP9D	UEPYR	3.28	164.57	128.16						l		

UNBUNDLE	D NETWORK ELEMENTS - North Carolina												Attachment:	2 Exh A		
CATEGORY		Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Charge -	Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'l
		-					Nonrec	urring	Nonrecurring	Disconnect		l	OSS	Rates(\$)		
—						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2,3,4					1.00										
	Basic Local Area			UEP9D	UEPYS	3.28	164.57	128.16								
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2,3,4	-														
	Basic Local Area			UEP9D	UEPY4	3.28	164.57	128.16								
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3															
	Basic Local Area			UEP9D	UEPY5	3.28	164.57	128.16								
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2,3,4	+		LIEDOD	LIEDVO	0.00	404.57	100.10								
	Basic Local Area 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2,3,4			UEP9D	UEPY6	3.28	164.57	128.16								
	Basic Local Area	'		UEP9D	UEPY7	3.28	164.57	128.16								
 	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service	+	1	021 00	52.17	5.20	104.57	120.10								
	Term 2,3			UEP9D	UEPYZ	3.28	164.57	128.16								
	2-Wire Voice Grade Port terminated in on Megalink or equivalen	t				1.20										
	Basic Local Area			UEP9D	UEPY9	3.28	79.59	63.97								
	2-Wire Voice Grade Port Terminated on 800 Service Term Basic															
	Local Area	1		UEP9D	UEPY2	3.28	79.59	63.97								<u> </u>
NC	Only															
	2-Wire Voice Grade Port (Centrex)			UEP9D	UEPUA	3.28	79.59	63.97								
	2-Wire Voice Grade Port (Centrex 800 termination) 2-Wire Voice Grade Port (Centrex / EBS-PSET)4	-		UEP9D UEP9D	UEPUB UEPUC	3.28 3.28	79.59 79.59	63.97 63.97								
	2-Wire Voice Grade Port (Centrex / EBS-PSE1)4 2-Wire Voice Grade Port (Centrex / EBS-M5009)4	-		UEP9D	UEPUD	3.28	79.59	63.97								
-	2-Wire Voice Grade Port (Centrex / EBS-M5009)4 2-Wire Voice Grade Port (Centrex / EBS-M5209)4	-		UEP9D	UEPUE	3.28	79.59	63.97			-					
	2-Wire Voice Grade Port (Centrex / EBS-M51209)4 2-Wire Voice Grade Port (Centrex / EBS-M5112)4	+		UEP9D	UEPUF	3.28	79.59	63.97								
	2-Wire Voice Grade Port (Centrex / EBS-M5312)4			UEP9D	UEPUG	3.28	79.59	63.97								
	2-Wire Voice Grade Port (Centrex / EBS-M5008)4			UEP9D	UEPUT	3.28	79.59	63.97								
	2-Wire Voice Grade Port (Centrex / EBS-M5208)4			UEP9D	UEPUU	3.28	79.59	63.97								
	2-Wire Voice Grade Port (Centrex / EBS-M5216)4			UEP9D	UEPUV	3.28	79.59	63.97								
	2-Wire Voice Grade Port (Centrex / EBS-M5316)4			UEP9D	UEPU3	3.28	79.59	63.97								
	2-Wire Voice Grade Port (Centrex with Caller ID)			UEP9D	UEPUH	3.28	79.59	63.97								
	2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp															
	Indication)4			UEP9D	UEPUW	3.28	79.59	63.97								
	2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication)4			UEP9D	UEPUJ	3.28	79.59	63.97								
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center))		LIEDOD	LIEDLIM	2.20	404.57	400.40								
-	2,3	-		UEP9D	UEPUM	3.28	164.57	128.16			-					
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2,3,4			UEP9D	UEPUO	3.28	164.57	128.16								
	2 WHO VOICE GRADE I GIT (CONTINUALITIES GWO/LESO I GET)2,0,4			OLI OD	OLI GO	0.20	104.07	120.10								
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2,3,4			UEP9D	UEPUP	3.28	164.57	128.16								
	, , , ,															
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2,3,4			UEP9D	UEPUQ	3.28	164.57	128.16								
													-	-		
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2,3,4	-		UEP9D	UEPUR	3.28	164.57	128.16								
	0 M/2 - 1/2 - 0 - 1 - D - 1 / O - 1 / 1/7 - 0 / M O / 500 1 - 0 / 10 / 10 / 10 / 10 / 10 / 10 /	. [LIEDOD	LIEBLIO		404 ==	100 10				1				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2,3,4	+	1	UEP9D	UEPUS	3.28	164.57	128.16								-
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2,3,4	ı		UEP9D	UEPU4	3.28	164.57	128.16								
	12 TVIII VOICE GIAGE I OIT (GEHTTENGIHEI GVVG/LBG-IVISUU6)2,3,4	+	1	OLI 3D	0L1 04	3.20	104.57	120.10	+		-					
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2,3,4	ı İ		UEP9D	UEPU5	3.28	164.57	128.16				1				
						1.20										
L [2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2,3,4	<u> </u>	<u> </u>	UEP9D	UEPU6	3.28	164.57	128.16	<u> </u>		<u> </u>	<u> </u>				<u> </u>
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2,3,4			UEP9D	UEPU7	3.28	164.57	128.16								<u> </u>
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service															
	Term 2,3	1	-	UEP9D	UEPUZ	3.28	164.57	128.16								
	2-Wire Voice Grade Port terminated in on Megalink or equivalen			UEP9D	UEPU9	3.28	79.59	63.97				1				
	2-Wire Voice Grade Port terminated in on Megalink or equivalen 2-Wire Voice Grade Port Terminated on 800 Service Term		1	UEP9D UEP9D	UEPU9 UEPU2	3.28	79.59	63.97				-				
I oc	al Switching	1	1	OLI 3D	OLI UZ	3.20	19.59	05.97								+
	Centrex Intercom Funtionality, per port	+	+	UEP9D	URECS	0.903			 		 					

CATEGORY		1												2 Exh A		
24TECODY											Svc Order	Svc Order	Incremental	Incremental	Incremental	Incrementa
SATECORY											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
SATECORY		Indan:									Elec	Manually		Manual Svc	Manual Svc	
SATEGURT	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m						- (.,			per LSK	per LOK				Electronic-
													Electronic-	Electronic-	Electronic-	Disc Add'l
													1st	Add'l	Disc 1st	DISC Add 1
					_	_	Nonrec		Nonrecurring					Rates(\$)		
Feature						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
reature	All Standard Features Offered, per port			UEP9D	UEPVF	3.40					1					
-+-	All Select Features Offered, per port			UEP9D	UEPVS	0.00	457.83				1					
-+	All Centrex Control Features Offered, per port			UEP9D	UEPVC	3.40	437.03									
NARS	All Certifex Control Features Offered, per port			OLF3D	OLFVC	3.40					1					
IVANO	Unbundled Network Access Register - Combination			UEP9D	UARCX	0.00	0.00	0.00	0.00	0.00	1					
-+-	Unbundled Network Access Register - Inward	-		UEP9D	UAR1X	0.00	0.00	0.00	0.00	0.00						
-+-	Unbundled Network Access Register - Outdial			UEP9D	UAROX	0.00	0.00	0.00	0.00	0.00						
Missol	Ianeous Terminations			OLF3D	UAROX	0.00	0.00	0.00	0.00	0.00						
	Trunk Side						-				1					
Z-WITE	Trunk Side Terminations, each	-	1	UEP9D	CEND6	12.36										
4 18/: ==		-		UEF9D	CENDO	12.30										
4-Wire	Digital (1.544 Megabits)	-		LIEDOD	MALIDA	400.05										
	DS1 Circuit Terminations, each	-		UEP9D	M1HD1	123.65	00.04									
	DS0 Channels Activiated per Channel			UEP9D	M1HDO	0.00	28.81									
Interof	fice Channel Mileage - 2-Wire			LIEBAR		40.00										
	Interoffice Channel Facilities Termination			UEP9D	M1GBC	18.00										
	Interoffice Channel mileage, per mile or fraction of mile			UEP9D	M1GBM	0.0282										
	e Activations (DS0) Centrex Loops on Channelized DS1 Service	ce														
D4 Cha	nnel Bank Feature Activations															
-+	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP9D	1PQWS	0.65										
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP9D	1PQW6	0.65										
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop															
	Slot			UEP9D	1PQW7	0.65										
	Feature Activation on D-4 Channel Bank Centrex Loop Slot -															
	Different Wire Center			UEP9D	1PQWP	0.65										
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP9D	1PQWV	0.65										
	Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop							-								
	Slot			UEP9D	1PQWQ	0.65										
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP9D	1PQWA	0.65										
Non-R	ecurring Charges (NRC) Associated with UNE-P Centrex															
	NRC Conversion Currently Combined Switch-As-Is with allowed															
	changes, per port			UEP9D	USAC2		2.77	0.40								
	New Centrex Standard Common Block			UEP9D	M1ACS	0.00	695.11									
	New Centrex Customized Common Block			UEP9D	M1ACC	0.00	695.11									
	NAR Establishment Charge, Per Occasion			UEP9D	URECA	0.00	72.73									
Additic	onal Non-Recurring Charges (NRC)															
	Unbundled Miscellaneous Rate Element, Tag Loop at End Use															
	Premise			UEP9D	URETL		8.33	0.83								
	Unbundled Miscellaneous Rate Element, Tag Design Loop at			-	1						İ		İ	İ	İ	
	End Use Premise			UEP9D	URETN		11.20	1.10								
Note 1	- Required Port for Centrex Control in 1AESS, 5ESS & EWSD			05	0.12	ı	20	0		1		1	1	1	1	
	- Required Interoffice Channel Mileage															
Note 3	- Installation is combination of Installation charge for SL2 Lo	op and	Port													
Note 4	Requires Specific Customer Premises Equipment	op unu	. 511													
	Rates displaying an "I" in Interim column are interim as a resu	ult of a C	ommis	sion order												

Version 4Q05 Standard ICA 03/15/06 (Renegotiations)

UNBU	NDI FD N	ETWORK ELEMENTS - South Carolina												Attachment:	2 Fxh A	1	
O.T.D.O.	NOLLD I	ETWORK ELEMENTO GOULD GUIOMA										Svc Order	Svc Order	Incremental		Incremental	Incremental
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
			Interi									Elec	Manually		Manual Svc	Manual Svc	Manual Svc
CATE	GORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			""										l ⁻	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
	1									T 51	. D'				D-1(A)		
							Rec	Nonrec First	curring Add'l	Nonrecurring First	g Disconnect Add'l	SOMEC	SOMAN	SOMAN	Rates(\$) SOMAN	SOMAN	SOMAN
							Rec	FIISL	Auu i	FIISL	Add I	SOMEC	SOWAN	SOWAN	SOWAN	SOWAN	SOWAN
	The "7	one" shown in the sections for stand-alone loops or loops as	nart of	a comb	nination refers to Ge	ographically	Deaveraged II	NF Zones To	view Geograp	hically Deaver	aged LINE Zone	- Designation	ne by Cent	ral Office refe	r to internet	Naheita:	
		ww.interconnection.bellsouth.com/become_a_clec/html/inter				ograpincany	Deaveraged 0	NL Zones. 10	view Geograp	incany Deaver	aged ONL ZOIN	e Designation	ons by cent	iai Oilice, ieie	si to internet	reporte.	
OPER		SUPPORT SYSTEMS (OSS) - "REGIONAL RATES"		1			1			1	1		1	ı	1	ı	
0		(1) CLEC should contact its contract negotiator if it prefers the	e "state	specif	ic" OSS charges as	ordered by t	he State Comm	nissions. The C	OSS charges c	urrently conta	ned in this rat	e exhibit are	the BellSo	uth "regional	" service orde	ring charges.	CLEC may
		ther the state specific Commission ordered rates for the servi															
		(2) Any element that can be ordered electronically will be bill															
	that car	nnot be ordered electronically at present per the LOH, the list	ed SOM	IEC rate	in this category ref	lects the cha	arge that would	be billed to a	CLEC once el	ectronic orderi	ng capabilities	come on-li	ne for that	element. Othe	erwise, the ma	anual ordering	g charge,
		OSS - Electronic Service Order Charge, Per Local Service													1		
	1	Request (LSR) - UNE Only	ļ	<u> </u>		SOMEC		3.50	0.00	3.50	0.00						
		OSS - Manual Service Order Charge, Per Local Service Request				001411		45.00	0.00	4.00	0.00						
LINE O	EDVICE	(LSR) - UNE Only DATE ADVANCEMENT CHARGE	 	1		SOMAN	1	15.69	0.00	1.97	0.00			-	 	-	
UNE S		DATE ADVANCEMENT CHARGE The Expedite charge will be maintained commensurate with	Rallean	th's EC	C No 1 Tariff Socia	n 5 ac annii	cable .			<u> </u>	<u> </u>	1	<u> </u>	I	<u> </u>	I	
-	NOTE:	The Expedite charge will be maintained commensurate with	Deligon	an s ru	UAL, UEANL, UCL,	ii J as appii	Capic.			1	1			I		I	
					UEF, UDF, UEQ,												
					UDL, UENTW, UDN,												
					UEA, UHL, ULC,												
					USL, U1T12, U1T48,												
					U1TD1, U1TD3,												
					U1TDX, U1TO3,												
					U1TS1, U1TVX,												
					UC1BC, UC1BL,												
					UC1CC, UC1CL,												
					UC1DC, UC1DL,												
					UC1EC, UC1EL, UC1FC, UC1FL,												
					UC1GC, UC1GL,												
					UC1HC, UC1HL,												
					UDL12, UDL48,												
					UDLO3, UDLSX,												
					UE3, ULD12,												
					ULD48, ULDD1,												
					ULDD3, ULDDX,												
					ULDO3, ULDS1,												
					ULDVX, UNC1X,												
					UNC3X, UNCDX,										1		
					UNCNX, UNCSX, UNCVX. UNLD1.										1		
					UNLD3, UXTD1,										1		
					UXTD3, UXTS1,										1		
					U1TUC, U1TUD.										1		
					U1TUB,												
		UNE Expedite Charge per Circuit or Line Assignable USOC, per			U1TUA,NTCVG,												
	1	Day	<u> </u>	L	NTCUD, NTCD1	SDASP	<u> </u>	200.00		<u> </u>	<u> </u>	<u> </u>					
ORDE		ICATION CHARGE															
		Order Modification Charge (OMC)	ļ					26.21	0.00	0.00	0.00						
LINIDI	NDI CD C	Order Modification Additional Dispatch Charge (OMCAD) XCHANGE ACCESS LOOP	 	1			1	150.00	0.00	0.00	0.00			-	 	-	
ONBO		ANALOG VOICE GRADE LOOP	<u> </u>									-			-		
 	Z-WIRE	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or	 	1													
		Ground Start Signaling - Zone 1		1	UEA	UEAL2	16.68	105.98	68.43	53.05	10.61				1		
	1	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or	 	 		J L / 1LL	10.08	100.00	00.43	55.05	10.01						
		Ground Start Signaling - Zone 2		2	UEA	UEAL2	23.13	105.98	68.43	53.05	10.61				1		
	1	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or												1		1	
		Ground Start Signaling - Zone 3		3	UEA	UEAL2	28.46	105.98	68.43	53.05	10.61						
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse													1		
	1	Battery Signaling - Zone 1	<u> </u>	1	UEA	UEAR2	16.68	105.98	68.43	53.05	10.61						

Version 4Q05 Standard ICA 03/15/06 (Renegotiations) Page 204 of 261

LINBUNDI ED	NETWORK ELEMENTS - South Carolina												Attachment:	2 Fyh Δ	l	l
UNBUNDLED	NETWORK ELEMENTS - South Carolina	I									Svc Order		Incremental		Incremental	Incremental
											Submitted			Charge -	Charge -	Charge -
											Elec		Manual Svc	Manual Svc		Manual Svc
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
o,200		m		200	0000						per LSK	per LSK		Electronic-	Electronic-	Electronic-
													Electronic-			
													1st	Add'l	Disc 1st	Disc Add'l
							Nonrec	urring	Nonrecurring	Disconnect			oss	Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse															
	Battery Signaling - Zone 2		2	UEA	UEAR2	23.13	105.98	68.43	53.05	10.61						
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse															
	Battery Signaling - Zone 3		3	UEA	UEAR2	28.46	105.98	68.43	53.05	10.61						
	Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per			UEA	LIDEOL		04.00	0.54								
-	DS0)			UEA	URESL		24.88	3.51								
	Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per DS0)			UEA	URESP		26.37	4.99								
-	CLEC to CLEC Conversion Charge without outside dispatch			UEA	UREWO		87.90	36.44								
	Loop Tagging - Service Level 2 (SL2)			UEA	URETL		11.24	1.10								
4-WIR	E ANALOG VOICE GRADE LOOP	†			J.,		11.24	1.70	 		 	 			1	
	4-Wire Analog Voice Grade Loop - Zone 1		1	UEA	UEAL4	32.59	132.38	94.83	59.35	14.61						
	4-Wire Analog Voice Grade Loop - Zone 2			UEA	UEAL4	43.89	132.38	94.83	59.35	14.61						
	4-Wire Analog Voice Grade Loop - Zone 3	1		UEA	UEAL4	43.38	132.38	94.83	59.35	14.61						
	Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per															
	DS0)	<u> </u>	<u> </u>	UEA	URESL		24.88	3.51	<u> </u>					<u></u>	<u></u>	<u></u>
	Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per							-								
	DS0)			UEA	URESP		26.37	4.99								
	CLEC to CLEC Conversion Charge without outside dispatch			UEA	UREWO		87.90	36.44								
2-WIR	E ISDN DIGITAL GRADE LOOP															
	2-Wire ISDN Digital Grade Loop - Zone 1			UDN	U1L2X	25.21	117.58	80.03	53.05	10.61						
	2-Wire ISDN Digital Grade Loop - Zone 2			UDN	U1L2X	32.76	117.58	80.03	53.05	10.61						
	2-Wire ISDN Digital Grade Loop - Zone 3 CLEC to CLEC Conversion Charge without outside dispatch			UDN UDN	U1L2X UREWO	37.70	117.58 91.82	80.03 44.25	53.05	10.61						
2.WID	E ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMP	ATIDI			UKEWU		91.02	44.25								
Z-Wiix	2 Wire Unbundled ADSL Loop including manual service inquiry	ATIDEL	LOOI						+							
	& facility reservation - Zone 1		1	UAL	UAL2X	12.19	120.84	70.56	50.37	7.93						
	2 Wire Unbundled ADSL Loop including manual service inquiry		i i	0/ L	O/ LEZ/	12.10	120.01	7 0.00	00.01	7.00						
	& facility reservation - Zone 2		2	UAL	UAL2X	13.71	120.84	70.56	50.37	7.93						
	2 Wire Unbundled ADSL Loop including manual service inquiry															
	& facility reservation - Zone 3		3	UAL	UAL2X	14.14	120.84	70.56	50.37	7.93						
	2 Wire Unbundled ADSL Loop without manual service inquiry &															
	facility reservaton - Zone 1		1	UAL	UAL2W	12.19	95.81	57.82	50.37	7.93						
	2 Wire Unbundled ADSL Loop without manual service inquiry &															
	facility reservaton - Zone 2		2	UAL	UAL2W	13.71	95.81	57.82	50.37	7.93						
	2 Wire Unbundled ADSL Loop without manual service inquiry &			UAL	1141 0141	4444	05.04	57.00	50.07	7.00						
	facility reservaton - Zone 3 CLEC to CLEC Conversion Charge without outside dispatch		3	UAL	UAL2W UREWO	14.14	95.81	57.82 40.48	50.37	7.93						
2-1//10	E HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIBLE	OOP	UAL	UKEWU		86.38	40.48			-	-		1	1	1
Z-VVIII	2 Wire Unbundled HDSL Loop including manual service inquiry		-50.		+ -				 							
	& facility reservation - Zone 1	1	1	UHL	UHL2X	9.58	129.52	79.24	50.37	7.93	1	1				
	2 Wire Unbundled HDSL Loop including manual service inquiry		H	-		2.30			22.07							
	& facility reservation - Zone 2		2	UHL	UHL2X	10.92	129.52	79.24	50.37	7.93						
	2 Wire Unbundled HDSL Loop including manual service inquiry															
	& facility reservation - Zone 3	<u> </u>	3	UHL	UHL2X	11.40	129.52	79.24	50.37	7.93						
	2 Wire Unbundled HDSL Loop without manual service inquiry							-								
	and facility reservation - Zone 1		1	UHL	UHL2W	9.58	104.49	66.50	50.37	7.93						
	2 Wire Unbundled HDSL Loop without manual service inquiry						,									
 	and facility reservation - Zone 2	 	2	UHL	UHL2W	10.92	104.49	66.50	50.37	7.93				1	1	1
	2 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 3	1	_	UHL	UHL2W	11.40	104.49	66.50	50.37	7.93	1	1				
	CLEC to CLEC Conversion Charge without outside dispatch	 	3	UHL	UREWO	11.40	86.32	40.48	50.57	1.93	 	-		1	1	1
4-WID	E HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIBLE	OOP	OI IL	JILWO	+	00.32	40.40	 							
4-1411	4 Wire Unbundled HDSL Loop including manual service inquiry		-55			+					 	 			1	
	and facility reservation - Zone 1	1	1	UHL	UHL4X	16.02	158.18	107.89	55.12	10.38	1	1				
	4-Wire Unbundled HDSL Loop including manual service inquiry				1									1		1
	and facility reservation - Zone 2	<u></u>	2	UHL	UHL4X	14.33	158.18	107.89	55.12	10.38						
	4-Wire Unbundled HDSL Loop including manual service inquiry							-								
	and facility reservation - Zone 3		3	UHL	UHL4X	16.84	158.18	107.89	55.12	10.38		l		1	1	1

UNRU	NDI ED I	NETWORK ELEMENTS - South Carolina												Attachment:	2 Fyh Δ		
O.V.D.O.	NOLLD I	TOTAL ELEMENTO COULT CATOMIA										Svc Order	Svc Order		Incremental	Incremental	Incremental
													Submitted	-	Charge -	Charge -	Charge -
CATE	CORV	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES(\$)			Elec	Manually		Manual Svc	Manual Svc	
CATE	JURT	RATE ELEMENTS	m	Zone	всъ	USUC			KAIES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic- 1st	Electronic-	Electronic- Disc 1st	Electronic-
														ist	Add'l	DISC 1St	Disc Add'l
								Nonrec		Nonrecurring					Rates(\$)		
		AME III III III III III III III III III I					Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		4-Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 1		1	UHL	UHL4W	16.02	133.14	95.16	55.12	10.38						
	-	4-Wire Unbundled HDSL Loop without manual service inquiry		<u> </u>	UNL	UHL4W	10.02	133.14	95.16	55.12	10.36						
		and facility reservation - Zone 2		2	UHL	UHL4W	14.33	133.14	95.16	55.12	10.38						
		4-Wire Unbundled HDSL Loop without manual service inquiry															
		and facility reservation - Zone 3			UHL	UHL4W	16.84	133.14	95.16	55.12	10.38						
		CLEC to CLEC Conversion Charge without outside dispatch			UHL	UREWO		86.32	40.48								
-	4-WIRE	DS1 DIGITAL LOOP 4-Wire DS1 Digital Loop - Zone 1		1	USL	USLXX	79.51	253.03	157.89	44.80	11.73						-
		4-Wire DS1 Digital Loop - Zone 2			USL	USLXX	136.00	253.03	157.89	44.80	11.73						
		4-Wire DS1 Digital Loop - Zone 3			USL	USLXX	229.15	253.03	157.89	44.80	11.73						
		Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per															
	1	DS1)		<u> </u>	USL	URESL		24.88	3.51								
		Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per		1	LICI	LIDECE		00.07	4.00								
-	1	DS1) CLEC to CLEC Conversion Charge without outside dispatch		!	USL USL	URESP UREWO		26.37 101.30	4.99 43.13								
-	4-WIDE	E 19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP		1	USL	UKEWU		101.30	43.13			}		1			
	4-WIIKE	4 Wire Unbundled Digital Loop 2.4 Kbps - Zone 1		1	UDL	UDL2X	29.93	126.66	89.12	59.35	14.61						1
		4 Wire Unbundled Digital Loop 2.4 Kbps - Zone 2			UDL	UDL2X	33.99	126.66	89.12	59.35	14.61						
		4 Wire Unbundled Digital Loop 2.4 Kbps - Zone3			UDL	UDL2X	34.74	126.66	89.12	59.35	14.61						
		4 Wire Unbundled Digital Loop 4.8 Kbps -Zone 1			UDL	UDL4X	29.93	126.66	89.12	59.35	14.61						
		4 Wire Unbundled Digital Loop 4.8 Kbps - Zone 2			UDL	UDL4X	33.99	126.66	89.12	59.35	14.61						
		4 Wire Unbundled Digital Loop 4.8 Kbps - Zone 3			UDL	UDL4X	34.74	126.66	89.12	59.35	14.61						
-	-	4 Wire Unbundled Digital Loop 9.6 Kbps - Zone 1 5 Wire Unbundled Digital Loop 9.6 Kbps - Zone 2			UDL UDL	UDL9X UDL9X	29.93 33.99	126.66 126.66	89.12 89.12	59.35 59.35	14.61 14.61						-
		6 Wire Unbundled Digital Loop 9.6 Kbps - Zone 3			UDL	UDL9X	34.74	126.66	89.12	59.35	14.61						
		4 Wire Unbundled Digital 19.2 Kbps - Zone 1			UDL	UDL19	29.93	126.66	89.12	59.35	14.61						
		4 Wire Unbundled Digital 19.2 Kbps - Zone 2		2	UDL	UDL19	33.99	126.66	89.12	59.35	14.61						
		4 Wire Unbundled Digital 19.2 Kbps - Zone 3			UDL	UDL19	34.74	126.66	89.12	59.35	14.61						
		4 Wire Unbundled Digital Loop 56 Kbps - Zone 1			UDL	UDL56	29.93	126.66	89.12	59.35	14.61						
-	-	4 Wire Unbundled Digital Loop 56 Kbps - Zone 2			UDL UDL	UDL56	33.99 34.74	126.66	89.12 89.12	59.35 59.35	14.61 14.61						ļ
	1	4 Wire Unbundled Digital Loop 56 Kbps - Zone 3 4 Wire Unbundled Digital Loop 64 Kbps - Zone 1			UDL	UDL56 UDL64	29.93	126.66 126.66	89.12	59.35	14.61						
		4 Wire Unbundled Digital Loop 64 Kbps - Zone 2			UDL	UDL64	33.99	126.66	89.12	59.35	14.61						†
		4 Wire Unbundled Digital Loop 64 Kbps - Zone 3			UDL	UDL64	34.74	126.66	89.12	59.35	14.61						
		Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per															
		DS0)			UDL	URESL		24.88	3.51								
		Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per			LIDI	URESP		20.27	4.00								
-	1	DS0) CLEC to CLEC Conversion Charge without outside dispatch			UDL UDL	UREWO		26.37 102.34	4.99 49.85								
	2-WIRE	Unbundled COPPER LOOP			ODL	OKEWO		102.54	43.03								
	1	2-Wire Unbundled Copper Loop-Designed including manual				1				1							†
		service inquiry & facility reservation - Zone 1		1	UCL	UCLPB	12.19	119.91	69.62	50.37	7.93						
		2-Wire Unbundled Copper Loop-Designed including manual						,		1	_						
		service inquiry & facility reservation - Zone 2		2	UCL	UCLPB	13.71	119.91	69.62	50.37	7.93						
		2 Wire Unbundled Copper Loop-Designed including manual service inquiry & facility reservation - Zone 3		2	UCL	UCLPB	14.14	119.91	69.62	50.37	7.93						
	1	2-Wire Unbundled Copper Loop-Designed without manual				002.0	17.14	113.31	03.02	30.37	1.33						
L		service inquiry and facility reservation - Zone 1		1	UCL	UCLPW	12.19	94.87	56.89	50.37	7.93		<u> </u>				
		2-Wire Unbundled Copper Loop-Designed without manual							_								
	1	service inquiry and facility reservation - Zone 2		2	UCL	UCLPW	13.71	94.87	56.89	50.37	7.93						
		2-Wire Unbundled Copper Loop-Designed without manual		_	LICI	LICI DW	44.44	04.07	50.00	50.07	7.00						
-	1	service inquiry and facility reservation - Zone 3 Order Coordination for Unbundled Copper Loops (per loop)			UCL UCL	UCLPW	14.14	94.87 8.17	56.89 8.17	50.37	7.93	}		1			-
	1	CLEC to CLEC Conversion Charge without outside dispatch		1	OOL	COLIVIC		0.17	0.17								
		(UCL-Des)		1	UCL	UREWO		94.87	42.57								
	4-WIRE	COPPER LOOP															
		4-Wire Copper Loop-Designed including manual service inquiry															
<u> </u>	1	and facility reservation - Zone 1		1	UCL	UCL4S	19.64	144.17	93.88	55.12	10.38	1					<u> </u>

UNBUNDI ED	NETWORK ELEMENTS - South Carolina												Attachment: 2	2 Fyh Δ		
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
							Nonrec	urring	Nonrecurring	Disconnect			oss	Rates(\$)	•	
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	4-Wire Copper Loop-Designed including manual service inquiry			UCL	UCL4S	20.90	144.17	93.88	55.12	10.38						ĺ
	and facility reservation - Zone 2 4-Wire Copper Loop-Designed including manual service inquiry			UCL	UCL4S	20.90	144.17	93.88	55.12	10.38						
	and facility reservation - Zone 3		3	UCL	UCL4S	19.34	144.17	93.88	55.12	10.38						ĺ
	4-Wire Copper Loop-Designed without manual service inquiry															
	and facility reservation - Zone 1		1	UCL	UCL4W	19.64	119.13	81.15	55.12	10.38						
	4-Wire Copper Loop-Designed without manual service inquiry and facility reservation - Zone 2		2	UCL	UCL4W	20.90	119.13	81.15	55.12	10.38						ĺ
	4-Wire Copper Loop-Designed without manual service inquiry			OOL	OCL4W	20.90	119.15	01.13	55.12	10.30						
	and facility reservation - Zone 3		3	UCL	UCL4W	19.34	119.13	81.15	55.12	10.38						
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		8.17	8.17								
	CLEC to CLEC Conversion Charge without outside dispatch (UCL-Des)			UCL	UREWO		94.87	42.57								Ï
	(OCL-Des)			UEA, UDN, UAL,	OKLWO		34.07	42.51								—
	Order Coordination for Specified Conversion Time (per LSR)			UHL, UDL, USL	OCOSL		18.13									
Rearra	angements															
	EEL to UNE-L Retermination, per 2 Wire Unbundled Voice Loop- SL2			UEA	UREEL		87.90	36.44								ĺ
	SLZ			UEA	UKEEL		67.90	30.44								
	EEL to UNE-L Retermination, per 4 Wire Unbundled Voice Loop			UEA	UREEL		87.90	36.44								Ï
	EEL to UNE-L Retermination, per 2 Wire ISDN Loop			UDN	UREEL		91.82	44.25								
	EEL to UNE-L Retermination, per 4 Wire Unbundled Digital			1101	UDEEL		400.04	10.05								Ï
	Loop EEL to UNE-L Retermination, per 4 Wire Unbundled DS1 Loop			UDL USL	UREEL		102.34 101.30	49.85 43.13								
UNE LOOP CO				OOL	OKELL		101.50	43.13								
2-WIR	E ANALOG VOICE GRADE LOOP - COMMINGLING															
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or															
	Ground Start Signaling - Zone 1 2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or		1	NTCVG	UEAL2	16.68	105.98	68.43	53.05	10.61						
	Ground Start Signaling - Zone 2		2	NTCVG	UEAL2	23.13	105.98	68.43	53.05	10.61						Ï
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or															
	Ground Start Signaling - Zone 3		3	NTCVG	UEAL2	28.46	105.98	68.43	53.05	10.61						
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 1		1	NTCVG	UEAR2	16.68	105.98	68.43	53.05	10.61						
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse		<u>'</u>	NICVG	UEAR2	10.00	105.96	00.43	55.05	10.61						
	Battery Signaling - Zone 2		2	NTCVG	UEAR2	23.13	105.98	68.43	53.05	10.61						
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse															
-	Battery Signaling - Zone 3 Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per		3	NTCVG	UEAR2	28.46	105.98	68.43	53.05	10.61						
	DS0)			NTCVG	URESL		24.88	3.51								
	Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per															
	DS0)			NTCVG	URESP		26.37	4.99								
	CLEC to CLEC Conversion Charge without outside dispatch			NTCVG	UREWO		87.90	36.44								
4-WIR	Loop Tagging - Service Level 2 (SL2) E ANALOG VOICE GRADE LOOP		1	NTCVG	URETL		11.24	1.10								
7 1111	4-Wire Analog Voice Grade Loop - Zone 1		1	NTCVG	UEAL4	32.59	132.38	94.83	59.35	14.61						
	4-Wire Analog Voice Grade Loop - Zone 2			NTCVG	UEAL4	43.89	132.38	94.83	59.35	14.61						
	4-Wire Analog Voice Grade Loop - Zone 3		3	NTCVG	UEAL4	43.38	132.38	94.83	59.35	14.61						
	Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per DS0)			NTCVG	URESL		24.88	3.51								
	Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per DS0)			NTCVG	URESP		26.37	4.99								1
	CLEC to CLEC Conversion Charge without outside dispatch		†	NTCVG	UREWO		87.90	36.44								
4-WIR	E DS1 DIGITAL LOOP - COMMINGLING															
	4-Wire DS1 Digital Loop - Zone 1			NTCD1	USLXX	79.51	253.03	157.89	44.80	11.73						
	4-Wire DS1 Digital Loop - Zone 2 4-Wire DS1 Digital Loop - Zone 3			NTCD1 NTCD1	USLXX	136.00 229.15	253.03 253.03	157.89 157.89	44.80 44.80	11.73 11.73						
	Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per		3	MICDI	JJLAA	229.10	200.03	101.09	44.60	11./3	1	1				—
	DS1)			NTCD1	URESL		24.88	3.51								1

ALTEORY RATE ELEMENTS BASE RATE BLOWN BCS BUSINESS BASE	LINBUNDI ED	NETWORK ELEMENTS - South Carolina												Attachment:	2 Fyh Δ	1	
ATTEMPT OF THE ELEMENTS IN THE PARTY OF THE	ONDONDEED	South Gardina												Incremental	Incremental		
ATTEMPT BATE ELEMENTS IN BORD SCS USOC PARTS: 30 Per Lis Per L															_	_	_
CRESTONIA CRES	CATEGORY	RATE ELEMENTS		Zone	BCS	usoc			RATES(\$)								
No. No.	CATEGORI	KATE EEEMENTO	m	20116	500	0000			ιντι Ευ(ψ)			per LSR	per LSR				
Description Description																	
Proc. Part Add Print Add SOME														151	Add I	DISC ISI	DISC Add I
South-Net Comment Continued (C								Nonrec	urring	Nonrecurring	Disconnect			oss	Rates(\$)		
SET U.S. C. S. C. C. C. C. C. C. C. C. C. C. C. C. C.							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
CLEC to CALC Comments Change without extended eigenhal NTCO1 USEN 44.13					NTODA	LIDEOD		00.07	4.00								
West 13, 50 OF 64 KMPS DIGITAL (SHADE LOOP)		- /															
With transmitted point Loss 2 A Right, 2 Amon 2 1970,00 100,	4-WIR				NICDI	UKEVVO		101.30	43.13								
4 Wire Ubbander Digits Long J 4 Rights - Zhon 2 2 Richard Digits Long J 4 Rights - Zhon 2 3 Richard Digits Long J 4 Rights - Zhon 2 3 Richard Digits Long J 4 Rights - Zhon 2 3 Richard Digits Long J 4 Rights - Zhon 2 3 Richard Digits Long J 4 Rights - Zhon 2 3 Richard Digits Long J 4 Rights - Zhon 2 3 Richard Digits Long J 4 Rights - Zhon 2 3 Richard Digits Long J 4 Rights - Zhon 2 3 Richard Digits Long J 4 Rights - Zhon 2 3 Richard Digits Long J 4 Rights - Zhon 2 3 Richard Digits Long J 4 Rights - Zhon 2 3 Richard Digits Long J 4 Richard Digits Long	4 1111			1	NTCUD	UDL2X	29.93	126.66	89.12	59.35	14.61						
A Wite Debunded Digital Long A & Roses 2 / 200 1 1 1 1 1 1 1 1 1																	
4 Wire Debunded Digital Look 4 Stops: Come 3		4 Wire Unbundled Digital Loop 2.4 Kbps - Zone3		3	NTCUD	UDL2X	34.74	126.66	89.12	59.35	14.61						
A Wite Unbursted Digital Loop of Rights - Zone 3 SIPTICUD ULDUK 34.14 178.66 88.12 59.35 14.61																	
4 Wite Librounded Digital Long 96 Rights - Zone 2 2 1700 U.S.W 29.00 126.66 69.12 59.35 14.61																	
SYME Unburshell Digital Loop 98 (Rops. Zone 2 2 2 2 2 2 2 2 3 3	-																ļ
6 Wire Unbounded Digital Loop 8 Rights - Zone 3 Sh TICUD DIGITAL 176.006 89.12 99.35 14.61													-				-
A Vivo Unbounded Digital 192 Zégar - Zéner 2 2 NTCUD DU19 29.03 78.66 89.12 59.35 14.61	 		1									1	-			 	
A Wee Instrumedio Digital 192 Kipps - Zone 2																	1
A Wee Unbounded Digital 193 Zings - Zone 3 3 INTCLID UDL-19 34.74 128.66 89.12 59.35 14.61																	
A Wine Unbounded Digital Loop 68 Rops - Zone 3 2 NTCUD UUL56 33.78 126.66 89.12 59.35 14.61		4 Wire Unbundled Digital 19.2 Kbps - Zone 3		3	NTCUD	UDL19	34.74	126.66	89.12	59.35	14.61						
A Wire Unbunded Digital Loop 6 KPgs - Zone 1 1 NTCUD UDL64 29.3 126.66 89.12 59.35 14.61																	
4 Wire Unbundled Digital Loop 4 Kips - Zone 1																	
4 Wire Unburndied Digital Loop 64 Khps z- Zone 2 2 NTCUD UDL64 33.99 126.66 88.12 59.35 14.61 4 Wire Unburndied Digital Loop 64 Khps z- Zone 3 3 NTCUD UDL64 34.74 126.66 89.12 59.35 14.61 Switch-Ass Conversion rate per UNIE Loop, Single LSR, (per Substitution of the Conversion rate per UNIE Loop, Single LSR, (per Substitution of LSR) Discoversion rate per UNIE Loop, Single LSR, (per Substitution of LSR) CLEC to CLEC conversion rate per UNIE Loop, Spreadsheet, (per Substitution of LSR) Discoversion rate per UNIE Loop, Spreadsheet, (per Substitution of LSR) NTCUD URESP																	
A Wite Unburneled Digital Loop 64 Attigs - Zone 3 3 NTCUD UDL64 34.74 126.66 88.12 59.35 14.61																	_
Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per DSS)																	
DS0 Switch-As-Is Conversion rate per UNE Loop, Spreadsheek (per DS0) Switch-As-Is Conversion Charge without outside dispatch NTCUD URESP 26.37 4.99				3	NICOD	UDL04	34.74	120.00	09.12	39.33	14.01						
Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per SS) SSO E. C. Conversion Charge without cutside dispatch NTCUD URESP 26.37 4.99					NTCUD	URESL		24.88	3.51								
CLEC to CLEC Conversion Charge without outside dispatch NTCUD UREWO 102.34 49.85		Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per															
Order Coordination for Specified Conversion Time (per LSR) NTCVG, NTCUD, NTCD1 OCOSL 18.13																	
Occost		CLEC to CLEC Conversion Charge without outside dispatch				UREWO		102.34	49.85								
URBUNDLED EXCHANGE ACCESS LOOP		0.1-01.00				00001		10.10									
2-Wire Analog Voice Grade Loop - Service Level 1-Zone 1 1 UEANL UEAL2 14.94 37.92 17.62 23.56 5.32	IINDIINDI ED				NICDI	OCOSL		18.13									
2-Wire Analog Voice Grade Loop - Service Level 1-Zone 1 UEANL UEAL2 14.94 37.92 17.62 23.56 5.32																	
2-Wire Analog Voice Grade Loop - Service Level 1-Zone 2 2 UEANL UEAL 21.39 37.92 17.62 23.56 5.32				1	UEANL	UEAL2	14.94	37.92	17.62	23.56	5.32						
2-Wire Analog Voice Grade Loop - Service Level 1 - Zone 1 UEANL UEASL 14,94 37,92 17,62 23,56 5,32																	
2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2 2 UEANL UEASL 21.39 37.92 17.62 23.56 5.32																	
2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3 3 EANIL U EASL 26.72 37.92 17.62 23.56 5.32																	
Tag Loop at End User Premise																	
Loop Testing - Basic Additional Half Hour	-			3			26.72			23.56	5.32						ļ
Loop Testing - Basic Additional Half Hour	-												-				
Manual Order Coordination for UVL-SL1s (per loop)																	
Order Coordination for Specified Conversion Time for UVL-SL1 (per LSR)			1	†						†						1	
UEANL UEANL UEANM UEAN										1							
Make-up (Engineering Information - E.I.)		(per LSR)			UEANL	OCOSL		18.13	18.13								
CLEC to CLEC Conversion Charge Without Outside Dispatch (UVL-SL1)				1												1	
CUVL-SL1	\vdash			<u> </u>	UEANL	UEANM		13.47	13.47								<u> </u>
2-WiRE Unbundled COPPER LOOP					LIEANII	LIBEWO		15.04	9.00							1	
2-Wire Unbundled Copper Loop - Non-Designed Zone 1	2-WID			1	UEAINL	UKEWU		15.81	8.96	+ -		}	-	1			
2 Wire Unbundled Copper Loop - Non-Designed - Zone 2 2 UEQ UEQX 14.51 36.40 16.10 22.66 4.42	Z-VVIK			1	UEQ	UEQ2X	12.94	36.40	16 10	22,66	4 42						
2 Wire Unbundled Copper Loop - Non-Designed - Zone 3 3 UEQ UEQX 15.02 36.40 16.10 22.66 4.42														İ		İ	<u> </u>
Unbundled Miscellaneous Rate Element, Tag Loop at End User Premise UEQ URETL 8.95 0.88 Loop Testing - Basic 1st Half Hour UEQ URET1 34.23 0.00 Loop Testing - Basic Additional Half Hour UEQ URETA 19.90 19.90 Manual Order Coordination 2 Wire Unbundled Copper Loop - Non-Designed (per loop) Unbundled Copper Loop - Non-Design billing for BST providing																	
Loop Testing - Basic 1st Half Hour																	
Loop Testing - Basic Additional Half Hour Manual Order Coordination 2 Wire Unbundled Copper Loop - Non-Designed (per loop) Ubundled Copper Loop - Non-Design billing for BST providing	\vdash			<u> </u>													
Manual Order Coordination 2 Wire Unbundled Copper Loop - Non-Designed (per loop) UEQ USBMC 8.17 8.17 Unbundled Copper Loop - Non-Design billing for BST providing	\vdash			<u> </u>						 							
Non-Designed (per loop) UEQ USBMC 8.17 8.17 Unbundled Copper Loop - Non-Design billing for BST providing	\vdash			 	UEQ	UKETA		19.90	19.90	 		1	1	 			
Unbundled Copper Loop - Non-Design billing for BST providing					LIEO	LISBMC		8 17	8 17							1	
				†		JODIVIO		0.17	0.17	†							
				<u></u>	UEQ	UEQMU	<u> </u>	13.47	13.47	<u> </u>							

CATEGORY RATE ELEMENTS Intering Monrecurring Disconnect Svc Order Submitted Charge -	$\overline{}$		2 Exh A	Attachment: 2												UNDLED NETWORK ELEMENTS - South Carolina	UNBUNDLE
CLEC to CLEC Conversion Charge Without Outside Depatich U.EQ U.REWO	ge - Charge - Il Svc Manual Svo r vs. Order vs. onic- Electronic	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic-	Submitted Manually	Submitted Elec			RATES(\$)			USOC	BCS	Zone			
CLEE to CLEC Convenion Charge Without Outside Departich (UCN) UFG			Rates(\$)	oss			Disconnect	Nonrecurring	curring	Nonred							
UEO WORFICATION	AN SOMAN	SOMAN	SOMAN	SOMAN	SOMAN	SOMEC	Add'l	First	Add'l	First	Rec						
UAL, UFIL, UCL, UEC, ULS, UEA, LEPSR, ULMSIL, UEC, UEC, UEC, ULS, UEA, UEC, UEC, ULS, UEA, UEC, UEC, ULS, UEA, UEC, UEC, ULS, UEA, UEC, ULS, UEA, UEC, UEC, UEC, ULS, UEA, UEC, UEC, UEC, UEC, UEC, UEC, UEC, UEC			1													CLEC to CLEC Conversion Charge Without Outside Dispatch	
Unburndied Loop Modification, Removal of Load Cols - 2 Wire pair less than or equal to 18k ft, per Unburndied Loop Tap Removal, Unburndied Loop Modification Removal of Bridged Tap Removal, Unburndied Loop Modification Removal of Bridged Tap Removal, Unburndied Loop Modification Removal of Bridged Tap Removal, Unburndied Loop Post unburndied Loop Modification Removal of Bridged Tap Removal, Unburndied Loop Post unburndied Loop Post Unburndied Loop Post Unburndied Loop Post Unburndied Loop Post Unburndied Loop Post Unburndied Loop Post Unburndied Loop Post Unburndied Loop Post Unburndied Loop Post Unburndied Loop Post Unburndied Suphrement Room - CLEC Feeder Facility Set-Up Unburndied Suphrement Room - CLEC Feeder Post Set Post Post Post Post Post Post Post Pos									7.45	14.30		UREWO	UEQ				
Unbundled Loop Modification, Removal of Load Coils - 2 Wire part less than or equal to 18 ft, per Unbundled Loop Modification, Removal of Load Coils - 4 Wire less than or equal to 18 ft, per Unbundled Loop Modification Removal or End Coils - 4 Wire less than or equal to 18 ft, per Unbundled Loop Modification Removal of Bridged Tap Removal, purplement of Load Coils - 4 Wire less than or equal to 18 ft, per Unbundled Loop Modification Removal of Bridged Tap Removal, purplement Loop Modification Removal of Bridged Tap Removal, UEO, US, UEA, UEO, UEO, US, UEA, UEO, UEO, US, UEA, UEO, UEO, US, UEA, UEO, UEO, US, UEA, UEO, UEO, UEO, UEO, UEO, UEO, UEO, UEO																P MODIFICATION	LOOP MOD
International Content		<u> </u>							32.46	32.46		ULM2L	UEQ, ULS, UEA, UEANL, UEPSR,			pair less than or equal to 18k ft, per Unbundled Loop	
Unit Unit		i							20.40	22.40		LUMAN					
UEO, U.S. UEA UENAL, UEPS Sub-Loop Distribution Sub-Loop Per Cross Box Location - CLEC Feeder Facility Set- Up UEANL, UEF UEANL, UEF UEANL, UEF UEANL, UEF UEANL, UEF Sub-Loop Per Cross Box Location - CLEC Feeder Facility Set- Up UEANL, UEF UEANL, UEF UEANL, UEF UEANL, UEF UEANL, UEF Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up UEANL, UEF UEANL, UEF UEANL, UEF UEANL, UEF UEANL UEANL, UEF UEANL U			 						32.46	32.40		ULIVI4L				less than of equal to 18K it, per oribunded Loop	
Sub-Loop Distribution Sub-Loop Per Cross Box Location - CLEC Feeder Facility Set-Up UEANL_UEF USBSA 241.42 241.42		<u> </u>							32.48	32.48		ULMBT	UEQ, ULS, UEA, UEANL, UEPSR,			per unbundled loop	SUR LOOP
Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set- Up Up Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up Sub-Loop - Per Building Equipment Room - CLEC Feeder Facility Set-Up Sub-Loop - Per Building Equipment Room - CLEC Feeder Facility Set-Up Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel Set-Up Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel UEANL USBSC 177.84 177.84 177.84			 	\vdash	-	-		+						1			
Up	- 		 	\vdash				+									Sui
Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up UEANL, UEF USBSB 22.69 22.69 Sub-Loop - Per Building Equipment Room - CLEC Feeder Facility Set-Up UEANL USBSC 177.84 177.84 177.84 Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel UEANL USBSD 55.58 55.88 Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 1 UEANL USBSD 55.58 55.88 Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 2 UEANL USBN2 12.58 65.94 31.03 45.35 6.71 UEANL USBN2 12.58 65.94 31.03 45.35 6.71 UEANL USBN2 12.58 65.94 31.03 45.35 6.71 UEANL USBN2 12.58 65.94 31.03 45.35 6.71 UEANL USBN2 12.58 65.94 31.03 45.35 6.71 UEANL USBN2 14.79 44.29 49.82 9.09 UEANL USBN2 14.79 44.29 49.82 9.09 UEANL USBN2 UEANL USBN2 USBN2 USBN2 USBN2 USBN2 USBN2 USBN2 USBN2 USBN2 US		ì		1 '					241.42	241.42		USBSA	UEANL, UEF			The state of the s	
Sub-Loop - Per Building Equipment Room - CLEC Feeder Facility Set-Up UEANL USBSC 177.84 177.84 177.84			 					†	22	211112	†	CCDC/	02/11/2, 02/				
Facility Set-Up		1							22.69	22.69		USBSB	UEANL, UEF			Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up	
Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel Set-Up UEANL USBSD 55.58 55.58 Set-Up Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 1 UEANL USBN2 8.87 65.94 31.03 45.35 6.71 Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 2 UEANL USBN2 12.58 65.94 31.03 45.35 6.71 Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 3 UEANL USBN2 14.79 65.94 31.03 45.35 6.71 Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 3 UEANL USBN2 14.79 65.94 31.03 45.35 6.71 Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 1 UEANL USBNC Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 2 UEANL USBN4 14.11 79.21 44.29 49.82 9.09 Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 2 UEANL USBN4 19.40 79.21 44.29 49.82 9.09 Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 2 UEANL USBN4 19.40 79.21 44.29 49.82 9.09 Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 3 UEANL USBN4 18.90 79.21 44.29 49.82 9.09 Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 3 UEANL USBN4 18.90 79.21 44.29 49.82 9.09 Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 3 UEANL USBN4 USBN6 USB		1							177 84	177 84		LISBSC	LIEANI				
Set-Up	_							1	111.01			00200	02/11/2				
Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - 2		1		1 '					55.58	55.58		USBSD	UEANL				
Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - 2 UEANL USBN2 12.58 65.94 31.03 45.35 6.71							6.71	45.35	31.03	65.94	8.87	USBN2	UEANL	1			
Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - 2			 					1									
Zone 3 3 UEANL USBN2 14.79 65.94 31.03 45.35 6.71				<u> </u>			6.71	45.35	31.03	65.94	12.58	USBN2	UEANL	2		Zone 2	
Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - 1 UEANL USBN4 14.11 79.21 44.29 49.82 9.09 2 UEANL USBN4 14.11 79.21 44.29 49.82 9.09 2 UEANL USBN4 19.40 79.21 44.29 49.82 9.09 2 UEANL USBN4 19.40 79.21 44.29 49.82 9.09 2 UEANL USBN4 18.90 79.21 44.29 49.82 9.09 2 UEANL USBN4 18.90 79.21 44.29 49.82 9.09 2 UEANL USBN4 18.90 79.21 44.29 49.82 9.09 2 UEANL USBN4 18.90 79.21 44.29 49.82 9.09 UEANL USBN6 UEANL U		1					6.71	45.35	31.03	65.94	14.79	USBN2	UEANL	3			
Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 1									8 17	8 17		USBMC	LIFANI			Order Coordination for Unbundled Sub-Loops, per sub-loop pa	
Zone 1	_							1	0	0		0050	02/11/2				
Zone 2		1		1 '			9.09	49.82	44.29	79.21	14.11	USBN4	UEANL	1			
Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - 3 UEANL USBN4 18.90 79.21 44.29 49.82 9.09							0.00	40.92	44.20	70.24	10.40	LICDNIA	LIEANII	2			
Zone 3 3 UEANL USBN4 18.90 79.21 44.29 49.82 9.09			 				9.09	45.02	44.23	79.21	19.40	USBIN4	OLANL				
Order Coordination for Unbundled Sub-Loops, per sub-loop pair UEANL USBMC 8.17 8.17 Sub-Loop 2-Wire Intrabuilding Network Cable (INC) UEANL USBR2 2.41 53.13 18.21 45.35 6.71 Order Coordination for Unbundled Sub-Loops, per sub-loop pair UEANL USBMC 8.17 8.17 Sub-Loop 4-Wire Intrabuilding Network Cable (INC) UEANL USBR4 5.36 59.38 24.47 49.82 9.09		1		1 '			9.09	49.82	44.29	79.21	18.90	USBN4	UEANL	3			
Sub-Loop 2-Wire Intrabuilding Network Cable (INC)																	
Order Coordination for Unbundled Sub-Loops, per sub-loop pair Sub-Loop 4-Wire Intrabuilding Network Cable (INC) UEANL USBMC 8.17 8.17 9.09				<u> </u>													
Sub-Loop 4-Wire Intrabuilding Network Cable (INC)			ļ	 			6.71	45.35	18.21	53.13	2.41	USBR2	UEANL			Sub-Loop 2-Wire Intrabuilding Network Cable (INC)	
Sub-Loop 4-Wire Intrabuilding Network Cable (INC) UEANL USBR4 5.36 59.38 24.47 49.82 9.09		i		1 '				1	0.47	0.47	1	LICOMO	LIEANI			Order Coordination for Unbased Sub-Lases and Maria	
			+	\vdash			9.00				5 26			-			
Order Coordination for Unbundled Sub-Loops, per sub-loop pair UEANL USBMC 8.17 8.17	-+		 	\vdash			3.03	73.02	27.47	55.50	5.30	CODICT	OL/ NAL			Sab 2009 T-14116 Intrabuliding Network Cable (1140)	
		i		1 '				1	8.17	8.17	1	USBMC	UEANL			Order Coordination for Unbundled Sub-Loops, per sub-loop pa	
Loop Testing - Basic 1st Half Hour UEANL URET1 34.23 0.00																Loop Testing - Basic 1st Half Hour	
Loop Testing - Basic Additional Half Hour UEANL URETA 19.90 19.90																	
2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1 1 UEF UCS2X 7.11 65.94 31.03 45.35 6.71			 	 '		ļ											
2 Wire Copper Unbundled Sub-Loop Distribution - Zone 2 2 UEF UCS2X 9.83 65.94 31.03 45.35 6.71 2 Wire Copper Unbundled Sub-Loop Distribution - Zone 3 3 UEF UCS2X 10.48 65.94 31.03 45.35 6.71				\vdash		1											
2 Wire Copper Unbundled Sub-Loop Distribution - Zone 3 3 UEF UCS2X 10.48 65.94 31.03 45.35 6.71	-+		 			 	6./1	45.35	31.03	65.94	10.48	UCSZX	UEF	3	-	z wire copper unburialed Sub-Loop Distribution - Zone 3	\vdash
Order Coordination for Unbundled Sub-Loops, per sub-loop pair UEF USBMC 8.17 8.17		i		1 '				1	8 17	8 17	1	USBMC	UEF			Order Coordination for Unbundled Sub-Loops, per sub-loop pa	
1			 				9.09				7.85			1			
4 Wire Copper Unbundled Sub-Loop Distribution - Zone 2 2 UEF UCS4X 14.17 79.21 44.29 49.82 9.09							9.09	49.82	44.29	79.21	14.17	UCS4X				4 Wire Copper Unbundled Sub-Loop Distribution - Zone 2	
4 Wire Copper Unbundled Sub-Loop Distribution - Zone 3 3 UEF UCS4X 12.64 79.21 44.29 49.82 9.09							9.09	49.82	44.29	79.21	12.64	UCS4X	UEF	3		4 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	
Order Coordination for Unbundled Sub-Loops, per sub-loop pair UEF USBMC 8.17 8.17									8.17	8.17		USBMC	UEF			Order Coordination for Unbundled Sub-Loops, per sub-loop pa	
Loop Tagging Service Level 1, Unbundled Copper Loop, Non- Designed and Distribution Subloops UEF, UEANL URETL 8.95 0.88									0.88	8,95		URETL	UEF. UEANL			Loop Tagging Service Level 1, Unbundled Copper Loop, Non-	

CATEGORY RATE ELEMENTS LINTERING RATE ELEMENTS LINTERING RATE ELEMENTS RATE ELEMENTS RATE ELEMENTS RATE ELEMENTS RATE ELEMENTS RATE ELEMENTS RATE ELEMENTS RATE ELEMENTS RATE ELEMENTS RATE ELEMENTS RATE ELEMENTS RATES(\$) RATES(\$ RATES(\$) RATES(\$ RATES(\$) RATES(\$ RATES(\$) RATES(\$ RATES(\$) RATES(\$ RATES(\$) RATES(\$ RATES(\$) RATES(\$ RATES(\$) RATES(\$ RATES(\$) RATES(\$ RATES(\$) RATES(\$ RATES(\$) RATES(\$ RATES(\$) RATES(\$ RATES(\$) RATES(\$ RATES(\$) RA	ncremental Charge - Manual Svc Order vs. Electronic- Add'l Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge - Manual Svc Order vs.
Loop Testing - Basic 1st Half Hour UEF URET1 34.23 0.00 Loop Testing - Basic Additional Half Hour UEF URETA 19.90 19.90 Unbundled Sub-Loop Modification Unbundled Sub-Loop Modification UEF ULM2X 176.17 5.11 Unbundled Sub-Loop Modification - 4-W Copper Dist Load Coil/Equip Removal per 4-W PR UEF ULM4X 176.17 5.11 Unbundled Loop Modification, Removal of Bridge Tap, per unbundled loop ULFF ULMBT 278.82 6.13		SOMAN
Loop Testing - Basic 1st Half Hour	SOMAN SOMAN	SOMAN
Loop Testing - Basic Additional Half Hour Unbundled Sub-Loop Modification Unbundled Sub-Loop Modification - 2-W Copper Dist Load Coil/Equip Removal per 2-W PR Unbundled Sub-loop Modification - 4-W Copper Dist Load Coil/Equip Removal per 4-W PR UEF ULM2X 176.17 5.11 Unbundled Sub-loop Modification - 4-W Copper Dist Load Coil/Equip Removal per 4-W PR UEF ULM4X 176.17 5.11 Unbundled Loop Modification, Removal of Bridge Tap, per unbundled Loop Modification, Removal of Bridge Tap, per ULMBT 278.82 6.13		
Unbundled Sub-Loop Modification Unbundled Sub-Loop Modification - 2-W Copper Dist Load Coil/Equip Removal per 2-W PR Unbundled Sub-loop Modification - 4-W Copper Dist Load Coil/Equip Removal per 4-W PR UEF ULM2X 176.17 5.11 Unbundled Sub-loop Modification - 4-W Copper Dist Load Coil/Equip Removal per 4-W PR UEF ULM4X 176.17 5.11 Unbundled Loop Modification, Removal of Bridge Tap, per unbundled Loop Modification, Removal of Bridge Tap, per ULM4X 176.17 5.11		
Unbundled Sub-Loop Modification - 2-W Copper Dist Load Coil/Equip Removal per 2-W PR ULF ULM2X 176.17 Unbundled Sub-loop Modification - 4-W Copper Dist Load Coil/Equip Removal per 4-W PR ULM4X 176.17 Unbundled Loop Modification, Removal of Bridge Tap, per unbundled Loop ULF ULMBT 278.82 6.13		
Coil/Equip Removal per 2-W PR		
Unbundled Sub-loop Modification - 4-W Copper Dist Load Coil/Equip Removal per 4-W PR UEF ULM4X 176.17 5.11 Unbundled Loop Modification, Removal of Bridge Tap, per unbundled loop UEF ULMBT 278.82 6.13		
Coil/Equip Removal per 4-W PR UEF ULM4X 176.17 5.11 Unbundled Loop Modification, Removal of Bridge Tap, per unbundled loop UEF ULMBT 278.82 6.13		
Unbundled Loop Modification, Removal of Bridge Tap, per unbundled loop UEF ULMBT 278.82 6.13		
unbundled loop		
Unbundled Network Terminating Wire (UNTW)		1
Unbundled Network Terminating Wire (UNTW) per Pair UENTW UENPP 0.3303 30.20 30.20		1
Network Interface Device (NID)		
Network Interface Device (NID) - 1-2 lines UENTW UND12 43.68 28.79		
Network Interface Device (NID) - 1-6 lines UENTW UND16 64.42 49.53		
Network Interface Device Cross Connect - 2 W UENTW UNDC2 5.92 5.92		1
Network Interface Device Cross Connect - 4W UENTW UNDC4 5.92 5.92		_
UNE OTHER, PROVISIONING ONLY - NO RATE UAL, UCL, UDC,		
UDL, UDN, UEA, UHL, UEANL, UEF, UEQ, UENTW, NTCVG, NTCUD, NTCVG, NTCUD, NTCD1, USL UNECN 0.00 0.00		
Unbundled DS1 Loop - Superframe Format Option - no rate USL, NTCD1 CCOSF 0.00 0.00		
Unbundled DS1 Loop - Expanded Superframe Format option -		
no rate		
NID - Dispatch and Service Order for NID installation UENTW UNDBX 0.00 0.00		
UNTW Circuit Establishment, Provisioning Only - No Rate UENTW UENCE 0.00 0.00		
LOOP MAKE-UP		
Loop Makeup - Preordering Without Reservation, per working or		
spare facility queried (Manual). UMK UMKLW 24.04 24.04		
Loop Makeup - Preordering With Reservation, per spare facility queried (Manual). UMK UMKLP 25.49 25.49		
Loop MakeupWith or Without Reservation, per working or		
spare facility queried (Mechanized) UMK UMKMQ 0.34 0.34 UMK UMKMQ		+
EIND USER ORDERING-CENTRAL OFFICE BASED		+
Line Splitting - per line activation DLEC owned splitter UEPSR UEPSB UREOS 0.61		†
Line Splitting - per line activation BST owned - physical UEPSR UEPSB UREBP 0.61 37.09 21.24 20.07 9.85		1
Line Splitting - per line activation BST owned - virtual UEPSR UEPSB UREBV 0.61 37.09 21.24 20.07 9.85		1
UNBUNDLED EXCHANGE ACCESS LOOP		
2-WIRE ANALOG VOICE GRADE LOOP		<u> </u>
2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- Zone 1 1 UEPSR UEPSB UEALS 14.94 37.92 17.62 23.56 5.32		
2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- Zone 1 1 UEPSR UEPSB UEABS 14.94 37.92 17.62 23.56 5.32		
2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting- Zone 2 UEPSR UEPSB UEALS 2 1.39 37.92 17.62 2 3.56 5.32		
2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting- Zone 2 UEPSR UEABS 21.39 37.92 17.62 23.56 5.32		
2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- Zone 3 3 UEPSR UEPSB UEALS 26.72 37.92 17.62 23.56 5.32		
2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-		
Zone 3 3 UEPSR UEPSB UEABS 26.72 37.92 17.62 23.56 5.32		1
Physical Collocation-2 Wire Cross Connects (Loop) for Line		+
		1
VIRTUAL COLLOCATION		

LIMBUMD	LEDA	ETWORK ELEMENTS - South Carolina												Attachment	2 Evb A		1
UNBUND	LEDN	ETWORK ELEMENTS - South Carolina		1		1	1					Cua Ordar	Svc Order	Attachment:	Incremental	Ingramantal	Incremental
													Submitted				
															Charge -	Charge -	Charge -
CATEGO	DV	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES(\$)			Elec	Manually		Manual Svc	Manual Svc	
CATEGO	'K I	RATE ELEMENTS	m	Zone	ВСЗ	0300			KATEO(ψ)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
						1		Nonrec	urring	Nonrecurring	Disconnect		1	oss	Rates(\$)		1
						1	Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Virtual Collocation-2 Wire Cross Connects (Loop) for Line				1			7144.		7144	0020					00
		Splitting			UEPSR UEPSB	VE1LS	0.0317	12.32	11.83	6.04	5.45						
UNBUND		EDICATED TRANSPORT			OLI OK OLI OB	VE 120	0.0017	12.02	11.00	0.04	0.40						
		OFFICE CHANNEL - DEDICATED TRANSPORT															
		Interoffice Channel - 2-Wire Voice Grade - per mile			U1TVX	1L5XX	0.0167										
		Interoffice Channel - 2-Wire Voice Grade - Facility Termination			U1TVX	U1TV2	24.30	40.63	27.47	16.77	6.91						
		Interoffice Channel - 2-Wire Voice Grade Rev Bat per mile			U1TVX	1L5XX	0.0167	10.00	2		0.01						
		micromod dilamor 2 tric voldo dilado not 2at. por milo			0	120701	0.0107										
		Interoffice Channel - 2-Wire VG Rev Bat Facility Termination			U1TVX	U1TR2	24.30	40.63	27.47	16.77	6.91						
		Interoffice Channel - 4-Wire Voice Grade - per mile			U1TVX	1L5XX	0.0167	10.00	2		0.01						
		The role of age per mile		1		0, 0,	3.3.07					1	-				
		Interoffice Channel - 4- Wire Voice Grade - Facility Termination			U1TVX	U1TV4	21.29	40.63	27.47	16.77	6.91						
		Interoffice Channel - 56 kbps - per mile		1	U1TDX	1L5XX	0.0167	40.00	21.71	10.77	0.91	1	-				
 		Interoffice Channel - 56 kbps - Facility Termination		1	U1TDX	U1TD5	16.76	40.63	27.47	16.77	6.91	1					
 		Interoffice Channel - 64 kbps - per mile		1	U1TDX	1L5XX	0.0167	70.03	21.71	10.77	0.91	1					
 		Interoffice Channel - 64 kbps - Facility Termination			U1TDX	U1TD6	16.76	40.63	27.47	16.77	6.91	1					
 		Interoffice Channel - DS1 - per mile		1	U1TD1	1L5XX	0.3415	70.03	21.71	10.77	0.91	1					
		Interoffice Channel - DS1 - Facility Termination		i	U1TD1	U1TF1	77.14	89.47	81.99	16.39	14.48	 					
		Interoffice Channel - DS3 - per mile			U1TD3	1L5XX	8.02	09.41	01.55	10.39	14.40	1					
-		Interoffice Channel - DS3 - Facility Termination			U1TD3	U1TF3	880.65	279.37	163.12	60.33	58.59						
		Interoffice Channel - STS-1 - per mile			U1TS1	1L5XX	8.02	213.51	103.12	00.55	30.33						
		Interoffice Channel - STS-1 - Facility Termination			U1TS1	U1TFS	880.55	279.37	163.12	60.33	58.59	1	1				
		Local Channel - Dedicated - 2-Wire Voice Grade			ULDVX	ULDV2	17.63	219.31	103.12	00.33	30.39						
		Local Channel - Dedicated - 2-Wire Voice Grade Local Channel - Dedicated - 2-Wire Voice Grade Rev Bat			ULDVX	ULDR2	17.63										
		Local Channel - Dedicated - 4-Wire Voice Grade			ULDVX, UNCVX	ULDV4	19.02										
-		Local Channel - Dedicated - 4-Wife Voice Grade Local Channel - Dedicated - DS1 - Zone 1		1	ULDD1, UNC1X	ULDF1	49.01			-			-				
-		Local Channel - Dedicated - DS1 - Zone 2		2	ULDD1, UNC1X	ULDF1	80.87			-			-				
		Local Channel - Dedicated - DS1 - Zone 3			ULDD1, UNC1X	ULDF1	219.28					1	1				
		Local Channel - Dedicated - DS3 - Per Mile per month		3	ULDD3, UNC3X	1L5NC	13.72					1	1				
		Local Channel - Dedicated - DS3 - Fel Mile per month Local Channel - Dedicated - DS3 - Facility Termination			ULDD3, UNC3X	ULDF3	512.90										
-		Local Channel - Dedicated - B33 - Facility Termination Local Channel - Dedicated - STS-1- Per Mile per month			ULDS1, UNCSX	1L5NC	13.72			-			-				
		Local Channel - Dedicated - STS-1 - Facility Termination			ULDS1, UNCSX	ULDFS	500.37										
-	INIDIIN	DLED DARK FIBER			ULDS I, UNCSA	ULDF3	500.57			-			-				
-	INDUN	Dark Fiber - Interoffice Transport, Per Four Fiber Strands, Per				1	-			-			-				
		Route Mile Or Fraction Thereof			UDF, UDFCX	1L5DF	36.41										
-		Dark Fiber - Interoffice Transport, Per Four Fiber Strands, Per			ODI, ODI CX	ILJDI	30.41			-			-				
		Route Mile Or Fraction Thereof			UDF, UDFCX	UDF14		640.51	138.17	317.76	198.11						
DARK FII	DED	Route Wille Of Fraction Thereof			UDF, UDFCX	UDF 14	-	040.51	130.17	317.70	190.11		-				
DAKK FII		Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction		1		1	 					1	 				1
		Thereof per month - Local Channel			UDF, UDFCX	1L5DC	112.30										l
-		Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction		1	ישט , טטו טא	ILUDO	112.30			_		1	-				-
		Thereof per month - Local Loop			UDF, UDFCX	1L5DL	112.30										
SXX VCC		Thereof per month - Local Loop EN DIGIT SCREENING		1	יוסט , יוסט ,	ILUDL	112.30					1	 				1
OAA ACC		8XX Access Ten Digit Screening, Per Call		1		1	0.0006673					1	 				1
\vdash		8XX Access Ten Digit Screening, Per Call 8XX Access Ten Digit Screening, w/ 8XX No. Delivery		1		1	0.0006673					1	 				1
\vdash		8XX Access Ten Digit Screening, w/ 8XX No. Delivery		 		+	0.0006673					-					
I INC INC		TION DATA BASE ACCESS (LIDB)		 		+	0.0000073			-		-					
CHAC HAP	OKIVIA	LIDB Common Transport Per Query		1		1	0.0000246					1	 				1
+		LIDB Validation Per Query		1		1	0.0000246					1	 				1
		LIDB Originating Point Code Establishment or Change		1	OQU	NRBPX	0.0130130	34.40		42.18		1	1				1
CALLING		E (CNAM) SERVICE		1	040	INICOLV	 	34.40		42.10		1	-				-
CALLING				 		+	0.0010433					-					
\vdash		CNAM for DB Owners, Per Query		1		+				-		 	-				
SELECTI		CNAM for Non DB Owners, Per Query		<u> </u>		+	0.0010433			-							-
SELECTI				 		+	 					-					
		Selective Routing Per Unique Line Class Code Per Request Per]	84.89	84.89	1444	1114						l
AIN OF:		Switch		1		+	 	84.89	84.89	14.14	14.14	 	1				
AIN SELI		E CARRIER ROUTING		1		+	 	101 201 21	101 204 24	0.000.05	0 000 05						-
\vdash		Regional Service Establishment		 		+	 	101,324.34	101,324.34	8,609.85	8,609.85	1					
<u> </u>		End Office Establishment		1		<u> </u>		175.66	175.66	1.70	1.70	<u> </u>	1				L

UNBUNDLE	D NETWORK ELEMENTS - South Carolina												Attachment:			
						_						Svc Order	Incremental		Incremental	
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svo
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
											1		Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
						_	Nonrec		Nonrecurring					Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Query NRC, per query					0.0035036										
AIN - BELLS	SOUTH AIN SMS ACCESS SERVICE															
	AIN SMS Access Service - Service Establishment, Per State,								40 =0	40.00						
	Initial Setup			A1N	CAMSE		39.53	39.53	40.78	40.78						
	AIN SMS Access Service - Port Connection - Dial/Shared Access			A1N	CAMDP		7.85	7.85	9.11	9.11						
	AIN SMS Access Service - Port Connection - ISDN Access			A1N	CAM1P		7.85	7.85	9.11	9.11						
	AIN SMS Access Service - User Identification Codes - Per User									07.10						
	ID Code			A1N	CAMAU		35.08	35.08	27.12	27.12						
l l	AIN SMS Access Service - Security Card, Per User ID Code,	1		l _{A4N}	CAMPC		44.00	44.00	44.74	44 74						1
	Initial or Replacement	 	<u> </u>	A1N	CAMRC	0.000=	41.98	41.98	11.74	11.74	ļ				ļ.	+
 	AIN SMS Access Service - Storage, Per Unit (100 Kilobytes)	 	 			0.0027					ļ					+
 	AIN SMS Access Service - Session, Per Minute	 	!			0.7121			ļ		ļ			-	1	+
l l	AIN SMS Access Service - Company Performed Session, Per	1				0.0004										1
LIIGH CASA	Minute	<u> </u>	<u> </u>			0.8364					<u> </u>			1		+
	CITY UNBUNDLED LOCAL LOOP	<u> </u>	<u> </u>			.					<u> </u>			1		+
DS-	3/STS-1 UNBUNDLED LOCAL LOOP - Stand Alone				41 = 110	10.00										
-	DS3 Unbundled Local Loop - per mile	-		UE3	1L5ND	12.26	450.50	204.50	440.75	00.77						
-	DS3 Unbundled Local Loop - Facility Termination			UE3	UE3PX	306.36	452.52	264.53	119.75	83.77						
	STS-1Unbundled Local Loop - per mile			UDLSX	1L5ND	12.26	450.50	201.50	440.75	00.77						
	STS-1 Unbundled Local Loop - Facility Termination			UDLSX	UDLS1	313.49	452.52	264.53	119.75	83.77						
	EXTENDED LINK (EELs)															
Net	work Elements Used in Combinations		1	11000	LIEALO	40.00	405.00	00.40	50.05	10.01						
	2-Wire VG Loop (SL2) in Combination - Zone 1			UNCVX	UEAL2	16.68	105.98	68.43	53.05	10.61						+
-	2-Wire VG Loop (SL2) in Combination - Zone 2		2	UNCVX	UEAL2	23.13	105.98	68.43		10.61						
-	2-Wire VG Loop (SL2) in Combination - Zone 3	-	3	UNCVX	UEAL2	28.46	105.98	68.43	53.05	10.61						
	4-Wire Analog Voice Grade Loop in Combination - Zone 1 4-Wire Analog Voice Grade Loop in Combination - Zone 2	<u> </u>	2	UNCVX	UEAL4 UEAL4	32.59 43.89	132.38 132.38	94.83 94.83	59.35 59.35	14.61 14.61						+
		<u> </u>		UNCVX	UEAL4	43.89		94.83	59.35	14.61						+
-	4-Wire Analog Voice Grade Loop in Combination - Zone 3		3	UNCNX	U1L2X	25.21	132.38 117.58	80.03	53.05	10.61						+
	2-Wire ISDN Loop in Combination - Zone 1 2-Wire ISDN Loop in Combination - Zone 2		2	UNCNX	U1L2X	32.76	117.58	80.03	53.05	10.61						+
	2-Wire ISDN Loop in Combination - Zone 2 2-Wire ISDN Loop in Combination - Zone 3	<u> </u>	3	UNCNX	U1L2X	37.70	117.58	80.03	53.05	10.61						+
		<u> </u>	1	UNCDX	UDL56	29.93	126.66	89.12	59.35	14.61						+
-	4-Wire 56Kbps Digital Grade Loop in Combination - Zone 1		2	UNCDX	UDL56	33.99	126.66	89.12	59.35	14.61						+
-	4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 3		3	UNCDX	UDL56	34.74	126.66	89.12	59.35	14.61	1					
-	4-Wire 64Kbps Digital Grade Loop in Combination - Zone 1		1	UNCDX	UDL64	29.93	126.66	89.12	59.35	14.61						+
-	4-Wire 64Kbps Digital Grade Loop in Combination - Zone 2		2	UNCDX	UDL64	33.99	126.66	89.12	59.35	14.61	1					
-	4-Wire 64Kbps Digital Grade Loop in Combination - Zone 3		3	UNCDX	UDL64	34.74	126.66	89.12	59.35	14.61	1					
	4-Wire DS1 Digital Loop in Combination - Zone 1		1	UNC1X	USLXX	79.51	253.03	157.89	44.80	11.73						+
	4-Wire DS1 Digital Loop in Combination - Zone 2		2	UNC1X	USLXX	136.00	253.03	157.89	44.80	11.73						+
+	4-Wire DS1 Digital Loop in Combination - Zone 3		3	UNC1X	USLXX	229.15	253.03	157.89	44.80	11.73						+
+	DS3 Local Loop in combination - per mile		3	UNC3X	1L5ND	12.26	255.05	137.09	44.00	11.73						+
	DS3 Local Loop in combination - Facility Termination			UNC3X	UE3PX	306.36	452.52	264.53	119.75	83.77						+
	STS-1 Local Loop in combination - per mile			UNCSX	1L5ND	12.26	432.32	204.33	119.73	03.77						+
-	STS-1 Local Loop in combination - Facility Termination			UNCSX	UDLS1	313.49	452.52	264.53	119.75	83.77						+
	Interoffice Channel in combination - 2-wire VG - per mile			UNCVX	1L5XX	0.0167	402.02	204.00	113.73	03.77						+
 	Interoffice Channel in combination - 2-wire VG - Facility	 	 	J.107/	TEO///	0.0107			 		1				1	+
	Termination	1		UNCVX	U1TV2	24.30	40.63	27.47	16.77	6.91						1
	Interoffice Channel in combination - 4-wire VG - per mile		t	UNCVX	1L5XX	0.0167	70.00	2111	10.77	0.01	l -			1		
	Interoffice Channel in combination - 4-wire VG - Facility		t		0,00	0.0107			1		l -			1		
l l	Termination	1		UNCVX	U1TV4	21.29	40.63	27.47	16.77	6.91						1
 	Interoffice Channel in combination - 4-wire 56 kbps - per mile		-	UNCDX	1L5XX	0.0167	.0.00	2		0.01	1					
	Interoffice Channel in combination - 4-wire 56 kbps - Facility		t		0,00	0.0107			1		l -			1		
	Termination	1		UNCDX	U1TD5	16.76	40.63	27.47	16.77	6.91						I
l	Interoffice Channel in combination - 4-wire 64 kbps - per mile		t	UNCDX	1L5XX	0.0167	70.00	2111	10.77	0.01	l -			1		
 	Interoffice Channel in combination - 4-wire 64 kbps - Facility		-		. 20, 5 (3.3.07					1					
1 1	Termination			UNCDX	U1TD6	16.76	40.63	27.47	16.77	6.91						
			-	UNC1X	1L5XX		70.00	∠111	10.77	0.01	1			-	1	+
	Interoffice Channel in combination - DS1 - per mile			IUNC:1X		0.3415										

UNBUNDI ED I	NETWORK ELEMENTS - South Carolina												Attachment:	2 Fxh A		
0.120112222											Svc Order		Incremental	Incremental	Incremental	Incremental
												Submitted		Charge -	Charge -	Charge -
											Elec		Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m									per Lore	per Lor	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'I	Disc 1st	Disc Add'l
															Diac rat	Disc Add I
							Nonrec	urring	Nonrecurring	Disconnect			oss	Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Interoffice Channel in combination - DS3 - per mile			UNC3X	1L5XX	8.02										
	Interoffice Channel in combination - DS3 - Facility Termination			UNC3X	U1TF3	880.65	279.37	163.12	60.33	58.59						
	Interoffice Channel in combination - STS-1 - per mile			UNCSX	1L5XX	8.02										
	Interoffice Channel in combination - STS-1 Facility Termination			UNCSX	U1TFS	880.55	279.37	163.12	60.33	58.59						
	NETWORK ELEMENTS															
Option	al Features & Functions:															
				U1TD1,												
	Clear Channel Capability Extended Frame Option - per DS1	I		ULDD1,UNC1X	CCOEF		0.00	0.00	0.00	0.00						
				U1TD1,												
	Clear Channel Capability Super FrameOption - per DS1	- 1	<u> </u>	ULDD1,UNC1X	CCOSF		0.00	0.00	0.00	0.00						<u>1</u> l
	Clear Channel Capability (SF/ESF) Option - Subsequent			ULDD1, U1TD1,												
	Activity - per DS1			UNC1X, USL	NRCCC		185.26	23.86	1.99	0.78						
				U1TD3, ULDD3,											<u> </u>	
	C-bit Parity Option - Subsequent Activity - per DS3	<u>i</u>	<u> </u>	UE3, UNC3X	NRCC3		219.58	7.69	0.737	0.00						<u> </u>
	DS1/DS0 Channel System			UNC1X	MQ1	107.57	91.24	62.71	10.56	9.81						
	DS3/DS1Channel System			UNC3X	MQ3	144.02	178.54	94.18	33.33	31.90						
	Voice Grade COCI in combination			UNCVX	1D1VG	0.56	6.59	4.73								
	Voice Grade COCI - for Local Loop			UEA	1D1VG	0.56	6.59	4.73								
	Voice Grade COCI - for connection to a channelized DS1 Local															
	Channel in the same SWC as collocation			U1TUC	1D1VG	0.56	6.59	4.73								
	OCU-DP COCI (2.4-64kbs) in combination			UNCDX	1D1DD	1.19	6.59	4.73								
	OCU-DP COCI (2.4-64kbs) - for Local Loop			UDL	1D1DD	1.19	6.59	4.73								
	OCU-DP COCI (2.4-64kbs) - for connection to a channelized															
	DS1 Local Channel in the same SWC as collocation			U1TUD	1D1DD	1.19	6.59	4.73								
	2-wire ISDN COCI (BRITE) in combination			UNCNX	UC1CA	2.56	6.59	4.73								
	2-wire ISDN COCI (BRITE) - for Local Loop			UDN	UC1CA	2.56	6.59	4.73								
	2-wire ISDN COCI (BRITE) - for connection to a channelized															
	DS1 Local Channel in the same SWC as collocation			U1TUB	UC1CA	2.56	6.59	4.73								
	DS1 COCI in combination			UNC1X	UC1D1	8.64	6.59	4.73								
	DS1 COCI - for Local Loop			USL	UC1D1	8.64	6.59	4.73								
	DS1 COCI - for connection to a channelized DS1 Local Channel															
	in the same SWC as collocation			U1TUA	UC1D1	8.64	6.59	4.73								
	DS1 COCI - for Interoffice Channel			U1TD1	UC1D1	8.64	6.59	4.73								
	DS1 COCI - for Local Channel			ULDD1	UC1D1	8.64	6.59	4.73								
				UNCVX, U1TVX,												
				UNCDX, U1TDX,												
				UNC1X,												
		1		U1TD1,UNC3X,												1
				U1TD3, UNCSX,												
		1		U1TS1,												1 1
	Wholesale to UNE, Switch-As-Is Conversion Charge	ļ		UDF,UDFCX	UNCCC		5.61	5.61								
		1		U1TVX, U1TDX,							1					1 1
	Unbundled Misc Rate Element, SNE SAI, Single Network	1		U1TD1, U1TD3,												1
	Element - Switch As Is Non-recurring Charge, per circuit (LSR)			U1TS1, UDF, UE3	URESL		36.69	16.06								└
	Unbundled Misc Rate Element, SNE SAI, Single Network	1		U1TVX, U1TDX,												1
	Element - Switch As Is Non-recurring Charge, incremental			U1TD1, U1TD3,							1					1 1
\vdash	charge per circuit on a spreadsheet	į į		U1TS1, UDF, UE3	URESP		1.48	1.48								
	UNE Reconfiguration Change Charge per Circuit	1		UNC1X	URERC		35.00	35.00								
	UNE Reconfiguration Change Charge per Circuit Project	1 .														1
<u> </u>	Managed (Flux Company)			UNC1X	URERP		1.48	1.48								
Access	to DCS - Customer Reconfiguration (FlexServ)	ļ														
	Customer Reconfiguration Establishment	ļ					1.48		1.85							
	DS1 DCS Termination with DS0 Switching	ļ				27.96	25.60	19.70	16.67	13.41						
	DS1 DCS Termination with DS1 Switching	ļ				12.67	18.51	12.61	12.24	8.98						
	DS3 DCS Termination with DS1 Switching	ļ				176.51	25.60	19.70	16.67	13.41						
Node (SynchroNet)	ļ			L											
	Node per month	!	\vdash	UNCDX	UNCNT	14.55										
Service	Rearrangements										1					1

Part Part	LINDIII	UDI ED A	METWORK ELEMENTS South Carolina												Attachment	2 Evb A		
ANTE BLEMENTS RATE B	UNBUI	NULEU	NETWORK ELEMENTS - South Carolina	1	1		ı	ı					Cua Ordar	Cua Ordar			Ingramantal	Ingramantal
RATE LLEMENTS May Ma																		
ACATEMOPY RATE ELEMENTS mm mm mm mm mm mm mm																		
Second Second	CATE	CORV	PATE ELEMENTS	Interi	Zone	RCS	usoc			RATES(\$)								
Second S	CAILC	JONI	RATE ELEMENTS	m	Zone	603	0300			KATEO(ψ)			per LSR	per LSR				
															1st	Add'I	Disc 1st	DISC Add'I
								1	Nonrec	urrina	Nonrecurring	Disconnect			oss	Rates(\$)		
NRC - Campy in Failly Assignment per circus. Service 1								Rec	First	Add'l			SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
NRC-Closure in Facility Assignment per circuit Service 1						U1TVX, U1TDX,												
NRC - Change in Facility Assignment per draut Service						UEA, UDL, U1TUC,												
NSC - Charge in Facility Assignment per drout Service 1						U1TUD, U1TUB,												
Secretary																		
Description Facility Assignment per cloud Project Description De																		
Windows Wind			Rearrangement	- 1		UNC1X	URETD		101.30	43.13								
NRC - Change in Facility Assignment precised project managed. NRC - Change in Facility Assignment precised to CF oper creat project managed. NRC - Change in Facility Assignment project managed. NRC - Change in Facility Assignment project managed. NRC - Change in Facility Assignment project managed. NRC - NRC - Change in Facility Assignment project managed. NRC - Change in Facility Assignment project managed. NRC - Change in Facility Assignment project managed. NRC - Change in Facility Assignment project managed. NRC - Change in Facility Assignment project managed. NRC - Change in Facility Assignment project managed. NRC - Change in Facility Assignment project managed. NRC - Change in Facility Assignment project managed. NRC - Change in Facility Assignment in Facilit																		
MRC - Charge is faulty / registered in a consistency LDVCX LEDOX LDCX L																		
NRC - Charge in Faelity Assignment packed to City and provided managed 1 UNCIX UNCIX COOR 1.23 1.28																		
Management ladded to CFA, per orcant of project management 1																		
NRC - Croat Coordination Specific Time - Debicated Transport 1	1			1 .														
Commingling Authorization				<u> </u>														
Commingling Authorization	COMPA	ING! IN				UNCTX	UCUSR		18.90	18.90								
Description Authorization	COMM	INGLING	ა 	1		LINIC/\X LINICDA		 			-	-			1			
Commingled Authorization																		
UTROS, UTRS, USS NOTICE Commispled Authorization Commispled (MRC part of simple bandwidth circuit) Commisp																		
UR3, UR3X, UTTUR, UTDX																		
UTTX, UTTX																		
Commingling Authorization																		
Commingled QNE part of single Sandwidth circuit)																		
Commingled (URE part of single bandwidth circuit)																		
Commingled (UNE part of single bandwitch circuit)			Commingling Authorization				CMGAU	0.00	0.00	0.00	0.00	0.00						
Comminged Digital COCI		Commi																
Commigned SNN COCI Commigned Avere Vol Interoffice Channel Facility Termination XDV2X							1D1VG	0.56	6.59	4.73								
Commingled Zwire VS InterOffice Channel Facility Termination			Commingled Digital COCI			XDV6X, NTCUD	1D1DD	1.19	6.59	4.73								
Commingled 4-wire Vol Interoffice Channel Facility Termination XODAX U1TOS 16.76 40.63 27.47 16.77 6.91																		
Commingled 56kbps Interoffice Channel Facility Termination																		
Commingled 4khgs Interoffice Channel per mile																		
Commingled VG/DS0 Interoffice Channel per mile																		
Commingled VolDSD Interoffice Channel per mile			Commingled 64kbps Interoffice Channel Facility Termination	ļ			U1TD6	16.76	40.63	27.47	16.77	6.91						
Commingled 2-wire Local Loop Zone 1																		
Commingled 2-wire Local Loop Zone 2					4				405.00	CO 42	52.05	40.04						
Commingled 2-wire Local Loop Zone 3 3 XDVZX UEAL2 28.46 105.98 68.43 53.05 10.61		-																
Commingled 4-wire Local Loop Zone 1	 	1		1														
Commingled 4-wire Local Loop Zone 2		1		1											1			
Commingled 4-wire Local Loop Zone 3 3 XDV6X UEAL4 43.38 132.38 94.83 59.35 14.61		<u> </u>		1														
Commingled 56kbps Local Loop Zone 1																		
Commingled 56kbps Local Loop Zone 2		1		1											İ			
Commingled 56kbps Local Loop Zone 3 3 XDD4X UDL66 34.74 126.66 89.12 59.35 14.61					2	XDD4X												
Commingled 64kbps Local Loop Zone 2			Commingled 56kbps Local Loop Zone 3		3	XDD4X	UDL56	34.74	126.66	89.12	59.35	14.61						
Commingled 64kbps Local Loop Zone 3 3 XDD4X UDL64 34.74 126.66 89.12 59.35 14.61			Commingled 64kbps Local Loop Zone 1		1													
Commingled ISDN Local Loop Zone 1																	•	
Commingled ISDN Local Loop Zone 2 2 XDD4X U1L2X 32.76 117.58 80.03 53.05 10.61																		
Commingled ISDN Local Loop Zone 3 3 XDD4X U1L2X 37.70 117.58 80.03 53.05 10.61																		
Commingled DS1 COCI XDH1X, NTCD1 UC1D1 8.64 6.59 4.73	<u> </u>															ļ		
Commingled DS1 Interoffice Channel Facility Termination XDH1X U1TF1 77.14 89.47 81.99 16.39 14.48					3						53.05	10.61						
Commingled DS1 Interoffice Channel per mile	<u> </u>	1		1							10.00	44.40			1	ļ		
Commingled DS1/DS0 Channel System	<u> </u>	1		1	-				89.47	81.99	16.39	14.48						
Commingled DS1 Local Loop Zone 1	<u> </u>	1		1					04.04	60.74	10.50	0.04						
Commingled DS1 Local Loop Zone 2 2 XDH1X USLXX 136.00 253.03 157.89 44.80 11.73 Commingled DS1 Local Loop Zone 3 3 XDH1X USLXX 229.15 253.03 157.89 44.80 11.73 Commingled DS3 Local Loop Facility Termination HFQC6 UE3PX 306.36 452.52 264.53 119.75 83.77 Commingled DS3/STS-1 Local Loop per mile HFGC6, HFRST 1LSND 12.26 83.77		1		1	1										1	1		
Commingled DS1 Local Loop Zone 3 3 XDH1X USLXX 229.15 253.03 157.89 44.80 11.73 Commingled DS3 Local Loop Facility Termination HFQC6 UE3PX 306.36 452.52 264.53 119.75 83.77 S83.77 Commingled DS3/STS-1 Local Loop per mile HFQC6, HFRST 1LSND 12.26 119.75 83.77 11		1		1	2										1			
Commingled DS3 Local Loop Facility Termination	-	1		1														
Commingled DS3/STS-1 Local Loop per mile	\vdash	1		1	5													
Commingled STS-1 Local Loop Facility Termination HFRST UDLS1 313.49 452.52 264.53 119.75 83.77				1					.02.02	2000		55.77						
									452.52	264.53	119.75	83.77						
		1		1											İ			

LINBLE	IDI ED I	NETWORK ELEMENTS - South Carolina												Attachment:	2 Evh Δ		$\overline{}$
314231	10LLU	TENTONIC ELEMENTO - Oculi Calcinia										Svc Order	Svc Order		Incremental	Incremental	Incremental
													Submitted	Charge -	Charge -	Charge -	Charge -
												Elec	Manually	Manual Svc	Manual Svc	•	_
CATEG	ORY	RATE ELEMENTS	Interi	Zone	BCS	usoc			RATES(\$)								
CAILC	OIL	KATE EEEMENTO	m	20116	БОО	0000			πΑ1 Ε0(ψ)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							1	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates(\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Commingled DS3 Interoffice Channel Facility Termination			HFQC6	U1TF3	880.65	279.37	163.12	60.33	58.59	JOHLE	JOHAN	JOINAIN	JOINAIN	JOHIAN	JOINAIN
_		Commingled DS3 Interoffice Channel per mile			HFQC6	1L5XX	8.02	210.01	100.12	00.00	00.00						
		Commingled STS-1Interoffice Channel Facility Termination		1	HFRST	U1TFS	880.55	279.37	163.12	60.33	58.59						
_		Commingled STS-1Interoffice Channel per mile			HFRST	1L5XX	8.02	213.31	100.12	00.00	30.33						
_		Commingled Dark Fiber - Interoffice Transport, Per Four Fiber			TITIOT	TLOAK	0.02										
		Strands, Per Route Mile Or Fraction Thereof			HEQDL	1L5DF	36.41										ł
		Commingled Dark Fiber - Interoffice Transport, Per Four Fiber			TILQUL	TESDI	30.41										
		Strands, Per Route Mile Or Fraction Thereof			HEQDL	UDF14		640.51	138.17	317.76	198.11						ł
SIGNA	LING (C				TILQUL	ODI 14		040.51	130.17	317.70	190.11						
SIGNA		bk" beside a rate indicates that the parties have agreed to bill	and ke	en for	that element nursua	nt to the ter	me and condition	ne in Attachm	ont 3			1					
\vdash	AOTE:	CCS7 Signaling Usage, Per TCAP Message	and Re	JUI 450	anat element pursua	to the ten	0.0000692bk	, Allacilli	ont J.								1
\vdash		CCS7 Signaling Usage, Per ICAP Message CCS7 Signaling Usage, Per ISUP Message		1		 	0.0000692bk					1					1
I ND O	uery Se			1		 	0.0000173DK					1					1
LINP QI	uery 5e	LNP Charge Per query		 			0.0008837	+									
—		LNP Charge Per query LNP Service Establishment Manual		 			0.0008837	25.09	25.09	23.07	23.07						
\vdash				 		 		594.82	303.88	23.07	198.18	1					
911 PB	V 1 00.	LNP Service Provisioning with Point Code Establishment		 		 		394.82	303.88	∠09.53	198.18	1					
911 PB		X LOCATE DATABASE CAPABILITY															
	911 PE			-	ODDDO	ODDELL		4.040.00									
		Service Establishment per CLEC per End User Account		-	9PBDC	9PBEU		1,813.00									
		Changes to TN Range or Customer Profile			9PBDC	9PBTN		181.40									
		Per Telephone Number (Monthly)			9PBDC	9PBMM	0.07										
		Change Company (Service Provider) ID			9PBDC	9PBPC		532.48									
		PBX Locate Service Support per CLEC (MonthIt)			9PBDC	9PBMR	181.29										
		Service Order Charge			9PBDC	9PBSC		15.69									
		X LOCATE TRANSPORT COMPONENT															
	See At																
		Rates displaying an "I" in Interim column are interim as a resu	It of a C	Commis	ssion order.							,					
UNBUN		OCAL EXCHANGE SWITCHING(PORTS)		<u> </u>													
		change Switching Port Rates Reflected Here Apply to Embedo				arch 10,											ł
		nd Consist of the TELRIC Cost Based Rates Plus \$1.00 in Acco	ordance	with t	he TRRO.												1
	Exchai	nge Ports		<u> </u>													
		Although the Port Rate includes all available features in GA, F	KY, LA	& TN, t	ne desired features v	will need to	be ordered usin	g retail USOCs	i								
	2-WIRE	VOICE GRADE LINE PORT RATES (RES)															
		Exchange Ports - 2-Wire Analog Line Port- Res.			UEPSR	UEPRL	2.65	2.38	2.28	1.42	1.33						
																	ł
<u></u>		Exchange Ports - 2-Wire Analog Line Port with Caller ID - Res.		<u> </u>	UEPSR	UEPRC	2.65	2.38	2.28	1.42	1.33	<u> </u>					1
1								l									1
<u></u>		Exchange Ports - 2-Wire Analog Line Port outgoing only - Res.		<u> </u>	UEPSR	UEPRO	2.65	2.38	2.28	1.42	1.33	<u> </u>					1
1		Exchange Ports - 2-Wire VG unbundled SC extended local	1	1				l									1
<u></u>		dialing parity Port with Caller ID - Res.]	UEPSR	UEPAU	2.65	2.38	2.28	1.42	1.33						
		Exchange Ports - 2-Wire VG unbundled South Carolina Area		1													
<u></u>		Calling port with Caller ID - Res (LW8)			UEPSR	UEPAJ	2.65	2.38	2.28	1.42	1.33						
		Exchange Ports - 2-Wire VG unbundled res, low usage line port		1													
L		with Caller ID (LUM)			UEPSR	UEPAP	2.65	2.38	2.28	1.42	1.33						
		Exchange Ports - 2-Wire VG South Carolina Residence Dialing		1													
		Plan without Caller ID		<u></u>	UEPSR	UEPWL	2.65	2.38	2.28	1.42	1.33					<u> </u>	<u> </u>
		Exchange Ports - 2-Wire VG South Carolina Residence Area									-						1
L		Calling Plan without Caller ID capability		<u></u>	UEPSR	UEPRS	2.65	2.38	2.28	1.42	1.33	<u> </u>					<u> </u>
		2-Wire voice unbundled Low Usage Line Port without Caller ID															1
1		Capability	1	1	UEPSR	UEPRT	2.65	2.38	2.28	1.42	1.33						1
		Subsequent Activity			UEPSR	USASC	0.00	0.00	0.00								i
	FEATU	RES						Ì									i
		All Available Vertical Features			UEPSR	UEPVF	3.04	0.00	0.00								1
	2-WIRE	VOICE GRADE LINE PORT RATES (BUS)															í
		Exchange Ports - 2-Wire Analog Line Port without Caller ID -															1
		Bus	1	1	UEPSB	UEPBL	2.65	2.38	2.28	1.42	1.33						1
		Exchange Ports - 2-Wire VG unbundled Line Port with															i
		unbundled port with Caller+E484 ID - Bus.	1	1	UEPSB	UEPBC	2.65	2.38	2.28	1.42	1.33						1
		Exchange Ports - 2-Wire Analog Line Port outgoing only - Bus.			UEPSB	UEPBO	2.65	2.38	2.28	1.42	1.33	1					1
		Exonange i one - 2-vine mialog Line Fort outgoing only - bus.		1	0L1 0D	OLI DO	2.00	2.30	2.20	1.42	1.33	l					

Version 4Q05 Standard ICA 03/15/06 (Renegotiations) Page 215 of 261

UNBUN	NDI FD N	ETWORK ELEMENTS - South Carolina												Attachment:	2 Fxh A		
0.120.												Svc Order		Incremental	Incremental	Incremental	Incremental
												Submitted					
													1	_	Charge -	Charge -	Charge -
	2001	DATE EL EMENTO	Interi	-	B00				DATEC(#)			Elec			Manual Svc		Manual Svc
CATE	SORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
																2.00 .00	2.007.00
								Nonred	curring	Nonrecurring	g Disconnect			oss	Rates(\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Exchange Ports - 2-Wire VG unbundled SC extended local															
		dialing parity Port with Caller ID - Bus.			UEPSB	UEPAZ	2.65	2.38	2.28	1.42	1.33					1 '	
-		Exhange Ports - 2-Wire VG unbundled incoming only port with		1	OLI OD	OLI 74	2.00	2.00	2.20	1.72	1.00						
		Caller ID - Bus			UEPSB	UEPB1	2.65	2.38	2.28	1.42	1.33					1 '	
		Exchange Ports - 2-Wire VG unbundled South Carolina Bus			OLI OD	OLIDI	2.00	2.30	2.20	1.72	1.00						-
		Area Calling Port with Caller ID - Bus (LMB)			UEPSB	UEPAB	2.65	2.38	2.28	1.42	1.33					1 '	
					UEFOD	UEPAB	2.00	2.30	2.20	1.42	1.33						
		Exchange Ports - 2-Wire Voice South Carolina Business Dialing														1 '	
		Plan without Caller ID			UEPSB	UEPWM	2.65	2.38	2.28	1.42	1.33						
		Exchange Ports - 2-Wire Voice South Carolina Business Area														1 '	
		Calling Port without Caller ID			UEPSB	UEPBB	2.65	2.38	2.28	1.42	1.33						
		2-Wire voice unbundled Incoming Only Port without Caller ID	l							1						1 '	
		Capability			UEPSB	UEPBE	2.65	2.38	2.28	1.42	1.33						
		Subsequent Activity			UEPSB	USASC	0.00	0.00	0.00								
	FEATU	RES															
		All Available Vertical Features			UEPSB	UEPVF	3.04	0.00	0.00							1	
		All Available Vertical Features					3.04	0.00	0.00								
		NGE PORT RATES (DID & PBX)															
		2-Wire VG Unbundled 2-Way PBX Trunk - Res			UEPSE	UEPRD	2.65	31.34	14.88	13.97	0.90						
		2-Wire VG Line Side Unbundled 2-Way PBX Trunk - Bus			UEPSP	UEPPC	2.65	31.34	14.88	13.97	0.90						
-		2-Wire VG Line Side Unbundled Outward PBX Trunk - Bus		1	UEPSP	UEPPO	2.65	31.34	14.88	13.97	0.90						
-		2-Wire VG Line Side Unbundled Incoming PBX Trunk - Bus			UEPSP	UEPP1	2.65	31.34	14.88	13.97	0.90		1				
											0.90					\vdash	
		2-Wire Analog Long Distance Terminal PBX Trunk - Bus			UEPSP	UEPLD	2.65	31.34	14.88	13.97							
		2-Wire Voice Unbundled PBX LD Terminal Ports			UEPSP	UEPLD	2.65	31.34	14.88	13.97	0.90						
		2-Wire Vice Unbundled 2-Way PBX Usage Port			UEPSP	UEPXA	2.65	31.34	14.88	13.97	0.90					 '	
		2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports			UEPSP	UEPXB	2.65	31.34	14.88	13.97	0.90					<u>'</u>	
		2-Wire Voice Unbundled PBX LD DDD Terminals Port			UEPSP	UEPXC	2.65	31.34	14.88	13.97	0.90						
		2-Wire Voice Unbundled PBX LD Terminal Switchboard Port			UEPSP	UEPXD	2.65	31.34	14.88	13.97	0.90					<u> </u>	
		2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD														1	
		Capable Port			UEPSP	UEPXE	2.65	31.34	14.88	13.97	0.90					1 '	
		2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy														1	
		Administrative Calling Port			UEPSP	UEPXL	2.65	31.34	14.88	13.97	0.90					1 '	
		2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy															
		Room Calling Port			UEPSP	UEPXM	2.65	31.34	14.88	13.97	0.90					1 '	
		2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital			OLI OI	OLI XIVI	2.00	31.34	14.00	10.01	0.30						
		Discount Room Calling Port			UEPSP	UEPXO	2.65	31.34	14.88	13.97	0.90					1 '	
-		2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port		1	UEPSP	UEPXS	2.65	31.34	14.88	13.97	0.90	1	1	-			
		2-Wire Voice Unbundled 2-Way PBX South Carolina Area Plus	İ													1 '	
	!	Calling Port	 	<u> </u>	UEPSP	UEPXT	2.65	31.34	14.88	13.97	0.90					 '	
		Subsequent Activity			UEPSP	USASC	0.00	0.00	0.00							 '	
	FEATU															<u> </u>	
		All Available Vertical Features			UEPSP UEPSE	UEPVF	3.04	0.00	0.00								
		witching Features offered with Port															
	NOTE:	Transmission/usage charges associated with POTS circuit sv	witched	usage	will also apply to ci	rcuit switche	ed voice and/or	circuit switch	ed data transn	nission by B-Cl	hannels associ	ated with 2	-wire ISDN p	oorts.			
	NOTE:	Access to B Channel or D Channel Packet capabilities will be	availal	ble only	through BFR/New	Business Re	quest Process.	Rates for the	packet capabi	lities will be de	etermined via t	he Bona Fid	de Request/	New Business	s Request Pro	cess.	
		VOICE GRADE LINE PORT RATES (DID)			•	1									1		
	i i	Exchange Ports - 2-Wire DID Port			UEPEX	UEPP2	9.86	119.57	18.78	60.03	3.77	1	1	i			
	2-WIRE	VOICE GRADE LINE PORT RATES (ISDN-BRI)				1	2.00			22.00		1	1		1	$\overline{}$	
—	- *****C	Exchange Ports - 2-Wire ISDN Port (See Notes below.)	-	!	UEPTX. UEPSX	U1PMA	14.38	72.93	53.11	47.90	10.76	1	1		 		
	1	All Features Offered	 	 	UEPTX, UEPSX	UEPVF	3.04	0.00	0.00	41.30	10.76	1	1	1	1		
<u> </u>	!	Exchange Ports - 2-Wire ISDN Port Channel Profiles	-	!	UEPTX, UEPSX	U1UMA	0.00	0.00	0.00	-	-	 	-		-		
—	NOTE		uitoba '	1						l	l nonnole	otod with a	wire ICDN	l norto	l		
-		Transmission/usage charges associated with POTS circuit s													. B		
		Access to B Channel or D Channel Packet capabilities will be		pie only	tnrough BFR/New	Business Re	quest Process.	Rates for the	packet capabi	inties will be de	etermined via t	ne Bona Fid	de Request/	New Busines	s Request Pro	cess.	
		DLED PORT with REMOTE CALL FORWARDING CAPABILITY		ļ		<u> </u>										└── '	
	UNBUN	DLED REMOTE CALL FORWARDING SERVICE - RESIDENCE				ļ										 '	
		Unbundled Remote Call Forwarding Service, Area Calling, Res			UEPVR	UERAC	2.65	2.38	2.28	1.42	1.33						
			l													1	
L		Unbundled Remote Call Forwarding Service, Local Calling - Res	<u> </u>	<u>L</u>	UEPVR	UERLC	2.65	2.38	2.28	1.42	1.33	<u> </u>	<u> </u>	L	<u> </u>	<u> </u>	
		Unbundled Remote Call Forwarding Service, InterLATA - Res			UEPVR	UERTE	2.65	2.38	2.28	1.42	1.33						
		Unbundled Remote Call Forwarding Service, IntraLATA - Res			UEPVR	UERTR	2.65	2.38	2.28	1.42	1.33						
•		3		•		-						•	•				

Version 4Q05 Standard ICA 03/15/06 (Renegotiations) Page 216 of 261

UNBUN	IDLED N	IETWORK ELEMENTS - South Carolina												Attachment: 2	2 Exh A		
CATEG	GORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)			Submitted Elec	Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
]	Nonre		Nonrecurring					Rates(\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Non-Re	ecurring															
		Unbundled Remote Call Forwarding Service - Conversion -															
		Switch-as-is			UEPVR	USAC2		0.10	0.10								
		Unbundled Remote Call Forwarding Service - Conversion with															
		allowed change (PIC and LPIC)			UEPVR	USACC		0.10	0.10								
	UNBUN	IDLED REMOTE CALL FORWARDING - Bus															
		Unbundled Remote Call Forwarding Service, Area Calling - Bus			UEPVB	UERAC	2.65	2.38	2.28	1.42	1.33						
		Unbundled Remote Call Forwarding Service, Local Calling - Bus			UEPVB	UERLC	2.65	2.38	2.28	1.42	1.33						
		Unbundled Remote Call Forwarding Service, InterLATA - Bus		<u> </u>	UEPVB	UERTE	2.65	2.38	2.28	1.42	1.33						
		Unbundled Remote Call Forwarding Service, IntraLATA - Bus			UEPVB	UERTR	2.65	2.38	2.28	1.42	1.33						
		Unbundled Remote Call Forwarding Service Expanded and			LIEDVO	LIED) (I	0.05	0.00	0.00	4.40	4.00						
		Exception Local Calling			UEPVB	UERVJ	2.65	2.38	2.28	1.42	1.33						
	Non-Re	curring					-										
		Unbundled Remote Call Forwarding Service - Conversion - Switch-as-is	l		UEPVB	USAC2]	0.10	0.10				1				
		Unbundled Remote Call Forwarding Service - Conversion with			UEPVB	USACZ		0.10	0.10								
		allowed change (PIC and LPIC)			UEPVB	USACC		0.10	0.10								
LINDLIN	IDI ED I	OCAL SWITCHING, PORT USAGE			UEFVB	USACC		0.10	0.10			1					
ONBOI		fice Switching (Port Usage)										1					
	Liiu Oi	End Office Switching Function, Per MOU		1			0.0010519										
		End Office Trunk Port - Shared, Per MOU		1			0.00010319										
	Tander	n Switching (Port Usage) (Local or Access Tandem)					0.0002130										
		Tandem Switching Function Per MOU					0.0001634										
		Tandem Trunk Port - Shared, Per MOU					0.0002863										
		Tandem Switching Function Per MOU (Melded)					0.00004951										
		Tandem Trunk Port - Shared, Per MOU (Melded)					0.000086749										
	Melded	Factor: 30.30% of the Tandem Rate															
		on Transport															
		Common Transport - Per Mile, Per MOU					0.0000045										
		Common Transport - Facilities Termination Per MOU					0.0004095										
UNBUN	DLED F	PORT/LOOP COMBINATIONS - COST BASED RATES															
	>Cost I	Based Rates are applied where BellSouth is required by FCC a	and/or S	State Co	ommission rule to p	rovide Unbu	ndled Local Sw	itching or Swi	tch Ports.			•					
		NE-P Switching Port Rates Reflected in the Cost Based Section								Based Rates F	lus \$1.00 in A	ccordance v	with the TRI	₹0.			
		res shall apply to the Unbundled Port/Loop Combination - Co															
	>End C	Office and Tandem Switching Usage and Common Transport U	Jsage ra	ates in	the Port section of t	his rate exhi	bit shall apply t	o all combina	ions of loop/p	ort network ele	ements except	for UNE Co	in Port/Loc	p Combination	ns.		
		rst and additional Port nonrecurring charges apply to Not Cur	rrently (Combir	ed Combos. For Cu	rrently Com	bined Combos	the nonrecurri	ng charges sh	all be those ide	entified in the	Nonrecurrin	g - Current	ly Combined s	ections.		
<u> </u>		VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)															
	UNE Po	ort/Loop Combination Rates															
		2-Wire VG Loop/Port Combo - Zone 1	ļ				15.89			ļ							
L		2-Wire VG Loop/Port Combo - Zone 2		 		ļ	22.52										
		2-Wire VG Loop/Port Combo - Zone 3	<u> </u>				28.17										ļ
<u> </u>	UNE Lo	pop Rates	<u> </u>	L .	HEDDY	LIEDLY	40.70										-
<u> </u>		2-Wire Voice Grade Loop (SL1) - Zone 1	<u> </u>	1	UEPRX	UEPLX	13.76										
<u> </u>		2-Wire Voice Grade Loop (SL1) - Zone 2	 	2	UEPRX	UEPLX	20.38			ļ							1
-	2 Wire	2-Wire Voice Grade Loop (SL1) - Zone 3	-	3	UEPRX	UEPLX	26.04										
 	∠-vvire	Voice Grade Line Port Rates (Res)	-	-	UEPRX	UEPRL	2.13	40.30	19.90	24.98	6.65						-
1		2-Wire voice unbundled port - residence 2-Wire voice unbundled port with Caller ID - res	1	1	UEPRX	UEPRC	2.13	40.30	19.90	24.98	6.65	 	-				1
1		2-Wire voice unbundled port with Caller ID - res 2-Wire voice unbundled port outgoing only - res	1	1	UEPRX	UEPRO	2.13	40.30	19.90	24.98	6.65	1					
—		2-Wire voice Grade unbundled South Carolina extended local	 		OLI IXX	JLI IVO	2.13	40.30	15.50	24.30	0.00						1
1		dialing parity port with Caller ID - res	l		UEPRX	UEPAU	2.13	40.30	19.90	24.98	6.65						
 		2-Wire voice unbundled South Carolina Area Calling port with	-		OLI IXX	JLI AU	2.13	40.30	15.50	24.30	0.03		 				
1		Caller ID - res (LW8)	l	1	UEPRX	UEPAJ	2.13	40.30	19.90	24.98	6.65		1				
1	†	2-Wire voice unbundles res, low usage line port with Caller ID	1			J	2.13	70.00	10.00	24.50	0.00	<u> </u>	 				
		(LUM)	l		UEPRX	UEPAP	2.13	37.93	16.72				1				
		2-Wire Voice Unbundled South Carolina Residence Dialing Plan						2.700									
1		without Caller ID	l	1	UEPRX	UEPWL	2.13	40.30	19.90	24.98	6.65		1				
							0				2.00				l l	1	ı

Version 4Q05 Standard ICA 03/15/06 (Renegotiations) Page 217 of 261

UNBU	NDI FD N	ETWORK ELEMENTS - South Carolina												Attachment:	2 Fxh A		1
CATEG		RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
								Nonrec		Nonrecurring					Rates(\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		2-Wire voice unbundled South Carolina Area Calling Port															
		without Caller ID Capability 2-Wire voice unbundled Low Usage Line Port without Caller ID			UEPRX	UEPRS	2.13	40.30	19.90	24.98	6.65						
		Capability			UEPRX	UEPRT	2.13	40.30	19.90	24.98	6.65						
	FEATU		1		OLI IXX	OLITA	2.10	40.50	19.90	24.30	0.03						
		All Features Offered			UEPRX	UEPVF	3.04	0.00	0.00	İ							
	NONRE	CURRING CHARGES (NRCs) - CURRENTLY COMBINED															
		2-Wire Voice Grade Loop / Line Port Combination - Conversion -															
		Switch-as-is			UEPRX	USAC2		0.10	0.10								
		2-Wire Voice Grade Loop / Line Port Combination - Conversion -	1		LIEDDY	LICACO		0.40	0.40								
-	1	Switch with change 2-Wire Voice Grade Loop / Line Port Platform - Installation	1		UEPRX	USACC		0.10	0.10	-							
		Charge at QuickService location - Not Conversion of Existing															
		Service			UEPRX	URECC		0.10									
	ADDITI	ONAL NRCs			<u> </u>												
		2-Wire Voice Grade Loop/Line Port Combination - Subsequent															
		Activity			UEPRX	USAS2	0.00	0.00	0.00								
		Unbundled Miscellaneous Rate Element, Tag Loop at End User															
	/	Premise			UEPRX	URETL		8.33	0.83								
	OFF/OR	I PREMISES EXTENSION CHANNELS		1	UEPRX	UEAEN	14.94	37.92	17.62	23.56	5.32						
		Wire Analog Voice Grade Extension Loop – Non-Design Wire Analog Voice Grade Extension Loop – Non-Design		2	UEPRX	UEAEN	21.39	37.92	17.62	23.56	5.32						
		2 Wire Analog Voice Grade Extension Loop – Non-Design		3	UEPRX	UEAEN	26.72	37.92	17.62	23.56	5.32						
		2 Wire Analog Voice Grade Extension Loop – Non-Besign		1	UEPRX	UEAED	16.68	105.98	68.43	53.05	10.61						
		2 Wire Analog Voice Grade Extension Loop – Design		2	UEPRX	UEAED	23.13	105.98	68.43	53.05	10.61						
		2 Wire Analog Voice Grade Extension Loop – Design		3	UEPRX	UEAED	28.46	105.98	68.43	53.05	10.61						
	INTERC	OFFICE TRANSPORT															
		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility															
		Termination			UEPRX	U1TV2	24.30	40.63	27.47	16.77	6.91						
		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile or Fraction Mile			UEPRX	U1TVM	0.0167	0.00	0.00								
	2-WIRE	VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS)	1		UEPKA	UTTVIVI	0.0167	0.00	0.00								
		ort/Loop Combination Rates															
		2-Wire VG Loop/Port Combo - Zone 1					15.89										
		2-Wire VG Loop/Port Combo - Zone 2					22.52										
		2-Wire VG Loop/Port Combo - Zone 3					28.17										
		op Rates															
	1	2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2	1	1 2	UEPBX UEPBX	UEPLX UEPLX	13.76 20.38			-							
	1	2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3	1		UEPBX	UEPLX	26.04			 							1
	2-Wire	Voice Grade Line Port (Bus)	 	-	OLI DA	JLI LX	20.04			-		 	 				
	1	2-Wire voice unbundled port without Caller ID - bus			UEPBX	UEPBL	2.13	40.30	19.90	24.98	6.65						İ
		2-Wire voice unbundled port with Caller + E484 ID - bus			UEPBX	UEPBC	2.13	40.30	19.90	24.98	6.65						
		2-Wire voice unbundled port outgoing only - bus			UEPBX	UEPBO	2.13	40.30	19.90	24.98	6.65						
1		2-Wire voice Grade unbundled South Carolina extended local	1										1				
	1	dialing parity port with Caller ID - bus	<u> </u>	<u> </u>	UEPBX	UEPAZ	2.13	40.30	19.90	24.98	6.65				ļ		
—	 	2-Wire voice unbundled incoming only port with Caller ID - Bus 2-Wire voice unbundled South Carolina Bus Area Calling Port	-	 	UEPBX	UEPB1	2.13	40.30	19.90	24.98	6.65	 					
		2-wire voice unbundled South Carolina Bus Area Calling Port with Caller ID (LMB)	1		UEPBX	UEPAB	2.13	40.30	19.90	24.98	6.65		1				
		2-Wire Voice Unbundled South Carolina Business Dialing Plan			0 L1 D/	JEI AD	2.13	70.50	19.90	27.30	0.03						
		without Caller ID	1		UEPBX	UEPWM	2.13	40.30	19.90	24.98	6.65		1				
		2-Wire voice unbundled South Carolina Business Area Calling										1					
		Port without Caller ID Capability			UEPBX	UEPBB	2.13	40.30	19.90	24.98	6.65						
1		2-Wire voice unbundled Incoming Only Port without Caller ID	1					40					1				1
	FEATU	Capability	<u> </u>	<u> </u>	UEPBX	UEPBE	2.13	40.30	19.90	24.98	6.65						
-		All Features Offered	!	-	UEPBX	UEPVF	3.04	0.00	0.00	-					-		
\vdash		CURRING CHARGES (NRCs) - CURRENTLY COMBINED	 	 	OLFDA	OLF VF	3.04	0.00	0.00	 		-					
L	MONTE	CONTROL (1110) CONTROL COMPINED	1	<u> </u>		1				l		<u> </u>	l .		l		l

	ED NE	TWORK ELEMENTS - South Carolina												Attachment:	2 Fyh Δ		
ONDONDEL		TWORK ELLMENTO - South Galonna										Svc Order	Svc Order		Incremental	Incremental	Incremental
													Submitted		Charge -	Charge -	Charge -
			Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	Υ	RATE ELEMENTS	m	Zone	BCS	USOC			RATES(\$)			per LSR			Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
								Nonrec	urring	Nonrecurring	Disconnect			oss	Rates(\$)	1	l.
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		2-Wire Voice Grade Loop / Line Port Combination - Conversion -															
		Switch-as-is			UEPBX	USAC2		0.10	0.10								
		P-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch with change			UEPBX	USACC		0.10	0.10								
ADI		NAL NRCs			OLFBA	USACC		0.10	0.10								
1.5-		2-Wire Voice Grade Loop/Line Port Combination - Subsequent															
		Activity			UEPBX	USAS2		0.00	0.00								
		Inbundled Miscellaneous Rate Element, Tag Loop at End User															
		Premise			UEPBX	URETL		8.33	0.83								
OFF		PREMISES EXTENSION CHANNELS Wire Analog Voice Grade Extension Loop – Non-Design		1	UEPBX	UEAEN	14.94	37.92	17.62	23.56	5.32	<u> </u>					
\vdash		2 Wire Analog Voice Grade Extension Loop – Non-Design	1	2	UEPBX	UEAEN	21.39	37.92	17.62	23.56	5.32						
\vdash		Wire Analog Voice Grade Extension Loop – Non-Design		3	UEPBX	UEAEN	26.72	37.92	17.62	23.56	5.32	1	1				
		Wire Analog Voice Grade Extension Loop – Design		1	UEPBX	UEAED	16.68	105.98	68.43	53.05	10.61						
	2	Wire Analog Voice Grade Extension Loop – Design		2	UEPBX	UEAED	23.13	105.98	68.43	53.05	10.61						
		Wire Analog Voice Grade Extension Loop – Design		3	UEPBX	UEAED	28.46	105.98	68.43	53.05	10.61						
INT		FFICE TRANSPORT															
		nteroffice Transport - Dedicated - 2 Wire Voice Grade - Facility			UEPBX	U1TV2	24.20	40.00	27.47	16.77	0.04						
\vdash		Fermination nteroffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile			UEPBX	U11V2	24.30	40.63	27.47	16.77	6.91						
		or Fraction Mile			UEPBX	U1TVM	0.0167	0.00	0.00								
2-W		VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES - PBX)					0.0.0										
		t/Loop Combination Rates															
		2-Wire VG Loop/Port Combo - Zone 1					15.89										
		2-Wire VG Loop/Port Combo - Zone 2					22.52										
LINI		2-Wire VG Loop/Port Combo - Zone 3					28.17										
UNE		2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEPRG	UEPLX	13.76			1							
		2-Wire Voice Grade Loop (SL 1) - Zone 2			UEPRG	UEPLX	20.38										
		2-Wire Voice Grade Loop (SL 1) - Zone 3			UEPRG	UEPLX	26.04										
2-W		oice Grade Line Port Rates (RES - PBX)															
		2-Wire VG Unbundled Combination 2-Way PBX Trunk Port -															
	ا ATUR	Res			UEPRG	UEPRD	2.13	69.26	32.50	37.53	6.22						
FEA		All Features Offered			UEPRG	UEPVF	3.04	0.00	0.00								
NOI		CURRING CHARGES (NRCs) - CURRENTLY COMBINED			OLITIC	OLI VI	0.04	0.00	0.00								
		2-Wire Voice Grade Loop/ Line Port Combination (PBX) -															
$oxed{oxed}$		Conversion - Switch-As-Is			UEPRG	USAC2		7.93	1.91								
		2-Wire Voice Grade Loop/ Line Port Combination (PBX) -			LIEBBO	110466											
ADI		Conversion - Switch with Change			UEPRG	USACC		7.93	1.91	 		 	1	 			
ADL		P-Wire Voice Grade Loop/ Line Port Combination (PBX) -				1						1					
		Subsequent Activity			UEPRG	USAS2	0.00	0.00	0.00								
		PBX Subsequent Activity - Change/Rearrange Multiline Hunt			-	T			2.30								
		Group				1		7.34	7.34								
		Unbundled Miscellaneous Rate Element, Tag Loop at End User				l											
057		Premise			UEPRG	URETL		8.33	0.83								
UFF	r/UN	PREMISES EXTENSION CHANNELS ocal Channel Voice grade, per termination		1	UEPRG	P2JHX	16.68	105.98	68.43	53.05	10.61	 	}	1			-
	- I	ocal Channel Voice grade, per termination	1		UEPRG	P2JHX	23.13	105.98	68.43	53.05	10.61						
		ocal Channel Voice grade, per termination		3	UEPRG	P2JHX	28.46	105.98	68.43	53.05	10.61						
		Non-Wire Direct Serve Channel Voice Grade		1	UEPRG	SDD2X	17.74	131.88	62.06	90.70	13.42						
		Non-Wire Direct Serve Channel Voice Grade		2	UEPRG	SDD2X	25.16	65.94	31.03	45.35	6.71						
12.7		Non-Wire Direct Serve Channel Voice Grade		3	UEPRG	SDD2X	29.58	65.94	31.03	45.35	6.71						
INI		FFICE TRANSPORT nteroffice Transport - Dedicated - 2 Wire Voice Grade - Facility	ļ			 											
		remination			UEPRG	U1TV2	24.30	40.63	27.47	16.77	6.91						
		nteroffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile				72	24.00	40.00	21.41	10.77	0.91						
		or Fraction Mile			UEPRG	U1TVM	0.0167	0.00	0.00								

UNBUNDLED	NETWORK ELEMENTS - South Carolina												Attachment:	2 Exh A		
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc	Incremental Charge -	Charge -	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l
						1										
							Nonrec		Nonrecurring					Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)															
UNE P	ort/Loop Combination Rates															
	2-Wire VG Loop/Port Combo - Zone 1					15.89										
	2-Wire VG Loop/Port Combo - Zone 2					22.52										
	2-Wire VG Loop/Port Combo - Zone 3					28.17										
UNE L	oop Rates															
	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEPPX	UEPLX	13.76										
	2-Wire Voice Grade Loop (SL 1) - Zone 2			UEPPX	UEPLX	20.38										
	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEPPX	UEPLX	26.04										
2-Wire	Voice Grade Line Port Rates (BUS - PBX)															
													I	I	I	1
	Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus		1	UEPPX	UEPPC	2.13	69.26	32.50	37.53	6.22	ļ					
\longrightarrow	Line Side Unbundled Outward PBX Trunk Port - Bus		 	UEPPX	UEPPO	2.13	69.26	32.50	37.53	6.22			-	-	-	+
+-	Line Side Unbundled Incoming PBX Trunk Port - Bus		1	UEPPX	UEPP1	2.13	69.26	32.50	37.53	6.22			!	!	!	
+-	2-Wire Voice Unbundled PBX LD Terminal Ports	<u> </u>	 	UEPPX	UEPLD	2.13	69.26	32.50	37.53	6.22	<u> </u>		-	-	-	+
+-	2-Wire Voice Unbundled 2-Way Combination PBX Usage Port		1	UEPPX	UEPXA	2.13	69.26	32.50	37.53	6.22	 		!	!	!	
	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports			UEPPX	UEPXB	2.13	69.26	32.50	37.53	6.22						
	2-Wire Voice Unbundled PBX LD DDD Terminals Port			UEPPX	UEPXC	2.13	69.26	32.50	37.53	6.22						-
	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port			UEPPX	UEPXD	2.13	69.26	32.50	37.53	6.22						
	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD			LIEDDY	LIEDVE	0.40	00.00	00.50	07.50	0.00						
	Capable Port			UEPPX	UEPXE	2.13	69.26	32.50	37.53	6.22						
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy															
	Administrative Calling Port		1	UEPPX	UEPXL	2.13	69.26	32.50	37.53	6.22						
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy			l												
	Room Calling Port		1	UEPPX	UEPXM	2.13	69.26	32.50	37.53	6.22						
	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital			l												
	Discount Room Calling Port			UEPPX	UEPXO	2.13	69.26	32.50	37.53	6.22						
	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPPX	UEPXS	2.13	69.26	32.50	37.53	6.22						-
	2-Wire Voice Unbundled 2-Way PBX South Carolina Area Plus			LIEDDY	LIEDVE	0.40	00.00	00.50	07.50	0.00						
FEAT	Calling Port			UEPPX	UEPXT	2.13	69.26	32.50	37.53	6.22						
FEATU				LIEDDY	LIED\ /E	0.04	0.00	0.00								-
NONE	All Features Offered		1	UEPPX	UEPVF	3.04	0.00	0.00								
NONKI	ECURRING CHARGES (NRCs) - CURRENTLY COMBINED				+											+
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -			LIEDDY	110 4 60		7.00	4.04								
	Conversion - Switch-As-Is 2-Wire Voice Grade Loop/ Line Port Combination (PBX) -			UEPPX	USAC2		7.93	1.91								+
	Conversion - Switch with Change			UEPPX	USACC		7.93	1.91								
ADDIT	IONAL NRCs		1	UEPFA	USACC		7.93	1.91			1	-	-	-	-	+
ADDII	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -	1	1		1	1					1	 	 	 	 	+
	Subsequent Activity			UEPPX	USAS2	0.00	0.00	0.00								
- -	PBX Subsequent Activity - Change/Rearrange Multiline Hunt		 	OLITA	30/102	0.00	0.00	0.00	 				 	 	 	+
	Group						7.34	7.34					1	1	1	1
	Unbundled Miscellaneous Rate Element, Tag Loop at End User	1	1		1		7.54	7.54				<u> </u>	I	I	I	
	Premise			UEPPX	URETL		8.33	0.83					1	1	1	1
OFF/O	N PREMISES EXTENSION CHANNELS		1	52. T X	SILIL		0.00	0.00			1		†	<u> </u>	<u> </u>	
- 15.170	Local Channel Voice grade, per termination		1	UEPPX	P2JHX	16.68	105.98	68.43	53.05	10.61	1		†	<u> </u>	<u> </u>	
	Local Channel Voice grade, per termination		2	UEPPX	P2JHX	23.13	105.98	68.43	53.05	10.61			1	1	1	—
	Local Channel Voice grade, per termination		3	UEPPX	P2JHX	28.46	105.98	68.43	53.05	10.61			t	t	t	1
	Non-Wire Direct Serve Channel Voice Grade		1	UEPPX	SDD2X	17.74	131.88	62.06	90.70	13.42			1	1	1	
	Non-Wire Direct Serve Channel Voice Grade		2	UEPPX	SDD2X	25.16	65.94	31.03	45.35	6.71			İ	İ	İ	1
	Non-Wire Direct Serve Channel Voice Grade			UEPPX	SDD2X	29.58	65.94	31.03	45.35	6.71			İ	İ	İ	1
INTER	OFFICE TRANSPORT															1
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility					i i										1
1	Termination			UEPPX	U1TV2	24.30	40.63	27.47	16.77	6.91			I	I	I	1
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile															
	or Fraction Mile			UEPPX	U1TVM	0.0167	0.00	0.00					1	1	1	1
		-	1								İ					1
2-WIRE	E VOICE GRADE LOOP WITH 2-WIRE ANALOG LINE COIN POF	₹I														
	E VOICE GRADE LOOP WITH 2-WIRE ANALOG LINE COIN POR ort/Loop Combination Rates	(1														

UNBUNDI ED	NETWORK ELEMENTS - South Carolina												Attachment:	2 Fxh A	1	
ONDONDEED	THE TWORK ELEMENTS - SOUTH CAIGINA				1						Cua Ordar	Cua Ordar	Incremental		Incremental	Incremental
												Submitted		Charge -	Charge -	Charge -
		Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS		Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m									per Lore	per Lore				
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
						1								- · · ·		
							Nonre		Nonrecurring					Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire VG Coin Port/Loop Combo – Zone 2					22.52										
	2-Wire VG Coin Port/Loop Combo – Zone 3					28.17										
LINE I	oop Rates															
OIL L	2-Wire Voice Grade Loop (SL1) - Zone 1	<u> </u>	1	UEPCO	UEPLX	13.76										
-											ļ					
	2-Wire Voice Grade Loop (SL1) - Zone 2	ļ	2	UEPCO	UEPLX	20.38										
	2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPCO	UEPLX	26.04										
2-Wire	Voice Grade Line Ports (COIN)															
	2-Wire Coin 2-Way without Operator Screening and without															
	Blocking (SC)			UEPCO	UEPSD	2.13	40.30	19.90	24.98	6.65						
	2-Wire Coin 2-Way with Operator Screening and Blocking: 011,															
1 1	900/976, 1+DDD (SC)	1		UEPCO	UEPSA	2.13	40.30	19.90	24.98	6.65		1	1	1	1	1
\vdash		 	1	0L1 00	ULFUA	2.13	40.30	19.90	24.90	0.03	 					
	2-Wire Coin 2-Way with Operator Screening and 011 Blocking	1										I	1	1	1	1
	(SC)	1		UEPCO	UEPSH	2.13	40.30	19.90	24.98	6.65	1]			
	2-Wire Coin 2-Way with Operator Screening and 011 Blocking;	1	1 7									1]		1	1
i	with Dialing Parity (SC)	1		UEPCO	UEPSC	2.13	40.30	19.90	24.98	6.65		1	1	1	1	1
	2-Wire Coin 2-Way with Operator Screening and: 900 Blocking:	1										İ			İ	
	900/976, 1+DDD, 011+, and Local (SC)			UEPCO	UEPCC	2.13	40.30	19.90	24.98	6.65						
-				ULFCO	ULFCC	2.13	40.30	19.90	24.90	0.03	ļ					
	2-Wire Coin 2-W Operator Screen: 900 Block: 900/976, 1+DDD,				l											
	011+, Local; Enhanced Call OPT 3YV (SC)			UEPCO	UEPCE	2.13	40.30	19.90	24.98	6.65						1
	2-Wire Coin 2-W Operator Screen: 900 Block: 900/976, 1+DDD,															
	011+, Local; Enhanced Call OPT AP7 (SC)			UEPCO	UEPCF	2.13	40.30	19.90	24.98	6.65						
	2-Wire Coin Outward without Blocking and without Operator															
	Screening (SC)			UEPCO	UEPSG	2.13	40.30	19.90	24.98	6.65						
-	2-Wire Coin Outward with Operator Screening and 011 Blocking	1		OLI CO	OLI OO	2.10	40.50	13.30	24.30	0.00						
				LIEBOO	LIEBOE	0.40	40.00	40.00	04.00	0.05						
	(SC)			UEPCO	UEPSF	2.13	40.30	19.90	24.98	6.65						
	2-Wire Coin Outward with Operator Screening and Blocking:															
	011, 900/976, 1+DDD (SC)			UEPCO	UEPSJ	2.13	40.30	19.90	24.98	6.65						
	2-Wire Coin Outward with Operator Screening and Blocking:															
	900/976, 1+DDD, 011+, and Local (SC)			UEPCO	UEPCM	2.13	40.30	19.90	24.98	6.65						
	2-Wire Coin Out Operator Screen & Block: 900/976, 1+DDD,									0.00						
	011+, Local; Enhanced Calling OPT 3YW (SC)			UEPCO	UEPCP	2.13	40.30	19.90	24.98	6.65						
		1														
	2-Wire 2-Way Smartline with 900/976 (all states except LA)	ļ		UEPCO	UEPCK	2.13	40.30	19.90	24.98	6.65						ļ
	2-Wire Coin Outward Smartline with 900/976 (all states except															
	LA)			UEPCO	UEPCR	2.13	40.30	19.90	24.98	6.65						
ADDIT	IONAL UNE COIN PORT/LOOP (RC)															
	UNE Coin Port/Loop Combo Usage (Flat Rate)			UEPCO	URECU	4.05	0.00	0.00	0.00	0.00						
NOND	ECURRING CHARGES - CURRENTLY COMBINED	†														
- INSIGN	2-Wire Voice Grade Loop / Line Port Combination - Conversion -	<u> </u>			+	 					1					
		1		UEPCO	USAC2		0.40	0.40	I			I	1	1	1	1
 	Switch-as-is	1	!	UEPCU	USAC2	ļ	0.10	0.10	1		1	1	 	1	1	
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -	1										1			1	1
	Switch with change			UEPCO	USACC		0.10	0.10								
ADDIT	IONAL NRCs															
	2-Wire Voice Grade Loop/Line Port Combination - Subsequent															
	Activity	1		UEPCO	USAS2		0.00	0.00	I			I	1	1	1	1
 	Unbundled Miscellaneous Rate Element, Tag Loop at End User	t			30.02		0.00	0.00	-		1	l .	 	1	 	
	Premise	1		UEPCO	LIDET		0.00	0.00	I			I	1	1	1	1
		<u> </u>			URETL		8.33	0.83			.					——
	E VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE	LINE	PORT (I	KES)	1				ļ		ļ					
UNE P	ort/Loop Combination Rates															
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 1	\bot	\Box			19.00							l			
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 2					25.45										
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 3					30.78						İ			İ	
LINE	oop Rates	1			1	1			1		1	1	1	1	†	t
ONEL	2-Wire Voice Grade Loop (SL2) - Zone 1	 	1	UEPFR	UECF2	16.68			 		1	 	1	1	1	
		1							-		1	-	 	1	-	
	2-Wire Voice Grade Loop (SL2) - Zone 2	 	2	UEPFR	UECF2	23.13					!	.	ļ		ļ	
	2-Wire Voice Grade Loop (SL2) - Zone 3		3	UEPFR	UECF2	28.46										<u> </u>
2-Wire	Voice Grade Line Port Rates (Res)	\bot	\Box										l			L
	2-Wire voice unbundled port - residence			UEPFR	UEPRL	2.32	108.36	70.71	1.42	1.33						
	2-Wire voice unbundled port with Caller ID - res	Ì		UEPFR	UEPRC	2.32	108.36	70.71	1.42	1.33			l		İ	
	2-Wire voice unbundled port outgoing only - res	1		UEPFR	UEPRO	2.32	108.36	70.71	1.42	1.33	1	1	1	1	†	
<u> </u>	12 TYTIC TOICE GRADUITUIEG POIL OULGOING OINS - 163		1	OLI III	CLINO	2.32	100.30	10.71	1.42	1.33	L	l	L	L	1	

UNBUNDLED	NETWORK ELEMENTS - South Carolina												Attachment:	2 Exh A		f
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
-					1	-	Nonro	curring	Nonrecurring	Disconnect		l	000	Potos(¢)		
						Rec	First	Add'l	First	Add'l	COMEC	SOMAN	SOMAN	Rates(\$) SOMAN	SOMAN	SOMAN
	2-Wire voice Grade unbundled South Carolina extended local					Rec	FIISL	Add I	FIISL	Auu i	SOMEC	SUMAN	SOWAN	SOWAN	SOWAN	SOWAN
	dialing parity port with Caller ID - res			UEPFR	UEPAU	2.32	108.36	70.71	1.42	1.33						1
	2-Wire voice unbundled South Carolina Area Calling port with			OLFIK	OLFAU	2.32	100.30	70.71	1.42	1.55						
	Caller ID - res (LW8)			UEPFR	UEPAJ	2.32	108.36	70.71	1.42	1.33						ł
	2-Wire voice unbundles res, low usage line port with Caller ID															
	(LUM)			UEPFR	UEPAP	2.32	108.36	70.71	1.42	1.33						ł
	2-Wire Voice Unbundled South Carolina Residence Dialing Plan															
	without Caller ID			UEPFR	UEPWL	2.32	108.36	70.71	1.42	1.33						
INTER	OFFICE TRANSPORT															1
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility						40.00									ł
	Termination			UEPFR	U1TV2	19.44	40.63	27.47	16.77	6.91						
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile or Fraction Mile			UEPFR	1L5XX	0.0134										İ
FEAT				UEFFR	ILSAA	0.0134										-
I LAI	All Features Offered			UEPFR	UEPVF	3.04	0.00	0.00								
NONR	ECURRING CHARGES (NRCs) - CURRENTLY COMBINED			02	02	0.0 .	0.00	0.00								1
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port								İ							
	Combination - Conversion - Switch-as-is			UEPFR	USAC2		8.50	1.87								ł
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port															
	Combination - Conversion - Switch-With-Change			UEPFR	USACC		8.50	1.87								l
	Unbundled Miscellaneous Rate Element, Tag Designed Loop at															
	End User Premise			UEPFR	URETN		11.24	1.10								
	E VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE	LINE	PORT (I	BUS)												
UNE F	ort/Loop Combination Rates 2-Wire VG Loop/IO Tranport/Port Combo - Zone 1					19.00			1							
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 1 2-Wire VG Loop/IO Tranport/Port Combo - Zone 2					25.45										-
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 3					30.78										
UNFI	oop Rates					30.70										
0.12	2-Wire Voice Grade Loop (SL2) - Zone 1		1	UEPFB	UECF2	16.68			İ							
	2-Wire Voice Grade Loop (SL2) - Zone 2		2	UEPFB	UECF2	23.13										ſ
	2-Wire Voice Grade Loop (SL2) - Zone 3		3	UEPFB	UECF2	28.46										
2-Wire	Voice Grade Line Port (Bus)															
	2-Wire voice unbundled port without Caller ID - bus			UEPFB	UEPBL	2.32	108.36	70.71	1.42	1.33						
	2-Wire voice unbundled port with Caller + E484 ID - bus			UEPFB	UEPBC	2.32	108.36	70.71	1.42	1.33						
	2-Wire voice unbundled port outgoing only - bus			UEPFB	UEPBO	2.32	108.36	70.71	1.42	1.33						
	2-Wire voice Grade unbundled South Carolina extended local dialing parity port with Caller ID - bus			UEPFB	UEPAZ	2.32	108.36	70.71	1.42	1.33						ł
	2-Wire voice unbundled incoming only port with Caller ID - Bus			UEPFB	UEPB1	2.32	108.36	70.71	1.42	1.33						
	2-Wire voice unburidled incoming only port with Carler ib - Bus 2-Wire voice unbundled South Carolina Bus Area Calling Port	1	†	J_1 D	JL. D.	2.02	100.00	70.71	1.42	1.33			1			
1	with Caller ID (LMB)			UEPFB	UEPAB	2.32	108.36	70.71	1.42	1.33		1				İ
İ	2-Wire Voice Unbundled South Carolina Business Dialing Plan	1					-									
	without Caller ID			UEPFB	UEPWM	2.32	108.36	70.71	1.42	1.33						
INTER	OFFICE TRANSPORT															
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility															Ì
	Termination		<u> </u>	UEPFB	U1TV2	19.44	40.63	27.47	16.77	6.91			ļ			-
1	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile			LIEDER	1L5XX	0.0404			1			1				İ
FEAT	or Fraction Mile		!	UEPFB	ILƏAX	0.0134			 		-	-	1			—
FEAT	All Features Offered		1	UEPFB	UEPVF	3.04	0.00	0.00	+							
NONR	ECURRING CHARGES (NRCs) - CURRENTLY COMBINED	1	†		J=. VI	0.04	0.00	0.00	1							
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port				1	1			1							
	Combination - Conversion - Switch-as-is	<u></u>	<u>L</u>	UEPFB	USAC2	<u> </u>	8.50	1.87	<u> </u>		<u> </u>	<u> </u>	<u></u>			<u></u>
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port									-						
	Combination - Conversion - Switch with change		<u> </u>	UEPFB	USACC		8.50	1.87	ļ							
1	Unbundled Miscellaneous Rate Element, Tag Designed Loop at								1			1				İ
	End User Premise	<u> </u>	1	UEPFB	URETN		11.24	1.10					ļ			-
	E VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE ort/Loop Combination Rates	LINE	PORT (7BX)	 	<u> </u>			_		1					
UNE	2-Wire VG Loop/IO Tranport/Port Combo - Zone 1	-	1		1	19.00			 		}	 	1			
$\overline{}$	z-vviie vo Loop/iO Hanpon/Fort Combo - Zone i	<u> </u>	1		l	19.00			1		l	l	l			

UNBUNDLED	NETWORK ELEMENTS - South Carolina	,	,	,									Attachment:			
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
1			+		_	ı	Nonroc	urring	Nonrecurring	Disconnect			088	Datas(\$)		
		<u> </u>	+			B	Nonrec First				COMEC	SOMAN	SOMAN	Rates(\$)	SOMAN	SOMAN
	0.M/ VO.L//DI.O		_			Rec	FIRST	Add'l	First	Add'l	SOMEC	SUMAN	SOWAN	SOMAN	SOWAN	SOMAN
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 2					25.45										
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 3					30.78										
UNE L	oop Rates		— .			40.00										
	2-Wire Voice Grade Loop (SL2) - Zone 1		1	UEPFP	UECF2	16.68										
	2-Wire Voice Grade Loop (SL2) - Zone 2		2	UEPFP	UECF2	23.13										
	2-Wire Voice Grade Loop (SL2) - Zone 3		3	UEPFP	UECF2	28.46										
2-Wire	e Voice Grade Line Port Rates (BUS - PBX)															
							407.00									
	Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus			UEPFP	UEPPC	2.32	137.32	83.31	67.02	11.51						
	Line Side Unbundled Outward PBX Trunk Port - Bus			UEPFP	UEPPO	2.32	137.32	83.31	67.02	11.51						
	Line Side Unbundled Incoming PBX Trunk Port - Bus			UEPFP	UEPP1	2.32	137.32	83.31	67.02	11.51						
	2-Wire Voice Unbundled PBX LD Terminal Ports	<u> </u>	1	UEPFP	UEPLD	2.32	137.32	83.31	67.02	11.51						
	2-Wire Voice Unbundled 2-Way Combination PBX Usage Port	1	1	UEPFP	UEPXA	2.32	137.32	83.31	67.02	11.51						
	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports	1	1	UEPFP	UEPXB	2.32	137.32	83.31	67.02	11.51						
	2-Wire Voice Unbundled PBX LD DDD Terminals Port			UEPFP	UEPXC	2.32	137.32	83.31	67.02	11.51						
	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port			UEPFP	UEPXD	2.32	137.32	83.31	67.02	11.51						
	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD															
	Capable Port			UEPFP	UEPXE	2.32	137.32	83.31	67.02	11.51						
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy															
	Administrative Calling Port			UEPFP	UEPXL	2.32	137.32	83.31	67.02	11.51						
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy															
	Room Calling Port			UEPFP	UEPXM	2.32	137.32	83.31	67.02	11.51						
	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital															
	Discount Room Calling Port			UEPFP	UEPXO	2.32	137.32	83.31	67.02	11.51						
	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPFP	UEPXS	2.32	137.32	83.31	67.02	11.51						
	2-Wire Voice Unbundled 2-Way PBX South Carolina Area Plus															
	Calling Port			UEPFP	UEPXT	2.32	137.32	83.31	67.02	11.51						
INTER	OFFICE TRANSPORT															
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility															
	Termination			UEPFP	U1TV2	19.44	40.63	27.47	16.77	6.91						
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile															
	or Fraction Mile			UEPFP	1L5XX	0.0134										
FEATU		1														
1	All Features Offered			UEPFP	UEPVF	3.04	0.00	0.00								
NONR	ECURRING CHARGES (NRCs) - CURRENTLY COMBINED															
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port	1														
	Combination - Conversion - Switch-as-is			UEPFP	USAC2		8.50	1.87								
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port	1														
	Combination - Conversion - Switch with change			UEPFP	USACC		8.50	1.87								
		+	1	İ	1		5.50		†					İ	İ	İ
ı	Undundied Miscellaneous Rate Element. Tad Designed Lood at							1.10	1							
	Unbundled Miscellaneous Rate Element, Tag Designed Loop at End User Premise			UEPFP	URETN		11.24									
2-WIRI	End User Premise			UEPFP	URETN		11.24	1.10	1							
	END USER PREMISE E VOICE GRADE LOOP- BUS ONLY - WITH 2-WIRE DID TRUNK			UEPFP	URETN		11.24	1.10								
	END User Premise E VOICE GRADE LOOP- BUS ONLY - WITH 2-WIRE DID TRUNK Port/Loop Combination Rates			UEPFP	URETN	24.75	11.24	1.10								
	End User Premise E VOICE GRADE LOOP- BUS ONLY - WITH 2-WIRE DID TRUNK Port/Loop Combination Rates 2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 1			UEPFP	URETN	24.75 31.20	11.24	1.10								
	End User Premise E VOICE GRADE LOOP- BUS ONLY - WITH 2-WIRE DID TRUNK Ord/Loop Combination Rates 2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 1 2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 2			UEPFP	URETN	31.20	11.24	1.10								
UNE P	End User Premise E VOICE GRADE LOOP- BUS ONLY - WITH 2-WIRE DID TRUNK Port/Loop Combination Rates 2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 1 2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 2 2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 3			UEPFP	URETN		11.24	1.10								
UNE P	End User Premise E VOICE GRADE LOOP- BUS ONLY - WITH 2-WIRE DID TRUNK Port/Loop Combination Rates 2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 1 2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 2 2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 3 .oop Rates		1			31.20 36.52	11.24	1.10								
UNE P	End User Premise E VOICE GRADE LOOP- BUS ONLY - WITH 2-WIRE DID TRUNK Port/Loop Combination Rates 2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 1 2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 2 2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 3		1	UEPPX	UECD1	31.20 36.52 16.68	11.24	1.10								
UNE P	End User Premise E VOICE GRADE LOOP- BUS ONLY - WITH 2-WIRE DID TRUNK Ord/Loop Combination Rates 2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 1 2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 2 2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 3 .oop Rates 2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 1 2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 2		1 2	UEPPX UEPPX	UECD1 UECD1	31.20 36.52 16.68 23.13	11.24	1.10								
UNE P	End User Premise E VOICE GRADE LOOP- BUS ONLY - WITH 2-WIRE DID TRUNK PORT/Loop Combination Rates 2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 1 2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 2 2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 2 2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 3 .oop Rates 2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 1 2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 2 2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 3		1	UEPPX	UECD1	31.20 36.52 16.68	11.24	1.10								
UNE P	End User Premise E VOICE GRADE LOOP- BUS ONLY - WITH 2-WIRE DID TRUNK Port/Loop Combination Rates 2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 1 2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 2 2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 3 .oop Rates 2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 1 2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 2 2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 3 ort Rate		1 2	UEPPX UEPPX UEPPX	UECD1 UECD1 UECD1	31.20 36.52 16.68 23.13 28.46			113.08	14.28						
UNE L	End User Premise E VOICE GRADE LOOP- BUS ONLY - WITH 2-WIRE DID TRUNK Port/Loop Combination Rates 2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 1 2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 2 2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 3		1 2	UEPPX UEPPX	UECD1 UECD1	31.20 36.52 16.68 23.13	11.24	87.21	113.08	14.38						
UNE L	End User Premise E VOICE GRADE LOOP- BUS ONLY - WITH 2-WIRE DID TRUNK PORT/Loop Combination Rates 2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 1 2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 2 2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 2 2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 3 .oop Rates 2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 1 2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 2 2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 3 Port Rate Exchange Ports - 2-Wire DID Port ECURRING CHARGES - CURRENTLY COMBINED		1 2	UEPPX UEPPX UEPPX	UECD1 UECD1 UECD1	31.20 36.52 16.68 23.13 28.46			113.08	14.38						
UNE L	End User Premise E VOICE GRADE LOOP- BUS ONLY - WITH 2-WIRE DID TRUNK Port/Loop Combination Rates 2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 1 2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 2 2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 2 3-Oop Rates 2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 1 2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 2 2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 3 2-Ort Rate Exchange Ports - 2-Wire DID Port ECURRING CHARGES - CURRENTLY COMBINED 2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Combination -		1 2	UEPPX UEPPX UEPPX UEPPX	UECD1 UECD1 UECD1 UECD1	31.20 36.52 16.68 23.13 28.46	225.55	87.21	113.08	14.38						
UNE L	End User Premise E VOICE GRADE LOOP- BUS ONLY - WITH 2-WIRE DID TRUNK Port/Loop Combination Rates 2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 1 2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 2 2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 3 .oop Rates 2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 1 2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 2 2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 2 2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 3 Port Rate Exchange Ports - 2-Wire DID Port ECURRING CHARGES - CURRENTLY COMBINED 2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Combination - Switch-as-is		1 2	UEPPX UEPPX UEPPX	UECD1 UECD1 UECD1	31.20 36.52 16.68 23.13 28.46			113.08	14.38						
UNE L	End User Premise E VOICE GRADE LOOP- BUS ONLY - WITH 2-WIRE DID TRUNK Port/Loop Combination Rates 2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 1 2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 2 2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 3		1 2	UEPPX UEPPX UEPPX UEPPX UEPPX	UECD1 UECD1 UECD1 UECD1 UECD1	31.20 36.52 16.68 23.13 28.46	225.55	87.21	113.08	14.38						
UNE L UNE L UNE P	End User Premise E VOICE GRADE LOOP- BUS ONLY - WITH 2-WIRE DID TRUNK Port/Loop Combination Rates 2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 1 2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 2 2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 3 .oop Rates 2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 1 2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 2 2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 2 2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 3 Port Rate Exchange Ports - 2-Wire DID Port ECURRING CHARGES - CURRENTLY COMBINED 2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Combination - Switch-as-is		1 2	UEPPX UEPPX UEPPX UEPPX	UECD1 UECD1 UECD1 UECD1	31.20 36.52 16.68 23.13 28.46	225.55	87.21	113.08	14.38						

Interi m Zone BCS USOC RATE SLEMENTS BCS USOC RATES(\$) Sv Order Sv Order Submitted Submitted Submitted Charge - Manual Sv Order vs. Flectronic- Elect	UNBUNDLED	NETWORK ELEMENTS - South Carolina													Attachment:	2 Exh A		
Prof. Add SOME SOMAN	CATEGORY			Zone	В	scs	usoc			RATES(\$)			Submitted Elec	Submitted Manually	Incremental Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic-	Charge - Manual Svc Order vs. Electronic-	Manual Svc
Visionated Moordinators Rate General, Tap Designed Loo as COPPX									Nonrec	urring	Nonrecurring	Disconnect						
Ent later President Linguist								Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
Telephone NumberTruss (Touge Establishment Charges 1																		
OD Trust Temenor (flow Per Pert)	7.1				UEPPX		URETN		11.24	1.10								
DOS Automatics Compared Protections Description De	I elep				LIEDDY		NDT	0.00	0.00	0.00								
M 22 DID Numbers for each Group of 20 DID Numbers UEPPX NC2 0.00					UEPPX		INDT	0.00	0.00	0.00								
Additional DO Numbers for each Group of a 2000 Numbers USPPX Not 0.00					UEPPX		NDZ	0.00	0.00	0.00								İ
DO Numbers Netro-crossocated DO Numbers , Per Number UEPPX NOS 0.00 0																		
Reserved DIO Numbers USPPX NOV 0.00							ND5											
2-Wire (ISAN Digital Cande Loop WITH 2-WIRE (SIN Digital Cande Loop) WISAN Digital Cande Loop WISAN Digital Cande Loop WISAN Digital Cande Loop WISAN Digital Cande Loop WISAN Digital Cande Loop WISAN Digital Cande Loop WISAN Digital Cande Loop WISAN Digital Cande Loop WISAN Digital Cande Loop WISAN Digital Cande Loop WISAN DIGITAL WISAN DIGITAL CANADA DIGITAL CANADA DIGIT		Reserve Non-Consecutive DID numbers			UEPPX		ND6	0.00	0.00	0.00								
DIAP POPULAGE Combination Rates							NDV	0.00	0.00	0.00								
WYSTON Opial Grade Loop/WYSTON Opial Line Side Port - 31.86			NE SIDE	PORT														
UNE ZONE 1 1 186 3 186 3 186 3 1	UNE																	
WY ISON Digital Grade Loop/WY ISON Digital Line Side Port - 39.60								31.86										1
UNE Zono 2 39.60	- 		1				1	31.00	-		 						1	†
UNE Loop States								39.60										İ
UNIVELOOP Rates 1		2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -																
2-Wire BDN Digital Grade Loop - UNit Zone 2 2 UEPPB UEPPR USLZX 21.90		UNE Zone 3						45.23										
2-Wire ISDN Digital Grade Loop - UNE Zone 2 2 UEPPB UEPPR USL2X 29.64 2-Wire ISDN Digital Grade Loop - UNE Zone 3 3 UEPPB UEPPR USL2X 39.27 UNE Port Rac ISDN Land Side Port 1 UNE Zone 3 3 UEPPB USL2X 39.27 UNE Port Rac ISDN Land Side Port 1 UEPPB USL2X 39.27 UNE Port Rac ISDN Land Side Port 1 UEPPB USL2X 39.27 UNE Port Rac ISDN Land Side Port 1 UEPPB USL2X 39.27 UNE Port Rac ISDN Land Side Port 1 UEPPB USL2X 39.27 UNE Port Rac ISDN Land Side Port 1 UEPPB USL2X 39.27 UNE Port Rac ISDN Land Side Port 1 UEPPB USL2X 39.27 UNE Port Rac ISDN Land Side Port 1 UEPPB USL2X 39.27 UNE Port Rac ISDN Land Side Port 1 UEPPB USL2X 39.27 UNE Port Rac ISDN Land Side Port 1 UEPPB USL2X 39.27 UNE Port Rac ISDN Land Side Port 1 UEPPB USL2X 39.27 UNE Port Rac ISDN Land Side Port 1 UEPPB USL2X 39.27 UNE Port Rac ISDN Land Side Port 1 UEPPB USL2X 39.27 UNE PORT Land Side Loop / 2-Wire ISDN Land Side Port 1 UEPPB USL2X 39.27 UNE PORT Land Side Loop / 2-Wire ISDN Land Side Port 1 UEPPB USL2X 39.27 UNE PORT Land Side Loop / 2-Wire ISDN Land Side Port 1 UEPPB USL2X 39.27 UNE PORT Land Side Loop / 2-Wire ISDN Land Side Port 1 UEPPB USL2X 39.27 UNE PORT Land Side Loop / 2-Wire ISDN Land Side Port 1 UEPPB USL2X 39.27 UNE PORT Land Side Loop / 2-Wire ISDN Land Side Port 1 UEPPB USL2X 39.27 UNE PORT Land Side Loop / 2-Wire ISDN Land Side Port 1 UEPPB USL2X 39.27 UNE PORT Land Side Loop / 2-Wire ISDN Land Side Port 1 UEPPB USL2X 39.27 UNE PORT Land Side Loop / 2-Wire ISDN Land Side Port Land	UNE																	
2-Wire ISDN logital Gride Loop - VINE Zone 3 3 UEPPB UEPPR USLZX 35.27		2-Wire ISDN Digital Grade Loop - UNE Zone 1		1	UEPPB	UEPPR	USL2X	21.90										
2-Wire ISDN logital Gride Loop - VINE Zone 3 3 UEPPB UEPPR USLZX 35.27				_														[
UNE POR Rate																		\vdash
Exchange Port - 2-Wire ISDN Line Side Port UEPPR UEPPR UEPPR 9.96 190.51 133.14 100.95 21.37	LIME			3	UEPPB	UEPPR	USLZX	35.27			-							
Exchange Port - Z-Wire ISDN Line Side Port	ONE				UFPPR		UEPPR	9 96	190 51	133 14	100.95	21.37						—
NONKECURRING CHARGES - CURRENTLY COMBINED																		
Combination - Conversion UEPPR UEPPR USACS 0.00 38.59 27.08	NONE																	
ADDITIONAL NRCS UEPPR UE		2-Wire ISDN Digital Grade Loop / 2-Wire ISDN Line Side Port																
Unbundled Miscellaneous Rate Element, Tag Designed Loop at LEPPB UEPPR URETN 11.24 1.10					UEPPB	UEPPR	USACB	0.00	38.59	27.08								
End User Premise	ADDI																	
Unbundled Miscellaneous Rate Element, Tag Loop at End User Premise UEPPB UEPPR URETL 8,33 0,83					l		l											l
D-Premise					UEPPB	UEPPR	URETN		11.24	1.10								
B-CHANNEL USER PROFILE ACCESS: UEPPB UEPPR UIUCA					LIEDDD	LIEDDD	LIBETI		0.22	0.00								İ
CVS/CSD (DMS/SESS)	B-CH				OLFFB	ULFFR	UNLIL	 	0.55	0.03								-
CVS (EWSD)	B-011				UEPPB	UEPPR	U1UCA	0.00	0.00	0.00								
UEPPB UEPPR UIUCC 0.00																		
CVS/CSD (DMS/SES)		CSD			UEPPB			0.00										
CVS (EWSD)	B-CH		C,MS, &	TN)						•								
CSD																		<u> </u>
USER TERMINAL PROFILE																		 '
User Terminal Profile (EWSD only)			1		UEPPB	UEPPR	U1UCF	0.00	0.00	0.00								
VERTICAL FEATURES All Vertical Features - One per Channel B User Profile UEPPB UEPPR UEPVF 3.04 0.00 0.00 INTEROFFICE CHANNEL MILEAGE Interoffice Channel mileage each, including first mile and facilities termination UEPPB UEPPR M1GNC 24.30 40.63 27.47 16.77 6.91 Interoffice Channel mileage each, additional mile UEPPB UEPPR M1GNM 0.0167 0.00 0.00 INBUNDLED CENTREX PORT/LOOP COMBINATIONS - COST BASED RATES UNEP CENTREX - 5ESS (Valid in All States) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Combo UNE Port/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Non-Design 15.89 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Voice Grade Por	USER		-		LIEDDD	HEDDD	LIALIMAA	0.00	0.00	0.00	 						-	
All Vertical Features - One per Channel B User Profile INTEROFFICE CHANNEL MILEAGE	VERT		 		ULFFD	ULFFR	O TOWN	0.00	0.00	0.00	 							
Interoffice Channel mileage each, including first mile and facilities termination UEPPB UEPPR M1GNC 24.30 40.63 27.47 16.77 6.91 16.77 6.91 16.77 6.91 16.77 6.91 16.77 6.91 16.77 6.91 16.77 6.91 16.77	V-I(1		1		UEPPB	UEPPR	UEPVF	3.04	0.00	0.00	 							
facilities termination	INTE				<u> </u>		<u> </u>			2.30								
Interoffice Channel mileage each, additional mile UEPPB UEPPR M1GNM 0.0167 0.00 0.00 NBUNDLED CENTREX PORT/LOOP COMBINATIONS - COST BASED RATES UNE-P CENTREX - 5ESS (Valid in All States) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Combo UNE Port/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Non-Design 15.89	ĺ	Interoffice Channel mileage each, including first mile and																
INBUNDLED CENTREX PORT/LOOP COMBINATIONS - COST BASED RATES UNE-P CENTREX - 5ESS (Valid in All States) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Combo UNE Port/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Non-Design 15.89]								16.77	6.91						
UNE-P CENTREX - 5ESS (Valid in All States) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Combo UNE Port/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Non-Design 15.89 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-			<u> </u>		UEPPB	UEPPR	M1GNM	0.0167	0.00	0.00								
2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Combo UNE Port/Loop Combination Rates (Non-Design)			5				<u> </u>				ļ						ļ	
UNE Port/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Non-Design 15.89 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-			ļ					 										
2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Non-Design 15.89 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -			-		 		-	+	+		 						1	
Non-Design 15.89 15.89 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -	UNE		l					 	-									\vdash
								15.89										1 '
	ĺ																	
		Non-Design						22.52										<u>i </u>

ONRONDLED	NETWORK ELEMENTS - South Carolina				1	1						1 -	Attachment:			
											Submitted	Svc Order Submitted	Charge -	Charge -	Incremental Charge -	Incremental Charge -
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES(\$)			Elec	Manually	Manual Svc	Manual Svc		Manual Svc
CATEGORT	RATE ELEMENTS	m	Zone	ВСЗ	0300			KATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
						I	Nonrec	urring	Nonrecurring	Disconnect		l	oss	Rates(\$)	1	
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
	Non-Design					28.17										
UNE P	ort/Loop Combination Rates (Design)															
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -															
	Design					18.81										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
	Design					25.26										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
	Design					30.59										
UNE L	oop Rate			LIEDAE	115001	10.70										
	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP95	UECS1	13.76										
	2-Wire Voice Grade Loop (SL 1) - Zone 2	 	2	UEP95	UECS1	20.38			 					 	!	
	2-Wire Voice Grade Loop (SL 1) - Zone 3	1	3	UEP95	UECS1	26.04			 					-	1	
	2-Wire Voice Grade Loop (SL 2) - Zone 1 2-Wire Voice Grade Loop (SL 2) - Zone 2	<u> </u>	2	UEP95 UEP95	UECS2 UECS2	16.68 23.13									-	
	2-Wire Voice Grade Loop (SL 2) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 3	!		UEP95 UEP95	UECS2	23.13					-			-		
LINE D	ort Rate		3	UEF95	UECSZ	20.40			1							-
All Sta																
All Sta	2-Wire Voice Grade Port (Centrex) Basic Local Area			UEP95	UEPYA	2.13	40.30	19.90	24.98	6.65						
	2-Wire Voice Grade Port (Centrex) Basic Educat Area 2-Wire Voice Grade Port (Centrex 800 termination)			UEP95	UEPYB	2.13	40.30	19.90	24.98	6.65						
	2-Wire Voice Grade Port (Centrex vith Caller ID)1Basic Local			OLI 33	OLITB	2.13	40.30	19.90	24.30	0.00						
	Area			UEP95	UEPYH	2.13	40.30	19.90	24.98	6.65						
	2-Wire Voice Grade Port (Centrex from diff Serving Wire			OLI 50	OLI III	2.10	40.00	10.00	24.00	0.00						1
	Center)2,3 Basic Local Area			UEP95	UEPYM	2.13	108.36	70.71	54.47	11.94						
	2-Wire Voice Grade Port, Diff Serving Wire Center 2,3 - 800			02. 00	02	20	100.00		0							
	Service Term - Basic Local Area			UEP95	UEPYZ	2.13	108.36	70.71	54.47	11.94						
	2-Wire Voice Grade Port terminated in on Megalink or equivalent															
	- Basic Local Area			UEP95	UEPY9	2.13	40.30	19.90	24.98	6.65						
	2-Wire Voice Grade Port Terminated on 800 Service Term -															
	Basic Local Area			UEP95	UEPY2	2.13	40.30	19.90	24.98	6.65						
AL, KY	, LA, MS, SC, & TN Only															
	2-Wire Voice Grade Port (Centrex)			UEP95	UEPQA	2.13	40.30	19.90	24.98	6.65						
	2-Wire Voice Grade Port (Centrex 800 termination)			UEP95	UEPQB	2.13	40.30	19.90	24.98	6.65						
	2-Wire Voice Grade Port (Centrex with Caller ID)1			UEP95	UEPQH	2.13	40.30	19.90	24.98	6.65						
	2-Wire Voice Grade Port (Centrex from diff Serving Wire															
	Center)2,3			UEP95	UEPQM	2.13	108.36	70.71	54.47	11.94						
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service															
	Term 2,3			UEP95	UEPQZ	2.13	108.36	70.71	54.47	11.94						
		l			1	_				_	1			1	I	
	2-Wire Voice Grade Port terminated in on Megalink or equivalent	ļ		UEP95	UEPQ9	2.13	40.30	19.90	24.98	6.65				ļ	ļ	ļ
	2-Wire Voice Grade Port Terminated on 800 Service Term	ļ		UEP95	UEPQ2	2.13	40.30	19.90	24.98	6.65					-	_
Local	Switching	<u> </u>		LIEDOE	LIDEOO	0.7000									-	_
F4	Centrex Intercom Funtionality, per port	 		UEP95	URECS	0.7996								 	 	1
Featur		 		UEP95	LIED\/E	2.04								 	 	-
	All Scloot Features Offered, per port	 			UEPVF	3.04 0.00	406.42							-	 	
	All Select Features Offered, per port All Centrex Control Features Offered, per port	-		UEP95 UEP95	UEPVS UEPVC	3.04	400.42		 					-	-	
NARS		1		05190	UEFVC	3.04			+		1			1	 	1
INAKS	Unbundled Network Access Register - Combination	 		UEP95	UARCX	0.00	0.00	0.00	0.00	0.00				1	t	
- 1	Unbundled Network Access Register - Combination Unbundled Network Access Register - Indial			UEP95	UAR1X	0.00	0.00	0.00	0.00	0.00	 			 	t	
-	Unbundled Network Access Register - Outdial	1		UEP95	UAROX	0.00	0.00	0.00	0.00	0.00				 	 	
Miscel	laneous Terminations	1		00	5, (5),	0.00	0.00	0.00	0.00	0.00	 			 	I	
	Trunk Side	1			1									1	1	
1	Trunk Side Terminations, each			UEP95	CEND6	8.86	119.57	18.78	60.03	3.77				İ	İ	
4-Wire	Digital (1.544 Megabits)				1					****					1	
1	DS1 Circuit Terminations, each			UEP95	M1HD1	73.62	202.47	95.90	72.75	2.47					1	
	DS0 Channels Activated, each			UEP95	M1HDO	0.00	14.51									
Interof	fice Channel Mileage - 2-Wire					1			1							
	Interoffice Channel Facilities Termination			UEP95	M1GBC	24.30	40.63	27.47	16.77	6.91						

UNBUN	IDI ED N	IETWORK ELEMENTS - South Carolina												Attachment:	2 Fyh Δ		
ONDO	IDEED I	ETWORK ELEMENTS - South Calonna										Svc Order		Incremental		Incremental	Incremental
												Submitted			Charge -	Charge -	Charge -
												Elec		Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEG	ORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m						***			per Lor	per Lor	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
														151	Auu i	טואל ואנ	DISC Add I
								Nonrec	urring	Nonrecurring	g Disconnect			oss	Rates(\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Interoffice Channel mileage, per mile or fraction of mile			UEP95	M1GBM	0.0167										
		Activations (DS0) Centrex Loops on Channelized DS1 Service	е														
	D4 Cha	nnel Bank Feature Activations															
-		Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP95	1PQWS	0.56			1							
		Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP95	1PQW6	0.56										
-		Feature Activation on D-4 Channel Bank FX Trunk Side Loop			OLF 93	IFQW0	0.50					1					
		Slot			UEP95	1PQW7	0.56										
		Feature Activation on D-4 Channel Bank Centrex Loop Slot -			021 00	11 Q 117	0.00										
		Different Wire Center			UEP95	1PQWP	0.56										
		* **				1											
L	<u></u>	Feature Activation on D-4 Channel Bank Private Line Loop Slot	L	L l	UEP95	1PQWV	0.56			<u> </u>	<u></u>	<u></u>	<u> </u>		<u></u>		
		Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop															
	1	Slot			UEP95	1PQWQ	0.56										
		Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP95	1PQWA	0.56										
<u> </u>	Non-Re	curring Charges (NRC) Associated with UNE-P Centrex				1				ļ							
		NRC Conversion Currently Combined Switch-As-Is with allowed															
-		changes, per port			UEP95	USAC2	0.00	37.93	16.72								
		New Centrex Standard Common Block New Centrex Customized Common Block			UEP95 UEP95	M1ACS M1ACC	0.00	668.70 668.70									
		NAR Establishment Charge, Per Occasion			UEP95	URECA	0.00	72.89									
		nal Non-Recurring Charges (NRC)			OLF 93	UNLCA	0.00	72.09									
	Additio	Unbundled Miscellaneous Rate Element, Tag Loop at End Use															
		Premise			UEP95	URETL		8.33	0.83								
		Unbundled Miscellaneous Rate Element, Tag Design Loop at						2.22									
		End Use Premise			UEP95	URETN		11.24	1.10								
	UNE-P	CENTREX - DMS100 (Valid in All States)															
		VG Loop/2-Wire Voice Grade Port (Centrex) Combo															
	UNE Po	ort/Loop Combination Rates (Non-Design)															
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -															
		Non-Design					15.89										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo					22.52										
-		Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -				+	22.52			-		-					
		Non-Design					28.17										
 	UNE Pr	ort/Loop Combination Rates (Design)				+	20.17			-							
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -								1							
		Design					18.81										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
		Design					25.26										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		1]									1]		
	ļ	Design		\vdash		ļ	30.59										
<u> </u>		pop Rate		\vdash	LIEDOD	LIECC1	40.70			.	-				 		
<u> </u>		2-Wire Voice Grade Loop (SL 1) - Zone 1			UEP9D	UECS1	13.76			 	-	-			 		
<u> </u>	 	2-Wire Voice Grade Loop (SL 1) - Zone 2 2-Wire Voice Grade Loop (SL 1) - Zone 3	-	3	UEP9D UEP9D	UECS1 UECS1	20.38 26.04			 			 		-		
-	1	2-Wire Voice Grade Loop (SL 1) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP9D	UECS2	16.68			t					1		
-	1	2-Wire Voice Grade Loop (SL 2) - Zone 1		2	UEP9D	UECS2	23.13			-							
		2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP9D	UECS2	28.46			1					İ		
		ort Rate						İ							1		
	ALL ST	ATES															
		2-Wire Voice Grade Port (Centrex) Basic Local Area			UEP9D	UEPYA	2.13	40.30	19.90	24.98	6.65						
		2-Wire Voice Grade Port (Centrex 800 termination)Basic Local											1]		
	 	Area		\vdash	UEP9D	UEPYB	2.13	40.30	19.90	24.98	6.65						
		2-Wire Voice Grade Port (Centrex / EBS-PSET)3Basic Local			LIEDOD	LIEDVO	0.40	40.00	40.00	04.00	0.05		1		1		,
-	1	Area 2-Wire Voice Grade Port (Centrex / EBS-M5009)3Basic Local		\vdash	UEP9D	UEPYC	2.13	40.30	19.90	24.98	6.65	-			 		
		2-wire voice Grade Port (Centrex / EBS-M5009)3Basic Local Area			UEP9D	UEPYD	2.13	40.30	19.90	24.98	6.65						1
Ь	L	AIGA			OLFSD	UEPTU	2.13	40.30	19.90	24.98	0.00	I	l		1		

UNBUNDLED	NETWORK ELEMENTS - South Carolina												Attachment:	2 Exh A		
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
							Nonrec	curring	Nonrecurring	Disconnect			OSS	Rates(\$)		L
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Grade Port (Centrex / EBS-M5209))3 Basic Local															
	Area			UEP9D	UEPYE	2.13	40.30	19.90	24.98	6.65						
	2-Wire Voice Grade Port (Centrex / EBS-M5112))3 Basic Local Area			UEP9D	UEPYF	2.13	40.30	19.90	24.98	6.65						
	2-Wire Voice Grade Port (Centrex / EBS-M5312))3Basic Local			OLI OD	02111	2.10	40.00	10.00	24.00	0.00						
	Area			UEP9D	UEPYG	2.13	40.30	19.90	24.98	6.65						
	2-Wire Voice Grade Port (Centrex / EBS-M5008))3 Basic Local Area			UEP9D	UEPYT	2.13	40.30	19.90	24.98	6.65						
	2-Wire Voice Grade Port (Centrex / EBS-M5208))3 Basic Local			OLF9D	OLFII	2.13	40.30	19.90	24.90	0.03						
	Area			UEP9D	UEPYU	2.13	40.30	19.90	24.98	6.65						
	2-Wire Voice Grade Port (Centrex / EBS-M5216))3 Basic Local			LIEDOD	UEPYV	0.40	40.20	40.00	24.00	0.05						
	Area 2-Wire Voice Grade Port (Centrex / EBS-M5316))3 Basic Local			UEP9D	UEPYV	2.13	40.30	19.90	24.98	6.65						
	Area			UEP9D	UEPY3	2.13	40.30	19.90	24.98	6.65						
	2-Wire Voice Grade Port (Centrex with Caller ID) Basic Local			LIEDOD	LIEDVIII	0.40	40.00	40.00	04.00	0.05						
	Area 2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp			UEP9D	UEPYH	2.13	40.30	19.90	24.98	6.65						-
	Indication))4 Basic Local Area			UEP9D	UEPYW	2.13	40.30	19.90	24.98	6.65						
	2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication))4															
	Basic Local Area 2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)			UEP9D	UEPYJ	2.13	40.30	19.90	24.98	6.65						
	2,3-Basic Local Area			UEP9D	UEPYM	2.13	108.36	70.71	54.47	11.94						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2,3,4															
	Basic Local Area			UEP9D	UEPYO	2.13	108.36	70.71	54.47	11.94						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2,3,4 Basic Local Area			UEP9D	UEPYP	2.13	108.36	70.71	54.47	11.94						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2,3,4			02. 05	02	2.10	.00.00	70	0							
	Basic Local Area			UEP9D	UEPYQ	2.13	108.36	70.71	54.47	11.94						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2,3,4 Basic Local Area			UEP9D	UEPYR	2.13	108.36	70.71	54.47	11.94						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2,3,4			OLI OD	OLI III	2.10	100.00	70.71	04.47	11.04						
	Basic Local Area			UEP9D	UEPYS	2.13	108.36	70.71	54.47	11.94						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2,3,4 Basic Local Area			UEP9D	UEPY4	2.13	108.36	70.71	54.47	11.94						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3			OLF9D	OLF 14	2.13	108.30	70.71	34.47	11.34						
	Basic Local Area			UEP9D	UEPY5	2.13	108.36	70.71	54.47	11.94						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2,3,4			UEP9D	UEPY6	2.13	400.20	70.74	54.47	11.94						
	Basic Local Area 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2,3,4			UEP9D	UEPY6	2.13	108.36	70.71	54.47	11.94						
	Basic Local Area			UEP9D	UEPY7	2.13	108.36	70.71	54.47	11.94						
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service			LIEDOD	UED)/7	0.40	400.00	70.74	54.47	44.04						
	Term 2,3 2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP9D	UEPYZ	2.13	108.36	70.71	54.47	11.94						
	Basic Local Area			UEP9D	UEPY9	2.13	40.30	19.90	24.98	6.65						
	2-Wire Voice Grade Port Terminated on 800 Service Term Basic								24.00							
AL K	Local Area (, LA, MS, SC, & TN Only			UEP9D	UEPY2	2.13	40.30	19.90	24.98	6.65						<u> </u>
AL, K	2-Wire Voice Grade Port (Centrex)			UEP9D	UEPQA	2.13	40.30	19.90	24.98	6.65						
	2-Wire Voice Grade Port (Centrex 800 termination)			UEP9D	UEPQB	2.13	40.30	19.90	24.98	6.65						
	2-Wire Voice Grade Port (Centrex / EBS-PSET)4 2-Wire Voice Grade Port (Centrex / EBS-M5009)4		<u> </u>	UEP9D UEP9D	UEPQC UEPQD	2.13 2.13	40.30 40.30	19.90 19.90	24.98 24.98	6.65 6.65						
 	2-Wire Voice Grade Port (Centrex / EBS-M5009)4 2-Wire Voice Grade Port (Centrex / EBS-M5209)4		 	UEP9D	UEPQE	2.13	40.30	19.90	24.98	6.65						
	2-Wire Voice Grade Port (Centrex / EBS-M5112)4			UEP9D	UEPQF	2.13	40.30	19.90	24.98	6.65						
	2-Wire Voice Grade Port (Centrex / EBS-M5312)4		ļ	UEP9D	UEPQG	2.13	40.30	19.90	24.98	6.65						
 	2-Wire Voice Grade Port (Centrex / EBS-M5008)4 2-Wire Voice Grade Port (Centrex / EBS-M5208)4		 	UEP9D UEP9D	UEPQT UEPQU	2.13 2.13	40.30 40.30	19.90 19.90	24.98 24.98	6.65 6.65						
	2-Wire Voice Grade Port (Centrex / EBS-M5216)4			UEP9D	UEPQV	2.13	40.30	19.90	24.98	6.65						
	2-Wire Voice Grade Port (Centrex / EBS-M5316)4			UEP9D	UEPQ3	2.13	40.30	19.90	24.98	6.65						H
<u> </u>	2-Wire Voice Grade Port (Centrex with Caller ID)		<u> </u>	UEP9D	UEPQH	2.13	40.30	19.90	24.98	6.65	I		l			<u> </u>

LINDLINDI ED	NETWORK ELEMENTS - South Carolina												Attachment:	2 Evh A		
ONBONDLED	NETWORK ELEMENTS - South Carollila	1									Svc Order		Incremental		Incremental	Incremental
											Submitted			Charge -	Charge -	Charge -
											Elec	Manually	Manual Svc	Manual Svc	_	Manual Svc
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	usoc			RATES(\$)					Order vs.	Order vs.	Manual Svc Order vs.	Order vs.
OATEGORI	NATE ELEMENTO	m	20.10	200	0000			= = (+)			per LSR	per LSR				
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
							Nonrec	urring	Nonrecurring	Disconnect			oss	Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp															
	Indication)4			UEP9D	UEPQW	2.13	40.30	19.90	24.98	6.65						, '
	2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication)4			UEP9D	UEPQJ	2.13	40.30	19.90	24.98	6.65						
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)															,
	2,3			UEP9D	UEPQM	2.13	108.36	70.71	54.47	11.94						<u> </u>
																, '
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2,3,4			UEP9D	UEPQO	2.13	108.36	70.71	54.47	11.94						
																í
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2,3,4			UEP9D	UEPQP	2.13	108.36	70.71	54.47	11.94						
	2 Mire Vaine Conda Book (Control/Hittor CMC /EBC 5000)2 2 4			UEP9D	UEPQQ	2.13	108.36	70.71	54.47	11.94						í
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2,3,4			UEP9D	UEFQQ	2.13	100.30	70.71	54.47	11.94						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2,3,4			UEP9D	UEPQR	2.13	108.36	70.71	54.47	11.94						í
 	2-vviile voice Glade Folt (Gentlewalliei SvvC/LB3-W3112)2,3,4	1		טבו שט	ULFUN	2.13	100.30	70.71	J4.41	11.94						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2,3,4			UEP9D	UEPQS	2.13	108.36	70.71	54.47	11.94						í
	2 Wile voice Stade Fort (Scrittervaller SWO/EBS W6012/2,0,4			OLI OD	OLI QU	2.10	100.00	70.71	04.47	11.04						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2,3,4			UEP9D	UEPQ4	2.13	108.36	70.71	54.47	11.94						í
	2 Trino Tolog Grado Fort (Gorition allier GTT / 250 Micoco)2,0,1			02. 02	02. Q.	20	100.00		0							
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2,3,4			UEP9D	UEPQ5	2.13	108.36	70.71	54.47	11.94						ł
	, , , , ,															
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2,3,4			UEP9D	UEPQ6	2.13	108.36	70.71	54.47	11.94						í
																í T
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2,3,4			UEP9D	UEPQ7	2.13	108.36	70.71	54.47	11.94						l
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service															1
	Term 2,3			UEP9D	UEPQZ	2.13	108.36	70.71	54.47	11.94						
																ł '
	2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP9D	UEPQ9	2.13	40.30	19.90	24.98	6.65						
L .	2-Wire Voice Grade Port Terminated on 800 Service Term			UEP9D	UEPQ2	2.13	40.30	19.90	24.98	6.65						
Local	Switching Centrex Intercom Funtionality, per port			UEP9D	URECS	0.7996			-							
Featu				UEP9D	URECS	0.7990										
reatu	All Standard Features Offered, per port			UEP9D	UEPVF	3.04					1					
	All Select Features Offered, per port			UEP9D	UEPVS	0.00	406.42									
	All Centrex Control Features Offered, per port			UEP9D	UEPVC	3.04	400.42									
NARS				02. 02	02. 70	0.01										
	Unbundled Network Access Register - Combination			UEP9D	UARCX	0.00	0.00	0.00	0.00	0.00						
	Unbundled Network Access Register - Inward			UEP9D	UAR1X	0.00	0.00	0.00	0.00	0.00						i
	Unbundled Network Access Register - Outdial			UEP9D	UAROX	0.00	0.00	0.00	0.00	0.00						i .
	Ilaneous Terminations															
2-Wir	Trunk Side															
	Trunk Side Terminations, each			UEP9D	CEND6	8.86	119.57	18.78	60.03	3.77						
4-Wir	e Digital (1.544 Megabits)				1				_	_						
\vdash	DS1 Circuit Terminations, each	<u> </u>		UEP9D	M1HD1	73.62	202.47	95.90	72.75	2.47						
 	DS0 Channels Activiated per Channel	 		UEP9D	M1HDO	0.00	14.51		!							
Interd	ffice Channel Mileage - 2-Wire	 	-	LIEDOD	M1CPC	04.20	40.63	07 47	16.77	6.04	-					
\vdash	Interoffice Channel Facilities Termination Interoffice Channel mileage, per mile or fraction of mile	 		UEP9D UEP9D	M1GBC M1GBM	24.30 0.0167	40.03	27.47	10.77	6.91						
Fastu	re Activations (DS0) Centrex Loops on Channelized DS1 Service	`e		OLF3D	INITODIN	0.0107			t							ſ
	nannel Bank Feature Activations	Ĭ							I		<u> </u>	 				ſ
5-01	Feature Activation on D-4 Channel Bank Centrex Loop Slot	1		UEP9D	1PQWS	0.56			t							í
		†				2.00			t							í
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot	1		UEP9D	1PQW6	0.56			I			1				í
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop	1														i
	Slot	<u> </u>	<u> </u>	UEP9D	1PQW7	0.56			<u> </u>		<u> </u>	<u> </u>	<u> </u>			i
	Feature Activation on D-4 Channel Bank Centrex Loop Slot -						_									
	Different Wire Center			UEP9D	1PQWP	0.56										<u> </u>
		1							I			1				1
	Feature Activation on D-4 Channel Bank Private Line Loop Slot	<u> </u>		UEP9D	1PQWV	0.56			l .		1					1

UNBUNDLED I	IETWORK ELEMENTS - South Carolina												Attachment:	2 Exh A		
											Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS		Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m										•	Flectronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
						_	Nonrec			g Disconnect				Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop															'
	Slot			UEP9D	1PQWQ	0.56										
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP9D	1PQWA	0.56										
Non-Re	ecurring Charges (NRC) Associated with UNE-P Centrex															
	NRC Conversion Currently Combined Switch-As-Is with allowed															'
	changes, per port			UEP9D	USAC2		37.93	16.72								'
	New Centrex Standard Common Block			UEP9D	M1ACS	0.00	668.70								,	
	New Centrex Customized Common Block			UEP9D	M1ACC	0.00	668.70								,	
	NAR Establishment Charge, Per Occasion			UEP9D	URECA	0.00	72.89								1	1
Additio	nal Non-Recurring Charges (NRC)														,	
	Unbundled Miscellaneous Rate Element, Tag Loop at End Use															
	Premise			UEP9D	URETL		8.33	0.83							,	
	Unbundled Miscellaneous Rate Element, Tag Design Loop at															
	End Use Premise			UEP9D	URETN		11.24	1.10							,	
Note 1	- Required Port for Centrex Control in 1AESS, 5ESS & EWSD			•	•					•						-
Note 2	- Requres Interoffice Channel Mileage															
Note 3	- Installation is combination of Installation charge for SL2 Lo	op and	Port													
Note 4	- Requires Specific Customer Premises Equipment															
Note:	Rates displaying an "I" in Interim column are interim as a resu	ılt of a (Commis	ssion order.												

UNBU	IDLED N	ETWORK ELEMENTS - Tennessee												Attachment:	2 Exh A		
												Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
			Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATE	ORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			""											Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
																2.00 .01	2.007.444.
								Nonrecurring			Disconnect				Rates(\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		one" shown in the sections for stand-alone loops or loops as				ographically	Deaveraged U	NE Zones. To	view Geograp	hically Deaver	aged UNE Zone	e Designation	ons by Cent	ral Office, refe	er to internet	Website:	
		ww.interconnection.bellsouth.com/become_a_clec/html/inter	connec	tion.htı	n												
OPER/		SUPPORT SYSTEMS (OSS) - "REGIONAL RATES"															
		1) CLEC should contact its contract negotiator if it prefers th															
		ther the state specific Commission ordered rates for the servi															
		(2) Any element that can be ordered electronically will be bill															
	that car	nnot be ordered electronically at present per the LOH, the list	ed SOM	EC rate	in this category ref	lects the cha	arge that would	be billed to a	CLEC once ele	ectronic orderi	ng capabilities	come on-li	ne for that	element. Oth	erwise, the ma	anual orderin	g charge,
	NOTE:	3) OSS - Manual Service Order Charge, Per Element - UNE Or	nly **Pl	ease se	e applicable rate ele	ment for SO	MAN charge**										
1		OSS - Electronic Service Order Charge, Per Local Service										1		Ì	Ì		
		Request (LSR) - UNE Only				SOMEC		3.50	0.00	3.50	0.00			ļ	ļ		
UNE S		DATE ADVANCEMENT CHARGE															
	NOTE:	The Expedite charge will be maintained commensurate with I	BellSou	th's FC		n 5 as appli	cable.			1				1	1	1	1
					UAL, UEANL, UCL,												
					UEF, UDF, UEQ,												
					UDL, UENTW, UDN,												
					UEA, UHL, ULC,												
					USL, U1T12, U1T48, U1TD1, U1TD3,												
					U1TDX, U1TO3, U1TS1, U1TVX,												
					UC1BC, UC1BL,												
					UC1CC, UC1CL,												
					UC1DC, UC1DL,												
					UC1EC, UC1EL,												
					UC1FC, UC1FL,												
					UC1GC, UC1GL,												
					UC1HC, UC1HL,												
					UDL12, UDL48,												
					UDLO3, UDLSX,												
					UE3, ULD12,												
					ULD48, ULDD1,												
					ULDD3, ULDDX,												
					ULDO3, ULDS1,												
					ULDVX, UNC1X.												
					UNC3X, UNCDX,												
					UNCNX, UNCSX,												
					UNCVX, UNLD1,												
					UNLD3, UXTD1,												
					UXTD3, UXTS1,												
					U1TUC, U1TUD,												
					U1TUB,												
		UNE Expedite Charge per Circuit or Line Assignable USOC, per			U1TUA,NTCVG,												
		Day			NTCUD, NTCD1	SDASP		200.00									
ORDE	MODIF	ICATION CHARGE												ļ	ļ		
		Order Modification Charge (OMC)						26.21	0.00	0.00	0.00						
LINIE	IDI ED E	Order Modification Additional Dispatch Charge (OMCAD)		\vdash				150.00	0.00	0.00	0.00						
ONBU		XCHANGE ACCESS LOOP								ļ						1	
-	∠-WIRE	ANALOG VOICE GRADE LOOP												-	-		
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or			1154	LIEALO	4474	75.00	40.00	20.70	47.04	1		20.05	40.54	40.00	40.00
—	-	Ground Start Signaling - Zone 1	-	1	UEA	UEAL2	14.74	75.06	48.20	28.70	17.64	-		20.35	10.54	13.32	13.32
1		2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 2		_	UEA	UEAL2	22.08	75.06	48.20	28.70	17.64	1		20.35	10.54	13.32	13.32
<u> </u>	-	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or	-	- 4	ULA	UEALZ	22.08	75.06	48.20	28.70	17.04	-		∠0.35	10.54	13.32	13.32
		Ground Start Signaling - Zone 3		2	UEA	UEAL2	36.87	75.06	48.20	28.70	17.64			20.35	10.54	13.32	13.32
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse	-	3	ULA	UEALZ	30.87	75.06	48.20	28.70	17.04			∠0.35	10.54	13.32	13.32
		2-wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 1		1	UEA	UEAR2	14.74	75.06	48.20	28.70	17.64			20.35	10.54	13.32	13.32
-		2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse		 '	OL/ \	OLANZ	17.74	7 3.00	70.20	20.70	17.04			20.33	10.54	10.02	10.02
		Battery Signaling - Zone 2		2	UEA	UEAR2	22.08	75.06	48.20	28.70	17.64	İ	1	20.35	10.54	13.32	13.32
	1	,gg					00	. 5.00	.5.20			l .	l .			.0.02	.0.02

Version 4Q05 Standard ICA 03/15/06 (Renegotiations) Page 230 of 261

UNBUNDLED N	ETWORK ELEMENTS - Tennessee												Attachment:	2 Exh A		
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Charge -	Charge -
							Nonrecurring		Nonrecurring	Disconnect		•	oss	Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse															
	Battery Signaling - Zone 3		3	UEA	UEAR2	36.87	75.06	48.20	28.70	17.64			20.35	10.54	13.32	13.32
	Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per															
	DS0)			UEA	URESL		23.42	3.30					20.35	10.54	13.32	13.32
	Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per															
	DS0)			UEA	URESP		24.82	4.70								
	CLEC to CLEC Conversion Charge without outside dispatch			UEA	UREWO		75.06	36.41					20.35	10.54	13.32	13.32
	Loop Tagging - Service Level 2 (SL2)			UEA	URETL		11.23	1.10								
4-WIRE	ANALOG VOICE GRADE LOOP															
	4-Wire Analog Voice Grade Loop - Zone 1			UEA	UEAL4	21.98	122.76	85.57	76.35	39.16			20.35	10.54	13.32	13.32
	4-Wire Analog Voice Grade Loop - Zone 2		2	UEA	UEAL4	32.93	122.76	85.57	76.35	39.16			20.35	10.54	13.32	13.32
	4-Wire Analog Voice Grade Loop - Zone 3		3	UEA	UEAL4	54.99	122.76	85.57	76.35	39.16			20.35	10.54	13.32	13.32
	Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per	l			1								I	I		
	DS0)			UEA	URESL		23.42	3.30					20.35	10.54	13.32	13.32
	Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per	1			1		I T								<u> </u>	<u> </u>
	DS0)			UEA	URESP		24.82	4.70								
	CLEC to CLEC Conversion Charge without outside dispatch			UEA	UREWO		75.06	36.41					20.35	10.54	13.32	13.32
	ISDN DIGITAL GRADE LOOP															
	2-Wire ISDN Digital Grade Loop - Zone 1			UDN	U1L2X	19.77	142.76	88.88	76.35	39.16			20.35	10.54	13.32	13.32
	2-Wire ISDN Digital Grade Loop - Zone 2			UDN	U1L2X	29.63	142.76	88.88	76.35	39.16			20.35	10.54	13.32	13.32
	2-Wire ISDN Digital Grade Loop - Zone 3		3	UDN	U1L2X	49.47	142.76	88.88	76.35	39.16			20.35	10.54	13.32	13.32
	CLEC to CLEC Conversion Charge without outside dispatch	L		UDN	UREWO		91.77	44.22					20.35	10.54	13.32	13.32
2-WIRE	ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMP	ATIBLE	LOOP													
	Wire Unbundled ADSL Loop including manual service inquiry & facility reservation - Zone 1		1	UAL	UAL2X	12.30	156.95	64.54	89.64	16.93			20.35	10.54	13.32	13.32
	2 Wire Unbundled ADSL Loop including manual service inquiry															
	& facility reservation - Zone 2		2	UAL	UAL2X	18.43	156.95	64.54	89.64	16.93			20.35	10.54	13.32	13.32
	2 Wire Unbundled ADSL Loop including manual service inquiry		_													
	& facility reservation - Zone 3		3	UAL	UAL2X	30.77	156.95	64.54	89.64	16.93			20.35	10.54	13.32	13.32
	2 Wire Unbundled ADSL Loop without manual service inquiry & facility reservaton - Zone 1		1	UAL	UAL2W	12.30	89.40	35.91	72.02	11.48			20.35	10.54	13.32	13.32
	2 Wire Unbundled ADSL Loop without manual service inquiry &			0,12	O/ LEEV	12.00	00.10	00.01	72.02				20.00	10.01	10.02	10.02
	facility reservaton - Zone 2		2	UAL	UAL2W	18.43	89.40	35.91	72.02	11.48			20.35	10.54	13.32	13.32
	2 Wire Unbundled ADSL Loop without manual service inquiry &			O/ 12	O/ ILL II	10.10	00.10	00.01	72.02				20.00	10.01	10.02	10.02
	facility reservaton - Zone 3		3	UAL	UAL2W	30.77	89.40	35.91	72.02	11.48			20.35	10.54	13.32	13.32
	CLEC to CLEC Conversion Charge without outside dispatch			UAL	UREWO		31.99	20.02	-	-			20.35	10.54	13.32	13.32
	HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIBLE	LOOP													
	2 Wire Unbundled HDSL Loop including manual service inquiry															
	& facility reservation - Zone 1		1	UHL	UHL2X	9.64	158.94	65.20	89.64	16.93			20.35	10.54	13.32	13.32
	2 Wire Unbundled HDSL Loop including manual service inquiry	1				_	I T								1]
	& facility reservation - Zone 2		2	UHL	UHL2X	14.44	158.94	65.20	89.64	16.93			20.35	10.54	13.32	13.32
	2 Wire Unbundled HDSL Loop including manual service inquiry	l		l	1	1	l l									
	& facility reservation - Zone 3	ļ	3	UHL	UHL2X	24.12	158.94	65.20	89.64	16.93	ļ		20.35	10.54	13.32	13.32
	2 Wire Unbundled HDSL Loop without manual service inquiry	l	1 .		l				====						40	
	and facility reservation - Zone 1	<u> </u>	1	UHL	UHL2W	9.64	89.40	35.91	72.02	11.48	ļ		20.35	10.54	13.32	13.32
	2 Wire Unbundled HDSL Loop without manual service inquiry	l	_				00.40	05.01	70.00				00.0-	40.51	10.00	10.00
	and facility reservation - Zone 2	-	2	UHL	UHL2W	14.44	89.40	35.91	72.02	11.48			20.35	10.54	13.32	13.32
	2 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 3	l	2	UHL	UHL2W	24.12	89.40	35.91	72.02	11.48			20.35	10.54	13.32	13.32
	CLEC to CLEC Conversion Charge without outside dispatch		3	UHL	UREWO	24.12	31.99	20.02	12.02	11.40			20.35	10.54	13.32	13.32
	HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIBLE	LOOP	OI IL	JILLYVO	 	31.55	20.02					20.33	10.34	10.02	10.02
- WIKE	4 Wire Unbundled HDSL Loop including manual service inquiry		1		+	-										
	and facility reservation - Zone 1	l	1	UHL	UHL4X	12.40	169.62	75.89	39.73	19.53			20.35	10.54	13.32	13.32
	4-Wire Unbundled HDSL Loop including manual service inquiry	l	-		3.12.00	.2.40	.55.62	. 0.00	33.70	.5.00			20.00	.5.04	.5.02	.3.02
	and facility reservation - Zone 2	l	2	UHL	UHL4X	18.58	169.62	75.89	39.73	19.53			20.35	10.54	13.32	13.32
	4-Wire Unbundled HDSL Loop including manual service inquiry				1	1	1								12.32	1
	and facility reservation - Zone 3		3	UHL	UHL4X	31.03	169.62	75.89	39.73	19.53			20.35	10.54	13.32	13.32
	4-Wire Unbundled HDSL Loop without manual service inquiry															
	and facility reservation - Zone 1	l	1	UHL	UHL4W	12.40	100.09	46.60	75.75	13.97	<u> </u>		20.35	10.54	13.32	13.32

UNBUNDLED	NETWORK ELEMENTS - Tennessee												Attachment:	2 Exh A		Π
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)			1	Svc Order Submitted Manually per LSR	Incremental Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
							Nonrecurring		Nonrecurring	Disconnect			oss	Rates(\$)	l	
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	4-Wire Unbundled HDSL Loop without manual service inquiry															
	and facility reservation - Zone 2		2	UHL	UHL4W	18.58	100.09	46.60	75.75	13.97			20.35	10.54	13.32	13.32
	4-Wire Unbundled HDSL Loop without manual service inquiry															
	and facility reservation - Zone 3		3	UHL	UHL4W	31.03	100.09	46.60	75.75	13.97			20.35	10.54	13.32	13.32
	CLEC to CLEC Conversion Charge without outside dispatch			UHL	UREWO		31.99	20.02					20.35	10.54	13.32	13.32
4-WIF	RE DS1 DIGITAL LOOP															
	4-Wire DS1 Digital Loop - Zone 1			USL	USLXX	51.38	313.08	219.72	96.86	40.45			18.98	8.43	11.95	11.95
	4-Wire DS1 Digital Loop - Zone 2			USL	USLXX	76.98 128.54	313.08 313.08	219.72 219.72	96.86 96.86	40.45 40.45			18.98 18.98	8.43 8.43	11.95 11.95	11.95 11.95
	4-Wire DS1 Digital Loop - Zone 3 Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per		3	USL	USLAA	120.54	313.06	219.72	90.00	40.45	1		10.90	0.43	11.95	11.95
	DS1)			USL	URESL		23.42	3.30								
	Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per			OOL	OKLOL		20.72	0.00								1
	DS1)			USL	URESP		24.82	4.70								
	CLEC to CLEC Conversion Charge without outside dispatch			USL	UREWO		130.47	40.11					20.35	10.54	13.32	13.32
4-WIF	RE 19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP															
	4 Wire Unbundled Digital Loop 2.4 Kbps - Zone 1			UDL	UDL2X	27.68	207.01	141.38	90.70	44.18						
	4 Wire Unbundled Digital Loop 2.4 Kbps - Zone 2			UDL	UDL2X	41.47	207.01	141.38	90.70	44.18						
	4 Wire Unbundled Digital Loop 2.4 Kbps - Zone3			UDL	UDL2X	69.24	207.01	141.38	90.70	44.18						
	4 Wire Unbundled Digital Loop 4.8 Kbps -Zone 1			UDL	UDL4X	27.68	207.01	141.38	90.70	44.18	1					
	4 Wire Unbundled Digital Loop 4.8 Kbps - Zone 2 4 Wire Unbundled Digital Loop 4.8 Kbps - Zone 3			UDL UDL	UDL4X UDL4X	41.47 69.24	207.01 207.01	141.38 141.38	90.70 90.70	44.18 44.18		-				-
-	4 Wire Unbundled Digital Loop 9.6 Kbps - Zone 1			UDL	UDL9X	27.68	207.01	141.38	90.70	44.18	1	-				
	5 Wire Unbundled Digital Loop 9.6 Kbps - Zone 2			UDL	UDL9X	41.47	207.01	141.38	90.70	44.18						
	6 Wire Unbundled Digital Loop 9.6 Kbps - Zone 3			UDL	UDL9X	69.24	207.01	141.38	90.70	44.18						
	4 Wire Unbundled Digital 19.2 Kbps - Zone 1			UDL	UDL19	27.68	207.01	141.38	90.70	44.18			20.35	10.54	13.32	13.32
	4 Wire Unbundled Digital 19.2 Kbps - Zone 2			UDL	UDL19	41.47	207.01	141.38	90.70	44.18			20.35	10.54	13.32	13.32
	4 Wire Unbundled Digital 19.2 Kbps - Zone 3		3	UDL	UDL19	69.24	207.01	141.38	90.70	44.18			20.35	10.54	13.32	13.32
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 1			UDL	UDL56	27.68	207.01	141.38	90.70	44.18			20.35	10.54	13.32	13.32
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 2			UDL	UDL56	41.47	207.01	141.38	90.70	44.18			20.35	10.54	13.32	13.32
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 3			UDL	UDL56	69.24	207.01	141.38	90.70	44.18			20.35	10.54	13.32	13.32
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 1			UDL	UDL64	27.68 41.47	207.01	141.38	90.70	44.18	1		20.35 20.35	10.54	13.32	13.32 13.32
-	4 Wire Unbundled Digital Loop 64 Kbps - Zone 2 4 Wire Unbundled Digital Loop 64 Kbps - Zone 3			UDL UDL	UDL64 UDL64	69.24	207.01 207.01	141.38 141.38	90.70 90.70	44.18 44.18	1	-	20.35	10.54 10.54	13.32 13.32	13.32
	Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per		3	ODL	UDL04	09.24	207.01	141.30	90.70	44.10			20.33	10.34	13.32	13.32
	DS0)			UDL	URESL		23.42	3.30					20.35	10.54	13.32	13.32
	Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per			-												
	DS0)			UDL	URESP		24.82	4.70								
	CLEC to CLEC Conversion Charge without outside dispatch			UDL	UREWO		102.28	49.82					20.35	10.54	13.32	13.32
2-WIF	RE Unbundled COPPER LOOP															
	2-Wire Unbundled Copper Loop-Designed including manual															
	service inquiry & facility reservation - Zone 1		1	UCL	UCLPB	11.74	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
	2-Wire Unbundled Copper Loop-Designed including manual		2	UCL	UCLPB	17.59	31.99	20.02	10.65	1.41			20.25	10.54	13.32	13.32
	service inquiry & facility reservation - Zone 2 2 Wire Unbundled Copper Loop-Designed including manual			UCL	UCLPB	17.59	31.99	20.02	10.05	1.41			20.35	10.54	13.32	13.32
	service inquiry & facility reservation - Zone 3		3	UCL	UCLPB	29.37	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
	2-Wire Unbundled Copper Loop-Designed without manual				302.13	20.07	31.99	20.02	10.00	1.41			20.00	10.04	10.02	10.02
	service inquiry and facility reservation - Zone 1		1	UCL	UCLPW	11.74	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
	2-Wire Unbundled Copper Loop-Designed without manual															
	service inquiry and facility reservation - Zone 2		2	UCL	UCLPW	17.59	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
	2-Wire Unbundled Copper Loop-Designed without manual							-								
\vdash	service inquiry and facility reservation - Zone 3		3	UCL	UCLPW	29.37	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
\vdash	Order Coordination for Unbundled Copper Loops (per loop)		<u> </u>	UCL	UCLMC		36.52	36.52								_
	CLEC to CLEC Conversion Charge without outside dispatch (UCL-Des)		1	UCL	UREWO		31.99	20.02					20.35	10.54	13.32	13.32
4-1//15	RE COPPER LOOP			UUL	UKEWU		31.99	20.02			1		20.35	10.54	13.32	13.32
	4-Wire Copper Loop-Designed including manual service inquiry		 		+	1	 				<u> </u>	-	 			
	and facility reservation - Zone 1		1	UCL	UCL4S	21.98	122.76	85.57	76.35	39.16			20.35	10.54	13.32	13.32
	4-Wire Copper Loop-Designed including manual service inquiry		i i		1				13.30	22.10						
	and facility reservation - Zone 2		2	UCL	UCL4S	32.93	122.76	85.57	76.35	39.16			20.35	10.54	13.32	13.32

UNBUNDLED N	IETWORK ELEMENTS - Tennessee												Attachment:	2 Exh A		
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Svc Order Submitted Manually per LSR		Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Charge -	Order vs.
							Nonrecurring		Nonrecurring	Disconnect			oss	Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	4-Wire Copper Loop-Designed including manual service inquiry															
	and facility reservation - Zone 3		3	UCL	UCL4S	54.99	122.76	85.57	76.35	39.16			20.35	10.54	13.32	13.32
	4-Wire Copper Loop-Designed without manual service inquiry															ĺ
	and facility reservation - Zone 1		1	UCL	UCL4W	21.98	122.76	85.57	76.35	39.16			20.35	10.54	13.32	13.32
	4-Wire Copper Loop-Designed without manual service inquiry															
	and facility reservation - Zone 2		2	UCL	UCL4W	32.93	122.76	85.57	76.35	39.16			20.35	10.54	13.32	13.32
	4-Wire Copper Loop-Designed without manual service inquiry															
	and facility reservation - Zone 3		3	UCL	UCL4W	54.99	122.76	85.57	76.35	39.16			20.35	10.54	13.32	13.32
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		36.52	36.52								
	CLEC to CLEC Conversion Charge without outside dispatch															40.00
	(UCL-Des)			UCL	UREWO		31.99	20.02					20.35	10.54	13.32	13.32
	0-10			UEA, UDN, UAL,	00001		04.00									
B	Order Coordination for Specified Conversion Time (per LSR)			UHL, UDL, USL	OCOSL		34.29									
Rearrai	ngements				+											
	EEL to UNE-L Retermination, per 2 Wire Unbundled Voice Loop- SL2			UEA	UREEL		75.06	36.41								
	OLZ.			OLA	UNLLL		73.00	30.41								1
	EEL to UNE-L Retermination, per 4 Wire Unbundled Voice Loop			UEA	UREEL		75.06	36.41								
	EEL to UNE-L Retermination, per 2 Wire Global Loop			UDN	UREEL		91.77	44.22								1
	EEL to UNE-L Retermination, per 4 Wire Unbundled Digital			ODIV	OKELL		51.77	77.22								
	Loop			UDL	UREEL		102.28	49.82								
	EEL to UNE-L Retermination, per 4 Wire Unbundled DS1 Loop			USL	UREEL		130.47	40.11								
UNE LOOP CO	MMINGLING			002	ONLEE		100.11									
	ANALOG VOICE GRADE LOOP - COMMINGLING															
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or															
	Ground Start Signaling - Zone 1		1	NTCVG	UEAL2	14.74	75.06	48.20	28.70	17.64						
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or															
	Ground Start Signaling - Zone 2		2	NTCVG	UEAL2	22.08	75.06	48.20	28.70	17.64						
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or															ĺ
	Ground Start Signaling - Zone 3		3	NTCVG	UEAL2	36.87	75.06	48.20	28.70	17.64						
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse															
	Battery Signaling - Zone 1		1	NTCVG	UEAR2	14.74	75.06	48.20	28.70	17.64						
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse															
	Battery Signaling - Zone 2		2	NTCVG	UEAR2	22.08	75.06	48.20	28.70	17.64						
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse															
	Battery Signaling - Zone 3		3	NTCVG	UEAR2	36.87	75.06	48.20	28.70	17.64						
	Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per						20.40									
	DS0)			NTCVG	URESL		23.42	3.30								
	Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per DS0)			NTCVG	URESP		24.00	4.70					1		1	
	CLEC to CLEC Conversion Charge without outside dispatch		1	NTCVG	UREWO		24.82 75.06	36.41						-		
	Loop Tagging - Service Level 2 (SL2)		1	NTCVG	URETL		11.23	1.10								
1-WIDE	ANALOG VOICE GRADE LOOP		l -	141040	UNLIL	1	11.23	1.10			 		1	1	1	
4-AAIKE	4-Wire Analog Voice Grade Loop - Zone 1		1	NTCVG	UEAL4	21.98	122.76	85.57	76.35	39.16	 		 		 	
	4-Wire Analog Voice Grade Loop - Zone 1			NTCVG	UEAL4	32.93	122.76	85.57	76.35	39.16						†
	4-Wire Analog Voice Grade Loop - Zone 3			NTCVG	UEAL4	54.99	122.76	85.57	76.35	39.16						+
	Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per		<u> </u>		1	055		55.57	. 5.50	33.10			1		1	1
	DS0)			NTCVG	URESL		23.42	3.30								
	Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per		1			İ		2.30						İ	İ	1
	DS0)			NTCVG	URESP		24.82	4.70					1		1	
	CLEC to CLEC Conversion Charge without outside dispatch			NTCVG	UREWO		75.06	36.41								
4-WIRE	DS1 DIGITAL LOOP - COMMINGLING															
	4-Wire DS1 Digital Loop - Zone 1			NTCD1	USLXX	51.38	313.08	219.72	96.86	40.45						
	4-Wire DS1 Digital Loop - Zone 2			NTCD1	USLXX	76.98	313.08	219.72	96.86	40.45						
	4-Wire DS1 Digital Loop - Zone 3		3	NTCD1	USLXX	128.54	313.08	219.72	96.86	40.45	ļ					1
	Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per DS1)			NTCD1	URESL	0.00	23.42	3.30	0.00	0.00						
	Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per		1													<u> </u>
	DS1)			NTCD1	URESP	0.00	24.82	4.70	0.00	0.00						

LINBUNDI ED	NETWORK ELEMENTS - Tennessee												Attachment: 2	Σ Eyh Δ		
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)			1	Svc Order Submitted Manually per LSR	Incremental Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
<u> </u>							[h]		I Mariana and a second	B'					D130 13t	DISC Add I
					<u> </u>	Rec	Nonrecurring First	Add'l	Nonrecurring First	Disconnect Add'l	SOMEC	SOMAN	SOMAN	Rates(\$) SOMAN	SOMAN	SOMAN
	CLEC to CLEC Conversion Charge without outside dispatch			NTCD1	UREWO	0.00	130.47	40.11	0.00	0.00	JOINEO	JOINAIN	JOWAN	JONIAN	JOHIAN	JOHIAN
4-WIF	E 19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP															
	4 Wire Unbundled Digital Loop 2.4 Kbps - Zone 1			NTCUD	UDL2X	27.68	207.01	141.38	90.70	44.18						
	4 Wire Unbundled Digital Loop 2.4 Kbps - Zone 2			NTCUD	UDL2X	41.47	207.01	141.38	90.70	44.18						
	4 Wire Unbundled Digital Loop 2.4 Kbps - Zone3 4 Wire Unbundled Digital Loop 4.8 Kbps - Zone 1			NTCUD NTCUD	UDL2X UDL4X	69.24 27.68	207.01 207.01	141.38 141.38	90.70 90.70	44.18 44.18						
	4 Wire Unbundled Digital Loop 4.8 Kbps - Zone 2			NTCUD	UDL4X	41.47	207.01	141.38	90.70	44.18						
	4 Wire Unbundled Digital Loop 4.8 Kbps - Zone 3			NTCUD	UDL4X	69.24	207.01	141.38	90.70	44.18						
	4 Wire Unbundled Digital Loop 9.6 Kbps - Zone 1			NTCUD	UDL9X	27.68	207.01	141.38	90.70	44.18						
	5 Wire Unbundled Digital Loop 9.6 Kbps - Zone 2			NTCUD	UDL9X	41.47	207.01	141.38	90.70	44.18						
	6 Wire Unbundled Digital Loop 9.6 Kbps - Zone 3			NTCUD	UDL9X	69.24	207.01	141.38		44.18						!
	4 Wire Unbundled Digital 19.2 Kbps - Zone 1 4 Wire Unbundled Digital 19.2 Kbps - Zone 2			NTCUD NTCUD	UDL19 UDL19	27.68 41.47	207.01 207.01	141.38 141.38	90.70 90.70	44.18 44.18						
	4 Wire Unbundled Digital 19.2 Kbps - Zone 3			NTCUD	UDL19	69.24	207.01	141.38	90.70	44.18						
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 1			NTCUD	UDL56	27.68	207.01	141.38	90.70	44.18						
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 2			NTCUD	UDL56	41.47	207.01	141.38	90.70	44.18						
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 3			NTCUD	UDL56	69.24	207.01	141.38	90.70	44.18						
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 1			NTCUD	UDL64	27.68	207.01	141.38		44.18						1
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 2 4 Wire Unbundled Digital Loop 64 Kbps - Zone 3			NTCUD NTCUD	UDL64 UDL64	41.47 69.24	207.01 207.01	141.38 141.38	90.70 90.70	44.18 44.18						
	Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per		3	NICOD	UDL04	09.24	207.01	141.30	90.70	44.10						
	DS0)			NTCUD	URESL	0.00	23.42	3.30	0.00	0.00						I
	Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per															
	DS0)			NTCUD	URESP	0.00	24.82	4.70	0.00	0.00						ļ
	CLEC to CLEC Conversion Charge without outside dispatch			NTCUD	UREWO	0.00	102.28	49.82	0.00	0.00						!
	Order Coordination for Specified Conversion Time (per LSR)			NTCVG, NTCUD, NTCD1	OCOSL		34.29									I
UNBUNDI ED	EXCHANGE ACCESS LOOP			NICDI	UCUSL		34.29									
	E ANALOG VOICE GRADE LOOP															
	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1			UEANL	UEAL2	11.74	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2			UEANL	UEAL2	17.59	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3			UEANL	UEAL2	29.37	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
-	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2			UEANL UEANL	UEASL UEASL	11.74 17.59	31.99 31.99	20.02	10.65 10.65	1.41 1.41			20.35 20.35	10.54 10.54	13.32 13.32	13.32 13.32
	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3			UEANL	UEASL	29.37	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
	Tag Loop at End User Premise		Ť	UEANL	URETL	20.01	8.95	0.88	10.00				20.00	10.01	10.02	10.02
	Loop Testing - Basic 1st Half Hour			UEANL	URET1		57.67	0.00								
	Loop Testing - Basic Additional Half Hour			UEANL	URETA		37.44	37.44								
	Manual Order Coordination for UVL-SL1s (per loop)			UEANL	UEAMC		36.52	36.52	1							1
	Order Coordination for Specified Conversion Time for UVL-SL1 (per LSR)		1	UEANL	OCOSL		34.29		1							l
	Unbundled Non-Design Voice Loop, billing for BST providing			OLANE	OCCOL		34.23		-							
	make-up (Engineering Information - E.I.)			UEANL	UEANM		25.33	25.33								I
	CLEC to CLEC Conversion Charge Without Outside Dispatch															
	(UVL-SL1)			UEANL	UREWO		15.80	8.95					20.35	10.54	13.32	13.32
2-WIF	E Unbundled COPPER LOOP			LIFO	LIFOOV	44.74	04.00	20.00	40.05				00.05	10.51	10.00	10.00
\vdash	2-Wire Unbundled Copper Loop - Non-Designed Zone 1 2 Wire Unbundled Copper Loop - Non-Designed - Zone 2	1		UEQ UEQ	UEQ2X UEQ2X	11.74 17.59	31.99 31.99	20.02	10.65 10.65	1.41 1.41	 	-	20.35 20.35	10.54 10.54	13.32 13.32	13.32 13.32
	2 Wire Unbundled Copper Loop - Non-Designed - Zone 2	t		UEQ	UEQ2X	29.37	31.99	20.02	10.65	1.41	1	 	20.35	10.54	13.32	13.32
	Tag Loop at End User Premise		T	UEQ	URETL	20.07	8.95	0.88					20.00	.0.04	.0.02	.0.02
	Loop Testing - Basic 1st Half Hour			UEQ	URET1		57.67	0.00								
	Loop Testing - Basic Additional Half Hour			UEQ	URETA		37.44	37.44								
	Manual Order Coordination 2 Wire Unbundled Copper Loop - Non-Designed (per loop)			UEQ	USBMC		36.52	36.52								
	Unbundled Copper Loop - Non-Design, billing for BST providing make-up (Engineering Information - E.I.) CLEC to CLEC Conversion Charge Without Outside Dispatch			UEQ	UEQMU		25.33	25.33					20.35	10.54	13.32	13.32
LOOP MODIF	(UCL-ND)			UEQ	UREWO		14.29	7.44					20.35	10.54	13.32	13.32
EGO! MIGDII	IVATION		1	l	ı				1		1	1				

UNRU	NDI ED N	NETWORK ELEMENTS - Tennessee												Attachment:	2 Evh Δ		1
ONBOI	NDLLD	VETWORK ELEMENTS - Tellilessee		1		1	I					Svc Order	Svc Order	Incremental		Incremental	Incremental
												Submitted			Charge -	Charge -	Charge -
												Elec	Manually		Manual Svc		Manual Svc
CATE	ORY	RATE ELEMENTS	Interi	Zone	BCS	usoc			RATES(\$)					Order vs.	Order vs.	Order vs.	Order vs.
OA! E		NATE ELEMENTO	m	20110	500				==(+)			per LSR	per LSR				
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
								Nonrecurring		Nonrecurring	Disconnect		•	oss	Rates(\$)	•	•
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Service	Order charges will only apply once per Loop															
					UAL, UHL, UCL,												
					UEQ, ULS, UEA,												
		Unbundled Loop Modification, Removal of Load Coils - 2 Wire			UEANL, UEPSR,												
		pair less than or equal to 18k ft, per Unbundled Loop			UEPSB	ULM2L		65.40	65.40								
		Unbundled Loop Modification Removal of Load Coils - 4 Wire						05.40	05.40								
		less than or equal to 18K ft, per Unbundled Loop			UHL, UCL, UEA UAL, UHL, UCL,	ULM4L		65.40	65.40								
					UEQ, ULS, UEA,												
		Unbundled Loop Modification Removal of Bridged Tap Removal,			UEANL, UEPSR,												
		per unbundled loop			UEPSB	ULMBT		65.44	65.44								
SUB-L	OOPS	It a second second			05			33.44	00.44								
		pop Distribution				İ				Ì				İ	İ	Ì	
		Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set-				1				1							
L	<u> </u>	Up		L	UEANL, UEF	USBSA		517.25	517.25			<u> </u>	<u> </u>	20.35	10.54	13.32	13.32
		Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up			UEANL, UEF	USBSB		42.68	42.68					20.35	10.54	13.32	13.32
		Sub-Loop - Per Building Equipment Room - CLEC Feeder															
		Facility Set-Up			UEANL	USBSC		313.01	313.01					20.35	10.54	13.32	13.32
		Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel															
		Set-Up			UEANL	USBSD		108.06	108.06					20.35	10.54	13.32	13.32
		Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -														40.00	40.00
		Statewide			UEANL	USBN2	10.02	148.84	112.34	73.14	36.65			20.35	10.54	13.32	13.32
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		34.29	34.29								
	1	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -			UEAINL	USDIVIC		34.29	34.29				-				
		Zone 1		1	UEANL	USBN4	6.54	106.85	51.20	74.08	11.55			20.35	10.54	13.32	13.32
		Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -		<u>'</u>	OLANE	OODIV	0.54	100.03	31.20	74.00	11.55			20.55	10.54	10.02	10.02
		Zone 2		2	UEANL	USBN4	9.80	106.85	51.20	74.08	11.55			20.35	10.54	13.32	13.32
		Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -					7.77										
		Zone 3		3	UEANL	USBN4	16.36	106.85	51.20	74.08	11.55			20.35	10.54	13.32	13.32
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		34.29	34.29								
		Sub-Loop 2-Wire Intrabuilding Network Cable (INC)			UEANL	USBR2	1.35	94.56	29.35					20.35	10.54	13.32	13.32
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		34.29	34.29								
	<u> </u>	Sub-Loop 4-Wire Intrabuilding Network Cable (INC)		<u> </u>	UEANL	USBR4	2.26	116.14	37.10					20.35	10.54	13.32	13.32
1		Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		34.29	34.29					1	1	1	
-	1	Loop Testing - Basic 1st Half Hour	-		UEANL	USBMC URET1		57.67	0.00	1		-	-	1	1	1	
—	1	Loop Testing - Basic 1st Hall Hour			UEANL	URETA		37.44	37.44	1				1	1	1	1
—	+	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1	-	1	UEF	UCS2X	4.67	81.40	25.75	70.82	9.55			20.35	10.54	13.32	13.32
		2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1		2	UEF	UCS2X	6.99	81.40	25.75	70.82	9.55			20.35	10.54	13.32	13.32
		2 Wire Copper Unbundled Sub-Loop Distribution - Zone 3			UEF	UCS2X	11.67	81.40	25.75	70.82	9.55			20.35	10.54	13.32	13.32
	l					1				1							
L	1	Order Coordination for Unbundled Sub-Loops, per sub-loop pair	<u> </u>		UEF	USBMC		34.29	34.29	<u> </u>		<u> </u>	<u> </u>		<u> </u>	<u> </u>	
		4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1			UEF	UCS4X	5.85	81.74	26.08	74.08	11.55			20.35	10.54	13.32	13.32
		4 Wire Copper Unbundled Sub-Loop Distribution - Zone 2			UEF	UCS4X	8.76	81.74	26.08	74.08	11.55			20.35	10.54	13.32	13.32
<u> </u>	ļ	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 3		3	UEF	UCS4X	14.63	81.74	26.08	74.08	11.55			20.35	10.54	13.32	13.32
1					uee	LIODA		2.2-									
-	1	Order Coordination for Unbundled Sub-Loops, per sub-loop pair		-	UEF	USBMC		34.29	34.29	1							
		Loop Tagging Service Level 1, Unbundled Copper Loop, Non-			UEF, UEANL	URETL		8.95	0.00					1	1	1	
-	1	Designed and Distribution Subloops Loop Testing - Basic 1st Half Hour			UEF, UEANL UEF	URET1		57.67	0.88	 							
	1	Loop Testing - Basic 1st Half Hour Loop Testing - Basic Additional Half Hour			UEF	URETA		37.44	37.44	1				1	1	1	1
	Unbun	dled Sub-Loop Modification			021	JILIA		31.44	31.44	1				1	1	1	1
 	Jindan	Unbundled Sub-Loop Modification - 2-W Copper Dist Load				1				†							
1		Coil/Equip Removal per 2-W PR			UEF	ULM2X		335.36	7.82					1	1	1	
ь		I = m = dark : : : : : : : : : : : : : : : : : : :			(-	1	·	000.00	02	1				L			1

UNBUNDI ED I	NETWORK ELEMENTS - Tennessee												Attachment:	2 Fxh A	1	
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st		Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
							Nonrecurring		Nonrecurring	Disconnect			oss	Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Unbundled Sub-loop Modification - 4-W Copper Dist Load															
	Coil/Equip Removal per 4-W PR			UEF	ULM4X		335.36	7.82								
	Unbundled Loop Modification, Removal of Bridge Tap, per unbundled loop			UEF	ULMBT		528.48	9.74								
Unbun	dled Network Terminating Wire (UNTW)			OLI	OLIVID I		320.40	5.74								
	Unbundled Network Terminating Wire (UNTW) per Pair			UENTW	UENPP	0.4555	2.48	2.48	0.5814	0.5814			20.35	10.54	13.32	13.32
Netwo	k Interface Device (NID)															
	Network Interface Device (NID) - 1-2 lines			UENTW	UND12		63.46	31.06	0.6391	0.6391			20.35	10.54	13.32	13.32
	Network Interface Device (NID) - 1-6 lines			UENTW	UND16 UNDC2		63.46	31.06 8.75	0.6522	0.6522			20.35	10.54 10.54	13.32 13.32	13.32 13.32
-	Network Interface Device Cross Connect - 2 W Network Interface Device Cross Connect - 4W			UENTW UENTW	UNDC2 UNDC4		8.75 8.75	8.75					20.35 20.35	10.54	13.32	13.32
UNE OTHER. F	PROVISIONING ONLY - NO RATE			OLIVIV	CINDO		0.70	0.70					20.00	10.04	10.02	10.02
				UAL, UCL, UDC, UDL, UDN, UEA, UHL, UEANL, UEF, UEQ, UENTW, NTCVG, NTCUD,												
	Unbundled Contact Name, Provisioning Only - no rate			NTCD1, USL	UNECN	0.00	0.00									
	Unbundled DS1 Loop - Superframe Format Option - no rate			USL, NTCD1	CCOSF	0.00	0.00									
	Unbundled DS1 Loop - Expanded Superframe Format option - no rate			USL, NTCD1	CCOEF	0.00	0.00									
	NID - Dispatch and Service Order for NID installation			UENTW	UNDBX	0.00	0.00									
	UNTW Circuit Establishment, Provisioning Only - No Rate			UENTW	UENCE	0.00	0.00									
LOOP MAKE-U																
	Loop Makeup - Preordering Without Reservation, per working or spare facility queried (Manual).			UMK	UMKLW		0.76	0.76					20.35	10.54	13.32	13.32
	Loop Makeup - Preordering With Reservation, per spare facility queried (Manual).			UMK	UMKLP		0.76	0.76					20.35	10.54	13.32	13.32
	Loop MakeupWith or Without Reservation, per working or spare facility queried (Mechanized)			UMK	UMKMQ		0.76	0.76					20.35	10.54	13.32	13.32
LINE SPLITTIN																
END U	SER ORDERING-CENTRAL OFFICE BASED			LIEDOD LIEDOD	LIDEOO	0.04										
-	Line Splitting - per line activation DLEC owned splitter Line Splitting - per line activation BST owned - physical			UEPSR UEPSB UEPSR UEPSB	UREOS UREBP	0.61 0.61	48.96	21.39	35.06	10.79			20.35	10.54	13.32	13.32
	Line Splitting - per line activation BST owned - virtual			UEPSR UEPSB	UREBV	0.61	48.96	21.39	35.06	10.79			20.35	10.54	13.32	13.32
UNBUN	IDLED EXCHANGE ACCESS LOOP															
2-WIRE	ANALOG VOICE GRADE LOOP															
	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- Zone 1		1	UEPSR UEPSB	UEALS	11.74	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- Zone 1		1	UEPSR UEPSB	UEABS	11.74	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
	2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting- Zone 2		2	UEPSR UEPSB	UEALS	17.59	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
	2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting- Zone 2		2	UEPSR UEPSB	UEABS	17.59	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- Zone 3		3	UEPSR UEPSB	UEALS	29.37	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- Zone 3		3	UEPSR UEPSB	UEABS	29.37	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
PHYSIC	CAL COLLOCATION															
	Physical Collocation-2 Wire Cross Connects (Loop) for Line Splitting			UEPSR UEPSB	PE1LS	0.0475	11.62	9.90	10.38	8.66			0.00	0.00	0.00	0.00
VIRTU	AL COLLOCATION															
	Virtual Collocation-2 Wire Cross Connects (Loop) for Line Splitting			UEPSR UEPSB	VE1LS	0.57	11.62	9.90	10.38	8.66			2.07	2.81	0.67	1.41
UNBUNDLED I	DEDICATED TRANSPORT					5.57	52	0.00	. 5.50	3.30			2.07	2.01	0.07	
INTER	OFFICE CHANNEL - DEDICATED TRANSPORT - Stand Alone															
	Interoffice Channel - 2-Wire Voice Grade - per mile			U1TVX	1L5XX	0.0054		.=	07.0			1	20.0-			10.5
1 1	Interoffice Channel - 2-Wire Voice Grade - Facility Termination	l		U1TVX	U1TV2	18.58	55.39	17.37	27.96	3.51			20.35	21.09	9.80	10.54

UNBUNDLED N	NETWORK ELEMENTS - Tennessee												Attachment:	2 Exh A		
ONDONDEED	I TOTAL ELEMENTO TOTAL SOCI										Submitted	Submitted	Incremental Charge -	Incremental Charge -	Charge -	Incremental Charge -
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)			Elec per LSR	Manually per LSR	Manual Svc Order vs. Electronic-	Manual Svc Order vs. Electronic-	Order vs. Electronic-	Order vs. Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
							Nonrecurring		Nonrecurring		001150	001441		Rates(\$)	0011411	0011411
-	Interoffice Channel - 2-Wire Voice Grade Rev Bat per mile			U1TVX	1L5XX	Rec 0.0054	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	interentice enainer 2 wife voice erade nev Bat. per nine			01117	120/01	0.0004										
	Interoffice Channel - 2-Wire VG Rev Bat Facility Termination			U1TVX	U1TR2	18.58	55.39	17.37	27.96	3.51			20.35	21.09	9.80	10.54
	Interoffice Channel - 4-Wire Voice Grade - per mile			U1TVX	1L5XX	0.0054										
	Interoffice Channel - 4- Wire Voice Grade - Facility Termination			U1TVX	U1TV4	24.09	37.87	26.02	30.78	13.07			15.08	15.08	9.80	10.54
	Interoffice Channel - 56 kbps - per mile			U1TDX	1L5XX	0.0174										
	Interoffice Channel - 56 kbps - Facility Termination			U1TDX	U1TD5	17.98	55.39	17.37	27.96	3.51			20.35	21.09	9.80	10.54
-	Interoffice Channel - 64 kbps - per mile Interoffice Channel - 64 kbps - Facility Termination			U1TDX U1TDX	1L5XX U1TD6	0.0174 17.98	55.39	17.37	27.96	3.51			20.35	21.09	9.80	10.54
	Interoffice Channel - DS1 - per mile			U1TD1	1L5XX	0.3562	33.33	17.57	27.50	3.51			20.55	21.03	3.00	10.54
	Interoffice Channel - DS1 - Facility Termination			U1TD1	U1TF1	77.86	112.40	76.27	19.55	14.99			20.35	21.09	9.80	10.54
	Interoffice Channel - DS3 - per mile			U1TD3	1L5XX	2.34		.=. =.	100.01	105.01					10.01	10.01
	Interoffice Channel - DS3 - Facility Termination Interoffice Channel - STS-1 - per mile			U1TD3 U1TS1	U1TF3 1L5XX	848.99 2.34	395.29	176.56	109.04	105.91			36.84	36.84	19.01	19.01
	Interoffice Channel - STS-1 - Facility Termination			U1TS1	U1TFS	849.30	395.29	176.56	109.04	105.91			36.84	36.84	19.01	19.01
	Local Channel - Dedicated - 4-Wire Voice Grade - Zone 1		1	ULDVX, UNCVX	ULDV4	20.91										
	Local Channel - Dedicated - 4-Wire Voice Grade - Zone 2		2	ULDVX, UNCVX	ULDV4	27.30										
	Local Channel - Dedicated - 4-Wire Voice Grade - Zone 3 Local Channel - Dedicated - DS1 - Zone 1		3	ULDVX, UNCVX ULDD1, UNC1X	ULDV4 ULDF1	35.71 41.68										+
	Local Channel - Dedicated - DS1 - Zone 2		2	ULDD1, UNC1X	ULDF1	54.43										+
	Local Channel - Dedicated - DS1 - Zone 3		3	ULDD1, UNC1X	ULDF1	71.17										
	Local Channel - Dedicated - DS3 - Per Mile per month			ULDD3, UNC3X	1L5NC	8.22										
	Local Channel - Dedicated - DS3 - Facility Termination Local Channel - Dedicated - STS-1- Per Mile per month			ULDD3, UNC3X ULDS1, UNCSX	ULDF3 1L5NC	703.00 8.22							-	-		
	Local Channel - Dedicated - STS-1 - Fer Mile per Month Local Channel - Dedicated - STS-1 - Facility Termination			ULDS1, UNCSX	ULDFS	689.53										
UNBUN	IDLED DARK FIBER - Stand Alone or in Combination			,												
	Dark Fiber - Interoffice Transport, Per Four Fiber Strands, Per			LIBE LIBEOV												
	Route Mile Or Fraction Thereof Dark Fiber - Interoffice Transport, Per Four Fiber Strands, Per			UDF, UDFCX	1L5DF	28.74										+
	Route Mile Or Fraction Thereof			UDF, UDFCX	UDF14		1,121.00	153.19								
DARK FIBER																
	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction			UBE UBEOV												
	Thereof per month - Local Channel Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction			UDF, UDFCX	1L5DC	67.65										+
	Thereof per month - Local Loop			UDF, UDFCX	1L5DL	67.65										
	TEN DIGIT SCREENING															
	8XX Access Ten Digit Screening, Per Call ATION DATA BASE ACCESS (LIDB)					0.0005192										+
LINE INFORMA	LIDB Common Transport Per Query					0.0000354							1			+
	LIDB Validation Per Query					0.0117403	1									†
	LIDB Originating Point Code Establishment or Change			OQT, OQU	NRBPX		49.03						20.35	20.35	13.28	13.28
CALLING NAM	IE (CNAM) SERVICE					0.0010544								-		
	CNAM for DB Owners, Per Query CNAM for Non DB Owners, Per Query					0.0010541 0.0010541	1						 	 		+
SELECTIVE RO						0.00.0041									<u> </u>	<u> </u>
	Selective Routing Per Unique Line Class Code Per Request Per															
AIN SELECTIV	Switch E CARRIER ROUTING						179.60	179.60					20.35	0.00	0.00	0.00
AIN SELECTIV	Regional Service Establishment				+		190,638.00						20.35	 		
	End Office Establishment						317.55	317.55	3.19	3.19			20.35	20.35	13.28	13.28
	Query NRC, per query					0.0206047										
AIN - BELLSO	AIN SMS ACCESS SERVICE AIN SMS Access Service - Service Establishment, Per State,													-		
	AIN SMS Access Service - Service Establishment, Per State, Initial Setup			A1N	CAMSE		135.56	135.56					20.35	20.35	13.28	13.28
	F							.00.00					20.00	20.00		
	AIN SMS Access Service - Port Connection - Dial/Shared Access			A1N	CAMDP		41.75	41.75					20.35	20.35	13.28	
	AIN SMS Access Service - Port Connection - ISDN Access			A1N	CAM1P		41.75	41.75]]]	20.35	20.35	13.28	13.2

UNBUNDI F	D NETWORK ELEMENTS - Tennessee												Attachment:	2 Eyh Δ		
ONDONDEE	THE TWO THE PERIOD OF THE PERI											Svc Order	Incremental	Incremental		Incremental
												Submitted		Charge -	Charge -	Charge -
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	usoc			RATES(\$)			Elec	Manually		Manual Svc	Manual Svc	
CATEGORI	KATE EEEMERTO	m	20116	500	0000			π. Ευ(ψ)			per LSR	per LSR	Order vs.	Order vs. Electronic-	Order vs. Electronic-	Order vs.
													Electronic- 1st	Add'l	Disc 1st	Electronic- Disc Add'l
															Disc 1st	DISC Add I
						_	Nonrecurring		Nonrecurring					Rates(\$)		
	AIN SMS Access Service - User Identification Codes - Per User					Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	ID Code			A1N	CAMAU		96.63	96.63					20.35	20.35	13.28	13.28
	AIN SMS Access Service - Security Card, Per User ID Code,			Ally	CAWAO		30.03	30.03					20.55	20.55	13.20	15.20
	Initial or Replacement			A1N	CAMRC		113.67	113.67					20.35	20.35	13.28	13.28
	AIN SMS Access Service - Storage, Per Unit (100 Kilobytes)					0.0024										
	AIN SMS Access Service - Session, Per Minute					0.0820123										
	AIN SMS Access Service - Company Performed Session, Per															
LUCILCADA	Minute CITY UNBUNDLED LOCAL LOOP					2.27										1
	/STS-1 UNBUNDLED LOCAL LOOP				_		-									
103-3	DS3 Unbundled Local Loop - per mile	1	 	UE3	1L5ND	9.19	1									†
	DS3 Unbundled Local Loop - Facility Termination	†	1	UE3	UE3PX	374.24	595.37	304.50	234.83	170.16	1		36.84	36.84	19.01	19.01
	STS-1Unbundled Local Loop - per mile	1		UDLSX	1L5ND	9.19	300.07	3000	2000				33.34	33.54		10.01
	STS-1 Unbundled Local Loop - Facility Termination			UDLSX	UDLS1	389.35	595.37	304.50	234.83	170.16			36.84	36.84	19.01	19.01
	EXTENDED LINK (EELs)															
Netv	vork Elements Used in Combinations															L
	2-Wire VG Loop (SL2) in Combination - Zone 1			UNCVX	UEAL2	14.74	108.76	35.47	72.94	10.86			31.26	10.42		
	2-Wire VG Loop (SL2) in Combination - Zone 2		2	UNCVX	UEAL2	22.08	108.76	35.47	72.94	10.86			31.26	10.42		
	2-Wire VG Loop (SL2) in Combination - Zone 3 4-Wire Analog Voice Grade Loop in Combination - Zone 1		3	UNCVX UNCVX	UEAL2 UEAL4	36.87 21.98	108.76 108.76	35.47 35.47	72.94 72.94	10.86 10.86		-	31.26 31.26	10.42 10.42		
	4-Wire Analog Voice Grade Loop in Combination - Zone 2		2	UNCVX	UEAL4	32.93	108.76	35.47	72.94	10.86			31.26	10.42		1
	4-Wire Analog Voice Grade Loop in Combination - Zone 3		3	UNCVX	UEAL4	54.99	108.76	35.47	72.94	10.86			31.26	10.42		
	2-Wire ISDN Loop in Combination - Zone 1		1	UNCNX	U1L2X	19.77	108.76	35.47	72.94	10.86			31.26	10.42		
	2-Wire ISDN Loop in Combination - Zone 2		2	UNCNX	U1L2X	29.63	108.76	35.47	72.94	10.86			31.26	10.42		
	2-Wire ISDN Loop in Combination - Zone 3		3	UNCNX	U1L2X	49.47	108.76	35.47	72.94	10.86			31.26	10.42		
	4-Wire 56Kbps Digital Grade Loop in Combination - Zone 1		1	UNCDX	UDL56	27.66	108.76	35.47	72.94	10.86			20.35	10.54	13.32	
	4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2		2	UNCDX	UDL56	41.47	108.76	35.47	72.94	10.86			20.35	10.54	13.32	
	4-Wire 56Kbps Digital Grade Loop in Combination - Zone 3		3	UNCDX UNCDX	UDL56 UDL64	69.24 27.66	108.76 108.76	35.47 35.47	72.94 72.94	10.86 10.86			20.35 20.35	10.54 10.54	13.32 13.32	1
-	4-Wire 64Kbps Digital Grade Loop in Combination - Zone 1 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 2		2	UNCDX	UDL64	41.47	108.76	35.47	72.94	10.86	1	-	20.35	10.54	13.32	
	4-Wire 64Kbps Digital Grade Loop in Combination - Zone 3		3	UNCDX	UDL64	69.24	108.76	35.47	72.94	10.86			20.35	10.54	13.32	
	4-Wire DS1 Digital Loop in Combination - Zone 1		1	UNC1X	USLXX	51.38	228.40	161.74	79.87	24.88			18.98	8.43	11.95	
	4-Wire DS1 Digital Loop in Combination - Zone 2		2	UNC1X	USLXX	76.98	228.40	161.74	79.87	24.88			18.98	8.43	11.95	
	4-Wire DS1 Digital Loop in Combination - Zone 3		3	UNC1X	USLXX	128.54	228.40	161.74	79.87	24.88			18.98	8.43	11.95	
	DS3 Local Loop in combination - per mile			UNC3X	1L5ND	9.19										
	DS3 Local Loop in combination - Facility Termination			UNC3X	UE3PX	374.24	1,260.47	628.84	106.78	45.24			36.84	36.84	19.01	19.01
	STS-1 Local Loop in combination - per mile			UNCSX	1L5ND	9.19	4 000 47	000.04	70.07	04.00			00.04	00.04	40.04	40.04
\vdash	STS-1 Local Loop in combination - Facility Termination Interoffice Channel in combination - 2-wire VG - per mile	 	 	UNCSX UNCVX	UDLS1 1L5XX	389.35 0.0174	1,260.47	628.84	79.87	24.88			36.84	36.84	19.01	19.01
	Interoffice Channel in combination - 2-wire VG - per fille Interoffice Channel in combination - 2-wire VG - Facility	 	!	0140 V A	ILOAA	0.0174					 					+
	Termination			UNCVX	U1TV2	18.58	79.83	44.08	69.32	31.00			20.35	21.09	9.80	10.54
	Interoffice Channel in combination - 4-wire VG - per mile			UNCVX	1L5XX	0.0174										
	Interoffice Channel in combination - 4-wire VG - Facility							-								
	Termination		<u> </u>	UNCVX	U1TV4	24.09	79.83	44.08	69.32	31.00			15.08	15.08	8.66	8.66
	Interoffice Channel in combination - 4-wire 56 kbps - per mile			UNCDX	1L5XX	0.0174										
	Interoffice Channel in combination - 4-wire 56 kbps - Facility	1	1	LINCDY	LIATES	17.00	70.00	44.65	20.00	24.22			20.05	04.00	0.00	10
 	Termination Interoffice Channel in combination - 4-wire 64 kbps - per mile	 	 	UNCDX UNCDX	U1TD5 1L5XX	17.98 0.0174	79.83	44.08	69.32	31.00			20.35	21.09	9.80	10.54
	Interoffice Channel in combination - 4-wire 64 kbps - per mile	1	 	OINCDA	ILUAA	0.0174					<u> </u>	-				
	Termination			UNCDX	U1TD6	17.98	79.83	44.08	69.32	31.00			20.35	21.09	9.80	10.54
	Interoffice Channel in combination - DS1 - per mile	1		UNC1X	1L5XX	0.3562		50		200					2.30	1
	Interoffice Channel in combination - DS1 Facility Termination			UNC1X	U1TF1	77.86	171.24	113.12	70.07	30.90			20.35	21.09	9.80	10.54
	Interoffice Channel in combination - DS3 - per mile			UNC3X	1L5XX	2.34		-		_						
	Interoffice Channel in combination - DS3 - Facility Termination	ļ		UNC3X	U1TF3	848.99	482.01	153.81	64.43	35.43			36.84	36.84	19.01	19.01
	Interoffice Channel in combination - STS-1 - per mile	ļ	<u> </u>	UNCSX	1L5XX	2.34	400.01	450.01	04.10	05.10	ļ		00.01	00.01	10.01	46.00
ADDITIONA	Interoffice Channel in combination - STS-1 Facility Termination NETWORK ELEMENTS	1	<u> </u>	UNCSX	U1TFS	849.30	482.01	153.81	64.43	35.43			36.84	36.84	19.01	19.01
	onal Features & Functions:	 	1		+	+	+									+
ΙΟρτι	ona i catales & Fullcholis.	<u> </u>	1	l	1	1	L				1	1				

IINRIINDI E	D NETWORK ELEMENTS - Tennessee												Attachment:	2 Evh Δ		ı
ONDONDEL	D NETWORK ELEMENTS - Termessee	1	1	l	1						Svc Order	Svc Order		Incremental	Incremental	Incremental
											Submitted			Charge -	Charge -	Charge -
													_	_	•	_
		Interi	_								Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		""											Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'I	Disc 1st	Disc Add'l
													150	Addi	DISC 1St	DISC Add 1
							Nonrecurring		Nonrecurring	Disconnect			oss	Rates(\$)		
					1	Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
———		1	1	LIATDA	-	INCO	11130	Auu i	11130	Addi	JOHILO	JONAN	JONAN	JONIAN	JOHIAN	JOINAIN
		1 .		U1TD1,												
	Clear Channel Capability Extended Frame Option - per DS1			ULDD1,UNC1X	CCOEF		0.00	0.00	0.00	0.00						
				U1TD1,												
	Clear Channel Capability Super FrameOption - per DS1	i		ULDD1,UNC1X	CCOSF		0.00	0.00	0.00	0.00						
	Clear Channel Capability (SF/ESF) Option - Subsequent			ULDD1, U1TD1,												
	Activity - per DS1	1 1		UNC1X, USL	NRCCC		185.16	23.86	2.03	0.79						
	7 1 2			U1TD3, ULDD3,							1					
	C-bit Parity Option - Subsequent Activity - per DS3	1 :		UE3, UNC3X	NRCC3		219.46	7.68	0.7637							
\vdash	DS1/DS0 Channel System	+ '-	1	UNC1X	MQ1	80.77	105.76	14.48		2.74	ļ					
		<u> </u>	<u> </u>						3.04							
	DS3/DS1Channel System			UNC3X, UNCSX	MQ3	222.98	156.02	49.41	17.12	6.77			20.35	9.80	11.49	1.18
	Voice Grade COCI in combination			UNCVX	1D1VG	0.91	5.70	4.42			<u> </u>					
	Voice Grade COCI - for Stand Alone Local Loop			UEA	1D1VG	0.91	5.70	4.42								
	Voice Grade COCI - for connection to a channelized DS1 Local															
	Channel in the same SWC as collocation			U1TUC	1D1VG	0.91	5.70	4.42								
	OCU-DP COCI (2.4-64kbs) in combination			UNCDX	1D1DD	1.82	5.70	4.42					20.35	9.80	11.49	1.18
<u> </u>	OCU-DP COCI (2.4-64kbs) - for Stand Alone Local Loop	1	1	UDL	1D1DD	1.82	5.70	4.42					20.55	3.00	11.43	1.10
		1	1	UDL	טטוטו	1.02	5.70	4.42								
	OCU-DP COCI (2.4-64kbs) - for connection to a channelized															
	DS1 Local Channel in the same SWC as collocation			U1TUD	1D1DD	1.82	5.70	4.42								
	2-wire ISDN COCI (BRITE) in combination			UNCNX	UC1CA	17.58	5.70	4.42					20.35	9.80	11.49	1.18
	2-wire ISDN COCI (BRITE) - for a Local Loop			UDN	UC1CA	17.58	5.70	4.42								
	2-wire ISDN COCI (BRITE) - for connection to a channelized															
	DS1 Local Channel in the same SWC as collocation			U1TUB	UC1CA	17.58	5.70	4.42								
	DS1 COCI in combination	+	+	UNC1X	UC1D1	17.58	5.70	4.42			<u> </u>		20.35	9.80	11.49	1.18
———	DS1 COCI if combination DS1 COCI - for Stand Alone Local Channel	1	1	ULDD1	UC1D1	17.58	5.70	4.42					20.33	9.00	11.43	1.10
		1	1								ļ					
	DS1 COCI - for Stand Alone Interoffice Channel			U1TD1	UC1D1	17.58	5.70	4.42								
	DS1 COCI - for Stand Alone Local Loop			USL	UC1D1	17.58	5.70	4.42								
	DS1 COCI - for connection to a channelized DS1 Local Channel															
	in the same SWC as collocation			U1TUA	UC1D1	17.58	5.70	4.42								
				UNCVX, U1TVX,												
				UNCDX, U1TDX,												
				UNC1X,												
				U1TD1,UNC3X,												
				U1TD3, UNCSX,												
				U1TS1,												
	Wholesale to UNE, Switch-As-Is Conversion Charge			UDF,UDFCX	UNCCC		52.73	24.62								
		1	1	U1TVX, U1TDX,	1				I	1	1	I	1	1		1
	Unbundled Misc Rate Element, SNE SAI, Single Network	1		U1TD1, U1TD3,	1						1	1				
	Element - Switch As Is Non-recurring Charge, per circuit (LSR)	1 1	1	U1TS1, UDF, UE3	URESL		34.53	15.11	I	1	1	I	1	1		1
	Unbundled Misc Rate Element, SNE SAI, Single Network			U1TVX, U1TDX,												
	Element - Switch As Is Non-recurring Charge, incremental	1	1	U1TD1, U1TD3,	1				I	1	1	I	1	1		1
	charge per circuit on a spreadsheet	Li		U1TS1, UDF, UE3	URESP		1.40	1.40			1	1				
-	UNE Reconfiguration Change Charge per Circuit	l i	+	UNC1X	URERC		35.00	35.00	 		 	 	l	l		
\vdash	UNE Reconfiguration Change Charge per Circuit Project	+	1	OINO IA	UNLINU		33.00	33.00	-	-	1	-	-	-		-
		1 .	1	LINICAY	URERP		4 40	4 /0	I	1	1	I	1	1		1
\vdash	Managed	+		UNC1X			1.40	1.40			ļ	-				
\vdash	UNE Reconfiguration Change Charge per Circuit	I		UNC1X	URERC		35.00	35.00	ļ		ļ					
	UNE Reconfiguration Change Charge per Circuit Project	1			1						1	1				
	Managed	1	<u> </u>	UNC1X	URERP		1.40	1.40		<u> </u>	<u></u>		<u></u>	<u></u>		<u> </u>
Acc	ess to DCS - Customer Reconfiguration (FlexServ)	1						-							-	
	Customer Reconfiguration Establishment						2.78		3.32							
	DS1 DCS Termination with DS0 Switching	1			1	23.35	41.14	34.25	29.94	24.08	İ		i	i		
	DS1 DCS Termination with DS1 Switching	1	1		†	13.45	27.79	20.90	21.99	16.12	1					
\vdash	DS3 DCS Termination with DS1 Switching	1	 		1	150.88	41.14	34.25	29.94	24.08	1	 				
		1	1		1	150.88	41.14	34.25	29.94	∠4.08	1		-	-		
Nod	e (SynchroNet)	1	-	LINIONY.						ļ	1	.	ļ	ļ		ļ
1 1	Node per month			UNCDX	UNCNT	17.11				l	1	1	l	ı		
	rice Rearrangements															

UNBUNDI FD	NETWORK ELEMENTS - Tennessee												Attachment:	2 Fxh A		
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
							Nonrecurring		Nonrecurring	Disconnect		l.	oss	Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN		SOMAN	SOMAN	SOMAN
	NRC - Change in Facility Assignment per circuit Service Rearrangement	1		U1TVX, U1TDX, UEA, UDL, U1TUC, U1TUD, U1TUB, ULDVX, ULDDX, UNCVX, UNCDX, UNC1X	URETD		130.47	40.11								
	NRC - Change in Facility Assignment per circuit Project Management (added to CFA per circuit if project managed)	1		U1TVX, U1TDX, UEA, UDL, U1TUC, U1TUD, U1TUB, ULDVX, ULDDX, UNCVX, UNCDX, UNC1X	URETB		1.28	1.28								
COMMINGLIN	NRC - Order Coordination Specific Time - Dedicated Transport	- 1		UNC1X	OCOSR		18.93	18.93								
				UNCVX, UNCDX, UNC1X, UNC3X, UNCSX, U1TD1, U1TD3, U1TS1, UE3, UDLSX, U1TVX, U1TDX, U1TVB, ULDVX, ULDD1, ULDD3,												
	Commingling Authorization				CMGAU	0.00	0.00	0.00	0.00	0.00						
Comm	ningled (UNE part of single bandwidth circuit)															
	Commingled VG COCI				1D1VG	1.82	5.70	4.42								
	Commingled Digital COCI				1D1DD	0.91	5.70	4.42								
	Commingled ISDN COCI Commingled 2-wire VG Interoffice Channel Facility Termination			XDD4X XDV2X	UC1CA U1TV2	17.58 18.58	5.70 79.83	4.42 44.08	69.32	31.00						
	Commingled 2-wire VG Interoffice Channel Facility Termination			XDV6X	U1TV4	24.09	79.83	44.08	69.32	31.00						
	Commingled 56kbps Interoffice Channel Facility Termination				U1TD5	17.98	79.83	44.08	69.32	31.00						
	Commingled 64kbps Interoffice Channel Facility Termination			XDD4X	U1TD6	17.98	79.83	44.08	69.32	31.00						
	Commingled VG/DS0 Interoffice Channel per mile Commingled 2-wire Local Loop Zone 1 Commingled 2-wire Local Loop Zone 2		1 2	XDV2X, XDV6X, XDD4X XDV2X XDV2X	1L5XX UEAL2 UEAL2	0.0174 14.74 22.08	108.76 108.76	35.47 35.47	72.94 72.94	10.86 10.86						
	Commingled 2-wire Local Loop Zone 3		3	XDV2X	UEAL2	36.87	108.76	35.47	72.94	10.86						
\vdash	Commingled 4-wire Local Loop Zone 1		1	XDV6X	UEAL4	21.98	108.76	35.47	72.94	10.86						
 	Commingled 4-wire Local Loop Zone 2 Commingled 4-wire Local Loop Zone 3		3	XDV6X XDV6X	UEAL4 UEAL4	32.93 54.99	108.76 108.76	35.47 35.47	72.94 72.94	10.86 10.86						
	Commingled 4-Wife Local Loop Zone 3 Commingled 56kbps Local Loop Zone 1		1	XDD4X	UDL56	27.68	108.76	35.47	72.94	10.86						
	Commingled 56kbps Local Loop Zone 2		2	XDD4X	UDL56	41.47	108.76	35.47	72.94	10.86						
	Commingled 56kbps Local Loop Zone 3		3	XDD4X	UDL56	69.24	108.76	35.47	72.94	10.86						
\vdash	Commingled 64kbps Local Loop Zone 1 Commingled 64kbps Local Loop Zone 2		1 2	XDD4X XDD4X	UDL64 UDL64	27.68 41.47	108.76 108.76	35.47 35.47	72.94 72.94	10.86 10.86						
	Commingled 64kbps Local Loop Zone 3		3	XDD4X	UDL64	69.24	108.76	35.47	72.94	10.86						
	Commingled ISDN Local Loop Zone 1		1	XDD4X	U1L2X	19.77	108.76	35.47	72.94	10.86						
	Commingled ISDN Local Loop Zone 2		2	XDD4X	U1L2X	29.63	108.76	35.47	72.94	10.86						
\vdash	Commingled ISDN Local Loop Zone 3		3	XDD4X	U1L2X	49.47	108.76	35.47	72.94	10.86	<u> </u>		-			
 	Commingled DS1 COCI Commingled DS1 Interoffice Channel Facility Termination				UC1D1 U1TF1	17.58 77.86	5.70 171.24	4.42 113.12	70.07	30.90						
	Commingled DS1 Interoffice Channel per mile			XDH1X	1L5XX	0.3562	17 1.24	110.12	70.07	30.30						
	Commingled DS1/DS0 channelSystem			XDH1X	MQ1	80.77	105.76	14.48	3.04	2.74						
	Commingled DS1 Local Loop Zone 1		1		USLXX	51.38	228.40	161.74	79.87	24.88						
\vdash	Commingled DS1 Local Loop Zone 2		2		USLXX	76.98	228.40	161.74	79.87	24.88						
	Commingled DS1 Local Loop Zone 3 Commingled DS3 Local Loop Facility Termination		3	XDH1X HFQC6	USLXX UE3PX	128.54 374.24	228.40 1,260.47	161.74 628.84	79.87 106.78	24.88 45.24						
	Commingled DS3 Local Loop Facility Termination Commingled DS3/STS-1 Local Loop per mile				1L5ND	9.19	1,200.47	020.04	100.78	45.24						
	Commingled STS-1 Local Loop Facility Termination			HFRST	UDLS1	389.35	1,260.47	628.84	79.87	24.88						
	Commingled DS3/DS1 channelSystem			HFQC6	MQ3	222.98	156.02	49.41	17.12	6.77						

UNBUNDLE	D NETWORK ELEMENTS - Tennessee												Attachment:	2 Exh A		T
CATEGORY		Interi m	Zone	BCS	usoc			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
							Nonrecurring		Nonrecurring	Disconnect		•	oss	Rates(\$)	•	•
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Commingled DS3 Interoffice Channel Facility Termination			HFQC6	U1TF3	848.99	482.01	153.81	64.43	35.43						
	Commingled DS3 Interoffice Channel per mile			HFQC6	1L5XX	2.34										
	Commingled STS-1Interoffice Channel Facility Termination			HFRST	U1TFS	849.30		153.81	64.43	35.43						
	Commingled STS-1Interoffice Channel per mile			HFRST	1L5XX	2.34										
	Commingled Dark Fiber - Interoffice Transport, Per Four Fiber			LIEODI	41.505	00.74										
	Strands, Per Route Mile Or Fraction Thereof			HEQDL	1L5DF	28.74										
	Commingled Dark Fiber - Interoffice Transport, Per Four Fiber Strands, Per Route Mile Or Fraction Thereof			HEQDL	UDF14		1,121.00	153.19	0.00	0.00						
SIGNALING				HEQUL	UDF 14		1,121.00	155.19	0.00	0.00	1					+
	E:"bk" beside a rate indicates that the parties have agreed to bil	l and ke	en for	that element nursua	nt to the ter	ns and conditi	ons in Attachm	ent 3	l		1			I.		<u> </u>
10	CCS7 Signaling Usage, Per TCAP Message	I and Re	101	that cicinicit parsau	I to the ten	0.0000916bk	I Attaonii	CITE O.						l		I
+	CCS7 Signaling Usage, Per ISUP Message					0.0000373bk					+					
LNP Query						0.000001051					1					
	LNP Charge Per query	1				0.0009277	1		1		1			İ		
	LNP Service Establishment Manual						23.60	13.83	23.60	12.71						
	LNP Service Provisioning with Point Code Establishment						1,119.00	571.71	1,119.00	571.71						
911 PBX LC																
911	PBX LOCATE DATABASE CAPABILITY															
	Service Establishment per CLEC per End User Account			9PBDC	9PBEU		1,706.00									
	Changes to TN Range or Customer Profile			9PBDC	9PBTN		170.69									
	Per Telephone Number (Monthly)			9PBDC	9PBMM	0.07										
	Change Company (Service Provider) ID			9PBDC	9PBPC		501.06									
	PBX Locate Service Support per CLEC (MonthIt)			9PBDC	9PBMR	191.92										
044	Service Order Charge			9PBDC	9PBSC		23.20									_
	PBX LOCATE TRANSPORT COMPONENT		<u> </u>													ļ
	Att 3 E: Rates displaying an "I" in Interim column are interim as a resu		<u> </u>													
The	D LOCAL EXCHANGE SWITCHING(PORTS) Exchange Switching Port Rates Reflected Here Apply to Embed	ded Bas	e Swite	ching Ports as of Ma	arch 10, 2005	and Consist of	of the TELRIC C	ost Based Rat	es Plus \$1.00 ir	n Accordance	with the TR	RO.				
	hange Ports	<u> </u>	<u> </u>		1	l										
	E: Although the Port Rate includes all available features in GA,	KY, LA	& TN, t	he desired features v	will need to	be ordered usi	ng retail USOCs	S				1	1	1		
2-W	IRE VOICE GRADE LINE PORT RATES (RES)			UEDOD											10.00	
	Exchange Ports - 2-Wire Analog Line Port- Res.			UEPSR	UEPRL	2.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
	Exchange Ports - 2-Wire Analog Line Port with Caller ID - Res.			UEPSR	UEPRC	2.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
	Exchange Ports - 2-Wire Analog Line Port outgoing only - Res.			UEPSR	UEPRO	2.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
	Exchange Ports - 2-Wire VG unbundled TN extended local			OLI OIX	OLI KO	2.03	3.33	3.13	3.00	2.32	+		20.55	10.54	10.02	1.40
	dialing parity Port with Caller ID - Res. Exchange Ports - 2-Wire VG unbundled Tennessee Area Plus			UEPSR	UEPAQ	2.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
	with Caller ID - Res (AC7) Exchange Ports - 2-Wire VG unbundled Tennessee Area Calling			UEPSR	UEPAH	2.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
	port with Caller ID - Res (F2R)	1		UEPSR	UEPAK	2.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
	Exchange Ports - 2-Wire VG unbundled Tennessee Area Calling port with Caller ID - Res (TACER)			UEPSR	UEPAL	2.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
	Exchange Ports - 2-Wire VG unbundled Tennessee Area Calling port with Caller ID - Res (TACSR)			UEPSR	UEPAM	2.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
	Exchange Ports - 2-Wire VG unbundled Tennessee Area Calling															
	port with Caller ID - Res (1MF2X)	 	-	UEPSR	UEPAN	2.89	9.93	9.19	3.66	2.92	1		20.35	10.54	13.32	1.40
	Exchange Ports - 2-Wire VG unbundled Tennessee Area Calling port with Caller ID - Res (2MR)			UEPSR	UEPAO	2.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
	Exchange Ports - 2-Wire VG unbundled res, low usage line port with Caller ID (LUM)			UEPSR	UEPAP	2.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
	Exchange Port - 2-Wire VG Tennessee Residence Dialing Plan without Caller ID			UEPSR	UEPWN	2.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
	Exchange Port - 2-Wire VG Tennessee Residence Area Plus without Caller ID			UEPSR	UEPRR	2.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
	2-Wire voice unbundled Low Usage Line Port without Caller ID Capability			UEPSR	UEPRT	2.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40

Version 4Q05 Standard ICA 03/15/06 (Renegotiations)

UNBUNDLE	NETWORK ELEMENTS - Tennessee												Attachment:	2 Exh A		
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Charge -	Charge -
							Nonrecurring		Nonrecurring	Disconnect			oss	Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Subsequent Activity			UEPSR	USASC	0.00	0.00	0.00					20.35	10.54	13.32	1.40
FEAT	TURES															
	All Available Vertical Features			UEPSR	UEPVF	0.00	0.00	0.00					20.35	10.54	13.32	1.40
2-WI	RE VOICE GRADE LINE PORT RATES (BUS)													'		
	Exchange Ports - 2-Wire Analog Line Port without Caller ID -													l'		
	Bus			UEPSB	UEPBL	2.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
	Exchange Ports - 2-Wire VG unbundled Line Port with			LIEDOD	LIEDDO	0.00	0.00	0.40	0.00	0.00			00.05	10.54	40.00	4 40
	unbundled port with Caller+E484 ID - Bus.			UEPSB	UEPBC	2.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
	Exchange Ports - 2-Wire Analog Line Port outgoing only - Bus.			UEPSB	UEPBO	2.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
	Exchange Ports - 2-Wire VG unbundled TN extended local			OLFOB	OLFBO	2.09	9.93	5.15	3.00	2.52			20.33	10.34	13.32	1.40
	dialing parity Port with Caller ID - Bus.			UEPSB	UEPAV	2.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
+	Exhange Ports - 2-Wire VG unbundled incoming only port with			OLI OD	OLITA	2.00	0.00	0.10	0.00	2.02			20.00	10.04	10.02	1.40
	Caller ID - Bus			UEPSB	UEPB1	2.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
	Exchange Ports - 2-Wire VG unbundled TN Bus 2-Way Area															
	Calling Port Economy Option - Bus (TACC1)			UEPSB	UEPAC	2.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
	Exchange Ports - 2-Wire VG unbundled TN Bus 2-Way Area															1
	Calling Port Standard Option - Bus (TACC2)			UEPSB	UEPAD	2.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
	Exchange Ports - 2-W VG unbundled TN Bus 2-Way Collierville													1		
	& Memphis Local Calling Port - Bus (B2F)			UEPSB	UEPAE	2.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
	Exchange Ports - 2-W VG unbundled TN Bus 2-Way Collierville													,		
	& Memphis Local Calling Port			UEPSB	UEPB2	2.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
	Exchange Ports - 2-W VG unbundled TN, Business Line Inward,													l'		
	Collierville & Memphis Local Calling Plan			UEPSB	UEPB3	2.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
	Exchange Ports - 2-Wire Voice Tennessee Business Dialing			LIEDOD	LIEDWO	0.00	0.00	0.40	2.00	2.02			20.25	10.54	42.22	1 40
	Plan without Caller ID 2-Wire voice unbundled Incoming Only Port without Caller ID			UEPSB	UEPWO	2.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
	Capability			UEPSB	UEPBE	2.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
	Subsequent Activity			UEPSB	USASC	0.00	0.00	0.00	3.00	2.02			20.35	10.54	13.32	
FEAT	TURES			OLI OD	00/100	0.00	0.00	0.00					20.00	10.04	10.02	1.40
	All Available Vertical Features			UEPSB	UEPVF	0.00	0.00	0.00					20.35	10.54	13.32	1.40
EXC	HANGE PORT RATES (DID & PBX)															
	2-Wire VG Unbundled 2-Way PBX Trunk - Res			UEPSE	UEPRD	2.79	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
	2-Wire VG Line Side Unbundled 2-Way PBX Trunk - Bus			UEPSP	UEPPC	2.79	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
	2-Wire VG Line Side Unbundled Outward PBX Trunk - Bus			UEPSP	UEPPO	2.79	9.93	9.19	3.66	2.92			20.35	10.54	13.32	
	2-Wire VG Line Side Unbundled Incoming PBX Trunk - Bus			UEPSP	UEPP1	2.79	9.93	9.19	3.66	2.92			20.35	10.54	13.32	
	2-Wire Analog Long Distance Terminal PBX Trunk - Bus			UEPSP	UEPLD	2.79	9.93	9.19	3.66	2.92			20.35	10.54	13.32	
	2-Wire Analog TN 2-Way Calling Plan PBX Trunk - Bus			UEPSP	UEPT2	2.79	9.93	9.19	3.66	2.92			20.35	10.54	13.32	
	2-Wire TN Outward Calling Plan PBX Trunk - Bus			UEPSP	UEPTO	2.79	9.93	9.19	3.66	2.92			20.35	10.54	13.32	
-	2-Wire Voice Unbundled PBX LD Terminal Ports			UEPSP	UEPLD	2.79	9.93 9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
 	2-Wire Voice Unbundled 2-Way PBX Tennessee Calling Port	 	1	UEPSP	UEPT2	2.79	9.93	9.19	3.66	2.92	1		20.35	10.54	13.32	1.40
	2-Wire Voice Unbundled 1-Way Outgoing PBX Tennessee Calling Port			UEPSP	UEPTO	2.79	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
 	2-Wire Vice Unbundled 2-Way PBX Usage Port	 	l -	UEPSP	UEPXA	2.79	9.93	9.19	3.66	2.92	 		20.35	10.54	13.32	
 	2-Wire Vice Unbundled PBX Toll Terminal Hotel Ports	 	1	UEPSP	UEPXB	2.79	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
 	2-Wire Voice Unbundled PBX LD DDD Terminals Port	†	1	UEPSP	UEPXC	2.79	9.93	9.19	3.66	2.92			20.35	10.54	13.32	
l 1	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port			UEPSP	UEPXD	2.79	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD			-												1
	Capable Port	<u> </u>	<u></u>	UEPSP	UEPXE	2.79	9.93	9.19	3.66	2.92	<u> </u>		20.35	10.54	13.32	1.40
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy															
	Administrative Calling Port		<u> </u>	UEPSP	UEPXL	2.79	9.93	9.19	3.66	2.92	ļ		20.35	10.54	13.32	1.40
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy													1 7	1	
 	Room Calling Port	ļ	<u> </u>	UEPSP	UEPXM	2.79	9.93	9.19	3.66	2.92	ļ		20.35	10.54	13.32	1.40
l l	2-W Voice Unbundled 1-Way Out PBX Hotel/Hospital Economy	1		LIEDOD	LIEDVAL	0	0.00	0.10	0.00	0.00			00.00	40	40.00	1
 	Administrative Calling Port TN Calling Port	 	ļ	UEPSP	UEPXN	2.79	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
1 1	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital Discount Room Calling Port	1		UEPSP	UEPXO	2.79	9.93	0.40	2.00	2.92			20.35	10.54	12.22	1.40
1 1		•	1	ULFOF	IUEFAU	2.79	9.93	9.19	3.66	2.92	1	1	ı ∠∪.35	10.54	13.32	1.40
	Unbundled Exchange Ports, PBX Trunk Combination,															

UNRU	NDI ED N	ETWORK ELEMENTS - Tennessee												Attachment:	2 Fyh Δ		1
ONDO	TOLLO I	ETWORK ELLINEATO Tellilossee										Svc Order		Incremental		Incremental	Incremental
												Submitted		_	Charge -	Charge -	Charge -
			Interi	l_					D.4.T.F.O.(A)			Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATE	SORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
								Nonrecurring		Nonrecurring	Disconnect			OSS	Rates(\$)		
	1						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	1	Unbundled Exchange Ports, PBX Trunk Combination, first trunk,					1100	1 1130	Addi	11130	Addi	COMILO	COMPAR	COMPAR	COMPAR	COMPAR	COMPAR
		Collierville and Memphis Local Calling Plan			UEPSP	UEPA7	2.79	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
		2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPSP	UEPXS	2.79	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
		2-Wire Voice Unbundled PBX Collierville and Memphis Calling					-										
		Port			UEPSP	UEPXU	2.79	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
		2-Wire Voice Unbundled 2-Way PBX Tennessee RegionServ															
		Calling Port			UEPSP	UEPXV	2.79	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
		Subsequent Activity			UEPSP	USASC	0.00	0.00	0.00					20.35	10.54	13.32	1.40
	FEATU																
		All Available Vertical Features	<u> </u>		UEPSP UEPSE	UEPVF	0.00	0.00	0.00	<u> </u>		1	l				
		Transmission/usage charges associated with POTS circuit s															
		Access to B Channel or D Channel Packet capabilities will be	e availal	ole only	through BFR/New	Business Re	equest Process	Rates for the	packet capabi	lities will be de	etermined via t	he Bona Fid	de Request/	New Business	Request Pro	cess.	
<u> </u>	2-WIRE	VOICE GRADE LINE PORT RATES (DID)	 		HEDEV	LIEDDO	0.07	47 75	47.04	0.04	0.47	-		20.05	40.54	40.00	4 40
-	2-Milbi	Exchange Ports - 2-Wire DID Port VOICE GRADE LINE PORT RATES (ISDN-BRI)	 		UEPEX	UEPP2	9.97	47.75	47.01	9.21	8.47			20.35	10.54	13.32	1.40
-	Z-VVIKE	Exchange Ports - 2-Wire ISDN Port (See Notes below.)	 		UEPTX. UEPSX	U1PMA	17.26	30.23	29.49	4.10	4.10			20.35	10.54	13.32	1.40
	1	All Features Offered	 		UEPTX, UEPSX	UEPVF	0.00	0.00	0.00	4.10	4.10			20.35	10.54	13.32	1.40
	1	Exchange Ports - 2-Wire ISDN Port Channel Profiles			UEPTX, UEPSX	U1UMA	0.00	0.00	0.00			1					
		Transmission/usage charges associated with POTS circuit s	witched	lieade						nission by R-Cl	nannole accor	isted with 2	wire ISDN r	oorte	1		1
		Access to B Channel or D Channel Packet capabilities will be													s Request Pro	cess.	
		DLED PORT with REMOTE CALL FORWARDING CAPABILITY			, amougn zi ignon	1	1		paonor supus.	1			I	1			
		DLED REMOTE CALL FORWARDING SERVICE - RESIDENCE															
		Unbundled Remote Call Forwarding Service, Area Calling, Res			UEPVR	UERAC	2.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
		<u> </u>															
		Unbundled Remote Call Forwarding Service, Local Calling - Res			UEPVR	UERLC	2.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
		Unbundled Remote Call Forwarding Service, InterLATA - Res			UEPVR	UERTE	2.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
		Unbundled Remote Call Forwarding Service, IntraLATA - Res			UEPVR	UERTR	2.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
	Non-Re	curring															
		Unbundled Remote Call Forwarding Service - Conversion -															
		Switch-as-is			UEPVR	USAC2		1.03	0.29								
		Unbundled Remote Call Forwarding Service - Conversion with															
		allowed change (PIC and LPIC)			UEPVR	USACC		1.03	0.29								
	UNBUN	DLED REMOTE CALL FORWARDING - Bus															
		Habitanian Danista Call Familian Canida Area Calling Bur			UEPVB	UERAC	2.89	9.93	0.40	2.00	2.92			20.35	10.54	13.32	1.40
-		Unbundled Remote Call Forwarding Service, Area Calling - Bus			UEPVB	UERAC	2.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
	1	Unbundled Remote Call Forwarding Conice Lead Calling Dive	1		UEPVB	UERLC	2.89	9.93	9.19	2.00	2.92			20.35	10.54	13.32	1.40
	1	Unbundled Remote Call Forwarding Service, Local Calling - Bus Unbundled Remote Call Forwarding Service, InterLATA - Bus	 		UEPVB	UERTE	2.89	9.93	9.19	3.66 3.66	2.92			20.35	10.54	13.32	1.40
-	 	Unbundled Remote Call Forwarding Service, InterLATA - Bus Unbundled Remote Call Forwarding Service, IntraLATA - Bus	 		UEPVB	UERTR	2.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
 	1	Unbundled Remote Call Forwarding Service Expanded and	 		OLI VD	CLIVIIV	2.09	3.33	3.13	5.00	2.92			20.33	10.34	10.02	1.40
		Exception Local Calling			UEPVB	UERVJ	2.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
	Non-Re	curring	1				2.50	3.50	5.10	5.50	2.32			20.00		.0.02	
	12 / (4	Unbundled Remote Call Forwarding Service - Conversion -				1				İ				İ	İ		İ
		Switch-as-is			UEPVB	USAC2		1.03	0.29	1							
		Unbundled Remote Call Forwarding Service - Conversion with	1														
	1	allowed change (PIC and LPIC)	1		UEPVB	USACC		1.03	0.29	I				1	1]
UNBU		OCAL SWITCHING, PORT USAGE															
		fice Switching (Port Usage)															
		End Office Switching Function, Per MOU					0.0008041										
	Tanden	n Switching (Port Usage) (Local or Access Tandem)															
	<u> </u>	Tandem Switching Function Per MOU	<u> </u>				0.0009778										
	L	Tandem Switching Function Per MOU (Melded)				ļ	.000380364			.							
		Factor: 38.90% of the Tandem Rate															
-	Commo	on Transport	 			1	0.000000:			!	-			 	 		
-	 	Common Transport - Per Mile, Per MOU	 	-		1	0.0000064			1		-		-	-		
LINIDI	IDI ED 5	Common Transport - Facilities Termination Per MOU	 			ļ	0.0003871			 		-		 	 		
ONBU		ORT/LOOP COMBINATIONS - COST BASED RATES Based Rates are applied where BellSouth is required by FCC	and/ar f	State C	ammission mula 4	rovido Untr	ndlad Lasal Co	vitching or C	ch Porto	i	l	1	<u> </u>	i	i		L
-		sased Rates are applied where BellSouth is required by FCC and the Cost Based Section (Section 2).								Racad Dates	Dine \$1 nn in A	ccordance :	with the TDI	PO			
	/>iiie U	ME -1 Ownerming Fort Nates Nemected III the Cost Dased Section	on Appi	y t∪ ⊑∏	IIDEUUEU DASE UNE-	o as Oi Widi	511 10, 2000 dNC	a consist of the	I LLNIC COS	Laseu Rales I	145 φ1.00 III A	ccoruance \	with tile IRI	vo.			

Version 4Q05 Standard ICA 03/15/06 (Renegotiations)

Page 243 of 261

UNBUNDLED	NETWORK ELEMENTS - Tennessee												Attachment:	2 Exh A		
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Charge -	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'I
															2.00 .01	
\longrightarrow						Rec	Nonrecurring First	Add'l	Nonrecurring First	Disconnect Add'l	SOMEC	SOMAN		Rates(\$) SOMAN	SOMAN	SOMAN
>Feat	□ ures shall apply to the Unbundled Port/Loop Combination - Co	st Base	d Rate	section in the same	manner as 1							JOWAN	JOWAN	SOWAN	JOWAN	JOWAN
	Office and Tandem Switching Usage and Common Transport L											oin Port/Loc	p Combination	ons.		
	first and additional Port nonrecurring charges apply to Not Cui															
	E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)															
UNE P	Port/Loop Combination Rates					15.18										+
-+-	2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2					19.01									1	+
	2-Wire VG Loop/Port Combo - Zone 3					24.02										1
UNE L	oop Rates															
	2-Wire Voice Grade Loop (SL1) - Zone 1			UEPRX	UEPLX	12.48										
	2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPRX	UEPLX	16.31										+
2-Wire	2-Wire Voice Grade Loop (SL1) - Zone 3 e Voice Grade Line Port Rates (Res)		3	UEPRX	UEPLX	21.32										
2 11110	2-Wire voice unbundled port - residence			UEPRX	UEPRL	2.70	22.14	15.25	8.45	3.91			20.35	10.54	13.32	13.32
	2-Wire voice unbundled port with Caller ID - res			UEPRX	UEPRC	2.70	22.14	15.25	8.45	3.91			20.35	10.54	13.32	13.32
	2-Wire voice unbundled port outgoing only - res			UEPRX	UEPRO	2.70	22.14	15.25	8.45	3.91			20.35	10.54	13.32	13.32
	2-Wire voice Grade unbundled Tennessee extended local dialing parity port with Caller ID - res			UEPRX	UEPAQ	2.70	22.14	15.25	8.45	3.91			20.35	10.54	13.32	13.32
	2-Wire voice unbundled Tennessee Area Plus with Caller ID - res (AC7)			UEPRX	UEPAH	2.70	22.14	15.25	8.45	3.91			20.35	10.54	13.32	13.32
	2-Wire voice unbundled Tennessee Area Calling port with Caller ID - res (F2R)			UEPRX	UEPAK	2.70	22.14	15.25	8.45	3.91			20.35	10.54	13.32	13.32
	2-Wire voice unbundled Tennessee Area Calling port with Caller ID - res (TACER)			UEPRX	UEPAL	2.70	22.14	15.25	8.45	3.91			20.35	10.54	13.32	13.32
	2-Wire voice unbundled Tennessee Area Calling port with Caller ID - res (TACSR)			UEPRX	UEPAM	2.70	22.14	15.25	8.45	3.91			20.35	10.54	13.32	13.32
	2-Wire voice unbundled Tennessee Area Calling port with Caller ID - res (1MF2X)			UEPRX	UEPAN	2.70	22.14	15.25	8.45	3.91			20.35	10.54	13.32	13.32
	2-Wire voice unbundled Tennessee Area Calling port with Caller ID - res (2MR)			UEPRX	UEPAO	2.70	22.14	15.25	8.45	3.91			20.35	10.54	13.32	13.32
	2-Wire voice unbundles res, low usage line port with Caller ID (LUM) 2-Wire Voice Unbundled Tennessee Residence Dialing Plan			UEPRX	UEPAP	2.70	22.14	15.25	8.45	3.91			20.35	10.54	13.32	13.32
	without Caller ID 2-Wire voice unbundled Tennessee Area Plus Port without			UEPRX	UEPWN	2.70	22.14	15.25	8.45	3.91			20.35	10.54	13.32	13.32
	Caller ID Capability 2-Wire voice unbundled Low Usage Line Port without Caller ID			UEPRX	UEPRR	2.70	22.14	15.25	8.45	3.91			20.35	10.54	13.32	13.32
FEAT	Capability			UEPRX	UEPRT	2.70	22.14	15.25	8.45	3.91			20.35	10.54	13.32	13.32
1	All Features Offered			UEPRX	UEPVF	0.00	0.00	0.00								
NONR	ECURRING CHARGES (NRCs) - CURRENTLY COMBINED															
	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch-as-is			UEPRX	USAC2		1.03	0.29								
	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch with change			UEPRX	USACC		1.03	0.29								
	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Subsequent Database Update						0.76									
	2-Wire Voice Grade Loop / Line Port Platform - Installation Charge at QuickService location - Not Conversion of Existing Service			UEPRX	URECC		1.03									
ADDIT	TIONAL NRCs			02/100	5	1	1.00								†	
	2-Wire Voice Grade Loop/Line Port Combination - Subsequent Activity			UEPRX	USAS2	0.00	0.00	0.00								
	Unbundled Miscellaneous Rate Element, Tag Loop at End User Premise			UEPRX	URETL		8.33	0.83					20.35	10.54	13.32	13.32
OFF/C	ON PREMISES EXTENSION CHANNELS															
	2 Wire Analog Voice Grade Extension Loop – Non-Design			UEPRX	UEAEN	13.19	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
I	2 Wire Analog Voice Grade Extension Loop – Non-Design			UEPRX UEPRX	UEAEN UEAEN	17.23 22.53	31.99 31.99	20.02	10.65 10.65	1.41 1.41			20.35 20.35	10.54 10.54	13.32 13.32	13.32 13.32

Version 4Q05 Standard ICA 03/15/06 (Renegotiations) Page 244 of 261

UNBUNDLED	NETWORK ELEMENTS - Tennessee												Attachment:	2 Exh A		
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
							Nonrecurring		Nonrecurring	Disconnect	1	l	088	Rates(\$)		l .
						Rec	First	Add'l	First	Add'l	COMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2 Wire Analog Voice Grade Extension Loop – Design	1	1	UEPRX	UEAED	16.56	75.06	48.20	28.70	17.64	SOWIEC	SUMAN	20.35	10.54	13.32	13.32
	2 Wire Analog Voice Grade Extension Loop – Design		2	UEPRX	UEAED	21.63	75.06	48.20	28.70	17.64			20.35	10.54	13.32	13.32
	2 Wire Analog Voice Grade Extension Loop – Design			UEPRX	UEAED	28.28	75.06	48.20	28.70	17.64			20.35	10.54	13.32	13.32
INTE	ROFFICE TRANSPORT		-	OLI IXX	OLALD	20.20	75.00	40.20	20.70	17.04			20.55	10.54	10.02	10.02
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility															
	Termination			UEPRX	U1TV2	18.58	55.39	17.37	27.96	3.51						
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile															
	or Fraction Mile			UEPRX	U1TVM	0.0174	0.00	0.00								
2-WI	RE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS)															
UNE	Port/Loop Combination Rates															
	2-Wire VG Loop/Port Combo - Zone 1					15.18										
	2-Wire VG Loop/Port Combo - Zone 2					19.01										
	2-Wire VG Loop/Port Combo - Zone 3					24.02	1									
UNE	Loop Rates	ļ	<u> </u>	LIEBBY			1		ļ		ļ					ļ
	2-Wire Voice Grade Loop (SL1) - Zone 1	ļ	1	UEPBX	UEPLX	12.48	1		ļ		ļ					ļ
	2-Wire Voice Grade Loop (SL1) - Zone 2	<u> </u>	2	UEPBX	UEPLX	16.31	+ +		 		ļ		 			
0.140	2-Wire Voice Grade Loop (SL1) - Zone 3 re Voice Grade Line Port (Bus)	 	3	UEPBX	UEPLX	21.32	+ +		 		 		 			
2-0011	2-Wire voice unbundled port without Caller ID - bus			UEPBX	UEPBL	2.70	22.14	15.25	8.45	3.91			20.35	10.54	13.32	13.32
	2-Wire voice unburidled port with Caller i b - bus 2-Wire voice unbundled port with Caller + E484 ID - bus			UEPBX	UEPBC	2.70		15.25	8.45	3.91			20.35	10.54	13.32	13.32
	2-Wire voice unburidled port with Callet + L404 ib - bus 2-Wire voice unbundled port outgoing only - bus			UEPBX	UEPBO	2.70	22.14	15.25	8.45	3.91			20.35	10.54	13.32	13.32
+	2-Wire voice Grade unbundled Tennessee extended local			OLI DX	OLI BO	2.70	22.14	10.20	0.40	3.31	1		20.55	10.54	10.02	13.32
	dialing parity port with Caller ID - bus			UEPBX	UEPAV	2.70	22.14	15.25	8.45	3.91			20.35	10.54	13.32	13.32
	2-Wire voice unbundled incoming only port with Caller ID - Bus			UEPBX	UEPB1	2.70		15.25	8.45	3.91			20.35	10.54	13.32	13.32
	2-Wire voice unbundled Tennessee Bus 2-Way Area Calling															
	Port Economy Option (TACC1)			UEPBX	UEPAC	2.70	22.14	15.25	8.45	3.91			20.35	10.54	13.32	13.32
	2-Wire voice unbundled Tennessee Bus 2-Way Area Calling															
	Port Standard Option (TACC2)			UEPBX	UEPAD	2.70	22.14	15.25	8.45	3.91			20.35	10.54	13.32	13.32
	2-Wire voice unbundled Tennessee Bus 2-Way Collierville and															
	Memphis Local Calling Port (B2F)			UEPBX	UEPAE	2.70	22.14	15.25	8.45	3.91			20.35	10.54	13.32	13.32
	2-Wire Voice Unbundled Tennessee Business Dialing Plan															
	without Caller ID			UEPBX	UEPWO	2.70	22.14	15.25	8.45	3.91			20.35	10.54	13.32	13.32
	Tennessee Inward Collierville and Memphis Local Calling Plan															
	(BUS)			UEPBX	UEPB2	2.70	22.14	15.25	8.45	3.91			20.35	10.54	13.32	13.32
	Tennessee 2-Way Collierville and Memphis Local Calling Plan															40.00
	(BUS)			UEPBX	UEPB3	2.70	22.14	15.25	8.45	3.91			20.35	10.54	13.32	13.32
	2-Wire voice unbundled Incoming Only Port without Caller ID			UEPBX	UEPBE	2.70	22.14	15.25	8.45	3.91			20.35	10.54	13.32	13.32
EEAT	Capability Cures			UEPBX	UEPBE	2.70	22.14	15.25	8.45	3.91	1		20.35	10.54	13.32	13.32
FLA	All Features Offered			UEPBX	UEPVF	0.00	0.00	0.00	1		1					
NON	RECURRING CHARGES (NRCs) - CURRENTLY COMBINED	 	<u> </u>	J_1 D/1	OLI VI	0.00	0.00	0.00	 		 		 			
- 1.014	2-Wire Voice Grade Loop / Line Port Combination - Conversion -	1	1				+									1
	Switch-as-is	1	1	UEPBX	USAC2		1.03	0.29					1			
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -	l	<u> </u>				150	5.20	†							İ
	Switch with change	1	1	UEPBX	USACC		1.03	0.29					1			
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -															
	Subsequent Database Update	<u> </u>					0.76						<u> </u>			<u> </u>
ADDI	TIONAL NRCs															
	2-Wire Voice Grade Loop/Line Port Combination - Subsequent	1	1				1 7		1]			
	Activity	ļ	<u> </u>	UEPBX	USAS2	0.00	0.00	0.00	ļ							ļ
	Unbundled Miscellaneous Rate Element, Tag Loop at End User	1	1]				1			
05-	Premise	ļ	<u> </u>	UEPBX	URETL		8.33	0.83								1
OFF/	ON PREMISES EXTENSION CHANNELS	 	1	LIEDDY	LIEAEN	40.40	24.00	20.00	40.05	4 44	ļ		20.05	10.51	40.00	40.00
	2 Wire Analog Voice Grade Extension Loop – Non-Design 2 Wire Analog Voice Grade Extension Loop – Non-Design	 	2	UEPBX UEPBX	UEAEN UEAEN	13.19 17.23	31.99 31.99	20.02	10.65 10.65	1.41 1.41	1		20.35 20.35	10.54 10.54	13.32 13.32	13.32 13.32
	2 Wire Analog Voice Grade Extension Loop – Non-Design 2 Wire Analog Voice Grade Extension Loop – Non-Design	 	3	UEPBX	UEAEN	22.53	31.99	20.02	10.65	1.41	 		20.35	10.54	13.32	13.32
	2 Wire Analog Voice Grade Extension Loop – Non-Design 2 Wire Analog Voice Grade Extension Loop – Design	 	1	UEPBX	UEAED	16.56		48.20	28.70	17.64	 		20.35	10.54	13.32	13.32
					JLALD	10.00	10.00	70.20	20.70	17.04	1			10.54	10.32	
	2 Wire Analog Voice Grade Extension Loop – Design		2	UEPBX	UEAED	21.63	75.06	48.20	28.70	17.64			20.35	10.54	13.32	13.32

UNBUNDLE	D NE	TWORK ELEMENTS - Tennessee												Attachment:	2 Exh A		
CATEGORY	(RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)			Svc Order Submitted Elec per LSR	Submitted Manually	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Charge -	Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'l
								Nonrecurring		Nonrecurring					Rates(\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
INT		FICE TRANSPORT															
		teroffice Transport - Dedicated - 2 Wire Voice Grade - Facility ermination			UEPBX	U1TV2	18.58	55.39	17.37	27.96	3.51						
		teroffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile r Fraction Mile			UEPBX	U1TVM	0.0174	0.00	0.00								
2-W	IRE V	OICE GRADE LOOP WITH 2-WIRE LINE PORT (RES - PBX)															
UNE	E Port	/Loop Combination Rates															
	2-	-Wire VG Loop/Port Combo - Zone 1					15.18										
	2-	-Wire VG Loop/Port Combo - Zone 2					19.01										
	2-	-Wire VG Loop/Port Combo - Zone 3					24.02										ĺ
UNE	E Loo	p Rates															
		-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEPRG	UEPLX	12.48		· · · · · · · · · · · · · · · · · · ·								
		-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEPRG	UEPLX	16.31		<u> </u>								
		-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEPRG	UEPLX	21.32										
2-W		pice Grade Line Port Rates (RES - PBX)															
		-Wire VG Unbundled Combination 2-Way PBX Trunk Port - es			UEPRG	UEPRD	2.70	22.14	15.25	8.45	3.91			20.35	10.54	13.32	13.32
FEA	ATURE	ES .															
	Al	Il Features Offered			UEPRG	UEPVF	0.00	0.00	0.00								
NON	NREC	URRING CHARGES (NRCs) - CURRENTLY COMBINED															ĺ
	2-	-Wire Voice Grade Loop/ Line Port Combination (PBX) -															
	C	onversion - Switch-As-Is			UEPRG	USAC2		1.03	0.29								
		-Wire Voice Grade Loop/ Line Port Combination (PBX) -															
		onversion - Switch with Change			UEPRG	USACC		1.03	0.29								
		-Wire Voice Grade Loop / Line Port Combination - Conversion - ubsequent Database Update						0.76									
ADD	MOITIC	NAL NRCs															
		-Wire Voice Grade Loop/ Line Port Combination (PBX) - ubsequent Activity			UEPRG	USAS2	0.00	0.00	0.00								
		BX Subsequent Activity - Change/Rearrange Multiline Hunt															
		roup						14.64	14.64								
		nbundled Miscellaneous Rate Element, Tag Loop at End User remise			UEPRG	URETL		8.33	0.83								
OFF		PREMISES EXTENSION CHANNELS			OLI IKO	OKETE		0.00	0.00								
		ocal Channel Voice grade, per termination		1	UEPRG	P2JHX	16.56	75.06	48.20	28.70	17.64			20.35	10.54	13.32	13.32
		ocal Channel Voice grade, per termination		2	UEPRG	P2JHX	21.63	75.06	48.20	28.70	17.64			20.35	10.54	13.32	13.32
		ocal Channel Voice grade, per termination		3	UEPRG	P2JHX	28.28	75.06	48.20	28.70	17.64			20.35	10.54	13.32	13.32
		on-Wire Direct Serve Channel Voice Grade		SW	UEPRG	SDD2X	10.02	148.84	112.34	73.14	36.65			20.35	10.54	13.32	13.32
INT	EROF	FICE TRANSPORT															
		teroffice Transport - Dedicated - 2 Wire Voice Grade - Facility ermination			UEPRG	U1TV2	18.58	55.39	17.37	27.96	3.51						
	ln	teroffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile r Fraction Mile			UEPRG	U1TVM	0.0174	0.00	0.00								
2-W		OICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)	1		02.10	3111111	0.0174	0.00	5.00							<u> </u>	t
		/Loop Combination Rates	1			1				1					1	t	
		-Wire VG Loop/Port Combo - Zone 1			İ	1	15.18			İ	İ			İ	İ	İ	İ .
		-Wire VG Loop/Port Combo - Zone 2					19.01					İ					1
		-Wire VG Loop/Port Combo - Zone 3					24.02										1
UNE	E Loo	p Rates															
	2-	-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEPPX	UEPLX	12.48										
		-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEPPX	UEPLX	16.31		· · · · · · · · · · · · · · · · · · ·								
		-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEPPX	UEPLX	21.32		<u> </u>								
2-W	ire Vo	pice Grade Line Port Rates (BUS - PBX)															ļ
	Li	ne Side Unbundled Combination 2-Way PBX Trunk Port - Bus			UEPPX	UEPPC	2.70	22.14	15.25	8.45	3.91			20.35	10.54	13.32	13.32
		ne Side Unbundled Outward PBX Trunk Port - Bus			UEPPX	UEPPO	2.70	22.14	15.25	8.45	3.91			20.35	10.54	13.32	13.32
	Li	ne Side Unbundled Incoming PBX Trunk Port - Bus			UEPPX	UEPP1	2.70	22.14	15.25	8.45	3.91			20.35	10.54	13.32	13.32
		-Wire Voice Unbundled PBX LD Terminal Ports			UEPPX	UEPLD	2.70	22.14	15.25	8.45	3.91	İ		20.35	10.54		13.32

UNBUNDLED N	ETWORK ELEMENTS - Tennessee												Attachment:	2 Exh A		
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Charge -	Charge -
							Nonrecurring		Nonrecurring					Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Unbundled 2-Way Combination PBX Tennessee															
	Calling Port			UEPPX	UEPT2	2.70	22.14	15.25	8.45	3.91			20.35	10.54	13.32	13.32
	2-Wire Voice Unbundled 1-Way Outgoing PBX Tennessee															
	Calling Port			UEPPX	UEPTO	2.70	22.14	15.25	8.45	3.91			20.35	10.54	13.32	13.32
	2-Wire Voice Unbundled 2-Way Combination PBX Usage Port			UEPPX	UEPXA	2.70	22.14	15.25	8.45	3.91			20.35	10.54	13.32	13.32
	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports			UEPPX	UEPXB	2.70	22.14	15.25	8.45	3.91			20.35	10.54	13.32	13.32
	2-Wire Voice Unbundled PBX LD DDD Terminals Port			UEPPX	UEPXC	2.70	22.14	15.25	8.45	3.91			20.35	10.54	13.32	13.32
	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port			UEPPX	UEPXD	2.70	22.14	15.25	8.45	3.91			20.35	10.54	13.32	13.32
	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD Capable Port			UEPPX	UEPXE	2.70	22.14	15.25	8.45	3.91			20.35	10.54	13.32	13.32
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy															
	Administrative Calling Port		.	UEPPX	UEPXL	2.70	22.14	15.25	8.45	3.91	ļ		20.35	10.54	13.32	13.32
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy			HEDDY	LIEDVA	0 =0		45.00	0 :-	0.01			00.05	40 - 1	40.00	40.00
	Room Calling Port		1	UEPPX	UEPXM	2.70	22.14	15.25	8.45	3.91	ļ	1	20.35	10.54	13.32	13.32
	2-Wire Voice Unbundled 1W Out PBX Hotel/Hospital Economy Administrative Calling Port TN Calling Port			UEPPX	UEPXN	2.70	22.14	15.25	8.45	3.91			20.35	10.54	13.32	13.32
	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital															
	Discount Room Calling Port			UEPPX	UEPXO	2.70	22.14	15.25	8.45	3.91			20.35	10.54	13.32	13.32
	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPPX	UEPXS	2.70	22.14	15.25	8.45	3.91	1		20.35	10.54	13.32	13.32
	2-Wire Voice Unbundled PBX Collierville and Memphis Calling Port			UEPPX	UEPXU	2.70	22.14	15.25	8.45	3.91			20.35	10.54	13.32	13.32
	2-Wire Voice Unbundled 2-Way PBX Tennessee RegionServ Callling Port			UEPPX	UEPXV	2.70	22.14	15.25	8.45	3.91			20.35	10.54	13.32	13.32
-	Tennessee PBX 2-Way Combo Each Additional Trunk			ULFFX	OLFAV	2.70	22.14	13.23	0.43	3.91	1		20.33	10.34	13.32	13.32
	Collierville and Memphis Local Calling Plan Tennessee PBX 2-Way Combo First Trunk Collierville and			UEPPX	UEPA6	2.70	22.14	15.25	8.45	3.91			20.35	10.54	13.32	13.32
FEATU	Memphis Local Calling Plan			UEPPX	UEPA7	2.70	22.14	15.25	8.45	3.91			20.35	10.54	13.32	13.32
	All Features Offered			UEPPX	UEPVF	0.00	0.00	0.00								
	CURRING CHARGES (NRCs) - CURRENTLY COMBINED			UEPPA	UEFVF	0.00	0.00	0.00				1				
NONNE	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -					1	1				1					
	Conversion - Switch-As-Is			UEPPX	USAC2		1.03	0.29								
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Conversion - Switch with Change			UEPPX	USACC		1.03	0.29								
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -			OLITA	ООЛОС		1.03	0.23								
	Subsequent Database Update						0.76									
ADDITI	ONAL NRCs															
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -				I	_	1]]		1	
	Subsequent Activity		.	UEPPX	USAS2	0.00	0.00	0.00			ļ					
	PBX Subsequent Activity - Change/Rearrange Multiline Hunt Group						14.64	14.64								
	Unbundled Miscellaneous Rate Element, Tag Loop at End User				1	1										
	Premise		.	UEPPX	URETL		8.33	0.83			ļ		20.35	10.54	13.32	13.32
OFF/ON	PREMISES EXTENSION CHANNELS		<u> </u>	HEDDY	DO II n				00.5	.=	ļ		22.2-			
	Local Channel Voice grade, per termination			UEPPX	P2JHX	16.56	75.06	48.20	28.70	17.64			20.35	10.54	13.32	13.32
	Local Channel Voice grade, per termination		2	UEPPX	P2JHX P2JHX	21.63 28.28	75.06	48.20 48.20	28.70 28.70	17.64 17.64	 	-	20.35	10.54 10.54	13.32 13.32	13.32 13.32
	Local Channel Voice grade, per termination Non-Wire Direct Serve Channel Voice Grade			UEPPX UEPPX	SDD2X	10.02	75.06 148.84	112.34	73.14	36.65			20.35 20.35	10.54	13.32	13.32
INTERC	OFFICE TRANSPORT		Svv	OLI FA	SDDZA	10.02	140.04	112.34	13.14	30.63			20.33	10.54	13.32	13.32
INTERC	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility Termination			UEPPX	U1TV2	18.58	55.39	17.37	27.96	3.51						
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile			-	U1TVM				21.90	3.31						
2-WIDE	or Fraction Mile VOICE GRADE LOOP WITH 2-WIRE LINE PORT (COIN)			UEPPX	UTIVM	0.0174	0.00	0.00	1		 	-	1			1
	ort/Loop Combination Rates				+	 	+ +								 	1
ONL FO	2-Wire VG Coin Port/Loop Combo – Zone 1				+	15.18	 				 		 		 	1
					+				-		+	 		 	-	1
	2-Wire VG Coin Port/Loop Combo - Zone 2					19.01	1									
	2-Wire VG Coin Port/Loop Combo – Zone 2 2-Wire VG Coin Port/Loop Combo – Zone 3					19.01 24.02										

UNBUNDI ED	NETWORK ELEMENTS - Tennessee												Attachment:	2 Fyh Δ	ı	
UNBUNDLED	NETWORK ELEMENTS - Tellilessee	I									Svc Order	Svc Order	Incremental		Incremental	Incremental
ł											Submitted			Charge -	Charge -	Charge -
i		l									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
i		m						.,,			per Lor	per Lor	Electronic-	Electronic-	Electronic-	Electronic-
i													1st	Add'l	Disc 1st	Disc Add'l
<u> </u>															Disc 1st	DISC Add I
							Nonrecurring		Nonrecurring					Rates(\$)		
ل_						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Grade Loop (SL1) - Zone 1			UEPCO	UEPLX	12.48										
	2-Wire Voice Grade Loop (SL1) - Zone 2			UEPCO	UEPLX	16.31										
	2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPCO	UEPLX	21.32										
2-Wire	voice Grade Line Ports (COIN)															
i l	2-Wire Coin 2-Way without Operator Screening and without			UEPCO	UEPTB	0.70	00.44	45.05	0.45	3.91			20.35	40.54	40.00	40.00
	Blocking (TN)			UEPCO	UEPIB	2.70	22.14	15.25	8.45	3.91	ļ		20.35	10.54	13.32	13.32
i l	2-Wire Coin 2-Way with Operator Screening and Blocking: 011, 900/976, 1+DDD (NC, TN)			UEPCO	UEPRP	2.70	22.14	15.25	8.45	3.91			20.35	10.54	13.32	13.32
-+-	2-Wire Coin 2-Way with Operator Screening and 011 Blocking			UEPCO	UEPRP	2.70	22.14	15.25	0.40	3.91	1	1	20.33	10.54	13.32	13.32
	(TN)			UEPCO	UEPTA	2.70	22.14	15.25	8.45	3.91			20.35	10.54	13.32	13.32
-	2-Wire Coin 2-Way with Operator Screening: 900 Blocking:	1		02. 00	JEI I/X	2.70	22.17	10.20	0.40	0.91			20.00	10.04	10.02	10.02
	900/976, 1+DDD, 011+, and Local (NC, TN)			UEPCO	UEPCA	2.70	22.14	15.25	8.45	3.91			20.35	10.54	13.32	13.32
1	2-Wire Coin Outward with Operator Screening and 011 Blocking					20		.0.20	5.70	5.51			20.00		.3.32	.5.52
. 1	(TN)	1		UEPCO	UEPTC	2.70	22.14	15.25	8.45	3.91			20.35	10.54	13.32	13.32
	2-Wire Coin Outward with Operator Screening and Blocking:															
	900/976, 1+DDD, 011+, and Local (TN)			UEPCO	UEPOT	2.70	22.14	15.25	8.45	3.91			20.35	10.54	13.32	13.32
	2-Wire 2-Way Smartline with 900/976 (all states except LA)			UEPCO	UEPCK	2.88							20.35	10.54	13.32	13.32
	2-Wire Coin Outward Smartline with 900/976 (all states except															
	LA)			UEPCO	UEPCR	2.88							20.35	10.54	13.32	13.32
ADDIT	TIONAL UNE COIN PORT/LOOP (RC)															
	UNE Coin Port/Loop Combo Usage (Flat Rate)			UEPCO	URECU	3.45	0.00	0.00	0.00	0.00						
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -	·														
	Switch-as-is			UEPCO	USAC2		1.03	0.29								
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -															
	Switch with change			UEPCO	USACC		1.03	0.29								
	2-Wire Voice Grade Loop/Line Port Combination - Subsequent			LIEDOO	USAS2	0.00	0.00	0.00								
+-	Activity			UEPCO	USAS2	0.00	0.00	0.00	-		1					
	Unbundled Miscellaneous Rate Element, Tag Loop at End User Premise			UEPCO	URETL		8.33	0.83								İ
2-WID	E VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE	FINE	OPT (UKLIL		0.33	0.03	†		1					
	Port/Loop Combination Rates		UK1 (I	(LO)												
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 1					19.45										
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 2					24.52										
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 3					31.17										
UNE L	oop Rates															
	2-Wire Voice Grade Loop (SL2) - Zone 1		1	UEPFR	UECF2	16.56										
	2-Wire Voice Grade Loop (SL2) - Zone 2		2	UEPFR	UECF2	21.63										
	2-Wire Voice Grade Loop (SL2) - Zone 3		3	UEPFR	UECF2	28.28										
2-Wire	Voice Grade Line Port Rates (Res)	<u> </u>							ļ							
	2-Wire voice unbundled port - residence	<u> </u>		UEPFR	UEPRL	2.89	84.99	57.39	32.36	20.56	<u> </u>		20.35	10.54	13.32	13.32
	2-Wire voice unbundled port with Caller ID - res	ļ		UEPFR	UEPRC	2.89	84.99	57.39	32.36	20.56			20.35	10.54	13.32	13.32
	2-Wire voice unbundled port outgoing only - res	<u> </u>		UEPFR	UEPRO	2.89	84.99	57.39	32.36	20.56			20.35	10.54	13.32	13.32
1	2-Wire voice Grade unbundled Tennessee extended local	1		HEDED	LIEDAG	0.00	04.00	F7.00	00.00	00.50			00.0-	10.51	10.00	10.00
	dialing parity port with Caller ID - res 2-Wire voice unbundled Tennessee Area Plus with Caller ID -	 		UEPFR	UEPAQ	2.89	84.99	57.39	32.36	20.56	1	-	20.35	10.54	13.32	13.32
. 1	res (AC7)			UEPFR	UEPAH	2.89	84.99	57.39	32.36	20.56			20.35	10.54	13.32	13.32
-+	2-Wire voice unbundled Tennessee Area Calling port with Caller	 		ULFFR	UEPAH	2.89	04.99	51.39	32.36	∠∪.56			20.35	10.54	13.32	13.32
1	ID - res (F2R)			UEPFR	UEPAK	2.89	84.99	57.39	32.36	20.56			20.35	10.54	13.32	13.32
-+	2-Wire voice unbundled Tennessee Area Calling port with Caller	†		<u> </u>	JE1 /313	2.09	04.33	51.55	52.30	20.30	1	<u> </u>	20.00	10.34	13.32	15.52
	ID - res (TACER)	1		UEPFR	UEPAL	2.89	84.99	57.39	32.36	20.56			20.35	10.54	13.32	13.32
	2-Wire voice unbundled Tennessee Area Calling port with Caller	†				_,00	200	2.100	500	_5.00					12.02	
1	ID - res (TACSR)	1		UEPFR	UEPAM	2.89	84.99	57.39	32.36	20.56			20.35	10.54	13.32	13.32
	2-Wire voice unbundled Tennessee Area Calling port with Caller					50	220	230	550							
	ID - res (1MF2X)	<u> </u>		UEPFR	UEPAN	2.89	84.99	57.39	32.36	20.56	<u> </u>	<u> </u>	20.35	10.54	13.32	13.32
i	2-Wire voice unbundled Tennessee Area Calling port with Caller															
	ID - res (2MR)			UEPFR	UEPAO	2.89	84.99	57.39	32.36	20.56			20.35	10.54	13.32	13.32
, l =	2-Wire voice unbundles res, low usage line port with Caller ID	1]		1
	(LUM)	1		UEPFR	UEPAP	2.89	84.99	57.39	32.36	20.56		1	20.35	10.54	13.32	13.32

LINBUNDI ED	NETWORK ELEMENTS - Tennessee												Attachment: 2	2 Evh Δ		
ONBONDEEL	NETWORK ELEMENTS - Telliessee										Svc Order	Svc Order		Incremental	Incremental	Incremental
												Submitted		Charge -	Charge -	Charge -
		Interi									Elec	Manually		Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
							Nonrecurring		Nonrecurring	Disconnect		l.	oss	Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Unbundled Tennessee Residence Dialing Plan															l
	without Caller ID			UEPFR	UEPWN	2.89	84.99	57.39	32.36	20.56			20.35	10.54	13.32	13.32
INTE	ROFFICE TRANSPORT															
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility Termination			UEPFR	U1TV2	18.58	55.39	17.37	27.96	3.51						ł
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile			OLITIK	OTTVZ	10.50	33.33	17.57	21.50	3.31						
	or Fraction Mile			UEPFR	1L5XX	0.0174										ł
FEA1	URES															
	All Features Offered			UEPFR	UEPVF	0.00	0.00	0.00								
NON	RECURRING CHARGES (NRCs) - CURRENTLY COMBINED															
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port Combination - Conversion - Switch-as-is			UEPFR	USAC2		16.94	3.72								ł
 	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port			UEFFR	USACZ		16.94	3.12	1							
1 1	Combination - Conversion - Switch-With-Change			UEPFR	USACC		16.94	3.72								l
	Unbundled Miscellaneous Rate Element, Tag Designed Loop at				1											
	End User Premise			UEPFR	URETN		11.23	1.10								l .
	RE VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE	LINE	PORT (BUS)												i
UNE	Port/Loop Combination Rates					10.15										
—	2-Wire VG Loop/IO Tranport/Port Combo - Zone 1 2-Wire VG Loop/IO Tranport/Port Combo - Zone 2					19.45 24.52										
 	2-Wire VG Loop/IO Tranport/Port Combo - Zone 3				+	31.17			1							
UNE	Loop Rates					0										
	2-Wire Voice Grade Loop (SL2) - Zone 1		1	UEPFB	UECF2	16.56										i
	2-Wire Voice Grade Loop (SL2) - Zone 2		2	UEPFB	UECF2	21.63										
	2-Wire Voice Grade Loop (SL2) - Zone 3		3	UEPFB	UECF2	28.28										
2-Wii	re Voice Grade Line Port (Bus)			UEPFB	UEPBL	2.89	84.99	57.39	32.36	20.56			20.35	10.54	40.00	13.32
—	2-Wire voice unbundled port without Caller ID - bus 2-Wire voice unbundled port with Caller + E484 ID - bus			UEPFB	UEPBC	2.89	84.99	57.39	32.36	20.56			20.35	10.54	13.32 13.32	13.32
	2-Wire voice unbundled port outgoing only - bus			UEPFB	UEPBO	2.89	84.99	57.39	32.36	20.56			20.35	10.54	13.32	13.32
	2-Wire voice Grade unbundled Tennessee extended local															i
	dialing parity port with Caller ID - bus			UEPFB	UEPAV	2.89	84.99	57.39	32.36	20.56			20.35	10.54	13.32	13.32
	2-Wire voice unbundled incoming only port with Caller ID - Bus			UEPFB	UEPB1	2.89	84.99	57.39	32.36	20.56			20.35	10.54	13.32	13.32
	2-Wire voice unbundled Tennessee Bus 2-Way Area Calling			UEPFB	UEPAC	2.89	04.00	57.39	32.36	20.56			20.25	10.54	13.32	13.32
 	Port Economy Option (TACC1) 2-Wire voice unbundled Tennessee Bus 2-Way Area Calling			UEFFB	UEPAC	2.09	84.99	57.39	32.30	20.56			20.35	10.54	13.32	13.32
	Port Standard Option (TACC2)			UEPFB	UEPAD	2.89	84.99	57.39	32.36	20.56			20.35	10.54	13.32	13.32
	2-Wire voice unbundled Tennessee Bus 2-Way Collierville and															1
	Memphis Local Calling Port (B2F)			UEPFB	UEPAE	2.89	84.99	57.39	32.36	20.56			20.35	10.54	13.32	13.32
	2-Wire Voice Unbundled Tennessee Business Dialing Plan														40.00	
\vdash	without Caller ID Tennessee Inward Collierville and Memphis Local Calling Plan		-	UEPFB	UEPWO	2.89	84.99	57.39	32.36	20.56	1	-	20.35	10.54	13.32	13.32
	(BUS)			UEPFB	UEPB2	2.89	84.99	57.39	32.36	20.56			20.35	10.54	13.32	13.32
	Tennessee 2-Way Collierville and Memphis Local Calling Plan			S=11D	JE1 J2	2.09	04.33	37.35	32.30	20.30			20.00	10.54	10.02	10.02
	(BUS)			UEPFB	UEPB3	2.89	84.99	57.39	32.36	20.56		<u></u>	20.35	10.54	13.32	13.32
INTE	ROFFICE TRANSPORT							•								
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility															ł
—	Termination Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile			UEPFB	U1TV2	18.58	55.39	17.37	27.96	3.51						
1 1	or Fraction Mile			UEPFB	1L5XX	0.0174										l
FEA1	URES				. 20, 50	0.0174										
	All Features Offered			UEPFB	UEPVF	0.00	0.00	0.00								
NON	RECURRING CHARGES (NRCs) - CURRENTLY COMBINED													_		
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port			LIEDED			40.01	0 =0								l
\vdash	Combination - Conversion - Switch-as-is 2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port			UEPFB	USAC2		16.94	3.72				-				
1 1	Combination - Conversion - Switch with change			UEPFB	USACC		16.94	3.72								l
	Unbundled Miscellaneous Rate Element, Tag Designed Loop at		1		20,.00			3.72								
	End User Premise		<u>L</u>	UEPFB	URETN		11.23	1.10				<u></u>				<u></u>
2-WII	RE VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE	LINE	PORT (PBX)												ı ————

UNBUNDLED	NETWORK ELEMENTS - Tennessee												Attachment:	2 Exh A		
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Charge -	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'I
$\overline{}$							Nonrecurring		Nonrecurring	Disconnect			oss	Rates(\$)	l	ь
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
UNE P	Port/Loop Combination Rates															
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 1					19.45										
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 2					24.52										
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 3					31.17										
UNE L	.oop Rates															1
	2-Wire Voice Grade Loop (SL2) - Zone 1		1	UEPFP	UECF2	16.56										
	2-Wire Voice Grade Loop (SL2) - Zone 2		2	UEPFP	UECF2	21.63										
	2-Wire Voice Grade Loop (SL2) - Zone 3		3	UEPFP	UECF2	28.28										
2-Wire	Voice Grade Line Port Rates (BUS - PBX)															
	Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus			UEPFP	UEPPC	2.79	106.40	63.08	42.67	18.54			20.35	10.54	13.32	13.32
	Line Side Unbundled Outward PBX Trunk Port - Bus		ļ	UEPFP	UEPPO	2.79		63.08	42.67	18.54			20.35	10.54	13.32	13.32
	Line Side Unbundled Incoming PBX Trunk Port - Bus	ļ	<u> </u>	UEPFP	UEPP1	2.79		63.08	42.67	18.54			20.35	10.54	13.32	13.32
	2-Wire Voice Unbundled PBX LD Terminal Ports	<u> </u>	<u> </u>	UEPFP	UEPLD	2.79	106.40	63.08	42.67	18.54			20.35	10.54	13.32	13.32
	2-Wire Voice Unbundled 2-Way Combination PBX Tennessee Calling Port			UEPFP	UEPT2	2.79	106.40	63.08	42.67	18.54			20.35	10.54	13.32	13.32
	2-Wire Voice Unbundled 1-Way Outgoing PBX Tennessee															
	Calling Port			UEPFP	UEPTO	2.79	106.40	63.08	42.67	18.54			20.35	10.54	13.32	13.32
	2-Wire Voice Unbundled 2-Way Combination PBX Usage Port			UEPFP	UEPXA	2.79		63.08	42.67	18.54			20.35	10.54	13.32	13.32
	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports			UEPFP	UEPXB	2.79		63.08	42.67	18.54			20.35	10.54	13.32	13.32
	2-Wire Voice Unbundled PBX LD DDD Terminals Port			UEPFP	UEPXC	2.79	106.40	63.08	42.67	18.54			20.35	10.54	13.32	13.32
	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port			UEPFP	UEPXD	2.79	106.40	63.08	42.67	18.54			20.35	10.54	13.32	13.32
	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD Capable Port			UEPFP	UEPXE	2.79	106.40	63.08	42.67	18.54			20.35	10.54	13.32	13.32
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Administrative Calling Port			UEPFP	UEPXL	2.79	106.40	63.08	42.67	18.54			20.35	10.54	13.32	13.32
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Room Calling Port			UEPFP	UEPXM	2.79	106.40	63.08	42.67	18.54			20.35	10.54	13.32	13.32
	2-Wire Voice Unbundled 1W Out PBX Hotel/Hospital Economy Administrative Calling Port TN Calling Port			UEPFP	UEPXN	2.79	106.40	63.08	42.67	18.54			20.35	10.54	13.32	13.32
	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital Discount Room Calling Port			UEPFP	UEPXO	2.79	106.40	63.08	42.67	18.54			20.35	10.54	13.32	13.32
	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPFP	UEPXS	2.79	106.40	63.08	42.67	18.54			20.35	10.54	13.32	13.32
	2-Wire Voice Unbundled PBX Collierville and Memphis Calling Port			UEPFP	UEPXU	2.79	106.40	63.08	42.67	18.54			20.35	10.54	13.32	13.32
	2-Wire Voice Unbundled 2-Way PBX Tennessee RegionServ Callling Port			UEPFP	UEPXV	2.79		63.08	42.67	18.54			20.35	10.54	13.32	13.3
INTER	OFFICE TRANSPORT															
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility Termination			UEPFP	U1TV2	18.58	55.39	17.37	27.96	3.51						
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile or Fraction Mile			UEPFP	1L5XX	0.0174										
FEATU					1-91-11											
	All Features Offered			UEPFP	UEPVF	0.00	0.00	0.00								
NONR	ECURRING CHARGES (NRCs) - CURRENTLY COMBINED															
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port Combination - Conversion - Switch-as-is			UEPFP	USAC2		16.94	3.72								
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port Combination - Conversion - Switch with change			UEPFP	USACC		16.94	3.72								
	Unbundled Miscellaneous Rate Element, Tag Designed Loop at End User Premise			UEPFP	URETN		11.23	1.10								
2-WIR	E VOICE GRADE LOOP- BUS ONLY - WITH 2-WIRE DID TRUNK	PORT	 	0=111	OILLIN		11.23	1.10								†
	Port/Loop Combination Rates	1	i –			1	1								İ	1
	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 1		i			19.38										
	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 2					20.87										
	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 3					25.78										
UNE L	oop Rates															
	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 1			UEPPX	UECD1	9.60		-								
	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 2		2	UEPPX	UECD1	11.09										

UNBUNDLED N	NETWORK ELEMENTS - Tennessee													Attachment:	2 Exh A		<u> </u>
CATEGORY	RATE ELEMENTS	Interi m	Zone	В	cs	usoc			RATES(\$)				Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Charge -	Charge - Manual Sv Order vs.
								Nonrecurring			g Disconnect				Rates(\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 3		3	UEPPX		UECD1	16.00										
UNE Po	ort Rate																
	Exchange Ports - 2-Wire DID Port			UEPPX		UEPD1	9.78	45.44	29.94	8.45	3.91			30.89	7.03		
NONRE	CURRING CHARGES - CURRENTLY COMBINED																
	2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Combination -																1
	Switch-as-is			UEPPX		USAC1		8.76	5.75								
	2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Conversion																
	with BellSouth Allowable Changes			UEPPX		USA1C		8.76	5.75								
	Unbundled Miscellaneous Rate Element, Tag Designed Loop at																
	End User Premise			UEPPX		URETN		11.23	1.10								
Teleph	one Number/Trunk Group Establisment Charges																1
	DID Trunk Termination (One Per Port)	ļ		UEPPX		NDT	0.00	0.00	0.00	ļ		ļ				ļ	
	Additional DID Numbers for each Group of 20 DID Numbers	ļ		UEPPX		ND4	0.00	0.00	0.00		ļ	ļ					.
	DID Numbers, Non- consecutive DID Numbers , Per Number	ļ	ļ	UEPPX		ND5	0.00	0.00	0.00		ļ	ļ					
	Reserve Non-Consecutive DID numbers	ļ	ļ	UEPPX		ND6	0.00	0.00	0.00		ļ	ļ					
	Reserve DID Numbers	I	<u> </u>	UEPPX		NDV	0.00	0.00	0.00		ļ	ļ					
	ISDN DIGITAL GRADE LOOP WITH 2-WIRE ISDN DIGITAL LIF	NE SIDE	PORT													-	!
UNE Po	ort/Loop Combination Rates		<u> </u>														
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -																
	UNE Zone 1						33.27										
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -																
	UNE Zone 2		<u> </u>				35.78										ļ
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -						4= 00										
	UNE Zone 3						45.32										<u> </u>
UNE LO	pop Rates		<u> </u>	LIEDDD	LIEDDD	1101.07	40.00										
	2-Wire ISDN Digital Grade Loop - UNE Zone 1		1	UEPPB	UEPPR	USL2X	16.20										ļ
	2 Wire ICDN Digital Conda Lang. LINE 7 2		2	LIEDDD	UEPPR	USL2X	40.74										
	2-Wire ISDN Digital Grade Loop - UNE Zone 2 2-Wire ISDN Digital Grade Loop - UNE Zone 3		3	UEPPB UEPPB	UEPPR		18.71 28.25										
LINE D	priving ISDN Digital Grade Loop - ONE Zone 3		3	UEPPB	UEPPR	USLZX	28.25										<u> </u>
UNE PO	Exchange Port - 2-Wire ISDN Line Side Port			UEPPR		UEPPR	17.07	141.75	118.37	49.20	43.26			19.99	19.99		
	Exchange Port - 2-Wire ISDN Line Side Port			UEPPB		UEPPB	17.07	141.75	118.37	49.20	43.26	1		19.99	19.99	-	
NONDE	ECURRING CHARGES - CURRENTLY COMBINED			UEPPB		UEPPB	17.07	141.75	110.37	49.20	43.20			19.99	19.99		
NONKE	2-Wire ISDN Digital Grade Loop / 2-Wire ISDN Line Side Port																
	Combination - Conversion			LIEDDR	UEPPR	USACB	0.00	117.23	117.23					19.99	19.99		
ADDITI	ONAL NRCs		1	OLITE	OLITIK	OOAOD	0.00	117.23	117.25			1		13.33	13.33		
ADDITI	2-Wire ISDN Loop / 2-Wire ISDN Port Combination - Sub Actvy	1	 			l	 	 		 	1	1				 	
1	Non Feature/Add Trunk	l	1	UEPPB	UEPPR	USASB	Ì	212.88					1	19.99	19.99	I	
	Unbundled Miscellaneous Rate Element, Tag Designed Loop at	1	1	52115	JELLIK	23/102		212.00				1		10.99	10.00	<u> </u>	t
1	End User Premise	l		UEPPB	UEPPR	URETN		11.23	1.10				1			I	
	Unbundled Miscellaneous Rate Element, Tag Loop at End User	1					1	20	0	1						1	
	Premise	l	1	UEPPB	UEPPR	URETL	Ì	8.33	0.83				1			I	
B-CHA	NNEL USER PROFILE ACCESS:		1			i	İ	1	2.30	İ	1			İ	İ	İ	1
	CVS/CSD (DMS/5ESS)			UEPPB	UEPPR	U1UCA	0.00	0.00	0.00								1
	CVS (EWSD)			UEPPB	UEPPR	U1UCB	0.00	0.00	0.00								1
	CSD			UEPPB	UEPPR	U1UCC	0.00	0.00	0.00								1
B-CHA	NNEL AREA PLUS USER PROFILE ACCESS: (AL,KY,LA,MS SC	C,MS, 8	(TN														
	CVS/CSD (DMS/5ESS)			UEPPB	UEPPR	U1UCD	0.00	0.00	0.00								
	CVS (EWSD)			UEPPB	UEPPR	U1UCE	0.00	0.00	0.00								
	CSD			UEPPB	UEPPR	U1UCF	0.00	0.00	0.00								
USER	FERMINAL PROFILE																
	User Terminal Profile (EWSD only)			UEPPB	UEPPR	U1UMA	0.00	0.00	0.00								
VERTIC	CAL FEATURES																
	All Vertical Features - One per Channel B User Profile			UEPPB	UEPPR	UEPVF	0.00	0.00	0.00								
INTER	OFFICE CHANNEL MILEAGE								-								
	Interoffice Channel mileage each, including first mile and	l	1											I	I		1
	facilities termination		1		UEPPR	M1GNC	17.91	53.99	17.37			ļ		19.99	19.99		ļ
	Interoffice Channel mileage each, additional mile			UEPPB	UEPPR	M1GNM	0.173	0.00	0.00								ļ
INDINDIED (CENTREX PORT/LOOP COMBINATIONS - COST BASED RATES	S	1	1		1					1	1	l	l	l	1	

UNBUNDLED	NETWORK ELEMENTS - Tennessee												Attachment:	2 Exh A		
			1								Svc Order	Svc Order	Incremental		Incremental	Incremental
												Submitted		Charge -	Charge -	Charge -
											Elec		Manual Svc			Manual Svc
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES(\$)								
CATEGORI	RATE ELEMENTS	m	Zone	БСЗ	0300			KAILS(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
							Nonrecurring			g Disconnect				Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
UNE-P	CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only)															
2-Wire	VG Loop/2-Wire Voice Grade Port (Centrex) Combo															
UNE P	ort/Loop Combination Rates (Non-Design)															
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo															
	Non-Design					15.18										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
	Non-Design					19.01										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		1			10.01										
	Non-Design					24.02										
LINE D	ort/Loop Combination Rates (Design)		1			24.02					1					
UNEP		 	├		+	 			 	 	-	-				
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo	1	1			10.00			1	1		İ		Ì	Ì	
\vdash	Design Control of the	<u> </u>	<u> </u>		ļ	19.26					.					
1 1	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -					1			1	1						
	Design	<u> </u>	<u> </u>		1	24.33			ļ	ļ					ļ	
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
	Design	<u> </u>	<u></u>			30.98			<u></u>				<u></u>	L		
UNE L	oop Rate															
	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP91	UECS1	12.48										
	2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEP91	UECS1	16.31										
	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP91	UECS1	21.32										
	2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP91	UECS2	16.56										
	2-Wire Voice Grade Loop (SL 2) - Zone 2	1	2	UEP91	UECS2	21.63										
	2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP91	UECS2	28.28										
UNE P			Ŭ	OLI OI	OLOGE	20.20										
	tes (Except North Carolina and Sout Carolina)	 	 													
All Sta	2-Wire Voice Grade Port (Centrex) Basic Local Area		 	UEP91	UEPYA	2.70	22.14	15.25	8.45	3.91			30.89	7.03		
-				UEF91	UEFTA	2.70	22.14	15.25	0.43	3.91			30.69	7.03		
	2-Wire Voice Grade Port (Centrex 800 termination)Basic Local													=		
	Area			UEP91	UEPYB	2.70	22.14	15.25	8.45	3.91			30.89	7.03		
	2-Wire Voice Grade Port (Centrex with Caller ID)Note1 Basic															
	Local Area			UEP91	UEPYH	2.70	22.14	15.25	8.45	3.91			30.89	7.03		
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)															
	Note 2, 3 Basic Local Area			UEP91	UEPYM	2.70	22.14	15.25	8.45	3.91			30.89	7.03		
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service															
	Term - Basic Local Area			UEP91	UEPYZ	2.70	22.14	15.25	8.45	3.91			30.89	7.03		
	2-Wire Voice Grade Port terminated in on Megalink or equivalent															
1 1	- Basic Local Area			UEP91	UEPY9	2.70	22.14	15.25	8.45	3.91			30.89	7.03		
	2-Wire Voice Grade Port Terminated on 800 Service Term -													1		
	Basic Local Area	1	1	UEP91	UEPY2	2.70	22.14	15.25	8.45	3.91		l	30.89	7.03	Ì	
AI KY	, LA, MS, & TN Only			0.	1	2.70		20	3.40	5.51	1	1	55.05		1	
/AL, IX	2-Wire Voice Grade Port (Centrex)		 	UEP91	UEPQA	2.70	22.14	15.25	8.45	3.91		 	30.89	7.03	 	
 	2-Wire Voice Grade Port (Centrex)	 	 	UEP91	UEPQB	2.70		15.25	8.45	3.91		1	30.89	7.03	1	
\vdash	2-Wire Voice Grade Port (Centrex 800 termination) 2-Wire Voice Grade Port (Centrex with Caller ID)1	 	1	UEP91	UEPQH	2.70		15.25	8.45	3.91		 	30.89	7.03	 	
\vdash		 	├	OLF91	UEFUH	2.70	ZZ.14	15.25	8.45	3.91	-	-	30.89	7.03		
1 1	2-Wire Voice Grade Port (Centrex from diff Serving Wire			LIEDO4	LIEDOM	0.70	20.44	45.05	0.45	2.04			20.00	7.00		
	Center)2,3	1	1	UEP91	UEPQM	2.70	22.14	15.25	8.45	3.91	1	1	30.89	7.03		
	2-Wire Voice Grade Port, Diff Serving Wire Center - 2,3 - 800								_							
	Service Term	ļ	 	UEP91	UEPQZ	2.70	22.14	15.25	8.45	3.91		ļ	30.89	7.03		
		1	1			1			1	1		l		Ì	Ì	
	2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP91	UEPQ9	2.70	22.14	15.25	8.45	3.91		ļ	30.89	7.03		
	2-Wire Voice Grade Port Terminated on 800 Service Term			UEP91	UEPQ2	2.70	22.14	15.25	8.45	3.91			30.89	7.03		
Local	Switching															
	Centrex Intercom Funtionality, per port			UEP91	URECS	0.6381										
Featur								•								
	All Standard Features Offered, per port			UEP91	UEPVF	0.00							30.89	7.03		
	All Select Features Offered, per port			UEP91	UEPVS	0.00	433.78						30.89	7.03		
	All Centrex Control Features Offered, per port			UEP91	UEPVC	0.00							30.89	7.03		
NARS				-					1	1		İ			İ	
1	Unbundled Network Access Register - Combination	1	1	UEP91	UARCX	0.00	0.00	0.00	0.00	0.00		1	30.89	7.03	1	
	Unbundled Network Access Register - Indial		 	UEP91	UAR1X	0.00	0.00	0.00	0.00	0.00		 	30.89	7.03	 	
	Unbundled Network Access Register - Outdial	t	 	UEP91	UAROX	0.00		0.00			1	 	30.89	7.03		
<u> </u>	onbundiou Network Access Negister - Outulai	<u> </u>	1	OLI 01	JANUA	0.00	0.00	0.00	0.00	0.00	<u> </u>	1	30.09	1.03	1	

UNBUNDLED	NETWORK ELEMENTS - Tennessee												Attachment:	2 Exh A		
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Charge -	Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'l
							Nonrecurring		Nonrecurring	Disconnect			oss	Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
Miscr	Ilaneous Terminations															
2-Wir	e Trunk Side															
	Trunk Side Terminations, each			UEP91	CENA6	8.78	22.14	15.25	8.45	3.91			30.89	7.03		
Interc	ffice Channel Mileage - 2-Wire															
	Interoffice Channel Facilities Termination - Voice Grade			UEP91	M1GBC	18.58	22.14	15.25	8.45	3.91			30.89	7.03		
	Interoffice Channel mileage, per mile or fraction of mile			UEP91	M1GBM	0.0174										
	re Activations (DS0) Centrex Loops on Channelized DS1 Servic	e														
D4 Ch	nannel Bank Feature Activations															
	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP91	1PQWS	0.66										
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot	!	ļ	UEP91	1PQW6	0.66	ļ				ļ					.
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot			UEP91	1PQW7	0.66						<u> </u>				
	Feature Activation on D-4 Channel Bank Centrex Loop Slot -							-								
	Different Wire Center			UEP91	1PQWP	0.66										
]			
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP91	1PQWV	0.66										
	Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop															
	Slot			UEP91	1PQWQ	0.66										
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP91	1PQWA	0.66										
Non-l	Recurring Charges (NRC) Associated with UNE-P Centrex															
	Conversion - Currently Combined Switch-As-Is with allowed			LIEDOA			4.00	0.00					00.00	7.00		
	changes, per port New Centrex Standard Common Block			UEP91 UEP91	USAC2 M1ACS	0.00	1.03 658.60	0.29	-				30.89 30.89	7.03 7.03		
	New Centrex Standard Common Block			UEP91	M1ACC	0.00			-		1	-	30.89	7.03		
	Secondary Block, per Block			UEP91	M2CC1	0.00	73.55						30.89	7.03		
	NAR Establishment Charge, Per Occasion	-		UEP91	URECA	0.00	68.57					1	30.89	7.03		1
Addit	ional Non-Recurring Charges (NRC)			OLF91	UKLCA		00.57		†		1		30.09	7.03		1
Addit	Unbundled Miscellaneous Rate Element, Tag Loop at End Use															
	Premise			UEP91	URETL		8.33	0.83								ļ
	Unbundled Miscellaneous Rate Element, Tag Design Loop at			LIEDO4	LIDETNI		44.00	4.40								
	End Use Premise P CENTREX - 5ESS (Valid in All States)			UEP91	URETN		11.23	1.10								
	e VG Loop/2-Wire Voice Grade Port (Centrex) Combo				-		-					-				
	Port/Loop Combination Rates (Non-Design)	-					+					1				1
ONL	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -						1									1
	Non-Design					15.18										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design					19.01										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		†			13.01	 		†		1	1	1			†
	Non-Design	l				24.02	1		1							
UNE	Port/Loop Combination Rates (Design)		i –		1		1		1							1
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Design					19.26										
- 	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		!		+	13.20	+ +		t		 		 			+
	Design	l				24.33	1		1							
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design					30.98										
IINE	Loop Rate	 	l -		1	30.98	 		t		 		1			1
OI4E I	2-Wire Voice Grade Loop (SL 1) - Zone 1	-	1	UEP95	UECS1	12.48	+ +		-							†
-+	2-Wire Voice Grade Loop (SL 1) - Zone 2	1		UEP95	UECS1	16.31	 		I			<u> </u>	 			1
- 	2-Wire Voice Grade Loop (SL 1) - Zone 3	1	3	UEP95	UECS1	21.32	†		t				1			1
1	2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP95	UECS2	16.56	1		1							†
1	2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP95	UECS2	21.63	† †		İ				İ			
	2-Wire Voice Grade Loop (SL 2) - Zone 3			UEP95	UECS2	28.28										
UNE	Port Rate		1													1
All St	ates															
	2-Wire Voice Grade Port (Centrex) Basic Local Area			UEP95	UEPYA	2.70		15.25	8.45	3.91			30.89	7.03		
1	2-Wire Voice Grade Port (Centrex 800 termination)			UEP95	UEPYB	2.70	22.14	15.25	8.45	3.91			30.89	7.03		

UNBUNDLED N	NETWORK ELEMENTS - Tennessee						-						Attachment:	2 Exh A		1
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC		Management	RATES(\$)	Name -	Diagram		Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'l
			1			В	Nonrecurring		Nonrecurring		001150	001111		Rates(\$)	0011411	0011411
	0.147 - 1/2 - 0.1 - 0.1 - 0.1 - 0.1 - 10.1 - 10.1 - 10.1 - 10.1					Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local Area			UEP95	UEPYH	2.70	22.14	15.25	8.45	3.91			30.89	7.03		
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)2,3 Basic Local Area			UEP95	UEPYM	2.70	22.14	15.25	8.45	3.91			30.89	7.03		
	2-Wire Voice Grade Port, Diff Serving Wire Center 2,3 - 800 Service Term - Basic Local Area			UEP95	UEPYZ	2.70	22.14	15.25	8.45	3.91			30.89	7.03		
	2-Wire Voice Grade Port terminated in on Megalink or equivalent															
	- Basic Local Area 2-Wire Voice Grade Port Terminated on 800 Service Term -			UEP95	UEPY9	2.70	22.14	15.25	8.45	3.91			30.89	7.03		
	Basic Local Area			UEP95	UEPY2	2.70	22.14	15.25	8.45	3.91			30.89	7.03		
	, LA, MS, SC, & TN Only			-												
	2-Wire Voice Grade Port (Centrex)			UEP95	UEPQA	2.70	22.14	15.25	8.45	3.91	1		30.89	7.03		
	2-Wire Voice Grade Port (Centrex 800 termination)			UEP95	UEPQB	2.70	22.14	15.25	8.45	3.91	1		30.89	7.03		
	2-Wire Voice Grade Port (Centrex with Caller ID)1			UEP95	UEPQH	2.70	22.14	15.25	8.45	3.91			30.89	7.03		
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)2,3			UEP95	UEPQM	2.70	22.14	15.25	8.45	3.91			30.89	7.03		
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term 2,3			UEP95	UEPQZ	2.70	22.14	15.25	8.45	3.91			30.89	7.03		
.	L .															
	2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP95	UEPQ9	2.70	22.14	15.25	8.45	3.91			30.89	7.03		
	2-Wire Voice Grade Port Terminated on 800 Service Term			UEP95	UEPQ2	2.70	22.14	15.25	8.45	3.91			30.89	7.03		
FL & G/	A Only Switching		1								1					
	Centrex Intercom Funtionality, per port		-	UEP95	URECS	0.6381					-					
Feature			1	UEF95	UKECS	0.0361					1					
	All Standard Features Offered, per port			UEP95	UEPVF	0.00					1					
	All Select Features Offered, per port			UEP95	UEPVS	0.00	433.78									
	All Centrex Control Features Offered, per port			UEP95	UEPVC	0.00	100.10									
NARS	, , , , , , , , , , , , , , , , , , , ,															
	Unbundled Network Access Register - Combination			UEP95	UARCX	0.00	0.00	0.00	0.00	0.00						
	Unbundled Network Access Register - Indial			UEP95	UAR1X	0.00	0.00	0.00	0.00	0.00						
	Unbundled Network Access Register - Outdial			UEP95	UAROX	0.00	0.00	0.00	0.00	0.00						
	aneous Terminations															
	Trunk Side															
	Trunk Side Terminations, each			UEP95	CEND6	8.78	47.75	47.01	9.21	8.47			30.89	7.03		
	Digital (1.544 Megabits)			LIEDOE	MALIDA	05.55	75.00	00.45					00.00	7.00		
	DS1 Circuit Terminations, each DS0 Channels Activated, each		-	UEP95 UEP95	M1HD1 M1HDO	35.55 0.00	75.93 108.67	38.15			-		30.89 30.89	7.03 7.03		
	fice Channel Mileage - 2-Wire		-	OLF 93	WITIDO	0.00	100.07				1		30.09	7.03		
	Interoffice Channel Facilities Termination			UEP95	M1GBC	18.58	22.14	15.25	8.45	3.91			30.89	7.03		
	Interoffice Channel mileage, per mile or fraction of mile			UEP95	M1GBM	0.0174		10.20	0.10	0.01			00.00	7.00		
	Activations (DS0) Centrex Loops on Channelized DS1 Service	e														
D4 Cha	nnel Bank Feature Activations															
.	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP95	1PQWS	0.66										
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP95	1PQW6	0.66										
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot			UEP95	1PQW7	0.66										
	Feature Activation on D-4 Channel Bank Centrex Loop Slot - Different Wire Center			UEP95	1PQWP	0.66										
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP95	1PQWV	0.66										
	Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop Slot			UEP95	1PQWQ	0.66										
	Olot										1	1				
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP95	1PQWA	0.66										
Non-Re	Feature Activation on D-4 Channel Bank WATS Loop Slot ecurring Charges (NRC) Associated with UNE-P Centrex			UEP95	1PQWA	0.66										
Non-Re	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP95	1PQWA USAC2	0.66	1.03	0.29					30.89	7.03		

UNBUNDLED	NETWORK ELEMENTS - Tennessee												Attachment:	2 Exh A		
													Incremental	Incremental		Incremental
												Submitted		Charge -	Charge -	Charge -
CATEGORY	RATE ELEMENTS	Interi	7000	BCS	USOC			RATES(\$)			Elec		Manual Svc	Manual Svc		Manual Svc
CATEGORI	RATE ELEMENTS	m	Zone	ВСЗ	0300			KAILS(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
							Nonrecurring		Nonrecurring	Disconnect		ı	oss	Rates(\$)		ı
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	New Centrex Customized Common Block			UEP95	M1ACC	0.00	658.60						30.89	7.03		
	NAR Establishment Charge, Per Occasion			UEP95	URECA	0.00	68.57						30.89	7.03		
Addition	onal Non-Recurring Charges (NRC)															
	Unbundled Miscellaneous Rate Element, Tag Loop at End Use															
	Premise			UEP95	URETL		8.33	0.83								
	Unbundled Miscellaneous Rate Element, Tag Design Loop at															
	End Use Premise			UEP95	URETN		11.23	1.10								
	CENTREX - DMS100 (Valid in All States)															
2-Wire	VG Loop/2-Wire Voice Grade Port (Centrex) Combo	1			-											
UNE P	ort/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -	<u> </u>			+		+ +									
	Non-Design	1				15.18										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -	1			+	15.16										
	Non-Design					19.01										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -	1				1										1
	Non-Design					24.02										
UNE P	ort/Loop Combination Rates (Design)															
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -	-														
	Design					19.26										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
	Design					24.33										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
	Design					30.98										
UNE L	oop Rate 2-Wire Voice Grade Loop (SL 1) - Zone 1	1	1	UEP9D	UECS1	12.48										
	2-Wire Voice Grade Loop (SL 1) - Zone 1 2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEP9D	UECS1	16.31										
	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP9D	UECS1	21.32	1									
	2-Wire Voice Grade Loop (SL 1) - Zone 3	1	1	UEP9D	UECS2	16.56										
	2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP9D	UECS2	21.63										
	2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP9D	UECS2	28.28										
UNE P	ort Rate															
ALL S																
	2-Wire Voice Grade Port (Centrex) Basic Local Area			UEP9D	UEPYA	2.70	22.14	15.25	8.45	3.91			30.89	7.03		
	2-Wire Voice Grade Port (Centrex 800 termination)Basic Local															
	Area			UEP9D	UEPYB	2.70	22.14	15.25	8.45	3.91			30.89	7.03		
	2-Wire Voice Grade Port (Centrex / EBS-PSET)3Basic Local	1		LIEDOD	LIEDVO	0	00.4.	45.00	o /-	0.00		1	00.00	7.00		
\vdash	Area	l		UEP9D	UEPYC	2.70	22.14	15.25	8.45	3.91			30.89	7.03		
	2-Wire Voice Grade Port (Centrex / EBS-M5009)3Basic Local Area	1		UEP9D	UEPYD	2.70	22.14	15.25	8.45	3.91		1	30.89	7.03		
 	2-Wire Voice Grade Port (Centrex / EBS-M5209))3 Basic Local	 		OLFBD	OLF 1D	2.70	22.14	15.25	0.45	3.91			30.69	7.03		
	Area			UEP9D	UEPYE	2.70	22.14	15.25	8.45	3.91			30.89	7.03		
	2-Wire Voice Grade Port (Centrex / EBS-M5112))3 Basic Local	†			1				2.10	2.01			22.00	1.00		
	Area	1		UEP9D	UEPYF	2.70	22.14	15.25	8.45	3.91		1	30.89	7.03		
	2-Wire Voice Grade Port (Centrex / EBS-M5312))3Basic Local															
	Area			UEP9D	UEPYG	2.70	22.14	15.25	8.45	3.91			30.89	7.03		
	2-Wire Voice Grade Port (Centrex / EBS-M5008))3 Basic Local							· · · · · · · · · · · · · · · · · · ·					-	-		
	Area			UEP9D	UEPYT	2.70	22.14	15.25	8.45	3.91			30.89	7.03		
	2-Wire Voice Grade Port (Centrex / EBS-M5208))3 Basic Local	1										1				
\vdash	Area	!	-	UEP9D	UEPYU	2.70	22.14	15.25	8.45	3.91			30.89	7.03		1
	2-Wire Voice Grade Port (Centrex / EBS-M5216))3 Basic Local Area	1		UEP9D	UEPYV	2.70	22.14	15.25	8.45	3.91		1	30.89	7.03		
\vdash	2-Wire Voice Grade Port (Centrex / EBS-M5316))3 Basic Local	1		OLFBD	DEFIV	2.70	22.14	15.25	0.45	3.91			30.89	1.03		
	Area			UEP9D	UEPY3	2.70	22.14	15.25	8.45	3.91			30.89	7.03		
 	2-Wire Voice Grade Port (Centrex with Caller ID) Basic Local	!		OL1 3D	JL1 13	2.70	22.14	13.23	0.45	3.91		 	30.09	1.03		
	Area	1		UEP9D	UEPYH	2.70	22.14	15.25	8.45	3.91		1	30.89	7.03		
	2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp	†			1				2.10	2.01			22.00	1.00		
	Indication))4 Basic Local Area	1		UEP9D	UEPYW	2.70	22.14	15.25	8.45	3.91		1	30.89	7.03		
	2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication))4															
	Basic Local Area	<u> </u>		UEP9D	UEPYJ	2.70	22.14	15.25	8.45	3.91			30.89	7.03		

LINBUNDI ED	NETWORK ELEMENTS - Tennessee												Attachment:	2 Fyh Δ		
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)			Svc Order Submitted Elec per LSR		Incremental		Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
															DISC 1St	DISC Add I
							Nonrecurring		Nonrecurring					Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)			LIEDOD	LIEDVA A	0.70	00.44	45.05	0.45	0.04			00.00	7.00		1
	2,3-Basic Local Area 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2,3,4	1		UEP9D	UEPYM	2.70	22.14	15.25	8.45	3.91	-		30.89	7.03		
	Basic Local Area			UEP9D	UEPYO	2.70	22.14	15.25	8.45	3.91			30.89	7.03		1
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2,3,4			OLI OD	OLI 10	2.70	22.14	10.20	0.40	0.01			00.00	7.00		
	Basic Local Area			UEP9D	UEPYP	2.70	22.14	15.25	8.45	3.91			30.89	7.03		1
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2,3,4															
	Basic Local Area			UEP9D	UEPYQ	2.70	22.14	15.25	8.45	3.91			30.89	7.03		,
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2,3,4			LIEDOD	LIEDVE	0 =0	20.41	45.55		0.01			00.00	7.00		
 	Basic Local Area 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2,3,4	 		UEP9D	UEPYR	2.70	22.14	15.25	8.45	3.91			30.89	7.03		
1 1	Basic Local Area			UEP9D	UEPYS	2.70	22.14	15.25	8.45	3.91			30.89	7.03		, J
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2,3,4			021 00	JL: 10	2.70	22.14	10.20	0.43	5.31			50.08	7.03		
	Basic Local Area	<u> </u>		UEP9D	UEPY4	2.70	22.14	15.25	8.45	3.91			30.89	7.03		<u>. </u>
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3															
	Basic Local Area			UEP9D	UEPY5	2.70	22.14	15.25	8.45	3.91			30.89	7.03		,
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2,3,4															
	Basic Local Area 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2,3,4	1		UEP9D	UEPY6	2.70	22.14	15.25	8.45	3.91			30.89	7.03		
	Basic Local Area			UEP9D	UEPY7	2.70	22.14	15.25	8.45	3.91			30.89	7.03		1
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service			OLI 3D	OLI II	2.70	22.14	10.20	0.43	5.91			30.03	7.03		
	Term 2,3			UEP9D	UEPYZ	2.70	22.14	15.25	8.45	3.91			30.89	7.03		1
	2-Wire Voice Grade Port terminated in on Megalink or equivalent															
	Basic Local Area			UEP9D	UEPY9	2.70	22.14	15.25	8.45	3.91			30.89	7.03		
	2-Wire Voice Grade Port Terminated on 800 Service Term Basic															1
41 10	Local Area	ļ		UEP9D	UEPY2	2.70	22.14	15.25	8.45	3.91			30.89	7.03		
AL, K	7, LA, MS, SC, & TN Only 2-Wire Voice Grade Port (Centrex)			UEP9D	UEPQA	2.70	22.14	15.25	8.45	3.91			30.89	7.03		
	2-Wire Voice Grade Port (Centrex) 2-Wire Voice Grade Port (Centrex 800 termination)			UEP9D	UEPQB	2.70	22.14	15.25	8.45	3.91			30.89	7.03		
	2-Wire Voice Grade Port (Centrex / EBS-PSET)4			UEP9D	UEPQC	2.70	22.14	15.25	8.45	3.91			30.89	7.03		
	2-Wire Voice Grade Port (Centrex / EBS-M5009)4			UEP9D	UEPQD	2.70	22.14	15.25	8.45	3.91			30.89	7.03		
	2-Wire Voice Grade Port (Centrex / EBS-M5209)4			UEP9D	UEPQE	2.70	22.14	15.25	8.45	3.91			30.89	7.03		
	2-Wire Voice Grade Port (Centrex / EBS-M5112)4			UEP9D	UEPQF	2.70	22.14	15.25	8.45	3.91			30.89	7.03		
	2-Wire Voice Grade Port (Centrex / EBS-M5312)4	ļ		UEP9D	UEPQG	2.70	22.14	15.25	8.45	3.91			30.89	7.03		
	2-Wire Voice Grade Port (Centrex / EBS-M5008)4 2-Wire Voice Grade Port (Centrex / EBS-M5208)4	1		UEP9D UEP9D	UEPQT	2.70 2.70	22.14 22.14	15.25 15.25	8.45 8.45	3.91 3.91			30.89 30.89	7.03 7.03		
	2-Wire Voice Grade Port (Centrex / EBS-N5206)4 2-Wire Voice Grade Port (Centrex / EBS-N5216)4	1		UEP9D	UEPQV	2.70	22.14	15.25	8.45	3.91			30.89	7.03		
	2-Wire Voice Grade Port (Centrex / EBS-M5316)4			UEP9D	UEPQ3	2.70	22.14	15.25	8.45	3.91			30.89	7.03		
	2-Wire Voice Grade Port (Centrex with Caller ID)			UEP9D	UEPQH	2.70	22.14	15.25	8.45	3.91			30.89	7.03		
	2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp							-								
	Indication)4	ļ		UEP9D	UEPQW	2.70	22.14	15.25	8.45	3.91			30.89	7.03		ı————
\vdash	2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication)4	ļ		UEP9D	UEPQJ	2.70	22.14	15.25	8.45	3.91			30.89	7.03		
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center) 2.3			UEP9D	UEPQM	2.70	22.14	15.25	8.45	3.91			30.89	7.03		, J
 	2,0			OLFBD	ULFUIVI	2.70	22.14	15.25	0.45	3.91	 		30.09	1.03		
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2,3,4			UEP9D	UEPQO	2.70	22.14	15.25	8.45	3.91			30.89	7.03		.
	, , , , , , , , , , , , , , , , , , , ,	Ì														
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2,3,4			UEP9D	UEPQP	2.70	22.14	15.25	8.45	3.91			30.89	7.03		<u>, </u>
																ı
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2,3,4	!	1	UEP9D	UEPQQ	2.70	22.14	15.25	8.45	3.91			30.89	7.03		
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2,3,4			UEP9D	UEPQR	2.70	22.14	15.25	8.45	3.91			30.89	7.03		i
	2-ville voice Glade Fort (Centrevullier SVVC /LBS-WS112)2,3,4	 		OLI 3D	ULFUN	2.70	22.14	10.25	0.45	3.91			30.69	7.03		
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2,3,4	1		UEP9D	UEPQS	2.70	22.14	15.25	8.45	3.91		1	30.89	7.03		ı
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2,3,4	ļ		UEP9D	UEPQ4	2.70	22.14	15.25	8.45	3.91			30.89	7.03		ı————
1 1	O.M. W. Veine O. H. Bert (O. May / P. C. O. M. O			LIEDOD	LIEBOE	0 =0	00.11	45.00					00.00	7.00		.
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2,3,4	1	1	UEP9D	UEPQ5	2.70	22.14	15.25	8.45	3.91	<u> </u>	l	30.89	7.03		

UNBUNDLED	NETWORK ELEMENTS - Tennessee												Attachment:	2 Exh A		
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Submitted	Incremental	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
							Nonrecurring		Nonrecurring	Disconnect				Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
																1 '
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2,3,4			UEP9D	UEPQ6	2.70	22.14	15.25	8.45	3.91			30.89	7.03		\vdash
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2,3,4			UEP9D	UEPQ7	2.70	22.14	15.25	8.45	3.91			30.89	7.03		1 '
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service								00							
	Term 2,3			UEP9D	UEPQZ	2.70	22.14	15.25	8.45	3.91			30.89	7.03		
						0.70										1
	2-Wire Voice Grade Port terminated in on Megalink or equivalent 2-Wire Voice Grade Port Terminated on 800 Service Term			UEP9D UEP9D	UEPQ9 UEPQ2	2.70 2.70	22.14 22.14	15.25 15.25	8.45 8.45	3.91 3.91			30.89 30.89	7.03 7.03		\vdash
Local	Switching			DEP9D	UEPQZ	2.70	22.14	15.25	0.45	3.91			30.69	7.03		\vdash
	Centrex Intercom Funtionality, per port			UEP9D	URECS	0.6381										
Featu																
	All Standard Features Offered, per port			UEP9D	UEPVF	0.00										Ļ'
—	All Select Features Offered, per port			UEP9D UEP9D	UEPVS UEPVC	0.00	433.78									\longleftarrow
NARS	All Centrex Control Features Offered, per port			UEP9D	UEPVC	0.00										
MARCO	Unbundled Network Access Register - Combination			UEP9D	UARCX	0.00	0.00	0.00	0.00	0.00						\vdash
	Unbundled Network Access Register - Inward			UEP9D	UAR1X	0.00	0.00	0.00	0.00	0.00						
	Unbundled Network Access Register - Outdial			UEP9D	UAROX	0.00	0.00	0.00	0.00	0.00						
	laneous Terminations															ļ!
2-Wire	Trunk Side Trunk Side Terminations, each			UEP9D	CEND6	8.78	22.14	45.05	8.45	3.91			30.89	7.03		\longleftarrow
4-Wire	Digital (1.544 Megabits)			UEP9D	CENDO	8.78	22.14	15.25	8.45	3.91			30.89	7.03		$\vdash \vdash \vdash$
7 1111	DS1 Circuit Terminations, each			UEP9D	M1HD1	35.55	75.93	38.15					30.89	7.03		
	DS0 Channels Activiated per Channel			UEP9D	M1HDO	0.00	108.67						30.89	7.03		
Intero	fice Channel Mileage - 2-Wire															
	Interoffice Channel Facilities Termination			UEP9D	M1GBC	18.58	22.14	15.25	8.45	3.91			30.89	7.03		
Footuu	Interoffice Channel mileage, per mile or fraction of mile e Activations (DS0) Centrex Loops on Channelized DS1 Service			UEP9D	M1GBM	0.0174										\vdash
	annel Bank Feature Activations	l														\vdash
12.0	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP9D	1PQWS	0.66										
	·															
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP9D	1PQW6	0.66										<u> </u>
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop			LIEDOD	400047	0.00										j '
-	Feature Activation on D-4 Channel Bank Centrex Loop Slot -			UEP9D	1PQW7	0.66										
	Different Wire Center			UEP9D	1PQWP	0.66										j '
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP9D	1PQWV	0.66										<u> </u>
	Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop			LIEDOD	400000	2.22										1
 	Slot Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP9D UEP9D	1PQWQ 1PQWA	0.66 0.66										
Non-R	ecurring Charges (NRC) Associated with UNE-P Centrex			OLFBD	IFQWA	0.06					1					
	NRC Conversion Currently Combined Switch-As-Is with allowed															
	changes, per port			UEP9D	USAC2		1.03	0.29					30.89	7.03		
	New Centrex Standard Common Block			UEP9D	M1ACS	0.00	658.60						30.89	7.03		<u> </u>
\vdash	New Centrex Customized Common Block NAR Establishment Charge, Per Occasion			UEP9D UEP9D	M1ACC URECA	0.00	658.60 68.57						30.89 30.89	7.03 7.03		\vdash
Additi	onal Non-Recurring Charges (NRC)			OFLAD	UKECA		08.57					 	30.89	7.03		$\vdash \vdash \vdash$
Additi	Unbundled Miscellaneous Rate Element, Tag Loop at End Use				1											
	Premise			UEP9D	URETL		8.33	0.83								<u> </u>
	Unbundled Miscellaneous Rate Element, Tag Design Loop at															1
	End Use Premise			UEP9D	URETN		11.23	1.10								├
	CENTREX - EWSD (Valid in AL, FL, KY, LA, MS & TN) VG Loop/2-Wire Voice Grade Port (Centrex) Combo				+											
	ort/Loop Combination Rates (Non-Design)				+		-									
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -				1				1							ļ
	Non-Design					15.18										1

UNBUNDLED I	NETWORK ELEMENTS - Tennessee												Attachment:	2 Exh A		
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Charge -	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'
							Nonrecurring		Nonrecurring	n Disconnect		l	OSS	Rates(\$)	l	
			1			Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOM AN	SOMAN	SOMAN
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		1		+	Nec	FIISL	Auu i	FIISL	Auu i	SOMEC	JOWAN	JOWAN	JOWAN	JOWAN	JOWAN
	Non-Design					19.01										ł
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		1			19.01										
	Non-Design					24.02										ł
LINE P	ort/Loop Combination Rates (Design)		1		+	24.02										ſ
OIVE I	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -															f
	Design					19.26										ł
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -					10.20										
	Design					24.33										í
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
	Design					30.98										í
UNE L	pop Rate															í
	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP9E	UECS1	12.48										ĺ
	2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEP9E	UECS1	16.31										í
ı	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP9E	UECS1	21.32										ĺ
	2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP9E	UECS2	16.56										ĺ
	2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP9E	UECS2	21.63					Ì					ĺ
	2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP9E	UECS2	28.28										
UNE P	ort Rate															í
AL, FL	, KY, LA, MS, & TN only															í T
	2-Wire Voice Grade Port (Centrex) Basic Local Area			UEP9E	UEPYA	2.70	22.14	15.25	8.45	3.91			30.89	7.03		í
	2-Wire Voice Grade Port (Centrex 800 termination)Basic Local															í
	Area			UEP9E	UEPYB	2.70	22.14	15.25	8.45	3.91			30.89	7.03		ł
	2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local															í
	Area			UEP9E	UEPYH	2.70	22.14	15.25	8.45	3.91			30.89	7.03		í
	2-Wire Voice Grade Port (Centrex from diff Serving Wire															í T
	Center)2,3 Basic Local Area			UEP9E	UEPYM	2.70	22.14	15.25	8.45	3.91			30.89	7.03		ł
	2-Wire Voice Grade Port, Diff Serving Wire Center 2,3 - 800															í
	Service Term - Basic Local Area			UEP9E	UEPYZ	2.70	22.14	15.25	8.45	3.91			30.89	7.03		1
	2-Wire Voice Grade Port terminated in on Megalink or equivalent															í
	- Basic Local Area			UEP9E	UEPY9	2.70	22.14	15.25	8.45	3.91			30.89	7.03		1
	2-Wire Voice Grade Port Terminated on 800 Service Term -															í
	Basic Local Area			UEP9E	UEPY2	2.70	22.14	15.25	8.45	3.91			30.89	7.03		1
AL, KY	, LA, MS, & TN Only															<u> </u>
	2-Wire Voice Grade Port (Centrex)			UEP9E	UEPQA	2.70	22.14	15.25	8.45	3.91			30.89	7.03		1
	2-Wire Voice Grade Port (Centrex 800 termination)			UEP9E	UEPQB	2.70	22.14	15.25	8.45	3.91			30.89	7.03		<u> </u>
	2-Wire Voice Grade Port (Centrex with Caller ID)1			UEP9E	UEPQH	2.70	22.14	15.25	8.45	3.91			30.89	7.03		
	2-Wire Voice Grade Port (Centrex from diff Serving Wire			l	L	I						1		1		i
	Center)2,3		1	UEP9E	UEPQM	2.70	22.14	15.25	8.45	3.91	1		30.89	7.03		-
	2-Wire Voice Grade Port, Diff Serving Wire Center 2,3 - 800															ł .
	Service Term			UEP9E	UEPQZ	2.70	22.14	15.25	8.45	3.91			30.89	7.03		
	OMF William Combined to the Co			LIEDOE	LIEBOS			.=				1				i
	2-Wire Voice Grade Port terminated in on Megalink or equivalent		1	UEP9E	UEPQ9	2.70	22.14	15.25	8.45	3.91	1		30.89	7.03		——
1	2-Wire Voice Grade Port Terminated on 800 Service Term	-	1	UEP9E	UEPQ2	2.70	22.14	15.25	8.45	3.91	1		30.89	7.03		·
Local	Switching Tontray Intercom Funtionality, per part		1	LIEDOE	LIDECC	0.0001				-	1			-		——
F4	Centrex Intercom Funtionality, per port	-	1	UEP9E	URECS	0.6381	 		1	 	1			 		·
Featur			1	LIEDOE	HED./E	0.00	 						20.00	7.00		
 	All Standard Features Offered, per port	-	+	UEP9E UEP9E	UEPVF UEPVS	0.00	433.78		1	-	 	 	30.89 30.89	7.03 7.03		
	All Select Features Offered, per port All Centrex Control Features Offered, per port		-	UEP9E UEP9E	UEPVS	0.00	433.78		 	-	-		30.89	7.03		
NARS	An Ochtrox Control i catules Oneleu, per port		-	OLF 3L	OLF VC	0.00	+		 	-	-		30.69	1.03		
NANO	Unbundled Network Access Register - Combination	1	1	UEP9E	UARCX	0.00	0.00	0.00	0.00	0.00	1	-	30.89	7.03	1	
	Unbundled Network Access Register - Combination Unbundled Network Access Register - Indial	1	1	UEP9E	UARCX UAR1X	0.00	0.00	0.00		0.00	1	-	30.89	7.03	1	
-	Unbundled Network Access Register - Indial Unbundled Network Access Register - Outdial	1	1	UEP9E	UAROX	0.00	0.00	0.00		0.00	1	-	30.89	7.03	1	
Miscel	Ianeous Terminations		1	OLI OL	UANUA	0.00	0.00	0.00	0.00	0.00	1		30.09	1.03		
	Trunk Side	1	1			 	 		1	1	1	-	1	1	1	
2-44116	Trunk Side Terminations, each		1	UEP9E	CEND6	8.78	22.14	15.25	8.45	3.91	1		30.89	7.03	1	ſ
4.Wire	Digital (1.544 Megabits)		1	OLI OL	OLINDO	0.70	22.14	15.25	0.43	3.91	1		30.09	1.03		
7-1116	DS1 Circuit Terminations, each		 	UEP9E	M1HD1	35.55	75.93	38.15	1	 	 		30.89	7.03		
	DOT OHOUR TOTHINGUIDS, GAOT	L		OLI OL	וטווואו	33.33	10.93	30.13	L			L	50.03	1.03	L	

UNBUNDLED	NETWORK ELEMENTS - Tennessee												Attachment:	2 Exh A	1	l
													Incremental	Incremental		Incremental
												Submitted		Charge -	Charge -	Charge -
		Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
							Name = = =		l Name and accounting	- Diagrams at			000	Data a (ft)		
						Rec	Nonrecurring First	Add'l	First	Disconnect Add'l	SOMEC	SOMAN	SOMAN	Rates(\$) SOMAN	SOMAN	SOMAN
	DS0 Channel Activated Per Channel			UEP9E	M1HDO	0.00	108.67	Auu i	FIISL	Add I	SOIVIEC	SUMAN	30.89	7.03	SOWAN	SOWAN
Interes	ffice Channel Mileage - 2-Wire			OLF9L	WITTIDO	0.00	100.07						30.69	7.03		
intero	Interoffice Channel Facilities Termination			UEP9E	M1GBC	18.58	22.14	15.25	8.45	3.91			30.89	7.03		
	Interoffice Channel mileage, per mile or fraction of mile			UEP9E	M1GBM	0.0174	22.17	10.20	0.40	0.01			00.00	7.00		
Featur	re Activations (DS0) Centrex Loops on Channelized DS1 Service	e				0.0										
D4 Cha	annel Bank Feature Activations															
	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP9E	1PQWS	0.66										
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP9E	1PQW6	0.66										
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop															
	Slot	ļ		UEP9E	1PQW7	0.66			ļ					ļ		
	Feature Activation on D-4 Channel Bank Centrex Loop Slot -	1												1		
	Different Wire Center	ļ		UEP9E	1PQWP	0.66										
	Feature Activation on D-4 Channel Bank Private Line Loop Slot	1		UEP9E	1PQWV	0.66								1		
\vdash	Feature Activation on D-4 Channel Bank Private Line Loop Slot Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop	1	1	UEF9E	IPQVVV	0.66	 									-
	Slot			UEP9E	1PQWQ	0.66										
 	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP9E	1PQWQ	0.66	1									
Non-R	ecurring Charges (NRC) Associated with UNE-P Centrex	1		OLI 3L	II QWA	0.00										
1.0	NRC Conversion Currently Combined Switch-As-Is with allowed															
	changes, per port			UEP9E	USAC2		1.03	0.29					30.89	7.03		
	New Centrex Standard Common Block			UEP9E	M1ACS	0.00	658.60						30.89	7.03		
	New Centrex Customized Common Block			UEP9E	M1ACC	0.00	658.60						30.89	7.03		
	NAR Establishment Charge, Per Occasion			UEP9E	URECA	0.00	68.57						30.89	7.03		
Additio	onal Non-Recurring Charges (NRC)															
	Unbundled Miscellaneous Rate Element, Tag Loop at End Use															
	Premise			UEP9E	URETL		8.33	0.83								
	Unbundled Miscellaneous Rate Element, Tag Design Loop at															
	End Use Premise			UEP9E	URETN		11.23	1.10								
	CENTREX - DCO - Valid in AL, KY, LA, MS, & TN)															
	vG Loop/2-Wire Voice Grade Port (Centrex) Combo															
UNE P	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo															
	Non-Design					15.18										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -					10.10										
	Non-Design	1				19.01								1		
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -	†			1	1	1		1					1		
	Non-Design	1				24.02								1		
UNE P	ort/Loop Combination Rates (Design)															
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo	-						<u> </u>								
	Design	<u> </u>				19.26								ļ		
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
\vdash	Design	ļ	<u> </u>			24.33										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -	1				20.00								1		
IINE I	Design oop Rate	l			+	30.98								ļ		
UNEL	2-Wire Voice Grade Loop (SL 1) - Zone 1	1	1	UEP93	UECS1	12.48			1					1		1
 	2-Wire Voice Grade Loop (SL 1) - Zone 1 2-Wire Voice Grade Loop (SL 1) - Zone 2	 	2	UEP93	UECS1	16.31			 					 		
	2-Wire Voice Grade Loop (SL 1) - Zone 2 2-Wire Voice Grade Loop (SL 1) - Zone 3	1	3	UEP93	UECS1	21.32								 		
	2-Wire Voice Grade Loop (SL 2) - Zone 1	†	1	UEP93	UECS2	16.56	1		1					1		
	2-Wire Voice Grade Loop (SL 2) - Zone 2	1	2	UEP93	UECS2	21.63										
	2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP93	UECS2	28.28	1									
	ort Rate															
AL, KY	Y, LA, MS, & TN only														_	_
	2-Wire Voice Grade Port (Centrex) Basic Local Area			UEP93	UEPYA	2.70	22.14	15.25	8.45	3.91			30.89	7.03		
	2-Wire Voice Grade Port (Centrex 800 termination)Basic Local	1]]]]		
	Area	ļ	\vdash	UEP93	UEPYB	2.70	22.14	15.25	8.45	3.91			30.89	7.03		
	2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local	1		LIEBOO	LIEDVIII	0 ==		45.00	0 :-				00.00	7.00		
<u> </u>	Area	1	Ш	UEP93	UEPYH	2.70	22.14	15.25	8.45	3.91	1	1	30.89	7.03		l

UNBUNDLED I	NETWORK ELEMENTS - Tennessee												Attachment: 2	2 Exh A		
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge -		Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
							Nonrecurring		Nonrecurring	Disconnect		•		Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Grade Port (Centrex from diff Serving Wire			UEP93	UEPYM	2.70	22.44	15.25	8.45	2.04			30.89	7.03		i
	Center)2,3 Basic Local Area 2-Wire Voice Grade Port, Diff Serving Wire Center - 2,3 - 800			UEP93	UEPYM	2.70	22.14	15.25	8.45	3.91			30.89	7.03		
	Service Term - Basic Local Area			UEP93	UEPYZ	2.70	22.14	15.25	8.45	3.91			30.89	7.03		i
	2-Wire Voice Grade Port terminated in on Megalink or equivalent															i
	- Basic Local Area			UEP93	UEPY9	2.70	22.14	15.25	8.45	3.91			30.89	7.03		
	2-Wire Voice Grade Port Terminated on 800 Service Term -			UEP93	UEPY2	2.70	22.14	15.25	8.45	3.91			30.89	7.03		ł
	Basic Local Area 2-Wire Voice Grade Port (Centrex)			UEP93 UEP93	UEPY2 UEPQA	2.70	22.14	15.25	8.45 8.45	3.91			30.89	7.03		
	2-Wire Voice Grade Fort (Centrex) 2-Wire Voice Grade Port (Centrex 800 termination)			UEP93	UEPQB	2.70	22.14	15.25	8.45	3.91			30.89	7.03		
	2-Wire Voice Grade Port (Centrex with Caller ID)1			UEP93	UEPQH	2.70	22.14	15.25	8.45	3.91			30.89	7.03		i
	2-Wire Voice Grade Port (Centrex from diff Serving Wire															
\vdash	Center)2,3		<u> </u>	UEP93	UEPQM	2.70	22.14	15.25	8.45	3.91			30.89	7.03		
	2-Wire Voice Grade Port, Diff Serving Wire Center - 2,3 -800 Service Term			UEP93	UEPQZ	2.70	22.14	15.25	8.45	3.91			30.89	7.03		i
 	OGIVIOG TEITH		 	OFL 20	ULFUL	2.10	22.14	15.25	0.40	3.91	 		30.09	1.03		
	2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP93	UEPQ9	2.70	22.14	15.25	8.45	3.91			30.89	7.03		ł
	2-Wire Voice Grade Port Terminated on 800 Service Term			UEP93	UEPQ2	2.70	22.14	15.25	8.45	3.91			30.89	7.03		
Local S	Switching															
Footur	Centrex Intercom Funtionality, per port			UEP93	URECS	0.6381										
Feature	All Standard Features Offered, per port			UEP93	UEPVF	0.00										
	All Centrex Control Features Offered, per port			UEP93	UEPVC	0.00										ſ
NARS	, , , , , , , , , , , , , , , , , , , ,															i
	Unbundled Network Access Register - Combination			UEP93	UARCX	0.00	0.00	0.00	0.00	0.00						
	Unbundled Network Access Register - Indial			UEP93	UAR1X	0.00	0.00	0.00	0.00	0.00						
M:I	Unbundled Network Access Register - Outdial			UEP93	UAROX	0.00	0.00	0.00	0.00	0.00						
	aneous Terminations Trunk Side				1											
2 11110	Trunk Side Terminations, each			UEP93	CEND6	8.78	22.14	15.25	8.45	3.91			30.89	7.03		1
4-Wire	Digital (1.544 Megabits)															i
	DS1 Circuit Terminations, each			UEP93	M1HD1	35.55	75.93	38.15					30.89	7.03		
	DS0 Channels Activated, Per Channel			UEP93	M1HDO	0.00	108.67						30.89	7.03		
Interor	fice Channel Mileage - 2-Wire Interoffice Channel Facilities Termination			UEP93	M1GBC	18.58	22.14	15.25	8.45	3.91			30.89	7.03		
	Interoffice Channel mileage, per mile or fraction of mile			UEP93	M1GBM	0.0174	22.14	10.20	0.40	5.91			30.03	7.03		
Feature	Activations (DS0) Centrex Loops on Channelized DS1 Service	e														i
D4 Cha	nnel Bank Feature Activations															
	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP93	1PQWS	0.66										
	Feature Activation on D-4 Channel Bank FX Line Side Loop Slot			UEP93	1PQW6	0.66			[i
 	Feature Activation on D-4 Channel Bank FX Trunk Side Loop	l	l	OL1 33	11 (2000	0.00										
	Slot			UEP93	1PQW7	0.66										l
	Feature Activation on D-4 Channel Bank Centrex Loop Slot - Different Wire Center			UEP93	1PQWP	0.66										
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP93	1PQWV	0.66										
	Feature Activation on D-4 Channel Bank Tie Line/Trunk Loop															İ
	Slot		<u> </u>	UEP93	1PQWQ	0.66										
—	Feature Activation on D-4 Channel Bank WATS Loop Slot		<u> </u>	UEP93	1PQWA	0.66										
Non-Re	ecurring Charges (NRC) Associated with UNE-P Centrex	<u> </u>	 						 		 					
	NRC Conversion Currently Combined Switch-As-Is with allowed changes, per port			UEP93	USAC2		1.03	0.29					30.89	7.03		l
	New Centrex Standard Common Block		1	UEP93	M1ACS	0.00	658.60	0.20					30.89	7.03		
	New Centrex Customized Common Block			UEP93	M1ACC	0.00	658.60						30.89	7.03		
	NAR Establishment Charge, Per Occasion		<u> </u>	UEP93	URECA		68.57						30.89	7.03		<u></u>
Additio	onal Non-Recurring Charges (NRC) Unbundled Miscellaneous Rate Element, Tag Loop at End Use		!						 		1					
	Premise			UEP93	URETL		8.33	0.83								l
	1. 10111100	L	<u> </u>	J JU	O. \L L		0.00	0.00	1		·	L	1			

ONBONDLED I	NETWORK ELEMENTS - Tennessee												Attachment:	2 Exh A		
											Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		""											Electronic-	Electronic-	Electronic-	Electronic-
	1st Add'I Disc 1st Disc Add'I															Disc Add'l
	Nonrecurring Nonrecurring Disconnect OSS Rates(\$)															
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Unbundled Miscellaneous Rate Element, Tag Design Loop at	T														
	End Use Premise			UEP93	URETN		11.23	1.10								
Note 1	- Required Port for Centrex Control in 1AESS, 5ESS & EWSD															
	Note 1 - Required Port for Centrex Control in 1AESS, 5ESS & EWSD															
Note 2	Note 2 - Requires Interoffice Channel Mileage															
	- Requres Interoffice Channel Mileage		Port													
Note 3	- Requres Interoffice Channel Mileage - Installation is combination of Installation charge for SL2 Lo		Port													
Note 3 Note 4	- Requres Interoffice Channel Mileage	oop and		ssion order												

UNBUNDLE	ED NETWORK ELEMENTS - Alabama												Attachmen	t: 2 Exh. B		
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Charge -	Charge -
						Rec	First	curring Add'l	Nonrecurrin First	g Disconnect Add'l	COMEC	SOMAN	SOMAN	Rates (\$) SOMAN	SOMAN	SOMAN
						-	FIRST	Addi	FIrst	Addi	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
INBUNDI ED	EXCHANGE ACCESS LOOP															
	RE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIBLE	LOOP													
	2 Wire Unbundled HDSL Loop including manual service inquiry															
	& facility reservation - Zone 1		1	UHL	UHL2X	10.05										
	2 Wire Unbundled HDSL Loop including manual service inquiry		_													
	& facility reservation - Zone 2		2	UHL	UHL2X	11.70										
	2 Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 3		3	UHL	UHL2X	13.16										
	2 Wire Unbundled HDSL Loop without manual service inquiry		3	UHL	UHLZA	13.16										
	and facility reservation - Zone 1		1	UHL	UHL2W	10.05										
	2 Wire Unbundled HDSL Loop without manual service inquiry			0.12	O. I.E.	10.00										
	and facility reservation - Zone 2		2	UHL	UHL2W	11.70										
	2 Wire Unbundled HDSL Loop without manual service inquiry															
	and facility reservation - Zone 3		3	UHL	UHL2W	13.16										
4-WIR	RE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIBLE	LOOP													
	4 Wire Unbundled HDSL Loop including manual service inquiry				11111 47	40.04										
	and facility reservation - Zone 1 4-Wire Unbundled HDSL Loop including manual service inquiry		1	UHL	UHL4X	16.04										
	and facility reservation - Zone 2		2	UHL	UHL4X	17.89										
	4-Wire Unbundled HDSL Loop including manual service inquiry			OFIL	UTIL4X	17.09					+					
	and facility reservation - Zone 3		3	UHL	UHL4X	17.54										
	4-Wire Unbundled HDSL Loop without manual service inquiry			-		_										
	and facility reservation - Zone 1		1	UHL	UHL4W	16.04										
	4-Wire Unbundled HDSL Loop without manual service inquiry															1
	and facility reservation - Zone 2		2	UHL	UHL4W	17.89										
	4-Wire Unbundled HDSL Loop without manual service inquiry															
4 WID	and facility reservation - Zone 3		3	UHL	UHL4W	17.54										
4-9018	4-Wire DS1 Digital Loop - Zone 1		1	USL	USLXX	94.93										
	4-Wire DS1 Digital Loop - Zone 2			USL	USLXX	177.31										+
	4-Wire DS1 Digital Loop - Zone 3			USL	USLXX	361.70										
HIGH CAPAC	ITY UNBUNDLED LOCAL LOOP															
	High Capacity Unbundled Local Loop - DS3 - Per Mile per															
	month			UE3	1L5ND	9.64										
	High Capacity Unbundled Local Loop - DS3 - Facility															
	Termination per month			UE3	UE3PX	308.98										
	High Capacity Unbundled Local Loop - STS-1 - Per Mile per month			UDLSX	1L5ND	9.64										
	High Capacity Unbundled Local Loop - STS-1 - Facility			UDLOX	TESIND	5.04										
	Termination per month			UDLSX	UDLS1	367.80										
UNBUNDLED	DEDICATED TRANSPORT															
INTER	ROFFICE CHANNEL - DEDICATED TRANSPORT															
	Interoffice Channel - Dedicated Channel - DS1 - Per Mile per															
	month			U1TD1	1L5XX	0.21										
	Interoffice Channel - Dedicated Tranport - DS1 - Facility			LIATDA	LIATEA	00.40										
	Termination Interoffice Channel - Dedicated Transport - DS3 - Per Mile per		<u> </u>	U1TD1	U1TF1	69.18					-					
	month			U1TD3	1L5XX	4.70										
	Interoffice Channel - Dedicated Transport - DS3 - Facility	†			.20,50	7.70			1	1	1					
	Termination per month	1	1	U1TD3	U1TF3	809.05										
	Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per	l														
	month			U1TS1	1L5XX	4.70										
	Interoffice Channel - Dedicated Transport - STS-1 - Facility	1		l												
	Termination	<u> </u>	ļ	U1TS1	U1TFS	806.58			ļ							
	EXTENDED LINK (EELs) The monthly recurring and non-recurring charges below will	annly -	nd the	Switch_Ac Is Ch	u will not o	ly for LINE ac-	hinations r	visioned as !	Ordinarily Co	hinad! Nature	k Elomonto					-
	:: The monthly recurring and non-recurring charges below will :: The monthly recurring and the Switch-As-Is Charge and not t															
	The monthly reculting and the switch-As-is clidige and not t	THE HOLL	- Coull	nig charges below	νιιι αμμιγιοί (JITE CUITIDITIALIC	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	su do Cuilell	ay combined	INCLINOIS FIGUR	ziito.					1

UNBUND	LED NETWORK ELEMENTS - Alabama												Attachmen	t: 2 Exh. B		
CATEGORY	r RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)				Submitted	Charge -	Charge -	Order vs.	Charge - Manual Svc Order vs.
							Nonre	curring	Nonrecurrin	g Disconnect			oss	Rates (\$)	···	
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	4-Wire DS1 Digital Loop in Combination - Zone 1		1	UNC1X	USLXX	94.93										
	4-Wire DS1 Digital Loop in Combination - Zone 2		2	UNC1X	USLXX	177.31										
	4-Wire DS1 Digital Loop in Combination - Zone 3		3	UNC1X	USLXX	361.70										
	Interoffice Transport - Dedicated - DS1 combination - Per Mile															
	per month			UNC1X	1L5XX	0.21										
	Interoffice Transport - Dedicated - DS1 combination - Facility															
	Termination per month			UNC1X	U1TF1	69.18										
EX1	TENDED DS3 DIGITAL EXTENDED LOOP WITH DEDICATED DS3	INTERC	FFICE	TRANSPORT												
	DS3 Local Loop in combination - per mile per month			UNC3X	1L5ND	9.54										
	DS3 Local Loop in combination - Facility Termination per month			UNC3X	UE3PX	355.33										
	Interoffice Transport - Dedicated - DS3 - Per Mile per month			UNC3X	1L5XX	4.70										
	Interoffice Transport - Dedicated - DS3 combination - Facility Termination per month			UNC3X	U1TF3	809.05										
EX1	TENDED STS-1 DIGITAL EXTENDED LOOP WITH DEDICATED ST	S-1 INT	EROFF	ICE TRANSPORT												
	STS-1 Local Loop in combination - per mile per month			UNCSX	1L5ND	9.54										
	STS-1 Local Loop in combination - Facility Termination per month			UNCSX	UDLS1	367.80										
	Interoffice Transport - Dedicated - STS-1 combination - per mile per month			UNCSX	1L5XX	4.70										
	Interoffice Transport - Dedicated - STS-1 combination - Facility Termination per month			UNCSX	U1TFS	806.58										

Page 2 of 18

CATEGORY RATE ELEMENTS Marie Special S	JNBUNDLED NETWORK ELEMENT	S - Florida												Attachmen	t: 2 Exh. B	_	
New Part Augrt South				Zone	BCS	USOC						Submitted Elec	Submitted Manually	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Charge - Manual Svc Order vs. Electronic-	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'
							Rec					COMEC	COMAN			COMAN	COMAN
SWENE HORST BET RATE DEPTAL SUBSCRIBERT LIKE (POST), COMPATIBLE COOP								First	Add'I	First	Addi	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
Sweet Hord Nat Fach Production (Fides) Code Particle Coop	INBLINDI ED EXCHANGE ACCESS LOOP					+											-
A Section reconstant - Zoue 3 View Unbundled PDEL Loop including manual service requiry 2 Whe Unbundled PDEL Loop including manual service requiry 3 Units Unbundled PDEL Loop including manual service requiry 4 testing memoritars. Zone 3 2 View Unbundled PDEL Loop will manual service requiry 5 Units Unbundled PDEL Loop will manual service requiry 6 PUN CONTROL TO SERVICE AND		UBSCRIBER LINE (HDSL) COMPAT	TIBLE L	OOP													
2 Wine Unbounded HSE Loop enhancer amount service inquiry 3 Deft. Unbounded HSE Loop enhancer amount service inquiry 4 Table (1997) A facility reservation - Zone 3 4 Table (1997) Reservation - Zone 3 5 Wine Unbounded HSE Loop enhancer manual service inquiry 5 India (1997) Reservation - Zone 3 6 India (1997) Reservation - Zone 3 6 India (1997) Reservation - Zone 3 7 Wine Unbounded HSE Loop enhancer manual service inquiry 8 India (1997) Reservation - Zone 2 8 India (1997) Reservation - Zone 2 9 Wine Unbounded HSE Loop enhancer manual service inquiry 9 Wine Unbounded HSE Loop enhancer manual service inquiry 10 India (1997) Reservation - Zone 2 10 India (1997) Reservation																	
A tacity reservation - Zone 2				1	UHL	UHL2X	8.30										
2 Wine Unbounded HSS Loop including namual service inquiry 3 UHL				_													
Staplity respectation - Zone 3				2	UHL	UHL2X	11.80										
2 Wite Unbounded HOSL Loop without manual service inquiry and facility reservation. 2-come 3 2 Wite Unbounded HOSL Loop without manual service inquiry and facility reservation. 2-come 3 3 UHL UHLEW 11.80 3 UHL UHLEW 20.94 4 Wite Disconded HOSL Loop endouding manual service inquiry and facility reservation. 2-come 3 4 Wite Wite MET AFTE HORTAL SUBSCRIBER LINE (HOSL) COMPATRIEL COOP 4 Wite Disconded HOSL Loop endouding manual service inquiry and facility reservation. 2-come 2 4 Wite Unbounded HOSL Loop endouding manual service inquiry and facility reservation. 2-come 1 4 Wite Unbounded HOSL Loop endouding manual service inquiry and facility reservation. 2-come 1 4 Wite Unbounded HOSL Loop endouding manual service inquiry and facility reservation. 2-come 1 4 Wite Unbounded HOSL Loop endouding manual service inquiry and facility reservation. 2-come 1 4 Wite Unbounded HOSL Loop endouding manual service inquiry and facility reservation. 2-come 1 4 Wite Unbounded HOSL Loop endouding manual service inquiry and facility reservation. 2-come 1 4 Wite Unbounded HOSL Loop endouding manual service inquiry and facility reservation. 2-come 1 4 Wite Story internation. 2-come 1 4 Wite Story internation. 2-come 1 4 Wite Story internation. 2-come 3 4 WITE Story internation. 2				3	шы	LIHL2X	20 94										
mod facility reservation - Zone 1					OTIL	OTILEX	20.04										
and facility reservation - Zone 2 2 UHL				1	UHL	UHL2W	8.30										
2 With Unburnded HSSL Loop whother amount service inquiry and facility reservation - 2 care 3 and service inquiry and facility reservation - 2 care 3 and service inquiry and facility reservation - 2 care 3 and service inquiry and facility reservation - 2 care 3 and service inquiry and facility reservation - 2 care 3 and service inquiry and facility reservation - 2 care 3 and service inquiry and facility reservation - 2 care 3 and service inquiry and facility reservation - 2 care 3 and service inquiry and facility reservation - 2 care 3 and service inquiry and facility reservation - 2 care 3 and service inquiry and facility reservation - 2 care 3 and service inquiry and facility reservation - 2 care 3 and service inquiry and facility reservation - 2 care 4 and service inquiry and facility reservation - 2 care 2 and service inquiry and facility reservation - 2 care 2 and service inquiry and facility reservation - 2 care 2 and service inquiry 3 and service inquiry and service inquiry and service inquiry 3 and service inquiry 3 and service inquiry 3 and service inquiry 3 and service inquiry 4 and service inquiry 4 and service inquiry 5 and service inquiry 5 and service inquiry 5 and service inquiry 5 and service inquiry 5 and service inquiry 5 and service inquiry 5 and service inquiry 5 and service inquiry 5 and service inquiry 5 and service inquiry 5 and service inquiry 5 and service inquiry 5 and service inquiry 6 and service inquiry 6 and service inquiry 7 and service inquiry 7 and service inquiry 6 and service inquiry 6 and service inquiry 7 and service inquiry 7 and service inquiry 7 and service inquiry 7 and service inquiry 6 and service inquiry 7 and service inquiry 6 and service inquiry 6 and service inquiry 6 and service inquiry 6 and service inquiry 6 and service inquiry 6 and service inquiry 6 and service inquiry 6 and service inquiry 6 and service inquiry 6 and service inquiry 6 and service inqu																	
and facility neteration - Zone 3				2	UHL	UHL2W	11.80										
AWRE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HOSE) COMPATIBLE LOOP				_	l												
4 Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 1			TIDI E I	3 00B	UHL	UHL2W	20.94										
and facility reservation - Zone 1			IIBLE I	L													
4-Wire Unburded HDSL Loop including manual service inquiry and facility reservation - Zone 2				1	UHL	UHL4X	12.49										
A-Wire Unburded HOSL Loop including manual service inquiry and facility reservation. 2 Jan 3 UHL. UHL4X 31,50					-												
Additional Content of Section 1				2	UHL	UHL4X	17.76										
4-Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 1																	
Advite District Advite Dis				3	UHL	UHL4X	31.50										
4-Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 2				4		LILLI AVA	12.40										
Advite Des Dictar Loop				'	UNL	UHL4VV	12.49										
4-Wire Unbrundled HDSL Loop without manual service inquiry and facility reservation - Zone 3 3 UHL				2	UHL	UHL4W	17.76										
### WIRE DSI Digital Loop - Zone 1																	
4-Wire DS1 Digital Loop - Zone 1		3		3	UHL	UHL4W	31.50										
4-Wire DS1 Digital Loop - Zone 2																	
A-Wire DSI Digital Loop - Zone 3 3 USL USLXX 205.15	4-Wire DS1 Digital Loop - Zo	ne 1															
High Capacity Unbundled Local Loop - DS3 - Per Mile per month UE3 UE3PX 444.91 UE3 UE3PX 444.91 UE3 UE3PX												-					
High Capacity Unbundled Local Loop - DS3 - Per Mile per month High Capacity Unbundled Local Loop - DS3 - Facility Termination per month High Capacity Unbundled Local Loop - STS-1 - Per Mile per month High Capacity Unbundled Local Loop - STS-1 - Per Mile per month High Capacity Unbundled Local Loop - STS-1 - Per Mile per month High Capacity Unbundled Local Loop - STS-1 - Facility Termination per month High Capacity Unbundled Local Loop - STS-1 - Facility Termination per month UDLSX UDLSX UDLS1 490.59 INBUNDLED DEDICATED TRANSPORT INTEROFFICE CHANNEL - DEDICATED TRANSPORT Interoffice Channel - Dedicated Channel - DS1 - Per Mile per month Interoffice Channel - Dedicated Transport - DS1 - Facility Termination Interoffice Channel - Dedicated Transport - DS3 - Per Mile per month Interoffice Channel - Dedicated Transport - DS3 - Per Mile per month Interoffice Channel - Dedicated Transport - DS3 - Facility Termination per month Interoffice Channel - Dedicated Transport - DS3 - Facility Termination per month Interoffice Channel - Dedicated Transport - DS3 - Facility Termination per month U1TD3 U1TF3 1231.65 Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per month Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per month Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per month U1TD3 U1TF3 1231.65 Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per month Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per month U1TD3 U1TF3 1231.65 Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per month U1TD3 U1TF3 1231.65 Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per month U1TD3 U1TF3 1231.65 Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per month U1TTS U1TFS 1214.40 NOTE: The monthly recurring and non-recurring charges below will apply and the Switch-As-Is Charge will not apply for UNE combinations provisioned as 'Ordinarity Combined' Network Elements.				3	USL	USLAA	205.15										
month High Capacity Unbundled Local Loop - DS3 - Facility Termination per month UE3 UE3 UE3PX 444.91 UE3 UE3PX 444.91 UE3 UE3PX 444.91 UE3 UE3PX 444.91 UE3 UE3PX 444.91 UE3 UE3PX 444.91 UE3 UE3PX 444.91 UDLSX UDLSX UDLSX UDLSX UDLSX UDLSI UTDLSI UTTDLSI UTTDLSI UTTDLSI UTTSI																	
Termination per month High Capacity Unbundled Local Loop - STS-1 - Per Mile per month High Capacity Unbundled Local Loop - STS-1 - Facility Termination per month UDLSX 1L5ND 12.56 High Capacity Unbundled Local Loop - STS-1 - Facility Termination per month UDLSX UDLS1 490.59 INBUNDLED DEDICATED TRANSPORT Interoffice Channel - Dedicated Channel - DS1 - Per Mile per month Interoffice Channel - Dedicated Transport - DS1 - Per Mile per month Interoffice Channel - Dedicated Transport - DS3 - Per Mile per month Interoffice Channel - Dedicated Transport - DS3 - Per Mile per month Interoffice Channel - Dedicated Transport - DS3 - Per Mile per month Interoffice Channel - Dedicated Transport - DS3 - Per Mile per month Interoffice Channel - Dedicated Transport - DS3 - Per Mile per month Interoffice Channel - Dedicated Transport - DS3 - Facility Termination per month Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per month Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per month Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per month Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per month Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per month Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per month Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per month Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per month Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per month Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per month Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per month Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per month Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per month Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per month Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per month Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per month Interoffice Channel - Dedicated Transport					UE3	1L5ND	12.56										
High Capacity Unbundled Local Loop - STS-1 - Per Mile per month High Capacity Unbundled Local Loop - STS-1 - Facility Termination per month UDLSX UDLS1 UDLSX UDLS1 490.59 INBUNDLED DEDICATED TRANSPORT Interoffice CHANNEL - DeDICATED TRANSPORT Interoffice Channel - Dedicated Channel - DS1 - Per Mile per month Interoffice Channel - Dedicated Transport - DS1 - Facility Termination Interoffice Channel - Dedicated Transport - DS3 - Per Mile per month Interoffice Channel - Dedicated Transport - DS3 - Per Mile per month Interoffice Channel - Dedicated Transport - DS3 - Per Mile per month Interoffice Channel - Dedicated Transport - DS3 - Facility Termination per month U1TD3 U1TD3 U1TF3 1231.65 Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per month Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per month U1TD3 U1TF3 U1TS1 U1		cal Loop - DS3 - Facility															
month UDLSX 1L5ND 12.56					UE3	UE3PX	444.91										
High Capacity Unbundled Local Loop - STS-1 - Facility Termination per month UDLSX UDLS1 490.59 INBUNDLED DEDICATED TRANSPORT Interoffice Channel - Dedicated Channel - DS1 - Per Mile per month U1TD1 1L5XX 0.21 Interoffice Channel - Dedicated Transport - DS1 - Facility Termination Interoffice Channel - Dedicated Transport - DS3 - Per Mile per month U1TD1 U1TF1 101.71 Interoffice Channel - Dedicated Transport - DS3 - Per Mile per month U1TD3 1L5XX 4.45 Interoffice Channel - Dedicated Transport - DS3 - Facility Termination per month U1TD3 U1TF3 1231.65 Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per month U1TD3 U1TF3 1231.65 Interoffice Channel - Dedicated Transport - STS-1 - Facility Termination per month U1TD3 U1TF3 1231.65 Interoffice Channel - Dedicated Transport - STS-1 - Facility Termination per month U1TD3 U1TF3 1231.65 Interoffice Channel - Dedicated Transport - STS-1 - Facility Termination per month U1TD3 U1TF3 1231.65 Interoffice Channel - Dedicated Transport - STS-1 - Facility Termination per month U1TD3 U1TF3 1231.65 Interoffice Channel - Dedicated Transport - STS-1 - Facility Termination per month U1TD3 U1TF3 1231.65 Interoffice Channel - Dedicated Transport - STS-1 - Facility Termination per month U1TD3 U1TF3 1231.65 Interoffice Channel - Dedicated Transport - STS-1 - Facility Termination per month U1TD3 U1TF3 1231.65 Interoffice Channel - Dedicated Transport - STS-1 - Facility Termination per month U1TD3 U1TF3 1231.65 Interoffice Channel - Dedicated Transport - STS-1 - Facility Termination per month U1TD3 U1TF3 1231.65		cal Loop - STS-1 - Per Mile per			LIDLOV	41 END	40.50										
Termination per month		cal Loop STS 1 Eacility			UDLSX	ILDIND	12.56					-					
INTEROFFICE CHANNEL - DEDICATED TRANSPORT Interoffice Channel - Dedicated Channel - DS1 - Per Mile per month Interoffice Channel - Dedicated Transport - DS1 - Facility Termination Interoffice Channel - Dedicated Transport - DS3 - Per Mile per month Interoffice Channel - Dedicated Transport - DS3 - Per Mile per month Interoffice Channel - Dedicated Transport - DS3 - Per Mile per month Interoffice Channel - Dedicated Transport - DS3 - Facility Termination per month U1TD3 U1TD3 U1TD3 U1TF3 U1TD3 U1TF3 U1TD3 U1TF3 U1TD3 U1TF3 U1TD3 U1TF3 U1TS1 U		car Loop - 313-1 - Facility			UDLSX	UDLS1	490 59										
Interoffice Channel - Dedicated Channel - DS1 - Per Mile per month Interoffice Channel - Dedicated Tranport - DS1 - Facility Termination Interoffice Channel - Dedicated Transport - DS1 - Facility Interoffice Channel - Dedicated Transport - DS3 - Per Mile per month Interoffice Channel - Dedicated Transport - DS3 - Facility Termination per month U1TD3 U1					05207	00201	100.00										
month U1TD1 1L5XX 0.21	INTEROFFICE CHANNEL - DEDICA	TED TRANSPORT															
Interoffice Channel - Dedicated Transport - DS1 - Facility Termination U1TD1 U1TD2 U1TD3		ed Channel - DS1 - Per Mile per															
Termination U1TD1 U1TF1 101.71					U1TD1	1L5XX	0.21										
Interoffice Channel - Dedicated Transport - DS3 - Per Mile per month Interoffice Channel - Dedicated Transport - DS3 - Facility Termination per month Interoffice Channel - Dedicated Transport - STS - Per Mile per month Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per month Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per month Interoffice Channel - Dedicated Transport - STS-1 - Facility Interoffice Channel - Dedicated Transport - STS-1 - Facility Interoffice Channel - Dedicated Transport - STS-1 - Facility Interoffice Channel - Dedicated Transport - STS-1 - Facility Interoffice Channel - Dedicated Transport - STS-1 - Facility Interoffice Channel - Dedicated Transport - STS-1 - Facility Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per monthly Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per monthly Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per monthly Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per monthly Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per monthly Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per monthly Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per monthly Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per monthly Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per monthly Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per monthly Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per monthly Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per monthly Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per monthly Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per monthly Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per monthly Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per monthly Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per monthly Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per monthly		ed Tranport - DS1 - Facility			LIATOA	LIATEA	101 71										
month		red Transport - DS3 - Per Mile per			UTIDI	UTIFT	101.71										
Interoffice Channel - Dedicated Transport - DS3 - Facility Termination per month Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per month U1TD3 U1TF3 1231.65 U1TF3 1231.65 U1TS1		isa Transport - 200 - I el iville pel		İ	U1TD3	1L5XX	4.45										1
Termination per month U1TD3 U1TF3 1231.65 Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per month U1TS1 1L5XX 4.45 Interoffice Channel - Dedicated Transport - STS-1 - Facility Interoffice Channel - Dedicated Transport - STS-1 - Facility U1TS1 U1TFS 1214.40 U1TS1 U1TFS 1214.40 INTEROMEDED LINK (EELs) NOTE: The monthly recurring and non-recurring charges below will apply and the Switch-As-Is Charge will not apply for UNE combinations provisioned as 'Ordinarily Combined' Network Elements.		ed Transport - DS3 - Facility								İ							
month	Termination per month	·			U1TD3	U1TF3	1231.65										
Interoffice Channel - Dedicated Transport - STS-1 - Facility Termination NOTE: The monthly recurring and non-recurring charges below will apply and the Switch-As-Is Charge will not apply for UNE combinations provisioned as 'Ordinarily Combined' Network Elements.		ed Transport - STS-1 - Per Mile per															
Termination U1TS1 U1TFS 1214.40 SINCED EXTENDED LINK (EELs) NOTE: The monthly recurring and non-recurring charges below will apply and the Switch-As-Is Charge will not apply for UNE combinations provisioned as 'Ordinarily Combined' Network Elements.		070 (5)		<u> </u>	U1TS1	1L5XX	4.45										
NHANCED EXTENDED LINK (EELs) NOTE: The monthly recurring and non-recurring charges below will apply and the Switch-As-Is Charge will not apply for UNE combinations provisioned as ' Ordinarily Combined' Network Elements.		ed Transport - STS-1 - Facility		İ	114704	LIATES	1014 40										1
NOTE: The monthly recurring and non-recurring charges below will apply and the Switch-As-Is Charge will not apply for UNE combinations provisioned as 'Ordinarily Combined' Network Elements.		+		-	01101	UIIFS	1214.40			1	1	+					
		l non-recurring charges below will a	ıpplv aı	nd the	Switch-As-Is Charg	e will not ann	ly for UNE com	binations pro	visioned as ' (Ordinarily Com	bined' Networ	k Elements					
NOTE: The monthly recurring and the Switch-As-Is Charge and not the non-recurring charges below will apply for UNE combinations provisioned as 'Currently Combined' Network Elements.																	

UNBUI	NDLE	NETWORK ELEMENTS - Florida												Attachmen	t: 2 Exh. B		
CATEG	ORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)				Submitted Manually	Charge -	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
								Nonre	curring	Nonrecurring	Disconnect		I.	oss	Rates (\$)	L	
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		4-Wire DS1 Digital Loop in Combination - Zone 1		1	UNC1X	USLXX	81.35										
		4-Wire DS1 Digital Loop in Combination - Zone 2		2	UNC1X	USLXX	115.62										
		4-Wire DS1 Digital Loop in Combination - Zone 3		3	UNC1X	USLXX	205.15										
		Interoffice Transport - Dedicated - DS1 combination - Per Mile															
		per month			UNC1X	1L5XX	0.21										
		Interoffice Transport - Dedicated - DS1 combination - Facility															
		Termination per month			UNC1X	U1TF1	101.71										
		DED DS3 DIGITAL EXTENDED LOOP WITH DEDICATED DS3	INTERC	FFICE													
		DS3 Local Loop in combination - per mile per month			UNC3X	1L5ND	12.56										
		DS3 Local Loop in combination - Facility Termination per month			UNC3X	UE3PX	444.91										
		Interoffice Transport - Dedicated - DS3 - Per Mile per month			UNC3X	1L5XX	4.45										
		Interoffice Transport - Dedicated - DS3 combination - Facility Termination per month			UNC3X	U1TF3	1231.65										
	EXTEN	DED STS-1 DIGITAL EXTENDED LOOP WITH DEDICATED ST	S-1 INT	EROFF	ICE TRANSPORT												
		STS-1 Local Loop in combination - per mile per month			UNCSX	1L5ND	12.56										
		STS-1 Local Loop in combination - Facility Termination per month			UNCSX	UDLS1	490.59										
		Interoffice Transport - Dedicated - STS-1 combination - per mile per month			UNCSX	1L5XX	4.45										
		Interoffice Transport - Dedicated - STS-1 combination - Facility Termination per month			UNCSX	U1TFS	1214.40										

CATEGORY	D NETWORK ELEMENTS - Georgia										Ta			t: 2 Exh. B	t	
	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'
-+-			-		+	Rec	First	curring Add'l	Nonrecurrin First	g Disconnect Add'l		SOMAN	SOMAN	Rates (\$) SOMAN	SOMAN	SOMAN
-+-					_		First	Addi	First	Addi	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
INBUNDI ED E	EXCHANGE ACCESS LOOP		1		+						+					†
	HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIBLE	LOOP													
	2 Wire Unbundled HDSL Loop including manual service inquiry															
	& facility reservation - Zone 1	- 1	1	UHL	UHL2X	9.06								<u> </u>		
	2 Wire Unbundled HDSL Loop including manual service inquiry	l .												i '		
-+-	& facility reservation - Zone 2		2	UHL	UHL2X	10.45										
	2 Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 3	١,	3	UHL	UHL2X	16.65								1 '		
	2 Wire Unbundled HDSL Loop without manual service inquiry	<u>'</u>	3	OFIL	OFILZA	10.03								 		
	and facility reservation - Zone 1	l ı	1	UHL	UHL2W	9.06								1 '		
-	2 Wire Unbundled HDSL Loop without manual service inquiry					0.00										
	and facility reservation - Zone 2	- 1	2	UHL	UHL2W	10.45								<u> </u>		
	2 Wire Unbundled HDSL Loop without manual service inquiry													ĺ		
	and facility reservation - Zone 3		3	UHL	UHL2W	16.65										
	HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIBLE	LOOP		-											
	4 Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 1	١.,	1	UHL	UHL4X	11.95								1 '		
	4-Wire Unbundled HDSL Loop including manual service inquiry	<u> </u>	- ' -	OFIL	UI IL4X	11.55					1					-
	and facility reservation - Zone 2	l ,	2	UHL	UHL4X	13.80								1 '		
	4-Wire Unbundled HDSL Loop including manual service inquiry															
	and facility reservation - Zone 3	- 1	3	UHL	UHL4X	21.93								1 '		
	4-Wire Unbundled HDSL Loop without manual service inquiry													(
	and facility reservation - Zone 1	I	1	UHL	UHL4W	11.95								L		
	4-Wire Unbundled HDSL Loop without manual service inquiry		_											1 '		
	and facility reservation - Zone 2 4-Wire Unbundled HDSL Loop without manual service inquiry		2	UHL	UHL4W	13.80					-					
	and facility reservation - Zone 3	١,	3	UHL	UHL4W	21.93								1 '		
	E DS1 DIGITAL LOOP	-	-	OTIL	OTILAVV	21.93								 		
	4-Wire DS1 Digital Loop - Zone 1		1	USL	USLXX	47.17										
	4-Wire DS1 Digital Loop - Zone 2		2	USL	USLXX	53.37										
	4-Wire DS1 Digital Loop - Zone 3		3	USL	USLXX	71.33										
IIGH CAPACIT	TY UNBUNDLED LOCAL LOOP													L		
	High Capacity Unbundled Local Loop - DS3 - Per Mile per					40.00								1 '		
\longrightarrow	month High Capacity Unbundled Local Loop - DS3 - Facility		1	UE3	1L5ND	12.62					-					<u> </u>
	Termination per month			UE3	UE3PX	291.39								1 '		
	High Capacity Unbundled Local Loop - STS-1 - Per Mile per		1	OLS	OLSI X	231.33								 		+
	month			UDLSX	1L5ND	12.62								1 '		
	High Capacity Unbundled Local Loop - STS-1 - Facility															
	Termination per month			UDLSX	UDLS1	351.23								<u> </u>		
	DEDICATED TRANSPORT													<u> </u>		
INTERC	OFFICE CHANNEL - DEDICATED TRANSPORT													 		
	Interoffice Channel - Dedicated Channel - DS1 - Per Mile per month			U1TD1	41.577	0.13								1 '		
-+	Interoffice Channel - Dedicated Tranport - DS1 - Facility		1	וטווטו	1L5XX	0.13				1	+			 		+
	Termination			U1TD1	U1TF1	39.32								1 '		
	Interoffice Channel - Dedicated Transport - DS3 - Per Mile per			0.1.2.		00.02										
	month			U1TD3	1L5XX	2.91								1 '		
	Interoffice Channel - Dedicated Transport - DS3 - Facility													()		
$-\!\!\!\!-\!\!\!\!\!-$	Termination per month			U1TD3	U1TF3	393.32								Ļ		
1	Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per				41.500									1 '		
\longrightarrow	month	 	-	U1TS1	1L5XX	2.91		 	-	 	1			 		
1	Interoffice Channel - Dedicated Transport - STS-1 - Facility Termination			U1TS1	U1TFS	412.47								1 '		
NHANCED F	(TENDED LINK (EELs)	-	1	57101	01113	412.47		1	1	 	+					$\vdash \!$
	The monthly recurring and non-recurring charges below will	apply a	nd the	Switch-As-Is Chard	e will not ann	ly for UNE com	binations pro	visioned as '	Ordinarily Com	bined' Networ	k Elements.					
	The monthly recurring and the Switch-As-Is Charge and not t															

UNBUNDI	LED NETWORK ELEMENTS - Georgia												Attachmen	t: 2 Exh. B		
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)				Submitted	Charge -	Charge -	Order vs.	Charge - Manual Svc Order vs.
						_	Nonre	curring	Nonrecurrin	g Disconnect			oss	Rates (\$)	···	
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	4-Wire DS1 Digital Loop in Combination - Zone 1		1	UNC1X	USLXX	47.17										
	4-Wire DS1 Digital Loop in Combination - Zone 2		2	UNC1X	USLXX	53.37										
	4-Wire DS1 Digital Loop in Combination - Zone 3		3	UNC1X	USLXX	71.33										
	Interoffice Transport - Dedicated - DS1 combination - Per Mile															
	per month			UNC1X	1L5XX	0.13										
	Interoffice Transport - Dedicated - DS1 combination - Facility															
	Termination per month			UNC1X	U1TF1	39.32										
EXT	ENDED DS3 DIGITAL EXTENDED LOOP WITH DEDICATED DS3	INTERC	FFICE	TRANSPORT												
	DS3 Local Loop in combination - per mile per month			UNC3X	1L5ND	12.62										
	DS3 Local Loop in combination - Facility Termination per month			UNC3X	UE3PX	291.39										
	Interoffice Transport - Dedicated - DS3 - Per Mile per month			UNC3X	1L5XX	2.91										
	Interoffice Transport - Dedicated - DS3 combination - Facility Termination per month			UNC3X	U1TF3	393.32										
EXT	ENDED STS-1 DIGITAL EXTENDED LOOP WITH DEDICATED ST	S-1 INT	EROFF	ICE TRANSPORT												
	STS-1 Local Loop in combination - per mile per month			UNCSX	1L5ND	12.62										
	STS-1 Local Loop in combination - Facility Termination per month			UNCSX	UDLS1	351.23										
	Interoffice Transport - Dedicated - STS-1 combination - per mile per month			UNCSX	1L5XX	2.91										
	Interoffice Transport - Dedicated - STS-1 combination - Facility Termination per month			UNCSX	U1TFS	412.47										

CATEGORY	D NETWORK ELEMENTS - Kentucky										0		Attachmen			
	RATE ELEMENTS	Interi m	Zone	BCS	USOC		<u></u>	RATES (\$)			Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
					_	Rec	First	curring		g Disconnect		COMAN		Rates (\$)	COMAN	COMAN
					+		First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
INBUNDI ED E	XCHANGE ACCESS LOOP				+				-		1					†
	HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIBLE	LOOP													
	2 Wire Unbundled HDSL Loop including manual service inquiry															
	& facility reservation - Zone 1		1	UHL	UHL2X	10.06										
	2 Wire Unbundled HDSL Loop including manual service inquiry					40.00										
	& facility reservation - Zone 2		2	UHL	UHL2X	10.99										
	2 Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 3		3	UHL	UHL2X	12.20										
	2 Wire Unbundled HDSL Loop without manual service inquiry		3	OTIL	UTILZA	12.20			+		1					
	and facility reservation - Zone 1		1	UHL	UHL2W	10.06										
	2 Wire Unbundled HDSL Loop without manual service inquiry															
	and facility reservation - Zone 2		2	UHL	UHL2W	10.99										
	2 Wire Unbundled HDSL Loop without manual service inquiry															
	and facility reservation - Zone 3		3	UHL	UHL2W	12.20										
	HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIBLE	LOOP						+		-					
	4 Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 1		1	UHL	UHL4X	16.04										
	4-Wire Unbundled HDSL Loop including manual service inquiry		-	OTIL	OTILAX	10.04			+		-					+
	and facility reservation - Zone 2	1	2	UHL	UHL4X	18.03										
	4-Wire Unbundled HDSL Loop including manual service inquiry															
	and facility reservation - Zone 3		3	UHL	UHL4X	19.53										
	4-Wire Unbundled HDSL Loop without manual service inquiry															
	and facility reservation - Zone 1		1	UHL	UHL4W	16.04			1							
	4-Wire Unbundled HDSL Loop without manual service inquiry		2	l		40.00										
	and facility reservation - Zone 2 4-Wire Unbundled HDSL Loop without manual service inquiry		2	UHL	UHL4W	18.03			+		-					
	and facility reservation - Zone 3		3	UHL	UHL4W	19.53										
	DS1 DIGITAL LOOP			OTIL	OTILATIV	10.00			+		1					
	4-Wire DS1 Digital Loop - Zone 1		1	USL	USLXX	99.44										
	4-Wire DS1 Digital Loop - Zone 2			USL	USLXX	131.22										
	4-Wire DS1 Digital Loop - Zone 3		3	USL	USLXX	342.42										
IGH CAPACIT	Y UNBUNDLED LOCAL LOOP								1							
	High Capacity Unbundled Local Loop - DS3 - Per Mile per				41.5115	10.64										
	month High Capacity Unbundled Local Loop - DS3 - Facility			UE3	1L5ND	10.64			+		-					
	Termination per month			UE3	UE3PX	354.56										
	High Capacity Unbundled Local Loop - STS-1 - Per Mile per			020	OLOI X	004.00			+		1					
	month			UDLSX	1L5ND	10.64										
	High Capacity Unbundled Local Loop - STS-1 - Facility															
	Termination per month			UDLSX	UDLS1	368.59										
	EDICATED TRANSPORT								ļ							
	OFFICE CHANNEL - DEDICATED TRANSPORT															
	Interoffice Channel - Dedicated Channel - DS1 - Per Mile per month			U1TD1	1L5XX	0.26										
	Interoffice Channel - Dedicated Tranport - DS1 - Facility			וטווטו	ILSAA	0.26			+		1					
	Termination		1	U1TD1	U1TF1	110.45			1							
	Interoffice Channel - Dedicated Transport - DS3 - Per Mile per								1		†					
	month			U1TD3	1L5XX	5.72										
	Interoffice Channel - Dedicated Transport - DS3 - Facility															
	Termination per month		ļ	U1TD3	U1TF3	1351.42			-							
	Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per		1	114704	1L5XX	F 70			1							
	month Interoffice Channel - Dedicated Transport - STS-1 - Facility	1	!	U1TS1	ILOXX	5.72			1	1	1					
	Termination		1	U1TS1	U1TFS	1321.94			1							
	TENDED LINK (EELs)		†	0.101	5111.5	1021.34			1							
	The monthly recurring and non-recurring charges below will	apply a	nd the	Switch-As-Is Chard	ge will not app	ly for UNE com	binations pro	visioned as '	Ordinarily Com	bined' Networ	k Elements.					
	The monthly recurring and the Switch-As-Is Charge and not t															

UNBU	NDLE	D NETWORK ELEMENTS - Kentucky												Attachmen	t: 2 Exh. B		
CATEG	ORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)				Submitted Manually	Charge - Manual Svc Order vs.	Charge -	Charge - Manual Svc Order vs.	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
							_	Nonre	curring	Nonrecurrin	g Disconnect			oss	Rates (\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		4-Wire DS1 Digital Loop in Combination - Zone 1		1	UNC1X	USLXX	99.44										
		4-Wire DS1 Digital Loop in Combination - Zone 2		2	UNC1X	USLXX	131.22										
		4-Wire DS1 Digital Loop in Combination - Zone 3		3	UNC1X	USLXX	342.42										
		Interoffice Transport - Dedicated - DS1 combination - Per Mile															
		per month			UNC1X	1L5XX	0.22										
		Interoffice Transport - Dedicated - DS1 combination - Facility															
		Termination per month			UNC1X	U1TF1	90.87										
	EXTEN	NDED DS3 DIGITAL EXTENDED LOOP WITH DEDICATED DS3	INTERC	FFICE	TRANSPORT												
		DS3 Local Loop in combination - per mile per month			UNC3X	1L5ND	10.64										
		DS3 Local Loop in combination - Facility Termination per month			UNC3X	UE3PX	354.56										
		Interoffice Transport - Dedicated - DS3 - Per Mile per month			UNC3X	1L5XX	4.70										
		Interoffice Transport - Dedicated - DS3 combination - Facility Termination per month			UNC3X	U1TF3	1111.92										
	EXTEN	IDED STS-1 DIGITAL EXTENDED LOOP WITH DEDICATED ST	S-1 INT	EROFF	ICE TRANSPORT												
		STS-1 Local Loop in combination - per mile per month			UNCSX	1L5ND	10.64										
		STS-1 Local Loop in combination - Facility Termination per month			UNCSX	UDLS1	368.59										
		Interoffice Transport - Dedicated - STS-1 combination - per mile per month			UNCSX	1L5XX	4.70										
		Interoffice Transport - Dedicated - STS-1 combination - Facility Termination per month			UNCSX	U1TFS	1087.66										

Page 8 of 18

ATTOONY RATE ELEMENTS Intell 2004 1000	UNBUNDLE	D NETWORK ELEMENTS - Louisiana												Attachmen	t: 2 Exh. B		
MINIORICED EXCLAMPE ACCESS LODP JAMES 1997 March 19	CATEGORY			Zone	BCS	usoc			RATES (\$)			Submitted Elec	Submitted Manually	Incremental Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic-	Charge - Manual Svc Order vs. Electronic-	Increment Charge Manual So Order vs Electronic Disc Add
DRIBUNDLED EXCHANGE ACCESS LOGP SWINE ABERT First ABERT First ABERT ABERT SWINE SW							Rec										
2-year Hotel Bit TAXTE DIGITAL SUBSCRIPTION LINE (1909) 1							Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
2-year Hotel Bit TAXTE DIGITAL SUBSCRIPTION LINE (1909) 1																	
2 Wine Unknowled POSE Loop including nemous service includy 1 PM,			<u> </u>														
St. bodily metanoles PDB LLop Industry and service inquiry 2 2 2 2 2 2 2 2 2	2-WIR		AIIBLE	LOOP													<u> </u>
2 Yee Ustanded FDE Loop including manual service requiry 3 UPL				1	ПНІ	LIHL 2Y	11 26										
R. Richly macendation - Zono 2 1944 1942 13.26 1942 13.26 1942 1944 1945				-	OFIL	UTILZX	11.20										+
2 Wei Librardied FSG. Loop including manual service requiry 3 UHL				2	UHL	UHL2X	13.25										
M. Rockly reservation - Zone 3 3 U.R. U.H.2.X 14.65		2 Wire Unbundled HDSL Loop including manual service inquiry															
Metal Meta		& facility reservation - Zone 3		3	UHL	UHL2X	14.65										
2 Year Unburded PUSIL Loop without manual service inquiry and feeling inserved in 2-30 (July 1942) 14,65 1,94 (July 1942) 14,65 1,94 (July 1942) 14,65 1,94 (July 1942) 14,65 1,94 (July 1942) 14,65 1,94 (July 1942) 14,65 1,94 (July 1942) 1,94 (July 194																	
and boolity reservation - Zone 2 2 URL				1	UHL	UHL2W	11.26										
2 Wine Unbundled HOSL Loop whoten manual service inquiry 3 UHL				_													
Indicator reservation - Zone 3 3 UHL				2	UHL	UHL2W	13.25										
A-WINE HIGH BIT RATE GIGTTAL, SUBSCRIBER LINE (FIOSE) COMPATIBLE LOOP				2	ш	LILLI OW	14.65										
4 Wire Unbundled HDSL Loop including manual service inquiry 1	4-WID		ATIRI E	LOOP	UHL	UHLZVV	14.65										
Indicate Indicate	4-Wilk	4 Wire Unbundled HDSL Loop including manual service inquiry	T	<u> </u>													
### United HDSL Loop including manual service inquiry and facility reservation - Zeno 2				1	UHL	UHL4X	18.68										
and facility reservation - Zone 2																	
and facility reservation - Zone 3				2	UHL	UHL4X	19.15										
4-Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 1																	
and facility reservation - Zone 1				3	UHL	UHL4X	19.94										
### After Unbrunded HDSL Loop without manual service inquiry and facility reservation. Zone 2																	
and facility reservation - Zone 2				1	UHL	UHL4W	18.68										
4-Wire Unbrundled HDSL Loop without manual service inquiry and facility reserved in Zone 1				_			40.45										
and facility reservation - Zone 3 3 UHL UHL/W 19.94				2	UHL	UHL4W	19.15										
### WIRE DSI Digital Loop - Zone 1				2	ш	1 III 4W	10.04										
4-Wire DSI Digital Loop - Zone 2	4-WIR			3	OTIL	OTILAVV	13.34										
#-Wire DSI Diolata Loop -Zone 2				1	USL	USLXX	98.56										
HIGH CAPACITY UNBUNDLED LOCAL LOOP High Capacity Unbundled Local Loop - DS3 - Per Mile per month UE3 UE3ND 11.55																	
High Capacity Unbundled Local Loop - DS3 - Per Mile per month High Capacity Unbundled Local Loop - DS3 - Facility Termination per month UE3 UE3PX 416.69 High Capacity Unbundled Local Loop - STS-1 - Per Mile per month High Capacity Unbundled Local Loop - STS-1 - Per Mile per month High Capacity Unbundled Local Loop - STS-1 - Facility Emination per month UDLSX UDLSX UDLS1 430.74 UNBUNDLED DEDICATED TRANSPORT INTEROFFICE CHANNEL - DEDICATED TRANSPORT Interoffice Channel - Dedicated Channel - DS1 - Per Mile per month Interoffice Channel - Dedicated Transport - DS1 - Facility Termination Interoffice Channel - Dedicated Transport - DS3 - Per Mile per month Interoffice Channel - Dedicated Transport - DS3 - Per Mile per month Interoffice Channel - Dedicated Transport - DS3 - Per Mile per month Interoffice Channel - Dedicated Transport - DS3 - Facility Termination per month U1TD1 U1TF1 81.04 Interoffice Channel - Dedicated Transport - DS3 - Facility Termination per month U1TD3 U1TS3 U1TS3 978.02 Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per month Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per month U1TD1 U1TF1 978.02 Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per month U1TD3 U1TS3 U1TS3 978.02 Interoffice Channel - Dedicated Transport - STS-1 - Facility Termination per month U1TD1 U1TF1 954.72 ENHANCED EXTENDED LINK (EELs) NOTE: The monthly recurring and non-recurring charges below will apply and the Switch-As-1 Charge will not apply for UNE combinations provisioned as 'Ordinarily Combined' Network Elements. NOTE: The monthly recurring and non-recurring charges below will apply for UNE combinations provisioned as 'Ordinarily Combined' Network Elements.				3	USL	USLXX	565.73										
Month UE3 1L5ND 11.55	HIGH CAPACI																
High Capacity Unbundled Local Loop - DS3 - Facility Termination per month High Capacity Unbundled Local Loop - STS-1 - Per Mile per month High Capacity Unbundled Local Loop - STS-1 - Facility Termination per month UDLSX 1LSND 11.55 High Capacity Unbundled Local Loop - STS-1 - Facility Termination per month UDLSX UDLS1 430.74 UNBUNDLED DEDICATED TRANSPORT INTEROFFICE CHANNEL - DEDICATED TRANSPORT Interoffice Channel - Dedicated Channel - DS1 - Per Mile per month Interoffice Channel - Dedicated Transport - DS1 - Facility Termination - Dedicated Transport - DS3 - Per Mile per month Interoffice Channel - Dedicated Transport - DS3 - Per Mile per month Interoffice Channel - Dedicated Transport - DS3 - Facility Termination per month U1TD3 1L5XX 6.95 Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per month Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per month Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per month U1TD3 U1TF3 978.02 ENHANCED EXTENDED LINK (EELs) NOTE: The monthly recurring and non-recurring charges below will apply and the Switch-As-Is Charge will not apply for UNE combinations provisioned as 'Ordinarily Combined' Network Elements. NOTE: The monthly recurring and non-recurring charges below will apply and the Switch-As-Is Charge will not apply for UNE combinations provisioned as 'Ordinarily Combined' Network Elements.																	
Termination per month High Capacity Unbundled Local Loop - STS-1 - Per Mile per month High Capacity Unbundled Local Loop - STS-1 - Facility Termination per month UDLSX UDLSX UDLSX UDLS1 High Capacity Unbundled Local Loop - STS-1 - Facility Termination per month UDLSX UDLS1 UDL					UE3	1L5ND	11.55										
High Capacity Unbundled Local Loop - STS-1 - Per Mile per month High Capacity Unbundled Local Loop - STS-1 - Facility Termination per month UDLSX UDLS1 UDLS3 UDLS1 UDLS3 UDLS1 UDLS4 UDLS1 UDLS4 UDLS5 UDLS6 UDLS6 UDLS7 UDLS6 UDLS7 UDLS6 UDLS7 UDLS6 UDLS7 UDLS6 UDLS7 UDLS6 UDLS7 UDLS6 UDLS7 UDLS6 UDLS7 UDLS6 UDLS7 UDLS6 UDLS7 UDLS7 UDLS6 UDLS7 UDLS7 UDLS6 UDLS7 UDLS6 UDLS7 UDLS6 UDLS7 UDLS6 UDLS7 UDLS6 UDLS7 UDLS6 UDLS7 UDLS6 UDLS7 UDLS6 UDLS7 UDLS6 UDLS7 UDLS6 UDLS7 UDLS6 UDLS7 UDLS6 UDLS7 UDLS6 UDLS7 UDLS6 UDLS7 UDLS7 UDLS6 UDLS7 UDLS7 UDLS6 UDLS7 UDLS6 UDLS7 UDLS7 UDLS6 UDLS6 UDLS7 UDLS6 UDLS7 UDLS6 UDLS6 UDLS7 UDLS6 UDLS6 UDLS6 UDLS7 UDLS6 UDLS6 UDLS7 UDLS6 UDLS6 UDLS6 UDLS6 UDLS6 UDLS7 UDLS6 UD					LIEO	LIEODY	440.00										
month					UE3	UE3PX	416.69			-			-				
High Capacity Unbundled Local Loop - STS-1 - Facility Termination per month					UDLSX	1I 5ND	11.55										
Termination per month					0520/1	120.12	11.00										
Interoffice Channel - Dedicated Channel - DS1 - Per Mile per month Interoffice Channel - Dedicated Transport - DS1 - Per Mile per month Interoffice Channel - Dedicated Transport - DS1 - Facility Termination Interoffice Channel - Dedicated Transport - DS3 - Per Mile per month Interoffice Channel - Dedicated Transport - DS3 - Per Mile per month Interoffice Channel - Dedicated Transport - DS3 - Per Mile per month Interoffice Channel - Dedicated Transport - DS3 - Facility Termination per month Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per month Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per month Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per month Interoffice Channel - Dedicated Transport - STS-1 - Facility Termination Interoffice Channel - Dedicated Transport - STS-1 - Facility Termination Interoffice Channel - Dedicated Transport - STS-1 - Facility Termination Interoffice Channel - Dedicated Transport - STS-1 - Facility Termination Interoffice Channel - Dedicated Transport - STS-1 - Facility Termination Interoffice Channel - Dedicated Transport - STS-1 - Facility Termination Interoffice Channel - Dedicated Transport - STS-1 - Facility Termination Interoffice Channel - Dedicated Transport - STS-1 - Facility Termination Interoffice Channel - Dedicated Transport - STS-1 - Facility Termination Interoffice Channel - Dedicated Transport - STS-1 - Facility Termination Interoffice Channel - Dedicated Transport - STS-1 - Facility Termination Interoffice Channel - Dedicated Transport - STS-1 - Facility Interoffice Channel - Dedicated Transport - STS-1 - Facility Interoffice Channel - Dedicated Transport - STS-1 - Facility Interoffice Channel - Dedicated Transport - STS-1 - Facility Interoffice Channel - Dedicated Transport - STS-1 - Facility Interoffice Channel - Dedicated Transport - STS-1 - Facility Interoffice Channel - Dedicated Transport - STS-1 - Facility Interoffice Channel - Dedicated Transport - STS-1 - Facility Interoffice Channel - Dedicated Transport - STS					UDLSX	UDLS1	430.74										
Interoffice Channel - Dedicated Tranport - DS1 - Per Mile per month Interoffice Channel - Dedicated Tranport - DS1 - Facility Termination Interoffice Channel - Dedicated Transport - DS3 - Per Mile per month Interoffice Channel - Dedicated Transport - DS3 - Per Mile per month Interoffice Channel - Dedicated Transport - DS3 - Facility Termination per month Interoffice Channel - Dedicated Transport - STS - 1 - Per Mile per month Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per month Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per month Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per month Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per month Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per month Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per month Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per month Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per month Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per month Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per month Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per month Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per month Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per month Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per month Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per month Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per month Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per month Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per month Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per month Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per month Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per month Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per month Interoffice Channel - Dedi																	
month U1TD1 1L5XX 0.30	INTER																
Interoffice Channel - Dedicated Transport - DS1 - Facility Termination U1TD1 U1TF1 81.04 Interoffice Channel - Dedicated Transport - DS3 - Per Mile per month U1TD3 U1T			1		l	1										1	
Termination U1TD1 U1TF1 81.04			 	<u> </u>	U1TD1	1L5XX	0.30										
Interoffice Channel - Dedicated Transport - DS3 - Per Mile per month Interoffice Channel - Dedicated Transport - DS3 - Facility Termination per month U1TD3 U1TD3 U1TF3 978.02 Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per month U1TD3 U1TF3 978.02 U1TD3 U1TF3 978.02 Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per month U1TS1 U1TS			1		LIATDA	LIATE4	94.04									1	
month			1	1	ועווטו	UIIFI	01.04										
Interoffice Channel - Dedicated Transport - DS3 - Facility Termination per month Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per month U1TD3 U1TF3 978.02 Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per month U1TS1 U1TS1 U1TFS 954.72 ENHANCED EXTENDED LINK (EELs) NOTE: The monthly recurring and non-recurring charges below will apply and the Switch-As-Is Charge will not apply for UNE combinations provisioned as ' Ordinarily Combined' Network Elements. NOTE: The monthly recurring and the Switch-As-Is Charge and not the non-recurring charges below will apply for UNE combinations provisioned as ' Currently Combined' Network Elements.			1		U1TD3	1L5XX	6.95									1	
Termination per month			1	<u> </u>		,	5.56									1	
month	I	Termination per month	<u></u>	L	U1TD3	U1TF3	978.02				<u> </u>	<u></u>			<u></u>	<u> </u>	<u></u>
Interoffice Channel - Dedicated Transport - STS-1 - Facility Termination U1TS1 U1TFS 954.72 ENHANCED EXTENDED LINK (EELs) NOTE: The monthly recurring and non-recurring charges below will apply and the Switch-As-Is Charge will not apply for UNE combinations provisioned as 'Ordinarily Combined' Network Elements. NOTE: The monthly recurring and the Switch-As-Is Charge and not the non-recurring charges below will apply for UNE combinations provisioned as 'Currently Combined' Network Elements.							İ										
Termination			<u> </u>	<u> </u>	U1TS1	1L5XX	6.95										
ENHANCED EXTENDED LINK (EELs) NOTE: The monthly recurring and non-recurring charges below will apply and the Switch-As-Is Charge will not apply for UNE combinations provisioned as ' Ordinarily Combined' Network Elements. NOTE: The monthly recurring and the Switch-As-Is Charge and not the non-recurring charges below will apply for UNE combinations provisioned as ' Currently Combined' Network Elements.			1														
NOTE: The monthly recurring and non-recurring charges below will apply and the Switch-As-Is Charge will not apply for UNE combinations provisioned as 'Ordinarily Combined' Network Elements. NOTE: The monthly recurring and the Switch-As-Is Charge and not the non-recurring charges below will apply for UNE combinations provisioned as 'Currently Combined' Network Elements.			<u> </u>	<u> </u>	U1TS1	U1TFS	954.72									ļ	ļ
NOTE: The monthly recurring and the Switch-As-Is Charge and not the non-recurring charges below will apply for UNE combinations provisioned as ' Currently Combined' Network Elements.	ENHANCED E	X I ENDED LINK (EELs)			Constants A - 1 - C'		lu fan Libir	h !		Oudin out to Co. 1	Lina and Birder				-	 	
															1	 	↓
							ONE COMBINATIO	nis provision	eu as Curren	uy Combined f	TELWOIK EIEME	:::io.					

UNBUNDL	ED NETWORK ELEMENTS - Louisiana												Attachmen	t: 2 Exh. B		
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)				Submitted	Charge -	Charge -	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						B	Nonre	curring	Nonrecurrin	g Disconnect			oss	Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	4-Wire DS1 Digital Loop in Combination - Zone 1		1	UNC1X	USLXX	98.56										
	4-Wire DS1 Digital Loop in Combination - Zone 2		2	UNC1X	USLXX	224.20										
	4-Wire DS1 Digital Loop in Combination - Zone 3		3	UNC1X	USLXX	565.73										
	Interoffice Transport - Dedicated - DS1 combination - Per Mile															
	per month			UNC1X	1L5XX	0.30										
	Interoffice Transport - Dedicated - DS1 combination - Facility															
	Termination per month			UNC1X	U1TF1	81.04										
EXTE	NDED DS3 DIGITAL EXTENDED LOOP WITH DEDICATED DS3	INTERC	FFICE	TRANSPORT												
	DS3 Local Loop in combination - per mile per month			UNC3X	1L5ND	11.55										
	DS3 Local Loop in combination - Facility Termination per month			UNC3X	UE3PX	416.69										
	Interoffice Transport - Dedicated - DS3 - Per Mile per month			UNC3X	1L5XX	6.95										
	Interoffice Transport - Dedicated - DS3 combination - Facility Termination per month			UNC3X	U1TF3	978.02										
EXTE	NDED STS-1 DIGITAL EXTENDED LOOP WITH DEDICATED ST	S-1 INT	EROFF	ICE TRANSPORT												
	STS-1 Local Loop in combination - per mile per month			UNCSX	1L5ND	11.55										
	STS-1 Local Loop in combination - Facility Termination per month			UNCSX	UDLS1	430.74										
	Interoffice Transport - Dedicated - STS-1 combination - per mile per month			UNCSX	1L5XX	6.95										
	Interoffice Transport - Dedicated - STS-1 combination - Facility Termination per month			UNCSX	U1TFS	954.72										

UNBUNDLE	ED NETWORK ELEMENTS - Mississippi												Attachmen	t: 2 Exh. B		
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-		Charge -	Charge - Manual Svo Order vs. Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
						Rec	Nonrec		Nonrecurrir	ng Disconnect				Rates (\$)		
						Nec		Add'l		Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
																<u> </u>
	EXCHANGE ACCESS LOOP															<u> </u>
2-WIR	RE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIBLE I	LOOP													<u> </u>
	2 Wire Unbundled HDSL Loop including manual service inquiry															
	& facility reservation - Zone 1		1	UHL	UHL2X	10.06										ļ
	2 Wire Unbundled HDSL Loop including manual service inquiry		2	UHL	LILLIOV	40.00										
	& facility reservation - Zone 2 2 Wire Unbundled HDSL Loop including manual service inquiry		2	UHL	UHL2X	10.60										
	& facility reservation - Zone 3		3	UHL	UHL2X	11.35										
	2 Wire Unbundled HDSL Loop including manual service inquiry		3	UNL	UNLZA	11.33				-	1					
	& facility reservation - Zone 4		4	UHL	UHL2X	12.03										
	2 Wire Unbundled HDSL Loop without manual service inquiry		7	OTIL	OTILEX	12.00										+
	and facility reservation - Zone 1		1	UHL	UHL2W	10.06										
	2 Wire Unbundled HDSL Loop without manual service inquiry		· ·	0.12	0	10.00										†
	and facility reservation - Zone 2		2	UHL	UHL2W	10.60										
	2 Wire Unbundled HDSL Loop without manual service inquiry															
	and facility reservation - Zone 3		3	UHL	UHL2W	11.35										
	2 Wire Unbundled HDSL Loop without manual service inquiry															
	and facility reservation - Zone 4		4	UHL	UHL2W	12.03										
4-WIR	RE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIBLE I	LOOP													
	4 Wire Unbundled HDSL Loop including manual service inquiry															
	and facility reservation - Zone 1		1	UHL	UHL4X	15.85										
	4-Wire Unbundled HDSL Loop including manual service inquiry															
	and facility reservation - Zone 2		2	UHL	UHL4X	15.44										
	4-Wire Unbundled HDSL Loop including manual service inquiry															
	and facility reservation - Zone 3		3	UHL	UHL4X	17.93										
	4-Wire Unbundled HDSL Loop including manual service inquiry															
	and facility reservation - Zone 4		4	UHL	UHL4X	16.63										
	4-Wire Unbundled HDSL Loop without manual service inquiry															
	and facility reservation - Zone 1		1	UHL	UHL4W	15.85										ļ
	4-Wire Unbundled HDSL Loop without manual service inquiry		_	UHL	4547	45.44										
	and facility reservation - Zone 2 4-Wire Unbundled HDSL Loop without manual service inquiry		2	UHL	UHL4W	15.44			+							
	and facility reservation - Zone 3		3	UHL	UHL4W	17.93										
	4-Wire Unbundled HDSL Loop without manual service inquiry		3	UNL	UHL4VV	17.93			-							-
	and facility reservation - Zone 4		4	UHL	UHL4W	16.63										
4-WIR	RE DS1 DIGITAL LOOP		4	OFIL	OI IL4VV	10.03										
7-8810	4-Wire DS1 Digital Loop - Zone 1		1	USL	USLXX	118.62			+	+						
	4-Wire DS1 Digital Loop - Zone 2	1		USL	USLXX	148.79			1	1				1	1	†
İ	4-Wire DS1 Digital Loop - Zone 3			USL	USLXX	237.75			1							
	4-Wire DS1 Digital Loop - Zone 4			USL	USLXX	527.23										
HIGH CAPAC	ITY UNBUNDLED LOCAL LOOP															
	High Capacity Unbundled Local Loop - DS3 - Per Mile per															
	month	<u></u>		UE3	1L5ND	12.88				<u> </u>	<u> </u>			<u> </u>	<u> </u>	
	High Capacity Unbundled Local Loop - DS3 - Facility															
	Termination per month			UE3	UE3PX	375.07										
	High Capacity Unbundled Local Loop - STS-1 - Per Mile per															
	month			UDLSX	1L5ND	12.88					ļ					<u> </u>
	High Capacity Unbundled Local Loop - STS-1 - Facility	1				T										
	Termination per month	ļ		UDLSX	UDLS1	389.33			ļ	1	ļ					
	DEDICATED TRANSPORT	ļ								ļ	ļ					
INTER	ROFFICE CHANNEL - DEDICATED TRANSPORT	ļ								ļ	ļ					
	Interoffice Channel - Dedicated Channel - DS1 - Per Mile per	l		LUTDA	41.5307	0.00			1							
	month	!		U1TD1	1L5XX	0.23			1	-	ļ			ļ	ļ	↓
	Interoffice Channel - Dedicated Tranport - DS1 - Facility	1		LIATEA	LIATE 4	05.00										
 	Termination Interoffice Channel - Dedicated Transport - DS3 - Per Mile per	 	-	U1TD1	U1TF1	65.93			+	+	 			-	-	
1	Interoffice Channel - Dedicated Transport - DS3 - Per Mile per month	l	l	U1TD3	1L5XX	5.47			1	1				1]	

IINBIINDI E	D NETWORK ELEMENTS - Mississippi												Attachman	t: 2 Exh. B	I	
UNBUNDEE	D NETWORK ELEMENTS - MISSISSIPPI		1		1						Cur Onder	Cur Onden			Incremental	lu anamantal
												Submitted		Charge -	Charge -	Charge -
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	usoc			RATES (\$)			Elec				Manual Svc	
CATEGORI	RATE ELEMENTS	m	Zone	ВСЗ	0300			KAIES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
1							Nonre	curring	Nonrecurring	n Disconnect			oss	Rates (\$)	I.	
						Rec		Add'I		Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Interoffice Channel - Dedicated Transport - DS3 - Facility							71441		7.44	- CC20					00
	Termination per month			U1TD3	U1TF3	738.18										
	Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per															
	month			U1TS1	1L5XX	5.47										
	Interoffice Channel - Dedicated Transport - STS-1 - Facility															
	Termination			U1TS1	U1TFS	740.84										
ENHANCED EX	(TENDED LINK (EELs)															
NOTE:	The monthly recurring and non-recurring charges below will	apply a	nd the	Switch-As-Is Charge	e will not app	oly for UNE con	nbinations pro	visioned as ' C	rdinarily Com	bined' Network	Elements.					
NOTE:	The monthly recurring and the Switch-As-Is Charge and not t	he non-	recurri	ing charges below w	vill apply for	UNE combinati	ons provision	ed as ' Current	ly Combined' I	Network Eleme	nts.					
	DED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICAT	ED DS1			RT											
	4-Wire DS1 Digital Loop in Combination - Zone 1			UNC1X	USLXX	90.94										
	4-Wire DS1 Digital Loop in Combination - Zone 2			UNC1X	USLXX	148.79										
	4-Wire DS1 Digital Loop in Combination - Zone 3			UNC1X	USLXX	237.75										
	4-wire DS1 Digital Lcoal Loop in Combination - Zone 4		4	UNC1X	USLXX	527.23										
	Interoffice Transport - Dedicated - DS1 combination - Per Mile															
	per month			UNC1X	1L5XX	0.23										
	Interoffice Transport - Dedicated - DS1 combination - Facility															
	Termination per month			UNC1X	U1TF1	59.48										
EXTEN	DED DS3 DIGITAL EXTENDED LOOP WITH DEDICATED DS3	INTERC	FFICE													
	DS3 Local Loop in combination - per mile per month			UNC3X	1L5ND	12.88										
	DS3 Local Loop in combination - Facility Termination per month			UNC3X	UE3PX	375.07										
	Interoffice Transport - Dedicated - DS3 - Per Mile per month			UNC3X	1L5XX	5.47										
	Interoffice Transport - Dedicated - DS3 combination - Facility				==	=00.40										
EVTEN	Termination per month IDED STS-1 DIGITAL EXTENDED LOOP WITH DEDICATED ST	0.4 11.17		UNC3X	U1TF3	738.18										
		5-1 IN I	EROFF		41 ENID	10.00										
	STS-1 Local Loop in combination - per mile per month		-	UNCSX	1L5ND	12.88				-						ļ — — — — — — — — — — — — — — — — — — —
	STS-1 Local Loop in combination - Facility Termination per month		1	UNCSX	UDLS1	389.33										
—	Interoffice Transport - Dedicated - STS-1 combination - per mile		 	UNCOA	UDLOT	389.33										
	Interoffice Transport - Dedicated - \$15-1 combination - per mile liber month		1	UNCSX	1L5XX	5.47										
—	Interoffice Transport - Dedicated - STS-1 combination - Facility		1	UNCOA	ILOAX	5.47						-				
	Termination per month			UNCSX	U1TFS	740.84										
	remination per month		<u> </u>	ONCOA	UTIFO	740.84		l		l	l	I		l	l	<u> </u>

Page 12 of 18

JNBUNDLED	NETWORK ELEMENTS - North Carolina												Attachmen	t: 2 Exh. B		
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremen Charge Manual S Order vs Electroni Disc Add
						Rec		curring		g Disconnect	<u> </u>			Rates (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
NOTE:	The NC rates in this Exhibit B are applicable to "embedded ba	260" 60	vices:	e of March 10, 200	15											
NBUNDLED E	XCHANGE ACCESS LOOP	uoc oc	V1000	25 Or Maron 10, 200	,o.											
2-WIRE	HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIBLE I	OOP													
	2 Wire Unbundled HDSL Loop including manual service inquiry															
	& facility reservation - Zone 1		1	UHL	UHL2X	10.36										
	2 Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 2		2	UHL	UHL2X	17.10										
	2 Wire Unbundled HDSL Loop including manual service inquiry			OTIL	OTILEX	17.10										
	& facility reservation - Zone 3		3	UHL	UHL2X	26.24										
	2 Wire Unbundled HDSL Loop without manual service inquiry															
	and facility reservation - Zone 1		1	UHL	UHL2W	10.36										
	2 Wire Unbundled HDSL Loop without manual service inquiry		_													
	and facility reservation - Zone 2		2	UHL	UHL2W	17.10										
	2 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 3		3	UHL	UHL2W	26.24										
	HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIBLE I		OTIL	OFILZVV	20.24										
	4 Wire Unbundled HDSL Loop including manual service inquiry	IIDEE I														
	and facility reservation - Zone 1		1	UHL	UHL4X	12.21										
	4-Wire Unbundled HDSL Loop including manual service inquiry															
	and facility reservation - Zone 2		2	UHL	UHL4X	20.32										
	4-Wire Unbundled HDSL Loop including manual service inquiry		_													
	and facility reservation - Zone 3 4-Wire Unbundled HDSL Loop without manual service inquiry		3	UHL	UHL4X	31.33										
	and facility reservation - Zone 1		1	UHL	UHL4W	12.21										
	4-Wire Unbundled HDSL Loop without manual service inquiry		-	UHL	UHL4VV	12.21					1					
	and facility reservation - Zone 2		2	UHL	UHL4W	20.32										
	4-Wire Unbundled HDSL Loop without manual service inquiry															
	and facility reservation - Zone 3		3	UHL	UHL4W	31.33										
	DS1 DIGITAL LOOP															
	4-Wire DS1 Digital Loop - Zone 1 4-Wire DS1 Digital Loop - Zone 2		2	USL	USLXX	54.74 97.01										
	4-Wire DS1 Digital Loop - Zone 2 4-Wire DS1 Digital Loop - Zone 3			USL	USLXX	154.43										
	Y UNBUNDLED LOCAL LOOP		J	USL	USLAA	154.45					1					
	High Capacity Unbundled Local Loop - DS3 - Per Mile per															
	month			UE3	1L5ND	15.33										
	High Capacity Unbundled Local Loop - DS3 - Facility															
	Termination per month			UE3	UE3PX	518.29										
	High Capacity Unbundled Local Loop - STS-1 - Per Mile per					4= 00										
	month			UDLSX	1L5ND	15.33										
	High Capacity Unbundled Local Loop - STS-1 - Facility Termination per month			UDLSX	UDLS1	533.90										
	EDICATED TRANSPORT			ODLOX	ODLOT	000.00										
	OFFICE CHANNEL - DEDICATED TRANSPORT															
	Interoffice Channel - Dedicated Channel - DS1 - Per Mile per															
	month			U1TD1	1L5XX	0.66										
	Interoffice Channel - Dedicated Tranport - DS1 - Facility				==.											
	Termination Interoffice Channel - Dedicated Transport - DS3 - Per Mile per			U1TD1	U1TF1	81.98										
	month			U1TD3	1L5XX	14.93										
	Interoffice Channel - Dedicated Transport - DS3 - Facility			0.100	TEO//	17.33			+	1	1					
	Termination per month			U1TD3	U1TF3	828.44										
	Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per															
	month			U1TS1	1L5XX	7.06			1		1					
	Interoffice Channel - Dedicated Transport - STS-1 - Facility															
	Termination			U1TS1	U1TFS	908.93			1							
	TENDED LINK (EELs) The monthly recurring and non-recurring charges below will a			0		la Caralline	1.1			1.2	 					

UNB	BUNDLE	D NETWORK ELEMENTS - North Carolina												Attachmen	t: 2 Exh. B		
CATE	EGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)				Submitted Manually	Charge -	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
							Dee	Nonre	curring	Nonrecurrin	g Disconnect		•	oss	Rates (\$)	•	
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	EXTEN	IDED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICAT	ED DS1														
		4-Wire DS1 Digital Loop in Combination - Zone 1			UNC1X	USLXX	54.74										
		4-Wire DS1 Digital Loop in Combination - Zone 2		2	UNC1X	USLXX	97.01										
		4-Wire DS1 Digital Loop in Combination - Zone 3		3	UNC1X	USLXX	154.43										
		Interoffice Transport - Dedicated - DS1 combination - Per Mile															
		per month			UNC1X	1L5XX	0.66										
		Interoffice Transport - Dedicated - DS1 combination - Facility Termination per month			UNC1X	U1TF1	81.98										
	EXTEN	IDED DS3 DIGITAL EXTENDED LOOP WITH DEDICATED DS3	INTERC	FFICE	TRANSPORT												1
		DS3 Local Loop in combination - per mile per month			UNC3X	1L5ND	15.33										
		DS3 Local Loop in combination - Facility Termination per month			UNC3X	UE3PX	518.29										
		Interoffice Transport - Dedicated - DS3 - Per Mile per month			UNC3X	1L5XX	14.93										
		Interoffice Transport - Dedicated - DS3 combination - Facility															
		Termination per month			UNC3X	U1TF3	828.44										
	EXTEN	IDED STS-1 DIGITAL EXTENDED LOOP WITH DEDICATED ST	S-1 INT	EROFF	ICE TRANSPORT												
		STS-1 Local Loop in combination - per mile per month			UNCSX	1L5ND	15.33										
		STS-1 Local Loop in combination - Facility Termination per month			UNCSX	UDLS1	533.90										
		Interoffice Transport - Dedicated - STS-1 combination - per mile per month			UNCSX	1L5XX	7.06	•									
		Interoffice Transport - Dedicated - STS-1 combination - Facility Termination per month			UNCSX	U1TFS	908.93										

Page 14 of 18

UNBUNDI	ED NETWORK ELEMENTS - South Carolina												Attachmen	t: 2 Exh. B		
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			1	Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'I
						Rec		curring		g Disconnect	001150	001111		Rates (\$)	001141	001411
		-			-		First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
UNBUNDI FI	D EXCHANGE ACCESS LOOP															
	RE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	ATIBLE	LOOP													
	2 Wire Unbundled HDSL Loop including manual service inquiry															
	& facility reservation - Zone 1		1	UHL	UHL2X	11.02										
	2 Wire Unbundled HDSL Loop including manual service inquiry															
	& facility reservation - Zone 2		2	UHL	UHL2X	12.56										
	2 Wire Unbundled HDSL Loop including manual service inquiry		3			40.44										İ
	& facility reservation - Zone 3 2 Wire Unbundled HDSL Loop without manual service inquiry		3	UHL	UHL2X	13.11										<u> </u>
	and facility reservation - Zone 1		1	UHL	UHL2W	11.02										İ
	2 Wire Unbundled HDSL Loop without manual service inquiry		- '-	OFIL	OTILZVV	11.02										
	and facility reservation - Zone 2		2	UHL	UHL2W	12.56										ĺ
	2 Wire Unbundled HDSL Loop without manual service inquiry															
	and facility reservation - Zone 3		3	UHL	UHL2W	13.11										
4-WI	RE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	ATIBLE	LOOP													
	4 Wire Unbundled HDSL Loop including manual service inquiry		1	UHL	UHL4X	18.42										İ
	and facility reservation - Zone 1 4-Wire Unbundled HDSL Loop including manual service inquiry	-	1	UHL	UHL4X	18.42						-				
	and facility reservation - Zone 2		2	UHL	UHL4X	16.48										İ
	4-Wire Unbundled HDSL Loop including manual service inquiry		 -	OTIL	OFFE	10.40										
	and facility reservation - Zone 3		3	UHL	UHL4X	19.37										İ
	4-Wire Unbundled HDSL Loop without manual service inquiry															
	and facility reservation - Zone 1		1	UHL	UHL4W	18.42										
	4-Wire Unbundled HDSL Loop without manual service inquiry															İ
	and facility reservation - Zone 2		2	UHL	UHL4W	16.48										-
	4-Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 3		3	UHL	UHL4W	19.37										İ
4-WI	RE DS1 DIGITAL LOOP		3	OFIL	OI IL4VV	19.57										
	4-Wire DS1 Digital Loop - Zone 1		1	USL	USLXX	91.44										
	4-Wire DS1 Digital Loop - Zone 2		2	USL	USLXX	156.40										
	4-Wire DS1 Digital Loop - Zone 3		3	USL	USLXX	263.52										
HIGH CAPA	CITY UNBUNDLED LOCAL LOOP															
	High Capacity Unbundled Local Loop - DS3 - Per Mile per															l
-	month	-		UE3	1L5ND	14.10										—
	High Capacity Unbundled Local Loop - DS3 - Facility Termination per month			UE3	UE3PX	352.31										İ
-	High Capacity Unbundled Local Loop - STS-1 - Per Mile per	1		OLS	ULSFA	332.31				1						
	month			UDLSX	1L5ND	14.10				1						
	High Capacity Unbundled Local Loop - STS-1 - Facility	1														
	Termination per month			UDLSX	UDLS1	360.51										
	DEDICATED TRANSPORT															
INTE	ROFFICE CHANNEL - DEDICATED TRANSPORT	 	-		1	 			1	 	-					<u> </u>
	Interoffice Channel - Dedicated Channel - DS1 - Per Mile per month			U1TD1	1L5XX	0.39				1						1
 	Interoffice Channel - Dedicated Tranport - DS1 - Facility	+	 	וטווטו	ILOAA	0.39			 	 						
	Termination			U1TD1	U1TF1	88.71				I						1
	Interoffice Channel - Dedicated Transport - DS3 - Per Mile per			-	-											
	month			U1TD3	1L5XX	9.22										
	Interoffice Channel - Dedicated Transport - DS3 - Facility			1	1		·									1
	Termination per month	 	1	U1TD3	U1TF3	1012.75			1	-						
	Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per month			U1TS1	1L5XX	9.22				I						1
 	Interoffice Channel - Dedicated Transport - STS-1 - Facility	1	1	01101	ILDAX	9.22			1	+	-	+				
	Termination			U1TS1	U1TFS	1012.63				1						1
ENHANCED	EXTENDED LINK (EELs)	1		1	1 0	70.2.30			1	1						
NOT	E: The monthly recurring and non-recurring charges below will	apply a	nd the	Switch-As-Is Charg	je will not app	oly for UNE com	binations pro	visioned as '	Ordinarily Com	bined' Networl	Elements.					
NOT	E: The monthly recurring and the Switch-As-Is Charge and not t	the non-	-recurr	ing charges below	will apply for	UNE combination	ons provision	ed as ' Curren	tly Combined' I	Network Eleme	nts.					1
EXT	ENDED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICAT	ED DS1	INTER	ROFFICE TRANSPO	RT											

<u>JNB</u> (UNDLE	D NETWORK ELEMENTS - South Carolina												Attachmen	t: 2 Exh. B	<u> </u>	
ATE	GORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)				Submitted Manually	Charge -	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge - Manual So Order vs
							_ 1	Nonre	currina	Nonrecurrin	a Disconnect		1	oss	Rates (\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		4-Wire DS1 Digital Loop in Combination - Zone 1		1	UNC1X	USLXX	104.50										
		4-Wire DS1 Digital Loop in Combination - Zone 2		2	UNC1X	USLXX	178.74										
		4-Wire DS1 Digital Loop in Combination - Zone 3		3	UNC1X	USLXX	301.17										
		Interoffice Transport - Dedicated - DS1 combination - Per Mile per month			UNC1X	1L5XX	0.31										
		Interoffice Transport - Dedicated - DS1 combination - Facility Termination per month			UNC1X	U1TF1	88.71										
	EXTEN	IDED DS3 DIGITAL EXTENDED LOOP WITH DEDICATED DS3	INTER	FFICE													
		DS3 Local Loop in combination - per mile per month			UNC3X	1L5ND	14.10										
		DS3 Local Loop in combination - Facility Termination per month			UNC3X	UE3PX	352.31										
		Interoffice Transport - Dedicated - DS3 - Per Mile per month			UNC3X	1L5XX	9.22										
		Interoffice Transport - Dedicated - DS3 combination - Facility Termination per month			UNC3X	U1TF3	1012.75										
	EXTEN	IDED STS-1 DIGITAL EXTENDED LOOP WITH DEDICATED ST	S-1 INT	EROFF													
		STS-1 Local Loop in combination - per mile per month			UNCSX	1L5ND	14.10										
		STS-1 Local Loop in combination - Facility Termination per month			UNCSX	UDLS1	360.51										
		Interoffice Transport - Dedicated - STS-1 combination - per mile per month			UNCSX	1L5XX	9.22										
		Interoffice Transport - Dedicated - STS-1 combination - Facility Termination per month			UNCSX	U1TFS	1012.63										

JNBUNDLE	D NETWORK ELEMENTS - Tennessee												Attachmen	t: 2 Exh. B		
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
						Rec	Nonrecurring First	A -1 -111		g Disconnect	COMEC	COMAN		Rates (\$)	COMAN	COMAN
							FIRSt	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
INBUNDI ED I	EXCHANGE ACCESS LOOP															+
	E HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIBLE	LOOP													+
	2 Wire Unbundled HDSL Loop including manual service inquiry															1
	& facility reservation - Zone 1		1	UHL	UHL2X	11.09										
	2 Wire Unbundled HDSL Loop including manual service inquiry		_		11111 07	40.04										
	& facility reservation - Zone 2 2 Wire Unbundled HDSL Loop including manual service inquiry		2	UHL	UHL2X	16.61										
	& facility reservation - Zone 3		3	UHL	UHL2X	27.74										
	2 Wire Unbundled HDSL Loop without manual service inquiry			0.12	O. I.E.E.Y.	2										+
	and facility reservation - Zone 1		1	UHL	UHL2W	11.09										
	2 Wire Unbundled HDSL Loop without manual service inquiry															
	and facility reservation - Zone 2		2	UHL	UHL2W	16.61										
	2 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 3		3	UHL	1 11 11 0)//	27.74										
4-WIRE	E HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIRI F		UNL	UHL2W	21.14					1					+
4 11111	4 Wire Unbundled HDSL Loop including manual service inquiry															+
	and facility reservation - Zone 1		1	UHL	UHL4X	14.26										
	4-Wire Unbundled HDSL Loop including manual service inquiry															
	and facility reservation - Zone 2		2	UHL	UHL4X	21.37										
	4-Wire Unbundled HDSL Loop including manual service inquiry		_			05.00										
	and facility reservation - Zone 3 4-Wire Unbundled HDSL Loop without manual service inquiry		3	UHL	UHL4X	35.68										
	and facility reservation - Zone 1		1	UHL	UHL4W	14.26										
	4-Wire Unbundled HDSL Loop without manual service inquiry		Ė	0.12	0112111	20										+
	and facility reservation - Zone 2		2	UHL	UHL4W	21.37										
	4-Wire Unbundled HDSL Loop without manual service inquiry															
	and facility reservation - Zone 3		3	UHL	UHL4W	35.68										
4-WIRE	E DS1 DIGITAL LOOP 4-Wire DS1 Digital Loop - Zone 1		1	USL	USLXX	59.09										
-	4-Wire DS1 Digital Loop - Zone 1			USL	USLXX	88.53										
	4-Wire DS1 Digital Loop - Zone 3			USL	USLXX	147.82										
IGH CAPACI	TY UNBUNDLED LOCAL LOOP		Ĭ	002	002,01	111.02										†
	High Capacity Unbundled Local Loop - DS3 - Per Mile per															
	month			UE3	1L5ND	10.57										
	High Capacity Unbundled Local Loop - DS3 - Facility					400.00										
	Termination per month High Capacity Unbundled Local Loop - STS-1 - Per Mile per			UE3	UE3PX	430.38										
	Imonth			UDLSX	1L5ND	10.57										
	High Capacity Unbundled Local Loop - STS-1 - Facility			05207	120.12	10.07										
	Termination per month			UDLSX	UDLS1	447.75										
	DEDICATED TRANSPORT															
INTER	OFFICE CHANNEL - DEDICATED TRANSPORT															
	Interoffice Channel - Dedicated Channel - DS1 - Per Mile per month			U1TD1	1L5XX	0.40963										
-	Interoffice Channel - Dedicated Tranport - DS1 - Facility			וטויט	ILUAA	0.40903			1	 	 					+
	Termination		1	U1TD1	U1TF1	89.54				1						
	Interoffice Channel - Dedicated Transport - DS3 - Per Mile per						İ									
	month			U1TD3	1L5XX	2.69										
	Interoffice Channel - Dedicated Transport - DS3 - Facility		1	LIATES	LIATEO	070 04				1						
	Termination per month Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per			U1TD3	U1TF3	976.34			 		<u> </u>					+
	Interoffice Channel - Dedicated Transport - \$15-1 - Per Mile per Imonth		1	U1TS1	1L5XX	2.69				1						
	Interoffice Channel - Dedicated Transport - STS-1 - Facility				.20,50	2.55			İ	1						†
	Termination			U1TS1	U1TFS	976.70					<u> </u>			<u> </u>		<u> </u>
	XTENDED LINK (EELs) AND THEIR COMPONETS															
NOTE:	The monthly recurring and non-recurring charges below will														ļ	
	The monthly recurring and the Switch-As-Is Charge and not t															

UNBUNDLE	ED NETWORK ELEMENTS - Tennessee												Attachmen	t: 2 Exh. B		
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)				Submitted Manually	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge - Manual Sv Order vs.
						_	Nonrecurring		Nonrecurrin	g Disconnect		I.	oss	Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	4-Wire DS1 Digital Loop in Combination - Zone 1		1	UNC1X	USLXX	59.09										
	4-Wire DS1 Digital Loop in Combination - Zone 2		2	UNC1X	USLXX	88.53										
	4-Wire DS1 Digital Loop in Combination - Zone 3		3	UNC1X	USLXX	147.82										
	Interoffice Transport - Dedicated - DS1 combination - Per Mile															
	per month			UNC1X	1L5XX	0.40963										
	Interoffice Transport - Dedicated - DS1 combination - Facility															
	Termination per month			UNC1X	U1TF1	89.54										
EXTE	NDED DS3 DIGITAL EXTENDED LOOP WITH DEDICATED DS3	INTERC	FFICE	TRANSPORT												
	DS3 Local Loop in combination - per mile per month			UNC3X	1L5ND	10.57										
	DS3 Local Loop in combination - Facility Termination per month			UNC3X	UE3PX	430.38										
	Interoffice Transport - Dedicated - DS3 - Per Mile per month			UNC3X	1L5XX	2.69										
	Interoffice Transport - Dedicated - DS3 combination - Facility Termination per month			UNC3X	U1TF3	976.34										
FXTE	NDED STS-1 DIGITAL EXTENDED LOOP WITH DEDICATED ST	S-1 INT	FROFE		01110	0.0.0.	h			1	+					+
	STS-1 Local Loop in combination - per mile per month		<u> </u>	UNCSX	1L5ND	10.57	·									1
	STS-1 Local Loop in combination - Facility Termination per month			UNCSX	UDLS1	447.75										
	Interoffice Transport - Dedicated - STS-1 combination - per mile per month			UNCSX	1L5XX	2.69										
	Interoffice Transport - Dedicated - STS-1 combination - Facility Termination per month			UNCSX	U1TFS	976.70										

Page 18 of 18

						with FBC count	as of Dec 5
					roffice		
	<u> </u>	1		Trar	nsport	High Capa	city Loops
			Number of FB				
		Total	Collocators			No	No
		Business	if 3 or			Impairment	Impairment
State	Wire Center	Lines	Greater	Tier 1	Tier 2	for DS3	for DS1
AL	BRHMALMT	39,078	-	Х			
AL	HNVIALMT	26,690	-		X		
AL	MOBLALAZ	20,101	5	Χ			
AL	MTGMALDA	32,752	-		X		
AL	MTGMALMT	27,528	-		X		
FL	BCRTFLBT	26,601	-		X		
FL	BCRTFLMA	40,746	5	Χ		X	
FL	COCOFLMA	18,097	4	Х			
FL	DRBHFLMA	24,695	1		Х		
FL	DYBHFLMA	32,282	7	Χ			
FL	FTLDFLCY	31,487	4	Χ			
FL	FTLDFLJA	29,209	5	Χ			
FL	FTLDFLMR	55,881	8	Χ		X	
FL	FTLDFLOA	23,008	5	Х			
FL	FTLDFLPL	29,469	5	Х			
FL	GSVLFLMA	55,681	4	Х		Х	
FL	HLWDFLPE	37,415	4	Χ			
FL	HLWDFLWH	34,022	-		Х		
FL	JCVLFLCL	42,452	6	Χ		Х	
FL	JCVLFLSJ	24,088	3		Х		
FL	JCVLFLSM	17,820	5	Х			
FL	MIAMFLAE	41,912	5	Х		Х	
FL	MIAMFLBR	24,482	-		Х		
FL	MIAMFLCA	22,645	3		Х		
FL	MIAMFLGR	68,580	11	Х		Х	Х
FL	MIAMFLHL	43,021	5	Х		Х	
FL	MIAMFLPB	24,380	4	Х			
FL	MIAMFLPL	86,923	5	Х		Х	Х
FL	MIAMFLRR	24,740	3		Х		
FL	MIAMFLSO	23,802	3		X		
FL	MIAMFLWM	23,310	4	Х			
FL	MLBRFLMA	32,547	4	Х			
FL	MNDRFLLO	20,180	3	-	Х		
FL	NDADFLGG	18,239	5	Х			
FL	ORLDFLAP	31,234	3		Х		
FL	ORLDFLCL	20,828	5	Х	**		
FL	ORLDFLMA	57,966	10	X		Х	
FL	ORLDFLPC	45,792	6			X	
FL	ORLDFLPH	33,148	4	X			
	OKLOFLEII	33,140	4	^			

						Pa	age 2
FL	ORLDFLSA	26,126	8	Χ			
FL	PMBHFLFE	25,909	4	Х			
FL	PMBHFLMA	33,993	4	Х			
FL	PNSCFLBL	28,685	4	Х			
FL	PNSCFLFP	30,863	-		Х		
FL	PRRNFLMA	37,969	3		Х		
FL	STRTFLMA	25,577	-		Х		
FL	WPBHFLAN	33,521	4	Х			
FL	WPBHFLGA	24,885	-		Х		
FL	WPBHFLGR	26,527	3		Х		
FL	WPBHFLHH	36,053	3		Х		
FL	WPBHFLLE	13,622	3		Х		
GA	AGSTGAMT	22,316	3		Х		
GA	ALBYGAMA	29,095	-		X		
GA	ALPRGAMA	74,317	7	Х		Х	Х
GA	ATHNGAMA	28,311	-	•	Х		
GA	ATLNGABU	57,064	7	Х		Х	
GA	ATLNGACS	94,988	9	X		X	Х
GA	ATLNGAEP	34,260	4	X			
GA	ATLNGAPP	71,905	7	X		Х	Х
GA	ATLNGASS	33,797	3		Х		
GA	ATLNGATH	33,131	3		Х		
GA	CHMBGAMA	30,860	-		X		
GA	CLMBGAMT	36,081	-		X		
GA	CMNGGAMA	24,408	-		X		
GA	DLTHGAHS	39,907	-	Х			
GA	DNWDGAMA	47,862	7	X		X	
GA	LLBNGAMA	27,481		^	X	^	
GA	LRVLGAOS	32,076	-		X		
GA	LRVLGAUS	32,070			^		
GA	MACNGAMT	24,148	-		X		
GA	MRTTGAMA	89,220	4	Х		Х	Х
			-				7.
GA	NRCRGAMA	78,131	8	Χ		X	X
GA	RSWLGAMA	41,390	3	Х			
	CMVDCAMA	20.246	_	V			
GA	SMYRGAMA	29,316	5	X		V	
GA	SMYRGAPF	52,246	8	Χ		X	
GA	SVNHGABS	28,626	3		X		
GA	TUKRGAMA	27,383	- 1	V	Х	V	
KY	LSVLKYAP	49,159	4	Х		X	
KY	LSVLKYBR	16,989	3	V	Х		
LA	BTRGLAMA	39,525	- 4	X		V	
LA	BTRGLAMA	39,089	4	X		X	
LA	LFYTLAMA	46,825	-	X	V		
LA	MONRLAMA	37,785	-		X		<u> </u>

			ı	ı		1	age 3
LA	NWORLAMA	71,146	6	X		X	X
LA	NWORLAMT	31,726	_		X		
LA	SHPTLAMA	29,790	3		X		
MS	HTBGMSMA	12,829	3		Х		
MS	JCSNMSCP	40,109	3	Х			
NC	CARYNCCE	27,888	4	Х			
NC	CHRLNCBO	24,980	8	Х			
NC	CHRLNCCA	85,131	9	Х		Х	Х
NC	CHRLNCDE	17,354	3		Х		
NC	CHRLNCLP	9,811	4	X			
NC	CHRLNCRE	11,507	6	X			
NC	CHRLNCSH	13,484	5	Х			
NC	CHRLNCUN	14,570	4	X	1		
NC	CPHLNCRO	41,802	4	Х		X	
NC	GNBONCAS	34,302	6	Х			
NC	GNBONCEU	48,789	6	Х		X	
NC	RLGHNCGL	26,809	5	Х			
NC	RLGHNCHO	29,561	8	Х			
NC	RLGHNCMO	75,174	7	X		X	X
NC	SLBRNCMA	11,462	3	^	X		^
NC	WLMGNCWI	24,794			X		
NC	WNSLNCFI	33,021	3		X		
SC	CHTNSCDT	24,703	5	Х	, , , , , , , , , , , , , , , , , , ,		
SC	CHTNSCNO	24,107	-		Х		
SC	CLMASCSA	13,939	3		X		
SC	CLMASCSN	48,403	5	Х		X	
SC	GNVLSCDT	45,546	5	Х		Х	
SC	GNVLSCWR	33,639	-		Х		
SC	MNPLSCES	24,061	-		Х		
SC	SPBGSCMA	22,796	3		Х		
TN	CHTGTNBR	24,314	-		X		
TN	CHTGTNNS	23,166	3		X		
TN	KNVLTNMA	37,284	3		X		
TN	MMPHTNBA	34,364	-		X		
TN	MMPHTNEL	30,973	3		X		
TN	MMPHTNGT	26,311	-		X		
TN	MMPHTNMA	23,520	6	Х			
TN	MMPHTNMT	10,289	3		X		
TN	MMPHTNOA	36,686	2		X		
TN	NSVLTNBW	28,974	-		X		
TN	NSVLTNDO	24,914	-		Х		
TN	NSVLTNMT	78,781	3	Х			
TN	NSVLTNST	24,911	-		Х		
							Ц.

Attachment 2
Exhibit C
Page 4

TN NSVLTNUN 19,987 3 X

Totals 67 59 27 10

Version: 4Q05 Standard ICA

Attachment 3

Network Interconnection

Version: 4Q05 Standard ICA

TABLE OF CONTENTS

1	General	
2	Definitions: (For the purpose of this Attachment)	3
3	Network Interconnection	5
4	Interconnection Trunk Group Architectures	7
5	Network Design And Management For Interconnection	14
6	Forecasting for Trunk Provisioning	14
7	Local Dialing Parity	17
8	Interconnection Compensation	17
9	Ordering Charges	23
10	Basic 911 and E911 Interconnection	23
11	SS7 Network Interconnection	24
Rates		Exhibit A
Basic Architecture		Exhibit B
One Way Architecture		Exhibit C
Tw	Two Way Architecture Exh	
Supergroup Architecture		Exhibit E

NETWORK INTERCONNECTION

1	General
1.1	The Parties shall provide interconnection with each other's networks for the transmission and routing of telephone exchange service (Local Traffic), ISP-Bounc Traffic, and exchange access (Switched Access Traffic) on the following terms:
2	Definitions: (For the purpose of this Attachment)
	For purposes of this attachment only, the following terms shall have the definitions set forth below:
2.1	Automatic Location Identification (ALI) is a feature by which the address associated with the calling party's telephone number (ANI) is forwarded to the PSAP for display. Access to the ALI database is described in Attachment 2 to this Agreement.
2.2	Automatic Number Identification (ANI) corresponds to the seven-digit telephone number assigned by the serving local exchange carrier.
2.3	BellSouth Trunk Group is defined as a one-way trunk group carrying BellSouth originated traffic to be terminated by Access Communications.
2.4	911 Service is as described in this Attachment.
2.5	Call Termination has the meaning set forth for "termination" in 47 C.F.R. § 51.701(d).
2.6	Call Transport has the meaning set forth for "transport" in 47 C.F.R. § 51.701(c)
2.7	Call Transport and Termination is used collectively to mean the switching and transport functions from the Interconnection Point to the last point of switching.
2.8	Common (Shared) Transport is defined as the transport of the originating Party's traffic by the terminating Party over the terminating Party's common (shared) facilities between (1) the terminating Party's tandem switch and end office switch, (2) between the terminating Party's tandem switches, and/or (3) between the terminating Party's host and remote end office switches. All switches referred herein must be entered into the The Telcordia® LERG TM Routing Guide (LERG).
2.9	Dedicated Interoffice Facility is defined as a switch transport facility between a Party's Serving Wire Center and the first point of switching within the LATA on the other Party's network.

Version: 4Q05 Standard ICA 11/30/05

2.10

path between the trunk side and line side of the End Office switch.

End Office Switching is defined as the function that establishes a communications

2.11 **Fiber Meet** is an interconnection arrangement whereby the Parties physically interconnect their networks via an optical fiber interface at which one Party's facilities, provisioning, and maintenance responsibility begins and the other Party's responsibility ends. 2.12 **Final Trunk Group** is defined as the last choice trunk group between two (2) switches for which there is no alternate route. 2.13 **Integrated Services Digital Network User Part (ISUP)** is a message protocol to support call set-up and release for interoffice voice connections over SS7 signaling. 2.14 **Interconnection Point (IP)** is the physical telecommunications equipment interface that interconnects the networks of BellSouth and Access Communications. 2.15 **IntraLATA Toll Traffic** is as defined in this Attachment. **ISP-Bound Traffic** is as defined in this Attachment. 2.16 2.17 Local Channel is defined as a switched transport facility between a Party's Interconnection Point and the IP's Serving Wire Center. 2.18 **Local Traffic** is as defined in this Attachment. 2.19 **Public Safety Answering Point (PSAP)** is the answering location for 911 calls. 2.20 **Selective Routing (SR)** is a standard feature that routes an E911 call from the tandem to the designated PSAP based upon the address of the ANI of the calling party. 2.21 **Serving Wire Center (SWC)** is defined as the wire center owned by one Party from which the other Party would normally obtain dial tone for its IP. 2.22 Signaling System 7 (SS7)/Common Channel Signaling 7 (CCS7) is an out-of-band signaling system used to provide basic routing information, call set-up and other call termination functions. Signaling is removed from the voice channel and put on a separate data network. 2.23 **Tandem Switching** is defined as the function that establishes a communications path between two switching offices through a third switching office through the provision of trunk side to trunk side switching. 2.24 **Transit Traffic** is traffic originating on Access Communications's network that is switched and/or transported by BellSouth and delivered to a third party's network,

or traffic originating on a third party's network that is switched and/or transported by BellSouth and delivered to Access Communications's network.

3 Network Interconnection

- 3.1 This Attachment pertains only to the provision of network interconnection where Access Communications owns, leases from a third party or otherwise provides its own switch(es).
- Network interconnection may be provided by the Parties at any technically feasible point within BellSouth's network. Requests to BellSouth for interconnection at points other than as set forth in this Attachment may be made through the Bona Fide Request/New Business Request (BFR/NBR) Process set forth in Attachment 11.
- 3.2.1 Each Party is responsible for providing, engineering and maintaining the network on its side of the IP. The IP must be located within BellSouth's serving territory in the LATA in which traffic is originating. The IP determines the point at which the originating Party shall pay the terminating Party for the Call Transport and Termination of Local Traffic, ISP-Bound Traffic and IntraLATA Toll Traffic. In selecting the IP, both Parties will act in good faith and select the point that is most efficient for both Parties.
- 3.2.2 Pursuant to the provisions of this Attachment, the location of the initial IP in a given LATA shall be established by mutual agreement of the Parties. Subject to the requirements for installing additional IPs, as set forth below, any IPs existing prior to the Effective Date of the Agreement will be accepted as initial IPs and will not require re-grooming. When the Parties mutually agree to utilize two-way interconnection trunk groups for the exchange of Local Traffic, ISP-Bound Traffic and IntraLATA Toll Traffic between each other, the Parties shall mutually agree to the location of IP(s). If the Parties are unable to agree to a mutual initial IP, each Party, as originating Party, shall establish a single IP in the LATA for the delivery of its originated Local Traffic, ISP-Bound Traffic and IntraLATA Toll Traffic to the other Party for Call Transport and Termination by the terminating Party.
- 3.2.3 Additional IP(s) in a LATA may be established by mutual agreement of the Parties. Notwithstanding the foregoing, additional IP(s) in a particular LATA shall be established, at the request of either Party, when the Local Traffic and ISP-Bound Traffic exceeds eight point nine (8.9) million minutes per month for three (3) consecutive months at the proposed location of the additional IP. BellSouth will not request the establishment of an IP in a BellSouth Central Office where physical or virtual collocation space is not available or where BellSouth fiber connectivity is not available. When the Parties agree to utilize two-way interconnection trunk groups for the exchange of Local Traffic, ISP-Bound Traffic and IntraLATA Toll Traffic the Parties must agree to the location of the IP(s).

3.3 <u>Interconnection via Dedicated Facilities</u>

- 3.3.1 <u>Local Channel Facilities.</u> As part of Call Transport and Termination, the originating Party may obtain Local Channel facilities from the terminating Party. The percentage of Local Channel facilities utilized for Local Traffic and ISP-Bound Traffic shall be determined based upon the application of the Percent Local Facility (PLF) Factor as set forth in this Attachment. The charges applied to the percentage of Local Channel facilities used for Local Traffic and ISP-Bound Traffic as determined by the PLF factor are as set forth in Exhibit A. The remaining percentage of Local Channel facilities shall be billed at BellSouth's intrastate Access Services Tariff or BellSouth's FCC No. 1 Tariff rates.
- 3.3.2 <u>Dedicated Interoffice Facilities.</u> As a part of Call Transport and Termination, the originating Party may obtain Dedicated Interoffice Facilities from the terminating Party. The percentage of Dedicated Interoffice Facilities utilized for Local Traffic and ISP-Bound Traffic shall be determined based upon the application of the PLF factor as set forth in this Attachment. The charges applied to the percentage of the Dedicated Interoffice Facilities used for Local Traffic and ISP-Bound Traffic as determined by the PLF factor are as set forth in Exhibit A. The remaining percentage of the Dedicated Interoffice Facilities shall be billed at BellSouth's intrastate Access Services Tariff or BellSouth's FCC No. 1 Tariff rates.
- 3.4 <u>Fiber Meet.</u> Notwithstanding Sections 3.2.1, 3.2.2, and 3.2.3 above, if Access Communications elects to establish interconnection with BellSouth pursuant to a Fiber Meet Local Channel, Access Communications and BellSouth shall jointly engineer, operate and maintain a Synchronous Optical Network (SONET) transmission system by which they shall interconnect their transmission and routing of Local Traffic and ISP-Bound Traffic via a Local Channel at either the DS1 or DS3 level. The Parties shall work jointly to determine the specific transmission system. However, Access Communications's SONET transmission system must be compatible with BellSouth's equipment, and the Data Communications Channel (DCC) must be turned off.
- 3.4.1 Each Party, at its own expense, shall procure, install and maintain the agreed upon SONET transmission system in its network.
- 3.4.2 The Parties shall agree to a Fiber Meet point between the BellSouth Serving Wire Center and the Access Communications Serving Wire Center. The Parties shall deliver their fiber optic facilities to the Fiber Meet point with sufficient spare length to reach the fusion splice point for the Fiber Meet point. BellSouth shall, at its own expense, provide and maintain the fusion splice point for the Fiber Meet. A building type CLLI code will be established for each Fiber Meet point. All orders for interconnection facilities from the Fiber Meet point shall indicate the Fiber Meet point as the originating point for the facility.

- 3.4.3 Upon verbal request by Access Communications, BellSouth shall allow Access Communications access to the fusion splice point for the Fiber Meet point for maintenance purposes on Access Communications's side of the Fiber Meet point.
- 3.4.4 Neither Party shall charge the other for its Local Channel portion of the Fiber Meet facility used exclusively for Local Traffic and ISP-Bound Traffic. The percentage of Local Channel facilities utilized for Local Traffic and ISP-Bound Traffic shall be determined based upon the application of the PLF factor as set forth in this Attachment. The charges applied to the percentage of Local Channel facilities used for Local Traffic and ISP-Bound Traffic as determined by the PLF factor are as set forth in Exhibit A. The remaining percentage of Local Channel facilities shall be billed at BellSouth's applicable access tariff rates. Charges for switched and special access services shall be billed in accordance with the applicable BellSouth intrastate Access Services Tariff and or BellSouth's FCC No. 1 Tariff.

4 Interconnection Trunk Group Architectures

- 4.1 BellSouth and Access Communications shall establish interconnecting trunk groups and trunk group configurations between networks, including the use of one-way or two-way trunks in accordance with the following provisions set forth in this Attachment. For trunking purposes, traffic will be routed based on the digits dialed by the originating end user and in accordance with the LERG.
- 4.2 Access Communications shall establish an interconnection trunk group(s) to at least one (1) BellSouth access tandem within the LATA for the delivery of Access Communications's originated Local Traffic, ISP-Bound Traffic and IntraLATA Toll Traffic and for the receipt and delivery of Transit Traffic. To the extent Access Communications desires to deliver Local Traffic, ISP-Bound Traffic, IntraLATA Toll Traffic and/or Transit Traffic to BellSouth access tandems within the LATA, other than the tandems(s) to which Access Communications has established interconnection trunk groups, Access Communications shall pay the appropriate rates for Multiple Tandem Access, as described in this Attachment.
- 4.2.1 Notwithstanding the forgoing, Access Communications shall establish an interconnection trunk group(s) to all BellSouth access and local tandems in the LATA where Access Communications has homed (i.e., assigned) its NPA/NXXs. Access Communications shall home its NPA/NXXs on the BellSouth tandems that serve the exchange rate center areas to which the NPA/NXXs are assigned. The specified exchange rate center assigned to each BellSouth tandem is defined in the LERG. Access Communications shall enter its NPA/NXX access and/or local tandem homing arrangements into the LERG.
- 4.3 Switched access traffic will be delivered to and from IXCs based on Access Communications's NXX access tandem homing arrangement as specified by Access Communications in the LERG.

Version: 4Q05 Standard ICA

- Any Access Communications interconnection request that (1) deviates from the interconnection trunk group architectures as described in this Agreement, (2) affects traffic delivered to Access Communications from a BellSouth switch, and (3) requires special BellSouth switch translations and other network modifications will require Access Communications to submit a BFR/NBR via the BFR/NBR Process as set forth in Attachment 11.
- 4.5 Recurring and nonrecurring rates associated with interconnecting trunk groups between BellSouth and Access Communications are set forth in Exhibit A. To the extent a rate associated with the interconnecting trunk group is not set forth in Exhibit A, the rate shall be as set forth in the appropriate BellSouth intrastate Access Services Tariff or BellSouth's FCC No. 1 Tariff.
- 4.6 For two-way trunk groups that carry only both Parties' Local Traffic, the Parties shall be compensated at fifty percent (50%) of the nonrecurring and recurring rates for dedicated trunks and DS1 facilities. Access Communications shall be responsible for ordering and paying for any two-way trunks carrying Transit Traffic.
- 4.7 All trunk groups will be provisioned as SS7 capable where technically feasible. If SS7 is not technically feasible, multi-frequency (MF) protocol signaling shall be used.
- 4.8 In cases where Access Communications is also an IXC, the IXC's Feature Group D (FG D) trunk group(s) must remain separate from the local interconnection trunk group(s).
- Each Party shall order interconnection trunks and trunk group including trunk and trunk group augmentations via the Access Service Request (ASR) process. A Firm Order Confirmation (FOC) shall be returned to the ordering Party, after receipt of a valid, error free ASR, within the timeframes set forth in each state's applicable Performance Measures. Notwithstanding the foregoing, blocking situations and projects shall be managed through BellSouth's Carrier Interconnection Switching Center (CISC) Project Management Group and Access Communications's equivalent trunking group, and FOCs for such orders shall be returned in the timeframes applicable to the project. A project is defined as (1) a new trunk group or (2) a request for more than one hundred ninety-two (192) trunks on a single or multiple group(s) in a given BellSouth local calling area.
- 4.10 Interconnection Trunk Groups for Exchange of Local Traffic and Transit Traffic
- 4.10.1 Upon mutual agreement of the Parties in a joint planning meeting, the Parties shall exchange Local Traffic on two-way interconnection trunk group(s) with the quantity of trunks being mutually determined and the provisioning being jointly coordinated. Furthermore, the Parties shall agree upon the IP(s) for two-way interconnection trunk groups transporting both Parties' Local Traffic, ISP-Bound

Traffic and IntraLATA Toll Traffic. Access Communications shall order such two-way trunks via the ASR process. BellSouth will use the Trunk Group Service Request (TGSR) to request changes in trunking. Furthermore, the Parties shall jointly review trunk performance and forecasts in accordance with Section 6 below. The Parties' use of two-way interconnection trunk groups for the transport of Local Traffic, ISP-Bound Traffic and IntraLATA Toll Traffic between the Parties does not preclude either Party from establishing additional one-way interconnection trunks for the delivery of its originated Local Traffic, ISP-Bound Traffic and IntraLATA Toll Traffic to the other Party. Other trunk groups for operator services, directory assistance and intercept must be established pursuant to BellSouth's intrastate Access Services Tariff and/or BellSouth's FCC No. 1 Tariff.

- 4.10.2 <u>BellSouth Access Tandem Interconnection.</u> BellSouth Access Tandem interconnection at a single Access Tandem provides access to those End Offices subtending that access tandem (Intratandem Access). Access Tandem interconnection is available for any of the following access tandem architectures:
- 4.10.2.1 Basic Architecture. In the basic architecture, Access Communications's originating Local Traffic, ISP-Bound Traffic and IntraLATA Toll Traffic and originating and terminating Transit Traffic is transported on a single two-way trunk group between Access Communications and BellSouth Access Tandem(s) within a LATA to provide Intratandem Access. This trunk group carries Transit Traffic between Access Communications and ICOs, IXCs, other CLECs, CMRS providers that have a Meet Point Billing arrangement with BellSouth, and other network providers with which Access Communications desires to exchange traffic. This trunk group also carries Access Communications originated Transit Traffic transiting a single BellSouth Access Tandem destined to third party tandems such as an ICO tandem or other CLEC tandem. BellSouth originated Local Traffic, ISP-Bound Traffic and IntraLATA Toll Traffic is transported on a separate single one-way trunk group terminating to Access Communications. The LERG contains current routing and tandem serving arrangements. The basic Architecture is illustrated in Exhibit B.
- 4.10.2.2 One-Way Trunk Group Architecture. In one-way trunk group architecture, the Parties interconnect using three (3) separate trunk groups. A one-way trunk group provides Intratandem Access for Access Communications-originated Local Traffic, ISP-Bound Traffic and IntraLATA Toll Traffic destined for BellSouth end users. A second one-way trunk group carries BellSouth-originated Local Traffic, ISP-Bound Traffic and IntraLATA Toll Traffic destined for Access Communications end users. A two-way trunk group provides Intratandem Access for Access Communications's originating and terminating Transit Traffic. This trunk group carries Transit Traffic between Access Communications and ICOs, IXCs, other CLECs, CMRS providers that have a Meet Point Billing arrangement with BellSouth, and other network providers with which Access Communications

Version: 4Q05 Standard ICA

exchanges traffic. This trunk group also carries Access Communications originated Transit Traffic transiting a single BellSouth Access Tandem destined to third party tandems such as an ICO tandem or other CLEC tandem. BellSouth originated Local Traffic, ISP-Bound Traffic and IntraLATA Toll Traffic is transported on a separate single one-way trunk group terminating to Access Communications. The LERG contains current routing and tandem serving arrangements. The one-way trunk group architecture is illustrated in Exhibit C.

- 4.10.2.3 Two-Way Trunk Group Architecture. The two-way trunk group Architecture establishes one (1) two-way trunk group to provide Intratandem Access for the exchange of Local Traffic, ISP-Bound Traffic and IntraLATA Toll Traffic between Access Communications and BellSouth. In addition, a separate two-way transit trunk group must be established for Access Communications's originating and terminating Transit Traffic. This trunk group carries Transit Traffic between Access Communications and ICOs, IXCs, other CLECs, CMRS providers that have a Meet Point Billing arrangement with BellSouth, and other network providers with which Access Communications exchanges traffic. This trunk group also carries Access Communications originated Transit Traffic transiting a single BellSouth Access Tandem destined to third party tandems such as an ICO tandem or other CLEC tandem. BellSouth originated traffic may, in order to prevent or remedy traffic blocking situations, be transported on a separate single one-way trunk group terminating to Access Communications. However, where Access Communications is responsive in a timely manner to BellSouth's transport needs for its originated traffic, BellSouth originating traffic will be placed on the twoway Local Traffic trunk group carrying ISP-Bound Traffic and IntraLATA Toll Traffic. The LERG contains current routing and tandem serving arrangements. The two-way trunk group architecture is illustrated in Exhibit D.
- Supergroup Architecture. In the supergroup architecture, the Parties' Local 4.10.2.4 Traffic, ISP-Bound Traffic and IntraLATA Toll Traffic and Access Communications's Transit Traffic are exchanged on a single two-way trunk group between Access Communications and BellSouth to provide Intratandem Access to Access Communications. This trunk group carries Transit Traffic between Access Communications and ICOs, IXCs, other CLECs, CMRS providers that have a Meet Point Billing arrangement with BellSouth, and other network providers with which Access Communications desires to exchange traffic. This trunk group also carries Access Communications originated Transit Traffic transiting a single BellSouth Access Tandem destined to third party tandems such as an ICO tandem or other CLEC tandem. BellSouth originated traffic may, in order to prevent or remedy traffic blocking situations, be transported on a separate single one-way trunk group terminating to Access Communications. However, where Access Communications is responsive in a timely manner to BellSouth's transport needs for its originated traffic, BellSouth originating traffic will be placed on the Supergroup. Other trunk groups for operator services, directory assistance, emergency services and intercept must be established pursuant to the applicable

BellSouth tariff if service is requested. The LERG contains current routing and tandem serving arrangements. The supergroup architecture is illustrated in Exhibit E.

4.10.2.5 <u>Multiple Tandem Access (MTA) Interconnection</u>

- 4.10.2.5.1 Where Access Communications does not choose access tandem interconnection at every BellSouth Access Tandem within a LATA, Access Communications must utilize BellSouth's MTA interconnection. To utilize MTA Access Communications must establish an interconnection trunk group(s) at a minimum of one (1) BellSouth Access Tandem within each LATA as required. BellSouth will route Access Communications's originated Local Traffic, ISP-Bound Traffic and IntraLATA Toll Traffic for LATA wide transport and termination. Access Communications must also establish an interconnection trunk group(s) at all BellSouth Access Tandems where Access Communications NXXs are homed as described in Section 4.2.1 above. If Access Communications does not have NXXs homed at any particular BellSouth Access Tandem within a LATA and elects not to establish an interconnection trunk group(s) at such BellSouth Access Tandem, Access Communications can order MTA in each BellSouth Access Tandem within the LATA where it does have an interconnection trunk group(s) and BellSouth will terminate Access Communications's Local Traffic, ISP-Bound Traffic and IntraLATA Toll Traffic to end users served through those BellSouth Access Tandems where Access Communications does not have an interconnection trunk group(s). MTA shall be provisioned in accordance with BellSouth's Ordering Guidelines.
- 4.10.2.5.2 Access Communications may also utilize MTA to route its originated Transit Traffic; provided, however, that MTA may not be utilized to route switched access traffic that transits the BellSouth network to an IXC. Switched access traffic originated by or terminated to Access Communications will be delivered to and from IXCs based on Access Communications's NXX access tandem homing arrangement as specified by Access Communications in the LERG.
- 4.10.2.5.3 Compensation for MTA shall be at the applicable tandem switching and transport charges specified in Exhibit A and shall be billed in addition to any Call Transport and Termination charges.
- 4.10.2.5.4 To the extent Access Communications does not purchase MTA in a LATA served by multiple Access Tandems, Access Communications must establish an interconnection trunk group(s) to every Access Tandem in the LATA to serve the entire LATA. To the extent Access Communications routes its traffic in such a way that utilizes BellSouth's MTA service without properly ordering MTA, Access Communications shall pay BellSouth the associated MTA charges.

4.10.3 Local Tandem Interconnection

- 4.10.3.1 Local Tandem Interconnection arrangement allows Access Communications to establish an interconnection trunk group(s) at BellSouth local tandems for: (1) the delivery of Access Communications-originated Local Traffic and ISP-Bound Traffic transported and terminated by BellSouth to BellSouth End Offices served by those BellSouth local tandems, and (2) for local Transit Traffic transported by BellSouth for third party network providers who have also established an interconnection trunk group(s) at those BellSouth local tandems.
- 4.10.3.2 When a specified local calling area is served by more than one (1) BellSouth local tandem, Access Communications must designate a "home" local tandem for each of its assigned NPA/NXXs and establish trunk connections to such local tandems. Additionally, Access Communications may choose to establish an interconnection trunk group(s) at the BellSouth local tandems where it has no codes homing but is not required to do so. Access Communications may deliver Local Traffic and ISP-Bound Traffic to a "home" BellSouth local tandem that is destined for other BellSouth or third party network provider end offices subtending other BellSouth local tandems in the same local calling area where Access Communications does not choose to establish an interconnection trunk group(s). It is Access Communications's responsibility to enter its own NPA/NXX local tandem homing arrangements into the LERG either directly or via a vendor in order for other third party network providers to determine appropriate traffic routing to Access Communications's codes. Likewise, Access Communications shall obtain its routing information from the LERG.
- 4.10.3.3 Notwithstanding establishing an interconnection trunk group(s) to BellSouth's local tandems, Access Communications must also establish an interconnection trunk group(s) to BellSouth Access Tandems within the LATA on which Access Communications has NPA/NXXs homed for the delivery of Interexchange Carrier Switched Access and toll traffic, and traffic to Type 2A CMRS connections located at the Access Tandems. BellSouth shall not switch SWA traffic through more than one BellSouth access tandem. SWA, Type 2A CMRS or toll traffic routed to the local tandem in error will not be backhauled to the BellSouth Access Tandem for completion. (Type 2A CMRS interconnection is defined in Section A35 of BellSouth's GSST).
- 4.10.3.4 BellSouth's provisioning of Local Tandem Interconnection assumes that Access Communications has executed the necessary local interconnection agreements with the other third party network providers subtending those local tandems as required by the Act.
- 4.10.4 Direct End Office-to-End Office Interconnection
- 4.10.4.1 Direct End Office-to-End Office one-way or two-way interconnection trunk groups allow for the delivery of a Party's originating Local Traffic, ISP-Bound

Traffic and IntraLATA Toll Traffic to the terminating Party on a direct end office-to-end office basis.

- 4.10.4.2 The Parties shall utilize direct end office-to-end office trunk groups under any one (1) of the following conditions:
- 4.10.4.2.1 <u>Tandem Exhaust.</u> If a tandem through which the Parties are interconnected is unable to, or is forecasted to be unable to support additional traffic loads for any period of time, the Parties will mutually agree on an end office trunking plan that will alleviate the tandem capacity shortage and ensure completion of traffic between Access Communications and BellSouth.
- 4.10.4.2.2 Traffic Volume. To the extent either Party has the capability to measure the amount of traffic between Access Communications's switch and a BellSouth End Office and where such traffic exceeds or is forecasted to exceed a single DS1 of traffic per month, then the Parties shall install and retain direct end office trunking sufficient to handle such traffic volumes. Either Party will install additional capacity between such points when overflow traffic exceeds or is forecasted to exceed a single DS1 of traffic per month. In the case of one-way trunking, additional trunking shall only be required by the Party whose trunking has achieved the preceding usage threshold.
- 4.10.4.2.3 <u>Mutual Agreement.</u> The Parties may install direct end office trunking upon mutual agreement in the absence of conditions (1) or (2) above.
- 4.10.5 <u>Transit Traffic Trunk Group</u>
- 4.10.5.1 Transit Traffic trunks can either be two-way trunks or two (2) one-way trunks ordered by Access Communications to deliver and receive Transit Traffic. Establishing Transit Traffic trunks at BellSouth Access and Local Tandems provides Intratandem Access to the third parties also interconnected at those tandems. Access Communications shall be responsible for all recurring and nonrecurring charges associated with Transit Traffic trunks and facilities.
- 4.10.5.2 Toll Free Traffic
- 4.10.5.2.1 If Access Communications chooses BellSouth to perform the Service Switching Point (SSP) Function (i.e., handle Toll Free database queries) from BellSouth's switches, all Access Communications originating Toll Free traffic will be routed over the Transit Traffic Trunk Group and shall be delivered using GR-394 format. Carrier Code "0110" and Circuit Code (to be determined for each LATA) shall be used for all such calls.
- 4.10.5.2.2 Access Communications may choose to perform its own Toll Free database queries from its switch. In such cases, Access Communications will determine the nature (local/intraLATA/interLATA) of the Toll Free call

Version: 4Q05 Standard ICA

(local/IntraLATA/InterLATA) based on the response from the database. If the call is a BellSouth local or intraLATA Toll Free call, Access Communications will route the post-query local or IntraLATA converted ten (10)-digit local number to BellSouth over the local or intraLATA trunk group. If the call is a third party (ICO, IXC, CMRS or other CLEC) local or intraLATA Toll Free call, Access Communications will route the post-query local or intraLATA converted ten (10)-digit local number to BellSouth over the Transit Traffic Trunk Group and Access Communications shall provide to BellSouth a Toll Free billing record when appropriate. If the query reveals the call is an interLATA Toll Free call (1) directly from its switch for carriers interconnected with its network or (2) over the Transit Traffic Trunk Group to carriers that are not directly connected to Access Communications's network but that are connected to BellSouth's Access Tandem.

4.10.5.2.3 All post-query Toll Free calls for which Access Communications performs the SSP function, if delivered to BellSouth, shall be delivered using GR-394 format for calls destined to IXCs, and GR-317 format for calls destined to end offices that directly subtend a BellSouth Access Tandem within the LATA.

5 Network Design And Management For Interconnection

- 5.1 <u>Network Management and Changes.</u> The Parties will exchange toll-free maintenance contact numbers and escalation procedures. The Parties will provide public notice of network changes in accordance with applicable federal and state rules and regulations.
- Interconnection Technical Standards. The interconnection of all networks will be based upon accepted industry/national guidelines for transmission standards and traffic blocking criteria. Interconnecting facilities shall conform, at a minimum, to the telecommunications industry standard of DS1 pursuant to Telcordia Standard No. GR-NWT-00499. Where Access Communications chooses to utilize SS7 signaling, also known as CCS7, SS7 connectivity is required between the Access Communications switch and the BellSouth STP. BellSouth will provide SS7 signaling using Common Channel Signaling Access Capability in accordance with the technical specifications set forth in the BellSouth Guidelines to Technical Publication, GR-905-Core. Facilities of each Party shall provide the necessary onhook, off-hook answer and disconnect supervision and shall provide calling number ID (Calling Party Number) when technically feasible.
- 5.3 <u>Network Management Controls.</u> Both Parties will work cooperatively to apply sound network management principles by invoking appropriate network management controls (e.g., call gapping) to alleviate or prevent network congestion.

6 Forecasting for Trunk Provisioning

Version: 4Q05 Standard ICA

- Within six (6) months after execution of this Agreement, Access Communications shall provide an initial interconnection trunk group forecast for each LATA in which it plans to provide service within BellSouth's region. Upon receipt of Access Communications's forecast, the Parties shall conduct a joint planning meeting to develop a joint interconnection trunk group forecast. Each forecast provided under this Section shall be deemed Confidential Information under the General Terms and Conditions.
- At a minimum, the forecast shall include the projected quantity of Transit Trunks, Access Communications-to-BellSouth one-way trunks (Access Communications Trunks), BellSouth-to-Access Communications one-way trunks (BellSouth Trunk Groups) and/or two-way interconnection trunks, if the Parties have agreed to interconnect using two-way trunking to transport the Parties' Local Traffic, ISP-Bound Traffic and IntraLATA Toll Traffic. The quantities shall be projected for a minimum of six (6) months and shall include an estimate of the current year plus the next two (2) years total forecasted quantities. The Parties shall mutually develop BellSouth Trunk Groups and/or two-way interconnection trunk forecast quantities.
- All forecasts shall include, at a minimum, Access Carrier Terminal Location (ACTL), trunk group type (e.g., local/intraLATA toll, Transit, Operator Services, 911, etc.), A location/Z location (CLLI codes for Access Communications location and BellSouth location where the trunks shall terminate), interface type (e.g., DS1), Direction of Signaling, Trunk Group Number, if known, (commonly referred to as the 2-6 code) and forecasted trunks in service each year (cumulative).
- Once initial interconnection trunk forecasts have been developed, Access Communications shall continue to provide interconnection trunk forecasts at mutually agreeable intervals. Access Communications shall use its best efforts to make the forecasts as accurate as possible based on reasonable engineering criteria. The Parties shall continue to develop Reciprocal Trunk Group and/or two-way interconnection trunk forecasts as described in Section 6.1.1 above.
- The submission and development of interconnection trunk forecasts shall not replace the ordering process for local interconnection trunks. Each Party shall exercise its best efforts to provide the quantity of interconnection trunks mutually forecasted. However, the provision of the forecasted quantity of interconnection trunks is subject to trunk terminations and facility capacity existing at the time the trunk order is submitted. Furthermore, the receipt and development of trunk forecasts does not imply any liability for failure to perform if capacity (trunk terminations or facilities) is not available for use at the forecasted time.

6.4 Trunk Utilization

- For the BellSouth Trunk Groups that are Final Trunk Groups (BellSouth Final Trunk Groups), BellSouth and Access Communications shall monitor traffic on each BellSouth Final Trunk Group that is ordered and installed. The Parties agree that the BellSouth Final Trunk Groups will be utilized at sixty percent (60%) of the time consistent busy hour utilization level within ninety (90) days of installation. The Parties agree that the BellSouth Final Trunk Groups will be utilized at eighty percent (80%) of the time consistent busy hour utilization level within one hundred eighty (180) days of installation. Any BellSouth Final Trunk Group not meeting the minimum thresholds set forth in this Section are defined as "under-utilized" trunks. Subject to Section 6.4.2 below, BellSouth may disconnect any under-utilized BellSouth Final Trunk Groups and Access Communications shall refund to BellSouth the associated nonrecurring and recurring trunk and facility charges paid by BellSouth, if any.
- 6.4.2 BellSouth's CISC will notify Access Communications of any under-utilized BellSouth Trunk Groups and the number of such trunk groups that BellSouth wishes to disconnect. BellSouth will provide supporting information either by email or facsimile to the designated Access Communications interface. Access Communications will provide concurrence with the disconnection in seven (7) business days or will provide specific information supporting why the trunks should not be disconnected. Such supporting information should include expected traffic volumes (including traffic volumes generated due to Local Number Portability) and the timeframes within which Access Communications expects to need such trunks. BellSouth's CISC Project Manager and Circuit Capacity Manager (CCM) will discuss the information with Access Communications to determine if agreement can be reached on the number of BellSouth Final Trunk Groups to be removed. If no agreement can be reached, BellSouth will issue disconnect orders to Access Communications. The due date of these orders will be four (4) weeks after Access Communications was first notified in writing of the underutilization of the trunk groups.
- To the extent that any interconnection trunk group is utilized at a time-consistent busy hour of eighty percent (80%) or greater, the Parties may review the trunk groups and, if necessary, shall negotiate in good faith for the installation of augmented facilities.
- 6.4.4 For the two-way trunk groups, BellSouth and Access Communications shall monitor traffic on each interconnection trunk group that is ordered and installed. The Parties agree that within ninety (90) days of the installation of the BellSouth two-way trunk or trunks, the trunks will be utilized at 60 percent (60%) of the time consistent busy hour utilization level. The Parties agree that within one hundred eighty (180) days of the installation of a trunk or trunks, the trunks will be utilized at eighty percent (80%) of the time consistent busy hour utilization level. Any trunk or trunks not meeting the minimum thresholds set forth in this Section are defined as "under-utilized" trunks. BellSouth will request the disconnection of

any under-utilized two-way trunk(s) and Access Communications shall refund to BellSouth the associated nonrecurring and recurring trunk and facility charges paid by BellSouth, if any.

- 6.4.4.1 BellSouth's CISC will notify Access Communications of any under-utilized twoway trunk groups and the number of trunks that BellSouth wishes to disconnect. BellSouth will provide supporting information either by email or facsimile to the designated Access Communications interface. Access Communications will provide concurrence with the disconnection in seven (7) business days or will provide specific information supporting why the two-way trunks should not be disconnected. Such supporting information should include expected traffic volumes (including traffic volumes generated due to Local Number Portability) and the timeframes within which Access Communications expects to need such trunks. BellSouth's CISC Project Manager and CCM will discuss the information with Access Communications to determine if agreement can be reached on the number of trunks to be removed. If no agreement can be reached, Access Communications will issue disconnect orders to BellSouth. The due date of these orders will be four (4) weeks after Access Communications was first notified in writing of the under-utilization of the trunk groups.
- 6.4.4.2 To the extent that any interconnection trunk group is utilized at a time-consistent busy hour of eighty percent (80%) or greater, the Parties may review the trunk groups and, if necessary, shall negotiate in good faith for the installation of augmented facilities.

7 Local Dialing Parity

7.1 BellSouth and Access Communications shall provide local and toll dialing parity, as defined in FCC rules and regulations, with no unreasonable dialing delays. Dialing parity shall be provided for all originating Telecommunications Services that require dialing to route a call.

8 Interconnection Compensation

- 8.1 Compensation for Call Transport and Termination for Local Traffic, ISP-Bound Traffic and IntraLATA Toll Traffic
- 8.1.1 For the purposes of this Attachment and for intercarrier compensation for Local Traffic exchanged between the Parties pursuant to this Attachment, Local Traffic is defined as any telephone call that originates from a calling party located in one exchange and terminates in either the same exchange, or other local calling area associated with the originating calling party's exchange as defined and specified in Section A3 of BellSouth's GSST.

Version: 4Q05 Standard ICA

- 8.1.1.1 Additionally, Local Traffic includes any cross boundary, voice-to-voice intrastate, interLATA or interstate, interLATA calls established as a local call by the ruling regulatory body.
- 8.1.2 For purposes of this Attachment and for intercarrier compensation for ISP-Bound Traffic exchanged between the Parties, ISP-Bound Traffic is defined as calls to an information service provider or Internet Service Provider (ISP) that are dialed by using a local dialing pattern (seven (7) or ten (10) digits) by a calling party in one (1) exchange to an ISP server or modem in either the same exchange or other local calling area associated with the originating exchange as defined and specified in Section A3 of BellSouth's GSST. ISP-Bound Traffic is not Local Traffic subject to reciprocal compensation, but instead is information access traffic subject to the FCC's jurisdiction.
- 8.1.3 Neither Party shall pay compensation to the other Party for per minute of use rate elements as set forth in Exhibit A associated with the Call Transport and Termination of Local Traffic or ISP-Bound Traffic.
- 8.1.4 The appropriate elemental rates set forth in Exhibit A shall apply for Transit Traffic as described in this Attachment and for MTA as described in this Attachment.
- 8.1.5 Neither Party shall represent Switched Access Traffic as Local Traffic or ISP-Bound Traffic for purposes of determining compensation for the call.
- 8.1.6 IntraLATA Toll Traffic is defined as all traffic, regardless of transport protocol method, that originates and terminates within a single LATA that is not Local Traffic or ISP-Bound traffic under this Attachment.
- 8.1.6.1 For terminating its intraLATA toll traffic on the other Party's network, the originating Party will pay the terminating Party BellSouth's current intrastate or interstate, whichever is appropriate, terminating switched access tariff rates as set forth in BellSouth's intrastate Access Services Tariffs and/or BellSouth's FCC No. 1 Tariff as filed and in effect with the FCC or appropriate Commission. The appropriate charges will be determined by the routing of the call. Additionally, if one (1) Party is the other Party's customer's presubscribed interexchange carrier or if one (1) Party's customer uses the other Party as an interexchange carrier on a 101XXXXX basis, the originating party will charge the other Party the appropriate BellSouth originating switched access tariff rates as set forth in BellSouth's intrastate Access Services Tariff and/or BellSouth's FCC No. 1 Tariff as filed and in effect with the FCC or appropriate Commission.
- 8.1.7 If Access Communications assigns NPA/NXXs to specific BellSouth rate centers within the LATA and assigns numbers from those NPA/NXXs to Access Communications customer physically located outside of that LATA, BellSouth traffic originating from within the LATA where the NPA/NXXs are assigned and

delivered to a Access Communications customer physically located outside of such LATA, shall not be deemed Local Traffic. Further, Access Communications agrees to identify such interLATA traffic to BellSouth and to compensate BellSouth for originating and transporting such interLATA traffic to Access Communications at BellSouth's FCC No. 1 Tariff rates.

8.2 If Access Communications does not identify such interLATA traffic to BellSouth, BellSouth will determine which whole Access Communications NPA/NXXs on which to charge the applicable rates for originating network access service as reflected in BellSouth's intrastate Access Services Tariff and/or BellSouth's FCC No. 1 Tariff. BellSouth shall make appropriate billing adjustments if Access Communications can provide sufficient information for BellSouth to determine whether or not said traffic is Local or ISP-Bound Traffic.

8.3 <u>Jurisdictional Reporting</u>

- 8.3.1 Percent Local Use (PLU). Each Party shall report to the other a PLU factor. The application of the PLU will determine the amount of local or ISP-Bound minutes to be billed to the other Party. Each Party shall update its PLU on the first of January, April, July and October of the year and shall send it to the other Party to be received no later than thirty (30) days after the first of each such month based on local and ISP-Bound usage for the past three (3) months ending the last day of December, March, June and September, respectively. Requirements associated with PLU calculation and reporting shall be as set forth in BellSouth's Jurisdictional Factors Reporting Guide.
- 8.3.2 Percent Local Facility (PLF). Each Party shall report to the other a PLF factor. The application of the PLF will determine the portion of switched dedicated transport to be billed per the local jurisdiction rates. The PLF shall be applied to Multiplexing, Local Channel and Interoffice Channel Switched Dedicated Transport utilized in the provision of local interconnection trunks. Each Party shall update its PLF on the first of January, April, July and October of the year and shall send it to the other Party to be received no later than thirty (30) days after the first of each such month to be effective the first bill period the following month, respectively. Requirements associated with PLF calculation and reporting shall be as set forth in BellSouth's Jurisdictional Factors Reporting Guide.
- 8.3.3 Percent Interstate Usage (PIU). Each Party shall report to the other the projected PIU factors, including but not limited to PIU associated with facilities (PIUE) and Terminating PIU (TPIU) factors. All jurisdictional report requirements, rules and regulations for Interexchange Carriers specified in BellSouth's intrastate Access Services Tariff will apply to Access Communications. After interstate and intrastate traffic percentages have been determined by use of PIU procedures, the PLU and PLF factors will be used for application and billing of local interconnection. Each Party shall update its PIUs on the first of January, April,

Version: 4Q05 Standard ICA

July and October of the year and shall send it to the other Party to be received no later than thirty (30) days after the first of each such month, for all services showing the percentages of use for the past three (3) months ending the last day of December, March, June and September. Additional requirements associated with PIU calculations and reporting shall be as set forth in BellSouth's Jurisdictional Factors Reporting Guide.

- 8.3.4 Notwithstanding the provisions in Sections 8.3.1, 8.3.2, and 8.3.3 above, where BellSouth has message recording technology that identifies the jurisdiction of traffic terminated as defined in this Agreement, such information shall, at BellSouth's option, be utilized to determine the appropriate jurisdictional reporting factors (i.e., PLU, PIU, and/or PLF), in lieu of those provided by Access Communications. In the event that BellSouth opts to utilize its own data to determine jurisdictional reporting factors, BellSouth shall notify Access Communications at least fifteen (15) days prior to the beginning of the calendar quarter in which BellSouth will begin to utilize its own data.
- 8.3.5 Audits. On thirty (30) days written notice, Access Communications must provide BellSouth the ability and opportunity to conduct an annual audit to ensure the proper billing of traffic. Access Communications shall retain records of call detail for a minimum of nine (9) months from which the PLU, PLF and/or PIU can be ascertained. The audit shall be conducted during normal business hours at an office designated by Access Communications. Audit requests shall not be submitted more frequently than one (1) time per calendar year. Audits shall be performed by an independent auditor chosen by BellSouth. Access Communications's PLF, PLU and/or PIU shall be adjusted based upon the audit results and shall apply for the quarter the audit was completed, for the quarter prior to the completion of the audit, and for the two (2) quarters following the completion of the audit. If, as a result of an audit, Access Communications is found to have overstated the PLF, PLU and/or PIU by twenty percentage points (20%) or more, Access Communications shall reimburse BellSouth for the cost of the audit.
- 8.4 <u>Compensation for IntraLATA 8XX Traffic.</u> Each Party shall pay the other the appropriate switched access charges set forth in the BellSouth's intrastate Access Services tariff and/or BellSouth's FCC No. 1 Tariff. Access Communications will pay BellSouth the database query charge as set forth in the applicable BellSouth intrastate Access Services Tariff and/or BellSouth's FCC No. 1 Tariff. Access Communications will be responsible for any applicable Common Channel Signaling (SS7) charges.
- 8.4.1 Records for 8XX Billing. Where technically feasible, each Party will provide to the other Party the appropriate records, in accordance with industry standards, necessary for billing intraLATA 8XX providers. The records provided will be in a standard EMI format.

Version: 4Q05 Standard ICA

8.4.2 <u>8XX Toll Free Dialing Ten Digit Screening Service (8XX TFD).</u> BellSouth's provision of 8XX TFD to Access Communications requires interconnection from Access Communications to BellSouth's 8XX Signal Channel Point. Such interconnections shall be established pursuant to BellSouth's Common Channel Signaling Interconnection Guidelines and Telcordia's CCS Network Interface Specification document, TR-TSV-000905. Access Communications shall establish SS7 interconnection at the BellSouth LSTPs serving the BellSouth 8XX Signal Channel Points that Access Communications desires to query. The terms and conditions for 8XX TFD are set out in the appropriate BellSouth Access Services Tariff.

8.5 Mutual Provision of Switched Access Service

- 8.5.1 Switched Access Traffic. Switched Access Traffic is described as telephone calls requiring local transmission or switching services for the purpose of the origination or termination of Telephone Toll Service. Switched Access Traffic includes, but is not limited to, the following types of traffic: Feature Group A, Feature Group B, Feature Group C, Feature Group D, toll free access (e.g., 8XX), 900 access and their successors. Additionally, any PSTN interexchange telecommunications traffic, regardless of transport protocol method, where the originating and terminating points, end-to-end points, are in different LATAs, or are in the same LATA and the Parties' Switched Access services are used for the origination or termination of the call, shall be considered Switched Access Traffic. Irrespective of transport protocol method or method of originating or terminating the call, a call that originates in one LATA and terminates in another LATA (i.e., the end-toend points of the call) or a call in which the Parties' Switched Access Services are used for the origination or termination of the call, shall be considered Switched Access Traffic.
- 8.5.2 If a BellSouth end user chooses Access Communications as their presubscribed interexchange carrier, or if a BellSouth end user uses Access Communications as an interexchange carrier on a 101XXXX basis, BellSouth will charge Access Communications the appropriate BellSouth tariff charges for originating switched access services.
- Where the originating Party delivers a call to the terminating Party over switched access facilities, the originating Party will pay the terminating Party terminating, switched access charges as set forth in BellSouth's intrastate Access Services Tariff and/or BellSouth's FCC No. 1 Tariff, as appropriate.
- 8.5.4 When Access Communications's end office switch provides an access service connection to or from an IXC by a direct trunk group to the IXC utilizing BellSouth facilities, each Party will provide its own access services to the IXC and bill on a multi-bill, multi-tariff meet-point basis. Each Party will bill its own access services rates to the IXC with the exception of the interconnection charge. The

interconnection charge will be billed by Access Communications as the Party providing the end office function. Each party will use the Multiple Exchange Carrier Access Billing (MECAB) guidelines to establish Meet Point Billing for all applicable traffic. The Parties shall utilize a thirty (30) day billing period.

- When Access Communications's end office subtends the BellSouth Access
 Tandem switch for receipt or delivery of switched access traffic and provides an
 access service connection to or from an IXC via BellSouth's Access Tandem
 switch, BellSouth, as the tandem company agrees to provide to Access
 Communications, as the End Office Company, as defined in MECAB, at no
 charge, all the switched access detail usage data, recorded at the access tandem,
 within no more than sixty (60) days after the recording date. Each Party will
 notify the other when it is not feasible to meet these requirements. As business
 requirements change, data reporting requirements may be modified as necessary.
- 8.5.5 BellSouth, as the tandem provider company, will retain for a minimum period of sixty (60) days, access message detail sufficient to recreate any data that is lost or damaged by the tandem provider company or any third party involved in processing or transporting data.
- 8.5.6 Access Communications agrees not to deliver switched access traffic to BellSouth for termination except over Access Communications ordered switched access trunks and facilities.

8.6 <u>Transit Traffic</u>

- 8.6.1 BellSouth shall provide tandem switching and transport services for Access Communications's Transit Traffic. Rates for local Transit Traffic and ISP-Bound Transit Traffic shall be the applicable rate elements for Tandem Switching, Common Transport and Tandem Intermediary Charge as set forth in Exhibit A. Rates for Switched Access Transit Traffic shall be the applicable charges as set forth in BellSouth's intrastate Access Services Tariff and/or BellSouth's FCC No. 1 Tariff. Billing associated with all Transit Traffic shall be pursuant to MECAB guidelines. Traffic between Access Communications and Wireless Type 1 third parties or Wireless Type 2A third parties that do not engage in Meet Point Billing with BellSouth shall not be treated as Transit Traffic from a routing or billing perspective until such time as such traffic is identifiable as Transit Traffic.
- 8.6.2 The delivery of traffic that transits the BellSouth network is excluded from any BellSouth billing guarantees. BellSouth agrees to deliver Transit Traffic to the terminating carrier; provided, however, that Access Communications is solely responsible for negotiating and executing any appropriate contractual agreements with the terminating carrier for the exchange of Transit Traffic through the BellSouth network. BellSouth will not be liable for any compensation to the terminating carrier or to Access Communications. In the event that the

Version: 4Q05 Standard ICA

terminating third party carrier imposes on BellSouth any charges or costs for the delivery of Transit Traffic, Access Communications shall reimburse BellSouth for such charges or costs.

- 8.7 For purposes of intercarrier compensation, BellSouth will not be responsible for any compensation associated with the exchange of traffic between Access Communications and a CLEC utilizing BellSouth switching. Where technically feasible, BellSouth will use commercially reasonable efforts to provide records to Access Communications to identify those CLECs utilizing BellSouth switching with whom Access Communications has exchanged traffic. Such traffic shall not be considered Transit Traffic from a routing or billing perspective, but instead will be considered as traffic exchanged solely between Access Communications and the CLEC utilizing BellSouth switching.
- 8.7.1 Access Communications is solely responsible for negotiating and executing any appropriate contractual agreements with the terminating carrier for the exchange of traffic with a CLEC utilizing BellSouth switching. BellSouth will not be liable for any compensation to the terminating carrier or to Access Communications. In the event that the terminating third party carrier imposes on BellSouth any charges or costs for the delivery of such traffic, Access Communications shall reimburse BellSouth for all such charges or costs.
- 8.8 Access Communications shall send all IntraLATA toll traffic to be terminated by an independent telephone company to the End User's IntraLATA toll provider and shall not send such traffic to BellSouth as Transit Traffic. IntraLATA toll traffic shall be any traffic that originates outside of the terminating independent telephone company's local calling area.

9 Ordering Charges

- 9.1 The facilities purchased pursuant to this Attachment shall be ordered via the ASR process.
- 9.2 The rates, terms and conditions associated with submission and processing of ASRs are as set forth in BellSouth's FCC No. 1 Tariff, Section 5.

10 Basic 911 and E911 Interconnection

- Basic 911 and E911 provides a caller access to the applicable emergency service bureau by dialing 911.
- 10.2 <u>Basic 911 Interconnection.</u> BellSouth will provide to Access Communications a list consisting of each municipality that subscribes to Basic 911 service. The list will also provide, if known, the E911 conversion date for each municipality and, for network routing purposes, a ten (10) digit directory number representing the appropriate emergency answering position for each municipality subscribing to

- 911. Access Communications will be required to arrange to accept 911 calls from its end users in municipalities that subscribe to Basic 911 service and translate the 911 call to the appropriate ten (10) digit directory number as stated on the list provided by BellSouth. Access Communications will be required to route that call to the appropriate PSAP. When a municipality converts to E911 service, Access Communications will be required to begin using E911 procedures.
- 10.3 E911 Interconnection. Access Communications shall install a minimum of two (2) dedicated trunks originating from its SWC and terminating to the appropriate E911 tandem. The SWC must be in the same LATA as the E911 tandem. The dedicated trunks shall be, at a minimum, DS0 level trunks configured as part of a digital (one point five forty-four (1.544) Mb/s) interface (DS1 facility). The configuration shall use CAMA-type signaling with MF pulsing or SS7/ISUP signaling either of which shall deliver ANI with the voice portion of the call. If SS7/ISUP connectivity is used, Access Communications shall follow the procedures as set forth in Appendix A of the CLEC Users Guide to E911 for Facility Based Providers that is located on the BellSouth Interconnection Web site. If the user interface is digital, MF pulses as well as other AC signals shall be encoded per the u-255 Law convention. Access Communications will be required to provide BellSouth daily updates to the E911 database. Access Communications will be required to forward 911 calls to the appropriate E911 tandem along with ANI based upon the current E911 end office to tandem homing arrangement as provided by BellSouth. If the E911 tandem trunks are not available, Access Communications will be required to route the call to a designated seven (7) digit or ten (10) digit local number residing in the appropriate PSAP. This call will be transported over BellSouth's interoffice network and will not carry the ANI of the calling party. Access Communications shall be responsible for providing BellSouth with complete and accurate data for submission to the 911/E911 database for the purpose of providing 911/E911 to its end users.
- Trunks and facilities for 911 Interconnection may be ordered by Access Communications from BellSouth pursuant to the terms and conditions set forth in this Attachment.
- 10.5 The detailed practices and procedures for 911/E911 interconnection are contained in the E911 Local Exchange Carrier Guide For Facility-Based Providers that is located on the BellSouth Interconnection Services Web site.

11 SS7 Network Interconnection

11.1 <u>SS7 Signaling.</u> Both Parties will utilize LEC-to-LEC SS7 Signaling, where available, in conjunction with all traffic in order to enable interoperability of CLASS features and functions except for call return. SS7 signaling parameters will be provided, including but not limited to ANI, originating line information (OLI) calling company category and charge number. Privacy indicators will be

honored, and the Parties will exchange Transactional Capabilities Application Part (TCAP) messages to facilitate SS7 based features between the respective networks. Neither Party shall alter the SS7 parameters, or be a party to altering such parameters, or knowingly pass SS7 parameters that have been altered in order to circumvent appropriate interconnection charges. Nothing herein shall obligate or otherwise require BellSouth to send SS7 messages or call-related database queries to Access Communications's or any other third party's call-related database, unless otherwise agreed to by the Parties under a separate agreement.

- Signaling Call Information. BellSouth and Access Communications will send and receive ten (10) digits for Local Traffic. Additionally, BellSouth and Access Communications will exchange the proper call information, (i.e., originated call company number and destination call company number, CIC, and OZZ) including all proper translations for routing between networks and any information necessary for billing.
- SS7 Network Interconnection is the interconnection of Access Communications LSTP switches or Access Communications local or tandem switching systems with BellSouth STP switches. This interconnection provides connectivity that enables the exchange of SS7 messages among BellSouth switching systems and databases, Access Communications local or tandem switching systems, and other third party switching systems directly connected to the BellSouth SS7 network.
- 11.3.1 The connectivity provided by SS7 Network Interconnection shall fully support the functions of BellSouth switching systems and databases and Access Communications or other third party switching systems with A-link access to the BellSouth SS7 network.
- 11.3.2 If traffic is routed based on dialed or translated digits between a Access Communications local switching system and a BellSouth or other third party local switching system, either directly or via a BellSouth tandem switching system, then it is a requirement that the BellSouth SS7 network convey via SS7 Network Interconnection the TCAP messages that are necessary to provide Call Management services (i.e., Automatic Callback, Automatic Recall, and Screening List Editing) between the Access Communications LSTP switches and BellSouth or other third party local switch.
- 11.3.3 SS7 Network Interconnection shall provide:
- 11.3.3.1 Signaling Data Link functions, as specified in ANSI T1.111.2;
- 11.3.3.2 Signaling Link functions, as specified in ANSI T1.111.3; and
- 11.3.3.3 Signaling Network Management functions, as specified in ANSI T1.111.4.

- 11.3.4 SS7 Network Interconnection shall provide all functions of the SCCP necessary for Class 0 (basic connectionless) service as specified in ANSI T1.112. This includes GTT and SCCP Management procedures as specified in ANSI T1.112.4. Where the destination signaling point is a BellSouth switching system or DB, or is another third party local or tandem switching system directly connected to the BellSouth SS7 network, SS7 Network Interconnection shall include final GTT of messages to the destination and SCCP Subsystem Management of the destination. Where the destination signaling point is a Access Communications local or tandem switching system, SS7 Network Interconnection shall include intermediate GTT of messages to a gateway pair of Access Communications LSTPs and shall not include SCCP Subsystem Management of the destination.
- 11.3.5 SS7 Network Interconnection shall provide all functions of the ISUP as specified in ANSI T1.113.
- 11.3.6 SS7 Network Interconnection shall provide all functions of the TCAP as specified in ANSI T1.114.
- 11.3.7 If Internetwork MRVT and SRVT become approved ANSI standards and available capabilities of BellSouth STPs, SS7 Network Interconnection may provide these functions of the OMAP.
- 11.4 <u>Interface Requirements.</u> The following SS7 Network Interconnection interface options are available to connect Access Communications or Access Communications-designated local or tandem switching systems or signaling transfer point switches to the BellSouth SS7 network:
- 11.4.1 A-link interface from Access Communications local or tandem switching systems; and
- 11.4.2 B-link interface from Access Communications STPs.
- 11.4.3 The Signaling Point of Interconnection for each link shall be located at a cross-connect element in the central office where the BellSouth STP is located. There shall be a DS1 or higher rate transport interface at each of the signaling points of interconnection. Each signaling link shall appear as a DS0 channel within the DS1 or higher rate interface.
- BellSouth shall provide intraoffice diversity between the Signaling Point of Interconnection and the BellSouth STP, so that no single failure of intraoffice facilities or equipment shall cause the failure of both B-links in a layer connecting to a BellSouth STP.
- The protocol interface requirements for SS7 Network Interconnection include the MTP, ISUP, SCCP, and TCAP. These protocol interfaces shall conform to the applicable industry standard technical references.


Version: 4Q05 Standard ICA

11/30/05

- 11.4.6 BellSouth shall set message screening parameters to accept messages from Access Communications local or tandem switching systems destined to any signaling point in the BellSouth SS7 network with which the Access Communications switching system has a valid signaling relationship.
- 11.5 Rates. The Parties shall institute a "bill and keep" compensation plan under which neither Party will charge the other Party recurring and nonrecurring charges as set forth in Exhibit A for CCS7signaling messages associated with Local Traffic. The portion of CCS7 signaling messages utilized for Local Traffic, which are subject to bill and keep in accordance with this section, shall be determined based upon the application of the applicable signaling factors set forth in BellSouth's Jurisdictional Factors Reporting Guide. The remaining portion of the CCS7 signaling messages, signaling ports, and signaling links, i.e. the portion associated with interstate calls and with intrastate non-local calls, shall be billed in accordance with the applicable BellSouth intrastate Access Services Tariff and BellSouth's FCC No. 1 Tariff for switched access services.

Basic Architecture


Exhibit B



Version: 4Q0 11/30/05

One-Way Architecture


Exhibit C



Version: 4Q0 11/30/05

Two-Way Architecture


Exhibit D



Version: 4Q0 11/30/05

Supergroup Architecture

Exhibit E



Version: 4Q05 Stanuaru ICA

11/30/05

LOCAL	INTE	RCONNECTION - Alabama												Attachment:	3 Exh: A		
												Svc Order	Svc Order	Incremental		Incremental	Incremental
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
			Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGO	RY	RATE ELEMENTS		Zone	BCS	USOC			RATES(\$)			per LSR		Order vs.	Order vs.	Order vs.	Order vs.
			m									per Lore	per Lore	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
														151	Addi	DISC ISL	DISC Add I
							Rec	Nonrec	curring	Nonrecurring	Disconnect			oss	Rates(\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		CONNECTION (CALL TRANSPORT AND TERMINATION)															<u> </u>
		'bk" beside a rate indicates that the Parties have agreed to bi	ll and k	eep for	that element pursu	ant to the ter	ms and conditi	ons in Attachn	nent 3.								
T/	ANDE	M SWITCHING															L
		Tandem Switching Function Per MOU					0.0004980bk										L
		Multiple Tandem Switching, per MOU (applies to intial tandem													i .		
\vdash		only)					0.000498										ļ
oxdot		Tandem Intermediary Charge, per MOU*					0.0025										
		harge is applicable only to transit traffic and is applied in add	dition to	appli	cable switching and	l/or interconr	nection charges	i.									
<u>T</u> '		CHARGE				<u> </u>										<u> </u>	
$\vdash \vdash$		Installation Trunk Side Service - per DS0			OHD	TPP6X		21.56	8.12							<u> </u>	<u> </u>
$\vdash \vdash$		Installation Trunk Side Service - per DS0			OHD	TPP9X		21.56	8.12							<u> </u>	<u> </u>
$\sqcup \bot$		Dedicated End Office Trunk Port Service-per DS0**			OHD	TDEOP	0.00									ļ'	<u> </u>
$\sqcup \bot$		Dedicated End Office Trunk Port Service-per DS1**			OH1 OH1MS	TDE1P	0.00									ļ'	<u> </u>
\vdash		Dedicated Tandem Trunk Port Service-per DS0**			OHD	TDWOP	0.00									ļ	ļ
		Dedicated Tandem Trunk Port Service-per DS1**			OH1 OH1MS	TDW1P	0.00										
		rate element is recovered on a per MOU basis and is included	in the	End Of	fice Switching and	Tandem Swit	ching, per MOl	J rate elements	3								
С		ON TRANSPORT (Shared)															
		Common Transport - Per Mile, Per MOU					0.0000023bk								<u> </u>		
oxdot		Common Transport - Facilities Termination Per MOU					0.0003224bk								L		
		CONNECTION (DEDICATED TRANSPORT)													L		
IN.	NTERC	OFFICE CHANNEL - DEDICATED TRANSPORT													<u> </u>		
		Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade -													1	1	
		Per Mile per month			OHM	1L5NF	0.008838								<u> </u>		
		Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade -													1	1	
		Facility Termination per month			OHM	1L5NF	21.13	40.54	27.41	16.74	6.90						
		Interoffice Channel - Dedicated Transport - 56 kbps - per mile													i .		
		per month			OHM	1L5NK	0.008838								L		
		Interoffice Channel - Dedicated Transport - 56 kbps - Facility													1	1	
$oxed{oxed}$		Termination per month			OHM	1L5NK	15.12	40.54	27.41	16.74	6.90				L		
		Interoffice Channel - Dedicated Transport - 64 kbps - per mile													1	1	
		per month			OHM	1L5NK	0.008838								<u> </u>		
		Interoffice Channel - Dedicated Transport - 64 kbps - Facility													1	1	
$oxed{oxed}$		Termination per month			OHM	1L5NK	15.12	40.54	27.41	16.74	6.90				L		
		Interoffice Channel - Dedicated Channel - DS1 - Per Mile per													1	1	
		month			OH1, OH1MS	1L5NL	0.18								<u> </u>		
		Interoffice Channel - Dedicated Tranport - DS1 - Facility													1		
		Termination per month			OH1, OH1MS	1L5NL	60.16	89.27	81.81	16.35	14.44						
		Interoffice Channel - Dedicated Transport - DS3 - Per Mile per													1		
$oxed{oxed}$		month			OH3, OH3MS	1L5NM	4.09								<u> </u>		
		Interoffice Channel - Dedicated Transport - DS3 - Facility													1		
		Termination per month			OH3, OH3MS	1L5NM	703.52	278.75	162.76	60.20	58.46				<u> </u>	<u> </u>	<u> </u>
L/	OCAL	CHANNEL - DEDICATED TRANSPORT															
		Local Channel - Dedicated - 2-Wire Voice Grade per month			OHM	TEFV2	13.97	193.10	33.17	36.64	3.20						
		Local Channel - Dedicated - 4-Wire Voice Grade per month			OHM	TEFV4	14.93	193.53	33.60	37.11	3.67						
		Local Channel - Dedicated - DS1 per month			OH1	TEFHG	35.76	177.47	153.72	22.19	15.26						
															1		
		Local Channel - Dedicated - DS3 Facility Termination per month		<u> </u>	OH3	TEFHJ	416.54	451.52	263.94	119.49	83.58	<u> </u>			1	<u> </u>	
L/		INTERCONNECTION MID-SPAN MEET															
		Local Channel - Dedicated - DS1 per month			OH1MS	TEFHG	0.00	0.00									
		Local Channel - Dedicated - DS3 per month			OH3MS	TEFHJ	0.00	0.00									
M	IULTIP	PLEXERS															
		Channelization - DS1 to DS0 Channel System			OH1, OH1MS	SATN1	101.06	91.04	62.57	10.54	9.79						
		DS3 to DS1 Channel System per month			OH3, OH3MS	SATNS	166.13	178.14	93.97	33.26	31.63						
		DS3 Interface Unit (DS1 COCI) per month			OH1, OH1MS	SATCO	12.70	6.58	4.72								
		297)						İ									
SIGNALIN																	
		bk" beside a rate indicates that the parties have agreed to bill	and ke	ep for	that element pursua	ant to the teri	ns and condition	ons in Attachm	ent 3.								
	OTÉ:"		and ke	ep for	that element pursua UDB	PT8SX	ns and condition	ons in Attachm	ent 3.						1		

LOCAL INTI	ERCONNECTION - Alabama												Attachment:	3 Exh: A		
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Submitted Manually	Charge -	Charge -	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						В	Nonrec	urring	Nonrecurring	Disconnect		l .	oss	Rates(\$)	1	
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	CCS7 Signaling Connection, Per DS1 level link (A link)			UDB	TPP6A	15.46	35.53	35.53	16.44	16.44						
	CCS7 Signaling Connection, Per DS3 level link (A link)			UDB	TPP9A	15.46	35.53	35.53	16.44	16.44						
	CCS7 Signaling Connection, Per DS1 level link (B link) (also known as D link)			UDB	TPP6B	15.46	35.53	35.53	16.44	16.44						
	CCS7 Signaling Connection, Per DS3 level link (B link) (also known as D link)			UDB	TPP9B	15.46	35.53	35.53	16.44	16.44						
	CCS7 Signaling Usage, Per ISUP Message					0.0000142bk										1
i i	CCS7 Signaling Usage Surrogate, per link per LATA			UDB	STU56	650.33bk					Î			Î		
	CCS7 Signaling Point Code, per Originating Point Code Establishment or Change, per STP affected			UDB	CCAPO		29.01	29.01	35.57	35.57						
	CCS7 Signaling Connection, Switched access service, interface groups, transmissiom paths 6 DS1 level path with bit stream signaling			UDB	TPP6X	15.46	35.53	35.53	16.44	16.44						
	CCS7 Signaling Connection, Switched access service, interface groups, transmissiom paths 9 DS3 level path with bit stream signaling			UDB	TPP9X	15.46	35.53	35.53	16.44	16.44						

LOCAL IN	TERCONNECTION - Florida												Attachment:	3 Exh: A		
						1					Svc Order	Svc Order	Incremental		Incremental	Incremental
1					1	1							Charge -	Charge -	Charge -	Charge -
		1									Elec	Manually	Manual Svc	Manual Svc	_	Manual Svc
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES(\$)					Order vs.	Order vs.	Order vs.	
0711200111		m			0000			= = (+)			per LSR	per LSR				Order vs.
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
			1		+		Nonrec	rurring	Nonrecurring	Disconnect			220	Rates(\$)		
 		1	+		+	Rec	First	Add'l	First	Add'l	COMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
			-		+		riist	Auu i	FIISL	Auu i	SOMEC	SUMAN	SOWAN	SOWAN	SUMAN	SUMAN
LOCALINIT	DOONNECTION (CALL TRANSPORT AND TERMINATION)	1	 		+											
	RCONNECTION (CALL TRANSPORT AND TERMINATION)	<u> </u>	ь.		1						1	1				
	E: "bk" beside a rate indicates that the Parties have agreed to bi	ill and k	eep to	that element pursu	ant to the ter	ms and conditi	ons in Attachn	nent 3.								
TAN	DEM SWITCHING															
	Tandem Switching Function Per MOU					0.0006019bk										
	Multiple Tandem Switching, per MOU (applies to intial tandem															
	only)					0.0006019										
	Tandem Intermediary Charge, per MOU*					0.0025										
* Th	is charge is applicable only to transit traffic and is applied in ad	dition to	o appli	cable switching and	d/or interconr	nection charges							•		•	•
	NK CHARGE		Π													
	Installation Trunk Side Service - per DS0	i –		OHD	TPP6X		21.73	8.19			İ	i		İ	İ	İ
	Installation Trunk Side Service - per DS0	†	1	OHD	TPP9X		21.73	8.19				1			1	1
	Dedicated End Office Trunk Port Service-per DS0**	l	1 	OHD	TDEOP	0.00	21.75	0.10			†	 		 	†	l
\vdash	Dedicated End Office Trunk Port Service-per DS0*	1	+	OH1 OH1MS	TDE1P	0.00					 	 			-	
\vdash	Dedicated End Office Trunk Port Service-per DS1 Dedicated Tandem Trunk Port Service-per DS0**	 	+	OHD	TDWOP	0.00					-			-	-	-
\vdash		 	1								<u> </u>	-				
	Dedicated Tandem Trunk Port Service-per DS1**	1	F	OH1 OH1MS	TDW1P	0.00	Landa et				<u> </u>	i .		l .	i .	i .
	nis rate element is recovered on a per MOU basis and is included	d in the	End O	fice Switching and	Tandem Swif	ching, per MOL	J rate elements	3					•			
CON	IMON TRANSPORT (Shared)															
	Common Transport - Per Mile, Per MOU					0.0000035bk										
	Common Transport - Facilities Termination Per MOU					0.0004372bk										
LOCAL INTI	ERCONNECTION (DEDICATED TRANSPORT)															
INT	ROFFICE CHANNEL - DEDICATED TRANSPORT								i i							
	Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade -				1				i							
	Per Mile per month			ОНМ	1L5NF	0.0091										
	Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade -				10											
	Facility Termination per month			ОНМ	1L5NF	25.32	47.35	31.78	18.31	7.03						
	Interoffice Channel - Dedicated Transport - 56 kbps - per mile		1	OF IIVI	ILJINI	20.02	47.55	31.70	10.51	7.03						
				ОНМ	1L5NK	0.0091										
	per month		_	OHIVI	ILDINK	0.0091										
	Interoffice Channel - Dedicated Transport - 56 kbps - Facility															
	Termination per month			OHM	1L5NK	18.44	47.35	31.78	18.31	7.03						
	Interoffice Channel - Dedicated Transport - 64 kbps - per mile															
	per month			OHM	1L5NK	0.0091										
	Interoffice Channel - Dedicated Transport - 64 kbps - Facility															
	Termination per month			OHM	1L5NK	18.44	47.35	31.78	18.31	7.03						
	Interoffice Channel - Dedicated Channel - DS1 - Per Mile per															
1 1	month			OH1, OH1MS	1L5NL	0.1856						1				1
	Interoffice Channel - Dedicated Tranport - DS1 - Facility	1	1	,		3300					†	†			1	t
1 1	Termination per month		1	OH1. OH1MS	1L5NL	88.44	105.54	98.47	21.47	19.05	I	I		1	1	1
\vdash	Interoffice Channel - Dedicated Transport - DS3 - Per Mile per	 	+	OTTI, OTTINO	ILOINE	00.44	103.34	30.47	∠1.41	19.03	-	-		 	-	-
		1	1	OH3, OH3MS	1L5NM	3.87					1	I		1	l	l
\vdash	month	 	+	UH3, UH3IVIS	IVINICAL	3.87					-	 		-	 	
1 1	Interoffice Channel - Dedicated Transport - DS3 - Facility			0.10 0.10								1				1
\vdash	Termination per month	ļ	 	OH3, OH3MS	1L5NM	1,071.00	335.46	219.28	72.03	70.56		ļ			ļ	
LOC	AL CHANNEL - DEDICATED TRANSPORT	ļ			1											
	Local Channel - Dedicated - 2-Wire Voice Grade per month			OHM	TEFV2	19.66	265.84	46.97	37.63	4.00						
	Local Channel - Dedicated - 4-Wire Voice Grade per month			OHM	TEFV4	20.45	266.54	47.67	44.22	5.33						
	Local Channel - Dedicated - DS1 per month			OH1	TEFHG	36.49	216.65	183.54	24.30	16.95						
1 1	Local Channel - Dedicated - DS3 Facility Termination per month		1	OH3	TEFHJ	531.91	556.37	343.01	139.13	96.84	I	I		1	1	1
LOC	AL INTERCONNECTION MID-SPAN MEET	1									i	i		i	İ	i
1 1 2 3 3	Local Channel - Dedicated - DS1 per month	1	1	OH1MS	TEFHG	0.00	0.00		1		†	†			1	t
	Local Channel - Dedicated - DS3 per month	t	† 	OH3MS	TEFHJ	0.00	0.00				.	-				
DATE:	TIPLEXERS	1	+	OT TOTAL	LITIO	0.00	0.00		 		 	 			 	
IWIUL	Channelization - DS1 to DS0 Channel System	 	+	OH1, OH1MS	SATN1	146.77	101.42	71.62	11.09	10.49	-	-		 	-	-
\vdash		 	+								!	!		 	1	!
\vdash	DS3 to DS1 Channel System per month	1	1	OH3, OH3MS	SATNS	211.19	199.28	118.64	40.34	39.07						
1 1	DS3 Interface Unit (DS1 COCI) per month	ļ	 	OH1, OH1MS	SATCO	13.76	10.07	7.08								
	ICCS7\	1	1		1						<u>l</u>	<u>l</u>				l
SIGNALING																
	E:"bk" beside a rate indicates that the parties have agreed to bil	l and ke	ep for				ons in Attachm	ent 3.								
		ll and ke	ep for	that element pursua UDB	PT8SX	135.05 0.0000607bk	ons in Attachm	ent 3.	I							<u> </u>

LOCAL INT	ERCONNECTION - Florida												Attachment:	3 Exh: A		
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Submitted Manually	Charge -	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Dee	Nonrec	urring	Nonrecurring	Disconnect	ĺ		oss	Rates(\$)	•	-
					Ī	Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	CCS7 Signaling Connection, Per DS1 level link (A link)			UDB	TPP6A	17.93	43.57	43.57	18.31	18.31						
	CCS7 Signaling Connection, Per DS3 level link (A link)			UDB	TPP9A	17.93	43.57	43.57	18.31	18.31						
	CCS7 Signaling Connection, Per DS1 level link (B link) (also known as D link)			UDB	TPP6B	17.93	43.57	43.57	18.31	18.31						
	CCS7 Signaling Connection, Per DS3 level link (B link) (also known as D link)			UDB	TPP9B	17.93	43.57	43.57	18.31	18.31						
	CCS7 Signaling Usage, Per ISUP Message					0.0000152bk										
	CCS7 Signaling Usage Surrogate, per link per LATA			UDB	STU56	694.32bk										
	CCS7 Signaling Point Code, per Originating Point Code Establishment or Change, per STP affected			UDB	CCAPO		46.03	46.03	46.03	46.03						
	CCS7 Signaling Point Code, per Destination Point Code Establishment or Change, Per Stp Affected			UDB	CCAPD											
	CCS7 Signaling Connection, Switched access service, interface groups, transmissiom paths 6 DS1 level path with bit stream signaling			UDB	TPP6X	17.93	43.57	43.57	18.31	18.31						
	signaling CCS7 Signaling Connection, Switched access service, interface groups, transmissiom paths 9 DS3 level path with bit stream			UDB	IFFOX	17.93	43.57	43.57	18.31	18.31						
	signaling			UDB	TPP9X	17.93	43.57	43.57	18.31	18.31						1

LOCA	AL INTE	RCONNECTION - Georgia												Attachment:			ļ
								<u>-</u>				Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
			Intent									Elec	Manually	Manual Svc			Manual Svo
CATEG	GORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES(\$)				per LSR			Order vs.	Order vs.
0, 0			m			0000						per LSR	per LSR	Order vs.	Order vs.		
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
-	1			1		+		Nonrec	urring	Nonrecurring	Disconnect	-		000	Rates(\$)		l
-	+			-			Rec					COMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	1			-	-	+		First	Add'l	First	Add'l	SOWIEC	SUMAN	SUMAN	SOWAN	SUMAN	SUMAN
	1																
LOCAL		CONNECTION (CALL TRANSPORT AND TERMINATION)			l												
		"bk" beside a rate indicates that the Parties have agreed to bi	ll and k	eep fo	that element pursu	ant to the ter	ms and conditi	ons in Attachn	nent 3.								
		M SWITCHING															
		Tandem Switching Function Per MOU					0.0004086bk										
		Multiple Tandem Switching, per MOU (applies to intial tandem															
		only)					0.0004086										
		Tandem Intermediary Charge, per MOU*					0.0025										
		charge is applicable only to transit traffic and is applied in ad-	dition to	appli	cable switching and	/or interconn	ection charges										
		CHARGE	I		I	1											
		Installation Trunk Side Service - per DS0	 	t	OHD	TPP6X		21.53	8.11			-			i	 	1
	+	Installation Trunk Side Service - per DS0	 	 	OHD	TPP9X		21.53	8.11			 			 	 	
-	+	Dedicated End Office Trunk Port Service-per DS0**	-	1	OHD	TDEOP	0.00	21.03	0.11	+ +		 			 	 	1
	+		-	-		TDE0P				 		.			 	 	!
<u> </u>	1	Dedicated End Office Trunk Port Service-per DS1**		 	OH1 OH1MS		0.00			-						-	_
	1	Dedicated Tandem Trunk Port Service-per DS0**		!	OHD	TDWOP	0.00										
L		Dedicated Tandem Trunk Port Service-per DS1**	L	1	OH1 OH1MS	TDW1P	0.00			1		l			1	1	J
		rate element is recovered on a per MOU basis and is included	in the	End O	fice Switching and	Tandem Swit	ching, per MOI	J rate elements	3								
	COMM	ON TRANSPORT (Shared)															
		Common Transport - Per Mile, Per MOU					0.0000027bk										
		Common Transport - Facilities Termination Per MOU					0.0001914bk										
LOCAL	INTER	CONNECTION (DEDICATED TRANSPORT)				1									1	1	1
		OFFICE CHANNEL - DEDICATED TRANSPORT			İ	1											
		Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade -		t -		1											
		Per Mile per month			ОНМ	1L5NF	0.0057										
	+	Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade -		1	OT IIVI	ILOIVI	0.0037			+		-			 	-	
					OLIM	41 CNIE	40.07	40.455	40.40	40 575	4.005						
-	-	Facility Termination per month	-	-	OHM	1L5NF	12.87	48.455	19.48	16.575	4.995						1
		Interoffice Channel - Dedicated Transport - 56 kbps - per mile															
		per month			OHM	1L5NK	0.0057										
		Interoffice Channel - Dedicated Transport - 56 kbps - Facility															
		Termination per month			OHM	1L5NK	7.83	48.455	19.48	16.575	4.995						
		Interoffice Channel - Dedicated Transport - 64 kbps - per mile															
		per month			OHM	1L5NK	0.0057										
		Interoffice Channel - Dedicated Transport - 64 kbps - Facility															
		Termination per month			OHM	1L5NK	7.83	48.455	19.48	16.575	4.995						
	1	Interoffice Channel - Dedicated Channel - DS1 - Per Mile per		t -													
1	1	month		1	OH1, OH1MS	1L5NL	0.1154					I			I	I	
-	+	Interoffice Channel - Dedicated Tranport - DS1 - Facility	-	1	OTTI, OTTINO	ILUINL	0.1154			+ +		 			 	 	1
	1			1	004 004840	1L5NL	24.42	144 005	80.28	04.055	21.73	I			I	I	
<u> </u>	1	Termination per month	<u> </u>	1	OH1, OH1MS	TRICTL	34.19	111.025	80.28	31.355	21./3	.			-	-	1
1	1	Interoffice Channel - Dedicated Transport - DS3 - Per Mile per		1		L						I			I	I	
ļ	1	month		!	OH3, OH3MS	1L5NM	2.53			├		ļ					ļ
l		Interoffice Channel - Dedicated Transport - DS3 - Facility		1	1	1				1		1					
		Termination per month		ļ	OH3, OH3MS	1L5NM	342.02	320.47	86.32	66.77	52.81						
	LOCAL	. CHANNEL - DEDICATED TRANSPORT		L													
		Local Channel - Dedicated - 2-Wire Voice Grade per month			OHM	TEFV2	7.74	121.065	53.295	46.395	13.365						
	1	Local Channel - Dedicated - 4-Wire Voice Grade per month		1	OHM	TEFV4	8.72	125.62	54.43	46.395	13.365	ĺ				1	1
	1	Local Channel - Dedicated - DS1 per month	1	i	OH1	TEFHG	18.47	149.46	111.195	40.355	26.115	ĺ					ĺ
	1					1				12.200		1					i e
1	1	Local Channel - Dedicated - DS3 Facility Termination per month		1	ОНЗ	TEFHJ	147.01	445.01	145.18	112.905	75.88	I			I	I	
-	LOCAL	. INTERCONNECTION MID-SPAN MEET	 	 	00		147.01	4-10.01	140.10	112.505	70.00	 			 	 	
	LOUAL	Local Channel - Dedicated - DS1 per month	 	 	OH1MS	TEFHG	0.00	0.00		+ +		 			 	 	1
-	+		-	-		TEFHJ				-		-			-	-	-
		Local Channel - Dedicated - DS3 per month	-	-	OH3MS	IEFFIJ	0.00	0.00		 		I			1	1	
	MULIII	PLEXERS		1	0111	0.17711		10= 0=-	44.5	00 ==							
	1	Channelization - DS1 to DS0 Channel System		<u> </u>	OH1, OH1MS	SATN1	69.75	105.675	41.585	23.75	4.19						Ļ
	1	DS3 to DS1 Channel System per month			OH3, OH3MS	SATNS	121.90	224.475	71.83	40.005	31.065						ļ
		DS3 Interface Unit (DS1 COCI) per month			OH1, OH1MS	SATCO	7.35	15.805	11.385	6.605	6.605						
SIGNA	LING (C																
	NOTE:	"bk" beside a rate indicates that the parties have agreed to bil	I and ke	ep for	that element pursua	ant to the terr	ns and condition	ons in Attachm	ent 3.							•	
		CCS7 Signaling Connection, Per 56Kbps Facility A-Link DS1		l i	UDB	TPP6A	8.73	34.77	34.77	16.91	16.91						

LOCAL INTE	RCONNECTION - Georgia												Attachment:	3 Exh: A		
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)			I .	Submitted	Charge -	Charge -	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrec		Nonrecurring					Rates(\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	CCS7 Signaling Connection, Per 56Kbps Facility B-Link DS1			UDB	TPP6B	8.73	34.77	34.77	16.91	16.91						
	CCS7 Signaling Connection, Per 56Kbps Facility B-Link DS3			UDB	TPP9B	8.73	34.77	34.77	16.91	16.91						
	CCS7 Signaling Termination, Per STP Port			UDB	PT8SX	133.99										
	CCS7 Signaling Usage, Per Call Setup Message					0.0000354bk										
	CCS7 Signaling Usage, Per TCAP Message					0.000087bk										
	CCS7 Signaling Usage, Per ISUP Message (same as E.3.3)					.00bk										
	CCS7 Signaling Usage Surrogate, per link			UDB	STU56	340.67bk										
	CCS7 Signaling Point Code, Establishment or Change, per STP affected			UDB	CCAPO		40.00	40.00	33.32	33.32						
	CCS7 Signaling Connection, Switched access service, interface groups, transmissiom paths 6 DS1 level path with bit stream signaling			UDB	TPP6X	8.73	34.77	34.77	16.91	16.91						
	CCS7 Signaling Connection, Switched access service, interface groups, transmissiom paths 9 DS3 level path with bit stream signaling If no rate is identified in the contract, the rates, terms, and co			UDB	TPP9X	8.73	34.77	34.77	16.91	16.91						

LOC	AL INTE	RCONNECTION - Kentucky												Attachment:			
					_							Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
			Intent									Elec	Manually	Manual Svc		Manual Svc	Manual Svo
CATE	GORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		10112 22211121110	m			0000						per LSR	per LSR				
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
-	1		-	-		+		Nonrec	urrina	Nonrecurring	Disconnoct	-	l .	088	Rates(\$)		l .
	-					+	Rec					001150	001111			0011411	001441
								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
LOCA		CONNECTION (CALL TRANSPORT AND TERMINATION)															
		"bk" beside a rate indicates that the Parties have agreed to bi	II and k	eep for	that element pursua	ant to the ter	ms and conditi	ons in Attachn	nent 3.								
	TANDE	M SWITCHING															
		Tandem Switching Function Per MOU					0.0006772bk										
		Multiple Tandem Switching, per MOU (applies to intial tandem															
		only)					0.0006772										
		Tandem Intermediary Charge, per MOU*				1	0.0025										
	* This	charge is applicable only to transit traffic and is applied in ad	dition to	annli	cable ewitching and	/or intercent											
			uition to	appii	l	/Or intercont	lection charges					1			1	1	ı
	IKUNP	CCHARGE	-	<u> </u>	OUD	TDDCY		04.50	0.10	 		-			1	1	
<u> </u>		Installation Trunk Side Service - per DS0		<u> </u>	OHD	TPP6X		21.58	8.13				ļ				
	4	Installation Trunk Side Service - per DS0			OHD	TPP9X		21.58	8.13								
		Dedicated End Office Trunk Port Service-per DS0**			OHD	TDEOP	0.00										
		Dedicated End Office Trunk Port Service-per DS1**			OH1 OH1MS	TDE1P	0.00										
		Dedicated Tandem Trunk Port Service-per DS0**			OHD	TDWOP	0.00										
		Dedicated Tandem Trunk Port Service-per DS1**			OH1 OH1MS	TDW1P	0.00										
	** This	rate element is recovered on a per MOU basis and is included	in the	End Of	fice Switching and	Tandem Swit	ching, per MOI	J rate elements	3								
		ON TRANSPORT (Shared)					J, 1						1				I
-		Common Transport - Per Mile, Per MOU		-			0.0000030bk										
	+	Common Transport - Facilities Termination Per MOU				1	0.0007466bk								1		
1004	LINTED						0.0007466DK										
LOCA		CONNECTION (DEDICATED TRANSPORT)								-							
	INTER	OFFICE CHANNEL - DEDICATED TRANSPORT															
		Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade -															
		Per Mile per month			OHM	1L5NF	0.01										
		Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade -															
		Facility Termination per month			OHM	1L5NF	29.11	47.34	31.78	22.77	8.75						
		Interoffice Channel - Dedicated Transport - 56 kbps - per mile															
		per month			ОНМ	1L5NK	0.0115										
		Interoffice Channel - Dedicated Transport - 56 kbps - Facility															
		Termination per month			ОНМ	1L5NK	20.97	47.35	31.78	22.77	8.75						
	+	Interoffice Channel - Dedicated Transport - 64 kbps - per mile		-	OT IIVI	ILSINK	20.91	47.55	31.70	22.11	0.73	-			 	-	
					OUN4	41 55117	0.0445										
		per month			OHM	1L5NK	0.0115			-							
		Interoffice Channel - Dedicated Transport - 64 kbps - Facility															
		Termination per month			OHM	1L5NK	20.97	47.35	31.78	22.77	8.75						
		Interoffice Channel - Dedicated Channel - DS1 - Per Mile per															
		month	<u> </u>	L	OH1, OH1MS	1L5NL	0.23		<u></u>	<u> </u>		<u> </u>			<u> </u>	<u> </u>	
		Interoffice Channel - Dedicated Tranport - DS1 - Facility															
l		Termination per month	1	l	OH1, OH1MS	1L5NL	96.04	105.52	98.46	23.09	20.49	I				1	
	1	Interoffice Channel - Dedicated Transport - DS3 - Per Mile per				1						i			1	1	İ
l		month	1	l	OH3, OH3MS	1L5NM	4.97					I				1	
—	+	Interoffice Channel - Dedicated Transport - DS3 - Facility	 	!	5. 10, OT 101VIO	LOINI	7.31			 		 			1	t	
					OH3, OH3MS	1L5NM	1 475 45	335.40	219.24	89.57	07 75	1					
<u> </u>	1.00**	Termination per month	-	<u> </u>	UNS, UNSIVIS	IVIVICAL	1,175.15	335.40	219.24	89.57	87.75	I			1	1	
<u> </u>	LOCAL	CHANNEL - DEDICATED TRANSPORT		<u> </u>	OUNA	TEEV?	10 =-			10 =-							1
		Local Channel - Dedicated - 2-Wire Voice Grade per month			OHM	TEFV2	18.57	265.78	46.96	46.79	4.98				ļ		ļ
		Local Channel - Dedicated - 4-Wire Voice Grade per month			OHM	TEFV4	19.86	266.48	47.65	47.54	5.73						
		Local Channel - Dedicated - DS1 per month			OH1	TEFHG	40.46	209.60	176.51	30.21	21.07						
1																	
1		Local Channel - Dedicated - DS3 Facility Termination per month		1	OH3	TEFHJ	576.05	551.38	338.08	173.00	120.42	I			I	I	
	LOCAL	INTERCONNECTION MID-SPAN MEET	1	i		1						ĺ					İ
	7.5.1	Local Channel - Dedicated - DS1 per month		1	OH1MS	TEFHG	0.00	0.00				t	l		1	1	1
-	+	Local Channel - Dedicated - DS3 per month	t	 	OH3MS	TEFHJ	0.00	0.00				i			1	1	1
—	MIII TI	PLEXERS	 	!	J. 101110		0.00	0.00		 		 			1	t	
 	WIOLII	Channelization - DS1 to DS0 Channel System	 	 	OH1. OH1MS	SATN1	113.33	101.40	71.60	13.79	13.04	 			 	 	}
	+		-	<u> </u>								.			 	 	1
		DS3 to DS1 Channel System per month		ļ	OH3, OH3MS	SATNS	158.20	199.23	118.62	50.16	48.59					-	ļ
-		DS3 Interface Unit (DS1 COCI) per month			OH1, OH1MS	SATCO	11.80	10.07	7.08								
SIGN	ALING (C					<u>l</u>						<u>l</u>			L	L	
	NOTE:	bk" beside a rate indicates that the parties have agreed to bil	I and ke	ep for													
I		CCS7 Signaling Connection, Per 56Kbps Facility A-Link DS1		l	UDB	TPP6A	20.71	43.56	43.56	22.45	22.45						
l		CCS7 Signaling Connection, Per 56Kbps Facility A-Link DS3	1		UDB	TPP9A	20.71	43.56	43.56	22.45	22.45		ì			İ	i e

LOCAL INT	ERCONNECTION - Kentucky													Attachment:	3 Exh: A		
CATEGORY	RATE ELEMENTS	Interi m	Zone	ВС	cs	usoc			RATES(\$)				Submitted Manually	Charge -	Charge - Manual Svc Order vs.	Charge - Manual Svc Order vs.	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
							B	Nonrec	urring	Nonrecurring	Disconnect	1		oss	Rates(\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	CCS7 Signaling Connection, Per 56Kbps Facility B-Link DS1			UDB		TPP6B	20.71	43.56	43.56	22.45	22.45						
	CCS7 Signaling Connection, Per 56Kbps Facility B-Link DS3			UDB		TPP9B	20.71	43.56	43.56	22.45	22.45						
	CCS7 Signaling Termination, Per STP Port			UDB		PT8SX	151.39										
	CCS7 Signaling Usage, Per Call Setup Message						0.0000164bk										
	CCS7 Signaling Usage, Per TCAP Message						0.0000656bk										
	CCS7 Signaling Usage, Per ISUP Message						0.0000164bk										
	CCS7 Signaling Usage Surrogate, per link per LATA			UDB		STU56	751.08bk										
	CCS7 Signaling Point Code, per Originating Point Code Establishment or Change, per STP affected			UDB		CCAPO		46.02	46.02	56.43	56.43						
	CCS7 Signaling Point Code, per Destination Point Code Establishment or Change, Per Stp Affected			UDB		CCAPD		46.02	46.02	56.43	56.43						
	CCS7 Signaling Connection, Switched access service, interface groups, transmissiom paths 6 DS1 level path with bit stream signaling			UDB		TPP6X	20.71	43.56	43.56	22.45	22.45						
	CCS7 Signaling Connection, Switched access service, interface groups, transmissiom paths 9 DS3 level path with bit stream signaling			UDB		TPP9X	20.71	43.56	43.56	22.45	22.45						
Notes:	If no rate is identified in the contract, the rates, terms, and co	ndition	s for t	he specific	service or	function wi	II be as set fort	h in applicable	BellSouth tar	riff.							

LOCAL INT	ERCONNECTION - Louisiana												Attachment:	3 Exh: A		
											Svc Order	Svc Order	Incremental		Incremental	Incremental
		1										Submitted	Charge -	Charge -	Charge -	Charge -
											Elec	Manually	Manual Svc	•	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES(\$)			per LSR		Order vs.	Order vs.	Order vs.	Order vs.
		m						.,,			per Lor	per Lor	Electronic-	Electronic-	Electronic-	Electronic-
																Disc Add'l
													1st	Add'l	Disc 1st	DISC Add I
						B	Nonrec	urring	Nonrecurring D	isconnect			oss	Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
LOCAL INTER	RCONNECTION (CALL TRANSPORT AND TERMINATION)															
	: "bk" beside a rate indicates that the Parties have agreed to bi	ll and k	eep for	that element pursu	ant to the ter	ms and conditi	ons in Attachn	nent 3.					U	L.		
	EM SWITCHING										l					
	Tandem Switching Function Per MOU					0.0005507bk										
	Multiple Tandem Switching, per MOU (applies to intial tandem															
	only)					0.0005507										1
	Tandem Intermediary Charge, per MOU*					0.0025										
* This	charge is applicable only to transit traffic and is applied in ad-	dition to	annli	cable switching and	l/or intercon		· .		l		l	l		<u> </u>	l	
	K CHARGE				1											
1	Installation Trunk Side Service - per DS0	1		OHD	TPP6X		21.64	8.15							i	
	Installation Trunk Side Service - per DS0	l -	 	OHD	TPP9X		21.64	8.15							†	
	Dedicated End Office Trunk Port Service-per DS0**	l -	 	OHD	TDEOP	0.00	21.04	0.10							†	
 	Dedicated End Office Trunk Port Service-per DS0 Dedicated End Office Trunk Port Service-per DS1**	 		OH1 OH1MS	TDE1P	0.00			 						 	
 	Dedicated End Office Hank Fort Service-per DS1* Dedicated Tandem Trunk Port Service-per DS0**	 	 	OHD	TDWOP	0.00									 	
 	Dedicated Tandem Trunk Port Service-per DS0 Dedicated Tandem Trunk Port Service-per DS1**	 	 	OH1 OH1MS	TDW1P	0.00									 	
** Thi	s rate element is recovered on a per MOU basis and is included	l in the	End O				I rato olomonto									1
	MON TRANSPORT (Shared)	i iii tiie	Liiu Oi	lice Switching and	Tandem Swi	Cilling, per MiOt	J rate elements	•								
COIVII	Common Transport - Per Mile, Per MOU	-	-		+	0.0000032bk					-					
	Common Transport - Fer Wile, Fer WOO Common Transport - Facilities Termination Per MOU		-			0.000032bk										
LOCAL INTER	RCONNECTION (DEDICATED TRANSPORT)		-			0.0003748DK										
					<u> </u>											
INTER	ROFFICE CHANNEL - DEDICATED TRANSPORT	-	-		1											
	Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade -			OLIM	41 CNE	0.040										1
	Per Mile per month		_	OHM	1L5NF	0.013										
	Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade -															1
	Facility Termination per month	-	-	OHM	1L5NF	22.60	39.36	26.62								
	Interoffice Channel - Dedicated Transport - 56 kbps - per mile															1
	per month			OHM	1L5NK	0.013										
	Interoffice Channel - Dedicated Transport - 56 kbps - Facility															1
	Termination per month			OHM	1L5NK	15.61	39.37	26.62								
	Interoffice Channel - Dedicated Transport - 64 kbps - per mile															1
	per month			OHM	1L5NK	0.013										
	Interoffice Channel - Dedicated Transport - 64 kbps - Facility															1
	Termination per month			OHM	1L5NK	15.61	39.37	26.62								1
	Interoffice Channel - Dedicated Channel - DS1 - Per Mile per															1
	month			OH1, OH1MS	1L5NL	0.2652										
	Interoffice Channel - Dedicated Tranport - DS1 - Facility	1			1						1					1
	Termination per month	<u> </u>	<u></u>	OH1, OH1MS	1L5NL	70.47	86.69	79.44								
	Interoffice Channel - Dedicated Transport - DS3 - Per Mile per	l														1
	month			OH3, OH3MS	1L5NM	6.04										
	Interoffice Channel - Dedicated Transport - DS3 - Facility							-								1
	Termination per month	<u> </u>		OH3, OH3MS	1L5NM	850.45	270.69	158.05							L	<u> </u>
LOCA	L CHANNEL - DEDICATED TRANSPORT															
	Local Channel - Dedicated - 2-Wire Voice Grade per month			OHM	TEFV2	18.32	187.51	32.21								
	Local Channel - Dedicated - 4-Wire Voice Grade per month			OHM	TEFV4	19.41	187.94	32.63								
	Local Channel - Dedicated - DS1 per month	Ì		OH1	TEFHG	39.18	172.34	149.27							İ	
	· ·															
	Local Channel - Dedicated - DS3 Facility Termination per month	1		OH3	TEFHJ	469.44	438.46	256.30			1					1
LOCA	L INTERCONNECTION MID-SPAN MEET				1				1						ĺ	
1	Local Channel - Dedicated - DS1 per month	1		OH1MS	TEFHG	0.00	0.00								İ	
	Local Channel - Dedicated - DS3 per month	i	İ	OH3MS	TEFHJ	0.00	0.00								İ	
MULT	TPLEXERS	1			T	5.50									İ	
1	Channelization - DS1 to DS0 Channel System			OH1, OH1MS	SATN1	105.09	88.41	60.76							İ	
	DS3 to DS1 Channel System per month	i –	l –	OH3, OH3MS	SATNS	201.48	172.99	91.25							i e	
	DS3 Interface Unit (DS1 COCI) per month	<u> </u>	t	OH1, OH1MS	SATCO	11.78	6.39	4.58							1	
SIGNALING (1		, O	3, 30	1170	0.00	7.50							i	
	:"bk" beside a rate indicates that the parties have agreed to bil	and ke	en for	that element nursus	ant to the ter	ms and condition	ons in Attachm	ent 3.	1					1		
I INOTE	CCS7 Signaling Termination, Per STP Port		JP 101	UDB	PT8SX	147.60	an Attacilli		l I		l				1	r
 	CCS7 Signaling Usage, Per TCAP Message	 	 		. 100/	0.000064bk									1	
oxdot	OCOT OIGHAINING USAGE, FEI TOAF MESSAGE	<u> </u>		l .		0.000004DK					l	l			1	

LOCAL INT	ERCONNECTION - Louisiana												Attachment:	3 Exh: A		
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Submitted Manually		Charge -	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	CCS7 Signaling Connection, Per DS1 level link (A link)			UDB	TPP6A	15.77	34.50	34.50								
	CCS7 Signaling Connection, Per DS3 level link (A link)			UDB	TPP9A	15.77	34.50	34.50								
	CCS7 Signaling Connection, Per DS1 level link (B link) (also known as D link)			UDB	TPP6B	15.77	34.50	34.50								
	CCS7 Signaling Connection, Per DS3 level link (B link) (also known as D link)			UDB	TPP9B	15.77	34.50	34.50								
	CCS7 Signaling Usage, Per ISUP Message					0.000016bk										
	CCS7 Signaling Usage Surrogate, per link per LATA			UDB	STU56	732.1bk										
	CCS7 Signaling Point Code, per Originating Point Code Establishment or Change, per STP affected			UDB	CCAPO		28.17	28.17								
	CCS7 Signaling Point Code, per Destination Point Code Establishment or Change, Per Stp Affected			UDB	CCAPD		28.17	28.17								
	CCS7 Signaling Connection, Switched access service, interface groups, transmissiom paths 6 DS1 level path with bit stream signaling			UDB	TPP6X	15.77	34.50	34.50								
	CCS7 Signaling Connection, Switched access service, interface groups, transmissiom paths 9 DS3 level path with bit stream signaling			UDB	TPP9X	15.77	34.50	34.50								
Notes	If no rate is identified in the contract, the rates, terms, and co	ndition	e for t						iff			-			-	+

LOCAL	INTE	RCONNECTION - Mississippi												Attachment:	3 Exh: A		
	Ī											Svc Order	Svc Order	Incremental		Incremental	Incremental
														Charge -	Charge -	Charge -	Charge -
			Intent									Elec	Manually	Manual Svc	Manual Svc	_	Manual Svc
CATEGO	DRY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES(\$)			per LSR		Order vs.	Order vs.	Order vs.	Order vs.
			m									per LSK	per LSK				
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							_	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates(\$)	1	
						1	Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
						1											
LOCAL I	NTERO	CONNECTION (CALL TRANSPORT AND TERMINATION)				1											
		'bk" beside a rate indicates that the Parties have agreed to bi	ll and k	eep for	that element pursu	ant to the ter	ms and conditi	ons in Attachn	nent 3.								
		M SWITCHING				1											
		Tandem Switching Function Per MOU					0.0005379bk										
		Multiple Tandem Switching, per MOU (applies to intial tandem					0.000007001										
		only)					0.0005379										
		Tandem Intermediary Charge, per MOU*				1	0.0025										
*		harge is applicable only to transit traffic and is applied in add	dition to	annli	l cable switching and	Vor interconn											
		CHARGE		I	l	1	leation onarge			1		1	ı -			1	I
⊢ – †'		Installation Trunk Side Service - per DS0		 	OHD	TPP6X	1	21.58	8.13			-				 	
\vdash	-	Installation Trunk Side Service - per DS0 Installation Trunk Side Service - per DS0			OHD	TPP9X	1	21.58	8.13			-				1	+
\vdash	-	Dedicated End Office Trunk Port Service-per DS0**		-	OHD	TDEOP	0.00	∠1.38	0.13			-					
\vdash		Dedicated End Office Trunk Port Service-per DS0** Dedicated End Office Trunk Port Service-per DS1**			OH1 OH1MS	TDE0P	0.00										
-				-													
\vdash		Dedicated Tandem Trunk Port Service-per DS0**		-	OHD	TDWOP	0.00					-				 	
		Dedicated Tandem Trunk Port Service-per DS1**			OH1 OH1MS	TDW1P	0.00					L				l	1
		rate element is recovered on a per MOU basis and is included	in the	End Of	fice Switching and	Landem Swit	tching, per MOI	J rate elements	i								
		ON TRANSPORT (Shared)															
		Common Transport - Per Mile, Per MOU					0.0000026bk										
		Common Transport - Facilities Termination Per MOU					0.0004541bk										
		CONNECTION (DEDICATED TRANSPORT)															
l li	NTERC	FFICE CHANNEL - DEDICATED TRANSPORT															
		Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade -															
		Per Mile per month			OHM	1L5NF	0.0098										
		Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade -															
		Facility Termination per month			OHM	1L5NF	22.52	40.77	27.57	17.26	7.11						
		Interoffice Channel - Dedicated Transport - 56 kbps - per mile															
		per month			OHM	1L5NK	0.0098										
		Interoffice Channel - Dedicated Transport - 56 kbps - Facility															
		Termination per month			OHM	1L5NK	15.68	40.78	27.57	17.26	7.11						
		Interoffice Channel - Dedicated Transport - 64 kbps - per mile														Î	
		per month			OHM	1L5NK	0.0098										
		Interoffice Channel - Dedicated Transport - 64 kbps - Facility															
		Termination per month			ОНМ	1L5NK	15.68	40.78	27.57	17.26	7.11						
		Interoffice Channel - Dedicated Channel - DS1 - Per Mile per															
1 1		month			OH1, OH1MS	1L5NL	0.201					1					I
		Interoffice Channel - Dedicated Tranport - DS1 - Facility		†	- 1	T	5.201									İ	1
		Termination per month	1	1	OH1. OH1MS	1L5NL	57.33	89.79	82.28	16.86	14.90	1				l	I
\vdash		Interoffice Channel - Dedicated Transport - DS3 - Per Mile per		 	,		000	33.75	32.20	.0.00	00	<u> </u>				 	
1 1		month			OH3, OH3MS	1L5NM	4.76					1					I
\vdash	_	Interoffice Channel - Dedicated Transport - DS3 - Facility	—	-	o. io, oi ioivio	I LOI VIVI	7.70					 				 	t
1 1		Termination per month			OH3. OH3MS	1L5NM	641.90	280.37	163.70	62.08	60.29	1					I
 		CHANNEL - DEDICATED TRANSPORT		 	OTTO, OTTORIO	ILOINIVI	041.30	200.37	103.70	02.00	00.29	-				 	
├	JUAL	Local Channel - Dedicated - 2-Wire Voice Grade per month	-	 	OHM	TEFV2	14.91	194.22	33.36	37.79	3.30	-					
\vdash				 	OHM	TEFV4	15.99	194.22	33.80			<u> </u>					
\vdash		Local Channel - Dedicated - 4-Wire Voice Grade per month Local Channel - Dedicated - DS1 per month	-	 	OHM OH1	TEFHG	15.99 36.83	194.66	33.80 154.61	38.27 22.89	3.78 15.74	-					
\vdash		Local Channel - Dedicated - DST per month			UHI	IEFHG	36.83	178.50	154.61	22.89	15.74						
		Local Channel Dedicated DC2 Facility Terminal	1	1	OUIO	TEELLI	440.07	454.40	004 47	400.00	00.10	1				l	I
		Local Channel - Dedicated - DS3 Facility Termination per month			OH3	TEFHJ	413.87	454.13	264.47	123.23	86.19						-
└		INTERCONNECTION MID-SPAN MEET			011110												
$\vdash \!$		Local Channel - Dedicated - DS1 per month			OH1MS	TEFHG	0.00	0.00									
\vdash		Local Channel - Dedicated - DS3 per month			OH3MS	TEFHJ	0.00	0.00									-
N	//ULTIF	PLEXERS				<u> </u>										ļ	
		Channelization - DS1 to DS0 Channel System			OH1, OH1MS	SATN1	102.85	91.57	62.94	10.87	10.10						
		DS3 to DS1 Channel System per month			OH3, OH3MS	SATNS	170.63	179.17	94.52	34.30	32.82						
		DS3 Interface Unit (DS1 COCI) per month			OH1, OH1MS	SATCO	12.96	6.62	4.74								
SIGNALI																	
I N	NOTE:	bk" beside a rate indicates that the parties have agreed to bill	and ke	ep for				ons in Attachm	ent 3.								
		000=0: :: = : :: = 070.0			LIDB	DTOCY	100.01										1
		CCS7 Signaling Termination, Per STP Port CCS7 Signaling Usage, Per TCAP Message			UDB	PT8SX	132.21 0.0000597bk										

LOCAL INTI	RCONNECTION - Mississippi												Attachment:	3 Exh: A		
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES(\$)				Submitted	Charge -	Incremental Charge - Manual Svc Order vs.	Charge -	Incremental Charge - Manual Svc Order vs.
		m									po. zo	po. 2011	Electronic- 1st	Electronic- Add'l	Electronic- Disc 1st	Electronic- Disc Add'l
						Rec	Nonrec		Nonrecurring					Rates(\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	CCS7 Signaling Connection, Per DS1 level link (A link)			UDB	TPP6A	16.55	35.74	35.74	16.53	16.53						
	CCS7 Signaling Connection, Per DS3 level link (A link)		-	UDB	TPP9A	16.55	35.74	35.74	16.53	16.53						
	CCS7 Signaling Connection, Per DS1 level link (B link) (also known as D link)			UDB	TPP6B	16.55	35.74	35.74	16.53	16.53						
	CCS7 Signaling Connection, Per DS3 level link (B link) (also known as D link)			UDB	TPP9B	16.55	35.74	35.74	16.53	16.53						
	CCS7 Signaling Usage, Per ISUP Message					0.0000149bk										
	CCS7 Signaling Usage Surrogate, per link per LATA			UDB	STU56	683.55bk										
	CCS7 Signaling Point Code, per Originating Point Code Establishment or Change, per STP affected			UDB	CCAPO		29.18	29.18	35.78	35.78						
	CCS7 Signaling Point Code, per Destination Point Code Establishment or Change, Per Stp Affected			UDB	CCAPD											
	CCS7 Signaling Connection, Switched access service, interface groups, transmissiom paths 6 DS1 level path with bit stream															
	signaling		<u> </u>	UDB	TPP6X	16.55	35.74	35.74	16.53	16.53	ļ			1	1	ļ
	CCS7 Signaling Connection, Switched access service, interface groups, transmissiom paths 9 DS3 level path with bit stream															
	signaling			UDB	TPP9X	16.55	35.74	35.74	16.53	16.53						
Notes:	If no rate is identified in the contract, the rates, terms, and co	ndition	s for t	he specific service	or function w	ill be as set fort	h in applicable	BellSouth tar	riff.							

LOCAL IN	ITERCONNECTION - North Carolina												Attachment:	3 Exh: A		
											Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
													Charge -	Charge -	Charge -	Charge -
		1									Elec	Manually	Manual Svc	Manual Svc	_	Manual Svc
CATEGORY	Y RATE ELEMENTS	Interi	Zone	e BCS	USOC	RATES(\$)						per LSR		Order vs.	Order vs.	Order vs. Electronic-
0,1120011		m	Zone									per LSR	Order vs.			
													Electronic-	Electronic-	Electronic-	
													1st	Add'l	Disc 1st	Disc Add'l
		1	1		+		Nonrec	urring	Nonrecurring	Disconnect		l	oss	Rates(\$)	l	
		+			+	Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		+			+		11130	Addi	11130	Auui	JOINEC	JONAN	JOINAIN	JOINAIN	JONAN	JONAN
LOCAL INT	ERCONNECTION (CALL TRANSPORT AND TERMINATION)	+	_		+				-							
	TE: "bk" beside a rate indicates that the Parties have agreed to b	ill and k	oon fo	r that alament nursu	ant to the tor	me and conditi	one in Attachn	nont 2								
	NDEM SWITCHING	III allu k	T IO	Tinat element pursu	T T T T T T T T T T T T T T T T T T T	llis and conditi	Olis III Attacili	iletit 3.			1	1			1	1
IAI	Tandem Switching Function Per MOU	+	 			0.0004788bk			-							
\vdash		+	 			U.UUU4788DK			-							
	Multiple Tandem Switching, per MOU (applies to intial tandem					0.0004700								ł		
	only)		_			0.0004788										
	Tandem Intermediary Charge, per MOU*	<u> </u>	<u> </u>	l		0.0025										
	nis charge is applicable only to transit traffic and is applied in a	ddition to	o appli	cable switching and	d/or interconr	ection charges	i.									
TRU	JNK CHARGE													<u> </u>		
	Installation Trunk Side Service - per DS0	1		OHD	TPP6X		21.55	8.12								
	Installation Trunk Side Service - per DS0			OHD	TPP9X		21.55	8.12								
	Dedicated End Office Trunk Port Service-per DS0**			OHD	TDEOP	0.00								ı 		
	Dedicated End Office Trunk Port Service-per DS1**			OH1 OH1MS	TDE1P	0.00										İ
	Dedicated Tandem Trunk Port Service-per DS0**	1	1	OHD	TDWOP	0.00								i		İ
	Dedicated Tandem Trunk Port Service-per DS1**	1		OH1 OH1MS	TDW1P	0.00					İ				İ	İ
** T	his rate element is recovered on a per MOU basis and is include	d in the	Fnd O				I rate elements									
	MMON TRANSPORT (Shared)	1111111	I	line owntoning una	Tunidem Own	l l	o rate elemente	<u>, </u>				l			1	1
- 00.	Common Transport - Per Mile, Per MOU	+	_		+	0.0000023bk			-							
	Common Transport - Facilities Termination Per MOU	+	+	-	+	0.0001676bk			+		-					
LOCALINIT	ERCONNECTION (DEDICATED TRANSPORT)	+	-		+	0.0001676DK			-							
		+	1		+											
INI	EROFFICE CHANNEL - DEDICATED TRANSPORT		-		1											
	Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade	-			1									í		
	Per Mile per month			OHM	1L5NF	0.0095										
	Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade	-												ł		
	Facility Termination per month			OHM	1L5NF	12.12	39.36	26.62						<u> </u>		
	Interoffice Channel - Dedicated Transport - 56 kbps - per mile													ł		
	per month			OHM	1L5NK	0.0095								í		
	Interoffice Channel - Dedicated Transport - 56 kbps - Facility													i T		
	Termination per month			ОНМ	1L5NK	7.47	39.37	26.62						í		
	Interoffice Channel - Dedicated Transport - 64 kbps - per mile				1											
	per month			ОНМ	1L5NK	0.0095								í		
	Interoffice Channel - Dedicated Transport - 64 kbps - Facility			0	120.4.1	0.0000										
	Termination per month			ОНМ	1L5NK	7.47	39.37	26.62						ł		
	Interoffice Channel - Dedicated Channel - DS1 - Per Mile per	+	1	OT IIVI	TESTAIN	1.41	33.37	20.02								
				OH1, OH1MS	1L5NL	0.1938								í		
\vdash	month	+	+	OITI, UNIIVIO	TLOINL	0.1938			\vdash		-					
]	Interoffice Channel - Dedicated Tranport - DS1 - Facility	1	1	0114 011440	41.58"	04.40	20.00	70 //			1			1	l	l
\vdash	Termination per month	1	 	OH1, OH1MS	1L5NL	31.19	86.69	79.44								
]	Interoffice Channel - Dedicated Transport - DS3 - Per Mile per	1	1		1						1			1	l	l
	month	1	1	OH3, OH3MS	1L5NM	4.44									ļ	ļ
]	Interoffice Channel - Dedicated Transport - DS3 - Facility	1	1		1						1			1	l	l
	Termination per month			OH3, OH3MS	1L5NM	329.91	270.69	158.05								
LO	CAL CHANNEL - DEDICATED TRANSPORT	\perp	\perp													
	Local Channel - Dedicated - 2-Wire Voice Grade per month			OHM	TEFV2	6.29	187.51	32.21						1		
	Local Channel - Dedicated - 4-Wire Voice Grade per month			OHM	TEFV4	7.08	187.94	32.63						1		
	Local Channel - Dedicated - DS1 per month	1	1	OH1	TEFHG	22.13	172.34	149.27			i .			<i></i>	İ	i
		1	1		1									í		i
]	Local Channel - Dedicated - DS3 Facility Termination per month	ı I	1	ОНЗ	TEFHJ	82.89	438.46	256.30			1			1	l	l
100	CAL INTERCONNECTION MID-SPAN MEET	+	t		1	02.00	100.40	200.00	+		 			$\overline{}$	 	
	Local Channel - Dedicated - DS1 per month	+	+	OH1MS	TEFHG	0.00	0.00		—		-				 	<u> </u>
\vdash	Local Channel - Dedicated - DS1 per month Local Channel - Dedicated - DS3 per month	+	+	OH3MS	TEFHJ	0.00	0.00				-				 	
H.,		+	+	CIVICTIO	IEFFIJ	0.00	0.00		\vdash		-					
IMU	LTIPLEXERS	+	+	OUA OUANA	CATALL	110.00	407.70	110.00			-				 	
\vdash	Channelization - DS1 to DS0 Channel System	1	 	OH1, OH1MS	SATN1	146.69	197.78	140.06								
\vdash	DS3 to DS1 Channel System per month	1	1	OH3, OH3MS	SATNS	233.10	403.97	234.40								
	DS3 Interface Unit (DS1 COCI) per month			OH1, OH1MS	SATCO	16.07	13.09	9.38								
	2 (CCS7)	1	1					· ·								
SIGNALING																
	TE:"bk" beside a rate indicates that the parties have agreed to be	II and ke	ep for													
		ll and ke	ep for	UDB	TPP6A TPP9A	ns and condition 8.13 8.13	34.50 34.50	34.50 34.50			<u> </u>					

LOCAL INT	ERCONNECTION - North Carolina												Attachment:	3 Exh: A		
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Submitted	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec Nonrecurring Nonrecurring Disconnect							oss	Rates(\$)	•	
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	CCS7 Signaling Connection, Per DS1 level link (B link) (also known as D link)			UDB	TPP6B	8.13	34.50	34.50								
	CCS7 Signaling Connection, Per DS3 level link (B link) (also known as D link)			UDB	TPP9B	8.13	34.50	34.50								
	CCS7 Signaling Termination, Per STP Port			UDB	PT8SX	108.19								Î		
	CCS7 Signaling Usage, Per ISUP Message					0.0000094bk								Î		
	CCS7 Signaling Usage, Per TCAP Message					0.0000374bk										
	CCS7 Signaling Usage Surrogate, per link per LATA			UDB	STU56	644.04bk										
	CCS7 Signaling Point Code, per Originating Point Code Establishment or Change, per STP affected			UDB	CCAPO		55.77	55.77								
	CCS7 Signaling Point Code, per Destination Point Code Establishment or Change, Per Stp Affected			UDB	CCAPD		8.00	8.00								
	CCS7 Signaling Connection, Switched access service, interface groups, transmissiom paths 6 DS1 level path with bit stream signaling			UDB	TPP6X	8.13	34.50	34.50								
	CCS7 Signaling Connection, Switched access service, interface groups, transmissiom paths 9 DS3 level path with bit stream signaling			UDB	TPP9X	8.13	34.50	34.50								
Notes	: If no rate is identified in the contract, the rates, terms, and co	ndition	e for t						riff		1				1	

LOCAL I	INTE	RCONNECTION - South Carolina												Attachment:	3 Exh: A		
												Svc Order	Svc Order	Incremental		Incremental	Incremental
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
			Intori	Zone	e BCS		RATES(\$)						Manually	Manual Svc Order vs.		_	Manual Svc Order vs. Electronic-
CATEGOR	RY	RATE ELEMENTS	Interi			cs usoc							per LSR		Order vs.		
			m										per Lore	Electronic-	Electronic-	Electronic-	
														1st	Add'l	Disc 1st	Disc Add'l
														151	Addi	DISC ISL	DISC Add I
							Rec	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates(\$)	•	
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		CONNECTION (CALL TRANSPORT AND TERMINATION)															
		"bk" beside a rate indicates that the Parties have agreed to bi	ll and k	eep for	that element pursu	ant to the ter	ms and conditi	ons in Attachn	nent 3.								
TA	ANDE	M SWITCHING															<u> </u>
		Tandem Switching Function Per MOU					0.0007360bk										
		Multiple Tandem Switching, per MOU (applies to intial tandem															
		only)					0.000736										
		Tandem Intermediary Charge, per MOU*					0.0025										
		charge is applicable only to transit traffic and is applied in ad-	dition to	appli	cable switching and	l/or interconr	nection charges										
TR		CHARGE				<u> </u>									ļ	.	
igsquare		Installation Trunk Side Service - per DS0			OHD	TPP6X		21.65	8.16						ļ	.	
igsquare		Installation Trunk Side Service - per DS0			OHD	TPP9X		21.65	8.16						ļ	.	
		Dedicated End Office Trunk Port Service-per DS0**			OHD	TDEOP	0.00					L			ļ	ļ	ļ
$oxed{oxed}$		Dedicated End Office Trunk Port Service-per DS1**			OH1 OH1MS	TDE1P	0.00									.	
igsquare		Dedicated Tandem Trunk Port Service-per DS0**			OHD	TDWOP	0.00								ļ	.	
$oxed{oxed}$		Dedicated Tandem Trunk Port Service-per DS1**		<u> </u>	OH1 OH1MS	TDW1P	0.00									1	1
		rate element is recovered on a per MOU basis and is included	in the	End O	fice Switching and	Tandem Swit	ching, per MOL	J rate elements	i								
CC		ON TRANSPORT (Shared)															
		Common Transport - Per Mile, Per MOU					0.0000045bk										
		Common Transport - Facilities Termination Per MOU					0.0004095bk										
		CONNECTION (DEDICATED TRANSPORT)															ļ
IN.	TERC	OFFICE CHANNEL - DEDICATED TRANSPORT															ļ
		Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade -															
		Per Mile per month			OHM	1L5NF	0.0167										ļ
		Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade -															
		Facility Termination per month			OHM	1L5NF	24.30	40.63	27.47	16.77	6.91						ļ
		Interoffice Channel - Dedicated Transport - 56 kbps - per mile															
		per month			OHM	1L5NK	0.0167										ļ
		Interoffice Channel - Dedicated Transport - 56 kbps - Facility															
		Termination per month			OHM	1L5NK	16.76	40.63	27.47	16.77	6.91						
		Interoffice Channel - Dedicated Transport - 64 kbps - per mile															
		per month			OHM	1L5NK	0.0167										
		Interoffice Channel - Dedicated Transport - 64 kbps - Facility															
		Termination per month			OHM	1L5NK	16.76	40.63	27.47	16.77	6.91						
		Interoffice Channel - Dedicated Channel - DS1 - Per Mile per															
		month			OH1, OH1MS	1L5NL	0.3415										
		Interoffice Channel - Dedicated Tranport - DS1 - Facility															
		Termination per month			OH1, OH1MS	1L5NL	77.14	89.47	81.99	16.39	14.48						
		Interoffice Channel - Dedicated Transport - DS3 - Per Mile per			0.10 0.15:			J								1	
\vdash		month			OH3, OH3MS	1L5NM	8.02			 						_	
		Interoffice Channel - Dedicated Transport - DS3 - Facility			0.10 0.15:											I	
<u> </u>		Termination per month			OH3, OH3MS	1L5NM	880.65	279.37	163.12	60.33	58.59					_	.
LC	CAL	CHANNEL - DEDICATED TRANSPORT			OUBA	TEE) (0	4= 0-	/00 =-		00.70							
\vdash		Local Channel - Dedicated - 2-Wire Voice Grade per month			OHM	TEFV2	15.33	193.53	33.24	36.72	3.21					_	
\vdash		Local Channel - Dedicated - 4-Wire Voice Grade per month			OHM	TEFV4	16.54	193.97	33.68	37.19	3.68					_	
\vdash		Local Channel - Dedicated - DS1 per month			OH1	TEFHG	42.62	177.87	154.06	22.24	15.30					_	
		Level Observed Brilliant of BOC 5 and 5 and 5			0110			.=- =-								1	
- -		Local Channel - Dedicated - DS3 Facility Termination per month			OH3	TEFHJ	446.00	452.52	264.53	119.75	83.77						
LC		INTERCONNECTION MID-SPAN MEET			011440	TEELIO				—		-			.	-	
$\vdash \vdash$		Local Channel - Dedicated - DS1 per month			OH1MS	TEFHG	0.00	0.00		—		-			.	-	
 		Local Channel - Dedicated - DS3 per month		-	OH3MS	TEFHJ	0.00	0.00		 		 			 	 	
MU	ULIIF	PLEXERS		-	OLIA OLIANO	CATNIA	107.57	04.04	00.71	10.50	0.01	 			 	 	
$\vdash \vdash$		Channelization - DS1 to DS0 Channel System			OH1, OH1MS	SATN1	107.57	91.24	62.71	10.56	9.81	-			.	-	
$\vdash \vdash$		DS3 to DS1 Channel System per month			OH3, OH3MS	SATNS	144.02	178.54	94.18	33.33	31.90	-			.	-	
0100141		DS3 Interface Unit (DS1 COCI) per month			OH1, OH1MS	SATCO	8.64	6.59	4.73	—		-			.	-	
SIGNALIN				<u> </u>	that allows it	1									l	L	
INC.		bk" beside a rate indicates that the parties have agreed to bil	and ke	ep for											1		
$\vdash \vdash$		CCS7 Signaling Connection, Per 56Kbps Facility A-Link DS1			UDB	TPP6A	16.93	35.61	35.61	16.48	16.48	-			.	-	
1 1		CCS7 Signaling Connection, Per 56Kbps Facility A-Link DS3			UDB	TPP9A	16.93	35.61	35.61	16.48	16.48	l				1	<u> </u>

LOCAL INT	ERCONNECTION - South Carolina												Attachment:	3 Exh: A		
											Submitted	Submitted		Charge -	Charge -	Charge -
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC	RATES(\$)					Elec per LSR		Order vs. Electronic-	Order vs.	Order vs.	Manual Svc Order vs. Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
						Rec	Nonrec	urring	Nonrecurring	Disconnect				Rates(\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	CCS7 Signaling Connection, Per 56Kbps Facility B-Link DS1			UDB	TPP6B	16.93	35.61	35.61	16.48	16.48						
	CCS7 Signaling Connection, Per 56Kbps Facility B-Link DS3			UDB	TPP9B	16.93	35.61	35.61	16.48	16.48						
	CCS7 Signaling Termination, Per STP Port			UDB	PT8SX	163.49										
	CCS7 Signaling Usage, Per TCAP Message					0.0000692bk]
	CCS7 Signaling Usage, Per ISUP Message					0.0000173bk]
	CCS7 Signaling Usage Surrogate, per link per LATA			UDB	STU56	791.37bk										
	CCS7 Signaling Point Code, per Originating Point Code Establishment or Change, per STP affected			UDB	CCAPO		29.08	29.08	35.65	35.65						
	CCS7 Signaling Point Code, per Destination Point Code Establishment or Change, Per Stp Affected			UDB	CCAPD		29.08	29.08	35.65	35.65						
	CCS7 Signaling Connection, Switched access service, interface groups, transmissiom paths 6 DS1 level path with bit stream signaling			UDB	TPP6X	16.93	35.61	35.61	16.48	16.48						
	CCS7 Signaling Connection, Switched access service, interface groups, transmissiom paths 9 DS3 level path with bit stream signaling			UDB	TPP9X	16.93	35.61	35.61	16.48	16.48						
Notes	If no rate is identified in the contract, the rates, terms, and co	ndition	s for t							10.40	 				 	+

LOCAL IN	ITERCONNECTION - Tennessee												Attachment:			
											Svc Order	Svc Order	Incremental	Incremental	Incremental	Incrementa
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		Indan:									Elec	Manually	Manual Svc		Manual Svc	Manual Svo
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m			0000			- ()			per LSK	per Lon			Electronic-	
													Electronic-	Electronic-		Electronic-
1													1st	Add'l	Disc 1st	Disc Add'l
		1					Nonrecurring		Nonrecurring	Disconnect			oss	Rates(\$)	1	1
		+	 		1	Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		+	 		1		11130	Addi	11130	Addi	JOINEC	SOMAN	JOHIAN	JONAN	JOHAN	JONAN
LOCALINIT	ERCONNECTION (CALL TRANSPORT AND TERMINATION)	+	1		1		+				1					
		91 11														
	FE: "bk" beside a rate indicates that the Parties have agreed to b	ill and k	eep to	that element pursu	ant to the ter	ms and condit	ions in Attachn	nent 3.								
IAI	IDEM SWITCHING			ļ												
	Tandem Switching Function Per MOU					0.0009778bk										
.	Multiple Tandem Switching, per MOU (applies to intial tandem															
	only)					0.0009778										
	Tandem Intermediary Charge, per MOU*					0.0025										
* TI	is charge is applicable only to transit traffic and is applied in ac	dition to	appli	cable switching and	or interconn	ection charge	S.									
	JNK CHARGE			1		l										
	Installation Trunk Side Service - per DS0	1	t	OHD	TPP6X		21.59	8.09			1				i e	1
+	Installation Trunk Side Service - per DS0	†	t	OHD	TPP9X		21.59	8.09			t					I
	Dedicated End Office Trunk Port Service-per DS0**	+	 	OHD	TDEOP	0.00	21.09	0.09			1				 	
+	Dedicated End Office Trunk Port Service-per DS0* Dedicated End Office Trunk Port Service-per DS1**	+	+		TDE0P						 					
		+	1	OH1 OH1MS		0.00	 				1				 	+
	Dedicated Tandem Trunk Port Service-per DS0**	+	 	OHD	TDWOP	0.00					.					-
	Dedicated Tandem Trunk Port Service-per DS1**	<u> </u>	<u> </u>	OH1 OH1MS	TDW1P	0.00					1					1
	his rate element is recovered on a per MOU basis and is include	d in the	End O	ffice Switching and	Tandem Swit	ching, per MO	U rate elements	3								
CO'	MMON TRANSPORT (Shared)															
	Common Transport - Per Mile, Per MOU					0.0000064bk										
	Common Transport - Facilities Termination Per MOU				1	0.0003871bk			i							
LOCAL INT	ERCONNECTION (DEDICATED TRANSPORT)															
	EROFFICE CHANNEL - DEDICATED TRANSPORT	1		İ												
	Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade	1	 								1					
	Per Mile per month			ОНМ	1L5NF	0.0174										
		+	-	OF IIVI	ILJINI	0.0174					-					
	Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade	1														
	Facility Termination per month	ļ		OHM	1L5NF	18.58	55.39	17.37	27.96	3.51						
	Interoffice Channel - Dedicated Transport - 56 kbps - per mile															
	per month			OHM	1L5NK	0.0174										
	Interoffice Channel - Dedicated Transport - 56 kbps - Facility															
	Termination per month			OHM	1L5NK	17.98	55.39	17.37	27.96	3.51						
	Interoffice Channel - Dedicated Transport - 64 kbps - per mile				1				i							
	per month			OHM	1L5NK	0.0174										
	Interoffice Channel - Dedicated Transport - 64 kbps - Facility	1	t -	0	1201111	0.0171					1					1
	Termination per month			ОНМ	1L5NK	17.98	55.39	17.37	27.96	3.51						
		 	-	OTTIVI	ILOIVIX	17.30	33.33	17.57	21.30	0.01	}				-	}
. 1	Interoffice Channel - Dedicated Channel - DS1 - Per Mile per		1	OUA OUANA	AL ENV	0.0500]									1
	month	+	1	OH1, OH1MS	1L5NL	0.3562										
. 1	Interoffice Channel - Dedicated Tranport - DS1 - Facility	1	1	L	1	l	I I								1	1
	Termination per month			OH1, OH1MS	1L5NL	77.86	112.40	76.27	19.55	14.99	1					
. 1	Interoffice Channel - Dedicated Transport - DS3 - Per Mile per	1	1	İ		1	1 1								1	1
	month		<u> </u>	OH3, OH3MS	1L5NM	2.34										
. T	Interoffice Channel - Dedicated Transport - DS3 - Facility		1			l										
. 1	Termination per month	1	1	OH3, OH3MS	1L5NM	848.99	395.29	176.56	109.04	105.91					l	1
LO ^c	CAL CHANNEL - DEDICATED TRANSPORT								l i							
	Local Channel - Dedicated - 2-Wire Voice Grade per month	1		OHM	TEFV2	15.29	199.33	24.16	54.81	4.80						
-	Local Channel - Dedicated - 4-Wire Voice Grade per month	1	t	OHM	TEFV4	16.18	201.53	24.83	55.52	5.51	1				i e	1
-+	Local Channel - Dedicated - 4-Wife Voice Grade per month	+	 	OH1	TEFHG	32.25	277.35	233.26	33.18	22.30	1				 	
-+	Local Granner - Dedicated - DOT per month	+	 	0.11	121110	32.23	211.33	233.20	JJ. 10	22.30	1				 	+
. 1	Local Channel Dedicated DS2 Facility Termination and areas	1	1	ОНЗ	TEFHJ	644.00	595.37	204 50	045 00	454 45					l	1
	Local Channel - Dedicated - DS3 Facility Termination per month	+	1	0110	IEFFIJ	611.30	595.37	304.50	215.82	151.15	1				 	+
LO	CAL INTERCONNECTION MID-SPAN MEET	+	1	0114140	TEELIS						1				-	
	Local Channel - Dedicated - DS1 per month			OH1MS	TEFHG	0.00	0.00				ļ					
	Local Channel - Dedicated - DS3 per month	1	!	OH3MS	TEFHJ	0.00	0.00				.					
MU	LTIPLEXERS				ļ											
	Channelization - DS1 to DS0 Channel System		L	OH1, OH1MS	SATN1	80.77	141.87	77.11	14.51	13.46						
	DS3 to DS1 Channel System per month			OH3, OH3MS	SATNS	222.98	308.03	108.47	44.47	42.62						
'	DS3 Interface Unit (DS1 COCI) per month			OH1, OH1MS	SATCO	17.58	6.07	4.66	l i							
-																
SIGNALING		1														
	G (CCS7)	ll and ke	ep for	that element nursus	int to the terr	ns and conditi	ons in Attachm	ent 3.								
SIGNALING		II and ke	ep for	that element pursua	Int to the terr	ns and conditi	ons in Attachm	ent 3.								1

LOCAL INTI	ERCONNECTION - Tennessee												Attachment:	3 Exh: A		
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Submitted Manually		Charge -	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrecurring		Nonrecurring	Disconnect			oss	Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	CCS7 Signaling Connection, Per DS1 level link (A link)			UDB	TPP6A	17.84	130.84	130.84					20.35	0.00	0.00	0.00
	CCS7 Signaling Connection, Per DS3 level link (A link)			UDB	TPP9A	17.84	130.84	130.84					20.35	0.00	0.00	0.00
	CCS7 Signaling Connection, Per DS1 level link (B link) (also known as D link)			UDB	TPP6B	17.84	130.84	130.84					20.35	0.00	0.00	0.00
	CCS7 Signaling Connection, Per DS3 level link (B link) (also known as D link)			UDB	TPP9B	17.84	130.84	130.84					20.35	0.00	0.00	0.00
	CCS7 Signaling Usage, Per ISUP Message					0.0000373bk										
	CCS7 Signaling Usage Surrogate, per link per LATA			UDB	STU56	352.3bk										
	Signaling Point Code, per Originating Point Code Establishment or Change, per STP			UDB	CCAPO		121.77	121.77					20.35	0.00	0.00	0.00
	CCS7 Signaling Connection, Switched access service, interface groups, transmissiom paths 6 DS1 level path with bit stream signaling			UDB	TPP6X	17.84	130.84	130.84					20.35	0.00	0.00	0.00
	CCS7 Signaling Connection, Switched access service, interface groups, transmissiom paths 9 DS3 level path with bit stream signaling			UDB	TPP9X	17.84	130.84	130.84					20.35	0.00	0.00	0.00
Notes:	If no rate is identified in the contract, the rates, terms, and co	ndition	s for t	he specific service o	r function w	ill be as set for	th in applicable	BellSouth tai	riff.							

Attachment 4

BellSouth Collocation

Table of Contents

1.	Scope of Attachment	3
2	Optional Reports	6
3	Collocation Options	7
4	Occupancy	13
5	Use of Collocation Space	15
6	Ordering and Preparation of Collocation Space	23
7	Construction and Provisioning	27
8	Rates and Charges	34
9	Insurance	42
10	Mechanics Lien	44
11	Inspections	44
12	Security and Safety Requirements	44
13	Destruction of Collocation Space	47
14	Eminent Domain	48
15	Nonexclusivity	48
Env	vironmental & Safety Principles	Exhibit A
Rat	tes	Exhibit B
Ter	nnessee Regulatory Authority (TRA) Offered Language and Rates	Exhibit C

BELLSOUTH COLLOCATION

1. Scope of Attachment

1.1 BellSouth Premises

- 1.1.1 The rates, terms and conditions contained within this Attachment shall only apply when Access Communications is physically collocated as a sole occupant or as a Host within a BellSouth Premises pursuant to this Attachment. BellSouth Premises, as defined in this Attachment includes BellSouth Central Offices, and Remote Terminals (hereinafter "BellSouth Premises"). This Attachment is applicable to BellSouth Premises owned or leased by BellSouth. Where not specified, the language in this Attachment applies to both Central Office and Remote Site Collocation.
- 1.1.2 Third Party Property. If the BellSouth Premises, or the property on which it is located, is leased by BellSouth from a third party or otherwise controlled by a third party, special considerations and intervals may apply in addition to the terms and conditions of this Attachment. Additionally, where BellSouth notifies Access Communications that BellSouth's agreement with a third party does not grant BellSouth the ability to provide access and use rights to others, upon Access Communications's request, BellSouth will use commercially reasonable efforts to obtain the owner's consent and to otherwise secure such rights for Access Communications. Access Communications agrees to reimburse BellSouth for all costs incurred by BellSouth in obtaining such rights for Access Communications. In cases where a third party agreement does not grant BellSouth the right to provide access and use rights to others as contemplated by this Attachment and BellSouth, is unable to secure such access and use rights for Access Communications, Access Communications shall be responsible for obtaining such permission to access and use such property. BellSouth shall cooperate with Access Communications in obtaining such permission.

1.2 Right to Occupy

- 1.2.1 BellSouth shall offer to Access Communications collocation on rates, terms and conditions that are just, reasonable, nondiscriminatory and consistent with the rules of the FCC. Subject to the rates, terms and conditions of this Attachment, where space is available and it is technically feasible, BellSouth will allow Access Communications to occupy a certain area designated by BellSouth within a BellSouth Premises, or on BellSouth property upon which the BellSouth Premises is located, of a size which is specified by Access Communications and agreed to by BellSouth (hereinafter "Collocation Space"). Except as otherwise specified, any references to Collocation Space shall be for physical collocation. The necessary rates, terms and conditions for a premises as defined by the FCC, other than BellSouth Premises, shall be negotiated upon reasonable request for collocation at such premises.
- 1.2.2 Neither BellSouth nor any of BellSouth's affiliates may reserve space for future use on more preferential terms than those set forth in this Attachment.

- 1.2.2.1 In all states other than Florida, the size specified by Access Communications may contemplate a request for space sufficient to accommodate Access Communications's growth within a twenty-four (24) month period.
- 1.2.2.2 In the state of Florida, the size specified by Access Communications may contemplate a request for space sufficient to accommodate Access Communications's growth within an eighteen (18) month period.
- Space Allocation. BellSouth shall assign Access Communications Collocation 1.3 Space that utilizes existing infrastructure (e.g., heating, ventilation, air conditioning (HVAC), lighting and available power), if such space is available for collocation. Otherwise, BellSouth shall attempt to accommodate Access Communications's requested space preferences, if any, including the provision of contiguous space for any subsequent request for collocation. In allocating Collocation Space, BellSouth shall not materially increase Access Communications's cost or materially delay Access Communications's occupation and use of the Collocation Space, assign Collocation Space that will impair the quality of service or otherwise limit the service Access Communications wishes to offer, reduce unreasonably the total space available for physical collocation or preclude reasonable physical collocation within the BellSouth Premises. Space shall not be available for collocation if it is: (a) physically occupied by nonobsolete equipment; (b) assigned to another collocated telecommunications carrier; (c) used to provide physical access to occupied space; (d) used to enable technicians to work on equipment located within occupied space; (e) properly reserved for future use, either by BellSouth or another collocated telecommunications carrier; or (f) essential for the administration and proper functioning of the BellSouth Premises. BellSouth may segregate Collocation Space and require separate entrances for collocated telecommunications carriers to access their Collocation Space, pursuant to FCC Rules.

1.4 Transfer of Collocation Space

- 1.4.1 Access Communications shall be allowed to transfer Collocation Space to another CLEC under the following conditions: (1) the BellSouth Premises is not at or near space exhaustion; (2) the transfer of space shall be contingent upon BellSouth's approval, which will not be unreasonably withheld; (3) Access Communications has no unpaid, undisputed collocation charges; and (4) the transfer of the Collocation Space is in conjunction with Access Communications's sale of all or substantially all, of the in-place collocation equipment to the same CLEC.
- 1.4.2 The responsibilities of Access Communications shall include: (1) submitting a letter of authorization to BellSouth for the transfer; (2) entering into a transfer agreement with BellSouth and the acquiring CLEC; and (3) returning all Security Access Devices to BellSouth. The responsibilities of the acquiring CLEC shall include: (1) submitting an application to BellSouth for the transfer of the Collocation Space; (2) satisfying all requirements of its interconnection agreement with BellSouth; (3) submitting a letter to BellSouth for the assumption of services; and (4) entering into a transfer agreement with BellSouth and Access

Communications.

1.4.3 In conjunction with a transfer of Collocation Space, any services associated with the Collocation Space shall be transferred pursuant to separately negotiated rates, terms and conditions.

1.5 Space Reclamation

- 1.5.1 In the event of space exhaust within a BellSouth Premises, BellSouth may include in its documentation for the Petition for Waiver filed with the Commission, any unutilized space in the BellSouth Premises. Access Communications will be responsible for the justification of unutilized space within its Collocation Space, if the Commission requires such justification.
- 1.5.2 BellSouth may reclaim unused Collocation Space when a BellSouth Premises is at, or near, space exhaustion and Access Communications cannot demonstrate that Access Communications will utilize the Collocation Space in the time frames set forth below in Section 1.5.3. In the event of space exhaust or near exhaust within a BellSouth Premises, BellSouth will provide written notice to Access Communications requesting that Access Communications release non-utilized Collocation Space to BellSouth, when one hundred percent (100%) of the Collocation Space in Access Communications's collocation arrangement is not being utilized.
- 1.5.3 Within twenty (20) days of receipt of written notification from BellSouth, Access Communications shall either: (1) return the non-utilized Collocation Space to BellSouth in which case Access Communications shall be relieved of all obligations for charges associated with that portion of the Collocation Space applicable from the date the Collocation Space is returned to BellSouth; or (2) for all states, with the exception of Florida, provide BellSouth with information demonstrating that the Collocation Space will be utilized within twenty-four (24) months from the date Access Communications accepted the Collocation Space (Acceptance Date) from BellSouth. For Florida, Access Communications shall provide information to BellSouth demonstrating that the Collocation Space will be utilized within eighteen (18) months from the Acceptance Date.
- 1.5.4 Disputes concerning BellSouth's claim of space exhaust, or near exhaust, or Access Communications's refusal to return requested Collocation Space should be resolved by BellSouth and Access Communications pursuant to the dispute resolution language contained in the General Terms and Conditions.
- 1.6 <u>Use of Space.</u> Access Communications may only place in the Collocation Space equipment necessary for interconnection with BellSouth's services/facilities or for accessing BellSouth's unbundled network elements for the provision of Telecommunications Services, as specifically set forth in this Agreement. The Collocation Space assigned to Access Communications may not be used for any purposes other than as specifically described herein, including, but not limited to office space or a place of reporting for Access Communications's employees or

certified suppliers.

- 1.7 <u>Rates and Charges.</u> Access Communications agrees to pay the rates and charges identified in Exhibit B.
- 1.8 <u>Due Dates.</u> If any due date contained in this Attachment falls on a weekend or a national holiday, then the due date will be the next business day thereafter. For intervals of ten (10) days or less, national holidays will be excluded. For purposes of this Attachment, national holidays include the following: New Year's Day, Martin Luther King, Jr. Day, President's Day (Washington's Birthday), Memorial Day, Independence Day, Labor Day, Columbus Day, Veteran's Day, Thanksgiving Day and Christmas Day.
- 1.9 <u>Compliance.</u> Subject to Section 24 of the General Terms and Conditions of this Agreement, the Parties agree to comply with all applicable federal, state, county, local and administrative laws, rules, ordinances, regulations and codes in the performance of their obligations hereunder.

2 Optional Reports

- 2.1 Space Availability Report. Upon request from Access Communications and at Access Communications's expense, BellSouth will provide a written report (Space Availability Report) describing in detail the space that is currently available for collocation at a particular BellSouth Premises. This report will include the amount of Collocation Space available at the BellSouth Premises requested, the number of collocators present at the BellSouth Premises, any modifications in the use of the space since the last report on the BellSouth Premises requested and the measures BellSouth is taking to make additional space available for collocation arrangements. A Space Availability Report does not reserve space at the BellSouth Premises for which the Space Availability Report was requested by Access Communications.
- 2.1.1 The request from Access Communications for a Space Availability Report must be in writing and include the BellSouth Premises street address, as identified in the LERG, and the CLLI code for the BellSouth Premises requested. CLLI code information is located in the NECA Tariff FCC No. 4.
- 2.1.2 BellSouth will respond to a request for a Space Availability Report for a particular BellSouth Premises within ten (10) days of the receipt of such request.
- 2.1.3 BellSouth will use commercially reasonable efforts to respond in ten (10) days to a Space Availability Report request when the request includes from two (2) to five (5) BellSouth Premises within the same state. The response time for Space Availability Report requests of more than five (5) BellSouth Premises, whether the request is for the same state or for two (2) or more states within the BellSouth Region, shall be negotiated between the Parties.
- 2.2 <u>Remote Terminal Information.</u> Upon request, BellSouth will provide Access Communications with the following information concerning BellSouth's remote terminals: (i) the address of the remote terminal; (ii) the CLLI code of the remote

terminal; (iii) the carrier serving area of the remote terminal; (iv) the designation of which remote terminals subtend a particular central office; and (v) the number and address of customers that are served by a particular remote terminal.

2.2.1 BellSouth will provide this information within thirty (30) days of a Access Communications request subject to the following conditions: (i) the information will only be provided on a CD in the same format in which it appears in BellSouth's systems; and (ii) the information will only be provided for each serving wire center designated by Access Communications, up to a maximum of thirty (30) wire centers per Access Communications request per month per state. BellSouth will bill the nonrecurring charge pursuant to the rates in Exhibit B at the time BellSouth sends the CD.

3 Collocation Options

3.1 Cageless Collocation. BellSouth shall allow Access Communications to collocate Access Communications's equipment and facilities without requiring the construction of a cage or similar structure. BellSouth shall allow Access Communications to have direct access to Access Communications's equipment and facilities in accordance with Section 5.1.2 below. BellSouth shall make cageless collocation available in single bay increments. Except where Access Communications's equipment requires special technical considerations (e.g., special cable racking or isolated ground plane), BellSouth shall assign cageless Collocation Space in conventional equipment rack lineups where feasible. For equipment requiring special technical considerations, Access Communications must provide the equipment layout, including spatial dimensions for such equipment pursuant to generic requirements contained in Telcordia GR-63-Core, and shall be responsible for compliance with all special technical requirements associated with such equipment.

3.2 <u>Caged Collocation</u>

3.2.1 BellSouth will make caged Collocation Space in Central Offices available in fifty (50) square foot increments. At Access Communications's option and expense, Access Communications will arrange with a Supplier certified by BellSouth (BellSouth Certified Supplier) to construct a collocation arrangement enclosure in accordance with BellSouth's specifications for a wire mesh enclosure prior to starting equipment installation. Where local building codes require enclosure specifications more stringent than BellSouth's wire mesh enclosure specifications, Access Communications and Access Communications's BellSouth Certified Supplier must comply with the more stringent local building code requirements. Access Communications's BellSouth Certified Supplier shall be responsible for filing and obtaining any and all necessary permits and/or licenses for such construction. BellSouth or BellSouth's designated agent or contractor shall provide, at Access Communications's expense, documentation, which may include existing building architectural drawings, enclosure drawings, specifications, etc., necessary for Access Communications's BellSouth Certified Supplier to obtain all necessary permits and/or other licenses. Access

Communications's BellSouth Certified Supplier shall bill Access
Communications directly for all work performed for Access Communications.
BellSouth shall have no liability for, nor responsibility to pay, such charges imposed by Access Communications's BellSouth Certified Supplier. Access
Communications must provide the local BellSouth Central Office Building
Contact with two (2) Access Keys that will allow entry into the locked enclosure.
Except in the case of an emergency, BellSouth will not access Access
Communications's locked enclosure prior to notifying Access Communications at least forty-eight (48) hours or two (2) business days, whichever is greater, before access to Access Communications's Collocation Space is required. Upon request, BellSouth shall construct the enclosure for Access Communications.

3.2.2 In the event Access Communications's BellSouth Certified Supplier will construct the collocation arrangement enclosure, BellSouth may elect to review Access Communications's plans and specifications, prior to allowing the construction to start, to ensure compliance with BellSouth's wire mesh enclosure specifications. BellSouth will notify Access Communications of its desire to conduct this review in BellSouth's Application Response, as defined herein, to Access Communications's Initial Application. If Access Communications's Initial Application does not indicate its desire to construct its own enclosure and Access Communications subsequently decides to construct its own enclosure prior to BellSouth's Application Response, then Access Communications will resubmit its Initial Application, indicating its desire to construct its own enclosure. If Access Communications subsequently decides construct its own enclosure after the bona fide firm order (hereinafter "BFFO") has been accepted by BellSouth, Access Communications will submit a Subsequent Application, as defined in Section 6.2 below. If BellSouth elects to review Access Communications's plans and specifications, then BellSouth will provide notification to Access Communications within ten (10) days after the Initial Application BFFO date or, if a Subsequent Application is submitted as set forth in the preceding sentence, then the Subsequent Application BFFO date. BellSouth shall complete its review within fifteen (15) days after BellSouth's receipt of Access Communications's plans and specifications. Regardless of whether or not BellSouth elects to review Access Communications's plans and specifications, BellSouth reserves the right to inspect the enclosure after construction has been completed to ensure that it is constructed according to Access Communications's submitted plans and specifications and/or BellSouth's wire mesh enclosure specifications, as applicable. If BellSouth decides to inspect the constructed Collocation Space, BellSouth will complete its inspection within fifteen (15) days after receipt of Access Communications's written notification that the enclosure has been completed. Within seven (7) days after BellSouth has completed its inspection of Access Communications's caged Collocation Space, BellSouth shall require Access Communications, at Access Communications's expense, to remove or correct any structure that does not meet Access Communications's plans and specifications or BellSouth's wire mesh enclosure specifications, as

Version: 4Q05 Standard ICA 11/30/05

applicable.

3.3 <u>Shared Caged Collocation</u>

- 3.3.1 Access Communications may allow other telecommunications carriers to share Access Communications's caged Collocation Space, pursuant to the terms and conditions agreed to by Access Communications (Host) and the other telecommunications carriers (Guests) contained in this Section, except where the BellSouth Premises is located within a leased space and BellSouth is prohibited by said lease from offering such an option to Access Communications. BellSouth shall be notified in writing by Access Communications upon the execution of any agreement between the Host and its Guest(s) prior to the submission of an application. Further, such notification shall include the name of the Guest(s), the term of the agreement, and a certification by Access Communications that said agreement imposes upon the Guest(s) the same terms and conditions for Collocation Space as set forth in this Attachment between BellSouth and Access Communications. The term of the agreement between the Host and its Guest(s) shall not exceed the term of this Agreement between BellSouth and Access Communications.
- 3.3.2 Access Communications, as the Host, shall be the sole interface and responsible Party to BellSouth for the assessment and billing of rates and charges contained within this Attachment and for the purposes of ensuring that the safety and security requirements of this Attachment are fully complied with by the Guest(s), its employees and agents. BellSouth shall provide Access Communications with a pro-ration of the costs of the Collocation Space based on the number of collocators and the space used by each. There will be a minimum charge of one (1) bay/rack per Host/Guest. In addition to the above, for all states other than Florida, Access Communications shall be the responsible Party to BellSouth for the purpose of submitting applications for initial and additional equipment placement for the Guest(s). In Florida, the Guest(s) may submit its own Initial Application and Subsequent Applications for equipment placement using the Host's ACNA. A separate Guest application shall result in the assessment of an Initial Application Fee or a Subsequent Application Fee, as set forth in Exhibit B, which will be billed to the Host on the date that BellSouth provides its written Application Response to the Guest(s) Bona Fide application.
- 3.3.3 Notwithstanding the foregoing, the Guest(s) may submit service orders directly to BellSouth to request the provisioning of interconnecting facilities between BellSouth and the Guest(s), the provisioning of services, and/or access to Network Elements. The bill for these interconnecting facilities, services and Network Elements will be charged to the Guest(s) pursuant to the applicable BellSouth Tariff or the Guest's Interconnection Agreement with BellSouth.
- 3.3.4 Access Communications shall indemnify and hold harmless BellSouth from any and all claims, actions, causes of action, of whatever kind or nature arising out of the presence of Access Communications's Guest(s) in the Collocation Space, except to the extent caused by BellSouth's sole negligence, gross negligence, or willful misconduct.

3.4 Adjacent Collocation

- 3.4.1 Subject to technical feasibility and space availability, BellSouth will permit an adjacent collocation arrangement (Adjacent Arrangement) on BellSouth Premises' property only when space within the requested BellSouth Premises is legitimately exhausted and where the Adjacent Arrangement does not interfere with access to existing or planned structures or facilities on the BellSouth Premises' property. An Adjacent Arrangement shall be constructed or procured by Access Communications or Access Communications's BellSouth Certified Supplier and must be in conformance with the provisions of BellSouth's design and construction specifications. Further, Access Communications shall construct, procure, maintain and operate said Adjacent Arrangement pursuant to all of the applicable rates, terms and conditions set forth in this Attachment.
- 3.4.2 If Access Communications requests Adjacent Collocation, pursuant to the conditions stated in Section 3.4 above. Access Communications must arrange with a BellSouth Certified Supplier to construct or procure the Adjacent Arrangement structure in accordance with BellSouth's specifications. BellSouth will provide the appropriate specifications upon request. Where local building codes require specifications more stringent than BellSouth's own specifications, Access Communications and Access Communications's BellSouth Certified Supplier shall comply with the more stringent local building code requirements. Access Communications's BellSouth Certified Supplier shall be responsible for filing and obtaining any and all necessary zoning, permits and/or licenses for such construction. Access Communications's BellSouth Certified Supplier shall bill Access Communications directly for all work performed for Access Communications to comply with this Attachment. BellSouth shall have no liability for, nor responsibility to pay such charges imposed by Access Communications's BellSouth Certified Supplier. Access Communications must provide the local BellSouth contact with two (2) cards, keys or other access devices used to gain entry into the locked enclosure. Except in the case of an emergency, BellSouth will not access Access Communications's locked enclosure prior to notifying Access Communications at least forty-eight (48) hours or two (2) business days, whichever is greater, before access to the Collocation Space is required.
- 3.4.3 Access Communications must submit its Adjacent Arrangement construction plans and specifications to BellSouth when it places its Firm Order. BellSouth shall review Access Communications's plans and specifications prior to the construction of an Adjacent Arrangement to ensure Access Communications's compliance with BellSouth's specifications. BellSouth shall complete its review within fifteen (15) days after receipt of the plans and specifications from Access Communications for the Adjacent Arrangement. BellSouth may inspect the Adjacent Arrangement during and after construction is completed to ensure that it is constructed according to Access Communications's submitted plans and specifications. If BellSouth decides to inspect the completed Adjacent Arrangement, BellSouth will complete its inspection within fifteen (15) days after

receipt of Access Communications's written notification that the Adjacent Arrangement has been completed. Within seven (7) days after BellSouth has completed its inspection of Access Communications's Adjacent Arrangement, BellSouth shall require Access Communications, at Access Communications's expense, to remove or correct any structure that does not meet its submitted plans and specifications or BellSouth's specifications, as applicable.

3.4.4 Access Communications shall provide a concrete pad, the structure housing the Adjacent Arrangement, HVAC, lighting and all of the facilities that are required to connect the structure (i.e., racking, conduits, etc.) to the BellSouth point of demarcation. At Access Communications's option and where the local authority having jurisdiction permits, BellSouth shall provide an AC power source and access to physical Collocation services and facilities, subject to the same nondiscriminatory requirements as those applicable to any other physical Collocation arrangement. In Alabama and Louisiana, at Access Communications's request and expense, BellSouth will provide Direct Current (DC) power to an Adjacent Collocation site where technically feasible, as that term has been defined by the FCC, and in accordance with applicable law. BellSouth will provide DC power in an Adjacent Arrangement provided that such provisioning can be done in compliance with the National Electric Code (NEC), all safety and building codes and any local codes, such as, but not limited to, local zoning codes, and upon completion of negotiations between the Parties on the applicable rates and provisioning intervals. Access Communications will pay for any and all DC power construction and provisioning costs to an Adjacent Arrangement through individual case basis (ICB) pricing that must be paid as follows: fifty percent (50%) before the DC installation work begins and fifty percent (50%) at completion of the DC installation work to the Adjacent Arrangement. Access Communications's BellSouth Certified Supplier shall be responsible, at Access Communications's sole expense, for filing the required documentation to obtain any and all necessary permits and/or licenses for an Adjacent Arrangement. BellSouth shall allow Shared Caged Collocation within an Adjacent Arrangement, pursuant to the terms and conditions set forth in Section 3.3 above.

3.5 Direct Connect

3.5.1 BellSouth will permit Access Communications to directly interconnect between its own physical/virtual Collocation Spaces within the same BellSouth Premises (Direct Connect). Access Communications shall contract with a BellSouth Certified Supplier to place the Direct Connect, which shall be provisioned using facilities owned by Access Communications. A Direct Connect shall utilize BellSouth common cable support structure. There will be a recurring charge per linear foot, per cable, of the actual common cable support structure used by Access Communications to provision the Direct Connect between its physical/virtual Collocation Spaces. In those instances where Access Communications's physical/virtual Collocation Spaces are contiguous in the central office, Access Communications will have the option of using Access

Communications's own technicians to deploy the Direct Connect using either electrical or optical facilities between its Collocation Spaces by constructing its own dedicated cable support structure. Access Communications will deploy such electrical or optical connections directly between its own equipment without being routed through BellSouth's equipment or common cable support structure. Access Communications may not self-provision a Direct Connect on any BellSouth distribution frame, Point of Termination (POT) Bay, Digital System Cross-Connect (DSX) panel or Light Guide Cross-Connect (LGX) panel. Access Communications is solely responsible for ensuring the integrity of the signal.

- 3.5.2 To place an order for a Direct Connect, Access Communications must submit an Initial Application or Subsequent Application to BellSouth. If no modification to the Collocation Space is requested other than the placement of a Direct Connect, the Co-Carrier Cross Connect/Direct Connect Application Fee for Direct Connect, as defined in Exhibit B, will apply. If other modifications are requested, in addition to the placement of a Direct Connect, either an Initial Application Fee or a Subsequent Application Fee will apply, pursuant to Section 6.2 below. BellSouth will bill this nonrecurring charge on the date that BellSouth provides an Application Response to Access Communications.
- 3.6 Co-Carrier Cross Connect (CCXC)
- 3.6.1 A CCXC is a cross connection between Access Communications and another collocated telecommunications carrier, other than BellSouth, in the same BellSouth Premises. Where technically feasible, BellSouth will permit Access Communications to interconnect between its Collocation Space(s) and the physical/virtual collocation space(s) of another collocated telecommunications carrier(s) within the same BellSouth Premises via a CCXC, pursuant to the FCC's Rules. The other collocated telecommunications carrier's agreement must also contain CCXC rates, terms and conditions before BellSouth will permit the provisioning of a CCXC between the two (2) collocated carriers. The applicable BellSouth charges will be assessed to Access Communications upon Access Communications's request for the CCXC. Access Communications is prohibited from using the Collocation Space for the sole or primary purpose of cross-connecting to other collocated telecommunications carriers.
- 3.6.2 Access Communications must contract with a BellSouth Certified Supplier to place the CCXC. The CCXC shall be provisioned using facilities owned by Access Communications. Such cross-connections to other collocated telecommunications carriers may be made using either electrical or optical facilities. Access Communications shall be responsible for providing a LOA, with the application, to BellSouth from the other collocated telecommunications carrier to which it will be cross-connecting. The CCXC shall utilize BellSouth common cable support structure. There will be a recurring charge per linear foot, per cable, of the common cable support structure used by Access Communications to provision the CCXC to the other collocated telecommunications carrier. In those instances where Access Communications's equipment and the equipment of the other collocated telecommunications carrier

are located in contiguous caged Collocation Space, Access Communications may use its own technicians to install the CCXC using either electrical or optical facilities between the equipment of both collocated telecommunications carriers by constructing a dedicated cable support structure between the two (2) contiguous cages. Access Communications shall deploy such electrical or optical cross-connections directly between its own equipment and the equipment of the other collocated telecommunications carrier without being routed through BellSouth's equipment or, in the case of a CCXC provisioned between contiguous collocation spaces, common cable support structure. Access Communications shall not provision CCXC on any BellSouth distribution frame, POT Bay, DSX panel or LGX panel. Access Communications is solely responsible for ensuring the integrity of the signal.

3.6.3 To place an order for a CCXC, Access Communications must submit an application to BellSouth. If no modification to the Collocation Space is requested other than the placement of a CCXC, the Co-Carrier Cross Connect/Direct Connect Application Fee for a CCXC, as defined in Exhibit B, will apply. If other modifications are requested, in addition to the placement of a CCXC, either an Initial Application or a Subsequent Application Fee will apply, pursuant to Section 6.2 below. BellSouth will bill this nonrecurring charge on the date that it provides an Application Response to Access Communications.

4 Occupancy

- 4.1 <u>Space Ready Notification.</u> BellSouth will notify Access Communications in writing when the Collocation Space is ready for occupancy (Space Ready Date).
- 4.2 Acceptance Walkthrough. Access Communications will schedule and complete an acceptance walkthrough of new or additional provisioned Collocation Space with BellSouth within fifteen (15) days after the Space Ready Date. BellSouth will correct any identified deviations from Access Communications's original or jointly amended application within seven (7) days after the walkthrough, unless the Parties mutually agree upon a different time frame. BellSouth will then establish a new Space Ready Date. Another acceptance walkthrough will be scheduled and conducted within fifteen (15) days after the new Space Ready Date. This follow-up acceptance walkthrough will be limited to only those deviations identified in the initial walkthrough. If Access Communications completes its acceptance walkthrough within the fifteen (15) day interval associated with the applicable Space Ready Date, billing will begin upon the date of Access Communications's acceptance of the Collocation Space (Space Acceptance Date). In the event Access Communications fails to complete an acceptance walkthrough within the fifteen (15) day interval associated with the applicable Space Ready Date, the Collocation Space shall be deemed accepted by Access Communications on the Space Ready Date and billing will commence from that date.
- 4.3 <u>Early Space Acceptance.</u> If Access Communications decides to occupy the Collocation Space prior to the Space Ready Date, the date Access

Communications executes the Agreement for Customer Access and Acceptance to Unfinished Collocation Space is the date that will be deemed the Space Acceptance Date and billing will begin from that date.

4.4 Equipment Installation. Access Communications shall notify BellSouth in writing that its collocation equipment installation is complete. Access Communications's collocation equipment installation is complete when Access Communications's equipment is connected to BellSouth's network for the purpose of provisioning Telecommunication Services to Access Communications's customers. BellSouth may refuse to accept any orders for cross-connects until it has received such notice from Access Communications.

4.5 <u>Termination of Occupancy.</u>

- 4.5.1 In addition to any other provisions addressing termination of occupancy in this Agreement, Access Communications may terminate its occupancy of a particular Collocation Space by submitting a Subsequent Application requesting termination of occupancy for such Collocation Space. Such termination shall be effective upon BellSouth's acceptance of the Space Relinquishment Form. Billing for monthly recurring charges will cease on the date that Access Communications and BellSouth conduct an inspection of the terminated space and jointly sign off on the Space Relinquishment Form or on the date that Access Communications signs off on the Space Relinquishment Form and sends this form to BellSouth, provided no discrepancies are found during BellSouth's subsequent inspection of the terminated space. If the subsequent inspection by BellSouth reveals any discrepancies, billing will cease on the date that BellSouth and Access Communications jointly conduct an inspection, confirming that Access Communications has corrected all of the noted discrepancies identified by BellSouth. A Subsequent Application Fee will not apply for the termination of occupancy; however, specific disconnect fees may apply to the services terminating to such Collocation Space. The particular disconnect fees that would apply in each state are contained in Exhibit B.
- 4.5.2 Upon termination of occupancy, Access Communications, at its sole expense, shall remove its equipment and any other property owned, leased or controlled by Access Communications from the Collocation Space. Access Communications shall have thirty (30) days from the Bona Fide Firm Order (BFFO) date (Termination Date) to complete such removal, including the removal of all equipment and facilities of Access Communications's Guest(s), unless Access Communications's Guest(s) has assumed responsibility for the Collocation Space housing the Guest(s)'s equipment and executed the appropriate documentation required by BellSouth to transfer the Collocation Space to the Guest(s) prior to Access Communications's Termination Date.
- 4.5.3 Access Communications shall continue the payment of all monthly recurring charges to BellSouth until the date Access Communications, and if applicable Access Communications's Guest(s), has fully vacated the Collocation Space and the Space Relinquishment Form has been accepted by BellSouth. If Access

Communications or Access Communications's Guest(s) fails to vacate the Collocation Space within thirty (30) days from the Termination Date, BellSouth shall have the right to remove and dispose of the equipment and any other property of Access Communications or Access Communications's Guest(s), in any manner that BellSouth deems fit, at Access Communications's expense and with no liability whatsoever for Access Communications's property or Access Communications's Guest(s) property.

4.5.4 Upon termination of Access Communications's right to occupy specific Collocation Space, the Collocation Space will revert back to BellSouth's central office space inventory. Access Communications shall surrender the Collocation Space to BellSouth in the same condition as when it was first occupied by Access Communications, with the exception of ordinary wear and tear, unless otherwise agreed to by the Parties. Access Communications's BellSouth Certified Supplier shall be responsible for updating and making any necessary changes to BellSouth's records as required by BellSouth specifications including, but not limited to, BellSouth's Central Office Record Drawings and ERMA Records. Access Communications shall be responsible for the cost of removing any Access Communications constructed enclosure, as well as any supporting structures (e.g., racking, conduits, power cables, etc.), by the Termination Date and restoring the grounds to their original condition.

5 Use of Collocation Space

- 5.1 <u>Equipment Type</u>
- BellSouth shall permit the collocation and use of any equipment necessary for interconnection to BellSouth's network and/or access to BellSouth's unbundled network elements in the provision of Telecommunications Services, as the term "necessary" is defined by FCC 47 C.F.R. § 51.323 (b). The primary purpose and function of any equipment collocated in a BellSouth Premises must be for interconnection to BellSouth's network or access to BellSouth's unbundled network elements in the provision of Telecommunications Services. Equipment is necessary for interconnection if an inability to deploy that equipment would, as a practical, economical, or operational matter, preclude the requesting carrier from obtaining interconnection with BellSouth at a level equal in quality to that which BellSouth obtains within its own network or what BellSouth provides to any affiliate, subsidiary, or other party.
- 5.1.2 Examples of equipment that would not be considered necessary include, but are not limited to: traditional circuit switching equipment, equipment used exclusively for call-related databases, computer servers used exclusively for providing information services, OSS equipment used to support collocated telecommunications carrier network operations, equipment that generates customer orders, manages trouble tickets or inventory, or stores customer records in centralized databases, etc. BellSouth will determine upon receipt of an application if the requested equipment is necessary based on the criteria established by the FCC. Multifunctional equipment placed on a BellSouth

Premises must not place any greater relative burden on BellSouth's property than comparable single-function equipment. BellSouth reserves the right to allow the collocation of any equipment on a nondiscriminatory basis.

- Such equipment must, at a minimum, meet the following Telcordia Network Equipment Building Systems (NEBS) General Equipment Requirements: for Central Offices Criteria Level 1 requirements as outlined in Telcordia Special Report SR-3580, Issue 1 and for Remote Sites Criteria Level 3 requirements as outlined in the Telcordia Special report SR-3580, Issue 1. Upon request by Access Communications, BellSouth, at its discretion, may consent to the collocation of any equipment not meeting these standards. Except where otherwise required by a Commission, BellSouth shall comply with the applicable FCC rules relating to denial of collocation equipment based on Access Communications's failure to comply with this Section.
- 5.1.4 At a Remote Site, all Access Communications equipment installation shall comply with BellSouth TR 73503-11h, "Grounding Engineering Procedures". Metallic cable sheaths and metallic strength members of optical fiber cables as well as the metallic cable sheaths of all copper conductor cables shall be bonded to the designated grounding bus for the Remote Site Location. All copper conductor pairs, working and non-working, shall be equipped with a solid-state protector unit (over-voltage protection only), which has been listed by a nationally recognized testing laboratory.
- 5.2 Terminations. Access Communications shall not request more DS0, DS1, DS3 and/or optical terminations for a collocation arrangement than the total port or termination capacity of the equipment physically installed in the Collocation Space. The total capacity of the equipment collocated in the Collocation Space will include equipment contained in an application, as well as any equipment already placed in the Collocation Space. If full network termination capacity of the equipment being installed is not requested in the application submitted by Access Communications, additional network terminations for the installed equipment will require the submission of a Subsequent Application. In the event Access Communications submits an application for terminations that will exceed the total capacity of the collocated equipment, Access Communications will be informed of the discrepancy by BellSouth and required to submit a revision to the application.
- Security Interest in Equipment. Commencing with the most current calendar quarter after the Effective Date of this Agreement, and thereafter with respect to each subsequent calendar quarter during the term of this Agreement, Access Communications will, no later than thirty (30) days after the close of such calendar quarter, provide a report to ICS Collocation Product Management, Room 34th Floor, 675 W. Peachtree Street, Atlanta, Georgia 30375, listing any equipment in the Collocation Space (i) that was added during the calendar quarter to which such report pertains, and (ii) for which there is a UCC-1 lien holder or to another entity that has a secured financial interest in such equipment (Secured Equipment). If no Secured Equipment has been installed within a given calendar

- quarter, no report shall be due hereunder in connection with such calendar quarter.
- 5.4 <u>No Marketing.</u> Access Communications shall not use the Collocation Space for marketing purposes, nor shall it place any identifying signs or markings outside the Collocation Space or on the grounds of the BellSouth Premises.
- 5.5 <u>Equipment Identification.</u> Access Communications shall place a plaque or affix other identification (e.g., stenciling or labeling) to each piece of Access Communications's equipment, including the appropriate emergency contacts with their corresponding telephone numbers, in order for BellSouth to properly identify Access Communications's equipment in the case of an emergency. For caged Collocation Space, such identification must be placed on a plaque affixed to the outside of the caged enclosure.
- 5.6 Entrance Facilities.
- 5.6.1 Access Communications may elect to place Access Communications-owned or Access Communications leased fiber entrance facilities into its Collocation Space. BellSouth will designate the point of interconnection in close proximity to the BellSouth Premises housing the Collocation Space, such as at an entrance manhole or a cable vault for Central Offices, which is physically accessible by both Parties. For Central Offices, Access Communications will provide and place fiber cable in the entrance manhole of sufficient length to be pulled through conduit and into the splice location. Access Communications will provide and install a sufficient length of fire retardant riser cable, to which BellSouth will splice the entrance cable. The fire retardant riser cable will extend from the splice location to Access Communications's equipment in Access Communications's Collocation Space. In the event Access Communications utilizes a non-metallic, riser-type entrance facility, a splice will not be required. For Remote Terminals Access Communications will provide and place copper cable through conduit from the Remote Site Collocation Space to the feeder distribution interface. Such copper cable must be of sufficient length to reach the splice location for splicing by BellSouth. Access Communications must contact BellSouth for authorization and instruction prior to placing any entrance facility cable in an entrance manhole or cable vault. Access Communications is responsible for the maintenance of the entrance facilities. Nonrecurring charges for cable installation will be assessed on a per cable basis as set forth in Exhibit B upon receipt of Access Communications's BFFO. Recurring charges for the cable support structure will be billed at the rates set forth in Exhibit B.
- 5.6.2 <u>Central Office Microwave Transmission Facilities.</u> At Access Communications's request, BellSouth will accommodate, where technically feasible and space is available, a microwave entrance facility, pursuant to separately negotiated rates, terms and conditions.
- 5.6.3 <u>Central Office Copper and Coaxial Cable Entrance Facilities.</u> In Florida and Georgia, BellSouth shall permit Access Communications to use copper or coaxial cable entrance facilities, if approved by the Commission, but only in those rare instances where Access Communications demonstrates a necessity and entrance

capacity is not at or near exhaust in a particular BellSouth Premises in which Access Communications's Collocation Space is located. In Florida, Access Communications must have approval by the Commission before it submits a request for copper entrance facilities. Notwithstanding the foregoing, in the case of adjacent collocation, copper facilities may be used between the adjacent collocation arrangement and the central office demarcation point, unless BellSouth determines that limited space is available for the placement of these entrance facilities.

5.7 <u>Dual Entrance Facilities at a Central Office.</u> BellSouth will provide at least two (2) interconnection points at each Central Office where at least two (2) such interconnection points are available and capacity exists. Upon receipt of a request by Access Communications for dual entrance facilities to its physical Collocation Space, BellSouth shall provide Access Communications with information regarding BellSouth's capacity to accommodate the requested dual entrance facilities. If conduit in the serving manhole(s) is available and is not reserved for another purpose or for utilization within twelve (12) months of the receipt of an application for collocation, BellSouth will make the requested conduit space available for the installation of a second entrance facility to Access Communications's Collocation Space. The location of the serving manhole(s) will be determined at the sole discretion of BellSouth. Where dual entrance facilities are not available due to a lack of capacity, BellSouth will provide this information to Access Communications in the Application Response.

5.8 Shared Use

- 5.8.1 Access Communications may utilize spare capacity on an existing telecommunications carrier's entrance facility for the purpose of obtaining an entrance facility to Access Communications's Collocation Space within the same BellSouth Premises.
- 5.8.2 BellSouth shall allow the splice, as long as the fiber is non-working dark fiber. Access Communications must arrange with BellSouth in accordance with BellSouth's Special Construction Procedures, RL93-11-030BT, and provide a LOA from the other telecommunications carrier authorizing BellSouth to perform the splice of the Access Communications-provided riser cable to the spare capacity on the other telecommunications carrier's entrance facility. If Access Communications desires to allow another telecommunications carrier to use its entrance facilities, the telecommunications carrier must arrange with BellSouth in accordance with BellSouth's Special Construction Procedures, RL93-11-030BT, and provide a LOA from Access Communications authorizing BellSouth to perform the splice of the telecommunications carrier's provided riser cable to the spare capacity on Access Communications's entrance facility.

5.9 <u>Demarcation Point</u>

5.9.1 In Tennessee, if Access Communications elects the Tennessee Regulatory
Authority (TRA) rates as set forth in Exhibit C, the additional language also set
forth in Exhibit C for Demarcation Point, will be effective in conjunction with the

remaining terms and conditions of this Attachment.

- 5.9.2 BellSouth will designate the point(s) of demarcation between Access Communications's equipment and/or network facilities and BellSouth's network facilities. Each Party will be responsible for the maintenance and operation of all equipment/facilities on its side of the demarcation point. Access Communications shall be responsible for providing the common block and cabling and Access Communications's BellSouth Certified Supplier shall be responsible for installing and properly labeling/stenciling the common block and any necessary cabling identified in Section 7 below. Access Communications or its agent must perform all required maintenance to the equipment/facilities on its side of the demarcation point, pursuant to Section 5.10 below and may self-provision cross-connects that may be required within its own Collocation Space to activate service requests.
- 5.10 Equipment and Facilities. Access Communications, or if required by this Attachment, Access Communications's BellSouth Certified Supplier, is solely responsible for the design, engineering, installation, testing, provisioning, performance, monitoring and maintenance/repair of the equipment and network facilities used by Access Communications, which must be performed in compliance with all applicable BellSouth specifications. Such equipment and network facilities may include, but are not limited to, cable(s), equipment, and POT connections. Access Communications and its designated BellSouth Certified Supplier must follow and comply with all BellSouth specifications outlined in the following BellSouth Technical Requirements: TR 73503, TR 73519, TR 73572 and TR 73564.

5.11 <u>BellSouth's Access to Collocation Space</u>

- 5.11.1 From time to time, BellSouth may require access to Access Communications's Collocation Space. BellSouth retains the right to access Access Communications's Collocation Space for the purpose of making BellSouth equipment and building modifications (e.g., installing, altering or removing racking, ducts, electrical wiring, HVAC, and cabling). In such cases, BellSouth will give notice to Access Communications at least forty-eight (48) hours before access to Access Communications's Collocation Space is required. Access Communications may elect to be present whenever BellSouth performs work in the Access Communications's Collocation Space. The Parties agree that Access Communications will not bear any of the expense associated with this type of work.
- 5.11.2 In the case of an emergency, BellSouth will provide oral notice of entry as soon as reasonably practicable after such entry.
- Access Communications must provide the local BellSouth Central Office Building Contact with two (2) Access Devices that will allow BellSouth entry into any enclosed and locked Collocation Space including, but not limited to, an Adjacent Arrangement, pursuant to the requirements contained in this Section.
- 5.12 <u>Access Communications's Access</u>

- 5.12.1 Pursuant to Section 12 below, Access Communications shall have access to its Collocation Space twenty-four (24) hours a day, seven (7) days a week. Access Communications agrees to provide the name, date of birth and either the social security number or driver's license number of each employee, supplier or agent of Access Communications or Access Communications's Guest(s) with Access Communications's written request for access keys or cards (Access Devices) for specific BellSouth Premises, prior to the issuance of said Access Devices, using Form RF-2906-C, the "CLEC and CLEC Certified Supplier Access Request and Acknowledgement" form. The appropriate key acknowledgement forms (the "Collocation Acknowledgement Sheet" for access cards and the "Key Acknowledgement Form" for keys) must be signed by Access Communications and returned to BellSouth Access Management within fifteen (15) days of Access Communications's receipt of these forms. Failure to return these properly acknowledged forms will result in the subsequent access key or card requests being held by BellSouth until the proper acknowledgement documents have been received by BellSouth and reflect current information. Charges for Security Access System and for Security Access Devices will be billed at the rates set forth in Exhibit B. Access Devices may not be duplicated under any circumstances. Access Communications agrees to be responsible for all Access Devices and for the return of all Access Devices in the possession of Access Communications's employees, suppliers, agents or Guests after termination of the employment relationship, the contractual obligation with Access Communications ends, upon the termination of this Agreement, or upon the termination of occupancy of Collocation Space in a specific BellSouth Premises. Access Communications shall pay all applicable charges associated with lost or stolen Access Devices.
- 5.12.2 Access Communications must submit to BellSouth the completed Access Control Request Form for all employees, suppliers, agents or Guests requiring access to a BellSouth Premises at least thirty (30) days prior to the date Access Communications desires to gain access to the Collocation Space. In order to permit reasonable access during construction of the Collocation Space, Access Communications may submit a request for its one (1) free accompanied site visit to its designated Collocation Space at any time subsequent to BellSouth's receipt of the BFFO. In the event Access Communications desires access to its designated Collocation Space after the first accompanied free visit and Access Communications's access request form(s) has not been approved by BellSouth or Access Communications has not yet submitted an access request form to BellSouth, Access Communications shall be permitted to access the Collocation Space accompanied by a BellSouth security escort, at Access Communications's expense, which will be assessed pursuant to the Security Escort fees contained in Exhibit B. Access Communications must request that escorted access be provided by BellSouth to Access Communications's designated Collocation Space at least three (3) business days prior to the date such access is desired. A BellSouth security escort will be required whenever Access Communications or its approved agent or supplier requires access to the entrance manhole.
- 5.13 <u>Lost or Stolen Access Devices.</u> Access Communications shall immediately notify

BellSouth in writing when any of its Access Devices have been lost or stolen. If it becomes necessary for BellSouth to re-key buildings or deactivate an Access Device as a result of a lost or stolen Access Device(s) or for failure of Access Communications's employees, suppliers, agents or Guest(s) to return an Access Device(s), Access Communications shall pay for the costs of re-keying the building or deactivating the Access Device(s).

5.14 <u>Interference or Impairment</u>

- 5.14.1 Notwithstanding any other provisions of this Attachment, Access Communications shall not use any product or service provided under this Agreement, any other service related thereto or used in combination therewith, or place or use any equipment or facilities in any manner that (1) significantly degrades, interferes with or impairs service provided by BellSouth or any other entity or any person's use of its telecommunications services; (2) endangers or damages the equipment, facilities or any other property of BellSouth or any other entity or person; (3) compromises the privacy of any communications routed through the BellSouth Premises; or (4) creates an unreasonable risk of injury or death to any individual or to the public. If BellSouth reasonably determines that any equipment or facilities of Access Communications violates the provisions of this paragraph, BellSouth shall provide written notice to Access Communications, which shall direct Access Communications to cure the violation within forty-eight (48) hours of Access Communications's receipt of written notice or, if such cure is not feasible, at a minimum, to commence curative measures within twenty-four (24) hours and exercise reasonable diligence to complete such measures as soon as possible thereafter. After receipt of the notice, the Parties agree to consult immediately and, if necessary, to conduct an inspection of the Collocation Space.
- 5.14.2 Except in the case of the deployment of an advanced service which significantly degrades the performance of other advanced services or traditional voice band services, if Access Communications fails to cure the violation within forty-eight (48) hours or, if such cure is not possible, to commence curative action within twenty-four (24) hours and exercise reasonable diligence to complete such action as soon as possible, or if the violation is of a character that poses an immediate and substantial threat of damage to property or injury or death to any person, or any other significant degradation, interference or impairment of BellSouth's or another entity's service, then and only in that event, BellSouth may take such action as it deems necessary to eliminate such threat including, without limitation, the interruption of electrical power to Access Communications's equipment and/or facilities. BellSouth will endeavor, but is not required, to provide notice to Access Communications prior to the taking of such action and BellSouth shall have no liability to Access Communications for any damages arising from such action, except to the extent that such action by BellSouth constitutes willful misconduct.
- 5.14.3 For purposes of this Section, the term "significantly degrades" shall be defined as an action that noticeably impairs a service from a user's perspective. In the case of the deployment of an advanced service which significantly degrades the

performance of other advanced services or traditional voice band services and Access Communications fails to cure the violation within forty-eight (48) hours, or if such cure is not possible, to commence curative action within twenty-four (24) hours and exercise reasonable diligence to complete such action as soon as possible, BellSouth will establish before the appropriate Commission that the technology deployed is causing the significant degradation. Any claims of network harm presented to Access Communications or, if subsequently necessary, the Commission must be provided by BellSouth with specific and verifiable information. When BellSouth demonstrates that a certain technology deployed by Access Communications is significantly degrading the performance of other advanced services or traditional voice band services, Access Communications shall discontinue deployment of that technology and migrate its customers to other technologies that will not significantly degrade the performance of such services. Where the only degraded service itself is a known disturber, and the newly deployed technology satisfies at least one of the criteria for a presumption that it is acceptable for deployment, pursuant to 47 C.F.R. § 51.230, the degraded service shall not prevail against the newly-deployed technology.

- 5.15 Personalty and Its Removal. Facilities and equipment placed by Access Communications in the Collocation Space shall not become a part of the Collocation Space, even if nailed, screwed or otherwise fastened to the Collocation Space, but shall retain their status as personal property and may be removed by Access Communications at any time. Any damage caused to the Collocation Space by Access Communications's employees, suppliers, agents or Guests during the installation or removal of such property shall be promptly repaired by Access Communications at its sole expense. If Access Communications decides to remove equipment and/or facilities from its Collocation Space and the removal requires no physical work be performed by BellSouth and Access Communications's physical work includes, but is not limited to, power reduction, cross-connects, or tie pairs, BellSouth will bill Access Communications the Administrative Only Application Fee associated with the type of removal activity performed by Access Communications, as set forth in Exhibit B. This nonrecurring fee will be billed on the date that BellSouth provides an Application Response to Access Communications.
- Alterations. Under no condition shall Access Communications or any person acting on behalf of Access Communications make any rearrangement, modification, augment, improvement, addition, and/or other alteration which could affect in any way space, power, HVAC, and/or safety considerations to the Collocation Space or the BellSouth Premises, hereinafter referred to individually or collectively as "Alterations", without the express written consent of BellSouth, which shall not be unreasonably withheld. The cost of any such Alteration shall be paid by Access Communications. An Alteration shall require the submission of a Subsequent Application and will result in the assessment of the applicable application fee associated with the type of alteration requested, as set forth in Sections 6.2.1 and 7.1.4 below, which will be billed by BellSouth on the date that

BellSouth provides Access Communications with an Application Response.

- 5.17 <u>Central Office Janitorial Service.</u> Access Communications shall be responsible for the general upkeep of its Collocation Space. Access Communications shall arrange directly with a BellSouth Certified Supplier for janitorial services applicable to caged Collocation Space. Upon request, BellSouth shall provide a list of such suppliers on a BellSouth Premises-specific basis.
- 5.18 <u>Upkeep of Remote Collocation Space.</u> Access Communications shall be responsible for the general upkeep and cleaning of the Remote Collocation Space. Access Communications shall be responsible for removing any of Access Communications's debris from the Remote Collocation Space and from in and around the Remote Site Location on each visit.

6 Ordering and Preparation of Collocation Space

- 6.1 <u>Initial Application.</u> For Access Communications's or Access Communications's Guest's(s') initial equipment placement, Access Communications shall input a physical Expanded Interconnection Application Document (Initial Application) for physical Collocation Space directly into BellSouth's electronic application (e.App) system for processing. The Initial Application is considered Bona Fide when it is complete and accurate, meaning that all of the required fields on the Initial Application are completed with the appropriate type of information. An Initial Application Fee, as set forth in Exhibit B, will apply to each Initial Application submitted by Access Communications for Central Office or Remote Site Collocation, as applicable, and will be billed by BellSouth on the date BellSouth provides Access Communications with an Application Response.
- 6.1.1 For Remote Site Collocation, a request for additional space at a later date will require the submission of an Initial Application. The installation of additional shelves/equipment within an existing bay does not require an Initial Application.
- 6.2 Subsequent Application. In the event Access Communications or Access Communications's Guest(s) desires to modify its use of the Collocation Space in a Central Office after a BFFO, Access Communications shall complete an application that contains all of the detailed information associated with a requested Alteration of the Collocation Space, as defined in Section 5.15 above (Subsequent Application). The Subsequent Application will be considered Bona Fide when it is complete and accurate, meaning that all of the required fields on the Subsequent Application have been completed with the appropriate type of information associated with the requested Alteration. BellSouth shall determine what modifications, if any, to the BellSouth Premises are required to accommodate the change(s) requested by Access Communications in the Subsequent Application. Such modifications to the BellSouth Premises may include, but are not limited to, floor loading changes, changes necessary to meet HVAC requirements, changes to power plant requirements, equipment additions, etc.

- 6.2.1 Subsequent Application Fees. The application fee paid by Access Communications for an Alteration in a Central Office shall be dependent upon the level of assessment needed to provide a complete Application Response for the Alteration requested. Where the Subsequent Application does not require provisioning or construction work, but requires BellSouth to perform an administrative activity, an Administrative Only Application Fee shall apply as set forth in Exhibit B. The Administrative Only Application Fee will apply to Subsequent Applications associated with a transfer of ownership of the Collocation Space, removal of equipment from the Collocation Space (where the removal requires no physical work to be performed by BellSouth), and a virtual-to-physical conversion (in place). The Co-Carrier Cross Connect/Direct Connect Application Fee will apply when Access Communications submits a Subsequent Application for a direct connection between its own physical and virtual Collocation Space(s) in the same BellSouth Central Office or between its physical or virtual Collocation Space and that of another collocated telecommunications carrier within the same BellSouth Central Office. In Florida and Tennessee, the Power Reconfiguration Only Application Fee will apply when Access Communications submits a Subsequent Application that reflects only an upgrade or reduction in the amount of power that BellSouth is currently providing to Access Communications's physical Collocation Space in a Central Office. The fee for a Subsequent Application, for which the Alteration requested has limited effect (e.g., requires limited assessment and sufficient cable support structure, HVAC, power and terminations are available), shall be the Subsequent Application Fee, as set forth in Exhibit B. The appropriate nonrecurring application fee will be billed on the date that BellSouth provides Access Communications with an Application Response.
- 6.3 Space Preferences. If Access Communications has previously requested and received a Space Availability Report for the BellSouth Premises, Access Communications may submit up to three (3) space preferences on its application by identifying the specific space identification numbers referenced on the Space Availability Report for the space it is requesting. In the event BellSouth cannot accommodate Access Communications's space preference(s), Access Communications may accept the space allocated by BellSouth or cancel its application and submit another application requesting additional space preferences for the same BellSouth Premises. This application will be treated as a new application and the appropriate application fee will apply. The application fee will be billed by BellSouth on the date that BellSouth provides Access Communications with an Application Response.
- 6.4 Space Availability Notification
- 6.4.1 For all states except Florida and Tennessee, BellSouth will respond to an application within ten (10) days as to whether space is available or not available within the requested BellSouth Premises. In Florida and Tennessee, BellSouth will respond to an application within fifteen (15) days as to whether space is available or not available within a BellSouth Premises. BellSouth's e.App system

- will reflect when Access Communications's application is Bona Fide. If the application cannot be Bona Fide, BellSouth will identify what revisions are necessary for the application to become Bona Fide.
- 6.4.2 If the amount of space requested is not available, BellSouth will notify Access Communications of the amount of space that is available and no application fee will apply. When BellSouth's response includes an amount of space less than that requested by Access Communications or space that is configured differently, no application fee will apply. If Access Communications decides to accept the available space, Access Communications must resubmit its application to reflect the actual space available, including the configuration of the space, prior to submitting a BFFO. When Access Communications resubmits its application to accept the available space, BellSouth will bill Access Communications the appropriate application fee.
- Denial of Application. If BellSouth notifies Access Communications that no space is available (Denial of Application), BellSouth will not assess an application fee to Access Communications. After notifying Access Communications that BellSouth has no available space in the requested BellSouth Premises, BellSouth will allow Access Communications, upon request, to tour the entire BellSouth Premises within ten (10) days of such Denial of Application. In order to schedule this tour, BellSouth must receive the request for the tour of the BellSouth Premises within five (5) days of the Denial of Application.
- Petition for Waiver. Upon Denial of Application, BellSouth will timely file a petition with the appropriate Commission pursuant to 47 U.S.C. § 251(c)(6). BellSouth shall provide to the Commission any information requested by that Commission. Such information shall include which space, if any, BellSouth or any of BellSouth's affiliates have reserved for future use and a detailed description of the specific future uses for which the space has been reserved. Subject to an appropriate nondisclosure agreement or provision, BellSouth shall permit Access Communications to inspect any floor plans or diagrams that BellSouth provides to the Commission.

6.7 Waiting List

- On a first-come, first-serve basis, which is governed by the date of receipt of an application or Letter of Intent, BellSouth will maintain a waiting list of requesting telecommunications carriers that have either received a Denial of Application or, where it is publicly known that a BellSouth Premises is out of space, have submitted a Letter of Intent to collocate in that BellSouth Premises. BellSouth will notify each telecommunications carrier on the waiting list that can be accommodated by the amount of space that becomes available, according to the position of the telecommunications carrier on said waiting list.
- 6.7.2 In Florida, on a first-come, first-serve basis, which is governed by the date of receipt of an application or Letter of Intent, BellSouth will maintain a waiting list of requesting telecommunications carriers that have either received a Denial of Application or, where it is publicly known that a BellSouth Premises is out of

space, have submitted a Letter of Intent to collocate in that BellSouth Premises. Sixty (60) days prior to space becoming available, if known, BellSouth will notify the Commission and the telecommunications carriers on the waiting list by mail when space will become available. If BellSouth does not know sixty (60) days in advance of when space will become available, BellSouth will notify the Commission and the telecommunications carriers on the waiting list within two (2) business days of the determination that space will become available. A telecommunications carrier that, upon denial of physical Collocation Space, requests virtual Collocation Space shall automatically be placed on the waiting list for physical Collocation Space that may become available in the future.

- When physical Collocation Space becomes available, Access Communications must submit an updated, complete and accurate application to BellSouth within thirty (30) days of notification by BellSouth that physical Collocation Space will be available in the requested BellSouth Premises previously out of space. If Access Communications has originally requested caged Collocation Space and cageless Collocation Space becomes available, Access Communications may refuse such space and notify BellSouth in writing, within the thirty (30) day timeframe referenced above, that Access Communications wishes to maintain its place on the waiting list for caged physical Collocation Space, without accepting the available cageless Collocation Space.
- 6.7.4 Access Communications may accept an amount of space less than what it originally requested by submitting an application as set forth above, and upon request, may maintain its position on the waiting list for the remaining space that was initially requested. If Access Communications does not submit an application or notify BellSouth in writing within the thirty (30) day timeframe as described in Section 6.7.2 above, BellSouth will offer the available space to the next telecommunications carrier on the waiting list and remove Access Communications from the waiting list. Upon request, BellSouth will advise Access Communications as to its position on the waiting list for a particular BellSouth Premises.
- 6.8 <u>Public Notification.</u> BellSouth will maintain on its Interconnection Web site, a notification document that will indicate all BellSouth Premises that are without available space. BellSouth shall update such document within ten (10) days of the date that BellSouth becomes aware that insufficient space is available to accommodate physical Collocation. BellSouth will also post a document on its Interconnection Web site that contains a general notice when space becomes available in a BellSouth Premises previously on the space exhaust list.
- 6.9 Application Response
- 6.9.1 In Alabama, Georgia, Kentucky, Louisiana, Mississippi, North Carolina and South Carolina, when space has been determined to be available for physical (caged or cageless) Collocation arrangements, BellSouth will provide an Application Response within twenty (20) days of receipt of a Bona Fide application. The Application Response will be a written response that includes

sufficient information to enable Access Communications to place a Firm Order, which, at a minimum, will include the configuration of the space, the Cable Installation Fee, the Cable Records Fee, and any other applicable space preparation fees, as described in Section 8 below.

- In Florida and Tennessee, within fifteen (15) days of receipt of a Bona Fide application, when space has been determined to be available or when a lesser amount of space than that requested is available, then with respect to the space available, BellSouth will provide an Application Response including sufficient information to enable Access Communications to place a Firm Order. The Application Response will include, at a minimum, the configuration of the space, the Cable Installation Fee, the Cable Records Fee and any other applicable space preparation fees, as described in Section 8 below. When Access Communications submits ten (10) or more applications within ten (10) days, the initial fifteen (15) day response interval will increase by ten (10) days for every additional ten (10) applications or fraction thereof.
- Application Modifications. If a modification or revision is made to any information in the Bona Fide application after BellSouth has provided the Application Response and prior to a BFFO, with the exception of modifications to (1) Customer Information, (2) Contact Information or (3) Billing Contact Information, whether at the request of Access Communications or as necessitated by technical considerations, the application shall be considered a new application and handled as a new application with respect to the response and provisioning intervals. BellSouth will charge Access Communications the appropriate application fee associated with the level of assessment performed by BellSouth, pursuant to Sections 6.1 and 6.2 above.

6.11 Bona Fide Firm Order

- 6.11.1 Access Communications shall indicate its intent to proceed with a Collocation Space request in a BellSouth Premises by submitting a BFFO to BellSouth. The BFFO must be received by BellSouth no later than thirty (30) days after BellSouth's Application Response to Access Communications's Bona Fide application or Access Communications's application will expire.
- 6.11.2 BellSouth will establish a Firm Order date based upon the date BellSouth is in receipt of Access Communications's BFFO. BellSouth will acknowledge the receipt of Access Communications's BFFO within seven (7) days of receipt, so that Access Communications will have positive confirmation that its BFFO has been received. BellSouth's response to a BFFO will include a Firm Order Confirmation, which contains the firm order date. No revisions may be made to a BFFO.

7 Construction and Provisioning

- 7.1 <u>Construction and Provisioning Intervals</u>
- 7.1.1 In Florida and Tennessee, BellSouth will complete construction of physical Collocation Space as soon as possible within a maximum of ninety (90) days from

receipt of a BFFO or as agreed to by the Parties. For virtual Collocation Space, BellSouth will complete construction as soon as possible within a maximum of sixty (60) days from receipt of a BFFO or as agreed to by the Parties. For Alterations requested to Collocation Space after the initial space has been completed, BellSouth will complete construction for Collocation Space as soon as possible within a maximum of forty-five (45) days from receipt of a BFFO or as agreed to by the Parties, as long as no additional space has been requested by Access Communications. If additional space has been requested by Access Communications, BellSouth will complete construction for the requested Collocation Space as soon as possible within a maximum of ninety (90) days from receipt of a BFFO for physical Collocation Space and forty five (45) days from receipt of a BFFO for virtual Collocation Space. If BellSouth does not believe that construction will be completed within the relevant provisioning interval and BellSouth and Access Communications cannot agree upon a completion date, within forty-five (45) days of receipt of the BFFO for an initial request, or within thirty (30) days of receipt of the BFFO for an Alteration, BellSouth may seek an extension from the Commission.

- 7.1.2 In Alabama, Georgia, Kentucky, Louisiana, Mississippi, North Carolina and South Carolina, BellSouth will complete construction for caged physical Collocation Space under ordinary conditions as soon as possible within a maximum of ninety (90) days from receipt of a BFFO or as agreed to by the Parties. BellSouth will complete construction for cageless physical Collocation Space under ordinary conditions as soon as possible within a maximum of sixty (60) days from receipt of a BFFO and ninety (90) days from receipt of a BFFO for extraordinary conditions, or as agreed to by the Parties. Ordinary conditions are defined as space available with only minor changes required to BellSouth's support systems. (Examples include, but are not limited to: minor modifications to HVAC, cabling and BellSouth's power plant.) Extraordinary conditions include, but may not be limited to: major BellSouth equipment rearrangements or additions; power plant additions or upgrades; major mechanical additions or upgrades; major upgrades for ADA compliance; environmental hazards or hazardous materials abatement; and arrangements for which equipment shipping intervals are extraordinary in length. The Parties may mutually agree to renegotiate an alternative provisioning interval for the Collocation Space requested or BellSouth may seek a waiver from the ordered interval, as set forth above, from the appropriate Commission, if BellSouth does not believe that construction will be completed within the relevant provisioning interval.
- 7.1.3 Records Only Change. When Access Communications adds equipment, that was originally included on Access Communications's Initial Application or a Subsequent Application, and the installation of this equipment requires no additional space preparation work or cable terminations on the part of BellSouth, then BellSouth will impose no additional charges or intervals.
- 7.1.4 For Central Offices in the states of Alabama, Georgia, Kentucky, Louisiana,

Mississippi, North Carolina, and South Carolina, BellSouth will provide the reduced intervals outlined below to Access Communications, when Access Communications requests an Alteration specifically identified in Sections 7.1.4.1 through 7.1.4.9 below as an "Augment". Except as otherwise set forth in Section 7.1.4.10 below, such Augment will require a Subsequent Application and will result in the assessment of the appropriate application fee associated with the type of Augment requested by Access Communications. BellSouth will assess the appropriate nonrecurring application fee set forth in Exhibit B on the date that it provides an Application Response to Access Communications.

- 7.1.4.1 Simple Augments will be completed within twenty (20) days after receipt of the BFFO for an:
 - Extension of Existing AC Circuit Capacity within Arrangement where Sufficient Circuit Capacity is Available
 - Fuse Change and/or Increase or Decrease -48 Volt (-48V) DC Power
- 7.1.4.2 Minor Augments will be completed within forty-five (45) days after receipt of the BFFO for:
 - 168 DS1 Terminations at the BellSouth Demarcation Frame (Databasing Only; Panels, Relay Racks and Overhead Racking Exist)
 - 96 DS3 Terminations at the BellSouth Demarcation Frame (Databasing Only; Panels, Relay Racks and Overhead Racking Exist)
 - 99 Fiber terminations at the BellSouth Demarcation Frame (Databasing Only; Panels, Relay Racks and Overhead Racking Exist)
 - Maximum of 2000 Service Ready DS0 Terminations at the BellSouth Demarcation Frame (Databasing Only; Panels, Relay Racks and Overhead Racking Exist)
- 7.1.4.3 Intermediate Augments will be completed within sixty (60) days after receipt of the BFFO for:
 - 168 DS1s (Databasing and Installation of Termination Panels, Relay Racks or Additional Structure, as Required)
 - 96 DS3s (Databasing and Installation of Termination Panels, Relay Racks or Additional Structure, as Required)
 - 99 Fiber Terminations (Databasing and Installation of Termination Panels, Relay Racks or Additional Structure, as Required)
 - 2000 DS0s (Databasing and Installation of Termination Panels, Relay Racks or Additional Structure, as Required)
 - Installation of Cable Racking or Other Support Structure, as Required, to Support CCXCs (Adequate Floor or Ceiling Structural Capacity Exists and Support/Protection structure for Fiber Patch Cord is Excluded)
- 7.1.4.4 Major Augments of physical Collocation Space will be completed within ninety (90) days after BFFO. All requests for additional Physical Collocation Space (caged or cageless) are included in this category.

- 7.1.4.5 Major Augments of virtual Collocation Space will be completed within seventy-five (75) days after BFFO. This category includes all requests for additional virtual Collocation Space.
- 7.1.4.6 If Access Communications submits an Augment that includes two (2) Augment items from the same category in either Sections 7.1.4.1, 7.1.4.2 or 7.1.4.3 above, the provisioning interval associated with the next highest Augment category will apply (e.g., if two (2) items from the Minor Augment category are requested on the same request, then an interval of sixty (60) days from the receipt of the BFFO would apply, which is the interval associated with the Intermediate Augment category).
- 7.1.4.7 If Access Communications submits an Augment that includes three (3) Augment items from the same category in either Sections 7.1.4.1, 7.1.4.2, or 7.1.4.3 above, the Major Augment interval of ninety (90) days from the receipt of the BFFO would apply (e.g., if three (3) items from the Simple Augment category are requested on the same request for a physical Collocation arrangement, then an interval of ninety (90) days from the receipt of the BFFO would apply, which is the Major physical Augment interval; likewise if three (3) items from the Simple Augment category are requested on the same request for a virtual Collocation arrangement, then an interval of seventy-five (75) days from the receipt of the BFFO would apply, which is the Major virtual Augment interval).
- 7.1.4.8 If Access Communications submits an Augment that includes one (1) Augment item from two (2) separate categories in Sections 7.1.4.1, 7.1.4.2 and 7.1.4.3 above, the Augment interval associated with the highest Augment category will apply (e.g., if an item from the Minor Augment category and an item from the Intermediate Augment category are requested on the same request, then an interval of sixty (60) days from the receipt of the BFFO would apply, which is the interval associated with the Intermediate Augment category).
- 7.1.4.9 All Augments not expressly included in the Simple, Minor, Intermediate or Major Augment categories, as outlined above, will be placed into the appropriate category as negotiated by Access Communications and BellSouth. If Access Communications and BellSouth are unable to determine the appropriate category through negotiation, then the appropriate Major Augment category, identified in Sections 7.1.4.4 and Section 7.1.4.5 above, would apply based on whether the Augment is for Access Communications's physical or virtual Collocation Space.
- 7.1.4.10 Individual application fees associated with Simple, Minor and Intermediate Augments are contained in Exhibit B. If Access Communications requests multiple items from different Augment categories, BellSouth will bill Access Communications the Augment application fee, as identified in Exhibit B, associated with the higher Augment category only. The appropriate application fee will be assessed to Access Communications at the time BellSouth provides Access Communications with the Application Response. Access

Communications will be assessed a Subsequent Application Fee for all Major Augments (Major Augments are defined above in Sections 7.1.4.4 and 7.1.4.5 above for physical and virtual Collocation Space, respectively). The Subsequent Application Fee is also reflected in Exhibit B.

- Joint Planning. Unless otherwise agreed to by the Parties, a joint planning meeting or other method of joint planning between BellSouth and Access Communications will commence within a maximum of twenty (20) days from BellSouth's receipt of a BFFO. At such meeting, the Parties will agree to the preliminary design of the Collocation Space and the equipment configuration requirements, as reflected in the application and affirmed in the BFFO.
- 7.3 <u>Permits.</u> Each Party, its agent(s) or BellSouth Certified Supplier(s) will diligently pursue filing for the permits required for the scope of work to be performed by that Party, its agent(s) or BellSouth Certified Supplier(s) within ten (10) days of the completion of the finalized construction design and specifications.
- 7.4 <u>Central Office Circuit Facility Assignments</u>
- 7.4.1 Unless otherwise specified, BellSouth will provide Circuit Facility Assignments (CFAs) to Access Communications prior to the applicable provisioning interval set forth herein (Provisioning Interval) for those BellSouth Premises in which Access Communications has physical Collocation Space with no POT bay or with a grandfathered POT bay provided by BellSouth. BellSouth cannot provide CFAs to Access Communications prior to the Provisioning Interval for those BellSouth Premises in which Access Communications has physical Collocation Space with a POT bay provided by Access Communications or virtual Collocation Space, until Access Communications has provided BellSouth with the following information:
- 7.4.1.1 For physical Central Office Collocation Space with a Access Communications-provided POT bay, Access Communications shall provide BellSouth with a complete layout of the POT panels on an Equipment Inventory Update (EIU) form that shows the locations, speeds, etc.; or
- 7.4.1.2 For virtual Central Office Collocation Space, Access Communications shall provide BellSouth with a complete layout of Access Communications's equipment on an EIU form, that includes the locations of the low speed ports and the specific frame terminations to which the equipment will be wired by Access Communications's BellSouth Certified Supplier.
- 7.4.2 BellSouth cannot begin work on the CFAs until the complete and accurate EIU form has been received from Access Communications. If the EIU form is provided within ten (10) days prior to the ending date of the Provisioning Interval, then the CFAs will be made available by the ending date of the Provisioning Interval. If the EIU form is not received ten (10) days prior to the ending date of the Provisioning Interval, then the CFAs will be provided within ten (10) days of BellSouth's receipt of the EIU form.
- 7.4.3 BellSouth will bill Access Communications a nonrecurring charge, as set forth in Exhibit B, each time Access Communications requests a resend of its original

CFA information for any reason other than a BellSouth error in the CFAs initially provided to Access Communications.

- 7.5 Use of BellSouth Certified Supplier. Access Communications shall select a supplier which has been approved as a BellSouth Certified Supplier to perform all engineering and installation work. Access Communications, if a BellSouth Certified Supplier or Access Communications's BellSouth Certified Supplier must follow and comply with all of BellSouth's specifications and the following BellSouth Technical Requirements: TR 73503, TR 73519, TR 73572 and TR 73564. Unless the BellSouth Certified Supplier has met the requirements for all of the required work activities, Access Communications must use a different BellSouth Certified Supplier for the work activities associated with transmission equipment, switching equipment and power equipment. BellSouth shall provide Access Communications with a list of BellSouth Certified Suppliers, upon request. Access Communications, if a BellSouth Certified Supplier, or Access Communications's BellSouth Certified Supplier(s) shall be responsible for installing Access Communications's equipment and associated components, extending power cabling to the BellSouth power distribution frame, performing operational tests after installation is complete, and notifying BellSouth's equipment engineers and Access Communications upon successful completion of the installation and any associated work. When a BellSouth Certified Supplier is used by Access Communications, the BellSouth Certified Supplier shall bill Access Communications directly for all work performed for Access Communications pursuant to this Attachment. BellSouth shall have no liability for nor responsibility to pay, such charges imposed by Access Communications's BellSouth Certified Supplier. BellSouth shall make available its supplier certification program to Access Communications or any supplier proposed by Access Communications and will not unreasonably withhold certification. All work performed by or for Access Communications shall conform to generally accepted industry standards.
- Alarms and Monitoring. BellSouth shall place environmental alarms in the BellSouth Premises for the protection of BellSouth equipment and facilities. Access Communications shall be responsible for the placement, monitoring and removal of environmental and equipment alarms used to service Access Communications's Collocation Space. Upon request, BellSouth will provide Access Communications with an applicable BellSouth tariffed service(s) to facilitate remote monitoring of collocated equipment by Access Communications. Both Parties shall use best efforts to notify the other of any verified environmental condition (e.g., temperature extremes or excess humidity) known to that Party.
- 7.7 <u>Virtual to Physical Relocation.</u> In the event physical Collocation Space was previously denied at a BellSouth Central Office due to technical reasons or space limitations and physical Collocation Space has subsequently become available, Access Communications may relocate its existing virtual Collocation arrangement(s) to a physical Collocation arrangement(s) and pay the appropriate fees associated with the rearrangement or reconfiguration of the services being

terminated into the virtual Collocation arrangement, as set forth in Exhibit B. If BellSouth knows when additional physical Collocation Space may become available at the BellSouth Central Office requested by Access Communications, such information will be provided to Access Communications in BellSouth's written denial of physical Collocation Space. Access Communications must arrange with a BellSouth Certified Supplier for the relocation of equipment from a virtual Collocation Space to a physical Collocation Space and will bear the cost of such relocation, including the costs associated with moving the services from the virtual Collocation Space to the new physical Collocation Space.

- 7.7.1 In Alabama, BellSouth will complete a relocation of a virtual collocation arrangement to a cageless physical collocation arrangement within sixty (60) days from BellSouth's receipt of a BFFO and from a virtual collocation arrangement to a caged physical collocation arrangement within ninety (90) days from BellSouth's receipt of a BFFO.
- 7.8 Virtual to Physical Conversion (In-Place)
- Virtual collocation arrangements in Central Offices may be converted to "in-place" physical caged collocation arrangements if the potential conversion meets all of the following criteria: (1) there is no change in the amount of equipment or the configuration of the equipment that was in the virtual Collocation Space; (2) the conversion of the virtual collocation arrangement will not cause the equipment or the results of that conversion to be located in a space that BellSouth has reserved for its own future needs; and (3) any changes to the arrangement can be accommodated by existing power, HVAC, and other requirements. Unless otherwise specified herein, BellSouth will complete virtual to physical Collocation Space conversions (in-place) within sixty (60) days from receipt of the BFFO. BellSouth will bill Access Communications an Administrative Only Application Fee, as set forth in Exhibit B, on the date BellSouth provides an Application Response to Access Communications.
- 7.8.2 In Alabama and Tennessee, BellSouth will complete virtual to physical conversions (in place) within thirty (30) days from receipt of the BFFO as long as the conversion meets all of the criteria specified in Section 7.8.1 above.
- Cancellation. Unless otherwise specified in this Attachment, if at any time prior to Space Acceptance, Access Communications cancels its order for Collocation Space (Cancellation), BellSouth will bill the applicable nonrecurring charge(s) for any and all work processes for which work has begun or been completed. In Florida, if Access Communications cancels its order for Collocation Space at any time prior to the Space Ready Date, no cancellation fee shall be assessed by BellSouth; however, Access Communications will be responsible for reimbursing BellSouth for any costs specifically incurred by BellSouth on behalf of Access Communications up to the date that the written notice of cancellation was received by BellSouth. In Georgia, if Access Communications cancels its order for Collocation Space at any time prior to space acceptance, BellSouth will bill Access Communications for all costs incurred prior to the date of Cancellation

- and for any costs incurred as a direct result of the Cancellation, not to exceed the total amount that would have been due had the Firm Order not been canceled.
- 7.10 <u>Licenses.</u> Access Communications, at its own expense, will be solely responsible for obtaining from governmental authorities, and any other appropriate agency, entity, or person, all rights, privileges, permits, licenses and certificates necessary or required to operate as a provider of telecommunications services to the public or to build-out, equip and/or occupy Collocation Space in a BellSouth Premises.
- 7.11 <u>Environmental Compliance.</u> The Parties agree to utilize and adhere to the Environmental Hazard Guidelines identified in Exhibit A attached hereto.

8 Rates and Charges

- 8.1 <u>Rates.</u> Access Communications agrees to pay the rates and charges identified in Exhibit B attached hereto.
- 8.1.1 In Tennessee, if Access Communications elects the TRA rates as set forth in Exhibit C, the additional language also set forth in Exhibit C for Application Fee, Space Preparation, Floor Space and Caged Collocation Power Usage metering, will be effective in conjunction with the remaining terms and conditions of this Attachment.
- 8.1.2 Should Access Communications elect to transition to the TRA Option after the execution of this Agreement, Access Communications shall notify BellSouth in writing sixty (60) days prior to the implementation of this election.
- 8.2 <u>Application Fees.</u> BellSouth shall assess any nonrecurring application fees within thirty (30) days of the date that BellSouth provides an Application Response to Access Communications or on Access Communications's next scheduled monthly billing statement.

8.3 Recurring Charges

- 8.3.1 If Access Communications has met the applicable fifteen (15) day acceptance walk through interval specified in Section 4.2 above, billing for recurring charges will begin upon the Space Acceptance Date. In the event Access Communications fails to complete an acceptance walk through within the applicable fifteen (15) day interval, billing for recurring charges will commence on the Space Ready Date. If Access Communications occupies the space prior to the Space Ready Date, the date Access Communications occupies the space is deemed the Space Acceptance Date and billing for recurring charges will begin on that date. The billing for all applicable monthly recurring charges will begin in Access Communications's next billing cycle and will include any prorated charges for the period from Access Communications's Space Acceptance Date or Space Ready Date, whichever is appropriate pursuant to Section 4.2 above, to the date the bill is issued by BellSouth.
- 8.3.2 Unless otherwise stated in Section 8.6 below, monthly recurring charges for -48V DC power will be assessed per fused ampere (amp), per month, based upon the total number of fused amps of power capacity requested by Access

Communications on Access Communications's Initial Collocation Application and all Subsequent Collocation Applications, which may either increase or decrease the originally requested, and any subsequently augmented, number of fused amps of power capacity requested, consistent with Commission orders.

- 8.3.3 BellSouth shall have the right to inspect and inventory any DC power fuse installations at a BellSouth BDFB or DC power circuit installations at BellSouth's main power board for any Access Communications collocation arrangement, to verify that the total number of fused amps of power capacity installed by Access Communications's BellSouth Certified Supplier matches the number of fused amps of DC power capacity requested by Access Communications on Access Communications's Initial Application and all Subsequent Applications. If BellSouth determines that Access Communications's BellSouth Certified Supplier has installed more DC capacity than Access Communications requested on its Initial Application and all Subsequent Applications, BellSouth shall notify Access Communications in writing of such discrepancy and shall assess Access Communications for the additional DC power fuse/circuit capacity from the Space Acceptance Date or Space Ready Date, whichever is applicable pursuant to Section 8.3.1 above, for the most recent Initial Application or Subsequent Application, submitted for such collocation arrangement. BellSouth shall also revise Access Communications's recurring DC power charges, on a goingforward basis, to reflect the higher number of fused amps of power capacity available for the collocation arrangement.
- Nonrecurring Charges. Unless specified otherwise herein, BellSouth shall assess nonrecurring charges, including all application fees, within thirty (30) days of the date that BellSouth provides an Application Response to Access Communications or on Access Communications's next scheduled monthly billing statement, if Access Communications's current month's billing cycle has already closed. Nonrecurring charges associated with the processing of the Firm Order for collocation space preparation (Firm Order Processing Fee) shall be billed by BellSouth within thirty (30) days of BellSouth's confirmation of Access Communications's BFFO or on Access Communications's next scheduled monthly billing statement.
- 8.5 <u>Central Office Space Preparation.</u> Space preparation fees consist of a nonrecurring charge for Firm Order Processing and monthly recurring charges for Central Office Modifications and Common Systems Modifications. For all states except Florida, Access Communications shall remit the payment of the nonrecurring Firm Order Processing Fee coincident with the submission of Access Communications's BFFO. In Florida, the nonrecurring Firm Order Processing Fee will be billed by BellSouth, pursuant to Section 8.4 above. The monthly recurring charge for Central Office Modifications will be assessed per arrangement, per square foot, for both caged and cageless physical Collocation Space. The monthly recurring charge for Common Systems Modifications will be assessed per arrangement, per square foot for cageless physical Collocation Space and on a per cage basis for caged physical Collocation Space. These charges

recover the costs associated with preparing the Collocation Space, which includes, but is not limited to, the following items: a survey, engineering of the Collocation Space, and design and modification costs for network, building and support systems.

- 8.6 Central Office Floor Space. The Floor Space Charge includes reasonable charges for lighting, HVAC, and other allocated expenses associated with maintenance of the BellSouth Premises; however, this charge does not include any expenses associated with AC or DC power supplied to Access Communications's Collocation Space for the operation of Access Communications's equipment. For caged physical Collocation Space, Access Communications shall pay floor space charges based upon the number of square feet enclosed. The minimum size for caged Collocation Space is fifty (50) square feet. Additional caged Collocation Space may be requested in increments of fifty (50) square feet. For cageless Collocation Space, Access Communications shall pay floor space charges based upon the following floor space calculation: [(depth of the equipment lineup in which the rack is placed) + (0.5 x maintenance aisle depth) + (0.5 x wiring aisle)depth)] x (width of rack and spacers). For purposes of this calculation, the depth of the equipment lineup shall consider the footprint of equipment racks plus any equipment overhang. BellSouth will assign cageless Collocation Space in conventional equipment rack lineups where feasible. In the event Access Communications's collocated equipment requires special cable racking, an isolated ground plane, or any other considerations and treatment which prevents placement within conventional equipment rack lineups, Access Communications shall be required to request an amount of floor space sufficient to accommodate the total equipment arrangement.
- 8.7 Remote Site Bay Space. In a Remote Site, the bay space charge recovers the costs associated with air conditioning, ventilation and other allocated expenses for the maintenance of the Remote Site Location, and includes the amperage necessary to power Access Communications's equipment. Access Communications shall remit bay space charges based upon the number of bays requested. BellSouth will assign Remote Site Collocation Space in conventional Remote Site bay lineups where feasible.

8.8 Power

8.8.1 In a Central Office BellSouth shall make available -48V DC power for Access Communications's Collocation Space at a BellSouth BDFB. When obtaining DC power from a BellSouth BDFB, Access Communications's fuses and power cables (for the A & B feeds) must be engineered (sized), and installed by Access Communications's BellSouth Certified Supplier, in accordance with the number of fused amps of DC power requested by Access Communications on Access Communications's Initial Application and any Subsequent Applications. Access Communications is also responsible for contracting with a BellSouth Certified Supplier to run the power distribution feeder cable from the BellSouth BDFB to the equipment in Access Communications's Collocation Space. The BellSouth Certified Supplier contracted by Access Communications must provide BellSouth

with a copy of the engineering power specifications prior to the day on which Access Communications's equipment becomes operational (hereinafter "Commencement Date"). BellSouth will provide the common power feeder cable support structure between the BellSouth BDFB and Access Communications's Collocation Space. Access Communications shall contract with a BellSouth Certified Supplier who shall be responsible for performing those power provisioning activities required to enable Access Communications's equipment to become operational, which may include, but are not limited to, the installation, removal or replacement of the following: dedicated power cable support structure within Access Communications's Collocation Space, power cable feeds and terminations of the power cabling. Access Communications and Access Communications's BellSouth Certified Supplier shall comply with all applicable NEC, BellSouth TR 73503, Telcordia and ANSI Standards that address power cabling, installation and maintenance.

- 8.8.1.1 At a Remote Site, BellSouth shall make available -48V DC power for Access Communications's Remote Collocation Space at a BDFB within the Remote Site Location. The charge for power shall be assessed as part of the recurring charge for bay space, as referenced in Section 8.7 above. If the power requirements for Access Communications's equipment exceed the capacity available, then such additional power requirements shall be assessed on an individual case basis.
- 8.8.2 In Florida Central Offices only, subject to technical feasibility, commercial availability and safety limitations, BellSouth will permit Access Communications to request DC power in five (5) amp increments from five (5) amps up to one hundred (100) amps from the BellSouth BDFB. However, in accordance with industry standard fuse sizing, Access Communications may request that BellSouth provision DC power of seventy (70) amps or greater directly from BellSouth's main power board. The industry standard fuse size (which is a circuit breaker on the main power board) available at a BellSouth main power board in all BellSouth Premises is a two hundred twenty-five (225) amp circuit breaker.
- 8.8.3 BellSouth will revise Access Communications's Central Office recurring power charges, in accordance with Section 8.3 above, to reflect a power upgrade when Access Communications submits a Subsequent Application requesting an increase in the number of fused amps it is currently receiving from BellSouth for its Collocation Space. If Access Communications's existing fuses and power cables (for the A&B power feed) are not sufficient to support the additional number of fused amps requested, Access Communications's BellSouth Certified Supplier shall perform whatever activities are necessary, which may include the installation of new/additional fuses or power cables, to comply with the appropriate NEC, BellSouth TR 73503, Telcordia and ANSI Standards, as well as the requirements noted in Sections 8.7 and 8.7.1 above. Access Communications's BellSouth Certified Supplier shall provide notification to BellSouth when these activities have been completed.
- 8.8.4 BellSouth will revise Access Communications's Central Office recurring power charges, in accordance with Section 8.3 above, to reflect a power reduction upon

BellSouth's receipt of the Power Reduction Form from Access Communications, certifying the completion of the power reduction work, including the removal of any associated power cabling by Access Communications's BellSouth Certified Supplier. Notwithstanding the foregoing, if Access Communications's BellSouth Certified Supplier has not removed or, at BellSouth's discretion, cut the power cabling within thirty (30) days, the power reduction will not become effective until the cabling is removed or, at BellSouth's discretion, cut by Access Communications's BellSouth Certified Supplier and Access Communications shall pay for the amount of power that had been requested prior to the power reduction request for the period up to the date the power cabling is actually removed.

- 8.8.5 If Access Communications requests an increase or a reduction in the amount of power that BellSouth is currently providing in a Central Office, Access Communications must submit a Subsequent Application. In all states other than Florida and Tennessee if no modification to the Collocation Space is requested other than the increase or reduction in power, the Simple Augment fee will apply. In Florida and Tennessee the Power Reconfiguration Only Application Fee as set forth in Exhibit B will apply. If modifications are requested in addition to the increase or reduction of power, the Subsequent Application Fee will apply. BellSouth will bill this nonrecurring fee on the date that BellSouth provides an Application Response to Access Communications's Subsequent Application.
- 8.8.5.1 In Central Offices in Alabama and Louisiana, if Access Communications has existing power configurations currently served from the BellSouth main power board and requests that its power be reconfigured to connect to a BellSouth BDFB, in a specific BellSouth Premises, Access Communications must submit a Subsequent Application to BellSouth. BellSouth will provide a response to such application within seven (7) days and no Simple Augment Application Fee will be assessed by BellSouth for this one time only power reconfiguration to a BellSouth BDFB. For any power reconfigurations thereafter, Access Communications will submit a Subsequent Application and the appropriate Simple Augment Application Fee will apply.
- 8.8.6 If Access Communications elects to install its own DC Power Plant, BellSouth shall provide AC power to feed Access Communications's DC Power Plant. Charges for AC power will be assessed on a per breaker ampere, per month basis, pursuant to the rates specified in Exhibit B. The AC power rates include recovery for the provision of commercial and standby AC power. When obtaining power from a BellSouth service panel, protection devices and power cables must be engineered (sized) and installed by Access Communications's BellSouth Certified Supplier, with the exception that BellSouth shall engineer and install protection devices and power cables for Adjacent Collocation. Access Communications's BellSouth Certified Supplier must provide a copy of the engineering power specifications prior to the Commencement Date. AC power voltage and phase ratings shall be determined on a per location basis. At Access Communications's option, Access Communications may arrange for AC power in an adjacent

collocation arrangement from a retail provider of electrical power.

- 8.8.7 Access Communications shall contract with a BellSouth Certified Supplier to perform the installation and removal of dedicated power cable support structure within Access Communications's arrangement and terminations of cable within the Collocation Space.
- 8.8.8 <u>Fused Amp Billing.</u> In all states, except as otherwise set forth in this Agreement, BellSouth shall make available -48V DC power on a per fused amp, per month basis, pursuant to the following:

<u>For power provisioned from a BDFB.</u> The number of fused amps requested by Access Communications on its collocation application for power that is being provisioned from a BellSouth BDFB will be multiplied by the DC power fused amp rate set forth in Exhibit B. A minimum of ten (10) fused amps is required.

For existing power configurations that are provisioned from BellSouth's main power board. The number of fused amps made available at the main power board, in increments of two hundred and twenty-five (225) amps/main power board circuit, will be multiplied by the DC power fused amp rate set forth in Exhibit B.

8.8.9 Florida Power Usage Option

8.8.9.1 In Central Offices in Florida only, Access Communications may request that -48 DC power provisioned by BellSouth to Access Communications's Collocation Space be assessed per amp, per month based upon amps used, pursuant to the rates set forth in Exhibit B. Monthly recurring power charges will be assessed on the Space Acceptance Date or Space Ready Date, whichever is appropriate, pursuant to Section 8.3 above. If Access Communications desires to convert existing physical collocation arrangements to the Florida Power Usage Option (hereinafter "FL Option"), then the monthly recurring power charges that are applicable to the FL Option, contained in Exhibit B, will be assessed on the Space Ready Date associated with the Subsequent Application submitted by Access Communications to convert an existing collocation arrangement to the FL Option. The monthly recurring charges for DC power, under the FL Option, shall be calculated and applied based on the amount of power Access Communications requests that it be allowed to draw at a given time to a specific physical collocation arrangement in a particular BellSouth Premises on Access Communications's Initial Application or Subsequent Application. BellSouth shall allow Access Communications at Access Communications's option, to order a power feed that is capable of delivering a higher DC power level but to fuse this power feed so as to allow a power level less than the feed's maximum to be drawn by Access Communications. BellSouth is not required to build its central office power infrastructure to meet Access Communications's forecasted DC power demand. Access Communications must specify on its Initial or Subsequent Application the power level it wishes to be able to draw from BellSouth's power plant for each existing collocation arrangement Access Communications converts

- to the FL Option or for any new collocation arrangements Access Communications establishes under the FL Option.
- 8.8.9.2 BellSouth, at any time and at its own expense, shall have the right to verify the accuracy of Access Communications's power usage under the FL Option for a specific collocation arrangement in a particular BellSouth Premises, based on a meter reading(s) taken by BellSouth of the amount of power being consumed by Access Communications's collocation arrangement. BellSouth may perform its own meter reading(s) via any method it chooses, such as, but not limited to, a clamp-on ammeter. If the meter reading(s) varies by more than ten percent (10%) or five (5) amps from the power usage that has been requested by Access Communications for the collocation arrangement, under the FL Option, the Parties agree to work cooperatively to reconcile such discrepancy and establish the appropriate usage figure in a reasonable and expeditious manner. If the Parties substantiate BellSouth's reading, then BellSouth shall adjust Access Communications's billing to reflect BellSouth's power reading beginning with the first day of the month immediately following the date of the last metered reading taken by BellSouth.
- 8.8.9.3 BellSouth shall assess Access Communications a monthly recurring charge for DC power under the FL Option, as set forth in Exhibit B. Access Communications shall notify BellSouth of any change in its DC power usage by submitting a Subsequent Application, which reflects the new DC power level desired by Access Communications. The requested change in DC power usage will be reflected in Access Communications's next scheduled monthly billing cycle.
- 8.8.10 Tennessee Caged Collocation Power Usage Metering Option. In Central Offices in Tennessee only, Access Communications may request that DC power provisioned by BellSouth to Access Communications's caged Collocation Space be assessed pursuant to the orders entered by the Tennessee Regulatory Authority in Dockets 97-01262, 99-00430, and 00-00544 for Collocation for Tennessee. By electing the TRA Option, <customer short name> accepts the TRA rates, terms and conditions of Exhibit C in their entirety in conjunction with the other terms and conditions of Attachment 4.
- 8.8.11 In Alabama and Louisiana, Access Communications has the option to purchase power directly from an electric utility company. Under such option, Access Communications is responsible for contracting with the electric utility company for its own power feed and meter and is financially responsible for purchasing all equipment necessary to accomplish the arrangement, including inverters, batteries, power boards, bus bars, BDFBs, backup power supplies and cabling. The actual work to install this arrangement must be performed by a BellSouth Certified Supplier hired by Access Communications. Access Communications's BellSouth Certified Supplier must comply with all applicable safety codes, including the NEC and National Electric Safety Code (NESC) standards, in the installation of this power arrangement. If Access Communications currently has power supplied by BellSouth, Access Communications may request to change its

Collocation Space to obtain power from an electric utility company by submitting a Subsequent Application. BellSouth will waive the application fee for this Subsequent Application if no other changes are requested therein. Any floor space, cable racking, etc., utilized by Access Communications in provisioning said power will be billed by BellSouth on an ICB basis.

8.8.12

In South Carolina, Access Communications has the option to purchase power directly from an electric utility company where technically feasible and where space is available in a requested BellSouth Premises. Under such option, Access Communications is responsible for contracting with the electric utility company for its own power feed and meter, and is financially responsible for purchasing all equipment necessary to accomplish the conversion of the commercial AC power to DC power, including inverters, batteries, power boards, bus bars, BDFBs, backup power supplies and power cabling. The actual work to install this arrangement must be performed by a BellSouth Certified Supplier hired by Access Communications. Access Communications's BellSouth Certified Supplier must comply with all applicable national, regional, state and local safety, electrical, fire and building codes, including the NESC standards, in the installing of this power arrangement, just as BellSouth is required to comply with these codes. Access Communications must submit an application to BellSouth for the appropriate amount of Collocation Space that Access Communications requires in order to install this type of power arrangement. BellSouth will evaluate the request and determine if the appropriate amount of space is available within the BellSouth Premises for the installation of Access Communications's power equipment and facilities. This type of power arrangement must be located in an appropriate area in the BellSouth Premises that has been properly conditioned for the installation of power equipment and conforms to the applicable national, regional, state and local safety, electrical, fire and building codes. BellSouth shall waive the application fee or any other nonrecurring charge that would otherwise be due from a CLEC that decides to reconfigure an existing collocation power arrangement so as to purchase power directly from an electric utility company as provided herein. Access Communications shall be responsible for the recurring charges associated with the additional space needed in the BellSouth Premises for this type of power arrangement, including space required to place associated power-related equipment and facilities (i.e., batteries, generator, fuse panel, power meter, etc.). If there is no space available for this type of power arrangement in the requested BellSouth Premises, BellSouth may seek a waiver of these requirements from the Commission for the BellSouth Premises requested. Access Communications would have the option to order its power needs directly from BellSouth.

8.9

<u>Central Office Cable Installation.</u> Cable Installation fees will be assessed on a per entrance cable basis. This nonrecurring charge will be billed by BellSouth upon receipt of Access Communications's BFFO. Charges for cable racking, cable support structure and entrance fiber structure are recurring fees and will also be assessed according to the rates set forth in Exhibit B.

- 8.10 <u>Central Office Cable Records.</u> Cable Records charges apply for work activities required to build or remove existing cable records assigned to Access Communications in BellSouth's database systems. The VG/DS0 per cable record charge is for a maximum of thirty-six hundred (3,600) records per request. The fiber cable record charge is for a maximum of ninety-nine (99) records per request. Cable Record fees will be assessed as a nonrecurring charge, upon receipt of Access Communications's BFFO, in all BellSouth states, except Louisiana. In Louisiana, Cable Record fees will be assessed on a monthly recurring charge basis, upon receipt of Access Communications's BFFO. All charges will be assessed the rates set forth in Exhibit B.
- 8.11 Security Escort. After Access Communications has used its one (1) accompanied site visit, pursuant to Section 5.12.1 above, and prior to Access Communications's completion of the BellSouth Security Training requirements, contained in Section 12 below, a security escort will be required when Access Communications's employees, approved agent, supplier, or Guest(s) desire access to the entrance manhole or a BellSouth Premises. The rates for security escort service are assessed pursuant to the fee schedule contained in Exhibit B, beginning with the scheduled escort time agreed to by the Parties. BellSouth will wait for one-half (1/2) hour after the scheduled escort time to provide such requested escort service and Access Communications shall pay for such half-hour charges in the event Access Communications's employees, approved agent, supplier or Guest(s) fails to show up for the scheduled escort appointment.
- 8.12 Other. If no collocation rate element and associated rate is identified in Exhibit B, the Parties, upon request by either Party, will negotiate the rate for the specific collocation service or function identified in this Attachment.

9 Insurance

- 9.1 Access Communications shall, at its sole cost and expense, procure, maintain, and keep in force insurance as specified in this Section and underwritten by insurance companies licensed to do business in the states applicable under this Agreement and having a Best's Insurance Rating of A-.
- 9.2 Access Communications shall maintain the following specific coverage:
- 9.2.1 Commercial General Liability coverage in the amount of ten million dollars (\$10,000,000) or a combination of Commercial General Liability and Excess/Umbrella coverage totaling not less than ten million dollars (\$10,000,000). BellSouth shall be named as an Additional Insured on the Commercial General Liability policy as specified herein.
- 9.2.2 Statutory Workers Compensation coverage and Employers Liability coverage in the amount of one hundred thousand dollars (\$100,000) each accident, one hundred thousand dollars (\$100,000) each employee by disease, and five hundred thousand dollars (\$500,000) policy limit by disease.
- 9.2.3 All Risk Property coverage on a full replacement cost basis insuring all of Access

Communications's real and personal property situated on or within a BellSouth Premises.

- 9.2.4 Access Communications may elect to purchase business interruption and contingent business interruption insurance, having been advised that BellSouth assumes no liability for loss of profit or revenues should an interruption of service occur.
- 9.3 The limits set forth in Section 9.2 above may be increased by BellSouth from time to time during the term of this Agreement, upon thirty (30) days notice to Access Communications, to at least such minimum limits as shall then be customary with respect to comparable occupancy of BellSouth structures.
- All policies purchased by Access Communications shall be deemed to be primary and not contributing to or in excess of any similar coverage purchased by BellSouth. All insurance must be in effect on or before the date equipment is delivered to BellSouth's Premises and shall remain in effect for the term of this Agreement or until all of Access Communications's property has been removed from BellSouth's Premises, whichever period is longer. If Access Communications fails to maintain required coverage, BellSouth may pay the premiums thereon and seek reimbursement of same from Access Communications.
- 9.5 Access Communications shall submit certificates of insurance reflecting the coverage required pursuant to this Section within a minimum of ten (10) business days prior to the commencement of any work in the Collocation Space. Failure to meet this interval may result in construction and equipment installation delays. Access Communications shall arrange for BellSouth to receive thirty (30) business days' advance notice of cancellation or non-renewal from Access Communications's insurance company. Access Communications shall forward a certificate of insurance and notice of cancellation/non-renewal to BellSouth at the following address:

BellSouth Telecommunications, Inc. Attn: Rick Management Office – Finance 17F54 BellSouth Center 675 W. Peachtree Street Atlanta, GA 30375

- 9.6 Access Communications must conform to recommendations made by BellSouth's fire insurance company to the extent BellSouth has agreed to, or shall hereafter agree to, such recommendations.
- 9.7 <u>Self Insurance.</u> If Access Communications's net worth exceeds five hundred million dollars (\$500,000,000), Access Communications may elect to request self-insurance status in lieu of obtaining any of the insurance required in Section 9.2 above. Access Communications shall provide audited financial statements to BellSouth thirty (30) days prior to the commencement of any work in the Collocation Space. BellSouth shall then review such audited financial statements and respond in writing to Access Communications in the event that self-insurance

status is not granted to Access Communications. If BellSouth approves Access Communications for self-insurance, Access Communications shall annually furnish to BellSouth, and keep current, evidence of such net worth that is attested to by one of Access Communications's corporate officers. The ability to self-insure shall continue so long as Access Communications meets all of the requirements of this Section. If Access Communications subsequently no longer satisfies the requirements of this Section, Access Communications is required to purchase insurance as indicated by Section 9.2 above.

- 9.8 The net worth requirements set forth in Section 9.7 above may be increased by BellSouth from time to time during the term of this Agreement upon thirty (30) days' notice to Access Communications to at least such minimum limits as shall then be customary with respect to comparable occupancy of a BellSouth Premises.
- 9.9 Failure to comply with the provisions of this Section will be deemed a material breach of this Attachment.

10 Mechanics Lien

10.1 If any mechanics lien or other liens are filed against property of either Party (BellSouth or Access Communications), or any improvement thereon by reason of or arising out of any labor or materials furnished or alleged to have been furnished or to be furnished to or for the other Party or by reason of any changes, or additions to said property made at the request or under the direction of the other Party, the other Party directing or requesting those changes shall, within thirty (30) business days after receipt of written notice from the Party against whose property said lien has been filed, either pay such lien or cause the same to be bonded off the affected property in the manner provided by law. The Party causing said lien to be placed against the property of the other shall also defend at its sole cost and expense, on behalf of the other, any action, suit or proceeding which may be brought for the enforcement of such liens and shall pay any damage and discharge any judgment entered thereon.

11 Inspections

11.1 BellSouth may conduct an inspection of Access Communications's equipment and facilities in Access Communications's Collocation Space(s) prior to the activation of facilities and/or services between Access Communications's equipment and equipment of BellSouth. BellSouth may conduct an inspection if Access Communications adds equipment and may otherwise conduct routine inspections at reasonable intervals mutually agreed upon by the Parties. BellSouth shall provide Access Communications with a minimum of forty-eight (48) hours or two (2) business days, whichever is greater, advance notice of all such inspections. All costs of such inspections shall be borne by BellSouth.

12 Security and Safety Requirements

12.1 Unless otherwise specified, Access Communications will be required, at its own expense, to conduct a statewide investigation of criminal history records for each

Access Communications employee hired in the past five (5) years being considered for work on a BellSouth Premises, for the states/counties where the Access Communications employee has worked and lived for the past five (5) years. Where state law does not permit statewide collection or reporting, an investigation of the applicable counties is acceptable. Access Communications shall not be required to perform this investigation if an affiliated company of Access Communications has performed an investigation of the Access Communications employee seeking access, if such investigation meets the criteria set forth above. This requirement will not apply if Access Communications has performed a pre-employment statewide investigation of criminal history records of the Access Communications employee for the states/counties where the Access Communications employee has worked and lived for the past five (5) years or, where state law does not permit a statewide investigation, an investigation of the applicable counties.

- Access Communications will be required to administer to its personnel assigned to the BellSouth Premises security training either provided by BellSouth, or meeting criteria defined by BellSouth at BellSouth's Interconnection Web site, www.interconnection.bellsouth.com/guides.
- Access Communications shall provide its employees and agents with picture identification, which must be worn and visible at all times while in Access Communications's Collocation Space or other areas in or around the BellSouth Premises. The photo identification card shall bear, at a minimum, the employee's name and photo and Access Communications's name. BellSouth reserves the right to remove from a BellSouth Premises any employee of Access Communications not possessing identification issued by Access Communications or who has violated any of BellSouth's policies as outlined in the CLEC Security Training documents. Access Communications shall hold BellSouth harmless for any damages resulting from such removal of Access Communications's personnel from a BellSouth Premises. Access Communications shall be solely responsible for ensuring that any Guest(s) of Access Communications is in compliance with all subsections of this Section.
- Access Communications shall not assign to the BellSouth Premises any personnel with records of felony criminal convictions. Access Communications shall not assign to the BellSouth Premises any personnel with records of misdemeanor convictions, except for misdemeanor traffic violations, without advising BellSouth of the nature and gravity of the offense(s). BellSouth reserves the right to refuse building access to any of Access Communications's personnel who have been identified to have misdemeanor criminal convictions. Notwithstanding the foregoing, in the event Access Communications chooses not to advise BellSouth of the nature and gravity of any misdemeanor conviction, Access Communications may, in the alternative, certify to BellSouth that it shall not assign to the BellSouth Premises any personnel with records of misdemeanor convictions (other than misdemeanor traffic violations).
- 12.4.1 Access Communications shall not knowingly assign to the BellSouth Premises

- any individual who was a former employee of BellSouth and whose employment with BellSouth was terminated for a criminal offense, whether or not BellSouth sought prosecution of the individual for the criminal offense.
- 12.4.2 Access Communications shall not knowingly assign to the BellSouth Premises any individual who was a former supplier of BellSouth and whose access to a BellSouth Premises was revoked due to the commission of a criminal offense, whether or not BellSouth sought prosecution of the individual for the criminal offense.
- 12.5 For each Access Communications employee or agent hired by Access Communications within the last five (5) years, who requires access to a BellSouth Premises to perform work in Access Communications Collocation Space(s), Access Communications shall furnish BellSouth certification that the aforementioned background check and security training were completed. This certification must be provided to and approved by BellSouth before an employee or agent will be granted such access to a BellSouth Premises. The certification will contain a statement that no felony convictions were found and certify that the employee completed the security training. If the employee's criminal history includes misdemeanor convictions, Access Communications will disclose the nature of the convictions to BellSouth at that time. In the alternative, Access Communications may certify to BellSouth that it shall not assign to the BellSouth Premises any personnel with records of misdemeanor convictions, other than misdemeanor traffic violations.
- 12.5.1 For all other Access Communications employees requiring access to a BellSouth Premises pursuant to this Attachment, Access Communications shall furnish BellSouth, prior to an employee gaining such access, a certification that the employee is not subject to the requirements of Section 12.5 above and that security training was completed by the employee.
- At BellSouth's request, Access Communications shall promptly remove from the BellSouth Premises any employee of Access Communications that BellSouth does not wish to grant access to a BellSouth Premises: 1) pursuant to any investigation conducted by BellSouth, or 2) prior to the initiation of an investigation if an employee of Access Communications is found interfering with the property or personnel of BellSouth or another collocated telecommunications carrier, provided that an investigation shall be promptly commenced by BellSouth.
- 12.7 <u>Security Violations.</u> BellSouth reserves the right to interview Access Communications's employees, agents, suppliers, or Guests in the event of wrongdoing in or around a BellSouth Premises or involving BellSouth's or another collocated telecommunications carrier's property or personnel, provided that BellSouth shall provide reasonable notice to Access Communications's Security representative of such interview. Access Communications and its employees, agents, suppliers, or Guests shall reasonably cooperate with BellSouth's investigation into allegations of wrongdoing or criminal conduct

committed by, witnessed by, or involving Access Communications's employees, agents, suppliers, or Guests. Additionally, BellSouth reserves the right to bill Access Communications for all reasonable costs associated with investigations involving its employees, agents, suppliers, or Guests if it is established and mutually agreed in good faith that Access Communications's employees, agents, suppliers, or Guests are responsible for the alleged act(s). BellSouth shall bill Access Communications for BellSouth property, which is stolen or damaged, where an investigation determines the culpability of Access Communications's employees, agents, suppliers, or Guests and where Access Communications agrees, in good faith, with the results of such investigation. Access Communications shall notify BellSouth in writing immediately in the event that Access Communications discovers one of its employees, agents, suppliers, or Guests already working on the BellSouth Premises is a possible security risk. Upon request of the other Party, the Party who is the employer shall discipline consistent with its employment practices, up to and including removal from BellSouth's Premises, any employee found to have violated the security and safety requirements of this Section. Access Communications shall hold BellSouth harmless for any damages resulting from such removal of Access Communications's personnel from a BellSouth Premises.

- 12.8 <u>Use of Supplies.</u> Unauthorized use of equipment, supplies or other property by either Party, whether or not used routinely to provide telephone service will be strictly prohibited and handled appropriately. Costs associated with such unauthorized use may be charged to the offending Party, as may be all associated investigative costs.
- 12.9 <u>Use of Official Lines.</u> Except for non-toll calls necessary in the performance of their work, neither Party shall use the telephone(s) of the other Party on BellSouth's Premises. Charges for unauthorized telephone calls may be charged to the offending Party, as may be all associated investigative costs.
- 12.10 <u>Accountability.</u> Full compliance with the Security requirements of this Section shall in no way limit the accountability of either Party to the other for the improper actions of its employees, agents, suppliers, or Guests.

13 Destruction of Collocation Space

In the event a Collocation Space is wholly or partially damaged by fire, windstorm, hurricane, tornado, flood or by similar force majeure circumstances to such an extent as to be rendered wholly unsuitable for Access Communications's permitted use hereunder, then either Party may elect within ten (10) days after such damage, to terminate occupancy of the damaged Collocation Space, and if either Party shall so elect, by giving the other written notice of termination, both Parties shall stand released of and from further liability under the terms hereof. If the Collocation Space shall suffer only minor damage and shall not be rendered wholly unsuitable for Access Communications's permitted use, or is damaged and the option to terminate is not exercised by either Party, BellSouth covenants and agrees to proceed promptly without expense to Access Communications, except

for improvements not to the property of BellSouth, to repair the damage. BellSouth shall have a reasonable time within which to rebuild or make any repairs, and such rebuilding and repairing shall be subject to delays caused by storms, shortages of labor and materials, government regulations, strikes, walkouts, and causes beyond the control of BellSouth, which causes shall not be construed as limiting factors, but as exemplary only. Access Communications may, at its own expense, accelerate the rebuild of its Collocation Space and equipment provided, however, that a BellSouth Certified Supplier is used and the necessary space preparation has been completed. If Access Communications's acceleration of the project increases the cost of the project, then those additional charges will be incurred at Access Communications's expense. Where allowed and where practical, Access Communications may erect a temporary facility while BellSouth rebuilds or makes repairs. In all cases where the Collocation Space shall be rebuilt or repaired, Access Communications shall be entitled to an equitable abatement of rent and other charges, depending upon the unsuitability of the Collocation Space for Access Communications's permitted use, until such Collocation Space is fully repaired and restored and Access Communications's equipment installed therein (but in no event later than thirty (30) days after the Collocation Space is fully repaired and restored). Where Access Communications has placed an Adjacent Arrangement pursuant to Section 3.4 above, Access Communications shall have the sole responsibility to repair or replace said Adiacent Arrangement provided herein. Pursuant to this Section, BellSouth will restore the associated services to the Adjacent Arrangement.

14 Eminent Domain

14.1 If the whole of a Collocation Space or Adjacent Arrangement shall be taken by any public authority under the power of eminent domain, then this Attachment shall terminate with respect to such Collocation Space or Adjacent Arrangement as of the date possession shall be taken by such public authority and rent and other charges for the Collocation Space or Adjacent Arrangement shall be paid up to that day with a proportionate refund by BellSouth of such rent and charges as may have been paid in advance for a period subsequent to the date of the taking. If any part of the Collocation Space or Adjacent Arrangement shall be taken under eminent domain, BellSouth and Access Communications shall each have the right to terminate this Attachment with respect to such Collocation Space or Adjacent Arrangement and declare the same null and void, by written notice of such intention to the other Party within ten (10) days after such taking.

15 Nonexclusivity

Access Communications understands that this Attachment is not exclusive and that BellSouth may enter into similar agreements with other Parties. Assignment of Collocation Space pursuant to all such agreements shall be determined by space availability and made on a first come, first serve basis.

ENVIRONMENTAL AND SAFETY PRINCIPLES

The following principles provide basic guidance on environmental and safety issues when applying for and establishing physical collocation arrangements.

1. General Principles

- 1.1 Compliance with Applicable Law. BellSouth and Access Communications agree to comply with applicable federal, state, and local environmental and safety laws and regulations including U.S. Environmental Protection Agency (USEPA) regulations issued under the Clean Air Act (CAA), Clean Water Act (CWA), Resource Conservation and Recovery Act (RCRA), Comprehensive Environmental Response, Compensation and Liability Act (CERCLA), Superfund Amendments and Reauthorization Act (SARA), the Toxic Substances Control Act (TSCA), and Occupational Safety and Healthy Act (OSHA) regulations issued under the OSHA of 1970, as amended and National Fire Protection Association (NFPA), NEC and NESC (Applicable Laws) requirements. Each Party shall notify the other if compliance inspections are conducted by regulatory agencies and/or citations are issued that relate to any aspect of this Attachment.
- Notice. BellSouth and Access Communications shall provide notice to the other, including any Material Safety Data Sheets (MSDSs), of known and recognized physical hazards or Hazardous Chemicals existing on site or brought on site. A Hazardous Chemical inventory list is posted on an OSHA Poster and updated annually at each Central Office. This Poster is normally located near the front entrance of the building or in the lounge area. Each Party is required to provide specific notice for known potential Imminent Danger conditions. Access Communications should contact 1-800-743-6737 for any BellSouth MSDS required.
- 1.3 Practices/Procedures. BellSouth may make available additional environmental control procedures for Access Communications to follow when working at a BellSouth Premises (See Section 2, below). These practices/procedures will represent the regular work practices required to be followed by the employees and suppliers of BellSouth for environmental protection. Access Communications will require its suppliers, agents, Guests, and others accessing the BellSouth Premises to comply with these practices. Section 2 below lists the Environmental categories where BellSouth practices should be followed by Access Communications when operating in the BellSouth Premises.
- 1.4 <u>Environmental and Safety Inspections.</u> BellSouth reserves the right to inspect the Access Communications space with proper notification. BellSouth reserves the right to stop any Access Communications work operation that imposes Imminent Danger to the environment, employees or other persons in or around a BellSouth Premises.
- 1.5 Hazardous Materials Brought On Site. Any hazardous materials brought into,

used, stored or abandoned at a BellSouth Premises by Access Communications are owned by and considered the property of Access Communications. Access Communications will indemnify BellSouth for claims, lawsuits or damages to persons or property caused by these materials. Without prior written BellSouth approval, no substantial new safety or environmental hazards can be created by Access Communications or different hazardous materials used by Access Communications at a BellSouth Premises. Access Communications must demonstrate adequate emergency response capabilities for the materials used by Access Communications or remaining at a BellSouth Premises.

- 1.6 <u>Spills and Releases.</u> When contamination is discovered at a BellSouth Premises, either Party discovering the condition must notify the other Party. All Spills or Releases of regulated materials will immediately be reported by Access Communications to BellSouth.
- Coordinated Environmental Plans and Permits. BellSouth and Access
 Communications will coordinate plans, permits or information required to be
 submitted to government agencies, such as emergency response plans, spill
 prevention control and countermeasures (SPCC) plans and community reporting.
 If fees are associated with filing, BellSouth and Access Communications will
 develop a cost sharing procedure. If BellSouth's permit or EPA identification
 number must be used, Access Communications must comply with all of
 BellSouth's permit conditions and environmental processes, including
 environmental "best management practices (BMP)" (see Section 2, below) and
 the selection of BST disposition vendors and disposal sites.
- 1.8 Environmental and Safety Indemnification. BellSouth and Access
 Communications shall indemnify, defend and hold harmless the other Party from and against any claims (including, without limitation, third-party claims for personal injury or death or real or personal property damage), judgments, damages (including direct and indirect damages and punitive damages), penalties, fines, forfeitures, costs, liabilities, interest and losses arising in connection with the violation or alleged violation of any Applicable Law or contractual obligation or the presence or alleged presence of contamination arising out of the acts or omissions of the indemnifying Party, its employees, agents, suppliers, or Guests concerning its operations at a BellSouth Premises.

2. Categories for Consideration of Environmental Issues

2.1 When performing functions that fall under the following Environmental categories on BellSouth's Premises, Access Communications agrees to comply with the applicable sections of the current issue of BellSouth's Environmental and Safety Methods and Procedures (M&Ps), incorporated herein by this reference. Access Communications further agrees to cooperate with BellSouth to ensure that Access Communications's employees, agents, suppliers and/or Guests are knowledgeable of and satisfy those provisions of BellSouth's Environmental M&Ps, which apply to the specific Environmental function being performed by

Access Communications, its employees, agents, suppliers, and/or Guests.

The most current version of the reference documentation must be requested from Access Communications's BellSouth Regional Contract Manager (RCM).

Environmental Categories	Environmental Issues	Addressed By The Following Documentation
Disposal of hazardous	Compliance with all	Std T&C 450
material or other regulated material (e.g., batteries, fluorescent tubes, solvents &	applicable local, state & federal laws and regulations	Fact Sheet Series 17000
cleaning materials)	Pollution liability insurance	Std T&C 660-3
	EVET approval of supplier	Approved Environmental Vendor List (Contact RCM Representative)
Emergency response	Hazmat/waste release/spill fire	Fact Sheet Series 17000
	safety emergency	Building Emergency
		Operations Plan (EOP)
		(specific to and located on
		BellSouth's Premises)
Contract labor/outsourcing for	Compliance with all	Std T&C 450
services with environmental	applicable local, state and	
implications to be performed	federal laws and regulations	G. 1 T. 0 G. 450 D
on BellSouth Premises (e.g.,		Std T&C 450-B
disposition of hazardous	Performance of services in	(Contact RCM Representative
material/waste; maintenance	accordance with BST's	for copy of appropriate E/S
of storage tanks)	environmental M&Ps	M&Ps.)
	Insurance	Std T&C 660
Transportation of hazardous	Compliance with all	Std T&C 450
material	applicable local, state & federal laws and regulations	Fact Sheet Series 17000
	Pollution liability insurance EVET approval of supplier	Std T&C 660-3
		Approved Environmental
		Vendor List (Contact RCM
		Representative)
Maintenance/operations work	Compliance with all	Std T&C 450
which may produce a waste	applicable local, state &	
	federal laws and regulations	

Other maintenance work	Protection of BST employees and equipment	29 C.F.R. § 1910.147 (OSHA Standard) 29 C.F.R. § 1910 Subpart O (OSHA Standard)
Janitorial service	All waste removal and disposal must conform to all applicable federal, state and local regulations	Procurement Manager (CRES Related Matters)-BST Supply Chain Services
	All Hazardous Material and Waste	Fact Sheet Series 17000
	Asbestos notification and protection of employees and equipment	GU-BTEN-001BT, Chapter 3 BSP 010-170-001BS (Hazcom)
Manhole cleaning	Compliance with all applicable local, state & federal laws and regulations	Std T&C 450 Fact Sheet 14050 BSP 620-145-011PR Issue A, August 1996
	Pollution liability insurance	Std T&C 660-3
	EVET approval of supplier	Approved Environmental Vendor List (Contact RCM Representative)
Removing or disturbing building materials that may contain asbestos	Asbestos work practices	GU-BTEN-001BT, Chapter 3 for questions regarding removing or disturbing materials that contain asbestos, call the BellSouth Building Service Center: AL, MS, TN, KY & LA (local area code) 557-6194 FL, GA, NC & SC (local area code) 780-2740

3. Definitions

Generator. Under RCRA, the person whose act produces a Hazardous Waste, as defined in 40 C.F.R. § 261, or whose act first causes a Hazardous Waste to become subject to regulation. The Generator is legally responsible for the proper management and disposal of Hazardous Wastes in accordance with regulations.

<u>Hazardous Chemical.</u> As defined in the U.S. OSHA hazard communications standard (29 C.F.R. § 1910.1200), any chemical which is a health hazard or physical hazard.

Hazardous Waste. As defined in Section 1004 of RCRA.

<u>Imminent Danger.</u> Any conditions or practices at a BellSouth Premises which are such that a danger exists which could reasonably be expected to cause immediate death or serious harm to people or immediate significant damage to the environment or natural resources.

Spill or Release. As defined in Section 101 of CERCLA.

4. Acronyms

<u>RCM</u> – Regional Collocation Manager (f/k/a Account Team Collocation Coordinator)

BST – BellSouth Telecommunications

CRES – Corporate Real Estate and Services (formerly PS&M)

<u>DEC/LDEC</u> – Department Environmental Coordinator/Local Department Environmental Coordinator

E/S – Environmental/Safety

EVET – Environmental Vendor Evaluation Team

GU-BTEN-001BT – BellSouth Environmental Methods and Procedures

NESC – National Electrical Safety Codes

<u>P&SM</u> – Property & Services Management

Std T&C – Standard Terms & Conditions

COLLOCAT	ION - Alabama												Attachment:	4 Exh B		
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'
						Rec	Nonrec		Nonrecurring		001450	001441		Rates(\$)	001441	001111
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
PHYSICAL CO	I LOCATION															
Applic																
7.450	Physical Collocation - Initial Application Fee			CLO	PE1BA		1,879.48		0.51							
	Physical Collocation - Subsequent Application Fee			CLO	PE1CA		1,566.60		0.51							
	Physical Collocation - Co-Carrier Cross Connects/Direct						.,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,									
	Connect, Application Fee, per application			CLO	PE1DT		584.22									
	Physical Collocation Administrative Only - Application Fee			CLO	PE1BL		742.15									
	Physical Collocation - Application Cost, Simple Augment			CLO	PE1KS		594.41		1.21							
	Physical Collocation - Application Cost, Minor Augment			CLO	PE1KM		833.47		1.21							
	Physical Collocation - Application Cost, Intermediate Augment			CLO	PE1K1		1,058.00		1.21							
	Physical Collocation - Application Cost - Major Augment			CLO	PE1KJ		2,410.00		1.21				·			
Space	Preparation								ļ		ļ					
\vdash	Physical Collocation - Floor Space, per sq feet	ļ		CLO	PE1PJ	3.22			ļ							
	Physical Collocation - Space Enclosure, welded wire, first 50															
	square feet		<u> </u>	CLO	PE1BX	140.99										
	Physical Collocation - Space enclosure, welded wire, first 100			01.0	DE 4DW	450.00										
	square feet			CLO	PE1BW	156.33										
	Physical Collocation - Space enclosure, welded wire, each			CI O	DE4CW	45.04										
-	additional 50 square feet Physical Collocation - Space Preparation - C.O. Modification per			CLO	PE1CW	15.34										
	square ft.			CLO	PE1SK	1.96										
+	Physical Collocation - Space Preparation, Common Systems			CLO	FLISK	1.50										
	Modifications-Cageless, per square foot			CLO	PE1SL	2.62										
	Physical Collocation - Space Preparation - Common Systems			OLO	I LIGE	2.02										
	Modifications-Caged, per cage			CLO	PE1SM	88.86										
	Physical Collocation - Space Preparation - Firm Order			020		00.00										
	Processing			CLO	PE1SJ		600.71									
	Physical Collocation - Space Availability Report, per Central															
	Office Requested			CLO	PE1SR		1,075.17									
Power							·									
	Physical Collocation - Power, -48V DC Power - per Fused Amp															
	Requested			CLO	PE1PL	7.83										
	Physical Collocation - Power, 120V AC Power, Single Phase,															
	per Breaker Amp			CLO	PE1FB	4.91										
	Physical Collocation - Power, 240V AC Power, Single Phase,															
\vdash	per Breaker Amp	ļ	ļ	CLO	PE1FD	9.84			ļ							
	Physical Collocation - Power, 120V AC Power, Three Phase, per			CLO	DE4EF	4474										
 	Breaker Amp	 	-	CLO	PE1FE	14.74			 		1			-	-	
	Physical Collocation - Power, 277V AC Power, Three Phase, per Breaker Amp			CLO	PE1FG	34.06										
Cross	Connects (Cross Connects, Co-Carrier Cross Connects, and P	orts)		CLO	FEIFG	34.06			 					-	-	
Ciuss	Comments (01033 Comments, 00-Carrier Closs Comments, and F	J113)	 	UEANL.UEQ.	 						1					
		l		UNCNX, UEA, UCL,												
		l	1	UAL, UHL, UDN,												
	Physical Collocation - 2-wire cross-connect, loop, provisioning			UNCVX	PE1P2	0.03	12.30	11.80	6.03	5.44						
				UEA, UHL, UNCVX,						21.11						
	Physical Collocation - 4-wire cross-connect, loop, provisioning	<u></u>		UNCDX, UCL, UDL	PE1P4	0.05	12.39	11.87	6.39	5.73	<u> </u>			<u> </u>	<u> </u>	
				WDS1L, WDS1S, UXTD1, ULDD1, USLEL, UNLD1, U1TD1, UNC1X, UEPSR, UEPSB, UEPSE, UEPSP,												
1 1	Physical Collocation -DS1 Cross-Connect for Physical	l	1	USL. UEPEX.												
1																

COLLOCAT	ΓΙΟΝ - Alabama												Attachment:			
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)			Svc Order Submitted Elec per LSR		Incremental Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic-	Charge - Manual Svc Order vs. Electronic-	Charge - Manual Svc Order vs. Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
						Rec	Nonre		Nonrecurring					Rates(\$)	•	
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
				UE3, U1TD3, UXTD3, UXTS1, UNC3X, UNCSX, ULDD3, U1TS1, ULDS1, UNLD3, UEPEX, UEPDX, UEPSB, UEPSB,												
	Physical Collocation - DS3 Cross-Connect, provisioning			UEPSE, UEPSP	PE1P3	14.16	20.89	15.20	7.38	5.92						
	Physical Collocation - 2-Fiber Cross-Connect			CLO, ULDO3, ULD12, ULD48, U1T03, U1T12, U1T48, UDLO3, UDL12, UDF ULD03, ULD12, ULD48, U1T03, U1T12, U1T48,	PE1F2	2.81	20.89	15.20	7.38	5.92						
	5			UDLO3, UDL12,	55.51											
	Physical Collocation - 4-Fiber Cross-Connect Physical Collocation - Co-Carrier Cross Connects/Direct			UDF, UDFCX	PE1F4	4.99	25.55	19.86	9.71	8.25						
	Connect - Fiber Cable Support Structure, per linear foot, per Cable.			CLO	PE1ES	0.0011										
	Physical Collocation - Co-Carrier Cross Connect/Direct Connect -			OLO	I LILO	0.0011										
	Copper/Coax Cable Support Structure, per linear foot, per															
	cable.			CLO	PE1DS	0.0016										
				UEPSR, UEPSP, UEPSE, UEPSB,												
	Physical Collocation 2-Wire Cross Connect, Port Physical Collocation 4-Wire Cross Connect, Port			UEPSX, UEP2C UEPEX, UEPDD	PE1R2 PE1R4	0.03 0.05	12.30 12.39	11.80 11.87	6.03 6.39	5.44 5.73						
Secur				UEPEX, UEPUU	PE IR4	0.05	12.39	11.07	0.39	5.73				1	1	
	Physical Collocation - Security Escort for Basic Time - normally scheduled work, per half hour			CLO	PE1BT		16.93	10.73								
	Physical Collocation - Security Escort for Overtime - outside of normally scheduled working hours on a scheduled work day, per half hour			CLO	PE1OT		22.05	13.86								
	Physical Collocation - Security Escort for Premium Time -															
	outside of scheduled work day, per half hour Physical Collocation - Security Access System - Security System			CLO	PE1PT		27.17	16.98								
	per Central Office			CLO	PE1AX	45.70										
	Physical Collocation -Security Access System - New Card Activation, per Card Activation (First), per State			CLO	PE1A1	0.05	27.79									
	Physical Collocation-Security Access System-Administrative Change, existing Access Card, per Request, per State, per Card			CLO	PE1AA		7.79									
	Physical Collocation - Security Access System - Replace Lost or Stolen Card, per Card			CLO	PE1AR		22.78									
	Physical Collocation - Security Access - Initial Key, per Key			CLO	PE1AK		13.10									
	Physical Collocation - Security Access - Key, Replace Lost or Stolen Key, per Key			CLO	PE1AL		13.10									
CFA																
	Physical Collocation - CFA Information Resend Request, per premises, per arrangement, per request			CLO	PE1C9		77.56									
Cable	Records - Note: The rates in the First & Additional columns wi	II actua	lly be l	billed as "Initial I" a	nd "Subsequ	ent S" respectiv	<i>r</i> ely									
	Physical Collocation - Cable Records, per request			CLO	PE1CR		I 759.29	S 488.11	133.00							
	Physical Collocation, Cable Records, VG/DS0 Cable, per cable record (maximum 3600 records)			CLO	PE1CD		326.92		189.12							
	Physical Collocation, Cable Records, VG/DS0 Cable, per each 100 pair			CLO	PE1CO		4.81		5.90							
	Physical Collocation, Cable Records, DS1, per T1 TIE			CLO	PE1C1		2.25	-	2.76							
	Physical Collocation, Cable Records, DS3, per T3 TIE			CLO	PE1C3		7.88		9.66							L

·	TON - Alabama												Attachment:			
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l
						Rec	Nonrec		Nonrecurring					Rates(\$)		
						IVEC	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Physical Collocation - Cable Records, Fiber Cable, per cable															
	record (maximum 99 records)			CLO	PE1CB		84.49		77.13							
VP-4	Physical Collocation, Cable Records, CAT5/RJ45			CLO	PE1C5		2.25		2.76							
virtua	I to Physical															
	Physical Collocation - Virtual to Physical Collocation Relocation, per Voice Grade Circuit			CLO	PE1BV		33.00									
	Physical Collocation - Virtual to Physical Collocation Relocation, per DSO Circuit			CLO	PE1BO		33.00									
	Physical Collocation - Virtual to Physical Collocation Relocation, per DS1 Circuit			CLO	PE1B1		52.00									
	Physical Collocation - Virtual to Physical Collocation Relocation,			CLO	PE1B3											
	per DS3 Circuit Physical Collocation - Virtual to Physical Collocation In-Place,						52.00									
	Per Voice Grade Circuit Physical Collocation Virtual to Physical Collocation In-Place, Per			CLO	PE1BR		22.44									
	DSO Circuit Physical Collocation - Virtual to Physical Collocation In-Place,			CLO	PE1BP		22.44									
	Per DS1 Circuit			CLO	PE1BS		32.62									
	Physical Collocation - Virtual to Physical Collocation In-Place, per DS3 Circuit			CLO	PE1BE		32.62									
Entra	nce Cable															
	Physical Collocation - Fiber Cable Installation, Pricing, non- recurring charge, per Entrance Cable			CLO	PE1BD		859.71		22.49							
	Physical Collocation - Fiber Cable Support Structure, per Entrance Cable			CLO	PE1PM	17.11										
	Physical Collocation - Fiber Entrance Cable Installation, per Fiber			CLO	PE1ED		3.87									
VIRTUAL COI				OLO	I LILD		5.07									
	cation															
1	Virtual Collocation - Application Fee			AMTFS	EAF		1,205.26		0.51							
	Virtual Collocation - Co-Carrier Cross Connects/Direct Connect, Application Fee, per application			AMTFS	VE1CA		584.22									
	Virtual Collocation Administrative Only - Application Fee			AMTFS	VE1CA VE1AF		742.15				+					
Snace	Preparation			AIVITIO	VLIAI		742.13				1					
Ориос	Virtual Collocation - Floor Space, per sq. ft.			AMTFS	ESPVX	3.22					+					
Powe			i		20. 17.	O.LL										
	Virtual Collocation - Power, per fused amp			AMTFS	ESPAX	7.83										
Cross	Connects (Cross Connects, Co-Carrier Cross Connects, and P	orts)														
	Vietnal Callegation Coving and a second law assistants			UEANL, UEA, UDN, UAL, UHL, UCL, UEQ, UNCVX,	UEAC2	0.03	40.00	11.80	0.00	5.44						
	Virtual Collocation - 2-wire cross-connect, loop, provisioning			UNCDX, UNCNX UEA, UHL, UCL, UDL, UNCVX,	UEAU2	0.03	12.30	11.80	6.03	5.44						
	Virtual Collocation - 4-wire cross-connect, loop, provisioning			UNCDX	UEAC4	0.05	12.39	11.87	6.39	5.73						
	Virtual collocation - Special Access & UNE, cross-connect per DS1			ULR, UXTD1, UNC1X, ULDD1, U1TD1, USLEL, UNLD1, USL, UEPEX, UEPDX	CNC1X	1.11	22.03	15.93	6.40	5.79						
	Virtual collocation - Special Access & UNE, cross-connect per DS3			USL, UE3, U1TD3, UXTS1, UXTD3, UNC3X, UNCSX, ULDD3, U1TS1, ULDS1, UDLSX, UNLD3	CND3X	14.16	20.89	15.20	7.38	5.92						

COLLOCA	TION - Alabama												Attachment:	4 Exh B		
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC		Nonrec	RATES(\$)	Nonrecurring	Pierrane		Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st		Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'l
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Virtual Collocation - 2-Fiber Cross Connects			UDL12, UDLO3, U1T48, U1T12, U1TO3, ULDO3, ULD12, ULD48, UDF	CNC2F	2.84	20.89	15.20	7.38	5.92	SOWIEC	SUMAN	SOMAN	JOMAN	SOMAN	SOMAN
	Virtual Collocation - 4-Fiber Cross Connects			UDL12, UDLO3, U1T48, U1T12, U1TO3, ULDO3, ULD12, ULD48, UDF	CNC4F	5.69	25.55	19.86	9.71	8.25						
	Virtual Collocation - Co-Carrier Cross Connects/Direct Connect - Fiber Cable Support Structure, per linear foot, per cable			AMTFS	VE1CB	0.0011										
	Virtual Collocation - Co-Carrier Cross Connects/Direct Connect - Copper/Coax Cable Support Structure, per linear foot, per cable			AMTFS UEPSX, UEPSB,	VE1CD	0.0016										
	Virtual Collocation 2-Wire Cross Connect, Port			UEPSE, UEPSP, UEPSR, UEP2C	VE1R2	0.03	12.30	11.80	6.03	5.44						
CFA	Virtual Collocation 4-Wire Cross Connect, Port Virtual Collocation - CFA Information Resend Request, per			UEPDD, UEPEX	VE1R4	0.05	12.39	11.87	6.39	5.73						
Cable	Premises, per Arrangement, per request Records - Note: The rates in the First & Additional columns wi	II actua	lly be l	AMTFS pilled as "Initial I" &	VE1QR "Subsequen	t S" respectivel	77.56 y									
	Virtual Collocation Cable Records - per request Virtual Collocation Cable Records - VG/DS0 Cable, per cable record			AMTFS AMTFS	VE1BA VE1BB		759.29 326.92	488.11	133.00 189.12							
	Virtual Collocaiton Cable Records - VG/DS0 Cable, per each 100 pair			AMTFS	VE1BC		4.81		5.90							
	Virtual Collocation Cable Records - DS1, per T1TIE Virtual Collocation Cable Records - DS3, per T3TIE			AMTFS AMTFS	VE1BD VE1BE		2.25 7.88		2.76 9.66							-
	Virtual Collocation Cable Records - Fiber Cable, per 99 fiber records			AMTFS	VE1BF		84.49		77.13							
Secu	Virtual Collocation Cable Records - CAT 5/RJ45			AMTFS	VE1B5		2.25		2.76					-		-
Secu	Virtual collocation - Security escort, basic time, normally scheduled work hours			AMTFS	SPTBX		16.93	10.73								
	Virtual collocation - Security escort, overtime, outside of normally scheduled work hours on a normal working day Virtual collocation - Security escort, premium time, outside of a			AMTFS	SPTOX		22.05	13.86								
	scheduled work day			AMTFS	SPTPX		27.17	16.98								
Maint	tenance Virtual collocation - Maintenance in CO - Basic, per half hour			AMTFS	CTRLX		27.93	10.73								
	Virtual collocation - Maintenance in CO - Overtime, per half hour			AMTFS	SPTOM		36.47	13.86								
F	Virtual collocation - Maintenance in CO - Premium per half hour			AMTFS	SPTPM		45.02	16.98								
Entra	Ince Cable Virtual Collocation - Cable Installation Charge, per cable			AMTFS	ESPCX	-	859.71		22.49							
COLLOCATIO	Virtual Collocation - Cable Installation Charge, per cable Virtual Collocation - Cable Support Structure, per cable DN IN THE REMOTE SITE			AMTFS	ESPSX	14.97	000.71		22.49							
	ical Remote Site Collocation					1								†		
	Physical Collocation in the Remote Site - Application Fee			CLORS	PE1RA		307.70		168.22							
	Cabinet Space in the Remote Site per Bay/ Rack Physical Collocation in the Remote Site - Security Access - Key			CLORS	PE1RB PE1RD	201.42	13.10									
	Physical Collocation in the Remote Site - Security Access - Rey Physical Collocation in the Remote Site - Space Availability Report per Premises Requested			CLORS	PE1SR		115.87									

JULLUCA!	TION - Alabama												Attachment:	4 Exh B	<u> </u>	
											Svc Order	Svc Order	Incremental	Incremental	Incremental	Incrementa
												Submitted	Charge -	Charge -	Charge -	Charge -
											Elec		Manual Svc		Manual Svc	
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES(\$)				per LSR	Order vs.	Order vs.	Order vs.	Order vs.
JATEOOKI	TATE ELEMENTO	m	20110	500	0000			NAT LO(ψ)			per LSR	per LSR				
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
$\overline{}$						1	Nonrec	urring	Nonrecurring	Disconnect		l l	OSS	Rates(\$)		I
			 			Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
-+-	Physical Collocation in the Remote Site - Remote Site CLLI						FIISL	Auu i	FIISL	Auu i	SOWIEC	JOWAN	JOWAN	JOWAN	SOWAN	JOWAN
	Code Request, per CLLI Code Requested			CLORS	PE1RE		37.56									
-+-	Remote Site DLEC Data (BRSDD), per Compact Disk, per CO			CLORS	PE1RR		233.38									
-+-	Power, DC Power Provisioning (Alabama Only ICB Rate)			CLURS	PEIKK		233.30									
-+-																
	Physical Collocation - Security Escort for Basic Time - normally			01.000	DEADT		40.00	40.70								
	scheduled work, per half hour		-	CLORS	PE1BT		16.93	10.73								
	Physical Collocation - Security Escort for Overtime - outside of															
	normally scheduled working hours on a scheduled work day,															
	per half hour			CLORS	PE1OT		22.05	13.86								
	Physical Collocation - Security Escort for Premium Time -										İ			1	1	
	outside of scheduled work day, per half hour		<u> </u>	CLORS	PE1PT		27.17	16.98						1	1	
Adjac	cent Remote Site Collocation															
	Remote Site-Adjacent Collocation-Application Fee			CLORS	PE1RU		755.62	755.62		-						
													<u> </u>			
	Remote Site-Adjacent Collocation - Real Estate, per square foot	<u></u>	<u></u>	CLORS	PE1RT	0.134			<u> </u>		<u> </u>			<u> </u>	<u> </u>	
	Remote Site-Adjacent Collocation - AC Power, per breaker amp			CLORS	PE1RS	6.27										
NOTE	: If Security Escort and/or Add'l Engineering Fees become nec	essary f	or adja	cent remote site col	location, the	Parties will ne	gotiate approp	riate rates.								
	al Remote Site Collocation		1		,											
	Virtual Collocation in the Remote Site - Application Fee			VE1RS	VE1RB		307.70	307.70	168.22	168.22						
	Virtual Collocation in the Remote Site - Per Bay/Rack of Space			VE1RS	VE1RC	201.42										
-+-	Virtual Collocation in the Remote Site - Space Availability Report			721110	121110	2011.12										
	per Premises requested			VE1RS	VE1RR		115.87	115.87								
	Virtual Collocation in the Remote Site - Remote Site CLLI Code			VEIRO	VETICIO		115.07	110.07								
	Request, per CLLI Code Requested			VE1RS	VE1RL		37.56	37.56								
AD IACENT C	COLLOCATION			VLING	VLIKL		37.30	37.30								
ADJACENT C	Adjacent Collocation - Space Charge per Sq. Ft.			CLOAC	PE1JA	0.14										
			-	CLOAC												
	Adjacent Collocation - Electrical Facility Charge per Linear Ft.			CLUAC	PE1JC	5.41										
			1	LIEANII LIEGUES ::							1			I	I	
				UEANL,UEQ,UEA,U	554.5											
\longrightarrow	Adjacent Collocation - 2-Wire Cross-Connects		ļ		PE1JE	0.02	12.30	11.80	6.03	5.44						
\longrightarrow	Adjacent Collocation - 4-Wire Cross-Connects		ļ		PE1JF	0.04	12.39	11.87	6.39	5.73						
	Adjacent Collocation - DS1 Cross-Connects		<u> </u>	USL	PE1JG	1.03	22.03	15.93	6.40	5.79				1	1	
	Adjacent Collocation - DS3 Cross-Connects			UE3	PE1JH	13.95	20.89	15.20	7.38	5.92						
	Adjacent Collocation - 2-Fiber Cross-Connect			CLOAC	PE1JJ	2.36	20.89	15.20	7.38	5.92						
	Adjacent Collocation - 4-Fiber Cross-Connect			CLOAC	PE1JK	4.52	25.55	19.86	9.71	8.25						
	Adjacent Collocation - Application Fee			CLOAC	PE1JB		1,576.69		0.51							
	Adjacent Collocation - 120V, Single Phase Standby Power Rate															
	per AC Breaker Amp		<u></u>	CLOAC	PE1JL	4.91			<u> </u>		<u> </u>					<u> </u>
	Adjacent Collocation - 240V, Single Phase Standby Power Rate															
	per AC Breaker Amp		1	CLOAC	PE1JM	9.84					1			I	I	
	Adjacent Collocation - 120V, Three Phase Standby Power Rate								1							
	per AC Breaker Amp		1	CLOAC	PE1JN	14.74					1			I	I	
	Adjacent Collocation - 277V, Three Phase Standby Power Rate			-					i							İ
	per AC Breaker Amp			CLOAC	PE1JO	34.06			l							
+-	Adjacent Collocation - DC power provisioning (Alabama Only		t			04.00			† †		1			†	†	1
	Mandate ICB)								l							
Noto	ICB means Individual Case Basis		 						+		 			1	1	1
	IOD IIICAIIS IIIUIVIUUAI CASC DASIS	1	1	1		1								1	1	1

COLLOCATION	ON - Florida			·									Attachment:	4 Exh B	1	
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'l
						Rec	Nonrec		Nonrecurring					Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
PHYSICAL COL																
Applica				01.0	55.5											
	Physical Collocation - Initial Application Fee			CLO	PE1BA		2,785.00		1.20							
	Physical Collocation - Subsequent Application Fee			CLO	PE1CA		2,236.00		1.20							
	Physical Collocation - Co-Carrier Cross Connects/Direct Connect, Application Fee, per application			CLO	PE1DT		564.81									
	Physical Collocation - Power Reconfiguration Only, Application			CLO	PEIDI		304.81									
	Fee			CLO	PE1PR		409.50									
	Physical Collocation Administrative Only - Application Fee			CLO	PE1BL		760.91		1.20							1
	reparation			OLO	ILIDE		700.31		1.20							1
	Physical Collocation - Floor Space, per sq feet	1	!	CLO	PE1PJ	5.28					1				<u> </u>	t
	Physical Collocation - Space Enclosure, welded wire, first 50			020		0.20										
	square feet	l		CLO	PE1BX	171.12									1	
	Physical Collocation - Space enclosure, welded wire, first 100															
	square feet			CLO	PE1BW	189.73										
	Physical Collocation - Space enclosure, welded wire, each															
]	additional 50 square feet			CLO	PE1CW	18.61										
	Physical Collocation - Space Preparation - C.O. Modification per															
	square ft.			CLO	PE1SK	2.38										
	Physical Collocation - Space Preparation, Common Systems															
	Modifications-Cageless, per square foot			CLO	PE1SL	2.50										
	Physical Collocation - Space Preparation - Common Systems															
	Modifications-Caged, per cage			CLO	PE1SM	84.93										
	Physical Collocation - Space Preparation - Firm Order															
	Processing			CLO	PE1SJ		287.36									
	Physical Collocation - Space Availability Report, per Central															
	Office Requested			CLO	PE1SR		572.66									
Power																
	Physical Collocation - Power, -48V DC Power - per Fused Amp			01.0	DE 4DI	7.00										
	Requested Physical Collocation - Power, 120V AC Power, Single Phase,			CLO	PE1PL	7.80										
	physical Collocation - Power, 120V AC Power, Single Phase, per Breaker Amp			CLO	PE1FB	5.26										
	Physical Collocation - Power, 240V AC Power, Single Phase,			CLO	PETFB	5.26										
	per Breaker Amp			CLO	PE1FD	10.53										
	Physical Collocation - Power, 120V AC Power, Three Phase, per			CLO	FLIID	10.55					1					
	Breaker Amp			CLO	PE1FE	15.80										
	Physical Collocation - Power, 277V AC Power, Three Phase, per			OLO		10.00										1
	Breaker Amp			CLO	PE1FG	36.47										
	Physical Collocation - Power - DC power, per Used Amp			CLO	PE1FN	10.69										
	onnects (Cross Connects, Co-Carrier Cross Connects, and P	orts)														
	· · · · · · · · · · · · · · · · · · ·			UEANL,UEQ,UNCN												
		l		X, UEA, UCL, UAL,											1	
	Physical Collocation - 2-wire cross-connect, loop, provisioning	l		UHL, UDN, UNCVX	PE1P2	0.0208	7.32	5.37	4.58	2.71					1	
				UEA, UHL, UNCVX,		İ										
	Physical Collocation - 4-wire cross-connect, loop, provisioning			UNCDX, UCL, UDL	PE1P4	0.0416	8.00	5.75	5.00	2.69						
				WDS1L, WDS1S, UXTD1, ULDD1, USLEL, UNLD1, U1TD1, UNC1X, UEPSR, UEPSB,												
	Physical Collocation -DS1 Cross-Connect for Physical	l		UEPSE, UEPSP, USL, UEPEX,											1	
	Physical Collocation -DS1 Cross-Connect for Physical Collocation, provisioning	l		USL, UEPEX, UEPDX	PE1P1	0.3786	7.88	6.25	1.35	0.9899					1	
	oonocation, provisioning	L	<u> </u>	OLI DA	p with	0.3700	1.00	0.23	1.33	0.5099	ı	l		l .	1	<u> </u>

COLLOC	ATION - Florida												Attachment:			
											Svc Order Submitted Elec	Svc Order Submitted Manually	Incremental Charge - Manual Svc		Charge -	Incremental Charge - Manual Svc
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs. Electronic- 1st	Order vs. Electronic- Add'l	Order vs. Electronic- Disc 1st	Order vs. Electronic- Disc Add'l
			1				Nonred	curring	Nonrecurring	Disconnect			oss	Rates(\$)	l	
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
				UE3, U1TD3, UXTD3, UXTS1, UNC3X, UNCSX, ULDD3, U1TS1, ULDS1, UNLD3,												
	Physical Collocation - DS3 Cross-Connect, provisioning			UEPEX, UEPDX, UEPSR, UEPSB, UEPSE, UEPSP	PE1P3	4.16	32.40	31.03	11.15	10.98						
	Physical Collocation - 2-Fiber Cross-Connect			CLO, ULDO3, ULD12, ULD48, U1TO3, U1T12, U1T48, UDLO3, UDL12, UDF	PE1F2	1.71	28.26	25.85	13.78	11.01						
				ULDO3, ULD12, ULD48, U1TO3, U1T12, U1T48, UDLO3, UDL12,												
	Physical Collocation - 4-Fiber Cross-Connect			UDF, UDFCX	PE1F4	3.34	37.92	35.51	18.20	15.44						
	Physical Collocation - Co-Carrier Cross Connects/Direct Connect - Fiber Cable Support Structure, per linear foot, per cable.			CLO	PE1ES	0.0008										
	Physical Collocation - Co-Carrier Cross Connect/Direct Connect	-														
	Copper/Coax Cable Support Structure, per linear foot, per cable.			CLO	PE1DS	0.0012										
	Physical Collocation 2-Wire Cross Connect, Port			UEPSR, UEPSP, UEPSE, UEPSB, UEPSX, UEP2C	PE1R2	0.0208	7.32	5.37	4.58	2.71						
	Physical Collocation 4-Wire Cross Connect, Port			UEPEX, UEPDD	PE1R4	0.0416	8.00	5.75	5.00	2.69						
Sec	urity															
	Physical Collocation - Security Escort for Basic Time - normally scheduled work, per half hour Physical Collocation - Security Escort for Overtime - outside of			CLO	PE1BT		33.65	22.05								
	normally scheduled working hours on a scheduled work day, per half hour			CLO	PE1OT		44.63	28.89								
	Physical Collocation - Security Escort for Premium Time - outside of scheduled work day, per half hour			CLO	PE1PT		55.62	35.73								
	Physical Collocation - Security Access System - Security System per Central Office, per Sq. Ft.	n		CLO	PE1AY	0.0101	55.62	35.73								
	Physical Collocation -Security Access System - New Card Activation, per Card Activation (First), per State			CLO	PE1A1		38.95									
	Physical Collocation-Security Access System-Administrative Change, existing Access Card, per Request, per State, per Card			CLO	PE1AA		8.84									
	Physical Collocation - Security Access System - Replace Lost or Stolen Card, per Card Physical Collocation - Security Access - Initial Key, per Key			CLO CLO	PE1AR PE1AK		28.78 23.28									
	Physical Collocation - Security Access - Key, Replace Lost or Stolen Key, per Key			CLO	PE1AL		23.28									
CFA	Physical Collocation - CFA Information Resend Request, per			CLO	PE1C9		79.52									
Cah	premises, per arrangement, per request ble Records - Note: The rates in the First & Additional columns w	ill actus	lly he			ent S" respectiv										
Can	Physical Collocation - Cable Records, per request	actua	y De l	CLO	PE1CR	o respectiv		S 973.64	256.35							
	Physical Collocation, Cable Records, VG/DS0 Cable, per cable record (maximum 3600 records)			CLO	PE1CD		646.84		362.41							
	Physical Collocation, Cable Records, VG/DS0 Cable, per each 100 pair Physical Collocation, Cable Records, DS1, per T1 TIE			CLO CLO	PE1CO PE1C1		9.11 4.52		10.80 5.35							
	Physical Collocation, Cable Records, DS1, per 11 TIE Physical Collocation, Cable Records, DS3, per T3 TIE	+	 	CLO	PE1C1		15.81		18.73					1	 	1

COLLOCAT	ION - Florida												Attachment:	4 Exh B	_	_
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Charge -	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'I
			1			Rec	Nonrec		Nonrecurring		COMEC	COMAN	SOMAN	Rates(\$)	COMAN	SOMAN
	Physical Collocation - Cable Records, Fiber Cable, per cable		<u> </u>				First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	record (maximum 99 records)			CLO	PE1CB		169.96		149.97							
	Physical Collocation, Cable Records,CAT5/RJ45			CLO	PE1C5		4.52		5.35							
Virtua	I to Physical			020	. 2.00				0.00							
	Physical Collocation - Virtual to Physical Collocation Relocation,														1	
ı İ	per Voice Grade Circuit			CLO	PE1BV		33.00									
	Physical Collocation - Virtual to Physical Collocation Relocation,															
	per DSO Circuit			CLO	PE1BO		33.00									
	Physical Collocation - Virtual to Physical Collocation Relocation,															
	per DS1 Circuit			CLO	PE1B1		52.00									
	Physical Collocation - Virtual to Physical Collocation Relocation,															
	per DS3 Circuit			CLO	PE1B3		52.00									
	Physical Collocation - Virtual to Physical Collocation In-Place,		1	CLO	PE1BR]	22.51							1	I	1
	Per Voice Grade Circuit		1	CLO	PE1BR		22.51								-	
	Physical Collocation Virtual to Physical Collocation In-Place, Per DSO Circuit			CLO	PE1BP		22.51									
	Physical Collocation - Virtual to Physical Collocation In-Place,		1	CLO	PEIDP		22.31									
	Per DS1 Circuit			CLO	PE1BS		32.73									
-	Physical Collocation - Virtual to Physical Collocation In-Place,		1	CLO	I LIBO		32.73		1							
	per DS3 Circuit			CLO	PE1BE		32.73									
Entrar	nce Cable			020			02.70									
	Physical Collocation - Fiber Cable Support Structure, per															
	Entrance Cable			CLO	PE1PM	5.19										
	Physical Collocation - Fiber Entrance Cable per Cable (CO															
	manhole to vault splice)			CLO	PE1EC		994.12		43.84							
	Physical Collocation - Fiber Entrance Cable Installation, per															
	Fiber			CLO	PE1ED		7.43									
VIRTUAL COL																
Applic																
	Virtual Collocation - Application Fee			AMTFS	EAF		1,241.00		1.20							
	Virtual Collocation - Co-Carrier Cross Connects/Direct Connect, Application Fee, per application			AMTFS	VE1CA		564.81									
	Virtual Collocation Administrative Only - Application Fee			AMTFS	VE1CA VE1AF		760.91		1.20							
Snace	Preparation			AWITTS	VLIAI		700.91		1.20							
Орисс	Virtual Collocation - Floor Space, per sq. ft.			AMTFS	ESPVX	5.28										
Power				7.11111	20. 17.	0.20									1	
	Virtual Collocation - Power, per fused amp			AMTFS	ESPAX	6.95										
	Virtual Collocation - Power, DC power, per Used Amp			AMTFS	VE1PF	10.69										
Cross	Connects (Cross Connects, Co-Carrier Cross Connects, and P	orts)														
	Virtual Collocation - 2-wire cross-connect, loop, provisioning			UEANL, UEA, UDN, UAL, UHL, UCL, UEQ, UNCVX, UNCDX, UNCNX	UEAC2	0.0201	7.32	5.37	4.58	2.71						
	garage and a same and a			UEA, UHL, UCL,	1	5.5251		3.51		2.71				1	1	1
			1	UDL, UNCVX,]								1	I	
	Virtual Collocation - 4-wire cross-connect, loop, provisioning			UNCDX	UEAC4	0.0403	8.00	5.75	5.00	2.69					1	
	Virtual collocation - Special Access & UNE, cross-connect per DS1			ULR, UXTD1, UNC1X, ULDD1, U1TD1, USLEL, UNLD1, USL, UEPEX, UEPDX	CNC1X	0.3786	7.88	6.26	1.35	0.9915						
	Virtual collocation - Special Access & UNE, cross-connect per DS3			USL, UE3, U1TD3, UXTS1, UXTD3, UNC3X, UNCSX, ULDD3, U1TS1, ULDS1, UDLSX, UNLD3	CND3X	4.16	32.40	31.03	11.15	10.98						

													Attachment:	4 EXII D		
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC		Nonrec	RATES(\$)	Nonrecurring	Disconnect			Incremental Charge - Manual Svc Order vs. Electronic- 1st		Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
+-			-			Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Virtual Collocation - 2-Fiber Cross Connects			UDL12, UDLO3, U1T48, U1T12, U1TO3, ULDO3, ULD12, ULD48, UDF	CNC2F	1.75	28.26	25.85	13.78	11.01	SOMES	COMPAN	JOMAN	COMPAN	COMPAN	COMAN
	Virtual Collocation - 4-Fiber Cross Connects			UDL12, UDLO3, U1T48, U1T12, U1TO3, ULDO3, ULD12, ULD48, UDF	CNC4F	3.50	37.92	35.51	18.20	15.44						
	Virtual Collocation - Co-Carrier Cross Connects/Direct Connect - Fiber Cable Support Structure, per linear foot, per cable			AMTFS	VE1CB	0.0008										
	Virtual Collocation - Co-Carrier Cross Connects/Direct Connect - Copper/Coax Cable Support Structure, per linear foot, per cable			AMTFS UEPSX, UEPSB,	VE1CD	0.0012										
	Virtual Collocation 2-Wire Cross Connect, Port			UEPSE, UEPSP, UEPSR, UEP2C	VE1R2	0.0201	7.32	5.37	4.58	2.71						
CFA	Virtual Collocation 4-Wire Cross Connect, Port			UEPDD, UEPEX	VE1R4	0.0403	8.00	5.75	5.00	2.69						
Cable	Virtual Collocation - CFA Information Resend Request, per Premises, per Arrangement, per request Records - Note: The rates in the First & Additional columns with	II actus	lly bo L	AMTFS	VE1QR	t S" respectively	79.52									
Cable	Virtual Collocation Cable Records - per request	ii actua	liy be t	AMTFS	VE1BA	i 3 respectivel	1,515.00	973.64	256.35							
	Virtual Collocation Cable Records - VG/DS0 Cable, per cable record			AMTFS	VE1BB		646.84	373.04	362.41							
\bot	Virtual Collocation Cable Records - VG/DS0 Cable, per each 100 pair Virtual Collocation Cable Records - DS1, per T1TIE			AMTFS AMTFS	VE1BC VE1BD		9.11 4.52		10.80 5.35							
	Virtual Collocation Cable Records - DS3, per T3TIE			AMTFS	VE1BE		15.81		18.73							
	Virtual Collocation Cable Records - Fiber Cable, per 99 fiber records Virtual Collocation Cable Records - CAT 5/RJ45			AMTFS AMTFS	VE1BF VE1B5		169.96 4.52		149.97 5.35							
Secur				AWITTO	VE 1B3		4.52		5.55							
Occur	Virtual collocation - Security escort, basic time, normally scheduled work hours			AMTFS	SPTBX		33.65	22.05								
	Virtual collocation - Security escort, overtime, outside of normally scheduled work hours on a normal working day Virtual collocation - Security escort, premium time, outside of a			AMTFS	SPTOX		44.63	28.89								
Maint	scheduled work day			AMTFS	SPTPX		55.62	35.73								
IWIAIIIL	Virtual collocation - Maintenance in CO - Basic, per half hour			AMTFS	CTRLX		54.05	22.05								
	Virtual collocation - Maintenance in CO - Overtime, per half hour			AMTFS	SPTOM		72.18	28.89								
Entra	Virtual collocation - Maintenance in CO - Premium per half hour nce Cable			AMTFS	SPTPM		90.31	35.73								
Litta	Virtual Collocation - Cable Installation Charge, per cable			AMTFS	ESPCX		1,473.00		43.84					-	-	1
-+	Virtual Collocation - Cable Installation Charge, per cable Virtual Collocation - Cable Support Structure, per cable			AMTFS	ESPSX	4.54	1,-17 3.00		70.04							
COLLOCATIO	ON IN THE REMOTE SITE			,	251 5/	4.54										
	cal Remote Site Collocation															
	Physical Collocation in the Remote Site - Application Fee			CLORS	PE1RA		612.23		270.35							
	Cabinet Space in the Remote Site per Bay/ Rack			CLORS	PE1RB	154.59										
	Physical Collocation in the Remote Site - Security Access - Key Physical Collocation in the Remote Site - Space Availability			CLORS	PE1RD		23.28									

COLLOCAT	TION - Florida												Attachment:	4 Exh B		<u> </u>
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES(\$)				Submitted Manually	Incremental Charge - Manual Svc Order vs.	Charge -	Charge -	Incrementa Charge - Manual Sv Order vs.
		m										p = 5	Electronic-	Electronic-	Electronic- Disc 1st	Electronic-
-							Nonrec		I Namanaaaaa	Dianamant			220	Rates(\$)		<u> </u>
						Rec	First	Add'l	Nonrecurring First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Physical Collocation in the Remote Site - Remote Site CLLI						FIISL	Add I	FIISL	Auu i	SOIVIEC	SUMAN	SUMAN	SOWAN	SOWAN	SOWAN
	Code Request, per CLLI Code Requested			CLORS	PE1RE		73.39									
	Remote Site DLEC Data (BRSDD), per Compact Disk, per CO			CLORS	PE1RR		208.02									1
	Physical Collocation - Security Escort for Basic Time - normally															
	scheduled work, per half hour			CLORS	PE1BT		33.65	22.05								
	Physical Collocation - Security Escort for Overtime - outside of															
	normally scheduled working hours on a scheduled work day, per half hour			CLORS	PE1OT		44.63	28.89								
	Physical Collocation - Security Escort for Premium Time -															
	outside of scheduled work day, per half hour			CLORS	PE1PT		55.62	35.73								
Adjad	cent Remote Site Collocation															
	Remote Site-Adjacent Collocation-Application Fee			CLORS	PE1RU		755.62	755.62								
	Remote Site-Adjacent Collocation - Real Estate, per square foot			CLORS	PE1RT	0.134										
	Remote Site-Adjacent Collocation - AC Power, per breaker amp			CLORS	PE1RS	6.27										
	E: If Security Escort and/or Add'I Engineering Fees become nec	essary	for adja	acent remote site col	location, the	Parties will ne	gotiate approp	riate rates.								
Virtua	al Remote Site Collocation															
	Virtual Collocation in the Remote Site - Application Fee			VE1RS	VE1RB		612.23		270.35							
	Virtual Collocation in the Remote Site - Per Bay/Rack of Space			VE1RS	VE1RC	154.59										
	Virtual Collocation in the Remote Site - Space Availability Report per Premises requested			VE1RS	VE1RR		223.91									
	Virtual Collocation in the Remote Site - Remote Site CLLI Code Request, per CLLI Code Requested			VE1RS	VE1RL		73.39									
ADJACENT C	COLLOCATION															
	Adjacent Collocation - Space Charge per Sq. Ft.			CLOAC	PE1JA	0.1666										
	Adjacent Collocation - Electrical Facility Charge per Linear Ft.			CLOAC	PE1JC	4.62										
				UEANL,UEQ,UEA,U												
	Adjacent Collocation - 2-Wire Cross-Connects Adjacent Collocation - 4-Wire Cross-Connects	-	 	CL, UAL, UHL, UDN UEA,UHL,UDL,UCL	PE1JE PE1JF	0.0194 0.0388	7.32 8.00	5.37 5.75	4.58 5.00	2.71 2.69				 	1	
	Adjacent Collocation - 4-Wire Cross-Connects Adjacent Collocation - DS1 Cross-Connects	 	 	USL	PE1JF PE1JG	0.0388	7.88	6.26	1.35	0.9915					1	
	Adjacent Collocation - DS1 Cross-Connects	 	!	UE3	PE1JH	4.14	32.40	31.03	11.15	10.98				t	1	
	Adjacent Collocation - 2-Fiber Cross-Connect	1	1	CLOAC	PE1JJ	1.70	28.26	25.85	13.78	11.01				-		†
	Adjacent Collocation - 4-Fiber Cross-Connect		 	CLOAC	PE1JK	3.33	37.92	35.51	18.20	15.44				1		†
1	Adjacent Collocation - Application Fee		1	CLOAC	PE1JB	3.50	2,763.00	55.51	1.02	.0.14				1		1
	Adjacent Collocation - 120V, Single Phase Standby Power Rate				-		,		 					İ		
	per AC Breaker Amp	1	1	CLOAC	PE1JL	5.26]					1		
	Adjacent Collocation - 240V, Single Phase Standby Power Rate per AC Breaker Amp			CLOAC	PE1JM	10.53										
	Adjacent Collocation - 120V, Three Phase Standby Power Rate per AC Breaker Amp			CLOAC	PE1JN	15.80		_		_						
	Adjacent Collocation - 277V, Three Phase Standby Power Rate per AC Breaker Amp			CLOAC	PE1JO	36.47										
	Adjacent Collocation - Cable Support Structure per Entrance Cable			CLOAC	PE1JP	5.19										
1	Rates displaying an "I" in Interim column are interim as a resu					5.10										

COLLOC	CATION - Georgia												Attachment:	4 Fxh B		
302200	J. T. G. G. G. G. G. G. G. G. G. G. G. G. G.										Svc Order	Svc Order		Incremental	Incremental	Incremental
											Submitted	Submitted		Charge -	Charge -	Charge -
		1									Elec	Manually		Manual Svc		Manual Svc
CATEGOR	RY RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m						- (.,			per LSK	per LOK	Electronic-	Electronic-	Electronic-	Electronic-
														Add'l	Disc 1st	Disc Add'l
													1st	Addi	DISC 1St	DISC Add 1
						В	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
PHYSICAL	L COLLOCATION															
Aŗ	pplication															
	Physical Collocation - Initial Application Fee			CLO	PE1BA		1,285.98		0.59							
	Physical Collocation - Subsequent Application Fee			CLO	PE1CA		1,085.48		0.59							
	Physical Collocation - Co-Carrier Cross Connects/Direct															
	Connect, Application Fee, per application			CLO	PE1DT		583.18									
	Physical Collocation Administrative Only - Application Fee			CLO	PE1BL		740.83									
	Physical Collocation - Application Cost, Simple Augment			CLO	PE1KS		594.05		1.21							
	Physical Collocation - Application Cost, Minor Augment			CLO	PE1KM		832.95		1.21							
$\perp \perp \perp$	Physical Collocation - Application Cost, Intermediate Augment	1		CLO	PE1K1		1,057.00		1.21		<u> </u>					
	Physical Collocation - Application Cost - Major Augment			CLO	PE1KJ		2,408.00		1.21							
Sp	pace Preparation		ļ	01.0	DE 10 :	ļ			1							
\vdash	Physical Collocation - Floor Space, per sq feet		ļ	CLO	PE1PJ	4.52										
	Physical Collocation - Space Enclosure, welded wire, first 50			0.0	DE 401/											
\perp	square feet	1		CLO	PE1BX	144.71										
	Physical Collocation - Space enclosure, welded wire, first 100															
	square feet			CLO	PE1BW	160.45										
	Physical Collocation - Space enclosure, welded wire, each															
	additional 50 square feet			CLO	PE1CW	15.74										
	Physical Collocation - Space Preparation - C.O. Modification per			0.0	551011											
	square ft.			CLO	PE1SK	2.01										
	Physical Collocation - Space Preparation, Common Systems			010	DE4CI	2.22										
\vdash	Modifications-Cageless, per square foot			CLO	PE1SL	2.23										
	Physical Collocation - Space Preparation - Common Systems			CLO	DE 4014	75.04										
\vdash	Modifications-Caged, per cage Physical Collocation - Space Preparation - Firm Order			CLO	PE1SM	75.61										
	Processing			CLO	PE1SJ		141.10									
\vdash	Physical Collocation - Space Availability Report, per Central	+		CLO	PETOJ		141.10									
	Office Requested			CLO	PE1SR		248.75									
D,	ower	+		CLO	PEISK		240.75				1					
1	Physical Collocation - Power, -48V DC Power - per Fused Amp	+									1					
	Requested			CLO	PE1PL	4.78										
	Physical Collocation - Power, 120V AC Power, Single Phase,			CLO		4.70			1		1					
	per Breaker Amp			CLO	PE1FB	5.14										
+	Physical Collocation - Power, 240V AC Power, Single Phase,	1	!	010	12110	5.14										
	per Breaker Amp			CLO	PE1FD	10.30										
\vdash	Physical Collocation - Power, 120V AC Power, Three Phase, pe		1			10.00					1					
	Breaker Amp			CLO	PE1FE	15.44										
	Physical Collocation - Power, 277V AC Power, Three Phase, pe		1		1 -:: -	.0										
	Breaker Amp			CLO	PE1FG	35.65										
Cr	ross Connects (Cross Connects, Co-Carrier Cross Connects, and	Ports)	İ	-		22.00			1							
T	,, ,	Τ,	i -	UEANL,UEQ,												
				UNCNX, UEA, UCL,												
				UAL, UHL, UDN,												
	Physical Collocation - 2-wire cross-connect, loop, provisioning			UNCVX	PE1P2	0.0197										
				UEA, UHL, UNCVX,												
	Physical Collocation - 4-wire cross-connect, loop, provisioning			UNCDX, UCL, UDL	PE1P4	0.0393										
	1,1,1,1,1	1	1	WDS1L, WDS1S,							Ì					
				UXTD1, ULDD1,												
				USLEL, UNLD1,												
				U1TD1, UNC1X,												
				UEPSR, UEPSB,												
				UEPSE, UEPSP,												
	Physical Collocation -DS1 Cross-Connect for Physical			USL, UEPEX,												
	Collocation, provisioning	1	1	UEPDX	PE1P1	0.3726			1		1	I	l	ı	ı	l

COLLOCA	TION - Georgia												Attachment:			
CATEGORY		Interi m	Zone	BCS	usoc			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
-							Name		l Name and a committee of	. Diazana ast						
					1	Rec	Nonred First	curring Add'l	Nonrecurring First	Disconnect Add'l	SOMEC	SOMAN	SOMAN	Rates(\$) SOMAN	SOMAN	SOMAN
				UE3, U1TD3,			FIRST	Add I	FIRST	Addi	SOWIEC	SUMAN	SUMAN	SOWAN	SUMAN	SUMAN
				UXTD3, UXTS1, UNC3X, UNCSX, ULDD3, U1TS1, ULDS1, UNLD3, UEPEX, UEPDX, UEPSR, UEPSB,												
	Physical Collocation - DS3 Cross-Connect, provisioning			UEPSE, UEPSP	PE1P3	4.06										
	Physical Collocation - 2-Fiber Cross-Connect			CLO, ULDO3, ULD12, ULD48, U1T03, U1T12, U1T48, UDL03, UDL12, UDF ULD03, ULD12, ULD48, U1T03, U1T12, U1T48,	PE1F2	1.72										
	Floring Oilleasting A Films Ones Organia			UDLO3, UDL12,	DE4E4	0.00										
-	Physical Collocation - 4-Fiber Cross-Connect Physical Collocation - Co-Carrier Cross Connects/Direct			UDF, UDFCX	PE1F4	3.30			-							
	Connect - Fiber Cable Support Structure, per linear foot, per															
	cable.			CLO	PE1ES	0.001										
	Physical Collocation - Co-Carrier Cross Connect/Direct Connect -															
	Copper/Coax Cable Support Structure, per linear foot, per															
	cable.			CLO	PE1DS	0.0015										
				UEPSR, UEPSP, UEPSE, UEPSB,												
	Physical Collocation 2-Wire Cross Connect, Port			UEPSX, UEP2C	PE1R2	0.0197										
Secu	Physical Collocation 4-Wire Cross Connect, Port			UEPEX, UEPDD	PE1R4	0.0393			-							
Ject	Physical Collocation - Security Escort for Basic Time - normally				-											
	scheduled work, per half hour			CLO	PE1BT		16.52	10.83								
	Physical Collocation - Security Escort for Overtime - outside of normally scheduled working hours on a scheduled work day, per half hour			CLO	PE1OT		21.92	14.19								
	Physical Collocation - Security Escort for Premium Time -			CLO	FLIOI		21.92	14.15								
	outside of scheduled work day, per half hour	L		CLO	PE1PT		27.31	17.55	<u> </u>						<u> </u>	<u> </u>
	Physical Collocation - Security Access System - Security System per Central Office, per Sq. Ft.			CLO	PE1AY	0.0106								_		
	Physical Collocation -Security Access System - New Card															
	Activation, per Card Activation (First), per State			CLO	PE1A1		22.00		ļ							
	Physical Collocation - Security Access System - New Access Card Deactivation, per Card			CLO	PE1A4		8.72	8.72								
	Physical Collocation-Security Access System-Administrative Change, existing Access Card, per Request, per State, per Card			CLO	PE1AA		5.38									
	Physical Collocation - Security Access System - Replace Lost or							· · · · · ·		· · · · · ·						
	Stolen Card, per Card			CLO	PE1AR		17.01				1					
	Physical Collocation - Security Access - Initial Key, per Key Physical Collocation - Security Access - Key, Replace Lost or			CLO	PE1AK		13.20									
	Stolen Key, per Key			CLO	PE1AL		13.20									
CFA							10.20									
	Physical Collocation - CFA Information Resend Request, per premises, per arrangement, per request			CLO	PE1C9		77.42									
Cab	e Records - Note: The rates in the First & Additional columns wi	II actua	lly be l		nd "Subseque	ent S" respectiv	vely		1							
	Physical Collocation - Cable Records, per request		Ĺ	CLO	PE1CR		I 743.65	S 478.06	125.75							
	Physical Collocation, Cable Records, VG/DS0 Cable, per cable record (maximum 3600 records)			CLO	PE1CD		317.60		177.77							
	Physical Collocation, Cable Records, VG/DS0 Cable, per each 100 pair			CLO	PE1CO		4.48		5.30					_		

COLLOCAT	ION - Georgia			·					<u> </u>				Attachment:	4 Exh B		
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Svc Order Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'I
						Rec	Nonrec		Nonrecurring		L			Rates(\$)		
				0.0	55101		First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Physical Collocation, Cable Records, DS1, per T1 TIE			CLO	PE1C1		2.22		2.63							
	Physical Collocation, Cable Records, DS3, per T3 TIE			CLO	PE1C3		7.76		9.19							
	Physical Collocation - Cable Records, Fiber Cable, per cable			CLO	PE1CB		00.45		73.57							
\vdash	record (maximum 99 records) Physical Collocation, Cable Records, CAT5/RJ45			CLO	PE1CB PE1C5		83.45 2.22		2.63		+					
Virtua	I to Physical			CLO	PETCS		2.22		2.03		+					
Virtua	Physical Collocation - Virtual to Physical Collocation Relocation,															
	per Voice Grade Circuit			CLO	PE1BV		33.00									
	Physical Collocation - Virtual to Physical Collocation Relocation,			OLO	1 2100		00.00									
	per DSO Circuit			CLO	PE1BO		33.00									
	Physical Collocation - Virtual to Physical Collocation Relocation,				1											
	per DS1 Circuit			CLO	PE1B1		52.00									
	Physical Collocation - Virtual to Physical Collocation Relocation,															
	per DS3 Circuit			CLO	PE1B3		52.00									
	Physical Collocation - Virtual to Physical Collocation In-Place,															
	Per Voice Grade Circuit			CLO	PE1BR		22.59									
	Physical Collocation Virtual to Physical Collocation In-Place, Per															
	DSO Circuit			CLO	PE1BP		22.59									
	Physical Collocation - Virtual to Physical Collocation In-Place,															
	Per DS1 Circuit			CLO	PE1BS		32.85									
	Physical Collocation - Virtual to Physical Collocation In-Place,			0.0	DE 4 DE											
Fotos	per DS3 Circuit			CLO	PE1BE		32.85									
Entrai	Physical Collocation - Fiber Cable Installation, Pricing, non-										+					
	recurring charge, per Entrance Cable			CLO	PE1BD		736.93		21.51							
	Physical Collocation - Fiber Cable Support Structure, per			CLO	PEIDU		730.93		21.31		1					
	Entrance Cable			CLO	PE1PM	7.21										
	Physical Collocation, Entrance Cable Support Structure,			OLO	I E II IVI	7.21					+					
	Copper, per each 100 pairs or fraction thereof (CO Manhole to															
	Collocation Space)			CLO	PE1EE	0.2629										
	Physical Collocation, Entrance Cable Installation, Copper, per					0.202										
	Cable (CO Manhole to Collocation Space)			CLO	PE1EF		755.15		21.51							
	Physical Collocation, Entrance Cable Installation, Copper, per															
	each 100 pairs or fraction thereof (CO Manhole to Collocation															
	Space)			CLO	PE1EG		9.12									
	Physical Collocation - Fiber Entrance Cable Installation, per															
	Fiber			CLO	PE1ED		3.90									
VIRTUAL COL																
Applic									0.50							
\vdash	Virtual Collocation - Application Fee			AMTFS	EAF	 	609.52		0.59		1			1	1	
1 1	Virtual Collocation - Co-Carrier Cross Connects/Direct Connect,			AMTFS	VE1CA		E02 40									
\vdash	Application Fee, per application Virtual Collocation Administrative Only - Application Fee			AMTES	VE1CA VE1AF	 	583.18 609.52		+ -		 					
Space	Preparation Administrative Only - Application Fee Preparation	-		AWITO	VEIAF	 	υυ9.52		1		1					
эрасе	Virtual Collocation - Floor Space, per sq. ft.			AMTFS	ESPVX	4.52			1		1			1	1	
Powe		 		, uviii O	LOI VA	4.52			1		1					
1 OWE	Virtual Collocation - Power, per fused amp			AMTFS	ESPAX	4.78			1 1		<u> </u>					
Cross	Connects (Cross Connects, Co-Carrier Cross Connects, and P	orts)			-3						1					
3.000		,		UEANL, UEA, UDN,	1											
1 1				UAL, UHL, UCL,												
1 1				UEQ, UNCVX,												
	Virtual Collocation - 2-wire cross-connect, loop, provisioning			UNCDX, UNCNX	UEAC2	0.0188										
				UEA, UHL, UCL,		ĺ										
1 1				UDL, UNCVX,							1					
	Virtual Collocation - 4-wire cross-connect, loop, provisioning			UNCDX	UEAC4	0.0375			1		1	1				ĺ

COLLOCAT	ION - Georgia												Attachment:			
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)			Svc Order Submitted Elec per LSR	Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Charge -	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l
						_ 1	Nonrec	curring	Nonrecurring	Disconnect			oss	Rates(\$)		ı
			1			Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Virtual collocation - Special Access & UNE, cross-connect per DS1			ULR, UXTD1, UNC1X, ULDD1, U1TD1, USLEL, UNLD1, USL, UEPEX, UEPDX USL, UE3, U1TD3,	CNC1X	0.3726										
	Virtual collocation - Special Access & UNE, cross-connect per DS3			UXTS1, UXTD3, UNC3X, UNCSX, ULDD3, U1TS1, ULDS1, UDLSX, UNLD3	CND3X	4.06										
	Virtual Collocation - 2-Fiber Cross Connects			UDL12, UDLO3, U1T48, U1T12, U1TO3, ULDO3, ULD12, ULD48, UDF	CNC2F	1.73										
	Virtual Collocation - 4-Fiber Cross Connects			UDL12, UDLO3, U1T48, U1T12, U1TO3, ULDO3, ULD12, ULD48, UDF	CNC4F	3.45										
	Virtual Collocation - Co-Carrier Cross Connects/Direct Connect - Fiber Cable Support Structure, per linear foot, per cable			AMTFS	VE1CB	0.001										
	Virtual Collocation - Co-Carrier Cross Connects/Direct Connect - Copper/Coax Cable Support Structure, per linear foot, per cable			AMTFS UEPSX, UEPSB,	VE1CD	0.0015										
	Virtual Collocation 2-Wire Cross Connect, Port			UEPSE, UEPSP, UEPSR, UEP2C	VE1R2	0.0188										
	Virtual Collocation 4-Wire Cross Connect, Port			UEPDD, UEPEX	VE1R4	0.0375										
CFA																
	Virtual Collocation - CFA Information Resend Request, per Premises, per Arrangement, per request			AMTFS	VE1QR		77.42									
Cable	Records - Note: The rates in the First & Additional columns with the College College College College College College College College College College College College College College College College College College College	III actua	illy be i			t S" respectivel		478.06	405.75							
	Virtual Collocation Cable Records - per request Virtual Collocation Cable Records - VG/DS0 Cable, per cable record			AMTFS AMTFS	VE1BA VE1BB		743.65 317.60	478.06	125.75 177.77							
	Virtual Collocation Cable Records - VG/DS0 Cable, per each 100 pair			AMTFS	VE1BC		4.48		5.30							
	Virtual Collocation Cable Records - DS1, per T1TIE			AMTFS	VE1BD		2.22		2.63							
	Virtual Collocation Cable Records - DS3, per T3TIE	ļ	<u> </u>	AMTFS	VE1BE		7.76		9.19					ļ	ļ	
	Virtual Collocation Cable Records - Fiber Cable, per 99 fiber records			AMTFS	VE1BF		83.45		73.57							
Securi	Virtual Collocation Cable Records - CAT 5/RJ45	<u> </u>	!	AMTFS	VE1B5		2.22		2.63		1				-	
Secur	ty Virtual collocation - Security escort, basic time, normally scheduled work hours			AMTFS	SPTBX		16.52	10.83								
	Virtual collocation - Security escort, overtime, outside of normally scheduled work hours on a normal working day			AMTFS	SPTOX		21.92	14.19								
Maint	Virtual collocation - Security escort, premium time, outside of a scheduled work day			AMTFS	SPTPX		27.31	17.55								
iviainte	Virtual collocation - Maintenance in CO - Basic, per half hour	 	 	AMTFS	CTRLX		26.54	10.83	-						-	
	Virtual collocation - Maintenance in CO - Basic, per half hour			AMTFS	SPTOM		35.44	14.19								
	Virtual collocation - Maintenance in CO - Premium per half hour			AMTFS	SPTPM		44.34	17.55								
Entrar	ice Cable															

COLLOCAT	ION - Georgia												Attachment:	4 Exh B		
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Submitted	Incremental Charge -		Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Virtual Collocation - Cable Installation Charge, per cable			AMTFS	ESPCX		736.93		21.51							
	Virtual Collocation - Cable Support Structure, per cable			AMTFS	ESPSX	7.57										
	Virtual Collocation, Entrance Cable Support Structure, Copper, per each 100 pairs or fraction thereof (CO Manhole to Frame)			AMTFS	VE1EE	0.23										
	Virtual Collocation, Entrance Cable Installation, Copper, per															
	Cable (CO Manhole to Frame)			AMTFS	VE1EF		755.15		21.51							
	Virtual Collocation, Entrance Cable Installation, Copper, per each 100 pairs or fraction thereof (CO Manhole to Frame)			AMTFS	VE1EG		9.12									
COLLOCATIO	N IN THE REMOTE SITE			AIVIIFS	VETEG	-	9.12									
	al Remote Site Collocation	1			 	 					 			1	 	
Pnysic	Physical Collocation in the Remote Site - Application Fee	1		CLORS	PE1RA	 	300.61		132.62		 			1	 	
	Cabinet Space in the Remote Site per Bay/ Rack	1		CLORS	PE1RB	143.23	300.61		132.02		1				1	1
 	Cabinot Opace in the Nemote Oile per bay/ Nack	 		OLONO	LLIND	145.23					 			1	t	t
	Physical Collocation in the Remote Site - Security Access - Key Physical Collocation in the Remote Site - Space Availability			CLORS	PE1RD		13.20									
	Report per Premises Requested			CLORS	PE1SR		109.94									
	Physical Collocation in the Remote Site - Remote Site CLLI			01.000	DEADE		00.04									
	Code Request, per CLLI Code Requested			CLORS	PE1RE		36.04									
	Remote Site DLEC Data (BRSDD), per Compact Disk, per CO Physical Collocation - Security Escort for Basic Time - normally			CLORS	PE1RR	-	116.64									
	scheduled work, per half hour			CLORS	PE1BT		16.52	10.83								
	Physical Collocation - Security Escort for Overtime - outside of			CLORS	PEIDI		10.32	10.03								
	normally scheduled working hours on a scheduled work day,															
	per half hour			CLORS	PE1OT		21.92	14.19								
	Physical Collocation - Security Escort for Premium Time - outside of scheduled work day, per half hour			CLORS	PE1PT		27.31	17.55								
Δdiace	ent Remote Site Collocation			CLORG	FLIFI		27.31	17.55								
Aujuoc	Remote Site-Adjacent Collocation-Application Fee			CLORS	PE1RU		755.62	755.62								
	remote the registern conceanor reprisation re-			020110			700.02	700.02								
	Remote Site-Adjacent Collocation - Real Estate, per square foot			CLORS	PE1RT	0.134										
	Remote Site-Adjacent Collocation - AC Power, per breaker amp			CLORS	PE1RS	6.27										
NOTE:	If Security Escort and/or Add'l Engineering Fees become nec	essary 1	or adia				gotiate approp	riate rates.								
	Remote Site Collocation		, .			1	3									
	Virtual Collocation in the Remote Site - Application Fee			VE1RS	VE1RB		300.61		132.62							
	Virtual Collocation in the Remote Site - Per Bay/Rack of Space	<u></u>		VE1RS	VE1RC	143.23					L		<u> </u>	<u> </u>	<u> </u>	<u> </u>
	Virtual Collocation in the Remote Site - Space Availability Report			_									_	_		
	per Premises requested			VE1RS	VE1RR		109.94				ļ					
	Virtual Collocation in the Remote Site - Remote Site CLLI Code			1,5100		j										
AD 146=::= =	Request, per CLLI Code Requested	ļ		VE1RS	VE1RL	ļ	36.04				ļ					
ADJACENT CO		ļ		CLOAC	DE4 IA	0.101									-	-
	Adjacent Collocation - Space Charge per Sq. Ft.	 		CLOAC	PE1JA	0.164					ļ			 	!	!
	Adjacent Collocation - Electrical Facility Charge per Linear Ft.	!	-	CLOAC	PE1JC	4.01					1			-		
	Adjacent Callegation (2 Wise Court			UEANL,UEQ,UEA,U	DE4 IE	0.0470										
	Adjacent Collocation - 2-Wire Cross-Connects Adjacent Collocation - 4-Wire Cross-Connects	1		CL, UAL, UHL, UDN UEA,UHL,UDL,UCL	PE1JE	0.0172 0.0344					ļ			-	1	1
	Adjacent Collocation - 4-vvire Cross-Connects Adjacent Collocation - DS1 Cross-Connects	!	-	USL	PE1JF PE1JG	0.0344					1			-		
	Adjacent Collocation - DS1 Cross-Connects Adjacent Collocation - DS3 Cross-Connects	1		UE3	PE1JG PE1JH	4.73					1				1	1
	Adjacent Collocation - DS3 Cross-Connects Adjacent Collocation - 2-Fiber Cross-Connect	 		CLOAC	PE1JH PE1JJ	1.66					1			1	 	
	Adjacent Collocation - 2-Fiber Cross-Connect Adjacent Collocation - 4-Fiber Cross-Connect	1		CLOAC	PE1JK	3.24					1				1	1
- 	Adjacent Collocation - 4-1 iber Cross-Connect Adjacent Collocation - Application Fee	-		CLOAC	PE1JB	5.24	1,382.19		0.50		 			 	t	t
	Adjacent Collocation - 120V, Single Phase Standby Power Rate per AC Breaker Amp			CLOAC	PE1JL	5.14	.,502.10		0.00							
	Adjacent Collocation - 240V, Single Phase Standby Power Rate per AC Breaker Amp			CLOAC	PE1JL PE1JM	10.30										

COLLO	CATI	ON - Georgia												Attachment:	4 Exh B		
												Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
														Charge -			Charge -
			Interi	_								Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEG	ORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
												1st	Add'l	Disc 1st	Disc Add'l		
							Rec	Nonrec	urring	Nonrecurring	Disconnect		1	oss	Rates(\$)	I	-
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Adjacent Collocation - 120V, Three Phase Standby Power Rate															
		per AC Breaker Amp			CLOAC	PE1JN	15.44										i
		Adjacent Collocation - 277V, Three Phase Standby Power Rate															i
		per AC Breaker Amp			CLOAC	PE1JO	35.65										i
		Adjacent Collocation - 240V, Three Phase Standby Power Rate				PE1JD											i
	per AC Breaker Amp CLOAC						35.65										
	Note: F	Rates displaying an "I" in Interim column are interim as a resu	It of a C	Commis	ssion order.												1

COLLOCAT	ION - Kentucky												Attachment:	4 Exh B		
COLLOGA	1011 Homatry										Svc Order	Svc Order		Incremental	Incremental	Incremental
											Submitted	Submitted		Charge -	Charge -	Charge -
											Elec	Manually		Manual Svc		Manual Svc
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES(\$)								
CATEGORI	RATE ELEMENTS	m	Zone	B03	0300			KATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
							Name		Managaring	Disconnect			000	Rates(\$)		
						Rec	Nonrec									
-		-					First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
DID/OLOAL O	N. I. COATION	-														
PHYSICAL CO																
Appli		-		010	DEADA		3,773.54		4.04							
-	Physical Collocation - Initial Application Fee	-		CLO	PE1BA				1.01							
-	Physical Collocation - Subsequent Application Fee	-		CLO	PE1CA		3,145.35		1.01							
	Physical Collocation - Co-Carrier Cross Connects/Direct			01.0	DEADT		504.00									
	Connect, Application Fee, per application			CLO	PE1DT		584.20									
	Physical Collocation Administrative Only - Application Fee			CLO	PE1BL		742.12		4.04							
	Physical Collocation - Application Cost, Simple Augment			CLO	PE1KS		594.98		1.21							
 	Physical Collocation - Application Cost, Minor Augment	1	-	CLO	PE1KM		834.26		1.21				-	1	-	-
 	Physical Collocation - Application Cost, Intermediate Augment	1	-	CLO	PE1K1		1,059.00		1.21				-	1	-	-
H	Physical Collocation - Application Cost - Major Augment	<u> </u>	<u> </u>	CLO	PE1KJ	 	2,412.00		1.21				1		1	1
Space	Preparation Physical Collocation - Floor Space, per sq feet	-		CLO	PE1PJ	7.99										
	Physical Collocation - Ploof Space, per sq feet Physical Collocation - Space Enclosure, welded wire, first 50			CLO	FEIFJ	7.99										
	square feet			CLO	PE1BX	166.83										
—	Physical Collocation - Space enclosure, welded wire, first 100	-		CLO	PEIDA	100.03										
	square feet			CLO	PE1BW	184.97										
	Physical Collocation - Space enclosure, welded wire, each			CLO	PEIDW	104.97										
	additional 50 square feet			CLO	PE1CW	18.14										
-	Physical Collocation - Space Preparation - C.O. Modification per	-		CLO	PEICW	10.14										
	square ft.			CLO	PE1SK	2.32										
—	Physical Collocation - Space Preparation, Common Systems	-		CLO	FLIOR	2.32										
	Modifications-Cageless, per square foot			CLO	PE1SL	3.26										
	Physical Collocation - Space Preparation - Common Systems			CLO	I L IOL	3.20										
	Modifications-Caged, per cage			CLO	PE1SM	110.57										
	Physical Collocation - Space Preparation - Firm Order			CLO	I L IOW	110.57										
	Processing			CLO	PE1SJ		1,206.07									
	Physical Collocation - Space Availability Report, per Central			020		+	1,200.01									
	Office Requested			CLO	PE1SR		2,158.67									
Powe				020	LIGIT		2,100.01									
1 2	Physical Collocation - Power, -48V DC Power - per Fused Amp															
	Requested			CLO	PE1PL	8.06										
	Physical Collocation - Power, 120V AC Power, Single Phase,															
	per Breaker Amp			CLO	PE1FB	5.44										
	Physical Collocation - Power, 240V AC Power, Single Phase,															
	per Breaker Amp	l		CLO	PE1FD	10.88			1							
	Physical Collocation - Power, 120V AC Power, Three Phase, per															
	Breaker Amp		<u></u>	CLO	PE1FE	16.32							<u></u>			<u></u>
	Physical Collocation - Power, 277V AC Power, Three Phase, per															
	Breaker Amp			CLO	PE1FG	37.68										
Cross	Connects (Cross Connects, Co-Carrier Cross Connects, and P	orts)														
		1		UEANL,UEQ,		I T					1	<u> </u>		<u> </u>		
		l		UNCNX, UEA, UCL,					1							
		l		UAL, UHL, UDN,	L				1							
	Physical Collocation - 2-wire cross-connect, loop, provisioning	ļ		UNCVX	PE1P2	0.0333	24.68	23.68	12.14	10.95						
	Disasted College Co. Automorphism	l		UEA, UHL, UNCVX,	DE4D :											
\vdash	Physical Collocation - 4-wire cross-connect, loop, provisioning	<u> </u>		UNCDX, UCL, UDL	PE1P4	0.0665	24.88	23.82	12.77	11.46			ļ	 	ļ	ļ
		1		WDS1L, WDS1S,					I					1		
				UXTD1, ULDD1,												
		l		USLEL, UNLD1,					1							
		l		U1TD1, UNC1X,					1		İ	1				
		1	1	UEPSR, UEPSB, UEPSE, UEPSP,					I		1			Ì		
	Physical Callegation, DC1 Cross Connect for Physical	l		USL, UEPSP,					1							
	Physical Collocation -DS1 Cross-Connect for Physical Collocation, provisioning	1		USL, UEPEX, UEPDX	PE1P1	1.48	44.23	31.98	12.81	11.57				1		
	pomocation, provisioning	ı	L	OLFDA	p wirt	1.48	44.23	31.98	12.01	11.37	l	<u> </u>	L	<u> </u>	L	L

COLLO	CATIO	ON - Kentucky												Attachment:			
												Svc Order Submitted	Svc Order Submitted	Incremental Charge -	Incremental Charge -	Incremental Charge -	Incremental Charge -
												Elec	Manually	Manual Svc	Manual Svc		Manual Svc
CATEGOR	RY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m						- (1)			per Lor	per Lon	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							-									D130 131	DISC Add I
							Rec	Nonred First	curring Add'l	Nonrecurring First	Add'I	SOMEC	COMAN	SOMAN	Rates(\$)	SOMAN	SOMAN
					UE3, U1TD3,			FIRST	Addi	FIRST	Addi	SOMEC	SUMAN	SUMAN	SUMAN	SUMAN	SOWAN
					UXTD3, UXTS1.												
					UNC3X, UNCSX,												
					ULDD3, U1TS1,												
					ULDS1, UNLD3,												
					UEPEX, UEPDX,												
					UEPSR, UEPSB,												
		Physical Collocation - DS3 Cross-Connect, provisioning			UEPSE, UEPSP	PE1P3	18.89	41.93	30.51	14.75	11.83						
					CLO, ULDO3, ULD12, ULD48,												
					U1TO3. U1T12.												
					U1T48, UDLO3,												
		Physical Collocation - 2-Fiber Cross-Connect			UDL12, UDF	PE1F2	3.75	41.93	30.51	14.76	11.84						
		,			ULDO3, ULD12,												
					ULD48, U1TO3,												
					U1T12, U1T48,												
					UDLO3, UDL12,												
		Physical Collocation - 4-Fiber Cross-Connect			UDF, UDFCX	PE1F4	6.65	51.29	39.87	19.41	16.49						
		Physical Collocation - Co-Carrier Cross Connects/Direct															
		Connect - Fiber Cable Support Structure, per linear foot, per cable.			CLO	PE1ES	0.0012										
		Physical Collocation - Co-Carrier Cross Connect/Direct Connect -			CLO	FLILS	0.0012										
		Copper/Coax Cable Support Structure, per linear foot, per															
		cable.			CLO	PE1DS	0.0018										
					UEPSR, UEPSP,												
					UEPSE, UEPSB,												
		Physical Collocation 2-Wire Cross Connect, Port			UEPSX, UEP2C	PE1R2	0.0333	24.68	23.68	12.14	10.95						
9,	ecurity	Physical Collocation 4-Wire Cross Connect, Port			UEPEX, UEPDD	PE1R4	0.0665	24.88	23.82	12.77	11.46						
		Physical Collocation - Security Escort for Basic Time - normally															
		scheduled work, per half hour			CLO	PE1BT		33.98	21.53								
		Physical Collocation - Security Escort for Overtime - outside of															
		normally scheduled working hours on a scheduled work day,															
		per half hour			CLO	PE1OT		44.26	27.81								
		Physical Collocation - Security Escort for Premium Time -			0.0	DE 1 DE											
		outside of scheduled work day, per half hour Physical Collocation - Security Access System, Security System,			CLO	PE1PT		54.54	34.09								
		per Central Office			CLO	PE1AX	76.10										
		Physical Collocation -Security Access System - New Card			OLO	1 2 17 00	70.10										
		Activation, per Card Activation (First), per State		l	CLO	PE1A1	0.058	55.79		1							
		Physical Collocation-Security Access System-Administrative		İ												1	
\vdash		Change, existing Access Card, per Request, per State, per Card		<u> </u>	CLO	PE1AA		15.64		ļ						ļ	
		Physical Collocation - Security Access System - Replace Lost or		İ	CLO	DEAAS		45.71								1	
\vdash		Stolen Card, per Card Physical Collocation - Security Access - Initial Key, per Key			CLO CLO	PE1AR PE1AK		45.74 26.29		 						-	-
\vdash		Physical Collocation - Security Access - Initial Rey, per Rey Physical Collocation - Security Access - Key, Replace Lost or			OLO .	LLIAN		20.29								 	
		Stolen Key, per Key		İ	CLO	PE1AL		26.29								1	
CI	FA				İ	İ											
		Physical Collocation - CFA Information Resend Request, per															
		premises, per arrangement, per request			CLO	PE1C9		77.55									
Ca		ecords - Note: The rates in the First & Additional columns wi	II actua	lly be i			ent S" respective		0 000 01	007.7					ļ	1	
$\vdash \vdash$		Physical Collocation - Cable Records, per request		<u> </u>	CLO	PE1CR		l 1524.45	S 980.01	267.02							
		Physical Collocation, Cable Records, VG/DS0 Cable, per cable record (maximum 3600 records)		l	CLO	PE1CD		656.37		379.70							
		Physical Collocation, Cable Records, VG/DS0 Cable, per each		<u> </u>	CLO	FEICD		000.37		319.70					1	 	<u> </u>
		100 pair		İ	CLO	PE1CO		9.65		11.84						1	
\vdash		Physical Collocation, Cable Records, DS1, per T1 TIE			CLO	PE1C1		4.52		5.54						1	
		Physical Collocation, Cable Records, DS3, per T3 TIE			CLO	PE1C3		15.81		19.39		t e				t e	1

COLLOC	ATION - Kentucky												Attachment:	4 Fyh B		
CATEGORY		Interi m	Zone	BCS	usoc			RATES(\$)			Svc Order Submitted Elec per LSR	Submitted	Incremental Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic-	Charge - Manual Svc Order vs. Electronic-	Charge - Manual Svo Order vs. Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
						Rec	Nonred			Disconnect				Rates(\$)		
	Physical Collocation - Cable Records, Fiber Cable, per cable	1					First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	record (maximum 99 records)		CLO		PE1CB		169.63		154.85							İ
	Physical Collocation, Cable Records,CAT5/RJ45		CLO		PE1C5		4.52		5.54							-
Virt	rual to Physical		020		. 2.00				0.01							
	Physical Collocation - Virtual to Physical Collocation Relocation,															
	per Voice Grade Circuit		CLO		PE1BV		33.00									l
	Physical Collocation - Virtual to Physical Collocation Relocation,															
	per DSO Circuit		CLO		PE1BO		33.00									
	Physical Collocation - Virtual to Physical Collocation Relocation,															l
	per DS1 Circuit	1	CLO		PE1B1		52.00									
	Physical Collocation - Virtual to Physical Collocation Relocation, per DS3 Circuit	1	CLO		PE1B3		52.00					1		1	1	1
\vdash	Physical Collocation - Virtual to Physical Collocation In-Place,	-	CLO		FE IB3		5∠.00		1					-	-	
	Per Voice Grade Circuit	1	CLO		PE1BR		22.49									1
	Physical Collocation Virtual to Physical Collocation In-Place, Per		020		LIBIC		22.40									
	DSO Circuit		CLO		PE1BP		22.49									İ
	Physical Collocation - Virtual to Physical Collocation In-Place,															
	Per DS1 Circuit		CLO		PE1BS		32.71									İ
	Physical Collocation - Virtual to Physical Collocation In-Place,															
	per DS3 Circuit		CLO		PE1BE		32.71									
Ent	rance Cable															└
	Physical Collocation - Fiber Cable Installation, Pricing, non-		0.0				. =00									İ
	recurring charge, per Entrance Cable		CLO		PE1BD		1,729.11		45.16							
	Physical Collocation - Fiber Cable Support Structure, per		CLO		PE1PM	19.86										İ
-	Entrance Cable Physical Collocation - Fiber Entrance Cable Installation, per	1	CLO		PETPIVI	19.86					-					
	Fiber		CLO		PE1ED		7.75									
VIRTUAL C	OLLOCATION		020		I LILD		7.70									
	plication															
h	Virtual Collocation - Application Fee		AMTI	-S	EAF		2,419.86		1.01							
	Virtual Collocation - Co-Carrier Cross Connects/Direct Connect,															
	Application Fee, per application		AMTI		VE1CA		584.20									
	Virtual Collocation Administrative Only - Application Fee		AMTI	-S	VE1AF		742.12									
Spa	ace Preparation															
L L	Virtual Collocation - Floor Space, per sq. ft.	1	AMTI	-s	ESPVX	7.99										
Pov	Virtual Collocation - Power, per fused amp	-	AMTI	-0	ESPAX	8.06										
Cro	uss Connects (Cross Connects, Co-Carrier Cross Connects, and	Ports)	AWITI	3	LOFAX	0.00										<u> </u>
510	Construction (01000 Connecte), 50-Carrier Cross Connects, and 1	1	UEAN	NL, UEA, UDN,	1	+										
		1		UHL, UCL,												1
		1		, UNCVX,								1		1	1	1
	Virtual Collocation - 2-wire cross-connect, loop, provisioning	1	UNC	DX, UNCNX	UEAC2	0.0309	24.68	23.68	12.14	10.95		1		1	1	1
				UHL, UCL,												
		1		UNCVX,												1
	Virtual Collocation - 4-wire cross-connect, loop, provisioning	ļ	UNC		UEAC4	0.0619	24.88	23.82	12.77	11.46				ļ	ļ	├
				UXTD1,												İ
			UNC	1X, ULDD1, D1, USLEL,												İ
	Virtual collocation - Special Access & UNE, cross-connect per	1		D1, USLEL, D1, USL,												1
	DS1	1		EX, UEPDX	CNC1X	1.48	44.23	31.98	12.81	11.57		1		1	1	1
\vdash		1		UE3, U1TD3,	SINGIA	1.40	44.23	31.90	12.01	11.37						
		1		S1, UXTD3,								1		1	1	1
		1		3X, UNCSX,												1
		1		03, U1TS1,												1
	Virtual collocation - Special Access & UNE, cross-connect per	1		S1, UDLSX,								1		1	1	1
	DS3	<u> </u>	UNLI	03	CND3X	18.89	41.93	30.51	14.75	11.83]]	1

COLLOCAT	ION - Kentucky												Attachment:	4 Exh B]	
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc		Nonrec	RATES(\$)	Nonrecurring	Disconnect			Incremental Charge - Manual Svc Order vs. Electronic- 1st		Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Virtual Collocation - 2-Fiber Cross Connects			UDL12, UDLO3, U1T48, U1T12, U1TO3, ULDO3, ULD12, ULD48, UDF	CNC2F	3.80	41.94	30.51	14.76	11.84	SOMEC	SOMAN	SOMAN	SOIFIAN	SOWAN	SOWAN
	Virtual Collocation - 4-Fiber Cross Connects			UDL12, UDLO3, U1T48, U1T12, U1TO3, ULDO3, ULD12, ULD48, UDF	CNC4F	7.59	51.29	39.87	19.41	16.49						
	Virtual Collocation - Co-Carrier Cross Connects/Direct Connect - Fiber Cable Support Structure, per linear foot, per cable			AMTFS	VE1CB	0.0012										
	Virtual Collocation - Co-Carrier Cross Connects/Direct Connect - Copper/Coax Cable Support Structure, per linear foot, per cable			AMTFS UEPSX, UEPSB,	VE1CD	0.0018										
	Virtual Collocation 2-Wire Cross Connect, Port			UEPSE, UEPSP, UEPSR, UEP2C	VE1R2	0.0309	24.68	23.68	12.14	10.95						
CFA	Virtual Collocation 4-Wire Cross Connect, Port			UEPDD, UEPEX	VE1R4	0.0619	24.88	23.82	12.77	11.46						
Cable	Virtual Collocation - CFA Information Resend Request, per Premises, per Arrangement, per request Records - Note: The rates in the First & Additional columns wi	II actua	llv he l	AMTFS	VE1QR "Subsequen	t S" respectively	77.55									
	Virtual Collocation Cable Records - per request	uotuu	,	AMTFS	VE1BA		1,524.45	980.01	267.02							
	Virtual Collocation Cable Records - VG/DS0 Cable, per cable record			AMTFS	VE1BB		656.37		379.70							
	Virtual Collocation Cable Records - VG/DS0 Cable, per each 100 pair Virtual Collocation Cable Records -DS1, per T1TIE			AMTFS AMTFS	VE1BC VE1BD		9.65 4.52		11.84 5.54							
	Virtual Collocation Cable Records - DS3, per T3TIE Virtual Collocation Cable Records - Fiber Cable, per 99 fiber			AMTFS	VE1BE		15.81		19.39							
Securi	records Virtual Collocation Cable Records - CAT 5/RJ45			AMTFS AMTFS	VE1BF VE1B5		169.63 4.52		154.85 5.54							
Securi	Virtual collocation - Security escort, basic time, normally scheduled work hours			AMTFS	SPTBX		33.98	21.53								
	Virtual collocation - Security escort, overtime, outside of normally scheduled work hours on a normal working day Virtual collocation - Security escort, premium time, outside of a			AMTFS	SPTOX		44.26	27.81								
Mainte	scheduled work day			AMTFS	SPTPX		54.54	34.09								
	Virtual collocation - Maintenance in CO - Basic, per half hour			AMTFS	CTRLX		56.07	21.53								
	Virtual collocation - Maintenance in CO - Overtime, per half hour Virtual collocation - Maintenance in CO - Premium per half hour			AMTFS AMTFS	SPTOM SPTPM		73.23 90.39	27.81 34.09								
Entrar	nce Cable			0			55.55	000								
	Virtual Collocation - Cable Installation Charge, per cable Virtual Collocation - Cable Support Structure, per cable			AMTFS AMTFS	ESPCX ESPSX	17.38	1,729.11		45.16							
	N IN THE REMOTE SITE															
Physic	cal Remote Site Collocation															
	Physical Collocation in the Remote Site - Application Fee			CLORS	PE1RA		617.78		338.89							ļ
	Cabinet Space in the Remote Site per Bay/ Rack Physical Collocation in the Remote Site - Security Access - Key			CLORS	PE1RB PE1RD	219.67	26.29									
	Physical Collocation in the Remote Site - Space Availability Report per Premises Requested			CLORS	PE1SR		232.64									

COLLOCAT	ION - Kentucky												Attachment:	4 Exh B		
		Interi									1	Svc Order Submitted Manually	Incremental Charge - Manual Svc	Incremental Charge -	Incremental Charge - Manual Svc	Incremental Charge - Manual Svc
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs. Electronic- 1st	Order vs. Electronic- Add'l	Order vs. Electronic- Disc 1st	Order vs. Electronic- Disc Add'l
						Do-	Nonrec	urring	Nonrecurring	Disconnect		1	oss	Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Physical Collocation in the Remote Site - Remote Site CLLI															
	Code Request, per CLLI Code Requested			CLORS	PE1RE		75.40									
	Remote Site DLEC Data (BRSDD), per Compact Disk, per CO			CLORS	PE1RR		233.42									
	Physical Collocation - Security Escort for Basic Time - normally															
	scheduled work, per half hour			CLORS	PE1BT		33.98	21.53								
	Physical Collocation - Security Escort for Overtime - outside of															
	normally scheduled working hours on a scheduled work day,			01.000	DEAGE		44.00	07.04								
	per half hour			CLORS	PE1OT		44.26	27.81								
	Physical Collocation - Security Escort for Premium Time -			CLOBS	PE1PT		54.54	34.09						1	1	1
Adias	outside of scheduled work day, per half hour ent Remote Site Collocation			CLORS	PETPT		54.54	34.09								
Adjace	Remote Site Collocation Remote Site-Adjacent Collocation-Application Fee			CLORS	PE1RU		755.62	755.62	1							
	Remote Site-Adjacent Conocation-Application Fee	1		CLURS	PEIKU		755.62	755.62								
	Remote Site-Adjacent Collocation - Real Estate, per square foot			CLORS	PE1RT	0.134										
i	Remote Site-Adjacent Collocation - AC Power, per breaker amp			CLORS	PE1RS	6,27										
NOTE:	If Security Escort and/or Add'l Engineering Fees become nec	essary	for adia				gotiate annron	riate rates								
	Remote Site Collocation	Cooury	l auje	l	loodiioii, iiic	l artics will ric	gotiate approp	Tute rates.								
-	Virtual Collocation in the Remote Site - Application Fee			VE1RS	VE1RB		617.78		338.89							
							-									
	Virtual Collocation in the Remote Site - Per Bay/Rack of Space			VE1RS	VE1RC	219.67										
	Virtual Collocation in the Remote Site - Space Availability Report								1							
	per Premises requested			VE1RS	VE1RR		232.64									
	Virtual Collocation in the Remote Site - Remote Site CLLI Code								1							
	Request, per CLLI Code Requested			VE1RS	VE1RL		75.40									
ADJACENT CO																
	Adjacent Collocation - Space Charge per Sq. Ft.			CLOAC	PE1JA	0.0173										
	Adjacent Collocation - Electrical Facility Charge per Linear Ft.			CLOAC	PE1JC	5.35										
				UEANL,UEQ,UEA,U										1	1	1
	Adjacent Collocation - 2-Wire Cross-Connects			CL, UAL, UHL, UDN		0.0258	24.68	23.68	12.14	10.95						
	Adjacent Collocation - 4-Wire Cross-Connects				PE1JF	0.0515	24.88	23.82	12.77	11.46						
	Adjacent Collocation - DS1 Cross-Connects			USL	PE1JG	1.37	44.23	31.98	12.81	11.57						
	Adjacent Collocation - DS3 Cross-Connects			UE3	PE1JH	18.61	41.93	30.51	14.75	11.83				1	1	1
	Adjacent Collocation - 2-Fiber Cross-Connect			CLOAC	PE1JJ	3.15	41.93	30.51	14.76	11.84				1	1	1
	Adjacent Collocation - 4-Fiber Cross-Connect	 		CLOAC	PE1JK	6.02	51.29	39.87	19.41	16.49				.	.	.
	Adjacent Collocation - Application Fee			CLOAC	PE1JB		3,165.50							1	1	1
	Adjacent Collocation - 120V, Single Phase Standby Power Rate per AC Breaker Amp			CLOAC	PE1JL	5.44										
	Adjacent Collocation - 240V, Single Phase Standby Power Rate	1	1			i i										
	per AC Breaker Amp			CLOAC	PE1JM	10.88								1	1	1
	Adjacent Collocation - 120V, Three Phase Standby Power Rate															
	per AC Breaker Amp	1		CLOAC	PE1JN	16.32								I	I	I
	Adjacent Collocation - 277V, Three Phase Standby Power Rate								İ							
	per AC Breaker Amp			CLOAC	PE1JO	37.68										
Note:	Rates displaying an "I" in Interim column are interim as a resu	ılt of a	Commi	ssion order.												

COLLOCAT	ION - Louisiana												Attachment:	4 Fxh B		
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st		Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'l
1							N.		T 81	B'					2.00 .00	
						Rec	Nonrec First	urring Add'l	First	Disconnect Add'l	SOMEC	SOMAN	SOMAN	Rates(\$) SOMAN	SOMAN	SOMAN
+							FIISL	Auu i	FIISL	Addi	SOMEC	SOWAN	SUMAN	SOWAN	SOWAN	SUMAN
PHYSICAL CO	LLOCATION															
Applic	eation															
	Physical Collocation - Initial Application Fee			CLO	PE1BA		1,837.24									
	Physical Collocation - Subsequent Application Fee			CLO	PE1CA		1,533.41									
	Physical Collocation - Co-Carrier Cross Connects/Direct															
	Connect, Application Fee, per application			CLO	PE1DT		583.30									
	Physical Collocation Administrative Only - Application Fee			CLO	PE1BL		741.97		4.00							
	Physical Collocation - Application Cost, Simple Augment		1	CLO CLO	PE1KS		596.35		1.22							
	Physical Collocation - Application Cost, Minor Augment Physical Collocation - Application Cost, Intermediate Augment	-	\vdash	CLO	PE1KM PE1K1		836.18 1,061.00		1.22 1.22		+					
 	Physical Collocation - Application Cost, Intermediate Augment Physical Collocation - Application Cost - Major Augment		1	CLO	PE1KI PE1KJ		2,418.00		1.22		+					
Space	Preparation			OLO	1 = 110		2,710.00		1.22		+					
орисс	Physical Collocation - Floor Space, per sq feet			CLO	PE1PJ	5.30										
	Physical Collocation - Space Enclosure, welded wire, first 50									1	1			1		
	square feet			CLO	PE1BX	166.40										
	Physical Collocation - Space enclosure, welded wire, first 100															
	square feet			CLO	PE1BW	184.50										
	Physical Collocation - Space enclosure, welded wire, each															İ
	additional 50 square feet			CLO	PE1CW	18.10										
	Physical Collocation - Space Preparation - C.O. Modification per			0.0	554014											İ
	square ft.			CLO	PE1SK	2.31										
	Physical Collocation - Space Preparation, Common Systems Modifications-Cageless, per square foot			CLO	PE1SL	2.70										
	Physical Collocation - Space Preparation - Common Systems			CLO	PEISL	2.70			-		+					
	Modifications-Caged, per cage			CLO	PE1SM	91.60										İ
	Physical Collocation - Space Preparation - Firm Order			OLO	I L IOW	31.00					+					
	Processing			CLO	PE1SJ		583.33									İ
	Physical Collocation - Space Availability Report, per Central															
	Office Requested			CLO	PE1SR		1,044.07									İ
Power																
	Physical Collocation - Power, -48V DC Power - per Fused Amp															
	Requested			CLO	PE1PL	8.32										
	Physical Collocation - Power, 120V AC Power, Single Phase,			0.0	55455											
	per Breaker Amp		1	CLO	PE1FB	5.45			-							
	Physical Collocation - Power, 240V AC Power, Single Phase, per Breaker Amp			CLO	PE1FD	10.92			1		1					1
	Physical Collocation - Power, 120V AC Power, Three Phase, per		1	OLO	LLIFU	10.92			 	1	+			1		
	Breaker Amp			CLO	PE1FE	16.37			1		1					1
	Physical Collocation - Power, 277V AC Power, Three Phase, per					12.07			1							
	Breaker Amp	l		CLO	PE1FG	37.80			1							1
Cross	Connects (Cross Connects, Co-Carrier Cross Connects, and P	orts)														
				UEANL,UEQ,												
		l		UNCNX, UEA, UCL,					1							1
	L			UAL, UHL, UDN,												
	Physical Collocation - 2-wire cross-connect, loop, provisioning			UNCVX	PE1P2	0.0318	11.94	11.46	1	-				-		├
	Physical Collegation 4 wire gross connect loop province:			UEA, UHL, UNCVX, UNCDX, UCL, UDL	PE1P4	0.0636	12.04	11.53	1		1					1
	Physical Collocation - 4-wire cross-connect, loop, provisioning			WDS1L, WDS1S,	FE1F4	0.0036	12.04	11.53	 	1	-			1		
				UXTD1, ULDD1,												İ
				USLEL, UNLD1,					1		1					1
		l		U1TD1, UNC1X,					I							1
		l		UEPSR, UEPSB,					I							1
		l		UEPSE, UEPSP,					1							1
	Physical Collocation -DS1 Cross-Connect for Physical	l		USL, UEPEX,					1							1
	Collocation, provisioning			UEPDX	PE1P1	1.04	21.39	15.47								1

COLLO	CATIO	ON - Louisiana												Attachment:	4 Exh B		
CATEGO		RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)					Incremental Charge - Manual Svc Order vs. Electronic- 1st		Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'l
							Rec	Nonrec	curring	Nonrecurring	g Disconnect			oss	Rates(\$)		•
							Kec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
					UE3, U1TD3, UXTD3, UXTS1, UNC3X, UNCSX, ULDD3, U1TS1, ULDS1, UNLD3, UEPEX, UEPDX, UEPSR, UEPSB,												
		Physical Collocation - DS3 Cross-Connect, provisioning			UEPSE, UEPSP CLO, ULDO3, ULD12, ULD48, U1TO3, U1T12, U1T48, UDLO3,	PE1P3	13.21	20.28	14.76								
		Physical Collocation - 2-Fiber Cross-Connect			UDL12, UDF ULDO3, ULD12, ULD48, U1TO3, U1T12, U1T48, UDLO3, UDL12,	PE1F2	2.62	20.28	14.76								
		Physical Collocation - 4-Fiber Cross-Connect	<u> </u>	<u>L</u>	UDF, UDFCX	PE1F4	4.65	24.81	19.29		<u> </u>						
		Physical Collocation - Co-Carrier Cross Connects/Direct Connect - Fiber Cable Support Structure, per linear foot, per cable.			CLO	PE1ES	0.001										
-		Physical Collocation - Co-Carrier Cross Connect/Direct Connect -			CLO	FLILS	0.001										
		Copper/Coax Cable Support Structure, per linear foot, per cable.			CLO	PE1DS	0.0015										
		Physical Collocation 2-Wire Cross Connect, Port			UEPSR, UEPSP, UEPSE, UEPSB, UEPSX, UEP2C	PE1R2	0.0318	11.94	11.46								
-		Physical Collocation 4-Wire Cross Connect, Port			UEPEX, UEPDD	PE1R4	0.0636	12.04	11.53								
s	Security						0.0000										1
		Physical Collocation - Security Escort for Basic Time - normally scheduled work, per half hour			CLO	PE1BT		16.44	10.42								
		Physical Collocation - Security Escort for Overtime - outside of normally scheduled working hours on a scheduled work day, per half hour			CLO	PE1OT		21.41	13.45								
		Physical Collocation - Security Escort for Premium Time - outside of scheduled work day, per half hour			CLO	PE1PT		26.38	16.49								
		Physical Collocation - Security Access System - Security System per Central Office, per Sq. Ft.			CLO	PE1AY	0.0224	20.38	10.49								
		Physical Collocation -Security Access System - New Card Activation, per Card Activation (First), per State			CLO	PE1A1	0.0579	27.50									
		Physical Collocation-Security Access System-Administrative Change, existing Access Card, per Request, per State, per Card			CLO	PE1AA		7.74									
		Physical Collocation - Security Access System - Replace Lost or Stolen Card, per Card Physical Collocation - Security Access - Initial Key, per Key			CLO CLO	PE1AR PE1AK		22.64 13.01									
		Physical Collocation - Security Access - Key, Replace Lost or Stolen Key, per Key			CLO	PE1AL		13.01									
		Physical Collocation - CFA Information Resend Request, per premises, per arrangement, per request			CLO	PE1C9		77.43									
		ecords Recurring Collocation Cable Records - per request	 	<u> </u>	CLO	PE1CU	10.97			1	1				 	-	
 		Recurring Collocation Cable Records - per request Recurring Collocation Cable Records - VG/DS0 Cable, per cable			CLO	FEICU	10.97										
		record Recurring Collocation Cable Records - VG/DS0 Cable, per each			CLO	PE1CE	5.29										
		100 pair Recurring Collocation Cable Records - DS1, per T1TIE		ļ	CLO CLO	PE1CT PE1C2	0.08 0.04										
\vdash		Recurring Collocation Cable Records - DS1, per 1111E Recurring Collocation Cable Records - DS3, per T3TIE	 	 	CLO	PE1C2 PE1C4	0.04			1	-	 	-		-		

COLLOCAL	ION - Louisiana												Attachment:	4 Exh B	1	
CATEGORY	RATE ELEMENTS	Interi m	Zone	e BCS	usoc			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR			Manual Svc Order vs.	Charge - Manual Svc Order vs.
						Rec	Nonrec			g Disconnect				Rates(\$)	•	
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Recurring Collocation Cable Records - Fiber Cable, per 99 fiber			01.0	DE 400	4.07										
	records Physical Collocation, Cable Records,CAT5/RJ45			CLO CLO	PE1CG PE1C6	1.37 0.04			1							
Virtuo	to Physical			CLO	PETC6	0.04			-							
Viitua	Physical Collocation - Virtual to Physical Collocation Relocation,								+							
	per Voice Grade Circuit			CLO	PE1BV		33.00									<u> </u>
	Physical Collocation - Virtual to Physical Collocation Relocation, per DSO Circuit			CLO	PE1BO		33.00									
	Physical Collocation - Virtual to Physical Collocation Relocation, per DS1 Circuit			CLO	PE1B1		52.00									
	Physical Collocation - Virtual to Physical Collocation Relocation, per DS3 Circuit			CLO	PE1B3		52.00									
	Physical Collocation - Virtual to Physical Collocation In-Place,															
	Per Voice Grade Circuit Physical Collocation Virtual to Physical Collocation In-Place, Per			CLO	PE1BR		22.52				+					
	DSO Circuit Physical Collocation - Virtual to Physical Collocation In-Place,			CLO	PE1BP		22.52									
	Per DS1 Circuit Physical Collocation - Virtual to Physical Collocation In-Place,			CLO	PE1BS		32.74									
	per DS3 Circuit			CLO	PE1BE		32.74									
Entrar	ice Cable															↓
	Physical Collocation - Fiber Cable Installation, Pricing, non- recurring charge, per Entrance Cable			CLO	PE1BD		841.54									
	Physical Collocation - Fiber Cable Support Structure, per Entrance Cable			CLO	PE1PM	18.31										
	Physical Collocation - Fiber Entrance Cable Installation, per Fiber			CLO	PE1ED		3.88									
VIRTUAL COL									1	İ					İ	
Applio																
	Virtual Collocation - Application Fee			AMTFS	EAF		1,770.40									
	Virtual Collocation - Co-Carrier Cross Connects/Direct Connect, Application Fee, per application			AMTFS	VE1CA		583.30									
	Virtual Collocation Administrative Only - Application Fee			AMTFS	VE1AF		741.97									
Space	Preparation															
	Virtual Collocation - Floor Space, per sq. ft.			AMTFS	ESPVX	3.20										
Power				ANTEO	FODAY	0.00										↓
Cross	Virtual Collocation - Power, per fused amp Connects (Cross Connects, Co-Carrier Cross Connects, and P	orto)		AMTFS	ESPAX	8.32			+	-					-	
01033	Virtual Collocation - 2-wire cross-connect, loop, provisioning	ortaj		UEANL, UEA, UDN, UAL, UHL, UCL, UEQ, UNCVX, UNCDX, UNCNX	UEAC2	0.0296	11.94	11.46								
	2 wile cross-connect, toop, provisioning			UEA, UHL, UCL, UDL, UNCVX,	32,102	0.0230	11.54	11.40			1					
	Virtual Collocation - 4-wire cross-connect, loop, provisioning			UNCDX	UEAC4	0.0591	12.04	11.53								
	Virtual collocation - Special Access & UNE, cross-connect per DS1			ULR, UXTD1, UNC1X, ULDD1, U1TD1, USLEL, UNLD1, USL, UEPEX, UEPDX	CNC1X	1.04	21.39	15.47								
	Virtual collocation - Special Access & UNE, cross-connect per DS3			USL, UE3, U1TD3, UXTS1, UXTD3, UNC3X, UNCSX, ULDD3, U1TS1, ULDS1, UDLSX, UNLD3	CND3X	13.21	20.28	14.76								

CATEGORY	RATE ELEMENTS //irtual Collocation - 2-Fiber Cross Connects //irtual Collocation - 4-Fiber Cross Connects	Interi m	BCS UDL12, UDLO3, U1T48, U1T12, U1T03, ULDO3,	USOC	Rec	Nonrec First	RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted	Attachment: 4 Incremental Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic-	Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svo Order vs. Electronic-
V			U1T48, U1T12, U1TO3, ULDO3,		Rec		uma	Nonrecurring D	lionennest			1st	Add'I Rates(\$)	Disc 1st	Disc Add'l
V			U1T48, U1T12, U1TO3, ULDO3,		1		Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	firtual Collocation - 4-Fiber Cross Connects		ULD12, ULD48, UDF	CNC2F	2.65	20.29	14.76	riist	Addi	SUMEC	SUMAN	SUMAN	SOMAN	SOWAN	SOMAN
			UDL12, UDLO3, U1T48, U1T12, U1TO3, ULDO3, ULD12, ULD48, UDF	CNC4F	5.31	24.81	19.29								
F	/irtual Collocation - Co-Carrier Cross Connects/Direct Connect - Fiber Cable Support Structure, per linear foot, per cable		AMTFS	VE1CB	0.001										
	/irtual Collocation - Co-Carrier Cross Connects/Direct Connect -		AMTFS	VE1CD	0.0015										
,	/irtual Collocation 2-Wire Cross Connect, Port		UEPSX, UEPSB, UEPSE, UEPSP, UEPSR, UEP2C	VE1R2	0.0296	11.94	11.46								
CFA V	/irtual Collocation 4-Wire Cross Connect, Port		UEPDD, UEPEX	VE1R4	0.0591	12.04	11.53								
	Premises, per Arrangement, per request percords		AMTFS	VE1QR		77.43									
V re	/irtual Collocation Cable Records - per request(LA only) /irtual Collocation Cable Records - VG/DS0 Cable, per cable ecord(LA only)		AMTFS	VE1BG VE1BH	10.97 5.29										
1	/irtual Collocation Cable Records - VG/DS0 Cable, per each 00 pair(LA only) /irtual Collocation Cable Records - DS1, per T1TIE(LA only)		AMTFS AMTFS	VE1BJ VE1BK	0.08 0.04										
V V	/irtual Collocation Cable Records - DS3, per T3TIE(LA only) /irtual Collocation Cable Records - Fiber Cable, per 99 fiber ecords(LA only)		AMTFS AMTFS	VE1BL VE1BM	0.13										
Security	/irtual Collocation Cable Records - CAT 5/RJ45 (LA only) /irtual collocation - Security escort, basic time, normally		AMTFS	VE1B6	0.04										
s	cheduled work hours /irtual collocation - Security escort, overtime, outside of		AMTFS	SPTBX		16.44	10.42								
V	ormally scheduled work hours on a normal working day firtual collocation - Security escort, premium time, outside of a cheduled work day		AMTFS AMTFS	SPTOX SPTPX		21.41 26.38	13.45 16.49								
Maintena			AWITO	01 11 X		20.50	10.43								
V	/irtual collocation - Maintenance in CO - Basic, per half hour		AMTFS	CTRLX		27.12	10.42								
	/irtual collocation - Maintenance in CO - Overtime, per half hour /irtual collocation - Maintenance in CO - Premium per half hour		AMTFS AMTFS	SPTOM SPTPM		35.42 43.72	13.45 16.49								
Entrance				· · · · · · · ·		70.72	10.49								
V	/irtual Collocation - Cable Installation Charge, per cable /irtual Collocation - Cable Support Structure, per cable		AMTFS AMTFS	ESPCX ESPSX	16.02	841.54									
	N THE REMOTE SITE		-				•								
	Remote Site Collocation														
	Physical Collocation in the Remote Site - Application Fee Labinet Space in the Remote Site per Bay/ Rack		CLORS CLORS	PE1RA PE1RB	225.39	298.80									
	Physical Collocation in the Remote Site - Security Access - Key Physical Collocation in the Remote Site - Space Availability		CLORS CLORS	PE1RD PE1SR		13.01									1

COLLOCAT	ION - Louisiana												Attachment:	4 Exh B		
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)			1	Svc Order Submitted	Incremental Charge -		Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Do-	Nonrec	urring	Nonrecurring	Disconnect		l .	oss	Rates(\$)	ı	·
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Physical Collocation in the Remote Site - Remote Site CLLI															
	Code Request, per CLLI Code Requested			CLORS	PE1RE		36.47									
	Remote Site DLEC Data (BRSDD), per Compact Disk, per CO			CLORS	PE1RR		233.21									
	Physical Collocation - Security Escort for Basic Time - normally			01.000	DEADT		40.44	40.40								İ
	scheduled work, per half hour Physical Collocation - Security Escort for Overtime - outside of			CLORS	PE1BT		16.44	10.42								
	normally scheduled working hours on a scheduled work day,															İ
	per half hour			CLORS	PE1OT		21.41	13.45								
	Physical Collocation - Security Escort for Premium Time -			OLONO	1 2101	1	21.71	10.40								
	outside of scheduled work day, per half hour			CLORS	PE1PT		26.38	16.49								
Adjace	ent Remote Site Collocation			OLOIKO			20.00	10.40								
7.00,000	Remote Site-Adjacent Collocation-Application Fee			CLORS	PE1RU		755.62	755.62								
	F F															
	Remote Site-Adjacent Collocation - Real Estate, per square foot			CLORS	PE1RT	0.134										İ
	,															
	Remote Site-Adjacent Collocation - AC Power, per breaker amp			CLORS	PE1RS	6.27										
NOTE:	If Security Escort and/or Add'l Engineering Fees become nec	essary 1	for adja	acent remote site col	location, the	Parties will ne	gotiate approp	riate rates.								
Virtua	Remote Site Collocation															
	Virtual Collocation in the Remote Site - Application Fee			VE1RS	VE1RB		614.73		336.08							
	Virtual Collocation in the Remote Site - Per Bay/Rack of Space			VE1RS	VE1RC	257.01										
	Virtual Collocation in the Remote Site - Space Availability Report				l											
	per Premises requested			VE1RS	VE1RR		231.49									
	Virtual Collocation in the Remote Site - Remote Site CLLI Code			V=400			== 00									
AD IA CENT O	Request, per CLLI Code Requested OLLOCATION			VE1RS	VE1RL		75.02									
ADJACENT C	Adjacent Collocation - Space Charge per Sq. Ft.			CLOAC	PE1JA	0.0552										
	Adjacent Collocation - Space Charge per Sq. Ft. Adjacent Collocation - Electrical Facility Charge per Linear Ft.			CLOAC	PE1JA PE1JC	5.61										
	Adjacent Conocation - Electrical Facility Charge per Elifear Ft.			CLOAC	FLISC	3.01					1					-
			1	UEANL.UEQ.UEA.U	1									1		1
	Adjacent Collocation - 2-Wire Cross-Connects			CL, UAL, UHL, UDN	PE1JF	0.0245	11.94	11.46								1
	Adjacent Collocation - 4-Wire Cross-Connects				PE1JF	0.0491	12.04	11.53						1		
	Adjacent Collocation - DS1 Cross-Connects			USL	PE1JG	0.9605	21.39	15.47						1		
	Adjacent Collocation - DS3 Cross-Connects			UE3	PE1JH	13.01	20.28	14.76						İ		
	Adjacent Collocation - 2-Fiber Cross-Connect			CLOAC	PE1JJ	2.20	20.28	14.76								
	Adjacent Collocation - 4-Fiber Cross-Connect			CLOAC	PE1JK	4.21	24.81	19.29								
	Adjacent Collocation - Application Fee			CLOAC	PE1JB		1,543.20									
	Adjacent Collocation - 120V, Single Phase Standby Power Rate															
	per AC Breaker Amp			CLOAC	PE1JL	5.45										L
	Adjacent Collocation - 240V, Single Phase Standby Power Rate							·								1
	per AC Breaker Amp		<u> </u>	CLOAC	PE1JM	10.92										└
	Adjacent Collocation - 120V, Three Phase Standby Power Rate															1
	per AC Breaker Amp			CLOAC	PE1JN	16.37										└
	Adjacent Collocation - 277V, Three Phase Standby Power Rate		1											1		1
N1 - 1	per AC Breaker Amp	11 - 1 - 1	<u> </u>	CLOAC	PE1JO	37.80										├
Note:	Rates displaying an "I" in Interim column are interim as a resu	iit of a (ommi	ssion order.	l						1	l l		l	l	<u> </u>

COLLOCAT	ION - Mississippi												Attachment:	4 Exh B		<u> </u>
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Submitted Manually	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Manual Svc Order vs.	Charge -
						Rec	Nonrec		Nonrecurring					Rates(\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
PHYSICAL CO	N L OCATION										+					
Applic																
7.66	Physical Collocation - Initial Application Fee			CLO	PE1BA		1,890.38									
	Physical Collocation - Subsequent Application Fee			CLO	PE1CA		1,575.69									
	Physical Collocation - Co-Carrier Cross Connects/Direct															
	Connect, Application Fee, per application			CLO	PE1DT		583.13									
	Physical Collocation Administrative Only - Application Fee			CLO	PE1BL		740.76									
	Physical Collocation - Application Cost, Simple Augment			CLO	PE1KS		597.34		1.22							
	Physical Collocation - Application Cost, Minor Augment			CLO	PE1KM		837.57		1.22							
	Physical Collocation - Application Cost, Intermediate Augment			CLO	PE1K1		1,063.00		1.22							
C	Physical Collocation - Application Cost - Major Augment	<u> </u>		CLO	PE1KJ		2,422.00		1.22	 				ļ	-	
Space	Preparation Physical Collocation - Floor Space, per sq feet	 	-	CLO	PE1PJ	5.74			 	 	+			 	 	
	Physical Collocation - Floor Space, per sq feet Physical Collocation - Space Enclosure, welded wire, first 50		-	OLO	FEIFJ	5.74			+	1				-		
	square feet			CLO	PE1BX	165.23										
	Physical Collocation - Space enclosure, welded wire, first 100			CLO	LIDA	103.23										
	square feet			CLO	PE1BW	183.20										
	Physical Collocation - Space enclosure, welded wire, each															
	additional 50 square feet			CLO	PE1CW	17.97										
	Physical Collocation - Space Preparation - C.O. Modification per															
	square ft.			CLO	PE1SK	2.30										
	Physical Collocation - Space Preparation, Common Systems															
	Modifications-Cageless, per square foot			CLO	PE1SL	2.52										
	Physical Collocation - Space Preparation - Common Systems															
	Modifications-Caged, per cage			CLO	PE1SM	85.67										
	Physical Collocation - Space Preparation - Firm Order			0.0	55.40.1											
	Processing			CLO	PE1SJ		604.19									
	Physical Collocation - Space Availability Report, per Central			CLO	PE1SR		1,081.40									
Power	Office Requested			CLO	PETSK		1,081.40				+				-	
rowei	Physical Collocation - Power, -48V DC Power - per Fused Amp										1					
	Requested			CLO	PE1PL	7.33										
	Physical Collocation - Power, 120V AC Power, Single Phase,			020		7.00					+					
	per Breaker Amp			CLO	PE1FB	5.29										
	Physical Collocation - Power, 240V AC Power, Single Phase,				1											
	per Breaker Amp			CLO	PE1FD	10.58										
	Physical Collocation - Power, 120V AC Power, Three Phase, per															
	Breaker Amp			CLO	PE1FE	15.87										
	Physical Collocation - Power, 277V AC Power, Three Phase, per															
	Breaker Amp	l		CLO	PE1FG	36.65										
Cross	Connects (Cross Connects, Co-Carrier Cross Connects, and P	orts)														
				UEANL,UEQ,												
				UNCNX, UEA, UCL,												
	Physical Collocation - 2-wire cross-connect, loop, provisioning			UAL, UHL, UDN, UNCVX	PE1P2	0.0288	12.37	11.87	6.04	5.45						
	Physical Collocation - 2-wire cross-connect, loop, provisioning			UEA, UHL, UNCVX,	PE IP2	0.0200	12.37	11.07	0.04	5.40	,					
1	Physical Collocation - 4-wire cross-connect, loop, provisioning	l		UNCDX, UCL, UDL	PE1P4	0.0576	12.47	11.94	6.59	5.91	1				1	
	1 Trystocal Collectation 4 wire cross connect, 100p, provisioning			WDS1L, WDS1S,		0.0070	12.47	11.0-1	0.00	0.01	-					
				UXTD1, ULDD1,											1	
		l		USLEL, UNLD1,											1	
		l	1	U1TD1, UNC1X,						1				1	I	
		l		UEPSR, UEPSB,											1	
		l		UEPSE, UEPSP,											1	
	Physical Collocation -DS1 Cross-Connect for Physical	l	1	USL, UEPEX,						1				1	I	
	Collocation, provisioning		1	UEPDX	PE1P1	1.14	22.16	16.02	6.60	5.97	1]		

COLLO	CATIO	ON - Mississippi												Attachment:			
CATEGOI		RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic-	Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							Rec	Nonre		Nonrecurring					Rates(\$)	•	
							Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
					UE3, U1TD3, UXTD3, UXTS1, UNC3X, UNCSX, ULDD3, U1TS1, ULDS1, UNLD3, UEPEX, UEPDX, UEPSB, UEPSB,												
		Physical Collocation - DS3 Cross-Connect, provisioning			UEPSE, UEPSP	PE1P3	14.49	21.01	15.29	7.61	6.10						
		Physical Collocation - 2-Fiber Cross-Connect			CLO, ULDO3, ULD12, ULD48, U1TO3, U1T12, U1T48, UDLO3, UDL12, UDF ULDO3, ULD12, ULD48, U1TO3, U1T12, U1T48,	PE1F2	2.87	21.01	15.29	7.61	6.10						
					UDLO3, UDL12,												
		Physical Collocation - 4-Fiber Cross-Connect Physical Collocation - Co-Carrier Cross Connects/Direct			UDF, UDFCX	PE1F4	5.10	25.70	19.97	10.01	8.50						
		Physical Collocation - Co-Carrier Cross Connects/Direct Connect - Fiber Cable Support Structure, per linear foot, per cable.			CLO	PE1ES	0.001										
		Physical Collocation - Co-Carrier Cross Connect/Direct Connect -			CLO	PEIES	0.001										
		Copper/Coax Cable Support Structure, per linear foot, per cable.			CLO	PE1DS	0.0015										
					UEPSR, UEPSP, UEPSE, UEPSB,		3.00.0										
		Physical Collocation 2-Wire Cross Connect, Port			UEPSX, UEP2C	PE1R2	0.0288	12.37	11.87	6.04	5.45		15.75				
		Physical Collocation 4-Wire Cross Connect, Port			UEPEX, UEPDD	PE1R4	0.0576	12.47	11.94	6.59	5.91		15.75				
Se	ecurity	/ Physical Collocation - Security Escort for Basic Time - normally										-				-	
		scheduled work, per half hour			CLO	PE1BT		17.02	10.79								
		Physical Collocation - Security Escort for Overtime - outside of normally scheduled working hours on a scheduled work day, per half hour			CLO	PE1OT		22.17	13.94								
		Physical Collocation - Security Escort for Premium Time -			OLO	12101		22.17	13.54								1
		outside of scheduled work day, per half hour			CLO	PE1PT		27.32	17.08								
		Physical Collocation - Security Access System, Security System, per Central Office			CLO	PE1AX	75.23										
		Physical Collocation -Security Access System - New Card			CLO	DE104	0.0576	27.95									
 		Activation, per Card Activation (First), per State			CLU	PE1A1	0.0576	27.95									
		Physical Collocation-Security Access System-Administrative Change, existing Access Card, per Request, per State, per Card			CLO	PE1AA		7.84									
		Physical Collocation - Security Access System - Replace Lost or			010	DEAAS		00.01									
		Stolen Card, per Card Physical Collocation - Security Access - Initial Key, per Key			CLO CLO	PE1AR PE1AK		22.91 13.17				1				-	
		Physical Collocation - Security Access - Hittal Rey, per Rey				. = u \		10.17									
		Stolen Key, per Key			CLO	PE1AL		13.17									
C		Physical Collocation - CFA Information Resend Request, per			01.0	DE 16-											
		premises, per arrangement, per request ecords - Note: The rates in the First & Additional columns wi	II action	lly bo '	CLO	PE1C9	ont S" roomasti:	77.41				1				-	-
C		Physical Collocation - Cable Records, per request	ii actua	ny be i	ICLO	PE1CR	ent 5 respective		S 490.94	133.77		1				-	
		Physical Collocation, Cable Records, VG/DS0 Cable, per cable			323	. 21010		. 100.00	3 400.04	100.77							
		record (maximum 3600 records) Physical Collocation, Cable Records, VG/DS0 Cable, per each			CLO	PE1CD		328.81		190.22							
		100 pair			CLO	PE1CO		4.84		5.93							
1 1		Physical Collocation, Cable Records, DS1, per T1 TIE Physical Collocation, Cable Records, DS3, per T3 TIE			CLO CLO	PE1C1 PE1C3		2.27 7.92		2.78 9.72					ļ	-	ļ

COLLOCAT	ION - Mississippi				·								Attachment:	4 Exh B		
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Svc Order Submitted Manually per LSR		Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
						Rec	Nonrec		Nonrecurring					Rates(\$)		
						Kec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Physical Collocation - Cable Records, Fiber Cable, per cable															
	record (maximum 99 records)			CLO	PE1CB		84.98		77.58							ļ
VC-1	Physical Collocation, Cable Records, CAT5/RJ45			CLO	PE1C5		2.27		2.78							
Virtua	to Physical															.
	Physical Collocation - Virtual to Physical Collocation Relocation, per Voice Grade Circuit			CLO	PE1BV		33.00									
	Physical Collocation - Virtual to Physical Collocation Relocation, per DSO Circuit			CLO	PE1BO		33.00									
	Physical Collocation - Virtual to Physical Collocation Relocation, per DS1 Circuit			CLO	PE1B1		52.00									
	Physical Collocation - Virtual to Physical Collocation Relocation, per DS3 Circuit			CLO	PE1B3		52.00									
	Physical Collocation - Virtual to Physical Collocation In-Place,															
	Per Voice Grade Circuit Physical Collocation Virtual to Physical Collocation In-Place, Per			CLO	PE1BR		22.54									
	DSO Circuit Physical Collocation - Virtual to Physical Collocation In-Place,			CLO	PE1BP		22.54									
	Per DS1 Circuit Physical Collocation - Virtual to Physical Collocation In-Place,			CLO	PE1BS		32.78									
	per DS3 Circuit			CLO	PE1BE		32.78									
Entrar	ce Cable															ļ
	Physical Collocation - Fiber Cable Installation, Pricing, non- recurring charge, per Entrance Cable			CLO	PE1BD		926.27		22.62							
	Physical Collocation - Fiber Cable Support Structure, per Entrance Cable			CLO	PE1PM	17.42										
	Physical Collocation - Fiber Entrance Cable Installation, per Fiber			CLO	PE1ED		3.89									
VIRTUAL COL				CLO	TETED		3.03				-					
Applic																
	Virtual Collocation - Application Fee			AMTFS	EAF		1,212.25		0.51							
	Virtual Collocation - Co-Carrier Cross Connects/Direct Connect,															
	Application Fee, per application			AMTFS	VE1CA		583.13									
	Virtual Collocation Administrative Only - Application Fee			AMTFS	VE1AF		740.76									
Space	Preparation															ļ
	Virtual Collocation - Floor Space, per sq. ft.			AMTFS	ESPVX	5.74										
Power				ANTEO	FODAY	7.33										
Cross	Virtual Collocation - Power, per fused amp Connects (Cross Connects, Co-Carrier Cross Connects, and P	orto)		AMTFS	ESPAX	7.33					1					
01033	Virtual Collocation - 2-wire cross-connect, loop, provisioning	Orts)		UEANL, UEA, UDN, UAL, UHL, UCL, UEQ, UNCVX, UNCDX, UNCNX	UEAC2	0.0268	12.37	11.87	6.04	5.45						
	virtual Conocation - 2-wire cross-connect, roop, provisioning			UEA, UHL, UCL, UDL, UNCVX,	ULAU2	0.0200	12.37	11.07	0.04	3.43						
	Virtual Collocation - 4-wire cross-connect, loop, provisioning			UNCDX	UEAC4	0.0536	12.47	11.94	6.59	5.91						
	Virtual Collocation - Special Access & UNE, cross-connect per DS1			ULR, UXTD1, UNC1X, ULDD1, U1TD1, USLEL, UNLD1, USL, UEPEX, UEPDX	CNC1X	1.14	22.16	16.02	6.60	5.97						
	Virtual collocation - Special Access & UNE, cross-connect per DS3			USL, UE3, U1TD3, UXTS1, UXTD3, UNC3X, UNCSX, ULDD3, U1TS1, ULDS1, UDLSX, UNLD3	CND3X	14.49	21.01	15.29	7.61	6.10						

COLLOCAT	TON - Mississippi							·		·			Attachment:	4 Exh B		
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC		Nonrec	RATES(\$)	Nonrecurring	Disconnect	Svc Order Submitted Elec per LSR		Incremental Charge - Manual Svc Order vs. Electronic- 1st		Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
-						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Virtual Collocation - 2-Fiber Cross Connects			UDL12, UDLO3, U1T48, U1T12, U1TO3, ULDO3, ULD12, ULD48, UDF	CNC2F	2.91	21.01	15.29	7.61	6.10		JOWAN	SOWAN	SOWAN	SOMAN	JOMAN
	Virtual Collocation - 4-Fiber Cross Connects			UDL12, UDLO3, U1T48, U1T12, U1TO3, ULDO3, ULD12, ULD48, UDF	CNC4F	5.82	25.70	19.97	10.01	8.50						
	Virtual Collocation - Co-Carrier Cross Connects/Direct Connect - Fiber Cable Support Structure, per linear foot, per cable			AMTFS	VE1CB	0.001										
	Virtual Collocation - Co-Carrier Cross Connects/Direct Connect - Copper/Coax Cable Support Structure, per linear foot, per cable			AMTFS	VE1CD	0.0015										
	Virtual Collocation 2-Wire Cross Connect, Port			UEPSX, UEPSB, UEPSE, UEPSP, UEPSR, UEP2C	VE1R2	0.0268	12.37	11.87	6.04	5.45						
CFA	Virtual Collocation 4-Wire Cross Connect, Port Virtual Collocation - CFA Information Resend Request, per			UEPDD, UEPEX	VE1R4	0.0536	12.47	11.94	6.59	5.91						
Cable	Premises, per Arrangement, per request Records - Note: The rates in the First & Additional columns wi	II actua	lly be l			t S" respectivel										
	Virtual Collocation Cable Records - per request Virtual Collocation Cable Records - VG/DS0 Cable, per cable record			AMTFS	VE1BA VE1BB		763.69 328.81	490.94	133.77 190.22							
	Virtual Collocation Cable Records - VG/DS0 Cable, per each 100 pair Virtual Collocation Cable Records - DS1, per T1TIE			AMTFS AMTFS	VE1BC VE1BD		4.84 2.27		5.93 2.78							
	Virtual Collocation Cable Records - DS3, per T3TIE Virtual Collocation Cable Records - Fiber Cable, per 99 fiber records			AMTFS AMTFS	VE1BE VE1BF		7.92 84.98		9.72 77.58							
Secur	Virtual Collocation Cable Records - CAT 5/RJ45			AMTFS	VE1B5		2.27		2.78							
	scheduled work hours Virtual collocation - Security escort, overtime, outside of			AMTFS	SPTBX		17.02	10.79								
	normally scheduled work hours on a normal working day Virtual collocation - Security escort, premium time, outside of a scheduled work day			AMTFS AMTFS	SPTOX SPTPX		22.17	13.94								
Maint	enance															
	Virtual collocation - Maintenance in CO - Basic, per half hour Virtual collocation - Maintenance in CO - Overtime, per half hour			AMTFS	SPTOM		28.09 36.69	10.79								
Entra	Virtual collocation - Maintenance in CO - Premium per half hour			AMTFS	SPTPM		45.28	17.08								
	Virtual Collocation - Cable Installation Charge, per cable Virtual Collocation - Cable Support Structure, per cable			AMTFS AMTFS	ESPCX ESPSX	15.24	926.27		22.62							
	IN IN THE REMOTE SITE cal Remote Site Collocation Physical Collocation in the Remote Site - Application Fee			CLORS	PE1RA		309.48		168.63							
	Cabinet Space in the Remote Site per Bay/ Rack Physical Collocation in the Remote Site - Security Access - Key			CLORS	PE1RB PE1RD	210.05	13.17									
	Physical Collocation in the Remote Site - Security Access - Rey Physical Collocation in the Remote Site - Space Availability Report per Premises Requested			CLORS	PE1SR		116.54									

COLLOCAT	ION - Mississippi												Attachment:	4 Exh B		
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Svc Order Submitted	Incremental Charge -		Incremental Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
						Rec	Nonrec		Nonrecurring					Rates(\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Physical Collocation in the Remote Site - Remote Site CLLI Code Request, per CLLI Code Requested			CLORS	PE1RE		37.77									
	Remote Site DLEC Data (BRSDD), per Compact Disk, per CO			CLORS	PE1RE PE1RR		233.14									
	Physical Collocation - Security Escort for Basic Time - normally			CLORG	FLIKK		233.14									
	scheduled work, per half hour			CLORS	PE1BT		17.02	10.79								
	Physical Collocation - Security Escort for Overtime - outside of			OLONO	1 2 101		17.02	10.70								
	normally scheduled working hours on a scheduled work day,															
	per half hour			CLORS	PE1OT		22.17	13.94								
	Physical Collocation - Security Escort for Premium Time -															
	outside of scheduled work day, per half hour			CLORS	PE1PT		27.32	17.08								
Adjace	ent Remote Site Collocation															
	Remote Site-Adjacent Collocation-Application Fee			CLORS	PE1RU		755.62	755.62								
	Remote Site-Adjacent Collocation - Real Estate, per square foot			CLORS	PE1RT	0.134										
	Remote Site-Adjacent Collocation - AC Power, per breaker amp			CLORS	PE1RS	6.27										
	If Security Escort and/or Add'l Engineering Fees become nec	essary	for adja	acent remote site col	location, the	Parties will ne	gotiate approp	riate rates.								
Virtual	Remote Site Collocation			VE4D0	\/E4DD		000.40		400.00							
	Virtual Collocation in the Remote Site - Application Fee			VE1RS	VE1RB		309.48		168.63							
	Virtual Collocation in the Remote Site - Per Bay/Rack of Space			VE1RS	VE1RC	210.05										
	Virtual Collocation in the Remote Site - Fel Bay Rack of Space Virtual Collocation in the Remote Site - Space Availability Report			VEIRO	VEIRC	210.05										
	per Premises requested			VE1RS	VE1RR		116.54									
	Virtual Collocation in the Remote Site - Remote Site CLLI Code			VEIRO	VETICIO	1	110.54					1				
	Request, per CLLI Code Requested			VE1RS	VE1RL		37.77									
ADJACENT CO				VEIRO	VETICE		07.77									
	Adjacent Collocation - Space Charge per Sq. Ft.			CLOAC	PE1JA	0.0678										
	Adjacent Collocation - Electrical Facility Charge per Linear Ft.			CLOAC	PE1JC	4.68										
				UEANL,UEQ,UEA,U												1
	Adjacent Collocation - 2-Wire Cross-Connects			CL, UAL, UHL, UDN		0.0223	12.37	11.87	6.04	5.45						
	Adjacent Collocation - 4-Wire Cross-Connects				PE1JF	0.0446	12.47	11.94	6.59	5.91						
	Adjacent Collocation - DS1 Cross-Connects			USL	PE1JG	1.05	22.16	16.02	6.60	5.97						
	Adjacent Collocation - DS3 Cross-Connects	ļ	<u> </u>	UE3	PE1JH	14.27	21.01	15.29	7.61	6.10						
	Adjacent Collocation - 2-Fiber Cross-Connect	<u> </u>		CLOAC	PE1JJ	2.42	21.01	15.29	7.61	6.10						-
	Adjacent Collocation - 4-Fiber Cross-Connect	 	1	CLOAC	PE1JK	4.62	25.70	19.97	10.01	8.50						1
	Adjacent Collocation - Application Fee Adjacent Collocation - 120V, Single Phase Standby Power Rate	 	1	CLOAC	PE1JB		1,585.83									1
	per AC Breaker Amp			CLOAC	PE1JL	5.29										1
	Adjacent Collocation - 240V, Single Phase Standby Power Rate	 		OLONO	1 2 102	5.29										
	per AC Breaker Amp			CLOAC	PE1JM	10.58										1
	Adjacent Collocation - 120V, Three Phase Standby Power Rate		 	020/10	10111	10.00										1
	per AC Breaker Amp			CLOAC	PE1JN	15.87										1
	Adjacent Collocation - 277V, Three Phase Standby Power Rate															İ
	per AC Breaker Amp			CLOAC	PE1JO	36.65										1
Note:	Rates displaying an "I" in Interim column are interim as a resu	ılt of a (Commi	ssion order.												

COLLOCAT	ION - North Carolina												Attachment:	4 Exh B	1	
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)			Submitted Elec per LSR		Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Charge -	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add
						Rec	Nonrec		Nonrecurring			001441		Rates(\$)	001441	001111
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
PHYSICAL CO	N L OCATION										+				1	
Applic					1						+					
	Physical Collocation - Initial Application Fee			CLO	PE1BA		2,322.00									
	Physical Collocation - Subsequent Application Fee			CLO	PE1CA		2,311.00									
	Physical Collocation - Co-Carrier Cross Connects/Direct															
	Connect, Application Fee, per application			CLO	PE1DT		317.20									
	Physical Collocation Administrative Only - Application Fee			CLO	PE1BL		741.44									
	Physical Collocation - Application Cost, Simple Augment			CLO	PE1KS		269.83		1.15							
	Physical Collocation - Application Cost, Minor Augment	ļ	ļ	CLO	PE1KM		493.40		1.15		+				-	-
	Physical Collocation - Application Cost, Intermediate Augment	 		CLO	PE1K1		1,012.00		1.15		1			 	1	1
Space	Physical Collocation - Application Cost - Major Augment Preparation	l	-	CLO	PE1KJ	 	2,343.00		1.15	 	+			 	 	
Space	Preparation Physical Collocation - Floor Space, per sq feet		-	CLO	PE1PJ	2.69			+		-			-		-
	Physical Collocation - Floor Space, per sq feet Physical Collocation - Space Enclosure, welded wire, first 50			CLO	FLIFJ	2.09					+					
	square feet			CLO	PE1BX		534.44									
	Physical Collocation - Space enclosure, welded wire, first 100			020	I LIBX		004.44									
	square feet			CLO	PE1BW		559.81									
	Physical Collocation - Space enclosure, welded wire, each				1										1	
	additional 50 square feet			CLO	PE1CW		25.37									
	Physical Collocation - Space Preparation - C.O. Modification per															
	square ft.			CLO	PE1SK	2.42										
	Physical Collocation - Space Preparation, Common Systems															
	Modifications-Cageless, per square foot			CLO	PE1SL	2.88										
	Physical Collocation - Space Preparation - Common Systems															
	Modifications-Caged, per cage			CLO	PE1SM	97.98										
	Physical Collocation - Space Preparation - Firm Order			0.0	55.40.1											
	Processing			CLO	PE1SJ		1,196.00				1					
	Physical Collocation - Space Availability Report, per Central Office Requested			CLO	PE1SR		2,140.00									
Power				CLO	PETSK		2,140.00				+				-	-
rowei	Physical Collocation - Power, -48V DC Power - per Fused Amp										+					
	Requested			CLO	PE1PL	7.65										
	Physical Collocation - Power, 120V AC Power, Single Phase,			020		7.00										
	per Breaker Amp			CLO	PE1FB	5.50										
	Physical Collocation - Power, 240V AC Power, Single Phase,				1											
	per Breaker Amp			CLO	PE1FD	11.01										
	Physical Collocation - Power, 120V AC Power, Three Phase, per															
	Breaker Amp			CLO	PE1FE	16.51			<u> </u>							
	Physical Collocation - Power, 277V AC Power, Three Phase, per	l	1]												
	Breaker Amp	L		CLO	PE1FG	38.12			ļ		_				1	
Cross	Connects (Cross Connects, Co-Carrier Cross Connects, and P	orts)			ļ				ļ		_				1	
				UEANL,UEQ,												
				UNCNX, UEA, UCL,												
	Dhysical Callegation 2 wire gross connect loop provisioning			UAL, UHL, UDN, UNCVX	PE1P2	0.0309	19.77	14.95								
+	Physical Collocation - 2-wire cross-connect, loop, provisioning		-	UEA, UHL, UNCVX,	re irz	0.0309	19.77	14.95	1		1			1	 	
1	Physical Collocation - 4-wire cross-connect, loop, provisioning		1	UNCDX, UCL, UDL	PE1P4	0.0618	19.95	15.05								
<u> </u>	, bonocadon c. c. coo controot, toop, provisioning			WDS1L, WDS1S,		3.0010	10.00	10.00	†		1			1	†	t
				UXTD1, ULDD1,												
		l		USLEL, UNLD1,							1				1	
1		l	1	U1TD1, UNC1X,						1	1			1	I	
1		l		UEPSR, UEPSB,							1				1	1
		l		UEPSE, UEPSP,							1				1	
	Physical Collocation -DS1 Cross-Connect for Physical	l	1	USL, UEPEX,						1	1			1	I	
	Collocation, provisioning		1	UEPDX	PE1P1	1.38	39.15	23.20		Ì	1			Ì	l .	l

COLLOCAT	ΓΙΟΝ - North Carolina												Attachment:			<u> </u>
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs.	Incremental Charge - Manual Svc Order vs.	Incremental Charge - Manual Svc Order vs.	Incremental Charge - Manual Svc Order vs.
		m						-(.,			per Lor	per LSK	Electronic- 1st	Electronic- Add'l	Electronic- Disc 1st	Electronic- Disc Add'l
						p.,	Nonrec	curring	Nonrecurring	Disconnect		l l	oss	Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
				UE3, U1TD3, UXTD3, UXTS1, UNC3X, UNCSX, ULDD3, U1TS1,												
	District Callegating DC2 Coppe Copper to the initialization			ULDS1, UNLD3, UEPEX, UEPDX, UEPSR, UEPSB,	DE4D2	47.00	20.25	24.04								
	Physical Collocation - DS3 Cross-Connect, provisioning			UEPSE, UEPSP CLO, ULDO3, ULD12, ULD48,	PE1P3	17.62	38.25	21.94								
	Physical Collocation - 2-Fiber Cross-Connect			U1TO3, U1T12, U1T48, UDLO3, UDL12, UDF	PE1F2	3.50	38.25	21.94								
				ULDO3, ULD12, ULD48, U1TO3, U1T12, U1T48, UDLO3, UDL12,												
	Physical Collocation - 4-Fiber Cross-Connect			UDF, UDFCX	PE1F4	6.20	43.96	26.17								
	Physical Collocation - Co-Carrier Cross Connects/Direct Connect - Fiber Cable Support Structure, per linear foot, per cable.			CLO	PE1ES	0.0028										
	Physical Collocation - Co-Carrier Cross Connect/Direct Connect -			CLO	PETES	0.0028										
	Copper/Coax Cable Support Structure, per linear foot, per cable.			CLO	PE1DS	0.0041										
	Physical Collocation 2-Wire Cross Connect, Port			UEPSR, UEPSP, UEPSE, UEPSB, UEPSX, UEP2C	PE1R2	0.0309	19.77	14.95					26.94	12.76		
	Physical Collocation 2-Wire Cross Connect, Port Physical Collocation 4-Wire Cross Connect, Port			UEPEX, UEPDD	PE1R2 PE1R4	0.0309	19.77	15.05					26.94	12.76		
Secur				OLI LX, OLI DD	I E IIV4	0.0010	19.95	13.03					20.34	12.70		
	Physical Collocation - Security Escort for Basic Time - normally scheduled work, per half hour			CLO	PE1BT		33.68	21.34								
	Physical Collocation - Security Escort for Overtime - outside of normally scheduled working hours on a scheduled work day, per half hour			CLO	PE1OT		43.87	27.57								
	Physical Collocation - Security Escort for Premium Time - outside of scheduled work day, per half hour			CLO	PE1PT		54.06	33.80								
	Physical Collocation - Security Access System - Security System per Central Office, per Sq. Ft.			CLO	PE1AY	0.0135	34.00	33.00								
	Physical Collocation -Security Access System - New Card Activation, per Card Activation (First), per State			CLO	PE1A1	0.0622	15.00									
	Physical Collocation-Security Access System-Administrative Change, existing Access Card, per Request, per State, per Card			CLO	PE1AA		15.51									
	Physical Collocation - Security Access System - Replace Lost or Stolen Card, per Card Physical Collocation - Security Access - Initial Key, per Key			CLO CLO	PE1AR PE1AK		15.00 15.00									
	Physical Collocation - Security Access - Initial Key, per Key Physical Collocation - Security Access - Key, Replace Lost or Stolen Key, per Key			CLO	PE1AL		15.00									
CFA	Physical Collocation - CFA Information Resend Request, per			CLO	DE400		77.40									
Cablo	premises, per arrangement, per request Records - Note: The rates in the First & Additional columns wi	ll actus	lly be l	CLO	PE1C9	ant S" respectiv	77.48		 						-	
Cable	Physical Collocation - Cable Records, per request	ıı actua	iiy be l	ICLO	PE1CR	ent o respectiv		S 937.29	245.00	245.00						
	Physical Collocation, Cable Records, VG/DS0 Cable, per cable record (maximum 3600 records)			CLO	PE1CD		622.69	622.69	346.35	346.35						
	Physical Collocation, Cable Records, VG/DS0 Cable, per each 100 pair			CLO	PE1CO		8.77	8.77	10.32	10.32						
	Physical Collocation, Cable Records, DS1, per T1 TIE			CLO	PE1C1		4.35	4.35	5.11	5.11						
	Physical Collocation, Cable Records, DS3, per T3 TIE			CLO	PE1C3		15.22	15.22	17.90	17.90						

COLLOCAT	ION - North Carolina												Attachment:	4 Exh B	1	
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Charge -	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'
						Rec	Nonrec			g Disconnect				Rates(\$)		
						1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Physical Collocation - Cable Records, Fiber Cable, per cable			0.0	55405											
	record (maximum 99 records)			CLO	PE1CB		163.61	163.61	143.32	143.32						
Virtuo	Physical Collocation, Cable Records, CAT5/RJ45 to Physical			CLO	PE1C5		2.27		2.78	-	1				-	
Virtua	Physical Collocation - Virtual to Physical Collocation Relocation,									-					-	
	per Voice Grade Circuit			CLO	PE1BV		33.00									
	Physical Collocation - Virtual to Physical Collocation Relocation, per DSO Circuit			CLO	PE1BO		33.00									
	Physical Collocation - Virtual to Physical Collocation Relocation, per DS1 Circuit			CLO	PE1B1		52.00									
	Physical Collocation - Virtual to Physical Collocation Relocation, per DS3 Circuit			CLO	PE1B3		52.00									
	Physical Collocation - Virtual to Physical Collocation In-Place, Per Voice Grade Circuit			CLO	PE1BR		69.51	20.45								
	Physical Collocation Virtual to Physical Collocation In-Place, Per DSO Circuit			CLO	PE1BP		69.51	20.45								
	Physical Collocation - Virtual to Physical Collocation In-Place, Per DS1 Circuit			CLO	PE1BS		78.93	29.87								
	Physical Collocation - Virtual to Physical Collocation In-Place, per DS3 Circuit			CLO	PE1BE		75.11	26.04								
Entrar	nce Cable			OLO	LIDE		73.11	20.04								†
	Physical Collocation - Fiber Cable Installation, Pricing, non-recurring charge, per Entrance Cable			CLO	PE1BD		1,233.00									
	Physical Collocation - Fiber Cable Support Structure, per Entrance Cable			CLO	PE1PM	20.57	1,200.00									
	Physical Collocation - Fiber Entrance Cable Installation, per Fiber			CLO	PE1ED	20.01	7.79									
VIRTUAL COL				CLO	FLILD		1.15			1					1	-
Applic															1	
1	Virtual Collocation - Application Fee			AMTFS	EAF		1,195.00									
	Virtual Collocation - Co-Carrier Cross Connects/Direct Connect, Application Fee, per application			AMTFS	VE1CA		317.20									
	Virtual Collocation Administrative Only - Application Fee			AMTFS	VE1AF		741.44									
Space	Preparation															
	Virtual Collocation - Floor Space, per sq. ft.	l		AMTFS	ESPVX	2.69										
Power																
	Virtual Collocation - Power, per fused amp	1		AMTFS	ESPAX	7.65										
Cross	Connects (Cross Connects, Co-Carrier Cross Connects, and P	orts)		UEANL, UEA, UDN, UAL, UHL, UCL, UEQ, UNCVX, UNCDX, UNCNX	UEAC2	0.0225	19.77	14.95								
	Virtual Collocation - 2-wire cross-connect, loop, provisioning			UEA, UHL, UCL, UDL, UNCVX,	UEAGZ	0.0225	19.77	14.95								
	Virtual Collocation - 4-wire cross-connect, loop, provisioning			UNCDX	UEAC4	0.0449	19.95	15.05								<u> </u>
	Virtual collocation - Special Access & UNE, cross-connect per DS1			ULR, UXTD1, UNC1X, ULDD1, U1TD1, USLEL, UNLD1, USL, UEPEX, UEPDX	CNC1X	0.4195	39.15	23.20								
	Virtual collocation - Special Access & UNE, cross-connect per			USL, UE3, U1TD3, UXTS1, UXTD3, UNC3X, UNCSX, ULDD3, U1TS1, ULDS1, UDLSX,												
	DS3		1	UNLD3	CND3X	4.41	38.25	21.94		l .	l	j]	l .	<u> </u>

																	ı
COLLC	CATI	ON - North Carolina			ı		1							Attachment:			
														Incremental			Incremental
													Submitted		Charge -	Charge -	Charge -
			Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGO	PRY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													_	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							Rec	Nonrec		Nonrecurring					Rates(\$)		
							Neo	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
					UDL12, UDLO3,												
					U1T48, U1T12,												
					U1TO3, ULDO3,												
		Virtual Collocation - 2-Fiber Cross Connects			ULD12, ULD48, UDF	CNC2F	1.96	38.25	21.94								
					UDL12, UDLO3,												
					U1T48, U1T12,												
					U1TO3, ULDO3,												
		Virtual Collocation - 4-Fiber Cross Connects			ULD12, ULD48, UDF	CNC4E	3.93	43.96	26.17								
-		Virtual Collocation - 4-Fiber Cross Connects			ULD12, ULD48, UDF	CNC4F	3.93	43.96	20.17								
		Mark and Coulder and the Country Count		l		1									Ì		1
		Virtual Collocation - Co-Carrier Cross Connects/Direct Connect -		l											Ì		1
		Fiber Cable Support Structure, per linear foot, per cable		<u> </u>	AMTFS	VE1CB	0.0028]
1	_					1											
		Virtual Collocation - Co-Carrier Cross Connects/Direct Connect -															
		Copper/Coax Cable Support Structure, per linear foot, per cable			AMTFS	VE1CD	0.0041										
					UEPSX, UEPSB,												
					UEPSE, UEPSP,												
		Virtual Collocation 2-Wire Cross Connect, Port			UEPSR, UEP2C	VE1R2	0.0225	19.77	14.95								
-		Virtual Collocation 4-Wire Cross Connect, Port			UEPDD, UEPEX	VE1R4	0.0449	19.95	15.05								
 	FA	Virtual Collocation 4-VVIIIe Closs Collinect, 1 oft			OLI DD, OLI LX	VE IIV4	0.0443	19.95	13.03								
—	,r A	Virtual Collocation - CFA Information Resend Request, per															
					AMTFS	VE1QR		77.48									
 	Sabla F	Premises, per Arrangement, per request Records - Note: The rates in the First & Additional columns wi	114	United to			4 C!! ==================================										
	able r		ii actua	ily be t			i 3 respectively	1,458.00	937.29	245.00	0.45.00						
-		Virtual Collocation Cable Records - per request			AMTFS	VE1BA		1,458.00	937.29	245.00	245.00						
		Virtual Collocation Cable Records - VG/DS0 Cable, per cable				l											
		record			AMTFS	VE1BB		622.69	622.69	346.35	346.35						
		Virtual Collocation Cable Records - VG/DS0 Cable, per each															
		100 pair			AMTFS	VE1BC		8.77	8.77	10.32	10.32						
		Virtual Collocation Cable Records - DS1, per T1TIE			AMTFS	VE1BD		4.35	4.35	5.11	5.11						
		Virtual Collocation Cable Records - DS3, per T3TIE			AMTFS	VE1BE		15.22	15.22	17.90	17.90						
		Virtual Collocation Cable Records - Fiber Cable, per 99 fiber															
		records			AMTFS	VE1BF		163.61	163.61	143.32	143.32						
		Virtual Collocation Cable Records - CAT 5/RJ45			AMTFS	VE1B5		4.35	4.35	5.11	5.11						
	Securit	v															
		Virtual collocation - Security escort, basic time, normally															
		scheduled work hours		l	AMTFS	SPTBX		33.68	21.34						Ì		1
 		Virtual collocation - Security escort, overtime, outside of		-		/ ·	 	00.00	21.04						 		
		normally scheduled work hours on a normal working day		l	AMTFS	SPTOX]	43.87	27.57						Ì		1
+		Virtual collocation - Security escort, premium time, outside of a		 	,	51 157	 	45.07	21.01						1		l
		scheduled work day			AMTFS	SPTPX	1	54.06	33.80			l					
	4 ml m 4 m				AIVITO	37174	 	54.06	33.80						 		
<u> </u>	nainte	nance			AMTEC	OTDL V		50.00	04.00								ļ
		Virtual collocation - Maintenance in CO - Basic, per half hour		<u> </u>	AMTFS	CTRLX		52.03	21.22								
				l	l	l									Ì		1
$\sqcup \sqcup$		Virtual collocation - Maintenance in CO - Overtime, per half hour		 	AMTFS	SPTOM	ļ	69.48	27.81			ļ					
							1					l					
		Virtual collocation - Maintenance in CO - Premium per half hour		<u></u>	AMTFS	SPTPM		86.94	34.40								
E	ntran	ce Cable															
		Virtual Collocation - Cable Installation Charge, per cable			AMTFS	ESPCX		1,233.00									
		Virtual Collocation - Cable Support Structure, per cable			AMTFS	ESPSX	13.28										
COLLOC	ATION	IN THE REMOTE SITE					1					ĺ			İ		
		al Remote Site Collocation				İ	į į								İ		İ
 	., 5.5	Physical Collocation in the Remote Site - Application Fee		1	CLORS	PE1RA	 	589.38		258.38					 		1
\vdash		Cabinet Space in the Remote Site per Bay/ Rack		-	CLORS	PE1RB	218.07	300.00		200.00					 		
\vdash		Cabinot opado in the Nomete Oite per Day/ Nack		 	520110		210.07								1		1
		Physical Collegation in the Pometa Site. Security Assess. 16-1			CLORS	PE1RD	1	15.00				l					
+		Physical Collocation in the Remote Site - Security Access - Key		!	CLUKO	LEIKD		15.00									
		Physical Collocation in the Remote Site - Space Availability		l	CLODC	DE465		045.55							Ì		1
\sqcup		Report per Premises Requested		<u> </u>	CLORS	PE1SR	i	215.55		l .		l	l l		l		l

	ION - North Carolina												Attachment:	4 Exh B		
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Svc Order Submitted	Incremental Charge -		Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
							Nonrec	urring	Nonrecurring	Disconnect			oss	Rates(\$)		<u> </u>
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Physical Collocation in the Remote Site - Remote Site CLLI															
	Code Request, per CLLI Code Requested			CLORS	PE1RE		70.65									
	Remote Site DLEC Data (BRSDD), per Compact Disk, per CO			CLORS	PE1RR		232.94									
	Physical Collocation - Security Escort for Basic Time - normally															
	scheduled work, per half hour			CLORS	PE1BT		33.68	21.34								<u> </u>
	Physical Collocation - Security Escort for Overtime - outside of normally scheduled working hours on a scheduled work day,															
	per half hour			CLORS	PE1OT		43.87	27.57								
	Physical Collocation - Security Escort for Premium Time -															
	outside of scheduled work day, per half hour			CLORS	PE1PT		54.06	33.80								
Adjace	nt Remote Site Collocation															
	Remote Site-Adjacent Collocation-Application Fee			CLORS	PE1RU		755.62	755.62								
	Remote Site-Adjacent Collocation - Real Estate, per square foot			CLORS	PE1RT	0.134										
	Remote Site-Adjacent Collocation - AC Power, per breaker amp			CLORS	PE1RS	6.27										
	If Security Escort and/or Add'l Engineering Fees become nec	essary 1	for adja	cent remote site col	location, the	Parties will ne	gotiate approp	riate rates.								
Virtual	Remote Site Collocation															
	Virtual Collocation in the Remote Site - Application Fee			VE1RS	VE1RB		589.38		258.38							
	Virtual Collocation in the Remote Site - Per Bay/Rack of Space			VE1RS	VE1RC	218.07										
	Virtual Collocation in the Remote Site - Per Bay/Rack of Space Virtual Collocation in the Remote Site - Space Availability Report			VEIRO	VEIRC	210.07										
	per Premises requested			VE1RS	VE1RR		215.55									
	Virtual Collocation in the Remote Site - Remote Site CLLI Code															
	Request, per CLLI Code Requested			VE1RS	VE1RL		70.65									
ADJACENT CO																
	Adjacent Collocation - Space Charge per Sq. Ft.			CLOAC	PE1JA	0.1555										ĺ
	Adjacent Collocation - Electrical Facility Charge per Linear Ft.			CLOAC	PE1JC	5.78										
				UEANL,UEQ,UEA,U												
	Adjacent Collocation - 2-Wire Cross-Connects	<u> </u>	<u> </u>	CL, UAL, UHL, UDN		0.0239	19.77	14.95								
	Adjacent Collocation - 4-Wire Cross-Connects	ļ	ļ	- 1- 1- 1	PE1JF	0.0477	19.95	15.05								
	Adjacent Collocation - DS1 Cross-Connects		<u> </u>	USL UE3	PE1JG	1.28	39.15	23.20 21.94								ļ
	Adjacent Collocation - DS3 Cross-Connects			CLOAC	PE1JH PE1JJ	17.35 2.94	38.25									
	Adjacent Collocation - 2-Fiber Cross-Connect			CLOAC	PE1JJ PE1JK	2.94 5.62	38.25 43.96	21.94 26.17								
	Adjacent Collocation - 4-Fiber Cross-Connect Adjacent Collocation - Application Fee	-	-	CLOAC	PE1JK PE1JB	5.62	2,266.00	∠0.17	0.5842						-	
-+-	Adjacent Collocation - Application Fee Adjacent Collocation - 120V, Single Phase Standby Power Rate	1	1	OLOAG	1 1100		2,200.00		0.3042		1					
	per AC Breaker Amp			CLOAC	PE1JL	5.50										
	Adjacent Collocation - 240V, Single Phase Standby Power Rate per AC Breaker Amp			CLOAC	PE1JM	11.01										
	Adjacent Collocation - 120V, Three Phase Standby Power Rate per AC Breaker Amp			CLOAC	PE1JN	16.51										
	Adjacent Collocation - 277V, Three Phase Standby Power Rate															
1	per AC Breaker Amp	I	1	CLOAC	PE1JO	38.12					1					L

COLLOCAT	ION - South Carolina	1							1		1		Attachment:	4 Evh D		
COLLOCAI	- 30dtii Carollila								1		Svc Order		Incremental		Incremental	Incremental
											Submitted	1	Charge -	Charge -	Charge -	Charge -
											Elec		Manual Svc	Manual Svc		Manual Svc
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m									p-0.	P	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
						Rec	Nonrec			g Disconnect	001150	001111		Rates(\$)	001111	001111
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
PHYSICAL CO	N L OCATION															
Applie																
7.40	Physical Collocation - Initial Application Fee			CLO	PE1BA		1,883.67		0.51							
	Physical Collocation - Subsequent Application Fee			CLO	PE1CA		1,570.10		0.51							
	Physical Collocation - Co-Carrier Cross Connects/Direct						·									
	Connect, Application Fee, per application			CLO	PE1DT		584.42									
	Physical Collocation Administrative Only - Application Fee			CLO	PE1BL		743.66									
	Physical Collocation - Application Cost, Simple Augment			CLO	PE1KS		594.27		1.21							
	Physical Collocation - Application Cost, Minor Augment			CLO	PE1KM		833.26		1.21							
\vdash	Physical Collocation - Application Cost, Intermediate Augment Physical Collocation - Application Cost - Major Augment	<u> </u>		CLO CLO	PE1K1 PE1KJ	 	1,058.00 2,409.00		1.21 1.21	-	1			-		
Snace	Preparation Preparation		\vdash	CLO	FEINJ		2,409.00		1.21		1			+		
Орасе	Physical Collocation - Floor Space, per sq feet			CLO	PE1PJ	3.95			†		+			t		
	Physical Collocation - Space Enclosure, welded wire, first 50								1					1		
	square feet			CLO	PE1BX	197.69										
	Physical Collocation - Space enclosure, welded wire, first 100															
	square feet			CLO	PE1BW	219.19										
	Physical Collocation - Space enclosure, welded wire, each															
	additional 50 square feet			CLO	PE1CW	21.50										
	Physical Collocation - Space Preparation - C.O. Modification per			01.0	DE4CK	0.75										
	square ft. Physical Collocation - Space Preparation, Common Systems			CLO	PE1SK	2.75					+					
	Modifications-Cageless, per square foot			CLO	PE1SL	3.24										
	Physical Collocation - Space Preparation - Common Systems			OLO	LIGE	0.24										
	Modifications-Caged, per cage			CLO	PE1SM	110.16										
	Physical Collocation - Space Preparation - Firm Order															
	Processing			CLO	PE1SJ		602.05									
	Physical Collocation - Space Availability Report, per Central															
	Office Requested			CLO	PE1SR		1,077.57									
Power																
	Physical Collocation - Power, -48V DC Power - per Fused Amp Requested			CLO	PE1PL	9.19										
-	Physical Collocation - Power, 120V AC Power, Single Phase,			CLO	PEIPL	9.19			-			-		-		
	per Breaker Amp			CLO	PE1FB	5.67										
	Physical Collocation - Power, 240V AC Power, Single Phase,			OLO	12112	0.07										
	per Breaker Amp			CLO	PE1FD	11.36			1						1	
	Physical Collocation - Power, 120V AC Power, Three Phase, per															
	Breaker Amp			CLO	PE1FE	17.03										<u> </u>
	Physical Collocation - Power, 277V AC Power, Three Phase, per			0.0	55.50				1						1	
0	Breaker Amp	orte)		CLO	PE1FG	39.33			 		1	1		1	 	
Cross	Connects (Cross Connects, Co-Carrier Cross Connects, and P	orts)		UEANL,UEQ,		1			_	1		-		 	-	
				UNCNX, UEA, UCL.					1						1	
				UAL, UHL, UDN,												
	Physical Collocation - 2-wire cross-connect, loop, provisioning			UNCVX	PE1P2	0.0341	12.32	11.83	6.04	5.45				1		
				UEA, UHL, UNCVX,												
	Physical Collocation - 4-wire cross-connect, loop, provisioning			UNCDX, UCL, UDL	PE1P4	0.0682	12.42	11.90	6.40	5.74						<u> </u>
		l		WDS1L, WDS1S,					1					1		
				UXTD1, ULDD1,												
				USLEL, UNLD1, U1TD1, UNC1X,					1						1	
				UEPSR, UEPSB,					1						1	
				UEPSE, UEPSP,					1					1		
	Physical Collocation -DS1 Cross-Connect for Physical			USL, UEPEX,					1					1		
	Collocation, provisioning	l		UEPDX	PE1P1	1.12	22.08	15.96	6.42	5.80				I	1	

COLLOC	ATION - South Carolina												Attachment:	4 Exh B		
CATEGORY		Interi m	Zone	BCS	usoc			RATES(\$)			Svc Order Submitted Elec per LSR		Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
							Name		l Name and a committee of	Diagonat					2.00 .0.	2.007.444.
-		1				Rec	Nonred First	arring Add'l	Nonrecurring First	Add'l	SOMEC	SOMAN	SOMAN	Rates(\$) SOMAN	SOMAN	SOMAN
				UE3, U1TD3, UXTD3, UXTS1, UNC3X, UNCSX, ULDD3, U1TS1,			11130	Addi	11131	Audi	COMEC	COMPANY	COMPAN	COMPAN	COMPART	COMPAN
	Physical Collocation - DS3 Cross-Connect, provisioning			ULDS1, UNLD3, UEPEX, UEPDX, UEPSR, UEPSB, UEPSE, UEPSP	PE1P3	14.21	20.94	15.23	7.39	5.93						
	Physical Collocation - 2-Fiber Cross-Connect			CLO, ULDO3, ULD12, ULD48, U1TO3, U1T12, U1T48, UDLO3, UDL12, UDF ULDO3, ULD12,	PE1F2	2.82	20.94	15.23	7.40	5.93						
	Physical Collocation - 4-Fiber Cross-Connect			ULD48, U1TO3, U1T12, U1T48, UDLO3, UDL12, UDF, UDFCX	PE1F4	5.01	25.61	19.90	9.73	8.26						
	Physical Collocation - Co-Carrier Cross Connects/Direct															
	Connect - Fiber Cable Support Structure, per linear foot, per cable.			CLO	PE1ES	0.001										
	Physical Collocation - Co-Carrier Cross Connect/Direct Connect Copper/Coax Cable Support Structure, per linear foot, per	1														
	cable.			CLO	PE1DS	0.0015										
				UEPSR, UEPSP, UEPSE, UEPSB,												
<u> </u>	Physical Collocation 2-Wire Cross Connect, Port Physical Collocation 4-Wire Cross Connect, Port	-		UEPSX, UEP2C UEPEX, UEPDD	PE1R2 PE1R4	0.0341 0.0682	12.32 12.42	11.83 11.90	6.04 6.40	5.45 5.74		15.69 15.69				
Sec	urity	1		OLFLX, OLFDD	FL IIX4	0.0082	12.42	11.50	0.40	5.74		13.09				
	Physical Collocation - Security Escort for Basic Time - normally scheduled work, per half hour			CLO	PE1BT		16.96	10.75								
	Physical Collocation - Security Escort for Overtime - outside of normally scheduled working hours on a scheduled work day, per half hour			CLO	PE1OT		22.10	13.89								
	Physical Collocation - Security Escort for Premium Time - outside of scheduled work day, per half hour			CLO	PE1PT		27.23	17.02								
	Physical Collocation - Security Access System, Security System, per Central Office	,		CLO	PE1AX	74.72	27.20	17.02								
	Physical Collocation -Security Access System - New Card Activation, per Card Activation (First), per State			CLO	PE1A1	0.0601	27.85									
	Physical Collocation-Security Access System-Administrative Change, existing Access Card, per Request, per State, per Card			CLO	PE1AA		7.81									
	Physical Collocation - Security Access System - Replace Lost or Stolen Card, per Card			CLO	PE1AR		22.83									
	Physical Collocation - Security Access - Initial Key, per Key			CLO	PE1AK		13.13									
CF.	Physical Collocation - Security Access - Key, Replace Lost or Stolen Key, per Key			CLO	PE1AL		13.13									
CFF	Physical Collocation - CFA Information Resend Request, per premises, per arrangement, per request			CLO	PE1C9		77.71									
Cab	le Records - Note: The rates in the First & Additional columns w	ill actua	Illy be I	billed as "Initial I" a	nd "Subsequ	ent S" respectiv	vely									
	Physical Collocation - Cable Records, per request Physical Collocation, Cable Records, VG/DS0 Cable, per cable	1	\vdash	CLO	PE1CR		I 760.98	S 489.2	133.29	-			-			
\vdash	record (maximum 3600 records) Physical Collocation, Cable Records, VG/DS0 Cable, per cable record (maximum 3600 records) Physical Collocation, Cable Records, VG/DS0 Cable, per each			CLO	PE1CD		327.65		189.54							
	100 pair Physical Collocation, Cable Records, VG/DS0 Cable, per each 100 pair Physical Collocation, Cable Records, DS1, per T1 TIE			CLO CLO	PE1CO PE1C1		4.82 2.26		5.91 2.77							
\vdash	Physical Collocation, Cable Records, DS3, per T3 TIE	1	<u> </u>	CLO	PE1C3		7.90		9.68							<u> </u>

COLLOCA	TION - South Carolina	1	T		1			1			1	Attachment:	4 Evh D		T
COLLOCA	HON - South Carolina									Svc Order	Svc Order	Incremental		Incremental	Incremental
										Submitted			Charge -	Charge -	Charge -
										Elec	Manually		Manual Svc		
CATEGORY	RATE ELEMENTS	Interi	Zone BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m					,			per Lor	per Lor	Electronic-	Electronic-	Electronic-	Electronic-
												1st	Add'l	Disc 1st	Disc Add'l
														Disc 1st	DISC Add I
					Rec	Nonre			g Disconnect				Rates(\$)		
					Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Physical Collocation - Cable Records, Fiber Cable, per cable														l l
	record (maximum 99 records)		CLO	PE1CB		84.68		77.30							ļ!
	Physical Collocation, Cable Records, CAT5/RJ45		CLO	PE1C5		2.26		2.77							
Virtu	al to Physical														
	Physical Collocation - Virtual to Physical Collocation Relocation,														
	per Voice Grade Circuit		CLO	PE1BV		33.00									ļ
	Physical Collocation - Virtual to Physical Collocation Relocation,		01.0	DE 400		00.00									
	per DSO Circuit Physical Collocation - Virtual to Physical Collocation Relocation,		CLO	PE1BO		33.00									
	per DS1 Circuit		CLO	PE1B1		52.00									
	Physical Collocation - Virtual to Physical Collocation Relocation,		CLO	PEIDI		52.00				1					
	per DS3 Circuit		CLO	PE1B3		52.00							1	1	1
 	Physical Collocation - Virtual to Physical Collocation In-Place,	 	020	1 2 100	+	32.00		 	1	 			t	t	+
	Per Voice Grade Circuit	1	CLO	PE1BR		22.43							I	I	
	Physical Collocation Virtual to Physical Collocation In-Place, Per		020			22.10									<u> </u>
	DSO Circuit		CLO	PE1BP		22.43									
	Physical Collocation - Virtual to Physical Collocation In-Place,		020	. 2.5.		22.10									
	Per DS1 Circuit		CLO	PE1BS		32.61									l l
	Physical Collocation - Virtual to Physical Collocation In-Place,														
	per DS3 Circuit		CLO	PE1BE		32.61									
Entra	nce Cable														
	Physical Collocation - Fiber Cable Installation, Pricing, non-														
	recurring charge, per Entrance Cable		CLO	PE1BD		794.22		22.54							
	Physical Collocation - Fiber Cable Support Structure, per														
	Entrance Cable		CLO	PE1PM	21.33										
	Physical Collocation - Fiber Entrance Cable Installation, per														
	Fiber		CLO	PE1ED		3.87									ļ!
VIRTUAL CO															
Appl	cation														ļ
	Virtual Collocation - Application Fee		AMTFS	EAF		1,207.95		0.51							
	Virtual Collocation - Co-Carrier Cross Connects/Direct Connect, Application Fee, per application		AMTFS	VE1CA		584.42									
-	Virtual Collocation Administrative Only - Application Fee		AMTFS	VE1CA VE1AF		743.66									
Snac	e Preparation		AWITS	VLIAI		743.00				1					1
Орас	Virtual Collocation - Floor Space, per sq. ft.		AMTFS	ESPVX	3.95					1					
Powe			AWITTO	LOI VX	5.55										
	Virtual Collocation - Power, per fused amp		AMTFS	ESPAX	9.19			1					1	1	<u> </u>
Cros	S Connects (Cross Connects, Co-Carrier Cross Connects, and P	orts)			20			1					1	1	
	, , , , , , , , , , , , , , , , , , , ,		UEANL, UEA, UD	N,			l	İ				İ	1	1	1
			UAL, UHL, UCL,										1	1	1
		1	UEQ, UNCVX,										I	I	
	Virtual Collocation - 2-wire cross-connect, loop, provisioning	<u> </u>	UNCDX, UNCNX	UEAC2	0.0317	12.32	11.83	6.04	5.45				<u> </u>	<u> </u>	
			UEA, UHL, UCL,												
			UDL, UNCVX,										1	1	1
	Virtual Collocation - 4-wire cross-connect, loop, provisioning	<u> </u>	UNCDX	UEAC4	0.0634	12.42	11.90	6.40	5.74	<u> </u>			1		ļ
1 1			ULR, UXTD1,										1	1	1
1 1			UNC1X, ULDD1,										1	1	
1 1	Vistoria collegation Consolid Assess C. 1915	1	U1TD1, USLEL,										I	I	
1 1	Virtual collocation - Special Access & UNE,cross-connect per		UNLD1, USL,	ONO4Y	1	00.00	45.00		F 00				1	1	
—	DS1	 	UEPEX, UEPDX	CNC1X	1.12	22.08	15.96	6.42	5.80	1			1	1	
1 1		1	USL, UE3, U1TD3	,									I	I	
1 1		1	UXTS1, UXTD3, UNC3X, UNCSX,										I	I	
		1	ULDD3, U1TS1,										I	I	
	Virtual collocation - Special Access & UNE, cross-connect per		ULDS1, UDLSX,										1	1	
	DS3		UNLD3	CND3X	14.21	20.94	15.23	7.39	5.93				1	1	
<u> </u>	1500	1	OTTEDO	OHDOX	17.21	20.04	10.20	7.00	0.00	·	L	L	L	L	

COLLOCAT	ION - South Carolina												Attachment:	4 Fxh B		
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrec	curring	Nonrecurring	Disconnect			oss	Rates(\$)	•	
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Virtual Collocation - 2-Fiber Cross Connects			UDL12, UDLO3, U1T48, U1T12, U1TO3, ULDO3, ULD12, ULD48, UDF	CNC2F	2.86	20.94	15.23	7.40	5.93						
	Virtual Collocation - 4-Fiber Cross Connects			UDL12, UDLO3, U1T48, U1T12, U1TO3, ULDO3, ULD12, ULD48, UDF	CNC4F	5.71	25.61	19.90	9.73	8.26						
									9.1.0							
	Virtual Collocation - Co-Carrier Cross Connects/Direct Connect - Fiber Cable Support Structure, per linear foot, per cable			AMTFS	VE1CB	0.001										
	Virtual Collocation - Co-Carrier Cross Connects/Direct Connect -															
	Copper/Coax Cable Support Structure, per linear foot, per cable			AMTFS	VE1CD	0.0015										
				UEPSX, UEPSB,												
	Virtual Collocation 2-Wire Cross Connect, Port			UEPSE, UEPSP, UEPSR, UEP2C	VE1R2	0.0317	12.32	11.83	6.04	5.45						
h + +	Virtual Collocation 2-Wire Cross Connect, Port			UEPDD, UEPEX	VE1R2 VE1R4	0.0317	12.32	11.83	6.40	5.74						
CFA	Virtual Conocation 4-Vine Cross Connect, 1 ort			OLI DD, OLI LX	VETIC	0.0054	12.42	11.50	0.40	3.14						
	Virtual Collocation - CFA Information Resend Request, per															
	Premises, per Arrangement, per request			AMTFS	VE1QR		77.71									
Cable	Records - Note: The rates in the First & Additional columns wi	II actua	lly be b			t S" respectivel		100.00	100.00							
-	Virtual Collocation Cable Records - per request Virtual Collocation Cable Records - VG/DS0 Cable, per cable			AMTFS	VE1BA		760.98	489.20	133.29							
	record Virtual Collocation Cable Records - VG/DS0 Cable, per cable record Virtual Collocation Cable Records - VG/DS0 Cable, per each			AMTFS	VE1BB		327.65		189.54							
	100 pair			AMTFS	VE1BC		4.82		5.91							
	Virtual Collocation Cable Records - DS1, per T1TIE			AMTFS	VE1BD		2.26		2.77							
	Virtual Collocation Cable Records - DS3, per T3TIE			AMTFS	VE1BE		7.90		9.68							
	Virtual Collocation Cable Records - Fiber Cable, per 99 fiber records			AMTFS	VE1BF		84.68		77.30							
	Virtual Collocation Cable Records - CAT 5/RJ45			AMTFS	VE1B5		2.26		2.77							
Securi	Virtual collocation - Security escort, basic time, normally															
	Virtual collocation - Security escort, basic time, normally scheduled work hours Virtual collocation - Security escort, overtime, outside of			AMTFS	SPTBX		16.96	10.75								
	normally scheduled work hours on a normal working day			AMTFS	SPTOX		22.10	13.89								
	Virtual collocation - Security escort, premium time, outside of a scheduled work day			AMTFS	SPTPX		27.23	17.02								
Mainte	enance Virtual collocation - Maintenance in CO - Basic, per half hour			AMTFS	CTRLX		27.99	10.75								
	Virtual conocation - Maintenance in GO - Basic, per han flour			AWITO	OTINEX		21.55	10.73								
	Virtual collocation - Maintenance in CO - Overtime, per half hour			AMTFS	SPTOM		36.56	13.89								
	Virtual collocation - Maintenance in CO - Premium per half hour			AMTFS	SPTPM		45.12	17.02								
Entrar	nce Cable			AMTEC	ECDCV		70400		00.51							
\vdash	Virtual Collocation - Cable Installation Charge, per cable Virtual Collocation - Cable Support Structure, per cable			AMTFS AMTFS	ESPCX ESPSX	18.66	794.22		22.54							
COLLOCATIO	N IN THE REMOTE SITE			,	20, 07	10.00										
	cal Remote Site Collocation															
	Physical Collocation in the Remote Site - Application Fee			CLORS	PE1RA		308.38		168.60				_			
\vdash	Cabinet Space in the Remote Site per Bay/ Rack			CLORS	PE1RB	246.44										
	Physical Collocation in the Remote Site - Security Access - Key Physical Collocation in the Remote Site - Space Availability			CLORS	PE1RD		13.13									
	Report per Premises Requested			CLORS	PE1SR		116.13									

COLLOCA	TION - South Carolina												Attachment:	4 Exh B		
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs.	Incremental Charge - Manual Svc Order vs.	Order vs.	Incremental Charge - Manual Svo Order vs.
													Electronic- 1st	Electronic- Add'l	Electronic- Disc 1st	Electronic- Disc Add'l
						Rec	Nonrec	urring	Nonrecurring	g Disconnect			oss	Rates(\$)	•	•
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Physical Collocation in the Remote Site - Remote Site CLLI															
	Code Request, per CLLI Code Requested			CLORS	PE1RE		37.64									
	Remote Site DLEC Data (BRSDD), per Compact Disk, per CO			CLORS	PE1RR		234.50									
	Physical Collocation - Security Escort for Basic Time - normally															
	scheduled work, per half hour			CLORS	PE1BT		16.96	10.75								
	Physical Collocation - Security Escort for Overtime - outside of															
	normally scheduled working hours on a scheduled work day,			01.000	DEAOT		00.40	40.00								
	per half hour		<u> </u>	CLORS	PE1OT		22.10	13.89								
	Physical Collocation - Security Escort for Premium Time -			01.000	DE4DT		07.00	47.00								
	outside of scheduled work day, per half hour		-	CLORS	PE1PT		27.23	17.02								
Adjad	cent Remote Site Collocation			CLODC	DEADLI		755.00	755.00								
	Remote Site-Adjacent Collocation-Application Fee			CLORS	PE1RU		755.62	755.62								
	Remote Site-Adjacent Collocation - Real Estate, per square foot			CLORS	PE1RT	0.134										
	Remote Site-Adjacent Conocation - Real Estate, per square root			CLORS	PEIKI	0.134										
	Remote Site-Adjacent Collocation - AC Power, per breaker amp			CLORS	PE1RS	6.27										
NOTE	: If Security Escort and/or Add'I Engineering Fees become nec	occary i	for adia			· · · ·	notiato annron	riato ratos								
	al Remote Site Collocation	essai y i	loi auja	cent remote site cor	ocation, the	raities will lie	gotiate approp	mate rates.			1					
Viitue	Virtual Collocation in the Remote Site - Application Fee		1	VE1RS	VE1RB	+	616.76		337.19							
	Virtual Concocation in the Normale Oile 7 ppinoation i ce			VEIICO	VEIRE		010.70		007.10							
	Virtual Collocation in the Remote Site - Per Bay/Rack of Space			VE1RS	VE1RC	246.44										
	Virtual Collocation in the Remote Site - Space Availability Report			72.11.0	720	2.0										
	per Premises requested			VE1RS	VE1RR		232.25									
	Virtual Collocation in the Remote Site - Remote Site CLLI Code															
	Request, per CLLI Code Requested			VE1RS	VE1RL		75.27									
ADJACENT C	COLLOCATION															
	Adjacent Collocation - Space Charge per Sq. Ft.			CLOAC	PE1JA	0.0939										
	Adjacent Collocation - Electrical Facility Charge per Linear Ft.			CLOAC	PE1JC	6.40										
		1	1	UEANL,UEQ,UEA,U										I	I	1
	Adjacent Collocation - 2-Wire Cross-Connects	<u> </u>		CL, UAL, UHL, UDN		0.0264	12.32	11.83	6.04	5.45						
	Adjacent Collocation - 4-Wire Cross-Connects				PE1JF	0.0527	12.42	11.90	6.40	5.74						
	Adjacent Collocation - DS1 Cross-Connects			USL	PE1JG	1.03	22.08	15.96	6.42	5.80						
	Adjacent Collocation - DS3 Cross-Connects			UE3	PE1JH	14.00	20.94	15.23	7.39	5.93						
	Adjacent Collocation - 2-Fiber Cross-Connect			CLOAC	PE1JJ	2.37	20.94	15.23	7.40	5.93						
	Adjacent Collocation - 4-Fiber Cross-Connect	ļ	<u> </u>	CLOAC	PE1JK	4.53	25.61	19.90	9.73	8.26				1	1	1
	Adjacent Collocation - Application Fee	ļ		CLOAC	PE1JB		1,580.20									
	Adjacent Collocation - 120V, Single Phase Standby Power Rate	1	1			_ l								1	1	1
	per AC Breaker Amp	ļ	 	CLOAC	PE1JL	5.67								.	.	ļ
	Adjacent Collocation - 240V, Single Phase Standby Power Rate	1		0.0.0										1	1	
	per AC Breaker Amp	!	<u> </u>	CLOAC	PE1JM	11.36								-	-	-
	Adjacent Collocation - 120V, Three Phase Standby Power Rate	1	1	CLOAC	DEAIN	47.00								1	1	
I	per AC Breaker Amp	1	1	CLOAC	PE1JN	17.03								1	1	1
	Adjacent Collocation - 277V, Three Phase Standby Power Rate per AC Breaker Amp	1	1	CLOAC	PE1JO	39.33								1	1	1
	IDELAC DIESKELATID	1	1	ssion order.	FEIJU	39.33				ı	Ì			1	1	

	OCATI	ON - Tennessee												Attachment:	4 Exh B		
CATEG	ORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge - Manual Svc Order vs.
							Rec	Nonrecurring	A -1-111		g Disconnect	COMEC	COMAN		Rates(\$)	COMAN	COMAN
-								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
PHYSIC	AL COL	LOCATION															
	Applica																
		Physical Collocation - Initial Application Fee			CLO	PE1BA		1,285.98									
		Physical Collocation - Subsequent Application Fee			CLO	PE1CA		1,085.48									
		Physical Collocation - Co-Carrier Cross Connects/Direct															
igwdot		Connect, Application Fee, per application			CLO	PE1DT		585.09									
1		Physical Collocation - Power Reconfiguration Only, Application Fee			CLO	PE1PR		400.10									
$\vdash \vdash \vdash$		Physical Collocation Administrative Only - Application Fee			CLO	PE1BL		743.25									
\vdash		Preparation			OLO	LIDE		743.23									
		Physical Collocation - Floor Space, per sq feet			CLO	PE1PJ	5.94	1		İ						İ	
		Physical Collocation - Space Enclosure, welded wire, first 50															
		square feet			CLO	PE1BX	197.09										
		Physical Collocation - Space enclosure, welded wire, first 100															
igsquare		square feet			CLO	PE1BW	218.53										
1		Physical Collocation - Space enclosure, welded wire, each															
\longmapsto		additional 50 square feet Physical Collocation - Space Preparation - C.O. Modification per			CLO	PE1CW	21.44										
1		Physical Collocation - Space Preparation - C.O. Modification per square ft.			CLO	PE1SK	2.74										
$\vdash \vdash \vdash$		Physical Collocation - Space Preparation, Common Systems			CLO	PETSK	2.74										
1		Modifications-Cageless, per square foot			CLO	PE1SL	2.95										
\vdash		Physical Collocation - Space Preparation - Common Systems			020	LIGE	2.00										
1		Modifications-Caged, per cage			CLO	PE1SM	100.14										
		Physical Collocation - Space Preparation - Firm Order															
		Processing			CLO	PE1SJ		1,204.00									
1		Physical Collocation - Space Availability Report, per Central															
$\vdash \vdash$		Office Requested	I		CLO	PE1SR		2,027.00									
$\vdash \vdash \vdash$	Power	District College's Dr. 101/DO Dr.															
1		Physical Collocation - Power, -48V DC Power - per Fused Amp Requested			CLO	PE1PL	8.87										
\vdash		Physical Collocation - Power, 120V AC Power, Single Phase,			CLO	PEIPL	0.07										
1		per Breaker Amp			CLO	PE1FB	5.60										
		Physical Collocation - Power, 240V AC Power, Single Phase,			020		0.00										
1		per Breaker Amp			CLO	PE1FD	11.22										
		Physical Collocation - Power, 120V AC Power, Three Phase, per						ĺ									
		Breaker Amp			CLO	PE1FE	16.82										
1		Physical Collocation - Power, 277V AC Power, Three Phase, per															
$\vdash \vdash$		Breaker Amp			CLO	PE1FG	38.84										
$\vdash \vdash \vdash$	Cross (Connects (Cross Connects, Co-Carrier Cross Connects, and P	orts)	1	UEANL,UEQ,					1		-				-	
1					UNCNX, UEA, UCL,												
1					UAL, UHL, UDN,												
1		Physical Collocation - 2-wire cross-connect, loop, provisioning			UNCVX	PE1P2	0.033	33.82	31.92								
					UEA, UHL, UNCVX,					İ						İ	
		Physical Collocation - 4-wire cross-connect, loop, provisioning			UNCDX, UCL, UDL	PE1P4	0.066	33.94	31.95		<u> </u>						
					WDS1L, WDS1S, UXTD1, ULDD1, USLEL, UNLD1, U1TD1, UNC1X, UEPSR, UEPSB,												
		Physical Collocation -DS1 Cross-Connect for Physical			UEPSE, UEPSP, USL, UEPEX,											1	
		re ovariar conocanon - da i cross-connectior Physical		1	JUOL, UEPEX,	1	1			1	1	1	i			l	1

COLLOC	ATION - Tennessee	_											Attachment:			
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'l
						_	Nonrecurring		Nonrecurring	Disconnect			oss	Rates(\$)	1	ı
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
				UE3, U1TD3, UXTD3, UXTS1, UNC3X, UNCSX, ULDD3, U1TS1, ULDS1, UNLD3, UEPEX, UEPDX, UEPSR, UEPSB,												
	Physical Collocation - DS3 Cross-Connect, provisioning			UEPSE, UEPSP	PE1P3	19.26	52.37	38.89								
	Physical Collocation - 2-Fiber Cross-Connect			CLO, ULDO3, ULD12, ULD48, U1T03, U1T12, U1T48, UDLO3, UDL12, UDF ULD03, ULD12, ULD48, U1T03, U1T12, U1T48,	PE1F2	15.64	41.56	29.82	12.96	10.34			2.69	2.69	1.56	1.56
				UDLO3, UDL12,												
	Physical Collocation - 4-Fiber Cross-Connect			UDF, UDFCX	PE1F4	28.11	50.53	38.78	16.97	14.35			2.69	2.69	1.56	1.56
	Physical Collocation - Co-Carrier Cross Connects/Direct Connect - Fiber Cable Support Structure, per linear foot, per cable.			CLO	PE1ES	0.0013										
	Physical Collocation - Co-Carrier Cross Connect/Direct Connect -			020	1 2 1 2 0	0.0010										
	Copper/Coax Cable Support Structure, per linear foot, per cable.			CLO	PE1DS	0.0019										
	State of Caller of the Caller Caller			UEPSR, UEPSP, UEPSE, UEPSB,	DE 100	0.000	00.00	04.00					00.05	10.51	40.00	4.40
	Physical Collocation 2-Wire Cross Connect, Port Physical Collocation 4-Wire Cross Connect, Port			UEPSX, UEP2C UEPEX, UEPDD	PE1R2 PE1R4	0.033 0.066	33.82 33.94	31.92 31.95					20.35 20.35	10.54 10.54	13.32 13.32	1.40 1.40
Sec	urity			OLI EX, OLI DD	LIKT	0.000	00.04	01.00					20.00	10.04	10.02	1.40
	Physical Collocation - Security Escort for Basic Time - normally scheduled work, per half hour			CLO	PE1BT		33.91	21.49								
	Physical Collocation - Security Escort for Overtime - outside of normally scheduled working hours on a scheduled work day, per half hour			CLO	PE1OT		44.17	27.76								
	Physical Collocation - Security Escort for Premium Time -			CLO	PE1PT		54.42	34.02								
	outside of scheduled work day, per half hour Physical Collocation - Security Access System - Security System per Central Office			CLO	PE1AX	55.99	54.42	34.02								
	Physical Collocation -Security Access System - New Card														†	1
	Activation, per Card Activation (First), per State			CLO	PE1A1	0.059	55.67									
	Physical Collocation-Security Access System-Administrative Change, existing Access Card, per Request, per State, per Card			CLO	PE1AA		15.61									
	Physical Collocation - Security Access System - Replace Lost or Stolen Card, per Card			CLO	PE1AR		45.64									
	Physical Collocation - Security Access - Initial Key, per Key			CLO	PE1AK		26.24									
	Physical Collocation - Security Access - Key, Replace Lost or Stolen Key, per Key			CLO	PE1AL		26.24	·		·						
CF/		ļ														
C-1	Physical Collocation - CFA Information Resend Request, per premises, per arrangement, per request			CLO	PE1C9		77.67									
Cab	Physical Collocation - Cable Records, per request			CLO	PE1CR	-	1,711.00								-	
	Physical Collocation, Cable Records, VG/DS0 Cable, per cable			0_0			1,711.00									
	record (maximum 3600 records) Physical Collocation, Cable Records, VG/DS0 Cable, per each			CLO	PE1CD		925.06									
	100 pair Physical Collocation, Cable Records, DS1, per T1 TIE		ļ	CLO	PE1CO PE1C1		18.05 8.45									
	Physical Collocation, Cable Records, DS1, per T1 TIE Physical Collocation, Cable Records, DS3, per T3 TIE			CLO	PE1C3		29.57							1	 	

COLLOCAT	ION - Tennessee												Attachment:	4 Exh B		
CATEGORY	RATE ELEMENTS	Interi m	Zone	e BCS	usoc		RATES(\$)						Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	- Charge - vc Manual Svc	Charge - Manual Svc Order vs.
						Rec	Nonrecurring		Nonrecurring					Rates(\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Physical Collocation - Cable Records, Fiber Cable, per cable			01.0	DE 40D		070.40									
	record (maximum 99 records) Physical Collocation, Cable Records, CAT5/RJ45			CLO	PE1CB PE1C5		279.42 8.45		+					-		
Virtual	to Physical			CLO	FLICS		0.43									
Viituai	Physical Collocation - Virtual to Physical Collocation Relocation, per Voice Grade Circuit			CLO	PE1BV		33.00									
	Physical Collocation - Virtual to Physical Collocation Relocation, per DSO Circuit			CLO	PE1BO		33.00									
	Physical Collocation - Virtual to Physical Collocation Relocation, per DS1 Circuit			CLO	PE1B1		52.00									
	Physical Collocation - Virtual to Physical Collocation Relocation, per DS3 Circuit Physical Collocation - Virtual to Physical Collocation In-Place,			CLO	PE1B3		52.00									
	Physical Collocation - Virtual to Physical Collocation In-Place, Per Voice Grade Circuit Physical Collocation Virtual to Physical Collocation In-Place, Per			CLO	PE1BR		21.11									
	DSO Circuit Physical Collocation - Virtual to Physical Collocation In-Place, Fel DSO Circuit			CLO	PE1BP		21.11									
	Per DS1 Circuit Physical Collocation - Virtual to Physical Collocation In-Place,			CLO	PE1BS		30.69									
	per DS3 Circuit			CLO	PE1BE		30.69									
Entran	ice Cable															
	Physical Collocation - Fiber Cable Support Structure, per Entrance Cable			CLO	PE1PM	19.80										
	Physical Collocation - Fiber Entrance Cable per Cable (CO manhole to vault splice)			CLO	PE1EC		1,071.00		43.10							
	Physical Collocation - Fiber Entrance Cable Installation, per Fiber			CLO	PE1ED		7.29									
VIRTUAL COL																
Applic	Virtual Collocation - Application Fee			AMTFS	EAF		2,633.00		_				2.07	2.81	0.67	1.41
	Virtual Collocation - Application Tee Virtual Collocation - Co-Carrier Cross Connects/Direct Connect, Application Fee, per application			AMTFS	VE1CA		585.09						2.01	2.01	0.07	1.41
	Virtual Collocation Administrative Only - Application Fee			AMTFS	VE1AF		743.25									
Space	Preparation															
	Virtual Collocation - Floor Space, per sq. ft.			AMTFS	ESPVX	3.91										
Power																
C	Virtual Collocation - Power, per fused amp			AMTFS	ESPAX	6.79										
Cross	Connects (Cross Connects, Co-Carrier Cross Connects, and P Virtual Collocation - 2-wire cross-connect, loop, provisioning	oitsj		UEANL, UEA, UDN, UAL, UHL, UCL, UEQ, UNCVX, UNCDX, UNCNX	UEAC2	0.57	11.62	9.90	10.38	8.66			2.07	2.81	0.67	1.41
				UEA, UHL, UCL, UDL, UNCVX,												
_	Virtual Collocation - 4-wire cross-connect, loop, provisioning			UNCDX ULR, UXTD1,	UEAC4	0.57	11.81	10.04	10.44	8.67			2.07	2.81	0.67	1.41
	Virtual collocation - Special Access & UNE, cross-connect per DS1			UNC1X, ULDD1, U1TD1, USLEL, UNLD1, USL, UEPEX, UEPDX	CNC1X	1.32	32.22	17.76	10.46	8.75			2.07	2.81	0.67	1.41
	Virtual collocation - Special Acess & UNE, cross-connect per DS3			USL, UE3, U1TD3, UXTS1, UXTD3, UNC3X, UNCSX, ULDD3, U1TS1, ULDS1, UDLSX, UNLD3	CND3X	12.32	29.97	16.30	12.03	8.99			2.07	2.81	0.67	1.41

COLLOCAT	TION - Tennessee												Attachment:	4 Exh B]
CATEGORY	RATE ELEMENTS	Interi m	Zone	ne BCS	USOC		RATES(\$)					Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge - Manual Svc Order vs.
						Rec	Nonrecurring		Nonrecurring		201150	0011411		Rates(\$)	001111	001111
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Virtual Collocation - 2-Fiber Cross Connects			UDL12, UDLO3, U1T48, U1T12, U1TO3, ULDO3, ULD12, ULD48, UDF	CNC2F	3.03	41.56	29.82	12.96	10.34			2.69	2.69	1.56	1.56
	Virtual Collocation - 4-Fiber Cross Connects			UDL12, UDLO3, U1T48, U1T12, U1TO3, ULDO3, ULD12, ULD48, UDF	CNC4F	6.06	50.53	38.78	16.97	14.35			2.69	2.69	1.56	1.56
	VIII CONSCION TI I I I I I I I I I I I I I I I I I I			OLD 12, OLD 10, ODI	0110-1	0.00	00.00	00.70	10.57	14.00			2.00	2.00	1.00	1.00
	Virtual Collocation - Co-Carrier Cross Connects/Direct Connect - Fiber Cable Support Structure, per linear foot, per cable			AMTFS	VE1CB	0.0013										
	Virtual Collocation - Co-Carrier Cross Connects/Direct Connect -															
	Copper/Coax Cable Support Structure, per linear foot, per cable			AMTFS	VE1CD	0.0019										
	Virtual Collocation 2-Wire Cross Connect, Port			UEPSX, UEPSB, UEPSE, UEPSP, UEPSR, UEP2C	VE1R2	0.57	11.62	9.90	10.38	8.66			20.35	10.54	13.32	1.40
	Virtual Collocation 2-Wire Cross Connect, Port			UEPDD, UEPEX	VE1R2 VE1R4	0.57	11.81	10.04	10.38	8.67			20.35	10.54	13.32	1.40
CFA	Virtual Collocation 4-ville Closs Collifect, 1 ort			OLI DD, OLI LX	VETIC	0.57	11.01	10.04	10.44	0.07			20.33	10.54	13.32	1.40
	Virtual Collocation - CFA Information Resend Request, per															
	Premises, per Arrangement, per request			AMTFS	VE1QR		77.67									
Cable	Records			ANTEO	\/E4DA		4 744 00									
	Virtual Collocation Cable Records - per request Virtual Collocation Cable Records - VG/DS0 Cable, per cable record			AMTFS AMTFS	VE1BA VE1BB		1,711.00 925.06									
	Virtual Collocation Cable Records - VG/DS0 Cable, per each															
	100 pair			AMTFS	VE1BC		18.05									
	Virtual Collocation Cable Records - DS1, per T1TIE			AMTFS	VE1BD		8.45									
	Virtual Collocation Cable Records - DS3, per T3TIE Virtual Collocation Cable Records - Fiber Cable, per 99 fiber			AMTFS	VE1BE		29.57									
	records			AMTFS	VE1BF		279.42									
	Virtual Collocation Cable Records - CAT 5/RJ45			AMTFS	VE1B5		8.45									
Secur																
	Virtual collocation - Security escort, basic time, normally scheduled work hours Virtual collocation - Security escort, overtime, outside of			AMTFS	SPTBX		33.15	20.44					2.07	2.81	0.67	1.41
	virtual collocation - Security escort, overtime, outside of normally scheduled work hours on a normal working day Virtual collocation - Security escort, premium time, outside of a			AMTFS	SPTOX		41.50	25.61					2.07	2.81	0.67	1.41
	scheduled work day			AMTFS	SPTPX		49.86	30.79					2.07	2.81	0.67	1.41
Maint	enance															
	Virtual collocation - Maintenance in CO - Basic, per half hour			AMTFS	CTRLX		30.64						2.07	2.81	0.67	1.41
	Virtual collocation - Maintenance in CO - Overtime, per half hour			AMTFS	SPTOM		35.77						2.07	2.81	0.67	1.41
	Virtual collocation - Maintenance in CO - Premium per half hour			AMTFS	SPTPM		40.90						2.07	2.81	0.67	1.41
Entra	nce Cable															
	Virtual Collocation - Cable Installation Charge, per cable			AMTFS	ESPCX		1,749.00			· · · · ·			2.07	2.81	0.67	1.41
COLLOCATIO	Virtual Collocation - Cable Support Structure, per cable			AMTFS	ESPSX	17.87										
	ON IN THE REMOTE SITE call Remote Site Collocation															
FilySi	Physical Collocation in the Remote Site - Application Fee			CLORS	PE1RA		580.20		312.76							
	Cabinet Space in the Remote Site per Bay/ Rack			CLORS	PE1RB	220.41	300.20		312.70							
	Physical Collocation in the Remote Site - Security Access - Key			CLORS	PE1RD		24.69									
	Physical Collocation in the Remote Site - Space Availability Report per Premises Requested			CLORS	PE1SR		218.49									

COLLOCAT	ION - Tennessee												Attachment:	4 Exh B		
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)			1	Svc Order Submitted Manually per LSR	Incremental Charge -		Charge - Manual Svc Order vs.	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						_ 1	Nonrecurring		Nonrecurring	Disconnect			oss	Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Physical Collocation in the Remote Site - Remote Site CLLI															
	Code Request, per CLLI Code Requested			CLORS	PE1RE		70.81									
	Remote Site DLEC Data (BRSDD), per Compact Disk, per CO			CLORS	PE1RR		234.15									
	Physical Collocation - Security Escort for Basic Time - normally															
	scheduled work, per half hour			CLORS	PE1BT		33.91	21.49								
	Physical Collocation - Security Escort for Overtime - outside of															
	normally scheduled working hours on a scheduled work day,															
	per half hour			CLORS	PE1OT		44.17	27.76								
	Physical Collocation - Security Escort for Premium Time -															
	outside of scheduled work day, per half hour		<u> </u>	CLORS	PE1PT		54.42	34.02								
Adjace	ent Remote Site Collocation			01.000	DE (D) (
	Remote Site-Adjacent Collocation-Application Fee		<u> </u>	CLORS	PE1RU		755.62	755.62								
	Demote Cite Adianast Collegation Book Estate and account fact			CLORS	PE1RT	0.134										
	Remote Site-Adjacent Collocation - Real Estate, per square foot			CLURS	PEIRI	0.134										
	Demote Site Adiabate Collegeties AS Device and breaker and			CLORS	PE1RS	6.27										
	Remote Site-Adjacent Collocation - AC Power, per breaker amp If Security Escort and/or Add'l Engineering Fees become nec	0000011	ior odi				antinto annuan	rioto rotoo								
	Remote Site Collocation	essary i	or auja	Temote site con	location, the	rarties will fie	gotiate approp	nate rates.								
Viituai	Virtual Collocation in the Remote Site - Application Fee			VE1RS	VE1RB		580.20		312.76		1					
	Virtual Collocation in the Remote Site - Application Lee			VLING	VLIND		360.20		312.70		1					
	Virtual Collocation in the Remote Site - Per Bay/Rack of Space			VE1RS	VE1RC	220.41										
	Virtual Collocation in the Remote Site - Space Availability Report			VEIRO	VEIRO	220.41										
	per Premises requested			VE1RS	VE1RR		218.49									
	Virtual Collocation in the Remote Site - Remote Site CLLI Code			VEIIKO	VETICIO		210.40									
	Request, per CLLI Code Requested			VE1RS	VE1RL		70.81									
ADJACENT CO				VEIITO	VETILE		70.01									
	Adjacent Collocation - Space Charge per Sq. Ft.			CLOAC	PE1JA	0.0656										
	Adjacent Collocation - Electrical Facility Charge per Linear Ft.			CLOAC	PE1JC	5.53										
	, ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,															
				UEANL.UEQ.UEA.U												
	Adjacent Collocation - 2-Wire Cross-Connects			CL, UAL, UHL, UDN	PE1JE	0.34	11.12	10.18	11.33	10.23			1.77	1.77	1.12	1.12
	Adjacent Collocation - 4-Wire Cross-Connects				PE1JF	0.33	11.30	10.31	11.62	10.44			1.77	1.77	1.12	1.12
	Adjacent Collocation - DS1 Cross-Connects			USL	PE1JG	1.70	28.39	16.88	11.65	10.54			1.77	1.77	1.12	1.12
	Adjacent Collocation - DS3 Cross-Connects			UE3	PE1JH	19.03	26.23	15.51	13.40	10.77			1.77	1.77	1.12	1.12
	Adjacent Collocation - 2-Fiber Cross-Connect			CLOAC	PE1JJ	3.49	26.23	15.51	13.41	10.78			1.77	1.77	1.12	1.12
	Adjacent Collocation - 4-Fiber Cross-Connect			CLOAC	PE1JK	6.50	29.75	19.02	17.60	14.97			1.77	1.77	1.12	1.12
	Adjacent Collocation - Application Fee			CLOAC	PE1JB		2,973.00		0.95				0.00	0.00	0.00	0.00
	Adjacent Collocation - 120V, Single Phase Standby Power Rate															
	per AC Breaker Amp			CLOAC	PE1JL	5.81										
	Adjacent Collocation - 240V, Single Phase Standby Power Rate	l			l											
	per AC Breaker Amp			CLOAC	PE1JM	11.64										
	Adjacent Collocation - 120V, Three Phase Standby Power Rate	l	1	ĺ			l									
	per AC Breaker Amp			CLOAC	PE1JN	17.45	ļ									
	Adjacent Collocation - 277V, Three Phase Standby Power Rate	l		1	L <u>_</u>	[]	l									
	per AC Breaker Amp	L	<u> </u>	CLOAC	PE1JO	40.30										
Note:	Rates displaying an "I" in Interim column are interim as a resu	It of a C	Commi	ssion order.	l											L

Attachment 5

Access to Numbers and Number Portability

Version: 4Q05 Standard ICA

TABLE OF CONTENTS

1.	Non-Discriminatory Access to Telephone Numbers	3
2.	Local Number Portability	4
3.	Service Order Charges	5
4.	LNP In Conjunction with Local Switching	5

Version: 4Q05 Standard ICA 11/30/05

ACCESS TO NUMBERS AND NUMBER PORTABILITY

1. Non-Discriminatory Access to Telephone Numbers

- During the term of this Agreement, where Access Communications is utilizing its own switch, Access Communications shall contact the North American Numbering Plan Administrator (NANPA), or, where applicable, the relevant Number Pool Administrator for the assignment of numbering resources.
- 1.2 Where BellSouth provides local switching or resold services to Access Communications, BellSouth will provide Access Communications with online access to available telephone numbers as defined by applicable FCC rules and regulations on a first come first served basis. Access Communications acknowledges that such access to numbers shall be in accordance with the appropriate FCC rules and regulations. Access Communications may designate up to a forecasted six (6) months supply of available numbers as intermediate (an available number provided to Access Communications) telephone numbers per rate center if the following conditions are met:
- 1.2.1 Access Communications must: (1) indicate that all of the intermediate numbers currently held by Access Communications in each rate center where Access Communications will be requesting intermediate telephone numbers have six (6) or less months to exhaust; (2) supply projected monthly telephone number demand on a rate center basis for the coming twelve (12) months for each rate center where Access Communications will be requesting intermediate telephone numbers; and, (3) demonstrate that the utilization level on current intermediate numbers held by Access Communications in the rate center where Access Communications is requesting telephone numbers has reached at least seventy-five percent (75%).
- 1.2.2 The above information will be provided by Access Communications by submitting to BellSouth a fully completed "CO Code Assignments Months To Exhaust Certification Worksheet TN Level" (MTE Worksheet), Appendix B to the Central Office Code (NXX) Assignments Guidelines, INC 95-0407-008 for each rate center where Access Communications will be requesting intermediate telephone numbers. The utilization level is calculated by dividing all intermediate numbers currently assigned by Access Communications to customers by the total number of intermediate numbers held by Access Communications in the rate center and multiplying the result by one hundred (100).
- 1.2.3 If fulfilling Access Communications's request for intermediate numbers results in BellSouth having to submit a request for additional telephone numbers to a national numbering administrator (either NANPA CO Code Administration or NeuStar Pooling Administration or their successors), BellSouth will submit the

Version: 4Q05 Standard ICA

required numbering request to the national numbering administrator to satisfy Access Communications's request for intermediate numbers. BellSouth will also pursue all appropriate steps (including submitting a safety valve request (petition) to the appropriate Commission if the numbering request is denied by the national administrator) to satisfy Access Communications's request for intermediate numbers. In these cases, BellSouth is not obligated to fulfill the request by Access Communications for intermediate numbers unless, and until, BellSouth's request for additional numbering resources is granted.

- 1.2.4 Access Communications agrees to supply supporting information for any numbering request and/or safety valve request that BellSouth files pursuant to Section 1.2.3 above.
- 1.3 Access Communications acknowledges that there may be instances where there is an industry shortage of available telephone numbers in a number plan area (NPA). These instances occur where a jeopardy status has been declared by NANPA and the industry has determined that limiting the assignment of new numbers is the appropriate method to employ until the jeopardy can be alleviated. In such NPA jeopardy situations where assignment of new numbers is restricted per the jeopardy guidelines developed by the industry, BellSouth may request that Access Communications cancel all or a portion of its unassigned intermediate numbers. Access Communications's consent to BellSouth's request shall not be unreasonably withheld.

2. Local Number Portability

- 2.1 The Parties will offer LNP in accordance with rules, regulations and guidelines adopted by the Commission, the FCC and industry fora.
- 2.2 <u>Service Management System (SMS) Administration.</u> The Parties will work cooperatively with other local service providers to establish and maintain contracts for the LNP SMS.
- 2.3 <u>Network Architecture.</u> The Parties agree to adhere to applicable FCC rules and orders governing LNP network architecture.
- 2.4 <u>Signaling.</u> In connection with LNP, each Party agrees to use SS7 signaling in accordance with applicable FCC rules and orders.
- 2.5 <u>N-1 Query.</u> The Parties agree to adhere to applicable FCC rules and orders governing LNP N-1 queries.
- 2.6 <u>Porting of Reserved Numbers and Suspended Lines.</u> Customers of each Party may port numbers, via LNP, that are in a denied state or that are on suspend status. In addition, customers of each Party may port reserved numbers that the customer has paid to reserve. Portable reserved numbers are identified on the Customer Service Record (CSR). In anticipation of porting from one Party to the other Party, a Party's customer may reserve additional telephone numbers and include

Version: 4Q05 Standard ICA

them with the numbers that are subsequently ported to the other Party. It is not necessary to restore a denied number before it is ported.

- 2.7 Splitting of Number Groups. The Parties shall permit blocks of subscriber numbers (including, but not limited to, Direct Inward Dial (DID) numbers and MultiServ groups) to be split in connection with an LNP request. BellSouth and Access Communications shall permit customers who port a portion of DID numbers to retain DID service on the remaining portion of numbers. If a Party requests porting a range of DID numbers smaller than a whole block, that Party shall pay the applicable charges for doing so as set forth in Attachment 2. In the event no rate is set forth in Attachment 2, then the Parties shall negotiate a rate for such services.
- 2.8 The Parties will set Location Routing Number (LRN) unconditional or ten (10) digit triggers where applicable. Where triggers are set, the porting Party will remove the ported number at the same time the trigger is removed.
- A trigger order is a service order issued in advance of the porting of a number. A trigger order 1) initiates call queries to the AIN SS7 network in advance of the number being ported; and 2) provides for the new service provider to be in control of when a number ports.
- 2.10 Where triggers are not set, the Parties shall coordinate the porting of the number between service providers so as to minimize service interruptions to the customer.
- 2.11 BellSouth and Access Communications will work cooperatively to implement changes to LNP process flows ordered by the FCC or as recommended by standard industry foras addressing LNP.
- Where Access Communications utilizes BellSouth's LNP Query Service,
 BellSouth shall bill and Access Communications shall pay the query charge
 associated with LNP Query Service as set forth in Attachment 2. To receive the
 LNP Query Service charge set forth in Attachment 2, Access Communications
 shall fill out and submit the Interconnection data sheet for BellSouth LNP Query
 Service. The form can be obtained on BellSouth's Interconnection Web site under
 BellSouth LNP Query Service and click on forms. Once the form has been filled
 out and submitted the LNP Query charge will take effect on the approved date.
 This charge is not subject to the resale discount set forth in Attachment 1.

3. Service Order Charges

3.1 The terms, conditions and rates for OSS utilized in connection with LNP are as set forth in Attachment 6 and Exhibit A of Attachment 2.

4. LNP In Conjunction with Local Switching

4.1 Where Access Communications purchases local switching from BellSouth, the Parties shall adhere to the following processes:

Version: 4Q05 Standard ICA

- 4.1.1 When Access Communications submits an LSR for services, if the telephone number associated with the services requested resides in a switch other than BellSouth's, then BellSouth will submit an LNP LSR to the appropriate switch owner. Access Communications shall be responsible for reimbursing BellSouth for any costs or charges imposed on BellSouth by the switch owner resulting from the submission of the LNP LSR. In addition, Access Communications shall pay to BellSouth the manual service order charges or electronic service order charges as specified in Exhibit A of Attachment 2 for BellSouth's creation and submission of the LNP LSR to the appropriate switch owner.
- 4.1.2 Working telephone numbers, telephone numbers for which payment has been made to reserve and telephone numbers that are in a denied state (but not disconnected) or suspended status may be subject to porting.

Version: 4Q05 Standard ICA

Attachment 6

Pre-Ordering, Ordering, Provisioning, Maintenance and Repair

Version: 4Q05 Standard ICA 02/27/06

TABLE OF CONTENTS

1.	Quality of Pre-Ordering, Ordering, Provisioning, Maintenance and Repair	.3
2.	Access to Operations Support Systems	.3
3.	Miscellaneous	.8

Version: 4Q05 Standard ICA 02/27/06

PRE-ORDERING, ORDERING, PROVISIONING, MAINTENANCE AND REPAIR

1. Quality of Pre-Ordering, Ordering, Provisioning, Maintenance and Repair

1.1 BellSouth shall provide to Access Communications nondiscriminatory access to its OSS and the necessary information contained therein in order that Access Communications can perform the functions of pre-ordering, ordering, provisioning, maintenance and repair, and billing. BellSouth shall provide Access Communications with all relevant documentation (manuals, user guides, specifications, etc.) regarding business rules and other formatting information as well as practices and procedures necessary to ensure requests are efficiently processed. All documentation will be readily accessible at BellSouth's Interconnection Web site. BellSouth shall ensure that its OSS are designed to accommodate requests for both current and projected demands of Access Communications and other CLECs in the aggregate.

2. Access to Operations Support Systems

- 2.1 BellSouth shall provide to Access Communications nondiscriminatory access to its OSS and the necessary information contained therein in order that Access Communications can perform the functions of pre-ordering, ordering, provisioning, maintenance and repair, and billing. BellSouth shall provide nondiscriminatory access to the OSS through manual and/or electronic interfaces as described in this Attachment. It is the sole responsibility of Access Communications to obtain the technical capability to access and utilize BellSouth's OSS interfaces. Specifications for Access Communications's access and use of BellSouth's electronic interfaces are set forth at BellSouth's Interconnection Web site.
- 2.1.1 Access Communications agrees to comply with the provisions of the OSS Interconnection Volume Guidelines as set forth at BellSouth's Interconnection Web site.

2.2 <u>Pre-Ordering</u>

2.2.1 BellSouth will provide electronic access to its OSS and the information contained therein in order that Access Communications can perform the following pre-ordering functions: service address validation, telephone number selection, service and feature availability, due date information, customer record information and loop makeup information. Mechanized access is provided by electronic interfaces whose specifications for access and use are set forth at BellSouth's Interconnection Web site. The process by which the Parties will manage these electronic interfaces to include the development and introduction of new interfaces

Version: 4005 Standard ICA

will be governed by the change management process as described in Section 2.7 below.

- BellSouth shall provide to Access Communications electronic access to customer service record information in accordance with the applicable performance intervals referenced in Attachment 9. If electronic access is not available, BellSouth shall provide to Access Communications such information within twenty-four (24) hours. Access Communications shall provide to BellSouth access to customer record information, including circuit numbers associated with each telephone number where applicable. Access Communications shall provide such information within four (4) hours after request via electronic access where available. If electronic access is not available, Access Communications shall provide to BellSouth paper copies of customer record information, including circuit numbers associated with each telephone number where applicable. Access Communications shall provide to BellSouth such customer service records within twenty-four (24) hours of a valid request, exclusive of Saturdays, Sundays and holidays.
- 2.2.3 The Parties agree not to view, copy, or otherwise obtain access to the customer record information of any customer without that customer's permission. Access Communications will obtain access to customer record information only in strict compliance with applicable laws, rules, or regulations of the state in which the service is provided. BellSouth reserves the right to audit Access Communications's access to customer record information. If BellSouth has reason to believe, through its audit or by any other means, that Access Communications is accessing customer record information without having obtained the proper customer authorization, BellSouth upon reasonable notice to Access Communications may take corrective action, including but not limited to suspending or terminating Access Communications's access to BellSouth's preordering and ordering OSS, and the provisioning of pending and existing services.

2.3 Ordering

- 2.3.1 BellSouth will make available to Access Communications electronic interfaces for the purpose of exchanging order information, including order status and completion notification, for non-complex and certain complex resale requests and certain network elements. Specifications for access and use of BellSouth's electronic interfaces are set forth at BellSouth's Interconnection Web site. The process by which the Parties will manage these electronic interfaces to include the development and introduction of new interfaces will be governed by the change management process as described in Section 2.7 below.
- 2.3.2 Access Communications shall place orders for services by submitting a LSR to BellSouth. BellSouth shall bill Access Communications an electronic service order charge at the rate set forth in the applicable Attachment to this Agreement for each LSR submitted by means of an electronic interface. BellSouth shall bill Access

Version: 4Q05 Standard ICA

Communications a manual service order charge at the rate set forth in the applicable Attachment to this Agreement for each LSR submitted by means other than the electronic Interfaces (e.g., mail, fax, courier, etc.). An individual LSR will be identified for billing purposes by its PON.

- 2.3.2.1 Access Communications may submit an LSR to request that a customer's service be temporarily suspended, denied, or restored. Alternatively, Access Communications may submit a list of such customers if Access Communications provides a separate PON for each location on the list. BellSouth will bill an electronic or manual service order charge for each location.
- 2.3.2.2 BellSouth will bill the electronic or manual service order charge, as applicable, for an LSR, regardless of whether that LSR is later supplemented, clarified or cancelled.
- 2.3.2.3 Notwithstanding the foregoing, BellSouth will not bill an additional electronic or manual service order charge for supplements to any LSR submitted to clarify, correct, change or cancel a previously submitted LSR.
- 2.3.2.4 BellSouth shall return a Firm Order Confirmation (FOC) or LSR clarification in accordance with the applicable performance intervals referenced in Attachment 9. Access Communications shall provide to BellSouth a FOC within twenty-four (24) hours of the receipt from BellSouth of a complete and accurate LSR, exclusive of Saturdays, Sundays and holidays. Access Communications shall provide to BellSouth an LSR clarification within twenty-four (24) hours of the receipt from BellSouth of an incomplete and inaccurate LSR, exclusive of Saturdays, Sundays and holidays.

2.4 Provisioning

- 2.4.1 BellSouth shall provision services during its regular working hours. To the extent Access Communications requests provisioning of service to be performed outside BellSouth's regular working hours, or the work so requested requires BellSouth's technicians or project managers to work outside of regular working hours, overtime charges set forth in BellSouth's intrastate Access Services Tariff, Section E13.2, shall apply. Notwithstanding the foregoing, if such work is performed outside of regular working hours by a BellSouth technician or project manager during his or her scheduled shift and BellSouth does not incur any overtime charges in performing the work on behalf of Access Communications, BellSouth will not assess Access Communications additional charges beyond the rates and charges specified in this Agreement.
- 2.4.2 In the event BellSouth must dispatch to the customer's location more than once due to incorrect or incomplete information provided by Access Communications (e.g., incomplete address, incorrect contact name/number, etc.), BellSouth will bill

Version: 4Q05 Standard ICA

Access Communications for each additional dispatch required to provision the circuit due to the incorrect/incomplete information provided. BellSouth will assess the applicable Maintenance of Service rates from BellSouth's FCC No. 1 Tariff, Section 13.3.1.

- 2.4.3 <u>Cancellation Charges.</u> If Access Communications cancels an LSR for network elements or resold services subsequent to BellSouth's generation of a service order, any costs incurred by BellSouth in conjunction with provisioning of Services as requested on the cancelled LSR will be recovered in accordance with the cancellation methodology set forth in the Cancellation Charge Percentage Chart found on BellSouth's Interconnection Web site. In addition, BellSouth reserves the right to assess cancellation charges if Access Communications fails to respond within nine (9) business days to a Missed Appointment order notification.
- 2.4.3.1 Notwithstanding the foregoing, if Access Communications places an LSR based upon BellSouth's loop makeup information, and such information is inaccurate resulting in the inability of BellSouth to provision the network elements requested and another spare compatible facility cannot be found with the transmission characteristics of the network elements originally requested, cancellation charges described in this Section shall not apply. Where Access Communications places a single LSR for multiple network elements or services based upon loop makeup information, and information as to some, but not all, of the network elements or services is inaccurate, if BellSouth cannot provision the network elements or services that were the subject of the inaccurate loop makeup information, Access Communications may cancel its request for those network elements or services without incurring cancellation charges as described in this Section. In such instance, should Access Communications elect to cancel the entire LSR, cancellation charges as described in this Section shall apply to those elements and services that were not the subject of inaccurate loop makeup.
- 2.4.4 <u>Service Date Advancement Charges (Expedites).</u> For Service Date Advancement requests by Access Communications, Service Date Advancement charges will apply for intervals less than the standard interval as outlined in the BellSouth Product and Services Interval Guide. The charges are as set forth in Exhibit A of Attachment 2.
- 2.4.5 Order Modification Charges. If Access Communications modifies an order after being sent a FOC from BellSouth, the Order Modification Charge (OMC) or Order Modification Charge Additional Dispatch (OMCAD) will be paid by Access Communications in accordance with Exhibit A of Attachment 2.
- 2.5 Maintenance and Repair
- 2.5.1 BellSouth will make available to Access Communications electronic interfaces for the purpose of reporting and monitoring service troubles. Specifications for access

Version: 4Q05 Standard ICA

and use of BellSouth's maintenance and repair electronic interfaces are set forth at BellSouth's Interconnection Web site. The process by which the Parties will manage these electronic interfaces to include the development and introduction of new interfaces will be governed by the change management process as described in Section 2.7 below. Requests for trouble repair are billed in accordance with the provisions of this Agreement. BellSouth and Access Communications agree to adhere to BellSouth's Operational Understanding. The Operational Understanding may be accessed via BellSouth's Interconnection Web site.

- 2.5.2 If Access Communications reports a trouble on a BellSouth Network Element or resold service and no trouble is found in BellSouth's network, BellSouth will charge Access Communications a Maintenance of Service Charge, Trouble Determination Charge or Trouble Location Charge for any dispatching and testing (both inside and outside the CO) required by BellSouth in order to confirm the working status. BellSouth will assess the Maintenance of Service rates, Trouble Determination Charge or Trouble Location Charge from the applicable BellSouth tariff.
- 2.5.3 In the event BellSouth must dispatch to the customer's location more than once due to incorrect or incomplete information provided by Access Communications (e.g., incomplete address, incorrect contact name/number, etc.), BellSouth will bill Access Communications for each additional dispatch required to repair the circuit due to the incorrect/incomplete information provided. BellSouth will assess the Maintenance of Service rates, Trouble Determination Charge or Trouble Location Charge from the applicable BellSouth tariff.
- 2.6 <u>Billing.</u> BellSouth will provide Access Communications nondiscriminatory access to billing information as specified in Attachment 7.
- 2.7 <u>Change Management.</u> The Parties agree that the collaborative change management process known as the Change Control Process (CCP) will be used to manage changes to existing interfaces, introduction of new interfaces and retirement of interfaces. The Parties agree to comply with the provisions of the documented CCP as may be amended from time to time and incorporated herein by reference. The change management process will cover changes to BellSouth's electronic interfaces, BellSouth's testing environment, associated manual process improvements, and relevant documentation. The process will define a procedure for resolution of change management disputes. Documentation of the CCP as well as related information and processes will be clearly organized and readily accessible to Access Communications at BellSouth's Interconnection Web site.
- 2.8 <u>Rates.</u> Unless otherwise specified herein, charges for the use of BellSouth's OSS, and other charges applicable to pre-ordering, ordering, provisioning and maintenance and repair, shall be at the rates set forth in the applicable Attachment of this Agreement.

Version: 4Q05 Standard ICA

The Commissions in some states have ordered per element manual additive nonrecurring charges for Network Elements and Other Services ordered by means other than one of the interactive interfaces. These ordered Network Elements and Other Services manual additive nonrecurring charges will apply in these states, rather than the charge per LSR. The per element charges are listed in Exhibit A of Attachment 2.

3. Miscellaneous

- 3.1 <u>Pending Orders.</u> To the extent that Access Communications submits an LSR with incomplete, incorrect or conflicting information, BellSouth will return the LSR to Access Communications for clarification. Access Communications shall respond to the request for clarification within thirty (30) days by submitting a supplemental LSR. If Access Communications does not submit a supplement LSR within thirty (30) days, BellSouth will cancel the original LSR and Access Communications shall be required to submit a new LSR, with a new PON.
- 3.2 Single Point of Contact. Access Communications will be the single point of contact with BellSouth for ordering activity for network elements and other services used by Access Communications to provide services to its customers, except that BellSouth may accept a request directly from another CLEC, or BellSouth, acting with authorization of the affected customer. Access Communications and BellSouth shall each execute a blanket LOA with respect to customer requests so that prior proof of customer authorization will not be necessary with every request (except in the case of a local service freeze). The Parties shall each be entitled to adopt their own internal processes for verification of customer authorization for requests, provided, however, that such processes shall comply with applicable state and federal law and industry and regulatory guidelines. Pursuant to a request from another carrier, BellSouth may disconnect any network element being used by Access Communications to provide service to that customer and may reuse such network elements or facilities to enable such other carrier to provide service to the customer. BellSouth will notify Access Communications that such a request has been processed but will not be required to notify Access Communications in advance of such processing.
- 3.2.1 Neither Party shall prevent or delay a customer from migrating to another carrier because of unpaid bills, denied service, or contract terms.
- 3.2.2 <u>Use of Facilities.</u> When a customer of Access Communications elects to discontinue service and to transfer service to another local exchange carrier, including BellSouth, BellSouth shall have the right to reuse the facilities provided to Access Communications by BellSouth. In addition, where BellSouth provides local switching, BellSouth may disconnect and reuse facilities when the facility is in a denied state and BellSouth has received a request to establish new service or transfer service from a customer or from a CLEC. BellSouth will notify Access

Version: 4005 Standard ICA

Communications that such a request has been processed after the disconnect order has been completed.

- 3.3 Contact Numbers. The Parties agree to provide one another with toll-free nation-wide (50 states) contact numbers for the purpose of ordering, provisioning and maintenance of services. Contact numbers for maintenance/repair of services shall be staffed twenty-four (24) hours per day, seven (7) days per week.

 BellSouth will close trouble tickets after making a reasonable effort to contact Access Communications for authorization to close a ticket. BellSouth will place trouble tickets in delayed maintenance status after making a reasonable effort to contact Access Communications to request additional information or to request authorization for additional work deemed necessary by BellSouth.
- 3.4 <u>Subscription Functions.</u> In cases where BellSouth performs subscription functions for an IXC (i.e., PIC and LPIC changes via Customer Account Record Exchange (CARE)), BellSouth will in all possible instances provide the affected IXCs with the OCN of the local provider for the purpose of obtaining customer billing account and other customer information required under subscription requirements.
- 3.4.1 When Access Communications's customer, served by resale or loop and port combinations, changes its PIC or LPIC, and per BellSouth's FCC or state tariff the interexchange carrier elects to charge the customer the PIC or LPIC change charge, BellSouth will bill the PIC or LPIC change charge to Access Communications, which has the billing relationship with that customer, and Access Communications may pass such charge to the customer.

Version: 4Q05 Standard ICA 02/27/06

Attachment 7

Billing

Version: 4Q05 Standard ICA 03/15/06

TABLE OF CONTENTS

1.	Payment and Billing Arrangements	3
2.	Billing Disputes	9
3.	RAO Hosting	10
4.	Optional Daily Usage File	14
5	Access Daily Usage File (ADUF)	17
6.	Rates for ODUF and ADUF	20
Ra	ites	Exhibit A

BILLING

1. Payment and Billing Arrangements

The terms and conditions set forth in this Attachment shall apply to all services ordered and provisioned pursuant to this Agreement.

- BellSouth will bill through the Carrier Access Billing System (CABS), Integrated Billing System (IBS) and/or the Customer Records Information Systems (CRIS) depending on the particular service(s) provided to Access Communications under this Agreement. BellSouth will format all bills in CABS Billing Output Specification (CBOS) Standard or CLUB/EDI format, depending on the type of service provided. For those services where standards have not yet been developed, BellSouth's billing format may change in accordance with applicable industry standards.
- 1.1.1 For any service(s) BellSouth receives from Access Communications, Access Communications shall bill BellSouth in CBOS format.
- 1.1.2 Any switched access charges associated with interexchange carrier access to the resold local exchange lines will be billed by, and due to BellSouth.
- 1.1.3 BellSouth will render bills each month on established bill days for each of Access Communications's accounts. If either Party requests multiple billing media or additional copies of the bills, the billing Party will provide these at the rates set forth in BellSouth's FCC No. 1 Tariff, Section 13.3.6.3, except for resold services which shall be at the rates set forth in BellSouth's Non-Regulated Services Pricing List N6.
- 1.1.4 BellSouth will bill Access Communications in advance for all services to be provided during the ensuing billing period except charges associated with service usage and nonrecurring charges, which will be billed in arrears.
- 1.1.4.1 For resold services, charges for services will be calculated on an individual customer account level, including, if applicable, any charge for usage or usage allowances. BellSouth will also bill Access Communications, and Access Communications will be responsible for and remit to BellSouth, all charges applicable to said services including but not limited to 911 and E911 charges, EUCL charges, federal subscriber line charges, telecommunications relay charges, and franchise fees, unless otherwise ordered by a Commission.
- 1.1.5 BellSouth will not perform billing and collection services for Access Communications as a result of the execution of this Agreement.
- 1.2 <u>Establishing Accounts and Subsequent State Certifications.</u> After submitting a credit profile and deposit, if required, and after receiving certification as a local exchange carrier from the appropriate Commission, Access Communications will

Version: 4Q05 Standard ICA

provide the appropriate BellSouth Local Contract Manager responsible for new CLEC activation, the necessary documentation to enable BellSouth to establish accounts for Local Interconnection, Network Elements and Other Services and/or resold services. Such documentation shall include the Application for Master Account, if applicable, proof of authority to provide Telecommunications Services, the appropriate OCN for each state as assigned by the NECA, CIC, if applicable, ACNA, if applicable, BellSouth's blanket form LOA, Misdirected Number form, and a tax exemption certificate, if applicable. Notwithstanding anything to the contrary in this Agreement, Access Communications may not order services under a new account and/or subsequent state certifications established in accordance with this Section until thirty (30) days after all information specified in this Section is received from Access Communications.

- 1.2.1 <u>ACNAs.</u> Access Communications shall provide BellSouth with documentation from Telcordia identifying the ACNA assigned to it by Telcordia (as applicable) in the same legal name as reflected in the preamble to this Agreement. Such ACNA will be used by Access Communications to order services pursuant to this Agreement and will not be shared by Access Communications with another entity.
- 1.2.2 <u>Company Identifiers.</u> If Access Communications needs to change, add to, eliminate or convert its OCN(s), ACNAs and other identifying codes (collectively "Company Identifiers") under which it operates when Access Communications has already been conducting business utilizing those Company Identifiers, Access Communications shall follow the Mergers and Acquisitions Process as described on BellSouth's Interconnection Web site AND SHALL PAY ALL CHARGES AS A RESULT OF SUCH CHANGES.
- 1.2.3 <u>Tax Exemption.</u> It is the responsibility of Access Communications to provide BellSouth with a properly completed tax exemption certificate at intervals required by the appropriate taxing authorities. A tax exemption certificate must be supplied for each individual Access Communications entity purchasing Services under this Agreement. Upon BellSouth's receipt of a properly completed tax exemption certificate, subsequent billings to Access Communications will not include those taxes or fees from which Access Communications is exempt. Prior to receipt of a properly completed exemption certificate, BellSouth shall bill, and Access Communications shall pay all applicable taxes and fees. In the event that Access Communications believes that it is entitled to an exemption from and refund of taxes with respect to the amount billed prior to BellSouth's receipt of a properly completed exemption certificate, BellSouth shall assign to Access Communications its rights to claim a refund of such taxes. If applicable law prohibits the assignment of tax refund rights or requires the claim for refund of such taxes to be filed by BellSouth, BellSouth shall, after receiving a written request from Access Communications and at Access Communications's sole expense, pursue such refund claim on behalf of Access Communications, provided that Access Communications promptly reimburses BellSouth for any costs and expenses incurred by BellSouth in pursuing such refund claim, and provided further that

Version: 4Q05 Standard ICA

BellSouth shall have the right to deduct any such outstanding costs and expenses from the amount of any refund obtained prior to remitting such refund to Access Communications. Access Communications shall be solely responsible for the computation, tracking, reporting and payment of all taxes and fees associated with the services provided by Access Communications to its customers.

- Deposit Policy. Prior to the inauguration of service or, thereafter, upon BellSouth's request, Access Communications shall complete the BellSouth Credit Profile (BellSouth form) and provide information to BellSouth regarding Access Communications's credit and financial condition. Based on BellSouth's analysis of the BellSouth Credit Profile and other relevant information regarding Access Communications's credit and financial condition, BellSouth reserves the right to require Access Communications to provide BellSouth with a suitable form of security deposit for Access Communications's account(s). If, in BellSouth's sole discretion, circumstances so warrant and/or Access Communications's gross monthly billing has increased, BellSouth reserves the right to request additional security (or to require a security deposit if none was previously requested) and/or file a Uniform Commercial Code (UCC-1) security interest in Access Communications's "accounts receivables and proceeds".
- 1.3.1 Security deposit shall take the form of cash, an Irrevocable Letter of Credit (BellSouth form), Surety Bond (BellSouth form) or, in BellSouth's sole discretion, some other form of security proposed by Access Communications. Any such security deposit shall in no way release Access Communications from its obligation to make complete and timely payments of its bill(s). If BellSouth requires Access Communications to provide a security deposit, Access Communications shall provide such security deposit prior to the inauguration of service or within fifteen (15) days of BellSouth's request, as applicable. Deposit request notices will be sent to Access Communications via certified mail or overnight delivery. Such notice period will start the day after the deposit request notice is rendered by certified mail or overnight delivery. Interest on a cash security deposit shall accrue and be applied or refunded in accordance with the terms in BellSouth's GSST.
- 1.3.2 Security deposits collected under this Section shall not exceed two (2) months' estimated billing. Estimated billings are calculated based upon the monthly average of the previous six (6) months current billings, if Access Communications has received service from BellSouth during such period at a level comparable to that anticipated to occur over the next six (6) months. If either Access Communications or BellSouth has reason to believe that the level of service to be received during the next six (6) months will be materially higher or lower than received in the previous six (6) months, Access Communications and BellSouth shall agree on a level of estimated billings based on all relevant information.
- 1.3.3 In the event Access Communications fails to provide BellSouth with a suitable form of security deposit or additional security deposit as required herein, defaults on its account(s), or otherwise fails to make any payment or payments required

Version: 4Q05 Standard ICA

under this Agreement in the manner and within the time required, service to Access Communications may be Suspended, Discontinued or Terminated in accordance with the terms of Section 1.5 below. Upon Termination of services, BellSouth shall apply any security deposit to Access Communications's final bill for its account(s).

- 1.3.3.1 At least seven (7) days prior to the expiration of any letter of credit provided by Access Communications as security under this Agreement, Access Communications shall renew such letter of credit or provide BellSouth with evidence that Access Communications has obtained a suitable replacement for the letter of credit. If Access Communications fails to comply with the foregoing, BellSouth shall thereafter be authorized to draw down the full amount of such letter of credit and utilize the cash proceeds as security for Access Communications accounts(s). If Access Communications provides a security deposit or additional security deposit in the form of a surety bond as required herein, Access Communications shall renew the surety bond or provide BellSouth with evidence that Access Communications has obtained a suitable replacement for the surety bond at least seven (7) days prior to the cancellation date of the surety bond. If Access Communications fails to comply with the foregoing, BellSouth shall thereafter be authorized to take action on the surety bond and utilize the cash proceeds as security for Access Communications's account(s). If the credit rating of any bonding company that has provided Access Communications with a surety bond provided as security hereunder has fallen below B, BellSouth will provide written notice to Access Communications that Access Communications must provide a replacement bond or other suitable security within fifteen (15) days of BellSouth's written notice. If Access Communications fails to comply with the foregoing, BellSouth shall thereafter be authorized to take action on the surety bond and utilize the cash proceeds as security for Access Communications's account(s). Notwithstanding anything contained in this Agreement to the contrary, BellSouth shall be authorized to draw down the full amount of any letter of credit or take action on any surety bond provided by Access Communications as security hereunder if Access Communications defaults on its account(s) or otherwise fails to make any payment or payments required under this Agreement in the manner and within the time, as required herein.
- 1.4 Payment Responsibility. Payment of all charges will be the responsibility of Access Communications. Access Communications shall pay invoices by utilizing wire transfer services or automatic clearing house services. Access Communications shall make payment to BellSouth for all services billed including disputed amounts. BellSouth will not become involved in billing disputes that may arise between Access Communications and Access Communications's customer.
- 1.4.1 Payment Due. Payment for services provided by BellSouth, including disputed charges, is due on or before the next bill date. Information required to apply payments must accompany the payment. The information must notify BellSouth of Billing Account Numbers (BAN) paid; invoices paid and the amount to be applied

Version: 4Q05 Standard ICA

to each BAN and invoice (Remittance Information). Payment is considered to have been made when the payment and Remittance Information are received by BellSouth. If the Remittance Information is not received with payment, BellSouth will be unable to apply amounts paid to Access Communications's accounts. In such event, BellSouth shall hold such funds until the Remittance Information is received. If BellSouth does not receive the Remittance Information by the payment due date for any account(s), late payment charges shall apply.

- 1.4.1.1 <u>Due Dates.</u> If the payment due date falls on a Sunday or on a holiday that is observed on a Monday, the payment due date shall be the first non-holiday day following such Sunday or holiday. If the payment due date falls on a Saturday or on a holiday which is observed on Tuesday, Wednesday, Thursday, or Friday, the payment due date shall be the last non-holiday day preceding such Saturday or holiday. If payment is not received by the payment due date, a late payment charge, as set forth in Section 1.4.1.2, below, shall apply.
- 1.4.1.2 <u>Late Payment.</u> If any portion of the payment is not received by BellSouth on or before the payment due date as set forth above, or if any portion of the payment is received by BellSouth in funds that are not immediately available to BellSouth, then a late payment and/or interest charge shall be due to BellSouth. The late payment and/or interest charge shall apply to the portion of the payment not received and shall be assessed as set forth in Section A2 of BellSouth's GSST, Section B2 of the Private Line Service Tariff or Section E2 of the BellSouth intrastate Access Services Tariff, or pursuant to the applicable state law as determined by BellSouth. In addition to any applicable late payment and/or interest charges, Access Communications may be charged a fee for all returned checks at the rate set forth in Section A2 of BellSouth's GSST or pursuant to the applicable state law.
- 1.5 <u>Discontinuing Service to Access Communications.</u> The procedures for discontinuing service to Access Communications are as follows:
- 1.5.1 In order of severity, Suspend/Suspension, Discontinue/Discontinuance and Terminate/Termination are defined as follows for the purposes of this Attachment:
- 1.5.1.1 Suspend/Suspension is the temporary restriction of the billed Party's access to the ordering systems and/or access to the billed Party's ability to initiate PIC-related changes. In addition, during Suspension, pending orders may not be completed and orders for new service or changes to existing services may not be accepted.
- 1.5.1.2 Discontinue/Discontinuance is the denial of service by the billing Party to the billed Party that will result in the disruption and discontinuation of service to the billed Party's customers. Additionally, at the time of Discontinuance, BellSouth will remove any Local Service Freezes in place on the billed Party's customers.

- 1.5.1.3 Terminate/Termination is the disconnection of service by the billing Party to the billed Party.
- 1.5.2 BellSouth reserves the right to Suspend, Discontinue or Terminate service in the event of prohibited, unlawful or improper use of BellSouth facilities or service, abuse of BellSouth facilities, or any other violation or noncompliance by Access Communications of the rules and regulations of BellSouth's tariffs.
- 1.5.3 <u>Suspension.</u> If payment of amounts due as described herein is not received by the bill date in the month after the original bill date, or fifteen (15) days from the date of a deposit request in the case of security deposits, BellSouth will provide written notice to Access Communications that services will be Suspended if payment of such amounts, and all other amounts that become past due before Suspension, is not received by wire transfer, automatic clearing house or cashier's check in the manner set forth in Section 1.4.1 above, or in the case of a security deposit request, in the manner set forth in Section 1.3.1 above: (1) within seven (7) days following such notice for CABS billed services; (2) within fifteen (15) days following such notice for Security deposit requests.
- 1.5.3.1 The Suspension notice shall also provide that all past due charges for CRIS and IBS billed services, and all other amounts that become past due for such services before Discontinuance, must be paid within thirty (30) days from the date of the Suspension notice to avoid Discontinuance of CRIS and IBS billed services.
- 1.5.3.2 For CABS billed services, BellSouth will provide a Discontinuance notice that is separate from the Suspension notice, that all past due charges for CABS billed Services, and all other amounts that become past due for such services before Discontinuance, must be paid within thirty (30) days from the date of the Suspension notice to avoid Discontinuance of CABS billed services. This Discontinuance notice may be provided at the same time that BellSouth provides the Suspension notice.
- 1.5.4 <u>Discontinuance.</u> If payment of amounts due as described herein is not received by the bill date in the month after the original bill date, BellSouth will provide written notice that BellSouth may Discontinue the provision of existing services to Access Communications if payment of such amounts, and all other amounts that become past due before Discontinuance, including requested security deposits, is not received by wire transfer, automatic clearing house or cashier's check in the manner set forth in Section 1.4.1 above or in the case of a deposit in accordance with Section 1.3.1 above, within thirty (30) days following such written notice; provided, however, that BellSouth may provide written notice that such existing services may be Discontinued within fifteen (15) days following such notice, subject to the criteria described in Section 1.5.4.1 below.

- 1.5.4.1 BellSouth may take the action to Discontinue the provision of existing service upon fifteen (15) days from the day after BellSouth provides written notice of such Discontinuance if (a) such notice is sent by certified mail or overnight delivery; (b) Access Communications has not paid all amounts due pursuant to a subject bill(s), or has not provided adequate security pursuant to a deposit request; and (c) either:
 - (1) BellSouth has sent the subject bill(s) to Access Communications within seven(7) business days of the bill date(s), verifiable by records maintained by BellSouth:
 - i. in paper or CDROM form via the United States Postal Service (USPS), or
 - ii. in magnetic tape form via overnight delivery, or
 - iii. via electronic transmission; or
 - (2) BellSouth has sent the subject bill(s) to Access Communications, using one of the media described in (1) above, more than thirty (30) days before notice to Discontinue service has been rendered.
- 1.5.4.2 In the case of Discontinuance of services, all billed charges, as well as applicable disconnect charges, shall become due.
- 1.5.4.3 Access Communications is solely responsible for notifying the customer of the Discontinuance of service. If, within seven (7) days after Access Communications's services have been Discontinued, Access Communications pays, by wire transfer, automatic clearing house or cashier's check, all past due charges, including late payment charges, outstanding security deposit request amounts if applicable and any applicable restoral charges as set forth in Section A4 of BellSouth's GSST, then BellSouth will reestablish service for Access Communications.
- 1.5.5 <u>Termination.</u> If within seven (7) days after Access Communications's service has been Discontinued and Access Communications has failed to pay all past due charges as described above, then Access Communications's service will be Terminated.

2. Billing Disputes

2.1 Access Communications shall electronically submit all billing disputes to BellSouth using the form specified by BellSouth. In the event of a billing dispute, the Parties will endeavor to resolve the dispute within sixty (60) days of the notification date. Within five (5) business days of BellSouth's denial, or partial denial, of the billing dispute, if Access Communications is not satisfied with BellSouth's resolution of the billing dispute or if no response to the billing dispute has been received by Access Communications by such sixtieth (60th) day, Access Communications must pursue the escalation process as outlined in the Billing Dispute Escalation Matrix,

Version: 4Q05 Standard ICA

03/15/06

set forth on BellSouth's Interconnection Services Web site, or the billing dispute shall be considered denied and closed. If, after escalation, the Parties are unable to reach resolution, then the aggrieved Party, if it elects to pursue the dispute shall pursue dispute resolution in accordance with General Terms and Conditions.

2.2 For purposes of this Section 2, a billing dispute means a reported dispute submitted pursuant to Section 2.1 above of a specific amount of money actually billed by BellSouth within twelve (12) months of the submission of such dispute. Access Communications agrees to not submit billing disputes for amounts billed more than twelve (12) months prior to submission of a billing dispute filed for amounts billed. The billing dispute must be clearly explained by Access Communications and supported by written documentation, which clearly shows the basis for disputing charges. The determination as to whether the billing dispute is clearly explained or clearly shows the basis for disputing charges shall be within BellSouth's sole reasonable discretion. Disputes that are not clearly explained or those that do not provide complete information may be rejected by BellSouth. Claims by Access Communications for damages of any kind will not be considered a billing dispute for purposes of this Section. If BellSouth resolves the billing dispute, in whole or in part, in favor of Access Communications, any credits and interest due to Access Communications as a result therof shall be applied to Access Communications's account by BellSouth upon resolution of the billing dispute.

3. RAO Hosting

- 3.1 Centralized Message Distribution System (CMDS) is a national message exchange system administered by Telcordia Technologies (Telcordia) used to transmit alternately billed calls (e.g., credit card, third number and collect) from the Earning Company, as defined herein, to the Billing Company, as defined herein, to permit the Earning Company and the Billing Company to receive appropriate compensation. It is also used to transmit access records from one company to another.
- 3.2 Direct Participants are Telecommunications carriers that exchange data directly with other Direct Participants via the CMDS Data Center and may act as host companies (Host) for those Telecommunications carriers that do not exchange data directly via the CMDS Data Center (Indirect Participants).
- 3.3 RAO Hosting is a hosting relationship where an Indirect Participant sends and receives CMDS eligible messages to and from its Host, who then interfaces, on behalf of the Indirect Participant, with other Direct Participants for distribution and collection of these messages. RAO Hosting also includes the Direct Participant's provision of revenue settlements functions (compensation) for alternately billed calls based upon reports generated by Credit Card and Third Number Settlement (CATS) and Non-InterCompany Settlement (NICS) as described herein. CATS and NICS are collectively referred to as Intercompany Settlements.

Version: 4Q05 Standard ICA

03/15/06

- The CATS System is a national system administered by Telcordia, used to settle revenues for calls that are sent from one CMDS Direct Participant to another for billing. CATS applies to calls that originate within one Regional Bell Operating Company's (RBOC) territory, as defined at Divestiture, and bill in another RBOC's territory. CATS calculates the amounts due to Earning Companies (i.e., billed revenue less the billing and collection fee). For alternately billed calls, the originating company, whose facilities are used to place the call, is the Earning Company and the company that puts the charges on the customer's bill is the Billing Company
- 3.5 The NICS is the national system administered by Telcordia that is used in the settlement of revenues for calls that are originated and billed by two (2) different local exchange carriers (LEC) within a single Direct Participant's territory to another for billing. NICS applies to calls involving another LEC where the Earning Company and the Billing Company are located within BellSouth's territory.
- 3.6 RAO Hosting, CATS and NICS services provided to Access Communications by BellSouth will be in accordance with the methods and practices regularly applied by BellSouth to its own operations during the term of this Agreement, including such revisions as may be made from time to time by BellSouth.
- 3.7 Access Communications shall furnish all relevant information required by BellSouth for the provision of RAO Hosting, CATS and NICS.
- Charges or credits, as applicable, will be applied by BellSouth to Access Communications on a monthly basis in arrears. Amounts due (excluding adjustments) are due on or before the next bill date.
- 3.9 Access Communications must have its own unique hosted RAO code. Where BellSouth is the selected CMDS interfacing host, Access Communications must request that BellSouth establish a unique hosted RAO code for Access Communications. Such request shall be in writing to the BellSouth RAO Hosting coordinator and must be submitted at least eight (8) weeks prior to provision of services pursuant to this Section. Services shall commence on a date mutually agreed by the Parties.
- 3.10 BellSouth will receive messages from Access Communications that are to be processed by BellSouth, another Local Exchange Carrier (LEC) in the BellSouth region or a LEC outside the BellSouth region. Access Communications shall send all messages to BellSouth no later than sixty (60) days after the message date.
- 3.11 BellSouth will perform invoice sequence checking, standard EMI format editing, and balancing of message data with the EMI trailer record counts on all data received from Access Communications.

- All data received from Access Communications that is to be processed or billed by another LEC within the BellSouth region will be distributed to that LEC in accordance with the Agreement(s) in effect between BellSouth and the involved LEC.
- 3.13 All data received from Access Communications that is to be placed on the CMDS network for distribution outside the BellSouth region will be handled in accordance with the agreement(s) in effect between BellSouth and its connecting contractor.
- 3.14 BellSouth will receive messages from the CMDS network that are destined to be processed by Access Communications and will forward them to Access Communications on a daily basis for processing.
- 3.15 Transmission of message data between BellSouth and Access Communications will be distributed via FTP mailbox. It will be created on a daily basis Monday through Friday, except holidays. Details such as dataset name and delivery schedule will be addressed during negotiations of the distribution medium. If BellSouth determines the Secure FTP Mailbox is nearing capacity levels, BellSouth may move Access Communications to CONNECT:Direct file delivery.
- 3.15.1 If Access Communications is moved to CONNECT:Direct, data circuits (private line or dial-up) may be required between BellSouth and Access Communications for the purpose of data transmission. Where a dedicated line is required, Access Communications will be responsible for ordering the circuit, overseeing its installation and coordinating the installation with BellSouth. Access Communications will also be responsible for any charges associated with this line. Equipment required on the BellSouth end to attach the line to the mainframe computer and to transmit successfully ongoing will be negotiated on an individual case basis. Where a dial-up facility is required, dial circuits will be installed in the BellSouth data center by BellSouth and the associated charges assessed to Access Communications. Additionally, all message toll charges associated with the use of the dial circuit by Access Communications will be the responsibility of Access Communications. Associated equipment on the BellSouth end, including a modem, will be negotiated on an individual case basis between the Parties. All equipment, including modems and software, that is required on the Access Communications end for the purpose of data transmission will be the responsibility of Access Communications.
- 3.15.2 If Access Communications utilizes FTP for data file transmission, purchase of the FTP software will be the responsibility of Access Communications.
- 3.16 All messages and related data exchanged between BellSouth and Access Communications will be EMI formatted records and packed between appropriate EMI header and trailer records in accordance with accepted industry standards.

- 3.17 Access Communications will maintain recorded message detail necessary to recreate files provided to BellSouth for a period of three (3) calendar months beyond the related message dates.
- 3.18 Should it become necessary for Access Communications to send data to BellSouth more than sixty (60) days past the message date(s), Access Communications will notify BellSouth in advance of the transmission of the data. BellSouth will work with its connecting contractor and/or Access Communications, where necessary, to notify all affected LECs.
- 3.19 In the event that data to be exchanged between the two (2) Parties should become lost or destroyed, the Party responsible for creating the data will make every effort to restore and retransmit such data.
- 3.20 Should an error be detected by the EMI format edits performed by BellSouth on data received from Access Communications, the entire pack containing the affected data will not be processed by BellSouth. BellSouth will notify Access Communications of the error. Access Communications will correct the error(s) and will resend the entire pack to BellSouth for processing. In the event that an out-of-sequence condition occurs on subsequent packs, Access Communications will resend these packs to BellSouth after the pack containing the error has been successfully reprocessed by BellSouth.
- 3.21 In association with message distribution service, BellSouth will provide Access Communications with associated intercompany settlements reports (CATS and NICS) as appropriate.
- 3.22 Notwithstanding anything in this Agreement to the contrary, in no case shall either Party be liable to the other for any direct or consequential damages incurred as a result of the obligations set out in this Section 3.
- 3.23 <u>Intercompany Settlements Messages</u>
- 3.23.1 Intercompany Settlements Messages facilitate the settlement of revenues associated with traffic originated from or billed by Access Communications as a facilities based provider of local exchange Telecommunications Services.
- 3.23.2 BellSouth will receive the monthly NICS and CATS reports from Telcordia on behalf of Access Communications and will distribute copies of these reports to Access Communications on a monthly basis.
- 3.23.3 Through CATS, BellSouth will collect the revenue earned by Access Communications from the RBOC in whose territory the messages are billed, less a per message billing and collection fee of five cents (\$0.05), or such other amount as may be approved by the Direct Participants and Telcordia, on behalf of Access Communications. BellSouth will remit the revenue billed by Access Communications to the RBOC in whose territory the messages originated, less a

Version: 4Q05 Standard ICA

per message billing and collection fee of five cents (\$0.05), or such other amount as may be approved by the Direct Participants and Telcordia, on behalf of Access Communications. These two (2) amounts will be netted together by BellSouth and the resulting charge or credit issued to Access Communications via a CABS miscellaneous bill on a monthly basis in arrears.

- 3.23.4 Through NICS, BellSouth will collect the revenue earned by Access Communications within the BellSouth territory from another LEC also within the BellSouth territory where the messages are billed, less a per message billing and collection fee of five cents (\$0.05), on behalf of Access Communications. BellSouth will remit the revenue billed by Access Communications within the BellSouth region to the LEC also within the BellSouth region, where the messages originated, less a per message billing and collection fee of five cents (\$0.05). These two (2) amounts will be netted together by BellSouth and the resulting charge or credit issued to Access Communications via a CABS miscellaneous bill on a monthly basis in arrears.
- 3.23.5 BellSouth and Access Communications agree that monthly netted amounts of less than fifty dollars (\$50.00) will not be settled.
- 3.24 <u>Rates.</u> Rates for CMDS are as set forth in Exhibit A. If no rate is identified in this Attachment, the rate for the specific service or function will be as set forth in the applicable BellSouth tariff or as negotiated by the Parties upon request by either Party.

4. Optional Daily Usage File

- 4.1 Upon written request from Access Communications, BellSouth will provide the ODUF Services to Access Communications pursuant to the terms and conditions set forth in this section.
- 4.2 Access Communications shall furnish all relevant information required by BellSouth for the provision of the ODUF.
- 4.3 The ODUF feed provides Access Communications messages that were carried over the BellSouth network and processed by BellSouth for Access Communications.
- 4.4 Charges for the ODUF Service will appear on Access Communications's monthly bills for the previous month's usage in arrears.
- 4.5 The ODUF feed will contain both rated and unrated messages. All messages will be in the standard ATIS EMI record format.
- 4.6 Messages that error in the billing system of Access Communications will be the responsibility of Access Communications. If, however, Access Communications should encounter significant volumes of errored messages that prevent processing

Version: 4Q05 Standard ICA

03/15/06

by Access Communications within its systems, BellSouth will work with Access Communications to determine the source of the errors and the appropriate resolution.

4.7	ODUF Specifications
4.7.1	ODUF Messages to be Transmitted.
4.7.2	The following messages recorded by BellSouth will be transmitted to Access Communications:
4.7.2.1	Message recording for per use/per activation type services (examples: Three-Way Calling, Verify, Interrupt, Call Return, etc.)
4.7.2.2	Measured local calls;
4.7.2.3	Directory Assistance messages;
4.7.2.4	IntraLATA Toll;
4.7.2.5	WATS and 800 Service;
4.7.2.6	N11;
4.7.2.7	Information Service Provider Messages;
4.7.2.8	Operator Services Messages;
4.7.2.9	Operator Services Message Attempted Calls;
4.7.2.10	Credit/Cancel Records; and
4.7.2.11	Usage for Mail Message Service
4.7.3	Rated Incollects (messages BellSouth receives from other revenue accounting offices) also appear on ODUF. Rated Incollects will be intermingled with BellSouth recorded rated and unrated usage. Rated Incollects will not be packed separately.
4.7.4	BellSouth will perform duplicate record checks on records processed to ODUF. Any duplicate messages detected will be deleted and not sent to Access Communications.
4.7.5	In the event that Access Communications detects a duplicate on ODUF they receive from BellSouth, Access Communications will drop the duplicate message and will not return the duplicate to BellSouth.
4.7.6	ODUF Physical File Characteristics

Version: 4Q05 Standard ICA 03/15/06

- 4.7.6.1 ODUF will be distributed to Access Communications via FTP. The ODUF feed will be a variable block format. The data on the ODUF feed will be in a non-compacted EMI format (175 byte format plus modules). It will be created on a daily basis Monday through Friday except holidays. Details such as dataset name and delivery schedule will be addressed during negotiations of the distribution medium. There will be a maximum of one (1) dataset per workday per OCN. If BellSouth determines the Secure FTP Mailbox is nearing capacity levels, BellSouth may move the Access Communications to CONNECT:Direct file delivery.
- 4.7.6.2 If the Access Communications is moved to CONNECT:Direct, data circuits (private line or dial-up) will be required between BellSouth and Access Communications for the purpose of data transmission. Where a dedicated line is required, Access Communications will be responsible for ordering the circuit, overseeing its installation and coordinating the installation with BellSouth. Access Communications will also be responsible for any charges associated with this line. Equipment required on the BellSouth end to attach the line to the mainframe computer and to transmit messages successfully on an ongoing basis will be negotiated on an individual case basis. Any costs incurred for such equipment will be Access Communications's responsibility. Where a dial-up facility is required, dial circuits will be installed in the BellSouth data center by BellSouth and the associated charges assessed to Access Communications. Additionally, all message toll charges associated with the use of the dial circuit by Access Communications will be the responsibility of Access Communications. Associated equipment on the BellSouth end, including a modem, will be negotiated on an individual case basis between the Parties. All equipment, including modems and software, that is required on Access Communications's end for the purpose of data transmission will be the responsibility of Access Communications.
- 4.7.6.3 If Access Communications utilizes FTP for data file transmission, purchase of the FTP software will be the responsibility of Access Communications.
- 4.7.7 <u>ODUF Packing Specifications</u>
- 4.7.7.1 The data will be packed using ATIS EMI records. A pack will contain a minimum of one (1) message record or a maximum of ninety-nine thousand nine hundred and ninety-nine (99,999) message records plus a pack header record and a pack trailer record. One transmission can contain a maximum of ninety nine (99) packs and a minimum of one (1) pack.
- 4.7.7.2 The OCN, From RAO, and Invoice Number will control the invoice sequencing. The From RAO will be used to identify to Access Communications which BellSouth RAO is sending the message. BellSouth and Access Communications will use the invoice sequencing to control data exchange. Access Communications will notify BellSouth of sequence failures identified by Access Communications and BellSouth will resend the data as appropriate.

Version: 4Q05 Standard ICA

03/15/06

- 4.7.8 ODUF Pack Rejection. Access Communications will notify BellSouth within one business day of rejected packs (via the mutually agreed medium). Packs could be rejected because of pack sequencing discrepancies or a critical edit failure on the Pack Header or Pack Trailer records (e.g. out-of-balance condition on grand totals, invalid data populated). Standard ATIS EMI error codes will be used. Access Communications will not be required to return the actual rejected data to BellSouth. Rejected packs will be corrected and retransmitted to Access Communications by BellSouth.
- 4.7.9 ODUF Control Data. Access Communications will send one confirmation record per pack that is received from BellSouth. This confirmation record will indicate Access Communications's receipt of the pack and acceptance or rejection of the pack. Pack Status Code(s) will be populated using standard ATIS EMI error codes for packs that were rejected by Access Communications for reasons stated in the above section.
- 4.7.10 ODUF Testing. Upon request from Access Communications, BellSouth shall send ODUF test files to Access Communications. The Parties agree to review and discuss the ODUF content and/or format. For testing of usage results, BellSouth shall request that Access Communications set up a production (live) file. The live test may consist of Access Communications's employees making test calls for the types of services Access Communications requests on ODUF. These test calls are logged by Access Communications, and the logs are provided to BellSouth. These logs will be used to verify the files. Testing will be completed within thirty (30) days from the date on which the initial test file was sent.

5 Access Daily Usage File (ADUF)

- 5.1 Upon written request from Access Communications, BellSouth will provide the ADUF Services to Access Communications pursuant to the terms and conditions set forth in this section.
- Access Communications shall furnish all relevant information required by BellSouth for the provision of ADUF Services.
- 5.3 The ADUF provides Access Communications originating and terminating access and third party messages associated with a port that Access Communications has purchased from BellSouth.
- 5.4 Charges for ADUF Services will appear on Access Communications's monthly bills for the previous month's usage in arrears.
- Messages that error in the billing system of Access Communications will be the responsibility of Access Communications. If, however, Access Communications should encounter significant volumes of errored messages that prevent processing by Access Communications within its systems, BellSouth will work with Access

Version: 4Q05 Standard ICA

Communications to determine the source of the errors and the appropriate resolution.

5.6 ADUF Messages to be Transmitted

- 5.6.1 The following messages recorded by BellSouth will be transmitted to Access Communications:
- 5.6.2 Recorded originating and terminating interstate and intrastate access records associated with Wholesale Switch Port Services and Wholesale Local Platform Services.
- 5.6.3 Recorded terminating access records for undetermined jurisdiction access records associated with Wholesale Switch Port Services and Wholesale Local Platform Services.
- 5.6.4 BellSouth will perform duplicate record checks on records processed to ADUF. Any duplicate messages detected will be dropped and not sent to Access Communications.
- 5.6.5 In the event that Access Communications detects a duplicate on ADUF they receive from BellSouth, Access Communications will drop the duplicate message and will not return the duplicate to BellSouth.

5.7 ADUF Physical File Characteristics

- 5.7.1 ADUF will be distributed to Access Communications via Secure FTP Mailbox. The ADUF feed will be a fixed block format. The data on the ADUF feed will be in a non-compacted EMI format (210 bytes). It will be created on a daily basis Monday through Friday except holidays. Details such as dataset name and delivery schedule will be addressed during negotiations of the distribution medium. There will be a maximum of one (1) dataset per workday per OCN. If BellSouth determines the Secure FTP Mailbox is nearing capacity levels, BellSouth may move the Access Communications to CONNECT:Direct file delivery.
- 5.7.2 If the Access Communications is moved to CONNECT:Direct, data circuits (private line or dial-up) will be required between BellSouth and Access Communications for the purpose of data transmission. Where a dedicated line is required, Access Communications will be responsible for ordering the circuit, overseeing its installation and coordinating the installation with BellSouth. Access Communications will also be responsible for any charges associated with this line. Equipment required on the BellSouth end to attach the line to the mainframe computer and to transmit messages successfully on an ongoing basis will be negotiated on an individual case basis. Any costs incurred for such equipment will be Access Communications's responsibility. Where a dial-up facility is required, dial circuits will be installed in the BellSouth data center by BellSouth and the associated charges assessed to Access Communications. Additionally, all message

Version: 4Q05 Standard ICA

03/15/06

toll charges associated with the use of the dial circuit by Access Communications will be the responsibility of Access Communications. Associated equipment on the BellSouth end, including a modem, will be negotiated on an individual case basis between the Parties. All equipment, including modems and software, that is required on Access Communications's end for the purpose of data transmission will be the responsibility of Access Communications.

- 5.7.2.1 If Access Communications utilizes FTP for data file transmission, purchase of the FTP software will be the responsibility of Access Communications.
- 5.7.3 ADUF Packing Specifications
- 5.7.3.1 The data will be packed using ATIS EMI records. A pack will contain a minimum of one (1) message record or a maximum of ninety-nine thousand nine hundred and ninety-nine (99,999) message records plus a pack header record and a pack trailer record. One transmission can contain a maximum of ninety-nine (99) packs and a minimum of one (1) pack.
- The OCN, From RAO, and Invoice Number will control the invoice sequencing. The From RAO will be used to identify to Access Communications which BellSouth RAO is sending the message. BellSouth and Access Communications will use the invoice sequencing to control data exchange. Access Communications will notify BellSouth of sequence failures identified by Access Communications and BellSouth will resend the data as appropriate.
- 5.7.4 <u>ADUF Pack Rejection.</u> Access Communications will notify BellSouth within one (1) business day of rejected packs (via the mutually agreed medium). Packs could be rejected because of pack sequencing discrepancies or a critical edit failure on the Pack Header or Pack Trailer records (e.g. out-of-balance condition on grand totals, invalid data populated). Standard ATIS EMI error codes will be used. Access Communications will not be required to return the actual rejected data to BellSouth. Rejected packs will be corrected and retransmitted to Access Communications by BellSouth.
- 5.7.5 <u>ADUF Control Data.</u> Access Communications will send one (1) confirmation record per pack that is received from BellSouth. This confirmation record will indicate Access Communications's receipt of the pack and acceptance or rejection of the pack. Pack Status Code(s) will be populated using standard ATIS EMI error codes for packs that were rejected by Access Communications for reasons stated in the above section.
- 5.7.6 <u>ADUF Testing.</u> Upon request from Access Communications, BellSouth shall send a test file of generic data to Access Communications via CONNECT:Direct or Text File via e-mail. The Parties agree to review and discuss the test file's content and/or format.

6. Rates for ODUF and ADUF

6.1 The rates for ODUF and ADUF are as set forth in Exhibit A.

DUF &	CMD	S - Alabama												Attachment:	7 Fxh Δ		
CATEGO		RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)			Submitted	Svc Order Submitted Manually	Incremental Charge -	Incremental Charge -	Charge - Manual Svc Order vs.	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'I
							_ 1	Nonre	curring	Nonrecurring	Disconnect			oss	Rates(\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
ODUF/A																	
	ACCES	S DAILY USAGE FILE (ADUF)															
		ADUF: Message Processing, per message					0.007037										
		ADUF: Data Transmission (CONNECT:DIRECT), per message					0.000113										
		NAL DAILY USAGE FILE (ODUF)															
		ODUF: Recording, per message					0.000011										
		ODUF: Message Processing, per message					0.004101										
		ODUF: Message Processing, per Magnetic Tape provisioned					42.67										
		ODUF: Data Transmission (CONNECT:DIRECT), per message					0.000094										
1		ALIZED MESSAGE DISTRIBUTION SERVICE (CMDS)					0.004					ļ					ļ
1		CMDS: Message Processing, per message					0.004					ļ					ļ
		CMDS: Data Transmission (CONNECT:DIRECT), per message					0.001										

DUF &	CMD	S - Florida												Attachment:	7 Exh A		
CATEG			Interi m	Zone	BCS	usoc			RATES(\$)			Submitted	Svc Order Submitted Manually	Incremental Charge -	Incremental Charge -	Charge - Manual Svc Order vs.	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
							B	Nonre	urring	Nonrecurring	Disconnect			oss	Rates(\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
ODUF/A																	
		S DAILY USAGE FILE (ADUF)															
		ADUF: Message Processing, per message					0.001656										
		ADUF: Data Transmission (CONNECT:DIRECT), per message					0.0001245										
	OPTIO	NAL DAILY USAGE FILE (ODUF)															
		ODUF: Recording, per message					0.0000071										
		ODUF: Message Processing, per message					0.002146										
		ODUF: Message Processing, per Magnetic Tape provisioned					35.91										
		ODUF: Data Transmission (CONNECT:DIRECT), per message					0.00010375										
		ALIZED MESSAGE DISTRIBUTION SERVICE (CMDS)															
		CMDS: Message Processing, per message					0.004										
		CMDS: Data Transmission (CONNECT:DIRECT), per message					0.001										

DUE 8	CMD	S - Georgia												Attachment:	7 Fyh Δ		
CATEG			Interi m	Zone	BCS	usoc			RATES(\$)			Submitted	Svc Order Submitted Manually	Incremental Charge -	Incremental Charge -	Charge - Manual Svc Order vs.	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
								Nonre	urrina	Nonrecurring	n Disconnoct				Rates(\$)	D130 131	Disc Add 1
-							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
ODUF/	ADUF/C	MDS															
	ACCES	S DAILY USAGE FILE (ADUF)															
		ADUF: Message Processing, per message					0.001713										
		ADUF: Data Transmission (CONNECT:DIRECT), per message					0.00013027										
	OPTIO	NAL DAILY USAGE FILE (ODUF)															
		ODUF: Recording, per message					0.0000068										
		ODUF: Message Processing, per message					0.002167										
		ODUF: Message Processing, per Magnetic Tape provisioned					36.06			1							
		ODUF: Data Transmission (CONNECT:DIRECT), per message					0.00010856										
		ALIZED MESSAGE DISTRIBUTION SERVICE (CMDS)															
		CMDS: Message Processing, per message					0.004										
		CMDS: Data Transmission (CONNECT:DIRECT), per message					0.001										

DUF &	R CMD	S - Kentucky												Attachment:	7 Fxh A		\Box
CATEO			Interi m	Zone	BCS	USOC			RATES(\$)			Submitted	Svc Order Submitted Manually	Incremental Charge -	Incremental Charge -	Charge - Manual Svc Order vs.	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
							В	Nonre	curring	Nonrecurring	Disconnect			oss	Rates(\$)		-
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
ODUF/	ADUF/C																
	ACCES	DAILY USAGE FILE (ADUF)															
		ADUF: Message Processing, per message					0.001857										
		ADUF: Data Transmission (CONNECT:DIRECT), per message					0.00012447										
	OPTIO	NAL DAILY USAGE FILE (ODUF)															
		ODUF: Recording, per message					0.0000136										
		ODUF: Message Processing, per message					0.002506										
		ODUF: Message Processing, per Magnetic Tape provisioned					35.90										
		ODUF: Data Transmission (CONNECT:DIRECT), per message					0.00010372										
	CENTE	ALIZED MESSAGE DISTRIBUTION SERVICE (CMDS)				ļ	0.004					ļ					4
		CMDS: Message Processing, per message					0.004										
		CMDS: Data Transmission (CONNECT:DIRECT), per message					0.001										

DUF 8	CMD	S - Louisiana												Attachment:	7 Exh A		
CATEG			Interi m	Zone	BCS	USOC			RATES(\$)			Submitted	Svc Order Submitted Manually	Incremental Charge -	Incremental Charge -	Charge - Manual Svc Order vs.	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
							Б	Nonre	curring	Nonrecurring	Disconnect			oss	Rates(\$)		-
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
ODUF/																	
		S DAILY USAGE FILE (ADUF)															
		ADUF: Message Processing, per message					0.007983										
		ADUF: Data Transmission (CONNECT:DIRECT), per message					0.00012681										
	OPTIO	NAL DAILY USAGE FILE (ODUF)															
		ODUF: Recording, per message					0.0000117										
		ODUF: Message Processing, per message					0.004641										
		ODUF: Message Processing, per Magnetic Tape provisioned					48.45										
		ODUF: Data Transmission (CONNECT:DIRECT), per message					0.00010568										
-		ALIZED MESSAGE DISTRIBUTION SERVICE (CMDS)		<u> </u>			2 22 4										
		CMDS: Message Processing, per message					0.004										
		CMDS: Data Transmission (CONNECT:DIRECT), per message					0.001										

DUF 8	k CMD	S - Mississippi												Attachment:	7 Exh A		
CATEG			Interi m	Zone	BCS	USOC			RATES(\$)			Submitted	Svc Order Submitted Manually	Incremental Charge -	Incremental Charge -	Charge - Manual Svc Order vs.	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
							В	Nonre	curring	Nonrecurring	Disconnect			oss	Rates(\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	ODUF/ADUF/CMDS CONTROL																
		SS DAILY USAGE FILE (ADUF)															
		ADUF: Message Processing, per message					0.008087										
		ADUF: Data Transmission (CONNECT:DIRECT), per message					0.00012803										
	OPTIO	NAL DAILY USAGE FILE (ODUF)															
		ODUF: Recording, per message					0.0000063										
		ODUF: Message Processing, per message					0.004707										
		ODUF: Message Processing, per Magnetic Tape provisioned					49.04										
		ODUF: Data Transmission (CONNECT:DIRECT), per message					0.00010669										
		ALIZED MESSAGE DISTRIBUTION SERVICE (CMDS)															
		CMDS: Message Processing, per message					0.004										<u> </u>
		CMDS: Data Transmission (CONNECT:DIRECT), per message					0.001										

DUE 8	CMD	S - North Carolina												Attachment:	7 Fyh Δ		
CATEG			Interi m	Zone	BCS	USOC			RATES(\$)			Submitted	Svc Order Submitted Manually	Incremental Charge - Manual Svc Order vs.	Incremental Charge - Manual Svc Order vs.	Charge - Manual Svc Order vs.	Incremental Charge - Manual Svc Order vs.
														Electronic- 1st	Electronic- Add'l	Electronic- Disc 1st	Electronic- Disc Add'l
							Rec	Nonre	urring	Nonrecurring	g Disconnect			oss	Rates(\$)	•	
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
ODUF/		-															
		ESS DAILY USAGE FILE (ADUF)															
		ADUF: Message Processing, per message					0.001614										
		ADUF: Data Transmission (CONNECT:DIRECT), per message					0.00013235										
	OPTIO	NAL DAILY USAGE FILE (ODUF)															
		ODUF: Recording, per message					0.0000174										
		ODUF: Message Processing, per message					0.001647										
		ODUF: Message Processing, per Magnetic Tape provisioned					35.91										
		ODUF: Data Transmission (CONNECT:DIRECT), per message					0.00011029										
		ALIZED MESSAGE DISTRIBUTION SERVICE (CMDS)															
		CMDS: Message Processing, per message					0.004										
		CMDS: Data Transmission (CONNECT:DIRECT), per message					0.001										

DUE	S CMD	S - South Carolina												Attachment:	7 Evh A	1	T 1
DO: 1	X OIVID		l .			1						Svc Order				Incremental	Incremental
												1					
													Submitted		Charge -	Charge -	Charge -
CATE	OPV	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES(\$)								Manual Svc
CAIL	OKI	RATE ELEMENTS	m	Zone	ВСЗ	0300			KAILS(\$)			per LSR	per LSR	Order vs.	Order vs.		Order vs.
														Electronic-	Electronic-		Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							Rec	Nonre	curring	Nonrecurring	g Disconnect			oss	Rates(\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
ODUF/	ADUF/C	-															
	ACCES	S DAILY USAGE FILE (ADUF)															
		ADUF: Message Processing, per message					0.008061										
		ADUF: Data Transmission (CONNECT:DIRECT), per message					0.00013036										
	OPTIO	NAL DAILY USAGE FILE (ODUF)															
		ODUF: Recording, per message					0.0000216										
		ODUF: Message Processing, per message					0.004704										
		ODUF: Message Processing, per Magnetic Tape provisioned					48.87										
		ODUF: Data Transmission (CONNECT:DIRECT), per message					0.00010863										
	CENTR	ALIZED MESSAGE DISTRIBUTION SERVICE (CMDS)						•									
		CMDS: Message Processing, per message					0.004	•									
		CMDS: Data Transmission (CONNECT:DIRECT), per message					0.001										

DUE 8	CMD	S - Tennessee												Attachment:	7 Evh A	1	T
DOI 0	CIVID	l lennessee	1	1		1						Cua Ordar				Ingramantal	Incremental
													Submitted		Charge -	Charge -	Charge -
CATEG	OBV	RATE ELEMENTS	Interi	Zone	BCS	USOC			DATEC(¢)								Manual Svc
CATEG	OKI	RATE ELEMENTS	m	Zone	БСЗ	0300			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.		Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							Rec	Nonrecurring		Nonrecurring	Disconnect			oss	Rates(\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
ODUF/	ADUF/C	MDS															
	ACCES	S DAILY USAGE FILE (ADUF)															
		ADUF: Message Processing, per message					0.001825										
		ADUF: Data Transmission (CONNECT:DIRECT), per message					0.00012147										
	OPTIO	NAL DAILY USAGE FILE (ODUF)															
		ODUF: Recording, per message					0.0000044										
		ODUF: Message Processing, per message					0.002446										
		ODUF: Message Processing, per Magnetic Tape provisioned					35.54										
		ODUF: Data Transmission (CONNECT:DIRECT), per message					0.0000339										
	CENTR	ALIZED MESSAGE DISTRIBUTION SERVICE (CMDS)															
		CMDS: Message Processing, per message					0.004										
		CMDS: Data Transmission (CONNECT:DIRECT), per message					0.001										

Attachment 8

Rights-of-Way, Conduits and Pole Attachments

Version: 4Q05 Standard ICA

Rights-of-Way, Conduits and Pole Attachments

BellSouth will provide nondiscriminatory access to any pole, duct, conduit, or right-of-way owned or controlled by BellSouth pursuant to 47 U.S.C. § 224, as amended by the Act, pursuant to terms and conditions of a separate license agreement negotiated with BellSouth.

Version: 4Q05 Standard ICA

Attachment 9

Performance Measurements

Version: 4Q05 Standard ICA

Performance Measurements

Upon a particular Commission's issuance of an Order pertaining to Performance Measurements in a proceeding expressly applicable to all CLECs generally, BellSouth shall implement in that state such Performance Measurements as of the date specified by the Commission. Performance Measurements that have been Ordered in a particular state can currently be accessed via the internet at http://pmap.bellsouth.com.

Version: 4Q05 Standard ICA

Attachment 10

BellSouth Disaster Recovery Plan

CON	TENT	<u>S</u>		
		_		PAGE
1.0	Purpo	se		2
2.0	Single	e Point of	Contact	2
3.0	_	fying the		2
	3.1	Site Co	ontrol	3
	3.2	Enviro	nmental Concerns	4
4.0	The E	mergency	y Control Center (ECC)	4
5.0		very Proc		5
	5.1	CLEC (Outage	5
	5.2	BellSou	nth Outage	5
		5.2.1	Loss of Central Office	6
		5.2.2	Loss of a Central Office with Serving Wire Center Functions	6
		5.2.3	Loss of a Central Office with Tandem Functions	6
		5.2.4	Loss of a Facility Hub	7
	5.3	Combir	ned Outage (CLEC and BellSouth Equipment)	7
6.0	T1 Id		on Procedures	7
7.0	Acror	wms		8

1.0 PURPOSE

In the unlikely event of a disaster occurring that affects BellSouth's long-term ability to deliver traffic to a CLEC, general procedures have been developed by BellSouth to hasten the recovery process in accordance with the Telecommunications Service Priority (TSP) Program established by the FCC to identify and prioritize telecommunication services that support national security or emergency preparedness (NS/EP) missions. A description of the TSP Program as it may be amended from time to time is available at the following BellSouth Interconnection Services Web site: http://interconnection.bellsouth.com/products/vertical/tsp.html. Since each location is different and could be affected by an assortment of potential problems, a detailed recovery plan is impractical. However, in the process of reviewing recovery activities for specific locations, some basic procedures emerge that appear to be common in most cases.

These general procedures should apply to any disaster that affects the delivery of traffic for an extended time period. Each CLEC will be given the same consideration during an outage, and service will be restored as quickly as possible.

This document will cover the basic recovery procedures that would apply to every CLEC.

2.0 SINGLE POINT OF CONTACT

When a problem is experienced, regardless of the severity, the BellSouth Network Management Center (NMC) will observe traffic anomalies and begin monitoring the situation. Controls will be appropriately applied to insure the sanity of BellSouth's network; and, in the event that a switch or facility node is lost, the NMC will attempt to circumvent the failure using available reroutes.

BellSouth's NMC will remain in control of the restoration efforts until the problem has been identified as being a long-term outage. At that time, the NMC will contact BellSouth's ECC and relinquish control of the recovery efforts. Even though the ECC may take charge of the situation, the NMC will continue to monitor the circumstances and restore traffic as soon as damaged network elements are revitalized.

The telephone number for the BellSouth Network Management Center in Atlanta, as published in Telcordia's National Network Management Directory, is 404-321-2516.

3.0 IDENTIFYING THE PROBLEM

During the early stages of problem detection, the NMC will be able to tell which CLECs are affected by the catastrophe. Further analysis and/or first hand observation will determine if the disaster has affected CLEC equipment only, BellSouth equipment only or a combination. The initial restoration activity will be largely determined by the equipment that is affected.

Once the nature of the disaster is determined and after verifying the cause of the problem, the NMC will initiate reroutes and/or transfers that are jointly agreed upon by the affected CLECs' Network Management Center and the BellSouth NMC. The type and percentage of controls used will depend upon available network capacity. Controls necessary to stabilize the situation will be invoked and the NMC will attempt to re-establish as much traffic as possible.

Version: 4Q05 Standard ICA

For long-term outages, recovery efforts will be coordinated by the ECC. Traffic controls will continue to be applied by the NMC until facilities are re-established. As equipment is made available for service, the ECC will instruct the NMC to begin removing the controls and allow traffic to resume.

3.1 SITE CONTROL

In the total loss of building use scenario, what likely exists will be a smoking pile of rubble. This rubble will contain many components that could be dangerous. It could also contain any personnel on the premises at the time of the disaster. For these reasons, the local fire marshal with the assistance of the police will control the site until the building is no longer a threat to surrounding properties and the companies have secured the site from the general public.

During this time, the majority owner of the building should be arranging for a demolition contractor to mobilize to the site with the primary objective of reaching the cable entrance facility for a damage assessment. The results of this assessment would then dictate immediate plans for restoration, both short term and permanent.

In a less catastrophic event, i.e., the building is still standing and the cable entrance facility is usable, the situation is more complex. The site will initially be controlled by local authorities until the threat to adjacent property has diminished. Once the site is returned to the control of the companies, the following events should occur.

An initial assessment of the main building infrastructure systems (mechanical, electrical, fire and life safety, elevators, and others) will establish building needs. Once these needs are determined, the majority owner should lead the building restoration efforts. There may be situations where the site will not be totally restored within the confines of the building. The companies must individually determine their needs and jointly assess the cost of permanent restoration to determine the overall plan of action.

Multiple restoration trailers from each company will result in the need for designated space and installation order. This layout and control is required to maximize the amount of restoration equipment that can be placed at the site, and the priority of placements.

Care must be taken in this planning to ensure other restoration efforts have logistical access to the building. Major components of telephone and building equipment will need to be removed and replaced. A priority for this equipment must also be jointly established to facilitate overall site restoration. (Example: If the AC switchgear has sustained damage, this would be of the highest priority in order to regain power, lighting, and HVAC throughout the building.)

If the site will not accommodate the required restoration equipment, the companies would then need to quickly arrange with local authorities for street closures, rights of way or other possible options available.

Version: 4Q05 Standard ICA

3.2 ENVIRONMENTAL CONCERNS

In the worse case scenario, many environmental concerns must be addressed. Along with the police and fire marshal, the state environmental protection department will be on site to monitor the situation.

Items to be concerned with in a large central office building could include:

- 1. Emergency engine fuel supply. Damage to the standby equipment and the fuel handling equipment could have created "spill" conditions that have to be handled within state and federal regulations.
- 2. Asbestos-containing materials that may be spread throughout the wreckage. Asbestos could be in many components of building, electrical, mechanical, outside plant distribution, and telephone systems.
- 3. Lead and acid. These materials could be present in potentially large quantities depending upon the extent of damage to the power room.
- 4. Mercury and other regulated compounds resident in telephone equipment.
- 5. Other compounds produced by the fire or heat.

Once a total loss event occurs at a large site, local authorities will control immediate clean up (water placed on the wreckage by the fire department) and site access.

At some point, the companies will become involved with local authorities in the overall planning associated with site clean up and restoration. Depending on the clean up approach taken, delays in the restoration of several hours to several days may occur.

In a less severe disaster, items listed above are more defined and can be addressed individually depending on the damage.

In each case, the majority owner should coordinate building and environmental restoration as well as maintain proper planning and site control.

4.0 THE ECC

The ECC is located in the Midtown 1 Building in Atlanta, Georgia. During an emergency, the ECC staff will convene a group of pre-selected experts to inventory the damage and initiate corrective actions. These experts have regional access to BellSouth's personnel and equipment and will assume control of the restoration activity anywhere in the nine-state area.

In the past, the ECC has been involved with restoration activities resulting from hurricanes, ice storms and floods. They have demonstrated their capabilities during these calamities as well as

Version: 4Q05 Standard ICA

during outages caused by human error or equipment failures. This group has an excellent record of restoring service as quickly as possible.

During a major disaster, the ECC may move emergency equipment to the affected location, direct recovery efforts of local personnel and coordinate service restoration activities with the CLECs. The ECC will attempt to restore service as quickly as possible using whatever means is available, leaving permanent solutions, such as the replacement of damaged buildings or equipment, for local personnel to administer.

Part of the ECC's responsibility, after temporary equipment is in place, is to support the NMC efforts to return service to the CLECs. Once service has been restored, the ECC will return control of the network to normal operational organizations. Any long-term changes required after service is restored will be made in an orderly fashion and will be conducted as normal activity.

5.0 RECOVERY PROCEDURES

The nature and severity of any disaster will influence the recovery procedures. One crucial factor in determining how BellSouth will proceed with restoration is whether or not BellSouth's equipment is incapacitated. Regardless of whose equipment is out of service, BellSouth will move as quickly as possible to aid with service recovery; however, the approach that will be taken may differ depending upon the location of the problem.

5.1 CLEC OUTAGE

For a problem limited to one CLEC (or a building with multiple CLECs), BellSouth has several options available for restoring service quickly. For those CLECs that have agreements with other CLECs, BellSouth can immediately start directing traffic to a provisional CLEC for completion. This alternative is dependent upon BellSouth having concurrence from the affected CLECs.

Whether or not the affected CLECs have requested a traffic transfer to another CLEC will not impact BellSouth's resolve to re-establish traffic to the original destination as quickly as possible.

5.2 BELLSOUTH OUTAGE

Because BellSouth's equipment has varying degrees of impact on the service provided to the CLECs, restoring service from damaged BellSouth equipment is different. The outage will probably impact a number of Carriers simultaneously. However, the ECC will be able to initiate immediate actions to correct the problem.

A disaster involving any of BellSouth's equipment locations could impact the CLECs, some more than others. A disaster at a Central Office (CO) would only impact the delivery of traffic to and from that one location, but the incident could affect many Carriers. If the CO is a Serving Wire Center (SWC), then traffic from the entire area to those Carriers served from that switch would also be impacted. If the switch functions as an Access Tandem, or there is a tandem in the building, traffic from every CO to every CLEC could be interrupted. A disaster that destroys a facility hub could disrupt various traffic flows, even though the switching equipment may be unaffected.

Version: 4Q05 Standard ICA

The NMC would be the first group to observe a problem involving BellSouth's equipment. Shortly after a disaster, the NMC will begin applying controls and finding re-routes for the completion of as much traffic as possible. These reroutes may involve delivering traffic to alternate Carriers upon receiving approval from the CLECs involved. In some cases, changes in translations will be required. If the outage is caused by the destruction of equipment, then the ECC will assume control of the restoration.

5.2.1 Loss of a CO

When BellSouth loses a CO, the ECC will

- a) Place specialists and emergency equipment on notice;
- b) Inventory the damage to determine what equipment and/or functions are lost;
- c) Move containerized emergency equipment and facility equipment to the stricken area, if necessary;
- d) Begin reconnecting service on a parity basis for Hospitals, Police and other emergency agencies or customers served by BellSouth or CLEC in accordance with the TSP priority restoration coding scheme entered in the BellSouth Maintenance database immediately prior to the emergency.

5.2.2 Loss of a CO with SWC Functions

The loss of a CO that also serves as a SWC will be restored as described in Section 5.2.1.

5.2.3 Loss of a CO with Tandem Functions

When BellSouth loses a CO building that serves as an Access Tandem and as a SWC, the ECC will

- a) Place specialists and emergency equipment on notice;
- b) Inventory the damage to determine what equipment and/or functions are lost;
- c) Move containerized emergency equipment and facility equipment to the stricken area, if necessary;
- d) Begin reconnecting service on a parity basis for Hospitals, Police and other emergency agencies or customers served by BellSouth or CLEC in accordance with the TSP priority restoration coding scheme entered in the BellSouth Maintenance database immediately prior to the emergency;
- e) Re-direct as much traffic as possible to the alternate access tandem (if available) for delivery to those CLECs utilizing a different location as a SWC;
- f) Begin aggregating traffic to a location near the damaged building. From this location, begin re-establishing trunk groups to the CLECs for the delivery of traffic normally

Version: 4Q05 Standard ICA

found on the direct trunk groups. (This aggregation point may be the alternate access tandem location or another CO on a primary facility route.)

5.2.4 Loss of a Facility Hub

In the event that BellSouth loses a facility hub, the recovery process is much the same as above. Once the NMC has observed the problem and administered the appropriate controls, the ECC will assume authority for the repairs. The recovery effort will include

- a) Placing specialists and emergency equipment on notice;
- b) Inventorying the damage to determine what equipment and/or functions are lost;
- c) Moving containerized emergency equipment to the stricken area, if necessary;
- d) Reconnecting service on a parity basis for Hospitals, Police and other emergency agencies or customers served by BellSouth or CLEC in accordance with the TSP priority restoration coding scheme entered in the BellSouth Maintenance database immediately prior to the emergency; and
- e) If necessary, BellSouth will aggregate the traffic at another location and build temporary facilities. This alternative would be viable for a location that is destroyed and building repairs are required.

5.3 COMBINED OUTAGE (CLEC AND BELLSOUTH EQUIPMENT)

In some instances, a disaster may impact BellSouth's equipment as well as the CLECs'. This situation will be handled in much the same way as described in Section 5.2.3. Since BellSouth and the CLECs will be utilizing temporary equipment, close coordination will be required.

6.0 T1 IDENTIFICATION PROCEDURES

During the restoration of service after a disaster, BellSouth may be forced to aggregate traffic for delivery to a CLEC. During this process, T1 traffic may be consolidated onto DS3s and may become unidentifiable to the Carrier. Because resources will be limited, BellSouth may be forced to "package" this traffic entirely differently than normally received by the CLECs. Therefore, a method for identifying the T1 traffic on the DS3s and providing the information to the Carriers is required.

Version: 4Q05 Standard ICA

7.0 ACRONYMS

CLEC - Competitive Local Exchange Carrier

CO - Central Office (BellSouth)

DS3 - Facility that carries 28 T1s (672 circuits)

ECC - Emergency Control Center (BellSouth)

NMC - Network Management Center

SWC - Serving Wire Center (BellSouth switch)

T1 - Facility that carries 24 circuits

TSP - Telecommunications Service Priority

Version: 4Q05 Standard ICA

Hurricane Information

During a hurricane, BellSouth will make every effort to keep CLECs updated on the status of our network. Information centers will be set up throughout BellSouth Telecommunications. These centers are not intended to be used for escalations, but rather to keep the CLEC informed of network related issues, area damages and dispatch conditions, etc.

Hurricane-related information can also be found on line at http://www.interconnection.bellsouth.com/network/disaster/index.html. Information concerning Mechanized Disaster Reports can also be found at this Web site by clicking on CURRENT MDR REPORTS or by going directly to http://www.interconnection.bellsouth.com/network/disaster/mdrdocs.html.

BST Disaster Management Plan

BellSouth maintenance centers have geographical and redundant communication capabilities. In the event of a disaster removing any maintenance center from service another geographical center would assume maintenance responsibilities. The contact numbers will not change and the transfer will be transparent to the CLEC.

Version: 4Q05 Standard ICA

Attachment 11

Bona Fide Request and New Business Request Process

BONA FIDE REQUEST AND NEW BUSINESS REQUEST PROCESS

1. **Bona Fide Request**

- 1.1 The Parties agree that Access Communications is entitled to order any Network Element, interconnection option or service option required to be made available by FCC or Commission requirements pursuant to the Act. A Bona Fide Request (BFR) is to be used when Access Communications makes a request of BellSouth to provide a new or modified Network Element, interconnection option or other service option pursuant to the Act that was not previously provided for in this Agreement.
- A BFR shall be submitted in writing by Access Communications and shall specifically identify the requested service date, technical requirements, space requirements and/or such other specifications that clearly define the request such that BellSouth has sufficient information to analyze and prepare a response. Such a request shall also include Access Communications's designation of the request as being pursuant to the Telecommunications Act of 1996 (i.e., a BFR). The request shall be sent to Access Communications's designated BellSouth Sales contact or Local Contract Manager (LCM).
- 1.3 Within two (2) business days of receipt of a BFR, BellSouth shall acknowledge in writing its receipt and identify a single point of contact responsible for responding to the BFR and shall request any additional information needed to process the request to the extent known at that time. Notwithstanding the foregoing, BellSouth may reasonably request additional information from Access Communications at any time during the processing of the BFR.
- 1.4 Within thirty (30) business days of BellSouth's receipt of the BFR, if the preliminary analysis of the requested BFR is not of such complexity that it will cause BellSouth to expend extraordinary resources to evaluate the BFR, BellSouth shall respond to Access Communications by providing a preliminary analysis of the new or modified Network Element or interconnection option not ordered by the FCC or Commission that is the subject of the BFR. The preliminary analysis shall either confirm that BellSouth will offer access to the new or modified Network Element, interconnection option or service option or confirm that BellSouth will not offer the new or modified Network Element, interconnection option or service option.
- 1.5 For any new or modified Network Element, interconnection option or service option not ordered by the FCC or Commission, if the preliminary analysis states that BellSouth will offer the new or modified Network Element, interconnection option or service option, the preliminary analysis

Version: 4Q05 Standard ICA

will include an estimate of the costs of utilizing existing resources, both personnel and systems, in the development including, but not limited to. request parameters analysis, determination of impacted BellSouth departments, determination of required resources, project management resources, etc. (Development Rate) including a general breakdown of such costs associated with the Network Element, interconnection option or service option and the date the request can be met. If the preliminary analysis states that BellSouth will not offer the new or modified Network Element, interconnection option or service option, BellSouth will provide an explanation of why the request is not technically feasible, does not qualify as a BFR for the new or modified Network Element, interconnection option or service option, should actually be submitted as a New Business Request (NBR) or is otherwise not required to be provided under the Act. If BellSouth cannot provide the Network Element, interconnection option or service option by the requested date, BellSouth shall provide an alternative proposed date together with a detailed explanation as to why BellSouth is not able to meet Access Communications's requested date.

1.6 For any new or modified Network Element, interconnection option or service option not ordered by the FCC or Commission, if BellSouth determines that the preliminary analysis of the requested BFR is of such complexity that it will cause BellSouth to expend extraordinary resources to evaluate the BFR, BellSouth shall notify Access Communications within ten (10) business days of BellSouth's receipt of BFR that a fee will be required prior to the preliminary evaluation of the BFR. Such fee shall be limited to BellSouth's extraordinary expenses directly related to the complex request that require the allocation and engagement of additional resources above the existing allocated resources used on BFR cost development which include, but are not limited to, expenditure of funds to develop feasibility studies, specific resources that are required to determine request requirements (such as operation support system analysts, technical managers, software developers), software impact analysis by specific software developers; software architecture development, hardware impact analysis by specific system analysts, etc. and the request for such fee shall be accompanied with a general breakdown of such costs. If Access Communications accepts the complex request evaluation fee proposed by BellSouth, Access Communications shall submit such fee within thirty (30) business days of BellSouth's notice that a complex request evaluation fee is required. Within thirty (30) business days of BellSouth's receipt of the complex request evaluation fee, BellSouth shall respond to Access Communications by providing a preliminary analysis, consistent with Section 1.4 above.

1.7 Access Communications may cancel a BFR at any time up until thirty (30) business days after receiving BellSouth's preliminary analysis. If Access

Version: 4Q05 Standard ICA

Communications cancels the BFR within thirty (30) business days after receipt of BellSouth's preliminary analysis, BellSouth shall be entitled to keep any complex request evaluation fee submitted in accordance with Section 1.6 above, minus those costs included in the fee that have not been incurred as of the date of cancellation.

- 1.8 Access Communications will have thirty (30) business days from receipt of preliminary analysis to accept the preliminary analysis or cancel the BFR. If Access Communications fails to respond within this thirty (30) business day period, the BFR will be deemed cancelled. Acceptance of the preliminary analysis must be in writing and accompanied by the estimated Development Rate for the new or modified Network Element, interconnection option or service option quoted in the preliminary analysis.
- 1.9 Notwithstanding any other provision of this Agreement, BellSouth shall propose a firm price quote, including the firm Development Rate, the firm nonrecurring rate and the firm recurring rate, and a detailed implementation plan within ten (10) business days of receipt of Access Communications's accurate BFR application for a Network Element, interconnection option or service option that is operational at the time of the request; thirty (30) business days of receipt of Access Communications's accurate BFR application for a new or modified Network Element, interconnection option or service option ordered by the FCC or Commission; and within sixty (60) business days of receipt of Access Communications's accurate BFR application for a new or modified Network Element, interconnection option or service option not ordered by the FCC or Commission or not operational at the time of the request. The firm nonrecurring rate will not include any of the Development Rate or the complex request evaluation fee, if required, in the calculation of this rate. Such firm price quote shall not exceed the estimate provided with the preliminary analysis by more than twenty-five percent (25%).
- 1.10 Access Communications shall have thirty (30) business days from receipt of firm price quote to accept or deny the firm price quote and submit any additional Development or nonrecurring rates quoted in the firm price quote.
- Unless Access Communications agrees otherwise, all prices shall be consistent with the applicable pricing principles and provisions of the Act.
- 1.12 If Access Communications believes that BellSouth's firm price quote is not consistent with the requirements of the Act, either Party may seek dispute resolution in accordance with the dispute resolution provisions set forth in General Terms and Conditions.

Version: 4Q05 Standard ICA

Upon agreement to the rates, terms and conditions of a BFR, the Parties shall negotiate in good faith an amendment to this Agreement.

2 New Business Request

- Access Communications also shall be permitted to request the development of new or modified facilities or service options which may not be required by the Act. Procedures applicable to requesting the addition of such elements, services and options are specified in this Attachment. A NBR is to be used by Access Communications to make a request of BellSouth for a new or modified feature or capability of an existing product or service, a new product or service that is not deployed within the BellSouth network or operations and business support systems, or a new or modified service option that was not previously included in this Agreement (Requested NBR Services) and is not required by the Act.
- An NBR shall be submitted in writing by Access Communications and shall specifically identify the requested service date, technical requirements, space requirements and/or such specifications that clearly define the request such that BellSouth has sufficient information to analyze and prepare a response. The request shall be sent to Access Communications's designated BellSouth Sales contact or LCM.
- 2.3 Within two (2) business days of receipt of an NBR, BellSouth shall acknowledge in writing its receipt and identify a single point of contact responsible for responding to the NBR and shall request any additional information needed to process the request to the extent known at that time. Notwithstanding the foregoing, BellSouth may reasonably request additional information from Access Communications at any time during the processing of the NBR.
- 2.4 If the preliminary analysis of the requested NBR is not of such complexity that it will cause BellSouth to expend extraordinary resources to evaluate the NBR, within thirty (30) business days of its receipt of the NBR, BellSouth shall respond to Access Communications by providing a preliminary analysis of such Requested NBR Services that are the subject of the NBR. The preliminary analysis shall either confirm that BellSouth will offer access to the Requested NBR Services or confirm that BellSouth will not offer the Requested NBR Services.
- 2.5 If the preliminary analysis states that BellSouth will offer the Requested NBR Services, the preliminary analysis will include an estimate of the Development Rate including a general breakdown of costs and the date the request can be met. If BellSouth cannot provide the Requested NBR Service by the requested date, it shall provide an alternative proposed date

Version: 4Q05 Standard ICA

together with a detailed explanation as to why BellSouth is not able to meet Access Communications's requested date.

- 2.6 If BellSouth determines that the preliminary analysis of the requested NBR is of such complexity that it will cause BellSouth to expend extraordinary resources to evaluate the NBR, BellSouth shall notify Access Communications within ten (10) business days of BellSouth's notice that a complex request evaluation fee is required prior to the evaluation of the NBR. Such fee shall be limited to BellSouth's extraordinary expenses directly related to the complex request. If Access Communications accepts the complex request evaluation fee amount proposed by BellSouth, Access Communications shall submit such complex request evaluation fee within thirty (30) business days of BellSouth's notice that a complex request evaluation fee is required.
- 2.7 Within thirty (30) business days of BellSouth's receipt of the complex request evaluation fee, BellSouth shall respond to Access Communications by providing a preliminary analysis of such Requested NBR Services.
- Access Communications may cancel an NBR at any time. If Access Communications cancels the request more than ten (10) business days after submitting it, Access Communications shall pay BellSouth's reasonable and demonstrable costs of processing and/or implementing the NBR up to the date of cancellation in addition to any fee submitted in accordance with Section 1.6 above.
- Access Communications will have thirty (30) business days from receipt of the preliminary analysis to accept the preliminary analysis or cancel the NBR. If Access Communications fails to respond within this thirty (30) business day period, the NBR will be deemed cancelled.
- 2.10 Acceptance of the preliminary analysis must be in writing and accompanied by the estimated Development Rate for the Requested NBR Services quoted in the preliminary analysis.
- 2.11 BellSouth shall propose a firm price quote including the firm
 Development Rate, the firm nonrecurring rate, and the firm recurring rate,
 and a detailed implementation plan within ten (10) business days of
 receipt of Access Communications's accurate NBR application for a
 Requested NBR Service that is operational at the time of the request and
 within sixty (60) business days of receipt of Access Communications's
 accurate NBR application for the Requested NBR Services not operational
 at the time of the request. The firm nonrecurring rate will not include any
 of the Development Rate or the complex request evaluation fee, if
 required, in the calculation of this rate. Such firm price quote shall not

Version: 4Q05 Standard ICA

- exceed the estimate provided with the preliminary analysis by more than twenty-five percent (25%).
- Access Communications shall have thirty (30) business days from receipt of the firm price quote to accept or deny the firm price quote and submit any additional nonrecurring, non-refundable fees quoted in the firm price quote. If the firm price quote is less than the preliminary analysis' estimate of the Development Rate, BellSouth will credit Access Communications's account for the difference.
- 2.13 Upon agreement to the rates, terms and conditions of a NBR, an amendment to this Agreement, or a separate agreement, may be required and the Parties shall negotiate such agreement or amendment in good faith.