BELLSOUTH[®] / CLEC Agreement

Customer Name: EZ Talk Communications, LLC & EZ Talk Communications of Louisian

| EZ Talk Communications, LLC & EZ Talk Communications of Louisiana LLC - | 2 |
|---|----|
| Adoption of NOW Communications. Inc. Adoption Paper | 3 |
| ATT 1 - Resale | 7 |
| ATT 1 - Resale Discounts and Rates | 28 |
| EZ Talk - FL Ordered Rates Amend | 29 |
| EZ Talk Com - Amend Term | 90 |

By and Between

BellSouth Telecommunications, Inc.

And

EZ Talk Communications, LLC EZ Talk Communications of Louisiana LLC

AGREEMENT

This Agreement, which shall become effective thirty (30) days following the date of the last signature of both Parties ("Effective Date"), is entered into by and between EZ Talk Communications, LLC and EZ Talk Communications of Louisiana LLC ("EZ Talk"), a limited liability company on behalf of itself, and BellSouth Telecommunications, Inc., ("BellSouth"), a Georgia corporation, having an office at 675 W. Peachtree Street, Atlanta, Georgia, 30375, on behalf of itself and its successors and assigns.

WHEREAS, the Telecommunications Act of 1996 (the "Act") was signed into law on February 8, 1996; and

WHEREAS, section 252(i) of the Act requires BellSouth to make available any interconnection, service, or network element provided under an agreement approved by the appropriate state regulatory body to any other requesting telecommunications carrier upon the same terms and conditions as those provided in the agreement in its entirety; and

WHEREAS, EZ Talk has requested that BellSouth make available the interconnection agreement in its entirety, with the exception of Attachment 1 executed between BellSouth and NOW Communications, Inc. dated April 16, 20001 for the state(s) of Alabama, Florida, Georgia, Kentucky, Louisiana, Mississippi, North Carolina, South Carolina and Tennessee.

NOW, THEREFORE, in consideration of the promises and mutual covenants of this Agreement, EZ Talk and BellSouth hereby agree as follows:

1. EZ Talk and BellSouth shall adopt in its entirety the Now Communications, Inc. Interconnection Agreement dated April 16, 2001 and any and all amendments to said agreement executed and approved by the appropriate state regulatory commission as of the date of the execution of this Agreement. The NOW Communications, Inc. Interconnection Agreement and all amendments are attached hereto as Exhibit 1 and incorporated herein by this reference. The adoption of this agreement with amendment(s) consists of the following:

| ITEM | NO. |
|------------------------------|-------|
| | PAGES |
| Adoption Papers | 4 |
| Title Page | 1 |
| Table of Contents | 1 |
| General Terms and Conditions | 21 |

| Attachment 1 | 1 |
|---------------------------------|-----|
| Attachment 2 | 169 |
| Attachment 3 | 37 |
| Attachment 4 PC | 62 |
| Attachment 4 RS | 47 |
| Attachment 5 | 11 |
| Attachment 6 | 7 |
| Attachment 7 | 16 |
| Attachment 8 | 2 |
| Attachment 9 | 2 |
| Attachment 10 | 8 |
| Attachment 11 | 11 |
| Attachment 12 | 3 |
| Amendment dated June 19, 2001 | 30 |
| Amendment dated January 7, 2002 | 169 |
| Amendment dated June 17, 2002 | 2 |
| Amendment dated July 1, 2002 | 21 |
| TOTAL | 621 |

2. In the event that EZ Talk consists of two (2) or more separate entities as set forth in the preamble to this Agreement, all such entities shall be jointly and severally liable for the obligations of EZ Talk under this Agreement.

3. The Parties agree to delete and replace Attachment 1, Resale and Attachment 1 Resale rate elements attached hereto as Exhibit 2 and incorporated herein by reference made in this Adoption.

4. The term of this Agreement shall be from the Effective Date as set-forth above and shall expire as set forth in section 2.1, General Terms and Conditions, of the NOW Communications, Inc. Interconnection Agreement. For the purposes of determining the expiration date of this Agreement pursuant to section 2.1 of the NOW Communications, Inc. Interconnection Agreement, the effective date shall be April 16, 2001.

5. EZ Talk shall accept and incorporate any amendments to the NOW Communications, Inc. Interconnection Agreement executed as a result of any final judicial, regulatory, or legislative action.

6. Every notice, consent, approval, or other communications required or contemplated by this Agreement shall be in writing and shall be delivered in person or given by postage prepaid mail, address to:

BellSouth Telecommunications, Inc.

BellSouth Local Contract Manager 600 North 19th Street, 8th floor Birmingham, Alabama 35203

and

ICS Attorney Suite 4300 675 W. Peachtree St. Atlanta, GA 30375

EZ Talk Communications, LLC EZ Talk Communications of Louisiana LLC

Eileen Singleton 4727 South Main Street Stafford, TX 77477 esingleton@eztalktelephone.com

or at such other address as the intended recipient previously shall have designated by written notice to the other Party. Where specifically required, notices shall be by certified or registered mail. Unless otherwise provided in this Agreement, notice by mail shall be effective on the date it is officially recorded as delivered by return receipt or equivalent, and in the absence of such record of delivery, it shall be presumed to have been delivered the fifth day, or next business day after the fifth day, after it was deposited in the mails. IN WITNESS WHEREOF, the Parties have executed this Agreement through their authorized representatives.

BellSouth Telecommunications, Inc.

EZ Talk Communications, LLC EZ Talk Communications of Louisiana LLC

<u>(Signature on File)</u> Signature Elizabeth R. A. Shiroishi <u>C. W. Boltz</u> Name

Senior Director Title

<u>08/13/02</u> Date <u>(Signature on File</u> Signature

Eileen Singleton_____ Name

<u>Compliance Officer</u>

08/5/02

Date

Attachment 1 Page 1

Attachment 1

Resale

Table of Contents

| 1. | Discount Rates |
|------|---|
| 2. | Definition of Terms |
| 3. | General Provisions |
| 4. | BellSouth's Provision of Services to < |
| 5. | Maintenance of Services |
| 6. | Establishment of Service |
| 7. | Discontinuance of Service |
| 8. | Operator Services (Operator Call Processing and Directory Assistance)11 |
| 9. | Line Information Database (LIDB) |
| 10. | RAO Hosting |
| Resa | le Restrictions Exhibit A |
| Line | Information Database (LIDB) Storage Agreemt Exhibit B |
| Resa | le Discounts and Rates Exhibit C |

RESALE

1. Discount Rates

- 1.1 The discount rates applied to <<customer_short_name>>EZ Talk purchases of BellSouth Telecommunications Services for the purpose of resale shall be as set forth in Exhibit C. Such discounts have been determined by the applicable Commission to reflect the costs avoided by BellSouth when selling a service for wholesale purposes.
- 1.2 The telecommunications services available for purchase by <<u><</u>customer_short_name>>EZ Talk for the purposes of resale to <<u><</u>customer_name>>EZ Talk Communications, LLC & EZ Talk Communications of Louisian's End Users shall be available at BellSouth's tariffed rates less the discount set forth in Exhibit C to this Agreement and subject to the exclusions and limitations set forth in Exhibit A to this Agreement.

2. Definition of Terms

- 2.1 COMPETITIVE LOCAL EXCHANGE COMPANY (CLEC) means a telephone company certificated by the Commission to provide local exchange service within BellSouth's franchised area.
- 2.2 CUSTOMER OF RECORD means the entity responsible for placing application for service; requesting additions, rearrangements, maintenance or discontinuance of service; payment in full of charges incurred such as non-recurring, monthly recurring, toll, directory assistance, etc.
- 2.3 DEPOSIT means assurance provided by a customer in the form of cash, surety bond or bank letter of credit to be held by BellSouth.
- 2.4 END USER means the ultimate user of the Telecommunications Service.
- 2.5 END USER CUSTOMER LOCATION means the physical location of the premises where an End User makes use of the telecommunications services.
- 2.6 NEW SERVICES means functions, features or capabilities that are not currently offered by BellSouth. This includes packaging of existing services or combining a new function, feature or capability with an existing service.
- 2.7 RESALE means an activity wherein a certificated CLEC, such as <<customer_name>>EZ Talk Communications, LLC & EZ Talk Communications of Louisian, subscribes to the telecommunications services of BellSouth and then offers those telecommunications services to the public.

3. General Provisions

- 3.1 All of the negotiated rates, terms and conditions set forth in this Attachment pertain to the resale of BellSouth's retail telecommunications services and other services specified in this Attachment. Subject to effective and applicable FCC and Commission rules and orders, BellSouth shall make available to EZ Talk for resale those telecommunications services BellSouth makes available, pursuant to its General Subscriber Services Tariff and Private Line Services Tariff, to customers who are not telecommunications carriers.
- 3.1.1 When <<<u>customer_short_name>>EZ Talk</u> provides Resale service in a cross boundary area (areas that are part of the local serving area of another state's exchange) the rates, regulations and discounts for the tariffing state will apply. Billing will be from the serving state.
- 3.1.2 In Tennessee, if <<<u>customer_short_name>>EZ Talk</u> does not resell Lifeline services to any end users, and if <<u>customer_short_name>>EZ Talk</u> agrees to order an appropriate Operator Services/Directory Services block as set forth in BellSouth's General Subscriber Services Tariff, the discount shall be 21.56%.
- 3.1.2.1 In the event <<customer_short_name>><u>EZ Talk</u> resells Lifeline service to any end user in Tennessee, BellSouth will begin applying the 16% discount rate to all services. Upon <<customer_short_name>><u>EZ Talk</u> and BellSouth's implementation of a billing arrangement whereby a separate Master Account (Qaccount) associated with a separate Operating Customer Number (OCN) is established for billing of Lifeline service end users, the discount shall be applied as set forth in 3.1.2 preceding for the non-Lifeline affected Master Account (Qaccount).
- 3.1.2.2 <customer_name>> must provide written notification to BellSouth within 30 days
 prior to providing its own operator services/directory services or orders the
 appropriate operator services/directory assistance blocking, to qualify for the
 higher discount rate of 21.56%.
- 3.2 Security Secur
- 3.2.2 <ccustomer_short_name>>EZ Talk cannot be a competitive local exchange
 telecommunications company for the single purpose of selling to themselves.
- 3.3 3.3 **Constant Section 2019 Constant Section**

from, bill and receive payment from <<<u>customer_short_name</u>>><u>EZ Talk</u> for said services.

- 3.5 BellSouth will continue to bill the End User for any services that the End User specifies it wishes to receive directly from BellSouth. BellSouth maintains the right to serve directly any End User within the service area of <<customer_name>>EZ Talk Communications, LLC & EZ Talk Communications of Louisian. BellSouth will continue to market directly its own telecommunications products and services and in doing so may establish independent relationships with End Users of <<customer_name>>EZ Talk Communications, LLC & EZ Talk Communications of Louisian. Neither Party shall interfere with the right of any person or entity to obtain service directly from the other Party.
- 3.5.1 When a subscriber of <<customer_short_name>>EZ Talk or BellSouth elects to change his/her carrier to the other Party, both Parties agree to release the subscriber's service to the other Party concurrent with the due date of the service order, which shall be established based on the standard interval for the subscriber's requested service as set forth in the BellSouth Product and Services Interval Guide.
- 3.5.2 BellSouth and <customer_short_name>><u>EZ Talk</u> will refrain from contacting subscribers who have placed or whose selected carrier has placed on their behalf an order to change his/her service provider from BellSouth or <customer_short_name>><u>EZ Talk</u> to the other Party until such time that the order for service has been completed.
- 3.6 Current telephone numbers may normally be retained by the End User and are assigned to the service furnished. However, neither Party nor the End User has a property right to the telephone number or any other call number designation associated with services furnished by BellSouth, and no right to the continuance of service through any particular central office. BellSouth reserves the right to change such numbers, or the central office designation associated with such numbers, or both, whenever BellSouth deems it necessary to do so in the conduct of its business and in accordance with BellSouth practices and procedures on a nondiscriminatory basis.

and regulations on a first come first served basis. <u>Talk</u> acknowledges that such access to numbers shall be in accordance with the appropriate FCC rules and regulations. <u><customer_short_name>>EZ Talk</u> acknowledges that there may be instances where there is a shortage of telephone numbers in a particular Common Language Location Identifier Code (CLLIC); and in such instances, <u><<customer_short_name>>EZ Talk</u> shall return unused intermediate telephone numbers to BellSouth upon BellSouth's request. BellSouth shall make all such requests on a nondiscriminatory basis.

- 3.8 BellSouth will allow <customer_short_name>>EZ Talk to designate up to 100 intermediate telephone numbers per CLLIC, for <customer_name>>EZ Talk <u>Communications, LLC & EZ Talk Communications of Louisian</u>'s sole use. Assignment, reservation and use of telephone numbers shall be governed by applicable FCC rules and regulations. <customer_short_name>>EZ Talk acknowledges that there may be instances where there is a shortage of telephone numbers in a particular CLLIC and BellSouth has the right to limit access to blocks of intermediate telephone numbers. These instances include: 1) where jeopardy status has been declared by the North American Numbering Plan (NANP) for a particular Numbering Plan Area (NPA); or 2) where a rate center has less than six months supply of numbering resources.
- 3.9 Service is furnished subject to the condition that it will not be used for any unlawful purpose.
- 3.10 Service will be discontinued if any law enforcement agency advises that the service being used is in violation of the law.
- 3.11 BellSouth can refuse service when it has grounds to believe that service will be used in violation of the law.
- 3.12 BellSouth will cooperate with law enforcement agencies with subpoenas and court orders relating to <<customer_name>>EZ Talk Communications, LLC & EZ Talk Communications of Louisian's End Users, pursuant to Section 6 of the General Terms and Conditions.
- 3.13 If <<u><customer_short_name>>EZ Talk</u> or its End Users utilize a BellSouth resold telecommunications service in a manner other than that for which the service was originally intended as described in BellSouth's retail tariffs, <<u><customer_short_name>>EZ Talk</u> has the responsibility to notify BellSouth. BellSouth will only provision and maintain said service consistent with the terms and conditions of the tariff describing said service.
- 3.14 Facilities and/or equipment utilized by BellSouth to provide service to <<customer_short_name>>EZ Talk remain the property of BellSouth.

- 3.15 White page directory listings for <<<u>customer_short_name>>EZ Talk</u> End Users will be provided in accordance with Section 5 of the General Terms and Conditions.
- 3.16 Service Ordering and Operational Support Systems (OSS)
- 3.16.1 Security Se
- 3.16.2 LSRs submitted by means of one of these interactive interfaces will incur an OSS electronic charge as set forth in Exhibit C to this Agreement. An individual LSR will be identified for billing purposes by its Purchase Order Number (PON). LSRs submitted by means other than one of these interactive interfaces (Mail, fax, courier, etc.) will incur a manual order charge as set forth in Exhibit C to this Agreement. Supplements or clarifications to a previously billed LSR will not incur another OSS charge.
- 3.16.3 <u>Denial/Restoral OSS Charge.</u> In the event <<<u>customer_short_name>>EZ Talk</u> provides a list of customers to be denied and restored, rather than an LSR, each location on the list will require a separate PON and therefore will be billed as one LSR per location.
- 3.17 Where available to BellSouth's End Users, BellSouth shall provide the following telecommunications services at a discount to allow for voice mail services:
 - Message Waiting Indicator ("MWI"), stutter dialtone and message waiting light feature capabilities
 - Call Forward Busy Line ("CF/B")
 - Call Forward Don't Answer ("CF/DA")

Further, BellSouth messaging services set forth in BellSouth's Messaging Service Information Package shall be made available for resale without the wholesale discount.

3.18 BellSouth shall provide branding for, or shall unbrand, voice mail services for <<customer_short_name>>EZ Talk per the Bona Fide Request/New Business Request process as set forth in Attachment 11 of the General Terms and Conditions.

- 3.19 BellSouth's Inside Wire Maintenance Service Plan is available for resale at rates, terms and conditions as set forth by BellSouth and without the wholesale discount.
- 3.20 In the event <<customer_short_name>><u>EZ Talk</u> acquires an end user whose service is provided pursuant to a BellSouth Special Assembly, BellSouth shall make available to <<customer_short_name>><u>EZ Talk</u> that Special Assembly at the wholesale discount at <<customer_short_name>><u>EZ Talk</u>'s option. <<customer_short_name>><u>EZ Talk</u> shall be responsible for all terms and conditions of such Special Assembly including but not limited to termination liability if applicable.
- 3.21 BellSouth shall provide 911/E911 for <<u><customer_short_name>>EZ Talk</u> customers in the same manner that it is provided to BellSouth customers. BellSouth shall provide and validate <<u><customer_short_name>>EZ Talk</u> customer information to the PSAP. BellSouth shall use its service order process to update and maintain, on the same schedule that it uses for its customers, the <<u><customer_short_name>>EZ Talk</u> customer service information in the ALI/DMS (Automatic Location Identification/Location Information) databases used to support 911/E911 services.
- 3.22 BellSouth shall bill, and <<<u>customer_short_name>>EZ Talk</u> shall pay, the End User line charge associated with implementing Number Portability as set forth in BellSouth's FCC No. 1 tariff. This charge is not subject to the wholesale discount.
- 3.23 Pursuant to 47 CFR Section 51.617, BellSouth will bill to <<<customer_name>><u>EZ</u> <u>Talk Communications, LLC & EZ Talk Communications of Louisian</u>, and <<customer_short_name>><u>EZ Talk</u> shall pay, End User common line charges identical to the End User common line charges BellSouth bills its End Users.

4. BellSouth's Provision of Services to <<<u>customer_name>>EZ Talk</u> Communications, LLC & EZ Talk Communications of Louisian

- 4.1 Resale of BellSouth services shall be as follows:
- 4.1.1 The resale of telecommunications services shall be limited to users and uses conforming to the class of service restrictions.
- 4.1.2 Hotel and Hospital PBX services are the only telecommunications services available for resale to Hotel/Motel and Hospital End Users, respectively. Similarly, Access Line Service for Customer Provided Coin Telephones is the only local service available for resale to Payphone Service Provider (PSP) customers. Shared Tenant Service customers can only be sold those local exchange access services available in BellSouth's A23 Shared Tenant Service Tariff in the states of Florida, Georgia, North Carolina and South Carolina, and in A27 in the states of Alabama, Kentucky, Louisiana, Mississippi and Tennessee.

- 4.2 Subject to Exhibit A hereto, resold services can only be used in the same manner as specified in BellSouth's Tariffs. Resold services are subject to the same terms and conditions as are specified for such services when furnished to an individual End User of BellSouth in the appropriate section of BellSouth's Tariffs. Specific tariff features (e.g. a usage allowance per month) shall not be aggregated across multiple resold services.
- 4.3 4.3 <<u>Customer_short_name>>EZ Talk</u> may resell services only within the specific service area as defined in its certificate of operation approved by the Commission.
- 4.4 If <<customer_short_name>>EZ Talk cancels an order for resold services, any costs incurred by BellSouth in conjunction with provisioning of such order will be recovered in accordance with BellSouth's General Subscriber Services Tariffs and Private Line Services Tariffs.

5. Maintenance of Services

- 5.1 Services resold pursuant to this Attachment and BellSouth's General Subscriber Service Tariff and Private Line Service Tariff and facilities and equipment provided by BellSouth shall be maintained by BellSouth.
- 5.2 Second Straight Straigh
- 5.3 <scustomer_short_name>>EZ Talk accepts responsibility to notify BellSouth of
 situations that arise that may result in a service problem.
- 5.4 <u><<customer_short_name>>EZ Talk</u> will contact the appropriate repair centers in accordance with procedures established by BellSouth.
- 5.5 For all repair requests, <<customer_short_name>>EZ Talk shall adhere to BellSouth's prescreening guidelines prior to referring the trouble to BellSouth.
- 5.6 BellSouth will bill <<<u>customer_short_name>>EZ Talk</u> for handling troubles that are found not to be in BellSouth's network pursuant to its standard time and material charges. The standard time and material charges will be no more than what BellSouth charges to its retail customers for the same services.

5.7 BellSouth reserves the right to contact <<<u>customer_short_name>>EZ Talk</u>'s End Users, if deemed necessary, for maintenance purposes.

6. Establishment of Service

- 6.1 After receiving certification as a local exchange company from the appropriate regulatory agency, <<u>customer_short_name>>EZ Talk</u> will provide the appropriate BellSouth service center the necessary documentation to enable BellSouth to establish a master account for <<u>customer_short_name>>EZ Talk</u>'s resold services. Such documentation shall include the Application for Master Account, proof of authority to provide telecommunications services, an Operating Company Number ("OCN") assigned by the National Exchange Carriers Association ("NECA") and a tax exemption certificate, if applicable.
- 6.2 6.2 <a href="https://www.example.com/sciences/scie
- 6.3 BellSouth will accept a request directly from the End User for conversion of the End User's service from <<u><customer_short_name>>EZ Talk</u> to BellSouth or will accept a request from another CLEC for conversion of the End User's service from <<u><customer_short_name>>EZ Talk</u> to such other CLEC. Upon completion of the conversion BellSouth will notify <<u><customer_short_name>>EZ Talk</u> that such conversion has been completed.

7. Discontinuance of Service

- 7.1 The procedures for discontinuing service to an End User are as follows:
- 7.1.1 BellSouth will deny service to <<customer_short_name>>EZ Talk's End User on behalf of, and at the request of, <<customer_name>>EZ Talk Communications, LLC & EZ Talk Communications of Louisian. Upon restoration of the End User's service, restoral charges will apply and will be the responsibility of <<customer_name>>EZ Talk Communications, LLC & EZ Talk Communications of Louisian.
- 7.1.2
 At the request of <<customer_name>>EZ Talk Communications, LLC & EZ Talk

 Communications of Louisian, BellSouth will disconnect a

 <<customer_short_name>>EZ Talk End User customer.
- 7.1.3 All requests by <<customer_short_name>><u>EZ Talk</u> for denial or disconnection of an End User for nonpayment must be in writing.

- 7.1.5 BellSouth will continue to process calls made to the Annoyance Call Center and will advise <<<u>customer_short_name>>EZ Talk</u> when it is determined that annoyance calls are originated from one of its End User's locations. BellSouth shall be indemnified, defended and held harmless by <<u>customer_short_name>>EZ</u> <u>Talk</u> and/or the End User against any claim, loss or damage arising from providing this information to <<u>customer_name>>EZ Talk Communications, LLC & EZ</u> <u>Talk Communications of Louisian</u>. It is the responsibility of <<u>customer_short_name>>EZ Talk</u> to take the corrective action necessary with its End Users who make annoying calls. (Failure to do so will result in BellSouth's disconnecting the End User's service.)

8.0 Operator Services (Operator Call Processing and Directory Assistance)

- 8.1 Operator Services provides: (1) operator handling for call completion (for example, collect, third number billing, and manual calling-card calls). (2) operator or automated assistance for billing after the end user has dialed the called number (for example, calling card calls); and (3) special services including but not limited to Busy Line Verification and Emergency Line Interrupt (ELI), Emergency Agency Call and Operator-assisted Directory Assistance.
- 8.2 Upon request for BellSouth Operator Call Processing, BellSouth shall:
- 8.2.1 Process 0+ and 0- dialed local calls
- 8.2.2 Process 0+ and 0- intraLATA toll calls.
- 8.2.3 Process calls that are billed to <<<u>customer_short_name>>EZ Talk</u> end user's calling card that can be validated by BellSouth.
- 8.2.4 Process person-to-person calls.
- 8.2.5 Process collect calls.
- 8.2.6 Provide the capability for callers to bill a third party and shall also process such calls.
- 8.2.7 Process station-to-station calls.
- 8.2.8 Process Busy Line Verify and Emergency Line Interrupt requests.
- 8.2.9 Process emergency call trace originated by Public Safety Answering Points.
- 8.2.10 Process operator-assisted directory assistance calls.

- 8.2.11 Adhere to equal access requirements, providing <<u><customer_short_name>>EZ</u> <u>Talk</u> local end users the same IXC access that BellSouth provides its own operator service.
- 8.2.13 Perform Billed Number Screening when handling Collect, Person-to-Person, and Billed-To-Third-Party calls.
- 8.2.14 Direct customer account and other similar inquiries to the customer service center designated by <<customer_name>>EZ Talk Communications, LLC & EZ Talk Communications of Louisian.
- 8.2.15 Provide call records to <<<u>customer_short_name>>EZ Talk</u> in accordance with ODUF standards.
- 8.2.16 The interface requirements shall conform to the interface specifications for the platform used to provide Operator Services as long as the interface conforms to industry standards.
- 8.3 Directory Assistance Service
- 8.3.1 Directory Assistance Service provides local end user telephone number listings with the option to complete the call at the caller's direction separate and distinct from local switching.
- 8.3.2 Directory Assistance Service shall provide up to two listing requests per call, if available and if requested by <<customer_short_name>>EZ Talk's end user. BellSouth shall provide caller-optional directory assistance call completion service at rates contained in Exhibit C to one of the provided listings.
- 8.3.3 Directory Assistance Service Updates
- 8.3.3.1 BellSouth shall update end user listings changes daily. These changes include:
- 8.3.3.1.1 New end user connections
- 8.3.3.1.2 End user disconnections
- 8.3.3.1.3 End user address changes
- 8.3.3.2 These updates shall also be provided for non-listed and non-published numbers for use in emergencies.
- 8.4 Branding for Operator Call Processing and Directory Assistance

| 8.4.1 | BellSouth's branding feature provides a definable announcement to |
|-------|---|
| | < <customer_short_name>>EZ Talk end users using Directory Assistance (DA)/</customer_short_name> |
| | Operator Call Processing (OCP) prior to placing such end users in queue or |
| | connecting them to an available operator or automated operator system. This |
| | feature allows < |
| | BellSouth is providing Directory Assistance and/or Operator Call Processing. |
| | Rates for the branding features are set forth in Exhibit C. |

- 8.4.2 BellSouth offers three branding offering option to <<u><customer_short_name>>EZ</u> <u>Talk</u> when ordering BellSouth's Directory Assistance and Operator Call Processing: BellSouth Branding, Unbranding and Custom Branding.
- 8.4.3 Upon receipt of the branding order from <<<u>customer_name>>EZ Talk</u> <u>Communications, LLC & EZ Talk Communications of Louisian</u>, the order is considered firm after ten (10) business days. Should <u><<u>customer_short_name>>EZ Talk</u> decide to cancel the order, written notification to <u><<u>customer_short_name>>EZ Talk</u></u> bellSouth Account Executive is required. If <u><<u>customer_short_name>>EZ Talk</u></u> decides to cancel after ten (10) business days from receipt of the branding order, <u><<u>customer_short_name>>EZ Talk</u></u> shall pay all charges per the order.</u>
- 8.4.4 Selective Call Routing using Line Class Codes (SCR-LCC)
- 8.4.4.1 Where <<customer_short_name>><u>EZ Talk</u> resells BellSouth's services and utilizes an operator services provider other than BellSouth, BellSouth will route <<customer_short_name>><u>EZ Talk</u>'s end user calls to that provider through Selective Call Routing.
- 8.4.4.2 Selective Call Routing using Line Class Codes (SCR-LCC) provides the capability for <<customer_short_name>>EZ Talk to have its OCP/DA calls routed to BellSouth's OCP/DA platform for BellSouth provided Custom Branded or Unbranded OCP/DA or to its own or an alternate OCP/DA platform for Self-Branded OCP/DA. SCR-LCC is only available if line class code capacity is available in the requested BellSouth end office switches.
- 8.4.4.3 Custom Branding for Directory Assistance is not available for certain classes of service, including but not limited to Hotel/Motel services, WATS service and certain PBX services.
- 8.4.4.4 Where available, <<u>customer_short_name>>EZ Talk</u> specific and unique line class codes are programmed in each BellSouth end office switch were <<u>customer_short_name>>EZ Talk</u> intends to service end users with customized OCP/DA branding. The line class codes specifically identify <<u>customer_short_name>>EZ Talk</u>'s end users so OCP/DA calls can be routed over the appropriate trunk group to the request OCP/DA platform. Additional line class codes are required in each end office if the end office serves multiple NPAs

(i.e., a unique LCC is required per NPA), and/or if the end office switch serves multiple rate areas and <<eustomer_short_name>>EZ Talk intends to provide <<eustomer_name>>EZ Talk Communications, LLC & EZ Talk Communications of Louisian-branded OCP/DA to its end users in these multiple rate areas.

- 8.4.4.5 SCR-LCC supporting Custom Branding and Self Branding require <<u><</u>customer_short_name>><u>EZ Talk</u> to order dedicated transport and trunking from each BellSouth end office identified by <u><</u>customer_name>><u>EZ Talk</u> <u>Communications, LLC & EZ Talk Communications of Louisian</u>, either to the BellSouth Traffic Operator Position System (TOPS) for Custom Branding or to the <u><</u>customer_short_name>><u>EZ Talk</u> Operator Service Provider for Self Branding. Separate trunk groups are required for Operator Services and for Directory Assistance. Rates for transport and trunks are as set forth in applicable BellSouth Tariffs.
- 8.4.4.6 The rates for SCR-LCC are as set forth in Exhibit C of this Attachment. There is a nonrecurring charge for the establishment of each Line Class Code in each BellSouth central office.
- 8.4.4.7 Unbranded Directory Assistance and/or Operator Call Processing calls ride common trunk groups provisioned by BellSouth from those end offices identified by <<customer_short_name>>EZ Talk to the BellSouth Tops. The calls are routed to "No Announcement."
- 8.4.5 Branding via Originating Line Number Screening (OLNS)
- 8.4.5.1 BellSouth Branding, Unbranding and Custom Branding are also available for Directory Assistance, Operator Call Processing or both via OLNS software. When utilizing this method of Unbranding or Custom Branding, <<customer_short_name>>EZ Talk shall not be required to purchase direct trunking.
- 8.4.5.2 For Bellsouth to provide Unbranding or Custom Branding via OLNS software for Operator Call Processing or for Directory Assistance, <<u><customer_short_name>>EZ Talk</u> must have its Operating Company Number ("OCN(s)") and telephone numbers reside in BellSouth's LIDB; however, a BellSouth LIDB Storage Agreement is not required. To implement Unbranding and Custom Branding via OLNS software, <u><<customer_short_name>>EZ Talk</u> must submit a manual order form which requires, among other things, <u><<customer_short_name>>EZ Talk</u>'s OCN and a forecast for the traffic volume anticipated for each BellSouth TOPS during the peak busy hour. <u><<customer_short_name>>EZ Talk</u> shall provide updates to such forecast on a quarterly basis and at any time such forecasted traffic volumes are expected to change significantly. Upon <u><<customer_short_name>>EZ Talk</u>'s purchase of Unbranding or Custom Branding using OLNS software for any particular TOPS,

- 8.4.5.3 Rates for Unbranding and Custom Branding via OLNS software for Directory Assistance and for Operator Call Processing are as set forth in Exhibit C of this Attachment. Notwithstanding anything to the contrary in this Agreement, to the extent BellSouth is unable to bill <<u>customer_short_name>>EZ Talk</u> applicable charges currently, BellSouth shall track such charges and will bill the same retroactively at such time as a billing process is implemented. In addition to the charges for Unbranding and Custom Branding via OLNS software, <u><<customer_short_name>>EZ Talk</u> shall continue to pay BellSouth applicable labor and other charges for the use of BellSouth's Directory Assistance and Operator Call Processing platforms as set forth in Exhibit C of this Attachment.
- 8.4.5.4 Customized Branding includes charges for the recording of the branding announcement and the loading of the audio units in each TOPS Switch and Network Applications Vehicles (NAV) equipment for which <<customer_short_name>>EZ Talk requires service.
- 8.4.5.5 Directory Assistance customized branding uses:
- 8.4.5.5.1 the recording of <customer_name>>EZ Talk Communications, LLC & EZ Talk Communications of Louisian
- 8.4.5.5.2 the loading on the Digital Recorded Announcement Machine (DRAM) in each TOPS switch.
- 8.4.5.6 Operator Call Processing customized branding uses:
- 8.4.5.6.1 the recording of <<customer_name>>EZ Talk Communications, LLC & EZ Talk Communications of Louisian
- 8.4.5.6.2 the loading on the DRAM in the TOPS Switch (North Carolina)
- 8.4.5.6.3 the loading on the Network Applications Vehicle (NAV). All NAV shelves within the region where the customer is offering service must be loaded.
- 9. Line Information Database (LIDB)
- 9.1 BellSouth will store in its Line Information Database (LIDB) records relating to service only in the BellSouth region. The LIDB Storage Agreement is included in this Attachment as Exhibit B.
- 9.2 BellSouth will provide LIDB Storage upon written request to <u>
 <<customer_short_name>>EZ Talk</u>'s Account Manager stating a requested activation date.

10. RAO Hosting

10.1 RAO Hosting is not required for resale in the BellSouth region.

Attachment 1 Page 17 Exhibit A

EXCLUSIONS AND LIMITATIONS ON SERVICES AVAILABLE FOR RESALE (Note 5)

| | Type of Service | I | A L |] | FL | (| GA |] | KY |] | LA | 1 | MS |] | NC | | SC | r | ГN |
|---|--|------------|---------------|---------|--------------|----------|-------------|-----------|--------------|----------|-------------|-----------|-------------|----------|--------------|-----------|-------------|------------|----------|
| | Type of Service | Resale | Discount | Resale | Discount | Resale | Discount | Resale | Discount | Resale | Discount | Resale | Discount | Resale | Discount | Resale | Discount | Resale | Discount |
| 1 | Grandfathered | Yes | Yes | Yes | Yes | Yes | Yes | Yes | Yes | Yes | Yes | Yes | Yes | Yes | Yes | Yes | Yes | Yes | Yes |
| | Services (Note 1) | 105 | 103 | 103 | 103 | 105 | 105 | 103 | 105 | 103 | 105 | 103 | 105 | 103 | 105 | 103 | 105 | 105 | 103 |
| | Promotions - > 90 Days(Note 2) | Yes | Yes | Yes | Yes | Yes | Yes | Yes | Yes | Yes | Yes | Yes | Yes | Yes | Yes | Yes | Yes | Yes | Note 3 |
| | Promotions - ≤ 90 Days (Note 2) | Yes | No | Yes | No | Yes | No | Yes | No | Yes | No | Yes | No | Yes | No | Yes | No | Yes | No |
| | Lifeline/Link Up Services | Yes | Yes | Yes | Yes | Yes | Yes | Yes | Note 4 | Yes | Yes | Yes | Yes | Yes | Yes | Yes | Yes | Yes | Yes |
| 5 | 911/E911 Services | Yes | Yes | Yes | Yes | Yes | Yes | Yes | Yes | No | No | Yes | Yes | Yes | Yes | Yes | Yes | Yes | Yes |
| 6 | N11 Services | Yes | Yes | Yes | Yes | Yes | Yes | No | No | No | No | Yes | Yes | Yes | Yes | No | No | Yes | Yes |
| 7 | MemoryCall [®] Service | Yes | No | Yes | No | Yes | No | Yes | No | Yes | No | Yes | No | Yes | No | Yes | No | Yes | No |
| 8 | Mobile Services | Yes | No | Yes | No | Yes | No | Yes | No | Yes | No | Yes | No | Yes | No | Yes | No | Yes | No |
| | Federal Subscriber Line Charges | Yes | No | Yes | No | Yes | No | Yes | No | Yes | No | Yes | No | Yes | No | Yes | No | Yes | No |
| - | Non-RecurCharges | Yes | Yes | Yes | Yes | Yes | Yes | Yes | Yes | Yes | Yes | Yes | Yes | Yes | Yes | Yes | Yes | Yes | No |
| | End User Line Chg- Number Portability | Yes | No | Yes | No | Yes | No | Yes | No | Yes | No | Yes | No | Yes | No | Yes | No | Yes | No |
| | Public Telephone Access Svc(PTAS) | Yes | Yes | Yes | Yes | Yes | Yes | Yes | Yes | Yes | Yes | Yes | Yes | Yes | Yes | Yes | No | Yes | Yes |
| | Inside Wire Maint Service Plan | Yes | No | Yes | No | Yes | No | Yes | No | Yes | No | Yes | No | Yes | No | Yes | No | Yes | No |
| | Applicable No | | | | | | | | | | | | | | | | | | |
| | 1. Grandfathered | | | | ř. | U | | U | | | | | | | | | | | |
| | 2. Where availabl | | | | | | | | | | | | 1 | | l it been p | rovided | by BellSo | uth dire | ctly. |
| | 3. In Tennessee, 1 | | | | | | n ninety (| 90) days | s) may be o | obtained | l at one of | the foll | owing rate | s: | | | | | |
| | (a) the state | d tariff 1 | rate, less tl | ne whol | esale disco | ount; | | | | | | | | | | | | | |
| | (b) the prom | notional | rate (the p | oromoti | onal rate o | ffered b | y BellSou | th will r | not be disc | ounted | further by | the who | lesale disc | count ra | te) | | | | |
| | 4. Lifeline/Link Sections A3 and | - | • | | • | | | | et the crite | ria that | BellSouth | current | ly applies | to subso | cribers of t | these ser | vices as so | et forth i | n |
| | 5. Some of BellSo | outh's lo | cal exchan | ge and | toll telecon | mmunic | cations ser | vices ar | e not avail | able in | certain cer | ntral off | ices and a | reas. | | | | | |

LINE INFORMATION DATA BASE (LIDB)

RESALE STORAGE AGREEMENT

I. Definitions (from Addendum)

- A. Billing number a number used by BellSouth for the purpose of identifying an account liable for charges. This number may be a line or a special billing number.
- B. Line number a ten-digit number assigned by BellSouth that identifies a telephone line associated with a resold local exchange service, or with a SPNP arrangement.
- C. Special billing number a ten-digit number that identifies a billing account established by BellSouth in connection with a resold local exchange service or with a SPNP arrangement.
- D. Calling Card number a billing number plus PIN number assigned by BellSouth.
- E. PIN number a four-digit security code assigned by BellSouth that is added to a billing number to compose a fourteen-digit calling card number.
- F. Toll billing exception indicator associated with a billing number to indicate that it is considered invalid for billing of collect calls or third number calls or both, by <<u><customer_name>>EZ Talk Communications, LLC & EZ Talk Communications of Louisian</u>.
- G. Billed Number Screening refers to the activity of determining whether a toll billing exception indicator is present for a particular billing number.
- H. Calling Card Validation refers to the activity of determining whether a particular calling card number exists as stated or otherwise provided by a caller.
- I. Billing number information information about billing number or Calling Card number as assigned by BellSouth and toll billing exception indicator provided to BellSouth by <<customer_name>>EZ Talk Communications, LLC & EZ Talk Communications of Louisian.

II. General

A. This Agreement sets forth the terms and conditions pursuant to which BellSouth agrees to store in its LIDB certain information at the request of <<u>customer_short_name>>EZ Talk</u> and pursuant to which BellSouth, its LIDB customers and <u><<u>customer_short_name>>EZ Talk</u> shall have access to such</u> information. In addition, this Agreement sets forth the terms and conditions for <<u>Customer_short_name>>EZ Talk</u>'s provision of billing number information to BellSouth for inclusion in BellSouth's LIDB. <u><<u>Customer_short_name>>EZ Talk</u></u> understands that BellSouth provides access to information in its LIDB to various telecommunications service providers pursuant to applicable tariffs and agrees that information stored at the request of <u><<u>Customer_name>>EZ Talk</u> Communications, LLC & EZ Talk Communications of Louisian, pursuant to this Agreement, shall be available to those telecommunications service providers. The terms and conditions contained herein shall hereby be made a part of this Interconnection/Resale Agreement upon notice to <u><<u>Customer_short_name>>EZ Talk</u>'s account team and/or Local Contract Manager to activate this LIDB Storage Agreement. The General Terms and Conditions of the Interconnection/Resale Agreement shall govern this LIDB Storage Agreement. The terms and conditions contained in the attached Addendum are hereby made a part of this LIDB Storage Agreement as if fully incorporated herein.</u></u>

- B. BellSouth will provide responses to on-line, call-by-call queries to billing number information for the following purposes:
 - 1. Billed Number Screening

BellSouth is authorized to use the billing number information to determine whether <<customer_short_name>>EZ Talk has identified the billing number as one that should not be billed for collect or third number calls.

2. Calling Card Validation

BellSouth is authorized to validate a 14-digit Calling Card number where the first 10 digits are a line number or special billing number assigned by BellSouth, and where the last four digits (PIN) are a security code assigned by BellSouth.

3. Fraud Control

BellSouth will provide seven days per week, 24-hours per day, fraud monitoring on Calling Cards, bill-to-third and collect calls made to numbers in BellSouth's LIDB, provided that such information is included in the LIDB query. BellSouth will establish fraud alert thresholds and will notify <<customer_short_name>>EZ Talk of fraud alerts so that <<customer_short_name>>EZ Talk may take action it deems appropriate.

III. Responsibilities of the Parties

A. BellSouth will administer all data stored in the LIDB, including the data provided by <<u>ccustomer_short_name>>EZ Talk</u> pursuant to this Agreement, in the same manner as BellSouth's data for BellSouth's End User customers. BellSouth shall not be responsible to <u><<u>ccustomer_short_name>>EZ Talk</u></u> for any lost revenue which may result from BellSouth's administration of the LIDB pursuant to its established practices and procedures as they exist and as they may be changed by BellSouth in its sole discretion from time to time.

B. Billing and Collection Customers

BellSouth currently has in effect numerous billing and collection agreements with various interexchange carriers and billing clearing houses and as such these billing and collection customers ("B&C Customers") query BellSouth's LIDB to determine whether to accept various billing options from End Users. Until such time as BellSouth implements in its LIDB and its supporting systems the means to differentiate <<<u>customer_short_name>>EZ Talk</u>'s data from BellSouth's data, the following shall apply:

- (1) >EZ-Talk">EZ-Talk will accept responsibility for telecommunications services billed by BellSouth for its B&C Customer_short_name>>EZ-Talk's End User accounts which are resident in LIDB pursuant to this Agreement.

 <<customer_short_name>>EZ-Talk
 authorizes BellSouth to place such charges on

 <<customer_short_name>>EZ Talk's bill from BellSouth and shall pay all such charges, including, but are not limited to, collect and third number calls.
- (2) Charges for such services shall appear on a separate BellSouth bill page identified with the name of the B&C Customers for which BellSouth is billing the charge.
- (4) BellSouth shall have no obligation to become involved in any disputes between <<customer_short_name>>EZ Talk and B&C Customers. BellSouth will not issue adjustments for charges billed on behalf of any B&C Customer to <<customer_name>>EZ Talk Communications, LLC & EZ Talk Communications of Louisian. It shall be the responsibility of <<customer_short_name>>EZ Talk and the B&C Customers to negotiate and arrange for any appropriate adjustments.

C. SPNP ARRANGEMENTS

 BellSouth will include billing number information associated with resold exchange lines or SPNP arrangements in its LIDB. <<customer_short_name>>EZ Talk will request any toll billing exceptions via the Local Service Request (LSR) form used to order resold exchange lines, or the SPNP service request form used to order SPNP arrangements. 2. Under normal operating conditions, BellSouth shall include the billing number information in its LIDB upon completion of the service order establishing either the resold local exchange service or the SPNP arrangement, provided that BellSouth shall not be held responsible for any delay or failure in performance to the extent such delay or failure is caused by circumstances or conditions beyond BellSouth's reasonable control. BellSouth will store in its LIDB an unlimited volume of the working telephone numbers associated with either the resold local exchange lines or the SPNP arrangements. For resold local exchange lines or for SPNP arrangements, BellSouth will issue line-based calling cards only in the name of <<eustomer_name>>EZ Talk Communications, LLC & EZ Talk
<u>Communications of Louisian</u>. BellSouth will not issue line-based calling cards in the name of <<eustomer_short_name>>EZ Talk wants to include calling card numbers assigned by <<eustomer_short_name>>EZ Talk in the BellSouth LIDB, a separate agreement is required.

IV. Fees for Service and Taxes

- A. A. Talk communications, LLC & EZ Talk Communications, LLC & EZ Talk Communications, LLC & EZ Talk Communications, LLC & EZ Talk Communications, LLC & EZ <a href="https://www.example.com/communications-communicati-communications-communicatio-communications-communicatio-communica
- B. Sales, use and all other taxes (excluding taxes on BellSouth's income) determined by BellSouth or any taxing authority to be due to any federal, state or local taxing jurisdiction with respect to the provision of the service set forth herein will be paid by <<u><customer_short_name>>EZ Talk</u> in accordance with the tax provisions set forth in the General Terms and Conditions of this Agreement.

RESALE DISCOUNTS AND RATES

| | | ALABAMA | FLORIDA | GEORGIA | KENTUCKY | LOUISIANA | MISSISSIPPI | NORTH CAROLINA | SOUTH CAROLINA | TENNESSEE |
|-------------------|-------------------|--------------------|--------------------------|-----------------------|----------|-----------|-------------|-------------------|-------------------|-----------|
| APPLICAB | LE DISCOU | JNTS | | | | | | | | |
| RESIDENCI | Ξ | 16.3% | 21.83% | 20.3% | 16.79% | 20.72% | 15.75% | 21.5% | 14.8% | 16% |
| BUSINESS | | 16.3% | 16.81% | 17.3% | 15.54% | 20.72% | 15.75% | 17.6% | 14.8% | 16% |
| CSAs* | | | | | | 9.05% | | | 8.98% | |
| * Unless noted in | n this row, the d | liscount for Busin | ess will be the applical | ole discount rate for | r CSAs. | | | | | |
| OPERATIO | NAL SUPP | ORT SYSTE | MS (OSS) RATES | 5 | | | | | | |
| ELEMENT | <u>USOC</u> | | | | | | | | | |
| Electronic LSR | SOMEC | \$3.50 | \$3.50 | \$3.50 | \$3.50 | \$3.50 | \$3.50 | \$3.50 | \$3.50 | \$3.50 |
| Manual LSR | SOMAN | \$19.99 | \$19.99 | \$19.99 | \$19.99 | \$19.99 | \$19.99 | \$19.99 | \$19.99 | \$19.99 |

AMENDMENT TO THE AGREEMENT BETWEEN EZ TALK COMMUNICATIONS, LLC AND BELLSOUTH TELECOMMUNICATIONS, INC. DATED SEPTEMBER 12, 2002

Pursuant to this Amendment, (the "Amendment"), EZ Talk Communications, LLC. ("EZ Talk"), and BellSouth Telecommunications, Inc. ("BellSouth"), hereinafter referred to collectively as the "Parties," hereby agree to amend that certain Interconnection Agreement between the Parties dated September 12, 2002 ("Agreement").

WHEREAS, BellSouth and EZ Talk entered into the Agreement on September 12, 2002,

and;

NOW THEREFORE, in consideration of the mutual provisions contained herein and other good and valuable consideration, the receipt and sufficiency of which are hereby acknowledged, the Parties hereby covenant and agree as follows:

- 1. The Parties mutually agree to delete in its entirety and replace the Florida rates contained Exhibit C of Attachment 2, Exhibit A of Attachment 3, Exhibit A of Attachment 7 and Attachment 4 Collocation rates with the rates in Exhibit 1 of this Amendment, which is attached hereto and incorporated herein by this reference as ordered in Florida Docket 990649A-TP, issued September 27, 2002.
- 2. All of the other provisions of the Agreement, dated September 12, 2002, shall remain in full force and effect.
- 3. This Amendment shall be effective thirty (30) days after the Effective Date of this Amendment, which shall be the date of the last signature executing the Amendment.
- 4. Either or both of the Parties is authorized to submit this Amendment to the respective state regulatory authorities for approval subject to Section 252(e) of the Federal Telecommunications Act of 1996.

IN WITNESS WHEREOF, the Parties hereto have caused this Amendment to be executed by their respective duly authorized representatives on the date indicated below.

_ _ ~

| EZ Talk Communications, LLC | BellSouth Telecommunications, Inc. |
|-------------------------------|---|
| By:(Signature on File) | By: (Signature on File) |
| Name: <u>Eileen Singleton</u> | Name: Elizabeth R. A. Shiroishi |
| Title: Compliance Officer | Assistant Director, Title: <u>Interconnection Services</u> |
| Date:_11/11/02_ | Date: 11/20/02 |

EXHIBIT 1

| UNBUNDLE | ED NETWORK ELEMENTS - Florida | | | | | | | | | | | | Attachment: | 2 | Exhi | ibit: C |
|-------------|---|-------------|-----------|-------------------------|----------------|------------------|----------------|-----------------|-----------------|--------------|---|----------------|--|--|----------------|---|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES(\$) | | | Svc Order Submitted Elec per LSR | | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'l | Charge - | Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'l |
| | | | | | | _ | Nonre | curring | Nonrecurring | Disconnect | | | OSS | Rates(\$) | | L |
| | | | | | | Rec | First | Add'l | First | Add'l | | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | Zone" shown in the sections for stand-alone loops or loops as | • | | | eographically | / Deaveraged U | NE Zones. To | view Georgrap | phically Deaver | aged UNE Zor | ne Desigant | ions by C O | , refer to Inter | net Website: | | |
| | www.interconnection.bellsouth.com/become_a_clec/html/inter | connec | tion.ht | m | | 1 | | 1 | | | 1 | 1 | | | | |
| | L SUPPORT SYSTEMS : (1) Electronic Service Order: CLEC should contact its contract | t nego | tiator if | it prefers the state s | specific elect | tronic service o | rdering charg | es as ordered b | ov the State Co | mmissions. T | he electron | ic service o | rdering charg | e currently co | ontained in th | is rate |
| | it is the BellSouth regional electronic service ordering charge. | | | | | | | | | | | | | | | io ruto |
| those | : (2) Any element that can be ordered electronically will be bill elements that cannot be ordered electronically at present per t ng charge, SOMAN, will be applied to a CLECs bill when it sub | he BBR | ₹-LO, tł | e listed SOMEC rate | e in this cate | | | | I to a CLEC on | | | | | | | |
| | Manual Service Order Charge, per LSR, Disconnect Only (FL) | | | | SOMAN | | | | 1.83 | | | | | | | |
| | Electronic OSS Charge, per LSR, submitted via BST's OSS interactive interfaces (Regional) | | 1 | | SOMEC | | 3.50 | | | | | | | | | |
| UNE SERVICE | E DATE ADVANCEMENT CHARGE | | 1 | | JOINLO | 1 | 5.50 | 1 | | | 1 | 1 | | | | <u> </u> |
| | : The Expedite charge will be maintained commensurate with | BellSou | th's FC | CC No.1 Tariff, Section | on 5 as appli | cable. | | | | | | 1 | | | | |
| | UNE Expedite Charge per Circuit or Line Assignable USOC, per | | | | | | | | | | | | | | | |
| | Day | | <u> </u> | ALL UNE | SDASP | ļ | 200.00 | | | | | | | | | |
| | EXCHANGE ACCESS LOOP E ANALOG VOICE GRADE LOOP | | | | | | | | | | | - | | | | |
| 2-WIR | 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1 | | 1 | UEANL | UEAL2 | 10.69 | 49.57 | 22.83 | 25.62 | 6.57 | | 11.90 | | | | |
| | 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2 | | 2 | UEANL | UEAL2 | 15.20 | 49.57 | 22.83 | 25.62 | 6.57 | | 11.90 | | | | |
| | 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3 | | 3 | UEANL | UEAL2 | 26.97 | 49.57 | 22.83 | 25.62 | 6.57 | | 11.90 | | | | |
| | Loop Testing - Basic 1st Half Hour | | | UEANL | URET1 | | 48.65 | | | | | 11.90 | | | | |
| | Loop Testing - Basic Additional Half Hour | | | UEANL | URETA | | 23.95 | - | | | - | 11.90 | | | | |
| | CLEC to CLEC Conversion Charge Without Outside Dispatch (UVL-SL1) Unbundled Voice Loop, Unbundled Non-Design Voice Loop, | | | UEANL | UREWO | | 15.78 | 8.94 | | | | 11.90 | | | | |
| | billing for BST providing make-up | | | UEANL | UEANM | | 13.49 | | | | | | | | | |
| | Manual Order Coordination for UVL-SL1s (per loop) | | | UEANL | UEAMC | | 9.00 | | | | | | | | | |
| | Order Coordination for Specified Conversion Time for UVL-SL1 (per LSR) | | | UEANL | OCOSL | | 23.02 | | | | | | | | | |
| 2-WIR | E Unbundled COPPER LOOP | | | | | | | | | | | | | | | |
| | 2-Wire Unbundled Copper Loop - Non-Designed Zone 1 2 Wire Unbundled Copper Loop - Non-Designed - Zone 2 | | 1 | UEQ UEQ | UEQ2X UEQ2X | 7.69 10.92 | 44.98 44.98 | 20.90 20.90 | 19.65 19.65 | 5.09 5.09 | - | 11.90 11.90 | | | | |
| | 2 Wire Unbundled Copper Loop - Non-Designed - Zone 2 2 Wire Unbundled Copper Loop - Non-Designed - Zone 3 | | | UEQ | UEQ2X | 19.38 | 44.98 | 20.90 | 19.65 | 5.09 | | 11.90 | | | | |
| | Order Coordination 2000 Loop 1101 Designed 2010 - Non- Designed (per loop) | | Ŭ | UEQ | USBMC | 10.00 | 9.00 | 20.00 | 10.00 | 0.00 | | 11.00 | | | | |
| | Unbundled Copper Loop, Non-Designed Billing for BST | | 1 | | | 1 | | 1 | | | 1 | 1 | İ | İ | İ | |
| | providing make-up | | | UEQ | UEQMU | | 13.49 | | | | | 11.90 | | | | |
| └── | Loop Testing - Basic 1st Half Hour | | | UEQ | URET1 | | 48.65 | | | | <u> </u> | 11.90 | | | | l |
| ├ <u></u> | Loop Testing - Basic Additional Half Hour CLEC to CLEC Conversion Charge Without Outside Dispatch | | | UEQ | URETA | | 23.95 | | | | + | 11.90 | | | | |
| | (UCL-ND) | | 1 | UEQ | UREWO | | 14.27 | 7.43 | | | | 11.90 | | | | |
| | EXCHANGE ACCESS LOOP | | | | | | | | | | | | | | | |
| 2-WIR | E ANALOG VOICE GRADE LOOP | | | | | ļ | | <u> </u> | | | L | | | | | |
| | 2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- Zone 1 | | 1 | UEPSR UEPSB | UEALS | 10.69 | 49.57 | 22.83 | 25.62 | 6.57 | | 11.90 | | | | ļ |
| | 2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- Zone 1 | | 1 | UEPSR UEPSB | UEABS | 10.69 | 49.57 | 22.83 | 25.62 | 6.57 | | 11.90 | | | | |
| | 2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting- Zone 2 2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting- | | 2 | UEPSR UEPSB | UEALS | 15.20 | 49.57 | 22.83 | 25.62 | 6.57 | | 11.90 | | | | |
| | Zone 2 2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- 2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- | | 2 | UEPSR UEPSB | UEABS | 15.20 | 49.57 | 22.83 | 25.62 | 6.57 | | 11.90 | | | | |
| | Zone 3 2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- | | 3 | UEPSR UEPSB | UEALS | 26.97 | 49.57 | 22.83 | 25.62 | 6.57 | | 11.90 | | | | |
| | Zone 3 .cop Rates for Line Splitting | | 3 | UEPSR UEPSB | UEABS | 26.97 | 49.57 | 22.83 | 25.62 | 6.57 | | 11.90 | | | | <u> </u> |
| | 2-Wire Voice Grade Loop (SL1) for Line Splitting - Zone 1 | | 1 | UEPRX | UEPLX | 12.94 | 0.102 | 0.102 | | | 1 | 1 | | | | <u> </u> |
| | 2-Wire Voice Grade Loop (SL1) for Line Splitting - Zone 2 | | 2 | UEPRX | UEPLX | 17.06 | 0.102 | 0.102 | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL1)for Line Splitting - Zone 3 | | 3 | UEPRX | UEPLX | 31.87 | 0.102 | 0.102 | | | | | | | | |

| UNBUNDLE | D NETWORK ELEMENTS - Florida | | | | | | | | | | | | Attachment: | 2 | Exhi | bit: C |
|----------|--|-------------|------|-----|-------|-------|--------|-----------|--------------|-------|-------|---|--|---|-------------------------------------|---|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES(\$) | | | | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Charge - Manual Svc Order vs. Electronic- Add'l | Charge - Manual Svc Order vs. | Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l |
| | | | | | | Rec | Nonrec | | Nonrecurring | | | | | Rates(\$) | | |
| | EXCHANGE ACCESS LOOP | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | EXCHANGE ACCESS LOOP E ANALOG VOICE GRADE LOOP | | | | | | | | | | | | | | | |
| 2-WIR | 2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or | | | | | | | | | | | | | | | |
| | Ground Start Signaling - Zone 1 | | 1 | UEA | UEAL2 | 12.24 | 135.75 | 82.47 | 63.53 | 12.01 | | 11.90 | | | | |
| | 2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 2 | | 2 | UEA | UEAL2 | 17.40 | 135.75 | 82.47 | 63.53 | 12.01 | | 11.90 | | | | |
| | 2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 3 | | 3 | UEA | UEAL2 | 30.87 | 135.75 | 82.47 | 63.53 | 12.01 | | 11.90 | | | | |
| | Order Coordination for Specified Conversion Time (per LSR) | | | UEA | OCOSL | | 23.02 | | | | | | | | | |
| | 2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 1 | | 1 | UEA | UEAR2 | 12.24 | 135.75 | 82.47 | 63.53 | 12.01 | | 11.90 | | | | |
| | 2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 2 | | 2 | UEA | UEAR2 | 17.40 | 135.75 | 82.47 | 63.53 | 12.01 | | 11.90 | | | | |
| | 2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 3 | | 3 | UEA | UEAR2 | 30.87 | 135.75 | 82.47 | 63.53 | 12.01 | | 11.90 | | | | |
| | Order Coordination for Specified Conversion Time (per LSR) | | - | UEA | OCOSL | | 23.02 | | | | | | | | | |
| | CLEC to CLEC Conversion Charge without outside dispatch | | | UEA | UREWO | | 87.71 | 36.35 | | | | 11.90 | | | | |
| 4-WIRE | ANALOG VOICE GRADE LOOP | | | | | | | | | | | | | | | |
| | 4-Wire Analog Voice Grade Loop - Zone 1 | | 1 | UEA | UEAL4 | 18.89 | 167.86 | 115.15 | 67.08 | 15.56 | | 11.90 | | | | |
| | 4-Wire Analog Voice Grade Loop - Zone 2 | | 2 | UEA | UEAL4 | 26.84 | 167.86 | 115.15 | 67.08 | 15.56 | | 11.90 | | | | |
| | 4-Wire Analog Voice Grade Loop - Zone 3 | | 3 | UEA | UEAL4 | 47.62 | 167.86 | 115.15 | 67.08 | 15.56 | | 11.90 | | | | |
| | Order Coordination for Specified Conversion Time (per LSR) | | | UEA | OCOSL | | 23.02 | | | | | | | | | |
| 2-WIRE | CLEC to CLEC Conversion Charge without outside dispatch ISDN DIGITAL GRADE LOOP | | | UEA | UREWO | | 87.71 | 36.35 | | | | 11.90 | | | | |
| | 2-Wire ISDN Digital Grade Loop - Zone 1 | | | UDN | U1L2X | 19.28 | 147.69 | 94.41 | 62.23 | 10.71 | | 11.90 | | | | |
| | 2-Wire ISDN Digital Grade Loop - Zone 2 | | | UDN | U1L2X | 27.40 | 147.69 | 94.41 | 62.23 | 10.71 | | 11.90 | | | | |
| | 2-Wire ISDN Digital Grade Loop - Zone 3 | | 3 | UDN | U1L2X | 48.62 | 147.69 | 94.41 | 62.23 | 10.71 | | 11.90 | | | | |
| | Order Coordination For Specified Conversion Time (per LSR) | | | UDN | OCOSL | | 23.02 | | | | | | | | | |
| | CLEC to CLEC Conversion Charge without outside dispatch | | | UDN | UREWO | | 91.61 | 44.15 | | | | 11.90 | | | | |
| 2-WIRE | Universal Digital Channel (UDC) COMPATIBLE LOOP | | | | | | | | | | | | | | | |
| | 2-Wire Universal Digital Channel (UDC) Compatible Loop - Zone | | 1 | UDC | UDC2X | 19.28 | 147.69 | 94.41 | 62.23 | 10.71 | | 11.90 | | | | |
| | 2-Wire Universal Digital Channel (UDC) Compatible Loop - Zone 2 | | 2 | UDC | UDC2X | 27.40 | 147.69 | 94.41 | 62.23 | 10.71 | | 11.90 | | | | |
| | 2-Wire Universal Digital Channel (UDC) Compatible Loop - Zone 3 | | 3 | UDC | UDC2X | 48.62 | 147.69 | 94.41 | 62.23 | 10.71 | | 11.90 | | | | |
| | CLEC to CLEC Conversion Charge without outside dispatch | | | UDC | UREWO | | 91.61 | 44.15 | | | | 11.90 | | | | |
| 2-WIRE | E ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMP | ATIBLE | LOOP | | | | | | | | | | | | | |
| | 2 Wire Unbundled ADSL Loop including manual service inquiry & facility reservation - Zone 1 | | 1 | UAL | UAL2X | 8.30 | 149.53 | 103.85 | 75.05 | 15.63 | | 11.90 | | | | |
| | 2 Wire Unbundled ADSL Loop including manual service inquiry & facility reservation - Zone 2 | | 2 | UAL | UAL2X | 11.80 | 149.53 | 103.85 | 75.05 | 15.63 | | 11.90 | | | | |
| | 2 Wire Unbundled ADSL Loop including manual service inquiry & facility reservation - Zone 3 | | 3 | UAL | UAL2X | 20.94 | 149.53 | 103.85 | 75.05 | 15.63 | | 11.90 | | | | |
| | Order Coordination for Specified Conversion Time (per LSR) | | - | UAL | OCOSL | | 23.02 | | | | 1 | | | | | |
| | 2 Wire Unbundled ADSL Loop without manual service inquiry & facility reservaton - Zone 1 | | 1 | UAL | UAL2W | 8.30 | 124.83 | 71.12 | 60.64 | 9.12 | | 11.90 | | | | |
| | 2 Wire Unbundled ADSL Loop without manual service inquiry & facility reservaton - Zone 2 | | 2 | UAL | UAL2W | 11.80 | 124.83 | 71.12 | 60.64 | 9.12 | | 11.90 | | | | |
| | 2 Wire Unbundled ADSL Loop without manual service inquiry & facility reservaton - Zone 3 | | 3 | UAL | UAL2W | 20.94 | 124.83 | 71.12 | 60.64 | 9.12 | | 11.90 | | | | |
| | Order Coordination for Specified Conversion Time (per LSR) | - | 5 | UAL | OCOSL | 20.94 | 23.02 | 71.12 | 00.04 | J.12 | - | 11.90 | | | | |
| | CLEC to CLEC Conversion Charge without outside dispatch | | | UAL | UREWO | | 86.19 | 40.39 | | | | 11.90 | | | | |
| 2-WIRE | E HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA | TIBLE | LOOP | | 5 | | 00.19 | -10.00 | | | 1 | 11.00 | | | | |
| | 2 Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 1 | | 1 | UHL | UHL2X | 7.22 | 159.09 | 113.41 | 75.05 | 15.63 | | 11.90 | | | | |
| | 2 Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 2 | | | UHL | UHL2X | 10.26 | 159.09 | 113.41 | 75.05 | 15.63 | | 11.90 | | | | |
| | a labing roborvation Lono L | | 2 | 0L | | 10.20 | 153.03 | 113.41 | 10.00 | 15.05 | 1 | 11.30 | | 1 | | |

| UNBUNDLE | D NETWORK ELEMENTS - Florida | - | | • | | | | | | | | • | Attachment: | | | ibit: C |
|---|--|-------------|------|------------|----------------|----------------|------------------|------------------|----------------|----------------|---|----------------|--|--|----------|-------------------------------------|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES(\$) | | | Svc Order Submitted Elec per LSR | | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Charge - | Charge - Manual Svo Order vs. |
| | | | | | | Rec | Nonrec | | Nonrecurring | | | | | Rates(\$) | | |
| | | | | | | 1100 | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | 2 Wire Unbundled HDSL Loop including manual service inquiry | | | | | | | | | | | | | | | |
| | & facility reservation - Zone 3 | | 3 | UHL | UHL2X | 18.21 | 159.09 | 113.41 | 75.05 | 15.63 | | 11.90 | | | | |
| | Order Coordination for Specified Conversion Time (per LSR) | | | UHL | OCOSL | | 23.02 | | | | | | | | | |
| | 2 Wire Unbundled HDSL Loop without manual service inquiry | | | | | | | | | | | | | | | |
| | and facility reservation - Zone 1 | | 1 | UHL | UHL2W | 7.22 | 134.40 | 80.69 | 60.64 | 9.12 | | 11.90 | | | | |
| | 2 Wire Unbundled HDSL Loop without manual service inquiry | | 2 | UHL | UHL2W | 10.26 | 124.40 | 80.69 | 60.64 | 0.12 | | 11.90 | | | | |
| | and facility reservation - Zone 2 2 Wire Unbundled HDSL Loop without manual service inquiry | | 2 | UHL | UHLZVV | 10.26 | 134.40 | 80.69 | 60.64 | 9.12 | | 11.90 | | | | |
| | and facility reservation - Zone 3 | | 3 | UHL | UHL2W | 18.21 | 134.40 | 80.69 | 60.64 | 9.12 | | 11.90 | | | | |
| | Order Coordination for Specified Conversion Time (per LSR) | | 3 | UHL | OCOSL | 10.21 | 23.02 | 00.09 | 00.04 | 5.12 | 1 | 11.50 | | - | | |
| | CLEC to CLEC Conversion Charge without outside dispatch | | | UHL | UREWO | | 86.12 | 40.39 | | | | 11.90 | | | | |
| 4-WIRI | E HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA | TIBI F | LOOP | 511L | 0112110 | | 00.12 | +0.35 | | | 1 | 11.30 | | | | <u> </u> |
| | 4 Wire Unbundled HDSL Loop including manual service inquiry | | | | | | | | | | | | | | | |
| | and facility reservation - Zone 1 | | 1 | UHL | UHL4X | 10.86 | 193.31 | 138.98 | 77.15 | 12.61 | | 11.90 | | | | |
| | 4-Wire Unbundled HDSL Loop including manual service inquiry | | · · | | 0.12.0. | | | | | .2.01 | <u> </u> | | | | | <u> </u> |
| | and facility reservation - Zone 2 | | 2 | UHL | UHL4X | 15.44 | 193.31 | 138.98 | 77.15 | 12.61 | | 11.90 | | | | |
| | 4-Wire Unbundled HDSL Loop including manual service inquiry | | | | | | | | | | | | | | | |
| | and facility reservation - Zone 3 | | 3 | UHL | UHL4X | 27.39 | 193.31 | 138.98 | 77.15 | 12.61 | | 11.90 | | | | |
| | Order Coordination for Specified Conversion Time (per LSR) | | | UHL | OCOSL | | 23.02 | | - | | | | | | | |
| | 4-Wire Unbundled HDSL Loop without manual service inquiry | | | - | | | | | | | | | | | | |
| | and facility reservation - Zone 1 | | 1 | UHL | UHL4W | 10.86 | 168.62 | 115.47 | 62.74 | 11.22 | | 11.90 | | | | |
| | 4-Wire Unbundled HDSL Loop without manual service inquiry | | | | | | | | | | | | | | | |
| | and facility reservation - Zone 2 | | 2 | UHL | UHL4W | 15.44 | 168.62 | 115.47 | 62.74 | 11.22 | | 11.90 | | | | |
| | 4-Wire Unbundled HDSL Loop without manual service inquiry | | | | | | | | | | | | | | | |
| | and facility reservation - Zone 3 | | 3 | UHL | UHL4W | 27.39 | 168.62 | 115.47 | 62.74 | 11.22 | | 11.90 | | | | |
| | Order Coordination for Specified Conversion Time (per LSR) | | | UHL | OCOSL | | 23.02 | | | | | | | | | |
| | CLEC to CLEC Conversion Charge without outside dispatch | | | UHL | UREWO | | 86.12 | 40.39 | | | | 11.90 | | | | |
| 4-WIRI | E D\$1 DIGITAL LOOP | | | | | | | | | | | | | | | |
| | 4-Wire DS1 Digital Loop - Zone 1 | - | | USL | USLXX | 70.74 | 313.75 | 181.48 | 61.22 | 13.53 | | 11.90 | | | | |
| | 4-Wire DS1 Digital Loop - Zone 2 | | | USL | USLXX | 100.54 | 313.75 | 181.48 | 61.22 | 13.53 | | 11.90 | | | | |
| | 4-Wire DS1 Digital Loop - Zone 3 | | 3 | USL | USLXX | 178.39 | 313.75 | 181.48 | 61.22 | 13.53 | | 11.90 | | | | |
| | Order Coordination for Specified Conversion Time (per LSR) | | | USL | OCOSL | | 23.02 | | | | | | | | | |
| | CLEC to CLEC Conversion Charge without outside dispatch | | | USL | UREWO | | 101.07 | 43.04 | | | | 11.90 | | | | |
| 4-WIRI | 19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP | | | | 1151.44 | | 101 50 | 100.05 | | 15.50 | | 11.00 | | | | |
| ┝──┤── | 4 Wire Unbundled Digital 19.2 Kbps | | | UDL | UDL19 | 22.20 | 161.56 | 108.85 | 67.08 | 15.56 | ļ | 11.90 | | | | <u> </u> |
| ├ ── ├ ── | 4 Wire Unbundled Digital 19.2 Kbps | | | UDL UDL | UDL19 | 31.56 | 161.56 | 108.85 | 67.08 | 15.56 | | 11.90 | | | | <u> </u> |
| ├ ── ├ ── | 4 Wire Unbundled Digital 19.2 Kbps | | | UDL | UDL19 | 55.99 22.20 | 161.56 | 108.85 | 67.08 | 15.56 | <u> </u> | 11.90 11.90 | | | | ┨───── |
| ├ ── ├ ── | 4 Wire Unbundled Digital Loop 56 Kbps - Zone 1 4 Wire Unbundled Digital Loop 56 Kbps - Zone 2 | | | UDL | UDL56 UDL56 | 22.20 | 161.56 161.56 | 108.85 108.85 | 67.08 67.08 | 15.56 15.56 | | 11.90 | 1 | | | |
| ├ ── ├ ── | 4 Wire Unbundled Digital Loop 56 Kbps - Zone 2 4 Wire Unbundled Digital Loop 56 Kbps - Zone 3 | | | UDL | UDL56 | 55.99 | 161.56 | 108.85 | 67.08 | 15.56 | | 11.90 | | | | |
| <u>├── </u> | Order Coordination for Specified Conversion Time (per LSR) | | | UDL | OCOSL | 55.89 | 23.02 | 100.00 | 07.08 | 15.56 | t | 11.90 | | | | <u> </u> |
| <u>├</u> | 4 Wire Unbundled Digital Loop 64 Kbps - Zone 1 | | | UDL | UDL64 | 22.20 | 161.56 | 108.85 | 67.08 | 15.56 | t | 11.90 | | | | <u> </u> |
| <u>├</u> | 4 Wire Unbundled Digital Loop 64 Kbps - Zone 1 4 Wire Unbundled Digital Loop 64 Kbps - Zone 2 | | | UDL | UDL64 | 31.56 | 161.56 | 108.85 | 67.08 | 15.56 | t | 11.90 | | | | <u> </u> |
| | 4 Wire Unbundled Digital Loop 64 Kbps - Zone 3 | | | UDL | UDL64 | 55.99 | 161.56 | 108.85 | 67.08 | 15.56 | | 11.90 | | | | <u>├</u> ─── |
| | Order Coordination for Specified Conversion Time (per LSR) | | Ŭ | UDL | OCOSL | 00.00 | 23.02 | 100.00 | 07.00 | 10.00 | | 11.30 | | | | ł |
| | CLEC to CLEC Conversion Charge without outside dispatch | | | UDL | UREWO | | 102.11 | 49.74 | | | 1 | 11.90 | | | | t |
| 2-WIRI | Unbundled COPPER LOOP | | | | 0 | | | | | | | | | | 1 | 1 |
| <u> </u> | 2-Wire Unbundled Copper Loop/Short including manual service | | | 1 | | | | | | | t | | | | 1 | <u> </u> |
| | inquiry & facility reservation - Zone 1 | | 1 | UCL | UCLPB | 8.30 | 148.50 | 102.82 | 75.05 | 15.63 | | 11.90 | | | | |
| | 2-Wire Unbundled Copper Loop/Short including manual service | | 1 | ĺ | | | | | | | 1 | | | | İ | 1 |
| | inquiry & facility reservation - Zone 2 | | 2 | UCL | UCLPB | 11.80 | 148.50 | 102.82 | 75.05 | 15.63 | | 11.90 | | | | |
| | 2 Wire Unbundled Copper Loop/Short including manual service | | | | | | | | | | | | | | | |
| | inquiry & facility reservation - Zone 3 | | 3 | UCL | UCLPB | 20.94 | 148.50 | 102.82 | 75.05 | 15.63 | | 11.90 | | | | |
| | Order Coordination for Unbundled Copper Loops (per loop) | | | UCL | UCLMC | | 9.00 | 9.00 | | | | | | | | |
| | 2-Wire Unbundled Copper Loop/Short without manual service | | | | | | | | | | | | | | | |
| | inquiry and facility reservation - Zone 1 | | 1 | UCL | UCLPW | 8.30 | 123.81 | 70.09 | 60.64 | 9.12 | | 11.90 | | | | |
| | 2-Wire Unbundled Copper Loop/Short without manual service | | | | | | | | | | | | | | | |
| | inquiry and facility reservation - Zone 2 | | 2 | UCL | UCLPW | 11.80 | 123.81 | 70.09 | 60.64 | 9.12 | | 11.90 | | | | 1 |

| UNBUNDLE | D NETWORK ELEMENTS - Florida | | | | | | | | | | | | Attachment: | 2 | Exhi | bit: C |
|-------------|---|-------------|------|---|--------|--------|--------|-----------|-------|--------------|---|----------|--|---|---|-------------------------------------|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES(\$) | | | Svc Order Submitted Elec per LSR | Manually | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Charge - Manual Svc Order vs. |
| | | | | | | Rec | Nonrec | | | g Disconnect | | | | Rates(\$) | | |
| | | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | 2-Wire Unbundled Copper Loop/Short without manual service | | | | | | | | | | | | | | | 1 |
| | inquiry and facility reservation - Zone 3 | | 3 | UCL | UCLPW | 20.94 | 123.81 | 70.09 | 60.64 | 9.12 | | 11.90 | | | | |
| | Order Coordination for Unbundled Copper Loops (per loop) | | | UCL | UCLMC | | 9.00 | 9.00 | | | | | | | | I |
| | 2-Wire Unbundled Copper Loop/Long - includes manual srvc. | | 1 | UCL | UCL2L | 17.42 | 148.50 | 102.82 | 75.05 | 15.63 | | 11.90 | | | | 1 |
| | inquiry and facility reservation - Zone 1 2-Wire Unbundled Copper Loop/Long - includes manual svc. | | 1 | UCL | UCL2L | 17.42 | 148.50 | 102.82 | 75.05 | 15.63 | | 11.90 | | | | i |
| | inquiry and facility reservation - Zone 2 | | 2 | UCL | UCL2L | 24.76 | 148.50 | 102.82 | 75.05 | 15.63 | | 11.90 | | | | 1 |
| | 2-Wire Unbundled Copper Loop/Long - includes manual svc. | | - | UUL | OOLLL | 24.10 | 140.00 | 102.02 | 10.00 | 10.00 | | 11.00 | | | | [|
| | inquiry and facility reservation - Zone 3 | | 3 | UCL | UCL2L | 43.94 | 148.50 | 102.82 | 75.05 | 15.63 | | 11.90 | | | | 1 |
| | Order Coordination for Unbundled Copper Loops (per loop) | | | UCL | UCLMC | | 9.00 | 9.00 | | | | | | | | 1 |
| | 2-Wire Unbundled Copper Loop/Long - without manual service | | | | | | | | | | | | | | | í |
| | inquiry and facility reservation - Zone 1 | | 1 | UCL | UCL2W | 17.42 | 123.81 | 70.09 | 60.64 | 9.12 | | 11.90 | | | | 1 |
| | 2-Wire Unbundled Copper Loop/Long - without manual service | | | | | | | | | | | | | | | 1 |
| | inquiry and facility reservation - Zone 2 | | 2 | UCL | UCL2W | 24.76 | 123.81 | 70.09 | 60.64 | 9.12 | | 11.90 | | | | l |
| | 2-Wire Unbundled Copper Loop/Long - without manual service | | | | | | | | | | | | | | | 1 |
| | inquiry and facility reservation - Zone 3 | | 3 | UCL | UCL2W | 43.94 | 123.81 | 70.09 | 60.64 | 9.12 | - | 11.90 | | | | l |
| | Order Coordination for Unbundled Copper Loops (per loop) | | | UCL | UCLMC | | 9.00 | 9.00 | | | | | | | | I |
| | CLEC to CLEC Conversion Charge without outside dispatch (UCL -Des) | | | UCL | UREWO | | 97.21 | 42.47 | | | | 11.90 | | | | 1 |
| 4.WID | COPPER LOOP | | | UCL | UREWO | | 97.21 | 42.47 | | | | 11.90 | | | | i |
| 4-4411 | 4-Wire Copper Loop/Short - including manual service inquiry | | | | | | | | | | | | | | | 1 |
| | and facility reservation - Zone 1 | | 1 | UCL | UCL4S | 11.83 | 177.87 | 132.76 | 77.15 | 17.73 | | 11.90 | | | | 1 |
| | 4-Wire Copper Loop/Short - including manual service inquiry | | | 002 | 00210 | 11100 | | 102.10 | | | 1 | | | | | (|
| | and facility reservation - Zone 2 | | 2 | UCL | UCL4S | 16.81 | 177.87 | 132.76 | 77.15 | 17.73 | | 11.90 | | | | 1 |
| | 4-Wire Copper Loop/Short - including manual service inquiry | | | | | | - | | - | - | | | | | | 1 |
| | and facility reservation - Zone 3 | | 3 | UCL | UCL4S | 29.82 | 177.87 | 132.76 | 77.15 | 17.73 | | 11.90 | | | | 1 |
| | Order Coordination for Unbundled Copper Loops (per loop) | | | UCL | UCLMC | | 9.00 | 9.00 | | | | | | | | i . |
| | 4-Wire Copper Loop/Short - without manual service inquiry and | | | | | | | | | | | | | | | i |
| | facility reservation - Zone 1 | | 1 | UCL | UCL4W | 11.83 | 153.18 | 100.03 | 62.74 | 11.22 | | 11.90 | | | | |
| | 4-Wire Copper Loop/Short - without manual service inquiry and | | | | | 10.01 | 150.10 | | | | | | | | | 1 |
| | facility reservation - Zone 2 | | 2 | UCL | UCL4W | 16.81 | 153.18 | 100.03 | 62.74 | 11.22 | | 11.90 | | | | |
| | 4-Wire Copper Loop/Short - without manual service inquiry and facility reservation - Zone 3 | | 3 | UCL | UCL4W | 29.82 | 153.18 | 100.03 | 62.74 | 11.22 | | 11.90 | | | | 1 |
| | Order Coordination for Unbundled Copper Loops (per loop) | | 3 | UCL | UCLMC | 29.02 | 9.00 | 9.00 | 02.74 | 11.22 | | 11.90 | | | | i |
| | 4-Wire Unbundled Copper Loop/Long - includes manual svc. | | | UUL | OOLINO | | 0.00 | 0.00 | | | | | | | | [|
| | inquiry and facility reservation - Zone 1 | 1 | 1 | UCL | UCL4L | 31.10 | 177.87 | 132.76 | 77.15 | 17.73 | | 11.90 | | | | ł |
| | 4-Wire Unbundled Copper Loop/Long - includes manual svc. | | | | | | | | | | | | | | | 1 |
| | inquiry and facility reservation - Zone 2 | | 2 | UCL | UCL4L | 44.20 | 177.87 | 132.76 | 77.15 | 17.73 | | 11.90 | | | | 1 |
| | 4-Wire Unbundled Copper Loop/Long - includes manual svc. | | | | | | | | | | | | | | | 1 |
| | inquiry and facility reservation - Zone 3 | | 3 | UCL | UCL4L | 78.42 | 177.87 | 132.76 | 77.15 | 17.73 | | 11.90 | | | | |
| | Order Coordination for Unbundled Copper Loops (per loop) | | | UCL | UCLMC | | 9.00 | 9.00 | | | ļ | | | | | l |
| | 4-Wire Unbundled Copper Loop/Long - without manual svc. | | | | | | 150.10 | 100.00 | | | | 44.00 | | | | ł |
| | inquiry and facility reservation - Zone 1 | | 1 | UCL | UCL40 | 31.10 | 153.18 | 100.03 | 62.74 | 11.22 | | 11.90 | | | | |
| | 4-Wire Unbundled Copper Loop/Long - without manual svc. inquiry and facility reservation - Zone 2 | | 2 | UCL | UCL4O | 44.20 | 153.18 | 100.03 | 62.74 | 11.22 | | 11.90 | | | | ł |
| | 4-Wire Unbundled Copper Loop/Long - without manual svc. | | - 2 | UUL | 00140 | 44.20 | 103.18 | 100.03 | 02.74 | 11.22 | <u> </u> | 11.90 | | | | |
| | inquiry and facility reservation - Zone 3 | | 3 | UCL | UCL4O | 78.42 | 153.18 | 100.03 | 62.74 | 11.22 | | 11.90 | | | | ł |
| | Order Coordination for Unbundled Copper Loops (per loop) | | | UCL | UCLMC | , 0.42 | 9.00 | 9.00 | 02.14 | 11.22 | <u> </u> | 11.30 | | | | [|
| | CLEC to CLEC Conversion Charge without outside dispatch | | | UCL | UREWO | | 97.21 | 42.47 | | | | 11.90 | | | | 1 |
| LOOP MODIFI | | | | | | | | | | l | 1 | | l | | | l |
| | Unbundled Loop Modification, Removal of Load Coils - 2 Wire pair less than or equal to 18k ft | | | UAL, UHL, UCL, UEQ, ULS, UEA, UEANL, UDL, UDC, UDN, UDL, USL | ULM2L | | 0.00 | 0.00 | | | | 11.90 | | | | |
| | Unbundled Loop Modification, Removal of Load Coils - 2 wire greater than 18k ft | | | UCL, ULS, UEQ | ULM2G | | 343.12 | 343.12 | | | | 11.90 | | | | |
| | Unbundled Loop Modification Removal of Load Coils - 4 Wire less than or equal to 18K ft | | | UHL, UCL | ULM4L | | 0.00 | 0.00 | | | | 11.90 | | | | |

| UNBUNDLE | D NETWORK ELEMENTS - Florida | 1 | 1 | | r | | | | | | 0 | | Attachment: | | | bit: C |
|----------|---|----------|------|---|----------------|---------------|----------------|----------------|----------------|--------------|----------|-----------------------|--|---|----------|--|
| ATEGORY | RATE ELEMENTS | | Zone | BCS | USOC | RATES(\$) | | | | | | Submitted Manually | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Charge - Manual Svc Order vs. Electronic- Add'l | Charge - | Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'I |
| | | | | | | Rec | Nonrec | | Nonrecurring | | 001150 | 001411 | | Rates(\$) | 001111 | 001111 |
| | Liebundlad Lean Medification Demounl of Lead Onite A Wine | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | Unbundled Loop Modification Removal of Load Coils - 4 Wire pair greater than 18k ft | | | UCL | ULM4G | | 343.12 | 343.12 | | | | 11.90 | | | | |
| | Unbundled Loop Modification Removal of Bridged Tap Removal, per unbundled loop | | | UAL, UHL, UCL, UEQ, UEF, ULS, UEA, UEANL, UDL, UDC, UDN, UDL, USL | ULMBT | | 10.52 | 10.52 | | | | 11.90 | | | | |
| UB-LOOPS | pop Distribution | | | | - | | | | | | | | | | | |
| Sub-Lo | Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set- | | | | | | | | | | | | | | | |
| | Up | I | | UEANL | USBSA | | 487.23 | | | | | 11.90 | | | | |
| | Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up | I | | UEANL | USBSB | | 6.25 | | | | | 11.90 | | | | |
| | Sub-Loop - Per Building Equipment Room - CLEC Feeder Facility Set-Up | Т | | UEANL | USBSC | | 169.25 | | | | | 11.90 | | | | |
| | Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel Set-Up | I | | UEANL | USBSD | | 38.65 | | | | | 11.90 | | | | |
| | Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 1 | | 1 | UEANL | USBN2 | 6.46 | 60.19 | 21.78 | 47.50 | 5.26 | | 11.90 | | | | |
| | Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 2 | | 2 | UEANL | USBN2 | 9.18 | 60.19 | 21.78 | 47.50 | 5.26 | | 11.90 | | | | |
| | Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - | <u> </u> | - | | 00DINZ | 3.10 | 00.19 | 21.70 | 47.50 | 5.20 | | 11.30 | | | | |
| | Zone 3 | | 3 | UEANL | USBN2 | 16.29 | 60.19 | 21.78 | 47.50 | 5.26 | | 11.90 | | | | |
| | Order Coordination for Unbundled Sub-Loops, per sub-loop pair Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - | | | UEANL | USBMC | | 9.00 | | | | | | | | | |
| | Zone 1 | | 1 | UEANL | USBN4 | 7.37 | 68.83 | 30.42 | 49.71 | 6.60 | | 11.90 | | | | |
| | Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 2 | | 2 | UEANL | USBN4 | 10.47 | 68.83 | 30.42 | 49.71 | 6.60 | | 11.90 | | | | |
| | Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 3 | | 3 | UEANL | USBN4 | 18.58 | 68.83 | 30.42 | 49.71 | 6.60 | | 11.90 | | | | |
| | | | | | | | | | | | | | | | | |
| | Order Coordination for Unbundled Sub-Loops, per sub-loop pair | | | UEANL UEANL | USBMC USBR2 | 3.96 | 9.00 | 13.44 | 47.50 | 5.00 | | 11.90 | | | | |
| | Sub-Loop 2-Wire Intrabuilding Network Cable (INC) | - | | UEANL | USBR2 | 3.96 | 51.84 | 13.44 | 47.50 | 5.26 | | 11.90 | | | | |
| | Order Coordination for Unbundled Sub-Loops, per sub-loop pair | | 1 | UEANL | USBMC | | 9.00 | | | | | | | | | |
| | Sub-Loop 4-Wire Intrabuilding Network Cable (INC) | I | 1 | UEANL | USBR4 | 9.37 | 55.91 | 17.51 | 49.71 | 6.60 | | 11.90 | | | | |
| | | | 1 | | | | | | | | | | | | | |
| | Order Coordination for Unbundled Sub-Loops, per sub-loop pair | | | UEANL | USBMC | | 9.00 | | | | | | | | | |
| | 2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1 | 1 | | UEF | UCS2X | 5.15 | 60.19 | 21.78 | 47.50 | 5.26 | | 11.90 | | | | |
| | 2 Wire Copper Unbundled Sub-Loop Distribution - Zone 2 | | | UEF UEF | UCS2X | 7.31 12.98 | 60.19 60.19 | 21.78 21.78 | 47.50 47.50 | 5.26 5.26 | | 11.90 11.90 | | | | |
| | 2 Wire Copper Unbundled Sub-Loop Distribution - Zone 3 | | 3 | | UCS2X | 12.98 | | 21.78 | 47.50 | 5.26 | | 11.90 | 1 | | ļ | |
| | Order Coordination for Unbundled Sub-Loops, per sub-loop pair | | | UEF | USBMC | | 9.00 | | | | | | | | | |
| | 4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1 | 1 | | UEF | UCS4X | 5.36 | 68.83 | 30.42 | 49.71 | 6.60 | | 11.90 | | | | |
| | 4 Wire Copper Unbundled Sub-Loop Distribution - Zone 2 4 Wire Copper Unbundled Sub-Loop Distribution - Zone 3 | | | UEF UEF | UCS4X UCS4X | 7.61 13.51 | 68.83 68.83 | 30.42 30.42 | 49.71 49.71 | 6.60 6.60 | ļ | 11.90 11.90 | | | | 1 |
| | | | 3 | | | 13.51 | | 30.42 | 49.71 | 00.0 | | 11.90 | | | | |
| Unbur | Order Coordination for Unbundled Sub-Loops, per sub-loop pair adled Sub-Loop Modification | | | UEF | USBMC | | 9.00 | | | | | | | | | |
| | Unbundled Sub-Loop Modification - 2-W Copper Dist Load Coil/Equip Removal per 2-W PR | | | UEF | ULM2X | | 10.11 | | | | | 11.90 | | | | |
| | Unbundled Sub-loop Modification - 4-W Copper Dist Load Coil/Equip Removal per 4-W PR | | 1 | UEF | ULM4X | | 10.11 | | | | | 11.90 | | | | |
| | Unbundled Sub-loop Modification - 2-w/4-w Copper Dist Bridged Tap Removal, per PR unloaded | | | UEF | ULM4T | | 15.58 | | | | | 11.90 | | | | |
| Unbur | dled Network Terminating Wire (UNTW) | | | - | - | | | | | | | | | | | |
| | Unbundled Network Terminating Wire (UNTW) per Pair | | | UENTW | UENPP | 0.4572 | 18.02 | | | | | 11.90 | | | | |
| Netwo | rk Interface Device (NID) | | | | | | | | | | | | | | | |

| | D NETWORK ELEMENTS - Florida | | [| | | | | | | | | | Attachment: | | | bit: C |
|----------------------------------|--|-------------|------|-----------------|--------|--------|---------|-----------|--------------|------------|-----------|-----------|-------------|-------------|-------------|-------------|
| | | 1 | | | | | | | | | Svc Order | Svc Order | Incremental | Incremental | Incremental | Incremental |
| i | | | | | | | | | | | Submitted | | Charge - | Charge - | Charge - | Charge - |
| | | | | | | | | | | | Elec | Manually | Manual Svc | - | Manual Svc | Manual Svc |
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES(\$) | | | per LSR | per LSR | Order vs. | Order vs. | Order vs. | Order vs. |
| | | | | | | | | - (0) | | | perLSK | per LSR | Electronic- | Electronic- | Electronic- | Electronic- |
| | | | | | | | | | | | | | 1st | Add'l | | |
| | | | | | | | | | | | | | 151 | Add I | Disc 1st | Disc Add'l |
| | | | | | | Rec | Nonrecu | urring | Nonrecurring | Disconnect | | | | | | |
| | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | Network Interface Device (NID) - 1-2 lines | | | | UND12 | | 71.49 | 48.87 | | | | 11.90 | | | | |
| | Network Interface Device (NID) - 1-6 lines | | | | UND16 | | 113.89 | 89.07 | | | | 11.90 | | | | |
| | Network Interface Device Cross Connect - 2 W | | | | UNDC2 | | 7.63 | 7.63 | | | | 11.90 | | | | |
| | Network Interface Device Cross Connect - 4W | | | UENTW | UNDC4 | | 7.63 | 7.63 | | | | 11.90 | | | | |
| SUB-LOOPS | | | | | | | | | | | | | | | | |
| Sub-Lo | oop Feeder | | | | | | | | | | | | | | | |
| | USL-Feeder, DS0 Set-up per Cross Box location - CLEC | | | UEA, | | | | | | | | | | | | |
| | Distribution Facility set-up | | | UDN,UCL,UDL,UDC | USBFW | | 487.23 | | | | | 11.90 | | | | |
| | USL Feeder - DS0 Set-up per Cross Box location - per 25 pair | | | UEA, | | | | | | | | | | | | |
| | set-up | | | UDN,UCL,UDL,UDC | | | 6.25 | 6.25 | | | | 11.90 | | | | |
| | USL Feeder DS1 Set-up at DSX location, per DS1 termination | | | USL | USBFZ | | 522.41 | 11.32 | | | | 11.90 | | | | |
| | Unbundled Sub-Loop Feeder Loop, 2 Wire Ground Start, Voice | | | | | | | | | | | | | | | |
| | Grade - Zone 1 | ļ | 1 | UEA | USBFA | 6.41 | 92.75 | 51.24 | 58.45 | 13.07 | | 11.90 | | | | |
| | Unbundled Sub-Loop Feeder Loop, 2 Wire Ground-Start, Voice | | | | | | | | | | | | | | | |
| | Grade - Zone 2 | | 2 | UEA | USBFA | 9.10 | 92.75 | 51.24 | 58.45 | 13.07 | | 11.90 | | | | |
| | Unbundled Sub-Loop Feeder Loop, Per 2 Wire Ground-Start, | | | | | | | | | | | | | | | |
| | Voice Grade - Zone 3 | | | UEA | USBFA | 16.15 | 92.75 | 51.24 | 58.45 | 13.07 | | 11.90 | | | | |
| | Order Coordination for Specified Conversion Time, per LSR | | | UEA | OCOSL | | 23.02 | | | | | | | | | |
| | Unbundlde Sub-Loop Feeder Loop, 2 Wire Loop-Start, Voice | | | | | | | | | | | | | | | |
| | Grade - Zone 1 | | 1 | UEA | USBFB | 6.41 | 92.75 | 51.24 | 58.45 | 13.07 | | 11.90 | | | | |
| | Unbundled Sub-Loop Feeder Loop, 2 Wire Loop-Start, Voice | | | | | | | | | | | | | | | |
| | Grade - Zone 2 | | 2 | UEA | USBFB | 9.10 | 92.75 | 51.24 | 58.45 | 13.07 | | 11.90 | | | | |
| | Unbundled Sub-Loop Feeder Loop, 2 Wire Start Loop, Voice | | ~ | | | 10.15 | 00.75 | 54.04 | 50.45 | 40.07 | | 44.00 | | | | |
| | Grade - Zone 3 | | 3 | UEA | USBFB | 16.15 | 92.75 | 51.24 | 58.45 | 13.07 | | 11.90 | | | | |
| | Order Coordination for Specified Time Conversion, per LSR | | | UEA | OCOSL | | 23.02 | | | | | | | | | |
| | Unbundled Sub-Loop Feeder Loop, 2 Wire Reverse Battery, | | 4 | | | C 44 | 00.75 | 54.04 | 50.45 | 40.07 | | 11.00 | | | | |
| | Voice Grade - Zone 1 | | 1 | UEA | USBFC | 6.41 | 92.75 | 51.24 | 58.45 | 13.07 | | 11.90 | | | | |
| | Unbundled Sub-Loop Feeder Loop, 2 Wire Reverse Battery, | | 2 | UEA | USBFC | 9.10 | 92.75 | 51.24 | 58.45 | 13.07 | | 11.90 | | | | |
| | Voice Grade - Zone 2 | | 2 | UEA | USBFC | 9.10 | 92.75 | 31.24 | 56.45 | 13.07 | | 11.90 | | | | |
| | Unbundled Sub-Loop Feeder Loop, 2 Wire Analog Reverse | | 3 | UEA | USBFC | 16.15 | 92.75 | 51.24 | 58.45 | 13.07 | | 11.00 | | | | |
| | Battery, Voice Grade - Zone 3 Order Coordination For Specified Conversion Time, per LSR | | 3 | | OCOSL | 10.15 | 23.02 | 31.24 | 56.45 | 13.07 | | 11.90 | | | | |
| | Unbundled Sub-Loop Feeder Loop, 4 Wire Ground-Start, Voice | | | UEA | OCOSL | | 23.02 | | | | | | | | | |
| | Grade - Zone 1 | | 1 | UEA | USBFD | 12.47 | 106.92 | 64.46 | 63.54 | 14.83 | | 11.90 | | | | |
| | Unbundled Sub-Loop Feeder Loop, 4 Wire Ground-Start, Voice | | | ULA | 03810 | 12.47 | 100.92 | 04.40 | 03.34 | 14.03 | | 11.50 | | | | |
| | Grade - Zone 2 | | 2 | UEA | USBFD | 17.73 | 106.92 | 64.46 | 63.54 | 14.83 | | 11.90 | | | | |
| | Unbundled Sub-Loop Feeder Loop, 4 Wire Ground Start, Voice | | 2 | | | 11.13 | 100.92 | 04.40 | 03.54 | 14.03 | | 11.90 | | | | |
| | Grade - Zone 3 | | 3 | UEA | USBFD | 31.45 | 106.92 | 64.46 | 63.54 | 14.83 | | 11.90 | | | | |
| ├ ── ┤ ── ┤ | Order Coordination For Specified Conversion Time, Per LSR | | | | OCOSL | 51.45 | 23.02 | 04.40 | 03.04 | 14.03 | | 11.50 | | | | |
| | Unbundled Sub-Loop Feeder Loop, 4 Wire Loop-Start, Voice | | | 02 | 0000 | | 20.02 | | | | | | | | | |
| | Grade - Zone 1 | | 1 | UEA | USBFE | 12.47 | 106.92 | 64.46 | 63.54 | 14.83 | | 11.90 | | | | |
| | Unbundled Sub-Loop Feeder Loop, 4 Wire Loop-Start, Voice | ł – | | | 5501 L | 12.77 | 100.32 | 0+.+0 | 00.04 | 14.05 | | 11.30 | | | | |
| | Grade - Zone 2 | | 2 | UEA | USBFE | 17.73 | 106.92 | 64.46 | 63.54 | 14.83 | | 11.90 | | | | |
| | Unbundled Sub-Loop Feeder Loop, 4 Wire Loop-Start, Voice | 1 | - | | | | | 00 | 00.04 | | | | 1 | | 1 | |
| | Grade - Zone 3 | | 3 | UEA | USBFE | 31.45 | 106.92 | 64.46 | 63.54 | 14.83 | | 11.90 | | | | |
| | Order Coordination For Specified Conversion Time, Per LSR | 1 | | | OCOSL | 00 | 23.02 | 00 | 00.04 | | | | 1 | 1 | 1 | |
| | Unbundled Sub-Loop Feeder Loop, 2 Wire ISDN BRI - Zone 1 | 1 | | | USBFF | 14.83 | 109.71 | 66.68 | 60.21 | 12.49 | | 11.90 | ĺ | l | ĺ | |
| | Unbundled Sub-Loop Feeder Loop, 2-Wire ISDN BRI - Zone 2 | 1 | | | USBFF | 21.07 | 109.71 | 66.68 | 60.21 | 12.49 | | 11.90 | ĺ | İ | ĺ | |
| | Unbundled Sub-Loop Feeder Loop, 2-Wire ISDN BRI - Zone 3 | l I | | | USBFF | 37.39 | 109.71 | 66.68 | 60.21 | 12.49 | | 11.90 | | | | |
| | Order Coordination For Specified Conversion Time, Per LSR | 1 | | | OCOSL | | 23.02 | | | | | | | | | |
| | Unbundled Sub-Loop Feeder, 2 Wire UDC (IDSL compatible) | | | | USBFS | 14.83 | 109.71 | 66.68 | 60.21 | 12.49 | | 11.90 | | | | |
| | Unbundled Sub-Loop Feeder, 2 Wire UDC (IDSL compatible) | | | | USBFS | 21.07 | 109.71 | 66.68 | 60.21 | 12.49 | | 11.90 | | | | |
| | Unbundled Sub-Loop Feeder, 2 Wire UDC (IDSL compatible) | 1 | | | USBFS | 37.39 | 109.71 | 66.68 | 60.21 | 12.49 | | 11.90 | | | | |
| | Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 1 | | 1 | | USBFG | 42.59 | 133.77 | 78.02 | 85.16 | 21.21 | | 11.90 | | | | |
| | Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 2 | | 2 | USL | USBFG | 60.53 | 133.77 | 78.02 | 85.16 | 21.21 | | 11.90 | | | | |
| | Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 3 | | 3 | | USBFG | 107.39 | 133.77 | 78.02 | 85.16 | 21.21 | | 11.90 | | | | |
| | Order Coordination For Specified Conversion Time, Per LSR | | | | OCOSL | | 23.02 | | | | | | | | | |
| | Unbundled Sub-Loop Feeder, 2-Wire Copper Loop - Zone 1 | | 1 | UCL | USBFH | 3.76 | 85.27 | 42.24 | 58.54 | 10.82 | | 11.90 | | | | |

| UNBUNDLE | D NETWORK ELEMENTS - Florida | | | | | | | | | | | | Attachment: | 2 | | bit: C |
|-----------|--|-------------|----------|----------------|----------------|--------------------|--------------------|-----------|------------------------|------------|---|---|--|--|---|---|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES(\$) | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l |
| | | | | | | Dee | Nonrec | curring | Nonrecurring | Disconnect | | | OSS | Rates(\$) | | |
| | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | Unbundled Sub-Loop Feeder Loop, 2-Wire Copper Loop - Zone | | - | | | | | | | | | | | | | |
| | 2 | | 2 | UCL | USBFH | 5.35 | 85.27 | 42.24 | 58.54 | 10.82 | | 11.90 | | | | ł |
| | Unbundled Sub-Loop Feeder Loop, 2-Wire Copper Loop - Zone | | 3 | UCL | USBFH | 9.49 | 85.27 | 42.24 | 58.54 | 10.82 | | 11.90 | | | | |
| | Order Coordination For Specified Conversion Time, per LSR | | 5 | UCL | OCOSL | 3.43 | 23.02 | 42.24 | 30.34 | 10.02 | | 11.30 | | | | <u> </u> |
| | Sub-Loop Feeder - Per 4-Wire Copper Loop - Zone 1 | | 1 | UCL | USBFJ | 7.32 | 99.66 | 57.20 | 60.98 | 12.28 | | 11.90 | | | | |
| | Sub-Loop Feeder - Per 4-Wire Copper Loop - Zone 2 | | 2 | UCL | USBFJ | 10.40 | 99.66 | 57.20 | 60.98 | 12.28 | | 11.90 | | | | |
| | Sub-Loop Feeder - Per 4-Wire Copper Loop - Zone 3 | | 3 | UCL | USBFJ | 18.46 | 99.66 | 57.20 | 60.98 | 12.28 | | 11.90 | | | | |
| | Order Coordination For Specified Conversion Time, per LSR | | | UCL | OCOSL | | 23.02 | | | | | | | | | |
| | Sub-Loop Feeder - Per 4-Wire 19.2 Kbps Digital Grade Loop | - | 1 | UDL | USBFN | 14.48 | 100.62 | 58.16 | 63.54 | 14.83 | | 11.90 | | | | L |
| | Sub-Loop Feeder - Per 4-Wire 19.2 Kbps Digital Grade Loop | | | UDL | USBFN | 20.59 | 100.62 | 58.16 | 63.54 | 14.83 | | 11.90 | | | | |
| | Sub-Loop Feeder - Per 4-Wire 19.2 Kbps Digital Grade Loop Sub-Loop Feeder - Per 4-Wire 56 Kbps Digital Grade Loop - | | 3 | UDL | USBFN | 36.53 | 100.62 | 58.16 | 63.54 | 14.83 | | 11.90 | | | | ┣──── |
| | Zone 1 | | 1 | UDL | USBFO | 14.48 | 100.62 | 58.16 | 63.54 | 14.83 | | 11.90 | | | | 1 |
| | Sub-Loop Feeder - Per 4-Wire 56 Kbps Digital Grade Loop - | | | | 00010 | 17.70 | 100.02 | 55.10 | 00.04 | 17.05 | | 11.30 | | | | <u> </u> |
| | Zone 2 | | 2 | UDL | USBFO | 20.59 | 100.62 | 58.16 | 63.54 | 14.83 | | 11.90 | | | | 1 |
| | Sub-Loop Feeder - Per 4-Wire 56 Kbps Digital Grade Loop - | | | - | | | | | | | | | | | | |
| | Zone 3 | | 3 | UDL | USBFO | 36.53 | 100.62 | 58.16 | 63.54 | 14.83 | | 11.90 | | | | |
| | Order Coordination For Specified Time Conversion, per LSR | | | UDL | OCOSL | | 23.02 | | | | | | | | | |
| | Sub-Loop Feeder - Per 4-Wire 64 Kbps Digital Grade Loop - | | | | | | | | | | | | | | | |
| | Zone 1 | | 1 | UDL | USBFP | 14.48 | 100.62 | 58.16 | 63.54 | 14.83 | | 11.90 | | | | |
| | Sub-Loop Feeder - Per 4-Wire 64 Kbps Digital Grade Loop - | | 2 | UDL | USBFP | 20.59 | 100.00 | 50.40 | CD 54 | 14.00 | | 44.00 | | | | |
| | Zone 2 Sub-Loop Feeder - Per 4-Wire 64 Kbps Digital Grade Loop - | | 2 | UDL | USBEP | 20.59 | 100.62 | 58.16 | 63.54 | 14.83 | | 11.90 | | | | <u> </u> |
| | Zone 3 | | 3 | UDL | USBFP | 36.53 | 100.62 | 58.16 | 63.54 | 14.83 | | 11.90 | | | | 1 |
| | Order Coordination For Specified Conversion Time, per LSR | | Ŭ | UDL | OCOSL | 00.00 | 23.02 | 00.10 | 00.04 | 14.00 | | 11.00 | | | | |
| SUB-LOOPS | ······ | | | | | | -0.0- | | | | | | | | | |
| Sub-Lo | oop Feeder | | | | | | | | | | | | | | | |
| | Sub Loop Feeder - DS3 - Per Mile Per Month | | | UE3 | 1L5SL | 15.69 | | | | | | | | | | |
| | Sub Loop Feeder - DS3 - Facility Termination Per Month | I | | UE3 | USBF1 | 347.59 | 3,402.59 | 407.15 | 166.83 | 94.58 | | 11.90 | | | | L |
| | Sub Loop Feeder – STS-1 – Per Mile Per Month | | | UDLSX | 1L5SL | 15.69 | | | | | | | | | | |
| | Sub Loop Feeder - STS-1 - Facility Termination Per Month | | | UDLSX | USBF7 | 402.09 | 3,402.59 | 407.15 | 166.83 | 94.58 | | 11.90 | | | | ł |
| | Sub Loop Feeder – OC-3 – Per Mile Per Month Sub Loop Feeder - OC-3 - Facility Termination Protection Per | I | | UDLO3 | 1L5SL | 11.90 | | | | | | | | | | |
| | Month | | | UDLO3 | USBF5 | 62.98 | | | | | | | | | | |
| | Sub Loop Feeder - OC-3 - Facility Termination Per Month | 1 | | UDLO3 | USBF2 | 547.22 | 3,402.59 | 407.15 | 166.83 | 94.58 | | 11.90 | | | | |
| | Sub Loop Feeder - OC-12 - Per Mile Per Month | i | | UDL12 | 1L5SL | 14.65 | 0,102100 | 101110 | 100100 | 01100 | | 11.00 | | | | |
| | Sub Loop Feeder - OC-12 - Facility Termination Protection Per | | | - | | | | | | | | | | | | |
| | Month | - | | UDL12 | USBF6 | 502.47 | | | | | | | | | | |
| | Sub Loop Feeder - OC-12 - Facility Termination Per Month | I | | UDL12 | USBF3 | 1,577.00 | 3,402.59 | 407.15 | 166.83 | 94.58 | | 11.90 | | | | L |
| | Sub Loop Feeder - OC-48 - Per Mile Per Month | | | UDL48 | 1L5SL | 48.06 | | | ├ ──── │ | | | | | | | |
| | Sub Loop Feeder - OC-48 - Facility Termination Protection Per Month | | | | | 054.00 | | | | | | | | | | |
| | Month Sub Loop Feeder - OC-48 - Facility Termination Per Month | | | UDL48 UDL48 | USBF9 USBF4 | 251.80 1,589.00 | 3,588.59 | 407.15 | 168.35 | 95.43 | | 11.90 | | | | |
| ├ | Sub Loop Feeder - OC-46 - Pacinty Termination Fer Month Sub Loop Feeder - OC-12 Interface On OC-48 | 1 | <u> </u> | UDL48 | USBF4 USBF8 | 331.15 | 3,566.59 804.98 | 407.15 | 168.35 | 95.43 | | 11.90 | | | | t |
| | OOP CONCENTRATION | | | | 00010 | 331.13 | 007.00 | 407.15 | 100.00 | 33.43 | | 11.30 | | | | |
| | Unbundled Loop Concentration - System A (TR008) | | | ULC | UCT8A | 449.49 | 359.42 | 359.42 | | | | 11.90 | 1 | 1 | 1 | [] |
| | Unbundled Loop Concentration - System B (TR008) | | | ULC | UCT8B | 53.44 | 149.76 | 149.76 | | | | 11.90 | | | | |
| | Unbundled Loop Concentration - System A (TR303) | | | ULC | UCT3A | 487.33 | 359.42 | 359.42 | | | | 11.90 | | | | |
| | Unbundled Loop Concentration - System B (TR303) | | | ULC | UCT3B | 90.05 | 149.76 | 149.76 | | | | 11.90 | | | | L |
| | Unbundled Loop Concentration - DS1 Loop Interface Card | | | ULC | UCTCO | 5.04 | 71.70 | 51.52 | 18.49 | 4.82 | | 11.90 | | | | |
| | Unbundled Loop Concentration - ISDN Loop Interface (Brite | | | | 111.001 | 0.00 | 40 | 40 | 0 | 0 | | 44.00 | | | | 1 |
| ┝───┤──── | Card) | | | UDN | ULCC1 | 8.00 | 16.59 | 16.50 | 6.77 | 6.73 | | 11.90 | | | | ł |
| | Unbundled Loop Concentration - UDC Loop Interface (Brite Card) | | 1 | UDC | ULCCU | 8.00 | 16.59 | 16.50 | 6.77 | 6.73 | | 11.90 | | | | 1 |
| | Unbundled Loop Concentration2 Wire Voice-Loop Start or | | <u> </u> | 000 | 01000 | 0.00 | 10.59 | 10.30 | 0.77 | 0.73 | | 11.90 | | | | t |
| | Ground Start Loop Interface (POTS Card) | | | UEA | ULCC2 | 2.00 | 16.59 | 16.50 | 6.77 | 6.73 | | 11.90 | | | | |
| | Unbundled Loop Concentration - 2 Wire Voice - Reverse Battery Loop Interface (SPOTS Card) | | | UEA | ULCCR | 11.90 | 16.59 | 16.50 | 6.77 | 6.73 | | 11.90 | | | | 1 |

| UNBUNDLE | D NETWORK ELEMENTS - Florida | | 1 | 1 | | 1 | | | | | | | Attachment: | | | bit: C |
|--------------|--|-------------|----------|-------------------------------------|----------------|---------------|----------------|----------------|--------------|--------------|---|-----------------------|--|--|---|---|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES(\$) | | | Svc Order Submitted Elec per LSR | Submitted Manually | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l |
| | | | | | | Rec | Nonrec | | Nonrecurring | | | | | Rates(\$) | | |
| | | | | | | Nec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | Unbundled Loop Concentration - 4 Wire Voice Loop Interface | | | | 111.004 | 7.40 | 40.50 | 10 50 | 0.77 | 0.70 | | 11.00 | | | | |
| | (Specials Card) Unbundled Loop Concentration - TEST CIRCUIT Card | | | UEA ULC | ULCC4 UCTTC | 7.10 34.68 | 16.59 16.59 | 16.50 16.50 | 6.77 6.77 | 6.73 6.73 | | 11.90 11.90 | | | | |
| | Unbundled Loop Concentration - Digital 19.2 Kbps Data Loop | | | OLO | 00110 | 34.00 | 10.55 | 10.50 | 0.77 | 0.75 | | 11.30 | | | | |
| | Interface | | | UDL | ULCC7 | 10.51 | 16.59 | 16.50 | 6.77 | 6.73 | | 11.90 | | | | |
| | Unbundled Loop Concentration - Digital 56 Kbps Data Loop Interface | | | UDL | ULCC5 | 10.51 | 16.59 | 16.50 | 6.77 | 6.73 | | 11.90 | | | | |
| | Unbundled Loop Concentration - Digital 64 Kbps Data Loop Interface | | | UDL | ULCC6 | 10.51 | 16.59 | 16.50 | 6.77 | 6.73 | | 11.90 | | | | |
| UNE OTHER. | PROVISIONING ONLY - NO RATE | | | ODL | 02000 | 10.01 | 10.00 | 10.00 | 0.77 | 0.10 | | 11.00 | | | 1 | |
| .,. | NID - Dispatch and Service Order for NID installation | | | UENTW | UNDBX | 0.00 | 0.00 | | | | | | | | 1 | |
| | UNTW Circuit Id Establishment, Provisioning Only - No Rate | | | UENTW | UENCE | 0.00 | 0.00 | | | | | | | | | |
| | Linkundlad Contract Name, Bravisioning Only, No. Data | 1 | 1 | UEANL,UEF,UEQ,U ENTW | UNECN | 0.00 | 0.00 | | | | | | | | | |
| | Unbundled Contract Name, Provisioning Only - No Rate PROVISIONING ONLY - NO RATE | | | | UNEUN | 0.00 | 0.00 | | | | ł | | | | <u> </u> | |
| Sile Offick, | | | 1 | | | | | | | | | | | | | |
| | Unbundled Contact Name, Provisioning Only - no rate | | | UAL,UCL,UDC,UDL, UDN,UEA,UHL,ULC | UNECN | 0.00 | 0.00 | | | | | | | | | |
| | Unbundled Sub-Loop Feeder-2 Wire Cross Box Jumper - no | | | | | | | | | | | | | | | |
| | rate Unbundled Sub-Loop Feeder-4 Wire Cross Box Jumper - no | | | UEA,UDN,UCL,UDC | USBFQ | 0.00 | 0.00 | | | | | | | | | |
| | rate | | | UEA,USL,UCL,UDL | USBFR | 0.00 | 0.00 | | | | | | | | | |
| | Unbundled DS1 Loop - Superframe Format Option - no rate | | | USL | CCOSF | 0.00 | 0.00 | | | | | | | | | |
| | Unbundled DS1 Loop - Expanded Superframe Format option - | | | | 00055 | 0.00 | 0.00 | | | | | | | | | |
| | no rate TY UNBUNDLED LOCAL LOOP | | | USL | CCOEF | 0.00 | 0.00 | | | - | | | - | - | | |
| | High Capacity Unbundled Local Loop - DS3 - Per Mile per month | | | UE3 | 1L5ND | 10.92 | | | | | | | | | | |
| | High Capacity Unbundled Local Loop - DS3 - Facility | | | UE3 | | | 550.07 | 343.01 | 400.40 | 00.04 | | 44.00 | | | | |
| | Termination per month High Capacity Unbundled Local Loop - STS-1 - Per Mile per | | | | UE3PX | 386.88 | 556.37 | 343.01 | 139.13 | 96.84 | | 11.90 | | | | |
| | month High Capacity Unbundled Local Loop - STS-1 - Facility | | | UDLSX | 1L5ND | 10.92 | | | | | | | | | | |
| | Termination per month | | | UDLSX | UDLS1 | 426.60 | 556.37 | 343.01 | 139.13 | 96.84 | | 11.90 | | | 1.83 | |
| LOOP MAKE- | | | | | | | | | | | | | | | | |
| | Loop Makeup - Preordering Without Reservation, per working or spare facility queried (Manual). | | | UMK | UMKLW | | 52.17 | 52.17 | | | | | | | | |
| | Loop Makeup - Preordering With Reservation, per spare facility queried (Manual). | | | UMK | UMKLP | | 55.07 | 55.07 | | | | | | | | |
| | Loop MakeupWith or Without Reservation, per working or spare facility queried (Mechanized) | | | ИМК | PSUMK | | 0.6784 | 0.6784 | | | | | | | | |
| HIGH FREQUE | ENCY SPECTRUM | | | | | | | | | | | | | | | |
| LINES | | | <u> </u> | | | | | | ļ | | | | | | | |
| SPLIT | TERS-CENTRAL OFFICE BASED | | | | | | | | | | | | | | | |
| | Line Sharing Splitter, per System 96 Line Capacity - True up pending approval by PSC | R | | ULS | ULSDA | 119.72 | 379.13 | 0.00 | 347.90 | 0.00 | | 11.90 | | | | |
| | Line Sharing Splitter, per System 24 Line Capacity - True up pending approval by PSC | R | | ULS | ULSDB | 29.93 | 379.13 | 0.00 | 347.90 | 0.00 | | 11.90 | | | | |
| | Line Sharing Splitter, Per System, 8 Line Capacity | I | | ULS | ULSD8 | 8.33 | 379.13 | 0.00 | 347.90 | 0.00 | | 11.90 | | | | |
| | Line Sharing-DLEC Owned Splitter in CO-CFA activaton- deactivation (per LSOD) | | | ULS | ULSDG | | 173.66 | 0.00 | 97.42 | 0.00 | | 11.90 | | | | |
| END U | ISER ORDERING-CENTRAL OFFICE BASED-HIGH FREQUENCY | SPEC | | | | | | | | | | | | | | |
| | Line Sharing - per Line Activation -(BST Owned Splitter) | | - | ULS | ULSDC | 0.61 | 29.68 | 21.28 | 19.57 | 9.61 | | 11.90 | | | | |
| | Line Sharing - per Subsequent Activity per Line Rearrangement - True up pending approval by PSC(BST Owned Splitter) | R | | ULS | ULSDS | | 21.68 | 16.44 | | | | 11.90 | | | | |
| | Line Sharing - per Subsequent Activity per Line Rearrangement | | | | 22000 | | 21.00 | 10.44 | | | | 11.30 | | | | |
| | - True up pending approval by PSC(DLEC Owned Splitter) | R | | ULS | ULSCS | | 21.68 | 16.44 | | | | 11.90 | | | | |

| ATEGOY BATE BLANSTS Intel I | UNBU | NDLE | O NETWORK ELEMENTS - Florida | | | | | | | | | | | | Attachment: | 2 | Exhi | bit: C |
|---|----------|--------|---|----------|----------|--------------------|-------------|---------------|---------|-----------|--------------|--------------|-------------------|-----------------------|---|---|---|---|
| Image: Processing of the Advisory (DEC cound grainey) I U.S. U.S. U.S. View Processing of the Advisory (DEC cound grainey) South (DEC) South (DEC)< | | | | | Zone | BCS | usoc | | | RATES(\$) | | | Submitted Elec | Submitted Manually | Incremental Charge - Manual Svc Order vs. Electronic- | Incremental Charge - Manual Svc Order vs. Electronic- | Incremental Charge - Manual Svc Order vs. Electronic- | Incremental Charge - Manual Svc Order vs. Electronic- |
| Less Less <th< th=""><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th>Dea</th><th>Nonrec</th><th>urring</th><th>Nonrecurring</th><th>g Disconnect</th><th></th><th></th><th>OSS</th><th>Rates(\$)</th><th></th><th></th></th<> | | | | | | | | Dea | Nonrec | urring | Nonrecurring | g Disconnect | | | OSS | Rates(\$) | | |
| Hug Purt Tree Hug Purt Tree Hug Purt Tree Hug Purt Tree Hug Purt Pure Pure Pure Pure Pure Pure Pure Pure | | | | | | | | | | | | | | | SOMAN | SOMAN | SOMAN | SOMAN |
| Diverse Observed-Contral, OFFICE BASED Particle UPGR Data Section Particle UPGR Data Section Particle UPGR Particle UPGR <td></td> <td></td> <td></td> <td>1</td> <td></td> <td>ULS</td> <td>ULSCC</td> <td>0.61</td> <td>47.44</td> <td>19.31</td> <td>20.67</td> <td>12.74</td> <td></td> <td>11.90</td> <td></td> <td></td> <td></td> <td></td> | | | | 1 | | ULS | ULSCC | 0.61 | 47.44 | 19.31 | 20.67 | 12.74 | | 11.90 | | | | |
| Like Selling - pering solution DLEC owned splane L DEFEN LEPS DEEDS DE Description Description <thdescription< th=""> Description<</thdescription<> | | | | | | | | | | | | | | | | | | |
| Lue S datas | | ENDU | | | | | LIBEOS | 0.61 | | | | | | | | | | ├─── |
| Luc Standy - or ma actions BT oward- tringer I UPPER VIEWS UNIX LUS B 24.00 11.50 0 11.50 0 0 Read TS ET IN DIFFECTION I LS LLS LLS< | | | | | | | | | 20.68 | 21.28 | 10.57 | 9.61 | | 11 00 | | | | ├ ────┤ |
| Result of the Number of Section 2 Per Charge Image: Control 2 Per Charg | | | | l i | | | | | | | | | | | | | | |
| Benne Sie Les Biane Balles de Saue Spiller, 24 Part 1 U.S. U.S.S 2.5.00 160.00 0.001 11.00 0.00 0.00 11.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 | | REMOT | | | | 021 011 021 03 | UNEDV | | 20.00 | 21120 | 10101 | 0.01 | | 11.00 | | | | |
| Bennes Sie Luss Sier Caller Park Antonic GLE Owned at the second of the decontrol of | | SPLITT | | | | | | | | | | | | | | | | |
| INS and described INS MUSTIC 7.83 0.00 46.77 0.00 11.9 100 100 BN USER CONCENS FEED TEACH FRACENCY STELLING ARCORD'S TELLING ARCORD'S TELLING STAND INS MUT IN ACCOUNT FOI UND STAND INS MUT IN ACCOUNT FOI UND STAND INS MUT IN ACCOUNT FOI UND STAND INS MUT IN ACCOUNT FOI UND STAND INS MUT IN ACCOUNT FOI UND STAND INS MUT IN ACCOUNT FOI UND STAND INS MUT IN ACCOUNT FOI UND STAND INS MUT IN ACCOUNT FOI UND STAND INS MUT IN ACCOUNT FOI UND STAND INS MUT IN ACCOUNT FOI UND STAND INS MUT IN ACCOUNT FOI UND STAND INS MUT IN ACCOUNT FOI UND STAND INS MUT IN ACCOUNT FOI UND STAND INS MUT IN ACCOUNT FOI UND STAND STAND INS MUT IN ACCOUNT FOI UND STAND | | | Remote Site Line Share BellSouth Owned Splitter, 24 Port | I | | ULS | ULSRB | 25.00 | 150.00 | 0.00 | 150.00 | 0.00 | | 11.90 | | | | |
| Ebb USER ORDERMO REMOTE SITE HIGH PRECORMY SPECTRUM AA REMOTE SPECING Image: Constraint of the Con | | | | | | | | | | | | | | | | | | |
| Bennic Sinc Line Analysis of the Automator End Line Showed at R. C. C. L. U.S. W. LSRC 0.01 40.00 22.00 18.57 8.61 11.30 11.00 11.00 IRS Dire Share Line Analysis of the Automator for End User Kerved at RS, C. C. J. I.K.S. U.S.T. 40.00 22.00 19.57 9.61 11.50 11.50 11.50 INSUMCE DECOLATE TRANSPORT I.S.S. U.S.S. 0.00 22.00 19.57 9.61 11.50 < | | | | | | | | | 74.38 | 0.00 | 46.77 | 0.00 | | 11.90 | | | | |
| IRS_SET Seliter I U.S. U.S.RC 0.01 4.00 2.20 11.90 11.90 11.90 RS_INS Part Lendon for Full user avead RS_CLCC ILS U.S.RC 0.41 4.00 22.00 11.97 0.61 11.90 <td></td> <td>END US</td> <td></td> <td></td> <td>REMO</td> <td>TE SITE LINE SHAR</td> <td>ING</td> <td></td> <td>L</td> | | END US | | | REMO | TE SITE LINE SHAR | ING | | | | | | | | | | | L |
| IRS the New Line Activation for Fault User and all RS, LEC Image: Control of the New Line Activation for Fault User and all RS, LEC Image: Control of the New Line Activation for Fault User and all RS, LEC Image: Control of the New Line Activation for Fault User and all RS, LEC Image: Control of the New Line Activation for Fault User and all RS, LEC Image: Control of the New Line Activation for Fault User and all RS, LEC Image: Control of the New Line Activation for Fault User and all RS, LEC Image: Control of the New Line Activation for Fault User and all RS, LEC Image: Control of the New Line Activation for Fault User and All RS, LEC Image: Control of the New Line Activation for Fault User All RS, LEC Image: Control of the New Line Activation for Fault User All RS, LEC Image: Control of the New Line Activation for Fault User All RS, LEC Image: Control of the New Line Activation for Fault User All RS, LEC Image: Control of the New Line Activation for Fault User All RS, LEC Image: Control of the New Line Activation for Fault User All RS, LEC Image: Control of the New Line Activation for Fault User All RS, LEC Image: Control of the New Line Activation for Fault User All RS, LEC Image: Control of the New Line Activation for Fault User All RS, LEC Image: Control of the New Line Activation for Fault User All RS, LEC Image: Control of the New Line Activation for Fault User All RS, LEC Image: Control of the New Line Activation for Fault User All RS, LEC Image: Control of the New Line Activation for Fault User All RS, LEC Image: Control of the New Line Activation for Fault User All RS, LEC Image: Control of the N | | | | | 1 | uis | LUSBC | 0.61 | 40.00 | 22.00 | 19 57 | 9.61 | | 11 00 | | | | 1 1 |
| Image: Space space | | | | | | 013 | ULSKC | 0.01 | 40.00 | 22.00 | 19.57 | 5.01 | | 11.90 | | | | |
| UBBURDLED CEDCATED TRANSPORT Image: Control Decision Transport - Wire Vision Grade - U Trix Image: Control Decision Transport - Wire Vision Grade - U Trix Image: Control Decision Transport - Wire Vision Grade - U Trix Image: Control Decision Transport - Wire Vision Grade - U Trix Image: Control Decision Transport - Wire Vision Grade - U Trix Image: Control Decision Transport - Wire Vision Grade - U Trix Image: Control Decision Transport - Wire Vision Grade - U Trix Image: Control Decision Transport - Wire Vision Grade - U Trix Image: Control Decision Transport - Wire Vision Grade - U Trix Image: Control Decision Transport - Wire Vision Grade - U Trix Image: Control Decision Transport - Wire Vision Grade - U Trix Image: Control Decision Transport - Wire Vision Grade - U Trix Image: Control Decision Transport - Wire Vision Grade - U Trix Image: Control Decision Transport - Wire Vision Grade - U Trix Image: Control Decision Transport - Wire Vision Grade - U Trix Image: Control Decision Transport - Wire Vision Grade - U Trix Image: Control Decision Transport - Wire Vision Grade - U Trix Image: Control Decision Transport - Wire Vision Grade - U Trix Image: Control Decision Transport - Wire Vision Grade - U Trix Image: Control Decision Transport - Wire Vision Grade - U Trix Image: Control Decision Transport - Wire Vision Grade - U Trix Image: Control Decision Transport - Wire Vision Grade - U Trix Image: Control Decision Transport - Wire Vision Grade - U Trix Image: Control Decision Transport - S Wire Vision Grade - U Trix Image: Control Decision Transport - S Wire Vision Grade | | | | 1 | | ULS | ULSTC | 0.61 | 40.00 | 22.00 | 19.57 | 9.61 | | 11 90 | | | | |
| INTROFFICE CHANNEL - DECIGATE TRANSPORT Image: Constraint of the constraint of t | UNBUN | DLED D | | | | | | | | | | | | | | | | |
| Interdition Definition Definition UTVX LSX 0.001 Parking per month UTVX UTVX UTVX UTVX 0.001 Image: Constraint of the constrai | | NOTE: | INTEROFFICE CHANNEL DEDICATED TRANSPORT - minimu | m billin | g perio | od - below DS3=one | month, DS3/ | STS-1=four mo | nths | | | | | | | | | |
| De Mite per month UTVX ULVX ULVX <td></td> <td>INTERC</td> <td></td> | | INTERC | | | | | | | | | | | | | | | | |
| Intercifice Channel - Dedicated Transport - 2-Wire Vice Grade UTVX UTV2 25.32 47.35 31.78 18.31 7.03 11.90 Image: Constraint of the constraint | | | | | | | | | | | | | | | | | | |
| Facility Termination UTIX UTIX< | | | | | | U1TVX | 1L5XX | 0.0091 | | | | | | | | | | |
| Interdire Channel - Dedicated Transport - 2-Wire Vice Grade UTTVX LLSX 0.0001 Rev Bar. Per Mile per moth DutTVX LLSX 0.0001 III.0 III.0 Interdire Channel - Dedicated Transport -2-Wire VG Rev Bat. UTTVX UTTVX UTTVX III.2 25.32 47.35 31.78 18.31 7.03 III.0 | | | | | | | 11477.00 | 05.00 | 17.05 | 04 70 | 10.01 | 7.00 | | 11.00 | | | | |
| Rev Bat Per Mile per month UTVX 1LSXX 0.0091 - | | | | | | UTIVX | U11V2 | 25.32 | 47.35 | 31.78 | 18.31 | 7.03 | | 11.90 | | | | ├─── ┤ |
| Interoffice Channel - Dedicated Transport - 2-Wire VG Rev Bat Per Mile per month UTTX UTTX <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>11.577</td> <td>0.0001</td> <td></td> | | | | | | | 11.577 | 0.0001 | | | | | | | | | | |
| Facility Termination UTTX UTR2 23.22 47.35 31.78 18.31 7.03 11.90 Image: constraint of the second of the s | | | | | - | | TLJAA | 0.0091 | | | | | | | | | | |
| Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade UTTX 1L5X 0.091 Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade UTTX 1L5X 0.091 Interoffice Channel - Dedicated Transport - 5K bps - per mile Interoffice Channel - Dedicated Transport - 5K bps - per mile Interoffice Channel - Dedicated Transport - 5K bps - Per mile Interoffice Channel - Dedicated Transport - 5K bps - Per mile Interoffice Channel - Dedicated Transport - 5K bps - Per mile Interoffice Channel - Dedicated Transport - 5K bps - Per mile Interoffice Channel - Dedicated Transport - 5K bps - Per mile Interoffice Channel - Dedicated Transport - 5K bps - Per mile Interoffice Channel - Dedicated Transport - 6K bps - Per mile Interoffice Channel - Dedicated Transport - 6K bps - Facilty Interoffice Channel - Dedicated Transport - 6K bps - Facilty Interoffice Channel - Dedicated Transport - 6K bps - Facilty Interoffice Channel - Dedicated Transport - 6K bps - Facilty Interoffice Channel - Dedicated Transport - 6K bps - Facilty Interoffice Channel - Dedicated Transport - 6K bps - Facilty Interoffice Channel - Dedicated Transport - 6K bps - Facilty Interoffice Channel - Dedicated Transport - DSI - Per Mile per month Interoffice Channel - Dedicated Transport - DSI - Facilty Interoffice Channel - DEdicated Transport - DSI - Facilty Interoffice Channel - DEdicated Transport - DSI - Facilty Interoffice Channel - DEdicated Transport - DSI - Facilty Interoffice Channel - DEdicated Transport - DSI - Facilty | | | | | | U1TVX | U1TR2 | 25.32 | 47.35 | 31.78 | 18.31 | 7.03 | | 11.90 | | | | |
| Interoffice Channel - Dedicated Transport - 4- Wire Voice Grade UTVX UTV4 22.58 47.35 31.76 18.31 7.03 11.90 Image: Control of the control of the | | | | - | | | | | | | | | | | | | | |
| - Facility Termination UTVX UTV | | | Per Mile per month | | | U1TVX | 1L5XX | 0.0091 | | | | | | | | | | |
| Interoffice Channel - Decidated Transport - 56 kbps - per mile per month UTTX 1LSXX 0.0091 Image: constraint of the con | | | Interoffice Channel - Dedicated Transport - 4- Wire Voice Grade | | | | | | | | | | | | | | | |
| Image: permonth interoffice Channel - Dedicated Transport - 56 kbp - Facility UTDX 1L5XX 0.091 Image: permonth interoffice Channel - Dedicated Transport - 56 kbp - Facility Image: permonth interoffice Channel - Dedicated Transport - 56 kbp - Facility UTDX UTDX UTDX UTDX 0.091 Image: permonth interoffice Channel - Dedicated Transport - 64 kbp - per mile permonth UTDX UTDX UTDX UTDX 0.091 Image: permonth interoffice Channel - Dedicated Transport - 64 kbp - Facility Image: permonth interoffice Channel - Dedicated Transport - 64 kbp - Facility UTDX UTDX UTD6 18.44 47.35 31.78 18.31 7.03 11.90 Image: permonth interoffice Channel - Dedicated Transport - 64 kbp - Facility UTDX UTDX UTDK UTDK <t< td=""><td></td><td></td><td></td><td></td><td></td><td>U1TVX</td><td>U1TV4</td><td>22.58</td><td>47.35</td><td>31.78</td><td>18.31</td><td>7.03</td><td></td><td>11.90</td><td></td><td></td><td></td><td></td></t<> | | | | | | U1TVX | U1TV4 | 22.58 | 47.35 | 31.78 | 18.31 | 7.03 | | 11.90 | | | | |
| Interoffice Channel - Dedicated Transport - 56 kbps - Facility U1TDX | | | | | | | | | | | | | | | | | | |
| Termination UTDX UTDS 18.44 47.35 31.78 18.31 7.03 11.90 Image: constraint of the second consecond constraint of the second constraint of the sec | | | | | | UTIDX | 1L5XX | 0.0091 | | | | | | | | | | L |
| Interofice Channel - Dedicated Transport - 64 kbps - per mile U1TDX 1L5XX 0.0091 Interofice Interofice <t< td=""><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>19.44</td><td>47.25</td><td>21 70</td><td>10.21</td><td>7.02</td><td></td><td>11.00</td><td></td><td></td><td></td><td></td></t<> | | | | | | | | 19.44 | 47.25 | 21 70 | 10.21 | 7.02 | | 11.00 | | | | |
| Der month UITDX LLSXX 0.0091 Image | | | | | - | UTIDA | 01105 | 10.44 | 47.55 | 31.70 | 10.31 | 7.03 | | 11.90 | | | | |
| Interoffice Channel - Dedicated Transport - 64 kbps - Facility Termination U1TDX U1TD6 18.44 47.35 31.78 18.31 7.03 11.90 11.90 Interoffice Channel - Dedicated Channel - DS1 - Per Mile per month U1TD1 1L5XX 0.1856 <td></td> <td></td> <td></td> <td></td> <td></td> <td>U1TDX</td> <td>1L5XX</td> <td>0.0091</td> <td></td> | | | | | | U1TDX | 1L5XX | 0.0091 | | | | | | | | | | |
| Interoffice Channel - Dedicated Channel - DS1 - Per Mile per month U1TD1 1L5XX 0.1856 Image: Constraint of the constrai | | | | | | - | - | | | | | | | | | | | |
| month U1TD1 1L5XX 0.1856 | | | Termination | | | U1TDX | U1TD6 | 18.44 | 47.35 | 31.78 | 18.31 | 7.03 | | 11.90 | | | | |
| Interoffice Channel - Dedicated Tranport - DS1 - Facility Termination U1TD1 U1TF1 88.44 105.54 98.47 21.47 19.05 11.90 11.90 Interoffice Channel - Dedicated Transport - DS3 - Per Mile per month U1TD3 11.5XX 3.87 11.90 11.90 11.90 Interoffice Channel - Dedicated Transport - DS3 - Facility Termination per month U1TD3 11.5XX 3.87 11.90 11.90 11.90 Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per month U1TD3 U1TF3 1,071.00 335.46 219.28 72.03 70.56 11.90 | | | | | | | | | | | | | | | | | | |
| Termination U1TD1 U1TF1 88.44 105.54 98.47 21.47 19.05 11.90 Image: constraint of the second | | | | I | ļ | U1TD1 | 1L5XX | 0.1856 | | | | | | | | | | ļ] |
| Interoffice Channel - Dedicated Transport - DS3 - Per Mile per month U1TD3 1L5XX 3.87 Image: Constraint of the constrai | | | | 1 | 1 | | | | 40F F 1 | 00.47 | ot /= | 10.07 | | 44.000 | | | | 1 |
| month U1TD3 1L5XX 3.87 | | | | | | U11D1 | U1IF1 | 88.44 | 105.54 | 98.47 | 21.47 | 19.05 | | 11.90 | | | | ├─── ┤ |
| Interoffice Channel - Dedicated Transport - DS3 - Facility Termination per month U1TD3 U1TF3 1,071.00 335.46 219.28 72.03 70.56 11.90 Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per month U1TS1 1L5XX 3.87 | | | | | | | 11.533 | 3.87 | | | | | | | | | | |
| Image: Second second | | | | | 1 | 01105 | TESTOR | 5.07 | | | | | | | | | | |
| month U1TS1 1L5XX 3.87 | | | | | | U1TD3 | U1TF3 | 1,071.00 | 335.46 | 219.28 | 72.03 | 70.56 | | 11.90 | | | | |
| Interoffice Channel - Dedicated Transport - STS-1 - Facility Termination U1TS1 U1TFS 1,056.00 335.46 219.28 72.03 70.56 11.90 11.90 LOCAL CHANNEL - DEDICATED TRANSPORT I U1TS1 U1TFS 1,056.00 335.46 219.28 72.03 70.56 11.90 Interview Interview< | | | | | | | | | | | | | | | | | | |
| Termination U1TS1 U1TFS 1,056.00 335.46 219.28 72.03 70.56 11.90 Image: Constraint of the constraint of th | | | month | | | U1TS1 | 1L5XX | 3.87 | | | | | | | | | | |
| LOCAL CHANNEL - DEDICATED TRANSPORT Image: Constraint of the second | | | | | 1 | | | | | | | | | | | | | |
| NOTE: LOCAL CHANNEL DEDICATED TRANSPORT - minimum billing period - below DS3=one month, DS3/STS-1=four months | | | | I | Ļ | U1TS1 | U1TFS | 1,056.00 | 335.46 | 219.28 | 72.03 | 70.56 | ļ | 11.90 | | | | ļ |
| Local Channel - Dedicated - 2-Wire Voice Grade - Zone 1 1 ULDVX ULDV2 19.66 265.84 46.97 37.63 4.00 11.90 Local Channel - Dedicated - 2-Wire Voice Grade - Zone 2 2 ULDVX ULDV2 27.94 265.84 46.97 37.63 4.00 11.90 11.90 Local Channel - Dedicated - 2-Wire Voice Grade - Zone 3 3 UNDVX ULDV2 49.58 265.84 46.97 37.63 4.00 11.90 11.90 Local Channel - Dedicated - 2-Wire Voice Grade Rev. Bat UDVX ULDV2 49.58 265.84 46.97 37.63 4.00 11.90 11.90 | | | | | | D62_075 moret | Dealers 4 | four months | | | | | | | | | | ∔] |
| Local Channel - Dedicated - 2-Wire Voice Grade - Zone 2 2 ULDVX ULDV2 27.94 265.84 46.97 37.63 4.00 11.90 Local Channel - Dedicated - 2-Wire Voice Grade - Zone 3 3 UNDVX ULDV2 49.58 265.84 46.97 37.63 4.00 11.90 Local Channel - Dedicated - 2-Wire Voice Grade Rev. Bat 5 40.07 37.63 4.00 11.90 | \vdash | NUTE: | | g perio | | | | | 265 94 | 16 07 | 27 62 | 4.00 | | 11.00 | | | | ├──── ┤ |
| Local Channel - Dedicated - 2-Wire Voice Grade - Zone 3 3 UNDVX ULDV2 49.58 265.84 46.97 37.63 4.00 11.90 Local Channel - Dedicated - 2-Wire Voice Grade Rev. Bat Image: Construction of the second s | | | | 1 | | | | | | | | | | | | | | ┢────┤ |
| Local Channel - Dedicated - 2-Wire Voice Grade Rev. Bat | | | | 1 | | | | | | | | | | | | | | |
| Zone 1 1 ULDVX ULDR2 19.66 265.84 46.97 37.63 4.00 11.90 | | | | 1 | <u> </u> | | 1 | | | | | | 1 | | l | l | 1 | |
| | | | Zone 1 | | 1 | ULDVX | ULDR2 | 19.66 | 265.84 | 46.97 | 37.63 | 4.00 | | 11.90 | | | | |

| Submitted Submitted Charge - C | UNBUNDLE | D NETWORK ELEMENTS - Florida | | | | | | | | | | | | Attachment: | 2 | Exhi | bit: C |
|--|-------------|---|--------|------|---------|---------|-----------|--------|-----------|--------|-------|-----------|-------|-------------|-------|----------|------------|
| Barbox | - | | | | | | | | | | | Svc Order | | | | | |
| Barbox | | | | | | | | | | | | | | | | | |
| CHT Ch C | | | Intori | | | | | | | | | | | | | | Manual Svc |
| Image: state | CATEGORY | RATE ELEMENTS | | Zone | BCS | USOC | | | RATES(\$) | | | per LSR | | | | | |
| Image: state is and partial plane basis with the state is and plane basis with the s | | | m | | | | | | | | | P | p | | | | |
| | | | | | | | | | | | | | | | | | |
| Image: Constant Control | | | | | | | | | | | | | | | | 5.00 .01 | Dictinual |
| $ = \ \ \ \ \ \ \ \ \ \ \ \ \$ | | | | | | | Rec | | | | | | | | | - | |
| Strac Strac <th< td=""><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>First</td><td>Add'l</td><td>First</td><td>Add'l</td><td>SOMEC</td><td>SOMAN</td><td>SOMAN</td><td>SOMAN</td><td>SOMAN</td><td>SOMAN</td></th<> | | | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| Local Channel - Notices 4 - 2 min Vac Games | | | | | | | 07.04 | | | | | | | | | | |
| Cook 3 Cook 3< | | | | 2 | ULDVX | ULDR2 | 27.94 | 265.84 | 46.97 | 37.63 | 4.00 | | 11.90 | | | | |
| Image: Source Control: - Discolary - Arring Votes (ads Arring - Votes (ads Arring Votes (ads Arring - Votes (ads Arring Votes (ads Arring - Votes (ads Arring Votes (ads Arring - Votes (ads Arring Votes (ads Arring - Votes (ads Arring Votes (ads Arring - Votes (ads Arring Votes (ads Arring - Votes (ads Arring Votes (ads Arring - Votes (ads Arring Votes (ads | | | | 2 | | | 40.50 | 005.04 | 40.07 | 27.02 | 1.00 | | 11.00 | | | | |
| Indi Channel - Model - Market - Ma | | | | - | | | | | | | | | | | | | |
| Load Channel - Model - Affect Journel - Model and - Mark View View View View View View View View | | | | | | | | | | | | | | | | | |
| Local Chunnel - Boldesel - Col: - Zoine 1 1 LCC01 LCP1 36.43 26.58 16.524 24.33 16.86 11.80 0 0 Local Chunnel - Boldesel - CS1 - Zoine 2 2 LCC01 LLC01 | | | - | | | | | | | | | | | | | | |
| Lacid Chunnel - Boldeni - OS1 - Zene 2 2 LCD1 LDP1 31.86 21.65 10.51 21.03 10.9 0 10.9 0 10.9 0 10.9 0 10.9 0 10.9 0 10.9 0 10.9 0 10.9 0 10.9 0 10.9 0 10.9 0 10.9 0 10.9 0 10.9 0 | | | | | | | | | | | | | | | | | |
| Local Channel Declards 1.081 - Lores 3 S LUD1 LUD3 LUD3 Biol | | | | | | | | | | | | | | | | | |
| Lad Channel Channel ASS - Perk Negative ULD30 ULB30 | | | | | | | | | | | | | | | | | |
| Lord Channel Decisional Distance DS3 - Failing Termination LLD3 UD47 90.11 90.83 90.84 11.9 Image 1mage Lord Channel Decision Distance Distan | | | | 3 | | | | 210.05 | 105.54 | 24.30 | 10.95 | | 11.90 | | | | |
| Lord Cheenel Deckeder 378-1-Pack Map erment LLDS1 LLDS2 6.80 Model 2005 | | | | | | | | 556 37 | 3/13 01 | 130 13 | 96.84 | | 11.90 | | | | |
| Iord Channel Chandend: STS 1 - Facility Termination IOR ST 100 FM 100 | | | | 1 | | | | 550.57 | 5-5.01 | 155.15 | 30.04 | | 11.00 | | 1 | | |
| DARK Floer, Floer Floer Stands, Per Rout Miso F radio I Description | | | | 1 | | | | 556.37 | 343.01 | 139.13 | 96 84 | | 11,90 | | | | |
| Date Flaer, Fuer, Place National, Per Route Mice or Fraction UP LLOC 56.04 PP LLOC S6.04 | DARK FIBER | | t | 1 | | 0.227 0 | 0-10.00 | 500.01 | 5-10.01 | 100.10 | 00.04 | | 11.00 | | 1 | 1 | |
| Image of monte load Channel UPF LLSDC MSC 100 | | Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction | | 1 | | 1 | | | | | | | | | | | |
| NHC Dark Flow - Load Channel OPF OPF OPF 75734 193.8 C M 100 M </td <td></td> <td></td> <td></td> <td></td> <td>UDF</td> <td>1L5DC</td> <td>55,04</td> <td></td> | | | | | UDF | 1L5DC | 55,04 | | | | | | | | | | |
| Image: Durk Flow: Flow: Flow: Flow: Grands, Per Rozio Mie or Fraction Upp LSOF 28.8 P< P< P< P< P< P< P< P< P< P< <t< td=""><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>751.34</td><td>193.88</td><td></td><td></td><td></td><td>11.90</td><td></td><td></td><td></td><td></td></t<> | | | | | | | | 751.34 | 193.88 | | | | 11.90 | | | | |
| Image are notational interacting channel UDP 1150P 26.85 M < | | | | 1 | - | | | | | | | | | | | | |
| NRC Dat Flow: Interofies Channel UDF UDF14 793.3 193.88 UDF 11.00 | | | | | UDF | 1L5DF | 26.85 | | | | | | | | | | |
| Balk Flaw Dur Flaw Balk Flaw Dur Flaw Back Blaw Dur Stands, Per Note Nie or Faction Dur Stands, Per Note Nie Nie Nie Nie Nie Nie Nie Nie Nie Ni | | | | | | | | 751.34 | 193.88 | | | | 11.90 | | | | |
| Image Image <th< td=""><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></th<> | | | | | | | | | | | | | | | | | |
| BXX ACCESS TEN Digit Screening, Reservation Charge Per BXX Number Reserved OHD 0.000622 Image: Control of the co | | | | | UDF | 1L5DL | 55.04 | | | | | | | | | | |
| BXX Access Ten Digl Screening, Per Call OHD 0.000622 C C C <thc<< td=""><td></td><td>NRC Dark Fiber - Local Loop</td><td></td><td></td><td>UDF</td><td>UDFL4</td><td></td><td>751.34</td><td>193.88</td><td></td><td></td><td></td><td>11.90</td><td></td><td></td><td></td><td></td></thc<<> | | NRC Dark Fiber - Local Loop | | | UDF | UDFL4 | | 751.34 | 193.88 | | | | 11.90 | | | | |
| BXX Access Ten Digit Screening, Networks No. Stabilished W/O OHD NR1X C 4.15 0.00 C 11.90 C C C BXX Access Ten Digit Screening, Per XX No. Stabilished W/O OHD NR1X C R.78 1.18 5.77 0.70 11.90 C | 8XX ACCESS | TEN DIGIT SCREENING | | | | | | | | | | | | | | | |
| Number Reserved Number Reserved OHD NR1X C 4.15 0.70 C 11.90 C C C BXX Access Ten Digit Screening, Per 8XX No. Established VM POTS Translations OHD NBFTX S.78 6.78 6.77 0.70 11.90 C< | | 8XX Access Ten Digit Screening, Per Call | | | OHD | | 0.0006252 | | | | | | | | | | |
| BXX Access Ten Digit Screening, Per 8XX No. Established WD OHD No 8.78 1.18 5.77 0.70 11.90 No No BXX Access Ten Digit Screening, Per 8XX No. Established WD OHD NBFTX 8.78 1.18 5.77 0.70 11.90 No 11.90 | | 8XX Access Ten Digit Screening, Reservation Charge Per 8XX | | | | | | | | | | | | | | | |
| POTS Translations OHD P R R R S.77 O.70 11.90 C C C BXX Access To Digli Screening, Customized Area of Service Per 8XX Number OHD NBTX R R.87 1.18 S.77 O.70 11.90 C | | | | | OHD | N8R1X | | 4.15 | 0.70 | | | | 11.90 | | | | |
| BXX Access Ten Diglt Screening, Per 8XX No. Established With per 8XX No. Per 8XX None | | 8XX Access Ten Digit Screening, Per 8XX No. Established W/O | | | | | | | | | | | | | | | |
| POTS Translations OHD NBFTX 8.78 1.18 5.77 0.70 11.90 C C C Pot SX Access Ten Digit Screening, Witple Inter/ATA CXR OHD NBFCX 4.15 2.07 C C 11.90 C | | POTS Translations | | | OHD | | | 8.78 | 1.18 | 5.77 | 0.70 | | 11.90 | | | | |
| BXX Access Ten Digit Screening, Customized Area of Service Per XXX Number OHD NSFCX C C C Digit Screening, Multiple Intel ATA CXR Routing Per CXR Requested Per BXX No. OHD NSFCX 4.15 2.07 Image: Constraint of the con | | | | | | | | | | | | | | | | | |
| Per BXX Number OHD NBFCX 4.15 2.07 0 11.90 0 0 0 Routing Per CXR Requested Per BXX No. OHD NBFAX 4.85 2.78 0 11.90 0 0 0 BXX Access Ten Digl Screening, Change Charge Per Request 0 OHD NBFAX 4.85 0.70 0 0 11.90 0 0 0 BXX Access Ten Digl Screening, Call Handling and Destination OHD NBFAX 4.15 0.70 0 0 0.0006252 11.90 | | | | | OHD | N8FTX | | 8.78 | 1.18 | 5.77 | 0.70 | | 11.90 | | | | |
| BXX Access Ten Digit Screening, Multiple InterLATA CXR OHD NBFMX 4.85 2.78 Image: Constraint of the cons | | | | | | | | | | | | | | | | | |
| Routing Per CXR Requested Per 8XX No. OHD NBFAX 4.85 2.78 11.0 0 0 8XX Access Ten Digit Screening, Charge Per Request OHD NBFAX 4.85 0.70 0 11.0 0 0 8XX Access Ten Digit Screening, Call Handling and Destination OHD NBFAX 4.85 0.70 0 11.00 0 0 0 8XX Access Ten Digit Screening, W BFL No. Delivery, per query OHD NBFAX 4.15 4.15 0 | | | | | OHD | N8FCX | | 4.15 | 2.07 | | | | 11.90 | | | | |
| BXX Access Ten Digit Screening, Call Handling and Destination Features OHD N8FAX 4.85 0.70 Image: Constraint of the second seco | | | | | | | | | | | | | | | | | |
| BXX Access Ten Digit Screening, Call Handling and Destination Features OHD N8FDX 4.15 4.15 Composition 11.90 Composition < | | | | | | | | | | | | | | | | | |
| Features OHD NBFDX 4.15 4.15 C 11.90 C C C Image: State Digit Screening, w/ BFL No. Delivery, per query OHD 0.0006252 Image: State Digit Screening, w/ BFL No. Delivery, per query Image: State Digit Screening, w/ BFL No. Delivery, per query Image: State Digit Screening, w/ BFL No. Delivery, per query Image: State Digit Screening, w/ BFL No. Delivery, per query Image: State Digit Screening, w/ BFL No. Delivery, per query Image: State Digit Screening, w/ BFL No. Delivery, per query Image: State Digit Screening, w/ BFL No. Delivery, per query Image: State Digit Screening, w/ BFL No. Delivery, per query Image: State Digit Screening, w/ BFL No. Delivery, per query Image: State Digit Screening, w/ BFL No. Delivery, per query Image: State Digit Screening, w/ BFL No. Delivery, per query Image: State Digit Screening, w/ BFL No. Delivery, per query Image: State Digit Screening, w/ BFL No. Delivery, per query Image: State Digit Screening, w/ BFL No. Delivery, per query Image: State Digit Screening, w/ BFL No. Delivery, per query Image: State Digit Screening, w/ BFL No. Delivery, per query Image: State Digit Screening, w/ BFL No. Delivery, per query Image: State Digit Screening, w/ BFL No. Delivery, per query Image: State Digit Screening, w/ BFL No. Delivery, per query Image: State Digit Screening, w/ BFL No. Delivery, per query Image: State Digit Screening, w/ BFL No. Delivery, per query Image: State Digit Screening, w/ BFL No. Delivery, per query Image: Stat | | | | | OHD | N8FAX | | 4.85 | 0.70 | | | | 11.90 | | | | |
| BXX Access Ten Digit Screening, w/ BFL No. Delivery, per query OHD 0.0006252 Image: Constraint of the constraint of | | | | | 0.1D | NAFRY | | | | | | | | | | | |
| BXX Access Ten Digit Screening, w/ POTS No. Delivery, per query OHD 0.0006252 Image: Constraint of the state of t | | reatures | | | UHD | N8FDX | | 4.15 | 4.15 | | | <u> </u> | 11.90 | | l | | |
| BXX Access Ten Digit Screening, w/ POTS No. Delivery, per query OHD 0.0006252 Image: Constraint of the state of t | 1 | | | 1 | 0.15 | | 0.0000070 | | | | | | | | | | |
| quey quey 0HD 0.0006252 0HD 0HD 0.0006252 0HD 0HD </td <td></td> <td></td> <td> </td> <td>ł</td> <td>UHD</td> <td>-</td> <td>0.0006252</td> <td></td> <td></td> <td> </td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> | | | | ł | UHD | - | 0.0006252 | | | | | | | | | | |
| LINE INFORMATION DATA BASE ACCESS (LIDB) Image: constraint of the problem of the | 1 | | | 1 | | | 0.0006353 | | | | | | | | | | |
| LIDB Common Transport Per Query OQT 0.0000203 Image: Constraint of the constrain | | | - | - | | | 0.0006252 | | | | | - | | | | | |
| LDB Validation Per Query 0QU 0.0136959 - | | | | | 007 | | 0.0000202 | | | | | | | | | | |
| LIDB Originating Point Code Establishment or Change OQT, OQU NRPBX 55.13 55.13 55.13 11.90 Image: Constraint of Code Establishment or Change Image: Code Establishment or Change Image: Code Establishment or Change Image: Code Establishment or Change Image: Code Establishment or Change Image: Code Establishment or Change Image: Code Establishment or Change Image: Code Establishment or Change Image: Code Establishment or Change Image: Code Establishment or Change Image: Code Establishment or Change Image: Code Establishment or Change Image: Code Establishment or Change Image: Code Establishment or Change Image: Code Establishment or Change Image: Code Establishment or Change Image: Code Establishment or Change Image: Code Establishment or Change Image: Code Establishment or Change, per Store or Code Establishment o | | | | ł | | + | | | | | | | | | 1 | 1 | |
| SIGNALING (CCS7) Image: CCS7 Signaling Termination, Per STP Port Image: CCS7 Signaling Usage, Per TCAP Message Image: UDB PT85X 135.05 Image: CCS7 Signaling Usage, Per TCAP Message Image: CCS7 Signaling Usage, Per TCAP Message Image: CCS7 Signaling Usage, Per TCAP Message Image: CCS7 Signaling Connection, Per link (A link) Image: UDB Image: CCS7 Signaling Connection, Per link (A link) Image: UDB Image: CCS7 Signaling Connection, Per link (B link) (also known as D link) Image: UDB Image: CCS7 Signaling Usage, Per ISUP Message Image: UDB Image: CCS7 Signaling Usage, Per ISUP Message Image: UDB Image: CCS7 Signaling Usage, Per ISUP Message Image: UDB Image: CCS7 Signaling Usage, Per ISUP Message Image: UDB Image: CCS7 Signaling Usage, Per ISUP Message Image: UDB Image: CCS7 Signaling Usage Surrogate, per link per LATA Image: UDB Image: CCSAPO | | | | | | NRPRY | 0.0130939 | 55 12 | 55 12 | 55 12 | 55 12 | | 11 00 | | 1 | 1 | |
| CCS7 Signaling Termination, Per STP Port UDB PT8SX 135.05 Image: Constraint of the second sec | SIGNALING (| | | | 541,040 | | | 55.15 | 55.15 | 55.15 | 55.15 | | 11.50 | | 1 | 1 | |
| CCS7 Signaling Usage, Per TCAP Message UDB 0.000007 Image: Cost of the content o | | | | | LIDB | PT8SX | 135.05 | | | | | | | | | | |
| CCS7 Signaling Connection, Per link (A link) UDB TPP++ 17.93 43.57 43.57 18.31 18.31 11.90 < | | | | 1 | | . 100/ | | | | | | | | | | | |
| CCS7 Signaling Connection, Per link (B link) (also known as D link) UDB TPP++ 17.93 43.57 43.57 43.57 18.31 18.31 11.90 Image: Connection (Connection) Image: Connection (Connet) Image: Connection) Image: Connec | | | t | 1 | | TPP++ | | 43.57 | 43 57 | 18.31 | 18.31 | | 11.90 | | 1 | 1 | |
| link/ UDB TP++ 17.93 43.57 43.57 18.31 18.31 11.90 Image: Constraint of the cons | | | t | 1 | | | 17.35 | -10.07 | +0.07 | 10.01 | 10.31 | | 11.00 | | 1 | 1 | |
| CCS7 Signaling Usage, Per ISUP Message UDB 0.0000152 Image: CCS7 Signaling Usage Surrogate, per link per LATA UDB STU56 694.32 Image: CCS7 Signaling Point Code, per Originating Point Code Image: CCS7 Signaling Point Code, per Originating Point Code Image: CCS7 Signaling Point Code, per Originating Point Code Image: CCS7 Signaling Point Code, per Originating Point Code Image: CCS7 Signaling Point Code, per Originating Point Code Image: CCS7 Signaling Point Code Image: CCS7 | 1 | | | 1 | UDB | TPP++ | 17,93 | 43.57 | 43.57 | 18.31 | 18.31 | | 11.90 | | | | |
| CCS7 Signaling Usage Surrogate, per link per LATA UDB STU56 694.32 Image: Cost of the second | | 1 | | 1 | | | | .0.01 | | | | | | | | | |
| CCS7 Signaling Point Code, per Originating Point Code UDB CCAPO 46.03 46.03 46.03 46.03 11.90 11.90 E911 SERVICE | | | | 1 | | STU56 | | | | | | | | | 1 | | İ |
| Establishment or Change, per STP affected UDB CCAPO 46.03 46.03 46.03 11.90 E911 SERVICE < | | | 1 | 1 | İ | | | | | i İ | | | | | 1 | | l |
| E911 SERVICE | 1 | | | 1 | UDB | CCAPO | | 46.03 | 46.03 | 46.03 | 46.03 | | 11.90 | | | | |
| | E911 SERVIC | | İ | İ. | | | | | | | | | | | | | |
| | | | 1 | 1 | | | 21.94 | 265.84 | 46.97 | 37.63 | 4.00 | | 11.90 | | 1 | | |

| UNBU | NDLED | NETWORK ELEMENTS - Florida | | | | | | | | | | | | Attachment: | 2 | Exhi | ibit: C |
|----------|------------|--|----------|----------|------|--------|----------|----------|-----------|-------------|--------------|-----------|----------|-------------|-------------|-------------|-------------|
| | | | | | | | | | | | | Svc Order | | Incremental | | Incremental | Incremental |
| | | | | | | | | | | | | Submitted | | Charge - | Charge - | Charge - | Charge - |
| | | | | | | | | | | | | Elec | Manually | Manual Svc | Manual Svc | | |
| CATEG | NRY | RATE ELEMENTS | Interi | Zone | BCS | USOC | | | RATES(\$) | | | | - | | | | |
| OALEO | JICI | | m | Lone | 200 | 0000 | | | | | | per LSR | per LSR | Order vs. | Order vs. | Order vs. | Order vs. |
| | | | | | | | | | | | | | | Electronic- | Electronic- | Electronic- | Electronic- |
| | | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add'l |
| - | | | | | | | | Nonre | curring | Nonrecurrin | g Disconnect | | | 220 | Rates(\$) | | · |
| | | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | Local Channel - Dedicated - 2-wr Voice Grade - Zone 2 | | | | | 29.62 | 265.84 | 46.97 | 37.63 | 4.00 | SOWIEC | 11.90 | SOWAN | JOWAN | SOMAN | SOMAN |
| | | Local Channel - Dedicated - 2-wr Voice Grade - Zone 2 | | - | | | 57.22 | 265.84 | 46.97 | 37.63 | 4.00 | | 11.90 | | | | |
| | | Interoffice Transport - Dedicated - 2-wr Voice Grade - 2016 3 | | | | | 0.0091 | 203.04 | 40.97 | 57.05 | 4.00 | | 11.90 | | | | |
| | | Interoffice Transport - Dedicated - 2-wr Voice Grade Per Kille | | | | | 0.0091 | | | | | | | | | | |
| | | Termination | | | | | 25.32 | 47.35 | 31.78 | 18.31 | 7.03 | | 11.90 | | | | |
| | | Local Channel - Dedicated - DS1 - Zone 1 | | | | | 35.28 | 216.65 | 183.54 | 21.47 | 19.05 | | 11.90 | | | | |
| | | Local Channel - Dedicated - DS1 - Zone 1 | | | | | 47.63 | 216.65 | 183.54 | 21.47 | 19.05 | | 11.90 | | | | |
| L | | Local Channel - Dedicated - DS1 - Zone 2 | | | | | 92.01 | 216.65 | 183.54 | 21.47 | 19.05 | | 11.90 | | | | |
| | | Interoffice Transport - Dedicated - DS1 - Zone S | | - | | | 0.1856 | 210.00 | 163.54 | 21.47 | 19.05 | | 11.90 | | | | |
| | | Interonice Transport - Dedicated - DST Per Mile | | | | | 0.1856 | | | | | | | | | | |
| | | | | | | | 00.44 | 105.54 | 00.47 | 04.47 | 40.05 | | 44.00 | | | | |
| CALL 11 | | Interoffice Transport - Dedicated - DS1 Per Facility Termination E (CNAM) SERVICE | | | | | 88.44 | 105.54 | 98.47 | 21.47 | 19.05 | | 11.90 | | | | |
| CALLIN | GNAM | | | | 001/ | | | 05.05 | 05.05 | 40.04 | 40.04 | | 11.00 | | | | |
| \vdash | | CNAM For DB Owners - Service Establishment | - | <u> </u> | OQV | | | 25.35 | 25.35 | 19.01 | 19.01 | | 11.90 | | | ļ | ─── |
| \vdash | | CNAM For Non DB Owners - Service Establishment | | | OQV | | ↓ | 25.35 | 25.35 | 19.01 | 19.01 | | 11.90 | | | ļ | ─── |
| | | CNAM For DB Owners - Service Provisioning With Point Code | | | | | | | | | | | | | | | |
| | | Establishment | | | OQV | | | 1,592.00 | 1,177.00 | 352.36 | 259.09 | | 11.90 | | | ļ | ļ |
| | | CNAM For Non DB Owners - Service Provisioning With Point | | | | | | | | | | | | | | | |
| | | Code Establishment | | | OQV | | | 546.51 | 393.82 | 358.06 | 259.09 | | 11.90 | | | | |
| | | CNAM for DB Owners, Per Query | | | OQV | | 0.001024 | | | | | | | | | | |
| | | CNAM for Non DB Owners, Per Query | | | OQV | | 0.001024 | | | | | | | | | | |
| LNP Qu | ery Ser | vice | | | | | | | | | | | | | | | |
| | | LNP Charge Per query | | | OQV | | 0.000852 | | | | | | | | | | |
| | | LNP Service Establishment Manual | | | | | | 13.83 | 13.83 | 12.71 | 12.71 | | 11.90 | | | | |
| | | LNP Service Provisioning with Point Code Establishment | | | | | | 655.50 | 334.88 | 297.03 | 218.40 | | 11.90 | | | | |
| OPERA | FOR CA | LL PROCESSING | | | | | | | | | | | | | | | |
| | | Oper. Call Processing - Oper. Provided, Per Min Using BST | | | | | | | | | | | | | | | |
| | | LIDB | | | | | 1.20 | | | | | | | | | | |
| | | Oper. Call Processing - Oper. Provided, Per Min Using | | | | | | | | | | | | | | | |
| | | Foreign LIDB | | | | | 1.24 | | | | | | | | | | |
| | | Oper. Call Processing - Fully Automated, per Call - Using BST | | | | | | | | | | | | | | | |
| | | LIDB | | | | | 0.20 | | | | | | | | | | |
| | | Oper. Call Processing - Fully Automated, per Call - Using | | | | | | | | | | | | | | | |
| | | Foreign LIDB | | | | | 0.20 | | | | | | | | | | |
| INWAR | OPER | ATOR SERVICES | | 1 | | | | | | | | | | | | | |
| | | Inward Operator Services - Verification, Per Call | | 1 | | | 1.00 | | | | | | | | | | |
| | | Inward Operator Services - Verification and Emergency Interrupt | | 1 | | | | | | | | | | | | | |
| | | - Per Call | | | | | 1.95 | | | | | | | | | | |
| BRAND | NG - 0 | PERATOR CALL PROCESSING | | 1 | | | | | | | | | | | | | |
| | Facility | based CLEC | | 1 | | | | | | | | | | | | | |
| | , | Recording of Custom Branded OA Announcement | | 1 | | CBAOS | | 7,000.00 | 7,000.00 | | | | 11.90 | | | | |
| | | Loading of Custom Branded OA Announcement per shelf/NAV | | 1 | | 02/100 | | 1,000.00 | 1,000.00 | | | | 11.00 | | | | |
| | | per OCN | | | | CBAOL | | 500.00 | 500.00 | | | | 11.90 | | | | |
| | UNEP C | | | | | ODITOL | | 000.00 | 000.00 | | | | 11.00 | | | | |
| | | Recording of Custom Branded OA Announcement | | | | | | 7,000.00 | 7,000.00 | | | | 11.90 | | | | |
| \vdash | | Loading of Custom Branded OA Announcement per shelf/NAV | | 1 | | | | 7,000.00 | 7,000.00 | | 1 | | 11.30 | | | 1 | 1 |
| | | per OCN | | 1 | | | | 500.00 | 500.00 | | | | 11.90 | | | 1 | |
| ├ | Inbran | ding via OLNS for UNEP CLEC | <u> </u> | + | | | | 300.00 | 500.00 | | 1 | | 11.50 | | | <u> </u> | 1 |
| ┝──┤ | | Loading of OA per OCN (Regional) | | <u> </u> | | | <u> </u> | 1,200.00 | 1,200.00 | | 1 | | 11.90 | l | | <u> </u> | + |
| DIRECT | | SISTANCE SERVICES | | <u> </u> | | | <u> </u> | 1,200.00 | 1,200.00 | | 1 | | 11.50 | l | | <u> </u> | ł |
| | | ORY ASSISTANCE ACCESS SERVICE | | <u> </u> | | | <u> </u> | | | | 1 | | | l | | <u> </u> | ł |
| ┝──┤ | | | | | 1 | | 0.275 | | | | | | | 1 | | | <u> </u> |
| | | Directory Assistance Access Service Calls, Charge Per Call | | | | | 0.275 | | | | | | | | | <u> </u> | |
| ┝──┤ | | ORY ASSISTANCE CALL COMPLETION ACCESS SERVICE (I | JACC) | | | | ├ | | | | | L | | | | <u> </u> | l |
| | | Directory Assistance Call Completion Access Service (DACC), | | 1 | | | 0.10 | | | | | | | | | 1 | |
| DIREC | 0.01/ | Per Call Attempt | ļ | <u> </u> | | | 0.10 | | | | | | | | | l | ł |
| | | SSISTANCE SERVICES | - | <u> </u> | | | | | | | | | | | | ļ | l |
| \vdash | DIRECT | ORY ASSISTANCE DATA BASE SERVICE (DADS) | - | <u> </u> | | | | | | | | | | | | ļ | ─── |
| \vdash | | Directory Assistance Data Base Service Charge Per Listing | | | | DDCCC | 0.04 | | | | I | | | | | ļ | l |
| | | Directory Assistance Data Base Service, per month | ļ | | | DBSOF | 150.00 | | | | 1 | | | | | | |
| BRAND | NG - DI | RECTORY ASSISTANCE | | 1 | | | 1 | | 1 | | | | | | 1 | 1 | 1 |

| UNBL | JNDLE | D NETWORK ELEMENTS - Florida | | | | | | | | | | | | Attachment: | 2 | Exhi | ibit: C |
|-------|----------|---|--------|------|-------------------|-------|--------|----------|-----------|--------------|------------|-----------|-----------|-------------|-------------|-------------|-------------|
| | | | | | | | | | | | | Svc Order | Svc Order | Incremental | Incremental | Incremental | Incremental |
| | | | | | | | | | | | | | Submitted | Charge - | Charge - | Charge - | Charge - |
| | | | | | | | | | | | | Elec | Manually | Manual Svc | Manual Svc | Manual Svc | |
| CATE | GORY | RATE ELEMENTS | Interi | Zone | BCS | USOC | | | RATES(\$) | | | per LSR | - | Order vs. | Order vs. | Order vs. | Order vs. |
| - | | - | m | | | | | | - (1) | | | perLok | percon | Electronic- | Electronic- | Electronic- | Electronic- |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add'l |
| - | | | | | | | _ | Nonred | curring | Nonrecurring | Disconnect | | | OSS | Rates(\$) | | 1 |
| - | | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | Facility | Based CLEC | | | | | | | 71441 | | , | 00 | | | | 00 | 001111 |
| | | Recording and Provisioning of DA Custom Branded | | | | | | | | | | | | | | | |
| | | Announcement | | | AMT | CBADA | | 6,000.00 | 6,000.00 | | | | 11.90 | | | | |
| - | | Loading of Custom Branded Announcement per Switch | | | AMT | CBADC | | 1,170.00 | 1,170.00 | | | | 11.90 | | | | |
| | UNEP (| | | | | | | 1 | | | | | | | | | |
| | | Recording of DA Custom Branded Announcement | | | | | | 3,000.00 | 3,000.00 | | | | 11.90 | | | | |
| | | Loading of DA Custom Branded Announcement per Switch per | | | | | | ., | | | | | | | | | |
| | | OCN | | | | | | 1,170.00 | 1,170.00 | | | | 11.90 | | | | |
| | Unbrar | ding via OLNS for UNEP CLEC | | | | | | | | | | | | | | | |
| | | Loading of DA per OCN (1 OCN per Order) | | | | | | 420.00 | 420.00 | | | | 11.90 | | | | |
| | | Loading of DA per Switch per OCN | | | | | | 16.00 | 16.00 | | | | 11.90 | | | | |
| SELEC | CTIVE RO | | 1 | 1 | | 1 | | | | 1 | | | | | | | |
| | | Selective Routing Per Unique Line Class Code Per Request Per | 1 | 1 | | 1 | | | | 1 | | | | | | | |
| | 1 | Switch | 1 | 1 | | USRCR | | 93.55 | 93.55 | 12.71 | 12.71 | | 11.90 | | | | |
| VIRTU | AL COL | LOCATION | 1 | 1 | | 1 | | | | 1 | | | | | | | |
| | 1 | Virtual Collocation - Application Cost | 1 | 1 | AMTFS | EAF | | 4,122.00 | 1,249.00 | 1 | | | 11.90 | | | | |
| | | Virtual Collocation - Cable Installation Cost, per cable | | | AMTFS | ESPCX | 12.45 | 965.00 | | 1 | | | 11.90 | | | | |
| | | Virtual Collocation - Floor Space, per sq. ft. | | | AMTFS | ESPVX | 4.25 | | | | | | | | | | |
| | | Virtual Collocation - Power, per fused amp | | | AMTFS | ESPAX | 6.95 | | | | | | | | | | |
| | | Virtual Collocation - Cable Support Structure, per entrance | | | | | | | | | | | | | | | |
| | | cable | | | AMTFS | ESPSX | 13.35 | | | | | | | | | | |
| | | | | | UEANL,UEA,UDN,U | | | | | | | | | | | | |
| | | | | | DC,UAL,UHL,UCL,U | | | | | | | | | | | | |
| | | | | | EQ, AMTFS, UDL, | | | | | | | | | | | | |
| | | | | | UNCVX, UNCDX, | | | | | | | | | | | | |
| | | Virtual Collocation - 2-wire Cross Connects (loop) | | | UNCNX | UEAC2 | 0.0502 | 11.57 | 11.57 | | | | 11.90 | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | UEA,UHL,UCL,UDL, | | | | | | | | | | | | |
| | | | | | AMTFS, UAL, UDN, | | | | | | | | | | | | |
| | | Virtual Collocation - 4-wire Cross Connects (loop) | | | UNCVX, UNCDX | UEAC4 | 0.0502 | 11.57 | 11.57 | | | | 11.90 | | | | |
| | | | | | AMTFS,UDL12, | | | | | | | | | | | | |
| | | | | | UDLO3, U1T48, | | | | | | | | | | | | |
| | | | | | U1T12, U1T03, | | | | | | | | | | | | |
| | | | | | ULDO3, ULD12, | | | | | | | | | | | | |
| | | Virtual Collocation - 2-Fiber Cross Connects | | | ULD48, UDF | CNC2F | 6.71 | 2,431.00 | | | | | 11.90 | | | | |
| | | | | | AMTFS,UDL12, | | | | | | | | | | | | |
| | | | | | UDLO3, U1T48, | | | | | | | | | | | | |
| | | | | | U1T12, U1T03, | | | | | | | | | | | | |
| | | | | | ULDO3, ULD12, | | | | | | | | | | | | |
| | | Virtual Collocation - 4-Fiber Cross Connects | | | ULD48, UDF | CNC4F | 6.71 | 2,431.00 | | | | | 11.90 | | | | |
| | | | | | USL,ULC,AMTFS, | | | | | | | | | | | | |
| | 1 | | 1 | 1 | ULR, UXTD1, | | | | | | | | | | | | |
| | 1 | | 1 | 1 | UNC1X, ULDD1, | | | | | | | | | | | | |
| | 1 | Virtual collocation - Special Access & UNE, cross-connect per | 1 | 1 | U1TD1, USLEL, | | | | | | | | | | | | |
| | | DS1 | | | UNLD1 | CNC1X | 7.50 | 155.00 | 14.00 | | | | 11.90 | | | | |
| | | | | | USL,ULC,AMTFS,U | | | | | | | | | | | | |
| | | | | | E3, U1TD3, UXTS1, | | | | | 1 | | | | | | | |
| | 1 | | 1 | 1 | UXTD3, UNC3X, | | | | | | | | | | | | |
| | | | | | UNCSX, ULDD3, | | | | | 1 | | | | | | | |
| | 1 | Virtual collocation - Special Access & UNE, cross-connect per | 1 | 1 | U1TS1, ULDS1, | | | | | | | | | | | | |
| | | DS3 | L | | UDLSX, UNLD3 | CND3X | 56.25 | 151.90 | 11.83 | | | | 11.90 | | | | |
| | | Virtual Collocation - Co-Carrier Cross Connects - Fiber Cable | | | | 1 | | | | | | | | | | | |
| | | Support Structure, per linear foot | | | AMTFS,CLO | VE1CB | 0.0028 | | | | | | | | | | |
| | | Virtual Collocation - Co-Carrier Cross Connects - Copper/Coax | | | | 1 | | - | | | | | | | | | |
| | | Cable Support Structure, per linear ft | 1 | | AMTFS, CLO | VE1CD | 0.0041 | | | | | | | | | | |
| | | Virtual Collocation - Co-Carrier Cross Connects - Fiber Cable | | | | 1 | | | | | | | | | | | |
| | | Support Structure, per cable | | | AMTFS | VE1CC | | 535.54 | | | | | 11.90 | | | | |
| | | Virtual Collocation - Co-Carrier Cross Connects - Copper/Coax | | | | | | | | | | | | | | | |
| | 1 | Cable Support Structure, per cable | 1 | 1 | AMTFS | VE1CE | | 535.54 | | | | 1 | 11.90 | | | | 1 |

| NBUNDLF | ED NETWORK ELEMENTS - Florida | | | | | | | | | | | | Attachment: | 2 | Exhi | bit: C |
|-------------|---|-------------|-----------|--------------|-------|--------|----------|-----------|--------------|------------|-----------------|------------------------|---|---|--|--|
| | | | | | | | | | | | Submitted | Svc Order Submitted | Incremental Charge - | Incremental Charge - | Incremental Charge - | Incremental Charge - |
| ATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES(\$) | | | Elec per LSR | Manually per LSR | Manual Svc Order vs. Electronic- 1st | Manual Svc Order vs. Electronic- Add'l | Manual Svc Order vs. Electronic- Disc 1st | Manual Svc Order vs. Electronic- Disc Add'l |
| | <u> </u> | | | | + | Rec | Nonrec | urring | Nonrecurring | Disconnect | t | | | Rates(\$) | | |
| | † | t | 1 | | + | кес | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | Virtual Collocation Cable Records - per request | | | AMTFS | VE1BA | | 1,525.00 | 1,525.00 | 267.08 | 267.08 | | | | | | |
| | Virtual Collocation Cable Records - VG/DS0 Cable, per cable record | | | AMTFS | VE1BB | | 656.50 | 656.50 | 379.78 | 379.78 | | | | | | |
| | Virtual Collocation Cable Records - VG/DS0 Cable, per each 100 pair | | | AMTFS | VE1BC | | 9.66 | 9.66 | 11.84 | 11.84 | | | | | | |
| | Virtual Collocation Cable Records - DS1, per T1TIE | | | AMTFS | VE1BD | | 4.52 | 4.52 | 5.54 | 5.54 | | | | | | |
| | Virtual Collocation Cable Records - DS3, per T3TIE | | | AMTFS | VE1BE | | 15.82 | 15.82 | 19.40 | 19.40 | | | | | | |
| | Virtual Collocation Cable Records - Fiber Cable, per 99 fiber records | | | AMTFS | VE1BF | | 169.67 | 169.67 | 154.89 | 154.89 | | | | | | |
| | Virtual collocation - Security Escort - Basic, per quarter hour | | | AMTFS | SPTBQ | | 10.89 | | | | | 11.90 | | | | |
| | Virtual collocation - Security Escort - Overtime, per quarter hour | | | AMTFS | SPTOQ | | 13.64 | | | | | 11.90 | | | | |
| | Virtual collocation - Security Escort - Premium, per quarter hour | | ' | AMTFS | SPTPQ | | 16.40 | | | | | 11.90 | | | ļ | |
| | Virtual Collocation - DS-1/DCS Cross Connects, PER 28 CKTS | <u> </u> | ' | AMTES | VE11S | 226.39 | 1,950.00 | | | | | 11.90 | | | | |
| | Virtual Collocation - DS-1.DSX Cross Connects, PER 28 CKTS | | 1 | AMTES | VE11X | 11.51 | 1.950.00 | I | | | | 11.90 | | | | |
| -+ | Virtual Collocation - DS-3/DCS Cross Connects, PER CKT | <u> </u> | +' | AMTES | VE13S | 56.97 | 528.00 | | | | | 11.90 | ł | | <u> </u> | |
| | Virtual Collocation - DS-3/DSC Cross Connects, PER CKT | <u> </u> | + | AMTES | VE13X | 10.06 | 528.00 | | 1 | | | 11.90 | 1 | | | |
| | Virtual collocation - Maintenance in CO - Basic, per quarter hour | | | AMTES | SPTRE | | 10.89 | | | | | 11.90 | | | | |
| | Virtual collocation - Maintenance in CO - Overtime, per quarter hour | | | AMTES | SPTOE | | 13.64 | | | | | 11.90 | | | | |
| | Virtual collocation - Maintenance in CO - Premium per quarter hour | | | AMTFS | SPTPE | | 16.40 | | | | | 11.90 | | | | |
| IRTUAL COL | | 1 | | | 1 | 1 1 | | | | | | | Ì | | ľ | |
| | Virtual Collocation - 2-wire Cross Connect, Exchange Port 2- Wire Analog - Res | | | UEPSR | VE1R2 | 0.0502 | 11.57 | 11.57 | | | l | 11.90 | | | | |
| | Virtual Collocation 2-Wire Cross Connect, Exchange Port 2- Wire Line Side PBX Trunk - Bus | | | UEPSP | VE1R2 | 0.0502 | 11.57 | 11.57 | | | | 11.90 | | | | |
| | Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire Voice Grade PBX Trunk - Res | | | UEPSE | VE1R2 | 0.0502 | 11.57 | 11.57 | | | | 11.90 | | | | |
| | Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire Analog Bus | | | UEPSB | VE1R2 | 0.0502 | 11.57 | 11.57 | | | | 11.90 | | | | |
| | Virtual Collocation 2-Wire Cross Connect, Exchnage Port 2-Wire ISDN | | | UEPSX | VE1R2 | 0.0502 | 11.57 | 11.57 | | | | 11.90 | | | | |
| | Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire ISDN | | <u> </u> | UEPTX | VE1R2 | 0.0502 | 11.57 | 11.57 | | | | 11.90 | | | | |
| | Virtual Collocation 4-Wire Cross Connect, Exchange Port 4-Wire ISDN DS1 | | <u> </u> | UEPEX | VE1R4 | 0.0502 | 11.57 | 11.57 | | | | 11.90 | | | | |
| /IRTUAL COL | | — | ' | + | | | | | | | | | | | | |
| | Virtual Collocation-2 Wire Cross Connects (Loop) for Line Splitting | | <u> </u> | UEPSR, UEPSB | VE1LS | 0.0502 | 11.57 | | | | | 11.90 | | | | |
| | | | | 1 | | | | | | | | | | | 1 | |

| | Virtual Collocation - DS-1/DCS Cross Connects, PER 28 CKTS | AMTES | VE11S | 226.39 | 1,950.00 | | | | 11.9 | 0 | | |
|-------|--|--------------|-------|-----------|------------|--------|----------|-------|------|---|---|-------|
| Ι | Virtual Collocation - DS-1.DSX Cross Connects, PER 28 CKTS | AMTES | VE11X | 11.51 | 1,950.00 | | | | 11.9 | 0 | | |
| | Virtual Collocation - DS-3/DCS Cross Connects, PER CKT | AMTES | VE13S | 56.97 | 528.00 | | | | 11.9 | | | + |
| | Virtual Collocation - DS-3/DSC Cross Connects, PER CKT | AMTFS | VE13X | 10.06 | 528.00 | | | | 11.9 | | | - |
| | | AMTES | SPTRE | | 40.00 | | | | 14.0 | 0 | | |
| | Virtual collocation - Maintenance in CO - Basic, per quarter hour Virtual collocation - Maintenance in CO - Overtime, per quarter | AWITES | SPIRE | | 10.89 | | | | 11.9 | 0 | | _ |
| | hour | AMTES | SPTOE | | 13.64 | | | | 11.9 | 0 | | |
| | Virtual collocation - Maintenance in CO - Premium per guarter | | | | | | | | | - | - | - |
| | hour | AMTES | SPTPE | | 16.40 | | | | 11.9 | 0 | | |
| UÅ | L COLLOCATION | | - | | | | | | | | | |
| | Virtual Collocation - 2-wire Cross Connect, Exchange Port 2- | | | | | | | | | | - | |
| | Wire Analog - Res | UEPSR | VE1R2 | 0.0502 | 11.57 | 11.57 | | | 11.9 | 0 | | |
| | Virtual Collocation 2-Wire Cross Connect, Exchange Port 2- | | | | | | | | | | | |
| | Wire Line Side PBX Trunk - Bus | UEPSP | VE1R2 | 0.0502 | 11.57 | 11.57 | | | 11.9 | 0 | | |
| | Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire | | | | | | | | | | | |
| | Voice Grade PBX Trunk - Res | UEPSE | VE1R2 | 0.0502 | 11.57 | 11.57 | | | 11.9 | 0 | | |
| | Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire | | | | | | | | | | | |
| | Analog Bus | UEPSB | VE1R2 | 0.0502 | 11.57 | 11.57 | | | 11.9 | 0 | | |
| | Virtual Collocation 2-Wire Cross Connect, Exchnage Port 2-Wire | | | | | | | | | | | |
| | ISDN | UEPSX | VE1R2 | 0.0502 | 11.57 | 11.57 | | | 11.9 | 0 | | |
| | Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire | | | | | | | | | | | |
| | ISDN | UEPTX | VE1R2 | 0.0502 | 11.57 | 11.57 | | | 11.9 | 0 | | |
| | Virtual Collocation 4-Wire Cross Connect, Exchange Port 4-Wire | | | | | | | | | | | |
| | ISDN DS1 | UEPEX | VE1R4 | 0.0502 | 11.57 | 11.57 | | | 11.9 | 0 | | |
| UA | L COLLOCATION | | | | | | | | | | | |
| | Virtual Collocation-2 Wire Cross Connects (Loop) for Line | | | | | | | | | | | |
| | Splitting | UEPSR, UEPSB | VE1LS | 0.0502 | 11.57 | | | | 11.9 | 0 | | |
| SIC | AL COLLOCATION | | | | | | | | | | | |
| | Physical Collocation-2 Wire Cross Connects (Loop) for Line Splitting | UEPSR, UEPSB | PE1LS | 0.0276 | 8.22 | 7.22 | 5.74 | 4.58 | 11.9 | 0 | | |
| 201 | ECTIVE CARRIER ROUTING | OLFSR, OLFSB | FLILO | 0.0270 | 0.22 | 1.22 | 5.74 | 4.30 | 11.5 | 0 | | |
| , , , | Regional Service Establishment | SRC | SRCEC | | 193.444.00 | | 7,737.00 | | 11.9 | 0 | | |
| - | End Office Establishment | SRC | SRCEO | | 187.36 | 187.36 | 0.69 | 0.69 | 11.9 | | | - |
| _ | Query NRC, per query | SRC | SKELO | 0.0031868 | 107.30 | 107.30 | 0.09 | 0.09 | 11.5 | 0 | | |
| BF | ELLSOUTH AIN SMS ACCESS SERVICE | 5110 | | 0.0031000 | | | | | | | | |
| | AIN SMS Access Service - Service Establishment, Per State, | | - | | | | | | | | | - |
| | Initial Setup | A1N | CAMSE | | 43.56 | 43.56 | 44.93 | 44.93 | 11.9 | 0 | | |
| | AIN SMS Access Service - Port Connection - Dial/Shared Access | A1N | CAMDP | | 8.64 | 8.64 | 10.03 | 10.03 | 11.9 | 0 | | |
| | AIN SMS Access Service - Port Connection - ISDN Access | A1N | CAM1P | | 8.64 | 8.64 | 10.03 | 10.03 | 11.9 | 0 | | |
| | AIN SMS Access Service - User Identification Codes - Per User | | | | İ | | | | | | | |
| | ID Code | A1N | CAMAU | | 38.66 | 38.66 | 29.88 | 29.88 | 11.9 | 0 | | |

| UNBUNDLE | D NETWORK ELEMENTS - Florida | | | | | | | | | | | | Attachment: | 2 | Exhi | bit: C |
|---|--|----------|---------|---------------------|----------------|-----------------|----------------|---------------|---------------|----------------|--------------|-----------|--------------|----------------|---------------|-------------|
| | | | | | | | | | | | Svc Order | Svc Order | | 1 | | |
| | | | | | | | | | | | Submitted | | | Charge - | Charge - | Charge - |
| | | Interi | | | | | | | | | Elec | Manually | | Manual Svc | Manual Svc | - |
| CATEGORY | RATE ELEMENTS | | Zone | BCS | USOC | | | RATES(\$) | | | per LSR | - | Order vs. | Order vs. | Order vs. | Order vs. |
| | | m | | | | | | | | | P | | Electronic- | Electronic- | Electronic- | Electronic- |
| | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add'l |
| | | | | | | | | | | | | | | | 2100 101 | Diooridai |
| | | | | | | Rec | | curring | | g Disconnect | | | | Rates(\$) | | ! |
| | | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | AIN SMS Access Service - Security Card, Per User ID Code, | | | | | | | | 10.00 | 10.00 | | | | | | 1 ' |
| | Initial or Replacement | | | A1N | CAMRC | 0.0000 | 75.10 | 75.10 | 12.93 | 12.93 | | 11.90 | | | | ↓ ′ |
| | AIN SMS Access Service - Storage, Per Unit (100 Kilobytes) AIN SMS Access Service - Session, Per Minute | - | | | | 0.0028 | | | | | - | | | | | i' |
| | AIN SMS Access Service - Session, Per Minute AIN SMS Access Service - Company Performed Session, Per | | - | | | 0.7609 | | | | | | | | | | i |
| | Minute | | | | | 0.4609 | | | | | | | | | | 1 |
| AIN - BELLSO | UTH AIN TOOLKIT SERVICE | | | | | 0.4000 | | | | | 1 | 1 | | | | |
| | AIN Toolkit Service - Service Establishment Charge, Per State, | | | | | | | | | | 1 | 1 | | | | |
| | Initial Setup | | | CAM | BAPSC | | 43.56 | 43.56 | 44.93 | 44.93 | | 11.90 | | | | i |
| | AIN Toolkit Service - Training Session, Per Customer | | | - | BAPVX | | 8,439.00 | 8,439.00 | | | | 11.90 | | | | |
| | AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per | | | | | | | | | | | | | | | |
| | DN, Term. Attempt | | | | BAPTT | | 8.64 | 8.64 | 10.03 | 10.03 | | 11.90 | | | | i |
| | AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per | | | | | | | | | | | | | | | Í |
| | DN, Off-Hook Delay | | | | BAPTD | | 8.64 | 8.64 | 10.03 | 10.03 | | 11.90 | | | | 1 |
| | AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per | | | | | | | | | | | | | | | i |
| | DN, Off-Hook Immediate | | | | BAPTM | | 8.64 | 8.64 | 10.03 | 10.03 | | 11.90 | | | | 1 |
| | AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per | | | | | | | | | | | | | | | i |
| | DN, 10-Digit PODP | | | | BAPTO | | 38.06 | 38.06 | 15.86 | 15.86 | | 11.90 | | | | l |
| | AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per | | | | | | | | | | | | | | | i |
| | DN, CDP | | | | BAPTC | | 38.06 | 38.06 | 15.86 | 15.86 | | 11.90 | - | - | | ł |
| | AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per | | | | DADTE | | 20.00 | 20.00 | 45.00 | 45.00 | | 11.00 | | | | i |
| | DN, Feature Code | - | | | BAPTF | 0.0535927 | 38.06 | 38.06 | 15.86 | 15.86 | - | 11.90 | | | | i |
| | AIN Toolkit Service - Query Charge, Per Query AIN Toolkit Service - Type 1 Node Charge, Per AIN Toolkit | | - | | | 0.0555927 | | | | | | | | | | i |
| | Subscription, Per Node, Per Query | | | | | 0.0063698 | | | | | | | | | | i |
| | AIN Toolkit Service - SCP Storage Charge, Per SMS Access | | | | | 0.0003098 | | | | | | | | | | <u> </u> |
| | Account, Per 100 Kilobytes | | | | | 0.06 | | | | | | | | | | i |
| | AIN Toolkit Service - Monthly report - Per AIN Toolkit Service | | | | | 0.00 | | | | | 1 | 1 | | | | |
| | Subscription | | | CAM | BAPMS | 8.34 | 8.64 | 8.64 | 6.08 | 6.08 | | 11.90 | | | | i |
| | AIN Toolkit Service - Special Study - Per AIN Toolkit Service | | | | | | | | | | | | | | | |
| | Subscription | | | CAM | BAPLS | 3.73 | 9.56 | 9.56 | | | | 11.90 | | | | i |
| | AIN Toolkit Service - Call Event Report - Per AIN Toolkit Service | | | | | | | | | | | | | | | (|
| | Subscription | | | CAM | BAPDS | 4.73 | 8.64 | 8.64 | 6.08 | 6.08 | | 11.90 | | | | 1 |
| | AIN Toolkit Service - Call Event Special Study - Per AIN Toolkit | | | | | | | | | | | | | | | í |
| | Service Subscription | | | CAM | BAPES | 0.12 | 9.56 | 9.56 | | | | 11.90 | | | | 1 |
| | (TENDED LINK (EELs) | | | | | | | | | | | | | | | l |
| NOTE: | New Density Zone 1 EELs are available in the following MSA | s: Orlar | ndo, FL | ; Miami, FL; Ft. La | uderdale, FL; | Atlanta, Ga; Ne | w Orleans, LA, | | | | | | | | | |
| | Charlotte-Gastonia-Rockhill, NC; Greensboro-Winston Salen | | | | | | | | | | | | | | | Ļ |
| | In all states, EEL network elements shown below also apply | | | | | | | | | | | | UNES.(NON-re | ecurring rates | do not apply. |) |
| | In All States the EEL network elements apply to ordinarily co VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 IN | | | | witch As is Ch | arge.) when or | dering ordinal | rily combined | network eleme | nts, Non-recur | ring rates d | o appiy. | | | | |
| 2-WIRE | First 2-Wire VG Loop(SL2) in a DS1 Interofficed Transport | | | ANGFORI (EEL) | | 1 | | | | ł | | <u> </u> | ł | ł | + | ł |
| | Combination - Zone 1 | | 1 | UNCVX | UEAL2 | 12.24 | 127.59 | 60.54 | 42.79 | 2.81 | | 11.90 | 1 | 1 | | 1 |
| <u>├── </u> | First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed | 1 | | | Q _ , (L2 | 12.27 | 121.00 | 00.04 | -12.13 | 2.01 | 1 | 11.50 | | | | |
| | Transport Combination - Zone 2 | 1 | 2 | UNCVX | UEAL2 | 17.40 | 127.59 | 60.54 | 42.79 | 2.81 | | 11.90 | 1 | | | 1 |
| | First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed | 1 | | | | | | | | | 1 | | İ | l | | 1 |
| | Transport Combination - Zone 3 | | 3 | UNCVX | UEAL2 | 30.87 | 127.59 | 60.54 | 42.79 | 2.81 | | 11.90 | 1 | 1 | | 1 |
| | Interoffice Transport - Dedicated - DS1 combination - Per Mile | 1 | | | | | | | | 1 | | | 1 | | | |
| | per month | | | UNC1X | 1L5XX | 0.1856 | | | | | | | | | | I |
| | Interoffice Transport - Dedicated - DS1 combination - Facility | | | | | | | | | | | | | | | |
| | Termination per month | | 1 | UNC1X | U1TF1 | 88.44 | 174.46 | 122.46 | 45.61 | 17.95 | | 11.90 | | | | ļ |
| | DS1 Channelization System Per Month | | | UNC1X | MQ1 | 146.77 | 51.83 | 10.75 | | | | 11.90 | | | | |
| | Voice Grade COCI - DS1 To Ds0 Interface - Per Month | | | UNCVX | 1D1VG | 1.38 | 12.16 | 8.77 | 6.71 | 4.84 | | 11.90 | ļ | ļ | | I |
| | Each Additional 2-Wire VG Loop(SL 2) in the same DS1 | 1 | 1 | | <u>.</u> . | | | | | | | | 1 | | | 1 |
| | Interoffice Transport Combination - Zone 1 | | 1 | UNCVX | UEAL2 | 12.24 | 127.59 | 60.54 | 42.79 | 2.81 | | 11.90 | | | | I |
| | Each Additional 2-Wire VG Loop(SL2) in the same DS1 | 1 | _ | | 115410 | | | | | | | | 1 | | | 1 |
| ├ ── ├ ── | Interoffice Transport Combination - Zone 2 | | 2 | UNCVX | UEAL2 | 17.40 | 127.59 | 60.54 | 42.79 | 2.81 | I | 11.90 | <u> </u> | ļ | | |
| | Each Additional 2-Wire VG Loop(SL2) in the same DS1 | | _ | | | 20.07 | 407 50 | 00.54 | 40.70 | 0.01 | | 44.00 | 1 | 1 | | 1 |
| | Interoffice Transport Combination - Zone 3 | | 3 | UNCVX | UEAL2 | 30.87 | 127.59 | 60.54 | 42.79 | 2.81 | | 11.90 | | | | ! |

Exhibit 1

| | | | | | | | | | | | | | Attachment: | 4 | LAIII | bit: C |
|-------------------|--|-------------|--------|-----------------|--------|--------|--------|-----------|--------------|------------|---|-----------|--|--|----------|---|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES(\$) | | | Svc Order Submitted Elec per LSR | Submitted | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Charge - | Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'I |
| | | | | | | Rec | Nonrec | | Nonrecurring | Disconnect | | | | Rates(\$) | • | • |
| | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | Voice Grade COCI - DS1 to DS0 Channel System combination - per month | | | UNCVX | 1D1VG | 1.38 | 12.16 | 8.77 | 6.71 | 4.84 | | 11.90 | | | | |
| | Nonrecurring Currently Combined Network Elements Switch -As- | | | UNCVA | IDIVG | 1.30 | 12.10 | 0.77 | 0.71 | 4.04 | | 11.90 | | | | |
| | Is Charge | | | UNC1X | UNCCC | | 8.98 | 8.98 | 8.98 | 8.98 | | 11.90 | | | | |
| 4-WIRE | VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INT | EROFF | ICE TR | ANSPORT (EEL) | | | | | | | | | | | | |
| | First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice Transport Combination - Zone 1 | | 1 | UNCVX | UEAL4 | 18.89 | 127.59 | 60.54 | 42.79 | 2.81 | | 11.90 | | | | |
| | First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice | | | ONOVX | | 10.03 | 127.55 | 00.34 | 42.13 | 2.01 | | 11.30 | | | | |
| | Transport Combination - Zone 2 | | 2 | UNCVX | UEAL4 | 26.84 | 127.59 | 60.54 | 42.79 | 2.81 | | 11.90 | | | | |
| | First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice Transport Combination - Zone 3 | | 3 | UNCVX | UEAL4 | 47.62 | 127.59 | 60.54 | 42.79 | 2.81 | | 11.90 | | | | |
| | Interoffice Transport - Dedicated - DS1 combination - Per Mile | | 5 | UNCVA | ULAL4 | 47.02 | 127.55 | 00.34 | 42.75 | 2.01 | | 11.90 | | | | |
| | Per Month | | | UNC1X | 1L5XX | 0.1856 | | | | | | | | | | |
| | Interoffice Transport - Dedicated - DS1 - Facility Termination Per | | | | | | | | 17.04 | 17.05 | | | | | | |
| | Month Channelization - Channel System DS1 to DS0 combination Per | | | UNC1X | U1TF1 | 88.44 | 174.46 | 122.46 | 45.61 | 17.95 | | 11.90 | | | | |
| | Month | | | UNC1X | MQ1 | 146.77 | 51.83 | 10.75 | | | | 11.90 | | | | |
| | Voice Grade COCI - DS1 to DS0 Channel System combination - | | | | | | | | | | | | | | | |
| | per month | | | UNCVX | 1D1VG | 1.38 | 12.16 | 8.77 | 6.71 | 4.84 | | 11.90 | | | | |
| | Additional 4-Wire Analog Voice Grade Loop in same DS1 Interoffice Transport Combination - Zone 1 | | 1 | UNCVX | UEAL4 | 18.89 | 127.59 | 60.54 | 42.79 | 2.81 | | 11.90 | | | | |
| | Additional 4-Wire Analog Voice Grade Loop in same DS1 | | | onovx | UE/IE4 | 10.00 | 121.00 | 00.04 | 42.10 | 2.01 | | 11.00 | | | | |
| | Interoffice Transport Combination - Zone 2 | | 2 | UNCVX | UEAL4 | 26.84 | 127.59 | 60.54 | 42.79 | 2.81 | | 11.90 | | | | |
| | Additional 4-Wire Analog Voice Grade Loop in same DS1 | | ~ | | | 17.00 | 107.50 | 00.54 | 10 70 | 0.04 | | 44.00 | | | | |
| ' | Interoffice Transport Combination - Zone 3 Voice Grade COCI - DS1 to DS0 Channel System combination - | | 3 | UNCVX | UEAL4 | 47.62 | 127.59 | 60.54 | 42.79 | 2.81 | | 11.90 | | | | |
| | per month | | | UNCVX | 1D1VG | 1.38 | 12.16 | 8.77 | 6.71 | 4.84 | | 11.90 | | | | |
| | Nonrecurring Currently Combined Network Elements Switch -As- | | | | | | | | | | | | | | | |
| | Is Charge 56 KBPS EXTENDED DIGITAL LOOP WITH DEDICATED DS1 | | | UNC1X | UNCCC | | 8.98 | 8.98 | 8.98 | 8.98 | | 11.90 | | | | |
| 4-WIRE | First 4-Wire 56Kbps Digital Grade Loop in a DS1 Interoffice | INTERU | FFICE | TRANSPORT (EEL) | | | | | | | | | | | | |
| | Transport Combination - Zone 1 | | 1 | UNCDX | UDL56 | 22.20 | 127.59 | 60.54 | 42.79 | 2.81 | | 11.90 | | | | |
| | First 4-wire 56Kbps Digital Grade Loop in a DS1 Interoffice | | | | | | | | | | | | | | | |
| | Transport Combination - Zone 2 First 4-Wire 56Kbps Digital Grade Loop in a DS1 Interoffice | | 2 | UNCDX | UDL56 | 31.56 | 127.59 | 60.54 | 42.79 | 2.81 | | 11.90 | | | | |
| | Transport Combination - Zone 3 | | 3 | UNCDX | UDL56 | 55.99 | 127.59 | 60.54 | 42.79 | 2.81 | | 11.90 | | | | |
| | Interoffice Transport - Dedicated - DS1 combination - Per Mile | | | | | | | | | - | | | | | | |
| | Per Month | | | UNC1X | 1L5XX | 0.1856 | | | | | | | | | | |
| | Interoffice Transport - Dedicated - DS1 - combination Facility Termination Per Month | | | UNC1X | U1TF1 | 88.44 | 174.46 | 122.46 | 45.61 | 17.95 | | 11.90 | | | | |
| | Channelization - Channel System DS1 to DS0 combination Per | | | | 01111 | 00.44 | 114.40 | 122.40 | 40.01 | 11.00 | | 11.00 | | | | |
| | Month | | | UNC1X | MQ1 | 146.77 | 51.83 | 10.75 | | | | 11.90 | | | | |
| | OCU-DP COCI (data) - DS1 to DS0 Channel System - per | | | UNCDX | 1D1DD | 2.10 | 10.16 | 0 77 | 6.71 | 4.84 | | 11.90 | | | | |
| ├───┼─── ′ | month (2.4-64kbs) Additional 4-Wire 56Kbps Digital Grade Loopin same DS1 | | | | עטוטי | 2.10 | 12.16 | 8.77 | 0.71 | 4.84 | | 11.90 | | | | |
| | Interoffice Transport Combination - Zone 1 | | 1 | UNCDX | UDL56 | 22.20 | 127.59 | 60.54 | 42.79 | 2.81 | | 11.90 | | | | |
| | Additional 4-Wire 56Kbps Digital Grade Loopin same DS1 | | 6 | | | | | | | | | | | | | |
| | Interoffice Transport Combination - Zone 2 Additional 4-Wire 56Kbps Digital Grade Loopin same DS1 | | 2 | UNCDX | UDL56 | 31.56 | 127.59 | 60.54 | 42.79 | 2.81 | | 11.90 | | | | |
| | Interoffice Transport Combination - Zone 3 | | 3 | UNCDX | UDL56 | 55.99 | 127.59 | 60.54 | 42.79 | 2.81 | | 11.90 | | | | |
| | OCU-DP COCI (data) - DS1 to DS0 Channel System - | | | | | | | | | | | | | | | |
| | combination per month (2.4-64kbs) | | | UNCDX | 1D1DD | 2.10 | 12.16 | 8.77 | 6.71 | 4.84 | | 11.90 | | | | |
| | Nonrecurring Currently Combined Network Elements Switch -As- Is Charge | | | UNC1X | UNCCC | | 8.98 | 8.98 | 8.98 | 8.98 | | 11.90 | | | | |
| 4-WIRE | 64 KBPS EXTENDED DIGITAL LOOP WITH DEDICATED DS1 | INTERO | FFICE | | | | 0.00 | 0.00 | 0.00 | 0.00 | | | | | | |
| | First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice | | | | | | | | | | | | | | | |
| | Transport Combination - Zone 1 First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice | | 1 | UNCDX | UDL64 | 22.20 | 127.59 | 60.54 | 42.79 | 2.81 | | 11.90 | | | | |
| | Transport Combination - Zone 2 | | 2 | UNCDX | UDL64 | 31.56 | 127.59 | 60.54 | 42.79 | 2.81 | | 11.90 | | | | |

| UNBUNDI | LED NETWORK ELEMENTS - Florida | | | | | | | | | | | | Attachment: | 2 | Exhi | ibit: C |
|----------|--|-------------|--------|---------------|--------|----------|--------|-----------|--------------|-------|---|-----------------------|--|-----------|---|----------|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES(\$) | | | Svc Order Submitted Elec per LSR | Submitted Manually | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Charge - | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Charge - |
| | | | | | | Rec | Nonrec | | Nonrecurring | | | | | Rates(\$) | | |
| | | | | | | 1100 | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 3 | | 3 | UNCDX | UDL64 | 55.99 | 127.59 | 60.54 | 42.79 | 2.81 | | 11.90 | | | | |
| | Interoffice Transport - Dedicated - DS1 combination - Per Mile | | 3 | UNCDA | UDL04 | 55.88 | 127.55 | 00.34 | 42.75 | 2.01 | | 11.90 | | | | |
| | Per Month Interoffice Transport - Dedicated - DS1 combination - Facility | | | UNC1X | 1L5XX | 0.1856 | | | | | | | | | | <u> </u> |
| | Termination Per Month | | | UNC1X | U1TF1 | 88.44 | 174.46 | 122.46 | 45.61 | 17.95 | | 11.90 | | | | |
| | Channelization - Channel System DS1 to DS0 combination Per Month | | | UNC1X | MQ1 | 146.77 | 51.83 | 10.75 | | | | 11.90 | | | | |
| | OCU-DP COCI (data) - DS1 to DS0 Channel System combination - per month (2.4-64kbs) | | | UNCDX | 1D1DD | 2.10 | 12.16 | 8.77 | 6.71 | 4.84 | | 11.90 | | | | |
| | Additional 4-Wire 64Kbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 1 | | 1 | UNCDX | UDL64 | 22.20 | 127.59 | 60.54 | 42.79 | 2.81 | | 11.90 | | | | |
| | Additional 4-Wire 64Kbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 2 | | 2 | UNCDX | UDL64 | 31.56 | 127.59 | 60.54 | 42.79 | 2.81 | | 11.90 | | | | |
| | Additional 4-Wire 64Kbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 3 | | 3 | UNCDX | UDL64 | 55.99 | 127.59 | 60.54 | 42.79 | 2.81 | | 11.90 | | | | |
| | OCU-DP COCI (data) - DS1 to DS0 Channel System combination - per month (2.4-64kbs) | | Ŭ | UNCDX | 1D1DD | 2.10 | 12.16 | 8.77 | 6.71 | 4.84 | | 11.90 | | | | |
| | Nonrecurring Currently Combined Network Elements Switch -As | - | 1 | | | 2.10 | | | | | | | | | | |
| 4.14 | Is Charge IRE DS1 DIGITAL EXTENDED LOOP WITH DEDICATED DS1 INT | EBOEEL | | | UNCCC | | 8.98 | 8.98 | 8.98 | 8.98 | | 11.90 | | | | |
| 4-11 | 4-Wire DS1 Digital Loop in Combination with DS1 Interoffice | EROFFI | | ANSPORT (EEL) | | | | | | | | | | | | |
| | Transport - Zone 1 4-Wire DS1 Digital Loop in Combination with DS1 Interoffice | | 1 | UNC1X | USLXX | 70.74 | 217.75 | 121.62 | 51.44 | 14.45 | | 11.90 | | | | <u> </u> |
| | Transport - Zone 2 | | 2 | UNC1X | USLXX | 100.54 | 217.75 | 121.62 | 51.44 | 14.45 | | 11.90 | | | | <u> </u> |
| | 4-Wire DS1 Digital Loop in Combination with DS1 Interoffice Transport - Zone 3 | | 3 | UNC1X | USLXX | 178.39 | 217.75 | 121.62 | 51.44 | 14.45 | | 11.90 | | | | |
| | Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month | | | UNC1X | 1L5XX | 0.1856 | | | | | | | | | | |
| | Interoffice Transport - Dedicated - DS1 combination - Facility Termination Per Month | | | UNC1X | U1TF1 | 88.44 | 174.46 | 122.46 | 45.61 | 17.95 | | 11.90 | | | | |
| | Nonrecurring Currently Combined Network Elements Switch -As Is Charge | - | | UNC1X | UNCCC | | 8.98 | 8.98 | 8.98 | 8.98 | | 11.90 | | | | |
| 4-W | IRE DS1 DIGITAL EXTENDED LOOP WITH DEDICATED DS3 INT | EROFFI | CE TRA | | 0.1000 | | 0.00 | 0.00 | 0.00 | 0.00 | | | | | | |
| | First DS1Loop in DS3 Interoffice Transport Combination - Zone | | 1 | UNC1X | USLXX | 70.74 | 217.75 | 121.62 | 51.44 | 14.45 | | 11.90 | | | | |
| | First DS1Loop in DS3 Interoffice Transport Combination - Zone | | 2 | UNC1X | USLXX | 100.54 | 217.75 | 121.62 | 51.44 | 14.45 | | 11.90 | | | | |
| | First DS1Loop in DS3 Interoffice Transport Combination - Zone | | 3 | UNC1X | USLXX | 178.39 | 217.75 | 121.62 | 51.44 | 14.45 | | 11.90 | | | | |
| | Interoffice Transport - Dedicated - DS3 combination - Per Mile | 1 | 5 | | | | 211.15 | 121.02 | 51.44 | 14.43 | | 11.90 | | | | 1 |
| | Per Month Interoffice Transport - Dedicated - DS3 - Facility Termination per | | | UNC3X | 1L5XX | 3.87 | | | | | | | | | | |
| | month | | | UNC3X | U1TF3 | 1,071.00 | 314.45 | 130.88 | 38.60 | 18.23 | | 11.90 | | | | |
| | DS3 to DS1 Channel System combination per month | | | UNC3X | MQ3 | 211.19 | 115.60 | 59.93 | 5.45 | 0.00 | | 11.90 | | | | |
| | DS3 Interface Unit (DS1 COCI) combination per month | | | UNC1X | UC1D1 | 13.76 | 12.16 | 8.77 | 6.71 | 4.84 | | 11.90 | | | | |
| | Additional DS1Loop in DS3 Interoffice Transport Combination - Zone 1 | | 1 | UNC1X | USLXX | 70.74 | 217.75 | 121.62 | 51.44 | 14.45 | | 11.90 | | | | |
| | Additional DS1Loop in DS3 Interoffice Transport Combination - Zone 2 | | 2 | UNC1X | USLXX | 100.54 | 217.75 | 121.62 | 51.44 | 14.45 | | 11.90 | | | | |
| | Additional DS1Loop in DS3 Interoffice Transport Combination - Zone 3 | | 3 | UNC1X | USLXX | 178.39 | 217.75 | 121.62 | 51.44 | 14.45 | | 11.90 | | | | |
| | DS3 Interface Unit (DS1 COCI) combination per month | L | Ē | UNC1X | UC1D1 | 13.76 | 12.16 | 8.77 | 6.71 | 4.84 | | 11.90 | | | | |
| | Nonrecurring Currently Combined Network Elements Switch -As Is Charge | | | UNC3X | UNCCC | | 8.98 | 8.98 | 8.98 | 8.98 | | 11.90 | | | | |
| 2-W | IRE VOICE GRADE EXTENDED LOOP/ 2 WIRE VOICE GRADE IN | TEROFF | ICE TR | | | | | | | | | | | | | 1 |
| | 2-WireVG Loop used with 2-wire VG Interoffice Transport Combination - Zone 1 | | 1 | UNCVX | UEAL2 | 12.24 | 127.59 | 60.54 | 42.79 | 2.81 | | 11.90 | | | | |

| UNBUNC | DLED | NETWORK ELEMENTS - Florida | | | | | | | | | | | | Attachment: | 2 | Exhi | bit: C |
|--------------|------|---|-------------|--------|-----------|-------|----------|--------|-----------|-------|------------|-------|---|---|---|---|----------|
| CATEGOR | łY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES(\$) | | | | Svc Order Submitted Manually per LSR | Manual Svc Order vs. Electronic- 1st | Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Charge - |
| | | | | | | | Rec | Nonrec | | | Disconnect | | | | Rates(\$) | | |
| ⊢ – ⊢ | | | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | 2-WireVG Loop used with 2-wire VG Interoffice Transport Combination - Zone 2 | | 2 | UNCVX | UEAL2 | 17.40 | 127.59 | 60.54 | 42.79 | 2.81 | | 11.90 | | | | |
| | | 2-WireVG Loop used with 2-wire VG Interoffice Transport Combination - Zone 3 | | | UNCVX | UEAL2 | 30.87 | 127.59 | 60.54 | 42.79 | 2.81 | | 11.90 | | | | |
| | | Interoffice Transport - Dedicated - 2-wire VG combination - Per Mile Per Month | | | UNCVX | 1L5XX | 0.0091 | | | | | | | | | | |
| | | Interoffice Transport - Dedicated - 2- Wire Voice Grade combination - Facility Termination per month | | | UNCVX | U1TV2 | 25.32 | 94.70 | 52.59 | 50.49 | 21.53 | | 11.90 | | | | |
| | | Nonrecurring Currently Combined Network Elements Switch -As- ls Charge | | | UNCVX | UNCCC | | 8.98 | 8.98 | 8.98 | 8.98 | | 11.90 | | | | |
| 4-V | NIRF | VOICE GRADE EXTENDED LOOP/ 4 WIRE VOICE GRADE INT | FROFE | ICE TR | | UNCCC | | 0.90 | 0.90 | 0.90 | 0.90 | | 11.90 | | | | <u> </u> |
| | | AWireVG Loop used with 4-wire VG Interoffice Transport Combination - Zone 1 | LIGH | 1 | | UEAL4 | 18.89 | 127.59 | 60.54 | 42.79 | 2.81 | | 11.90 | | | | |
| | | 4-WireVG Loop used with 4-wire VG Interoffice Transport Combination - Zone 2 | | 2 | UNCVX | UEAL4 | 26.84 | 127.59 | 60.54 | 42.79 | 2.81 | | 11.90 | | | | |
| | | 4-WireVG Loop used with 4-wire VG Interoffice Transport Combination - Zone 3 | | 3 | UNCVX | UEAL4 | 47.62 | 127.59 | 60.54 | 42.79 | 2.81 | | 11.90 | | | | |
| | | Interoffice Transport - Dedicated - 4-wire VG combination - Per Mile Per Month | | | UNCVX | 1L5XX | 0.0091 | | | | | | | | | | |
| | | Interoffice Transport - Dedicated - 4- Wire Voice Grade combination - Facility Termination per month | | | UNCVX | U1TV4 | 22.58 | 94.70 | 52.59 | 50.49 | 21.53 | | 11.90 | | | | |
| | | Nonrecurring Currently Combined Network Elements Switch -As- Is Charge | | | UNCVX | UNCCC | | 8.98 | 8.98 | 8.98 | 8.98 | | 11.90 | | | | |
| DS | | GITAL EXTENDED LOOP WITH DEDICATED D\$3 INTEROFFIC | E TRA | NSPOR | T (EEL) | | | | | | | | | | | | L |
| | | High Capacity Unbundled Local Loop - DS3 combination - Per Mile per month | | | UNC3X | 1L5ND | 10.92 | | | | | | | | | | |
| | | High Capacity Unbundled Local Loop - DS3 combination - Facility Termination per month | | | UNC3X | UE3PX | 386.88 | 249.97 | 162.05 | 67.10 | 26.82 | | 11.90 | | | | |
| | | Interoffice Transport - Dedicated - DS3 - Per Mile per month | | | UNC3X | 1L5XX | 3.87 | | | | | | | | | | L |
| | | Interoffice Transport - Dedicated - DS3 combination - Facility Termination per per month | | | UNC3X | U1TF3 | 1,071.00 | 314.45 | 130.88 | 38.60 | 18.23 | | 11.90 | | | | |
| | | Nonrecurring Currently Combined Network Elements Switch -As- ls Charge | | | UNC3X | UNCCC | | 8.98 | 8.98 | 8.98 | 8.98 | | 11.90 | | | | |
| ST | S1 D | GITAL EXTENDED LOOP WITH DEDICATED STS1 INTEROFI | FICE TF | ANSP | ORT (EEL) | | | | | | | | | | | | |
| | | High Capacity Unbundled Local Loop - STS1 combination - Per Mile per month | | | UNCSX | 1L5ND | 10.92 | | | | | | | | | | |
| | | High Capacity Unbundled Local Loop - STS1 combination - Facility Termination per month | | | UNCSX | UDLS1 | 426.60 | 249.97 | 162.05 | 67.10 | 26.82 | | 11.90 | | | | |
| | | Interoffice Transport - Dedicated - STS1 combination - Per Mile per month | | | UNCSX | 1L5XX | 3.87 | | | | | | | | | | |
| | | Interoffice Transport - Dedicated - STS1 combination - Facility Termination per month | | | UNCSX | U1TFS | 1,056.00 | 314.45 | 130.88 | 38.60 | 18.23 | | 11.90 | | | | |
| | | Nonrecurring Currently Combined Network Elements Switch -As- Is Charge | | | UNCSX | UNCCC | | 8.98 | 8.98 | 8.98 | 8.98 | | 11.90 | | | | |
| 2-V | | ISDN EXTENDED LOOP WITH DS1 INTEROFFICE TRANSPOR | RT (EEL |) | | | | | | | | | | | | | ł |
| | | First 2-Wire ISDN Loop in a DS1 Interoffice Combination Transport - Zone 1 | | 1 | UNCNX | U1L2X | 19.28 | 127.59 | 60.60 | 42.79 | 2.81 | | 11.90 | | | | |
| | | First 2-Wire ISDN Loop in a DS1 Interoffice Combination Transport - Zone 2 | | 2 | UNCNX | U1L2X | 27.40 | 127.59 | 60.60 | 42.79 | 2.81 | | 11.90 | | | | |
| | | First 2-Wire ISDN Loop in a DS1 Interoffice Combination Transport - Zone 3 | | 3 | UNCNX | U1L2X | 48.62 | 127.59 | 60.60 | 42.79 | 2.81 | | 11.90 | | | | |
| | | Interoffice Transport - Dedicated - DS1 combination - Per Mile | | | UNC1X | 1L5XX | 0.1856 | | | | | | | | | | |
| | | Interoffice Transport - Dedicated - DS1 combintion - Facility Termination per month | | | UNC1X | U1TF1 | 88.44 | 174.46 | 122.46 | 45.61 | 17.95 | | 11.90 | | | | |
| | | Channelization - Channel System DS1 to DS0 combination - per month | | | UNC1X | MQ1 | 146.77 | 51.83 | 10.75 | | | | 11.90 | | | | |
| | | 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System combination - per month | | | UNCNX | UC1CA | 3.66 | 12.16 | 8.77 | 6.71 | 4.84 | | 11.90 | | | | |

Exhibit 1

| UNBUNDLE | D NETWORK ELEMENTS - Florida | | | | | | | | | | | | Attachment: | 2 | Exhi | bit: C |
|--------------|---|-------------|----------|----------------|--------------|--------------------|--------|----------------|--------------|--------------|-------|------------------------|--|-------------------------|------------|-------------------------|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES(\$) | | | | Svc Order Submitted | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - | | Incremental Charge - |
| | | | | | | Rec | Nonrec | curring | Nonrecurring | J Disconnect | | | OSS | Rates(\$) | | |
| | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | Additional 2-wire ISDN Loop in same DS1Interoffice Transport | | | | | 10.00 | 407.50 | | 40.70 | 0.04 | | 44.00 | | i | 1 | |
| | Combination - Zone 1 | | 1 | UNCNX | U1L2X | 19.28 | 127.59 | 60.60 | 42.79 | 2.81 | | 11.90 | | I | ' | |
| | Additional 2-wire ISDN Loop in same DS1Interoffice Transport Combination - Zone 2 | | 2 | UNCNX | U1L2X | 27.40 | 127.59 | 60.60 | 42.79 | 2.81 | | 11.90 | | i | 1 | |
| | Additional 2-wire ISDN Loop in same DS1Interoffice Transport | | - | | 0.EEX | 21110 | 121100 | 00.00 | 12110 | 2.01 | | | | 1 | | |
| ' | Combination - Zone 3 | | 3 | UNCNX | U1L2X | 48.62 | 127.59 | 60.60 | 42.79 | 2.81 | | 11.90 | | | ' | |
| | 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System | | | | 110404 | 0.00 | 10.10 | 0.77 | 0.74 | 1.04 | | 44.00 | | i | 1 | |
| | combintaion- per month Nonrecurring Currently Combined Network Elements Switch -As- | | | UNCNX | UC1CA | 3.66 | 12.16 | 8.77 | 6.71 | 4.84 | | 11.90 | | | <u> </u> ' | |
| | Is Charge | | | UNC1X | UNCCC | | 8.98 | 8.98 | 8.98 | 8.98 | | 11.90 | | i | 1 | |
| 4-WIRE | DS1 DIGITAL EXTENDED LOOP WITH DEDICATED STS-1 IN | TEROF | FICE T | RANSPORT (EEL) | | | 0.00 | | | | | | | | | |
| | First DS1 Loop in STS1 Interoffice Transport Combination - | | | | | | | | | | | | | [| | |
| | Zone 1 | | 1 | UNC1X | USLXX | 70.74 | 217.75 | 121.62 | 51.44 | 14.45 | | 11.90 | | | ļ' | |
| | First DS1 Loop in STS1 Interoffice Transport Combination - | | 2 | | USLXX | 100.54 | 217.75 | 101.60 | E1 44 | 14.45 | | 11.00 | | 1 | 1 | |
| | Zone 2 First DS1 Loop in STS1 Interoffice Transport Combination - | | 2 | UNC1X | USLAA | 100.54 | 217.75 | 121.62 | 51.44 | 14.45 | | 11.90 | | i | ' | |
| | Zone 3 | | 3 | UNC1X | USLXX | 178.39 | 217.75 | 121.62 | 51.44 | 14.45 | | 11.90 | | i | 1 | |
| | Interoffice Transport - Dedicated - STS1 combination - Per Mile | | | | | | | | | | | | | | | |
| | Per Month | | | UNCSX | 1L5XX | 3.87 | | | | | | | | | ļ' | |
| | Interoffice Transport - Dedicated - STS1 combination - Facility | | | | | | | 100.00 | | 10.00 | | | | i | 1 | |
| | Termination | | | UNCSX UNCSX | U1TFS MQ3 | 1,056.00 211.19 | 314.45 | 130.88 3.39 | 38.60 | 18.23 | | 11.90 | | | ' | |
| ' | STS1 to DS1 Channel System conbination per month DS3 Interface Unit (DS1 COCI) combination per month | | - | UNC1X | UC1D1 | 13.76 | 12.16 | 8.77 | 6.71 | 4.84 | | 11.90 | | i | <u> </u> ' | |
| | Additional DS1Loop in STS1 Interoffice Transport Combination - | | | ONOTA | 00101 | 13.70 | 12.10 | 0.77 | 0.71 | 4.04 | | 11.30 | | <u> </u> | <u> </u> | |
| | Zone 1 | | 1 | UNC1X | USLXX | 70.74 | 217.75 | 121.62 | 51.44 | 14.45 | | 11.90 | | i | 1 | |
| | Additional DS1Loop in STS1 Interoffice Transport Combination - | | | | | | | | | | | | | ſ | | |
| ' | Zone 2 | | 2 | UNC1X | USLXX | 100.54 | 217.75 | 121.62 | 51.44 | 14.45 | | 11.90 | | | ļ' | |
| | Additional DS1Loop in STS1 Interoffice Transport Combination - Zone 3 | | 3 | UNC1X | USLXX | 179.20 | 217.75 | 121.62 | 51.44 | 14.45 | | 11.90 | | i | 1 | |
| | DS3 Interface Unit (DS1 COCI) combination per month | | 3 | UNC1X | UC1D1 | 178.39 13.76 | 12.16 | 8.77 | 6.71 | 4.84 | | 11.90 | | i | ' | |
| | Nonrecurring Currently Combined Network Elements Switch -As- | | | UNCTA | 00101 | 13.70 | 12.10 | 0.77 | 0.71 | 4.04 | | 11.90 | | <u> </u> | ' | |
| | Is Charge | | | UNCSX | UNCCC | | 8.98 | 8.98 | 8.98 | 8.98 | | 11.90 | | i | 1 | |
| 4-WIRE | 56 KBPS DIGITAL EXTENDED LOOP WITH 56 KBPS INTERO | FFICE 1 | RANS | | 1 | | | | | | | | | | | |
| | 4-wire 56 kbps Loop/4-wire 56 kbps Interoffice Transport | | | | | | | | | | | | | Í | | |
| ' | Combination - Zone 1 | | 1 | UNCDX | UDL56 | 22.20 | 127.59 | 60.54 | 42.79 | 2.81 | | 11.90 | | | ' | |
| | 4-wire 56 kbps Loop/4-wire 56 kbps Interoffice Transport Combination - Zone 2 | | 2 | UNCDX | UDL56 | 31.56 | 127.59 | 60.54 | 42.79 | 2.81 | | 11.90 | | 1 | | |
| | 4-wire 56 kbps Loop/4-wire 56 kbps Interoffice Transport | | ~ | ONODA | ODLOO | 51.50 | 121.55 | 00.34 | 42.13 | 2.01 | | 11.30 | | <u> </u> | ' | |
| | Combination - Zone 3 | | 3 | UNCDX | UDL56 | 55.99 | 127.59 | 60.54 | 42.79 | 2.81 | | 11.90 | | i | 1 | |
| | Interoffice Transport - Dedicated - 4-wire 56 kbps combination - | | | | | | | | | | | | | ſ | | |
| ' | Per Mile | | | UNCDX | 1L5XX | 0.0091 | | | | | | | | | ' | |
| | Interoffice Transport - Dedicated - 4-wire 56 kbps combination - Facility Termination | | | UNCDX | U1TD5 | 18.44 | 94.70 | 52.59 | 50.49 | 21.53 | | 11.90 | | i | 1 | |
| | Nonrecurring Currently Combined Network Elements Switch -As- | | | UNCDA | 01105 | 10.44 | 54.70 | 52.55 | 30.49 | 21.55 | | 11.90 | | <u> </u> | <u> </u> | |
| | Is Charge | | | UNCDX | UNCCC | | 8.98 | 8.98 | 8.98 | 8.98 | | 11.90 | | i | 1 | |
| 4-WIRE | 64 KBPS DIGITAL EXTENDED LOOP WITH 64 KBPS INTERO | FFICE 1 | RANS | PORT (EEL) | | | | | | | | | | | | |
| | 4-wire 64 kbps Loop/4-wire 64 kbps Interoffice Transport | | | | | | | | | | | | | l I | | |
| | Combination - Zone 1 | <u> </u> | 1 | UNCDX | UDL64 | 22.20 | 127.59 | 60.54 | 42.79 | 2.81 | ļ | 11.90 | | | | |
| | 4-wire 64 kbps Loop/4-wire 64 kbps Interoffice Transport Combination - Zone 2 | | 2 | UNCDX | UDL64 | 31.56 | 127.59 | 60.54 | 42.79 | 2.81 | | 11.90 | | 1 | 1 | |
| | 4-wire 64 kbps Loop/4-wire 64 kbps Interoffice Transport | | - | 0.100/ | 55207 | 01.00 | 121.00 | 00.04 | -12.13 | 2.01 | | 11.30 | | | ' | |
| | Combination - Zone 3 | | 3 | UNCDX | UDL64 | 55.99 | 127.59 | 60.54 | 42.79 | 2.81 | | 11.90 | | <u> </u> | L | |
| | Interoffice Transport - Dedicated - 4-wire 64 kbps combination - | | | | | | | | | | | | | 1 | 1 | |
| | Per Mile | | <u> </u> | UNCDX | 1L5XX | 0.0091 | | | | | | | | | ' | |
| 1 1 ' | Interoffice Transport - Dedicated - 4-wire 64 kbps combination - Facility Termination | | 1 | UNCDX | U1TD6 | 18.44 | 94.70 | 52.59 | 50.49 | 21.53 | | 11.90 | | 1 | 1 | |
| | Nonrecurring Currently Combined Network Elements Switch -As- | | 1 | | 01100 | 10.44 | 34.70 | 52.55 | 50.45 | 21.00 | 1 | 11.90 | | | ' | |
| 1 1 ' | | 1 | 1 | UNCDX | UNCCC | | 8.98 | 8.98 | 8.98 | 8.98 | | 11.90 | | <u> </u> | 1 | |
| | Is Charge IETWORK ELEMENTS | | | | | | | | | | | | | | | |

| UNBUNDL | ED NETWORK ELEMENTS - Florida | | | | 1 | • | | | | | | | Attachment: | | | bit: C |
|-------------------|---|-------------|----------|---------------------|----------------|------------------|------------------|------------------|----------------|----------------|---|----------------|--|--|---|---|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES(\$) | | | Svc Order Submitted Elec per LSR | | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l |
| | | | | | | Rec | Nonrec | | Nonrecurring | | | | | Rates(\$) | | |
| Whee | I used as a part of a currently combined facility, the non-recurr | ng cha | race de | not apply but a S | witch As Is (| abargo doos apr | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | n used as ordinarily combined network elements in All States, the | | | | | | | | | | | | | | | |
| | ecurring Currently Combined Network Elements "Switch As Is" | | | | | As is only ge | | | | | | | | | | |
| | Nonrecurring Currently Combined Network Elements Switch -As- | | 1 | | 1 | | | | | | | | | | | |
| | Is Charge - 2 wire/4-Wire VG | | | UNCVX | UNCCC | | 8.98 | 8.98 | 8.98 | 8.98 | | 11.90 | | | | 1 |
| | Nonrecurring Currently Combined Network Elements Switch -As- Is Charge - 56/64 kbps | | | UNCDX | UNCCC | | 8.98 | 8.98 | 8.98 | 8.98 | | 11.90 | | | | |
| | Nonrecurring Currently Combined Network Elements Switch -As- Is Charge - DS1 | | | UNC1X | UNCCC | | 8.98 | 8.98 | 8.98 | 8.98 | | 11.90 | | | | |
| | Nonrecurring Currently Combined Network Elements Switch -As- Is Charge - DS3 | | | UNC3X | UNCCC | | 8.98 | 8.98 | 8.98 | 8.98 | | 11.90 | | | | |
| | Nonrecurring Currently Combined Network Elements Switch -As- Is Charge - STS1 | | | UNCSX | UNCCC | | 8.98 | 8.98 | 8.98 | 8.98 | | 11.90 | | | | 1 |
| NOTE | E: Local Channel - Dedicated Transport - minimum billing period | d - Belo | w DS3= | | | ur months | 0.00 | 0.00 | 0.00 | 0.00 | | | | | | |
| | Local Channel - Dedicated - 2-Wire Voice Grade Zone 1 | | 1 | UNCVX | ULDV2 | 19.66 | 265.84 | 46.97 | | 4.00 | | 11.90 | | | | · |
| | Local Channel - Dedicated - 2-Wire Voice Grade Zone 2 | | | UNCVX | ULDV2 | 27.94 | 265.84 | 46.97 | 37.63 | 4.00 | | 11.90 | | | | |
| | Local Channel - Dedicated - 2-Wire Voice Grade Zone 3 | | 3 | UNCXV | ULDV2 | 49.58 | 265.84 | 46.97 | 37.63 | 4.00 | | 11.90 | | | | |
| | Local Channel - Dedicated - 4-Wire Voice Grade Zone 1 | | | UNCVX | ULDV4 | 20.45 | 266.54 | 47.67 | | 5.33 | | 11.90 | | | | |
| | Local Channel - Dedicated - 4-Wire Voice Grade Zone 2 Local Channel - Dedicated - 4-Wire Voice Grade Zone3 | | 2 | UNCVX UNCXV | ULDV4 ULDV4 | 29.06 51.56 | 266.54 266.54 | 47.67 47.67 | 44.22 44.22 | 5.33 5.33 | | 11.90 11.90 | | | | |
| └─── ├ ─── | Local Channel - Dedicated - 4-Wire Voice Grade Zones | | 3 | UNC1X | ULDV4 | 36.49 | 266.54 | 183.54 | 24.30 | 16.95 | | 11.90 | | | | |
| <u> </u> | Local Channel - Dedicated - DS1 Per Month Zone 1 | | 2 | UNC1X | ULDF1 | 51.85 | 216.65 | 183.54 | 24.30 | 16.95 | | 11.90 | | | | |
| | Local Channel - Dedicated - DS1- Per Month Zone 3 | | 3 | UNC1X | ULDF1 | 92.00 | 216.65 | 183.54 | 24.30 | 16.95 | | 11.90 | | | | |
| | Local Channel - Dedicated - DS3 - Per Mile per month | | | UNC3X | 1L5NC | 8.50 | | | | | | | | | | |
| | Local Channel - Dedicated - DS3 - Facility Termination | | | UNC3X | ULDF3 | 531.91 | 556.37 | 343.01 | 139.13 | 96.84 | | 11.90 | | | | |
| | Local Channel - Dedicated - STS-1- Per Mile per month | | | UNCSX | 1L5NC | 8.50 | | | 100.10 | | | | | | | |
| Ontic | Local Channel - Dedicated - STS-1 - Facility Termination anal Features & Functions: | | | UNCSX | ULDFS | 540.69 | 556.37 | 343.01 | 139.13 | 96.84 | | 11.90 | | | | / |
| | TIPLEXERS | | | | | - | | | - | | | | | | | |
| | Channelization - DS1 to DS0 Channel System | | | UXTD1 | MQ1 | 146.77 | 101.42 | 71.62 | 11.09 | 10.49 | | 11.90 | | | | |
| | OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) | | | UDL | 1D1DD | 2.10 | 10.07 | 7.08 | | | | 11.90 | | | | |
| | 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per | | | | | | | | | | | | | | | |
| | month | | | UDN | UC1CA | 3.66 | 10.07 | 7.08 | | | | 11.90 | | | | |
| | Voice Grade COCI - DS1 to DS0 Channel System - per month | | | UEA | 1D1VG | 1.38 | 10.07 | 7.08 | 10.01 | | | 11.90 | | | | |
| | DS3 to DS1 Channel System per month STS1 to DS1 Channel System per month | | | UXTD3 UXTS1 | MQ3 MQ3 | 211.19 211.19 | 199.28 199.28 | 118.64 118.64 | 40.34 40.34 | 39.07 39.07 | | 11.90 11.90 | | | | |
| <u> </u> | DS3 Interface Unit (DS1 COCI) used with Loop per month | | | USL | UC1D1 | 13.76 | 199.28 | 7.08 | | 39.07 | | 11.90 | | | | |
| | DS3 Interface Unit (DS1 COCI) used with Local Channel per | | | | 50.51 | 10.70 | 10.07 | 7.50 | | | 1 | 11.00 | - | | - | |
| | month DS3 Interface Unit (DS1 COCI) used with Interoffice Channel | | | ULDD1 | UC1D1 | 13.76 | 10.07 | 7.08 | | | | 11.90 | | | | |
| | per month | | | U1TD1 | UC1D1 | 13.76 | 10.07 | 7.08 | | | | 11.90 | | | | L |
| Sub-I | Loop Feeder | | | | 110050 | | | | ļ | | | | | | | |
| ┝───┼─── | Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Statewide | | sw 1 | UNC1X | USBFG USBFG | 40.50 | 400 77 | 70.00 | 05.40 | 04.04 | | | | | | |
| ├──┤── | Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 1 Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 2 | | 1 | UNC1X UNC1X | USBFG | 42.59 60.53 | 133.77 133.77 | 78.02 78.02 | 85.16 85.16 | 21.21 21.21 | 1 | | | | | |
| ├───├ ─── | Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 2 | | | UNC1X | USBFG | 107.39 | 133.77 | 78.02 | 85.16 | 21.21 | 1 | | | | | |
| | Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 4 | | | UNC1X | USBFG | | | | | | 1 | | | | | |
| | LOCAL EXCHANGE SWITCHING(PORTS) | | | | | | | | | | | | | | | |
| | ange Ports | | | | | | | | | | | | | | | |
| | E: Although the Port Rate includes all available features in GA, I | KY, LA | & TN, ti | he desired features | will need to | be ordered usin | ng retail USOC | 5 | l | | | | | | | |
| 2-WIF | RE VOICE GRADE LINE PORT RATES (RES) Exchange Ports - 2-Wire Analog Line Port- Res. | | | UEPSR | UEPRL | 1.40 | 3.74 | 3.63 | 1.88 | 1.80 | | 11.90 | | | | |
| | Exertainge Fulls - 2-Wile Analog Lille Full- Res. | | | OLFON | JEFRE | 1.40 | 3.74 | 3.03 | 1.08 | 1.80 | | 11.90 | | | | |
| | Exchange Ports - 2-Wire Analog Line Port with Caller ID - Res. | | | UEPSR | UEPRC | 1.40 | 3.74 | 3.63 | 1.88 | 1.80 | | 11.90 | | | | |
| ┢───┤─── | Exchange Ports - 2-Wire Analog Line Port outgoing only - Res. Exchange Ports - 2-Wire VG unbundled Florida area calling with | | | UEPSR | UEPRO | 1.40 | 3.74 | 3.63 | 1.88 | 1.80 | | 11.90 | | | | |
| | Caller ID - Res. | | | UEPSR | UEPAF | 1.40 | 3.74 | 3.63 | 1.88 | 1.80 | | 11.90 | | | | ι |

| UNBUNDLE | ED NETWORK ELEMENTS - Florida | | | | | | | | | | | | Attachment: | 2 | Exhi | ibit: C |
|----------|--|-------------|----------|----------------------|----------------|---------------|---------------|---------------|--------------------|-----------------|---|----------------|--------------|-------------------------|-------------------------|-------------------------|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES(\$) | | | Svc Order Submitted Elec per LSR | Svc Order | | Incremental Charge - | Incremental Charge - | Incremental Charge - |
| | | | | | | Dee | Nonred | curring | Nonrecurring | g Disconnect | | | OSS | Rates(\$) | | |
| | | 1 | 1 | | 1 | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | Exchange Ports - 2-Wire VG unbundled Florida Residence Area | | | | | | | | | | | | | | | |
| | Calling Plan, without Caller ID capability | | | UEPSR | UEPA9 | 1.40 | 3.74 | 3.63 | 1.88 | 1.80 | | 11.90 | | | | |
| | Exchange Ports - 2-Wire VG unbundled Florida extended | | | | | | | | | | | | | | | |
| | dialing port for use with CREX7 and Caller ID | | | UEPSR | UEPA1 | 1.40 | 3.74 | 3.63 | 1.88 | 1.80 | | 11.90 | | | | |
| | Exchange Ports - 2-Wire VG unbundled Florida extended | | | | | | | | | | | | | | | |
| | dialing port for use with CREX7, without Caller ID capability | | | UEPSR | UEPA8 | 1.40 | 3.74 | 3.63 | 1.88 | 1.80 | | 11.90 | | L | L | |
| | Exchange Ports - 2-Wire VG unbundled res, low usage line port | | | | | | | | | | | | | | | |
| | with Caller ID (LUM) | | | UEPSR | UEPAP | 1.40 | 3.74 | 3.63 | 1.88 | 1.80 | | 11.90 | | L | L | |
| | 2-Wire voice unbundled Low Usage Line Port without Caller ID | | | | | | | | | | | | | | | |
| | Capability | | | UEPSR | UEPRT | 1.40 | 3.74 | 3.63 | 1.88 | 1.80 | | 11.90 | | | | |
| FEAT | Subsequent Activity | | | UEPSR | USASC | 0.00 | 0.00 | 0.00 | | - | | 11.90 | | ─── | ─── | <u> </u> |
| FEAT | | | | | | 0.00 | 0.00 | 0.00 | | - | | 44.00 | | ─── | ─── | <u> </u> |
| 2 W/IE | All Available Vertical Features E VOICE GRADE LINE PORT RATES (BUS) | - | | UEPSR | UEPVF | 2.26 | 0.00 | 0.00 | | | | 11.90 | | <u> </u> | <u> </u> | <u> </u> |
| 2-9918 | | - | | | - | | | | | | | | | <u> </u> | <u> </u> | <u> </u> |
| | Exchange Ports - 2-Wire Analog Line Port without Caller ID - | | | UEPSB | UEPBL | 1.40 | 3.74 | 3.63 | 1.88 | 1.80 | | 11.90 | | | | |
| | Exchange Ports - 2-Wire VG unbundled Line Port with | | | UEF3D | UEPBL | 1.40 | 3.74 | 3.03 | 1.00 | 1.00 | 1 | 11.90 | | | | |
| | unbundled port with Caller+E484 ID - Bus. | | | UEPSB | UEPBC | 1.40 | 3.74 | 3.63 | 1.88 | 1.80 | | 11.90 | | | | |
| | diffundied port with Caller+E404 ID - Bus. | | | ULF 3D | ULFBC | 1.40 | 5.74 | 5.05 | 1.00 | 1.00 | 1 | 11.90 | | | | |
| | Exchange Ports - 2-Wire Analog Line Port outgoing only - Bus. | | | UEPSB | UEPBO | 1.40 | 3.74 | 3.63 | 1.88 | 1.80 | | 11.90 | | | | |
| | Exhange Ports - 2-Wire VG unbundled incoming only port with | | | | ULI DO | 1.40 | 5.74 | 5.05 | 1.00 | 1.00 | | 11.50 | | <u> </u> | <u> </u> | <u> </u> |
| | Caller ID - Bus | | | UEPSB | UEPB1 | 1.40 | 3.74 | 3.63 | 1.88 | 1.80 | | 11.90 | | | | |
| | 2-Wire voice unbundled Incoming Only Port without Caller ID | | | | OLI DI | 1.40 | 0.14 | 0.00 | 1.00 | 1.00 | | 11.00 | | <u> </u> | <u> </u> | |
| | Capability | | | UEPSB | UEPBE | 1.40 | 3.74 | 3.63 | 1.88 | 1.80 | | 11.90 | | | | |
| | Subsequent Activity | | | UEPSB | USASC | 0.00 | 0.00 | 0.00 | | | | 11.90 | | | | |
| FEAT | | | | | 00/100 | 0.00 | 0.00 | 0.00 | | 1 | | 11.00 | | | | |
| | All Available Vertical Features | | | UEPSB | UEPVF | 2.26 | 0.00 | 0.00 | | | | 11.90 | | | | |
| EXCH | ANGE PORT RATES (DID & PBX) | | | | - | - | | | | | | | | | | |
| | 2-Wire VG Unbundled 2-Way PBX Trunk - Res | | | UEPSE | UEPRD | 1.40 | 39.06 | 18.18 | 12.35 | 0.7187 | | 11.90 | | | | |
| | 2-Wire VG Line Side Unbundled 2-Way PBX Trunk - Bus | | | UEPSP | UEPPC | 1.00 | 39.06 | 18.18 | 12.35 | 0.7187 | | 11.90 | | | | |
| | 2-Wire VG Line Side Unbundled Outward PBX Trunk - Bus | | | UEPSP | UEPPO | 1.40 | 39.06 | 18.18 | 12.35 | 0.7187 | | 11.90 | | | | |
| | 2-Wire VG Line Side Unbundled Incoming PBX Trunk - Bus | | | UEPSP | UEPP1 | 1.40 | 39.06 | 18.18 | 12.35 | 0.7187 | | 11.90 | | | | |
| | 2-Wire Analog Long Distance Terminal PBX Trunk - Bus | | | UEPSP | UEPLD | 1.40 | 39.06 | 18.18 | 12.35 | 0.7187 | | 11.90 | | | | |
| | 2-Wire Voice Unbundled PBX LD Terminal Ports | | | UEPSP | UEPLD | 1.40 | 39.06 | 18.18 | 12.35 | 0.7187 | | 11.90 | | | | |
| | 2-Wire Vice Unbundled 2-Way PBX Usage Port | | | UEPSP | UEPXA | 1.40 | 39.06 | 18.18 | 12.35 | 0.7187 | | 11.90 | | | | |
| | 2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports | | | UEPSP | UEPXB | 1.40 | 39.06 | 18.18 | 12.35 | 0.7187 | | 11.90 | | | | |
| | 2-Wire Voice Unbundled PBX LD DDD Terminals Port | | | UEPSP | UEPXC | 1.40 | 39.06 | 18.18 | 12.35 | 0.7187 | | 11.90 | | | | |
| | 2-Wire Voice Unbundled PBX LD Terminal Switchboard Port | | | UEPSP | UEPXD | 1.40 | 39.06 | 18.18 | 12.35 | 0.7187 | | 11.90 | | | | |
| | 2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD | | | | | | | | | | | | | | | |
| | Capable Port | | | UEPSP | UEPXE | 1.40 | 39.06 | 18.18 | 12.35 | 0.7187 | | 11.90 | | L | L | |
| | 2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy | | | | | | | | | | | | | | | |
| | Administrative Calling Port | | | UEPSP | UEPXL | 1.40 | 39.06 | 18.18 | 12.35 | 0.7187 | | 11.90 | | <u> </u> | <u> </u> | |
| | 2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy | 1 | 1 | | | 4.40 | 20.00 | 40.40 | 10.05 | 0.7407 | | 44.00 | | 1 | 1 | |
| | Room Calling Port | | | UEPSP | UEPXM | 1.40 | 39.06 | 18.18 | 12.35 | 0.7187 | | 11.90 | | | | |
| | 2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital | 1 | | | | 4 40 | 20.00 | 40.40 | 40.05 | 0.7407 | | 44.00 | | 1 | 1 | |
| \vdash | Discount Room Calling Port | | | UEPSP | UEPXO | 1.40 1.40 | 39.06 | 18.18 | 12.35 | 0.7187 | | 11.90 | | | | ╂───── |
| \vdash | 2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port Subsequent Activity | <u> </u> | l | UEPSP UEPSP | UEPXS USASC | 0.00 | 39.06 0.00 | 18.18 | 12.35 | 0.7187 | + | 11.90 11.90 | | ├ ──── | ├ ──── | ─── |
| FEAT | | | | ULFOF | USASC | 0.00 | 0.00 | 0.00 | | | | 11.90 | | | | ─── |
| FEAT | All Available Vertical Features | | | UEPSP UEPSE | UEPVF | 2.26 | 0.00 | 0.00 | ł | <u> </u> | | 11.90 | | t | t | ─── |
| FYCH | ANGE PORT RATES (COIN) | + | | OLFOF DEFOE | JLF VF | 2.20 | 0.00 | 0.00 | 1 | <u> </u> | t | 11.90 | | t | t | |
| LAGH | Exchange Ports - Coin Port | 1 | 1 | | 1 | 1.40 | 3.74 | 3.63 | 1.88 | 1.80 | - | 11.90 | | <u> </u> | <u> </u> | 1 |
| NOTE | : Transmission/usage charges associated with POTS circuit s | witched | lisade | will also apply to c | ircuit switche | | | | | | | | orts | t | t | + |
| NOTE | : Access to B Channel or D Channel Packet capabilities will be | e availa | ble only | through BFR/New | Business Re | quest Process | Rates for the | packet canahi | ilities will be de | etermined via t | he Bona Fir | de Request/ | New Business | s Request Pro | cess. | <u> </u> |
| | LOCAL EXCHANGE SWITCHING(PORTS) | | | , | | 4 | | - sher supubl | | | | | | | | 1 |
| | ANGE PORT RATES | 1 | | | 1 | | | | | 1 | | | | <u> </u> | <u> </u> | 1 |
| EXUN | | | | | | | | | | | 1 | - | | t | 1 | <u> </u> |
| EACH | | | | UEPEX | UEPP2 | 8.73 | 78.41 | 15.82 | 41.94 | 4.26 | | 11.90 | | 1 | 1.83 | |
| EXCH | Exchange Ports - 2-Wire DID Port Exchange Ports - DDITS Port - 4-Wire DS1 Port with DID | | | UEPEX | UEPP2 | 8.73 | 78.41 | 15.82 | 41.94 | 4.26 | | 11.90 | | <u> </u> | 1.83 | <u> </u> |

| UNB | | D NETWORK ELEMENTS - Florida | | | | | | | | | | | | Attachment: | 2 | Fxhi | ibit: C |
|-------|--------|--|----------|----------|-----------------------|----------------|-------------------|------------------|---------------|-------------------|----------------|--------------|-------------|-------------|---------------|-------------|--|
| 0.112 | | | | | | | 1 | | | | | Svc Order | Svc Order | | | | |
| | | | | | | | | | | | | Submitted | Submitted | Charge - | Charge - | Charge - | Charge - |
| | | | | | | | | | | | | Elec | Manually | Manual Svc | | Manual Svc | |
| CATE | GORY | RATE ELEMENTS | Interi | Zone | BCS | USOC | | | RATES(\$) | | | per LSR | per LSR | Order vs. | Order vs. | Order vs. | Order vs. |
| | | | m | | | | | | | | | perLSR | perLok | | Electronic- | | |
| | | | | | | | | | | | | | | Electronic- | | Electronic- | Electronic- |
| | | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add'l |
| | | | | | | | D | Nonrec | urring | Nonrecurring | Disconnect | | | OSS | Rates(\$) | • | |
| | | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | Exchange Ports - 2-Wire ISDN Port (See Notes below.) | | | UEPTX UEPSX | U1PMA | 8.83 | 46.83 | 50.68 | 27.64 | 11.93 | | 11.90 | | | 1.83 | |
| | | All Features Offered | | | UEPTX UEPSX | UEPVF | 2.26 | 0.00 | 0.00 | | | | 11.90 | | | 1.83 | |
| | NOTE: | Transmission/usage charges associated with POTS circuit sy | vitched | usage | will also apply to c | ircuit switche | ed voice and/or | circuit switche | d data transm | ission by B-Ch | annels associ | iated with 2 | wire ISDN p | oorts. | | | |
| | NOTE: | Access to B Channel or D Channel Packet capabilities will be | e availa | ble onl | | | | | | lities will be de | termined via t | he Bona Fic | de Request/ | New Busines | s Request Pro | cess. | |
| | | Exchange Ports - 2-Wire ISDN Port Channel Profiles | | | UEPTX UEPSX | U1UMA | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | | Exchange Ports - 4-Wire ISDN DS1 Port | | | UEPEX | UEPEX | 82.74 | 174.61 | 95.17 | 49.80 | 18.23 | | 11.90 | | | 1.83 | |
| | | NDLED PORT with REMOTE CALL FORWARDING CAPABILITY | | | | | | | | | | | | | | | |
| | UNBU | NDLED REMOTE CALL FORWARDING SERVICE - RESIDENCE | | | | | | | | | | | | | | | |
| | | Unbundled Remote Call Forwarding Service, Area Calling, Res | | | UEPVR | UERAC | 1.40 | 3.74 | 3.63 | 1.88 | 1.80 | | 11.90 | | | | |
| | | | | | | | | | | | | | | | | | |
| | | Unbundled Remote Call Forwarding Service, Local Calling - Res | | | UEPVR | UERLC | 1.40 | 3.74 | 3.63 | 1.88 | 1.80 | | 11.90 | | | | |
| | | Unbundled Remote Call Forwarding Service, InterLATA - Res | | | UEPVR | UERTE | 1.40 | 3.74 | 3.63 | 1.88 | 1.80 | | 11.90 | | | | |
| | | Unbundled Remote Call Forwarding Service, IntraLATA - Res | | | UEPVR | UERTR | 1.40 | 3.74 | 3.63 | 1.88 | 1.80 | | 11.90 | | | | |
| | Non-R | ecurring | | | | | | | | | | | | | | | |
| | | Unbundled Remote Call Forwarding Service - Conversion - | | 1 | | | | | | | | | | | | | |
| | | Switch-as-is | | | UEPVR | USAC2 | | 0.102 | 0.102 | | | | 11.90 | | | | |
| | | Unbundled Remote Call Forwarding Service - Conversion with | | | | | | | | | | | | | | | |
| | | allowed change (PIC and LPIC) | | | UEPVR | USACC | | 0.102 | 0.102 | | | | | | | | |
| | UNBU | NDLED REMOTE CALL FORWARDING - Bus | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | Unbundled Remote Call Forwarding Service, Area Calling - Bus | | | UEPVB | UERAC | 1.40 | 3.74 | 3.63 | 1.88 | 1.80 | | 11.90 | | | | |
| | | | | | | | | | | | | | | | | | |
| | | Unbundled Remote Call Forwarding Service, Local Calling - Bus | | | UEPVB | UERLC | 1.40 | 3.74 | 3.63 | 1.88 | 1.80 | | 11.90 | | | | |
| | | Unbundled Remote Call Forwarding Service, InterLATA - Bus | | | UEPVB | UERTE | 1.40 | 3.74 | 3.63 | 1.88 | 1.80 | | 11.90 | | | | |
| | | Unbundled Remote Call Forwarding Service, IntraLATA - Bus | | | UEPVB | UERTR | 1.40 | 3.74 | 3.63 | 1.88 | 1.80 | | 11.90 | | | | |
| | | Unbundled Remote Call Forwarding Service Expanded and | | | | | | | | | | | | | | | |
| | | Exception Local Calling | | | UEPVB | UERVJ | 1.40 | 3.74 | 3.63 | 1.88 | 1.80 | | 11.90 | | | | |
| | Non-R | ecurring | | | | | | | | | | | | | | | |
| | | Unbundled Remote Call Forwarding Service - Conversion - | | | | | | | | | | | | | | | |
| | | Switch-as-is | | | UEPVB | USAC2 | | 0.102 | 0.102 | | | | 11.90 | | | | |
| | | Unbundled Remote Call Forwarding Service - Conversion with | | | | | | | | | | | | | | | |
| | | allowed change (PIC and LPIC) | | | UEPVB | USACC | | 0.102 | 0.102 | | | | | | | | |
| UNBU | | LOCAL SWITCHING, PORT USAGE | | | | | | | | | | | | | | | |
| | End O | ffice Switching (Port Usage) | | | | | | | | | | | | | | | |
| | | End Office Switching Function, Per MOU | | | | | 0.0007662 | | | | | | | | | | |
| | Trades | End Office Trunk Port - Shared, Per MOU | | | | | 0.000164 | | | | | | | | | | |
| | Tande | m Switching (Port Usage) (Local or Access Tandem) | | - | | | 0.0001319 | | | | | | | | | | |
| | - | Tandem Switching Function Per MOU Tandem Trunk Port - Shared, Per MOU | | | | | 0.0001319 | | | | | | | | | | |
| | Comm | on Transport | | | | | 0.000235 | | | ├ | | | | | | | |
| | Comm | Common Transport - Per Mile, Per MOU | | | | + | 0.0000035 | | | ├ | | | | | | | ╂────┤ |
| | + | Common Transport - Per Mile, Per MOU | | | | + | 0.0004372 | | | ├ | | 1 | | ł | | | łł |
| UNRI | | PORT/LOOP COMBINATIONS - COST BASED RATES | | | | + | 0.0004372 | | | ├ | | 1 | | ł | | | ┥───┤ |
| UNBC | | ased Rates are applied where BellSouth is required by FCC ar | | ate Co | mmission rule to pr | ovide Unbun | died Local Swit | tching or Switch | Ports | ├ | | 1 | | ł | | | łł |
| - | | es shall apply to the Unbundled Port/Loop Combination - Cos | | | | | | | | d Port section | of this Pate F | u xhihit | | | | | ├───┤ |
| - | End Of | ffice and Tandem Switching Usage and Common Transport Us | ane ref | es in f | he Port section of th | namer as li | it shall annly to | all combinatio | ns of loop/po | rt network elem | ents excent | for LINE Col | n Port/Loor | Combination | ns. | | ├────┤ |
| | | st and additional Port nonrecurring charges apply to Not Curr | | | | | | | | | | | | | | | H |
| | | E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) | | | | | | | 5 | | | | Jouriently | | | | ├─── ┤ |
| | | ort/Loop Combination Rates | | <u> </u> | | 1 | | | | | | | | | | | |
| | | 2-Wire VG Loop/Port Combo - Zone 1 | | 1 | | 1 | 10.94 | | | | | | | | | | |
| | | 2-Wire VG Loop/Port Combo - Zone 2 | | 2 | İ | 1 | 15.05 | | | | | | | | 1 | 1 | |
| | | 2-Wire VG Loop/Port Combo - Zone 3 | | 3 | İ | 1 | 25.80 | | | | | | | | 1 | 1 | |
| | UNEI | oop Rates | | Ť | | 1 | 20.00 | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL1) - Zone 1 | 1 | 1 | UEPRX | UEPLX | 9.77 | | | | | 1 | | 1 | | | |
| | | 2-Wire Voice Grade Loop (SL1) - Zone 2 | | 2 | UEPRX | UEPLX | 13.88 | | | | | | | | 1 | 1 | |
| | | 2-Wire Voice Grade Loop (SL1) - Zone 3 | | 3 | UEPRX | UEPLX | 24.63 | | | | | 1 | | 1 | 1 | 1 | |
| | 2-Wire | Voice Grade Line Port Rates (Res) | | Ť | | | 200 | | | | | 1 | | 1 | 1 | 1 | |
| | | 2-Wire voice unbundled port - residence | | 1 | UEPRX | UEPRL | 1.17 | 53.31 | 26.46 | 27.50 | 8.37 | 1 | 11.90 | 1 | 1 | 1 | |
| | | 2-Wire voice unbundled port with Caller ID - res | | 1 | UEPRX | UEPRC | 1.17 | 53.31 | 26.46 | 27.50 | 8.37 | 1 | 11.90 | 1 | 1 | 1 | |
| - | | | | | | 1 | | | | | 2.21 | | | | l | l | اـــــــــــــــــــــــــــــــــــــ |

| UNBUNDLE | D NETWORK ELEMENTS - Florida | | | | | | | | | | | | Attachment: | 2 | Exhi | bit: C |
|----------|---|-------------|------|--------|----------|----------------|-----------------|------------------|-----------------------|---------------------|--------------|---|--|--|----------|---|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES(\$) | | | | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Charge - | Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'I |
| | | | | | | Rec | Nonreo First | curring Add'l | Nonrecurring First | Disconnect Add'l | SOMEC | SOMAN | SOMAN | Rates(\$) SOMAN | SOMAN | SOMAN |
| <u> </u> | 2-Wire voice unbundled port outgoing only - res | | | UEPRX | UEPRO | 1.17 | 53.31 | 26.46 | 27.50 | 8.37 | SOMEC | 11.90 | SOMAN | SOMAN | SOWAN | SOMAN |
| | 2-Whe voice unbundled port outgoing only - res | | | OLFRA | ULFRO | 1.17 | 55.51 | 20.40 | 27.30 | 0.37 | | 11.90 | | | | |
| | 2-Wire voice unbundled Florida Area Calling with Caller ID - res | | | UEPRX | UEPAF | 1.17 | 53.31 | 26.46 | 27.50 | 8.37 | | 11.90 | | | | |
| | 2-Wire voice unbundles res, low usage line port with Caller ID | | | - | - | | | | | | | | | | | |
| | (LUM) | | | UEPRX | UEPAP | 1.17 | 53.31 | 26.46 | 27.50 | 8.37 | | 11.90 | | | | |
| | 2-Wire voice unbundled Florida extended dialing port for use | | | | | | | | | | | | | | | |
| | with CREX7 and Caller ID | | | UEPRX | UEPA1 | 1.17 | 53.31 | 26.46 | 27.50 | 8.37 | | 11.90 | | | | |
| | 2-Wire voice unbundled Florida extended dialing port for use | | | UEPRX | UEPA8 | 4.47 | 52.24 | 00.40 | 27.50 | 0.07 | | 11.90 | | | | |
| | with CREX7, without Caller ID capability 2-Wire voice unbundled Florida Area Calling Port without Caller | | | UEPRA | UEPA8 | 1.17 | 53.31 | 26.46 | 27.50 | 8.37 | | 11.90 | | | | |
| | ID Capability | | | UEPRX | UEPA9 | 1.17 | 53.31 | 26.46 | 27.50 | 8.37 | | 11.90 | | | | |
| | 2-Wire voice unbundled Low Usage Line Port without Caller ID | | | DEFICI | UEI / IU | 1.17 | 00.01 | 20.40 | 27.00 | 0.07 | | 11.00 | | | | |
| | Capability | | | UEPRX | UEPRT | 1.17 | 53.31 | 26.46 | 27.50 | 8.37 | | 11.90 | | | | |
| FEATU | IRES | | | | | | | | | | | | | | | |
| | All Features Offered | | | UEPRX | UEPVF | 2.26 | 0.00 | 0.00 | | | | 11.90 | | | | |
| | NUMBER PORTABILITY | | | | | | | | | | | | | | | |
| | Local Number Portability (1 per port) | | | UEPRX | LNPCX | 0.35 | | | | | | | | | | |
| NONRE | ECURRING CHARGES (NRCs) - CURRENTLY COMBINED | | | | - | | | | | | - | | | | | |
| | 2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch-as-is | | | UEPRX | USAC2 | | 0.102 | 0.102 | | | | 11.90 | | | | |
| | 2-Wire Voice Grade Loop / Line Port Combination - Conversion - | | | UEPKA | USACZ | | 0.102 | 0.102 | | | | 11.90 | | | | |
| | Switch with change | | | UEPRX | USACC | | 0.102 | 0.102 | | | | 11.90 | | | | |
| ADDITI | IONAL NRCs | | | 021101 | 00,000 | | 0.102 | 0.102 | | | | | | | | |
| | 2-Wire Voice Grade Loop/Line Port Combination - Subsequent | | | | | | | | | | | | | | | |
| | Activity | | | UEPRX | USAS2 | 0.00 | 0.00 | 0.00 | | | | 11.90 | | | | |
| | E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS) | | | | | | | | | | | | | | | |
| UNE Po | ort/Loop Combination Rates | | | | | | | | | | | | | | | |
| | 2-Wire VG Loop/Port Combo - Zone 1 | | 1 | | | 10.94 | | | | | | | | | | |
| | 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 | | 2 | | - | 15.05 25.80 | | | | | | | | | | |
| | oop Rates | | 3 | | - | 25.80 | | | - | | | | | | | |
| | 2-Wire Voice Grade Loop (SL1) - Zone 1 | | 1 | UEPBX | UEPLX | 9.77 | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL1) - Zone 2 | | 2 | UEPBX | UEPLX | 13.88 | | | | | 1 | | | | | |
| | 2-Wire Voice Grade Loop (SL1) - Zone 3 | | 3 | UEPBX | UEPLX | 24.63 | | | | | | | | | | |
| 2-Wire | Voice Grade Line Port (Bus) | | | | | | | | | | | | | | | |
| | 2-Wire voice unbundled port without Caller ID - bus | | | UEPBX | UEPBL | 1.17 | 53.31 | 26.46 | 27.50 | 8.37 | | 11.90 | | | | |
| | 2-Wire voice unbundled port with Caller + E484 ID - bus | | | UEPBX | UEPBC | 1.17 | 53.31 | 26.46 | 27.50 | 8.37 | | 11.90 | | | | |
| | 2-Wire voice unbundled port outgoing only - bus | | | UEPBX | UEPBO | 1.17 | 53.31 | 26.46 | 27.50 | 8.37 | | 11.90 | | | | |
| | 2-Wire voice unbundled incoming only port with Caller ID - Bus 2-Wire voice unbundled Incoming Only Port without Caller ID | | | UEPBX | UPEB1 | 1.17 | 53.31 | 26.46 | 27.50 | 8.37 | <u>├</u> ─── | 11.90 | | | | |
| | 2-wire voice unbundled incoming Only Port without Caller ID Capability | | | UEPBX | UEPBE | 1.17 | 53.31 | 26.46 | 27.50 | 8.37 | | 11.90 | | | | |
| LOCAI | | | | | | 1.17 | 55.51 | 20.40 | 21.30 | 0.37 | <u> </u> | 11.50 | | | | |
| | Local Number Portability (1 per port) | 1 | | UEPBX | LNPCX | 0.35 | | | | | 1 | | | | 1 | |
| FEATU | | l | | | 1 | | | | | | 1 | | | | l | |
| | All Features Offered | | | UEPBX | UEPVF | 2.26 | 0.00 | 0.00 | | | | 11.90 | | | | |
| NONRE | ECURRING CHARGES (NRCs) - CURRENTLY COMBINED | | | | | | | | | | | | | | | |
| | 2-Wire Voice Grade Loop / Line Port Combination - Conversion - | | | | | | | | | | | | | | | |
| ┝──┼─── | Switch-as-is 2-Wire Voice Grade Loop / Line Port Combination - Conversion - | | | UEPBX | USAC2 | | 0.102 | 0.102 | | | | 11.90 | | | | |
| | 2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch with change | | | UEPBX | USACC | | 0.102 | 0.102 | | | | 11.90 | | | | |
| | IONAL NRCs | | | | USACC | | 0.102 | 0.102 | | | <u> </u> | 11.90 | | | } | + |
| | 2-Wire Voice Grade Loop/Line Port Combination - Subsequent | 1 | | | 1 | | | | | | 1 | | | | | |
| | Activity | | | UEPBX | USAS2 | | 0.00 | 0.00 | | | | 11.90 | | | | |
| 2-WIRE | E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES - PBX) | | | | | | | | | | | | | | | |
| UNE Pr | ort/Loop Combination Rates | | | | | | | | | | | | | | | |
| | 2-Wire VG Loop/Port Combo - Zone 1 | | 1 | | | 10.94 | | | | | | | | | | |
| | 2-Wire VG Loop/Port Combo - Zone 2 | ļ | 2 | | _ | 15.05 | | | | | L | | | | | ļļ |
| | 2-Wire VG Loop/Port Combo - Zone 3 | | 3 | | | 25.80 | | | | | - | | | | | |
| UNE LC | oop Rates | | | 1 | | | | | | | | | | | 1 | |

| UNB | UNDLED | D NETWORK ELEMENTS - Florida | | | | | | | | | | | | Attachment: | 2 | Exhi | ibit: C |
|------|--------|--|--------|----------|----------|-----------|-------|--------|-----------|--------------|-------|-----------|-----------|-------------|-------------|--------------|---------------|
| | | | | | | | | | | | | Svc Order | Svc Order | Incremental | Incremental | Incremental | Incremental |
| | | | | | | | | | | | | Submitted | | Charge - | Charge - | Charge - | Charge - |
| | | | Interi | | | | | | | | | Elec | Manually | Manual Svc | | Manual Svc | |
| CATE | GORY | RATE ELEMENTS | Interi | Zone | BCS | USOC | | | RATES(\$) | | | per LSR | per LSR | Order vs. | Order vs. | Order vs. | Order vs. |
| | | | m | | | | | | | | | per Lon | per Lorr | Electronic- | Electronic- | Electronic- | Electronic- |
| | | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add'l |
| | | | | | | | | | | | | | | | | Diac Tat | DISC AUUT |
| | | | | | | | Rec | Nonre | | Nonrecurring | | | | | Rates(\$) | | |
| | | | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | 2-Wire Voice Grade Loop (SL 1) - Zone 1 | | | UEPRG | UEPLX | 9.77 | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL 1) - Zone 2 | | | UEPRG | UEPLX | 13.88 | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL 1) - Zone 3 | | 3 | UEPRG | UEPLX | 24.63 | | | | | | | | | | |
| | 2-Wire | Voice Grade Line Port Rates (RES - PBX) | | | | | | | | | | | | | | | |
| | | 2-Wire VG Unbundled Combination 2-Way PBX Trunk Port - | | | | | | | | | | | | | | | |
| | | Res | | | UEPRG | UEPRD | 1.17 | 174.81 | 100.65 | 75.88 | 12.73 | | 11.90 | | | | |
| | | | | | | 1.1.5.0.5 | | | | | | | 11.00 | | | | |
| | | Local Number Portability (1 per port) | | | UEPRG | LNPCP | 0.00 | 0.00 | 0.00 | | | | 11.90 | | | | |
| | FEATU | | | | | | 0.00 | 0.00 | 0.00 | - | | | 11.00 | | | | |
| | | | | | UEPRG | UEPVF | 2.26 | 0.00 | 0.00 | - | | | 11.90 | | | | <u> </u> |
| | NUNRE | CURRING CHARGES (NRCs) - CURRENTLY COMBINED | | | | | | | | | | | | | | | ┥ |
| | | 2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Conversion - Switch-As-Is | | | UEPRG | USAC2 | | 8.45 | 1.91 | | | | 11.90 | | | 1 | |
| | | 2-Wire Voice Grade Loop/ Line Port Combination (PBX) - | | <u> </u> | OLFING | 00702 | | 0.40 | 1.91 | <u> </u> | | | 11.90 | | | | <u> </u> |
| | | Conversion - Switch with Change | | | UEPRG | USACC | | 8.45 | 1.91 | | | | 11.90 | | | 1 | |
| - | | ONAL NRCs | | | UEFRG | USACC | | 0.40 | 1.91 | ł | | | 11.90 | - | | - | |
| | ADDIT | 2-Wire Voice Grade Loop/ Line Port Combination (PBX) - | | | | | | | | | | | | | | | |
| | | Subsequent Activity | | | UEPRG | USAS2 | 0.00 | 0.00 | 0.00 | | | | 11.90 | | | | |
| | - | PBX Subsequent Activity - Change/Rearrange Multiline Hunt | | | 0EI IIIO | 00,102 | 0.00 | 0.00 | 0.00 | | | | 11.00 | | | | |
| | | Group | | | | | | 7.86 | 7.86 | | | | 11.90 | | | | |
| - | 2-WIRF | VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX) | | | | | | 1.00 | 7.00 | | | | 11.00 | | | | |
| | | ort/Loop Combination Rates | | | | | | | | | | | | | | | |
| | | 2-Wire VG Loop/Port Combo - Zone 1 | | 1 | | | 10.94 | | | | | | | | | | |
| - | | 2-Wire VG Loop/Port Combo - Zone 2 | | 2 | | | 15.05 | | | | | | | | | | |
| | | 2-Wire VG Loop/Port Combo - Zone 3 | | 3 | | | 25.80 | | | | | | | | | | |
| | | op Rates | | | | | | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL 1) - Zone 1 | | 1 | UEPPX | UEPLX | 9.77 | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL 1) - Zone 2 | | | UEPPX | UEPLX | 13.88 | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL 1) - Zone 3 | | 3 | UEPPX | UEPLX | 24.63 | | | | | | | | | | |
| | 2-Wire | Voice Grade Line Port Rates (BUS - PBX) | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus | | | UEPPX | UEPPC | 1.17 | 174.81 | 100.65 | 75.88 | 12.73 | | 11.90 | | | | |
| | | Line Side Unbundled Outward PBX Trunk Port - Bus | | | UEPPX | UEPPO | 1.17 | 174.81 | 100.65 | 75.88 | 12.73 | | 11.90 | | | | |
| | | Line Side Unbundled Incoming PBX Trunk Port - Bus | | | UEPPX | UEPP1 | 1.17 | 174.81 | 100.65 | 75.88 | 12.73 | | 11.90 | | | | |
| | | 2-Wire Voice Unbundled PBX LD Terminal Ports | | | UEPPX | UEPLD | 1.17 | 174.81 | 100.65 | 75.88 | 12.73 | | 11.90 | | | | |
| | | 2-Wire Voice Unbundled 2-Way Combination PBX Usage Port | | | UEPPX | UEPXA | 1.17 | 174.81 | 100.65 | 75.88 | 12.73 | | 11.90 | | | | |
| | | 2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports | | | UEPPX | UEPXB | 1.17 | 174.81 | 100.65 | 75.88 | 12.73 | | 11.90 | | | | |
| | | 2-Wire Voice Unbundled PBX LD DDD Terminals Port | | | UEPPX | UEPXC | 1.17 | 174.81 | 100.65 | 75.88 | 12.73 | | 11.90 | | | ļ | |
| | | 2-Wire Voice Unbundled PBX LD Terminal Switchboard Port | | ļ | UEPPX | UEPXD | 1.17 | 174.81 | 100.65 | 75.88 | 12.73 | | 11.90 | | | l | ┥────┤ |
| | | 2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD | | 1 | | | | 171.01 | 100.07 | 75.00 | 10 -0 | | 44.00 | | | | |
| | | Capable Port | | | UEPPX | UEPXE | 1.17 | 174.81 | 100.65 | 75.88 | 12.73 | | 11.90 | | | <u> </u> | <u> </u> |
| | | 2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy | | 1 | UEPPX | UEPXL | 1.17 | 174.04 | 100.65 | 75.00 | 10.70 | | 11.00 | | | | |
| | | Administrative Calling Port | | | UEFPA | UEPAL | 1.17 | 174.81 | 100.65 | 75.88 | 12.73 | - | 11.90 | | | | <u> </u> |
| | | 2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy | | 1 | | | 1 47 | 174.04 | 100.05 | 75.00 | 10.70 | | 11.00 | | | | |
| | | Room Calling Port | | | UEPPX | UEPXM | 1.17 | 174.81 | 100.65 | 75.88 | 12.73 | | 11.90 | | | <u> </u> | <u> </u> |
| | | 2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital Discount Room Calling Port | | | UEPPX | UEPXO | 1.17 | 174.81 | 100.65 | 75.88 | 12.73 | | 11.90 | | | 1 | |
| | - | 2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port | | | UEPPX | UEPXS | 1.17 | 174.81 | 100.65 | 75.88 | 12.73 | | 11.90 | | | ł | ├ ───┤ |
| | LOCAL | NUMBER PORTABILITY | | | | 56176 | 1.17 | 174.01 | 100.05 | 10.00 | 12.73 | | 11.50 | - | | ł | ├ ───┤ |
| - | | Local Number Portability (1 per port) | | | UEPPX | LNPCP | 3.15 | 0.00 | 0.00 | <u> </u> | | | 11.90 | | | | ┝────┤ |
| | FEATU | | | | | | 5.15 | 0.00 | 0.00 | | | | 11.90 | | | | <u> </u> |
| | | All Features Offered | | | UEPPX | UEPVF | 2.26 | 0.00 | 0.00 | | | | 11.90 | | | | <u> </u> |
| | | CURRING CHARGES (NRCs) - CURRENTLY COMBINED | | 1 | | | 2.20 | 0.00 | 0.00 | | | | 11.00 | | | | H |
| | | 2-Wire Voice Grade Loop/ Line Port Combination (PBX) - | 1 | 1 | 1 | 1 | | | 1 | 1 | 1 | | | | 1 | 1 | <u> </u> |
| | | Conversion - Switch-As-Is | | 1 | UEPPX | USAC2 | | 8.45 | 1.91 | | | | 11.90 | | | | |
| | | 2-Wire Voice Grade Loop/ Line Port Combination (PBX) - | İ | 1 | | | | 0.10 | | İ | | | | | | İ | |
| | | Conversion - Switch with Change | | | UEPPX | USACC | | 8.45 | 1.91 | 1 | | | 11.90 | | | 1 | |
| | | ONAL NRCs | 1 | 1 | | | 1 | | 1 | l | ĺ | | | | İ | l | |
| | | | • | | | | | | | | | • | • | | | | |

| UNB | UNDLE | D NETWORK ELEMENTS - Florida | | | | | | | | | | | | Attachment: | 2 | Exhi | ibit: C |
|----------|----------|--|--------|--------|----------------|----------------|----------------|--------|-----------|--------------|------------|-------------|-----------|-------------|-------------|--------------|-------------|
| | | | | | | | | | | | | Svc Order | Svc Order | Incremental | Incremental | Incremental | Incremental |
| | | | | | | | | | | | | Submitted | Submitted | Charge - | Charge - | Charge - | Charge - |
| | | | Interi | _ | | | | | | | | Elec | Manually | Manual Svc | Manual Svc | Manual Svc | Manual Svc |
| CATE | GORY | RATE ELEMENTS | m | Zone | BCS | USOC | | | RATES(\$) | | | per LSR | per LSR | Order vs. | Order vs. | Order vs. | Order vs. |
| | | | | | | | | | | | | | | Electronic- | Electronic- | Electronic- | Electronic- |
| | | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add'l |
| | 1 | | | | | | | Nonrec | urring | Nonrecurring | Disconnect | | | 220 | Rates(\$) | | <u> </u> |
| | | | | - | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | | SOMAN | SOMAN | SOMAN |
| - | | 2-Wire Voice Grade Loop/ Line Port Combination (PBX) - | | | | - | | 11130 | Add I | 11130 | Add I | COMEO | COMPAN | COMAN | COMPAR | COMPAN | COMPAN |
| | | Subsequent Activity | | | UEPPX | USAS2 | 0.00 | 0.00 | 0.00 | | | | 11.90 | | | | |
| | | PBX Subsequent Activity - Change/Rearrange Multiline Hunt | | | - | | | | | | | | | | | | |
| | | Group | | | | | | 7.86 | 7.86 | | | | 11.90 | | | | |
| | 2-WIRE | VOICE GRADE LOOP WITH 2-WIRE ANALOG LINE COIN POR | ŔΤ | | | | | | | | | | | | | | |
| | UNE P | ort/Loop Combination Rates | | | | | | | | | | | | | | | |
| | | 2-Wire VG Coin Port/Loop Combo – Zone 1 | | 1 | | | 10.94 | | | | | | | | | | |
| | | 2-Wire VG Coin Port/Loop Combo – Zone 2 | | 2 | | | 15.05 | | | | | | | | | | |
| | | 2-Wire VG Coin Port/Loop Combo – Zone 3 | | 3 | - | - | 25.80 | | | | | | - | | | - | |
| | UNE LO | pop Rates | | 1 | | | 9.77 | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 | | 2 | UEPCO UEPCO | UEPLX UEPLX | 9.77 | | | | | t | t | | | | 1 |
| | - | 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 | | | UEPCO | UEPLX | 24.63 | | | | | | | | | 1 | 1 |
| | 2-Wire | Voice Grade Line Ports (COIN) | | Ť | | 52.2. | 200 | | | | | | t | | | 1 | 1 |
| | | 2-Wire Coin 2-Way with Operator Screening and Blocking: 011, | | 1 | | 1 | | | | | | 1 | 1 | | l | 1 | 1 |
| | | 900/976, 1+DDD (FL) | | | UEPCO | UEP2F | 1.17 | 53.31 | 26.46 | 27.50 | 8.37 | | 11.90 | | | | |
| | | 2-Wire Coin 2-Way with Operator Screening and 011 Blocking | | | | | | | | | | | | | | | |
| | | (FL) | | | UEPCO | UEPFA | 1.17 | 53.31 | 26.46 | 27.50 | 8.37 | | 11.90 | | | | <u> </u> |
| | | 2-Wire Coin 2-Way with Operator Screening and Blocking: | | | | | | | | | | | | | | | |
| | | 900/976, 1+DDD, 011+, and Local (FL) | | | UEPCO | UEPCG | 1.17 | 53.31 | 26.46 | 27.50 | 8.37 | | 11.90 | | | | |
| | | 2-Wire Coin Outward with Operator Screening and 011 Blocking | | | | | 4.47 | 50.04 | 00.40 | 07.50 | 0.07 | | 11.00 | | | | |
| | | (AL, FL) | | | UEPCO | UEPRK | 1.17 | 53.31 | 26.46 | 27.50 | 8.37 | | 11.90 | | | | |
| | | 2-Wire Coin Outward with Operator Screening and Blocking: 900/976, 1+DDD, 011+ (FL) | | | UEPCO | UEPOF | 1.17 | 53.31 | 26.46 | 27.50 | 8.37 | | 11.90 | | | | |
| | | 2-Wire Coin Outward with Operator Screening and Blocking: | | - | | 02101 | 1.17 | 55.51 | 20.40 | 21.50 | 0.07 | | 11.30 | | | | - |
| | | 900/976, 1+DDD, 011+, and Local (FL, GA) | | | UEPCO | UEPCQ | 1.17 | 53.31 | 26.46 | 27.50 | 8.37 | | 11.90 | | | | |
| | | 2-Wire 2-Way Smartline with 900/976 (all states except LA) | | | UEPCO | UEPCK | 1.17 | 53.31 | 26.46 | 27.50 | 8.37 | | 11.90 | | | | |
| | | 2-Wire Coin Outward Smartline with 900/976 (all states except | | | | | | | | | | | | | | | |
| | | LA) | | | UEPCO | UEPCR | 1.17 | 53.31 | 26.46 | 27.50 | 8.37 | | 11.90 | | | | |
| | ADDIT | ONAL UNE COIN PORT/LOOP (RC) | | | | | | | | | | | | | | | |
| | | UNE Coin Port/Loop Combo Usage (Flat Rate) | | | UEPCO | URECU | 1.86 | 53.31 | 26.46 | 27.50 | 8.37 | | 11.90 | | | | |
| | LOCAL | | | | | LNDOV | 0.05 | | | | | | | | | | |
| | NOND | Local Number Portability (1 per port) CURRING CHARGES - CURRENTLY COMBINED | | | UEPCO | LNPCX | 0.35 | | | | | | | | | | 4 |
| | NUNK | 2-Wire Voice Grade Loop / Line Port Combination - Conversion - | | | | | | | | | | | | | | | |
| | | Switch-as-is | | | UEPCO | USAC2 | | 0.102 | 0.102 | | | | 11.90 | | | | |
| | | 2-Wire Voice Grade Loop / Line Port Combination - Conversion - | | | 02100 | 00/102 | | 0.102 | 0.102 | | | | 11.00 | | | 1 | |
| | | Switch with change | | | UEPCO | USACC | | 0.102 | 0.102 | | | | 11.90 | | | | |
| | ADDIT | ONAL NRCs | | | | | | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop/Line Port Combination - Subsequent | | | | | | | | | | | | | | | |
| | | Activity | | | UEPCO | USAS2 | | 0.00 | 0.00 | | | | 11.90 | | | | |
| | | VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE | LINE | PORT (| RES) | | | | | | | | | | | | <u> </u> |
| | UNE P | ort/Loop Combination Rates | | | | | 10.01 | | | | | - | | | | ļ | 4 |
| | + | 2-Wire VG Loop/IO Tranport/Port Combo - Zone 1 | | 1 | | | 13.64 | | | | | ├ ── | | | | <u> </u> | ┨───── |
| | - | 2-Wire VG Loop/IO Tranport/Port Combo - Zone 2 2-Wire VG Loop/IO Tranport/Port Combo - Zone 3 | | 2 | <u> </u> | | 18.80 32.27 | | | | | | | | | <u> </u> | |
| | | pop Rates | | 3 | | 1 | 32.21 | | | | | - | - | | | | 1 |
| | 0.12 2 | 2-Wire Voice Grade Loop (SL2) - Zone 1 | | 1 | UEPFR | UECF2 | 12.24 | | | | | | | | | | 1 |
| | + | 2-Wire Voice Grade Loop (SL2) - Zone 1 2-Wire Voice Grade Loop (SL2) - Zone 2 | | 2 | UEPFR | UECF2 | 17.40 | | | | | t | 1 | | | <u> </u> | 1 |
| | | 2-Wire Voice Grade Loop (SL2) - Zone 3 | | | UEPFR | UECF2 | 30.87 | | | | | | | | | 1 | 1 |
| | 2-Wire | Voice Grade Line Port Rates (Res) | | | | | | | | | | | | | | | 1 |
| | | 2-Wire voice unbundled port - residence | | | UEPFR | UEPRL | 1.40 | 174.81 | 100.65 | 75.88 | 12.73 | | 11.90 | | | | |
| | | 2-Wire voice unbundled port with Caller ID - res | | | UEPFR | UEPRC | 1.40 | 174.81 | 100.65 | 75.88 | 12.73 | | 11.90 | | | | |
| | | 2-Wire voice unbundled port outgoing only - res | | L | UEPFR | UEPRO | 1.40 | 174.81 | 100.65 | 75.88 | 12.73 | ļ | 11.90 | | | | l |
| 1 | | | | 1 | | UEDAE | | 171.01 | 100.07 | 75.00 | 40 | | 44.00 | | | 1 | |
| <u> </u> | - | 2-Wire voice unbundled Florida Area Calling with Caller ID - res | | | UEPFR | UEPAF | 1.40 | 174.81 | 100.65 | 75.88 | 12.73 | | 11.90 | | | <u> </u> | ─── |
| | | 2-Wire voice unbundles res, low usage line port with Caller ID (LUM) | | 1 | UEPFR | UEPAP | 1.40 | 174.81 | 100.65 | 75.88 | 12.73 | | 11.90 | | | 1 | |
| | INTER | | | | ULFIN | ULFAF | 1.40 | 1/4.01 | 100.001 | 10.08 | 12.73 | <u> </u> | 11.90 | - | 1 | ł | + |
| L | DIVIER (| | | 1 | 1 | | | | | | | 1 | 1 | | | 1 | <u> </u> |

| UNBUNDLE | D NETWORK ELEMENTS - Florida | | | | | | | | | | | | Attachment: | 2 | Exhi | ibit: C |
|-------------------------|--|-------------|----------|--------|----------------|--------|------------------|------------------|------------------------|----------------|-------|-----------------------|-------------|--|--------------|----------|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES(\$) | | | | Submitted Manually | | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Charge - | Charge - |
| | | | | | | _ | Nonrec | urring | Nonrecurring | Disconnect | | l | OSS | Rates(\$) | | I |
| | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility | | | | | | | | | | | | | | | |
| | Termination | | | UEPFR | U1TV2 | 25.32 | 47.35 | 31.78 | | | | | | | | |
| | Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile or Fraction Mile | | | UEPFR | 1L5XX | 0.0091 | | | | | | | | | | |
| FEATU | | | | OLITIK | TESKK | 0.0031 | | | | | | | | | | |
| | All Features Offered | | | UEPFR | UEPVF | 2.26 | 0.00 | 0.00 | | | | 11.90 | | | | |
| LOCAL | NUMBER PORTABILITY | | | | | | | | | | | | | | | |
| | Local Number Portability (1 per port) | | | UEPFR | LNPCX | 0.35 | | | | | | | | | | |
| NONR | ECURRING CHARGES (NRCs) - CURRENTLY COMBINED | | | | | | | | | | | | | | | |
| | 2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port Combination - Conversion - Switch-as-is | | | UEPFR | USAC2 | | 16.97 | 3.73 | | | | 11.90 | | | | |
| | 2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port | | | | 00002 | | 10.97 | 3.13 | | | 1 | 11.50 | | | | <u> </u> |
| | Combination - Conversion - Switch-With-Change | | | UEPFR | USACC | | 16.97 | 3.73 | | | | 11.90 | | | | |
| | E VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE | E LINE I | PORT (| BUS) | | | | | | | | | | | | |
| UNE P | ort/Loop Combination Rates | | | | | | | | | | | | | | | |
| | 2-Wire VG Loop/IO Tranport/Port Combo - Zone 1 | | 1 | | | 13.64 | | | | | | | | | | |
| | 2-Wire VG Loop/IO Tranport/Port Combo - Zone 2 | | 2 | | | 18.80 | | | | | | | | | | |
| | 2-Wire VG Loop/IO Tranport/Port Combo - Zone 3 | | 3 | | - | 32.27 | | | | | | | | | - | - |
| UNE L | oop Rates 2-Wire Voice Grade Loop (SL2) - Zone 1 | | 1 | UEPFB | UECF2 | 12.24 | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL2) - Zone 1 2-Wire Voice Grade Loop (SL2) - Zone 2 | - | 2 | UEPFB | UECF2 UECF2 | 12.24 | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL2) - Zone 2 | | | UEPFB | UECF2 | 30.87 | | | | | | | | | | |
| 2-Wire | Voice Grade Line Port (Bus) | | 3 | OLFIB | | 30.07 | | | | | | | | | | |
| 2-1110 | 2-Wire voice unbundled port without Caller ID - bus | | | UEPFB | UEPBL | 1.40 | 174.81 | 100.65 | 75.88 | 12.73 | | 11.90 | | | | |
| | 2-Wire voice unbundled port with Caller + E484 ID - bus | | | UEPFB | UEPBC | 1.40 | 174.81 | 100.65 | 75.88 | 12.73 | | 11.90 | | | 1 | |
| | 2-Wire voice unbundled port outgoing only - bus | | | UEPFB | UEPBO | 1.40 | 174.81 | 100.65 | 75.88 | 12.73 | | 11.90 | | | | |
| | 2-Wire voice unbundled incoming only port with Caller ID - Bus | | | UEPFB | UEPB1 | 1.40 | 174.81 | 100.65 | 75.88 | 12.73 | | 11.90 | | | | |
| LOCAL | NUMBER PORTABILITY | | | | | | | | | | | | | | | |
| | Local Number Portability (1 per port) | | | UEPFB | LNPCX | 0.35 | | | | | | | | | | |
| INTER | OFFICE TRANSPORT | | | | | | | | | | | | | | | |
| | Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility | | | | | | | | | | | | | | | |
| | Termination | | | UEPFB | U1TV2 | 25.32 | 47.35 | 31.78 | | | | | | | - | - |
| | Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile or Fraction Mile | | | UEPFB | 1L5XX | 0.0091 | | | | | | | | | | |
| FEATU | | | | OLFIB | ILJAA | 0.0091 | | | | | | | | | | |
| | All Features Offered | | | UEPFB | UEPVF | 2.26 | 0.00 | 0.00 | | | | 11.90 | | | | |
| NONR | ECURRING CHARGES (NRCs) - CURRENTLY COMBINED | | | 02.10 | 02.11 | 2.20 | 0.00 | 0.00 | | | | 11100 | | | | |
| | 2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port | | | | | | | | | | | | | | | 1 |
| | Combination - Conversion - Switch-as-is | | | UEPFB | USAC2 | | 16.97 | 3.73 | | | | 11.90 | | | | |
| | 2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port | | | | | | ΙΤ | | | | | I T | | | I | |
| | Combination - Conversion - Switch with change | ļ | <u> </u> | UEPFB | USACC | | 16.97 | 3.73 | ├ | | | 11.90 | | | ł | ┨───── |
| | E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX) ort/Loop Combination Rates | | | | + | | | | | | | ł | | | <u> </u> | ─── |
| | 2-Wire VG Loop/IO Tranport/Port Combo - Zone 1 | | 1 | | + | 13.64 | | | ├ | | | | | | ł | ╂───── |
| | 2-Wire VG Loop/IO Tranport/Port Combo - Zone 1 | | 2 | | + | 18.80 | | | | | | | | | | ł |
| | 2-Wire VG Loop/IO Tranport/Port Combo - Zone 2 | l | 3 | | 1 1 | 32.27 | | | | | 1 | 1 | 1 | 1 | ł | 1 |
| UNE L | oop Rates | | | | 1 1 | | | | l l | | 1 | 1 | | | | |
| | 2-Wire Voice Grade Loop (SL2) - Zone 1 | | | UEPFP | UECF2 | 12.24 | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL2) - Zone 2 | | 2 | UEPFP | UECF2 | 17.40 | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL2) - Zone 3 | | 3 | UEPFP | UECF2 | 30.87 | | | | | | | | | | L |
| 2-Wire | Voice Grade Line Port Rates (BUS - PBX) | | | | | | | | ├ ──── │ | | | | | | ļ | l |
| | Line Side Linkundlad Combination 0 Way DDV Truck Durt D | | | UEPFP | UEPPC | 1.40 | 474.04 | 400.05 | 75.00 | 40.70 | 1 | 44.00 | | | 1 | |
| ├ ── ├ ── | Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus Line Side Unbundled Outward PBX Trunk Port - Bus | | | UEPFP | UEPPC | 1.40 | 174.81 174.81 | 100.65 100.65 | 75.88 75.88 | 12.73 12.73 | | 11.90 11.90 | | | | |
| <u>├</u> | Line Side Unbundled Outward PBX Trunk Port - Bus | | | UEPFP | UEPP0 | 1.40 | 174.81 | 100.65 | 75.88 | 12.73 | | 11.90 | | | | 1 |
| | 2-Wire Voice Unbundled PBX LD Terminal Ports | | | UEPFP | UEPLD | 1.40 | 174.81 | 100.65 | 75.88 | 12.73 | 1 | 11.90 | | | | <u> </u> |
| | 2-Wire Voice Unbundled 2-Way Combination PBX Usage Port | | | UEPFP | UEPXA | 1.40 | 174.81 | 100.65 | 75.88 | 12.73 | | 11.90 | | | 1 | 1 |
| | 2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports | | | UEPFP | UEPXB | 1.40 | 174.81 | 100.65 | 75.88 | 12.73 | 1 | 11.90 | | | 1 | 1 |
| | 2-Wire Voice Unbundled PBX LD DDD Terminals Port | I | | UEPFP | UEPXC | 1.40 | 174.81 | 100.65 | 75.88 | 12.73 | 1 | 11.90 | | | 1 | |

| UNBUNDL | ED NETWORK ELEMENTS - Florida | | | | | | | | | | | | | Attachment: | 2 | Exhi | bit: C |
|----------|---|-------------|------|----------------|-------|------------|--------|-----------------|-----------------|----------------|----------------|-------|---|--|---|---|---|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | в | cs | USOC | | | RATES(\$) | | | | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l |
| | | | | | | | Rec | Nonrec | | Nonrecurring | | | | | Rates(\$) | | |
| | 2-Wire Voice Unbundled PBX LD Terminal Switchboard Port | | | UEPFP | | UEPXD | 1.40 | First 174.81 | Add'l 100.65 | First 75.88 | Add'l 12.73 | SOMEC | SOMAN 11.90 | SOMAN | SOMAN | SOMAN | SOMAN |
| | 2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD | | | OLFIF | | ULFAD | 1.40 | 174.01 | 100.05 | 75.00 | 12.73 | | 11.90 | | | | |
| | Capable Port | | | UEPFP | | UEPXE | 1.40 | 174.81 | 100.65 | 75.88 | 12.73 | | 11.90 | | | | |
| | 2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy | | | | | | | | | | | | | | | | |
| | Administrative Calling Port | | | UEPFP | | UEPXL | 1.40 | 174.81 | 100.65 | 75.88 | 12.73 | | 11.90 | | | | |
| | 2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Room Calling Port | | | UEPFP | | UEPXM | 1.40 | 174.81 | 100.65 | 75.88 | 12.73 | | 11.90 | | | | |
| | 2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital | | | OLITI | | OEI XW | 1.40 | 114.01 | 100.00 | 70.00 | 12.70 | | 11.00 | | | | |
| | Discount Room Calling Port | | | UEPFP | | UEPXO | 1.40 | 174.81 | 100.65 | 75.88 | 12.73 | | 11.90 | | | | |
| | 2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port | | | UEPFP | | UEPXS | 1.40 | 174.81 | 100.65 | 75.88 | 12.73 | | 11.90 | | | | |
| LOC | | | | UEPFP | | LNPCP | 2.45 | 0.00 | 0.00 | | | | 44.00 | | | | |
| INTE | Local Number Portability (1 per port) ROFFICE TRANSPORT | | | UEPFP | | LNPCP | 3.15 | 0.00 | 0.00 | | - | | 11.90 | | | | |
| | Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility | | | | | | | | | 1 | | | | | | | |
| | Termination | | | UEPFP | | U1TV2 | 25.32 | 47.35 | 31.78 | | | | | | | | |
| | Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile | | | | | | | | | | | | | | | | |
| FEAT | or Fraction Mile | | | UEPFP | | 1L5XX | 0.0091 | | | | | | | | | | |
| FEA | All Features Offered | | | UEPFP | | UEPVF | 2.26 | 0.00 | 0.00 | | - | | 11.90 | | | | |
| NON | RECURRING CHARGES (NRCs) - CURRENTLY COMBINED | | | | | | 2.20 | 0.00 | 0.00 | | | | 11.30 | | | | |
| | 2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port | | | | | | | | | | | | | | | | |
| | Combination - Conversion - Switch-as-is | | | UEPFP | | USAC2 | | 16.97 | 3.73 | | | | 11.90 | | | | |
| | 2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port | | | | | | | | | | | | | | | | |
| | Combination - Conversion - Switch with change O PORT/LOOP COMBINATIONS - COST BASED RATES | | | UEPFP | | USACC | | 16.97 | 3.73 | | | | 11.90 | | | | |
| | RE VOICE GRADE LOOP- BUS ONLY - WITH 2-WIRE DID TRUNK | PORT | | | | | | | | | | | | | | | |
| | Port/Loop Combination Rates | | | | | | | | | | | | | | | | |
| | 2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 1 | | 1 | | | | 20.95 | | | | | | | | | | |
| | 2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 2 | | 2 | | | | 26.11 | | | | | | | | | | |
| | 2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 3 | | 3 | | | | 39.58 | | | | | | | | | | |
| UNE | Loop Rates 2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 1 | | 1 | UEPPX | | UECD1 | 12.24 | | | | | | 11.90 | | | 1.83 | |
| | 2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 2 | | 2 | UEPPX | | UECD1 | 17.40 | | | | | | 11.90 | | | 1.83 | |
| | 2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 3 | | | UEPPX | | UECD1 | 30.87 | | | | | | 11.90 | | | 1.83 | |
| UNE | Port Rate | | | | | | | | | | | | | | | | |
| Nov | Exchange Ports - 2-Wire DID Port | | | UEPPX | | UEPD1 | 8.71 | 214.16 | 98.29 | | | | 11.90 | | | 1.83 | |
| NON | RECURRING CHARGES - CURRENTLY COMBINED 2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Combination - | | | | | | | | | | | | | | | | |
| | Switch-as-is | | | UEPPX | | USAC1 | | 7.85 | 1.87 | | | | 11.90 | | | | |
| | 2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Conversion | | | | | | | | | | | | | | | | |
| | with BellSouth Allowable Changes | | | UEPPX | | USA1C | | 7.85 | 1.87 | | | | 11.90 | | | | |
| ADD | | | | UEPPX | | | | 32.26 | 32.26 | | | | 44.00 | | | | |
| Teler | 2-Wire DID Subsequent Activity - Add Trunks, Per Trunk phone Number/Trunk Group Establisment Charges | | | UEPPX | | USAS1 | | 32.20 | 32.20 | | | | 11.90 | | | | |
| 1010 | DID Trunk Termination (One Per Port) | | | UEPPX | | NDT | 0.00 | 0.00 | 0.00 | | | | 11.90 | | | 1.83 | |
| | DID Numbers, Establish Trunk Group and Provide First Group | | | | | | | | | | | 1 | | | | | |
| | of 20 DID Numbers | | | UEPPX | | NDZ | 0.00 | 0.00 | 0.00 | | | | 11.90 | | | 1.83 | |
| | Additional DID Numbers for each Group of 20 DID Numbers | | | UEPPX | | ND4 | 0.00 | 0.00 | 0.00 | | | | 11.90 | | | 1.83 | |
| | DID Numbers, Non- consecutive DID Numbers , Per Number Reserve Non-Consecutive DID numbers | | | UEPPX UEPPX | | ND5 ND6 | 0.00 | 0.00 | 0.00 | | | | 11.90 11.90 | | | 1.83 1.83 | |
| | Reserve DID Numbers | | | UEPPX | | NDV | 0.00 | 0.00 | 0.00 | | | 1 | 11.90 | | | 1.83 | |
| LOC | AL NUMBER PORTABILITY | | | | | | | | | | | | | | | | |
| | Local Number Portability (1 per port) | | | UEPPX | | LNPCP | 3.15 | 0.00 | 0.00 | | | | | | | | |
| | RE ISDN DIGITAL GRADE LOOP WITH 2-WIRE ISDN DIGITAL LI | NE SIDE | PORT | | | | | | | | | | | | | | |
| UNE | Port/Loop Combination Rates 2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port - | | | | | | | | | | | | | | | | |
| | UNE Zone 1 | | 1 | UEPPB | UEPPR | | 22.63 | | | | | | | | | | |
| | 2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port - UNE Zone 2 | | 2 | UEPPB | UEPPR | | 29.05 | | | | | | | | | | L |
| | | | | | | | | | | | | | | | | | |

Version 3Q02: 10/07/02

| UNBUNDLE | D NETWORK ELEMENTS - Florida | | | | | | | | | | | - | | Attachment: | | | ibit: C |
|-----------------|--|-------------|----------|----------------|----------------|----------------|------------------|--------|-----------|------------------------|-------|----------|----------------|--|---|---|-------------------------------------|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | E | SCS | USOC | | | RATES(\$) | | | | Submitted | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Charge - Manual Svo Order vs. |
| | | | | | | | Rec | Nonrec | | Nonrecurring | | 001150 | 001141 | | Rates(\$) | 001111 | 0.01141 |
| | 2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port - | | - | | | - | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | UNE Zone 3 | | 3 | UEPPB | UEPPR | | 45.84 | | | | | | | | | | |
| UNE LO | oop Rates | | | | | | | | | | | | | | | | |
| | 2-Wire ISDN Digital Grade Loop - UNE Zone 1 | | 1 | UEPPB | UEPPR | USL2X | 15.25 | | | | | | 11.90 | | | 1.83 | |
| | | | | | | | | | | | | | | | | | |
| | 2-Wire ISDN Digital Grade Loop - UNE Zone 2 2-Wire ISDN Digital Grade Loop - UNE Zone 3 | | 2 | UEPPB UEPPB | UEPPR UEPPR | USL2X USL2X | 21.67 38.46 | | | | | | 11.90 11.90 | | | 1.83 1.83 | <u> </u> |
| UNF P | ort Rate | | 3 | ULFFD | ULFFR | USLZA | 30.40 | | | | | | 11.90 | | | 1.05 | |
| | Exchange Port - 2-Wire ISDN Line Side Port | | | UEPPB | UEPPR | UEPPB | 7.38 | 194.52 | 145.09 | | | | 11.09 | | | 1.83 | |
| NONRE | ECURRING CHARGES - CURRENTLY COMBINED | | | | | | | | | | | | | | | | |
| | 2-Wire ISDN Digital Grade Loop / 2-Wire ISDN Line Side Port | | 1 | | | | | | | | | | | | | | |
| <u> </u> | Combination - Conversion | | L | UEPPB | UEPPR | USACB | 0.00 | 25.22 | 17.00 | | | L | 11.90 | | | 1.83 | L |
| | IONAL NRCs NUMBER PORTABILITY | <u> </u> | | <u> </u> | | <u> </u> | | | | | | <u> </u> | L | | | | ─── |
| | Local Number Portability (1 per port) | | | UEPPB | UEPPR | | 0.35 | 0.00 | 0.00 | | | | | | | | |
| | NNEL USER PROFILE ACCESS: | | + | UEPPB | UEPPR | LINFUX | 0.35 | 0.00 | 0.00 | ├ | | <u> </u> | <u> </u> | | | | + |
| | CVS/CSD (DMS/5ESS) | | 1 | UEPPB | UEPPR | U1UCA | 0.00 | 0.00 | 0.00 | | | t | 1 | - | - | | 1 |
| | CVS (EWSD) | | | UEPPB | UEPPR | U1UCB | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | CSD | | | UEPPB | UEPPR | U1UCC | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | NNEL AREA PLUS USER PROFILE ACCESS: (AL,KY,LA,MS S | C,MS, 8 | k TN) | | | | | | | | | | | | | | |
| USER | TERMINAL PROFILE | | | | | | | | | | | | | | | | |
| VEDTI | User Terminal Profile (EWSD only) | | | UEPPB | UEPPR | U1UMA | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | CAL FEATURES All Vertical Features - One per Channel B User Profile | | | UEPPB | UEPPR | | 2.26 | 0.00 | 0.00 | | | | 11.90 | | | | |
| | OFFICE CHANNEL MILEAGE | | | UEPPB | UEFFR | UEFVF | 2.20 | 0.00 | 0.00 | | | | 11.90 | | | | |
| | Interoffice Channel mileage each, including first mile and | | | | | | | | | | | | | | | | |
| | facilities termination | | | UEPPB | UEPPR | M1GNC | 25.3291 | 47.35 | 31.78 | 18.31 | 7.03 | | 11.90 | | | 1.83 | |
| | Interoffice Channel mileage each, additional mile | | | UEPPB | UEPPR | M1GNM | 0.0091 | 0.00 | 0.00 | | | | 11.90 | | | 1.83 | |
| | DS1 DIGITAL LOOP WITH 4-WIRE ISDN DS1 DIGITAL TRUNK | C PORT | | | | | | | | | | | | | | | |
| UNE P | ort/Loop Combination Rates | | | | | | | | | | | | | | | | |
| | 4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE | | 1 | UEPPP | | | 450.40 | | | | | | | | | | |
| | Zone 1 4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE | | 1 | UEPPP | | | 153.48 | | | | | | | | | | |
| | Zone 2 | | 2 | UEPPP | | | 183.28 | | | | | | | | | | |
| | 4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE | | - | 02 | | | 100.20 | | | | | | | | | | |
| | Zone 3 | | 3 | UEPPP | | | 261.12 | | | | | | | | | | |
| UNE Lo | oop Rates | | | | | | | | | | | | | | | | |
| | 4-Wire DS1 Digital Loop - UNE Zone 1 | | | UEPPP | | USL4P | 70.74 | | | ļ] | | | 11.90 | | | 1.83 | ļ |
| | 4-Wire DS1 Digital Loop - UNE Zone 2 | | 2 | UEPPP | | USL4P | 100.54 178.38 | | | | | | 11.90 11.90 | | | 1.83 | |
| | 4-Wire DS1 Digital Loop - UNE Zone 3 ort Rate | | 3 | UEPPP | | USL4P | 178.38 | | | | | | 11.90 | | | 1.83 | ─── |
| | Exchange Ports - 4-Wire ISDN DS1 Port | | 1 | UEPPP | | UEPPP | 82.74 | 488.36 | 276.65 | | | | 11.90 | | | 1.83 | <u> </u> |
| NONRE | ECURRING CHARGES - CURRENTLY COMBINED | | 1 | | | | 02.14 | | 2. 0.00 | | | 1 | | | | | <u> </u> |
| | 4-Wire DS1 Digital Loop / 4-Wire ISDN DS1 Digital Trunk Port | | 1 | 1 | | | | | | | | 1 | | | | İ | 1 |
| | Combination - Conversion -Switch-as-is | | | UEPPP | | USACP | 0.00 | 84.17 | 61.38 | | | | 11.90 | | | 1.83 | |
| ADDIT | | | | | | | | | | ├ ──── │ | | | | | | | |
| | 4-Wire DS1 Loop/4-W ISDN Digtl Trk Port - Subsqt Actvy- Inward/two way Tel Nos. (except NC) | | 1 | UEPPP | | PR7TF | | 0.5412 | | | | | 11.90 | | | 1.83 | |
| <u>├──</u> ┤─── | 4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trunk Port - | | | UEPPP | | | | 0.5412 | | | | | 11.90 | | | 1.83 | |
| | Outward Tel Numbers (All States except NC) | | 1 | UEPPP | | PR7TO | | 12.71 | 12.71 | | | | 11.90 | | | 1.83 | |
| | 4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trk Port - | | 1 | | | | | | | | | 1 | | | | | 1 |
| | Subsequent Inward Tel Numbers | | | UEPPP | | PR7ZT | | 25.42 | 25.42 | | | | 11.90 | | | 1.83 | |
| LOCAL | NUMBER PORTABILITY | | | | | | | | | | | | | | | | |
| | Local Number Portability (1 per port) | | | UEPPP | | LNPCN | 1.75 | | | | | | | | | | |
| INTER | FACE (Provsioning Only) | | | | | 007417 | | | | ├ ──── │ | | | | | | | |
| | Voice/Data | | + | UEPPP | | PR71V PR71D | 0.00 | 0.00 | 0.00 | | | | | | | | |
| 1 1 | Digital Data | I | + | UEPPP | | PR71D PR71E | 0.00 | 0.00 | 0.00 | ├ | | | | | | | |
| | Inward Data | | | | | | | | | | | | | | | | |

| UNBU | NDLE | D NETWORK ELEMENTS - Florida | <u> </u> | 1 | | 1 | | | | | | 0 | 0 | Attachment: | | | bit: C |
|-------|---------|--|-------------|----------|-------------------|------------|---------|---------|-----------|--------------|-------|---|-----------------------|---|---|---|---|
| CATEG | ORY | RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES(\$) | | | Svc Order Submitted Elec per LSR | Submitted Manually | Charge - Manual Svc Order vs. Electronic- 1st | Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'I |
| | | | | | | | Rec | Nonrecu | | Nonrecurring | | | | | Rates(\$) | | |
| | | | | | | | | First | Add'l | First | Add'l | SOMEC | | SOMAN | SOMAN | SOMAN | SOMAN |
| | | New or Additional - Voice/Data B Channel | | | UEPPP | PR7BV | 0.00 | 15.48 | | | | | 11.90 | | | 1.83 | L |
| | | New or Additional - Digital Data B Channel | | | UEPPP | PR7BF | 0.00 | 15.48 | | | | | 11.90 | | | 1.83 | L |
| | | New or Additional Inward Data B Channel | | | UEPPP | PR7BD | 0.00 | 15.48 | | | | | 11.90 | | | 1.83 | 1 |
| | CALL | | | | | _ | | | | | | | | | | | |
| | | Inward | | | UEPPP | PR7C1 | 0.00 | 0.00 | 0.00 | | | | | | | | <u> </u> |
| | | Outward | | | UEPPP | PR7C0 | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | Interef | Two-way fice Channel Mileage | | | UEPPP | PR7CC | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | Interor | Fixed Each Including First Mile | | | UEPPP | 1LN1A | 88.6256 | 105.54 | 98.47 | 21.47 | 19.05 | | 11.90 | | | 1.93 | |
| | | Each Airline-Fractional Additional Mile | | - | UEPPP | 1LN1A | 0.1856 | 105.54 | 90.47 | 21.47 | 19.05 | | 11.90 | | | 1.93 | |
| | 4-WIP | DS1 DIGITAL LOOP WITH 4-WIRE DDITS TRUNK PORT | | | | ILINID | 0.1000 | | | | | <u> </u> | | | | | t |
| | | ort/Loop Combination Rates | | 1 | | 1 | | | | | | | | | | | - |
| | 311E F | 4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 1 | | 1 | UEPDC | 1 | 125.69 | | | | | | 11.90 | | | 1.83 | - |
| | | 4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 2 | ł – | 2 | UEPDC | 1 | 155.49 | | | | | 1 | 11.90 | | | 1.83 | |
| | | 4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 3 | 1 | 3 | UEPDC | 1 | 233.33 | | | 1 | | 1 | 11.90 | | 1 | 1.83 | l |
| | UNE L | pop Rates | | Ť | | 1 | 200.00 | | | | | | | | | | |
| | | 4-Wire DS1 Digital Loop - UNE Zone 1 | 1 | 1 | UEPDC | USLDC | 70.74 | | | | | 1 | 11.90 | | ĺ | 1.83 | |
| | | 4-Wire DS1 Digital Loop - UNE Zone 2 | | 2 | UEPDC | USLDC | 100.54 | | | | | | 11.90 | | | 1.83 | |
| | | 4-Wire DS1 Digital Loop - UNE Zone 3 | | 3 | UEPDC | USLDC | 178.38 | | | | | | 11.90 | | | 1.83 | |
| | | ort Rate | | | | | | | | | | | | | | | |
| | | 4-Wire DDITS Digital Trunk Port | | | UEPDC | UDD1T | 54.95 | 464.86 | 259.23 | | | | 11.90 | | | 1.83 | |
| | | CURRING CHARGES - CURRENTLY COMBINED | | | | | | | | | | | | | | | |
| | | 4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination | | | | | | | | | | | | | | | |
| | | - Switch-as-is | | | UEPDC | USAC4 | | 95.31 | 46.71 | | | | 11.90 | | | 1.83 | |
| | | 4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination | | | | | | | | | | | | | | | |
| | - | - Conversion with DS1 Changes | | | UEPDC | USAWA | | 95.31 | 46.71 | | | | 11.90 | | | 1.83 | |
| | | 4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination | | | | | | | | | | | | | | | |
| | | - Conversion with Change - Trunk | | | UEPDC | USAWB | | 95.31 | 46.71 | | | | 11.90 | | | 1.83 | 1 |
| | ADDIT | ONAL NRCs | | | | | | | | | | | | | | | |
| | | 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - NRC - | | | | | | | | | | | | | | | |
| | | Subsequent Channel Activation/Chan - 2-Way Trunk | | | UEPDC | UDTTA | | 15.69 | 15.69 | | | | 11.90 | | | 1.83 | L |
| | | 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent | | | | UDTTO | | 45.00 | 15.00 | | | | 11.00 | | | 4.00 | |
| | | Channel Activation/Chan - 1-Way Outward Trunk 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsgnt Channel | | - | UEPDC | UDTTB | | 15.69 | 15.69 | | | | 11.90 | | | 1.83 | ł |
| | | | | | | UDTTC | | 45.00 | 45.00 | | | | 44.00 | | | 4.00 | |
| | | Activation/Chan Inward Trunk w/out DID 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsgnt Chan | | - | UEPDC | UDITC | | 15.69 | 15.69 | | | | 11.90 | | | 1.83 | |
| | | Activation Per Chan - Inward Trunk with DID | | | UEPDC | UDTTD | | 15.69 | 15.69 | | | | 11.90 | | | 1.83 | |
| | | 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan | | | OLFDC | ODITO | | 13.09 | 15.09 | | | 1 | 11.50 | - | | 1.05 | ł |
| | | Activation / Chan - 2-Way DID w User Trans | | 1 | UEPDC | UDTTE | | 15.69 | 15.69 | | | | 11.90 | | | 1.83 | 1 |
| -+ | BIPOL | AR 8 ZERO SUBSTITUTION | ł – | 1 | | 00.12 | | 10.00 | 10.00 | | | 1 | 11.00 | | | 1.00 | <u> </u> |
| | 211 012 | B8ZS -Superframe Format | | <u> </u> | UEPDC | CCOSF | | 0.00 | 655.00 | 1 | | t | 11.90 | | 1 | 1.83 | |
| | | B8ZS - Extended Superframe Format | | 1 | UEPDC | CCOEF | | 0.00 | 655.00 | | | | 11.90 | | | 1.83 | |
| | Alterna | te Mark Inversion | 1 | 1 | | | | | | | | 1 | | | ĺ | | |
| | | AMI -Superframe Format | l I | 1 | UEPDC | MCOSF | | 0.00 | 0.00 | | | | | | | | |
| | | AMI - Extended SuperFrame Format | | | UEPDC | MCOPO | | 0.00 | 0.00 | | | | | | | | |
| | Teleph | one Number/Trunk Group Establisment Charges | | | | | | | | | | | | | | | |
| | | Telephone Number for 2-Way Trunk Group | | | UEPDC | UDTGX | 0.00 | | | | | | 11.90 | | | 1.83 | |
| | | Telephone Number for 1-Way Outward Trunk Group | | | UEPDC | UDTGY | 0.00 | | | | | | 11.90 | | | 1.83 | |
| - | | Telephone Number for 1-Way Inward Trunk Group Without DID | | | UEPDC | UDTGZ | 0.00 | | | | | | 11.90 | | | 1.83 | |
| Т | | DID Numbers, Establish Trunk Group and Provide First Group | | | | | | | | | | | | | | | 1 |
| | | of 20 DID Numbers | | | UEPDC | NDZ | 0.00 | 0.00 | 0.00 | | | | 11.90 | | | 1.83 | l |
| | | DID Numbers for each Group of 20 DID Numbers | | | UEPDC | ND4 | 0.00 | | | | | | 11.90 | | | 1.83 | L |
| | | DID Numbers, Non- consecutive DID Numbers , Per Number | ļ | L | UEPDC | ND5 | 0.00 | | | | | ļ | 11.90 | | | 1.83 | ļ |
| | | Reserve Non-Consecutive DID Nos. | | <u> </u> | UEPDC | ND6 | 0.00 | 0.00 | 0.00 | | | l | 11.90 | | | 1.83 | |
| | D | Reserve DID Numbers | | L | UEPDC | NDV | 0.00 | 0.00 | 0.00 | | | | 11.90 | | | 1.83 | ł |
| | Dedica | ted DS1 (Interoffice Channel Mileage) - FX/FCO for 4-Wire DS1 | I Digita | ГСООР | with 4-Wire DDITS | Irunk Port | | | | | | | | | | | |
| | | Interoffice Channel Mileage - Fixed rate 0-8 miles (Facilities | | 1 | | 41.004 | 00.44 | 105 51 | 00.17 | 04 47 | 40.05 | | 44.00 | | | 4.00 | 1 |
| | | Termination) | l | | UEPDC | 1LNO1 | 88.44 | 105.54 | 98.47 | 21.47 | 19.05 | L | 11.90 | I | | 1.83 | <u> </u> |

| | D NETWORK ELEMENTS - Florida | | | | | | | | | | | | Attachment: | 2 | Exhi | bit: C |
|--|--|-------------|---------|--|---|---|--|--|--------------|----------------|-------|---|--|--|---|--|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES(\$) | | | | | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incrementa Charge - Manual Sv Order vs. Electronic Disc Add |
| | | | | | | Rec | Nonrec | | Nonrecurring | | | | | Rates(\$) | | |
| | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | | | | | | | | | | | | | | | |
| | Interoffice Channel Mileage - Additional rate per mile - 0-8 miles Interoffice Channel Mileage - Fixed rate 9-25 miles (Facilities | | | UEPDC | 1LNOA | 0.1856 | 0.00 | 0.00 | | | | | | | | |
| | Termination) | | | UEPDC | 1LNO2 | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | Interoffice Channel Mileage - Additional rate per mile - 9-25 | | | 02100 | TENOZ | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | miles | | | UEPDC | 1LNOB | 0.1856 | 0.00 | 0.00 | | | | | | | | |
| | Interoffice Channel Mileage - Fixed rate 25+ miles (Facilities | | | | | | | | | | | | | | | |
| | Termination) | | | UEPDC | 1LNO3 | 0.00 | 0.00 | 0.00 | 0.00 | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | Interoffice Channel Mileage - Additional rate per mile - 25+ miles | | | UEPDC | 1LNOC | 0.1856 | 0.00 | 0.00 | 0.00 | | | | | | | |
| | Local Number Portability, per DS0 Activated Central Office Termininating Point | | | UEPDC UEPDC | LNPCP CTG | 3.15 0.00 | 0.00 | 0.00 | 0.00 | | | | | | | |
| | E DS1 LOOP WITH CHANNELIZATION WITH PORT | | | DEPDC | CIG | 0.00 | | | | | | | | | | |
| | n is 1 DS1 Loop, 1 D4 Channel Bank, and up to 24 Feature Acti | ivations | | | | | | | | | | | | | | |
| | System can have up to 24 combinations of rates depending on | | | ber of ports used | | | | | | | | | | | | |
| | S1 Loop | | | | | | | | | | | | | | | |
| | 4-Wire DS1 Loop - UNE Zone 1 | | 1 | UEPMG | USLDC | 70.74 | 0.00 | 0.00 | | | | | | | | |
| | 4-Wire DS1 Loop - UNE Zone 2 | | | UEPMG | USLDC | 100.54 | 0.00 | 0.00 | | | | | | | | |
| | 4-Wire DS1 Loop - UNE Zone 3 | | 3 | UEPMG | USLDC | 178.38 | 0.00 | 0.00 | | | | | | | | |
| UNE D | SO Channelization Capacities (D4 Channel Bank Configuration | ns) | | | | | | | | | | | | | | |
| | 24 DSO Channel Capacity - 1 per DS1 | | | UEPMG | VUM24 | 118.06 | 0.00 | 0.00 | | | | 11.90 | | | 1.83 | |
| | 48 DSO Channel Capacity - 1 per 2 DS1s | | | UEPMG | VUM48 | 236.12 | 0.00 | 0.00 | | | | 11.90 | | | 1.83 | |
| | 96 DSO Channel Capacity -1per 4 DS1s | | | UEPMG | VUM96 | 472.24 | 0.00 | 0.00 | | | | 11.90 | | | 1.83 | |
| | 144 DS0 Channel Capacity - 1 per 6 DS1s | | | UEPMG | VUM14 | 708.36 | 0.00 | 0.00 | | | | 11.90 | | | 1.83 | |
| | 192 DS0 Channel Capacity -1 per 8 DS1s 240 DS0 Channel Capacity - 1 per 10 DS1s | | | UEPMG UEPMG | VUM19 VUM20 | 944.48 1,180.60 | 0.00 | 0.00 | | | | 11.90 11.90 | | | 1.83 1.83 | |
| | 288 DS0 Channel Capacity - 1 per 12 DS1s | | | UEPMG | VUM28 | 1,416.72 | 0.00 | 0.00 | | | | 11.90 | | | 1.83 | |
| | 384 DS0 Channel Capacity - 1 per 16 DS1s | | | UEPMG | VUM38 | 1,888.96 | 0.00 | 0.00 | | | | 11.90 | | | 1.83 | |
| | 480 DS0 Channel Capacity - 1 per 20 DS1s | | | UEPMG | VUM40 | 2,361.20 | 0.00 | 0.00 | | | | 11.90 | | | 1.83 | |
| | 576 DS0 Channel Capacity -1 per 24 DS1s | | | UEPMG | VUM57 | 2,833.44 | 0.00 | 0.00 | | | | 11.90 | | | 1.83 | |
| | 672 DS0 Channel Capacity - 1 per 28 DS1s | | | UEPMG | VUM67 | 3,305.68 | 0.00 | 0.00 | | | | 11.90 | | | 1.83 | |
| | ecurring Charges (NRC) Associated with 4-Wire DS1 Loop with | | | | | | stem | | | | | | | | | |
| | mum System configuration is One (1) DS1, One (1) D4 Channe | | | | | | | | | | | | | | | |
| Multipl | les of this configuration functioning as one are considered Ac | dd'l afte | r the m | inimum system con | figuration is | counted. | | | | | | | | | | |
| | NRC - Conversion (Currently Combined) with or without BellSouth Allowed Changes | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| Custom | | th Char | | UEPMG | USAC4 | 0.00 | 96.77 | 4.24 | | | | 11.90 | | | | |
| | n Additions at End User Locations Where 4-Wire DS1 Loop wit | | | ion with Port Comb | | | 96.77 | 4.24 | | | | 11.90 | | | | |
| | n Additions at End User Locations Where 4-Wire DS1 Loop with Not Currently Combined) in all states, except in Density Zone 1 | | | ion with Port Comb | | | 96.77 | 4.24 | | | | 11.90 | | | | |
| | n Additions at End User Locations Where 4-Wire DS1 Loop wit | | | ion with Port Comb | | | 96.77 | 4.24 | 145.32 | 17.24 | | 11.90 | | | | |
| New (N | n Additions at End User Locations Where 4-Wire DS1 Loop wit Not Currently Combined) in all states, except in Density Zone 1 1 DS1/D4 Channel Bank - Additionally Add NRC for each Port | | | ion with Port Comb 's | ination Curre | ntly Exists and | | | 145.32 | 17.24 | | | | | | |
| New (N | n Additions at End User Locations Where 4-Wire DS1 Loop will tot Currently Combined) in all states, except in Density Zone 1 1 DS1/D4 Channel Bank - Additionally Add NRC for each Port and Assoc Fea Activation r 8 Zero Substitution Clear Channel Capability Format, superframe - Subsequent | | | ion with Port Comb 's UEPMG | VUMD4 | ntly Exists and | 726.11 | 468.21 | 145.32 | 17.24 | | 11.90 | | | | |
| New (N | Additions at End User Locations Where 4-Wire DS1 Loop wit tot Currently Combined) in all states, except in Density Zone 1 1 DS1/D4 Channel Bank - Additionally Add NRC for each Port and Asbac Fea Activation r 8 Zero Substitution Clear Channel Capability Format, superframe - Subsequent Activity Only | | | ion with Port Comb 's | ination Curre | ntly Exists and | | | 145.32 | 17.24 | | | | | | |
| New (N | Additions at End User Locations Where 4-Wire DS1 Loop with Not Currently Combined) in all states, except in Density Zone 1 1 DS1/D4 Channel Bank - Additionally Add NRC for each Port and Assoc Fea Activation r 8 Zero Substitution Clear Channel Capability Format, superframe - Subsequent Activity Only Clear Channel Capability Format - Extended Superframe - | | | ion with Port Comb 's UEPMG UEPMG | VUMD4 CCOSF | 0.00 0.00 | 726.11 | 468.21 655.00 | 145.32 | 17.24 | | 11.90 | | | | |
| New (N Bipolar | n Additions at End User Locations Where 4-Wire DS1 Loop wit sot Currently Combined) in all states, except in Density Zone 1 1 DS1/D4 Channel Bank - Additionally Add NRC for each Port and Assoc Fea Activation r 8 Zero Substitution Clear Channel Capability Format, superframe - Subsequent Activity Only Clear Channel Capability Format - Extended Superframe - Subsequent Activity Only | | | ion with Port Comb 's UEPMG | VUMD4 | ntly Exists and | 726.11 | 468.21 | 145.32 | 17.24 | | 11.90 | | | | |
| New (N Bipolar | Additions at End User Locations Where 4-Wire DS1 Loop wit tot Currently Combined) in all states, except in Density Zone 1 I DS1/D4 Channel Bank - Additionally Add NRC for each Port and Assoc Fea Activation r 8 Zero Substitution Clear Channel Capability Format, superframe - Subsequent Activity Only Clear Channel Capability Format - Extended Superframe - Subsequent Activity Only ate Mark Inversion (AMI) | | | ion with Port Comb 's UEPMG UEPMG UEPMG | VUMD4 CCOSF CCOEF | 0.00 0.00 0.00 | 726.11 | 468.21 655.00 655.00 | 145.32 | 17.24 | | 11.90 | | | | |
| New (N Bipolar | Additions at End User Locations Where 4-Wire DS1 Loop with to Currently Combined) in all states, except in Density Zone 1 1 DS1/D4 Channel Bank - Additionally Add NRC for each Port and Assoc Fea Activation r 8 Zero Substitution Clear Channel Capability Format, superframe - Subsequent Activity Only Clear Channel Capability Format - Extended Superframe - Subsequent Activity Only ate Mark Inversion (AMI) Superframe Format | | | ion with Port Comb 's UEPMG UEPMG UEPMG UEPMG | VUMD4 CCOSF CCOEF MCOSF | ntly Exists and 0.00 0.00 0.00 0.00 | 726.11 0.00 0.00 0.00 | 468.21 655.00 655.00 0.00 | 145.32 | 17.24 | | 11.90 | | | | |
| New (N Bipolar Alterna | Additions at End User Locations Where 4-Wire DS1 Loop with to Currently Combined) in all states, except in Density Zone 1 1 DS1/D4 Channel Bank - Additionally Add NRC for each Port and Assoc Fea Activation r 8 Zero Substitution Clear Channel Capability Format, superframe - Subsequent Activity Only Clear Channel Capability Format - Extended Superframe - Subsequent Activity Only ate Mark Inversion (AMI) Superframe Format Extended Superframe Format | of Top | 8 MSA | ion with Port Comb 's UEPMG UEPMG UEPMG | VUMD4 CCOSF CCOEF | 0.00 0.00 0.00 | 726.11 | 468.21 655.00 655.00 | 145.32 | 17.24 | | 11.90 | | | | |
| New (N Bipolar Alterna | n Additions at End User Locations Where 4-Wire DS1 Loop wit tot Currently Combined) in all states, except in Density Zone 1 1 DS1/D4 Channel Bank - Additionally Add NRC for each Port and Assoc Fea Activation r 8 Zero Substitution Clear Channel Capability Format, superframe - Subsequent Activity Only Clear Channel Capability Format - Extended Superframe - Subsequent Activity Only ate Mark Inversion (AMI) Superframe Format Extended Superframe Format ge Ports Associated with 4-Wire DS1 Loop with Channelizatio | of Top | 8 MSA | ion with Port Comb 's UEPMG UEPMG UEPMG UEPMG | VUMD4 CCOSF CCOEF MCOSF | ntly Exists and 0.00 0.00 0.00 0.00 | 726.11 0.00 0.00 0.00 | 468.21 655.00 655.00 0.00 | 145.32 | 17.24 | | 11.90 | | | | |
| New (N Bipolar Alterna | Additions at End User Locations Where 4-Wire DS1 Loop with to Currently Combined) in all states, except in Density Zone 1 1 DS1/D4 Channel Bank - Additionally Add NRC for each Port and Assoc Fea Activation r 8 Zero Substitution Clear Channel Capability Format, superframe - Subsequent Activity Only Clear Channel Capability Format - Extended Superframe - Subsequent Activity Only ate Mark Inversion (AMI) Superframe Format Extended Superframe Format | of Top | 8 MSA | ion with Port Comb 's UEPMG UEPMG UEPMG UEPMG | VUMD4 CCOSF CCOEF MCOSF | ntly Exists and 0.00 0.00 0.00 0.00 | 726.11 0.00 0.00 0.00 | 468.21 655.00 655.00 0.00 | 145.32 | 17.24 | | 11.90 | | | | |
| New (N Bipolar Alterna | n Additions at End User Locations Where 4-Wire DS1 Loop wit tot Currently Combined) in all states, except in Density Zone 1 1 DS1/D4 Channel Bank - Additionally Add NRC for each Port and Assoc Fea Activation r 8 Zero Substitution Clear Channel Capability Format, superframe - Subsequent Activity Only Clear Channel Capability Format - Extended Superframe - Subsequent Activity Only ate Mark Inversion (AMI) Superframe Format Extended Superframe Format ge Ports Associated with 4-Wire DS1 Loop with Channelizatio | of Top | 8 MSA | ion with Port Comb 's UEPMG UEPMG UEPMG UEPMG | VUMD4 CCOSF CCOEF MCOSF | ntly Exists and 0.00 0.00 0.00 0.00 | 726.11 0.00 0.00 0.00 | 468.21 655.00 655.00 0.00 | 145.32 | 17.24 | | 11.90 | | | 1.83 | |
| New (N Bipolar Alterna | Additions at End User Locations Where 4-Wire DS1 Loop with tot Currently Combined) in all states, except in Density Zone 1 1 DS1/D4 Channel Bank - Additionally Add NRC for each Port and Assoc Fea Activation r 8 Zero Substitution Clear Channel Capability Format, superframe - Subsequent Activity Only Clear Channel Capability Format - Extended Superframe - Subsequent Activity Only ate Mark Inversion (AMI) Superframe Format Extended Superframe Format nge Ports Associated with 4-Wire DS1 Loop with Channelization nge Ports | of Top | 8 MSA | ion with Port Comb 's UEPMG UEPMG UEPMG UEPMG UEPMG | Ination Curre | ntly Exists and 0.00 0.00 0.00 0.00 0.00 | 726.11 0.00 0.00 0.00 0.00 | 468.21 655.00 655.00 0.00 0.00 | | | | 11.90 11.90 11.90 | | | 1.83 | |
| New (N Bipolar Alterna | Additions at End User Locations Where 4-Wire DS1 Loop wit tot Currently Combined) in all states, except in Density Zone 1 1 DS1/D4 Channel Bank - Additionally Add NRC for each Port and Assoc Fea Activation r 8 Zero Substitution Clear Channel Capability Format, superframe - Subsequent Activity Only Clear Channel Capability Format - Extended Superframe - Subsequent Activity Only ate Mark Inversion (AMI) Superframe Format Extended Superframe Format nge Ports Associated with 4-Wire DS1 Loop with Channelization nge Ports Line Side Combination Channelized PBX Trunk Port - Business Line Side Outward Channelized PBX Trunk Port - Business | of Top | 8 MSA | ion with Port Comb 's UEPMG UEPMG UEPMG UEPMG UEPMG UEPMG UEPPX UEPPX UEPPX | Ination Curre | ntly Exists and 0.00 0.00 0.00 0.00 0.00 1.38 1.38 | 726.11 0.00 0.00 0.00 0.00 0.00 0.00 | 468.21 655.00 655.00 0.00 0.00 0.00 | 0.00 | 0.00 | | 11.90 11.90 11.90 11.90 11.90 | | | 1.83 | |
| New (N Bipolar Alterna | Additions at End User Locations Where 4-Wire DS1 Loop with tot Currently Combined) in all states, except in Density Zone 1 1 DS1/D4 Channel Bank - Additionally Add NRC for each Port and Assoc Fea Activation r 8 Zero Substitution Clear Channel Capability Format, superframe - Subsequent Activity Only Clear Channel Capability Format - Extended Superframe - Subsequent Activity Only ate Mark Inversion (AMI) Superframe Format Extended Superframe Format nge Ports Associated with 4-Wire DS1 Loop with Channelization nge Ports Line Side Combination Channelized PBX Trunk Port - Business Line Side Outward Channelized PBX Trunk Port - Business Line Side Inward Only Channelized PBX Trunk Port without DID | of Top | 8 MSA | ion with Port Comb 's UEPMG UEPMG UEPMG UEPMG UEPMG UEPMG UEPPX UEPPX UEPPX UEPPX | VUMD4 CCOSF CCOEF MCOSF MCOPO UEPCX UEPCX UEPOX UEP1X | ntly Exists and 0.00 0.00 0.00 0.00 0.00 0.00 1.38 1.38 1.38 | 726.11 0.00 0.00 0.00 0.00 0.00 0.00 0.00 | 468.21 655.00 655.00 0.00 0.00 0.00 0.00 0.00 | 0.00 | 0.00 0.00 0.00 | | 11.90 11.90 11.90 11.90 11.90 11.90 11.90 | | | 1.83 1.83 | |
| New (N Bipolar Alterna Exchar | Additions at End User Locations Where 4-Wire DS1 Loop with tor Currently Combined) in all states, except in Density Zone 1 1 DS1/D4 Channel Bank - Additionally Add NRC for each Port and Assoc Fea Activation re Zero Substitution Clear Channel Capability Format, superframe - Subsequent Activity Only Clear Channel Capability Format - Extended Superframe - Subsequent Activity Only Clear Channel Capability Format - Extended Superframe - Subsequent Activity Only Superframe Format Extended Superframe Format Extended Superframe Format Inge Ports Associated with 4-Wire DS1 Loop with Channelization ge Ports Line Side Combination Channelized PBX Trunk Port - Business Line Side Inward Only Channelized PBX Trunk Port without DID 2-Wire Trunk Side Unbundled Channelized DID Trunk Port | of Top | 8 MSA | ion with Port Comb 's UEPMG UEPMG UEPMG UEPMG UEPMG UEPMG UEPPX UEPPX UEPPX | Ination Curre | ntly Exists and 0.00 0.00 0.00 0.00 0.00 1.38 1.38 | 726.11 0.00 0.00 0.00 0.00 0.00 0.00 | 468.21 655.00 655.00 0.00 0.00 0.00 | 0.00 | 0.00 | | 11.90 11.90 11.90 11.90 11.90 | | | 1.83 | |
| New (N Bipolar Alterna Exchar | Additions at End User Locations Where 4-Wire DS1 Loop with tot Currently Combined) in all states, except in Density Zone 1 1 DS1/D4 Channel Bank - Additionally Add NRC for each Port and Assoc Fea Activation r 8 Zero Substitution Clear Channel Capability Format, superframe - Subsequent Activity Only Clear Channel Capability Format - Extended Superframe - Subsequent Activity Only ate Mark Inversion (AMI) Superframe Format Extended Superframe Format nge Ports Associated with 4-Wire DS1 Loop with Channelization nge Ports Line Side Combination Channelized PBX Trunk Port - Business Line Side Outward Channelized PBX Trunk Port - Business Line Side Inward Only Channelized PBX Trunk Port without DID | of Top | 8 MSA | ion with Port Comb 's UEPMG UEPMG UEPMG UEPMG UEPMG UEPMG UEPPX UEPPX UEPPX UEPPX | VUMD4 CCOSF CCOEF MCOSF MCOPO UEPCX UEPCX UEPOX UEP1X | ntly Exists and 0.00 0.00 0.00 0.00 0.00 0.00 1.38 1.38 1.38 | 726.11 0.00 0.00 0.00 0.00 0.00 0.00 0.00 | 468.21 655.00 655.00 0.00 0.00 0.00 0.00 0.00 | 0.00 | 0.00 0.00 0.00 | | 11.90 11.90 11.90 11.90 11.90 11.90 11.90 | | | 1.83 1.83 | |

| UNBUNDL | ED NETWORK ELEMENTS - Florida | | | 1 | 1 | | | | | | r | | Attachment: | | Exhi | |
|---|---|-------------|-----------------------|--|----------------|--|------------------|--|------------------|-----------------|---|---|--|--|---|---|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES(\$) | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l |
| | | | | | | | Nonree | urring | Nonrecurring | Disconnect | | | OSS | Rates(\$) | | |
| | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | Feature (Service) Activation for each Trunk Port Terminated in | | | | | | | | | | | | | | | |
| | D4 Bank | | | UEPPX | 1PQWU | 0.66 | 78.16 | 18.42 | 56.03 | 10.95 | | 11.90 | | | 1.83 | |
| Tele | phone Number/ Group Establishment Charges for DID Service | | | | NDT | 0.00 | 0.00 | 0.00 | | | | 44.00 | | | | |
| | DID Trunk Termination (1 per Port) Estab Trk Grp and Provide 1st 20 DID Nos. (FL,GA, NC,& SC) | | | UEPPX UEPPX | NDT NDZ | 0.00 | 0.00 | 0.00 | | | | 11.90 11.90 | | | | |
| | DID Numbers - groups of 20 - Valid all States | | | UEPPX | ND2 ND4 | 0.00 | 0.00 | 0.00 | | | | 11.90 | | | | |
| | Non-Consecutive DID Numbers - per number | | | UEPPX | ND5 | 0.00 | 0.00 | 0.00 | | | | 11.90 | | | | |
| | Reserve Non-Consecutive DID Numbers | | | UEPPX | ND6 | 0.00 | 0.00 | 0.00 | | | | 11.90 | | | | |
| | Reserve DID Numbers | | | UEPPX | NDV | 0.00 | 0.00 | 0.00 | | | | 11.90 | | | | |
| Loca | al Number Portability | | | | | 0.45 | 0.00 | 0.00 | | | | | | | | |
| EE A | Local Number Portability - 1 per port TURES - Vertical and Optional | | <u> </u> | UEPPX | LNPCP | 3.15 | 0.00 | 0.00 | | | | | | | | |
| | al Switching Features Offered with Line Side Ports Only | | + | | 1 | | | | | | | - | | | | |
| 2000 | All Features Available | | - | UEPPX | UEPVF | 2.26 | 0.00 | 0.00 | | | | 11.90 | | - | 1.83 | |
| | D PORT LOOP COMBINATIONS - MARKET RATES | | | | | | | | | | | | | | | |
| | ket Rates shall apply where BellSouth is not required to provide | unbund | dled lo | cal switching or swi | itch ports per | FCC and/or St | ate Commissio | on rules. | | | | | | | | |
| | includes: | | | | | | | | | | | | | | | |
| | undled port/loop combinations that are Currently Combined or N | | | | | | | | | | | | | | | |
| | Top 8 MSAs in BellSouth's region are: FL (Orlando, Ft. Lauderda South currently is developing the billing capability to mechanica | | | | | | | | | | | | In the interi | m where Bell | South cannot | hill Market |
| | s, BellSouth shall bill the rates in the Cost-Based section preced | | | | | | | | ig charges for i | lot currently c | | | . In the intern | III WHELE DEIN | South cannot | om market |
| | Market Rate for unbundled ports includes all available features i | | | the Market Nates an | id reserves ti | e fight to true- | up the binning (| annerence. | | | | | | | | |
| End (USC For | Office and Tandem Switching Usage and Common Transport Us DC: URECU). Not Currently Combined scenarios the Nonrecurring charges are | sage rat | tes in tl | | | | | | | | | - | | | | |
| End (USC For Add 2-WI | Office and Tandem Switching Usage and Common Transport Us DC: URECU). Not Currently Combined scenarios the Nonrecurring charges are itional NRCs may apply also and are categorized accordingly. RE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) | sage rat | tes in tl | | | | | | | | | | | | | |
| End (USC For Add 2-WI | Office and Tandem Switching Usage and Common Transport Us DC: URECU). Not Currently Combined scenarios the Nonrecurring charges are itional NRCs may apply also and are categorized accordingly. RE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) Port/Loop Combination Rates | sage rat | tes in tl in the I | | | s for each Port | | | | | | | | | | |
| End (USC For Add 2-WI | Office and Tandem Switching Usage and Common Transport Us DC: URECU). Not Currently Combined scenarios the Nonrecurring charges are titional INRCs may apply also and are categorized accordingly. RE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) Port/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 | sage rat | tes in the l | | | s for each Port | | | | | | | | | | |
| End (USC For Add 2-WI | Office and Tandem Switching Usage and Common Transport Us DC: URECU). Not Currently Combined scenarios the Nonrecurring charges are titional NRCs may apply also and are categorized accordingly. RE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) Port/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 | sage rat | in the I | | | s for each Port 23.77 27.88 | | | | | | | | | | |
| End (USC For Add 2-WI UNE | Office and Tandem Switching Usage and Common Transport Us DC: URECU). Not Currently Combined scenarios the Nonrecurring charges are itional NRCs may apply also and are categorized accordingly. RE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) Port/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 | sage rat | tes in the l | | | s for each Port | | | | | | | | | | |
| End (USC For Add 2-WI UNE | Office and Tandem Switching Usage and Common Transport Us DC: URECU). Not Currently Combined scenarios the Nonrecurring charges are titional NRCs may apply also and are categorized accordingly. RE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) Port/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 | sage rat | in the I | | | s for each Port 23.77 27.88 | | | | | | | | | | |
| End (USC For Add 2-WI UNE | Office and Tandem Switching Usage and Common Transport Us DC: URECU). Not Currently Combined scenarios the Nonrecurring charges are itional NRCs may apply also and are categorized accordingly. RE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) Port/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 Loop Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 1 | sage rat | tes in the l | First and Additional | NRC column | s for each Port | | | | | | | | | | |
| End (USC Add 2-WI UNE | Office and Tandem Switching Usage and Common Transport Us DC: URECU). Not Currently Combined scenarios the Nonrecurring charges are itional NRCs may apply also and are categorized accordingly. RE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) Port/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 Loop Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 | sage rat | in the I | First and Additional | NRC column | s for each Port 23.77 27.88 38.63 9.77 | | | | | | | | | | |
| End (USC For Add 2-WI UNE | Office and Tandem Switching Usage and Common Transport Us DC: URECU). Not Currently Combined scenarios the Nonrecurring charges are itional NRCs may apply also and are categorized accordingly. RE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) Port/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 Loop Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 3 re Voice Grade Line Port (Res) | sage rat | in the I | First and Additional | NRC column | s for each Port 23.77 27.88 38.63 9.77 13.88 24.63 | USOC. For Co | urrently Comb | | | | s are listed | | | | |
| End (USC Add 2-WI UNE | Office and Tandem Switching Usage and Common Transport Us DC: URECU). Not Currently Combined scenarios the Nonrecurring charges are itional NRCs may apply also and are categorized accordingly. Re VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) Port/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 Loop Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 re Voice Grade Line Port (Res) 2-Wire voice unbundled port - residence | sage rat | in the I | First and Additional | NRC column | s for each Port 23.77 27.88 38.63 9.77 13.88 24.63 14.00 | USOC. For C | urrently Comb | | | | s are listed | | | | |
| End (USC For Add 2-WI UNE | Office and Tandem Switching Usage and Common Transport Us DC: URECU). Not Currently Combined scenarios the Nonrecurring charges are itional NRCs may apply also and are categorized accordingly. RE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) Port/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 Loop Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 3 re Voice Grade Loop (SL1) - Zone 3 re Voice Grade Loop (SL1) - Zone 3 re Voice Grade Loop (SL1) - Zone 3 2-Wire voice unbundled port - residence 2-Wire voice unbundled port - residence | sage rat | in the I | First and Additional | NRC column | s for each Port | USOC. For C | 90.00 90.00 | | | | s are listed | | | | |
| End (USC For Add 2-WI UNE | Office and Tandem Switching Usage and Common Transport Us DC: URECU). Not Currently Combined scenarios the Nonrecurring charges are itional NRCs may apply also and are categorized accordingly. Re VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) Port/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 Loop Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 re Voice Grade Line Port (Res) 2-Wire voice unbundled port - residence | sage rat | in the I | First and Additional | NRC column | s for each Port 23.77 27.88 38.63 9.77 13.88 24.63 14.00 | USOC. For C | urrently Comb | | | | s are listed | | | | |
| End (USC Add 2-WI UNE | Office and Tandem Switching Usage and Common Transport Us DC: URECU). Not Currently Combined scenarios the Nonrecurring charges are titional NRCs may apply also and are categorized accordingly. Re VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) Port/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 Loop Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire voice Grade Loop (SL1) - Zone 3 re Voice Grade Line Port (Res) 2-Wire voice unbundled port - residence 2-Wire voice unbundled port outgoing only - res | sage rat | in the I | First and Additional UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX | NRC column | s for each Port 23.77 27.88 38.63 9.77 13.88 24.63 14.00 14.00 14.00 | USOC. For C | 90.00 90.00 90.00 | | | | s are listed | | | | |
| End (USC Add 2-WI UNE | Office and Tandem Switching Usage and Common Transport Us DC: URECU). Not Currently Combined scenarios the Nonrecurring charges are itional NRCs may apply also and are categorized accordingly. RE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) Port/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 Loop Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 3 re Voice Grade Loop (SL1) - Zone 3 re Voice Grade Loop (SL1) - Zone 3 re Voice Grade Loop (SL1) - Zone 3 2-Wire voice unbundled port - residence 2-Wire voice unbundled port - residence | sage rat | in the I | First and Additional | NRC column | s for each Port | USOC. For C | 90.00 90.00 | | | | s are listed | | | | |
| End (USC Add 2-WI UNE | Office and Tandem Switching Usage and Common Transport Us DC: URECU). Not Currently Combined scenarios the Nonrecurring charges are itional NRCs may apply also and are categorized accordingly. RE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) Port/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 Loop Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 3 re Voice Grade Loop (SL1) - Zone 3 re Voice Grade Loop (SL1) - Zone 3 re Voice Grade Loop (SL1) - Zone 3 2-Wire voice unbundled port - residence 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled Florida Area Calling with Caller ID - res 2-Wire voice unbundled Florida Area Calling with Caller ID - res 2-Wire voice unbundled Florida Area Calling with Caller ID - res | sage rat | in the I | First and Additional | NRC column | s for each Port | USOC. For Co | 90.00 90.00 90.00 90.00 90.00 90.00 | | | | s are listed | | | | |
| End (USC For Add 2-WI UNE | Office and Tandem Switching Usage and Common Transport Us DC: URECU). Not Currently Combined scenarios the Nonrecurring charges are itional NRCs may apply also and are categorized accordingly. Re VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) Port/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 Loop Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 re Voice Grade Line Port (Res) 2-Wire voice unbundled port - residence 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled Florida Area Calling with Caller ID - res 2-Wire voice unbundled Florida Area Calling with Caller ID - res 2-Wire voice unbundled Florida Area Calling with Caller ID - res 2-Wire voice unbundled Florida Area Calling with Caller ID - res 2-Wire voice unbundled Florida Area Calling with Caller ID - res 2-Wire voice unbundled Low Usage Line Port without Caller ID | sage rat | in the I | First and Additional | NRC column | s for each Port 23.77 27.88 38.63 9.77 13.88 24.63 14.00 14.00 14.00 14.00 14.00 14.00 | USOC. For C | 90.00 90.00 90.00 90.00 | | | | s are listed | | | | |
| End (USC For Add 2-WI UNE | Office and Tandem Switching Usage and Common Transport Us DC: URECU). Not Currently Combined scenarios the Nonrecurring charges are titional NRCs may apply also and are categorized accordingly. Re VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) Port/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 Loop Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 re Voice Grade Line Port (Res) 2-Wire voice unbundled port - residence 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled Florida Area Calling with Caller ID - res 2-Wire voice unbundled Florida Area Calling with Caller ID - res 2-Wire voice unbundled Florida Area Calling port with Caller ID Capability 2-Wire voice unbundled Florida extended dialing port for use | sage rat | in the I | First and Additional | NRC column | s for each Port 23.77 27.88 38.63 9.77 13.88 24.63 14.00 14. | USOC. For C | 90.00 90.00 90.00 90.00 90.00 90.00 90.00 90.00 | | | | s are listed | | | | |
| End (USC For Add 2-WW UNE UNE 2-WI 2-WI 2-WI | Office and Tandem Switching Usage and Common Transport Us DC: URECU). Not Currently Combined scenarios the Nonrecurring charges are itional NRCs may apply also and are categorized accordingly. Re VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) Port/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 Loop Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 3 re Voice Grade Loop (SL1) - Zone 3 re Voice Grade Loop (SL1) - Zone 3 re Voice Grade Loop (SL1) - Zone 3 re Voice and Loop (SL1) - Zone 3 2-Wire voice unbundled port -residence 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled Florida Area Calling with Caller ID - res 2-Wire voice unbundled Florida Area Calling with Caller ID - res 2-Wire voice unbundled Florida extended dialing port for use with CREX7 and Caller ID 2-Wire voice unbundled Florida extended dialing port for use with CREX7 and Caller ID 2-Wire voice unbundled Florida Area Calling Port without Caller ID 2-Wire voice unbundled Florida extended dialing port for use with CREX7, without Caller ID capability 2-Wire voice unbundled Florida Area Calling Port without Caller ID D Capability | sage rat | in the I | First and Additional | NRC column | s for each Port | USOC. For C | 90.00 90.00 90.00 90.00 90.00 90.00 90.00 90.00 90.00 | | | | s are listed | | | | |
| End (USC For Add 2-WW UNE UNE 2-WI 2-WI 2-WI | Office and Tandem Switching Usage and Common Transport Us DC: URECU). Not Currently Combined scenarios the Nonrecurring charges are itional NRCs may apply also and are categorized accordingly. RE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) Port/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 Loop Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 3 re Voice Grade Loop (SL1) - Zone 3 re Voice Grade Loop (SL1) - Zone 3 re Voice Grade Loop (SL1) - Zone 3 2-Wire voice unbundled port - residence 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled Florida Area Calling with Caller ID - res 2-Wire voice unbundled Florida Area Calling with Caller ID (LUM) 2-Wire voice unbundled Florida extended dialing port for use with CREX7 and Caller ID 2-Wire voice unbundled Florida Area Calling Port without Caller ID 2-Wire voice unbundled Florida extended dialing port for use with CREX7 and Caller ID 2-Wire voice unbundled Florida Area Calling Port without Caller ID 2-Wire voice unbundled Florida extended dialing port for use with CREX7, without Caller ID capability 2-Wire voice unbundled Florida Area Calling Port without Caller ID Capability 2-Wire voice unbundled Florida Area Calling Port without Caller ID Capability AL NUMBER PORTABILITY | sage rat | in the I | First and Additional UEPRX | NRC column | s for each Port | USOC. For C | 90.00 90.00 90.00 90.00 90.00 90.00 90.00 90.00 90.00 90.00 | | | | s are listed | | | | |
| End (USC For Add 2-WI UNE 2-WI 2-WI 2-WI 2-WI 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 | Office and Tandem Switching Usage and Common Transport Us DC: URECU). Not Currently Combined scenarios the Nonrecurring charges are itional NRCs may apply also and are categorized accordingly. RE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) PortLoop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 Loop Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire voice unbundled port - residence 2-Wire voice unbundled port - residence 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled Florida Area Calling with Caller ID - res 2-Wire voice unbundled Florida Area Calling port for use with CREX7 and Caller ID capability 2-Wire voice unbundled Florida Area Calling port for use with CREX7 and Caller ID capability 2-Wire voice unbundled Florida Area Calling Port without Caller ID capability 2-Wire voice unbundled Florida Area Calling Port without Caller ID capability 2-Wire voice unbundled Florida Area Calling Port without Caller ID Capability | sage rat | in the I | First and Additional UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX | NRC column | s for each Port 23.77 27.88 38.63 9.77 13.88 24.63 14.00 14. | USOC. For C | 90.00 90.00 90.00 90.00 90.00 90.00 90.00 90.00 90.00 90.00 | | | | s are listed | | | | |
| End (USC For Add 2-WI UNE 2-WI 2-WI 2-WI 2-WI 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 | Office and Tandem Switching Usage and Common Transport Us DC: URECU). Not Currently Combined scenarios the Nonrecurring charges are itional NRCs may apply also and are categorized accordingly. Re VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) Port/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 Loop Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 3 re Voice Grade Line Port (Res) 2-Wire voice unbundled port - residence 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled Florida Area Calling with Caller ID - res 2-Wire voice unbundled Florida Area Calling with Caller ID - res 2-Wire voice unbundled Florida Area Calling with Caller ID Capability 2-Wire voice unbundled Florida extended dialing port for use with CREX7 and Caller ID 2-Wire voice unbundled Florida Area Calling Port without Caller ID Capability 2-Wire voice unbundled Florida extended dialing port for use with CREX7 and Caller ID 2-Wire voice unbundled Florida Area Calling Port without Caller ID Capability 2-Wire voice unbundled Florida Area Calling Port without Caller ID 2-Wire voice unbundled Florida Area Calling Port without Caller ID Capability 2-Wire voice unbundled Florida Area Calling Port without Caller ID 2-Wire voice unbundled Florida Area Calling Port without Caller ID 2-Wire voice unbundled Florida Area Calling Port without Caller ID 2-Wire voice unbundled Florida Area Calling Port without Caller ID 2-Wire voice unbundled Florida Area Calling Port without Caller ID 2-Wire voice unbundled Florida Area Calling Port without Caller ID 2-Wire voice unbundled Florida Area Calling Port without Caller ID 2-Wire Voice Unbundled Florida Area Calling Port Wirthout Caller ID 2-Wire Voice Unbundled Florida Area Calling Port Wirthout Caller ID 2-Wire Voice Unbundled Florida Area Calling Port Wirthout Caller ID 2-Wire Voice Unbundled | sage rat | in the I | First and Additional UEPRX | NRC column | s for each Port 23.77 27.88 38.63 9.77 13.88 24.63 14.00 14. | USOC. For C | 90.00 90.00 90.00 90.00 90.00 90.00 90.00 90.00 90.00 90.00 | | | | s are listed | | | | |
| End (USC For Add 2-WW UNE 2-WI 2-WI 2-WI 2-WI 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 | Office and Tandem Switching Usage and Common Transport Us DC: URECU). Not Currently Combined scenarios the Nonrecurring charges are itional NRCs may apply also and are categorized accordingly. RE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) Port/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 Loop Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 3 re Voice Grade Loop (SL1) - Zone 3 re Voice Grade Loop (SL1) - Zone 3 2-Wire voice unbundled port - residence 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled Florida Area Calling with Caller ID - res 2-Wire voice unbundled Florida Area Calling with Caller ID - res 2-Wire voice unbundled Florida Area Calling port for use with CREX7 and Caller ID 2-Wire voice unbundled Florida extended dialing port for use with CREX7, without Caller ID capability 2-Wire voice unbundled Florida Area Calling Port without Caller ID 2-Wire voice unbundled Florida Area Calling Port without Caller ID 2-Wire voice unbundled Florida Area Calling Port without Caller ID 2-Wire voice unbundled Florida Area Calling Port without Caller ID 2-Wire voice unbundled Florida | sage rat | in the I | First and Additional UEPRX | NRC column | s for each Port | USOC. For C | 90.00 90.00 90.00 90.00 90.00 90.00 90.00 90.00 90.00 90.00 | | | | s are listed | | | | |
| End (USC For Add 2-WW UNE 2-WI 2-WI 2-WI 2-WI 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 | Office and Tandem Switching Usage and Common Transport Us DC: URECU). Not Currently Combined scenarios the Nonrecurring charges are itional NRCs may apply also and are categorized accordingly. Re VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) Port/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 Loop Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 3 re Voice Grade Line Port (Res) 2-Wire voice unbundled port - residence 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled Florida Area Calling with Caller ID - res 2-Wire voice unbundled Florida Area Calling with Caller ID - res 2-Wire voice unbundled Florida Area Calling with Caller ID Capability 2-Wire voice unbundled Florida extended dialing port for use with CREX7 and Caller ID 2-Wire voice unbundled Florida Area Calling Port without Caller ID Capability 2-Wire voice unbundled Florida extended dialing port for use with CREX7 and Caller ID 2-Wire voice unbundled Florida Area Calling Port without Caller ID Capability 2-Wire voice unbundled Florida Area Calling Port without Caller ID 2-Wire voice unbundled Florida Area Calling Port without Caller ID Capability 2-Wire voice unbundled Florida Area Calling Port without Caller ID 2-Wire voice unbundled Florida Area Calling Port without Caller ID 2-Wire voice unbundled Florida Area Calling Port without Caller ID 2-Wire voice unbundled Florida Area Calling Port without Caller ID 2-Wire voice unbundled Florida Area Calling Port without Caller ID 2-Wire voice unbundled Florida Area Calling Port without Caller ID 2-Wire voice unbundled Florida Area Calling Port without Caller ID 2-Wire Voice Unbundled Florida Area Calling Port Wirthout Caller ID 2-Wire Voice Unbundled Florida Area Calling Port Wirthout Caller ID 2-Wire Voice Unbundled Florida Area Calling Port Wirthout Caller ID 2-Wire Voice Unbundled | sage rat | in the I | First and Additional UEPRX | NRC column | s for each Port 23.77 27.88 38.63 9.77 13.88 24.63 14.00 14. | USOC. For C | 90.00 90.00 90.00 90.00 90.00 90.00 90.00 90.00 90.00 90.00 | | | | s are listed | | | | |

| UNBUNDLE | D NETWORK ELEMENTS - Florida | 1 | 1 | 1 | - | | | | | | | Attachment: | | | ibit: C |
|-----------------|--|-------------|----------|-------|--------|----------------|--------|-----------|--------------------|-----------------------------------|----------|---|---|-------------------------------------|----------|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES(\$) | | Svc Or Submit Elec per L | Manually | Manual Svc Order vs. Electronic- 1st | Charge - Manual Svc Order vs. Electronic- Add'l | Charge - Manual Svc Order vs. | Charge - |
| | | | | | | Rec | Nonrec | | Nonrecurring Disco | | | | Rates(\$) | | |
| | | | | | | | First | Add'l | First Ac | Id'I SOME | C SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | 2-Wire Voice Grade Loop / Line Port Combination - Switch with change | | | UEPRX | USACC | | 41.50 | 41.50 | | | 11.90 | | | | |
| ADDIT | TONAL NRCs | | | OLFIX | USACC | | 41.50 | 41.50 | | | 11.90 | 1 | | 1 | |
| 1.2211 | NRC - 2-Wire Voice Grade Loop/Line Port Combination - | | | | | | | | | | | 1 | 1 | 1 | |
| | Subsequent | | | UEPRX | USAS2 | | 0.00 | 0.00 | | | 11.90 | | | | |
| | E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS) | | | | | | | | | | | | | | |
| UNE P | Port/Loop Combination Rates | | | | | | | | | | | | | | |
| | 2-Wire VG Loop/Port Combo - Zone 1 | | 1 | | | 23.77 | | | | | | | | | |
| | 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 | | 2 | | | 27.88 38.63 | | | | | | | | | |
| UNEI | oop Rates | | 3 | | | 30.03 | | | | | | 1 | | 1 | |
| | 2-Wire Voice Grade Loop (SL1) - Zone 1 | | 1 | UEPBX | UEPLX | 9.77 | | | | | 1 | ł | 1 | ł | 1 |
| | 2-Wire Voice Grade Loop (SL1) - Zone 2 | | 2 | UEPBX | UEPLX | 13.88 | | | 1 | | 1 | t | 1 | t | 1 |
| | 2-Wire Voice Grade Loop (SL1) - Zone 3 | | 3 | UEPBX | UEPLX | 24.63 | | | | | | | | | |
| 2-Wire | Voice Grade Line Port (Bus) | | | | | | | | | | | | | | |
| | 2-Wire voice unbundled port without Caller ID - bus | | ļ | UEPBX | UEPBL | 14.00 | 90.00 | 90.00 | | | 11.90 | | | | |
| ├── ┤─── | 2-Wire voice unbundled port with Caller + E484 ID - bus | | <u> </u> | UEPBX | UEPBC | 14.00 | 90.00 | 90.00 | | | 11.90 | l | ł | l | |
| | 2-Wire voice unbundled port outgoing only - bus 2-Wire voice unbundled Incoming Only Port without Caller ID | | | UEPBX | UEPBO | 14.00 | 90.00 | 90.00 | | | 11.90 | | | | |
| | Capability | | | UEPBX | UEPBE | 14.00 | 90.00 | 90.00 | | | 11.90 | | | | |
| LOCA | L NUMBER PORTABILITY | | | | OEI DE | 14.00 | 00.00 | 00.00 | | | 11.00 | 1 | 1 | 1 | |
| | Local Number Portability (1 per port) | | | UEPBX | LNPCX | 0.35 | | | | | | | | | |
| NONR | ECURRING CHARGES - CURRENTLY COMBINED | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | |
| | 2-Wire Voice Grade Loop / Line Port Combination - Switch-as-is | | | UEPBX | USAC2 | | 41.50 | 41.50 | | | 11.90 | | | | |
| | 2-Wire Voice Grade Loop / Line Port Combination - Switch with | | | | | | 11 50 | 44.50 | | | 44.00 | | | | |
| | change | | | UEPBX | USACC | | 41.50 | 41.50 | | | 11.90 | | | | |
| ADDIT | NRC - 2-Wire Voice Grade Loop/Line Port Combination - | | | | | | | | | | | 1 | | 1 | |
| | Subsequent | | | UEPBX | USAS2 | | 0.00 | 0.00 | | | 11.90 | | | | |
| 2-WIR | E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES - PBX) | | | - | | | | | | | | | | | |
| UNE P | ort/Loop Combination Rates | | | | | | | | | | | | | | |
| | 2-Wire VG Loop/Port Combo - Zone 1 | | 1 | | | 23.77 | | | | | | | | | |
| | 2-Wire VG Loop/Port Combo - Zone 2 | | 2 | | | 27.88 | | | | | | | | | |
| | 2-Wire VG Loop/Port Combo - Zone 3 oop Rates | | 3 | | | 38.63 | | | | | | | | | |
| UNEL | 2-Wire Voice Grade Loop (SL1) - Zone 1 | | 1 | UEPRG | UEPLX | 9.77 | | | | | | ł | ł | ł | |
| | 2-Wire Voice Grade Loop (SL1) - Zone 1 | | | UEPRG | UEPLX | 13.88 | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL1) - Zone 3 | | | UEPRG | UEPLX | 24.63 | | | | | | 1 | 1 | 1 | |
| 2-Wire | Voice Grade Line Port Rates (RES - PBX) | | | | | | | | | | | | | | |
| | 2-Wire VG Unbundled Combination 2-Way PBX Trunk Port - | | | | | | | | | | | | | | |
| | Res | | | UEPRG | UEPRD | 14.00 | 90.00 | 90.00 | | | 11.90 | | | | |
| LOCA | L NUMBER PORTABILITY | | - | UEPRG | LNPCP | 3.15 | 0.00 | 0.00 | | | | | | | |
| FEATU | Local Number Portability (1 per port) | | | UEPRG | LINPUP | 3.15 | 0.00 | 0.00 | | | | | | | |
| | All Features Offered | | 1 | UEPRG | UEPVF | 0.00 | 0.00 | 0.00 | | | 11.90 | | | | <u> </u> |
| NONR | ECURRING CHARGES - CURRENTLY COMBINED | | 1 | | 02. VI | 0.00 | 0.00 | 0.00 | | | 11.30 | | | | |
| | | | Ì | | | | | | 1 | 1 | | İ | İ | İ | |
| | 2-Wire Voice Grade Loop/ Line Port Combination - Switch-As-Is | | | UEPRG | USAC2 | | 41.50 | 41.50 | | | 11.90 | | | | |
| | 2-Wire Voice Grade Loop/ Line Port Combination - Switch with | | | | | | | | | 1 - | | | | | |
| | Change | | <u> </u> | UEPRG | USACC | | 41.50 | 41.50 | | | 11.90 | | | | l |
| ADDIT | IONAL NRCs 2 Wire Loop/Line Side Port Combination - Non feature - | | | | | | | | | | | | | | |
| | Subsequent Activity- Nonrecurring | | | | | | 0.00 | 0.00 | | | 11.90 | 1 | 1 | 1 | |
| <u>├──</u> | PBX Subsequent Activity - Change/Rearrange Multiline Hunt | | 1 | | | | 0.00 | 0.00 | | | 11.90 | | | | <u> </u> |
| | Group | | | | | | 7.09 | 7.09 | | | 11.90 | 1 | 1 | 1 | |
| 2-WIR | E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX) | | | | | | | | | | | | | | |
| UNE P | ort/Loop Combination Rates | | | | | | | | | | | | | | |
| | 2-Wire VG Loop/Port Combo - Zone 1 | | 1 | | | 23.77 | | | | | | | | | |

| UNBUNDLE | D NETWORK ELEMENTS - Florida | | | | | | | | | | | Attachment: | | | bit: C |
|----------|--|-------------|------|----------------|----------------|----------------|----------------|-----------|------------------------|-------|---|--|--|---|--|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES(\$) | | | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'I |
| | | | | | | Rec | Nonred | | Nonrecurring Disconnec | | | | Rates(\$) | | |
| | | | | | | | First | Add'l | First Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 | | 2 | | | 27.88 38.63 | | | | | | | | | I |
| | oop Rates | | 3 | | | 38.63 | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL1) - Zone 1 | | 1 | UEPPX | UEPLX | 9.77 | | | | | | | | | [|
| | 2-Wire Voice Grade Loop (SL1) - Zone 2 | | 2 | UEPPX | UEPLX | 13.88 | | | | | | | | | l |
| | 2-Wire Voice Grade Loop (SL1) - Zone 3 | | 3 | UEPPX | UEPLX | 24.63 | | | | | | | | | 1 |
| 2-Wire | Voice Grade Line Port Rates (BUS - PBX) | | | | | | | | | | | | | | 1 |
| | | | | | | 44.00 | 00.00 | 00.00 | | | 44.00 | | | | ł |
| | Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus Line Side Unbundled Outward PBX Trunk Port - Bus | | | UEPPX UEPPX | UEPPC UEPPO | 14.00 14.00 | 90.00 90.00 | 90.00 | | | 11.90 11.90 | | | | |
| | Line Side Unbundled Outward PBX Trunk Port - Bus | | | UEPPX | UEPP0 UEPP1 | 14.00 | 90.00 | 90.00 | | | 11.90 | | | | |
| | 2-Wire Voice Unbundled PBX LD Terminal Ports | | | UEPPX | UEPLD | 14.00 | 90.00 | 90.00 | | | 11.90 | | | | |
| | 2-Wire Voice Unbundled 2-Way Combination PBX Usage Port | | | UEPPX | UEPXA | 14.00 | 90.00 | 90.00 | | | 11.90 | | | | |
| | 2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports | | | UEPPX | UEPXB | 14.00 | 90.00 | 90.00 | | | 11.90 | | | | i |
| | 2-Wire Voice Unbundled PBX LD DDD Terminals Port | | | UEPPX | UEPXC | 14.00 | 90.00 | 90.00 | | | 11.90 | | | | l |
| | 2-Wire Voice Unbundled PBX LD Terminal Switchboard Port | | | UEPPX | UEPXD | 14.00 | 90.00 | 90.00 | | | 11.90 | | | | |
| | 2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD | | | | | 44.00 | 00.00 | | | | 44.00 | | | | ł |
| | Capable Port 2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy | | | UEPPX | UEPXE | 14.00 | 90.00 | 90.00 | | | 11.90 | | | | |
| | Administrative Calling Port | | | UEPPX | UEPXL | 14.00 | 90.00 | 90.00 | | | 11.90 | | | | ł |
| | 2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy | | | ULFFA | ULFAL | 14.00 | 90.00 | 90.00 | | | 11.90 | | | | 1 |
| | Room Calling Port | | | UEPPX | UEPXM | 14.00 | 90.00 | 90.00 | | | 11.90 | | | | ł |
| | 2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital | | | - | - | | | | | | | | | | i |
| | Discount Room Calling Port | | | UEPPX | UEPXO | 14.00 | 90.00 | 90.00 | | | 11.90 | | | | l |
| | 2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port | | | UEPPX | UEPXS | 14.00 | 90.00 | 90.00 | | | 11.90 | | | | l |
| LOCA | | | | | 111505 | 0.15 | | | | | | | | | l |
| FEATU | Local Number Portability (1 per port) | - | | UEPPX | LNPCP | 3.15 | 0.00 | 0.00 | | | | | | | l |
| FEAT | All Features Offered | | | UEPPX | UEPVF | 0.00 | 0.00 | 0.00 | | | 11.90 | | | | 1 |
| NONR | ECURRING CHARGES - CURRENTLY COMBINED | | | 0EITX | OLI VI | 0.00 | 0.00 | 0.00 | | | 11.00 | | | | [|
| | | | | | | | | | | | | | | | i |
| | 2-Wire Voice Grade Loop/ Line Port Combination - Switch-As-Is | | | UEPPX | USAC2 | | 41.50 | 41.50 | | | 11.90 | | | | ł |
| | 2-Wire Voice Grade Loop/ Line Port Combination - Switch with | | | | | | | | | | | | | | l |
| | Change | - | | UEPPX | USACC | | 41.50 | 41.50 | | | 11.90 | | | | l |
| ADDIT | IONAL NRCs | - | | | | | | | | | | | | | l |
| | 2-Wire Voice Grade Loop/ Line Port Combination - Subsequent | | | UEPPX | USAS2 | 0.00 | 0.00 | 0.00 | | | 11.90 | | | | ł |
| | 2 Wire Loop/Line Side Port Combination - Non feature - | | | OLITX | 00402 | 0.00 | 0.00 | 0.00 | | | 11.50 | | | | 1 |
| | Subsequent Activity- Nonrecurring | 1 | | | | | 0.00 | 0.00 | | | 11.90 | | | | ł |
| | PBX Subsequent Activity - Change/Rearrange Multiline Hunt | | | | | | | | | | | | | | 1 |
| | Group | | | | | | 7.09 | 7.09 | | | 11.90 | | | | |
| | E VOICE GRADE LOOP WITH 2-WIRE ANALOG LINE COIN POR | T | | | | | | | | | | | | | I |
| UNE P | Port/Loop Combination Rates | | 4 | | | 77 00 | | | | | | | | | |
| | 2-Wire VG Coin Port/Loop Combo – Zone 1 2-Wire VG Coin Port/Loop Combo – Zone 2 | | 1 | <u> </u> | | 23.77 27.88 | | | | | | | | | |
| | 2-Wire VG Coin Port/Loop Combo – Zone 2 2-Wire VG Coin Port/Loop Combo – Zone 3 | | 2 | | | 38.63 | | | | | | | | | |
| | oop Rates | | | | 1 1 | 00.00 | | | | 1 | | | | | 1 |
| | 2-Wire Voice Grade Loop (SL1) - Zone 1 | | 1 | UEPCO | UEPLX | 9.77 | | | 1 | | | | | | |
| | 2-Wire Voice Grade Loop (SL1) - Zone 2 | | 2 | UEPCO | UEPLX | 13.88 | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL1) - Zone 3 | | 3 | UEPCO | UEPLX | 24.63 | | | | | | | | | |
| 2-Wire | Voice Grade Line Port Rates (Coin) | | | | | | | | | | | | | | |
| | 2-Wire Coin 2-Way with Operator Screening and Blocking: 011, | | | | LIEDOE | 14.00 | 00.00 | 00.00 | | | 11.00 | | | | ł |
| | 900/976, 1+DDD (FL) 2-Wire Coin 2-Way with Operator Screening and 011 Blocking | | | UEPCO | UEP2F | 14.00 | 90.00 | 90.00 | | | 11.90 | | | | |
| | (FL) | | | UEPCO | UEPFA | 14.00 | 90.00 | 90.00 | | | 11.90 | | | | ł |
| | 2-Wire Coin 2-Way with Operator Screening and Blocking: | | | | JEITA | 14.00 | 30.00 | 30.00 | | | 11.90 | | | | [|
| 1 | 900/976, 1+DDD, 011+, and Local (FL) | | | UEPCO | UEPCG | 14.00 | 90.00 | 90.00 | | | 11.90 | | | | ł |
| | 2-Wire Coin Outward with Operator Screening and 011 Blocking | | | | | | | | | | | | | | 1 |
| | (AL, FL) | | | UEPCO | UEPRK | 14.00 | 90.00 | 90.00 | | | 11.90 | | | | 1 |

| UNBUND | DLED | O NETWORK ELEMENTS - Florida | _ | | | | | | | | | | | Attachment: | | | ibit: C |
|----------|-------|--|-------------|---------|--------|---------|--------|--------|-----------|--------------|-------|-------------|---|---|---|---|----------|
| CATEGOR | łY | RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES(\$) | | | | Svc Order Submitted Manually per LSR | Charge - Manual Svc Order vs. Electronic- 1st | Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Charge - |
| | | | | | | | Rec | Nonrec | | Nonrecurring | | | | | Rates(\$) | _ | |
| | | | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | 2-Wire Coin Outward with Operator Screening and Blocking: | | | UEPCO | UEPOF | 14.00 | 90.00 | 90.00 | | | | 11.90 | | | | |
| | | 900/976, 1+DDD, 011+ (FL) 2-Wire Coin Outward with Operator Screening and Blocking: | | | UEFCO | UEPUF | 14.00 | 90.00 | 90.00 | | | - | 11.90 | | | | |
| | | 900/976, 1+DDD, 011+, and Local (FL, GA) | | | UEPCO | UEPCQ | 14.00 | 90.00 | 90.00 | | | | 11.90 | | | | |
| LO | CAL | NUMBER PORTABILITY | | | 02.00 | 02.00 | 1.00 | 00.00 | 00.00 | | | | | | | | |
| | | Local Number Portability (1 per port) | | | UEPCO | LNPCX | 0.35 | | | | | | | | | | |
| NO | ONRE | CURRING CHARGES - CURRENTLY COMBINED | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop/ Line Port Combination - Switch-As-Is | | | UEPCO | USAC2 | | 41.50 | 41.50 | | | | 11.90 | | | | |
| | | 2-Wire Voice Grade Loop/ Line Port Combination - Switch with | | | | | | | | | | | | | | | |
| 4.0 | | Change | | | UEPCO | USACC | | 41.50 | 41.50 | | | | | | | | |
| AD | וווטי | ONAL NRCs | <u> </u> | | | | | | | | | - | | | | | |
| | | 2-Wire Voice Grade Loop/ Line Port Combination - Subsequent | | | UEPCO | USAS2 | | 0.00 | 0.00 | | | | 11.90 | | | | |
| 2-V | NIRF | VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE | | PORT (| | 00/102 | | 0.00 | 0.00 | | | | 11.00 | | | | |
| | | rt/Loop Combination Rates | | | -, | | | | | | | | | | İ | İ | 1 |
| | | 2-Wire VG Loop/IO Tranport/Port Combo - Zone 1 | 1 | 1 | | | 26.24 | | | | | | | | | | 1 |
| | | 2-Wire VG Loop/IO Tranport/Port Combo - Zone 2 | | 2 | | | 31.40 | | | | | | | | | | |
| | | 2-Wire VG Loop/IO Tranport/Port Combo - Zone 3 | | 3 | | | 44.87 | | | | | | | | | | |
| UN | | op Rates | | | | | | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL2) - Zone 1 | | 1 | UEPFR | UECF2 | 12.24 | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL2) - Zone 2 | | 2 | UEPFR | UECF2 | 17.40 | | | | | | | | | | |
| 2.1 | | 2-Wire Voice Grade Loop (SL2) - Zone 3 | | 3 | UEPFR | UECF2 | 30.87 | | | | | | | | | | 4 |
| Z-V | | Voice Grade Line Port Rates (Res) 2-Wire voice unbundled port - residence | | | UEPFR | UEPRL | 14.00 | 180.00 | 110.00 | 85.00 | 20.00 | | 11.90 | | | | |
| | | 2-Wire voice unbundled port with Caller ID - res | | | UEPFR | UEPRC | 14.00 | 180.00 | 110.00 | 85.00 | 20.00 | | 11.90 | | | | |
| | | 2-Wire voice unbundled port outgoing only - res | | | UEPFR | UEPRO | 14.00 | 180.00 | 110.00 | 85.00 | 20.00 | | 11.90 | | | | - |
| | | | | | OEITIK | OEI NO | 14.00 | 100.00 | 110.00 | 00.00 | 20.00 | | 11.00 | | | | |
| | | 2-Wire voice unbundled Florida Area Calling with Caller ID - res | | | UEPFR | UEPAF | 14.00 | 180.00 | 110.00 | 85.00 | 20.00 | | 11.90 | | | | |
| | | 2-Wire voice unbundles res, low usage line port with Caller ID | | | | | | | | | | | | | | | |
| | | (LUM) | | | UEPFR | UEPAP | 14.00 | 180.00 | 110.00 | 85.00 | 20.00 | | 11.90 | | | | |
| INT | | OFFICE TRANSPORT | | | | | | | | | | | | | | | |
| | | Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility | | | | | | | | | | | | | | | |
| | | Termination | | | UEPFR | U1TV2 | 25.32 | 47.35 | 31.78 | | | | | | | | |
| | | Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile | | | | 41 5307 | 0.0004 | | | | | | | | | | |
| EE | ATU | or Fraction Mile | | | UEPFR | 1L5XX | 0.0091 | | | | | | | | | | |
| F E. | | All Features Offered | | | UEPFR | UEPVF | 0.00 | 0.00 | 0.00 | | | | 11.90 | | | | |
| LO | | NUMBER PORTABILITY | | | OLITIK | 021 11 | 0.00 | 0.00 | 0.00 | | | | 11.00 | | | | |
| | | Local Number Portability (1 per port) | | | UEPFR | LNPCX | 0.35 | | | | | | | | | | |
| NO | | CURRING CHARGES (NRCs) - CURRENTLY COMBINED | | | | | | | | | | | | | | | |
| | | 2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port | T | | | | | | | | | | | | | | |
| | | Combination - Conversion - Switch-as-is | | | UEPFR | USAC2 | | 16.97 | 3.73 | | | | 11.90 | | | | |
| | | 2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port | | | | | | | | | | | | | | | |
| | | Combination - Conversion - Switch-With-Change | <u> </u> | | UEPFR | USACC | | 16.97 | 3.73 | | | - | 11.90 | | | | |
| | | VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE | | -0RT (I | ຮບຮ) | | | | | | | <u>├</u> ── | | | | | ─── |
| UN | | rt/Loop Combination Rates 2-Wire VG Loop/IO Tranport/Port Combo - Zone 1 | | 1 | | | 26.24 | | | | | | | | | | |
| | | 2-Wire VG Loop/IO Tranpot/Port Combo - Zone 1 2-Wire VG Loop/IO Tranpot/Port Combo - Zone 2 | 1 | 2 | | | 31.40 | | | | | | | | | | + |
| | | 2-Wire VG Loop/IO Tranport/Port Combo - Zone 2 2-Wire VG Loop/IO Tranport/Port Combo - Zone 3 | | 3 | | | 44.87 | | | | | | | | | | |
| UN | | op Rates | 1 | Ŭ | | 1 1 | 07 | | | | | 1 | | 1 | 1 | 1 | 1 |
| 5. | | 2-Wire Voice Grade Loop (SL2) - Zone 1 | 1 | 1 | UEPFB | UECF2 | 12.24 | | | i i | | 1 | | ĺ | İ | İ | 1 |
| | | 2-Wire Voice Grade Loop (SL2) - Zone 2 | 1 | 2 | UEPFB | UECF2 | 17.40 | | | | | 1 | | 1 | l | l | 1 |
| | | 2-Wire Voice Grade Loop (SL2) - Zone 3 | | 3 | UEPFB | UECF2 | 30.87 | | | | | | | | | | |
| 2-V | | Voice Grade Line Port (Bus) | | | | | | | | | | | | | | | |
| | | 2-Wire voice unbundled port without Caller ID - bus | | | UEPFB | UEPBL | 14.00 | 180.00 | 110.00 | 85.00 | 20.00 | | 11.90 | | | | L |
| | | 2-Wire voice unbundled port with Caller + E484 ID - bus | ļ | | UEPFB | UEPBC | 14.00 | 180.00 | 110.00 | 85.00 | 20.00 | ļ | 11.90 | | | | |
| <u> </u> | | 2-Wire voice unbundled port outgoing only - bus | <u> </u> | | UEPFB | UEPBO | 14.00 | 180.00 | 110.00 | 85.00 | 20.00 | | 11.90 | | | | |
| | | 2-Wire voice unbundled incoming only port with Caller ID - Bus | 1 | 1 | UEPFB | UEPB1 | 14.00 | 180.00 | 110.00 | 85.00 | 20.00 | 1 | 11.90 | | | | L |

Exhibit 1

| UNBUNDLE | D NETWORK ELEMENTS - Florida | | | | | | | | | | | | Attachment: | 2 | Exhi | ibit: C |
|----------|--|-------------|----------|----------------|----------------|----------------|------------------|-----------|--------------|------------|-------|---|--|-----------|---|--|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES(\$) | | | | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Charge - | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Charge - Manual Svo Order vs. |
| | | | | | | D | Nonrec | urring | Nonrecurring | Disconnect | | | OSS | Rates(\$) | | 4 |
| | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| LOCA | NUMBER PORTABILITY | | | | | | | | | | | | | | | |
| | Local Number Portability (1 per port) | | | UEPFB | LNPCX | 0.35 | | | | | | | | | | |
| INTER | OFFICE TRANSPORT | | | | | | | | | | | | | | | |
| | Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility | | | | | | | | | | | | | | | |
| | Termination | | | UEPFB | U1TV2 | 25.32 | 47.35 | 31.78 | | | | | | | | |
| | Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile | | | | | | | | | | | | | | | |
| | or Fraction Mile | | | UEPFB | 1L5XX | 0.0091 | | | | | | | | | | |
| FEATU | All Features Offered | | | UEPFB | UEPVF | 0.00 | 0.00 | 0.00 | | | | 11.90 | | | | ─── |
| NONP | ECURRING CHARGES (NRCs) - CURRENTLY COMBINED | | | UEFFB | UEPVF | 0.00 | 0.00 | 0.00 | | | | 11.90 | | | | <u> </u> |
| NONK | 2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port | | | | - | | | | | | | | | | | <u> </u> |
| | Combination - Conversion - Switch-as-is | | | UEPFB | USAC2 | | 16.97 | 3.73 | | | | 11.90 | | | 1 | 1 |
| <u> </u> | 2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port | | + | 02110 | 00002 | | 10.37 | 5.75 | | | | 11.90 | | | 1 | + |
| | Combination - Conversion - Switch with change | | | UEPFB | USACC | | 16.97 | 3.73 | | | | 11.90 | | | 1 | 1 |
| 2-WIR | E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX) | | | 02.110 | 00/100 | | 10.01 | 0.10 | | | | | | | | + |
| | ort/Loop Combination Rates | | | | | | | | | | | | | | | 1 |
| | 2-Wire VG Loop/IO Tranport/Port Combo - Zone 1 | | 1 | | | 26.24 | | | | | | | | | | 1 |
| | 2-Wire VG Loop/IO Tranport/Port Combo - Zone 2 | | 2 | | | 31.40 | | | | | | | | | | 1 |
| | 2-Wire VG Loop/IO Tranport/Port Combo - Zone 3 | | 3 | | | 44.87 | | | | | | | | | | |
| UNE L | oop Rates | | | | | | | | | | | | | | | 1 |
| | 2-Wire Voice Grade Loop (SL2) - Zone 1 | | 1 | UEPFP | UECF2 | 12.24 | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL2) - Zone 2 | | 2 | UEPFP | UECF2 | 17.40 | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL2) - Zone 3 | | 3 | UEPFP | UECF2 | 30.87 | | | | | | | | | | |
| 2-Wire | Voice Grade Line Port Rates (BUS - PBX) | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus | | | UEPFP | UEPPC | 14.00 | 180.00 | 110.00 | 85.00 | 20.00 | | 11.90 | | | | |
| | Line Side Unbundled Outward PBX Trunk Port - Bus | | | UEPFP | UEPPO | 14.00 | 180.00 | 110.00 | 85.00 | 20.00 | | 11.90 | | | | |
| | Line Side Unbundled Incoming PBX Trunk Port - Bus | | | UEPFP | UEPP1 | 14.00 | 180.00 | 110.00 | 85.00 | 20.00 | | 11.90 | | | | |
| | 2-Wire Voice Unbundled PBX LD Terminal Ports | | | UEPFP | UEPLD | 14.00 | 180.00 | 110.00 | 85.00 | 20.00 | | 11.90 | | | | |
| | 2-Wire Voice Unbundled 2-Way Combination PBX Usage Port | | | UEPFP | UEPXA | 14.00 | 180.00 | 110.00 | 85.00 | 20.00 | | 11.90 | | | - | |
| | 2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports | | | UEPFP | UEPXB | 14.00 | 180.00 | 110.00 | 85.00 | 20.00 | | 11.90 | | | | ─── |
| | 2-Wire Voice Unbundled PBX LD DDD Terminals Port 2-Wire Voice Unbundled PBX LD Terminal Switchboard Port | | | UEPFP UEPFP | UEPXC UEPXD | 14.00 14.00 | 180.00 180.00 | 110.00 | 85.00 | 20.00 | | 11.90 11.90 | | | | ─── |
| | 2-Wire Voice Unbundled PBX LD Terminal Switchboard PDR 2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD | | | UEPFP | UEPAD | 14.00 | 180.00 | 110.00 | 85.00 | 20.00 | | 11.90 | | | | <u> </u> |
| | Capable Port | | | UEPFP | UEPXE | 14.00 | 180.00 | 110.00 | 85.00 | 20.00 | | 11.90 | | | | |
| | 2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy | | | ULFIF | ULFAL | 14.00 | 100.00 | 110.00 | 05.00 | 20.00 | | 11.90 | | | | + |
| | Administrative Calling Port | | | UEPFP | UEPXL | 14.00 | 180.00 | 110.00 | 85.00 | 20.00 | | 11.90 | | | | |
| | 2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy | | | 0EITT | OEI XE | 14.00 | 100.00 | 110.00 | 00.00 | 20.00 | | 11.00 | | | | |
| | Room Calling Port | | | UEPFP | UEPXM | 14.00 | 180.00 | 110.00 | 85.00 | 20.00 | | 11.90 | | | | |
| <u> </u> | 2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital | 1 | 1 | | | | | | 00.00 | 20.00 | | | 1 | 1 | 1 | <u>† </u> |
| 1 | Discount Room Calling Port | 1 | 1 | UEPFP | UEPXO | 14.00 | 180.00 | 110.00 | 85.00 | 20.00 | | 11.90 | | | 1 | 1 |
| | 2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port | 1 | | UEPFP | UEPXS | 14.00 | 180.00 | 110.00 | 85.00 | 20.00 | 1 | 11.90 | İ | l | 1 | 1 |
| LOCA | L NUMBER PORTABILITY | 1 | | İ | | | | | | | 1 | | İ | l | 1 | 1 |
| | Local Number Portability (1 per port) | 1 | 1 | UEPFP | LNPCP | 3.15 | 0.00 | 0.00 | | | 1 | 11.90 | | | | 1 |
| INTER | OFFICE TRANSPORT | | | | | | | | | | | | | | | |
| | Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility | 1 | | | | | | | | | | | | | | |
| | Termination | | | UEPFP | U1TV2 | 25.32 | 47.35 | 31.78 | | | | | | | | <u> </u> |
| | Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile | | 1 | | | | | | | | | | | | | 1 |
| | or Fraction Mile | <u> </u> | | UEPFP | 1L5XX | 0.0091 | | | | | | | | | ļ | |
| FEATU | | ļ | L | | | | | | | | | | | | | ─── |
| | All Features Offered | <u> </u> | | UEPFP | UEPVF | 0.00 | 0.00 | 0.00 | | | | 11.90 | | | ļ | ─── |
| NONR | ECURRING CHARGES (NRCs) - CURRENTLY COMBINED | <u> </u> | | | | | | | | | | | | | ļ | ─── |
| 1 | 2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port | 1 | 1 | | 110.400 | | 10.07 | 0.70 | | | | 44.00 | | | 1 | 1 |
| | Combination - Conversion - Switch-as-is | | <u> </u> | UEPFP | USAC2 | | 16.97 | 3.73 | | | 1 | 11.90 | | | ł | ─── |
| 1 | 2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port | 1 | 1 | UEPFP | USACC | | 40.07 | 0.70 | | | | 44.00 | | | 1 | 1 |
| | Combination - Conversion - Switch with change PORT/LOOP COMBINATIONS - MARKET BASED RATES | | | UEPFP | USAUC | | 16.97 | 3.73 | | | | 11.90 | | | <u> </u> | |
| | | 1 | 1 | 1 | 1 | | | | | | 1 | | 1 | 1 | 1 | 1 |
| | E VOICE GRADE LOOP- BUS ONLY - WITH 2-WIRE DID TRUNK | POPT | | | | | | | | | | | | | | |

| UNBUNDLE | D NETWORK ELEMENTS - Florida | | | | | | | | | | | | | Attachment: | 2 | Exhi | bit: C |
|----------|---|-------------|----------|----------------|--------|----------------|---------|--------|-----------|--------------|------------|---|---|-------------|--|-------|--------|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | E | SCS | USOC | | | RATES(\$) | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | | |
| | | | | | | | - | Nonrec | urring | Nonrecurring | Disconnect | | | OSS | Rates(\$) | | |
| | | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | 2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 1 | | 1 | | | | 67.24 | | | | | | | | | | |
| | 2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 2 | | 2 | | | | 72.40 | | | | | | | | | | |
| | 2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 3 | | 3 | | | | 85.87 | | | | | | | | | | |
| UNE L | .oop Rates | | | | | | | | | | | | | | | | |
| | 2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 1 | | 1 | 02.17 | | UECD1 | 12.24 | | | | | | 11.90 | | | 1.83 | |
| | 2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 2 | | 2 | UEPPX | | UECD1 | 17.40 | | | | | | 11.90 | | | 1.83 | |
| | 2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 3 | | 3 | UEPPX | | UECD1 | 30.87 | | | | | | 11.90 | | | 1.83 | |
| UNE P | Port Rate | | | | | | | | | | | | | | | | |
| | Exchange Ports - 2-Wire DID Port | _ | | UEPPX | | UEPD1 | 55.00 | 850.00 | 75.00 | | | | 11.90 | | | 1.83 | |
| NONR | ECURRING CHARGES - CURRENTLY COMBINED | | | | | | | | | | | | | | | | |
| | 2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Combination - Switch-As-Is Top 8 MSAs only | -1 | 1 | UEPPX | | USAC1 | | 850.00 | 75.00 | | | | 11.90 | | | | |
| <u> </u> | 2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Conversion | - | - | UEPPX | | USACT | | 850.00 | 75.00 | | | | 11.90 | | | | |
| | with BellSouth Allowable Changes Top 8 MSAs only | | 1 | UEPPX | | USA1C | | 850.00 | 75.00 | | | | 11.90 | | | | |
| | TONAL NRCs | | | OLITX | | OOAIO | | 050.00 | 75.00 | | | | 11.50 | | | | |
| ADDI | 2-Wire DID Subsequent Activity - Add Trunks, Per Trunk | - | + | UEPPX | | USAS1 | | 32.26 | 32.26 | | | | 11.90 | | | | |
| Teleni | hone Number/Trunk Group Establisment Charges | | 1 | | | 00/101 | | 52.20 | 02.20 | | | | 11.50 | | | | |
| | DID Trunk Termination (One Per Port) | | | UEPPX | | NDT | 0.00 | 0.00 | 0.00 | | | | 11.90 | | | 1.83 | |
| | DID Numbers, Establish Trunk Group and Provide First Group | | | | | | | | | | | | | | | | |
| | of 20 DID Numbers | | | UEPPX | | NDZ | 0.00 | 0.00 | 0.00 | | | | 11.90 | | | 1.83 | |
| | Additional DID Numbers for each Group of 20 DID Numbers | | | UEPPX | | ND4 | 0.00 | 0.00 | 0.00 | | | | 11.90 | | | 1.83 | |
| | DID Numbers, Non- consecutive DID Numbers, Per Number | | | UEPPX | | ND5 | 0.00 | 0.00 | 0.00 | | | | 11.90 | | | 1.83 | |
| | Reserve Non-Consecutive DID numbers | | | UEPPX | | ND6 | 0.00 | 0.00 | 0.00 | | | | 11.90 | | | 1.83 | |
| | Reserve DID Numbers | | | UEPPX | | NDV | 0.00 | 0.00 | 0.00 | | | | 11.90 | | | 1.83 | |
| LOCA | L NUMBER PORTABILITY | | | | | | | | | | | | | | | | |
| | Local Number Portability (1 per port) | | | UEPPX | | LNPCP | 3.15 | 0.00 | 0.00 | | | | | | | | |
| | E ISDN DIGITAL GRADE LOOP WITH 2-WIRE ISDN DIGITAL LI | INE SID | E PORT | [| | | | | | | | | | | | | |
| UNE P | Port/Loop Combination Rates | | | | | | | | | | | | | | | | |
| | 2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port - | | | | | | | | | | | | | | | | |
| | UNE Zone 1 | | 1 | UEPPB | UEPPR | | 85.25 | | | | | | | | | | |
| | 2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port - | | 2 | UEPPB | UEPPR | | 91.67 | | | | | | | | | | |
| | UNE Zone 2 2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port - | - | 2 | UEPPB | UEPPR | | 91.67 | | | | | | | | | | |
| | UNE Zone 3 | | 3 | UEPPB | UEPPR | | 108.46 | | | | | | | | | | |
| | oop Rates | | 5 | OLITO | OLITIK | | 100.40 | | | | | | | | | | |
| | 2-Wire ISDN Digital Grade Loop - UNE Zone 1 | | 1 | UEPPB | UEPPR | USI 2X | 15.25 | | | | | | 11.90 | | | 1.83 | |
| 1 | | 1 | | | 32 N | | | | | | | | | | | | |
| | 2-Wire ISDN Digital Grade Loop - UNE Zone 2 | | 2 | UEPPB | UEPPR | USL2X | 21.67 | | | | | | 11.90 | | | 1.83 | |
| | 2-Wire ISDN Digital Grade Loop - UNE Zone 3 | 1 | 3 | UEPPB | | USL2X | 38.46 | | | | | 1 | 11.90 | | | 1.83 | ĺ |
| UNE P | Port Rate | | | | | | | | | | | | | | | | |
| | Exchange Port - 2-Wire ISDN Line Side Port | | | UEPPB | UEPPR | UEPPB | 70.00 | 525.00 | 400.00 | | | | 11.09 | | | 1.83 | |
| NONR | ECURRING CHARGES - CURRENTLY COMBINED | | | | | | | | | | | | | | | | |
| | 2-Wire ISDN Digital Grade Loop / 2-Wire ISDN Line Side Port | | 1 | | | | | | | | | | | | | | |
| | Combination - Conversion - Top 8 MSAs only | 1 | | UEPPB | UEPPR | USACB | 0.00 | 215.00 | 215.00 | | | | 11.90 | | | 1.83 | |
| | IONAL NRCs | 1 | L | | | | | | | | | | | | | | |
| LOCA | | | | 115555 | | | 0.05 | | | | | | | | | | |
| | Local Number Portability (1 per port) | | | UEPPB | UEPPR | LNPCX | 0.35 | 0.00 | 0.00 | | | | | | | | |
| B-CHA | ANNEL USER PROFILE ACCESS: | | <u> </u> | LIEDDD | LIEDDD | | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | CVS/CSD (DMS/5ESS) CVS (EWSD) | - | | UEPPB UEPPB | UEPPR | U1UCA U1UCB | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | CVS (EWSD) CSD | - | | UEPPB | UEPPR | U1UCB | 0.00 | 0.00 | 0.00 | | 1 | | | | | ł | ł |
| B-CH/ | ANNEL AREA PLUS USER PROFILE ACCESS: (AL,KY,LA,MS S | C.MS. 8 | L TN) | JLPPD | OLPPK | 01000 | 0.00 | 0.00 | 0.00 | | | 1 | | | | | |
| | TERMINAL PROFILE | , mo, e | | | | | | | | | | | | | | | 1 |
| COLK | User Terminal Profile (EWSD only) | 1 | + | UEPPB | UEPPR | U1UMA | 0.00 | 0.00 | 0.00 | | | 1 | | | | | |
| VERT | | 1 | 1 | 1 | | | 0.00 | 0.00 | 0.00 | | | | | | | 1 | 1 |
| | All Vertical Features - One per Channel B User Profile | 1 | 1 | UEPPB | UEPPR | UEPVF | 2.26 | 0.00 | 0.00 | | | 1 | 11.90 | | | | |
| INTER | OFFICE CHANNEL MILEAGE | 1 | | 1 | - | | | | | | | | | | | | |
| | Interoffice Channel mileage each, including first mile and | | | | | 1 1 | | | | | | | | | | | |
| | facilities termination | | | UEPPB | UEPPR | M1GNC | 18.4491 | 47.35 | 31.78 | 18.31 | 7.03 | | 11.90 | | | 1.83 | |

| DUNDLE | D NETWORK ELEMENTS - Florida | | | | | | | | | | | | Attachment: | | | bit: C |
|---------------|--|--------|----------|-------------|----------------|----------|----------|---------------|--------------|------------|-----------|-----------|-------------|-------------|-------------|-------------|
| | | | | | | | | | | | Svc Order | Svc Order | Incremental | Incremental | Incremental | Incremental |
| | | | | | | | | | | | Submitted | Submitted | Charge - | Charge - | Charge - | Charge - |
| | | Interi | | | | | | | | | Elec | Manually | Manual Svc | Manual Svc | | Manual Svc |
| TEGORY | RATE ELEMENTS | Interi | Zone | BCS | USOC | | | RATES(\$) | | | per LSR | per LSR | Order vs. | Order vs. | Order vs. | Order vs. |
| | | m | | | | | | ••• | | | per con | per con | Electronic- | Electronic- | Electronic- | Electronic- |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add'l |
| <u> </u> | | | | | | | Nonred | urring | Nonrecurring | Disconnect | | | 220 | Rates(\$) | | |
| | + | | + | | 1 | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| <u> </u> | Interoffice Channel mileage each, additional mile | | | UEPPB UEPPR | M1GNM | 0.0091 | 0.00 | Add 1 0.00 | FIISL | Auu i | SOWEC | 11.90 | SOWAN | SOWAN | 1.83 | SUWAN |
| | E DS1 DIGITAL LOOP WITH 4-WIRE ISDN DS1 DIGITAL TRUNK | | | UEPPD UEPPN | MIGNW | 0.0031 | 0.00 | 0.00 | | | | 11.90 | | | 1.00 | |
| | e DS1 DIGITAL LOOP WITH 4-WIRE ISDN DS1 DIGITAL TRONG | I PORI | <u> </u> | | - | | | | | | | | | | | |
| | 4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE | | | | | | | | | | | | | | | |
| | | | | | | 070 74 | | | | | | | | | | |
| | Zone 1 | _ | 1 | UEPPP | Į | 970.74 | | | | | ļ | | | | | |
| | 4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE | | | | | | | 1 | | | | | | | | |
| \rightarrow | Zone 2 | | 2 | UEPPP | | 1,000.54 | | | | | | | | | | |
| | 4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE | | | | | | | | | | | | | | | |
| | Zone 3 | | 3 | UEPPP | | 1,078.39 | | | | | | | | | | |
| UNE L | oop Rates | | | | | | | | | | | | | | | |
| | 4-Wire DS1 Digital Loop - UNE Zone 1 | | | UEPPP | USL4P | 70.74 | | | | | | 11.90 | | | 1.83 | |
| | 4-Wire DS1 Digital Loop - UNE Zone 2 | | 2 | UEPPP | USL4P | 100.54 | | | | | | 11.90 | | | 1.83 | |
| | 4-Wire DS1 Digital Loop - UNE Zone 3 | | 3 | UEPPP | USL4P | 178.39 | | | | | | 11.90 | | | 1.83 | |
| UNE P | ort Rate | | | | | | | | | | | | | | | |
| | Exchange Ports - 4-Wire ISDN DS1 Port | | | UEPPP | UEPPP | 900.00 | 1,150.00 | 1,150.00 | | | | 11.90 | | | 1.83 | |
| NONR | ECURRING CHARGES - CURRENTLY COMBINED | | | | | | | | | | | | | | | |
| | 4-Wire DS1 Digital Loop / 4-Wire ISDN DS1 Digital Trunk Port | | | | | | | | | | | | | | | |
| | Combination - Conversion -Switch-As-Is Top 8 MSAs only | | | UEPPP | USACP | 0.00 | 925.00 | 925.00 | | | | 11.90 | | | 1.83 | |
| ADDIT | IONAL NRCs | | | - | | | | | | | | | | | | |
| | 4-Wire DS1 Loop/4-W ISDN Digtl Trk Port - Subsqt Actvy- | | | | | | | | | | | | | | | |
| | Inward/two way Telephone Numbers (except NC) | | | UEPPP | PR7TF | | 0.5412 | | | | | 11.90 | | | 1.83 | |
| | 4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trunk Port - | | | 02.11 | | | 0.0112 | | | | | 11100 | | | 1.00 | |
| | Outward Tel Numbers (All States except NC) | | | UEPPP | PR7TO | | 12.71 | 12.71 | | | | 11.90 | | | 1.83 | |
| | 4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trk Port - | | | 02 | | | | | | | | | | | 1.00 | |
| | Subsequent Inward Telephone Numbers | | | UEPPP | PR7ZT | | 25.42 | 25.42 | | | | 11.90 | | | 1.83 | |
| | | | | OLITI | 1 1(721 | | 20.42 | 23.42 | | | | 11.50 | | | 1.00 | |
| LOOAL | Local Number Portability (1 per port) | | | UEPPP | LNPCN | 1.75 | | | | | | | | | | |
| INTER | FACE (Provsioning Only) | | | OLITI | | 1.75 | | | | | | | | | | |
| | Voice/Data | | | UEPPP | PR71V | 0.00 | 0.00 | 0.00 | | | | | | | | |
| _ | Digital Data | | | UEPPP | PR71D | 0.00 | 0.00 | 0.00 | | | | | | | | |
| <u> </u> | Inward Data | + | + | UEPPP | PR71D PR71E | 0.00 | 0.00 | 0.00 | | | 1 | | | | | |
| Nov: c | r Additional "B" Channel | + | + | ULFFF | | 0.00 | 0.00 | 0.00 | | | 1 | | | | | |
| New O | New or Additional - Voice/Data B Channel | | + | UEPPP | PR7BV | 0.00 | 20.00 | | | | | 11.90 | | | 1.83 | |
| | New or Additional - Voice/Data B Channel New or Additional - Digital Data B Channel | + | + | UEPPP | PR7BV PR7BF | 0.00 | 20.00 | | | | | 11.90 | | | 1.83 | |
| + | | | | | | | | | | | | 11.90 | | | | |
| CAL ! | New or Additional Inward Data B Channel | | | UEPPP | PR7BD | 0.00 | 20.00 | | | | | 11.90 | | | 1.83 | |
| CALL | TYPES | | | | 00704 | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | Inward | 1 | I | UEPPP | PR7C1 | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | Outward | - | I | UEPPP | PR7C0 | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | Two-way | | | UEPPP | PR7CC | 0.00 | 0.00 | 0.00 | | | | | | | | |
| Interof | fice Channel Mileage | | | | | | | | | | | | | | | |
| | Fixed Each Including First Mile | | | UEPPP | 1LN1A | 88.6256 | 105.54 | 98.47 | 21.47 | 19.05 | | 11.90 | | | 1.93 | |
| | Each Airline-Fractional Additional Mile | | | UEPPP | 1LN1B | 0.1856 | | | | | | | | | | |
| | E DS1 DIGITAL LOOP WITH 4-WIRE DDITS TRUNK PORT | | | | | | | | | | | | | | | |
| UNE P | ort/Loop Combination Rates | | | | | | | | | | | | | | | |
| | 4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 1 | | | UEPDC | | 820.74 | | | | | | 11.90 | | | 1.83 | |
| | 4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 2 | | 2 | UEPDC | | 850.54 | | | | | | 11.90 | | | 1.83 | |
| | 4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 3 | | 3 | UEPDC | | 928.39 | | | | | | 11.90 | | | 1.83 | |
| | oon Bates | | | | | | | | | | | | | | | |

UNE Loop Rates

UNE Port Rate

4-Wire DS1 Digital Loop - UNE Zone 1

4-Wire DS1 Digital Loop - UNE Zone 2

4-Wire DS1 Digital Loop - UNE Zone 3

NONRECURRING CHARGES - CURRENTLY COMBINED

- Conversion with DS1 Changes Top 8 MSAs only

4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination

4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination

4-Wire DDITS Digital Trunk Port

Switch-As-Is Top 8 MSAs only

1 UEPDC

2 UEPDC

3 UEPDC

UEPDC

UEPDC

UEPDC

USLDC

USLDC

USLDC

UDD1T

USAC4

USAWA

70.74

100.54

178.39

750.00

1,019.56

95.31

95.31

479.87

46.71

46.71

204.92

20.10

1.83

1.83

1.83

1.83

1.83

1.83

11.90

11.90

11.90

11.90

11.90

11.90

| | D NETWORK ELEMENTS - Florida | 1 | 1 | 1 | | 1 | | | | | Cure Oralis | Cure Order | Attachment: | | | bit: C |
|--------|---|-------------|------|-------|---------|----------|--------|-----------|--------------|------------|-------------|---|-------------------------------------|-------------------------------------|-------------------------------------|-------------------------------------|
| GORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES(\$) | | | | Svc Order Submitted Manually per LSR | Charge - Manual Svc Order vs. | Charge - Manual Svc Order vs. | Charge - Manual Svc Order vs. | Charge - Manual Svc Order vs. |
| | | | | | | | | | | | | | Electronic- 1st | Electronic- Add'l | Electronic- Disc 1st | Electronic- Disc Add'l |
| | | | | | | Rec | Nonrec | urring | Nonrecurring | Disconnect | | | OSS | Rates(\$) | | |
| | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | | | | | | | | | | | | | | | |
| | 4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination | | | | | | | | | | | | | | | |
| | - Conversion with Change - Trunk Top 8 MSAs only | | | UEPDC | USAWB | | 95.31 | 46.71 | | | | 11.90 | | | 1.83 | |
| ADDIT | ONAL NRCs | | | | | | | | | | | | | | | |
| | 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - NRC - | | | | | | | | | | | | | | | |
| | Subsequent Channel Activation/Chan - 2-Way Trunk | | | UEPDC | UDTTA | | 15.69 | 15.69 | | | | 11.90 | | | 1.83 | |
| | 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent | | | | | | 15.00 | 15.00 | | | | | | | | |
| | Channel Activation/Chan - 1-Way Outward Trunk | | | UEPDC | UDTTB | l | 15.69 | 15.69 | | | | 11.90 | | | 1.83 | |
| | 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Channel | | | | UDTTO | 1 | 45.00 | 45.00 | | | | 44.00 | | | 4.00 | |
| | Activation/Chan Inward Trunk w/out DID | | + | UEPDC | UDTTC | <u> </u> | 15.69 | 15.69 | | | - | 11.90 | | | 1.83 | |
| | 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan Activation Per Chan - Inward Trunk with DID | | | UEPDC | UDTTD | 1 | 15.69 | 15.69 | | | | 11.90 | | | 1.83 | |
| _ | 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsgnt Chan | | + | ULPDO | טווסט | | 15.09 | 15.09 | | | | 11.90 | | | 1.83 | |
| | Activation / Chan - 2-Way DID w User Trans | | 1 | UEPDC | UDTTE | 1 | 15.69 | 15.69 | | | | 11.90 | | | 1.83 | |
| BIROI | AR 8 ZERO SUBSTITUTION | | + | | JUIL | ł | 15.69 | 15.09 | | | | 11.90 | | | 1.03 | |
| DIFUL | B8ZS -Superframe Format | | + | UEPDC | CCOSF | 1 | 0.00 | 655.00 | | | | 11.90 | | | 1.83 | |
| - | B8ZS - Extended Superframe Format | | 1 | UEPDC | CCOEF | | 0.00 | 655.00 | | | | 11.90 | | | 1.83 | |
| Altern | te Mark Inversion | | 1 | | 0000 | | 0.00 | 500.00 | | | | 11.00 | | | 1.00 | |
| | AMI -Superframe Format | | 1 | UEPDC | MCOSF | ł | 0.00 | 0.00 | | | | | | | | |
| | AMI - Extended SuperFrame Format | | 1 | UEPDC | MCOPO | ł | 0.00 | 0.00 | | | | | | | | |
| Teleph | one Number/Trunk Group Establisment Charges | | 1 | | | İ | 2.00 | 2.00 | | | | | | | | |
| | Telephone Number for 2-Way Trunk Group | | 1 | UEPDC | UDTGX | 0.00 | | | | | | 11.90 | | | 1.83 | |
| | Telephone Number for 1-Way Outward Trunk Group | | 1 | UEPDC | UDTGY | 0.00 | | | | | | 11.90 | | | 1.83 | |
| | Telephone Number for 1-Way Inward Trunk Group Without DID | | | UEPDC | UDTGZ | 0.00 | | | | | | 11.90 | | | 1.83 | |
| | DID Numbers, Establish Trunk Group and Provide First Group | | | | | | | | | | | | | | | |
| | of 20 DID Numbers | | | UEPDC | NDZ | 0.00 | 0.00 | 0.00 | | | | 11.90 | | | 1.83 | |
| | DID Numbers for each Group of 20 DID Numbers | | | UEPDC | ND4 | 0.00 | | | | | | 11.90 | | | 1.83 | |
| | DID Numbers, Non- consecutive DID Numbers, Per Number | | | UEPDC | ND5 | 0.00 | | | | | | 11.90 | | | 1.83 | |
| | Reserve Non-Consecutive DID Nos. | | | UEPDC | ND6 | 0.00 | 0.00 | 0.00 | | | | 11.90 | | | 1.83 | |
| | Reserve DID Numbers | | | UEPDC | NDV | 0.00 | 0.00 | 0.00 | | | | 11.90 | | | 1.83 | |
| | ted DS1 (Interoffice Channel Mileage) - | | | | | ļ | | | | | | | | | | |
| FX/FC | D for 4-Wire DS1 Digital Loop with 4-Wire DDITS Trunk Port | | I | | 1 | ļ | | | | | | | | | | |
| | Interoffice Channel Mileage - Fixed rate 0-8 miles (Facilities | | 1 | | | | 105 51 | 00.47 | or 1- | 10.07 | | 44.00 | | | 1.00 | |
| | Termination) | | | UEPDC | 1LNO1 | 88.44 | 105.54 | 98.47 | 21.47 | 19.05 | | 11.90 | | | 1.83 | |
| | | | | UEPDC | 41 NIOA | 0.4050 | 0.00 | 0.00 | | | | | | | | |
| _ | Interoffice Channel Mileage - Additional rate per mile - 0-8 miles Interoffice Channel Mileage - Fixed rate 9-25 miles (Facilities | | + | UEPDC | 1LNOA | 0.1856 | 0.00 | 0.00 | | | - | | | | | |
| | Termination) | | 1 | UEPDC | 1LNO2 | 0.00 | 0.00 | 0.00 | | | | | | | | |
| _ | Interoffice Channel Mileage - Additional rate per mile - 9-25 | | - | | ILINU2 | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | miles | | | UEPDC | 1LNOB | 0.1856 | 0.00 | 0.00 | | | | | | | | |
| | Interoffice Channel Mileage - Fixed rate 25+ miles (Facilities | | 1 | | LINUD | 0.1000 | 0.00 | 0.00 | | | | | | | | |
| | Termination) | | 1 | UEPDC | 1LNO3 | 0.00 | 0.00 | 0.00 | 0.00 | | | 1 | | | | |
| - | | | 1 | 02.00 | LINUU | 0.00 | 0.00 | 0.00 | 0.00 | | | | | | | |
| | Interoffice Channel Mileage - Additional rate per mile - 25+ miles | | | UEPDC | 1LNOC | 0.1856 | 0.00 | 0.00 | | | | | | | | |
| | Local Number Portability, per DS0 Activated | | 1 | UEPDC | LNPCP | 3.15 | 0.00 | 0.00 | 0.00 | | | | | | | |
| | Central Office Termininating Point | | 1 | UEPDC | CTG | 0.00 | 0.00 | 0.00 | 0.00 | | | | | | | |
| 4-WIR | DS1 LOOP WITH CHANNELIZATION WITH PORT | | 1 | | 5.0 | 0.00 | | | | | | | | | | |
| | is 1 DS1 Loop, 1 D4 Channel Bank, and up to 24 Feature Acti | vation | s | 1 | 1 | 1 | | | | | | | 1 | | | |
| | em can have various rate combinations based on type and nu | | | used | 1 | ł | | | | | | | | | | |
| | S1 Loop | | 1 | | 1 | 1 | | | | | 1 | | 1 | | | |

4-Wire DS1 Loop - UNE Zone 1

4-Wire DS1 Loop - UNE Zone 2

4-Wire DS1 Loop - UNE Zone 3

24 DSO Channel Capacity - 1 per DS1

48 DSO Channel Capacity - 1 per 2 DS1s

144 DS0 Channel Capacity - 1 per 6 DS1s

192 DS0 Channel Capacity -1 per 8 DS1s

96 DSO Channel Capacity -1per 4 DS1s

UNE DSO Channelization Capacities (D4 Channel Bank Configurations)

70.74

100.54

178.39

118.06

236.12

472.24

708.36

944.48

0.00

0.00

0.00

0.00

0.00

0.00

0.00

0.00

0.00

0.00

0.00

0.00

0.00

0.00

0.00

0.00

1 UEPMG

2 UEPMG

3 UEPMG

UEPMG

UEPMG

UEPMG

UEPMG

UEPMG

USLDC

USLDC

USLDC

VUM24

VUM48

VUM96

VUM14

VUM19

1.83

1.83

1.83

1.83

1.83

11.90

11.90

11.90

11.90

11.90

Exhibit 1

| <u>JNBUNDLEI</u> | D NETWORK ELEMENTS - Florida | | | | | | | | | | | | Attachment: | 2 | Exhi | bit: C |
|------------------|---|-------------|---------|---------------------|---------------------|-------------------|--------------------|-----------------|-------------------|----------------|-------------|---|---|---|---|--|
| TEGORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES(\$) | | | | Svc Order Submitted Manually per LSR | Manual Svc Order vs. Electronic- 1st | Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'I |
| | | | | | | Rec | Nonree | | Nonrecurring I | | | | | Rates(\$) | | |
| | | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | 240 DS0 Channel Capacity - 1 per 10 DS1s | | | UEPMG | VUM20 | 1,180.60 | 0.00 | 0.00 | | | | 11.90 | | | 1.83 | |
| | 288 DS0 Channel Capacity - 1 per 12 DS1s | | | UEPMG | VUM28 | 1,416.72 | 0.00 | 0.00 | | | | 11.90 | | | 1.83 | |
| | 384 DS0 Channel Capacity - 1 per 16 DS1s | | | UEPMG | VUM38 | 1,888.96 | 0.00 | 0.00 | | | | 11.90 | | | 1.83 | |
| | 480 DS0 Channel Capacity - 1 per 20 DS1s | | | UEPMG | VUM40 | 2,361.20 | 0.00 | 0.00 | | | | 11.90 | | | 1.83 | |
| | 576 DS0 Channel Capacity -1 per 24 DS1s | | | UEPMG UEPMG | VUM57 VUM67 | 2,833.44 | 0.00 | | | | | 11.90 11.90 | | | 1.83 | |
| Non De | 672 DS0 Channel Capacity - 1 per 28 DS1s curring Charges (NRC) Associated with 4-Wire DS1 Loop wit | h Chann | | | | 3,305.68 | | 0.00 | | | | 11.90 | | | 1.83 | |
| | num System configuration is One (1) DS1, One (1) D4 Channe | | | | | | stem | | | | | | | | | |
| | es of this configuration functioning as one are considered A | | | | | | | | | | | | | | | |
| manapi | NRC - Conversion (Currently Combined) with or without | | | ininiani system oor | Ingulation is | oountea. | | | | | | | | | | |
| | BellSouth Allowed Changes - Top 8 MSAs Only | | | UEPMG | USAC4 | 0.00 | 450.00 | 50.00 | | | | 11.90 | | | | |
| System | Additions Where Currently Combined and New (Not Current | ly Comb | ined) | | 00/104 | 0.00 | 400.00 | 00.00 | | | | 11.00 | | | | |
| | sity Zone 1 Top 8 MSAs | 1 | | | | | | | | | | | | | | |
| | 1 DS1/D4 Channel Bank - Add NRC for each Port and Assoc | | | | | | | | | | | | | | | |
| | Fea Activation - | | | UEPMG | VUMD4 | 0.00 | 950.00 | 600.00 | 200.00 | 30.00 | | 11.90 | | | | |
| Bipolar | 8 Zero Substitution | | | | | | | | | | | | | | | |
| | Clear Channel Capability Format, superframe - Subsequent | | | | | | | | | | | | | | | |
| | Activity Only | | | UEPMG | CCOSF | 0.00 | 0.00 | 655.00 | | | | 11.90 | | | | |
| | Clear Channel Capability Format - Extended Superframe - | | | | | | | | | | | | | | | |
| | Subsequent Activity Only | | | UEPMG | CCOEF | 0.00 | 0.00 | 655.00 | | | | 11.90 | | | | |
| Alterna | te Mark Inversion (AMI) | | | | | | | | | | | | | | | |
| | Superframe Format | | | UEPMG | MCOSF | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | Extended Superframe Format | | | UEPMG | MCOPO | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | ge Ports Associated with 4-Wire DS1 Loop with Channelizati | on with | Port | | | | | | | | | | | | | |
| Exchan | ge Ports | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | Line Side Combination Channelized PBX Trunk Port - Business | | | UEPPX | UEPCX | 14.00 | 0.00 | 0.00 | 0.00 | 0.00 | | 11.90 | | | 1.83 | |
| | Line Side Outward Channelized PBX Trunk Port - Business | | | UEPPX | UEPOX | 14.00 | 0.00 | 0.00 | 0.00 | 0.00 | | 11.90 | | | 1.83 | |
| | | | | UEPPX | | 44.00 | 0.00 | 0.00 | 0.00 | 0.00 | | 11.00 | | | 1.00 | |
| | Line Side Inward Only Channelized PBX Trunk Port without DID | | | UEPPX | UEP1X | 14.00 | 0.00 | 0.00 | 0.00 | 0.00 | | 11.90 11.90 | | | 1.83 | |
| Footure | 2-Wire Trunk Side Unbundled Channelized DID Trunk Port Activations - Unbundled Loop Concentration | | | UEPPX | UEPDM | 55.00 | 0.00 | 0.00 | 0.00 | 0.00 | | 11.90 | | | 1.83 | |
| reature | Feature (Service) Activation for each Line Port Terminated in D4 | | | | | | | | | | | | | | | |
| | Bank | | | UEPPX | 1PQWM | 0.66 | 40.00 | 20.00 | 6.00 | 5.00 | | 11.90 | | | 1.83 | |
| | Feature (Service) Activation for each Trunk Port Terminated in | | | OLITX | II QIVIN | 0.00 | 40.00 | 20.00 | 0.00 | 5.00 | | 11.30 | | | 1.05 | |
| | D4 Bank | | | UEPPX | 1PQWU | 0.66 | 110.00 | 30.00 | 65.00 | 20.00 | | 11.90 | | | 1.83 | |
| Telenh | one Number/ Group Establishment Charges for DID Service | | | OLITX | 11 Q110 | 0.00 | 110.00 | 30.00 | 05.00 | 20.00 | | 11.30 | | | 1.05 | |
| 10.00 | DID Trunk Termination (1 per Port) | | | UEPPX | NDT | 0.00 | 0.00 | 0.00 | | | | 11.90 | | | | |
| | Estab Trk Grp and Provide 1st 20 DID Nos. (FL,GA, NC,& SC) | | | UEPPX | NDZ | 0.00 | 0.00 | 0.00 | | | | 11.90 | İ | | | |
| | DID Numbers - groups of 20 - Valid all States | | | UEPPX | ND4 | 0.00 | 0.00 | 0.00 | | | | 11.90 | l | | ĺ | |
| | Non-Consecutive DID Numbers - per number | 1 | | UEPPX | ND5 | 0.00 | 0.00 | 0.00 | | | | 11.90 | | | | |
| | Reserve Non-Consecutive DID Numbers | | | UEPPX | ND6 | 0.00 | 0.00 | 0.00 | | | | 11.90 | | | | |
| | Reserve DID Numbers | 1 | | UEPPX | NDV | 0.00 | 0.00 | 0.00 | | | | 11.90 | | | | |
| | lumber Portability | | | | | | | | | | | | | | | |
| | Local Number Portability - 1 per port | | | UEPPX | LNPCP | 3.15 | 0.00 | 0.00 | | | | | | | | |
| | RES - Vertical and Optional | | | | | | | | | | | | | | | |
| | witching Features Offered with Line Side Ports Only | | | | | | | | | | | | | | | |
| | All Features Available | | | UEPPX | UEPVF | 2.26 | 0.00 | 0.00 | | | | 11.90 | | | 1.83 | |
| | ENTREX PORT/LOOP COMBINATIONS - COST BASED RATE | | | | <u> </u> | | | | | | | | | | | <u> </u> |
| | Based Rates are applied where BellSouth is required by FCC | | | | | | | | | | L | | | | | |
| | ures shall apply to the Unbundled Port/Loop Combination - C | | | | | | | | | | | | | | | |
| 3. End | Office and Tandem Switching Usage and Common Transport | Usage r | ates in | the Port section of | this rate exh | indit shall apply | to all combination | ations of loop/ | oort network ele | ements excep | t for UNE C | oin Port/Lo | op Combinat | ons. | 1 | |
| | irst and additional Port nonrecurring charges apply to Not C | urrently | Combi | ned Combos. For | Currently Co | mbined Combo | s, the nonrect | urring charges | shall be those id | dentified in t | he Nonrecu | rring - Curre | ently Combine | ed sections. | Additional NR | Cs may |
| | Iso and are categorized accordingly. | | | | | | | | | | | | | | | - |
| | ket Rates for Unbundled Centrex Port/Loop Combination will | | tiated | on an Individual Ca | ase Basis, un | til further notic | е. | | | | | | | | | |
| UNE-P | CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only | | | | | | | | | | | | | | | |
| | VG Loop/2-Wire Voice Grade Port (Centrex) Combo | | | | | | | | | | | | | | | |
| | ort/Loop Combination Rates (Non-Design) | | | | | | | | | | | | | | | |

| UNBUNDLE | D NETWORK ELEMENTS - Florida | - | | | | | | | | | | | Attachment: | | | bit: C |
|----------|--|--------|----------|--------|---------|--------|--------|-----------|--------------|------------|----------|-----------|-------------|-------------|--------------|-------------|
| | | | 1 | | | | | | | | | | Incremental | | | |
| | | | | | | | | | | | | Submitted | | Charge - | Charge - | Charge - |
| CATECODY | | Interi | 7 | BCS | USOC | | | RATES(\$) | | | Elec | | Manual Svc | Manual Svc | | Manual Svo |
| CATEGORY | RATE ELEMENTS | m | Zone | BCS | 0500 | | | RATES(\$) | | | per LSR | per LSR | Order vs. | Order vs. | Order vs. | Order vs. |
| | | | | | | | | | | | | | Electronic- | Electronic- | Electronic- | Electronic- |
| | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add'l |
| | | | | | | | Nonrec | urring | Nonrecurring | Disconnect | | | OSS | Rates(\$) | | |
| | | | - | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - | | | | | | 11130 | Add I | 1130 | Addi | COMEO | COMAN | COMAN | COMPAN | COMPAR | COMPAN |
| | Non-Design | | 1 | UEP91 | | 10.94 | | | | | | | | | | |
| | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - | | | | | | | | | | | | | | | |
| | Non-Design | | 2 | UEP91 | | 15.05 | | | | | | | | | | |
| | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - | | | | | | | | | | | | | | | |
| | Non-Design | | 3 | UEP91 | | 25.80 | | | | | | | | | | |
| UNE P | ort/Loop Combination Rates (Design) | | | | | | | | | | | | | | | |
| | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - | | | | | | | | | | | | | | | |
| | Design | | 1 | UEP91 | | 13.41 | | | | | | | | | | |
| | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - | | | | | | | | | | | | | | | |
| | Design | | 2 | UEP91 | | 18.57 | | | | | | | | | | |
| | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - | | | | | | | | | | | | | | | |
| | Design | | 3 | UEP91 | | 32.04 | | | | | | | | | | |
| UNE LO | pop Rate | | | | | | | | | | | | | | ļ | |
| | 2-Wire Voice Grade Loop (SL 1) - Zone 1 | | 1 | UEP91 | UECS1 | 9.77 | | | | | ļ | L | | | | |
| | 2-Wire Voice Grade Loop (SL 1) - Zone 2 | | 2 | UEP91 | UECS1 | 13.88 | | | | | | | | | ļ | |
| | 2-Wire Voice Grade Loop (SL 1) - Zone 3 | | 3 | UEP91 | UECS1 | 24.63 | | | | | | | | | ļ | |
| | 2-Wire Voice Grade Loop (SL 2) - Zone 1 | | 1 | UEP91 | UECS2 | 12.24 | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL 2) - Zone 2 | | 2 | UEP91 | UECS2 | 17.40 | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL 2) - Zone 3 | | 3 | UEP91 | UECS2 | 30.87 | | | | | | | | | | |
| UNE P | tes (Except North Carolina and Sout Carolina) | | | | | | | | | | | | | | | |
| All Sta | 2-Wire Voice Grade Port (Centrex) Basic Local Area | | | UEP91 | UEPYA | 1.17 | 53.31 | 26.46 | 27.50 | 8.37 | | 11.90 | | | | |
| | 2-Wire Voice Grade Port (Centrex 7) Basic Local Alea 2-Wire Voice Grade Port (Centrex 800 termination)Basic Local | | | ULF 91 | OLFIA | 1.17 | 55.51 | 20.40 | 21.50 | 0.57 | 1 | 11.90 | | | - | |
| | Area | | | UEP91 | UEPYB | 1.17 | 53.31 | 26.46 | 27.50 | 8.37 | | 11.90 | | | | |
| | 2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local | | - | ULF 91 | OLFID | 1.17 | 55.51 | 20.40 | 21.30 | 0.57 | | 11.90 | | | | |
| | Area | | | UEP91 | UEPYH | 1.17 | 53.31 | 26.46 | 27.50 | 8.37 | | 11.90 | | | | |
| | 2-Wire Voice Grade Port (Centrex from diff Serving Wire | | - | OEI OI | 0EI III | 1.17 | 00.01 | 20.40 | 21.00 | 0.07 | | 11.00 | | | | |
| | Center)2 Basic Local Area | | | UEP91 | UEPYM | 1.17 | 139.49 | 86.10 | 65.41 | 13.81 | | 11.90 | | | | |
| | 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service | | | | | | | | | | | | | | | |
| | Term - Basic Local Area | | | UEP91 | UEPYZ | 1.17 | 139.49 | 86.10 | 65.41 | 13.81 | | 11.90 | | | | |
| | 2-Wire Voice Grade Port terminated in on Megalink or equivalent | | | | | | | | | | | | | | | |
| | - Basic Local Area | | | UEP91 | UEPY9 | 1.17 | 53.31 | 26.46 | 27.50 | 8.37 | | 11.90 | | | | |
| | 2-Wire Voice Grade Port Terminated on 800 Service Term - | | | | | | | | | | | | | | | |
| | Basic Local Area | | | UEP91 | UEPY2 | 1.17 | 53.31 | 26.46 | 27.50 | 8.37 | | 11.90 | | | | |
| Georgi | a and Florida Only | | | | | | | | | | | | | | | |
| | 2-Wire Voice Grade Port (Centrex) | | | UEP91 | UEPHA | 1.17 | 53.31 | 26.46 | 27.50 | 8.37 | | 11.90 | | | | |
| | 2-Wire Voice Grade Port (Centrex 800 termination) | | | UEP91 | UEPHB | 1.17 | 53.31 | 26.46 | 27.50 | 8.37 | | 11.90 | | | | |
| | 2-Wire Voice Grade Port (Centrex with Caller ID)1 | | | UEP91 | UEPHH | 1.17 | 53.31 | 26.46 | 27.50 | 8.37 | | 11.90 | | | | |
| | 2-Wire Voice Grade Port (Centrex from diff Serving Wire | | 1 | | | | Т | | | | | | | | I | |
| | Center)2 | | I | UEP91 | UEPHM | 1.17 | 139.49 | 86.10 | 65.41 | 13.81 | L | 11.90 | | | | |
| | 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service | | 1 | | | | | | | | | | | | 1 | |
| | Term | ļ | <u> </u> | UEP91 | UEPHZ | 1.17 | 139.49 | 86.10 | 65.41 | 13.81 | L | 11.90 | | | ļ | |
| | | | 1 | | | | | | | | | | | | 1 | |
| | 2-Wire Voice Grade Port terminated in on Megalink or equivalent | | | UEP91 | UEPH9 | 1.17 | 53.31 | 26.46 | 27.50 | 8.37 | | 11.90 | | | l | |
| 1 + 1 4 | 2-Wire Voice Grade Port Terminated on 800 Service Term | | ł | UEP91 | UEPH2 | 1.17 | 53.31 | 26.46 | 27.50 | 8.37 | <u> </u> | 11.90 | | | <u> </u> | |
| Local | Switching | | ł | UEP91 | LIDECS | 0.7384 | | | | | <u> </u> | <u> </u> | | | <u> </u> | |
| | Centrex Intercom Funtionality, per port | | | UEF91 | URECS | 0.7384 | | | | | | | | | <u> </u> | |
| Local | Local Number Portability (1 per port) | | | UEP91 | LNPCC | 0.35 | | | | 1 | | | | | | |
| Feature | | | | OFAI | LINFUL | 0.35 | | | | 1 | <u> </u> | | | ł | <u> </u> | |
| reature | All Standard Features Offered, per port | | | UEP91 | UEPVF | 2.26 | | | | | t | 11.90 | | | | |
| | All Select Features Offered, per port | | ł | UEP91 | UEPVS | 0.00 | 370.70 | | | | <u> </u> | 11.90 | | | ł | |
| | All Centrex Control Features Offered, per port | | 1 | UEP91 | UEPVC | 2.26 | 510.10 | | | | - | 11.90 | | | | |
| NARS | | | 1 | | 02.70 | 2.20 | | | | | 1 | 11.50 | | | | |
| | Unbundled Network Access Register - Combination | | 1 | UEP91 | UARCX | 0.00 | 0.00 | 0.00 | | | 1 | 11.90 | 1 | 1 | 1 | 1 |
| | Unbundled Network Access Register - Indial | | 1 | UEP91 | UAR1X | 0.00 | 0.00 | 0.00 | | | 1 | 11.90 | 1 | 1 | 1 | 1 |
| | Unbundled Network Access Register - Outdial | | 1 | UEP91 | UAROX | 0.00 | 0.00 | 0.00 | | | | 11.90 | | | <u> </u> | |
| | aneous Terminations | | 1 | | | 0.00 | 0.00 | 0.00 | | | | | | 1 | 1 | 1 |

| JNBUNDLE | D NETWORK ELEMENTS - Florida | 1 | 1 | r | | | | | | | A A . | 0 C : | Attachment: | | | bit: C |
|----------|--|-------------|------|----------------|----------------|-----------------|--------|-----------|--------------|------------|--------------|---|--|--|---|----------|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES(\$) | | | | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Charge - |
| | | | | | | Rec | Nonrec | urring | Nonrecurring | Disconnect | | | OSS | Rates(\$) | | |
| | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| 2-Wire | Trunk Side | | | | | | | | | | | | | | | |
| | Trunk Side Terminations, each | | | UEP91 | CENA6 | 8.73 | | | | | | | | | | |
| Interof | ffice Channel Mileage - 2-Wire | | | | 14050 | 05.00 | | | | | | | | | | |
| | Interoffice Channel Facilities Termination - Voice Grade | | | UEP91 UEP91 | M1GBC M1GBM | 25.32 0.0091 | | | | | | | | | | |
| Footur | Interoffice Channel mileage, per mile or fraction of mile re Activations (DS0) Centrex Loops on Channelized DS1 Service | | - | UEP91 | MIGBIN | 0.0091 | | | | | | | | | | |
| | annel Bank Feature Activations | e. | | | + + | | | | | | | | | | | |
| D4 Cite | Feature Activation on D-4 Channel Bank Centrex Loop Slot | | | UEP91 | 1PQWS | 0.66 | | | - | | 1 | | - | | | |
| | readre Activation on D-4 Channel Bank Centrex Loop Slot | | | OLI 31 | 11 0000 | 0.00 | | | | | | | | | | |
| | Feature Activation on D-4 Channel Bank FX line Side Loop Slot Feature Activation on D-4 Channel Bank FX Trunk Side Loop | | | UEP91 | 1PQW6 | 0.66 | | | | | | | | | | |
| | Slot | | | UEP91 | 1PQW7 | 0.66 | | | | | | | | | | |
| | Feature Activation on D-4 Channel Bank Centrex Loop Slot - Different Wire Center | | | UEP91 | 1PQWP | 0.66 | | | | | | | | | | |
| | | | | 02.01 | | 0.00 | | | | | 1 | | | | | |
| | Feature Activation on D-4 Channel Bank Private Line Loop Slot | | | UEP91 | 1PQWV | 0.66 | | | | | | | | | | |
| | Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop Slot | | | UEP91 | 1PQWQ | 0.66 | | | | | | | | | | |
| | Feature Activation on D-4 Channel Bank WATS Loop Slot | | | UEP91 | 1PQWA | 0.66 | | | | | | | | | | |
| Non-R | ecurring Charges (NRC) Associated with UNE-P Centrex | | | | | | | | | | | | | | | |
| | Conversion - Currently Combined Switch-As-Is with allowed | | | | | | | | | | | | | | | |
| | changes, per port | | | UEP91 | USAC2 | | 21.50 | 8.42 | | | | 11.90 | | | | |
| | Conversion of Existing Centrex Common Block | | | UEP91 | USACN | | 5.17 | 8.32 | | | | 11.90 | | | | |
| | New Centrex Standard Common Block | | | UEP91 | M1ACS | 0.00 | 618.82 | | | | | 11.90 | | | | |
| | New Centrex Customized Common Block | | | UEP91 | M1ACC | 0.00 | 618.82 | | | | | 11.90 | | | | |
| | Secondary Block, per Block | | | UEP91 | M2CC1 | 0.00 | 71.31 | | | | | 11.90 | | | | |
| | NAR Establishment Charge, Per Occasion | | | UEP91 | URECA | 0.00 | 66.48 | | | | | 11.90 | | | | |
| | CENTREX - 5ESS (Valid in All States) VG Loop/2-Wire Voice Grade Port (Centrex) Combo | | - | | + + | | | | | | | | | | | |
| | ort/Loop Combination Rates (Non-Design) | | - | | + + | | | | | | | | | | | |
| | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Non-Design | | 1 | UEP95 | | 10.94 | | | | | | | | | | |
| | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - | | | OEI 00 | + + | 10.04 | | | | | | | | | | |
| | Non-Design | | 2 | UEP95 | | 15.05 | | | | | | | | | | |
| | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design | | 3 | UEP95 | | 25.80 | | | | | | | | | | |
| UNE P | ort/Loop Combination Rates (Design) | | | | | | | | | | | | | | | |
| | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Design | - | 1 | UEP95 | | 13.41 | | | | | | | | | | |
| | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design | | 2 | UEP95 | | 18.57 | | | | | | | | | | |
| | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design | | 3 | UEP95 | | 32.04 | | | | | | | | | | |
| UNE L | oop Rate | | | | | | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL 1) - Zone 1 | I | 1 | UEP95 | UECS1 | 9.77 | | | | | L | | | | | |
| | 2-Wire Voice Grade Loop (SL 1) - Zone 2 | I | 2 | UEP95 | UECS1 | 13.88 | | | | | L | | | | | <u> </u> |
| _ | 2-Wire Voice Grade Loop (SL 1) - Zone 3 | I | 3 | UEP95 | UECS1 | 24.63 | | | | | L | | | | | <u> </u> |
| | 2-Wire Voice Grade Loop (SL 2) - Zone 1 2-Wire Voice Grade Loop (SL 2) - Zone 2 | | 1 | UEP95 UEP95 | UECS2 UECS2 | 12.24 17.40 | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL 2) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 3 | | 3 | UEP95 UEP95 | UECS2 UECS2 | 30.87 | | | | | | | | | | |
| | ort Rate | | 3 | 021.93 | 0E032 | 30.67 | | | | | <u> </u> | | | | | |
| All Sta | | <u> </u> | 1 | | + + | | | | | | | | | | | |
| All Sta | 2-Wire Voice Grade Port (Centrex) Basic Local Area | | | UEP95 | UEPYA | 1.17 | 53.31 | 26.46 | 27.50 | 8.37 | t | 11.90 | | | 1 | |
| | 2-Wire Voice Grade Port (Centrex 800 termination) | <u> </u> | 1 | UEP95 | UEPYB | 1.17 | 53.31 | 26.46 | 27.50 | 8.37 | | 11.90 | | | | <u> </u> |
| | 2-Wire Voice Grade Port (Centrex doo termination) 2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local Area | | | UEP95 | UEPYH | 1.17 | 53.31 | 26.46 | 27.50 | 8.37 | | 11.90 | | | | |
| | 2-Wire Voice Grade Port (Centrex from diff Serving Wire | | 1 | | | | | | | | | | | | | |
| | Center)2 Basic Local Area | | | UEP95 | UEPYM | 1.17 | 139.49 | 86.10 | 65.41 | 13.81 | | 11.90 | | | | |

| UNBUNDLED | D NETWORK ELEMENTS - Florida | - | 1 | 1 | | | | | | | | | Attachment: | | | bit: C |
|-----------|--|-------------|----------|----------------|----------------|--------|---------------|-----------|--------------|-------|-------|-------|--|---|---|---|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES(\$) | | | | | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incrementa Charge - Manual Sv Order vs. Electronic Disc Add' |
| | | | | | | Rec | Nonrec | | Nonrecurring | | | | | Rates(\$) | | |
| | | | | | | 1100 | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service | | | | | | | | | | | | | | | i i |
| | Term - Basic Local Area | | | UEP95 | UEPYZ | 1.17 | 139.49 | 86.10 | 65.41 | 13.81 | | 11.90 | | | | |
| | 2-Wire Voice Grade Port terminated in on Megalink or equivalent - Basic Local Area | | | UEP95 | UEPY9 | 1.17 | 53.31 | 26.46 | 27.50 | 8.37 | | 11.90 | | | | |
| | 2-Wire Voice Grade Port Terminated on 800 Service Term - Basic Local Area | | | UEP95 | UEPY2 | 1.17 | 53.31 | 26.46 | 27.50 | 8.37 | | 11.90 | | | | |
| | LA, MS, SC, & TN Only | | | | | | | | | | | | | | | (|
| FL & G/ | | | | | | | | | | | | | | | | 1 |
| | 2-Wire Voice Grade Port (Centrex) | | | UEP95 | UEPHA | 1.17 | 53.31 | 26.46 | 27.50 | 8.37 | | 11.90 | | | | I |
| | 2-Wire Voice Grade Port (Centrex 800 termination) | | | UEP95 | UEPHB | 1.17 | 53.31 | 26.46 | 27.50 | 8.37 | | 11.90 | | | | l |
| | 2-Wire Voice Grade Port (Centrex with Caller ID)1 | | | UEP95 | UEPHH | 1.17 | 53.31 | 26.46 | 27.50 | 8.37 | | 11.90 | | | | I |
| | 2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)2 | | | UEP95 | UEPHM | 1.17 | 139.49 | 86.10 | 65.41 | 13.81 | | 11.90 | | | | |
| | 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term | | | UEP95 | UEPHZ | 1.17 | 139.49 | 86.10 | 65.41 | 13.81 | | 11.90 | | | | |
| | 2-Wire Voice Grade Port terminated in on Megalink or equivalent | | | UEP95 | UEPH9 | 1.17 | 53.31 | 26.46 | 27.50 | 8.37 | | 11.90 | | | | |
| | 2-Wire Voice Grade Port Terminated on 800 Service Term | | | UEP95 | UEPH2 | 1.17 | 53.31 | 26.46 | 27.50 | 8.37 | | 11.90 | | | | |
| Local S | witching | | | | | | | | | | | | | | | |
| | Centrex Intercom Funtionality, per port | | | UEP95 | URECS | 0.7384 | | | | | | | | | | (|
| | lumber Portability | | | | | | | | | | | | | | | í l |
| | Local Number Portability (1 per port) | | | UEP95 | LNPCC | 0.35 | | | | | | | | | | ſ |
| Feature | | | | | | | | | | | | | | | | í . |
| | All Standard Features Offered, per port | | | UEP95 | UEPVF | 2.26 | | | | | | | | | | I |
| | All Select Features Offered, per port | | | UEP95 | UEPVS | 0.00 | 370.70 | | | | | 11.90 | | | | I |
| | All Centrex Control Features Offered, per port | | | UEP95 | UEPVC | 2.26 | | | | | | | | | | l |
| NARS | | | | | | | | | | | | | | | | l |
| | Unbundled Network Access Register - Combination | | | UEP95 | UARCX | 0.00 | 0.00 | 0.00 | | | | 11.90 | | | | |
| | Unbundled Network Access Register - Indial | | | UEP95 | UAR1X | 0.00 | 0.00 | 0.00 | | | | 11.90 | | | | ļ |
| | Unbundled Network Access Register - Outdial | | - | UEP95 | UAROX | 0.00 | 0.00 | 0.00 | | | | 11.90 | | | | <u> </u> |
| | aneous Terminations Trunk Side | | | | _ | | | | | | | | | | | i |
| | Trunk Side Terminations, each | | | UEP95 | CEND6 | 8.73 | | | | | | | | | | |
| | Digital (1.544 Megabits) | | | UEF95 | CENDO | 0.73 | | | | | | | | | | |
| | DS1 Circuit Terminations, each | | | UEP95 | M1HD1 | 54.95 | | | | | | | - | | - | i |
| | DS0 Channels Activated, each | | - | UEP95 | M1HDO | 0.00 | 15.69 | | | | | 11.90 | | | | <u> </u> |
| | ice Channel Mileage - 2-Wire | | 1 | 02130 | WITIDO | 0.00 | 13.09 | | | | | 11.50 | | | | |
| | Interoffice Channel Facilities Termination | | 1 | UEP95 | MIGBC | 25.32 | | | | | | | | | | |
| | Interoffice Channel mileage, per mile or fraction of mile | | 1 | UEP95 | MIGBM | 0.0091 | | | | | | | | | | |
| | Activations (DS0) Centrex Loops on Channelized DS1 Servic | e | 1 | | | | | | 1 | | | | | | | [|
| | nnel Bank Feature Activations | | | | | | | | | | | | | | | (|
| | Feature Activation on D-4 Channel Bank Centrex Loop Slot | | | UEP95 | 1PQWS | 0.66 | | | | | | | | | | |
| | Feature Activation on D-4 Channel Bank FX line Side Loop Slot Feature Activation on D-4 Channel Bank FX Trunk Side Loop | | | UEP95 | 1PQW6 | 0.66 | | | | | | | | | | |
| | Slot | | | UEP95 | 1PQW7 | 0.66 | | | | | | | | | | |
| | Feature Activation on D-4 Channel Bank Centrex Loop Slot - Different Wire Center | | | UEP95 | 1PQWP | 0.66 | | | | | | | | | | <u> </u> |
| | Feature Activation on D-4 Channel Bank Private Line Loop Slot | | | UEP95 | 1PQWV | 0.66 | | | | | | | | | | |
| | Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop Slot | | 1 | UEP95 | 1PQWQ | 0.66 | | | | | | | | | | i i |
| | Feature Activation on D-4 Channel Bank WATS Loop Slot | | | UEP95 UEP95 | 1PQWQ 1PQWA | 0.66 | | | | | | | | | | |
| | | | ł | UEP95 | IPQWA | 0.66 | | | | | | | | | | |
| Non-Re | curring Charges (NRC) Associated with UNE-P Centrex | - | | | | | | | | | | | | | | |
| | NRC Conversion Currently Combined Switch-As-Is with allowed changes, per port | | | UEP95 | USAC2 | 0.00 | 21.50 | 8.42 | | | | 11.90 | | | | i i |
| | changes, per port Conversion of Existing Centrex Common Block, each | | | UEP95 UEP95 | USAC2 USACN | 0.00 | 21.50 5.17 | 8.42 | | | | 11.90 | | | | |
| | New Centrex Standard Common Block | | | UEP95 UEP95 | MIACS | 0.00 | 618.82 | 0.32 | | | | 11.90 | | | | <u> </u> |
| | New Centrex Standard Common Block | | <u> </u> | UEP95 | MIACS | 0.00 | 618.82 | | | | | 11.90 | | | | ł |

| BUNDLE | ED NETWORK ELEMENTS - Florida | — | — | | <u> </u> | · | | | | | | | Attachment: 2 | | | nibit: C |
|-------------|---|--------------|--------------|----------------|----------------|----------------|-----------------|---------------------------------------|-----------------------|-----------------------|--|-------------------------|---|---|---------------------------------------|--|
| | RATE ELEMENTS | Interi m | Zone | e BCS | USOC | | RATES(\$) | | | | Submitted Elec | d Submitted Manually | Manual Svc Order vs. Electronic- 1st | Charge - Manual Svc Order vs. Electronic- Add'l | Charge - c Manual Svc Order vs. | Charge - Manual Svc Order vs. Electronic- |
| <u> </u> | ' | + | <u> </u> | | _ _ ' | Rec | Nonrec First | ecurring Add'l | Nonrecurring First | g Disconnect Add'l | SOMEC | - SOMAN | | S Rates(\$) | SOMAN | SOMAN |
| +- | NAR Establishment Charge, Per Occasion | + | + | UEP95 | URECA | 0.00 | | | | Adui | SOMEC | SOMAN 11.90 | | SOMAN | SOMAN | SUMAN |
| | P CENTREX - DMS100 (Valid in All States) | + | + | 01-55 | | + | | ·' | ++ | t | + | | + | t' | + | + |
| | e VG Loop/2-Wire Voice Grade Port (Centrex) Combo | \vdash | + | + | | 1 | · + | · · · · · · · · · · · · · · · · · · · | ++ | | + | 1 | + | † | · + | 1 |
| | Port/Loop Combination Rates (Non-Design) | T | 1 | <u> </u> | ' <u>'</u> ' | <u> </u> | · ' | · ' | · | | † <u> </u> | t | · | t | t | 1 |
| | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Non-Design | | 1 | UEP9D | ı ı | 10.94 | , <u> </u> | · ا | | í | ı | | · | · ' | | · ' |
| | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design | | 2 | UEP9D | · ا | 15.05 | | <u>ا</u> ' | | 1 | · ' | | ' | · · · · · · · · · · · · · · · · · · · | | · ' |
| | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design | | 3 | UEP9D | ı ı | 25.80 | , <u> </u> | · ا | | í | ı | | · | · ' | | · ' |
| UNE P | Port/Loop Combination Rates (Design) | | | | <u>'</u> | | ' <u> </u> | ·' | ' | | _ <u>t </u> | | · · · · · | · · · | | · · · · · |
| | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Design | | 1 | UEP9D | I | 13.41 | · | ' | | | <u> </u> | | ' | ′ | | |
| | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design | | 2 | UEP9D | ' <u> </u> | 18.57 | ' | <u> </u> | | | <u> </u> | | <u> </u> | ' | | |
| | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design | | 3 | UEP9D | I | 32.04 | | ' | | | <u> </u> | | ' | ′ | | |
| UNE L | Loop Rate | Ē. | I, | | <u> </u> | | <u>Г</u> ' | ' <u> </u> | | | ' ـــــــــ ' | | <u>Г</u> ' | · ' | | |
| <u> </u> | 2-Wire Voice Grade Loop (SL 1) - Zone 1 | 4 | | UEP9D | UECS1 | 9.77 | | <u>+'</u> | ↓ | + | ' | ·' | - ' | ·' | · | + |
| | 2-Wire Voice Grade Loop (SL 1) - Zone 2 | + | | •=- •= | UECS1 | 13.88 | | +' | ─── | + | ' | · | ·' | ·' | | + |
| | 2-Wire Voice Grade Loop (SL 1) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 1 | + | 3 | UEP9D UEP9D | UECS1 UECS2 | 24.63 12.24 | | — | ++ | + | + | ·' | ·+' | ·' | · | + |
| | 2-Wire Voice Grade Loop (SL 2) - Zone 1 2-Wire Voice Grade Loop (SL 2) - Zone 2 | + | 1 | | UECS2 | 12.24 | | ر | ++ | + | + | · | ·+' | ·' | ·+' | + |
| +- | 2-Wire Voice Grade Loop (SL 2) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 3 | + | | | UECS2 | 30.87 | | t' | ${ \longmapsto}$ | t | + | ·' | +' | ·' | | + |
| | Port Rate | 1 | <u>+</u> | | | + | ++ | · · · · · · | ++ | | ++ | + | + | †' | + | 1 |
| | STATES | <u> </u> | + | + <u> </u> | + | t | · [' | ·' | · | | + | <u> </u> | · + | 1 | <u> </u> | t |
| | 2-Wire Voice Grade Port (Centrex) Basic Local Area | | | UEP9D | UEPYA | 1.17 | · ' | · | ıı | | ·' | 11.90 | , <u> </u> , | T | | |
| | 2-Wire Voice Grade Port (Centrex 800 termination)Basic Local | | | | · ' | | · [, | · [, | , <u> </u> | 1 | ·— | · · · · | · [' | · · · · | | |
| + | Area 2-Wire Voice Grade Port (Centrex / EBS-PSET)3Basic Local | | + | UEP9D | UEPYB | 1.17 | | | 1 | | | 11.90 | | ' | · | + |
| + | Area 2-Wire Voice Grade Port (Centrex / EBS-M5009)3Basic Local | + | + | UEP9D | UEPYC | 1.17 | | | | | | 11.90 | | ' | ' | + |
| + | Area 2-Wire Voice Grade Port (Centrex / EBS-M5209))3 Basic Local | + | - | UEP9D | UEPYD | 1.17 | | | 1 | | | 11.90 | | ' | ·' | + |
| <u> </u> | Area | 4 | \downarrow | UEP9D | UEPYE | 1.17 | 53.31 | 26.46 | 27.50 | 8.37 | ' <u> </u> ' | 11.90 | ' | ·' | · | <u> </u> |
| | 2-Wire Voice Grade Port (Centrex / EBS-M5112))3 Basic Local Area 2. Wire Voice Grade Port (Centrex / EBS M5312))2Basic Local | 1 | | UEP9D | UEPYF | 1.17 | 53.31 | 26.46 | 27.50 | 8.37 | ' ا | 11.90 | <u>/</u> ' | <u> </u> | ' | <u> </u> |
| | 2-Wire Voice Grade Port (Centrex / EBS-M5312))3Basic Local Area 2.Wire Voice Grade Port (Centrex / EBS.M6009))2. Basic Local | | | UEP9D | UEPYG | 1.17 | 53.31 | 26.46 | 27.50 | 8.37 | ' ' | 11.90 | <u> </u> | ' | · | |
| | 2-Wire Voice Grade Port (Centrex / EBS-M5008))3 Basic Local Area 2-Wire Voice Grade Port (Centrex / EBS-M5208))3 Basic Local | | <u> </u> | UEP9D | UEPYT | 1.17 | 53.31 | 26.46 | 27.50 | 8.37 | ' | 11.90 | <u>/</u> ' | ' | · | |
| | Area | | | UEP9D | UEPYU | 1.17 | 53.31 | 26.46 | 27.50 | 8.37 | ' ' | 11.90 | <u> </u> | ' | · | |
| | 2-Wire Voice Grade Port (Centrex / EBS-M5216))3 Basic Local Area 2-Wire Voice Grade Port (Centrex / EBS-M5316))3 Basic Local | | <u> </u> | UEP9D | UEPYV | 1.17 | 53.31 | 26.46 | 27.50 | 8.37 | ' | 11.90 | <u>/</u> ' | ' | · | |
| | 2-Wire Voice Grade Port (Centrex / EBS-M5316))3 Basic Local Area 2-Wire Voice Grade Port (Centrex with Caller ID) Basic Local | | | UEP9D | UEPY3 | 1.17 | 53.31 | 26.46 | 27.50 | 8.37 | <u> </u> | 11.90 | <u>/</u> ' | ' | · | |
| | 2-Wire Voice Grade Port (Centrex with Caller ID) Basic Local Area 2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp | | <u> </u> | UEP9D | UEPYH | 1.17 | 53.31 | 26.46 | 27.50 | 8.37 | ' | 11.90 | · ' | ' | · | _ |
| | 2-Wire Voice Grade Port (Centrex/Caller ID/Misg Wtg Lamp Indication))3 Basic Local Area 2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication))3 | | <u> </u> | UEP9D | UEPYW | 1.17 | 53.31 | 26.46 | 27.50 | 8.37 | ' | 11.90 | ·' | ' | ·' | |
| | Basic Local Area 2-Wire Voice Grade Port (Centrex from diff Serving Wire Center) | .— | + | UEP9D | UEPYJ | 1.17 | 53.31 | 26.46 | 27.50 | 8.37 | <u> </u> ' | 11.90 | <u> </u> | ' | ·' | |
| | 2 Basic Local Area 2 Wire Voice Grade Port (Controv/differ SWC /EPS PSET) 2 2 | | <u> </u> | UEP9D | UEPYM | 1.17 | 53.31 | 26.46 | 27.50 | 8.37 | ' | 11.90 | ' | ' | ·' | |

Basic Local Area

Basic Local Area

2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2, 3

2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2, 3

53.31

53.31

26.46

26.46

27.50

27.50

8.37

8.37

11.90

11.90

1.17

1.17

UEP9D

UEP9D

UEPYO

UEPYP

| UNBL | INDLE | D NETWORK ELEMENTS - Florida | | | | | | | | | | | | Attachment: | 2 | Exhi | bit: C |
|-------|--------|---|-------------|------|----------------|----------------|--------------|----------------|----------------|----------------|--------------|-------|------------------------|-------------|-----------|-------------------------|-------------------------|
| CATEG | | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES(\$) | | | | Svc Order Submitted | Incremental | | Incremental Charge - | Incremental Charge - |
| | | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add'l |
| - | | | | | | | | Nonre | curring | Nonrecurring | Disconnect | | | OSS | Rates(\$) | | <u> </u> |
| | | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2, 3 | | | | | | | | | | | | | | | |
| | | Basic Local Area 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2, 3 | | | UEP9D | UEPYQ | 1.17 | 139.49 | 86.10 | 65.41 | 13.81 | | 11.90 | | | | <u> </u> |
| | | Basic Local Area | | | UEP9D | UEPYR | 1.17 | 139.49 | 86.10 | 65.41 | 13.81 | | 11.90 | | | | |
| | | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2, 3 | | | | | 4.47 | 400.40 | 00.40 | CE 44 | 40.04 | | 11.00 | | | | |
| | | Basic Local Area 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2, 3 | | | UEP9D | UEPYS | 1.17 | 139.49 | 86.10 | 65.41 | 13.81 | | 11.90 | | | | <u> </u> |
| | | Basic Local Area | | | UEP9D | UEPY4 | 1.17 | 139.49 | 86.10 | 65.41 | 13.81 | | 11.90 | | | | |
| | | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3 | | | | | 1.17 | 400.40 | 00.40 | 05.44 | 42.04 | | 11.00 | | | | |
| | | Basic Local Area 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2, 3 | | | UEP9D | UEPY5 | 1.17 | 139.49 | 86.10 | 65.41 | 13.81 | | 11.90 | | | | ├ ───┤ |
| | | Basic Local Area | | | UEP9D | UEPY6 | 1.17 | 139.49 | 86.10 | 65.41 | 13.81 | | 11.90 | | | | |
| | | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2, 3 | | | UEP9D | UEPY7 | 1.17 | 139.49 | 86.10 | 65.41 | 12.01 | | 11.90 | | | | |
| | | Basic Local Area 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service | | | UEF9D | UEPTI | 1.17 | 139.49 | 00.10 | 05.41 | 13.81 | | 11.90 | | | | <u> </u> |
| | | Term | | | UEP9D | UEPYZ | 1.17 | 139.49 | 86.10 | 65.41 | 13.81 | | 11.90 | | | | |
| | | 2-Wire Voice Grade Port terminated in on Megalink or equivalent Basic Local Area | | | UEP9D | UEPY9 | 1.17 | 53.31 | 26.46 | 27.50 | 8.37 | | 11.90 | | | | |
| | | 2-Wire Voice Grade Port Terminated on 800 Service Term Basic | | | | OLI 13 | 1.17 | 55.51 | 20.40 | 21.00 | 0.57 | | 11.30 | | | | |
| | | Local Area | | | UEP9D | UEPY2 | 1.17 | 53.31 | 26.46 | 27.50 | 8.37 | | 11.90 | | | | |
| | FL & G | A Only | | | | | | =0.01 | | | | | 11.00 | | | | <u> </u> |
| | | 2-Wire Voice Grade Port (Centrex) | | | UEP9D | UEPHA | 1.17 | 53.31 | 26.46 | 27.50 | 8.37 | | 11.90 | | | | L |
| | | 2-Wire Voice Grade Port (Centrex 800 termination) | | | UEP9D | UEPHB | 1.17 | 53.31 | 26.46 | 27.50 | 8.37 | | 11.90 | | | | |
| - | | 2-Wire Voice Grade Port (Centrex / EBS-PSET)3 | | | UEP9D UEP9D | UEPHC | 1.17 1.17 | 53.31 53.31 | 26.46 26.46 | 27.50 27.50 | 8.37 8.37 | | 11.90 11.90 | | | | <u> </u> |
| | | 2-Wire Voice Grade Port (Centrex / EBS-M5009)3 2-Wire Voice Grade Port (Centrex / EBS-M5209)3 | | | UEP9D UEP9D | UEPHD | 1.17 | 53.31 | 26.46 | 27.50 | 8.37 | | 11.90 | | | | |
| | | 2-Wire Voice Grade Port (Centrex / EBS-M5203)3 | | | UEP9D | UEPHF | 1.17 | 53.31 | 26.46 | 27.50 | 8.37 | | 11.90 | | | | |
| | | 2-Wire Voice Grade Port (Centrex / EBS-M5312)3 | | | UEP9D | UEPHG | 1.17 | 53.31 | 26.46 | 27.50 | 8.37 | | 11.90 | | | | |
| - | | 2-Wire Voice Grade Port (Centrex / EBS-M5008)3 | | | UEP9D | UEPHT | 1.17 | 53.31 | 26.46 | 27.50 | 8.37 | | 11.90 | | | | |
| | | 2-Wire Voice Grade Port (Centrex / EBS-M5208)3 | | | UEP9D | UEPHU | 1.17 | 53.31 | 26.46 | 27.50 | 8.37 | | 11.90 | | | | |
| | | 2-Wire Voice Grade Port (Centrex / EBS-M5216)3 | | | UEP9D | UEPHV | 1.17 | 53.31 | 26.46 | 27.50 | 8.37 | | 11.90 | | | | |
| | | 2-Wire Voice Grade Port (Centrex / EBS-M5316)3 | | | UEP9D | UEPH3 | 1.17 | 53.31 | 26.46 | 27.50 | 8.37 | | 11.90 | | | | |
| | | 2-Wire Voice Grade Port (Centrex with Caller ID) | | | UEP9D | UEPHH | 1.17 | 53.31 | 26.46 | 27.50 | 8.37 | | 11.90 | | | | |
| | | 2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp | | | | | | | | | | | | | | | |
| | | Indication)3 | | | UEP9D UEP9D | UEPHW UEPHJ | 1.17 | 53.31 53.31 | 26.46 26.46 | 27.50 27.50 | 8.37 8.37 | | 11.90 11.90 | | | | ──── |
| | | 2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication)3 2-Wire Voice Grade Port (Centrex from diff Serving Wire Center) | | | UEP9D | UEPHJ | 1.17 | 53.31 | 20.40 | 27.50 | 8.37 | | 11.90 | | | | <u> </u> |
| | | 2 | | | UEP9D | UEPHM | 1.17 | 139.49 | 86.10 | 65.41 | 13.81 | | 11.90 | | | | |
| | | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2, 3 | | | UEP9D | UEPHO | 1.17 | 139.49 | 86.10 | 65.41 | 13.81 | | 11.90 | | | | |
| | | | | | | | | | | | | | | | | | |
| | | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2, 3 | | | UEP9D | UEPHP | 1.17 | 139.49 | 86.10 | 65.41 | 13.81 | | 11.90 | | | | |
| | | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2, 3 | | | UEP9D | UEPHQ | 1.17 | 139.49 | 86.10 | 65.41 | 13.81 | | 11.90 | | | | ├─── ┤ |
| | | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2, 3 | | | UEP9D | UEPHR | 1.17 | 139.49 | 86.10 | 65.41 | 13.81 | | 11.90 | | | | |
| | | · · · · · | | | | | | | | | | | | | | | |
| | | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2, 3 | | | UEP9D | UEPHS | 1.17 | 139.49 | 86.10 | 65.41 | 13.81 | | 11.90 | | | | ↓ |
| | | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2, 3 | | | UEP9D | UEPH4 | 1.17 | 139.49 | 86.10 | 65.41 | 13.81 | | 11.90 | | | | |
| | | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3 | | | UEP9D | UEPH5 | 1.17 | 139.49 | 86.10 | 65.41 | 13.81 | | 11.90 | | | | |
| | | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2, 3 | | | UEP9D | UEPH6 | 1.17 | 139.49 | 86.10 | 65.41 | 13.81 | | 11.90 | | | | |
| | | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2, 3 | | | UEP9D | UEPH7 | 1.17 | 139.49 | 86.10 | 65.41 | 13.81 | | 11.90 | | | | |
| | | 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term | | | UEP9D | UEPHZ | 1.17 | 139.49 | 86.10 | 65.41 | 13.81 | | 11.90 | | | | |
| | | 2-Wire Voice Grade Port terminated in on Megalink or equivalent 2-Wire Voice Grade Port Terminated on 800 Service Term | | | UEP9D UEP9D | UEPH9 UEPH2 | 1.17 1.17 | 53.31 53.31 | 26.46 26.46 | 27.50 27.50 | 8.37 8.37 | | 11.90 11.90 | | | | |
| L | | | | | 52. 55 | | 1.17 | 00.01 | 20.40 | 21.00 | 0.01 | | 11.30 | | | | <u>ا</u> |

| | | | | | | | | | | | | Attachment: | 2 | Exhi | bit: C |
|------|-------------|------|----------------|----------------|--------|--------|-----------|-------------|--------------|-------|---|-------------|-----------|---|----------|
| | Interi m | Zone | BCS | USOC | | | RATES(\$) | | | | Svc Order Submitted Manually per LSR | | Charge - | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Charge - |
| | | | | | | Nonrec | urrina | Nonrecurrin | g Disconnect | | | OSS | Rates(\$) | | |
| | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | | | | | | | | | | | | | | |
| - | | | UEP9D | URECS | 0.7384 | | | | | | | | | | |
| | | | | | | | | | | | | | | | |
| | | | UEP9D | LNPCC | 0.35 | | | | | | | | | | |
| | | | | | | | | | | | | | | | |
| | | | UEP9D | UEPVF | 2.26 | | | | | | | | | | |
| | | | UEP9D | UEPVS | 0.00 | 370.70 | | | | | 11.90 | | | | |
| | | | UEP9D | UEPVC | 2.26 | | | | | | | | | | |
| | | | | | | | | | | | | | | | |
| | | | UEP9D | UARCX | 0.00 | 0.00 | 0.00 | | | | 11.90 | | | | |
| | | | UEP9D | UAR1X | 0.00 | 0.00 | 0.00 | | | | 11.90 | | | | |
| | | | UEP9D | UAROX | 0.00 | 0.00 | 0.00 | | | | 11.90 | | | | |
| | | | | | | | | | | | | | | | |
| | | | | | 0.70 | | | | | + | | | | | |
| | | | UEP9D | CEND6 | 8.73 | | | | | | | | | | |
| | | | UEP9D | M1HD1 | 54.95 | | | | | | | | | | |
| | | | UEP9D UEP9D | M1HD1 M1HD0 | 0.00 | 15.69 | | | | + | 11.90 | | | | |
| | | | OFL AD | WITHDU | 0.00 | 10.09 | | | | | 11.90 | | | | |
| | | | UEP9D | MIGBC | 25.32 | | | | 1 | + | | | | | - |
| | - | | UEP9D | MIGBC | 0.0091 | | | | 1 | + | | | | | |
| ri e | e . | | | | 0.0091 | | | | | 1 | | | | | |
| | | | | | | | | | | 1 | | | | | |
| | | | UEP9D | 1PQWS | 0.66 | | | | 1 | 1 | | | | | |
| | | | | | 2.50 | | | | 1 | | | | | | |
| t | | | UEP9D | 1PQW6 | 0.66 | | | | | | | | | | |
| | | | | | | | | | | | | | | | |
| | | | UEP9D | 1PQW7 | 0.66 | | | | | | | | | | |
| - | | | | | 1 | | | | 1 | | | | | | |
| | | | UEP9D | 1PQWP | 0.66 | | | | | | | | | | |
| | | | | | | | | | | | | | | | |
| | | | UEP9D | 1PQWV | 0.66 | | | | | | | | | | |
| - | | | | | | | | | | | | | | | |

| | RATE ELEMENTS | m | Zone | 603 | | | | KATES(\$) | | | Per Lok | per LSR | Order vs. Electronic- 1st | Order vs. Electronic- Add'l | Order vs. Electronic- Disc 1st | Order v Electron Disc Ad |
|---------|---|-----|------|--------|-----------|--------|--------|-----------|-------------|--------------|---------|---------|---------------------------------|-----------------------------------|--------------------------------------|--------------------------------|
| | | | 1 | | 1 1 | Rec | Nonree | curring | Nonrecurrin | g Disconnect | | | OSS | Rates(\$) | | |
| | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOM |
| Local S | Switching | | | | | | | | | | | | | | | |
| | Centrex Intercom Funtionality, per port | | | UEP9D | URECS | 0.7384 | | | | | | | | | | |
| Local N | lumber Portability | | | | | | | | | | | | | | | |
| | Local Number Portability (1 per port) | | | UEP9D | LNPCC | 0.35 | | | | | | | | | | |
| Feature | 95 | | | | | | | | | | | | | | | |
| | All Standard Features Offered, per port | | | UEP9D | UEPVF | 2.26 | | | | | | | | | | 1 |
| | All Select Features Offered, per port | | | UEP9D | UEPVS | 0.00 | 370.70 | | | | | 11.90 | | | | 1 |
| | All Centrex Control Features Offered, per port | | | UEP9D | UEPVC | 2.26 | | | | | | | | | | 1 |
| NARS | | | | | | | | | | | | | | | | |
| | Unbundled Network Access Register - Combination | | | UEP9D | UARCX | 0.00 | 0.00 | 0.00 | | | | 11.90 | | | | 1 |
| | Unbundled Network Access Register - Inward | | | UEP9D | UAR1X | 0.00 | 0.00 | 0.00 | | | | 11.90 | | | | |
| | Unbundled Network Access Register - Outdial | | | UEP9D | UAROX | 0.00 | 0.00 | 0.00 | | | | 11.90 | | | | |
| Miscell | aneous Terminations | | | | | | | | | | | | | | | - |
| | Trunk Side | | | | 1 | | | | | | | | | | | - |
| | Trunk Side Terminations, each | l – | 1 | UEP9D | CEND6 | 8.73 | | | | 1 | 1 | | 1 | 1 | 1 | 1 |
| 4-Wire | Digital (1.544 Megabits) | l – | 1 | | | 0.70 | | | | 1 | 1 | | 1 | 1 | 1 | 1 |
| | DS1 Circuit Terminations, each | l – | 1 | UEP9D | M1HD1 | 54.95 | | | | 1 | 1 | | 1 | 1 | 1 | 1 |
| | DS0 Channels Activiated per Channel | | 1 | UEP9D | M1HDO | 0.00 | 15.69 | | | 1 | | 11.90 | | | | + |
| Interof | ice Channel Mileage - 2-Wire | | | 02.00 | | 0.00 | 10.03 | | | 1 | | 11.30 | | | | + |
| interon | Interoffice Channel Facilities Termination | | | UEP9D | MIGBC | 25.32 | | | | | | | | | | |
| | Interoffice Channel mileage, per mile or fraction of mile | | | UEP9D | MIGBO | 0.0091 | | | | - | | | | | | + |
| Footure | Activations (DS0) Centrex Loops on Channelized DS1 Service | | | ULFBD | IVIIGBIVI | 0.0091 | | | | - | | | | | | + |
| | nnel Bank Feature Activations | .e | | | | | | | | | | | | | | - |
| | Feature Activation on D-4 Channel Bank Centrex Loop Slot | | - | UEP9D | 1PQWS | 0.66 | | | | - | | | | | | - |
| | Feature Activation on D-4 Charmer Bank Centrex Loop Slot | | | UEF9D | IPQWS | 0.00 | | | | | | | | | | 4 |
| | Fasture Astivities on D.4 Channel Bank EV line Cide Lean Clat | | | | | 0.00 | | | | | | | | | | |
| - | Feature Activation on D-4 Channel Bank FX line Side Loop Slot | | - | UEP9D | 1PQW6 | 0.66 | | | | | | | | | | |
| | Feature Activation on D-4 Channel Bank FX Trunk Side Loop | | | | 10011/7 | 0.00 | | | | | | | | | | |
| | Slot | | | UEP9D | 1PQW7 | 0.66 | | | | | | | | | | |
| | Feature Activation on D-4 Channel Bank Centrex Loop Slot - | | | | | | | | | | | | | | | |
| | Different Wire Center | | | UEP9D | 1PQWP | 0.66 | | | | | | | | | | |
| | | | | | 100101 | | | | | | | | | | | |
| | Feature Activation on D-4 Channel Bank Private Line Loop Slot | | | UEP9D | 1PQWV | 0.66 | | | | | | | | | | |
| | Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop | | | | | | | | | | | | | | | |
| | Slot | | | UEP9D | 1PQWQ | 0.66 | | | | | | | | | | |
| | Feature Activation on D-4 Channel Bank WATS Loop Slot | | | UEP9D | 1PQWA | 0.66 | | | | | | | | | | |
| Non-Re | curring Charges (NRC) Associated with UNE-P Centrex | | | | | | | | | | | | | | | |
| | NRC Conversion Currently Combined Switch-As-Is with allowed | | | | | | | | | | | | | | | |
| | changes, per port | | | UEP9D | USAC2 | | 21.50 | 8.42 | | | | 11.90 | | | | |
| | Conversion of existing Centrex Common Block, each | | _ | UEP9D | USACN | | 5.17 | 8.32 | | | | 11.90 | | | ļ | |
| 1 | New Centrex Standard Common Block | | | UEP9D | M1ACS | 0.00 | 618.82 | | | | | 11.90 | | | | 1 |
| 1 | New Centrex Customized Common Block | | | UEP9D | M1ACC | 0.00 | 618.82 | | | | | 11.90 | | | | 1 |
| | NAR Establishment Charge, Per Occasion | | | UEP9D | URECA | 0.00 | 66.48 | | | | | 11.90 | | | | \vdash |
| | CENTREX - EWSD (Valid in AL, FL, KY, LA, MS & TN) | | | | | | | | | | | | | | | |
| | VG Loop/2-Wire Voice Grade Port (Centrex) Combo | | | | | | | | | | | | | | | |
| UNE Po | ort/Loop Combination Rates (Non-Design) | | | | | | | | | | | | | | | |
| | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - | | | | | | | | | | | | | | | |
| | Non-Design | | 1 | UEP9E | | 10.94 | | | | | | | | | | |
| | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - | | | | | | | | | | | | | | | |
| 1 | Non-Design | | 2 | UEP9E | | 15.05 | | | | 1 | 1 | | | | | 1 |
| | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - | | | | | | | | | | | | | | | |
| | Non-Design | | 3 | UEP9E | | 25.80 | | | | 1 | | | | | 1 | |
| UNE Po | ort/Loop Combination Rates (Design) | İ | | | 1 | | | | | | | | | | | 1 |
| 1 | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - | | 1 | | 1 1 | | | | | 1 | İ | | | | İ | 1 |
| | Design | | 1 | UEP9E | | 13.41 | | | | 1 | 1 | | | | | |
| 1 | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - | l – | 1 | | + + | | | | | 1 | 1 | | 1 | 1 | 1 | 1 |
| | Design | | 2 | UEP9E | | 18.57 | | | | 1 | 1 | | | | | |
| 1 | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - | 1 | - | | + + | 10.07 | | | | 1 | | | | | | 1 |
| | Design | | 3 | UEP9E | | 32.04 | | | | 1 | 1 | | | | | 1 |
| 1 | pop Rate | I | 5 | 501 30 | 1 | 52.04 | | | | | | | | | | 4 |

UNBUNDLED NETWORK ELEMENTS - Florida

RATE ELEMENTS

CATEGORY

Exhibit 1

| UNBUNDLE | D NETWORK ELEMENTS - Florida | | | | | | | | | | | | Attachment: | 2 | Exhi | ibit: C |
|-----------|--|--------|------|----------------|----------------|----------------|--------|-----------|--------------|-------|-----------|----------|-------------|-------------|--------------|-------------|
| | | | | | | | | | | | Svc Order | | | | | Incremental |
| | | | | | | | | | | | Submitted | | | Charge - | Charge - | Charge - |
| | | Intori | | | | | | | | | Elec | | Manual Svc | | | - |
| CATEGORY | RATE ELEMENTS | Interi | Zone | BCS | USOC | | | RATES(\$) | | | per LSR | | Order vs. | Order vs. | Order vs. | Order vs. |
| | | m | | | | | | | | | po0.1 | po. 2011 | Electronic- | Electronic- | Electronic- | |
| | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add'l |
| | | | | | | | | | | | | | | | 5130 130 | DISC Add 1 |
| | | | | | | Rec | Nonrec | | Nonrecurring | | | | | Rates(\$) | • | - |
| | | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | 2-Wire Voice Grade Loop (SL 1) - Zone 1 | | | UEP9E | UECS1 | 9.77 | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL 1) - Zone 2 | | 2 | UEP9E | UECS1 | 13.88 | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL 1) - Zone 3 | | 3 | UEP9E | UECS1 | 24.63 12.24 | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL 2) - Zone 1 2-Wire Voice Grade Loop (SL 2) - Zone 2 | | 2 | UEP9E UEP9E | UECS2 UECS2 | 17.40 | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL 2) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 3 | | | UEP9E | UECS2 | 30.87 | | | | | | | | | | + |
| UNE P | ort Rate | | 5 | OLI 3L | 01002 | 50.07 | | | | | | | | | | |
| | , KY, LA, MS, & TN only | | | | | | | | | | | | | | 1 | |
| , | 2-Wire Voice Grade Port (Centrex) Basic Local Area | | | UEP9E | UEPYA | 1.17 | 53.31 | 26.46 | 27.50 | 8.37 | | 11.90 | | | | 1 |
| | 2-Wire Voice Grade Port (Centrex 800 termination)Basic Local | | | | - | | | | | | | | | | | |
| | Area | | | UEP9E | UEPYB | 1.17 | 53.31 | 26.46 | 27.50 | 8.37 | | 11.90 | | | | |
| | 2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local | | | | | | | | | | | | | | | |
| | Area | | | UEP9E | UEPYH | 1.17 | 53.31 | 26.46 | 27.50 | 8.37 | | 11.90 | | | | |
| | 2-Wire Voice Grade Port (Centrex from diff Serving Wire | | | | | | | | | | | | | | | |
| | Center)2 Basic Local Area | | | UEP9E | UEPYM | 1.17 | 139.49 | 86.10 | 65.41 | 13.81 | | 11.90 | | | | <u> </u> |
| | 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service | | | | | | | | | | | | | | | |
| | Term - Basic Local Area | | | UEP9E | UEPYZ | 1.17 | 139.49 | 86.10 | 65.41 | 13.81 | | 11.90 | | | | |
| | 2-Wire Voice Grade Port terminated in on Megalink or equivalent | | | UEP9E | UEPY9 | 1.17 | E2 24 | 26.46 | 27.50 | 8.37 | | 11.90 | | | | |
| | - Basic Local Area | | | UEF9E | UEP 19 | 1.17 | 53.31 | 26.46 | 27.50 | 0.37 | | 11.90 | | | | |
| | 2-Wire Voice Grade Port Terminated on 800 Service Term - Basic Local Area | | | UEP9E | UEPY2 | 1.17 | 53.31 | 26.46 | 27.50 | 8.37 | | 11.90 | | | | |
| Florida | | | | ULFBL | ULF12 | 1.17 | 55.51 | 20.40 | 21.30 | 0.57 | | 11.90 | | | | |
| Tionua | 2-Wire Voice Grade Port (Centrex) | | | UEP9E | UEPHA | 1.17 | 53.31 | 26.46 | 27.50 | 8.37 | | 11.90 | | | | |
| | 2-Wire Voice Grade Port (Centrex 800 termination) | | | UEP9E | UEPHB | 1.17 | 53.31 | 26.46 | 27.50 | 8.37 | | 11.90 | | | | |
| | 2-Wire Voice Grade Port (Centrex with Caller ID)1 | | | UEP9E | UEPHH | 1.17 | 53.31 | 26.46 | 27.50 | 8.37 | | 11.90 | | | | - |
| | 2-Wire Voice Grade Port (Centrex from diff Serving Wire | | | | - | | | | | | | | | | | |
| | Center)2 | | | UEP9E | UEPHM | 1.17 | 139.49 | 86.10 | 65.41 | 13.81 | | 11.90 | | | | |
| | 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service | | | | | | | | | | | | | | | |
| | Term | | | UEP9E | UEPHZ | 1.17 | 139.49 | 86.10 | 65.41 | 13.81 | | 11.90 | | | | |
| | | | | | | | | | | | | | | | | |
| | 2-Wire Voice Grade Port terminated in on Megalink or equivalent | | | UEP9E | UEPH9 | 1.17 | 53.31 | 26.46 | 27.50 | 8.37 | | 11.90 | | | | |
| | 2-Wire Voice Grade Port Terminated on 800 Service Term | | | UEP9E | UEPH2 | 1.17 | 53.31 | 26.46 | 27.50 | 8.37 | | 11.90 | | | | |
| Local | Switching | | | UEP9E | URECS | 0.7384 | | | | | | | | | | |
| | Centrex Intercom Funtionality, per port Number Portability | | | UEF9E | URECO | 0.7364 | | | | | | | | | | |
| Local r | Local Number Portability (1 per port) | | | UEP9E | LNPCC | 0.35 | | | | | | | | | | + |
| Feature | | | | OLI 3L | LINI OO | 0.55 | | | | | | | | | | |
| . outur | All Standard Features Offered, per port | | | UEP9E | UEPVF | 2.26 | | | | | | | | | | |
| | All Select Features Offered, per port | | | UEP9E | UEPVS | 0.00 | 370.70 | | | | | 11.90 | | 1 | 1 | |
| | All Centrex Control Features Offered, per port | | | UEP9E | UEPVC | 2.26 | | | | | | | | | | |
| NARS | | | | | | | | | | | | | | | | |
| | Unbundled Network Access Register - Combination | | | UEP9E | UARCX | 0.00 | 0.00 | 0.00 | | | | 11.90 | | | | |
| | Unbundled Network Access Register - Indial | | | UEP9E | UAR1X | 0.00 | 0.00 | 0.00 | | | | 11.90 | | | | |
| | Unbundled Network Access Register - Outdial | | | UEP9E | UAROX | 0.00 | 0.00 | 0.00 | | | | 11.90 | | | | <u> </u> |
| | aneous Terminations | | l | | | | | | | | | | | ļ | ļ | 4] |
| 2-Wire | Trunk Side | | | | | 0.70 | | | | | | | | ł | ł | ┥───┤ |
| 4-10/1-10 | Trunk Side Terminations, each | | | UEP9E | CEND6 | 8.73 | | | | | | | | | <u> </u> | ╡────┤ |
| 4-wire | Digital (1.544 Megabits) DS1 Circuit Terminations, each | | | UEP9E | M1HD1 | 54.95 | | | | | | | | <u> </u> | <u> </u> | ┥───┤ |
| | DS0 Channel Activated Per Channel | | | UEP9E | M1HD0 | 0.00 | 15.69 | | | | | 11.90 | | ł | | ┥───┤ |
| Interof | fice Channel Mileage - 2-Wire | | | | | 0.00 | 15.09 | | | | | 11.90 | | | | <u> </u> |
| | Interoffice Channel Facilities Termination | | | UEP9E | MIGBC | 25.32 | | | | | | | | 1 | 1 | 1 1 |
| | Interoffice Channel mileage, per mile or fraction of mile | | | UEP9E | MIGBM | 0.0091 | | | l | | | | | 1 | t | 1 |
| Feature | Activations (DS0) Centrex Loops on Channelized DS1 Servic | e | | | | | | | | | | | | | | |
| | nnel Bank Feature Activations | | | | | | | | | | | | | | | |
| | Feature Activation on D-4 Channel Bank Centrex Loop Slot | | | UEP9E | 1PQWS | 0.66 | | | | | | | | | | |
| | | | | | | | Т | | | | | | | | I | 7 |
| | Feature Activation on D-4 Channel Bank FX line Side Loop Slot | | | UEP9E | 1PQW6 | 0.66 | | | | | | | | | | |

| | | | | Attachment: | 2 | Exhi | bit: C |
|-------------|--------------|-----------|-----------|-------------|-------------|-------------|-------------|
| | | Svc Order | Svc Order | Incremental | Incremental | Incremental | Incremental |
| | | Submitted | Submitted | Charge - | Charge - | Charge - | Charge - |
| | | Elec | Manually | Manual Svc | Manual Svc | Manual Svc | Manual Svc |
| | | per LSR | per LSR | Order vs. | Order vs. | Order vs. | Order vs. |
| | | - | - | Electronic- | Electronic- | Electronic- | Electronic- |
| | | | | 1st | Add'l | Disc 1st | Disc Add'l |
| Nonrecurrin | g Disconnect | | | OSS | Rates(\$) | | |
| First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | 1 | | | | | |

Exhibit 1

| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES(\$) | | | Submitted Elec per LSR | | Manual Svc Order vs. Electronic- 1st | Order vs. Electronic- Add'l | Charge - Manual Svc Order vs. Electronic- Disc 1st | Charge - Manual Svc Order vs. Electronic- Disc Add'l |
|---|--|-------------|---|---|---|--|----------------|-----------------|----------------|-----------------|------------------------------|-------------|---|-----------------------------------|--|--|
| | | | | | | Rec | Nonrec | | Nonrecurring | | | - | | Rates(\$) | | |
| | | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | Feature Activation on D-4 Channel Bank FX Trunk Side Loop | | | | | | | | | | | | | | | |
| | Slot | | | UEP9E | 1PQW7 | 0.66 | | | | | | | | | | |
| | Feature Activation on D-4 Channel Bank Centrex Loop Slot - | | | | | 0.00 | | | | | | | | | | |
| | Different Wire Center | | | UEP9E | 1PQWP | 0.66 | | | | | | | | | | |
| | Feature Activation on D-4 Channel Bank Private Line Loop Slot | | | UEP9E | 1PQWV | 0.66 | | | | | | | | | | |
| | Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop | | | | | | | | | | | | | | | |
| | Slot | | | UEP9E | 1PQWQ | 0.66 | | | | | | | | | | |
| | Feature Activation on D-4 Channel Bank WATS Loop Slot | | | UEP9E | 1PQWA | 0.66 | | | | | | | | | | |
| Non-R | ecurring Charges (NRC) Associated with UNE-P Centrex | | | | | | | | | | | | | | | |
| | NRC Conversion Currently Combined Switch-As-Is with allowed | | | | | | | | | | | | | | | |
| | changes, per port | | | UEP9E | USAC2 | | 21.50 | 8.42 | | | | 11.90 | | | | |
| | Conversion of Existing Centrex Common Block, each | | | UEP9E | USACN | | 5.17 | 8.32 | | | | 11.90 | | | | |
| | New Centrex Standard Common Block | | | UEP9E | M1ACS | 0.00 | 618.82 | | | | | 11.90 | | | | |
| | New Centrex Customized Common Block | | | UEP9E | M1ACC | 0.00 | 618.82 | | | | L | 11.90 | | | | |
| | NAR Establishment Charge, Per Occasion | | | UEP9E | URECA | 0.00 | 66.48 | | | | | 11.90 | | | | |
| | - Required Port for Centrex Control in 1AESS, 5ESS & EWSD | | | | | | | | | | | | | | | |
| | 2 - Requres Interoffice Channel Mileage | | | | | | | | | | | | | | | |
| | - Requires Specific Customer Premises Equipment | | | | | | | | | | | | | | | |
| | CENTREX PORT/LOOP COMBINATIONS - MARKET RATES | | | | | | | | | | | | | | | |
| | ket Rates are applied where BellSouth is not required by FCC a | | | | | ndled Local Sw | itching or Swi | tch Ports. | | | | | | | | |
| | urring Charges for all Standard Centrex and Centrex Conrol Fe | | | | | | | | | | | | | | | |
| 3. End | Office and Tandem Switching Usage and Common Transport | Usage I | rates in | the Port section of | this rate exh | ibit shall apply | to all combina | ations of loop/ | port network e | lements excep | t for UNE C | oin Port/Lo | op Combinati | ions. | | |
| 4. The | first and additional Port nonrecurring charges apply to Not Cu also and are categorized accordingly. | urrently | Comb | ined Combos. For | Currently Co | mbined Combo | s, the honrect | irring charges | snall be those | Identified in t | | ung cun | antry combine | su sections. / | | 03 may |
| 4. The apply a UNE-P | also and are categorized accordingly. CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only) | | Comb | ned Combos. For | Currently Co | | s, the nonrect | irring charges | shall be those | Identified in t | | | | | | |
| 4. The apply a UNE-P 2-Wire | also and are categorized accordingly. CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only) VG Loop/2-Wire Voice Grade Port (Centrex) Combo | | Comb | ned Combos. For | Currently Co | | s, the nonrect | irring charges | snall be those | | | | | | | |
| 4. The apply a UNE-P 2-Wire | also and are categorized accordingly. CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only VG Loop/2-Wire Voice Grade Port (Centrex) Combo ort/Loop Combination Rates (Non-Design) | | Comb | ned Combos. For | Currently Co | | s, the nonrect | Irring charges | | | | | | | | |
| 4. The apply a UNE-P 2-Wire | also and are categorized accordingly. CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only) VG Loop/2-Wire Voice Grade Port (Centrex) Combo ort/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - | | Comb | | Currently Co | | s, the honrect | irring charges | | | | | | | | |
| 4. The apply a UNE-P 2-Wire | also and are categorized accordingly. CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only) VG Loop/2-Wire Voice Grade Port (Centrex) Combo ort/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Non-Design | | Comb | UEP91 | Currently Co | 26.94 | s, the honrect | irring charges | | | | | | | | |
| 4. The apply a UNE-P 2-Wire | also and are categorized accordingly. CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only VG Loop/2-Wire Voice Grade Port (Centrex) Combo ort/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - | | 1 | UEP91 | Currently Co | 26.94 | s, the nonrect | Irring charges | | | | | | | | |
| 4. The apply a UNE-P 2-Wire | also and are categorized accordingly. CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only) VG Loop/2-Wire Voice Grade Port (Centrex) Combo ort/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design | | Comb | | Currently Co | | | Irring charges | | | | | | | | |
| 4. The apply a UNE-P 2-Wire | also and are categorized accordingly. CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only) VG Loop/2-Wire Voice Grade Port (Centrex) Combo ort/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - | | 1 | UEP91 UEP91 | Currently Co | 26.94 | | Irring charges | | | | | | | | |
| 4. The apply a UNE-P 2-Wire UNE P | also and are categorized accordingly. CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only VG Loop/2-Wire Voice Grade Port (Centrex) Combo ort/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design | | 1 | UEP91 | Currently Co | 26.94 | | Irring charges | | | | | | | | |
| 4. The apply a UNE-P 2-Wire UNE P | also and are categorized accordingly. CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only) VG Loop/2-Wire Voice Grade Port (Centrex) Combo ort/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design 0-rt/Loop Combination Rates (Design) | | 1 | UEP91 UEP91 | Currently Co | 26.94 | s, the nonrect | Irring charges | | | | | | | | |
| 4. The apply a UNE-P 2-Wire UNE P | also and are categorized accordingly. CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only VG Loop/2-Wire Voice Grade Port (Centrex) Combo ort/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - | | 1 | UEP91 UEP91 UEP91 | | 26.94 31.06 45.87 | s, the nonrect | Irring charges | | | | | | | | |
| 4. The apply a UNE-P 2-Wire UNE P | also and are categorized accordingly. CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only VG Loop/2-Wire Voice Grade Port (Centrex) Combo ort/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design ort/Loop Combination Rates (Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Besign | | 1 2 3 | UEP91 UEP91 | | 26.94 | | Irring charges | | | | | | | | |
| 4. The apply a UNE-P 2-Wire UNE P | also and are categorized accordingly. CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only VG Loop/2-Wire Voice Grade Port (Centrex) Combo ort/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - | | 1 2 3 | UEP91 UEP91 UEP91 UEP91 | | 26.94 31.06 45.87 | | Irring charges | | | | | | | | |
| 4. The apply a UNE-P 2-Wire UNE P | also and are categorized accordingly. CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only) VG Loop/2-Wire Voice Grade Port (Centrex) Combo ort/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design | | 1 2 3 1 | UEP91 UEP91 UEP91 | | 26.94 31.06 45.87 29.36 | | Irring charges | | | | | | | | |
| 4. The apply a UNE-P 2-Wire UNE P | also and are categorized accordingly. CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only) VG Loop/2-Wire Voice Grade Port (Centrex) Combo ort/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design ort/Loop Combination Rates (Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design | | 1 2 3 1 | UEP91 UEP91 UEP91 UEP91 | | 26.94 31.06 45.87 29.36 | | Irring charges | | | | | | | | |
| 4. The apply UNE-P 2-Wire UNE P | also and are categorized accordingly. CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only VG Loop/2-Wire Voice Grade Port (Centrex) Combo ort/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - | | 1 2 3 1 2 | UEP91 UEP91 UEP91 UEP91 UEP91 | | 26.94 31.06 45.87 29.36 34.43 | | Irring charges | | | | | | | | |
| 4. The apply UNE-P 2-Wire UNE P | also and are categorized accordingly. CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only) VG Loop/2-Wire Voice Grade Port (Centrex) Combo ort/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design ort/Loop Combination Rates (Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design | | 1 2 3 1 2 3 | UEP91 UEP91 UEP91 UEP91 UEP91 | UECS1 | 26.94 31.06 45.87 29.36 34.43 | | Irring charges | | | | | | | | |
| 4. The apply UNE-P 2-Wire UNE P | also and are categorized accordingly. CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only) VG Loop/2-Wire Voice Grade Port (Centrex) Combo ort/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design | | 1 2 3 1 2 3 3 1 1 | UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 | UECS1 | 26.94 31.06 45.87 29.36 34.43 50.68 | | Irring charges | | | | | | | | |
| 4. The apply UNE-P 2-Wire UNE P | also and are categorized accordingly. CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only VG Loop/2-Wire Voice Grade Port (Centrex) Combo ort/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design 0-Vilre VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design | | 1 2 3 1 2 3 1 2 3 | UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 | | 26.94 31.06 45.87 29.36 34.43 50.68 12.94 | | Irring charges | | | | | | | | |
| 4. The apply UNE-P 2-Wire UNE P | also and are categorized accordingly. CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only) VG Loop/2-Wire Voice Grade Port (Centrex) Combo ort/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design | | 1 2 3 1 2 3 1 2 3 | UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 | UECS1 UECS1 | 26.94 31.06 45.87 29.36 34.43 50.68 12.94 17.06 | | Irring charges | | | | | | | | |
| 4. The apply UNE-P 2-Wire UNE P | also and are categorized accordingly. CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only) VG Loop/2-Wire Voice Grade Port (Centrex) Combo ort/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design ort/Loop Combination Rates (Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - 2-Wire VG Loop/2-Wire Voice Grade Loop (SL 1) - Zone 1 2-Wire Voice Grade Loop (SL 1) - Zone 2 2-Vire Voice Grade Loop (SL 1) - Zone 3 | | 1 2 3 1 2 3 1 2 3 1 | UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 | UECS1 UECS1 UECS1 | 26.94 31.06 45.87 29.36 34.43 50.68 12.94 17.06 31.87 | | Irring charges | | | | | | | | |
| 4. The apply UNE-P 2-Wire UNE P | also and are categorized accordingly. CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only) VG Loop/2-Wire Voice Grade Port (Centrex) Combo ort/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design 2-Wire VG Loop/2-Wire Voice Grade Loop (SL 1) - Zone 1 2-Wire Voice Grade Loop (SL 1) - Zone 2 2-Wire Voice Grade Loop (SL 1) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 1 | | 1 2 3 1 2 3 1 2 3 1 2 | UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 | UECS1 UECS1 UECS1 UECS1 UECS1 | 26.94 31.06 45.87 29.36 34.43 50.68 12.94 17.06 31.87 15.36 | | | | | | | | | | |
| 4. The apply UNE-P 2-Wire UNE P | also and are categorized accordingly. CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only) VG Loop/2-Wire Voice Grade Port (Centrex) Combo ort/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design ort/Loop Combination Rates (Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design 2-Wire Voice Grade Loop (SL 1) - Zone 1 2-Wire Voice Grade Loop (SL 2) - Zone 1 2-Wire Voice Grade Loop (SL 2) - Zone 1 2-Wire Voice Grade Loop (SL 2) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 3 | | 1 2 3 1 2 3 1 2 3 1 2 | UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 | UECS1 UECS1 UECS1 UECS2 UECS2 | 26.94 31.06 45.87 29.36 34.43 50.68 12.94 17.06 31.87 15.36 20.43 | | Irring charges | | | | | | | | |
| 4. The apply UNE-P 2-Wire UNE P UNE P UNE P | also and are categorized accordingly. CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only VG Loop/2-Wire Voice Grade Port (Centrex) Combo ort/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design 2-Wire Voice Grade Loop (SL 1) - Zone 1 2-Wire Voice Grade Loop (SL 1) - Zone 2 2-Wire Voice Grade Loop (SL 1) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 3 orts tes (Except North Carolina and Sout Carolina) | | 1 2 3 1 2 3 1 2 3 1 2 | UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 | UECS1 UECS1 UECS1 UECS1 UECS2 UECS2 UECS2 | 26.94 31.06 45.87 29.36 34.43 50.68 12.94 17.06 31.87 15.36 20.43 36.68 | | | | | | | | | | |
| 4. The apply UNE-P 2-Wire UNE P UNE P UNE P | also and are categorized accordingly. CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only) VG Loop/2-Wire Voice Grade Port (Centrex) Combo ort/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design ort/Loop Combination Rates (Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design 2-Wire Voice Grade Loop (SL 1) - Zone 1 2-Wire Voice Grade Loop (SL 1) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 1 2-Wire Voice Grade Loop (SL 2) - Zone 1 2-Wire Voice Grade Loop (SL 2) - Zone 3 orts tes (Except North Carolina and Sout Carolina) [2-Wire Voice Grade Port (Centrex) Basic Local Area | | 1 2 3 1 2 3 1 2 3 1 2 | UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 | UECS1 UECS1 UECS1 UECS2 UECS2 | 26.94 31.06 45.87 29.36 34.43 50.68 12.94 17.06 31.87 15.36 20.43 | 70.00 | 35.00 | Shall be those | 10.00 | | 11.90 | | | | |
| 4. The apply UNE-P 2-Wire UNE P UNE P UNE P | also and are categorized accordingly. CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only VG Loop/2-Wire Voice Grade Port (Centrex) Combo ort/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design 2-Wire Voice Grade Loop (SL 1) - Zone 1 2-Wire Voice Grade Loop (SL 1) - Zone 2 2-Wire Voice Grade Loop (SL 1) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 3 orts tes (Except North Carolina and Sout Carolina) | | 1 2 3 1 2 3 1 2 3 1 2 | UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 | UECS1 UECS1 UECS1 UECS1 UECS2 UECS2 UECS2 UECS2 UECS2 | 26.94 31.06 45.87 29.36 34.43 50.68 12.94 17.06 31.87 15.36 20.43 36.68 | | | 35.00 | | | | | | | |
| 4. The apply UNE-P 2-Wire UNE P UNE P UNE P | also and are categorized accordingly. CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only, VG Loop/2-Wire Voice Grade Port (Centrex) Combo ort/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design 2-Wire Voice Grade Loop (SL 1) - Zone 1 2-Wire Voice Grade Loop (SL 1) - Zone 1 2-Wire Voice Grade Loop (SL 1) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 1 2-Wire Voice Grade Loop (SL 2) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 3 orts tes (Except North Carolina and Sout Carolina) 2-Wire Voice Grade Port (Centrex) Basic Local Area 2-Wire Voice Grade Port (Centrex) Basic Local Area | | 1 2 3 1 2 3 1 2 3 1 2 | UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 | UECS1 UECS1 UECS1 UECS1 UECS2 UECS2 UECS2 | 26.94 31.06 45.87 29.36 34.43 50.68 12.94 17.06 31.87 15.36 20.43 36.68 | | | | | | | | | | |
| 4. The apply UNE-P 2-Wire UNE P UNE P UNE P | also and are categorized accordingly. CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only) VG Loop/2-Wire Voice Grade Port (Centrex) Combo ort/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design ort/Loop Combination Rates (Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design 2-Wire Voice Grade Loop (SL 1) - Zone 1 2-Wire Voice Grade Loop (SL 1) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 1 2-Wire Voice Grade Loop (SL 2) - Zone 1 2-Wire Voice Grade Loop (SL 2) - Zone 3 0-0000 0-000000000000000000000000000 | | 1 2 3 1 2 3 1 2 3 1 2 | UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 | UECS1 UECS1 UECS1 UECS1 UECS2 UECS2 UECS2 UECS2 UECS2 UEPYA UEPYB | 26.94 31.06 45.87 29.36 34.43 50.68 12.94 17.06 31.87 15.36 20.43 36.68 | 70.00 | 35.00 | 35.00 | 10.00 | | 11.90 | | | | |
| 4. The apply UNE-P 2-Wire UNE P UNE P UNE P | also and are categorized accordingly. CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only) VG Loop/2-Wire Voice Grade Port (Centrex) Combo ort/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design ort/Loop Combination Rates (Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design 2-Wire Voice Grade Loop (SL 1) - Zone 1 2-Wire Voice Grade Loop (SL 1) - Zone 1 2-Wire Voice Grade Loop (SL 2) - Zone 1 2-Wire Voice Grade Loop (SL 2) - Zone 3 3- 3- 4- 4- 4- 4- 4- 4- 4- 4- 4- 4 | | 1 2 3 1 2 3 1 2 3 1 2 | UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 | UECS1 UECS1 UECS1 UECS1 UECS2 UECS2 UECS2 UECS2 UECS2 | 26.94 31.06 45.87 29.36 34.43 50.68 12.94 17.06 31.87 15.36 20.43 36.68 | 70.00 | 35.00 | 35.00 | 10.00 | | 11.90 | | | | |
| 4. The apply UNE-P 2-Wire UNE P UNE P UNE P | also and are categorized accordingly. CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only) VG Loop/2-Wire Voice Grade Port (Centrex) Combo ort/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design 2-Wire Voice Grade Loop (SL 1) - Zone 1 2-Wire Voice Grade Loop (SL 1) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 1 2-Wire Voice Grade Loop (SL 2) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 3 2-Wire Voice Grade Port (Centrex) Basic Local Area 2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local Area 2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local | | 1 2 3 1 2 3 1 2 3 1 2 | UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 | UECS1 UECS1 UECS1 UECS1 UECS2 UECS2 UECS2 UECS2 UECS2 UEPYA UEPYB | 26.94 31.06 45.87 29.36 34.43 50.68 12.94 17.06 31.87 15.36 20.43 36.68 | 70.00 | 35.00 | 35.00 | 10.00 | | 11.90 | | | | |

UNBUNDLED NETWORK ELEMENTS - Florida

| UNBUNDLE | D NETWORK ELEMENTS - Florida | | | | | | | | | | | | Attachment: | 2 | Exhi | bit: C |
|-------------------------|--|-------------|------|----------------|----------------|--------|----------------|-----------|---------------|-------|----------|---|--|--|-------------------------|---|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES(\$) | | | | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Incremental Charge - | Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'I |
| | | | | | | Rec | Nonrec | | Nonrecurring | | | | | Rates(\$) | | |
| | 2-Wire Voice Grade Port terminated in on Megalink or equivalent | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | - Basic Local Area | | | UEP91 | UEPY9 | 14.00 | 70.00 | 35.00 | 35.00 | 10.00 | | 11.90 | | | | |
| | 2-Wire Voice Grade Port Terminated on 800 Service Term - | | | OLI 01 | OLI 10 | 14.00 | 10.00 | 00.00 | 00.00 | 10.00 | | 11.00 | | | | |
| | Basic Local Area | | | UEP91 | UEPY2 | 14.00 | 70.00 | 35.00 | 35.00 | 10.00 | | 11.90 | | | | |
| Georgi | a and Florida Only | | | | | | | | | | | | | | | |
| | 2-Wire Voice Grade Port (Centrex) | | | UEP91 | UEPHA | 14.00 | 70.00 | 35.00 | 35.00 | 10.00 | | 11.90 | | | | |
| | 2-Wire Voice Grade Port (Centrex 800 termination) | | | UEP91 | UEPHB | 14.00 | 70.00 | 35.00 | 35.00 | 10.00 | | 11.90 | | | | |
| | 2-Wire Voice Grade Port (Centrex with Caller ID)1 2-Wire Voice Grade Port (Centrex from diff Serving Wire | | | UEP91 | UEPHH | 14.00 | 70.00 | 35.00 | 35.00 | 10.00 | | 11.90 | | | | |
| | Center)2 | | | UEP91 | UEPHM | 14.00 | 180.00 | 110.00 | 85.00 | 20.00 | | 11.90 | | | | |
| | 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service | | | OLF91 | OLFTIM | 14.00 | 100.00 | 110.00 | 05.00 | 20.00 | | 11.90 | | | | |
| | Term | | | UEP91 | UEPHZ | 14.00 | 180.00 | 110.00 | 85.00 | 20.00 | | 11.90 | | | | |
| | | 1 | | | | | | | | | 1 | | l | l | l | l |
| | 2-Wire Voice Grade Port terminated in on Megalink or equivalent | | | UEP91 | UEPH9 | 14.00 | 70.00 | 35.00 | 35.00 | 10.00 | | 11.90 | | | | |
| | 2-Wire Voice Grade Port Terminated on 800 Service Term | | | UEP91 | UEPH2 | 14.00 | 70.00 | 35.00 | 35.00 | 10.00 | | 11.90 | | | | |
| Local | Switching | | | | | | | | | | | | | | | |
| | Centrex Intercom Funtionality, per port | | | UEP91 | URECS | 0.7384 | | | | | | | | | | |
| Local | Number Portability | | _ | | LNDCC | 0.35 | | | | | - | | | | | |
| Facture | Local Number Portability (1 per port) | | - | UEP91 | LNPCC | 0.35 | | | | | | | | | | |
| Featur | All Standard Features Offered, per port | | | UEP91 | UEPVF | 0.00 | | | | | | 11.90 | | | | |
| | All Select Features Offered, per port | | | UEP91 | UEPVS | 0.00 | 370.70 | | | | | 11.90 | | | | |
| | All Centrex Control Features Offered, per port | | | UEP91 | UEPVC | 0.00 | 0/0./0 | | | | | 11.90 | | | | |
| NARS | | | | | | | | | | | | | | | | |
| | Unbundled Network Access Register - Combination | | | UEP91 | UARCX | 0.00 | 0.00 | 0.00 | | | | 11.90 | | | | |
| | Unbundled Network Access Register - Indial | | | UEP91 | UAR1X | 0.00 | 0.00 | 0.00 | | | | 11.90 | | | | |
| | Unbundled Network Access Register - Outdial | | | UEP91 | UAROX | 0.00 | 0.00 | 0.00 | | | | 11.90 | | | | |
| | laneous Terminations | | | | | | | | | | | | | | | |
| 2-Wire | Trunk Side | | | | | | | | | | | | | | | |
| | Trunk Side Terminations, each | | _ | UEP91 | CENA6 | 8.81 | | | | | - | | | | | |
| Interof | fice Channel Mileage - 2-Wire Interoffice Channel Facilities Termination - Voice Grade | | - | UEP91 | M1GBC | 25.32 | | | | | | | | | | |
| | Interoffice Channel mileage, per mile or fraction of mile | | | UEP91 | M1GBC M1GBM | 0.0091 | | | | | | | | | | |
| Featur | e Activations (DS0) Centrex Loops on Channelized DS1 Servic | 20 | | OLI 31 | MIGBM | 0.0031 | | | | | | | | | | |
| | annel Bank Feature Activations | Ĩ | | | | | | | | | 1 | | | | | |
| | Feature Activation on D-4 Channel Bank Centrex Loop Slot | | | UEP91 | 1PQWS | 0.66 | | | | | | | | | | |
| l l | | | | | | | | | | | | | | | | |
| | Feature Activation on D-4 Channel Bank FX line Side Loop Slot | | | UEP91 | 1PQW6 | 0.66 | | | | | | | | | | |
| | Feature Activation on D-4 Channel Bank FX Trunk Side Loop | | | | | | | | | | | | | | | |
| | Slot | | | UEP91 | 1PQW7 | 0.66 | | | <u> </u> | | <u> </u> | | | | | |
| | Feature Activation on D-4 Channel Bank Centrex Loop Slot - | | | | 1001010 | 0.00 | | | | | | | | | | |
| | Different Wire Center | | | UEP91 | 1PQWP | 0.66 | | | | | | | | | | |
| | Feature Activation on D-4 Channel Bank Private Line Loop Slot | | | UEP91 | 1PQWV | 0.66 | | | | | | | | | | |
| | Feature Activation on D-4 Channel Bank Fivate Line Loop Slot | | + | 021 01 | | 0.00 | | | | | 1 | | | | | |
| | Slot | | | UEP91 | 1PQWQ | 0.66 | | | | | | | | | | |
| | Feature Activation on D-4 Channel Bank WATS Loop Slot | 1 | | UEP91 | 1PQWA | 0.66 | | | | | 1 | 1 | l | l | l | |
| Non-R | ecurring Charges (NRC) Associated with UNE-P Centrex | | | | | | | | | | | | | | | |
| | Conversion - Currently Combined Switch-As-Is with allowed | | | | | | | | | | | | | | | |
| | changes, per port | | | UEP91 | USAC2 | | 21.50 | 8.42 | | | | 11.90 | | | | |
| | Conversion of Existing Centrex Common Block | | | UEP91 | USACN | | 5.17 | 8.32 | | | | 11.90 | | | | |
| | New Centrex Standard Common Block | | - | UEP91 | M1ACS | 0.00 | 618.82 | | | | | 11.90 | | | | |
| \vdash | New Centrex Customized Common Block | | | UEP91 | M1ACC | 0.00 | 618.82 | | ł | | | 11.90 | | | | |
| ├ ── ├ ── | Secondary Block, per Block NAR Establishment Charge, Per Occasion | <u> </u> | | UEP91 UEP91 | M2CC1 URECA | 0.00 | 71.31 66.48 | | | 1 | | 11.90 11.90 | | | | |
| | CENTREX - 5ESS (Valid in All States) | | | OLLAI | URECA | 0.00 | 00.48 | - | ł – – – – – – | | <u> </u> | 11.90 | { | } | { | |
| | VG Loop/2-Wire Voice Grade Port (Centrex) Combo | | | | | | | | | | | | | | | |
| | ort/Loop Combination Rates (Non-Design) | 1 | 1 | 1 | 1 | | | | 1 | | 1 | | 1 | 1 | 1 | 1 |
| | | | | | | | | | | | | | | | | |

| UNBUNDLE | D NETWORK ELEMENTS - Florida | - | | - | | | | | | | | | Attachment: | | | bit: C |
|----------|---|--------|------|-------|-------|--------|--------|-----------|--------------|-------|---------|-----------|-------------|-------------|-------------|-------------|
| | | | | | | | | | | | | | Incremental | | | Incremental |
| | | | | | | | | | | | | Submitted | | Charge - | Charge - | Charge - |
| | | Interi | _ | | | | | | | | Elec | Manually | Manual Svc | Manual Svc | Manual Svc | Manual Svc |
| CATEGORY | RATE ELEMENTS | m | Zone | BCS | USOC | | | RATES(\$) | | | per LSR | per LSR | Order vs. | Order vs. | Order vs. | Order vs. |
| | | | | | | | | | | | - | | Electronic- | Electronic- | Electronic- | Electronic- |
| | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add'l |
| | | | | | | | | - | | | | | | | | |
| | | | | | | Rec | Nonrec | | Nonrecurring | | | | | Rates(\$) | | |
| | | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - | | | | | | | | | | | | | | | |
| | Non-Design | | 1 | UEP95 | | 26.94 | | | | | | | | | | |
| | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - | | | | | | | | | | | | | | | |
| | Non-Design | | 2 | UEP95 | | 31.06 | | | | | | | | | | |
| | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - | | | | | | | | | | | | | | | |
| | Non-Design | | 3 | UEP95 | | 45.87 | | | | | | | | | | |
| UNE P | ort/Loop Combination Rates (Design) | | | | | | | | | | | | | | | |
| | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - | | | | | | | | | | | | | | | |
| | Design | | 1 | UEP95 | | 29.36 | | | | | | | | | | |
| | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - | | | | | | | | | | | | | | | |
| | Design | | 2 | UEP95 | | 34.43 | | | | | | | | | | |
| | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - | | 1 | | | | | | | | | | | | | |
| | Design | | 3 | UEP95 | | 50.68 | | | | | | | | | | |
| UNE L | oop Rate | | | | | | | | | | | | | | ļ | |
| | 2-Wire Voice Grade Loop (SL 1) - Zone 1 | | 1 | UEP95 | UECS1 | 12.94 | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL 1) - Zone 2 | | 2 | UEP95 | UECS1 | 17.06 | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL 1) - Zone 3 | | 3 | UEP95 | UECS1 | 31.87 | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL 2) - Zone 1 | | 1 | UEP95 | UECS2 | 15.36 | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL 2) - Zone 2 | | 2 | UEP95 | UECS2 | 20.43 | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL 2) - Zone 3 | | 3 | UEP95 | UECS2 | 36.68 | | | | | | | | | | |
| | ort Rate | | | | | | | | | | | | | | | |
| All Sta | | | | | | | | | | | | | | | | |
| | 2-Wire Voice Grade Port (Centrex) Basic Local Area | | | UEP95 | UEPYA | 14.00 | 70.00 | 35.00 | 35.00 | 10.00 | | 11.90 | | | | |
| | 2-Wire Voice Grade Port (Centrex 800 termination) | | | UEP95 | UEPYB | 14.00 | 70.00 | 35.00 | 35.00 | 10.00 | | 11.90 | | | | |
| | 2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local | | | | | | | | | | | | | | | |
| | Area | | | UEP95 | UEPYH | 14.00 | 70.00 | 35.00 | 35.00 | 10.00 | | 11.90 | | | | |
| | 2-Wire Voice Grade Port (Centrex from diff Serving Wire | | | | | | | | | | | | | | | |
| | Center)2 Basic Local Area | | | UEP95 | UEPYM | 14.00 | 180.00 | 110.00 | 85.00 | 20.00 | | 11.90 | | | | |
| | 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service | | | | | | | | | | | | | | | |
| | Term - Basic Local Area | | | UEP95 | UEPYZ | 14.00 | 180.00 | 110.00 | 85.00 | 20.00 | | 11.90 | | | | |
| | 2-Wire Voice Grade Port terminated in on Megalink or equivalent | | | | | | | | | | | | | | | |
| | - Basic Local Area | | | UEP95 | UEPY9 | 14.00 | 70.00 | 35.00 | 35.00 | 10.00 | | 11.90 | | | | |
| | 2-Wire Voice Grade Port Terminated on 800 Service Term - | | | | | | | | | | | | | | | |
| | Basic Local Area | | | UEP95 | UEPY2 | 14.00 | 70.00 | 35.00 | 35.00 | 10.00 | | 11.90 | | | | |
| AL, KY | , LA, MS, SC, & TN Only | | | | | | | | | | | | | | | |
| FL & G | GA Only | | | | | | | | | | | | | | | |
| | 2-Wire Voice Grade Port (Centrex) | | | UEP95 | UEPHA | 14.00 | 70.00 | 35.00 | 35.00 | 10.00 | | 11.90 | | | | |
| | 2-Wire Voice Grade Port (Centrex 800 termination) | | | UEP95 | UEPHB | 14.00 | 70.00 | 35.00 | 35.00 | 10.00 | | 11.90 | | | | |
| | 2-Wire Voice Grade Port (Centrex with Caller ID)1 | | | UEP95 | UEPHH | 14.00 | 70.00 | 35.00 | 35.00 | 10.00 | | 11.90 | | | | |
| | 2-Wire Voice Grade Port (Centrex from diff Serving Wire | | | | | | | | | | 1 | | | | | |
| | Center)2 | | | UEP95 | UEPHM | 14.00 | 180.00 | 110.00 | 85.00 | 20.00 | | 11.90 | | | | |
| | 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service | | | | | | | | | | | | | | | |
| | Term | | | UEP95 | UEPHZ | 14.00 | 180.00 | 110.00 | 85.00 | 20.00 | | 11.90 | | | | |
| | | | | | | | | | | | | | | | | |
| | 2-Wire Voice Grade Port terminated in on Megalink or equivalent | | | UEP95 | UEPH9 | 14.00 | 70.00 | 35.00 | 35.00 | 10.00 | | 11.90 | | | | |
| | 2-Wire Voice Grade Port Terminated on 800 Service Term | | | UEP95 | UEPH2 | 14.00 | 70.00 | 35.00 | 35.00 | 10.00 | | 11.90 | | | | |
| Local | Switching | | | | 1 1 | | | | | | | | | | | |
| | Centrex Intercom Funtionality, per port | | | UEP95 | URECS | 0.7384 | | | | | | | | | | |
| Local | Number Portability | | | | | | | | | | | | | | | |
| | Local Number Portability (1 per port) | | | UEP95 | LNPCC | 0.35 | | | | | | | | | | |
| Featur | es | | | | | | | | | | | | | | | |
| | All Standard Features Offered, per port | | | UEP95 | UEPVF | 0.00 | | | | | | | | | | |
| | All Select Features Offered, per port | | | UEP95 | UEPVS | 0.00 | 370.70 | | | | | 11.90 | | | | |
| | All Centrex Control Features Offered, per port | | | UEP95 | UEPVC | 0.00 | | | | | | | | | | |
| NARS | | | | | | | | | | | | | | | | |
| | Unbundled Network Access Register - Combination | | | UEP95 | UARCX | 0.00 | 0.00 | 0.00 | | | | 11.90 | | | | |
| | Unbundled Network Access Register - Indial | | | UEP95 | UAR1X | 0.00 | 0.00 | 0.00 | | | | 11.90 | | | | |
| | Unbundled Network Access Register - Outdial | | 1 | UEP95 | UAROX | 0.00 | 0.00 | 0.00 | | | 1 | 11.90 | | | 1 | İ |
| | | | | | 1 | | | | 1 | | 1 | 1 | 1 | 1 | 1 | 1 |

| NBUNDLE | D NETWORK ELEMENTS - Florida | | | | | | | | | | | - | Attachment: | | | bit: C |
|---------|--|-------------|------|----------------|----------------|---------------|--------|-----------|--------------|--------------|-------|-----------|--|--|---|--|
| ATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES(\$) | | | | Submitted | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Increment Charge - Manual So Order vs Electronic Disc Add |
| | | | | | | Rec | Nonrec | urring | Nonrecurring | g Disconnect | | | | Rates(\$) | | |
| | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| 2-Wire | Trunk Side | | | | | | | | | | | | | | | |
| | Trunk Side Terminations, each | | | UEP95 | CEND6 | 8.81 | | | | | | | | | | |
| 4-Wire | Digital (1.544 Megabits) | | | LIEDOC | 141154 | 54.95 | | | | | | | | | | |
| | DS1 Circuit Terminations, each DS0 Channels Activated, each | | | UEP95 UEP95 | M1HD1 | 54.95 0.00 | 15.69 | | | | | 11.90 | | | | |
| Interof | fice Channel Mileage - 2-Wire | | | UEF95 | M1HDO | 0.00 | 15.69 | | | | | 11.90 | | | - | - |
| Interor | Interoffice Channel Facilities Termination | | | UEP95 | MIGBC | 25.32 | | | | | | | | | | |
| | Interoffice Channel mileage, per mile or fraction of mile | | 1 | UEP95 | MIGBM | 0.0091 | | | | | | | | | | |
| Featur | e Activations (DS0) Centrex Loops on Channelized DS1 Servic | e | | 02.00 | | 0.0001 | | | | | | | | | | |
| | annel Bank Feature Activations | | | | | | | | | | | | | | | |
| | Feature Activation on D-4 Channel Bank Centrex Loop Slot | | | UEP95 | 1PQWS | 0.66 | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | Feature Activation on D-4 Channel Bank FX line Side Loop Slot | | | UEP95 | 1PQW6 | 0.66 | | | | | | | | | | |
| | Feature Activation on D-4 Channel Bank FX Trunk Side Loop | | 1 | | 40014/7 | 0.00 | | | | | | | | | 1 | |
| | Slot | | | UEP95 | 1PQW7 | 0.66 | | | | | | | | | | |
| | Feature Activation on D-4 Channel Bank Centrex Loop Slot - Different Wire Center | | | UEP95 | 1PQWP | 0.66 | | | | | | | | | | |
| | | | | | 4001407 | 0.00 | | | | | | | | | | |
| _ | Feature Activation on D-4 Channel Bank Private Line Loop Slot | | | UEP95 | 1PQWV | 0.66 | | | | | | | | | | |
| | Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop Slot | | | UEP95 | 1PQWQ | 0.66 | | | | | | | | | | |
| | Feature Activation on D-4 Channel Bank WATS Loop Slot | | | UEP95 | 1PQWQ 1PQWA | 0.66 | | | | | | | | | | |
| Non-R | ecurring Charges (NRC) Associated with UNE-P Centrex | | | 0LF 95 | IFQWA | 0.00 | | | | | | | | | | |
| | NRC Conversion Currently Combined Switch-As-Is with allowed | | | | | | | | | | | | | | | |
| | changes, per port | | | UEP95 | USAC2 | 0.00 | 21.50 | 8.42 | | | | 11.90 | | | | |
| | Conversion of Existing Centrex Common Block, each | | | UEP95 | USACN | | 5.17 | 8.32 | | | | 11.90 | | | | |
| | New Centrex Standard Common Block | | | UEP95 | M1ACS | 0.00 | 618.82 | | | | | 11.90 | | | | |
| | New Centrex Customized Common Block | | | UEP95 | M1ACC | 0.00 | 618.82 | | | | | 11.90 | | | | |
| | NAR Establishment Charge, Per Occasion | | | UEP95 | URECA | 0.00 | 66.48 | | | | | 11.90 | | | | |
| | CENTREX - DMS100 (Valid in All States) | | | | | | | | | | | | | | | |
| | VG Loop/2-Wire Voice Grade Port (Centrex) Combo | | | | - | | | | | | | - | | | - | |
| UNE P | ort/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - | | - | | | | | | | | | | | | | |
| | Non-Design | | 1 | UEP9D | | 26.94 | | | | | | | | | | |
| | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - | | | | | 20.34 | | | | | | | | | | |
| | Non-Design | | 2 | UEP9D | | 31.06 | | | | | | | | | | |
| | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - | | 1 - | | | 050 | | | | | | | | | 1 | |
| | Non-Design | | 3 | UEP9D | | 45.87 | | | | | | | | | 1 | |
| UNE P | ort/Loop Combination Rates (Design) | | | | | | | | | | | | | | | l i |
| | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - | | ľ | | | | | | | | | | | | | |
| | Design | | 1 | UEP9D | | 29.36 | | | | | | | | | | |
| | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - | | 1 | <u> </u> | I T | Т | Т | | | | | | | | I | |
| | Design | | 2 | UEP9D | | 34.43 | | | | | | | | | ļ | I |
| | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - | | _ | 115000 | | | | | | | | | | | 1 | |
| | Design | | 3 | UEP9D | + + | 50.68 | | | | | | | | | l | |
| UNE L | oop Rate 2-Wire Voice Grade Loop (SL 1) - Zone 1 | | 1 | UEP9D | UECS1 | 12.94 | | | | | | | | | <u> </u> | |
| | 2-Wire Voice Grade Loop (SL 1) - Zone 1 2-Wire Voice Grade Loop (SL 1) - Zone 2 | | 2 | UEP9D UEP9D | UECS1 | 12.94 | | | | | | | | | ł | <u> </u> |
| - | 2-Wire Voice Grade Loop (SL 1) - Zone 2 2-Wire Voice Grade Loop (SL 1) - Zone 3 | | 3 | UEP9D | UECS1 | 31.87 | | | 1 | | | | | | | |
| | 2-Wire Voice Grade Loop (SL 2) - Zone 3 | 1 | 1 | UEP9D | UECS2 | 15.36 | | | | | | | | | | t |
| | 2-Wire Voice Grade Loop (SL 2) - Zone 2 | | 2 | UEP9D | UECS2 | 20.43 | | | | | | | | | 1 | |
| | 2-Wire Voice Grade Loop (SL 2) - Zone 3 | | 3 | UEP9D | UECS2 | 36.68 | | | | | 1 | | | | 1 | 1 |
| UNE P | ort Rate | | | | | | | | | | 1 | | | | 1 | 1 |
| | TATES | | | | | | | | | | | | | | | |
| | 2-Wire Voice Grade Port (Centrex) Basic Local Area | | | UEP9D | UEPYA | 14.00 | | | | | | 11.90 | | | | |
| | 2-Wire Voice Grade Port (Centrex 800 termination)Basic Local | | | | | 44.00 | 70.00 | 05.00 | 25.00 | 40.00 | | 11.00 | | | | |
| | Area 2-Wire Voice Grade Port (Centrex / EBS-PSET)3Basic Local | | | UEP9D | UEPYB | 14.00 | 70.00 | 35.00 | 35.00 | 10.00 | | 11.90 | | | | ├─── |
| | Area | 1 | 1 | UEP9D | UEPYC | 14.00 | 70.00 | 35.00 | 35.00 | 10.00 | | 11.90 | | | 1 | |

| UNBUNDLE | D NETWORK ELEMENTS - Florida | | | | | | | | | | | | Attachment: | 2 | Exhi | ibit: C |
|-------------------------|--|-------------|------|----------------|----------------|----------------|----------------|---|----------------|--------------|----------|-----------------------|--|--|----------|---|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES(\$) | | | | Submitted Manually | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'l | Charge - | Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'I |
| | | - | | | - | | Nonred | urring | Nonrecurring | n Disconnect | | | 055 | Rates(\$) | | |
| | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | | SOMAN | SOMAN | SOMAN |
| | 2-Wire Voice Grade Port (Centrex / EBS-M5009)3Basic Local | | | | | | | , | | | 00 | | | 00 | Commut | |
| | Area | | | UEP9D | UEPYD | 14.00 | 70.00 | 35.00 | 35.00 | 10.00 | | 11.90 | | | | |
| | 2-Wire Voice Grade Port (Centrex / EBS-M5209))3 Basic Local | | | | | 44.00 | 70.00 | 05.00 | 05.00 | 10.00 | | 44.00 | | | | |
| | Area 2-Wire Voice Grade Port (Centrex / EBS-M5112))3 Basic Local | - | | UEP9D | UEPYE | 14.00 | 70.00 | 35.00 | 35.00 | 10.00 | | 11.90 | | | | |
| | Area | | | UEP9D | UEPYF | 14.00 | 70.00 | 35.00 | 35.00 | 10.00 | | 11.90 | | | | |
| | 2-Wire Voice Grade Port (Centrex / EBS-M5312))3Basic Local | | | | | | | | | | | | | | | |
| | Area | | | UEP9D | UEPYG | 14.00 | 70.00 | 35.00 | 35.00 | 10.00 | | 11.90 | | | | |
| | 2-Wire Voice Grade Port (Centrex / EBS-M5008))3 Basic Local Area | | | UEP9D | UEPYT | 14.00 | 70.00 | 35.00 | 35.00 | 10.00 | | 11.90 | | | | |
| | 2-Wire Voice Grade Port (Centrex / EBS-M5208))3 Basic Local | | | | 0EI II | 14.00 | 10.00 | 00.00 | 00.00 | 10.00 | | 11.00 | | | | |
| | Area | | | UEP9D | UEPYU | 14.00 | 70.00 | 35.00 | 35.00 | 10.00 | | 11.90 | | | | |
| | 2-Wire Voice Grade Port (Centrex / EBS-M5216))3 Basic Local Area | | | UEP9D | UEPYV | 14.00 | 70.00 | 25.00 | 35.00 | 10.00 | | 44.00 | | | | |
| | 2-Wire Voice Grade Port (Centrex / EBS-M5316))3 Basic Local | | | UEP9D | UEPTV | 14.00 | 70.00 | 35.00 | 35.00 | 10.00 | | 11.90 | | | | ├ ───┤ |
| | Area | | | UEP9D | UEPY3 | 14.00 | 70.00 | 35.00 | 35.00 | 10.00 | | 11.90 | | | | |
| | 2-Wire Voice Grade Port (Centrex with Caller ID) Basic Local | | | | | | | | | | | | | | | |
| | Area | | | UEP9D | UEPYH | 14.00 | 70.00 | 35.00 | 35.00 | 10.00 | | 11.90 | | | | |
| | 2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp Indication))3 Basic Local Area | | | UEP9D | UEPYW | 14.00 | 70.00 | 35.00 | 35.00 | 10.00 | | 11.90 | | | | |
| | 2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication))3 | | | | OLI IW | 14.00 | 10.00 | 00.00 | 00.00 | 10.00 | | 11.00 | | | | |
| | Basic Local Area | | | UEP9D | UEPYJ | 14.00 | 70.00 | 35.00 | 35.00 | 10.00 | | 11.90 | | | | |
| | 2-Wire Voice Grade Port (Centrex from diff Serving Wire Center) | | | | | 11.00 | 70.00 | 05.00 | 05.00 | 10.00 | | 44.00 | | | | |
| | 2 Basic Local Area 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2, 3 | | | UEP9D | UEPYM | 14.00 | 70.00 | 35.00 | 35.00 | 10.00 | | 11.90 | | | | |
| | Basic Local Area | | | UEP9D | UEPYO | 14.00 | 70.00 | 35.00 | 35.00 | 10.00 | | 11.90 | | | | |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2, 3 | | | | | | | | | | | | | | | |
| | Basic Local Area | | | UEP9D | UEPYP | 14.00 | 70.00 | 35.00 | 35.00 | 10.00 | | 11.90 | | | | |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2, 3 Basic Local Area | | | UEP9D | UEPYQ | 14.00 | 180.00 | 110.00 | 85.00 | 20.00 | | 11.90 | | | | |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2, 3 | | | | | 14.00 | 100.00 | 110.00 | 00.00 | 20.00 | | 11.00 | | | | |
| | Basic Local Area | | | UEP9D | UEPYR | 14.00 | 180.00 | 110.00 | 85.00 | 20.00 | | 11.90 | | | | |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2, 3 | | | UEP9D | UEPYS | 14.00 | 180.00 | 110.00 | 85.00 | 20.00 | | 11.90 | | | | |
| | Basic Local Area 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2, 3 | | | DEF9D | UEPTS | 14.00 | 180.00 | 110.00 | 65.00 | 20.00 | | 11.90 | | | | <u> </u> |
| | Basic Local Area | | | UEP9D | UEPY4 | 14.00 | 180.00 | 110.00 | 85.00 | 20.00 | | 11.90 | | | | |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3 | | | | | | | | | | | | | | | |
| | Basic Local Area 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2, 3 | | | UEP9D | UEPY5 | 14.00 | 180.00 | 110.00 | 85.00 | 20.00 | | 11.90 | | | | |
| | Basic Local Area | | | UEP9D | UEPY6 | 14.00 | 180.00 | 110.00 | 85.00 | 20.00 | | 11.90 | | | | |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2, 3 | | | | | | | | | | | | | | | |
| | Basic Local Area | | | UEP9D | UEPY7 | 14.00 | 180.00 | 110.00 | 85.00 | 20.00 | | 11.90 | | | | |
| | 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term | | | UEP9D | UEPYZ | 14.00 | 180.00 | 110.00 | 85.00 | 20.00 | | 11.90 | | | | |
| | 2-Wire Voice Grade Port terminated in on Megalink or equivalent | | | ULF 9D | ULFIZ | 14.00 | 180.00 | 110.00 | 85.00 | 20.00 | | 11.90 | | | | |
| | Basic Local Area | | | UEP9D | UEPY9 | 14.00 | 70.00 | 35.00 | 35.00 | 10.00 | | 11.90 | | | | |
| | 2-Wire Voice Grade Port Terminated on 800 Service Term Basic | | | | | | | | | | | | | | | |
| EL 8 0 | Local Area | | | UEP9D | UEPY2 | 14.00 | 70.00 | 35.00 | 35.00 | 10.00 | | 11.90 | | | | |
| FL & G | 2-Wire Voice Grade Port (Centrex) | <u> </u> | | UEP9D | UEPHA | 14.00 | 70.00 | 35.00 | 35.00 | 10.00 | | 11.90 | | | | ╂────┤ |
| | 2-Wire Voice Grade Port (Centrex 800 termination) | | | UEP9D | UEPHB | 14.00 | 70.00 | 35.00 | 35.00 | 10.00 | | 11.90 | | | | |
| | 2-Wire Voice Grade Port (Centrex / EBS-PSET)3 | | | UEP9D | UEPHC | 14.00 | 70.00 | 35.00 | 35.00 | 10.00 | | 11.90 | | | | |
| | 2-Wire Voice Grade Port (Centrex / EBS-M5009)3 2-Wire Voice Grade Port (Centrex / EBS-M5209)3 | | | UEP9D UEP9D | UEPHD UEPHE | 14.00 14.00 | 70.00 70.00 | 35.00 35.00 | | 10.00 | <u> </u> | 11.90 11.90 | | | | ───┤ |
| | 2-Wire Voice Grade Port (Centrex / EBS-M5209)3 2-Wire Voice Grade Port (Centrex / EBS-M5112)3 | | | UEP9D | UEPHE | 14.00 | 70.00 | 35.00 | 35.00 | 10.00 | | 11.90 | | | | <u>├</u> ───┤ |
| | 2-Wire Voice Grade Port (Centrex / EBS-M5312)3 | | | UEP9D | UEPHG | 14.00 | 70.00 | 35.00 | 35.00 | 10.00 | | 11.90 | | | | |
| | 2-Wire Voice Grade Port (Centrex / EBS-M5008)3 | | | UEP9D | UEPHT | 14.00 | 70.00 | 35.00 | | 10.00 | | 11.90 | | | | |
| ├ ── ├ ── | 2-Wire Voice Grade Port (Centrex / EBS-M5208)3 2-Wire Voice Grade Port (Centrex / EBS-M5216)3 | | | UEP9D UEP9D | UEPHU UEPHV | 14.00 14.00 | 70.00 70.00 | 35.00 35.00 | 35.00 35.00 | 10.00 | | 11.90 11.90 | | | | ┥ |
| | 2-WING VOICE GIAUE FUIL (CEILLEX / EDS-WO210)3 | | | 02130 | JULFIIV | 14.00 | 70.00 | 35.00 | 35.00 | 10.00 | 1 | 11.90 | I | I | | I |

| UNBUNDLE | D NETWORK ELEMENTS - Florida | | | | | | | | | | | | Attachment: | | | bit: C |
|--|---|-------------|----------|----------------|----------------|---------------|--------|-----------|--------------|-------|-------|-----------|--|--|---|---|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES(\$) | | | | Submitted | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'I |
| | | | | | | Rec | Nonrec | | Nonrecurring | | | | | Rates(\$) | | |
| | | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | 2-Wire Voice Grade Port (Centrex / EBS-M5316)3 | | | UEP9D | UEPH3 | 14.00 | 70.00 | 35.00 | | 10.00 | | 11.90 | | | | |
| | 2-Wire Voice Grade Port (Centrex with Caller ID) | | | UEP9D | UEPHH | 14.00 | 70.00 | 35.00 | 35.00 | 10.00 | | 11.90 | | | | |
| | 2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp Indication)3 | | | UEP9D | UEPHW | 14.00 | 70.00 | 35.00 | 35.00 | 10.00 | | 11.90 | | | | |
| | 2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication)3 | | - | UEP9D | UEPHJ | 14.00 | 70.00 | 35.00 | 35.00 | 10.00 | | 11.90 | | | | <u> </u> |
| | 2-Wire Voice Grade Port (Centrex/Nig Wig Lamp Indication)s 2-Wire Voice Grade Port (Centrex from diff Serving Wire Center) | | | OLF 9D | OLFTIJ | 14.00 | 70.00 | 33.00 | 35.00 | 10.00 | | 11.90 | | | | <u> </u> |
| | 2 | | | UEP9D | UEPHM | 14.00 | 180.00 | 110.00 | 85.00 | 20.00 | | 11.90 | | | | |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2, 3 | | | UEP9D | UEPHO | 14.00 | 180.00 | 110.00 | | 20.00 | | 11.90 | | | | |
| | | | | | | | | | | | | | | | | |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2, 3 | | | UEP9D | UEPHP | 14.00 | 180.00 | 110.00 | 85.00 | 20.00 | | 11.90 | | | | Ļ |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2, 3 | | | UEP9D | UEPHQ | 14.00 | 180.00 | 110.00 | 85.00 | 20.00 | | 11.90 | | | | Ļ |
| | | | 1 | | | 11.00 | 100.00 | 110.00 | 05.00 | 00.00 | | 44.00 | | | | 1 |
| ┝──- | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2, 3 | <u> </u> | <u> </u> | UEP9D | UEPHR | 14.00 | 180.00 | 110.00 | 85.00 | 20.00 | | 11.90 | | | | ł |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2, 3 | | | UEP9D | UEPHS | 14.00 | 180.00 | 110.00 | 85.00 | 20.00 | | 11.90 | | | | |
| | 2-whe voice Grade Port (Centrex/diller SWC /EBS-M5312)2, 3 | | - | UEP9D | UEPHS | 14.00 | 180.00 | 110.00 | 85.00 | 20.00 | | 11.90 | | | | <u> </u> |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2, 3 | | | UEP9D | UEPH4 | 14.00 | 180.00 | 110.00 | 85.00 | 20.00 | | 11.90 | | | | |
| | | | | 02.00 | 02 | 1.00 | 100.00 | 110.00 | 00.00 | 20.00 | | | | | | |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3 | | | UEP9D | UEPH5 | 14.00 | 180.00 | 110.00 | 85.00 | 20.00 | | 11.90 | | | | |
| | | | | | | | | | | | | | | | | |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2, 3 | | | UEP9D | UEPH6 | 14.00 | 180.00 | 110.00 | 85.00 | 20.00 | | 11.90 | | | | |
| | | | | | | | | | | | | | | | | |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2, 3 | | | UEP9D | UEPH7 | 14.00 | 180.00 | 110.00 | 85.00 | 20.00 | | 11.90 | | | | L |
| | 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service | | | | | 44.00 | 100.00 | 110.00 | 05.00 | | | 11.00 | | | | |
| | Term | | | UEP9D | UEPHZ | 14.00 | 180.00 | 110.00 | 85.00 | 20.00 | | 11.90 | | | | <u> </u> |
| | 2-Wire Voice Grade Port terminated in on Megalink or equivalent | | | UEP9D | UEPH9 | 14.00 | 70.00 | 35.00 | 35.00 | 10.00 | | 11.90 | | | | |
| | 2-Wire Voice Grade Port Terminated in on Meganink of equivalent | | | UEP9D | UEPH2 | 14.00 | 70.00 | 35.00 | | 10.00 | | 11.90 | | | | <u> </u> |
| Local S | Switching | | | | | | | | | | | | | | | |
| | Centrex Intercom Funtionality, per port | | | UEP9D | URECS | 0.7384 | | | | | | | | | | |
| Local N | Number Portability | | | | | | | | | | | | | | | |
| | Local Number Portability (1 per port) | | | UEP9D | LNPCC | 0.35 | | | | | | | | | | |
| Feature | | | | 115545 | | 0.00 | | | | | | | | | | L |
| - | All Standard Features Offered, per port | | | UEP9D UEP9D | UEPVF UEPVS | 0.00 | 370.70 | | | | | 11.90 | | | | ł |
| | All Select Features Offered, per port All Centrex Control Features Offered, per port | | - | UEP9D UEP9D | UEPVS | 0.00 | 370.70 | | <u> </u> | | | 11.90 | | | | <u> </u> |
| NARS | All Centrex Control r eatures Offered, per port | | | ULF 9D | OLFVC | 0.00 | | | - | | | | | | | t |
| in a local de la companya de | Unbundled Network Access Register - Combination | | | UEP9D | UARCX | 0.00 | 0.00 | 0.00 | <u> </u> | | | 11.90 | | | | |
| | Unbundled Network Access Register - Inward | | | UEP9D | UAR1X | 0.00 | 0.00 | 0.00 | | | | 11.90 | | | | |
| | Unbundled Network Access Register - Outdial | | | UEP9D | UAROX | 0.00 | 0.00 | 0.00 | | | | 11.90 | | | | |
| | aneous Terminations | | | | | | | | | | | | | | | |
| 2-Wire | Trunk Side | | | | | | | | | | | | | | | L |
| | Trunk Side Terminations, each | | | UEP9D | CEND6 | 8.81 | | | | | | | | | | |
| | Digital (1.544 Megabits) | | | | 141154 | 54.05 | | | | | | | | | | ł |
| | DS1 Circuit Terminations, each DS0 Channels Activiated per Channel | | - | UEP9D UEP9D | M1HD1 M1HDO | 54.95 0.00 | 15.69 | | <u> </u> | | | 11.90 | | | | <u> </u> |
| | fice Channel Mileage - 2-Wire | | | OLF 9D | WITTED | 0.00 | 13.09 | | | | | 11.90 | | | | <u> </u> |
| | Interoffice Channel Facilities Termination | | 1 | UEP9D | MIGBC | 25.32 | | | | | | | | | | |
| | Interoffice Channel mileage, per mile or fraction of mile | | 1 | UEP9D | MIGBM | 0.0091 | | | 1 | | 1 | | | | | <u> </u> |
| Feature | e Activations (DS0) Centrex Loops on Channelized DS1 Servic | e | | | | | | | | | | | | | | |
| D4 Cha | nnel Bank Feature Activations | | | | | | | | | | | | | | | L |
| | Feature Activation on D-4 Channel Bank Centrex Loop Slot | | | UEP9D | 1PQWS | 0.66 | | | | | | | | | | L |
| | | | 1 | | 100110 | | | | | | | | | | | 1 |
| ┝──- ┝─── | Feature Activation on D-4 Channel Bank FX line Side Loop Slot | | <u> </u> | UEP9D | 1PQW6 | 0.66 | | | ├ | | | | | | | ł |
| 1 | Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot | | 1 | UEP9D | 1PQW7 | 0.66 | | | | | | | | | | 1 |
| | Feature Activation on D-4 Channel Bank Centrex Loop Slot - | - | | OFLAD | | 0.00 | | | <u>├</u> | | | | | | | ł |
| | Different Wire Center | | 1 | UEP9D | 1PQWP | 0.66 | | | | | | | | | | 1 |

| UNBUNDLE | D NETWORK ELEMENTS - Florida | | | | | | | | | | | | Attachment: | 1 | | bit: C |
|----------|---|-------------|------|--------|----------------|-------|--------|-----------|--------------|--------------|-------|---|--|--|----------|---|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES(\$) | | | | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Charge - | Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l |
| | | | | | | Dee | Nonrec | urring | Nonrecurring | g Disconnect | | | OSS | Rates(\$) | | |
| | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | | | | | | | | | | | | | | | |
| | Feature Activation on D-4 Channel Bank Private Line Loop Slot | | | UEP9D | 1PQWV | 0.66 | | | | | | | | | | |
| | Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop Slot | | | UEP9D | 1PQWQ | 0.66 | | | | | | | | | | |
| | Feature Activation on D-4 Channel Bank WATS Loop Slot | | | UEP9D | 1PQWQ 1PQWA | 0.66 | | | | | | | | | | |
| Non-R | ecurring Charges (NRC) Associated with UNE-P Centrex | | 1 | | II QWA | 0.00 | | | | | | | | | | |
| Non Ite | NRC Conversion Currently Combined Switch-As-Is with allowed | | | | | | | | | | | | | | | |
| | changes, per port | | | UEP9D | USAC2 | | 21.50 | 8.42 | | | | 11.90 | | | | |
| | Conversion of existing Centrex Common Block, each | | | UEP9D | USACN | | 5.17 | 8.32 | | | | 11.90 | | | | |
| | New Centrex Standard Common Block | | | UEP9D | M1ACS | 0.00 | 618.82 | | | | | 11.90 | | | | |
| | New Centrex Customized Common Block | | | UEP9D | M1ACC | 0.00 | 618.82 | | | | | 11.90 | | | | |
| | NAR Establishment Charge, Per Occasion | | L | UEP9D | URECA | 0.00 | 66.48 | | | | | 11.90 | | | | |
| | CENTREX - EWSD (Valid in AL, FL, KY, LA, MS & TN) | | | | | | | | | | | | | | | |
| | VG Loop/2-Wire Voice Grade Port (Centrex) Combo | | | | | | | | | | ł | | | | | L |
| UNE P | ort/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - | | - | | | | | | | | | | | | | |
| | Non-Design | | 1 | UEP9E | | 26.94 | | | | | | | | | | |
| | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - | | | | | 20.34 | | | | | | | | | | |
| | Non-Design | | 2 | UEP9E | | 31.06 | | | | | | | | | | |
| | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - | | | | | | | | | | | | | | | |
| | Non-Design | | 3 | UEP9E | | 45.87 | | | | | | | | | | |
| UNE P | ort/Loop Combination Rates (Design) | | | | | | | | | | | | | | | |
| | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - | | | | | | | | | | | | | | | |
| | Design | | 1 | UEP9E | | 29.36 | | | | | | | | | | |
| | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - | | | | | | | | | | | | | | | |
| | Design | | 2 | UEP9E | | 34.43 | | | | | | | | | | |
| | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design | | 3 | UEP9E | | 50.68 | | | | | | | | | | |
| UNEI | oop Rate | | 3 | ULFBL | | 30.00 | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL 1) - Zone 1 | | 1 | UEP9E | UECS1 | 12.94 | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL 1) - Zone 2 | | 2 | UEP9E | UECS1 | 17.06 | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL 1) - Zone 3 | | 3 | UEP9E | UECS1 | 31.87 | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL 2) - Zone 1 | | 1 | UEP9E | UECS2 | 15.36 | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL 2) - Zone 2 | | 2 | UEP9E | UECS2 | 20.43 | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL 2) - Zone 3 | | 3 | UEP9E | UECS2 | 36.68 | | | | | | | | | | |
| | ort Rate | | | | | | | | | | | | | | | |
| AL, FL | ., KY, LA, MS, & TN only | | | UEP9E | UEPYA | 14.00 | 70.00 | 35.00 | 35.00 | 10.00 | | 11.90 | | | | |
| | 2-Wire Voice Grade Port (Centrex) Basic Local Area 2-Wire Voice Grade Port (Centrex 800 termination)Basic Local | | | UEP9E | UEPTA | 14.00 | 70.00 | 35.00 | 35.00 | 10.00 | | 11.90 | | | | |
| | Area | | | UEP9E | UEPYB | 14.00 | 70.00 | 35.00 | 35.00 | 10.00 | | 11.90 | | | | |
| | 2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local | | | OEI OE | OEI ID | 14.00 | 70.00 | 00.00 | 00.00 | 10.00 | | 11.00 | | | | |
| | Area | | | UEP9E | UEPYH | 14.00 | 70.00 | 35.00 | 35.00 | 10.00 | | 11.90 | | | | |
| | 2-Wire Voice Grade Port (Centrex from diff Serving Wire | | | | - | | | | | | | | | | | |
| | Center)2 Basic Local Area | | | UEP9E | UEPYM | 14.00 | 180.00 | 110.00 | 85.00 | 20.00 | | 11.90 | | | | |
| | 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service | | | | | | | | | | | | | | | |
| | Term - Basic Local Area | | | UEP9E | UEPYZ | 14.00 | 180.00 | 110.00 | 85.00 | 20.00 | | 11.90 | | | | |
| | 2-Wire Voice Grade Port terminated in on Megalink or equivalent | | 1 | | | | | | | 10 | | | | | | |
| | - Basic Local Area | | | UEP9E | UEPY9 | 14.00 | 70.00 | 35.00 | 35.00 | 10.00 | | 11.90 | | | | |
| 1 | 2-Wire Voice Grade Port Terminated on 800 Service Term - Basic Local Area | | 1 | UEP9E | UEPY2 | 14.00 | 70.00 | 35.00 | 35.00 | 10.00 | | 11.90 | | | | |
| Florida | | | | OFLAE | UEP 12 | 14.00 | 70.00 | 35.00 | 35.00 | 10.00 | | 11.90 | | | | |
| Fiorida | 2-Wire Voice Grade Port (Centrex) | | 1 | UEP9E | UEPHA | 14.00 | 70.00 | 35.00 | 35.00 | 10.00 | 1 | 11.90 | | | | |
| <u> </u> | 2-Wire Voice Grade Port (Centrex 800 termination) | | 1 | UEP9E | UEPHB | 14.00 | 70.00 | 35.00 | 35.00 | 10.00 | | 11.90 | | | | |
| | 2-Wire Voice Grade Port (Centrex with Caller ID)1 | | 1 | UEP9E | UEPHH | 14.00 | 70.00 | 35.00 | 35.00 | 10.00 | | 11.90 | | | | |
| | 2-Wire Voice Grade Port (Centrex from diff Serving Wire | | 1 | | 1 | | | | | | | | | | | |
| | Center)2 | | | UEP9E | UEPHM | 14.00 | 180.00 | 110.00 | 85.00 | 20.00 | | 11.90 | | | | |
| | 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service | | | | | | | | | | | | | | | |
| | Term | | | UEP9E | UEPHZ | 14.00 | 180.00 | 110.00 | 85.00 | 20.00 | l | 11.90 | | | | |

| UNBUNDLE | ED NETWORK ELEMENTS - Florida | | | | | | | | | | | | Attachment: | 2 | Exhi | ibit: C |
|----------|---|----------|----------|----------------------|----------------|-----------------|--------|-------------|--------------|--------------|-----------|-----------|-------------|-------------|-------------|-------------|
| | | | | | | | | | | | Svc Order | Svc Order | Incremental | Incremental | Incremental | Incremental |
| | | | | | | | | | | | Submitted | Submitted | Charge - | Charge - | Charge - | Charge - |
| | | Interi | | | | | | | | | Elec | Manually | Manual Svc | Manual Svc | Manual Svc | Manual Svc |
| CATEGORY | RATE ELEMENTS | | Zone | BCS | USOC | | | RATES(\$) | | | per LSR | | Order vs. | Order vs. | Order vs. | Order vs. |
| | | m | | | | | | | | | po0.1 | po. 2011 | Electronic- | Electronic- | Electronic- | |
| | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add'l |
| | | | | | | | | | | | | | 150 | Auu | Disc ist | DISC AUU I |
| | | | | | | Rec | Nonrec | urring | Nonrecurring | g Disconnect | | | | Rates(\$) | | |
| | | | | | | Nec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | | | | | | | | | | | | | | | |
| | 2-Wire Voice Grade Port terminated in on Megalink or equivalent | | | UEP9E | UEPH9 | 14.00 | 70.00 | 35.00 | 35.00 | 10.00 | | 11.90 | | | | |
| | 2-Wire Voice Grade Port Terminated on 800 Service Term | | | UEP9E | UEPH2 | 14.00 | 70.00 | 35.00 | 35.00 | 10.00 | | 11.90 | | | | |
| Local | Switching | | | | | | | | | | | | | | | |
| | Centrex Intercom Funtionality, per port | | | UEP9E | URECS | 0.7384 | | | | | | | | | | |
| Local | Number Portability | | | | | | | | | | | | | | | |
| | Local Number Portability (1 per port) | | | UEP9E | LNPCC | 0.35 | | | | | | | | | | |
| Featu | | | | | | | | | | | | | | | | |
| | All Standard Features Offered, per port | | | UEP9E | UEPVF | 0.00 | | | | | | | | | | |
| | All Select Features Offered, per port | | | UEP9E | UEPVS | 0.00 | 370.70 | | | | | 11.90 | | | | <u> </u> |
| | All Centrex Control Features Offered, per port | | | UEP9E | UEPVC | 0.00 | | | | | | | ļ | | | ─── |
| NARS | | | | | | | | | | | | | | | | |
| | Unbundled Network Access Register - Combination | | | UEP9E | UARCX | 0.00 | 0.00 | 0.00 | | | | 11.90 | | | | |
| | Unbundled Network Access Register - Indial | | | UEP9E | UAR1X | 0.00 | 0.00 | 0.00 | | | | 11.90 | | | | |
| | Unbundled Network Access Register - Outdial | | | UEP9E | UAROX | 0.00 | 0.00 | 0.00 | | | | 11.90 | | | | |
| | Ilaneous Terminations | | | | | | | | | | | | | | | |
| 2-Wire | e Trunk Side | | | | | | | | | | | | | | | |
| | Trunk Side Terminations, each | | | UEP9E | CEND6 | 8.81 | | | | | | | | | | |
| 4-Wire | e Digital (1.544 Megabits) | | | | | | | | | | | | | | | |
| | DS1 Circuit Terminations, each | | | UEP9E | M1HD1 | 54.95 | | | | | | | | | | |
| | DS0 Channel Activated Per Channel | | | UEP9E | M1HDO | 0.00 | 15.69 | | | | | 11.90 | | | | |
| Intero | ffice Channel Mileage - 2-Wire | | | | | | | | | | | | | | | |
| | Interoffice Channel Facilities Termination | | | UEP9E | MIGBC | 25.32 | | | | | | | | | | |
| | Interoffice Channel mileage, per mile or fraction of mile | | | UEP9E | MIGBM | 0.0091 | | | | | | | | | | |
| | re Activations (DS0) Centrex Loops on Channelized DS1 Service | ce | | | | | | | | | | | | | | |
| D4 Ch | annel Bank Feature Activations | | | | | | | | | | | | | | | |
| | Feature Activation on D-4 Channel Bank Centrex Loop Slot | | | UEP9E | 1PQWS | 0.66 | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | Feature Activation on D-4 Channel Bank FX line Side Loop Slot | | | UEP9E | 1PQW6 | 0.66 | | | | | | | | | | |
| | Feature Activation on D-4 Channel Bank FX Trunk Side Loop | | | | | | | | | | | | | | | |
| | Slot | | | UEP9E | 1PQW7 | 0.66 | | | | | | | | | | |
| | Feature Activation on D-4 Channel Bank Centrex Loop Slot - | | | | | | | | | | | | | | | |
| | Different Wire Center | | | UEP9E | 1PQWP | 0.66 | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | Feature Activation on D-4 Channel Bank Private Line Loop Slot | | | UEP9E | 1PQWV | 0.66 | | | | | | | | | | |
| | Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop | | | | | | | | | | | | | | | |
| | Slot | | | UEP9E | 1PQWQ | 0.66 | | | | | | | | | | |
| | Feature Activation on D-4 Channel Bank WATS Loop Slot | | | UEP9E | 1PQWA | 0.66 | | | | | | | | | | |
| Non-H | Recurring Charges (NRC) Associated with UNE-P Centrex | | | | | | | | | | | | | | | |
| | NRC Conversion Currently Combined Switch-As-Is with allowed | | | | 110465 | | | • /- | | | 1 | | 1 | | | 1 |
| | changes, per port | | <u> </u> | UEP9E | USAC2 | | 21.50 | 8.42 | | | <u> </u> | 11.90 | | | | ┥──── |
| | Conversion of Existing Centrex Common Block, each | | | UEP9E | USACN | 0.00 | 5.17 | 8.32 | | | | 11.90 | | | | ─── |
| | New Centrex Standard Common Block | | | UEP9E | M1ACS | 0.00 | 618.82 | | | | | 11.90 | | | | ─── |
| | New Centrex Customized Common Block | | <u> </u> | UEP9E | M1ACC | 0.00 | 618.82 | | | | <u> </u> | 11.90 | | | | ╉───── |
| <u> </u> | NAR Establishment Charge, Per Occasion | | <u> </u> | UEP9E | URECA | 0.00 | 66.48 | | | | <u> </u> | 11.90 | | | | ╉───── |
| | I - Required Port for Centrex Control in 1AESS, 5ESS & EWSD | | <u> </u> | | | | | | | | <u> </u> | | | | | ╉───── |
| | 2 - Requres Interoffice Channel Mileage | | <u> </u> | | | | | | | | <u> </u> | | | | | ╉───── |
| | 3 - Requires Specific Customer Premises Equipment | <u> </u> | L | | | | | | | | | ļ | | | | ─── |
| Note: | Rates displaying an "R" in Interim column are interim and sul | oject to | rate tru | e-up as set forth in | n General Term | is and Conditio | ons. | | | | 1 | | | | 1 | <u> </u> |

| LOC/ | AL INTE | RCONNECTION - Florida | | | | | | | | | | | | Attachr | ment: 3 | Exhi | bit: A |
|----------|----------|---|-----------|-----------|--------------------------|----------------|-------------------|------------------|------------|----------------|----------------|-------------|-------------|-------------|-------------|------------|--|
| | | | | | | | | | | | | Svc Order | Svc Order | Incremental | | | |
| | | | | | | | | | | | | | Submitted | | Charge - | Charge - | Charge - |
| | | | | | | | | | | | | Elec | | Manual Svc | | Manual Svc | - |
| CATE | GORY | RATE ELEMENTS | Interi | Zone | BCS | USOC | | | RATES (\$) | | | per LSR | per LSR | Order vs. | Order vs. | Order vs. | Order vs. |
| | | | m | | | | | | | per Loix | per Loix | Electronic- | Electronic- | Electronic- | Electronic- | | |
| | | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add'l |
| | | | | | | | | | | | | | | 151 | Auu | Disc TSL | DISC AUU I |
| | | | | | | | Rec | Nonrec | urring | Nonrecurring | | | | | Rates(\$) | | |
| | | | | | | | Nec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | | | | | | | | | | | | | | | | |
| LOCA | | CONNECTION (CALL TRANSPORT AND TERMINATION) | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| - | | | | | 0.115 | | | | | | | | | | | | |
| | | End Office Switching, Function Per MOU | | | OHD | | 0.0009302 | | | | | | | | | | |
| | TANDE | M SWITCHING | | | OHD | | 0.0006010 | | | | | | | | | | |
| | | Tandem Switching Function Per MOU Multiple Tandem Switching, per MOU (applies to intial tandem | | | UHD | | 0.0006019 | | | | | | | | | | |
| | | only) | | | OHD | | 0.0006019 | | | | | | | | | | |
| | | Tandem Intermediary Charge, per MOU* | | | OHD | | 0.0015 | | | | | | | | | | |
| | * This d | charge is applicable only to transit traffic and is applied in ad- | dition to | | | or interconn | | | | | | | | | | | <u>├────</u> |
| | | CHARGE | | | and/ | | sector onarges | • | | | | <u> </u> | | | | | <u> </u> |
| - | | Installation Trunk Side Service - per DS0 | 1 | 1 | OHD | TPP++ | 1 | 336.43 | 57.38 | 1 | 1 | t | | 1 | 1 | 1 | <u> </u> |
| | | Dedicated End Office Trunk Port Service-per DS0** | | | OHD | TDE0P | 0.00 | | 250 | l | l | | | | 1 | | |
| | 1 | Dedicated End Office Trunk Port Service-per DS1** | 1 | 1 | 0H1 OH1MS | TDE1P | 0.00 | | | l | l | 1 | | İ | İ | | |
| | 1 | Dedicated Tandem Trunk Port Service-per DS0** | | 1 | OHD | TDW0P | 0.00 | | | | | | | | | | |
| | | Dedicated Tandem Trunk Port Service-per DS1** | | | OH1 OH1MS | TDW1P | 0.00 | | | | | | | | | | |
| | | rate element is recovered on a per MOU basis and is included | in the | End Of | fice Switching and T | andem Swit | ching, per MOU | J rate elements | 5 | | | | | | | | |
| | COMM | ON TRANSPORT (Shared) | | | | | | | | | | | | | | | |
| | | Common Transport - Per Mile, Per MOU | | | OHD | | 0.000035 | | | | | | | | | | |
| | | Common Transport - Facilities Termination Per MOU | | | OHD | | 0.0004372 | | | | | | | | | | |
| LOCA | | CONNECTION (DEDICATED TRANSPORT) | | | | | | | | | | | | | | | |
| | INTERO | OFFICE CHANNEL - DEDICATED TRANSPORT | | | | | | | | | | | | | | | |
| | | Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade - | | | | | | | | | | | | | | | |
| | | Per Mile per month | | | OHL, OHM | 1L5NF | 0.0091 | | | | | | | | | | |
| | | Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade - | | | | | | 17.05 | | | = | | | | | | |
| | _ | Facility Termination per month | | | OHL, OHM | 1L5NF | 25.32 | 47.35 | 31.78 | 18.31 | 7.03 | - | | | | | |
| | | Interoffice Channel - Dedicated Transport - 56 kbps - per mile | | | | | 0.0001 | | | | | | | | | | |
| - | - | per month | | | OHL, OHM | 1L5NK | 0.0091 | | | | | | | | | | |
| | | Interoffice Channel - Dedicated Transport - 56 kbps - Facility | | | OHL, OHM | 1L5NK | 18.44 | 47.35 | 31.78 | 18.31 | 7.03 | | | | | | |
| | | Termination per month Interoffice Channel - Dedicated Transport - 64 kbps - per mile | | | | ILDINK | 10.44 | 47.55 | 31.70 | 10.31 | 7.03 | 1 | | | | | |
| | | per month | | | OHL, OHM | 1L5NK | 0.0091 | | | | | | | | | | |
| - | | Interoffice Channel - Dedicated Transport - 64 kbps - Facility | | | OTIL, OTIM | LOININ | 0.0031 | | | | | | | | | | |
| | | Termination per month | | | OHL. OHM | 1L5NK | 18.44 | 47.35 | 31.78 | 18.31 | 7.03 | | | | | | |
| | | Interoffice Channel - Dedicated Channel - DS1 - Per Mile per | | | | TEORIT | 10.44 | 47.00 | 01.70 | 10.01 | 1.00 | 1 | | | | | |
| | | month | | | OH1, OH1MS | 1L5NL | 0.1856 | | | | | | | | | | |
| | | Interoffice Channel - Dedicated Tranport - DS1 - Facility | | | | | | | | | | | | | | | |
| | | Termination per month | | | OH1, OH1MS | 1L5NL | 88.44 | 105.54 | 98.47 | 21.47 | 19.05 | | | | | | |
| | | Interoffice Channel - Dedicated Transport - DS3 - Per Mile per | | | | | | | | | | | | | | | |
| | | month | | | OH3, OH3MS | 1L5NM | 3.87 | | | | | | | | | | |
| | 1 | Interoffice Channel - Dedicated Transport - DS3 - Facility | | 1 | | | | | | | | | | | | | |
| | | Termination per month | | | OH3, OH3MS | 1L5NM | 1,071.00 | 335.46 | 219.28 | 72.03 | 70.56 | | | | | | |
| | LOCAL | CHANNEL - DEDICATED TRANSPORT | | | | | | - | | | | | | | | | |
| | | Local Channel - Dedicated - 2-Wire Voice Grade per month | | | ohl, ohm | TEFV2 | 19.66 | 265.84 | 46.97 | 37.63 | 4.00 | | | | | | |
| | | Local Channel - Dedicated - 4-Wire Voice Grade per month | | | OHL, OHM | TEFV4 | 20.45 | 266.54 | 47.67 | 44.22 | 5.33 | | | | | | |
| <u> </u> | | Local Channel - Dedicated - DS1 per month | | | OH1 | TEFHG | 36.49 | 216.65 | 183.54 | 24.30 | 16.95 | | | | | | |
| | | | | | 0.10 | TE E | 504.01 | 550 0 7 | 0.40.57 | 100.10 | 00.01 | | | | | | |
| | | Local Channel - Dedicated - DS3 Facility Termination per month | l | | OH3 | TEFHJ | 531.91 | 556.37 | 343.01 | 139.13 | 96.84 | | | | | | ┥────┤ |
| | | INTERCONNECTION MID-SPAN MEET | | | | | | | | | | ļ | | | | | \vdash |
| | NOTE: | If Access service ride Mid-Span Meet, one-half the tariffed ser | rvice Lo | | | | 0.00 | 0.00 | | | | ļ | | | | | \vdash |
| | - | Local Channel - Dedicated - DS1 per month | | <u> </u> | OH1MS | TEFHG | 0.00 | 0.00 | | | | ļ | | | | | ┟────┤ |
| | MI | Local Channel - Dedicated - DS3 per month | | <u> </u> | OH3MS | TEFHJ | 0.00 | 0.00 | | | | ļ | | | | | ┟────┤ |
| | | PLEXERS | I | <u> </u> | | CATN/ | 4 40 77 | 404 40 | 74.00 | 44.00 | 40.40 | | | | | | ┥───┤ |
| | + | Channelization - DS1 to DS0 Channel System DS3 to DS1 Channel System per month | | | OH1, OH1MS OH3, OH3MS | SATN1 SATNS | 146.77 211.19 | 101.42 199.28 | 71.62 | 11.09 40.34 | 10.49 39.07 | | | 1 | | 1 | ┥───┤ |
| | + | DS3 to DS1 Channel System per month DS3 Interface Unit (DS1 COCI) per month | | | OH3, OH3MS OH1, OH1MS | SATINS | 13.76 | 199.28 | 7.08 | 40.34 | 39.07 | t | | | | 1 | ┢───┤ |
| <u> </u> | Notes | If no rate is identified in the contract, the rates, terms, and co | andition | | | | | | | riff | | <u> </u> | | ł | | ł | ┥───┤ |
| L | notes: | in no rate is identified in the contract, the rates, terms, and co | munior | 13 101 [[| ie apecilie service o | i runction W | III DE AS SEL ION | an in applicable | | | | 1 | I | | | 1 | 1 |

| COLLOCAT | ION - Florida | | | | | | | | | | | | Attach | ment: 4 | Exhi | ibit: B |
|-----------------|---|-------------|----------|--|----------------|-----------------|----------|------------|--------------|------------|---|-------|--|--|---|----------------|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES (\$) | | | Svc Order Submitted Elec per LSR | | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Charge - |
| | | | | | | Rec | Nonrec | urring | Nonrecurring | Disconnect | | | OSS | Rates(\$) | | |
| | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | | | | | | | | | | | | | | | |
| PHYSICAL CO | PLICCATION Physical Collocation - Application Fee - Initial | | | | | | 2,597.00 | | 1.01 | | | | | | | ļ/ |
| | Physical Collocation - Application Fee - Initial Physical Collocation - Application Fee - Subsequent | | | CLO CLO | PE1BA PE1CA | | 2,597.00 | | 1.01 | | | | | | | J |
| | Physical Collocation - Application - ee - Subsequent Physical Collocation Administrative Only - Application Fee | 1 | | CLO | PE1BL | | 742.00 | | 1.01 | | | | | | | |
| | Physical Collocation - Space Preparation - Firm Order Processing | | | CLO | PE1SJ | | 288.93 | | | | | | | | | |
| | Physical Collocation - Space Preparation - C.O. Modification per square ft. | | | CLO | PE1SK | 2.38 | | | | | | | | | | |
| | Physical Collocation - Space Preparation - Common Systems | | | | | | | | | | | | | | | |
| | Modification per Cage | | | CLO | PE1SM | 92.55 | | | | | | | | | | |
| ├── | Physical Collocation - Cable Installation per Cable Physical Collocation - Floor Space per Sq. Ft. | | <u> </u> | CLO CLO | PE1BD PE1PJ | 7.86 | 1,750.00 | | 45.16 | | | | | | | └──── ′ |
| | Physical Collocation - Floor Space per Sq. Ft. Physical Collocation - Cable Support Structure | | | CLO | PE1PJ PE1PM | 18.96 | | | | | | | | | | |
| | Physical Collocation - Cable Support Structure | | | CLO | PE1PL | 7.80 | | | | | | | | | | |
| | Physical Collocation - Power Reduction, Application Fee | | | CLO | PE1PR | 7.00 | 399.43 | | | | | | | 1 | | |
| | Physical Collocation - 120V, Single Phase Standby Power Rate | | | CLO | PE1FB | 5.38 | | | | | | | | | | |
| | Physical Collocation - 240V, Single Phase Standby Power Rate | | | CLO | PE1FD | 10.77 | | | | | | | | | | |
| | Physical Collocation - 120V, Three Phase Standby Power Rate | | | CLO | PE1FE | 16.15 | | | | | | | | | | |
| | Physical Collocation - 277V, Three Phase Standby Power Rate | | | CLO | PE1FG | 37.30 | | | | | | | | | | |
| | Physical Collocation - 2-Wire Cross-Connects | | | UEANL,UEA,UDN,U DC,UAL,UHL,UCL,U EQ, UDL, UNCVX, UNLDX, UNCNX CLO, UAL, UDL, | PE1P2 | 0.0276 | 8.22 | 7.22 | 5.74 | 4.58 | | | | | | |
| | | | | UDN, UEA, UHL, UNCVX, UNCDX, | | | | | | | | | | | | ľ |
| | Physical Collocation - 4-Wire Cross-Connects | | | UCL CLO,UEANL,UEQ,W | PE1P4 | 0.0552 | 8.42 | 7.36 | 5.90 | 4.66 | | | | | | - |
| | | | | DS1L,WDS1S, USL, U1TD1, UXTD1, UNC1X, ULDD1, USLEL, UNLD1, | | | | | | | | | | | | |
| | Physical Collocation - DS1 Cross-Connects | | | UDL CLO, UE3,U1TD3, | PE1P1 | 1.32 | 27.77 | 15.52 | 5.93 | 4.77 | | | | | | ļ/ |
| | | | | UXTD3, UXTS1, UNC3X, UNCSX, ULDD3, U1TS1,ULDS1, | | 10.01 | 05.40 | 44.05 | | 5.04 | | | | | | |
| ┝──┼── | Physical Collocation - DS3 Cross-Connects | | <u> </u> | UNLD3, UDL | PE1P3 | 16.81 | 25.48 | 14.05 | 7.77 | 5.01 | | | | ł | 1 | ─── |
| | Physical Callestica - 0 Eiter Cause Constant | | | CLO, ULDO3, ULD12, ULD48, U1TO3, U1T12, U1T48, UDLO3, | | 2.24 | 44.04 | 20 50 | 10.01 | 44.40 | | | | | | |
| | Physical Collocation - 2-Fiber Cross-Connect | | | UDL12, UDF CLO, ULDO3, ULD12, ULD48, U1TO3, U1T12, U1T48, UDLO3, | PE1F2 | 3.34 | 41.94 | 30.52 | 13.91 | 11.16 | | | | | | |
| | Physical Collocation - 4-Fiber Cross-Connect | | ļ | UDL12, UDF | PE1F4 | 5.92 | 51.30 | 39.87 | 18.29 | 15.54 | ļ | | | ļ | | |
| ├── ├ ── | Physical Collocation - Welded Wire Cage - First 100 Sq. Ft. Physical Collocation - Welded Wire Cage - Add'l 50 Sq. Ft. | | | CLO CLO | PE1BW PE1CW | 189.45 18.58 | | | | | | | | | | <u> </u> |
| | Physical Collocation - Welded Wire Cage - Add 50 Sq. Ft. Physical Collocation - Security System Per Central Office Per | | | GLU | PEIGW | 18.58 | | | | | | | | | | ├ ────┘ |
| | Assignable Sq. Ft. | | 1 | CLO | PE1AY | 0.0105 | | | | | | | | | | 1 |
| | | | | | | | | | | | | | | | | |

| COLLOCAT | ION - Florida | | | | | 1 | | | | | L - | | | ment: 4 | | bit: B |
|----------|--|-------------|------|--|----------------|--------|----------------|----------------|-----------------|-------|---|-------|--|--|---|---|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES (\$) | | | Svc Order Submitted Elec per LSR | | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'I |
| | | | | | | Rec | Nonrec | | Nonrecurring | | | | | Rates(\$) | | |
| | | | | | | Nec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | Physical Collocation - Security Access System - New Access Card Activation, per Card | | | CLO | PE1A1 | 0.0577 | 55.80 | | | | | | | | | |
| | | | | CLU | PEIAI | 0.0577 | 55.60 | | - | | | | | | | |
| | Physical Collocation-Security Access System-Administrative Change, existing Access Card, per Request, per State, per Card | | | CLO | PE1AA | | 15.65 | | | | | | | | | |
| | Physical Collocation - Security Access System - Replace Lost or Stolen Card, per Card | | | | PE1AR | | 45.75 | | | | | | | | | |
| | Physical Collocation - Security Access - Initial Key, per Key | | | CLO | PE1AK | | 26.30 | | | | | | | | | |
| | Physical Collocation - Security Access - Key, Replace Lost or Stolen Key, per Key | | | | PE1AL | | 26.30 | | | | | | | | | |
| | Physical Collocation - Space Availability Report per premises | | | | PE1SR | | 2,159.00 | | | | | | | | | |
| | POT Bay Arrangements prior to 6/1/99 - 2-Wire Cross-Connect, per cross-connect | | | UEANL,UEA,UDN,U DC,UAL,UHL,UCL,U EQ,CLO,UDL, UNCVX, UNCDX, UNCNX | PE1PE | 0.00 | | | | | | | | | | |
| | POT Bay Arrangements prior to 6/1/99 - 4-Wire Cross-Connect, per cross-connect | | | UEANL,UEA,UDN,U DC,UAL,UHL,UCL,U EQ,CLO, USL, | | 0.00 | | | | | | | | | | |
| | POT Bay Arrangements prior to 6/1/99 - DS1 Cross-Connect, per cross-connect | I | | UEANL,UEA,UDN,U DC,UAL,UHL,UCL,U EQ,CLO,WDS1L,W DS1S, USL, U1TD1, UXTD1, UNC1X, ULDD1, USLEL, UNLD1 | PE1PG | 0.00 | | | | | | | | | | |
| | POT Bay Arrangements prior to 6/1/99 - DS3 Cross-Connect, per cross-connect | | | UEANL, UEA, UDN, U DC, UAL, UHL, UCL, U EQ, CLO, UE3, U1TD3, UXTD3, UXTS1, UNC3X, UNCSX, ULDD3, U1TS1, ULDS1, UNLD3, UDL, | PE1PH | 0.00 | | | | | | | | | | |
| | POT Bay Arrangements prior to 6/1/99 - 2-Fiber Cross-Connect, per cross-connect | | | UEANL,UEA,UDN,U DC,UAL,UHL,UCL,U EQ,CLO, ULDO3, ULD12, ULD48, U1TO3, U1T12, U1T48, UDLO3, | PE1B2 | 0.00 | | | | | | | | | | |
| | POT Bay Arrangements prior to 6/1/99 - 4-Fiber Cross-Connect, per cross-connect | | | UEANL,UEA,UDN,U DC,UAL,UHL,UCL,U EQ,CLO, ULDO3, ULD12, ULD48, U1TO3, U1T12, U1T48, UDLO3, | PE1B4 | 0.00 | | | | | | | | | | |
| | Physical Collocation - Request Resend of CFA Information, per | | | | | | | | | | | İ | | | | |
| | CLLI | 1 | | | PE1C9 | | 77.54 | | | | | | | | | |
| | Nonrecurring Collocation Cable Records - per request | | | CLO | PE1CR | | 1,525.00 | 980.22 | 267.08 | | | | | | | - |
| | Nonrecurring Collocation Cable Records - VG/DS0 Cable, per | | | CL O | | | 656 50 | 656 50 | 270 70 | | | | | | | |
| | cable record Nonrecurring Collocation Cable Records - VG/DS0 Cable, per each 100 pair | | | | PE1CD PE1CO | | 656.50 9.66 | 656.50 9.66 | 379.78 11.84 | 11.84 | | | | | | |
| | Nonrecurring Collocation Cable Records - DS1, per T1TIE | | | | PE1C0 PE1C1 | | 4.52 | 4.52 | | 5.54 | | | | | | |
| | Nonrecurring Collocation Cable Records - DS3, per T3TIE | | | | PE1C3 | | 15.82 | 15.82 | | 19.40 | | | | | | |

| COLLOCA | TION - Florida | | | | | | | | | | | | Attach | ment: 4 | Exhi | ibit: B |
|------------|--|--------|------|------------------|--------|--------|----------|------------|--------------|--------------|-----------|-----------|-------------|-------------|-------------|-------------|
| | | | | | | | | | | | Svc Order | Svc Order | | Incremental | Incremental | Incremental |
| | | | | | | | | | | | | Submitted | | Charge - | Charge - | Charge - |
| | | | | | | | | | | | Elec | Manually | Manual Svc | Manual Svc | | |
| CATEGORY | RATE ELEMENTS | Interi | Zone | BCS | USOC | | | RATES (\$) | | | | | | | | |
| GATEGORI | | m | Lone | 200 | 0000 | | | | | | per LSR | per LSR | Order vs. | Order vs. | Order vs. | Order vs. |
| | | | | | | | | | | | | | Electronic- | Electronic- | Electronic- | Electronic- |
| | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add'l |
| | | | | | | | Nonrec | urring | Nonrecurring | g Disconnect | | | 220 | Rates(\$) | <u> </u> | <u> </u> |
| | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | Nonrecurring Collocation Cable Records - Fiber Cable, per 99 | | | | | | 1130 | Add I | 11130 | Auui | COMEO | COMAN | COMPAR | COMPAR | COMPAR | COMPAN |
| | fiber records | | | CLO | PE1CB | | 169.67 | 169.67 | 154.89 | 154.89 | | | i | | | |
| | | | | 010 | . 2.05 | | 100.01 | 100.01 | 10 1100 | 101.00 | | | <u> </u> | | | |
| | Physical Collocation - Security Escort - Basic, Per Quarter Hour | | | CLO | PE1BQ | | 10.89 | | | | | | i | | | |
| | Physical Collocation - Security Escort - Overtime, Per Quarter | | | | | | | | | | | | | | | |
| | Hour | | | CLO | PE10Q | | 13.64 | | | | | | i | | | |
| | Physical Collocation - Security Escort - Premium, Per Quarter | | | 020 | 12100 | | 10.01 | | | | | | 1 | | | |
| | Hour | | | CLO | PE1PQ | | 16.40 | | | | | | i | | | |
| | Physical Collocation - Security Escort - Basic, per Half Hour | | | CLO,CLORS | PE1BT | | 33.99 | 21.54 | | | | | i | | | |
| | Thyoidal Contobalion Cooding Eccort Bablo, por Hain Hoar | | | 020,020110 | . 2.01 | | 00.00 | 2 | | | | | i | | | |
| | Physical Collocation - Security Escort - Overtime, per Half Hour | | | CLO,CLORS | PE1OT | | 44.27 | 27.82 | | | | | i | | | |
| | | | | ,020110 | | | | 202 | | ł | | | · · · · · · | | 1 | 1 |
| | Physical Collocation - Security Escort - Premium, per Half Hour | | | CLO,CLORS | PE1PT | | 54.55 | 34.10 | | 1 | | | 1 | 1 | | |
| | V to P Conversion, Per Customer Request-Voice Grade | | | CLO | PE1BV | 33.00 | 04.00 | 04.10 | | | 1 | | | <u> </u> | <u> </u> | t |
| | V to P Conversion, Per Customer Request-DS0 | i | | CLO | PE1BO | 33.00 | | | | | | | <u> </u> | | | |
| | V to P Conversion, Per Customer Request-DS1 | i | | CLO | PE1B1 | 52.00 | | | | | | | <u> </u> | | | |
| | V to P Conversion, Per Customer request-DS3 | i | | CLO | PE1B3 | 52.00 | | | | | | | | | | |
| | V to P Conversion, Per Customer Request per VG Circuit | | | 020 | 1 2120 | 02.00 | | | | | | | i | | | |
| | Reconfigured | 1 | | CLO | PE1BR | 23.00 | | | | | | | i | | | |
| | V to P Conversion, Per Customer Request per DS0 Circuit | | | | | | | | | | | | | | | |
| | Reconfigured | 1 | | CLO | PE1BP | 23.00 | | | | | | | i | | | |
| | V to P Conversion, Per Customer Request per DS1 Circuit | | | 020 | | 20.00 | | | | | | | | | | |
| | Reconfigured | 1 | | CLO | PE1BS | 33.00 | | | | | | | i | | | |
| | V to P Conversion, Per Customer Request per DS3 Circuit | | | 010 | . 2.80 | 00.00 | | | | | | | <u> </u> | | | |
| | Reconfigured | 1 | | CLO | PE1BE | 37.00 | | | | | | | i | | | |
| | V to P Conversion, Cable Pairs Assigned to Collo Space per 700 | | | 010 | TEIDE | 07.00 | | | | | | | <u> </u> | | | |
| | prs or fraction thereof | 1 | | CLO | PE1B7 | 592.00 | | | | | | | i | | | |
| | Physical Collocation - Co-Carrier Cross Connects - Fiber Cable | | | 010 | | 002.00 | | | | | | | <u> </u> | | | |
| | Support Structure, per cable, per linear ft. | | | CLO,UDF | PE1ES | 0.001 | | | | | | | i | | | |
| | Physical Collocation - Co-Carrier Cross Connects - Copper/Coax | | | 020,001 | . 2.20 | 0.001 | | | | | | | i | | | |
| | Cable Support Structure, per cable, per lin. ft. | | | CLO, UE3, USL | PE1DS | 0.0014 | | | | | | | i | | | |
| | Physical Collocation - Co-Carrier Cross Connects - Application | | | 020, 020, 002 | . 2.00 | 0.0011 | | | | | | | | | | |
| | Fee, per application | | | CLO | PE1DT | | 584.11 | | | | | | i | | | |
| PHYSICAL C | OLLOCATION | | | 020 | . 2.01 | | 001111 | | | | | | i | | | |
| | Physical Collocation 2-Wire Cross Connect, Exchange Port 2- | | | | | | | | | | | | 1 | | | |
| | Wire Analog - Res | | | UEPSR | PE1R2 | 0.0276 | 8.22 | 7.22 | | | | 11.90 | i | | | |
| | Physical Collocation 2-Wire Cross Connect, Exchange Port 2- | | | | | | | | | | | | 1 | | | |
| | Wire Line Side PBX Trunk - Bus | | | UEPSP | PE1R2 | 0.0276 | 8.22 | 7.22 | | | | 11.90 | i | | | |
| | Physical Collocation 2-Wire Cross Connect, Exchange Port 2- | | | | | | | | | | | | 1 | | | |
| | Wire Voice Grade PBX Trunk - Res | | | UEPSE | PE1R2 | 0.0276 | 8.22 | 7.22 | | 1 | | 11.90 | 1 | 1 | | |
| | Physical Collocation 2-Wire Cross Connect, Exchange Port 2- | | | | 1 | | | | | İ | 1 | | 1 | | 1 | 1 |
| | Wire Analog - Bus | | | UEPSB | PE1R2 | 0.0276 | 8.22 | 7.22 | | | | 11.90 | 1 | 1 | | 1 |
| | Physical Collocation 2-Wire Cross Connect, Exchange Port 2- | | 1 | | İ | | | | l | l | 1 | | ſ | İ. | 1 | 1 |
| 1 | Wire ISDN | | | UEPSX | PE1R2 | 0.0276 | 8.22 | 7.22 | | | | 11.90 | 1 | 1 | | 1 |
| | Physical Collocation 2-Wire Cross Connect, Exchange Port 2- | | 1 | | İ | | | | l | l | 1 | | ſ | l . | 1 | 1 |
| | Wire ISDN | | | UEPTX | PE1R2 | 0.0276 | 8.22 | 7.22 | | | | 11.90 | 1 | 1 | | 1 |
| | Physical Collocation 4-Wire Cross Connect, Exchange Port 4- | | | | | | | | | | | | | | | |
| | Wire ISDN DS1 | | | UEPEX | PE1R4 | 0.0552 | 8.42 | 7.36 | | | | 11.90 | 1 | 1 | | 1 |
| ADJACENT (| COLLOCATION | | | | 1 | | | | | | 1 | | 1 | | 1 | 1 |
| | Adjacent Collocation - Space Charge per Sq. Ft. | | | CLOAC | PE1JA | 0.1635 | | | | | | | 1 | | | |
| | Adjacent Collocation - Electrical Facility Charge per Linear Ft. | | | CLOAC | PE1JC | 5.11 | | | | | | | (| | | _ |
| | Adjacent Collocation - 2-Wire Cross-Connects | | | CLOAC | PE1P2 | 0.0213 | 24.69 | 23.69 | 11.77 | 10.62 | | | Í | | | |
| | | | | UEA,UHL,UDL,UCL, | | | | | | | | | 1 | | | |
| | Adjacent Collocation - 4-Wire Cross-Connects | | | CLOAC | PE1P4 | 0.0426 | 24.88 | 23.83 | 12.04 | 10.80 | | | 1 | L | | <u> </u> |
| | Adjacent Collocation - DS1 Cross-Connects | | | USL,CLOAC | PE1P1 | 1.22 | 44.24 | 31.98 | 12.07 | 10.91 | | | (| | | |
| | Adjacent Collocation - DS3 Cross-Connects | | | CLOAC | PE1P3 | 16.56 | 41.94 | 30.52 | 13.91 | 11.15 | | | 1 | | | |
| | Adjacent Collocation - 2-Fiber Cross-Connect | | | CLOAC | PE1F2 | 2.81 | 41.94 | 30.52 | 13.91 | 11.16 | | | | | | |
| | | - | 1 | CLOAC | PE1F4 | 5.36 | 51.30 | 39.87 | 18.29 | 15.54 | T | | | | | T |
| | Adjacent Collocation - 4-Fiber Cross-Connect Adjacent Collocation - Application Fee | | | CLOAC | PE1JB | | 2,785.00 | | 1.01 | | | | | | | |

| COLLOCAT | ION - Florida | | | | | | | | | | | | Attach | ment: 4 | Exhi | ibit: B |
|-------------|---|----------|----------|-----------------------|--------------|-----------------|--------|------------|--------------|-------|-----------|-----------|-------------|-------------|-------------|-------------|
| | | | | | | | | | | | Svc Order | Svc Order | Incremental | Incremental | Incremental | Incremental |
| | | | | | | | | | | | Submitted | Submitted | Charge - | Charge - | Charge - | Charge - |
| | | Interi | | | | | | | | | Elec | Manually | Manual Svc | Manual Svc | Manual Svc | Manual Svc |
| CATEGORY | RATE ELEMENTS | | Zone | BCS | USOC | | | RATES (\$) | | | per LSR | per LSR | Order vs. | Order vs. | Order vs. | Order vs. |
| | | m | | | | | | | | | po: _0 | po. 2011 | Electronic- | Electronic- | Electronic- | Electronic- |
| | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add'l |
| | | | | | | | | | | | | | | | Disc Tst | DISC AUU I |
| | | | | | | Rec | Nonrec | | Nonrecurring | | | | | Rates(\$) | | |
| | | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | Adjacent Collocation - 120V, Single Phase Standby Power Rate | | | | | | | | | | | | | | | |
| | per AC Breaker Amp | | | CLOAC | PE1FB | 5.38 | | | | | | | | | | |
| 1 | Adjacent Collocation - 240V, Single Phase Standby Power Rate | | | | | | | | | | | | | | | |
| | per AC Breaker Amp | | | CLOAC | PE1FD | 10.77 | | | | | | | | | | |
| | Adjacent Collocation - 120V, Three Phase Standby Power Rate | | | | | | | | | | | | | | | |
| | per AC Breaker Amp | | | CLOAC | PE1FE | 16.15 | | | | | | | | | | |
| | Adjacent Collocation - 277V, Three Phase Standby Power Rate | | | | | | | | | | | | | | | |
| | per AC Breaker Amp | | | CLOAC | PE1FG | 37.30 | | | | | | | | | | |
| | Adjacent Collocation - Cable Support Structure per Entrance | | | | | | | | | | | | | | | |
| | Cable | 1 | | CLOAC | PE1PM | 18.96 | | | | | | | | | | |
| PHYSICAL CO | LLOCATION IN THE REMOTE SITE | | | | | | | | | | | | | | | |
| | Physical Collocation in the Remote Site - Application Fee | | | CLORS | PE1RA | | 617.91 | | 328.81 | | | | | | | |
| | Cabinet Space in the Remote Site per Bay/ Rack | | | CLORS | PE1RB | 219.49 | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | Physical Collocation in the Remote Site - Security Access - Key | | | CLORS | PE1RD | | 26.30 | | | | | | | | | |
| | Physical Collocation in the Remote Site - Space Availability | | | | | | | | | | | | | | | |
| | Report per Premises Requested | | | CLORS | PE1SR | | 232.69 | | | | | | | | | |
| | Physical Collocation in the Remote Site - Remote Site CLLI | | | | | | | | | | | | | | | |
| | Code Request, per CLLI Code Requested | | | CLORS | PE1RE | | 75.41 | | | | | | | | | |
| | Remote Site DLEC Data (BRSDD), per Compact Disk, per CO | | | CLORS | PE1RR | | 233.51 | | | | | | | | | |
| PHYSICAL CO | LLOCATION IN THE REMOTE SITE - ADJACENT | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | Remote Site-Adjacent Collocation - AC Power, per breaker amp | | | CLORS | PE1RS | 6.27 | | | | | | | | | | |
| | | | | 01.000 | DEADT | 0.404 | | | | | | | | | | |
| | Remote Site-Adjacent Collocation - Real Estate, per square foot | | | CLORS | PE1RT | 0.134 | 755.00 | 755 00 | | | | | | | | ł |
| 10000 | Remote Site-Adjacent Collocation-Application Fee | L | | CLORS | PE1RU | | 755.62 | 755.62 | | | | | | | | ┥──── |
| | If Security Escort and/or Add'I Engineering Fees become nec | | | | | | | s. | | | | | | | | L |
| Note: | Rates displaying an "R" in Interim column are interim and sub | oject to | rate tru | ie-up as set forth in | General Terr | ns and Conditic | ons. | | | | 1 | l | | | | <u> </u> |

| ODUF/ADUF/EODUF/CMDS - Florida | | | | | | | | | | | | Attachment: 7 | | | Exhibit: A | |
|--------------------------------|--|-------------|------|-----|------|------------|-------|---------|-------------|--------------|-------|-----------------------|--|-----------|-------------------------------------|----------|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | | | | | Submitted Manually | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Charge - | Charge - Manual Svc Order vs. | Charge - |
| | | | | | | | Nonre | curring | Nonrecurrin | g Disconnect | | | OSS | Rates(\$) | | |
| | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | | | | | | | | | | | | | | | |
| ODUF/ADUF/C | | | | | | | | | | | | | | | | |
| ACCES | SS DAILY USAGE FILE (ADUF) | | | | | | | | | | | | | | | |
| | ADUF: Message Processing, per message | | | | N/A | 0.001656 | | | | | | | | | | |
| | ADUF: Data Transmission (CONNECT:DIRECT), per message | | | | N/A | 0.0001245 | | | | | | | | | | |
| OPTIO | NAL DAILY USAGE FILE (ODUF) | | | | | | | | | | | | | | | |
| | ODUF: Recording, per message | | | | N/A | 0.0000071 | | | | | | | | | | |
| | ODUF: Message Processing, per message | | | | N/A | 0.002146 | | | | | | | | | | |
| | ODUF: Message Processing, per Magnetic Tape provisioned | | | | N/A | 35.91 | | | | | | | | | | |
| | ODUF: Data Transmission (CONNECT:DIRECT), per message | | | | N/A | 0.00010375 | | | | | | | | | | |
| CENT | RALIZED MESSAGE DISTRIBUTION SERVICE (CMDS) | | | | | | | | | | | | | | | |
| | CMDS: Message Processing, per message | | | | N/A | 0.004 | | | | | | L | | | | |
| | CMDS: Data Transmission (CONNECT:DIRECT), per message | | | | N/A | 0.001 | | | | | | | | | | |
| ENHA | NCED OPTIONAL DAILY USAGE FILE (EODUF) | | | | | | | | | | | | | | | |
| | EODUF: Message Processing, per message | | | | N/A | 0.080698 | | | | | | | | | | |
| Notes: | Notes: If no rate is identified in the contract, the rate for the specific service or function will be as set forth in applicable BellSouth tariff or as negotiated by the Parties upon request by either Party. | | | | | | | | | | | | | | | |

AMENDMENT TO THE AGREEMENT BETWEEN EZ TALK COMMUNICATIONS, LLC EZ TALK COMMUNICATIONS OF LOUISIANA LLC AND BELLSOUTH TELECOMMUNICATIONS, INC. DATED SEPTEMBER 12, 2002

Pursuant to this Amendment, (the "Amendment"), EZ Talk Communications, LLC and EZ Talk Communications of Louisiana LLC ("EZ Talk"), and BellSouth Telecommunications, Inc. ("BellSouth"), hereinafter referred to collectively as the "Parties," hereby agree to amend that certain Interconnection Agreement between the Parties dated September 12, 2002 ("Agreement").

WHEREAS, BellSouth and EZ Talk entered into the Agreement on September 12, 2002,

and;

NOW THEREFORE, in consideration of the mutual provisions contained herein and other good and valuable consideration, the receipt and sufficiency of which are hereby acknowledged, the Parties hereby covenant and agree as follows:

- 1. The Parties mutually agree to delete Section 4 of the Adoption Papers between EZ Talk and BellSouth and replace it with the following.
 - 4. The term of this Agreement shall begin September 12, 2002 and expire as of December 12, 2003.
- 2. All of the other provisions of the Agreement, dated September 12, 2002, shall remain in full force and effect.
- 3. This amendment will be become effective thirty (30) days after the date of the last signature executing the Amendment
- 4. Either or both of the Parties is authorized to submit this Amendment to the respective state regulatory authorities for approval subject to Section 252(e) of the Federal Telecommunications Act of 1996.

IN WITNESS WHEREOF, the Parties hereto have caused this Amendment to be executed by their respective duly authorized representatives on the date indicated below.

| EZ Talk Communications, LLC EZ Talk Communications of Louisiana LLC | BellSouth Telecommunications, Inc. |
|--|---|
| By: (Signature on File) | By: <u>(Signature on File)</u> Patrick Finlen |
| Name: Eileen Singleton | Name: for Elizabeth R. A. Shiroishi |
| Title: Compliance Officer | Title:Assistant Director,Interconnection Services |
| Date: <u>01/13/03</u> | Date: <u>01/22/03</u> |