


August 9, 2004

Ms. Elizabeth O'Donnell  
attn: Jeb Pinney  
Public Service Commission  
211 Sower Boulevard  
P.O. Box 615  
Frankfort, Kentucky 40601  
via Fax (~~800~~) 772-4636 502-564-7279  
original in mail

RECEIVED

AUG 11 2004

PUBLIC SERVICE  
COMMISSION



RE: John Yarbrough, Complainant v. Kentucky  
Utilities Company, Defendant-Case No. 2004-00189

Dear Ms. O'Donnell:

In response to K.U.'s July 6, 2004 response to the Public Service Commission's questions, K.U. states they have no records of repairs to my electric service prior to the Nov. 29, 2001 repair. I discovered that this may be due to the fact, as I recall, that the service was still, 'hot' though the service was pulled off the wall and was lying on the ground. This type repair may, as I understand, be recorded on a record that isn't kept as long as when the service is disconnected.

K.U. points out that my estimate of the year 2000 as the date the splice installed was incorrect since the K.U. lineman, I said installed the splice, retired in Aug. 1998.

May I suggest you call retired K.U. Lineman Kenneth Laffoon. He is listed in Earlington, Ky at, (270) 383-5550 and also at, (270) 383-3039 at Laffoon Rentals. His address is 1916 Suthards Church Road, Madisonville, KY 42431.

I called Mr. Laffoon last week and he said he remembers installing the splice in question while working for K.U. to repair my electric service. I don't know where the other lineman, Jeff Brinkley, is and he wouldn't know me as well but you could ask him too.

I may be incorrect on the dates I estimated but I am positive about Laffoon and Brinkley installing the splice in question. I hope lost records or records being thrown out early don't keep the facts from coming out.

John Wolfram  
Cc: ~~Parties of Record~~  
Manager, Regulatory Affairs  
JAY/jay

Sincerely,

A handwritten signature in black ink, appearing to read 'John Yarbrough', written over a horizontal line.

John Yarbrough  
1575 IIsley Rd.  
Madisonville, KY 42431  
(270) 821-4288 phone/fax