



Ernie Fletcher
Governor

Mark David Goss
Chairman

LaJuana S. Wilcher, Secretary
Environmental and Public
Protection Cabinet

Commonwealth of Kentucky
Public Service Commission
211 Sower Blvd.
P.O. Box 615
Frankfort, Kentucky 40602-0615
Telephone: (502) 564-3940
Fax: (502) 564-3460
psc.ky.gov

Teresa J. Hill
Vice Chairman

Christopher L. Lilly
Commissioner
Department of Public Protection

Gregory Coker
Commissioner

Henry J. Lewis
12061 Highway 39
Somerset, KY 42503

May 1, 2006

RE: Case No. 2005-00035

Please see enclosed data request from Commission Staff in the above case.

If you need further assistance, please contact J.E.B. Pinney at (502) 564-3940 ext. 427.

Sincerely,

A handwritten signature in black ink, appearing to read "Beth O'Donnell".

Beth O'Donnell
Executive Director

BOD/sh
Enclosure



Ernie Fletcher
Governor

Mark David Goss
Chairman

LaJuana S. Wilcher, Secretary
Environmental and Public
Protection Cabinet

Commonwealth of Kentucky
Public Service Commission
211 Sower Blvd.
P.O. Box 615
Frankfort, Kentucky 40602-0615
Telephone: (502) 564-3940
Fax: (502) 564-3460
psc.ky.gov

Teresa J. Hill
Vice Chairman

Christopher L. Lilly
Commissioner
Department of Public Protection

Gregory Coker
Commissioner

Bruce Orwin
P.O. Box 716
Somerset, KY 42502-0716

May 1, 2006

RE: Case No. 2005-00035

Please see enclosed data request from Commission Staff in the above case.

If you need further assistance, please contact J.E.B. Pinney at (502) 564-3940 ext.
427.

Sincerely,

A handwritten signature in black ink, appearing to read "Beth O'Donnell".

Beth O'Donnell
Executive Director

BOD/sh
Enclosure



Ernie Fletcher
Governor

LaJuana S. Wilcher, Secretary
Environmental and Public
Protection Cabinet

Christopher L. Lilly
Commissioner
Department of Public Protection

Commonwealth of Kentucky
Public Service Commission
211 Sower Blvd.
P.O. Box 615
Frankfort, Kentucky 40602-0615
Telephone: (502) 564-3940
Fax: (502) 564-3460
psc.ky.gov

Mark David Goss
Chairman

Teresa J. Hill
Vice Chairman

Gregory Coker
Commissioner

May 1, 2006

Morris Vaughn
Manager
South Eastern Water Association, Inc.
P. O. Box 458
Somerset, KY 42502

RE: Case No. 2005-00035

Please see enclosed data request from Commission Staff in the above case.

If you need further assistance, please contact J.E.B. Pinney at (502) 564-3940 ext.
427.

Sincerely,

A handwritten signature in black ink, appearing to read "Beth O'Donnell".

Beth O'Donnell
Executive Director

BOD/sh
Enclosure

COMMONWEALTH OF KENTUCKY
BEFORE THE PUBLIC SERVICE COMMISSION

In the Matter of:

HENRY J. LEWIS)	
)	
COMPLAINANT)	
)	
v.)	CASE NO. 2005-00035
)	
SOUTHEASTERN WATER ASSOCIATION)	
)	
DEFENDANT)	


FIRST DATA REQUEST OF COMMISSION STAFF
TO SOUTHEASTERN WATER ASSOCIATION, INC.

Pursuant to 807 KAR 5:001, Commission Staff requests that Southeastern Water Association, Inc. ("Southeastern Water") file the original and five copies of the following information within 10 days of the date of this request, with a copy to all parties of record. When a number of sheets are required for an item, each sheet should be appropriately indexed, for example, Item 1(a), Sheet 2 of 6. Include with each response the name of the witness who will be responsible for responding to questions relating to the information provided. Careful attention should be given to copied material to ensure its legibility.

1. Provide Complainant's billing records from December 2003 until present.
2. Did Southeastern Water conduct an investigation of Complainant's claim regarding his billing? If yes, provide the documents and details resulting from the investigation.

3. Did Southeastern Water test Complainant's meter after his complaint? If yes, provide the results of the test.

4. Provide the testing history for Complainant's meter.



Beth O'Donnell
Executive Director
Public Service Commission
P.O. Box 615
Frankfort, KY 40602

DATED: May 1, 2006

cc: Parties of Record

Case No. 2005-00035