

0005-235

M7

101 Whitewing Court
Georgetown, KY 40324
(502) 863-4184

July 12, 2005

RECEIVED

JUL 14 2005

PUBLIC SERVICE
COMMISSION

Executive Director
Kentucky Public Service Commission
P.O. Box 615
211 Sower Boulevard
Frankfort, KY 40602-0615

Dear Sir:


I am writing to you to solicit your support in rejecting the "Mallard Point Disposal System's" request to the Public Service Commission to increase our sewage bill by 49.57%.

This is the most ridiculous rate increase I have experienced over my 30+ years as a homeowner in many communities throughout this state as well as others. It would make the Mallard Point sewage rate the highest in the state according to my research using the PSC on-line database. The President of the Mallard Point Disposal System (MPDS), tried this same tactic less than two years ago by proposing a 46% increase in August of 2003. His 46% request was no more valid in August 2003 than his current proposal of 49% increase is this year. I guess this will never end until he gets what he wants. This is no justification at all from my standpoint! Many Kentucky communities have sewage rates that haven't been adjusted since their inception, and many more have requested moderate rate increase in the past few years, but none as ridiculous as the rate proposed by Mr. Miller.

I am a reasonable person and I understand reasonable rate increases to cover inflationary costs (i.e., cost of chemicals, labor increases, etc.), but a 49% increase is totally out of line with reality. The Mallard Point Disposal System has not had any major infrastructure expansion to demand such a rate increase.

I ask for your support in rejecting the MPDS rate proposal and establish a rate that is within state norms.

Sincerely yours,



Michael R. Berezna

Mallard Point Disposal System, Inc.

104 TEAL COURT ♦ GEORGETOWN, KENTUCKY 40324

502 - 863 - 6741

Notice

This is to inform you that the Mallard Point Disposal System, Inc. is requesting an increase in the sewer rates as follows:

	<u>Existing</u>	<u>Proposed</u>	<u>Percentage Increase</u>
Flat Monthly Residential	\$ 35.29	\$ 52.78	49.57%


The rates contained in this notice are the rates proposed by the Mallard Point Disposal System. However, the Public Service Commission may order rates to be charged that are higher or lower than the rates proposed in this notice.

Any corporation, association, body politic or person may request leave to intervene by motion within thirty (30) days after notice of the proposed rate changes is given. A motion to intervene shall be in writing, shall be submitted to the Executive Director, Public Service Commission, 211 Sower Boulevard, P.O. Box 615, Frankfort, Kentucky, 40602, and shall set forth the grounds for the motion, including the status and interest of the party movant.

Copies of the application may be obtained at no charge from Mallard Point Disposal System, Inc. at 104 Teal Court, Georgetown, Kentucky 40324. Upon request from an intervenor, the applicant shall furnish to the intervenor a copy of the application and supporting documents

Mallard Point Disposal System, Inc.

Michael R. Berezna
101 Whitewing Ct.
Georgetown, KY 40324



Executive Director
Public Service Commission
211 Sower Blvd.
P.O. Box 615
Frankfort, KY 40602

RECEIVED

JUL 14 2005

PUBLIC SERVICE
COMMISSION

40602+0615

