

COMMONWEALTH OF KENTUCKY

BEFORE THE PUBLIC SERVICE COMMISSION

RECEIVED

MAR 03 2006

PUBLIC SERVICE
COMMISSION

In the Matter of:

**APPLICATION OF CUMBERLAND CELLULAR
PARTNERSHIP FOR ISSUANCE OF A CERTIFICATE
OF PUBLIC CONVENIENCE AND NECESSITY TO
CONSTRUCT A CELL SITE (ALLIGATOR) IN RURAL SERVICE
AREA #5 (RUSSELL) OF THE COMMONWEALTH OF
KENTUCKY**

CASE NO. 2006-00052

**APPLICATION FOR A CERTIFICATE
OF PUBLIC CONVENIENCE AND NECESSITY (ALLIGATOR)**

Cumberland Cellular Partnership ("Cumberland Cellular"), through counsel, pursuant to KRS 278.020 and 278.040, hereby submits this application for a certificate of public convenience and necessity to construct a cell site to be known as the Alligator cell site in and for rural service area ("RSA") #5 of the Commonwealth of Kentucky, namely the counties of Barren, Monroe, Metcalfe, Adair, Cumberland, Russell, Clinton, Wayne, McCreary and Hart, Kentucky.

1. As required by 807 KAR 5:001 Sections 8(1) and (3), and 807 KAR 5:063, Cumberland Cellular states that it is a Kentucky limited liability company whose full name and post office address are: Cumberland Cellular Partnership, 2902 Ring Road, Elizabethtown, Kentucky, 42701.

2. Pursuant to 807 KAR § 1 (1)(b), a copy of the applicant's applications to the Federal Aviation Administration and Kentucky Airport Zoning Commission are Exhibit "A". Written authorizations from these agencies will be supplied to the Commission upon their approval.

3. Pursuant to 807 KRS 5:063 §1(1)(d), applicant is submitting as Exhibit "B" a geotechnical investigation report, signed and sealed by a professional engineer registered in Kentucky, that includes boring logs, foundation design recommendations, and a finding as to the susceptibility of the area surrounding the proposed site to flood hazard.

4. Pursuant to 807 KRS 5:063 §1(1)(e), clear directions from the county seat to the proposed site, including highway numbers and street names, if applicable, with the telephone number of the person who prepared the directions are Exhibit “C”.

5. Pursuant to 807 KRS 5:063 §1(1)(f), a copy of the lease (or sale agreement) for the property on which the tower is proposed to be located, is Exhibit “D”.

6. Pursuant to 807 KAR §1(1)(g), experienced personnel will manage and operate the Alligator cell site. The President of Bluegrass Cellular Inc., Mr. Ron Smith, is ultimately responsible for all construction and operations of the cellular system of Cumberland Cellular, of which system the Alligator cell site will be a part. Bluegrass Cellular Inc. provides management services to Cumberland Cellular under a management contract, just as it does with three (3) other wireless carriers in the Commonwealth. And, Bluegrass Cellular Inc. has been providing these management services to these other wireless carriers for well over a decade. This extensive management experience with Bluegrass Cellular demonstrates that Bluegrass Cellular Inc.'s management and technical ability to supervise the operations of a wireless carrier.

7. Pursuant to 807 KAR §1(1)(g), Eastpointe Engineering Group, LLC is responsible for the design specifications of the proposed tower (identified in Exhibit “B”).

8. Pursuant to 807 KRS 5:063 §1(1)(h), a site development plan or survey, signed and sealed by a professional engineer registered in Kentucky, that shows the proposed location of the tower and all easements and existing structures within 500 feet of the proposed site on the property on which the tower will be located, and all easements and existing structures within 200 feet of the access drive, including the intersection with the public street system, is Exhibit “B”.

9. Pursuant to 807 KRS 5:063 §1(1)(i), a vertical profile sketch of the tower, signed and sealed by a professional engineer registered in Kentucky, indicating the height of the tower and the placement of all antennas; is Exhibit “B”.

10. Pursuant to 807 KRS 5:063 §1(1)(j), the tower and foundation design plans and a description of the standard according to which the tower was designed, signed and sealed by a professional engineer registered in Kentucky, is Exhibit “B”.

11. Pursuant to 807 KRS 5:063 § 1 (1)(k), a map, drawn to a scale no less than one (1) inch equals 200 feet, that identifies every structure and every owner of real estate within 500 feet of the proposed tower, is Exhibit “E”.

12. Pursuant to 807 KRS 5:063 § 1 (1)(l), applicant’s legal counsel hereby affirms that every person who owns property within 500 feet of the proposed tower has been: (i) notified by certified mail, return receipt requested, of the proposed construction; (ii) given the commission docket number under which the application will be processed; and (iii) informed of his right to request intervention.

13. Pursuant to KRS 278.665(2), applicant’s legal counsel hereby affirms that every person who, according to the records of the property valuation administrator, owns property contiguous to the property where the proposed cellular antenna tower will be located has been: (i) notified by certified mail, return receipt requested, of the proposed construction; (ii) given the commission docket number under which the application will be processed; and (iii) informed of his right to request intervention.

14. Pursuant to 807 KRS 5:063 §1(1)(m), a list of the property owners who received the notice together with copies of the certified letters sent to listed property owners, is Exhibit “F”.

15. Pursuant to 807 KRS 5:063 § 1 (1)(n), applicant’s legal counsel hereby affirms that the Russell County Judge Executive has been: (i) notified by certified mail, return receipt

requested, of the proposed construction; (ii) given the commission docket number under which the application will be processed; and (iii) informed of its right to request intervention.

16. Pursuant to 807 KRS 5:063 §1(1)(o), a copy of the notice sent to the Russell County Judge Executive is Exhibit "G".

17. Pursuant to 807 KRS 5:063 § 1 (1)(p), applicant's legal counsel hereby affirms that (i) two written notices meeting subsection two (2) of this section have been posted, one in a visible location on the proposed site and one on the nearest public road; and (ii) the notices shall remain posted for at least two weeks after the application has been filed.

18. Pursuant to 807 KAR 5:063 § 1 (2)(a), applicant's legal counsel affirms that:

(a) A written notice, of durable material at least two (2) feet by four (4) feet in size, stating that "***Cumberland Cellular Partnership proposes to construct a telecommunications tower on this site***", including the addresses and telephone numbers of the applicant and the Kentucky Public Service Commission, has been posted and shall remain in a visible location on the proposed site until final disposition of the application; and

(b) A written notice, of durable material at least two (2) feet by four (4) feet in size, stating that "***Cumberland Cellular Partnership proposes to construct a telecommunications tower near this site***", including the addresses and telephone numbers of the applicant and the Kentucky Public Service Commission, has been posted on the public road nearest the site.

A copy of each sign is attached as Exhibit "H"

19. Pursuant to 807 KRS 5:063 § 1 (1)(q), a statement that notice of the location of the proposed construction has been published in a newspaper of general circulation in the county in which the construction is proposed, is Exhibit "I".

20. Pursuant to 807 KRS 5:063 § 1(1)(r), the cell site, which has been selected, is in a relatively undeveloped area in Russell Springs, Kentucky.

21. Pursuant to 807 KRS 5:063 §1(1)(s), Cumberland Cellular has considered the likely effects of the installation on nearby land uses and values and has concluded that there is no more suitable location reasonably available from which adequate service to the area can be provided,

and that there is no reasonably available opportunity to co-locate. Cumberland Cellular has attempted to co-locate on towers designed to host multiple wireless service providers' facilities or existing structures, such as a telecommunications tower, or another suitable structure capable of supporting the utility's facilities.

22. Pursuant to 807 KRS 5:063 § 1(1)(t), a map of the area in which the tower is proposed to be located, that is drawn to scale and that clearly depicts the search area in which a site should, pursuant to radio frequency requirements, be located is Exhibit "J".

23. Pursuant to KRS 100.987(2)(a), a grid map, that is drawn to scale, that shows the location of all existing cellular antenna towers and that indicates the general position of proposed construction sites for new cellular antenna towers is Exhibit "K".

24. No reasonably available telecommunications tower, or other suitable structure capable of supporting the cellular facilities of Cumberland Cellular and which would provide adequate service to the area exists.

25. Correspondence and communication with regard to this application should be addressed to:

John E. Selent
1400 PNC Plaza
500 West Jefferson Street
Louisville, KY 40202
(502) 540-2300
selent@dinslaw.com

WHEREFORE, Cumberland Cellular Partnership requests the Commission to enter an order:

1. Granting a certificate of public convenience and necessity to construct the Alligator cell site; and
2. Granting all other relief as appropriate.

Respectfully submitted,



John E. Selent
DINSMORE & SHOHL, LLP
1400 PNC Plaza
500 West Jefferson Street
Louisville, KY 40202
(502) 540-2300
(502) 540-2207
john.selent@dinslaw.com

LUKAS, NACE, GUTIERREZ & SACHS

CHARTERED

1650 TYSONS BOULEVARD, SUITE 1500
MCLEAN, VIRGINIA 22102
703 584 8678 • 703 584 8696 FAX

WWW.FCCLAW.COM

RUSSELL D. LUKAS*
DAVID L. NACE
THOMAS GUTIERREZ*
ELIZABETH R. SACHS*
GEORGE L. LYON, JR.
PAMELA L. GIST
DAVID A. LAFURIA
B. LYNN F. RATNAVALE*
TODD SLAMOWITZ*
STEVEN M. CHERNOFF*

CONSULTING ENGINEERS
ALI KUZEHKANANI
LEROY A. ADAM
LEILA REZANAVAZ
SUMEET K. BHALOTIA
OF COUNSEL
JOHN J. MCAVOY*
J.K. HAGE III*
LEONARD S. KOLSKY*
HON. GERALD S. MCGOWAN*
TAMARA DAVIS-BROWN*

*NOT ADMITTED IN VA

January 4, 2006

Via Federal Express

EXPRESS PROCESSING CENTER
Federal Aviation Administration
Southwest Regional Office
Air Traffic Airspace Branch, ASW-520
2601 Meacham Blvd.
Fort Worth, TX 76137-4298

Tel: 703-584-8668

Dear FAA Evaluator:

Enclosed please find a completed FAA Form 7460-1, Notice of Proposed Construction/Alteration, for a new tower structure (Alligator) near Russell Springs, Kentucky. The height of the structure, including top-mounted PCS antennas, will be 255 feet Above Ground Level ("AGL").

The enclosed FAA Form 7460-1 and the attached Exhibit include all the pertinent information for the new structure at this site. Also enclosed is a non-reduced copy of a portion of the 7-1/2' US Geological Survey map illustrating the location of the proposed cell site. Additionally, the copy of the 1A Certification is enclosed. Please do not hesitate to contact the undersigned if there are questions regarding this matter.

Sincerely,

Leila Rezanavaz
Leila Rezanavaz
Consulting Engineer

Enclosures

cc: Scott McCloud



Failure To Provide All Requested Information May Delay Processing of Your Notice

FOR FAA USE ONLY

Aeronautical Study Number

Notice of Proposed Construction or Alteration

1. Sponsor (person, company, etc. proposing this action):
 Attn. of: Scott McCloud
 Name: Bluegrass Cellular
 Address: 2902 Ring Road
 City: Elizabethtown State: KY Zip: 42702
 Telephone: (270) 769-0339 Fax: (270) 737-0580

2. Sponsor's Representative (if other than #1):
 Attn. of: Leila Rezanavaz
 Name: Lukas, Nace, Gutierrez & Sachs, Chartered
 Address: 1650 Tysons BLVD
Suite 1500
 City: McLean State: VA Zip: 22102
 Telephone: (703) 854-8668 Fax: (703) 584-8692

3. Notice of: New Construction Alteration Existing

4. Duration: Permanent Temporary (months, days)

5. Work Schedule: Beginning 01/25/2006 End 01/30/2006

6. Type: Antenna Tower Crane Building Power Line
 Landfill Water Tank Other _____

7. Marking/Painting and/or Lighting Preferred:
 Red Lights and Paint Dual - Red and Medium Intensity White
 White - Medium Intensity Dual - Red and High Intensity White
 White - High Intensity Other _____

8. FCC Antenna Structure Registration Number (if applicable):
N/A

9. Latitude: 36° 59' 34. 32"

10. Longitude: 84° 56' 3. 92"

11. Datum: NAD 83 NAD 27 Other _____

12. Nearest: City: Russell Springs State: KY

13. Nearest Public-use (not private-use) or Military Airport or Heliport:
Russell County Airport

14. Distance from #13. to Structure: 9.4 miles

15. Direction from #13. to Structure: East

16. Site Elevation (AMSL): 957 ft.

17. Total Structure Height (AGL): 255 ft.

18. Overall height (#16. + #17.) (AMSL): 1212 ft.

19. Previous FAA Aeronautical Study Number (if applicable):
N/A - OE

20. Description of Location: (Attach a USGS 7.5 minute Quadrangle Map with the precise site marked and any certified survey.)
Site is located 9.5 mile southeast of Russell Springs, KY

21. Complete Description of Proposal:


The structure including top-mounted cellular antennas has an overall height of 255' AGL

| Frequency/Power (kW) | |
|----------------------|-----|
| 824-890 MHz | .15 |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |

Notice is required by 14 Code of Federal Regulations, part 77 pursuant to 49 U.S.C., Section 44718. Persons who knowingly and willingly violate the notice requirements of part 77 are subject to a civil penalty of \$1,000 per day until the notice is received, pursuant to 49 U.S.C., section 46301 (a).

I hereby certify that all of the above statements made by me are true, complete, and correct to the best of my knowledge. In addition, I agree to mark and/or light the structure in accordance with established marking and lighting standards as necessary.

| | | |
|---------------------------|---|-------------------------------------|
| Date <u>01/04/2006</u> | Typed or Printed name and Title of Person Filing Notice <u>Leila Rezanavaz / Consulting Engineer</u> | Signature <u>Leila Rezanavaz</u> |
|---------------------------|---|-------------------------------------|



Site Name: Alligator
Coordinate: 36-59-34.32 N
84-56-3.92 W
Ground Elev: 957' AMSL
Proposed Ht.: 255' AGL
Map: Jabez Quadrangle, Kentucky

BLUEGRASS CELLULAR
2902 Ring Road
Elizabethtown, KY 42702

1A Letter

Date: December 23, 2005
FSTAN Project No: 05-3758

Site Name:

Alligator

For Aeronautical Study No.

Location: City
County

Russell Springs, KY
Russell

U.S.G.S. Quadrangle:

Russell Springs, KY

(NAD 27) LATITUDE
LONGITUDE

36° 59' 34.07"
84° 56' 04.10"

(NAD 83) LATITUDE
LONGITUDE

36° 59' 34.32"
84° 56' 03.92"

SITE ELEVATION (NAVD 88)
PROPOSED TOWER HEIGHT
TOWER HEIGHT WITH ANTENNA
OVERALL HEIGHT ELEVATION

957' ± AMSL
240' ± FAA AGL
265' ± FAA AGL
1222' ± AMSL


I Certify, to the best of my knowledge and belief, that the horizontal and vertical datum as established from the referenced U.S.G.S. Quadrangle, is accurate to 1A Reporting requirements of ± 20 feet horizontally and ± 3 vertically.

The horizontal datum (coordinates) are in terms of the North American Datum of 1927 (NAD 27) and 1983 (NAD 83) and expressed as degrees, minutes and seconds.


The vertical datum (heights) are in terms of the National Geodetic Vertical Datum of 1988 and are determined to the nearest foot.

Kentucky State Plane Coordinates (Southern Zone) were established with Trimble Global Positioning Systems (GPS) receivers. This site has ties to the National Geodetic Reference System established by the National Geodetic Survey, formerly the U.S. Coast & Geodetic Survey by measurements to PID Station "GZ1442", designated as "TARTER 2 RM 4".

CONSULTANT



Frank L. Sellinger II, P.L.S. No. 3282
FSTAN Land Surveyors and Consulting Engineers
2313/2315 Crittenden Drive, Louisville, Ky. 40217
Phone: 502-635-5866 Fax: 502-636-5263





Federal Aviation Administration
 Air Traffic Airspace Branch, ASW-520
 2601 Meacham Blvd.
 Fort Worth, TX 76137-0520

Aeronautical Study No.
 2006-ASO-50-OE

Issued Date: 01/25/2006

SCOTT MCCLOUD
 BLUEGRASS CELLULAR
 2902 RING ROAD
 ELIZABETHTOWN, KY 42702

**** DETERMINATION OF NO HAZARD TO AIR NAVIGATION ****

The Federal Aviation Administration has completed an aeronautical study under the provisions of 49 U.S.C., Section 44718 and, if applicable, Title 14 of the Code of Federal Regulations, part 77, concerning:

Structure Type: Antenna Tower
 Location: RUSSELL SPRINGS, KY
 Latitude: 36-59-34.32 NAD 83
 Longitude: 84-56-3.92
 Heights: 255 feet above ground level (AGL)
 1212 feet above mean sea level (AMSL)

This aeronautical study revealed that the structure does not exceed obstruction standards and would not be a hazard to air navigation provided the following condition(s), if any, is(are) met:

As a condition to this Determination, the structure is marked and/or lighted in accordance with FAA Advisory Circular 70/7460-1 K, Obstruction Marking and Lighting, a med-dual system - Chapters 4,8 (M-Dual), &12.

It is required that the enclosed FAA Form 7460-2, Notice of Actual Construction or Alteration, be completed and returned to this office any time the project is abandoned or:

At least 10 days prior to start of construction
 (7460-2, Part I)

Within 5 days after the construction reaches its greatest height
 (7460-2, Part II)

As a result of this structure being critical to flight safety, it is required that the FAA be kept appraised as to the status of the project. Failure to respond to periodic FAA inquiries could invalidate this determination.

This determination expires on 07/25/2007 unless:

- (a) extended, revised or terminated by the issuing office.
- (b) the construction is subject to the licensing authority of the Federal Communications Commission (FCC) and an application for a construction permit has been filed, as required by the FCC, within 6 months of the date of this determination. In such case, the determination expires on the date prescribed by the FCC for completion of construction, or the date the FCC denies the application.

NOTE: REQUEST FOR EXTENSION OF THE EFFECTIVE PERIOD OF THIS DETERMINATION

MUST BE POSTMARKED OR DELIVERED TO THIS OFFICE AT LEAST 15 DAYS PRIOR TO THE EXPIRATION DATE.

This determination is based, in part, on the foregoing description which includes specific coordinates, heights, frequency(ies) and power. Any changes in coordinates, heights, and frequencies or use of greater power will void this determination. Any future construction or alteration, including increase to heights, power, or the addition of other transmitters, requires separate notice to the FAA.

This determination does include temporary construction equipment such as cranes, derricks, etc., which may be used during actual construction of the structure. However, this equipment shall not exceed the overall heights as indicated above. Equipment which has a height greater than the studied structure requires separate notice to the FAA.

This determination concerns the effect of this structure on the safe and efficient use of navigable airspace by aircraft and does not relieve the sponsor of compliance responsibilities relating to any law, ordinance, or regulation of any Federal, State, or local government body.

A copy of this determination will be forwarded to the Federal Communications Commission if the structure is subject to their licensing authority.

If we can be of further assistance, please contact our office at (817)222-5538. On any future correspondence concerning this matter, please refer to Aeronautical Study Number 2006-ASO-50-OE.

Signature Control No: 447598-434289

(DNE)

Prentiss Andrews
Specialist

Attachment(s)
Frequency Data

7460-2 Attached

Frequency Data for ASN 2006-ASO-50-OE

| LOW FREQUENCY | HIGH FREQUENCY | FREQUENCY UNIT | ERP | ERP UNIT |
|------------------|-------------------|-------------------|-----|-------------|
| 824 | 890 | MHz | .15 | KW |

LUKAS, NACE, GUTIERREZ & SACHS

CHARTERED

1650 TYSONS BOULEVARD, SUITE 1500

MCLEAN, VIRGINIA 22102

703 584 8678 • 703 584 8696 FAX

WWW.FCCLAW.COM

RUSSELL D. LUKAS*
DAVID L. NACE
THOMAS GUTIERREZ*
ELIZABETH R. SACHS*
GEORGE L. LYON, JR.
PAMELA L. GIST
DAVID A. LAFURIA
B. LYNN F. RATNAVALE*
TODD SLAMOWITZ*
STEVEN M. CHERNOFF*

CONSULTING ENGINEERS
ALI KUZEHKANANI
LEROY A. ADAM
LEILA REZANAVAZ
SUMEET K. BHALOTIA
—
OF COUNSEL
JOHN J. MCAVOY*
J.K. HAGE III*
LEONARD S. KOLSKY*
HON. GERALD S. MCGOWAN*
TAMARA DAVIS-BROWN*

*NOT ADMITTED IN VA

January 4, 2006

Via Federal Express

Mr. John Houlihan
Kentucky Airport Zoning Commission
200 Mero Street
Frankfort, Kentucky 40622

(703) 584-8668

FACSIMILE

(703) 584-8692

Dear Mr. Houlihan:

Enclosed please find two completed TC 56-50 forms, Application for Permit to Construct or Alter a Structure, for a new tower structure (Alligator) near Russell Springs, Kentucky. The structure, including top-mounted cellular antennas, will have an overall height of 255 feet Above Ground Level.

Enclosed Form TC 56-50 and the attached exhibit include all the pertinent information for this existing tower structure. Also enclosed are copies of the completed FAA Form 7460-1 for the proposed site, a non-reduced 7-1/2' U.S. Geological Survey map indicating the exact location of the site, and a copy of the 1A Certification.

Please do not hesitate to contact the undersigned if there are questions regarding this matter.

Sincerely,



Leila Rezanavaz
Consulting Engineer

Enclosures

~~cc: Scott McCloud~~

Kentucky Transportation Cabinet, Kentucky Airport Zoning Commission, 125 Holmes Street, Frankfort KY 40622

Kentucky Aeronautical Study Number

APPLICATION FOR PERMIT TO CONSTRUCT OR ALTER A STRUCTURE

1. APPLICANT - Name, Address, Telephone, Fax, etc.

Scott McCloud
Bluegrass Cellular
2902 Ring Road
Elizabethtown, KY 42702
Tel: 270-769-0339
Fax: 270-737-0580

2. Representative of Applicant - Name, Address, Telephone, Fax

Leila Rezanavaz
Lukas, Nace, Gutierrez & Sachs, Chartered
1650 Tysons Blvd., Suite 1500
McLean, VA 22102
T: 703-584-8668

3. Application for: [X] New Construction [] Alteration [] Existing

4. Duration: [X] Permanent [] Temporary (Months ___ Days ___)

5. Work Schedule: Start 1/25/06 End 1/30/06

6. Type: [X] Antenna Tower [] Crane [] Building [] Power Line
[] Landfill [] Water Tank [] Other

7. Marking/Painting and/or Lighting Preferred:
[] Red Lights and Paint [X] Dual - Red & Medium Intensity White
[] White - Medium Intensity [] Dual - Red & High Intensity White
[] White - High Intensity [] Other

8. FAA Aeronautical Study Number N/A

9. Latitude: 36 ° 59 ' 34 . 32 "

10. Longitude: 84 ° 56 ' 3 . 92 "

11. Datum: [X] NAD 83 [] NAD 27 [] Other

12. Nearest Kentucky City Russell Springs County: Russell

13. Nearest Kentucky public use or Military airport:
Russell County Airport

14. Distance from #13 to Structure: 9.4

15. Direction from #13 to Structure: East

16. Site Elevation (AMSL): 957 Feet

17. Total Structure Height (AGL): 255 Feet

18. Overall Height (#16 + #17) (AMSL): 1212 Feet

19. Previous FAA and/or Kentucky Aeronautical Study Number(s):
N/A

20. Description of Location: (Attach a USGS 7.5 minute Quadrangle Map or an Airport Layout Drawing with the precise site marked and any certified survey)

Site is located 9.5 miles southeast of Russell Springs, Kentucky.

21. Description of Proposal:

Structure: Tower including top-mounted cellular antennas has an overall height of 255' AGL.

Frequency: Cellular Band B (824- 890 MHz)

Max. ERP: 200 Watts

22. Has a "NOTICE OF CONSTRUCTION OR ALTERATION" (FAA Form 7460-1) been filed with the Federal Aviation Administration? [] No [X] Yes, When 1/4/06

CERTIFICATION: I hereby certify that all the above statements made by me are true, complete and correct to the best of my knowledge and belief.

Leila Rezanavaz/Consulting Engineer Leila Rezanavaz 1/4/2006
Printed Name Signature Date

PENALTIES: Persons failing to comply with Kentucky Revised Statutes (KRS 183.861 through 183.990) and Kentucky Administrative Regulations (602 KAR 050: Series) are liable for fines and/or imprisonment as set forth in KRS 183.990(3). Non-compliance with Federal Aviation Administration Regulations may result in further penalties.

Commission Action: [] Chairman, KAZC [] Administrator, KAZC

[] Approved [] Disapproved Date

BLUEGRASS CELLULAR
2902 Ring Road
Elmhurstown, KY 42702

1A Letter

Date: December 23, 2005
FSTAN Project No: 05-3758

Alligator

Site Name:

For Aeronautical Study No.

Location:
City
County

Russell Springs, KY
Russell

U.S.G.S. Quadrangle:

Russell Springs, KY

(NAD 27) LATITUDE

36° 59' 34.07"

(NAD 83) LATITUDE

36° 59' 34.32"

LONGITUDE

84° 56' 03.92"

SITE ELEVATION (NAVD 83)

957' ± AMSL

PROPOSED TOWER HEIGHT

240' ± FAA AGL

TOWER HEIGHT WITH ANTENNA

265' ± FAA AGL

OVERALL HEIGHT ELEVATION

1222' ± AMSL

I Certify, to the best of my knowledge and belief, that the horizontal and vertical datum as established from the referenced U.S.G.S. Quadrangle, is accurate to 1/4 Reporting requirements of ± 20 feet horizontally and ± 3 vertically.


The horizontal datum (coordinates) are in terms of the North American Datum of 1927 (NAD 27) and 1983 (NAD 83) and expressed as degrees, minutes and seconds.

The vertical datum (heights) are in terms of the National Geodetic Vertical Datum of 1988 and are determined to the nearest foot.


Kentucky State Plane Coordinates (Southern Zone) were established with Trimble Global Positioning Systems (GPS) receivers. This site has ties to the National Geodetic Reference System established by the National Geodetic Survey, formerly the U.S. Coast & Geodetic Survey by measurements to PTD Station "GZ1442", designated as "TARIER 2 RM 4".

CONSULTANT

Frank L. Sellinger II, P.L.S., No. 3282
FSTAN Land Surveyors and Consulting Engineers
2313/2315 Chittenden Drive, Louisville, KY, 40217
Phone: 502-635-5866 Fax: 502-636-5263



| | | | | | | | | | | | |
|-----------------|----------|-----------|-------------------|-------------------|-------------------|-------------------|-------------------|-------------------|-------------------|-------------------|-------------------|
| Section | T11 | T10 | T9 | T8 | T7 | T6 | T5 | T4 | T3 | T2 | T1 |
| Legs | SR 4 | SR 3 3/4 | SR 3 1/2 | SR 3 1/4 | SR 3 1/4 | SR 2 1/2 | SR 2 1/2 | SR 2 3/4 | SR 2 1/2 | SR 2 1/4 | SR 1 3/4 |
| Leg Grade | L3x3x1/4 | L3x3x3/16 | L2 1/2x2 1/2x3/16 | L2 1/2x2 1/2x3/16 | A572-50 | A572-50 | A572-50 | A572-50 | A572-50 | A572-50 | A572-50 |
| Diagonals | L3x3x1/4 | L3x3x3/16 | L2 1/2x2 1/2x3/16 | L2 1/2x2 1/2x3/16 | L2 1/2x2 1/2x3/16 | L2 1/2x2 1/2x3/16 | L2 1/2x2 1/2x3/16 | L2 1/2x2 1/2x3/16 | L2 1/2x2 1/2x3/16 | L2 1/2x2 1/2x3/16 | L2 1/2x2 1/2x3/16 |
| Diagonal Grade | L3x3x1/4 | L3x3x3/16 | L2 1/2x2 1/2x3/16 | L2 1/2x2 1/2x3/16 | L2 1/2x2 1/2x3/16 | L2 1/2x2 1/2x3/16 | L2 1/2x2 1/2x3/16 | L2 1/2x2 1/2x3/16 | L2 1/2x2 1/2x3/16 | L2 1/2x2 1/2x3/16 | L2 1/2x2 1/2x3/16 |
| Top Girts | | | | | | | | | | | |
| Face Width (ft) | 17.5 | 16 | 14.5 | 13 | 11.5 | 10 | 8.5 | 7 | 5.5 | | |
| # Panels @ (ft) | | | | | | | | | | | |
| Weight (K) | 30.4 | 4.8 | 3.8 | 3.1 | 2.6 | 2.3 | 2.0 | 1.8 | 1.4 | 1.2 | 0.9 |



DESIGNED APPURTENANCE LOADING

| TYPE | ELEVATION | TYPE | ELEVATION |
|---|-----------|---|-----------|
| (6) D100-0042-0041 | 240 | (6) RWB 80014/120 (Future) | 180 |
| Lightning Rod 1"x10' (Initial) | 240 | (3) T frame sector Mount (Future Carrier 3) | 180 |
| Flash Beacon Lighting (Initial) | 240 | (6) RWB 80014/120 (Future) | 160 |
| (3) T frame sector Mount (Initial) | 240 | (3) T frame sector Mount (Future Carrier 4) | 160 |
| (6) RWB 80014/120 (Future) | 220 | HP6-122 | 140 |
| (3) T frame sector Mount (Future Carrier 1) | 220 | | |
| (6) RWB 80014/120 (Future) | 200 | | |
| (3) T frame sector Mount (Future Carrier 2) | 200 | | |



MATERIAL STRENGTH

| GRADE | Fy | Fu | GRADE | Fy | Fu |
|---------|--------|--------|-------|--------|--------|
| A572-50 | 50 ksi | 65 ksi | A36 | 36 ksi | 58 ksi |

TOWER DESIGN NOTES



1. Tower designed for Exposure B to the TIA-222-G Standard.
2. Tower designed for a 90 mph basic wind in accordance with the TIA-222-G Standard.
3. Deflections are based upon a 60 mph wind.
4. Tower designed as Structure Class I
5. Tower designed as Topo Category 3 w/ Crest Height of 100 ft
6. In no case shall more than (6) lines be exposed to wind. Feedlines may be stacked in up to (2) rows on the inside and outside face of the tower.
7. TOWER RATING: 99.3%

MAX PIER FORCES:
 DOWN: 361 K
 UPLIFT: -320 K
 SHEAR: 26 K




| | | | |
|--|---------------------------------------|---|--|
| Eastpointe Engineering Group, LLC | | Job: EII Job #2171-Alligator | |
| 4020 Tull Ave Muskogee, OK Phone: 918.683.2169 FAX: 918.682.7618 | | Project: 240' SST/Russell County, KY | |
| Client: Bluegrass Cellular | Drawn by: Johnny L. Rhodes, PE | App'd: | |
| Code: TIA-222-G | Date: 02/14/08 | Scale: N | |
| Path: Z:\Drawing\Drawings\Jobs\2100-21092168\Final Tower Design\240sst.rvt | | Dwg No.: | |

| | | | |
|--------------------------------------|--------------------------------|---|--|
| Job: EII Job #2171-Alligator | | Eastpointe Engineering Group, LLC | |
| Project: 240' SST/Russell County, KY | | 4020 Tull Ave Muskegee, OK Phone: 918.683.2169 FAX: 918.682.7618 | |
| Client: Bluegrass Cellular | Drawn by: Johnny L. Rhodes, PE | Code: T1A-222-G | Path: Z:\Drawing\2171-Alligator\2171-Alligator Tower Drawing.dwg (M) |
| Date: 02/14/06 | Appr: | Scale: N | Dwg No. E |



CAISSON DESIGN

| | |
|---------------|---|
| Vertical Bars | (12) #9 bars, 22' long |
| Ties | #5 bars @ 6" c/c for the first 6.5' then 12" c/c thereafter |



General Notes

1. Concrete shall be placed in accordance with ACI318-02, latest revision.
2. Concrete shall have a minimum 28 day compressive strength of 4000 PSI.
3. Rebar to conform to ASTM A615 grade 60.
4. Rebar used for ties may be A615 grade 40.
5. All rebar to have a minimum of 3" clear cover.
6. All exposed concrete corners to have 3/4" chamfer.
7. Bottom and side surfaces to rest on undisturbed soil.
8. Contractor shall be responsible to review and follow all recommendations of the geotechnical report.

Supplemental Notes

Soil values obtained from Terracon soils report #57057391G Dated 1/05/06
Use (6) 1 1/2" x 72" 50ksi anchor bolts

EASTPOINTE ENGINEERING GROUP, LLC

4020 Tull Ave. Muskogee, OK 74403--Phone 918.683.2169--Fax:918.682.7618

Client: **Bluegrass Cellular**

Site: **Alligator**

Job: 2171 Drawn by: JLR

Scale: NTS Date: 02/14/06

GEOTECHNICAL ENGINEERING REPORT
PROPOSED ALLIGATOR COMMUNICATION TOWER
MISSIONARY DRIVE
INDIAN HILLS, KENTUCKY

TERRACON PROJECT NO. 57057391G
January 5, 2006

Prepared For:

RSB DESIGN
Louisville, Kentucky

Prepared by:

Terracon
Louisville, Kentucky

Terracon

January 5, 2006

Terracon
Consulting Engineers & Scientists

RSB Design
6403 Mercury Drive
Louisville, Kentucky 40291

Terracon Consultants, Inc.
4545 Bishop Lane, Suite 101
Louisville, Kentucky 40218
Phone 502.456.1256
Fax 502.456.1278
www.terracon.com

Attention: Mr. Robin Becker

**Re: Geotechnical Engineering Report
Proposed Alligator Communication Tower
Missionary Drive
Indian Hills, Kentucky
Terracon Project No. 57057391G**


Dear Mr. Becker:


We are submitting, herewith, the results of our subsurface exploration for the referenced project. The purpose of this exploration was to obtain information on subsurface conditions at the proposed project site and, based on this information, to provide recommendations regarding the design and construction of foundations for the proposed tower.

We appreciate the opportunity to be of service to you on this project. If you have any questions concerning this report, or if we may be of further service to you in any way, please feel free to contact us.

Sincerely,
Terracon


Jason L. Thompson, EIT
Staff Engineer


Timothy G. LaGrow, P.E.
Kentucky No. 17758




Erich J. Hoehler
Project Engineer

n:\projects\2005\towers\57057391G\Alligator\geo\57057391G.doc

Attachments: Geotechnical Engineering Report

Copies: (4) RSB Design

TABLE OF CONTENTS

Cover Letter i

1.0 INTRODUCTION1

2.0 PROJECT DESCRIPTION1

3.0 EXPLORATION PROCEDURES.....1

 3.1 Field Exploration.....1

 3.2 Laboratory Testing.....3

4.0 EXPLORATORY FINDINGS3

 4.1 Subsurface Conditions3

 4.2 Site Geology4

 4.3 Groundwater Conditions.....4

5.0 ENGINEERING RECOMMENDATIONS4

 5.1 Tower Foundation.....4

 5.2 Equipment Building Foundations.....6

 5.3 Parking and Drive Areas.....6

 5.4 Site Preparation.....7

 5.5 Resistivity Analysis7

6.0 GENERAL COMMENTS8

APPENDIX

 Boring Location Plan

 Boring Log

 Soil Resistivity Test Results Sheet

 General Notes

 General Notes -- Description of Rock Properties

 Unified Soil Classification System

GEOTECHNICAL ENGINEERING REPORT

PROPOSED ALLIGATOR COMMUNICATION TOWER MISSIONARY DRIVE INDIAN HILLS, KENTUCKY TERRACON PROJECT NO. 57057391G January 5, 2006

1.0 INTRODUCTION

The purpose of this report is to describe the subsurface conditions encountered in the boring, analyze and evaluate the test data, and provide recommendations regarding the design and construction of foundations and earthwork for the proposed tower. One boring extending to a depth of about 28½ feet below the existing ground surface was drilled at the site. An individual boring log and a boring location plan are included with this report.

2.0 PROJECT DESCRIPTION

Terracon understands the proposed project will consist of the construction of a 240-foot self supporting tower. Exact tower loads are not available, but based on our past experience are anticipated to be as follows:

| | |
|-------------------|----------|
| Vertical Load: | 600 kips |
| Horizontal Shear: | 80 kips |
| Uplift: | 500 kips |

A small, lightly loaded equipment building will also be constructed. Wall and floor loads for this building are not anticipated to exceed 1 kip per linear foot and 100 pounds per square foot, respectively. At the time of the site visit, the property was a gently sloping, wooded hillside. A final grading plan was not available for our review, however based on the proposed tower construction, minimal grading operations are anticipated.

3.0 EXPLORATION PROCEDURES

3.1 Field Exploration

The subsurface exploration consisted of drilling and sampling one boring at the site to a depth of about 28½ feet below existing grade. The boring was advanced at the center of the tower, staked by the project surveyor. Ground surface elevations were not available at the time of this report and have been omitted from the boring log. The location of the boring should be considered accurate only to the degree implied by the means and methods used to define them.

The boring was drilled with a truck-mounted rotary drill rig using hollow stem augers to advance the borehole. Representative soil samples were obtained by the split-barrel

sampling procedure in general accordance with the appropriate ASTM standard. In the split-barrel sampling procedure, the number of blows required to advance a standard 2-inch O.D. split-barrel sampler the last 12 inches of the typical total 18-inch penetration by means of a 140-pound hammer with a free fall of 30 inches, is the standard penetration resistance (SPT) value (N-Value). This value is used to estimate the in-situ relative density of cohesionless soils and the consistency of cohesive soils. The sampling depths, penetration distance, and standard penetration resistance values are shown on the boring log. The samples were sealed and delivered to the laboratory for testing and classification.

Auger refusal was encountered at a depth of about 18½ feet below the existing ground surface. The boring was extended into the refusal materials using a diamond bit attached to the outer barrel of a double core barrel. The inner barrel collected the cored material as the outer barrel was rotated at high speeds to cut the rock. The barrel was retrieved to the surface upon completion of each drill run. Once the core samples were retrieved, they were placed in a box and logged. The rock was later classified by an engineer and the percent recovery and rock quality designation (RQD) were determined. Classification and descriptions of rock core samples are in accordance with the enclosed General Notes, and are based on visual and tactile observations. Petrographic analysis of thin sections may indicate other rock types. The percent recovery and RQD calculated for these samples are noted at their depths of occurrence on the boring log.

The percent recovery is the ratio of the sample length retrieved to the drilled length, expressed as a percent. An indication of the actual in-situ rock quality is provided by calculating the sample's RQD. The RQD is the percentage of the length of broken cores retrieved which have core segments at least 4 inches in length compared to each drilled length. The RQD is related to rock soundness and quality as illustrated below:

Table 1 – Rock Quality Designation (RQD)

| Relation of RQD and In-situ Rock Quality | |
|--|--------------|
| RQD (%) | Rock Quality |
| 90 - 100 | Excellent |
| 75 - 90 | Good |
| 50 - 75 | Fair |
| 25 - 50 | Poor |
| 0 -25 | Very Poor |

A field log of the boring was prepared by a subcontract driller. This log included visual classifications of the materials encountered during drilling as well as the driller's interpretation of the subsurface conditions between samples. The final boring log included

with this report represents an interpretation of the driller's field log and a visual classification of the soil samples made by the geotechnical engineer.

3.2 Laboratory Testing

The samples were classified in the laboratory based on visual observation, texture and plasticity. The descriptions of the soils indicated on the boring log are in accordance with the enclosed General Notes and the Unified Soil Classification System. Estimated group symbols according to the Unified Soil Classification System are given on the boring log. A brief description of this classification system is attached to this report.

The laboratory testing program consisted of performing water content tests and an Atterberg Limits test on representative soil samples. Information from these tests was used in conjunction with field penetration test data to evaluate soil strength in-situ, volume change potential, and soil classification. An unconfined compressive strength test was also performed on a sample of the refusal material. Results of these tests are provided on the boring log.

Classification and descriptions of rock core samples are in accordance with the enclosed General Notes, and are based on visual and tactile observations. Petrographic analysis of thin sections may indicate other rock types. Percent recovery and rock quality designation (RQD) were calculated for these samples and are noted at their depths of occurrence on the boring log.

4.0 EXPLORATORY FINDINGS

4.1 Subsurface Conditions

Conditions encountered at the boring location are indicated on the boring log. Stratification boundaries on the boring log represent the approximate location of changes in soil types and the transition between materials may be gradual. Water levels shown on the boring log represent the conditions only at the time of our exploration. Based on the results of the boring, subsurface conditions on the project site can be generalized as follows.

In general, our boring encountered yellowish brown elastic silt (MH) below the ground surface to an auger refusal depth of about 18½ feet. The natural soil exhibited a soft stiff to very stiff consistency based on SPT N-Values ranging from 4 to over 30 blows per foot. Weathered shale fragments suspended in the soil matrix likely contributed to the higher SPT N-Values obtained below a depth of about 13½ feet.

Below a depth of about 18½ feet, rock coring techniques were used to advance the borehole. The core samples recovered consisted of shale from 18½ feet to 23 feet followed by limestone to a boring termination depth of 28½ feet. The dark gray shale and light gray

limestone encountered at the site were closely to moderately closely jointed and hard. Two 1 foot thick voids were encountered within the limestone at depths of about 25 and 27 feet. The percent recovery for the ten foot core run was 67 percent. The quality of the rock is rated at poor based on an RQD value of 48 percent. Considering the height of the tower and the quality of the bedrock, coring operations were terminated at a depth of 28½ feet below grade.

4.2 Site Geology

Based on a review of the Jabez Geologic Quadrangle map (published 1966), the site is underlain by the Salem and Warsaw Formations. The Salem and Warsaw Formations consist of limestone, sandstone, and shale. The limestone is sandy, olive gray to brownish gray, thin bedded and grades into tan, homogeneous silty mudstone. The sandstone is silty and limy, dark yellowish orange to moderate reddish brown, and very fine grained. The shale is silty, calcareous in upper part, dark purplish gray to olive gray, abundantly fossiliferous in places, and grades laterally in to and includes lenses of fossiliferous coarse grained sandy limestone. The formation is approximately 50 to 130 feet thick and underlain by the Fort Payne Formation.

4.3 Groundwater Conditions

No groundwater was encountered during the auger drilling portion of the borehole. Water was used to advance the borehole during rock coring operations. The introduction of water into the borehole precluded obtaining accurate groundwater level readings at the time of drilling operations. Long term observation of the groundwater level in monitoring wells, sealed from the influence of surface water, would be required to obtain accurate groundwater levels on the site.

It should be recognized that fluctuations of the groundwater table may occur due to seasonal variations in the amount of rainfall, runoff and other factors not evident at the time the boring was performed. Therefore, groundwater levels during construction or at other times in the life of the structure may be higher or lower than the levels indicated on the boring log. The possibility of groundwater level fluctuations should be considered when developing the design and construction plans for the project.

5.0 ENGINEERING RECOMMENDATIONS

5.1 Tower Foundation

Based on the encountered subsurface conditions, the proposed tower can be founded on drilled piers. The equipment building may be supported on shallow spread footings. Design recommendations for the tower drilled piers and shallow footings for the equipment building are presented in the following paragraphs.

Table 2 - Drilled Pier Foundation Design Parameters

| Depth * (feet) | Description ** | Allowable Skin Friction (psf) | Allowable End Bearing Pressure (psf) | Allowable Passive Pressure (psf) | Internal Angle of Friction (Degree) | Cohesion (psf) | Lateral Subgrade Modulus (pci) | Strain, & ₅₀ (in/in) |
|-------------------|-------------------------------|--|--|---|--|-------------------|---|---------------------------------------|
| 0 – 3 | Topsoil and Elastic Silt | Ignore | Ignore | Ignore | - | - | Ignore | Ignore |
| 3 – 18.5 | Elastic Silt | 375 | Ignore | 1000 | 0 | 1000 | 80 | 0.009 |
| 18.5 – 28.5 | Shale and Limestone *** | 5,000*** | 50,000 | 10,000*** | 0 | 70,000*** | 3,000 | 0.00001 |

* Pier inspection is recommended to adjust pier length if variable soil/rock conditions are encountered.

** A total unit weight of 120 and 150 pcf can be estimated for the lean clay and bedrock, respectively.

*** The pier should be embedded a minimum of 3 feet into the bedrock to mobilize these higher rock strength parameters. Furthermore, it is assumed the rock socket will be extended using coring techniques rather than blasting/shooting.

The above indicated cohesion, friction angle, lateral subgrade modulus and strain values have no factors of safety, and the allowable skin friction and the passive resistances have factors of safety of 2. The cohesion, internal friction angle, lateral subgrade modulus and strain values given in the above table are based on the boring, published correlation values and Terracon's past experience with similar soil/rock types. These values should, therefore, be considered approximate. The allowable end bearing pressure provided in the table has an approximate factor of safety of at least 3. Total settlement of drilled piers designed using the above parameters is not anticipated to exceed ½ inch.

The upper 3 feet of topsoil and silt should be ignored due to the potential affects of frost action and construction disturbance. To avoid a reduction in uplift and lateral resistance caused by variable bedrock depths and bedrock quality, it is recommended that a minimum pier length and minimum bedrock socket length be stated on the design drawings. Bedrock was encountered in our boring below a depth of about 18½ feet, but could vary between tower legs, or if the tower is moved from the location of our boring. Considering the site geology, variable rock depths should be anticipated if the tower location is moved from the location of the boring. If the tower center is moved from the planned location, Terracon should be notified to review the recommendations and determine whether an additional boring is required. To facilitate pier length adjustments that may be necessary because of variable rock conditions, it is recommended that a Terracon representative observe the drilled pier excavation.

Although the boring was able to penetrate the highly weathered shale fragments encountered below a depth of about 13½ feet, there is a possibility that larger diameter drilled pier equipment will refuse on this material or at higher elevations than shown in our boring. The contractor should recognize the hardness of the material and be prepared to use rock teeth or other means to extend through these layers.

A drilled pier foundation should be designed with a minimum shaft diameter of 30 inches to facilitate clean out and possible dewatering of the pier excavation. Temporary casing may be required during the pier excavation in order to control possible groundwater seepage and support the sides of the excavation in weak soil zones. Care should be taken so that the sides and bottom of the excavations are not disturbed during construction. The bottom of the shaft should be free of loose soil or debris prior to reinforcing steel and concrete placement.

A concrete slump of at least 6 inches is recommended to facilitate temporary casing removal. It should be possible to remove the casing from a pier excavation during concrete placement provided that the concrete inside the casing is maintained at a sufficient level to resist any earth and hydrostatic pressures outside the casing during the entire casing removal procedure.

Due to the voids encountered in the rock core samples, it is imperative that Terracon be retained to observe the drilled pier prior to concrete placement.

5.2 Equipment Building Foundations

The proposed equipment shed may be supported on shallow footings bearing on stiff natural soils. The equipment building foundations should be dimensioned using a net allowable soil bearing pressure of 2,000 pounds per square foot (psf). In using net allowable soil pressures for footing dimensioning, the weight of the footings and backfill over the footings need not be considered. Furthermore, the footings should be at least 12 inches wide and a minimum of 2.0 feet square.

The geotechnical engineer or a qualified representative should observe the foundation excavations to verify that the bearing materials are suitable for support of the proposed loads. If, at the time of such observation, any soft soils are encountered at the design foundation elevation, the excavations should be extended downward so that the footings rest on stiff soils. If it is inconvenient to lower the footings, the proposed footing elevations may be re-established by backfilling after the undesirable material has been removed.

The recommended soil bearing value should be considered an upper limit, and any value less than that listed above would be acceptable for the foundation system. Using the value given, total settlement would be about 1 inch or less with differential settlements being less than 75 percent of total settlement. Footings should be placed at a depth of 2.0 feet, or greater, below finished exterior grade for protection against frost damage.

5.3 Parking and Drive Areas

The drive that accesses the site will be surfaced with crushed stone. Parking and drive areas that are surfaced with crushed stone should have a minimum thickness of 6 inches

and be properly placed and compacted as outlined herein. The crushed stone should meet Kentucky Transportation Cabinet specifications and applicable local codes.

A paved section consisting only of crushed graded aggregate base course should be considered a high maintenance section. Regular care and maintenance is considered essential to the longevity and use of the section. Site grades should be maintained in such a manner as to allow for adequate surface runoff. Any potholes, depressions or excessive rutting that may develop should be repaired as soon as possible to reduce the possibility of degrading the soil subgrade.

5.4 Site Preparation

Site preparation should begin with the removal of any topsoil, loose, soft or otherwise unsuitable materials from the construction area. The geotechnical engineer should evaluate the actual stripping depth, along with any soft soils that require undercutting at the time of construction.

Any fill and backfill placed on the site should consist of approved materials that are free of organic matter and debris. Suitable fill material should consist of either granular material or low-plasticity cohesive soil. Low-plasticity cohesive soil should have a liquid limit of less than 45 percent and a plasticity index of less than 25 percent. Based on our limited testing to date, the onsite soils are not considered suitable for re-use as structural fill. It is recommended that during construction any off-site soils should be further tested and evaluated prior to use as fill. Fill should not contain frozen material and it should not be placed on a frozen subgrade.

The fill should be placed and compacted in lifts of 9 inches or less in loose thickness. Fill placed below structures or used to provide lateral resistance should be compacted to at least 98 percent of the material's maximum standard Proctor dry density (ASTM D-698). Fill should be placed, compacted, and maintained at moisture contents within minus 1 to plus 3 percent of the optimum value determined by the standard Proctor test.

The geotechnical engineer should be retained to monitor fill placement on the project and to perform field density tests as each lift of fill is placed in order to evaluate compliance with the design requirements. Standard Proctor and Atterberg limits tests should be performed on the representative samples of fill materials before their use on the site.

5.5 Resistivity Analysis

Resistivity of the subsurface soils was measured at the site using a Nilsson Model 400 soil resistivity meter. The Wenner Vertical Profiling Method was used. With this array, potential electrodes are centered on a traverse line between the current electrodes and an equal "A" spacing between electrodes is maintained. Resistivity measurements were taken along 2 traverses located along the perimeter of the proposed tower compound. Individual resistivity

values at 5, 10, 15, 20, 30, 40, 50 and 60 foot spacings are presented on the soil resistivity test sheet in the Appendix.

6.0 GENERAL COMMENTS


Terracon should be retained to review the final design plans and specifications so comments can be made regarding interpretation and implementation of our geotechnical recommendations in the design and specifications. Terracon also should be retained to provide testing and observation during excavation, grading, foundation and construction phases of the project.

The analysis and recommendations presented in this report are based upon the data obtained from the boring performed at the indicated location and from other information discussed in this report. This report does not reflect variations that may occur across the site, between the tower legs or due to the modifying effects of weather. The nature and extent of such variations may not become evident until during or after construction. If variations appear, we should be immediately notified so that further evaluation and supplemental recommendations can be provided.

The scope of services for this project does not include either specifically or by implication any environmental or biological (e.g., mold, fungi, bacteria) assessment of the site or identification or prevention of pollutants, hazardous materials or conditions. If the owner is concerned about the potential for such contamination or pollution, other studies should be undertaken.

This report has been prepared for the exclusive use of our client for specific application to the project discussed and has been prepared in accordance with generally accepted geotechnical engineering practices. No warranties, either express or implied, are intended or made. Site safety, excavation support, and dewatering requirements are the responsibility of others. In the event that changes in the nature, design, or location of the project as outlined in this report are planned, the conclusions and recommendations contained in this report shall not be considered valid unless Terracon reviews the changes and either verifies or modifies the conclusions of this report in writing.

APPENDIX



BORING LOCATION DIAGRAM
SCALE: NTS



RSB Design
Alligator Communication Tower
Indian Hills, Kentucky
PROJECT NO. 57057391G

LOG OF BORING NO. B-1

| | |
|--|--|
| CLIENT <p style="text-align: center;">RSB DESIGN</p> | |
| SITE <p style="text-align: center;">INDIAN HILLS, KENTUCKY</p> | PROJECT <p style="text-align: center;">ALLIGATOR COMMUNICATION TOWER</p> |

| GRAPHIC LOG | DESCRIPTION | DEPTH, ft. | USCS SYMBOL | SAMPLES | | | TESTS | | | | |
|-------------|---|------------|-------------|---------|------|---------------|------------------------|---------------------|--------------------|-----------------------------|---------------------|
| | | | | NUMBER | TYPE | RECOVERY, in. | SPT - N BLOWS / ft. | WATER CONTENT, % | DRY UNIT WT pcf | UNCONFINED STRENGTH, psf | ATTERBERG LIMITS |
| | <p>ELASTIC SILT, yellowish brown, soft, stiff and very stiff</p> | 0 | | | | | | | | | |
| | | 5 | MH | 1 | SS | 14 | 10 | 34 | | | |
| | | 10 | MH | 2 | SS | 14 | 15 | 23 | | | |
| | | 15 | MH | 3 | SS | 16 | 11 | 39 | | | |
| | | 20 | MH | 4 | SS | 18 | 4 | 51 | | | |
| | -with shale fragments below 13.5 feet | 25 | MH | 5 | SS | 16 | 70 | 21 | | | |
| 18.5 | <p>Auger Refusal at 18.5 feet, Began Coring</p> | | | | | | | | | | |
| 23 | <p>SHALE, closely to moderately closely jointed, dark gray, hard</p> | 20 | | 6 | DB | 68% | RQD 48% | | | | 5800 psi |
| 28.5 | <p>LIMESTONE, closely to moderately closely jointed, light gray, hard -void from 25 to 26 feet -void from 27 to 28 feet</p> | 25 | | | | | | | | | |
| 28.5 | <p>BORING TERMINATED AT 28.5 FEET</p> | | | | | | | | | | |

The stratification lines represent the approximate boundary lines between soil and rock types: in-situ, the transition may be gradual.

WATER LEVEL OBSERVATIONS, ft

| | | | |
|----|---------------------------|--|---|
| WL | ▽ | | ▽ |
| WL | ▽ | | ▽ |
| WL | Dry upon auger completion | | |



| | | | |
|------------------|------|-----------------|----|
| BORING STARTED | | 12-28-05 | |
| BORING COMPLETED | | 12-28-05 | |
| RIG | B-61 | FOREMAN | JS |
| APPROVED | JLT | JOB # 57057391G | |

BOREHOLE 99 57057391G.GPJ TERRACON.GDT 1/9/06



Project: Alligator
 Project No.: 57057391G
 Performed By: MT
 Checked By: JLT

Soil Resistivity

ASTM G57 Test Method for Field Measurement of Soil Resistivity Using Wenner Four - Electrode Method

At-Grade Measurements (equal rod spacing)

| Location | Depth of Interest (feet) | Electrode Spacing from Center (feet) | | Resistance (ohms) | | Resistivity (ohm-cm) |
|----------|--------------------------|--------------------------------------|-------|-------------------|--------------|----------------------|
| | | Inner | Outer | Dial Reading | Range Switch | |
| A- A' | 5 | 2.5 | 7.5 | 5.2 | 10.0 | 49790 |
| | 10 | 5 | 15 | 3.0 | 10.0 | 57450 |
| | 15 | 7.5 | 22.5 | 1.6 | 10.0 | 45960 |
| | 20 | 10 | 30 | 1.3 | 10.0 | 49790 |
| | 30 | 15 | 45 | 0.2 | 10.0 | 11490 |
| | 40 | 20 | 60 | 4.2 | 1.0 | 32172 |
| | 60 | 30 | 90 | 1.2 | 1.0 | 13788 |
| | 80 | 40 | 120 | | | |
| B-B' | 5 | 2.5 | 7.5 | 7.0 | 10.0 | 67025 |
| | 10 | 5 | 15 | 3.2 | 10.0 | 61280 |
| | 15 | 7.5 | 22.5 | 1.8 | 10.0 | 51705 |
| | 20 | 10 | 30 | 7.2 | 1.0 | 27576 |
| | 30 | 15 | 45 | 4.1 | 1.0 | 23555 |
| | 40 | 20 | 60 | 2.8 | 1.0 | 21448 |
| | 60 | 30 | 90 | 1.0 | 1.0 | 11490 |
| | 80 | 40 | 120 | | | |
| | 100 | 50 | 150 | | | |

Resisitvity (ohm-cm) = $2 \cdot \pi \cdot a \cdot R \cdot 30.48$

R = resistivity (dial reading*range switch)

a = electrode spacing

Equipent Usage: Nilsson Soil Resistance Meter - Model 400

Additional Notes: General site layout limited length and number of traverses

GENERAL NOTES

DRILLING & SAMPLING SYMBOLS:

| | | | |
|-----|--|-----|---------------------------|
| SS: | Split Spoon - 1-3/8" I.D., 2" O.D., unless otherwise noted | HS: | Hollow Stem Auger |
| ST: | Thin-Walled Tube - 2" O.D., unless otherwise noted | PA: | Power Auger |
| RS: | Ring Sampler - 2.42" I.D., 3" O.D., unless otherwise noted | HA: | Hand Auger |
| DB: | Diamond Bit Coring - 4", N, B | RB: | Rock Bit |
| BS: | Bulk Sample or Auger Sample | WB: | Wash Boring or Mud Rotary |

The number of blows required to advance a standard 2-inch O.D. split-spoon sampler (SS) the last 12 inches of the total 18-inch penetration with a 140-pound hammer falling 30 inches is considered the "Standard Penetration" or "N-value".

WATER LEVEL MEASUREMENT SYMBOLS:

| | | | | | |
|------|--------------|------|-----------------------|------|-----------------|
| WL: | Water Level | WS: | While Sampling | N/E: | Not Encountered |
| WCI: | Wet Cave in | WD: | While Drilling | | |
| DCI: | Dry Cave in | BCR: | Before Casing Removal | | |
| AB: | After Boring | ACR: | After Casing Removal | | |

Water levels indicated on the boring logs are the levels measured in the borings at the times indicated. Groundwater levels at other times and other locations across the site could vary. In pervious soils, the indicated levels may reflect the location of groundwater. In low permeability soils, the accurate determination of groundwater levels may not be possible with only short-term observations.

DESCRIPTIVE SOIL CLASSIFICATION: Soil classification is based on the Unified Classification System. Coarse Grained Soils have more than 50% of their dry weight retained on a #200 sieve; their principal descriptors are: boulders, cobbles, gravel or sand. Fine Grained Soils have less than 50% of their dry weight retained on a #200 sieve; they are principally described as clays if they are plastic, and silts if they are slightly plastic or non-plastic. Major constituents may be added as modifiers and minor constituents may be added according to the relative proportions based on grain size. In addition to gradation, coarse-grained soils are defined on the basis of their in-place relative density and fine-grained soils on the basis of their consistency.

CONSISTENCY OF FINE-GRAINED SOILS

| <u>Unconfined Compressive Strength, Qu, psf</u> | <u>Standard Penetration or N-value (SS) Blows/Ft.</u> | <u>Consistency</u> |
|---|---|--------------------|
| < 500 | <2 | Very Soft |
| 500 – 1,000 | 2-4 | Soft |
| 1,001 – 2,000 | 5-7 | Medium Stiff |
| 2,001 – 4,000 | 8-15 | Stiff |
| 4,001 – 8,000 | 16-30 | Very Stiff |
| 8,000+ | 30+ | Hard |

RELATIVE DENSITY OF COARSE-GRAINED SOILS

| <u>Standard Penetration or N-value (SS) Blows/Ft.</u> | <u>Relative Density</u> |
|---|-------------------------|
| 0 – 3 | Very Loose |
| 4 – 9 | Loose |
| 10 – 29 | Medium Dense |
| 30 – 49 | Dense |
| 50+ | Very Dense |

RELATIVE PROPORTIONS OF SAND AND GRAVEL

| <u>Descriptive Term(s) of other constituents</u> | <u>Percent of Dry Weight</u> |
|--|----------------------------------|
| Trace | < 15 |
| With | 15 – 29 |
| Modifier | > 30 |

GRAIN SIZE TERMINOLOGY

| <u>Major Component of Sample</u> | <u>Particle Size</u> |
|--------------------------------------|--------------------------------------|
| Boulders | Over 12 in. (300mm) |
| Cobbles | 12 in. to 3 in. (300mm to 75 mm) |
| Gravel | 3 in. to #4 sieve (75mm to 4.75 mm) |
| Sand | #4 to #200 sieve (4.75mm to 0.075mm) |
| Silt or Clay | Passing #200 Sieve (0.075mm) |

RELATIVE PROPORTIONS OF FINES

| <u>Descriptive Term(s) of other constituents</u> | <u>Percent of Dry Weight</u> |
|--|----------------------------------|
| Trace | < 5 |
| With | 5 – 12 |
| Modifiers | > 12 |

PLASTICITY DESCRIPTION

| <u>Term</u> | <u>Plasticity Index</u> |
|-------------|-------------------------|
| Non-plastic | 0 |
| Low | 1-10 |
| Medium | 11-30 |
| High | 30+ |

GENERAL NOTES

Description of Rock Properties

WEATHERING

| | |
|-------------------|--|
| Fresh | Rock fresh, crystals bright, few joints may show slight staining. Rock rings under hammer if crystalline. |
| Very slight | Rock generally fresh, joints stained, some joints may show thin clay coatings, crystals in broken face show bright. Rock rings under hammer if crystalline. |
| Slight | Rock generally fresh, joints stained, and discoloration extends into rock up to 1 in. Joints may contain clay. In granitoid rocks some occasional feldspar crystals are dull and discolored. Crystalline rocks ring under hammer. |
| Moderate | Significant portions of rock show discoloration and weathering effects. In granitoid rocks, most feldspars are dull and discolored; some show clayey. Rock has dull sound under hammer and shows significant loss of strength as compared with fresh rock. |
| Moderately severe | All rock except quartz discolored or stained. In granitoid rocks, all feldspars dull and discolored and majority show kaolinization. Rock shows severe loss of strength and can be excavated with geologist's pick. |
| Severe | All rock except quartz discolored or stained. Rock "fabric" clear and evident, but reduced in strength to strong soil. In granitoid rocks, all feldspars kaolinized to some extent. Some fragments of strong rock usually left. |
| Very severe | All rock except quartz discolored or stained. Rock "fabric" discernible, but mass effectively reduced to "soil" with only fragments of strong rock remaining. |
| Complete | Rock reduced to "soil". Rock "fabric" not discernible or discernible only in small, scattered locations. Quartz may be present as dikes or stringers. |

HARDNESS (for engineering description of rock – not to be confused with Moh's scale for minerals)

| | |
|-----------------|--|
| Very hard | Cannot be scratched with knife or sharp pick. Breaking of hand specimens requires several hard blows of geologist's pick. |
| Hard | Can be scratched with knife or pick only with difficulty. Hard blow of hammer required to detach hand specimen. |
| Moderately hard | Can be scratched with knife or pick. Gouges or grooves to ¼ in. deep can be excavated by hard blow of point of a geologist's pick. Hand specimens can be detached by moderate blow. |
| Medium | Can be grooved or gouged 1/16 in. deep by firm pressure on knife or pick point. Can be excavated in small chips to pieces about 1-in. maximum size by hard blows of the point of a geologist's pick. |
| Soft | Can be gouged or grooved readily with knife or pick point. Can be excavated in chips to pieces several inches in size by moderate blows of a pick point. Small thin pieces can be broken by finger pressure. |
| Very soft | Can be carved with knife. Can be excavated readily with point of pick. Pieces 1-in. or more in thickness can be broken with finger pressure. Can be scratched readily by fingernail. |

Joint, Bedding and Foliation Spacing in Rock^a

| Spacing | Joints | Bedding/Foliation | |
|------------------|------------------|-------------------|--|
| Less than 2 in. | Very close | Very thin | |
| 2 in. – 1 ft. | Close | Thin | |
| 1 ft. – 3 ft. | Moderately close | Medium | |
| 3 ft. – 10 ft. | Wide | Thick | |
| More than 10 ft. | Very wide | Very thick | |

| Rock Quality Designator (RQD) ^b | | Joint Openness Descriptors | |
|--|------------------------|----------------------------|-----------------|
| RQD, as a percentage | Diagnostic description | Openness | Descriptor |
| Exceeding 90 | Excellent | No Visible Separation | Tight |
| 90 – 75 | Good | Less than 1/32 in. | Slightly Open |
| 75 – 50 | Fair | 1/32 to 1/8 in. | Moderately Open |
| 50 – 25 | Poor | 1/8 to 3/8 in. | Open |
| Less than 25 | Very poor | 3/8 in. to 0.1 ft. | Moderately Wide |
| | | Greater than 0.1 ft. | Wide |

- a. Spacing refers to the distance normal to the planes, of the described feature, which are parallel to each other or nearly so.
 b. RQD (given as a percentage) = length of core in pieces 4 in. and longer/length of run.

References: American Society of Civil Engineers. Manuals and Reports on Engineering Practice - No. 56. Subsurface Investigation for Design and Construction of Foundations of Buildings. New York: American Society of Civil Engineers, 1976.
 U.S. Department of the Interior, Bureau of Reclamation, Engineering Geology Field Manual.

UNIFIED SOIL CLASSIFICATION SYSTEM

Criteria for Assigning Group Symbols and Group Names Using Laboratory Tests^A

| | | | | Soil Classification | | |
|---|---|--|--|----------------------------|-----------------------------------|--------------------------------|
| | | | | Group Symbol | Group Name ^B | |
| Coarse Grained Soils More than 50% retained on No. 200 sieve | Gravels More than 50% of coarse fraction retained on No. 4 sieve | Clean Gravels Less than 5% fines ^C | $Cu \geq 4$ and $1 \leq Cc \leq 3^E$ | GW | Well-graded gravel ^F | |
| | | | $Cu < 4$ and/or $1 > Cc > 3^E$ | GP | Poorly graded gravel ^F | |
| | Sands 50% or more of coarse fraction passes No. 4 sieve | Gravels with Fines More than 12% fines ^C | More | Fines classify as ML or MH | GM | Silty gravel ^{F,G,H} |
| | | | | Fines classify as CL or CH | GC | Clayey gravel ^{F,G,H} |
| | | Clean Sands Less than 5% fines ^D | $Cu \geq 6$ and $1 \leq Cc \leq 3^E$ | SW | Well-graded sand ^I | |
| | | | $Cu < 6$ and/or $1 > Cc > 3^E$ | SP | Poorly graded sand ^I | |
| Sands with Fines More than 12% fines ^D | Fines classify as ML or MH | SM | Silty sand ^{G,H,I} | | | |
| | Fines Classify as CL or CH | SC | Clayey sand ^{G,H,I} | | | |
| Fine-Grained Soils 50% or more passes the No. 200 sieve | Silt and Clays Liquid limit less than 50 | inorganic | $PI > 7$ and plots on or above "A" line ^J | CL | Lean clay ^{K,L,M} | |
| | | | $PI < 4$ or plots below "A" line ^J | ML | Silt ^{K,L,M} | |
| | | organic | Liquid limit - oven dried < 0.75 | OL | Organic clay ^{K,L,M,N} | |
| | | | Liquid limit - not dried | OL | Organic silt ^{K,L,M,O} | |
| | Silt and Clays Liquid limit 50 or more | inorganic | PI plots on or above "A" line | CH | Fat clay ^{K,L,M} | |
| | | | PI plots below "A" line | MH | Elastic Silt ^{K,L,M} | |
| | | organic | Liquid limit - oven dried < 0.75 | OH | Organic clay ^{K,L,M,P} | |
| | | | Liquid limit - not dried | OH | Organic silt ^{K,L,M,Q} | |
| Highly organic soils | Primarily organic matter, dark in color, and organic odor | | PT | Peat | | |

^ABased on the material passing the 3-in. (75-mm) sieve

^BIf field sample contained cobbles or boulders, or both, add "with cobbles or boulders, or both" to group name.

^CGravels with 5 to 12% fines require dual symbols: GW-GM well-graded gravel with silt, GW-GC well-graded gravel with clay, GP-GM poorly graded gravel with silt, GP-GC poorly graded gravel with clay.

^DSands with 5 to 12% fines require dual symbols: SW-SM well-graded sand with silt, SW-SC well-graded sand with clay, SP-SM poorly graded sand with silt, SP-SC poorly graded sand with clay

$$^E Cu = D_{60}/D_{10} \quad Cc = \frac{(D_{30})^2}{D_{10} \times D_{60}}$$

^FIf soil contains $\geq 15\%$ sand, add "with sand" to group name.

^GIf fines classify as CL-ML, use dual symbol GC-GM, or SC-SM.

^HIf fines are organic, add "with organic fines" to group name.

^IIf soil contains $\geq 15\%$ gravel, add "with gravel" to group name.

^JIf Atterberg limits plot in shaded area, soil is a CL-ML, silty clay.

^KIf soil contains 15 to 29% plus No. 200, add "with sand" or "with gravel," whichever is predominant.

^LIf soil contains $\geq 30\%$ plus No. 200 predominantly sand, add "sandy" to group name.


^MIf soil contains $\geq 30\%$ plus No. 200, predominantly gravel, add "gravelly" to group name.

^N $PI \geq 4$ and plots on or above "A" line.

^O $PI < 4$ or plots below "A" line.

^P PI plots on or above "A" line.

^Q PI plots below "A" line.



COMMONWEALTH OF KENTUCKY
BEFORE THE PUBLIC SERVICE COMMISSION

In the Matter of:

**APPLICATION OF CUMBERLAND CELLULAR
PARTNERSHIP FOR ISSUANCE OF A CERTIFICATE
OF PUBLIC CONVENIENCE AND NECESSITY TO
CONSTRUCT A CELL SITE (ALLIGATOR) IN RURAL SERVICE
AREA #5 (RUSSELL) OF THE COMMONWEALTH OF
KENTUCKY**

CASE NO. 2006-00052

AFFIDAVIT OF JOHN E. SELENT

I, John E. Selent, being duly sworn, depose and state as follows:

1. My name is John E. Selent and I am a member of the Kentucky Bar Association.

I am legal counsel to Cumberland Cellular Partnership and am submitting this affidavit in conjunction with the above referenced matter.

2. Pursuant to 807 KAR 5:063 §1(1)(l), the attached list containing the names of the residents/tenants and property owners within 500 feet of the proposed tower have been: (i) notified by written notice of the proposed construction, sufficient postage prepaid, by United States certified mail, return receipt requested; (ii) given the Commission docket number under which the application will be processed; and (iii) informed of the right to request intervention.

3. A copy of the certified mail return receipts for each of the above property owners that show proof of service is attached hereto.


4. The address for Errol P. & Cecilia M. Johnson and Indian Hills Fishing Camp are P.O. Boxes and therefore cannot be served by U.S. Certified Mail, pursuant to 807 KAR 5:063 § 1(l) and (m).

5. For the reason set forth in paragraph 4, the written notice of the proposed construction for Errol P. & Cecilia M. Johnson and Indian Hills Fishing Camp were sent via U.S. Express Mail. The proof of service is attached hereto.

6. The written notice of the proposed construction that was sent via U.S. Certified Mail to Frances Rohleder and Gerald B. Jr. & Dewise Payton were returned marked "Return to Sender - Unclaimed - Unable to forward" and therefore was never served upon nor delivered to the intended recipients.

7. For the reason set forth in paragraph 6, the written notice of the proposed construction for Frances Rohleder and Gerald B. Jr. & Dewise Payton were sent via Federal Express for overnight delivery. The proof of service is attached hereto.

Further Affiant saith not.




John E. Seleit
)
)SS:
)

COMMONWEALTH OF KENTUCKY

COUNTY OF JEFFERSON

SUBSCRIBED AND SWORN to before me this 2nd day of March, 2006.

My commission expires: 11/20/07



Notary Public

February 7, 2006

Errol P. & Cecilia M. Johnson
P.O. Box 86
New Haven, Kentucky 40051

Public Notice

Cumberland Cellular Partnership is a Kentucky general partnership that markets its services as Bluegrass Cellular and has been serving Central Kentucky with wireless communications services for over 15 years.

Bluegrass Cellular is applying to the Public Service Commission of the Commonwealth of Kentucky (the "Commission") for a Certificate of Public Convenience and Necessity to construct and a new cell facility to provide cellular telephone service. This facility will include a 240 foot tower to be located at 57 Missionary Drive, Russell Springs, Kentucky, 42642. A map showing the location is attached.

The Commission invites your comments regarding this proposed construction. Also, the Commission wants you to be aware of your right to intervene in this matter. Your comments and request for intervention should be addressed to:

**Executive Director's Office
Public Service Commission of Kentucky
P.O. Box 615
Frankfort, Kentucky, 40602.**

Please refer to case number 2006-00052 in your correspondence.

Bluegrass Cellular welcomes the opportunity to serve and provide wireless service in your community! (For more information, please check us out online at www.myblueworks.com)



Track & Confirm

Search Results

Label/Receipt Number: EQ31 0795 927U S
Status: Delivered

Your item was delivered at 9:41 am on February 09, 2006 in NEW HAVEN, KY 40051. The item was signed for by M JOHNSON.

[Additional Details >](#) [Return to USPS.com Home >](#)


Notification Options

Track & Confirm by email

Get current event information or updates for your item sent to you or others by email. [Go >](#)

Proof of Delivery

Verify who signed for your item by email, fax, or mail. [Go >](#)

 **POSTAL INSPECTORS** Preserving the Trust
site map contact us government services jobs National & Premier Accounts
Copyright © 1999-2004 USPS. All Rights Reserved. Terms of Use Privacy Policy



[Track & Confirm](#)

Track & Confirm

Search Results

Label/Receipt Number: EQ31 0795 927U S
Detailed Results:

- Delivered, February 09, 2006, 9:41 am, NEW HAVEN, KY 40051
- Notice Left, February 09, 2006, 8:22 am, NEW HAVEN, KY 40051
- Arrival at Pick-Up-Point, February 09, 2006, 7:41 am, NEW HAVEN, KY 40051
- Arrival at Unit, February 09, 2006, 7:41 am, NEW HAVEN, KY 40051
- Enroute, February 08, 2006, 7:13 pm, LOUISVILLE, KY 40231
- Acceptance, February 08, 2006, 4:08 pm, LOUISVILLE, KY 40270

[< Back](#)

[Return to USPS.com Home >](#)

Track & Confirm

Enter Label/Receipt Number.

Notification Options

Track & Confirm by email

Get current event information or updates for your item sent to you or others by email. [Go >](#)

Proof of Delivery

Verify who signed for your item by email, fax, or mail. [Go >](#)



POSTAL INSPECTORS
Preserving the Trust

[site map](#)

[contact us](#)

[government services](#)

[jobs](#)

[National & Premier Accounts](#)

Copyright © 1999-2004 USPS. All Rights Reserved. [Terms of Use](#) [Privacy Policy](#)

February 7, 2006

Indian Hills Fishing Camp
C/O Dr. Charles E. Peck
P.O. Box 130
Russell Springs, Kentucky 42642

Public Notice

Cumberland Cellular Partnership is a Kentucky general partnership that markets its services as Bluegrass Cellular and has been serving Central Kentucky with wireless communications services for over 15 years.

Bluegrass Cellular is applying to the Public Service Commission of the Commonwealth of Kentucky (the "Commission") for a Certificate of Public Convenience and Necessity to construct and a new cell facility to provide cellular telephone service. This facility will include a 240 foot tower to be located at 57 Missionary Drive, Russell Springs, Kentucky, 42642. A map showing the location is attached.

The Commission invites your comments regarding this proposed construction. Also, the Commission wants you to be aware of your right to intervene in this matter. Your comments and request for intervention should be addressed to:

**Executive Director's Office
Public Service Commission of Kentucky
P.O. Box 615
Frankfort, Kentucky, 40602.**

Please refer to case number 2006-00052 in your correspondence.

Bluegrass Cellular welcomes the opportunity to serve and provide wireless service in your community! (For more information, please check us out online at www.myblueworks.com)



Track & Confirm

Search Results

Label/Receipt Number: ER28 3588 066U S
Status: Delivered

Your item was delivered at 11:12 am on February 09, 2006 in RUSSELL SPRINGS, KY 42642. The item was signed for by C PECK.

[Additional Details >](#) [Return to USPS.com Home >](#)


Notification Options

Track & Confirm by email

Get current event information or updates for your item sent to you or others by email. [Go >](#)

Proof of Delivery

Verify who signed for your item by email, fax, or mail. [Go >](#)


POSTAL INSPECTORS Preserving the Trust
 site map contact us government services jobs National & Premier Accounts
 Copyright © 1999-2004 USPS. All Rights Reserved. Terms of Use Privacy Policy



[Track & Confirm](#)

Track & Confirm

Search Results

Label/Receipt Number: ER28 3588 066U S
Detailed Results:

- Delivered, February 09, 2006, 11:12 am, RUSSELL SPRINGS, KY 42642
- Notice Left, February 09, 2006, 6:10 am, RUSSELL SPRINGS, KY 42642
- Enroute, February 09, 2006, 4:10 am, SOMERSET, KY 42501
- Arrival at Unit, February 09, 2006, 4:08 am, SOMERSET, KY 42501
- Enroute, February 08, 2006, 7:13 pm, LOUISVILLE, KY 40231
- Acceptance, February 08, 2006, 4:09 pm, LOUISVILLE, KY 40270

[< Back](#)

[Return to USPS.com Home >](#)

Track & Confirm

Enter Label/Receipt Number.

Notification Options

Track & Confirm by email

Get current event information or updates for your item sent to you or others by email. [Go >](#)

Proof of Delivery

Verify who signed for your item by email, fax, or mail. [Go >](#)



POSTAL INSPECTORS
Preserving the Trust

[site map](#)

[contact us](#)

[government services](#)

[jobs](#)

[National & Premier Accounts](#)

Copyright © 1999-2004 USPS. All Rights Reserved. [Terms of Use](#) [Privacy Policy](#)

February 7, 2006

Frances Rohleder
2202 Emerson
Louisville, Kentucky 40205

Public Notice

Cumberland Cellular Partnership is a Kentucky general partnership that markets its services as Bluegrass Cellular and has been serving Central Kentucky with wireless communications services for over 15 years.

Bluegrass Cellular is applying to the Public Service Commission of the Commonwealth of Kentucky (the "Commission") for a Certificate of Public Convenience and Necessity to construct and a new cell facility to provide cellular telephone service. This facility will include a 240 foot tower to be located at 57 Missionary Drive, Russell Springs, Kentucky, 42642. A map showing the location is attached.

The Commission invites your comments regarding this proposed construction. Also, the Commission wants you to be aware of your right to intervene in this matter. Your comments and request for intervention should be addressed to:

**Executive Director's Office
Public Service Commission of Kentucky
P.O. Box 615
Frankfort, Kentucky, 40602.**

Please refer to case number 2006-00052 in your correspondence.

Bluegrass Cellular welcomes the opportunity to serve and provide wireless service in your community! (For more information, please check us out online at www.myblueworks.com)



[Ship](#)
[Track/History](#)
[Address Book](#)
[Preferences](#)
[Fast Ship](#)
[Reports](#)
[My Profile](#)

[<< Log out](#)
[Home](#)

Your Shipment Details:

| | | | |
|------------------------|---|--------------------------------|--|
| Ship to: | Frances Rohleder 2202 Emerson Louisville, KY 40205 US 502-540-2300 | Package Type: | FedEx Envelope |
| | | Pickup/Drop Off: | give to scheduled courier at my locati |
| | | Weight: | 1 LBS |
| | | Dimensions: | 0 x 0 x 0 in |
| | | Declared Value: | 0 USD |
| From: | KERRY W. INGLE DINSMORE & SHOHL LLP 1400 PNC Plaza 500 West Jefferson Street LOUISVILLE, KY 40202 US 5025402300 | Shipper Account Number: | 111404232 |
| | | Bill transportation to: | 111404232 |
| | | Courtesy Rate Quote | *11.27 |
| | | Discounted variable % | 0.00 |
| | | Special Services: | Residential Delivery |
| | | Purpose: | |
| Tracking no: | 790825261250 | Shipment Type: | Express |
| Your reference: | 21965.13 | | |
| Ship date: | Feb 23 2006 | | |
| Service Type: | Priority Overnight | | |

[Print](#)

[Return to History](#) [Tra](#)

Please Note

*The courtesy rate shown here may be different than the actual charges for your shipment. Differences may occur based on actual weight, dimensions, and other factors. Consult the applicable [FedEx Service Guide](#) or the FedEx Rate Sheets for details on how shipping charges are calculated.

FedEx will not be responsible for any claim in excess of \$100 per package, whether the result of loss, damage, delay, non-delivery, misdirection, or misinformation, unless you declare a higher value, pay an additional charge, document your actual loss and file a timely claim. Limitations found in the current FedEx Service Guide apply. Your right to recover from FedEx for any loss, including intrinsic value of the contents, such as sales, income interest, profit, attorney's fees, costs, and other forms of damage whether direct, incidental, consequential, or special is limited to the lesser of \$100 or the authorized declared value. Recovery cannot exceed actual documented loss. Maximum for items of extraordinary value, such as jewelry, precious metals, negotiable instruments and other items listed in our Service Guide. Written claims must be filed within strict time limits. Consult the applicable FedEx Service Guide for details.



[Close Window](#)

Track Shipments
Detailed Results

[Print](#)

| | | | |
|------------------------|---------------------------|---------------------|-------------------|
| Tracking number | 790825261250 | Reference | 21965.13 |
| Signed for by | Signature release on file | Destination | Louisville, KY |
| Ship date | Feb 23, 2006 | Delivered to | Residence |
| Delivery date | Feb 24, 2006 8:20 AM | Service type | Priority Envelope |
| | | Weight | 0.5 lbs. |

Status Delivered

| Date/Time | Activity | Location | Details |
|---------------------|---|----------------|---|
| Feb 24, 2006 | 8:20 AM Delivered | Louisville, KY | Left at front door. Package delivered to recipient address - release authorized |
| | 7:21 AM On FedEx vehicle for delivery | LOUISVILLE, KY | |
| | 6:31 AM At dest sort facility | LOUISVILLE, KY | |
| | 6:27 AM At local FedEx facility | LOUISVILLE, KY | |
| Feb 23, 2006 | 10:28 PM At dest sort facility | LOUISVILLE, KY | |
| | 10:02 PM Left origin | LOUISVILLE, KY | |
| | 9:08 PM At local FedEx facility | LOUISVILLE, KY | |
| | 8:11 PM Picked up | LOUISVILLE, KY | |
| | 3:41 PM Package data transmitted to FedEx | | |

[Email results](#) | [Track more shipments](#)

Subscribe to tracking updates (optional)

Your Name: Your Email Address:

| Email address | Language | Exception updates | Delivery updates |
|----------------------|--|--------------------------|--------------------------|
| <input type="text"/> | English <input type="button" value="v"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| <input type="text"/> | English <input type="button" value="v"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| <input type="text"/> | English <input type="button" value="v"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| <input type="text"/> | English <input type="button" value="v"/> | <input type="checkbox"/> | <input type="checkbox"/> |

Select format: HTML Text Wireless

Add personal message:

Not available for Wireless or non-English characters.

February 7, 2006

Gerald B. Jr. & Dewise Payton
224 Wynding Brook
Shepherdsville, Kentucky 40165

Public Notice

Cumberland Cellular Partnership is a Kentucky general partnership that markets its services as Bluegrass Cellular and has been serving Central Kentucky with wireless communications services for over 15 years.

Bluegrass Cellular is applying to the Public Service Commission of the Commonwealth of Kentucky (the "Commission") for a Certificate of Public Convenience and Necessity to construct and a new cell facility to provide cellular telephone service. This facility will include a 240 foot tower to be located at 57 Missionary Drive, Russell Springs, Kentucky, 42642. A map showing the location is attached.

The Commission invites your comments regarding this proposed construction. Also, the Commission wants you to be aware of your right to intervene in this matter. Your comments and request for intervention should be addressed to:

**Executive Director's Office
Public Service Commission of Kentucky
P.O. Box 615
Frankfort, Kentucky, 40602.**

Please refer to case number 2006-00052 in your correspondence.

Bluegrass Cellular welcomes the opportunity to serve and provide wireless service in your community! (For more information, please check us out online at www.myblueworks.com)


[Ship](#)
[Track/History](#)
[Address Book](#)
[Preferences](#)
[Fast Ship](#)
[Reports](#)
[My Profile](#)
[<< Log out](#) [Home](#)

Your Shipment Details:

| | | | |
|------------------------|---|--------------------------------|--|
| Ship to: | Gerald B., Jr. & Dewise Payton 224 Wynding Brook Shepherdsville, KY 40165 US 502-540-2300 | Package Type: | FedEx Envelope |
| | | Pickup/Drop Off: | give to scheduled courier at my locati |
| | | Weight: | 1 LBS |
| | | Dimensions: | 0 x 0 x 0 in |
| | | Declared Value: | 0 USD |
| | | Shipper Account Number: | 111404232 |
| From: | KERRY W. INGLE DINSMORE & SHOHL LLP 1400 PNC Plaza 500 West Jefferson Street LOUISVILLE, KY 40202 US 5025402300 | Bill transportation to: | 111404232 |
| | | Courtesy Rate Quote | *13.37 |
| | | Discounted variable % | 0.00 |
| | | Special Services: | Residential Delivery |
| | | Purpose: | |
| | | Shipment Type: | Express |
| Tracking no: | 791870007316 | | |
| Your reference: | 21965.13 | | |
| Ship date: | Feb 23 2006 | | |
| Service Type: | Priority Overnight | | |

[Print](#)
[Return to History](#)
[Tra](#)
Please Note

*The courtesy rate shown here may be different than the actual charges for your shipment. Differences may occur based on actual weight, dimensions, and other factors. Consult the applicable [FedEx Service Guide](#) or the FedEx Rate Sheets for details on how shipping charges are calculated.

FedEx will not be responsible for any claim in excess of \$100 per package, whether the result of loss, damage, delay, non-delivery, misdirected shipment, or misinformation, unless you declare a higher value, pay an additional charge, document your actual loss and file a timely claim.

Limitations found in the current FedEx Service Guide apply. Your right to recover from FedEx for any loss, including intrinsic value of the contents, such as sales, income interest, profit, attorney's fees, costs, and other forms of damage whether direct, incidental, consequential, or special is limited to the lesser of \$100 or the authorized declared value. Recovery cannot exceed actual documented loss. Maximum for items of extraordinary value, e.g., jewelry, precious metals, negotiable instruments and other items listed in our Service Guide. Written claims must be filed within strict time limits. Consult the applicable FedEx Service Guide for details.

Track Shipments
Detailed Results

[? Quick Help](#)

| | | | |
|------------------------|---------------------------|---------------------|--------------------|
| Tracking number | 791870007316 | Reference | 21965.13 |
| Signed for by | Signature release on file | Destination | Shepherdsville, KY |
| Ship date | Feb 23, 2006 | Delivered to | Residence |
| Delivery date | Feb 24, 2006 10:09 AM | Service type | Priority Envelope |
| | | Weight | 0.5 lbs. |

Status Delivered

| Date/Time | Activity | Location | Details |
|------------------------------|---|--------------------|---|
| Feb 24, 2006 10:09 AM | Delivered | Shepherdsville, KY | Left at front door. Package delivered to recipient address - release authorized |
| | 8:32 AM On FedEx vehicle for delivery | ELIZABETHTOWN, KY | |
| | 7:56 AM At local FedEx facility | ELIZABETHTOWN, KY | |
| Feb 23, 2006 10:28 PM | At dest sort facility | LOUISVILLE, KY | |
| | 10:02 PM Left origin | LOUISVILLE, KY | |
| | 9:08 PM At local FedEx facility | LOUISVILLE, KY | |
| | 8:11 PM Picked up | LOUISVILLE, KY | |
| | 3:39 PM Package data transmitted to FedEx | | |

[Signature proof](#) | [Email results](#) | [Track more shipments](#)

Subscribe to tracking updates (optional)

Your Name:

Your Email Address:

| Email address | Language | Exception updates | Delivery updates |
|----------------------|--|--------------------------|--------------------------|
| <input type="text"/> | English <input type="button" value="v"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| <input type="text"/> | English <input type="button" value="v"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| <input type="text"/> | English <input type="button" value="v"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| <input type="text"/> | English <input type="button" value="v"/> | <input type="checkbox"/> | <input type="checkbox"/> |

Select format: HTML Text Wireless

Add personal message:

Not available for Wireless or non-English characters.

By selecting this check box and the Submit button, I agree to these [Terms and Conditions](#)

February 7, 2006

Dr. Charles E. Peck
203 Dowell Road
Russell Springs, Kentucky 42642

Public Notice

Cumberland Cellular Partnership is a Kentucky general partnership that markets its services as Bluegrass Cellular and has been serving Central Kentucky with wireless communications services for over 15 years.

Bluegrass Cellular is applying to the Public Service Commission of the Commonwealth of Kentucky (the "Commission") for a Certificate of Public Convenience and Necessity to construct and a new cell facility to provide cellular telephone service. This facility will include a 240 foot tower to be located at 57 Missionary Drive, Russell Springs, Kentucky, 42642. A map showing the location is attached.

The Commission invites your comments regarding this proposed construction. Also, the Commission wants you to be aware of your right to intervene in this matter. Your comments and request for intervention should be addressed to:

**Executive Director's Office
Public Service Commission of Kentucky
P.O. Box 615
Frankfort, Kentucky, 40602.**

Please refer to case number 2006-00052 in your correspondence.

Bluegrass Cellular welcomes the opportunity to serve and provide wireless service in your community! (For more information, please check us out online at www.myblueworks.com)

| SENDER: COMPLETE THIS SECTION | COMPLETE THIS SECTION ON DELIVERY |
|--|---|
| <ul style="list-style-type: none">■ Complete items 1, 2, and 3. Also complete item 4 if Restricted Delivery is desired.■ Print your name and address on the reverse so that we can return the card to you.■ Attach this card to the back of the mailpiece, or on the front if space permits. | A. Signature <input checked="" type="checkbox"/> Charles E. Peck MD <input type="checkbox"/> Agent <input type="checkbox"/> Addressee |
| 1. Article Addressed to: Dr. Charles E. Peck 203 Dowell Rd. Russell Springs, KY 42642 | B. Received by (Printed Name) C. Date of Delivery Charles E. Peck 2/9/06 |
| 2. Article Number (Transfer from service label) | D. Is delivery address different from item 1? <input type="checkbox"/> Yes If YES, enter delivery address below: <input type="checkbox"/> No |
| | 3. Service Type <input checked="" type="checkbox"/> Certified Mail <input type="checkbox"/> Express Mail <input type="checkbox"/> Registered <input type="checkbox"/> Return Receipt for Merchandise <input type="checkbox"/> Insured Mail <input type="checkbox"/> C.O.D. |
| | 4. Restricted Delivery? (Extra Fee) <input type="checkbox"/> Yes |
| | 7005 1160 0000 2923 3290 |

February 7, 2006

Daniel K. & Beverly Clark
2009 Cruise Creek Road
Morningview, Kentucky 41063

Public Notice

Cumberland Cellular Partnership is a Kentucky general partnership that markets its services as Bluegrass Cellular and has been serving Central Kentucky with wireless communications services for over 15 years.

Bluegrass Cellular is applying to the Public Service Commission of the Commonwealth of Kentucky (the "Commission") for a Certificate of Public Convenience and Necessity to construct and a new cell facility to provide cellular telephone service. This facility will include a 240 foot tower to be located at 57 Missionary Drive, Russell Springs, Kentucky, 42642. A map showing the location is attached.

The Commission invites your comments regarding this proposed construction. Also, the Commission wants you to be aware of your right to intervene in this matter. Your comments and request for intervention should be addressed to:

Executive Director's Office
Public Service Commission of Kentucky
P.O. Box 615
Frankfort, Kentucky, 40602.

Please refer to case number 2006-00052 in your correspondence.

Bluegrass Cellular welcomes the opportunity to serve and provide wireless service in your community! (For more information, please check us out online at www.myblueworks.com)

| SENDER: COMPLETE THIS SECTION | COMPLETE THIS SECTION ON DELIVERY |
|--|---|
| <ul style="list-style-type: none"> ■ Complete items 1, 2, and 3. Also complete item 4 if Restricted Delivery is desired. ■ Print your name and address on the reverse so that we can return the card to you. ■ Attach this card to the back of the mailpiece, or on the front if space permits. | <p>A. Signature <input checked="" type="checkbox"/> <i>Robert Clark</i> <input type="checkbox"/> Agent <input type="checkbox"/> Addressee</p> <p>B. Received by (Printed Name) C. Date of Delivery <i>P. Melton</i> <i>2-11-06</i></p> |
| <p>1. Article Addressed to: <i>Daniel K. & Beverly Clark</i> <i>2009 Cruise Creek Rd.</i> <i>Morning View, KY</i> <i>41063</i></p> | <p>D. Is delivery address different from item 1? <input type="checkbox"/> Yes If YES, enter delivery address below: <input type="checkbox"/> No</p> <p>3. Service Type <input checked="" type="checkbox"/> Certified Mail <input type="checkbox"/> Express Mail <input type="checkbox"/> Registered <input type="checkbox"/> Return Receipt for Merchandise <input type="checkbox"/> Insured Mail <input type="checkbox"/> C.O.D.</p> <p>4. Restricted Delivery? (Extra Fee) <input type="checkbox"/> Yes</p> |
| <p>2. Article Number (Transfer from service label)</p> | <p>7005 1160 0000 2923 4501</p> |

Thomas M. & Donna L. White
2817 Hamilton Mason Road
Hamilton, Ohio 45011

February 7, 2006

Public Notice

Cumberland Cellular Partnership is a Kentucky general partnership that markets its services as Bluegrass Cellular and has been serving Central Kentucky with wireless communications services for over 15 years.

Bluegrass Cellular is applying to the Public Service Commission of the Commonwealth of Kentucky (the "Commission") for a Certificate of Public Convenience and Necessity to construct and a new cell facility to provide cellular telephone service. This facility will include a 240 foot tower to be located at 57 Missionary Drive, Russell Springs, Kentucky, 42642. A map showing the location is attached.

The Commission invites your comments regarding this proposed construction. Also, the Commission wants you to be aware of your right to intervene in this matter. Your comments and request for intervention should be addressed to:

Executive Director's Office
Public Service Commission of Kentucky
P.O. Box 615
Frankfort, Kentucky, 40602.

Please refer to case number 2006-00052 in your correspondence.

Bluegrass Cellular welcomes the opportunity to serve and provide wireless service in your community! (For more information, please check us out online at www.mybluetworks.com)

| SENDER: COMPLETE THIS SECTION | | COMPLETE THIS SECTION ON DELIVERY | |
|---|--|--|--|
| 1. Article Addressed to: Thomas M. & Donna L. White 2817 Hamilton Mason Road Hamilton, Ohio 45011 | | A. Signature <i>Donna L. White</i> B. Received by (Printed Name) C. Date of Delivery 2-16-06 D. Is delivery address different from item 1? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No If YES, enter delivery address below: | |
| 2. Article Number 7005 1160 0000 2923 3276 (Transfer from service label) | | 3. Service Type <input type="checkbox"/> Certified Mail <input type="checkbox"/> Registered <input type="checkbox"/> Return Receipt for Merchandise <input type="checkbox"/> Insured Mail <input type="checkbox"/> C.O.D. | |
| 3. Complete items 1, 2, and 3. Also complete item 4 if Restricted Delivery is desired. Print your name and address on the reverse so that we can return the card to you. Attach this card to the back of the mailpiece, or on the front if space permits. | | 4. Restricted Delivery? (Extra Fee) <input type="checkbox"/> Yes <input type="checkbox"/> No | |

PS Form 3811, February 2004
Domestic Return Receipt
102595-02-M-1540

February 7, 2006

Indian Hills Missionary Baptist Church
C/O Pastor Bobby Oaks
107 Spring Hill Drive
Russell Springs, Kentucky 42642

Public Notice

Cumberland Cellular Partnership is a Kentucky general partnership that markets its services as Bluegrass Cellular and has been serving Central Kentucky with wireless communications services for over 15 years.

Bluegrass Cellular is applying to the Public Service Commission of the Commonwealth of Kentucky (the "Commission") for a Certificate of Public Convenience and Necessity to construct and a new cell facility to provide cellular telephone service. This facility will include a 240 foot tower to be located at 57 Missionary Drive, Russell Springs, Kentucky, 42642. A map showing the location is attached.

The Commission invites your comments regarding this proposed construction. Also, the Commission wants you to be aware of your right to intervene in this matter. Your comments and request for intervention should be addressed to:

**Executive Director's Office
Public Service Commission of Kentucky
P.O. Box 615
Frankfort, Kentucky, 40602.**

Please refer to case number 2006-00052 in your correspondence.

Bluegrass Cellular welcomes the opportunity to serve and provide wireless service in your community! (For more information, please check us out online at www.myblueworks.com)

| SENDER: COMPLETE THIS SECTION | COMPLETE THIS SECTION ON DELIVERY |
|--|---|
| <ul style="list-style-type: none"> ■ Complete items 1, 2, and 3. Also complete item 4 if Restricted Delivery is desired. ■ Print your name and address on the reverse so that we can return the card to you. ■ Attach this card to the back of the mailpiece, or on the front if space permits. | <p>A. Signature <input checked="" type="checkbox"/> <i>Bobby Oaks</i> <input type="checkbox"/> Agent <input type="checkbox"/> Addressee</p> <p>B. Received by (Printed Name) C. Date of Delivery</p> <p>D. Is delivery address different from item 1? <input type="checkbox"/> Yes If YES, enter delivery address below: <input type="checkbox"/> No</p> |
| <p>1. Article Addressed to:</p> <p>Indian Hills Missionary Baptist Church c/o Pastor Bobby Oaks 107 Spring Hill Drive Russell Springs, KY 42642</p> | <p>3. Service Type</p> <p><input checked="" type="checkbox"/> Certified Mail <input type="checkbox"/> Express Mail <input type="checkbox"/> Registered <input type="checkbox"/> Return Receipt for Merchandise <input type="checkbox"/> Insured Mail <input type="checkbox"/> C.O.D.</p> <p>4. Restricted Delivery? (Extra Fee) <input type="checkbox"/> Yes</p> |
| <p>2. Article Number 7005 1160 0000 2923 3269 (Transfer from service label)</p> | |

February 7, 2006

Thomas A. & Diana Osborne
3122 Chickadee Road
Louisville, Kentucky 40213

Public Notice

Cumberland Cellular Partnership is a Kentucky general partnership that markets its services as Bluegrass Cellular and has been serving Central Kentucky with wireless communications services for over 15 years.

Bluegrass Cellular is applying to the Public Service Commission of the Commonwealth of Kentucky (the "Commission") for a Certificate of Public Convenience and Necessity to construct and a new cell facility to provide cellular telephone service. This facility will include a 240 foot tower to be located at 57 Missionary Drive, Russell Springs, Kentucky, 42642. A map showing the location is attached.

The Commission invites your comments regarding this proposed construction. Also, the Commission wants you to be aware of your right to intervene in this matter. Your comments and request for intervention should be addressed to:

**Executive Director's Office
Public Service Commission of Kentucky
P.O. Box 615
Frankfort, Kentucky, 40602.**

Please refer to case number 2006-00052 in your correspondence.

Bluegrass Cellular welcomes the opportunity to serve and provide wireless service in your community! (For more information, please check us out online at www.myblueworks.com)

| SENDER: COMPLETE THIS SECTION | COMPLETE THIS SECTION ON DELIVERY |
|--|--|
| <ul style="list-style-type: none"> ■ Complete items 1, 2, and 3. Also complete Item 4 if Restricted Delivery is desired. ■ Print your name and address on the reverse so that we can return the card to you. ■ Attach this card to the back of the mailpiece, or on the front if space permits. | <p>A. Signature <input checked="" type="checkbox"/> <i>Tom Osborne</i> <input type="checkbox"/> Agent <input checked="" type="checkbox"/> Addressee</p> <p>B. Received by (Printed Name) C. Date of Delivery <i>Tom Osborne</i> <i>2/8/06</i></p> <p>D. Is delivery address different from item 1? <input type="checkbox"/> Yes If YES, enter delivery address below: <input type="checkbox"/> No</p> |
| <p>1. Article Addressed to:</p> <p><i>Thomas A. & Diana Osborne 3122 Chickadee Road Louisville, KY 40213</i></p> | <p>3. Service Type</p> <p><input checked="" type="checkbox"/> Certified Mail <input type="checkbox"/> Express Mail <input type="checkbox"/> Registered <input type="checkbox"/> Return Receipt for Merchandise <input type="checkbox"/> Insured Mail <input type="checkbox"/> C.O.D.</p> <p>4. Restricted Delivery? (Extra Fee) <input type="checkbox"/> Yes</p> |
| <p>2. Article Number (Transfer from service label)</p> | <p><i>7005 1160 0000 2923 3252</i></p> |

February 7, 2006

Alvin & Connie Earl, et al
3451 E. 1000 Street
Brookston, Indiana 47923

Public Notice

Cumberland Cellular Partnership is a Kentucky general partnership that markets its services as Bluegrass Cellular and has been serving Central Kentucky with wireless communications services for over 15 years.

Bluegrass Cellular is applying to the Public Service Commission of the Commonwealth of Kentucky (the "Commission") for a Certificate of Public Convenience and Necessity to construct and a new cell facility to provide cellular telephone service. This facility will include a 240 foot tower to be located at 57 Missionary Drive, Russell Springs, Kentucky, 42642. A map showing the location is attached.

The Commission invites your comments regarding this proposed construction. Also, the Commission wants you to be aware of your right to intervene in this matter. Your comments and request for intervention should be addressed to:

**Executive Director's Office
Public Service Commission of Kentucky
P.O. Box 615
Frankfort, Kentucky, 40602.**

Please refer to case number 2006-00052 in your correspondence.

Bluegrass Cellular welcomes the opportunity to serve and provide wireless service in your community! (For more information, please check us out online at www.myblueworks.com)

| SENDER: COMPLETE THIS SECTION | COMPLETE THIS SECTION ON DELIVERY |
|--|--|
| <ul style="list-style-type: none"> ■ Complete items 1, 2, and 3. Also complete item 4 if Restricted Delivery is desired. ■ Print your name and address on the reverse so that we can return the card to you. ■ Attach this card to the back of the mailpiece, or on the front if space permits. | <p>A. Signature <input type="checkbox"/> Agent <input type="checkbox"/> Addressee</p> <p>B. Received by (Printed Name) C. Date of Delivery</p> <p>ALVIN Resler 2-9</p> <p>D. Is delivery address different from item 1? <input type="checkbox"/> Yes If YES, enter delivery address below: <input type="checkbox"/> No</p> |
| <p>1. Article Addressed to:</p> <p>Alvin & Connie Earl 3451 E. 1000 Street Brookston, IN 47923</p> | <p>3. Service Type</p> <p><input checked="" type="checkbox"/> Certified Mail <input type="checkbox"/> Express Mail <input type="checkbox"/> Registered <input type="checkbox"/> Return Receipt for Merchandise <input type="checkbox"/> Insured Mail <input type="checkbox"/> C.O.D.</p> <p>4. Restricted Delivery? (Extra Fee) <input type="checkbox"/> Yes</p> |
| <p>2. Article Number (Transfer from service label)</p> | <p>7005 1160 0000 2923 3245</p> |

February 7, 2006

Margaret Scaggs
1629 Rocky Springs Road
Cynthiana, Kentucky 41031

Public Notice

Cumberland Cellular Partnership is a Kentucky general partnership that markets its services as Bluegrass Cellular and has been serving Central Kentucky with wireless communications services for over 15 years.

Bluegrass Cellular is applying to the Public Service Commission of the Commonwealth of Kentucky (the "Commission") for a Certificate of Public Convenience and Necessity to construct and a new cell facility to provide cellular telephone service. This facility will include a 240 foot tower to be located at 57 Missionary Drive, Russell Springs, Kentucky, 42642. A map showing the location is attached.

The Commission invites your comments regarding this proposed construction. Also, the Commission wants you to be aware of your right to intervene in this matter. Your comments and request for intervention should be addressed to:

**Executive Director's Office
Public Service Commission of Kentucky
P.O. Box 615
Frankfort, Kentucky, 40602.**

Please refer to case number 2006-00052 in your correspondence.

Bluegrass Cellular welcomes the opportunity to serve and provide wireless service in your community! (For more information, please check us out online at www.myblueworks.com)

| SENDER: COMPLETE THIS SECTION | COMPLETE THIS SECTION ON DELIVERY |
|--|---|
| <ul style="list-style-type: none">Complete items 1, 2, and 3. Also complete item 4 if Restricted Delivery is desired.Print your name and address on the reverse so that we can return the card to you.Attach this card to the back of the mailpiece, or on the front if space permits. | <p>A. Signature <i>x/Wanda Faulkner</i> <input type="checkbox"/> Agent <input type="checkbox"/> Addressee</p> <p>B. Received by (Printed Name) <i>Wanda Faulkner</i> C. Date of Delivery <i>2/8/06</i></p> |
| 1. Article Addressed to: <i>Margaret Scaggs 1629 Rocky Springs Rd. Cynthiana, KY 41031</i> | <p>D. Is delivery address different from item 1? <input type="checkbox"/> Yes If YES, enter delivery address below: <input type="checkbox"/> No</p> <p>3. Service Type <input checked="" type="checkbox"/> Certified Mail <input type="checkbox"/> Express Mail <input type="checkbox"/> Registered <input type="checkbox"/> Return Receipt for Merchandise <input type="checkbox"/> Insured Mail <input type="checkbox"/> C.O.D.</p> <p>4. Restricted Delivery? (Extra Fee) <input type="checkbox"/> Yes</p> |
| 2. Article Number (Transfer from service label) | 7005 1160 0000 2923 3238 |

February 7, 2006

William E. & Odellia Jones
1967 Highway 1383
Russell Springs, Kentucky 42642

Public Notice

Cumberland Cellular Partnership is a Kentucky general partnership that markets its services as Bluegrass Cellular and has been serving Central Kentucky with wireless communications services for over 15 years.


Bluegrass Cellular is applying to the Public Service Commission of the Commonwealth of Kentucky (the "Commission") for a Certificate of Public Convenience and Necessity to construct and a new cell facility to provide cellular telephone service. This facility will include a 240 foot tower to be located at 57 Missionary Drive, Russell Springs, Kentucky, 42642. A map showing the location is attached.

The Commission invites your comments regarding this proposed construction. Also, the Commission wants you to be aware of your right to intervene in this matter. Your comments and request for intervention should be addressed to:

**Executive Director's Office
Public Service Commission of Kentucky
P.O. Box 615
Frankfort, Kentucky, 40602.**

Please refer to case number 2006-00052 in your correspondence.

Bluegrass Cellular welcomes the opportunity to serve and provide wireless service in your community! (For more information, please check us out online at www.myblueworks.com)

| SENDER: COMPLETE THIS SECTION | COMPLETE THIS SECTION ON DELIVERY | |
|--|--|-------------------------------|
| <ul style="list-style-type: none"> ■ Complete items 1, 2, and 3. Also complete item 4 if Restricted Delivery is desired. ■ Print your name and address on the reverse so that we can return the card to you. ■ Attach this card to the back of the mailpiece, or on the front if space permits. | A. Signature  <input checked="" type="checkbox"/> Agent <input type="checkbox"/> Addressee | |
| 1. Article Addressed to: William E. & Odellia Jones 1967 Highway 1383 Russell Springs, KY 42642 | B. Received by (Printed Name) | C. Date of Delivery 2-9-06 |
| 2. Article Number (Transfer from service label) | D. Is delivery address different from item 1? <input type="checkbox"/> Yes If YES, enter delivery address below: <input type="checkbox"/> No | |
| 3. Service Type <input checked="" type="checkbox"/> Certified Mail <input type="checkbox"/> Express Mail <input type="checkbox"/> Registered <input type="checkbox"/> Return Receipt for Merchandise <input type="checkbox"/> Insured Mail <input type="checkbox"/> C.O.D. | | |
| 4. Restricted Delivery? (Extra Fee) <input type="checkbox"/> Yes | | |
| 7005 1160 0000 2923 3221 | | |

February 7, 2006

Sharon L. & John M. Adams, et al
8703 Gentry Lane
Louisville, Kentucky 40291

Public Notice

Cumberland Cellular Partnership is a Kentucky general partnership that markets its services as Bluegrass Cellular and has been serving Central Kentucky with wireless communications services for over 15 years.

Bluegrass Cellular is applying to the Public Service Commission of the Commonwealth of Kentucky (the "Commission") for a Certificate of Public Convenience and Necessity to construct and a new cell facility to provide cellular telephone service. This facility will include a 240 foot tower to be located at 57 Missionary Drive, Russell Springs, Kentucky, 42642. A map showing the location is attached.

The Commission invites your comments regarding this proposed construction. Also, the Commission wants you to be aware of your right to intervene in this matter. Your comments and request for intervention should be addressed to:

**Executive Director's Office
Public Service Commission of Kentucky
P.O. Box 615
Frankfort, Kentucky, 40602.**

Please refer to case number 2006-00052 in your correspondence.

Bluegrass Cellular welcomes the opportunity to serve and provide wireless service in your community! (For more information, please check us out online at www.myblueworks.com)

| SENDER: COMPLETE THIS SECTION | COMPLETE THIS SECTION ON DELIVERY |
|--|---|
| <ul style="list-style-type: none">■ Complete items 1, 2, and 3. Also complete item 4 if Restricted Delivery is desired.■ Print your name and address on the reverse so that we can return the card to you.■ Attach this card to the back of the mailpiece, or on the front if space permits. | <p>A. Signature <i>[Signature]</i> <input type="checkbox"/> Agent <input type="checkbox"/> Addressee</p> <p>B. Received by (Printed Name) C. Date of Delivery</p> |
| <p>1. Article Addressed to: <i>Sharon L & John M. Adams 8703 Gentry Lane Louisville, KY 40291</i></p> | <p>D. Is delivery address different from item 1? <input type="checkbox"/> Yes If YES, enter delivery address below: <input type="checkbox"/> No</p> |
| <p>2. Article Number (Transfer from service label)</p> | <p>3. Service Type <input checked="" type="checkbox"/> Certified Mail <input type="checkbox"/> Express Mail <input type="checkbox"/> Registered <input type="checkbox"/> Return Receipt for Merchandise <input type="checkbox"/> Insured Mail <input type="checkbox"/> C.O.D.</p> |
| | <p>4. Restricted Delivery? (Extra Fee) <input type="checkbox"/> Yes</p> |

7005 1160 0000 2923 3214

February 7, 2006

Tracer L. & Stephanie Bryant
2704 Stonefield Lane
LaGrange, Kentucky 40031

Public Notice

Cumberland Cellular Partnership is a Kentucky general partnership that markets its services as Bluegrass Cellular and has been serving Central Kentucky with wireless communications services for over 15 years.

Bluegrass Cellular is applying to the Public Service Commission of the Commonwealth of Kentucky (the "Commission") for a Certificate of Public Convenience and Necessity to construct and a new cell facility to provide cellular telephone service. This facility will include a 240 foot tower to be located at 57 Missionary Drive, Russell Springs, Kentucky, 42642. A map showing the location is attached.

The Commission invites your comments regarding this proposed construction. Also, the Commission wants you to be aware of your right to intervene in this matter. Your comments and request for intervention should be addressed to:

**Executive Director's Office
Public Service Commission of Kentucky
P.O. Box 615
Frankfort, Kentucky, 40602.**

Please refer to case number 2006-00052 in your correspondence.

Bluegrass Cellular welcomes the opportunity to serve and provide wireless service in your community! (For more information, please check us out online at www.myblueworks.com)

| SENDER: COMPLETE THIS SECTION | COMPLETE THIS SECTION ON DELIVERY |
|--|--|
| <ul style="list-style-type: none">Complete items 1, 2, and 3. Also complete item 4 if Restricted Delivery is desired.Print your name and address on the reverse so that we can return the card to you.Attach this card to the back of the mailpiece, or on the front if space permits. | <p>A. Signature <input type="checkbox"/> Agent <input checked="" type="checkbox"/> Addressee</p> <p>B. Received by (Printed Name) C. Date of Delivery</p> |
| <p>1. Article Addressed to:</p> <p>Tracer L. & Stephanie Bryant 2704 Stonefield Lane LaGrange, KY 40031</p> | <p>D. Is delivery address different from item 1? <input type="checkbox"/> Yes If YES, enter delivery address below: <input type="checkbox"/> No</p> |
| <p>2. Article Number (Transfer from service label)</p> | <p>3. Service Type</p> <p><input checked="" type="checkbox"/> Certified Mail <input type="checkbox"/> Express Mail <input type="checkbox"/> Registered <input type="checkbox"/> Return Receipt for Merchandise <input type="checkbox"/> Insured Mail <input type="checkbox"/> C.O.D.</p> <p>4. Restricted Delivery? (Extra Fee) <input type="checkbox"/> Yes</p> |
| <p>7005 1160 0000 2923 3191</p> | |

February 7, 2006

David Wade & Sarona Sue Clark
2904 No Lyn-Mar Drive
Muncie, Indiana 47304

Public Notice

Cumberland Cellular Partnership is a Kentucky general partnership that markets its services as Bluegrass Cellular and has been serving Central Kentucky with wireless communications services for over 15 years.

Bluegrass Cellular is applying to the Public Service Commission of the Commonwealth of Kentucky (the "Commission") for a Certificate of Public Convenience and Necessity to construct and a new cell facility to provide cellular telephone service. This facility will include a 240 foot tower to be located at 57 Missionary Drive, Russell Springs, Kentucky, 42642. A map showing the location is attached.

The Commission invites your comments regarding this proposed construction. Also, the Commission wants you to be aware of your right to intervene in this matter. Your comments and request for intervention should be addressed to:

Executive Director's Office
Public Service Commission of Kentucky
P.O. Box 615
Frankfort, Kentucky, 40602.

Please refer to case number 2006-00052 in your correspondence.

Bluegrass Cellular welcomes the opportunity to serve and provide wireless service in your community! (For more information, please check us out online at www.myblueworks.com)

| SENDER: COMPLETE THIS SECTION | COMPLETE THIS SECTION ON DELIVERY |
|--|---|
| <ul style="list-style-type: none">■ Complete items 1, 2, and 3. Also complete item 4 if Restricted Delivery is desired.■ Print your name and address on the reverse so that we can return the card to you.■ Attach this card to the back of the mailpiece, or on the front if space permits. | A. Signature <i>Sarona Clark</i> <input type="checkbox"/> Agent <input checked="" type="checkbox"/> Addressee |
| 1. Article Addressed to: <i>David Wade & Sarona Sue Clark 2904 No Lyn-Mar Drive Muncie, Indiana 47304</i> | B. Received by (Printed Name) C. Date of Delivery <i>2/10/06</i> |
| 2. Article Number (Transfer from service label) | D. Is delivery address different from item 1? <input type="checkbox"/> Yes If YES, enter delivery address below: <input type="checkbox"/> No |
| | 3. Service Type <input checked="" type="checkbox"/> Certified Mail <input type="checkbox"/> Express Mail <input type="checkbox"/> Registered <input type="checkbox"/> Return Receipt for Merchandise <input type="checkbox"/> Insured Mail <input type="checkbox"/> C.O.D. |
| | 4. Restricted Delivery? (Extra Fee) <input type="checkbox"/> Yes |
| | 7005 1160 0000 2923 3184 |

February 7, 2006

Michael A. Reuter
12916 Waterridge Drive
McCordsville, Indiana 46055

Public Notice

Cumberland Cellular Partnership is a Kentucky general partnership that markets its services as Bluegrass Cellular and has been serving Central Kentucky with wireless communications services for over 15 years.

Bluegrass Cellular is applying to the Public Service Commission of the Commonwealth of Kentucky (the "Commission") for a Certificate of Public Convenience and Necessity to construct and a new cell facility to provide cellular telephone service. This facility will include a 240 foot tower to be located at 57 Missionary Drive, Russell Springs, Kentucky, 42642. A map showing the location is attached.

The Commission invites your comments regarding this proposed construction. Also, the Commission wants you to be aware of your right to intervene in this matter. Your comments and request for intervention should be addressed to:

**Executive Director's Office
Public Service Commission of Kentucky
P.O. Box 615
Frankfort, Kentucky, 40602.**

Please refer to case number 2006-00052 in your correspondence.

Bluegrass Cellular welcomes the opportunity to serve and provide wireless service in your community! (For more information, please check us out online at www.myblueworks.com)

| SENDER: COMPLETE THIS SECTION | COMPLETE THIS SECTION ON DELIVERY |
|--|---|
| <ul style="list-style-type: none"> ■ Complete items 1, 2, and 3. Also complete item 4 if Restricted Delivery is desired. ■ Print your name and address on the reverse so that we can return the card to you. ■ Attach this card to the back of the mailpiece, or on the front if space permits. | <p>A. Signature <input checked="" type="checkbox"/> <i>M. A. Reuter</i> <input type="checkbox"/> Agent <input type="checkbox"/> Addressee</p> <p>B. Received by (Printed Name) <i>MIKE REUTER</i></p> <p>C. Date of Delivery <i>FEB 7 2006</i></p> <p>D. Is delivery address different from item 1? <input type="checkbox"/> Yes If YES, enter delivery address below: <input type="checkbox"/> No</p> |
| <p>1. Article Addressed to:</p> <p><i>Michael A. Reuter 12916 Waterridge Dr. McCordsville, IN 46055</i></p> | <p>3. Service Type</p> <p><input checked="" type="checkbox"/> Certified Mail <input type="checkbox"/> Express Mail <input type="checkbox"/> Registered <input type="checkbox"/> Return Receipt for Merchandise <input type="checkbox"/> Insured Mail <input type="checkbox"/> C.O.D.</p> <p>4. Restricted Delivery? (Extra Fee) <input type="checkbox"/> Yes</p> |
| <p>2. Article Number (Transfer from service label)</p> | <p>7005 1160 0000 2923 3177</p> |

February 7, 2006

Ann K. Harlan
2911 Bowman Avenue
Louisville, Kentucky 40205

Public Notice

Cumberland Cellular Partnership is a Kentucky general partnership that markets its services as Bluegrass Cellular and has been serving Central Kentucky with wireless communications services for over 15 years.

Bluegrass Cellular is applying to the Public Service Commission of the Commonwealth of Kentucky (the "Commission") for a Certificate of Public Convenience and Necessity to construct and a new cell facility to provide cellular telephone service. This facility will include a 240 foot tower to be located at 57 Missionary Drive, Russell Springs, Kentucky, 42642. A map showing the location is attached.


The Commission invites your comments regarding this proposed construction. Also, the Commission wants you to be aware of your right to intervene in this matter. Your comments and request for intervention should be addressed to:

**Executive Director's Office
Public Service Commission of Kentucky
P.O. Box 615
Frankfort, Kentucky, 40602.**

Please refer to case number 2006-00052 in your correspondence.

Bluegrass Cellular welcomes the opportunity to serve and provide wireless service in your community! (For more information, please check us out online at www.myblueworks.com)

| SENDER: COMPLETE THIS SECTION | COMPLETE THIS SECTION ON DELIVERY | |
|--|---|--|
| <ul style="list-style-type: none"> ■ Complete items 1, 2, and 3. Also complete item 4 if Restricted Delivery is desired. ■ Print your name and address on the reverse so that we can return the card to you. ■ Attach this card to the back of the mailpiece, or on the front if space permits. | A. Signature: <input checked="" type="checkbox"/> <i>Ann K. Harlan</i> <input type="checkbox"/> Agent <input type="checkbox"/> Addressee B. Received by (Printed Name) C. Date of Delivery | |
| 1. Article Addressed to: Ann K. Harlan 2911 Bowman Avenue Louisville, KY 40205 | D. Is delivery address different from item 1? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No If different, enter delivery address below: | |
| 2. Article Number (Transfer from service label) | 3. Service Type <input checked="" type="checkbox"/> Certified Mail <input type="checkbox"/> Express Mail <input checked="" type="checkbox"/> Registered <input type="checkbox"/> Return Receipt for Merchandise <input checked="" type="checkbox"/> Insured Mail <input type="checkbox"/> C.O.D. 4. Restricted Delivery? (Extra Fee) <input type="checkbox"/> Yes | |
| 7005 1160 0000 2923 3160 | | |



February 7, 2006

Jean M. & Louis E. Jr. Fister
3205 Blenheim Way
Lexington, Kentucky 40503

Public Notice

Cumberland Cellular Partnership is a Kentucky general partnership that markets its services as Bluegrass Cellular and has been serving Central Kentucky with wireless communications services for over 15 years.

Bluegrass Cellular is applying to the Public Service Commission of the Commonwealth of Kentucky (the "Commission") for a Certificate of Public Convenience and Necessity to construct and a new cell facility to provide cellular telephone service. This facility will include a 240 foot tower to be located at 57 Missionary Drive, Russell Springs, Kentucky, 42642. A map showing the location is attached.

The Commission invites your comments regarding this proposed construction. Also, the Commission wants you to be aware of your right to intervene in this matter. Your comments and request for intervention should be addressed to:

**Executive Director's Office
Public Service Commission of Kentucky
P.O. Box 615
Frankfort, Kentucky, 40602.**

Please refer to case number 2006-00052 in your correspondence.

Bluegrass Cellular welcomes the opportunity to serve and provide wireless service in your community! (For more information, please check us out online at www.myblueworks.com)

| SENDER: COMPLETE THIS SECTION | COMPLETE THIS SECTION ON DELIVERY |
|--|---|
| <ul style="list-style-type: none">■ Complete items 1, 2, and 3. Also complete item 4 if Restricted Delivery is desired.■ Print your name and address on the reverse so that we can return the card to you.■ Attach this card to the back of the mailpiece, or on the front if space permits. | A. Signature <input checked="" type="checkbox"/> Agent <input type="checkbox"/> Addressee |
| 1. Article Addressed to: Jean M. & Louis E. Fister 3205 Blenheim Way Lexington, KY 40503 | B. Received by (Printed Name) C. Date of Delivery <input checked="" type="checkbox"/> JEAN FISTER |
| 2. Article Number (Transfer from service label) | D. Is delivery address different from item 1? <input type="checkbox"/> Yes If YES, enter delivery address below: <input type="checkbox"/> No |
| PS Form 3811, February 2004 | 3. Service Type <input checked="" type="checkbox"/> Certified Mail <input type="checkbox"/> Express Mail <input type="checkbox"/> Registered <input type="checkbox"/> Return Receipt for Merchandise <input type="checkbox"/> Insured Mail <input type="checkbox"/> C.O.D. 4. Restricted Delivery? (Extra Fee) <input type="checkbox"/> Yes |
| 7005 1160 0000 2923 3153 | |

Domestic Return Receipt

102595-02-M-1540

February 7, 2006

Sarona Sue Clark
2904 No Lyn-Mar Drive
Muncie, Indiana 47304

Public Notice

Cumberland Cellular Partnership is a Kentucky general partnership that markets its services as Bluegrass Cellular and has been serving Central Kentucky with wireless communications services for over 15 years.

Bluegrass Cellular is applying to the Public Service Commission of the Commonwealth of Kentucky (the "Commission") for a Certificate of Public Convenience and Necessity to construct and a new cell facility to provide cellular telephone service. This facility will include a 240 foot tower to be located at 57 Missionary Drive, Russell Springs, Kentucky, 42642. A map showing the location is attached.

The Commission invites your comments regarding this proposed construction. Also, the Commission wants you to be aware of your right to intervene in this matter. Your comments and request for intervention should be addressed to:

**Executive Director's Office
Public Service Commission of Kentucky
P.O. Box 615
Frankfort, Kentucky, 40602.**

Please refer to case number 2006-00052 in your correspondence.

Bluegrass Cellular welcomes the opportunity to serve and provide wireless service in your community! (For more information, please check us out online at www.myblueworks.com)

| SENDER: COMPLETE THIS SECTION | COMPLETE THIS SECTION ON DELIVERY |
|--|---|
| <ul style="list-style-type: none">■ Complete items 1, 2, and 3. Also complete item 4 if Restricted Delivery is desired.■ Print your name and address on the reverse so that we can return the card to you.■ Attach this card to the back of the mailpiece, or on the front if space permits. | A. Signature X <i>Sarona Clark</i> <input type="checkbox"/> Agent <input type="checkbox"/> Addressee |
| | B. Received by (Printed Name) C. Date of Delivery <i>2/14/06</i> |
| 1. Article Addressed to: <i>Sarona Sue Clark 2904 No Lyn-Mar Dr. Muncie, IN 47304</i> | D. Is delivery address different from item 1? <input type="checkbox"/> Yes If YES, enter delivery address below: <input type="checkbox"/> No |
| 2. Article Number (Transfer from service label) | 3. Service Type <input checked="" type="checkbox"/> Certified Mail <input type="checkbox"/> Express Mail <input type="checkbox"/> Registered <input type="checkbox"/> Return Receipt for Merchandise <input type="checkbox"/> Insured Mail <input type="checkbox"/> C.O.D. |
| | 4. Restricted Delivery? (Extra Fee) <input type="checkbox"/> Yes |
| | 7005 1160 0000 2923 3146 |

PS Form 3811, February 2004 Domestic Return Receipt 102595-02-M-1540

February 7, 2006

Deborah W. Miranda Living Trust
8712 Stockport Road
Louisville, Kentucky 40222

Public Notice

Cumberland Cellular Partnership is a Kentucky general partnership that markets its services as Bluegrass Cellular and has been serving Central Kentucky with wireless communications services for over 15 years.

Bluegrass Cellular is applying to the Public Service Commission of the Commonwealth of Kentucky (the "Commission") for a Certificate of Public Convenience and Necessity to construct and a new cell facility to provide cellular telephone service. This facility will include a 240 foot tower to be located at 57 Missionary Drive, Russell Springs, Kentucky, 42642. A map showing the location is attached.

The Commission invites your comments regarding this proposed construction. Also, the Commission wants you to be aware of your right to intervene in this matter. Your comments and request for intervention should be addressed to:

**Executive Director's Office
Public Service Commission of Kentucky
P.O. Box 615
Frankfort, Kentucky, 40602.**

Please refer to case number 2006-00052 in your correspondence.

Bluegrass Cellular welcomes the opportunity to serve and provide wireless service in your community! (For more information, please check us out online at www.myblueworks.com)

| SENDER: COMPLETE THIS SECTION | COMPLETE THIS SECTION ON DELIVERY |
|--|--|
| <ul style="list-style-type: none"> Complete items 1, 2, and 3. Also complete item 4 if Restricted Delivery is desired. Print your name and address on the reverse so that we can return the card to you. Attach this card to the back of the mailpiece, or on the front if space permits. | <p>A. Signature <i>x Deborah W. Miranda</i> <input type="checkbox"/> Agent <input checked="" type="checkbox"/> Addressee</p> <p>B. Received by (Printed Name) <i>Debbie Miranda</i></p> <p>C. Date of Delivery</p> |
| <p>1. Article Addressed to:</p> <p><i>Deborah W. Miranda Living Trust 8712 Stockport Road Louisville, KY 40222</i></p> | <p>D. Is delivery address different from item 1? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No If YES, enter delivery address below:</p> <p><i>57 Missionary Drive Russell Springs, KY 42642</i></p> <p>FEB 09 2006</p> |
| <p>2. Article Number (Transfer from service label) 7005 1160 0000 2923 3139</p> | <p>3. Service Type <input checked="" type="checkbox"/> Certified Mail <input type="checkbox"/> Express Mail <input type="checkbox"/> Registered <input type="checkbox"/> Return Receipt for Merchandise <input type="checkbox"/> Insured Mail <input type="checkbox"/> C.O.D.</p> <p>4. Restricted Delivery? (Extra Fee) <input type="checkbox"/> Yes</p> |

February 7, 2006

Leon Frank & Scott E. Farley
174 Buckshot Drive
Russell Springs, Kentucky 42642

Public Notice

Cumberland Cellular Partnership is a Kentucky general partnership that markets its services as Bluegrass Cellular and has been serving Central Kentucky with wireless communications services for over 15 years.

Bluegrass Cellular is applying to the Public Service Commission of the Commonwealth of Kentucky (the "Commission") for a Certificate of Public Convenience and Necessity to construct and a new cell facility to provide cellular telephone service. This facility will include a 240 foot tower to be located at 57 Missionary Drive, Russell Springs, Kentucky, 42642. A map showing the location is attached.

The Commission invites your comments regarding this proposed construction. Also, the Commission wants you to be aware of your right to intervene in this matter. Your comments and request for intervention should be addressed to:

Executive Director's Office
Public Service Commission of Kentucky
P.O. Box 615
Frankfort, Kentucky, 40602.

Please refer to case number 2006-00052 in your correspondence.

Bluegrass Cellular welcomes the opportunity to serve and provide wireless service in your community! (For more information, please check us out online at www.myblueworks.com)

| SENDER: COMPLETE THIS SECTION | COMPLETE THIS SECTION ON DELIVERY |
|--|---|
| <ul style="list-style-type: none">Complete items 1, 2, and 3. Also complete item 4 if Restricted Delivery is desired.Print your name and address on the reverse so that we can return the card to you.Attach this card to the back of the mailpiece, or on the front if space permits. | A. Signature x <i>Leon Frank</i> <input checked="" type="checkbox"/> Agent <input type="checkbox"/> Addressee |
| 1. Article Addressed to: <i>Leon Frank & Scott E. Farley 174 Buckshot Drive Russell Springs, KY 42642</i> | B. Received by (Printed Name) <i>LEON FRANK</i> C. Date of Delivery <i>2-9-06</i> |
| 2. Article Number (Transfer from service label) <u>7005 1160 0000 2923 3122</u> | D. Is delivery address different from item 1? <input type="checkbox"/> Yes If YES, enter delivery address below: <input type="checkbox"/> No |
| | 3. Service Type <input checked="" type="checkbox"/> Certified Mail <input type="checkbox"/> Express Mail <input type="checkbox"/> Registered <input type="checkbox"/> Return Receipt for Merchandise <input type="checkbox"/> Insured Mail <input type="checkbox"/> C.O.D. |
| | 4. Restricted Delivery? (Extra Fee) <input type="checkbox"/> Yes |

February 7, 2006

Steve F. & Sandra S. Amsler
1609 Eaglenest Way
Louisville, Kentucky 40222

Public Notice

Cumberland Cellular Partnership is a Kentucky general partnership that markets its services as Bluegrass Cellular and has been serving Central Kentucky with wireless communications services for over 15 years.

Bluegrass Cellular is applying to the Public Service Commission of the Commonwealth of Kentucky (the "Commission") for a Certificate of Public Convenience and Necessity to construct and a new cell facility to provide cellular telephone service. This facility will include a 240 foot tower to be located at 57 Missionary Drive, Russell Springs, Kentucky, 42642. A map showing the location is attached.

The Commission invites your comments regarding this proposed construction. Also, the Commission wants you to be aware of your right to intervene in this matter. Your comments and request for intervention should be addressed to:

**Executive Director's Office
Public Service Commission of Kentucky
P.O. Box 615
Frankfort, Kentucky, 40602.**

Please refer to case number 2006-00052 in your correspondence.

Bluegrass Cellular welcomes the opportunity to serve and provide wireless service in your community! (For more information, please check us out online at www.myblueworks.com)

| SENDER: COMPLETE THIS SECTION | COMPLETE THIS SECTION ON DELIVERY |
|--|--|
| <ul style="list-style-type: none"> ■ Complete items 1, 2, and 3. Also complete item 4 if Restricted Delivery is desired. ■ Print your name and address on the reverse so that we can return the card to you. ■ Attach this card to the back of the mailpiece, or on the front if space permits. | <p>A. Signature <input type="checkbox"/> Agent <input type="checkbox"/> Addressee <i>Sandra S. Amsler</i></p> <p>B. Received by (Printed Name) C. Date of Delivery <i>Sandra Amsler</i></p> |
| <p>1. Article Addressed to:</p> <p><i>Steve F. & Sandra Amsler 1609 Eaglenest Way Louisville, KY 40222</i></p> | <p>D. Is delivery address different from item 1? <input checked="" type="checkbox"/> Yes If YES, enter delivery address below: <input type="checkbox"/> No</p> <p style="text-align: center;">FEB 10 2006 USPS 40222</p> <p>3. Service Type <input checked="" type="checkbox"/> Certified Mail <input type="checkbox"/> Express Mail <input type="checkbox"/> Registered <input type="checkbox"/> Return Receipt for Merchandise <input type="checkbox"/> Insured Mail <input type="checkbox"/> C.O.D.</p> <p>4. Restricted Delivery? (Extra Fee) <input type="checkbox"/> Yes</p> |
| <p>2. Article Number (Transfer from service label)</p> | <p style="text-align: center;">7005 1160 0000 2923 3115</p> |

February 7, 2006

James Fugate
12995 Highway 476
Hazard, Kentucky 41701

Public Notice

Cumberland Cellular Partnership is a Kentucky general partnership that markets its services as Bluegrass Cellular and has been serving Central Kentucky with wireless communications services for over 15 years.

Bluegrass Cellular is applying to the Public Service Commission of the Commonwealth of Kentucky (the "Commission") for a Certificate of Public Convenience and Necessity to construct and a new cell facility to provide cellular telephone service. This facility will include a 240 foot tower to be located at 57 Missionary Drive, Russell Springs, Kentucky, 42642. A map showing the location is attached.

The Commission invites your comments regarding this proposed construction. Also, the Commission wants you to be aware of your right to intervene in this matter. Your comments and request for intervention should be addressed to:

**Executive Director's Office
Public Service Commission of Kentucky
P.O. Box 615
Frankfort, Kentucky, 40602.**

Please refer to case number 2006-00052 in your correspondence.

Bluegrass Cellular welcomes the opportunity to serve and provide wireless service in your community! (For more information, please check us out online at www.myblueworks.com)

| SENDER: COMPLETE THIS SECTION | COMPLETE THIS SECTION ON DELIVERY |
|--|---|
| <ul style="list-style-type: none"> ■ Complete items 1, 2, and 3. Also complete item 4 if Restricted Delivery is desired. ■ Print your name and address on the reverse so that we can return the card to you. ■ Attach this card to the back of the mailpiece, or on the front if space permits. | A. Signature <input checked="" type="checkbox"/> <i>James Fugate</i> <input type="checkbox"/> Agent <input type="checkbox"/> Addressee |
| 1. Article Addressed to: <i>James Fugate 12995 Highway 476 Hazard, KY 41701</i> | B. Received by (Printed Name) _____ C. Date of Delivery <i>2/8/06</i> |
| 2. Article Number (Transfer from service label) | D. Is delivery address different from item 1? <input type="checkbox"/> Yes If YES, enter delivery address below: <input type="checkbox"/> No |
| | 3. Service Type <input checked="" type="checkbox"/> Certified Mail <input type="checkbox"/> Express Mail <input type="checkbox"/> Registered <input type="checkbox"/> Return Receipt for Merchandise <input type="checkbox"/> Insured Mail <input type="checkbox"/> C.O.D. |
| | 4. Restricted Delivery? (Extra Fee) <input type="checkbox"/> Yes |
| 7005 1160 0000 2923 3108 | |

February 7, 2006

Jackie B. & Betty Harris
1792 Piney Creek Road
Chillicothe, Ohio 45601

Public Notice

Cumberland Cellular Partnership is a Kentucky general partnership that markets its services as Bluegrass Cellular and has been serving Central Kentucky with wireless communications services for over 15 years.

Bluegrass Cellular is applying to the Public Service Commission of the Commonwealth of Kentucky (the "Commission") for a Certificate of Public Convenience and Necessity to construct and a new cell facility to provide cellular telephone service. This facility will include a 240 foot tower to be located at 57 Missionary Drive, Russell Springs, Kentucky, 42642. A map showing the location is attached.

The Commission invites your comments regarding this proposed construction. Also, the Commission wants you to be aware of your right to intervene in this matter. Your comments and request for intervention should be addressed to:

Executive Director's Office
Public Service Commission of Kentucky
P.O. Box 615
Frankfort, Kentucky, 40602.

Please refer to case number 2006-00052 in your correspondence.

Bluegrass Cellular welcomes the opportunity to serve and provide wireless service in your community! (For more information, please check us out online at www.myblueworks.com)

| SENDER: COMPLETE THIS SECTION | COMPLETE THIS SECTION ON DELIVERY |
|--|--|
| <ul style="list-style-type: none"> ■ Complete items 1, 2, and 3. Also complete item 4 if Restricted Delivery is desired. ■ Print your name and address on the reverse so that we can return the card to you. ■ Attach this card to the back of the mailpiece, or on the front if space permits. | <p>A. Signature <input type="checkbox"/> Agent <i>Betty Harris</i> <input checked="" type="checkbox"/> Addressee</p> <p>B. Received by (Printed Name) C. Date of Delivery <i>Betty Harris</i> <i>2-21-06</i></p> |
| <p>1. Article Addressed to:</p> <p><i>Jackie B. & Betty Harris</i> <i>1792 Piney Creek Rd.</i> <i>Chillicothe, Ohio</i> <i>45601</i></p> | <p>D. Is delivery address different from item 1? <input type="checkbox"/> Yes If YES, enter delivery address below: <input type="checkbox"/> No</p> <p style="text-align: center;">ENGLETSVILLE, KY FEB 21 2006 POST OFFICE STATION 2935</p> <p>3. Service Type <input checked="" type="checkbox"/> Certified Mail <input type="checkbox"/> Express Mail <input type="checkbox"/> Registered Mail <input type="checkbox"/> Return Receipt for Merchandise <input type="checkbox"/> Insured Mail <input type="checkbox"/> C.O.D.</p> <p>4. Restricted Delivery? (Extra Fee) <input type="checkbox"/> Yes</p> |
| <p>2. Article Number (Transfer from service label)</p> | <p><i>7005 1160 0000 2923 3092</i></p> |
| <p>PS Form 3811, February 2004 Domestic Return Receipt 102595-02-M-1540</p> | |

February 7, 2006

Clayton A. & Alma F. Rowland
1842 Highway 1383
Russell Springs, Kentucky 42642

Public Notice

Cumberland Cellular Partnership is a Kentucky general partnership that markets its services as Bluegrass Cellular and has been serving Central Kentucky with wireless communications services for over 15 years.

Bluegrass Cellular is applying to the Public Service Commission of the Commonwealth of Kentucky (the "Commission") for a Certificate of Public Convenience and Necessity to construct and a new cell facility to provide cellular telephone service. This facility will include a 240 foot tower to be located at 57 Missionary Drive, Russell Springs, Kentucky, 42642. A map showing the location is attached.

The Commission invites your comments regarding this proposed construction. Also, the Commission wants you to be aware of your right to intervene in this matter. Your comments and request for intervention should be addressed to:

Executive Director's Office
Public Service Commission of Kentucky
P.O. Box 615
Frankfort, Kentucky, 40602.

Please refer to case number 2006-00052 in your correspondence.

Bluegrass Cellular welcomes the opportunity to serve and provide wireless service in your community! (For more information, please check us out online at www.myblueworks.com)

| | |
|---|---|
| SENDER, COMPLETE THIS SECTION | |
| 1. Article Addressed to: Clayton A. & Alma F. Rowland 1842 Highway 1383 Russell Springs, KY 42642 | |
| 2. Article Number 7005 1160 0000 2923 3085 (Transfer from service label) PS Form 3811, February 2004 Domestic Return Receipt 102595-02-M-1540 | |
| COMPLETE THIS SECTION ON DELIVERY | |
| A. Signature <i>Clayton Rowland</i> X <input checked="" type="checkbox"/> Agent | B. Received by (Printed Name) Clayton Rowland |
| C. Date of Delivery 2/10/06 | D. Is delivery address different from item 1? <input type="checkbox"/> Yes <input type="checkbox"/> No If YES, enter delivery address below: |
| 3. Service Type <input type="checkbox"/> Certified Mail <input type="checkbox"/> Express Mail <input type="checkbox"/> Registered <input type="checkbox"/> Return Receipt for Merchandise <input type="checkbox"/> Insured Mail <input type="checkbox"/> C.O.D. | |
| 4. Restricted Delivery? (Extra Fee) <input type="checkbox"/> Yes | |

February 7, 2006

Joseph F. & Judith E. Boone
511 Iola Road
Louisville, Kentucky 40207

Public Notice

Cumberland Cellular Partnership is a Kentucky general partnership that markets its services as Bluegrass Cellular and has been serving Central Kentucky with wireless communications services for over 15 years.

Bluegrass Cellular is applying to the Public Service Commission of the Commonwealth of Kentucky (the "Commission") for a Certificate of Public Convenience and Necessity to construct and a new cell facility to provide cellular telephone service. This facility will include a 240 foot tower to be located at 57 Missionary Drive, Russell Springs, Kentucky, 42642. A map showing the location is attached.

The Commission invites your comments regarding this proposed construction. Also, the Commission wants you to be aware of your right to intervene in this matter. Your comments and request for intervention should be addressed to:

**Executive Director's Office
Public Service Commission of Kentucky
P.O. Box 615
Frankfort, Kentucky, 40602.**

Please refer to case number 2006-00052 in your correspondence.

Bluegrass Cellular welcomes the opportunity to serve and provide wireless service in your community! (For more information, please check us out online at www.myblueworks.com)

| SENDER: COMPLETE THIS SECTION | COMPLETE THIS SECTION ON DELIVERY |
|--|---|
| <ul style="list-style-type: none"> ■ Complete items 1, 2, and 3. Also complete item 4 if Restricted Delivery is desired. ■ Print your name and address on the reverse so that we can return the card to you. ■ Attach this card to the back of the mailpiece, or on the front if space permits. | A. Signature <input checked="" type="checkbox"/> Joseph F. Boone <input type="checkbox"/> Agent <input type="checkbox"/> Addressee |
| 1. Article Addressed to: Joseph F. & Judith E. Boone 511 Iola Road Louisville, KY 40207 | B. Received by (Printed Name) C. Date of Delivery |
| 2. Article Number (Transfer from service label) | D. Is delivery address different from item 1? <input type="checkbox"/> Yes If YES, enter delivery address below: <input type="checkbox"/> No JOSEPH F. BOONE 511 IOLA ROAD LOUISVILLE, KY 40207 |
| | 3. Service Type <input checked="" type="checkbox"/> Certified Mail <input type="checkbox"/> Express Mail <input type="checkbox"/> Registered <input type="checkbox"/> Return Receipt for Merchandise <input type="checkbox"/> Insured Mail <input type="checkbox"/> C.O.D. |
| | 4. Restricted Delivery? (Extra Fee) <input type="checkbox"/> Yes 7005 1160 0000 2923 3078 |

February 7, 2006

Leon & Virginia Frank
174 Buckshot Drive
Russell Springs, Kentucky 42642

Public Notice

Cumberland Cellular Partnership is a Kentucky general partnership that markets its services as Bluegrass Cellular and has been serving Central Kentucky with wireless communications services for over 15 years.

Bluegrass Cellular is applying to the Public Service Commission of the Commonwealth of Kentucky (the "Commission") for a Certificate of Public Convenience and Necessity to construct and a new cell facility to provide cellular telephone service. This facility will include a 240 foot tower to be located at 57 Missionary Drive, Russell Springs, Kentucky, 42642. A map showing the location is attached.

The Commission invites your comments regarding this proposed construction. Also, the Commission wants you to be aware of your right to intervene in this matter. Your comments and request for intervention should be addressed to:

Executive Director's Office
Public Service Commission of Kentucky
P.O. Box 615
Frankfort, Kentucky, 40602.

Please refer to case number 2006-00052 in your correspondence.

Bluegrass Cellular welcomes the opportunity to serve and provide wireless service in your community! (For more information, please check us out online at www.myblueworks.com)

| SENDER: COMPLETE THIS SECTION | COMPLETE THIS SECTION ON DELIVERY | |
|--|---|--------------------------------------|
| <ul style="list-style-type: none">■ Complete items 1, 2, and 3. Also complete item 4 if Restricted Delivery is desired.■ Print your name and address on the reverse so that we can return the card to you.■ Attach this card to the back of the mailpiece, or on the front if space permits. | A. Signature X <u>Leon Frank</u> <input checked="" type="checkbox"/> Agent <input type="checkbox"/> Addressee | |
| 1. Article Addressed to: <u>Leon & Virginia Frank</u> <u>174 Buckshot Drive</u> <u>Russell Springs, Ky</u> <u>42642</u> | B. Received by (Printed Name) <u>LEON FRANK</u> | C. Date of Delivery <u>2-9-06</u> |
| 2. Article Number (Transfer from service label) | D. Is delivery address different from item 1? <input type="checkbox"/> Yes If YES, enter delivery address below: <input type="checkbox"/> No | |
| | 3. Service Type <input checked="" type="checkbox"/> Certified Mail <input type="checkbox"/> Express Mail <input type="checkbox"/> Registered <input type="checkbox"/> Return Receipt for Merchandise <input type="checkbox"/> Insured Mail <input type="checkbox"/> C.O.D. | |
| | 4. Restricted Delivery? (Extra Fee) <input type="checkbox"/> Yes | |
| | 7005 1160 0000 2923 3054 | |

February 7, 2006

David A. & Gabrielle Gnadinger
5513 Pico Lane
Louisville, Kentucky 40219

Public Notice

Cumberland Cellular Partnership is a Kentucky general partnership that markets its services as Bluegrass Cellular and has been serving Central Kentucky with wireless communications services for over 15 years.


Bluegrass Cellular is applying to the Public Service Commission of the Commonwealth of Kentucky (the "Commission") for a Certificate of Public Convenience and Necessity to construct and a new cell facility to provide cellular telephone service. This facility will include a 240 foot tower to be located at 57 Missionary Drive, Russell Springs, Kentucky, 42642. A map showing the location is attached.

The Commission invites your comments regarding this proposed construction. Also, the Commission wants you to be aware of your right to intervene in this matter. Your comments and request for intervention should be addressed to:

Executive Director's Office
Public Service Commission of Kentucky
P.O. Box 615
Frankfort, Kentucky, 40602.

Please refer to case number 2006-00052 in your correspondence.

Bluegrass Cellular welcomes the opportunity to serve and provide wireless service in your community! (For more information, please check us out online at www.myblueworks.com)

| SENDER COMPLETE THIS SECTION | COMPLETE THIS SECTION ON DELIVERY |
|--|---|
| <ul style="list-style-type: none"> ■ Complete items 1, 2, and 3. Also complete item 4 if Restricted Delivery is desired. ■ Print your name and address on the reverse so that we can return the card to you. ■ Attach this card to the back of the mailpiece, or on the front if space permits. | A. Signature <input type="checkbox"/> Agent <input checked="" type="checkbox"/> Addressee |
| 1. Article Addressed to: David A. & Gabrielle Gnadinger 5513 Pico Lane Louisville, KY 40219 | B. Received by (Printed Name) C. Date of Delivery |
| 2. Article Number (Transfer from service label) | D. Is delivery address different from item 1? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No If YES, enter delivery address below:  |
| | 3. Service Type <input checked="" type="checkbox"/> Certified Mail <input type="checkbox"/> Express Mail <input type="checkbox"/> Registered <input type="checkbox"/> Return Receipt for Merchandise <input type="checkbox"/> Insured Mail <input type="checkbox"/> C.O.D. |
| | 4. Restricted Delivery? (Extra Fee) <input type="checkbox"/> Yes |
| 7005 1160 0000 2923 3047 | |

February 7, 2006

Lake Line Property, LLC
5448 Overlook Road
Milford, Ohio 45150

Public Notice

Cumberland Cellular Partnership is a Kentucky general partnership that markets its services as Bluegrass Cellular and has been serving Central Kentucky with wireless communications services for over 15 years.


Bluegrass Cellular is applying to the Public Service Commission of the Commonwealth of Kentucky (the "Commission") for a Certificate of Public Convenience and Necessity to construct and a new cell facility to provide cellular telephone service. This facility will include a 240 foot tower to be located at 57 Missionary Drive, Russell Springs, Kentucky, 42642. A map showing the location is attached.

The Commission invites your comments regarding this proposed construction. Also, the Commission wants you to be aware of your right to intervene in this matter. Your comments and request for intervention should be addressed to:

Executive Director's Office
Public Service Commission of Kentucky
P.O. Box 615
Frankfort, Kentucky, 40602.

Please refer to case number 2006-00052 in your correspondence.

Bluegrass Cellular welcomes the opportunity to serve and provide wireless service in your community! (For more information, please check us out online at www.myblueworks.com)

| SENDER: COMPLETE THIS SECTION | COMPLETE THIS SECTION ON DELIVERY | |
|--|---|---------------------|
| <ul style="list-style-type: none"> ■ Complete items 1, 2, and 3. Also complete item 4 if Restricted Delivery is desired. ■ Print your name and address on the reverse so that we can return the card to you. ■ Attach this card to the back of the mailpiece, or on the front if space permits. | A. Signature <input type="checkbox"/> Agent <input checked="" type="checkbox"/> Addressee  | |
| 1. Article Addressed to: | B. Received by (Printed Name) | C. Date of Delivery |
| Lake Line Property, LLC 5448 Overlook Road Milford, Ohio 45150 | BRYAN HENDRICKSON 2-7-06 D. Is delivery address different from item 1? <input type="checkbox"/> Yes If YES, enter delivery address below: <input type="checkbox"/> No | |
| 2. Article Number (Transfer from service label) | 3. Service Type <input checked="" type="checkbox"/> Certified Mail <input type="checkbox"/> Express Mail <input type="checkbox"/> Registered <input type="checkbox"/> Return Receipt for Merchandise <input type="checkbox"/> Insured Mail <input type="checkbox"/> C.O.D. | |
| | 4. Restricted Delivery? (Extra Fee) <input type="checkbox"/> Yes | |
| 7005 1160 0000 2923 3030 | | |

February 7, 2006

Willie & Ronda Begley
108 Riverview Road
Hazard, Kentucky 41701

Public Notice

Cumberland Cellular Partnership is a Kentucky general partnership that markets its services as Bluegrass Cellular and has been serving Central Kentucky with wireless communications services for over 15 years.

Bluegrass Cellular is applying to the Public Service Commission of the Commonwealth of Kentucky (the "Commission") for a Certificate of Public Convenience and Necessity to construct and a new cell facility to provide cellular telephone service. This facility will include a 240 foot tower to be located at 57 Missionary Drive, Russell Springs, Kentucky, 42642. A map showing the location is attached.

The Commission invites your comments regarding this proposed construction. Also, the Commission wants you to be aware of your right to intervene in this matter. Your comments and request for intervention should be addressed to:

Executive Director's Office
Public Service Commission of Kentucky
P.O. Box 615
Frankfort, Kentucky, 40602.

Please refer to case number 2006-00052 in your correspondence.

Bluegrass Cellular welcomes the opportunity to serve and provide wireless service in your community! (For more information, please check us out online at www.myblueworks.com)

| SENDER: COMPLETE THIS SECTION | COMPLETE THIS SECTION ON DELIVERY | |
|--|---|--------------------------------------|
| <ul style="list-style-type: none"> ■ Complete items 1, 2, and 3. Also complete item 4 if Restricted Delivery is desired. ■ Print your name and address on the reverse so that we can return the card to you. ■ Attach this card to the back of the mailpiece, or on the front if space permits. | A. Signature <input checked="" type="checkbox"/> <i>L. Ronda Smith</i> <input type="checkbox"/> Agent <input checked="" type="checkbox"/> Addressee | |
| 1. Article Addressed to: <i>Willie & Ronda Begley 108 Riverview Road Hazard, KY 41701</i> | B. Received by (Printed Name) <i>L. Smith</i> | C. Date of Delivery <i>1-8-06</i> |
| 2. Article Number (Transfer from service label) | D. Is delivery address different from item 1? <input type="checkbox"/> Yes If YES, enter delivery address below: <input checked="" type="checkbox"/> No | |
| | 3. Service Type <input checked="" type="checkbox"/> Certified Mail <input type="checkbox"/> Express Mail <input type="checkbox"/> Registered <input type="checkbox"/> Return Receipt for Merchandise <input type="checkbox"/> Insured Mail <input type="checkbox"/> C.O.D. | |
| | 4. Restricted Delivery? (Extra Fee) <input type="checkbox"/> Yes | |
| 7005 1160 0000 2923 3023 | | |

February 7, 2006

Mike & Melinda Hoppenjans
11787 Suncrest Drive
Walton, Kentucky 41094

Public Notice

Cumberland Cellular Partnership is a Kentucky general partnership that markets its services as Bluegrass Cellular and has been serving Central Kentucky with wireless communications services for over 15 years.



Bluegrass Cellular is applying to the Public Service Commission of the Commonwealth of Kentucky (the "Commission") for a Certificate of Public Convenience and Necessity to construct and a new cell facility to provide cellular telephone service. This facility will include a 240 foot tower to be located at 57 Missionary Drive, Russell Springs, Kentucky, 42642. A map showing the location is attached.

The Commission invites your comments regarding this proposed construction. Also, the Commission wants you to be aware of your right to intervene in this matter. Your comments and request for intervention should be addressed to:

Executive Director's Office
Public Service Commission of Kentucky
P.O. Box 615
Frankfort, Kentucky, 40602.

Please refer to case number 2006-00052 in your correspondence.

Bluegrass Cellular welcomes the opportunity to serve and provide wireless service in your community! (For more information, please check us out online at www.myblueworks.com)

| SENDER: COMPLETE THIS SECTION | COMPLETE THIS SECTION ON DELIVERY |
|--|--|
| <ul style="list-style-type: none"> ■ Complete items 1, 2, and 3. Also complete item 4 if Restricted Delivery is desired. ■ Print your name and address on the reverse so that we can return the card to you. ■ Attach this card to the back of the mailpiece, or on the front if space permits. | A. Signature  <input type="checkbox"/> Agent <input checked="" type="checkbox"/> Addressee |
| 1. Article Addressed to: Mike & Melinda Hoppenjans 11787 Suncrest Drive Walton, KY 41094 | B. Received by (Printed Name) <u>MIKE HOPPENJANS</u> C. Date of Delivery <u>2-8-06</u> |
| 2. Article Number (Transfer from service label) | D. Is delivery address different from item 1? <input type="checkbox"/> Yes If YES, enter delivery address below: <input checked="" type="checkbox"/> No |
| PS Form 3811, February 2004 | 3. Service Type <input checked="" type="checkbox"/> Certified Mail <input type="checkbox"/> Express Mail <input type="checkbox"/> Registered <input type="checkbox"/> Return Receipt for Merchandise <input type="checkbox"/> Insured Mail <input type="checkbox"/> C.O.D. 4. Restricted Delivery? (Extra Fee) <input type="checkbox"/> Yes <div style="text-align: center;">  </div> |
| | 7005 1160 0000 2923 3016 Domestic Return Receipt 102595-02-M-1540 |

February 7, 2006

David L. McFarland & Michael E. Toncray
803 Spring Hill
Frankfort, Kentucky 40601

Public Notice

Cumberland Cellular Partnership is a Kentucky general partnership that markets its services as Bluegrass Cellular and has been serving Central Kentucky with wireless communications services for over 15 years.

Bluegrass Cellular is applying to the Public Service Commission of the Commonwealth of Kentucky (the "Commission") for a Certificate of Public Convenience and Necessity to construct and a new cell facility to provide cellular telephone service. This facility will include a 240 foot tower to be located at 57 Missionary Drive, Russell Springs, Kentucky, 42642. A map showing the location is attached.

The Commission invites your comments regarding this proposed construction. Also, the Commission wants you to be aware of your right to intervene in this matter. Your comments and request for intervention should be addressed to:

Executive Director's Office
Public Service Commission of Kentucky
P.O. Box 615
Frankfort, Kentucky, 40602.

Please refer to case number 2006-00052 in your correspondence.

Bluegrass Cellular welcomes the opportunity to serve and provide wireless service in your community! (For more information, please check us out online at www.myblueworks.com)

| SENDER: COMPLETE THIS SECTION | COMPLETE THIS SECTION ON DELIVERY |
|--|---|
| <ul style="list-style-type: none">■ Complete items 1, 2, and 3. Also complete item 4 if Restricted Delivery is desired.■ Print your name and address on the reverse so that we can return the card to you.■ Attach this card to the back of the mailpiece, or on the front if space permits. | <p>A. Signature <input type="checkbox"/> Agent <input checked="" type="checkbox"/> Addressee</p> <p>B. Received by (Printed Name)</p> <p>C. Date of Delivery 2-10</p> |
| 1. Article Addressed to: David L. McFarland & Michael E. Toncray 803 Spring Hill Frankfort, KY 40601 | D. Is delivery address different from item 1? <input type="checkbox"/> Yes If YES, enter delivery address below: <input type="checkbox"/> No |
| 2. Article Number (Transfer from service label) | 3. Service Type <input checked="" type="checkbox"/> Certified Mail <input type="checkbox"/> Express Mail <input type="checkbox"/> Registered <input type="checkbox"/> Return Receipt for Merchandise <input type="checkbox"/> Insured Mail <input type="checkbox"/> C.O.D. 4. Restricted Delivery? (Extra Fee) <input type="checkbox"/> Yes |
| | 7005 1160 0000 2923 3498 |

Dinsmore & Shohl LLP
ATTORNEYS

Kerry W. Ingle
(502) 540-2354 (Direct Dial)
kerry.ingle@dinslaw.com

February 8, 2006

Via Certified Mail

Russell County Judge Executive
Courthouse
410 Monument Square
Jamestown, KY 42629

RE: Public Notice - Public Service Commission of Kentucky
Case No. 2006-00052


Cumberland Cellular Partnership is applying to the Public Service Commission of Kentucky (the Commission) for a Certificate of Public Convenience and Necessity to propose construction and operation for a new facility to provide cellular radio telecommunications service in rural service area (RSA) #5 in Russell County. The facility will include a 240 ft. tower and an equipment shelter to be located at 57 Missionary Drive, Russellville, Kentucky, 42642. A map showing the location of the proposed new facility is enclosed.

The Commission invites your comments regarding the proposed construction. You also have the right to intervene in this matter.

Your comments and request for intervention should be addressed to: Executive Director's Office, Public Service Commission, P.O. Box 615, Frankfort, Kentucky 40602. Please refer to case number 2006-00052 in your correspondence.

Very truly yours,

DINSMORE & SHOHL LLP


Kerry W. Ingle
Paralegal

enclosure

KWI

| SENDER: COMPLETE THIS SECTION | COMPLETE THIS SECTION ON DELIVERY | |
|--|---|---|
| <ul style="list-style-type: none"> ■ Complete items 1, 2, and 3. Also complete item 4 if Restricted Delivery is desired. ■ Print your name and address on the reverse so that we can return the card to you. ■ Attach this card to the back of the mailpiece, or on the front if space permits. | <p>A. Signature</p> <p>x <i>Lesley Barger</i> <input type="checkbox"/> Agent <input type="checkbox"/> Addressee</p> | |
| <p>1. Article Addressed to:</p> <p><i>Russell County Judge Executive Courthouse 410 Monument Square Jamestown, KY 42629</i></p> | <p>B. Received by (<i>Printed Name</i>)</p> <p><i>Lesley Barger</i></p> | <p>C. Date of Delivery</p> <p><i>04/13/06</i></p> |
| <p>2. Article Number (Transfer from service label)</p> | <p>D. Is delivery address different from item 1? <input type="checkbox"/> Yes If YES, enter delivery address below: <input type="checkbox"/> No</p> | |
| | <p>3. Service Type</p> <p><input checked="" type="checkbox"/> Certified Mail <input type="checkbox"/> Express Mail <input type="checkbox"/> Registered <input type="checkbox"/> Return Receipt for Merchandise <input type="checkbox"/> Insured Mail <input type="checkbox"/> C.O.D.</p> <p>4. Restricted Delivery? (<i>Extra Fee</i>) <input type="checkbox"/> Yes</p> | |
| | <p>7005 1160 0000 2923 4495</p> | |

PUBLIC NOTICE

**Cumberland Cellular Partnership
proposes to
construct a cellular
communications**

TOWER

**on this site. If you have any
questions please contact:**

Cumberland Cellular

Partnership

P.O. Box 5812

2002 King Road

Churchtown, NY 42701

or

Executive Director

The Public Service Commission

371 Essex Building

P.O. Box 615

Trenton, NY 08607

Please refer to P.S.C.

Case #2006-00052

in your correspondence.

PUBLIC NOTICE

Cumberland Cellular Partnership
proposes to

construct a cellular
communications

TOWER

near this site. If you have any
questions please contact:

EMERSON TELEPHONE LTD
P.O. BOX 5012
2005 WEST ROAD
ELIZABETH, NJ 07201
LAWRENCE BENTON
THE FINEST SERVICE CONNECTIONS
211 BENTON CENTER
P.O. BOX 615
ELIZABETH, NJ 07201

Please refer to P.S.C.

Case #2006-00052

in your correspondence.

The Times Journal
P. O. Box 190
Russell Springs, KY 42642

Dinsmore & Shol
1400 PNC Plaza
Louisville KY 40202

State of Kentucky

County of Russell ss

Stephanie George, of the city of Russell Springs, in said county and state, being duly sworn, on her oath says that she is the Advertising Representative of The Times Journal, a weekly newspaper of general circulation published in said city, and that the notice, a printed copy of which is hereto annexed, was published in said newspaper for ONE (1 consecutive weeks which publication was made on:

February 11, 2006

Stephanie Smith

Subscribed and sworn to before me this 16th day
of February 2006


[Signature]

Notary Public, Russell County,
Kentucky

My commission expires: February 2010

Total= 21.00 1x4


Site Name: Alligator
Coordinate: 36-59-34.32 N
84-56-3.92 W
Ground Elev: 957' AMSL
Proposed Ht.: 255' AGL
Map: Taber Quadrangle, Kentucky



**Information on Towers Registered with the FCC
in Russell County and 1/2 Mile Area Outside of the County Boundary**

| FCC Tower Reg. No. | North Latitude | West Longitude | City, State | Tower Owner |
|--------------------|----------------|----------------|---------------------|----------------------------------|
| 1013822 | 37-03-21 N | 84-50-46 W | Russell Springs, KY | Global Tower, LLC |
| 1042205 | 36-53-48 N | 84-59-32 W | Pamell, KY | Global Tower, LLC |
| 1043078 | 37-08-31 N | 85-03-16 W | Poplar Grove, KY | GTE South Incorporated |
| 1043881 | 37-01-31 N | 85-04-23 W | Russell Springs, KY | Lake Cumberland Broadcasters |
| 1043973 | 37-01-53 N | 85-03-40 W | Russell Springs, KY | Cumberland Cellular, Inc. |
| 1044511 | 36-55-25 N | 85-06-22 W | Freedom, KY | East Kentucky Power Cooperative |
| 1060800 | 37-03-16 N | 85-05-15 W | Russell Springs, KY | Duo County Telephone Cooperative |
| 1065125 | 37-05-39 N | 85-04-49 W | Russell Springs, KY | Hammond Broadcasting |
| 1232264 | 37-05-19.7 N | 84-54-47.3 W | Russell Springs, KY | Hemphill Corporation |
| 1232919 | 37-03-51.9 | 85-04-19.5 W | Russell Springs, KY | Hemphill Corporation |
| 1249806 | 36-59-14.9 N | 85-04-03 W | Jamesstown, KY | Shared Towers KY |

37°-15'-00" N
85°-00'-00" W



36°-45'-00" N
85°-15'-00" W

Russell County Boundary

Wireless Tower Locations Registered with the FCC

Proposed Tower location

Tick Marks

Prepared By: LNGS Engineering 2/14/2006

