



Ernie Fletcher
Governor

Mark David Goss
Chairman

LaJuana S. Wilcher, Secretary
Environmental and Public
Protection Cabinet

Commonwealth of Kentucky
Public Service Commission
211 Sower Blvd.
P.O. Box 615
Frankfort, Kentucky 40602-0615
Telephone: (502) 564-3940
Fax: (502) 564-3460
psc.ky.gov

Teresa J. Hill
Vice Chairman

Christopher L. Lilly
Commissioner
Department of Public Protection

Gregory Coker
Commissioner

Diana Clark
Office Manager
Jessamine-South Elkhorn Water District
P. O. Box 731
Nicholasville, KY 40340-0731

April 24, 2006

RE: Case No. 2006-00156

We enclose one attested copy of the Commission's Order in the above case.

Sincerely,

A handwritten signature in black ink, appearing to read "Beth O'Donnell".

Beth O'Donnell
Executive Director

BOD/jc
Enclosure

COMMONWEALTH OF KENTUCKY
BEFORE THE PUBLIC SERVICE COMMISSION

In the Matter of:

APPLICATION OF JESSAMINE-SOUTH)
ELKHORN WATER DISTRICT FOR)
APPROVAL OF A SYSTEM DEVELOPMENT) CASE NO. 2006-00156
CHARGE PURSUANT TO 807 KAR 5:090)

COMMISSION STAFF'S NOTICE OF INFORMAL CONFERENCE

Pursuant to 807 KAR 5:001, Section 4(4), Jessamine-South Elkhorn Water District ("Jessamine-South Elkhorn") is requested to appear for an informal conference with Commission Staff on April 27, 2006 at 9:00 a.m., Eastern Daylight Time, in Conference Room 2 of the Commission's offices at 211 Sower Boulevard, Frankfort, Kentucky.

Jessamine-South Elkhorn should be prepared to discuss the deficiencies in its recent application and any options or alternatives for financing that it may have considered before requesting a system development charge.


Beth O'Donnell
Executive Director
Public Service Commission
Post Office Box 615
Frankfort, Kentucky 40602

DATED: April 24, 2006

cc: Parties of Record