



Ernie Fletcher  
Governor

Mark David Goss  
Chairman

LaJuana S. Wilcher, Secretary  
Environmental and Public  
Protection Cabinet

Commonwealth of Kentucky  
**Public Service Commission**  
211 Sower Blvd.  
P.O. Box 615  
Frankfort, Kentucky 40602-0615  
Telephone: (502) 564-3940  
Fax: (502) 564-3460  
psc.ky.gov

Teresa J. Hill  
Vice Chairman

Christopher L. Lilly  
Commissioner  
Department of Public Protection

September 21, 2006

Honorable Elizabeth E. Blackford  
Assistant Attorney General  
Office of the Attorney General Utility & Rate Intervention Division  
1024 Capital Center Drive  
Suite 200  
Frankfort, KY 40601-8204

RE: Case No. 2006-00307

Please see enclosed data request from Commission Staff in the above case.

If you need further assistance, please contact Isaac Scott at (502) 564-3940 ext. 444.

Sincerely,

A handwritten signature in black ink, appearing to read "Beth O'Donnell".

Beth O'Donnell  
Executive Director

BOD/jc  
Enclosure



Ernie Fletcher  
Governor

Mark David Goss  
Chairman

LaJuana S. Wilcher, Secretary  
Environmental and Public  
Protection Cabinet

Commonwealth of Kentucky  
**Public Service Commission**  
211 Sower Blvd.  
P.O. Box 615  
Frankfort, Kentucky 40602-0615  
Telephone: (502) 564-3940  
Fax: (502) 564-3460  
psc.ky.gov

Teresa J. Hill  
Vice Chairman

Christopher L. Lilly  
Commissioner  
Department of Public Protection

September 21, 2006

Honorable Bruce F. Clark  
Attorney at Law  
Stites & Harbison  
421 West Main Street  
P. O. Box 634  
Frankfort, KY 40602-0634

RE: Case No. 2006-00307

Please see enclosed data request from Commission Staff in the above case.

If you need further assistance, please contact Isaac Scott at (502) 564-3940 ext. 444.

Sincerely,

A handwritten signature in black ink, appearing to read "Beth O'Donnell".

Beth O'Donnell  
Executive Director

BOD/jc  
Enclosure



Ernie Fletcher  
Governor

Mark David Goss  
Chairman

LaJuana S. Wilcher, Secretary  
Environmental and Public  
Protection Cabinet

Commonwealth of Kentucky  
**Public Service Commission**  
211 Sower Blvd.  
P.O. Box 615  
Frankfort, Kentucky 40602-0615  
Telephone: (502) 564-3940  
Fax: (502) 564-3460  
psc.ky.gov

Teresa J. Hill  
Vice Chairman

Christopher L. Lilly  
Commissioner  
Department of Public Protection

September 21, 2006

Honorable R. Benjamin Crittenden  
Attorney at Law  
Stites & Harbison  
421 West Main Street  
P. O. Box 634  
Frankfort, KY 40602-0634

RE: Case No. 2006-00307

Please see enclosed data request from Commission Staff in the above case.

If you need further assistance, please contact Isaac Scott at (502) 564-3940 ext. 444.

Sincerely,

A handwritten signature in black ink, appearing to read "Beth O'Donnell".

Beth O'Donnell  
Executive Director

BOD/jc  
Enclosure



Ernie Fletcher  
Governor

Mark David Goss  
Chairman

LaJuana S. Wilcher, Secretary  
Environmental and Public  
Protection Cabinet

Commonwealth of Kentucky  
**Public Service Commission**  
211 Sower Blvd.  
P.O. Box 615  
Frankfort, Kentucky 40602-0615  
Telephone: (502) 564-3940  
Fax: (502) 564-3460  
psc.ky.gov

Teresa J. Hill  
Vice Chairman

Christopher L. Lilly  
Commissioner  
Department of Public Protection

September 21, 2006

Honorable Kevin F. Duffy  
Attorney at Law  
American Electric Power Service Corporation  
1 Riverside Plaza, 29th Floor  
Post Office Box 16631  
Columbus, OH 43216

RE: Case No. 2006-00307

Please see enclosed data request from Commission Staff in the above case.

If you need further assistance, please contact Isaac Scott at (502) 564-3940 ext. 444.

Sincerely,

A handwritten signature in black ink, appearing to read "Beth O'Donnell".

Beth O'Donnell  
Executive Director

BOD/jc  
Enclosure

Ernie Fletcher  
Governor

LaJuana S. Wilcher, Secretary  
Environmental and Public  
Protection Cabinet

Christopher L. Lilly  
Commissioner  
Department of Public Protection

F. Mitchell Dutton  
American Electric Power Service Corp  
1 Riverside Plaza  
Columbus, OH 43215-2373



Commonwealth of Kentucky  
**Public Service Commission**  
211 Sower Blvd.  
P.O. Box 615  
Frankfort, Kentucky 40602-0615  
Telephone: (502) 564-3940  
Fax: (502) 564-3460  
psc.ky.gov

Mark David Goss  
Chairman

Teresa J. Hill  
Vice Chairman

September 21, 2006

RE: Case No. 2006-00307

Please see enclosed data request from Commission Staff in the above case.

If you need further assistance, please contact Isaac Scott at (502) 564-3940 ext. 444.

Sincerely,

A handwritten signature in black ink, appearing to read "Beth O'Donnell".

Beth O'Donnell  
Executive Director

BOD/jc  
Enclosure

Ernie Fletcher  
Governor

LaJuana S. Wilcher, Secretary  
Environmental and Public  
Protection Cabinet

Christopher L. Lilly  
Commissioner  
Department of Public Protection



Commonwealth of Kentucky  
**Public Service Commission**  
211 Sower Blvd.  
P.O. Box 615  
Frankfort, Kentucky 40602-0615  
Telephone: (502) 564-3940  
Fax: (502) 564-3460  
psc.ky.gov

Mark David Goss  
Chairman

Teresa J. Hill  
Vice Chairman

Honorable Michael L. Kurtz  
Attorney at Law  
Boehm, Kurtz & Lowry  
36 East Seventh Street  
2110 CBLD Building  
Cincinnati, OH 45202

September 21, 2006

RE: Case No. 2006-00307

Please see enclosed data request from Commission Staff in the above case.

If you need further assistance, please contact Isaac Scott at (502) 564-3940 ext. 444.

Sincerely,

A handwritten signature in black ink, appearing to read "Beth O'Donnell".

Beth O'Donnell  
Executive Director

BOD/jc  
Enclosure



Ernie Fletcher  
Governor

Mark David Goss  
Chairman

LaJuana S. Wilcher, Secretary  
Environmental and Public  
Protection Cabinet

Commonwealth of Kentucky  
**Public Service Commission**  
211 Sower Blvd.  
P.O. Box 615  
Frankfort, Kentucky 40602-0615  
Telephone: (502) 564-3940  
Fax: (502) 564-3460  
psc.ky.gov

Teresa J. Hill  
Vice Chairman

Christopher L. Lilly  
Commissioner  
Department of Public Protection

September 21, 2006

Honorable Michele M. Whittington  
Attorney at Law  
Stites & Harbison  
421 West Main Street  
P. O. Box 634  
Frankfort, KY 40602-0634

RE: Case No. 2006-00307

Please see enclosed data request from Commission Staff in the above case.

If you need further assistance, please contact Isaac Scott at (502) 564-3940 ext. 444.

Sincerely,

A handwritten signature in black ink, appearing to read "Beth O'Donnell".

Beth O'Donnell  
Executive Director

BOD/jc  
Enclosure

Honorable Elizabeth E. Blackford  
Assistant Attorney General  
Office of the Attorney General  
Utility & Rate Intervention Division  
1024 Capital Center Drive  
Suite 200  
Frankfort, KY 40601-8204

Honorable Bruce F. Clark  
Attorney at Law  
Stites & Harbison  
421 West Main Street  
P. O. Box 634  
Frankfort, KY 40602-0634

Honorable R. Benjamin Crittenden  
Attorney at Law  
Stites & Harbison  
421 West Main Street  
P. O. Box 634  
Frankfort, KY 40602-0634

Honorable Kevin F. Duffy  
Attorney at Law  
American Electric Power  
Service Corporation  
1 Riverside Plaza, 29th Floor  
Post Office Box 16631  
Columbus, OH 43216

F. Mitchell Dutton  
American Electric Power Service Corp  
1 Riverside Plaza  
Columbus, OH 43215-2373

Honorable Michael L. Kurtz  
Attorney at Law  
Boehm, Kurtz & Lowry  
36 East Seventh Street  
2110 CBLD Building  
Cincinnati, OH 45202

Honorable Michele M. Whittington  
Attorney at Law  
Stites & Harbison  
421 West Main Street  
P. O. Box 634  
Frankfort, KY 40602-0634

COMMONWEALTH OF KENTUCKY  
BEFORE THE PUBLIC SERVICE COMMISSION

In the Matter of:

THE APPLICATION OF KENTUCKY POWER	)	
COMPANY FOR APPROVAL OF AN AMENDED	)	
COMPLIANCE PLAN FOR PURPOSES OF	)	CASE NO.
RECOVERING ADDITIONAL COSTS OF	)	2006-00307
POLLUTION CONTROL FACILITIES AND TO	)	
AMEND ITS ENVIRONMENTAL COST RECOVERY	)	
SURCHARGE TARIFF	)	

SECOND DATA REQUEST OF COMMISSION STAFF TO  
KENTUCKY POWER COMPANY

Kentucky Power Company ("Kentucky Power"), pursuant to 807 KAR 5:001, is requested to file with the Commission the original and 5 copies of the following information, with a copy to all parties of record. The information requested herein is due on or before October 3, 2006. Each copy of the data requested should be placed in a bound volume with each item tabbed. When a number of sheets are required for an item, each sheet should be appropriately indexed, for example, Item 1(a), Sheet 2 of 6. Include with each response the name of the witness who will be responsible for responding to questions relating to the information provided. Careful attention should be given to copied material to ensure that it is legible. Where information requested herein has been provided, in the format requested herein, reference may be made to the specific location of said information in responding to this information request.

1. Refer to the response to the Staff's First Data Request dated August 24, 2006 ("Staff's First Request"), Item 2(a). Concerning the multi-emissions compliance optimization ("MECO") model:

a. Kentucky Power indicates that the MECO model was developed as part of an Electric Power Research Institute tailored collaboration project. Explain what is meant by the phrase “tailored collaboration project.”

b. Kentucky Power states that, “The AEP MECO model is not available to the rest of the electric industry.” Is a non-American Electric Power Company (“AEP”) specific version of MECO available to the electric industry? Explain the response.

2. Refer to the response to the Staff’s First Request, Item 6.

a. Would Kentucky Power agree that the processes contained in flue gas desulphurization equipment (“scrubber”) that remove sulfur dioxide (“SO<sub>2</sub>”) from a generating station’s emissions will accomplish the reduction regardless of the sulfur mix in the coal burned? Explain the response.

b. If there is a fully operational scrubber on a generating station removing SO<sub>2</sub>, to what extent does the existence or absence of coal blending facilities impact the generating station’s ability to comply with the requirements of Title IV, 40 CFR 72-78 and the Clean Air Interstate Rule, 40 CFR 96? Explain the response.


3. Refer to the response to the Staff’s First Request, Item 9(e).

a. Based on the response to Item 9(e), would Kentucky Power agree that for the six generating stations shown on page 3 of 62, AEP cannot determine whether there has been, or is expected to be, a significant increase in the emission of sulfuric acid (“H<sub>2</sub>SO<sub>4</sub>”) as a result of installing scrubbers or Selective Catalytic Reduction equipment (“SCR”)? Explain the response.

b. The results shown in the table on page 3 of 62 are stated in “ppmdv.” Convert the results into the equivalent amounts of tons per year and provide the workpapers showing the conversion.

c. Explain why it is reasonable to assume all of the sulfur trioxide (“SO<sub>3</sub>”) in the flue gases will be converted to H<sub>2</sub>SO<sub>4</sub> prior to exiting the stack.

d. If AEP does not have the SO<sub>3</sub> and H<sub>2</sub>SO<sub>4</sub> emission data for any time periods prior to the installation of scrubbers and SCRs, how can it accurately determine whether there has been a significant increase in the release of H<sub>2</sub>SO<sub>4</sub>? Explain the response.



Beth O'Donnell  
Executive Director  
Public Service Commission  
P. O. Box 615  
Frankfort, Kentucky 40602

DATED September 21, 2006

cc: All Parties

Case No. 2006-00307