



Ernie Fletcher  
Governor

Mark David Goss  
Chairman

Teresa J. Hill, Secretary  
Environmental and Public  
Protection Cabinet

Commonwealth of Kentucky  
**Public Service Commission**  
211 Sower Blvd.  
P.O. Box 615  
Frankfort, Kentucky 40602-0615  
Telephone: (502) 564-3940  
Fax: (502) 564-3460  
psc.ky.gov

John W. Clay  
Commissioner

Christopher L. Lilly  
Commissioner  
Department of Public Protection

October 17, 2006

Mr. Morris Vaughn  
Manager  
South Eastern Water Association, Inc.  
P.O. Box 778  
Somerset, Kentucky 42502

RE: Case No. 2006-00371  
Status Request

Dear Mr. Vaughn:

The Commission entered the enclosed Final Order in this case on August 29, 2006. It was ordered that "Southeastern shall notify the Commission one week prior to the actual start of construction and at the 50 percent completion point."

To date, this information has not been received. This letter is to request a status on the information requested in said Order. We would appreciate receiving a response to this letter within 15 days. Please mail this response to Michael F. Burford, Director of Filings Division, Public Service Commission, 211 Sower Blvd., Post Office Box 615, Frankfort, Kentucky 40602.

Sincerely,

A handwritten signature in black ink that reads "Michael F. Burford".

Michael F. Burford  
Director  
Division of Filings

Enclosure  
/mb