



Ernie Fletcher
Governor

Mark David Goss
Chairman

Teresa J. Hill, Secretary
Environmental and Public
Protection Cabinet

Commonwealth of Kentucky
Public Service Commission
211 Sower Blvd.
P.O. Box 615
Frankfort, Kentucky 40602-0615
Telephone: (502) 564-3940
Fax: (502) 564-3460
psc.ky.gov

Christopher L. Lilly
Commissioner
Department of Public Protection

October 3, 2006

Nicki Bastin
Clerk
McKinney Water District
P. O. Box 7
McKinney, KY 40448

RE: Case No. 2006-00433
McKinney Water District
(Purchased Water Adjustment)

This letter is to acknowledge receipt of initial application in the above case. The application was date-stamped received October 3, 2006 and has been assigned Case No. 2006-00433. In all future correspondence or filings in connection with this case, please reference the above case number.

If you need further assistance, please contact my staff at (502) 564-3940.

Sincerely,

A handwritten signature in black ink, appearing to read "Beth O'Donnell".

Beth O'Donnell
Executive Director

BOD/sh

Ernie Fletcher
Governor

Teresa J. Hill, Secretary
Environmental and Public
Protection Cabinet

Christopher L. Lilly
Commissioner
Department of Public Protection



Commonwealth of Kentucky
Public Service Commission
211 Sower Blvd.
P.O. Box 615
Frankfort, Kentucky 40602-0615
Telephone: (502) 564-3940
Fax: (502) 564-3460
psc.ky.gov

Mark David Goss
Chairman

Leslie F. Gooch
McKinney Water District
P. O. Box 7
McKinney, KY 40448

October 3, 2006

RE: Case No. 2006-00433
McKinney Water District
(Purchased Water Adjustment)

This letter is to acknowledge receipt of initial application in the above case. The application was date-stamped received October 3, 2006 and has been assigned Case No. 2006-00433. In all future correspondence or filings in connection with this case, please reference the above case number.

If you need further assistance, please contact my staff at (502) 564-3940.

Sincerely,

A handwritten signature in black ink, appearing to read "Beth O'Donnell".

Beth O'Donnell
Executive Director

BOD/sh