Ernie Fletcher Governor

Teresa J. Hill, Secretary Environmental and Public Protection Cabinet

Christopher L. Lilly Commissioner Department of Public Protection



Commonwealth of Kentucky

Public Service Commission
211 Sower Blvd.

P.O. Box 615
Frankfort, Kentucky 40602-0615
Telephone: (502) 564-3940
Fax: (502) 564-3460
psc.ky.gov

November 6, 2006

Mark David Goss Chairman

John W. Clay Commissioner

Donta Evans
Superintendent
Wood Creek Water District
1670 Daniel Boone Parkway, East
P. O. Box 726
London, KY 40743

RE: Case No. 2006-00453 Wood Creek Water District

The Commission staff has reviewed your response and has determined that your application in the above case now meets the minimum filing requirements. Enclosed please find a stamped filed copy of the first page of your filing. This case has been docketed and will be processed as expeditiously as possible.

If you need further assistance, please contact Dennis Jones at 502/564-3940.

Sincerely,

Mike Burford

Director Division of Filings

MB/MB Enclosure



Ernie Fletcher Governor

Teresa J. Hill, Secretary Environmental and Public Protection Cabinet

Christopher L. Lilly Commissioner Department of Public Protection



Commonwealth of Kentucky
Public Service Commission

211 Sower Blvd. P.O. Box 615 Frankfort, Kentucky 40602-0615 Telephone: (502) 564-3940 Fax: (502) 564-3460 psc.ky.gov

November 6, 2006

Mark David Goss Chairman

John W. Clay Commissioner

Honorable W. Randall Jones Attorney at Law Rubin & Hays Kentucky Home Trust Building 450 South Third Street Louisville, KY 40202

RE: Case No. 2006-00453 Wood Creek Water District

The Commission staff has reviewed your response and has determined that your application in the above case now meets the minimum filing requirements. Enclosed please find a stamped filed copy of the first page of your filing. This case has been docketed and will be processed as expeditiously as possible.

If you need further assistance, please contact Dennis Jones at 502/564-3940.

Sincerely,

Mike Burford

Director Division of Filings

MB/MB Enclosure

