

Dear Mr. Press :

Your comments have been received and will be placed into the case file for the commission's consideration as it deliberates in this matter. For your reference, the case number in this matter is 2007-00134. Please reference this number in any future correspondence with the PSC.  
Thank you for your interest.

*Andrew Melnykovich*  
**Director of Communications**  
**Kentucky Public Service Commission**  
**(502) 564-3940 x 208**

RECEIVED  
DEC 06 2007  
PUBLIC SERVICE  
COMMISSION

---

**From:** PSC - Public Information Officer  
**Sent:** Monday, December 03, 2007 3:22 PM  
**To:** Melnykovich, Andrew (PSC)  
**Subject:** FW: water for central kentucky

---

**From:** len press[SMTP: E-MAIL ADDRESS REDACTED]  
**Sent:** Monday, December 03, 2007 3:21:55 PM  
**To:** PSC - Public Information Officer  
**Subject:** water for central kentucky  
**Auto forwarded by a Rule**

Members and Staff of PSC:

It seems to us that KAW can best serve the public by connecting to the Ohio now rather than in two stages. The LWC solution offers a better financial outcome - less capital cost and certainly no higher wholesale and retail water rate - than the Pool 3 solution - touted (at shareholder expense!!!???) by KAW, in an expensive brochure and mailing, as the Central Kentucky Solution.

We all know what KAW is about: it's about maximizing sharevalue short range so that it can get out from under with as little loss as possible, and maybe even a profit, as soon as possible, unloading to another megacorporation that will, perforce, milk the operation to recapture its cost and resell at a profit.

There has to be a better way but I understand the PSC cannot deal with that possibility even if you all wanted to. What a shame.

Thank you in any case for your best efforts to protect the public in this matter.

Len Press