



Ernie Fletcher
Governor

Mark David Goss
Chairman

Teresa J. Hill, Secretary
Environmental and Public
Protection Cabinet

Commonwealth of Kentucky
Public Service Commission
211 Sower Blvd.
P.O. Box 615
Frankfort, Kentucky 40602-0615
Telephone: (502) 564-3940
Fax: (502) 564-3460
psc.ky.gov

John W. Clay
Commissioner

Timothy J. LeDonne
Commissioner
Department of Public Protection

March 12, 2007

Gary L. Smith
Vice President, KY Marketing & Reg.
Atmos Energy Corporation
2401 New Hartford Road
Owensboro, KY 42303-1312

RE: Case No. 2007-00098
Atmos Energy Corporation

The Commission staff has reviewed your application in the above case and finds that it meets the minimum filing requirements. Enclosed please find a stamped filed copy of the first page of your filing. This case has been docketed and will be processed as expeditiously as possible.

If you need further assistance, please contact Dawn McGee at 502/564-3940.

Sincerely,

A handwritten signature in cursive script that reads "Mike Burford".

Mike Burford
Director Division of Filings

MB/MB
Enclosure

Ernie Fletcher
Governor

Teresa J. Hill, Secretary
Environmental and Public
Protection Cabinet

Timothy J. LeDonne
Commissioner
Department of Public Protection



Commonwealth of Kentucky
Public Service Commission
211 Sower Blvd.
P.O. Box 615
Frankfort, Kentucky 40602-0615
Telephone: (502) 564-3940
Fax: (502) 564-3460
psc.ky.gov

Mark David Goss
Chairman

John W. Clay
Commissioner

March 12, 2007

Honorable Mark R. Hutchinson
Attorney at Law
Wilson, Hutchinson & Poteat
611 Frederica Street
Owensboro, KY 42301

RE: Case No. 2007-00098
Atmos Energy Corporation

The Commission staff has reviewed your application in the above case and finds that it meets the minimum filing requirements. Enclosed please find a stamped filed copy of the first page of your filing. This case has been docketed and will be processed as expeditiously as possible.

If you need further assistance, please contact Dawn McGee at 502/564-3940.

Sincerely,

A handwritten signature in cursive script that reads "Mike Burford".

Mike Burford
Director Division of Filings

MB/MB
Enclosure



Ernie Fletcher
Governor

Mark David Goss
Chairman

Teresa J. Hill, Secretary
Environmental and Public
Protection Cabinet

Commonwealth of Kentucky
Public Service Commission
211 Sower Blvd.
P.O. Box 615
Frankfort, Kentucky 40602-0615
Telephone: (502) 564-3940
Fax: (502) 564-3460
psc.ky.gov

John W. Clay
Commissioner

Timothy J. LeDonne
Commissioner
Department of Public Protection

March 12, 2007

Douglas Walther
Atmos Energy Corporation
P. O. Box 650205
Dallas, TX 75235-0205

RE: Case No. 2007-00098
Atmos Energy Corporation

The Commission staff has reviewed your application in the above case and finds that it meets the minimum filing requirements. Enclosed please find a stamped filed copy of the first page of your filing. This case has been docketed and will be processed as expeditiously as possible.

If you need further assistance, please contact Dawn McGee at 502/564-3940.

Sincerely,

A handwritten signature in cursive script that reads "Mike Burford".

Mike Burford
Director Division of Filings

MB/MB
Enclosure

The Law Offices of

WILSON, HUTCHINSON & POTEAT

611 Frederica Street
Owensboro, Kentucky 42301
Telephone (270) 926-5011
Facsimile (270) 926-9394

William L. Wilson, Jr.
Mark R. Hutchinson
T. Steven Poteat

bill@whplawfirm.com
randy@whplawfirm.com
steve@whplawfirm.com



March 7, 2007

Beth O'Donnell
Executive Director
Kentucky Public Service Commission
211 Sower Boulevard
P.O. Box 615
Frankfort, Kentucky 40602

RECEIVED

MAR 8 2007
PUBLIC SERVICE
COMMISSION

RE: Atmos Energy Corporation
Application for Order Authorizing the Issuance of up to
2,500,00 Shares of Common Stock

Dear Ms. O'Donnell:

Case No. 7007-00098

I am enclosing herewith an original, plus eleven (11) copies of Atmos' Application for Order Authorizing the Issuance of up to 2,500,00 Shares of Common Stock. Please return a file stamped copy to me. Thanks.

Very truly yours,

Mark R. Hutchinson

Mark R. Hutchinson

(BK)

MRH:bkk

Enclosures