## COMMONWEALTH OF KENTUCKY

## BEFORE THE PUBLIC SERVICE COMMISSION

In the Matter of:

REQUEST TO FILL AN EXISTING VACANCY )
ON THE BOARD OF COMMISSIONERS OF ) CASE NO.
LYON COUNTY WATER DISTRICT ) 2007-00200

## ORDER

Lyon County Judge/Executive James C. Campbell has moved for an additional 10 days in order to perfect his response to Commission Staff's First Data Request of June 18, 2007. Having considered the motion and Mr. Campbell's proffered response of July 13, 2007, and no other response or objection having been filed, the Commission finds that the motion should be granted and that Mr. Campbell's proffered response should be accepted as filed.

## IT IS THEREFORE ORDERED that:

- 1. Mr. Campbell's request for additional time is granted.
- 2. The response proffered by Mr. Campbell is accepted as filed as of July 13, 2007.

Done at Frankfort, Kentucky, this 24th day of July, 2007.

By the Commission

ATTEST:

Executive Director

James C. Campbell Lyon County Judge/Executive P.O. Box 598 Eddyville, KY 42038 Stephen H. Cruce 298 Rusty Ridge Road Kuttawa, KY 42055 Charles R. Ferguson 457 My Refuge Road Eddyville, KY 42038

Buddy L. Nichols 107 Danielle Drive Eddyville, KY 42038

Don Robertson Chairman Lyon County Water District P. O. Box 489 Kuttawa, KY 42055 John Rudolph 475 Canon Road Eddyville, KY 42038

Chris Sutton 967 Scott Road Eddyville, KY 42038