Ernie Fletcher Governor

Teresa J. Hill, Secretary Environmental and Public Protection Cabinet

Timothy J. LeDonne Commissioner Department of Public Protection

Bobby J. Burgess Chairman Bullock Pen Water District One Farrell Drive P. O. Box 188 Crittenden, KY 41030



Commonwealth of Kentucky Public Service Commission

211 Sower Blvd. P.O. Box 615 Frankfort, Kentucky 40602-0615 Telephone: (502) 564-3940 Fax: (502) 564-3460 psc.ky.gov

June 26, 2007

Mark David Goss Chairman

John W. Clay Commissioner

RE: Case No. 2007-00260 Bullock Pen Water District

(Construct)

APPLICATION OF THE BULLOCK PEN WATER DISTRICT FOR A CERTIFICATE OF PUBLIC CONVENIENCE AND NECESSITY TO CONSTRUCT A WATER LINE

This letter is to acknowledge receipt of initial application in the above case. The application was date-stamped received June 26, 2007 and has been assigned Case No. 2007-00260. In all future correspondence or filings in connection with this case, please reference the above case number.

If you need further assistance, please contact my staff at (502) 564-3940.

Sincerely,

Beth O'Donnell Executive Director Ernie Fletcher Governor

Teresa J. Hill, Secretary Environmental and Public Protection Cabinet

Timothy J. LeDonne Commissioner Department of Public Protection

Honorable Thomas R. Nienaber Attorney at Law Berger, Cox & Nienaber 401 Madison Avenue Covington, KY 41011



Commonwealth of Kentucky Public Service Commission

211 Sower Blvd. P.O. Box 615 Frankfort, Kentucky 40602-0615 Telephone: (502) 564-3940 Fax: (502) 564-3460 psc.ky.gov

June 26, 2007

Mark David Goss Chairman

John W. Clay Commissioner

RE: Case No. 2007-00260 Bullock Pen Water District

(Construct)

APPLICATION OF THE BULLOCK PEN WATER DISTRICT FOR A CERTIFICATE OF PUBLIC CONVENIENCE AND NECESSITY TO CONSTRUCT A WATER LINE

This letter is to acknowledge receipt of initial application in the above case. The application was date-stamped received June 26, 2007 and has been assigned Case No. 2007-00260. In all future correspondence or filings in connection with this case, please reference the above case number.

If you need further assistance, please contact my staff at (502) 564-3940.

Sincerely,

Beth O'Donnell Executive Director



