



Ernie Fletcher  
Governor

Teresa J. Hill, Secretary  
Environmental and Public  
Protection Cabinet

Timothy J. LeDonne  
Commissioner  
Department of Public Protection

Commonwealth of Kentucky  
**Public Service Commission**  
211 Sower Blvd.  
P.O. Box 615  
Frankfort, Kentucky 40602-0615  
Telephone: (502) 564-3940  
Fax: (502) 564-3460  
psc.ky.gov

Mark David Goss  
Chairman

John W. Clay  
Vice Chairman

Caroline Pitt Clark  
Commissioner

October 11, 2007

Rebecca James  
South 641 Water District  
P.O. Box 126  
Hazel, KY. 42049

RE: Case No. 2007-00443  
Filing Deficiencies

The Commission staff has reviewed your application in the above case. This filing is rejected for the reasons set forth below.

1. Filing deficiencies pursuant to 807 KAR 5:076

807 KAR 5:076: Section 4 If copy of public notice is included, did it meet requirements? \* (for sewers, direct mailing is required. See KRS 278.185)

The application does not state that the notice was mailed to customers and the rate cannot be determined from the notice.

The statutory time period in which the Commission must process this case will not commence until the above-mentioned information is filed with the Commission. If your filing contains a proposed effective date, the rejection of your filing for reasons of deficiencies voids that proposed effective date. When you file the required information to correct the deficiencies, you may refile your proposed tariff with a new proposed effective date that is at least 30 days from the date you filed the required information. You are requested to file 5 copies of this information within 15 days of the date of this letter. If you need further assistance, please contact James Goff at 502/564-30940 ext. 261.

Sincerely,

Michael F. Burford  
Director Division of Filings

MFB/mb