

(270) 465-4101 • Fax (270) 789-3625
(800) 931-4551

November 24, 2008

Hon. Stephanie L. Stumbo, Executive Director
Public Service Commission
211 Sower Boulevard
P. O. Box 615
Frankfort, KY 40602

RECEIVED

NOV 26 2008

PUBLIC SERVICE
COMMISSION

Dear Hon. Stumbo:

Enclosed are final tariff sheets to be approved by the Public Service Commission in Case 2008-00161, with the effective date changed to October 2, 2008 as requested.

Please return one copy stamped with the PSC approval.

Sincerely,

TAYLOR COUNTY RURAL ELECTRIC
COOPERATIVE CORPORATION

A handwritten signature in black ink, appearing to read "J. F. Patterson".

John F. Patterson, Office Manager

JFP:pwr

Enc

Direct Load Control of Water Heaters Program

Direct Load Control of Air-Conditioners Program

Purpose

The Direct Load Control of Water Heaters and Air Conditioners will encourage the reduction in growth of peak demand, enabling the Company to utilize its system more efficiently and defer the construction of new generation.

Availability

Both the Direct Load Control of Water Heaters Program and the Direct Load Control of Air Conditioners Program are available to residential customers in the service territories of Taylor County RECC. Availability may be denied where, in the judgment of the Taylor County RECC, installation of the load control equipment is impractical.


Eligibility

To qualify for these Programs, the participant must be located in the service territory of Taylor County RECC and have central air conditioning or heat pump units and/or 40-gallon (minimum) electric water heating units. The above appliances may be electrically cycled or interrupted in accordance with the rules of this Tariff.

Incentive - Direct Load Control of Water Heaters Program

Taylor County RECC will provide an incentive to the participants in this program. Taylor County RECC will credit the residential power bill of the participant \$10.00 per water heater each year. The participant will receive this credit regardless of whether the water heater is cycled during the month.

DATE OF ISSUE October 16, 2008 DATE EFFECTIVE: October 2, 2008

ISSUED BY  TITLE Manager

Issued by authority of an Order of the Public Service Commission of Kentucky in
Case No. 2008-00161 Dated October 2, 2008

Incentive - Direct Load Control of Air-Conditioners Program

Taylor County RECC will provide an incentive to the participants in this program. The customer may select one of two alternatives. One, Taylor County RECC will credit the residential power bill of the participant \$20.00 per air conditioner (\$5 per summer months, June, July, August, and September). Two, alternatively, EKPC, on behalf of, Taylor County RECC will provide and install at no cost a digital thermostat for the participant. The participant will receive one of these incentives regardless of whether the air conditioner or heat pump is controlled during the month.

Time Period for the Direct Load Control of Water Heaters Program

A load control switch will be placed on the water heater and may be electrically interrupted for a maximum time period of four hours.

East Kentucky Power Cooperative ("EKPC") will cycle the water heaters only during the hours listed below.

<u>Months</u>	<u>Hours Applicable for Demand Billing - EST</u>
October through April	6:00 a.m. to 12:00 noon 4:00 p.m. to 10:00 p.m.
May through September	10:00 a.m. to 10:00 p.m.


Time Period for the Direct Load Control of Air Conditioners

A load control device (switch or thermostat) will be placed on each central air conditioning unit or heat pump that will allow the operating characteristics of the unit to be modified (by cycling the unit off for periods of time up to 7.5 minutes of each 15-minute interval, or by adjusting the temperature setting on the thermostat up to two degrees) to reduce demand on the system.

EKPC will control the air conditioning units and heat pumps only during its summer on-peak billing hours listed below.

<u>Months</u>	<u>Hours Applicable for Demand Billing - EST</u>
May through September	10:00 a.m. to 10:00 p.m.

DATE OF ISSUE October 16, 2008 DATE EFFECTIVE: October 2, 2008


ISSUED BY  TITLE Manager

Issued by authority of an Order of the Public Service Commission of Kentucky in
Case No. 2008-00161 Dated October 2, 2008

Terms and Conditions

1. If a participant decides to withdraw from the program(s) or change to another load control option, Taylor County RECC will endeavor to implement the change as soon as possible.
2. Prior to the installation of load control devices, Taylor County RECC may inspect the participant's electrical equipment to insure good repair and working condition, but Taylor County RECC shall not be responsible for the repair or maintenance of the electrical equipment.
3. EKPC, on behalf of Taylor County RECC will install, own, and maintain the load management devices controlling the participant's air conditioner or water heater. The participant must allow Taylor County RECC, or their representative, reasonable access to install, maintain, inspect, test and remove load control devices. Inability of Taylor County RECC to gain access to the load management device to perform any of the above activities for a period exceeding 30 days may, at Taylor County RECC's option, result in discontinuance of credits under this tariff until such time as Taylor County RECC is able to gain the required access.

DATE OF ISSUE October 16, 2008 DATE EFFECTIVE: October 2, 2008

ISSUED BY  TITLE Manager

Issued by authority of an Order of the Public Service Commission of Kentucky in
Case No. 2008-00161 Dated October 2, 2008