



(270) 465-4101 • Fax (270) 789-3625  
(800) 931-4551

May 22, 2008

Ms. Stephanie L. Stumbo  
Executive Director  
Kentucky Public Service Commission  
211 Sower Boulevard, P.O. Box 615  
Frankfort, Kentucky 40602-0615

**RECEIVED**

MAY 23 2008

**PUBLIC SERVICE  
COMMISSION**

Dear Ms. Stumbo:

Re: PSC Case No. 2008-00161

In accordance with the Commission's Order in Case No. 2008-00161 dated May 16, 2008, enclosed herewith are an original and six (6) copies of Taylor County RECC's tariff sheet for the Demand-Side Management Direct Load Control Program which shows the effective date and approval by authority of the Order.

*Taylor County RECC* is requesting an effective date of June 2, 2008.

Please return a stamped copy of this tariff to me.

If you have any questions about this filing, please feel free to contact me.

Very truly yours,

John F. Patterson  
Office Manager

Enclosures

**Direct Load Control of Water Heaters Program****Direct Load Control of Air-Conditioners Program****Purpose**

The Direct Load Control of Water Heaters and Air Conditioners will encourage the reduction in growth of peak demand, enabling the Company to utilize its system more efficiently and defer the construction of new generation.

**Availability**

Both the Direct Load Control of Water Heaters Program and the Direct Load Control of Air Conditioners Program are available to residential customers in the service territories of Taylor County RECC. Availability may be denied where, in the judgment of the Taylor County RECC, installation of the load control equipment is impractical.

**Eligibility**

To qualify for these Programs, the participant must be located in the service territory of Taylor County RECC and have central air conditioning or heat pump units and/or 40-gallon (minimum) electric water heating units. The above appliances may be electrically cycled or interrupted in accordance with the rules of this Tariff.

**Incentive - Direct Load Control of Water Heaters Program**

Taylor County RECC will provide an incentive to the participants in this program. Taylor County RECC will credit the residential power bill of the participant \$10.00 per water heater. The participant will receive this credit regardless of whether the water heater is cycled during the month.

---

DATE OF ISSUE May 22, 2008 DATE EFFECTIVE: Service rendered on and after June 2, 2008

ISSUED BY  TITLE President

Issued by authority of an Order of the Public Service Commission of Kentucky in  
Case No. 2008-00161 Dated May 16, 2008

**Incentive - Direct Load Control of Air-Conditioners Program**

Taylor County RECC will provide an incentive to the participants in this program. The customer may select one of two alternatives. One, Taylor County RECC will credit the residential power bill of the participant \$20.00 per air conditioner (\$5 per summer months, June, July, August, and September). The participant will receive this credit regardless of whether the air conditioner or heat pump is controlled during the month. Two, alternatively, Taylor County RECC will provide at no cost a digital thermostat for the participants.

**Time Period for the Direct Load Control of Water Heaters Program**

A load control switch will be placed on the water heater and may be electrically interrupted for a maximum time period of four hours.

East Kentucky Power Cooperative ("EKPC") will cycle the water heaters only during the hours listed below.

<u>Months</u>	<u>Hours Applicable for Demand Billing - EST</u>
October through April	6:00 a.m. to 12:00 noon 4:00 p.m. to 10:00 p.m.
May through September	10:00 a.m. to 10:00 p.m.

**Time Period for the Direct Load Control of Air Conditioners**

A load control device (switch or thermostat) will be placed on each central air conditioning unit or heat pump that will allow the operating characteristics of the unit to be modified (by cycling the unit off for periods of time up to 15 minutes, or by adjusting the temperature setting on the thermostat) to reduce demand on the system.

EKPC will control the air conditioning units and heat pumps only during its summer on-peak billing hours listed below.

<u>Months</u>	<u>Hours Applicable for Demand Billing - EST</u>
May through September	10:00 a.m. to 10:00 p.m.

DATE OF ISSUE May 22, 2008 DATE EFFECTIVE: Service rendered on and after June 2, 2008

ISSUED BY  TITLE President

Issued by authority of an Order of the Public Service Commission of Kentucky in  
Case No. 2008-00161 Dated May 16, 2008

TAYLOR COUNTY RECC

---

**Terms and Conditions**

1. If a participant decides to withdraw from the program(s) or change to another load control option, Taylor County RECC will endeavor to implement the change as soon as possible.
2. Prior to the installation of load control devices, Taylor County RECC may inspect the participant's electrical equipment to insure good repair and working condition, but Taylor County RECC shall not be responsible for the repair or maintenance of the electrical equipment.
3. Taylor County RECC will install, own, and maintain the load management devices controlling the participant's air conditioner or water heater. The participant must allow Taylor County RECC reasonable access to install, maintain, inspect, test and remove load control devices. Inability of Taylor County RECC to gain access to the load management device to perform any of the above activities for a period exceeding 30 days may, at Taylor County RECC's option, result in discontinuance of credits under this tariff until such time as Taylor County RECC is able to gain the required access.

---

DATE OF ISSUE May 22, 2008 DATE EFFECTIVE: Service rendered on and after June 2, 2008

ISSUED BY  TITLE President & Chief Executive Officer

Issued by authority of an Order of the Public Service Commission of Kentucky in  
Case No. 2008-00161 Dated May 16, 2008