

Steven L. Beshear
Governor

Leonard K. Peters
Secretary
Energy and Environment Cabinet



Commonwealth of Kentucky
Public Service Commission
211 Sower Blvd.
P.O. Box 615
Frankfort, Kentucky 40602-0615
Telephone: (502) 564-3940
Fax: (502) 564-3460
psc.ky.gov

David L. Armstrong
Chairman

James Gardner
Vice-Chairman

John W. Clay
Commissioner

July 10, 2008

Mr. James A. Carr, Chairman
Madison County Utility District
PO Box 670
Richmond, KY 40476-0670

Honorable Chuck Hardin
Robbins Law Office
214 N. 3rd Street
Richmond, KY 40475

Mr. Kerry S. Odle, P.E.
CMW, Inc.
PO Box 831
138 N. Keeneland Dr., Suite E
Richmond, KY 40475

Re: Madison County Utility District
Case No. 2008-00182, Filing Deficiencies

Gentlemen:


The Commission acknowledges receipt of Madison County Utility District's response on July 2, 2008. However, Madison County Utility District's application is rejected pursuant to 807 KAR 5:001, Section 2, for the reasons set forth below.

1. Filing deficiencies pursuant to 807 KAR 5:001, Section 10(6)(g):
Analysis of customers' bills in such detail that revenues from present and proposed rates can be readily determined for each customer class.

The statutory time period in which the Commission must process this case will not commence until the above-mentioned information is filed with the Commission. If Madison County Utility District's filing contains a proposed effective date, the rejection of this filing for reasons of deficiency voids that proposed effective date. When you file the required information to correct the deficiencies, you may re-file your proposed tariff with a new proposed effective date that is at least 30 days from the date you file the required

information. You are requested to file an original and ten copies of this information within 10 days of the date of this letter. If you need further information, please contact James Rice at (502) 564-3940, Extension 411 or Mark Frost at (502) 564-3940, Extension 274.

Sincerely,



David R. McDowell
Division of Filings