

T: 502 582 8219 F: 502 582 1573 marv.kever@att.com



RECEIVED

October 6, 2008

OCT 06 2008 PUBLIC SERVICE COMMISSION

## **VIA HAND DELIVERY**

Ms. Stephanie Stumbo **Executive Director** Kentucky Public Service Commission 211 Sower Boulevard P.O. Box 615 Frankfort, Kentucky 40602

> Re: SouthEast Telephone, Inc., Complainant v. BellSouth

Telecommunications, Inc. d/b/a AT&T Kentucky, Defendant

KSPC 2008-00279

Dear Ms. Stumbo:

AT&T Kentucky wishes to make the following comments regarding the Commission's Intra-Agency Memorandum ("Memorandum") dated September 25, 2008, which memorializes the informal conference held in the above-referenced proceeding on September 11, 2008.

AT&T Kentucky would like to state that AT&T Kentucky indicated that SouthEast Telephone's request to commingle an unbundled copper loop-nondesigned (UCL-ND) with a port is a unique combination that no other CLEC has requested even when UNE-P was available. Because there are numerous combinations that could be available. AT&T has not developed a process for every possible combination for which there may be no demand. AT&T began working diligently on developing a process once it established what exactly SouthEast Telephone was trying to commingle due to the uniqueness of the request. AT&T Kentucky disagreed, and disagrees, with Mr. Maynard's comment that a process has been in place for a long time to address this situation.

AT&T further stated that the UCL-ND is a specific type of loop that is not available everywhere and that it is not available at the location for which SouthEast Telephone requested in the order that is the subject of this docket.

Ms. Stephanie Stumbo October 6, 2008 Page 2

AT&T Kentucky respectfully requests that the comments made herein be reflected in the Commission's Intra-Agency Memorandum. The original and ten (10) copies of this letter are enclosed for filing.

Thank you for your attention to this matter.

Sincerely,

Mary K. Ke∲er

General Counsel/Kentucky

cc: Parties of Record

**Enclosures** 

721627