## **Fax Cover Sheet**

Lovelaceville Water Works 1352 Hamburg Road Kevil KY 42053 270-876-7950 Fax 270-876-7311

RECEIVED

MAY 08 2009

PUBLIC SERVICE COMMISSION

Date: May 8 2009

Fax Number: 1-502 564-3460

Attention: Ref. Lovelaceville Water Case #200900180

2 Pages including cover Sheet

Comments: If there is any further information you need please call 270-994-1486.

Debra J Stigall

Lovelaceville Water Works

5025647279

## <u>NOTICE</u>

Lovelaceville Water Works has filed an application with the Public Service Commission to increase its rates for water service. The proposed effective date of the change June 1, 2009.

Current Monthly Rates First 3,500 gallons \$10.00 Over 3,500 gallons 2.00			Proposed Monthly Ra First 2,000 gallons Over 2,000 gallons		\$18.00 3.00	Minimum bill per 1,000 gallons
Monthly Usage	Monthly Bill at Current Rate	В Р	fionthly fill at Proposed tate	Percent Increase Over		
2,000 3,500 5,000	\$10.00 10.00 13.00	ż	18.00 2.50 7.00	80.0% 125.0% 107.7%		

The rates contained in this notice are the rates proposed by Lovelaceville Water Works. However, the Public Service Commission may order rates to be charged that differ from these proposed rates. Such action may result in rates for customers other than the rates included in this notice.

Any corporation, association, body politic or person my request leave to intervene by motion within 30 days after notice of the proposed rate changes is given. The motion shall be submitted to the Public Service Commission, 211 Sower Boulevard, Frankfort, Kentucky 40602, and shall set forth the grounds for the request including the status and interest of the party. Intervenors may obtain copies of the application and testimony by contacting Lovelaceville Water Works at c/o D. S. Contactors, 1352 Hamburg Road, Kevil, KY 42054 or the Public Service Commission, 211 Sower Boulevard, Frankfort, Kentucky 40602, (502) 564-3940. A copy of the application and testimony shall be available for public inspection at the utility's offices.

Lovelaceville Water Works