



Steven L. Beshear
Governor

Leonard K. Peters
Secretary
Energy and Environment Cabinet

Commonwealth of Kentucky
Public Service Commission
211 Sower Blvd.
P.O. Box 615
Frankfort, Kentucky 40602-0615
Telephone: (502) 564-3940
Fax: (502) 564-3460
psc.ky.gov

David L. Armstrong
Chairman

James Gardner
Vice Chairman

Charles R. Borders
Commissioner

Barry Blair
Chairman
Sandy Hook Water District
P. O. Box 726
Sandy Hook, KY 41171

October 2, 2009

RE: Case No. 2009-00401
Sandy Hook Water District
(Construct)

This letter is to acknowledge receipt of initial application in the above case. The application was date-stamped received October 2, 2009 and has been assigned Case No. 2009-00401. In all future correspondence or filings in connection with this case, please reference the above case number.

If you need further assistance, please contact my staff at (502) 564-3940.

Sincerely,

A handwritten signature in black ink, appearing to read "Jeff Derouen".

Jeff Derouen
Executive Director

JD/ke



Steven L. Beshear
Governor

David L. Armstrong
Chairman

Leonard K. Peters
Secretary
Energy and Environment Cabinet

Commonwealth of Kentucky
Public Service Commission
211 Sower Blvd.
P.O. Box 615
Frankfort, Kentucky 40602-0615
Telephone: (502) 564-3940
Fax: (502) 564-3460
psc.ky.gov

James Gardner
Vice Chairman

Charles R. Borders
Commissioner

John Lewis
HC 70 Box 204
Sandy Hook, KY 41171

October 2, 2009

RE: Case No. 2009-00401
Sandy Hook Water District
(Construct)

This letter is to acknowledge receipt of initial application in the above case. The application was date-stamped received October 2, 2009 and has been assigned Case No. 2009-00401. In all future correspondence or filings in connection with this case, please reference the above case number.

If you need further assistance, please contact my staff at (502) 564-3940.

Sincerely,

A handwritten signature in black ink, appearing to read "Jeff Derouen".

Jeff Derouen
Executive Director

JD/ke