Steven L. Beshear Governor

Leonard K. Peters
Secretary
Energy and Environment Cabinet



Commonwealth of Kentucky
Public Service Commission

211 Sower Blvd. P.O. Box 615 Frankfort, Kentucky 40602-0615 Telephone: (502) 564-3940 Fax: (502) 564-3460 psc.ky.gov

October 14, 2009

David L. Armstrong Chairman

> James Gardner Vice Chairman

Charles R. Borders Commissioner

Earlene P. Stone President/secretary/treasurer Evergreen Sewage Disposal System 650 Evergreen Road Frankfort, KY 40601

RE: Case No. 2009-00403 Evergreen Sewage Disposal System

The Commission staff has reviewed your application in the above case and finds that it meets the minimum filing requirements. Enclosed please find a stamped filed copy of the first page of your filing. This case has been docketed and will be processed as expeditiously as possible.

If you need further assistance, please contact my staff at 502/564-3940.

Sincerely,

Jeff Derouen

Executive Director

JD/tw Enclosure



FILED

OCT 6 2009

2770 Military Pike Lexington, Kentucky 40513 October 6, 2095

PUBLIC SERVICE COMMISSION

RECEIVED

Mr. Jeff DeRouen, Executive Director Public Service Commission of Kentucky 211 Sower Boulevard Frankfort, Kentucky 40601

OCT 06 2009

PUBLIC SERVICE COMMISSION

Dear Mr. DeRouen:

2009-00463

Enclosed herewith for filing is the original and ten (10) copies of an application for rate adjustment with attachments for Evergreen Sewage Disposal System, Inc. I understand that we are not required to prepare the billing analysis portion of the application because the rates we charge are a flat rate per customer.

Please also note that all correspondence and/or inquiries concerning this rate adjustment should be sent to me as well as the utility located in Frankfort. Both of the addresses are listed on the front of the application.

Thanking you in advance for your cooperation in this matter.

Sincerely yours,

Clarice H. Howard Bookkeeper/Secretary

cc: Public Service Litigation Branch Office of Attorney General Post Office Box 2000 Frankfort, Kentucky 40602-2000