

RECEIVED

July 1, 2010

Mr. Shafiq Anawi
Kentucky Division of Water
Frankfort, KY 40602

JUL 02 2010

PUBLIC SERVICE
COMMISSION

Dear Mr. Anawi:


I am contacting you in an attempt to get your assistance with a matter I have pending with the Kentucky Public Service Commission ("PSC"). As you know, Ridgelea is under an Agreed Order with the Kentucky Environmental and Public Protection Cabinet to undertake an Inflow and Infiltration study at its three Franklin County sewage treatment plants. To pay for this study, Ridgelea has filed a rate case with the PSC seeking approval of a rate surcharge on Franklin County customers.

The Agreed Order requires Ridgelea to use a contractor approved by the EPPC to undertake the I&I study. We are proposing to use Hall Environmental Consultants, LLC of Versailles, KY, and they are the only contractor to date that has expressed interest in doing this work. However, the PSC wants some formal proof from the EPPC that Hall qualifies as an "approved" contractor for this work. I have previously asked for you to provide some clarification of this matter to the PSC, but I have not yet received any such clarification.

Therefore, to assist us in meeting the regulatory requirement of both the EPPC and the PSC, could you provide me, in writing and within 14 days, some clarification as to whether Hall Environmental is approved to do the I&I study for Ridgelea?

If you have any questions about this matter, please contact me at (513) 881-8886.

Sincerely,



Charles Hungler, Jr.
President, Ridgelea Investments, Inc.

✓ Cc: Public Service Commission Case File No. 2009-00500