Grayson Rural Electric Cooperative Corporation

109 Bagby Park \$ Grayson, KY 41143-1292
Telephone 606-474-5136 \$ 1-800-562-3532 \$ Fax 606-474-5862

RECEIVED

SEP 2 9 2010

PUBLIC SERVICE COMMISSION

September 28, 2010

Office of General Counsel Kentucky Public Service Commission 211 Sower Boulevard Post Office Box 615 Frankfort, Kentucky 40602

Re: Settlement Agreement Case # 2010-00249

Dear Sir or Madam:

Enclosed you will find a copy of a crew safety visit form and 2 copies of our monthly safety meeting that was requested per the settlement agreement. If you should need further information please contact me.

Thanks,
Modest Potter

Robert Potter

Manager of Operations

j۷

enclosures

GRAYSON RURAL ELECTRIC COOPERATIVE CORPORATION

LINE CREW FIELD INSPECTION FORM

Inspector:				Date:		*******						
Position:				Time:		****						
Company:			-	County:								
Address:			-									
			-	Location	Location:							
Phone #:			-	Crew Mem	Crew Members:							
Name of Line Crew Observed:												
Weather Conditions:												
Job Description:												
Energized Work Being Performe Overhead Undergroo Job Briefing	und			NO:Voltage								
Conducted Before job & signed			1.7,7,	II WO CONCERT	C ACCOUNTANCE							
Job procedure covered												
Energy Control procedure												
PPE used												
lob hazards												
mergency procedures												
Special precautions												
Work Area Protection												
Appropriate Work Signs												
lagman required												
lag person used												
lag person properly equipped												
raffic cones in place												
rucks grounded												
ruck chocks used												
ersonal protective grounds												
	- 1	- 1	1									

PPE Being Used	Yes	No	N/A	If No—Corrective Action Taken	
Hard hat					
Safety gasses					
Rubber gloves					
Rubber sleeves					
FR Clothing					
Fall Protection					
Rubber Goods Inspections	Yes	No	N/A	If No—Corrective Action Taken	
Gloves					
Sleeves					
Line hoses					
Blankets					
Miscellaneous Observations	Yes	NO	N/A	If No—Corrective Action Taken	
Pike or GRECC					
Decals in Place					
Proper Clearance					
Rolling Grounds In Place					
Public Hazards Present					
Notes/Comments:					
Job Site Findings Discussed with	Crew:	YES	·)	NO:	
Corrective Actions Needed: Yes	S	NO			
If Corrective Actions Taken Expl	ain in I	Detail	•		

Line Supervisor's Signature:					

Safety & Loss Coordinator Signature:

Monthly Safety Report OCTOBER 04, 2010

There were no lost time accidents to report this month.

The regular Monday morning safety meetings were held by various staff members of Grayson Rural Electric.

- September 08, 2010—Sherry Buckler, General Accounting Supervisor, was in charge of the meeting. She read from the Safety Manual pages152

 154, Working on De-Energized Lines and Equipment, Series street lighting circuits, Working on Transformers, Hoisting cables—Conductive material and Working on Capacitors. Bob Potter reminded everyone to be careful during collections. Carol Fraley also discussed safety while collecting and she had the monthly safety give-a-way.
- September 13, 2010—Kyle Clevenger, Assistant Manager of Operations, was in charge of the meeting. Mark Hutchinson read from the Safety Manual pages 154 156, 507.11: Stringing or Removing De-Energized Conductors and 507.12: stringing Adjacent to Energized Lines. Bob Potter gave an update on Unit Jobs.
- September 21, 2010—Kim Bush, Mgr. of Marketing & Mbr. Service, was in charge of the meeting. Bob Potter presented Joe Sargent with a Certificate from Murray State University for the completion of an 8 hour Hazardous Waste Site Worker Refresher course. Bill Massey attended for his monthly safety meeting. His topic was on accidents and how they could have been prevented. He discussed a contractor accident at Nolin R.E.C.C. and also an accident in Tennessee involving underground. After the meeting he met with the men to check their truck grounds.
- September 27 2010—Don Combs, Manager of Finance & Accounting, was in charge of the meeting. His guest speaker was Mike Wirzfeld from Our Lady of Bellefonte Hospital. He discussed the Employee Assistant Program. This program provides consultation for a variety of personal problems. Initial visits along with up to three follow-up sessions are provided free. Carol Fraley gave an update on the last Board meeting. Bob Potter discussed the work for the day.

Bob continues to mention the necessity and importance of hard hats, rubber gloves and the importance of using ground chains. A line is not dead until it is grounded.

Bob Potter, Manager of Operations

Monthly Safety Report SEPTEMBER 03, 2010

There were no lost time accidents to report this month.

The regular Monday morning safety meetings were held by various staff members of Grayson Rural Electric.

- August 05, 2010—Carol Fraley, President & C.E.O., was in charge of the meeting. She discussed the new "Grayson R.E.C.C. Safety Suggestion Form" that can be filled out and turned in to Bob Potter, Manager of Operations. She also talked about making changes in the cell phone policy. Doug Fiero from N.R.E.C.A. attended the meeting. His topic was on the new health care laws.
- August 11, 2010—Bonita Gearhart, Executive Assistant, was in charge of the meeting. She read from the Safety Manual section 202.1 pages 49 52. Control of Hazardous Energy/Lockout-Tagout. Bob Potter talked about R/W and how fast the cleanup was after some recent storms.
- August 16, 2010—Brian Poling, Mgr of Technical Service, was in charge of the meeting. He had 3 women from K.D.M.C. at the meeting to talk about the symptoms of a heart attack and what a person can do to decrease their risk of having a heart attack.
- August 23, 2010—Bob Potter, Manager of Operations, was in charge of the meeting. He discussed line theft and talked about a recent theft that Bill Delong had found in Elliott Co. Carol Ann talked about making sure that everyone checked in with CRC when going out or coming back in from an outage.
- August 31, 2010—Priscilla sparks, Director of Purchasing, was in charge of the meeting. Carol Ann ask about any problems with safety clothing. Bob Potter talked about adding on more R/W crews. Bill Massey attended for the monthly safety meeting. His meeting was Pole Top Rescue Training. Attached is a list of those who participated in the training.

Bob continues to mention the necessity and importance of hard hats, rubber gloves and the importance of using ground chains. A line is not dead until it is grounded.

Bob Potter, Manager of Operations

										Dave Holhrook	Dill Notona) (~!	ا موت	35		ا يو)	2	The West With Many	1 2 0	Mara L	hand Frata	John's Who is	PRINT NAME	EVALUATION: NEEDS PRACTICE (-) MEETS REQUIREMENTS (+)	INSTRUCTOR: 15 111 Masses	ž Z		
								-		1	7	1	7			11	14	7		7		0,	177	Ca!	ls to Vi	ictim	-		
										77	4		7	1/1	1/		11/	7.	7. 7	70	7	3	7	Ма	kes Call	for	Help		
										1		1		10	1	1	2	A. S.	6				Cei	Bel	perty S t/Climb	ers		POI	
										2		74	7	E.	,	72,	3/	18/		,	6	4	`\.		mmer, rewdrive pe			国	
								-		THE WAY	-	_							_			- Y	NVA		ks up	Rubb	er		
				:								//	die 2	1		1		7	1	17	1	14/			mbs Be tim	lted	Near		
										1		18			11	1	11	1	1		11	11	10		proved thod	Riggi	ng	RES	
										6/			1					1	1				#E.		proved ent to '			700	
									,	1		1/2	10	1	1	13	100			2	5	1	1	Re	moves	Rope	Slack	园	
											1	1		131						1	7		10	Cu Se	its Away elf	y Fro	m	TR.	Carin to
A proposition of the contract											7	1	1			1	1		7		7	1		De	ontrols 'escent			RAINING	
	3		>							4		7	1	1		1	1		1	1				De	nooth fescent ((Desc		Z	
		\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	11/11/11		A T	P	_					Jac.		1		1	1		30		7	1	1/2	R	emoves	Belt,	/Hooks	4 2 −	Name of the Parket of the Park
	°	\.\.\.\.\.\.\.\.\.\.\.\.\.\.\.\.\.\.\.	7	L	<u> </u> ,	X	⋛	<u></u>	-	1	79/	1		1	1		2	1	Sept.	1	1	7	1	1/	itlates C.P.R.	First	Aid		e e
				<u> </u>	1	10	7/	- A	+	,	7	1	1		1	1			1		15			E	VERALL VALUATIO				0.00
		-						***************************************																1	escue 7 in. S	fime iec.			- A- COR