



Steven L. Beshear
Governor

Leonard K. Peters
Secretary
Energy and Environment Cabinet

Commonwealth of Kentucky
Public Service Commission
211 Sower Blvd.
P.O. Box 615
Frankfort, Kentucky 40602-0615
Telephone: (502) 564-3940
Fax: (502) 564-3460
psc.ky.gov

David L. Armstrong
Chairman

James W. Gardner
Vice Chairman

December 2, 2011

Brendon D. Miller, Esq.
Office of Breathitt County Attorney
1149 Main Street
Jackson, Kentucky 41339

Re: Case No. 2011-00415
Breathitt County Water District

Dear Mr. Miller:

Commission Staff has reviewed the application for a Certificate of Public Convenience and Necessity that Breathitt County Water District tendered in the above-referenced case and has determined that the fails to comply with 807 KAR 5:001, Section 9(2). More specifically, the application does not contain an estimate of the proposed facilities' cost of operation. Accordingly, the application is rejected for filing.

Commission Staff respectfully requests that Breathitt County Water District file the required information within 15 days of the date of this letter. Please note that the statutory period in which the Commission must perform its review will not commence until the required information is filed. Commission Staff recommends that Breathitt County also submit two copies of the plans and specifications for the proposed facilities and all related engineering reports. These documents should be prepared, signed and dated by a professional engineer registered in Kentucky. If the water district has received bids on the proposed facilities, it should also file a copy of these bids.

Direct any questions regarding this letter to Gerald Wuetcher, Commission counsel, at (502) 564-3940, Extension 259.

Sincerely,

A handwritten signature in black ink, appearing to read "Jeff Derouen".

Jeff Derouen
Executive Director