#### COMMONWEALTH OF KENTUCKY

#### BEFORE THE PUBLIC SERVICE COMMISSION

# In the Matter of:

APPLICATION OF LOUISVILLE GAS AND	)	
ELECTRIC COMPANY FOR AN	)	
ADJUSTMENT OF ITS ELECTRIC AND GAS	)	CASE NO. 2012-00222
RATES, A CERTIFICATE OF PUBLIC	)	
CONVENIENCE AND NECESSITY,	)	DECE
APPROVAL OF OWNERSHIP OF GAS	)	PECEIVED
SERVICE LINES AND RISERS, AND A GAS	)	A110
LINE SURCHARGE	)	AUG I 4 2012
		-

# PETITION OF LOUISVILLE GAS AND ELECTRIC COMPANY COMMISSION

Louisville Gas and Electric Company ("LG&E") hereby petitions the Kentucky Public Service Commission ("Commission") pursuant to 807 KAR 5:001, Section 7 and KRS 61.878(1) to grant confidential protection for the items described herein, which LG&E seeks to provide in response to the Commission's Second Requests for Information. The specific Requests for Information for which LG&E seeks confidential protection are Request Nos. 54 and 108. In support of this Petition, LG&E states as follows:

1. On June 29, 2012, LG&E filed with the Commission an application proposing changes in its base rate tariffs. On July 31, 2012, the Commission issued its Second Requests for Information to LG&E.

# Confidential or Proprietary Commercial Information (KRS 61.878(1)(c))

1. The Kentucky Open Records Act exempts from disclosure certain commercial information. KRS 61.878(1)(c). To qualify for this exemption and, therefore, maintain the confidentiality of the information, a party must establish that the material is of a kind generally recognized to be confidential or proprietary, and the disclosure of which would permit an unfair commercial advantage to competitors of the party seeking confidentiality.

2. Request No. 54 asks LG&E to provide a copy of supplier contracts with certain third-party vendors. The contracts contain commercially sensitive information that is considered confidential by LG&E and its counterparties and falls under the protection of the Open Records Act. Allowing vendors to review LG&E's contracts will place LG&E at a competitive disadvantage in the market. Public disclosure would allow vendors to submit bids and terms based upon past practices. Counterparties could, therefore, submit bids and terms that are only slightly better than those given to LG&E in the past when additional cost savings or protections should be possible. Additionally, the public disclosure of specific information about the third parties LG&E does business with will discourage vendors from doing business with LG&E as the terms and prices agreed to will be publicly available to the vendors' own customers and competitors.

# Confidential Personal Information (KRS 61.878(1)(a))

- 3. Request No. 108 asks LG&E to provide electronic copies of the exhibits to the testimony of Robert Conroy. The request further asks that formulas be left "intact and unprotected and with all columns and rows accessible." LG&E is supplying such information, but seeks confidential protection under KRS 61.878(1)(a) for private, customer-identifying information (i.e., customer names and account numbers) contained in their responses. Certain of Mr. Conroy's exhibits dealing with the billing determinants and cost-of-service studies include customer information. LG&E believes protecting such information is particularly important in this time of ever-increasing identity theft.
- 4. The information for which LG&E is seeking confidential treatment is not known outside of the Company, and it is not disseminated within LG&E except to those employees with a legitimate business need to know the information.

5. To comply with the provisions of the Commission's June 22, 2012 Order in this proceeding concerning electronic filing procedures, LG&E will timely file with the Commission one copy of the Confidential Information highlighted in paper medium and one copy of the Confidential Information highlighted in electronic medium on a DVD, as well as a copy of the redacted material.

WHEREFORE, Louisville Gas and Electric Company respectfully requests that the Commission grant confidential protection for the information described herein.

Dated: August 14, 2012

Respectfully submitted,

Kendrick R. Riggs W. Duncan Crosby III

Barry L. Dunn

Stoll Keenon Ogden PLLC

2000 PNC Plaza

500 West Jefferson Street

Louisville, Kentucky 40202-2828

Telephone: (502) 333-6000

Allyson K. Sturgeon Senior Corporate Attorney LG&E and KU Energy LLC 220 West Main Street Louisville, Kentucky 40202 Telephone: (502) 627-2088

Robert M. Watt III Lindsey W. Ingram III Monica H. Braun

Stoll Keenon Ogden PLLC

300 West Vine Street, Suite 2100

Lexington, KY 40507-1801

Counsel for Louisville Gas and Electric Company

# CERTIFICATE OF COMPLIANCE

In accordance with Ordering Paragraph No. 10 of the Commission's June 22, 2012 Order, this is to certify that Louisville Gas and Electric Company's August 14, 2012 electronic filing of the Petition for Confidential Protection is a true and accurate copy of the same document being filed in paper medium; that the electronic filing has been transmitted to the Commission on August 14, 2012; that there are currently no parties that the Commission has excused from participation by electronic means in this proceeding; and that an original and two copies in paper medium of the Petition are being hand delivered to the Commission on August 14, 2012.

Counsel for Louisville Gas and Electric Company

400001.142301/843366.1

# LOUISVILLE GAS AND ELECTRIC COMPANY

# Response to Commission Staff's Second Request For Information Dated July 31, 2012

Case No. 2012-00222

Question No. 54

Responding Witness: Chris Hermann

- Q-54. Refer to the Hermann Testimony, page 12, at lines 11 through 17. Provide a copy of the supplier contract with Brownstown Electric Service Corporation, Brown Wood Preserving, and Howard Industries.
- A-54. See attached. Certain information requested is confidential and proprietary, and is being provided under seal pursuant to a petition for confidential treatment.

# CONTRACT

# Distribution Wood Poles

This Contract is entered into March 1, 2010 by and between Louisville Gas and Electric Company, (LG&E) a Kentucky corporation whose address is 820 West Broadway, Louisville, Kentucky 40202 and Kentucky Utilities Company, (KU) a Kentucky corporation, whose address is One Quality St., Lexington, KY 40507 each as BUYER, and Brown Wood Preserving Company, Inc., whose address is 6201 Camp Ground Road, Louisville, KY 40216 as SELLER. The parties to this Contract hereby agree as follows:

1. Contract Documents. Included as part of the Contract between them are terms and conditions of the attachments to this main body of the Contract, as follows:

Attachment A	Definitions
Attachment B	General Service Agreement
Attaclument C	Products/Pricing
Attachment D	Price Escalation Policy

The definitions provided in <u>Attachment A</u> apply to the words and phrases in each of the Contract documents.

#### 2. Term.

- a. Initial and Renewal Terms. The initial term of the Contract is three (3) years with options for two (2) periods of one year each. The Contract may be renewed at the end of the initial and each subsequent renewal term by mutual written agreement of the parties. The "Initial Term" and any "Renewal Term" shall be collectively referred to as the "Term".
- b. <u>Cancellation and Termination</u>. Either party may terminate the Contract for breach by the other effective following written notice and a reasonable opportunity to cure the breach. Either party may terminate the Contract, at that party's sole discretion, for any or no reason, upon at least 90 days' prior written notice.

# 3. Primary Supplier.

a. <u>General Obligation</u>. The obligation of SELLER is to transfer, deliver, and perform, and that of BUYER is to accept and pay, in accordance with this Contract.

# b. Products.

i. BUYER will use SELLER as its primary supplier of the Products, which are identified as TRANSMISSION & DISTRIBUTION WOOD POLES. A total list of the items and the price will be stated on Attachment C. BUYER may unilaterally add or delete a Product from Attachment C. SELLER will provide BUYER with prior notice of any changes in Product brand

names, chemistry, or composition. Unless BUYER specifically provides written consent otherwise for a particular Product, SELLER will supply Products new.

- ii. BUYER will buy Products from SELLER unless, in the reasonable opinion of BUYER, SELLER is unable to deliver Products as and when specified or needed by BUYER or of the quality and with the service BUYER specifies or needs.
- iii. The purchase price for each Product will be as specified on Attachment C. SELLER will sell Products to be consumed in BUYER's facilities, at the specified purchase price, to suppliers approved by BUYER.
- 1) Right to Purchase from Other SELLERs. BUYER may purchase any of the Products from sources other than SELLER if:
  - (i) SELLER, in the good faith opinion of BUYER is unable to deliver a Release against this Contract for Products as and when needed;
  - (ii) such purchase of products is reasonably necessary, in the sole discretion of BUYER, to support BUYER's women-owned and minority-owned business and affirmative action support policies;
  - (iii) the Product requires physical modifications before BUYER can use it;
  - (iv) the Product must be modified to BUYER's equipment in Release for BUYER to use such Product; or
  - (v) in the sole discretion of BUYER, quality, service or pricing concerns so dictate.

# 4. Pricing.

a. Determination of Purchase Price. Pricing for the Products is firm for the first year of the Initial Term pursuant to Attachment C. Prices for the Products thereafter will be reviewed in accordance with Attachment D with respect to each twelve month period following March 1st of any year during the Term, with pricing adjustments, if any, to Products being effective for the year immediately following such March 1st date (i.e., pricing being proactively effective for the next 12 month period, and not being retroactively applied for the prior 12 month period).

# 5. Inspecting, Testing, and Auditing

a. <u>Right of Inspecting and Testing</u>. BUYER reserves the right, but shall not be obligated, to appoint representatives to follow the progress of the Work with authority to suspend any Work not in compliance with this Agreement. The appointment, or absence of an appointment, of such representatives by BUYER shall not have any effect on warranties. Acceptance or approval by BUYER's representative shall not be deemed to constitute final acceptance by BUYER, nor shall BUYER's inspection relieve SELLER of responsibility for proper performance of the Work.

Inspection by BUYER's representative shall not be deemed to be supervision or direction by BUYER of SELLER, its agents, servants, or employees, but shall be only for the purpose of attempting to ensure that the Work complies with this Agreement. In the event SELLER fails to provide BUYER with reasonable facilities and access for inspection when advised, and if in the opinion of BUYER it becomes necessary to dismantle the Work for such inspection, then SELLER shall bear the expenses of such dismantling and reassembly.

b. Right of Auditing, SELLER shall maintain complete records relating to any cost-based (i.e., Work not covered by firm prices) components of the Work billed under this agreement or relating to the quantity of units billed under any unit price provisions of this Agreement (all the foregoing hereinafter referred to as "Records") for a minimum of five years following the latest of performance of, delivery to BUYER of, or payment by BUYER for, such Work or units. All such Records shall be open to inspection and subject to audit and reproduction during normal working hours, by BUYER or its authorized representatives to the extent necessary to adequately permit evaluation and verification of any invoices, payments, time sheets, or claims based on SELLER's actual costs incurred in the performance or delivery of Work under this Agreement. For the purpose of evaluating or verifying such actual or claimed costs, BUYER or its authorized representative shall have access to said Records at any time, including any time after final payment by BUYER to SELLER pursuant to this Agreement. All nonpublic information obtained in the course of such audits shall be held in confidence except pursuant to judicial and administrative order. BUYER or its authorized representative shall have access, during normal working hours, to all necessary SELLER facilities and shall be provided adequate and appropriate work space to conduct audits in compliance with the provisions of this Article. BUYER shall give SELLER reasonable notice of intended audits. The rights of BUYER set forth in this paragraph shall survive the termination or expiration of this Agreement.

# 6. Orders.

- a. <u>Placement.</u> BUYER will request Products or services described on <u>Attachment C</u> by providing SELLER with Orders therefore. Terms and conditions in an Order are applicable only to the Products and services requested therein.
- b. <u>Withdrawal</u>. BUYER may withdraw an Order at any time, with or without cause, upon notice to SELLER. BUYER will have no liability for withdrawal of an Order or an Order with respect to which SELLER is in default or anticipates default. BUYER's liability for withdrawal of an Order with respect to which SELLER is not in default will not include any profit (or other return to capital or contribution to overhead) and will be limited to:
- i. for services and Products specially manufactured for BUYER, SELLER's actual costs (up to, but not to exceed, the purchase price therefore) incurred in its performance of the Order prior to BUYER's notice of withdrawal;
- ii. for Products not specially manufactured for BUYER, SELLER's actual costs incurred in attempting or stopping delivery of the Products.
- c. <u>Form of Communication.</u> Withdrawals of an Order will be made in the same medium and subject to the same standards as used for that Order.

#### 7. Product Shipment and Delivery.

- a. <u>Shipping Instructions</u>. SELLER will ship products to the destination and in accordance with the shipping instructions set forth in the Order thereto. The default terms for deliveries in the absence of shipping instructions are F.O.B. the destination.
- b. <u>Expedited Handling</u>. If BUYER authorizes "emergency expedited handling" of an Order or portion thereof, BUYER will pay SELLER for its reasonable and actual additional costs associated with that handling which are itemized and submitted to BUYER for payment.
- c. <u>Title and Risk of Loss</u>. Title and risk of loss or damage to Products supplied by SELLER pass to BUYER when such Products have been delivered in accordance with BUYER's shipping instructions to the destination set forth in those instructions or, in the absence of shipping instructions, delivery F.O.B. destination.
- d. <u>Untimely Delivery</u>. If SELLER fails to deliver a Product by the time specified in the Order, BUYER may obtain a Cover Product. SELLER will issue BUYER a credit for any cost or expense reasonably incurred by BUYER due to SELLER's failure to deliver by the time specified in the Order, including the difference between the cost of any Cover Product obtained and the Contract price for the corresponding Product.

# 8. Invoices and Payments.

a. <u>Invoice</u>. SELLER shall provide individual invoices separately to LG&E/KU for products not on Attachment C or for any additional freight. These individual invoices may be in written form via facsimile or first-class mail or they may be sent electronically. In any form, the invoice shall be in such detail and format as is mutually acceptable to the parties. No invoices shall be sent for items on Attachment C as invoices will not be required with the "Evaluated Receipt Settlement" (ERS) process.

# b. Payment Obligation.

- i. BUYER will have no obligation to pay for any Product delivered to it but which it did not order unless BUYER notifies SELLER in writing of its election to purchase the Product.
- ii. BUYER's obligation to pay for a Product or service will not accrue until after the Inspection Period for that Product or service.
- iii. BUYER will become obliged to pay an invoice item it disputes only upon, and in the amount of, a resolution of the dispute.
  - c. Payment Terms. Net 30 days,
- d. <u>Credits.</u> BUYER may apply against invoiced amounts any credits issued by SELLER or which SELLER agrees are due BUYER. Within five (5) business days of BUYER's request

therefore, SELLER will pay to BUYER any credits issued or agreed to be due which have not been applied against invoiced amount.

# 9. Replacement or Return of Products and Services.

- a. Return. BUYER may return a Product to SELLER at any time, and for any or no reason. SELLER will arrange for, and bear the cost of, the return of any Non-Conforming Product or Product not ordered by BUYER and which BUYER does not elect to purchase. BUYER will arrange for, and bear the cost of, returning any other Product to SELLER.
- b. <u>Replacement</u>. SELLER will replace a Non-Conforming Product or service with a conforming Product or service within the applicable Cure Period. If SELLER fails to do so, BUYER may obtain a Cover Product or replacement service from whatever source.
- i. SELLER will credit to BUYER the purchase price of a returned conforming Product if it is in the condition in which it was delivered and was not specially manufactured for BUYER. SELLER will notify and issue to BUYER any credit due for any other returned conforming Product.
- ii. If SELLER replaces a Non-Conforming Product or service, it will either credit to BUYER the purchase price of, or not charge BUYER for, the replacement, at BUYER's option. If BUYER obtains a Cover product or replacement service from another source, SELLER will credit BUYER with:
  - 1) the purchase price of the Non-Conforming Product or service;
  - 2) the difference between the cost of the Cover Product obtained and the Contract price for the corresponding Product or service; and
  - 3) any other cost or expense reasonably incurred by BUYER due to SELLER's failure to replace the Non-Conforming Product or service within the applicable Cure Period.

10. Notices. The default address for any request, authorization, consent, or other notice required or permitted by the Contract is as follows:

# a. To SELLER:

Brown Wood Preserving Company, Inc. 6201 Camp Ground Road Louisville, KY 40216

Attn: David Stanley 502-448-2337 502-448-9944 (Fax) email- david@brownwoodpoles.com

# b. To BUYER:

Kentucky Utilities Company and Louisville Gas & Electric Company 820 West Broadway Louisville, KY 40202

Attn: David Campbell 502-627-3581 502-217-2280 (Fax) email- david.campbell@eon-us.com

11. Standard Terms and Conditions. The General Service Agreement (GSA) of Attachment B are applicable to this Contract and are hereby incorporated by reference as if fully set forth herein. In the event of a conflict between the terms and conditions set forth in the GSA and those set forth above in this executed portion of the Contract, the terms and conditions set forth above shall prevail and control.

IN WITNESS WHEREOF, the parties have executed multiple counterparts of this Contract as of the date set forth in the preamble to this Contract, but actually on the dates set forth below.

BROWN WOOD PRESERVING COMPANY, INC
By: May Stanley
Name: David Stanley
Title: President
Date: 3/1/2010
BUYER
By: Jany Joppe
Name: Larry Kopple
Title: Manager Supply Chain Dist. Ops
Date: 1 (0- 0010)

# Attachment A

## Definitions

- Affiliate: A parent or subsidiary of a party, or an entity that is more than 50% owned, directly or indirectly, by a party or a parent or subsidiary of a party.
- Contract: The body of the Consolidated Supply Contract and any attachments thereto.
- Contract Period: The period of time during which the Contract is effective, including the initial term and any renewal terms.
- Cover: A Product or service which Buyer in good faith and without unreasonable delay obtains in substitution for that which Seller failed to deliver, perform, or replace by the time specified.
- Cure Period: A reasonable period of time, not to exceed five (5) business days, in which Seller must replace a Non-Conforming Product or service.
- Date of Delivery: For a Product, the date title passes; for a service, the date its performance is complete.
- Hazardous Material: "Hazardous waste," as defined under the Resource Conservation and Recovery Act (RCRA) or analogous state or local laws or regulations adopted pursuant to such laws, or waste containing a "hazardous substance" as defined under the Comprehensive Environmental Response Compensation and Liability Act of 1980 (CERCLA).
- Inspection Period: A reasonable time, not less than two (2) business days or more than thirty (30) days, to inspect a Product after its withdrawal from consignment (for a consigned Product) or Date of Delivery (for a non-consigned Product).
- Intellectual Property: Inventions, discoveries, processes, methods, designs, ideas, or works fixed in any tangible medium of expression, machine, manufacture, or composition of matter, regardless of whether copyrightable or patentable.
- Non-Conforming: A Product, service, or conduct in performance of the Contract or a confirmed Order not in accordance with the obligations (including warranties) of the Contract or the relevant confirmed Order.
- Order: A request by Buyer that Seller provide it with a Product or service.
- **Product:** A good or other item included in the listing on <u>Attachment C</u> to the Contract.
- **Specification**: A description of a Product, including drawings and exhibits to which reference is made in the applicable Order or which are otherwise furnished by Buyer to Seller.

#### GENERAL SERVICES AGREEMENT E.ON U.S. SERVICES INC. AND/OR AFFILIATES

This "General Services Agreement" is made this I day of March, 2010 (the "Effective Date") by and between (i) E.ON U.S. Services Inc. ("E.ON U.S. Services Inc.") and/or its "Affiliates" (as defined below) and (ii) Brown Wood Preserving Company, Inc. ("Contractor"), a Kentucky corporation.

WHEREAS, Contractor desires the opportunity to provide goods and/or services to E.ON U.S. Services Inc. from time to time, and E.ON U.S. Services Inc. and/or its Affiliates desire the opportunity to engage Contractor to provide such goods and/or services through the issuance of Purchase Orders and/or Statements of Work; and

WHEREAS, the parties intend that this General Services Agreement sets forth the exclusive terms and conditions which shall govern the performance of the Work by Contractor for E.ON U.S. Services Inc. and/or any of its Affiliates should E.ON U.S. Services Inc. and/or any of its Affiliates engage Contractor to provide Work.

NOW THEREFORE, in consideration of the premises, the mutual covenants contained herein, and other good and valuable consideration, the receipt and sufficiency of which are hereby acknowledged, the parties do agree as follows:

#### ARTICLE I DEFINITIONS

- 1.01 Affiliate: "Affiliate" shall mean any entity which, from time to time, in whole or in part, and directly or indirectly, controls, is controlled by, or under common control with E.ON U.S. Services Inc. and shall include, without limitation, Louisville Gas and Electric Company and Kentucky Utilities Company.
- 1.02 Agreement: "Agreement" shall mean this General Services Agreement, along with any "Statements of Work" (as defined below) and/or Purchase Order (as defined below) issued by Company and/or any other documentation as may be executed by the parties in accordance with Article 2, and/or other agreed collateral document pursuant to which the Work is to be performed.
- 1.03 Applicable Laws: "Applicable Laws" shall mean any and all applicable federal, state or local laws, regulations, codes, ordinances, administrative rules, court orders, permits or executive orders.
- 1.04 Contract Price: "Contract Price" shall mean the aggregate of the particular considerations set forth in one or more Purchase Orders or other Statements of Work or as otherwise agreed upon. Unless otherwise agreed in writing, the Contract Price includes all applicable taxes, duties, fees, and assessments of any nature including, without limitation, all sales and use taxes due to any governmental authority with respect to the Work.
- 1.05 Contractor: "Contractor" shall mean the entity designated as the "Contractor" in the opening paragraph of this Agreement.
- 1.06 Company: "Company" shall mean E.ON U.S. Services Inc. and/or any of its Affiliates as appropriate based on which entity is the party to the applicable Purchase Order and/or Statements of Work or other binding document. The rights and obligations of E.ON U.S. Services Inc. and/or each of its Affiliates hereunder shall be limited to the extent of such party's proportionate utilization of Contractor's services hereunder.
- 1.07 E.ON U.S. Services Inc.: E.ON U.S. Services Inc. shall mean E.ON U.S. Services Inc., a Kentucky corporation.
- 1.08 Purchase Order: Company may, at its discretion, from time to time, issue one or more of its own "Purchase Order Standard Terms and Conditions" and/or "Contractor Purchase Agreement" ("CPA") (collectively referred to as a "Purchase Order") that may supplement, but in no way or manner ever supersede, this Agreement with respect to any conflicting terms and conditions.

1

- 1.09 Statements of Work: "Statements of Work" shall mean any specifications, instructions, drawings, schedules, a Purchase Order, contracts, scopes of Work, and/or descriptions of Work.
- 1.10 Tools and Equipment: "Tools and Equipment" shall mean any tools, equipment, rigging and other general supplies on the Company's premises where the Work is being performed that is either owned and/or leased by Company or by any of its Affiliates.
- 1.11 Work: "Work" shall include, collectively, those services, goods and/or obligations as set forth in this Agreement.

#### ARTICLE 2 SCOPE; BINDING EFFECT

Unless otherwise agreed in a writing executed by each of the parties which evidences a clear intention to supersede this Agreement, the parties intend that this Agreement apply to all transactions which may occur between E.ON U.S. Services Inc. and/or any of its Affiliates and Contractor during the term of this Agreement and which are related to the provision of goods and/or services by Contractor for the benefit of E.ON U.S. Services Inc. and/or any of its Affiliates. Neither E.ON U.S. Services Inc. nor any of its Affiliates makes any commitment to Contractor as to the exclusiveness of this relationship or as to the volume, if any, of business E.ON U.S. Services Inc. and/or its Affiliates will do with Contractor. The parties do, however, anticipate that the parties will agree from time to time for the performance of Work by Contractor. Such agreement for the provision of Work shall be reflected by (a) each of the parties executing a mutually acceptable Statement of Work under this Agreement or (b) Company providing a Purchase Order or other Statement of Work to Contractor and Contractor accepting such Purchase Order or other Statement of Work (including by commencing performance pursuant to such Purchase Order or other Statement of Work). In the event Company provides a Purchase Order or other Statement of Work to Contractor and Contractor commences performance, unless such Purchase Order or other Statement of Work expressly provides otherwise, Contractor hereby agrees to the formation of a binding agreement as described in the Purchase Order or other Statement of Work upon Contractor's commencement of performance, waives any argument that it might otherwise have under Applicable Laws that the Purchase Order should have been executed by each of the parties to be enforceable and further agrees to not contest the enforceability of such Purchase Order or other Statement of Work on those grounds, and agrees to not contest the admissibility of Company's records related to such Purchase Order or other Statement of Work that are kept in the ordinary course by Company. In addition, in no event shall the terms and conditions of any proposal, purchase order or other statement of work, acknowledgement, invoice, or other document unilaterally issued by Contractor be binding upon Company without Company's explicit written acceptance thereof, Any Work performed by Contractor without Company's binding commitment for such Work either via a duly executed or accepted Purchase Order or other Statement of Work under this Agreement shall be at Contractor's sole risk and expense, and Company shall have no obligation to pay for any such Work.

# ARTICLE 3 CONDITIONS AND RISKS OF WORK; LABOR HARMONY

Unless the applicable Purchase Order and/or Statement of Work expressly provides otherwise, Contractor agrees that, before beginning any Work, Contractor shall carefully examine all conditions relevant to such Work and its surroundings and Contractor shall assume the risk of such conditions and shall, regardless of such conditions, the expense, or difficulty of performing the Work, fully complete the Work for the stated Contract Price applicable to such Work without further recourse to Company. Without limiting the foregoing, Contractor specifically recognizes that Company and other parties may be working concurrently at the site. Information on the site of the Work and local conditions at such site furnished by Company in specifications, drawings or otherwise is made without representation or warranty of any nature by Company, is not guaranteed by Company, and is furnished solely for the convenience of Contractor. All drawings and other documents, if any, required to be submitted to Company for review shall be submitted in accordance with the mutually agreed to schedule and, if no schedule applies, such drawings or other documents shall be submitted by Contractor without unreasonable delay. No Work affected by such drawings and other documents shall be started until Contractor is authorized to do so by Company. In case of a conflict between or within instructions, specifications, drawings, schedules, Purchase Order(s) and/or other Statements of Work, Company shall resolve such conflict; and Company's resolution shall be binding on Contractor. Contractor agrees that all labor employed by Contractor, its agents or subcontractors for

Work on the premises of Company shall be in harmony with all other labor being used by Company or other contractors working on Company's premises. Contractor agrees to give Company immediate notice of any threatened or actual labor dispute and will provide assistance as determined necessary by Company to resolve any such dispute. Contractor, its agents or subcontractors, shall remove from Company's premises any person objected to by Company in association with the Work.

#### ARTICLE 4 COMPANY CHANGES IN WORK

The scope of and conditions, specifications and/or quantities ordered applicable to the Work shall be subject to changes by Company from time to time. Such changes shall only be enforceable if documented in a writing executed by Company. Except as otherwise specifically set forth in this Agreement, changes in the scope of or conditions applicable to the Work may result in adjustments in the Contract Price and/or the Work schedule in accordance with this Article 4. If Contractor believes that adjustment of the Contract Price or the Work schedule is justified, whether as a result of a change made pursuant to this Article or as a result of any other circumstance, then Contractor shall (a) give Company written notice of its claim within five (5) business days after receipt of notice of such change or the occurrence of such circumstances and (b) shall supply a written statement supporting Contractor's claim within ten (10) business days after receipt of notice of such change or occurrence of such circumstances, which statement shall include Contractor's detailed estimate of the effect on the Contract Price and/or the Work schedule. Contractor agrees to continue performance of the Work during the time any claim hereunder is pending. Company shall not be bound to any adjustments in the Contract Price or the Work schedule unless expressly agreed to by Company in writing. Company will not be liable for, and Contractor waives, any claims of Contractor that Contractor knew or should have known and that were not reported by Contractor in accordance with the provisions of this Article 4.

#### ARTICLE 5 FORCE MAJEURE

Neither party shall be liable to the other for any damages for any failure to perform or for any delays or interruptions beyond that party's reasonable control in performing any of its obligations under this Agreement only due to acts of God, fires, floods, earthquakes, riots, war, acts of terrorism, civil insurrection, acts of the public enemy, or acts or failures to act of civil or military authority, unless the time to perform is expressly guaranteed. Contractor shall advise Company immediately of any anticipated and actual failure, delay or interruption and the cause and estimated duration of such event. Any such failure, delay or interruption, even though existing on the Effective Date or on the date of the start of the Work, shall require Contractor to within five (5) days submit a recovery plan detailing the manner in which the failure, delay, or interruption shall be remedied and the revised schedule. Contractor shall diligently proceed with the Work notwithstanding the occurrence thereof. This Article shall apply only to the part of the Work directly affected by the particular failure, delay or interruption, and shall not apply to the Work as a whole or any other unaffected part thereof.

#### ARTICLE 6 CONTRACTOR DELAYS

Time is an important and material consideration in the performance of this Agreement by Contractor. Contractor agrees to cooperate with Company in scheduling the Work so that the project and other activities at Company's site will progress with a minimum of delays. Company shall not be responsible for compensating Contractor for any costs of overtime or other premium time work unless Company has provided separate prior written authorization for additional compensation to Contractor and, if Company provides such written authorization, such additional compensation shall be limited to Contractor's actual cost of the premium portion of wages, craft fringe benefits and payroll burdens (without any mark-ups and/or profit). Contractor shall be liable for all failures, delays and interruptions in performing any of its obligations under this Agreement which are not (a) caused by Company and reported in accordance with Article 4, (b) excused by Article 5, or (c) directed by Company pursuant to Article 7. Contractor shall, without adjustment to completion date or Contract Price, be obligated to make up time lost by such failures, delays or interruptions. Company may suspend payments under this Agreement during the period of any such failure, delay or interruption.

# ARTICLE 7 COMPANY EXTENSIONS

Company shall have the right to extend schedules or suspend the Work, in whole or in part, at any time upon written notice to Contractor (except that in an emergency or in the event that Company identifies any safety concerns, Company may require an immediate suspension upon oral or written notice to Contractor). Contractor shall, upon receipt of such notice, immediately suspend or delay the Work. Contractor shall resume any suspended Work when directed by Company. If Contractor follows the requirements of Article 4, a mutually agreed equitable adjustment to the Contract Price or to the schedules for payments and performance of the remaining Work may be made to reflect Company's extension of schedules or suspension of the Work. Contractor will provide Company with all information requested in connection with determining the amount of such equitable adjustment.

## ARTICLE 8 INSPECTING, TESTING, AUDITING, AND USE OF TOOLS AND EQUIPMENT;

8.01 Right of Inspecting and Testing: Company reserves the right, but shall not be obligated, to appoint representatives to follow the progress of the Work with authority to suspend any Work not in compliance with this Agreement. The appointment, or absence of an appointment, of such representatives by Company shall not have any affect on warranties. Acceptance or approval by Company's representative shall not be deemed to constitute final acceptance by Company, nor shall Company's inspection relieve Contractor of responsibility for proper performance of the Work. Inspection by Company's representative shall not be deemed to be supervision or direction by Company of Contractor, its agents, servants or employees, but shall be only for the purpose of attempting to ensure that the Work complies with this Agreement. In the event Contractor fails to provide Company with reasonable facilities and access for inspection when advised, and if in the opinion of Company it becomes necessary to dismantle the Work for such inspection, then Contractor shall bear the expenses of such dismantling and reassembly.

8.02 Right of Auditing: Contractor shall maintain complete records relating to any cost-based (i.e., Work not covered by firm prices), components of the Work billed under this Agreement, or Work relating to the quantity of units billed under any unit price provisions of this Agreement (all the foregoing hereinafter collectively referred to as "Records") for a minimum of five years following the latest of performance of, delivery to Company of, or payment by Company for, such Work or units. All such Records shall be open to inspection and subject to audit and reproduction during normal working hours, by Company or its authorized representatives, to the extent necessary to adequately permit evaluation and verification of any invoices, payments, time sheets or claims based on Contractor's actual costs incurred in the performance or delivery of Work under this Agreement. For the purpose of evaluating or verifying such actual or claimed costs. Company or its authorized representative shall have access to said Records at any time, including any time after final payment by Company to Contractor pursuant to this Agreement. All non-public information obtained in the course of such audits shall be held in confidence except pursuant to judicial and administrative order. Company or its authorized representative shall have access, during normal working hours, to all necessary Contractor facilities and shall be provided adequate and appropriate work space to conduct audits in compliance with the provisions of this Article. Company shall give Contractor reasonable notice of intended audits. The rights of Company set forth in this paragraph shall survive the termination or expiration of this Agreement.

8.03 Use of Tools and Equipment: Company, in its sole discretion, may allow Contractor to use Company's Tools and Equipment for the Work and related activities at designated Company locations. Contractor shall indemnify and hold harmless Company and its Affiliates, including their respective officers, directors, shareholders, agents, managers, members and employees (each an "Indemnified Party"), from and against any and all claims, damages, losses or liabilities arising out of, relating to, or in connection with, the use of Company's Tools and Equipment by Contractor, its agents, servants, employees or subcontractors, and will reimburse each Indemnified Party for all expenses (including in-house and/or outside attorney's fees and expenses) as they are incurred in connection with investigating, preparing or pursuing or defending any action, claim, suit or investigation or proceeding related to, arising out of, or in connection with, the use of Company's Tools and Equipment by Contractor, its agents, servants, employees or subcontractors, whether or not threatened or pending and whether or not any Indemnified Party is a party. Contractor, on behalf of

itself or its agents, equity owners, affiliates, officers and directors, and all of their predecessors, successors, assigns, heirs, executors and administrators, hereby irrevocably release, discharge, waive, relinquish and covenant not to sue, directly, derivatively or otherwise, Company and/or its Affiliates and each of their respective directors, officers, shareholders, members, managers, partners (general or limited), employees and agents (including, without limitation, its financial advisors, counsel, proxy solicitors, information agents, depositories, consultants and public relations representatives) and all of their predecessors, successors, assigns, heirs, executors or administrators, and all persons acting in concert with any such person, with respect to any and all matters, actions causes of action (whether actually asserted or not), suits, damages, claims or liabilities whatsoever, at law, equity or otherwise, arising out of, relating to, or in connection with the use of Company's Tools and Equipment by Contractor, its agents, servants, employees or subcontractors. Company shall in no event be liable for any claim whatsoever by or through Contractor, its employees, agents and/or subcontractors or by any third party, for any inoperability or failure of the Tools and Equipment to perform as designed or intended, whether such claim is based in warranty, contract, tort (including negligence), strict liability or otherwise and whether for direct, incidental, consequential, special, exemplary or other damages. Contractor shall ensure that its employees, agents, subcontractors or servants shall inspect, exercise the appropriate level of care in the use, maintenance and repair of the Tools and Equipment, so as to minimize the incidence of casualties and injuries occurring in connection therewith.

# ARTICLE 9 COMPLIANCE WITH APPLICABLE LAWS; SAFETY; DRUG AND ALCOHOL TESTING; IMMIGRATION LAWS; NERC RELIABLITY STANDARDS COMPLIANCE

9.01 Applicable Laws and Safety: Contractor agrees to protect its own and its subcontractors' employees and be responsible for their Work until Company's acceptance of the entire project and to protect Company's facilities, property, employees and third parties from damage or injury. Contractor shall at all times be solely responsible for complying with any and all Applicable Laws and facility rules, including without limitation those relating to health and safety, in connection with the Work and for obtaining (but only as approved by Company) all permits and approvals necessary to perform the Work. Without limiting the foregoing, Contractor agrees to strictly abide by and observe all standards of the Occupational Safety & Health Administration (OSHA) which are applicable to the Work being performed now or in the future, as well as Company's Contractor Code of Business Conduct and Company's Contractor/Subcontractor Safety Policy which are both hereby incorporated by reference (Contractor hereby acknowledges receipt of a copy of such Company's Contractor Code of Business Conduct and Company's Contractor/Subcontractor Safety Policy) and any other rules and regulations of the Company, all of which are incorporated herein by reference. Contractor also agrees to be bound to any amendments and/or modifications that may be issued in the future by Company from time to time, with respect to Company's Contractor Code of Business Conduct and/or any of its related policies which are the subject of this Article 9. Contractor shall maintain the Work site in a safe and orderly condition at all times. Company shall have the right, but not the obligation, to review Contractor's compliance with safety and cleanup measures. In the event Contractor fails to keep the work area clean, Company shall have the right to perform such cleanup on behalf of, at the risk of and at the expense of Contractor. In the event Contractor subcontracts any of the Work, Contractor shall notify Company in writing of the identity of the subcontractor before utilizing the subcontractor. Contractor shall require all of its subcontractors to complete the safety and health questionnaire and checklists provided by Company and shall provide a copy of such documents to Company upon request. Contractor shall conduct, and require its subcontractors to conduct, safety audits and job briefings during performance of the Work. In the event a subcontractor has no procedure for conducting safety audits and job briefings. Contractor shall include the subcontractor in its safety audits and job briefings. All safety audits shall be documented in writing by the Contractor and its subcontractors. Contractor shall provide documentation of any and all audits identifying safety deficiencies and concerns and corrective action taken as a result of such audits to Company semi-monthly. Contractor further specifically acknowledges, agrees and warrants that Contractor has complied, and shall at all times during the term of this Agreement, comply in all respects with all laws, rules and regulations relating to the employment authorization of employees including, but not limited to, the Immigration Reform and Control Act of 1986, as amended, and the Illegal Immigration Reform and Immigrant Responsibility Act of 1996, as amended, whereby Contractor certifies to Company that Contractor has (a) properly maintained, and shall at all times during the term of this

Agreement properly maintain all records required by Immigration and Customs Enforcement, such as the completion and maintenance of the Form 1-9 for each of Contractor's employees; (b) that Contractor maintains and follows an established policy to verify the employment authorization of its employees; (c) that Contractor has verified the identity and employment eligibility of all employees in compliance with all applicable laws; and (d) that Contractor is without knowledge of any fact that would render any employee or subcontractor of Contractor ineligible to legally work in the United States. Contractor further acknowledges, agrees and warrants that all of its subcontractors will be required to agree to these same terms as a condition to being awarded any subcontract for such Work.

9.02 Hazards and Training: Contractor shall furnish adequate numbers of trained, qualified, and experienced personnel and appropriate safety and other equipment in first-class condition, suitable for performance of the Work. Such personnel shall be skilled and properly trained to perform the Work and recognize all hazards associated with the Work. Without limiting the foregoing, Contractor shall participate in any safety orientation or other of Company's familiarization initiatives related to safety and shall strictly comply with any monitoring initiatives as determined by Company. Contractor shall accept all equipment, structures and property of Company as found and acknowledges it has inspected the property, has determined the hazards incident to working thereon or thereabouts, and has adopted suitable precautions and methods for the protection and safety of its employees and the property.

9.03 Drug and Alcohol: No person will perform any of the Work while under the influence of drugs or alcohol. No alcohol may be consumed within four (4) hours of the start of any person's performance of the Work or anytime during the workday. A person will be deemed under the influence of alcohol if a level of .02 percent blood alcohol or greater is found. In addition to the requirements of the drug testing program, as set forth in Company's rules and regulations, all persons who will perform any of the Work will be subject to drug and alcohol testing under either of the following circumstances: (i) where the person's performance either contributed to an accident or cannot be completely discounted as a contributing factor to an accident which involves off-site medical treatment of any person; and (ii) where Company determines in its sole discretion that there is reasonable cause to believe such person is using drugs or alcohol or may otherwise be unfit for duty. Such persons will not be permitted to perform any Work until the test results are established. Contractor shall be solely responsible for administering and conducting drug and alcohol testing, as set forth herein, at Contractor's sole expense. As applicable, and in addition to any other requirements under this Agreement, Contractor shall develop and strictly comply with any and all drug testing requirements as required by Applicable Laws.

9.04 NERC Reliability Standards. The following additional provisions shall apply if Contractor's Work in any way involves areas or assets which are located within physical security perimeters as defined by NERC's Reliability Standards for the Bulk Electric Systems of North America (collectively, the "NERC Standards"), including without limitation any Company data center or control center. Contractor's non-compliance of NERC Standards may result in fines and/or penalties being assessed against the Company that would result in Company seeking indemnification from Contractor as a consequence of Contractor's and/or its subcontractors', agents' and/or representatives' non-compliance of NERC Standards.

- A. <u>Information Protection</u>. Without compromising the confidentiality provisions in Article 24, Contractor shall at all times comply with the Company's information protection program(s) as defined by CIP-003, R4. Among the information protected by this program are: (i) all operational procedures; (ii) lists of critical cyber assets; (iii) network topology or similar diagrams; (iv) floor plans of computing centers that contain critical cyber assets; (v) equipment layouts of critical cyber assets; (vi) disaster recovery plans; (vii) incident response plans; and (viii) security configuration information. Contractor shall protect this protected information from disclosure consistent with the program.
- B. <u>Access Revocation</u>. Contractor shall <u>immediately</u> advise appropriate Company's management if any of Contractor's personnel who have key card access to a restricted area or electronic access to a protected system no longer require such access.
- C. <u>Training</u>. If any Contractor personnel require key card access to a restricted area or electronic access to a protected system, Contractor shall ensure that such personnel complete, and retake as requested, all necessary NERC training as requested by Company.
- D. <u>Personnel Risk Assessment</u>. If any Contractor personnel require key card access to a restricted area or electronic access to a protected system, Contractor shall ensure that Company receives necessary

waivers and information from Contractor's personnel to complete, and repeat as necessary, such background checks as requested by Company.

Continuing Obligations. Contractor further acknowledges that its compliance with the NERC Standards is a continuing obligation during and after the Term. Upon written notice to Contractor, Company shall have the absolute right to audit and inspect any and all information regarding Contractor's compliance with this Section 9.04, and/or to require confirmation of the destruction of any documentation received from or regarding Company. Contractor is encouraged to contact Company's Compliance Department pursuant to Section 9.05 to ensure Contractor understands and complies with this Section 9.04.

9.05 Office of Compliance: The Company has an Office of Compliance, Should Contractor have actual knowledge of violations of any of the herein stated policies of conduct in this Article 9, or have a reasonable basis to believe that such violations will occur in the future, whether by its own employees, agents, representatives or subcontractors, or by another vendor and/or supplier of the Company and its employees, agents, representatives or subcontractors, or by any employee, agent and/or representative of Company, Contractor has an affirmative obligation to immediately report any such known, perceived and/or anticipated violations to the Company's Office of Compliance in care of Director, Compliance and Ethics, E.ON U.S. Center, 220 West Main Street, Louisville, Kentucky 40202.

# ARTICLE 10 STATUS OF CONTRACTOR

Company does not reserve any right to control the methods or manner of performance of the Work by Contractor. Contractor, in performing the Work, shall not act as an agent or employee of Company, but shall be and act as an independent contractor and shall be free to perform the Work by such methods and in such manner as Contractor may choose, doing everything necessary to perform such Work properly and safely and having supervision over and responsibility for the safety and actions of its employees and the suitability of its equipment. Contractor's employees and subcontractors shall not be deemed to be employees and/or agents of Company. Contractor agrees that if any portion of Contractor's Work is subcontracted, all such subcontractors shall be bound by and observe the conditions of this Agreement to the same extent as required of Contractor. In such event, Company strongly encourages the use of Minority Business Enterprises, Women Business Enterprises and Disadvantaged Business Enterprises, as defined under federal law and as certified by a certifying agency that Company recognizes as proper.

#### ARTICLE 11 EQUAL EMPLOYMENT OPPORTUNITY

To the extent applicable, Contractor shall comply with all of the following provisions, which are incorporated herein by reference: (i) Equal Opportunity regulations set forth in 41 CFR § 60-1.4(a) and (c), prohibiting employment discrimination against any employee or applicant because of race, color, religion, sex, or national origin; (ii) Vietnam Era Veterans Readjustment Assistance Act regulations set forth in 41 CFR § 60-250.4 relating to the employment and advancement of disabled veterans and Vietnam era veterans; (iii) Rehabilitation Act regulations set forth in 41 CFR § 60-741.4 relating to the employment and advancement of qualified disabled employees and applicants for employment; (iv) the clause known as "Utilization of Small Business Concerns and Small Business Concerns Owned and Controlled by Socially and Economically Disadvantaged Individuals" set forth in 15 USC § 637(d)(3); and (v) the subcontracting plan requirement set forth in 15 USC § 637(d).

#### ARTICLE 12 INDEMNITY BY CONTRACTOR

Contractor shall indemnify, defend, and hold harmless Company, its directors, officers, members, managers, employees and agents, from any and all damage, loss, claim, demand, suit, liability, penalty and/or fine (pursuant to Section 9.04 or otherwise) or forfeiture of every kind and nature, including but not limited to attorneys' fees (for both in-house and/or outside counsel) and expenses and other costs and expenses of defending against the same and payment of any settlement or judgment therefore, by reason of (a) bodily and other personal injuries to or deaths of persons, (b) damages to tools or equipment owned or leased by Company, (c) damages to other property, (d) the release or threatened release of a hazardous substance or any pollution or contamination of or other adverse effects on the environment, (e) violations of any Applicable Laws or (f) infringement of patent, copyright, trademark, trade secret or other property right, to the extent resulting or alleged to have resulted from acts or omissions of Contractor, its employees,

agents, subcontractors or other representatives or otherwise from performance of this Agreement, whether suffered directly by Company or indirectly by reason of third party claims, demands or suits. This obligation to indemnify, defend and hold harmless shall survive termination or expiration of this Agreement.

#### ARTICLE 13 ENVIRONMENTAL

13.01 Control: As required under the OSHA Hazard Communication Standard (29 CFR 1910.1200) and certain other Applicable Laws, Contractor or its subcontractors shall provide Material Safety Data Sheets ("MSDS") covering any hazardous substances and materials furnished under or otherwise associated with the Work under this Agreement. Contractor and its subcontractors shall provide Company with either copies of the applicable MSDS or copies of a document certifying that no MSDS are required under any Applicable Laws in effect at the worksite. No asbestos or lead containing materials shall be incorporated into any Work performed by Contractor or otherwise left on the Work site without the prior written approval of Company. Contractor and its subcontractors shall be solely responsible for determining if any chemical or material furnished, used, applied, or stored or Work performed under this Agreement is subject to any Applicable Laws.

13.02 Labeling: Contractor and its subcontractors shall label hazardous substances and materials and train their employees in the safe usage and handling of such substances and materials as required under any Applicable Laws.

13.03 Releases: Contractor and its subcontractors shall be solely responsible for the management of any petroleum or hazardous substances and materials brought onto the Work site and shall prevent the release of petroleum or hazardous substances and materials into the environment. All petroleum or hazardous substances and materials shall be handled and stored according to Contractor's written Spill Prevention Control and Countermeasures Plan or Best Management Practices Plan as defined under the provisions of the Clean Water Act, as amended, if either such Plan must be maintained pursuant to Applicable Laws. Contractor shall provide secondary containment for the storage of petroleum or hazardous substances and materials. The prompt and proper clean-up of any spills, leaks, or other releases of petroleum or hazardous substances and materials resulting from the performance of the Work under this Agreement and the proper disposal of any residues shall be Contractor's sole responsibility, but Contractor shall give Company immediate notice of any such spills, leaks, or other releases. Contractor shall be solely responsible for the storage, removal, and disposal of any excess or unused quantities of chemicals and materials which Contractor causes to be brought to the Work site.

13.04 Generated Wastes: Unless Company and Contractor expressly agree otherwise in writing, Contractor and its subcontractors shall be solely responsible for any wastes generated in the course of the Work, and Contractor shall handle, store, and dispose of such wastes in accordance with any Applicable Laws.

13.05 Survival: The obligations set forth in this Article shall survive termination or expiration of this Agreement.

# ARTICLE 14 INSURANCE

14.01 Contractor's Insurance Obligation: For the entire duration of the Agreement, Contractor shall provide and maintain, and shall require any of its subcontractors to provide and maintain, the following insurance (and, except with regard to Workers' Compensation, naming Company as additional insured and waiving rights of subrogation against Company and Company's insurance carrier(s)), and Contractor shall submit evidence of such coverage(s) of Contractor to Company prior to the start of the Work and, furthermore, Contractor shall notify Company, prior to the commencement of any Work pursuant to any Statement of Work and/or Purchase Order, of any threatened, pending and/or paid off claims to third parties, individually or in the aggregate, which otherwise affects the availability of the limits of such coverage(s) inuring to the benefit of Company as hereinafter specified:

- (a) Workers' Compensation and Employer's Liability Policy, which shall include:
  - 1) Workers' Compensation (Coverage A), with statutory limits, and in accordance with the laws of the state where the Work is performed;

- 2) Employer's Liability (Coverage B) with minimum limits of One Million Dollars (\$1,000,000) Bodily Injury by Accident, each Accident, \$1,000,000 Bodily Injury by Disease, each Employee;
- 3) Thirty (30) Day Cancellation Clause; and
- 4) Broad Form All States Endorsement,
- (b) Commercial General Liability Policy, which shall have minimum limits of One Million Dollars (\$1,000,000) each occurrence; One Million Dollars (\$1,000,000) Products/Completed Operations Aggregate each occurrence; One Million Dollars (\$1,000,000) Personal and Advertising Injury each occurrence, in all cases subject to Two Million Dollars (\$2,000,000) in the General Aggregate for all such claims, and including:
  - 1) Thirty (30) Day Cancellation Clause;
  - Blanket Written Contractual Liability to the extent covered by the policy against liability assumed by Contractor under this Agreement;
  - 3) Broad Form Property Damage; and
  - 4) Insurance for liability arising out of blasting, collapse, and underground damage (deletion of X, C, U Exclusions).
- (c) Commercial Automobile Liability Insurance covering the use of all owned, non-owned, and hired automobiles, with a bodily injury, including death, and property damage combined single minimum limit of One Million Dollars (\$1,000,000) each occurrence with respect to Contractor's vehicles assigned to or used in performance of Work under this Agreement.
- (d) Umbrella/Excess Liability Insurance with minimum limits of Two Million Dollars (\$2,000,000) per occurrence; Two Million Dollars (\$2,000,000) aggregate, to apply to employer's liability, commercial general liability, and automobile liability.
- (e) To the extent applicable, if any fixed wing or rotor craft aircraft will be used by Contractor in performing the Work, Aircraft Public Liability Insurance covering such aircraft whether owned, non-owned, leased, hired or assigned with a combined single minimum limit for bodily injury and property damage of Five Million Dollars (\$5,000,000) including passenger liability coverage.
- (f) To the extent applicable, if engineering or other professional services will be separately provided by Contractor as specified in the Statements of Work, then Professional Liability Insurance with limits of Three Million Dollars (\$3,000,000) per occurrence and Three Million Dollars (\$3,000,000) in the aggregate, which insurance shall be either on an occurrence basis or on a claims made basis (with a retroactive date satisfactory to Company).
- 14.02 Quality of Insurance Coverage: The above policies to be provided by Contractor shall be written by insurance companies which are both licensed to do business in the state where the Work will be performed and either satisfactory to Company or having a Best Rating of not less than "A-". These policies shall not be materially changed or canceled except with thirty (30) days written notice to Company from Contractor and the insurance carrier. Evidence of coverage, notification of cancellation or other changes shall be mailed to: Attention: Manager, Supply Chain, E.ON U.S. Services Inc., P.O. Box 32020, Louisville, Kentucky 40232.
- 14.03 Implication of Insurance: Company reserves the right to request and receive a summary of coverage of any of the above policies or endorsements; however, Company shall not be obligated to review any of Contractor's certificates of insurance, insurance policies, or endorsements, or to advise Contractor of any deficiencies in such documents. Any receipt of such documents or their review by Company shall not relieve Contractor from or be deemed a waiver of Company's rights to insist on strict fulfillment of Contractor's obligations under this Agreement.
- 14.04 Other Notices: Contractor shall provide notice of any accidents or claims at the Work site to Company's Manager, Risk Management at E.ON U.S. Services Inc., P.O. Box 32030, Louisville, Kentucky 40232 and Company's site authorized representative.

# ARTICLE 15 WARRANTIES

Contractor warrants that:

(a) the Work will conform to any applicable Statement of Work and/or Purchase Order; and any materials supplied in connection therewith shall be new, unused and free from defect;

- (b) the Work will be suitable for the purposes specified by Company and will conform to each statement, representation and description made by Contractor to Company;
- (c) the Work is not and shall not be subject to any encumbrance, lien, security interest, patent, copyright or trademark claims, infringements, or other defects in title; and
- (d) any labor or services performed pursuant to this Agreement shall be performed in a competent, diligent, and timely manner in accordance with the highest professionally accepted standards.

Contractor shall respond in writing to any warranty claim by Company within five (5) business days of the delivery of notice of such claim to Contractor. All such warranties shall, in no case, be less than 18 months after Company's notice of substantial completion of the Work or 12 months after the commencement of regular use by Company of all components and/or systems comprising the Work, as applicable, whichever occurs first; provided, however, that any specific warranties, whether of performance, fitness for any particular purpose or intended purposes, merchantability or otherwise, that are in excess of such time periods, as may be agreed by and between Contractor and Company in any Statement of Work and/or Purchase Order, shall govern notwithstanding any terms to the contrary contained in this Agreement.

# ARTICLE 16 OWNERSHIP OF INTELLECTUAL PROPERTY; PATENTS

16.01 Ownership: All inventions, discoveries, processes, methods, designs, drawings, blueprints, information, software, works of authorship and know-how, or the like, whether or not patentable or copyrightable (collectively, "Intellectual Property"), which Contractor conceives, develops, or begins to develop, either alone or in conjunction with Company or others, with respect to the Work, shall be "work made for hire" and the sole and exclusive property of Company. Upon request, Contractor shall promptly execute all applications, assignments and other documents that Company shall deem necessary to apply for and obtain letters patent of the United States and/or copyright registration for the Intellectual Property and in order to evidence Company's sole ownership thereof.

16.02 Royalties and License Fees: Contractor shall pay all royalties and license fees which may be payable on account of the Work or any part thereof. In case any part of the Work is held in any suit to constitute infringement and its use is enjoined, Contractor within a reasonable time shall, at the election of Company, and in addition to Contractor's obligations under Article 12, either (a) secure for Company the perpetual right to continue the use of such part of the Work by procuring for Company a royalty-free license or such other permission as will enable Contractor to secure the suspension of any injunction, or (b) replace at Contractor's own expense such part of the Work with a non-infringing part or modify it so that it becomes non-infringing (in either case with changes in functionality that are acceptable to Company).

#### ARTICLE 17 RELEASE AND INDEMNITY REGARDING LIENS

Contractor hereby releases and/or waives for itself and its successors in interest, and for all subcontractors and their successors in interest, any and all claims or right of mechanics or any other type of lien to assert and/or file upon Company's or any other party's property, the Work, or any part thereof as a result of performing the Work. Contractor shall execute and deliver to Company such documents as may be required by Applicable Laws (i.e., partial and/or final waivers of liens and/or affidavits of indemnification) to make this release effective and shall give all required notices to subcontractors with respect to ensuring the effectiveness of the foregoing releases against those parties. Contractor shall secure the removal of any lien that Contractor has agreed to release in this Article within five (5) working days of receipt of written notice from Company to remove such lien. If not timely removed, Company may remove the lien and charge all costs and expenses including legal fees (for inside and/or outside legal counsel) to Contractor including, without limitation, the costs of bonding off such lien. Company, in its sole discretion, expressly reserves the right to off-set and/or retain any reasonable amount due to Contractor from payment of any one or more of Contractor's invoices upon Company having actual knowledge of any threatened and/or filed liens and/or encumbrances that may be asserted and/or filed by any subcontractor, materialman, independent contractor and/or third party with respect to the Work, with final payment being made by Company only upon verification that such threatened and/or filed liens and/or encumbrances have been irrevocably satisfied, settled, resolved and/or released (as applicable), and/or that any known payment disputes concerning the Work involving Contractor and any of its subcontractors, agents and/or representatives have

been resolved so that no actions, liens and/or encumbrances of any kind or nature will be filed against Company and/or Company's property.

#### ARTICLE 18 ASSIGNMENT OF AGREEMENT; SUBCONTRACTING

Upon prior written notice given to Company, Contractor shall not, by operation of law or otherwise, assign and/or subcontract any part of the Work or this Agreement without Company's prior written approval. Such approval, if given by Company, shall not relieve Contractor from full responsibility for the fulfillment of any and all obligations under this Agreement. Under any and all circumstances, any permitted assignee of Contractor, whether or not such assignee shall be a division, subsidiary and/or affiliate entity of Contractor, shall also be fully bound by the terms of this Agreement and, furthermore, upon request by Company, each of Contractor and its permitted assignee shall provide sufficient financial information, as determined by Company in its sole discretion, necessary to validate such assignee's credit worthiness and ability to perform under this Agreement.

# ARTICLE 19 INVOICES AND EFFECT OF PAYMENTS

19.01 Invoices: Within a reasonable period of time following the end of each calendar month or other agreed period, Contractor shall submit an invoice to Company that complies with this Article 19. Payments shall be made within forty-five (45) days of Company's receipt of Contractor's proper invoice and, in the event that Company's payment is overdue, Contractor shall promptly provide Company with a notice that such payment is overdue, Contractor's invoices shall designate the extent to which E.ON U.S. Services Inc. or any of its Affiliates is the responsible party. Such invoices shall reference the contract number and shall also show labor, material and taxes paid (including without limitation sales and use taxes); retainers to the extent as may be specified in the Purchase Order, Statement of Work and/or other contractual documentation, or otherwise pursuant to Article 17; duties, fees and other assessments imposed by governmental authorities; freight; and all other charges (including without limitation equipment rental) as separate items. All invoices shall be submitted with supporting documentation and in acceptable form and quality to Company's authorized representative. Should Company dispute any invoice for any reason, payment on such invoice shall be made within thirty (30) days after the dispute resolution. Payment of the invoice shall not release Contractor from any of its obligations hereunder including, but not limited to, its warranty and indemnity obligations. Invoices shall not be delivered with goods, but all correspondence and packages related to this Agreement shall reference the contract number assigned by Company.

19.02 Taxes: If Company provides Contractor with an exemption certificate demonstrating an exemption from sales or use taxes in Kentucky, then Contractor shall not withhold or pay Kentucky sales or use taxes to the extent such exemption certificate applies to the Work (such exemption does not and shall not apply to any materials consumed by Contractor in performing the Work). Contractor agrees that it shall not rely upon Company's direct pay authorization in not withholding or paying Kentucky sales or use taxes. If Company does not provide Contractor with an exemption certificate demonstrating an exemption from sales or use taxes in Kentucky, Contractor shall be solely responsible for paying all appropriate sales, use, and other taxes and duties to (including without limitation sales or use tax with respect to materials purchased and consumed in connection with the Work), as well as filing appropriate returns with, the appropriate authorities. To the extent specifically included in the Contract Price, Contractor shall bill Company for and Company shall pay Contractor all such taxes and duties, but Company shall in no event be obligated for taxes and duties not specifically included in the Contract Price or for interest or penalties arising out of Contractor's failure to comply with its obligations under this Article 19.

19.03 Billing of Additional Work: All claims for payments of additions to the Contract Price shall be shown on separate Contractor's invoices and must refer to the specific change order or written authorization issued by Company as a condition to being considered for payment.

19.04 Effect of Payments/Offset: No payments shall be considered as evidence of the performance of or acceptance of the Work, either in whole or in part, and all payments are subject to deduction for loss, damage, costs or expenses for which Contractor may be liable under any Purchase Order and/or Statement of Work and are set-off hereunder. In addition to Company's right of off-set for threatened and/or filed liens and/or encumbrances, and/or with respect to payment disputes pursuant to Article 17 or otherwise, Company, without waiver or limitation of any rights or remedies of Company,

shall be entitled from time to time to deduct and/or retain from any and all amounts owing by Company to Contractor in connection with this Agreement or with respect to any other contract with Company any and all amounts owed by Contractor to Company in connection with this Agreement or any other contract with Company.

19.05 Evidence of Payment to Subcontractors: Contractor shall, if requested by Company, furnish Company with waivers of lien and/or certificates showing names of Contractor's suppliers and subcontractors hereunder, and certifying to Company that said suppliers and subcontractors have been paid in full.

#### ARTICLE 20 ROUTING OF SHIPMENTS

Company shall have the option of specifying the routing of shipments. If freight is included in the Contract Price, and such specified routing increases Contractor's shipping costs, Contractor shall immediately so notify Company, and should Company still specify the more expensive routing, then Company shall reimburse Contractor for the increase actually incurred thereby.

# ARTICLE 21 TERM AND TERMINATION

21.01 Term: This Agreement shall commence on the Effective Date and shall survive in full force and effect until terminated as set forth below and/or otherwise, solely with respect to any Statement of Work and/or Purchase Order, terminate consistent with the specified expiration date as may be stated in any Statement of Work and/or Purchase Order by and between Contractor and Company notwithstanding any terms and conditions to the contrary in this Agreement. A termination under this Article 21 based on certain Work shall only apply to the Statement of Work and/or Purchase Order that covers such Work. Any Statements of Work and/or Purchase Orders that do not relate to such Work shall not be affected by such a termination.

If the Work to be done under this Agreement shall be 21.02 Termination for Contractor's Breach: abandoned by Contractor, if this Agreement or any portion thereof shall be assigned by operation of law or otherwise, if the Work or any portion thereof is sublet by Contractor without the permission of Company, if Contractor is placed in bankruptcy, or if a receiver be appointed for its properties and/or assets, if Contractor shall make an assignment for the benefit of creditors, if at any time the necessary progress of Work is not being maintained, or if Contractor is violating any of the conditions or agreements of this Agreement, or has executed this Agreement in bad faith, Company may, without prejudice to any other rights or remedies it may have as a result thereof, notify Contractor to discontinue any or all of the Work and terminate this Agreement in whole or part. In the event that Section 365(a) of the Bankruptcy Code or some successor law gives Contractor as debtor-in-possession the right to either accept or reject this Agreement, then Contractor agrees to file an appropriate motion with the Bankruptcy Court to either accept or reject this Agreement within twenty (20) days of the entry of the Order for Relief in the bankruptey proceeding. Contractor and Company acknowledge and agree that said twenty (20) day period is reasonable under the circumstances. Contractor and Company also agree that if Company has not received notice that Contractor has filed a motion with the Bankruptcy Court to accept or reject this Agreement within said twenty (20) day period, then Company may file a motion with the Bankruptcy Court asking that this Agreement be accepted or rejected, and Contractor shall not oppose such motion.

21.03 Effect of Termination for Contractor's Breach: From the effective date of such termination notice, Contractor and/or its subcontractors shall vacate the site, whereupon Company shall have the right but not the obligation to take possession of the Work wherever located, and Contractor shall cooperate with Company and cause Contractor's subcontractors to cooperate with Company so that Company can effect such possession. In obtaining replacement services, Company shall not be required to request multiple bids or obtain the lowest figures for completing the Work and may make such expenditures as shall best accomplish such completion and are reasonable given the circumstances. The expenses of completing the Work in excess of the unpaid portion of the Contract Price, together with any damages suffered by Company, shall be paid by Contractor, and Company shall have the right to set off such amounts from amounts due to Contractor.

21.04 Termination for Company's Convenience: Company may terminate this Agreement or one or more Statements of Work in whole or in part for its own convenience by thirty (30) days' written

notice at any time. In such event, Company shall pay Contractor all direct labor and material costs incurred on the Work that is subject to such termination prior to such notice, plus any reasonable unavoidable cancellation costs which Contractor may incur as a result of such termination, plus indirect costs or overhead on the portion of the Work completed, computed in accordance with generally accepted accounting principles less salvage value. As an alternative to salvage value reduction, Company shall have the right in its sole discretion to take possession of all or part of the Work.

# ARTICLE 22 LIABILITY OF AFFILIATES

Any and all liabilities of E.ON U.S. Services Inc. and/and its Affiliates under this Agreement shall be several but not joint.

#### ARTICLE 23 PUBLICITY

Contractor shall not issue news releases, publicize or issue advertising pertaining to the Work or this Agreement without first obtaining the written approval of Company.

# ARTICLE 24 CONFIDENTIAL INFORMATION

All information relating to the Work or the business of Company including, but not limited to, drawings and specifications relating to the Work, and customer information, shall be held in confidence by Contractor and shall not be used by Contractor for any purpose other than for the performance of the Work or as authorized in writing by Company. In the event that the Contractor assigns the work to one or more subcontractors, a signed confidentiality agreement between the Contractor and each subcontractor(s) will be provided to the Company prior to the provision of any information described in the immediately preceding sentence or the performance of any Work by the subcontractor. All drawings, specifications or documents furnished by Company to Contractor or developed in connection with the Work shall either be destroyed or returned to Company (including any copies thereof) upon request at any time.

#### ARTICLE 25 MISCELLANEOUS

25.01 Waiver: No waiver by Company of any provision herein or of a breach of any provision shall constitute a waiver of any other breach or of any other provision.

25.02 Headings: The headings of Articles, Sections, Paragraphs, and other parts of this Agreement are for convenience only and do not define, limit, or construe the contents thereof.

25.03 Severability: If any provision of this Agreement shall be held invalid under law, such invalidity shall not affect any other provision or provisions hereof which are otherwise valid.

25.04 State Law Governing Agreement; Consent to Jurisdiction: This Agreement shall be governed by, and construed in accordance with, the laws of the Commonwealth of Kentucky, without regard to its principles of conflicts of laws. The site of any legal actions between the parties shall be held in state and/or federal court in Louisville, Jefferson County, Kentucky.

25.05 Enforcement of Rights: Company shall have the right to recover from Contractor all expenses, including but not limited to fees for and expenses of inside and/or outside counsel hired by Company, arising out of Contractor's breach of this Agreement or any other action by Company to enforce or defend Company's rights hereunder.

25.06 No Third Party Beneficiaries: Except for Contractor and Company, there are no intended third party beneficiaries of this Agreement and none may rely on this Agreement in making a claim against Company.

25.07 Notices: All notices and communications respecting this Agreement shall be in writing, shall be identified by the contract number, shall be designated for E.ON U.S. Services Inc., or the appropriate Affiliate, and shall be addressed as follows (which address either party may change upon five (5) days prior notice to the other party).

To Company: E.ON U.S. Services Inc. Attn: Manager, Supply Chain P.O. Box 32020 Louisville, Kentucky 40232

To Contractor; Brown Wood Preserving Company, Inc.

6201 Camp Ground Road Louisville, KY 40216

IN WITNESS WHEREOF, the parties have entered into this Agreement as of the Effective Date.

COMPANY:	CONTRACTOR:
E.ON U.S. SERVICES INC.	Brown Wood Preserving Co, Inc.
Authorized Signature	Authofized Signafure
Name (Please Print)	Name (Please Print)
LARRY Kapple	DAVID STAPLEY
Title	Title
Mgd. Supply Chain	PRESIDENT
Date	Date
3-10-2010	3-11-2010
ATTACHMENTS: (i) Copy of Company's Contracting Program; and (iii) Contractor's Code of Bus	

[Revised 8/19/2009 DHC]

14

N:\Cooper\Procurement Forms\FINAL FOR PUBLICATION GSA DHC Rev 08.19.09.doc

# Attachment C Schedule A

			The second se			was a second sec	i
Internal		The second section of the second seco	Treated	A-W	Cost of	Price to	
Identificati	1 ~	Species & Treatment	Pole Price	Williams	Delivery	E.on U.S.	
Number (II				Inspection	o contrata de la contrata del contrata de la contrata del contrata de la contrata del la contrata de la contrata del la contrata de la contra	an all the same of the late of	
1196401	30' class 4	Southern Yellow Pine - CCA ET					
7002367	30' class 6	Southern Yellow Pine - CCA ET	Control of the Control	Street Street			
7002369	35' class 4	Southern Yellow Pine - CCA ET					
7002370	35' class 5 40' class 1	Southern Yellow Pine - CCA ET Southern Yellow Pine - CCA ET					
7002371 7002372	40' class 2	Southern Yellow Pine - CCA ET					
7004448	40' class 3	Southern Yellow Pine - CCA ET					
7002373	40' class 4	Southern Yellow Pine - CCA ET					
7002374	45' class 1	Southern Yellow Pine - CCA ET					
7002375	45' class 2	Southern Yellow Pine - CCA ET					
7002376	45' class 3	Southern Yellow Pine - CCA ET					
7002377	45' class 4	Southern Yellow Pine - CCA ET	2.000 10.000			1.00	
7002378	50' class 1	Southern Yellow Pine - CCA ET					
7002379	50' class 2	Southern Yellow Pine - CCA ET					
7002380 7002381	50' class 3 55' class 1	Southern Yellow Pine - CCA ET Southern Yellow Pine - CCA ET			100		
7002381	55' class 2	Southern Yellow Pine - CCA ET					
7002383	55' class 3	Southern Yellow Pine - CCA ET					
7002384	60' class 1	Southern Yellow Pine - CCA ET					
7002385	60' class 2	Southern Yellow Pine - CCA ET					
7002386	65' class 1	Southern Yellow Pine - CCA ET					
7001395	65' class 1	Douglas Fir - Penta					
7005006	65' class 2	Southern Yellow Pine - CCA ET					
7001394	65' class 2	Douglas Fir - Penta					
1196851	65' class H2	Douglas Fir - Penta					
1196843 7002388	65' class H1 70' class 1	Douglas Fir - Penta Southern Yellow Pine - CCA ET	40.05				
7002388	70 class 1	Douglas Fir - Penta					
7002389	70' class 2	Southern Yellow Pine - CCA ET					
7001396	70' class 2	Douglas Fir - Penta					
1197860	70' class H3	Douglas Fir - Penta					
1196878	70' class H2	Douglas Fir - Penta					
1247686	70' class H1	Douglas Fir - Penta				again ann an an	
7002390	75' class 1	Southern Yellow Pine - CCA ET					
7001399	75' class 1	Douglas Fir - Penta Southern Yellow Pine - CCA ET					
7002391 7001398	75' class 2 75' class 2	Douglas Fir - Penta					
1197127	75' class H3	Douglas Fir - Penta					
1197843	75' class H2	Douglas Fir - Penta					
1247678	75' class H1	Douglas Fir - Penta	1000				
7002392	80' class 1	Southern Yellow Pine - CCA ET					
7001400	80' class 1	Douglas Fir - Penta					
7006444	80' class 2	Southern Yellow Pine - CCA ET					
7003224	80' class 2	Douglas Fir - Penta					
1247643	80' class H4	Douglas Fir - Penta					
1197119	80' class H3 80' class H2	Douglas Fir - Penta Douglas Fir - Penta					
7006589	80' class I-I1	Douglas Fir - Penta	to the second				
1247627	85' class H4	Douglas Fir - Penta	100				
1197094	85' class H3	Douglas Fir - Penta	24 20 2				
1197086	85' class H2	Douglas Fir - Penta					
7006590	85' class H1	Douglas Fir - Penta					
7002393	85' class 1	Douglas Fir - Penta_	100				
7004344	85' class 2	Douglas Fir - Penta					
1247601	90' class H4	Douglas Fir - Penta					
1247619 1197078	90' class H3 90' class H2	Douglas Fir - Penta Douglas Fir - Penta					
7006591	90' class H2	Douglas Fir - Penta					
7000391	90' class 1	Douglas Fir - Penta				97	
1247794	95' class H5	Douglas Fir - Penta					
•	•	**************************************					

Attachment to Response to LGE PSC-2 Question No. 54 Page 23 of 118 Hermann

# CONFIDENTIAL INFORMATION REDACTED

# Attachment C Schedule A

Internal- Identification Number (IIN)	Height & Class	Species & Treatment	Treated Pole Price	——A.W.— Williams Inspection	Cost of Delivery	Price to E.on U.S.	
1247594	95' class H4	Douglas Fir - Penta					
1197043	95' class H3	Douglas Fir - Penla					
1197051	95' class H2	Douglas Fir - Penla					
7006592	95' class H1	Douglas Fir - Penta					
7002395	95' class 1	Douglas Fir - Penta					
1247543	100' class H5	Douglas Fir - Penta					
1197019	100' class H4	Douglas Fir - Penta					
1197027	100' class H3	Douglas Fir - Penta					
1196643	100' class H2	Douglas Fir - Penta					
1197035	100' class H1	Douglas Fir - Penta					
7001404	100' class 1	Douglas Fir - Penta					
7002481	Anchor, Log, 10"X6"	Southern Yellow Pine - CCA		Editor California			
7002482	Anchor, Log, 12"X10"	Southern Yellow Pine - CCA					

# Brown Wood Preserving Co., Inc

#### Diesel Fuel Surcharge Calculation

Diesel Fuel Surcharge Calculation is based on the "Weekly On-Highway Diesel Prices" report published by the Energy Information Administration (EIA). The U.S. average is used as basis. The prices are in dollars per gallon, including taxes. Price the date of 9/28/2009 will be the basis for this surcharge calculations

## http://tonto.eia.doe.gov/oog/info/wohdp/diesel.asp

#### 1. Truck Freight

Surcharge on the diesel fuel used by trucks to deliver poles. This surcharge affects all loads shipped.

# Truck Freight Surcharge Calculation Freight surcharge is calculated by taking round trip miles from shipping point Kennedy, AL to Louisville, KY. This distance is divided by 5 (standard miles per gallon an over the road truck typically gets) to come up with gallons of diesel used to make delivery. Gallons of diesel used is multiplied by the increase/decrease of EIA weekly report price. Example EIA price 9/28/2009 EIA price on 04/14/2010 \$3.10 (This is an example not actual EIA price) Kennedy, AL to Louisville, KY - 425 Miles or 850 round trip miles. 850 miles round trip miles Kennedy, AL to Louisville, KY divided by 5 miles to gallon = 170 gallon of diesel used \$3.10 Increase per gallon in price of diesel fuel per EIA weekly report 170 gallons of diesel used multiplied by hange in EIA price = Per load Increase Cubic Foot per load is 775.

#### 2. CCA-ET Poles

Surcharge calculations for CCA and E-T oil used in the treatment of CCA-ET poles.

#### **CCA-ET Pole Surcharge Calculation**

CCA-ET poles are treated with two different concentrates: CCA and E-T Oil. CCA poles by specification must have .60 lbs of CCA per cft. E-T oil by specification must have 1 lbs of oil on the outer 1 inch of pole. CCA escalation/deescalation is calculated by multiplying cubic foot of pole by .60 = lbs of CCA in pole. Invoice change from vendor of a pound of CCA multiplied by lbs of CCA per pole. E-T is calculated the same way. 1 lbs of E-T Oil on outter inch of pole works out very close to .60 lbs per cft. Invoice from Arch Wood Protection will be used as basis for CCA and E-T. CCA basis is E-T basis is Example

4/40 - 18.4 cubic foot per piece.

CCA chemical falls from \$1.65

change in Arch Chemical price of CCA

18.4X.6=11.04 lbs of CCA in 4/40. 11.04X decrease in price of 4/40

E-T Oil escalation/de-escalation would be calculated same as CCA

If diesel prices drop, freight charge will decrease by same formula.

# CONFIDENTIAL INFORMATION REDACTED

3. Timber

Timber Calculation
Timber componet calculation is based on most current Southern Pressure Treaters Association ISPTA) Quarterly Raw
Pole Cost Report. The base will be the 2nd quarter 2009 \$/Ton for Tree Length Barkies ost of CCA-ET pole is
raw wood cost. Adjustments in purchase price of poles will be calculated by following formula: T * PO *((T2-T1)/T2)
where T base percentage isnd T1 base price index is
Example
4/40 - PO price . Timber percentage of pole cost is SPTA 2nd quarter Raw Pole Cost PTA
2010 4th quarter Raw Pole Cost

# CONFIDENTIAL INFORMATION REDACTED

LGE Contract #767662

#### CONTRACT

This Contract ("Contract") is entered into, effective as of January 15, 2008, between Louisville Gas and Electric Company (hereinafter referred to as "LG&E" or "Company" or "Customer"), whose address is 820 West Broadway, Louisville, Kentucky 40202, and Brownstown Electric Supply Co, Inc. (hereinafter referred to as "Contractor") whose address is 690 E. State Road 250, Post Office Box L, Brownstown, Indiana 47220.

NOW, THEREFORE, in consideration of the mutual covenants contained herein, and other good and valuable consideration, the receipt and sufficiency of which are hereby acknowledged, the parties do hereby agree as follows:

#### 1.0 GENERAL

Contractor shall perform the following services which are more specifically described in Article 2.0 (hereinafter referred to as the "Work") and Company shall compensate the Contractor for the Work, under all the terms and conditions hereof:

- 1.1 Provide all services (including receipt of orders, picking, staging and delivery of material, applicable data entry) associated with the direct shipping of electric materials to LG&E Operations Centers from the Contractor warehouses.
- 1.2 Provide on site warehouse and logistics services for any and all Company storerooms or Contractor Yards and to supplement staffing levels on an as needed basis.
- 1.3 Provide the Maintenance, Repair and Operating (MRO) Electrical T & D materials as required by the Company.

#### 2.0 SCOPE OF WORK

Contractor shall provide all services associated with shipping of MRO electric materials to Company from Contractor's warehouse facilities. Except as otherwise expressly provided herein, Contractor shall supply all labor, supervision, materials, equipment, and tools and warehousing, and shall pay all expenses, necessary or appropriate in the performance of the Work. Contractor shall provide the following services:

#### 2.1 Safety

- 2.1.1 Passport The Contractor shall be "Passport" certified before performing work on CUSTOMER property. "Passport" is an instructional general safety training session designed to orient new contractors to the CUSTOMER safety environment, rules, and culture. Contractor shall participate in Company's Passport Safety Program and provide Monthly Passport reporting as required by Company safety policies.
- 2.1.2 Forklift certified All warehouse employees of the Contractor shall be certified to operate forklifts.
- 2.1.3 Personal Protective Equipment The Contractor shall use required PPE at all times when performing work on CUSTOMER property.
- 2.1.4 Drug and Alcohol Testing Contractor shall participate in a Random Drug and Alcohol Testing Program which meets LG&E requirements.
- 2.1.5 Contractor shall abide by all CUSTOMER safety regulations.



2.1.6 Contractor shall report to Customer any hazardous conditions such as, asbestos, PCBs, hazardous waste, etc., before proceeding with the Work. In the event Contractor may come in contact with insulation, gasket material, packing, roofing, siding, floor tile, roof tile or any similar material that has the potential to be asbestos, Contractor shall <u>stop work immediately and contact Customer's supervisor in charge of the work.</u> If the supervisor in charge of the work cannot be reached, Contractor shall contact the designated supervisor or shift supervisor and wait for proper instructions before resuming work.

#### 2.2 Material Inventory

Contractor shall keep adequate inventory levels of all items on Schedule A to support all Customer activities. Inventory levels will be mutually agreed upon between Customer and Contractor.

#### 2.2.1 Schedule A

Attached - Schedule A is a list of items CUSTOMER requests Contractor to keep in stock in mutually agreed quantities. Prices on Schedule A shall be firm for a minimum of 90 day except for wire and cable. Wire and cable prices will be firm for a minimum period of 30 days. Contractor shall supply any one or more of the approved manufacturer parts per each CUSTOMER Internal Identification Number (IIN). Contractor shall not supply a part or a part from a manufacturer not listed in the approved manufacturers/ manufacturer part numbers without prior approval of Customer.

#### 2.2.2 Storm Inventory

Contractor and Company will mutually agree upon material designated as "Storm Stock" in case of a storm event or other disaster anywhere in Customer's service territory. Contractor shall keep agreed storm stock material on hand.

#### 2.2.3 Contractor Sourcing

Contractor shall receive orders for items other than those agreed and stocked on Schedule A. These items will be subject to manufacturer lead times. Contractor will report the lead time and estimated delivery date on the LG&E daily backorder reports.

#### 2.3 Material Delivery

#### 2.3.1 EDI

Contractor shall receive orders via EDI and invoice via EDI. Contractor agrees and acknowledges receipt of Customer EDI Trading Partner Agreement. Said agreement is part of this agreement as **ADDENDUM D**.

#### 2.3.2 Bar Code

Contractor shall submit packing documents with bar codes for PO #, IIN, and Quantities as per Attachment I.

- 2.3.2 Louisville Gas & Electric (LG&E) Direct Ship Job Kitting Daily, Sunday through Thursday, Contractor will receive LG&E orders received by 5:30 p.m. for material to be kitted by job. The Contractor will pick and stage material, deliver by 6 a.m. the following day, and unload behind trucks at LG&E and LG&E contractor locations in and around Louisville.
  - 2.3.2.1 Wire and cable cutting to length and packaged per "kit" will be required on some Direct Ship orders. Contractor shall provide wire cutting equipment to provide this service. Cables too large for cutting and packaging in a "kit" can be staged at CUSTOMER locations.
- 2.3.3 LG&B Free Bins Contractor shall keep inventory levels stocked based on preset minimum and maximum levels at all Customer free bin locations at least weekly.

Attachment to Response to LGE PSC-2 Question No. 54
Page 28 of 118
Hermann

2.3.4 Job Trailers - Larger projects will be "kitted" in a job trailer. Upon Customer request, Contractor will pick, stage, lock, and secure in an enclosed box trailer, and deliver to a job site. Contractor shall furnish and maintain trailers for this use. Material shall be staged on the trailer by the Contractor with the first used as the last loaded. All job trailers must have CUSTOMER supplied OSHA approved steps for safe entry and exit of trailer. Contractor will be responsible for maintaining steps.

#### 2.3.5 Misc. Transfers

Contractor shall transfer materials between Customer facilities at no additional costs to customer.

#### 2.4 Manage Warehouses / Warehouse Support

Contractor shall supply all labor, supervision, equipment, tools, and shall pay all expenses, necessary or appropriate in the performance of the managing and supporting warehouses as directed by Customer. These services include but not limited to the following See Schedule C1:

- On site Contractor personnel shall possess a CDL license when required.
- Contractor must be licensed to do business in the Commonwealth of Kentucky.
- Contractor hiring procedures must meet or exceed all Federal, State and Local requirements and include background checks and Drug Screening of all potential employees working on Customer premises.
- Supervision and/or management for employees must be provided on-site where necessary.
- · Receive materials at the warehouse dock or site;
- Verify the received materials with the shipping manifest;
- · Store the material in the correct location;
- Perform data entry in the Oracle system verifying receipt of material;
- Perform physical counting of material contained in the warehouse;
- Perform weekly inventory counting of distribution poles -- and maintain and replenish stock as authorized by Customer warehouse supervisors.
- Pick and issue or return material systematically or will call as requested by Customer,, perform data entry into Customer's Oracle system confirming receipt or return of the requested material;
- Monitor and replenish material in LG&E's free bins at East Service Center, Auburndale Service Center, and Contractor's Yard;
- Monitor the central return area at each of Customer's service centers for returns of material;
- Perform other miscellaneous warehouse duties at any and all Customer's storeroom locations as requested by Customer; and
- Transport material to and between Customer locations.
- Storm Support

Contractor shall provide labor 24/7 for emergency storm or other outage events as described in Schedule C.

Attachment to Response to LGE PSC-2 Question No. 52
Page 29 of 118
Hermann

Large Transformer Delivery
 Contractor shall supply all properly certified labor, supervision, equipment, tools, and shall pay all expenses, necessary or appropriate in the performance of emergency

delivery of large 3\(\tilde{\phi}\) pad mounted transformers. This service shall be available 24/7 and include a truck capable of safely transporting up to a 2000 KVA pad mounted transformer (13,500 lbs). The truck shall be headquartered at the KU Stone Road facility and be available daily for hauling any material.

- 2.4.1 A list of any subcontractors performing Work must be provided to Customer. No subcontractor shall enter Customer property without the written notice Contractor shall notify the Company of all subcontractors to be utilized in performance of Work at least forty-eight (48) hours prior to start of Work. Subcontractors will be denied access to Company facilities without the required notification. See the Article titled "Assignment of Agreement; Subcontracting" in the General Services Agreement. Customer reserves the right to refuse a subcontractor for any reason.
- 2.4.2 Where necessary for performance of the Work, Customer will furnish to Contractor, without cost to Contractor, the following items in connection with performance of the Work:
  - Oracle terminal and remote access into Customer's Oracle system;
  - Printer connected to the Oracle terminal;
  - Security access to applicable Customer sites;
  - Material handling equipment at the storerooms;
  - Vehicles at the storeroom locations for use only within those locations;
  - Storage containers (Tubs) currently used at Customer warehouses;
  - Use of Customer scrap disposal contract, including the staging of scrap dumpsters at the Contractor site.

The scope referenced is not binding on the Company, nor is it binding on the Company to assign all or any part of the Work exclusively to the Contractor. Contractor is expected to provide the necessary expertise, labor and equipment to fulfill Company's needs throughout the entire Customer service territory or as contracted for a specific region.

# 3.0 TERM

١

This Contract shall become effective January 15, 2008 and continue through January 15, 2013, unless terminated earlier in accordance with Article 21 of the General Services Agreement. LG&E makes no promise or guarantee as to the amount of Work to be performed under this Contract, nor does it convey an exclusive right to the Contractor to perform Work of the type or nature set forth in this Contract.

#### 4.0 PERFORMANCE SCHEDULE

- 4.1 Emergency Work some work may be of an emergency nature. Contractor shall commence performance Work designated by Company at jobsite within 1 hour after receiving notice to proceed from Company and shall complete Work as soon as possible after commencement of Work.
- 4.2 Contractor shall deliver material daily by 6:00 AM, Sunday through Thursday.
- 4.3 Requirements that are not met, i.e. short, miss-picked, if determined by Customer to be immediately required, shall be filled by Contractor in 2 hours or less.

4

Attachment to Response to LGE Page 30 of 118 Hermann

#### 5.0 TERMS AND CONDITIONS

5.1 The General Services Agreement, attached hereto as Addendum A, the Confidentiality Agreement Addendum B, the Electronic Data Interchange Trading Partners Agreement Addendum D, and the Security Agreement Addendum C attached hereto are incorporated by this reference and made a part of this Contract. In case of a conflict between or within the General Services Agreement, the terms of this Contract and/or any attachment, Customer shall resolve such conflict, and Customer's resolution shall be binding on Contractor.

# 6.0 SPECIFIC REPORTING REQUIREMENTS

- 6.1 Contractor agrees to submit the following reports to Customer:
  - 6.1.1 LG&E Free Bin Spend (quarterly) Contractor shall report spend amounts and purchase quantities per IIN, per Free Bin location.
  - 6.1.2 Price updates (quarterly) Contractor shall maintain firm pricing on all items on Schedule A for a minimum of 90 days with exception of wire and cable. LG&E price update reports shall include: Blanket #, Blanket line #, IIN, unit of measure, previous 12 month rolling purchase quantity, previous period price, and current period price.
  - 6.1.3 Price updates (monthly) Contractor shall maintain firm pricing on all wire and cable items on Schedule A for a minimum of 30 days. LG&E price update reports to include: Blanket #, Blanket line #, IIN, unit of measure, previous 12 month rolling purchase quantity, previous period price, and current period price.
  - 6.1.4 Women and Minority Business Enterprises (WBE & MBE) Tier 2 (quarterly) Contractor shall report all MBE and WBE "flow through" tier two spend. Contractor shall also report first tier Veteran owned spend.
  - 6.1.5 Dead Stock (monthly) Contractor shall report on all inventories that has not been used or removed from the Contractor's inventory in the last 12 months. Report to include IIN, Description, Quantity on Hand, Current Price, and Last Purchase Date.
  - 6.1.6 Back Order Report LG&E (daily) Contractor shall report on all backorders of the current day's LG&E Direct Ship deliveries and previous backorders until the backorder is filled. Report to show Delivery Location, PO #, IIN, Description, Quantity on Backorder, and Expected Delivery Date.
  - 6.1.7 Contractor shall provide data as requested by Customer to prepare a quarterly "Report Card" to measure supplier's performance in the areas of, but not limited to, safety, timeliness, cost savings, fill rate, backorders, on-time delivery, and warehouse support services performance as related to each specific warehouse. The "report card" will be mutually agreed and utilized to measure suppliers' performance and to classify any Risk/Reward parameters.
  - **6.1.8** Contractor shall submit completed weekly timesheets for each billable Contractor employee involved in the Direct Labor Work. Weekly timesheets shall be approved by LG&E Material Supervisor.
  - 6.1.9 Monthly invoicing requires detailed Job costing backup for monthly activity. (Actual Fuel Cost).
- 6.2 Contractor recognizes Company may request other reports. The parties shall mutually agree in writing on the frequency of reporting described in this Section 6.0; provided that Customer shall have the right to insist that such reports be submitted no less frequently than weekly.

#### CONFIDENTIAL INFORMATION REDACTED

#### 7.0 COMPENSATION

7.1 Compensation for the delivery of MRO materials (goods):

Contractor shall be compensated for goods delivered with the following material markup unless noted otherwise. The contractor's material markup shall include the costs of these services in Article 2.3.The Contractor's material markup shall be firm for the duration of this contract at a markup of and shall be calculated by the following method:

Contractor's cost of goods > Price to Customer

Note: Contractor's cost can be Contractor's average inventory costs. Contractor shall maintain adequate auditable records to support changes in Contractor actual cost of goods sold.

7.1.1 Freight Cost and Routing Instructions -- Freight costs are included in Contractor's material markup. Normal delivery from Contractor's facilities, shipping terms shall be F.O.B. destination, freight prepaid and included, with carrier specified by Contractor.

#### 7.2 Compensation for Direct On-Site labor and vehicles:

Payments for the Work described in article 2.4 shall be made to Contractor monthly by the Company with the amount of such monthly compensation equal to the amount of hours worked and billed by Contractor per Schedule C and are inclusive of all direct wage rates, fringe benefits, labor allowances, payroll taxes, insurance, small tools, consumables, expendables, overhead, profit and all other costs and expenses incurred by Contractor in performing the Work. Pricing on labor shall not be increased for 12 months following the Effective Date of this Contract; any increase thereafter shall only be effective if Contractor provides Customer with written notice of such increase at least 90 days before the beginning of the proceeding annual renewal term in which such increase would take effect. Labor price increases shall not exceed any one-year term. Equipment Rates shall be firm for the term of the contract.

- 7.2.1 See Schedule C for Transformer Delivery Truck- monthly fee Plus mileage.
- 7.3 Fuel Adjustment Each month Contractor shall invoice actual fuel costs per vehicle per Schedule C.
- 7.4 Extraordinary Emergency and Storm work If Customer requests services requiring Contractor to have any of Contractor's personnel listed on the attached Schedule A-3 individually provide services to Customer for more than 45 hours in one (1) week (Sunday- Saturday), and each of the other personnel listed have worked 45 or more hours in the same week, a separate purchase order shall be issued to cover the additional time.
  - 7.4.1 Addition or Substitution of Contractor's Personnel—In the event of a change in or addition to the positions listed as Contractor's personnel on Schedule C, any change in monthly compensation shall be by mutual written agreement between Contractor and Customer; provided that Customer shall—not be required to any increase not resulting from an addition of personnel by Contractor not requested in writing by Customer.

#### 7.5 Pricing for Changes in Scope of Work

At Customer's sole option, adjustments to the Contract Price for changes in the scope or description of work shall be on a fixed price basis as set forth in this Contract or in accordance with the Labor and Equipment Rate Schedule C.

- 7.6 Special Invoicing Instructions
  - 7.6.1 Contractor shall be issued separate Purchase Orders for services and materials.
  - 7.6.2 Contractor shall accept credit cards for payment as requested by Customer.
  - 7.6.3 Payment Schedule Net 10 days from Company's receipt date of invoice for monthly service and Free Bin material invoices.



- 7.6.4 Payment Schedule Net 30 days from Company's receipt date of invoice for all other material deliveries.
- 7.6.5 Invoices shall include Contract No. LG&E #767662 for services and applicable PO numbers issued for goods. Monthly invoices shall be prepared in one original for direct labor and vehicle services, distributed as follows:

Original: Louisville Gas and Electric Company PO Box 32020 Louisville, Kentucky 40232 Attention: David Campbell

7.6.5.1 Monthly Material (Free Bins) invoices shall be emailed to appropriate LG&E representatives.

7.6.5.2 EDI material orders shall be invoices via electronic format,

#### 8.0 CONTINUOUS IMPROVEMENT

8.1 Contractor and Customer agree to aggressively identify and pursue continuous improvement (CI) opportunities during the course of this Contract. CI opportunities include process improvements streamlining, elimination, and introduction of new processes, at either the Contractor and/or Customer facilities. The sharing of any dollar savings associated with these improvements will be negotiated.

#### 9.0 CONTRACTUAL NOTICES

In accordance with Article 25.07 of the General Services Agreement, notices shall be addressed as follows:

9.1 Company address: Louisville Gas and Electric Company

820 West Broadway P.O. Box 32020

Louisville, Kentucky 40232 Supply Chain BOC2 Attn: David Campbell

David.campbell@eon-us.com

(502) 627-3581

9.2 Contractor's address: Brownstown Electric Supply Co., Inc.

Highway 250 East

Brownstown, Indiana 47220

Atm. Gregg Deck

gdeck@brownstown.com

(812) 358-8228



		Louisville Gas Electric	0		
Binkt Line#	IIN	Description	UOM	Price	Supplier Item
1	136201	ADAPTER,3/4",PVC,FEMALE,1 END HAS FEMALE THREADS,SOCKET END ON OTHER, SCHEDULE 40	EACH		PVC-ADAPT-0.75-F-40
8	376260	PROTECTOR, WILDLIFE, SNAP ON, TRANS/ARREST (TRANSFORMERS & LIGHTNING ARRESTERS)	EACH		S635
9	376678	BAR, * * * "EMERGENCY USE ONLY" * * *,MOUNTING,SWITCH,LOADBREAK,UNDERARM	EACH		376678
10	376686	PLATE,ANCHOR,6"X 6"X 3/8",W/1-1/8"HOLE MULTIPLES: 25- 49 @ 5.95, 50-99 @ 5.50 100-149 @ 4.95, 150-250 @ 4.50,	EACH		376686
11	381578	250+ @ 4.25 DECAL,NUMERIC-0,2-1/4"X 7/8",BLACK ON YELLOW BACKGROUND CHARACTER HEIGHT 1-15/16",OUTDOOR GRADE VINYL,PERMANENT ADHESIVE,WV	CARD		OUT200-Y-0
••	0010.0	RESISTANT,MARKING UNDGRND PADMOUNTED EQUIPMENT DECAL,NUMERIC-1,2-1/4"X 7/8",BLACK ON YELLOW	J. 11 11-		
12	381586	BACKGROUND,CHARACTER HEIGHT 1-15/16",OUTDOOR GRADE VINYL,PERMANENT ADHESIVE,UV RESISTANT,MARKING UNDGRND PADMOUNTED EQUIPMENT	CARD		OUT200-Y-1
13	381594	DECAL, NÜMERIC-2,2-1/4"X 7/8", BLACK ON YELLOW BACKGROUND, CHARACTER HEIGHT 1-15/16", OUTDOOR GRADE VINYL, PERMANENT ADHESIVE, UV RESISTANT, MARKING UNDGRND PADMOUNTED	CARD		OUT200-Y-2
14	381601	EQUIPMENT DECAL,NUMERIC-3,2-1/4"X 7/8",BLACK ON YELLOW BACKGROUND,CHARACTER HEIGHT 1-15/16",OUTDOOR GRADE VINYL,PERMANENT ADHESIVE,UV RESISTANT,MARKING UNDGRND PADMOUNTED EQUIPMENT	CARD		OUT200-Y-3
15	381619	DECAL, NUMERIC-4,2-1/4"X 7/8",BLACK ON YELLOW BACKGROUND,CHARACTER HEIGHT 1-15/16",OUTDOOR GRADE VINYL,PERMANENT ADHESIVE,UV RESISTANT,MARKING UNDGRND PADMOUNTED EQUIPMENT	CARD		OUT200-Y-4
16	381627	BECAL, NUMERIC-5, 2-1/4"X 7/8", BLACK ON YELLOW BACKGROUND, CHARACTER HEIGHT 1-15/16 IN, OUTDOOR GRADE VINLY, PERMANENT ADHESIVE, UV RESISTANT MARKING UNDERGROU ND PADMOUNTED EQUIPMENT. DECAL, NUMERIC-6, 2-1/4"X 7/8", BLACK ON YELLOW	CARD		OUT200-Y-5
17	381635	BACKGROUND, CHARACTER HEIGHT 1-15/16", OUTDOOR GRADE VINYL, PERMANENT ADHESIVE, UV RESISTANT, MARKING UNDGRND PADMOUNTED	CARD		OUT200-Y-6
18	381643	EQUIPMENT DECAL, NUMERIC-7,2-1/4"X 7/8", BLACK ON YELLOW BACKGROUND, CHARACTER HEIGHT 1-15/16", OUTDOOR GRADE VINYL, PERMANENT ADHESIVE, UV RESISTANT, MARKING UNDGRND PADMOUNTED EQUIPMENT	CARD		OUT200-Y-7
19	381651	DECAL, NUMERIC-8,2-1/4"X 7/8", BLACK ON YELLOW BACKGROUND, CHARACTER HEIGHT 1-15/16", OUTDOOR GRADE VINYL, PERMANENT ADHESIVE, UV RESISTANT, MARKING UNDGRND PADMOUNTED EQUIPMENT	CARD		OUT200-Y-8
20	384419	LUMINAIRE,CONTEMPARY,HPS,400W,120V,50000 LUMENS,HPF,TYPE III,PEC/REC,W/PLUG-IN STARTER,DARK BRONZE,SQUARE POLE,W/STANDARD NEMA STICKER	EACH		15340SCA120R3FGOP&153-1-H
21	384427	LUMINAIRE,CONTEMPARY,HPS,250W,120V,28500 LUMENS,HPF,TYPE III,PEC/REC,W/PLUG-IN STARTER,DARK BRONZE,SQUARE POLE,W/STANDARD NEMA STICKER	EACH		15325SCA120R3FG09&153-1-H
23	387727	CONNECTOR, SERVICE BLOCK, PARALLEL 795 TO #2- 500MCM, CONICAL SCREW TYPE, WITH INHIBITOR, FOR	EACH		UGD6-750-500
24	387735	OVERHEAD SERVICE STD PKG=4 COVER,SERVICE BLOCK,FOR 795 TO #2-500 CONNECTOR WITH 2 HOLES FOR 795 ENTRY	EACH		CMA
28	394819	JUMPER,SOCKET,200 AMP,FLAT,COPPER METER SOCKETS BASE JUMP OUT (NO SUBSTITUTE)	EACH		9A-1730-2
29	394835	COVER,METER SOCKET,BLANK,BLADED,MOLDED CLEAR LEXAN METER SOCKETS (NO SUBSTITUTE) POLE,FIBERGLASS,20' BRONZ,16'MTH DIR EMBEDDED	EACH		
30	399560	HANDHOLE,2-2 1/2" X 6" SLOTTED ENTRY PORTS AT 180 DEGREE SEPERATION CENTERLINE, SLOT LOCATION WILL FALL 18" BELOW GRADE, SMOOTH FINISH, SLIP FITTER LOSE SPEC 1220025ER FOR ST. LIGH <b>ALEACHMENT to Resp</b>	EACH		BS20-01S5BE19 2 Question No. 54

LG&E SPEC.122992FRP.FOR ST LIGHARDS PAGE 34 of 118

Hermann

		SCHEDULE A			
		TAG,NUMBER 8(EIGHT),.025"X .875"X LOUISVILOZGOPAEIPCTRIC			XI
33	399719	BLACK CHARACTER ON YELLOW BACKGROUND,POLYETHYLENE IDENTIFICATION OF	EACH		H9008
		LINDERGROUND CABLES			
	000707	TAG,NUMBER 7(SEVEN), 025"X .875"X 1.60",HORIZONTAL 1" BLACK CHARACTER ON YELLOW	EACH		H9007
34	399727	BACKGROUND, POLYETHYLENE IDENTIFICATION OF	EAGN		119007
		UNDERGROUND CABLES TAG,NUMBER 6(SIX) OR 9(NINE), 025"X .875" X			
35	399735	1.60",HORIZONTAL 1" BLACK CHARACTER ON YELLOW BACKGROUND,POLYETHY- LENE IDENTIFICATION OF	EACH	100	H9006
		UNDERGROUND CABLE TAG,NUMBER 5(FIVE),.025"X .875"X 1.60", HORIZONTAL,1"		1700	
36	399743	BLACK CHARACTER ON YELLOW BACKGROUND,	EACH		H9005
30	399743	POLYETHYLENE IDENTIFICATION OF UNDERGROUND CABLES	1.71011		17.0000
		TAG,NUMBER 4(FOUR), 025"X 875"X 1.60",HORIZONTAL 1"			
37	399751	BLACK CHARACTER ON YELLOW BACKGROUND,POLYETHYLENE IDENTIFICATION OF	EVCH		H9004
		UNDERGROUND CABLES TAG,NUMBER 3(THREE).025"X .875"X 1.60",HORIZONTAL 1"			
38	399760	BLACK CHARACTER ON YELLOW	EACH		Н9003
• •		BACKGROUND,POLYETHYLENE IDENTIFICATION OF UNDERGROUND CABLES		100	
		TÄĞ,NÜMBER 2(TWO) .025"X .875"X 1 60",HORIZONTAL 1" BLACK CHARACTER ON YELLOW			
39	399778	BACKGROUND, POLYETHYLENE IDENTIFICATION OF	EACH		H9002
		UNDERGROUND CABLES TAG,NUMBER 1(ONE) .025"X .875"X 1.60",HORIZONTAL 1"			
40	399786	BLACK CHARACTER ON YELLOW BACKGROUND,POLYETHYLENE IDENTIFICATION OF	EACH		H9001
		LINDERGROUND CABLES			
	000704	TAG,NUMBER 0(ZERO).025"X .875"X 1.60",HORIZONTAL 1" BLACK CHARACTER ON YELLOW	EACH		H9000
41	399794	BACKGROUND, POLYETHYLENE IDENTIFICATION OF	EAGN	Carried Section 1	113000
		UNDERGROUND CABLES HOLDER,TAG, BLACK POLYETHYLENE, .035" THICK, X 1.625"	FAOU		731.50
42	399801	WIDE X 4 375 PLUS IN (FOR 5 TAGS) STAMPED WITH 3 SLOTS PER END. HOLDING UNDERGROUND CABLE TAGS	EACH		TH-5P
43	404135	ENCLOSURE, SECONDARY, TERMINATION, 3-PHASE, PADMOUNTED, 6000A CURRENT RATED, UP TO 20	EACH	Samuel de Co	LPTE20-1000
43	404133	FA 1000MCM TERMINATIONS PER PHASE	271011		L, 12110 1000
	140040	COVER, SERVICE BLOCK, FOR SINGLE 795 TO #2- 500MCM, CONNECTOR WITH 1 HOLE FOR 795 ENTRY USED	EACH		CML
46	416619	ON SINGLE 795 OVERHEAD SERVICE (CONTACT GENE OGLESBY BEFORE ORDERING)	EAGH		OWL.
		CONNECTOR, SERVICE BLOCK, SINGLE 795 TO #2-			1100 44 250 500
47	416627	500MCM,CONICAL SCREW TYPE,WITH INHIBITOR,FOR OVERHEAD SERVICE STD PKG=4	EACH	and and an analysis of the second	UGD-41-750-500
		TERMINATION KIT, 15KV.#4-1/0,175 OR 220 ***** ( BOX = 3 PIECES/EACH) **** MIL INS,IN DOOR,FOR 1/C COOPER			
51	430419	TAPE SHI- ELD, INSULATION RANGE .58-1.10", W/24"	вох		HVT-151-G
		GROUND BRAID AND ACLAMP TERMINATION KIT,15KV,400-1000MCM,175 OR ***** (BOX = 3			
52	430427	PIECES/EACH) **** 220 MIL, INS, IN DOOR, FOR 1/C COPPER	вох		HVT-153-G
		TAPE SHIELD,INSULATION RANGE 1.07-2.00" W/24" GROUND BRAID AND CLAMP			
53	432627	TAPE,BARRICADE, "CAUTION BURIED ELECTRIC LINE BELOW",RED W/BLACK TEXT,4 MIL THICK 3" X 1000'	ROLL	10.00	
		SPLICE, HEAT SHRINK, 4/0-400 MCM, 15KV 1/C CABLE, FOR JACKETED CONCENTRIC NEUTRAL OR TAPE			
54	433994	SHIELDED, CONSISTING OF THE FOLLOW- ING, 1-	EACH		HVS-1512S-J-LGE
54	400004	STRANDARD HVS-1512S-J SPLICE KIT,1 GROUND BRAID,1- ROLL OF GROUND MESH & INSTRUCTION SHEET FOR TAPE			,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,
		SHIELDED CABLE SPLICE, HEAT SHRINK, 500-600MCM, 15KV 1/C CABLE, FOR			
		JACKETED CONCENTRIC NEUTRAL OR TAPE			
56	434035	SHIELDED,CONSISTING OF THE FOLLOW- ING,1- STRANDARD HVS-1513S-J SPLICE KIT,1 GROUND BRAID,1-	EACH		HVS-1513S-J-LGE
		ROLL GROUND MESH & INSTRUCTION SHEET FOR TAPE			
		SHIELDED CABLE. (C			

		SPLICE, HEAT SHRINK, 750-1000 MCM, LINWISY JEARS, FURCTO JACKETED CONCENTRIC NEUTRAL OR TAPE	ic	
57	434043	SHIELDED, CONSISTING OF THE FOLLOW- ING, 1-STANDARD HVS-1514S-J SPLICE KIT, 1- GROUND BRAID, 1-ROLL OF	EACH	HVS-1514S-J-LGE
		GROUND MESH & INSTRUCTION SHEET FOR TAPE SHIELDED CABL		
58	435127	TUBING, HEAT SHRINK, 600V, 250 - 500, 12" LENGTH	EACH	WCSM 51/16-300S
63	442901	DEADEND,GRIP,TWISTED FOR 1/0 AL,RANGE, 365-409 LENGTH 26",COLOR=YELLOW	EACH	DG-4544
66	453686	SPLICE, CMPSN, 1/0 STR AU/CU, NON-TENSION, WITH INHIBITOR, 840 DIE STD PKG = 50	EACH	36715
67	453694	SPLICE, CMPSN, 2/0 STR AL/CU, NON-TENSION, WITH INHIBITOR, 840 DIE 25/PKG	EACH	36711
		CONNECTOR,SECONDARY,SUBMERSIBLE, INSULATED,RANGE #10-350 AL OR CU.,SET SCREW		
68	453719	TYPE,FOR URD SECONDARY STD PKG=24 URD	EACH	USPA-350-SS
		SECONDARY SYSTEM SPLICE,CMPSN,4/0 STR AL/CU,NON-TENSION, WITH		
69	453727	INHIBITOR,840 DIE URD SECONDARY SYSTEM LUMINAIRE,CONTEMPARY,HPS,400W,480V,50000	EACH	36700
70	454278	LUMENS,HPF,TYPE III,PEC/REC,W/PLUG-IN STARTER,DARK	EACH	15340SCA480R3FGOP
~.		BRONZE, SQUARE POLE, W/STANDARD NEMA STICKER LUMINAIRE, COLONIAL, 120V, 70W HPS, NPF, BLACK		
71	454435	COLONIAL, TYPE V,PEC/REC, 55V OPER. PLUG-IN STARTER  18/PALLET ***FOR MAINTENANCE ONLY***	EACH	T10CO7S1N2AMS5BLLT
		LUMINAIRE,COBRA,HPS,400W,480V,50000 LUMENS,TYPE		
72	454501	III,AUTO-REG BALLAST,GLASS,PEC/REC,W/PLUG-IN STARTER,W/STANDARD NEMA STICKER	EACH	12540SCA480R3DGOP
		CONNECTOR,#10-350MCM,4 POSITION,SET		
73	454527	SCREW,INSULATED,600VOLT,URD JUNCTION DIRECT BURIAL SUBMERSIBLE,WINHIBITOR URD SECONDARY	EACH	PED4-350-SSP
		SERV PEDESTAL*STD PKG=12		
		CONNECTOR,#10-350 MCM,6 POSITION,SET		
74	454535	SCREW,INSULATED,600 VOLT,URD JUNCTION, DIRECT BURIAL SUBMERSIBLE,WINHIBITOR URD SECONDARY	EACH	PED6-350SSP
		SERVICE PEDESTAL		
75	454551	CONNECTOR,#10-500MCM,4 POSITION,SET SCREW INSULATED,600 VOLT,URD JUNCTION, DIRECT BURIAL	EACH	PED4-500-SSP
, ,	404001	SUBMERSIBLE, W/INHIBITOR URD SECONDARY SYSTEM CONTROL, PHOTOELECTRIC, 420/530V, YELLOW	CAOTI	1 254-500-661
70	455407	COVER, ELECTRONIC, 1000W, 1800VA, TIME DELAYED, 1.5 FCS	FACUL	D100 4.5 0714
76	455127	TURN ON,CADMIUM-SULFIDE PHOTOCELL,MINIMUM 160 JOULE MOV ARRESTER,TWISTLOCK BASE,DUSK TO	EACH	D480-1.5-STM
		DAWN,USE ONLY ON 480V	l.	
77	455427	POISTIONER, CABLE, FOR 3/4"TO 2"OD CABLE USED FOR HOLDING CABLE TERMINATION TO LATERAL POLE."	EACH	CS820
''	400427	STANDARD CARTON IS 36 PCS.	LAUIT	G3020
78	456251	TIE,CABLE,BLACK,1/10" X 8" LONG 1000/PKG (TO BE USED	EACH	PLT2M-MO
		WITH ABM2S-AT-CO TIE MOUNTS) MC STARTER,HPS,150W AND UNDER,55VOLT IGNITOR,100W		
79	458394	HPS,55V OUTDOOR LIGHTING - EDISON IV LUMINAIRE FOR	EACH	220C173A01
		CHOUSE-HINDS USED WITH IIN 0825027 MC SPLICE,TENSION,AUTO,20M AW MESSENGER(DESIGNED		
81	463378	FOR CURRENT-CARRYING) ** MUST BE ORDERED 100	EACH	GLA-115
		PIECE MINIMUM ** SPLICE, TENSION, AUTO, 12M AW MESSINGER (DESIGNED		
82	463386	FOR CURRENT CARRYING) ** MUST BE ORDERED 100	EACH	GLA-110
		PIECE MINIMUN **		
84	466901	SUPPORT,UNDERGROUND,CABLE,14"LONG, GALV.,(FOR #0466919 CABLE RACK) STD PACKAGE = 25	EACH	
		RACK,UNDERGROUND CABLE,30" LONG		
85	466919	GALVANIZED,(USES #0466894 OR #0466901 SUPPORTS) STD PKG = 10 EA	EACH	J5126
		ROPE, 1/2" DA-PRO,600' REEL, FOR USE AS HANDLINES OR		
86	467843	LIGHT PULLING MIN ORDER/NO FREIGHT=13200 FT(22	FOOT	1300-16
		BOXES) 'SEE IIN 0467851 WHEN REORDERING' WIRE,12.5M,7-STR ALUMOWELD GUY/MESSENGER SEE		
88	468601	WIRE SPECIFICATIONS WS-0468601 5000' REEL	FOOT	12.5M AW GUY-REEL
89	468619	WIRE,20M,7-STR ALUMOWELD GUY/MESSENGER SEE WIRE SPECIFICATIONS WS-0468619 5000' REEL	FOOT	20M GUY-REEL
		SPLICE, CMPSN, 350 MCM, CU-CU, NON-TENSION, TIMMED CU		A CONTRACTOR OF THE CONTRACTOR
90	469194	WITH INHIBITOR, USES KEARNEY OR ANDERSON TOOLING - KEARNEY 840 DIE	EACH	VHSS-350
		NEAMYET 040 DIE	~~~~~	

Attachment to Response to EGE PSC QUESTION RESACTED Page 36 of 118 Hermann

91	470935	WIRE,123.3 KCM,4/3 STR,BARE ACAR EQUID WAR GAS Electric AZUSA,500'COILS(59#) SEE WIRE SPECIFICATION WS-0470935	FOOT	AZUSA-CL
93	470986	POLE, FIBERGLASS, 30'MTH, 35'OVERALL, HANDHOLE, 2-2 1/2"X6" SLOTTED ENTRYPORTS AT 180 DEGREE SEPERATION CENTERLINE, SLOT LOCATION WILL FALL 18" BELOW GRADE, BNZ DIRECT BURIED, USE 4' SINGLE ARM #0477035, DOUBLE ARM # 0476927 PER LG&E STANDARD	EACH	BH35-01S5DG31
95	471827	800821 CAP,LIGHTNING ARRESTER,FOR DISTRIBUTION ARRESTERS	EACH	273054-4002
96	471843	TERMINAL, LUG, BRONZE, 250-350, 2-9/16"HOLES ON 1-3/4" CENTERS	EACH	QA31-2N
99	472494	BRACKET, CUTOUT/ARRESTER, FOR 11' X-ARMS ONLY, 7" LONG BOLTS, TO BE USED FOR WOOD DEADEND X-ARMS AND FIBERGLASS X-ARMS, USE IIN 7000879 FOR 8' & 10' X-	EACH	APP-1340
103	473519	ARMS SPLICE, TENSION, AUTO, 8M AW MESSENGER OR GUY WIRE (DESIGNED FOR CURRENT CARRYING) MUST BE ORDERED IN 100 PIECE MINIMUM	EACH	GLA-105
104	474735	LUMINAIRE,COLONIAL,HPS,150W,120V,16000 LUMENS,TYPE III,NPF,BLACK,HORIZONTAL LAMP,PEC/REC,55V OPER,PLUG-IN STARTER, W/STANDARD NEMA STICKER	EACH	T10R15S1N2AMS3BLLT
105	475294	ROD,ANCHOR,3/4" X 7',GALVANIZED,THREADED 1" ON BOTH ENDS,W/DOUBLE EYE EYENUT,FOR USE WITH SCREW	EACH	ANCHOR-ROD-SC-D-7X34
107	478394	ANCHORS BUNDLE = 5 GUARD,PRE-SLIT,PLASTIC TUBING,3/4" INSIDE DIA,7/8" OUTSIDE DIA.,100' COILS, FOR WILDLIFE PROTECTION	EACH	PE24 28SLIT
109	479227	ANCHOR,ROCK,EXPANDING,1" DIA ROD,96" LONG,NEEDS HOLE SIZE OF 2-3/8" (ULTIMATE STRENGTH 36,000 LBS) STD PKG=3OR \$25 BROKEN PKG CHARGE	EACH	R196L
110	479678	CONNECTOR, TRANSF., URD SEC. BAR TYPE,#2 TO 500MCM,AL OR CU.,8-POSITION,FOR 5/8" OR 1" STUDS,W/STREET LT.TAP AND GROUND TAP OR W/10 POSITIONS.W/INHIBITOR*PKG=12	EACH	479678
111	479686	COVER, CONNECTOR, TRANSFORMER, URD, 8-POSITION SEC. Z-BAR, 600V, CLEAR, RIGHT HAND STYLE, 2-COVERS REQUIRED PER TRANSFORMER PAD, FIBERGLASS, TRANSFORMER, 37"X43"X24"	EACH	ZLC-6R
112	480127	HEIGHT, WITH 22"X24" OPENING,4 INSERTS ON 28" X 34" SPACING, FOR 1 PHASE TRANSF- FORMERS (W/2 EA 6" TO 6- 1/4" LONG ANCHOR BRACKETS) & AS SPLICE BOXES (10/PALLET)	EACH	480127
118	484335	POLE, FIBERGLASS, BLACK, STRIAGHT FLUTED, 10 FT MOUNTING HEIGHT, 13' TOTAL LENGTH, 2" DIA HAND HOLE 12" ABOVE GRADE, 2-1/2" CABLE ACCESS HOLE 18" BELOW GRADE, 2-7/8" DIA X 3" LONG TENON / POLE TOP RING	EACH	DS00-13RS1102
119	484343	BASE,ORNAMENTAL COVER,NORFOLK/ESSEX SERIES,BLACK,12" DIA X 44" TALL,FOR WHATLEY FIBERGI ASS POLE	EACH	SHLV12-5.0-SS1
120	484351	BASE, ORNAMENTAL COVER, CHESAPEAKE/FRANKLIN SERIES, BLACK, 16-1/2" DIA X 20" TALL, FOR WHATLEY FIBERGLASS POLES	EACH	SHLG17-5.0-SS1
122	484378	BASE,ORNAMENTAL COVER,OLD TOWN/MANCHESTER SERIES,BLACK,12" DIA X 28" TALL, FOR WHATLEY FIBERGLASS POLES	EACH	SHLL12-5.0-SS1
123	484460	CLAMP, BOLTED VISE,#6-1/0AAAC,RUN & TAP, FOR AL-AL & AL-CU CONNECTIONS,WITH INHIBITOR STD PACKAGE = 25	EACH	GA-9020L-SS
124	484478	CLAMP,BOLTED VISE,1/0AAC-4/0AAAC, RUN #6-#2 TAP,FOR AL-AL & AL-CU CONNECTIONS,WITH INHIBITOR STD PACKAGE = 100	EACH	GA-9402L
125	484486	CLAMP, BOLTED VISE, 1/0 AAC-4/0 AAAC, RUN & TAP, FOR AL- AL & AL-CUCONNECTIONS, WITH INHIBITOR STD PACKAGE = 50	EACH	GA-9040L
126	484494	CLAMP, BOLTED VISE, 250KCMAAC-795KCM AAC RUN, 1/0AAC- 4/0AAAC TAP, FOR AL-AL & AL-CU CONNECTIONS, WITH INHIBITOR STD PACKAGE = 25	EACH	GA-9843L
127	484501	CLAMP, BOLTED VISE, 3/0 AAC-397.5KCM ACSR RUN & TAP, FOR AL-AL & AL-CUCONNECTIONS WITH INHIBITOR STD PACKAGE = 50	EACH	GA-9400L
128	484519	CLAMP, BOLTED VISE, 336.4KCM ACSR-840.2 ACAR RUN, 3/0ACSR-397.5KCM ACSR TAP, FOR AL-AL & AL-CU CONNECTIONS, WITH INHIBITOR STO THAT THE TO Respond to Respondent to Respon		
		D 27 -£110 - CO	ATERIO ENGOTAT TRUCK	ADMANDED A COR

Page 37<sub>4</sub> of 118 CONFIDENTIAL INFORMATION REDACTED Hermann

		SOMEDULE A		
129	484527	CLAMP,BOLTED VISE,336.4KCM ACSRLAWIZKUM 兄弟有他的 & TAP,FOR AL-AL & AL-CU CONNECTIONS,WITH INHIBITOR STD PACKAGE = 10	EACH	GA-9820L
130	484535	CLAMP, BOLTED VISE, 795KCM AAC-840.2KCM ACAR RUN, 1/0AAC-336.4KCM AAC TAP, FOR AL-AL & AL-CU	EACH	GA-9954L
132	484551	CONNECTIONS, WITH INHIBITOR STD PACKAGE = 25 COVER, BOLTED VISE, SMALL, FITS FARGO CONNECTORS GA-9020L & GA-9402L, IIN 0484460 & 0484478 STD PACKAGE	EACH	GA9000B2
		= 100 COVER,BOLTED VISE,MEDIUM,FITS FARGO CONNECTORS	EACH	GA-9000B3
133	484560	GA-9040L (IIN 0484486) & GA-9843L(IIN 0484494) & GA-9400L (IIN 0484501),STD PACKAGE = 25 COVER,BOLTED VISE,LARGE,FITS FARGO		
134	484578	CONNECTORS,GA-9954L(IIN 0484535) & GA-9820L(IIN 0484527) & GA-9821L (IIN 0484519),STD PACKAGE = 25 LUMINAIRE,FLOOD,HPS,400W,480V,50000	EACH	GA-9000B5
136	487786	LUMENS,6X6,AUTO-REG,PEC/REC,PLUG-IN STARTER,PREWIRED W/6' 14/3 CORD,LATCH,DARK BRONZE,W/STANDARD NEMA STICKER	EACH	7540SCA48076TBOP0643NLTL
139	509219	SWITCH, DISC, CUTOUT BODY, 900 AMP, 110 KV, BIL 36 KA MOM, TO BE USED FOR RISER POLE LUG, TERMINAL, ALUMINUM, BOLTED, 336-795 MCM AA, TIN	EACH	18932
140	510201	PLATED,2-9/16" HOLES ON 1-3/4" CENTERS LUMINAIRE,COBRA,HPS,150W,120V,16000 LUMENS,TYPE	EACH	A7M-100-2NR
141	511235	II,NPF,PEC/REC,ACRLIC,W/CUTOFF OPTICS,W/PLUG-IN STARTER,W/STANDARD NEMA STICKER LUMINAIRE,ACORN,HPS,150W,120V,16000 LUMENS,TYPE	EACH	11515SRN120R2FGOP
142	511743	V,NPF,W/9" ACRYLIC GLOBE,DARK BRONZE,W/PLUG-IN STARTER, W/STANDARD NEMA STICKER	EACH	AM9X15S1N21CASDKBZ
143	511751	LUMINAIRE,ACORN,HPS,150W,120V,16000 LUMENS,TYPE V,NPF,W/9" ACRYLIC GLOBE,BLACK,W/PLUG-IN STARTER,W/STANDARD NEMA STICKER	EACH	AM9X15S1N21CASBLCK
146	514643	BRACKET, CONDUIT 5", STANDOFF, ADJ, 10" CHANNEL, W/1 STRAP MOUNTED, PVC OR METAL, FOR PVC STANDOFF FROM POLE	EVCH	NWA-10-5X
148	515351	BRACKET,CONDUIT,STANDOFF,2-2",6" ADJUSTABLE MOUNT,12" CHANNEL BAR,WITH 2-2" STRAPS AND BOLTS	EACH	NWA-11-2XX
149	515451	PLATE,GROUNDING,POLE BUTT,7.5" DIA.,COPPER,#8-#2 WIRE,SET SCREW KIT,STORM,FOR ESD OVERHEAD, TO BE ISSUED DURING A	EACH	EGP100
154	530286	LEVEL 3 EMERGENCY TO FOREIGN CREWS OR CONTRACTORS CONSISTING OF MATERIALS LIST APPROVED BY DAVID GUY ON 01/08/01, FOR DETAILED LIST SEE PAM CLASBY AUBURNDALE WAREHOUSE	EACH	530286
156	530819	SEE PAM CLASBY AUBURNDALE WAREHOUSE SHEET, INSULATING, LOW VOLTAGE, CLASS O PVC, .04" THICK, 24" WIDE BY 50'ROLL, FOR SECONDARY & SERVICE COVER UP, PROOF TESTED TO 5KV, 1KV MAXIMUM USE, CUT BY BESCO FROM 48" ROLL	ROLL	SL0040
158	530835	COUPLING,SPLIT SLEEVE,4",PVC,SCH 40 FOR USE WITH IIN 1546019 BOX=5	EACH	PVC-COUPL-SPLIT-4-40
160	532335	LID,SPLICE BOX,FIBERGLASS,12"X20",W 3/8"-16 CAPTIVE S/S PENTA BOLTS ***REPLACEMENT LID FOR IIN 1243827*** COVER,PROTECTIVE,PHOTO-ELECTRIC CONTROL	EACH	12203HGE20HBTP 20
163	865219	RECEPTACLE THAT IS ON TOP OF ALL LUMINAIRES AND FLOOD LIGHTS TO MINIMIZE BREAKAGE, OUTDOOR LUMINAIRE, FLOOD, HPS, 200W, 120V, NPF, 16000	EACH	
164	908443	LUMENS,DARK BRONZE,PLUG-IN STARTER,PEC/REC,PRE- WIRED W/6' CORD 14/3,LATCH,W/STANDARD NEMA STICKER LUMINAIRE,FLOOD,HPS,100W,120V,NPF,9500	EACH	CFB20SN276UXX66
165	908451	LUMENS,DARK BRONZE,PEC/REC,PLUG-IN STARTER,PRE- WIRED W/6' CORD 14/3,LATCH,W/STANDARD NEMA	EACH	CFB10SR276UXX67
166	912801	STICKER LINK,CHAIN,40,000#,GALV SPLICE,HEAT SHRINKABLE,KIT FOR #12 OR #10-	EACH	J7754
168	912943	2/C,600V,FOE UNDERGROUND STREET LIGHT CABLE,W/NEUTRAL,KIT CONTAINS 3- SINGLE CONDUCTOR HEAT SHRINK SLEEVES & 1-8" OVERALL HEAT SHRINK	EACH	LVS-ST-LG
		TUBE SPLICE,HEAT SHRINK,#2-2/0,15KV 1/C CABLE FOR UNJACKETED CONCENTRIC NEUTRAL OR TAPE		
170	912978	SHIELDED, CONSISTING OF THE FOLLOW- ING, 1-STANDARD HVS-1511S SPLICE KIT, 1- GOUND BRAID, 1-ROLL OF GROUND MESH INCLUDES: 1 EA -HVS-1511S 2 EA -	EACH	HVS-1511S-LGE
		S1085-3-3 Attachment to Res	ponse to LG CONFIDENT	GE PSC-2 Question No. 54 HAL INFORMATION REDACTED
		Page 38 of 118		

Page 38 of 118 Hermann

			•	NTIAL INFORMATION REDACT
217	938227	COUPLING, CONDUIT, PVC, 2" ID X 6" LENGTH, NO CENTER STOP Attachment to Resi	EACH ponse to	LGE PSC-2 Question No. 54
216	935701	BRACKET,GALVANIZED CLEATS,6" TO 6.5" LONG WITH 3/8" STAINLESS STEEL BOLTS AND WASHERS,FOR FIBERGLASS BOX PADS	EACH	11 12 12 12 12 12 12 12 12 12 12 12 12 1
215	934935	ELBOW,LOADBREAK,#2 CU/AL,175/220M,14.4KV PHASE TO PHASE,200A,WITH TEST POINT,WITH #2 BI-METALLIC CONNECTOR AND ELBOW SEAL KIT	EACH	15KV-ELBOW-2-LGE-TP
213	934919	ELBOW,LOADBREAK,#1/0 CU/AL,175/220M,14.4KV PHASE TO PHASE,200A,WITH TEST POINT,WITH #1/0 BI-METALLIC CONNECTOR AND ELBOW SEAL KIT	EACH	15KV-ELBOW-10-LGE-TP
206	933235	ARM,MAST,DOUBLE,42",BRONZE,5 DEGREE RISE,ALUMINUM,2" MAST,3" SLIPFITTER FOR 3" TENON ON FIBERGLASS POLES	EACH	OPAR3TX2LGE2375
205	933227	ARM,MAST,SINGLE,42"BRONZE,5 DEGREE RISE,ALUMINUM,2" MAST,3" SLIPFITTER FOR 3" TENON ON FIBERGLASS POLES	EACH	OPAR-3T-LGE2375
204	932078	CLEANER, CABLE, USED IN CONFINED SPACES, TANDEM PACK, 1-5"X8" WET TOWEL IN PACKET FOR CLEANING PLUS 1-DRY TOWEL.	EACH	HP-P-1581D
203	931494	CONNECTOR,#12-350KCM,4 POSITION,SET SCREW,NON- SUBMERSIBLE,600V CLEAR INSULATION,WITH INHIBITOR,ABOVE GROUND URD SECONDARY/SERVICE PEDESTAL	EACH	931494
202	931486	PEDESTAL CONNECTOR,#12-350KCM,6 POSITION,SET SCREW,NON- SUBMERSIBLE,600V CLEAR INSULATION,WITH INHIBITOR,ABOVE GROUND URD SECONDARY/SERVICE PEDESTAL	EACH	931486
201	931478	CONNECTOR,#12-350KCM,8 POSITION,SET SCREW,NON- SUBMERSIBLE,600V CLEAR INSULATION,WITH INHIBITOR,ABOVE GROUND URD SECONDARY/SERVICE	EACH	931478
198	931019	CONDUCTOR RANGE COVER,CONNECTOR,SEC.,3-PH TRANSFORMER,SET SCREW.Z BAR.4-POSITION	EACH	931019
195	930960	TERMINATORS CLAMP, DEADEND, AUTO WEDGE, AL/CU,#4-4/0 AL/CU/ACSR/AAAC, PLATED JAWS, PULLING EYE, 23"- 57"	EACH	GDW-2040
192	930619	TYPE,#1/0 TO 750MCM,AL OR CU ,4-POSITION,W/INHIBITOR PIN,TERMINAL,COMPRESSION,#2 CU/AL.,5/8" DIE,6" LONG PIN,#4 TIN PLATED CU.,FOR PRIMARY AND SECONDARY	EACH	X5U2-6
186 187	929327 929335	TYPE,#1/0 TO 750MCM,AL OR CU.,8-POSITION,W/INHIBITOR CONNECTOR,TRANSF.,URD SEC.,SET SCREW,Z BAR	EACH EACH	DPV87501 DPV47501
183	913978	STD 153-4 REPLACEMENT FUSE FOR S&C PADMOUNTED SWITCHGEAR CONNECTOR, TRANSF., URD SEC., SET SCREW, Z BAR	EACH	122025R4
181	913951	STD 153-4 REPLACEMENT FUSE FOR S&C PADMOUNTED SWITCHGEAR FUSE,REFILL UNIT,SM-4 HOLDER,15A,E-SPD, 14.4KV,S&C	EACH	122040R4
180	913943	STD TCC 153-4 REPLACEMENT FUSE FOR S&C PADMOUNTED SWITCHGEAR FUSE,REFILL UNIT,SM-4 HOLDER,25A,E-SPD, 14.4KV,S&C	EACH	122050R4
179	913935	STD 153-4 REPLACEMENT FUSE FOR S&C PADMOUNTED SWITCHGEAR FUSE,REFILL UNIT,SM-4 HOLDER,30A,E-SPD, 14.4KV,S&C	EACH	122060R4
178	913927	STD 153-4 REPLACEMENT FUSE FOR S&C PADMOUNTED SWITCHGEAR FUSE,REFILL UNIT,SM-4 HOLDER,40A,E-SPD, 14.4KV,S&C	EACH	122075R4
177	913919	FUSE,REFILL UNIT,SM-4 HOLDER,65A,E-SPD, 14.4KV,S&C STD 153-4 REPLACEMENT FUSE FOR S&C PADMOUNTED SWITHCGEAR FUSE,REFILL UNIT,SM-4 HOLDER,50A,E-SPD, 14.4KV,S&C	EACH	122100R4
176	913901	FUSE,REFILL UNIT,SM-4 HOLDER,80A,E-SPD, 14.4KV,S&C STD 153-4 REPLACEMENT FUSE FOR S & C PADMOUNTED SWITCHGEAR(5-97 PRICE = 73.29)	EACH	122125R4
175	913894	FUSE, REFILL UNIT, SM-4 HOLDER, 100A, E-SPD, 14.4KV, S&C STD 153-4 REPLACEMENT FUSE FOR S & C PADMOUNTED SWITCHGEAR	EACH	122150R4
174	913886	SWITCHGEAR FUSE,REFILL UNIT,SM-4 HOLDER,125A,E-SPD, 14.4KV,S&C STD 153-4 REPLACEMENT FUSE FOR S & C PADMOUNTED SWITCHGEAR *EMERGENCY ITEM PER J.BEYRODT.5-3-90*	EACH	122200R4
173	913878	FUSE, REFILL UNIT, SM-4 HOLDER, 150A, E-SPD, 14.4KV, S&C STD 153-4 REPLACEMENT FUSE FOR S & C PADMOUNTED	EACH	122250R4
171	913201	LINK,CHAIN,30,000#,GALV Louisville Gas Electri	ic EACH	J77751

Page 39 of 118 CONFIDENTIAL INFORMATION REDACTED Hermann

221	938260	CABLE,600V,#12,SOLID,2/C W/GROUND,941912111111111111111111111111111111111	FOOT	12-2UF-W/GROUND-2500
222	938460	CABLE,600V,4/0-4/0-4/0-2/0,4/C AL,QUADRUPLEX,XLP,WAKE FORREST,NEUTRAL MARKED WITH 3-EXTRUDED YELLOW STRIPES AND SEQUENTIAL FOOTAGE,FOR SECONDARY	FOOT	WAKEFOREST
223	938478	AND SERVICES(993# per 1000') CABLE,600V/UG,350-350-350-4/0,4/C AAC QUADRUPLEX,XLPE,SLIPPERY ROCK,NEUTRAL MARKED WITH 3-EXTRUDED YELLOW STRIPES AND SEQUENTIAL FOOTAGE,FOR UG SECONDARY AND SERVICE(1582# per 1000')	FOOT	SLIPPERYROCK
224	938560	PEDESTAL, UG, SECONDARY, NON-METALLIC, WITH TEMP. SERVICE DOOR, PENTA HEAD BOLT AND LOCKING PROVISIONS, REQUIRES CONNECTORS BOX, SPLICE, LARGE, 36"X60"X24" W/LID, HD POLYTHELENE	EACH	938560
226	939227	BOX AND COVER, WITH CAPTIVE RECESSED 3/8"-16 PENTA- HEAD BOLT, ELECTRIC LOGO, FOR PRIMARY AND SECONDARY, FOR NON TRAFFIC AREAS	EACH	PEM-3660X
227	940143	BRACKET, CONDUIT, STANDOFF, 2EA 2-1/2", 6" ADJUSTABLE MOUNT, 12" CHANNEL BAR, WITH 2 EA 2-1/2" STRAPS AND BOLTS	EACH	NWA-12-2.5XX
229 230	942586 942594	FUSE,BAY-O-NET,100A,HIGH AMPERE OVERLOAD FUSE,BAY-O-NET,125A,HIGH AMPERE OVERLOAD ARM,DEADEND,ASSEMBLY,FG,8FT,3750 LBS WORKING,7500	EACH EACH	4038361C04CB 4038361C05CB
232	943086	LBS ULTIMATE PER POSITION MINIMUM,COMPOSITE,BRACELESS,INTERGRAL GUY ATTACHMENT POINTS	EACH	
234	957201	SLEEVE, REPAIR, 600V WRAPAROUND, HEAT SHRINK, RANGE	EACH	CRSM-34-10-300
239	1157851	.25 TO 1.20,12" LONG CLAMP,GUY,3-BOLT,5/16"-1/2" GUY DIA,GALV	EACH	J931
240	1157886	CONNECTOR, PARALLEL, AL, 795-336 TO 2/0-8, "ONE BOLT"	EACH	LC-83-A-XB
241	1157894	CONNECTOR,PARALLEL,AL,336.4-795 MCM TO 8 SLD-2/0 STR COPPER 1998 PRICE/\$7.95 CLAMP,DEADEND,3/0,2-BOLT,AL,RANGE 0.45"- 0.88",10000#	EACH	LC-833-XB
242	1157901	ULT,STRAIGHT TYPE	EACH	ADS-88-N
243	1157960	CLAMP, DEADEND, 795, 2-BOLT, AL, RANGE 0.86"-1.125" 12000# ULT, STRAIGHT TYPE STD PKG = 10 STD PKG=10 CLAMP, DEADEND, 636 THRU 1272, 5-BOLT AL, RNG 0.710"-	EACH	SDE-125
244	1158001	1.318",30000# ULT,QUADRANT TYPE,W/SOCKET	EACH	SD-130-S
245	1158043	CLAMP, TRIPLEX, SECONDARY	EACH	MB-62
246	1158051	CLAMP,MID SPAN,SERVICE,1/0 TO 4/0,AL SERVICE CLAMP CONNECTION ON PARALLEL LAY SECONDARY STD PKG=100	EACH	MS-6
248	1158119	CLAMP, SUSPENSION WITH SOCKET EYE, 4/0 HD-8M CW & 12 M CW CONDUCTOR RANGE 20 TO .60	EACH	MS-60-S
249 251	1158301 1158327	EYELET,GALV,FOR 5/8"BOLT STD PKG=50 EYELET,GALV,FOR 3/4"BOLT STD PKG = 50	EACH EACH	BE-5 BE-6
253	1158360	CLEVIS, GUY HOOK	EACH	SA-116-3
254	1158386	CLIP, INSULATOR SEE DRAWING-S75-129 PACKAGE 50 PER	EACH	1158386
257	1158460	BOX DEADEND, TENSION, AUTO, CLEVIS, 4/0 SLD CU, 3/0-7 STR CU	EACH	307LD
258	1158478	DEADEND, TENSION, AUTO, CLEVIS, 4/0-7 STR CU STD PKG =	EACH	GD-520
259	1158486	25 DEADEND,ANC,AUTO,4M,1/4 OR 7/32STR,RNG 0.215-0.270 DIA,SHORT BAIL,UNIVERSAL STANDVISE	EACH	5200
260	1158494	DEADEND,ANC,AUTO,8M,5/16-9/32STR,0.270- 315 DIA,SHORT BAIL,UNIVERSAL STRANDVISE 8M A/W GUY	EACH	5201
261	1158519	WIRE DEADEND,ANC,AUTO,20M,7/16STR,0.392-0.455 DIA,"UNIVERSAL STRANDVISE" 20M A/W GUY WIRE ANCHOR,ROCK-EYE,1"X 24"SLD LGH OF IRON **SEE NEXT	EACH	5203
264	1158619	LINE FOR PRICES/QTY** BLANKET PRICES: QTY PRICE 1-9 24.90 10-19 21.90 20-49 19.90	EACH	1158619
265	1158643	50-99 15.90 DEADEND,GRIP,TWISTED,COATED,FOR 3/0 AERIAL CABLE,RANGE,691-,735,LENGTH 35", COLOR-BLACK	EACH	ND-0116
266	1158651	DEADEND,GRIP,TWISTED,COATED,FOR 336 AERIAL CABLE,RANGE 889-945,LENGTH 42", COLOR-YELLOW	EACH	ND-0120
267	1158719	DEADEND,GRIP,TWISTED,FOR 4M AW,LENGTH 21",COLOR- GREEN	EACH	AWDE-4108
268	1158727	DEADEND,GRIP,TWISTED,FOR 8M AW,LENGTH 24",COLOR- BLUE	EACH	AWDE-4113
269	1158735	DEADEND,GRIP,TWISTED FOR 12.5M AW,LENGTH	EACH CE DS	AWDE-4119
		Attachment to Resn	Once to Liet PN	L - / LINGSTIAN INA 54

Attachment to Response to LGE PSC-2 Question No. 54
Page 40 of 118 CONFIDENTIAL INFORMATION REDACTED
Hermann

		SCHEDOLE A		
273	1158851	HOOK,GUY,FOR 5/8" BOLT,12,000# UL上SY!SYINB, GAS WARETIC DIA.	EACH	GA-5X
275	1158894	LINK,CONNECTING,1/4"X 1-3/4"X 9-1/2", WITH 13/16" HOLES STD PKG=50 PRICE = 1.38 11-4-94	EACH	3150
276	1158901	LINK,CONNECTING, 1/4"X 3"X 9-1/2",WITH 15/16" & 1-1/4" HOLES STD PKG=30 PRICE = 2.68 11-20-96 PRICE BREAK	EACH	3151
278	1159243	101= \$2.48 SCREW,LAG,1/2"X 4",GIMLET POINT,GALV STD PKG = 3000	EACH	J8784
283	1159343	SOCKET EYE,30,000#,GALV,7/8"THICK EYE, 11/16"DIA HOLE,FOR ANSI 52.3 & 52.5 INSULATORS STD PKG=25	EACH	SE-7
284	1159527	STIRRUP,BAIL,HOT LINE,COPPER,TIN PLATED, W/KNURLED OR FLATTENED EDGE FOR CONNECTOR,SIZE #2 CU	EACH	HLB2
287	1159660	LUG,TERM,CMPSN,750-800MCM AL/CU,2-HOLE NEMA PAD,1- 1/2" DIE,WINHIBITOR, TIN PLATED STD PKG = 20	EACH	40133-6
289	1159735	WASHER,CURVED,3"X 3"SQ.,GALV.,FOR 5/8" BOLT STD PKG = 100	EACH	J113
291	1159794	WASHER,SPRING,FOR 5/8" BOLT STD PKG = 50 WASHER,SPRING,FOR 3/4"BOLT STD PKG = 50	EACH EACH	J3540 J3541
292 293	1159801 1159886	SPLICE, TENSION, AUTO, 1/0-7 STRAND AAC, 1/0-7 STRAND	EACH	GL-406A
293	1109000	AAAC,123 MCM-7 STRAND ACAR STD PKG=100 SPLICE,TENSION,AUTO,336 MCM AAC-19 STR, 392 MCM	CAGIT	GL-100A
295	1159919	ACAR-37 STRAND	EACH	GL-411
296	1159927	SPLICE, TENSION, AUTO, 795 MCM-61 STR AAC STD PKG=10 EACH	EACH	GL 1385A (33.54)
		CONNECTOR,#2-750MCM,4-POSITION,SET		
297	1160051	SCREW,INSULATED,600V URD JUNCTION DIRECT BURIAL SUBMERSIBLE,WINHIBITOR,3 PHASE SECONDARY	EACH	PED4-750-SSP
		SERVICE PEDESTAL		
		CONNECTOR,#2-750MCM,8-POSITION,SET SCREW,INSULATED,600V,URD JUNCTION DIRECT BURIAL		
299	1160078	SUBMERSIBLE, W/INHIBITOR, 3-PHASE SECONDARY	EACH	PED8-750-SSP
		SERVICE PEDESTAL'STD PKG=6		
300	1160194	CAP,END SEALING,CABLE OD RANGE 1.02"- 1.94",COLD SHRINK,FOR MOISTURE SEALING CABLE	EACH	EC-3
201	4400004	COMPOUND, SEALING, CABLE, (DUCT), 5 LB BAG, NON-	FACU	DSC #
301	1160294	TOXIC,NON-IRRITATING,PERMANENTI.Y PLIABLE,NON- STAINING	EACH	DSC-5
		HANGER,CABLE,4",750M,GALV.STL.,FOR RISER POLE		The state of the s
304	1160578	APPLICATION 4" MAX. OPENING, COLOR CODE "BLACK", (PREASSEMBLED COMPLETE WITH 2 EACH S.S.	EACH	1160578
		1/2"-13 HEX HD. CAP SCREWS X 2" LG. WITH S.S.		
		LOCKWASHERS AND SILICON BRONZE NUTS) LUG,TERMINAL,CMPSN,1000KCM AL,2-HOLE NEMA PAD,1-		
305	1160760	1/2" DIE,W/INHIBITOR,TIN PLATED,NARROW BODY PAD FOR	EACH	AL1000N
		UNDERGROUND CABLE TERMINATIONS LUG,TERM,CMPSN,4/0 AL/CU,2-HOLE NEMA PAD 840 DIE		
306	1160778	W/INHIBITOR,TIN PLATED	EACH	104741-5
308	1160951	PROTECTOR,CABLE,SELF CONFORMING, SHIELDS THE CABLE FROM DAMAGE DURING, PULL-IN AND	EACH	LG-345
300	1100551	SUBSEQUENT IN SERVICE, MOVEMENT	LAOIT	20-040
309	1161219	SPLICE, CMPSN,500MCM CU-CU, NON-TENSION, TINNED CU. WITH INHIBITOR, USES KEARNEY OR ANDERSON TOOLING -	EACH	VHSS-500
309	1101213	KEARNEY 1-1/2 DIE	LAON	V1100-000
		SPLICE,CMPSN,1000MCM AL-AL OR AL-CU,NON- TENSION,HIGH VOLTAGE,TINNED AL WITH INHIBITOR,USES		
310	1161251	KEARNEY OR ANDERSON TOOLING BASE INHIBITED	EACH	ASP1000
		COMPOUND TERMINAL,TRANSFORMER SPADE,350-1000MCM AL/CU,1-		
311	1161419	POSTION (2-SCREW) WITH NEMA DRILLED SPADE	EACH	L1D2-1000
040	1101170	TERMINAL,TRANSFORMER SPADE, 1/0-750MCM STR AL/CU,8-	EACH	1.0042.750
312	1161478	POSITION (2-SCREW),12-HOLE NEMA DRILLED SPADE	EACH	L8D12-750
313	1161778	TERMINAL, LUG, BRONZE, 400-500MCM STR CU. 2-9/16"	EACH	QA34-2N
24.4	1161786	HOLES ON 1-3/4" CENTERS CONNECTOR,2-BOLT,SERVICE,1000MCM-750MCM	EACH	2B1000PW
314	1101700	RUN,1000MCM-4/0 TAP PLATED WITH SPACER TERMINAL,LUG,BRONZE,750-1000MCM STR CU, 2-9/16"	CACH	251000110
315	1161819	HOLES ON 1-3/4" CENTERS	EACH	FN-SS-34-2A
216	1161004	CONNECTOR,2-BOLT,4/OSTR-1/OSLD TO 4/OSTR - 6SLD,PLATED HIGH STRENGTH BRONZE FOR COPPER	EACH	KVSU28
316	1161894	CONDUCTORS	LAGIT	NVOUZO
317	1161901	CONNECTOR,2-BOLT,350MCM-4/0SLD TO 350MCM -	EACH	KVSU31
		4SLD,PLATED	4 LCE DCC	

		CONNECTOR,2-BOLT,500-350MCM TO เลยได้ระไปดู Gas Electric	0		
318	1161919	SOLID, PLATED HIGH STRENGTH BRONZE FOR COPPER	EACH		KVSU34
320	1162127	CONDUCTORS COVER,CMPSN TAP,POLYETHYLENE 100/BOX	EACH		C7 (25)
322	1162294	SLEEVE, TENSION, 1/0-6/1 ACSR OR 123.2 ACAR, 16"LGH 737	EACH		OH 1/0-61AS
325	1162535	DIE STD PKG = 50 SLEEVE,JUMPER,336AA,6-3/8"LONG,1-1/8-1 OR 1-1/8-2 DIE STD PKG = 20	EACH		HR 336-19ALJ
326	1162543	SLEEVE, JUMPER, 636ACSR, 1-1/2 OR 1-1/2H DIE, FOR 795 AERIAL CABLE	EACH	Testing 1	HR-636-267-AJ
327	1162551	SLEEVE, JUMPER, 795AA 37 OR 61 STRAND, 1-1/2 OR 1-1/2 H DIE STD PKG = 10	EACH		HR-795-37ALJ
328	1162560	SLEEVE, JUMPER, 795MCM COMP. (DIA 0.932) 1-1/2 DIE STD PKG = 10	EACH		HR 556-267AJ
335	1162719	SPLICE, TENSION, AUTO, 1/0-7 STRAND CU, #2A AND 1/0 F CW	EACH		GL-117
336	1162735	SPLICE,TENSION,AUTO,4/0 SOLID CU, AND 3/0-7 STRAND CU STD PKG=25	EACH		GL 119
338	1162835	CONNECTOR, CMPSN, 4/0 TO 2-6STR STD PKG = 50	EACH		WR379
339	1162851	CONNECTOR, CMPSN, 500-4/0STR TO 4/0-1/0STR 2/0STR, N DIE STD PKG = 20	EACH	1.5	492-82
340	1162860	CONNECTOR, CMPSN, 500-336.4 AL, N DIE STD PKG = 20	EACH		604-82
341	1162886	CONNECTOR, CMPSN,600-900 TO 2/0-350 STD PKG ■ 20 CONNECTOR, CMPSN,600-900STR TO 600-900STR STD PKG	EACH		WR949
342	1162894	= 20	EACH		607-82
344	1162919	CONNECTOR, CMPSN, 600-900 TO 600-336 STD PKG = 20	EACH		606-82
345	1162927	TAP,MID-SPAN,SECONDARY SERV,1/0-350MCM- 4/0 TAPS,W/PLASTIC COVER STD PKG=6	EACH		MST41-350-4/0
346	1163351	BRACKET, WIRE HOLDER	EACH	975	J089Z
348	1163378	BRACKET,SERVICE,WIRE HOLDER COMPOUND,ELECTRICAL JOINT,FOR FLAT TO FLAT	EACH		J0893Z
353	1163660	SURFACES,ANTI-CORROSIVE,GREASE TYPE,ALUM TO ALUM OR ALUM TO COPPER,7.92 OZ TUBE (SOLD IN	EACH		NO.2-EJC
		CARTONS OF 10 EA), MC: VARIOUS LOCATIONS CLEVIS,INSULATOR,SWINGING,#1 WIRE HOLDER 3/8" PIN			*
354	1163678	DIA, CLEVIS MATERIAL WIDTH 3/4" STD PKG = 100	EACH		J1614
355	1163686	CLEVIS,SWINGING,BRACKET,SINGLE SPOOL, LESS INSULATOR	EACH		J0322
356	1163727	FUSE,LINK,25A,23"LGH,TYPE K,REMOVABLE OR NON- REMOVABLE BUTTON HEAD STD PKG = 25	EACH		31025
357	1163735	FUSE,LINK,40A,23"LGH,TYPE K,REMOVABLE OR NON- REMOVABLE BUTTON HEAD STD PKG = 25	EACH		31040
358	1163743	FUSE,LINK,65A,23"LGH,TYPE K,REMOVABLE OR NON- REMOVABLE BUTTON HEAD STD PKG = 25	EACH		31065
359	1163751	FUSE,LINK,100A,23"LGH,TYPE K,REMOVABLE OR NON- REMOVABLE BUTTON HEAD STD PKG = 25	EACH		31100
360	1163760	FUSE,LINK,140A,21"LGH,TYPE K,REMOVABLE BUTTON HEAD STD PKG= 50(KREANY) 10(COOPER)	EACH		31140
361	1163778	FUSE,LINK,200A,21"LGH,TYPE K,REMOVABLE BUTTON HEAD STD PKG = 10	EACH	10.00	31200
363	1163819	STRAP,PIPE,2",GALV,SRV DROP ENTRANCE STRAP FOR	EACH		1163819
004	1100000	TRIPLEX,LG&E DWG# S71-102 INSULATOR,GUY STRAIN,24",FIBERGLASS, 21,000#	EACH		GS21D24CB
364	1163986	MINIMUM BR.STRENGTH, CLEVIS FITTING ON ONE END AND THIMBLE EYE ON THE OTHER, NO ROLLER	EACH		GS21024CP
365	1164019	INSULATOR, SECONDARY, SPOOL, PORCELAIN WHITE, 4-1/8" WIDE, 3" TALL ANSI CLASS 55-4	EACH		5119W
366	1164078	INSULATOR,POST,69KV,POLYMER OR 88KV PORCELAIN,LESS CLAMP (NO MORE PORCELAIN	EACH		402069-0100
367	1164101	INSULATORS TO BE PURCHASED). INSULATOR, PIN TYPE, 35KV, POLY, VICE TOP, 1-3/8"	EACH		HPI-35VTM-L
		HOLE,SKY GRAY 12/BOX;240/PALLET TAPE,FRICTION,3/4"X 60'BLACK 100ASTM,FRICTION TAPE	E 4 O L 1		1000
368	1164360	MC: VRIOUS LOCATIONS TC & CR: FREE BIN ITEM SPLICE, CABLE, 2AWG ROUND, 15 KV, HEAT	EACH		1002
270	4474000	SHRINKABLE, THREE CONDUCTOR, BELTED & OR SHIELDED CABLE TO THREE #2CU STR, SINGLE CONDUCTOR, 220	EACH		HVS-T-1581S
370	1174360	INCHES XLPE, CU SHIELDED CABLE PER AEIC #1-68 AND	EACH		140-1-10010
		AEIC #5-82 RESPECTIVELY,WITH WRAP AROUND OUTER JACKET		resta integrations	
		SPLICE,CABLE,350MCM,15KV,HEAT SHRINKABLE,THREE			
271	1174378	CONDUCTOR PILC,BELTED AND OR SHIELDED CABLE TO 500MCM CU STR,SINGLE CONDUCTOR,.220INCHES PER	EACH		-IVS-T-1582S
371	11/43/8	A ELOUIS 92 DESCRECTIVELY MITH MIRAPAROLIND OF THE			
		JACKET Attachment to Resp	onse to	LGE PSC	-2 Question
		Page 42 of 118	CONF	IDENTIAL I	NFORMATIO

Attachment to Response to LGE PSC-2 Question No. 54
Page 42 of 118
CONFIDENTIAL INFORMATION REDACTED
Hermann

		LUG,TERM,CMPSN, 1/0 AL/CU,2-HOLE 4PMSYNB 局部局ectr	ic	
372	1177078	WINHIBITOR, TIN PLATED	EACH	ALS6-P
373	1180994	LOCK,PAD,WITH 1" SHANK,BRASS	EACH	1180994
374 376	1181001 1184394	LOCK,PAD,WITH 1-1/2" SHANK,BRASS CLAMP,GROUND,1-1/4" TO 2",CAST BRONZE	EACH EACH	1181001 J2SS
377	1184427	CONNECTOR, WIRE NUT, 74B, YELLOW, 100/BOX MODEL	EACH	30-074
0//	110.1427	74B,P/N 30-074 MC; VAR, LOC, FREE BIN ITEM - TC,CR ELL,CONDUIT,1",90DEG,SCH 40,PVC,BELL ONE END	1271011	
381	1185619	(STREET ELL)	EACH	PVC-ELB-1-90-9.5-40
386	1185901	BRACKET,FLOODLIGHT,DOUBLE-UP OR DOUBLE DOWN,AL. BRACKET,FLOODLIGHT,ALUMINUM,FOR STEEL OR	EACH	DUDD-16-A
387	1185943	ALUMINUM POLE FABRICATED FROM 6" CHANNEL WITH 2- "U" BOLTS FOR MOUNTING 1-FLOOD- LIGHT ON THE FACE OF POLE SHIPPED COM- PLETE WITH 1/2" THICK CHANNEL 6" X 3" X 12" AND 2 FA 1/2" X 8" X 10" "I I" BOLTS	EACH	CH-S1
388	1185951	6" X 3" X 12" AND 2 EA 1/2" X 8" X 10" "U" BOLTS. BRACKET, FLOODLIGHT, ALUMINUM, FOR STEEL OR ALUMINUM POLE. FABRICATED FROM 6" CHANNEL WITH 2-"U" BOLTS FOR MOUNTING 2-FLOOD- LIGHTS ON THE FACE OF POLE. SHIPPED COM- LETE WITH 1/2" THICK CHANNEL 6" X 3" X 36" AND 2 EA 1/2" X 8" X 10" "U" BOLTS.	EACH	CH-D2
389	1186094	LUMINAIRE,HORIZONTAL,MERCURY,1000WATT, W/O BALLAST AND PEC**CALL STREETLIGHTING (8226) ** USED WITH AN EXTERNAL BALLAST AND ON OUTDOOR LIGHTING	EACH	328-01-93
390	1186094	LUMINAIRE,HORIZONTAL,MERCURY,1000WATT, W/O BALLAST AND PEC**CALL STREETLIGHTING (8226) ** USED WITH AN EXTERNAL BALLAST AND ON OUTDOOR LIGHTING	EACH	328-01-93
391	1186119	LUMINAIRE,COLONIAL,MV,175W,120V,8000 LUMENS,TYPE III,NPF,BLACK,HORIZONTAL LAMP,PEC/REC,W/PLUG-IN STARTER, WSTANDARD NEMA STICKER	EACH	T10R17C1N2AMS3BLLT
392	1186143	LUMINAIRE,COBRA,HPS,150W,120V,16000 LUMENS,TYPE II,NPF,PEC/REC,ACRYLIC,W/PLUG-IN STARTER,W/STANDARD NEMA STICKER	EACH	11515SRN120R2DGOP
393	1186151	LUMINAIRE,COBRA,HPS,250W,120V,AUTO-REG,27500 LUMENS,GLASS,PEC/REC,TYPE III,W/PLUG-IN STARTER,W/STANDARD NEMA STICKER	EACH	11525SXH120R3DGOP
399	1186278	REFRACTOR,PLASTIC,POLYCARBONATE 4071,USE ON GENERAL ELECTRIC,400WATT,LUMINAIRES ONLY IN HIGH VANDALIZED ALLEYS	EACH	35-130015R02
403	1186478	LUMINAIRE,FLOOD,400W,120V,MV,25000 LUMENS,6X6,AUTO- REG,PEC/REC,PLUG-IN STARTER,PREWIRED W/6' #14/3 CORD,LATCH,DARK BRONZE,W/STANDARD NEMA STICKER	EACH	CFB40VWW76UXX64
404	1186494	LUMINAIRE,FLOOD,HPS,150W,120V,16000 LUMENS,6X6,NPF,PEC/REC,PLUG-IN STARTER,YOKE MOUNT,55V OPERATION,PREWIRED W/6' 14/3 CORD,DARK BRONZE,W/STANDARD NEMA STICKER	EACH	CFB15SR276UXX63
405	1186519	LUMINAIRE,FLOOD,1000W,120V,MV,60000 LUMENS,6X5,AUTO-REG,PEC/REC,YOKE MOUNT,55V OPERATION,PLUG-IN STARTER,PREWIRED W/6' 14/3	EACH	GPF91VWW76UXX65
408	1187878	CORD.LATCH.DARK BRONZE/W/STANDARD NEMA STICKER SPLICE,CMPSN,4/0 STR CU,NON-TENSION,LONG ,TINNED CU,USES KEARNEY 5/8 - 1 DIE, W/CENTER OIL STOP SPLICE,CMPSN,1/0 STR CU,NON-TENSION, TINNED	EACH	PC-4/0
410	1187901	CU, USES KEARNEY 1/2" DIE, WITH CENTER OIL STOP STD	EACH	PC-1/0
415	1191901	PKG = 10 BOX,SPLICE,36"X 53.5"X 15",HEIGHT,W/HIGH DENSITY POLYTHELENE COVER & CAPTIVE RECESSED 3/8"-16 PENTA-HEAD BOLT POLYETHYLENE SUBGRADE SPLICE	EACH	PE-36AX
420	1192635	BOX **SEE IIN 0532178 FOR REPLACEMENT LID*** POLE,FIBERGLASS,18' BLACK,14' MTH, WITH HANDHOLE,2-2 1/2" X 6" SLOTTED ENTRY PORTS AT 180 DEGREE SEPERATION CENTERLINE,SLOT LOCATION WILL FALL 18"	EACH	BS18-01N1BE19
421	1192643	BELOW GRADE LUMINAIRE,COLONIAL,MV,100W,120V,4000 LUMENS,TYPE III,NPF,BLACK,HORIZONTAL LAMP,W/PLUG-IN STARTER.W/STANDARD NEMA STICKER	EACH	T10R10C1N2AMS3BLLT
423	1192701	WIRE,1/0,75TR,BARE SOFT DRAWN COPPER SEE WIRE SPECIFICATIONS WS-1192701 REV 10-11-94,2000#/REEL **REPLACES 1197786 **	FOOT	1/0 7STR SD CU-RL
425	1192827	CABLE,#6,7-STR,COPPER,1/C 600V INSULATED SEE WIRE SPECIFICATIONS WS-1192827 2500/REEL CABLE,UG,15KV,1/0 CU,220MIL,33% JCN,PARALLEL,19 STR	FOOT	#6 7STR INS CU-RI.
429	1192986	COMPRESSED, STR BLOCK, 0.220" TRXLPE, P#14 CU.	FOOT	1192986
		NEUT,LLDPE JKT,2000CKT' NON-RETURN REELS,AEIC- CS8/ICEA S-97-682.LGE SPEC 119298 Attachment to Resp	onse to L	GE PSC-2 Question No. 54
		D. 42 C110	COMBIN	PAPER ENERGE AND PROPERTY OF THE STATE OF TH

Page 43 of 118 CONFIDENTIAL INFORMATION REDACTED
Hermann

		CABLE,UG, 15KV, 1/0 AAC, 175MIL, 33% JENYIRWIELE 25 FIRRTI	c		
430	1192994	COMPRESSED,STR BLOCK,0.175" TRXLPE,6@#14 CU NEUT,LLDPE JKT,2000CKT' NON-RETURN REELS,AEIC- CS8/ICEA S-94-649,LGE SPEC 1192994	FOOT		1192994
		CABLE,UG,15KV,4/0 CU,220MIL,33% JCN,PARALLEL,19 STR			
431	1193001	COMPRESSED,STR BLOCK,0.220" TRXLPE,18#14 CU. NEUT,LLDPE JKT,1000CKT' NON-RETURN REELS,AEIC-	FOOT		1193001
		CS8/ICEA S-97-682.LGE SPEC 1193001 CABLE,UG,15KV,350KCM CU,220MIL,CTS,PARALLEL,37 STR			
432	1193019	COMPRESSED,STR BLOCK,0.220" TRXLPE,0 005" CU TAPE,PVC JKT,1000CKT' NON-RETURN REELS.AEIC-	FOOT		1193019
		CS8/ICEA S-97-682,LGE SPEC 1193019			
		CABLE,UG,15KV,500KCM CU,220MIL,CTS,PARALLEL,37 STR COMPRESSED,STR BLOCK,0.220" TRXLPE,0.005" CU	100		
433	1193035	TAPE,PVC JKT,1000CKT' NON-RETURN REELS,AEIC-	FOOT		1193035
		CS8/ICEA S-97-682,LGE SPEC 1193035 CABLE,UG,15KV,1000KCM AAC,175MIL,CTS,PARALLEL,61			
435	1193060	STR COMPRESSED,STR BLOCK,0.175" TRXLPE,0.005" CU	FOOT		1193060
100	1100000	TAPE,PVC JKT,900CKT' NON-RETURN REELS,AEIC- CS8/ICEA S-97-682,LGE SPEC 1193060	1001		1100000
		CONNECTOR, SPLICE, BUTT, 20-14 STR, INSULATED, STRIP			
436	1196060	LENGTH 1/4" (HYLINK),100/PKG 100/CARTON FREE BIN ITEM - CR	EACH		BCM14
438	1197201	WIRE,1/0,7STR,AL,PRLL LAY, CODE NAME HOT SPRINGS	FOOT		HOT SPRINGS
400	1107201	(XLP),2000'REEL SEE WIRE SPECIFICATIONS WS-1197201 WIRE,1/0,7STR,BARE ALUMINUM,"MAINTENANCE ONLY,NOT	1001		TIOT OF KINGS
		FOR NEW CONSTRUCTION", CODE POPPY, 36"NON-			
439	1197219	RETURNABLE REELS MARKED W/GROSS,TARE & NET WEIGHT,7064/REEL(700#) SEE WIRE SPECIFICATION WS-	FOOT		POPPY
		1197219			
		WIRE,195.7 KCM,7-STR,BARE ALUMINUM ALLOY CODE  NAME AMHERST-7620'/REEL(1400# +/-) **IND. REFERRED TO			
440	1197243	AS 3/0 7STR AMHERST** SEE WIRE SPECIFICATIONS WS-	FOOT		AMHERST
		0867286 OVERHEAD WIRE,336.4KCM,19STR,BARE ALL ALUMINUM, CODE NAME			
441	1197251	TULIP,6016'/REEL(1900#) SEE WIRE SPECIFICATION WS-	FOOT		Tulip
		1197251 WIRE,795MCM,61STR-1/C,BARE ALL ALUMINUM, CODE			THE PROPERTY OF THE PROPERTY O
442	1197260	LILAC,4955'/REEL(3700#) SEE SPECIFICATION WS-1197260	FOOT		LILAC
443	1197401	WIRE,8M,7-STR,ALUMOWELD GUY/MESSENGER SEE WIRE SPECIFICATIONS WS-1197401 500' COIL	FOOT		8M GUY
444	1197435	WIRE, 12.5M, 7-STR, ALUMOWELD GUY/MESSENGER SEE	FOOT		12.5M GUY-500
	1101100	WIRE SPECIFICATIONS WS-1197435 500' COIL WIRE,20M,7STR,ALUMOWELD GUY/MESSENGER SEE WIRE			72.5.17 551 555
445	1197443	SPECIFICATIONS WS-1197443 250' COIL**SEE 0468619 FOR	FOOT		20M GUY
		REEL** WIRE,#6A,3-STR CW-CU BARE COPPERWELD COPPER	ŀ		
446	1197494	CONDUCTOR (305 LBS REEL - 3000') **** REELS ONLY NO	FOOT		6A,3 STR
		COILS *** SEE WIRE SPECIFICATION WS-1197494 WIRE,#4A,3-STR,CW-CU BARE COPPERWELD COPPER			
447	1197501	CONDUCTOR (3000 FEET REEL) ****** REELS ONLY! NO	FOOT		#4A,3 STR
		COILS! ***** SEE WIRE SPECIFICATIONS WS-1197501 WIRE,#6,7STR,BARE CU,HD, 308 FEET PER SPOOL SEE			
448	1197560	WIRE SPECIFICATIONS WS-1197560	FOOT		#6 7STR HD CU-SPL
449	1197643	WIRE,AERIAL CABLE,3/0,7STR COMPACT AL, 15KV,3/C PARALLEL NON-RETURNABLE 2300' CIRCUIT FT.	FOOT		3/0-AERIAL-CABLE
		REELS,SEE WIRE SPECIFICATIONS WS-1197643			
450	1407054	WIRE, AERIAL CABLE, 336.4 KCM, 19-STR, COMPACT ALL	гоот	100 PM	226 AEDIAL CARLE
450	1197651	ALUM.15KV,3/C PARALLEL NON-RETURNABLE 1700' CIRCUIT FT. REELS,SEE WIRE SPECIFICATIONS WS-1197651	FOOT		336-AERIAL-CABLE
		WIRE AERIAL CABLE, 795 KCM, 37-STR, COMPACT ALL ALUM.			
451	1197660	15KV,2900'/REEL SEE WIRE SPECIFICATIONS WS-1197660	FOOT		795 AERIAL CABLE
		WIRE,4/0-3/C,7STR,AL,PE INSL,(TRIPLEX) CODE NAME			
452	1197678	COQUINA,1000'/REEL(707#) SEE WIRE SPECIFICATIONS WS- 1197678	FOOT		COQUNIA
		WIRE, 1/0,7-STR, ALL ALUM, HIGH DENSITY POLYETHYLENE			
454	1199327	CODE NAME QUINCE,4700'/REEL SEE WIRE SPECIFICATIONS WS-1199327	FOOT		QUINCE
	44000	WIRE,#6 SOLID SOFT DRAWN COPPER POLYETHY LENE	500=		10 001 05 110 011 0=:
455	1199360	COVERED, 25# OR 287' SPOOL, SEE WIRE SPECIFICATIONS WS-1199360	FOOT	n 100 1	#6 SOL SD INS CU-SPL
			F-100		

		Laviavilla Can Floats	ia ure	na in Oppositation and the Community
		WIRE,#4,7-STR,SOFT DRAWN COPPER PUBLY UP PREVENCE COPPER PUBLY UP PUBLY UP PREVENCE COPPER PUBLY UP	IC	W. OTD OD NIG OU OD
456	1199378	COVERED,25# OR 175 FT SPOOLS, SEE WIRE	FOOT	#4 STR SD INS CU-SPL
		SPECIFICATIONS WS-1199378 WIRE,#2,7-STR,SOFT DRAWN COPPER POLYETHY LENE		
457	1199386	COVERED, 25# OR 107 FT SPOOLS, SEE WIRE	FOOT	#2 STR SD INS CU-SPL
	.,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	SPECIFICATIONS WS-1199386		
		WIRE, 1/0,7-STR SOFT DRAWN COPPER POLYETHYLENE		
458	1199394	COVERED, 1000# OR 2700 FT REEL SEE WIRE	FOOT	1/0 STR SD INS CU-RL
		SPECIFICATIONA WS-1199394 WIRE,4/0,7-STR SOFT DRAWN COPPER,POLY ETHYLENE		
459	1199401	COVERED,1000# REEL SEE WIRE SPECIFICATIONS WS-	FOOT	4/0 STR SD INS CU-RL
	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	1199401		
460	1199519	WIRE,2-3C,7STR,AL,(TRIPLEX) CODE NAME CLAM,500' HAND	FOOT	CLAM
-100	1100010	COIL SEE WIRE SPECIFICATIONS WS-1199519	1	
461	1199701	DEADEND, TENSION, AUTO, CLEVIS, 4/0-7 STR AAC, 3/0-7 STR AAC, 195 MCM 7-STR ACAR STD PKG = 25	EACH	GD-5195A
466	1199919	CONNECTOR, CMPSN, 2/0-2STR TO 1-6STR STD PKG = 50	EACH	WR189
467	1199927	CONNECTOR, CMPSN, 3/0-1/0 TO 3/0-1/0	EACH	WR279
		DEADEND, TENSION, AUTO, FLEXIBLE BAIL, 1/0-7 STR AAC, 1/0-	=1011	OD 4004
468	1199935	7 STR AAAC, 123MCM ACAR ORDER MULTIPLE = 25	EACH	GD-406A
		PCS/PKG CONNECTOR,CMSPN,4/0-3/0 TO 4/0-3/0 USE H-TAP COVER		
470	1199951	#CD40B OR TAPE TO INSULATE STD PKG = 50	EACH	WR419
471	1199960	DEADEND, TENSION, AUTO, CLEVIS, #6 SLD CU	EACH	GD-511
473	1199978	DEADEND, TENSION, AUTO, CLEVIS, #4 SLD CU, #6-3 STR	EACH	GD-512
470	1100070	CU,#6-7 STR CU DEADEND,TENSION,AUTO,CLEVIS,#2 SLD CU, #4-3 STR		
474	1199986	CU,#4-7 STR CU	EACH	GD-514
	1100001	DEADEND, TENSION, AUTO, CLEVIS, 1/0 SLD CU, #2-3 STR CU	CAOU	OD 516
475	1199994	ORDER MULTIPLE = 25 PCS/PACKAGE	EACH	GD-516
476	1200001	DEADEND, TENSION, AUTO, CLEVIS, #6A CW	EACH	47LD
477	4000007	DEADEND, TENSION, AUTO, CLEVIS, 1/0-7 STR AAC, 1/0-7 STR AAAC, 123 MCM-7 STR ACAR ORDER MULTIPLE =	EACH	GD-446A
477	1200027	25PCS/PKG	LACIT	GD-4-10A
		DEADEND, TENSION, AUTO, FLEXIBLE BAIL, 1/0 SLD CU,#2-3	EAGU	CD 116
478	1200035	STR CU STD PKG = 25	EACH	GD-116
479	1200043	DEADEND, TENSION, AUTO, FLEXIBLE BAIL, 1/0-7 STR CU,#2A	EACH	107FD
		CW AND 1/0F CW DEADEND,TENSION,AUTO,FLEXIBLE BAIL,6A CW	EACH	47FD
480	1200051	DEADEND, TENSION, AUTO, FLEXIBLE BAIL, 42-7 STR CU, #4A	100	
481	1200060	CW STD PKG = 50	EACH	GD-115
482	1200086	SLEEVE, TENSION, CMPSN, 6SLD CU, 2-1/2"LGH 5/16 DIE STD	EACH	CTS6
402	1200000	PKG = 100	271071	
483	1200094	SLEEVE, TENSION, CMPSN, 4SLD CU, 2-3/4" LGH 3/8" DIE STD PKG = 100	EACH	OH 4C
		SLEEVE, TENSION, CMPSN, 6A CW, 5-1/2"LONG, 3/8 DIE STD		CUR OLOW
486	1200127	PKG = 100	EACH	OHR 6ACW
487	1200135	SLEEVE, TENSION, CMPSN, 1/0 7-19 STR, AL, 6" LGH, 5/8-1 OR	EACH	OH 1/0-7AL
401	1200100	635 DIE STD PKG = 50		
489	1200151	SLEEVE,NEUTRAL TRIPLEX,FOR #2-7STR ALUM STD PKG = 50	EACH	TR64
		SLEEVE, NEUTRAL TRIPLEX, FOR #4-7STR ALUM STD PKG =		
490	1200160	50	EACH	30011
491	1200178	DEADEND, TENSION, AUTO, FLEXIBLE BAIL, #2 SLD CU, #4-3	EACH	GD-114
		STR CR,#4-7 STR CU		
492 493	1200186 1200194	CONNECTOR,CMPSN,4/0-3/0 TO 2/0-1 50 STD PKG. CONNECTOR,CMPSN,2/0-3/0 TO 6-1STR STD PKG = 50	EACH EACH	WR399 WR289
494	1200134	CONNECTOR, CMPSN, 2-6 TO 2-6 STD PKG = 50	EACH	WR159
	1200219	CONNECTOR, CMPSN, 1/0-2STR TO 3-6 HOMAC/STD PKG =	EACH	WR179
495		500 EA		
504	1200335	CONNECTOR,CMPSN,2STR-4SOL TO 8STR OR SOL CONNECTOR,CMPSN,GROOVE A(2/0-3STR TO 8-	EACH	WR9
505	1200351	10STR), GROOVE B(8-14STR & 7-14SLD), DIE O 14SLD, DIE O	EACH	WR139
506	1200360	CONNECTOR, SPLIT BOLT, 8 SLD, CU	EACH	8H
507	1200378	CONNECTOR, SPLIT BOLT, 6 SLD, CU	EACH	6H
508	1200386	CONNECTOR, SPLIT BOLT, 4STR, PLATED	EACH	2HPS
509	1200394	CONNECTOR, SPLIT BOLT, 1STR TO 8SOL, PLATED CONNECTOR, TWO-BOLT, 1/0-2STR, W/SPACERS PLATED	EACH EACH	1HPS 2B10PW
510	1200401	CLAMP, WEDGE, SERVICE, #4/0-#2/0 ACSR, RIGID SS	1	
512	1200443	BAIL, FOR SERVICE DEADENDS	EACH	7197
		SLEEVE, TENSION, CMPSN, NEUTRAL, TRIPLEX, 6 STR-4		
513	1200478	SLD,AL,6 ACSR,3-1/4" LGH,CAP COLOR BLUE,NOSE OF GUN	EACH	30008
		USED TO COMPRESS STD PKG = 50 SLEEVE,TENSION,CMPSN,4-3STR OR 2 SOLID CU,3-1/4		0
514	1200486	LGH, 1/2 DIE STD PKG = 50 Attachment to Resr	onse to L	GE PSC-2 Question No. 54
		. Tituenment to resp		

Page 45 of 218 CONFIDENTIAL INFORMATION REDACTED Hermann

		SOILDOLL A		
515	1218101	DEADEND, GRIP, TWISTED, FOR 20M AWAY ON BY SAS ELECTION YELLOW	EACH	AWDE-4126
516	1218401	PIN,INSULATOR,1"THREAD 3/4"X 1-3/4", SHORT SHANK,W/1- I/2" THREAD,6" HIGH, SQUARE NUT W/SPLIT LOCKWASHER,GALVANIZED STD PKG = 25	EACH	893
518	1225919	CAP,END SEALING,CABLE OD RANGE .63"-1.18 ",COLD SHRINK,FOR MOISTURE SEALING CABLE HANGER,CABLE,2/0,W/2-1/2"MAX OPENING FOR RISER	EACH	EC-2
519	1226401	POLE APPLICATION, COLOR CODE "GREEN", (PREASSEMBLED COMPLETE WITH 2 EACH S.S. 1/2"-13 HEX HD CAP SCREWS X 2" LG. WITH S.S. LOCK WASHERS AND SILICON BRONZE NUTS)	EACH	1226401
521	1242960	DEADEND, TENSION, AUTO, CLEVIS, #2-7 STR CU, #4A CW	EACH	27LD
522	1242978	DEADEND, TENSION, AUTO, CLEVIS, #2-7 STR AAC STD PKG = 25	EACH	GD-4442A
523	1243186	BRACKET,3-PHASE ARRESTOR/CUTOUT W/ALUMINUM OR GAL IRON END FITTINGS STD PKG=10	EACH	G3MA013613AD
524	1243194	BRACKET,NEUT WIRE,FOR WOOD POLE,GALV STL STD PKG=25	EACH	NWB-5
527	1243378	CLEVIS, Y, BALL, 30,000#, GALV., 3/4"PIN AND NUT, ANSI CL 52.3 & 52.5 HARDWARE STD PKG=25	EACH	YCB-65A
529	1243443	DEADEND,ANC,AUTO,12M,3/8STR,RNG 0.325-0.392 DIA,"UNIVERSAL STRANDVISE" FOR 12M ALUMOWELD GUY WIRE STANDARD PACKAGE/25	EACH	5202
533	1243827	BOX,SPLICE,12"X 20"X 12",HI MIN ID OPNG, HIGH DENSITY POLYETHELENE,W/COVER @CAPT- IVE PENTA-HEAD SS BOLT IN GRAY OR GREEN **SEE IIN 0532335 FOR	EACH	1220123HGE20AU1
537	1244160	REPLACEMENT LID** CONNECTOR,LUG,CMPSN,4/0 STR AL/CU, SLOTTED TANG	EACH	LAC40
538	1244178	CONNECTOR,LUG,CMPSN,1/0 STR TO 2/0 SLD AL/CU,	EACH	LAC10
540	1244194	SLOTTED TANG CONNECTOR,LUG,CMPSN,2/0 STR-3/0 SOL AL/CU,SLOTTED TANG	EACH	LAC20
541	1244201	CONNECTOR,LUG,CMPSN,2 STR-1 SOL AL/CU SLOTTED TANG	EACH	LAC2
546	1244251	JUNCTION,LOADBREAK,15KV,3-WAY,14.4KV PHASE TO PHASE,W/BRACKET	EACH	164J3
552	1244427	TUBING HEAT SHRINK 600V 1/0 - 350.12" LENGTH	EACH	WCSM-43/12-300-S
554	1244619	TERMINAL, MOLE LUG KIT, URD, 2 STR-1/0 SOL. AL/CU, 600V, W/ALLEN HEAD SCREW & HEAT SHRINK SLEEVE, USE/BURNDEY RDM CONNECTOR ***FOR MAINTENANCE ONLY!!***25/PKG ALLEN HEAD SCREW AND HEAT SHRINK SLEEVE	EACH	RYA2UC
555	1244627	TERMINAL,MOLE LUG KIT,URD,1/0 STR-2/0 SOL AL/CU,600V,W/ALLEN HEAD SCREW & HEAT SHRINK SLEEVE,USE/BURNDY RDM CONNECTOR ***FOR MAINTENANCE ONLY!!*** SLEEVE	EACH	RYA25UC
556	1244635	TERMINAL,MOLE LUG KIT,URD,2/0 STR AL/CU, 600V,W/ALLEN HEAD SCREW & HEAT SHRINK SLEEVE,FOR USE WITH BURNDY RDM CONNECTOR *** FOR	EACH	CFK-2/0-HS
558	1244651	MAINTENANCE ONLY!!*** TERMINAL,MOLE LUG KIT,URD,4/0 STR AL/CU, 600V,W/ALLEN HEAD SCREW & HEAT SHRINK SLEEVE,FOR USE WITH BURNDY RDM CONNECTOR ***FOR MAINTENANCE ONLY!!***	EACH	RYA28UC
561	1244794	TAP,MID-SPAN,NEUTRAL,336.4 ACSR-1/0,ALUM	EACH	TNT-4-40
562	1245160	CONNECTION, FLEXIBLE, 22"LONG, 1-1/2"WIDE W/2 HOLES	EACH	XB-292L22
		ON EACH END PANEL,PLEXIGLAS,WHITE,AE, PLACEMENT PART FOR	FACIL	00.10.024.14/
564	1249401	AMERICAN ELECTRIC- AMERICAN REVOLUTION LUMINAIRE PANEL, LANTERN, TRADITIONAIRE, HOUSE SIDE, 1/2	EACH	06-16-034-W
565	1249435	WHITE,1/2 CLEAR,PLEXIGLASS FOR MCGRAW-EDISON #TT- 1253 R-BK LANTERN, CONTACT STREETLIGHT SHOP BEFORE ORDERING,GENERAL RUBBER MAKES THESE FOR LG&E	EACH	LT 148X111
566	1251843	BELT,SAND,150 GRIT,2"X 50 YDS,ALUM OXIDE STANDARD	EACH	1251843
568	1252760	PKG. OF 10 ANCHOR,BOLT,CONCRETE,1/2"X 2-3/4",SS LOTS OF 50 CONTROL,PHOTO ELECTRIC, WIRE IN TYPE,	EACH	1252760
569	1457578	120V,500W,MOUNTS INSIDE LUMINAIRE WITH PHOTOCELL EXPOSED EXTERNALLY FOR OUTDOOR LIGHTING/STD PKG	EACH	DB120-1.5ST
570	1564251	= 50 WIRE,4-2/C,7STR,AL,PE INSL,(DUPLEX) CODE NAME SPANIEL,1000' HAND COILS SEE WIRE SPECIFICATIONS WS- 1564251 10 COILS/PALLET  Page 46 of 118		SPANIEL -2 Question No. 54
		I HEU TO ULLIO		いっしいけん ロシド ひじりかい

Page 46 of 118 Hermann <sup>13</sup> of 26 CONFIDENTIAL INFORMATION REDACTED

		OUTLEBOLEA	the entire meeting distance in a	1877A 17 A 1
571	1564260	WIRE,4-3C,7STR,AL,PE INSL,(TRIPLEX) @ BELITIONS WS-	c FOOT	OYSTER
572	1564378	1564260 INSULTOR,SPOOL,9/16"HOLE,2-1/8"X 2-1/4" WIDE,ULTIMATE POUNDS 1750 USED AS #1 WIRE HOLDER	EACH	INSULATOR-SPL-2-53-1
573	1564427	BOLT,MACH,SQ HD,5/8"X 26",GALV,W/SQ NUT STD PKG = 25	EACH	MB5826
• • •	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	SLEEVE.REPAIR,HEAT-SHRINK,WRAPAROUND, 95"-		
574	1565601	2.7"OUTER JACKET, DIA., 48"LENGTH 2KV MAX., W/SS CLOSURE CHANNEL, PRE-COATED ADHESIVE SEALANT, 1-	EACH	CRSM84/20-1200-HVS
575	1565651	STRIP S1085 HIGH VOLTAGE SEALANT. SEALING KIT,ELBOW & CABLE JACKET,FOR UG JACKETED CABLE,MIN 0.95-MAX 1.94	EACH	8452
576	1565660	COVER, FIBERGLASS BOX PAD, 4 INSERTS ON 28" X 34" SPACING, W/4 PENTA-HEAD BOLTS, APPROX 37" X 43" (TO FIT 0480127)	EACH	GSC-37-43
580	1565819	WIRE, 1/0-3/C,7STR,AL,PE INSL,(TRIPLEX) CODE NAME MUREX,500' HAND COIL SEE WIRE SPECIFICATIONS WS- 1565819	FOOT	MUREX
582	1566586	REFRACTOR, LUMINAIRE, POLY, 175/250W MERC VAPOR, HIGH VANDALISM AREAS 14"X12"X5" SPREADER, SECONDARY, OPEN WIRE, W/BAIL, CAST AL	EACH	35-130707R02
583	1566778	UNIVERSAL CONDUCTOR CLAMP #2 TO 1/0 IN SMALL GROOVE & 2/0 TO 336.4MCM IN LARGE GROOVE,FIBERGLASS REINFORC,10/PKG POLYMERIC BAR,ALUMINUM CLAMP BOLTS DEVICE TO SEPERATE	EACH	GSS-24
585	7000101	NEUTRAL AND PHASE CONDUCTORS CROSSARM,WOOD,FIR,3 3/4" X 4 3/4" X 8',BORED TO STANDARD 07 06 02 A	EACH	8'-LGE/KU-CROSSARM
586	7000102	CROSSARM,WOOD,FIR,3 3/4" X 4 3/4" X 10',BORED TO STANDARD 07 06 02 A	EACH	10'-LGE/KU-CROSSARM
587	7000143	BRACE,CROSSARM,72" SPAN,36" DROP	PAIR	2045-E45-9-11
588	7000172	ARRESTER, DISTRIBUTION UG, 10KV, UGDF-ELBOW	EACH	10KV-ELBOW-ARRESTER
589	7000206	BOLT,CARRIAGE,3/8"X 4-1/2",GALV STD PKG = 250 BOLT,DBL ARMING,ALL THREAD,5/8 X 16,GALV W/4 SQ	EACH	2459546
590	7000209	NUTS,STD PKG = 25 BOLT,DBL ARMING,ALL THREAD,5/8 X 18,GALV W/4 SQ	EACH	DABOLT5816
591	7000210	NUTS,STD PKG = 25 BOLT,DBL ARMING,ALL THREAD,5/8 X 20,GALV W/4 SQ	EACH	DABOLT5818
592	7000211	NUTS,STD PKG = 25 BOLT,DBL ARMING,ALL THREAD,5/8 X 22,GALV W/4 SQ	EACH	DABOLT5820
593	7000212	NUTS,STD PKG = 25 BOLT,DBL ARMING,ALL THREAD,5/8 X 24,GALV W/4 SQ	EACH	DABOLT5822
594	7000213	NUTS,STD PKG = 25 BOLT,DBL ARMING,ALL THREAD,5/8 X 26,GALV W/4 SQ	EACH	DABOLT5824
595	7000214	NUTS,STD PKG=25 BOLT,DBL ARMING,ALL THREAD,5/8 X 28,GALV W/4 SQ	EACH	DABOLT5826
596	7000215	NUTS STD PKG = 25 BOLT,DBL ARMING,ALL THREAD,5/8 X 30,GALV W/4 SQ	EACH	DABOLT5828
597	7000216	NUTS STD PKG = 25 BOLT,DBL ARMING,ALL THREAD,3/4 X 16,GALV W/4 SQ	EACH	DABOLT5830
599	7000217	NUTS STD PKG = 25	EACH	DABOLT3416
600	7000218	BOLT,DBL ARMING,ALL THREAD,3/4 X 18,GALV W/4 SQ NUTS STD PKG = 25 BOLT,DBL ARMING,ALL THREAD,3/4 X 20,GALV W/4 SQ	EACH	DABOLT3418
601	7000219	NUTS STD PKG = 15	EACH	DABOLT3420
602	7000220	BOLT,DBL ARMING,ALL THREAD,3/4 X 22,GALV W/4 SQ NUTS STD PKG = 20	EACH	DABOLT3422
603	7000221	BOLT, DBL ARMING, ALL THREAD, 3/4 X 24, GALV W/4 SQ NUTS STD PKG = 20	EACH	DABOLT3424
605	7000222	BOLT, DBL ARMING, ALL THREAD, 3/4 X 26, GALV W/4 SQ NUTS STD PKG = 15	EACH	DABOLT3426
606	7000223	BOLT,DBL ARMING,ALL THREAD,3/4 X 28,GALV W/4 SQ NUTS STD PKG = 15	EACH	DABOLT3428
607	7000238	BOLT,EYE,OVAL,5/8" X 10",GALV,W/SQ NUT STD PKG = 25	EACH	EB5810
608	7000239	BOLT, EYE, OVAL, 5/8" X 12", GALV, W/SQ NUT STD PKG = 25	EACH	EB5812 EB5814
609 610	7000240 7000241	BOLT,EYE,OVAL,5/8" X 14",GALV,W/SQ NUT STD PKG = 25 BOLT,EYE,OVAL,5/8" X 16",GALV,W/SQ NUT	EACH EACH	EB5816
611	7000241	BOLT,EYE,OVAL,5/8" X 18",GALV,W/SQ NUT STD PKG = 25	EACH	EB5818
613	7000242	BOLT,MACH,SQ HD,1/2"X 7",GALV,W/SQ NUT STD PKG = 100	EACH	MB1207
614	7000250	BOLT, * * * "EMERGENCY USE ONLY" * * * ,MACH,SQ HD,1/2"X	EACH	MB1208
		8",GALV,W/SQ NUT BOLT,MACH,SQ HD,1/2"X 10",GALV,W/SQ NUT STD PKG =	EACH	MD1310
616	7000251	100 Attachment to Res	-	SC-2 Question No. 54
		Page 47 of 119	CONFIDENTIAL	NEODMATION DEDACTI

Attachment to Response to LGE PSC-2 Question No. 54

Page 474 of 26

Hermann

		SCHEDULE A		
		BOLT,MACH,SQ HD,1/2"X 12",GALV,W/BRUSHILLS FRELECTRIC		
617	7000252	100	157.137.	MB1212
618	7000258	BOLT,MACH,SQ HD,5/8"X 10",GALV,W/SQ NUT	EACH	MB5810
619	7000259	BOLT,MACH,SQ HD,5/8"X 12",GALV,W/SQ NUT STD PKG = 50	EACH	MB5812
620	7000260	BOLT,MACH,SQ HD,5/8"X 14",GALV,W/SQ NUT STD PKG = 50	EACH	MB5814
621	7000261	BOLT,MACH,SQ HD,5/8"X 16",GALV,W/SQ NUT STD PKG = 50	EACH	MB5816
622	7000262	BOLT,MACH,SQ HD,5/8"X 18",GALV,W/SQ NUT	EACH	MB5818
623	7000263	BOLT,MACH,SQ HD,5/8"X 20",GALV,W/SQ NUT STD PKG = 40	EACH	MB5820
624	7000264	BOLT,MACH,SQ HD,5/8"X 22",GALV,W/SQ NUT STD PKG = 25	EACH	MB5822
625	7000265	BOLT,MACH,SQ HD,5/8"X 24",GALV,W/SQ NUT STD PKG ■ 25	EACH	MB5824
627	7000268	BOLT,MACH,SQ HD,3/4"X 10",GALV,W/SQ NUT	EACH	
628	7000269	BOLT,MACH,SQ HD,3/4"X 12",GALV,W/SQ NUT STD PKG = 25	EACH	MB3412
629	7000270	BOLT,MACH,SQ HD,3/4"X 14",GALV,W/SQ NUT STD PKG = 25	EACH	
630	7000271	BOLT,MACH,SQ HD,3/4"X 16",GALV,W/SQ NUT STD PKG = 25	EACH	
631	7000272	BOLT,MACH,SQ HD,3/4"X 18",GALV,W/SQ NUT STD PKG= 25	EACH	
632	7000273	BOLT,MACH,SQ HD,3/4"X 20",GALV,W/SQ NUT STD PKG = 25	EACH	
633	7000275	BOLT,MACH,SQ. HD.,3/4" X24" GALV,WITH SQ NUT	EACH	
634	7000278	BOLT,MACH,SQ HD,7/8"X 12",GALV,W/SQ NUT STD PKG = 25	EACH	
635	7000279	BOLT,MACH,SQ HD,7/8"X 14",GALV,W/SQ NUT STD PKG = 25	EACH	
637	7000281	BOLT,MACH,SQ HD,7/8"X 18",GALV,W/SQ NUT	EACH	MB7818
638	7000282	BOLT,MACH,SQ HD,7/8"X 20",GALV,W/SQ NUT BOLT,MACHINE,1/2",1-1/2",SS,SILICON BRONZE NUT,2 FLAT	EACH	
639	7000302	& 1 BELLVL WASHER	EACH	SBS000302
640	7000303	BOLT,MACHINE,1/2",2",SS,SILICON BRONZE NUT,2 FLAT & 1 BELLVL WASHER	EACH	SBS000303
641	7000304	BOLT,MACHINE,1/2",2-1/2",SS,SILICON BRONZE NUT,2 FLAT & 1 BELLVL WASHER	EACH	SBS000304
642	7000305	BOLT,MACHINE,1/2",3",SS,SILICON BRONZE NUT,2 FLAT & 1 BELLVL WASHER	EACH	SBS000305
643	7000337	WASHER,BOLT,SQUARE,2-1/4",5/8" BOLT,3/16" THICK,11/16" HOLE,.GALV	EACH	6813
GAA	7000204	CONDUCTOR,OH WIRE,6,CU,BARE,SD,SOLID,25 LB SPOOL. (315').CONVERSION: FEET YOU WANT DIVIDED BY 12.59 =	POUND	#6 SD CU-SPL
644	7000384	POUNDS TO ORDER)		
645	7000591	CLAMP,HOT LINE,8-2/0,CU CLAMP,GROUND,TRANSFORMER TANK,BRZ,#8SLD TO 2/0	EACH	BC-2/0
646	7000602	STR,1/2"X 13 THREAD STUD	EACH	TTC-2
648	7000662	CONDUIT,PVC,2-1/2",SCH 80	FOOT	PVC-COND-2.5X10-80
649 650	7000663 7000670	CONDUIT,PVC,2",SCH 80 CONDUIT,PVC,2-1/2",SCH 40	FOOT FOOT	PVC-COND-2X10-80 PVC-COND-2.5X10-40
651	7000670	CONDUIT,PVC,2",SCH 40	FOOT	PVC-COND-2X10-40
652	7000673	CONDUIT,PVC,1-1/4",SCH 40	FOOT	PVC-COND-1.25X10-40
653	7000711	FUSE,LINK,D,2A,REMOVABLE BUTTONHEAD	EACH	FL3D2
654	7000712	FUSE,LINK,D,3A,REMOVABLE BUTTONHEAD	EACH	FL3D3
655	7000713	FUSE,LINK,D,5A,REMOVABLE BUTTONHEAD	EACH	FL3D5
656	7000714	FUSE,LINK,D,7A,REMOVABLE BUTTONHEAD	EACH	FL3D7
657	7000715	FUSE,LINK,D,10A,REMOVABLE BUTTONHEAD	EACH	FL3D10
658	7000716	FUSE, LINK, D, 15A, REMOVABLE BUTTONHEAD	EACH	FL3D15
661	7000734	FUSE,BAY-O-NET,15A,DUAL SENSING FUSE,BAY-O-NET,50A,DUAL SENSING	EACH EACH	4000358C08B 4000358C12B
663 664	7000736 7000737	FUSE,BAY-O-NET,65A,DUAL SENSING	EACH	4000358C12B
665	7000737	FUSE,BAY-O-NET,140A,DUAL SENSING	EACH	4000358C18CB
666	7000791	ANCHOR, EARTH, EXPANSION, 8", 10000 LB, 8 WAY, STEEL, 5/8" OR 3/4" ROD, 135 SQ IN	EACH	88135B
667	7000796	INSULATOR, GUY, STRAIN, 5	EACH	
669	7000826	1/2",20,000#,GRAY,PORCELAIN,ANSI 54-3 SPREADER,GUY,SIDEWALK GUY POLE END,2",PIPE,GALV	EACH	502
670	7000827	STEEL SPREADER,GUY,SIDEWALK,GUY END,2",PIPE,GALV STEEL	EACH	501
671	7000828	PROTECTOR,GUY,8FT,YELLOW,HDPE,CLAMP TYPE 3/8"-5/8"	EACH	TGP16-1B-8YPF
٠, ١	. 230040	GUY WIRE		

		BAND,POLE,6,000#,7.5" TO 12" POLE,4Louisville Gas Electr	ic	Buda Saya da su propincia de la casa de la c	į.
672	7000833	SECTION,EACH=SET,SET=(4) 1/4"X4" BANDS,(4) 3/4" STUDS WITH (4) NUTS PER STUD	EACH		J6644
673	7000879	BRACKET, CUTOUT/ARRESTER, X-ARM, NEMA TYPE B, FOR 8' & 10' X-ARMS	EACH		D-1616
674	7000887	CLAMP,GROUND ROD,5/8",8-1/0,HEX,CU,HEAVY DUTY ROD,GROUND,5/8"X8',BONDED COPPER,MINIMUM .010"	EACH		HDC58R
675	7000888	COPPER COATING, TO BE USED ON GROUND RODS FOR	EACH	250	615880
676	7000905	POLES EYENUT,OVAL,FOR 5/8" BOLT,GALV,25,000# ULT.	EACH		EN58
678	7000911	BRACKET,WIRE,1-INSULATOR,LESS INSULATOR,4" X 3- 1/4",FOR ANSI 53-2 SPOOL INSULATOR,STD PKG = 25	EACH		337
680	7000936	WIREHOLDER, SERVICE, MAST BRACKET, 3"-4", WITH INSULATOR WIRE, #4, AAC, BARE, SOLID, SD, TIE WIRE, 25 LB SPOOLS	EACH		C207-0076
681	7000941	(APPROX. 651 FT) CONVERSION: FEET YOU WANT DIVIDED BY 26.04 = POUNDS TO ORDER	POUND		TW00011
683	7001031	EYENUT, OVAL, FOR 7/8" BOLT, GALV, 25,000# ULT	EACH		EN80
684	7001032	EYENUT, OVAL, FOR 3/4" BOLT, GALV, 25,000# ULT.	EACH		EN34
685	7001135	SPLICE,KIT,15KV,MOLDED,#2/0 AL OR CU,175 MIL ONLY,JCN & CN CABLE	EACH		5411-2006
686	7001138	SPLICE,KIT,15KV,MOLDED,#2 AL OR CU,175/220 MIL,JCN & CN CABLE	EACH		5411-CI-2
687	7001141	TERMINATION,KIT,15KV,#2-4/0 AWG. COLD SHRINK,W/O PIN,JCN/CN/TAPE SHIELD,110KV BIL,OUTDOOR,INSULATION	EACH	1. Fare	7642-S-2
		RANGE 0.64"-1.08" ELBOW,LOADBREAK,#2/0 CU/AL,175/220M,14.4KV PHASE TO			
688	7001149	PHASE,200A,WITH TEST POINT,WITH #2/0 BI-METALLIC CONNECTOR AND ELBOW SEAL KIT	EACH		15KV-ELBOW-20-LGE
689	7001163	CLEANER,CABLE,FAST DRYING,NON-FLAMMABLE,5"X 8" TOWEL IN PACKET	EACH		TR-1
690	7001164	LUBRICANT,CABLE,PULLING,5 GALLON PAIL,SUMMER GRADE	EACH		
691	7001166	COMPOUND, SILICON, 5.30Z TUBES FOR USE IN UNDERGROUND TERMINATION TYPE APPLICATIONS	EACH		SL-5
692	7001199	COUPLING, CONDUIT, PVC, 2-1/2"	EACH		PVC-COUPLING-2.5-40
693	7001203	COUPLING, PVC, 6", FEM FEM.	EACH		PVC-COUPLING-6-40
694 695	7001214 7001215	ELBOW,CONDUIT,2"X36",PVC-SCH 40,90 DEG ELBOW,CONDUIT,2-1/2"X36",PVC-SCH 40,90 DEG	EACH EACH		PVC-ELB-2-90-36-40 PVC-ELB-2.5-90-36-40
		INSULATOR, PIN TYPE, 15KV, POLYMER, F-NECK, 1" PIN			
698	7001269	HOLE, SKY GRAY, FOR USE ON AERIAL CABLE	EACH		HPI15F
699	7001271	INSULATOR,PORCELAIN,PIN TYPE,ANSI 55-3,GREY,C- NECK,1" PIN HOLE,FOR 4KV AND 12KV	EACH		PI-23132-RT
700	7001274	INSULATOR,SPACER,AERIAL CABLE,15KV,3- PHASE,RINGLESS	EACH		RTL-15
701	7001280	INSULATOR,SUSPENSION,15 KV,POLYMER,12.5" LONG,15,000# ULT.,100% TESTED TO 10,000#,GRAY,SILICON RUBBER OR EPDM,CLEVIS-EYE FERROUS ENDFITTINGS	EACH		401015-0215
702	7001285	INSULATOR,SUSPENSION,10",PORCELAIN,30,000# ULT.,5-3/4"X 10" BALL & SOCKET TYPE,ANSI CLASS 52-5,USAS-70,GRAY,6/PKG	EACH		5960-A-70
705	7001307	LUMINAIRE,COLONIAL,HPS,100W,120V,9500 LUMENS,TYPE III,NPF,HORIZONTAL LAMP,BLACK,PEC/REC,55V OPER W/PLUG-IN STARTER,W/STANDARD NEMA STICKER	EACH		T10R10S1N2AMS3BLLT
706	7001308	LUMINAIRE,COLONIAL,HPS,70W,120V,5800 LUMENS,TYPE III,NPF,HORIZONTAL LAMP,BLACK,PEC/REC,55V OPER W/PLUG-IN STARTER,W/STANDARD NEWM STICKER	EACH		T10R07S1N2AMS3BLLT
707	7001309	LUMINAIRE,COLONIAL,HPS,50W,120V,4000 LUMENS,TYPE III,NPF,HORZONTAL LAMP, BLACK,PEC/REC,W/PLUG-IN STARTER,W/STANDARD NEMA STICKER	EACH		T10R05S1N2AMS3BLLT
708	7001310	LUMINAIRE,COBRA,HPS,400W,120V,50000 LUMENS,TYPE III,AUTO-REG BALLAST,GLASS,PEC/REC,W/PLUG-IN STARTER,W/STANDARD NEMA STICKER	EACH		12540SCA120R3DGOP
709	7001311	LUMINAIRE,COBRA,HPS,200W,120V,22000,TYPE  JII,NPF,GLASS,PEC/REC,W/PLUG-IN STARTER,W/STANDARD  NEMA STICKER  LUMINAIRE,COBRA,HPS,100W,120V,9500 LUMENS,TYPE	EACH		11520SXN120R3DGOP
710	7001312	II,NPF,PEC/REC,ACRYLIC,W/PLUG-IN STARTER,W/STANDARD NEMA STICKER	EACH		11510SRN120R2DGOP
711	7001313	LUMINAIRE,COBRA,HPS,70W,120V,5800 LUMENS,TYPE II,NPF,ACRYLIC,PEC/REC,W/PLUG-IN STARTER,W/STANDARD NEMA STICKER	EACH		11507SRN120R2DGOP

Attachment to Response to LACTED Page 49 of 118 Hermann

		LUMINAIRE,COBRA,HPS,50W,120V,4006U访继续等度Electric	ranka is	
712	7001314	II,ACRYLIC,PEC/REC,W/PLUG-IN STARTER,W/STANDARD NEMA STICKER	EACH	11505SRN120R2DGOP
		LUMINAIRE,OPEN BOTTOM,MV,175W,120V,7000		
713	7001318	LUMENS,TYPE V,NPF,W/STANDARD NEMA STICKER *** FOR KU MAINTENANCE ONLY - FOR LG&E & ODP OPEN	EACH	11PKG17VXN120R5BALD
		STOCK *** LUMINAIRE,COMTEMPARY,HPS,70W,120V,5800		
714	7001319	LUMENS,NPF,TYPE III, FOR ROUND POLE,W/PLUG-	EACH	DSMR07S1A2GMC3BI.
		INSTARTER,BLACK,W/STANDARD NEMA STICKER LUMINAIRE,CONTEMPARY,HPS,100W,120V,NPF,TYPE		
715	7001320	III,9500 LUMENS,FOR ROUND POLE,W/PLUG-IN	EACH	DSMR10S1A2GMC3BL
		STARTER,BLACK, W/STANDARD NEMA STICKER LUMINAIRE,CONTEMPARY,HPS,200W,120V,NPF,22000L,TYP		
716	7001321	E III,16000 LUMENS,FOR ROUND POLE,W/PLUG-IN	EACH	DSMR20S1A2GMC3BL
		STARTER,BLACK,W/STANDARD NEMA STICKER LUMINAIRE,CONTEMPARY,HPS,400W,120V,HPF,TYPE		
717	7001322	III,50000 LUMENS,FOR ROUND POLE,W/PLUG-IN	EACH	DSMR40S1A2GMC3BL
		STARTER,BLACK,W/STANDARD NEMA STICKER LUMINAIRE,ACORN,HPS,50W,120V,4000 LUMENS,TYPE		
718	7001323	V,NPF,W/9"ACRYLIC GLOBE,BLACK,W/PLUG-IN	EACH	AM9X05S1N21CASBLCK
		STARTER,W/STANDARD NEMA STICKER LUMINAIRE,ACORN,HPS,70W,120V,5800 LUMENS,TYPE		
719	7001324	V,NPF,W/9" ACRYLIC GLOBE,BLACK,W/PLUG-IN STARTER.W/STANDARD NEMA STICKER	EACH	AM9X07S1N21CASBLCK
		LUMINAIRE, ACORN, HPS, 100W, 120V, 9500 LUMENS, TYPE		
720	7001325	V,NPF,W/9" ACRYLIC GLOBE,BLACK,W/PLUG-IN STARTER.W/STANDARD NEMA STICKER	EACH	AM9X10S1N21CASBLCK
721	7001326	LUMINAIRE, OPEN BOTTOM, HPS, 100W, 120V, 9500	EACH	11PKG10SRN120R5BA
		LUMENS,TYPE V,NPF,W/KIT,W/STANDARD NEMA STICKER LUMINA:RE,OPEN BOTTOM,HPS,70W,120V,5800		***************************************
722	7001327	LUMENS, TYPE V, NPF, W/KIT, W/STANDARD NEMA STICKER	EACH	11PKG07SRN120R5BA
700	3004000	LUMINAIRE,FLOOD,HPS,400W,120/208/240/277V,50000 LUMENS,6X6,AUTO-REG,PEC/REC,DARK BRONZE,PLUG-IN	EACH	CFB40SWW76UXX58
723	7001328	STARTER, PREWIRED W/6' #14/3 CORD, W/STANDARD NEMA	EAGH	Charlosvavaloovyaa
		STICKER CONTROL,PHOTOELECTRIC, 105-130V,GRAY		
727	7001331	COVER,ELECTRONIC,1000W,1800VA,TIME DELAYED,1.5 FCS TURN ON,CADMIUM-SULFIDE PHOTOCELL,MINIMUM 160	EACH	S120-1.5-STM
121	7001331	JOULE MOV ARRESTER, TWISTLOCK BASE, DUSK TO		0720 110 0111
		DAWN.USE IN 120V ONLY CONTROL,PHOTOELECTRIC,105/285V,BLUE		
		COVER, ELECTRONIC, 1000W, 1800VA, TIMED DELAYED, 1.5		D40445 0TH
728	7001332	FCS TURN ON,CADMIUM-SULFIDE PHOTOCELL,MINIMUM 160 JOULE MOV ARRESTER,TWISTLOCK BASE,DUSK TO	EACH	D124-1.5-STM
		DAWN FOR USE ON 120V 208V 240V AND 277V		
729	7001339	OPTICAL ASSEMBLY, OPEN BOTTOM, TYPE V, PLASTIC  ***FOR MAINTENANCE ONLY***	EACH	RK11R5BA
700	7004057	CABLE,600V,#12,SOLID,2/C W/GROUND,TYPE UF-B,OH &	FOOT	12-2 UF W/GROUND
730	7001357	UG/250 FT. BOX,ONLY ORDER 2500 FT REEL ON SPECIAL REQUEST.FOR OH & UG STREET LIGHTING	FOOT	12-2 OF WIGHOOMD
		CABLE,600V,4/0-4/0-2/0,3/C AL,TRIPLEX,XLP,SWEETBRIAR,NEUTRAL MARKED WITH 3-		
733	7001429	EXTRUDED YELLOW STRIPES AND SEQUENTIAL	FOOT	SWEETBRIAR-SUPERTUF
		FOOTAGE.FOR UG SECONDARY AND SERVICES CABLE,UG,15KV,#2 AAC,175MIL,100%JCN, 7 STR		
734	7001430	COMPRESSED,STR BLOCK,0.175" TRXLPE,10@#14 CU	FOOT	7001430
701	1001400	NEUT,LLDPE JKT,2500' NON-RETURN REELS,AEIC-CS8/ICEA S-94-649,LGE SPEC 7001430		
		CABLE,UG,15KV,#2 AAC,175MIL,33%JCN PARALLEL,7 STR	2.5	
735	7001432	COMPRESSED,STR BLOCK,0.175" TRXLPE,6@#14 CU NEUT,LLDPE JKT,2000CKT' NON-RETURN REELS,AEIC-	FOOT	
		CS8/ICEA S-94-649.LGE SPEC 7001432 BRACKET,INSULATOR/ARRESTER,18",SINGLE,1-1/2",FG	ark stages and the	
736	7001703	ROD, KEYHOLE TOP SLOT, GALV OR AL ENDFITTINGS, W/2-	EACH	G1MDA318ATB
730	7001703	CAPTIVE 1/2" BOLTS ON SIDES,4-5/8" MOUNTING HOLES.ONE 13/16" CENTER HOLE	L/OII	O IMEN COOK IS
737	7001710	MOUNT,TRANSFORMER CLUSTER,3,BOLT MNT,3-50KVA,STL	EACH	DT6C1
738	7001718	CAP, SHORTING, PHOTOCONTROL BASE, LOCKING TYPE	EACH	S1038-1
739	7001719	RECEPTACLE, PEC, REMOTE, 125 VAC, WITH POLE MOUNT	EACH	S476-71
740	7001725	BRACKET,ROTATABLE,15AMP,3 POLE,3 WIRE ADAPTER,LIGHTING,ROUND POLE	EACH	RPABL-DS
741	7001726	ADAPTER, LIGHTING, SLIP FITTER  Attachment to Response	EACH Onse to LGE PSC	-2 Ouestion No. 54

Attachment to Response to LGE PSC-2 Question No. 54

Page 50 of 118
CONFIDENTIAL INFORMATION REDACTED
Hermann

		SCHEDULE A	Brooking the Control of the Control	Providence of
742	7001727	MOUNT,TRANSFORMER CLUSTER,3,时仅中部间。Gas Electr 167KVA,STL	ic EACH	DT7C1
743	7001735	LUMINAIRE,COBRA,MV,400W,120V,20000 LUMENS,TYPE III,AUTO-REG,GLASS,PEC/REC,W/PLUG-IN STARTER.W/STANDARD NEMA STICKER	EACH	12540VXN120R3DG
744	7001736	LUMINAIRE,COBRA,MV,250W,120V,10000 LUMENS,AUTO- REG,TYPE III,GLASS,PEC/REC,W/PLUG-IN	EACH	11525VXN120R3DG
745	7001737	STARTER,W/STANDARD NEMA STICKER LUMINAIRE,COBRA,MV,175W,120V,7000 LUMENS,TYPE II,NPF,GLASS,PEC/REC,W/PLUG-IN STARTER,W/STANDARD	EACH	11517VXN120R2DG
746	7001812	NEMA STICKER CONDUCTOR,OH WIRE,4,CW,BARE,SOLID,40% CONDUCTIVITY,50 LB SPOOL (427'),(CONVERSION: FEET	POUND	#4 SOLID CW-SPOOL
747	7001815	YOU WANT DIVIDED BY 8.54 = POUNDS TO ORDER) CONDUCTOR,OH WIRE,2,CW,BARE,SOLID,40% CONDUCTIVITY,50 LB SPOOL (269'),CONVERSION: FEET	POUND	#2 SOLID CW-SPOOL
748	7001916	YOU WANT DIVIDED BY 5.38 = POUNDS TO ORDER) REFRACTOR,LIGHTING,COBRA,SMALL,GLASS PLATE,DOUBLE INSULATOR,AERIAL CABLE,GALV,W/5/8" X	EACH	RK115R3DA
750	7002174	2" CARRIAGE BOLT, NUT, SPRING, LOCK WASHER AND 1-3/4"	EACH	D-1041
751	7002177	ROUND WASHER,ASSEMBLED IN CENTER HOLE BRACKET,AERIAL CABLE,ANGLE,C-TYPE,18",GALV BRACKET,AERIAL	EACH	D-1040
752	7002178	CABLE,TANGENT,MESSENGER,GALV,14"SPACING,FOR 1/4"- 5/8" MESSENGER STD PKG = 6	EACH	BM-14
753	7002182	BRACKET,AERIAL CABLE,VERTICAL TAP,E- TYPE,LONG,GALV,14" POLE SPACING	EACH	BV-35
755	7002215	CLAMP,WEDGE,SERVICE,#2- #6 ACSR,RIGID SS BAIL,FOR SERVICE DEADENDS	EACH	7195
756	7002254	STAPLE, WIRE, CUT POINT, 1-1/2"X1/4"X 148", GALV STL, 50# TO BOX	POUND	J1672
757	7002310	BOLT,DBL ARMING,ALL THREAD,5/8 X 32,GALV W/4 SQ NUTS STD PKG =25	EACH	DABOLT5832
758 759	7002452 7002453	ELBOW,CONDUIT,2"X36",PVC-SCH 80,90 DEG ELBOW,CONDUIT,2-1/2"X36",PVC-SCH 80,90 DEG INSULATOR,GUY,STRAIN,78",FIBERGLASS,21,000# MINIMUM	EACH EACH	PVC-ELB-2-90-36-80 PVC-ELB-2.5-90-36-80
760	7002483	BR.STRENGTH, CLEVIS FITTING ON ONE END AND THIMBLE EYE ON THE OTHER, NO ROLLER	EACH	GCTE21-78
761	7003192	TAPE,VINYL,ELECTRICAL MARKING,BLUE,FLAME RETARDANT,3/4"X66' ROLLS	EACH	35-BLUE
762	7003193	TAPE,VINYL,ELECTRICAL MARKING,RED,FLAME RETARDANT,3/4"X66' ROLLS	EACH	35-RED
763	7003194	TAPE, VINYL, ELECTRICAL MARKING, WHITE, FLAME RETARDANT, 3/4"X66' ROLLS	EACH	35-WHITE
764	7003226	LUMINAIRE,COBRA,MV,400W,120/240V,20000 LUMENS,TYPE III,AUTO REG,GLASS,PEC/REC,W/PLUG-IN STARTER,W/STANDARD NEMA STICKER	EACH	12540VCADT1R3DG
765	7003236	LUMINAIRE,COBRA,MV,250W,120/240V,10000 LUMENS,TYPE III,HPF,GLASS,PEC/REC,W/PLUG-IN STARTER,W/STANDARD NEMA STICKER *****FOR MAINTENANCE ONLY****	EACH	11525VCADT1R3DG
766	7003298	INSULATOR LINK,GUY STRAIN,12" FIBERGLASS,21,000# MINIMUM BR. STRENGTH,CLEVIS FITTING ON ONE END AND THIMBLE EYE ON THE OTHER,NO ROLLER LUMINAIRE,OPEN BOTTON,HPS,100W,120V,9500	EACH	GS201012CP
767	7003307	LUMENS, TYPE V, NPF, HEAD ONLY, PEC/REC, 55V  OPERATION, W/PLUG-IN STARTER, INCLUDES PEC & LAMP, W/STANDARD NEMA STICKER  CABLE, 600 V/UG, 350-350-4/0, 3/C AAC	EACH	1110SRN120R5BAOPLCPC
768	7003425	TRIPLEX,XLPE,WESLEYAN,NEUTRAL MARKED WITH 3- EXTRUDED YELLOW STRIPES AND SEQUENTIAL	FOOT	WESLEYAN-NRR
769	7003439	FOOTAGE, FOR UG SECONDARY AND SERVICE REFRACTOR, LIGHTING, ACORN, V, ACRYLIC	EACH	L2ED-LMN5
773	7003481	INSERT,BUSHING WELL,FEED THRU,15KV,200A,LOADBREAK,FOR DEADFRONT EQUIPMENT	EACH	15KV-FEEDTHRU-INSERT
774	7003487	PIN,TERMINAL,COMPRESSION,2/0 CU/AL.,840 DIE,6" LONG PIN,#1/0 TIN PLATED CU.,FOR PRIMARY AND SECONDARY	EACH	X5U20-6
775	7003490	TERMINATORS PROBE,ELBOW TERMINATOR,15 KV,LOADBREAK	EACH	166LRF
776	7003570	BOLT,DBL ARMING,ALL THREAD,3/4 X 14,GALV W/4 SQ NUTS STD PKG = 25	EACH	DABOLT3414
777	7003590	CAP,INSERT,INSULATED,15KV,200A,LOADBREAK,WITH COPPER GROUND LEAD	EACH	15KV-DE-RECEPTACLE
		Attachment to Dosr	ones to LCF D	SC-2 Question No. 54

Attachment to Response to LGE PSC-2 Question No. 54
Page 51 of 118
CONFIDENTIAL INFORMATION REDACTED
Hermann

		SCHEDULE A		The productions are presented to the state of the state o
778	7003631	BRACKET, CUTOUT/ARRESTER, X-ARM-CUMBING TRAS Electricutout & ARRESTER, ALSO FOR 11' ARMS	ic EACH	D-5002-0039
779	7003718	TAPE,VINYL,ELECTRICAL MARKING,YELLOW,FLAME RETARDANT,3/4"X66" ROLLS	EACH	35 YELLOW
780	7003757	GRIP, DEADEND, COATED, 795 AERIAL CABLE AND	EACH	ND-0125
783	7003878	POLY,RANGE 1.213"-1.288",49" LONG,COLOR CODE BLACK ROLLER,GUY,2.4" DIAMETER,13/16" HOLE,STL	EACH	R-24-6
784	7003896	LUMINAIRE,CONTEMPARY,HPS,400W,277V,HPF,TYPE III,50000L,FOR ROUND POLE,W/PLUG-IN STARTER,BLACK	EACH	DSMR40S4A2GMC3BL
		****FOR MAINTENANCE USE ONLY**** PIN,INSULATOR,STRAIGHT,5/8"X6",STEEL,NYLON		
786	7004088	THREADED HEAD,2" BASE,2" SQ. WASHER, SQ. NUT, & LOCKNUT, GALVANIZED	EACH	J203Z
787	7004097	TAPE, VINYL, ELECTRICAL MARKING, ORANGE, FLAME RETARDANT, 3/4"X66' ROLLS	EACH	35 ORANGE
789	7004307	BOLT,MACH,SQ HD,3/4"X 28" GALV,W/SQ NUT	EACH	
790	7004573	BRACKET,CONDUIT,STAND OFF,ADJUSTABLE,6" CHANNEL AND POLE BRACKET WITH STRAP MOUNTED FOR ONE 2.5"	EACH	7004573
		CONDUIT PVC OR METAL CAPACITOR,100KVAR,7200V,60HZ,95KVBIL,10KA FAULT		
791	7004760	DUTY,1-BUSHING WITH INSULATED CAP,KVAR SIZE STENCILED ON END OF CAN IN 1" NUMBERS	EACH	1156986
792	7004761	CAPACITOR, 150KVAR, 7200V, 60HZ, 95KVBIL, 10KA FAULT DUTY, 1-BUSHING WITH INSULATED CAP, KVAR SIZE	EACH	1156978
192	7004761	STENCILED ON BUSHING END OF CAN IN 1" NUMBERS	EACH	1150919
793	7004762	CAPACITOR,200KVAR,7200V,60HZ,95KVBIL,10KA FAULT DUTY,1-BUSHING WITH INSULATED CAP,KVAR SIZE	EACH	1156994
		STENCILED ON BUSHING END OF CAN IN 1" NUMBERS CAPACITOR,300KVAR,7200V,60HZ,95KVBIL,10KA FAULT		
794	7004763	DUTY,1-BUSHING WITH INSULATED CAP,KVAR SIZE STENCILED ON BUSHING END OF CAN IN 1" NUMBERS	EACH	1157001
795	7004764	CAPACITOR, 400KVAR, 7200V, 60HZ, 95KVBIL, 10KA FAULT DUTY, 1-BUSHING WITH INSULATED CAP, KVAR SIZE	EACH	1157019
795	7004764	STENCILED ON BUSHING END OF CAN IN 1" NUMBERS	LACH	1107019
796	7004765	CAPACITOR,100KVAR,2400V,60HZ,95KVBIL,10KA FAULT DUTY,1-BUSHING WITH INSULATED CAP,KVAR SIZE	EACH	
		STENCILED ON BUSHING END OF CAN IN 1" NUMBERS CAPACITOR,150KVAR,2400V,60HZ,95KVBIL,10KA FAULT		
797	7004766	DUTY,1-BUSHING WITH INSULATED CAP,KVAR SIZE STENCILED ON BUSHING END OF CAN IN 1" NUMBERS	EACH	
798	7005143	CLAMP, WEDGE, SERVICE, #1/0 - #4 ACSR, RIGID SS BAIL, FOR SERVICE DEADENDS	EACH	7187
700	7005047	CONDUCTOR,OH WIRE,4,CU,BARE,SD,SOLID,25 LB. SPOOL	DOLLNO	#4 0D 011 CD1
799	7005817	(198'),CONVERSION: FEET YOU WANT DIVIDED BY 12.63 = POUNDS TO ORDER)	POUND	#4 SD CU-SPL
800	7005832	SEAL,METER,PADLOCK,BLUE,SUSPECT TAMPERING,SELF LOCKING,PLASTIC,SS HASP,LG&E / KU LOGO HEAT	EACH	6170000-3
800	7003032	STAMPED ON BOTH SIDES,1000/BOX FOR ELECTRIC METER,RINGS,AND BOXES	EAGI	0170000-5
		SEAL,METER,PADLOCK,GREEN,ACTIVE ACCOUNT,SELF LOCKING,PLASTIC.SS HASP,LG&E / KU LOGO HEAT		
801	7005833	STAMPED ON BOTH SIDES, 1000/BOX FOR ELECTRIC	EACH	6170000-2
		METER, RINGS, AND BOXES SEAL, METER, PADLOCK, RED, NON PAY DISCONNECT, SELF		
802	7005834	LOCKING,PLASTIC,SS HASP,LG&E / KU LOGO HEAT STAMPED ON BOTH SIDES,1000/BOX FOR ELECTRIC	EACH	6170000-1
		METER,RINGS,AND BOXES SEAL,METER,PADLOCK,YELLOW,VACANT,SELF		
803	7005835	LOCKING,PLASTIC,SS HASP,LG&E / KU LOGO HEAT STAMPED ON BOTH SIDES,1000/BOX FOR ELECTRIC	EACH	6170000-6
		METER,RINGS,AND BOXES SEAL,METER,DEMAND,BLACK,ALL DEPARTMENTS,SELF		
804	7005836	LOCKING,PLASTIC,SS HASP,LG&E / KU LOGO HEAT	EACH	6302000-8
		STAMPED ON BOTH SIDES,1000/BOX FOR ELECTRIC METER,RINGS,AND BOXES		
805	7005837	SEAL,METER,DEMAND,BROWN,ALL DEPARTMENTS,SELF LOCKING,PLASTIC,SS HASP,LG&E / KU LOGO STAMPED ON	EACH	6302000-18
000	1000001	BOTH SIDES,1000/BOX FOR ELECTRIC METER,RINGS,AND BOXES	LAUT	030/2000-10
		SEAL,METER,PADLOCK,ORANGE,ALL DEPARTMENTS,METER DEPT. SELF LOCKING,PLASTIC,SS		
808	7005839	HASP,LG&E / KU LOGO HEAT STAMPED ON BOTH	EACH	6170000-4
		SIDES, 1000/BOX FOR ELECTRIC METER, RINGS, AND BOXES	Ŀ	

Attachment to Response to LGE PSC-2 Question No. 54

Page 52 of 118
19 of 20
Hermann

CONFIDENTIAL INFORMATION REDACTED

		OUNEDUZE //	ric	
		SEAL, METER, PADLOCK, WHITE W/480 V, QUISVIIIe Gas Electi	IIC	
809	7005840	SERVICES, SELF LOCKING, PLASTIC, SS HASP, LG&E / KU	EACH	6170000-10
		LOGO HEAT STAMPED ON BOTH SIDES,1000/BOX FOR ELECTRIC METER.RINGS,AND BOXES		
		SEAL,METER,DEMAND,ORANGE,ALL DEPARTMENTS,SELF		
011	7005042	LOCKING, PLASTIC, SS HASP, LG&E / KU LOGO HEAT	EACH	6202000 4
811	7005843	STAMPED ON BOTH SIDES, 1000/BOX FOR ELECTRIC	EACH	6302000-4
		METER, RINGS, AND BOXES		
		SEAL, METER, DEMAND, WHITE, ALL DEPARTMENTS, SELF		
812	7005846	LOCKING, PLASTIC, SS HASP, LG&E / KU LOGO HEAT	EACH	6302000-10
		STAMPED ON BOTH SIDES, 1000/BOX FOR ELECTRIC METER, RINGS AND BOXES		
813	7005920	BRACKET, CONDUIT, STAND OFF, 11", W/1 - 6" STRAP	EACH	NW-11-6X
816	7005954	RING, SEALING, METER, SCREW TYPE, ALUMINUM	EACH	MR-4
817	7005955	SLEEVE, SOCKET METER, DISCONNECT, MYLAR, 1 GROSS	GROSS	
017	7003933	EQUALS 144 EACH	GNOSS	
040	7005070	LUMINAIRE,CONTEMPARY,MH,400W,120V,HPF,TYPE	E4011	DOME TOTAL VOCATORS
818	7005970	III,32000 LUMENS,FOR ROUND POLE,W/PLUG-IN	EACH	DSMR40M1A2GMC3BL
		STARTER,BLACK,W/STANDARD NEMA STICKER LUMINAIRE,FLOOD,MH,175W,120/208/240/277V,12000		
	*******	LUMENS,6X6,NPF,PLUG-IN STARTER,PEC/REC,PREWIRED		
819	7005983	W/6' #14/3 CORD,LATCH,DARK BRONZE,W/STANDARD	EACH	CFB17MWW76UXX60
		NEMA STICKER	# P	
		LUMINAIRE,FLOOD,MH,400W,120/208/240/277V,32000		
820	7005984	LUMENS,7X6,AUTO-REG,PEC/REC,PLUG-IN	EACH	CFB40MWW77UXX61
		STARTER, PREWIRED W/6' #14/3 CORD, LATCH, DARK		
		BRONZE,W/STANDARD NEMA STICKER LUMINAIRE,CONTEMPARY,MH,1000W,120V,HPF,TYPE		
821	7005987	II, 107800 LUMENS, FOR ROUND POLE, W/PLUG-IN	EACH	DSA01M1A2GSC2BL4
02.1	, 000001	STARTER, BLACK, W/STANDARD NEMA STICKER	2,(0,1	DO/NOTHINI LEGGOZGET
922	7006141	LUMINAIRE,ACORN,MH,175W,120V,NPF,TYPE V,W/ 9"	EVON	AMOV17M1A21CACRI CV
822	7000141	ACRYLIC GLOBE, BLACK ****FOR MAINTENANCE ONLY****	EACH	AM9X17M1A21CASBLCK
823	7006156	TAPE, VINYL, ELECTRICAL MARKING, BROWN, FLAME	EACH	35 BROWN
00	7000100	RETARDANT, 3/4"X66" ROLLS		as and the
824	7006206	LUMINAIRE,CONTEMPARY,MH,400W,120/208/240/277V,HPF,T YPE III,,32000 LUMENS,FOR ROUND POLE,W/PLUG IN	EACH	DeMBAOMOACMCaDB
024	1000200	STARTER, BLACK, W/STANDARD NEMA STICKER	EACH	DSMR40M0A2GMC3DB
		LUMINAIRE,FLOOD,MH,1000W,120/208/240/277V,107800		
005	7000000	LUMENS,7X7,AUTO-REG,PEC/REC,PLUG-IN	EAG11	ODEO44MARAIZZIIVVOO
825	7006280	STARTER, PREWIRED W/6' CORD #14/3, LATCH, DARK	EACH	GPF91MWW77UXX62
		BRONZE, W/STANDARD NEMA STICKER		
		LUMINAIRE, CONTEMPARY, MH, 1000W, 120/240/277/480V, HPF,		
826	7006281	FORWARD THROW,FOR ROUND POLE,W/PLUG-IN STARTER,BLACK,W/STANDARD NEMA STICKER ****FOR	EACH	DSA01M0A2GFWTBL4
		MAINTENANCE USE ONLY ****		
		LUMINAIRE, CONTEMPARY, MH, 400W, 120V, HPF, FORWARD		
997	7000210	THROW, FOR ROUND POLE, WIPLUG-IN	EVON	DOMD 40M1 A 2CEIMTEI
827	7006310	STARTER, BLACK, W/STANDARD NEMA STICKER ****FOR	EACH	DSMR40M1A2GFWTBL
		MAINTENANCE USE ONLY***		
828	7006328	BOLT, DBL ARMING, ALL. THREAD, 5/8 X 12, GALV W/4 SQ	EACH	DABOLT5812
		NUTS,STD PKG = 25 BOLT,DBL ARMING,ALL THREAD,5/8 X 14,GALV W/4 SQ		
829	7006329	NUTS.STD PKG = 25	EACH	DABOLT5814
		PIN,INSLR,POLE TOP,1" THREAD,20" HIGH,(2) 11/16"		
830	7006359	MOUNTING HOLES ON 5" CENTERS, GALVANIZED, WITH	EACH	7006359
		NYLON THREADS,STD PKG=15		
		CABLE,600V/UG,#6-#6,2/C AAC		
831	7006487	DUPLEX,XLP,CLAFLIN,NEUTRAL MARKED WITH 3-	FOOT	
		EXTRUDED YELLOW STRIPES AND SEQUENTIAL		
		FOOTAGE,FOR UG SECONDARY AND SERVICES CLAMP,DEADEND,AUTO WEDGE,AL/CU,#4-#2/0		
833	7006533	AL/CU/ACSR/AAAC,PLATED JAWS,PULLING EYE,,23"45"	EACH	GDW-2010
		CONDUCTOR RANGE		
		BAND,POLE,10,000#,7" TO 10" POLE,4		
834	7006551	SECTION, EACH=SET, SET=(4) 1/2"X4" BANDS, (4) 7/8" STUDS	EACH	3105.5
		WITH (4) NUTS PER STUD BAND,POLE,10,000#,9" TO 12" POLE,4		
837	7006552	SECTION, EACH=SET, SET=(4) 1/2"X4" BANDS, (4) 7/8" STUDS	EACH	3105.6
031	1000002	WITH (4) NUTS PER STUD	LAGII	3100.0
		BAND, POLE, 10,000#, 11" TO 14" POLE, 4		
838	7006553	SECTION, EACH=SET, SET=(4) 1/2"X4" BANDS, (4) 7/8" STUDS	EACH	3105.7
		WITH (4) NUTS PER STUD		
839	7010106	CEMENT, PVC CONDUIT, QUART SIZE WITH BRUSH TOP	QUART	PVC-CEMENT-QUART-BT
841	7010131	ARRESTER, DISTRIBUTION UG, 9KV, UGDF-PARKING STAND Attachment to Resi	EACH E	LGE PSC-2 Question No. 54
		Page 53 of 119	Ponoe to	LULIUC M QUESTION 110, 34

Page 53 of 118 Hermann

		SOUTEDOLE A			
842	7010141	ANCHOR, HELIX, 12", 8000 FOOT POUND SHISKILLE GASER BETTI DRIVE, 2-1/4" HUB	C EACH		
843	7010142	ANCHOR,HELIX,8",8000 FOOT POUNDS/TORQUE,SOCKET	EACH		
844	7010173	DRIVE,2-1/4" HUB  INSERT RUSHING WELL 15KV 2004 LOADBREAK COPPER			45W DUCUMO IMPERT
		CONTACTS RUSHING PARKING	EACH		15KV-BUSHING-INSERT
845	7010199	STAND,INSULATING,SINGLE,15KV,200A,LOADBREAK SWITCH,DISC,UA,15KV,900 AMP,110KVBIL,40KA MOM,WITH	EACH		15KV-STANDOFF-PLUG
846	7010217	4-1/2" X 2" X 13TH CAPTIVE BOLTS & TINNED PADS,BACK PLATE & 4 CARRIAGE BOLTS FOR XARM MOUNTING,CHANCE POLYMER SWITCH PREFERRED (M3D-96BC)	EACH		M3D-96BC
847	7010267	LUMINAIRE,OPEN BOTTOM,MV,175W,120V,7000 LUMENS,TYPE V,NPF,HEAD ONLY,PEC/REC.W/PLUG-IN STARTER,W/STANDARD NEMA STICKER *** FOR KU	EACH		1117VXN120R5BALCPC
848	7010269	MAINTENANCE ONLY - FOR LG&E & ODP OPEN STOCK *** STARTER,LIGHTING,HPS,50W-400W,PLUG-IN TYPE,GE	EACH		35-216710R01
849	7010325	LUMINAIRE,COBRA,HPS,200W,240V,22000 LUMENS,TYPE III,NPF,GLASS,PEC/REC,W/PLUG-IN STARTER,W/STANDARD NEMA STICKER ****FOR MAINTENANCE ONLY****	EACH		11520SRN240R3DGOP
850	7010444	BRACE,CROSSARM,60" SPAN,30" DROP ARM,DEADEND ASSEMBLY,FG,8FT,5000 LBS	PAIR		AF6030
852	7010711	WORKING,10000 LBS ULTIMATE PER POSITION MINIMUM,COMPOSITE,BRACELESS,INTERGRAL GUY ATTACHMENT POINTS	EACH		
856	399627	TIE,CABLE,BLACK,35"X17-3/4",175# TENSIL ST.,WEATHER RESISTANT.FOR INSTALMETAL 3-EYE BRACKET COVER;50/PACK;500/CARTON ***REVIEW IIN 0399619 WHEN ORDERING*** ** NOTE: STD PKG = 50 **	EACH		
857	474786	BREAKER,50 AMP,480 VOLT,FOR 480V URD STREET LIGHT APPLICATION,W/65K INTERRUPTING RATING	EACH	Property of the party of the pa	
860	479619	IGNITOR,HPS,1000W,250-480V, FOR DECASHIELD LUMINAIRS	EACH		
862	853494	FUSE, CARTRIDGE, 50A, KTK, 13/32"X 1-1/2" 600V	EACH		
863	912886	IGNITOR,HI PRESS SODIUM,35-150W,55V, FOR GENERAL ELECTRICBALLAST ONLY FOR OUTDOOR LIGHTING	EACH		
865	1160486	FUSE,CARTRIDGE,20A,KTK,13/32"X 1-1/2"	EACH		
		600V,STREETLIGHTS STRAP,CONDUIT,2 HOLE,1",RIGID SNAP-ON PIPE		Janes .	
867	1161286	STRAP,GALVANIZED STEEL MC: CONDUIT SYSTEM:100/CARTON	EACH		
868	1161294	STRAP, CNDT,2-HOLE,2",GALV. STEEL 25/CARTON TERMINATION KIT,15KV,500-1000MCM AL, POLYMER COLD	EACH		
869	1161460	SHRINK,W/OUT CONNECTOR,175 OR 220MIL INS,INSULATION RANGE 1 05-1 80 3 TERMINATION PER KIT SHRINK	EACH		
870	1162151	INSULATOR, CONN, COLD SHRINK, OD 0.69"- 1.90", FOR 250- 750KCMIL CONDUCTORS, FOR DIRECT BURIAL 1000V OR LESS, RELAXED LENGTH 16" FOR 336 AERIAL CABLE	EACH		
871	1162160	INSULATOR, CONN, COLD SHRINK, OD RNG 1.28"- 1.90", 18" RELAXED LGH, FOR 750-1500KCMIL CONDUCTORS, FOR DIRECT BURIAL 1000V OR LESS	EACH		
873	1164435	TAPE,INSULATING & SPLICING,3/4"X 30'X 0 03,LOW AND HIGH VOLTAGE,NON FUSING RUBBER	EACH		
874	1164451	TAPE,ELEC,1-1/2"X 44 FT X 0.007",VNI. HOLDER,FUSE,IN LINE,WATERPROOF,30A,TRON, 600V,FOR	EACH		
875	1177051	13/32"X1-1/2"FUSES (ALSO USED WITH 50A TYPE KTK FUSES)	EACH		
876	1177060	BOOT,INSULATING,FOR TRON FUSE HOLDER, TYPE- L,WATERPROOF	EACH		
877	1184419	NUT, WIRE CONNECTOR, 73B, ORANGE, 100/BOX FREE BIN ITEM - TC, CR, MC	EACH		
878	1184435	WIRE NUT, RED, CONNECTOR, MODEL 76B, 100 PER BOX, P/N 30-076 MC: VARIOUS LOCATIONS FREE BIN ITEM - TC, CR	EACH		
879	1184443	CONNECTOR, WIRE NUT, INSL GRAY, 100 PER BOX CONNECTOR, SPLICE, BUTT, 12-10 STR, STRIP LENGTH	EACH		
897	1196043	3/8",(HYLINK), 100/PKG ORDER MULTIPLES OF 500 FREE BIN ITEM - CR	EACH		
898	1196051	CONNECTOR, SPLICE, BUTT, 6 STR, CU, DIE INDEX 374- 7, COLOR CODE BLUE, (HYLINK) FREE BIN ITEM - CR	EACH		
899	1244451	SPLICE,KIT,15KV,MOLDED,#1/0 AL OR CU,175/220 MIL,JCN & CN CABLE	EACH		
		Attachment to Respo	onse to l	LGE PSC-	2 Ouestion No. 54

Attachment to Response to LGE PSC-2 Question No. 54

Page 54 of 118

CONFIDENTIAL INFORMATION REDACTED

Hermann

900	512401	PIN, TERMINAL, COMPRESSION, 4/0 CULAR LIST PRESENTED FOR PRIMARY AND SECONDARY TERMINATORS	C EACH		PT-4020-6
901	1156178	BOLT,CARRIAGE,1/2"X 5·1/2",GALV,W/SQ NUT STD PKG =	EACH		D8645-1/2
902	1158935	MOULDING,GROUND WIRE,1/2"X 8FT,PLASTIC 125 PCS/BOX	EACH		VP-1/2-GWM-BK8
903	1164401	TAPE,ELECTRICAL,3/4"X 0.0085"X 66',BLACK VINYL,ALL	EACH		17-3/4
505	1104401	WEATHER	LAUIT		11-5/4
905	943260	CLIP,GROUND WIRE,#4,COPPER,WITH LOCKING TAB,FOR ATTACHING GROUND WIRE TO FIBERGLASS ARMS,REQUIRES SS SELF TAPPING SCREW	EACH		5730-2
906	1155894	ARRESTER,SURGE,3KV DIST,MOV,POLYMER,2.55 MCOV RATING,W/INSULATING CAP & ISOLATOR NO CROSS ARM BRACKET	EACH		217602-7314
908	1155935	ARRESTER,SURGE,15KV,DIST,MOV,POLYMER, 12.7 MCOV RATING,W/INSULATING CAP & ISOLATOR,NO CROSS ARM BRACKET	EACH		213613-7314
909	1156494	BOLT,DBL ARMING,ALL THREAD,5/8 X 10,GALV W/4 SQ NUTS,USE AS SPACER BOLT STD PKG = 25	EACH	2.24	DABOLT5810
910	1156751	BRACKET, AERIAL CABLE, VERTICAL TAP, SHORT, GALV, 8" SPACING FROM POLE	EACH		1156751
911	1159051	PIN,INSLR,1"THREAD,5/8"X 1-1/2"SHANK W/1-1/4" THREAD,6" HIGH,2" BASE,SQUARE NUT & EITHER SPLIT LOCKWASHER OR LOCKNUT GALVANIZED.STD PKG = 50	EACH		J222
912	1159078	PIN,INSLR, 1'THREAD, 5/8"X 6-1/2"SHANK W/3"THREAD, 6"HIGH, 2"BASE, 2"SQUARE WASHER SQUARE	EACH		J207Z
		NUT & LOCKNUT, GALVANIZED STD PKG = 25		117000	
913	1159194	ROD,ANCHOR,TWIN EYE,5/8"X 8' STD PKG = 5 ROD,ANCHOR,TWIN EYE,1"X 10',W/1 SQ NUT(NEED EXTRA	EACH		ANCHOR-ROD-B-D-8X58
914	1159201	NUT IIN 7000324 - NUT,BOLT,1",GALV STL,8TPI)	EACH		ANCHOR-ROD-B-D-10X1
915	1179227	STRAPPING,IRON,3/4" WIDE,PERFORATED FLEXIBLE,W/1/4"HOLE IN THE CENTER, 10FT PER ROLL POLE,FIBERGLASS,12' MTH,15' LONG,BLACK,WITH	EACH		2354009
916	1250301	HANDHOLE,2-2 1/2" X 6" SLOTTED ENTRY PORTS AT 180 DEGREE SEPERATION CENTERLINE,SLOT LOCATION WILL FALL 18" BELOW GRADE	EACH		BS15-01N1BC07
917	1159001	PIN, INSLR, ANGLE, 1"THREAD, 6"HIGH, WITH 5/8" X 7" MACHINE BOLT, 2" SQUARE WASHER, SQUARE NUT &	EACH	1994 T. 1994	
918	1157227	LOCKNUT,GALVANIZED STD PKG=10 BRACE,CROSS ARM,1/4"X 1-1/4"X 28",IRON STD PKG = 20	EACH		
919	512419	PIN,TERMINAL,COMPRESSION,1/0 CU/AL.,840 DIE,6" LONG PIN,#2 TIN PLATED CU.,FOR PRIMARY AND SECONDARY	EACH		
515	312413	TERMINATORS WIRE,1/0 AAAC,123.3 KCM,7 STR,BARE ALUMINUM	LACIT		
920	1197227	ALLOY,CODE NAME AZUSA,6050'/REEL(700#) **INDUS. REFERRED TO AS 1/0 7STR AZUSA** SEE WIRE	FOOT		
921	7001957	SPECIFICATION WS-0867278 CUTOUT,FUSED,NON-LOADBREAK,12KV CLASS,100A,PORCEL	EACH		
922	512419	PIN,TERMINAL,COMPRESSION,1/0 CU/AL,840 DIE,6" LONG PIN,#2 TIN PLATED CU ,FOR PRIMARY AND SECONDARY	EACH		
923	7001158	TERMINATORS SLEEVE,UG,1 PH,18"X30"X26",FIB	EACH		
000	544704	LUMINAIRE, ACORN, HPS, 100W, 120V, 9500 LUMENS, TYPE	540H		F.1.470.4
925	511794	V,NPF,W/ 9" ACRYLIC GLOBE,DARK BRONZE,W/PLUG-IN STARTER,W/STANDARD NEMA STICKER SWITCH,GRP OP,15KV,900A,LB,HORZ MT,UPRIGHT,SIDE OPENING,84"MIN.COMP ARM,POLY OR 3"BC	EACH		511794
926	943101	CYCLOALIPHATIC INS,WITH CAPTIVE BOLTS,TORSIONAL CTRL W/PIPE,EXTRA 7'PIPE SECTION W/COUPLER & GUIDE SUITABLE FOR MOUNTING AT 38'ABOVE GROUND,6 ARRESTER MTS	EACH		AR113FSHLP
927	1159019	PIN,INSLR, SCREW, 1"THREAD, 5/8"X 3" SHANK W/2- 3/4"THREAD 6"HIGH, 2" BASE, GALVANIZED STD PKG = 50 PIN,INSLR, 1-3/8"THREAD, 3/4"X 7"SHANK W/3-1/2"THREAD, 8"	EACH		DP1L2
928	1159043	HIGH,3" BASE,3" SQUARE WASHER,SQUARE NUT & LOCKNUT,GALVANIZED	EACH		J608Z
929	1233760	ARM,CROSS,DOUGLAS FIR,11'X3-1/2"X 5-1/2" ,"EMERGENCY ITEM",FRAMED PER OUR DWG. 07 06 02,PENTA "72LBS APIECE, 40 TO A BUNDLE" " 650 PIECE TO A TRUCK LOAD "	EACH		11' LGE CROSSARM

CONFIDENTIAL INFORMATION REDACTED Attachment to Response to LGE PSC-2 Question No. 54 Page 55 of 128 Hermann

		SOUEDOILE V			
		PAD,FIBERGLASS,TRANSFORMER,LARBEISYIILA 保持 是 Flectric	;		1
		HEIGHT, WITH 26" X 12" OPENING, INSERTS FOR LID, FOR			
931	3000607	250KVA 1-PHASE TRANSFORMERS (W/2 EA 6" TO 6-1/4"	EACH		
		LONG ANCHOR BRACKETS), ALSO USE FOR LEVELING			
		EXISTING PADS	E 4 O 1 1		
934	7000339	WASHER, CURVED, SQUARE, 3", GALV, FOR 5/8" & 3/4" BOLTS	EACH		
935	7001154	ENCLOSURE,UG,SECTIONALIZING,3 PHASE,200A,18" X60" X 30".STEEL.FITS SLEEVE 7001155,LESS JUNCTION	EACH		
000	7004004	ARRESTER, DISTRIBUTION UG, SPECIAL, ELBOW, 18KV, FOR	EVO!!		
936	7004891	USE WITH WYE DELTA PADMOUNT TRANSFORMERS ONLY	EACH		
937	7003577	JUNCTION,UG PRI,FEED THRU,3 POSITION,L/B,15KV,200A	EACH		
938	7000173	ARRESTER, DISTRIBUTION, OH, 9KV, HEAVY- DUTY, MOV, POLYMER, 7.65KV MCOV RATING, W/INSULATING	EACH		
000	7000110	CAP ISOLATOR & 12" GROUND LEAD		1000	
		BRACKET, CONDUIT, STAND OFF, ADJUSTABLE, 6" CHANNEL	F. 4.011		NAME O OV
939	7004572	AND POLE BRACKET WITH STRAP MOUNTED FOR ONE 2"	EACH		NWH-6-2X
942	7001197	CONDUIT PVC OR METAL COUPLING,CONDUIT,PVC,1-1/2"	EACH		
943	7001198	COUPLING, CONDUIT, PVC, 2"	EACH		
944	7001200	COUPLING, CONDUIT, PVC, 3"	EACH		
952	7001205	COUPLING,CONDUIT,PVC,2",MALE ADAPTER BOX,SPLICE,13"X 24" X 18" DEEP,LIGHT TRAFFIC (10,000#	EACH		
060	466835	MAX),HD POLYETHELENE BASE,POLYMER CONCRETE	EACH		PA10-1324-18
958	400033	COVER,W/CAPTIVE PENTA-HEAD SS	EAGH		177/10-1324-10
050	7000674	BOLTS,GREY,ELECTRIC LOGO,FLUSH MOUNT OR BURIED CONDUIT,PVC,1"X10",SCH 40,LONG BELL END,GREY	FOOT		
959 960	7000674	CONDUIT,PVC,1"X10",SCH 40,LONG BELL END,GREY	FOOT		
964	7003377	CONNECTOR, COMPRESSION, SERVICE, INS, 4/0; 4/0, PNK: PNK	EACH		
JU-1	1000011	JUNCTION, UG PRI, FEED THRU, 2-	127 (0)1		
966	7003882	POSITION, PORTABLE, LOADBREAK, 15KV, 200A, STANDOFF, H	EACH		
		ORIZNTAL, WITH SILICONE LUBRICANT			
		ARM,DEADEND ASSEMBLY,FG,8FT,5000 LBS WORKING,10000 LBS ULTIMATE PER POSITION			
967		MINIMUM, COMPOSITE, BRACELESS, INTERGRAL GUY	EACH		Allect reconstruction
		ATTACHMENT POINTS			
969	3001886	CONNECTOR\COMPRESSION-T SERVICE 2 STR- #10.INSULATED.RED/BROWN	EACH		Polyment of the Control of the Contr
070	=00050=	CONNECTOR, COMPRESSION, SERVICE, INS, 2A: 8STR, RED: G	17 4 601 1		Territoria de la companya del companya de la companya del companya de la companya del la companya de la company
970	7000537	RN	EACH		
971	7000536	CONNECTOR, COMPRESSION, SERVICE, INS, 2A:6STR, RED:BLUE	EACH		
972	7000535	CONNECTOR, COMPRESSION, SERVICE, INS, 2A:4STR, RED:O	EACH		
912	7000555	RG	LACIT		
973	7000531	CONNECTOR,COMPRESSION,SERVICE,INS,2A:2STR,RED:R ED	EACH	100 mg/s	
974	3001887	CONNECTOR\COMPRESSION-T.SERVICE.2 STR-	EACH		
57.4	3001007	#10.BARE.RED/BROWN	C/10/1		
976	7000543	CONNECTOR, COMPRESSION, SERVICE, BARE, 2A:6STR, RED: BLU	EACH		
977	7000542	CONNECTOR, COMPRESSION, SERVICE, BARE, 2A: 4STR, RED:	EACH		
911	7000542	ORG	LAGII		
978	7000541	CONNECTOR, COMPRESSION, SERVICE, BARE, 2A: 2STR, RED: RED	EACH		
980	7000532	CONNECTOR, COMPRESSION, SERVICE, INS, 4A:8STR, ORG:G	EACH		
500	7000332	RN	LACIT		
981	7000533	CONNECTOR,COMPRESSION,SERVICE,INS,4A:6STR,ORG:B LUE	EACH		I
982	7000534	CONNECTOR, COMPRESSION, SERVICE, INS, 4A: 4STR, ORG:O	EACH		
302	7000334	RG	CAOIT	2.50	
983	7000539	CONNECTOR, COMPRESSION, SERVICE, BARE, 4A: 8STR, ORG: GRN	EACH		
985	7000544	CONNECTOR, COMPRESSION, SERVICE, BARE, 4A: 4STR, ORG:	EACH		
		ORG			
986 987	7004509 7004510	CONNECTOR,COMPRESSION,SERVICE,INS,2/0:2,GRY:RED CONNECTOR,COMPRESSION,SERVICE,INS,2/0:4,GRY:ORG	EACH EACH		
988	7010604	CONNECTOR, COMPRESSION, SERVICE, INS, 2/0:2/0, GRY:GRY	EACH		
550		CONNECTOR, COMPRESSION, SERVICE			
989	7000502	SLEEVE, 2/0A, GRY: GRY	EACH		
990	3001889	CONNECTOR\COMPRESSION-T.SERVICE.1/0 STR-4	EACH		
000	3001000	STR.INSULATED.YELLOW/ORANGE CONNECTOR\COMPRESSION-T.SERVICE.1/0 STR-2	O Common Co		
991	3001891	STR.INSULATED.YELLOW/RED Attachment to Response	EACH I	LCF PSC	2 Question No.
		Attachment to Kespe			AL INFORMATI

Attachment to Response to LGE PSC-2 Question No. 54
Page 56.9f.118
CONFIDENTIAL INFORMATION REDACTED
Hermann

		SUITEDULE A			
992	7010322	CONNECTOR, COMPRESSION, SERVICE, NISYNIA, GORLE ELECTRIC	EACH		
993	3001885	CONNECTOR COMPRESSION-T. SERVICE. 1/0 STR-4 STR.BARE. YELLOW/ORANGE	EACH		
994	3001890	CONNECTOR\COMPRESSION-T.SERVICE.1/0 STR-2 STR.BARE.YELLOW/RED	EACH		
995	3001888	CONNECTOR/COMPRESSION-T.SERVICE.1/0 STR-1/0	EACH		
996	7004507	STR.BARE.YELLOW/YELLOW CONNECTOR,COMPRESSION,SERVICE,INS,4/0:2,PNK:RED	EACH		
997	7004508	CONNECTOR, COMPRESSION, SERVICE, INS, 4/0:2/0, PNK:GRY	EACH		
		CONNECTOR, COMPRESSION, SERVICE, INS, 4/0:4, AL, PNK: OR	17 A O I I		
998	7005005	G	EACH		
1001	7003521	CONNECTOR, COMPRESSION, SERVICE, INS, 6A:6STR, BLU:BL	EACH		
1002	7003695	CONNECTOR, COMPRESSION, SERVICE, INS, 6A:8SOL, BLUE:B	EACH		The second secon
1003	1156927	CAPACITOR,50KVAR,2400V,60HZBIL,75KVBIL,10KA FAULT DUTY,1-BUSHING WITH INSULATED CAP,KVAR SIZE STENCILED ON BUSHING END OF CAN IN 1" NUMBERS CAPACITOR,100KVAR,7960V,60HZ,95KVBIL,10KA FAULT	EACH		Goodalisma and Anna Carlos (Anna Anna Anna Anna Anna Anna Anna Ann
1011	1157035	DUTY,2-BUSHING WITH INSULATED CAPS,KVAR SIZE STENCILED ON END OF CAN IN 1" NUMBERS CAPACITOR, 150KVAR,7960V,60HZ,95KVBIL,10KA FAULT	EACH		America description de la constanta de la cons
1012	1157027	DUTY,2-BUSHING WITH INSULATED CAPS,KVAR SIZE STENCILED ON END OF CAN IN 1" NUMBERS	EACH		
1013	1157043	CAPACITOR,200KVAR,7960V,60HZ,95KVBIL,10KA FAULT DUTY,2-BUSHING WITH INSULATED CAPS,KVAR SIZE STENCILED ON END OF CAN IN 1" NUMBERS CAPACITOR,300KVAR,7960V,60HZ,95KVBIL,10KA FAULT	EACH		
1014	1157051	DUTY,2-BUSHING WITH INSULATED CAPS,KVAR SIZE STENCILED ON END OF CAN IN 1" NUMBERS CAPACITOR,400KVAR,7960V,60HZ,95KVBIL,10KA FAULT	EACH		
1015	1157060	DUTY,2-BUSHING WITH INSULATED CAPS,KVAR SIZE STENCILED ON END OF CAN IN 1" NUMBERS	EACH		
1017	1156686	BOX, JUNCTION, CAPACITOR, WITH LEADS OF A-6', B-5' & C-5' IN LENGTHS MUST HAVE A MIN. OF 5 TERMINAL POSITIONS	EACH		
1018	7006210	SENSOR, CURRENT, 15KV, LINE POST, 60A: 1V RATIO, FOR CURRENT AND VAR CONTROLLED CAPACITOR BANKS CONTROL, CAPACITOR, CRNT, FOR SOCKET BASE ***UPON RECEIPT, SEND TO ELECT METER *** *** FOR TESTING*** ***	EACH		
1019	1158401	ISSUE IIN 1159327 WITH THIS ITEM ***	EACH		
1020	7003160	INSULATOR,LINE POST,34KV,HOR. CLAMP,PORC,STL POLE	EACH		
1023	7005098	COUPLING CONDUIT 2" E-LOC, PRESSURE FIT FOR HDPE-	EACH		
1024	7005099	HDPE OR HDPE-PVC COUPLING,CONDUIT,2-1/2",E-LOC,PRESSURE FIT,FOR HDPE-HDPE OR HDPE-PVC	EACH		
1026	3002382	GUARD, WILDLIFE, BUSHING SHIELD, POLYMER, DIAMETER - 10.25" (ZAP SHIELD) USE HOT STICK FOR INSTALLATION	EACH		W-1525R
1027	7001092	SHACKLE,ANCHOR,40,000 LB,2-3/4" LONG,3/4" PIN AND COTTER KEY	EACH		ASH-56
1028	7001094	SHACKLE,ANCHOR,30,000 LB,2-3/4" LONG,5/8" PIN AND COTTER KEY	EACH		ASH-55
1029	7001095	SHACKLE,ANCHOR,25,000 LB,2-3/16" LONG,5/8" PIN AND	EACH		ASH-45
1030	3002377	DEADEND, TENSION, AUTO, FLEXIBLE BAIL, 2/0 STR ACSR. AAAC, AAC, GRAY	EACH		GD-447
1031	3002376	DEADEBD, TENSION, AUTO, FLEXIBLE BAIL, #4 & #2 STR ACSR. AAAC, AAC, RED-ORANGE	EACH		GD-4042A
1032	3002375	DEADEND, TENSION, AUTO, FLEXIBLE BAIL#4 SOL CU,#6 3&7- STR CU	EACH		GD-112
1033	1199419	WIRE,500KCM,37-STR SOFT DRAWN COPPER POLYETHYLENE COVERED,1000# OR 720 FT REEL SEE	FOOT		
1034	532351	WIRE SPECIFICATIONS WS-1199419 TUBING,HEAT SHRINK,#2-4/0,600V,9" LENGTH	EACH		
1035	3002374	DEADEND, TENSION, AUTO, CLEVIS, 2/0 STR	EACH		
1037	7003938	ACSR,AAAC,AAC,GRAY SPLICE,TENSION,AUTO,#6 SOL CU,9-1/2D CW-CU	EACH		
1037	7003938	SPLICE, TENSION, AUTO, #4 SOL CU, #6 3&7-STR CU	EACH		
1039	7003940	SPLICE, TENSION, AUTO, #4 7-STR CU, 6A CW-CU	EACH		
1040	7003941	SPLICE, TENSION, AUTO, #2 7-STR CU, 4A CW-CU	EACH		
1041	7001155	SLEEVE, UG, SECTIONALIZING ENCLOSURE, 3 PHASE, FITS	EACH	T ON BOO	
		IIN 7001154,18" X 60" X 18",FG Attachment to Response	onse to	CONFIDENT	2 Quest

Attachment to Response to LGE PSC-2 Question No. 54
Page 57.06.118
CONFIDENTIAL INFORMATION REDACTED
Hermann

		SOFILEDOLL A	_	Place a Richard excision poor a less to	,
		LUMINAIRE,COBRA,HPS,100W,120V,9509UBWILRSARElectric	0		
1042	7001312	II,NPF,PEC/REC,ACRYLIC,W/PLUG-IN	EACH		11510SRN120R2DGOP
		STARTER,W/STANDARD NEMA STICKER DEADEND,TENSION,AUTO,CLEVIS,2/0 SOL CU,1/0 7-STR			4
1043	850127	CU.2A CW-CU	EACH	Wall Street	
1044	532460	FUSE,LINK,20A,23" LENGTH,TYPE K STD PKG = 25	EACH		
1044	332400	(FREEBIN)	L/IOII		
1045	655586	SCREW,MACH SLT RND HD,1/4"-20 X 3",BRASS 100/BOX FREE BIN ITEM - CR	EVCH		
		SPLICE, TENSION, AUTO, #2 SOL CU, ALSO #4 CU (3-STR	m + 011		reproductive and the second se
1047	7006668	ONLY) SEE 7003940 FOR #4 7-STR CU)	EACH		
		BOX,SPLICE,13" X 24" X 15" DEEP,NON-TRAFFIC,HD	E A 631.1	1000	
1048	7003714	POLYETHELENE, W/COVER, W/CAPTIVE PENTA- HEAD SS BOLTS, GREEN, ELECTRIC LOGO, FLUSH MOUNT OR BURIED	EACH		
		CONDUCTOR,OH WIRE,4,CW,BARE,SOLID,40%			
1049	3002934	CONDUCTIVITY,25 LB SPOOL,(CONVERSION: FEET YOU	POUND		
		WANT DIVIDED BY 8.64 = POUNDS TO ORDER)		Taring 1	
1050	7006327	CONDUIT,HDPE, 1",SCH 40,CONTINUOUS,SMOOTH,BLACK WITH MINUMUM 3 EXTRUDED RED STRIPES	FOOT		
		BRACKET, CONDUIT, STANDOFF, ADJUSTABLE, 8" CHANNEL			
1051	7005755	AND POLE BRACKET WITH STRAP MOUNTED FOR ONE 4"	EACH	134	
		CONDUIT, PVC OR METAL			
1052	7001369	ARM,MAST,2" X 6',ALUM,WOOD POLE MOUNTING,UNDERBRACE,MEETS ANSI C136 13 1922 CLASS	EACH		
1002	7001000	D BRACKET			
1053	3002962	U-GUARD, POLE RISER, PVC, 5"X10", SCH 40, BELL END, GREY	EACH		59016N
1054	3002961	U-GUARD,BACKING PLATE,PVC,5"X10',GREY CONNECTOR,#4-#14,3 POSITION,SET SCREW,NON-	EACH		59116
		SUBMERSIBLE,600V CLEAR INSULATION,WITH	E 4 O 1 1		CL C2 OC D
1055	3000021	INHIBITOR, FOR STREET LIGHT CONNECTIONS IN POLES	EACH		SLC3-OC-P
		AND ABOVE GROUND		765 24 112	
1056	1244260	JUNCTION,LOADBREAK,15KV,4-WAY,4 POSITION 14.4 KV PHASE TO PHASE,W/BRACKET	EACH	7.1	164J4
1057	7001268	INSULATOR, SECONDARY, SPOOL	EACH		INSULATOR-SPL-3-53-2
1057	7001200	3",PORCELAIN,WHITE,ANSI CLASS 53-2	LAOIT		111001110111011110111111111111111111111
1058	7001304	LÚMINAIRE,COLONIAL,HPS,100W,120V,NPF,TYPE V,VERTICAL LAMP, BLACK,PEC/REC,55V OPER,W/PLUG-IN	EACH		T10C10S1N2AMS5BLLT
1000	7001004	STARTER ***FOR MAINTENANCE ONLY***			,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,
		CABLE, UG, 15KV, 1/0 AAC, 175MIL, 100% JCN, 19 STR			
1059	1566794	COMPRESSED, STR BLOCK, 175 TRXLPE, 16-#14 CU	FOOT		1/0 TRXLP-220-FS
		NEUT,LLDPE JKT,2500 FT. NON-RETURN REELS,AEIC- CS8/ICEA S-94-649.LGE SPEC 1566794			
1000	7003591	SPLICE, TENSION, AUTO, 3/0 STR ACSR, AAAC, AAC, 195.7	EACH		
1060	7003391	ACAR	LITOIT		
1061	7006654	SPLICE, TENSION, AUTO, 1/0 SOL CU,#1-7 STR, ALSO #2 CU (3-STR ONLY) SEE 7003941 FOR #2 7-STR CU)	EACH		
1062	7002432	COUPLING, CONDUIT, PVC, 1", MALE ADAPTER	EACH	and the same	
1063	7003477	TAPE,ELECTRICAL,SEMI-CONDUCTING,3/4"X .030 MIL X	EACH		
		15',BLACK,FOR HIGH VOLTAGE SPLICING COUPLING.CONDUIT.PVC.1"	EACH		
1064 1065	7001196 7002434	COUPLING, CONDUIT, PVC, 1 COUPLING, CONDUIT, PVC, 2", FEMALE ADAPTER	EACH		
1000	7002101	ARM,MAST,2"X 2',ALUM,WOOD POLE			
1066	1185735	MOUNTING, UNDERBRACE, MEETS ANSI C136.13 1992 CLASS	EACH		P-125A020
		D BRACKET CLEVIS.INSULATOR,SWINGING,#1 WIRE HOLDER 3/8" PIN			
1067	1163678	DIA,CLEVIS MATERIAL WIDTH 3/4" STD PKG = 100	EACH		J1614
1068	1163686	CLEVIS, SWINGING, BRACKET, SINGLE SPOOL, LESS	EACH		352
		INSULATOR BOLT,EYE,OVAL,5/8",16",GALV,W/SQ NUT,STD PKG = 25	EACH		29966
1069	7000241	SPLICE, TENSION, AUTO, 1/0 SOL CU, #1-7 STR, ALSO #2 CU (3-			20000
1070	7006654	STR ONLY) SEE 7003941 FOR #2 7-STR CU)	EACH		
4074	4405705	ARM,MAST,2"X 2',ALUM,WOOD POLE	EACH		P-125A020
1071	1185735	MOUNTING, UNDERBRACE, MEETS ANSI C136.13 1992 CLASS D BRACKET	LACIT		1 - 125/1020
1072	7001963	BLADE, CUTOUT, 15KV, NON-LOADBREAK, 300A	EACH		89621R10
1073	7001962	FUSEHOLDER, CUTOUT, 15KV, NON-LOADBREAK, 200A, 12KA	EACH		
		INTERRUPTING INSULATOR, SECONDARY, SECTIONALIZER, FIBERGLASS, #6-			
1074	7001259	3/0 SOL, STR OR ACSR,ALUMINUM OR COPPER,6000 LB	EACH		
		UTL, MALABLE IRON ENDFITTINGS			
1075	466894	SUPPORT,UNDERGROUND,CABLE,10"LONG,GALV. (FOR #0466919 CABLE RACK) STD PKG = 100	EACH		
1076	7002154	FUSEHOLDER, CUTOUT, 15KV, NON-LOADBREAK, 100A, 10KA	EACH		89521R10
1076	7002154	INTERRUPTING	2,1011		
		4	4 ¥	ATT DOO	73 (7) (1) NT E (

CONFIDENTIAL INFORMATION REDACTED Attachment to Response to LGE PSC-2 Question No. 54
Page 5&96418
Hermann

		SCHEDULE A		
1077	7002154	FUSEHOLDER, CUTOUT, 15KV, NON-LOABLIKEVIR, 1602, 15 Rectric	EACH	89521R10
1078	3003216	CLAMP, TAP, HOT LINE, 4/0-#4 MAIN, 2-8 TAP, DUAL RATED, W/INHIBITOR, DEAD MAKE/BREAK APPLICATIONS	EACH	SCH-10-P
1079	3003217	ONLY CLAMP,TAP,HOT LINE,795-336KCM MAIN,1/0-8 TAP,DUAL RATED,W/INHIBITOR,DEAD MAKE/BREAK APPLICATIONS ONLY	EACH	SCH-6362-P
1080	1186486	LUMINAIRE,FLOOD,HPS,400W,120/208/240/277V,5000 LUMENS,6X6 LIGHT DISTRIBUTATION PATTERN,HORIZONTALLY MOUNTED LAMP,AUTO- REG,PEC/REC,DARK BRONZE,PLUG-IN STARTER,PREWIRED W/6' #14/3 CORD,W/STANDARD NEMA	EACH	
1081	7001722	STICKER.W/LONGER TRUNNION BRACKET,LIGHTING,TRUSS ARM,15F,2",AL	EACH	
1082	454443	LAMP, HIGH PRESSURE SODIUM, 70WATT, 55V, CLEAR MOGUL BASE 12/CASE LAMP, HIGH PRESSURE SODIUM, 100 WATT, 50 VOLT, MOGUL	EACH	LU70
1083	1186386	BASE,CLEAR,BULB E-23 1/2, USE ONLY W/S54 BALLAST,LUCALOX,12/BOX MC: VAR. LOC. MOLITFIX LAMP,HIGH PRESSURE SODIUM,150WATT,55V,	EACH	LU100ECO
1084	1186394	CLEAR,MOGUL BASE,24000 HOURS,16000 LUMEN 3"X 3"X 8-	EACH	LU15055ECO
1085	1186401	1/2" 12/CASE LAMP,HPS,250W,100V,MOGUL BASE,CLEAR, 24,000 HOURS,27,500 LUMENS,2-1/2"X 2-1/2"X 10" 12/CASE LAMP,HIGH PRESSURE SODIUM,400W,100V, CLEAR MOGUL	EACH	LU250EGO
1086	1186419	BASE,24,000 HOURS 50,000 LUMENS,2-1/2"X 2-1/2"X	EACH	LU400
1087	949519	10",STANDARD PACKAGE=12 LAMP,HIGH PRES SODIUM,1000W,MOGUL BASE CR:FOR SDRS OUTSIDE LIGHTING,ANSC SPEC "S52"	EACH	LU1000
1088	1186351	LAMP,MERCURY,100WATT,DELUXE WHITE MOQUL BASE 24,000 HOURS,4400 LUMENS 12/CASE	EACH	H38JA100DX
1089	1186360	LAMP,MERCURY,175W,DELUXE WHITE MOQUL BASE,24,000 HOURS,8000 LUMENS 3-1/2"X 3-1/2" X 8-1/2" 12/CASE	EACH	H39KC175DX
1090	1186378	LAMP\MERCURY VAP.DELUXE WHITE 24000 HOURS.13000 LUMENS.250WMOGUL BASE.3-1/2"X3-1/2"X8-1/2"	EACH	H37KC250DX6PK
1091	1186427	LAMP,MERCURY,400WATT,DELUXE WHITE,MOGUL BASE,24,000 HOURS,25,000 LUMENS 6/CASE	EACH	H33GL400DX
1092	1186435	LAMP,MERCURY,1000W,DELUXE WHITE MOGUL BASE 24,000 HOURS,48,000 LUMENS 6/CASE	EACH	H36GW1000DX

CONFIDENTIAL INFORMATION REDACTED

# Schedule C Labor & Equipment

#### LC&E

Location Auburndale Operations Center	Employees 1 Storekeeper A 1 Storekeeper B	Equipment
South Service Center	1 Storekeeper A 1 Laborer	1 Pick-up
Location Shelbyville/Carrollton Warehouse Maysville/Mt. Sterling/Paris/London Warehouses	Employees 1 Storekeeper A 1 Storekeeper A	Equipment 1 Pick-up 1 Pick-up
Lexington Stone Road Warehouse  Midway/Richmond/Winchester Warehouses	3 Storekeeper B 1 Storekeeper A	1 Pick-up 1 Flatbed 1 Pick-up


Storekeeper A
Base Rate
Total Burden & Profit
BIII Rate

Storekeeper B
Base Rate
Total Burden & Profit
Bill Rate

Laborer Base Rate Total Burden & Profit Bill Rate

\* Equipment Bill Rate Mileage Adder

- \* Equipment Rate firm for life of contract
- \* Actual fuel cost pass through added on monthly invoice



CONFIDENTIAL INFORMATION REDACTED



Attachment to Response to LGE PSC-2 Question No. 54 Page 60 of 118 Hermann

# Schedule C1 Direct Labor Job Descriptions and Responsibilities

### LG&E/KU STOREROOM CONTRACTOR JOB DESCRIPTION STOREKEEPER A

#### Position Description

Manage and operate warehouse without E.ON U.S. presence. Provide support and On-the-Job training to Storekeeper B positions.

The following are in addition to all responsibilities, qualifications, and requirements of Storekeeper B:

#### General Responsibilities

- ➤ INVENTORY MANAGEMENT SYSTEM (ORACLE)
  - Requisitioning and purchasing materials
  - Receipting materials
  - Physical Inventory (Cycle) counts
  - Miscellaneous material transactions
  - Reconciling Accounts Payable issues
  - Use of Bar Coding at designated locations
  - Setting up material Bin/Row locators
  - Issuing of materials from stock, including charging out materials for all jobs including our work management system (STORMS).
  - Run standard Reports from the ORACLE system
  - Perform Returns and Retirement
- ➤ WORK MANAGEMENT SYSTEM (STORMS)
  - Completing 610's (Material Requisition)
  - Communicate with designing engineers
  - Run 16 week forecast
- Thorough understanding of ordering materials through a variety of methods, i.e. Procard, e-Procurement (supplier furnished electronic ordering methods), System requisitioning, and System generated suggested purchase levels
  - > Understanding of inventory management principles
  - > Identification of dead-stock, slow-moving, or excessive stock items
  - > Managing inventory levels based on established min/max or forecast material requirements
  - > Meet established inventory metrics
  - > Conduct weekly storeroom walkthroughs to analyze inventory levels
- Understanding of storeroom organization
  - Maintaining the storeroom organization by locating similar and/or compatible materials together.
  - > Staff storeroom during regular crew operating times



- > Assign material locators as needed
- Understanding customer budgets and the importance of using correct account numbers
   Charging of materials to appropriate project, task, and expenditure org.
- Knowledge of key, frequently used suppliers and ability to resolve ordering problems

  > Following up on delivery dates, invoicing issues, expedites, RMA's, etc
- Coordinate and transfer of materials to and from other storeroom locations as needed.
  - > Complete Material Transfer in ORACLE
- Expedite materials based on job requirements
  - > Contact suppliers to improve delivery dates on materials
- Knowledge of materials used in T&D construction standards
  - > To understand material availability or substitutions
- Coordinate with Team Leaders to determine whether materials can be kitted, be delivered to job site, or other designated location on requested date
- Other duties as designated by Company

### General Skills

- Ability to work without direct on site supervision
- Good working knowledge of Microsoft Office applications



### LG&E/KU STOREROOM CONTRACTOR JOB DESCRIPTION STOREKEEPER B

### Position Description

Upon direction, provide accurate and efficient ordering, receiving, storing, controlling, and issuing of materials used to support T&D operations. Identifies and provides field customers value added support services according to their unique business and/or location requirements.

### General Responsibilities

- Relationship Management
  - ➤ Effectively serve as the on site representative of the LGE/KU Supply Chain group
  - Responding to internal customer needs via phone, e-mail, etc
  - Maintain a high degree of customer satisfaction through continuous interaction with Op Center management and Line Construction Team Leaders, and Contractors
- Required to be certified to operate a forklift and other material handling equipment
  - > Responsible for the maintenance and recordkeeping of forklift checklist, repairs and preventative maintenance
- Ensure accuracy of all receiving documents, i.e. Packing slips and bills of lading
  - > Unloading and possible delivery of items to designated requestor
- Stocking materials in their designated warehouse location by Internal Identification Number (IIN)
- Update stocked materials based on engineering standards changes or discontinues as needed
  - > Assure IIN's are updated
  - > Assure smooth transition from old item to new item
  - > Coordinate disposition of obsolete or discontinued items
- Maintain organization and housekeeping of storeroom facility and yard
- o Coordinate the disposition of all scrap materials, i.e. metals, wood, reels, etc as needed
  - > Contact designated contractor for pick-up
  - > Document disposition as per company guidelines
- Attend and participate in site specific weekly and quarterly safety meeting with their company representative
- Available to travel and work at other locations as needed. Routinely service multiple locations
- Handling Hazardous Material requirements
  - Monitor handling guidelines for hazardous materials at their location (i.e. transformer oil, MV lamps, PCB's)
  - > Understand company spill response procedures and notification policy
- Update Distribution Equipment Tracking System (DETS) for 3 phase pad mounted and large single phase installations



- Maintain and update material records
- Perform physical inventory counts
- Other duties as designated by Company

### General Skills

- Possess good oral and written communication skills and the ability to build good rapport with both suppliers and internal customers
- · Ability to work in both office and storeroom environment
- Have ability and attitude to learn through On-the-Job training
- Possess or have the ability to obtain basic working knowledge and use of Microsoft applications, i.e. Microsoft Office, (Word, Excel, etc)
- Basic knowledge of Inventory Management Principles
- Valid driver's license with satisfactory safety driving record required at all times. CDL required at some locations
- · Basic knowledge of T&D materials desirable
- Subject to random drug testing
- Regular attendance is a must
- Must be able to lift up to 50 lbs and push or pull up to 100 lbs
- Routine travel to multiple locations. Occasional overnight stay may be involved



### LG&E/KU STOREROOM CONTRACTOR JOB DESCRIPTION LABORER

#### Position Description

Load, unload, and stage transformers and other equipment for pickup by company or contractor personnel.

#### General Responsibilities

- Required to be certified to operate a forklift and other material handling equipment
  - > Responsible for the maintenance and recordkeeping of forklift checklist, repairs and preventative maintenance
- Ensure accuracy of all receiving documents, i.e. Packing slips and bills of lading
- Maintain organization and housekeeping of storeroom facility and yard
- Coordinate and stage decommissioned transformers for pick up by contractor as needed
  - > Document disposition as per company guidelines
- Attend and participate in site specific weekly and quarterly safety meeting with their company representative
- Handling Hazardous Material requirements
  - Monitor handling guidelines for hazardous materials at their location (i.e. transformer oil, MV lamps, PCB's)
  - > Understand company spill response procedures and notification policy
  - > Be able to coordinate and implement spill response and notification procedures in an emergency
- Perform physical inventory counts

#### General Skills

- Possess good oral and written communication skills and the ability to build good rapport with both suppliers and internal customers
- Ability to work in both office and storeroom environment
- Have ability and attitude to learn through On-the-Job training
- Subject to random drug testing
- Regular attendance is a must
- Must be able to lift up to 50 lbs and push or pull up to 100 lbs



#### ADDENDUM A

#### GENERAL SERVICES AGREEMENT E.ON U.S. SERVICES INC. AND AFFILIATES

This General Services Agreement (this "General Services Agreement") is made this 15th\_day of January, 2008 by and between E.ON U.S. Services Inc. ("E.ON U.S. Service Inc.") and its "Affiliates" (as defined below) and Brownstown Electric Supply Co, Inc. ("Contractor").

WHEREAS, Contractor desires the opportunity to provide goods and/or services to E.ON U.S. Serveo Inc. and its Affiliates from time to time, and E.ON U.S. Serveo Inc. and its Affiliates desire the opportunity to engage Contractor to provide such goods and/or services; and

WHEREAS, the parties intend that this General Services Agreement sets forth the exclusive set of terms and conditions which shall govern the performance of the "Work" (as defined below) by Contractor for E.ON U.S. Serveo Inc. and/or any of its Affiliates should E.ON U.S. Serveo Inc. and/or any of its Affiliates engage Contractor to provide Work.

NOW THEREFORE, in consideration of the premises, the mutual covenants contained herein, and other good and valuable consideration, the receipt and sufficiency of which are hereby acknowledged, the parties do agree as follows:

#### ARTICLE 1 DEFINITIONS

- 1.01 Affiliate: "Affiliate" shall mean any entity which, from time to time, in whole or in part, and directly or indirectly, controls, is controlled by, or under common control with E.ON U.S. Serveo Inc. and shall include, without limitation, Louisville Gas and Electric Company, Kentucky Utilities Company, and Western Kentucky Energy Corp.
- 1.02 Agreement: "Agreement" shall mean this General Services Agreement, along with any "Statements of Work" (as defined below) issued by Company or executed by the parties in accordance with Article 2, or other agreed collateral document pursuant to which the Work is to be performed.
- 1.03 Applicable Laws: "Applicable Laws" shall mean any and all applicable federal, state, or local laws, regulations, codes, ordinances, administrative rules, court orders, permits or executive orders.
- 1.04 Contract Price: "Contract Price" shall mean the aggregate of the particular consideration set forth in one or more purchase orders or other Statements of Work or as otherwise agreed upon. Unless otherwise agreed in writing, the Contract Price includes all applicable taxes, duties, fees, and assessments of any nature, including without limitation all sales and use taxes, due to any governmental authority with respect to the Work.
- 1.05 Contractor: "Contractor" shall mean the entity designated as the "Contractor" in the opening paragraph of this Agreement.
- 1.06 Company: "Company" shall mean E.ON U.S. Serveo Inc. and/or any of its Affiliates as appropriate based on which entity is the party to the applicable purchase order or other binding document. The rights and obligations of E.ON U.S. Serveo Inc. and each of its Affiliates hereunder shall be limited to the extent of such party's proportionate utilization of Contractor's services hereunder.
- 1.07 E.ON U.S. Serveo Inc.: "E.ON U.S. Serveo Inc." shall mean E.ON U.S. Services Inc., a Kentucky corporation.
- 1.08 Statements of Work: "Statements of Work" shall mean any specifications, instructions, drawings, schedules, purchase orders, contracts, scopes of work, and/or statements of work.
- 1.09 Work: "Work" shall include those services and/or goods set forth in this Agreement.

#### ARTICLE 2 SCOPE; BINDING EFFECT

Unless otherwise agreed in a writing executed by each of the parties which evidences a clear intention to supersede this Agreement, the parties intend that this Agreement apply to all transactions which may occur



between E.ON U.S. Serveo Inc. and/or any of its Affiliates on one hand and Contractor on the other hand during the term of this Agreement and which are related to the provision of goods and/or services by Contractor for the benefit of E.ON U.S. Serveo Inc. or any of its Affiliates. Neither E.ON U.S. Serveo Inc. nor any of its Affiliates makes any commitment to Contractor as to the exclusiveness of this relationship or as to the volume, if any, of business E.ON U.S. Serveo Inc. or its Affiliates will do with Contractor. The parties do, however, anticipate that the parties will agree from time to time for the performance of Work by Contractor, Such agreement for the provision of Work shall be reflected by (a) each of the parties executing a mutually acceptable Statement of Work under this Agreement or (b) Company providing a purchase order or other Statement of Work to Contractor and Contractor accepting such purchase order or other Statement of Work (including by commencing performance pursuant to such purchase order or other Statement of Work). In the event Company provides a purchase order or other Statement of Work to Contractor and Contractor commences performance, unless such purchase order or other Statement of Work expressly provides otherwise, Contractor hereby agrees to the formation of a binding agreement as described in the purchase order or other Statement of Work upon Contractor's commencement of performance, waives any argument that it might otherwise have under Applicable Laws that the purchase order should have been executed by each of the parties to be enforceable and further agrees to not contest the enforceability of such purchase order or other Statement of Work on those grounds, and agrees to not contest the admissibility of Company's records related to such purchase order or other Statement of Work that are kept in the ordinary course by Company. In addition, in no event shall the terms and conditions of any proposal, purchase order or other Statement of Work, acknowledgement, invoice, or other document unilaterally issued by Contractor be binding upon Company without Company's explicit written acceptance thereof. Any Work performed by Contractor without Company's binding commitment for such Work either via a duly executed or accepted purchase order or other Statement of Work under this Agreement shall be at Contractor's sole risk and expense, and Company shall have no obligation to pay for any such Work.

#### ARTICLE 3 CONDITIONS AND RISKS OF WORK

Unless the applicable Statement of Work expressly provides otherwise, Contractor agrees that before beginning any Work Contractor shall carefully examine all conditions relevant to such Work and its surroundings, and, unless Contractor notifies Company in writing that it will not perform the Work under such conditions, Contractor shall assume the risk of such conditions and shall, regardless of such conditions, the expense, or difficulty of performing the Work, fully complete the Work for the stated Contract Price applicable to such Work without further recourse to Company. If Contractor objects to performing the work as set forth in the preceding sentence, Company may, at its option, authorize changes under the process described below in Article 4 or terminate this Agreement with respect to the Work involved without any liability to Contractor. Without limiting the foregoing, Contractor specifically recognizes that Company and other parties may be working concurrently at the site. Information on the site of the Work and local conditions at such site furnished by Company in specifications, drawings, or otherwise is made without representation or warranty of any nature by Company, is not guaranteed by Company, and is furnished solely for the convenience of Contractor. All drawings and other documents, if any, required to be submitted to Company for review shall be submitted in accordance with the mutually agreed to schedule, and, if no schedule applies, such drawings or other documents shall be submitted by Contractor without unreasonable delay. No Work affected by such drawings and other documents shall be started until Contractor is authorized to do so by Company. In case of a conflict between or within instructions, specifications, drawings, schedules, purchase order(s) and/or other Statements of Work, Company shall resolve such conflict; and Company's resolution shall be binding on Contractor.

#### ARTICLE 4 COMPANY CHANGES IN WORK

The scope of and conditions applicable to the Work shall be subject to changes by Company from time to time. Such changes shall only be enforceable if documented in a writing executed by Company. Except as otherwise specifically set forth in this Agreement, changes in the scope of or conditions applicable to the Work may result in adjustments in the Contract Price and/or the Work schedule in accordance with this Article 4. If Contractor believes that adjustment of the Contract Price or the Work schedule is justified, whether as a result of a change made pursuant to this Article or as a result of any other circumstance, then Contractor shall (a) give Company written notice of its claim within five (5) business days after receipt of notice of such change or the occurrence of such circumstances and (b) shall supply a written statement supporting Contractor's claim within ten (10) business days after receipt of notice of such change or

occurrence of such circumstances, which statement shall include Contractor's detailed estimate of the effect on the Contract Price and/or the Work schedule. Contractor agrees to continue performance of the Work during the time any claim hereunder is pending. Company shall not be bound to any adjustments in the Contract Price or the Work schedule unless expressly agreed to by Company in writing. Company will not be liable for, and Contractor waives, any claims of Contractor that Contractor knew or should have known and that were not reported by Contractor in accordance with the provisions of this Article.

# ARTICLE 5 FORCE MAJEURE

Neither party shall be liable to the other for any damages for any failure to perform or for any delays or interruptions beyond that party's reasonable control in performing any of its obligations under this Agreement due to acts of God, fires, floods, earthquakes, riots, war, acts of terrorism, civil insurrection, acts of the public enemy, or acts or failures to act of civil or military authority, unless the time to perform is expressly guaranteed. Contractor shall advise Company immediately of any anticipated and actual failure, delay, or interruption and the cause and estimated duration of such event. Any such failure, delay, or interruption, even though existing on the date of this Agreement or on the date of the start of the Work, shall require Contractor to within five (5) days submit a recovery plan detailing the manner in which the failure, delay, or interruption shall be remedied and the revised schedule. Contractor shall diligently proceed with the Work notwithstanding the occurrence thereof. This Article shall apply only to the part of the Work directly affected by the particular failure, delay, or interruption, and shall not apply to the Work as a whole or any other unaffected part thereof.

# ARTICLE 6 CONTRACTOR DELAYS

Time is an important and material consideration in the performance of this Agreement by Contractor. Contractor agrees to cooperate with Company in scheduling the Work so that the project and other activities at Company's site will progress with a minimum of delays. Company shall not be responsible for compensating Contractor for any costs of overtime or other premium time work unless Company has provided separate prior written authorization for additional compensation to Contractor, and, If Company provides such written authorization, such additional compensation shall be limited to Contractor's actual cost of the premium portion of wages, craft fringe benefits, and payroll burdens. Contractor shall be liable for all failures, delays, and interruptions in performing any of its obligations under this Agreement which are not (a) caused by Company and reported in accordance with Article 4, (b) excused by Article 5, or (c) directed by Company pursuant to Article 7. Contractor shall, without adjustment to completion date or Contract Price, be obligated to make up time lost by such failures, delays, or interruptions. Company may suspend payments under this Agreement during the period of any such failure, delay, or interruption.

# ARTICLE 7 COMPANY EXTENSIONS

Company shall have the right to extend schedules or suspend the Work, in whole or in part, at any time upon written notice to Contractor (except that in an emergency or in the event that Company identifies any safety concerns, Company may require an immediate suspension upon oral or written notice to Contractor). Contractor shall, upon receipt of such notice, immediately suspend or delay the Work. Contractor shall resume any suspended Work when directed by Company. If Contractor follows the requirements of Article 4, a mutually agreed equitable adjustment to the Contract Price or to the schedules for payments and performance of the remaining Work may be made to reflect Company's extension of schedules or suspension of the Work. Contractor shall provide Company all information Company shall request in connection with determining the amount of such equitable adjustment.

# ARTICLE 8 INSPECTING, TESTING, AND AUDITING

8.01 Right of Inspecting and Testing: Company reserves the right, but shall not be obligated, to appoint representatives to follow the progress of the Work with authority to suspend any Work not in compliance with this Agreement. The appointment, or absence of an appointment, of such representatives by Company shall not have any effect on warranties. Acceptance or approval by Company's representative shall not be deemed to constitute final acceptance by Company, nor shall Company's inspection relieve Contractor of responsibility for proper performance of the Work. Inspection by Company's representative shall not be deemed to be supervision or direction by Company of Contractor, its agents, servants, or employees, but shall be only for the purpose of attempting to ensure that the Work complies with this Agreement. In the event Contractor fails to provide Company with reasonable facilities and access for inspection when



advised, and if in the opinion of Company it becomes necessary to dismantle the Work for such inspection, then Contractor shall bear the expenses of such dismantling and reassembly.

8.02 Right of Auditing: Contractor shall maintain complete records relating to any cost-based (i.e., Work not covered by firm prices) components of the Work billed under this Agreement or relating to the quantity of units billed under any unit price provisions of this Agreement (all the foregoing hereinafter referred to as "Records") for a minimum of five years following the latest of performance of, delivery to Company of, or payment by Company for, such Work or units. All such Records shall be open to inspection and subject to audit and reproduction during normal working hours, by Company or its authorized representatives to the extent necessary to adequately permit evaluation and verification of any invoices, payments, time sheets, or claims based on Contractor's actual costs incurred in the performance or delivery of Work under this Agreement. For the purpose of evaluating or verifying such actual or claimed costs, Company or its authorized representative shall have access to said Records at any time, including any time after final payment by Company to Contractor pursuant to this Agreement. All non-public information obtained in the course of such audits shall be held in confidence except pursuant to judicial and administrative order. Company or its authorized representative shall have access, during normal working hours, to all necessary Contractor facilities and shall be provided adequate and appropriate work space to conduct audits in compliance with the provisions of this Article. Company shall give Contractor reasonable notice of intended audits. The rights of Company set forth in this paragraph shall survive the termination or expiration of this Agreement.

# ARTICLE 9 COMPLIANCE WITH APPLICABLE LAWS; SAFETY; DRUG AND ALCOHOL TESTING

9.01 Applicable Laws and Safety: Contractor agrees to protect its own and its subcontractors' employees and be responsible for their Work until Company's acceptance of the entire project and to protect Company's facilities, property, employees, and third parties from damage or injury. Contractor shall at all times be solely responsible for complying with all Applicable Laws and facility rules, including without limitation those relating to health and safety, in connection with the Work and for obtaining (but only as approved by Company) all permits and approvals necessary to perform the Work. Without limiting the foregoing, Contractor agrees to strictly abide by and observe all standards of the Occupational Safety & Health Administration (OSHA) which are applicable to the Work being performed, as well as Company's Code of Business Conduct (Contractor hereby acknowledges receipt of a copy of such Code of Business Conduct and Company's safety rules) and any other rules and regulations that may be issued by Company from time to time, which are incorporated herein by reference. Contractor shall maintain the Work site in a safe and orderly condition at all times. Company shall have the right but not the obligation to review Contractor's compliance with safety and cleanup measures. In the event Contractor fails to keep the work area clean, Company shall have the right to perform such cleanup on behalf of, at the risk of and at the expense of Contractor.

9.02 Hazards and Training: Contractor shall furnish adequate numbers of trained, qualified, and experienced personnel and appropriate safety and other equipment in first-class condition, suitable for performance of the Work. Such personnel shall be skilled and properly trained to perform the Work and recognize all hazards associated with the Work. Without limiting the foregoing, Contractor shall participate in any safety orientation or other of Company's familiarization initiatives related to safety and shall strictly comply with any monitoring initiatives as determined by Company. Contractor shall accept all equipment, structures, and property of Company as found and acknowledges it has inspected the property, has determined the hazards incident to working thereon or thereabouts, and has adopted suitable precautions and methods for the protection and safety of its employees and the property.

9.03 Drug and Alcohol: No person will perform any of the Work while under the influence of drugs or alcohol. No alcohol may be consumed within four (4) hours of the start of any person's performance of the Work or anytime during the workday. A person will be deemed under the influence of alcohol if a level of .02 percent blood alcohol or greater is found. In addition to the requirements of the drug testing program, as set forth in Company's rules and regulations, all persons who will perform any of the Work will be subject to drug and alcohol testing under either of the following circumstances: (i) where the person's performance either contributed to an accident or cannot be completely discounted as a contributing factor to an accident which involves off-site medical treatment of any person; and (ii) where Company determines in its sole discretion that there is reasonable cause to believe such person is using drugs or alcohol or may otherwise



be unfit for duty. Such persons will not be permitted to perform any Work until the test results are established. Contractor shall be solely responsible for administering and conducting drug and alcohol testing, as set forth herein, at Contractor's sole expense. As applicable and in addition to any other requirements under this Agreement, Contractor shall develop and strictly comply with any and all drug testing requirements as required by Applicable Laws.

# ARTICLE 10 STATUS OF CONTRACTOR

Company does not reserve any right to control the methods or manner of performance of the Work by Contractor. Contractor, in performing the Work, shall not act as an agent or employee of Company, but shall be and act as an independent contractor and shall be free to perform the Work by such methods and in such manner as Contractor may choose, doing everything necessary to perform such Work properly and safely and having supervision over and responsibility for the safety and actions of its employees and the suitability of its equipment. Contractor's employees and subcontractors shall not be deemed to be employees of Company. Contractor agrees that if any portion of Contractor's Work is subcontracted, all such subcontractors shall be bound by and observe the conditions of this Agreement to the same extent as required of Contractor. In such event, Company strongly encourages the use of Minority Business Enterprises, Women Business Enterprises, and Disadvantaged Business Enterprises, as defined under federal law and as certified by a certifying agency that Company recognizes as proper.

# ARTICLE 11 LABOR HARMONY; EQUAL EMPLOYMENT OPPORTUNITY

11.01 Labor Harmony: Contractor agrees that all labor employed by Contractor, its agents, or subcontractors for Work on the premises of Company shall be in harmony with all other labor being used by Company or other contractors working on Company's premises. Contractor agrees to give Company immediate notice of any threatened or actual labor dispute and will provide assistance as determined necessary by Company to resolve any such dispute. Contractor, its agents, or subcontractors shall remove from Company's premises any person objected to by Company in association with the Work.

11.02 Equal Employment Opportunity: To the extent applicable, Contractor shall comply with all of the following provisions, which are incorporated herein by reference: (i) Equal Opportunity regulations set forth in 41 CFR § 60-1.4(a) and (c), prohibiting employment discrimination against any employee or applicant because of race, color, religion, sex, or national origin; (ii) Vietnam Era Veterans Readjustment Assistance Act regulations set forth in 41 CFR § 60-250.4 relating to the employment and advancement of disabled veterans and Vietnam era veterans; (iii) Rehabilitation Act regulations set forth in 41 CFR § 60-741.4 relating to the employment and advancement of qualified disabled employees and applicants for employment; (iv) the clause known as "Utilization of Small Business Concerns and Small Business Concerns Owned and Controlled by Socially and Economically Disadvantaged Individuals" set forth in 15 USC § 637(d)(3); and (v) the subcontracting plan requirement set forth in 15 USC § 637(d).

# ARTICLE 12 INDEMNITY BY CONTRACTOR

Contractor shall indemnify, defend, and hold harmless Company, its directors, officers, employees, and agents, from any and all damage, loss, claim, demand, suit, liability, penalty, or forfeiture of every kind and nature, including but not limited to attorneys' fees and expenses and other costs and expenses of defending against the same and payment of any settlement or judgment therefore, by reason of (a) bodily and other personal injuries to or deaths of persons, (b) damages to tools or equipment owned or leased by Company, (c) damages to other property, (d) the release or threatened release of a hazardous substance or any pollution or contamination of or other adverse effects on the environment, (e) violations of any Applicable Laws, or (f) infringement of patent, copyright, trademark, trade secret, or other property right, to the extent resulting or alleged to have resulted from acts or omissions of Contractor, its employees, agents, subcontractors, or other representatives or otherwise from performance of this Agreement, whether suffered directly by Company or indirectly by reason of third party claims, demands, or suits. This obligation to indemnify, defend, and hold harmless shall survive termination or expiration of this Agreement.

# ARTICLE 13 ENVIRONMENTAL

13.01 Control: As required under the OSHA Hazard Communication Standard (29 CFR 1910.1200) and certain other Applicable Laws, Contractor or its subcontractors shall provide Material Safety Data Sheets ("MSDS") covering any hazardous substances and materials furnished under or otherwise associated with the Work under this Agreement. Contractor and its subcontractors shall provide Company with either



copies of the applicable MSDS or copies of a document certifying that no MSDS are required under any Applicable Laws in effect at the worksite. No asbestos or lead containing materials shall be incorporated into any Work performed by Contractor or otherwise left on the Work site without the prior written approval of Company. Contractor and its subcontractors shall be solely responsible for determining if any chemical or material furnished, used, applied, or stored or Work performed under this Agreement is subject to any Applicable Laws.

13.02 Labeling: Contractor and its subcontractors shall label hazardous substances and materials and train their employees in the safe usage and handling of such substances and materials as required under any Applicable Laws.

13.03 Releases: Contractor and its subcontractors shall be solely responsible for the management of any petroleum or hazardous substances and materials brought onto the Work site and shall prevent the release of petroleum or hazardous substances and materials into the environment. All petroleum or hazardous substances and materials shall be handled and stored according to Contractor's written Spill Prevention Control and Countermeasures Plan or Best Management Practices Plan as defined under the provisions of the Clean Water Act, as amended, if either such Plan must be maintained pursuant to Applicable Laws. Contractor shall provide secondary containment for the storage of petroleum or hazardous substances and materials. The prompt and proper clean-up of any spills, leaks, or other releases of petroleum or hazardous substances and materials resulting from the performance of the Work under this Agreement and the proper disposal of any residues shall be Contractor's sole responsibility, but Contractor shall give Company immediate notice of any such spills, leaks, or other releases. Contractor shall be solely responsible for the storage, removal, and disposal of any excess or unused quantities of chemicals and materials which Contractor causes to be brought to the Work site.

13.04 Generated Wastes: Unless Company and Contractor expressly agree otherwise in writing, Contractor and its subcontractors shall be solely responsible for any wastes generated in the course of the Work, and Contractor shall handle, store, and dispose of such wastes in accordance with any Applicable Laws.

13.05 Survival: The obligations set forth in this Article shall survive termination or expiration of this Agreement.

# **ARTICLE 14 INSURANCE**

14.01 Contractor's Insurance Obligation: Contractor shall provide and maintain, and shall require any subcontractor to provide and maintain the following insurance (and, except with regard to Workers' Compensation, naming Company as additional insured and waiving rights of subrogation against Company and Company's insurance carrier(s)), and shall submit evidence of such coverage to Company prior to the start of the Work:

- (a) Workers' Compensation and Employer's Liability Policy, which shall include:
  - 1) Workers' Compensation (Coverage A), with statutory limits, and in accordance with the laws of the state where the Work is performed;
  - Employer's Liability (Coverage B) with minimum limits of One Million Dollars (\$1,000,000)
     Bodily Injury by Accident, each Accident, \$1,000,000 Bodily Injury by Disease, each Employee;
  - 3) Thirty (30) Day Cancellation Clause; and
  - 4) Broad Form All States Endorsement.
- (b) Commercial General Liability Policy, which shall have minimum limits of One Million Dollars (\$1,000,000) each occurrence; Two Million Dollars (\$2,000,000) General Aggregate; One Million Dollars (\$1,000,000) Products/Completed Operations Aggregate; One Million Dollars (\$1,000,000) Personal and Advertising Injury, and including:
  - 1) Thirty (30) Day Cancellation Clause;
  - 2) Blanket Written Contractual Liability to the extent covered by the policy against liability assumed by Contractor under this Agreement;
  - 3) Broad Form Property Damage; and
  - 4) Insurance for liability arising out of blasting, collapse, and underground damage (deletion of X, C, U Exclusions).
- (c) Commercial Automobile Liability Insurance covering the use of all owned, non-owned, and hired automobiles, with a bodily injury, including death, and property damage combined single



- minimum limit of One Million Dollars (\$1,000,000) each occurrence with respect to Contractor's vehicles assigned to or used in performance of Work under this Agreement.
- (d) Umbrella/Excess Liability Insurance with minimum limits of Two Million Dollars (\$2,000,000) per occurrence; Two Million Dollars (\$2,000,000) aggregate, to apply to employer's liability, commercial general liability, and automobile liability.
  - (c) If any fixed wing or rotor craft aircraft will be used by Contractor in performing the Work, Aircraft Public Liability Insurance covering such aircraft whether owned, non-owned, leased, hired or assigned with a combined single minimum limit for bodily injury and property damage of Five Million Dollars (\$5,000,000) including passenger liability coverage.
  - (f) If engineering or other professional services will be provided by Contractor, then Professional Liability Insurance with limits of Three Million Dollars (\$3,000,000) per occurrence and Three Million Dollars (\$3,000,000) in the aggregate, which insurance shall be either on an occurrence basis or on a claims made basis (with a retroactive date satisfactory to Company).
- 14.02 Quality of Insurance Coverage: The above policies to be provided by Contractor shall be written by insurance companies which are both licensed to do business in the state where the Work will be performed and either satisfactory to Company or having a Best Rating of not less than A-. These policies shall not be materially changed or canceled except with thirty (30) days written notice to Company from Contractor and the insurance carrier. Evidence of coverage, notification of cancellation or other changes shall be mailed to: Attn: Manager, Supply Chain, E ON U.S. Services Inc., P.O. Box 32020, Louisville, KY 40232.
- 14.03 Implication of Insurance: Company reserves the right to request and receive a summary of coverage of any of the above policies or endorsements; however, Company shall not be obligated to review any of Contractor's certificates of insurance, insurance policies, or endorsements, or to advise Contractor of any deficiencies in such documents. Any receipt of such documents or their review by Company shall not relieve Contractor from or be deemed a waiver of Company's rights to insist on strict fulfillment of Contractor's obligations under this Agreement.

14,04 Other Notices: Contractor shall provide notice of any accidents or claims at the Work site to Company's Manager, Risk Management at E.ON U.S. Services Inc., P.O. Box 32030, Louisville, KY 40232 and Company's site authorized representative.

# ARTICLE 15 WARRANTIES

Contractor warrants that:

- (a) the Work will conform to any applicable Statement of Work; and any materials supplied in connection therewith shall be new, unused, and free from defect;
- (b) the Work will be suitable for the purposes specified by Company and will conform to each statement, representation, and description made by Contractor to Company;
- (c) the Work is not and shall not be subject to any encumbrance, lien, security interest, patent, copyright or trademark claims, infringements, or other defects in title; and
- (d) any labor or services performed pursuant to this Agreement shall be performed in a competent, diligent, and timely manner in accordance with the highest professionally accepted standards.

Contractor shall respond in writing to any warranty claim by Company within five (5) business days of the delivery of notice of such claim to Contractor.

# ARTICLE 16 OWNERSHIP OF INTELLECTUAL PROPERTY; PATENTS

16.01 Ownership: All inventions, discoveries, processes, methods, designs, drawings, blueprints, information, software, works of authorship and know-how, or the like, whether or not patentable or copyrightable (collectively, "Intellectual Property"), which Contractor conceives, develops, or begins to develop, either alone or in conjunction with Company or others, in connection with the Work, shall be "work made for hire" and the sole and exclusive property of Company. Upon request, Contractor shall promptly execute all applications, assignments, and other documents that Company shall deem necessary to apply for and obtain letters patent of the United States and/or copyright registration for the Intellectual Property and in order to evidence Company's sole ownership thereof.

16.02 Royalties and License Fees: Contractor shall pay all royalties and license fees which may be payable on account of the Work or any part thereof. In case any part of the Work is held in any suit to constitute infringement and its use is enjoined, Contractor within a reasonable time shall, at the election of Company and in addition to Contractor's obligations under Article 12, either (a) secure for Company the

Attachment to Response to LGE PSC-2 Question No. 54
Page 72 of 118
Hermann

perpetual right to continue the use of such part of the Work by procuring for Company a royalty-free license or such other permission as will enable Contractor to secure the suspension of any injunction, or (b) replace at Contractor's own expense such part of the Work with a non-infringing part or modify it so that it becomes non-infringing (in either case with changes in functionality that are acceptable to Company).

# ARTICLE 17 RELEASE OF LIENS

Contractor hereby releases for itself and its successors in interest, and for all subcontractors and their successors in interest, any and all claim or right of mechanics or any other type lien upon Company's or any other party's property, the Work, or any part thereof as a result of performing the Work. Contractor shall execute and deliver to Company such documents as may be required by Applicable Laws to make this release effective and shall give all required notices to subcontractors with respect to ensuring the effectiveness of the foregoing release against those parties. Contractor shall secure the removal of any lien that Contractor has agreed to release in this Article within five (5) working days of receipt of written notice from Company to remove such lien. If not timely removed, Company may remove the lien and charge all costs and expenses to Contractor, including without limitation costs of bonding off such lien.

# ARTICLE 18 ASSIGNMENT OF AGREEMENT; SUBCONTRACTING

Contractor shall not by operation of law or otherwise assign, sublease, or subcontract any part of the Work or this Agreement without Company's prior written approval. Such approval, if given, shall not relieve Contractor from full responsibility for the fulfillment of all obligations under this Agreement.

#### ARTICLE 19 INVOICES AND EFFECT OF PAYMENTS

19.01 Invoices: Within a reasonable period of time following the end of each calendar month or other agreed period, Contractor shall submit an invoice to Company that complies with this Article. Payments shall be made within forty-five (45) days of Company's receipt of Contractor's proper invoice, and, in the event that Company's payment is overdue, Contractor shall promptly provide Company with a notice that such payment is overdue. Contractor's invoices shall designate the extent to which E.ON U.S. Serveo Inc. or any of its Affiliates is the responsible party. Such invoices shall reference the contract number and shall also show labor, material, taxes paid (including without limitation sales and use taxes, duties, fees, and other assessments imposed by governmental authorities), freight, and all other charges (including without limitation equipment rental) as separate items. All invoices shall be submitted with supporting documentation and in acceptable form and quality to Company's authorized representative. Should Company dispute any invoice for any reason, payment on such invoice shall be made within thirty (30) days of the dispute resolution. Payment of the invoice shall not release Contractor from any of its obligations hereunder, including but not limited to its warranty and indemnity obligations. Invoices shall not be delivered with goods, but all correspondence and packages related to this Agreement shall reference the contract number assigned by Company.

19.02 Taxes: If Company provides Contractor with an exemption certificate demonstrating an exemption from sales or use taxes in Kentucky, then Contractor shall not withhold or pay Kentucky sales or use taxes to the extent such exemption certificate applies to the Work (such exemption does not and shall not apply to any materials consumed by Contractor in performing the Work). Contractor agrees that it shall not rely upon Company's direct pay authorization in not withholding or paying Kentucky sales or use taxes. If Company does not provide Contractor with an exemption certificate demonstrating an exemption from sales or use taxes in Kentucky, Contractor shall be solely responsible for paying all appropriate sales, use, and other taxes and duties (including without limitation sales or use tax with respect to materials purchased and consumed in connection with the Work) to, as well as filing appropriate returns with, the appropriate authorities. To the extent specifically included in the Contract Price, Contractor shall bill Company for and Company shall pay Contractor all such taxes and duties, but Company shall in no event be obligated for taxes and duties not specifically included in the Contract Price or for interest or penalties arising out of Contractor's failure to comply with its obligations under this Section.

19.03 Billing of Additional Work: All claims for payments of additions to the Contract Price shall be shown on separate Contractor's invoices and must refer to the specific change order or written authorization issued by Company as a condition to being considered for payment.

19.04 Effect of Payments/Offset: No payments shall be considered as evidence of the performance of or acceptance of the Work, either in whole or in part, and all payments are subject to deduction for loss, damage, costs, or expenses for which Contractor may be liable under any purchase order or set-off

Attachment to Response to LGE PSC-2 Question No. 54
Page 73 of 118
Hermann

hereunder. Company, without waiver or limitation of any rights or remedies of Company, shall be entitled from time to time to deduct from any and all amounts owing by Company to Contractor in connection with this Agreement or any other contract with Company any and all amounts owed by Contractor to Company in connection with this Agreement or any other contract with Company.

19.05 Evidence of Payment to Subcontractors: Contractor shall, if requested by Company, furnish Company with a certificate showing names of Contractor's suppliers and subcontractors hereunder, and certifying to Company that said suppliers and subcontractors have been paid in full.

# ARTICLE 20 ROUTING OF SHIPMENTS

Company shall have the option of specifying the routing of shipments. If freight is included in the Contract Price, and such specified routing increases Contractor's shipping costs, Contractor shall immediately so notify Company, and should Company still specify the more expensive routing, then Company shall reimburse Contractor for the increase actually incurred thereby.

#### ARTICLE 21 TERM AND TERMINATION

21.01 Term: This Agreement shall commence on the date set forth above and shall survive in full force and effect until terminated as set forth below. A termination under this Article 21 based on certain Work shall only apply to the Statement of Work that covers such Work. Any Statements of Work that do not relate to such Work shall not be affected by such a termination.

Termination for Contractor's Breach: If the Work to be done under this Agreement shall be abandoned by Contractor, if this Agreement or any portion thereof shall be assigned by operation of law or otherwise, if the Work or any portion thereof is sublet by Contractor without the permission of Company, if Contractor is placed in bankruptcy, or if a receiver be appointed for its properties, if Contractor shall make an assignment for the benefit of creditors, if at any time the necessary progress of Work is not being maintained, or if Contractor is violating any of the conditions or agreements of this Agreement, or has executed this Agreement in bad faith, Company may, without prejudice to any other rights or remedies it may have as a result thereof, notify Contractor to discontinue any or all of the Work and terminate this Agreement in whole or part. In the event that Section 365(a) of the Bankruptcy Code or some successor law gives Contractor as debtor-in-possession the right to either accept or reject this Agreement, then Contractor agrees to file an appropriate motion with the Bankruptcy Court to either accept or reject this Agreement within twenty (20) days of the entry of the Order for Relief in the bankruptcy proceeding. Contractor and Company acknowledge and agree that said twenty (20) day period is reasonable under the circumstances. Contractor and Company also agree that if Company has not received notice that Contractor has filed a motion with the Bankruptcy Court to accept or reject this Agreement within said twenty (20) day period, then Company may file a motion with the Bankruptcy Court asking that this Agreement be accepted or rejected, and Contractor shall not oppose such motion.

21.03 Effect of Termination for Contractor's Breach: From the effective date of such termination notice, Contractor shall vacate the site, whereupon Company shall have the right but not the obligation to take possession of the Work wherever located, and Contractor shall cooperate with Company and cause Contractor's subcontractors to cooperate with Company so that Company can effect such possession. In obtaining replacement services, Company shall not be required to request multiple bids or obtain the lowest figures for completing the Work and may make such expenditures as shall best accomplish such completion and are reasonable given the circumstances. The expenses of completing the Work in excess of the unpaid portion of the Contract Price, together with any damages suffered by Company, shall be paid by Contractor, and Company shall have the right to set off such amounts from amounts due to Contractor.

21.04 Termination for Company's Convenience: Company may terminate this Agreement or one or more Statements of Work in whole or in part for its own convenience by thirty (30) days' written notice at any time. In such event, Company shall pay Contractor all direct labor and material costs incurred on the Work that is subject to such Termination prior to such notice, plus any reasonable unavoidable cancellation costs which Contractor may incur as a result of such termination, plus indirect costs or overhead on the portion of the Work completed, computed in accordance with generally accepted accounting principles less salvage value. As an alternative to salvage value reduction, Company shall have the right in its sole discretion to take possession of all or part of the Work.



# ARTICLE 22 LIABILITY OF AFFILIATES

Any and all liabilities of E.ON U.S. Serveo Inc. and its Affiliates under this Agreement shall be several but not joint.

# ARTICLE 23 PUBLICITY

Contractor shall not issue news releases, publicize or issue advertising pertaining to the Work or this Agreement without first obtaining the written approval of Company.

# **ARTICLE 24 CONFIDENTIAL INFORMATION**

All information relating to the Work or the business of Company, including, but not limited to, drawings and specifications relating to the Work, and customer information, shall be held in confidence by Contractor and shall not be used by Contractor for any purpose other than for the performance of the Work or as authorized in writing by Company. In the event that the Contractor assigns the work to one or more subcontractors, a signed confidentiality agreement between the Contractor and each subcontractor(s) will be provided to the Company prior to the provision of any information described in the immediately preceding sentence or the performance of any Work by the subcontractor. All drawings, specifications, or documents furnished by Company to Contractor or developed in connection with the Work shall either be destroyed or returned to Company (including any copies thereof) upon request at any time.

#### ARTICLE 25 MISCELLANEOUS.

25.01 Waiver: No waiver by Company of any provision herein or of a breach of any provision shall constitute a waiver of any other breach or of any other provision.

25.02 Headings: The headings of Articles, Sections, paragraphs, and other parts of this Agreement are for convenience only and do not define, limit, or construe the contents thereof.

25.03 Severability: If any provision of this Agreement shall be held invalid under law, such invalidity shall not affect any other provision or provisions hereof which are otherwise valid.

25.04 State Law Governing Agreement: This Agreement shall be governed by, and construed in accordance with, the laws of the Commonwealth of Kentucky, without regard to its principles of conflicts of laws.

25.05 Enforcement of Rights: Company shall have the right to recover from Contractor all expenses, including but not limited to fees for and expenses of inside or outside counsel hired by Company, arising out of Contractor's breach of this Agreement or any other action by Company to enforce or defend Company's rights hereunder.

25.06 No Third Party Beneficiaries: Except for Contractor and Company, there are no intended third party beneficiaries of this Agreement and none may rely on this Agreement in making a claim against Company.

25.07 Notices: All notices and communications respecting this Agreement shall be in writing, shall be identified by the contract number, shall be designated for E.ON U.S. Serveo Inc., or the appropriate Affiliate, and shall be addressed as follows (which address either party may change upon five (5) days prior notice to the other party):

To Company: E.ON U.S. Services Inc. Attn: Manager, Supply Chain P.O. Box 32020 Louisville, Kentucky 40232 To Contractor:
Brownstown Electric Supply Co., Inc.
Attn: Gregg Deck
690 E State Rd 250
Brownstown, IN 47220
Fax No. (812) 358-2484



E.ON U.S. SERVICES INO.

Brownstown Electric Supply Co., Inc.

Signature

Signature

IN WITNESS WHEREOF, the parties have entered into this Agreement on the date set forth in the

LATINA KOPPLE GREGG DECK

Name (Please Print)

Name (Please Print)

Title Title

1-14-2008 1-21-2008

Date Date

# ADDENDUM B

# CONFIDENTIALITY AGREEMENT

This agreement entered into as of the 15th day of January, 2008 between Louisville Gas and Electric and Kentucky Utilities on behalf of itself and its affiliated companies, their successors and assigns (hereafter collectively called "Customer") and Brownstown Electric Supply Co, Inc, (hereinafter called "Contractor"), agree to the following:

# CONFIDENTIAL INFORMATION

All information relating to the Work of the business of Customer, including, but not limited to, drawings and specifications relating to the Work, shall be held in confidence by Contractor and shall not be used by Contractor for any purpose other than for the performance of the Work or as authorized in writing by Customer. All drawings, specifications or documents furnished by Customer to Contractor or developed in connection with the Work shall either be destroyed or returned to Customer (including any copies thereof) upon request at any time.

Louisville Gas and Electric Company	Brownstown Electric Supply Co., Inc.
By Silling Dopple	// //
(Print): / ARRY Korple	
Title 16/12 Supply Charce	Title CEO
Date /- 14-2008	Date 1-21-2008



# ADDENDUM C E.ON U.S. LLC INFORMATION TECHNOLOGY (IT) SECURITY AGREEMENT

This Security Agreement ("Agreement") is made and entered into as of this 15th day of January, 2008, by and between Brownstown Electric Supply Co., ("Contractor") and E.ON U.S. L.L.C, and affiliates ("E.ON U.S."). This Agreement shall define the Contractor's obligation to comply with common security best-practices, and E.ON U.S.'s rights for monitoring and auditing Contractor's compliance as set forth below. Contractor hereby agrees to adhere to a minimum set of security best-practices as follows throughout the period commencing on the date of this Agreement and continuing until the later to occur of the expiration or termination of the Agreement (or any successor agreement thereof).

- 1. Appropriate use: The Contractor's connection(s) to E.ON U.S.'s network are provided for a specific business purpose as defined in the Contracts KU 452817 and LGE 767662, and are to be utilized for that purpose only. Any other use of this connection is explicitly prohibited, including such activities as attempts at unauthorized access to other customer systems, applications, or information; scanning or network browsing to enumerate customer's systems, applications, open ports, network shares or other shared resources, etc.; or running or attempting to run any unauthorized software on any of the customer's systems to which the vendor may have access. In the case where customer-owned client workstations are provided to allow the vendor to perform their defined business function for customer, such equipment shall not be modified without prior written authorization by the customer. Such modifications include making unauthorized changes to the installed system configuration, installing unauthorized software, or attaching any additional devices, network connections, etc.
- 2. Access control: In order to control access to the Contractor's network, unique user-ID's and passwords shall be utilized for each individual that requires access. The passwords associated with these user-ID's shall be managed according to generally-accepted best practices, notably:
  - 1.1 The passwords shall be a minimum of seven characters in length, should not be a common name or be found in a dictionary, and should contain a mixture of alpha characters, numbers, and special symbols (such as #, !, %, etc.).
  - 1.2 The passwords shall expire at a maximum of 90-days.
  - 1.3 A history of the previously used passwords shall be maintained such that no password shall be re-used for at least 99 generations.
- 3. System inactivity timeouts: Client and servers residing on the Contractor's internal network shall employ automatic system inactivity lockouts. An example of this would be a password-protected screen saver that engages automatically based on a specified period of inactivity. This default inactivity timeout should be set for no more than 15 minutes. Where practical, this client timeout shall be enforced through policy settings on the connected workstation.
- 4. Virus protection: Virus protection software shall be run on all servers and client workstations that reside on the Contractor's internal network at all times. The virus signature files on these devices shall be updated in a timely manner as new releases are made available by the virus protection software Contractor, preferably in an automated fashion. Updates shall be applied at a minimum of weekly, or as released by the virus protection software Contractor.
- 5. Secure Installation: The Contractor shall ensure that all unnecessary software, services and ports on the system are removed or disabled. The most currently available operating system updates and patches should be applied and tested as an integral part of the initial installation. Logging functionality should be enabled to, at a minimum, capture login activity.
- 6. Network Isolation: The Contractor shall provide support for the potential isolation of the E.ON U.S. network segment(s) on which the Contractor's system operates. The Contactor shall provide all technical information necessary to facilitate construction of appropriate firewall rules, including full disclosure of which hosts need to communicate through each firewall interface and what protocols and ports those hosts utilize.

- 7. Operating System / security patch updates: Periodically, system software vendors release updates or security patches to address specific problems or vulnerabilities that are identified with this software. These updates will be routinely reviewed by the Contractor's system administrators for relevance and priority, and patches to any elient or server system software determined to be important shall be applied in a timely manner. In evaluating the priority and relevance of these updates, the Contractor shall consider the relevance and priority as noted by generally-recognized independent security organizations. Among these are CERT, NIPC, SANS, etc. Any updates deemed to be of critical importance shall be applied as soon as possible to all applicable clients or servers on the Contractor's internal network. Any updates that full below this level of criticality shall be applied in a timely basis as determined by the Contractor and E.ON U.S. based on potential impact to both parties.
- 8. Remote Access: If the scope of the services being provided by the Contractor requires remote access to the E.ON U.S. network, the Contractor shall utilize Virtual Private Network (VPN) encryption technology, managed routing, and two factor authentication to provide this access. The VPN and authentication solutions must be approved by E.ON U.S.'s IT Security department.
- 9. Modems: No modems or other network access points shall be connected to the Contractor's network or networked devices, unless such modems are protected from unauthorized access by not allowing incoming calls on the phone line connected to these devices, or by similar protection schemes that provide access to authorized users only. Under no circumstances shall a Contractor workstation have simultaneous connectivity to both E.ON U.S.'s network, and any or network, ISP, or system, unless such connectivity is specifically reviewed and permitted in writing by E.ON U.S.'s IT Security Department.
- 10. Monitoring/logging: Logging of operating system events, security alerts, firewall traffic blocked, etc., shall be enabled on appropriate devices on the Contractor's network. These logs shall be routinely reviewed for possible unauthorized access attempts or system intrusions, and appropriate corrective actions taken by Contractor's system administrators. Any intrusion or unauthorized system access that has the potential of impacting the E.ON U.S., it's systems or data shall be immediately be brought to the attention of the E.ON U.S. IT Security Department. E.ON U.S. shall be given reasonable access to those logs during normal business hours from and after the date hereof through the second (2<sup>nd</sup>) anniversary of the date of expiration or termination of the Agreement (or any successor agreement), which access commitment of Contractor shall survive such expiration or termination and continue to be binding on Contractor throughout that period.
- 11. FERC/NERC Cyber Security Standards Compilance: For systems that fall within the scope of the current FERC/NERC Cyber Security Standards (1200 and CIP-002 CIP-009) the Contractor must:
  - 11.1. Demonstrate that the system is technically capable of being compliant; and
  - 11.2. If the Contractor is providing implementation services, provide written certification that the system is implemented in a manner that ensures compliance.
- 12. Auditing: E.ON U.S. retains the right to periodically audit the security policies, practices and standards of the Contractor as it pertains to the operation of its IT systems and network that potentially may impact, either directly or indirectly, Contractor's services, support, or interfaces to E.ON U.S.'s applications or network. Contractor shall provide reasonable resources in support of performance of the audit at no cost to E.ON U.S.. These audit rights will continue in force and effect from and after the date hereof through the second (2<sup>nd</sup>) anniversary of the date of expiration or termination of the Agreement (or any successor agreement). The audit rights of E.ON U.S. provided for above shall survive such expiration or termination and continue to be binding on Contractor throughout that period. Contractor agrees to afford E.ON U.S. reasonable access to Contractor's IT systems, network and related equipment and facilities in order to facilitate E.ON U.S.'s audit rights, as requested by E.ON U.S. from time-to-time during the period described above. Modifications to these policies, practices, or standards may be required from time-to-time by the E.ON U.S. to address additional security issues, vulnerabilities, or areas of concern.
- 13. Confidentiality: All information relating to the Work or the business of LG&E, including, but not limited to, systems, platforms, data, processes, methodologies, drawings and specifications relating to the Work, shall be held in confidence by Contractor and shall not be used by Contractor for any purpose other than for the performance of the Work or as authorized in writing by LG&E. All documents furnished by LG&E to Contractor or developed in connection with the Work shall either be destroyed or returned to LG&E (including any copies thereof) upon request at any time.
- 14. Reaffirmation: Except as amended or modified by this Agreement, the Agreement shall continue in full force and effect from and after the date hereof in accordance with its terms.

SC-2 Question No. 54

2

E.ON U.S. LLC

Brownstown Electric Supply Co., Inc.

By: Supple By: Supple By: Name (Print): GREGG DECK

Title: M. Supple Date: Leo

Date: Leo

Date: Leo

Brownstown Electric Supply Co., Inc.

By: Supple By: Leo

Date: L

WITNESS the signatures of the undersigned as of the date first written above.



# ADDENDUM D ELECTRONIC DATA INTERCHANGE TRADING PARTNERS AGREEMENT

THIS ELECTRONIC DATA INTERCHANGE TRADING PARTNERS AGREEMENT (the "Agreement") is made as of January 15, 2008, by and between E.ON U.S. LLC, and affiliates ("LG&E" and "KU"), and Brownstown Electric Supply Co. Inc. ("Seller").

# RECITALS

LG&E/KU and the Seller desire to facilitate purchase and sale transactions ("Transactions") by electronically transmitting and receiving data in agreed formats in substitution for conventional paper-based documents and to assure that such Transactions and contracts therefore are not legally invalid or unenforceable as a result of the use of available electronic technologies for the mutual benefit of the parties.

NOW THEREFORE, the parties, intending to be legally bound, agree as follows:

# Section 1. PREREQUISITES

1.1 <u>Documents; Standards</u>. Each party may electronically transmit to or receive from the other party any of the transaction sets listed in Appendix A and transaction sets which the parties by written agreement add to Appendix A (collectively "Documents"). Any transmission of data which is not a Document shall have no force or effect between the parties, unless justifiably relied upon by the receiving party. All Documents shall be transmitted in accordance with the standards set forth in Appendix A.

# 1.2 Third Party Service Providers

- 1.2.1 Documents will be transmitted electronically to each party either, as specified in Appendix A, directly or through any third party service provider ("Provider") with which either party may contract. Either party may modify its election to use, not use or change a Provider upon thirty (30) days prior written notice.
- 1.2.2 Each party shall be responsible for the costs of any Provider with which it contracts, unless otherwise set forth in Appendix A.
- 1.3 <u>System Operations</u>. Each party, at its own expense, shall provide and maintain the equipment, software, services and testing necessary to effectively and reliably transmit and receive Documents.
- 1.4 <u>Security Procedures</u>. Each party shall properly use those security procedures, including those specified in Appendix A, if any, which are reasonably sufficient to ensure that all transmissions of Documents are authorized and to protect both parties' business records and data from improper access.



1.5 <u>Signatures</u>. Each party shall adopt as its signature an electronic identification consisting of symbol(s) or code(s) which are to be affixed to or contained in each Document transmitted by such party ("Signatures"). Each party agrees that any Signature of such party affixed to or contained in any transmitted Document shall be sufficient to verify such party originated such Document. Neither party shall disclose to any unauthorized person the Signatures of the other party.

# Section 2. TRANSMISSIONS

- 2.1 <u>Proper Receipt</u>. Documents shall not be deemed to have been properly delivered or received, and no Document shall give rise to any obligation, until accessible to the receiving party at such party's Receipt Computer designated in Appendix A.
- 2.2 <u>Verification</u>. Upon proper receipt of any Document, the receiving party shall promptly and properly transmit a functional acknowledgment in return, unless otherwise specified in Appendix A.
- 2.3 <u>Acceptance</u>. Any Document which has been properly received which constitutes an offer for a contract shall not be considered accepted unless and until the party receiving such Document has accepted the offer under applicable law.
- 2.4 <u>Garbled Transmission</u>. If any properly transmitted Document is received in an unintelligible or garbled form, the receiving party shall notify the originating party (if identifiable from the received Document) in a reasonable manner within 24 hours of receipt. In the absence of such a notice, the originating party's records of the contents of such Document shall control.

# Section 3. TRANSACTION TERMS

- 3.1 <u>Terms Provisions, and Conditions</u>. In case of Transactions within the scope of a written agreement between the parties, such Transactions shall be governed by the terms, provisions, and conditions set forth in the Documents and in such written agreement. All other Transactions between the parties shall be governed by the terms, provisions, and conditions set forth in the Documents and on Appendix A and Appendix B hereto.
- 3.2 Confidentiality. All information contained in any Document or otherwise exchanged between the parties shall be held in confidence by the receiving party and shall not be used for any purpose other than performing Transactions with the other party, except as otherwise agreed to in writing between the parties. User names and passwords assigned for transmission of Documents shall be used solely for authentication of Transactions and shall not be disclosed to a third party by either party.



# 3.3 Validity; Enforceability.

- 3.3.1 This Agreement has been executed by the parties to evidence their mutual intent to create binding purchase and sale obligations governed by the terms, provisions, and conditions as set forth in Section 3.1 pursuant to the electronic transmission and receipt of Documents.
- 3.3.2 Any Document properly transmitted pursuant to this Agreement shall be considered, in connection with any Transaction, any other written agreement between the parties, or this Agreement, to be a "writing" or "in writing"; and any such Document when containing or to which there is affixed, a Signature ("Signed Documents") shall be deemed for all purposes to have been "signed" and to constitute an "original" when printed from electronic files or records established and maintained in the normal course of business.
- 3.3.3 The conduct of the parties pursuant to this Agreement, including the use of Signed Documents, properly transmitted pursuant to this Agreement, shall, for all legal purposes, evidence a course of performance accepted by the parties in furtherance of this Agreement and any other agreements between the parties.
- 3.3.4 The parties agree not to contest the validity or enforceability of Signed Documents under the provisions of any applicable law relating to whether certain agreements must be in writing and signed by the party to be bound thereby. Signed Documents, if introduced as evidence on paper in any judicial or administrative proceedings, will be admissible as between the parties to the same extent and under the same conditions as other business records originated and maintained in documentary form. Neither party shall contest the admissibility of copies of Signed Documents under either the business records exception to the hearsay rule or the best evidence rule on the basis that the Signed Documents were not originated or maintained in documentary form.

# Section 4. MISCELLANEOUS

- 4.1 <u>Termination</u>. This Agreement shall remain in effect until terminated by either party with not less than thirty (30) days prior written notice, which notice shall specify the effective date of termination; provided, however, that any termination shall not affect the respective obligations or rights of the parties arising under any Documents or otherwise under this Agreement prior to the effective date of termination or arising under any other agreement.
- 4.2 <u>Severability</u>. Any provision of this Agreement which is determined to be invalid or unenforceable will be ineffective to the extent of such determination without invalidating the remaining provisions of this Agreement or affecting the validity or enforceability of such remaining provisions.
- 4.3 Entire Agreement. This Agreement and the Appendices constitute the complete agreement of the parties relating to the matters specified in this Agreement and supersede all prior representations or agreements, whether oral or written, with respect to such matters. No oral modification or waiver of any of the provisions of this Agreement shall be binding on either party. No obligation to enter into any Transaction is to be implied from the execution or

ORIGINAL

Attachment to Response to LCE PSC-

delivery of this Agreement. This Agreement is for the benefit of, and shall be binding upon, the parties and their respective successors and assigns.

- 4.4 Governing Law. This Agreement shall be governed by and interpreted in accordance with the laws of the State of Kentucky.
- 4.5 <u>Force Majeure</u>. No party shall be liable for any failure to perform its obligations in connection with any Transaction or any Documents where such failure results from any act of God or other cause beyond such party's reasonable control (including, without limitation, any mechanical, electronic or communications failure) which prevents such party from transmitting or receiving any Documents.
- 4.6 <u>Conflicts Provision</u>. The terms of this Agreement shall prevail in the event of any conflict with any other terms and conditions applicable to any Transaction.
  - 4.7 <u>Limitation of Damages</u>. Neither party shall be liable for any special, incidental exemplary or consequential damages arising from or as a result of any delay, omission or error in the electronic transmission or receipt of any Documents pursuant to this Agreement, even if such party has been advised of the possibility of such damages.

Each party has caused this Agreement to be executed on its behalf by a duly authorized representative as of the date noted below.

As referenced in Contracts noted below:

Louisville Gas and Electric #767662 Kentucky Utilities # 452817

E.ON U.S. LLC

Brownstown Electric Supply Co. Inc.

By Sign Read DECK

(Print): LARRY KORDE (Print) CREGG DECK

Title 1998. Supply Charace Title CED

Date 1-14-2007 Date 1-21-2008



# APPENDIX A TO ELECTRONIC DATA INTERCHANGE TRADING PARTNERS AGREEMENT

1. Transaction Sets:

850 Purchase Order810 Invoice857 Advanced Shipping and Billing Notice (ASBN)997 Functional Acknowledgement

2. Standards: 850 ANSI x.12, version 4010

997 ANSI x.12, version 4010 810 ANSI x.12, version 3020 857 ANSI x.12, version 4010 997 ANSI x.12, version 3020

- 3. LG&E/KU will use Sterling as its Provider. The Seller may use a different Provider, but will advise LG&E's/KU's EDI Group if an interconnect is to be used.
- 4. For documents transmitted by LG&E/KU, LG&E/KU will pay the costs of transmission between LG&E/KU and its Provider's mailbox and the Seller will pay the costs of transmission between LG&E's/KU's Provider's mailbox and the Seller. For Documents transmitted by the Seller, the Seller will pay the cost of transmission between the Seller and LG&E's/KU's Provider's mailbox and LG&E/KU will pay the costs of transmission between LG&E's/KU's Provider's mailbox and LG&E/KU.
- 5. The Receipt Computer for both parties is the Sterling mailbox.
- 6. LG&E/KU requests return Functional Acknowledgements for Purchase Orders transmitted and will send Functional Acknowledgements upon receipt of Invoices and ASBN's.
- 7. I.G&E/KU intends to transmit and retrieve Documents each working day between the hours of 6:00 a.m. and 7:00 p.m. The Seller will retrieve orders from the Provider's service mailbox with such frequency and regularity that timely receipt of such orders is insured.
- 8. Payment terms and freight terms will be set forth on each Purchase Order unless the parties hereto have agreed on standard payment and/or freight terms either in this Agreement or in a different written agreement.
- 9. The standard LG&E/KU mailing address for Invoice transmittal, which will be transmitted on LG&E's/KU's Purchase Order, is DUNS # 006945505. For mailing purposes the addresses for each respective company are:

Kentucky Utilities Accounts Payable Department P.O. Box 32020 Louisville, KY 40232-2020 006944938



Louisville Gas & Electric Co.

006945505

Accounts Payable Department

P.O. Box 32020

Louisville, KY 40232-2020

006103696

LG&E Services Inc
Accounts Payable Department

P.O. Box 32020

Louisville, KY 40232-2020

Western Kentucky Energy

P.O. Box 1518

031072619

Henderson, KY 42419-1518

10. The following hazardous materials statement applies to all materials purchased by LG&E/KU:

"For hazardous materials as defined by 29CFR 1910.1200 a Material Data Sheet (MSDS) is required prior to delivery. Please mail to E.ON U.S. LLC, Corporate Health and Safety, P.O. Box 32020, Louisville, KY 40232-2020."

11. The following materials requirement statement is to be considered as part of every transmitted Purchase Order:

# "NO ASBESTOS CONTAINING MATERIAL ALLOWED"

12. The parties hereto agree to endeavor on a continuous basis to improve the electronic data interchange process between the parties and agree to share knowledge of technological advances, to exchange ideas, and to implement new procedures to achieve that end.



# APPENDIX B TO ELECTRONIC DATA INTERCHANGE TRADING PARTNERS AGREEMENT

# TERMS, PROVISIONS AND CONDITIONS

- 1. Delivery and Acceptance. Time is of the essence. If any goods are not delivered or services performed within the specified times, or within a reasonable time if no time is specified, then Company may terminate the order by notice to Seller in addition to exercising all other rights and remedies available to Company under applicable law. All materials and work are subject to Company's acceptance. Payment shall not constitute acceptance.
- 2. Warranties, Seller expressly warrants that the goods and/or services shall:
  - (a) Comply strictly with the provisions of the order and all specifications, drawings, and exhibits referred to in the order or thereafter furnished by Company;
  - (b) Be new, merchantable, and of the most suitable grade in accordance with the highest industry standards and specifications;
  - (c) Be fit for Company's intended purposes;
  - (d) Be in full compliance with all applicable laws, ordinances, regulations, codes, and facility rules, including those relating to safety; and
  - (e) Be free from any patent, copyright, or trademark claims, infringements or rights of others. All such warranties shall extend for a reasonable time, but in no case less than eighteen (18) months after delivery or twelve (12) months after the start of regular use by Company, whichever occurs first.
- 3. Changes. Company reserves the right at any time to change the specifications, quantity ordered, and/or delivery date. Such changes may result in adjustments in the price or delivery schedule in accordance with the pricing and delivery structure of the order. However, in the case of a change in specifications, any claim for adjustment of price or delivery schedule by the Seller shall be waived unless such claims are asserted in writing within five (5) working days after receipt of Company notice of change. Seller shall continue performance pursuant to the order during the time any claim hereunder is pending.
- 4. Termination. Company shall have the right at any time with or without cause to terminate the order by written, telegraphic, or electronic notice to Seller. In case of Seller's default, Company shall have all rights and remedies available under applicable law. In no case shall Company be liable for special, incidental or consequential damages. Company shall not have any liability for such termination except as follows:
  - (a) In case of termination of an order for goods specially manufactured for Company, if Seller is not in default, then Company shall be liable for actual costs incurred by the Seller prior to the notice of termination pursuant to the order up to the price of the goods.
  - (b) In case of termination of an order for services, if Seller is not in default, Company shall be liable for payment for services performed prior to the notice of termination.
  - (c) In case of termination of an order for goods not specially manufactured for Company, if Seller is not in default, Company shall not have any liability for termination of the



order. Company shall have the right to return any goods purchased from Seller as long as such goods have not been specially manufactured for Company and are being stocked by Seller at the time Company returns the goods.

- 5. Equal Employment Opportunity. To the extent applicable, Seller shall comply with all of the following provisions, which are incorporated herein by reference:
  - (a) Equal Opportunity regulations set forth in 41CFR 60-1.4(a) and (c) prohibiting discrimination against any employee or applicant for employment because of race, color, religion, sex, or national origin;
  - (b) Vietnam Era Veterans Readjustment Assistance Act regulations set forth in 41 CFR 60-250.4 relating to the employment and advancement of disabled veterans and veterans of the Vietnam era;
  - (c) Rehabilitation Act regulations set forth in 41 CFR 60-741.4 relating to the employment and advancement of qualified disabled employees and applicants for employment;
  - (d) Clause known as "Utilization of Small Business Concerns and Small Business Concerns Owned and Controlled by Socially and Economically Disadvantaged Individuals" set forth in 15 USC 637(d)(3); and
  - (e) The subcontracting plan requirements of 15 USC 637(d).
- 6. Indemnification. Seller agrees to release, indemnify, hold harmless and defend Company, affiliated companies, and all of their directors, officers, employees, agents, and representatives from and against any claim, liability, loss, and expense (including but not limited to attorney's fees) arising directly or indirectly out of or in connection with goods or services supplied under the order, including but not limited to those arising directly or indirectly out of or in connection with:
  - (a) Injury to or death of persons (including but not limited to the employees of Company) or damage to or loss of property (including but not limited to the property of Company); and
  - (b) Seller's failure to comply with or breach of any warranty or other obligation in this order. Seller's indemnification obligations shall apply, regardless of whether the party to be indemnified was concurrently at fault: but shall not apply if the party to be indemnified was solely at fault.
- 7. Independent Contractor. Nothing herein shall be deemed to constitute Seller, or any of Sellers' employees or agents, to be the agent, representative or employee of Company. Seller shall be an independent contractor and shall have sole responsibility for and control over the details and means of performance.
- 8. Insurance. Before any part of the services are performed or the goods are delivered, Seller shall, at Seller's sole cost, cause to be issued and maintained not less than the insurance coverage's set forth below:

Type of Insurance

Limits (in \$ millions)

Commercial General Liability

(including Contractual Liability)

General Aggregate

2

written on an occurrence basis

Prod./Comp. Op. Agg

1

Attachment to Response to LGE PSO-2 Question No. 54
Page 88 of 118
Hermann

	Personal & Adv. Injury Each Occurrence	1 1
Automobile Liability, including any auto, hiring autos and non-owned autos	Combined Single Limit	1
Excess Liability, Umbrella Form	Each Occurrence	2
• ,	Aggregate	2
Worker's Compensation	Each Accident	.5
and Employer's Liability	Disease - Policy Limit	.5
	Disease - Each Employee	.5

Certificates of Insurance satisfactory in form to Company and signed by the Seller's insurer shall be supplied by Seller to Company, evidencing that the above insurance is in force and that not less than thirty (30) calendar days' written notice will be given to Company prior to any cancellation of restrictive modification of the policies. The Seller shall cause its insurer to waive all subrogation rights against Company, except with regard to Worker's Compensation, and evidence thereof satisfactory in form and substance to Company shall be exhibited in the Certificate of Insurance. Seller's liability shall not be limited to its insurance coverage. Company shall be added as an Additional Insured under the Seller's Commercial General Liability, Auto Liability and Excess Liability policies.

- 9. Assignments. Seller shall not assign its rights or obligations hereunder wholly or in part, voluntarily, by operation of law, or otherwise without first obtaining the written consent of Company. Subject to the foregoing, the provisions hereof shall be binding upon the successors and assigns of the parties hereto.
- 10. Governing Law. The transactions and agreements between the Seller and Company shall be governed by the subject to the law and jurisdiction of the Commonwealth of Kentucky (or the State of Virginia, if performance will occur at a Virginia site).
- 11. Hazardous Materials. For hazardous materials as defined by 29CFR1910.1200, a Material Safety Data Sheet (MSDS) is required prior to delivery. Please mail to Company, Industrial Hygienist, at Company's address. NO ASBESTOS OR LEAD CONTAINING MATERIALS ALLOWED.
- 12. Sales Tax. Do not bill Kentucky Sales Tax. Blanket Direct Pay Authorization maintained under 103 KAR 31:030. Permit # 037710
- 13. Invoicing Instructions. Show Order No., Line No. and Company Item Identification No. on invoice and all papers and packages relating to this order. Mail invoice to the "Bill To" address shown on the face of this Purchase Order for each lot of material shipped or delivered. Do not deliver invoices with goods. Freight must be transported as listed on the front of the Purchase Order. Freight that is prepaid and added to the invoice must be substantiated by attaching to the invoice original transportation bills receipted to the carrier.
- 14. Payment Terms. Unless otherwise agreed, payment terms are net 30 days on receipt of properly submitted invoice. Unless otherwise herein agreed, no COD orders will be

9

accepted.

15. Modification. This purchase order, together with any written instructions issued hereunder and any attachments hereto, contains the complete and final agreement between Company and Seller and any agreement that purports to modify the terms and conditions hereof shall not be binding upon Company unless made in writing and signed by Company's authorized representative.

Rev. 4/04





Code 39 (sometimes called Code 3 from 9) is a discrete barcode. This means that a fixed pattern of bars represents a single character.

Each character is made up of 9 bars - 3 of which are wider than the others. (In this context a bar can be the printed black bar or the white space between the bars.) A single character therefore consists of 5 black bars and 4 white bars.

The ratio of the bar widths can range from 2.2:1 to 3:1. To read a barcode reliably the decoder must be able to differentiate between the wide and narrow bars. In practice it is better to use barcodes close to the 3:1 ratio which allows nearly a 50% barwidth error to occur before ambiguity occurs.

The space between each barcode character is called 'The intercharacter gap'. Its width is undefined but is usually equivalent to a narrow white bar.

The widths of the wide and narrow sets of elements should all be the same but in practice most printing processes incur 'ink spread'. This widens the bars at the expense of the spaces. This effect is most noticable on narrow elements sometimes making the barcodes very difficult to scan with some decoders.

At Altek we believe that well designed fonts and print programs should take this into account (most we see don'tl). All decoders using Altek decoding algorithms measure the barwidths separate from the spacewidths. This is one reason why the Altek decoders can often make good scans where others fall.

The Code 39 barcode symbology supports 43 characters plus an additional character used as a delimiter or start/stop character. The start/stop character always occurs as the first and last character in a complete barcode and is represented in the human readable text by the  $\,^{\$}$  character.

The 43 character set includes the following:

# 1234567890ABCDEFGHIJKLMNOPQRSTUVWXYZ - . \$ / + % SPACE

Note that the alphabetic characters are all upper case. If you wish to use lower case letters or other ASCII characters then Extended Code 39 must be used.

# Bar Width Configuration Table

This table shows the bar configuration for each character in the Code 39 set. Note that the \* character is used only for the start/stop character. It must be the first and last character appearing in the complete barcode. (Decoders do not usually transmit this character as part of the data string.)

Attachment to Response to LGE PSC 2 Question No. 54
Page 91 of 118
Hermann

# Attachment I

Char.	Pattern	Bars	Spaces	Char.	Patteni	Bars	Spaces
1		10001	0100	M		11000	0001
2		01001	0100	111		00101	0001
3		11000	0100	0		10100	0001
4		00101	0100	Р		01100	0001
5		10100	0100	u		00011	0001
6		01100	0100	R		10010	0001
7		00011	0100	S		01010	0001
8		10010	0100	T		00110	0001
9		01010	0100	U		10001	1000
0		00110	0100	U		01001	1000
n		10001	0010	W		11000	1000
B		01001	0010	Х		00101	1000
C		11000	0010	Y		10100	1000
D		00101	0010	Z		01100	1000
E		10100	0010	ts		00011	1000
F		01100	0010	u		10010	1000
6		00011	0010	Space		01010	1000
11		10010	0810	**		00110	1000
		01010	0010	\$		00000	1110
J		00110	0010	/		00000	1101
К		10001	0001	di O		00000	1011
l.		01001	0001	%		00000	0111

# Check Digit

A check digit is not often used with Code 39 but a few critical applications may require one. The check digit is the modulus 43 sum of all the character values in the message. It is printed as the last data character. The following table shows the character and value used for the calculation...

Char	Value	Char	Value	Char	Value	Char	Value
0	0	B	11	24	22	x	33
1.	3,	C	12	N	23	X	34
2	2	D	13	0	24	Z	35
3	3	E	14	p	25	••	36
4	4	F	15	Ω	26	•	37
5	5	G	1.6	R	27	space	38
6	6	H	1.7	g	28	- \$	39
7	7	I	1.8	T	29	/	40
8	8	J	19	σ	30	-1-	41
9	9	ĸ	20	v	31	%	42
Α	10	7.	21	W	32		

# Example calculation

Data: 12345ABCDE/

Sum of values: 1 + 2 + 3 + 4 + 5 + 10 + 11 + 12 + 13 + 14 + 40 = 115

115 divided by 43 = 2 remainder 29. Therefore T is the check digit.

Data with check digit: 12345ABCDE/T



Attachment to Response to LGE PSC-2 Question No. 54 Page 92 of 118 Hermann



# AMENDMENT TO CONTRACT

THIS AMENDMENT IS entered into, effective as of January 15, 2008, by and between Louisville Gas & Electric Company (hereinafter referred to as "LG&E"), whose address is: 820 W. Broadway, Louisville, Kentucky 40202 and Brownstown Electric Supply Co, Inc. (hereinafter referred to as "Contractor") whose address is 690 E. State Road 250, Post Office Box L, Brownstown, Indiana 47220. In consideration of the agreements herein contained, the parties hereto agree as follows:

# 1.0 PRICING SUMMARY

- 2.1 The Contract Price for 2009 has been adjusted per Article 7.2 set fourth in the Contract as full compensation to Contractor for full and complete performance by Contractor of this Amendment in full compliance with all terms and conditions of the Contract:
  - 2.1.1 The 2009 increase is approved as noted on "Schedule C".

See attached updated complete rate sheet as referenced in Schedule C.

# 3.0 STATUS OF CONTRACT

As amended herein, the Contract shall continue in full force and effect.

IN WITNESS WHEREOF, the parties hereto have executed this Amendment on the day and year below written, but effective as of the day and year first set forth above.

Louisville Gas & Electric Company	Brownstown Electric Supply Company, Inc.
By Miny Jorny	By By
Title Mgr Supply Chain Energy Delivery	Title Chief Executive Officer
Date 4-1-2009	Date 4.6.2009

ORIGINAL

# ... ORIGINAL

# 2009 Schedule C Labor & Equipment

LG&E		
Location	Employees	Equipment
Auburndale Operations Center	1 Storekeeper A	, ,
	1 Storekeeper B	
South Service Center	I Storekeeper A	1 Pick-up
	1 Laborer	
KU		
Location	Employees	Equipment
Shelbyville/Carrollton Warehouse	1 Storekeeper A	1 Pick-up
Maysville/Mt. Sterling/Paris/London Warehouses	1 Storekeeper B	1 Pick-up
Lexington Stone Road Warehouse	1 Storekeeper A	1 Plck-up
revulation atoms troad Anguetionse	2 Storekeeper B	1 Flatbed
Midway/Richmond/Winchester Warehouses	1 Storekeeper A	1 Pick-up

Storekeeper A
Base Rate
Total Burden & Profit
Bill Rate

Storekeeper B Base Rate Total Burden & Profit Bill Rate

Laborer Base Rate Total Burden & Profit Bill Rate

\* Equipment Bill Rate Mileage Adder

\* Equipment Rate firm for life of contract

\* Actual fuel cost pass through added on monthly invoice

## Note: Per original negotiations this will be the rate used when Brownstown employees requested to work Storm Restorations.

CONFIDENTIAL INFORMATION REDACTED

ORIGINAL

Attachment to Response to LGE PSC-2 Question No. 54 Page 94 of 118 Hermann

# LG&E Contract 767662 KU Contract 452817 Amendment Dated July 18, 2012

# AMENDMENT TO CONTRACT

THIS AMENDMENT("Amendment") is entered into effective as of July 18, 2012 by and betweenLonisville Gas and Electric Company (hereinafter referred to as "LG&E"), whose address is 820 West Broadway, Louisville, Kentucky 40202, Kentucky Utilities Company, (hereinafter referred to as "KU") whose address is One Quality Street, Lexington, KY 40507 (LG&E and KU together are referred to as "Company") and Brownstown Electric Supply Company (hereinafter referred to as "Contractor") whose address is 690 E. State Road 250, Post Office Box L, Brownstown, Indiana 47220. In consideration of the agreements herein contained, the parties hereto agree as follows:

1.0 Update requirements in Compensation Article 7 - Invoke annual wage increase of 3%. See attached updated complete rate sheet as referred in Schedule C.

IN WITNESS WHEREOF, the parties hereto have each executed this Amendment on the day and year below written, but effective as of the day and year first set forth above.

LG&F By: (	and KU Energy
	Paul Tirey
Title:	Manager Supply Chain Energy Delivery
Date:	7-18-2012
<u>Browns</u> By:	Stown Electric Sumply Company
Title:	Presion
Date	7.19.12



# 2012 Schedule C Labor & Equipment

LG&E			
Location	Employees		Egulpment
Auburndale Operations Center	1 Storekeeper A		• •
	1 Storekeeper B		
South Service Center	1 Storekeeper A		1 Plck-up
	1 Laborer		
ΚU			
Location	Employees		Equipment
Shelbyville/Carrollton Warehouse	1 Storekeeper A		1 Pick-up
Maysville/Mt. Sterling/Paris/London Warehouses	1 Storekeeper B		1 Pick-up
Lexington Stone Road Warehouse	1 Storekeeper A	2	1 Pick-up
	Storekeeper B		1 Flalbed
Midway/Richmond/Winchester Warehouses	1 Storekeeper A		1 Pick-up

Storekeeper A Base Rale Total Burden & Profit BIII Rate

Storekeeper B Base Rale Total Burden & Profit BIII Rate

Laborer Base Rate Total Burden & Profit BIII Rate

CONFIDENTIAL INFORMATION REDACTED





<sup>\*</sup> Equipment BIII Rate Miloage Adder

<sup>\*</sup> Equipment Rate firm for life of contract
\* Actual fuel cost pass through added on monthly invoice the Note: Per original negotiations this will be the rate used when Brownstown employees requested to work Storm Restorations.

# CONFIDENTIAL INFORMATION REDACTED

LG&E Contract 846047 KU Contract 517908

# SINGLE PHASE DISTRIBUTION TRANSFORMERS CONTRACT

This Contract is entered into as of November 14, 2011 by and between Louisville Gas and Electric Company (LG&E) a Kentucky corporation whose address is 820 West Broadway, Louisville, Kentucky 40232 and Kentucky Utilities Company (KU) a Kentucky corporation, whose address is One Quality St., Lexington, KY 40507 (each as "Buyer"), and Howard Industries, Inc., a Mississippi corporation, whose address is P. O. Box 1588, Laurel, Mississippi 39441 (herein called "Seller").

NOW THEREFORE, in consideration of the mutual covenants contained herein, and other good and valuable consideration, the receipt and sufficiency of which are hereby acknowledged, the parties do agree as follows:

# 1.0 GENERAL

This Contract is entered into pursuant to the Standard Terms and Conditions to Purchase Orders which is hereby incorporated by reference. This Contract constitutes a "Statement of Work" for purposes of the Standard Terms and Conditions to Purchase Orders as do any written purchase orders or work orders issued under this Contract. Seller shall provide Single Phase Distribution Transformers requested by Buyer as more specifically described in Article 2.0 hereof (hereinafter referred to as the "Work"). Buyer makes no promise or guarantee as to the amount of Work, if any, to be performed under this Contract, nor does it convey an exclusive right to the Contractor to perform Work of the type or nature set forth in this Contract. Any and all Work may be suspended, increased, decreased or terminated in accordance with the Standard Terms and Conditions to Purchase Orders.

Business partners must share responsibility for the Buyer's commitment to create a positive experience for LG&E and KU customers through dedication to safety, respectful relationships, professional behavior, timely solutions to issues and exceptional service. At all times, business partners must align operations and business processes to meet the needs of the customer and proactively address potential issues with the Buyer to ensure they are resolved in the customer's best interest.

# 2.0 PRIMARY SUPPLIER

- 2.1 The obligation of Seller is to transfer, deliver, and perform, and that of Buyer is to accept and pay, in accordance with this Contract. Buyer will use Seller as its primary supplier of SINGLE PHASE TRANSFORMERS (the "Products"). A total list of the Products and the price is stated on Attachment A, which is hereby incorporated by reference and made a part of this Contract. Buyer may unilaterally add or delete a Product from Attachment A. Seller will provide Buyer with prior written notice of any changes in Product brand names, chemistry, or composition. Unless Buyer specifically permits otherwise for a particular Product, Seller will supply Products new.
- 2.2 Buyer will buy Products from Seller unless, in the reasonable opinion of Buyer, Seller is unable to deliver Products as and when specified or needed by Buyer or of the quality and with the service Buyer specifies or needs.

# 3.0 PRICING

All pricing for items on Attachment A shall be firm through December 31, 2011 and will become a base for price escalation/de-escalation due to change in cost of raw materials. At the end of this initial firm period, and each sequential 3 month period, the purchase price for each of the Products can be adjusted in accordance with the Howard Industries Pricing Index (HPI), an example of the calculation of which is attached hereto as Attachment C and incorporated by reference. Adjustments to the price of the transformers shall be made by accurately measuring changes in actual raw material costs. Quoted prices shall be firm for purchase orders received and accepted by Seller during any three-month period. For each subsequent three-month period during the Contract, prices will be escalated or de-escalated based on the difference between the HPI current on the date of the Contract and the HPI for the month preceding the next three-month period.

# 4.0 TERM

#### CONFIDENTIAL INFORMATION REDACTED

LG&E Contract 846047 KU Contract 517908

The initial term of the Contract is three years with two option years. The Contract will be renewed at the end of the initial and each subsequent renewal term if neither party gives written notice of intent not to renew to the other party at least 60 days in advance of the end of the existing term.

#### 5.0 CANCELLATION OR TERMINATION

A party may cancel the Contract for breach by the other, provided the party has given the other party written notice of such breach and 30 days to cure such breach. A party may terminate the Contract, at that party's sole discretion, for any or no reason, upon at least 90 days' prior written notice.

# 6.0 CONFLICTING TERMS

In case of a conflict between or within the Standard Terms and Conditions to Purchase Orders, the terms of this Contact and/or any attachment, Buyer shall resolve such conflict, and Buyer's resolution shall be binding on Seller.

# 7.0 INVOICES AND PAYMENTS

Seller shall provide invoices separately to KU and LG&B. These invoices may be electronic, or in written form via first-class mail and in such detail and format as is mutually acceptable to the parties. Buyer will have no obligation to pay for any Product delivered to it but which it did not order unless Buyer notifies Seller of its election to purchase the Product. Buyer's obligation to pay for a Product or service will not accrue until after the inspection for that Product or service. Buyer will become obligated to pay an invoice item it disputes only upon, and in the amount of, a resolution of the dispute.

# 8.0 PAYMENT TERMS

Payment Terms are Net 30 days.

# 9.0 REPLACEMENT OR RETURN OF PRODUCTS AND SERVICES

- 9.1 Warranty Period. Seller warrants the Products listed on Attachment A for a period of from date of installation om date of delivery whichever comes first.
- 9.2 Return. Seller will arrange for, and bear the cost of, the return of any non-conforming Product.
- 9.3 Replacement. Replacements will be handled on a situation-by-situation basis, as agreed to by Buyer and Seller at the time. If Buyer so chooses, Seller will replace a non-conforming Product with a conforming Product. If Buyer so chooses, Seller will credit to Buyer the purchase price of a returned non-conforming product.

# 10.0 PRODUCT SHIPMENT AND DELIVERY

- 10.1 Shipping Instructions. Seller will ship products to the destination and in accordance with the shipping instructions set forth in the Order thereto. The default terms for delivery are F.O.B. Destination, Freight Prepaid and Included.
- 10.2 Expedited Handling. If Buyer authorizes "emergency expedited handling" of an Order or portion thereof, Buyer will pay Seller for its additional costs associated with that handling which are itemized and submitted to Buyer for payment.
- 10.3 Title and Risk of Loss. Title and risk of loss or damage to Products supplied by Seller pass to Buyer when such Products have been delivered to the destination set forth in Buyer's shipping instructions. Title and risk of loss and damage to the Products purchased by LG&E and/or KU from Seller shall remain with Seller until final delivery at the destination specified to Seller.

# 11.0 REPORTING AND LOSS AMOUNT

Seller shall provide reports as per the following:

12.1 Each unit will be tested for load and no-load losses. Test data for all units shipped shall be reported by serial number, purchase order release number, KV A, HV, and LV. At the end of each quarter, certified test results in the ANSI format will be e-mailed to David Corbin at david.corbin@lge-ku.com. The loss penalty will be the

LG&E Contract 846047 KU Contract 517908

economic loss to LG&E and KU for transformer losses that are greater than the quoted losses. To determine the loss penalty, all losses will be totaled and compared to the quoted losses. The delta is to be multiplied by the LG&E and KU "A&B" factors to determine the monetary penalty. The formula to calculate the monetary penalty is: [(Total Tested No Load Losses - Total Quoted No Load Losses) \* \$5.27] + [(Total Tested Load Losses - Total Quoted Load Losses) \* \$1.27]. If the Penalty is "0" or less, then no compensation will take place. Under no circumstances will the manufacturer receive compensation or credit for a negative penalty. If the penalty is greater than "0", the manufacturer will compensate LG&E and KU each quarter and in a manner agreeable to both parties. The no-load losses of any individual transformer shall not exceed the quoted no-load losses by more than 10% and the total losses of any individual transformer shall not exceed the quoted total losses by more than 6%. Failure to meet these loss tolerances shall not warrant immediate rejection by LG&E and KU but shall lead to consultation between LG&E and KU and manufacturer about further investigation of possible causes and the consequences of the higher losses.

- 12.2 Seller shall provide quarterly a report showing "flow-through", 2nd tier Women Owned and Minority Owned Business Enterprises (WBE/MBE) spend amounts as a percentage of the Buyer purchase amounts. WBE and MBE spend amounts shall be split and shown separately.
- 12.3 Seller shall provide a weekly order status report showing expected delivery dates of all Buyers' outstanding orders.
- 12.4 Seller shall provide an electronic file with each deliver suitable for uploading into Buyer's Distribution Equipment Tracking System (DETS). Seller shall provide all data as per Attachment B, sample of DETS requirements.

# 12.0 GOVERNMENT GUIDELINES

Buyer and Seller agree to follow all guidelines established by the Government pertaining to the products described in Attachment A.

#### 13.0 CONTRACTUAL NOTICES

Notices shall be addressed as follows:

Buyer address: LG&E and KU Energy

820 West Broadway P.O. Box 32020 Louisville, KY 40232

Attn: David Campbell, BOC2

(502) 627-3581

David.campbell@lge-ku.com

Seller's Address: Truitt Electrical Sales Agency

544 Enterprise Drive Lewis Center, OH 43035 Attn: Mike Prophater

(513) 232-1092 mlkep@tesa-inc.com



3

# 14.0 ENTIRE AGREEMENT

All specifications, standards, exhibits, schedules and drawings referenced in this Contract are incorporated herein by reference and made a part of this Contract. This Contract, including all specifications, exhibits, schedules, and the Standard Terms and Conditions to Purchase Orders, constitutes the entire agreement between the parties relating to the Work and supersedes all prior or contemporaneous oral or written agreements, negotiations, understandings and statements pertaining to the Work or this Contract.

IN WITNESS WHEREOF, the parties have entered into this Contract as of the date set forth above in the introductory paragraph of this Contract.

D.,,	HOWARD INDUSTRIES, INC.
By:	yam wan
Name;	Jackson Ward
Title:	Regional Marketing Manager
Date:	December 2, 2011
	LOUISVILLE GAS & ELECTRIC COMPANY KENTUCKY UTIDITIES COMPANY
Ву:	all ly
Name;	Paul Tirey
Title:	Manager Supply Chain Energy Delivery & Logistics
Date:	11-23-2011



# PPL LKS Request for Quote # 20110719

Exhibit C1 - Contract Terms and Conditions: Standard Terms and Conditions



# STANDARD TERMS AND CONDITIONS TO PURCHASE ORDERS ISSUED BY PPL SERVICES CORPORATION AND/OR LG&E AND KU SERVICES COMPANY

PPL Services Corporation, a Delaware corporation ("PPL"), and LG&E and KU Services Company, a Kentucky corporation ("LG&E/KU"), agree to be bound by these terms and conditions in connection with the issuance of separate purchase orders by PPL and/or LG&E/KU on their own behalf or as agents for any of their respective Affiliates. Each such purchase order, together with these Standard Terms and Conditions, shall be deemed a "Purchase Order." For purposes of this Purchase Order, products purchased by Company from Seller are broadly construed as "Goods."

NOTE (ONLY WITH RESPECT TO LG&E/KU): To the extent Seller, as a certified vendor and LG&E/KU are parties to a General Services Agreement ("GSA") applicable to the subject matter of this Purchase Order by LG&E/KU, then that certain GSA is incorporated, in its entirety, by reference in this Purchase Order as if fully set forth herein. In the event of a conflict between the terms and conditions set forth in a GSA and this Purchase Order, the terms and conditions set forth in the GSA shall prevail and control unless otherwise expressly stated in this Purchase Order.

- 1. Affiliate: "Affiliate" shall mean any entity which, from time to time, in whole or in part, and directly or indirectly, controls, is controlled by, or is under common control with either of PPL or LG&E/KU.
- 2. Company and Selfer: "Company" shall mean PPL and/or LG&E/KU and/or any of their respective Affiliates as appropriate, based on which entity is the party to this Purchase Order. "Selfer" shall mean the entity providing Goods under this Purchase Order. The rights and obligations of PPL and/or LG&E/KU and/or each of their respective Affiliates hereunder shall be limited to the extent of each entity's proportionate utilization of Selfer's Goods hereunder.

1



# PPL LKS Request for Quote # 20110719

Exhibit C1 - Contract Terms and Conditions: Standard Terms and Conditions



3. Delivery and Acceptance of Goods; Shipment; Purchase Orders; Performance; Payment; and Confidentiality: Under all circumstances, time of delivery is an important and material consideration for satisfying the requirements of this Purchase Order. If any Goods are not delivered within any specified times, or within a reasonable time if no certain time is specified, then Company may as its sole exclusive remedy with respect to such delay terminate this Purchase Order by written notice to Seller. Routing and carrier shall be as specified within this Purchase Order. If routing and carrier are not specified, Seller must obtain Company's approval of the routing and carrier selection prior to shipment. Unless otherwise specified in this Purchase Order, title to and risk of loss of any Goods procured hereunder shall pass to Company upon delivery to the point of final destination.

Each Purchase Order shall include a complete listing of all Goods to be provided by Seller, the prices and delivery terms for such Goods, as well as other terms specific to the order and delivery of such Goods. In the event Seller commences performance and delivers the Goods, Seller hereby agrees to the formation of a binding agreement as described in this Purchase Order and shall not contest the enforceability of this Purchase Order. Company shall have no obligation to pay for any such Goods that does not meet the specifications stated within this Purchase Order. [Prior to acceptance of a Purchase Order by performance or in writing Seller may reject such Purchase Order by written notice to Company.]

All documentation, designs, specifications, data and other information provided by Company to Seller shall be considered "Company Confidential Information" to be used by Company at any time and for any purpose. Seller agrees to use Company Confidential Information only for the sale of the Goods and it shall not otherwise be used or disclosed before, during or after the sale of the Goods without Company's prior written approval. Seller shall maintain internal policies to protect the confidential nature of Company Confidential Information and only retain archival copies not to be disclosed. Seller shall take steps to ensure that its employees who receive such Company Confidential Information comply with the requirements of this provision. Unless otherwise directed, Seller shall deliver to Company all Company Confidential Information.

2



# PPI, LKS Request for Quote # 20110719

Exhibit C1 - Contract Terms and Conditions: Standard Terms and Conditions



Seller shall not disclose any information or make any news release or other public statement regarding the sale of the Goods or this Purchase Order without the prior written consent of Company.

4. Warranties; Seller warrants all Goods provided by Seller pursuant to any Purchase Order to be (a) in conformity with its own technical data sheets provided to Company, and any specifications set forth in such Purchase Order; (b) new, free from defects in design, materials and workmanship, (to the extent any warranty on Goods shall be transferable from the original manufacturer and/or any subcontractor or vendor, Seller shall assign over and/or otherwise assist Company in the transfer of such OEM/subcontractor warranties); (c) in full compliance with all applicable laws, ordinances, regulations, and codes; and (e) free from any liens, encumbrances or security interests, and/or claims of patent, copyright or trademark infringements or rights of others. With respect to Goods, all such warranties shall extend for a period of eighteen (18) months from the date of initial installation of such Goods or twenty-four (24) months from the date of manufacture of such Goods, whichever shall occur first. During said warranty period the Seller's obligation shall be limited to the repair or, at its option, replacement of defective transformers.

WITH RESPECT TO THE WARRANTIES IN THIS SECTION 4 THE SELLER SHALL NOT BE HELD LIABLE FOR ANY INDIRECT, SPECIAL, LIQUIDATED, PUNITIVE OR CONSEQUENTIAL DAMAGES OR ANY EXPENSES BEYOND THE REPAIR OR REPLACEMENT OF TRANSFORMERS COVERED BY THIS WARRANTY.

To be covered by this warranty transformers must be received, stored, installed, operated, and maintained by the Company in accordance with the Seller's written recommendations provided to Company before or at the time of issuance of the applicable Purchase Order and generally accepted electric utility industry practices and must not have been subjected to accident, alteration, abuse, or misuse other than by Seller. Transformers damaged by lightning shall be covered by this warranty only if installed and properly protected according to the Seller's written recommendations provided to Company before or at the time of issuance of the applicable Purchase Order and generally accepted electric utility



Exhibit C1 - Contract Terms and Conditions: Standard Terms and Conditions



Industry practices. This warranty applies only to transformers stored or operated in normal environments and does not apply to transformers stored or operated in unusually corrosive environments such as encountered in coastal and certain industrial areas.

To qualify for repair or replacement under the provisions of this warranty, defective transformers must be returned to the Seller's factory in Laurel, Mississippi. The Seller shall assume no liability for expenses incurred in the repair of transformers except at the Seller's own repairfacilities. All costs and expenses incurred by the Company in removing any transformer from service and reinstalling any repaired or replacement transformer are the liability and responsibility of the Company and shall be paid by the Company.

The Company shall provide written notice to Seller before returning a defective transformer to the factory.

The Seller shall not be responsible for transformers returned to the factory by Company without prior written notice to Seller.

Defective transformers being returned to the factory under the provisions of this warranty shall be returned freight prepaid. Repaired or replacement transformers shall be returned by the Company to the Company freight prepaid.

THE SELLER HEREBY DISCLAIMS ALL WARRANTIES NOT EXPRESSLY SET FORTH IN THIS SECTION 4, EXPRESS, OR IMPLIED, EXCEPT THAT OF TITLE, AND THE SELLER SPECIFICALLY DISCLAIMS ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE OR COURSE OF DEALING AND USAGE OF TRADE. THE COMPANY AND ITS SUCCESSORS SHALL HAVE NO OTHER REMEDY AGAINST SELLER FOR ANY NONCONFORMITY IN THE TRANSFORMER EXCEPT FOR THE REMEDY SPECIFIED HEREIN.

5. Changes: Company expressly reserves the right at any time to change the specifications, quantity ordered and/or delivery date for Goods by written notice to Seller. Such changes may result in equitable adjustments in the price or delivery schedule in accordance with the pricing and delivery structure of this

4

RLY 8-15-11



Exhibit C1 - Contract Terms and Conditions: Standard Terms and Conditions



Purchase Order with respect to such Goods. However, in the case of a change in specifications, any claim for adjustment of price or delivery schedule by Seller shall be waived unless such claims are asserted in writing within a commercially reasonable time frame, but in no event longer than ten (10) working days after receipt of Company's notice of change. Seller shall continue performance pursuant to this Purchase Order during the time any claim hereunder is pending.

No change, amendment or modification of any of the provisions of this Purchase Order shall be made or be binding unless in writing and executed by Company's and Seller's authorized representative.

6. Termination: Subject to the terms of this Section 6, Company shall have the right at any time, with or without cause, or for convenience, to terminate this Purchase Order in whole or in part as to Goods for which manufacture has not commenced by written or electronic notice to Seller. In case of Seller's default, Company shall have all rights and remedies available under applicable law to be cumulatively enforced to the extent Seller does not cure any default within a reasonable time after written notice given by Company.. Company may not terminate for default unless Company has given Seller written notice specifying the event of default and a reasonable opportunity to remedy the default. In no case shall Company be liable for special, incidental or consequential damages. Company shall not have any liability for such termination except as follows: (a) payment of the Purchase Order price for all Goods delivered to Company before such termination and complying with Seller's warrantles set forth above; (b) in case of termination of a Purchase Order for Goods specially manufactured for Company but not yet delivered to Company, if Seller is not in default, then Company shall also be obligated to pay actual direct costs incurred by Seller for goods not delivered prior to the notice of termination pursuant to this Purchase Order up to the price of the Goods; and (c) if Seller is not in default, Company shall reimburse Seller for the actual cost of all material and component parts unique to the manufacture of the Goods and that cannot be returned by Seller to its vendor for a full refund but only up to the Price of the Goods in which such component parts were to be incorporated in.

5



Exhibit CI – Contract Terms and Conditions; Standard Terms and Conditions



- 7. Compilance with Laws and Company Policies: Seller (and/or its subcontractors, vendors and/or independent contractors) shall at all times, to the extent applicable, comply with all Company policies, laws, regulations and ordinances regarding the sale of its Goods including, but not limited to, the following provisions, which are incorporated herein by reference:
- (a) Equal Opportunity regulations set forth in 41CFR 60-1.4(a) and (c) prohibiting discrimination against any employee or applicant for employment because of race, cofor, religion, sex, or national origin;
- (b) Vietnam Era Veterans Readjustment Assistance Act regulations set forth in 41 CFR 60-250.4 relating to the employment and advancement of disabled veterans and veterans of the Vietnam era;
- (c) Rehabilitation Act regulations set forth in 41 CFR 60-741.4 relating to the employment and advancement of qualified disabled employees and applicants for employment;
- (d) Clause known as "Utilization of Small Business Concerns and Small Business Concerns Owned and Controlled by Socially and Economically Disadvantaged Individuals" set forth in 15 USC 637(d)(3);
- (e) The subcontracting plan requirements of 15 USC 637(d);
- (f) The Immigration Reform and Control Act of 1986, as amended, and the Illegal Immigration Reform and Immigrant Responsibility Act of 1996, as amended;
- (g) Standards of the Occupational Safety & Health Administration (OSHA);
- (h) NERC's Reliability Standards for the Bulk Electric Systems of North America; and
- (i) Any other rules and regulations that may be issued by Company in writing from time to time. If such rules and regulations result in an increase in the cost or time of manufacture, Seller shall be entitled to receive a reasonable corresponding increase in price of Goods and time of performance subject to approval by Company which approval shall not be unreasonably withheld.
- 8. Indemnification: Seller agrees to indemnify, hold harmless and defend Company, its Affiliates, and all of their respective directors, officers, shareholders, members, managers, employees, agents and

6



Exhibit C1 - Contract Terms and Conditions: Standard Terms and Conditions



representatives from and against any claim, liability, loss and expense (including but not limited to attorney's fees) arising directly or indirectly out of, or in connection with, Goods supplied under the Purchase Order, and arising from or related to the negligence, willful misconduct or other legal fault of Seller, including, but not limited to, those arising directly or indirectly out of or in connection with: (a) injury to or death of persons (including but not limited to the employees of Company or any other third persons) or damage to or loss of property (including but not limited to the real and/or personal property of Company and/or of others); and (b) Seller's fallure to comply with or breach of any warranty or other obligation in this Purchase Order. Seller's monetary obligations under this Section 8 shall not be limited to the amount of insurance coverage carried or required to be carried by Seller, but shall be reduced to the extent the fault or negligence of Company in causing such injuries or damages as established by final adjudication or mutual agreement of the parties; provided, however, that Seller's duty to defend Company against claims hereunder shall not be affected.

In addition to the above, Seller shall indemnify, save, defend and hold harmless Company from and against all losses, liabilities, claims, demands, damages, fees including legal fees, and costs and expenses of whatsoever kind or nature arising out of or connected with any infringement or alleged infringement of any patent, copyright, trademark, service mark, trade or business secret, or other intellectual property in connection with the Goods.

Contractor's indemnity shall not apply and Contractor shall not be liable hereunder for any claim of infringement (1) arising out of Contractor's manufacture or furnishing of any equipment or product manufactured or made pursuant to designs or specifications furnished by Company differing from the standard specifications of Seller, or (2) resulting from the installation within equipment or product furnished by the Contractor of other equipment or product not furnished or specified by Contractor, or (3) resulting from any modifications made by Company to any equipment or product furnished by Contractor.

9. Independent Contractor: Nothing herein shall be deemed to constitute Seller, or any of Seller's employees, agents, vendors, representatives and/or subcontractors, to be the agent, representative or

7

RLY 8-15-11



Exhibit C1 -- Contract Terms and Conditions: Standard Terms and Conditions



employee of Company. Seller shall have no authority to hire any persons on behalf of Company and any and all persons whom it may employ shall be deemed to be solely the employees of Seller. Seller shall be an independent contractor and shall have sole responsibility for and control over the details and means of performance pursuant to this Purchase Order. Seller is not authorized to and shall not incur any debt, liability or obligation of any nature for or on behalf of Company.

10. Insurance: Before any Goods are delivered, Seller shall, at Seller's sole cost, cause to be issued and maintained with insurance carriers rated A- or better and financial category strength of VII or higher by A.M. Best the following minimum insurance coverages set forth below:

Type of Insurance	Limits (in \$ millions)	
Commercial General Liability		
(Including Contractual Liability)	General Aggregate	2
written on an occurrence basis	Prod./Comp. Op. Agg	1
	Personal & Adv. Injury	1
	Each Occurrence	1
Automobile Liability, including		
any auto, hiring autos	Combined Single Limit	1
and non-owned autos		
Excess Llability, Umbrella Form	Each Occurrence	2
	Aggregate	2
Statutory Workers' Compensation	Each Accident	.5



Exhibit C1 - Contract Terms and Conditions: Standard Terms and Conditions



and Employer's Liability<sup>1</sup>

Disease - Policy Limit

.5

Disease - Each Employee

.5

Certificates of Insurance satisfactory in form to Company and signed by Seller's Insurer shall be supplied by Seller to Company within thirty (30) calendar days of the issuance of this Purchase Order, and evidence that the above insurance is in force and that not less than thirty (30) calendar days written notice will be given to Company prior to any cancellation of restrictive modification of the policies. Seller's liability shall not be limited to its insurance coverage nor the amount of the Purchase Order contract price. Any applicable deductibles or self insured retentions are the sole responsibility of Seller.

11. Assignment: Seller shall not assign its rights or obligations hereunder wholly or in part, voluntarily, by operation of law, or otherwise without first obtaining the written consent of Company. Company shall not assign its rights or obligations hereunder wholly or in part, voluntarily or by operation of law other than to an Affiliate without first obtaining the written consent of Seller. Subject to the foregoing, the provisions hereof shall be binding upon the successors and assigns, and/or personal representatives, of the parties hereto. For purposes of this Section 11, neither a sale of Goods nor the acquisition or disposition of any ownership interest in Company or any Affiliate of Company by merger, consolidation or otherwise shall be treated as an assignment.

#### 12. Governing Law; Venue; Jurisdiction:

(a) Purchase Orders issued by PPL for delivery to Pennsylvania shall be governed by and subject to the laws of the Commonwealth of Pennsylvania, notwithstanding conflicts of law rules; and any legal action or proceeding arising out of or relating to such Purchase Order shall be brought in federal court in the Eastern District of Pennsylvania or in the state courts in Lehigh County, Pennsylvania.

<sup>&</sup>lt;sup>1</sup> With respect to Workers' Compensation, minimum amounts of coverage shall meet or exceed applicable statutory limits in each of Ponnsylvania, Kentucky, Virginia and Montana where the Goods are delivered, as applicable, and/or any employment labor may be performed or incurred with respect to the Goods. Seller may be self-insured as allowed by law.



Exhibit C1 – Contract Terms and Conditions: Standard Terms and Conditions



- (b) Purchase Orders issued by PPL for delivery to Montana shall be governed by and subject to the laws of the State of Montana, notwithstanding conflicts of law rules; and any legal action or proceeding arising out of or relating to such Purchase Order shall be brought in federal court in Billings, Montana or in the state courts in Yellowstone County, Montana.
- (c) Purchase Orders issued by LG&E/KU for delivery to (i) Kentucky shall be governed by and subject to the laws of the Commonwealth of Kentucky, notwithstanding conflicts of law rules, and (ii) to Virginia shall be governed by and subject to the laws of the Commonwealth of Virginia, notwithstanding conflicts of law rules; any legal action or proceeding arising out of or relating to Purchase Orders issued by LG&E/KU shall be brought in state or federal court in Louisville, Jefferson County, Kentucky.

Seller consents to the exclusive jurisdiction of the courts set forth above for the purpose of all legal actions and proceedings arising out of or relating to this Purchase Order. Both Company and Seller waive, to the fullest extent permitted by law, any objection that it may now or later have to the laying of venue as provided in this Section 12 and any claim that any action or proceeding brought in any such court has been brought in an inconvenient forum. EACH PARTY, TO THE EXTENT PERMITTED BY LAW, KNOWINGLY, VOLUNTARILY AND INTENTIONALLY WAIVES ITS RIGHT TO A TRIAL BY JURY IN ANY ACTION OR OTHER LEGAL PROCEEDING ARISING OUT OF OR RELATING TO THIS PURCHASE ORDER. THIS WAIVER APPLIES TO ANY ACTION OR LEGAL PROCEEDING, WHETHER IN CONTRACT, TORT OR OTHERWISE.

- 13. Hazardous Materials: For hazardous materials as defined by 29CFR1910.1200:
- (a) PPL requires that a Material Safety Data Sheet (MSDS) be provided along with delivery of such materials; and
- (b) LG&E/KU requires that the MSDS be received prior to delivery; such MSDSs should be mailed to LG&E/KU to the "Ship To" address in care of Industrial Hygienist/Site Safety Specialist. NO ASBESTOS OR LEAD CONTAINING MATERIALS ALLOWED.

10



Exhibit C1 -- Contract Terms and Conditions: Standard Terms and Conditions



14. Sales Tax,

- (a) For PPL: PPL, when applicable, will provide the appropriate State's exemption certificate on those purchases that qualify for an exemption under that particular State's sales/use tax law for any PPL Affiliates. Since PPL will be acting as agent for these Affiliates, the exemption certificate will be completed in the name of the PPL Affiliate responsible for the payment of the invoice. If no exemption is applicable to the purchases, Seller shall charge any applicable sales tax on the invoice and remit to the appropriate taxing authority, if Seller is a registrant of that State. If Seller is not a registrant, then PPL or its appropriate Affiliate will be responsible for accruing and remitting use tax directly to the appropriate taxing authority.
- (b) Do not bill Kentucky Sales Tax: Blanket Direct Pay Authorization maintained under 103 KAR 31:030. Louisville Gas and Electric Co. Permit # 037710 and Kentucky Utilities Company Permit # 045084and LG&E and KU Services Inc. will provide Resale Certificate for tangible personal property purchased for resale to affiliate subsidiaries as required under PUHCA. Otherwise, if such blanket direct pay authorizations are not provided, Seller shall pay all such taxes or duties, and/or for any penalties thereon.
- 15. Involving Instructions: Show on invoice and all papers and packages relating to this Purchase Order identifying information and all particular documentation relating to this Purchase Order. Mail invoice to the "Bill To" address shown on the face of this Purchase Order for each lot of Goods shipped or delivered. Do not deliver invoices with delivered Goods. Freight that is prepaid and added to the invoice must be substantiated by attaching to the invoice original transportation bills receipted to the carrier.
- 16. Payment Terms; Partial Release and Indomnity Regarding Liens: Unless otherwise agreed, payment terms are net thirty (30) days from date of invoice acceptable to Company. Unless otherwise herein agreed, no COD deliveries will be accepted.

11

RLY 8-15-11



Exhibit C1 – Contract Terms and Conditions: Standard Terms and Conditions



17. **Modification**: Any agreement that purports to modify the terms and conditions hereof shall not be binding upon Company or Seller unless made in writing and signed by Company's and Seller's authorized representative.

18. Right of Auditing: Seller and its subcontractors shall maintain books, records, documents and other Information and accounting procedures and practices (hereinafter referred to as "Records") sufficient to determine Seller's and its subcontractors' performance and compliance with the requirements of this Purchase Order. Records shall be retained during the term of this Purchase Order and for a minimum of three (3) years after final payment, and during such aggregate period Company shall have the right of access to all Seller's and its subcontractors' Records, wherever maintained, at mutually agreeable dates and times during normal business hours, to review, audit and verify Seller's and its subcontractors' performance and compliance with the requirements of this Purchase Order. Seller and its subcontractors shall cooperate with Company in furnishing such access, Records and assistance as may be reasonably requested by Company. In addition, Company may review and audit Records to verify that Seller and its subcontractors did not make payments to, or for the personal benefit of, employees of Company, its agents and its other contractors. Any adjustment to compensation shown to be appropriate as a result of an audit, at Company's option, may be offset against payments not yet made to Seller under this Purchase Order or any other Purchase Order between Seller and Company, and/or refunded by Seller to Company, or paid to Seller by Company. Notwithstanding any provision hereof, Seller shall not be required to retain any record or document longer than six (6) years from the date of its creation. Seller shall not be required to furnish any record or document that is subject to a confidentiality agreement. Company shall execute a confidentiality agreement in a form acceptable to Seller, which acceptance shall not be unreasonably withheld, conditioned, or delayed, prior to commencing any audit. Company's employees conducting audits shall comply with Seller's plant rules and regulations while on Seller's premises.



Exhibit C1 - Contract Terms and Conditions: Standard Terms and Conditions



- 19. Non-Enforcement of Walver: Any failure by Company at any time, or from time to time, to enforce or demand performance in strict keeping with the terms, conditions, and requirements of this Purchase Order shall not constitute a walver unless in writing and issued by Company's authorized representative.
- 20. Survivability: The provisions of this Purchase Order shall survive the delivery and/or sale of the Goods with respect thereto.
- 21. Limitation of Liability: IN NO EVENT, WHETHER AS A RESULT OF BREACH OF CONTRACT, WARRANTY, TORT (INCLUDING NEGLIGENCE), INDEMNITY OR OTHERWISE, SHALL SELLER OR ITS VENDORS BE LIABLE TO COMPANY FOR ANY COST TO COVER, CONSEQUENTIAL, INCIDENTAL, SPECIAL OR PUNITIVE DAMAGES INCLUDING, BUT NOT LIMITED TO, LOSS OF PROFIT OR REVENUES, COST OF CAPITAL, COST OF REPLACEMENT POWER, DOWN TIME COSTS, OR COST FOR TEMPORARY FACILITIES, SERVICES OR EQUIPMENT.

THIS PURCHASE ORDER CONTAINS THE ENTIRE AGREEMENT BETWEEN COMPANY AND SELLER WITH RESPECT TO THE SUBJECT MATTER HEREIN, AND IN NO EVENT SHALL THE TERMS AND CONDITIONS OF ANY PROPOSAL, REQUEST FOR QUOTATION, ACKNOWLEDGEMENT, INVOICE OR OTHER DOCUMENT ISSUED BY SELLER BE BINDING UPON COMPANY WITHOUT COMPANY'S EXPLICIT WRITTEN ACCEPTANCE THEREOF.

# Howard Price Adjustment Policy For

# Distribution Transformer Contracts (DOE-Compliant Designs with Silicon Steel Cores)

The Howard Pricing Index (HPI) for distribution transformers is the price adjustment method used on long-term blanket contracts to compensate for upward or downward changes in key commodity costs. The HPI is a time series that is published monthly, approximately fifteen calendar days prior to the end of each month. There are two different HPI's for distribution transformers, one for mineral oil filled transformers and one for FR3 fluid filled transformers.

Contract pricing is adjusted quarterly, unless otherwise noted in the proposal. Price adjustments for each quarter are calculated using the base HPI as stated in the Howard proposal and the current HPI for the month prior to the next quarter, as shown in the example below.

#### Example:

1. Current LIDI for month prior to payt quarter	
1. Current HPI for month prior to next quarter	12-7-12-12
2. Base HPI as stated in Howard proposal	Barrier Professor
3. Divide current HPI by the base HPI to get price multiplier	100
4. Base price stated in Howard proposal	
5. Multiply base price by price multiplier to calculate price for next quarter	

#### Commodities and Commodity Data Sources

Costs for carbon steel, copper, aluminum and oil used in the calculation of the HPI are tracked using the third-party data sources listed in the table below. Costs for silicon steel and FR3 fluid are tracked using internal supply chain data, since no third-party data sources exist for these commodities.

Commodity	Data Source		
Carbon steel	CRUspi: Global Steel (Index) http://cruonline.crugroup.com/SteelFerroAlloys/PriceIndex/tabid/143/Default.aspx/homepage.aspx)		
Silicon steel	Internal supply chain cost data (This data is not available for audit, as it is protected by confidentiality agreements with the suppliers.)		
Copper	er LME: Grade A Copper, Monthly Averages, Cash Seller (US\$ per metric ton) (https://secure.lme.com/Data/community/index.aspx)		
Aluminum	LME: Primary Aluminum, Monthly Averages, Cash Seller (US\$ per metric ton) (https://secure.lme.com/Data/community/index.aspx)		
Mineral oil	EIA: Cushing, OK West Texas Intermediate Crude, Spot Price, Monthly Average (US\$ per barrel) (http://tonto.eia.doe.gov/dnav/pet/hist/LeafHandler.ashx?n=pet&s=nvtc&f=m)		
FR3 fluid	Internal supply chain cost data		

#### CONFIDENTIAL INFORMATION REDACTED

#### Weighting Factors

The table below lists the weighting factors used to calculate the HPI for mineral oil and natural ester fluid filled distribution transformers.

Commodity		Weighting Factor (% of Price)		
Commodily	Mineral Oil Filled	FR3 Fluid Filled		
Carbon steel				
Silicon steel				
Copper				
Aluminum				
Mineral oil or FR3	- 10 march 10 march			
All other variable costs and margin				
Total				
	100			

#### Future Revisions to the Methodology

Howard Industries may find it necessary to revise the HPI methodology (such as re-balancing the weighting factors and changing the update frequency) at any time in the future to compensate for changes in market conditions.

#### CONFIDENTIAL INFORMATION REDACTED

#### ATTACHMENT A

LG&E IIN	KU IIN	Description	Base Price Including Freight	Load Loss W	No Load Loss W
	3001263	1 PH,1 KVA,7.2 KV-120V,1 BUSHING WITH INTERNAL FUSE			
	7001451	1 PH,100KVA,7.2KV-2400V,4 BUSHING			
	7001452	1 PH,167KVA,7.2KV-2400V, 4 BUSHING	esecution of the		
**************************************	7001453	1 PH,250KVA,7.2KV-2400V, 4 BUSHING			
	7001454	1 PH,333KVA,7.2KV-2400V, 4 BUSHING			
Management Management -	7001455	1 PH,500KVA,7.2KV-2400V,4 BUSHING			
reproperty to the second second of	7001460	1 PH,10KVA,7.2KV-120/240V, 2 BUSHING			
529251	7001461	1 PH,15KVA,7.2KV-120/240V,2 BUSHING,			
529260	7001462	1 PH,25KVA,7 2KV-120/240V, 2 BUSHING,			
529278	7001463	1 PH,37KVA,7.2KV-120/240V,2 BUSHING			
529286	7001464	1 PH,50KVA,7.2KV-120/240V,2 BUSHING			
529294	7001465	1 PH,75KVA,7.2KV-120/240V,2 BUSHING			
529301	7001466	1 PH,100KVA,7.2KV-120/240V,2 BUSHING			
529319	7001467	1 PH,167KVA,7.2KV-120/240V,2 BUSHING			
529327	7001468	1 PH,250KVA,7.2KV-120/240V,2 BUSHING			
ganagage - International Control	7001469	1 PH,333KVA,7.2KV-120/240V, 2 BUSHING			
529401	7001476	1 PH,10KVA,7.2KV-240/480V,2 BUSHING			
529419	7001477	1 PH,15KVA,7.2KV-240/480V,2 BUSHING			
529427	7001478	1 PH,25KVA,7.2KV-240/480V,2 BUSHING,WITH TAPS			
529435	7001479	1 PH,37KVA,7.2KV-240/480V,2 BUSHING			
529443	7001480	1 PH,50KVA,7.2KV-240/480V,2 BUSHING			
529451	7001481	1 PH,75KVA,7.2KV-240/480V,2 BUSHING			
529460	7001482	1 PH,100KVA,7.2KV-240/480V,2 BUSHING			
529478	7001483	1 PH,167KVA,7.2KV-240/480V,2 BUSHING			
529486	7001484	1 PH,250KVA,7.2KV-240/480V,2 BU5HING			
529494	7001485	1 PH,333KVA,7.2KV-240/480V,2 BUSHING			
529501	7001485	1 PH,500KVA,7.2KV-240/480V,2 BUSHING			
529301	7001480	1 PH,10KVA,7.2KV-277V,2 BUSHING			100 (40.0)
	7001491	1 PH,15KVA,7.2KV-277V,2 BUSHING			
	7001492	1 PH, 25KVA, 7.2KV-277V, 2 BUSHING			
	7001493	1 PH,37KVA,7.2KV-277V, 2 BUSHING			
· · · · · · · · · · · · · · · · · · ·	7001494	1 PH,50KVA,7.2KV-277V, 2 BUSHING			
	AMARINA A TOTAL AND A STATE OF THE STATE OF	The second secon			
	7001496	1 PH,75KVA,7.2KV-277V, 2 BUSHING			
	7001497	1 PH,100KVA,7.2KV-277V,2 BUSHING			
an resonance on	7001498	1 PH, 167KVA, 7.2KV-277V, 2 BUSHING			
***************************************	7001499	1 PH,250KVA,7.2KV-277V,2 BUSHING 1 PH,10KVA,2.4X7.2KV-120/240V, 2 BUSHING			
	7001506	. When the contract of the con			
. recognitionary to talking and	7001507	1 PH, 15KVA, 2.4X7. 2KV-120/240V, 2 BUSHING			
	7001508	1 PH, 25KVA, 2.4X7.2KV-120/240V, 2 BUSHING			
	7001509	1 PH,37KVA,2.4X7.2KV-120/240V,2 BUSHING		Acceptance of the second	
man de la companya del companya de la companya del companya de la	7001510	1 PH,50KVA,2.4X7.2KV-120/240V,2 BUSHING			
	7001511	1 PH,75KVA,2.4X7.2KV-120/240V,2 BUSHING			
	7001512	1 PH,100KVA,2.4X7.2KV-120/240V,2 BUSHING			
	7001513	1 PH,167KVA,2 4X7.2KV-120/240V,2 BUSHING			
	7001514	1 PH, 250KVA, 2.4X7.2KV-120/240V, 2 BUSHING			
A page and the second second	7001515	1 PH,333KVA,2 4X7.2KV-120/240V,2 BUSHING			
	7001516	1 PH,500KVA,2.4X7.2KV-120/240V,2 BUSHING			
	7001522	1 PH,10KVA,2.4X7.2KV-240/480V, 2 BUSHING			
	7001523	1 PH,15KVA,2.4X7.2KV-240/480V, 2 BUSHING	100		
- 1	7001524	1 PH,25KVA,2.4X7.2KV-240/480V, 2 BUSHING	I HASSES TO SEE		

#### ATTACHMENT A

LG&E IIN	KUJIN	Description	Base Price Including Freight	Load Loss W	No Load Loss W
	7001526	1 PH,50KVA,2.4X7.2KV-240/480V,2 BUSHING			
	7001527	1 PH,75KVA,2.4X7.2KV-240/480V,2 BUSHING			
- Verforenbaum	7001528	1 PH,100KVA,2.4X7.2KV-240/480V,2 BUSHING			
	7001529	1 PH,167KVA,2-4X7.2KV-240/480V,2 BUSHING			
	7001530	1 PH,250KVA,2.4X7.2KV-240/480V,2 BUSHING			
	7001531	1 PH,333KVA,2 4X7.2KV-240/480V,2 BUSHING	40		
	7001532	1 PH,500KVA,2.4X7.2KV-240/480V,2 BUSHING			
174841511	7001541	1 PH,500KVA,2.4X7.2KV-277V,2 BUSHING			
	7001542	1 PH,333KVA,2.4X7.2KV-277V,2 BUSHING			
	7001543	1 PH,250KVA,2.4X7.2KV-277V,2 BUSHING			
	7001544	1 PH,167KVA,2 4X7.2KV-277V,2 BUSHING			
(Management or hard	7001545	1 PH,100KVA,2.4X7.2KV-277V,2 BUSHING			
	7001546	1 PH,75KVA,2.4X7.2KV-277V,2 BUSHING			
<del></del>	7001547	1 PH,50KVA,2.4X7.2KV-277V,2 BUSHING			
Market Company	7001548	1 PH,37KVA,2.4X7.2KV-277V,2 BUSHING			
	7001549	1 PH,25KVA,2.4X7.2KV-277V,2 BUSHING			
and the same of th	7001550	1 PH,15KVA,2.4X7.2KV-277V,2 BUSHING			
	7001551	10,2.4X7.2KV-277V,2			
529519		10,13.8KV-120/240V,2			
529527	100	15,13.8KV-120/240V,2			
529594	di manada e e e e e e e e e e e e e e e e e e	25,13.8KV-240/480V,2			
529535	· Miles Marian	25,13.8KV-120/240V,2			
529601		The state of the s			
	annuncianos de la constitución d	50,13.8KV-240/480V,2			a de la companya de
529543	- Marie - Marie -	50,13.8KV-120/240V,2			
529551	**************************************	75,13.8KV-120/240V,2			
529619		75,13.8KV-240/480V,2			
529560	Marine Committee Committee	100,13.8KV-120/240V,2			
529627		100,13.8KV-240/480V,2			
529578	M No. Architect Submergliffe	167,13.8KV-120/240V,2			
529635		167,13.8KV-240/480V,2			
529586	ten man ten	250,13.8KV-120/240V,2			
529643	a c A well in his high arrangements of	250,13.8KV-240/480V,2			
529651		333,13.8KV-240/480V,2			
529660		500,13.8KV-240/480V,2			
	7001606	TRANSFORMER,PADMOUNT,1 PH,10 KVA,7.2KV-120/240V			
	7001607	TRANSFORMER,PADMOUNT,1 PH,15KVA,7.2KV-120/240V			
529335	7001608	TRANSFORMER,PADMOUNT,1 PH,25KVA,7.2KV-120/240V			
529343	7001609	TRANSFORMER,PADMOUNT,1 PH,37KVA,7.2KV-120/240V			
529351	7001610	TRANSFORMER, PADMOUNT, 1 PH, 50KVA, 7.2KV-120/240V			
529378	7001611	TRANSFORMER, PADMOUNT, 1 PH, 75KVA, 7.2KV-120/240V			
529386	7001612	TRAINSPORTINER, PADINICUMT, T PH, TOURVA, 7.ZKV-			
529394	7001613	TRANSFORMER, PADMOUNT, 1 PH, 167KVA, 7.2KV-120/240V			
A. A.	7001614	TRANSFORMER, PADMOUNT, 1 PH, 250KVA, 7.2KV-120/240V			
	7001615	TRANSFORMER, PADMOUNT, 1 PH, 10 KVA, 2.4X7.2KV-			
Market Co.		120/240V TRANSFORMER, PADMOUNT, 1 PH, 15KVA, 2.4X7.2KV-			
930627	7001617	120/240V TRANSFORMER,PADMOUNT,1 PH,25KVA,2.4X7.2KV- 120/240V			
930635	7001618	TRANSFORMER, PADMOUNT, 1 PH, 37KVA, 2.4X7.2KV- 120/240V			
930643	71801619 1	TRANSFORMER,PADMOUNT,1 PH,50KVA,2.4X7.2 KV- 120/240V			

#### LGE Contract 846047 KU Contract 517908

## CONFIDENTIAL INFORMATION REDACTED

#### ATTACHMENT A

LG&E IIN	KU IIN	Description	Base Price Including Freight	Load Loss W	No Load Loss W
930651	7001620	TRANSFORMER,PADMOUNT,1 PH,75KVA,2.4X7.2KV- 120/240V			
930660	7001621	TRANSFORMER, PADMOUNT, 1 PH, 100 KVA, 2.4X7.2KV- 120/240V	and the s	STANT LINE	
930686	7001622	TRANSFORMER, PADMOUNT, 1 PH, 167 KVA, 2.4X7.2KV- 120/240V			
930678	7001623	TRANSFORMER, PADMOUNT, 1 PH, 250 KVA 2.4X7.2KV- 120/204V			
937578		TRANSFORMER,SUBGRADE,37KVA,SINGLE PHASE,SUBSURFACE,4160 GRDY-2400X12470,GRDY-7200			
937551	And Andrewskin .	GOX95BILXLV 240/120 TRANSFORMER, SUBGRADE, 50KVA, SINGLE PHASE, SUBSURFACE, 4160 GRDY-2400X12470, GRDY-7200 GOX95BILXLV 240/120			
937560	manage of a	TRANSFORMER, SUBGRADE, 75KVA, SINGLE PHASE, SUBSURFACE, 4160 GRDY-2400X12470, GRDY-7200 60X95BILXLV 240/120			
937543		TRANSFORMER, SUBGRADE, 100kVA, SINGLE PHASE, SUBSURFACE, 4160 GRDY-2400X12470, GRDY-7200 60X95BILXLV 240/120			
					gradient de

#### LOUISVILLE GAS AND ELECTRIC COMPANY

## Response to Commission Staff's Second Request For Information Dated July 31, 2012

Case No. 2012-00222

Question No. 108

Responding Witness: Robert M. Conroy

- Q-108. Provide an electronic copy in spreadsheet format of all of the Conroy Exhibits with all formulas intact and unprotected and with all columns and rows accessible.
- A-108. All workpapers are being provided in electronic format with formulas intact, in the original "as filed" versions and in "revised" versions, as appropriate. Revised files are clearly identified as such. The Company is also providing an index identifying the various Excel files. Certain information requested is confidential and proprietary, and is being provided under seal pursuant to a petition for confidential treatment.

# The attachment is being provided in a separate file in Excel format.