Dear Ms. Holloway:

Thank you for your comments to the Kentucky Public Service Commission regarding the use of smart grid technology by electric utilities in Kentucky. Your comments will be placed into the case file for the Commission's consideration as it deliberates in this matter.

As I indicated in my earlier e-mail, the record in this case is now closed and the case is with the Commissioners for a final decision. Further public comments will not be accepted.

Records in the case are available on the PSC website at this location: http://psc.ky.gov/Home/Library?type=Cases&folder=2012 cases/2012-00428

Thank you for your interest in this matter.

Andrew Melnykovych

Director of Communications Kentucky Public Service Commission 502-782-2564 (direct) or 502-564-3940 (switchboard) 502-330-5981 (cell) <u>Andrew.Melnykovych@ky.gov</u>

From: song bird [Sent: Wednesday, August 26, 2015 12:22 PM Subject: Case 2012-00428

Please add these to Case File 2012-00428



REPORT NO. 2 REVISED

è

100

Pepri duced by NATIONAL TECHNICAL INFORMATION SERVICE U.S. Lepartment of Commerce Springfield VA 22151

BIBLIOGRAPHY OF REPORTED BIOLOGICAL PHENOMENA ('EFFECTS') AND CLINICAL MANIFESTATIONS ATTRIBUTED TO MICROWAVE AND RADIO-FREQUENCY RADIATION

> Zorach R. Glaser, Ph.D. LT, MSC, USNR

Research Report

Project MF12.524.015-00048, Report No. 2

Naval Medical Research Institute National Naval Medical Center Bethesda, Maryland 20014, U.S.A.

4 October 1971

Second Printing, with Revisions, Corrections, and Additions: 20 April 1972 (Supersedes AD No. 734391)

ABSTRACT

More than 2000 references on the biological responses to radio frequency and microwave radiation, published up to June 1971, are included in the bibliography.* Particular attention has been paid to the effects on man of non-ionizing radiation at these frequencies. The citations are arranged alphabetically by author, and contain as much information as possible so as to assure effective retrieval of the original documents. An outline of the effects which have been attributed to radio frequency and microwave radiation is also part of the report.

*Three supplementary listings bring the number of citations to more than 2300.

Key Words

Biological Effects Non-Ionizing Radiation Radar Hazards Radio Frequency Radiation Microwave Radiation Health Hazards Bibliography Electromagnetic Radiation Injury

The comments upon and criticisms of the literature made in this report, and the recommendations and inferences suggested, are those of the author, and do not necessarily reflect the views of the Navy Department or of the Naval Service. Summer and a stranger of the ball

county classification of title, body or abstract and indexi	NTROL DATA - R 8	D			
CRIGINATING ACTIVITY (Corporate author)	ng annoration must for er 1	فستبال المرجب كالمستك أكردا	overall report is classified, ECURITY CLASSIFICATION		
NAVAL MEDICAL RESEARCH INSTITUTE		UNCLASSIFIED			
NATIONAL NAVAL MEDICAL CENTER		25. GROUP	·····		
BETHESDA, MARYLAND 20014					
REPORT TITLE					
BIBLIOGRAPHY OF REPORTED BIOLOGICAL PHEN MANIFESTATIONS ATTRIBUTED TO MICROWAVE A	•	•			
DESCRIPTIVE NOTES (Type of report and inclusive dates)					
Medical research interim report, bibliog AUTHOR(5) (First name, middle initial, last name)	raphic (Curren	t to Apri	1 19/2)		
Zorach R. GLASER, Ph.D. LT, MSC, USN					
REPORT DATE Revised 20 April 1972	78. TOTAL NO. OF	PAGES	75. NO. OF REFS		
(4 October 1971, Original)	163 10 4		2,311		
CONTRACT OR GRANT NO.	SE. ORIGINATOR'S	REPORT NUM	8ER(\$)		
D. PROJECT NO	MF12.524.	MF12.524.015-0004B, Report No. 2, Rev Bb. OTMER REPORT NO(3) (Any other numbers that may be assign this report)			
	SD. OTHER REPOR				
	and reports				
L DISTRIBUTION STATEMENT		·			
UNLIMITED.	12. SPONSORING M				
SUPPLEMENTARY NOTES		MEDICINE	AND SURGERY (NAVY)		
-	BUREAU OF WASHINGTO Logical respons il 1972, are i sention has bee sencies. The c much informat bal documents. It line of the e vave radiation C report AD#734 cs, and has inc	MEDICINE N, D.C. es to rad ncluded i n paid to itations ion as po Soviet a ffects wh is includ 391) is u	AND SURGERY (NAVY) 20390 io trequency and n this bibliography the effects on man are arranged ssible so as to ind East European ich have been ed as Chapter 1. pdated with the		

μ,

UNCLASSIFIED Security Cla

Carlos Carlos Carlos

Strategy Contraction

	LIN	LINA A		LINK B		LINK C	
KEY WORDS	ROLE	WT	ROLE	w 7	ROL,	^ *	
siological effects							
ion-ionizing radiation							
kadar hazards							
Radio trequency radiation							
Microwave radiation							
Pealth hazards							
					1		
Ribilography	i	}	1		1		
Electromagnetic radiation injury	1			i			
kadiation adverse effects			1		1		
				l	Ì	:	
		i		:			
	i	i	1		1	ļ	
			1	ļ			
		į			1	i	
	1	i	1	ł	1	!	
		1	1	1	1	:	
		!		ł	1	•	
		Ì		į	1	•	
		1	1		i	:	
		1	1	1	1	ĺ	
		1		i	1	:	
		1		1		1	
	•	l		1	1	ţ	
	i	i	I	1		1	
	İ	1		1	1	i	
			1	1		1	
	1		ļ	ł		1	
	1	i i	ļ	1	1	!	
		l I	I.	i	1	1	
	ł	ì	i		ļ	i	
	i	:		1		!	
	•	1	i	ĺ	1	:	
		1		1		ł	
			ļ			•	
		i	1	1			
		1	1	1		!	
	1	I		{	İ.	Ì.	
	•	1		ł		1	
	1		.j	i	1	İ	
		1				1	
	İ					1	
		ļ	1				
	1	1		i	1	ļ	
	1	1	ļ	1			
	1	1	ļ	1		1	
		}		1	1	1	
	i	1		1	i		
	1	1	1	l	t ,	1	
	•	I	l	1	I	l	
		1	1	ļ		I	
				1		1	
	\$					1	
				1		1	
	•			1		ł	
	-	1		1		1	
	•	1		ł			
	i	1		1		1	
, '	1	1				1	
• /	1	1	1	ì	1	1	

1.00

TABLE OF CONTENTS

いたないのようななの

T.

enserverses and and and the second and families in a second of the part band to the access second second and the family of the family of the second second second second second second of the second s

N

- Andrewski - Andrewski - Andrewski - Andrewski - Andrewski - Andrewski - Andrewski - Andrewski - Andrewski - A Andrewski - Andrewski - Andrewski - Andrewski - Andrewski - Andrewski - Andrewski - Andrewski - Andrewski - Andr Andrewski - Andrewski - Andrewski - Andrewski - Andrewski - Andrewski - Andrewski - Andrewski - Andrewski - Andr

いいは かいない たいないがく ないかい かんにつかみ いたい はいかいかん しょうたい いう

•

-

1 f

ł

;

いたましたちち いただいがく 以来ないとないがい いたため とうせんか たながた、かんたまでは、ななないないないない

「日日の二日日、二日日の

e e

Contraction in the

1.12

vist all'all a universitätiikiittii 14.31

فالمطبقة كالألاء تهجا

	PAGE
Abstract	2
Table of Contents	3
Foreword	4
Acknowledgments	5
Chapter 1, Outline of Reported Biological Phenomena ('Effects') and Some Clinical Manifestations Attributed to Microwave and Radio-Frequency Radiation	7
Chapter 2, Bibliography, Alphabetical Listing	12
Unsigned Reports and Articles	83
Addenda, Alphabetical by Author	87
Addenda, Unsigned Reports and Articles	89
First Supplementary Listing (5 October 1971)	91
Appendix A, Accession Numbers and Sources	92
Second Supplementary Listing (21 November 1971)	93
Third Supplementary Listing (17 April 1972)	95

Foreword

It is the hope of the author that this bibliography will provide guidance to the diffuse and conflicting literature on the biological responses to electromagnetic radiation at radio- and microwave-frequencies, with particular reference to the effects of concern to man. Such guidance is needed in the formulation and appraisal of criteria and limits of human exposure to "non-ionizing" radiation, and in the planning and conduct of future research.

The original plans were to categorize and key the literature citations to the "outline of biological and clinical effects" (Chapter 1). This proved to be a much more difficult and time-consuming task than anticipated, and was actually completed only for about 400 papers. Thus, the letter-number combinations given in square brackets for some of the "A" through "C" citations refer to the outline. [NV] indicates the citation was "not verified".

The standard format used throughout the bibliography is: author, (date), journal, volume, (issue): page, "title". The authors are alphabetized, and in chronological order. Multiple authors are also alphabetically ordered according to the second, third, etc., author. Inclusive pagination is given where possible, as is the original language of the citation. Report accession and translation numbers (some of which are cited in Appendix A), and alternate sources are listed when known. The title of books is underlined. When the title of the report was not available (or not given), a short (one line) description of the paper is listed whenever possible. Reports in which the name of the author was not given are listed chronologically using the format, "title", reference, source, (date). In many cases the citation was obtained from secondary (and tertiary) sources. For this reason it was impossible to put every citation into a consistent format.

In a few cases, papers have been cited which were presented at symposia or meetings devoted to the present topic, even when the report title suggests that it does not pertain directly to the topic. This has been done to show the wide range of items considered relevant (at least at the time of the meeting, and by the organizing chairman) in past years. An example is "electroanesthesia".

A few citations of marginal and/or peripheral relationship have also been included so that the reader may judge the applicability to his individual research needs. Examples are reports dealing with the biological effects of static and alternating magnetic fields, experimental techniques using radio frequency and microwave radiation (e.g., electron spin resonance, and nuclear magnetic resonance spectroscopy), and microwave exposure limits, regulations, and standards.

References for a few limited-distribution government reports are available upon request.

The author welcomes information which will correct errors and omissions (both of which no doubt exist). Copies of new papers would be greatly appreciated, and would encourage updating and revising the bibliography periodically.

ACKNOWLEDGMENTS

The assistance and support received during the preparation of this bibliography have been considerable, and I am happy to acknowledge my indebtedness and gratitude. Drs. John Keesey and Dennis Heffner, former and present Heads of the Biophysics Division, and Dr. Seymour Friess, Director of the Environmental Biosciences Department of the Naval Medical Research Institute, permitted me the opportunity to work on the bibliography, and offered frequent encouragement.

Acknowledgment is also due to many friends and associates for their helpful suggestions, comments, and loans and/or gifts of reports or other material, which have been invaluable in the course of the work. Mr. Glenn Heimer of the Naval Ship Engineering Center contributed an extensive collection of government reports and documents, many of which had not previously been cited in the open literature.

Special help in tracing and in the acquisition of relevant papers has been received from the librarians and staff members of the NMRI library: Mrs. Thelma Robinson, Mrs. Ernestine Gendleman, Mrs. Eleanor Capps, and Miss Deborah Grove. Their diligence and resourcefulness in tracing and obtaining copies of a large number of papers and reports, often in spite of incomplete and/or inaccurate citations given in other sources, enabled me to include many relevant items in the bibliography. Mr. Christopher Dodge of the Scientific and Technical Center, Department of the Navy, provided much of the Soviet Bloc literature, linguistic and other technical assistance, and in addition offered valuable comments and encouragement throughout the preparation of this report. Especially noteworthy were the corrections and improvements suggested by Chris following his reading of the entire manuscript.

Helpful also in locating some of the Soviet literature was Nr. E. S. Serebrennikov, of the Science and Technology Division, The Library of Congress.

Credit is due Mrs. Anna Woke (of this Institute) for translating many of the German papers; to Dr. Emilio Weiss, who translated from the Italian, and to Mrs. Edith Pugh who typed many "first drafts"; also to Mrs. Rhoda Glaser for her help in many aspects of the work.

Krs. Fannie Epstein deserves special mention for her outstanding editorial assistance, and especially for the heroic typing, organization, and checking of the entire report. The Sutline of Reported Biological Phenomena ("Effects") and Clinical Man'festations Attributed to Microwave and Radio-Frequency Radiation, is patterned after that given by R. Murray, et al., in an article entitled, "How safe are microwaves", which appeared in Non-Ionizing Radiation 1(1):7-8 (1969). Some of the "effects" were listed in the report by S. 7. Cleary and W. T. Ham, Jr., entitled, "Considerations in the evaluation of the biological effects on exposure to microwave radiation", (Background document, Part I, 1969, for the Task Force on Research Planning in Environmental Health, Subtask Force on Physical Factors in the Favironment). The discussion and suggestions offered by Byron McLees, Edward Finch, Lewis Gershman, and Christopher Dodge relating to the Outline are also gratefully acknowledged.

N.

2

-*****

Prepartion of the bibliography was supported by the Bureau of Medicine and Surgery, Department of the Navy, under work unit MF12.524. 015-00948. 6

CHAPTER 1

Reported Biological Phenomena (*Effects*) and Some Clinical Manifestations Attributed to Microwave and Padio-Frequency Padiation (See Note) lleating of Organs* (Applications: Diathermy, Electrosurgery, Flectro-

- A. coagulation, Electrodesiccation, Electrotomy)
 - 1. Unole Body (temperature regulation defects), Hyperpyrexia
 - 2. Skin

ALC: A REPORT

- 3. Bone and Eone l'arrou:
- 4. (a) Lens of Lye (cataractous lesions - due to the avascular nature of the lens which prevents adequate heat dissipation.) (b) Corneal damage also possible at extremely high frequencies.
- 5. Cenitalia (tubular degeneration of testicles)
- 6. Brain
- 7. Sinuses
- etal Implants (burns near hip pins, etc.) .3

The effects are ; enerally reversible except for 4a.

- в. Changes in Physiologic Function
 - 1. Striated Luscle Contraction
 - 2. Alteration of Diameter of Blood Vessels (increased vascular elasticity), Dilation
 - 3. Changes in the Oxidative Processes in Tissues and Organs.
 - 4. Liver Inlargement
 - 5. Altered Sensitivity to Brug Stimuli
 - Decreased Spermatogenesis (decreased fertility, to sterilit") 6.

- 7. Altered Sex Patio of Births (more girls!)
- 8. Altered Menstrual Activity
- 9. Altered Fetal Development
- 1^. becreased Lactation in Eursing Mothers
- Reduction in Fiuresis (Ca⁺ excretion, via urine output) 11.
- !2. Altered Penal Function (decreased filtration in tubales)
- 13. Changes in Conditioned Meflexes
- 14. lecreased ilectrical lesistance of Skin
- 15. Changes in the Structure of Skin Perceptors of the (a) lightive, and (b) blood-Carrying Systems
- 16. Altered Blood Flow Eate

* It is also reported that low levels of irradiation produce a cooling affect - "hypercompensation".

Note: These effects are listed without comment or endorsement since the literature abounds with conflicting reports. In some cases the basis for reporting an "effect" was a single or a non-statistical observation which may have been drawn from a poorly conceived (and poorly executed) experiment.

7

- 17. Alterations in the Biocurrents (EEG?) of the Cerebral Cortex (in animals)
- 18. Changes in the Rate of Clearance of Tagged Ions from Tissue
- 19. Reversible Structural Changes in the Cerebral Cortex and the Diencephalon
- 20. Electrocardiographic (EKG) Changes
- 21. Alterations in Sensitivity to Light, Sound, and Olfactory Stimuli
- 22. Functional (a) and Pathological (b) Changes in the Eyes: (a) decrease in size of blind spot, altered color recognition, changes in intraocular pressure, lacrimation, trembling of eyelids; (b) lens opacity and coagulation, altered tissue respiration, and altered reduction-oxidation processes
- 23. Myocardial Necrosis
- 24. Hemorrhage in Lungs, Liver, Gut, and Brain ? At Fatal Levels
- 25. Generalized Degeneration of all Body Tissue 5 of Radiation
- 26. Loss of Anatomical Parts
- 27. Death

Active States Comments

- 28. Dehydration
- 29. Altered Rate of Calcification of Certain Tissue
- C. Central Nervous System Effects
 - 1. Headaches
 - 2. Insomia
 - 3. Restlessness (Awake and During Sleep)
 - 4. Electroencephalographic (EEG) Changes
 - 5. Cranial Nerve Disorders
 - 6. Pyramidal Tract Lesions
 - 7. Conditioned Reflex Disorders
 - 8. Vagomimetic Action of the Beart; Sympaticomimetic Action
 - 9. Seizures, Convulsions
- D. Autonomic Nervous System Effects
 - 1. Neuro-vegetative Disorders (e.g., alteration of heart rhythm)

- 2. Fatigue
- 3. Structural Alterations in the Synapses of the Vagus Nerve
- 4. Stimulation of Parasympathetic Nervous System (Bradycardia), and Inhibition of the Sympathetic Nervous System
- E. Peripheral Nervous System Effects

Effects on Locom tor Nerves

- F. Psychological Disorders ("Human Behavioral Studies") the so-called "Psychophysiologic (and Psychosomatic) Responses"
 - 1. Neurasthenia (general "bad" feeling)
 - 2. Depression
 - 3. Impotence
 - 4. Anxiety
 - 5. Lack of Concentration
 - 6. Hypochondria
 - 7. Dizziness
 - 8. Hallucinations
 - 9. Sleepiness
 - 10. Insomnia
 - 11. Increased Irritability
 - 12. Decreased Appetite
 - 13. Loss of tierory
 - 14. Scalp Sensations
 - 15. Increased Fatigability
 - 16. Chest Pain
 - 17. Tremor of the Hanus
- G. Behavioral Changes (Animal Studies)

Peflexive, Operant, Avoidance, and Discrimination Behaviors

Llood Disorders li.

(V	=	in	<u>vivo</u>)
(v	=	in	vitre

1179

Changes in:

- 1. Blood and Bone "larrow
- 2. Phagocytic (polycorphs) and Bactericidal functions of high (,v)
- 3. Hemolysis late (increase), (a shortened lifespan of celt]
- 4. Sedimentation late (increase), (due to changes in server of the levels or amount of fibrinogen (?))
- 5. Number of Lrythrocytes (decrease), also number of Lyrn contest
- 6. Blood Glucese Concentration (increase)
- 7. Elood Pistamine Content
- C. Cholesterol and Lipids
- 9. Gamma (also α and β) Globulin, and Total Protein Concentration
- 10. Number of Eosinophils
- 11. Albumin/Globulin Fatio (decrease)
- 12. Remopoiesis (rate of formation of blood corpuscles)

Leukopenia (increase in number of white cells), and Leukocytosis
Feticulocytosis

I. Vascular Disorders

- 1. Thrombosis
- 2. Hypertension

J. Enzyme and Other Biochemical Changes

Changes in activity of:

- 1. Cholinesterase (V,v)
- 2. Phosphatase (v)
- 3. Transaminase (v)
- 4. Amylase (v)

ĝ

3

- 5. Carboxydismutase
- 6. Protein Denaturation
- 7. Toxin, Fungus, and Virus Inactivation (at high radiation dose levels), Bacteriostatic Effect
- 8. Tissue Cultures Killed
- 9. Alteration in Rate of Cell Division
- 10. Increased Concentration of RMA in Lymphocytes, and Decreased Concentration in Brain, Liver, and Spleen
- 11. Changes in Pyruvic Acid, Lactic Acid, and Creatinine Excretions

. ખે≻ આવેલી ઉત્ત પ્રદે કામદેવે આવેલે આવે છે. આ વિશ્વ છે. એ પ્રેટી મેં વેન્સ્સો વિશ્વિત

module in the s

- 12. Change in Concentration of Glycogen in Liver (Hyperglycemia)
- 13. Alteration in Concentration of 17- Ketosteroids in Urine

K. Metabolic Disorders

- 1. Glycosuria (sugar in urine; related with blood sugar?)
- 2. Increase in Urinary Phonol (derivatives? DOPA?)
- 3. Alteration of Fate of Letabolic Enzymatic Processes
- 4. Altered Carbohydrate Metabolism

L. Gastro-Intestinal Disorders

- 1. Anorexia (loss of appetite)
- 2. Epigastric Pain
- 3. Constipation
- 4. Altered Secretion of Stomach "Digestive Juices"
- N. Endocrine Gland Changes
 - 1. Altered Pituitary Function
 - 2. Hyperthyroidism
 - 3. Thyroid Enlargement
 - 4. Increased Uptake of Radioactive Iodine by Thyroid Gland
 - 5. Altered Adrenal Cortex Activity
 - 6. Decreased Corticosteroids in Blood
 - 7. Decreased Glucocorticoidal Activity
 - 8. Hypogonadism (usually decreased testosterone production)
- N. Histological Changes
 - 1. Changes in Tubular Epithelium of Testicles
 - 2. Cross Changes

- 0. Genetic and Chromoschal Changes
 - Chromosome Aberrations (e.g., linear shortening, pseudochiasm, diploid structures, amitotic division, bridging, "sticky" chromosomes, irregularities in chromosomal envelope)
 - 2. Mutations
 - 3. Mongolism
 - 4. Somatic Alterations (changes in cell not involving nucleus or chromosomes, cellular transformation)
 - 5. Neoplastic Diseases (e.g., tumors)
- P. Pearl Chain Effect (Intracellular orientation of subcellular particles, and orientation of cellular and other (non-biologic) particles)

Also, orientation of animals, birds, and fish in electromagnetic fields

Q. Miscellaneous Effects

- 1. Sparking between dental fillings
- 2. Peculiar metallic taste in mouth
- 3. Changes in Optical Activity of Colloidal Solutions
- 4. Treatment for Syphilis, Poliomyelitis, Skin Diseases
- 5. Loss of Hair
- 6. Brittleness of Hair
- 7. Sensations of Buzzing Vibrations, Pulsations, and Tickling About the Head and Ears

રહુ. કરે 24 શે કે જિલ્લો છે. જે જે જે છે

- 8. Copious Perspiration, Salivation, and Protrusion of Tongue
- 9. Changes in the Operation of Implanted Cardiac Pacemakers
- 10. Changes in Circadian Rhythms

Sunday, February 1, 2015

Health Experts Caution About Smart Meters

"<u>Health Experts Caution About Smart Meters</u>" (9/12/2012), one of my most popular press releases, publicized an open letter that discusses why precaution is warranted with regard to adoption of wireless smart meters. The letter which was signed by 54 scientists and medical professionals was originally published by *La Maison du 21e siecle*. The letter is reprinted below.

Smart Meters: Correcting the Gross Misinformation

La Maison du 21e siecle, June 11, 2012

Quebec-based magazine <u>La Maison du 21e siecle</u> asked physician <u>David O. Carpenter</u>, former founding dean of the University at Albany (NY)'s School of Public Health, to comment an open letter published in the Montreal daily Le Devoir on May 24 2012. This letter claimed wireless smart meters pose no risk to public health. More than fifty international experts endorsed the following rebuttal.

Dr David O. Carpenter, founder, University at Albany (NY) School of Public Health

We, the undersigned are a group of scientists and health professionals who together have coauthored hundreds of peer-reviewed studies on the health effects of electromagnetic fields (EMFs). We wish to correct some of the gross misinformation found in the <u>letter regarding wireless "smart" meters that was published in the Montreal daily *Le Devoir* on May 24. Submitted by a group <u>Quebec engineers</u>, physicists and chemists, the letter in question reflects an obvious lack of understanding of the science behind the health impacts of the radiofrequency (RF)/microwave EMFs emitted by these meters.</u>

The statement that « Thousands of studies, both epidemiological and experimental in humans, show no increase in cancer cases as a result of exposure to radio waves of low intensity... » is <u>false (1)</u>. In fact, only a few such studies <u>— two dozen case-control studies of mobile phone use</u>, certainly not thousands, have reported no elevations of cancer, and most were funded by the wireless industry. In addition, these reassuring studies contained significant experimental design flaws, mainly the fact that the populations followed were too small and were followed for a too short period of time.

Non industry-funded studies have clearly demonstrated a significant increase in cancer cases among individuals who have suffered from prolonged exposure to low-level microwaves, transmitted notably by radio antennas. The effects were best documented in meta-analyses that have been published and that include grouped results from several different studies: these analyses consistently showed an increased risk of brain cancer among regular users of a cell phone who have been exposed to microwaves for at least ten years. Children and youths are especially vulnerable (2). For example, the 2009 Hardell-Carlberg study reported a consistent association between use of mobile or cordless phones and two types of head tumors, astrocytoma grade I-IV and acoustic neuroma. The authors »found an especially high risk for persons that started use of mobile or cordless phones before the age of 20 years, although based on low numbers ».

Brain Cancer Rates

Furthermore, the argument that brain cancer rates do not indicate an overall increase in incidence is not evidence that cell phones are safe: the latency for brain cancer in adults after environmental exposure can be long, up to 20-30 years. Most North Americans haven't used cell phones extensively for that long. The evidence of the link between long-term cell phone use and brain cancer comes primarily from Northern Europe, where cell phones have

been commonly used since the 1990s. Nevertheless, the <u>most recent collection of primary brain tumors mined from</u> <u>pathology units in Australia</u> showed brain cancer incidence rose by about 35% between 2000 and 2008 in the Australian Capital Territory and New South Wales (total population : more than 7 million).

In May 2011, after reviewing the published scientific literature regarding cancers affecting cell phone users, <u>the</u> <u>International Agency for Research on Cancer (IARC) classified radiofrequency radiation as a 2B, possible human</u> <u>carcinogen</u>. Despite the absence of scientific consensus, the evidence is sufficiently compelling for any cautious parent to want to reduce their loved one's exposure to RF/microwave emissions as much as possible, as recommended by <u>various countries</u> such as Austria, Belgium, <u>Germany</u>, <u>Russia</u> and the <u>United Kingdom</u>.

Electrosensitivity

Public fears about wireless smart meters are well-founded. They are backed by various medical authorities such as those of the <u>Santa Cruz County</u>(California) Public Health Department. These authorities are worried about the growing number of citizens who say they have developed <u>electrohypersensitivity</u> (EHS), especially since for many of them, the symptoms developed after the installation of such meters (it takes some time for most people to link the two events).

Since the turn of the millennium, people are increasingly affected by ambient microwaves due to the growing popularity of wireless devices such as cell phones and Wi-Fi Internet. Therefore, the mass deployment of smart grids could expose large chunks of the general population to alarming risk scenarios without their consent. According to seven surveys done in six European countries between 2002 and 2004, about 10% of Europeans have become electrosensitive. The most famous person to publicly reveal her electrosensitivity is Gro Harlem Brundtland, formerly Prime Minister of Norway and retired Director of the World Health Organization (WHO).

While there is no consensus on the origins and mechanisms of EHS, many physicians and other specialists around the world have become aware that EHS symptoms (neurological dermatological, acoustical, etc.) seem to be triggered by exposure to EMF levels well below current international exposure limits, which are established solely on short-term thermal effects (3). Organizations such as the <u>Austrian Medical Association</u> and the <u>American Academy of Environmental Medicine</u> have recognized that the ideal way to treat of EHS is to reduce EMF exposure.

Therefore, caution is warranted because the growing variety of RF/microwave emissions produced by many wireless devices such as smart meters have never been tested for their potential biological effects.

Well-known bioeffects

While the specific pathways to cancer are not fully understood, it is scientifically unacceptable to deny the weight of the evidence regarding the increase in cancer cases in humans that are exposed to high levels of RF/microwave radiation.

The statement that « there is no established mechanism by which a radio wave could induce an adverse effect on human tissue other than by heating » is incorrect, and reflects a lack of awareness and understanding of the scientific literature on the subject. In fact, <u>more than a thousand studies</u> done on low intensity, high frequency, non-ionizing radiation, going back at least fifty years, show that some biological mechanisms of effect do not involve heat. This radiation sends signals to living tissue that stimulate biochemical changes, which can generate various

symptoms and may lead to diseases such as cancer.

Even though RF/microwaves don't have the energy to directly break chemical bonds, unlike ionizing radiation such as X-rays, there is scientific evidence that this energy can cause DNA damage indirectly leading to cancer by a combination of biological effects. <u>Recent publications</u> have documented the generation of free radicals, <u>increased</u> <u>permeability of the blood brain barrier</u> allowing potentially toxic chemicals to enter the brain, induction of genes, as well as altered electrical and metabolic activity in human brains upon application of cell phone RF/microwaves similar to those produced by smart meters.

These effects are cumulative and depend on many factors including RF/microwave levels, frequency, waveform, exposure time, biovariability between individuals and combination with other toxic agents. Clear evidence that these microwaves are indeed bioactive has been shown by the fact that low-intensity EMFs have proven clinically useful in some circumstances. Pulsed EMFs have long been used to successfully <u>treat bone fractures</u> that are resistant to other forms of therapy. More recently, frequency-specific, amplitude-modulated EMFs have been found useful to treat <u>advanced carcinoma</u> and chronic pain.

High frequency EMFs such as the microwaves used in cell phones, smart meters, Wi-Fi and cordless "DECT" phones, appear to be the most damaging when used commonly. Most of their biological effects, including symptoms of electrohypersensitivity, can be seen in the damage done to cellular membranes by the <u>loss of</u> <u>structurally-important calcium ions</u>. Prolonged exposure to these high frequencies may eventually lead to cellular malfunction and death.

Furthermore, malfunction of the parathyroid gland, located in the neck just inches from where one holds a cell phone, may actually cause electrohypersensitivity in some people by reducing the background level of calcium ions in the blood. RF/microwave radiation is also known to <u>decrease the production of melatonin</u>, which protects against cancer, and to <u>promote the growth of existing cancer cells</u>.

Early warning scientists attacked

In recommending that the Precautionary Principle be applied in EMF matters, the European Environment Agency's Director <u>Jacqueline McGlade wrote in 2009</u>: "We have noted from previous health hazard histories such as that of lead in petrol, and methyl mercury, that 'early warning' scientists frequently suffer from discrimination, from loss of research funds, and from unduly personal attacks on their scientific integrity. It would be surprising if this is not already a feature of the present EMF controversy... » Such unfortunate consequences have indeed occurred.

The statement in the *Le Devoir* letter that « if we consider that a debate should take place, it should focus exclusively on the effects of cell phones on health » is basically an acknowledgement that there is at least some reason to be concerned about cell phones. However, while the immediate exposure from a cell phone is of much greater intensity than the exposure from smart meters, cell phone use is temporary.

Smart meters

<u>As Australian Associate Professor of neurosurgery Vini G. Khurana reports</u>, adverse neurological effects have been reported in people who sustain close proximity to wireless meters, especially under 10 feet (3 metres).

A wireless smart meter produces radiofrequency microwave radiation with two antennas in approximately the same frequency range (900 MHz to 2.4 GHz) as a typical cell tower. But, depending on how close it is to occupied space

within a home, a smart meter can cause much higher RF exposures than cell towers commonly do. If a smart meter is located on a common wall with a bedroom or kitchen rather than a garage wall, for example, the RF exposure can be the same as being within 200 to 600 feet distance of a cell tower with multiple carriers. With both cell towers and smart meters, the entire body is immersed by microwaves that go out in all directions, which increases the risk of overexposure to many sensitive organs such as the eyes and testicles. With a cell phone, people are exposed to microwaves primarily in the head and neck (unless using speaker mode), and <u>only when the device is turned on or in standby mode</u>.

Wireless smart meters typically produce atypical, relatively potent and very short pulsed RF/microwaves whose biological effects have never been fully tested. They emit these millisecond-long RF bursts on average 9,600 times a day with a maximum of 190,000 daily transmissions and a peak level emission two and a half times higher than the stated safety signal, as the California utility Pacific Gas & Electric recognized before that State's Public Utilities Commission. Thus people in proximity to a smart meter are at risk of significantly greater aggregate of RF/microwave exposure than with a cell phone, not to mention the cumulative exposure received by people living near multiple meters mounted together, pole-mounted routers or utility collector meters using a third antenna to relay RF signals from 500 to 5,000 homes.

<u>A technical study performed by Sage Associates</u> in California indicates that RF levels from various scenarios depicting normal smart meter installation and operation may violate even the out-of-date US public safety standards which only consider acute thermal effects. This can happen when a person stands close to the meter to read the power consumption, or touches it, or shades the meter face with a hand to better read it. Emissions are also increased by reflective materials, such as stainless steel, other metals and mirrors, which can re-radiate stronger that the otherwise unaltered background. Microwaves are absorbed and dissipated by partially conductive materials, such as cement and special RF shielding paints and fabrics.

In addition to the erratic bursts of modulated microwaves emitted by wireless smart meters transferring usage data to electric, gas and water utilities, wireless as well as wired smart (powerline communication) meters are also a <u>major source</u> of ''dirty electricity'' (electrical interference of high frequency voltage transients typically of kilohertz frequencies). Some scientists, such as <u>American epidemiologist Sam Milham</u>, believe that many of the health complaints about smart meters may also be caused by dirty electricity generated by the « switching » power supply activating all smart meters. Since the <u>installation of filters to reduce dirty electricity</u> circulating on house wiring has been found to relieve symptoms of EHS in some people, this method should be considered among the priorities aimed at reducing potential adverse impacts. Indeed, the Salzburg State (Austria) Public Health Department confirms its concern about the potential public health risk when in coming years almost every electric wire and device will emit such transient electric fields in the kilohertz-range due to wired smart meters.

Rather be safe than sorry

The apparent adverse health effects noted with smart meter exposure are likely to be further exacerbated if smart appliances that use wireless communications become the norm and further increase unwarranted exposure.

To date, there have been few independent studies of the health effects of such sources of more continuous but lower intensity microwaves. However, we know after decades of studies of hazardous chemical substances, that chronic exposure to low concentrations of microwaves can cause equal or even greater harm than an acute exposure to high concentrations of the same microwaves.

This is why so many scientists and medical experts urgently recommend that measures following the Precautionary Principle be applied immediately — such as using wired meters — to reduce biologically inappropriate microwave exposure. We are not advocating the abolishment of RF technologies, only the use of common sense and the development and implementation of best practices in using these technologies in order to reduce exposure and risk of health hazards.

(1) • Scientific papers on EMF health effects

(2) On Nov. 19 2012, we struck from this letter an error propagated in the media claiming that « In May 2012, the U.K.'s Office of National Statistics reported a 50 percent increase in incidence of frontal and temporal lobe tumors in children between 1999 and 2009. »

(3) Explanation and studies on electrosensitivity

(4) Governments and organizations that ban or warn against wireless technology

Signers

• <u>David O. Carpenter</u>, MD, Director, Institute for Health & the Environment, University at Albany, USA

• <u>Franz Adlkofer</u>, M.D., Chairman of the <u>Pandora Foundation</u>, Coordinator of the <u>European Reflex Report</u> on <u>DNA-damage by cellphone radiation</u>, Neuendorf, Germany

• <u>M. S. H. Al Salameh</u>, PhD, Professor of Electrical Engineering, University of Science & Technology, Irbid, Jordan

- Jennifer Armstrong, MD, Past President, American Society for Environmental Medicine, Founder, Ottawa Environmental Health Clinic, Ontario, Canada
- Pierre L. Auger, MD, Occupational medicine, Multiclinique des accidentés 1464, Montreal, Quebec, Canada
- <u>Igor Beliaev</u>, PhD, Head research scientist, Cancer Research Institute, Slovak Academy of Sciences, Bratislava, Slovak republic
- Fiorella Belpoggi, PhD, Director Cesare Maltoni Cancer Research Center, Ramazzini Institute, Bologna, Italy
- <u>Dominique Belpomme</u>, MD, Director of the European Cancer and Environment Research Institute, Brussels, Belgium
- <u>Martin Blank</u>, PhD, former President, Bioelectromagnetics Society, Special Lecturer, Department of Physiology and Cellular Biophysics, Columbia University Medical Center, New York, USA
- Barry Breger, MD, Centre d'intégration somatosophique (orthomolecular medicine), Montreal, Quebec
- <u>Simona Carrubba</u>, PhD, Prof. Biophysics, Daemen College, Amherst, NY, Associate Researcher, Neurology, Buffalo General Hospital , Buffalo, NY
- John Cline, MD, Professor, Institute for Functional Medicine, Federal Way, WA, USA, Medical Director, Cline Medical Centre, Nanaimo, BC, Canada
- <u>Alvaro Augusto de Salles</u>, PhD, Professor of Electrical Engineering, Federal University of Rio Grande do Sul, Porto Alegre, Brazil
- Christos Georgiou, Prof. Biochemistry, Biology Department, University of Patras, Greece
- Andrew Goldsworthy, PhD, Honorary lecturer in Biology, Imperial College, London, UK
- <u>Claudio Gómez-Perretta</u>, MD, Director, Centro de Investigación, Hospital Universitario LA Fe, Valencia, Spain

• <u>Livio Giuliani</u>, PhD, Senior Researcher, National Insurance Institute (INAIL), Chief of Radiation and Ultrasounds Research Unit, Rome, Italy

• Yury Grigoriev, PhD, Chair Russian National Committee on Non-Ionizing Radiation Protection, Moscow, Russia

• <u>Settimio Grimaldi</u>, PhD, Director, Institute of Translational Pharmacology (Neurobiology and molecular medicine), National Research Council, Rome, Italy

• Magda Havas, PhD, Centre for Health Studies, Trent University, Canada

- Lennart Hardell, MD, Professor of Oncology, University Hospital, Örebro, Sweden
- <u>Denis L. Henshaw</u>, PhD, Professor of Physics, Head of The Human Radiation Effects Group, University of Bristol, UK
- <u>Ronald B. Herberman</u>, MD, Chairman of Board, Environmental Health Trust, and Founding Director emeritus, University of Pittsburgh Cancer Institute, USA
- <u>Donald Hillman</u>, PhD, Dairy Science, Professor Emeritus, Department of Animal Science, Michigan State University, USA
- <u>Isaac Jamieson</u>, PhD, Environmental Science (electromagnetic phenomena in the built environment), independent architect, scientist and environmental consultant, Hertfordshire, UK
- <u>Olle Johansson</u>, PhD, Professor of Neuroscience (Experimental Dermatology Unit), Karolinska Institute, Stockholm, Sweden
- <u>Yury Kronn</u>, PhD, Soviet authority on physics of nonlinear vibrations and high frequency electromagnetic vibrations, founder of Energy Tools International, Oregon, USA
- Vini G. Khurana, MBBS, Associate of Professor of Neurosurgery, Australian National University, Australia
- Henry Lai, PhD, Professor of Bioengineering, University of Washington School of Medicine, Seattle, WA, USA
- <u>Abraham R. Liboff</u>, PhD, Professor Emeritus, Department of Physics, Oakland University, Rochester, Michigan, USA
- <u>Don Maisch</u>, PhD, Researcher on radiation exposure standards for telecommunications frequency, EMFacts Consultancy, Tasmania, Australia
- Erica Mallery-Blythe, MD, Emergency Medicine Physician, England
- Andrew A. Marino, MD, Professor of Neurology, LSU Health Sciences Center, Shreveport, LA, USA
- Karl Maret, MD, President, Dove Health Alliance, Aptos, CA, USA
- <u>Fiorenzo Marinelli</u>, PhD, Researcher on biological effects of EMFs, Institute of Molecular Genetics, National Research Council, Bologna, Italy
- Andrew Michrowski, PhD, Director, Planetary Association for Clean Energy, Ottawa, Canada
- Sam Milham, MD, former chief epidemiologist, Washington State Department of Health, USA
- Joel M. Moskowitz, PhD, Director, Center for Family and Community Health, School of Public Health, University of California, Berkeley
- Gerd Oberfeld, MD, Public Health Department, Salzburg State Government, Austria
- Mike O'Carroll, PhD, Professor Emeritus (Applied Mathematics), University of Sunderland, UK
- Jerry L. Phillips, PhD, Director, Center for Excellence in Science, Department of Chemistry and Biochemistry, University of Colorado, USA
- John Podd, PhD, Professor of Psychology (experimental neuropsychology), Massey University, New-Zeland
- <u>William J. Rea</u>, MD, thoracic and cardiovascular surgeon, founder of the Environmental Health Center, Dallas, Tx, USA
- <u>Elihu D. Richter</u>, MD, Professor, Hebrew University-Hadassah School of Public Health and Community Medicine, Jerusalem, Israel
- Leif G. Salford, MD, Senior Professor of Neurosurgery, Lund University, Sweden
- Nesrin Seyhan, MD, Founder and Chair of Biophysics, Medical Faculty of Gazi University, Turkey
- Cyril W. Smith, PhD, lead author of "Electromagnetic Man", retired from Electronic and Electrical Engineering, University of Salford, UK
- <u>Morando Soffritti</u>, MD, Scientific Director of the European Foundation for Oncology and Environmental Sciences "B. Ramazzini" in Bologna, Italy
- Carlos Sosa, MD, surgeon affected by the Microwave syndrome, Medellin, Columbia
- <u>Antoinette "Toni" Stein</u>, PhD, Collaborative on Health and the Environment (CHE-EMF Working Group), Co-Coordinator, Berkeley, CA, USA

• <u>Stanislaw Szmigielski</u>, MD, PhD Professor of Pathophysiology, Consulting Expert, former director of Microwave Safety, Military Institute of Hygiene and Epidemiology, Warsaw, Poland

• Lauraine Vivian, PhD, Senior Lecturer, Primary Health Care Directorate, Faculty of Health Sciences, University of Cape Town, South Africa.

- Bradford S. Weeks, MD, Director, The Weeks Clinic, Clinton, WA, USA
- Stelios A. Zinelis, MD, Vice-President, Hellenic Cancer Society, Cefallonia, Greece

http://stopsmartmeters.org.uk/www-scribd-comdoc79928679the-who-iarc-listing-of-rfr-as-a-possible-human-carcinogen/

Email from Dr Robert Baan, the principal author of the 2011 IARC Monograph on the carcinogenicity of radiofrequency radiation, in which he interprets the 2B classification of RFR as applicable to all form of RFR exposures, including Smart Meters and Wi-Fi:

Subject: EMF Class 2B Classification

Dear Dr Hudson,

Thank you for your message, which was forwarded to me, and to which I would like to respond as follows. The IARC Working Group classified "Radiofrequency Electromagnetic Fields" (RF-EMF) as possibly carcinogenic to humans (Group 2B). The information that formed the main basis for this evaluation was found in epidemiological studies on cellphone use, where a slightly increased risk for glioma (amalignant form of brain cancer) and acoustic neuroma (a noncancerous type) was reported among heavy users. There were some indications of increased cancer among radarmaintenance workers(occupational exposure), but no reliable data from studies among, e.g., people living close to basestation antennas, radio/TV towers, etc (environmental exposure). Although the key information came from mobile telephone use, the Working Group considered that the three types of exposure entail basically the same type of radiation, and decided to make an overall evaluation on RF-EMF, covering the whole radiofrequency region of the electromagnetic spectrum. In support of this, information from studies with experimental animals showed that effects on cancer incidence and cancer latency were seen with exposures to different frequencies within the RF region. So the classification 2B, possibly carcinogenic, holds for all types of radiation within the radio frequency part of the electromagnetic spectrum, including the radiation emitted by base-station antennas, radio/TV towers, radar, Wi-Fi, smart meters, etc. An important point is the radiation level. The exposure from cellular phones (personal exposure) is substantially higher and much more focused (usually on the brain) than exposures from radio/tv towers, antennas, or Wi-Fi. I hope this is useful. Thank you for your interest in our work.

Sincerely yours,

Robert A Baan PhD The IARC Monographs IARC, Lyon, FRANCE

http://www.sfgate.com/news/article/E-mails-show-back-channel-talks-between-CPUC-PG-E-6052838.php

E-mails show back-channel talks between CPUC, PG&E By Jaxon Van Derbeken Updated 10:23 pm, Friday, January 30, 2015



Photo: Jeff Chiu, Associated Press

California Public Utilities Commission President Michael Peevey laughs during a meeting of the five-member commission in San Francisco, Thursday, Dec. 18, 2014. (AP Photo/Jeff Chiu)

A top official with the California Public Utilities Commission offered to help Pacific Gas and Electric Co. subvert rules intended to prevent backroom deals in regulatory cases, e-mails that the company released Friday show.

Such undisclosed talks are at the heart of controversies that have beset the regulatory agency in recent months, including an instance in which commission officials offered to satisfy a since-fired PG&E vice president who wanted his preferred judge named to oversee a \$1.3 billion rate-setting case in early 2014.

The disclosures have staggered an agency that was already reeling from criticism of how it oversaw PG&E before a company <u>pipeline exploded in San Bruno in 2010</u>, killing eight people and destroying 38 homes. The agency's longtime president and executive director have left since November, and state and federal investigators have opened probes into whether laws were broken, based in part on the e-mails.

On Friday, PG&E released an e-mail that the head of the utilities commission's energy division, Julie Fitch, sent to a company vice president who was involved in the judge-shopping case. It was part of a cache of <u>65,000 e-mail communications</u> dating back to 2010 between state regulators and PG&E officials that the utility released in response to a court case filed by the city of San Bruno.

The newly disclosed e-mail from Fitch indicates that back-channel talks — also known as ex parte communications — between the state agency and PG&E were happening well before the judge-shopping case unfolded last year.

Smart meters

Fitch sent the e-mail on Jan. 4, 2011, as the commission was grappling with whether to allow PG&E customers an opportunity to opt out from having smart meters installed at their homes. Such meters had raised health

concerns among some customers.

PG&E opposed the opt-out plan. The commission's then-president, Michael Peevey, "was skeptical" about "offering the opt out itself, and how," Fitch wrote to then-PG&E Vice President Brian Cherry.

"Would be good to have a substantive discussion with him," Fitch continued, "if you can do it without invoking some kind of ex parte reporting.

"I'm not sure where this would stand, procedurally," Fitch added. "If it's easier, I can be the intermediary to avoid your needing to file something saying you went to talk to Peevey about smart meter options." Earlier, in September 2010, Fitch had e-mailed Cherry and his boss to warn that the opt-out idea was gathering momentum.

"We are worried this could get out of hand if we don't get our story straight about this," she wrote. "We are actually trying to figure out how to prevent it, or at least figure out a way to have a consistent story about what the real costs would be."

It is unclear what happened after the e-mails were written, but the commission ultimately approved opt-out provisions for customers who would have to pay for the privilege.

Fitch could not be reached for comment late Friday.

Britt Strottman, an attorney for the city of San Bruno, said Fitch's e-mail offering to help PG&E avoid reporting back-channel talks was an assault on rules designed to protect all parties in regulatory cases.

"This e-mail shows that a top CPUC employee was doing something indirectly that you can't do directly under the law," Strottman said. "It's unethical and gives PG&E an unfair advantage."

Mark Toney, executive of the ratepayer advocacy group The Utility Reform Network, or TURN, said the email should prompt an investigation into whether any improper communication influenced the outcome of the smart meter case.

Rules need reforming

"PUC staff should never offer to help utilities get around the ex parte rules," he said. "This is why the ex parte rules need to be reformed and tightened up. Because billions of dollars of ratepayer money is at stake." The utilities commission issued a general statement after the e-mails were released Friday, saying it was committed to "transparency and fairness" and will train its employees to uphold the "professionalism that the CPUC's role as regulators ... requires."

"As the CPUC reviews the e-mails, if it is discovered that any employee engaged in a practice that appears inconsistent with CPUC rules or state law, a further fact-finding will take place and appropriate corrective action, if needed, will be taken," the statement said.

PG&E spokesman Keith Stephens said releasing the e-mails was "the right thing to do and reflects our sincere commitment to transparency and our own high ethical standards."

"We want to be very clear, while we make no excuses for past instances of unethical conduct, we have a vital responsibility to communicate with the CPUC on a regular basis as part of our public commitment to becoming the safest gas company in America," Stephens said.

The steady release of e-mails showing back-channel talks is battering the utilities commission's credibility. Earlier e-mails showed Carol Brown, then Peevey's chief of staff, advising another top PG&E official about how to get around a public request for information in the San Bruno case. The PG&E official replied to that advice, "Love you."

Other e-mails showed Brown offering to help Cherry in the \$1.3 billion rate case, which will determine how much PG&E customers must pay for pipeline improvements that the company undertook after the San Bruno disaster.

E-mails also showed that Commissioner Mike Florio told Cherry, "I'll do what I can" to "bump" a judge the company didn't want on the case.

Florio later apologized for "very serious mistakes" and said he hadn't been aware of utilities commission rules

against back-channel communications with the companies it regulates, an assertion that astounded many who knew him from his 30 years as an attorney for TURN.

The fallout from the revelations has been severe. Cherry, his boss and another PG&E executive were fired, and an administrative law judge told the company it could face millions of dollars in fines.

Peevey, the commission's president since 2002, opted not to seek another six-year term in December from Gov. Jerry Brown. This week, agents with state Attorney General Kamala Harris' office seized computers and other items both from his Los Angeles-area home and Cherry's Orinda residence.

Jaxon Van Derbeken is a San Francisco Chronicle staff writer. E-mail:

Released e-mails

All the e-mails released Friday involving communications between the California Public Utilities Commission and PG&E may be read at:

ftp://ftp2.cpuc.ca.gov/PG&E20150130ResponseToA1312012Ruling

*Allen Anderson President & CEO South Kentucky R.E.C.C. 925-929 N Main Street P. O. Box 910 Somerset, KY 42502-0910

*Robert Christopher Brewer President & CEO Clark Energy Cooperative, Inc. 2640 Ironworks Road P. O. Box 748 Winchester, KY 40392-0748

*John B Brown Chief Financial Officer Delta Natural Gas Company, Inc. 3617 Lexington Road Winchester, KY 40391

*Judy Cooper Manager, Regulatory Services Columbia Gas of Kentucky, Inc. 2001 Mercer Road P. O. Box 14241 Lexington, KY 40512-4241

*Rocco D'Ascenzo Senior Counsel Duke Energy Kentucky, Inc. 139 East Fourth Street P. O. Box 960 Cincinnati, OH 45201

*Gregory T Dutton Assistant Attorney General Office of the Attorney General Utility & Rate 1024 Capital Center Drive Suite 200 Frankfort, KENTUCKY 40601-8204

*David Estepp President & General Manager Big Sandy R.E.C.C. 504 11th Street Paintsville, KY 41240-1422 *Carol Ann Fraley President & CEO Grayson R.E.C.C. 109 Bagby Park Grayson, KY 41143

*Mark David Goss Goss Samford, PLLC 2365 Harrodsburg Road, Suite B325 Lexington, KENTUCKY 40504

*Ted Hampton General Manager Cumberland Valley Electric, Inc. Highway 25E P. O. Box 440 Gray, KY 40734

*Jennifer Black Hans Assistant Attorney General Office of the Attorney General Utility & Rate 1024 Capital Center Drive Suite 200 Frankfort, KENTUCKY 40601-8204

*Joni K Hazelrigg CEO Fleming-Mason Energy Cooperative, Inc. 1449 Elizaville Road P. O. Box 328 Flemingsburg, KY 41041

*Roger Hickman Regulatory Affairs Manager Big Rivers Electric Corporation 201 Third Street P. O. Box 24 Henderson, KY 42420

*Kerry K Howard CEO Licking Valley R.E.C.C. P. O. Box 605 271 Main Street West Liberty, KY 41472 *James L Jacobus President & CEO Inter-County Energy Cooperative Corporation 1009 Hustonville Road P. O. Box 87 Danville, KY 40423-0087

*Honorable Michael L Kurtz Attorney at Law Boehm, Kurtz & Lowry 36 East Seventh Street Suite 1510 Cincinnati, OHIO 45202

*Mark Martin VP Rates & Regulatory Affairs Atmos Energy Corporation 3275 Highland Pointe Drive Owensboro, KY 42303

*Debbie J Martin President & CEO Shelby Energy Cooperative, Inc. 620 Old Finchville Road Shelbyville, KY 40065

*Burns E Mercer President & CEO Meade County R.E.C.C. P. O. Box 489 Brandenburg, KY 40108-0489

*Michael L Miller President & CEO Nolin R.E.C.C. 411 Ring Road Elizabethtown, KY 42701-6767

*Barry L Myers Manager Taylor County R.E.C.C. 625 West Main Street P. O. Box 100 Campbellsville, KY 42719 *Sanford Novick President & CEO Kenergy Corp. 6402 Old Corydon Road P. O. Box 18 Henderson, KY 42419

*Bill T Prather President & CEO Farmers R.E.C.C. 504 South Broadway P. O. Box 1298 Glasgow, KY 42141-1298

*Scott Ribble VP of Engineering and Operations Jackson Purchase Energy Corporation 2900 Irvin Cobb Drive P. O. Box 4030 Paducah, KY 42002-4030

*David S Samford Goss Samford, PLLC 2365 Harrodsburg Road, Suite B325 Lexington, KENTUCKY 40504

*Tim Sharp President / CEO Salt River Electric Cooperative Corp. 111 West Brashear Avenue P. O. Box 609 Bardstown, KY 40004

*Honorable Iris G Skidmore 415 W. Main Street Suite 2 Frankfort, KENTUCKY 40601

*Mark Stallons President & CEO Owen Electric Cooperative, Inc. 8205 Highway 127 North P. O. Box 400 Owenton, KY 40359 *Ed Staton VP - State Regulation and Rates Kentucky Utilities Company 220 W. Main Street P. O. Box 32010 Louisville, KY 40202

*Ed Staton VP - State Regulation and Rates Louisville Gas and Electric Company 220 W. Main Street P. O. Box 32010 Louisville, KY 40202

*Michael I Williams President & CEO Blue Grass Energy Cooperative Corp. 1201 Lexington Road P. O. Box 990 Nicholasville, KY 40340-0990

*Ranie Wohnhas Managing Director, Reg & Finance Kentucky Power Company 101 A Enterprise Drive P. O. Box 5190 Frankfort, KY 40602

*Patrick C Woods Director, Regulatory & Compliance East Kentucky Power Cooperative, Inc. P. O. Box 707 Winchester, KY 40392-0707

*Carol Wright President & CEO Jackson Energy Cooperative Corporation 115 Jackson Energy Lane McKee, KY 40447