Dear Mr. Biddle:

Thank you for your comments on the application of Bluegrass Cellular for a certificate to construct a cell tower.

Your comments in the above-referenced matter have been received and will be placed into the case file for the Commission's consideration.

As you noted, the case number in this matter is 2017-00143. It would be helpful if you would please refer to it in any further correspondence.

RECEIVED

By Kentucky PSC at 4:07 pm, Dec 21, 2017

The application and other documents in this case are available at http://psc.ky.gov/PSC_WebNet/ViewCaseFilings.aspx?case=2017-00143.

Thank you for your interest in this matter.

Andrew Melnykovych

Director of Communications Kentucky Public Service Commission 502-782-2564 (direct) or 502-564-3940 (switchboard) 502-330-5981 (cell) <u>Andrew.Melnykovych@ky.gov</u>

From: Corey Biddle
Sent: Thursday, December 21, 2017 3:05 AM
To: PSC - Public Information Officer <PSC.Info@ky.gov>
Subject: Case # 2017-00143

We have been studying the coverage maps for Bluegrass Cellular whom is requesting this tower installation. There are no coverage gaps represented on their coverage maps in the immediate area or to the north in southern Indiana. The closest gaps are quite a few miles to the southwest along 144 and quite a few miles south along New Bethel Road. That being said, the existing tower that is on Lawrence Eskridge Road is closer to these areas and the elevation is approximately 217 feet higher. That tower is at 817 feet verses the 600 foot elevation of the proposed sight. If they were to use this proposed sight, the larger hill would be between the proposed tower location and the gaps on the coverage gaps.

Based upon the information and reasoning that we've been given for seeking a tower location, wouldn't the higher and more central location better meet their needs and prevent building another tower unnecessarily?

Thank you,



Guston, Ky. 40142

Dear Mr. Barr:

Thank you for your comments on the application of Bluegrass Cellular for a certificate to construct a cell tower.

Your comments in the above-referenced matter have been received and will be placed into the case file for the Commission's consideration.

As you noted, the case number in this matter is 2017-00143. It would be helpful if you would please refer to it in any further correspondence.

The application and other documents in this case are available at http://psc.ky.gov/PSC_WebNet/ViewCaseFilings.aspx?case=2017-00143.

Thank you for your interest in this matter.

Andrew Melnykovych

Director of Communications Kentucky Public Service Commission 502-782-2564 (direct) or 502-564-3940 (switchboard) 502-330-5981 (cell) <u>Andrew.Melnykovych@ky.gov</u>

From: PSC - Consumer Web Inquiry
Sent: Monday, December 18, 2017 7:25 AM
To: Melnykovych, Andrew (PSC) <Andrew.Melnykovych@ky.gov>
Subject: FW: KY PSC Utility Inquiry

From: KY Public Service Commission [mailto:pscfilings@ky.gov]
Sent: Sunday, December 17, 2017 9:07 PM
To: PSC - Consumer Web Inquiry <<u>PSC.Consumer.Inquiry@ky.gov</u>>
Subject: KY PSC Utility Inquiry

Below is the result of your feedback form. It was submitted by (Sunday, December 17, 2017 at 9:06 PM) on

Name: kevin barr

Address: 8608 e hwy 144 City: hardinsburg State: ky Zip Code: 40143 Phone number where you can be reached: Home phone: Utility Name: bluegrass cell State the nature of your concern: case number 2017-00143 standing in my yard i can see 4 cell towers do we need to make this one any taller, why cant bluegrass cell put there equipment on the tower they just put up at milner. 144 and 259. thats just my opinion. thank you. Have you contacted the utility about the problem: No

*Kentucky RSA #3 Cellular General Partnership, 2902 Ring Road P. O. Box 5012 Elizabethtown, KY 42701

*Felix Sharpe Dinsmore & Shohl, LLP 101 South Fifth Street Suite 2500 Louisville, KENTUCKY 40202

*Honorable John E Selent Attorney at Law Dinsmore & Shohl, LLP 101 South Fifth Street Suite 2500 Louisville, KENTUCKY 40202