

RECEIVED

MAR 13 2018

**COMMONWEALTH OF KENTUCKY
BEFORE THE PUBLIC SERVICE COMMISSION**

**PUBLIC SERVICE
COMMISSION**

In the Matter of:

THE APPLICATION OF)
NEW CINGULAR WIRELESS PCS, LLC,)
A DELAWARE LIMITED LIABILITY COMPANY,)
D/B/A AT&T MOBILITY)
FOR ISSUANCE OF A CERTIFICATE OF PUBLIC) CASE NO.: 2018-00098
CONVENIENCE AND NECESSITY TO CONSTRUCT)
A WIRELESS COMMUNICATIONS FACILITY)
IN THE COMMONWEALTH OF KENTUCKY)
IN THE COUNTY OF NICHOLAS)

SITE NAME: MYERS

* * * * *

**APPLICATION FOR
CERTIFICATE OF PUBLIC CONVENIENCE AND NECESSITY
FOR CONSTRUCTION OF A WIRELESS COMMUNICATIONS FACILITY**

New Cingular Wireless PCS, LLC, a Delaware limited liability company, d/b/a AT&T Mobility ("Applicant"), by counsel, pursuant to (i) KRS §§ 278.020, 278.040, 278.650, 278.665, and other statutory authority, and the rules and regulations applicable thereto, and (ii) the Telecommunications Act of 1996, respectfully submits this Application requesting issuance of a Certificate of Public Convenience and Necessity ("CPCN") from the Kentucky Public Service Commission ("PSC") to construct, maintain, and operate a Wireless Communications Facility ("WCF") to serve the customers of the Applicant with wireless communications services.

In support of this Application, Applicant respectfully provides and states the following information:

1. The complete name and address of the Applicant: New Cingular Wireless PCS, LLC, a Delaware limited liability company, d/b/a AT&T Mobility, having a local address of Meidinger Tower, 462 S. 4th Street, Suite 2400, Louisville, Kentucky 40202.

2. Applicant proposes construction of an antenna tower for communications services, which is to be located in an area outside the jurisdiction of a planning commission, and Applicant submits this application to the PSC for a certificate of public convenience and necessity pursuant to KRS §§ 278.020(1), 278.040, 278.650, 278.665, and other statutory authority.

3. The Certificate of Authority filed with the Kentucky Secretary of State for the Applicant entity was attached to a prior application and is part of the case record for PSC case number 2011-00473 and is hereby incorporated by reference.

4. The Applicant operates on frequencies licensed by the Federal Communications Commission ("FCC") pursuant to applicable FCC requirements. A copy of the Applicant's FCC licenses to provide wireless services are attached to this Application or described as part of **Exhibit A**, and the facility will be constructed and operated in accordance with applicable FCC regulations.

5. The public convenience and necessity require the construction of the proposed WCF. The construction of the WCF will bring or improve the Applicant's services to an area currently not served or not adequately served by the Applicant by increasing coverage or capacity and thereby enhancing the public's access to innovative and competitive wireless communications services. The WCF will provide a necessary link in the Applicant's communications network that is designed to meet the increasing demands

for wireless services in Kentucky's wireless communications service area. The WCF is an integral link in the Applicant's network design that must be in place to provide adequate coverage to the service area.

6. To address the above-described service needs, Applicant proposes to construct a WCF at Bentley Lane, Carlisle, Kentucky (38°21'18.23" North latitude, 83°57'30.40" West longitude), on a parcel of land located entirely within the county referenced in the caption of this application. The property on which the WCF will be located is owned by William R. Bentley pursuant to a Deed recorded at Deed Book 132, Page 527 in the office of the Nicholas County Clerk. The proposed WCF will consist of a 355-foot tall tower, with an approximately 15-foot tall lightning arrestor attached at the top, for a total height of 370-feet. The WCF will also include concrete foundations and a shelter or cabinets to accommodate the placement of the Applicant's radio electronics equipment and appurtenant equipment. The Applicant's equipment cabinet or shelter will be approved for use in the Commonwealth of Kentucky by the relevant building inspector. The WCF compound will be fenced and all access gate(s) will be secured. A description of the manner in which the proposed WCF will be constructed is attached as **Exhibit B** and **Exhibit C**.

7. A list of utilities, corporations, or persons with whom the proposed WCF is likely to compete is attached as **Exhibit D**.

8. The site development plan and a vertical profile sketch of the WCF signed and sealed by a professional engineer registered in Kentucky depicting the tower height, as well as a proposed configuration for the antennas of the Applicant has also been included

as part of **Exhibit B**.

9. Foundation design plans signed and sealed by a professional engineer registered in Kentucky and a description of the standards according to which the tower was designed are included as part of **Exhibit C**.

10. Applicant has considered the likely effects of the installation of the proposed WCF on nearby land uses and values and has concluded that there is no more suitable location reasonably available from which adequate services can be provided, and that there are no reasonably available opportunities to co-locate Applicant's antennas on an existing structure. When suitable towers or structures exist, Applicant attempts to co-locate on existing structures such as communications towers or other structures capable of supporting Applicant's facilities; however, no other suitable or available co-location site was found to be located in the vicinity of the site.

11. A copy of the Determination of No Hazard to Air Navigation issued by the Federal Aviation Administration ("FAA") is attached as **Exhibit E**.

12. A copy of the application for Kentucky Airport Zoning Commission ("KAZC") Approval to construct the tower is attached as **Exhibit F**.

13. A geotechnical engineering firm has performed soil boring(s) and subsequent geotechnical engineering studies at the WCF site. A copy of the geotechnical engineering report, signed and sealed by a professional engineer registered in the Commonwealth of Kentucky, is attached as **Exhibit G**. The name and address of the geotechnical engineering firm and the professional engineer registered in the Commonwealth of Kentucky who supervised the examination of this WCF site are included as part of this

exhibit.

14. Clear directions to the proposed WCF site from the County seat are attached as **Exhibit H**. The name and telephone number of the preparer of **Exhibit H** are included as part of this exhibit.

15. Applicant, pursuant to a written agreement, has acquired the right to use the WCF site and associated property rights. A copy of the agreement or an abbreviated agreement recorded with the County Clerk is attached as **Exhibit I**.

16. Personnel directly responsible for the design and construction of the proposed WCF are well qualified and experienced. The tower and foundation drawings for the proposed tower submitted as part of **Exhibit C** bear the signature and stamp of a professional engineer registered in the Commonwealth of Kentucky. All tower designs meet or exceed the minimum requirements of applicable laws and regulations.

17. The Construction Manager for the proposed facility is Don Murdock and the identity and qualifications of each person directly responsible for design and construction of the proposed tower are contained in **Exhibits B & C**.

18. As noted on the Survey attached as part of **Exhibit B**, the surveyor has determined that the site is not within any flood hazard area.

19. **Exhibit B** includes a map drawn to an appropriate scale that shows the location of the proposed tower and identifies every owner of real estate within 500 feet of the proposed tower (according to the records maintained by the County Property Valuation Administrator). Every structure and every easement within 500 feet of the proposed tower or within 200 feet of the access road including intersection with the public street system is

illustrated in **Exhibit B**.

20. Applicant has notified every person who, according to the records of the County Property Valuation Administrator, owns property which is within 500 feet of the proposed tower or contiguous to the site property, by certified mail, return receipt requested, of the proposed construction. Each notified property owner has been provided with a map of the location of the proposed construction, the PSC docket number for this application, the address of the PSC, and has been informed of his or her right to request intervention. A list of the notified property owners and a copy of the form of the notice sent by certified mail to each landowner are attached as **Exhibit J** and **Exhibit K**, respectively.

21. Applicant has notified the applicable County Judge/Executive by certified mail, return receipt requested, of the proposed construction. This notice included the PSC docket number under which the application will be processed and informed the County Judge/Executive of his/her right to request intervention. A copy of this notice is attached as **Exhibit L**.

22. Notice signs meeting the requirements prescribed by 807 KAR 5:063, Section 1(2) that measure at least 2 feet in height and 4 feet in width and that contain all required language in letters of required height, have been posted, one in a visible location on the proposed site and one on the nearest public road. Such signs shall remain posted for at least two weeks after filing of the Application, and a copy of the posted text is attached as **Exhibit M**. A copy of the notice of the location of the proposed facility published in a newspaper of general circulation in the county in which the WCF is proposed to be located is included as part of **Exhibit M**.

23. The general area where the proposed facility is to be located is rural. There are no residential structures within 500' of the proposed tower site.

24. The process that was used by the Applicant's radio frequency engineers in selecting the site for the proposed WCF was consistent with the general process used for selecting all other existing and proposed WCF facilities within the proposed network design area. Applicant's radio frequency engineers have conducted studies and tests in order to develop a highly efficient network that is designed to handle voice and data traffic in the service area. The engineers determined an optimum area for the placement of the proposed facility in terms of elevation and location to provide the best quality service to customers in the service area. A radio frequency design search area prepared in reference to these radio frequency studies was considered by the Applicant when searching for sites for its antennas that would provide the coverage deemed necessary by the Applicant. A map of the area in which the tower is proposed to be located which is drawn to scale and clearly depicts the necessary search area within which the site should be located pursuant to radio frequency requirements is attached as **Exhibit N**.

25. The tower must be located at the proposed location and proposed height to provide necessary service to wireless communications users in the subject area. In addition to expanding and improving voice and data service for AT&T mobile customers, this site will also provide wireless local loop ("WLL") broadband internet service in the subject area. As a participant in the FCC's Connect America Fund Phase II (CAF II) program, AT&T is aggressively deploying WLL service infrastructure to bring expanded internet access to residential and business customers in rural and other underserved

areas. WLL will support internet access at the high speeds required to use and enjoy the most current business, education and entertainment technologies. Broadband service via WLL will be delivered from the tower to a dedicated antenna located at the home or business receiving service and will support downloads at 10 Mbps and uploads at 1 Mbps.

26. All Exhibits to this Application are hereby incorporated by reference as if fully set out as part of the Application.

27. All responses and requests associated with this Application may be directed to:

David A. Pike
Pike Legal Group, PLLC
1578 Highway 44 East, Suite 6
P. O. Box 369
Shepherdsville, KY 40165-0369
Telephone: (502) 955-4400
Telefax: (502) 543-4410
Email: dpik@pikelegal.com

WHEREFORE, Applicant respectfully request that the PSC accept the foregoing Application for filing and having met the requirements of KRS §§ 278.020(1), 278.650, and 278.665 and all applicable rules and regulations of the PSC, grant a Certificate of Public Convenience and Necessity to construct and operate the WCF at the location set forth herein.

Respectfully submitted,



David A. Pike
Pike Legal Group, PLLC
1578 Highway 44 East, Suite 6
P. O. Box 369
Shepherdsville, KY 40165-0369
Telephone: (502) 955-4400
Telefax: (502) 543-4410
Email: dpike@pikelegal.com
Attorney for New Cingular Wireless PCS, LLC
d/b/a AT&T Mobility

LIST OF EXHIBITS

- A - FCC License Documentation
- B - Site Development Plan:
 - 500' Vicinity Map
 - Legal Descriptions
 - Flood Plain Certification
 - Site Plan
 - Vertical Tower Profile
- C - Tower and Foundation Design
- D - Competing Utilities, Corporations, or Persons List
- E - FAA
- F - Kentucky Airport Zoning Commission
- G - Geotechnical Report
- H - Directions to WCF Site
- I - Copy of Real Estate Agreement
- J - Notification Listing
- K - Copy of Property Owner Notification
- L - Copy of County Judge/Executive Notice
- M - Notice Sign and Newspaper Notice Text
- N - Copy of Radio Frequency Design Search Area

EXHIBIT A
FCC LICENSE DOCUMENTATION

REFERENCE COPY

This is not an official FCC license. It is a record of public information contained in the FCC's licensing database on the date that this reference copy was generated. In cases where FCC rules require the presentation, posting, or display of an FCC license, this document may not be used in place of an official FCC license.



**Federal Communications Commission
Wireless Telecommunications Bureau**

RADIO STATION AUTHORIZATION

LICENSEE: NEW CINGULAR WIRELESS PCS, LLC

ATTN: LESLIE WILSON
NEW CINGULAR WIRELESS PCS, LLC
208 S AKARD ST., RM 1016
DALLAS, TX 75202

Call Sign KNKN956	File Number
Radio Service CL - Cellular	
Market Numer CMA450	Channel Block B
Sub-Market Designator 0	

FCC Registration Number (FRN): 0003291192

Market Name Kentucky 8 - Mason
--

Grant Date 08-30-2011	Effective Date 06-13-2017	Expiration Date 10-01-2021	Five Yr Build-Out Date	Print Date
---------------------------------	-------------------------------------	--------------------------------------	-------------------------------	-------------------

Site Information:

Location	Latitude	Longitude	Ground Elevation (meters)	Structure Hgt to Tip (meters)	Antenna Structure Registration No.
1	38-06-01.6 N	083-56-44.2 W	307.8	126.5	1059771

Address: 3003 Maysville Road (76290)
City: MT. STERLING County: MONTGOMERY State: KY Construction Deadline:

Antenna: 1 Azimuth (from true north)	0	45	90	135	180	225	270	315
Antenna Height AAT (meters)	135.500	127.300	143.700	142.100	122.700	113.300	130.600	136.100
Transmitting ERP (watts)	154.900	65.100	5.300	0.700	0.309	0.400	10.100	78.000
Antenna: 2 Azimuth (from true north)	0	45	90	135	180	225	270	315
Antenna Height AAT (meters)	135.500	127.300	143.700	142.100	122.700	113.300	130.600	136.100
Transmitting ERP (watts)	0.500	7.000	36.900	44.000	12.100	0.900	0.100	0.100
Antenna: 3 Azimuth (from true north)	0	45	90	135	180	225	270	315
Antenna Height AAT (meters)	135.500	127.300	143.700	142.100	122.700	113.300	130.600	136.100
Transmitting ERP (watts)	24.700	18.300	22.700	33.500	103.700	99.000	126.600	69.600

Conditions:

Pursuant to §309(h) of the Communications Act of 1934, as amended, 47 U.S.C. §309(h), this license is subject to the following conditions: This license shall not vest in the licensee any right to operate the station nor any right in the use of the frequencies designated in the license beyond the term thereof nor in any other manner than authorized herein. Neither the license nor the right granted thereunder shall be assigned or otherwise transferred in violation of the Communications Act of 1934, as amended. See 47 U.S.C. § 310(d). This license is subject in terms to the right of use or control conferred by §706 of the Communications Act of 1934, as amended. See 47 U.S.C. §606.

Licensee Name: NEW CINGULAR WIRELESS PCS, LLC

Call Sign: KNKN956

File Number:

Print Date:

Location	Latitude	Longitude	Ground Elevation (meters)	Structure Hgt to Tip (meters)	Antenna Structure Registration No.
2	38-11-09.0 N	083-25-12.0 W	377.0	57.9	

Address: 1470 SOUTH TOLLIVER ROAD (76292)

City: MOREHEAD County: ROWAN State: KY Construction Deadline:

Antenna: 1 Azimuth (from true north)	0	45	90	135	180	225	270	315
Antenna Height AAT (meters)	116.000	104.400	127.300	125.300	124.700	174.000	174.600	156.000
Transmitting ERP (watts)	225.400	94.700	7.700	1.000	0.500	0.500	14.700	113.600
Antenna: 2 Azimuth (from true north)	0	45	90	135	180	225	270	315
Antenna Height AAT (meters)	116.000	104.400	127.300	125.300	124.700	174.000	174.600	156.000
Transmitting ERP (watts)	2.500	46.700	306.900	397.600	115.300	6.500	0.800	0.900
Antenna: 3 Azimuth (from true north)	0	45	90	135	180	225	270	315
Antenna Height AAT (meters)	116.000	104.400	127.300	125.300	124.700	174.000	174.600	156.000
Transmitting ERP (watts)	2.100	0.421	0.421	7.600	62.700	210.700	160.100	17.300

Location	Latitude	Longitude	Ground Elevation (meters)	Structure Hgt to Tip (meters)	Antenna Structure Registration No.
4	38-19-06.7 N	084-07-20.5 W	271.3	126.2	1043355

Address: 1062 MAYSVILLE ROAD (76289)

City: MILLERSBURG County: NICHOLAS State: KY Construction Deadline:

Antenna: 1 Azimuth (from true north)	0	45	90	135	180	225	270	315
Antenna Height AAT (meters)	135.000	140.400	124.300	128.600	122.500	127.600	146.600	134.900
Transmitting ERP (watts)	158.500	176.800	51.900	29.000	0.400	10.800	59.600	176.800
Antenna: 2 Azimuth (from true north)	0	45	90	135	180	225	270	315
Antenna Height AAT (meters)	135.000	140.400	124.300	128.600	122.500	127.600	146.600	134.900
Transmitting ERP (watts)	2.000	20.200	108.000	135.400	28.500	2.600	0.400	0.500
Antenna: 3 Azimuth (from true north)	0	45	90	135	180	225	270	315
Antenna Height AAT (meters)	135.000	140.400	124.300	128.600	122.500	127.600	146.600	134.900
Transmitting ERP (watts)	27.500	10.700	14.300	31.400	141.300	187.300	211.300	81.800

Licensee Name: NEW CINGULAR WIRELESS PCS, LLC

Call Sign: KNKN956

File Number:

Print Date:

Location	Latitude	Longitude	Ground Elevation (meters)	Structure Hgt to Tip (meters)	Antenna Structure Registration No.
5	38-41-03.8 N	084-03-26.6 W	281.0	127.1	1043359

Address: 275 SOUTH BLUE GRASS ROAD (76297)

City: Brooksville County: BRACKEN State: KY Construction Deadline: 12-30-2014

Antenna: 1 Azimuth (from true north)	0	45	90	135	180	225	270	315
Antenna Height AAT (meters)	169.000	167.500	126.700	147.100	165.400	152.500	139.700	174.500
Transmitting ERP (watts)	133.400	148.800	43.700	24.400	0.300	9.100	50.100	148.800
Antenna: 2 Azimuth (from true north)	0	45	90	135	180	225	270	315
Antenna Height AAT (meters)	169.000	167.500	126.700	147.100	165.400	152.500	139.700	174.500
Transmitting ERP (watts)	12.200	80.800	162.200	168.800	105.900	30.400	22.400	8.400
Antenna: 3 Azimuth (from true north)	0	45	90	135	180	225	270	315
Antenna Height AAT (meters)	169.000	167.500	126.700	147.100	165.400	152.500	139.700	174.500
Transmitting ERP (watts)	23.200	9.000	12.000	26.500	118.900	157.600	177.800	68.800

Location	Latitude	Longitude	Ground Elevation (meters)	Structure Hgt to Tip (meters)	Antenna Structure Registration No.
6	38-35-58.3 N	083-10-00.7 W	319.7	61.0	

Address: 803 HIGHWAY 546 STATE ROUTE 10 (76299)

City: GARRISON County: LEWIS State: KY Construction Deadline: 12-30-2014

Antenna: 1 Azimuth (from true north)	0	45	90	135	180	225	270	315
Antenna Height AAT (meters)	94.800	131.000	101.600	71.200	75.500	126.000	153.200	87.400
Transmitting ERP (watts)	129.000	114.600	117.300	36.300	42.600	15.500	17.400	87.200
Antenna: 2 Azimuth (from true north)	0	45	90	135	180	225	270	315
Antenna Height AAT (meters)	94.800	131.000	101.600	71.200	75.500	126.000	153.200	87.400
Transmitting ERP (watts)	73.300	21.400	29.200	144.400	211.200	182.100	175.900	67.700

Location	Latitude	Longitude	Ground Elevation (meters)	Structure Hgt to Tip (meters)	Antenna Structure Registration No.
10	38-01-26.0 N	083-57-08.0 W	317.9	68.6	1042213

Address: 2122 Levee Road (76302)

City: MT. STERLING County: MONTGOMERY State: KY Construction Deadline: 12-30-2014

Antenna: 1 Azimuth (from true north)	0	45	90	135	180	225	270	315
Antenna Height AAT (meters)	92.500	100.200	119.400	105.700	123.200	97.900	77.600	85.000
Transmitting ERP (watts)	8.100	22.900	20.100	3.800	0.300	0.100	0.100	0.800

Licensee Name: NEW CINGULAR WIRELESS PCS, LLC

Call Sign: KNKN956

File Number:

Print Date:

Location	Latitude	Longitude	Ground Elevation (meters)	Structure Hgt to Tip (meters)	Antenna Structure Registration No.
10	38-01-26.0 N	083-57-08.0 W	317.9	68.6	1042213

Address: 2122 Levee Road (76302)

City: MT. STERLING County: MONTGOMERY State: KY Construction Deadline: 12-30-2014

Antenna: 2 Azimuth (from true north)	0	45	90	135	180	225	270	315
Antenna Height AAT (meters)	92.500	100.200	119.400	105.700	123.200	97.900	77.600	85.000
Transmitting ERP (watts)	0.100	0.200	1.800	14.400	23.200	14.400	1.500	0.100
Antenna: 3 Azimuth (from true north)	0	45	90	135	180	225	270	315
Antenna Height AAT (meters)	92.500	100.200	119.400	105.700	123.200	97.900	77.600	85.000
Transmitting ERP (watts)	175.400	50.300	37.100	13.900	20.100	133.800	268.500	279.600

Location	Latitude	Longitude	Ground Elevation (meters)	Structure Hgt to Tip (meters)	Antenna Structure Registration No.
11	38-14-43.5 N	083-25-18.5 W	405.1	113.1	1042211

Address: 4950 HIGHWAY 799 (76304)

City: MOREHEAD County: ROWAN State: KY Construction Deadline: 12-30-2014

Antenna: 1 Azimuth (from true north)	0	45	90	135	180	225	270	315
Antenna Height AAT (meters)	178.500	177.300	197.500	172.200	197.100	268.500	231.500	202.400
Transmitting ERP (watts)	240.300	293.300	153.900	30.000	15.800	3.100	6.500	74.200
Antenna: 2 Azimuth (from true north)	0	45	90	135	180	225	270	315
Antenna Height AAT (meters)	178.500	177.300	197.500	172.200	197.100	268.500	231.500	202.400
Transmitting ERP (watts)	0.200	1.100	2.600	2.200	1.700	0.300	0.100	0.200
Antenna: 3 Azimuth (from true north)	0	45	90	135	180	225	270	315
Antenna Height AAT (meters)	178.500	177.300	197.500	172.200	197.100	268.500	231.500	202.400
Transmitting ERP (watts)	0.400	0.104	0.104	1.600	16.500	52.300	41.900	6.500

Location	Latitude	Longitude	Ground Elevation (meters)	Structure Hgt to Tip (meters)	Antenna Structure Registration No.
13	38-32-02.2 N	084-01-42.7 W	287.7	93.0	1248707

Address: ROUTE 2 BOX 357A (76309)

City: MT. OLIVET County: ROBERTSON State: KY Construction Deadline: 12-30-2014

Antenna: 1 Azimuth (from true north)	0	45	90	135	180	225	270	315
Antenna Height AAT (meters)	133.400	137.900	100.500	124.900	146.500	140.100	149.500	140.700
Transmitting ERP (watts)	243.800	92.200	9.400	2.400	0.500	0.700	12.900	103.400

Licensee Name: NEW CINGULAR WIRELESS PCS, LLC

Call Sign: KNKN956

File Number:

Print Date:

Location	Latitude	Longitude	Ground Elevation (meters)	Structure Hgt to Tip (meters)	Antenna Structure Registration No.
13	38-32-02.2 N	084-01-42.7 W	287.7	93.0	1248707

Address: ROUTE 2 BOX 357A (76309)

City: MT. OLIVET County: ROBERTSON State: KY Construction Deadline: 12-30-2014

Antenna: 2 Azimuth (from true north)	0	45	90	135	180	225	270	315
Antenna Height AAT (meters)	133.400	137.900	100.500	124.900	146.500	140.100	149.500	140.700
Transmitting ERP (watts)	1.400	30.900	155.600	213.600	45.400	4.800	1.700	0.600
Antenna: 3 Azimuth (from true north)	0	45	90	135	180	225	270	315
Antenna Height AAT (meters)	133.400	137.900	100.500	124.900	146.500	140.100	149.500	140.700
Transmitting ERP (watts)	2.700	0.427	1.000	4.500	61.200	213.600	155.600	21.400

Location	Latitude	Longitude	Ground Elevation (meters)	Structure Hgt to Tip (meters)	Antenna Structure Registration No.
14	38-41-05.5 N	083-50-24.3 W	281.3	142.0	1234091

Address: 3530 TUCKAHOE ROAD (76310)

City: Maysville County: MASON State: KY Construction Deadline: 12-30-2014

Antenna: 1 Azimuth (from true north)	0	45	90	135	180	225	270	315
Antenna Height AAT (meters)	176.600	204.400	178.600	144.800	138.700	142.800	135.200	167.500
Transmitting ERP (watts)	178.600	199.300	58.500	32.700	0.400	12.100	67.100	199.300
Antenna: 2 Azimuth (from true north)	0	45	90	135	180	225	270	315
Antenna Height AAT (meters)	176.600	204.400	178.600	144.800	138.700	142.800	135.200	167.500
Transmitting ERP (watts)	1.600	35.900	180.700	248.000	52.700	5.600	2.000	0.700
Antenna: 3 Azimuth (from true north)	0	45	90	135	180	225	270	315
Antenna Height AAT (meters)	176.600	204.400	178.600	144.800	138.700	142.800	135.200	167.500
Transmitting ERP (watts)	1.500	0.305	0.305	5.500	45.400	152.700	116.000	12.500

Location	Latitude	Longitude	Ground Elevation (meters)	Structure Hgt to Tip (meters)	Antenna Structure Registration No.
16	37-56-51.0 N	083-36-24.0 W	391.7	86.6	1042227

Address: 1158 COUNTY PARK ROAD (84346)

City: FRENCHBURG County: MENIFEE State: KY Construction Deadline: 12-30-2014

Antenna: 1 Azimuth (from true north)	0	45	90	135	180	225	270	315
Antenna Height AAT (meters)	174.000	196.600	135.600	116.700	129.500	143.100	146.500	161.000
Transmitting ERP (watts)	205.100	86.100	7.000	0.900	0.410	0.500	13.400	103.300

Licensee Name: NEW CINGULAR WIRELESS PCS, LLC

Call Sign: KNKN956

File Number:

Print Date:

Location	Latitude	Longitude	Ground Elevation (meters)	Structure Hgt to Tip (meters)	Antenna Structure Registration No.
16	37-56-51.0 N	083-36-24.0 W	391.7	86.6	1042227

Address: 1158 COUNTY PARK ROAD (84346)

City: FRENCHBURG County: MENIFEE State: KY Construction Deadline: 12-30-2014

Antenna: 2 Azimuth (from true north)	0	45	90	135	180	225	270	315
Antenna Height AAT (meters)	174.000	196.600	135.600	116.700	129.500	143.100	146.500	161.000
Transmitting ERP (watts)	20.500	136.000	272.900	284.100	178.200	51.100	37.700	14.100
Antenna: 3 Azimuth (from true north)	0	45	90	135	180	225	270	315
Antenna Height AAT (meters)	174.000	196.600	135.600	116.700	129.500	143.100	146.500	161.000
Transmitting ERP (watts)	39.000	15.100	20.200	44.500	200.000	265.200	299.200	115.700

Location	Latitude	Longitude	Ground Elevation (meters)	Structure Hgt to Tip (meters)	Antenna Structure Registration No.
17	38-43-27.3 N	083-59-05.2 W	284.7	60.7	

Address: 1910 Dutch Road Ridge (101049)

City: Augusta County: BRACKEN State: KY Construction Deadline: 12-30-2014

Antenna: 1 Azimuth (from true north)	0	45	90	135	180	225	270	315
Antenna Height AAT (meters)	96.600	122.500	103.100	51.900	67.800	65.600	79.900	97.600
Transmitting ERP (watts)	178.200	74.900	6.100	0.800	0.400	0.400	11.700	89.800
Antenna: 2 Azimuth (from true north)	0	45	90	135	180	225	270	315
Antenna Height AAT (meters)	96.600	122.500	103.100	51.900	67.800	65.600	79.900	97.600
Transmitting ERP (watts)	2.400	24.800	132.900	166.600	35.100	3.200	0.400	0.600
Antenna: 3 Azimuth (from true north)	0	45	90	135	180	225	270	315
Antenna Height AAT (meters)	96.600	122.500	103.100	51.900	67.800	65.600	79.900	97.600
Transmitting ERP (watts)	1.700	0.333	0.333	6.000	49.500	166.600	126.600	13.700

Location	Latitude	Longitude	Ground Elevation (meters)	Structure Hgt to Tip (meters)	Antenna Structure Registration No.
22	38-34-35.7 N	083-26-23.4 W	321.0	119.5	1206373

Address: Off of SR # 10 (76295)

City: Charters County: LEWIS State: KY Construction Deadline:

Antenna: 1 Azimuth (from true north)	0	45	90	135	180	225	270	315
Antenna Height AAT (meters)	209.500	182.600	156.500	135.100	112.200	142.700	191.300	173.300
Transmitting ERP (watts)	152.800	137.700	121.300	47.800	53.000	18.200	23.100	109.400

Licensee Name: NEW CINGULAR WIRELESS PCS, LLC

Call Sign: KNKN956

File Number:

Print Date:

Location	Latitude	Longitude	Ground Elevation (meters)	Structure Hgt to Tip (meters)	Antenna Structure Registration No.
22	38-34-35.7 N	083-26-23.4 W	321.0	119.5	1206373

Address: Off of SR # 10 (76295)

City: Charters County: LEWIS State: KY Construction Deadline:

Antenna: 2 Azimuth (from true north)	0	45	90	135	180	225	270	315
Antenna Height AAT (meters)	209.500	182.600	156.500	135.100	112.200	142.700	191.300	173.300
Transmitting ERP (watts)	0.800	2.700	44.500	178.100	160.300	24.700	2.800	0.700
Antenna: 3 Azimuth (from true north)	0	45	90	135	180	225	270	315
Antenna Height AAT (meters)	209.500	182.600	156.500	135.100	112.200	142.700	191.300	173.300
Transmitting ERP (watts)	8.500	2.200	0.441	0.700	11.700	93.600	220.800	83.500

Location	Latitude	Longitude	Ground Elevation (meters)	Structure Hgt to Tip (meters)	Antenna Structure Registration No.
23	38-03-34.6 N	083-30-18.6 W	367.9	59.1	

Address: 148 Dogwood Lane (76303)

City: Salt Lick County: BATH State: KY Construction Deadline:

Antenna: 1 Azimuth (from true north)	0	45	90	135	180	225	270	315
Antenna Height AAT (meters)	164.600	119.200	127.400	129.100	131.900	91.500	141.700	180.300
Transmitting ERP (watts)	86.100	142.900	53.100	37.600	0.300	18.800	66.800	133.400
Antenna: 2 Azimuth (from true north)	0	45	90	135	180	225	270	315
Antenna Height AAT (meters)	164.600	119.200	127.400	129.100	131.900	91.500	141.700	180.300
Transmitting ERP (watts)	18.000	119.500	239.900	249.700	156.700	44.900	33.100	12.400
Antenna: 3 Azimuth (from true north)	0	45	90	135	180	225	270	315
Antenna Height AAT (meters)	164.600	119.200	127.400	129.100	131.900	91.500	141.700	180.300
Transmitting ERP (watts)	34.300	13.300	17.800	39.100	175.800	233.100	263.000	101.700

Location	Latitude	Longitude	Ground Elevation (meters)	Structure Hgt to Tip (meters)	Antenna Structure Registration No.
24	37-57-38.2 N	083-46-12.6 W	382.2	77.1	1252133

Address: 377 WHISPERING PINE (85240)

City: MEANS County: MENIFEE State: KY Construction Deadline:

Antenna: 1 Azimuth (from true north)	0	45	90	135	180	225	270	315
Antenna Height AAT (meters)	193.100	167.300	141.100	121.100	166.700	178.600	195.900	185.900
Transmitting ERP (watts)	205.100	86.100	7.000	0.900	0.410	0.500	13.400	103.300

Licensee Name: NEW CINGULAR WIRELESS PCS, LLC

Call Sign: KNKN956

File Number:

Print Date:

Location	Latitude	Longitude	Ground Elevation (meters)	Structure Hgt to Tip (meters)	Antenna Structure Registration No.
24	37-57-38.2 N	083-46-12.6 W	382.2	77.1	1252133

Address: 377 WHISPERING PINE (85240)

City: MEANS County: MENIFEE State: KY Construction Deadline:

Antenna: 2 Azimuth (from true north)	0	45	90	135	180	225	270	315
Antenna Height AAT (meters)	193.100	167.300	141.100	121.100	166.700	178.600	195.900	185.900
Transmitting ERP (watts)	4.000	55.200	276.600	325.000	69.600	3.000	0.700	0.700
Antenna: 3 Azimuth (from true north)	0	45	90	135	180	225	270	315
Antenna Height AAT (meters)	193.100	167.300	141.100	121.100	166.700	178.600	195.900	185.900
Transmitting ERP (watts)	1.900	0.400	0.400	6.900	57.000	191.800	145.700	15.700

Location	Latitude	Longitude	Ground Elevation (meters)	Structure Hgt to Tip (meters)	Antenna Structure Registration No.
25	37-55-42.0 N	083-32-46.4 W	394.7	105.2	1252134

Address: MORT BOTTS ROAD (85243)

City: DENNISON County: MENIFEE State: KY Construction Deadline:

Antenna: 1 Azimuth (from true north)	0	45	90	135	180	225	270	315
Antenna Height AAT (meters)	189.900	177.500	189.000	179.800	166.900	162.500	146.700	200.500
Transmitting ERP (watts)	310.500	126.400	6.600	1.300	0.621	1.100	20.100	166.600
Antenna: 2 Azimuth (from true north)	0	45	90	135	180	225	270	315
Antenna Height AAT (meters)	189.900	177.500	189.000	179.800	166.900	162.500	146.700	200.500
Transmitting ERP (watts)	0.600	8.100	42.500	50.700	14.000	1.100	0.200	0.101
Antenna: 3 Azimuth (from true north)	0	45	90	135	180	225	270	315
Antenna Height AAT (meters)	189.900	177.500	189.000	179.800	166.900	162.500	146.700	200.500
Transmitting ERP (watts)	1.700	0.334	0.334	6.000	49.700	167.000	126.900	13.700

Control Points:

Control Pt. No. 1

Address: 2601 Palumbo Drive

City: Lexington County: State: KY Telephone Number: (606)269-1050

Waivers/Conditions:

License renewal granted on a conditional basis, subject to the outcome of FCC proceeding WT Docket No. 10-112 (see FCC 10-86, paras. 113 and 126).

Licensee Name: NEW CINGULAR WIRELESS PCS, LLC

Call Sign: KNKN956

File Number:

Print Date:

Commission approval of this application and the licenses contained therein are subject to the conditions set forth in the Memorandum Opinion and Order, adopted on December 29, 2006 and released on March 26, 2007, and revised in the Order on Reconsideration, adopted and released on March 26, 2007. See AT&T Inc. and BellSouth Corporation Application for Transfer of Control, WC Docket No. 06-74, Memorandum Opinion and Order, FCC 06-189 (rel. Mar. 26, 2007); AT&T Inc. and BellSouth Corporation, WC Docket No. 06-74, Order on Reconsideration, FCC 07-44 (rel. Mar. 26, 2007).

REFERENCE COPY

This is not an official FCC license. It is a record of public information contained in the FCC's licensing database on the date that this reference copy was generated. In cases where FCC rules require the presentation, posting, or display of an FCC license, this document may not be used in place of an official FCC license.



Federal Communications Commission
Wireless Telecommunications Bureau

RADIO STATION AUTHORIZATION

LICENSEE: NEW CINGULAR WIRELESS PCS, LLC

ATTN: LESLIE WILSON
NEW CINGULAR WIRELESS PCS, LLC
208 S AKARD ST., RM 1016
DALLAS, TX 75202

Call Sign	File Number
KNLH398	
Radio Service	
CW - PCS Broadband	

FCC Registration Number (FRN): 0003291192

Grant Date 04-14-2017	Effective Date 06-14-2017	Expiration Date 04-28-2027	Print Date
Market Number BTA252	Channel Block D		Sub-Market Designator 0
Market Name Lexington, KY			
1st Build-out Date 04-28-2002	2nd Build-out Date	3rd Build-out Date	4th Build-out Date

Waivers/Conditions:

This authorization is subject to the condition that, in the event that systems using the same frequencies as granted herein are authorized in an adjacent foreign territory (Canada/United States), future coordination of any base station transmitters within 72 km (45 miles) of the United States/Canada border shall be required to eliminate any harmful interference to operations in the adjacent foreign territory and to ensure continuance of equal access to the frequencies by both countries.

License renewal granted on a conditional basis, subject to the outcome of FCC proceeding WT Docket No. 10-112 (see FCC 10-86, paras. 113 and 126).

Conditions:

Pursuant to §309(h) of the Communications Act of 1934, as amended, 47 U.S.C. §309(h), this license is subject to the following conditions: This license shall not vest in the licensee any right to operate the station nor any right in the use of the frequencies designated in the license beyond the term thereof nor in any other manner than authorized herein. Neither the license nor the right granted thereunder shall be assigned or otherwise transferred in violation of the Communications Act of 1934, as amended. See 47 U.S.C. § 310(d). This license is subject in terms to the right of use or control conferred by §706 of the Communications Act of 1934, as amended. See 47 U.S.C. §606.

This license may not authorize operation throughout the entire geographic area or spectrum identified on the hardcopy version. To view the specific geographic area and spectrum authorized by this license, refer to the Spectrum and Market Area information under the Market Tab of the license record in the Universal Licensing System (ULS). To view the license record, go to the ULS homepage at <http://wireless.fcc.gov/uls/index.htm?job=home> and select "License Search". Follow the instructions on how to search for license information.

REFERENCE COPY

This is not an official FCC license. It is a record of public information contained in the FCC's licensing database on the date that this reference copy was generated. In cases where FCC rules require the presentation, posting, or display of an FCC license, this document may not be used in place of an official FCC license.



Federal Communications Commission
Wireless Telecommunications Bureau

RADIO STATION AUTHORIZATION

LICENSEE: NEW CINGULAR WIRELESS PCS, LLC

ATTN: LESLIE WILSON
NEW CINGULAR WIRELESS PCS, LLC
208 S AKARD ST., RM 1016
DALLAS, TX 75202

Call Sign WPOI255	File Number
Radio Service CW - PCS Broadband	

FCC Registration Number (FRN): 0003291192

Grant Date 05-27-2015	Effective Date 06-14-2017	Expiration Date 06-23-2025	Print Date
Market Number MTA026	Channel Block A	Sub-Market Designator 19	
Market Name Louisville-Lexington-Evansville			
1st Build-out Date 06-23-2000	2nd Build-out Date 06-23-2005	3rd Build-out Date	4th Build-out Date

Waivers/Conditions:

This authorization is subject to the condition that, in the event that systems using the same frequencies as granted herein are authorized in an adjacent foreign territory (Canada/United States), future coordination of any base station transmitters within 72 km (45 miles) of the United States/Canada border shall be required to eliminate any harmful interference to operations in the adjacent foreign territory and to ensure continuance of equal access to the frequencies by both countries.

License renewal granted on a conditional basis, subject to the outcome of FCC proceeding WT Docket No. 10-112 (see FCC 10-86, paras. 113 and 126).

Conditions:

Pursuant to §309(h) of the Communications Act of 1934, as amended, 47 U.S.C. §309(h), this license is subject to the following conditions: This license shall not vest in the licensee any right to operate the station nor any right in the use of the frequencies designated in the license beyond the term thereof nor in any other manner than authorized herein. Neither the license nor the right granted thereunder shall be assigned or otherwise transferred in violation of the Communications Act of 1934, as amended. See 47 U.S.C. § 310(d). This license is subject in terms to the right of use or control conferred by §706 of the Communications Act of 1934, as amended. See 47 U.S.C. §606.

This license may not authorize operation throughout the entire geographic area or spectrum identified on the hardcopy version. To view the specific geographic area and spectrum authorized by this license, refer to the Spectrum and Market Area information under the Market Tab of the license record in the Universal Licensing System (ULS). To view the license record, go to the ULS homepage at <http://wireless.fcc.gov/uls/index.htm?job=home> and select "License Search". Follow the instructions on how to search for license information.

Licensee Name: NEW CINGULAR WIRELESS PCS, LLC

Call Sign: WPOI255

File Number:

Print Date:

This authorization is subject to the condition that the remaining balance of the winning bid amount will be paid in accordance with Part 1 of the Commission's rules, 47 C.F.R. Part 1.

This license is conditioned upon compliance with the provisions of Applications of AT&T Wireless Services, Inc. and Cingular Wireless Corporation For Consent to Transfer Control of Licenses and Authorizations, Memorandum Opinion and Order, FCC 04-255 (rel. Oct. 26, 2004).

Spectrum Lease Associated with this License. See Spectrum Leasing Arrangement Letter dated 12/06/2004 and File # 0001918558.

The Spectrum Leasing Arrangement, which became effective upon approval of application file number 0001918558, was terminated on 04/14/2005. See file number 0002135370.

Commission approval of this application and the licenses contained therein are subject to the conditions set forth in the Memorandum Opinion and Order, adopted on December 29, 2006 and released on March 26, 2007, and revised in the Order on Reconsideration, adopted and released on March 26, 2007. See AT&T Inc. and BellSouth Corporation Application for Transfer of Control, WC Docket No. 06-74, Memorandum Opinion and Order, FCC 06-189 (rel. Mar. 26, 2007); AT&T Inc. and BellSouth Corporation, WC Docket No. 06-74, Order on Reconsideration, FCC 07-44 (rel. Mar. 26, 2007).

REFERENCE COPY

This is not an official FCC license. It is a record of public information contained in the FCC's licensing database on the date that this reference copy was generated. In cases where FCC rules require the presentation, posting, or display of an FCC license, this document may not be used in place of an official FCC license.

**Federal Communications Commission
Wireless Telecommunications Bureau****RADIO STATION AUTHORIZATION**

LICENSEE: NEW CINGULAR WIRELESS PCS, LLC

ATTN: LESLIE WILSON
NEW CINGULAR WIRELESS PCS, LLC
208 S AKARD ST., RM 1016
DALLAS, TX 75202

Call Sign	File Number
WQGD755	0007761932
Radio Service	
AW - AWS (1710-1755 MHz and 2110-2155 MHz)	

FCC Registration Number (FRN): 0003291192

Grant Date 12-18-2006	Effective Date 09-05-2017	Expiration Date 12-18-2021	Print Date 09-28-2017
Market Number BEA047	Channel Block C	Sub-Market Designator 7	
Market Name Lexington, KY-TN-VA-WV			
1st Build-out Date	2nd Build-out Date	3rd Build-out Date	4th Build-out Date

Waivers/Conditions:

This authorization is conditioned upon the licensee, prior to initiating operations from any base or fixed station, making reasonable efforts to coordinate frequency usage with known co-channel and adjacent channel incumbent federal users operating in the 1710-1755 MHz band whose facilities could be affected by the proposed operations. See, e.g., FCC and NTIA Coordination Procedures in the 1710-1755 MHz Band, Public Notice, FCC 06-50, WTB Docket No. 02-353, rel. April 20, 2006.

Grant of the request to update licensee name is conditioned on it not reflecting an assignment or transfer of control (see Rule 1.948); if an assignment or transfer occurred without proper notification or FCC approval, the grant is void and the station is licensed under the prior name.

Conditions:

Pursuant to §309(h) of the Communications Act of 1934, as amended, 47 U.S.C. §309(h), this license is subject to the following conditions: This license shall not vest in the licensee any right to operate the station nor any right in the use of the frequencies designated in the license beyond the term thereof nor in any other manner than authorized herein. Neither the license nor the right granted thereunder shall be assigned or otherwise transferred in violation of the Communications Act of 1934, as amended. See 47 U.S.C. § 310(d). This license is subject in terms to the right of use or control conferred by §706 of the Communications Act of 1934, as amended. See 47 U.S.C. §606.

This license may not authorize operation throughout the entire geographic area or spectrum identified on the hardcopy version. To view the specific geographic area and spectrum authorized by this license, refer to the Spectrum and Market Area information under the Market Tab of the license record in the Universal Licensing System (ULS). To view the license record, go to the ULS homepage at <http://wireless.fcc.gov/uls/index.htm?job=home> and select "License Search". Follow the instructions on how to search for license information.

EXHIBIT B

SITE DEVELOPMENT PLAN:

**500' VICINITY MAP
LEGAL DESCRIPTIONS
FLOOD PLAIN CERTIFICATION
SITE PLAN
VERTICAL TOWER PROFILE**




at&t

SITE NAME:
MYERS

SITE NUMBER:
KYL05249

PROPOSED RAW LAND SITE WITH 355' SELF-SUPPORT TOWER
W/ 15' LIGHTNING ARRESTOR AND INSTALLATION OF AN 80" x 80" WALK-IN
CABINET ON A PLATFORM & DIESEL GENERATOR ON A PLATFORM



VICINITY MAP

SCALE: NONE

DRIVE DIRECTIONS

FROM NICHOLAS COUNTY CLERK, 125 E MAIN ST. CARLISLE, KY 40311:

DEPART KY-32 / E MAIN ST TOWARD S BROADWAY ST	230 FEET
TURN LEFT TO STAY ON KY-323 / N BROADWAY ST	6.7 MILES
TURN LEFT ONTO ISHMAEL CHAPEL RD	0.6 MILES
TURN LEFT ONTO BENTLEY LN	0.5 MILES

ARRIVE AT SITE, ON THE LEFT

SCOPE OF WORK:

ZONING DRAWINGS FOR:
CONSTRUCTION OF A NEW UNMANNED TELECOMMUNICATIONS FACILITY.

SITE WORK: NEW SELF-SUPPORT TOWER, UNMANNED WALK-IN CABINET ON A STEEL PLATFORM,
GENERATOR ON A STEEL PLATFORM, AND UTILITY INSTALLATIONS.

PROJECT INFORMATION

COUNTY: NICHOLAS

SITE ADDRESS: BENTLEY LANE
CARLISLE, KY 40311

APPLICANT: NEW CINGULAR WIRELESS PCS, LLC,
A DELAWARE LIMITED LIABILITY
COMPANY, D/B/A AT&T MOBILITY
MEIDINGER TOWER
462 S. 4TH STREET, SUITE 2400
LOUISVILLE, KY 40202

LATITUDE: 38° 21' 18.23"
LONGITUDE: 83° 57' 30.40"



Know what's below.
Call before you dig.
Call Monday thru Friday: 7 am. to 6 pm.
1-800-752-6007
PER KENTUCKY STATE LAW, IT IS AGAINST THE LAW
TO EXCAVATE WITHOUT NOTIFYING THE
UNDERGROUND LOCATION SERVICE TWO (2)
WORKING DAYS BEFORE COMMENCING WORK.

SHEET INDEX

T-1 TITLE SHEET & PROJECT INFORMATION

SURVEY:

B-1 SITE SURVEY
B-1.1 SITE SURVEY
B-1.2 SITE SURVEY
B-1.3 SITE SURVEY
B-2 500' RADIUS AND ABUTTERS MAP

CIVIL:

C-1 OVERALL SITE LAYOUT
C-2 OVERALL SITE LAYOUT -CONT'D
C-3 ENLARGED COMPOUND LAYOUT
C-4 TOWER ELEVATION

CONTACT INFORMATION

FIRE DEPARTMENT
CARLISLE VOLUNTEER FIRE DEPARTMENT
PHONE: (859) 289-3720

POLICE DEPARTMENT
NICHOLAS COUNTY SHERIFF DEPARTMENT
PHONE: (859) 289-3740

ELECTRIC COMPANY
FLEMING-MASON ENERGY CO-OP INC
PHONE: (606) 845-2661

TELEPHONE COMPANY
AT&T
PHONE: (800) 288-2020

BUILDING CODES AND STANDARDS

CONTRACTOR'S WORK SHALL COMPLY WITH ALL
APPLICABLE NATIONAL, STATE AND LOCAL CODES AS
ADOPTED BY THE LOCAL AUTHORITY HAVING JURISDICTION
FOR THE LOCATION.

CONTRACTOR'S WORK SHALL COMPLY WITH THE LATEST
EDITION OF THE FOLLOWING STANDARDS:

- AMERICAN CONCRETE INSTITUTE 318
- AMERICAN INSTITUTE OF STEEL CONSTRUCTION
MANUAL OF STEEL CONSTRUCTION
- TELECOMMUNICATIONS INDUSTRY ASSOCIATION
TIA-222
- STRUCTURAL STANDARDS FOR STEEL ANTENNA
TOWER AND SUPPORTING STRUCTURES TIA-601
- COMMERCIAL BUILDING GROUNDING AND BONDING
REQUIREMENTS FOR TELECOMMUNICATIONS
- INSTITUTE FOR ELECTRICAL AND ELECTRONICS
ENGINEERS IEEE-81, IEEE 1100, IEEE C62.41
- ANSI T1.311, FOR TELECOM - DC POWER SYSTEMS
-TELECOM, ENVIRONMENTAL PROTECTION
- 2014 KBC
- 2014 NEC

FOR ANY CONFLICTS BETWEEN SECTIONS OF LISTED CODES
AND STANDARDS, THE MOST RESTRICTIVE REQUIREMENT
SHALL GOVERN.

PREPARED BY:

POD
POWER OF DESIGN
11490 BLUEGRASS PARKWAY
LOUISVILLE, KY 40299
502-437-5252

PREPARED FOR:

MasTec

PREPARED FOR:

at&t

STATE OF KENTUCKY
MARK E. PATTERSON
16300
PROFESSIONAL ENGINEER
3/8/2018

EN PERMIT: 3594

ZONING
DRAWINGS

REV	DATE	DESCRIPTION
A	01.24.18	ISSUED FOR REVIEW
O	3.7.18	ISSUED AS FINAL

SITE INFORMATION:




MYERS
BENTLEY LANE
CARLISLE, KY 40311
NICHOLAS COUNTY


SITE NUMBER:
KYL05249

POD NUMBER: 17-12729
DRAWN BY: JRS
CHECKED BY: MEP
DATE: 02.2.18

SHEET TITLE:
**TITLE SHEET
& PROJECT
INFORMATION**

SHEET NUMBER:
T-1

<div style="display: flex; align-items: center;"><div style="flex: 1;"><p>PREPARED BY:</p><p>11490 BLUEGRASS PARKWAY LOUISVILLE, KY 40299 502 437 5252</p></div><div style="flex: 2; text-align: center;"><h1 style="margin: 0;">POD</h1><p style="margin: 0;">POWER OF DESIGN</p></div></div>										
<p>PREPARED FOR:</p> <div style="display: flex; align-items: center;"><div style="margin-left: 10px;"><h2 style="margin: 0;">MasTec</h2></div></div>										
<p>PREPARED FOR:</p> <div style="display: flex; align-items: center;"><div style="margin-left: 10px;"><h2 style="margin: 0;">at&t</h2></div></div>										
<h3>SITE SURVEY</h3>										
REV	DATE	DESCRIPTION								
A	3.14.17	PRELIM ISSUE WITH TITLE								
0	3.24.17	ISSUED AS FINAL								
<p>SITE INFORMATION:</p> <p style="text-align: center; font-weight: bold; font-size: 1.2em;">MYERS</p> <p style="text-align: center;">BENTLEY LANE CARLISLE, KY 40311 NICHOLAS COUNTY</p> <p>TAX PARCEL NUMBER: 037-00-00-021.00</p> <p>PROPERTY OWNER: WILLIAM R. BENTLEY 599 ISHMAEL CHAPEL ROAD CARLISLE, KY 40311</p> <p>SOURCE OF TITLE: DEED BOOK 132, PAGE 527</p>										
<p style="text-align: center;">SITE NUMBER: KYLO5249</p>										
<table style="width: 100%;"><tr><td style="width: 60%;">POD NUMBER:</td><td>17-12731</td></tr><tr><td>DRAWN BY:</td><td>DAP</td></tr><tr><td>CHECKED BY:</td><td>MEP</td></tr><tr><td>DATE:</td><td>3.14.17</td></tr></table>			POD NUMBER:	17-12731	DRAWN BY:	DAP	CHECKED BY:	MEP	DATE:	3.14.17
POD NUMBER:	17-12731									
DRAWN BY:	DAP									
CHECKED BY:	MEP									
DATE:	3.14.17									
<p style="text-align: center;">SHEET TITLE:</p> <p style="text-align: center; font-size: 1.5em; font-weight: bold;">SITE SURVEY</p>										
<p style="text-align: center;">SHEET NUMBER:</p> <p style="text-align: center; font-size: 2em; font-weight: bold;">B-1</p>										



POD
POWER OF DESIGN
11490 BLUEGRASS PARKWAY
LOUISVILLE, KY 40299
502.437.5252

PREPARED FOR:
MasTec

PREPARED FOR:
 at&t

SITE SURVEY		
REV.	DATE	DESCRIPTION
A	3.14.17	PRELIM ISSUE WITH TITLE
D	3.24.17	ISSUED AS FINAL

SITE INFORMATION:

MYERS
BENTLEY LANE
CARLISLE, KY 40311
NICHOLAS COUNTY

TAX PARCEL NUMBER:
037-00-00-021.00

PROPERTY OWNER:
WILLIAM R. BENTLEY
599 ISHMAEL CHAPEL ROAD
CARLISLE, KY 40311

SOURCE OF TITLE:
DEED BOOK 132, PAGE 527

SITE NUMBER:
KYL05249

POD NUMBER: 17-12731


DRAWN BY: DAP

CHECKED BY: MEP

DATE: 3.14.17

SHEET TITLE:
SITE SURVEY

SHEET NUMBER:
B-1.1



PARCEL ID: 037-00-00-015.00
REBECCA D. WALLINGFORD,
MICHAEL C. CAMERON &
CYNTHIA C. HARMON
DEED BOOK 133, PAGE 695

FAA COORDINATE POINT
NAD 83
LATITUDE: 38°21'18.23"
LONGITUDE: 83°57'30.40"
NAVD 88
ELEVATION: 857'± AMSL
NORTHING: 4021917.239
EASTING: 5434949.354

TEMPORARY BENCHMARK
NORTHING: 4021854.789
EASTING: 5434967.101
ELEVATION: 854.62'
LOCATION: A SET 1/2" REBAR
W/RED CAP STAMPED "POD TRV"
N50°51'E 12.3'± FROM THE
SOUTHERN MOST CORNER OF THE
PROPOSED LEASE AREA.


1° 05' 59"
BASED ON KENTUCKY STATE
PLANE SINGLE ZONE AND
DETERMINED BY GPS OBSERVATIONS
COMPLETED ON FEBRUARY 17, 2017

GENERAL NOTES
NO SEARCH OF PUBLIC RECORDS HAS BEEN
COMPLETED BY POD GROUP TO DETERMINE ANY
DEFECTS AND/OR AMBIGUITIES IN THE TITLE OF THE
SUBJECT PROPERTY.
THIS SURVEY IS FOR THE PROPOSED LEASE AREA AND
THE PROPOSED 30' / VARIABLE WIDTH ACCESS &
UTILITY EASEMENT ONLY, AND ONLY A PARTIAL
BOUNDARY SURVEY OF THE PARENT TRACT HAS BEEN
PERFORMED.
A PORTION OF THIS SURVEY WAS CONDUCTED BY
METHOD OF RANDOM TRAVERSE WITH SIDE SHOTS.
UNADJUSTED CLOSURE EQUALS 0.09', FOR A PRECISION
OF 1:43,455 AND HAS NOT BEEN ADJUSTED.
THIS PROPERTY IS SUBJECT TO ANY RECORDED
EASEMENTS AND/OR RIGHTS OF WAY SHOWN HEREON
OR NOT.
THIS PLAT IS NOT INTENDED FOR LAND TRANSFER.
THE PARENT PARCEL, THE PROPOSED LEASE AREA AND
THE PROPOSED 30' / VARIABLE WIDTH ACCESS &
UTILITY EASEMENT SHOWN HEREON ARE NOT LOCATED
IN A 100-YEAR FLOOD PLAIN (ZONE X) PER FLOOD
HAZARD BOUNDARY MAP, COMMUNITY-PANEL
NUMBER 21181C0150C, DATED AUGUST 5, 2010.

GLOBAL POSITIONING SYSTEMS NOTE
1. RANDOM TRAVERSE POINTS AND A PORTION OF
THE TOPOGRAPHY WAS LOCATED USING GPS.
2. THE TYPE OF GPS UTILIZED WAS NETWORK
ADJUSTED REAL TIME KINEMATIC (KDOT VRS
NETWORK), NAD 83 KENTUCKY SINGLE ZONE WITH
THE ORTHOMETRIC HEIGHT COMPUTED USING
GEOID12A. RELATIVE POSITIONAL ACCURACY
VARIED FROM 0.05' TO 0.09' HORIZONTALLY.
3. SPECTRA PRECISION EPOCH 50 DUAL FREQUENCY
RECEIVERS WERE USED TO PERFORM THE SURVEY.

LAND SURVEYOR'S CERTIFICATE
I, MARK E. PATTERSON, HEREBY CERTIFY THAT I AM A
LICENSED PROFESSIONAL LAND SURVEYOR LICENSED IN
COMPLIANCE WITH THE LAWS OF THE COMMONWEALTH
OF KENTUCKY. I FURTHER CERTIFY THAT THIS PLAT AND
THE SURVEY ON THE GROUND WERE PERFORMED BY
PERSONS UNDER MY DIRECT SUPERVISION, AND THAT THE
DIRECTIONAL AND LINEAR MEASUREMENTS BEING
WITNESSED BY MONUMENTS SHOWN HEREON ARE TRUE
AND CORRECT TO THE BEST OF MY KNOWLEDGE. THE
"RURAL" SURVEY, AND THE PLAT ON WHICH IT IS BASED,
MEETS ALL SPECIFICATIONS AS STATED IN KAR 201 18:150.

Mark Patterson 3/8/2018
MARK PATTERSON, PLS #3136 DATE



LEGEND
UTILITY POLE
GUY ANCHOR
STATE PLANE COORDINATE
OHE
X
P.O.B. POINT OF BEGINNING
ROW RIGHT OF WAY
EOP EDGE OF PAVEMENT
EX. OVERHEAD ELECTRIC
EX. FENCE LINE
SET 1/2" REBAR 18" LONG
CAPPED "PATTERSON PLS 3136"
FOUND MONUMENT AS NOTED
PROPERTY LINE
ADJACENT PROPERTY LINE



PREPARED BY:
POD
POWER OF DESIGN
11490 BLUEGRASS PARKWAY
LOUISVILLE, KY 40299
502-437-5252

PREPARED FOR:
MasTec

PREPARED FOR:
at&t

SITE SURVEY

REV.	DATE	DESCRIPTION
A	3.14.17	PRELIM ISSUE WITH TITLE
0	3.24.17	ISSUED AS FINAL

SITE INFORMATION:
MYERS
BENTLEY LANE
CARLISLE, KY 40311
NICHOLAS COUNTY
TAX PARCEL NUMBER:
037-00-00-021.00
PROPERTY OWNER:
WILLIAM R. BENTLEY
599 ISHMAEL CHAPEL ROAD
CARLISLE, KY 40311
SOURCE OF TITLE:
DEED BOOK 132, PAGE 527
SITE NUMBER:
KYL05249
POD NUMBER: 17-12731
DRAWN BY: DAP
CHECKED BY: MEP
DATE: 3.14.17
SHEET TITLE:
SITE SURVEY
SHEET NUMBER:
B-1.2

LEGAL DESCRIPTIONS

PROPOSED LEASE AREA

THE FOLLOWING IS A DESCRIPTION OF THE PROPOSED LEASE AREA TO BE LEASED FROM THE PROPERTY CONVEYED TO WILLIAM R. BENTLEY AS RECORDED IN DEED BOOK 132, PAGE 527, PARCEL ID: 037-00-00-021.00, WHICH IS MORE PARTICULARLY DESCRIBED AS FOLLOWS:

BEING SITUATED ON THE SOUTH END OF BENTLEY ROAD AND BEING WEST OF MYERS ROAD (KY HWY 32) IN NICHOLAS COUNTY, KENTUCKY BEING MORE PARTICULARLY DESCRIBED AS FOLLOWS:

BEARING DATUM USED HEREIN IS BASED UPON KENTUCKY STATE PLANE COORDINATE SYSTEM, SINGLE ZONE, NAD 83, FROM A REAL TIME KINEMATIC GLOBAL POSITIONING SYSTEM OBSERVATION USING THE KENTUCKY TRANSPORTATION CABINET REAL TIME GPS NETWORK COMPLETED ON FEBRUARY 17, 2017.

BEGINNING AT A SET 1/2" REBAR WITH CAP STAMPED "PATTERSON PLS 3136" HEREAFTER REFERRED TO AS A SET IPC, BEING THE NORTHERN MOST CORNER OF THE PROPOSED LEASE AREA WITH A STATE PLANE COORDINATE, KENTUCKY SINGLE ZONE VALUE OF N:4021987.475 & E:5434941.171, ON THE PROPERTY CONVEYED TO WILLIAM R. BENTLEY AS RECORDED IN DEED BOOK 132, PAGE 527, PARCEL ID: 037-00-00-021.00; THENCE S51°38'44"E 100.00' TO A SET IPC; THENCE S38°21'16"W 100.00' TO A SET IPC, WITH A STATE PLANE COORDINATE, KENTUCKY SINGLE ZONE VALUE OF N:4021847.003 & E:5434957.537; THENCE N51°38'44"W 100.00' TO A SET IPC; THENCE N38°21'16"E 100.00' TO THE POINT OF BEGINNING CONTAINING 10,000.000 SQUARE FEET AS PER SURVEY BY MARK PATTERSON, PLS #3136 WITH POWER OF DESIGN GROUP, LLC DATED FEBRUARY 17, 2017.

PROPOSED 30' / VARIABLE WIDTH ACCESS & UTILITY EASEMENT

THE FOLLOWING IS A DESCRIPTION OF THE PROPOSED 30' / VARIABLE WIDTH ACCESS & UTILITY EASEMENT TO BE GRANTED FROM THE PROPERTY CONVEYED TO WILLIAM R. BENTLEY AS RECORDED IN DEED BOOK 132, PAGE 527, PARCEL ID: 037-00-00-021.00, WHICH IS MORE PARTICULARLY DESCRIBED AS FOLLOWS:

BEING SITUATED ON THE SOUTH END OF BENTLEY ROAD AND BEING WEST OF MYERS ROAD (KY HWY 32) IN NICHOLAS COUNTY, KENTUCKY BEING MORE PARTICULARLY DESCRIBED AS FOLLOWS:

BEARING DATUM USED HEREIN IS BASED UPON KENTUCKY STATE PLANE COORDINATE SYSTEM, SINGLE ZONE, NAD 83, FROM A REAL TIME KINEMATIC GLOBAL POSITIONING SYSTEM OBSERVATION USING THE KENTUCKY TRANSPORTATION CABINET REAL TIME GPS NETWORK COMPLETED ON FEBRUARY 17, 2017.

BEGINNING AT A SET 1/2" REBAR WITH CAP STAMPED "PATTERSON PLS 3136" HEREAFTER REFERRED TO AS A SET IPC, BEING THE NORTHERN MOST CORNER OF THE PROPOSED LEASE AREA WITH A STATE PLANE COORDINATE, KENTUCKY SINGLE ZONE VALUE OF N:4021987.475 & E:5434941.171, ON THE PROPERTY CONVEYED TO WILLIAM R. BENTLEY AS RECORDED IN DEED BOOK 132, PAGE 527, PARCEL ID: 037-00-00-021.00; THENCE WITH SAID LEASE AREA, S38°21'16"W 100.00' TO A SET IPC; THENCE LEAVING SAID LEASE AREA, N51°38'44"W 30.00'; THENCE N38°21'16"E 32.36'; THENCE WITH THE CHORD OF A CURVE TO THE LEFT HAVING A RADIUS OF 35.00', N09°43'45"E 33.54'; THENCE N18°53'46"W 18.96'; THENCE WITH THE CHORD OF A CURVE TO THE LEFT HAVING A RADIUS OF 185.00', N31°12'40"W 78.92'; THENCE N43°31'34"W 94.48'; THENCE WITH THE CHORD OF A CURVE TO THE LEFT HAVING A RADIUS OF 235.00', N56°52'38"W 108.53'; THENCE N70°13'42"W 39.16'; THENCE N59°09'18"W 19.61'; THENCE N40°44'25"E 1.64'; THENCE N49°15'35"W 22.13'; THENCE S40°44'25"W 5.50'; THENCE N59°09'18"W 141.87'; THENCE N50°31'33"W 226.49'; THENCE N44°17'59"W 62.56'; THENCE WITH THE CHORD OF A CURVE TO THE LEFT HAVING A RADIUS OF 485.00', N59°55'15"W 261.19'; THENCE N75°32'30"W 270.35' TO THE APPARENT RIGHT OF WAY OF BENTLEY ROAD AND THE NORTHWESTERN LINE OF SAID BENTLEY PROPERTY AND BEING THE SOUTHEASTERN LINE OF THE PROPERTY CONVEYED TO REBECCA D. WALLINGFORD, MICHAEL C. CAMERON & CYNTHIA C. HARMON AS RECORDED IN DEED BOOK 133, PAGE 695; THENCE WITH SAID LINE N26°44'03"E 15.64' TO A POINT WITH A STATE PLANE COORDINATE, KENTUCKY SINGLE ZONE VALUE OF N:4022708.031 & E:5433784.276; THENCE CONTINUING, N36°44'03"E 15.91'; THENCE LEAVING SAID LINE AND TRAVERSING THE LAND OF SAID BENTLEY, S75°32'30"E 261.00'; THENCE WITH THE CHORD OF A CURVE TO THE RIGHT HAVING A RADIUS OF 515.00', S59°55'15"E 277.35'; THENCE S44°17'59"E 60.93'; THENCE S50°31'33"E 222.59'; THENCE S59°09'18"E 127.55'; THENCE S40°07'45"W 4.90'; THENCE S49°52'15"E 8.00'; THENCE N40°07'45"E 6.21'; THENCE S59°09'18"E 43.11'; THENCE S70°13'42"E 36.25'; THENCE WITH THE CHORD OF A CURVE TO THE RIGHT HAVING A RADIUS OF 265.00', S56°52'38"E 122.39'; THENCE S43°31'34"E 94.48'; THENCE WITH THE CHORD OF A CURVE TO THE RIGHT HAVING A RADIUS OF 215.00', S31°53'34"E 86.71'; THENCE S51°38'44"E 50.12' TO THE POINT OF BEGINNING CONTAINING 44,154.521 SQUARE FEET AS PER SURVEY BY MARK PATTERSON, PLS #3136 WITH POWER OF DESIGN GROUP, LLC DATED FEBRUARY 17, 2017.

PARENT PARCEL LEGAL - DESCRIPTION - DEED BOOK 132, PAGE 527 (NOT FIELD SURVEYED)

TRACT NO. 1:

A CERTAIN TRACT OR PARCEL OF LAND, SITUATED IN NICHOLAS COUNTY, KY BOUNDED AND DESCRIBED AS FOLLOWS:

BEGINNING AT A SET FENCE POST CORNER TO TOM GEORGE AND G. FLACK'S OTHER LAND; THENCE N 50 E 1400 FEET TO A FENCE POST CORNER TO WEST HEIRS; THENCE WITH WEST'S HEIRS S 42 DEGREES E 624 FEET TO A STAKE; THENCE S 50 DEG. W 1377 FEET TO A STAKE IN TOM GEORGE'S; THENCE WITH TOM GEORGE'S LINE N 44 DEG. S 633 FEET TO THE POINT OF BEGINNING, CONTAINING 20 ACRES.

TRACT NO. 2:

A CERTAIN TRACT OR PARCEL OF LAND, LYING IN NICHOLAS COUNTY, KY ON THE WATERS OF LICKING RIVER AND NEAR PARKS HILL AND BOUNDED AND DESCRIBED AS FOLLOWS:

BEGINNING AT AT SET STONE CORNER TO AJ P BANTA IN WILLIAM BUCHANAN'S LINE; THENCE WITH BUCHANAN'S LINE, S 37 W, 24 POLES, S 27 W 61.60 POLES TO A SET STAKE; CORNER TO SAME IN HENRY FLORA'S HEIRS; THENCE WITH THE LINE OF SAID HEIRS S 41 3/4 E 40 POLES TO A SET STAKE CORNER TO JAMES WAGONER; THENCE WITH WAGONER'S LIEN S 44 E 13 POLES TO A SET FENCE POST CORNER TO SAME AND THOMAS GEORGE; THENCE WITH GEORGE'S LINE N 47 E 20 POLES TO A SET STAKE CORNER TO SAME; THENCE N 40 1/4 E 85.40 POLES TO A SET STAKE CORNER TO JAMES CAMERON AND THOMAS WEST; THENCE WITH WEST'S LINE N 22 W 6.80 POLES TO A SET STAKE CORNER TO SAME; THENCE N 20 E 13 POLES TO A SET STAKE CORNER TO JP BANTA; THENCE WITH BANTA'S LINE N 70 1/2 W 80 POLES TO THE BEGINNING, CONTAINING 45 ACRES AND 18 POLES, LEGAL MEASURE.

REPORT OF TITLE (PARCEL 037-00-00-021.00) NICHOLAS COUNTY

THIS SURVEY DOES NOT CONSTITUTE A TITLE SEARCH BY POD GROUP, LLC. AND AS SUCH WE ARE NOT RESPONSIBLE FOR THE INVESTIGATION OR INDEPENDENT SEARCH FOR EASEMENTS OF RECORD, ENCUMBRANCES, RESTRICTIVE COVENANTS, OWNERSHIP TITLE EVIDENCE, UNRECORDED EASEMENTS, AUGMENTING EASEMENTS, IMPLIED OR PRESCRIPTIVE EASEMENTS, OR ANY OTHER FACTS THAT AN ACCURATE AND CURRENT TITLE SEARCH MAY DISCLOSE AND THIS SURVEY WAS COMPLETED WITH THE AID OF TITLE WORK PREPARED BY US TITLE SOLUTIONS, FOR THE BENEFIT OF MASTEC NETWORK SOLUTIONS, FILE NO. 55387-KY1609-5034, REFERENCE NO. FA13800682, ISSUE DATE OF SEPTEMBER 30, 2016. THE FOLLOWING COMMENTS ARE IN REGARD TO SAID REPORT.

SCHEDULE B

1. TAXES, TAX LIENS, TAX SALES, WATER RATES, SEWER AND ASSESSMENTS SET FORTH IN SCHEDULE HEREIN.
TAX ID :037-00-00-021.00 - LAND ASSESSMENT: \$37,000.00 - BUILDING ASSESSMENT: \$37,700.00 - TOTAL ASSESSED VALUE \$37,800.00 - PERIOD :2015 - PAYMENT STATUS: PAID - TAX AMOUNT : \$393.81 (NOT A SURVEY MATTER, THEREFORE POD GROUP, LLC DID NOT EXAMINE OR ADDRESS THIS ITEM.)

2. MORTGAGES RETURNED HEREIN. {-1-}. SEE SEPARATE MORTGAGE SCHEDULE.
MORTGAGE MADE BY WILLIAM R. BENTLEY AND DORIS A. BENTLEY, HUSBAND AND WIFE TO DEPOSIT BANK OF CARLISLE IN THE SUM OF \$57,350.00 DATED AS OF 6/10/2008 RECORDED 6/10/2008 IN BOOK 126 PAGE 266. NOTES: AND BY PARTIAL RELEASE OF MORTGAGE RECORDED IN BOOK M137 PAGE 520 (RELEASES TRACT NO. 3).

3. ANY STATE OF FACTS WHICH AN ACCURATE SURVEY MIGHT SHOW OR SURVEY EXCEPTIONS SET FORTH HEREIN. (POD GROUP, LLC DID NOT PERFORM A BOUNDARY SURVEY, THEREFORE WE DID NOT ADDRESS THIS ITEM.)

4. RIGHTS OF TENANTS OR PERSON IN POSSESSION. (NOT A SURVEY MATTER, THEREFORE POD GROUP, LLC DID NOT EXAMINE OR ADDRESS THIS ITEM.)

(JUDGMENTS, LIENS AND UCC)

5. ATTORNEY'S LIEN STATEMENT WILLIAM RAY BENTLEY, FROM, V HARRY E. BUDDEN, JR., TO, RECORDED 3/7/2012 IN BOOK ML2 PAGE 42. (ATTORNEY'S LIEN AS RECORDED IN ML2, PG. 42 AFFECTS THE PARENT PARCEL, THE PROPOSED LEASE AREA AND THE PROPOSED ACCESS & UTILITY EASEMENT.)

(COVENANTS/RESTRICTIONS)

6. NONE WITHIN PERIOD SEARCHED

(EASEMENTS AND RIGHTS OF WAY)

7. EASEMENT BY WILLIAM L. CONWAY AND LEXA CONWAY, HUSBAND AND WIFE TO CITY OF CARLISLE, DATED 9/15/1993 RECORDED 10/25/1993 PAGE 4. NOTES: PIPELINE EASEMENT (EASEMENT AS RECORDED IN PAGE 4 DOES NOT AFFECT THE PARENT PARCEL, THE PROPOSED LEASE AREA AND THE PROPOSED ACCESS & UTILITY EASEMENT.)

(OTHER FILED DOCUMENTS)

8. ORDER PROBATING WILL AND APPOINTMENT OF CO-EXECUTORS OF THE ESTATE OF WILLIAM E. CONWAY A/K/A WILLIAM O. CONWAY A/K/A BILLY CONWAY IN BOOK 0 PAGE 177. (ORDER AS RECORDED IN BOOK 0, PAGE 177 DOES NOT AFFECT THE PARENT PARCEL, THE PROPOSED LEASE AREA AND THE PROPOSED ACCESS & UTILITY EASEMENT.)

9. ORDER PROBATING WILL DATED 6/20/1994 AND APPOINTING CO-EXECUTORS WITH REGARDS TO THE ESTATE OF LEXA O. CONWAY IN BOOK 0 PAGE 148. (ORDER AS RECORDED IN BOOK 0, PAGE 148 DOES NOT AFFECT THE PARENT PARCEL, THE PROPOSED LEASE AREA AND THE PROPOSED ACCESS & UTILITY EASEMENT.)

10. AFFIDAVIT OF DESCENT OF BERTHA C. CAMERON DATED 1/28/1966 RECORDED 1/28/1966 IN BOOK 61 PAGE 504. (AFFIDAVIT AS RECORDED IN BOOK 61, PAGE 504 DOES NOT AFFECT THE PARENT PARCEL, THE PROPOSED LEASE AREA AND THE PROPOSED ACCESS & UTILITY EASEMENT.)

11. AFFIDAVIT OF DESCENT OF J. MAURICE CAMERON DECEASED DATED 2/26/1968 RECORDED 2/26/1968 IN BOOK 63 PAGE 176. (AFFIDAVIT AS RECORDED IN BOOK 63, PAGE 176 DOES NOT AFFECT THE PARENT PARCEL, THE PROPOSED LEASE AREA AND THE PROPOSED ACCESS & UTILITY EASEMENT.)

12. NOTICE OF TERMINATION OF LAND CONTRACT AND GRANTING OF A RIGHT OF FIRST REFUSAL BETWEEN ESTATE OF BILLY CONWAY AND BILL BENTLEY DATED 5/11/2005 RECORDED 5/18/2005 PAGE 660. (NOTICE AS RECORDED IN PAGE 660 DESCRIBES THE SAME PROPERTY AS THE PARENT PARCEL, BUT DOES NOT AFFECT THE PARENT PARCEL, THE PROPOSED LEASE AREA AND THE PROPOSED ACCESS & UTILITY EASEMENT.)

13. CIVIL ACTION BETWEEN ESTATE OF LEXA O. CONWAY, BY AND THROUGH MICHAEL CONWAY AND EMILY CONWAY CONLEY DATED 8/14/2009 RECORDED 8/17/2009 IN INSTRUMENT NO. 07-CI-0061. (CIVIL ACTION #07-CI-00061, DOES NOT AFFECT THE PARENT PARCEL, THE PROPOSED LEASE AREA AND THE PROPOSED ACCESS & UTILITY EASEMENT.)

14. PROPERTY SETTLEMENT AGREEMENT BETWEEN WILLIAM RAY BENTLEY AND DORIS ANN BENTLEY DATED 11/2/2011 RECORDED 11/8/2011 IN INSTRUMENT NO. 10-CI-00133. (AGREEMENT #10-CI-00133, DOES NOT AFFECT THE PARENT PARCEL, THE PROPOSED LEASE AREA AND THE PROPOSED ACCESS & UTILITY EASEMENT.)

LAND SURVEYOR'S CERTIFICATE

I, MARK E. PATTERSON, HEREBY CERTIFY THAT I AM A LICENSED PROFESSIONAL LAND SURVEYOR LICENSED IN COMPLIANCE WITH THE LAWS OF THE COMMONWEALTH OF KENTUCKY. I FURTHER CERTIFY THAT THIS PLAT AND THE SURVEY ON THE GROUND WERE PERFORMED BY PERSONS UNDER MY DIRECT SUPERVISION, AND THAT THE DIRECTIONAL AND LINEAR MEASUREMENTS BEING WITNESSED BY MONUMENTS SHOWN HEREON ARE TRUE AND CORRECT TO THE BEST OF MY KNOWLEDGE. THE "RURAL" SURVEY, AND THE PLAT ON WHICH IT IS BASED, MEETS ALL SPECIFICATIONS AS STATED IN KAR 201 18:150.



Mark Patterson 3/8/2018

MARK PATTERSON, PLS #3136 DATE

PREPARED BY:



PREPARED FOR:



PREPARED FOR:



SITE SURVEY

REV.	DATE	DESCRIPTION
A	3.14.17	PRELIM ISSUE WITH TITLE
0	3.24.17	ISSUED AS FINAL

SITE INFORMATION:

MYERS
BENTLEY LANE
CARLISLE, KY 40311
NICHOLAS COUNTY

TAX PARCEL NUMBER:
037-00-00-021.00

PROPERTY OWNER:
WILLIAM R. BENTLEY
599 ISHMAEL CHAPEL ROAD
CARISLE, KY 40311

SOURCE OF TITLE:
DEED BOOK 132, PAGE 527

SITE NUMBER:
KYLO5249

POD NUMBER: 17-12731


DRAWN BY: DAP
CHECKED BY: MEP
DATE: 3.14.17

SHEET TITLE:

SITE SURVEY

SHEET NUMBER:

B-1.3



- PARCEL ID: 037-00-00-021.00
BENTLEY WILLIAM R
599 ISHMAEL CHAPEL RD
CARLISLE, KY 40311
- PARCEL ID: 037-00-00-015.00
WALLINGFORD REBECCA D ET AL
c/o CYNTHIA C HARMON
6265 DAYS MILL RD
HILLSBORO, KY 41049
- PARCEL ID: 037-00-00-016.00
REINHARDT KENNETH A & DARYLE S
319 POPLAR THICKETT RD
ALEXANDRIA, KY 41001
- PARCEL ID: 037-00-00-016.00
REINHARDT KENNETH A & DARYLE S
319 POPLAR THICKETT RD
ALEXANDRIA, KY 41001
- PARCEL ID: 037-00-00-022.00
BERNDT JAMES F
4197 WOODLAND DR
BRIDGMAN, MI 49106
- PARCEL ID: 037-00-00-023.00
GEORGE RONDALL T EST
c/o LINDA GEORGE
1860 SLATE HILL RD
MOORESBURG, TN 37811
- PARCEL ID: 037-00-00-011.00
CAMERON DONALD CONWAY JR EST
c/o MANDI CAMERON
227 E NORTH ST PAT 302
CARLISLE, KY 40311

- GENERAL NOTE:
1. ALL INFORMATION SHOWN HEREON WAS OBTAINED FROM THE RECORDS OF THE NICHOLAS COUNTY KENTUCKY PROPERTY VALUATION ADMINISTRATION OFFICE ON FEBRUARY 17, 2017 AND RE-VERIFIED ON JANUARY 3, 2018. THE PROPERTY VALUATION ADMINISTRATION RECORDS MAY NOT REFLECT THE CURRENT OWNERS AND ADDRESSES DUE TO THE INACCURACIES AND TIME LAPSE IN UPDATING FILES. POD AND THE COUNTY PROPERTY VALUATION ADMINISTRATION EXPRESSLY DISCLAIMS ANY WARRANTY FOR THE CONTENT AND ANY ERRORS CONTAINED IN THEIR FILES
 2. THIS MAP IS FOR GENERAL INFORMATIONAL PURPOSES ONLY AND IS NOT A BOUNDARY SURVEY
 3. NOT FOR RECORDING OR PROPERTY TRANSFER.

STATE OF KENTUCKY
MARK E. PATTERSON
3136
LICENSED PROFESSIONAL
LAND SURVEYOR

3/8/2018
MARK PATTERSON, PLS #3136

CERTIFICATE
I HEREBY CERTIFY THAT THIS EXHIBIT PERTAINING TO THE ADJOINING PROPERTY OWNERS PER PVA RECORDS WAS PREPARED UNDER MY DIRECT SUPERVISION. NO BOUNDARY SURVEYING OF ANY KIND HAS BEEN PERFORMED FOR THIS EXHIBIT.

PREPARED BY:

POWER OF DESIGN
11490 BLUEGRASS PARKWAY
LOUISVILLE, KY 40299
502-437-5252

PREPARED FOR:

PREPARED FOR:

EXHIBIT		
REV.	DATE	DESCRIPTION
A	1.3.18	ISSUED FOR REVIEW
O	2.28.18	ISSUED AS FINAL
SITE INFORMATION:		
MYERS		
BENTLEY LANE		
CARLISLE, KY 40311		
NICHOLAS COUNTY		
TAX PARCEL NUMBER:		
037-00-00-021.00		
PROPERTY OWNER:		
WILLIAM R. BENTLEY		
599 ISHMAEL CHAPEL ROAD		
CARISLE, KY 40311		
SOURCE OF TITLE:		
DEED BOOK 132, PAGE 527		

SITE NUMBER: KYL05249	
POD NUMBER:	17-12732
DRAWN BY:	CPM
CHECKED BY:	MEP
DATE:	1.3.18
SHEET TITLE:	
500' RADIUS AND ABUTTERS MAP	
SHEET NUMBER:	
B-2	



PREPARED BY:
POD
POWER OF DESIGN
11490 BLUEGRASS PARKWAY
LOUISVILLE, KY 40299
502-437-5252

PREPARED FOR:
MasTec

PREPARED FOR:
at&t

STATE OF KENTUCKY
MARK E. PATTERSON
16,300
PROFESSIONAL ENGINEER
5/8/2018

EN PERMIT: 3594

ZONING
DRAWINGS

REV	DATE	DESCRIPTION
A	01.24.18	ISSUED FOR REVIEW
0	3.7.18	ISSUED AS FINAL

SITE INFORMATION:

MYERS
BENTLEY LANE
CARLISLE, KY 40311
NICHOLAS COUNTY
SITE NUMBER:
KYLO5249

POD NUMBER: 17-12729


DRAWN BY: JRS
CHECKED BY: MEP
DATE: 02.2.18

SHEET TITLE:

OVERALL
SITE LAYOUT


SHEET NUMBER:

C-1



Know what's below.
Call before you dig.
Call Monday thru Friday - 7 am. to 6 pm.
1-800-752-6007

PER KENTUCKY STATE LAW, IT IS AGAINST THE LAW
TO EXCAVATE WITHOUT NOTIFYING THE
UNDERGROUND LOCATION SERVICE TWO (2)
WORKING DAYS BEFORE COMMENCING WORK.




Know what's below.
Call before you dig.
Call Monday thru Friday - 7 am. to 6 pm.
1-800-752-6007
PER KENTUCKY STATE LAW, IT IS AGAINST THE LAW
TO EXCAVATE WITHOUT NOTIFYING THE
UNDERGROUND LOCATION SERVICE TWO (2)
WORKING DAYS BEFORE COMMENCING WORK.

EQUIPMENT ENLARGEMENT
NOT TO SCALE

LEGEND

- EXISTING UTILITY POLE
- EXISTING GUY ANCHOR
- EXISTING BOUNDARY
- PROPOSED ACCESS & UTILITY EASEMENT
- PROPOSED FENCE LINE
- EXISTING FENCE LINE



PREPARED BY:
POD
POWER OF DESIGN
11490 BLUEGRASS PARKWAY
LOUISVILLE, KY 40299
502-437-5252

PREPARED FOR:
MasTec

PREPARED FOR:
 at&t

STATE OF KENTUCKY
MARK E. PATTERSON
16,300
PROFESSIONAL ENGINEER
3/8/2018
EN PERMIT: 3594

**ZONING
DRAWINGS**

REV	DATE	DESCRIPTION
A	01.24.18	ISSUED FOR REVIEW
O	3.7.18	ISSUED AS FINAL

SITE INFORMATION:

MYERS
BENTLEY LANE
CARLISLE, KY 40311
NICHOLAS COUNTY
SITE NUMBER:
KYL05249


POD NUMBER: 17-12729

DRAWN BY: JRS
CHECKED BY: MEP
DATE: 02.2.18

SHEET TITLE:

**OVERALL
SITE LAYOUT
- CONT'D**

SHEET NUMBER:
C-2




PER KENTUCKY STATE LAW, IT IS AGAINST THE LAW
TO EXCAVATE WITHOUT NOTIFYING THE
UNDERGROUND LOCATION SERVICE TWO (2)
WORKING DAYS BEFORE COMMENCING WORK.

	PROPOSED ACCESS & UTILITY EASEMENT
	PROPOSED FENCE LINE
	PROPOSED ELECTRIC CONDUIT
	PROPOSED FIBER CONDUIT

C-3

TOWER NOTES:

- 1. THE PROPOSED TOWER, FOUNDATION, ANTENNA MOUNTS, AND ANTENNAS WERE DESIGNED BY OTHERS.
- 2. THE TOWER ELEVATION SHOWN IS FOR REFERENCE ONLY.
- 3. SEE TOWER MANUFACTURER'S DRAWINGS FOR TOWER AND FOUNDATION DETAILS & SPECIFICATIONS.
- 4. MANUFACTURER'S DRAWINGS SUPERCEDE A&E DRAWINGS.



PREPARED BY:

POD
POWER OF DESIGN

11490 BLUEGRASS PARKWAY
LOUISVILLE, KY 40299
502-437-5252

PREPARED FOR:

MasTec

PREPARED FOR:

at&t

STATE OF KENTUCKY

MARK E. PATTERSON
16,300

PROFESSIONAL ENGINEER

3/8/2018

EN PERMIT: 3594

ZONING DRAWINGS

REV	DATE	DESCRIPTION
A	01.24.18	ISSUED FOR REVIEW
0	3.7.18	ISSUED AS FINAL

SITE INFORMATION:

MYERS
BENTLEY LANE
CARLISLE, KY 40311

NICHOLAS COUNTY

SITE NUMBER:
KYLO5249

POD NUMBER: 17-12729

DRAWN BY: JRS
CHECKED BY: MEP
DATE: 02.2.18

SHEET TITLE:

TOWER ELEVATION

SHEET NUMBER:

C-4

EXHIBIT C
TOWER AND FOUNDATION DESIGN



Structural Design Report

355' S3TL Series HD1 Self-Supporting Tower

Site: Myers, KY


Site Number: KYL05249

Prepared for: AT&T
by: Sabre Towers & Poles™


Job Number: 403959

March 7, 2018

Tower Profile.....	1-2
Foundation Design Summary.....	3
Maximum Leg Loads.....	4
Maximum Diagonal Loads.....	5
Maximum Foundation Loads.....	6
Calculations.....	7-30



Legs	14.00 OD X .500				12.75 OD X .500				10.75 OD X .500				8.625 OD X .500				A	B	C	D
Diagonals	E	F	G	H	G	H	I	G	L	K	J	K	L	M	N	L	M	N		
Horizontals	O	P	R	P	I	P	I	P	Q											
Internals	R	P	R	P	R	P	S	P	S											
Sub-Diagonals	R	P	T	P	S	P	S	P	S											
Sub-Horizontals	T	P	T	P	S	P	S	P	S											
Brace Bolts					(2) 3/4"	(2) 3/4"	(2) 3/4"	(2) 3/4"	(2) 3/4"	(1) 3/4"	(1) 3/4"	(1) 3/4"	(1) 3/4"	(1) 3/4"	(1) 3/4"	(1) 3/4"	(1) 3/4"	(1) 3/4"	(1) 3/4"	(1) 3/4"
Top Face Width	35'	33'	33'	31'	29'	27'	25'	23'	21'	19'	17'	15'	13'	11'	9'	7'	5'	5'	5'	5'
Panel Count/Height	V	W	V	W	V	W	V	W	V	W	V	W	V	W	V	W	V	W	V	V
Section Weight	11102	10149	9209	8503	8158	7543	6864	6207	6058	5782	5592	4444	4007	3759	2785	2167	1757	595		



Designed Appurtenance Loading

Elev	Description	Tx-Line
360	(1) Extendible Lightning Rod	
350	(1) 278 sq. ft. EPA 6000# (no ice)	(18) 1 5/8"
338	(1) 208 sq. ft. EPA 4000# (no ice)	(18) 1 5/8"
326	(1) 208 sq. ft. EPA 4000# (no ice)	(18) 1 5/8"
314	(1) 208 sq. ft. EPA 4000# (no ice)	(18) 1 5/8"

Base Reactions

Total Foundation		Individual Footing	
Shear (kips)	140.6	Shear (kips)	86.23
Axial (kips)	383.83	Compression (kips)	955
Moment (ft-kips)	28849	Uplift (kips)	824
Torsion (ft-kips)	-63.88		

Notes

- 1) All legs are A500 (50 ksi Min. Yield).
- 2) All braces are A572 Grade 50.
- 3) All brace bolts are A325-X.
- 4) The tower model is S3TL Series HD1.
- 5) Transmission lines are to be attached to standard 12 hole waveguide ladders with stackable hangers.
- 6) Azimuths are relative (not based on true north).
- 7) Foundation loads shown are maximums.
- 8) (6) 1 3/4" dia. F1554 grade 105 anchor bolts per leg. Minimum 65.5" embedment from top of concrete to top of nut.
- 9) All unequal angles are oriented with the short leg vertical.
- 10) Weights shown are estimates. Final weights may vary.
- 11) This tower was designed for a basic wind speed of 89 mph with 0" of radial ice, and 30 mph with 3/4" of radial ice, in accordance with ANSI/TIA-222-G, Structure Class II, Exposure Category C, Topographic Category 1.
- 12) The foundation loads shown are factored loads.
- 13) The tower design meets the requirements for an Ultimate Wind Speed of 115 mph (Risk Category II), in accordance with the 2012 International Building Code.
- 14) Tower Rating: 99.77%

Sabre Industries
Towers and Poles

Sabre Communications Corporation
7101 Southbridge Drive
P.O. Box 658
Sioux City, IA 51102-0658
Phone: (712) 258-6690
Fax: (712) 279-0814

Information contained herein is the sole property of Sabre Communications Corporation, constitutes a trade secret as defined by Iowa Code Ch. 550 and shall not be reproduced, copied or used in whole or part for any purpose whatsoever without the prior written consent of Sabre Communications Corporation.

Job:	403959
Customer:	AT&T
Site Name:	Myers, KY KYL05249
Description:	355' S3TL
Date:	3/7/2018
By:	REB

Material List


Display	Value
A	5.563 OD X .500
B	5.563 OD X .375
C	4.000 OD X .318
D	2.375 OD X .154
E	L 6 X 4 X 3/8
F	L 5 X 5 X 3/8
G	L 5 X 3 1/2 X 5/16 (SLV)
H	L 4 X 4 X 3/8
I	L 4 X 4 X 5/16
J	L 4 X 3 1/2 X 1/4 (SLV)
K	L 3 1/2 X 3 X 1/4 (SLV)
L	L 2 X 2 X 1/4

Display	Value
M	L 2 X 2 X 5/16
N	L 2 X 2 X 1/8
O	L 5 X 5 X 5/16
P	NONE
Q	L 4 X 4 X 1/4
R	L 3 1/2 X 3 1/2 X 1/4
S	L 3 X 3 X 1/4
T	L 3 X 3 X 5/16
U	L 2 1/2 X 2 1/2 X 1/4
V	1 @ 13.333'
W	1 @ 6.667'


 Sabre Industries Towers and Poles	Sabre Communications Corporation 7101 Southbridge Drive P.O. Box 658 Sioux City, IA 51102-0658 Phone: (712) 258-6690 Fax: (712) 279-0814		Job: 403959
			Customer: AT&T
			Site Name: Myers, KY KYL05249
			Description: 355' S3TL
	<small>Information contained herein is the sole property of Sabre Communications Corporation, constitutes a trade secret as defined by Iowa Code Ch. 550 and shall not be reproduced, copied or used in whole or part for any purpose whatsoever without the prior written consent of Sabre Communications Corporation.</small>		Date: 3/7/2018 By: REB

Customer: AT&T
Site: Myers, KY KYL05249

355 ft. Model S3TL Series HD1 Self Supporting Tower At
89 mph Wind with no ice and 30 mph Wind with 0.75 in. Ice per ANSI/TIA-222-G.



PLAN VIEW



ELEVATION VIEW

(171.65 Cu. Yds.)
(1 REQD.; NOT TO SCALE)

CAUTION: Center of
tower is not in center
of slab.

Notes:

- 1). Concrete shall have a minimum 28-day compressive strength of 4500 PSI, in accordance with ACI 318-11.
- 2). Rebar to conform to ASTM specification A615 Grade 60.
- 3). All rebar to have a minimum of 3" concrete cover.
- 4). All exposed concrete corners to be chamfered 3/4".
- 5.) The foundation design is based on the geotechnical report by POD project no. 17-12727, dated: 2/20/18


- 6). See the geotechnical report for compaction requirements, if specified.
- 7). The foundation is based on the following factored loads:
Factored download (kips) = 164.82
Factored overturn (kip-ft) = 28848.84
Factored shear (kips) = 140.6

- 8). 4.25 ft of soil cover is required over the entire area of the foundation slab.


Rebar Schedule per Mat and per Pier

Pier	(22) #9 vertical rebar w/ hooks at bottom w/ #4 Rebar ties, two (2) within top 5" of pier then 9" C/C
Mat	(80) #11 horizontal rebar evenly spaced each way top and bottom. (320 total)

Maximum




Maximum




Maximum

TOTAL FOUNDATION LOADS (kip, ft-kip)



INDIVIDUAL FOOTING LOADS (kip)



403959

Latticed Tower Analysis (Unguyed)
 Processed under license at:

(c)2015 Guymast Inc. 416-736-7453

Sabre Towers and Poles

on: 7 mar 2018 at: 11:46:29

MAST GEOMETRY (ft)

PANEL TYPE	NO.OF LEGS	ELEV.AT BOTTOM	ELEV.AT TOP	F.W..AT BOTTOM	F.W..AT TOP	TYPICAL PANEL HEIGHT
X	3	350.00	355.00	5.00	5.00	5.00
X	3	340.00	350.00	5.00	5.00	5.00
X	3	335.00	340.00	5.00	5.00	5.00
X	3	320.00	335.00	5.00	5.00	5.00
X	3	315.00	320.00	5.50	5.00	5.00
X	3	300.00	315.00	7.00	5.50	5.00
X	3	280.00	300.00	9.00	7.00	5.00
X	3	260.00	280.00	11.00	9.00	6.67
X	3	240.00	260.00	13.00	11.00	6.67
X	3	220.00	240.00	15.00	13.00	6.67
X	3	200.00	220.00	17.00	15.00	10.00
X	3	180.00	200.00	19.00	17.00	10.00
X	3	160.00	180.00	21.00	19.00	10.00
X	3	140.00	160.00	23.00	21.00	10.00
X	3	120.00	140.00	25.00	23.00	10.00
X	3	100.00	120.00	27.00	25.00	10.00
V	3	93.33	100.00	27.67	27.00	6.67
A	3	80.00	93.33	29.00	27.67	13.33
V	3	73.33	80.00	29.67	29.00	6.67
A	3	60.00	73.33	31.00	29.67	13.33
V	3	53.33	60.00	31.67	31.00	6.67
A	3	40.00	53.33	33.00	31.67	13.33
V	3	33.33	40.00	33.67	33.00	6.67
A	3	20.00	33.33	35.00	33.67	13.33
V	3	13.33	20.00	35.67	35.00	6.67
A	3	0.00	13.33	37.00	35.67	13.33

MEMBER PROPERTIES

MEMBER TYPE	BOTTOM ELEV ft	TOP ELEV ft	X-SECTN AREA in.sq	RADIUS OF GYRAT in	ELASTIC MODULUS ksi	THERMAL EXPANSN /deg
LE	340.00	355.00	1.075	0.787	29000.	0.0000117
LE	320.00	340.00	3.678	0.787	29000.	0.0000117
LE	300.00	320.00	6.111	0.787	29000.	0.0000117
LE	280.00	300.00	7.952	0.787	29000.	0.0000117
LE	220.00	280.00	12.763	0.787	29000.	0.0000117
LE	140.00	220.00	16.101	0.787	29000.	0.0000117
LE	40.00	140.00	19.242	0.787	29000.	0.0000117
LE	0.00	40.00	21.206	0.787	29000.	0.0000117
DI	340.00	355.00	0.484	0.626	29000.	0.0000117
DI	320.00	340.00	1.152	0.626	29000.	0.0000117
DI	300.00	320.00	0.938	0.626	29000.	0.0000117
DI	260.00	300.00	0.902	0.626	29000.	0.0000117
DI	220.00	260.00	1.090	0.626	29000.	0.0000117
DI	200.00	220.00	1.562	0.626	29000.	0.0000117
DI	180.00	200.00	1.812	0.626	29000.	0.0000117
DI	120.00	180.00	1.938	0.626	29000.	0.0000117
DI	93.33	120.00	2.402	0.626	29000.	0.0000117
DI	80.00	93.33	2.559	0.626	29000.	0.0000117
DI	73.33	80.00	2.402	0.626	29000.	0.0000117
DI	60.00	73.33	2.559	0.626	29000.	0.0000117
DI	53.33	60.00	2.859	0.626	29000.	0.0000117
DI	40.00	53.33	2.559	0.626	29000.	0.0000117
DI	33.33	40.00	2.859	0.626	29000.	0.0000117
DI	20.00	33.33	2.559	0.626	29000.	0.0000117
DI	13.33	20.00	3.609	0.626	29000.	0.0000117
DI	0.00	13.33	3.609	0.626	29000.	0.0000117
HO	350.00	355.00	0.484	0.626	29000.	0.0000117
HO	335.00	340.00	1.152	0.626	29000.	0.0000117

403959						
HO	315.00	320.00	0.938	0.626	29000.	0.0000117
HO	80.00	93.33	1.938	0.626	29000.	0.0000117
HO	60.00	73.33	2.402	0.626	29000.	0.0000117
HO	40.00	53.33	2.402	0.626	29000.	0.0000117
HO	20.00	33.33	2.859	0.626	29000.	0.0000117
HO	0.00	13.33	3.027	0.626	29000.	0.0000117
BR	80.00	93.33	1.438	0.000	29000.	0.0000117
BR	60.00	73.33	1.438	0.000	29000.	0.0000117
BR	40.00	53.33	1.688	0.000	29000.	0.0000117
BR	20.00	33.33	1.688	0.000	29000.	0.0000117
BR	0.00	13.33	1.688	0.000	29000.	0.0000117

FACTORED MEMBER RESISTANCES

=====

BOTTOM ELEV ft	TOP ELEV ft	LEGS		DIAGONALS		HORIZONTALS		INT COMP kip	BRACING TENS kip
		COMP kip	TENS kip	COMP kip	TENS kip	COMP kip	TENS kip		
350.0	355.0	31.48	48.15	7.16	7.16	5.82	5.82	0.00	0.00
340.0	350.0	31.48	48.15	7.16	7.16	0.00	0.00	0.00	0.00
335.0	340.0	142.05	165.60	15.19	15.19	13.39	13.39	0.00	0.00
320.0	335.0	142.05	165.60	15.19	15.19	0.00	0.00	0.00	0.00
315.0	320.0	254.38	274.95	14.32	14.32	10.95	10.95	0.00	0.00
300.0	315.0	254.38	274.95	14.32	14.32	0.00	0.00	0.00	0.00
280.0	300.0	329.84	357.75	13.03	13.03	0.00	0.00	0.00	0.00
260.0	280.0	544.40	457.90	9.84	9.84	0.00	0.00	0.00	0.00
240.0	260.0	544.40	457.90	13.34	13.34	0.00	0.00	0.00	0.00
220.0	240.0	544.40	576.00	10.34	10.34	0.00	0.00	0.00	0.00
200.0	220.0	668.86	512.85	11.62	11.62	0.00	0.00	0.00	0.00
180.0	200.0	668.86	724.50	14.82	14.82	0.00	0.00	0.00	0.00
160.0	180.0	668.86	724.50	15.77	15.77	0.00	0.00	0.00	0.00
140.0	160.0	668.86	724.50	13.43	13.43	0.00	0.00	0.00	0.00
120.0	140.0	818.52	865.80	14.31	14.31	0.00	0.00	0.00	0.00
100.0	120.0	818.52	865.80	15.70	15.70	0.00	0.00	0.00	0.00
93.3	100.0	844.46	865.80	20.02	20.02	0.00	0.00	0.00	0.00
80.0	93.3	844.46	865.80	30.51	30.51	15.60	15.60	7.41	7.41
73.3	80.0	844.46	865.80	18.24	18.24	0.00	0.00	0.00	0.00
60.0	73.3	844.46	865.80	28.50	28.50	17.32	17.32	6.59	6.59
53.3	60.0	844.46	865.80	20.16	20.16	0.00	0.00	0.00	0.00
40.0	53.3	844.46	865.80	27.07	27.07	15.58	15.58	9.00	9.00
33.3	40.0	935.10	954.45	18.47	18.47	0.00	0.00	0.00	0.00
20.0	33.3	935.10	954.45	25.28	25.28	16.75	16.75	8.14	8.14
13.3	20.0	935.10	954.45	30.93	30.93	0.00	0.00	0.00	0.00
0.0	13.3	935.10	954.45	41.90	41.90	25.86	25.86	7.39	7.39

* Only 3 condition(s) shown in full

* Some wind loads may have been derived from full-scale wind tunnel testing

LOADING CONDITION A

89 mph wind with no ice. Wind Azimuth: 0°

MAST LOADING

=====

LOAD TYPE	ELEV ft	APPLY..LOAD..AT		LOAD AZIFORCES.....	MOMENTS.....	
		RADIUS ft	AZI		HORIZ kip	DOWN kip	VERTICAL ft-kip	TORSNAL ft-kip
C	360.0	0.00	0.0	0.0	0.30	0.15	0.00	0.00
C	350.0	0.00	0.0	0.0	10.74	7.20	0.00	0.00
C	338.0	0.00	0.0	0.0	7.97	4.80	0.00	0.00
C	326.0	0.00	0.0	0.0	7.91	4.80	0.00	0.00
C	314.0	0.00	0.0	0.0	7.85	4.80	0.00	0.00
D	355.0	0.00	180.0	0.0	0.07	0.04	0.00	0.00
D	350.0	0.00	180.0	0.0	0.07	0.04	0.00	0.00
D	350.0	0.00	42.0	0.0	0.14	0.06	0.06	0.11
D	340.0	0.00	42.0	0.0	0.14	0.06	0.06	0.11
D	340.0	0.00	63.7	0.0	0.18	0.15	0.06	0.12
D	335.0	0.00	63.7	0.0	0.18	0.15	0.06	0.12
D	335.0	0.00	76.5	0.0	0.18	0.14	0.06	0.13
D	330.0	0.00	76.5	0.0	0.18	0.14	0.06	0.13

403959

D	330.0	0.00	80.5	0.0	0.19	0.15	0.06	0.12
D	325.0	0.00	80.5	0.0	0.19	0.15	0.06	0.12
D	325.0	0.00	102.0	0.0	0.21	0.17	0.05	0.07
D	320.0	0.00	102.0	0.0	0.21	0.17	0.05	0.07
D	320.0	0.00	103.3	0.0	0.23	0.20	0.04	0.07
D	315.0	0.00	103.3	0.0	0.23	0.20	0.04	0.07
D	315.0	0.00	104.8	0.0	0.23	0.21	0.01	0.06
D	300.0	0.00	180.0	0.0	0.24	0.22	0.00	0.06
D	300.0	0.00	180.0	0.0	0.24	0.24	0.00	0.06
D	280.0	0.00	180.0	0.0	0.25	0.25	0.00	0.05
D	280.0	0.00	180.0	0.0	0.26	0.30	0.00	0.06
D	260.0	0.00	180.0	0.0	0.26	0.30	0.00	0.05
D	260.0	0.00	180.0	0.0	0.27	0.32	0.00	0.05
D	240.0	0.00	180.0	0.0	0.28	0.32	0.00	0.05
D	240.0	0.00	180.0	0.0	0.28	0.32	0.00	0.05
D	220.0	0.00	180.0	0.0	0.29	0.33	0.00	0.05
D	220.0	0.00	180.0	0.0	0.28	0.37	0.00	0.05
D	170.0	0.00	180.0	0.0	0.30	0.41	0.00	0.05
D	170.0	0.00	180.0	0.0	0.31	0.41	0.00	0.05
D	140.0	0.00	180.0	0.0	0.31	0.42	0.00	0.05
D	140.0	0.00	180.0	0.0	0.32	0.46	0.00	0.05
D	120.0	0.00	180.0	0.0	0.32	0.47	0.00	0.05
D	120.0	0.00	180.0	0.0	0.32	0.50	0.00	0.05
D	100.0	0.00	180.0	0.0	0.32	0.51	0.00	0.05
D	100.0	0.00	180.0	0.0	0.29	0.48	0.00	0.05
D	93.3	0.00	180.0	0.0	0.29	0.48	0.00	0.05
D	93.3	0.00	180.0	0.0	0.34	0.56	0.00	0.05
D	80.0	0.00	180.0	0.0	0.34	0.56	0.00	0.05
D	80.0	0.00	180.0	0.0	0.28	0.48	0.00	0.04
D	73.3	0.00	180.0	0.0	0.28	0.48	0.00	0.04
D	73.3	0.00	180.0	0.0	0.33	0.59	0.00	0.04
D	60.0	0.00	180.0	0.0	0.33	0.59	0.00	0.04
D	60.0	0.00	180.0	0.0	0.27	0.52	0.00	0.04
D	53.3	0.00	180.0	0.0	0.27	0.52	0.00	0.04
D	53.3	0.00	180.0	0.0	0.32	0.61	0.00	0.04
D	40.0	0.00	180.0	0.0	0.32	0.61	0.00	0.04
D	40.0	0.00	180.0	0.0	0.26	0.55	0.00	0.04
D	33.3	0.00	180.0	0.0	0.26	0.55	0.00	0.04
D	33.3	0.00	180.0	0.0	0.31	0.67	0.00	0.04
D	20.0	0.00	180.0	0.0	0.31	0.67	0.00	0.04
D	20.0	0.00	180.0	0.0	0.24	0.61	0.00	0.03
D	13.3	0.00	180.0	0.0	0.24	0.61	0.00	0.03
D	13.3	0.00	180.0	0.0	0.29	0.73	0.00	0.03
D	0.0	0.00	180.0	0.0	0.29	0.73	0.00	0.03

SUPPRESS PRINTING
=====

LOADS INPUT	...FOR THIS LOADING...		MAXIMUMS.....			
	DISPL	MEMBER FORCES	FOUNDN LOADS	ALL	DISPL	MEMBER FORCES	FOUNDN LOADS
no	yes	yes	yes	no	no	no	no

LOADING CONDITION M =====

89 mph wind with no ice. Wind Azimuth: 0°

MAST LOADING
=====

LOAD TYPE	ELEV ft	APPLY.. RADIUS ft	LOAD..AT AZI	LOAD AZIFORCES.....	MOMENTS.....	
					HORIZ kip	DOWN kip	VERTICAL ft-kip	TORSNAL ft-kip
C	360.0	0.00	0.0	0.0	0.30	0.12	0.00	0.00
C	350.0	0.00	0.0	0.0	10.74	5.40	0.00	0.00
C	338.0	0.00	0.0	0.0	7.97	3.60	0.00	0.00
C	326.0	0.00	0.0	0.0	7.91	3.60	0.00	0.00
C	314.0	0.00	0.0	0.0	7.85	3.60	0.00	0.00
D	355.0	0.00	180.0	0.0	0.07	0.03	0.00	0.00
D	350.0	0.00	180.0	0.0	0.07	0.03	0.00	0.00
D	350.0	0.00	42.0	0.0	0.14	0.04	0.04	0.11

403959

D	340.0	0.00	42.0	0.0	0.14	0.04	0.04	0.11
D	340.0	0.00	63.7	0.0	0.18	0.11	0.04	0.12
D	330.0	0.00	76.5	0.0	0.18	0.11	0.05	0.13
D	330.0	0.00	80.5	0.0	0.19	0.11	0.04	0.12
D	325.0	0.00	80.5	0.0	0.19	0.11	0.04	0.12
D	325.0	0.00	102.0	0.0	0.21	0.13	0.03	0.07
D	320.0	0.00	102.0	0.0	0.21	0.13	0.03	0.07
D	320.0	0.00	103.3	0.0	0.23	0.15	0.03	0.07
D	315.0	0.00	103.3	0.0	0.23	0.15	0.03	0.07
D	315.0	0.00	104.8	0.0	0.23	0.16	0.00	0.06
D	300.0	0.00	180.0	0.0	0.24	0.17	0.00	0.06
D	300.0	0.00	180.0	0.0	0.24	0.18	0.00	0.06
D	280.0	0.00	180.0	0.0	0.25	0.19	0.00	0.05
D	280.0	0.00	180.0	0.0	0.26	0.23	0.00	0.06
D	260.0	0.00	180.0	0.0	0.26	0.23	0.00	0.05
D	260.0	0.00	180.0	0.0	0.27	0.24	0.00	0.05
D	240.0	0.00	180.0	0.0	0.28	0.24	0.00	0.05
D	240.0	0.00	180.0	0.0	0.28	0.24	0.00	0.05
D	220.0	0.00	180.0	0.0	0.29	0.25	0.00	0.05
D	220.0	0.00	180.0	0.0	0.28	0.28	0.00	0.05
D	170.0	0.00	180.0	0.0	0.30	0.30	0.00	0.05
D	170.0	0.00	180.0	0.0	0.31	0.31	0.00	0.05
D	140.0	0.00	180.0	0.0	0.31	0.32	0.00	0.05
D	140.0	0.00	180.0	0.0	0.32	0.35	0.00	0.05
D	120.0	0.00	180.0	0.0	0.32	0.35	0.00	0.05
D	120.0	0.00	180.0	0.0	0.32	0.38	0.00	0.05
D	100.0	0.00	180.0	0.0	0.32	0.38	0.00	0.05
D	100.0	0.00	180.0	0.0	0.29	0.36	0.00	0.05
D	93.3	0.00	180.0	0.0	0.29	0.36	0.00	0.05
D	93.3	0.00	180.0	0.0	0.34	0.42	0.00	0.05
D	80.0	0.00	180.0	0.0	0.34	0.42	0.00	0.05
D	80.0	0.00	180.0	0.0	0.28	0.36	0.00	0.04
D	73.3	0.00	180.0	0.0	0.28	0.36	0.00	0.04
D	73.3	0.00	180.0	0.0	0.33	0.44	0.00	0.04
D	60.0	0.00	180.0	0.0	0.33	0.44	0.00	0.04
D	60.0	0.00	180.0	0.0	0.27	0.39	0.00	0.04
D	53.3	0.00	180.0	0.0	0.27	0.39	0.00	0.04
D	53.3	0.00	180.0	0.0	0.32	0.46	0.00	0.04
D	40.0	0.00	180.0	0.0	0.32	0.46	0.00	0.04
D	40.0	0.00	180.0	0.0	0.26	0.42	0.00	0.04
D	33.3	0.00	180.0	0.0	0.26	0.42	0.00	0.04
D	33.3	0.00	180.0	0.0	0.31	0.50	0.00	0.04
D	20.0	0.00	180.0	0.0	0.31	0.50	0.00	0.04
D	20.0	0.00	180.0	0.0	0.24	0.46	0.00	0.03
D	13.3	0.00	180.0	0.0	0.24	0.46	0.00	0.03
D	13.3	0.00	180.0	0.0	0.29	0.55	0.00	0.03
D	0.0	0.00	180.0	0.0	0.29	0.55	0.00	0.03

SUPPRESS PRINTING
=====

LOADS INPUT	...FOR THIS LOADING..	MAXIMUMS.....				
	DISPL	MEMBER FORCES	FOUNDN LOADS	ALL	DISPL	MEMBER FORCES	FOUNDN LOADS
no	yes	yes	yes	no	no	no	no

LOADING CONDITION Y =====

30 mph wind with 0.75 ice. wind Azimuth: 0♦

MAST LOADING
=====

LOAD TYPE	ELEV ft	APPLY.. RADIUS ft	LOAD..AT AZI	LOAD AZIFORCES.....	MOMENTS.....	
					HORIZ kip	DOWN kip	VERTICAL ft-kip	TORSNAL ft-kip
C	360.0	0.00	0.0	0.0	0.05	0.31	0.00	0.00
C	350.0	0.00	0.0	0.0	1.35	18.60	0.00	0.00
C	338.0	0.00	0.0	0.0	1.64	12.37	0.00	0.00
C	326.0	0.00	0.0	0.0	1.62	12.34	0.00	0.00
C	314.0	0.00	0.0	0.0	1.61	12.32	0.00	0.00

```

                                403959
D   355.0      0.00  180.0    0.0      0.01      0.18      0.00      0.00
D   350.0      0.00  180.0    0.0      0.01      0.18      0.00      0.00
D   350.0      0.00   42.0    0.0      0.01      0.26      0.22      0.01
D   340.0      0.00   42.0    0.0      0.01      0.26      0.22      0.01
D   340.0      0.00   68.9    0.0      0.02      0.43      0.21      0.01
D   335.0      0.00   68.9    0.0      0.02      0.43      0.21      0.01
D   335.0      0.00   86.3    0.0      0.02      0.42      0.23      0.01
D   330.0      0.00   86.3    0.0      0.02      0.42      0.23      0.01
D   330.0      0.00   88.3    0.0      0.02      0.44      0.21      0.01
D   325.0      0.00   88.3    0.0      0.02      0.44      0.21      0.01
D   325.0      0.00  102.0    0.0      0.02      0.51      0.13      0.01
D   320.0      0.00  102.0    0.0      0.02      0.51      0.13      0.01
D   320.0      0.00  103.3    0.0      0.02      0.59      0.13      0.01
D   315.0      0.00  103.3    0.0      0.02      0.59      0.13      0.01
D   315.0      0.00  104.8    0.0      0.02      0.61      0.02      0.00
D   310.0      0.00  104.8    0.0      0.02      0.61      0.02      0.00
D   310.0      0.00  180.0    0.0      0.02      0.63      0.00      0.00
D   300.0      0.00  180.0    0.0      0.02      0.63      0.00      0.00
D   300.0      0.00  180.0    0.0      0.02      0.67      0.00      0.00
D   280.0      0.00  180.0    0.0      0.02      0.70      0.00      0.00
D   280.0      0.00  217.0    0.0      0.03      0.75      0.00      0.00
D   260.0      0.00  180.0    0.0      0.03      0.76      0.00      0.00
D   260.0      0.00  180.0    0.0      0.03      0.79      0.00      0.00
D   240.0      0.00  180.0    0.0      0.03      0.81      0.00      0.00
D   240.0      0.00  202.5    0.0      0.03      0.82      0.00      0.00
D   220.0      0.00  202.3    0.0      0.03      0.84      0.00      0.00
D   220.0      0.00  194.3    0.0      0.03      0.85      0.00      0.00
D   190.0      0.00  193.9    0.0      0.03      0.90      0.00      0.00
D   190.0      0.00  188.0    0.0      0.03      0.92      0.00      0.00
D   160.0      0.00  204.1    0.0      0.03      0.95      0.00      0.00
D   160.0      0.00  190.1    0.0      0.03      0.96      0.00      0.00
D   140.0      0.00  180.3    0.0      0.03      0.97      0.00      0.00
D   140.0      0.00  195.2    0.0      0.03      1.03      0.00      0.00
D   100.0      0.00  191.1    0.0      0.03      1.09      0.00      0.00
D   100.0      0.00  186.6    0.0      0.03      1.00      0.00      0.00
D   93.3       0.00  186.6    0.0      0.03      1.00      0.00      0.00
D   93.3       0.00  189.0    0.0      0.03      1.26      0.00      0.00
D   80.0       0.00  189.0    0.0      0.03      1.26      0.00      0.00
D   80.0       0.00  196.1    0.0      0.03      1.01      0.00      0.00
D   73.3       0.00  196.1    0.0      0.03      1.01      0.00      0.00
D   73.3       0.00  195.8    0.0      0.03      1.30      0.00      0.00
D   60.0       0.00  195.8    0.0      0.03      1.30      0.00      0.00
D   60.0       0.00  188.3    0.0      0.03      1.04      0.00      0.00
D   53.3       0.00  188.3    0.0      0.03      1.04      0.00      0.00
D   53.3       0.00  190.1    0.0      0.03      1.32      0.00      0.00
D   40.0       0.00  190.1    0.0      0.03      1.32      0.00      0.00
D   40.0       0.00  194.3    0.0      0.02      1.07      0.00      0.00
D   33.3       0.00  194.3    0.0      0.02      1.07      0.00      0.00
D   33.3       0.00  190.7    0.0      0.03      1.38      0.00      0.00
D   20.0       0.00  190.7    0.0      0.03      1.38      0.00      0.00
D   20.0       0.00  189.1    0.0      0.02      1.18      0.00      0.00
D   13.3       0.00  189.1    0.0      0.02      1.18      0.00      0.00
D   13.3       0.00  182.4    0.0      0.03      1.55      0.00      0.00
D   0.0        0.00  182.4    0.0      0.03      1.55      0.00      0.00

```

SUPPRESS PRINTING
=====

LOADS INPUT	...FOR THIS LOADING...		MAXIMUMS.....			
	DISPL	MEMBER FORCES	FOUNDN LOADS	ALL	DISPL	MEMBER FORCES	FOUNDN LOADS
no	yes	yes	yes	no	no	no	no

=====

MAXIMUM MAST DISPLACEMENTS:

=====

ELEV ft	-----DEFLECTIONS (ft)-----				--TILTS (DEG)---		TWIST DEG
	NORTH	EAST	DOWN	NORTH	EAST		
355.0	6.211 G	-5.977 D	0.096 G	2.567 G	2.473 J	-0.168 R	
350.0	5.988 G	-5.762 D	0.091 G	2.571 G	2.476 J	-0.168 R	
345.0	5.758 G	-5.541 D	0.086 G	2.547 G	2.453 J	-0.166 R	
340.0	5.536 G	-5.327 D	0.081 G	2.477 G	2.385 J	-0.162 R	
335.0	5.319 G	-5.118 D	0.076 G	2.441 G	2.350 J	-0.159 R	
330.0	5.107 G	-4.914 D	0.071 G	2.382 G	2.293 J	-0.155 R	

403959						
325.0	4.898 G	-4.713 D	0.067 G	2.299 G	2.213 J	-0.150 R
320.0	4.699 G	-4.521 D	0.063 G	2.184 G	2.103 J	-0.144 R
315.0	4.508 G	-4.338 D	0.060 G	2.106 G	2.028 J	-0.137 R
310.0	4.326 G	-4.162 D	0.056 G	2.025 G	-1.951 D	-0.131 R
305.0	4.148 G	-3.991 D	0.053 G	1.938 G	-1.867 D	-0.125 R
300.0	3.981 G	-3.830 D	0.050 G	1.849 G	-1.781 D	-0.120 R
295.0	3.819 G	-3.673 D	0.048 G	1.779 G	-1.714 D	-0.115 R
290.0	3.664 G	-3.524 D	0.045 G	1.709 G	-1.646 D	-0.110 R
285.0	3.514 G	-3.380 D	0.043 G	1.638 G	-1.578 D	-0.105 R
280.0	3.372 G	-3.242 D	0.041 G	1.568 G	-1.510 D	-0.101 R
273.3	3.188 G	-3.065 D	0.039 e	1.510 G	-1.455 D	-0.095 R
266.7	3.011 G	-2.895 D	0.039 e	1.454 G	-1.400 D	-0.090 R
260.0	2.840 G	-2.731 D	0.038 e	1.397 G	-1.345 D	-0.085 R
253.3	2.677 G	-2.574 D	0.037 e	1.341 G	-1.291 D	-0.080 R
246.7	2.520 G	-2.423 D	0.037 e	1.286 G	-1.238 D	-0.076 R
240.0	2.370 G	-2.278 D	0.036 e	1.231 G	-1.185 D	-0.072 R
233.3	2.225 G	-2.139 D	0.035 e	1.177 G	-1.133 D	-0.068 R
226.7	2.088 G	-2.007 D	0.034 e	1.124 G	-1.082 D	-0.064 R
220.0	1.956 G	-1.879 D	0.034 e	1.072 G	-1.031 D	-0.060 R
210.0	1.770 G	-1.700 D	0.033 e	1.010 G	-0.971 D	-0.056 R
200.0	1.595 G	-1.532 D	0.031 e	0.949 G	-0.913 D	-0.052 R
190.0	1.430 G	-1.374 D	0.030 e	0.888 G	-0.855 D	-0.049 R
180.0	1.276 G	-1.226 D	0.029 e	0.829 G	-0.798 D	-0.045 R
170.0	1.133 G	-1.087 D	0.028 e	0.771 G	-0.741 D	-0.042 R
160.0	0.998 G	-0.958 D	0.026 e	0.713 G	-0.686 D	-0.039 R
150.0	0.873 G	-0.838 D	0.025 e	0.657 G	-0.631 D	-0.036 R
140.0	0.758 G	-0.728 D	0.024 e	0.600 G	-0.577 D	-0.032 R
130.0	0.652 G	-0.625 D	0.022 e	0.554 G	-0.533 D	-0.029 R
120.0	0.552 G	-0.530 D	0.021 e	0.509 G	-0.489 D	-0.026 R
110.0	0.457 G	-0.439 D	0.019 e	0.463 G	-0.445 D	-0.023 R
100.0	0.368 G	-0.353 D	0.018 e	0.416 G	-0.400 D	-0.020 R
93.3	0.325 G	-0.311 D	0.017 e	0.388 G	-0.373 D	-0.019 R
80.0	0.236 G	-0.226 D	0.015 e	0.328 G	-0.315 D	-0.016 R
73.3	0.202 G	-0.193 D	0.014 e	0.300 G	-0.288 D	-0.014 R
60.0	0.134 G	-0.128 D	0.011 e	0.240 G	-0.231 D	-0.011 R
53.3	0.110 G	-0.105 D	0.010 e	0.213 G	-0.204 D	-0.010 R
40.0	0.062 G	-0.059 D	0.007 e	0.154 G	-0.148 D	-0.007 R
33.3	0.048 G	-0.045 D	0.007 Y	0.130 G	-0.124 D	-0.006 R
20.0	0.017 S	0.016 V	0.004 f	0.077 G	-0.074 D	-0.003 R
13.3	0.007 S	-0.007 P	0.003 Y	0.052 G	-0.050 D	-0.002 R
0.0	0.000 A	0.000 A	0.000 A	0.000 A	0.000 A	0.000 A

MAXIMUM TENSION IN MAST MEMBERS (kip)

=====

ELEV ft	LEGS	DIAG	HORIZ	BRACE
355.0	-----	-----	1.29 A	0.00 A
	0.91 S	2.06 G		
350.0	-----	-----	0.21 G	0.00 A
	5.32 M	5.56 H		
345.0	-----	-----	0.27 I	0.00 A
	19.89 M	5.85 T		
340.0	-----	-----	0.46 Y	0.00 A
	35.23 M	8.51 M		
335.0	-----	-----	0.32 A	0.00 A
	59.36 M	10.54 B		
330.0	-----	-----	0.06 S	0.00 A
	84.94 M	11.49 T		
325.0	-----	-----	0.34 A	0.00 A
	116.27 M	15.02 B		
320.0	-----	-----	0.61 U	0.00 A
	144.73 M	9.84 M		
315.0	-----	-----	0.31 A	0.00 A
	169.33 M	11.16 H		
310.0	-----	-----	0.06 A	0.00 A
	192.61 M	10.84 T		
305.0	-----	-----	0.26 A	0.00 A
	215.92 M	10.32 H		
300.0	-----	-----	0.08 A	0.00 A
	235.48 M	9.71 N		
295.0	-----	-----	0.17 A	0.00 A
	254.46 M	9.43 H		
290.0	-----	-----	0.09 A	0.00 A
	271.09 M	9.07 T		
285.0	-----	-----	0.14 A	0.00 A
	287.32 M	8.94 B		
280.0	-----	-----	0.08 A	0.00 A

			403959		
	304.16 M	9.44 T			
273.3	-----	-----	0.13 A	0.00 A	
	322.90 M	9.29 B			
266.7	-----	-----	0.08 A	0.00 A	
	339.99 M	9.14 T			
260.0	-----	-----	0.11 A	0.00 A	
	356.59 M	9.13 T			
253.3	-----	-----	0.07 A	0.00 A	
	372.11 M	9.12 T			
246.7	-----	-----	0.09 A	0.00 A	
	387.33 M	9.20 N			
240.0	-----	-----	0.06 A	0.00 A	
	401.82 M	9.28 T			
233.3	-----	-----	0.13 A	0.00 A	
	416.08 M	9.41 N			
226.7	-----	-----	0.06 A	0.00 A	
	429.86 M	9.55 N			
220.0	-----	-----	0.11 A	0.00 A	
	446.57 M	10.65 N			
210.0	-----	-----	0.10 A	0.00 A	
	466.12 M	10.83 N			
200.0	-----	-----	0.10 A	0.00 A	
	485.24 M	11.07 T			
190.0	-----	-----	0.09 A	0.00 A	
	503.93 M	11.36 N			
180.0	-----	-----	0.09 A	0.00 A	
	522.36 M	11.71 T			
170.0	-----	-----	0.08 A	0.00 A	
	540.54 M	12.09 N			
160.0	-----	-----	0.06 A	0.00 A	
	558.59 M	12.49 T			
150.0	-----	-----	0.07 A	0.00 A	
	576.49 M	12.90 N			
140.0	-----	-----	0.06 A	0.00 A	
	594.28 M	13.34 T			
130.0	-----	-----	0.05 A	0.00 A	
	611.91 M	13.80 N			
120.0	-----	-----	0.04 O	0.00 A	
	629.53 M	14.28 T			
110.0	-----	-----	0.08 S	0.00 A	
	647.00 M	14.74 T			
100.0	-----	-----	0.35 A	0.00 A	
	667.68 M	15.61 T			
93.3	-----	-----	1.20 M	0.00 H	
	666.35 M	20.45 T			
80.0	-----	-----	0.30 A	0.00 A	
	702.31 M	16.54 T			
73.3	-----	-----	1.18 M	0.00 J	
	700.93 M	21.20 T			
60.0	-----	-----	0.30 A	0.00 A	
	736.79 M	17.45 T			
53.3	-----	-----	1.14 M	0.00 U	
	735.35 M	21.92 T			
40.0	-----	-----	0.27 A	0.00 A	
	770.92 M	18.31 T			
33.3	-----	-----	1.07 Q	0.00 I	
	769.34 M	22.56 T			
20.0	-----	-----	0.09 A	0.00 I	
	804.46 M	19.09 T			
13.3	-----	-----	1.00 U	0.00 O	
	802.72 M	23.12 T			
0.0	-----	-----	0.00 A	0.00 A	

MAXIMUM COMPRESSION IN MAST MEMBERS (kip)

ELEV ft	LEGS	DIAG	HORIZ	BRACE
355.0	-----	-----	-1.30 G	0.00 A
	-1.09 A	-2.04 A		
350.0	-----	-----	-0.20 M	0.00 A
	-9.86 G	-5.58 B		
345.0	-----	-----	-0.20 O	0.00 A
	-24.66 G	-5.95 H		

340.0	-----	-0.17 S	403959 0.00 A
	-41.85 G -8.90 G		
335.0	-----	-0.25 S	0.00 A
	-68.51 G -10.33 T		
330.0	-----	-0.08 A	0.00 A
	-94.86 G -11.66 B		
325.0	-----	-0.27 S	0.00 A
	-129.58 G -14.95 T		
320.0	-----	-0.76 C	0.00 A
	-158.27 G -10.34 G		
315.0	-----	-0.26 S	0.00 A
	-186.77 G -11.00 T		
310.0	-----	-0.06 S	0.00 A
	-211.00 G -11.03 H		
305.0	-----	-0.23 S	0.00 A
	-235.60 G -10.22 T		
300.0	-----	-0.07 S	0.00 A
	-255.81 G -9.84 H		
295.0	-----	-0.15 S	0.00 A
	-276.01 G -9.36 T		
290.0	-----	-0.08 S	0.00 A
	-293.46 G -9.17 H		
285.0	-----	-0.13 S	0.00 A
	-310.87 G -8.90 T		
280.0	-----	-0.07 S	0.00 A
	-328.86 G -9.53 B		
273.3	-----	-0.11 S	0.00 A
	-349.35 G -9.27 T		
266.7	-----	-0.07 S	0.00 A
	-367.95 G -9.21 H		
260.0	-----	-0.09 S	0.00 A
	-386.29 G -9.12 N		
253.3	-----	-0.06 S	0.00 A
	-403.45 G -9.18 B		
246.7	-----	-0.08 S	0.00 A
	-420.47 G -9.20 T		
240.0	-----	-0.06 S	0.00 A
	-436.67 G -9.33 B		
233.3	-----	-0.11 S	0.00 A
	-452.77 G -9.42 H		
226.7	-----	-0.05 S	0.00 A
	-468.36 G -9.59 B		
220.0	-----	-0.10 S	0.00 A
	-487.51 G -10.69 H		
210.0	-----	-0.09 S	0.00 A
	-510.15 G -10.88 B		
200.0	-----	-0.09 S	0.00 A
	-532.45 G -11.12 B		
190.0	-----	-0.08 S	0.00 A
	-554.36 G -11.42 H		
180.0	-----	-0.07 S	0.00 A
	-576.11 G -11.75 B		
170.0	-----	-0.07 S	0.00 A
	-597.66 G -12.14 H		
160.0	-----	-0.06 S	0.00 A
	-619.20 G -12.53 B		
150.0	-----	-0.06 S	0.00 A
	-640.62 G -12.95 H		
140.0	-----	-0.05 S	0.00 A
	-662.13 G -13.39 B		
130.0	-----	-0.04 S	0.00 A
	-683.66 G -13.86 H		
120.0	-----	-0.04 I	0.00 A
	-705.34 G -14.31 B		
110.0	-----	-0.09 A	0.00 A
	-727.00 G -14.79 H		
100.0	-----	-0.32 S	0.00 A
	-751.53 G -15.71 G		
93.3	-----	-1.42 G	0.00 O
	-753.30 G -20.52 H		
80.0	-----	-0.26 S	0.00 A
	-795.01 G -16.71 G		
73.3	-----	-1.40 G	0.00 S
	-796.86 G -21.28 B		
60.0	-----	-0.26 S	0.00 A
	-838.79 G -17.57 H		
53.3	-----	-1.36 G	0.00 D
	-840.72 G -21.99 B		
40.0	-----	-0.23 S	0.00 A
	-882.59 G -18.43 B		

403959

33.3	-----		-1.30 K	0.00 M
	-884.70 G	-22.63 B		
20.0	-----		-0.08 S	0.00 M
	-926.56 G	-19.18 H		
13.3	-----		-1.25 C	0.00 M
	-928.88 G	-23.17 H		
0.0	-----		0.00 A	0.00 A

FORCE/RESISTANCE RATIO IN LEGS

=====

MAST ELEV ft	-- LEG COMPRESSION --			---- LEG TENSION ----		
	MAX COMP	COMP RESIST	FORCE/ RESIST RATIO	MAX TENS	TENS RESIST	FORCE/ RESIST RATIO

355.00	-----			-----		
	1.09	31.48	0.03	0.91	48.15	0.02
350.00	-----			-----		
	9.86	31.48	0.31	5.32	48.15	0.11
345.00	-----			-----		
	24.66	31.48	0.78	19.89	48.15	0.41
340.00	-----			-----		
	41.85	142.05	0.29	35.23	165.60	0.21
335.00	-----			-----		
	68.51	142.05	0.48	59.36	165.60	0.36
330.00	-----			-----		
	94.86	142.05	0.67	84.94	165.60	0.51
325.00	-----			-----		
	129.58	142.05	0.91	116.27	165.60	0.70
320.00	-----			-----		
	158.27	254.38	0.62	144.73	274.95	0.53
315.00	-----			-----		
	186.77	254.38	0.73	169.33	274.95	0.62
310.00	-----			-----		
	211.00	254.38	0.83	192.61	274.95	0.70
305.00	-----			-----		
	235.60	254.38	0.93	215.92	274.95	0.79
300.00	-----			-----		
	255.81	329.84	0.78	235.48	357.75	0.66
295.00	-----			-----		
	276.01	329.84	0.84	254.46	357.75	0.71
290.00	-----			-----		
	293.46	329.84	0.89	271.09	357.75	0.76
285.00	-----			-----		
	310.87	329.84	0.94	287.32	357.75	0.80
280.00	-----			-----		
	328.86	544.40	0.60	304.16	457.90	0.66
273.33	-----			-----		
	349.35	544.40	0.64	322.90	457.90	0.71
266.67	-----			-----		
	367.95	544.40	0.68	339.99	457.90	0.74
260.00	-----			-----		
	386.29	544.40	0.71	356.59	457.90	0.78
253.33	-----			-----		
	403.45	544.40	0.74	372.11	457.90	0.81
246.67	-----			-----		
	420.47	544.40	0.77	387.33	457.90	0.85
240.00	-----			-----		
	436.67	544.40	0.80	401.82	576.00	0.70
233.33	-----			-----		
	452.77	544.40	0.83	416.08	576.00	0.72
226.67	-----			-----		
	468.36	544.40	0.86	429.86	576.00	0.75
220.00	-----			-----		
	487.51	668.86	0.73	446.57	512.85	0.87
210.00	-----			-----		
	510.15	668.86	0.76	466.12	512.85	0.91
200.00	-----			-----		
	532.45	668.86	0.80	485.24	724.50	0.67
190.00	-----			-----		
	554.36	668.86	0.83	503.93	724.50	0.70
180.00	-----			-----		
	576.11	668.86	0.86	522.36	724.50	0.72
170.00	-----			-----		
	597.66	668.86	0.89	540.54	724.50	0.75
160.00	-----			-----		
	619.20	668.86	0.93	558.59	724.50	0.77
150.00	-----			-----		

						403959
	640.62	668.86	0.96	576.49	724.50	0.80
140.00	662.13	818.52	0.81	594.28	865.80	0.69
130.00	683.66	818.52	0.84	611.91	865.80	0.71
120.00	705.34	818.52	0.86	629.53	865.80	0.73
110.00	727.00	818.52	0.89	647.00	865.80	0.75
100.00	751.53	844.46	0.89	667.68	865.80	0.77
93.33	753.30	844.46	0.89	666.35	865.80	0.77
80.00	795.01	844.46	0.94	702.31	865.80	0.81
73.33	796.86	844.46	0.94	700.93	865.80	0.81
60.00	838.79	844.46	0.99	736.79	865.80	0.85
53.33	840.72	844.46	1.00	735.35	865.80	0.85
40.00	882.59	935.10	0.94	770.92	954.45	0.81
33.33	884.70	935.10	0.95	769.34	954.45	0.81
20.00	926.56	935.10	0.99	804.46	954.45	0.84
13.33	928.88	935.10	0.99	802.72	954.45	0.84
0.00						

FORCE/RESISTANCE RATIO IN DIAGONALS

=====

MAST ELEV ft	- DIAG COMPRESSION -			--- DIAG TENSION ---		
	MAX COMP	COMP RESIST	FORCE/ RESIST RATIO	MAX TENS	TENS RESIST	FORCE/ RESIST RATIO
355.00	2.04	7.16	0.28	2.06	7.16	0.29
350.00	5.58	7.16	0.78	5.56	7.16	0.78
345.00	5.95	7.16	0.83	5.85	7.16	0.82
340.00	8.90	15.19	0.59	8.51	15.19	0.56
335.00	10.33	15.19	0.68	10.54	15.19	0.69
330.00	11.66	15.19	0.77	11.49	15.19	0.76
325.00	14.95	15.19	0.98	15.02	15.19	0.99
320.00	10.34	14.32	0.72	9.84	14.32	0.69
315.00	11.00	14.32	0.77	11.16	14.32	0.78
310.00	11.03	14.32	0.77	10.84	14.32	0.76
305.00	10.22	14.32	0.71	10.32	14.32	0.72
300.00	9.84	13.03	0.76	9.71	13.03	0.75
295.00	9.36	13.03	0.72	9.43	13.03	0.72
290.00	9.17	13.03	0.70	9.07	13.03	0.70
285.00	8.90	13.03	0.68	8.94	13.03	0.69
280.00	9.53	9.84	0.97	9.44	9.84	0.96
273.33	9.27	9.84	0.94	9.29	9.84	0.94
266.67	9.21	9.84	0.94	9.14	9.84	0.93
260.00	9.12	13.34	0.68	9.13	13.34	0.68
253.33	9.18	13.34	0.69	9.12	13.34	0.68
246.67						

						403959
	9.20	13.34	0.69	9.20	13.34	0.69
240.00	9.33	10.34	0.90	9.28	10.34	0.90
233.33	9.42	10.34	0.91	9.41	10.34	0.91
226.67	9.59	10.34	0.93	9.55	10.34	0.92
220.00	10.69	11.62	0.92	10.65	11.62	0.92
210.00	10.88	11.62	0.94	10.83	11.62	0.93
200.00	11.12	14.82	0.75	11.07	14.82	0.75
190.00	11.42	14.82	0.77	11.36	14.82	0.77
180.00	11.75	15.77	0.75	11.71	15.77	0.74
170.00	12.14	15.77	0.77	12.09	15.77	0.77
160.00	12.53	13.43	0.93	12.49	13.43	0.93
150.00	12.95	13.43	0.96	12.90	13.43	0.96
140.00	13.39	14.31	0.94	13.34	14.31	0.93
130.00	13.86	14.31	0.97	13.80	14.31	0.96
120.00	14.31	15.70	0.91	14.28	15.70	0.91
110.00	14.79	15.70	0.94	14.74	15.70	0.94
100.00	15.71	20.02	0.78	15.61	20.02	0.78
93.33	20.52	30.51	0.67	20.45	30.51	0.67
80.00	16.71	18.24	0.92	16.54	18.24	0.91
73.33	21.28	28.50	0.75	21.20	28.50	0.74
60.00	17.57	20.16	0.87	17.45	20.16	0.87
53.33	21.99	27.07	0.81	21.92	27.07	0.81
40.00	18.43	18.47	1.00	18.31	18.47	0.99
33.33	22.63	25.28	0.90	22.56	25.28	0.89
20.00	19.18	30.93	0.62	19.09	30.93	0.62
13.33	23.17	41.90	0.55	23.12	41.90	0.55
0.00						

FORCE/RESISTANCE RATIO IN HORIZONTALS

=====

MAST ELEV ft	- HORIZ COMPRESSION -			--- HORIZ TENSION ---		
	MAX COMP	COMP RESIST	FORCE/ RESIST RATIO	MAX TENS	TENS RESIST	FORCE/ RESIST RATIO
355.00	1.30	5.82	0.22	1.29	5.82	0.22
350.00	0.20	0.00	N/A	0.21	0.00	N/A
345.00	Resistances values are not provided for this range.					
340.00	0.17	13.39	0.01	0.46	13.39	0.03
335.00	0.25	0.00	N/A	0.32	0.00	N/A
330.00	Resistances values are not provided for this range.					
325.00	Resistances values are not provided for this range.					
320.00	0.76	10.95	0.07	0.61	10.95	0.06
315.00	0.26	0.00	N/A	0.31	0.00	N/A
310.00	Resistances values are not provided for this range.					
305.00	Resistances values are not provided for this range.					
300.00	0.07	0.00	N/A	0.08	0.00	N/A
295.00	Resistances values are not provided for this range.					
290.00	Resistances values are not provided for this range.					
285.00	Resistances values are not provided for this range.					
280.00	0.07	0.00	N/A	0.08	0.00	N/A
273.33	Resistances values are not provided for this range.					
266.67	Resistances values are not provided for this range.					
260.00	0.09	0.00	N/A	0.11	0.00	N/A

403959

253.33	Resistances values are not provided for this range.
246.67	Resistances values are not provided for this range.
240.00	0.06 0.00 N/A 0.06 0.00 N/A
233.33	Resistances values are not provided for this range.
226.67	Resistances values are not provided for this range.
220.00	0.10 0.00 N/A 0.11 0.00 N/A
210.00	Resistances values are not provided for this range.
200.00	0.09 0.00 N/A 0.10 0.00 N/A
190.00	Resistances values are not provided for this range.
180.00	0.07 0.00 N/A 0.09 0.00 N/A
170.00	Resistances values are not provided for this range.
160.00	0.06 0.00 N/A 0.06 0.00 N/A
150.00	Resistances values are not provided for this range.
140.00	0.05 0.00 N/A 0.06 0.00 N/A
130.00	Resistances values are not provided for this range.
120.00	0.04 0.00 N/A 0.04 0.00 N/A
110.00	Resistances values are not provided for this range.
100.00	0.32 0.00 N/A 0.35 0.00 N/A
93.33	1.42 15.60 0.09 1.20 15.60 0.08
80.00	0.26 0.00 N/A 0.30 0.00 N/A
73.33	1.40 17.32 0.08 1.18 17.32 0.07
60.00	0.26 0.00 N/A 0.30 0.00 N/A
53.33	1.36 15.58 0.09 1.14 15.58 0.07
40.00	0.23 0.00 N/A 0.27 0.00 N/A
33.33	1.30 16.75 0.08 1.07 16.75 0.06
20.00	0.08 0.00 N/A 0.09 0.00 N/A
13.33	1.25 25.86 0.05 1.00 25.86 0.04

FORCE/RESISTANCE RATIO IN INTERNAL BRACING

MAST ELEV ft	- BRACE COMPRESSION -			--- BRACE TENSION ---		
	MAX COMP	COMP RESIST	FORCE/ RESIST RATIO	MAX TENS	TENS RESIST	FORCE/ RESIST RATIO
355.00	0.00	0.00	N/A	0.00	0.00	N/A
350.00	0.00	0.00	N/A	0.00	0.00	N/A
345.00	Resistances values are not provided for this range.					
340.00	0.00	0.00	N/A	0.00	0.00	N/A
335.00	0.00	0.00	N/A	0.00	0.00	N/A
330.00	Resistances values are not provided for this range.					
325.00	Resistances values are not provided for this range.					
320.00	0.00	0.00	N/A	0.00	0.00	N/A
315.00	0.00	0.00	N/A	0.00	0.00	N/A
310.00	Resistances values are not provided for this range.					
305.00	Resistances values are not provided for this range.					
300.00	0.00	0.00	N/A	0.00	0.00	N/A
295.00	Resistances values are not provided for this range.					
290.00	Resistances values are not provided for this range.					
285.00	Resistances values are not provided for this range.					
280.00	0.00	0.00	N/A	0.00	0.00	N/A
273.33	Resistances values are not provided for this range.					
266.67	Resistances values are not provided for this range.					
260.00	0.00	0.00	N/A	0.00	0.00	N/A
253.33	Resistances values are not provided for this range.					
246.67	Resistances values are not provided for this range.					
240.00	0.00	0.00	N/A	0.00	0.00	N/A
233.33	Resistances values are not provided for this range.					
226.67	Resistances values are not provided for this range.					
220.00	0.00	0.00	N/A	0.00	0.00	N/A
210.00	Resistances values are not provided for this range.					
200.00	0.00	0.00	N/A	0.00	0.00	N/A
190.00	Resistances values are not provided for this range.					
180.00	0.00	0.00	N/A	0.00	0.00	N/A
170.00	Resistances values are not provided for this range.					
160.00	0.00	0.00	N/A	0.00	0.00	N/A
150.00	Resistances values are not provided for this range.					
140.00	0.00	0.00	N/A	0.00	0.00	N/A
130.00	Resistances values are not provided for this range.					
120.00	0.00	0.00	N/A	0.00	0.00	N/A
110.00	Resistances values are not provided for this range.					
100.00	0.00	0.00	N/A	0.00	0.00	N/A
93.33	0.00	7.41	0.00	0.00	7.41	0.00
80.00	0.00	0.00	N/A	0.00	0.00	N/A
73.33	0.00	6.59	0.00	0.00	6.59	0.00
60.00	0.00	0.00	N/A	0.00	0.00	N/A
53.33	0.00	9.00	0.00	0.00	9.00	0.00
40.00	0.00	0.00	N/A	0.00	0.00	N/A
33.33	0.00	8.14	0.00	0.00	8.14	0.00

20.00	0.00	0.00	N/A	0.00	0.00	403959
13.33	0.00	7.39	0.00	0.00	7.39	N/A
						0.00

MAXIMUM INDIVIDUAL FOUNDATION LOADS: (kip)

=====

-----LOAD-----	COMPONENTS-----	TOTAL
NORTH	EAST DOWN UPLIFT	SHEAR
86.23 G	74.26 K 955.26 G -824.41 M	86.23 G

MAXIMUM TOTAL LOADS ON FOUNDATION : (kip & kip-ft)

=====

-----HORIZONTAL-----	DOWN	-----OVERTURNING-----	TORSION
NORTH EAST TOTAL		NORTH EAST TOTAL	
@ 0.0		@ 0.0	
140.6 -133.6 140.6	383.8	28848.8 -27634.0 28848.8	-63.9
G D G	Y	G D G	R

Latticed Tower Analysis (Unguyed)
Processed under license at:

(c)2015 Guymast Inc. 416-736-7453

Sabre Towers and Poles

on: 7 mar 2018 at: 11:47:20

***** Service Load Condition *****

* Only 1 condition(s) shown in full
* Some wind loads may have been derived from full-scale wind tunnel testing

LOADING CONDITION A

60 mph wind with no ice. Wind Azimuth: 0°

MAST LOADING

=====

LOAD	ELEV	APPLY..LOAD..AT	LOADFORCES.....MOMENTS.....
TYPE	ft	RADIUS ft	AZI	HORIZ DOWN	VERTICAL TORSNAL
				kip kip	ft-kip ft-kip
C	360.0	0.00	0.0	0.09 0.13	0.00 0.00
C	350.0	0.00	0.0	3.05 6.00	0.00 0.00
C	338.0	0.00	0.0	2.27 4.00	0.00 0.00
C	326.0	0.00	0.0	2.25 4.00	0.00 0.00
C	314.0	0.00	0.0	2.23 4.00	0.00 0.00
D	355.0	0.00	180.0	0.02 0.03	0.00 0.00
D	350.0	0.00	180.0	0.02 0.03	0.00 0.00
D	350.0	0.00	42.0	0.04 0.05	0.05 0.03
D	340.0	0.00	42.0	0.04 0.05	0.05 0.03
D	340.0	0.00	65.8	0.05 0.12	0.05 0.03
D	325.0	0.00	81.3	0.05 0.12	0.05 0.03
D	325.0	0.00	102.0	0.06 0.14	0.04 0.02
D	320.0	0.00	102.0	0.06 0.14	0.04 0.02
D	320.0	0.00	103.3	0.07 0.17	0.04 0.02
D	315.0	0.00	103.3	0.07 0.17	0.04 0.02

403959

D	315.0	0.00	104.8	0.0	0.07	0.18	0.00	0.02
D	300.0	0.00	180.0	0.0	0.07	0.18	0.00	0.02
D	300.0	0.00	180.0	0.0	0.07	0.20	0.00	0.02
D	280.0	0.00	180.0	0.0	0.07	0.21	0.00	0.02
D	280.0	0.00	180.0	0.0	0.07	0.25	0.00	0.02
D	260.0	0.00	180.0	0.0	0.08	0.25	0.00	0.02
D	260.0	0.00	180.0	0.0	0.08	0.26	0.00	0.02
D	240.0	0.00	180.0	0.0	0.08	0.27	0.00	0.02
D	240.0	0.00	180.0	0.0	0.08	0.27	0.00	0.02
D	220.0	0.00	180.0	0.0	0.08	0.27	0.00	0.02
D	220.0	0.00	180.0	0.0	0.08	0.31	0.00	0.02
D	170.0	0.00	180.0	0.0	0.09	0.34	0.00	0.01
D	170.0	0.00	180.0	0.0	0.09	0.34	0.00	0.01
D	140.0	0.00	180.0	0.0	0.09	0.35	0.00	0.01
D	140.0	0.00	180.0	0.0	0.09	0.39	0.00	0.01
D	120.0	0.00	180.0	0.0	0.09	0.39	0.00	0.01
D	120.0	0.00	180.0	0.0	0.09	0.42	0.00	0.01
D	100.0	0.00	180.0	0.0	0.09	0.42	0.00	0.01
D	100.0	0.00	180.0	0.0	0.08	0.40	0.00	0.01
D	93.3	0.00	180.0	0.0	0.08	0.40	0.00	0.01
D	93.3	0.00	180.0	0.0	0.10	0.47	0.00	0.01
D	80.0	0.00	180.0	0.0	0.10	0.47	0.00	0.01
D	80.0	0.00	180.0	0.0	0.08	0.40	0.00	0.01
D	73.3	0.00	180.0	0.0	0.08	0.40	0.00	0.01
D	73.3	0.00	180.0	0.0	0.09	0.49	0.00	0.01
D	60.0	0.00	180.0	0.0	0.09	0.49	0.00	0.01
D	60.0	0.00	180.0	0.0	0.08	0.43	0.00	0.01
D	53.3	0.00	180.0	0.0	0.08	0.43	0.00	0.01
D	53.3	0.00	180.0	0.0	0.09	0.51	0.00	0.01
D	40.0	0.00	180.0	0.0	0.09	0.51	0.00	0.01
D	40.0	0.00	180.0	0.0	0.07	0.46	0.00	0.01
D	33.3	0.00	180.0	0.0	0.07	0.46	0.00	0.01
D	33.3	0.00	180.0	0.0	0.09	0.56	0.00	0.01
D	20.0	0.00	180.0	0.0	0.09	0.56	0.00	0.01
D	20.0	0.00	180.0	0.0	0.07	0.51	0.00	0.01
D	13.3	0.00	180.0	0.0	0.07	0.51	0.00	0.01
D	13.3	0.00	180.0	0.0	0.08	0.61	0.00	0.01
D	0.0	0.00	180.0	0.0	0.08	0.61	0.00	0.01

SUPPRESS PRINTING
=====

LOADS INPUT	...FOR THIS LOADING..		MAXIMUMS.....			
	DISPL	MEMBER FORCES	FOUNDN LOADS	ALL	DISPL	MEMBER FORCES	FOUNDN LOADS
no	yes	yes	yes	no	no	no	no

=====

MAXIMUM MAST DISPLACEMENTS:
=====

ELEV ft	-----DEFLECTIONS (ft)-----			--TILTS (DEG)---		TWIST DEG
	NORTH	EAST	DOWN	NORTH	EAST	
355.0	1.776 G	1.709 J	0.023 G	0.734 G	0.707 J	0.048 L
350.0	1.712 G	1.648 J	0.022 G	0.735 G	0.708 J	0.048 L
345.0	1.646 G	1.585 J	0.021 G	0.728 G	0.701 J	0.047 L
340.0	1.583 G	1.523 J	0.021 G	0.708 G	0.681 J	0.046 L
335.0	1.521 G	1.464 J	0.020 G	0.698 G	0.672 J	0.045 L
330.0	1.460 G	1.405 J	0.020 G	0.681 G	0.655 J	0.044 L
325.0	1.400 G	1.348 J	0.019 G	0.657 G	0.632 J	0.043 L
320.0	1.344 G	1.293 J	0.019 G	0.624 G	0.601 J	0.041 L
315.0	1.289 G	1.241 J	0.018 G	0.602 G	0.580 J	0.039 L
310.0	1.237 G	1.190 J	0.018 G	0.579 G	0.557 J	0.037 L
305.0	1.186 G	1.142 J	0.017 G	0.554 G	0.533 J	0.036 L
300.0	1.138 G	1.095 J	0.017 G	0.528 G	0.509 J	0.034 L
295.0	1.092 G	1.051 J	0.016 G	0.508 G	0.490 J	0.033 L
290.0	1.048 G	1.008 J	0.016 G	0.488 G	0.471 J	0.031 L
285.0	1.005 G	0.967 J	0.016 G	0.468 G	0.451 J	0.030 L
280.0	0.964 G	0.928 J	0.015 G	0.448 G	0.432 J	0.029 L
273.3	0.912 G	0.877 J	0.015 G	0.432 G	0.416 J	0.027 L
266.7	0.861 G	0.828 J	0.015 G	0.416 G	0.400 J	0.026 L
260.0	0.812 G	0.781 J	0.014 G	0.399 G	0.385 J	0.024 L
253.3	0.766 G	0.736 J	0.014 G	0.383 G	0.369 J	0.023 L
246.7	0.721 G	0.693 J	0.014 G	0.368 G	0.354 J	0.022 L
240.0	0.678 G	0.652 J	0.013 G	0.352 G	0.339 J	0.021 L

403959

233.3	0.637 G	0.612 J	0.013 G	0.337 G	0.324 J	0.019 L
226.7	0.597 G	0.574 J	0.012 G	0.322 G	0.310 J	0.018 L
220.0	0.559 G	0.538 J	0.012 G	0.306 G	0.295 J	0.017 L
210.0	0.506 G	0.486 J	0.012 G	0.289 G	0.278 J	0.016 L
200.0	0.456 G	0.438 J	0.011 G	0.271 G	0.261 J	0.015 L
190.0	0.409 G	0.393 J	0.011 G	0.254 G	0.245 J	0.014 L
180.0	0.365 G	0.351 J	0.010 G	0.237 G	0.228 J	0.013 L
170.0	0.324 G	0.311 J	0.010 G	0.221 G	0.212 J	0.012 L
160.0	0.286 G	0.274 J	0.009 G	0.204 G	0.196 J	0.011 L
150.0	0.250 G	0.240 J	0.009 G	0.188 G	0.181 J	0.010 L
140.0	0.217 G	0.208 J	0.008 G	0.172 G	0.165 J	0.009 L
130.0	0.186 G	0.179 J	0.008 G	0.159 G	0.152 J	0.008 L
120.0	0.158 G	0.151 J	0.007 G	0.146 G	0.140 J	0.007 L
110.0	0.131 G	0.125 J	0.007 G	0.132 G	0.127 J	0.007 L
100.0	0.105 G	0.101 J	0.006 G	0.119 G	0.114 J	0.006 L
93.3	0.093 G	0.089 J	0.006 G	0.111 G	0.107 J	0.005 L
80.0	0.068 G	0.065 J	0.005 G	0.094 G	0.090 J	0.004 L
73.3	0.058 G	-0.055 D	0.005 G	0.086 G	0.082 J	0.004 L
60.0	0.038 G	-0.037 D	0.004 G	0.069 G	0.066 J	0.003 L
53.3	0.032 G	0.030 J	0.004 G	0.061 G	0.058 J	0.003 L
40.0	0.018 G	-0.017 D	0.003 K	0.044 G	0.042 J	0.002 L
33.3	0.014 G	-0.013 D	0.002 K	0.037 G	0.036 J	0.002 L
20.0	0.005 G	-0.005 D	0.001 K	0.022 G	0.021 J	0.001 L
13.3	0.002 G	-0.002 D	0.001 K	0.015 G	0.014 J	0.001 L
0.0	0.000 A	0.000 A	0.000 A	0.000 A	0.000 A	0.000 A

MAXIMUM TENSION IN MAST MEMBERS (kip)

=====

ELEV ft	LEGS	DIAG	HORIZ	BRACE
355.0	-----		0.37 A	0.00 A
	0.21 G	0.60 G		
350.0	-----		0.06 G	0.00 A
	0.00 A	1.58 H		
345.0	-----		0.10 I	0.00 A
	4.10 A	1.65 H		
340.0	-----		0.21 A	0.00 A
	7.91 A	2.32 A		
335.0	-----		0.12 A	0.00 A
	14.01 A	3.07 H		
330.0	-----		0.01 G	0.00 A
	21.16 A	3.23 B		
325.0	-----		0.12 A	0.00 A
	29.03 A	4.30 H		
320.0	-----		0.11 I	0.00 A
	37.17 A	2.66 A		
315.0	-----		0.10 A	0.00 A
	42.89 A	3.22 B		
310.0	-----		0.02 A	0.00 A
	49.24 A	3.01 B		
305.0	-----		0.09 A	0.00 A
	55.51 A	2.97 H		
300.0	-----		0.02 A	0.00 A
	60.94 A	2.72 B		
295.0	-----		0.06 A	0.00 A
	66.01 A	2.71 H		
290.0	-----		0.03 A	0.00 A
	70.56 A	2.55 H		
285.0	-----		0.05 A	0.00 A
	74.89 A	2.57 B		
280.0	-----		0.03 A	0.00 A
	79.42 A	2.67 B		
273.3	-----		0.04 A	0.00 A
	84.32 A	2.67 B		
266.7	-----		0.02 A	0.00 A
	88.83 A	2.59 B		
260.0	-----		0.03 A	0.00 A
	93.14 A	2.62 B		
253.3	-----		0.02 A	0.00 A
	97.18 A	2.60 B		
246.7	-----		0.03 A	0.00 A
	101.09 A	2.65 B		
240.0	-----		0.02 A	0.00 A
	104.83 A	2.65 H		
233.3	-----		0.04 A	0.00 A
	108.47 A	2.71 B		
226.7	-----		0.02 A	0.00 A

403959				
220.0	112.00 A	2.74 H	0.04 A	0.00 A
210.0	116.20 A	3.05 B	0.03 A	0.00 A
200.0	121.05 A	3.10 H	0.03 A	0.00 A
190.0	125.74 A	3.17 B	0.03 A	0.00 A
180.0	130.30 A	3.24 B	0.03 A	0.00 A
170.0	134.75 A	3.34 H	0.03 A	0.00 A
160.0	139.12 A	3.44 B	0.02 A	0.00 A
150.0	143.43 A	3.56 H	0.02 A	0.00 A
140.0	147.69 A	3.67 B	0.02 A	0.00 A
130.0	151.86 A	3.80 H	0.02 A	0.00 A
120.0	155.95 A	3.92 B	0.01 C	0.00 A
110.0	159.97 A	4.07 H	0.02 G	0.00 A
100.0	163.92 A	4.19 H	0.12 A	0.00 A
93.3	168.99 A	4.42 H	0.30 A	0.00 G
80.0	167.51 A	5.82 H	0.10 A	0.00 A
73.3	176.68 A	4.68 H	0.30 A	0.00 K
60.0	175.14 A	6.02 H	0.10 A	0.00 A
53.3	184.20 A	4.94 H	0.28 A	0.00 K
40.0	182.59 A	6.22 H	0.09 A	0.00 A
33.3	191.51 A	5.18 B	0.26 E	0.00 C
20.0	189.76 A	6.40 H	0.03 A	0.00 C
13.3	198.41 A	5.41 H	0.24 I	0.00 D
0.0	196.48 A	6.57 H	0.00 A	0.00 A

MAXIMUM COMPRESSION IN MAST MEMBERS (kip)

=====

ELEV ft	LEGS	DIAG	HORIZ	BRACE
355.0	-----	-----	-0.38 G	0.00 A
350.0	-0.37 A	-0.58 A	-0.05 A	0.00 A
345.0	-4.22 G	-1.61 H	-0.03 C	0.00 A
340.0	-8.48 G	-1.73 H	0.00 A	0.00 A
335.0	-13.92 G	-2.64 G	-0.04 G	0.00 A
330.0	-22.25 G	-2.88 B	-0.03 A	0.00 A
325.0	-29.92 G	-3.38 H	-0.05 G	0.00 A
320.0	-40.78 G	-4.24 B	-0.26 C	0.00 A
315.0	-48.93 G	-3.07 G	-0.06 G	0.00 A
310.0	-58.17 G	-3.07 B	-0.01 G	0.00 A
305.0	-65.28 G	-3.20 H	-0.05 G	0.00 A
	-72.60 G	-2.87 B		

300.0	-----		-0.02 G	403959	0.00 A
	-78.48 G	-2.85 H			
295.0	-----		-0.03 G		0.00 A
	-84.53 G	-2.65 H			
290.0	-----		-0.02 G		0.00 A
	-89.68 G	-2.65 H			
285.0	-----		-0.03 G		0.00 A
	-94.93 G	-2.53 B			
280.0	-----		-0.02 G		0.00 A
	-100.32 G	-2.76 B			
273.3	-----		-0.03 G		0.00 A
	-106.59 G	-2.65 B			
266.7	-----		-0.02 G		0.00 A
	-112.26 G	-2.66 B			
260.0	-----		-0.02 G		0.00 A
	-117.92 G	-2.62 B			
253.3	-----		-0.02 G		0.00 A
	-123.21 G	-2.65 B			
246.7	-----		-0.02 G		0.00 A
	-128.51 G	-2.65 H			
240.0	-----		-0.01 G		0.00 A
	-133.54 G	-2.70 B			
233.3	-----		-0.03 G		0.00 A
	-138.57 G	-2.72 H			
226.7	-----		-0.01 G		0.00 A
	-143.45 G	-2.78 B			
220.0	-----		-0.02 G		0.00 A
	-149.50 G	-3.09 H			
210.0	-----		-0.02 G		0.00 A
	-156.70 G	-3.15 B			
200.0	-----		-0.02 G		0.00 A
	-163.82 G	-3.21 H			
190.0	-----		-0.02 G		0.00 A
	-170.82 G	-3.30 H			
180.0	-----		-0.02 G		0.00 A
	-177.78 G	-3.39 H			
170.0	-----		-0.02 G		0.00 A
	-184.70 G	-3.50 H			
160.0	-----		-0.01 G		0.00 A
	-191.63 G	-3.60 B			
150.0	-----		-0.01 G		0.00 A
	-198.52 G	-3.72 H			
140.0	-----		-0.01 G		0.00 A
	-205.48 G	-3.84 H			
130.0	-----		-0.01 G		0.00 A
	-212.48 G	-3.98 H			
120.0	-----		-0.01 I		0.00 A
	-219.57 G	-4.10 H			
110.0	-----		-0.03 A		0.00 A
	-226.68 G	-4.24 H			
100.0	-----		-0.07 G		0.00 A
	-234.42 G	-4.52 H			
93.3	-----		-0.44 G		0.00 D
	-235.90 G	-5.88 H			
80.0	-----		-0.06 G		0.00 A
	-248.77 G	-4.80 G			
73.3	-----		-0.43 G		0.00 C
	-250.31 G	-6.09 H			
60.0	-----		-0.06 G		0.00 A
	-263.30 G	-5.05 B			
53.3	-----		-0.42 G		0.00 E
	-264.91 G	-6.29 B			
40.0	-----		-0.05 G		0.00 A
	-277.92 G	-5.29 H			
33.3	-----		-0.41 K		0.00 C
	-279.68 G	-6.47 H			
20.0	-----		-0.02 G		0.00 C
	-292.81 G	-5.49 H			
13.3	-----		-0.40 C		0.00 K
	-294.74 G	-6.62 B			
0.0	-----		0.00 A		0.00 A

FORCE/RESISTANCE RATIO IN LEGS
=====

MAST ELEV ft	-- LEG COMPRESSION --			---- LEG TENSION ----		
	MAX COMP	COMP RESIST	FORCE/ RESIST RATIO	MAX TENS	TENS RESIST	FORCE/ RESIST RATIO

403959

355.00						
	0.37	31.48	0.01	0.21	48.15	0.00
350.00	4.22	31.48	0.13	0.00	48.15	0.00
345.00						
	8.48	31.48	0.27	4.10	48.15	0.09
340.00						
	13.92	142.05	0.10	7.91	165.60	0.05
335.00						
	22.25	142.05	0.16	14.01	165.60	0.08
330.00						
	29.92	142.05	0.21	21.16	165.60	0.13
325.00						
	40.78	142.05	0.29	29.03	165.60	0.18
320.00						
	48.93	254.38	0.19	37.17	274.95	0.14
315.00						
	58.17	254.38	0.23	42.89	274.95	0.16
310.00						
	65.28	254.38	0.26	49.24	274.95	0.18
305.00						
	72.60	254.38	0.29	55.51	274.95	0.20
300.00						
	78.48	329.84	0.24	60.94	357.75	0.17
295.00						
	84.53	329.84	0.26	66.01	357.75	0.18
290.00						
	89.68	329.84	0.27	70.56	357.75	0.20
285.00						
	94.93	329.84	0.29	74.89	357.75	0.21
280.00						
	100.32	544.40	0.18	79.42	457.90	0.17
273.33						
	106.59	544.40	0.20	84.32	457.90	0.18
266.67						
	112.26	544.40	0.21	88.83	457.90	0.19
260.00						
	117.92	544.40	0.22	93.14	457.90	0.20
253.33						
	123.21	544.40	0.23	97.18	457.90	0.21
246.67						
	128.51	544.40	0.24	101.09	457.90	0.22
240.00						
	133.54	544.40	0.25	104.83	576.00	0.18
233.33						
	138.57	544.40	0.25	108.47	576.00	0.19
226.67						
	143.45	544.40	0.26	112.00	576.00	0.19
220.00						
	149.50	668.86	0.22	116.20	512.85	0.23
210.00						
	156.70	668.86	0.23	121.05	512.85	0.24
200.00						
	163.82	668.86	0.24	125.74	724.50	0.17
190.00						
	170.82	668.86	0.26	130.30	724.50	0.18
180.00						
	177.78	668.86	0.27	134.75	724.50	0.19
170.00						
	184.70	668.86	0.28	139.12	724.50	0.19
160.00						
	191.63	668.86	0.29	143.43	724.50	0.20
150.00						
	198.52	668.86	0.30	147.69	724.50	0.20
140.00						
	205.48	818.52	0.25	151.86	865.80	0.18
130.00						
	212.48	818.52	0.26	155.95	865.80	0.18
120.00						
	219.57	818.52	0.27	159.97	865.80	0.18
110.00						
	226.68	818.52	0.28	163.92	865.80	0.19
100.00						
	234.42	844.46	0.28	168.99	865.80	0.20
93.33						
	235.90	844.46	0.28	167.51	865.80	0.19
80.00						
	248.77	844.46	0.29	176.68	865.80	0.20
73.33						

						403959
	250.31	844.46	0.30	175.14	865.80	0.20
60.00	263.30	844.46	0.31	184.20	865.80	0.21
53.33	264.91	844.46	0.31	182.59	865.80	0.21
40.00	277.92	935.10	0.30	191.51	954.45	0.20
33.33	279.68	935.10	0.30	189.76	954.45	0.20
20.00	292.81	935.10	0.31	198.41	954.45	0.21
13.33	294.74	935.10	0.32	196.48	954.45	0.21
0.00						

FORCE/RESISTANCE RATIO IN DIAGONALS

=====

MAST ELEV ft	- DIAG COMPRESSION -			--- DIAG TENSION ---		
	MAX COMP	COMP RESIST	FORCE/ RESIST RATIO	MAX TENS	TENS RESIST	FORCE/ RESIST RATIO
355.00						
350.00	0.58	7.16	0.08	0.60	7.16	0.08
345.00	1.61	7.16	0.22	1.58	7.16	0.22
340.00	1.73	7.16	0.24	1.65	7.16	0.23
335.00	2.64	15.19	0.17	2.32	15.19	0.15
330.00	2.88	15.19	0.19	3.07	15.19	0.20
325.00	3.38	15.19	0.22	3.23	15.19	0.21
320.00	4.24	15.19	0.28	4.30	15.19	0.28
315.00	3.07	14.32	0.21	2.66	14.32	0.19
310.00	3.07	14.32	0.21	3.22	14.32	0.22
305.00	3.20	14.32	0.22	3.01	14.32	0.21
300.00	2.87	14.32	0.20	2.97	14.32	0.21
295.00	2.85	13.03	0.22	2.72	13.03	0.21
290.00	2.65	13.03	0.20	2.71	13.03	0.21
285.00	2.65	13.03	0.20	2.55	13.03	0.20
280.00	2.53	13.03	0.19	2.57	13.03	0.20
273.33	2.76	9.84	0.28	2.67	9.84	0.27
266.67	2.65	9.84	0.27	2.67	9.84	0.27
260.00	2.66	9.84	0.27	2.59	9.84	0.26
253.33	2.62	13.34	0.20	2.62	13.34	0.20
246.67	2.65	13.34	0.20	2.60	13.34	0.19
240.00	2.65	13.34	0.20	2.65	13.34	0.20
233.33	2.70	10.34	0.26	2.65	10.34	0.26
226.67	2.72	10.34	0.26	2.71	10.34	0.26
220.00	2.78	10.34	0.27	2.74	10.34	0.26
210.00	3.09	11.62	0.27	3.05	11.62	0.26
200.00	3.15	11.62	0.27	3.10	11.62	0.27
190.00	3.21	14.82	0.22	3.17	14.82	0.21
180.00	3.30	14.82	0.22	3.24	14.82	0.22

						403959
	3.39	15.77	0.21	3.34	15.77	0.21
170.00	3.50	15.77	0.22	3.44	15.77	0.22
160.00	3.60	13.43	0.27	3.56	13.43	0.27
150.00	3.72	13.43	0.28	3.67	13.43	0.27
140.00	3.84	14.31	0.27	3.80	14.31	0.27
130.00	3.98	14.31	0.28	3.92	14.31	0.27
120.00	4.10	15.70	0.26	4.07	15.70	0.26
110.00	4.24	15.70	0.27	4.19	15.70	0.27
100.00	4.52	20.02	0.23	4.42	20.02	0.22
93.33	5.88	30.51	0.19	5.82	30.51	0.19
80.00	4.80	18.24	0.26	4.68	18.24	0.26
73.33	6.09	28.50	0.21	6.02	28.50	0.21
60.00	5.05	20.16	0.25	4.94	20.16	0.24
53.33	6.29	27.07	0.23	6.22	27.07	0.23
40.00	5.29	18.47	0.29	5.18	18.47	0.28
33.33	6.47	25.28	0.26	6.40	25.28	0.25
20.00	5.49	30.93	0.18	5.41	30.93	0.17
13.33	6.62	41.90	0.16	6.57	41.90	0.16
0.00						

FORCE/RESISTANCE RATIO IN HORIZONTALS

MAST ELEV ft	- HORIZ COMPRESSION -			--- HORIZ TENSION ---		
	MAX COMP	COMP RESIST	FORCE/ RESIST RATIO	MAX TENS	TENS RESIST	FORCE/ RESIST RATIO
355.00	0.38	5.82	0.06	0.37	5.82	0.06
350.00	0.05	0.00	N/A	0.06	0.00	N/A
345.00	Resistances values are not provided for this range.					
340.00	0.00	13.39	0.00	0.21	13.39	0.02
335.00	0.04	0.00	N/A	0.12	0.00	N/A
330.00	Resistances values are not provided for this range.					
325.00	Resistances values are not provided for this range.					
320.00	0.26	10.95	0.02	0.11	10.95	0.01
315.00	0.06	0.00	N/A	0.10	0.00	N/A
310.00	Resistances values are not provided for this range.					
305.00	Resistances values are not provided for this range.					
300.00	0.02	0.00	N/A	0.02	0.00	N/A
295.00	Resistances values are not provided for this range.					
290.00	Resistances values are not provided for this range.					
285.00	Resistances values are not provided for this range.					
280.00	0.02	0.00	N/A	0.03	0.00	N/A
273.33	Resistances values are not provided for this range.					
266.67	Resistances values are not provided for this range.					
260.00	0.02	0.00	N/A	0.03	0.00	N/A
253.33	Resistances values are not provided for this range.					
246.67	Resistances values are not provided for this range.					
240.00	0.01	0.00	N/A	0.02	0.00	N/A
233.33	Resistances values are not provided for this range.					
226.67	Resistances values are not provided for this range.					
220.00	0.02	0.00	N/A	0.04	0.00	N/A
210.00	Resistances values are not provided for this range.					
200.00	0.02	0.00	N/A	0.03	0.00	N/A
190.00	Resistances values are not provided for this range.					
180.00	0.02	0.00	N/A	0.03	0.00	N/A
170.00	Resistances values are not provided for this range.					
160.00	0.01	0.00	N/A	0.02	0.00	N/A
150.00	Resistances values are not provided for this range.					
140.00	0.01	0.00	N/A	0.02	0.00	N/A
130.00	Resistances values are not provided for this range.					
120.00	0.01	0.00	N/A	0.01	0.00	N/A

403959

110.00	Resistances values are not provided for this range.					
100.00	0.07	0.00	N/A	0.12	0.00	N/A
93.33	0.44	15.60	0.03	0.30	15.60	0.02
80.00	0.06	0.00	N/A	0.10	0.00	N/A
73.33	0.43	17.32	0.02	0.30	17.32	0.02
60.00	0.06	0.00	N/A	0.10	0.00	N/A
53.33	0.42	15.58	0.03	0.28	15.58	0.02
40.00	0.05	0.00	N/A	0.09	0.00	N/A
33.33	0.41	16.75	0.02	0.26	16.75	0.02
20.00	0.02	0.00	N/A	0.03	0.00	N/A
13.33	0.40	25.86	0.02	0.24	25.86	0.01

FORCE/RESISTANCE RATIO IN INTERNAL BRACING

MAST ELEV ft	- BRACE COMPRESSION -			--- BRACE TENSION ---		
	MAX COMP	COMP RESIST	FORCE/ RESIST RATIO	MAX TENS	TENS RESIST	FORCE/ RESIST RATIO
355.00	0.00	0.00	N/A	0.00	0.00	N/A
350.00	0.00	0.00	N/A	0.00	0.00	N/A
345.00	Resistances values are not provided for this range.					
340.00	0.00	0.00	N/A	0.00	0.00	N/A
335.00	0.00	0.00	N/A	0.00	0.00	N/A
330.00	Resistances values are not provided for this range.					
325.00	Resistances values are not provided for this range.					
320.00	0.00	0.00	N/A	0.00	0.00	N/A
315.00	0.00	0.00	N/A	0.00	0.00	N/A
310.00	Resistances values are not provided for this range.					
305.00	Resistances values are not provided for this range.					
300.00	0.00	0.00	N/A	0.00	0.00	N/A
295.00	Resistances values are not provided for this range.					
290.00	Resistances values are not provided for this range.					
285.00	Resistances values are not provided for this range.					
280.00	0.00	0.00	N/A	0.00	0.00	N/A
273.33	Resistances values are not provided for this range.					
266.67	Resistances values are not provided for this range.					
260.00	0.00	0.00	N/A	0.00	0.00	N/A
253.33	Resistances values are not provided for this range.					
246.67	Resistances values are not provided for this range.					
240.00	0.00	0.00	N/A	0.00	0.00	N/A
233.33	Resistances values are not provided for this range.					
226.67	Resistances values are not provided for this range.					
220.00	0.00	0.00	N/A	0.00	0.00	N/A
210.00	Resistances values are not provided for this range.					
200.00	0.00	0.00	N/A	0.00	0.00	N/A
190.00	Resistances values are not provided for this range.					
180.00	0.00	0.00	N/A	0.00	0.00	N/A
170.00	Resistances values are not provided for this range.					
160.00	0.00	0.00	N/A	0.00	0.00	N/A
150.00	Resistances values are not provided for this range.					
140.00	0.00	0.00	N/A	0.00	0.00	N/A
130.00	Resistances values are not provided for this range.					
120.00	0.00	0.00	N/A	0.00	0.00	N/A
110.00	Resistances values are not provided for this range.					
100.00	0.00	0.00	N/A	0.00	0.00	N/A
93.33	0.00	7.41	0.00	0.00	7.41	0.00
80.00	0.00	0.00	N/A	0.00	0.00	N/A
73.33	0.00	6.59	0.00	0.00	6.59	0.00
60.00	0.00	0.00	N/A	0.00	0.00	N/A
53.33	0.00	9.00	0.00	0.00	9.00	0.00
40.00	0.00	0.00	N/A	0.00	0.00	N/A
33.33	0.00	8.14	0.00	0.00	8.14	0.00
20.00	0.00	0.00	N/A	0.00	0.00	N/A
13.33	0.00	7.39	0.00	0.00	7.39	0.00

MAXIMUM INDIVIDUAL FOUNDATION LOADS: (kip)

-----LOAD-----COMPONENTS-----				TOTAL
NORTH	EAST	DOWN	UPLIFT	SHEAR
26.32 G	22.68 K	303.12 G	-201.68 A	26.32 G

403959
 MAXIMUM TOTAL LOADS ON FOUNDATION : (kip & kip-ft)
 =====

-----HORIZONTAL-----			DOWN	-----OVERTURNING-----			TORSION
NORTH	EAST	TOTAL		NORTH	EAST	TOTAL	
	@	0.0			@	0.0	
40.1	-38.1	40.1	137.3	8245.8	7900.5	8245.8	18.1
G	D	G	K	G	J	G	L

=====

MAT FOUNDATION DESIGN BY SABRE TOWERS & POLES

Tower Description 355' S3TL Series HD1

Customer AT&T

Project Number 403959

Date 3/7/2018

Engineer REB

Overall Loads:

Factored Moment (ft-kips)	28848.84
Factored Axial (kips)	383.83
Factored Shear (kips)	140.60

Individual Leg Loads:

Factored Uplift (kips)	824.00
Factored Download (kips)	955.00
Factored Shear (kips)	86.00

Anchor Bolt Count (per leg) 6

Tower eccentric from mat (ft)= 3

Width of Tower (ft)	37
Ultimate Bearing Pressure	10.00
Bearing Φ_s	0.75

Allowable Bearing Pressure (ksf) 5.00
Safety Factor 2.00

Bearing Design Strength (ksf)	7.5
Water Table Below Grade (ft)	999
Width of Mat (ft)	44.5
Thickness of Mat (ft)	2.25
Depth to Bottom of Slab (ft)	6.5
Bolt Circle Diameter (in)	19

Max. Factored Net Bearing Pressure (ksf) 6.17

Minimum Mat Width (ft) 44.01

Top of Concrete to Top of Bottom Threads (in)	65.5
Diameter of Pier (ft)	4
Ht. of Pier Above Ground (ft)	0.5
Ht. of Pier Below Ground (ft)	4.25
Quantity of Bars in Mat	80
Bar Diameter in Mat (in)	1.41
Area of Bars in Mat (in ²)	124.92
Spacing of Bars in Mat (in)	6.67
Quantity of Bars Pier	22
Bar Diameter in Pier (in)	1.128
Tie Bar Diameter in Pier (in)	0.5
Spacing of Ties (in)	9
Area of Bars in Pier (in ²)	21.99
Spacing of Bars in Pier (in)	5.67
f'c (ksi)	4.5
fy (ksi)	60
Unit Wt. of Soil (kcf)	0.11
Unit Wt. of Concrete (kcf)	0.15
Volume of Concrete (yd ³)	171.65

Minimum Pier Diameter (ft) 2.92
Equivalent Square b (ft) 3.54

Recommended Spacing (in) 6 to 12

Minimum Pier A_s (in²) 9.05
Recommended Spacing (in) 5 to 12

MAT FOUNDATION DESIGN BY SABRE TOWERS & POLES (CONTINUED)

Two-Way Shear:

Average d (in)	22.59		
ϕv_c (ksi)	0.228	v_u (ksi)	0.213
$\phi v_c = \phi(2 + 4/\beta_c)f'_c{}^{1/2}$	0.342		
$\phi v_c = \phi(\alpha_s d/b_o + 2)f'_c{}^{1/2}$	0.371		
$\phi v_c = \phi 4f'_c{}^{1/2}$	0.228		
Shear perimeter, b_o (in)	200.88		
β_c	1		

Stability:

Overturning Design Strength (ft-k)	34301.4	Factored Overturning Moment (ft-k)	29833.0
------------------------------------	---------	------------------------------------	---------

One-Way Shear:

ϕV_c (kips)	1375.7	V_u (kips)	1205.1
Pier Design:			
Design Tensile Strength (kips)	1187.2	T_u (kips)	824.0
ϕV_n (kips)	104.2	V_u (kips)	86.0
$\phi V_c = \phi 2(1 + N_u/(500A_g))f'_c{}^{1/2}b_w d$	18.8		
V_s (kips)	100.5	*** $V_s \text{ max} = 4 f'_c{}^{1/2} b_w d$ (kips)	494.6
Maximum Spacing (in)	9.76	(Only if Shear Ties are Required)	
Actual Hook Development (in)	21.18	Req'd Hook Development l_{dh} (in)	12.32
		*** Ref. ACI 11.5.5 & 11.5.6.3	

Anchor Bolt Pull-Out:

$\phi P_c = \phi \lambda (2/3)f'_c{}^{1/2}(2.8A_{\text{SLOPE}} + 4A_{\text{FLAT}})$	272.8	P_u (kips)	824.0
Pier Rebar Development Length (in)	52.06	Required Length of Development (in)	35.01

Flexure in Slab:

ϕM_n (ft-kips)	11667.0	M_u (ft-kips)	11560.0
a (in)	3.67		
Steel Ratio	0.01036		
β_1	0.825		
Maximum Steel Ratio (ρ_l)	0.0197		
Minimum Steel Ratio	0.0018		
Rebar Development in Pad (in)	121.10	Required Development in Pad (in)	21.29

Condition	1 is OK, 0 Fails
Minimum Mat Width	1
Maximum Soil Bearing Pressure	1
Pier Area of Steel	1
Pier Shear	1
Two-Way Shear	1
Overturning	1
Anchor Bolt Pull-Out	1
Flexure	1
Steel Ratio	1
Length of Development in Pad	1
Interaction Diagram Visual Check	1
One-Way Shear	1
Hook Development	1
Minimum Mat Depth	1



February 2nd, 2018
Kentucky Public Service Commission
211 Sower Blvd.
P.O. Box 615
Frankfort, KY 40602-0615

RE: Site Name – Myers
Proposed Cell Tower
38 21 18.23 North Latitude, 83 57 30.40 West Longitude

Dear Commissioners:

The Project / Construction Manager for the proposed new communications facility will be Don Murdock. His contact information is (615) 207-8280 or Don.Murdock@mastec.com

Don has been in the industry completing civil construction and constructing towers since 2009. He has worked at Mastec Network Solutions since 2009 completing project and construction management on new site build projects.

Thank you,

A handwritten signature in dark ink, appearing to read "Don Murdock". The signature is fluid and cursive, with the first and last names being clearly legible.

Don Murdock, Sr. Project Manager – Tennessee/Kentucky Market
MasTec Network Solutions
(615) 207-8280

EXHIBIT D
COMPETING UTILITIES, CORPORATIONS, OR PERSONS LIST

KY Public Service Commission

Master Utility Search

- Search for the utility of interest by using any single or combination of criteria.
- Enter Partial names to return the closest match for Utility Name and Address/City/Contact entries.

Utility ID Utility Name Address/City/Contact Utility Type Status

Search

	Utility ID	Utility Name	Utility Type	Class	City	State
View	4107900	365 Wireless, LLC	Cellular	D	Atlanta	GA
View	4109300	Access Point, Inc.	Cellular	D	Cary	NC
View	4108300	Air Voice Wireless, LLC	Cellular	A	Bloomfield Hill	MI
View	4110650	Alliant Technologies of KY, L.L.C.	Cellular	C	Morristown	NJ
View	44451184	Alltel Communications, LLC	Cellular	A	Basking Ridge	NJ
View	4110850	AltaWorx, LLC	Cellular	C	Fairhope	AL
View	4107800	American Broadband and Telecommunications Company	Cellular	C	Toledo	OH
View	4108650	AmeriMex Communications Corp.	Cellular	D	Dunedin	FL
View	4105100	AmeriVision Communications, Inc. d/b/a Affinity 4	Cellular	D	Virginia Beach	VA
View	4110700	Andrew David Balholm dba Norcell	Cellular	C	Clayton	WA
View	4108600	BCN Telecom, Inc.	Cellular	D	Morristown	NJ
View	4110550	Blue Casa Mobile, LLC	Cellular	D	Santa Barbara	CA
View	4108750	Blue Jay Wireless, LLC	Cellular	C	Carrollton	TX
View	4111050	BlueBird Communications, LLC	Cellular	C	New York	NY
View	4202300	Bluegrass Wireless, LLC	Cellular	A	Elizabethtown	KY
View	4107600	Boomerang Wireless, LLC	Cellular	B	Hiawatha	IA
View	4105500	BullsEye Telecom, Inc.	Cellular	D	Southfield	MI

View	4110050	CampusSims, Inc.	Cellular	D	Boston	MA
View	4100700	Cellco Partnership dba Verizon Wireless	Cellular	A	Basking Ridge	NJ
View	4106600	Cintex Wireless, LLC	Cellular	D	Rockville	MD
View	4111000	ComApp Technologies LLC	Cellular	C	Melrose	MA
View	4101900	Consumer Cellular, Incorporated	Cellular	A	Portland	OR
View	4106400	Credo Mobile, Inc.	Cellular	A	San Francisco	CA
View	4108850	Cricket Wireless, LLC	Cellular	A	San Antonio	TX
View	4001900	CTC Communications Corp. d/b/a EarthLink Business I	Cellular	D	Grand Rapids	MI
View	10640	Cumberland Cellular Partnership	Cellular	A	Elizabethtown	KY
View	4101000	East Kentucky Network, LLC dba Appalachian Wireless	Cellular	A	Ivel	KY
View	4002300	Easy Telephone Service Company dba Easy Wireless	Cellular	D	Ocala	FL
View	4109500	Enhanced Communications Group, LLC	Cellular	D	Bartlesville	OK
View	4110450	Excellus Communications, LLC	Cellular	D	Chattanooga	TN
View	4105900	Flash Wireless, LLC	Cellular	C	Concord	NC
View	4104800	France Telecom Corporate Solutions L.L.C.	Cellular	D	Oak Hill	VA
View	4109350	Global Connection Inc. of America	Cellular	D	Norcross	GA
View	4102200	Globalstar USA, LLC	Cellular	B	Covington	LA
View	4109600	Google North America Inc.	Cellular	B	Mountain View	CA
View	33350363	Granite Telecommunications, LLC	Cellular	D	Quincy	MA
View	4106000	GreatCall, Inc. d/b/a Jitterbug	Cellular	A	San Diego	CA
View	10630	GTE Wireless of the Midwest dba Verizon Wireless	Cellular	A	Basking Ridge	NJ
View	4110600	Horizon River Technologies, LLC	Cellular	C	Atlanta	GA
View	4103100	i-Wireless, LLC	Cellular	A	Newport	KY
View	4109800	IM Telecom, LLC d/b/a Infiniti Mobile	Cellular	D	Tulsa	OK
View	22215360	KDDI America, Inc.	Cellular	D	New York	NY
View	10872	Kentucky RSA #1 Partnership	Cellular	A	Basking Ridge	NJ
View	10680	Kentucky RSA #3 Cellular General	Cellular	A	Elizabethtown	KY
View	10681	Kentucky RSA #4 Cellular General	Cellular	A	Elizabethtown	KY
View	4109750	Konatel, Inc. dba telecom.mobi	Cellular	D	Johnstown	PA
View	4110900	Lunar Labs, Inc.	Cellular	C	Detroit	MI
View	4107300	Lycamobile USA, Inc.	Cellular	D	Newark	NJ
View	4108800	MetroPCS Michigan, LLC	Cellular	A	Bellevue	WA

View	4109650	Mitel Cloud Services, Inc.	Cellular	D	Mesa	AZ
View	4202400	New Cingular Wireless PCS, LLC dba AT&T Mobility, PCS	Cellular	A	San Antonio	TX
View	10900	New Par dba Verizon Wireless	Cellular	A	Basking Ridge	NJ
View	4000800	Nextel West Corporation	Cellular	D	Overland Park	KS
View	4001300	NPCR, Inc. dba Nextel Partners	Cellular	D	Overland Park	KS
View	4001800	OnStar, LLC	Cellular	A	Detroit	MI
View	4110750	Onvoy Spectrum, LLC	Cellular	C	Plymouth	MN
View	4109050	Patriot Mobile LLC	Cellular	D	Southlake	TX
View	4110250	Plintron Technologies USA LLC	Cellular	D	Bellevue	WA
View	33351182	PNG Telecommunications, Inc. dba PowerNet Global Communications	Cellular	D	Cincinnati	OH
View	4202100	Powertel/Memphis, Inc. dba T-Mobile	Cellular	A	Bellevue	WA
View	4107700	Puretalk Holdings, LLC	Cellular	A	Covington	GA
View	4106700	Q Link Wireless, LLC	Cellular	A	Dania	FL
View	4108700	Ready Wireless, LLC	Cellular	B	Hiawatha	IA
View	4110500	Republic Wireless, Inc.	Cellular	D	Raleigh	NC
View	4106200	Rural Cellular Corporation	Cellular	A	Basking Ridge	NJ
View	4108550	Sage Telecom Communications, LLC dba TruConnect	Cellular	D	Los Angeles	CA
View	4109150	SelecTel, Inc. d/b/a SelecTel Wireless	Cellular	D	Freemont	NE
View	4106300	SI Wireless, LLC	Cellular	A	Carbondale	IL
View	4110150	Spectrotel, Inc. d/b/a Touch Base Communications	Cellular	D	Neptune	NJ
View	4200100	Sprint Spectrum, L.P.	Cellular	A	Atlanta	GA
View	4200500	SprintCom, Inc.	Cellular	A	Atlanta	GA
View	4109550	Stream Communications, LLC	Cellular	D	Dallas	TX
View	4110200	T C Telephone LLC d/b/a Horizon Cellular	Cellular	D	Red Bluff	CA
View	4202200	T-Mobile Central, LLC dba T-Mobile	Cellular	A	Bellevue	WA
View	4002500	TAG Mobile, LLC	Cellular	D	Carrollton	TX
View	4109700	Telecom Management, Inc. dba Pioneer Telephone	Cellular	D	South Portland	ME
View	4107200	Telefonica USA, Inc.	Cellular	D	Miami	FL
View	4108900	Telrite Corporation dba Life Wireless	Cellular	D	Covington	GA
View	4108450	Tempo Telecom, LLC	Cellular	D	Kansas City	MO
View	4109950	The People's Operator USA, LLC	Cellular	D	New York	NY
View	4109000	Ting, Inc.	Cellular	A	Toronto	ON
View	4110400	Torch Wireless Corp.	Cellular	D	Jacksonville	FL

View	4103300	Touchtone Communications, Inc.	Cellular	D	Whippany	NJ
View	4104200	TracFone Wireless, Inc.	Cellular	D	Miami	FL
View	4002000	Truphone, Inc.	Cellular	D	Durham	NC
View	4110300	UVNV, Inc.	Cellular	D	Costa Mesa	CA
View	4105700	Virgin Mobile USA, L.P.	Cellular	A	Atlanta	GA
View	4110800	Visible Service LLC	Cellular	C	Lone Tree	CO
View	4106500	WiMacTel, Inc.	Cellular	D	Palo Alto	CA
View	4110950	Wing Tel Inc.	Cellular	C	New York	NY
View	4109900	Wireless Telecom Cooperative, Inc. dba theWirelessFreeway	Cellular	D	Louisville	KY

EXHIBIT E
FAA



Mail Processing Center
Federal Aviation Administration
Southwest Regional Office
Obstruction Evaluation Group
10101 Hillwood Parkway
Fort Worth, TX 76177

Aeronautical Study No.
2018-ASO-1686-OE

Issued Date: 02/12/2018

DAVE CUNDIFF
AT&T MOBILITY
208 S Akard Dr
Dallas, TX 75202

**** DETERMINATION OF NO HAZARD TO AIR NAVIGATION ****

The Federal Aviation Administration has conducted an aeronautical study under the provisions of 49 U.S.C., Section 44718 and if applicable Title 14 of the Code of Federal Regulations, part 77, concerning:

Structure:	Tower Myers
Location:	Carlisle, KY
Latitude:	38-21-18.23N NAD 83
Longitude:	83-57-30.40W
Heights:	857 feet site elevation (SE) 370 feet above ground level (AGL) 1227 feet above mean sea level (AMSL)

This aeronautical study revealed that the structure does not exceed obstruction standards and would not be a hazard to air navigation provided the following condition(s), if any, is(are) met:

As a condition to this Determination, the structure is to be marked/lighted in accordance with FAA Advisory circular 70/7460-1 L Change 1, Obstruction Marking and Lighting, a med-dual system - Chapters 4,8(M-Dual),&12.

Any failure or malfunction that lasts more than thirty (30) minutes and affects a top light or flashing obstruction light, regardless of its position, should be reported immediately to (877) 487-6867 so a Notice to Airmen (NOTAM) can be issued. As soon as the normal operation is restored, notify the same number.

It is required that FAA Form 7460-2, Notice of Actual Construction or Alteration, be e-filed any time the project is abandoned or:

____ At least 10 days prior to start of construction (7460-2, Part 1)
 X Within 5 days after the construction reaches its greatest height (7460-2, Part 2)

This determination expires on 08/12/2019 unless:

- (a) the construction is started (not necessarily completed) and FAA Form 7460-2, Notice of Actual Construction or Alteration, is received by this office.
- (b) extended, revised, or terminated by the issuing office.

- (c) the construction is subject to the licensing authority of the Federal Communications Commission (FCC) and an application for a construction permit has been filed, as required by the FCC, within 6 months of the date of this determination. In such case, the determination expires on the date prescribed by the FCC for completion of construction, or the date the FCC denies the application.

NOTE: REQUEST FOR EXTENSION OF THE EFFECTIVE PERIOD OF THIS DETERMINATION MUST BE E-FILED AT LEAST 15 DAYS PRIOR TO THE EXPIRATION DATE. AFTER RE-EVALUATION OF CURRENT OPERATIONS IN THE AREA OF THE STRUCTURE TO DETERMINE THAT NO SIGNIFICANT AERONAUTICAL CHANGES HAVE OCCURRED, YOUR DETERMINATION MAY BE ELIGIBLE FOR ONE EXTENSION OF THE EFFECTIVE PERIOD.

This determination does not constitute authority to transmit on the frequency(ies) identified in this study. The proponent is required to obtain a formal frequency transmit license from the Federal Communications Commission (FCC) or National Telecommunications and Information Administration (NTIA), prior to on-air operations of these frequency(ies).

This determination of No Hazard is granted provided the following conditional statement is included in the proponent's construction permit or license to radiate:

Upon receipt of notification from the Federal Communications Commission that harmful interference is being caused by the licensee's (permittee's) transmitter, the licensee (permittee) shall either immediately reduce the power to the point of no interference, cease operation, or take such immediate corrective action as is necessary to eliminate the harmful interference. This condition expires after 1 year of interference-free operation.

This determination is based, in part, on the foregoing description which includes specific coordinates, heights, frequency(ies) and power. Any changes in coordinates, heights, and frequencies or use of greater power, except those frequencies specified in the Colo Void Clause Coalition; Antenna System Co-Location; Voluntary Best Practices, effective 21 Nov 2007, will void this determination. Any future construction or alteration, including increase to heights, power, or the addition of other transmitters, requires separate notice to the FAA. This determination includes all previously filed frequencies and power for this structure.

This determination does include temporary construction equipment such as cranes, derricks, etc., which may be used during actual construction of the structure. However, this equipment shall not exceed the overall heights as indicated above. Equipment which has a height greater than the studied structure requires separate notice to the FAA.

This determination concerns the effect of this structure on the safe and efficient use of navigable airspace by aircraft and does not relieve the sponsor of compliance responsibilities relating to any law, ordinance, or regulation of any Federal, State, or local government body.

A copy of this determination will be forwarded to the Federal Communications Commission (FCC) because the structure is subject to their licensing authority.

If we can be of further assistance, please contact our office at (202) 267-5281, or lynnette.farrell@faa.gov. On any future correspondence concerning this matter, please refer to Aeronautical Study Number 2018-ASO-1686-OE.

Signature Control No: 355316385-356862903

(DNE)

Lynnette Farrell
Technician

Attachment(s)
Frequency Data
Map(s)

cc: FCC

Frequency Data for ASN 2018-ASO-1686-OE

LOW FREQUENCY	HIGH FREQUENCY	FREQUENCY UNIT	ERP	ERP UNIT
6	7	GHz	55	dBW
6	7	GHz	42	dBW
10	11.7	GHz	55	dBW
10	11.7	GHz	42	dBW
17.7	19.7	GHz	55	dBW
17.7	19.7	GHz	42	dBW
21.2	23.6	GHz	55	dBW
21.2	23.6	GHz	42	dBW
614	698	MHz	1000	W
614	698	MHz	2000	W
698	806	MHz	1000	W
806	901	MHz	500	W
806	824	MHz	500	W
824	849	MHz	500	W
851	866	MHz	500	W
869	894	MHz	500	W
896	901	MHz	500	W
901	902	MHz	7	W
929	932	MHz	3500	W
930	931	MHz	3500	W
931	932	MHz	3500	W
932	932.5	MHz	17	dBW
935	940	MHz	1000	W
940	941	MHz	3500	W
1670	1675	MHz	500	W
1710	1755	MHz	500	W
1850	1910	MHz	1640	W
1850	1990	MHz	1640	W
1930	1990	MHz	1640	W
1990	2025	MHz	500	W
2110	2200	MHz	500	W
2305	2360	MHz	2000	W
2305	2310	MHz	2000	W
2345	2360	MHz	2000	W
2496	2690	MHz	500	W

TOPO Map for ASN 2018-ASO-1686-OE




EXHIBIT F
KENTUCKY AIRPORT ZONING COMMISSION



KENTUCKY TRANSPORTATION CABINET
KENTUCKY AIRPORT ZONING COMMISSION

TC 55-2
Rev. 06/2016
Page 2 of 2

APPLICATION FOR PERMIT TO CONSTRUCT OR ALTER A STRUCTURE


APPLICANT (name) John Monday		PHONE 855-699-7073	FAX 972-907-1131	KY AERONAUTICAL STUDY #	
ADDRESS (street) 3300 E. Renner Road, B3132		CITY Richardson		STATE TX	ZIP 75082
APPLICANT'S REPRESENTATIVE (name) Roy Johnson		PHONE 502-445-2475	FAX 502-222-4266		
ADDRESS (street) 3605 Mattingly Road		CITY Buckner		STATE KY	ZIP 40010
APPLICATION FOR <input checked="" type="checkbox"/> New Construction <input type="checkbox"/> Alteration <input type="checkbox"/> Existing DURATION <input type="checkbox"/> Permanent <input type="checkbox"/> Temporary (months days)				WORK SCHEDULE Start End TBD	
TYPE <input type="checkbox"/> Crane <input type="checkbox"/> Building <input checked="" type="checkbox"/> Antenna Tower <input type="checkbox"/> Power Line <input type="checkbox"/> Water Tank <input type="checkbox"/> Landfill <input type="checkbox"/> Other		MARKING/PAINTING/LIGHTING PREFERRED <input type="checkbox"/> Red Lights & Paint <input type="checkbox"/> White- medium intensity <input type="checkbox"/> White- high intensity <input checked="" type="checkbox"/> Dual- red & medium intensity white <input type="checkbox"/> Dual- red & high intensity white <input type="checkbox"/> Other			
LATITUDE 38° 21' 18.23 "		LONGITUDE 83° 57' 30.40 "		DATUM <input checked="" type="checkbox"/> NAD83 <input type="checkbox"/> NAD27 <input type="checkbox"/> Other	
NEAREST KENTUCKY City ^{Carlisle} County Nicholas		NEAREST KENTUCKY PUBLIC USE OR MILITARY AIRPORT FGX Fleming-Mason			
SITE ELEVATION (AMSL, feet) 857		TOTAL STRUCTURE HEIGHT (AGL, feet) 370		CURRENT (FAA aeronautical study #) 2018-ASO-1686-OE	
OVERALL HEIGHT (site elevation plus total structure height, feet) 1227				PREVIOUS (FAA aeronautical study #)	
DISTANCE (from nearest Kentucky public use or Military airport to structure) 15.41 NM				PREVIOUS (KY aeronautical study #)	
DIRECTION (from nearest Kentucky public use or Military airport to structure) Southwest					
DESCRIPTION OF LOCATION (Attach USGS 7.5 minute quadrangle map or an airport layout drawing with the precise site marked and any certified survey.) 1A and Quad attached					
DESCRIPTION OF PROPOSAL AT&T proposes to construct a 355' cell tower with a 15' lightning rod for an overall height of 370'.					
FAA Form 7460-1 (Has the "Notice of Construction or Alteration" been filed with the Federal Aviation Administration?) <input type="checkbox"/> No <input checked="" type="checkbox"/> Yes, when? 1/29/18					
CERTIFICATION (I hereby certify that all the above entries, made by me, are true, complete, and correct to the best of my knowledge and belief.) PENALTIES (Persons failing to comply with KRS 183.861 to 183.990 and 602 KAR 050 are liable for fines and/or imprisonment as set forth in KRS 183.990(3). Noncompliance with FAA regulations may result in further penalties.)					
NAME Michelle Ward	TITLE Sr. Real Estate Mgr.	SIGNATURE 		DATE 2/15/18	
COMMISSION ACTION <input type="checkbox"/> Approved <input type="checkbox"/> Disapproved		<input type="checkbox"/> Chairperson, KAZC <input type="checkbox"/> Administrator, KAZC SIGNATURE DATE			

EXHIBIT G
GEOTECHNICAL REPORT

GEOTECHNICAL
REPORT

MYERS
(KYL05249)

38° 21' 18.23" N
83° 57' 30.40" W

Bentley Lane
Carlisle, KY 40311

Prepared For:



Prepared By:





February 20, 2018

Ms. Michelle Ward
AT&T
534 Armory Place
4th Floor
Louisville, KY 40202

Re: Geotechnical Report – **PROPOSED 355' SELF-SUPPORT TOWER w/ 15' LIGHTNING ARRESTOR**
Site Name: **MYERS (KYL05249)**
Site Address: Bentley Lane, Carlisle, Nicholas County, Kentucky
Coordinates: N38° 21' 18.23", W83° 57' 30.40"
POD Project No. 17-12727

Dear Ms. Ward:

Attached is our geotechnical engineering report for the referenced project. This report contains our findings, an engineering interpretation of these findings with respect to the available project characteristics, and recommendations to aid design and construction of the tower and equipment support foundations.

We appreciate the opportunity to be of service to you on this project. If you have any questions regarding this report, please contact our office.

Cordially,

A handwritten signature in black ink that reads "Mark Patterson".

Mark Patterson, P.E.
Project Engineer
License No.: KY 16300



Copies submitted: (3) Ms. Michelle Ward

LETTER OF TRANSMITTAL**TABLE OF CONTENTS**

	<u>Page</u>
1. PURPOSE AND SCOPE.....	1
2. PROJECT CHARACTERISTICS.....	1
3. SUBSURFACE CONDITIONS.....	1
4. FOUNDATION DESIGN RECOMMENDATIONS.....	2
4.1. PROPOSED TOWER.....	3
4.1.1. Drilled Piers	3
4.1.2. Mat Foundation	4
4.2. EQUIPMENT PLATFORM.....	4
4.3. EQUIPMENT SLAB	4
4.4. EQUIPMENT BUILDING	5
4.5. DRAINAGE AND GROUNDWATER CONSIDERATIONS.....	5
5. GENERAL CONSTRUCTION PROCEDURES AND RECOMMENDATIONS.....	5
5.1 DRILLED PIERS.....	6
5.2 FILL COMPACTION.....	6
5.3 CONSTRUCTION DEWATERING	7
6 FIELD INVESTIGATION.....	7
7 WARRANTY AND LIMITATIONS OF STUDY.....	8

APPENDIX

BORING LOCATION PLAN
BORING LOG
SOIL SAMPLE CLASSIFICATION

Geotechnical Report
PROPOSED 355' SELF-SUPPORT TOWER w/ 15' LIGHTNING ARRESTOR

Site Name: **MYERS (KYL05249)**
Bentley Lane, Carlisle, Nicholas County, Kentucky
N38° 21' 18.23", W83° 57' 30.40"

1. PURPOSE AND SCOPE

The purpose of this study was to determine the general subsurface conditions at the site of the proposed tower by drilling three borings and to evaluate this data with respect to foundation concept and design for the proposed tower. Also included is an evaluation of the site with respect to potential construction problems and recommendations dealing with quality control during construction.

2. PROJECT CHARACTERISTICS

AT&T is proposing to construct a self-support tower and either an equipment shelter, slab or platform at N38° 21' 18.23", W83° 57' 30.40", Bentley Lane, Carlisle, Nicholas County, Kentucky. The site is located in a farm field in a rural area north of Myers. The Licking River is located to the east. The proposed lease area will be 10,000 square feet and will be accessed by improvements to an existing dirt road off Bentley Lane running east to the site. The proposed elevation at the tower location is about EL 857 and there is about 4 feet of change in elevation across the proposed lease area. The proposed tower location is shown on the Boring Location Plan in the Appendix.

3. SUBSURFACE CONDITIONS

The subsurface conditions were explored by drilling three test borings near the base of the proposed tower. The Geotechnical Soil Test Boring Logs, which are included in the Appendix, describes the materials and conditions encountered. A sheet defining the terms and symbols used on the boring logs is also included in the Appendix. The general subsurface conditions disclosed by the test boring is discussed in the following paragraphs.

According to the Kentucky Geological Survey, Kentucky Geologic Map Information Services, the site is underlain by the Upper Ordovician age Kope and Clays Ferry Formation. These formations are made up of shale and limestone. They are not subject to karst.

The borings encountered about 4 inches of topsoil at the existing ground surface. Below the topsoil, the borings encountered silty clay (CL) of low to medium plasticity. The SPT N-values in the clay were between 7 and over 50 blows per foot (bpf) generally indicating a medium stiff to hard consistency. The borings encountered auger refusal in the silty clay at depths between 6 and 8.3 feet. Auger refusal is defined as the depth at which the boring can no longer be advanced using the current drilling method.

The refusal material was cored in Boring 1 from 8.5 to 28.5 feet below the ground surface. Limestone with interbedded shale and clay seams was encountered in the core run. The limestone was moderately hard, weathered and light gray. The shale was weathered, soft and light gray to gray. Below about 18 feet, there was only a few very thin mud seams encountered in the core run. The recoveries of the rock cores were 85 to 100 percent and the RQD values were 12 and 38 percent. These values generally represent poor quality rock from a foundation support viewpoint.

Observations made at the completion of soil drilling operations indicated the boring to be dry. It must be noted, however, that short-term water readings in test borings are not necessarily a reliable indication of the actual groundwater level. Furthermore, it must be emphasized that the groundwater level is not stationary but will fluctuate seasonally.

Based on the limited subsurface conditions encountered at the site and using Table 1615.1.1 of the 2013 Kentucky Building Code, the site class is considered "C". Seismic design requirements for telecommunication towers are given in section 1622 of the code. A detailed seismic study was beyond the scope of this report.

4. FOUNDATION DESIGN RECOMMENDATIONS

The following design recommendations are based on the previously described project information, the subsurface conditions encountered in our borings, the results of our laboratory testing, empirical correlations for the soil types encountered, our analyses, and our experience. If there is any change in the project criteria or structure location, you should retain us to review our recommendations so that we can determine if any modifications are required. The findings of such a review can then be presented in a supplemental report or addendum.

We recommend that the geotechnical engineer be retained to review the near-final project plans and specifications, pertaining to the geotechnical aspects of the project, prior to bidding and construction. We recommend this review to check that our assumptions and evaluations are appropriate based on the current project information provided to us, and to check that our foundation and earthwork recommendations were properly interpreted and implemented.

4.1. Proposed Tower

Our findings indicate that the proposed self-support tower can be supported on drilled piers or on a common mat foundation.

4.1.1. Drilled Piers

The following table summarizes the recommended values for use in analyzing lateral and frictional resistance for the various strata encountered at the test boring. It is important to note that these values are estimated based on the standard penetration test results and soil types and were not directly measured. The all values provided are ultimate values and appropriate factors of safety should be used in conjunction with these values. If the piers will bear deeper than about 28 feet, a deeper boring should be drilled to determine the nature of the deeper material.

Depth Below Ground Surface, feet	0 - 2	2 - 6	6 - 18	18 - 28
Ultimate Bearing Pressure (psf)		11,000	19,300	27,650
C Undrained Shear Strength, psf	500	2,000	3,500	5,000
ϕ Angle of Internal Friction degrees	0	0	0	0
Total Unit Weight, pcf	110	120	135	135
Soil Modulus Parameter k, pci	30	500	1000	2000
Passive Soil Pressure, psf/one foot of depth		1,200 + 40(D-2)	2,300 + 45(D-6)	3,350 + 45(D-18)
Side Friction, psf	100	500	1000	1000

Note: D = Depth below ground surface (in feet) to point at which the passive pressure is calculated.

It is important that the drilled piers be installed by an experienced, competent drilled pier contractor who will be responsible for properly installing the piers in accordance with industry standards and generally accepted methods, without causing deterioration of the subgrade. The recommendations contained herein relate only to the soil-pier interaction and do not account for the structural design of the piers.

4.1.2. Mat Foundation

The tower could be supported on a common mat foundation bearing on the bedrock with clay seams at least 6 feet in depth can be designed using a net allowable bearing pressure of 5,000 pounds per square foot may be used. This value may be increased by 30 percent for the maximum edge pressure under transient loads. The friction value can be increased to 0.30 between the concrete and bedrock/clay. The passive pressures given for the drilled pier foundation may be used to resist lateral forces.

It is important that the mat be designed with an adequate factor of safety with regard to overturning under the maximum design wind load.

4.2. Equipment Platform

An equipment platform may be supported on shallow piers bearing in the natural clay and designed for a net allowable soil pressure of 2,000 pounds per square foot. The piers should bear at a depth of at least 30 inches to minimize the effects of frost action. All existing topsoil or soft natural soil should be removed beneath footings.

4.3. Equipment Slab

A concrete slab supporting the equipment must be supported on at least 6-inch layer of relatively clean granular material such as gravel or crushed stone containing not more than 10 percent material that passes through a No. 4 sieve. This is to help distribute concentrated loads and equalize moisture conditions beneath the slab. Provided that a minimum of 6 in. of granular material is placed below the slab, a modulus of subgrade reaction (k) of 110 lbs/cu.in. can be used for design of the slab. All existing topsoil or soft natural soil should be removed beneath crushed stone layer.

4.4. Equipment Building

If an equipment building support on a slab is chosen in place of the equipment platform, it may be supported on shallow spread footings bearing in the natural clay soil and designed for a net allowable soil pressure of 2,000 pounds per square foot.

The footings should be at least ten inches wide. If the footings bear on soil they should bear at a depth of at least 30 inches to minimize the effects of frost action. All existing topsoil or soft natural soil should be removed beneath footings.

Floor slabs must be supported on at least 4-inch layer of relatively clean granular material such as gravel or crushed stone containing not more than 10 percent material that passes through a No. 4 sieve. This is to help distribute concentrated loads and equalize moisture conditions beneath the slab. Provided that a minimum of 4 in. of granular material is placed below the slab, a modulus of subgrade reaction (k) of 110 lbs/cu.in. can be used for design of the floor slabs.

4.5. Drainage and Groundwater Considerations

Good site drainage must be provided. Surface run-off water should be drained away from the tower and platform and not allowed to pond. It is recommended that all foundation concrete be placed the same day the excavation is made.

At the time of this investigation, groundwater was not encountered. Therefore, no special provisions regarding groundwater control are considered necessary for shallow foundations. Any seepage should be able to be pumped with sumps.

5. GENERAL CONSTRUCTION PROCEDURES AND RECOMMENDATIONS

It is possible that variations in subsurface conditions will be encountered during construction. Although only minor variations that can be readily evaluated and adjusted for during construction are anticipated, it is recommended the geotechnical engineer or a qualified representative be retained to perform continuous inspection and review during construction of the soils-related phases of the work. This will permit correlation between the test boring data and the actual soil conditions encountered during construction.

5.1 Drilled Piers

The following recommendations are recommended for drilled pier construction:

- ☐ Clean the foundation bearing area so it is nearly level or suitably benched and is free of ponded water or loose material.
- ☐ Make provisions for ground water removal from the drilled shaft excavation. While groundwater was not encountered during the soil drilling, some significant seepage may be encountered. The drilled pier contractor should have pumps on hand to remove water from the drilled pier.
- ☐ Specify concrete slumps ranging from 4 to 7 inches for the drilled shaft construction. These slumps are recommended to fill irregularities along the sides and bottom of the drilled hole, displace water as it is placed, and permit placement of reinforcing cages into the fluid concrete.
- ☐ Retain the geotechnical engineer to observe foundation excavations after the bottom of the hole is leveled, cleaned of any mud or extraneous material, and dewatered.
- ☐ Install a temporary protective steel casing to prevent side wall collapse, prevent excessive mud and water intrusion in the drilled shaft.
- ☐ The protective steel casing may be extracted as the concrete is placed provided a sufficient head of concrete is maintained inside the steel casing to prevent soil or water intrusion into the newly placed concrete.
- ☐ Direct the concrete placement into the drilled hole through a centering chute to reduce side flow or segregation.

5.2 Fill Compaction

All engineered fill placed adjacent to and above the tower foundation should be compacted to a dry density of at least 95 percent of the standard Proctor maximum dry density (ASTM D-698). This minimum compaction requirement should be increased to 98 percent for any fill placed below the tower foundation bearing elevation. Any fill placed beneath the tower foundation should be limited to well-graded sand and gravel or crushed stone. The compaction should be accomplished by placing the fill in about 8 inch (or less) loose lifts and mechanically compacting each lift to at least the specified minimum dry density. Field density tests should be performed on each lift as necessary to ensure that adequate moisture conditioning and compaction is being achieved.

Compaction by flooding is not considered acceptable. This method will generally not achieve the desired compaction and the large quantities of water will tend to soften the foundation soils.

5.3 Construction Dewatering

At the time of this investigation, groundwater was not encountered. Therefore, no special provisions regarding groundwater control are considered necessary for shallow foundations. Any seepage should be able to be pumped with sumps.

If groundwater is encountered in the drilled pier excavations, it may be difficult to dewater since pumping directly from the excavations could cause a deterioration of the bottom of the excavation. If the pier excavations are not dewatered, concrete should be placed by the tremie method.

6 FIELD INVESTIGATION

Three soil test boring was drilled near the base of the proposed tower. Split-spoon samples were obtained by the Standard Penetration Test (SPT) procedure (ASTM D1586) in all test borings. The borings encountered auger refusal at depths between 6 and 8.5 feet. A rock core of the refusal material was taken in Boring 1 from 8.5 to 28.5 feet. The split-spoon samples were inspected and visually classified by a geotechnical engineer. Representative portions of the soil samples were sealed in glass jars and returned to our laboratory.

The boring log is included in the Appendix along with a sheet defining the terms and symbols used on the logs and an explanation of the Standard Penetration Test (SPT) procedure. The log present visual descriptions of the soil strata encountered, Unified System soil classifications, groundwater observations, sampling information, laboratory test results, and other pertinent field data and observations.

7 WARRANTY AND LIMITATIONS OF STUDY

Our professional services have been performed, our findings obtained, and our recommendations prepared in accordance with generally accepted geotechnical engineering principles and practices. This warranty is in lieu of all other warranties, either express or implied. POD Group is not responsible for the independent conclusions, opinions or recommendations made by others based on the field exploration and laboratory test data presented in this report.

A geotechnical study is inherently limited since the engineering recommendations are developed from information obtained from test borings, which depict subsurface conditions only at the specific locations, times and depths shown on the log. Soil conditions at other locations may differ from those encountered in the test borings, and the passage of time may cause the soil conditions to change from those described in this report.


The nature and extent of variation and change in the subsurface conditions at the site may not become evident until the course of construction. Construction monitoring by the geotechnical engineer or a representative is therefore considered necessary to verify the subsurface conditions and to check that the soils connected construction phases are properly completed. If significant variations or changes are in evidence, it may then be necessary to reevaluate the recommendations of this report. Furthermore, if the project characteristics are altered significantly from those discussed in this report, if the project information contained in this report is incorrect, or if additional information becomes available, a review must be made by this office to determine if any modification in the recommendations will be required.

APPENDIX

BORING LOCATION PLAN

BORING LOG


SOIL SAMPLE CLASSIFICATION




LEGEND



BORING LOCATION



SHEET TITLE: BORING LOCATION PLAN	SITE NUMBER: KYL05249	SITE INFORMATION: MYERS BENTLEY LANE CARLISLE, KY 40311 NICHOLAS COUNTY	
	LATITUDE: 38° 21' 18.23"N LONGITUDE: 83° 57' 30.40"W		
SHEET NUMBER: 1	POD NUMBER: 17-12727 DRAWN BY: KDP CHECKED BY: MEP DATE: 2.12.18		





Page 1 of 1

Carlisle, KY

Note: About 4 inches of topsoil was encountered at the ground surface

[illegible]

SOIL SAMPLE CLASSIFICATION

FINE AND COARSE GRAINED SOIL INFORMATION

COARSE GRAINED SOILS (SANDS & GRAVELS)		FINE GRAINED SOILS (SILTS & CLAYS)			PARTICLE SIZE	
N	Relative Density	N	Consistency	Qu, KSF Estimated		
0-4	Very Loose	0-1	Very Soft	0-0.5	Boulders	Greater than 300 mm (12 in)
5-10	Loose	2-4	Soft	0.5-1	Cobbles	75 mm to 300 mm (3 to 12 in)
11-20	Firm	5-8	Firm	1-2	Gravel	4.74 mm to 75 mm (3/16 to 3 in)
21-30	Very Firm	9-15	Stiff	2-4	Coarse Sand	2 mm to 4.75 mm
31-50	Dense	16-30	Very Stiff	4-8	Medium Sand	0.425 mm to 2 mm
Over 50	Very Dense	Over 31	Hard	8+	Fine Sand	0.075 mm to 0.425 mm
					Silts & Clays	Less than 0.075 mm

The **STANDARD PENETRATION TEST** as defined by ASTM D 1586 is a method to obtain a disturbed soil sample for examination and testing and to obtain relative density and consistency information. A standard 1.4-inch I.D./2-inch O.D. split-barrel sampler is driven three 6-inch increments with a 140 lb. hammer falling 30 inches. The hammer can either be of a trip, free-fall design, or actuated by a rope and cathead. The blow counts required to drive the sampler the final two increments are added together and designate the N-value defined in the above tables.

ROCK PROPERTIES

ROCK QUALITY DESIGNATION (RQD)		ROCK HARDNESS	
Percent RQD	Quality		
0-25	Very Poor	Very Hard:	Rock can be broken by heavy hammer blows.
25-50	Poor	Hard:	Rock cannot be broken by thumb pressure, but can be broken by moderate hammer blows.
50-75	Fair	Moderately Hard:	Small pieces can be broken off along sharp edges by considerable hard thumb pressure; can be broken with light hammer blows.
75-90	Good	Soft:	Rock is coherent but breaks very easily with thumb pressure at sharp edges and crumbles with firm hand pressure.
90-100	Excellent	Very Soft:	Rock disintegrates or easily compresses when touched; can be hard to very hard soil.

Recovery =	$\frac{\text{Length of Rock Core Recovered}}{\text{Length of Core Run}}$	X100	63 REC	Core Diameter	Inches
			NQ	BQ	1-7/16
			43 RQD	NQ	1-7/8
				HQ	2-1/2
RQD =	$\frac{\text{Sum of 4 in. and longer Rock Pieces Recovered}}{\text{Length of Core Run}}$	X100			

SYMBOLS

KEY TO MATERIAL TYPES

SOILS	
Group Symbols	Typical Names
GW	Well graded gravel - sand mixture, little or no fines
GP	Poorly graded gravels or gravel - sand mixture, little or no fines
GM	Silty gravels, gravel - sand silt mixtures
GC	Clayey gravels, gravel - sand - clay mixtures
SW	Well graded sands, gravelly sands, little or no fines
SP	Poorly graded sands or gravelly sands, little or no fines
SM	Silty sands, sand - silt mixtures
SC	Clayey sands, sand - clay mixtures
ML	Inorganic silts and very fine sands, rock flour, silty or clayey fine sands, or clayey silts
OL	Organic silts and organic silty clays of low plasticity
CL	Inorganic clays of low range plasticity, gravelly clays, sandy clays, silty clays, lean clays
MH	Inorganic silts, micaceous or diatomaceous fine sandy or silty soils, elastic silts
CH	Inorganic clays of high range plasticity, fat clays

ROCKS	
Symbols	Typical Names
	Limestone or Dolomite
	Shale
	Sandstone

SOIL PROPERTY SYMBOLS

N:	Standard Penetration, BPF
M:	Moisture Content, %
LL:	Liquid Limit, %
PI:	Plasticity Index, %
Qp:	Pocket Penetrometer Value, TSF
Qu:	Unconfined Compressive Strength Estimated Qu, TSF
γ_d :	Dry Unit Weight, PCF
F:	Fines Content

SAMPLING SYMBOLS

SS Split Spoon Sample

Relatively Undisturbed Sample

Rock Core Sample

EXHIBIT H
DIRECTIONS TO WCF SITE

Site Name: Myers
Driving Directions to Proposed Tower Site

1. Beginning at the offices of the Nicholas County Judge Executive located at 125 E. Main Street, Carlisle, Kentucky, start out going east on E Main St/KY-36/KY-32 toward N Broadway Street.
2. Turn left onto N. Broadway Street which becomes KY-32/Myers Road.
3. Turn left onto Ismael Chapel Road.
4. Turn left onto Bentley Lane and travel to site on the left.
5. The site coordinates are 38°21'18.23" North latitude, 83°57'30.40" West longitude.



Prepared by:
Robert W. Grant
Pike Legal Group PLLC
1578 Highway 44 East, Suite 6
P.O. Box 369
Shepherdsville, KY 40165-3069
Telephone: 502-955-4400 or 800-516-4293

EXHIBIT I
COPY OF REAL ESTATE AGREEMENT

Market: Lexington
Cell Site Number: KYL05249
Cell Site Name: Myers
Fixed Asset Number: 13800682

OPTION AND LEASE AGREEMENT

THIS OPTION AND LEASE AGREEMENT ("**Agreement**"), dated as of the latter of the signature dates below (the "**Effective Date**"), is entered into by William R. Bentley and Doris Ann Bentley, a married couple, having a mailing address of 599 Ishmael Chapel Road, Carlisle, KY 40311 ("**Landlord**") and New Cingular Wireless PCS, LLC, a Delaware limited liability company, having a mailing address of 575 Morosgo Drive NE, Atlanta, GA 30324 ("**Tenant**").

BACKGROUND

Landlord owns or controls that certain plot, parcel or tract of land, as described on **Exhibit 1**, together with all rights and privileges arising in connection therewith, located at Bentley Lane, in the County of Nicholas, State of Kentucky (collectively, the "**Property**"). Tenant desires to use a portion of the Property in connection with its federally licensed communications business. Landlord desires to grant to Tenant the right to use a portion of the Property in accordance with this Agreement.

The parties agree as follows:

1. OPTION TO LEASE.

(a) Landlord grants to Tenant an option (the "**Option**") to lease a certain portion of the Property containing approximately 10,000 square feet including the air space above such ground space, as described on attached **Exhibit 1** (the "**Premises**"), for the placement of Tenant's Communication Facility.

(b) During the Option Term, and during the term of this Agreement, Tenant and its agents, engineers, surveyors and other representatives will have the right to enter upon the Property to inspect, examine, conduct soil borings, drainage testing, material sampling, radio frequency testing and other geological or engineering tests or studies of the Property (collectively, the "**Tests**"), to apply for and obtain licenses, permits, approvals, or other relief required of or deemed necessary or appropriate at Tenant's sole discretion for its use of the Premises and include, without limitation, applications for zoning variances, zoning ordinances, amendments, special use permits, and construction permits (collectively, the "**Government Approvals**"), initiate the ordering and/or scheduling of necessary utilities, and otherwise to do those things on or off the Property that, in the opinion of Tenant, are necessary in Tenant's sole discretion to determine the physical condition of the Property, the environmental history of the Property, Landlord's title to the Property and the feasibility or suitability of the Property for Tenant's Permitted Use, all at Tenant's expense. Tenant will not be liable to Landlord or any third party on account of any pre-existing defect or condition on or with respect to the Property, whether or not such defect or condition is disclosed by Tenant's inspection. Tenant will restore the Property to its condition as it existed at the commencement of the Option Term, reasonable wear and tear and loss by casualty or other causes beyond Tenant's control excepted.

(c) In consideration of Landlord granting Tenant the Option, Tenant agrees to pay Landlord the sum of [REDACTED] within forty five (45) business days of the Effective Date. The Option will be for an initial term of one (1) year commencing on the Effective Date (the "**Initial Option Term**") and may be renewed by Tenant for an additional one (1) year (the "**Renewal Option Term**") upon written notification to Landlord and the payment of an additional [REDACTED] no later than five (5) days prior to the expiration date of the Initial Option Term. The Initial Option Term and any Renewal Option Term are collectively referred to as the "**Option Term**."

(d) The Option may be sold, assigned or transferred at any time by Tenant to an Affiliate (as that term is hereinafter defined) of Tenant or to any third party agreeing to be subject to the terms hereof. Otherwise,

the Option may not be sold, assigned or transferred without the written consent of Landlord, such consent not to be unreasonably withheld, conditioned or delayed. From and after the date the Option has been sold, assigned or transferred by Tenant to an Affiliate or a third party agreeing to be subject to the terms hereof, Tenant shall immediately be released from any and all liability under this Agreement, including the payment of any rental or other sums due, without any further action.

(e) During the Option Term, Tenant may exercise the Option by notifying Landlord in writing. If Tenant exercises the Option then Landlord leases the Premises to Tenant subject to the terms and conditions of this Agreement. If Tenant does not exercise the Option during the Initial Option Term or any extension thereof, this Agreement will terminate and the parties will have no further liability to each other.

(f) If during the Option Term, or during the term of this Agreement the Option is exercised, Landlord decides to subdivide, sell, or change the status of the zoning of the Premises, Property or any of Landlord's contiguous, adjoining or surrounding property (the "**Surrounding Property**,") or in the event of foreclosure, Landlord shall immediately notify Tenant in writing. Landlord agrees that during the Option Term, or during the Term of this Agreement if the Option is exercised, Landlord shall not initiate or consent to any change in the zoning of the Premises, Property or Surrounding Property or impose or consent to any other use or restriction that would prevent or limit Tenant from using the Premises for the Permitted Use. Any and all terms and conditions of this Agreement that by their sense and context are intended to be applicable during the Option Term shall be so applicable.

2. **PERMITTED USE.** Tenant may use the Premises for the transmission and reception of communications signals and the installation, construction, maintenance, operation, repair, replacement and upgrade of its communications fixtures and related equipment, cables, accessories and improvements, which may include a suitable support structure, associated antennas, equipment shelters or cabinets and fencing and any other items necessary to the successful and secure use of the Premises (collectively, the "**Communication Facility**"), as well as the right to test, survey and review title on the Property; Tenant further has the right but not the obligation to add, modify and/or replace equipment in order to be in compliance with any current or future federal, state or local mandated application, including, but not limited to, emergency 911 communication services, at no additional cost to Tenant or Landlord (collectively, the "**Permitted Use**"). Landlord and Tenant agree that any portion of the Communication Facility that may be conceptually described on **Exhibit 1** will not be deemed to limit Tenant's Permitted Use. If **Exhibit 1** includes drawings of the initial installation of the Communication Facility, Landlord's execution of this Agreement will signify Landlord's approval of **Exhibit 1**. For a period of ninety (90) days following the start of construction, Landlord grants Tenant, its subtenants, licensees and sublicensees, the right to use such portions of Landlord's contiguous, adjoining or Surrounding Property as described on **Exhibit 1** as may reasonably be required during construction and installation of the Communication Facility. Tenant has the right to install and operate transmission cables from the equipment shelter or cabinet to the antennas, electric lines from the main feed to the equipment shelter or cabinet and communication lines from the Property's main entry point to the equipment shelter or cabinet, and to make other improvements, alterations, upgrades or additions appropriate for Tenant's Permitted Use, including the right to construct a fence around the Premises and undertake any other appropriate means to secure the Premises at Tenant's expense. Tenant has the right to modify, supplement, replace, upgrade, expand the equipment, increase the number of antennas or relocate the Communication Facility within the Premises at any time during the term of this Agreement. Tenant will be allowed to make such alterations to the Property in order to ensure that Tenant's Communication Facility complies with all applicable federal, state or local laws, rules or regulations. In the event Tenant desires to modify or upgrade the Communication Facility, in a manner that requires an additional portion of the Property (the "**Additional Premises**") for such modification or upgrade, Landlord agrees to lease to Tenant the Additional Premises, upon the same terms and conditions set forth herein, except that the Rent shall increase, in conjunction with the lease of the Additional Premises by the amount equivalent to the then-current per square foot rental rate charged by Landlord to Tenant times the square footage of the Additional Premises. Landlord agrees to take such actions and enter into and deliver to Tenant such documents as Tenant reasonably requests in order to effect and memorialize the lease of the Additional Premises to Tenant.

3. **TERM.**

(a) The initial lease term will be five (5) years (the "**Initial Term**"), commencing on the effective date of written notification by Tenant to Landlord of Tenant's exercise of the Option (the "**Term Commencement Date**"). The Initial Term will terminate on the fifth (5th) anniversary of the Term Commencement Date.

(b) This Agreement will automatically renew for four (4) additional five (5) year term(s) (each five (5) year term shall be defined as an "**Extension Term**"), upon the same terms and conditions unless Tenant notifies Landlord in writing of Tenant's intention not to renew this Agreement at least sixty (60) days prior to the expiration of the Initial Term or then-existing Extension Term.

(c) Unless (i) Landlord or Tenant notifies the other in writing of its intention to terminate this Agreement at least six (6) months prior to the expiration of the final Extension Term, or (ii) the Agreement is terminated as otherwise permitted by this Agreement prior to the end of the final Extension Term, then upon the expiration of the final Extension Term, this Agreement shall continue in force upon the same covenants, terms and conditions for a further term of one (1) year, and for annual terms thereafter ("**Annual Term**") until terminated by either party by giving to the other written notice of its intention to so terminate at least six (6) months prior to the end of any such Annual Term. Monthly rental during such Annual Terms shall be equal to the Rent paid for the last month of the final Extension Term. If Tenant remains in possession of the Premises after the termination of this Agreement, then Tenant will be deemed to be occupying the Premises on a month-to-month basis (the "**Holdover Term**"), subject to the terms and conditions of this Agreement.

(d) The Initial Term, any Extension Terms, any Annual Terms and any Holdover Term are collectively referred to as the Term (the "**Term**").

4. **RENT.**

(a) Commencing on the first day of the month following the date that Tenant commences construction (the "**Rent Commencement Date**"), Tenant will pay Landlord on or before the fifth (5th) day of each calendar month in advance [REDACTED] (the "**Rent**"), at the address set forth above. In any partial month occurring after the Rent Commencement Date, Rent will be prorated. The initial Rent payment will be forwarded by Tenant to Landlord within forty-five (45) days after the Rent Commencement Date.

(b) In year one (1) of each Extension Term, the monthly Rent will increase by [REDACTED] over the Rent paid during the previous five (5) year term.

(c) All charges payable under this Agreement such as utilities and taxes shall be billed by Landlord within one (1) year from the end of the calendar year in which the charges were incurred; any charges beyond such period shall not be billed by Landlord, and shall not be payable by Tenant. The foregoing shall not apply to monthly Rent which is due and payable without a requirement that it be billed by Landlord. The provisions of this subsection shall survive the termination or expiration of this Agreement.

5. **APPROVALS.**

(a) Landlord agrees that Tenant's ability to use the Premises is contingent upon the suitability of the Premises and Property for Tenant's Permitted Use and Tenant's ability to obtain and maintain all Government Approvals. Landlord authorizes Tenant to prepare, execute and file all required applications to obtain Government Approvals for Tenant's Permitted Use under this Agreement and agrees to reasonably assist Tenant with such applications and with obtaining and maintaining the Government Approvals.

(b) Tenant has the right to obtain a title report or commitment for a leasehold title policy from a title insurance company of its choice and to have the Property surveyed by a surveyor of its choice.

(c) Tenant may also perform and obtain, at Tenant's sole cost and expense, soil borings, percolation tests, engineering procedures, environmental investigation or other tests or reports on, over, and under the Property, necessary to determine if Tenant's use of the Premises will be compatible with Tenant's engineering specifications, system, design, operations or Government Approvals.

6. **TERMINATION.** This Agreement may be terminated, without penalty or further liability, as follows:

(a) by either party on thirty (30) days prior written notice, if the other party remains in default under Section 15 of this Agreement after the applicable cure periods;

(b) by Tenant upon written notice to Landlord, if Tenant is unable to obtain or maintain, any required approval(s) or the issuance of a license or permit by any agency, board, court or other governmental authority necessary for the construction or operation of the Communication Facility as now or hereafter intended by Tenant; or if Tenant determines, in its sole discretion that the cost of or delay in obtaining or retaining the same is commercially unreasonable;

(c) by Tenant, upon written notice to Landlord, if Tenant determines, in its sole discretion, due to the title report results or survey results, that the condition of the Premises is unsatisfactory for its intended uses;

(d) by Tenant upon written notice to Landlord for any reason or no reason, at any time prior to commencement of construction by Tenant; or

(e) by Tenant upon sixty (60) days' prior written notice to Landlord for any reason or no reason, so long as Tenant pays Landlord a termination fee equal to three (3) months' Rent, at the then-current rate, provided, however, that no such termination fee will be payable on account of the termination of this Agreement by Tenant under any termination provision contained in any other Section of this Agreement, including the following: 5 Approvals, 6(a) Termination, 6(b) Termination, 6(c) Termination, 6(d) Termination, 11(d) Environmental, 18 Condemnation, or 19 Casualty.

7. INSURANCE.

(a) During the Term, Tenant will carry, at its own cost and expense, the following insurance: (i) workers' compensation insurance as required by law; and (ii) commercial general liability (CGL) insurance with respect to its activities on the Property, such insurance to afford protection of up to [REDACTED] general aggregate, based on Insurance Services Office (ISO) Form CG 00 01 or a substitute form providing substantially equivalent coverage. Tenant's CGL insurance shall contain a provision including Landlord as an additional insured. Such additional insured coverage:

(i) shall be limited to bodily injury, property damage or personal and advertising injury caused, in whole or in part, by Tenant, its employees, agents or independent contractors;

(ii) shall not extend to claims for punitive or exemplary damages arising out of the acts or omissions of Landlord, its employees, agents or independent contractors or where such coverage is prohibited by law or to claims arising out of the gross negligence of Landlord, its employees, agents or independent contractors; and

(iii) shall not exceed Tenant's indemnification obligation under this Agreement, if any.

(b) Notwithstanding the foregoing, Tenant shall have the right to self-insure the coverages required in subsection (a). In the event Tenant elects to self-insure its obligation to include Landlord as an additional insured, the following provisions shall apply (in addition to those set forth in subsection (a)):

(i) Landlord shall promptly and no later than thirty (30) days after notice thereof provide Tenant with written notice of any claim, demand, lawsuit, or the like for which it seeks coverage pursuant to this Section and provide Tenant with copies of any demands, notices, summonses, or legal papers received in connection with such claim, demand, lawsuit, or the like;

(ii) Landlord shall not settle any such claim, demand, lawsuit, or the like without the prior written consent of Tenant; and

(iii) Landlord shall fully cooperate with Tenant in the defense of the claim, demand, lawsuit, or the like.

8. INTERFERENCE.

(a) Prior to or concurrent with the execution of this Agreement, Landlord has provided or will provide Tenant with a list of radio frequency user(s) and frequencies used on the Property as of the Effective Date. Tenant warrants that its use of the Premises will not interfere with those existing radio frequency uses on the Property, as long as those existing radio frequency user(s) operate and continue to operate within their respective frequencies and in accordance with all applicable laws and regulations.

(b) Landlord will not grant, after the date of this Agreement, a lease, license or any other right to any third party, if the exercise of such grant may in any way adversely affect or interfere with the Communication Facility, the operations of Tenant or the rights of Tenant under this Agreement. Landlord will notify Tenant in writing prior to granting any third party the right to install and operate communications equipment on the Property.

(c) Landlord will not, nor will Landlord permit its employees, tenants, licensees, invitees, agents or independent contractors to, interfere in any way with the Communication Facility, the operations of Tenant or the rights of Tenant under this Agreement. Landlord will cause such interference to cease within twenty-four (24) hours after receipt of notice of interference from Tenant. In the event any such interference does not cease within the aforementioned cure period, Landlord shall cease all operations which are suspected of causing interference (except for intermittent testing to determine the cause of such interference) until the interference has been corrected.

(d) For the purposes of this Agreement, "interference" may include, but is not limited to, any use on the Property or Surrounding Property that causes electronic or physical obstruction with, or degradation of, the communications signals from the Communication Facility.

9. INDEMNIFICATION.

(a) Tenant agrees to indemnify, defend and hold Landlord harmless from and against any and all injury, loss, damage or liability (or any claims in respect of the foregoing), costs or expenses (including reasonable attorneys' fees and court costs) arising directly from the installation, use, maintenance, repair or removal of the Communication Facility or Tenant's breach of any provision of this Agreement, except to the extent attributable to the negligent or intentional act or omission of Landlord, its employees, agents or independent contractors.

(b) Landlord agrees to indemnify, defend and hold Tenant harmless from and against any and all injury, loss, damage or liability (or any claims in respect of the foregoing), costs or expenses (including reasonable attorneys' fees and court costs) arising directly from the actions or failure to act of Landlord, its employees or agents, or Landlord's breach of any provision of this Agreement, except to the extent attributable to the negligent or intentional act or omission of Tenant, its employees, agents or independent contractors.

(c) The indemnified party: (i) shall promptly provide the indemnifying party with written notice of any claim, demand, lawsuit, or the like for which it seeks indemnification pursuant to this Section and provide the indemnifying party with copies of any demands, notices, summonses, or legal papers received in connection with such claim, demand, lawsuit, or the like; (ii) shall not settle any such claim, demand, lawsuit, or the like without the prior written consent of the indemnifying party; and (iii) shall fully cooperate with the indemnifying party in the defense of the claim, demand, lawsuit, or the like. A delay in notice shall not relieve the indemnifying party of its indemnity obligation, except (1) to the extent the indemnifying party can show it was prejudiced by the delay; and (2) the indemnifying party shall not be liable for any settlement or litigation expenses incurred before the time when notice is given.

10. WARRANTIES.

(a) Tenant and Landlord each acknowledge and represent that it is duly organized, validly existing and in good standing and has the right, power and authority to enter into this Agreement and bind itself hereto through the party set forth as signatory for the party below.

(b) Landlord represents, warrants and agrees that: (i) Landlord solely owns the Property as a legal lot in fee simple, or controls the Property by lease or license; (ii) the Property is not and will not be encumbered by any liens, restrictions, mortgages, covenants, conditions, easements, leases, or any other agreements of record or not of record, which would adversely affect Tenant's Permitted Use and enjoyment of the Premises under this

Agreement; (iii) as long as Tenant is not in default then Landlord grants to Tenant sole, actual, quiet and peaceful use, enjoyment and possession of the Premises without hindrance or ejection by any persons lawfully claiming under Landlord; (iv) Landlord's execution and performance of this Agreement will not violate any laws, ordinances, covenants or the provisions of any mortgage, lease or other agreement binding on Landlord; and (v) if the Property is or becomes encumbered by a deed to secure a debt, mortgage or other security interest, Landlord will provide promptly to Tenant a mutually agreeable subordination, non-disturbance and attornment agreement executed by Landlord and the holder of such security interest.

11. ENVIRONMENTAL.

(a) Landlord represents and warrants that, except as may be identified in **Exhibit 11** attached to this Agreement, (i) the Property, as of the date of this Agreement, is free of hazardous substances, including asbestos-containing materials and lead paint, and (ii) the Property has never been subject to any contamination or hazardous conditions resulting in any environmental investigation, inquiry or remediation. Landlord and Tenant agree that each will be responsible for compliance with any and all applicable governmental laws, rules, statutes, regulations, codes, ordinances, or principles of common law regulating or imposing standards of liability or standards of conduct with regard to protection of the environment or worker health and safety, as may now or at any time hereafter be in effect, to the extent such apply to that party's activity conducted in or on the Property.

(b) Landlord and Tenant agree to hold harmless and indemnify the other from, and to assume all duties, responsibilities and liabilities at the sole cost and expense of the indemnifying party for, payment of penalties, sanctions, forfeitures, losses, costs or damages, and for responding to any action, notice, claim, order, summons, citation, directive, litigation, investigation or proceeding ("**Claims**"), to the extent arising from that party's breach of its obligations or representations under Section 11(a). Landlord agrees to hold harmless and indemnify Tenant from, and to assume all duties, responsibilities and liabilities at the sole cost and expense of Landlord for, payment of penalties, sanctions, forfeitures, losses, costs or damages, and for responding to any Claims, to the extent arising from subsurface or other contamination of the Property with hazardous substances prior to the Effective Date of this Agreement or from such contamination caused by the acts or omissions of Landlord during the Term. Tenant agrees to hold harmless and indemnify Landlord from, and to assume all duties, responsibilities and liabilities at the sole cost and expense of Tenant for, payment of penalties, sanctions, forfeitures, losses, costs or damages, and for responding to any Claims, to the extent arising from hazardous substances brought onto the Property by Tenant.

(c) The indemnifications of this Section 11 specifically include reasonable costs, expenses and fees incurred in connection with any investigation of Property conditions or any clean-up, remediation, removal or restoration work required by any governmental authority. The provisions of this Section 11 will survive the expiration or termination of this Agreement.

(d) In the event Tenant becomes aware of any hazardous substances on the Property, or any environmental, health or safety condition or matter relating to the Property, that, in Tenant's sole determination, renders the condition of the Premises or Property unsuitable for Tenant's use, or if Tenant believes that the leasing or continued leasing of the Premises would expose Tenant to undue risks of liability to a government agency or other third party, Tenant will have the right, in addition to any other rights it may have at law or in equity, to terminate this Agreement upon written notice to Landlord.

12. ACCESS. At all times throughout the Term of this Agreement, and at no additional charge to Tenant, Tenant and its employees, agents, and subcontractors, will have twenty-four (24) hour per day, seven (7) day per week pedestrian and vehicular access ("**Access**") to and over the Property, from an open and improved public road to the Premises, for the installation, maintenance and operation of the Communication Facility and any utilities serving the Premises. As may be described more fully in **Exhibit 1**, Landlord grants to Tenant an easement for such Access and Landlord agrees to provide to Tenant such codes, keys and other instruments necessary for such Access at no additional cost to Tenant. Upon Tenant's request, Landlord will execute a separate recordable easement evidencing this right. Landlord shall execute a letter granting Tenant Access to the Property substantially in the form attached as **Exhibit 12**; upon Tenant's request, Landlord shall execute

additional letters during the Term. Landlord acknowledges that in the event Tenant cannot obtain Access to the Premises, Tenant shall incur significant damage. If Landlord fails to provide the Access granted by this Section 12, such failure shall be a default under this Agreement. In connection with such default, in addition to any other rights or remedies available to Tenant under this Agreement or at law or equity, Landlord shall pay Tenant, as liquidated damages and not as a penalty, \$500.00 per day in consideration of Tenant's damages until Landlord cures such default. Landlord and Tenant agree that Tenant's damages in the event of a denial of Access are difficult, if not impossible, to ascertain, and the liquidated damages set forth above are a reasonable approximation of such damages.

13. REMOVAL/RESTORATION. All portions of the Communication Facility brought onto the Property by Tenant will be and remain Tenant's personal property and, at Tenant's option, may be removed by Tenant at any time during or after the Term. Landlord covenants and agrees that no part of the Communication Facility constructed, erected or placed on the Premises by Tenant will become, or be considered as being affixed to or a part of, the Property, it being the specific intention of Landlord that all improvements of every kind and nature constructed, erected or placed by Tenant on the Premises will be and remain the property of Tenant and may be removed by Tenant at any time during or after the Term. Tenant will repair any damage to the Property resulting from Tenant's removal activities. Any portions of the Communication Facility that Tenant does not remove within one hundred twenty (120) days after the later of the end of the Term and cessation of Tenant's operations at the Premises shall be deemed abandoned and owned by Landlord. However, to the extent required by law, Tenant will remove the above-ground portions of the Communications Facility within such one hundred twenty (120) day period. Notwithstanding the foregoing, Tenant will not be responsible for the replacement of any trees, shrubs or other vegetation.

14. MAINTENANCE/UTILITIES.

(a) Tenant will keep and maintain the Premises in good condition, reasonable wear and tear and damage from the elements excepted. Landlord will maintain and repair the Property and access thereto and all areas of the Premises where Tenant does not have exclusive control, in good and tenantable condition, subject to reasonable wear and tear and damage from the elements. Landlord will be responsible for maintenance of landscaping on the Property, including any landscaping installed by Tenant as a condition of this Agreement or any required permit.

(b) Tenant will be responsible for paying on a monthly or quarterly basis all utilities charges for electricity, telephone service or any other utility used or consumed by Tenant on the Premises. In the event Tenant cannot secure its own metered electrical supply, Tenant will have the right, at its own cost and expense, to submeter from Landlord. When submetering is required under this Agreement, Landlord will read the meter and provide Tenant with an invoice and usage data on a monthly basis. Landlord agrees that it will not include a markup on the utility charges. Landlord further agrees to provide the usage data and invoice on forms provided by Tenant and to send such forms to such address and/or agent designated by Tenant. Tenant will remit payment within forty-five (45) days of receipt of the usage data and required forms. As noted in Section 4(c) above, any utility fee recovery by Landlord is limited to a twelve (12) month period. If Tenant submeters electricity from Landlord, Landlord agrees to give Tenant at least twenty-four (24) hours advance notice of any planned interruptions of said electricity. Landlord acknowledges that Tenant provides a communication service which requires electrical power to operate and must operate twenty-four (24) hours per day, seven (7) days per week. If the interruption is for an extended period of time, in Tenant's reasonable determination, Landlord agrees to allow Tenant the right to bring in a temporary source of power for the duration of the interruption. Landlord will not be responsible for interference with, interruption of or failure, beyond the reasonable control of Landlord, of such services to be furnished or supplied by Landlord.

(c) Landlord hereby grants to any company providing utility or similar services, including electric power and telecommunications, to Tenant an easement over the Property, from an open and improved public road to the Premises, and upon the Premises, for the purpose of constructing, operating and maintaining such lines, wires, circuits, and conduits, associated equipment cabinets and such appurtenances thereto, as such companies may from time to time require in order to provide such services to the Premises. Upon Tenant's or

the service company's request, Landlord will execute a separate recordable easement evidencing this grant, at no cost to Tenant or the service company.

15. DEFAULT AND RIGHT TO CURE.

(a) The following will be deemed a default by Tenant and a breach of this Agreement: (i) non-payment of Rent if such Rent remains unpaid for more than thirty (30) days after written notice from Landlord of such failure to pay; or (ii) Tenant's failure to perform any other term or condition under this Agreement within forty-five (45) days after written notice from Landlord specifying the failure. No such failure, however, will be deemed to exist if Tenant has commenced to cure such default within such period and provided that such efforts are prosecuted to completion with reasonable diligence. Delay in curing a default will be excused if due to causes beyond the reasonable control of Tenant. If Tenant remains in default beyond any applicable cure period, Landlord will have the right to exercise any and all rights and remedies available to it under law and equity.

(b) The following will be deemed a default by Landlord and a breach of this Agreement: (i) Landlord's failure to provide Access to the Premises as required by Section 12 of this Agreement within twenty-four (24) hours after written notice of such failure; (ii) Landlord's failure to cure an interference problem as required by Section 8 of this Agreement within twenty-four (24) hours after written notice of such failure; or (iii) Landlord's failure to perform any term, condition or breach of any warranty or covenant under this Agreement within forty-five (45) days after written notice from Tenant specifying the failure. No such failure, however, will be deemed to exist if Landlord has commenced to cure the default within such period and provided such efforts are prosecuted to completion with reasonable diligence. Delay in curing a default will be excused if due to causes beyond the reasonable control of Landlord. If Landlord remains in default beyond any applicable cure period, Tenant will have: (i) the right to cure Landlord's default and to deduct the costs of such cure from any monies due to Landlord from Tenant, and (ii) any and all other rights available to it under law and equity.

16. ASSIGNMENT/SUBLEASE. Tenant will have the right to assign this Agreement or sublease the Premises and its rights herein, in whole or in part, without Landlord's consent. Upon notification to Landlord of such assignment, Tenant will be relieved of all future performance, liabilities and obligations under this Agreement to the extent of such assignment.

17. NOTICES. All notices, requests and demands hereunder will be given by first class certified or registered mail, return receipt requested, or by a nationally recognized overnight courier, postage prepaid, to be effective when properly sent and received, refused or returned undelivered. Notices will be addressed to the parties as follows:

If to Tenant: New Cingular Wireless PCS, LLC
Attn: Network Real Estate Administration
Re: Cell Site # KYL05249; Cell Site Name: Myers (KY)
Fixed Asset No.: 138000682
575 Morosgo Drive NE
Atlanta, GA 30324

With a copy to: New Cingular Wireless PCS, LLC
Attn.: Legal Department
Re: Cell Site #: KYL05249; Cell Site Name: Myers (KY)
Fixed Asset No.: 138000682
208 S. Akard Street
Dallas, TX 75202-4206

The copy sent to the Legal Department is an administrative step which alone does not constitute legal notice.

If to Landlord: William & Doris Bentley
599 Chapel Rd
Carlisle, KY 40311

Either party hereto may change the place for the giving of notice to it by thirty (30) days' prior written notice to the other as provided herein.

18. **CONDEMNATION.** In the event Landlord receives notification of any condemnation proceedings affecting the Property, Landlord will provide notice of the proceeding to Tenant within forty-eight (48) hours. If a condemning authority takes all of the Property, or a portion sufficient, in Tenant's sole determination, to render the Premises unsuitable for Tenant, this Agreement will terminate as of the date the title vests in the condemning authority. The parties will each be entitled to pursue their own separate awards in the condemnation proceeds, which for Tenant will include, where applicable, the value of its Communication Facility, moving expenses, prepaid Rent, and business dislocation expenses. Tenant will be entitled to reimbursement for any prepaid Rent on a prorata basis.

19. **CASUALTY.** Landlord will provide notice to Tenant of any casualty or other harm affecting the Property within forty-eight (48) hours of the casualty or other harm. If any part of the Communication Facility or Property is damaged by casualty or other harm as to render the Premises unsuitable, in Tenant's sole determination, then Tenant may terminate this Agreement by providing written notice to Landlord, which termination will be effective as of the date of such casualty or other harm. Upon such termination, Tenant will be entitled to collect all insurance proceeds payable to Tenant on account thereof and to be reimbursed for any prepaid Rent on a prorata basis. Landlord agrees to permit Tenant to place temporary transmission and reception facilities on the Property, but only until such time as Tenant is able to activate a replacement transmission facility at another location; notwithstanding the termination of the Agreement, such temporary facilities will be governed by all of the terms and conditions of this Agreement, including Rent. If Landlord or Tenant undertakes to rebuild or restore the Premises and/or the Communication Facility, as applicable, Landlord agrees to permit Tenant to place temporary transmission and reception facilities on the Property at no additional Rent until the reconstruction of the Premises and/or the Communication Facility is completed. If Landlord determines not to rebuild or restore the Property, Landlord will notify Tenant of such determination within thirty (30) days after the casualty or other harm. If Landlord does not so notify Tenant, and Tenant decides not to terminate under this Section, then Landlord will promptly rebuild or restore any portion of the Property interfering with or required for Tenant's Permitted Use of the Premises to substantially the same condition as existed before the casualty or other harm. Landlord agrees that the Rent shall be abated until the Property and/or the Premises are rebuilt or restored, unless Tenant places temporary transmission and reception facilities on the Property.

20. **WAIVER OF LANDLORD'S LIENS.** Landlord waives any and all lien rights it may have, statutory or otherwise, concerning the Communication Facility or any portion thereof. The Communication Facility shall be deemed personal property for purposes of this Agreement, regardless of whether any portion is deemed real or personal property under applicable law; Landlord consents to Tenant's right to remove all or any portion of the Communication Facility from time to time in Tenant's sole discretion and without Landlord's consent.

21. **TAXES.**

(a) Landlord shall be responsible for timely payment of all taxes and assessments levied upon the lands, improvements and other property of Landlord, including any such taxes that may be calculated by the taxing authority using any method, including the income method. Tenant shall be responsible for any taxes and assessments attributable to and levied upon Tenant's leasehold improvements on the Premises if and as set forth in this Section 21. Nothing herein shall require Tenant to pay any inheritance, franchise, income, payroll,

excise, privilege, rent, capital stock, stamp, documentary, estate or profit tax, or any tax of similar nature, that is or may be imposed upon Landlord.

(b) In the event Landlord receives a notice of assessment with respect to which taxes or assessments are imposed on Tenant's leasehold improvements on the Premises, Landlord shall provide Tenant with copies of each such notice immediately upon receipt, but in no event later than thirty (30) days after the date of such notice of assessment. If Landlord does not provide such notice or notices to Tenant within such time period, Landlord shall be responsible for payment of the tax or assessment set forth in the notice, and Landlord shall not have the right to reimbursement of such amount from Tenant. If Landlord provides a notice of assessment to Tenant within such time period and requests reimbursement from Tenant as set forth below, then Tenant shall reimburse Landlord for the tax or assessments identified on the notice of assessment on Tenant's leasehold improvements, which has been paid by Landlord. If Landlord seeks reimbursement from Tenant, Landlord shall, no later than thirty (30) days after Landlord's payment of the taxes or assessments for the assessed tax year, provide Tenant with written notice including evidence that Landlord has timely paid same, and Landlord shall provide to Tenant any other documentation reasonably requested by Tenant to allow Tenant to evaluate the payment and to reimburse Landlord.

(c) For any tax amount for which Tenant is responsible under this Agreement, Tenant shall have the right to contest, in good faith, the validity or the amount thereof using such administrative, appellate or other proceedings as may be appropriate in the jurisdiction, and may defer payment of such obligations, pay same under protest, or take such other steps as Tenant may deem appropriate. This right shall include the ability to institute any legal, regulatory or informal action in the name of Landlord, Tenant, or both, with respect to the valuation of the Premises. Landlord shall cooperate with respect to the commencement and prosecution of any such proceedings and will execute any documents required therefor. The expense of any such proceedings shall be borne by Tenant and any refunds or rebates secured as a result of Tenant's action shall belong to Tenant, to the extent the amounts were originally paid by Tenant. In the event Tenant notifies Landlord by the due date for assessment of Tenant's intent to contest the assessment, Landlord shall not pay the assessment pending conclusion of the contest, unless required by applicable law.

(d) Landlord shall not split or cause the tax parcel on which the Premises are located to be split, bifurcated, separated or divided without the prior written consent of Tenant.

(e) Tenant shall have the right but not the obligation to pay any taxes due by Landlord hereunder if Landlord fails to timely do so, in addition to any other rights or remedies of Tenant. In the event that Tenant exercises its rights under this Section 21(e) due to such Landlord default, Tenant shall have the right to deduct such tax amounts paid from any monies due to Landlord from Tenant as provided in Section 15(b), provided that Tenant may exercise such right without having provided to Landlord notice and the opportunity to cure per Section 15(b).

(f) Any tax-related notices shall be sent to Tenant in the manner set forth in Section 17 and, in addition, of a copy of any such notices shall be sent to the following address. Promptly after the Effective Date of this Agreement, Landlord shall provide the following address to the taxing authority for the authority's use in the event the authority needs to communicate with Tenant. In the event that Tenant's tax addresses changes by notice to Landlord, Landlord shall be required to provide Tenant's new tax address to the taxing authority or authorities.

New Cingular Wireless PCS, LLC
Attn: Network Real Estate Administration -- Taxes
Re: Cell Site #KYL05249; Cell Site Name: Myers (KY)
Fixed Asset No: 138000682
575 Morosgo Drive NE
Atlanta, GA 30324

(g) Notwithstanding anything to the contrary contained in this Section 21, Tenant shall have no obligation to reimburse any tax or assessment for which the Landlord is reimbursed or rebated by a third party.

22. SALE OF PROPERTY

(a) Landlord shall not be prohibited from the selling, leasing or use of any of the Property or the Surrounding Property except as provided below.

(b) If Landlord, at any time during the Term of this Agreement, decides to rezone or sell, subdivide or otherwise transfer all or any part of the Premises, or all or any part of the Property or Surrounding Property, to a purchaser other than Tenant, Landlord shall promptly notify Tenant in writing, and such rezoning, sale, subdivision or transfer shall be subject to this Agreement and Tenant's rights hereunder. In the event of a change in ownership, transfer or sale of the Property, within ten (10) days of such transfer, Landlord or its successor shall send the documents listed below in this subsection (b) to Tenant. Until Tenant receives all such documents, Tenant shall not be responsible for any failure to make payments under this Agreement and reserves the right to hold payments due under this Agreement.

- i. Old deed to Property
- ii. New deed to Property
- iii. Bill of Sale or Transfer
- iv. Copy of current Tax Bill
- v. New IRS Form W-9
- vi. Completed and Signed AT&T Payment Direction Form
- vii. Full contact information for new Landlord including phone number(s)

(c) Landlord agrees not to sell, lease or use any areas of the Property or Surrounding Property for the installation, operation or maintenance of other wireless communications facilities if such installation, operation or maintenance would interfere with Tenant's Permitted Use or communications equipment as determined by radio propagation tests performed by Tenant in its sole discretion. Landlord or Landlord's prospective purchaser shall reimburse Tenant for any costs and expenses of such testing. If the radio frequency propagation tests demonstrate levels of interference unacceptable to Tenant, Landlord shall be prohibited from selling, leasing or using any areas of the Property or the Surrounding Property for purposes of any installation, operation or maintenance of any other wireless communications facility or equipment.

(d) The provisions of this Section shall in no way limit or impair the obligations of Landlord under this Agreement, including interference and access obligations.

23. RENTAL STREAM OFFER. If at any time after the date of this Agreement, Landlord receives a bona fide written offer from a third party seeking an assignment or transfer of Rent payments associated with this Agreement ("**Rental Stream Offer**"), Landlord shall immediately furnish Tenant with a copy of the Rental Stream Offer. Tenant shall have the right within twenty (20) days after it receives such copy to match the Rental Stream Offer and agree in writing to match the terms of the Rental Stream Offer. Such writing shall be in the form of a contract substantially similar to the Rental Stream Offer. If Tenant chooses not to exercise this right or fails to provide written notice to Landlord within the twenty (20) day period, Landlord may assign the right to receive Rent payments pursuant to the Rental Stream Offer, subject to the terms of this Agreement. If Landlord attempts to assign or transfer Rent payments without complying with this Section, the assignment or transfer shall be void. Tenant shall not be responsible for any failure to make payments under this Agreement and reserves the right to hold payments due under this Agreement until Landlord complies with this Section.

24. MISCELLANEOUS.

(a) **Amendment/Waiver.** This Agreement cannot be amended, modified or revised unless done in writing and signed by Landlord and Tenant. No provision may be waived except in a writing signed by both parties. The failure by a party to enforce any provision of this Agreement or to require performance by the other

party will not be construed to be a waiver, or in any way affect the right of either party to enforce such provision thereafter.

(b) **Memorandum/Short Form Lease.** Contemporaneously with the execution of this Agreement, the parties will execute a recordable Memorandum or Short Form of Lease substantially in the form attached as **Exhibit 24b**. Either party may record this Memorandum or Short Form of Lease at any time during the Term, in its absolute discretion. Thereafter during the Term of this Agreement, either party will, at any time upon fifteen (15) business days' prior written notice from the other, execute, acknowledge and deliver to the other a recordable Memorandum or Short Form of Lease.

(c) **Limitation of Liability.** Except for the indemnity obligations set forth in this Agreement, and otherwise notwithstanding anything to the contrary in this Agreement, Tenant and Landlord each waives any claims that each may have against the other with respect to consequential, incidental or special damages, however caused, based on any theory of liability.

(d) **Compliance with Law.** Tenant agrees to comply with all federal, state and local laws, orders, rules and regulations ("**Laws**") applicable to Tenant's use of the Communication Facility on the Property. Landlord agrees to comply with all Laws relating to Landlord's ownership and use of the Property and any improvements on the Property.

(e) **Bind and Benefit.** The terms and conditions contained in this Agreement will run with the Property and bind and inure to the benefit of the parties, their respective heirs, executors, administrators, successors and assigns.

(f) **Entire Agreement.** This Agreement and the exhibits attached hereto, all being a part hereof, constitute the entire agreement of the parties hereto and will supersede all prior offers, negotiations and agreements with respect to the subject matter of this Agreement. Exhibits are numbered to correspond to the Section wherein they are first referenced. Except as otherwise stated in this Agreement, each party shall bear its own fees and expenses (including the fees and expenses of its agents, brokers, representatives, attorneys, and accountants) incurred in connection with the negotiation, drafting, execution and performance of this Agreement and the transactions it contemplates.

(g) **Governing Law.** This Agreement will be governed by the laws of the state in which the Premises are located, without regard to conflicts of law.

(h) **Interpretation.** Unless otherwise specified, the following rules of construction and interpretation apply: (i) captions are for convenience and reference only and in no way define or limit the construction of the terms and conditions hereof; (ii) use of the term "including" will be interpreted to mean "including but not limited to"; (iii) whenever a party's consent is required under this Agreement, except as otherwise stated in this Agreement or as same may be duplicative, such consent will not be unreasonably withheld, conditioned or delayed; (iv) exhibits are an integral part of this Agreement and are incorporated by reference into this Agreement; (v) use of the terms "termination" or "expiration" are interchangeable; (vi) reference to a default will take into consideration any applicable notice, grace and cure periods; (vii) to the extent there is any issue with respect to any alleged, perceived or actual ambiguity in this Agreement, the ambiguity shall not be resolved on the basis of who drafted the Agreement; (viii) the singular use of words includes the plural where appropriate and (ix) if any provision of this Agreement is held invalid, illegal or unenforceable, the remaining provisions of this Agreement shall remain in full force if the overall purpose of the Agreement is not rendered impossible and the original purpose, intent or consideration is not materially impaired.

(i) **Affiliates.** All references to "Tenant" shall be deemed to include any Affiliate of New Cingular Wireless PCS, LLC using the Premises for any Permitted Use or otherwise exercising the rights of Tenant pursuant to this Agreement. "Affiliate" means with respect to a party to this Agreement, any person or entity that (directly or indirectly) controls, is controlled by, or under common control with, that party. "Control" of a person or entity means the power (directly or indirectly) to direct the management or policies of that person or entity, whether through the ownership of voting securities, by contract, by agency or otherwise.

(j) **Survival.** Any provisions of this Agreement relating to indemnification shall survive the termination or expiration hereof. In addition, any terms and conditions contained in this Agreement that by their sense and context are intended to survive the termination or expiration of this Agreement shall so survive.

(k) **W-9.** As a condition precedent to payment, Landlord agrees to provide Tenant with a completed IRS Form W-9, or its equivalent, upon execution of this Agreement and at such other times as may be reasonably requested by Tenant, including, any change in Landlord's name or address.

(l) **Execution/No Option.** The submission of this Agreement to any party for examination or consideration does not constitute an offer, reservation of or option for the Premises based on the terms set forth herein. This Agreement will become effective as a binding Agreement only upon the handwritten legal execution, acknowledgment and delivery hereof by Landlord and Tenant. This Agreement may be executed in two (2) or more counterparts, all of which shall be considered one and the same agreement and shall become effective when one or more counterparts have been signed by each of the parties. All parties need not sign the same counterpart.

(m) **Attorneys' Fees.** In the event that any dispute between the parties related to this Agreement should result in litigation, the prevailing party in such litigation shall be entitled to recover from the other party all reasonable fees and expenses of enforcing any right of the prevailing party, including without limitation, reasonable attorneys' fees and expenses. Prevailing party means the party determined by the court to have most nearly prevailed even if such party did not prevail in all matters. This provision will not be construed to entitle any party other than Landlord, Tenant and their respective Affiliates to recover their fees and expenses.

(n) **WAIVER OF JURY TRIAL.** EACH PARTY, TO THE EXTENT PERMITTED BY LAW, KNOWINGLY, VOLUNTARILY AND INTENTIONALLY WAIVES ITS RIGHT TO A TRIAL BY JURY IN ANY ACTION OR PROCEEDING UNDER ANY THEORY OF LIABILITY ARISING OUT OF OR IN ANY WAY CONNECTED WITH THIS AGREEMENT OR THE TRANSACTIONS IT CONTEMPLATES.

[SIGNATURES APPEAR ON NEXT PAGE]

IN WITNESS WHEREOF, the parties have caused this Agreement to be effective as of the last date written below.

"LANDLORD"

William R. Bentley Doris Ann Bentley P.O.A

By: William R Bentley
Print Name: William R. Bentley
Its: Owner
Date: 11/30/16

"LANDLORD"

Doris Ann Bentley

By: Doris Ann Bentley
Print Name: Doris Ann Bentley
Its: Owner
Date: 11/30/16

LANDLORD ACKNOWLEDGMENT

STATE OF Kentucky)

) ss:

COUNTY OF Nicholas)

On the 30 day of November, 2016 before me, personally appeared William R. Bentley and Doris Ann Bentley, who acknowledged under oath, that he/she/they is/are the person/officer named in the within instrument, and that he/she/they executed the same in his/her/their stated capacity as the voluntary act and deed of the Landlord for the purposes therein contained.

Shelene Davis
Notary Public: _____
My Commission Expires: 11/15/19

"TENANT"

New Cingular Wireless PCS, LLC,
a Delaware limited liability company

By: AT&T Mobility Corporation

Its: Manager

By: 

Print Name: Bryan Coleman

Its: Area Manager - TN/KY

Date: 7/24/2017

TENANT ACKNOWLEDGMENT

STATE OF ALABAMA)

) ss:

COUNTY OF JEFFERSON)

On the 24 day of July, 2017, before me personally appeared Bryan Coleman, and acknowledged under oath that he is the Area Manager - TN/KY of AT&T Mobility Corporation, the Manager of New Cingular Wireless PCS, LLC, the Tenant named in the attached instrument, and as such was authorized to execute this instrument on behalf of the Tenant.





Notary Public: Kathy M. McLaughlin
My Commission Expires: 10-26-2020

EXHIBIT 1

DESCRIPTION OF PREMISES

Page 1 of 3

to the Option and Lease Agreement dated July 24, 2017, by and between William R. Bentley and Doris Ann Bentley, a married couple, as Landlord, and New Cingular Wireless PCS, LLC, a Delaware limited liability company, as Tenant.

The Property is legally described as follows:

Three certain tracts or parcels of land in Nicholas County, Kentucky, and more particularly described as follows:

TRACT NO. 1

A certain tract or parcel of land, situate in Nicholas County, Ky., bounded and described as follows: BEGINNING at a set fence post corner to Tom George and G. Flack's other land; thence N 50 E 1400 feet to a fence post corner to West heirs; thence with West's heirs S 42 deg E 624 feet to a stake; thence S 50 deg W 1377 feet to a stake in Tom George's; thence with Tom George's line N 44 deg S 633 feet to the point of beginning, containing 20 acres.

For reference see conveyance to J. M. Cameron by Harry Kennedy and wife, by deed dated January 27, 1928, and recorded in Deed Book 39, page 11, Nicholas County Clerk's Office.

TRACT NO. 2

A certain tract or parcel of land, lying in Nicholas County, KY, on the waters of Licking River and near Parks Hill and bounded and described as follows: BEGINNING at a set stone corner to J. P. Banta in Wm. Buchanan's line; thence with Buchanan's line S 37 W 24 poles; S 27 W 61.60 poles to a set stake; corner to same in Henry Flora's heirs; thence with the line of said heirs S 41 3/4 E 40 poles to a set stake corner to James Wagoner; thence with Wagoner's line S 44 E 13 poles to a set fence post corner to same and Thomas George; thence with George's line N 47 E 20 poles to a set stake corner to same; thence N 50 1/4 E 85.40 poles to a set fence post corner to James Cameron and Thomas West; then with West's line N 22 W 6.80 poles to a set stake corner to same; thence N 20 E 13 poles to a set stake corner to J. P. Banta; thence with Banta's line N 70 1/2 W 80 poles to the beginning, containing 45 acres and 18 poles, legal measure.

For reference see conveyance to J. Maurice Cameron by deed dated May 18, 1927, and recorded in DB 39, P 7 of said office, the said Maurice Cameron having died intestate a resident of Nicholas County, Kentucky on March 28, 1968, leaving as his only heirs at law, Margaret Cameron, Widow, D. C. Cameron, son and Charles T. Cameron, son for affidavit of decent see DB 63, P 176 of said office.


TRACT NO. 3

A certain tract or parcel of land lying in the County of Nicholas aforesaid and the waters of Cassady Creek, bounded as follows: Beginning at a stake in Thompson Parks' line and corner to said J. M. Flora on the N W side of a small branch; thence N 45 1/4 W 69.88 poles to a stone; thence N 69 1/4 W 17 poles to a stake corner to said Parks; thence S 44 1/4 W 56.46 poles to a stake in Parks line in a hollow and corner to said Jno. M. Flora; thence with said Flora's line and down said hollow S 50 1/4 E 5.68 poles to a sugar tree snag; thence S 71 E 19 poles to a stake; thence S 57 1/4 E 38.88 poles to a large red elm tree on the S W side of said hollow; thence S 88 E 23.68 poles to a stake; thence N 55 1/4 E 28.88 poles to the beginning, containing twenty four acres two roods and twenty one poles (24 A 2 R 21 P).

For further reference see conveyance to John Conway*by John M. Flora and wife, by deed dated March 8, 1883 recorded in Deed Book 7, page 557 of the Nicholas County Clerk's Office; said John Conway having died intestate in the year 1923 leaving his daughters, Ella Conway and Bertha Cameron, as his only heirs at law; said Bertha Cameron having died intestate on April 14, 1944, leaving her husband Kelly Cameron, and a son, J. Maurice Cameron, as her only heirs at law, and Ella Conway having died intestate on January 6, 1966, leaving her nephew, said J. Maurice Cameron, as her only heir at law. See Affidavit of Descent recorded in DB 61, Pages 504 and 505 of said office; said J. Maurice Cameron having died intestate on March 28, 1967, leaving as his only heirs at law, Margaret Cameron, widow and two sons, D. C. Cameron and Charles T. Cameron. See Affidavit of Descent recorded in DB 63, page 176.

BEING the same property as conveyed to the Lexa O. Conway Estate by deed from the Lexa O. Conway First Supplemental Trust, dated the 18th day of December, 2007, and of record in Deed Book 122, page 444, Nicholas County Clerk's office. For further information, Billy Conway, aka William O. Conway, died testate, survived by his widow, Lexa O. Conway, and pursuant to his will of record in Nicholas County Will Book O, page 177, Charles Patrick Conway and Ann Kramer were appointed co-executors of his estate with power of sale. Thereafter, Lexa O. Conway died testate, unmarried, and pursuant to her will of record in Nicholas County Will Book O, page 148, Charles Patrick Conway and Michael B. Conway were appointed co-executors of her estate with power of sale. Both estates join in this conveyance to transfer any and all rights of the respective estates in and to the subject real property to the purchasers.

The Premises are described and/or depicted as follows:



PREPARED FOR
MasTec



Doris Bentley
 1 May 31, 2017

SITE SURVEY

REV.	DATE	DESCRIPTION
A	5/11/17	ISSUE FOR GROUND TITLE
B	5/24/17	ISSUE AS FINAL

SITE INFORMATION

MYERS
 BENTLEY, JANE
 EARL SUE KY 40211
 NICHOLAS COUNTY

TAX PARCEL NUMBER:
 037-00-00-031-00

PROPERTY OWNER:
 WILLIAM R. BENTLEY
 590 ISHMAEL CHAPEL ROAD
 CAR SLE, KY 40311

SOURCE OF TITLE:
 DEED BOOK 132, PAGE 527

SITE NUMBER
 KYL05249

POD NUMBER: 17-12782
DRAWN BY: DWP
CHECKED BY: JPL
DATE: 5/24/17

SHEET TITLE

SITE SURVEY

SHEET NUMBER
B-1

EXHIBIT 11

ENVIRONMENTAL DISCLOSURE

Landlord represents and warrants that the Property, as of the date of this Agreement, is free of hazardous substances except as follows:

1. NONE.

EXHIBIT 12
STANDARD ACCESS LETTER
[FOLLOWS ON NEXT PAGE]

DATE

Building Staff / Security Staff
Landlord, Lessee, Licensee
Street Address
City, State, Zip

Re: Authorized Access granted to AT&T

Dear Building and Security Staff,

Please be advised that we have signed a lease with AT&T permitting AT&T to install, operate and maintain telecommunications equipment at the property. The terms of the lease grant AT&T and its representatives, employees, agents and subcontractors ("representatives") 24 hour per day, 7 day per week access to the leased area.

To avoid impact on telephone service during the day, AT&T representatives may be seeking access to the property outside of normal business hours. AT&T representatives have been instructed to keep noise levels at a minimum during their visit.

Please grant the bearer of a copy of this letter access to the property and to leased area. Thank you for your assistance.

Landlord Signature

EXHIBIT J
NOTIFICATION LISTING

Myers – Notice List

BENTLEY WILLIAM R
599 ISHMAEL CHAPEL RD
CARLISLE, KY 40311

WALLINGFORD REBECCA D ET AL
c/o CYNTHIA C HARMON
6265 DAYS MILL RD
HILLSBORO, KY 41049

REINHARDT KENNETH A & DARYLE S
319 POPLAR THICKETT RD
ALEXANDRIA, KY 41001

BERNDT JAMES F
4197 WOODLAND DR
BRIDGMAN, MI 49106

GEORGE RONDALL T EST
c/o LINDA GEORGE
1860 SLATE HILL RD
MOORESBURG, TN 37811

CAMERON DONALD CONWAY JR EST
c/o MANDI CAMERON
227 E NORTH ST PAT 302
CARLISLE, KY 40311

EXHIBIT K
COPY OF PROPERTY OWNER NOTIFICATION



1578 Highway 44 East, Suite 6
P.O. Box 369
Shepherdsville, KY 40165-0369
Phone (502) 955-4400 or (800) 516-4293
Fax (502) 543-4410 or (800) 541-4410

**Notice of Proposed Construction of
Wireless Communications Facility
Site Name: Myers**

Dear Landowner:

New Cingular Wireless PCS, LLC, a Delaware limited liability company, d/b/a AT&T Mobility has filed an application with the Kentucky Public Service Commission ("PSC") to construct a new wireless communications facility on a site located at Bentley Lane, Carlisle, Kentucky (38°21'18.23" North latitude, 83°57'30.40" West longitude). The proposed facility will include a 355-foot tall antenna tower, plus a 15-foot lightning arrestor and related ground facilities. This facility is needed to provide improved coverage for wireless communications in the area.

This notice is being sent to you because the Nicholas County Property Valuation Administrator's records indicate that you may own property that is within a 500' radius of the proposed tower site or contiguous to the property on which the tower is to be constructed. You have a right to submit testimony to the Kentucky Public Service Commission ("PSC"), either in writing or to request intervention in the PSC's proceedings on the application. You may contact the PSC for additional information concerning this matter at: Kentucky Public Service Commission, Executive Director, 211 Sower Boulevard, P.O. Box 615, Frankfort, Kentucky 40602. Please refer to docket number 2018-00098 in any correspondence sent in connection with this matter.

In addition to expanding and improving voice and data service for AT&T mobile customers, this site will also provide wireless local loop ("WLL") broadband internet service to homes and businesses in the area. WLL will support internet access at the high speeds required to use and enjoy the most current business, education and entertainment technologies.

We have attached a map showing the site location for the proposed tower. AT&T Mobility's radio frequency engineers assisted in selecting the proposed site for the facility, and they have determined it is the proper location and elevation needed to provide quality service to wireless customers in the area. Please feel free to contact us toll free at (800) 516-4293 if you have any comments or questions about this proposal.

Sincerely,
David A. Pike
Attorney for Applicant

enclosure

Site Name: Myers
Driving Directions to Proposed Tower Site

1. Beginning at the offices of the Nicholas County Judge Executive located at 125 E. Main Street, Carlisle, Kentucky, start out going east on E Main St/KY-36/KY-32 toward N Broadway Street.
2. Turn left onto N. Broadway Street which becomes KY-32/Myers Road.
3. Turn left onto Ismael Chapel Road.
4. Turn left onto Bentley Lane and travel to site on the left.
5. The site coordinates are 38°21'18.23" North latitude, 83°57'30.40" West longitude.



Prepared by:
Robert W. Grant
Pike Legal Group PLLC
1578 Highway 44 East, Suite 6
P.O. Box 369
Shepherdsville, KY 40165-3069
Telephone: 502-955-4400 or 800-516-4293




EXHIBIT L
COPY OF COUNTY JUDGE/EXECUTIVE NOTICE



1578 Highway 44 East, Suite 6
P.O. Box 369
Shepherdsville, KY 40165-0369
Phone (502) 955-4400 or (800) 516-4293
Fax (502) 543-4410 or (800) 541-4410

VIA CERTIFIED MAIL

Hon. Mike Pryor
County Judge Executive
125 E. Main Street
Carlisle, KY 40311

RE: Notice of Proposal to Construct Wireless Communications Facility
Kentucky Public Service Commission Docket No. 2018-00098
Site Name: Myers

Dear Judge Pryor:

New Cingular Wireless PCS, LLC, a Delaware limited liability company, d/b/a AT&T Mobility has filed an application with the Kentucky Public Service Commission ("PSC") to construct a new wireless communications facility on a site located at Bentley Lane, Carlisle, Kentucky (38°21'18.23" North latitude, 83°57'30.40" West longitude). The proposed facility will include a 355-foot tall antenna tower, plus a 15-foot lightning arrester and related ground facilities. This facility is needed to provide improved coverage for wireless communications in the area.

You have a right to submit comments to the PSC or to request intervention in the PSC's proceedings on the application. You may contact the PSC at: Executive Director, Public Service Commission, 211 Sower Boulevard, P.O. Box 615, Frankfort, Kentucky 40602. Please refer to docket number 2018-00098 in any correspondence sent in connection with this matter.

In addition to expanding and improving voice and data service for AT&T mobile customers, this site will also provide wireless local loop ("WLL") broadband internet service to homes and businesses in the area. WLL will support internet access at the high speeds required to use and enjoy the most current business, education and entertainment technologies.

We have attached a map showing the site location for the proposed tower. AT&T Mobility's radio frequency engineers assisted in selecting the proposed site for the facility, and they have determined it is the proper location and elevation needed to provide quality service to wireless customers in the area. Please feel free to contact us with any comments or questions you may have.


Sincerely,
David A. Pike
Attorney for Applicant
enclosures

Site Name: Myers
Driving Directions to Proposed Tower Site

1. Beginning at the offices of the Nicholas County Judge Executive located at 125 E. Main Street, Carlisle, Kentucky, start out going east on E Main St/KY-36/KY-32 toward N Broadway Street.
2. Turn left onto N. Broadway Street which becomes KY-32/Myers Road.
3. Turn left onto Ismael Chapel Road.
4. Turn left onto Bentley Lane and travel to site on the left.
5. The site coordinates are 38°21'18.23" North latitude, 83°57'30.40" West longitude.



Prepared by:
Robert W. Grant
Pike Legal Group PLLC
1578 Highway 44 East, Suite 6
P.O. Box 369
Shepherdsville, KY 40165-3069
Telephone: 502-955-4400 or 800-516-4293



**EXHIBIT M
NOTICE SIGN
AND
NEWSPAPER NOTICE TEXT**

SITE NAME: MYERS
NOTICE SIGNS

The signs are at least (2) feet by four (4) feet in size, of durable material, with the text printed in black letters at least one (1) inch in height against a white background, except for the word “**tower**,” which is at least four (4) inches in height.

New Cingular Wireless PCS, LLC, a Delaware limited liability company, d/b/a AT&T Mobility proposes to construct a telecommunications **tower** on this site. If you have questions, please contact Pike Legal Group, PLLC, P.O. Box 369, Shepherdsville, KY 40165; telephone: (800) 516-4293, or the Executive Director, Public Service Commission, 211 Sower Boulevard, PO Box 615, Frankfort, Kentucky 40602. Please refer to docket number 2018-00098 in your correspondence.

New Cingular Wireless PCS, LLC, a Delaware limited liability company, d/b/a AT&T Mobility proposes to construct a telecommunications **tower** near this site. If you have questions, please contact Pike Legal Group, PLLC, P.O. Box 369, Shepherdsville, KY 40165; telephone: (800) 516-4293, or the Executive Director, Public Service Commission, 211 Sower Boulevard, PO Box 615, Frankfort, Kentucky 40602. Please refer to docket number 2018-00098 in your correspondence.



1578 Highway 44 East, Suite 6
P.O. Box 369
Shepherdsville, KY 40165-0369
Phone (502) 955-4400 or (800) 516-4293
Fax (502) 543-4410 or (800) 541-4410

VIA TELEPHONE: 859-289-6425
VIA TELEFAX: 859-289-4000

The Carlisle Mercury
Attn: Public Notice Ad Placement
240 E. Main Street
Carlisle, KY 40311

RE: Legal Notice Advertisement
Site Name: Myers

Dear Carlisle Mercury:

Please publish the following legal notice advertisement in the next edition of *The Carlisle Mercury*:


NOTICE

New Cingular Wireless PCS, LLC, a Delaware limited liability company, d/b/a AT&T Mobility has filed an application with the Kentucky Public Service Commission ("PSC") to construct a new wireless communications facility on a site located at Bentley Lane, Carlisle, Kentucky (38°21'18.23" North latitude, 83°57'30.40" West longitude). You may contact the PSC for additional information concerning this matter at: Kentucky Public Service Commission, Executive Director, 211 Sower Boulevard, P.O. Box 615, Frankfort, Kentucky 40602. Please refer to docket number 2018-00098 in any correspondence sent in connection with this matter.

After this advertisement has been published, please forward a tearsheet copy, affidavit of publication, and invoice to Pike Legal Group, PLLC, P. O. Box 369, Shepherdsville, KY 40165. Please call me at (800) 516-4293 if you have any questions. Thank you for your assistance.

Sincerely,
Robert W. Grant
Pike Legal Group, PLLC

EXHIBIT N
COPY OF RADIO FREQUENCY DESIGN SEARCH AREA



Lat: 38.354595
Lon: -83.955338

Myers Search Area