



Matthew G. Bevin
Governor

Charles G. Snavely
Secretary
Energy and Environment Cabinet

Commonwealth of Kentucky
Public Service Commission
211 Sower Blvd.
P.O. Box 615
Frankfort, Kentucky 40602-0615
Telephone: (502) 564-3940
Fax: (502) 564-3460
psc.ky.gov

Michael J. Schmitt
Chairman

Robert Cicero
Vice Chairman

Talina R. Mathews
Commissioner

June 15, 2018

Carl Waits
Chairman
2225 Lexington Road
Nicholasville, KY 40356

RE: Jessamine County Water District No. 1
Case No. 2018-00193 - Filing Deficiencies

The Commission Staff has reviewed the application in the above case. This filing is rejected for the reasons set forth below.

Filing deficiencies pursuant to:

- (1) 807 KAR 5:068: Section 1 (d)– The calculation and all supporting documents used to determine the change in purchased water costs sufficient to determine the accuracy of the calculation
- (2) 807 KAR 5:068: Section 1 (e)- A copy of the resolution or other document of the utility's governing body authorizing the proposed rates
- (3) 807 KAR 5:068: Section 4 - Satisfactorily completed Purchased Water Adjustment Form 1

You are requested to submit the information necessary to cure the deficiency within 10 days of the date of this letter.

If you need further assistance, please contact my staff at 502-564-3940.

Sincerely,

Gwen R. Pinson
Executive Director

*Carl Waits
Chairman
Jessamine County Water District #1
2225 Lexington Road
Nicholasville, KY 40356-9702

*Jessamine County Water District #1
2225 Lexington Road
Nicholasville, KY 40356-9702