

RECEIVED

OCT 19 2018

PUBLIC SERVICE
COMMISSION

COMMONWEALTH OF KENTUCKY
BEFORE THE PUBLIC SERVICE COMMISSION

In the matter of:

THE APPLICATION OF EAST KENTUCKY NETWORK,)
LLC FOR THE ISSUANCE OF A CERTIFICATE OF)
PUBLIC CONVENIENCE AND NECESSITY TO) CASE NO. 2018-00344
CONSTRUCT A TOWER IN BELL COUNTY, KENTUCKY)

East Kentucky Network, LLC d/b/a Appalachian Wireless, was granted authorization to provide cellular service in the KY-11 Cellular Market Area (CMA453) by the Federal Communications Commission (FCC). The FCC license is included as Exhibit 1. East Kentucky Network, LLC merger documents were filed with the Commission on February 2, 2001 in Case No. 2001-022. East Kentucky Network, LLC is a Kentucky limited liability company that was organized on June 16, 1998. East Kentucky Network, LLC is in good standing with the state of Kentucky.

In an effort to improve service in Bell County, pursuant to KRS 278.020 Subsection 1 and 807 KAR 5:001, East Kentucky Network, LLC is seeking the Commission’s approval to construct a 300-foot self-supporting tower on a tract of land located at 18555 US Hwy 25E, Pineville, Bell County, Kentucky (36°48’06.6728”N 83°45’58.3251”W). A map and detailed directions to the site can be found in Exhibit 7.

Exhibit 2 is a list of all Property owners or residents according to the Property Valuation Administrator’s record who own property within 500 feet of the proposed Tower and all property owners that own property contiguous to the property upon which construction is proposed in accordance with the Property Valuation Administrator’s record.

Pursuant to 807 KAR 5:063 Section 1(1)(l), Section 1(m) and Section 2, all affected property owners according to the Property Valuation Administrator’s records who own property

within 500 feet of the proposed Tower or who own property contiguous to the property upon which construction is proposed were notified by certified mail return receipt requested of East Kentucky Network, LLC's proposed construction and informed of their right to intervene. They were given the docket number under which this application is filed. Enclosed in Exhibit 2 is a copy of that notification.

Bell County has no formal local planning unit. In absence of this unit, the Bell County Judge Executive's office was notified by certified mail, return receipt requested of East Kentucky Network, LLC's proposal and informed of their right to intervene. The Bell County Judge Executive's Office was also given the docket number under which this application is filed. Enclosed in Exhibit 3 is a copy of that notification.

Notice of the location of the proposed construction was published in The Pineville Sun, October 18, 2018 edition. Enclosed is a copy of that notice in Exhibit 3. The Pineville Sun is the newspaper with the largest circulation in Bell County.

A geologist was employed to determine soil and rock types and to ascertain the distance to solid bedrock. The geotechnical report is enclosed as Exhibit 4.

A copy of the tower design information is enclosed as Exhibit 5. The proposed tower has been designed by engineers at Allstate Tower, Inc. and will be constructed under their supervision. Their qualifications are evidenced in Exhibit 5 by the seal and signature of the registered professional engineer responsible for this project.

The tower will be erected by S & S Tower Services of St. Albans, West Virginia. S & S Tower Services has vast experience in the erection of communications towers.

FAA and Kentucky Airport Zoning Commission approvals are included as Exhibit 6.

No Federal Communications Commission approval is required prior to construction of this facility. Once service is established from this tower we must immediately notify the Federal

Communications Commission of its operation. Prior approval is needed only if the proposed facility increases the size of the cellular geographic service area. This cell site will not expand the cellular geographic service area.

East Kentucky Network, LLC will finance the subject Construction with earned surplus in its General Fund.

| | |
|-----------------------------------|---------------|
| Estimated Cost of Construction | \$ 350,000.00 |
| Annual Operation Expense of Tower | \$ 12,500.00 |

Two notice signs meeting the requirements prescribed by 807 KAR 5:063, Section 1(2), measuring at least two (2) feet in height and four (4) feet in width and containing all required language in letters of required height, have been posted, one at a visible location on the proposed site and one on the nearest public road. The two signs were posted on October 16, 2018, and will remain posted for at least two weeks after filing of this application as specified.

Enclosed in Exhibit 8 is a copy of East Kentucky Network, LLC's Memorandum of Lease for the site location along with a lot description.

The proposed construction site is on a mountaintop some feet from the nearest structure. Prior to construction, the site was wooded.

East Kentucky Network, LLC's operation will not affect the use of nearby land nor its value. No more suitable site exists in the area. A copy of the search area map is enclosed in Exhibit 7. No other tower capable of supporting East Kentucky Network, LLC's load exists in the general area; therefore, there is no opportunity for co-location of our facilities with anyone else.

Enclosed, and filed as Exhibit 9 is a survey of the proposed tower site signed by a Kentucky registered professional engineer.

Exhibit 10 is a map in one (1) inch equals 200 feet scale identifying every structure and every owner of real estate within 500 feet of the proposed tower and all property owners who own contiguous property to the property upon which construction is proposed

Exhibit 11 contains a vertical sketch of the tower supplied by James W. Caudill, Kentucky registered professional engineer.

Enclosed as Exhibit 12 is a list of utilities, corporations, or persons with whom the tower is likely to compete.

[THE REMAINDER OF THIS PAGE INTENTIONALLY LEFT BLANK.]

WHEREFORE, Applicant respectfully requests that the Board accept the foregoing Application for filing and grant approval to construct and operate the proposed tower.

The foregoing document was prepared by Krystal Branham, Regulatory Compliance Attorney for East Kentucky Network, LLC d/b/a Appalachian Wireless. All related questions or correspondence concerning this filing should be mailed to the attention of East Kentucky Network, LLC d/b/a/ Appalachian Wireless, Attn.: Regulatory Compliance Department, 101 Technology Trail, Ivel, KY 41642.

SUBMITTED BY: *Lynn Haney* DATE: *10/17/18*
Lynn Haney, Regulatory Compliance Director

APPROVED BY: *W.A. Gillum* DATE: *10/17/18*
W.A. Gillum, General Manager

ATTORNEY: *Krystal Branham* DATE: *10/17/18*
Hon. Krystal Branham, Attorney

CONTACT INFORMATION:

W. A. Gillum, General Manager
Phone: (606) 477-2355, Ext. 111
Email: wagillum@ekn.com

Lynn Haney, Regulatory Compliance Director
Phone: (606) 477-2355, Ext. 1007
Email: lhaney@ekn.com

Krystal Branham, Regulatory Compliance Attorney
Phone: (606) 477-2355, Ext. 1009
Email: kbranham@ekn.com

ULS License

700 MHz Lower Band (Blocks C, D) License - WPWV284 - East Kentucky Network, LLC d/b/a Appalachian Wireless

| | | | |
|-----------|---------|---------------|---------------------------------------|
| Call Sign | WPWV284 | Radio Service | WZ - 700 MHz Lower Band (Blocks C, D) |
| Status | Active | Auth Type | Regular |

Rural Service Provider Bidding Credit

Is the Applicant seeking a Rural Service Provider (RSP) bidding credit?

Reserved Spectrum

Reserved Spectrum

Market

| | | | |
|-----------|-----------------------------|------------------------------|--|
| Market | CMA453 - Kentucky 11 - Clay | Channel Block | C |
| Submarket | 0 | Associated Frequencies (MHz) | 000710.00000000-000716.00000000 000740.00000000-000746.00000000 |

Dates

| | | | |
|-----------|------------|--------------|------------|
| Grant | 01/24/2003 | Expiration | 06/13/2019 |
| Effective | 11/02/2013 | Cancellation | |

Buildout Deadlines

| | | | |
|-----|------------|-----|--|
| 1st | 06/13/2019 | 2nd | |
|-----|------------|-----|--|

Notification Dates

| | | | |
|-----|--|-----|--|
| 1st | | 2nd | |
|-----|--|-----|--|

Licensee

| | | | |
|-----|------------|------|---------------------------|
| FRN | 0001786607 | Type | Limited Liability Company |
|-----|------------|------|---------------------------|

Licensee

| | |
|--|-----------------|
| East Kentucky Network, LLC d/b/a Appalachian Wireless 101 Technology Trail Ivel, KY 41642 ATTN W.A. Gillum, General Manager/CEO | P:(606)477-2355 |
|--|-----------------|

Contact

| | |
|---|--|
| Lukas, Nace, Gutierrez & Sachs, LLP Pamela L Gist Esq 8300 Greensboro Drive McLean, VA 22102 | P:(703)584-8665 F:(703)584-8695 E:pgist@fcclaw.com |
|---|--|

Ownership and Qualifications

Radio Service Type Fixed, Mobile, Radio Location

Regulatory Status Common Carrier, Interconnected Yes
Non-Common Carrier

Alien Ownership

The Applicant answered "No" to each of the Alien Ownership questions.

Basic Qualifications

The Applicant answered "No" to each of the Basic Qualification questions.

Tribal Land Bidding Credits

This license did not have tribal land bidding credits.

Demographics

Race

Ethnicity

Gender

EXHIBIT 2 – LIST OF PROPERTY OWNERS

Statement Pursuant to Section 1 (1) (I) 807 KAR 5:063

Section 1 (1)(I) 1. The following is a list of every property owner who according to property valuation administrator's records, owns property within 500 feet of the proposed tower and each have been: notified by certified mail, return receipt requested, of the proposed construction,

Section 1 (1)(I) 2. Every person listed below who, according to the property valuation administrator's records, owns property within 500 feet of the proposed tower has been: Given the Commission docket number under which the application will be processed: and

Section 1 (1)(I) 3. Every person listed below who, according to property valuation administrator's records owns property within 500 feet of the proposed tower has been: Informed of his right to request intervention.

Section 2. If the construction is proposed for an area outside the incorporated boundaries of a city, the application shall state that public notices required by Section 1(1)(L) have been sent to every person who, according to the property valuation administrator, owns property contiguous to the property upon which the construction is proposed

LIST OF PROPERTY OWNERS

KY Utilities, Inc.
Pineville, KY 40977

Tri-Star Real Estate, LLC
C/O Bradley Smith
1008 Eagle Lake Drive
Lawrenceburg, KY 40324

Micah and Kelly Evans
10853 S US HWY 25E
Flat Lick, KY 40935

Johnny and Terrie Laws
P.O. Box 144
Four Mile, KY 40939

Paul S. Mills
339 Possum Hollow Rd
Flat Lick, KY 40935

A.Y., Jr. and Ginger Evans
67 Possum Hollow Rd
Flat Lick, KY 40935

Commonwealth of KY
Transportation Cabinet
Barbourville, KY 40906

Vernia Ann Renfro
5368 Culbertson RD
Greenville, OH 45331



VIA: U.S. CERTIFIED MAIL

PUBLIC NOTICE

October 18, 2018

KY Utilities, Inc.
Pineville, KY 40977

RE: Public Notice-Public Service Commission of Kentucky (Case No. 2018-00344)

East Kentucky Network, LLC d/b/a Appalachian Wireless has applied to the Public Service Commission of Kentucky for a Certificate of Public Convenience and Necessity to construct and operate a new facility to provide cellular telecommunications service in Bell County. The facility will include a 300-foot self-supporting tower with attached antennas extending upwards, and an equipment shelter located on a tract of land near 18555 U.S. HWUY 25E, Pineville, Bell. A map showing the location of the proposed new facility is enclosed. This notice is being sent to you because you may own property within a 500' radius of the proposed tower or own property contiguous to the property upon which construction is proposed.

The Commission invites your comments regarding the proposed construction. You also have the right to intervene in this matter. The Commission must receive your initial communication within 20 days of the date of this letter as shown above.

Your comments and request for intervention should be addressed to: Executive Director's Office, Public Service Commission of Kentucky, P.O. Box 615, Frankfort, KY 40602. Please refer to Case No. 2018-00344 in your correspondence.

If you have any questions for East Kentucky Network, LLC, please direct them to my attention at the following address: East Kentucky Network, LLC, 101 Technology Trail, Ivel, KY 41642 or call me at 606-477-2355, Ext. 1007.

Sincerely,

Lynn Haney, CPA
Regulatory Compliance Director
Enclosure 1



VIA: U.S. CERTIFIED MAIL

PUBLIC NOTICE

October 18, 2018

Tri-Star Real Estate, LLC
C/O Bradley Smith
1008 Eagle Lake Drive
Lawrenceburg, KY 40324

RE: Public Notice-Public Service Commission of Kentucky (Case No. 2018-00344)

East Kentucky Network, LLC d/b/a Appalachian Wireless has applied to the Public Service Commission of Kentucky for a Certificate of Public Convenience and Necessity to construct and operate a new facility to provide cellular telecommunications service in Bell County. The facility will include a 300-foot self-supporting tower with attached antennas extending upwards, and an equipment shelter located on a tract of land near 18555 U.S. HWUY 25E, Pineville, Bell. A map showing the location of the proposed new facility is enclosed. This notice is being sent to you because you may own property within a 500' radius of the proposed tower or own property contiguous to the property upon which construction is proposed.

The Commission invites your comments regarding the proposed construction. You also have the right to intervene in this matter. The Commission must receive your initial communication within 20 days of the date of this letter as shown above.

Your comments and request for intervention should be addressed to: Executive Director's Office, Public Service Commission of Kentucky, P.O. Box 615, Frankfort, KY 40602. Please refer to Case No. 2018-00344 in your correspondence.

If you have any questions for East Kentucky Network, LLC, please direct them to my attention at the following address: East Kentucky Network, LLC, 101 Technology Trail, Ivel, KY 41642 or call me at 606-477-2355, Ext. 1007.

Sincerely,

A handwritten signature in blue ink that reads "Lynn Haney".

Lynn Haney, CPA
Regulatory Compliance Director
Enclosure 1



VIA: U.S. CERTIFIED MAIL

PUBLIC NOTICE

October 18, 2018

Miciah and Kelly Evans
10853 S US HWY 25E
Flat Lick, KY 40935

RE: Public Notice-Public Service Commission of Kentucky (Case No. 2018-00344)

East Kentucky Network, LLC d/b/a Appalachian Wireless has applied to the Public Service Commission of Kentucky for a Certificate of Public Convenience and Necessity to construct and operate a new facility to provide cellular telecommunications service in Bell County. The facility will include a 300-foot self-supporting tower with attached antennas extending upwards, and an equipment shelter located on a tract of land near 18555 U.S. HWUY 25E, Pineville, Bell. A map showing the location of the proposed new facility is enclosed. This notice is being sent to you because you may own property within a 500' radius of the proposed tower or own property contiguous to the property upon which construction is proposed.

The Commission invites your comments regarding the proposed construction. You also have the right to intervene in this matter. The Commission must receive your initial communication within 20 days of the date of this letter as shown above.

Your comments and request for intervention should be addressed to: Executive Director's Office, Public Service Commission of Kentucky, P.O. Box 615, Frankfort, KY 40602. Please refer to Case No. 2018-00344 in your correspondence.

If you have any questions for East Kentucky Network, LLC, please direct them to my attention at the following address: East Kentucky Network, LLC, 101 Technology Trail, Ivel, KY 41642 or call me at 606-477-2355, Ext. 1007.

Sincerely,

Lynn Haney, CPA
Regulatory Compliance Director
Enclosure 1

VIA: U.S. CERTIFIED MAIL

PUBLIC NOTICE

October 18, 2018

Johnny and Terrie Laws
P.O. Box 144
Four Mile, KY 40939

RE: Public Notice-Public Service Commission of Kentucky (Case No. 2018-00344)

East Kentucky Network, LLC d/b/a Appalachian Wireless has applied to the Public Service Commission of Kentucky for a Certificate of Public Convenience and Necessity to construct and operate a new facility to provide cellular telecommunications service in Bell County. The facility will include a 300-foot self-supporting tower with attached antennas extending upwards, and an equipment shelter located on a tract of land near 18555 U.S. HWUY 25E, Pineville, Bell. A map showing the location of the proposed new facility is enclosed. This notice is being sent to you because you may own property within a 500' radius of the proposed tower or own property contiguous to the property upon which construction is proposed.

The Commission invites your comments regarding the proposed construction. You also have the right to intervene in this matter. The Commission must receive your initial communication within 20 days of the date of this letter as shown above.

Your comments and request for intervention should be addressed to: Executive Director's Office, Public Service Commission of Kentucky, P.O. Box 615, Frankfort, KY 40602. Please refer to Case No. 2018-00344 in your correspondence.

If you have any questions for East Kentucky Network, LLC, please direct them to my attention at the following address: East Kentucky Network, LLC, 101 Technology Trail, Ivel, KY 41642 or call me at 606-477-2355, Ext. 1007.

Sincerely,



Lynn Haney, CPA
Regulatory Compliance Director
Enclosure 1



VIA: U.S. CERTIFIED MAIL

PUBLIC NOTICE

October 18, 2018

Paul S. Mills
339 Possum Hollow Rd
Flat Lick, KY 40935

RE: Public Notice-Public Service Commission of Kentucky (Case No. 2018-00344)

East Kentucky Network, LLC d/b/a Appalachian Wireless has applied to the Public Service Commission of Kentucky for a Certificate of Public Convenience and Necessity to construct and operate a new facility to provide cellular telecommunications service in Bell County. The facility will include a 300-foot self-supporting tower with attached antennas extending upwards, and an equipment shelter located on a tract of land near 18555 U.S. HWUY 25E, Pineville, Bell. A map showing the location of the proposed new facility is enclosed. This notice is being sent to you because you may own property within a 500' radius of the proposed tower or own property contiguous to the property upon which construction is proposed.

The Commission invites your comments regarding the proposed construction. You also have the right to intervene in this matter. The Commission must receive your initial communication within 20 days of the date of this letter as shown above.

Your comments and request for intervention should be addressed to: Executive Director's Office, Public Service Commission of Kentucky, P.O. Box 615, Frankfort, KY 40602. Please refer to Case No. 2018-00344 in your correspondence.

If you have any questions for East Kentucky Network, LLC, please direct them to my attention at the following address: East Kentucky Network, LLC, 101 Technology Trail, Ivel, KY 41642 or call me at 606-477-2355, Ext. 1007.

Sincerely,

Lynn Haney, CPA
Regulatory Compliance Director
Enclosure 1



VIA: U.S. CERTIFIED MAIL

PUBLIC NOTICE

October 18, 2018

A.Y. JR. and Ginger Evans
67 Possum Hollow Rd
Flat Lick, KY 40935

RE: Public Notice-Public Service Commission of Kentucky (Case No. 2018-00344)

East Kentucky Network, LLC d/b/a Appalachian Wireless has applied to the Public Service Commission of Kentucky for a Certificate of Public Convenience and Necessity to construct and operate a new facility to provide cellular telecommunications service in Bell County. The facility will include a 300-foot self-supporting tower with attached antennas extending upwards, and an equipment shelter located on a tract of land near 18555 U.S. HWUY 25E, Pineville, Bell. A map showing the location of the proposed new facility is enclosed. This notice is being sent to you because you may own property within a 500' radius of the proposed tower or own property contiguous to the property upon which construction is proposed.

The Commission invites your comments regarding the proposed construction. You also have the right to intervene in this matter. The Commission must receive your initial communication within 20 days of the date of this letter as shown above.

Your comments and request for intervention should be addressed to: Executive Director's Office, Public Service Commission of Kentucky, P.O. Box 615, Frankfort, KY 40602. Please refer to Case No. 2018-00344 in your correspondence.

If you have any questions for East Kentucky Network, LLC, please direct them to my attention at the following address: East Kentucky Network, LLC, 101 Technology Trail, Ivel, KY 41642 or call me at 606-477-2355, Ext. 1007.

Sincerely,

Lynn Haney, CPA
Regulatory Compliance Director
Enclosure 1



VIA: U.S. CERTIFIED MAIL

PUBLIC NOTICE

October 18, 2018

Commonwealth of KY
Transportation Cabinet
Barbourville, KY 40906

RE: Public Notice-Public Service Commission of Kentucky (Case No. 2018-00344)

East Kentucky Network, LLC d/b/a Appalachian Wireless has applied to the Public Service Commission of Kentucky for a Certificate of Public Convenience and Necessity to construct and operate a new facility to provide cellular telecommunications service in Bell County. The facility will include a 300-foot self-supporting tower with attached antennas extending upwards, and an equipment shelter located on a tract of land near 18555 U.S. HWUY 25E, Pineville, Bell. A map showing the location of the proposed new facility is enclosed. This notice is being sent to you because you may own property within a 500' radius of the proposed tower or own property contiguous to the property upon which construction is proposed.

The Commission invites your comments regarding the proposed construction. You also have the right to intervene in this matter. The Commission must receive your initial communication within 20 days of the date of this letter as shown above.

Your comments and request for intervention should be addressed to: Executive Director's Office, Public Service Commission of Kentucky, P.O. Box 615, Frankfort, KY 40602. Please refer to Case No. 2018-00344 in your correspondence.

If you have any questions for East Kentucky Network, LLC, please direct them to my attention at the following address: East Kentucky Network, LLC, 101 Technology Trail, Ivel, KY 41642 or call me at 606-477-2355, Ext. 1007.

Sincerely,

Lynn Haney, CPA
Regulatory Compliance Director
Enclosure 1



VIA: U.S. CERTIFIED MAIL

PUBLIC NOTICE

October 18, 2018

Vernia Ann Renfro
5368 Culbertson RD
Greenville, OH 45331

RE: Public Notice-Public Service Commission of Kentucky (Case No. 2018-00344)

East Kentucky Network, LLC d/b/a Appalachian Wireless has applied to the Public Service Commission of Kentucky for a Certificate of Public Convenience and Necessity to construct and operate a new facility to provide cellular telecommunications service in Bell County. The facility will include a 300-foot self-supporting tower with attached antennas extending upwards, and an equipment shelter located on a tract of land near 18555 U.S. HWUY 25E, Pineville, Bell. A map showing the location of the proposed new facility is enclosed. This notice is being sent to you because you may own property within a 500' radius of the proposed tower or own property contiguous to the property upon which construction is proposed.

The Commission invites your comments regarding the proposed construction. You also have the right to intervene in this matter. The Commission must receive your initial communication within 20 days of the date of this letter as shown above.

Your comments and request for intervention should be addressed to: Executive Director's Office, Public Service Commission of Kentucky, P.O. Box 615, Frankfort, KY 40602. Please refer to Case No. 2018-00344 in your correspondence.

If you have any questions for East Kentucky Network, LLC, please direct them to my attention at the following address: East Kentucky Network, LLC, 101 Technology Trail, Ivel, KY 41642 or call me at 606-477-2355, Ext. 1007.

Sincerely,

A handwritten signature in blue ink that reads "Lynn Haney".

Lynn Haney, CPA
Regulatory Compliance Director
Enclosure 1

Fourmile

Location:

18555 US Hwy 25E
Pineville, KY 40977

Coordinates:

36°48'6.67"N
83°45'58.32"W

Proposed Fourmile Site

25E

Briar Hill
Dr

Fourmile-Flat Lick Rd

Mocking Bird Ln

3085

2015

2014

92

Old 25 Loop

Google Earth

© 2018 Google



3000 ft

dba Appalachian Wireless
101 Technology Trail
Ivel, KY 41642
Phone: 606-477-2355
Fax: 606-791-2225

EAST KENTUCKY
NETWORK



To: The Pineville Sun
Attn: Classifieds

From: Raina Helton
Regulatory Compliance Assistant

Email: advertising@thepinevillesun.com **Date:** October 11, 2018

Re: PUBLIC NOTICE ADVERTISEMENT **Pages:** 1

Please place the following Public Notice Advertisement in The Pineville Sun to be ran on October 18, 2018.

PUBLIC NOTICE:

RE: Public Service Commission of Kentucky (CASE NO. 2018-0000344)

Public Notice is hereby given that East Kentucky Network, LLC, dba Appalachian Wireless has applied to the Kentucky Public Service Commission to construct a cellular telecommunications tower on a tract of land located at 18555 U.S. Hwy 25E, Pineville, Bell County, Kentucky. The proposed tower will be a 300 foot self-supporting tower with attached antennas. If you would like to respond to this notice, please contact the Executive Director, Public Service Commission, 211 Sower Boulevard, PO Box 615, Frankfort, Kentucky 40602. Please refer to Case No. 2018-00344.

If you have any questions about the placement of the above mentioned notice, please call me at 606-477-2375, ext. 1005.

Thank you,

Raina Helton
Regulatory Compliance Assistant

The message above and the information contained in the documents transmitted are confidential and intended only for the person(s) named above. Dissemination, distribution or copying of this communication by anyone other than the person(s) named above is prohibited. If you have received this communication in error, please notify us immediately by telephone and return the original message to us at the address listed above via regular mail. Thank you.



VIA: U.S. CERTIFIED MAIL

October 18, 2018

Albey Brock, Judge Executive
P.O. Box 339
Pineville, KY 40977

RE: Public Notice-Public Service Commission of Kentucky (Case No. 2018-00344)

East Kentucky Network, LLC d/b/a Appalachian Wireless has applied to the Public Service Commission of Kentucky for a Certificate of Public Convenience and Necessity to construct and operate a new facility to provide cellular telecommunications service in Bell County. The facility will include a 300-foot self-supporting tower with attached antennas extending upwards, and an equipment shelter located on a tract of land at 18555 U.S. Hwy 25E, Pineville, Bell County, Kentucky. A map showing the location of the proposed new facility is enclosed. This notice is being sent to you because you are the County Judge Executive of Bell County.

The Commission invites your comments regarding the proposed construction. You also have the right to intervene in this matter. The Commission must receive your initial communication within 20 days of the date of this letter as shown above.

Your comments and request for intervention should be addressed to: Executive Director's Office, Public Service Commission of Kentucky, P.O. Box 615, Frankfort, KY 40602. Please refer to Case No. 2018-00344 in your correspondence.

If you have any questions for East Kentucky Network, LLC, please direct them to my attention at the following address: East Kentucky Network, LLC, 101 Technology Trail, Ivel, KY 41642 or call me at 606-477-2355, Ext. 1007.

Sincerely,

Lynn Haney
Regulatory Compliance Director
Enclosure

Fourmile

Location:

18555 US Hwy 25E
Pineville, KY 40977

Coordinates:

36°48'6.67"N
83°45'58.32"W

 Proposed Fourmile Site

25E

Briar H.
ps 12

Fourmile-Flat Lick Rd

Mocking Bird Ln

3085

2015

2014

92

Old 25 Loop

Google Earth

© 2018 Google



3000 ft



230 Swartz Drive • Hazard • Kentucky • 41701
Phone (606) 551-1050

EAST KENTUCKY ENGINEERING, LLC.

**APPALACHIAN WIRELESS
Geotechnical Investigation on the
Four Mile Tower Site
Bell County, Kentucky
EKYENG Project No. 165-000-0075**

PREPARED FOR:
Appalachian Wireless.
101 Technology Trail
Ivel, Kentucky 41642

PREPARED BY:
Richard Dirk Smith PE, PLS
President
East Kentucky Engineering
230 Swartz Drive
Hazard, Kentucky 41701



_____, 20215, September 19th, 2018



EAST KENTUCKY ENGINEERING, LLC.

EXECUTIVE SUMMARY

1.0 INTRODUCTION

2.0 PROJECT DESCRIPTION

3.0 SITE DESCRIPTION & HISTORICAL MINING

3.1 GENERAL INFORMATION

3.2 SURFACE MINING

3.3 UNDERGROUND MINING

4.0 FIELD EXPLORATION

4.1 SITE INFORMATION

4.2 TEST PITS

4.3 GROUNDWATER

4.4 SEISMIC SITE CLASSIFICATION

5.0 DISCUSSION AND RECOMMENDATIONS

5.1 GENERAL

5.2 SHALLOW MAT FOUNDATIONS RECOMMENDATIONS

5.3 BURIED UTILITIES

6.0 WARRANTY

6.1 SUBSURFACE EXPLORATION

6.2 LABORATORY AND FIELD TEST

6.3 ANALYSIS AND RECOMMENDATIONS

6.4 CONSTRUCTION MONITORING

6.5 GENERAL

SPECIFICATIONS

I – GENERAL

II – ENGINEERED FILL BENEATH STRUCTURES CLEARING AND GRADING SPECIFICATIONS

III – GUIDELINES FOR EXCAVATIONS AND TRENCHING

IV – GENERAL CONCRETE SPECIFICATIONS

APPENDIX A – PHOTOGRAPHS

APPENDIX B – SEISMIC DATA

APPENDIX C – MAPS



EAST KENTUCKY ENGINEERING, LLC.

EXECUTIVE SUMMARY

A geotechnical investigation has been performed on the Four Mile Tower Site, located in Bell County, Kentucky. This site is not readily accessible. A location map is shown in Figure 1 of this report. Field inspections were completed by digging open pits by hand and taking soundings with rebar. Access to this site with equipment is limited. The following geotechnical considerations were identified:

- Pit excavations and sounding that were utilized for this study encountered soils and sandstone.
- Elevations were taken from aerial DEM mapping available at ArcGIS Kentucky Elevation Data.
- The maximum estimated base elevation of tower mat foundation is 1581 ft.
- This site is an undisturbed forested slope.
- **The allowable bearing capacities are estimated at 4 TSF psf for the weathered sandstone rock foundations.**
- The 2015 International Building Code seismic site classification for this site is "A."
- If during the foundation design it becomes necessary to lower or raise the footer, alternate design recommendations can be provided by EKYENG.
- Close monitoring of the construction operations discussed herein will be critical in achieving the design subgrade support. We, therefore, recommend that EKYENG is retained to monitor this portion of the work.

This executive summary is included to provide a general overview of the project and should not be relied upon except for the purpose it was prepared. Please rely on the complete report for the information on the findings, recommendations, and all other concerns.



EAST KENTUCKY ENGINEERING, LLC.

1. INTRODUCTION

East Kentucky Engineering (EKYENG) was retained by Mr. Marty Thacker of Appalachian Wireless to prepare a geotechnical engineering report for the proposed tower site located on the Four Mile Property, in Bell County, Kentucky. A site location map is shown in Figure No. 1.


Pits were opened by hand and sounding were taken to refusal where possible. The purpose of these services is to provide information and geotechnical engineering recommendations about subsurface conditions, earthwork, seismic considerations, groundwater conditions and foundation design.

2.0 PROJECT DESCRIPTION

The proposed communication facility will consist of a self-supporting tower of undetermined height and ancillary support areas. The footing area is estimated to be 43.5 ft. X 43.5 ft. with an estimated base of the tower footer elevation at 1581.0 ft. Based on information provided, we estimate the structural loads will be like the following conditions;

| CONDITION | LOAD |
|-------------|---------|
| Total Shear | 40 Kips |
| Axial Load | 50 Kips |

We anticipate that overturning will govern the structural design. If the loading is significantly different than these expected values, EKYENG should be notified to re-evaluate the recommendations provided in this report.



LAT:36°48'06.6728"
 LON:83°45'58.3251"

Drawn: RDS Date: 09/24/18
 Job:165-075 Scale: 1"=1000'

Appalachian Wireless
 USGS Quadrangle
 Location Map
 Four Mile Tower Site
 Figure No. 1

East Kentucky Engineering, LLC.
 230 Swartz Drive
 Hazard, KY 41701
 (606) 551-1050



EAST KENTUCKY ENGINEERING, LLC.

3.0 SITE DESCRIPTION & HISTORICAL MINING

3.1 GENERAL INFORMATION

The site location is on a forested slope, in Bell County, Kentucky. The current surface elevation is approximately 1586 ft. Research on the historical mining was conducted by obtaining previous mine license maps from the "Kentucky Mine Mapping Information System" (KMMIS).

3.2 SURFACE MINING

No surface mining or auger mining was found during our research that would influence this site. No adverse issues from surface mining activities are expected at this site location.

3.3 UNDERGROUND MINING

No underground mining under of adjacent to this site was found during our research. Therefore, no adverse impact from underground mining activities are expected at this site.


4.0 FIELD EXPLORATION

4.1 SITE INFORMATION

The proposed site is located on a forested slope in Bell County, Kentucky. The site lies within the Artemus Quadrangle. The site is not readily accessible by conventional exploratory equipment. An estimated pad location was determined based on the information provided. Foundation dimensions were estimated to be a 43.5 ft X 43.5 ft footer for this report.

4.2 TEST PITS

This investigation was conducted by excavating four (4) pits by hand with sounding to find refusal. Test holes are shown on the attached maps in Appendix C. The combinations of pits, visual inspections, and soundings were conducted to



LAT: 36°48'06.6728"
 LON: 83°45'58.3251"

Drawn: RDS Date: 09/24/18
 Job: 165-075 Scale: 1"=1000'

Appalachian Wireless
 Geologic Quadrangle
 Location Map
 Four Mile Tower Site
 Figure No. 2

East Kentucky Engineering, LLC.
 230 Swartz Drive
 Hazard, KY 41701
 (606) 551-1050



EAST KENTUCKY ENGINEERING, LLC.

evaluate the site lithology and type of materials immediately below the proposed tower site. The following soils and rock properties were found.

TABLE 2
PIT EXCAVATION / SOUNDING

| Test Pit | DEPTH INCREMENT, (FT.) TO REFUSAL | SOILS TYPE |
|----------|--------------------------------------|--------------------|
| TH1 | 0.0 / 3.5 | Soils/ Weath. SS. |
| TH2 | 0.0 / 4.0 | Soils / No Refusal |
| TH3 | 0.0 / 3.0 | Soils / Refusal |
| TH4 | 0.0 / 2.0 | Soils/. SS |

Note: A cross-section of this information is in Appendix C of this report

4.3 GROUNDWATER

Groundwater in Eastern Kentucky is characterized by water flowing through a system of internal fractures that lead to an alluvial aquifer near the bottom of valley floors. Large, defined aquifers other than the alluvium is not common, especially in higher elevations such as where this tower site is proposed. Therefore, groundwater should not be a concern in this area. During field test activities, no groundwater resources were observed.

4.4 SEISMIC SITE CLASSIFICATION

Based on the encountered soil conditions at the project site, the site classification was determined to be "Site Class A" per the 2015 Kentucky Building Code. In addition, an S_{DS} coefficient of 0.148 g was calculated, and an S_{D1} coefficient of 0.056 g was also calculated for design based on the aforementioned building code.



EAST KENTUCKY ENGINEERING, LLC.

5.0 DISCUSSION AND RECOMMENDATIONS

5.1 GENERAL

The structure will be a self-supporting free-standing tri-pole tower. Due to wind loading, lattice tower foundations can experience both vertical loads and horizontal loads. The vertical loads act in both an upward and downward direction as the tower attempts to overturn and can act in any directions.

5.2 SHALLOW MAT FOUNDATIONS RECOMMENDATIONS

We are recommending shallow foundations. It should be noted that the material type and bearing capacity can vary significantly due to the inconsistency of the underlying material. Based on the laboratory and field testing, visual inspection of the materials and practical experience we have estimated that the **allowable bearing capacity of the weathered sandstone at this site will be 4 TSF at the at the estimated mat base elevation of 1581 ft.** The weathered sandstone unit is present from range of 1581 ft to 1575 ft, will provide the necessary cut width to support the proposed mat without overhanging outside the rock outcrop line.

It is furthermore recommended that the slabs-on-grade be supported on a 4 to 6-inch layer of relatively clean granular material such as sand and gravel or crushed stone. This is to help distribute concentrated loads and equalize moisture conditions beneath the slab. Proper drainage must be incorporated into this granular layer to preclude future wet areas in the finished slab-on-grade. However, all topsoil and/or other deleterious materials encountered during site preparation must be removed and replaced with 4000 psi concrete below the foundation base. Provided that a minimum of 4 inches of granular material is placed below the new slab-on-grade, a modulus of subgrade reaction (k₃₀) of 100 lbs/cu in can be used for the design of the slabs.

Support structure for this tower can be placed as needed. It is recommended that test pits are examined to ensure that any of these structures are on the competent



EAST KENTUCKY ENGINEERING, LLC.

materials. If pockets of soft, loose or otherwise unsuitable material are encountered in the footing excavations, and it is inconvenient to lower the footings, the proposed footing elevations may be re-established by backfilling after the undesirable material has been removed. The undercut excavation beneath each footing should extend to suitable bearing soils, and the dimensions of the excavation base should be determined by imaginary planes extending outward and down on a 1 (vertical) to 1 (horizontal) slope from the base perimeter of the footing. The entire excavation should then be refilled with a well-compacted engineered fill, or lean concrete (Please note that the width of the lean concrete zone should be equal or wider than the width of the overlying footing element). Special care should be exercised to remove any sloughed, loose or soft materials near the base of the excavation slopes. In addition, special care should be taken to "tie-in" the compacted fill with the excavation slopes, with benches as necessary, to ensure that no pockets of loose or soft materials will be left in place along the excavation slopes below the foundation bearing level. All Federal, State, and Local regulations should be strictly adhered to relative to excavation side-slope geometry.

5.3 BURIED UTILITIES

Excavations for buried utility pipelines should follow the guidelines outlined in this report. Depending on the pipeline material, a minimum thickness of at least 0.5 feet of select fine-grained granular bedding material should be used beneath all below-grade pipes, with a minimum cover thickness of at least 3 feet to afford an "arching" effect and reduce stresses on the pipe. The cover thickness may be reduced if the external loading condition on the pipe is relatively light or if the pipe is designed to withstand the external loading condition. It is not recommended that "pea-gravel" or other "open-work" aggregates be used for trench backfill since these materials are nearly impossible to compact and tend to pond water within their interstices.



EAST KENTUCKY ENGINEERING, LLC.

6.0 WARRANTY

Our professional services have been performed, our findings obtained, and our recommendations prepared in accordance with generally accepted geotechnical engineering principles and practices. No other warranty, express or implied, is made.

While the services of EKYENG are a valuable and integral part of the design and construction teams, we do not warrant, guarantee, or ensure the quality or completeness of services provided by other members of those teams, the quality, completeness, or satisfactory performance of construction plans and specifications which we have not prepared, nor the ultimate performance of building site materials.

6.1 SUBSURFACE EXPLORATION

Subsurface exploration is normally accomplished by test borings, although test pits are sometimes employed. The location and elevation of the test locations should be considered accurate only to the degree inherent with the method used.

The boring log includes sampling information, description of the materials recovered, approximate depth of boundaries between soil and rock strata and groundwater data. The boring log represents conditions specifically at the location and time the testing was conducted. The boundaries between different soil strata are indicated at specific depths; however, these depths are in fact approximate and are somewhat dependent upon the frequency of sampling (The transition between soil strata is often gradual). Free groundwater level readings are made at the times and under conditions stated on the boring logs (Groundwater levels change with time and season). The trenches and pits do not



EAST KENTUCKY ENGINEERING, LLC.

always remain open sufficiently long enough for the measured water level to coincide with the groundwater table.

6.2 LABORATORY AND FIELD TESTS

Laboratory and field tests are performed by specific ASTM standards unless otherwise indicated. All determinations included in each ASTM standard are not always required and performed. Each test report indicates the measurements and determinations made.

6.3 ANALYSIS AND RECOMMENDATIONS

The geotechnical report is prepared primarily to aid in the engineering design of site work and structural foundations. Although the information in the report is expected to be sufficient for these purposes, it is not intended to determine the cost of construction or to stand alone as a construction specification.

Our engineering report recommendations are based primarily on data from test borings or other methods made at the locations shown on the attached drawings. Soil variations may exist between test sites, and these variations may not become evident until construction. If significant variations are then noted, the geotechnical engineer should be contacted so that field conditions can be examined and recommendations revised if necessary.

The geotechnical engineering report states our understanding as to the location, dimensions and structural features proposed for the site. Any significant changes in the nature, design, or location of the site improvements **MUST** be communicated to the geotechnical engineer such that the geotechnical analysis, conclusions, and recommendations can be appropriately adjusted. The geotechnical engineer should be given the opportunity to review all drawings that have been prepared based on their recommendations.

6.4 CONSTRUCTION MONITORING



EAST KENTUCKY ENGINEERING, LLC.

Construction monitoring is a vital element of complete geotechnical services. The field engineer/inspector is the owner's "representative" observing the work of the contractor, performing tests as required in the specifications, and reporting data developed from such tests and observations. The field engineer or inspector does not direct the contractor's construction means, methods, operations or personnel. The field inspector/engineer does not interfere with the relationship between the owner and the contractor and, except as an observer, does not become a substitute owner on site. The field inspector/engineer is responsible for his own safety but has no responsibility for the safety of other personnel at the site. The field inspector/engineer is an important member of a team whose responsibility is to watch and test the work being done and report to the owner whether that work is being carried out in general conformance with the plans and specifications.

6.5 GENERAL

The scope of our services did not include an environmental assessment for the presence or absence of hazardous or toxic materials in the soil, surface water, groundwater or air, on, within or beyond the site studied. Any statements in the report or on the boring logs regarding odors, staining of soils or other unusual items or conditions observed are strictly for the information of our client.

To evaluate the site for possible environmental liabilities, we recommend an environmental assessment, consisting of a detailed site reconnaissance, a record review, and report of findings. Additional subsurface drilling and samplings, including groundwater sampling, may be required.

This report has been prepared for the exclusive use of Appalachian Wireless, for specific application to the proposed cellular tower located on the Four Mile Property located in Bell County, Kentucky. Specific design and construction recommendations have been provided in the various sections of the report. The report shall, therefore, be used in its entirety. This report is not a bidding document and shall not be used for that purpose. Anyone reviewing this report



EAST KENTUCKY ENGINEERING, LLC.

must interpret and draw their conclusions regarding the specific construction techniques and methods that were chosen. EKYENG is not responsible for the independent conclusions, opinions or recommendations made by others based on the field exploratory and laboratory test data presented in this report.



EAST KENTUCKY ENGINEERING, LLC.

SPECIFICATIONS

I – GENERAL

1.0 STANDARDS AND DEFINITIONS

1.1 STANDARDS - All standards refer to latest edition unless otherwise noted.

1.1.1 ASTM D-698-70 (Method C) "Standard Test Methods for Moisture, Density Relations of Soils and Soil-Aggregate Mixtures Using 5.5-lb (2.5 kg.) Rammer and 12-inch (305-mm) Drop".

1.1.2 ASTM D-2922 "Standard Test Method for Density of Soil and Soil-Aggregate in Place by Nuclear Methods (Shallow Depth)."

1.1.3 ASTM D-1556 "Standard Test Method for Density of Soil in place by the Sand-Cone Method."

1.2 DEFINITIONS

1.2.1 Owner - In these specifications, the word "Owner" shall mean Appalachian Wireless.

1.2.2 Engineer - In these specifications, the word "Engineer" shall mean the Owner designated engineer.

1.2.3 Design Engineer - In these specifications, the words "Design Engineer" shall mean the Owner designated design engineer.

1.2.4 Contractor - In these specifications, the word "Contractor" shall mean the firm or corporation undertaking the execution of any work under the terms of these specifications.

1.2.5 Approved - In these specifications the word "approved" shall refer to the approval of the Engineer or his designated representative.

1.2.6 As Directed - In these specifications the words "as directed" shall refer to the directions to the Contractor from the Owner or his designated representative.



EAST KENTUCKY ENGINEERING, LLC.

2.0 GENERAL CONDITIONS

- 2.1 The Contractor shall furnish all labor, material and equipment and perform all work and services except those set-out and furnished by the Owner, necessary to complete in a satisfactory manner the site preparation, excavation, filling, compaction, grading as shown on the plans and as described therein.

This work shall consist of all mobilization clearing and grading, grubbing, stripping, removal of existing material unless otherwise stated, preparation of the land to be filled, filling of the land, spreading and compaction of the fill, and all subsidiary work necessary to complete the grading of the cut and fill areas to conform with the lines, grades, slopes, and specifications.

This work is to be accomplished under the observation of the Owner or his designated representative.

- 2.2 Prior to bidding the work, the Contractor shall examine, investigate and inspect the construction site as to the nature and location of the work, and the general and local conditions at the construction site, including, without limitation, the character of surface or subsurface conditions and obstacles to be encountered on and around the construction site; and shall make such additional investigation as he may deem necessary for the planning and proper execution of the work.

If conditions other than those indicated are discovered by the Contractor, the Owner should be notified immediately. The material which the Contractor believes to be a changed condition should not be disturbed so that the owner can investigate the condition.

- 2.3 The construction shall be performed under the direction of an experienced engineer who is familiar with the design plan.



EAST KENTUCKY ENGINEERING, LLC.

II - ENGINEERED FILL BENEATH STRUCTURES CLEARING AND GRADING SPECIFICATIONS

1.0 GENERAL CONDITIONS

The Contractor shall furnish all labor, materials, and equipment, and perform all work and services necessary to complete in a satisfactory manner the site preparation, excavation, filling, compaction and grading as shown on the plans and as described therein.

This work shall consist of all clearing and grading, removal of existing structures unless otherwise stated, preparation of the land to be filled, filling of the land, spreading and compaction of the fill, and all subsidiary work necessary to complete the grading of the cut and fill areas to conform with the lines, grades, slopes, and specifications.

This work is to be accomplished under the constant and continuous supervision of the Owner or his designated representative.

In these specifications, the terms "approved" and "as directed" shall refer to directions to the Contractor from the Owner or his designated representative.

2.0 SUBSURFACE CONDITIONS

Prior to bidding the work, the Contractor shall examine, investigate and inspect the construction site as to the nature and location of the work, and the general and local conditions at the construction site, including without limitation, the character of surface or subsurface conditions and obstacles to be encountered on and around the construction site; and shall make such additional investigation as he may deem necessary for the planning and proper execution of the work. Borings and/or soil investigations shall have been made. Results of these borings and studies will be made available by the Owner to the Contractor upon his request, but the Owner is not responsible for any interpretations or conclusions with respect thereto made by the Contractor based on such information, and the



EAST KENTUCKY ENGINEERING, LLC.

Owner further has no responsibility for the accuracy of the borings and the soil investigations.

If conditions other than those indicated are discovered by the Contractor, the Owner should be notified immediately. The material which the Contractor believes to be a changed condition should not be disturbed so that the Owner can investigate the condition.

3.0 SITE PREPARATION

Within the specified areas, all trees, brush, stumps, logs, tree roots, and structures scheduled for demolition shall be removed and disposed of.

All cut, and fill areas shall be properly stripped. Topsoil will be removed to its full depth and stockpiled for use in finish grading. Any rubbish, organic and other objectionable soils, and other deleterious material shall be disposed of off the site, or as directed by the Owner or his designated representative if on-site disposal is provided. In no case shall such objectionable material be allowed in or under the fill unless specifically authorized in writing.

Prior to the addition of fill, the original ground shall be compacted to job specifications as outlined below. Special notice shall be given to the proposed fill area now. If wet spots, spongy conditions, or groundwater seepage is found, corrective measures must be taken before the placement of fill.

4.0 FORMATION OF FILL AREAS

Fills shall be formed of satisfactory materials placed in successive horizontal layers of not more than eight (8) inches in loose depth for the full width of the cross-section. The depth of lift may be increased if the Contractor can demonstrate the ability to compact a larger lift. If compaction is accomplished using hand-tamping equipment, lifts will be limited to 4-inch loose lifts. Engineered fill placed below the structure bearing elevation shall be compacted to at least 95% of the maximum dry unit weight with a moisture content within 2% of the optimum moisture content as determined by the modified Proctor test. The top size of the material placed shall not exceed 4 inches.



EAST KENTUCKY ENGINEERING, LLC.

All material entering the fill shall be free of organic matter such as leaves, grass, roots, and other objectionable material.

The operations on earthwork shall be suspended at any time when satisfactory results cannot be obtained because of rain, freezing weather, or other unsatisfactory conditions. The Contractor shall keep the work areas graded to provide the drainage always.

The fill material shall be of the proper moisture content before compaction efforts are started. Wetting or drying of the material and manipulation to secure a uniform moisture content throughout the layer shall be required. Should the material be too wet to permit proper compaction or rolling, all work thus affected shall be delayed until the material has dried to the required moisture content. The moisture content of the fill material should be no more than two (2) percentage points higher or lower than optimum unless otherwise authorized. Sprinkling shall be done with equipment that will satisfactorily distribute the water over the disced area. Any areas inaccessible to a roller shall be consolidated and compacted by mechanical tampers. The equipment shall be operated in such a manner that hardpan, cemented gravel, clay or other chunky soil material will be broken up into small particles and become incorporated with the other material in the layer.

In the construction of filled areas, starting layers shall be placed in the deepest portion of the fill, and as placement progresses, additional layers shall be constructed in horizontal planes. Original slopes shall be continuous, vertically benched to provide horizontal fill planes. The size of the benches shall be formed so that the base of the bench is horizontal, and the back of the bench is vertical. As many benches as are necessary to bring the site to final grade shall be constructed. Filling operations shall begin on the lowest bench, with the fill being placed in horizontal eight (8) inch thick loose lifts unless otherwise authorized. The filling shall progress in this manner until the entire first bench has been filled, before any fill is placed on the succeeding benches. Proper drainage shall always be maintained during benching and filling of the benches, to ensure that all water is drained away from the fill area.



EAST KENTUCKY ENGINEERING, LLC.

Frozen material shall not be placed in the fill nor shall the fill be placed upon frozen material.

The Contractor shall be responsible for the stability of all fills made under the contract and shall replace any portion, which in the opinion of the Owner or his designated representative, has become displaced due to carelessness or negligence on the part of the Contractor. Fill damaged by inclement weather shall be repaired at the Contractor's expense.

5.0 SLOPE RATIO AND STORM WATER RUN-OFF

Slopes shall not be greater than 2 (horizontal) to 1 (vertical) in both cut and fill, or as illustrated on the construction drawings. Excavations shall be constructed in accordance with all Federal, State and local codes relative to slope geometry.

6.0 GRADING

The Contractor shall furnish, operate, and maintain such equipment as is necessary to construct uniform layers and control smoothness of grade for maximum compaction and drainage.

7.0 COMPACTING

The compaction equipment shall be approved equipment of such design, weight, and quantity to obtain the required density in accordance with these specifications.

8.0 TESTING AND INSPECTION SERVICES

Testing and inspection services will be provided by the Owner.



GUIDELINES FOR EXCAVATIONS AND TRENCHES

The following represents some general guidelines relative to the design and construction of excavations and trenches. It must be emphasized that these guidelines are not intended to represent a "safety plan," but rather are presented herein to provide general guidance regarding the design characteristics and safety measures for excavations and trenches.

1. Check with the following utilities prior to breaking ground:
 - Sewer
 - Telephone
 - Fuel
 - Electric
 - Water
 - Gas
 - Cable

When utility companies or owners do not respond to your request within 48 hours, the contractor may only then proceed provided the contractor does so with caution by using detection equipment or other acceptable means to locate utility installations.

Once the excavation is open, the contractor should protect and support the exposed underground utilities or remove installations to safeguard workers and prevent damage to exposed utilities.

2. Access and egress ramps must be designed by a "competent person" and structural ramps used for equipment must be designed by a "competent person" with qualified knowledge in structural design. In addition:
 - Ramps must be secured to prevent displacement;
 - Ramps used in lieu of steps must have cleats to prevent slipping; and



EAST KENTUCKY ENGINEERING, LLC.

- Trenching excavations four feet or greater in depth must have a stairway, ladder, ramps or other safe means to egress with lateral travel no more than 25 feet.
3. Workers must be provided with reflector garments, such as warning orange or red vests, when exposed to vehicular traffic.
 4. Contractors must not allow workers to work under or near equipment when there is danger of falling debris, spillage or equipment-related injuries.
 5. Mobile equipment, operating adjacent to an open excavation or approaching the edge of an excavation, must have one of the following when the operator's view is obstructed:
 - Warning System
 - Mechanical Signals
 - Barricades
 - Stop Logs
 - Hand Signals
 6. The contractor must check the atmosphere for hazardous gases and oxygen deficiencies when excavating four feet or greater around landfills, or when hazardous substances are stored nearby, and when the contractor expects there could be any exposure to the workers.
 7. When hazardous atmospheric conditions exist, or when conditions could change, the contractor must make emergency rescue equipment readily available including breathing apparatus, safety harnesses with lifelines and a basket stretcher.
 8. When workers enter bell-bottom pier holes or other deep and confined excavations, the worker must wear (always while performing work in the confined space) a separate lifeline attached to a harness. The line must be



EAST KENTUCKY ENGINEERING, LLC.

attended by someone above while work is being performed. The worker must check for hazardous atmospheric conditions prior to entry.

9. The contractor must ensure that water does not accumulate in open excavations and must inspect the excavation prior to allowing workers to re-enter after heavy rains.
10. Adjacent structures (buildings, walls, etc.) must be supported or secured to prevent worker exposure to unsafe conditions and damage to existing structures.
11. A registered professional engineer must approve operations when a contractor underpins existing structures to ensure worker safety and prevent damage to existing structures.
12. Workers must not be exposed to loose soil and rock or materials in and around excavations. Materials, such as removed soil and rock, must not be stored closer than two feet from the edge of the excavation.
13. Daily inspections of the excavation, the adjacent areas, and protective systems must be made by a "competent person" for evidence of possible cave-ins, indications of failure of protective systems, hazardous atmospheres or other hazardous conditions. The "competent person" must stop work immediately and remove workers from the excavation when conditions change and pose a threat to their safety.
14. Workers must not be exposed to fall hazards associated with excavations. Protective walkways or bridges with standard guardrails must be provided.
15. All wells, pits, shafts etc. must be barricaded or covered. After completion of work, all wells, pits, shafts etc. must be backfilled.



EAST KENTUCKY ENGINEERING, LLC.

IV - GENERAL CONCRETE SPECIFICATIONS

1.0 GENERAL

It is the intent of this specification to secure, for every part of the work, concrete of homogenous structure which, when hardened, will have the required strength and resistance to weathering. To this end, the limiting values of concrete and the requirements hereinafter specified must be met. Standard tests of the cement, aggregates, concrete and reinforcement will be made by the Owner as it sees fit. The Contractor shall furnish the material for all required samples plus such labor as required to obtain samples. The Contractor shall provide to authorized representatives of the Owner, convenient access to all parts of the work of all concreting operations for sampling and inspection.

2.0 SCOPE

Contractor shall furnish all materials, labor, services, transportation, tools, equipment, and related items required to complete work indicated on the drawings and/or specified.

Unless otherwise noted or as modified by more stringent requirements specified herein, all plain and reinforced concrete work shall be performed in full compliance with applicable requirements of the Building Code Requirements for Reinforced Concrete ACI 318.

Contractor shall obtain Owner's approval of all subgrades, footing bottoms, forms, and reinforcement just prior to placing concrete.

Contractor shall coordinate the work specified in this section with that specified in other sections so that all anchors, pipes and other embedded items are properly installed before concrete is placed.

Contractor shall clean all exposed concrete surfaces and obtain approval of Owner for method of cleaning.

3.0 MATERIALS



EAST KENTUCKY ENGINEERING, LLC.

All materials shall be of the respective quality specified herein, delivered, stored, and handled as to prevent inclusion of foreign matter and damage by dampness or breakage. Packaged material shall be stored in original container until ready for use. Materials showing evidence of dampness or other damage may be rejected.

- A. Fine and Coarse Aggregates: Coarse and fine aggregates shall conform to ASTM Specification C33. The maximum size of aggregate shall not be larger than one-fifth (1/5) of the narrowest dimensions between forms, or larger than three fourths (3/4) of the minimum clear spacing between reinforcement.
1. Fine Aggregate: Sand shall be composed essentially of clean, hard, strong, durable grains free of structurally weak grains, organic matter, loam, clay, silt, salt, mica or other fine materials that may affect bonding of the cement paste.
 2. Coarse Aggregate: Cement concrete shall consist of crushed rock or screened gravel and shall be composed essentially of clean, hard, strong and impermeable particles, resistant to wear and frost and free from deleterious amounts of organic matter, loam, clay, salts, mica, and soft, thin, elongated, laminated or disintegrated stone, and shall be inert to water and cement.
- B. Portland Cement: Portland cement shall conform to ASTM Specification C150. Type I or Type II Portland Cement shall be used if they are not intermixed during any one batch. Type II Portland Cement shall not be used unless indicated on the plans.
- C. Water: Water for mixing and curing shall be clean, fresh, and free from deleterious materials.
- D. Metal Reinforcement: Rebar shall be Grade 60 and with deformations conforming to ASTH Specification A305. Welded wire mesh shall conform to W4 x W4 size and be of Grade 60 steel.
- E. Admixtures: Except as herein noted, admixtures shall not be used.



EAST KENTUCKY ENGINEERING, LLC.

1. Under adverse weather conditions only retarding or accelerating agents containing no chloride may be used.
2. Air-Entraining Agent shall be used for all concrete will give an entrained air range of not less than 4 percent but no greater than 8 percent in the finished product. Under no circumstances shall the air-entraining be interground with cement.
3. Approval in writing shall be required from Owner prior to the use of any admixture.

4.0 FORM

Forms shall be constructed with proper shoring and cross-bracing, safeguarding the total structure and specifically lateral stability and sufficiently strong to stand vibrations of concrete and to carry, without appreciable deflection or displacement, all dead and live loads to which they may be subjected.

5.0 INSERTS, ETC.

Anchors, bolts, dowels, conduit, water stops, vent pipes and other similar built-in or concreted-in items shall be properly located, accurately positioned and secured. The Contractor shall cooperate in placing of such items with other contractors who require a fastening device for their work and he shall maintain them in proper location during the progress of his work.

6.0 REINFORCEMENT

Reinforcement at the time concrete is placed shall be free from rust, scale or other coatings that will destroy or reduce the bond.



EAST KENTUCKY ENGINEERING, LLC.

Reinforcement shall be accurately placed and securely tied at intersections and shall be securely held in position during the placing of concrete by pacers, chairs, or other approved supports.

The reinforcement of foundations, footings and other principal structural members in which the concrete is deposited against the ground shall not have less than three (3) inches of concrete between it and the ground contact surface. If concrete surfaces after removal of the forms are to be exposed to the weather or to be in contact with the ground or rock, reinforcement shall be protected with not less than two (2) inches of concrete,

7.0 CONCRETE

Concrete for the various parts of the work shall be of 4000 pounds per square inch compressive strength with a minimum 28-day cure. Contractor is responsible to provide a mix of not less than 6 bags of cement per yard of concrete and not more than 7 gallons of water per bag of cement, producing a minimum slump of 2-1/2 inches and a maximum slump of 4-1/2 inches. Concrete that exceeds the above range of maximum or minimum slump requirements may be rejected by the Owner. All concrete shall be air-entrained. Contractors are required to furnish the name or names of the company(s) that will be providing the mix. The Owner reserves the right to disapprove any concrete supplier that has been known to supply an undesirable material to the Owner on previous occasions.

8.0 DEPOSITING CONCRETE

4.1. Preparation for Placing Concrete: Before depositing concrete, the Contractor shall:

1. Remove from space to be occupied by concrete all debris, including snow, ice, and water unless otherwise permitted by Owner.
2. Provide diversion, satisfactory to Owner, of any flow of water to an excavation to avoid washing the freshly deposited concrete.



EAST KENTUCKY ENGINEERING, LLC.

3. Coat the forms prior to placing of reinforcing steel as required in form work.
 4. Secure firmly in correct position, all reinforcement and other items to be encased and remove therefrom all coating including ice and frost.
- B. Transportation of Concrete from Batch Plant: The concrete shall be delivered to the site of the work and discharge shall be completed within 90 minutes after addition of the cement and water to the aggregates. Each batch of concrete delivered at the job site shall be accompanied by a time slip issued at the batching plant, bearing the time of charging of the mixer drum with the cement and aggregates.
- C. Transporting of Concrete from Mixer to Place of Final Deposit: Transportation shall be done as rapidly as practical by means which shall prevent the separation or loss of the ingredients. If chutes are used, they shall be at a slope not flatter than one vertical to two horizontal. Buggies or carts shall be equipped with pneumatic rubber tires or surfaces of runways shall be sufficiently smooth or both so as not to cause separation or segregation of concrete ingredients. Concrete shall not be allowed to drop freely more than 4 feet. Where greater drops are required, canvas "elephant trunks" or galvanized iron chutes equipped with suitable hopper heads shall be employed and a sufficient number placed to ensure that the concrete may be effectively compacted into horizontal layers not exceeding 12 inches in thickness with minimum lateral movements.
- D. Depositing of Concrete: Depositing of concrete shall:



EAST KENTUCKY ENGINEERING, LLC.

1. Proceed continuously after once starting until reaching the end of a section of construction joint location shown on the drawings, or as approved by the Owner. The operations shall be conducted so that no concrete is deposited on concrete sufficiently hardened to cause formation of seams, and planes of weakness.
 2. Be as near as practical to its final position in the forms.
 3. Proceed to maintain constantly a top surface which is approximately level.
 4. Be placed before initial set has occurred, and in no event after it has contained its water content for more than 90 minutes.
 5. Be thoroughly worked and compacted by means of suitable tools to provide impermeability, durability and strength and shall be thoroughly worked around reinforcements and embedded items and into corners of forms and to be free from voids, pockets or honeycombing. Care shall be taken to provide impermeability.
- E. Vibration Equipment: Vibration equipment shall be of the appropriate type and shall, always, be adequate in number of units and power of each unit to properly consolidate all concrete.
- F. Monolithic Pours: Proper delivery of concrete shall be the Contractor's responsibility to make a mono-lithic pour without delays and changes of cold joints.



EAST KENTUCKY ENGINEERING, LLC.

9.0 CURING

All concrete work shall be protected from injurious action by the sun, rain, flowing water, frost and other injury and shall be covered with plastic after application of curing compound for three (3) days on pours located above ground.

Contractor shall not remove any formwork for a minimum period of 24 hours after a concrete pour without written approval of the Owner.

10.0 CONCRETE FINISHES

Finishes of all exposed concrete shall be free of defects which impair its durability or adversely affect its appearance. All such surfaces when stripped, shall be uniform in appearance and any surfaces displaying any deviations from adjacent uniform surfaces shall be rejected and subject to removal.

Finished work shall be level and plumb, true to lines, and dimensions. Finished plane surfaces shall be smooth, and as nearly perfect as practical; however, deviations from a true plane shall not exceed 1/8 inch when measured from a 6-foot straight edge placed against the surface to any point on the surface and under the straight edge.

All exposed surfaces shall have defects corrected, protrusions removed, and holes filled.



APPENDIX A PHOTOGRAPHS



TEST PIT TCH1



TEST PIT TCH2



EAST KENTUCKY ENGINEERING, LLC.



SITE PHOTO



EAST KENTUCKY ENGINEERING, LLC.

APPENDIX B SEISMIC

USGS Design Maps Summary Report

User-Specified Input


Report Title Four Mile Tower Site
Tue September 18, 2018 15:30:26 UTC

Building Code Reference Document 2012/2015 International Building Code
(which utilizes USGS hazard data available in 2008)

Site Coordinates 36.80185°N, 83.7662°W

Site Soil Classification Site Class A – “Hard Rock”

Risk Category IV (e.g. essential facilities)




USGS-Provided Output


| | | |
|-------------------------|----------------------------|----------------------------|
| $S_S = 0.278 \text{ g}$ | $S_{MS} = 0.223 \text{ g}$ | $S_{DS} = 0.148 \text{ g}$ |
| $S_1 = 0.104 \text{ g}$ | $S_{M1} = 0.083 \text{ g}$ | $S_{D1} = 0.056 \text{ g}$ |

For information on how the SS and S1 values above have been calculated from probabilistic (risk-targeted) and deterministic ground motions in the direction of maximum horizontal response, please return to the application and select the “2009 NEHRP” building code reference document.

MCE_R Response Spectrum



Design Response Spectrum




Although this information is a product of the U.S. Geological Survey, we provide no warranty, expressed or implied, as to the accuracy of the data contained therein. This tool is not a substitute for technical subject-matter knowledge.



EAST KENTUCKY ENGINEERING, LLC.

APPENDIX C MAPS



East Kentucky Engineering, LLC

Hazard Location
 230 Swartz
 Hazard, KY 41701
 (606) 551-1050
 Email: rdsekyeng@outlook.com


RICHARD D. SMITH
 LICENSED PROFESSIONAL ENGINEER
 9/19/2018

0' 30' 60'

Drawn by: RDS Date: 9/19/2018

Job #: 165-0075 Scale: 1" = 30'



File Location:



**APPALACHIAN
 WIRELESS
 FOUR MILE SITE
 BELL COUNTY KENTUCKY**

GENERAL INFORMATION

| SECTION | ELEVATION | FACE SIZE | LEG DIA. | DIAGONALS | TOP GIRTS | HORIZONTALS | RED. DIAG. | RED. HORZ. | INNER BRACING | # OF BAYS |
|---------|-------------|-----------|----------|------------------|-----------------|---------------|---------------|---------------|-------------------|------------|
| 1 | 0' - 20' | 29'-0" | Ø6" | 2L 4" x 1/4" | N/A | 2L 3" X 1/4" | 2L 2" X 3/16" | 2L 2" X 3/16" | 2L 2 1/2" X 3/16" | 4 - MOD- X |
| 2 | 20' - 40' | 27'-3" | Ø5 3/4" | 2L 3 1/2" x 1/4" | N/A | 2L 3" X 3/16" | 2L 2" X 3/16" | 2L 2" X 3/16" | 2L 2 1/2" X 3/16" | 4 - MOD- X |
| 3 | 40' - 60' | 25'-6" | Ø5 3/4" | 2L 3 1/2" x 1/4" | N/A | 2L 3" X 3/16" | 2L 2" X 3/16" | 2L 2" X 3/16" | 2L 2" X 3/16" | 4 - MOD- X |
| 4 | 60' - 80' | 23'-9" | Ø5 1/2" | 2L 3 1/2" x 1/4" | N/A | 2L 3" X 3/16" | 2L 2" X 3/16" | 2L 2" X 3/16" | 2L 2" X 3/16" | 4 - MOD- X |
| 5 | 80' - 100' | 22'-0" | Ø5 1/4" | 2L 3 1/2" x 1/4" | N/A | 2L 3" X 3/16" | 2L 2" X 3/16" | 2L 2" X 3/16" | 2L 2" X 3/16" | 4 - MOD- X |
| 6 | 100' - 120' | 20'-3" | Ø5 1/4" | L 4" x 3/8" | N/A | N/A | N/A | N/A | N/A | 3 - X |
| 7 | 120' - 140' | 18'-6" | Ø5" | L 4" x 5/16" | N/A | N/A | N/A | N/A | N/A | 3 - X |
| 8 | 140' - 160' | 16'-9" | Ø4 3/4" | L 4" x 1/4" | N/A | N/A | N/A | N/A | N/A | 3 - X |
| 9 | 160' - 180' | 15'-0" | Ø4 1/2" | L 3 1/2" x 1/4" | N/A | N/A | N/A | N/A | N/A | 3 - X |
| 10 | 180' - 200' | 13'-3" | Ø4 1/4" | L 3 1/2" x 1/4" | N/A | N/A | N/A | N/A | N/A | 3 - X |
| 11 | 200' - 220' | 11'-6" | Ø3 3/4" | L 3" x 3/16" | N/A | N/A | N/A | N/A | N/A | 3 - X |
| 12 | 220' - 240' | 9'-9" | Ø3 1/4" | L 2 1/2" x 3/16" | N/A | N/A | N/A | N/A | N/A | 4 - X |
| 13 | 240' - 260' | 8'-0" | Ø3" | L 2" x 3/16" | N/A | N/A | N/A | N/A | N/A | 4 - X |
| 14 | 260' - 280' | 6'-3" | Ø2 1/2" | L 2" x 3/16" | N/A | N/A | N/A | N/A | N/A | 4 - X |
| 15 | 280' - 300' | 4'-6" | Ø2" | L 1 3/4" x 1/8" | L 1 1/2" X 1/8" | N/A | N/A | N/A | N/A | 4 - X |



PLAN VIEW

PLAN VIEW REF:

| | |
|----|---------------|
| 1) | 1 5/8" HELIAX |
| 2) | 7/8" HYBRID |
| 3) | EW63 |
| 4) | STEP BOLTS |

BASE REACTIONS: (FACTORED)

| | |
|--------------|--------------|
| TOTAL SHEAR | = 152 KIPS |
| AXIAL LOAD | = 336 KIPS |
| UPLIFT / LEG | = 846 KIPS |
| COMP. / LEG | = 983 KIPS |
| O.T. MOMENT | = 23493 FT-K |



Keith M. Eaton
10-2-2018

ANTENNA INFORMATION

| ELEVATION | ANTENNA | LINE |
|-----------|-------------------------------------|-------------------------------------|
| 295' | (12) NN-65A-M | (6) 1-5/8" HELIAX + (4) 7/8" HYBRID |
| 295' | (12) ERICSSON-2212 (BEHIND ANTENNA) | N/A |
| 285' | (12) NN-65A-M | (6) 1-5/8" HELIAX + (4) 7/8" HYBRID |
| 285' | (12) ERICSSON-2212 (BEHIND ANTENNA) | N/A |
| 275' | (12) NN-65A-M | (4) 7/8" HYBRID |
| 275' | (12) ERICSSON-2212 (BEHIND ANTENNA) | N/A |
| 265' | (12) NN-65A-M | (4) 1-5/8" HELIAX + (4) 7/8" HYBRID |
| 265' | (12) ERICSSON-2212 (BEHIND ANTENNA) | N/A |
| 240' | (2) 6' HP DISH | (2) EW63 |
| 200' | (12) NN-65A-M | (4) 7/8" HYBRID |
| 200' | (12) ERICSSON-2212 (BEHIND ANTENNA) | N/A |
| 190' | (12) NN-65A-M | (4) 7/8" HYBRID |
| 190' | (12) ERICSSON-2212 (BEHIND ANTENNA) | N/A |
| 180' | (2) 8' HP DISH | (2) EW63 |

DESIGN NOTES:

- 1) TOWER LEGS ARE CONSTRUCTED OF SOLID ROUND BAR MATERIAL.
- 2) SOLID ROUND 0.75" AND LARGER ASTM A-572 GRADE : 50 KSI MIN.
- 3) SOLID ROUND 0.625" AND SMALLER IS ASTM A-36 GRADE : 36 KSI MIN.
- 4) ALL ANGLE MATERIAL IS ASTM A-529 : 50 KSI MIN.
- 5) ALL BRACE AND FLANGE BOLTS ARE A325-X
- 6) THIS TOWER IS DESIGNED FOR STEP BOLTS UP ONE LEG FOR CLIMBING WITH SAFETY CLIMB DEVICE.
- 7) (10) Ø1 3/4" x 5'-6" LONG (F1554-GR.105) ANCHOR BOLTS PER LEG.
- 8) THIS TOWER IS DESIGNED FOR A 90 M.P.H. WIND SPEED WITH NO ICE AND A 30 M.P.H. WIND SPEED WITH 0.75" ICE IN ACCORDANCE WITH THE TIA/EIA-222-G STANDARD. ICE IS CONSIDERED TO INCREASE IN THICKNESS WITH HEIGHT.
- 9) DEFLECTIONS BASED ON A 60 M.P.H. WIND.
- 10) TOWER DESIGNED TO EXPOSURE C; STRUCTURE CLASS II; TOPO. CAT 3 W/ CREST HEIGHT OF 510'.

APPROX. WEIGHT
98.9 KIPS

PROPRIETARY STATEMENT: THIS DRAWING IS THE PROPERTY OF ALLSTATE TOWER INC. IT IS NOT TO BE REPRODUCED OR COPIED IN ANYWAY WITHOUT PRIOR WRITTEN CONSENT OF ALLSTATE TOWER INC.

| REV # | DESCRIPTION | DATE | BY | RC | UNLESS OTHERWISE NOTED DIMENSIONS ARE IN INCHES |
|-------|--|----------|-----|----|--|
| 2 | UPDATED TOWER LOCATION, ANCHOR BOLT LENGTH, CREST HEIGHT OF TOWER, BASE REACTIONS & DESIGN | 02/20/18 | JJT | RC | TOLERANCE BANDS: X +3/32"±0 ANGLES ±.2" XX +3/32"±0 XXX +1/16"±0 HOLES ±0.1/16"±0 |

SCALE: NTS


DATE: 3/26/2018

ALLSTATE TOWER
PITTSBURGH TOWER GROUP


ALLSTATE TOWER INC
P.O. BOX 25
HENDERSON, KY 42411
PHONE: (270) 830-8512
FAX: (270) 830-8475
WWW.PTTG.COM

TOWER OVERVIEW
APPALACHIAN WIRELESS
FOUR MILE, BELL CO., KY
300' SELF SUPPORT TOWER

| | |
|----------------------------|-------|
| FILE NAME: FT070916-A - SD | SHEET |
| DESIGN: FT070916r2 | A |



TOTAL VOLUME OF CONCRETE = 161.5 YD³




(10) ø1 3/4" X 5'-6" OVERALL LENGTH ANCHOR BOLTS (F1554-GR105) W/ 1" THK BEARING PLATE AT THE BOTTOM OF THE ANCHOR BOLT CLUSTER (4'-6" MIN. ANCHOR BOLT EMBEDMENT).

USE EPOXY BONDING AGENT WHEN POURED SEPERATELY

(36) #9 VERTICAL BARS w/ 6" HOOK WITH (3) #4 TIES EQUALLY SPACED

(43) #6 HORIZONTAL BARS x 43'-0" LONG SPACED 12" O.C. EACH WAY AT TOP OF MAT. (TOTAL=86)

(43) #9 HORIZONTAL BARS x 43'-0" LONG SPACED 12" O.C. EACH WAY AT BOTTOM OF MAT. (TOTAL=86)



REINFORCEMENT BAR SPLICING:

- ALL LAP SPLICES SHALL CONFORM TO ACI 318 REQUIREMENTS.
- REFER TO CHART BELOW WHEN REINFORCEMENT BAR SPLICING IS NECESSARY.

| REINFORCING BAR SIZE | LAP SPLICE LENGTH |
|----------------------|-------------------|
| 3 | 15" |
| 4 | 17" |
| 5 | 21" |
| 6 | 26" |
| 7 | 30" |
| 8 | 36" |
| 9 | 46" |
| 10 | 58" |
| 11 | 71" |



Keith M. Eaton
10-2-2018

FOUNDATION INSTALLATION/DESIGN NOTES:

- THIS FOUNDATION IS DESIGNED TO MEET ALL STANDARDS SET FORTH BY ACI 318: AMERICAN CONCRETE INSTITUTE, BUILDING CODE REQUIREMENTS FOR STRUCTURAL CONCRETE, ANSI/TIA/EIA 222-G: STRUCTURAL STANDARDS FOR STEEL ANTENNA TOWERS AND ANTENNA SUPPORTING STRUCTURES.
- THIS FOUNDATION IS DESIGNED UTILIZING THE GEOTECHNICAL REPORT PERFORMED BY EAST KENTUCKY ENGINEERING, LLC.; DATED 9-19-18; PROJECT #165-000-0075. THE FOUNDATION CONTRACTOR SHALL INSTALL THE FOUNDATIONS IN ACCORDANCE WITH THE RECOMMENDATIONS OF THE GEOTECHNICAL REPORT.
- ALL WORK PERFORMED FROM THESE DRAWINGS SHOULD BE BY QUALIFIED CONTRACTORS EXPERIENCED IN TOWER FOUNDATION CONSTRUCTION.
- ALL FOOTING EXCAVATIONS SHALL BE MANUALLY CLEANED PRIOR TO PLACING CONCRETE. COMPACT THE EXPOSED SOIL SURFACE AND ANY GRANULAR FILL UNDER THE FOUNDATION TO 90% OF THE MODIFIED PROCTOR DENSITY.
- ALL CONCRETE SHALL HAVE A MINIMUM COMPRESSIVE STRENGTH OF 4000 PSI AFTER 28 DAYS. COPIES OF THE CONCRETE CYLINDER TEST REPORTS SHALL BE SENT TO THE RESIDENT ENGINEER / INSPECTOR.
- MINIMUM CONCRETE COVER FOR REINFORCING BARS SHALL BE 3". ALL REINFORCING BARS SHALL BE GRADE 60 REBAR (MIN YIELD = 60KSI).
- FIELD BENDING OR WELDING OF REINFORCEMENT BARS IS NOT PERMITTED.
- PROVIDE CHAMFERS AT ALL EXPOSED CORNERS OF CONCRETE.
- BACKFILL NEAR AND AROUND THE FOUNDATIONS SHALL BE A WELL GRADED FILL MATERIAL PLACED IN 8" THICK LAYERS THAT HAS BEEN COMPACTED TO 90% OF THE MODIFIED PROCTOR DENSITY PER ASTM D1557.
- SOME DETAIL HAS BEEN PURPOSELY OMITTED TO CLARIFY ILLUSTRATION.

ALLSTATE TOWER
ALLSTATE TOWER INC.
P.O. BOX 25
HENDERSON, KY 42419
PHONE: (270) 830-8512
FAX: (270) 830-8475
WWW.PTTG.COM

PROPRIETARY STATEMENT: THIS DRAWING IS THE PROPERTY OF ALLSTATE TOWER INC. IT IS NOT TO BE REPRODUCED OR COPIED IN ANYWAY WITHOUT PRIOR WRITTEN CONSENT OF ALLSTATE TOWER INC.

| REV # | DESCRIPTION | DATE | BY | UNLESS OTHERWISE NOTED DIMENSIONS ARE IN |
|------------|---------------------------|----------|----|--|
| 2 | UPDATED FOUNDATION DESIGN | 9/28/18 | RC | INCHES |
| A | UPDATED REBAR NOTE | 10/02/18 | RC | TOLERANCE BANDS: X +3/32" / -0 ANGLES ± 2" XX +3/32" / -0 XXX +1/16" / -0 HOLES ± 8/116" / -0 |
| SCALE: NTS | | | | DATE: 3/28/2018 |

DESCRIPTION
PAD & PIER FOUNDATION DESIGN
APPALACHIAN WIRELESS
FOUR MILE, BELL CO., KY
300' SELF SUPPORT TOWER

FILE NAME: FT070916-A - B
DESIGN: FT070916r2

SHEET
B



Mail Processing Center
 Federal Aviation Administration
 Southwest Regional Office
 Obstruction Evaluation Group
 10101 Hillwood Parkway
 Fort Worth, TX 76177

Aeronautical Study No.
 2018-ASO-14608-OE

Issued Date: 09/20/2018

Ali Kuzehkanani
 East Kentucky Network, LLC
 8300 Greensboro Drive, Suite 1200
 Tysons, VA 22102

**** DETERMINATION OF NO HAZARD TO AIR NAVIGATION ****

The Federal Aviation Administration has conducted an aeronautical study under the provisions of 49 U.S.C., Section 44718 and if applicable Title 14 of the Code of Federal Regulations, part 77, concerning:

| | |
|------------|---------------------------------------|
| Structure: | Tower Fourmile |
| Location: | Fourmile, KY |
| Latitude: | 36-48-06.67N NAD 83 |
| Longitude: | 83-45-58.32W |
| Heights: | 1586 feet site elevation (SE) |
| | 310 feet above ground level (AGL) |
| | 1896 feet above mean sea level (AMSL) |

This aeronautical study revealed that the structure does not exceed obstruction standards and would not be a hazard to air navigation provided the following condition(s), if any, is(are) met:

As a condition to this Determination, the structure is to be marked/lighted in accordance with FAA Advisory circular 70/7460-1 L Change 2, Obstruction Marking and Lighting, 24-hr med-strobes - Chapters 4,6(MIWOL),&12.

Any failure or malfunction that lasts more than thirty (30) minutes and affects a top light or flashing obstruction light, regardless of its position, should be reported immediately to (877) 487-6867 so a Notice to Airmen (NOTAM) can be issued. As soon as the normal operation is restored, notify the same number.

It is required that FAA Form 7460-2, Notice of Actual Construction or Alteration, be e-filed any time the project is abandoned or:

- At least 10 days prior to start of construction (7460-2, Part 1)
- Within 5 days after the construction reaches its greatest height (7460-2, Part 2)

This determination expires on 03/20/2020 unless:

- (a) the construction is started (not necessarily completed) and FAA Form 7460-2, Notice of Actual Construction or Alteration, is received by this office.
- (b) extended, revised, or terminated by the issuing office.

- (c) the construction is subject to the licensing authority of the Federal Communications Commission (FCC) and an application for a construction permit has been filed, as required by the FCC, within 6 months of the date of this determination. In such case, the determination expires on the date prescribed by the FCC for completion of construction, or the date the FCC denies the application.

NOTE: REQUEST FOR EXTENSION OF THE EFFECTIVE PERIOD OF THIS DETERMINATION MUST BE E-FILED AT LEAST 15 DAYS PRIOR TO THE EXPIRATION DATE. AFTER RE-EVALUATION OF CURRENT OPERATIONS IN THE AREA OF THE STRUCTURE TO DETERMINE THAT NO SIGNIFICANT AERONAUTICAL CHANGES HAVE OCCURRED, YOUR DETERMINATION MAY BE ELIGIBLE FOR ONE EXTENSION OF THE EFFECTIVE PERIOD.

This determination is based, in part, on the foregoing description which includes specific coordinates, heights, frequency(ies) and power. Any changes in coordinates, heights, and frequencies or use of greater power, except those frequencies specified in the Colo Void Clause Coalition; Antenna System Co-Location; Voluntary Best Practices, effective 21 Nov 2007, will void this determination. Any future construction or alteration, including increase to heights, power, or the addition of other transmitters, requires separate notice to the FAA. This determination includes all previously filed frequencies and power for this structure.

If construction or alteration is dismantled or destroyed, you must submit notice to the FAA within 5 days after the construction or alteration is dismantled or destroyed.

This determination does include temporary construction equipment such as cranes, derricks, etc., which may be used during actual construction of the structure. However, this equipment shall not exceed the overall heights as indicated above. Equipment which has a height greater than the studied structure requires separate notice to the FAA.

This determination concerns the effect of this structure on the safe and efficient use of navigable airspace by aircraft and does not relieve the sponsor of compliance responsibilities relating to any law, ordinance, or regulation of any Federal, State, or local government body.

A copy of this determination will be forwarded to the Federal Communications Commission (FCC) because the structure is subject to their licensing authority.

If we can be of further assistance, please contact our office at (206) 231-2993, or lynette.farrell@faa.gov. On any future correspondence concerning this matter, please refer to Aeronautical Study Number 2018-ASO-14608-OE.

Signature Control No: 370441073-385627980

(DNE)

Lynnette Farrell
Technician


Attachment(s)
Frequency Data
Map(s)

cc: FCC

Frequency Data for ASN 2018-ASO-14608-OE

| LOW FREQUENCY | HIGH FREQUENCY | FREQUENCY UNIT | ERP | ERP UNIT |
|------------------|-------------------|-------------------|------|-------------|
| 6 | 7 | GHz | 55 | dBW |
| 6 | 7 | GHz | 42 | dBW |
| 10 | 11.7 | GHz | 55 | dBW |
| 10 | 11.7 | GHz | 42 | dBW |
| 17.7 | 19.7 | GHz | 55 | dBW |
| 17.7 | 19.7 | GHz | 42 | dBW |
| 21.2 | 23.6 | GHz | 55 | dBW |
| 21.2 | 23.6 | GHz | 42 | dBW |
| 614 | 698 | MHz | 1000 | W |
| 614 | 698 | MHz | 2000 | W |
| 698 | 806 | MHz | 1000 | W |
| 806 | 901 | MHz | 500 | W |
| 806 | 824 | MHz | 500 | W |
| 824 | 849 | MHz | 500 | W |
| 851 | 866 | MHz | 500 | W |
| 869 | 894 | MHz | 500 | W |
| 896 | 901 | MHz | 500 | W |
| 901 | 902 | MHz | 7 | W |
| 929 | 932 | MHz | 3500 | W |
| 930 | 931 | MHz | 3500 | W |
| 931 | 932 | MHz | 3500 | W |
| 932 | 932.5 | MHz | 17 | dBW |
| 935 | 940 | MHz | 1000 | W |
| 940 | 941 | MHz | 3500 | W |
| 1670 | 1675 | MHz | 500 | W |
| 1710 | 1755 | MHz | 500 | W |
| 1850 | 1910 | MHz | 1640 | W |
| 1850 | 1990 | MHz | 1640 | W |
| 1930 | 1990 | MHz | 1640 | W |
| 1990 | 2025 | MHz | 500 | W |
| 2110 | 2200 | MHz | 500 | W |
| 2305 | 2360 | MHz | 2000 | W |
| 2305 | 2310 | MHz | 2000 | W |
| 2345 | 2360 | MHz | 2000 | W |
| 2496 | 2690 | MHz | 500 | W |

TOPO Map for ASN 2018-ASO-14608-OE





KENTUCKY AIRPORT ZONING COMMISSION

MATTHEW BEVIN
Governor

421 Buttermilk Pike
Covington, KY 41017
www.transportation.ky.gov
859-341-2700

September 24, 2018

APPROVAL OF APPLICATION

APPLICANT:

East Kentucky Network, LLC.
East Kentucky Network, LLC.
8300 Greensboro Drive|Suite 1200
McLean, VA 22102

SUBJECT: AS-007-1A6-2018-070

STRUCTURE: Antenna Tower
LOCATION: Fourmile, KY
COORDINATES: 36° 48' 6.67" N / 83° 45' 58.32" W
HEIGHT: 310' AGL/1896' AMSL

The Kentucky Airport Zoning Commission has approved your application for a permit to construct 310' AGL/ 1896' AMSL Antenna Tower near Fourmile, KY 36° 48' 6.67" N / 83° 45' 58.32" W.

This permit is valid for a period of 18 Month(s) from its date of issuance. If construction is not completed within said 18-Month period, this permit shall lapse and be void, and no work shall be performed without the issuance of a new permit.

A copy of the approved application is enclosed for your files.

Medium Intensity White Obstruction Lighting is required in accordance with 602 KAR 50:100.



John Houlihan
Administrator



An Equal Opportunity Employer M/F/D



KENTUCKY AIRPORT ZONING COMMISSION

MATTHEW BEVIN
Governor

421 Buttermilk Pike
Covington, KY 41017
www.transportation.ky.gov
859-341-2700

CONSTRUCTION/ALTERATION STATUS REPORT

September 24, 2018

AERONAUTICAL STUDY NUMBER: AS-007-1A6-2018-070

East Kentucky Network, LLC.
East Kentucky Network, LLC.
8300 Greensboro Drive|Suite 1200
McLean, VA 22102

This concerns the permit which was issued to you by the Kentucky Airport Zoning Commission on September 24, 2018. This permit is valid for a period of 18 Month(s) from its date of issuance. If construction is not completed within the said 18-Month period, this permit shall lapse and be void, and no work shall be performed without the issuance of a new permit. When appropriate, please indicate the status of the project in the place below and return this letter to John Houlihan, Administrator, Kentucky Airport Zoning Commission, 421 Buttermilk Pike, Covington, KY, 41017. 859-341-2700.

STRUCTURE: Antenna Tower
LOCATION: Fourmile, KY
COORDINATES: 36° 48' 6.67" N / 83° 45' 58.32" W
HEIGHT: 310' AGL / 1896' AMSL

CONSTRUCTION/ALTERATION STATUS

1. The project () is abandoned. () is not abandoned.

2. Construction status is as follows:

Structure reached its greatest height of _____ ft. AGL
_____ ft. AMSL on _____ (date).

Date construction was completed. _____

Type of obstruction marking/painting. _____

Type of obstruction lighting. _____

As built coordinates. _____

Miscellaneous Information. _____

DATE _____

SIGNATURE/TITLE _____



An Equal Opportunity Employer M/F/D

2018-070



KENTUCKY TRANSPORTATION CABINET
KENTUCKY AIRPORT ZONING COMMISSION

TC 56-50
Rev. 07/2010
Page 2 of 2

APPLICATION FOR PERMIT TO CONSTRUCT OR ALTER A STRUCTURE

| | | | | |
|--|------------------------------------|---|---|---|
| APPLICANT (name) East Kentucky Network, LLC c/o LLGS | | PHONE 703-584-8667 | FAX 703-584-8692 | KY AERONAUTICAL STUDY # A5-007-1A6-248-070 |
| ADDRESS (street) 8300 Greensboro Dr, #1200 | | CITY Tysons | | STATE VA ZIP 22102 |
| APPLICANT'S REPRESENTATIVE (name) Ali Kuzehkanani | | PHONE 703-584-8667 | FAX 703-584-8692 | |
| ADDRESS (street) 8300 Greensboro Dr, #1200 | | CITY Tysons | | STATE VA ZIP 22102 |
| APPLICATION FOR <input checked="" type="checkbox"/> New Construction <input type="checkbox"/> Alteration <input type="checkbox"/> Existing | | | WORK SCHEDULE Start 08/25/18 End 08/30/18 | |
| DURATION <input type="checkbox"/> Permanent <input type="checkbox"/> Temporary (months days) | | | | |
| TYPE <input type="checkbox"/> Crane <input type="checkbox"/> Building <input checked="" type="checkbox"/> Antenna Tower <input type="checkbox"/> Power Line <input type="checkbox"/> Water Tank <input type="checkbox"/> Landfill <input type="checkbox"/> Other | | MARKING/PAINTING/LIGHTING PREFERRED <input type="checkbox"/> Red Lights & Paint <input checked="" type="checkbox"/> White- medium intensity <input type="checkbox"/> White- high intensity <input type="checkbox"/> Dual- red & medium intensity white <input type="checkbox"/> Dual- red & high intensity white <input type="checkbox"/> Other | | |
| LATITUDE 36°48'06.67" | | LONGITUDE 83°45'58.32" | | DATUM <input checked="" type="checkbox"/> NAD83 <input type="checkbox"/> NAD27 <input type="checkbox"/> Other |
| NEAREST KENTUCKY City Fourmile County Bell | | NEAREST KENTUCKY PUBLIC USE OR MILITARY AIRPORT Middlesboro-Bell County Airport | | |
| SITE ELEVATION (AMSL, feet) 1586 | | TOTAL STRUCTURE HEIGHT (AGL, feet) 310 | | CURRENT (FAA aeronautical study #) |
| OVERALL HEIGHT (site elevation plus total structure height, feet) 1896 | | | | PREVIOUS (FAA aeronautical study #) |
| DISTANCE (from nearest Kentucky public use or Military airport to structure) 13.4 mi | | | | PREVIOUS (KY aeronautical study #) |
| DIRECTION (from nearest Kentucky public use or Military airport to structure) N | | | | |
| DESCRIPTION OF LOCATION (Attach USGS 7.5 minute quadrangle map or an airport layout drawing with the precise site marked and any certified survey.) Approx. 1.5 miles WNW of Fourmile (Bell), KY | | | | |
| DESCRIPTION OF PROPOSAL A new 300' tower with top-mounted antennas (overall height of 310' AGL) | | | | |
| FAA Form 7460-1 (Has the "Notice of Construction or Alteration" been filed with the Federal Aviation Administration?) <input type="checkbox"/> No <input checked="" type="checkbox"/> Yes, when? 07/17/18 | | | | |
| CERTIFICATION (I hereby certify that all the above entries, made by me, are true, complete, and correct to the best of my knowledge and belief.) | | | | |
| PENALTIES (Persons failing to comply with KRS 183.861 to 183.990 and 602 KAR 050 are liable for fines and/or imprisonment as set forth in KRS 183.990(3). Noncompliance with FAA regulations may result in further penalties.) | | | | |
| NAME Ali Kuzehkanani | TITLE Dir of Engineering | SIGNATURE | DATE 07/17/18 | |
| COMMISSION ACTION <input checked="" type="checkbox"/> Approved <input type="checkbox"/> Disapproved | | <input type="checkbox"/> Chairperson, KAZC <input checked="" type="checkbox"/> Administrator, KAZC | | SIGNATURE  |
| | | | | DATE 9-29-18 |

Driving Directions for Four Mile

Beginning in Pineville, Bell County, Kentucky on South Pine Sreet and East Virginia Street drive approximately one tenth of a mile to the intersection of North Pine Street and 25E. Turn left onto 25E and drive five miles. Exiting 25E to the left onto a dirt road (sign will be posted). Drive three tenths of a mile and our new access road will start here. Proposed road will be marked with survey flags. Follow survey flags for approximately half a mile (signs posted).

Prepared by:

Daryl Bartley

CELL SITE COMPLIANCE AGENT

East Kentucky Network, LLC

D/b/a Appalachian Wireless

(606) 791-0310 (cell)

dbartley@ekn.com

Fourmile

Location:

18555 US Hwy 25E
Pineville, KY 40977

Coordinates:

36°48'6.67"N
83°45'58.32"W

Legend

 1/2 Mile Search Area

 Proposed Fourmile Site

Google Earth

© 2018 Google

2000 ft



MEMORANDUM OF LEASE

THIS MEMORANDUM OF LEASE is made and entered into on this 12th day of July, 2018, with a commencement date of July 1st, 2018 (the “**Commencement Date**”), by and between **MICIAH EVANS** and **KELLY M. EVANS**, with an address of 10853 South Highway 25E, Flat Lick, Kentucky 40935, hereinafter referred to as “**Lessors**”, and **EAST KENTUCKY NETWORK, LLC D/B/A APPALACHIAN WIRELESS**, a Kentucky limited liability company, with a mailing address of 101 Technology Trail, Ivel, Kentucky, 41642, hereinafter referred to as “**Lessee.**”

WITNESSETH

1. Demised Premises. For good and valuable consideration, Lessors leased to Lessee, and Lessee has leased from Lessors that certain tract of real estate located in Bell County, Kentucky, and being a portion of the same land conveyed to Lessors by Deed dated March 7, 2016, and recorded on September 20, 2017, in Deed Book 375, Page 614, in the Bell County Clerk’s Office. Said property is more particularly described in the description **attached** hereto and made a part hereof as **Exhibit A** and the plat **attached** hereto and made a part hereof as **Exhibit B**, prepared by James W. Caudill, Licensed Professional Land Surveyor (hereinafter referred to as the “**Premises**”). The Lessors have also granted unto Lessee full and complete rights of ingress, egress and regress to and from the Premises over the property owned by Lessors and other associated rights for installation of utilities, maintenance, and other purposes.

2. Term. The initial term of the Lease is for a period of five (5) years from the Commencement Date set forth above.

3. **Renewals.** The Lease shall automatically renew for an additional seven (7) terms of five (5) years each, unless Lessee provides sixty (60) days written notice prior to the end of the current term that it does not wish to renew.

4. **Binding Effect.** All of the terms, conditions, and covenants hereof shall be binding and inure to the benefit of the parties and their respective heirs, representatives, successors, and assigns.

5. **Purpose.** This Memorandum of Lease is prepared solely for the purpose of recordation, and is not intended to, nor shall it be deemed to, modify any of the terms and conditions set forth in the Lease, nor to construe any of the rights, duties or responsibilities of Lessors and Lessee. In the event of any conflict between the terms and conditions of this Memorandum and the terms and conditions of the Lease, the terms and conditions of the Lease shall supersede and control.

IN WITNESS WHEREOF, Lessors and Lessee have caused their names to be signed hereto, as of the date(s) indicated below.

LESSORS:



MICIAH EVANS



KELLY M. EVANS

COMMONWEALTH OF KENTUCKY,
COUNTY OF Knox, TO WIT;

The foregoing instrument was acknowledged before me on this 12th day of July, 2018, by MICIAH EVANS and KELLY M. EVANS, Lessors.



Notary Public

My Commission Expires Feb 6, 2020



LESSEE:

EAST KENTUCKY NETWORK, LLC D/B/A
APPALACHIAN WIRELESS

WA Gillum

By: W.A. Gillum
Its: CEO/ General Manager

COMMONWEALTH OF KENTUCKY
COUNTY OF Floyd

The foregoing instrument was acknowledged before me on this 13th day of July, 2018, by W.A. Gillum, CEO/General Manager of East Kentucky Network, LLC d/b/a Appalachian Wireless, Lessee.

Cindy McCarty
Notary Public


My Commission Expires 9-2-2020



This instrument was prepared by:

Krystal Branham
Krystal Branham, Attorney
101 Technology Trail
Ivel, Kentucky 41642
(606) 477-2355

LOT DESCRIPTION
Property of
Miciah and Kelly Evans
10853 S. Highway 25E
Flat Lick, KY 40935
Off State Highway 25E Near Fourmile
in Bell County, KY.
June 8, 2018



A portion of a certain tract or parcel of land lying and being on the waters of the Cumberland River, in Bell County, Kentucky and being a portion of the property conveyed to Miciah Evans, and his wife, Kelly Evans, by deed dated March 7, 2016, from Barbara Evans, a widow, of record in Deed Book 375 at page 614 of the Bell County Clerk's Office, Pineville, Kentucky, and being more particularly described as follows:


Lot 1A

Beginning at a set iron pin with cap marked LS#2259 near the ridge and the dividing line between Bell and Knox Counties; thence around the hill South 70 deg 37 min 33 sec East, a distance of 87.87 feet to a set iron pin with cap marked LS#2259 on the crest of the ridge dividing Bell and Knox Counties, also being a common corner to Miciah and Kelly Evans (Deed Book 375 Page 614), and Vernia Ann Renfro (Deed Book 405 Page 262); thence continuing with the ridge, the dividing line between Bell and Knox Counties, and the line of Evans and Renfro two calls: North 83 deg 24 min 03 sec East, a distance of 59.74 feet to a found iron pin; North 75 deg 04 min 36 sec East, a distance of 89.38 feet to a set iron pin with cap marked LS#2259; thence leaving the ridge, severing the property of Miciah and Kelly Evans, and down the hill South 05 deg 54 min 38 sec East, a distance of 64.32 feet to a set iron pin with cap marked LS#2259 on side of hill; thence running around the hill South 48 deg 11 min 22 sec West, a distance of 187.22 feet to a set iron pin with cap marked LS#2259 on side of hill; thence running around the hill North 60 deg 55 min 47 sec West, a distance of 202.04 feet to a set iron pin with cap marked LS#2259; thence up the hill North 41 deg 59 min 10 sec East, a distance of 120.93 feet to the point of beginning. Containing a calculated area of 34566.9 Square Feet, or .79 Acres.

Also to be included is an access road from the public road to Lot 1A. Also to be included is a right to install fiber and utility lines in or along said access road and/or such other location to be agreed upon by the parties.

Unless stated otherwise, any monument referred to herein as "set iron pin with cap" is a set 1/2" diameter rebar, at least eighteen (18") in length, with a plastic cap stamped "LS-2259". All bearings stated herein are referred to NAD83, KY single zone of the Kentucky state plane system.

This survey was performed on June 8, 2018 by James W. Caudill, a Kentucky Licensed Professional Land Surveyor No. 2259.



James W. Caudill
James W. Caudill, PLS #2259
6-8-18

APPALACHIAN WIRELESS
 101 TECHNOLOGY TRAIL
 IVEL, KY. 41642
 PROPOSED TOWER SITE
 OFF HWY 25E NEAR FOURMILE
 IN BELL COUNTY, KY.

| LINE | BEARING | DISTANCE |
|------|---------------|----------|
| L1 | N 82°27'48" E | 114.52' |
| L2 | S 23°32'48" E | 81.67' |
| L3 | S 47°42'50" W | 67.95' |
| L4 | N 29°07'27" W | 129.57' |


MAP:48 PARCEL:23
 MICIAH AND KELLY EVANS
 10853 S US HWY 25E
 FLAT LICK, KY 40935
 DEED BOOK:375 PAGE:614

MAP:166 PARCEL:1.02 (KNOX PVA)
 VERNIA ANN RENFRO
 5368 CULBERTSON ROAD
 GREENVILLE, OH 45331
 DEED BOK:405 PAGE:262

N:3,457,656.59
 E:5,502,135.94

PROPOSED TOWER CENTER
 LAT:36°48'06.6728"
 LON:83°45'58.3251"
 N:3,457,610.87
 E:5,502,085.67
 EL:1586'

KNOX CO
BELL CO



PROPOSED ACCESS ROAD

LOT 1A
 34566.9 Sq. Feet
 0.79 Acres

"I CERTIFY THAT THE LATITUDE 36° 48' 06.6728"N AND LONGITUDE 83° 45' 58.3251"W ARE WITHIN +/- 50 FEET HORIZONTALLY; AND THE SITE ELEVATION 1586.0 FT. MSL, IS WITHIN +/- 20 FEET VERTICALLY. WITH A STRUCTURE HEIGHT OF 300 FT AGL, THE OVERALL HEIGHT IS 1886 FT. AMSL. THE HORIZONTAL DATUM (COORDINATES) IS IN TERMS OF THE NORTH AMERICAN DATUM OF 1983 (NAD 83). THE VERTICAL DATUM HEIGHTS ARE IN TERMS OF THE NORTH AMERICAN VERTICAL DATUM OF 1988, AND ARE DETERMINED TO THE NEAREST FOOT."

SIGNED: *James W. Caudill* LS2259/PEI2305 06/25/18
 PRINTED: JAMES W. CAUDILL PE #12305 & LS #2259

STATE OF KENTUCKY
JAMES W. CAUDILL
 2259
 LICENSED PROFESSIONAL LAND SURVEYOR

STATE OF KENTUCKY
 James W. Caudill
 12305
 LICENSED PROFESSIONAL ENGINEER

-THE PROPOSED TOWER HAS BEEN LOCATED USING DUAL FREQUENCY GPS UNIT PROCESSED BY "OPUS"
 -STATE PLANE COORDINATES NAD 83 KY SINGLE ZONE N:3457610.87, E:5502085.67, EL 1590' EXISTING GRD TOP OF PROPOSED FOUNDATION EL1586'-TOP TOWER EL1886'
 -PRECISION: HORIZONTAL=0.30' VERTICAL=0.50'
 -THIS SURVEY MEETS OBSTACLE ACCURACY CODE 2C.
 -PROPERTY LINE INFORMATION TAKEN FROM DEEDS

LEGEND

| | | |
|---|-------------|----------|
| SURVEY STA | SET | FOUND |
| IRON PIN WITH CAP (18" X .5" REBAR PLASTIC CAP MARKED LS2259) | | |
| BOUNDARY LINE | ACCESS ROAD | GAS LINE |



| PROPOSED SITE PLAN AND STRUCTURE LOCATION FOURMILE TOWER APPALACHIAN WIRELESS | | |
|--|--------------------|--|
| DRAWN JWC | DATE 06/25/2018 | MICIAH EVANS TRACT OFF OF HIGHWAY 25E NEAR FOURMILE IN BELL COUNTY, KY. |
| APPROVED | DATE 06/25/2018 | |
| SCALE 1" = 20' | SHEET 2 OF 3 | PROJECT NO. FOURMILE/FM2_202C |


MAP:48 PARCEL:23
 MICIAH AND KELLY EVANS
 10853 S US HWY 25E
 FLAT LICK, KY 40935
 DEED BOOK:375 PAGE:614

N:3,457,497.68
 E:5,502,148.73

Filing
CONTAINS
LARGE OR OVERSIZED
MAP(S)

RECEIVED ON:
(10/19/2018)

APPALACHIAN WIRELESS
 101 TECHNOLOGY TRAIL
 IVEL, KY. 41642
 PROPOSED TOWER SITE
 OFF HWY 25E NEAR FOURMILE
 IN BELL COUNTY, KY.



PROFILE WITH TOWER


THIS IS A VERTICAL PROFILE SKETCH OF THE TOWER INDICATING THE PROPOSED ANTENNA AND DISH ELEVATIONS. NO DESIGN CRITERIA WAS CONSIDERED IN THE PREPARATION OF THIS DRAWING.

James W. Caudill 12305 6-25-18
 JAMES W. CAUDILL PE #. DATE

PRELIMINARY DESIGN
 NOTE: FOUNDATION AND TOWER DIMENSIONS ARE ESTIMATED FOR PLANNING PURPOSES. DRAWING WILL BE REVISED WHEN DESIGNS ARE FINALIZED.
 NOTE: SEE FOUNDATION DRAWINGS FOR DETAILS



06/25/18
 SCALE 1" = 20'



| PROPOSED SITE PLAN AND STRUCTURE LOCATION FOURMILE TOWER APPALACHIAN WIRELESS | | |
|--|--------------------|--|
| DRAWN JWC | DATE 06/25/2018 | MICHAH EVANS TRACT OFF OF HIGHWAY 25E NEAR FOURMILE IN BELL COUNTY, KY. |
| APPROVED | DATE 06/25/2018 | |
| SCALE 1' = 20' | SHEET 3 OF 3 | PROJECT NO. FOURMILE/FM2_20PRO |

| Utility ID | Utility Name | Utility Type | Class | City | State |
|------------|---|--------------|-------|-----------------|-------|
| 4107900 | 365 Wireless, LLC | Cellular | D | Atlanta | GA |
| 4109300 | Access Point, Inc. | Cellular | D | Cary | NC |
| 4108300 | Air Voice Wireless, LLC | Cellular | A | Bloomfield Hill | MI |
| 4110650 | Alliant Technologies of KY, L.L.C. | Cellular | C | Morristown | NJ |
| 44451184 | Alltel Communications, LLC | Cellular | A | Basking Ridge | NJ |
| 4110850 | AltaWorx, LLC | Cellular | C | Fairhope | AL |
| 4107800 | American Broadband and Telecommunications Company | Cellular | C | Toledo | OH |
| 4108650 | AmeriMex Communications Corp. | Cellular | D | Dunedin | FL |
| 4105100 | AmeriVision Communications, Inc. d/b/a Affinity 4 | Cellular | D | Virginia Beach | VA |
| 4110700 | Andrew David Balholm dba Norcell | Cellular | C | Clayton | WA |
| 4108600 | BCN Telecom, Inc. | Cellular | D | Morristown | NJ |
| 4110550 | Blue Casa Mobile, LLC | Cellular | D | Santa Barbara | CA |
| 4108750 | Blue Jay Wireless, LLC | Cellular | C | Carrollton | TX |
| 4111050 | BlueBird Communications, LLC | Cellular | C | New York | NY |
| 4202300 | Bluegrass Wireless, LLC | Cellular | A | Elizabethtown | KY |
| 4107600 | Boomerang Wireless, LLC | Cellular | B | Hiawatha | IA |
| 4105500 | BullsEye Telecom, Inc. | Cellular | D | Southfield | MI |
| 4110050 | CampusSims, Inc. | Cellular | D | Boston | MA |
| 4100700 | Cellco Partnership dba Verizon Wireless | Cellular | A | Basking Ridge | NJ |
| 4106600 | Cintex Wireless, LLC | Cellular | D | Rockville | MD |
| 4111000 | ComApp Technologies LLC | Cellular | C | Melrose | MA |
| 4101900 | Consumer Cellular, Incorporated | Cellular | A | Portland | OR |
| 4106400 | Credo Mobile, Inc. | Cellular | A | San Francisco | CA |
| 4108850 | Cricket Wireless, LLC | Cellular | A | San Antonio | TX |
| 4001900 | CTC Communications Corp. d/b/a EarthLink Business I | Cellular | D | Grand Rapids | MI |
| 10640 | Cumberland Cellular Partnership | Cellular | A | Elizabethtown | KY |
| 4101000 | East Kentucky Network, LLC dba Appalachian Wireless | Cellular | A | Ivel | KY |
| 4002300 | Easy Telephone Service Company dba Easy Wireless | Cellular | D | Ocala | FL |
| 4109500 | Enhanced Communications Group, LLC | Cellular | D | Bartlesville | OK |
| 4110450 | Excellus Communications, LLC | Cellular | D | Chattanooga | TN |
| 4105900 | Flash Wireless, LLC | Cellular | C | Concord | NC |
| 4104800 | France Telecom Corporate Solutions L.L.C. | Cellular | D | Oak Hill | VA |
| 4109350 | Global Connection Inc. of America | Cellular | D | Norcross | GA |
| 4102200 | Globalstar USA, LLC | Cellular | B | Covington | LA |
| 4109600 | Google North America Inc. | Cellular | A | Mountain View | CA |
| 33350363 | Granite Telecommunications, LLC | Cellular | D | Quincy | MA |
| 4106000 | GreatCall, Inc. d/b/a Jitterbug | Cellular | A | San Diego | CA |
| 10630 | GTE Wireless of the Midwest dba Verizon Wireless | Cellular | A | Basking Ridge | NJ |
| 4110600 | Horizon River Technologies, LLC | Cellular | C | Atlanta | GA |
| 4103100 | i-Wireless, LLC | Cellular | A | Newport | KY |
| 4109800 | IM Telecom, LLC d/b/a Infiniti Mobile | Cellular | D | Tulsa | OK |
| 22215360 | KDDI America, Inc. | Cellular | D | New York | NY |
| 10872 | Kentucky RSA #1 Partnership | Cellular | A | Basking Ridge | NJ |
| 10680 | Kentucky RSA #3 Cellular General | Cellular | A | Elizabethtown | KY |
| 10681 | Kentucky RSA #4 Cellular General | Cellular | A | Elizabethtown | KY |
| 4109750 | Konatel, Inc. dba telecom.mobi | Cellular | D | Johnstown | PA |
| 4110900 | Lunar Labs, Inc. | Cellular | C | Detroit | MI |
| 4107300 | Lycamobile USA, Inc. | Cellular | D | Newark | NJ |
| 4108800 | MetroPCS Michigan, LLC | Cellular | A | Bellevue | WA |
| 4109650 | Mitel Cloud Services, Inc. | Cellular | D | Mesa | AZ |
| 4202400 | New Cingular Wireless PCS, LLC dba AT&T Mobility, PCS | Cellular | A | San Antonio | TX |
| 10900 | New Par dba Verizon Wireless | Cellular | A | Basking Ridge | NJ |
| 4000800 | Nextel West Corporation | Cellular | D | Overland Park | KS |
| 4001300 | NPCR, Inc. dba Nextel Partners | Cellular | D | Overland Park | KS |

| | | | | | |
|----------|---|----------|---|----------------|----|
| 4001800 | OnStar, LLC | Cellular | A | Detroit | MI |
| 4110750 | Onvoy Spectrum, LLC | Cellular | C | Plymouth | MN |
| 4109050 | Patriot Mobile LLC | Cellular | D | Southlake | TX |
| 4110250 | Plintron Technologies USA LLC | Cellular | D | Bellevue | WA |
| 33351182 | PNG Telecommunications, Inc. dba PowerNet Global Communications | Cellular | D | Cincinnati | OH |
| 4202100 | Powertel/Memphis, Inc. dba T-Mobile | Cellular | A | Bellevue | WA |
| 4107700 | Puretalk Holdings, LLC | Cellular | A | Covington | GA |
| 4106700 | Q Link Wireless, LLC | Cellular | A | Dania | FL |
| 4108700 | Ready Wireless, LLC | Cellular | B | Hiawatha | IA |
| 4110500 | Republic Wireless, Inc. | Cellular | D | Raleigh | NC |
| 4111100 | ROK Mobile, Inc. | Cellular | C | Culver City | CA |
| 4106200 | Rural Cellular Corporation | Cellular | A | Basking Ridge | NJ |
| 4108550 | Sage Telecom Communications, LLC dba TruConnect | Cellular | D | Los Angeles | CA |
| 4109150 | SelecTel, Inc. d/b/a SelecTel Wireless | Cellular | D | Freemont | NE |
| 4106300 | SI Wireless, LLC | Cellular | A | Carbondale | IL |
| 4110150 | Spectrotel, Inc. d/b/a Touch Base Communications | Cellular | D | Neptune | NJ |
| 4200100 | Sprint Spectrum, L.P. | Cellular | A | Atlanta | GA |
| 4200500 | SprintCom, Inc. | Cellular | A | Atlanta | GA |
| 4109550 | Stream Communications, LLC | Cellular | D | Dallas | TX |
| 4110200 | T C Telephone LLC d/b/a Horizon Cellular | Cellular | D | Red Bluff | CA |
| 4202200 | T-Mobile Central, LLC dba T-Mobile | Cellular | A | Bellevue | WA |
| 4002500 | TAG Mobile, LLC | Cellular | D | Carrollton | TX |
| 4109700 | Telecom Management, Inc. dba Pioneer Telephone | Cellular | D | South Portland | ME |
| 4107200 | Telefonica USA, Inc. | Cellular | D | Miami | FL |
| 4108900 | Telrite Corporation dba Life Wireless | Cellular | D | Covington | GA |
| 4108450 | Tempo Telecom, LLC | Cellular | D | Kansas City | MO |
| 4109950 | The People's Operator USA, LLC | Cellular | D | New York | NY |
| 4109000 | Ting, Inc. | Cellular | A | Toronto | ON |
| 4110400 | Torch Wireless Corp. | Cellular | D | Jacksonville | FL |
| 4103300 | Touchtone Communications, Inc. | Cellular | D | Whippany | NJ |
| 4104200 | TracFone Wireless, Inc. | Cellular | D | Miami | FL |
| 4002000 | Truphone, Inc. | Cellular | D | Durham | NC |
| 4110300 | UVNV, Inc. | Cellular | D | Costa Mesa | CA |
| 4105700 | Virgin Mobile USA, L.P. | Cellular | A | Atlanta | GA |
| 4110800 | Visible Service LLC | Cellular | C | Lone Tree | CO |
| 4106500 | WiMacTel, Inc. | Cellular | D | Palo Alto | CA |
| 4110950 | Wing Tel Inc. | Cellular | C | New York | NY |
| 4109900 | Wireless Telecom Cooperative, Inc. dba theWirelessFreeway | Cellular | D | Louisville | KY |