

Felix H. Sharpe, II
(502) 540-2312 (direct) ^ (502) 585-2207 (fax)
felix.sharpe@dinsmore.com

July 26, 2019

RECEIVED

JUL 29 2019

PUBLIC SERVICE
COMMISSION

Via Federal Express

Gwen R. Pinson
Executive Director
Public Service Commission
211 Sower Blvd.
P.O. Box 615
Frankfort, KY 40602-0615

*Application of Kentucky RSA #3 Cellular General Partnership for
Approval to Construct and Operate a New Cell Facility to Provide
Cellular Radio Service (Wax) in Rural Service Area #3 (Grayson County),
before the Public Service Commission of the Commonwealth of Kentucky,
Case No. 2019-00045*

Dear Director Pinson:

Enclosed are one (1) original and eleven (11) copies of the response to Commission Staff's July 18, 2019 request for information filed on behalf of Kentucky RSA #3 Cellular General Partnership in the above referenced case

Please return a file stamped copy in the enclosed self-addressed prepaid envelope.

Thank you and if you have any questions with respect to this matter, please call me.

Regards,

DINSMORE & SHOHL LLP



Felix H. Sharpe, II

FHS/kwi

RECEIVED

JUL 29 2019

PUBLIC SERVICE
COMMISSION

COMMONWEALTH OF KENTUCKY
BEFORE THE PUBLIC SERVICE COMMISSION

IN THE MATTER OF:)
)
 APPLICATION OF KENTUCKY RSA #3)
 CELLULAR GENERAL PARTNERSHIP)
 FOR APPROVAL TO CONSTRUCT AND) **CASE NO. 2019-00045**
 OPERATE A NEW CELL FACILITY TO)
 PROVIDE CELLULAR RADIO SERVICE)
 (WAX) IN RURAL SERVICE ARE #3)
 (GRAYSON COUNTY) OF THE)
 COMMONWEALTH OF KENTUCKY)

**KENTUCKY RSA #3 CELLULAR GENERAL PARTNERSHIP'S
RESPONSE TO THE COMMISSION STAFF'S
FIRST REQUEST FOR INFORMATION**

For its response to the first request for information of the Staff of the Public Service Commission of the Commonwealth of Kentucky (the "Commission"), Kentucky RSA #3 Cellular General Partnership ("Kentucky RSA #3"), by counsel hereby states as follows.

REQUEST FOR INFORMATION

REQUEST: Refer to Edmonson County Water District's (Edmonson District) comments that were filed into the pending case, in which Edmondson District states that it has no objection to the proposed tower as long as no permanent structures are built on Edmonson District's property or existing easements. Provide a response to Edmonson District's comments, and specifically explain whether Kentucky RSA #3

intends to build the proposed tower on any permanent structure on Edmonson District's property or existing easements.

RESPONSE: Kentucky RSA #3 affirms that no permanent structure will be built on the Edmondson County Water District's property or existing easements. The location of the center of proposed tower is approximately 210' from center of the Edmondson County Water District's water tank. Attached is a copy of a map that identifies the location of both the proposed tower and water tank and the distance between them. (also identified in Exhibit "G" to Kentucky RSA #3's Application.)


Responsible Witness: Doug Updegraff

Respectfully submitted,




John E. Selent
Felix H. Sharpe, II
DINSMORE & SHOHL LLP
101 South Fifth Street
Suite 2500
Louisville, KY 40202
tel: (502) 540-2300
fax: (502) 585-2207
john.selent@dinsmore.com
felix.sharpe@dinsmore.com

*Counsel to Kentucky RSA #3 Cellular
General Partnership*

Date: 
7/26/2019

CERTIFICATION

I hereby certify that I have supervised the preparation of Kentucky RSA #3 Cellular General Partnership's response to the request for information of the Commission Staff and that the response contained herein (and for which I am designated the responsible witness) is true and accurate to the best of my knowledge, information, and belief formed after reasonable inquiry.



Doug Updegraff

Vice President – Chief Technology Officer

CERTIFICATE OF SERVICE

I hereby certify that a copy of the foregoing was served by was served via first-class United States mail, sufficient postage prepaid, on the following individuals this 26th day of July, 2019:

Edmonson County Water District
P.O. Box 208
Brownsville, Kentucky 42210



*Counsel to Kentucky RSA #3 Cellular
General Partnership*