Andy Beshear Governor

Rebecca W. Goodman Secretary Energy and Environment Cabinet



Commonwealth of Kentucky
Public Service Commission
211 Sower Blvd.
P.O. Box 615
Frankfort, Kentucky 40602-0615
Telephone: (502) 564-3940
psc.ky.gov

Angie Hatton Chair

Mary Pat Regan Commissioner

John Will Stacy Commissioner

September 20, 2024

PARTIES OF RECORD

Re: Case No. 2019-00065

Notice is given to all parties that the attached Drakesboro OQ Protocol 9 Report 2024 has been filed into the record of this proceeding.

If you have any comments you would like to make regarding the contents of the document, please do so within five days of receipt of this letter. If you have any questions, please contact Jason Colyer, Staff Attorney, at Jason.Colyer@ky.gov.

Sincerely,

Linda C. Bridwell, PE Executive Director

Attachment



## **INSPECTION REPORT**

## **INSPECTION INFORMATION**

KY PSC Inspector(s):	John Gallimore		Report Number:		05242024	
Inspection Date(s):	05/24/2024		Report Date:		05/24/2024	
Inspection Type:	☐ Standard	⊠ Pı	rotocol 9	☐ Records	and Field Review	
Inspection Type:	☐ Compliance Follow-up ☐ Co		onstruction			

## OPERATOR INFORMATION

	OF ERVITOR THE OTHER PROPERTY.							
Name of Operato	erator: Drakesboro Natural Gas System		•	OP ID No.: (If no OP ID No., explain if an application has been submitted.)		3538		
Type of Operator	:	Municipal	Location of office:	City of Drakesboro		of Drakesboro		
Area of Operation	า:	City Of Drakesboro						
Official Operator	Conta	act and Address: Must be	Unit Name and Ad	Linit Name and Adduses				
MAYOR or Officer	of Co	ompany	Offic Name and Add	Unit Name and Address				
Mayor Eddie Brake P.O. Box 129 Drakesboro, KY 42337								
Phone # and Ema	ail:	270-602-7181 drakesborogas@	gmail.com					
Records Location	:	City Hall						
<u>Interviewed</u>		Phone No. 270-820-0019	Email drakesborogas	s@gma	ail.com			

## **Training and Qualification - OQ Protocol 9**

**1. Program Inspection Deficiencies** Have potential issues identified by the OQ plan inspection process been corrected at the operational level? (TQ.PROT9.CORRECTION.O) 192.801(a) (192.809(a))

Sat+	Sat	Concern	Unsat	NA	N C		
	X						
Notes							
No issues	o issues identified						

Avista Std Page 1 of 3

**2. Covered Task Performance** Verify the qualified individuals performed the observed covered tasks in accordance with the operator's procedures or operator approved contractor procedures. (TQ.PROT9.TASKPERFORMANCE.O) 192.801(a) (192.809(a))

Sat+	Sat	Concern	Unsat	NA	NC
	X				

Notes

**Brian Jones** 

**Check Odorant levels.** 

Qualification date 06/09/2021 (mid-south utility service)

**3. Qualification Status** *Verify the individuals performing the observed covered tasks are currently qualified to perform the covered tasks.* (TQ.PROT9.QUALIFICATIONSTATUS.O) 192.801(a) (192.809(a))

Sat+	Sat	Concern	Unsat	NA	N C
	X				

**Notes** 

**Brian Jones** 

**Check Odorant levels.** 

Qualification date 06/09/2021 (mid-south utility service)

**4. Abnormal Operating Condition Recognition and Reaction** *Verify the individuals performing covered tasks are cognizant of the AOCs that are applicable to the tasks observed.* (TQ.PROT9.AOCRECOG.O) 192.801(a) (192.809(a))

Sat+	Sat	Concern	Unsat	NA	NC
	X				

**Notes** 

Operator is aware of AOC's

**5. Verification of Qualification** Observe in the field (job site, local office, etc.) that the foreman/supervisor/manager has verified the qualification of the individual performing the task, that the qualification records are current, and ensure the personal identification of all individuals performing covered tasks are checked, prior to task performance. (TQ.PROT9.VERIFYQUAL.O)

192.801(a) (192.809(a))

Sat+	Sat	Concern	Unsat	NA	N C
	X				

Notes

Verified prior to the test, Brian Jones Check Odorant levels. Qualification date 06/09/2021 Records from manager Brian Jones

Avista Std Page 2 of 3

Avista Std Page 3 of 3

\*Drakesboro Natural Gas Co. 212 Mose Rager Boulevard P. O. Box 129 Drakesboro, KY 42337

\*Drakesboro Natural Gas Co. Drakesboro Natural Gas Co. 212 Mose Rager Boulevard P. O. Box 129 Drakesboro, KY 42337

\*Ryan Driskill Attorney Yonts, Sherman & Driskill, P.S.C. P.O. Box 370 Greenville, KENTUCKY 42345