

COMMONWEALTH OF KENTUCKY
BEFORE THE PUBLIC SERVICE COMMISSION

In the Matter of:

COLUMBIA GAS OF KENTUCKY, INC.)	
)	
_____)	CASE NO.
)	2020-00185
ALLEGED VIOLATION OF UNDERGROUND)	
FACILITY DAMAGE PREVENTION ACT)	


ORDER

A hearing was held in this matter at the offices of the Kentucky Public Service Commission, 211 Sower Boulevard, Frankfort, Kentucky, on September 9, 2020. At the conclusion of the hearing, counsel for the respective parties expressed the desire to file post hearing briefs.

IT IS THEREFORE ORDERED that:

1. The Division of Inspections (DOI) of the Kentucky Public Service Commission shall file its post hearing brief on or before Friday, October 2, 2020.
2. Columbia Gas of Kentucky, Inc. (Columbia) shall file its post hearing brief on or before Friday, October 16, 2020.
3. DOI shall file its post hearing reply brief if any on or before Friday, October 23, 2020.
4. This case shall stand submitted for decision by the commission effective 12:01 a.m., Eastern Daylight Time, on Saturday, October 24, 2020.

By the Commission



ATTEST:



Acting Executive Director

Case No. 2020-00185

*Brooke Wancheck
Asst. Counsel
Columbia Gas of Kentucky, Inc.
2001 Mercer Road
P. O. Box 14241
Lexington, KY 40512-4241

*Columbia Gas of Kentucky, Inc.
290 W Nationwide Blvd
Columbus, OH 43215

*Columbia Gas of Kentucky, Inc.
Columbia Gas of Kentucky, Inc.
290 W Nationwide Blvd
Columbus, OH 43215