



Andy Beshear  
Governor

Rebecca W. Goodman  
Secretary  
Energy and Environment Cabinet

Commonwealth of Kentucky  
**Kentucky State Board on  
Electric Generation and  
Transmission Siting**  
211 Sower Blvd.  
P.O. Box 615  
Frankfort, Kentucky 40602-0615  
Telephone: (502) 564-3940

Kent A. Chandler  
Chairman

Amy D. Cabbage  
Vice Chairman

Marianne Butler  
Commission

February 21, 2022

Russell L. Brown  
Clark, Quinn, Moses, Scott & Grahn, LLP  
320 N. Meridian Street  
Suite 1100  
Indianapolis, IN 46204

RE: Cellco Partnership d/b/a Verizon Wireless  
Case No. 2022-00016 - Filing Deficiencies

The Commission Staff has reviewed the application in the above case. This filing is rejected for the reasons set forth below.

Filing deficiencies pursuant to:

1. 807 KAR 5:063 Section 1 (1)(g): The identity and qualifications of each person directly responsible for the design and construction of the proposed tower; Required information of each person directly responsible for the design and construction of the proposed tower not provided in application
2. 807 KAR 5:063 Section 1(1)(m): A list of the property owners who received the notice, together with copies of the certified letters sent to listed property owners; They provided a list of the property owners and their address but only provided a form letter. They need to provide copies of each letter sent to the property owners.

You are requested to submit the information necessary to cure the deficiencies within 10 days of the date of this letter. If you need further assistance, please contact my staff at 502-564-3940.

Sincerely,

Linda C. Bridwell  
Executive Director

\*Elizabeth Bentz Williams  
Clark, Quinn, Moses, Scott, and Grahn, LLP  
320 North Meridian Street  
Suite 1100  
Indianapolis, INDIANA 46204-172

\*Russell L. Brown  
Clark, Quinn, Moses, Scott, and Grahn, LLP  
320 North Meridian Street  
Suite 1100  
Indianapolis, INDIANA 46204-172

\*Cellco Partnership dba Verizon Wireless  
One Verizon Way, Mailcode VC53S309D  
Basking Ridge, NJ 07920