

Andy Beshear
Governor

Rebecca W. Goodman
Secretary
Energy and Environment Cabinet



Commonwealth of Kentucky
Public Service Commission

211 Sower Blvd.
P.O. Box 615
Frankfort Kentucky 40602-0615
Telephone: (502) 564-3940
Fax: (502) 564-3460
psc.ky.gov

Kent A. Chandler
Chairman

Amy D. Cabbage
Vice Chairman

April 07, 2022

PARTIES OF RECORD

RE: Case No. **2022-00065**

South Eastern Water Association, Inc.
(Construct)

The Commission Staff has reviewed the filing submitted April 05, 2022 and has determined that the application in the above case now meets the minimum filing requirements. Attached please find a stamped filed copy of the first page of your filing. This case has been docketed and will be processed as expeditiously as possible.

If you need further assistance, please contact my staff at 502-564-3940.

Sincerely,

A handwritten signature in blue ink that reads "Linda C. Bridwell".

Linda C. Bridwell
Executive Director

LCB/AH

COMMONWEALTH OF KENTUCKY

BEFORE THE PUBLIC SERVICE COMMISSION

In the Matter of:

ELECTRONIC APPLICATION OF SOUTH)
EASTERN WATER ASSOCIATION, INC.)
FOR COMMISSION APPROVAL)
PURSUANT TO 807 KAR 5:001 AND KRS)
278.020 FOR A CERTIFICATE OF PUBLIC) CASE NO. 2022-00065
CONVENIENCE AND NECESSITY TO)
CONSTRUCT A CUSTOMER SERVICE)
AND OPERATIONS FACILITY)

AMENDED VERIFIED APPLICATION

Pursuant to KRS 278.020(1) and 807 KAR 5:001, Section 15, South Eastern Water Association, Inc. (“SEWA”) files this Amended Verified Application and applies to the Public Service Commission (“Commission”) for an Order granting SEWA a Certificate of Public Convenience and Necessity (“CPCN”) to construct a customer service and operations facility (the “Project”) consisting of four (4) buildings at an estimated cost of \$2,115,864. No debt will be incurred. No rate increase will be necessary.

In support of its Amended Verified Application, SEWA states as follows:

1. On April 4, 2022, Commission Staff filed a letter in this proceeding stating that the original Verified Application SEWA tendered to the Commission on March 29, 2022 was deficient under 807 KAR 5:001, Section 15(2)(b) because it did

*Honorable Damon R Talley
Attorney at Law
STOLL KEENON OGDEN PLLC
300 West Vine Street
Suite 2100
Lexington, KENTUCKY 40507-1801

*Gerald E Wuetcher
Attorney at Law
STOLL KEENON OGDEN PLLC
300 West Vine Street
Suite 2100
Lexington, KENTUCKY 40507-1801

*Joe D. Crawford
President
South Eastern Water Association, Inc.
147 East Somerset Church Road
Somerset, KY 42503

*Morris Vaughn
Manager
South Eastern Water Association, Inc.
147 East Somerset Church Road
Somerset, KY 42503

*South Eastern Water Association, Inc.
147 East Somerset Church Road
Somerset, KY 42503