

Andy Beshear
Governor

Rebecca W. Goodman
Secretary
Energy and Environment Cabinet



Commonwealth of Kentucky
Public Service Commission

211 Sower Blvd.
P.O. Box 615
Frankfort Kentucky 40602-0615
Telephone: (502) 564-3940
Fax: (502) 564-3460
psc.ky.gov

Kent A. Chandler
Chairman

Amy D. Cabbage
Vice Chairman

April 05, 2022

PARTIES OF RECORD

RE: Case No. **2022-00084**

The Commission staff has reviewed the application in the above case and finds that it meets the minimum filing requirements and has been accepted for filing.

Enclosed please find a stamped filed copy of the first page of your filing. This case has been docketed and will be processed as expeditiously as possible.

If you need further assistance, please contact my staff at 502-564-3940.

Sincerely,

A handwritten signature in blue ink that reads "Linda C. Bridwell".

Linda C. Bridwell
Executive Director

LCB/AH

COMMONWEALTH OF KENTUCKY

BEFORE THE PUBLIC SERVICE COMMISSION

In the Matter of:

The Application of Duke Energy Kentucky,)
Inc., for a Certificate of Public Convenience)
and Necessity Authorizing the Phase One) Case No. 2022-00084
Replacement of the AM07 Pipeline)

APPLICATION

Now comes Duke Energy Kentucky, Inc. (Duke Energy Kentucky or the Company), pursuant to KRS 278.020 and 807 KAR 5:001, Sections 14 and 15, and other applicable law, and hereby respectfully requests from the Kentucky Public Service Commission (Commission) an Order granting a Certificate of Public Convenience and Necessity (CPCN) for approval of the construction of the first phase of its AM07 Pipeline Replacement Project (Phase One).

The AM07 Pipeline (AM07) is approximately sixteen miles in total length and is the primary artery for Duke Energy Kentucky's natural gas delivery system. AM07 extends to the Ohio River, transporting natural gas from upstream suppliers, and supports natural gas delivery throughout the Duke Energy Kentucky natural gas delivery system via connected pipelines. The AM07 pipeline was constructed in the 1950's, in accordance with existing regulations at the time. Today, AM07 is of a vintage where the materials are no longer industry standard and the pipeline is unable to meet regulations promulgated by the U.S. Pipeline and Hazardous Materials Safety Administration (PHMSA).

*Debbie Gates
Duke Energy Kentucky, Inc.
139 East Fourth Street
Cincinnati, OH 45201

*Duke Energy Kentucky, Inc.
139 East Fourth Street
Cincinnati, OH 45202

*Minna Sunderman
Duke Energy Kentucky, Inc.
139 East Fourth Street
Cincinnati, OH 45201

*Rocco O D'Ascenzo
Duke Energy Kentucky, Inc.
139 East Fourth Street
Cincinnati, OH 45201