

COMMONWEALTH OF KENTUCKY
BEFORE THE PUBLIC SERVICE COMMISSION

In the Matter of:

OLYMPIC CONSTRUCTION, LLC)	
)	
_____)	CASE NO.
)	2022-00163
ALLEGED VIOLATION OF UNDERGROUND)	
FACILITY DAMAGE PREVENTION ACT)	

INITIATING ORDER FOR ALLEGED 811 VIOLATION OF THE KENTUCKY
UNDERGROUND FACILITY DAMAGE PREVENTION ACT

Olympic Construction, LLC (Olympic Construction) has been named as a party to an investigation before the Kentucky Public Service Commission (Commission) for allegedly violating the Kentucky Underground Facility Damage Prevention Act (Act).¹ A hearing in this case shall take place on July 29, 2022.

Pursuant to KRS 278.495(2), the Commission has jurisdiction to regulate the safety of natural gas facilities in Kentucky and to enforce minimum federal pipeline safety standards. Under the Act, the Commission has authority to investigate and assess civil penalties for any violation of the Act that results in excavation damage to an underground facility used to transport natural gas or hazardous liquid subject to federal pipeline safety laws, 49 U.S.C. § 60101, *et seq.* Any person who violates any provision of the Act is subject to assessment of a civil penalty in the amount of \$250 for the first offense, no more than \$1,000 for the second offense within one year, and no more than \$3,000 for the third and any subsequent offense. Additionally, any person whose violation of the Act

¹ KRS 367.4901 through KRS 367.4917.

results in damage to an underground facility containing any flammable, toxic, corrosive, or hazardous material or results in the release of any flammable, toxic, corrosive, or hazardous material is subject to an additional penalty of up to \$1,000.

Following receipt of a report of excavation damage to its underground gas pipeline from an operator, Commission Staff (Staff) conducted an investigation and prepared an Incident Report, a copy of which is attached to this Order as Appendix A. In its Incident Report, Staff cites Olympic Construction for violation of the following provision of the Act:

KRS 367.4911(1)(a) – Each excavator, or person responsible for an excavation, planning excavation or demolition work shall, not less than two (2) full working days nor more than ten (10) full working days prior to commencing work, notify each affected operator of the excavator's intended work and work schedule. Contacting the applicable protection notification centers shall satisfy this requirement.

Based on its review of the Incident Report and being otherwise sufficiently advised, the Commission finds prima facie evidence that Olympic Construction violated the Underground Facility Damage Prevention Act. The Commission further finds that a formal investigation into the excavation damage incident shall be conducted.

IT IS THEREFORE ORDERED that:

1. Olympic Construction shall submit to the Commission, via email sent to PSCED@ky.gov with the case number of this proceeding in the subject line of the message, a written response to the allegations contained in the Staff Incident Report within 20 days of receipt of this Order.

2. Olympic Construction shall appear on July 29, 2022, at 9 a.m. Eastern Daylight Time, in the Richard Raff Hearing Room of the Commission's offices at 211 Sower Boulevard in Frankfort, Kentucky, for the purpose of presenting evidence concerning the alleged violation of the Underground Facility Damage Prevention Act.

3. The July 29, 2022 hearing shall be conducted via video conferencing.
4. Olympic Construction shall attend the hearing by using the following link: <https://global.gotomeeting.com/join/308551245>; information and instructions are attached to this Order as Appendix B.
5. Olympic Construction shall notify the Commission at least ten days prior to the hearing if Olympic Construction is unable to appear by video conferencing and will therefore appear in person.
6. **Any partnership, corporation, or business entity (including a limited liability company) must be represented by an attorney licensed to practice law in Kentucky, and such representation includes the filing of papers with and appearances at hearings before the Commission.**
7. An individual may submit a response to the allegations contained in the Staff Incident Report without the representation of an attorney.
8. The Staff Incident Report 43101, attached to this Order as Appendix A, is made a part of the record in this case.
9. The July 29, 2022 hearing shall be recorded by video only.
10. **Please note that notice of a hearing to be held in this matter will be mailed to Olympic Construction once proof of service is received by the Commission. Parties who fail to appear after service will be subject to entry of a default judgment against them.**


PUBLIC SERVICE COMMISSION



Chairman

Vice Chairman

Commissioner



ATTEST:



Executive Director

APPENDIX A

APPENDIX TO AN ORDER OF THE KENTUCKY PUBLIC SERVICE
COMMISSION IN CASE NO. 2022-00163 DATED JUN 15 2022

TWENTY PAGES TO FOLLOW

PIPELINE DAMAGE INVESTIGATION REPORT

Investigation Information

Investigator John Gowins **Incident ID** 43101 **Investigation** 8035
Incident Date 10/9/2020 10:05:00 AM **Report Submitted** 10/16/2020

Operator Information

Operator Delta Natural Gas Company, Inc. **Reported By** Craig Mitchell
Phone 859-744-6171 Ext. 1124 **Email** cmitchell@deltagas.com

Incident Location 2000 Vince Rd **Locate Ticket Number**
Nicholasville KY 40356
2000 Vince Road
County Jessamine

Excavator Information

Excavator Rueben Grishchuk **Organization ID** 0877680
Olympic Construction LLC
Phone 859-533-5723 **Email**
Address 120 MacArthur Ct **Locate Ticket Number**
Nicholasville KY 40356

Damage Report Summary

Excavation Within 18" (Approximate Location)	Gas Or Hazardous Liquids		Type Of Equipment Used	Cost of Damage	Amount Billed
	Contained	Released			
NA	Yes	Yes	Mechanized	\$181.00	\$181.00

Locate Ticket Summary

Ticket #	Valid	Initial Date	Expiration Date (21 calendar days from Initial date)	Incident Date	# of Days Expired	Within Scope of Excavation
	N/A	N/A	N/A	10/9/2020	N/A	NA

The operator reports that Rueben Grishchuk with Olympic Construction LLC was using a mini-excavator to widen the road when he inadvertently hit and completely severed an existing 3/4" plastic natural gas service line. There had been no call to 811.

PIPELINE DAMAGE INVESTIGATION REPORT

INVESTIGATION

Online address is the same as above, phone number is 859.881.0907.

September 22, 2021

- Called 859.881.0907, need to talk to Victor, his cell # is 859.533.5723.
- Called 859.533.5723, mailbox was full, could not accept any messages.
- Called first number, left a message for a return call.

September 29, 2021

- Called Victor at 859.533.5723, mailbox full, could not accept any messages.
- Called 859.881.0907, was told that Victor is very busy, and I need to call him three times today. I stated that I would leave a message for him at this number, and if I don't hear from him by October 6, I would be sending a demand letter with a \$1,250 civil penalty in it.

VIOLATIONS

KRS 367.4911 (1) (a) Each excavator, or person responsible for an excavation, planning excavation or demolition work shall, not less than two (2) full working days nor more than ten (10) full working days prior to commencing work, notify each affected operator of the excavator's intended work and work schedule. Contacting the applicable protection notification centers shall satisfy this requirement.

of Offences (Including this incident)

Excavator	Last Offence Incident #	Last Offence Incident Date	Revert to 1st Offence Date (Last Offence Date +365 Days)
1 st	N/A	N/A	N/A

Gas Excavation Damage Report

Delta Natural Gas Company, Inc.

Submitted 10/16/2020 Incident ID: 43101

[Set back to Edit](#)

[Staff Edit](#)

[Print \(PDFForm.aspx?Rpt=GasInvestigation&IG=43101\)](#)

Reported By:

Name: Craig Mitchell
Phone: 859-744-6171 Ext. 1124
Email: cmitchell@deltagas.com

Gas Line Incident Occured:

Date: 10/9/2020
Time: 10:05 AM

Details:

Reported Date: 10/14/2020 10:51 AM

Incident Location Address:

Location: 2000 Vince Road
Address: 2000 Vince Rd
City: Nicholasville
State: KY
County: Jessamine
Zip: 40356
Confirm Code: Y

Number of Customers out: 1

Was gas or hazardous liquids contained in the underground facility?

Was gas or hazardous liquids released into the atmosphere? *

3/2020

Locate Request Ticket No.:

Excavator: Contractor

Excavator Address:

First Name: Rueben
Last Name: Grishchuk
Organization ID: 0877680
Company: OLYMPIC CONSTRUCTION LLC
Phone: 859-533-5723
Email:

Address: 120 MacArthur Ct
City: Nicholasville
State: KY
Zip: 40356
Confirm Code: Y
Excavation Damage: No notification made to the One Call Center

Description of Incident Rueben Grishchuk with Olympic Construction LLC was using a mini-excavator to widen the road when he inadvertently hit and completely severed an existing 3/4" plastic natural gas service line.

Summary Information

10/16/2020

Full details such as the cause Neither Rueben Grishchuk nor any other employee with Olympic Construction contacted KY-811 or Delta Natural Gas Company to request a line location prior to beginning their excavation activities to widen the road with a mini-excavator and therefore they did not know the location of the existing 3/4" plastic natural gas service line which ultimately led to the line being completely severed by Mr. Grishuk thus resulting in natural gas being released from the pipeline.

Extent of the damage There were no injuries or property damage attributed to this incident. Delta employees replaced 6 feet of 3/4" plastic service line and installed (2) 3/4" plastic couplings before re-energizing the service line and returning it to operation.

Cost of the damage \$181.00

Steps taken to prevent re-occurrence Mr. Grishuk was informed that anyone that is going to do any type of excavation work is required by law to call KY-811 and request a line location at least two days prior to beginning the work and, when excavation is necessary within a close proximity to the marked gas line (18" on either side), the law requires hand digging or the use of a non intrusive means of excavation to expose the pipeline and thus avoid any damage to the line.

Amount billed to excavator \$181.00



Kentucky Secretary of State

Michael G. Adams



OLYMPIC CONSTRUCTION LLC

[File Annual Report](#)
[File Statement of Change of Principal Office](#)
[File Statement of Change of registered Agent / Registered Address](#)
[Printable Forms](#)
[Additional Services](#)
[Certificates](#)

General Information

Organization Number	0877680
Name	OLYMPIC CONSTRUCTION LLC
Profit or Non-Profit	P - Profit
Company Type	KLC - Kentucky Limited Liability Company
Status	A - Active
Standing	G - Good
State	KY
File Date	1/28/2014
Organization Date	1/31/2014
Last Annual Report	4/17/2021
Principal Office	100 MORNING VIEW PL. NICHOLASVILLE, KY 40356
Managed By	Members
Registered Agent	VITALIY KUNITSA 100 MORNING VIEW PL. NICHOLASVILLE, KY 40356

Current Officers

Member	Vitaliy Kunitsa
Member	Galina Kunitsa
Member	Dennis Kunitsa

Individuals / Entities listed at time of formation

Organizer	VITALIY KUNITSA
------------------	-----------------

Images available online

Documents filed with the Office of the Secretary of State on September 15, 2004 or thereafter are available as scanned images or PDF documents. Documents filed prior to September 15, 2004 will become available as the images are created.

Assumed Names

Activity History

Filing	File Date	Effective Date	Org. Referenced
Annual report	4/17/2021 1:17:07 AM	4/17/2021 1:17:07 AM	
Annual report	2/15/2020 1:48:01 PM	2/15/2020 1:48:01 PM	
Annual report	6/11/2019 2:44:51 PM	6/11/2019 2:44:51 PM	
Registered agent address change	6/11/2019 2:29:45 PM	6/11/2019 2:29:45 PM	
Principal office change	6/11/2019 2:25:04 PM	6/11/2019 2:25:04 PM	
Annual report	4/26/2018 12:08:47 PM	4/26/2018 12:08:47 PM	
Annual report	6/12/2017 2:38:25 PM	6/12/2017 2:38:25 PM	
Annual report	7/7/2016 1:35:14 PM	7/7/2016 1:35:14 PM	
Annual report	7/16/2015 2:30:48 PM	7/16/2015 2:30:48 PM	
Add	1/28/2014 12:11:46 PM	1/31/2014	

Microfilmed Images

[Contact](#) [Site Map](#)

[Privacy](#) [Security](#) [Disclaimer](#) [Accessibility](#)

© Commonwealth of Kentucky
All rights reserved.

Kentucky Unbridled Spirit

SUPPLEMENT PIPELINE DAMAGE INVESTIGATION REPORT

Investigation Information

Investigator Eric V. Tout **Incident ID** 43101 **Investigation** 8035
Incident Date 10/9/2020 10:05:00 AM **Report Submitted** 10/16/2020

Operator Information

Operator Delta Natural Gas Company, Inc. **Reported By** Craig Mitchell
Phone 859-744-6171 Ext. 1124 **Email** cmitchell@deltagas.com

Incident Location 2000 Vince Rd **Locate Ticket Number**
Nicholasville KY 40356
2000 Vince Road
County Jessamine

Excavator Information

Excavator Rueben Grishchuk **Organization ID** 0877680
Olympic Construction LLC
Phone 859-533-5723 **Email**
Address 120 MacArthur Ct **Locate Ticket Number**
Nicholasville KY 40356

SUPPLEMENT INVESTIGATION

On 04/25/22 Vitaliy Kunitsa of Olympic Construction stated that no call to 811 was made and Mr. Kunitsa was receptive to attending the Damage Prevention course and paying the reduce penalty of \$250.00.

On 04/26/22 811, April Butler, conducted a search from 09/01/20 thru 10/16/20 and found no Locate Tickets submitted for 2000 Vince Rd. in Nicholasville, Jessamine County for the Excavator.

811's email is included as Attachment 1.

On 04/28/22 the Operator, Delta's Craig Mitchell, provided the following documents:

- Third Party Damage Report & Leak Report: Which are outlined in the Pipeline Damage Investigation Report by Investigator John Gowins and the Gas Excavation Damage Report submitted by Delta.
- Invoice and copy of check: Indicating the Excavator paid \$180.67 for the damage repair.

Delta's documents are included as Attachment 2.

Attachment 1

Tout, Eric V (PSC)

From: Ticket Research <ticketresearch2@usa811.org>
Sent: Tuesday, April 26, 2022 8:23 AM
To: Tout, Eric V (PSC)
Cc: PSCrequest@kentucky811.org
Subject: Re: 43101

Hello,

We searched for tickets from September 1st through October 16th, 2020 but were unable to find any tickets submitted on 2000 Vince Rd in Nicholasville, Jessamine County for the excavator Olympic Construction. If you have any more information, we would be happy to assist you further.

Thank you,
April Butler, *Member Services*

Office [833-538-0923](tel:833-538-0923) | Fax [317-386-7820](tel:317-386-7820)

Know what's below. 811 before you dig.

[Indiana811](#) | [Facebook](#) | [Twitter](#) | [YouTube](#)

[Kentucky811](#) | [Facebook](#) | [Twitter](#) | [YouTube](#)

Thank you,
April Butler & Carly Dunsmore, *Member Services*

Office [833-538-0923](tel:833-538-0923) | Fax [317-386-7820](tel:317-386-7820)

Know what's below. 811 before you dig.

[Indiana811](#) | [Facebook](#) | [Twitter](#) | [YouTube](#)

[Kentucky811](#) | [Facebook](#) | [Twitter](#) | [YouTube](#)

On Tue, Apr 26, 2022 at 8:17 AM Tout, Eric V (PSC) <ericv.tout@ky.gov> wrote:

Please provide locate ticket(s) for:

Incident Date: 10/9/2020 (Provided the date range for the search)

Operator: Delta

Incident Location: 2000 Vince Rd, Nicholasville

County: Jessamine

Excavator: Olympic Construction

Thanks,

Eric V. Tout

Kentucky Public Services Commission

Division of Inspections / Damage Prevention

211 Sower Blvd., Frankfort, KY 40601

Office: 502-782-2622

Fax: 502-564-1582

Attachment 2

Tout, Eric V (PSC)

From: Craig Mitchell <CMITCHELL@DeltaGas.com>
Sent: Thursday, April 28, 2022 12:27 PM
To: Tout, Eric V (PSC)
Subject: RE: 43101, 10/9/2020, 2000 Vince Rd., Nicholasville, Olympic Construction
Attachments: 0157_001.pdf

****CAUTION** PDF attachments may contain links to malicious sites. Please contact the COT Service Desk ServiceCorrespondence@ky.gov for any assistance.**

Hi Eric,

I have attached the available information from my files with regard to this incident as referenced below:

1. Third Party Damage field report as completed by Nicholasville branch personnel.
2. Form 635 Leak Report as completed by Nicholasville branch personnel.
3. Invoice/Bill to Olympic Construction in the amount of \$180.67 to cover the repair costs and lost gas.
4. Copy of check from Olympic Construction in the amount of \$180.67.

Thanks Eric

Craig

From: Tout, Eric V (PSC) [mailto:ericv.tout@ky.gov]
Sent: Tuesday, April 26, 2022 8:15 AM
To: Craig Mitchell
Subject: 43101, 10/9/2020, 2000 Vince Rd., Nicholasville, Olympic Construction

This Message Is From an External Sender

This message came from outside your organization.

Hello Craig,

Please send repots, photos, invoices and payment info (copy of check) if paid.

*Thanks,
Eric V. Tout
Kentucky Public Services Commission
Division of Inspections / Damage Prevention
211 Sower Blvd., Frankfort, KY 40601
Office: 502-782-2622
Fax: 502-564-1582*

This electronic mail transmission is for the use of the named individual or entity to which it is directed and may contain information that is privileged or confidential. It is not to be copied or forwarded to any unauthorized persons. If you have received this electronic mail transmission in error, delete it from your system without copying or forwarding it, and notify the sender of the error by replying via email, so that our address record can be corrected.

THIRD PARTY DAMAGE REPORT

Date of Damage: 10 09 2020 Time of Damage: 10 05 AM PM
M M / D D / Y Y Y Y 0 0 : 0 0

Address/Location of Damage: 2000 Vince Road Nicholasville, KY
40356

City: Nicholasville County: Jessamine

Excavator Type: Home Owner
 Contractor
 Utility
 State Agency
 Municipality

Excavator Name: Reuben Grishchuk Phone Number: 859-537-3107

Company Name (if applicable): Olympic Construction

Address: 120 MacArthur Ct E-mail Address: _____

City: Nicholasville State: KY Zip: 40356

Company Contact: _____ Company Phone Number: 859-533-5723

Did Excavator Call 811? Yes No Did Excavator Contact Delta Directly? Yes No

811 Ticket Number: _____ Delta Ticket Number: _____

Attach a copy of the 811 Locate Request and a copy of Delta's Locate Request, if applicable

Details, Excavation Equipment Used and Cause of Damage: _____

Contractor was widening Road with min excavator
hit + Broke 3/4 Service

Number of Customers Affected: 1

Extent of Injuries and Property Damage: None

Steps Taken to Prevent Reoccurrence: told to make sure they call
811 Before Digging

- Reason for Damage:
- One-Call Notification Practices Not Sufficient
 - Facility Marking or Location Not Sufficient
 - Other Insufficient Excavation Practices
 - No Notification Made to One-Call Center
 - Wrong Information Provided to One-Call Center
 - Facility Could Not Be Found or Located
 - Facility Was Not Located or Marked
 - Incorrect Facility Maps
 - Failure to Maintain Marks
 - Failure to Support Exposed Facilities
 - Failure to Use Hand Tools Where Required
 - Failure to Test-Hole (Pot-Hole)
 - Improper Backfilling Practices
 - Failure to Maintain Clearance
 - One-Call Center Error
 - Abandoned Facility
 - Deteriorated Facility
 - Previous Damage
 - Data Not Collected
 - Other (Explain): _____

Damaged Pipeline: Punctured Completely Severed Leak Report Number: 03-2936

Pipe Size: 3/4 Pipe Type: Plastic Steel Map Sheet Number: 222-989

Facility Type: Transmission Distribution Service Line Main

If service line, was an excess flow valve installed on the line? Yes No

Operating Pressure at Time of Damage: 17 PSIG Type Feed: One-Way Two-Way

Duration from time of notification until flow stopped (not necessarily repaired): 15 min

Total Labor Required to Make Repairs: 2 1/2 L.R. Hours

Materials Used to Make Repairs: Used - 2 3/4 Couplings & 6 FT of 3/4 Plastic

Do you want to bill for this incident? Yes No

Laurence Rely
District Manager

10-9-20
Date



LEAK REPORT

White/System/LOS Yellow/Central/NR Pink/Pending/Until Repaired
<input type="checkbox"/> Uprating Copy/Work Order File/LOS

Date Discovered: 10-9-20 Resurvey Date(s): 10-12-20 checked w/ CBI 0% Gas

Leak Class: 1 2 3 Facility Classification: Distribution Main Gathering Line
 Service Line Transmission Line
 Meter Installation Regulator Station

Submitted By: Ross Tanner

Leak Location: 2000 Vince Rd

Map Sheet Number: 222-989 GPS Latitude: 37°55.716' N
 VIP Pipeline Designation: _____ Longitude: -84°32.867' W

How Discovered: Leak Survey Patrol Other - Explain: Excavation

Date Repaired: 10-9-20 Repaired By: RT BB

Cause of Leak: **Corrosion** Atmospheric External Internal
 (Send Pipe Sample to Director-Technical Services)

Natural Forces Earthquake Earth/Rock Movement Flood Frost Heave Landslide Lightning Subsidence Tornado Washout Other

Brittleness - Crack/Split (Send Pipe Sample to Manager-Construction)

Excavation
 Name of Excavator: Olympic Construction
 Result of Previous Damage: Yes No

Other - Explain: _____

Incorrect Operations Human Error Ineffective Procedures

Equipment Excess Flow Valve Filter Flow/Pressure Controller Heater Meter Casing Odorizer Regulator/Relief Valve Thread Valve Other - Explain: _____

Other Outside Force External Loading Fire/Explosion Vandalism Vehicle Other - Explain: _____

Material and Welds Directional Fitting Flange Mechanical Fitting Pipe Plastic Fusion Coupling Plastic to Plastic Compression Coupling Plastic to Steel Transition Screw Fitting Tap Tee Workmanship Defect Other - Explain: _____

Pipe Size: 3/4" Pipe Condition: Good Fair Poor

Pipe Type: Plastic: Aldyl A Plexco PE 2406 Other Steel: Threaded Welded

Cathodically Protected: Yes No Cathodic Protection P/S Reading: _____

Type of Coating: Bare Millwrap Plastic X-Tru Coat Thin Film
 (Steel Only) Other - Explain: _____

Coating Condition: Satisfactory Unsatisfactory Year Pipe Installed: 1997

Steel Pipe Condition Report Number: _____ Original Work Order Number: 01-4568

Repair Method: Replaced Leak Clamp Other - Explain: _____

Test Method: Leak (Fittings) Pressure 90 Psig 10 min Duration
 (Reinstated Service Lines Only)



DELTA NATURAL GAS COMPANY INC
3617 LEXINGTON ROAD
WINCHESTER, KY 40391

INVOICE

Bill To:
Customer Number: 600005661
OLYMPIC CONSTRUCTION
120 MACARTHUR CT
NICHOLASVILLE KY 40356

Company Use Only

Customer Number	600005661
Reference Number	MISCDM5661
SAP Doc. No.	6800000027
Date of Invoice	10/21/2020
Invoice Amount	180.67

TO BILL FOR DAMAGES TO OUR FACILITY LOCATED AT:

2000 Vince Rd, Nicholasville, KY

ASSIGNMENT: D4400.NICH

DAMAGE DATE: Friday, October 09, 2020

TOTAL DAMAGE AMOUNT: 180.67

PROJECT LINE ITEM DETAIL ATTACHED.

BILLING INQUIRIES CAN BE DIRECTED TO: KEstes@DeltaGas.com or calling 859-744-6171

Please detach and return payment coupon with your check including your account number made payable to: Delta Natural Gas Company

Miscellaneous Invoice Payment Coupon

Amount Due

180.67

Due Date

11/20/2020

Amount Enclosed

Customer Number: 600005661

REFERENCE NUMBER: MISCDM5661

OLYMPIC CONSTRUCTION
120 MACARTHUR CT
NICHOLASVILLE KY 40356

Please Refer your Customer number and Remit to:

Checks Payable:
DELTA NATURAL GAS COMPANY INC
3617 LEXINGTON ROAD
WINCHESTER, KY 40391

Wire Instructions:
BANK NAME: JPMORGAN CHASE BANK, N.A.
ABA:
ACCOUNT NUMBER:

SECURITY FEAT

INCLUDE TRUE WATERMARK PAPER, HEAT SENSITIVE ICON AND FOLIO SECURITY

Olympic Construction LLC
100 Morning View Pl.
Nicholasville, KY 40356
Ph# (859) 533-5723

Central Bank & Trust Co.
Nicholasville, KY 40356
Void after 90 days
73-14421

20554

1/7/2021

PAY TO THE ORDER OF Delta Gas.

\$ **180.67

One Hundred Eighty and 67/100*****

DOLLARS

Delta Natural Gas Company Inc.
3617 Lexington Rd.
Winchester, KY 40391



G. Keul
AUTHORIZED SIGNATURE

MEMO

Olympic Construction LLC

20554

Delta Gas.
Date 10/21/2020 Type Bill Reference MISCDM5661

Original Amt. 180.67

Balance Due 180.67

1/7/2021
Discount
Check Amount

Payment 180.67
180.67

Central Bank

180.67

Olympic Construction
600005661
1600

Details on Back. Security Features Included

APPENDIX B

APPENDIX TO AN ORDER OF THE KENTUCKY PUBLIC SERVICE
COMMISSION IN CASE NO. 2022-00163 DATED JUN 15 2022

TWO PAGES TO FOLLOW

Information and Instructions for Hearing

You are required to attend a formal hearing with the Kentucky Public Service Commission. Please note the hearing is scheduled in the **Eastern Time Zone**, and the hearing date and time are on the Order that accompanied these instructions.

You are **strongly encouraged** to download the GoToMeeting app now and be ready for your hearing. If you cannot appear via video using this app, at least ten days prior to your scheduled hearing you must call the Commission's offices at the number provided below. You will receive instructions on appearing in person in the Richard Raff Hearing Room of the Commission's offices at 211 Sower Boulevard in Frankfort, Kentucky at the time and date of your scheduled hearing.

Please direct any questions to Ashley Rhodes, Commission Division of Inspections. AshleyB.Rhodes@ky.gov or 502-782-2578.

To download the GoToMeeting app go to:

<https://global.gotomeeting.com/install/258846301>

On the day of your hearing using your computer, tablet, or video enabled smartphone. **Access the proceeding at:**

<https://global.gotomeeting.com/join/308551245>

More information about using GoToMeeting can be found at:

GoToMeeting - Attendee Quick Start

<https://www.youtube.com/embed/8VaHHVP0FCU?autoplay=1&showinfo=0&controls=0&rel=0>

GoToMeeting - How to Join a Meeting

https://www.youtube.com/embed/Ojl1q_sPrP0?autoplay=1&showinfo=0&controls=0&rel=0

Technical Requirements for Using GoToMeeting

Operating System:

Windows 7 – Windows 10

Mac OS X 10.9 (Mavericks) – mac OS Big Sur (11)

Linux/Ubuntu (Web App only)

Google Chrome OS (Web App only)

iOS 11 – iOS 13

Android OS 5 (Lollipop) – Android 10

Web Browser: (Applies to Web App only)

Google Chrome v72 or newer

Microsoft Edge v77 or newer

Internet Connection:

Computer: 1 Mbps or better (broadband recommended)

Mobile device and Chromebook: 3G or better (WiFi recommended for VoIP)

Software:

GoToMeeting desktop app (JavaScript enabled)

GoToMeeting app from the Apple Store, Google Play Store, or Windows Store

Hardware:

2GB of RAM (minimum), 4GB or more of RAM (recommended)

Webcam device*

Microphone and speakers** (USB headset recommended)

Mobile Device:

iPhone 5 or newer

iPad 3rd gen or newer

Note: * You MUST have a camera on your device or connected to your device to appear at the hearing.

** Most devices have built-in speakers, but you will get better audio quality while connected via VoIP if you use a headset

Olympic Construction LLC
100 Morning View Pl
Nicholasville, KENTUCKY 40356

Olympic Construction LLC
111 Olympic Dr.
Nicholasville, KENTUCKY 40356