COMMONWEALTH OF KENTUCKY

BEFORE THE PUBLIC SERVICE COMMISSION

I	ln	th	10	M	latter	Of:

ELECTRONIC INVESTIGATION OF KENTUCKY-)	
AMERICAN WATER COMPANY'S ALLEGED)	CASE NO.
VIOLATION OF A TARIFF AND COMMISSION)	2022-00299
REGULATIONS REGARDING METERS AND)	
MONITORING CUSTOMER USAGE)	

ORDER

A hearing in the above-styled matter was held on Thursday, June 8, 2023. At the conclusion of the witness testimony, a procedural schedule was established that provided for post-hearing requests for information.

IT IS THEREFORE ORDERED that:

- 1. Post-hearing requests for information, if any, shall be filed on or before June 16, 2023.
- 2. Responses to post-hearing requests for information shall be filed on or before July 10, 2023.
- 3. Kentucky-American Water Company (Kentucky-American) shall respond to all requests for information issued by Commission Staff, whether identified on the procedural schedule or otherwise, as provided in those requests.

PUBLIC SERVICE COMMISSION

Chairman

Vice Chairman

Commissioner

ENTERED

JUN 13 2023

rcs

KENTUCKY PUBLIC SERVICE COMMISSION

ATTEST:

Executive Director

*Angela M Goad Assistant Attorney General Office of the Attorney General Office of Rate 700 Capitol Avenue Suite 20 Frankfort, KENTUCKY 40601-8204 *Molly Van Over Kentucky-American Water Company 2300 Richmond Road Lexington, KY 40502

*Kentucky-American Water Company 2300 Richmond Road Lexington, KY 40502

*Kentucky-American Water Company Kentucky-American Water Company 2300 Richmond Road Lexington, KY 40502

*John G Horne, II Office of the Attorney General Office of Rate 700 Capitol Avenue Suite 20 Frankfort, KENTUCKY 40601-8204

*Honorable Lindsey W Ingram, III Attorney at Law STOLL KEENON OGDEN PLLC 300 West Vine Street Suite 2100 Lexington, KENTUCKY 40507-1801

*Larry Cook Assistant Attorney General Office of the Attorney General Office of Rate 700 Capitol Avenue Suite 20 Frankfort, KENTUCKY 40601-8204

*J. Michael West Office of the Attorney General Office of Rate 700 Capitol Avenue Suite 20 Frankfort, KENTUCKY 40601-8204