PUBLIC SERVICE COMMISSION

From: Nancy Kuppersmith

Sent: Friday, July 7, 2023 3:17 PM

To: PSC Executive Director < PSCED@ky.gov>

Subject: PSC 2022-00402 "Increase Solar to 4,200MW Initiative"

This Message Originated from Outside the Organization

Report Suspicious

You have not previously corresponded with this sender.

July 7, 2023

Dear Commissioners', Chandler, Hatton, and Regan,

I support the initiative to increase solar generation to 4,200MW capacity, <u>before</u> considering the two new gas turbines requested by LGE-KU in case 2022-00402.

Last year, not only were Kentuckians hit with two weather catastrophes, the Western Kentucky tornadoes and the Eastern Kentucky floods but also we had the highest utility rates ever.

Both of the weather events were linked to climate change. Yes, climate change weather events are happening here in Kentucky! Rather than build more methane gas plants which add to heat trapping gasses and climate change, we need to change course to heal our planet and build renewable energy facilities. Kentucky and the U.S. are using unprecedented amounts of natural gas to generate electricity. In addition, Kentucky residential gas rates, already among the highest gas rates in the country, were 36% above the national average. Kentucky needs zero-fuel solutions NOT fossil fuels to stop rising utility rates and climate change.

This Summer has been the hottest on record, which shows our survival is in deep trouble! Your decision can make climate positive change happen both here in Kentucky but in the world, because a ton of carbon anywhere affects the world everywhere!!

Sincerely,

Nancy C Kuppersmith

308 N. Hubbards Lane Louisville, KY 40207

--

Nancy C. Kuppersmith	
Home office -	
Cell	
email	

CONFIDENTIALITY NOTICE:

This e-mail message, including any attachments, is for the sole use of the intended recipient(s) and may contain confidential and privileged information. Any unauthorized review, use, disclosure or distribution is prohibited. If you are not the intended recipient, please contact the sender immediately by reply e-mail and destroy all copies of the original message.