



Andy Beshear
Governor

Kent A. Chandler
Chairman

Rebecca W. Goodman
Secretary
Energy and Environment Cabinet

Commonwealth of Kentucky
Public Service Commission
211 Sower Blvd.
P.O. Box 615
Frankfort, Kentucky 40602-0615
Telephone: (502) 564-3940
Fax: (502) 564-3460
psc.ky.gov

Mary Pat Regan
Commissioner

January 12, 2023

W. Randall Jones
Rubin & Hays
450 South Third Street
Louisville, KY 40202

RE: Rattlesnake Ridge Water District
Case No. 2022-00426 Filing Deficiencies

The Commission Staff has reviewed the application in the above case. This filing is rejected for the reasons set forth below.

Filing deficiencies pursuant to:

1. 807 KAR 5:069 Section 3(4)(a): Provided notice does not contain an effective date for the proposed rates nor contain information to calculate thirty days, as referenced in the notice.
2. 807 KAR 5:069 Section 3(1)(b): Case information is not listed on utility website.

You are requested to submit the information necessary to cure the deficiencies within 10 days of the date of this letter. If you need further assistance, please contact my staff at 502-564-3940.

Sincerely,

A handwritten signature in blue ink that reads "Linda C. Bridwell".

Linda C. Bridwell
Executive Director

*David Gifford
Rattlesnake Ridge Water District
5302 S State Hwy 7
P. O. Box 475
Grayson, KY 41143-0475

*Rattlesnake Ridge Water District
5302 S State Hwy 7
P. O. Box 475
Grayson, KY 41143-0475

*Riley Sumner
Kentucky Engineering Group, LLC
PO Box 1034
Versailles, KENTUCKY 40383

*Honorable W. Randall Jones
Attorney at Law
Rubin & Hays
Kentucky Home Trust Building
450 South Third Street
Louisville, KENTUCKY 40202