

Bullock Pen Water District
 PO-Box 188
 Crittenden KY 41030



| | |
|---|------------|
| SERVICE ADDRESS: 5005 WARSAW RD | |
| ACCOUNT NUMBER | [REDACTED] |
| TOTAL AMOUNT DUE ON OR BEFORE 05/15/2024 | \$41.93 |
| TOTAL DUE IF PAID AFTER 05/15/2024 | \$46.00 |



4496 1 AV 0.507
 GAINES, BELDEN CRAIG 15 343
 5005 WARSAW RD
 DRY RIDGE KY 41035-8726



CONSUMPTION FOR THE PAST 12 MONTHS



| TYPE OF SERVICE | METER READ DATES | | METER READINGS | | USAGE (GALLONS) | AMOUNT |
|-----------------|------------------|------------|----------------|---------|-----------------|--------|
| | PREVIOUS | CURRENT | PREVIOUS | CURRENT | | |
| PAYMENT PLAN | | | | | | 0.00 |
| WATER | 03/13/2024 | 04/08/2024 | 245000 | 248000 | 3000 A | 40.71 |
| JTL TX | | | | | | 1.22 |

MESSAGES

STATEMENT DATE: 5-1-2024
 2022 Bullock Pen Water District annual water quality report is available. Go to www.tapwaterinfo.com/bullockpen.pdf for important information regarding your Annual Drinking Water Quality Report. Call 859-428-2112 to request a copy.
 Usage codes A= Actual E= Estimated **Due date is for CURRENT month's bill only. Any account with a previous balance due is subject to disconnection. Please avoid mowing over top of meter crocks, any damages will be charges to the customer.**

Auto Debit

ACH
 BANK DRAFT MEMO
 DO NOT REMIT

| | |
|---|------------|
| SERVICE ADDRESS: 5005 WARSAW RD | |
| CUSTOMER NAME: GAINES, BELDEN CRAIG | |
| ACCOUNT NUMBER | [REDACTED] |
| TOTAL AMOUNT DUE ON OR BEFORE 05/15/2024 | \$41.93 |
| TOTAL DUE IF PAID AFTER 05/15/2024 | \$46.00 |

NORMAL LOBBY HOURS:

Monday - Friday, 8:30 am - 4:00 pm

DRIVE THRU HOURS:

Monday - Friday, 8:00 am - 4:30 pm

OFFICE: 859-428-2112**EMERGENCY AFTER HOURS:**

Please dial 859-428-1235

UNDERSTANDING YOUR BILL.....

- ♦ Failure to receive your bill does not excuse penalty or payment.
- ♦ Unpaid bills will result in water service shut off. A reconnect fee plus the total amount due must be paid to restore service.
- ♦ If you are moving, please contact our office to avoid continuing charges.
- ♦ High Usage? Check for leaks first.

CHECK FOR LEAKS

Check all toilets and faucets. Leaky toilets and faucets are the biggest cause of wasted water resulting in large bills. The most common source of leaks is the toilet. Check toilets for leaks by placing a few drops of food coloring in the tank. If after 15 minutes the dye shows up in the bowl, the toilet has a leak. Leaking toilets can usually be repaired inexpensively. Toilets can account for almost 30% of all indoor use, more than any other fixture or appliance.

| Diameter of stream | Gallons |
|---|---------|
|  1/4" | 393,800 |
|  3/16" | 222,000 |
|  1/8" | 98,700 |
|  1/16" | 24,700 |

A continuous leak from a hole this size at an average household water pressure of 60 psi would, over a month period, result in the water usage listed above.

PAYMENT METHODS

| AUTOMATIC WITHDRAWAL | NIGHT DEPOSIT BOX | ONLINE PAYMENT | PAY BY PHONE | PAY IN PERSON |
|---------------------------------------|--|---|--|---|
| From your checking or savings account | Boxes are located at our Farrell Dr. Office directly under drive up window or next to the front doors. Please include your payment stub. | Visit our website at www.bpwd.org to pay via Mastercard, Visa or Discover | Call 859-428-2112 and pay by Visa, Master Card or Discover | At 1 Farrell Dr. between 8:30 am and 4:00 pm inside our lobby or at our Drive Up Window between 8:00 am and 4:30 pm via Cash, Check, Money Order or Credit Card |
| CONTACT OFFICE TO ESTABLISH | | | | |

RETURN CHECK CHARGE : \$20.00

"This institution is an equal opportunity provider and employer."

For Change of address or phone number only

Name _____

Address _____

City _____ State _____ Zip _____


Telephone Number _____

Bullock Pen Water District
 PO Box 188
 Crittenden KY 41030


| | |
|---|------------|
| SERVICE ADDRESS: 5005 WARSAW RD | |
| ACCOUNT NUMBER | [REDACTED] |
| TOTAL AMOUNT DUE ON OR BEFORE 06/15/2024 | \$41.93 |
| TOTAL DUE IF PAID AFTER 06/15/2024 | \$46.00 |



4468 1 AV 0.507
 GAINES, BELDEN CRAIG 15 334
 5005 WARSAW RD
 DRY RIDGE KY 41035-8726



CONSUMPTION FOR THE PAST 12 MONTHS



| TYPE OF SERVICE | METER READ DATES | | METER READINGS | | USAGE (GALLONS) | AMOUNT |
|-----------------|------------------|------------|----------------|---------|-----------------|--------|
| | PREVIOUS | CURRENT | PREVIOUS | CURRENT | | |
| PAYMENT PLAN | | | | | | |
| WATER | 04/08/2024 | 05/14/2024 | 248000 | 251000 | 3000 A | 0.00 |
| UTL TX | | | | | | 40.71 |
| | | | | | | 1.22 |

MESSAGES

STATEMENT DATE: 6-3-2024

2023 Bullock Pen Water District annual water quality report is available.

Go to www.tapwaterinfo.com/bullockpen.pdf for important information regarding your Annual Drinking Water Quality Report. Call 859-428-2112 to request a copy.

Usage codes A= Actual E= Estimated Due date is for CURRENT month's bill only. Any account with a previous balance due is subject to disconnection. Please avoid mowing over top of meter crocks, any damages will be charges to the customer.

ACH
 BANK DRAFT MEMO
 DO NOT REMIT

| | |
|---|------------|
| SERVICE ADDRESS: 5005 WARSAW RD | |
| CUSTOMER NAME: GAINES, BELDEN CRAIG | |
| ACCOUNT NUMBER | [REDACTED] |
| TOTAL AMOUNT DUE ON OR BEFORE 06/15/2024 | \$41.93 |
| TOTAL DUE IF PAID AFTER 06/15/2024 | \$46.00 |

Auto Debit

NORMAL LOBBY HOURS:

Monday - Friday, 8:30 am - 4:00 pm

DRIVE THRU HOURS:

Monday - Friday, 8:00 am - 4:30 pm

OFFICE: 859-428-2112**EMERGENCY AFTER HOURS:**

Please dial 859-428-1235

UNDERSTANDING YOUR BILL.....

- ♦ Failure to receive your bill does not excuse penalty or payment.
- ♦ Unpaid bills will result in water service shut off. A reconnect fee plus the total amount due must be paid to restore service.
- ♦ If you are moving, please contact our office to avoid continuing charges.
- ♦ High Usage? Check for leaks first.

CHECK FOR LEAKS

Check all toilets and faucets. Leaky toilets and faucets are the biggest cause of wasted water resulting in large bills. The most common source of leaks is the toilet. Check toilets for leaks by placing a few drops of food coloring in the tank. If after 15 minutes the dye shows up in the bowl, the toilet has a leak. Leaking toilets can usually be repaired inexpensively. Toilets can account for almost 30% of all indoor use, more than any other fixture or appliance.

| Diameter of stream | Gallons |
|---|---------|
|  1/4" | 393,800 |
|  3/16" | 222,000 |
|  1/8" | 98,700 |
|  1/16" | 24,700 |

A continuous leak from a hole this size at an average household water pressure of 60 psi would, over a month period, result in the water usage listed above.

PAYMENT METHODS

| AUTOMATIC WITHDRAWAL | NIGHT DEPOSIT BOX | ONLINE PAYMENT | PAY BY PHONE | PAY IN PERSON |
|--|--|---|--|---|
| From your checking or savings account CONTACT OFFICE TO ESTABLISH | Boxes are located at our Farrell Dr. Office directly under drive up window or next to the front doors. Please include your payment stub. | Visit our website at www.bpwd.org to pay via Mastercard, Visa or Discover | Call 859-428-2112 and pay by Visa, Master Card or Discover | At 1 Farrell Dr. between 8:30 am and 4:00 pm inside our lobby or at our Drive Up Window between 8:00 am and 4:30 pm via Cash, Check, Money Order or Credit Card |

RETURN CHECK CHARGE : \$20.00

"This institution is an equal opportunity provider and employer."

For Change of address or phone number only

Name _____

Address _____

City _____ State _____ Zip _____



Telephone Number _____

Bullock Pen Water District
 PO Box 188
 Crittenden KY 41030

| | |
|---|------------|
| SERVICE ADDRESS: 5005 WARSAW RD | |
| ACCOUNT NUMBER | [REDACTED] |
| TOTAL AMOUNT DUE ON OR BEFORE 07/15/2024 | \$3,736.02 |
| TOTAL DUE IF PAID AFTER 07/15/2024 | \$3,736.02 |

3152 1 AV 0.507
 GAINES, BELDEN CRAIG 12 191
 5005 WARSAW RD
 DRY RIDGE KY 41035-8726

CONSUMPTION FOR THE PAST 12 MONTHS



| TYPE OF SERVICE | METER READ DATES | | METER READINGS | | USAGE (GALLONS) | AMOUNT |
|-----------------|------------------|------------|----------------|---------|-----------------|----------|
| | PREVIOUS | CURRENT | PREVIOUS | CURRENT | | |
| PAYMENT PLAN | | | | | | 0.00 |
| WATER | 05/14/2024 | 06/26/2024 | 251000 | 729000 | 478000 A | 3,627.20 |
| JTL TX | | | | | | 108.82 |

MESSAGES

STATEMENT DATE: 7-1-2024

2023 Bullock Pen Water District annual water quality report is available.

Go to www.tapwaterinfo.com/bullockpen.pdf for important information regarding your Annual Drinking Water Quality Report. Call 859-428-2112 to request a copy.

Usage codes **A**= Actual **E**= Estimated **Due date is for CURRENT month's bill only. Any account with a previous balance due is subject to disconnection. Please avoid mowing over top of meter crocks, any damages will be charges to the customer.**


*1st Bill normally averages
 Payment apt to \$40-50 per month sent
 \$100.00*

PLEASE DETACH BOTTOM PORTION AND RETURN WITH YOUR PAYMENT

*The
 Leak sent [REDACTED]
 7/10/24 for \$100.00
 in May [REDACTED]*

MAKE CHECKS PAYABLE TO:

BULLOCK PEN WATER DISTRICT
 PO BOX 188
 CRITTENDEN KY 41030-0188



| | |
|---|------------|
| SERVICE ADDRESS: 5005 WARSAW RD | |
| CUSTOMER NAME: GAINES, BELDEN CRAIG | |
| ACCOUNT NUMBER | [REDACTED] |
| TOTAL AMOUNT DUE ON OR BEFORE 07/15/2024 | \$3,736.02 |
| TOTAL DUE IF PAID AFTER 07/15/2024 | \$3,736.02 |

NORMAL LOBBY HOURS:

Monday - Friday, 8:30 am - 4:00 pm

DRIVE THRU HOURS:

Monday - Friday, 8:00 am - 4:30 pm

OFFICE: 859-428-2112**EMERGENCY AFTER HOURS:**

Please dial 859-428-1235

UNDERSTANDING YOUR BILL.....

- ♦ Failure to receive your bill does not excuse penalty or payment.
- ♦ Unpaid bills will result in water service shut off. A reconnect fee plus the total amount due must be paid to restore service.
- ♦ If you are moving, please contact our office to avoid continuing charges.
- ♦ High Usage? Check for leaks first.

CHECK FOR LEAKS

Check all toilets and faucets. Leaky toilets and faucets are the biggest cause of wasted water resulting in large bills. The most common source of leaks is the toilet. Check toilets for leaks by placing a few drops of food coloring in the tank. If after 15 minutes the dye shows up in the bowl, the toilet has a leak. Leaking toilets can usually be repaired inexpensively. Toilets can account for almost 30% of all indoor use, more than any other fixture or appliance.

| Diameter of stream | Gallons |
|---|---------|
|  1/4" | 393,800 |
|  3/16" | 222,000 |
|  1/8" | 98,700 |
|  1/16" | 24,700 |

A continuous leak from a hole this size at an average household water pressure of 60 psi would, over a month period, result in the water usage listed above.

PAYMENT METHODS

| AUTOMATIC WITHDRAWAL | NIGHT DEPOSIT BOX | ONLINE PAYMENT | PAY BY PHONE | PAY IN PERSON |
|--|--|---|--|---|
| From your checking or savings account CONTACT OFFICE TO ESTABLISH | Boxes are located at our Farrell Dr. Office directly under drive up window or next to the front doors. Please include your payment stub. | Visit our website at www.bpwd.org to pay via Mastercard, Visa or Discover | Call 859-428-2112 and pay by Visa, Master Card or Discover | At 1 Farrell Dr. between 8:30 am and 4:00 pm inside our lobby or at our Drive Up Window between 8:00 am and 4:30 pm via Cash, Check, Money Order or Credit Card |

RETURN CHECK CHARGE : \$20.00

"This institution is an equal opportunity provider and employer."

For Change of address or phone number only

Name _____

Address _____

City _____ State _____ Zip _____

Telephone Number _____

Bullock Pen Water District
 PO Box 188
 Crittenden KY 41030



| | |
|---|------------|
| SERVICE ADDRESS: 5005 WARSAW RD | |
| ACCOUNT NUMBER | [REDACTED] |
| TOTAL AMOUNT DUE ON OR BEFORE 08/15/2024 | \$3,667.37 |
| TOTAL DUE IF PAID AFTER 08/15/2024 | \$3,667.37 |

ATB

3127 1 AV 0.545
 GAINES, BELDEN CRAIG 12 190
 5005 WARSAW RD
 DRY RIDGE KY 41035-8726



CONSUMPTION FOR THE PAST 12 MONTHS



| TYPE OF SERVICE | METER READ DATES | | METER READINGS | | USAGE (GALLONS) | AMOUNT |
|------------------|------------------|------------|----------------|---------|-----------------|----------|
| | PREVIOUS | CURRENT | PREVIOUS | CURRENT | | |
| PREVIOUS BALANCE | | | | | | 3,636.02 |
| PAYMENT PLAN | | | | | | 0.00 |
| WATER | 06/26/2024 | 07/12/2024 | 729000 | 731000 | 2000 A | 30.44 |
| SEWER | | | | | | 0.91 |

MESSAGES

Covered in last months
Pay of \$100.00
Spoke w/ +
ok'd by
ATB

STATEMENT DATE: 8-1-2024
 2023 Bullock Pen Water District annual water quality report is available.
 Go to www.tapwaterinfo.com/bullockpen.pdf for important information regarding your Annual Drinking Water Quality Report. Call 859-428-2112 to request a copy.
 Usage codes **A**= Actual **E**= Estimated **Due date is for CURRENT month's bill only. Any account with a previous balance due is subject to disconnection. Please avoid mowing over top of meter crocks, any damages will be charges to the customer.**

PLEASE DETACH BOTTOM PORTION AND RETURN WITH YOUR PAYMENT

| | |
|---|------------|
| SERVICE ADDRESS: 5005 WARSAW RD | |
| CUSTOMER NAME: GAINES, BELDEN CRAIG | |
| ACCOUNT NUMBER | [REDACTED] |
| TOTAL AMOUNT DUE ON OR BEFORE 08/15/2024 | \$3,667.37 |
| TOTAL DUE IF PAID AFTER 08/15/2024 | \$3,667.37 |

MAKE CHECKS PAYABLE TO:

BULLOCK PEN WATER DISTRICT
PO BOX 188
CRITTENDEN KY 41030-0188

NORMAL LOBBY HOURS:

Monday - Friday, 8:30 am - 4:00 pm

DRIVE THRU HOURS:

Monday - Friday, 8:00 am - 4:30 pm

OFFICE: 859-428-2112**EMERGENCY AFTER HOURS:**

Please dial 859-428-1235

UNDERSTANDING YOUR BILL.....

- ♦ Failure to receive your bill does not excuse penalty or payment.
- ♦ Unpaid bills will result in water service shut off. A reconnect fee plus the total amount due must be paid to restore service.
- ♦ If you are moving, please contact our office to avoid continuing charges.
- ♦ High Usage? Check for leaks first.

CHECK FOR LEAKS

Check all toilets and faucets. Leaky toilets and faucets are the biggest cause of wasted water resulting in large bills. The most common source of leaks is the toilet. Check toilets for leaks by placing a few drops of food coloring in the tank. If after 15 minutes the dye shows up in the bowl, the toilet has a leak. Leaking toilets can usually be repaired inexpensively. Toilets can account for almost 30% of all indoor use, more than any other fixture or appliance.

| Diameter of stream | Gallons |
|---|---------|
|  1/4" | 393,800 |
|  3/16" | 222,000 |
|  1/8" | 99,700 |
|  1/16" | 24,700 |

A continuous leak from a hole this size at an average household water pressure of 60 psi would, over a month period, result in the water usage listed above.

PAYMENT METHODS

| AUTOMATIC WITHDRAWAL | NIGHT DEPOSIT BOX | ONLINE PAYMENT | PAY BY PHONE | PAY IN PERSON |
|--|--|---|--|---|
| From your checking or savings account CONTACT OFFICE TO ESTABLISH | Boxes are located at our Farrell Dr. Office directly under drive up window or next to the front doors. Please include your payment stub. | Visit our website at www.bpwd.org to pay via Mastercard, Visa or Discover | Call 859-428-2112 and pay by Visa, Master Card or Discover | At 1 Farrell Dr. between 8:30 am and 4:00 pm inside our lobby or at our Drive Up Window between 8:00 am and 4:30 pm via Cash, Check, Money Order or Credit Card |

RETURN CHECK CHARGE : \$20.00

"This institution is an equal opportunity provider and employer."

For Change of address or phone number only

Name _____

Address _____

City _____ State _____ Zip _____

Telephone Number _____