

RECEIVED

JAN 10 2025

PUBLIC SERVICE  
COMMISSION

# Roger & Janelle Nicolai

2663 Blue Bird Rd.  
Falls of Rough, Kentucky 40119



January 10, 2025

To Whom It May Concern,

This is our request for information from the Joint Applicants. This request is made in compliance with the order set forth by the Kentucky PSC on January 07, 2025.

**1. What attempts were made to colocate on the telecommunication sites listed below?**

All of the following locations are within a 3.5 mile radius of the proposed tower site:

- 37°34'24"N, 86°31'55"W
- 37°36'16"N, 86°30'43"W (Erected 2024, Post Docket #2021-00398)
- 37°38'31"N, 86°28'13"W
- 37°38'36"N, 86°27'59"W
- 37°37'09"N, 86°26'17"W (Erected 2024, Post Docket #2021-00398)
- 37°35'17"N, 86°27'32"W

**2. Grayson County Water District/Grayson County Water Treatment/Hardinsburg Municipal Utility all have a history of working with telecommunication companies. Why are you not (co)locating on their existing structures?**

**3. Without PSC approval, can the Joint Applicants raise the total height of the proposed tower at any point in the future?**

- If yes, by how much?

Respectfully,

Roger & Janelle Nicolai