

Public Comments Received for Case Number: 2025-00293
Response Thursday, October 2, 2025

Thank you for your comments. Your comments in the above referenced matter have been received and will be placed into the case file for the Commission's consideration. Please cite the case number in this matter, 2025-00293 in any further correspondence.

The documents in this case are available at: [View Case Filings for: 2025-00293 \(ky.gov\)](#).

Thank you for your interest in this matter.

Received through Public Comments

Wednesday, October 1, 2025

From: Mark Swimm
City: Elron
State: KY
Zip: 40117

Comments:

Im sure I speak for many about a rate increase. Its unfounded at this time. We have such bad water now and its overpriced. Our tax money and monthly fees need to be used to cover the budget. Raising rates now is like kicking someone who is already down. Please rethink you budget and dont raise rates unless you " will" get rid of the major sediments in our water! No rate increase with the same water that requires filters just to drink it and not destroy our appliances.

*Robert K. Miller
Straightline Kentucky LLC
113 North Birchwood Ave.
Louisville, KY 40206

*Meade County Water District
1003 Armory Place
P. O. Box 367
Brandenburg, KY 40108

*Brett Pyles
Manager
Meade County Water District
1003 Armory Place
P. O. Box 367
Brandenburg, KY 40108

*Richard Shufelt
Skeeters, Bennett, Wilson & Humphrey
550 W. Lincoln Trail Boulevard
Radcliff, KY 40160