

Public Comments Received for Case Number: 2025-00293  
Response Thursday, October 2, 2025

Thank you for your comments. Your comments in the above referenced matter have been received and will be placed into the case file for the Commission's consideration. Please cite the case number in this matter, 2025-00293 in any further correspondence.

The documents in this case are available at: [View Case Filings for: 2025-00293 \(ky.gov\)](#).

Thank you for your interest in this matter.

---

Received through Public Comments

Wednesday, October 1, 2025

From: Shanda Hill  
City: Vine Grove  
State: Kentucky  
Zip: 40175

Comments:

I object to the water rate increase. At least 3 times a year we are asked to ration our water usage, because they can't keep up with the demand. They have been giving the same excuse for over 4 years now, they are working on upgrades, but nothing has been done.

\*Robert K. Miller  
Straightline Kentucky LLC  
113 North Birchwood Ave.  
Louisville, KY 40206

\*Meade County Water District  
1003 Armory Place  
P. O. Box 367  
Brandenburg, KY 40108

\*Brett Pyles  
Manager  
Meade County Water District  
1003 Armory Place  
P. O. Box 367  
Brandenburg, KY 40108

\*Richard Shufelt  
Skeeters, Bennett, Wilson & Humphrey  
550 W. Lincoln Trail Boulevard  
Radcliff, KY 40160