

Public Comments Received for Case Number: 2025-00293  
Response Wednesday, October 15, 2025

Thank you for your comments. Your comments in the above referenced matter have been received and will be placed into the case file for the Commission's consideration. Please cite the case number in this matter, 2025-00293 in any further correspondence.

The documents in this case are available at: [View Case Filings for: 2025-00293 \(ky.gov\)](#).

Thank you for your interest in this matter.

---

Received through Public Comments

Tuesday, October 14, 2025

From: Kathy  
City: Brandenburg  
State: Ky  
Zip: 40108

Comments:

The rate increase is ridiculous....they have been saying for years they were going to fix our water problems taken money and have had nothing fixed. The water I receive at my house has a sad flow you cant wash and shower at the same time. My home is only 3 years old and every year the water pressure gets lower and lower. The calcium in the water has made me have to replace shower heads and constantly clean out kitchen sink nozzles. This increase is absurd when we can get the water we are supposed to get at our houses to begin with.....now you want us to pay more for Sketchy water.

\*Robert K. Miller  
Straightline Kentucky LLC  
113 North Birchwood Ave.  
Louisville, KY 40206

\*Meade County Water District  
1003 Armory Place  
P. O. Box 367  
Brandenburg, KY 40108

\*Brett Pyles  
Manager  
Meade County Water District  
1003 Armory Place  
P. O. Box 367  
Brandenburg, KY 40108

\*Richard Shufelt  
Skeeters, Bennett, Wilson & Humphrey  
550 W. Lincoln Trail Boulevard  
Radcliff, KY 40160