

421 West Main Street
P.O. Box 634
Frankfort, KY 40602-0634
(502) 223-3477
(502) 779-8349 FAX

March 5, 2025

Katie M. Glass
(502) 209-1212
kglass@stites.com

VIA E-MAIL TRANSMISSION PSCED@KY.GOV

Linda C. Bridwell
Executive Director
Public Service Commission
211 Sower Boulevard
P.O. Box 615
Frankfort, KY 40602-0615

RECEIVED

MAR 05 2025

PUBLIC SERVICE
COMMISSION

RE: **Case No. 2005-00276 (Post-Case Correspondence File)**
Kentucky Power Company's 2024 Meter Test Reports

Dear Ms. Bridwell:

Pursuant to Section I, paragraph 4 of Kentucky Power Company's 2006 Sample Meter Testing Plan, I enclose the Company's certified test results of all new meters received during calendar year 2024 (KY 2024 Factory Certified Tests.xlsx).

I am also enclosing the 2024 results of Kentucky Power's statistical sampling plan (2024 Kentucky Power Sample Meter Test Report.pdf). Each of the lots tested satisfied the test criteria. As informally requested, I am also enclosing the results of all meters tested in 2024 (KY 2024 All Tests.xlsx).

Please do not hesitate to contact me if you have any questions.

Very truly yours,

STITES & HARBISON PLLC



Katie M. Glass

KMG

