



330 Eastern Bypass, Suite Box 309, Richmond, KY 40475

**RECEIVED**

JUL 01 2015

PUBLIC SERVICE  
COMMISSION

TO: Kentucky Public Service Commission  
Attention: Joel Grugin  
211 Sower Blvd  
Frankfort, KY 40602

Case No. 2012-00362

June 30, 2015

The following documentation is being submitted by RussMar Utility Management, LLC. on behalf of the Tompkinsville Natural Gas System.

Documents Included:

1. Annual OQ Documentation

\*A hard copy of the above mentioned documents were mailed to the Kentucky Public Service Commission, Attention Joel Grugin on June 30, 2015 by Zane Saylers of RussMar Utility Management, LLC.

Sincerely,

A handwritten signature in blue ink that reads "Zane Saylers".

Zane Saylers  
606-305-6438

# RussMar Utility Management

## MARVIN ANDERSON


TASK NUMBER	COVERED TASK	QUAL PERIOD	DATE QUALED	EXP DATE
E-1	WELD ON STEEL PIPELINES	1 YEAR		
E-2	TEST WELDS USING NON-DESTRUCTIVE PROCESSES	1 YEAR		
F-1	JOINING PLASTIC PIPE	1 YEAR	11/25/2014	11/25/2015
F-2	JOINING PLASTIC PIPE/MECHANICAL COUPLING	1 YEAR	11/25/2014	11/25/2015
G-1	INSPECT EXCAVATION/BACKFILLING ACTIVITIES	3 YEAR	1/27/2015	1/27/2018
H-1	INSTALL METER & REGULATOR	3 YEAR	1/28/2015	1/28/2018
H-2	INSTALL SERVICE LINES	3 YEAR	1/28/2015	1/28/2018
I-1	MONITOR CORROSION CONTROL METHODS USED ON BURIED PIPELINES	3 YEAR	1/28/2015	1/28/2018
L-1a	TAP PIPELINES UNDER PRESSURE	3 YEAR	1/27/2015	1/27/2018
L-2	PURGING GAS LINES	3 YEAR	1/28/2015	1/28/2018
L-3A	MONITOR ODORANT LEVELS	3 YEAR	3/19/2014	3/19/2017
M-1	PERFORM PATROL & LEAKAGE SURVEYS ON GAS PIPELINE FACILITIES	3 YEAR	5/28/2013	5/28/2016
M-2	LOCATE & MARK UNDERGROUND FACILITIES	3 YEAR	3/19/2014	3/19/2017
M-3	TESTING PIPELINES	3 YEAR	1/28/2015	1/28/2018
M-4	INSPECT & TEST PRESSURE LIMIT STATIONS	3 YEAR		
M-5	MAINTAIN LINE VALVES	3 YEAR	3/19/2014	3/19/2017
M-7	PREVENT ACCIDENTAL IGNITION/AOC'S	3 YEAR	1/27/2015	1/17/2018
M-8	MAKE FIELD REPAIRS ON DISTRIBUTION LINES	3 YEAR	1/27/2015	1/27/2018
M-9	REPAIR/PROTECT CAST IRON PIPE	3 YEAR		
M-10	ABANDON/DEACTIVATE GAS PIPING	3 YEAR	1/28/2015	1/28/2018
1401	MAINTAIN SAFE WORKING ENVR. WHILE EXC. (COMPETENT PERSON)	3 YEAR	1/27/2015	1/27/2018

TASK NUMBER	COVERED TASK	QUAL PERIOD	DATE QUALED	EXP DATE
CI-1	PERFORMING PIPE TO SOIL SURVEYS ON COATED BURIED PIPELINES	3 YEAR	12/14/2013	12/14/2016
CI-4	INSPECT EXTERNAL CONDITIONS OF EXPOSED BURIED METAL PIPING	3 YEAR	12/14/2013	12/14/2016
CI-5	INSPECT & MAINTAIN RECTIFIERS	3 YEAR	12/14/2013	12/14/2016
CI-7	INSTALL TEST LOADS TO MONITOR & CONTROL EXTERNAL CORROSION	3 YEAR	12/14/2013	12/14/2016
CI-8	INSTALL & TEST INSULATION TO CONTROL EXTERNAL CORROSION BY ELECTRICAL ISOLATION	3 YEAR	12/14/2013	12/14/2016
CI-9	INSPECT FOR EVIDENCE OF INTERNAL CORROSION	3 YEAR	12/14/2013	12/14/2016
CI-10	INSPECT & MONITOR EXPOSED PIPING FOR ATMOSPHERIC CORROSION	3 YEAR	12/14/2013	12/14/2016
CI-11	INSTALLING SACRIFICIAL ANODES & TEST STATIONS	3 YEAR	12/13/2013	12/13/2016
CI-13	IDENTIFY PROCEDURES BASIC TO INSPECTING, APPLYING, & REPAIRING PIPELINE COATINGS	3 YEAR	12/13/2013	12/13/2016

GDS 3.6	MAINTAINING COMPLIANCE WITH NATIONAL FUEL GAS CODE NFPA	3 YEAR	2/6/2014	2/6/2017
---------	---	--------	----------	----------

EXPIRES	TASK
1/27/18	<input checked="" type="checkbox"/> OQ CG-1 : Excavating/Backfilling
1/28/18	<input checked="" type="checkbox"/> OQ CH-1 : Install/Repair/Replace M & R Sets
1/28/18	<input checked="" type="checkbox"/> OQ CH-2 : Install/Repair/Replace Service Lines
1/28/18	<input checked="" type="checkbox"/> OQ CI-11 : Install Anodes & Test Stations
1/27/18	<input checked="" type="checkbox"/> OQ CL-1a : Tap Pipelines (Self-Tapping Only)
1/28/18	<input checked="" type="checkbox"/> OQ CL-2 : Purge Pipelines
1/28/18	<input checked="" type="checkbox"/> OQ CM-3 : Pressure Test Pipelines
1/27/18	<input checked="" type="checkbox"/> OQ M-7 : Prevent Accidental Ignition/AOC's
1/27/18	<input checked="" type="checkbox"/> OQ CM-8 : Install/Repair/Replace Main Lines
1/28/18	<input checked="" type="checkbox"/> OQ CM-10 : Abandon/Deactivate Pipelines
1/27/18	<input checked="" type="checkbox"/> GDS 10.4 : Competent Person

This certifies that **Marvin Anderson - 2554**  
of **RussMar Logistics**  
has been evaluated per the conditions and guidelines as set forth by DOT 49 CFR Part 192 & the KY Public Service Commission using materials and procedures provided by Industrial Training Services & the KY Gas Association, and determined qualified to perform the tasks as indicated with a  in the corresponding box.

1/28/15   
DATE BLUEGRASS INSTRUCTIONAL SERVICES  
3438 McClure Rd., Winchester, KY 40391  
859-494-3173 / stigh\_cf@gmail.com



MARVIN ANDERSON  
RUSSMAR  
2371 IRVINE RD  
RICHMOND, KY 40475

Co. Code: 29199  
Instructor: Sligh, Chris  
Proctor: Sligh, Chris

**Test Results For:**

OQ CG-1 Verify Excavating and Backfilling Operations That Minimize  
Excavation Damage to Pipeline Facilities

Test Date: 01/27/2015

Pass/Fail: Pass

Test Key #: 2016

Test Number: 2453

Test Group No: 9425



As an IACET Authorized Provider,  
Industrial Training Services, Inc. offers  
CEUs for its programs that qualify  
under IACET guidelines.

[www.ITS-training.com](http://www.ITS-training.com)





MARVIN ANDERSON  
RUSSMAR  
2371 IRVINE RD  
RICHMOND, KY 40475

Co. Code: 29199  
Instructor: Sligh, Chris  
Proctor: Sligh, Chris

**Test Results For:**

QQ CH-1 Install Customer Gas Meter and Regulator Sets

Test Date: 01/28/2015

Pass/Fail: Pass

Test Key #: 1869

Test Number: 2465

Test Group No: 9425



As an IACET Authorized Provider,  
Industrial Training Services, Inc. offers  
CEUs for its programs that qualify  
under IACET guidelines.

[www.ITS-training.com](http://www.ITS-training.com)





MARVIN ANDERSON  
RUSSMAR  
2371 IRVINE RD  
RICHMOND, KY 40475

Co. Code: 29199  
Instructor: Sligh, Chris  
Proctor: Sligh, Chris

**Test Results For:**

OQ CH-2 Install Customer Gas Service Lines

Test Date: 01/28/2015

Pass/Fail: Pass

Test Key #: 1743

Test Number: 2477

Test Group No: 9425



As an IACET Authorized Provider,  
Industrial Training Services, Inc. offers  
CEUs for its programs that qualify  
under IACET guidelines.

[www.ITS-training.com](http://www.ITS-training.com)





MARVIN ANDERSON  
RUSSMAR  
2371 IRVINE RD  
RICHMOND, KY 40475

Co. Code: 29199  
Instructor: Sligh, Chris  
Proctor: Sligh, Chris

**Test Results For:**

OQ CI-11 Installing Sacrificial Anodes and Test Stations

Test Date: 01/27/2015

Pass/Fail: Pass

Test Key #: 2086

Test Number: 2489

Test Group No: 9425



As an IACET Authorized Provider,  
Industrial Training Services, Inc. offers  
CEUs for its programs that qualify  
under IACET guidelines.

[www.ITS-training.com](http://www.ITS-training.com)





MARVIN ANDERSON  
RUSSMAR  
2371 IRVINE RD  
RICHMOND, KY 40475

Co. Code: 29199  
Instructor: Sligh, Chris  
Proctor: Sligh, Chris

**Test Results For:**

OO CM-3 Pressure Testing Gas Pipelines

Test Date: 01/28/2015

Pass/Fail: Pass

Test Key #: 1625

Test Number: 2525

Test Group No: 9425

As an IACET Authorized Provider,  
Industrial Training Services, Inc. offers  
CEUs for its programs that qualify  
under IACET guidelines.

[www.ITS-training.com](http://www.ITS-training.com)





MARVIN ANDERSON  
RUSSMAR  
2371 IRVINE RD  
RICHMOND, KY 40475

Co. Code: 29199  
Instructor: Sligh, Chris  
Proctor: Sligh, Chris

**Test Results For:**  
OQ CM-7 Prevent Accidental Ignition

Test Date: 01/27/2015

Pass/Fail: Pass

Test Key #: 1587

Test Number: 2537

Test Group No: 9425



As an IACET Authorized Provider,  
Industrial Training Services, Inc. offers  
CEUs for its programs that qualify  
under IACET guidelines.

[www.ITS-training.com](http://www.ITS-training.com)





MARVIN ANDERSON  
RUSSMAR  
2371 IRVINE RD  
RICHMOND, KY 40475

Co. Code: 29199  
Instructor: Sligh, Chris  
Proctor: Sligh, Chris

**Test Results For:**

OQ CM-8 Make Field Repairs on Gas Pipelines

Test Date: 01/27/2015

Pass/Fail: Pass

Test Key #: 3706

Test Number: 2549

Test Group No: 9425



As an IACET Authorized Provider,  
Industrial Training Services, Inc. offers  
CEUs for its programs that qualify  
under IACET guidelines.

[www.ITS-training.com](http://www.ITS-training.com)





MARVIN ANDERSON  
RUSSMAR  
2371 IRVINE RD  
RICHMOND, KY 40475

Co. Code: 29199  
Instructor: Sligh, Chris  
Proctor: Sligh, Chris

**Test Results For:**

OQ CM-10 Abandon or Deactivate Gas Pipeline Facilities

Test Date: 01/28/2015

Pass/Fail: Pass

Test Key #: 1733

Test Number: 2561

Test Group No: 9425

---



As an IACET Authorized Provider,  
Industrial Training Services, Inc. offers  
CEUs for its programs that qualify  
under IACET guidelines.

[www.ITS-training.com](http://www.ITS-training.com)





MARVIN ANDERSON  
RUSSMAR  
2371 IRVINE RD  
RICHMOND, KY 40475

Co. Code: 29199  
Instructor: Sligh, Chris  
Proctor: Sligh, Chris

**Test Results For:**

GDS 10.4 Maintaining a Safe Working Environment While Excavating  
(Competent Person)

Test Date: 01/27/2015

Pass/Fail: Pass

Test Key #: 2259

Test Number: 2573

Test Group No: 9425



As an LACET Authorized Provider,  
Industrial Training Services, Inc. offers  
CEUs for its programs that qualify  
under LACET guidelines.

[www.ITS-training.com](http://www.ITS-training.com)



# RussMar Utility Management

## ROBERT BARRETT

TASK NUMBER	COVERED TASK	QUAL PERIOD	DATE QUALIFIED	EXP DATE
E-1	WELD ON STEEL PIPELINES	1 YEAR		
E-2	TEST WELDS USING NON-DESTRUCTIVE PROCESSES	1 YEAR		
F-1	JOINING PLASTIC PIPE	1 YEAR	11/25/2014	11/25//15
F-2	JOINING PLASTIC PIPE/MECHANICAL COUPLING	1 YEAR	11/25/2014	11/25//15
G-1	INSPECT EXCAVATION/BACKFILLING ACTIVITIES	3 YEAR	3/17/2014	3/17/2017
H-1	INSTALL METER & REGULATOR	3 YEAR	3/18/2014	3/18/2017
H-2	INSTALL SERVICE LINES	3 YEAR	3/18/2014	3/18/2017
I-1	MONITOR CORROSION CONTROL METHODS USED ON BURRIED PIPELINES	3 YEAR		
L-1a	TAP PIPELINES UNDER PRESSURE	3 YEAR	3/18/2014	3/18/2017
L-2	PURGING GAS LINES	3 YEAR		
M-1	PERFORM PATROL & LEAKAGE SURVEYS ON GAS PIPELINE FACILITIES	3 YEAR	5/18/2015	5/18/2018
M-2	LOCATE & MARK UNDERGROUND FACILITIES	3 YEAR	5/18/2015	5/18/2018
M-3	TESTING PIPELINES	3 YEAR	3/18/2014	3/18/2017
M-4	INSPECT & TEST PRESSURE LIMIT STATIONS	3 YEAR		
M-5	MAINTAIN LINE VALVES	3 YEAR		
M-7	PREVENT ACCIDENTAL IGNITION/AOC'S	3 YEAR	3/17/2014	3/17/2017
M-8	MAKE FIELD REPAIRS ON DISTRIBUTION LINES	3 YEAR	3/17/2014	3/17/2017
M-9	REPAIR/PROTECT CAST IRON PIPE	3 YEAR		
M-10	ABANDON/DEACTIVATE GAS PIPING	3 YEAR	3/18/2014	3/18/2017
1401	MAINTAIN SAFE WORKING ENVR. WHILE EXC. (COMPETENT PERSON)	3 YEAR	3/17/2014	3/17/2017

This card certifies that

**Robert Barrett - RussMar Logistics**

has been tested and evaluated according to the requirements of D.O.T. 49  
CFR Part 192.285 and applicable Plastic Fusion/Mechanical Joining  
Procedures.

Evaluation Method:

Written Exam

Observation

11/25/14

11/25/15

QUALIFIED

EXPIRES

*Robert Barrett*  
EVALUATOR

Bluegrass Instructional Services  
3438 McClure Road - Winchester, KY 40391  
859-494-3173 - sbgh.c@gmail.com

- QQ F-1.1 Butt Fuse PE Pipe
  - Manual  Hydraulic
  - Medium Density  High Density
- QQ F-1.2 Socket Fuse PE Pipe
  - Medium Density  High Density
- QQ F-1.3 Sidewall Fuse PE Pipe
  - Medium Density  High Density
- QQ F-1.4 Electrofuse Couplings
- QQ F-1.5 Electrofuse Saddle Fittings
- QQ F-2 Join PE Pipe w/Mechanical Fittings
  - Compression(F-2.1)  Stab(F-2.2)  Bolted(F-2.3)
  - Mech. Compression(F-2.4)  Mech. Saddle(F-2.5)



ROBERT W BARRETT  
RUSSMAR  
2371 IRVINE RD  
RICHMOND, KY 40475

Co. Code: 29199  
Instructor: Sligh, Chris  
Proctor: Sligh, Chris

**Test Results For:**  
OQ UF1-UF2 Join Plastic Pipe

Test Date: 11/25/2014

Pass/Fail: Pass

Test Key #: 2075

Test Number: 7471

Test Group No: 9147

---



As an IACET Authorized Provider,  
Industrial Training Services, Inc. offers  
CEUs for its programs that qualify  
under IACET guidelines.

[www.ITS-training.com](http://www.ITS-training.com)



## IV. Employer Record

OQ Task UF-1 & UF-2

Join Plastic Pipe

Employee Information (Please Print):

Name Robert Barrett

Last 4 Digits of Social Security Number \_\_\_\_\_

Company Name RUSSMAN / MARTIN CONTRACTORS

Company Mailing Address 2371 Irvine Rd

City Richmond State Ky Zip 40475

### Affidavit

I acknowledge the performance of this task is solely for the purpose of operator qualification, and is not intended to replace or modify company operating procedures or policies and may not be appropriately used in all circumstances. I acknowledge that I am responsible for recognizing hazards and abnormal conditions in my work place and must exercise care and good judgment; always using appropriate equipment, procedures and tools for tasks I perform. Industrial Training Services, Inc. assumes no liability for my actions nor for my application of the performance guides used in this evaluation checklist.

Employee's Signature Robert Barrett Date 11-25-14

Evaluator Information (Please Print):

Name Chris Sligh

Organization/Employer Bluegrass Instructional Services

Telephone Number 859-494-3173

### Affidavit

I affirm that I am the person who has administered this checklist and that I have conducted this assessment with integrity. I also affirm that the above named employee is the person assessed and that the above named person performed the tasks at the indicated level.

Evaluator's Signature Chris Sligh Date 11/25/14



**EXPIRES**

**TASK**

5/18/18  OQ CM-1 : Performing Patrol & Leakage Surveys

5/18/18  OQ CM-2 : Locating & Marking Pipeline Facilities

This certifies that **Robert Barrett - 7524**

of **RussMar Utility Mgmt. Logistics**

has been evaluated per the conditions and guidelines as set forth by DOT 49 CFR, Part 192 & the KY Public Service Commission using materials and procedures provided by Industrial Training Services & the KY Gas Association, and determined qualified to perform the tasks as indicated with a "✓" in the corresponding box.

5/18/15 

DATE BLUEGRASS INSTRUCTIONAL SERVICES  
3438 McClure Rd., Winchester, KY 40391  
859-494-3173 / s1gh.c@gmail.com



ROBERT W BARRETT  
RUSSMAR  
2371 IRVINE RD  
RICHMOND, KY 40475

Co. Code: 29199  
Instructor: Sligh, Chris  
Proctor: Sligh, Chris

**Test Results For:**

OQ CM-1 Performing Patrol and Leakage Surveys on Gas Pipeline  
Facilities

Test Date: 05/18/2015

Pass/Fail: Pass

Test Key #: 3686

Test Number: 3760

Test Group No: 10208



As an IACET Authorized Provider,  
Industrial Training Services, Inc. offers  
CEUs for its programs that qualify  
under IACET guidelines.

[www.ITS-training.com](http://www.ITS-training.com)





ROBERT W BARRETT  
RUSSMAR  
2371 IRVINE RD  
RICHMOND, KY 40475

Co. Code: 29199  
Instructor: Sligh, Chris  
Proctor: Sligh, Chris

**Test Results For:**

OQ CM-2 Locate and Mark Underground Pipeline Facilities

Test Date: 05/18/2015

Pass/Fail: Pass

Test Key #: 1750

Test Number: 3762

Test Group No: 10208



As an IACET Authorized Provider,  
Industrial Training Services, Inc. offers  
CEUs for its programs that qualify  
under IACET guidelines.

[www.ITS-training.com](http://www.ITS-training.com)





# INDUSTRIAL TRAINING SERVICES, INC.

310 CC Lowry Drive • Murray KY 42071 • 270-753-2150 • [www.ITS-training.com](http://www.ITS-training.com)

ROBERT W BARRETT  
MARTIN CONTRACTING  
2371 IRVINE ROAD  
RICHMOND, KY 40475

Co. Code: 27961  
Instructor: Sligh, Chris  
Proctor: Sligh, Chris

## Test Results For:

OQ CG-1 Verify Excavating and Backfilling Operations That Minimize  
Excavation Damage to Pipeline Facilities

Test Date: 03/17/2014

Pass/Fail: Pass

Test Key #: 2016

Test Number: 7632

Test Group No: 7640

---



As an IACET Authorized Provider,  
Industrial Training Services, Inc. offers  
CEUs for its programs that qualify  
under IACET guidelines.

[www.ITS-training.com](http://www.ITS-training.com)





# INDUSTRIAL TRAINING SERVICES, INC.

310 CC Lowry Drive • Murray KY 42071 • 270-753-2150 • [www.ITS-training.com](http://www.ITS-training.com)

ROBERT W BARRETT  
MARTIN CONTRACTING  
2371 IRVINE ROAD  
RICHMOND, KY 40475

Co. Code: 27961  
Instructor: Sligh, Chris  
Proctor: Sligh, Chris

## Test Results For:

OQ CH-1 Install Customer Gas Meter and Regulator Sets

Test Date: 03/18/2014

Pass/Fail: Pass

Test Key #: 1869

Test Number: 7643

Test Group No: 7640

---



As an IACET Authorized Provider,  
Industrial Training Services, Inc. offers  
CEUs for its programs that qualify  
under IACET guidelines.

[www.ITS-training.com](http://www.ITS-training.com)





# INDUSTRIAL TRAINING SERVICES, INC.

310 CC Lowry Drive • Murray KY 42071 • 270-753-2150 • [www.ITS-training.com](http://www.ITS-training.com)

ROBERT W BARRETT  
MARTIN CONTRACTING  
2371 IRVINE ROAD  
RICHMOND, KY 40475

Co. Code: 27961  
Instructor: Sligh, Chris  
Proctor: Sligh, Chris

## Test Results For:

OQ CH-2 Install Customer Gas Service Lines

Test Date: 03/18/2014

Pass/Fail: Pass

Test Key #: 1743

Test Number: 7654

Test Group No: 7640

---



As an IACET Authorized Provider,  
Industrial Training Services, Inc. offers  
CEUs for its programs that qualify  
under IACET guidelines.

[www.ITS-training.com](http://www.ITS-training.com)





# INDUSTRIAL TRAINING SERVICES, INC.

310 CC Lowry Drive • Murray KY 42071 • 270-753-2150 • [www.ITS-training.com](http://www.ITS-training.com)

ROBERT W BARRETT  
MARTIN CONTRACTING  
2371 IRVINE ROAD  
RICHMOND, KY 40475

Co. Code: 27961  
Instructor: Sligh, Chris  
Proctor: Sligh, Chris

## Test Results For:

OQ CL-1a Hot Tapping Pipelines Using Self-Tapping Tees

Test Date: 03/18/2014

Pass/Fail: Pass

Test Key #: 1781

Test Number: 7665

Test Group No: 7640

---



As an IACET Authorized Provider,  
Industrial Training Services, Inc. offers  
CEUs for its programs that qualify  
under IACET guidelines.

[www.ITS-training.com](http://www.ITS-training.com)





# INDUSTRIAL TRAINING SERVICES, INC.

310 CC Lowry Drive • Murray KY 42071 • 270-753-2150 • [www.ITS-training.com](http://www.ITS-training.com)

ROBERT W BARRETT  
MARTIN CONTRACTING  
2371 IRVINE ROAD  
RICHMOND, KY 40475

Co. Code: 27961  
Instructor: Sligh, Chris  
Proctor: Sligh, Chris

## Test Results For:

OQ CM-3 Pressure Testing Gas Pipelines

Test Date: 03/18/2014

Pass/Fail: Pass

Test Key #: 1625

Test Number: 7684

Test Group No: 7640

---



As an IACET Authorized Provider,  
Industrial Training Services, Inc. offers  
CEUs for its programs that qualify  
under IACET guidelines.

[www.ITS-training.com](http://www.ITS-training.com)







# INDUSTRIAL TRAINING SERVICES, INC.

310 CC Lowry Drive • Murray KY 42071 • 270-753-2150 • [www.ITS-training.com](http://www.ITS-training.com)

ROBERT W BARRETT  
MARTIN CONTRACTING  
2371 IRVINE ROAD  
RICHMOND, KY 40475

Co. Code: 27961  
Instructor: Sligh, Chris  
Proctor: Sligh, Chris

## Test Results For:

OQ CM-7 Prevent Accidental Ignition

Test Date: 03/17/2014

Pass/Fail: Pass

Test Key #: 1587

Test Number: 7698

Test Group No: 7640

---



As an IACET Authorized Provider,  
Industrial Training Services, Inc. offers  
CEUs for its programs that qualify  
under IACET guidelines.

[www.ITS-training.com](http://www.ITS-training.com)





# INDUSTRIAL TRAINING SERVICES, INC.

310 CC Lowry Drive • Murray KY 42071 • 270-753-2150 • [www.ITS-training.com](http://www.ITS-training.com)

ROBERT W BARRETT  
MARTIN CONTRACTING  
2371 IRVINE ROAD  
RICHMOND, KY 40475

Co. Code: 27961  
Instructor: Sligh, Chris  
Proctor: Sligh, Chris

## Test Results For:

OQ CM-8 Make Field Repairs on Gas Pipelines

Test Date: 03/17/2014

Pass/Fail: Pass

Test Key #: 3706

Test Number: 7710

Test Group No: 7640

---



As an IACET Authorized Provider,  
Industrial Training Services, Inc. offers  
CEUs for its programs that qualify  
under IACET guidelines.

[www.ITS-training.com](http://www.ITS-training.com)





# INDUSTRIAL TRAINING SERVICES, INC.

310 CC Lowry Drive • Murray, KY 42071 • 270-753-2150 • [www.ITS-training.com](http://www.ITS-training.com)

ROBERT W BARRETT  
MARTIN CONTRACTING  
2371 IRVINE ROAD  
RICHMOND, KY 40475

Co. Code: 27961  
Instructor: Sligh, Chris  
Proctor: Sligh, Chris

## Test Results For:

OQ CM-10 Abandon or Deactivate Gas Pipeline Facilities

Test Date: 03/18/2014

Pass/Fail: Pass

Test Key #: 1733

Test Number: 7721

Test Group No: 7640

---



As an IACET Authorized Provider,  
Industrial Training Services, Inc. offers  
CEUs for its programs that qualify  
under IACET guidelines.

[www.ITS-training.com](http://www.ITS-training.com)





# INDUSTRIAL TRAINING SERVICES, INC.

310 CC Lowry Drive • Murray KY 42071 • 270-753-2150 • [www.ITS-training.com](http://www.ITS-training.com)

ROBERT W BARRETT  
MARTIN CONTRACTING  
2371 IRVINE ROAD  
RICHMOND, KY 40475

Co. Code: 27961  
Instructor: Sligh, Chris  
Proctor: Sligh, Chris

## Test Results For:

GDS 10.4 Maintaining a Safe Working Environment While Excavating  
(Competent Person)

Test Date: 03/17/2014

Pass/Fail: Pass

Test Key #: 2259

Test Number: 7732

Test Group No: 7640

---



As an IACET Authorized Provider,  
Industrial Training Services, Inc. offers  
CEUs for its programs that qualify  
under IACET guidelines.

[www.ITS-training.com](http://www.ITS-training.com)



# RussMar Utility Management

## EDDIE BENNETT

TASK NUMBER	COVERED TASK	QUAL PERIOD	DATE QUALED	EXP DATE
E-1	WELD ON STEEL PIPELINES	1 YEAR		
E-2	TEST WELDS USING NON-DESTRUCTIVE PROCESSES	1 YEAR		
F-1	JOINING PLASTIC PIPE	1 YEAR	11/25/2014	11/25/2015
F-2	JOINING PLASTIC PIPE/MECHANICAL COUPLING	1 YEAR	11/25/2014	11/25/2015
G-1	INSPECT EXCAVATION/BACKFILLING ACTIVITIES	3 YEAR	11/19/2012	11/19/2015
H-1	INSTALL METER & REGULATOR	3 YEAR	11/12/2012	11/12/2015
H-2	INSTALL SERVICE LINES	3 YEAR	11/12/2012	11/12/2015
I-1	MONITOR CORROSION CONTROL METHODS USED ON BURRIED PIPELINES	3 YEAR	11/13/2012	11/13/2015
L-1a	TAP PIPELINES UNDER PRESSURE	3 YEAR	11/19/2012	11/19/2015
L-2	PURGING GAS LINES	3 YEAR	11/19/2012	11/19/2015
M-1	PERFORM PATROL & LEAKAGE SURVEYS ON GAS PIPELINE FACILITIES	3 YEAR	11/13/2012	11/13/2015
M-2	LOCATE & MARK UNDERGROUND FACILITIES	3 YEAR		
M-3	TESTING PIPELINES	3 YEAR	11/12/2012	11/12/2015
M-4	INSPECT & TEST PRESSURE LIMIT STATIONS	3 YEAR		
M-5	MAINTAIN LINE VALVES	3 YEAR	11/13/2012	11/13/2015
M-7	PREVENT ACCIDENTAL IGNITION/AOC'S	3 YEAR	11/19/2012	11/19/2015
M-8	MAKE FIELD REPAIRS ON DISTRIBUTION LINES	3 YEAR	11/13/2012	11/13/2015
M-9	REPAIR/PROTECT CAST IRON PIPE	3 YEAR		
M-10	ABANDON/DEACTIVATE GAS PIPING	3 YEAR	11/20/2012	11/20/2015
1401	MAINTAIN SAFE WORKING ENVR. WHILE EXC. (COMPETENT PERSON)	3 YEAR		

This card certifies that

**Eddie Bennett - RussMar Logistics**

has been tested and evaluated according to the requirements of D.O.T. 49 CFR Part 192.285 and applicable Plastic Fusion/Mechanical Joining Procedures.

Evaluation Method

Written Exam       Observation

11/25/14      11/25/15

QUALIFIED      EXPIRES      EVALUATOR

Bluegrass Instructional Services  
3438 McCure Road - Winchester, KY 40391  
859-494-3173 - sligh.c@gmail.com

OO F-1.1 Butt Fuse PE Pipe

Manual       Hydraulic

Medium Density       High Density

OO F-1.2 Socket Fuse PE Pipe

Medium Density       High Density

OO F-1.3 Sidewall Fuse PE Pipe

Medium Density       High Density

OO F-1.4 Electrofuse Couplings

OO F-1.5 Electrofuse Saddle Fittings

OO F-2 Join PE Pipe w/Mechanical Fittings

Compression(F-2.1)     Stab(F-2.2)     Bolted(F-2.3)

Mech. Compression(F-2.4)     Mech. Saddle(F-2.5)



**EDDIE L BENNETT**  
**RUSSMAR**  
**2371 IRVINE RD**  
**RICHMOND, KY 40475**

**Co. Code: 29199**  
**Instructor: Sligh, Chris**  
**Proctor: Sligh, Chris**

**Test Results For:**  
**OQ UF1-UF2 Join Plastic Pipe**

Test Date: 11/25/2014

Pass/Fail: Pass

Test Key #: 2075

Test Number: 7470

Test Group No: 9147



As an IACET Authorized Provider,  
Industrial Training Services, Inc. offers  
CEUs for its programs that qualify  
under IACET guidelines.

[www.ITS-training.com](http://www.ITS-training.com)



## IV. Employer Record

OQ Task UF-1 & UF-2

Join Plastic Pipe

Employee Information (Please Print):

Name Eddie Bennett

Last 4 Digits of Social Security Number \_\_\_\_\_

Company Name Russmar Martin

Company Mailing Address 2331 Irvine Rd

City Richmond State KY Zip 40475

### Affidavit

I acknowledge the performance of this task is solely for the purpose of operator qualification, and is not intended to replace or modify company operating procedures or policies and may not be appropriately used in all circumstances. I acknowledge that I am responsible for recognizing hazards and abnormal conditions in my work place and must exercise care and good judgment; always using appropriate equipment, procedures and tools for tasks I perform. Industrial Training Services, Inc. assumes no liability for my actions nor for my application of the performance guides used in this evaluation checklist.

Employee's Signature Eddie Bennett Date 11-25-14

Evaluator Information (Please Print):

Name Chris Sligh

Organization/Employer Bluegrass Instructional Services

Telephone Number 859-494-3173

### Affidavit

I affirm that I am the person who has administered this checklist and that I have conducted this assessment with integrity. I also affirm that the above named employee is the person assessed and that the above named person performed the tasks at the indicated level.

Evaluator's Signature Chris Sligh Date 11/25/14



Eddie



Jason



Operator Qualification / OO Tasks

OO H-1, H-2, M-3 ALL SIM	on 11/12/2012
OO CM-1 1-2, 5 SIM	on 11/13/2012
OO CM-5a Ball Plug Gate ALL SIM	on 11/13/2012
OO CM-8 1-4, 7 SIM	on 11/13/2012
OO CL-1A ALL SIM	on 11/19/2012
OO UM-7	on 11/19/2012
OO CG-1 ALL SIM	on 11/19/2012
OO CL-2 1 SIM	on 11/19/2012
OO CM-10 ALL SIM	on 11/20/2012

\*Qualifications are good for three years from date qualified

Operator Qualification / OO Tasks

OO H-1, H-2, M-3 ALL SIM	on 11/12/2012
OO CM-1 1-2, 5 SIM	on 11/13/2012
OO CM-5a Ball Plug Gate ALL SIM	on 11/13/2012
OO CM-8 1-4, 7 SIM	on 11/13/2012

\*Qualifications are good for three years from date qualified

# RussMar Utility Management

## PHILLIP PARKE

TASK NUMBER	COVERED TASK	QUAL PERIOD	DATE QUALED	EXP. DATE
E-1	WELD ON STEEL PIPELINES	1 YEAR		
E-2	TEST WELDS USING NON-DESTRUCTIVE PROCESSES	1 YEAR		
F-1	JOINING PLASTIC PIPE	1 YEAR		
F-2	JOINING PLASTIC PIPE/MECHANICAL COUPLING	1 YEAR		
G-1	INSPECT EXCAVATION/BACKFILLING ACTIVITIES	3 YEAR		
H-1	INSTALL METER & REGULATOR	3 YEAR		
H-2	INSTALL SERVICE LINES	3 YEAR		
I-1	MONITOR CORROSION CONTROL METHODS USED ON BURRIED PIPELINES	3 YEAR		
L-1a	TAP PIPELINES UNDER PRESSURE	3 YEAR		
L-2	PURGING GAS LINES	3 YEAR		
M-1	PERFORM PATROL & LEAKAGE SURVEYS ON GAS PIPELINE FACILITIES	3 YEAR	5/18/2015	5/18/2018
M-2	LOCATE & MARK UNDERGROUND FACILITIES	3 YEAR	5/18/2015	5/18/2018
M-3	TESTING PIPELINES	3 YEAR		
M-4	INSPECT & TEST PRESSURE LIMIT STATIONS	3 YEAR		
M-5	MAINTAIN LINE VALVES	3 YEAR		
M-7	PREVENT ACCIDENTAL IGNITION/AOC'S	3 YEAR		
M-8	MAKE FIELD REPAIRS ON DISTRIBUTION LINES	3 YEAR		
M-9	REPAIR/PROTECT CAST IRON PIPE	3 YEAR		
M-10	ABANDON/DEACTIVATE GAS PIPING	3 YEAR		
1401	MAINTAIN SAFE WORKING ENVR.WHILE EXC. (COMPETENT PERSON)	3 YEAR		

**EXPIRES**

**TASK**

5/18/18  OQ CM-1 : Performing Patrol & Leakage Surveys

5/18/18  OQ CM-2 : Locating & Marking Pipeline Facilities

This certifies that **Phillip Parke - 2700**  
of **RussMar Utility Mgmt. Logistics**

has been evaluated per the conditions and guidelines as set forth by DOT 49 CFR, Part 192 & the KY Public Service Commission using materials and procedures provided by Industrial Training Services & the KY Gas Association; and determined qualified to perform the tasks as indicated with a  in the corresponding box.

5/10/15



DATE

BLUEGRASS INSTRUCTIONAL SERVICES  
3438 McClure Rd., Winchester, KY 40391  
659-494-3173 / sblgh.c@gmail.com



PHILLIP PARKE  
RUSSMAR  
2371 IRVINE RD  
RICHMOND, KY 40475

Co. Code: 29199  
Instructor: Sligh, Chris  
Proctor: Sligh, Chris

**Test Results For:**

OQ CM-1 Performing Patrol and Leakage Surveys on Gas Pipeline  
Facilities

Test Date: 05/18/2015

Pass/Fail: Pass

Test Key #: 3686

Test Number: 3761

Test Group No: 10208



As an IACET Authorized Provider,  
Industrial Training Services, Inc. offers  
CEUs for its programs that qualify  
under IACET guidelines.

[www.ITS-training.com](http://www.ITS-training.com)





PHILLIP PARKE  
RUSSMAR  
2371 IRVINE RD  
RICHMOND, KY 40475

Co. Code: 29199  
Instructor: Sligh, Chris  
Proctor: Sligh, Chris

**Test Results For:**

OQ CM-2 Locate and Mark Underground Pipeline Facilities

Test Date: 05/18/2015

Pass/Fail: Pass

Test Key #: 1750

Test Number: 3763

Test Group No: 10208



As an IACET Authorized Provider,  
Industrial Training Services, Inc. offers  
CEUs for its programs that qualify  
under IACET guidelines.

[www.ITS-training.com](http://www.ITS-training.com)



# RussMar Utility Management

## ZANE SAYLERS

TASK NUMBER	COVERED TASK	QUAL PERIOD	DATE QUALED	EXP. DATE
E-1	WELD ON STEEL PIPELINES	1 YEAR		
E-2	TEST WELDS USING NON-DESTRUCTIVE PROCESSES	1 YEAR		
F-1	JOINING PLASTIC PIPE	1 YEAR	11/25/2014	11/25/2015
F-2	JOINING PLASTIC PIPE/MECHANICAL COUPLING	1 YEAR	11/25/2014	11/25/2015
G-1	INSPECT EXCAVATION/BACKFILLING ACTIVITIES	3 YEAR	1/27/2015	1/27/2018
H-1	INSTALL METER & REGULATOR	3 YEAR	1/28/2015	1/28/2018
H-2	INSTALL SERVICE LINES	3 YEAR	1/28/2015	1/28/2018
I-1	MONITOR CORROSION CONTROL METHODS USED ON BURRIED PIPELINES	3 YEAR	1/28/2015	1/28/2018
L-1a	TAP PIPELINES UNDER PRESSURE	3 YEAR	1/27/2015	1/27/2018
L-2	PURGING GAS LINES	3 YEAR	1/28/2015	1/28/2018
L-2	MONITOR ODORANT LEVELS	3 YEAR		
M-1	PERFORM PATROL & LEAKAGE SURVEYS ON GAS PIPELINE FACILITIES	3 YEAR		
M-2	LOCATE & MARK UNDERGROUND FACILITIES	3 YEAR		
M-3	TESTING PIPELINES	3 YEAR	1/28/2015	1/28/2018
M-4	INSPECT & TEST PRESSURE LIMIT STATIONS	3 YEAR		
M-5	MAINTAIN LINE VALVES	3 YEAR		
M-7	PREVENT ACCIDENTAL IGNITION/AOC'S	3 YEAR	1/27/2015	1/27/2018
M-8	ISNTALL/REPAIR/REPLACE MAIN LINES	3 YEAR	1/27/2015	1/27/2018
M-9	REPAIR/PROTECT CAST IRON PIPE	3 YEAR		
M-10	ABANDON/DEACTIVATE GAS PIPING	3 YEAR	1/28/2015	1/28/2018
1401	MAINTAIN SAFE WORKING ENVR.WHILE EXC. (COMPETENT PERSON)	3 YEAR	1/27/2015	1/27/2018

TASK NUMBER	COVERED TASK	QUAL PERIOD	DATE QUALED	EXP. DATE
2, 3, 4	FACILITATING THE TEACHING-LEARNING PROCESS- PROCTOR CERTIFICATION		11/6/2014	INDEF

This card certifies that  
**Zane Salyers - RussMaj Logistics**

has been tested and evaluated according to the requirements of D.O.T. 49  
CFR Part 192.205 and applicable Plastic Fusion/Mechanical Joining  
Procedures

Evaluation Method

Written Exam

Observation

11/25/14

11/25/15

QUALIFIED:

EXPIRES:

EVALUATOR

  
Bluegrass Instructional Services  
3438 McClure Road Winchester, KY 40391  
859-494-3173 sign.cd@gnrail.com

- 00 F-1.1 Butt Fuse PE Pipe
  - Manual
  - Hydraulic
  - Medium Density
  - High Density
- 00 F-1.2 Socket Fuse PE Pipe
  - Medium Density
  - High Density
- 00 F-1.3 Sidewall Fuse PE Pipe
  - Medium Density
  - High Density
- 00 F-1.4 Electrofuse Couplings
- 00 F-1.5 Electrofuse Saddle Fittings
- 00 F-2 Join PE Pipe w/Mechanical Fittings
- Compressor(F-2.1)  Saddle(F-2.2)  Bolted(F-2.3)
- Mech. Compressor(F-2.4)  Mech. Saddle(F-2.5)



ALVIN Z SALYERS  
RUSSMAR  
2371 IRVINE RD  
RICHMOND, KY 40475

Co. Code: 29199  
Instructor: Sligh, Chris  
Proctor: Sligh, Chris

**Test Results For:**  
OQ UF1-UF2 Join Plastic Pipe

Test Date: 11/25/2014

Pass/Fail: Pass

Test Key #: 2075

Test Number: 7474

Test Group No: 9147

---



As an IACET Authorized Provider,  
Industrial Training Services, Inc. offers  
CEUs for its programs that qualify  
under IACET guidelines.

[www.ITS-training.com](http://www.ITS-training.com)





## IV. Employer Record

OQ Task UF-1 & UF-2

Join Plastic Pipe

Employee Information (Please Print):

Name ALVIN ZANE SALYERS

Last 4 Digits of Social Security Number \_\_\_\_\_

Company Name RUSS MAR

Company Mailing Address 2371 IRVING RD

City RICHMOND State KY Zip 40475

### Affidavit

I acknowledge the performance of this task is solely for the purpose of operator qualification, and is not intended to replace or modify company operating procedures or policies and may not be appropriately used in all circumstances. I acknowledge that I am responsible for recognizing hazards and abnormal conditions in my work place and must exercise care and good judgment; always using appropriate equipment, procedures and tools for tasks I perform. Industrial Training Services, Inc. assumes no liability for my actions nor for my application of the performance guides used in this evaluation checklist.

Employee's Signature Alvin Zane Salyers Date 11-25-14

Evaluator Information (Please Print):

Name Chris Sligh

Organization/Employer Bluegrass Instructional Services

Telephone Number 859-494-3173

### Affidavit

I affirm that I am the person who has administered this checklist and that I have conducted this assessment with integrity. I also affirm that the above named employee is the person assessed and that the above named person performed the tasks at the indicated level.

Evaluator's Signature Chris Sligh Date 11/25/14

EXPRES	TASK
1/27/18	<input checked="" type="checkbox"/> OO CG-1: Excavating/Backfilling
1/28/18	<input checked="" type="checkbox"/> OO CH-1: Install/Repair/Replace M & R Sets
1/28/18	<input checked="" type="checkbox"/> OO CH-2: Install/Repair/Replace Service Lines
1/28/18	<input checked="" type="checkbox"/> OO CH-11: Install Anodes & Test Stations
1/27/18	<input checked="" type="checkbox"/> OO CL-1a: Tap Pipelines (Self-Tapping Only)
1/28/18	<input checked="" type="checkbox"/> OO CL-2: Purge Pipelines
1/28/18	<input checked="" type="checkbox"/> OO CM-3: Pressure Test Pipelines
1/27/18	<input checked="" type="checkbox"/> OO M-7: Prevent Accidental Ignition/AOC'S
1/27/18	<input checked="" type="checkbox"/> OO CM-8: Install/Repair/Replace Main Lines
1/28/18	<input checked="" type="checkbox"/> OO CM-10: Abandon/Deactivate Pipelines
1/27/18	<input checked="" type="checkbox"/> GDS 10.4: Competent Person

This certifies that **Alvin Z. Salyers - 6098** of **RussMar Logistics** has been evaluated per the conditions and guidelines as set forth by DOT 49 CFR Part 192 & the KY Public Service Commission using materials and procedures provided by Industrial Training Services & the KY Gas Association, and determined qualified to perform the tasks as indicated with a "✓" in the corresponding box.

DATE: 1/28/18  
 Signature: *[Handwritten Signature]*

BLUEGRASS INSTRUCTIONAL SERVICES  
 3438 McClure Rd., Winchester, KY 40391  
 859-494-3173 / sligh@gmail.com



ALVIN Z SALYERS  
RUSSMAR  
2371 IRVINE RD  
RICHMOND, KY 40475

Co. Code: 29199  
Instructor: Sligh, Chris  
Proctor: Sligh, Chris

**Test Results For:**

OQ CG-1 Verify Excavating and Backfilling Operations That Minimize  
Excavation Damage to Pipeline Facilities

Test Date: 01/27/2015

Pass/Fail: Pass

Test Key #: 2016

Test Number: 2445

Test Group No: 9425



As an IACET Authorized Provider,  
Industrial Training Services, Inc. offers  
CEUs for its programs that qualify  
under IACET guidelines.

[www.ITS-training.com](http://www.ITS-training.com)





ALVIN Z SALYERS  
RUSSMAR  
2371 IRVINE RD  
RICHMOND, KY 40475

Co. Code: 29199  
Instructor: Sligh, Chris  
Proctor: Sligh, Chris

**Test Results For:**

OQ CH-1 Install Customer Gas Meter and Regulator Sets

Test Date: 01/28/2015

Pass/Fail: Pass

Test Key #: 1869

Test Number: 2467

Test Group No: 9425

---



As an IACET Authorized Provider,  
Industrial Training Services, Inc. offers  
CEUs for its programs that qualify  
under IACET guidelines.

[www.ITS-training.com](http://www.ITS-training.com)





ALVIN Z SALYERS  
RUSSMAR  
2371 IRVINE RD  
RICHMOND, KY 40475

Co. Code: 29199  
Instructor: Sligh, Chris  
Proctor: Sligh, Chris

**Test Results For:**

OQ CH-2 Install Customer Gas Service Lines

Test Date: 01/28/2015

Pass/Fail: Pass

Test Key #: 1743

Test Number: 2479

Test Group No: 9425



As an LACET Authorized Provider,  
Industrial Training Services, Inc. offers  
CEUs for its programs that qualify  
under LACET guidelines.

[www.ITS-training.com](http://www.ITS-training.com)





ALVIN Z SALYERS  
RUSSMAR  
2371 IRVINE RD  
RICHMOND, KY 40475

Co. Code: 29199  
Instructor: Sligh, Chris  
Proctor: Sligh, Chris

**Test Results For:**

OQ CI-11 Installing Sacrificial Anodes and Test Stations

Test Date: 01/27/2015

Pass/Fail: Pass

Test Key #: 2086

Test Number: 2491

Test Group No: 9425

As an LACET Authorized Provider,  
Industrial Training Services, Inc. offers  
CEUs for its programs that qualify  
under LACET guidelines.

[www.ITS-training.com](http://www.ITS-training.com)



ALVIN Z SALYERS  
RUSSMAR  
2371 IRVINE RD  
RICHMOND, KY 40475

Co. Code: 29199  
Instructor: Sligh, Chris  
Proctor: Sligh, Chris

**Test Results For:**

OQ CL-1a Hot Tapping Pipelines Using Self-Tapping Tees

Test Date: 01/28/2015

Pass/Fail: Pass

Test Key #: 1781

Test Number: 2503

Test Group No: 9425



As an IACET Authorized Provider,  
Industrial Training Services, Inc. offers  
CEUs for its programs that qualify  
under IACET guidelines.

[www.ITS-training.com](http://www.ITS-training.com)





ALVIN Z SALYERS  
RUSSMAR  
2371 IRVINE RD  
RICHMOND, KY 40475

Co. Code: 29199  
Instructor: Sligh, Chris  
Proctor: Sligh, Chris

**Test Results For:**

OQ CL-2 Purge Pipelines (Small & Large Diameter)

Test Date: 01/28/2015

Pass/Fail: Pass

Test Key #: 1820

Test Number: 2515

Test Group No: 9425



As an IACET Authorized Provider,  
Industrial Training Services, Inc. offers  
CEUs for its programs that qualify  
under IACET guidelines.

[www.ITS-training.com](http://www.ITS-training.com)







ALVIN Z SALYERS  
RUSSMAR  
2371 IRVINE RD  
RICHMOND, KY 40475

Co. Code: 29199  
Instructor: Sligh, Chris  
Proctor: Sligh, Chris

**Test Results For:**

OQ CM-3 Pressure Testing Gas Pipelines

Test Date: 01/28/2015

Pass/Fail: Pass

Test Key #: 1625

Test Number: 2527

Test Group No: 9425

---



As an IACET Authorized Provider,  
Industrial Training Services, Inc. offers  
CEUs for its programs that qualify  
under IACET guidelines.

[www.ITS-training.com](http://www.ITS-training.com)





ALVIN Z SALYERS  
RUSSMAR  
2371 IRVINE RD  
RICHMOND, KY 40475

Co. Code: 29199  
Instructor: Sligh, Chris  
Proctor: Sligh, Chris

**Test Results For:**  
OQ CM-7 Prevent Accidental Ignition

Test Date: 01/27/2015

Pass/Fail: Pass

Test Key #: 1587

Test Number: 2539

Test Group No: 9425

---



As an IACET Authorized Provider,  
Industrial Training Services, Inc. offers  
CEUs for its programs that qualify  
under IACET guidelines.

[www.ITS-training.com](http://www.ITS-training.com)





ALVIN Z SALYERS  
RUSSMAR  
2371 IRVINE RD  
RICHMOND, KY 40475

Co. Code: 29199  
Instructor: Sligh, Chris  
Proctor: Sligh, Chris

**Test Results For:**

OQ CM-8 Make Field Repairs on Gas Pipelines

Test Date: 01/27/2015

Pass/Fail: Pass

Test Key #: 3706

Test Number: 2551

Test Group No: 9425

---



As an IACET Authorized Provider,  
Industrial Training Services, Inc. offers  
CEUs for its programs that qualify  
under IACET guidelines.

[www.ITS-training.com](http://www.ITS-training.com)





ALVIN Z SALYERS  
RUSSMAR  
2371 IRVINE RD  
RICHMOND, KY 40475

Co. Code: 29199  
Instructor: Sligh, Chris  
Proctor: Sligh, Chris

**Test Results For:**

OQ CM-10 Abandon or Deactivate Gas Pipeline Facilities

Test Date: 01/28/2015

Pass/Fail: Pass

Test Key #: 1733

Test Number: 2563

Test Group No: 9425



As an IACET Authorized Provider,  
Industrial Training Services, Inc. offers  
CEUs for its programs that qualify  
under IACET guidelines.

[www.ITS-training.com](http://www.ITS-training.com)





ALVIN Z SALYERS  
RUSSMAR  
2371 IRVINE RD  
RICHMOND, KY 40475

Co. Code: 29199  
Instructor: Sligh, Chris  
Proctor: Sligh, Chris

**Test Results For:**

GDS 10.4 Maintaining a Safe Working Environment While Excavating  
(Competent Person)

Test Date: 01/27/2015

Pass/Fail: Pass

Test Key #: 2259

Test Number: 2575

Test Group No: 9425



As an IACET Authorized Provider,  
Industrial Training Services, Inc. offers  
CEUs for its programs that qualify  
under IACET guidelines.

[www.ITS-training.com](http://www.ITS-training.com)





ALVIN Z SALYERS  
RUSSMAR  
2371 IRVINE RD  
RICHMOND, KY 40475

Co. Code: 30310  
Instructor: BALMER, WADE  
Proctor: BALMER, WADE

**Test Results For:**

0.2, 0.3 and 0.4 Facilitating the Teaching-Learning Process, Proctor  
Certification, and Skill and Ability Performance Evaluator

Test Date: 11/06/2014

Pass/Fail: Pass

Test Key #: 4824

Test Number: 6378

Test Group No: 9033



As an IACET Authorized Provider,  
Industrial Training Services, Inc. offers  
CEUs for its programs that qualify  
under IACET guidelines.

[www.ITS-training.com](http://www.ITS-training.com)





# INDUSTRIAL TRAINING SERVICES, INC.

This certifies that

*Arvin Salyers*

of  
*Arvin Salyers*  
has successfully completed an instructional program in

## Facilitating the Teaching-Learning Process

### Proctor Certification

Industrial Training Services, Inc. is authorized by IACET to offer I.C.E.T.U.s for this program. This certificate is issued this 26th day of March, 2015.

*[Signature]*  
COURSE INSTRUCTOR



*[Signature]*  
PRESIDENT



INDUSTRIAL TRAINING SERVICES, INC.

This certifies that

*Alvin Salyers*

INDUSTRIAL

has successfully completed an instructional program in

Conducting Skill Performance Evaluations

to Establish Operator Qualifications

This certificate is issued this 26th day of March, 2015

COURSE INSTRUCTOR

*[Signature]*



*[Signature]*  
PRESIDENT

# RussMar Utility Management

## JASON WARREN

TASK NUMBER	COVERED TASK	QUAL PERIOD	DATE QUAIED	EXP DATE
E-1	WELD ON STEEL PIPELINES	1 YEAR		
E-2	TEST WELDS USING NON-DESTRUCTIVE PROCESSES	1 YEAR		
F-1	JOINING PLASTIC PIPE	1 YEAR	1/26/2015	1/26/2016
F-2	JOINING PLASTIC PIPE/MECHANICAL COUPLING	1 YEAR	1/26/2015	1/26/2016
G-1	INSPECT EXCAVATION/BACKFILLING ACTIVITIES	3 YEAR	3/17/2014	3/17/2017
H-1	INSTALL METER & REGULATOR	3 YEAR	3/18/2014	3/18/2017
H-2	INSTALL SERVICE LINES	3 YEAR	3/18/2014	3/18/2017
I-1	MONITOR CORROSION CONTROL METHODS USED ON BURRIED PIPELINES	3 YEAR	11/12/2012	11/12/2015
L-1a	TAP PIPELINES UNDER PRESSURE	3 YEAR	3/18/2014	3/18/2017
L-2	PURGING GAS LINES	3 YEAR	11/12/2012	11/12/2015
L-2	MONITOR ODORANT LEVELS	3 YEAR	3/19/2014	3/19/2017
M-1	PERFORM PATROL & LEAKAGE SURVEYS ON GAS PIPELINE FACILITIES	3 YEAR	11/12/2012	11/12/2015
M-2	LOCATE & MARK UNDERGROUND FACILITIES	3 YEAR	3/19/2014	3/19/2017
M-3	TESTING PIPELINES	3 YEAR	3/18/2014	3/18/2017
M-4	INSPECT & TEST PRESSURE LIMIT STATIONS	3 YEAR		
M-5	MAINTAIN LINE VALVES	3 YEAR	3/19/2014	3/19/2017
M-7	PREVENT ACCIDENTAL IGNITION/AOC'S	3 YEAR	3/17/2014	3/17/2017
M-8	ISNTALL/REPAIR/REPLACE MAIN LINES	3 YEAR	3/17/2014	3/17/2017
M-9	REPAIR/PROTECT CAST IRON PIPE	3 YEAR		
M-10	ABANDON/DEACTIVATE GAS PIPING	3 YEAR	3/18/2014	3/18/2017
1401	MAINTAIN SAFE WORKING ENVR.WHILE EXC. (COMPETENT PERSON)	3 YEAR	3/17/2014	3/17/2017

TASK NUMBER	COVERED TASK	QUAL PERIOD	DATE QUAIED	EXP DATE
GDS-3.6	MAINTAINING COMPLIANCE W/ NATIONAL FUEL GAS CODE NFPA #54		2/7/2013	
	*DOES NOT MEET REQUIIREMENTS FOR FED REG PART 192			

This card certifies that

Jason Warren (5626) - RussMar Logistics

has been tested and evaluated according to the requirements of D.O.T. 49 CFR Part 192.205 and applicable Plastic Fusion/Mechanical Joining Procedures.

Evaluation Method:  Written Exam  Observation

QUALIFIED: 1/26/15

EXPIRES: 1/26/16

*[Signature]*  
EVALUATOR

Bluegrass Instructional Services  
3438 McClure Road - Winchester, KY 40391  
859-494-3173 - signl@gmail.com

00 F-1.1 Butt Fuse PE pipe  
 Manual  
 Hydraulic  
 Medium Density  
 High Density

00 F-1.2 Socket Fuse PE pipe  
 Medium Density  
 High Density

00 F-1.3 Sidelwall Fuse PE pipe  
 Medium Density  
 High Density

00 F-1.4 Electrofuse Couplings  
 Medium Density  
 High Density

00 F-1.5 Electrofuse Saddle Fittings

00 F-2 Join PE Pipe w/Mechanical Fittings  
 Compression (2.1)  
 Stab (2.2)  
 Bolted (2.3)



JASON O WARREN  
RUSSMAR  
2371 IRVINE RD  
RICHMOND, KY 40475

Co. Code: 29199  
Instructor: Sligh, Chris  
Proctor: Sligh, Chris

**Test Results For:**

OQ CF-1 Join Plastic Pipe with Heat Fusion

Test Date: 01/26/2015

Pass/Fail: Pass

Test Key #: 1831

Test Number: 2425

Test Group No: 9425



As an IACET Authorized Provider,  
Industrial Training Services, Inc. offers  
CEUs for its programs that qualify  
under IACET guidelines.

[www.ITS-training.com](http://www.ITS-training.com)





JASON O WARREN  
RUSSMAR  
2371 IRVINE RD  
RICHMOND, KY 40475

Co. Code: 29199  
Instructor: Sligh, Chris  
Proctor: Sligh, Chris

**Test Results For:**

OQ CF-2 Join Plastic Pipe with Mechanical Fittings

Test Date: 01/26/2015

Pass/Fail: Pass

Test Key #: 4836

Test Number: 2441

Test Group No: 9425



As an IACET Authorized Provider,  
Industrial Training Services, Inc. offers  
CEUs for its programs that qualify  
under IACET guidelines.

[www.ITS-training.com](http://www.ITS-training.com)



Jason Warren

**Operator Qualification / OO Tasks**

OQ H-1, H-2, M-3 ALL SIM	on 11/12/2012
OQ CM-1 1-2, 5 SIM	on 11/13/2012
OQ CM-5a Ball Plug Gate ALL SIM	on 11/13/2012
OQ CM-8 1-4, 7 SIM	on 11/13/2012

\*Qualifications are good for three years from date qualified



*Managed Training and Qualification Solutions for the Gas Industry*

310 CC Lowry Drive • Murray, KY 42071 • 1-800-333-1566 • www.ITS-training.com

JASON O WARREN  
MARTIN CONTRACTING  
2371 IRVINE ROAD  
RICHMOND, KY 40475

Co. Code: 27961  
Instructor: Tapp, Kenneth L  
Proctor: Tapp, Kenneth L

**Test Results For:**

OQ UM-5 Maintain Line Valves in Gas Transmission/Distribution Piping

Test Date: 10/24/2012

Pass/Fail: Pass

Test Key #: 1690

Test Number: 7211

Test Group No: 6012

---

**Overall Result for This Group**

<b>Mean:</b>	<b>Median:</b>	<b># Above Mastery:</b>	<b># In Group:</b>
89.58	90.28	4	4

---

**This test result does not meet the skills and ability requirement of the Code of Federal Regulations Part 192 for Operator Qualification.**

## IV. Employer Record

Group # 6012

OQ Task UM-5

### Maintain Line Valves in Gas Transmission/Distribution Piping

#### Employee Information (Please Print):

Name Jason Warren

Last 4 Digits of Social Security Number \_\_\_\_\_

Company Name \_\_\_\_\_

Company Mailing Address \_\_\_\_\_

City \_\_\_\_\_ State \_\_\_\_\_ Zip \_\_\_\_\_

### *Affidavit*

I acknowledge the performance of this task is solely for the purpose of operator qualification, and is not intended to replace or modify company operating procedures or policies and may not be appropriately used in all circumstances. I acknowledge that I am responsible for recognizing hazards and abnormal conditions in my work place and must exercise care and good judgment; always using appropriate equipment, procedures and tools for tasks I perform. Industrial Training Services, Inc. assumes no liability for my actions nor for my application of the performance guides used in this evaluation checklist.

Employee's Signature Jason Warren Date 10-24-12

#### Evaluator Information (Please Print):

Name \_\_\_\_\_

Organization/Employer \_\_\_\_\_

Telephone Number \_\_\_\_\_

### *Affidavit*

I affirm that I am the person who has administered this checklist and that I have conducted this assessment with integrity. I also affirm that the above named employee is the person assessed and that the above named person performed the tasks at the indicated level.

Evaluator's Signature \_\_\_\_\_ Date \_\_\_\_\_





**Managed Training and Qualification Solutions for the Gas Industry**

310 CC Lowry Drive • Murray, KY 42071 • 1-800-333-1566 • www.ITS-training.com

JASON O WARREN  
MARTIN CONTRACTING  
2371 IRVINE ROAD  
RICHMOND, KY 40475

Co. Code: 27961  
Instructor: Rhodes, Rodney  
Proctor: Rhodes, Rodney

**Test Results For:**

GDS 3.6 Maintaining Compliance with the National Fuel Gas Code NFPA  
#54

Test Date: 02/07/2013

Pass/Fail: Pass

Test Key #: 2087

Test Number: 5284

Test Group No: 6279

---

**This test result does not meet the skills and ability requirement of the Code of Federal Regulations Part 192 for Operator Qualification.**